

Computer Algebra Independent Integration Tests

Summer 2023 edition

7-Inverse-hyperbolic-functions/7.2-Inverse-hyperbolic-cosine/189-
7.2.2-d-x-^m-a+b-arccosh-c-x-ⁿ

Nasser M. Abbasi

September 5, 2023

Compiled on September 5, 2023 at 11:57am

Contents

1	Introduction	3
2	detailed summary tables of results	21
3	Listing of integrals	67
4	Appendix	903

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	8
1.4	Performance based on number of rules Rubi used	10
1.5	Performance based on number of steps Rubi used	11
1.6	Solved integrals histogram based on leaf size of result	12
1.7	Solved integrals histogram based on CPU time used	13
1.8	Leaf size vs. CPU time used	14
1.9	list of integrals with no known antiderivative	15
1.10	List of integrals solved by CAS but has no known antiderivative	15
1.11	list of integrals solved by CAS but failed verification	15
1.12	Timing	16
1.13	Verification	16
1.14	Important notes about some of the results	16
1.15	Design of the test system	19

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [166]. This is test number [189].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 13.3.1 (August 16, 2023) on windows 10.
2. Rubi 4.16.1 (Dec 19, 2018) on Mathematica 13.3 on windows 10
3. Maple 2023.1 (July, 12, 2023) on windows 10.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.3.0 on Linux via sagemath 10.1 (Aug 20, 2023).
5. FriCAS 1.3.9 (July 8, 2023) based on sbcl 2.3.0 on Linux via sagemath 10.1 (Aug 20, 2023).
6. Giac/Xcas 1.9.0-57 (June 26, 2023) on Linux via sagemath 10.1 (Aug 20, 2023).
7. Sympy 1.12 (May 10, 2023) Using Python 3.11.3 on Linux.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (166)	0.00 (0)
Mathematica	96.39 (160)	3.61 (6)
Maple	72.29 (120)	27.71 (46)
Maxima	34.34 (57)	65.66 (109)
Fricas	31.33 (52)	68.67 (114)
Giac	23.49 (39)	76.51 (127)
Mupad	19.28 (32)	80.72 (134)
Sympy	15.06 (25)	84.94 (141)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	83.133	0.000	0.000	16.867
Mathematica	76.506	3.012	0.000	20.482
Maple	51.807	0.602	3.012	44.578
Fricas	20.482	1.205	0.000	78.313
Maxima	17.470	0.000	0.000	82.530
Giac	7.831	0.602	0.000	91.566
Mupad	0.000	2.410	0.000	97.590
Sympy	0.000	0.000	0.000	100.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of

error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	6	100.00	0.00	0.00
Maple	46	100.00	0.00	0.00
Fricas	114	40.35	0.00	59.65
Maxima	109	100.00	0.00	0.00
Giac	127	64.57	2.36	33.07
Mupad	134	0.00	100.00	0.00
Sympy	141	85.82	14.18	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Rubi	0.24
Maple	0.25
Fricas	0.25
Mathematica	0.43
Maxima	0.51
Giac	0.72
Mupad	2.63
Sympy	6.54

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	10.88	0.99	10.00	1.00
Mupad	15.22	1.08	12.00	1.06
Giac	35.18	1.20	12.00	1.20
Fricas	66.81	1.09	60.50	1.15
Maple	76.75	0.99	60.50	0.92
Rubi	107.92	1.00	92.00	1.00
Mathematica	109.03	1.05	81.00	1.00
Maxima	172.07	14.13	48.00	1.00

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{49, 50, 56, 57, 63, 64, 70, 71, 77, 83, 89, 95, 96, 102, 108, 114, 115, 116, 119, 120, 121, 122, 123, 124, 125, 126, 132, 166}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {20, 29, 30, 31, 40, 41, 51, 53, 54, 65, 66, 67, 68, 97, 99, 101, 103, 105, 107, 109, 110, 111, 113, 145, 147, 148, 150, 154, 160}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
```

```
x, aa = expr.operator(), expr.operands()
if x is None:
    return 1
else:
    return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in *Rubi Table file*

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
June 27, 2023
Design v1.0a

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	22
2.2	Detailed conclusion table per each integral for all CAS systems	26
2.3	Detailed conclusion table specific for Rubi results	60

2.1 List of integrals sorted by grade for each CAS

Rubi	22
Mma	22
Maple	23
Fricas	23
Maxima	23
Giac	24
Mupad	24
Sympy	24

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 149, 151, 152, 153, 154, 157, 160, 163, 164, 165 }

B grade { 39, 41, 65, 148, 150 }

C grade { }

F normal fail { 155, 156, 158, 159, 161, 162 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 4, 5, 6, 7, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 31, 32, 33, 34, 35, 36, 37, 38, 40, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 73, 75, 76, 79, 81, 82, 85, 87, 88, 91, 93, 94, 98, 100, 101, 106, 107, 110, 112, 113, 133, 134, 135, 136, 137, 138, 139, 140, 141 }

B grade { 104 }

C grade { 8, 10, 128, 130, 131 }

F normal fail { 28, 30, 39, 41, 72, 74, 78, 80, 84, 86, 90, 92, 97, 99, 103, 105, 109, 111, 117, 118, 127, 129, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 133, 134, 135, 136, 139, 140, 141 }

B grade { 7, 138 }

C grade { }

F normal fail { 6, 17, 18, 20, 27, 28, 29, 30, 31, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 117, 118, 127, 128, 129, 130, 131, 137, 163, 164, 165 }

F(-1) timedout fail { }

F(-2) exception fail { 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 122, 123, 124, 125, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162 }

Maxima

A grade { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 14, 16, 19, 21, 22, 24, 26, 33, 35, 37, 133, 134, 135, 136, 138, 139, 140, 141 }

B grade { }

C grade { }

F normal fail { 6, 13, 15, 17, 18, 20, 23, 25, 27, 28, 29, 30, 31, 32, 34, 36, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 137, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

F(-1) timedout fail { }

F(-2) exception fail { }

Giac

A grade { 4, 5, 7, 8, 9, 10, 11, 16, 21, 26, 37, 135, 136 }

B grade { 19 }

C grade { }

F normal fail { 6, 17, 18, 20, 25, 27, 28, 30, 38, 39, 41, 42, 44, 46, 47, 48, 51, 53, 54, 55, 58, 60, 61, 62, 65, 67, 68, 69, 72, 74, 75, 76, 78, 80, 81, 82, 90, 92, 93, 94, 97, 99, 100, 101, 103, 105, 106, 107, 109, 111, 112, 113, 117, 118, 127, 129, 130, 131, 137, 138, 139, 140, 141, 142, 143, 144, 146, 147, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 164, 165 }

F(-1) timedout fail { 122, 123, 126 }

F(-2) exception fail { 1, 2, 3, 12, 13, 14, 15, 22, 23, 24, 29, 31, 32, 33, 34, 35, 36, 40, 43, 45, 52, 59, 66, 73, 79, 84, 85, 86, 87, 88, 91, 98, 104, 110, 128, 133, 134, 145, 148, 149, 150, 163 }

Mupad

A grade { }

B grade { 4, 5, 135, 136 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 3, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 78, 79, 80, 81, 82, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 109, 110, 111, 112, 113, 117, 118, 127, 128, 129, 130, 131, 133, 134, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165 }

F(-2) exception fail { }

Sympy

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 51, 52, 53, 54, 55, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 72, 73, 74, 75, 76, 79, 80, 81, 82, 90, 91, 92, 93, 94,

97, 98, 99, 100, 101, 103, 104, 105, 106, 107, 117, 118, 127, 128, 129, 130, 131, 133, 134, 135, 136,
137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 151, 152, 153, 154, 155, 156, 157, 158, 159,
163, 164, 165 }

F(-1) timeout fail { 78, 84, 85, 86, 87, 88, 89, 109, 110, 111, 112, 113, 114, 122, 148, 149, 150,
160, 161, 162 }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	55	48	68	61	0	0	0
N.S.	1	1.00	0.59	0.52	0.73	0.66	0.00	0.00	0.00
time (sec)	N/A	0.029	0.024	0.444	0.292	0.254	0.000	0.000	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	71	98	77	59	0	0	0
N.S.	1	1.00	0.92	1.27	1.00	0.77	0.00	0.00	0.00
time (sec)	N/A	0.022	0.043	0.037	0.268	0.256	0.000	0.000	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	46	39	48	52	0	0	0
N.S.	1	1.00	0.71	0.60	0.74	0.80	0.00	0.00	0.00
time (sec)	N/A	0.016	0.020	0.026	0.227	0.252	0.000	0.000	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	61	76	56	48	0	70	39
N.S.	1	1.00	1.24	1.55	1.14	0.98	0.00	1.43	0.80
time (sec)	N/A	0.010	0.018	0.026	0.235	0.237	0.000	0.349	0.042

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	30	30	30	27	25	37	0	35	26
N.S.	1	1.00	1.00	0.90	0.83	1.23	0.00	1.17	0.87
time (sec)	N/A	0.005	0.048	0.016	0.231	0.244	0.000	0.291	2.684

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	42	66	0	0	0	0	0
N.S.	1	1.00	0.98	1.53	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.041	0.033	0.201	0.000	0.000	0.000	0.000	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	B	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	32	32	57	51	22	65	0	36	0
N.S.	1	1.00	1.78	1.59	0.69	2.03	0.00	1.12	0.00
time (sec)	N/A	0.013	0.021	0.036	0.327	0.259	0.000	0.290	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	C	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	38	38	35	35	27	38	0	50	0
N.S.	1	1.00	0.92	0.92	0.71	1.00	0.00	1.32	0.00
time (sec)	N/A	0.011	0.008	0.026	0.357	0.248	0.000	0.301	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	65	65	78	75	43	90	0	62	0
N.S.	1	1.00	1.20	1.15	0.66	1.38	0.00	0.95	0.00
time (sec)	N/A	0.020	0.058	0.027	0.316	0.268	0.000	0.296	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	C	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	66	66	45	45	48	48	0	77	0
N.S.	1	1.00	0.68	0.68	0.73	0.73	0.00	1.17	0.00
time (sec)	N/A	0.019	0.017	0.027	0.337	0.268	0.000	0.295	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	93	93	104	95	63	101	0	85	0
N.S.	1	1.00	1.12	1.02	0.68	1.09	0.00	0.91	0.00
time (sec)	N/A	0.029	0.032	0.036	0.337	0.254	0.000	0.294	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	132	132	80	112	99	99	0	0	0
N.S.	1	1.00	0.61	0.85	0.75	0.75	0.00	0.00	0.00
time (sec)	N/A	0.326	0.084	0.056	0.263	0.248	0.000	0.000	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	106	106	77	92	0	92	0	0	0
N.S.	1	1.00	0.73	0.87	0.00	0.87	0.00	0.00	0.00
time (sec)	N/A	0.290	0.056	0.046	0.000	0.256	0.000	0.000	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	90	90	64	78	70	82	0	0	0
N.S.	1	1.00	0.71	0.87	0.78	0.91	0.00	0.00	0.00
time (sec)	N/A	0.206	0.073	0.052	0.258	0.255	0.000	0.000	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	64	64	58	58	0	73	0	0	0
N.S.	1	1.00	0.91	0.91	0.00	1.14	0.00	0.00	0.00
time (sec)	N/A	0.172	0.041	0.039	0.000	0.241	0.000	0.000	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	39	39	39	39	32	59	0	62	0
N.S.	1	1.00	1.00	1.00	0.82	1.51	0.00	1.59	0.00
time (sec)	N/A	0.080	0.021	0.098	0.231	0.271	0.000	0.296	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	62	62	63	98	0	0	0	0	0
N.S.	1	1.00	1.02	1.58	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.074	0.027	0.097	0.000	0.000	0.000	0.000	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	60	60	92	138	0	0	0	0	0
N.S.	1	1.00	1.53	2.30	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.151	0.213	0.165	0.000	0.000	0.000	0.000	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	48	48	48	81	39	65	0	98	0
N.S.	1	1.00	1.00	1.69	0.81	1.35	0.00	2.04	0.00
time (sec)	N/A	0.130	0.015	0.179	0.380	0.247	0.000	0.317	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	114	114	144	171	0	0	0	0	0
N.S.	1	1.00	1.26	1.50	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.256	0.183	0.245	0.000	0.000	0.000	0.000	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	95	95	69	123	72	85	0	147	0
N.S.	1	1.00	0.73	1.29	0.76	0.89	0.00	1.55	0.00
time (sec)	N/A	0.246	0.063	0.196	0.340	0.251	0.000	0.346	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	231	231	130	190	165	151	0	0	0
N.S.	1	1.00	0.56	0.82	0.71	0.65	0.00	0.00	0.00
time (sec)	N/A	0.511	0.103	0.062	0.252	0.251	0.000	0.000	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	183	183	143	150	0	142	0	0	0
N.S.	1	1.00	0.78	0.82	0.00	0.78	0.00	0.00	0.00
time (sec)	N/A	0.450	0.108	0.049	0.000	0.274	0.000	0.000	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	98	98	92	116	0	0	0	0	0
N.S.	1	1.00	0.94	1.18	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.234	0.639	0.174	0.000	0.000	0.000	0.000	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	183	183	201	0	0	0	0	0	0
N.S.	1	1.00	1.10	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.436	0.425	0.000	0.000	0.000	0.000	0.000	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	174	174	220	191	0	0	0	0	0
N.S.	1	1.00	1.26	1.10	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.429	0.511	0.226	0.000	0.000	0.000	0.000	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	306	306	175	256	0	208	0	0	0
N.S.	1	1.00	0.57	0.84	0.00	0.68	0.00	0.00	0.00
time (sec)	N/A	1.500	0.127	0.059	0.000	0.258	0.000	0.000	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	274	274	158	228	201	189	0	0	0
N.S.	1	1.00	0.58	0.83	0.73	0.69	0.00	0.00	0.00
time (sec)	N/A	1.123	0.101	0.060	0.269	0.250	0.000	0.000	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	214	214	143	180	0	176	0	0	0
N.S.	1	1.00	0.67	0.84	0.00	0.82	0.00	0.00	0.00
time (sec)	N/A	0.889	0.089	0.056	0.000	0.257	0.000	0.000	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	182	182	122	152	143	154	0	0	0
N.S.	1	1.00	0.67	0.84	0.79	0.85	0.00	0.00	0.00
time (sec)	N/A	0.585	0.092	0.049	0.270	0.275	0.000	0.000	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	120	120	104	104	0	138	0	0	0
N.S.	1	1.00	0.87	0.87	0.00	1.15	0.00	0.00	0.00
time (sec)	N/A	0.413	0.064	0.044	0.000	0.261	0.000	0.000	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	77	77	77	71	73	112	0	125	0
N.S.	1	1.00	1.00	0.92	0.95	1.45	0.00	1.62	0.00
time (sec)	N/A	0.212	0.025	0.105	0.222	0.254	0.000	0.366	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	103	103	103	165	0	0	0	0	0
N.S.	1	1.00	1.00	1.60	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.095	0.031	0.111	0.000	0.000	0.000	0.000	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	150	150	478	0	0	0	0	0	0
N.S.	1	1.00	3.19	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.241	0.452	0.000	0.000	0.000	0.000	0.000	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	115	115	112	149	0	0	0	0	0
N.S.	1	1.00	0.97	1.30	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.263	0.781	0.161	0.000	0.000	0.000	0.000	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	268	268	595	0	0	0	0	0	0
N.S.	1	1.00	2.22	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.559	2.109	0.000	0.000	0.000	0.000	0.000	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	40	40	0	0	0	0	0
N.S.	1	1.00	0.73	0.73	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.084	0.069	0.309	0.000	0.000	0.000	0.000	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	33	33	0	0	0	0	0
N.S.	1	1.00	0.77	0.77	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.069	0.066	0.210	0.000	0.000	0.000	0.000	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	41	41	31	31	0	0	0	0	0
N.S.	1	1.00	0.76	0.76	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.066	0.054	0.053	0.000	0.000	0.000	0.000	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	29	29	24	24	0	0	0	0	0
N.S.	1	1.00	0.83	0.83	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.060	0.050	0.040	0.000	0.000	0.000	0.000	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	27	27	20	22	0	0	0	0	0
N.S.	1	1.00	0.74	0.81	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.051	0.041	0.039	0.000	0.000	0.000	0.000	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	0	0	0	0	0
N.S.	1	1.00	1.00	0.93	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.031	0.019	0.035	0.000	0.000	0.000	0.000	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	9	9	9	10	0	0	0	0	0
N.S.	1	1.00	1.00	1.11	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.014	0.023	0.089	0.000	0.000	0.000	0.000	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	1.20
time (sec)	N/A	0.012	0.151	0.088	0.329	0.250	0.391	0.313	2.632

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	10	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	1.00	1.20	1.20
time (sec)	N/A	0.012	0.395	0.117	0.297	0.245	0.609	0.288	2.623

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	73	73	101	83	0	0	0	0	0
N.S.	1	1.00	1.38	1.14	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.051	0.161	0.215	0.000	0.000	0.000	0.000	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	61	61	58	54	0	0	0	0	0
N.S.	1	1.00	0.95	0.89	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.042	0.187	0.168	0.000	0.000	0.000	0.000	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	58	59	0	0	0	0	0
N.S.	1	1.00	0.98	1.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.047	0.185	0.047	0.000	0.000	0.000	0.000	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	42	42	44	28	0	0	0	0	0
N.S.	1	1.00	1.05	0.67	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.023	0.186	0.039	0.000	0.000	0.000	0.000	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	39	39	60	33	0	0	0	0	0
N.S.	1	1.00	1.54	0.85	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.135	0.097	0.096	0.000	0.000	0.000	0.000	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	233	12	10	12	12
N.S.	1	1.00	1.20	1.00	23.30	1.20	1.00	1.20	1.20
time (sec)	N/A	0.011	1.660	0.076	0.495	0.257	0.662	0.300	2.603

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	272	12	12	12	12
N.S.	1	1.00	1.20	1.00	27.20	1.20	1.20	1.20	1.20
time (sec)	N/A	0.011	3.963	0.102	0.586	0.267	1.184	0.287	2.635

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	102	102	107	123	0	0	0	0	0
N.S.	1	1.00	1.05	1.21	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.449	0.108	0.228	0.000	0.000	0.000	0.000	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	87	87	75	82	0	0	0	0	0
N.S.	1	1.00	0.86	0.94	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.427	0.121	0.173	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	85	85	69	84	0	0	0	0	0
N.S.	1	1.00	0.81	0.99	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.354	0.107	0.045	0.000	0.000	0.000	0.000	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	68	68	67	43	0	0	0	0	0
N.S.	1	1.00	0.99	0.63	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.281	0.033	0.040	0.000	0.000	0.000	0.000	0.000

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	55	45	0	0	0	0	0
N.S.	1	1.00	1.00	0.82	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.140	0.035	0.086	0.000	0.000	0.000	0.000	0.000

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	760	12	10	12	12
N.S.	1	1.00	1.20	1.00	76.00	1.20	1.00	1.20	1.20
time (sec)	N/A	0.014	0.527	0.077	1.039	0.239	1.112	0.295	2.865

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	883	12	12	12	12
N.S.	1	1.00	1.20	1.00	88.30	1.20	1.20	1.20	1.20
time (sec)	N/A	0.012	2.011	0.102	1.097	0.240	2.614	0.290	2.662

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	B	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	170	170	356	175	0	0	0	0	0
N.S.	1	1.00	2.09	1.03	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.453	0.295	0.224	0.000	0.000	0.000	0.000	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	155	155	188	114	0	0	0	0	0
N.S.	1	1.00	1.21	0.74	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.434	0.299	0.163	0.000	0.000	0.000	0.000	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	153	153	183	121	0	0	0	0	0
N.S.	1	1.00	1.20	0.79	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.479	0.280	0.046	0.000	0.000	0.000	0.000	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	105	105	131	60	0	0	0	0	0
N.S.	1	1.00	1.25	0.57	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.283	0.232	0.041	0.000	0.000	0.000	0.000	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	114	67	0	0	0	0	0
N.S.	1	1.00	1.33	0.78	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.255	0.156	0.094	0.000	0.000	0.000	0.000	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	1719	12	10	12	12
N.S.	1	1.00	1.20	1.00	171.90	1.20	1.00	1.20	1.20
time (sec)	N/A	0.011	3.679	0.083	2.220	0.238	2.422	0.307	2.653

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	1996	12	12	12	12
N.S.	1	1.00	1.20	1.00	199.60	1.20	1.20	1.20	1.20
time (sec)	N/A	0.011	6.010	0.108	2.583	0.244	5.362	0.295	2.659

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	182	182	162	0	0	0	0	0	0
N.S.	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.348	0.078	0.000	0.000	0.000	0.000	0.000	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	139	139	101	152	0	0	0	0	0
N.S.	1	1.00	0.73	1.09	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.304	0.065	1.139	0.000	0.000	0.000	0.000	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	209	209	101	242	0	0	0	0	0
N.S.	1	1.00	0.48	1.16	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.575	0.068	1.272	0.000	0.000	0.000	0.000	0.000

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	189	189	100	0	0	0	0	0	0
N.S.	1	1.00	0.53	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.427	0.061	0.000	0.000	0.000	0.000	0.000	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	127	127	84	105	0	0	0	0	0
N.S.	1	1.00	0.66	0.83	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.305	0.089	0.308	0.000	0.000	0.000	0.000	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	86	86	45	68	0	0	0	0	0
N.S.	1	1.00	0.52	0.79	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.152	0.027	0.241	0.000	0.000	0.000	0.000	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	10	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	0.83	1.00	1.00
time (sec)	N/A	0.011	0.143	0.167	0.539	0.000	7.204	3.588	2.720

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	394	394	162	0	0	0	0	0	0
N.S.	1	1.00	0.41	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.229	0.077	0.000	0.000	0.000	0.000	0.000	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	257	257	101	321	0	0	0	0	0
N.S.	1	1.00	0.39	1.25	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.901	0.061	1.409	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	220	220	100	0	0	0	0	0	0
N.S.	1	1.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.707	0.065	0.000	0.000	0.000	0.000	0.000	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	92	139	0	0	0	0	0
N.S.	1	1.00	0.59	0.89	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.450	0.117	0.293	0.000	0.000	0.000	0.000	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	99	99	45	81	0	0	0	0	0
N.S.	1	1.00	0.45	0.82	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.260	0.030	0.265	0.000	0.000	0.000	0.000	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	F(-1)	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	0	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	0.00	1.00	1.00
time (sec)	N/A	0.010	0.148	0.159	0.489	0.000	0.000	3.604	2.744

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	163	163	150	0	0	0	0	0	0
N.S.	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.139	0.088	0.000	0.000	0.000	0.000	0.000	0.000

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	109	109	101	67	0	0	0	0	0
N.S.	1	1.00	0.93	0.61	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.099	0.066	1.013	0.000	0.000	0.000	0.000	0.000

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	105	105	100	0	0	0	0	0	0
N.S.	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.100	0.064	0.000	0.000	0.000	0.000	0.000	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	63	63	49	37	0	0	0	0	0
N.S.	1	1.00	0.78	0.59	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.055	0.032	0.122	0.000	0.000	0.000	0.000	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	43	43	45	26	0	0	0	0	0
N.S.	1	1.00	1.05	0.60	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.033	0.025	0.114	0.000	0.000	0.000	0.000	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	12	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.00	1.00	1.00
time (sec)	N/A	0.011	0.133	0.180	0.537	0.000	0.613	2.470	2.789

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	14	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.17	1.00	1.00
time (sec)	N/A	0.011	0.417	0.180	0.493	0.000	1.197	2.252	2.679

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	193	193	201	0	0	0	0	0	0
N.S.	1	1.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.134	0.215	0.000	0.000	0.000	0.000	0.000	0.000

Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	143	143	124	191	0	0	0	0	0
N.S.	1	1.00	0.87	1.34	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.095	0.153	2.012	0.000	0.000	0.000	0.000	0.000

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	B	F	F(-2)	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	172	172	175	277	0	0	0	0	0
N.S.	1	1.00	1.02	1.61	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.525	0.492	1.480	0.000	0.000	0.000	0.000	0.000

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	166	166	194	0	0	0	0	0	0
N.S.	1	1.00	1.17	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.429	0.445	0.000	0.000	0.000	0.000	0.000	0.000

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	123	123	83	122	0	0	0	0	0
N.S.	1	1.00	0.67	0.99	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.305	0.196	0.348	0.000	0.000	0.000	0.000	0.000

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	89	89	105	84	0	0	0	0	0
N.S.	1	1.00	1.18	0.94	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.152	0.199	0.288	0.000	0.000	0.000	0.000	0.000

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	12	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.00	1.00	1.00
time (sec)	N/A	0.011	0.169	0.202	0.499	0.000	58.735	0.295	2.742

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	300	300	374	0	0	0	0	0	0
N.S.	1	1.00	1.25	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.589	1.281	0.000	0.000	0.000	0.000	0.000	0.000

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F(-2)	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	244	244	291	366	0	0	0	0	0
N.S.	1	1.00	1.19	1.50	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.495	0.382	1.493	0.000	0.000	0.000	0.000	0.000

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD
size	237	237	286	0	0	0	0	0	0
N.S.	1	1.00	1.21	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.550	0.539	0.000	0.000	0.000	0.000	0.000	0.000

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	157	157	91	153	0	0	0	0	0
N.S.	1	1.00	0.58	0.97	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.297	0.220	0.347	0.000	0.000	0.000	0.000	0.000

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F(-2)	F(-1)	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD
size	122	122	147	111	0	0	0	0	0
N.S.	1	1.00	1.20	0.91	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.277	0.138	0.277	0.000	0.000	0.000	0.000	0.000

Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	1.20
time (sec)	N/A	0.012	0.678	0.668	0.374	0.244	0.667	0.286	2.495

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	305	12	10	12	12
N.S.	1	1.00	1.20	1.00	30.50	1.20	1.00	1.20	1.20
time (sec)	N/A	0.012	0.710	0.726	0.719	0.255	1.588	0.289	2.517

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	1152	12	10	12	12
N.S.	1	1.00	1.20	1.00	115.20	1.20	1.00	1.20	1.20
time (sec)	N/A	0.012	0.711	0.719	2.184	0.250	4.521	0.321	2.503

Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	F(-1)	F(-1)	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	0	0	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	0.00	0.00	1.00
time (sec)	N/A	0.011	0.933	0.274	0.572	0.000	0.000	0.000	2.631

Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	F(-1)	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	12	0	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.00	0.00	1.00
time (sec)	N/A	0.011	1.020	0.261	0.499	0.000	3.252	0.000	2.804

Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	12	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.00	1.00	1.00
time (sec)	N/A	0.013	1.692	0.281	0.507	0.000	0.916	2.337	2.608

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	10	12	0	12	12	12
N.S.	1	1.00	1.17	0.83	1.00	0.00	1.00	1.00	1.00
time (sec)	N/A	0.012	1.734	0.263	0.491	0.000	13.666	0.354	2.997

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	12	12	14	12	14	14	12	0	14
N.S.	1	1.00	1.17	1.00	1.17	1.17	1.00	0.00	1.17
time (sec)	N/A	0.013	1.241	0.277	0.489	0.273	12.716	0.000	2.789

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	173	173	144	0	0	0	0	0	0
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.164	0.146	0.000	0.000	0.000	0.000	0.000	0.000

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	C	F	F	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	117	117	97	80	0	0	0	0	0
N.S.	1	1.00	0.83	0.68	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.129	0.072	0.686	0.000	0.000	0.000	0.000	0.000

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	113	113	95	0	0	0	0	0	0
N.S.	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.107	0.088	0.000	0.000	0.000	0.000	0.000	0.000

Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	C	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	59	59	58	38	0	0	0	0	0
N.S.	1	1.00	0.98	0.64	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.061	0.039	0.115	0.000	0.000	0.000	0.000	0.000

Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	C	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	49	49	43	40	0	0	0	0	0
N.S.	1	1.00	0.88	0.82	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.038	0.023	0.061	0.000	0.000	0.000	0.000	0.000

Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	10	10	12	10	12	12	8	12	12
N.S.	1	1.00	1.20	1.00	1.20	1.20	0.80	1.20	1.20
time (sec)	N/A	0.014	0.254	0.101	0.479	0.263	0.621	1.933	2.698

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	84	84	105	106	87	73	0	0	0
N.S.	1	1.00	1.25	1.26	1.04	0.87	0.00	0.00	0.00
time (sec)	N/A	0.029	0.028	0.306	0.232	0.244	0.000	0.000	0.000

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	F(-2)	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	71	71	54	51	58	65	0	0	0
N.S.	1	1.00	0.76	0.72	0.82	0.92	0.00	0.00	0.00
time (sec)	N/A	0.023	0.034	0.026	0.276	0.245	0.000	0.000	0.000

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	76	84	66	61	0	80	47
N.S.	1	1.00	1.38	1.53	1.20	1.11	0.00	1.45	0.85
time (sec)	N/A	0.017	0.026	0.030	0.234	0.243	0.000	0.337	2.979

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	35	35	35	34	30	43	0	41	31
N.S.	1	1.00	1.00	0.97	0.86	1.23	0.00	1.17	0.89
time (sec)	N/A	0.011	0.050	0.013	0.219	0.259	0.000	0.269	2.786

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	55	55	48	73	0	0	0	0	0
N.S.	1	1.00	0.87	1.33	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.088	0.044	0.261	0.000	0.000	0.000	0.000	0.000

Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	B	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD
size	37	37	65	59	30	74	0	0	0
N.S.	1	1.00	1.76	1.59	0.81	2.00	0.00	0.00	0.00
time (sec)	N/A	0.019	0.050	0.033	0.349	0.272	0.000	0.000	0.000

Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	181	181	164	0	0	0	0	0	0
N.S.	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.223	0.176	0.000	0.000	0.000	0.000	0.000	0.000

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD
size	106	106	87	0	0	0	0	0	0
N.S.	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.050	0.111	0.000	0.000	0.000	0.000	0.000	0.000

Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD
size	16	16	18	16	18	18	14	18	18
N.S.	1	1.00	1.12	1.00	1.12	1.12	0.88	1.12	1.12
time (sec)	N/A	0.021	0.186	1.602	0.297	0.250	0.706	0.298	2.656

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. The column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [41] had the largest ratio of [1]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	4	1.00	8	0.500
2	A	5	5	1.00	8	0.625
3	A	4	4	1.00	8	0.500
4	A	3	3	1.00	6	0.500
5	A	2	2	1.00	4	0.500
6	A	5	5	1.00	8	0.625
7	A	3	3	1.00	8	0.375
8	A	2	2	1.00	8	0.250
9	A	5	5	1.00	8	0.625
10	A	4	4	1.00	8	0.500
11	A	7	5	1.00	8	0.625
12	A	7	5	1.00	10	0.500
13	A	6	4	1.00	10	0.400
14	A	5	5	1.00	10	0.500
15	A	4	4	1.00	8	0.500
16	A	3	3	1.00	6	0.500
17	A	6	6	1.00	10	0.600
18	A	7	5	1.00	10	0.500
19	A	3	3	1.00	10	0.300
20	A	9	7	1.00	10	0.700
21	A	5	5	1.00	10	0.500
22	A	16	7	1.00	10	0.700
23	A	12	7	1.00	10	0.700
24	A	9	7	1.00	10	0.700

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
25	A	6	5	1.00	8	0.625
26	A	4	3	1.00	6	0.500
27	A	7	7	1.00	10	0.700
28	A	9	6	1.00	10	0.600
29	A	7	7	1.00	10	0.700
30	A	13	9	1.00	10	0.900
31	A	10	9	1.00	10	0.900
32	A	23	4	1.00	10	0.400
33	A	19	6	1.00	10	0.600
34	A	14	4	1.00	10	0.400
35	A	11	6	1.00	10	0.600
36	A	7	4	1.00	8	0.500
37	A	5	3	1.00	6	0.500
38	A	8	7	1.00	10	0.700
39	A	11	7	1.00	10	0.700
40	A	8	8	1.00	10	0.800
41	A	19	10	1.00	10	1.000
42	A	7	3	1.00	10	0.300
43	A	6	3	1.00	10	0.300
44	A	6	3	1.00	10	0.300
45	A	5	3	1.00	10	0.300
46	A	5	3	1.00	10	0.300
47	A	4	4	1.00	8	0.500
48	A	2	2	1.00	6	0.333
49	N/A	0	0	1.00	10	0.000
50	N/A	0	0	1.00	10	0.000
51	A	5	2	1.00	10	0.200
52	A	4	2	1.00	10	0.200
53	A	4	2	1.00	10	0.200
54	A	2	2	1.00	8	0.250
55	A	3	3	1.00	6	0.500
56	N/A	0	0	1.00	10	0.000
57	N/A	0	0	1.00	10	0.000
58	A	14	5	1.00	10	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
59	A	12	6	1.00	10	0.600
60	A	10	6	1.00	10	0.600
61	A	7	7	1.00	8	0.875
62	A	4	4	1.00	6	0.667
63	N/A	0	0	1.00	10	0.000
64	N/A	0	0	1.00	10	0.000
65	A	12	4	1.00	10	0.400
66	A	9	4	1.00	10	0.400
67	A	10	6	1.00	10	0.600
68	A	5	5	1.00	8	0.625
69	A	5	4	1.00	6	0.667
70	N/A	0	0	1.00	10	0.000
71	N/A	0	0	1.00	10	0.000
72	A	19	7	1.00	12	0.583
73	A	14	7	1.00	12	0.583
74	A	14	7	1.00	12	0.583
75	A	9	7	1.00	10	0.700
76	A	7	6	1.00	8	0.750
77	N/A	0	0	1.00	12	0.000
78	A	41	10	1.00	12	0.833
79	A	25	10	1.00	12	0.833
80	A	22	10	1.00	12	0.833
81	A	11	10	1.00	10	1.000
82	A	8	7	1.00	8	0.875
83	N/A	0	0	1.00	12	0.000
84	A	44	10	1.00	12	0.833
85	A	27	9	1.00	12	0.750
86	A	24	10	1.00	12	0.833
87	A	12	9	1.00	10	0.900
88	A	9	7	1.00	8	0.875
89	N/A	0	0	1.00	12	0.000
90	A	18	6	1.00	12	0.500
91	A	13	6	1.00	12	0.500
92	A	13	6	1.00	12	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
93	A	8	7	1.00	10	0.700
94	A	6	5	1.00	8	0.625
95	N/A	0	0	1.00	12	0.000
96	N/A	0	0	1.00	12	0.000
97	A	17	5	1.00	12	0.417
98	A	12	5	1.00	12	0.417
99	A	12	5	1.00	12	0.417
100	A	6	5	1.00	10	0.500
101	A	7	6	1.00	8	0.750
102	N/A	0	0	1.00	12	0.000
103	A	34	8	1.00	12	0.667
104	A	24	9	1.00	12	0.750
105	A	22	9	1.00	12	0.750
106	A	11	10	1.00	10	1.000
107	A	8	7	1.00	8	0.875
108	N/A	0	0	1.00	12	0.000
109	A	32	7	1.00	12	0.583
110	A	21	7	1.00	12	0.583
111	A	22	9	1.00	12	0.750
112	A	9	8	1.00	10	0.800
113	A	9	7	1.00	8	0.875
114	N/A	0	0	1.00	12	0.000
115	N/A	0	0	1.00	10	0.000
116	N/A	0	0	1.00	10	0.000
117	A	2	2	1.00	10	0.200
118	A	4	4	1.00	8	0.500
119	N/A	0	0	1.00	10	0.000
120	N/A	0	0	1.00	10	0.000
121	N/A	0	0	1.00	10	0.000
122	N/A	0	0	1.00	12	0.000
123	N/A	0	0	1.00	12	0.000
124	N/A	0	0	1.00	12	0.000
125	N/A	0	0	1.00	12	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
126	N/A	0	0	1.00	12	0.000
127	A	12	4	1.00	10	0.400
128	A	9	4	1.00	10	0.400
129	A	9	4	1.00	10	0.400
130	A	6	5	1.00	8	0.625
131	A	4	3	1.00	6	0.500
132	N/A	0	0	1.00	10	0.000
133	A	5	5	1.00	12	0.417
134	A	4	4	1.00	12	0.333
135	A	3	3	1.00	10	0.300
136	A	3	2	1.00	8	0.250
137	A	5	5	1.00	12	0.417
138	A	3	3	1.00	12	0.250
139	A	2	2	1.00	12	0.167
140	A	5	5	1.00	12	0.417
141	A	4	4	1.00	12	0.333
142	A	14	7	1.00	16	0.438
143	A	9	7	1.00	14	0.500
144	A	7	6	1.00	12	0.500
145	A	22	10	1.00	16	0.625
146	A	11	10	1.00	14	0.714
147	A	8	7	1.00	12	0.583
148	A	24	10	1.00	16	0.625
149	A	12	9	1.00	14	0.643
150	A	9	7	1.00	12	0.583
151	A	13	6	1.00	16	0.375
152	A	8	7	1.00	14	0.500
153	A	6	5	1.00	12	0.417
154	A	12	5	1.00	16	0.312
155	A	6	5	1.00	14	0.357
156	A	7	6	1.00	12	0.500
157	A	22	9	1.00	16	0.562
158	A	11	10	1.00	14	0.714
159	A	8	7	1.00	12	0.583
160	A	22	9	1.00	16	0.562

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
161	A	9	8	1.00	14	0.571
162	A	9	7	1.00	12	0.583
163	A	2	2	1.00	18	0.111
164	A	2	2	1.00	16	0.125
165	A	4	4	1.00	14	0.286
166	N/A	0	0	1.00	16	0.000

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^4 \operatorname{arccosh}(ax) dx$	72
3.2	$\int x^3 \operatorname{arccosh}(ax) dx$	77
3.3	$\int x^2 \operatorname{arccosh}(ax) dx$	82
3.4	$\int x \operatorname{arccosh}(ax) dx$	86
3.5	$\int \operatorname{arccosh}(ax) dx$	90
3.6	$\int \frac{\operatorname{arccosh}(ax)}{x} dx$	94
3.7	$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx$	98
3.8	$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx$	102
3.9	$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx$	106
3.10	$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx$	111
3.11	$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx$	115
3.12	$\int x^4 \operatorname{arccosh}(ax)^2 dx$	120
3.13	$\int x^3 \operatorname{arccosh}(ax)^2 dx$	125
3.14	$\int x^2 \operatorname{arccosh}(ax)^2 dx$	130
3.15	$\int x \operatorname{arccosh}(ax)^2 dx$	135
3.16	$\int \operatorname{arccosh}(ax)^2 dx$	139
3.17	$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx$	143
3.18	$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx$	148
3.19	$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx$	153
3.20	$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx$	157
3.21	$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx$	163
3.22	$\int x^4 \operatorname{arccosh}(ax)^3 dx$	168
3.23	$\int x^3 \operatorname{arccosh}(ax)^3 dx$	175
3.24	$\int x^2 \operatorname{arccosh}(ax)^3 dx$	182

3.25	$\int x \operatorname{arccosh}(ax)^3 dx$	188
3.26	$\int \operatorname{arccosh}(ax)^3 dx$	193
3.27	$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx$	197
3.28	$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx$	203
3.29	$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx$	208
3.30	$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx$	214
3.31	$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx$	221
3.32	$\int x^5 \operatorname{arccosh}(ax)^4 dx$	228
3.33	$\int x^4 \operatorname{arccosh}(ax)^4 dx$	235
3.34	$\int x^3 \operatorname{arccosh}(ax)^4 dx$	242
3.35	$\int x^2 \operatorname{arccosh}(ax)^4 dx$	248
3.36	$\int x \operatorname{arccosh}(ax)^4 dx$	254
3.37	$\int \operatorname{arccosh}(ax)^4 dx$	259
3.38	$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx$	264
3.39	$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx$	270
3.40	$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx$	277
3.41	$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$	283
3.42	$\int \frac{\operatorname{arccosh}(ax)^4}{x^6} dx$	292
3.43	$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx$	296
3.44	$\int \frac{x^4}{\operatorname{arccosh}(ax)} dx$	300
3.45	$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx$	304
3.46	$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx$	308
3.47	$\int \frac{x}{\operatorname{arccosh}(ax)} dx$	312
3.48	$\int \frac{1}{\operatorname{arccosh}(ax)} dx$	316
3.49	$\int \frac{1}{x \operatorname{arccosh}(ax)} dx$	319
3.50	$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$	322
3.51	$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx$	325
3.52	$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx$	329
3.53	$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx$	333
3.54	$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx$	337
3.55	$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx$	341
3.56	$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$	345
3.57	$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$	348
3.58	$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx$	351
3.59	$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx$	357

3.60	$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx$	363
3.61	$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx$	369
3.62	$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx$	374
3.63	$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$	378
3.64	$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$	382
3.65	$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx$	386
3.66	$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx$	393
3.67	$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx$	399
3.68	$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx$	405
3.69	$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx$	411
3.70	$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$	416
3.71	$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$	420
3.72	$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx$	424
3.73	$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx$	430
3.74	$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$	435
3.75	$\int x \sqrt{\operatorname{arccosh}(ax)} dx$	440
3.76	$\int \sqrt{\operatorname{arccosh}(ax)} dx$	445
3.77	$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$	449
3.78	$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx$	452
3.79	$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx$	461
3.80	$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx$	468
3.81	$\int x \operatorname{arccosh}(ax)^{3/2} dx$	475
3.82	$\int \operatorname{arccosh}(ax)^{3/2} dx$	481
3.83	$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx$	486
3.84	$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx$	489
3.85	$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx$	497
3.86	$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx$	505
3.87	$\int x \operatorname{arccosh}(ax)^{5/2} dx$	512
3.88	$\int \operatorname{arccosh}(ax)^{5/2} dx$	518
3.89	$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$	523
3.90	$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$	526
3.91	$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx$	531
3.92	$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx$	536
3.93	$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx$	541
3.94	$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx$	546

3.95	$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$	550
3.96	$\int \frac{1}{x^2\sqrt{\operatorname{arccosh}(ax)}} dx$	553
3.97	$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx$	556
3.98	$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx$	562
3.99	$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx$	567
3.100	$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx$	572
3.101	$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx$	577
3.102	$\int \frac{1}{x\operatorname{arccosh}(ax)^{3/2}} dx$	582
3.103	$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx$	585
3.104	$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx$	592
3.105	$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx$	599
3.106	$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx$	605
3.107	$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx$	611
3.108	$\int \frac{1}{x\operatorname{arccosh}(ax)^{5/2}} dx$	616
3.109	$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx$	619
3.110	$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx$	627
3.111	$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx$	634
3.112	$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx$	641
3.113	$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx$	647
3.114	$\int \frac{1}{x\operatorname{arccosh}(ax)^{7/2}} dx$	652
3.115	$\int x^m \operatorname{arccosh}(ax)^4 dx$	655
3.116	$\int x^m \operatorname{arccosh}(ax)^3 dx$	658
3.117	$\int x^m \operatorname{arccosh}(ax)^2 dx$	661
3.118	$\int x^m \operatorname{arccosh}(ax) dx$	665
3.119	$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx$	669
3.120	$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$	672
3.121	$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$	675
3.122	$\int x^m \operatorname{arccosh}(ax)^{3/2} dx$	679
3.123	$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx$	682
3.124	$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$	685
3.125	$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx$	688
3.126	$\int (dx)^m \operatorname{arccosh}(ax)^n dx$	691
3.127	$\int x^4 \operatorname{arccosh}(ax)^n dx$	694
3.128	$\int x^3 \operatorname{arccosh}(ax)^n dx$	699
3.129	$\int x^2 \operatorname{arccosh}(ax)^n dx$	704

3.130	$\int x \operatorname{arccosh}(ax)^n dx$	708
3.131	$\int \operatorname{arccosh}(ax)^n dx$	712
3.132	$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx$	716
3.133	$\int x^3(a + \operatorname{barccosh}(cx)) dx$	719
3.134	$\int x^2(a + \operatorname{barccosh}(cx)) dx$	724
3.135	$\int x(a + \operatorname{barccosh}(cx)) dx$	729
3.136	$\int (a + \operatorname{barccosh}(cx)) dx$	733
3.137	$\int \frac{a + \operatorname{barccosh}(cx)}{x} dx$	737
3.138	$\int \frac{a + \operatorname{barccosh}(cx)}{x^2} dx$	742
3.139	$\int \frac{a + \operatorname{barccosh}(cx)}{x^3} dx$	746
3.140	$\int \frac{a + \operatorname{barccosh}(cx)}{x^4} dx$	750
3.141	$\int \frac{a + \operatorname{barccosh}(cx)}{x^5} dx$	755
3.142	$\int x^2 \sqrt{a + \operatorname{barccosh}(cx)} dx$	759
3.143	$\int x \sqrt{a + \operatorname{barccosh}(cx)} dx$	765
3.144	$\int \sqrt{a + \operatorname{barccosh}(cx)} dx$	770
3.145	$\int x^2(a + \operatorname{barccosh}(cx))^{3/2} dx$	775
3.146	$\int x(a + \operatorname{barccosh}(cx))^{3/2} dx$	783
3.147	$\int (a + \operatorname{barccosh}(cx))^{3/2} dx$	789
3.148	$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx$	794
3.149	$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx$	803
3.150	$\int (a + \operatorname{barccosh}(cx))^{5/2} dx$	810
3.151	$\int \frac{x^2}{\sqrt{a + \operatorname{barccosh}(cx)}} dx$	816
3.152	$\int \frac{x}{\sqrt{a + \operatorname{barccosh}(cx)}} dx$	822
3.153	$\int \frac{1}{\sqrt{a + \operatorname{barccosh}(cx)}} dx$	827
3.154	$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{3/2}} dx$	831
3.155	$\int \frac{x}{(a + \operatorname{barccosh}(cx))^{3/2}} dx$	837
3.156	$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{3/2}} dx$	842
3.157	$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{5/2}} dx$	847
3.158	$\int \frac{x}{(a + \operatorname{barccosh}(cx))^{5/2}} dx$	855
3.159	$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{5/2}} dx$	861
3.160	$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{7/2}} dx$	866
3.161	$\int \frac{x}{(a + \operatorname{barccosh}(cx))^{7/2}} dx$	874
3.162	$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{7/2}} dx$	880
3.163	$\int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx$	886
3.164	$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx$	891
3.165	$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx$	895
3.166	$\int \frac{(dx)^m}{a + \operatorname{barccosh}(cx)} dx$	899

3.1 $\int x^4 \operatorname{arccosh}(ax) dx$

Optimal result	72
Rubi [A] (verified)	72
Mathematica [A] (verified)	74
Maple [A] (verified)	74
Fricas [A] (verification not implemented)	74
Sympy [F]	75
Maxima [A] (verification not implemented)	75
Giac [F(-2)]	75
Mupad [F(-1)]	76

Optimal result

Integrand size = 8, antiderivative size = 93

$$\int x^4 \operatorname{arccosh}(ax) dx = -\frac{8\sqrt{-1+ax}\sqrt{1+ax}}{75a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)$$

[Out] $\frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{8}{75}(ax-1)^{1/2}(ax+1)^{1/2}/a^5 - \frac{4}{75}x^2(ax-1)^{1/2}(ax+1)^{1/2}/a^3 - \frac{1}{25}x^4(ax-1)^{1/2}(ax+1)^{1/2}/a$

Rubi [A] (verified)

Time = 0.03 (sec), antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 102, 12, 75}

$$\int x^4 \operatorname{arccosh}(ax) dx = -\frac{8\sqrt{ax-1}\sqrt{ax+1}}{75a^5} - \frac{4x^2\sqrt{ax-1}\sqrt{ax+1}}{75a^3} + \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{25a}$$

[In] `Int[x^4*ArcCosh[a*x], x]`

[Out] $(-8\sqrt{-1+ax}\sqrt{1+ax})/(75a^5) - (4x^2\sqrt{-1+ax}\sqrt{1+ax})/(75a^3) - (x^4\sqrt{-1+ax}\sqrt{1+ax})/(25a) + (x^5\operatorname{ArcCosh}[ax])/5$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 75

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 102

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{1}{5}a \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{\int \frac{4x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{4 \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
&= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{4 \int \frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} \\
&= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax) - \frac{8 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} \\
&= -\frac{8\sqrt{-1+ax}\sqrt{1+ax}}{75a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}}{75a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.59

$$\int x^4 \operatorname{arccosh}(ax) dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}(8+4a^2x^2+3a^4x^4)}{75a^5} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)$$

[In] Integrate[x^4*ArcCosh[a*x],x]

[Out] -1/75*(Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(8 + 4*a^2*x^2 + 3*a^4*x^4))/a^5 + (x^5*ArcCosh[a*x])/5

Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.52

method	result	size
parts	$\frac{x^5 \operatorname{arccosh}(ax)}{5} - \frac{\sqrt{ax-1}\sqrt{ax+1}(3a^4x^4+4a^2x^2+8)}{75a^5}$	48
derivativedivides	$\frac{\frac{a^5x^5 \operatorname{arccosh}(ax)}{5} - \frac{\sqrt{ax-1}\sqrt{ax+1}(3a^4x^4+4a^2x^2+8)}{75}}{a^5}$	52
default	$\frac{\frac{a^5x^5 \operatorname{arccosh}(ax)}{5} - \frac{\sqrt{ax-1}\sqrt{ax+1}(3a^4x^4+4a^2x^2+8)}{75}}{a^5}$	52

[In] int(x^4*arccosh(a*x),x,method=_RETURNVERBOSE)

[Out] 1/5*x^5*arccosh(a*x)-1/75/a^5*(a*x-1)^(1/2)*(a*x+1)^(1/2)*(3*a^4*x^4+4*a^2*x^2+8)

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.66

$$\int x^4 \operatorname{arccosh}(ax) dx = \frac{15a^5x^5 \log(ax + \sqrt{a^2x^2 - 1}) - (3a^4x^4 + 4a^2x^2 + 8)\sqrt{a^2x^2 - 1}}{75a^5}$$

[In] integrate(x^4*arccosh(a*x),x, algorithm="fricas")

[Out] 1/75*(15*a^5*x^5*log(a*x + sqrt(a^2*x^2 - 1)) - (3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(a^2*x^2 - 1))/a^5

Sympy [F]

$$\int x^4 \operatorname{arccosh}(ax) dx = \int x^4 \operatorname{acosh}(ax) dx$$

```
[In] integrate(x**4*acosh(a*x),x)
```

```
[Out] Integral(x**4*acosh(a*x), x)
```

Maxima [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 68, normalized size of antiderivative = 0.73

$$\int x^4 \operatorname{arccosh}(ax) dx = \frac{1}{5} x^5 \operatorname{arccosh}(ax) - \frac{1}{75} \left(\frac{3\sqrt{a^2x^2 - 1}x^4}{a^2} + \frac{4\sqrt{a^2x^2 - 1}x^2}{a^4} + \frac{8\sqrt{a^2x^2 - 1}}{a^6} \right) a$$

```
[In] integrate(x^4*arccosh(a*x),x, algorithm="maxima")
```

```
[Out] 1/5*x^5*arccosh(a*x) - 1/75*(3*sqrt(a^2*x^2 - 1)*x^4/a^2 + 4*sqrt(a^2*x^2 - 1)*x^2/a^4 + 8*sqrt(a^2*x^2 - 1)/a^6)*a
```

Giac [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax) dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^4*arccosh(a*x),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax) dx = \int x^4 \operatorname{acosh}(ax) dx$$

```
[In] int(x^4*acosh(a*x),x)
```

```
[Out] int(x^4*acosh(a*x), x)
```

3.2 $\int x^3 \operatorname{arccosh}(ax) dx$

Optimal result	77
Rubi [A] (verified)	77
Mathematica [A] (verified)	79
Maple [A] (verified)	79
Fricas [A] (verification not implemented)	79
Sympy [F]	80
Maxima [A] (verification not implemented)	80
Giac [F(-2)]	80
Mupad [F(-1)]	81

Optimal result

Integrand size = 8, antiderivative size = 77

$$\int x^3 \operatorname{arccosh}(ax) dx = -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} - \frac{3\operatorname{arccosh}(ax)}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)$$

[Out] $-3/32*\operatorname{arccosh}(a*x)/a^4+1/4*x^4*\operatorname{arccosh}(a*x)-3/32*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/16*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5883, 102, 12, 92, 54}

$$\int x^3 \operatorname{arccosh}(ax) dx = -\frac{3\operatorname{arccosh}(ax)}{32a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{32a^3} + \frac{1}{4}x^4\operatorname{arccosh}(ax) - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}}{16a}$$

[In] $\operatorname{Int}[x^3*\operatorname{ArcCosh}[a*x], x]$

[Out] $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(32*a^3) - (x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(16*a) - (3*\operatorname{ArcCosh}[a*x])/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x])/4$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 54

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[
ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b
- d, 0] && GtQ[a, 0]
```

Rule 92

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(
p_), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(
d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 102

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)
)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 5883

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{4}x^4 \operatorname{arccosh}(ax) - \frac{1}{4}a \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax) - \frac{\int \frac{3x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax) - \frac{3 \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax) - \frac{3 \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a^3} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{32a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{16a} - \frac{3 \operatorname{arccosh}(ax)}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.92

$$\int x^3 \operatorname{arccosh}(ax) dx = -\frac{ax\sqrt{-1+ax}\sqrt{1+ax}(3+2a^2x^2) - 8a^4x^4\operatorname{arccosh}(ax) + 6a\operatorname{arctanh}\left(\sqrt{\frac{-1+ax}{1+ax}}\right)}{32a^4}$$

```
[In] Integrate[x^3*ArcCosh[a*x],x]
```

```
[Out] -1/32*(a*x*Sqrt[-1+a*x]*Sqrt[1+a*x]*(3+2*a^2*x^2) - 8*a^4*x^4*ArcCosh[a*x] + 6*ArcTanh[Sqrt[(-1+a*x)/(1+a*x)]])/a^4
```

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.27

method	result
derivativedivides	$\frac{\frac{a^4 x^4 \operatorname{arccosh}(ax)}{4} - \frac{\sqrt{ax-1}\sqrt{ax+1}(2a^3x^3\sqrt{a^2x^2-1}+3ax\sqrt{a^2x^2-1}+3\ln(ax+\sqrt{a^2x^2-1}))}{32\sqrt{a^2x^2-1}}}{a^4}$
default	$\frac{\frac{a^4 x^4 \operatorname{arccosh}(ax)}{4} - \frac{\sqrt{ax-1}\sqrt{ax+1}(2a^3x^3\sqrt{a^2x^2-1}+3ax\sqrt{a^2x^2-1}+3\ln(ax+\sqrt{a^2x^2-1}))}{32\sqrt{a^2x^2-1}}}{a^4}$
parts	$\frac{x^4 \operatorname{arccosh}(ax)}{4} - \frac{\sqrt{ax-1}\sqrt{ax+1}(2\operatorname{csgn}(a)a^3x^3\sqrt{a^2x^2-1}+3x\sqrt{a^2x^2-1}\operatorname{csgn}(a)+3\ln((\operatorname{csgn}(a)\sqrt{a^2x^2-1}+ax)\operatorname{csgn}(a)))}{32a^4\sqrt{a^2x^2-1}}$

```
[In] int(x^3*arccosh(a*x),x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^4*(1/4*a^4*x^4*arccosh(a*x)-1/32*(a*x-1)^(1/2)*(a*x+1)^(1/2)*(2*a^3*x^3*(a^2*x^2-1)^(1/2)+3*a*x*(a^2*x^2-1)^(1/2)+3*ln(a*x+(a^2*x^2-1)^(1/2)))/(a^2*x^2-1)^(1/2))
```

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 59, normalized size of antiderivative = 0.77

$$\int x^3 \operatorname{arccosh}(ax) dx = \frac{(8a^4x^4 - 3) \log(ax + \sqrt{a^2x^2 - 1}) - (2a^3x^3 + 3ax)\sqrt{a^2x^2 - 1}}{32a^4}$$

```
[In] integrate(x^3*arccosh(a*x),x, algorithm="fricas")
```

```
[Out] 1/32*((8*a^4*x^4 - 3)*log(a*x + sqrt(a^2*x^2 - 1)) - (2*a^3*x^3 + 3*a*x)*sqrt(a^2*x^2 - 1))/a^4
```

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax) dx = \int x^3 \operatorname{acosh}(ax) dx$$

```
[In] integrate(x**3*acosh(a*x),x)
```

```
[Out] Integral(x**3*acosh(a*x), x)
```

Maxima [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00

$$\begin{aligned} & \int x^3 \operatorname{arccosh}(ax) dx \\ &= \frac{1}{4} x^4 \operatorname{arccosh}(ax) \\ & \quad - \frac{1}{32} \left(\frac{2\sqrt{a^2x^2-1}x^3}{a^2} + \frac{3\sqrt{a^2x^2-1}x}{a^4} + \frac{3\log(2a^2x+2\sqrt{a^2x^2-1}a)}{a^5} \right) a \end{aligned}$$

```
[In] integrate(x^3*arccosh(a*x),x, algorithm="maxima")
```

```
[Out] 1/4*x^4*arccosh(a*x) - 1/32*(2*sqrt(a^2*x^2 - 1)*x^3/a^2 + 3*sqrt(a^2*x^2 - 1)*x/a^4 + 3*log(2*a^2*x + 2*sqrt(a^2*x^2 - 1)*a)/a^5)*a
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax) dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3*arccosh(a*x),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```


Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax) dx = \int x^3 \operatorname{acosh}(ax) dx$$

```
[In] int(x^3*acosh(a*x),x)
```

```
[Out] int(x^3*acosh(a*x), x)
```

3.3 $\int x^2 \operatorname{arccosh}(ax) dx$

Optimal result	82
Rubi [A] (verified)	82
Mathematica [A] (verified)	83
Maple [A] (verified)	84
Fricas [A] (verification not implemented)	84
Sympy [F]	84
Maxima [A] (verification not implemented)	85
Giac [F(-2)]	85
Mupad [F(-1)]	85

Optimal result

Integrand size = 8, antiderivative size = 65

$$\int x^2 \operatorname{arccosh}(ax) dx = -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{9a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)$$

[Out] $\frac{1}{3}x^3 \operatorname{arccosh}(ax) - \frac{2}{9} \frac{(ax-1)^{1/2}(ax+1)^{1/2}}{a^3} - \frac{1}{9} x^2 \frac{(ax-1)^{1/2}(ax+1)^{1/2}}{a}$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 102, 12, 75}

$$\int x^2 \operatorname{arccosh}(ax) dx = -\frac{2\sqrt{ax-1}\sqrt{ax+1}}{9a^3} + \frac{1}{3}x^3 \operatorname{arccosh}(ax) - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{9a}$$

[In] `Int[x^2*ArcCosh[a*x], x]`

[Out] $(-2\sqrt{-1+ax}\sqrt{1+ax})/(9a^3) - (x^2\sqrt{-1+ax}\sqrt{1+ax})/(9a) + (x^3\operatorname{ArcCosh}[a*x])/3$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

Rule 75

`Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1))/(d*f*(n + p + 1) + (c*d*f*(n + 1) + (e*d*f*(n + 1) + (e*f*d*(n + 1) + e*f*d*(n + 1))`

2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 102

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_)*((d_.)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax) - \frac{1}{3}a \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax) - \frac{\int \frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax) - \frac{2 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
 &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{9a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.71

$$\int x^2 \operatorname{arccosh}(ax) dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}(2+a^2x^2)}{9a^3} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)$$

[In] Integrate[x^2*ArcCosh[a*x], x]

[Out] -1/9*(Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(2 + a^2*x^2))/a^3 + (x^3*ArcCosh[a*x])/3

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.60

method	result	size
parts	$\frac{x^3 \operatorname{arccosh}(ax)}{3} - \frac{\sqrt{ax-1} \sqrt{ax+1} (a^2x^2+2)}{9a^3}$	39
derivativedivides	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)}{3} - \frac{\sqrt{ax-1} \sqrt{ax+1} (a^2x^2+2)}{9}}{a^3}$	43
default	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)}{3} - \frac{\sqrt{ax-1} \sqrt{ax+1} (a^2x^2+2)}{9}}{a^3}$	43

[In] `int(x^2*arccosh(a*x),x,method=_RETURNVERBOSE)`

[Out] $\frac{1}{3}x^3\operatorname{arccosh}(ax) - \frac{1}{9}a^3(a^2x^2+2)\sqrt{ax-1}\sqrt{ax+1}$

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.80

$$\int x^2 \operatorname{arccosh}(ax) dx = \frac{3 a^3 x^3 \log(ax + \sqrt{a^2 x^2 - 1}) - (a^2 x^2 + 2) \sqrt{a^2 x^2 - 1}}{9 a^3}$$

[In] `integrate(x^2*arccosh(a*x),x, algorithm="fricas")`

[Out] $\frac{1}{9}*(3*a^3*x^3*\log(a*x + \sqrt{a^2*x^2 - 1}) - (a^2*x^2 + 2)*\sqrt{a^2*x^2 - 1})/a^3$

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax) dx = \int x^2 \operatorname{acosh}(ax) dx$$

[In] `integrate(x**2*acosh(a*x),x)`

[Out] `Integral(x**2*acosh(a*x), x)`

Maxima [A] (verification not implemented)

none

Time = 0.23 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.74

$$\int x^2 \operatorname{arccosh}(ax) dx = \frac{1}{3} x^3 \operatorname{arccosh}(ax) - \frac{1}{9} a \left(\frac{\sqrt{a^2 x^2 - 1} x^2}{a^2} + \frac{2 \sqrt{a^2 x^2 - 1}}{a^4} \right)$$

[In] integrate(x^2*arccosh(a*x),x, algorithm="maxima")

[Out] 1/3*x^3*arccosh(a*x) - 1/9*a*(sqrt(a^2*x^2 - 1)*x^2/a^2 + 2*sqrt(a^2*x^2 - 1)/a^4)

Giac [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax) dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2*arccosh(a*x),x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value**Mupad [F(-1)]**

Timed out.

$$\int x^2 \operatorname{arccosh}(ax) dx = \int x^2 \operatorname{acosh}(ax) dx$$

[In] int(x^2*acosh(a*x),x)

[Out] int(x^2*acosh(a*x), x)

3.4 $\int x \operatorname{arccosh}(ax) dx$

Optimal result	86
Rubi [A] (verified)	86
Mathematica [A] (verified)	87
Maple [A] (verified)	87
Fricas [A] (verification not implemented)	88
Sympy [F]	88
Maxima [A] (verification not implemented)	89
Giac [A] (verification not implemented)	89
Mupad [B] (verification not implemented)	89

Optimal result

Integrand size = 6, antiderivative size = 49

$$\int x \operatorname{arccosh}(ax) dx = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{4a} - \frac{\operatorname{arccosh}(ax)}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)$$

[Out] $-1/4*\operatorname{arccosh}(a*x)/a^2+1/2*x^2*\operatorname{arccosh}(a*x)-1/4*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.01 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 92, 54}

$$\int x \operatorname{arccosh}(ax) dx = -\frac{\operatorname{arccosh}(ax)}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax) - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{4a}$$

[In] `Int[x*ArcCosh[a*x],x]`

[Out] $-1/4*(x*\sqrt{-1+a*x}*\sqrt{1+a*x})/a - \operatorname{ArcCosh}[a*x]/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x])/2$

Rule 54

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[
ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b
- d, 0] && GtQ[a, 0]
```

Rule 92

```
Int[((a_) + (b_)*(x_))^(2*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(
(p_)), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1))/(
```

```
d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{1}{2}x^2 \operatorname{arccosh}(ax) - \frac{1}{2}a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{4a} + \frac{1}{2}x^2 \operatorname{arccosh}(ax) - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{4a} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{4a} - \frac{\operatorname{arccosh}(ax)}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.24

$$\int x \operatorname{arccosh}(ax) dx = -\frac{ax\sqrt{-1+ax}\sqrt{1+ax} - 2a^2x^2 \operatorname{arccosh}(ax) + 2a \operatorname{arctanh}\left(\sqrt{\frac{-1+ax}{1+ax}}\right)}{4a^2}$$

```
[In] Integrate[x*ArcCosh[a*x],x]
```

```
[Out] -1/4*(a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x] - 2*a^2*x^2*ArcCosh[a*x] + 2*ArcTanh
[Sqrt[(-1 + a*x)/(1 + a*x)]])/a^2
```

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.55

method	result	size
derivativedivides	$\frac{\frac{a^2 x^2 \operatorname{arccosh}(ax) - \sqrt{ax-1} \sqrt{ax+1} (ax \sqrt{a^2 x^2 - 1} + \ln(ax + \sqrt{a^2 x^2 - 1}))}{2}}{a^2 \sqrt{a^2 x^2 - 1}}$	76
default	$\frac{\frac{a^2 x^2 \operatorname{arccosh}(ax) - \sqrt{ax-1} \sqrt{ax+1} (ax \sqrt{a^2 x^2 - 1} + \ln(ax + \sqrt{a^2 x^2 - 1}))}{2}}{a^2 \sqrt{a^2 x^2 - 1}}$	76
parts	$\frac{x^2 \operatorname{arccosh}(ax) - \sqrt{ax-1} \sqrt{ax+1} (x \sqrt{a^2 x^2 - 1} \operatorname{csgn}(a) + \ln((\operatorname{csgn}(a) \sqrt{a^2 x^2 - 1} + ax) \operatorname{csgn}(a)))}{2}}{4a^2 \sqrt{a^2 x^2 - 1}}$	82

```
[In] int(x*arccosh(a*x),x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^2*(1/2*a^2*x^2*arccosh(a*x)-1/4*(a*x-1)^(1/2)*(a*x+1)^(1/2)*(a*x*(a^2*x^2-1)^(1/2)+ln(a*x+(a^2*x^2-1)^(1/2))))/(a^2*x^2-1)^(1/2))
```

Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.98

$$\int x \operatorname{arccosh}(ax) dx = -\frac{\sqrt{a^2 x^2 - 1} ax - (2a^2 x^2 - 1) \log(ax + \sqrt{a^2 x^2 - 1})}{4a^2}$$

```
[In] integrate(x*arccosh(a*x),x, algorithm="fricas")
```

```
[Out] -1/4*(sqrt(a^2*x^2 - 1)*a*x - (2*a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a^2
```

Sympy [F]

$$\int x \operatorname{arccosh}(ax) dx = \int x \operatorname{acosh}(ax) dx$$

```
[In] integrate(x*acosh(a*x),x)
```

```
[Out] Integral(x*acosh(a*x), x)
```


Maxima [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.14

$$\int x \operatorname{arccosh}(ax) dx = \frac{1}{2} x^2 \operatorname{arcosh}(ax) - \frac{1}{4} a \left(\frac{\sqrt{a^2 x^2 - 1} x}{a^2} + \frac{\log(2 a^2 x + 2 \sqrt{a^2 x^2 - 1} a)}{a^3} \right)$$

[In] integrate(x*arccosh(a*x),x, algorithm="maxima")

[Out] 1/2*x^2*arccosh(a*x) - 1/4*a*(sqrt(a^2*x^2 - 1)*x/a^2 + log(2*a^2*x + 2*sqrt(a^2*x^2 - 1)*a)/a^3)

Giac [A] (verification not implemented)

none

Time = 0.35 (sec) , antiderivative size = 70, normalized size of antiderivative = 1.43

$$\int x \operatorname{arccosh}(ax) dx = \frac{1}{2} x^2 \log(ax + \sqrt{a^2 x^2 - 1}) - \frac{1}{4} a \left(\frac{\sqrt{a^2 x^2 - 1} x}{a^2} - \frac{\log(|-x|a + \sqrt{a^2 x^2 - 1}|)}{a^2 |a|} \right)$$

[In] integrate(x*arccosh(a*x),x, algorithm="giac")

[Out] 1/2*x^2*log(a*x + sqrt(a^2*x^2 - 1)) - 1/4*a*(sqrt(a^2*x^2 - 1)*x/a^2 - log(abs(-x*abs(a) + sqrt(a^2*x^2 - 1))))/(a^2*abs(a))

Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.80

$$\int x \operatorname{arccosh}(ax) dx = x \operatorname{acosh}(ax) \left(\frac{x}{2} - \frac{1}{4 a^2 x} \right) - \frac{x \sqrt{ax - 1} \sqrt{ax + 1}}{4 a}$$

[In] int(x*acosh(a*x),x)

[Out] x*acosh(a*x)*(x/2 - 1/(4*a^2*x)) - (x*(a*x - 1)^(1/2)*(a*x + 1)^(1/2))/(4*a)

3.5 $\int \operatorname{arccosh}(ax) dx$

Optimal result	90
Rubi [A] (verified)	90
Mathematica [A] (verified)	91
Maple [A] (verified)	91
Fricas [A] (verification not implemented)	92
Sympy [F]	92
Maxima [A] (verification not implemented)	92
Giac [A] (verification not implemented)	92
Mupad [B] (verification not implemented)	93

Optimal result

Integrand size = 4, antiderivative size = 30

$$\int \operatorname{arccosh}(ax) dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a} + x\operatorname{arccosh}(ax)$$

[Out] $x*\operatorname{arccosh}(a*x)-(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.01 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5879, 75}

$$\int \operatorname{arccosh}(ax) dx = x\operatorname{arccosh}(ax) - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a}$$

[In] `Int[ArcCosh[a*x],x]`

[Out] `-((Sqrt[-1 + a*x]*Sqrt[1 + a*x])/a) + x*ArcCosh[a*x]`

Rule 75

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_Symbol] :> Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p +
2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ
[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]
```

Rule 5879

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] :> Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[
```

$1 + c*x]*\text{Sqrt}[-1 + c*x]))$, $x]$, $x]$ /; $\text{FreeQ}[\{a, b, c\}, x]$ && $\text{GtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= x \operatorname{arccosh}(ax) - a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a} + x \operatorname{arccosh}(ax) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.00

$$\int \operatorname{arccosh}(ax) dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a} + x \operatorname{arccosh}(ax)$$

[In] `Integrate[ArcCosh[a*x],x]`

[Out] `-((Sqrt[-1 + a*x]*Sqrt[1 + a*x])/a) + x*ArcCosh[a*x]`

Maple [A] (verified)

Time = 0.02 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.90

method	result	size
parts	$x \operatorname{arccosh}(ax) - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a}$	27
derivativedivides	$\frac{ax \operatorname{arccosh}(ax) - \sqrt{ax-1}\sqrt{ax+1}}{a}$	29
default	$\frac{ax \operatorname{arccosh}(ax) - \sqrt{ax-1}\sqrt{ax+1}}{a}$	29

[In] `int(arccosh(a*x),x,method=_RETURNVERBOSE)`

[Out] `x*arccosh(a*x)-(a*x-1)^(1/2)*(a*x+1)^(1/2)/a`

Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.23

$$\int \operatorname{arccosh}(ax) dx = \frac{ax \log(ax + \sqrt{a^2x^2 - 1}) - \sqrt{a^2x^2 - 1}}{a}$$

[In] integrate(arccosh(a*x),x, algorithm="fricas")

[Out] (a*x*log(a*x + sqrt(a^2*x^2 - 1)) - sqrt(a^2*x^2 - 1))/a

Sympy [F]

$$\int \operatorname{arccosh}(ax) dx = \int \operatorname{acosh}(ax) dx$$

[In] integrate(acosh(a*x),x)

[Out] Integral(acosh(a*x), x)

Maxima [A] (verification not implemented)

none

Time = 0.23 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.83

$$\int \operatorname{arccosh}(ax) dx = \frac{ax \operatorname{arcosh}(ax) - \sqrt{a^2x^2 - 1}}{a}$$

[In] integrate(arccosh(a*x),x, algorithm="maxima")

[Out] (a*x*arccosh(a*x) - sqrt(a^2*x^2 - 1))/a

Giac [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.17

$$\int \operatorname{arccosh}(ax) dx = x \log(ax + \sqrt{a^2x^2 - 1}) - \frac{\sqrt{a^2x^2 - 1}}{a}$$

[In] integrate(arccosh(a*x),x, algorithm="giac")

[Out] x*log(a*x + sqrt(a^2*x^2 - 1)) - sqrt(a^2*x^2 - 1)/a

Mupad [B] (verification not implemented)

Time = 2.68 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.87

$$\int \operatorname{arccosh}(ax) dx = x \operatorname{acosh}(ax) - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a}$$

[In] `int(acosh(a*x),x)`

[Out] `x*acosh(a*x) - ((a*x - 1)^(1/2)*(a*x + 1)^(1/2))/a`

3.6 $\int \frac{\operatorname{arccosh}(ax)}{x} dx$

Optimal result	94
Rubi [A] (verified)	94
Mathematica [A] (verified)	96
Maple [A] (verified)	96
Fricas [F]	96
Sympy [F]	97
Maxima [F]	97
Giac [F]	97
Mupad [F(-1)]	97

Optimal result

Integrand size = 8, antiderivative size = 43

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = -\frac{1}{2} \operatorname{arccosh}(ax)^2 + \operatorname{arccosh}(ax) \log(1 + e^{2\operatorname{arccosh}(ax)}) + \frac{1}{2} \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

[Out] $-1/2*\operatorname{arccosh}(a*x)^2 + \operatorname{arccosh}(a*x)*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 1/2*\operatorname{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

Rubi [A] (verified)

Time = 0.04 (sec), antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5882, 3799, 2221, 2317, 2438}

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \frac{1}{2} \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) - \frac{1}{2} \operatorname{arccosh}(ax)^2 + \operatorname{arccosh}(ax) \log(e^{2\operatorname{arccosh}(ax)} + 1)$$

[In] `Int[ArcCosh[a*x]/x, x]`

[Out] $-1/2*\operatorname{ArcCosh}[a*x]^2 + \operatorname{ArcCosh}[a*x]*\operatorname{Log}[1 + E^{(2*\operatorname{ArcCosh}[a*x])}] + \operatorname{PolyLog}[2, -E^{(2*\operatorname{ArcCosh}[a*x])}]/2$

Rule 2221

`Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di`

st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.))], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5882

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)/(x_), x_Symbol] :> Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \text{Subst}\left(\int x \tanh(x) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{2} \text{arccosh}(ax)^2 + 2 \text{Subst}\left(\int \frac{e^{2x}}{1 + e^{2x}} dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{2} \text{arccosh}(ax)^2 + \text{arccosh}(ax) \log(1 + e^{2\text{arccosh}(ax)}) \\
 &\quad - \text{Subst}\left(\int \log(1 + e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{2} \text{arccosh}(ax)^2 + \text{arccosh}(ax) \log(1 + e^{2\text{arccosh}(ax)}) \\
 &\quad - \frac{1}{2} \text{Subst}\left(\int \frac{\log(1 + x)}{x} dx, x, e^{2\text{arccosh}(ax)}\right) \\
 &= -\frac{1}{2} \text{arccosh}(ax)^2 + \text{arccosh}(ax) \log(1 + e^{2\text{arccosh}(ax)}) + \frac{1}{2} \text{PolyLog}\left(2, -e^{2\text{arccosh}(ax)}\right)
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.98

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \frac{1}{2} (\operatorname{arccosh}(ax) (\operatorname{arccosh}(ax) + 2 \log(1 + e^{-2\operatorname{arccosh}(ax)})) - \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(ax)}))$$

[In] Integrate[ArcCosh[a*x]/x,x]

[Out] (ArcCosh[a*x]*(ArcCosh[a*x] + 2*Log[1 + E^(-2*ArcCosh[a*x])]) - PolyLog[2, -E^(-2*ArcCosh[a*x])])/2

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.53

method	result
derivativedivides	$-\frac{\operatorname{arccosh}(ax)^2}{2} + \operatorname{arccosh}(ax) \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \frac{\operatorname{polylog}\left(2, -(ax + \sqrt{ax-1}\sqrt{ax+1})^2\right)}{2}$
default	$-\frac{\operatorname{arccosh}(ax)^2}{2} + \operatorname{arccosh}(ax) \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \frac{\operatorname{polylog}\left(2, -(ax + \sqrt{ax-1}\sqrt{ax+1})^2\right)}{2}$

[In] int(arccosh(a*x)/x,x,method=_RETURNVERBOSE)

[Out] -1/2*arccosh(a*x)^2+arccosh(a*x)*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+1/2*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \int \frac{\operatorname{arcosh}(ax)}{x} dx$$

[In] integrate(arccosh(a*x)/x,x, algorithm="fricas")

[Out] integral(arccosh(a*x)/x, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \int \frac{\operatorname{acosh}(ax)}{x} dx$$

[In] integrate(acosh(a*x)/x,x)

[Out] Integral(acosh(a*x)/x, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \int \frac{\operatorname{arcosh}(ax)}{x} dx$$

[In] integrate(arccosh(a*x)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)/x, x)

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \int \frac{\operatorname{arcosh}(ax)}{x} dx$$

[In] integrate(arccosh(a*x)/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)/x, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x} dx = \int \frac{\operatorname{acosh}(ax)}{x} dx$$

[In] int(acosh(a*x)/x,x)

[Out] int(acosh(a*x)/x, x)

3.7 $\int \frac{\operatorname{arccosh}(ax)}{x^2} dx$

Optimal result	98
Rubi [A] (verified)	98
Mathematica [A] (verified)	99
Maple [A] (verified)	99
Fricas [B] (verification not implemented)	100
Sympy [F]	100
Maxima [A] (verification not implemented)	100
Giac [A] (verification not implemented)	101
Mupad [F(-1)]	101

Optimal result

Integrand size = 8, antiderivative size = 32

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = -\frac{\operatorname{arccosh}(ax)}{x} + a \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right)$$

[Out] `-arccosh(a*x)/x+a*arctan((a*x-1)^(1/2)*(a*x+1)^(1/2))`

Rubi [A] (verified)

Time = 0.01 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {5883, 94, 211}

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = a \arctan\left(\sqrt{ax-1}\sqrt{ax+1}\right) - \frac{\operatorname{arccosh}(ax)}{x}$$

[In] `Int[ArcCosh[a*x]/x^2,x]`

[Out] `-(ArcCosh[a*x]/x) + a*ArcTan[Sqrt[-1 + a*x]*Sqrt[1 + a*x]]`

Rule 94

`Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]`

Rule 211

`Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{\operatorname{arccosh}(ax)}{x} + a \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{\operatorname{arccosh}(ax)}{x} + a^2 \operatorname{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\ &= -\frac{\operatorname{arccosh}(ax)}{x} + a \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 57, normalized size of antiderivative = 1.78

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = -\frac{\operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+a^2x^2} \arctan\left(\sqrt{-1+a^2x^2}\right)}{\sqrt{-1+ax}\sqrt{1+ax}}$$

[In] Integrate[ArcCosh[a*x]/x^2,x]

[Out] -(ArcCosh[a*x]/x) + (a*Sqrt[-1 + a^2*x^2]*ArcTan[Sqrt[-1 + a^2*x^2]])/(Sqrt[-1 + a*x]*Sqrt[1 + a*x])

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.59

method	result	size
parts	$-\frac{\operatorname{arccosh}(ax)}{x} - \frac{a\sqrt{ax-1}\sqrt{ax+1} \arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{\sqrt{a^2x^2-1}}$	51
derivativedivides	$a \left(-\frac{\operatorname{arccosh}(ax)}{ax} - \frac{\sqrt{ax-1}\sqrt{ax+1} \arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{\sqrt{a^2x^2-1}} \right)$	55
default	$a \left(-\frac{\operatorname{arccosh}(ax)}{ax} - \frac{\sqrt{ax-1}\sqrt{ax+1} \arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)}{\sqrt{a^2x^2-1}} \right)$	55

[In] `int(arccosh(a*x)/x^2,x,method=_RETURNVERBOSE)`

[Out] $-\operatorname{arccosh}(ax)/x - a(a^2x^2 - 1)^{1/2}(ax + 1)^{1/2}/(a^2x^2 - 1)^{1/2} \operatorname{arctan}(1/(a^2x^2 - 1)^{1/2})$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. 2(28) = 56.

Time = 0.26 (sec) , antiderivative size = 65, normalized size of antiderivative = 2.03

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = \frac{2ax \operatorname{arctan}(-ax + \sqrt{a^2x^2 - 1}) + (x - 1) \log(ax + \sqrt{a^2x^2 - 1}) + x \log(-ax + \sqrt{a^2x^2 - 1})}{x}$$

[In] `integrate(arccosh(a*x)/x^2,x, algorithm="fricas")`

[Out] $(2ax \operatorname{arctan}(-ax + \sqrt{a^2x^2 - 1}) + (x - 1) \log(ax + \sqrt{a^2x^2 - 1}) + x \log(-ax + \sqrt{a^2x^2 - 1}))/x$

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = \int \frac{\operatorname{acosh}(ax)}{x^2} dx$$

[In] `integrate(acosh(a*x)/x**2,x)`

[Out] `Integral(acosh(a*x)/x**2, x)`

Maxima [A] (verification not implemented)

none

Time = 0.33 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.69

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = -a \operatorname{arcsin}\left(\frac{1}{a|x|}\right) - \frac{\operatorname{arcosh}(ax)}{x}$$

[In] `integrate(arccosh(a*x)/x^2,x, algorithm="maxima")`

[Out] $-a \operatorname{arcsin}(1/(a \operatorname{abs}(x))) - \operatorname{arccosh}(ax)/x$

Giac [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.12

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = a \arctan\left(\sqrt{a^2 x^2 - 1}\right) - \frac{\log(ax + \sqrt{a^2 x^2 - 1})}{x}$$

[In] integrate(arccosh(a*x)/x^2,x, algorithm="giac")

[Out] a*arctan(sqrt(a^2*x^2 - 1)) - log(a*x + sqrt(a^2*x^2 - 1))/x

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x^2} dx = \int \frac{\operatorname{acosh}(ax)}{x^2} dx$$

[In] int(acosh(a*x)/x^2,x)

[Out] int(acosh(a*x)/x^2, x)

3.8 $\int \frac{\operatorname{arccosh}(ax)}{x^3} dx$

Optimal result	102
Rubi [A] (verified)	102
Mathematica [A] (verified)	103
Maple [C] (verified)	103
Fricas [A] (verification not implemented)	104
Sympy [F]	104
Maxima [A] (verification not implemented)	104
Giac [A] (verification not implemented)	104
Mupad [F(-1)]	105

Optimal result

Integrand size = 8, antiderivative size = 38

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{2x} - \frac{\operatorname{arccosh}(ax)}{2x^2}$$

[Out] $-1/2*\operatorname{arccosh}(a*x)/x^2+1/2*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.01 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5883, 97}

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \frac{a\sqrt{ax-1}\sqrt{ax+1}}{2x} - \frac{\operatorname{arccosh}(ax)}{2x^2}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]/x^3, x]$

[Out] $(a*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x])/(2*x) - \operatorname{ArcCosh}[a*x]/(2*x^2)$

Rule 97

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol]
:> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x]
&& EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_)*((d_.)*(x_))^(m_), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
```

$(n/(d*(m + 1))), \text{Int}[(d*x)^{(m + 1)}*((a + b*\text{ArcCosh}[c*x])^{(n - 1)})/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{\text{arccosh}(ax)}{2x^2} + \frac{1}{2}a \int \frac{1}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{2x} - \frac{\text{arccosh}(ax)}{2x^2} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.92

$$\int \frac{\text{arccosh}(ax)}{x^3} dx = \frac{ax\sqrt{-1+ax}\sqrt{1+ax} - \text{arccosh}(ax)}{2x^2}$$

[In] Integrate[ArcCosh[a*x]/x^3,x]

[Out] (a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x] - ArcCosh[a*x])/(2*x^2)

Maple [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 0.03 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.92

method	result	size
parts	$-\frac{\text{arccosh}(ax)}{2x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1} \text{csgn}(a)^2}{2x}$	35
derivativedivides	$a^2 \left(-\frac{\text{arccosh}(ax)}{2a^2x^2} + \frac{\sqrt{ax-1}\sqrt{ax+1}}{2ax} \right)$	40
default	$a^2 \left(-\frac{\text{arccosh}(ax)}{2a^2x^2} + \frac{\sqrt{ax-1}\sqrt{ax+1}}{2ax} \right)$	40

[In] int(arccosh(a*x)/x^3,x,method=_RETURNVERBOSE)

[Out] -1/2*arccosh(a*x)/x^2+1/2*a*(a*x-1)^(1/2)*(a*x+1)^(1/2)*csgn(a)^2/x

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \frac{\sqrt{a^2x^2 - 1}ax - \log(ax + \sqrt{a^2x^2 - 1})}{2x^2}$$

[In] integrate(arccosh(a*x)/x^3,x, algorithm="fricas")

[Out] 1/2*(sqrt(a^2*x^2 - 1)*a*x - log(a*x + sqrt(a^2*x^2 - 1)))/x^2

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \int \frac{\operatorname{acosh}(ax)}{x^3} dx$$

[In] integrate(acosh(a*x)/x**3,x)

[Out] Integral(acosh(a*x)/x**3, x)

Maxima [A] (verification not implemented)

none

Time = 0.36 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.71

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \frac{\sqrt{a^2x^2 - 1}a}{2x} - \frac{\operatorname{arcosh}(ax)}{2x^2}$$

[In] integrate(arccosh(a*x)/x^3,x, algorithm="maxima")

[Out] 1/2*sqrt(a^2*x^2 - 1)*a/x - 1/2*arccosh(a*x)/x^2

Giac [A] (verification not implemented)

none

Time = 0.30 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.32

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \frac{a|a|}{(x|a| - \sqrt{a^2x^2 - 1})^2 + 1} - \frac{\log(ax + \sqrt{a^2x^2 - 1})}{2x^2}$$

[In] integrate(arccosh(a*x)/x^3,x, algorithm="giac")

[Out] a*abs(a)/((x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1) - 1/2*log(a*x + sqrt(a^2*x^2 - 1))/x^2

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x^3} dx = \int \frac{\operatorname{acosh}(ax)}{x^3} dx$$

```
[In] int(acosh(a*x)/x^3,x)
```

```
[Out] int(acosh(a*x)/x^3, x)
```

3.9 $\int \frac{\operatorname{arccosh}(ax)}{x^4} dx$

Optimal result	106
Rubi [A] (verified)	106
Mathematica [A] (verified)	108
Maple [A] (verified)	108
Fricas [A] (verification not implemented)	108
Sympy [F]	109
Maxima [A] (verification not implemented)	109
Giac [A] (verification not implemented)	109
Mupad [F(-1)]	110

Optimal result

Integrand size = 8, antiderivative size = 65

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\operatorname{arccosh}(ax)}{3x^3} + \frac{1}{6}a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right)$$

[Out] $-1/3*\operatorname{arccosh}(a*x)/x^3+1/6*a^3*\arctan((a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))+1/6*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^2$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5883, 105, 12, 94, 211}

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \frac{1}{6}a^3 \arctan\left(\sqrt{ax-1}\sqrt{ax+1}\right) - \frac{\operatorname{arccosh}(ax)}{3x^3} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{6x^2}$$

[In] Int[ArcCosh[a*x]/x^4,x]

[Out] $(a*\sqrt{-1+a*x}*\sqrt{1+a*x})/(6*x^2) - \operatorname{ArcCosh}[a*x]/(3*x^3) + (a^3*\operatorname{ArcTan}[\sqrt{-1+a*x}*\sqrt{1+a*x}])/6$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 94

Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x],

$x, \text{Sqrt}[a + b*x]*\text{Sqrt}[c + d*x]], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$

Rule 105

$\text{Int}[(a_. + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := \text{Simp}[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), \text{Int}[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*\text{Simp}[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n, p\}, x] \&\& \text{ILtQ}[m, -1] \&\& (\text{IntegerQ}[n] || \text{IntegersQ}[2*n, 2*p] || \text{ILtQ}[m + n + p + 3, 0])$

Rule 211

$\text{Int}[(a_. + (b_.)*(x_)^2)^(-1), x_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]/a)*\text{ArcTan}[x/\text{Rt}[a/b, 2]], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

Rule 5883

$\text{Int}[(a_. + \text{ArcCosh}[(c_.)*(x_)]*(b_.))^(n_)*((d_.)*(x_))^(m_), x_Symbol] := \text{Simp}[(d*x)^(m + 1)*((a + b*\text{ArcCosh}[c*x])^n/(d*(m + 1))), x] - \text{Dist}[b*c*(n/(d*(m + 1))), \text{Int}[(d*x)^(m + 1)*((a + b*\text{ArcCosh}[c*x])^(n - 1))/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\text{arccosh}(ax)}{3x^3} + \frac{1}{3}a \int \frac{1}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\text{arccosh}(ax)}{3x^3} + \frac{1}{6}a \int \frac{a^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\text{arccosh}(ax)}{3x^3} + \frac{1}{6}a^3 \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\text{arccosh}(ax)}{3x^3} + \frac{1}{6}a^4 \text{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{6x^2} - \frac{\text{arccosh}(ax)}{3x^3} + \frac{1}{6}a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right)
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 78, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \frac{-2\operatorname{arccosh}(ax) + \frac{ax(-1+a^2x^2+a^2x^2\sqrt{-1+a^2x^2}\arctan(\sqrt{-1+a^2x^2}))}{\sqrt{-1+ax}\sqrt{1+ax}}}{6x^3}$$

[In] Integrate[ArcCosh[a*x]/x^4,x]

[Out] (-2*ArcCosh[a*x] + (a*x*(-1 + a^2*x^2 + a^2*x^2*Sqrt[-1 + a^2*x^2])*ArcTan[Sqrt[-1 + a^2*x^2]]))/(Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(6*x^3)

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.15

method	result	size
parts	$-\frac{\operatorname{arccosh}(ax)}{3x^3} - \frac{a\sqrt{ax-1}\sqrt{ax+1}\left(\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^2x^2 - \sqrt{a^2x^2-1}\right)}{6\sqrt{a^2x^2-1}x^2}$	75
derivativedivides	$a^3\left(-\frac{\operatorname{arccosh}(ax)}{3a^3x^3} - \frac{\sqrt{ax-1}\sqrt{ax+1}\left(\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^2x^2 - \sqrt{a^2x^2-1}\right)}{6a^2x^2\sqrt{a^2x^2-1}}\right)$	84
default	$a^3\left(-\frac{\operatorname{arccosh}(ax)}{3a^3x^3} - \frac{\sqrt{ax-1}\sqrt{ax+1}\left(\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^2x^2 - \sqrt{a^2x^2-1}\right)}{6a^2x^2\sqrt{a^2x^2-1}}\right)$	84

[In] int(arccosh(a*x)/x^4,x,method=_RETURNVERBOSE)

[Out] -1/3*arccosh(a*x)/x^3-1/6*a*(a*x-1)^(1/2)*(a*x+1)^(1/2)*(arctan(1/(a^2*x^2-1)^(1/2))*a^2*x^2-(a^2*x^2-1)^(1/2))/(a^2*x^2-1)^(1/2)/x^2

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.38

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \frac{2a^3x^3\arctan(-ax + \sqrt{a^2x^2-1}) + 2x^3\log(-ax + \sqrt{a^2x^2-1}) + \sqrt{a^2x^2-1}ax + 2(x^3-1)\log(ax + \sqrt{a^2x^2-1})}{6x^3}$$

[In] integrate(arccosh(a*x)/x^4,x, algorithm="fricas")

[Out] $\frac{1}{6}*(2*a^3*x^3*\arctan(-a*x + \sqrt{a^2*x^2 - 1}) + 2*x^3*\log(-a*x + \sqrt{a^2*x^2 - 1})) + \sqrt{a^2*x^2 - 1}*a*x + 2*(x^3 - 1)*\log(a*x + \sqrt{a^2*x^2 - 1}))/x^3$

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \int \frac{\operatorname{acosh}(ax)}{x^4} dx$$

[In] `integrate(acosh(a*x)/x**4,x)`

[Out] `Integral(acosh(a*x)/x**4, x)`

Maxima [A] (verification not implemented)

none

Time = 0.32 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.66

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = -\frac{1}{6} \left(a^2 \arcsin\left(\frac{1}{a|x|}\right) - \frac{\sqrt{a^2x^2 - 1}}{x^2} \right) a - \frac{\operatorname{arccosh}(ax)}{3x^3}$$

[In] `integrate(arccosh(a*x)/x^4,x, algorithm="maxima")`

[Out] $-1/6*(a^2*\arcsin(1/(a*\operatorname{abs}(x)))) - \sqrt{a^2*x^2 - 1}/x^2)*a - 1/3*\operatorname{arccosh}(a*x)/x^3$

Giac [A] (verification not implemented)

none

Time = 0.30 (sec) , antiderivative size = 62, normalized size of antiderivative = 0.95

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \frac{a^4 \arctan\left(\frac{\sqrt{a^2x^2 - 1}}{x}\right) + \frac{\sqrt{a^2x^2 - 1}a^2}{x^2}}{6a} - \frac{\log(ax + \sqrt{a^2x^2 - 1})}{3x^3}$$

[In] `integrate(arccosh(a*x)/x^4,x, algorithm="giac")`

[Out] $\frac{1}{6}*(a^4*\arctan(\sqrt{a^2*x^2 - 1}) + \sqrt{a^2*x^2 - 1}*a^2/x^2)/a - 1/3*\log(a*x + \sqrt{a^2*x^2 - 1})/x^3$

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x^4} dx = \int \frac{\operatorname{acosh}(ax)}{x^4} dx$$

```
[In] int(acosh(a*x)/x^4,x)
```

```
[Out] int(acosh(a*x)/x^4, x)
```

3.10 $\int \frac{\operatorname{arccosh}(ax)}{x^5} dx$

Optimal result	111
Rubi [A] (verified)	111
Mathematica [A] (verified)	112
Maple [C] (verified)	113
Fricas [A] (verification not implemented)	113
Sympy [F]	113
Maxima [A] (verification not implemented)	114
Giac [A] (verification not implemented)	114
Mupad [F(-1)]	114

Optimal result

Integrand size = 8, antiderivative size = 66

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{6x} - \frac{\operatorname{arccosh}(ax)}{4x^4}$$

[Out] $-1/4*\operatorname{arccosh}(a*x)/x^4+1/12*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^3+1/6*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 105, 12, 97}

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{a^3\sqrt{ax-1}\sqrt{ax+1}}{6x} - \frac{\operatorname{arccosh}(ax)}{4x^4} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{12x^3}$$

[In] Int[ArcCosh[a*x]/x^5,x]

[Out] $(a*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(12*x^3) + (a^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(6*x) - \operatorname{ArcCosh}[a*x]/(4*x^4)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 97

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x

```
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 105

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (IntegerQ[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)}{4x^4} + \frac{1}{4}a \int \frac{1}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} - \frac{\operatorname{arccosh}(ax)}{4x^4} + \frac{1}{12}a \int \frac{2a^2}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} - \frac{\operatorname{arccosh}(ax)}{4x^4} + \frac{1}{6}a^3 \int \frac{1}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{12x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{6x} - \frac{\operatorname{arccosh}(ax)}{4x^4}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.68

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{ax\sqrt{-1+ax}\sqrt{1+ax}(1+2a^2x^2) - 3\operatorname{arccosh}(ax)}{12x^4}$$

```
[In] Integrate[ArcCosh[a*x]/x^5,x]
```

```
[Out] (a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(1 + 2*a^2*x^2) - 3*ArcCosh[a*x])/(12*x^4)
```


Maple [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 0.03 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.68

method	result	size
parts	$-\frac{\operatorname{arccosh}(ax)}{4x^4} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\operatorname{csgn}(a)^2(2a^2x^2+1)}{12x^3}$	45
derivativedivides	$a^4\left(-\frac{\operatorname{arccosh}(ax)}{4a^4x^4} + \frac{\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+1)}{12a^3x^3}\right)$	50
default	$a^4\left(-\frac{\operatorname{arccosh}(ax)}{4a^4x^4} + \frac{\sqrt{ax-1}\sqrt{ax+1}(2a^2x^2+1)}{12a^3x^3}\right)$	50

[In] `int(arccosh(a*x)/x^5,x,method=_RETURNVERBOSE)`

[Out] $-1/4*\operatorname{arccosh}(a*x)/x^4+1/12*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{csgn}(a)^2*(2*a^2*x^2+1)/x^3$

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.73

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{(2a^3x^3 + ax)\sqrt{a^2x^2 - 1} - 3 \log(ax + \sqrt{a^2x^2 - 1})}{12x^4}$$

[In] `integrate(arccosh(a*x)/x^5,x, algorithm="fricas")`

[Out] $1/12*((2*a^3*x^3 + a*x)*\operatorname{sqrt}(a^2*x^2 - 1) - 3*\log(a*x + \operatorname{sqrt}(a^2*x^2 - 1)))/x^4$

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \int \frac{\operatorname{acosh}(ax)}{x^5} dx$$

[In] `integrate(acosh(a*x)/x**5,x)`

[Out] `Integral(acosh(a*x)/x**5, x)`

Maxima [A] (verification not implemented)

none

Time = 0.34 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.73

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{1}{12} \left(\frac{2\sqrt{a^2x^2-1}a^2}{x} + \frac{\sqrt{a^2x^2-1}}{x^3} \right) a - \frac{\operatorname{arccosh}(ax)}{4x^4}$$

[In] integrate(arccosh(a*x)/x^5,x, algorithm="maxima")

[Out] 1/12*(2*sqrt(a^2*x^2 - 1)*a^2/x + sqrt(a^2*x^2 - 1)/x^3)*a - 1/4*arccosh(a*x)/x^4

Giac [A] (verification not implemented)

none

Time = 0.30 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.17

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \frac{\left(3(x|a| - \sqrt{a^2x^2-1})^2 + 1\right)a^3|a|}{3\left((x|a| - \sqrt{a^2x^2-1})^2 + 1\right)^3} - \frac{\log(ax + \sqrt{a^2x^2-1})}{4x^4}$$

[In] integrate(arccosh(a*x)/x^5,x, algorithm="giac")

[Out] 1/3*(3*(x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1)*a^3*abs(a)/((x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1)^3 - 1/4*log(a*x + sqrt(a^2*x^2 - 1))/x^4

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x^5} dx = \int \frac{\operatorname{acosh}(ax)}{x^5} dx$$

[In] int(acosh(a*x)/x^5,x)

[Out] int(acosh(a*x)/x^5, x)

3.11 $\int \frac{\operatorname{arccosh}(ax)}{x^6} dx$

Optimal result	115
Rubi [A] (verified)	115
Mathematica [A] (verified)	117
Maple [A] (verified)	117
Fricas [A] (verification not implemented)	118
Sympy [F]	118
Maxima [A] (verification not implemented)	118
Giac [A] (verification not implemented)	119
Mupad [F(-1)]	119

Optimal result

Integrand size = 8, antiderivative size = 93

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{3}{40}a^5 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right)$$

[Out] $-1/5*\operatorname{arccosh}(a*x)/x^5+3/40*a^5*\arctan((a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})+1/20*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^4+3/40*a^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x^2$

Rubi [A] (verified)

Time = 0.03 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5883, 105, 12, 94, 211}

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \frac{3}{40}a^5 \arctan\left(\sqrt{ax-1}\sqrt{ax+1}\right) + \frac{3a^3\sqrt{ax-1}\sqrt{ax+1}}{40x^2} - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{a\sqrt{ax-1}\sqrt{ax+1}}{20x^4}$$

[In] Int[ArcCosh[a*x]/x^6,x]

[Out] $(a*\sqrt{-1+a*x}*\sqrt{1+a*x})/(20*x^4) + (3*a^3*\sqrt{-1+a*x}*\sqrt{1+a*x})/(40*x^2) - \operatorname{ArcCosh}[a*x]/(5*x^5) + (3*a^5*\operatorname{ArcTan}[\sqrt{-1+a*x}*\sqrt{1+a*x}])/40$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 94

Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 105

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (IntegerQ[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])

Rule 211

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((d_.)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{1}{5}a \int \frac{1}{x^5\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{1}{20}a \int \frac{3a^2}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{1}{20}(3a^3) \int \frac{1}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} \\
 &\quad - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{1}{40}(3a^3) \int \frac{a^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx
 \end{aligned}$$

$$\begin{aligned}
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{1}{40}(3a^5) \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} - \frac{\operatorname{arccosh}(ax)}{5x^5} \\
&\quad + \frac{1}{40}(3a^6) \operatorname{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}}{20x^4} + \frac{3a^3\sqrt{-1+ax}\sqrt{1+ax}}{40x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)}{5x^5} + \frac{3}{40}a^5 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right)
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.12

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \frac{2ax + a^3x^3 - 3a^5x^5 + 8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax) - 3a^5x^5\sqrt{-1+a^2x^2}\arctan\left(\sqrt{-1+a^2x^2}\right)}{40x^5\sqrt{-1+ax}\sqrt{1+ax}}$$

[In] Integrate[ArcCosh[a*x]/x^6,x]

[Out] $-1/40*(2*a*x + a^3*x^3 - 3*a^5*x^5 + 8*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\operatorname{ArcCosh}[a*x] - 3*a^5*x^5*\sqrt{-1 + a^2*x^2}*\operatorname{ArcTan}[\sqrt{-1 + a^2*x^2}])/(x^5*\sqrt{-1 + a*x}*\sqrt{1 + a*x})$

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.02

method	result	size
parts	$-\frac{\operatorname{arccosh}(ax)}{5x^5} - \frac{a\sqrt{ax-1}\sqrt{ax+1}\left(3\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^4x^4 - 3a^2x^2\sqrt{a^2x^2-1} - 2\sqrt{a^2x^2-1}\right)}{40\sqrt{a^2x^2-1}x^4}$	95
derivativedivides	$a^5\left(-\frac{\operatorname{arccosh}(ax)}{5a^5x^5} - \frac{\sqrt{ax-1}\sqrt{ax+1}\left(3\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^4x^4 - 3a^2x^2\sqrt{a^2x^2-1} - 2\sqrt{a^2x^2-1}\right)}{40\sqrt{a^2x^2-1}a^4x^4}\right)$	104
default	$a^5\left(-\frac{\operatorname{arccosh}(ax)}{5a^5x^5} - \frac{\sqrt{ax-1}\sqrt{ax+1}\left(3\arctan\left(\frac{1}{\sqrt{a^2x^2-1}}\right)a^4x^4 - 3a^2x^2\sqrt{a^2x^2-1} - 2\sqrt{a^2x^2-1}\right)}{40\sqrt{a^2x^2-1}a^4x^4}\right)$	104

[In] int(arccosh(a*x)/x^6,x,method=_RETURNVERBOSE)

[Out] $-1/5*\operatorname{arccosh}(a*x)/x^5-1/40*a*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*(3*\arctan(1/(a^2*x^2-1)^{(1/2)})*a^4*x^4-3*a^2*x^2*(a^2*x^2-1)^{(1/2)}-2*(a^2*x^2-1)^{(1/2)})/(a^2*x^2-1)^{(1/2)}/x^4$

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 101, normalized size of antiderivative = 1.09

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \frac{6a^5x^5 \arctan(-ax + \sqrt{a^2x^2 - 1}) + 8x^5 \log(-ax + \sqrt{a^2x^2 - 1}) + 8(x^5 - 1) \log(ax + \sqrt{a^2x^2 - 1}) + (3a^5x^5 - 3a^3x^3 + 2a^2x^2) \sqrt{a^2x^2 - 1}}{40x^5}$$

[In] `integrate(arccosh(a*x)/x^6,x, algorithm="fricas")`

[Out] $1/40*(6*a^5*x^5*\arctan(-a*x + \sqrt{a^2*x^2 - 1}) + 8*x^5*\log(-a*x + \sqrt{a^2*x^2 - 1}) + 8*(x^5 - 1)*\log(a*x + \sqrt{a^2*x^2 - 1}) + (3*a^3*x^3 + 2*a*x^2)*\sqrt{a^2*x^2 - 1})/x^5$

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \int \frac{\operatorname{acosh}(ax)}{x^6} dx$$

[In] `integrate(acosh(a*x)/x**6,x)`

[Out] `Integral(acosh(a*x)/x**6, x)`

Maxima [A] (verification not implemented)

none

Time = 0.34 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.68

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = -\frac{1}{40} \left(3a^4 \arcsin\left(\frac{1}{a|x|}\right) - \frac{3\sqrt{a^2x^2 - 1}a^2}{x^2} - \frac{2\sqrt{a^2x^2 - 1}}{x^4} \right) a - \frac{\operatorname{arcosh}(ax)}{5x^5}$$

[In] `integrate(arccosh(a*x)/x^6,x, algorithm="maxima")`

[Out] $-1/40*(3*a^4*\arcsin(1/(a*\operatorname{abs}(x)))) - 3*\sqrt{a^2*x^2 - 1}*a^2/x^2 - 2*\sqrt{a^2*x^2 - 1}/x^4)*a - 1/5*\operatorname{arccosh}(a*x)/x^5$

Giac [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 85, normalized size of antiderivative = 0.91

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx$$

$$= \frac{3a^6 \arctan(\sqrt{a^2x^2-1}) + \frac{3(a^2x^2-1)^{\frac{3}{2}}a^6 + 5\sqrt{a^2x^2-1}a^6}{a^4x^4}}{40a} - \frac{\log(ax + \sqrt{a^2x^2-1})}{5x^5}$$

`[In] integrate(arccosh(a*x)/x^6,x, algorithm="giac")`

```
[Out] 1/40*(3*a^6*arctan(sqrt(a^2*x^2 - 1)) + (3*(a^2*x^2 - 1)^(3/2)*a^6 + 5*sqrt(a^2*x^2 - 1)*a^6)/(a^4*x^4))/a - 1/5*log(a*x + sqrt(a^2*x^2 - 1))/x^5
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)}{x^6} dx = \int \frac{\operatorname{acosh}(ax)}{x^6} dx$$

`[In] int(acosh(a*x)/x^6,x)``[Out] int(acosh(a*x)/x^6, x)`

3.12 $\int x^4 \operatorname{arccosh}(ax)^2 dx$

Optimal result	120
Rubi [A] (verified)	120
Mathematica [A] (verified)	122
Maple [A] (verified)	123
Fricas [A] (verification not implemented)	123
Sympy [F]	123
Maxima [A] (verification not implemented)	124
Giac [F(-2)]	124
Mupad [F(-1)]	124

Optimal result

Integrand size = 10, antiderivative size = 132

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = \frac{16x}{75a^4} + \frac{8x^3}{225a^2} + \frac{2x^5}{125} - \frac{16\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^5}$$

$$- \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^3}$$

$$- \frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^2$$

[Out] 16/75*x/a^4+8/225*x^3/a^2+2/125*x^5+1/5*x^5*arccosh(a*x)^2-16/75*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-8/75*x^2*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-2/25*x^4*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5939, 5915, 8, 30}

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = -\frac{16\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{75a^5} + \frac{16x}{75a^4}$$

$$- \frac{8x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{75a^3} + \frac{8x^3}{225a^2}$$

$$+ \frac{1}{5}x^5\operatorname{arccosh}(ax)^2 - \frac{2x^4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{25a} + \frac{2x^5}{125}$$

[In] Int[x^4*ArcCosh[a*x]^2,x]

[Out] (16*x)/(75*a^4) + (8*x^3)/(225*a^2) + (2*x^5)/125 - (16*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/(75*a^5) - (8*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcC

$\text{osh}[a*x]]/(75*a^3) - (2*x^4*\text{Sqrt}[-1 + a*x]*\text{Sqrt}[1 + a*x]*\text{ArcCosh}[a*x])/(25*a) + (x^5*\text{ArcCosh}[a*x]^2)/5$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

Rule 5883

$\text{Int}[(a_. + \text{ArcCosh}[c_.*(x_)]*(b_.))^{(n_.)*((d_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)*((a + b*\text{ArcCosh}[c*x])^n/(d*(m+1)))}, x] - \text{Dist}[b*c*(n/(d*(m+1))), \text{Int}[(d*x)^{(m+1)*((a + b*\text{ArcCosh}[c*x])^{(n-1)})}/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

Rule 5915

$\text{Int}[(a_. + \text{ArcCosh}[c_.*(x_)]*(b_.))^{(n_.)*(x_)*((d1_. + (e1_.)*(x_))^{(p_.)*((d2_. + (e2_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(d1 + e1*x)^{(p+1)*(d2 + e2*x)^{(p+1)*((a + b*\text{ArcCosh}[c*x])^n/(2*e1*e2*(p+1)))}, x] - \text{Dist}[b*(n/(2*c*(p+1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Int}[(1 + c*x)^{(p+1/2)*(-1 + c*x)^{(p+1/2)*(a + b*\text{ArcCosh}[c*x])^{(n-1)}}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, p\}, x\} \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{GtQ}[n, 0] \&\& \text{NeQ}[p, -1]$

Rule 5939

$\text{Int}[(a_. + \text{ArcCosh}[c_.*(x_)]*(b_.))^{(n_.)*((f_.)*(x_))^{(m_.)*((d1_. + (e1_.)*(x_))^{(p_.)*((d2_. + (e2_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[f*(f*x)^{(m-1)*(d1 + e1*x)^{(p+1)*(d2 + e2*x)^{(p+1)*((a + b*\text{ArcCosh}[c*x])^n/(e1*e2*(m+2*p+1))}, x] + (\text{Dist}[f^2*((m-1)/(c^2*(m+2*p+1))], \text{Int}[(f*x)^{(m-2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] - \text{Dist}[b*f*(n/(c*(m+2*p+1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Int}[(f*x)^{(m-1)*(1 + c*x)^{(p+1/2)*(-1 + c*x)^{(p+1/2)*(a + b*\text{ArcCosh}[c*x])^{(n-1)}}, x], x)] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}, x\} \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{GtQ}[n, 0] \&\& \text{IGtQ}[m, 1] \&\& \text{NeQ}[m + 2*p + 1, 0]$

Rubi steps

$$\text{integral} = \frac{1}{5}x^5\text{arccosh}(ax)^2 - \frac{1}{5}(2a) \int \frac{x^5\text{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^2 + \frac{2\int x^4 dx}{25} - \frac{8\int \frac{x^3\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
&= \frac{2x^5}{125} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^3} - \frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{25a} \\
&\quad + \frac{1}{5}x^5\operatorname{arccosh}(ax)^2 - \frac{16\int \frac{x\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} + \frac{8\int x^2 dx}{75a^2} \\
&= \frac{8x^3}{225a^2} + \frac{2x^5}{125} - \frac{16\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^5} \\
&\quad - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^3} \\
&\quad - \frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^2 + \frac{16\int 1 dx}{75a^4} \\
&= \frac{16x}{75a^4} + \frac{8x^3}{225a^2} + \frac{2x^5}{125} - \frac{16\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^5} \\
&\quad - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{75a^3} \\
&\quad - \frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^2
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.61

$$\begin{aligned}
&\int x^4\operatorname{arccosh}(ax)^2 dx \\
&= \frac{\frac{240x}{a^4} + \frac{40x^3}{a^2} + 18x^5 - \frac{30\sqrt{-1+ax}\sqrt{1+ax}(8+4a^2x^2+3a^4x^4)\operatorname{arccosh}(ax)}{a^5} + 225x^5\operatorname{arccosh}(ax)^2}{1125}
\end{aligned}$$

[In] Integrate[x^4*ArcCosh[a*x]^2,x]

[Out] ((240*x)/a^4 + (40*x^3)/a^2 + 18*x^5 - (30*sqrt[-1 + a*x]*sqrt[1 + a*x]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCosh[a*x])/a^5 + 225*x^5*ArcCosh[a*x]^2)/1125

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 112, normalized size of antiderivative = 0.85

method	result
derivativedivides	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^2}{5} - \frac{16\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{75} - \frac{2a^4 x^4 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{25} - \frac{8a^2 x^2 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{75} + \frac{16ax}{75} + \frac{16}{75}$
default	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^2}{5} - \frac{16\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{75} - \frac{2a^4 x^4 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{25} - \frac{8a^2 x^2 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{75} + \frac{16ax}{75} + \frac{16}{75}$

```
[In] int(x^4*arccosh(a*x)^2,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^5*(1/5*a^5*x^5*arccosh(a*x)^2-16/75*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)-2/25*a^4*x^4*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-8/75*a^2*x^2*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+16/75*a*x+2/125*a^5*x^5+8/225*a^3*x^3)
```

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.75

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = \frac{225 a^5 x^5 \log(ax + \sqrt{a^2 x^2 - 1})^2 + 18 a^5 x^5 + 40 a^3 x^3 - 30(3 a^4 x^4 + 4 a^2 x^2 + 8)\sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1}) + 240 a x}{1125 a^5}$$

```
[In] integrate(x^4*arccosh(a*x)^2,x, algorithm="fricas")
```

```
[Out] 1/1125*(225*a^5*x^5*log(a*x + sqrt(a^2*x^2 - 1))^2 + 18*a^5*x^5 + 40*a^3*x^3 - 30*(3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 240*a*x)/a^5
```

Sympy [F]

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = \int x^4 \operatorname{acosh}^2(ax) dx$$

```
[In] integrate(x**4*acosh(a*x)**2,x)
```

```
[Out] Integral(x**4*acosh(a*x)**2, x)
```

Maxima [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.75

$$\int x^4 \operatorname{arccosh}(ax)^2 dx$$

$$= \frac{1}{5} x^5 \operatorname{arccosh}(ax)^2 - \frac{2}{75} \left(\frac{3\sqrt{a^2x^2-1}x^4}{a^2} + \frac{4\sqrt{a^2x^2-1}x^2}{a^4} + \frac{8\sqrt{a^2x^2-1}}{a^6} \right) a \operatorname{arccosh}(ax)$$

$$+ \frac{2(9a^4x^5 + 20a^2x^3 + 120x)}{1125a^4}$$

[In] integrate(x^4*arccosh(a*x)^2,x, algorithm="maxima")

```
[Out] 1/5*x^5*arccosh(a*x)^2 - 2/75*(3*sqrt(a^2*x^2 - 1)*x^4/a^2 + 4*sqrt(a^2*x^2 - 1)*x^2/a^4 + 8*sqrt(a^2*x^2 - 1)/a^6)*a*arccosh(a*x) + 2/1125*(9*a^4*x^5 + 20*a^2*x^3 + 120*x)/a^4
```

Giac [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^4*arccosh(a*x)^2,x, algorithm="giac")

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^2 dx = \int x^4 \operatorname{acosh}(ax)^2 dx$$

[In] int(x^4*acosh(a*x)^2,x)

[Out] int(x^4*acosh(a*x)^2, x)

3.13 $\int x^3 \operatorname{arccosh}(ax)^2 dx$

Optimal result	125
Rubi [A] (verified)	125
Mathematica [A] (verified)	127
Maple [A] (verified)	127
Fricas [A] (verification not implemented)	128
Sympy [F]	128
Maxima [F]	128
Giac [F(-2)]	129
Mupad [F(-1)]	129

Optimal result

Integrand size = 10, antiderivative size = 106

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \frac{3x^2}{32a^2} + \frac{x^4}{32} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{16a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{8a} - \frac{3\operatorname{arccosh}(ax)^2}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^2$$

[Out] $3/32*x^2/a^2+1/32*x^4-3/32*\operatorname{arccosh}(a*x)^2/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^2-3/16*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/8*x^3*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5883, 5939, 5893, 30}

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = -\frac{3\operatorname{arccosh}(ax)^2}{32a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{16a^3} + \frac{3x^2}{32a^2} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^2 - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{8a} + \frac{x^4}{32}$$

[In] $\operatorname{Int}[x^3*\operatorname{ArcCosh}[a*x]^2, x]$

[Out] $(3*x^2)/(32*a^2) + x^4/32 - (3*x*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(16*a^3) - (x^3*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(8*a) - (3*\operatorname{ArcCosh}[a*x]^2)/(32*a^4) + (x^4*\operatorname{ArcCosh}[a*x]^2)/4$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5893

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(Sqrt[(d1_) + (e1_)*(x_)]*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d1_) + (e1_)*(x_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{4}x^4\operatorname{arccosh}(ax)^2 - \frac{1}{2}a \int \frac{x^4\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{8a} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^2 + \frac{\int x^3 dx}{8} - \frac{3 \int \frac{x^2\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a} \\
 &= \frac{x^4}{32} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{16a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{8a} \\
 &\quad + \frac{1}{4}x^4\operatorname{arccosh}(ax)^2 - \frac{3 \int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a^3} + \frac{3 \int x dx}{16a^2}
 \end{aligned}$$

$$= \frac{3x^2}{32a^2} + \frac{x^4}{32} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{16a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{8a} - \frac{3\operatorname{arccosh}(ax)^2}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^2$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 77, normalized size of antiderivative = 0.73

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \frac{a^2 x^2 (3 + a^2 x^2) - 2ax\sqrt{-1+ax}\sqrt{1+ax}(3 + 2a^2 x^2) \operatorname{arccosh}(ax) + (-3 + 8a^4 x^4) \operatorname{arccosh}(ax)^2}{32a^4}$$

[In] Integrate[x^3*ArcCosh[a*x]^2,x]

[Out] (a^2*x^2*(3 + a^2*x^2) - 2*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(3 + 2*a^2*x^2)*ArcCosh[a*x] + (-3 + 8*a^4*x^4)*ArcCosh[a*x]^2)/(32*a^4)

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 92, normalized size of antiderivative = 0.87

method	result	size
derivativedivides	$\frac{\frac{a^4 x^4 \operatorname{arccosh}(ax)^2}{4} - \frac{a^3 x^3 \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{8} - \frac{3ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{16} - \frac{3 \operatorname{arccosh}(ax)^2}{32} + \frac{a^4 x^4}{32} + \frac{3a^2 x^2}{32}}{a^4}$	92
default	$\frac{\frac{a^4 x^4 \operatorname{arccosh}(ax)^2}{4} - \frac{a^3 x^3 \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{8} - \frac{3ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{16} - \frac{3 \operatorname{arccosh}(ax)^2}{32} + \frac{a^4 x^4}{32} + \frac{3a^2 x^2}{32}}{a^4}$	92

[In] int(x^3*arccosh(a*x)^2,x,method=_RETURNVERBOSE)

[Out] 1/a^4*(1/4*a^4*x^4*arccosh(a*x)^2-1/8*a^3*x^3*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-3/16*a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-3/32*arccosh(a*x)^2+1/32*a^4*x^4+3/32*a^2*x^2)

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 92, normalized size of antiderivative = 0.87

$$\int x^3 \operatorname{arccosh}(ax)^2 dx$$

$$= \frac{a^4 x^4 + 3 a^2 x^2 + (8 a^4 x^4 - 3) \log(ax + \sqrt{a^2 x^2 - 1})^2 - 2(2 a^3 x^3 + 3 ax) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})}{32 a^4}$$

[In] integrate(x^3*arccosh(a*x)^2,x, algorithm="fricas")

[Out] 1/32*(a^4*x^4 + 3*a^2*x^2 + (8*a^4*x^4 - 3)*log(a*x + sqrt(a^2*x^2 - 1))^2 - 2*(2*a^3*x^3 + 3*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a^4

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \int x^3 \operatorname{acosh}^2(ax) dx$$

[In] integrate(x**3*acosh(a*x)**2,x)

[Out] Integral(x**3*acosh(a*x)**2, x)

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \int x^3 \operatorname{arcosh}(ax)^2 dx$$

[In] integrate(x^3*arccosh(a*x)^2,x, algorithm="maxima")

[Out] 1/4*x^4*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2 - integrate(1/2*(a^3*x^6 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^5 - a*x^4)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3*arccosh(a*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^2 dx = \int x^3 \operatorname{acosh}(ax)^2 dx$$

[In] int(x^3*acosh(a*x)^2,x)

[Out] int(x^3*acosh(a*x)^2, x)

3.14 $\int x^2 \operatorname{arccosh}(ax)^2 dx$

Optimal result	130
Rubi [A] (verified)	130
Mathematica [A] (verified)	132
Maple [A] (verified)	132
Fricas [A] (verification not implemented)	133
Sympy [F]	133
Maxima [A] (verification not implemented)	133
Giac [F(-2)]	134
Mupad [F(-1)]	134

Optimal result

Integrand size = 10, antiderivative size = 90

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \frac{4x}{9a^2} + \frac{2x^3}{27} - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a^3} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^2$$

[Out] $4/9*x/a^2+2/27*x^3+1/3*x^3*\operatorname{arccosh}(a*x)^2-4/9*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-2/9*x^2*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5939, 5915, 8, 30}

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = -\frac{4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{9a^3} + \frac{4x}{9a^2} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^2 - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{9a} + \frac{2x^3}{27}$$

[In] $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^2,x]$

[Out] $(4*x)/(9*a^2) + (2*x^3)/27 - (4*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(9*a^3) - (2*x^2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/(9*a) + (x^3*\operatorname{ArcCosh}[a*x]^2)/3$

Rule 8

$\operatorname{Int}[a_, x_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5915

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*(x_)*((d1_) + (e1_)*(x_))^(p_) * ((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d1_) + (e1_)*(x_))^(p_) * ((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax)^2 - \frac{1}{3}(2a) \int \frac{x^3 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^2 + \frac{2 \int x^2 dx}{9} - \frac{4 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
 &= \frac{2x^3}{27} - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a^3} \\
 &\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^2 + \frac{4 \int 1 dx}{9a^2}
 \end{aligned}$$

$$= \frac{4x}{9a^2} + \frac{2x^3}{27} - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a^3} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{9a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^2$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 64, normalized size of antiderivative = 0.71

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \frac{1}{27} \left(2x \left(\frac{6}{a^2} + x^2 \right) - \frac{6\sqrt{-1+ax}\sqrt{1+ax}(2+a^2x^2) \operatorname{arccosh}(ax)}{a^3} + 9x^3 \operatorname{arccosh}(ax)^2 \right)$$

[In] Integrate[x^2*ArcCosh[a*x]^2,x]

[Out] (2*x*(6/a^2 + x^2) - (6*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(2 + a^2*x^2)*ArcCosh[a*x])/a^3 + 9*x^3*ArcCosh[a*x]^2)/27

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.87

method	result	size
derivativedivides	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)^2}{3} - \frac{4\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{9} - \frac{2a^2 x^2 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{9} + \frac{4ax}{9} + \frac{2a^3 x^3}{27}}{a^3}$	78
default	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)^2}{3} - \frac{4\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{9} - \frac{2a^2 x^2 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1}}{9} + \frac{4ax}{9} + \frac{2a^3 x^3}{27}}{a^3}$	78

[In] int(x^2*arccosh(a*x)^2,x,method=_RETURNVERBOSE)

[Out] 1/a^3*(1/3*a^3*x^3*arccosh(a*x)^2-4/9*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)-2/9*a^2*x^2*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+4/9*a*x+2/27*a^3*x^3)

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.91

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \frac{9a^3x^3 \log(ax + \sqrt{a^2x^2 - 1})^2 + 2a^3x^3 - 6(a^2x^2 + 2)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1}) + 12ax}{27a^3}$$

[In] integrate(x^2*arccosh(a*x)^2,x, algorithm="fricas")

[Out] 1/27*(9*a^3*x^3*log(a*x + sqrt(a^2*x^2 - 1))^2 + 2*a^3*x^3 - 6*(a^2*x^2 + 2)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 12*a*x)/a^3

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \int x^2 \operatorname{acosh}^2(ax) dx$$

[In] integrate(x**2*acosh(a*x)**2,x)

[Out] Integral(x**2*acosh(a*x)**2, x)

Maxima [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 70, normalized size of antiderivative = 0.78

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \frac{1}{3} x^3 \operatorname{arccosh}(ax)^2 - \frac{2}{9} a \left(\frac{\sqrt{a^2x^2 - 1}x^2}{a^2} + \frac{2\sqrt{a^2x^2 - 1}}{a^4} \right) \operatorname{arccosh}(ax) + \frac{2(a^2x^3 + 6x)}{27a^2}$$

[In] integrate(x^2*arccosh(a*x)^2,x, algorithm="maxima")

[Out] 1/3*x^3*arccosh(a*x)^2 - 2/9*a*(sqrt(a^2*x^2 - 1)*x^2/a^2 + 2*sqrt(a^2*x^2 - 1)/a^4)*arccosh(a*x) + 2/27*(a^2*x^3 + 6*x)/a^2

Giac [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^2*arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^2 dx = \int x^2 \operatorname{acosh}(ax)^2 dx$$

```
[In] int(x^2*acosh(a*x)^2,x)
```

```
[Out] int(x^2*acosh(a*x)^2, x)
```

3.15 $\int x \operatorname{arccosh}(ax)^2 dx$

Optimal result	135
Rubi [A] (verified)	135
Mathematica [A] (verified)	137
Maple [A] (verified)	137
Fricas [A] (verification not implemented)	137
Sympy [F]	138
Maxima [F]	138
Giac [F(-2)]	138
Mupad [F(-1)]	138

Optimal result

Integrand size = 8, antiderivative size = 64

$$\int x \operatorname{arccosh}(ax)^2 dx = \frac{x^2}{4} - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{2a} - \frac{\operatorname{arccosh}(ax)^2}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^2$$

[Out] 1/4*x^2-1/4*arccosh(a*x)^2/a^2+1/2*x^2*arccosh(a*x)^2-1/2*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.17 (sec) , antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5939, 5893, 30}

$$\int x \operatorname{arccosh}(ax)^2 dx = -\frac{\operatorname{arccosh}(ax)^2}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{2a} + \frac{x^2}{4}$$

[In] Int[x*ArcCosh[a*x]^2,x]

[Out] x^2/4 - (x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(2*a) - ArcCosh[a*x]^2/(4*a^2) + (x^2*ArcCosh[a*x]^2)/2

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)/(Sqrt[(d1_.) + (e1_.)*(x_.)]*Sqr
rt[(d2_.) + (e2_.)*(x_.)]), x_Symbol] :> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 +
c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[
c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1
] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e
1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(p_.), x_Symbol] :> Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*
(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-
1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}
, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ
[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{2}x^2 \operatorname{arccosh}(ax)^2 - a \int \frac{x^2 \operatorname{arccosh}(ax)}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx \\
&= -\frac{x\sqrt{-1 + ax}\sqrt{1 + ax} \operatorname{arccosh}(ax)}{2a} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^2 + \frac{\int x dx}{2} - \frac{\int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx}{2a} \\
&= \frac{x^2}{4} - \frac{x\sqrt{-1 + ax}\sqrt{1 + ax} \operatorname{arccosh}(ax)}{2a} - \frac{\operatorname{arccosh}(ax)^2}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^2
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.91

$$\int x \operatorname{arccosh}(ax)^2 dx$$

$$= \frac{a^2 x^2 - 2ax\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax) + (-1+2a^2 x^2) \operatorname{arccosh}(ax)^2}{4a^2}$$

[In] Integrate[x*ArcCosh[a*x]^2,x]

[Out] (a^2*x^2 - 2*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x] + (-1 + 2*a^2*x^2)*ArcCosh[a*x]^2)/(4*a^2)

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.91

method	result	size
derivativedivides	$\frac{a^2 x^2 \operatorname{arccosh}(ax)^2}{2} - \frac{ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{2} - \frac{\operatorname{arccosh}(ax)^2}{4} + \frac{a^2 x^2}{4}$	58
default	$\frac{a^2 x^2 \operatorname{arccosh}(ax)^2}{2} - \frac{ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{2} - \frac{\operatorname{arccosh}(ax)^2}{4} + \frac{a^2 x^2}{4}$	58

[In] int(x*arccosh(a*x)^2,x,method=_RETURNVERBOSE)

[Out] 1/a^2*(1/2*a^2*x^2*arccosh(a*x)^2-1/2*a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/4*arccosh(a*x)^2+1/4*a^2*x^2)

Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.14

$$\int x \operatorname{arccosh}(ax)^2 dx$$

$$= \frac{a^2 x^2 - 2\sqrt{a^2 x^2 - 1} ax \log(ax + \sqrt{a^2 x^2 - 1}) + (2a^2 x^2 - 1) \log(ax + \sqrt{a^2 x^2 - 1})^2}{4a^2}$$

[In] integrate(x*arccosh(a*x)^2,x, algorithm="fricas")

[Out] 1/4*(a^2*x^2 - 2*sqrt(a^2*x^2 - 1)*a*x*log(a*x + sqrt(a^2*x^2 - 1)) + (2*a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2)/a^2

Sympy [F]

$$\int x \operatorname{arccosh}(ax)^2 dx = \int x \operatorname{acosh}^2(ax) dx$$

```
[In] integrate(x*acosh(a*x)**2,x)
```

```
[Out] Integral(x*acosh(a*x)**2, x)
```

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^2 dx = \int x \operatorname{arcosh}(ax)^2 dx$$

```
[In] integrate(x*arccosh(a*x)^2,x, algorithm="maxima")
```

```
[Out] 1/2*x^2*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2 - integrate((a^3*x^4 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^3 - a*x^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int x \operatorname{arccosh}(ax)^2 dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x*arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INPUT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^2 dx = \int x \operatorname{acosh}(ax)^2 dx$$

```
[In] int(x*acosh(a*x)^2,x)
```

```
[Out] int(x*acosh(a*x)^2, x)
```

3.16 $\int \operatorname{arccosh}(ax)^2 dx$

Optimal result	139
Rubi [A] (verified)	139
Mathematica [A] (verified)	140
Maple [A] (verified)	140
Fricas [A] (verification not implemented)	141
Sympy [F]	141
Maxima [A] (verification not implemented)	141
Giac [A] (verification not implemented)	141
Mupad [F(-1)]	142

Optimal result

Integrand size = 6, antiderivative size = 39

$$\int \operatorname{arccosh}(ax)^2 dx = 2x - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{a} + x\operatorname{arccosh}(ax)^2$$

[Out] $2*x+x*\operatorname{arccosh}(a*x)^2-2*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.08 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5879, 5915, 8}

$$\int \operatorname{arccosh}(ax)^2 dx = x\operatorname{arccosh}(ax)^2 - \frac{2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{a} + 2x$$

[In] Int[ArcCosh[a*x]^2,x]

[Out] $2*x - (2*\operatorname{Sqrt}[-1 + a*x]*\operatorname{Sqrt}[1 + a*x]*\operatorname{ArcCosh}[a*x])/a + x*\operatorname{ArcCosh}[a*x]^2$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])], x, x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5915

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= x \operatorname{arccosh}(ax)^2 - (2a) \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\ &= -\frac{2\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)}{a} + x \operatorname{arccosh}(ax)^2 + 2 \int 1 dx \\ &= 2x - \frac{2\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)}{a} + x \operatorname{arccosh}(ax)^2 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

$$\int \operatorname{arccosh}(ax)^2 dx = 2x - \frac{2\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)}{a} + x \operatorname{arccosh}(ax)^2$$

[In] Integrate[ArcCosh[a*x]^2,x]

[Out] 2*x - (2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/a + x*ArcCosh[a*x]^2

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

method	result	size
derivativedivides	$\frac{ax \operatorname{arccosh}(ax)^2 - 2\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax) + 2ax}{a}$	39
default	$\frac{ax \operatorname{arccosh}(ax)^2 - 2\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax) + 2ax}{a}$	39

[In] int(arccosh(a*x)^2,x,method=_RETURNVERBOSE)

[Out] 1/a*(a*x*arccosh(a*x)^2-2*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)+2*a*x)

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.51

$$\int \operatorname{arccosh}(ax)^2 dx = \frac{ax \log(ax + \sqrt{a^2x^2 - 1})^2 + 2ax - 2\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})}{a}$$

[In] integrate(arccosh(a*x)^2,x, algorithm="fricas")

[Out] (a*x*log(a*x + sqrt(a^2*x^2 - 1))^2 + 2*a*x - 2*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a

Sympy [F]

$$\int \operatorname{arccosh}(ax)^2 dx = \int \operatorname{acosh}^2(ax) dx$$

[In] integrate(acosh(a*x)**2,x)

[Out] Integral(acosh(a*x)**2, x)

Maxima [A] (verification not implemented)

none

Time = 0.23 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.82

$$\int \operatorname{arccosh}(ax)^2 dx = x \operatorname{arccosh}(ax)^2 + 2x - \frac{2\sqrt{a^2x^2 - 1} \operatorname{arccosh}(ax)}{a}$$

[In] integrate(arccosh(a*x)^2,x, algorithm="maxima")

[Out] x*arccosh(a*x)^2 + 2*x - 2*sqrt(a^2*x^2 - 1)*arccosh(a*x)/a

Giac [A] (verification not implemented)

none

Time = 0.30 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.59

$$\int \operatorname{arccosh}(ax)^2 dx = x \log(ax + \sqrt{a^2x^2 - 1})^2 + 2a \left(\frac{x}{a} - \frac{\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})}{a^2} \right)$$

[In] integrate(arccosh(a*x)^2,x, algorithm="giac")

[Out] x*log(a*x + sqrt(a^2*x^2 - 1))^2 + 2*a*(x/a - sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a^2)

Mupad [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^2 dx = \int \operatorname{acosh}(ax)^2 dx$$

```
[In] int(acosh(a*x)^2,x)
```

```
[Out] int(acosh(a*x)^2, x)
```

3.17 $\int \frac{\operatorname{arccosh}(ax)^2}{x} dx$

Optimal result	143
Rubi [A] (verified)	143
Mathematica [A] (verified)	145
Maple [A] (verified)	146
Fricas [F]	146
Sympy [F]	146
Maxima [F]	147
Giac [F]	147
Mupad [F(-1)]	147

Optimal result

Integrand size = 10, antiderivative size = 62

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = -\frac{1}{3}\operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{2\operatorname{arccosh}(ax)})$$

$$+ \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

$$- \frac{1}{2} \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})$$

```
[Out] -1/3*arccosh(a*x)^3+arccosh(a*x)^2*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)
+arccosh(a*x)*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-1/2*polylog(
3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)
```

Rubi [A] (verified)

Time = 0.07 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5882, 3799, 2221, 2611, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) - \frac{1}{2} \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})$$

$$- \frac{1}{3}\operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(e^{2\operatorname{arccosh}(ax)} + 1)$$

```
[In] Int[ArcCosh[a*x]^2/x,x]
```

```
[Out] -1/3*ArcCosh[a*x]^3 + ArcCosh[a*x]^2*Log[1 + E^(2*ArcCosh[a*x])] + ArcCosh[
a*x]*PolyLog[2, -E^(2*ArcCosh[a*x])] - PolyLog[3, -E^(2*ArcCosh[a*x])]/2
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*(f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3799

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (Complex[0, fz_]*(f_)*(x_)]], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c
+ d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))), x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 5882

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]
```

Rule 6724

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\text{integral} = \text{Subst}\left(\int x^2 \tanh(x) dx, x, \text{arccosh}(ax)\right)$$

$$\begin{aligned}
&= -\frac{1}{3} \operatorname{arccosh}(ax)^3 + 2 \operatorname{Subst} \left(\int \frac{e^{2x} x^2}{1 + e^{2x}} dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{1}{3} \operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{2 \operatorname{arccosh}(ax)}) \\
&\quad - 2 \operatorname{Subst} \left(\int x \log(1 + e^{2x}) dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{1}{3} \operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{2 \operatorname{arccosh}(ax)}) \\
&\quad + \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2 \operatorname{arccosh}(ax)}) \\
&\quad - \operatorname{Subst} \left(\int \operatorname{PolyLog}(2, -e^{2x}) dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{1}{3} \operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{2 \operatorname{arccosh}(ax)}) \\
&\quad + \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2 \operatorname{arccosh}(ax)}) \\
&\quad - \frac{1}{2} \operatorname{Subst} \left(\int \frac{\operatorname{PolyLog}(2, -x)}{x} dx, x, e^{2 \operatorname{arccosh}(ax)} \right) \\
&= -\frac{1}{3} \operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{2 \operatorname{arccosh}(ax)}) \\
&\quad + \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2 \operatorname{arccosh}(ax)}) - \frac{1}{2} \operatorname{PolyLog}(3, -e^{2 \operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.02

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^2}{x} dx &= \frac{1}{3} \operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^2 \log(1 + e^{-2 \operatorname{arccosh}(ax)}) \\
&\quad - \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{-2 \operatorname{arccosh}(ax)}) \\
&\quad - \frac{1}{2} \operatorname{PolyLog}(3, -e^{-2 \operatorname{arccosh}(ax)})
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^2/x, x]

[Out] ArcCosh[a*x]^3/3 + ArcCosh[a*x]^2*Log[1 + E^(-2*ArcCosh[a*x])] - ArcCosh[a*x]*PolyLog[2, -E^(-2*ArcCosh[a*x])] - PolyLog[3, -E^(-2*ArcCosh[a*x])]/2

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.58

method	result
derivativedivides	$-\frac{\operatorname{arccosh}(ax)^3}{3} + \operatorname{arccosh}(ax)^2 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \operatorname{arccosh}(ax) \operatorname{polylog}$
default	$-\frac{\operatorname{arccosh}(ax)^3}{3} + \operatorname{arccosh}(ax)^2 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \operatorname{arccosh}(ax) \operatorname{polylog}$

```
[In] int(arccosh(a*x)^2/x,x,method=_RETURNVERBOSE)
```

```
[Out] -1/3*arccosh(a*x)^3+arccosh(a*x)^2*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+arccosh(a*x)*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-1/2*polylog(3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x} dx$$

```
[In] integrate(arccosh(a*x)^2/x,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^2/x, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \int \frac{\operatorname{acosh}^2(ax)}{x} dx$$

```
[In] integrate(acosh(a*x)**2/x,x)
```

```
[Out] Integral(acosh(a*x)**2/x, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x} dx$$

[In] integrate(arccosh(a*x)^2/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^2/x, x)

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x} dx$$

[In] integrate(arccosh(a*x)^2/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^2/x, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^2}{x} dx = \int \frac{\operatorname{acosh}(ax)^2}{x} dx$$

[In] int(acosh(a*x)^2/x,x)

[Out] int(acosh(a*x)^2/x, x)

3.18 $\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx$

Optimal result	148
Rubi [A] (verified)	148
Mathematica [A] (verified)	150
Maple [A] (verified)	150
Fricas [F]	151
Sympy [F]	151
Maxima [F]	151
Giac [F]	151
Mupad [F(-1)]	152

Optimal result

Integrand size = 10, antiderivative size = 60

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = -\frac{\operatorname{arccosh}(ax)^2}{x} + 4a \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) - 2ia \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + 2ia \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

[Out] $-\operatorname{arccosh}(a*x)^2/x + 4*a*\operatorname{arccosh}(a*x)*\arctan(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}) - 2*I*a*\operatorname{polylog}(2, -I*(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)})) + 2*I*a*\operatorname{polylog}(2, I*(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}))$

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5947, 4265, 2317, 2438}

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = 4a \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) - 2ia \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + 2ia \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) - \frac{\operatorname{arccosh}(ax)^2}{x}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^2/x^2, x]$

[Out] $-(\operatorname{ArcCosh}[a*x]^2/x) + 4*a*\operatorname{ArcCosh}[a*x]*\operatorname{ArcTan}[E^{\operatorname{ArcCosh}[a*x]}] - (2*I)*a*\operatorname{PolyLog}[2, (-I)*E^{\operatorname{ArcCosh}[a*x]}] + (2*I)*a*\operatorname{PolyLog}[2, I*E^{\operatorname{ArcCosh}[a*x]}]$

Rule 2317

$\operatorname{Int}[\operatorname{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_)}], x_Symbol]$
 $:= \operatorname{Dist}[1/(d*e*n*\operatorname{Log}[F]), \operatorname{Subst}[\operatorname{Int}[\operatorname{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})]$

)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4265

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5947

Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_.*(x_)^(m_))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && IntegerQ[m]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)^2}{x} + (2a) \int \frac{\operatorname{arccosh}(ax)}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{\operatorname{arccosh}(ax)^2}{x} + (2a) \operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &= -\frac{\operatorname{arccosh}(ax)^2}{x} + 4a \operatorname{arccosh}(ax) \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
 &\quad - (2ia) \operatorname{Subst}\left(\int \log(1 - ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &\quad + (2ia) \operatorname{Subst}\left(\int \log(1 + ie^x) dx, x, \operatorname{arccosh}(ax)\right)
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{\operatorname{arccosh}(ax)^2}{x} + 4a\operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - (2ia)\operatorname{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad + (2ia)\operatorname{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&= -\frac{\operatorname{arccosh}(ax)^2}{x} + 4a\operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 2ia \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + 2ia \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.53

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = & -ia \left(\operatorname{arccosh}(ax) \left(-\frac{i\operatorname{arccosh}(ax)}{ax} + 2\log(1 - ie^{-\operatorname{arccosh}(ax)}) \right. \right. \\
& \left. \left. - 2\log(1 + ie^{-\operatorname{arccosh}(ax)}) \right) + 2\operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) \right. \\
& \left. - 2\operatorname{PolyLog}(2, ie^{-\operatorname{arccosh}(ax)}) \right)
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^2/x^2,x]

[Out] (-I)*a*(ArcCosh[a*x]*(((-I)*ArcCosh[a*x])/(a*x) + 2*Log[1 - I/E^ArcCosh[a*x]] - 2*Log[1 + I/E^ArcCosh[a*x]]) + 2*PolyLog[2, (-I)/E^ArcCosh[a*x]] - 2*PolyLog[2, I/E^ArcCosh[a*x]])

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 138, normalized size of antiderivative = 2.30

method	result
derivativedivides	$a \left(-\frac{\operatorname{arccosh}(ax)^2}{ax} - 2i \operatorname{arccosh}(ax) \ln(1 + i(ax + \sqrt{ax-1}\sqrt{ax+1})) + 2i \operatorname{arccosh}(ax) \ln(1 - i(ax + \sqrt{ax-1}\sqrt{ax+1})) \right)$
default	$a \left(-\frac{\operatorname{arccosh}(ax)^2}{ax} - 2i \operatorname{arccosh}(ax) \ln(1 + i(ax + \sqrt{ax-1}\sqrt{ax+1})) + 2i \operatorname{arccosh}(ax) \ln(1 - i(ax + \sqrt{ax-1}\sqrt{ax+1})) \right)$

[In] int(arccosh(a*x)^2/x^2,x,method=_RETURNVERBOSE)

[Out] a*(-arccosh(a*x)^2/a/x-2*I*arccosh(a*x)*ln(1+I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2*I*arccosh(a*x)*ln(1-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-2*I*dilog(1+I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2*I*dilog(1-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))))

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^2} dx$$

[In] integrate(arccosh(a*x)^2/x^2,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^2/x^2, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = \int \frac{\operatorname{acosh}^2(ax)}{x^2} dx$$

[In] integrate(acosh(a*x)**2/x**2,x)

[Out] Integral(acosh(a*x)**2/x**2, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^2} dx$$

[In] integrate(arccosh(a*x)^2/x^2,x, algorithm="maxima")

[Out] -log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/x + integrate(2*(a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))/(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^2} dx$$

[In] integrate(arccosh(a*x)^2/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^2/x^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx = \int \frac{\operatorname{acosh}(ax)^2}{x^2} dx$$

```
[In] int(acosh(a*x)^2/x^2,x)
```

```
[Out] int(acosh(a*x)^2/x^2, x)
```


3.19 $\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx$

Optimal result	153
Rubi [A] (verified)	153
Mathematica [A] (verified)	154
Maple [A] (verified)	155
Fricas [A] (verification not implemented)	155
Sympy [F]	155
Maxima [A] (verification not implemented)	156
Giac [B] (verification not implemented)	156
Mupad [F(-1)]	156

Optimal result

Integrand size = 10, antiderivative size = 48

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2} - a^2 \log(x)$$

[Out] $-1/2*\operatorname{arccosh}(a*x)^2/x^2-a^2*\ln(x)+a*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.13 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5883, 5918, 29}

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = a^2(-\log(x)) - \frac{\operatorname{arccosh}(ax)^2}{2x^2} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{x}$$

[In] Int[ArcCosh[a*x]^2/x^3,x]

[Out] $(a*\sqrt{-1+a*x}*\sqrt{1+a*x}*\operatorname{ArcCosh}[a*x])/x - \operatorname{ArcCosh}[a*x]^2/(2*x^2) - a^2*\operatorname{Log}[x]$

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^ (n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m+1)*((a+b*ArcCosh[c*x])^n/(d*(m+1))), x] - Dist[b*c*

$(n/(d*(m + 1)))$, Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5918

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(p_.), x_Symbol] :> Simp[(f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(m + 1))), x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{\operatorname{arccosh}(ax)^2}{2x^2} + a \int \frac{\operatorname{arccosh}(ax)}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2} - a^2 \int \frac{1}{x} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2} - a^2 \log(x) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2} - a^2 \log(x)$$

[In] Integrate[ArcCosh[a*x]^2/x^3,x]

[Out] (a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/x - ArcCosh[a*x]^2/(2*x^2) - a^2*Log[x]

Maple [A] (verified)

Time = 0.18 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.69

method	result
derivativedivides	$a^2 \left(2 \operatorname{arccosh}(ax) - \frac{\operatorname{arccosh}(ax)(2a^2x^2 - 2\sqrt{ax-1}\sqrt{ax+1}ax + \operatorname{arccosh}(ax))}{2a^2x^2} - \ln \left(1 + (ax + \sqrt{ax - 1}) \right) \right)$
default	$a^2 \left(2 \operatorname{arccosh}(ax) - \frac{\operatorname{arccosh}(ax)(2a^2x^2 - 2\sqrt{ax-1}\sqrt{ax+1}ax + \operatorname{arccosh}(ax))}{2a^2x^2} - \ln \left(1 + (ax + \sqrt{ax - 1}) \right) \right)$

[In] `int(arccosh(a*x)^2/x^3,x,method=_RETURNVERBOSE)`

[Out] $a^2(2*\operatorname{arccosh}(a*x)-1/2*\operatorname{arccosh}(a*x)*(2*a^2*x^2-2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*a*x+\operatorname{arccosh}(a*x))/a^2/x^2-\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.35

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = -\frac{2a^2x^2 \log(x) - 2\sqrt{a^2x^2 - 1}ax \log(ax + \sqrt{a^2x^2 - 1}) + \log(ax + \sqrt{a^2x^2 - 1})^2}{2x^2}$$

[In] `integrate(arccosh(a*x)^2/x^3,x, algorithm="fricas")`

[Out] $-1/2*(2*a^2*x^2*\log(x) - 2*\sqrt{a^2*x^2 - 1}*a*x*\log(a*x + \sqrt{a^2*x^2 - 1})) + \log(a*x + \sqrt{a^2*x^2 - 1})^2/x^2$

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = \int \frac{\operatorname{acosh}^2(ax)}{x^3} dx$$

[In] `integrate(acosh(a*x)**2/x**3,x)`

[Out] `Integral(acosh(a*x)**2/x**3, x)`

Maxima [A] (verification not implemented)

none

Time = 0.38 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.81

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = -a^2 \log(x) + \frac{\sqrt{a^2x^2 - 1} a \operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^2}{2x^2}$$

[In] integrate(arccosh(a*x)^2/x^3,x, algorithm="maxima")

[Out] -a^2*log(x) + sqrt(a^2*x^2 - 1)*a*arccosh(a*x)/x - 1/2*arccosh(a*x)^2/x^2

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 98 vs. 2(42) = 84.

Time = 0.32 (sec) , antiderivative size = 98, normalized size of antiderivative = 2.04

$$\begin{aligned} & \int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx \\ &= \left(a \log \left(\left| -x|a| + \sqrt{a^2x^2 - 1} \right| \right) - a \log(|x|) + \frac{2|a| \log(ax + \sqrt{a^2x^2 - 1})}{(x|a| - \sqrt{a^2x^2 - 1})^2 + 1} \right) a \\ & \quad - \frac{\log(ax + \sqrt{a^2x^2 - 1})^2}{2x^2} \end{aligned}$$

[In] integrate(arccosh(a*x)^2/x^3,x, algorithm="giac")

[Out] (a*log(abs(-x*abs(a) + sqrt(a^2*x^2 - 1))) - a*log(abs(x)) + 2*abs(a)*log(a*x + sqrt(a^2*x^2 - 1))/((x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1))*a - 1/2*log(a*x + sqrt(a^2*x^2 - 1))^2/x^2

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^3} dx = \int \frac{\operatorname{acosh}(ax)^2}{x^3} dx$$

[In] int(acosh(a*x)^2/x^3,x)

[Out] int(acosh(a*x)^2/x^3, x)

3.20 $\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx$

Optimal result	157
Rubi [A] (verified)	157
Mathematica [A] (warning: unable to verify)	160
Maple [A] (verified)	160
Fricas [F]	161
Sympy [F]	161
Maxima [F]	161
Giac [F]	161
Mupad [F(-1)]	162

Optimal result

Integrand size = 10, antiderivative size = 114

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \frac{a^2}{3x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} + \frac{2}{3}a^3\operatorname{arccosh}(ax)\arctan(e^{\operatorname{arccosh}(ax)}) - \frac{1}{3}ia^3\operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + \frac{1}{3}ia^3\operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

[Out] $\frac{1}{3}a^2/x - \frac{1}{3}a\operatorname{arccosh}(ax)^2/x^3 + \frac{2}{3}a^3\operatorname{arccosh}(ax)\arctan(ax+(ax-1)^{1/2}(ax+1)^{1/2}) - \frac{1}{3}Ia^3\operatorname{polylog}(2, -I(ax+(ax-1)^{1/2}(ax+1)^{1/2})) + \frac{1}{3}Ia^3\operatorname{polylog}(2, I(ax+(ax-1)^{1/2}(ax+1)^{1/2})) + \frac{1}{3}a\operatorname{arccosh}(ax)^2/x^3$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5883, 5933, 5947, 4265, 2317, 2438, 30}

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \frac{2}{3}a^3\operatorname{arccosh}(ax)\arctan(e^{\operatorname{arccosh}(ax)}) - \frac{1}{3}ia^3\operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + \frac{1}{3}ia^3\operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + \frac{a^2}{3x} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{3x^2}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[ax]^2/x^4, x]$

[Out] $a^2/(3*x) + (a*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\text{ArcCosh}[a*x])/(3*x^2) - \text{ArcCosh}[a*x]^2/(3*x^3) + (2*a^3*\text{ArcCosh}[a*x]*\text{ArcTan}[E^{\text{ArcCosh}[a*x]}])/3 - (I/3)*a^3*\text{PolyLog}[2, (-I)*E^{\text{ArcCosh}[a*x]}] + (I/3)*a^3*\text{PolyLog}[2, I*E^{\text{ArcCosh}[a*x]}]$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[x^{(m + 1)}/(m + 1), x] \text{ /; FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 2317

$\text{Int}[\text{Log}[(a_) + (b_)*((F_)^{((e_)*((c_) + (d_)*(x_)))})^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x)})^n)], x] \text{ /; FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2438

$\text{Int}[\text{Log}[(c_)*((d_) + (e_)*(x_)^{(n_.)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] \text{ /; FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

Rule 4265

$\text{Int}[\text{csc}[(e_) + \text{Pi}*(k_) + (\text{Complex}[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[-2*(c + d*x)^m*(\text{ArcTanh}[E^{((-I)*e + f*fz*x)/E^{(I*k*Pi)}}]/(f*fz*I)), x] + (-\text{Dist}[d*(m/(f*fz*I)), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 - E^{((-I)*e + f*fz*x)/E^{(I*k*Pi)}}], x], x] + \text{Dist}[d*(m/(f*fz*I)), \text{Int}[(c + d*x)^{(m - 1)}*\text{Log}[1 + E^{((-I)*e + f*fz*x)/E^{(I*k*Pi)}}], x], x]) \text{ /; FreeQ}\{c, d, e, f, fz\}, x\} \ \&\& \ \text{IntegerQ}[2*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 5883

$\text{Int}[(a_) + \text{ArcCosh}[(c_)*(x_)]*(b_)]^{(n_.)*((d_)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m + 1)*((a + b*\text{ArcCosh}[c*x])^n/(d*(m + 1)))}, x] - \text{Dist}[b*c*(n/(d*(m + 1))), \text{Int}[(d*x)^{(m + 1)*((a + b*\text{ArcCosh}[c*x])^n/(d*(m + 1)))}, x], x] \text{ /; FreeQ}\{a, b, c, d, m\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{NeQ}[m, -1]$

Rule 5933

$\text{Int}[(a_) + \text{ArcCosh}[(c_)*(x_)]*(b_)]^{(n_.)*((f_)*(x_))^{(m_.)*((d1_) + (e1_)*(x_))^{(p_.)*((d2_) + (e2_)*(x_))^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[(f*x)^{(m + 1)}*(d1 + e1*x)^{(p + 1)}*(d2 + e2*x)^{(p + 1)}*(a + b*\text{ArcCosh}[c*x])^n/(d1*d2*f*(m + 1))], x] + (\text{Dist}[c^2*((m + 2*p + 3)/(f^2*(m + 1))), \text{Int}[(f*x)^{(m + 2)}*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] + \text{Dist}[b*c*(n/(f*(m + 1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Int}[(f*x)^{(m + 1)}*(1 + c*x)^{(p + 1/2)}*(-1 + c*x)^{(p + 1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n - 1)}, x], x]) \text{ /; FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}, x\} \ \&\& \ \text{EqQ}[$

e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && ILtQ[m, -1]

Rule 5947

Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] :> Dist[(1/c^(m + 1))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && Integ erQ[m]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)^2}{3x^3} + \frac{1}{3}(2a) \int \frac{\operatorname{arccosh}(ax)}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} \\
 &\quad - \frac{1}{3}a^2 \int \frac{1}{x^2} dx + \frac{1}{3}a^3 \int \frac{\operatorname{arccosh}(ax)}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} \\
 &\quad + \frac{1}{3}a^3 \operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} \\
 &\quad + \frac{2}{3}a^3 \operatorname{arccosh}(ax) \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
 &\quad - \frac{1}{3}(ia^3) \operatorname{Subst}\left(\int \log(1-ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &\quad + \frac{1}{3}(ia^3) \operatorname{Subst}\left(\int \log(1+ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} - \frac{\operatorname{arccosh}(ax)^2}{3x^3} \\
 &\quad + \frac{2}{3}a^3 \operatorname{arccosh}(ax) \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
 &\quad - \frac{1}{3}(ia^3) \operatorname{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
 &\quad + \frac{1}{3}(ia^3) \operatorname{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right)
 \end{aligned}$$

$$\begin{aligned}
&= \frac{a^2}{3x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)^2}{3x^3} + \frac{2}{3}a^3\operatorname{arccosh}(ax)\arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - \frac{1}{3}ia^3\operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + \frac{1}{3}ia^3\operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.18 (sec) , antiderivative size = 144, normalized size of antiderivative = 1.26

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \frac{1}{3}a^3 \left(\frac{1}{ax} + \frac{\sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{arccosh}(ax)}{a^2x^2} - \frac{\operatorname{arccosh}(ax)^2}{a^3x^3} \right. \\
\left. - i\operatorname{arccosh}(ax)\log(1 - ie^{-\operatorname{arccosh}(ax)}) \right. \\
\left. + i\operatorname{arccosh}(ax)\log(1 + ie^{-\operatorname{arccosh}(ax)}) - i\operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) \right. \\
\left. + i\operatorname{PolyLog}(2, ie^{-\operatorname{arccosh}(ax)}) \right)$$

[In] Integrate[ArcCosh[a*x]^2/x^4, x]

[Out] (a^3*(1/(a*x) + (Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x])/(a^2*x^2) - ArcCosh[a*x]^2/(a^3*x^3) - I*ArcCosh[a*x]*Log[1 - I/E^ArcCosh[a*x]] + I*ArcCosh[a*x]*Log[1 + I/E^ArcCosh[a*x]] - I*PolyLog[2, (-I)/E^ArcCosh[a*x]] + I*PolyLog[2, I/E^ArcCosh[a*x]]))/3

Maple [A] (verified)

Time = 0.24 (sec) , antiderivative size = 171, normalized size of antiderivative = 1.50

method	result
derivativedivides	$a^3 \left(-\frac{-ax \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + \operatorname{arccosh}(ax)^2 - a^2x^2}{3a^3x^3} - \frac{i \operatorname{arccosh}(ax) \ln(1+i(ax+\sqrt{ax-1}\sqrt{ax+1}))}{3} + \frac{i \operatorname{arccosh}(ax) \ln(1-i(ax+\sqrt{ax-1}\sqrt{ax+1}))}{3} \right)$
default	$a^3 \left(-\frac{-ax \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + \operatorname{arccosh}(ax)^2 - a^2x^2}{3a^3x^3} - \frac{i \operatorname{arccosh}(ax) \ln(1+i(ax+\sqrt{ax-1}\sqrt{ax+1}))}{3} + \frac{i \operatorname{arccosh}(ax) \ln(1-i(ax+\sqrt{ax-1}\sqrt{ax+1}))}{3} \right)$

[In] int(arccosh(a*x)^2/x^4, x, method=_RETURNVERBOSE)

[Out] a^3*(-1/3*(-a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+arccosh(a*x)^2-a^2*x^2)/a^3/x^3-1/3*I*arccosh(a*x)*ln(1+I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+1/3*I*arccosh(a*x)*ln(1-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-1/3*I*dilog(1+I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+1/3*I*dilog(1-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))))

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^4} dx$$

[In] integrate(arccosh(a*x)^2/x^4,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^2/x^4, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \int \frac{\operatorname{acosh}^2(ax)}{x^4} dx$$

[In] integrate(acosh(a*x)**2/x**4,x)

[Out] Integral(acosh(a*x)**2/x**4, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^4} dx$$

[In] integrate(arccosh(a*x)^2/x^4,x, algorithm="maxima")

[Out] $-1/3 \cdot \log(ax + \sqrt{ax + 1}) \cdot \sqrt{ax - 1}^2 / x^3 + \int (2/3 \cdot (a^3 x^2 + \sqrt{ax + 1}) \cdot \sqrt{ax - 1} \cdot a^2 x - a) \cdot \log(ax + \sqrt{ax + 1}) \cdot \sqrt{ax - 1} / (a^3 x^6 - a x^4 + (a^2 x^5 - x^3) \cdot \sqrt{ax + 1}) \cdot \sqrt{ax - 1}, x$

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^2}{x^4} dx$$

[In] integrate(arccosh(a*x)^2/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^2/x^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^4} dx = \int \frac{\operatorname{acosh}(ax)^2}{x^4} dx$$

```
[In] int(acosh(a*x)^2/x^4,x)
```

```
[Out] int(acosh(a*x)^2/x^4, x)
```

3.21 $\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx$

Optimal result	163
Rubi [A] (verified)	163
Mathematica [A] (verified)	165
Maple [A] (verified)	165
Fricas [A] (verification not implemented)	166
Sympy [F]	166
Maxima [A] (verification not implemented)	166
Giac [A] (verification not implemented)	167
Mupad [F(-1)]	167

Optimal result

Integrand size = 10, antiderivative size = 95

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = \frac{a^2}{12x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{6x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x} - \frac{\operatorname{arccosh}(ax)^2}{4x^4} - \frac{1}{3}a^4 \log(x)$$

[Out] 1/12*a^2/x^2-1/4*arccosh(a*x)^2/x^4-1/3*a^4*ln(x)+1/6*a*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^3+1/3*a^3*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5933, 5918, 29, 30}

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = -\frac{1}{3}a^4 \log(x) + \frac{a^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{3x} + \frac{a^2}{12x^2} - \frac{\operatorname{arccosh}(ax)^2}{4x^4} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{6x^3}$$

[In] Int[ArcCosh[a*x]^2/x^5, x]

[Out] a^2/(12*x^2) + (a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(6*x^3) + (a^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(3*x) - ArcCosh[a*x]^2/(4*x^4) - (a^4*Log[x])/3

Rule 29

Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5918

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d1_) + (e1_)*(x_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[(f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(m + 1))), x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && EqQ[m + 2*p + 3, 0] && NeQ[p, -1]

Rule 5933

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d1_) + (e1_)*(x_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[(f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(m + 1))), x] + (Dist[c^2*(m + 2*p + 3)/(f^2*(m + 1)), Int[(f*x)^(m + 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && ILtQ[m, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{\operatorname{arccosh}(ax)^2}{4x^4} + \frac{1}{2}a \int \frac{\operatorname{arccosh}(ax)}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{6x^3} - \frac{\operatorname{arccosh}(ax)^2}{4x^4} \\ &\quad - \frac{1}{6}a^2 \int \frac{1}{x^3} dx + \frac{1}{3}a^3 \int \frac{\operatorname{arccosh}(ax)}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \end{aligned}$$

$$\begin{aligned}
&= \frac{a^2}{12x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{6x^3} \\
&\quad + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x} - \frac{\operatorname{arccosh}(ax)^2}{4x^4} - \frac{1}{3}a^4 \int \frac{1}{x} dx \\
&= \frac{a^2}{12x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{6x^3} \\
&\quad + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{3x} - \frac{\operatorname{arccosh}(ax)^2}{4x^4} - \frac{1}{3}a^4 \log(x)
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 69, normalized size of antiderivative = 0.73

$$\begin{aligned}
&\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx \\
&= \frac{a^2x^2 + 2ax\sqrt{-1+ax}\sqrt{1+ax}(1+2a^2x^2)\operatorname{arccosh}(ax) - 3\operatorname{arccosh}(ax)^2 - 4a^4x^4 \log(x)}{12x^4}
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^2/x^5,x]

[Out] (a^2*x^2 + 2*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(1 + 2*a^2*x^2)*ArcCosh[a*x] - 3*ArcCosh[a*x]^2 - 4*a^4*x^4*Log[x])/(12*x^4)

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.29

method	result
derivativedivides	$a^4 \left(\frac{2 \operatorname{arccosh}(ax)}{3} - \frac{-4a^3x^3 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + 4a^4x^4 \operatorname{arccosh}(ax) - 2ax \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + 3a^2x^2 \operatorname{arccosh}(ax)^2}{12a^4x^4} \right)$
default	$a^4 \left(\frac{2 \operatorname{arccosh}(ax)}{3} - \frac{-4a^3x^3 \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + 4a^4x^4 \operatorname{arccosh}(ax) - 2ax \operatorname{arccosh}(ax)\sqrt{ax-1}\sqrt{ax+1} + 3a^2x^2 \operatorname{arccosh}(ax)^2}{12a^4x^4} \right)$

[In] int(arccosh(a*x)^2/x^5,x,method=_RETURNVERBOSE)

[Out] a^4*(2/3*arccosh(a*x)-1/12*(-4*a^3*x^3*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+4*a^4*x^4*arccosh(a*x)-2*a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+3*arccosh(a*x)^2-a^2*x^2)/a^4/x^4-1/3*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2))

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 85, normalized size of antiderivative = 0.89

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = \frac{4a^4x^4 \log(x) - a^2x^2 - 2(2a^3x^3 + ax)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1}) + 3 \log(ax + \sqrt{a^2x^2 - 1})^2}{12x^4}$$

[In] integrate(arccosh(a*x)^2/x^5,x, algorithm="fricas")

[Out] -1/12*(4*a^4*x^4*log(x) - a^2*x^2 - 2*(2*a^3*x^3 + a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 3*log(a*x + sqrt(a^2*x^2 - 1))^2)/x^4

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = \int \frac{\operatorname{acosh}^2(ax)}{x^5} dx$$

[In] integrate(acosh(a*x)**2/x**5,x)

[Out] Integral(acosh(a*x)**2/x**5, x)

Maxima [A] (verification not implemented)

none

Time = 0.34 (sec) , antiderivative size = 72, normalized size of antiderivative = 0.76

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = -\frac{1}{12} \left(4a^2 \log(x) - \frac{1}{x^2} \right) a^2 + \frac{1}{6} \left(\frac{2\sqrt{a^2x^2 - 1}a^2}{x} + \frac{\sqrt{a^2x^2 - 1}}{x^3} \right) a \operatorname{arccosh}(ax) - \frac{\operatorname{arccosh}(ax)^2}{4x^4}$$

[In] integrate(arccosh(a*x)^2/x^5,x, algorithm="maxima")

[Out] -1/12*(4*a^2*log(x) - 1/x^2)*a^2 + 1/6*(2*sqrt(a^2*x^2 - 1)*a^2/x + sqrt(a^2*x^2 - 1)/x^3)*a*arccosh(a*x) - 1/4*arccosh(a*x)^2/x^4

Giac [A] (verification not implemented)

none

Time = 0.35 (sec) , antiderivative size = 147, normalized size of antiderivative = 1.55

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx =$$

$$-\frac{1}{12} \left(2a^3 \log(x^2) - 4a^3 \log\left(|-x|a| + \sqrt{a^2x^2 - 1}\right) - \frac{8 \left(3 \left(x|a| - \sqrt{a^2x^2 - 1} \right)^2 + 1\right) a^2 |a| \log(ax + \sqrt{a^2x^2 - 1})}{\left((x|a| - \sqrt{a^2x^2 - 1})^2 + 1 \right)^3} \right)$$

$$- \frac{\log(ax + \sqrt{a^2x^2 - 1})^2}{4x^4}$$

[In] integrate(arccosh(a*x)^2/x^5,x, algorithm="giac")

[Out] -1/12*(2*a^3*log(x^2) - 4*a^3*log(abs(-x*abs(a) + sqrt(a^2*x^2 - 1))) - 8*(3*(x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1)*a^2*abs(a)*log(a*x + sqrt(a^2*x^2 - 1))/((x*abs(a) - sqrt(a^2*x^2 - 1))^2 + 1)^3 - (2*a^3*x^2 + a)/x^2)*a - 1/4*log(a*x + sqrt(a^2*x^2 - 1))^2/x^4

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^2}{x^5} dx = \int \frac{\operatorname{acosh}(ax)^2}{x^5} dx$$

[In] int(acosh(a*x)^2/x^5,x)

[Out] int(acosh(a*x)^2/x^5, x)

3.22 $\int x^4 \operatorname{arccosh}(ax)^3 dx$

Optimal result	168
Rubi [A] (verified)	169
Mathematica [A] (verified)	172
Maple [A] (verified)	172
Fricas [A] (verification not implemented)	173
Sympy [F]	173
Maxima [A] (verification not implemented)	173
Giac [F(-2)]	174
Mupad [F(-1)]	174

Optimal result

Integrand size = 10, antiderivative size = 231

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = -\frac{4144\sqrt{-1+ax}\sqrt{1+ax}}{5625a^5} - \frac{272x^2\sqrt{-1+ax}\sqrt{1+ax}}{5625a^3} - \frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} + \frac{16x\operatorname{arccosh}(ax)}{25a^4} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{6}{125}x^5\operatorname{arccosh}(ax) - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3$$

[Out] 16/25*x*arccosh(a*x)/a^4+8/75*x^3*arccosh(a*x)/a^2+6/125*x^5*arccosh(a*x)+1/5*x^5*arccosh(a*x)^3-4144/5625*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-272/5625*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-6/625*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a-8/25*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-4/25*x^2*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-3/25*x^4*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5883, 5939, 5915, 5879, 75, 102, 12}

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = -\frac{8\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4144\sqrt{ax-1}\sqrt{ax+1}}{5625a^5} + \frac{16x\operatorname{arccosh}(ax)}{25a^4} - \frac{4x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{25a^3} - \frac{272x^2\sqrt{ax-1}\sqrt{ax+1}}{5625a^3} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 + \frac{6}{125}x^5\operatorname{arccosh}(ax) - \frac{3x^4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{25a} - \frac{6x^4\sqrt{ax-1}\sqrt{ax+1}}{625a}$$

[In] Int[x^4*ArcCosh[a*x]^3,x]

[Out] (-4144*sqrt[-1 + a*x]*sqrt[1 + a*x])/(5625*a^5) - (272*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x])/(5625*a^3) - (6*x^4*sqrt[-1 + a*x]*sqrt[1 + a*x])/(625*a) + (16*x*ArcCosh[a*x])/(25*a^4) + (8*x^3*ArcCosh[a*x])/(75*a^2) + (6*x^5*ArcCosh[a*x])/125 - (8*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^2)/(25*a^5) - (4*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^2)/(25*a^3) - (3*x^4*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^2)/(25*a) + (x^5*ArcCosh[a*x]^3)/5

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 75

Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 102

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}

}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n*((d_.)*(x_.))^m, x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n*(x_)*((d1_)+(e1_)*(x_))^(p_)*((d2_)+(e2_)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n*((f_.)*(x_.))^m*((d1_)+(e1_)*(x_))^(p_)*((d2_)+(e2_)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\text{integral} = \frac{1}{5}x^5 \operatorname{arccosh}(ax)^3 - \frac{1}{5}(3a) \int \frac{x^5 \operatorname{arccosh}(ax)^2}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx$$

$$\begin{aligned}
&= -\frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 \\
&\quad + \frac{6}{25}\int x^4\operatorname{arccosh}(ax)dx - \frac{12\int\frac{x^3\operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{25a} \\
&= \frac{6}{125}x^5\operatorname{arccosh}(ax) - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 - \frac{8\int\frac{x\operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{25a^3} \\
&\quad + \frac{8\int x^2\operatorname{arccosh}(ax)dx}{25a^2} - \frac{1}{125}(6a)\int\frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}}dx \\
&= -\frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{6}{125}x^5\operatorname{arccosh}(ax) \\
&\quad - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 \\
&\quad + \frac{16\int\operatorname{arccosh}(ax)dx}{25a^4} - \frac{6\int\frac{4x^3}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{625a} - \frac{8\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{75a} \\
&= -\frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}}{225a^3} - \frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} \\
&\quad + \frac{16x\operatorname{arccosh}(ax)}{25a^4} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{6}{125}x^5\operatorname{arccosh}(ax) \\
&\quad - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 \\
&\quad - \frac{8\int\frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{225a^3} - \frac{16\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{25a^3} - \frac{24\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{625a} \\
&= -\frac{16\sqrt{-1+ax}\sqrt{1+ax}}{25a^5} - \frac{272x^2\sqrt{-1+ax}\sqrt{1+ax}}{5625a^3} \\
&\quad - \frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} + \frac{16x\operatorname{arccosh}(ax)}{25a^4} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} \\
&\quad + \frac{6}{125}x^5\operatorname{arccosh}(ax) - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} \\
&\quad - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} \\
&\quad + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 - \frac{8\int\frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{625a^3} - \frac{16\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{225a^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{32\sqrt{-1+ax}\sqrt{1+ax}}{45a^5} - \frac{272x^2\sqrt{-1+ax}\sqrt{1+ax}}{5625a^3} - \frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} \\
&+ \frac{16x\operatorname{arccosh}(ax)}{25a^4} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{6}{125}x^5\operatorname{arccosh}(ax) \\
&- \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} \\
&- \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3 - \frac{16\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{625a^3} \\
&= -\frac{4144\sqrt{-1+ax}\sqrt{1+ax}}{5625a^5} - \frac{272x^2\sqrt{-1+ax}\sqrt{1+ax}}{5625a^3} - \frac{6x^4\sqrt{-1+ax}\sqrt{1+ax}}{625a} \\
&+ \frac{16x\operatorname{arccosh}(ax)}{25a^4} + \frac{8x^3\operatorname{arccosh}(ax)}{75a^2} + \frac{6}{125}x^5\operatorname{arccosh}(ax) \\
&- \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^5} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a^3} \\
&- \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^3
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 130, normalized size of antiderivative = 0.56

$$\begin{aligned}
&\int x^4\operatorname{arccosh}(ax)^3 dx \\
&= \frac{-2\sqrt{-1+ax}\sqrt{1+ax}(2072 + 136a^2x^2 + 27a^4x^4) + 30ax(120 + 20a^2x^2 + 9a^4x^4)\operatorname{arccosh}(ax) - 225\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2 + 1125a^5x^5\operatorname{arccosh}(ax)^3}{5625a^5}
\end{aligned}$$

[In] Integrate[x^4*ArcCosh[a*x]^3,x]

[Out] (-2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(2072 + 136*a^2*x^2 + 27*a^4*x^4) + 30*a*x*(120 + 20*a^2*x^2 + 9*a^4*x^4)*ArcCosh[a*x] - 225*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCosh[a*x]^2 + 1125*a^5*x^5*ArcCosh[a*x]^3)/(5625*a^5)

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 190, normalized size of antiderivative = 0.82

method	result
derivativedivides	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^3}{5} - \frac{8 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{3a^4 x^4 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{4a^2 x^2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} + \frac{16ax \operatorname{arccosh}(ax)}{25} + \frac{6}{125}x^5 \operatorname{arccosh}(ax)$
default	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^3}{5} - \frac{8 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{3a^4 x^4 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{4a^2 x^2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{25} + \frac{16ax \operatorname{arccosh}(ax)}{25} + \frac{6}{125}x^5 \operatorname{arccosh}(ax)$

[In] int(x^4*arccosh(a*x)^3,x,method=_RETURNVERBOSE)

```
[Out] 1/a^5*(1/5*a^5*x^5*arccosh(a*x)^3-8/25*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-3/25*a^4*x^4*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-4/25*a^2*x^2*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)+16/25*a*x*arccosh(a*x)-4144/5625*(a*x-1)^(1/2)*(a*x+1)^(1/2)+6/125*a^5*x^5*arccosh(a*x)-6/625*(a*x-1)^(1/2)*(a*x+1)^(1/2)*a^4*x^4-272/5625*a^2*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)+8/75*a^3*x^3*arccosh(a*x))
```

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.65

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = \frac{1125 a^5 x^5 \log(ax + \sqrt{a^2 x^2 - 1})^3 - 225 (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})^2 + 30 (9 a^5 x^5 + 20 a^3 x^3 + 120 a x) \log(ax + \sqrt{a^2 x^2 - 1}) - 2 (27 a^4 x^4 + 136 a^2 x^2 + 2072) \sqrt{a^2 x^2 - 1}}{5625 a^5}$$

```
[In] integrate(x^4*arccosh(a*x)^3,x, algorithm="fricas")
```

```
[Out] 1/5625*(1125*a^5*x^5*log(a*x + sqrt(a^2*x^2 - 1))^3 - 225*(3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2 + 30*(9*a^5*x^5 + 20*a^3*x^3 + 120*a*x)*log(a*x + sqrt(a^2*x^2 - 1)) - 2*(27*a^4*x^4 + 136*a^2*x^2 + 2072)*sqrt(a^2*x^2 - 1))/a^5
```

Sympy [F]

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = \int x^4 \operatorname{acosh}^3(ax) dx$$

```
[In] integrate(x**4*acosh(a*x)**3,x)
```

```
[Out] Integral(x**4*acosh(a*x)**3, x)
```

Maxima [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 165, normalized size of antiderivative = 0.71

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = \frac{1}{5} x^5 \operatorname{arccosh}(ax)^3 - \frac{1}{25} \left(\frac{3 \sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4 \sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8 \sqrt{a^2 x^2 - 1}}{a^6} \right) a \operatorname{arccosh}(ax)^2 - \frac{2}{5625} a \left(\frac{27 \sqrt{a^2 x^2 - 1} a^2 x^4 + 136 \sqrt{a^2 x^2 - 1} x^2 + \frac{2072 \sqrt{a^2 x^2 - 1}}{a^2}}{a^4} - \frac{15 (9 a^4 x^5 + 20 a^2 x^3 + 120 x) \operatorname{arccosh}(ax)}{a^5} \right)$$

[In] integrate(x^4*arccosh(a*x)^3,x, algorithm="maxima")

[Out] $\frac{1}{5}x^5\operatorname{arccosh}(ax)^3 - \frac{1}{25}(3\sqrt{a^2x^2 - 1})x^4/a^2 + 4\sqrt{a^2x^2 - 1}x^2/a^4 + 8\sqrt{a^2x^2 - 1}/a^6)a\operatorname{arccosh}(ax)^2 - \frac{2}{5625}a((27\sqrt{a^2x^2 - 1})a^2x^4 + 136\sqrt{a^2x^2 - 1}x^2 + 2072\sqrt{a^2x^2 - 1}/a^2)/a^4 - 15(9a^4x^5 + 20a^2x^3 + 120x)\operatorname{arccosh}(ax)/a^5)$

Giac [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^4*arccosh(a*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^3 dx = \int x^4 \operatorname{acosh}(ax)^3 dx$$

[In] int(x^4*acosh(a*x)^3,x)

[Out] int(x^4*acosh(a*x)^3, x)

3.23 $\int x^3 \operatorname{arccosh}(ax)^3 dx$

Optimal result	175
Rubi [A] (verified)	175
Mathematica [A] (verified)	179
Maple [A] (verified)	179
Fricas [A] (verification not implemented)	179
Sympy [F]	180
Maxima [F]	180
Giac [F(-2)]	180
Mupad [F(-1)]	181

Optimal result

Integrand size = 10, antiderivative size = 183

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = -\frac{45x\sqrt{-1+ax}\sqrt{1+ax}}{256a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} - \frac{45\operatorname{arccosh}(ax)}{256a^4} + \frac{9x^2\operatorname{arccosh}(ax)}{32a^2} + \frac{3}{32}x^4\operatorname{arccosh}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} - \frac{3\operatorname{arccosh}(ax)^3}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^3$$

[Out] $-45/256*\operatorname{arccosh}(a*x)/a^4+9/32*x^2*\operatorname{arccosh}(a*x)/a^2+3/32*x^4*\operatorname{arccosh}(a*x)-3/32*\operatorname{arccosh}(a*x)^3/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^3-45/256*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/128*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-9/32*x*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-3/16*x^3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used

= {5883, 5939, 5893, 92, 54, 102, 12}

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = -\frac{3 \operatorname{arccosh}(ax)^3}{32a^4} - \frac{45 \operatorname{arccosh}(ax)}{256a^4} - \frac{9x\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^2}{32a^3} - \frac{45x\sqrt{ax-1}\sqrt{ax+1}}{256a^3} + \frac{9x^2 \operatorname{arccosh}(ax)}{32a^2} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 + \frac{3}{32}x^4 \operatorname{arccosh}(ax) - \frac{3x^3\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^2}{16a} - \frac{3x^3\sqrt{ax-1}\sqrt{ax+1}}{128a}$$

[In] Int[x^3*ArcCosh[a*x]^3,x]

[Out] (-45*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(256*a^3) - (3*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(128*a) - (45*ArcCosh[a*x])/(256*a^4) + (9*x^2*ArcCosh[a*x])/(32*a^2) + (3*x^4*ArcCosh[a*x])/32 - (9*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^2)/(32*a^3) - (3*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^2)/(16*a) - (3*ArcCosh[a*x]^3)/(32*a^4) + (x^4*ArcCosh[a*x]^3)/4

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 54

Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] :> Simp[ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b - d, 0] && GtQ[a, 0]

Rule 92

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]

Rule 102

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}

}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
  := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqr
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 +
c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[
c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1]
&& EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(q_.), x_Symbol] := Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(q + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^q*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*
(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^q/(-
1 + c*x)^q], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(q + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p},
x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ
[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 - \frac{1}{4}(3a) \int \frac{x^4 \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2}{16a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 \\ &\quad + \frac{3}{8} \int x^3 \operatorname{arccosh}(ax) dx - \frac{9 \int \frac{x^2 \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a} \end{aligned}$$

$$\begin{aligned}
&= \frac{3}{32}x^4 \operatorname{arccosh}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} \\
&\quad - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 - \frac{9 \int \frac{\operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a^3} \\
&\quad + \frac{9 \int x \operatorname{arccosh}(ax) dx}{16a^2} - \frac{1}{32}(3a) \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} + \frac{9x^2 \operatorname{arccosh}(ax)}{32a^2} + \frac{3}{32}x^4 \operatorname{arccosh}(ax) \\
&\quad - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} \\
&\quad - \frac{3 \operatorname{arccosh}(ax)^3}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 - \frac{3 \int \frac{3x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{128a} - \frac{9 \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} + \frac{9x^2 \operatorname{arccosh}(ax)}{32a^2} \\
&\quad + \frac{3}{32}x^4 \operatorname{arccosh}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} \\
&\quad - \frac{3 \operatorname{arccosh}(ax)^3}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 - \frac{9 \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{64a^3} - \frac{9 \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{128a} \\
&= -\frac{45x\sqrt{-1+ax}\sqrt{1+ax}}{256a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} \\
&\quad - \frac{9 \operatorname{arccosh}(ax)}{64a^4} + \frac{9x^2 \operatorname{arccosh}(ax)}{32a^2} + \frac{3}{32}x^4 \operatorname{arccosh}(ax) \\
&\quad - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} \\
&\quad - \frac{3 \operatorname{arccosh}(ax)^3}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3 - \frac{9 \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{256a^3} \\
&= -\frac{45x\sqrt{-1+ax}\sqrt{1+ax}}{256a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}}{128a} - \frac{45 \operatorname{arccosh}(ax)}{256a^4} \\
&\quad + \frac{9x^2 \operatorname{arccosh}(ax)}{32a^2} + \frac{3}{32}x^4 \operatorname{arccosh}(ax) - \frac{9x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{32a^3} \\
&\quad - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{16a} - \frac{3 \operatorname{arccosh}(ax)^3}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^3
\end{aligned}$$


```
[Out] 1/256*(8*(8*a^4*x^4 - 3)*log(a*x + sqrt(a^2*x^2 - 1))^3 - 24*(2*a^3*x^3 + 3*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2 + 3*(8*a^4*x^4 + 24*a^2*x^2 - 15)*log(a*x + sqrt(a^2*x^2 - 1)) - 3*(2*a^3*x^3 + 15*a*x)*sqrt(a^2*x^2 - 1))/a^4
```

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = \int x^3 \operatorname{acosh}^3(ax) dx$$

```
[In] integrate(x**3*acosh(a*x)**3,x)
```

```
[Out] Integral(x**3*acosh(a*x)**3, x)
```

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = \int x^3 \operatorname{arcosh}(ax)^3 dx$$

```
[In] integrate(x^3*arccosh(a*x)^3,x, algorithm="maxima")
```

```
[Out] 1/4*x^4*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3 - integrate(3/4*(a^3*x^6 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^5 - a*x^4)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3*arccosh(a*x)^3,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^3 dx = \int x^3 \operatorname{acosh}(ax)^3 dx$$

```
[In] int(x^3*acosh(a*x)^3,x)
```

```
[Out] int(x^3*acosh(a*x)^3, x)
```

3.24 $\int x^2 \operatorname{arccosh}(ax)^3 dx$

Optimal result	182
Rubi [A] (verified)	182
Mathematica [A] (verified)	185
Maple [A] (verified)	185
Fricas [A] (verification not implemented)	186
Sympy [F]	186
Maxima [A] (verification not implemented)	186
Giac [F(-2)]	187
Mupad [F(-1)]	187

Optimal result

Integrand size = 10, antiderivative size = 155

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = -\frac{40\sqrt{-1+ax}\sqrt{1+ax}}{27a^3} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{27a} + \frac{4x\operatorname{arccosh}(ax)}{3a^2} + \frac{2}{9}x^3\operatorname{arccosh}(ax) - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^3$$

[Out] $4/3*x*\operatorname{arccosh}(a*x)/a^2+2/9*x^3*\operatorname{arccosh}(a*x)+1/3*x^3*\operatorname{arccosh}(a*x)^3-40/27*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-2/27*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-2/3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3-1/3*x^2*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5883, 5939, 5915, 5879, 75, 102, 12}

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = -\frac{2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{3a^3} - \frac{40\sqrt{ax-1}\sqrt{ax+1}}{27a^3} + \frac{4x\operatorname{arccosh}(ax)}{3a^2} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^3 + \frac{2}{9}x^3\operatorname{arccosh}(ax) - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{3a} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{27a}$$

[In] $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^3,x]$

```
[Out] (-40*sqrt[-1 + a*x]*sqrt[1 + a*x])/(27*a^3) - (2*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x])/(27*a) + (4*x*ArcCosh[a*x])/(3*a^2) + (2*x^3*ArcCosh[a*x])/9 - (2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^2)/(3*a^3) - (x^2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^2)/(3*a) + (x^3*ArcCosh[a*x]^3)/3
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 75

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]
```

Rule 102

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 5879

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(sqrt[1 + c*x]*sqrt[-1 + c*x]))], x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(sqrt[1 + c*x]*sqrt[-1 + c*x]))], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rule 5915

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
```

p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(p_.), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 - a \int \frac{x^3 \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 \\
 &\quad + \frac{2}{3} \int x^2 \operatorname{arccosh}(ax) dx - \frac{2 \int \frac{x \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{3a} \\
 &= \frac{2}{9}x^3 \operatorname{arccosh}(ax) - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} \\
 &\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 + \frac{4 \int \operatorname{arccosh}(ax) dx}{3a^2} - \frac{1}{9}(2a) \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{27a} + \frac{4x \operatorname{arccosh}(ax)}{3a^2} + \frac{2}{9}x^3 \operatorname{arccosh}(ax) \\
 &\quad - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} \\
 &\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 - \frac{2 \int \frac{2x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{27a} - \frac{4 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{3a} \\
 &= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}}{3a^3} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{27a} + \frac{4x \operatorname{arccosh}(ax)}{3a^2} \\
 &\quad + \frac{2}{9}x^3 \operatorname{arccosh}(ax) - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a^3} \\
 &\quad - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^3 - \frac{4 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{27a}
 \end{aligned}$$

$$= -\frac{40\sqrt{-1+ax}\sqrt{1+ax}}{27a^3} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{27a} + \frac{4x\operatorname{arccosh}(ax)}{3a^2} + \frac{2}{9}x^3\operatorname{arccosh}(ax) - \frac{2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{3a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^3$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.66

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \frac{-2\sqrt{-1+ax}\sqrt{1+ax}(20+a^2x^2) + 6ax(6+a^2x^2)\operatorname{arccosh}(ax) - 9\sqrt{-1+ax}\sqrt{1+ax}(2+a^2x^2)\operatorname{arccosh}(ax)^2 + 9a^3x^3\operatorname{arccosh}(ax)^3}{27a^3}$$

[In] Integrate[x^2*ArcCosh[a*x]^3,x]

[Out] (-2*sqrt[-1 + a*x]*sqrt[1 + a*x]*(20 + a^2*x^2) + 6*a*x*(6 + a^2*x^2)*ArcCosh[a*x] - 9*sqrt[-1 + a*x]*sqrt[1 + a*x]*(2 + a^2*x^2)*ArcCosh[a*x]^2 + 9*a^3*x^3*ArcCosh[a*x]^3)/(27*a^3)

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 128, normalized size of antiderivative = 0.83

method	result
derivativedivides	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)^3}{3} - \frac{2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{3} - \frac{a^2 x^2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{3} + \frac{4ax \operatorname{arccosh}(ax)}{3} - \frac{40\sqrt{ax-1} \sqrt{ax+1}}{27} + \frac{2a^3}{3}}$
default	$\frac{\frac{a^3 x^3 \operatorname{arccosh}(ax)^3}{3} - \frac{2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{3} - \frac{a^2 x^2 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{3} + \frac{4ax \operatorname{arccosh}(ax)}{3} - \frac{40\sqrt{ax-1} \sqrt{ax+1}}{27} + \frac{2a^3}{3}}$

[In] int(x^2*arccosh(a*x)^3,x,method=_RETURNVERBOSE)

[Out] 1/a^3*(1/3*a^3*x^3*arccosh(a*x)^3-2/3*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/3*a^2*x^2*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)+4/3*a*x*arccosh(a*x)-40/27*(a*x-1)^(1/2)*(a*x+1)^(1/2)+2/9*a^3*x^3*arccosh(a*x)-2/27*a^2*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2))

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 124, normalized size of antiderivative = 0.80

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \frac{9a^3x^3 \log(ax + \sqrt{a^2x^2 - 1})^3 - 9(a^2x^2 + 2)\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^2 + 6(a^3x^3 + 6ax) \log(ax + \sqrt{a^2x^2 - 1}) - 2(a^2x^2 + 20)\sqrt{a^2x^2 - 1}}{27a^3}$$

[In] integrate(x^2*arccosh(a*x)^3,x, algorithm="fricas")

[Out] 1/27*(9*a^3*x^3*log(a*x + sqrt(a^2*x^2 - 1))^3 - 9*(a^2*x^2 + 2)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2 + 6*(a^3*x^3 + 6*a*x)*log(a*x + sqrt(a^2*x^2 - 1)) - 2*(a^2*x^2 + 20)*sqrt(a^2*x^2 - 1))/a^3

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \int x^2 \operatorname{acosh}^3(ax) dx$$

[In] integrate(x**2*acosh(a*x)**3,x)

[Out] Integral(x**2*acosh(a*x)**3, x)

Maxima [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 116, normalized size of antiderivative = 0.75

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \frac{1}{3} x^3 \operatorname{arccosh}(ax)^3 - \frac{1}{3} a \left(\frac{\sqrt{a^2x^2 - 1}x^2}{a^2} + \frac{2\sqrt{a^2x^2 - 1}}{a^4} \right) \operatorname{arccosh}(ax)^2 - \frac{2}{27} a \left(\frac{\sqrt{a^2x^2 - 1}x^2 + \frac{20\sqrt{a^2x^2 - 1}}{a^2}}{a^2} - \frac{3(a^2x^3 + 6x) \operatorname{arccosh}(ax)}{a^3} \right)$$

[In] integrate(x^2*arccosh(a*x)^3,x, algorithm="maxima")

[Out] 1/3*x^3*arccosh(a*x)^3 - 1/3*a*(sqrt(a^2*x^2 - 1)*x^2/a^2 + 2*sqrt(a^2*x^2 - 1)/a^4)*arccosh(a*x)^2 - 2/27*a*((sqrt(a^2*x^2 - 1)*x^2 + 20*sqrt(a^2*x^2 - 1)/a^2)/a^2 - 3*(a^2*x^3 + 6*x)*arccosh(a*x)/a^3)

Giac [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2*arccosh(a*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^3 dx = \int x^2 \operatorname{acosh}(ax)^3 dx$$

[In] int(x^2*acosh(a*x)^3,x)

[Out] int(x^2*acosh(a*x)^3, x)

3.25 $\int x \operatorname{arccosh}(ax)^3 dx$

Optimal result	188
Rubi [A] (verified)	188
Mathematica [A] (verified)	190
Maple [A] (verified)	191
Fricas [A] (verification not implemented)	191
Sympy [F]	191
Maxima [F]	192
Giac [F]	192
Mupad [F(-1)]	192

Optimal result

Integrand size = 8, antiderivative size = 107

$$\int x \operatorname{arccosh}(ax)^3 dx = -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{8a} - \frac{3\operatorname{arccosh}(ax)}{8a^2} + \frac{3}{4}x^2\operatorname{arccosh}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4a} - \frac{\operatorname{arccosh}(ax)^3}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^3$$

[Out] $-3/8*\operatorname{arccosh}(a*x)/a^2+3/4*x^2*\operatorname{arccosh}(a*x)-1/4*\operatorname{arccosh}(a*x)^3/a^2+1/2*x^2*a$
 $\operatorname{rccosh}(a*x)^3-3/8*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-3/4*x*\operatorname{arccosh}(a*x)^2*(a*x$
 $-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5883, 5939, 5893, 92, 54}

$$\int x \operatorname{arccosh}(ax)^3 dx = -\frac{\operatorname{arccosh}(ax)^3}{4a^2} - \frac{3\operatorname{arccosh}(ax)}{8a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^3 + \frac{3}{4}x^2\operatorname{arccosh}(ax) - \frac{3x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{4a} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}}{8a}$$

[In] $\operatorname{Int}[x*\operatorname{ArcCosh}[a*x]^3,x]$

[Out] $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(8*a) - (3*\operatorname{ArcCosh}[a*x])/(8*a^2) + (3*x^2*\operatorname{ArcCosh}[a*x])/4 - (3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(4*a) - \operatorname{ArcCosh}[a*x]^3/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^3)/2$

Rule 54

```
Int[1/(Sqrt[(a_) + (b_.)*(x_)]*Sqrt[(c_) + (d_.)*(x_)]), x_Symbol] := Simp[
ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b
- d, 0] && GtQ[a, 0]
```

Rule 92

```
Int[((a_.) + (b_.)*(x_))^(2*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(
p_.), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(
d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sq
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 +
c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[
c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1
] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*
(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-
1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p},
x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ
[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{2}x^2 \operatorname{arccosh}(ax)^3 - \frac{1}{2}(3a) \int \frac{x^2 \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2}{4a} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^3 \\
&\quad + \frac{3}{2} \int x \operatorname{arccosh}(ax) dx - \frac{3 \int \frac{\operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{4a} \\
&= \frac{3}{4}x^2 \operatorname{arccosh}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2}{4a} - \frac{\operatorname{arccosh}(ax)^3}{4a^2} \\
&\quad + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^3 - \frac{1}{4}(3a) \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{8a} + \frac{3}{4}x^2 \operatorname{arccosh}(ax) - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2}{4a} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^3 - \frac{3 \int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}}{8a} - \frac{3 \operatorname{arccosh}(ax)}{8a^2} + \frac{3}{4}x^2 \operatorname{arccosh}(ax) \\
&\quad - \frac{3x\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2}{4a} - \frac{\operatorname{arccosh}(ax)^3}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^3
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.06

$$\begin{aligned}
&\int x \operatorname{arccosh}(ax)^3 dx \\
&= \frac{6a^2x^2 \operatorname{arccosh}(ax) - 6ax\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2 + (-2 + 4a^2x^2) \operatorname{arccosh}(ax)^3 - 3(ax\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^2 - \operatorname{arccosh}(ax)^3)}{8a^2}
\end{aligned}$$

[In] Integrate[x*ArcCosh[a*x]^3,x]

[Out] (6*a^2*x^2*ArcCosh[a*x] - 6*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^2 + (-2 + 4*a^2*x^2)*ArcCosh[a*x]^3 - 3*(a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x] + Log[a*x + Sqrt[-1 + a*x]*Sqrt[1 + a*x]]))/(8*a^2)

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.82

method	result
derivativedivides	$\frac{\frac{a^2 x^2 \operatorname{arccosh}(ax)^3}{2} - \frac{3ax \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{4} - \frac{\operatorname{arccosh}(ax)^3}{4} + \frac{3a^2 x^2 \operatorname{arccosh}(ax)}{4} - \frac{3\sqrt{ax-1} \sqrt{ax+1} ax}{8} - \frac{3 \operatorname{arccosh}(ax)}{8}}{a^2}$
default	$\frac{\frac{a^2 x^2 \operatorname{arccosh}(ax)^3}{2} - \frac{3ax \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1}}{4} - \frac{\operatorname{arccosh}(ax)^3}{4} + \frac{3a^2 x^2 \operatorname{arccosh}(ax)}{4} - \frac{3\sqrt{ax-1} \sqrt{ax+1} ax}{8} - \frac{3 \operatorname{arccosh}(ax)}{8}}{a^2}$

[In] int(x*arccosh(a*x)^3,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{a^2} \left(\frac{1}{2} a^2 x^2 \operatorname{arccosh}(ax)^3 - \frac{3}{4} a x \operatorname{arccosh}(ax)^2 (ax-1)^{1/2} (ax+1)^{1/2} - \frac{1}{4} \operatorname{arccosh}(ax)^3 + \frac{3}{4} a^2 x^2 \operatorname{arccosh}(ax) - \frac{3}{8} (ax-1)^{1/2} (ax+1)^{1/2} a x - \frac{3}{8} \operatorname{arccosh}(ax) \right)$

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.05

$$\int x \operatorname{arccosh}(ax)^3 dx = \frac{6 \sqrt{a^2 x^2 - 1} ax \log(ax + \sqrt{a^2 x^2 - 1})^2 - 2(2a^2 x^2 - 1) \log(ax + \sqrt{a^2 x^2 - 1})^3 + 3 \sqrt{a^2 x^2 - 1} ax - 3(2 - 1) \log(ax + \sqrt{a^2 x^2 - 1})}{8a^2}$$

[In] integrate(x*arccosh(a*x)^3,x, algorithm="fricas")

[Out] $\frac{-1}{8} \left(6 \sqrt{a^2 x^2 - 1} a x \log(ax + \sqrt{a^2 x^2 - 1})^2 - 2(2a^2 x^2 - 1) \log(ax + \sqrt{a^2 x^2 - 1})^3 + 3 \sqrt{a^2 x^2 - 1} a x - 3(2 - 1) \log(ax + \sqrt{a^2 x^2 - 1}) \right) / a^2$

Sympy [F]

$$\int x \operatorname{arccosh}(ax)^3 dx = \int x \operatorname{acosh}^3(ax) dx$$

[In] integrate(x*acosh(a*x)**3,x)

[Out] Integral(x*acosh(a*x)**3, x)

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^3 dx = \int x \operatorname{arcosh}(ax)^3 dx$$

[In] integrate(x*arccosh(a*x)^3,x, algorithm="maxima")

[Out] 1/2*x^2*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3 - integrate(3/2*(a^3*x^4 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^3 - a*x^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)

Giac [F]

$$\int x \operatorname{arccosh}(ax)^3 dx = \int x \operatorname{arcosh}(ax)^3 dx$$

[In] integrate(x*arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x*arccosh(a*x)^3, x)

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^3 dx = \int x \operatorname{acosh}(ax)^3 dx$$

[In] int(x*acosh(a*x)^3,x)

[Out] int(x*acosh(a*x)^3, x)

3.26 $\int \operatorname{arccosh}(ax)^3 dx$

Optimal result	193
Rubi [A] (verified)	193
Mathematica [A] (verified)	194
Maple [A] (verified)	195
Fricas [A] (verification not implemented)	195
Sympy [F]	195
Maxima [A] (verification not implemented)	196
Giac [A] (verification not implemented)	196
Mupad [F(-1)]	196

Optimal result

Integrand size = 6, antiderivative size = 68

$$\int \operatorname{arccosh}(ax)^3 dx = -\frac{6\sqrt{-1+ax}\sqrt{1+ax}}{a} + 6x\operatorname{arccosh}(ax) - \frac{3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{a} + x\operatorname{arccosh}(ax)^3$$

[Out] $6*x*\operatorname{arccosh}(a*x)+x*\operatorname{arccosh}(a*x)^3-6*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-3*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.13 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5879, 5915, 75}

$$\int \operatorname{arccosh}(ax)^3 dx = x\operatorname{arccosh}(ax)^3 - \frac{3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{a} + 6x\operatorname{arccosh}(ax) - \frac{6\sqrt{ax-1}\sqrt{ax+1}}{a}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^3, x]$

[Out] $(-6*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/a + 6*x*\operatorname{ArcCosh}[a*x] - (3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/a + x*\operatorname{ArcCosh}[a*x]^3$

Rule 75

$\operatorname{Int}[(a_. + (b_.)*(x_))((c_. + (d_.)*(x_))^{(n_.)}((e_. + (f_.)*(x_))^{(p_.)}), x_Symbol] := \operatorname{Simp}[b*(c + d*x)^{(n + 1)}*((e + f*x)^{(p + 1)})/(d*f*(n + p +$

2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n*(x_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= x \operatorname{arccosh}(ax)^3 - (3a) \int \frac{x \operatorname{arccosh}(ax)^2}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\
 &= -\frac{3\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^2}{a} + x \operatorname{arccosh}(ax)^3 + 6 \int \operatorname{arccosh}(ax) dx \\
 &= 6x \operatorname{arccosh}(ax) - \frac{3\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^2}{a} \\
 &\quad + x \operatorname{arccosh}(ax)^3 - (6a) \int \frac{x}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\
 &= -\frac{6\sqrt{-1 + ax} \sqrt{1 + ax}}{a} + 6x \operatorname{arccosh}(ax) - \frac{3\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^2}{a} + x \operatorname{arccosh}(ax)^3
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00

$$\begin{aligned}
 \int \operatorname{arccosh}(ax)^3 dx &= -\frac{6\sqrt{-1 + ax} \sqrt{1 + ax}}{a} + 6x \operatorname{arccosh}(ax) \\
 &\quad - \frac{3\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^2}{a} + x \operatorname{arccosh}(ax)^3
 \end{aligned}$$

[In] Integrate[ArcCosh[a*x]^3, x]

[Out] (-6*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/a + 6*x*ArcCosh[a*x] - (3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^2)/a + x*ArcCosh[a*x]^3

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 61, normalized size of antiderivative = 0.90

method	result	size
derivativedivides	$\frac{ax \operatorname{arccosh}(ax)^3 - 3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 6ax \operatorname{arccosh}(ax) - 6\sqrt{ax-1} \sqrt{ax+1}}{a}$	61
default	$\frac{ax \operatorname{arccosh}(ax)^3 - 3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 6ax \operatorname{arccosh}(ax) - 6\sqrt{ax-1} \sqrt{ax+1}}{a}$	61

[In] int(arccosh(a*x)^3,x,method=_RETURNVERBOSE)

[Out] $\frac{1}{a} (ax \operatorname{arccosh}(ax)^3 - 3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 6ax \operatorname{arccosh}(ax) - 6\sqrt{ax-1} \sqrt{ax+1})$

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.32

$$\int \operatorname{arccosh}(ax)^3 dx = \frac{ax \log(ax + \sqrt{a^2x^2 - 1})^3 + 6ax \log(ax + \sqrt{a^2x^2 - 1}) - 3\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^2 - 6\sqrt{a^2x^2 - 1}}{a}$$

[In] integrate(arccosh(a*x)^3,x, algorithm="fricas")

[Out] $(ax \log(ax + \sqrt{a^2x^2 - 1})^3 + 6ax \log(ax + \sqrt{a^2x^2 - 1}) - 3\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^2 - 6\sqrt{a^2x^2 - 1})/a$

Sympy [F]

$$\int \operatorname{arccosh}(ax)^3 dx = \int \operatorname{acosh}^3(ax) dx$$

[In] integrate(acosh(a*x)**3,x)

[Out] Integral(acosh(a*x)**3, x)

Maxima [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.84

$$\int \operatorname{arccosh}(ax)^3 dx = x \operatorname{arccosh}(ax)^3 - \frac{3\sqrt{a^2x^2-1} \operatorname{arccosh}(ax)^2}{a} + \frac{6(ax \operatorname{arccosh}(ax) - \sqrt{a^2x^2-1})}{a}$$

[In] integrate(arccosh(a*x)^3,x, algorithm="maxima")

[Out] x*arccosh(a*x)^3 - 3*sqrt(a^2*x^2 - 1)*arccosh(a*x)^2/a + 6*(a*x*arccosh(a*x) - sqrt(a^2*x^2 - 1))/a

Giac [A] (verification not implemented)

none

Time = 0.30 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.44

$$\int \operatorname{arccosh}(ax)^3 dx = x \log(ax + \sqrt{a^2x^2-1})^3 - 3a \left(\frac{\sqrt{a^2x^2-1} \log(ax + \sqrt{a^2x^2-1})^2}{a^2} - \frac{2 \left(x \log(ax + \sqrt{a^2x^2-1}) - \frac{\sqrt{a^2x^2-1}}{a} \right)}{a} \right)$$

[In] integrate(arccosh(a*x)^3,x, algorithm="giac")

[Out] x*log(a*x + sqrt(a^2*x^2 - 1))^3 - 3*a*(sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2/a^2 - 2*(x*log(a*x + sqrt(a^2*x^2 - 1)) - sqrt(a^2*x^2 - 1)/a)/a)

Mupad [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^3 dx = \int \operatorname{acosh}(ax)^3 dx$$

[In] int(acosh(a*x)^3,x)

[Out] int(acosh(a*x)^3, x)

3.27 $\int \frac{\operatorname{arccosh}(ax)^3}{x} dx$

Optimal result	197
Rubi [A] (verified)	197
Mathematica [A] (verified)	200
Maple [A] (verified)	200
Fricas [F]	201
Sympy [F]	201
Maxima [F]	201
Giac [F]	201
Mupad [F(-1)]	202

Optimal result

Integrand size = 10, antiderivative size = 87

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = -\frac{1}{4}\operatorname{arccosh}(ax)^4 + \operatorname{arccosh}(ax)^3 \log(1 + e^{2\operatorname{arccosh}(ax)}) \\ + \frac{3}{2}\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\ - \frac{3}{2}\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) \\ + \frac{3}{4}\operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)})$$

[Out] $-1/4*\operatorname{arccosh}(a*x)^4 + \operatorname{arccosh}(a*x)^3*\ln(1 + (a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) \\ + 3/2*\operatorname{arccosh}(a*x)^2*\operatorname{polylog}(2, -(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3/2*\operatorname{arccosh}(a*x) \\ * \operatorname{polylog}(3, -(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3/4*\operatorname{polylog}(4, -(a*x + (a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

Rubi [A] (verified)

Time = 0.09 (sec), antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5882, 3799, 2221, 2611, 6744, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \frac{3}{2}\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\ - \frac{3}{2}\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) \\ + \frac{3}{4}\operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)}) - \frac{1}{4}\operatorname{arccosh}(ax)^4 \\ + \operatorname{arccosh}(ax)^3 \log(e^{2\operatorname{arccosh}(ax)} + 1)$$

[In] Int[ArcCosh[a*x]^3/x,x]

[Out] $-1/4 \text{ArcCosh}[a*x]^4 + \text{ArcCosh}[a*x]^3 \text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] + (3*\text{ArcCosh}[a*x]^2 \text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}])/2 - (3*\text{ArcCosh}[a*x] \text{PolyLog}[3, -E^{(2*\text{ArcCosh}[a*x])}])/2 + (3*\text{PolyLog}[4, -E^{(2*\text{ArcCosh}[a*x])}])/4$

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3799

Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5882

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 6724

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d}

, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6744

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \text{Subst}\left(\int x^3 \tanh(x) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{4} \text{arccosh}(ax)^4 + 2 \text{Subst}\left(\int \frac{e^{2x} x^3}{1 + e^{2x}} dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{4} \text{arccosh}(ax)^4 + \text{arccosh}(ax)^3 \log(1 + e^{2 \text{arccosh}(ax)}) \\
 &\quad - 3 \text{Subst}\left(\int x^2 \log(1 + e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{4} \text{arccosh}(ax)^4 + \text{arccosh}(ax)^3 \log(1 + e^{2 \text{arccosh}(ax)}) \\
 &\quad + \frac{3}{2} \text{arccosh}(ax)^2 \text{PolyLog}(2, -e^{2 \text{arccosh}(ax)}) \\
 &\quad - 3 \text{Subst}\left(\int x \text{PolyLog}(2, -e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{4} \text{arccosh}(ax)^4 + \text{arccosh}(ax)^3 \log(1 + e^{2 \text{arccosh}(ax)}) \\
 &\quad + \frac{3}{2} \text{arccosh}(ax)^2 \text{PolyLog}(2, -e^{2 \text{arccosh}(ax)}) \\
 &\quad - \frac{3}{2} \text{arccosh}(ax) \text{PolyLog}(3, -e^{2 \text{arccosh}(ax)}) \\
 &\quad + \frac{3}{2} \text{Subst}\left(\int \text{PolyLog}(3, -e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{4} \text{arccosh}(ax)^4 + \text{arccosh}(ax)^3 \log(1 + e^{2 \text{arccosh}(ax)}) \\
 &\quad + \frac{3}{2} \text{arccosh}(ax)^2 \text{PolyLog}(2, -e^{2 \text{arccosh}(ax)}) \\
 &\quad - \frac{3}{2} \text{arccosh}(ax) \text{PolyLog}(3, -e^{2 \text{arccosh}(ax)}) \\
 &\quad + \frac{3}{4} \text{Subst}\left(\int \frac{\text{PolyLog}(3, -x)}{x} dx, x, e^{2 \text{arccosh}(ax)}\right)
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{1}{4}\operatorname{arccosh}(ax)^4 + \operatorname{arccosh}(ax)^3 \log(1 + e^{2\operatorname{arccosh}(ax)}) \\
&\quad + \frac{3}{2}\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad - \frac{3}{2}\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) + \frac{3}{4}\operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.94

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^3}{x} dx &= \frac{1}{4}(\operatorname{arccosh}(ax)^4 + 4\operatorname{arccosh}(ax)^3 \log(1 + e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 6\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 6\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 3 \operatorname{PolyLog}(4, -e^{-2\operatorname{arccosh}(ax)}))
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^3/x,x]

[Out] (ArcCosh[a*x]^4 + 4*ArcCosh[a*x]^3*Log[1 + E^(-2*ArcCosh[a*x])] - 6*ArcCosh[a*x]^2*PolyLog[2, -E^(-2*ArcCosh[a*x])] - 6*ArcCosh[a*x]*PolyLog[3, -E^(-2*ArcCosh[a*x])] - 3*PolyLog[4, -E^(-2*ArcCosh[a*x])])/4

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.52

method	result
derivativedivides	$-\frac{\operatorname{arccosh}(ax)^4}{4} + \operatorname{arccosh}(ax)^3 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \frac{3\operatorname{arccosh}(ax)^2 \operatorname{polylog}\left(2, -\frac{ax + \sqrt{ax-1}\sqrt{ax+1}}{ax - \sqrt{ax-1}\sqrt{ax+1}}\right)}{2}$
default	$-\frac{\operatorname{arccosh}(ax)^4}{4} + \operatorname{arccosh}(ax)^3 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + \frac{3\operatorname{arccosh}(ax)^2 \operatorname{polylog}\left(2, -\frac{ax + \sqrt{ax-1}\sqrt{ax+1}}{ax - \sqrt{ax-1}\sqrt{ax+1}}\right)}{2}$

[In] int(arccosh(a*x)^3/x,x,method=_RETURNVERBOSE)

[Out] -1/4*arccosh(a*x)^4+arccosh(a*x)^3*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+3/2*arccosh(a*x)^2*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-3/2*arccosh(a*x)*polylog(3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+3/4*polylog(4,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x} dx$$

[In] integrate(arccosh(a*x)^3/x,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^3/x, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \int \frac{\operatorname{acosh}^3(ax)}{x} dx$$

[In] integrate(acosh(a*x)**3/x,x)

[Out] Integral(acosh(a*x)**3/x, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x} dx$$

[In] integrate(arccosh(a*x)^3/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^3/x, x)

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x} dx$$

[In] integrate(arccosh(a*x)^3/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^3/x, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x} dx = \int \frac{\operatorname{acosh}(ax)^3}{x} dx$$

```
[In] int(acosh(a*x)^3/x,x)
```

```
[Out] int(acosh(a*x)^3/x, x)
```

3.28 $\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx$

Optimal result	203
Rubi [A] (verified)	203
Mathematica [A] (verified)	206
Maple [F]	206
Fricas [F]	206
Sympy [F]	207
Maxima [F]	207
Giac [F]	207
Mupad [F(-1)]	207

Optimal result

Integrand size = 10, antiderivative size = 104

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = -\frac{\operatorname{arccosh}(ax)^3}{x} + 6a\operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)})$$

$$- 6ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)})$$

$$+ 6ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

$$+ 6ia \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - 6ia \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})$$

```
[Out] -arccosh(a*x)^3/x+6*a*arccosh(a*x)^2*arctan(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))
-6*I*a*arccosh(a*x)*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+6*I*a*
arccosh(a*x)*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+6*I*a*polylog(3
,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-6*I*a*polylog(3,I*(a*x+(a*x-1)^(1/2)
*(a*x+1)^(1/2)))
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5883, 5947, 4265, 2611, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = 6a\operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)})$$

$$- 6ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)})$$

$$+ 6ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

$$+ 6ia \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)})$$

$$- 6ia \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) - \frac{\operatorname{arccosh}(ax)^3}{x}$$

[In] Int[ArcCosh[a*x]^3/x^2,x]

[Out] $-(\text{ArcCosh}[a*x]^3/x) + 6*a*\text{ArcCosh}[a*x]^2*\text{ArcTan}[E^{\text{ArcCosh}[a*x]}] - (6*I)*a*\text{ArcCosh}[a*x]*\text{PolyLog}[2, (-I)*E^{\text{ArcCosh}[a*x]}] + (6*I)*a*\text{ArcCosh}[a*x]*\text{PolyLog}[2, I*E^{\text{ArcCosh}[a*x]}] + (6*I)*a*\text{PolyLog}[3, (-I)*E^{\text{ArcCosh}[a*x]}] - (6*I)*a*\text{PolyLog}[3, I*E^{\text{ArcCosh}[a*x]}]$

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 4265

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5947

Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && Integ

erQ[m]

Rule 6724

Int [PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp [PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{\operatorname{arccosh}(ax)^3}{x} + (3a) \int \frac{\operatorname{arccosh}(ax)^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{\operatorname{arccosh}(ax)^3}{x} + (3a) \operatorname{Subst} \left(\int x^2 \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{\operatorname{arccosh}(ax)^3}{x} + 6a \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - (6ia) \operatorname{Subst} \left(\int x \log(1 - ie^x) dx, x, \operatorname{arccosh}(ax) \right) \\
&\quad + (6ia) \operatorname{Subst} \left(\int x \log(1 + ie^x) dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{\operatorname{arccosh}(ax)^3}{x} + 6a \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (6ia) \operatorname{Subst} \left(\int \operatorname{PolyLog}(2, -ie^x) dx, x, \operatorname{arccosh}(ax) \right) \\
&\quad - (6ia) \operatorname{Subst} \left(\int \operatorname{PolyLog}(2, ie^x) dx, x, \operatorname{arccosh}(ax) \right) \\
&= -\frac{\operatorname{arccosh}(ax)^3}{x} + 6a \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (6ia) \operatorname{Subst} \left(\int \frac{\operatorname{PolyLog}(2, -ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)} \right) \\
&\quad - (6ia) \operatorname{Subst} \left(\int \frac{\operatorname{PolyLog}(2, ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)} \right) \\
&= -\frac{\operatorname{arccosh}(ax)^3}{x} + 6a \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 6ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 6ia \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - 6ia \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.23

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = -\frac{\operatorname{arccosh}(ax)^3}{x} + 3ia(-\operatorname{arccosh}(ax)^2 (\log(1 - ie^{-\operatorname{arccosh}(ax)}) - \log(1 + ie^{-\operatorname{arccosh}(ax)})) - 2\operatorname{arccosh}(ax) (\operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) - \operatorname{PolyLog}(2, ie^{-\operatorname{arccosh}(ax)})) - 2\operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)}) + 2\operatorname{PolyLog}(3, ie^{-\operatorname{arccosh}(ax)}))$$

[In] Integrate[ArcCosh[a*x]^3/x^2,x]

[Out] -(ArcCosh[a*x]^3/x) + (3*I)*a*(-(ArcCosh[a*x]^2*(Log[1 - I/E^ArcCosh[a*x]] - Log[1 + I/E^ArcCosh[a*x]])) - 2*ArcCosh[a*x]*(PolyLog[2, (-I)/E^ArcCosh[a*x]] - PolyLog[2, I/E^ArcCosh[a*x]]) - 2*PolyLog[3, (-I)/E^ArcCosh[a*x]] + 2*PolyLog[3, I/E^ArcCosh[a*x]])

Maple [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx$$

[In] int(arccosh(a*x)^3/x^2,x)

[Out] int(arccosh(a*x)^3/x^2,x)

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = \int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx$$

[In] integrate(arccosh(a*x)^3/x^2,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^3/x^2, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = \int \frac{\operatorname{acosh}^3(ax)}{x^2} dx$$

[In] integrate(acosh(a*x)**3/x**2,x)

[Out] Integral(acosh(a*x)**3/x**2, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^2} dx$$

[In] integrate(arccosh(a*x)^3/x^2,x, algorithm="maxima")

[Out] -log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/x + integrate(3*(a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^2} dx$$

[In] integrate(arccosh(a*x)^3/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^3/x^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^2} dx = \int \frac{\operatorname{acosh}(ax)^3}{x^2} dx$$

[In] int(acosh(a*x)^3/x^2,x)

[Out] int(acosh(a*x)^3/x^2, x)

3.29 $\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx$

Optimal result	208
Rubi [A] (verified)	208
Mathematica [A] (warning: unable to verify)	211
Maple [A] (verified)	211
Fricas [F]	212
Sympy [F]	212
Maxima [F]	212
Giac [F(-2)]	212
Mupad [F(-1)]	213

Optimal result

Integrand size = 10, antiderivative size = 98

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \frac{3}{2}a^2 \operatorname{arccosh}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - 3a^2 \operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) - \frac{3}{2}a^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

[Out] $3/2*a^2*\operatorname{arccosh}(a*x)^2-1/2*\operatorname{arccosh}(a*x)^3/x^2-3*a^2*\operatorname{arccosh}(a*x)*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)-3/2*a^2*\operatorname{polylog}(2,-(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)+3/2*a*\operatorname{arccosh}(a*x)^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5883, 5918, 5882, 3799, 2221, 2317, 2438}

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = -\frac{3}{2}a^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) + \frac{3}{2}a^2 \operatorname{arccosh}(ax)^2 - 3a^2 \operatorname{arccosh}(ax) \log(e^{2\operatorname{arccosh}(ax)} + 1) - \frac{\operatorname{arccosh}(ax)^3}{2x^2} + \frac{3a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{2x}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^3/x^3, x]$

[Out] $(3*a^2*\operatorname{ArcCosh}[a*x]^2)/2 + (3*a*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{ArcCosh}[a*x]^2)/(2*x) - \operatorname{ArcCosh}[a*x]^3/(2*x^2) - 3*a^2*\operatorname{ArcCosh}[a*x]*\operatorname{Log}[1+E^{(2*\operatorname{ArcCosh}[a*x])}] - (3*a^2*\operatorname{PolyLog}[2, -E^{(2*\operatorname{ArcCosh}[a*x])}])/2$

Rule 2221


```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2317

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2438

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3799

```
Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(
c + d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))))], x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 5882

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]
```

Rule 5883

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5918

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((f_)*(x_))^(m_)*((d1_) + (e
1_)*(x_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[(f*x)^(m + 1)
*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(
m + 1))), x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Sim
p[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 +
c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1,
```

e1, d2, e2, f, m, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0]
 && EqQ[m + 2*p + 3, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)^3}{2x^2} + \frac{1}{2}(3a) \int \frac{\operatorname{arccosh}(ax)^2}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - (3a^2) \int \frac{\operatorname{arccosh}(ax)}{x} dx \\
 &= \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{2x^2} \\
 &\quad - (3a^2) \operatorname{Subst}\left(\int x \tanh(x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &= \frac{3}{2}a^2\operatorname{arccosh}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
 &\quad - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - (6a^2) \operatorname{Subst}\left(\int \frac{e^{2x}x}{1+e^{2x}} dx, x, \operatorname{arccosh}(ax)\right) \\
 &= \frac{3}{2}a^2\operatorname{arccosh}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
 &\quad - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - 3a^2\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) \\
 &\quad + (3a^2) \operatorname{Subst}\left(\int \log(1+e^{2x}) dx, x, \operatorname{arccosh}(ax)\right) \\
 &= \frac{3}{2}a^2\operatorname{arccosh}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
 &\quad - \frac{\operatorname{arccosh}(ax)^3}{2x^2} - 3a^2\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) \\
 &\quad + \frac{1}{2}(3a^2) \operatorname{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2\operatorname{arccosh}(ax)}\right) \\
 &= \frac{3}{2}a^2\operatorname{arccosh}(ax)^2 + \frac{3a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{2x^2} \\
 &\quad - 3a^2\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) - \frac{3}{2}a^2 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})
 \end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.64 (sec) , antiderivative size = 92, normalized size of antiderivative = 0.94

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \frac{1}{2} \left(-\frac{\operatorname{arccosh}(ax)^3}{x^2} + 3a^2 \left(\operatorname{arccosh}(ax) \left(-\operatorname{arccosh}(ax) + \frac{\sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{arccosh}(ax)}{ax} - 2 \log(1+e^{-2\operatorname{arccosh}(ax)}) \right) + \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(ax)}) \right) \right)$$

`[In] Integrate[ArcCosh[a*x]^3/x^3,x]`

```
[Out] (- (ArcCosh[a*x]^3/x^2) + 3*a^2*(ArcCosh[a*x]*(-ArcCosh[a*x] + (Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x]))/(a*x) - 2*Log[1 + E^(-2*ArcCosh[a*x])]) + PolyLog[2, -E^(-2*ArcCosh[a*x])]))/2
```

Maple [A] (verified)

Time = 0.17 (sec) , antiderivative size = 116, normalized size of antiderivative = 1.18

method	result
derivativedivides	$a^2 \left(-\frac{\operatorname{arccosh}(ax)^2 (-3\sqrt{ax-1}\sqrt{ax+1}ax+3a^2x^2+\operatorname{arccosh}(ax))}{2a^2x^2} + 3 \operatorname{arccosh}(ax)^2 - 3 \operatorname{arccosh}(ax) \ln \right)$
default	$a^2 \left(-\frac{\operatorname{arccosh}(ax)^2 (-3\sqrt{ax-1}\sqrt{ax+1}ax+3a^2x^2+\operatorname{arccosh}(ax))}{2a^2x^2} + 3 \operatorname{arccosh}(ax)^2 - 3 \operatorname{arccosh}(ax) \ln \right)$

`[In] int(arccosh(a*x)^3/x^3,x,method=_RETURNVERBOSE)`

```
[Out] a^2*(-1/2*arccosh(a*x)^2*(-3*(a*x-1)^(1/2)*(a*x+1)^(1/2)*a*x+3*a^2*x^2+arccosh(a*x))/a^2/x^2+3*arccosh(a*x)^2-3*arccosh(a*x)*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-3/2*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2))
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^3} dx$$

```
[In] integrate(arccosh(a*x)^3/x^3,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^3/x^3, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \int \frac{\operatorname{acosh}^3(ax)}{x^3} dx$$

```
[In] integrate(acosh(a*x)**3/x**3,x)
```

```
[Out] Integral(acosh(a*x)**3/x**3, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^3} dx$$

```
[In] integrate(arccosh(a*x)^3/x^3,x, algorithm="maxima")
```

```
[Out] -1/2*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/x^2 + integrate(3/2*(a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(a^3*x^5 - a*x^3 + (a^2*x^4 - x^2)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [F(-2)]

Exception generated.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(arccosh(a*x)^3/x^3,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^3} dx = \int \frac{\operatorname{acosh}(ax)^3}{x^3} dx$$

```
[In] int(acosh(a*x)^3/x^3,x)
```

```
[Out] int(acosh(a*x)^3/x^3, x)
```

3.30 $\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx$

Optimal result	214
Rubi [A] (verified)	215
Mathematica [A] (warning: unable to verify)	218
Maple [F]	219
Fricas [F]	219
Sympy [F]	219
Maxima [F]	219
Giac [F]	220
Mupad [F(-1)]	220

Optimal result

Integrand size = 10, antiderivative size = 183

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \frac{a^2 \operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + a^3 \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) - a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right) - ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + ia^3 \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - ia^3 \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})$$

```
[Out] a^2*arccosh(a*x)/x-1/3*arccosh(a*x)^3/x^3+a^3*arccosh(a*x)^2*arctan(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))-a^3*arctan((a*x-1)^(1/2)*(a*x+1)^(1/2))-I*a^3*arccosh(a*x)*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+I*a^3*arccosh(a*x)*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+I*a^3*polylog(3,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-I*a^3*polylog(3,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+1/2*a*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^2
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$, Rules used = {5883, 5933, 5947, 4265, 2611, 2320, 6724, 94, 211}

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = a^3 \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) - ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + ia^3 \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - ia^3 \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) - a^3 \arctan\left(\sqrt{ax-1}\sqrt{ax+1}\right) + \frac{a^2 \operatorname{arccosh}(ax)}{x} - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + \frac{a\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^2}{2x^2}$$

[In] Int[ArcCosh[a*x]^3/x^4, x]

[Out] (a^2*ArcCosh[a*x])/x + (a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^2)/(2*x^2) - ArcCosh[a*x]^3/(3*x^3) + a^3*ArcCosh[a*x]^2*ArcTan[E^ArcCosh[a*x]] - a^3*ArcTan[Sqrt[-1 + a*x]*Sqrt[1 + a*x]] - I*a^3*ArcCosh[a*x]*PolyLog[2, (-I)*E^ArcCosh[a*x]] + I*a^3*ArcCosh[a*x]*PolyLog[2, I*E^ArcCosh[a*x]] + I*a^3*PolyLog[3, (-I)*E^ArcCosh[a*x]] - I*a^3*PolyLog[3, I*E^ArcCosh[a*x]]

Rule 94

Int[1/(Sqrt[(a_.) + (b_.)*(x_.)]*Sqrt[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]

Rule 211

Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 4265

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^m, x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1
- E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c +
d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c,
d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((d_.)*(x_))^(m), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5933

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_))^(m)*((d1_) + (e
1_.)*(x_))^(p)*((d2_) + (e2_.)*(x_))^(p), x_Symbol] := Simp[(f*x)^(m + 1)
*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(
m + 1))), x] + (Dist[c^2*((m + 2*p + 3)/(f^2*(m + 1))), Int[(f*x)^(m + 2)*
(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[b*c*(n/(f*
(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p],
Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[
c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[
e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && ILtQ[m, -1]
```

Rule 5947

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_))^(m)/(Sqrt[(d1_) + (e1
_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[(1/c^(m + 1))*Simp[
Sqrt[1 + c*x]/Sqrt[d1 + e1*x]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[
Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1,
e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && Integ
erQ[m]
```

Rule 6724


```
Int [PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp [PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{\operatorname{arccosh}(ax)^3}{3x^3} + a \int \frac{\operatorname{arccosh}(ax)^2}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} - \frac{\operatorname{arccosh}(ax)^3}{3x^3} \\
&\quad - a^2 \int \frac{\operatorname{arccosh}(ax)}{x^2} dx + \frac{1}{2}a^3 \int \frac{\operatorname{arccosh}(ax)^2}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a^2\operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} - \frac{\operatorname{arccosh}(ax)^3}{3x^3} \\
&\quad + \frac{1}{2}a^3 \operatorname{Subst}\left(\int x^2 \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right) - a^3 \int \frac{1}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a^2\operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + a^3\operatorname{arccosh}(ax)^2 \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - (ia^3) \operatorname{Subst}\left(\int x \log(1-ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad + (ia^3) \operatorname{Subst}\left(\int x \log(1+ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad - a^4 \operatorname{Subst}\left(\int \frac{1}{a+ax^2} dx, x, \sqrt{-1+ax}\sqrt{1+ax}\right) \\
&= \frac{a^2\operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + a^3\operatorname{arccosh}(ax)^2 \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right) - ia^3\operatorname{arccosh}(ax) \operatorname{PolyLog}\left(2, -ie^{\operatorname{arccosh}(ax)}\right) \\
&\quad + ia^3\operatorname{arccosh}(ax) \operatorname{PolyLog}\left(2, ie^{\operatorname{arccosh}(ax)}\right) \\
&\quad + (ia^3) \operatorname{Subst}\left(\int \operatorname{PolyLog}\left(2, -ie^x\right) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad - (ia^3) \operatorname{Subst}\left(\int \operatorname{PolyLog}\left(2, ie^x\right) dx, x, \operatorname{arccosh}(ax)\right)
\end{aligned}$$

$$\begin{aligned}
&= \frac{a^2 \operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + a^3 \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right) - ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (ia^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(2, -ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - (ia^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(2, ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&= \frac{a^2 \operatorname{arccosh}(ax)}{x} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x^2} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{3x^3} + a^3 \operatorname{arccosh}(ax)^2 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - a^3 \arctan\left(\sqrt{-1+ax}\sqrt{1+ax}\right) - ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + ia^3 \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - ia^3 \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.42 (sec) , antiderivative size = 201, normalized size of antiderivative = 1.10

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx &= \frac{1}{6} \left(\frac{6a^2 \operatorname{arccosh}(ax)}{x} + \frac{3a\sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{arccosh}(ax)^2}{x^2} \right. \\
&\quad \left. - \frac{2\operatorname{arccosh}(ax)^3}{x^3} - 3ia^3 \left(-4i \arctan\left(\tanh\left(\frac{1}{2}\operatorname{arccosh}(ax)\right)\right) \right. \right. \\
&\quad \left. \left. + \operatorname{arccosh}(ax)^2 \log(1 - ie^{-\operatorname{arccosh}(ax)}) \right. \right. \\
&\quad \left. \left. - \operatorname{arccosh}(ax)^2 \log(1 + ie^{-\operatorname{arccosh}(ax)}) \right. \right. \\
&\quad \left. \left. + 2\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) \right. \right. \\
&\quad \left. \left. - 2\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{-\operatorname{arccosh}(ax)}) \right. \right. \\
&\quad \left. \left. + 2\operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)}) - 2\operatorname{PolyLog}(3, ie^{-\operatorname{arccosh}(ax)}) \right) \right)
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^3/x^4, x]

[Out] ((6*a^2*ArcCosh[a*x])/x + (3*a*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x]^2)/x^2 - (2*ArcCosh[a*x]^3)/x^3 - (3*I)*a^3*((-4*I)*ArcTan[Tanh[ArcCosh[a*x]/2]] + ArcCosh[a*x]^2*Log[1 - I/E^ArcCosh[a*x]] - ArcCosh[a*x]^2*Log

```
[1 + I/E^ArcCosh[a*x]] + 2*ArcCosh[a*x]*PolyLog[2, (-I)/E^ArcCosh[a*x]] - 2
*ArcCosh[a*x]*PolyLog[2, I/E^ArcCosh[a*x]] + 2*PolyLog[3, (-I)/E^ArcCosh[a*
x]] - 2*PolyLog[3, I/E^ArcCosh[a*x]]))/6
```

Maple [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx$$

```
[In] int(arccosh(a*x)^3/x^4,x)
```

```
[Out] int(arccosh(a*x)^3/x^4,x)
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^4} dx$$

```
[In] integrate(arccosh(a*x)^3/x^4,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^3/x^4, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \int \frac{\operatorname{acosh}^3(ax)}{x^4} dx$$

```
[In] integrate(acosh(a*x)**3/x**4,x)
```

```
[Out] Integral(acosh(a*x)**3/x**4, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^4} dx$$

```
[In] integrate(arccosh(a*x)^3/x^4,x, algorithm="maxima")
```

```
[Out] -1/3*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/x^3 + integrate((a^3*x^2 + sq
rt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))
^2/(a^3*x^6 - a*x^4 + (a^2*x^5 - x^3)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^4} dx$$

[In] integrate(arccosh(a*x)^3/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^3/x^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^4} dx = \int \frac{\operatorname{acosh}(ax)^3}{x^4} dx$$

[In] int(acosh(a*x)^3/x^4,x)

[Out] int(acosh(a*x)^3/x^4, x)

3.31 $\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx$

Optimal result	221
Rubi [A] (verified)	221
Mathematica [A] (warning: unable to verify)	225
Maple [A] (verified)	225
Fricas [F]	226
Sympy [F]	226
Maxima [F]	226
Giac [F(-2)]	226
Mupad [F(-1)]	227

Optimal result

Integrand size = 10, antiderivative size = 174

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} - a^4\operatorname{arccosh}(ax)\log(1+e^{2\operatorname{arccosh}(ax)}) - \frac{1}{2}a^4\operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

[Out] 1/4*a^2*arccosh(a*x)/x^2+1/2*a^4*arccosh(a*x)^2-1/4*arccosh(a*x)^3/x^4-a^4*arccosh(a*x)*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-1/2*a^4*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-1/4*a^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x+1/4*a*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^3+1/2*a^3*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$, Rules used = {5883, 5933, 5918, 5882, 3799, 2221, 2317, 2438, 97}

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = -\frac{1}{2}a^4\operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 - a^4\operatorname{arccosh}(ax)\log(e^{2\operatorname{arccosh}(ax)} + 1) + \frac{a^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{2x} - \frac{a^3\sqrt{ax-1}\sqrt{ax+1}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} + \frac{a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^2}{4x^3}$$

[In] Int[ArcCosh[a*x]^3/x^5,x]

[Out] $-1/4*(a^3*\sqrt{-1 + a*x}*\sqrt{1 + a*x})/x + (a^2*\text{ArcCosh}[a*x])/(4*x^2) + (a^4*\text{ArcCosh}[a*x]^2)/2 + (a*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\text{ArcCosh}[a*x]^2)/(4*x^3) + (a^3*\sqrt{-1 + a*x}*\sqrt{1 + a*x}*\text{ArcCosh}[a*x]^2)/(2*x) - \text{ArcCosh}[a*x]^3/(4*x^4) - a^4*\text{ArcCosh}[a*x]*\text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] - (a^4*\text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}])/2$

Rule 97

Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]

Rule 2221

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (Complex[0, fz_])*(f_.)*(x_)], x_Symbol] :> Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5882

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/(x_), x_Symbol] :> Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
  :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5918

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] :> Simp[(f*x)^(m + 1)
*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(
m + 1))), x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Sim
p[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 +
c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1,
e1, d2, e2, f, m, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0]
&& EqQ[m + 2*p + 3, 0] && NeQ[p, -1]
```

Rule 5933

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] :> Simp[(f*x)^(m + 1)
*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(
m + 1))), x] + (Dist[c^2*((m + 2*p + 3)/(f^2*(m + 1))), Int[(f*x)^(m + 2)*
(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[b*c*(n/(f*
(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p],
Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[
c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[
e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && ILtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{\operatorname{arccosh}(ax)^3}{4x^4} + \frac{1}{4}(3a) \int \frac{\operatorname{arccosh}(ax)^2}{x^4\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} \\
&\quad - \frac{1}{2}a^2 \int \frac{\operatorname{arccosh}(ax)}{x^3} dx + \frac{1}{2}a^3 \int \frac{\operatorname{arccosh}(ax)^2}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} \\
&\quad + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} \\
&\quad - \frac{1}{4}a^3 \int \frac{1}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx - a^4 \int \frac{\operatorname{arccosh}(ax)}{x} dx
\end{aligned}$$

$$\begin{aligned}
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} \\
&\quad + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} \\
&\quad - a^4\operatorname{Subst}\left(\int x \tanh(x) dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 \\
&\quad + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{4x^4} - (2a^4)\operatorname{Subst}\left(\int \frac{e^{2x}x}{1+e^{2x}} dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 \\
&\quad + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{4x^4} - a^4\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) \\
&\quad + a^4\operatorname{Subst}\left(\int \log(1+e^{2x}) dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 \\
&\quad + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} \\
&\quad - \frac{\operatorname{arccosh}(ax)^3}{4x^4} - a^4\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) \\
&\quad + \frac{1}{2}a^4\operatorname{Subst}\left(\int \frac{\log(1+x)}{x} dx, x, e^{2\operatorname{arccosh}(ax)}\right) \\
&= -\frac{a^3\sqrt{-1+ax}\sqrt{1+ax}}{4x} + \frac{a^2\operatorname{arccosh}(ax)}{4x^2} \\
&\quad + \frac{1}{2}a^4\operatorname{arccosh}(ax)^2 + \frac{a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{4x^3} \\
&\quad + \frac{a^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}{2x} - \frac{\operatorname{arccosh}(ax)^3}{4x^4} \\
&\quad - a^4\operatorname{arccosh}(ax) \log(1+e^{2\operatorname{arccosh}(ax)}) - \frac{1}{2}a^4\operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.51 (sec) , antiderivative size = 220, normalized size of antiderivative = 1.26

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx$$

$$= \frac{a^3 x^3 - a^5 x^5 - ax(1+ax) \left(1 - ax + 2a^2 x^2 + 2a^3 x^3 \left(-1 + \sqrt{\frac{-1+ax}{1+ax}}\right)\right) \operatorname{arccosh}(ax)^2 - \sqrt{-1+ax} \sqrt{1+ax}}{4a^4 x^4}$$

`[In] Integrate[ArcCosh[a*x]^3/x^5,x]`

```
[Out] (a^3*x^3 - a^5*x^5 - a*x*(1 + a*x)*(1 - a*x + 2*a^2*x^2 + 2*a^3*x^3*(-1 + Sqrt[(-1 + a*x)/(1 + a*x)]))*ArcCosh[a*x]^2 - Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3 - a^2*x^2*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x]*(-1 + 4*a^2*x^2*Log[1 + E^(-2*ArcCosh[a*x])]) + 2*a^4*x^4*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*PolyLog[2, -E^(-2*ArcCosh[a*x])])/(4*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])
```

Maple [A] (verified)

Time = 0.23 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.10

method	result
derivativedivides	$a^4 \left(-\frac{-2a^3 x^3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 2a^4 x^4 \operatorname{arccosh}(ax)^2 - ax \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + a^3 x^3 \sqrt{ax-1} \sqrt{ax+1}}{4a^4 x^4} \right)$
default	$a^4 \left(-\frac{-2a^3 x^3 \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + 2a^4 x^4 \operatorname{arccosh}(ax)^2 - ax \operatorname{arccosh}(ax)^2 \sqrt{ax-1} \sqrt{ax+1} + a^3 x^3 \sqrt{ax-1} \sqrt{ax+1}}{4a^4 x^4} \right)$

`[In] int(arccosh(a*x)^3/x^5,x,method=_RETURNVERBOSE)`

```
[Out] a^4*(-1/4*(-2*a^3*x^3*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)+2*a^4*x^4*arccosh(a*x)^2-a*x*arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)+a^3*x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-a^4*x^4+arccosh(a*x)^3-a^2*x^2*arccosh(a*x))/a^4/x^4+arccosh(a*x)^2-arccosh(a*x)*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-1/2*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2))
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^5} dx$$

```
[In] integrate(arccosh(a*x)^3/x^5,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^3/x^5, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = \int \frac{\operatorname{acosh}^3(ax)}{x^5} dx$$

```
[In] integrate(acosh(a*x)**3/x**5,x)
```

```
[Out] Integral(acosh(a*x)**3/x**5, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = \int \frac{\operatorname{arcosh}(ax)^3}{x^5} dx$$

```
[In] integrate(arccosh(a*x)^3/x^5,x, algorithm="maxima")
```

```
[Out] -1/4*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/x^4 + integrate(3/4*(a^3*x^2
+ sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x -
1))^2/(a^3*x^7 - a*x^5 + (a^2*x^6 - x^4)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [F(-2)]

Exception generated.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(arccosh(a*x)^3/x^5,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^3}{x^5} dx = \int \frac{\operatorname{acosh}(ax)^3}{x^5} dx$$

```
[In] int(acosh(a*x)^3/x^5, x)
```

```
[Out] int(acosh(a*x)^3/x^5, x)
```

3.32 $\int x^5 \operatorname{arccosh}(ax)^4 dx$

Optimal result	228
Rubi [A] (verified)	229
Mathematica [A] (verified)	232
Maple [A] (verified)	232
Fricas [A] (verification not implemented)	233
Sympy [F]	233
Maxima [F]	233
Giac [F(-2)]	234
Mupad [F(-1)]	234

Optimal result

Integrand size = 10, antiderivative size = 306

$$\begin{aligned}
 \int x^5 \operatorname{arccosh}(ax)^4 dx = & \frac{245x^2}{1152a^4} + \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{576a^5} \\
 & - \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{864a^3} \\
 & - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{54a} - \frac{245\operatorname{arccosh}(ax)^2}{1152a^6} \\
 & + \frac{5x^2\operatorname{arccosh}(ax)^2}{16a^4} + \frac{5x^4\operatorname{arccosh}(ax)^2}{48a^2} \\
 & + \frac{1}{18}x^6\operatorname{arccosh}(ax)^2 - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{24a^5} \\
 & - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{36a^3} \\
 & - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} \\
 & - \frac{5\operatorname{arccosh}(ax)^4}{96a^6} + \frac{1}{6}x^6\operatorname{arccosh}(ax)^4
 \end{aligned}$$

[Out] 245/1152*x^2/a^4+65/3456*x^4/a^2+1/324*x^6-245/1152*arccosh(a*x)^2/a^6+5/16*x^2*arccosh(a*x)^2/a^4+5/48*x^4*arccosh(a*x)^2/a^2+1/18*x^6*arccosh(a*x)^2-5/96*arccosh(a*x)^4/a^6+1/6*x^6*arccosh(a*x)^4-245/576*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-65/864*x^3*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-1/54*x^5*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-24*x*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-5/36*x^3*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-1/9*x^5*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 1.50 (sec) , antiderivative size = 306, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5883, 5939, 5893, 30}

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = -\frac{5 \operatorname{arccosh}(ax)^4}{96a^6} - \frac{245 \operatorname{arccosh}(ax)^2}{1152a^6} - \frac{5x\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^3}{24a^5} - \frac{245x\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{576a^5} + \frac{5x^2 \operatorname{arccosh}(ax)^2}{16a^4} + \frac{245x^2}{1152a^4} - \frac{5x^3\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^3}{36a^3} - \frac{65x^3\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{864a^3} + \frac{5x^4 \operatorname{arccosh}(ax)^2}{48a^2} + \frac{65x^4}{3456a^2} + \frac{1}{6}x^6 \operatorname{arccosh}(ax)^4 + \frac{1}{18}x^6 \operatorname{arccosh}(ax)^2 - \frac{x^5\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^3}{9a} - \frac{x^5\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)}{54a} + \frac{x^6}{324}$$

[In] Int[x^5*ArcCosh[a*x]^4,x]

[Out] (245*x^2)/(1152*a^4) + (65*x^4)/(3456*a^2) + x^6/324 - (245*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(576*a^5) - (65*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(864*a^3) - (x^5*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(54*a) - (245*ArcCosh[a*x]^2)/(1152*a^6) + (5*x^2*ArcCosh[a*x]^2)/(16*a^4) + (5*x^4*ArcCosh[a*x]^2)/(48*a^2) + (x^6*ArcCosh[a*x]^2)/18 - (5*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(24*a^5) - (5*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(36*a^3) - (x^5*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(9*a) - (5*ArcCosh[a*x]^4)/(96*a^6) + (x^6*ArcCosh[a*x]^4)/6

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] :> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_) + (e1_.)*(x_.))^(p_.)*((d2_) + (e2_.)*(x_.))^(p_.), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{6}x^6 \operatorname{arccosh}(ax)^4 - \frac{1}{3}(2a) \int \frac{x^6 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^5 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{9a} + \frac{1}{6}x^6 \operatorname{arccosh}(ax)^4 \\
&\quad + \frac{1}{3} \int x^5 \operatorname{arccosh}(ax)^2 dx - \frac{5 \int \frac{x^4 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
&= \frac{1}{18}x^6 \operatorname{arccosh}(ax)^2 - \frac{5x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{36a^3} \\
&\quad - \frac{x^5 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{9a} + \frac{1}{6}x^6 \operatorname{arccosh}(ax)^4 \\
&\quad - \frac{5 \int \frac{x^2 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{12a^3} + \frac{5 \int x^3 \operatorname{arccosh}(ax)^2 dx}{12a^2} - \frac{1}{9}a \int \frac{x^6 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx
\end{aligned}$$

$$\begin{aligned}
&= -\frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{54a} + \frac{5x^4\operatorname{arccosh}(ax)^2}{48a^2} \\
&+ \frac{1}{18}x^6\operatorname{arccosh}(ax)^2 - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{24a^5} \\
&- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{36a^3} - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} \\
&+ \frac{1}{6}x^6\operatorname{arccosh}(ax)^4 + \frac{\int x^5 dx}{54} - \frac{5\int \frac{\operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{24a^5} \\
&+ \frac{5\int x\operatorname{arccosh}(ax)^2 dx}{8a^4} - \frac{5\int \frac{x^4\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{54a} - \frac{5\int \frac{x^4\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{24a} \\
&= \frac{x^6}{324} - \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{864a^3} - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{54a} \\
&+ \frac{5x^2\operatorname{arccosh}(ax)^2}{16a^4} + \frac{5x^4\operatorname{arccosh}(ax)^2}{48a^2} + \frac{1}{18}x^6\operatorname{arccosh}(ax)^2 \\
&- \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{24a^5} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{36a^3} \\
&- \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} - \frac{5\operatorname{arccosh}(ax)^4}{96a^6} \\
&+ \frac{1}{6}x^6\operatorname{arccosh}(ax)^4 - \frac{5\int \frac{x^2\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{72a^3} - \frac{5\int \frac{x^2\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a^3} \\
&- \frac{5\int \frac{x^2\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a^3} + \frac{5\int x^3 dx}{216a^2} + \frac{5\int x^3 dx}{96a^2} \\
&= \frac{65x^4}{3456a^2} + \frac{x^6}{324} - \frac{245x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{576a^5} \\
&- \frac{65x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{864a^3} - \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{54a} \\
&+ \frac{5x^2\operatorname{arccosh}(ax)^2}{16a^4} + \frac{5x^4\operatorname{arccosh}(ax)^2}{48a^2} + \frac{1}{18}x^6\operatorname{arccosh}(ax)^2 \\
&- \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{24a^5} - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{36a^3} \\
&- \frac{x^5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} - \frac{5\operatorname{arccosh}(ax)^4}{96a^6} \\
&+ \frac{1}{6}x^6\operatorname{arccosh}(ax)^4 - \frac{5\int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{144a^5} - \frac{5\int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{64a^5} \\
&- \frac{5\int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{16a^5} + \frac{5\int x dx}{144a^4} + \frac{5\int x dx}{64a^4} + \frac{5\int x dx}{16a^4}
\end{aligned}$$

$a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-245/1152*\operatorname{arccosh}(a*x)^2+1/324*a^6*x^6+65/3456*a^4*x^4+245/1152*a^2*x^2+5/48*a^4*x^4*\operatorname{arccosh}(a*x)^2+5/16*a^2*x^2*\operatorname{arccosh}(a*x)^2)$

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 208, normalized size of antiderivative = 0.68

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = \frac{32 a^6 x^6 + 195 a^4 x^4 + 108 (16 a^6 x^6 - 5) \log(ax + \sqrt{a^2 x^2 - 1})^4 - 144 (8 a^5 x^5 + 10 a^3 x^3 + 15 ax) \sqrt{a^2 x^2 - 1}}{1}$$

[In] integrate(x^5*arccosh(a*x)^4,x, algorithm="fricas")

[Out] 1/10368*(32*a^6*x^6 + 195*a^4*x^4 + 108*(16*a^6*x^6 - 5)*log(a*x + sqrt(a^2*x^2 - 1))^4 - 144*(8*a^5*x^5 + 10*a^3*x^3 + 15*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3 + 2205*a^2*x^2 + 9*(64*a^6*x^6 + 120*a^4*x^4 + 360*a^2*x^2 - 245)*log(a*x + sqrt(a^2*x^2 - 1))^2 - 6*(32*a^5*x^5 + 130*a^3*x^3 + 735*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a^6

Sympy [F]

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = \int x^5 \operatorname{acosh}^4(ax) dx$$

[In] integrate(x**5*acosh(a*x)**4,x)

[Out] Integral(x**5*acosh(a*x)**4, x)

Maxima [F]

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = \int x^5 \operatorname{arcosh}(ax)^4 dx$$

[In] integrate(x^5*arccosh(a*x)^4,x, algorithm="maxima")

[Out] 1/6*x^6*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4 - integrate(2/3*(a^3*x^8 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^7 - a*x^6)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)

Giac [F(-2)]

Exception generated.

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^5*arccosh(a*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^5 \operatorname{arccosh}(ax)^4 dx = \int x^5 \operatorname{acosh}(ax)^4 dx$$

[In] int(x^5*acosh(a*x)^4,x)

[Out] int(x^5*acosh(a*x)^4, x)

3.33 $\int x^4 \operatorname{arccosh}(ax)^4 dx$

Optimal result	235
Rubi [A] (verified)	236
Mathematica [A] (verified)	239
Maple [A] (verified)	239
Fricas [A] (verification not implemented)	240
Sympy [F]	240
Maxima [A] (verification not implemented)	240
Giac [F(-2)]	241
Mupad [F(-1)]	241

Optimal result

Integrand size = 10, antiderivative size = 274

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = \frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^5}$$

$$- \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^3}$$

$$- \frac{24x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{625a} + \frac{32x\operatorname{arccosh}(ax)^2}{25a^4}$$

$$+ \frac{16x^3\operatorname{arccosh}(ax)^2}{75a^2} + \frac{12}{125}x^5\operatorname{arccosh}(ax)^2$$

$$- \frac{32\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^5}$$

$$- \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3}$$

$$- \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^4$$

```
[Out] 16576/5625*x/a^4+1088/16875*x^3/a^2+24/3125*x^5+32/25*x*arccosh(a*x)^2/a^4+
16/75*x^3*arccosh(a*x)^2/a^2+12/125*x^5*arccosh(a*x)^2+1/5*x^5*arccosh(a*x)
^4-16576/5625*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-1088/5625*x^2*ar
ccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-24/625*x^4*arccosh(a*x)*(a*x-1)^(
1/2)*(a*x+1)^(1/2)/a-32/75*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-
16/75*x^2*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-4/25*x^4*arccosh(a
*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a
```

Rubi [A] (verified)

Time = 1.12 (sec) , antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5883, 5939, 5915, 5879, 8, 30}

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = -\frac{32\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{75a^5} - \frac{16576\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{5625a^5} + \frac{32x\operatorname{arccosh}(ax)^2}{25a^4} + \frac{16576x}{5625a^4} - \frac{16x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{75a^3} - \frac{1088x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{5625a^3} + \frac{16x^3\operatorname{arccosh}(ax)^2}{75a^2} + \frac{1088x^3}{16875a^2} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^4 + \frac{12}{125}x^5\operatorname{arccosh}(ax)^2 - \frac{4x^4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{25a} - \frac{24x^4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{625a} + \frac{24x^5}{3125}$$

[In] Int[x^4*ArcCosh[a*x]^4,x]

[Out] (16576*x)/(5625*a^4) + (1088*x^3)/(16875*a^2) + (24*x^5)/3125 - (16576*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/(5625*a^5) - (1088*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/(5625*a^3) - (24*x^4*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/(625*a) + (32*x*ArcCosh[a*x]^2)/(25*a^4) + (16*x^3*ArcCosh[a*x]^2)/(75*a^2) + (12*x^5*ArcCosh[a*x]^2)/125 - (32*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^3)/(75*a^5) - (16*x^2*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^3)/(75*a^3) - (4*x^4*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^3)/(25*a) + (x^5*ArcCosh[a*x]^4)/5

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c^n, Int[x*((a + b*ArcCosh[c*x])^(n-1))/(sqrt[1 + c*x]*sqrt[-1 + c*x])], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol]
  :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5915

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] :> Simp[(d1 + e1*x)^(p + 1)*(d2 +
e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2
*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n -
1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && Eq
Q[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e
1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] :> Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*
(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-
1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}
, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ
[m + 2*p + 1, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 - \frac{1}{5}(4a) \int \frac{x^5 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{4x^4 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 \\
&\quad + \frac{12}{25} \int x^4 \operatorname{arccosh}(ax)^2 dx - \frac{16 \int \frac{x^3 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a}
\end{aligned}$$

$$\begin{aligned}
&= \frac{12}{125}x^5 \operatorname{arccosh}(ax)^2 - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3} \\
&\quad - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 - \frac{32 \int \frac{x \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a^3} \\
&\quad + \frac{16 \int x^2 \operatorname{arccosh}(ax)^2 dx}{25a^2} - \frac{1}{125}(24a) \int \frac{x^5 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{24x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{625a} + \frac{16x^3 \operatorname{arccosh}(ax)^2}{75a^2} + \frac{12}{125}x^5 \operatorname{arccosh}(ax)^2 \\
&\quad - \frac{32\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^5} - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3} \\
&\quad - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 + \frac{24 \int x^4 dx}{625} \\
&\quad + \frac{32 \int \operatorname{arccosh}(ax)^2 dx}{25a^4} - \frac{96 \int \frac{x^3 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{625a} - \frac{32 \int \frac{x^3 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{75a} \\
&= \frac{24x^5}{3125} - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^3} \\
&\quad - \frac{24x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{625a} + \frac{32x \operatorname{arccosh}(ax)^2}{25a^4} \\
&\quad + \frac{16x^3 \operatorname{arccosh}(ax)^2}{75a^2} + \frac{12}{125}x^5 \operatorname{arccosh}(ax)^2 - \frac{32\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^5} \\
&\quad - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3} - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} \\
&\quad + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 - \frac{64 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{625a^3} - \frac{64 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{225a^3} \\
&\quad - \frac{64 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a^3} + \frac{32 \int x^2 dx}{625a^2} + \frac{32 \int x^2 dx}{225a^2} \\
&= \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^5} \\
&\quad - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^3} \\
&\quad - \frac{24x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{625a} + \frac{32x \operatorname{arccosh}(ax)^2}{25a^4} \\
&\quad + \frac{16x^3 \operatorname{arccosh}(ax)^2}{75a^2} + \frac{12}{125}x^5 \operatorname{arccosh}(ax)^2 - \frac{32\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^5} \\
&\quad - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3} - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} \\
&\quad + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4 + \frac{64 \int 1 dx}{625a^4} + \frac{64 \int 1 dx}{225a^4} + \frac{64 \int 1 dx}{25a^4}
\end{aligned}$$

$$\begin{aligned}
&= \frac{16576x}{5625a^4} + \frac{1088x^3}{16875a^2} + \frac{24x^5}{3125} - \frac{16576\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^5} \\
&\quad - \frac{1088x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{5625a^3} - \frac{24x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{625a} \\
&\quad + \frac{32x\operatorname{arccosh}(ax)^2}{25a^4} + \frac{16x^3\operatorname{arccosh}(ax)^2}{75a^2} + \frac{12}{125}x^5\operatorname{arccosh}(ax)^2 \\
&\quad - \frac{32\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^5} - \frac{16x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{75a^3} \\
&\quad - \frac{4x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^4
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 158, normalized size of antiderivative = 0.58

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = \frac{8ax(31080 + 680a^2x^2 + 81a^4x^4) - 120\sqrt{-1+ax}\sqrt{1+ax}(2072 + 136a^2x^2 + 27a^4x^4) \operatorname{arccosh}(ax) + 900a^5 \operatorname{arccosh}(ax)^4}{5}$$

[In] Integrate[x^4*ArcCosh[a*x]^4,x]

[Out] (8*a*x*(31080 + 680*a^2*x^2 + 81*a^4*x^4) - 120*sqrt[-1 + a*x]*sqrt[1 + a*x] *(2072 + 136*a^2*x^2 + 27*a^4*x^4)*ArcCosh[a*x] + 900*a*x*(120 + 20*a^2*x^2 + 9*a^4*x^4)*ArcCosh[a*x]^2 - 4500*sqrt[-1 + a*x]*sqrt[1 + a*x]*(8 + 4*a^2*x^2 + 3*a^4*x^4)*ArcCosh[a*x]^3 + 16875*a^5*x^5*ArcCosh[a*x]^4)/(84375*a^5)

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 228, normalized size of antiderivative = 0.83

method	result
derivativedivides	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^4}{5} - \frac{32 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{75} - \frac{4a^4 x^4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{16a^2 x^2 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{75} + \frac{32 \operatorname{arccosh}(ax)^2}{125} + \frac{16x^3 \operatorname{arccosh}(ax)^2}{75a^2} + \frac{12x^5 \operatorname{arccosh}(ax)^2}{125a^5} - \frac{32 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{75a^5} - \frac{16x^2 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{75a^3} - \frac{4x^4 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4$
default	$\frac{a^5 x^5 \operatorname{arccosh}(ax)^4}{5} - \frac{32 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{75} - \frac{4a^4 x^4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{25} - \frac{16a^2 x^2 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{75} + \frac{32 \operatorname{arccosh}(ax)^2}{125} + \frac{16x^3 \operatorname{arccosh}(ax)^2}{75a^2} + \frac{12x^5 \operatorname{arccosh}(ax)^2}{125a^5} - \frac{32 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{75a^5} - \frac{16x^2 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{75a^3} - \frac{4x^4 \sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{25a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^4$

[In] int(x^4*arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] 1/a^5*(1/5*a^5*x^5*arccosh(a*x)^4-32/75*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-4/25*a^4*x^4*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-16/75*a^2*x^2*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)+32/25*a*x*arccosh(a*x)^2-16576/5625*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)+16576/5625*a*x+12/125*a^5*x^5*arccosh(a*x)^2-24/625*a^4*x^4*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1

088/5625*a^2*x^2*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+24/3125*a^5*x^5+1
 088/16875*a^3*x^3+16/75*a^3*x^3*arccosh(a*x)^2)

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 189, normalized size of antiderivative = 0.69

$$\int x^4 \operatorname{arccosh}(ax)^4 dx$$

$$= \frac{16875 a^5 x^5 \log(ax + \sqrt{a^2 x^2 - 1})^4 + 648 a^5 x^5 + 5440 a^3 x^3 - 4500 (3 a^4 x^4 + 4 a^2 x^2 + 8) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})}{a^5}$$

[In] integrate(x^4*arccosh(a*x)^4,x, algorithm="fricas")

[Out] 1/84375*(16875*a^5*x^5*log(a*x + sqrt(a^2*x^2 - 1))^4 + 648*a^5*x^5 + 5440*a^3*x^3 - 4500*(3*a^4*x^4 + 4*a^2*x^2 + 8)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3 + 900*(9*a^5*x^5 + 20*a^3*x^3 + 120*a*x)*log(a*x + sqrt(a^2*x^2 - 1))^2 - 120*(27*a^4*x^4 + 136*a^2*x^2 + 2072)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 248640*a*x)/a^5

Sympy [F]

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = \int x^4 \operatorname{acosh}^4(ax) dx$$

[In] integrate(x**4*acosh(a*x)**4,x)

[Out] Integral(x**4*acosh(a*x)**4, x)

Maxima [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 201, normalized size of antiderivative = 0.73

$$\int x^4 \operatorname{arccosh}(ax)^4 dx$$

$$= \frac{1}{5} x^5 \operatorname{arccosh}(ax)^4 - \frac{4}{75} \left(\frac{3 \sqrt{a^2 x^2 - 1} x^4}{a^2} + \frac{4 \sqrt{a^2 x^2 - 1} x^2}{a^4} + \frac{8 \sqrt{a^2 x^2 - 1}}{a^6} \right) a \operatorname{arccosh}(ax)^3$$

$$- \frac{4}{84375} \left(2 a \left(\frac{15 \left(27 \sqrt{a^2 x^2 - 1} a^2 x^4 + 136 \sqrt{a^2 x^2 - 1} x^2 + \frac{2072 \sqrt{a^2 x^2 - 1}}{a^2} \right) \operatorname{arccosh}(ax)}{a^5} - \frac{81 a^4 x^5 + 680 a^2 x^3}{a^6} \right) \right)$$

[In] integrate(x^4*arccosh(a*x)^4,x, algorithm="maxima")

[Out] $\frac{1}{5}x^5\operatorname{arccosh}(ax)^4 - \frac{4}{75}(3\sqrt{a^2x^2 - 1})x^4/a^2 + 4\sqrt{a^2x^2 - 1}x^2/a^4 + 8\sqrt{a^2x^2 - 1}/a^6)a\operatorname{arccosh}(ax)^3 - \frac{4}{84375}(2a(15(27\sqrt{a^2x^2 - 1})a^2x^4 + 136\sqrt{a^2x^2 - 1})x^2 + 2072\sqrt{a^2x^2 - 1})/a^2)\operatorname{arccosh}(ax)/a^5 - (81a^4x^5 + 680a^2x^3 + 31080x)/a^6) - 225(9a^4x^5 + 20a^2x^3 + 120x)\operatorname{arccosh}(ax)^2/a^5)a$

Giac [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^4*arccosh(a*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^4 dx = \int x^4 \operatorname{acosh}(ax)^4 dx$$

[In] int(x^4*acosh(a*x)^4,x)

[Out] int(x^4*acosh(a*x)^4, x)

3.34 $\int x^3 \operatorname{arccosh}(ax)^4 dx$

Optimal result	242
Rubi [A] (verified)	243
Mathematica [A] (verified)	245
Maple [A] (verified)	245
Fricas [A] (verification not implemented)	246
Sympy [F]	246
Maxima [F]	246
Giac [F(-2)]	247
Mupad [F(-1)]	247

Optimal result

Integrand size = 10, antiderivative size = 214

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \frac{45x^2}{128a^2} + \frac{3x^4}{128} - \frac{45x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{32a} - \frac{45\operatorname{arccosh}(ax)^2}{128a^4} + \frac{9x^2\operatorname{arccosh}(ax)^2}{16a^2} + \frac{3}{16}x^4\operatorname{arccosh}(ax)^2 - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{8a^3} - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{4a} - \frac{3\operatorname{arccosh}(ax)^4}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^4$$

[Out] 45/128*x^2/a^2+3/128*x^4-45/128*arccosh(a*x)^2/a^4+9/16*x^2*arccosh(a*x)^2/a^2+3/16*x^4*arccosh(a*x)^2-3/32*arccosh(a*x)^4/a^4+1/4*x^4*arccosh(a*x)^4-45/64*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-3/32*x^3*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a-3/8*x*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-1/4*x^3*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.89 (sec) , antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5883, 5939, 5893, 30}

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = -\frac{3\operatorname{arccosh}(ax)^4}{32a^4} - \frac{45\operatorname{arccosh}(ax)^2}{128a^4} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{8a^3} - \frac{45x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{64a^3} + \frac{9x^2\operatorname{arccosh}(ax)^2}{16a^2} + \frac{45x^2}{128a^2} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^4 + \frac{3}{16}x^4\operatorname{arccosh}(ax)^2 - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{4a} - \frac{3x^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{32a} + \frac{3x^4}{128}$$

[In] Int[x^3*ArcCosh[a*x]^4,x]

[Out] (45*x^2)/(128*a^2) + (3*x^4)/128 - (45*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(64*a^3) - (3*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(32*a) - (45*ArcCosh[a*x]^2)/(128*a^4) + (9*x^2*ArcCosh[a*x]^2)/(16*a^2) + (3*x^4*ArcCosh[a*x]^2)/16 - (3*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(8*a^3) - (x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(4*a) - (3*ArcCosh[a*x]^4)/(32*a^4) + (x^4*ArcCosh[a*x]^4)/4

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_.))^n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5893

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_.))^n_)/(Sqrt[(d1_) + (e1_)*(x_)]*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1]

] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d1_.) + (e1_.)*(x_.))^ (p_.)*((d2_.) + (e2_.)*(x_.))^ (p_.), x_Symbol] :> Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4 - a \int \frac{x^4 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{4a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4 \\
 &\quad + \frac{3}{4} \int x^3 \operatorname{arccosh}(ax)^2 dx - \frac{3 \int \frac{x^2 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{4a} \\
 &= \frac{3}{16}x^4 \operatorname{arccosh}(ax)^2 - \frac{3x \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{8a^3} \\
 &\quad - \frac{x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{4a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4 - \frac{3 \int \frac{\operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a^3} \\
 &\quad + \frac{9 \int x \operatorname{arccosh}(ax)^2 dx}{8a^2} - \frac{1}{8}(3a) \int \frac{x^4 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)}{32a} + \frac{9x^2 \operatorname{arccosh}(ax)^2}{16a^2} \\
 &\quad + \frac{3}{16}x^4 \operatorname{arccosh}(ax)^2 - \frac{3x \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{8a^3} \\
 &\quad - \frac{x^3 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{4a} - \frac{3 \operatorname{arccosh}(ax)^4}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4 \\
 &\quad + \frac{3 \int x^3 dx}{32} - \frac{9 \int \frac{x^2 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a} - \frac{9 \int \frac{x^2 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{8a}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{3x^4}{128} - \frac{45x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{32a} \\
&\quad + \frac{9x^2\operatorname{arccosh}(ax)^2}{16a^2} + \frac{3}{16}x^4\operatorname{arccosh}(ax)^2 - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{8a^3} \\
&\quad - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{4a} - \frac{3\operatorname{arccosh}(ax)^4}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^4 \\
&\quad - \frac{9\int\frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{64a^3} - \frac{9\int\frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}}dx}{16a^3} + \frac{9\int x dx}{64a^2} + \frac{9\int x dx}{16a^2} \\
&= \frac{45x^2}{128a^2} + \frac{3x^4}{128} - \frac{45x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{64a^3} \\
&\quad - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{32a} - \frac{45\operatorname{arccosh}(ax)^2}{128a^4} + \frac{9x^2\operatorname{arccosh}(ax)^2}{16a^2} \\
&\quad + \frac{3}{16}x^4\operatorname{arccosh}(ax)^2 - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{8a^3} \\
&\quad - \frac{x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{4a} - \frac{3\operatorname{arccosh}(ax)^4}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^4
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 143, normalized size of antiderivative = 0.67

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \frac{3a^2x^2(15 + a^2x^2) - 6ax\sqrt{-1+ax}\sqrt{1+ax}(15 + 2a^2x^2) \operatorname{arccosh}(ax) + 3(-15 + 24a^2x^2 + 8a^4x^4) \operatorname{arccosh}^2(ax)}{128a^4}$$

[In] Integrate[x^3*ArcCosh[a*x]^4,x]

[Out] (3*a^2*x^2*(15 + a^2*x^2) - 6*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(15 + 2*a^2*x^2)*ArcCosh[a*x] + 3*(-15 + 24*a^2*x^2 + 8*a^4*x^4)*ArcCosh[a*x]^2 - 16*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(3 + 2*a^2*x^2)*ArcCosh[a*x]^3 + 4*(-3 + 8*a^4*x^4)*ArcCosh[a*x]^4)/(128*a^4)

Maple [A] (verified)

Time = 0.06 (sec) , antiderivative size = 180, normalized size of antiderivative = 0.84

method	result
derivativedivides	$\frac{a^4x^4 \operatorname{arccosh}(ax)^4}{4} - \frac{a^3x^3 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{4} - \frac{3ax \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{8} - \frac{3 \operatorname{arccosh}(ax)^4}{32} + \frac{3a^4x^4 \operatorname{arccosh}(ax)^2}{16} - \frac{3a^4x^4 \operatorname{arccosh}(ax)^2}{16} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4$
default	$\frac{a^4x^4 \operatorname{arccosh}(ax)^4}{4} - \frac{a^3x^3 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{4} - \frac{3ax \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{8} - \frac{3 \operatorname{arccosh}(ax)^4}{32} + \frac{3a^4x^4 \operatorname{arccosh}(ax)^2}{16} - \frac{3a^4x^4 \operatorname{arccosh}(ax)^2}{16} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^4$

[In] int(x^3*arccosh(a*x)^4,x,method=_RETURNVERBOSE)

```
[Out] 1/a^4*(1/4*a^4*x^4*arccosh(a*x)^4-1/4*a^3*x^3*arccosh(a*x)^3*(a*x-1)^(1/2)*
(a*x+1)^(1/2)-3/8*a*x*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-3/32*arcco
sh(a*x)^4+3/16*a^4*x^4*arccosh(a*x)^2-3/32*a^3*x^3*arccosh(a*x)*(a*x-1)^(1/
2)*(a*x+1)^(1/2)-45/64*a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-45/128*
arccosh(a*x)^2+3/128*a^4*x^4+45/128*a^2*x^2+9/16*a^2*x^2*arccosh(a*x)^2)
```

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 176, normalized size of antiderivative = 0.82

$$\int x^3 \operatorname{arccosh}(ax)^4 dx$$

$$= \frac{3a^4x^4 + 4(8a^4x^4 - 3)\log(ax + \sqrt{a^2x^2 - 1})^4 - 16(2a^3x^3 + 3ax)\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})^3 + 45a^2x^2 + 3(8a^4x^4 + 24a^2x^2 - 15)\log(ax + \sqrt{a^2x^2 - 1})^2 - 6(2a^3x^3 + 15ax)\sqrt{a^2x^2 - 1}\log(ax + \sqrt{a^2x^2 - 1})}{12}$$

```
[In] integrate(x^3*arccosh(a*x)^4,x, algorithm="fricas")
```

```
[Out] 1/128*(3*a^4*x^4 + 4*(8*a^4*x^4 - 3)*log(a*x + sqrt(a^2*x^2 - 1))^4 - 16*(2
*a^3*x^3 + 3*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3 + 45*a^2
*x^2 + 3*(8*a^4*x^4 + 24*a^2*x^2 - 15)*log(a*x + sqrt(a^2*x^2 - 1))^2 - 6*(
2*a^3*x^3 + 15*a*x)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a^4
```

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \int x^3 \operatorname{acosh}^4(ax) dx$$

```
[In] integrate(x**3*acosh(a*x)**4,x)
```

```
[Out] Integral(x**3*acosh(a*x)**4, x)
```

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \int x^3 \operatorname{arcosh}(ax)^4 dx$$

```
[In] integrate(x^3*arccosh(a*x)^4,x, algorithm="maxima")
```

```
[Out] 1/4*x^4*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4 - integrate((a^3*x^6 + sqr
t(a*x + 1)*sqrt(a*x - 1)*a^2*x^5 - a*x^4)*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1))^3/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3*arccosh(a*x)^4,x, algorithm="giac")`

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^4 dx = \int x^3 \operatorname{acosh}(ax)^4 dx$$

[In] `int(x^3*acosh(a*x)^4,x)`

[Out] `int(x^3*acosh(a*x)^4, x)`

3.35 $\int x^2 \operatorname{arccosh}(ax)^4 dx$

Optimal result	248
Rubi [A] (verified)	249
Mathematica [A] (verified)	251
Maple [A] (verified)	251
Fricas [A] (verification not implemented)	252
Sympy [F]	252
Maxima [A] (verification not implemented)	252
Giac [F(-2)]	253
Mupad [F(-1)]	253

Optimal result

Integrand size = 10, antiderivative size = 182

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \frac{160x}{27a^2} + \frac{8x^3}{81} - \frac{160\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a^3} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a} + \frac{8x\operatorname{arccosh}(ax)^2}{3a^2} + \frac{4}{9}x^3\operatorname{arccosh}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a^3} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^4$$

[Out] 160/27*x/a^2+8/81*x^3+8/3*x*arccosh(a*x)^2/a^2+4/9*x^3*arccosh(a*x)^2+1/3*x^3*arccosh(a*x)^4-160/27*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-8/27*x^2*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a-8/9*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-4/9*x^2*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.59 (sec) , antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5883, 5939, 5915, 5879, 8, 30}

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = -\frac{8\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{9a^3} - \frac{160\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{27a^3} + \frac{8x\operatorname{arccosh}(ax)^2}{3a^2} + \frac{160x}{27a^2} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^4 + \frac{4}{9}x^3\operatorname{arccosh}(ax)^2 - \frac{4x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{9a} - \frac{8x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{27a} + \frac{8x^3}{81}$$

[In] Int[x^2*ArcCosh[a*x]^4,x]

[Out] (160*x)/(27*a^2) + (8*x^3)/81 - (160*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(27*a^3) - (8*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x])/(27*a) + (8*x*ArcCosh[a*x]^2)/(3*a^2) + (4*x^3*ArcCosh[a*x]^2)/9 - (8*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(9*a^3) - (4*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(9*a) + (x^3*ArcCosh[a*x]^4)/3

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 5879

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c^n, Int[x*((a + b*ArcCosh[c*x])^(n-1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]))], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m+1)*((a + b*ArcCosh[c*x])^n/(d*(m+1))), x] - Dist[b*c*(n/(d*(m+1))), Int[(d*x)^(m+1)*((a + b*ArcCosh[c*x])^(n-1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]))], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&

NeQ[m, -1]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_.)*((d1_) + (e1_.)*(x_.))^ (p_.)*((d2_) + (e2_.)*(x_.))^ (p_.), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*((f_.)*(x_.))^ (m_.)*((d1_) + (e1_.)*(x_.))^ (p_.)*((d2_) + (e2_.)*(x_.))^ (p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax)^4 - \frac{1}{3}(4a) \int \frac{x^3 \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^4 \\
 &\quad + \frac{4}{3} \int x^2 \operatorname{arccosh}(ax)^2 dx - \frac{8 \int \frac{x \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
 &= \frac{4}{9}x^3 \operatorname{arccosh}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a^3} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} \\
 &\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^4 + \frac{8 \int \operatorname{arccosh}(ax)^2 dx}{3a^2} - \frac{1}{9}(8a) \int \frac{x^3 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a} + \frac{8x \operatorname{arccosh}(ax)^2}{3a^2} + \frac{4}{9}x^3 \operatorname{arccosh}(ax)^2 \\
 &\quad - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a^3} - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} \\
 &\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^4 + \frac{8 \int x^2 dx}{27} - \frac{16 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{27a} - \frac{16 \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{3a}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{8x^3}{81} - \frac{160\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a^3} - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a} \\
&\quad + \frac{8x\operatorname{arccosh}(ax)^2}{3a^2} + \frac{4}{9}x^3\operatorname{arccosh}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a^3} \\
&\quad - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^4 + \frac{16\int 1 dx}{27a^2} + \frac{16\int 1 dx}{3a^2} \\
&= \frac{160x}{27a^2} + \frac{8x^3}{81} - \frac{160\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a^3} \\
&\quad - \frac{8x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{27a} + \frac{8x\operatorname{arccosh}(ax)^2}{3a^2} \\
&\quad + \frac{4}{9}x^3\operatorname{arccosh}(ax)^2 - \frac{8\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a^3} \\
&\quad - \frac{4x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{9a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^4
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 122, normalized size of antiderivative = 0.67

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \frac{8ax(60 + a^2x^2) - 24\sqrt{-1+ax}\sqrt{1+ax}(20 + a^2x^2) \operatorname{arccosh}(ax) + 36ax(6 + a^2x^2) \operatorname{arccosh}(ax)^2 - 36\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{81a^3}$$

[In] Integrate[x^2*ArcCosh[a*x]^4,x]

[Out] (8*a*x*(60 + a^2*x^2) - 24*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(20 + a^2*x^2)*ArcCosh[a*x] + 36*a*x*(6 + a^2*x^2)*ArcCosh[a*x]^2 - 36*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(2 + a^2*x^2)*ArcCosh[a*x]^3 + 27*a^3*x^3*ArcCosh[a*x]^4)/(81*a^3)

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 152, normalized size of antiderivative = 0.84

method	result
derivativedivides	$\frac{a^3 x^3 \operatorname{arccosh}(ax)^4}{3} - \frac{8 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} - \frac{4a^2 x^2 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} + \frac{8ax \operatorname{arccosh}(ax)^2}{3} - \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)}{27} + \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^2}{27} - \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{27} + \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^4}{27}$
default	$\frac{a^3 x^3 \operatorname{arccosh}(ax)^4}{3} - \frac{8 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} - \frac{4a^2 x^2 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1}}{9} + \frac{8ax \operatorname{arccosh}(ax)^2}{3} - \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)}{27} + \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^2}{27} - \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^3}{27} + \frac{160\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax)^4}{27}$

[In] int(x^2*arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] 1/a^3*(1/3*a^3*x^3*arccosh(a*x)^4-8/9*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-4/9*a^2*x^2*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)+8/3*a*x*arccosh(a*x)^2-160/27*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)+160/27*a*x+4/9*a^3)

$x^3 \operatorname{arccosh}(ax)^2 - 8/27 a^2 x^2 \operatorname{arccosh}(ax) (ax-1)^{1/2} (ax+1)^{1/2} + 8/81 a^3 x^3$

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 154, normalized size of antiderivative = 0.85

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \frac{27 a^3 x^3 \log(ax + \sqrt{a^2 x^2 - 1})^4 + 8 a^3 x^3 - 36 (a^2 x^2 + 2) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})^3 + 36 (a^3 x^3 + 6 a^2 x^2 + 6 a x) \log(ax + \sqrt{a^2 x^2 - 1})^2 - 24 (a^2 x^2 + 20) \sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1}) + 480 a x}{81 a^3}$$

[In] integrate(x^2*arccosh(a*x)^4,x, algorithm="fricas")

[Out] 1/81*(27*a^3*x^3*log(a*x + sqrt(a^2*x^2 - 1))^4 + 8*a^3*x^3 - 36*(a^2*x^2 + 2)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3 + 36*(a^3*x^3 + 6*a*x)*log(a*x + sqrt(a^2*x^2 - 1))^2 - 24*(a^2*x^2 + 20)*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)) + 480*a*x)/a^3

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \int x^2 \operatorname{acosh}^4(ax) dx$$

[In] integrate(x**2*acosh(a*x)**4,x)

[Out] Integral(x**2*acosh(a*x)**4, x)

Maxima [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 143, normalized size of antiderivative = 0.79

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \frac{1}{3} x^3 \operatorname{arccosh}(ax)^4 - \frac{4}{9} a \left(\frac{\sqrt{a^2 x^2 - 1} x^2}{a^2} + \frac{2 \sqrt{a^2 x^2 - 1}}{a^4} \right) \operatorname{arccosh}(ax)^3 - \frac{4}{81} \left(2 a \left(\frac{3 \left(\sqrt{a^2 x^2 - 1} x^2 + \frac{20 \sqrt{a^2 x^2 - 1}}{a^2} \right) \operatorname{arccosh}(ax)}{a^3} - \frac{a^2 x^3 + 60 x}{a^4} \right) - \frac{9 (a^2 x^3 + 6 x) \operatorname{arccosh}(ax)^2}{a^3} \right) a$$

[In] integrate(x^2*arccosh(a*x)^4,x, algorithm="maxima")

[Out] 1/3*x^3*arccosh(a*x)^4 - 4/9*a*(sqrt(a^2*x^2 - 1)*x^2/a^2 + 2*sqrt(a^2*x^2 - 1)/a^4)*arccosh(a*x)^3 - 4/81*(2*a*(3*(sqrt(a^2*x^2 - 1)*x^2 + 20*sqrt(a^2*x^2 - 1)/a^2)*arccosh(a*x)/a^3 - (a^2*x^3 + 60*x)/a^4) - 9*(a^2*x^3 + 6*x)*arccosh(a*x)^2/a^3)*a

Giac [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2*arccosh(a*x)^4,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^4 dx = \int x^2 \operatorname{acosh}(ax)^4 dx$$

[In] int(x^2*acosh(a*x)^4,x)

[Out] int(x^2*acosh(a*x)^4, x)

3.36 $\int x \operatorname{arccosh}(ax)^4 dx$

Optimal result	254
Rubi [A] (verified)	254
Mathematica [A] (verified)	256
Maple [A] (verified)	256
Fricas [A] (verification not implemented)	257
Sympy [F]	257
Maxima [F]	257
Giac [F(-2)]	258
Mupad [F(-1)]	258

Optimal result

Integrand size = 8, antiderivative size = 120

$$\int x \operatorname{arccosh}(ax)^4 dx = \frac{3x^2}{4} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{2a} - \frac{3\operatorname{arccosh}(ax)^2}{4a^2} + \frac{3}{2}x^2\operatorname{arccosh}(ax)^2 - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} - \frac{\operatorname{arccosh}(ax)^4}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^4$$

[Out] $3/4*x^2-3/4*\operatorname{arccosh}(a*x)^2/a^2+3/2*x^2*\operatorname{arccosh}(a*x)^2-1/4*\operatorname{arccosh}(a*x)^4/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^4-3/2*x*\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-x*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 5939, 5893, 30}

$$\int x \operatorname{arccosh}(ax)^4 dx = -\frac{\operatorname{arccosh}(ax)^4}{4a^2} - \frac{3\operatorname{arccosh}(ax)^2}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^4 + \frac{3}{2}x^2\operatorname{arccosh}(ax)^2 - \frac{x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{a} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{2a} + \frac{3x^2}{4}$$

[In] $\operatorname{Int}[x*\operatorname{ArcCosh}[a*x]^4,x]$

[Out] $(3x^2)/4 - (3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{ArcCosh}[ax])/(2a) - (3\operatorname{ArcCosh}[ax]^2)/(4a^2) + (3x^2\operatorname{ArcCosh}[ax]^2)/2 - (x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{ArcCosh}[ax]^3)/a - \operatorname{ArcCosh}[ax]^4/(4a^2) + (x^2\operatorname{ArcCosh}[ax]^4)/2$

Rule 30

$\operatorname{Int}[(x_)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[x^{(m+1)}/(m+1), x] /; \operatorname{FreeQ}[m, x] \ \&\& \operatorname{NeQ}[m, -1]$

Rule 5883

$\operatorname{Int}[(a_. + \operatorname{ArcCosh}[(c_.)(x_)](b_.))^{(n_.)}((d_.)(x_))^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}((a + b\operatorname{ArcCosh}[c*x])^n/(d*(m+1))), x] - \operatorname{Dist}[b*c*(n/(d*(m+1))), \operatorname{Int}[(d*x)^{(m+1)}((a + b\operatorname{ArcCosh}[c*x])^{(n-1)})/(\sqrt{1+c*x}\sqrt{-1+c*x})], x], x] /; \operatorname{FreeQ}\{a, b, c, d, m\}, x] \ \&\& \operatorname{IGtQ}[n, 0] \ \&\& \operatorname{NeQ}[m, -1]$

Rule 5893

$\operatorname{Int}[(a_. + \operatorname{ArcCosh}[(c_.)(x_)](b_.))^{(n_.)}/(\sqrt{(d1_. + (e1_.)(x_))\sqrt{(d2_. + (e2_.)(x_))}), x_Symbol] \rightarrow \operatorname{Simp}[(1/(b*c*(n+1)))*\operatorname{Simp}[\sqrt{1+c*x}/\sqrt{d1+e1*x}]*\operatorname{Simp}[\sqrt{-1+c*x}/\sqrt{d2+e2*x}](a + b\operatorname{ArcCosh}[c*x])^{(n+1)}, x] /; \operatorname{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}, x] \ \&\& \operatorname{EqQ}[e1, c*d1] \ \&\& \operatorname{EqQ}[e2, (-c)*d2] \ \&\& \operatorname{NeQ}[n, -1]$

Rule 5939

$\operatorname{Int}[(a_. + \operatorname{ArcCosh}[(c_.)(x_)](b_.))^{(n_.)}((f_.)(x_))^{(m_.)}((d1_. + (e1_.)(x_))^{(p_.)}((d2_. + (e2_.)(x_))^{(p_.)}), x_Symbol] \rightarrow \operatorname{Simp}[f*(f*x)^{(m-1)}(d1 + e1*x)^{(p+1)}(d2 + e2*x)^{(p+1)}((a + b\operatorname{ArcCosh}[c*x])^n/(e1*e2*(m+2*p+1))), x] + (\operatorname{Dist}[f^2*((m-1)/(c^2*(m+2*p+1))), \operatorname{Int}[(f*x)^{(m-2)}(d1 + e1*x)^p(d2 + e2*x)^p(a + b\operatorname{ArcCosh}[c*x])^n, x], x] - \operatorname{Dist}[b*f*(n/(c*(m+2*p+1)))*\operatorname{Simp}[(d1 + e1*x)^p/(1+c*x)^p]*\operatorname{Simp}[(d2 + e2*x)^p/(-1+c*x)^p], \operatorname{Int}[(f*x)^{(m-1)}(1+c*x)^{(p+1/2)}(-1+c*x)^{(p+1/2)}(a + b\operatorname{ArcCosh}[c*x])^{(n-1)}, x], x]) /; \operatorname{FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}, x] \ \&\& \operatorname{EqQ}[e1, c*d1] \ \&\& \operatorname{EqQ}[e2, (-c)*d2] \ \&\& \operatorname{GtQ}[n, 0] \ \&\& \operatorname{IGtQ}[m, 1] \ \&\& \operatorname{NeQ}[m+2*p+1, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{1}{2}x^2\operatorname{arccosh}(ax)^4 - (2a) \int \frac{x^2\operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^4 \\ &\quad + 3 \int x\operatorname{arccosh}(ax)^2 dx - \frac{\int \frac{\operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{a} \end{aligned}$$

$$\begin{aligned}
&= \frac{3}{2}x^2 \operatorname{arccosh}(ax)^2 - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} \\
&\quad - \frac{\operatorname{arccosh}(ax)^4}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^4 - (3a) \int \frac{x^2 \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{2a} + \frac{3}{2}x^2 \operatorname{arccosh}(ax)^2 \\
&\quad - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} - \frac{\operatorname{arccosh}(ax)^4}{4a^2} \\
&\quad + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^4 + \frac{3 \int x dx}{2} - \frac{3 \int \frac{\operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{2a} \\
&= \frac{3x^2}{4} - \frac{3x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{2a} - \frac{3\operatorname{arccosh}(ax)^2}{4a^2} + \frac{3}{2}x^2 \operatorname{arccosh}(ax)^2 \\
&\quad - \frac{x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} - \frac{\operatorname{arccosh}(ax)^4}{4a^2} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^4
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 104, normalized size of antiderivative = 0.87

$$\begin{aligned}
&\int x \operatorname{arccosh}(ax)^4 dx \\
&= \frac{3a^2x^2 - 6ax\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax) + (-3 + 6a^2x^2) \operatorname{arccosh}(ax)^2 - 4ax\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3 + \operatorname{arccosh}(ax)^4}{4a^2}
\end{aligned}$$

[In] Integrate[x*ArcCosh[a*x]^4,x]

[Out] (3*a^2*x^2 - 6*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x] + (-3 + 6*a^2*x^2)*ArcCosh[a*x]^2 - 4*a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3 + (-1 + 2*a^2*x^2)*ArcCosh[a*x]^4)/(4*a^2)

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 104, normalized size of antiderivative = 0.87

method	result
derivativedivides	$\frac{\frac{a^2x^2 \operatorname{arccosh}(ax)^4}{2} - ax \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} - \frac{\operatorname{arccosh}(ax)^4}{4} + \frac{3a^2x^2 \operatorname{arccosh}(ax)^2}{2} - \frac{3ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{2} - 3ax \operatorname{arccosh}(ax)^2}{a^2}$
default	$\frac{\frac{a^2x^2 \operatorname{arccosh}(ax)^4}{2} - ax \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} - \frac{\operatorname{arccosh}(ax)^4}{4} + \frac{3a^2x^2 \operatorname{arccosh}(ax)^2}{2} - \frac{3ax \operatorname{arccosh}(ax) \sqrt{ax-1} \sqrt{ax+1}}{2} - 3ax \operatorname{arccosh}(ax)^2}{a^2}$

[In] int(x*arccosh(a*x)^4,x,method=_RETURNVERBOSE)


```
[Out] 1/a^2*(1/2*a^2*x^2*arccosh(a*x)^4-a*x*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/4*arccosh(a*x)^4+3/2*a^2*x^2*arccosh(a*x)^2-3/2*a*x*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)-3/4*arccosh(a*x)^2+3/4*a^2*x^2)
```

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 138, normalized size of antiderivative = 1.15

$$\int x \operatorname{arccosh}(ax)^4 dx = \frac{4\sqrt{a^2x^2-1}ax \log(ax + \sqrt{a^2x^2-1})^3 - (2a^2x^2-1) \log(ax + \sqrt{a^2x^2-1})^4 - 3a^2x^2 + 6\sqrt{a^2x^2-1}ax}{4a^2}$$

```
[In] integrate(x*arccosh(a*x)^4,x, algorithm="fricas")
```

```
[Out] -1/4*(4*sqrt(a^2*x^2 - 1)*a*x*log(a*x + sqrt(a^2*x^2 - 1))^3 - (2*a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^4 - 3*a^2*x^2 + 6*sqrt(a^2*x^2 - 1)*a*x*log(a*x + sqrt(a^2*x^2 - 1)) - 3*(2*a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^2)/a^2
```

Sympy [F]

$$\int x \operatorname{arccosh}(ax)^4 dx = \int x \operatorname{acosh}^4(ax) dx$$

```
[In] integrate(x*acosh(a*x)**4,x)
```

```
[Out] Integral(x*acosh(a*x)**4, x)
```

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^4 dx = \int x \operatorname{arcosh}(ax)^4 dx$$

```
[In] integrate(x*arccosh(a*x)^4,x, algorithm="maxima")
```

```
[Out] 1/2*x^2*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4 - integrate(2*(a^3*x^4 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^3 - a*x^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int x \operatorname{arccosh}(ax)^4 dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x*arccosh(a*x)^4,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^4 dx = \int x \operatorname{acosh}(ax)^4 dx$$

```
[In] int(x*acosh(a*x)^4,x)
```

```
[Out] int(x*acosh(a*x)^4, x)
```

3.37 $\int \operatorname{arccosh}(ax)^4 dx$

Optimal result	259
Rubi [A] (verified)	259
Mathematica [A] (verified)	261
Maple [A] (verified)	261
Fricas [A] (verification not implemented)	261
Sympy [F]	262
Maxima [A] (verification not implemented)	262
Giac [A] (verification not implemented)	262
Mupad [F(-1)]	263

Optimal result

Integrand size = 6, antiderivative size = 77

$$\int \operatorname{arccosh}(ax)^4 dx = 24x - \frac{24\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{a} + 12x\operatorname{arccosh}(ax)^2 - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} + x\operatorname{arccosh}(ax)^4$$

[Out] 24*x+12*x*arccosh(a*x)^2+x*arccosh(a*x)^4-24*arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a-4*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5879, 5915, 8}

$$\int \operatorname{arccosh}(ax)^4 dx = x\operatorname{arccosh}(ax)^4 - \frac{4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{a} + 12x\operatorname{arccosh}(ax)^2 - \frac{24\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)}{a} + 24x$$

[In] Int[ArcCosh[a*x]^4,x]

[Out] 24*x - (24*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/a + 12*x*ArcCosh[a*x]^2 - (4*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^3)/a + x*ArcCosh[a*x]^4

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^n*(x_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(q_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(q + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^q/(-1 + c*x)^q], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(q + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= x \operatorname{arccosh}(ax)^4 - (4a) \int \frac{x \operatorname{arccosh}(ax)^3}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\
 &= -\frac{4\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^3}{a} + x \operatorname{arccosh}(ax)^4 + 12 \int \operatorname{arccosh}(ax)^2 dx \\
 &= 12x \operatorname{arccosh}(ax)^2 - \frac{4\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^3}{a} \\
 &\quad + x \operatorname{arccosh}(ax)^4 - (24a) \int \frac{x \operatorname{arccosh}(ax)}{\sqrt{-1 + ax} \sqrt{1 + ax}} dx \\
 &= -\frac{24\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)}{a} + 12x \operatorname{arccosh}(ax)^2 \\
 &\quad - \frac{4\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^3}{a} + x \operatorname{arccosh}(ax)^4 + 24 \int 1 dx \\
 &= 24x - \frac{24\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)}{a} + 12x \operatorname{arccosh}(ax)^2 \\
 &\quad - \frac{4\sqrt{-1 + ax} \sqrt{1 + ax} \operatorname{arccosh}(ax)^3}{a} + x \operatorname{arccosh}(ax)^4
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 77, normalized size of antiderivative = 1.00

$$\int \operatorname{arccosh}(ax)^4 dx = 24x - \frac{24\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}{a} + 12x\operatorname{arccosh}(ax)^2 - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{a} + x\operatorname{arccosh}(ax)^4$$

[In] Integrate[ArcCosh[a*x]^4,x]

[Out] 24*x - (24*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x])/a + 12*x*ArcCosh[a*x]^2 - (4*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^3)/a + x*ArcCosh[a*x]^4

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.92

method	result	size
derivativedivides	$\frac{ax \operatorname{arccosh}(ax)^4 - 4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} + 12ax \operatorname{arccosh}(ax)^2 - 24\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax) + 24ax}{a}$	71
default	$\frac{ax \operatorname{arccosh}(ax)^4 - 4 \operatorname{arccosh}(ax)^3 \sqrt{ax-1} \sqrt{ax+1} + 12ax \operatorname{arccosh}(ax)^2 - 24\sqrt{ax-1} \sqrt{ax+1} \operatorname{arccosh}(ax) + 24ax}{a}$	71

[In] int(arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] 1/a*(a*x*arccosh(a*x)^4-4*arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)+12*a*x*arccosh(a*x)^2-24*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)+24*a*x)

Fricas [A] (verification not implemented)

none

Time = 0.25 (sec) , antiderivative size = 112, normalized size of antiderivative = 1.45

$$\int \operatorname{arccosh}(ax)^4 dx = \frac{ax \log(ax + \sqrt{a^2x^2 - 1})^4 + 12ax \log(ax + \sqrt{a^2x^2 - 1})^2 - 4\sqrt{a^2x^2 - 1} \log(ax + \sqrt{a^2x^2 - 1})^3 + 24ax - 24\sqrt{a^2x^2 - 1}}{a}$$

[In] integrate(arccosh(a*x)^4,x, algorithm="fricas")

[Out] (a*x*log(a*x + sqrt(a^2*x^2 - 1))^4 + 12*a*x*log(a*x + sqrt(a^2*x^2 - 1))^2 - 4*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3 + 24*a*x - 24*sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1)))/a

Sympy [F]

$$\int \operatorname{arccosh}(ax)^4 dx = \int \operatorname{acosh}^4(ax) dx$$

[In] integrate(acosh(a*x)**4,x)

[Out] Integral(acosh(a*x)**4, x)

Maxima [A] (verification not implemented)

none

Time = 0.22 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.95

$$\int \operatorname{arccosh}(ax)^4 dx = x \operatorname{arccosh}(ax)^4 - \frac{4 \sqrt{a^2 x^2 - 1} \operatorname{arccosh}(ax)^3}{a} + 12 \left(\frac{x \operatorname{arccosh}(ax)^2}{a} + \frac{2 \left(x - \frac{\sqrt{a^2 x^2 - 1} \operatorname{arccosh}(ax)}{a} \right)}{a} \right) a$$

[In] integrate(arccosh(a*x)^4,x, algorithm="maxima")

[Out] x*arccosh(a*x)^4 - 4*sqrt(a^2*x^2 - 1)*arccosh(a*x)^3/a + 12*(x*arccosh(a*x)^2/a + 2*(x - sqrt(a^2*x^2 - 1)*arccosh(a*x)/a)/a)*a

Giac [A] (verification not implemented)

none

Time = 0.37 (sec) , antiderivative size = 125, normalized size of antiderivative = 1.62

$$\int \operatorname{arccosh}(ax)^4 dx = x \log(ax + \sqrt{a^2 x^2 - 1})^4 - 4 \left(\frac{\sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})^3}{a^2} - \frac{3 \left(x \log(ax + \sqrt{a^2 x^2 - 1})^2 + 2a \left(\frac{x}{a} - \frac{\sqrt{a^2 x^2 - 1} \log(ax + \sqrt{a^2 x^2 - 1})}{a^2} \right) \right)}{a} \right)$$

[In] integrate(arccosh(a*x)^4,x, algorithm="giac")

[Out] x*log(a*x + sqrt(a^2*x^2 - 1))^4 - 4*(sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))^3/a^2 - 3*(x*log(a*x + sqrt(a^2*x^2 - 1))^2 + 2*a*(x/a - sqrt(a^2*x^2 - 1)*log(a*x + sqrt(a^2*x^2 - 1))/a^2))/a)*a

Mupad [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^4 dx = \int \operatorname{acosh}(ax)^4 dx$$

```
[In] int(acosh(a*x)^4,x)
```

```
[Out] int(acosh(a*x)^4, x)
```

3.38 $\int \frac{\operatorname{arccosh}(ax)^4}{x} dx$

Optimal result	264
Rubi [A] (verified)	264
Mathematica [A] (verified)	267
Maple [A] (verified)	267
Fricas [F]	268
Sympy [F]	268
Maxima [F]	268
Giac [F]	269
Mupad [F(-1)]	269

Optimal result

Integrand size = 10, antiderivative size = 103

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = -\frac{1}{5} \operatorname{arccosh}(ax)^5 + \operatorname{arccosh}(ax)^4 \log(1 + e^{2\operatorname{arccosh}(ax)})$$

$$+ 2\operatorname{arccosh}(ax)^3 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

$$- 3\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})$$

$$+ 3\operatorname{arccosh}(ax) \operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)})$$

$$- \frac{3}{2} \operatorname{PolyLog}(5, -e^{2\operatorname{arccosh}(ax)})$$

[Out] $-1/5*\operatorname{arccosh}(a*x)^5 + \operatorname{arccosh}(a*x)^4*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 2*\operatorname{arccosh}(a*x)^3*\operatorname{polylog}(2, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3*\operatorname{arccosh}(a*x)^2*\operatorname{polylog}(3, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) + 3*\operatorname{arccosh}(a*x)*\operatorname{polylog}(4, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2) - 3/2*\operatorname{polylog}(5, -(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)$

Rubi [A] (verified)

Time = 0.10 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5882, 3799, 2221, 2611, 6744, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = 2\operatorname{arccosh}(ax)^3 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)})$$

$$- 3\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})$$

$$+ 3\operatorname{arccosh}(ax) \operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)})$$

$$- \frac{3}{2} \operatorname{PolyLog}(5, -e^{2\operatorname{arccosh}(ax)}) - \frac{1}{5} \operatorname{arccosh}(ax)^5$$

$$+ \operatorname{arccosh}(ax)^4 \log(e^{2\operatorname{arccosh}(ax)} + 1)$$

[In] Int[ArcCosh[a*x]^4/x,x]

[Out] $-1/5 \text{ArcCosh}[a*x]^5 + \text{ArcCosh}[a*x]^4 \text{Log}[1 + E^{(2*\text{ArcCosh}[a*x])}] + 2*\text{ArcCosh}[a*x]^3 \text{PolyLog}[2, -E^{(2*\text{ArcCosh}[a*x])}] - 3*\text{ArcCosh}[a*x]^2 \text{PolyLog}[3, -E^{(2*\text{ArcCosh}[a*x])}] + 3*\text{ArcCosh}[a*x] \text{PolyLog}[4, -E^{(2*\text{ArcCosh}[a*x])}] - (3*\text{PolyLog}[5, -E^{(2*\text{ArcCosh}[a*x])})]/2$

Rule 2221

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_))*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Dist[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3799

Int[((c_) + (d_)*(x_))^(m_)*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5882

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rule 6724

Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p/(e*p), x] /; FreeQ[{a, b, c, d

, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6744

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= \text{Subst}\left(\int x^4 \tanh(x) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{5}\text{arccosh}(ax)^5 + 2\text{Subst}\left(\int \frac{e^{2x}x^4}{1+e^{2x}} dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{5}\text{arccosh}(ax)^5 + \text{arccosh}(ax)^4 \log(1+e^{2\text{arccosh}(ax)}) \\
 &\quad - 4\text{Subst}\left(\int x^3 \log(1+e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{5}\text{arccosh}(ax)^5 + \text{arccosh}(ax)^4 \log(1+e^{2\text{arccosh}(ax)}) \\
 &\quad + 2\text{arccosh}(ax)^3 \text{PolyLog}(2, -e^{2\text{arccosh}(ax)}) \\
 &\quad - 6\text{Subst}\left(\int x^2 \text{PolyLog}(2, -e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{5}\text{arccosh}(ax)^5 + \text{arccosh}(ax)^4 \log(1+e^{2\text{arccosh}(ax)}) \\
 &\quad + 2\text{arccosh}(ax)^3 \text{PolyLog}(2, -e^{2\text{arccosh}(ax)}) \\
 &\quad - 3\text{arccosh}(ax)^2 \text{PolyLog}(3, -e^{2\text{arccosh}(ax)}) \\
 &\quad + 6\text{Subst}\left(\int x \text{PolyLog}(3, -e^{2x}) dx, x, \text{arccosh}(ax)\right) \\
 &= -\frac{1}{5}\text{arccosh}(ax)^5 + \text{arccosh}(ax)^4 \log(1+e^{2\text{arccosh}(ax)}) \\
 &\quad + 2\text{arccosh}(ax)^3 \text{PolyLog}(2, -e^{2\text{arccosh}(ax)}) \\
 &\quad - 3\text{arccosh}(ax)^2 \text{PolyLog}(3, -e^{2\text{arccosh}(ax)}) \\
 &\quad + 3\text{arccosh}(ax) \text{PolyLog}(4, -e^{2\text{arccosh}(ax)}) \\
 &\quad - 3\text{Subst}\left(\int \text{PolyLog}(4, -e^{2x}) dx, x, \text{arccosh}(ax)\right)
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{1}{5} \operatorname{arccosh}(ax)^5 + \operatorname{arccosh}(ax)^4 \log(1 + e^{2\operatorname{arccosh}(ax)}) \\
&\quad + 2\operatorname{arccosh}(ax)^3 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad - 3\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad + 3\operatorname{arccosh}(ax) \operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad - \frac{3}{2} \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(4, -x)}{x} dx, x, e^{2\operatorname{arccosh}(ax)}\right) \\
&= -\frac{1}{5} \operatorname{arccosh}(ax)^5 + \operatorname{arccosh}(ax)^4 \log(1 + e^{2\operatorname{arccosh}(ax)}) \\
&\quad + 2\operatorname{arccosh}(ax)^3 \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad - 3\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad + 3\operatorname{arccosh}(ax) \operatorname{PolyLog}(4, -e^{2\operatorname{arccosh}(ax)}) - \frac{3}{2} \operatorname{PolyLog}(5, -e^{2\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.00

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^4}{x} dx &= \frac{1}{5} \operatorname{arccosh}(ax)^5 + \operatorname{arccosh}(ax)^4 \log(1 + e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 2\operatorname{arccosh}(ax)^3 \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 3\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(3, -e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - 3\operatorname{arccosh}(ax) \operatorname{PolyLog}(4, -e^{-2\operatorname{arccosh}(ax)}) \\
&\quad - \frac{3}{2} \operatorname{PolyLog}(5, -e^{-2\operatorname{arccosh}(ax)})
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^4/x,x]

[Out] ArcCosh[a*x]^5/5 + ArcCosh[a*x]^4*Log[1 + E^(-2*ArcCosh[a*x])] - 2*ArcCosh[a*x]^3*PolyLog[2, -E^(-2*ArcCosh[a*x])] - 3*ArcCosh[a*x]^2*PolyLog[3, -E^(-2*ArcCosh[a*x])] - 3*ArcCosh[a*x]*PolyLog[4, -E^(-2*ArcCosh[a*x])] - (3*PolyLog[5, -E^(-2*ArcCosh[a*x])])/2

Maple [A] (verified)

Time = 0.11 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.60

method	result
derivativedivides	$-\frac{\operatorname{arccosh}(ax)^5}{5} + \operatorname{arccosh}(ax)^4 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + 2 \operatorname{arccosh}(ax)^3 \operatorname{poly}$
default	$-\frac{\operatorname{arccosh}(ax)^5}{5} + \operatorname{arccosh}(ax)^4 \ln\left(1 + (ax + \sqrt{ax-1}\sqrt{ax+1})^2\right) + 2 \operatorname{arccosh}(ax)^3 \operatorname{poly}$

```
[In] int(arccosh(a*x)^4/x,x,method=_RETURNVERBOSE)
```

```
[Out] -1/5*arccosh(a*x)^5+arccosh(a*x)^4*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+2*arccosh(a*x)^3*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-3*arccosh(a*x)^2*polylog(3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+3*arccosh(a*x)*polylog(4,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-3/2*polylog(5,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x} dx$$

```
[In] integrate(arccosh(a*x)^4/x,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^4/x, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = \int \frac{\operatorname{acosh}^4(ax)}{x} dx$$

```
[In] integrate(acosh(a*x)**4/x,x)
```

```
[Out] Integral(acosh(a*x)**4/x, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x} dx$$

```
[In] integrate(arccosh(a*x)^4/x,x, algorithm="maxima")
```

```
[Out] integrate(arccosh(a*x)^4/x, x)
```

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x} dx$$

[In] integrate(arccosh(a*x)^4/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^4/x, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^4}{x} dx = \int \frac{\operatorname{acosh}(ax)^4}{x} dx$$

[In] int(acosh(a*x)^4/x,x)

[Out] int(acosh(a*x)^4/x, x)

3.39 $\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx$

Optimal result	270
Rubi [A] (verified)	270
Mathematica [B] (verified)	274
Maple [F]	275
Fricas [F]	275
Sympy [F]	275
Maxima [F]	275
Giac [F]	276
Mupad [F(-1)]	276

Optimal result

Integrand size = 10, antiderivative size = 150

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)})$$

$$- 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)})$$

$$+ 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

$$+ 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)})$$

$$- 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})$$

$$- 24ia \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) + 24ia \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)})$$

```
[Out] -arccosh(a*x)^4/x+8*a*arccosh(a*x)^3*arctan(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))
-12*I*a*arccosh(a*x)^2*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+12*
I*a*arccosh(a*x)^2*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+24*I*a*ar
ccosh(a*x)*polylog(3,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-24*I*a*arccosh(a
*x)*polylog(3,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-24*I*a*polylog(4,-I*(a*x
+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+24*I*a*polylog(4,I*(a*x+(a*x-1)^(1/2)*(a*x+1
)^(1/2)))
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used

= {5883, 5947, 4265, 2611, 6744, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = 8a \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)})$$

$$- 12ia \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)})$$

$$+ 12ia \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

$$+ 24ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)})$$

$$- 24ia \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)})$$

$$- 24ia \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)})$$

$$+ 24ia \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)}) - \frac{\operatorname{arccosh}(ax)^4}{x}$$

[In] Int[ArcCosh[a*x]^4/x^2,x]

[Out] -(ArcCosh[a*x]^4/x) + 8*a*ArcCosh[a*x]^3*ArcTan[E^ArcCosh[a*x]] - (12*I)*a*ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcCosh[a*x]] + (12*I)*a*ArcCosh[a*x]^2*PolyLog[2, I*E^ArcCosh[a*x]] + (24*I)*a*ArcCosh[a*x]*PolyLog[3, (-I)*E^ArcCosh[a*x]] - (24*I)*a*ArcCosh[a*x]*PolyLog[3, I*E^ArcCosh[a*x]] - (24*I)*a*PolyLog[4, (-I)*E^ArcCosh[a*x]] + (24*I)*a*PolyLog[4, I*E^ArcCosh[a*x]]

Rule 2320

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2611

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 4265

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rule 5947

```
Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.))/(Sqrt[(d1_) + (e1
_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] :> Dist[(1/c^(m + 1))*Simp[
Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[
Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1,
e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && Integ
erQ[m]
```

Rule 6724

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6744

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
.)*(x_.)))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{\operatorname{arccosh}(ax)^4}{x} + (4a) \int \frac{\operatorname{arccosh}(ax)^3}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + (4a) \operatorname{Subst}\left(\int x^3 \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a \operatorname{arccosh}(ax)^3 \arctan\left(e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - (12ia) \operatorname{Subst}\left(\int x^2 \log(1 - ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad + (12ia) \operatorname{Subst}\left(\int x^2 \log(1 + ie^x) dx, x, \operatorname{arccosh}(ax)\right)
\end{aligned}$$

$$\begin{aligned}
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (24ia)\operatorname{Subst}\left(\int x \operatorname{PolyLog}(2, -ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad - (24ia)\operatorname{Subst}\left(\int x \operatorname{PolyLog}(2, ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad - (24ia)\operatorname{Subst}\left(\int \operatorname{PolyLog}(3, -ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad + (24ia)\operatorname{Subst}\left(\int \operatorname{PolyLog}(3, ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad - (24ia)\operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, -ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad + (24ia)\operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&= -\frac{\operatorname{arccosh}(ax)^4}{x} + 8a\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 12ia\operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 24ia\operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 24ia \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) + 24ia \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 478 vs. $2(150) = 300$.

Time = 0.45 (sec) , antiderivative size = 478, normalized size of antiderivative = 3.19

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = a \left(-\frac{7i\pi^4}{16} + \frac{1}{2}\pi^3 \operatorname{arccosh}(ax) - \frac{3}{2}i\pi^2 \operatorname{arccosh}(ax)^2 - 2\pi \operatorname{arccosh}(ax)^3 \right. \\ \left. + i \operatorname{arccosh}(ax)^4 - \frac{\operatorname{arccosh}(ax)^4}{ax} + \frac{1}{2}\pi^3 \log(1 + ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. - 3i\pi^2 \operatorname{arccosh}(ax) \log(1 + ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. - 6\pi \operatorname{arccosh}(ax)^2 \log(1 + ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. + 4i \operatorname{arccosh}(ax)^3 \log(1 + ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. + 3i\pi^2 \operatorname{arccosh}(ax) \log(1 - ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. + 6\pi \operatorname{arccosh}(ax)^2 \log(1 - ie^{\operatorname{arccosh}(ax)}) - \frac{1}{2}\pi^3 \log(1 + ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. - 4i \operatorname{arccosh}(ax)^3 \log(1 + ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. + \frac{1}{2}\pi^3 \log\left(\tan\left(\frac{1}{4}(\pi + 2i \operatorname{arccosh}(ax))\right)\right) \right. \\ \left. + 3i(\pi - 2i \operatorname{arccosh}(ax))^2 \operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. - 12i \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. + 3i\pi^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. + 12\pi \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. + 12\pi \operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. - 24i \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. + 24i \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \right. \\ \left. - 12\pi \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) - 24i \operatorname{PolyLog}(4, -ie^{-\operatorname{arccosh}(ax)}) \right. \\ \left. - 24i \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) \right)$$

[In] Integrate[ArcCosh[a*x]^4/x^2,x]

[Out] a*(((7*I)/16)*Pi^4 + (Pi^3*ArcCosh[a*x])/2 - ((3*I)/2)*Pi^2*ArcCosh[a*x]^2 - 2*Pi*ArcCosh[a*x]^3 + I*ArcCosh[a*x]^4 - ArcCosh[a*x]^4/(a*x) + (Pi^3*Log[1 + I/E^ArcCosh[a*x]])/2 - (3*I)*Pi^2*ArcCosh[a*x]*Log[1 + I/E^ArcCosh[a*x]] - 6*Pi*ArcCosh[a*x]^2*Log[1 + I/E^ArcCosh[a*x]] + (4*I)*ArcCosh[a*x]^3*Log[1 + I/E^ArcCosh[a*x]] + (3*I)*Pi^2*ArcCosh[a*x]*Log[1 - I*E^ArcCosh[a*x]] + 6*Pi*ArcCosh[a*x]^2*Log[1 - I*E^ArcCosh[a*x]] - (Pi^3*Log[1 + I*E^ArcCosh[a*x]])/2 - (4*I)*ArcCosh[a*x]^3*Log[1 + I*E^ArcCosh[a*x]] + (Pi^3*Log[Tan[(Pi + (2*I)*ArcCosh[a*x])/4]])/2 + (3*I)*(Pi - (2*I)*ArcCosh[a*x])^2*PolyLog[2, (-I)/E^ArcCosh[a*x]] - (12*I)*ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcC

```
osh[a*x]] + (3*I)*Pi^2*PolyLog[2, I*E^ArcCosh[a*x]] + 12*Pi*ArcCosh[a*x]*PolyLog[2, I*E^ArcCosh[a*x]] + 12*Pi*PolyLog[3, (-I)/E^ArcCosh[a*x]] - (24*I)*ArcCosh[a*x]*PolyLog[3, (-I)/E^ArcCosh[a*x]] + (24*I)*ArcCosh[a*x]*PolyLog[3, (-I)*E^ArcCosh[a*x]] - 12*Pi*PolyLog[3, I*E^ArcCosh[a*x]] - (24*I)*PolyLog[4, (-I)/E^ArcCosh[a*x]] - (24*I)*PolyLog[4, (-I)*E^ArcCosh[a*x]]
```

Maple [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx$$

```
[In] int(arccosh(a*x)^4/x^2,x)
```

```
[Out] int(arccosh(a*x)^4/x^2,x)
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = \int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx$$

```
[In] integrate(arccosh(a*x)^4/x^2,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^4/x^2, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = \int \frac{\operatorname{acosh}^4(ax)}{x^2} dx$$

```
[In] integrate(acosh(a*x)**4/x**2,x)
```

```
[Out] Integral(acosh(a*x)**4/x**2, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = \int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx$$

```
[In] integrate(arccosh(a*x)^4/x^2,x, algorithm="maxima")
```

```
[Out] -log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4/x + integrate(4*(a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x^2} dx$$

[In] integrate(arccosh(a*x)^4/x^2,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^4/x^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^2} dx = \int \frac{\operatorname{acosh}(ax)^4}{x^2} dx$$

[In] int(acosh(a*x)^4/x^2,x)

[Out] int(acosh(a*x)^4/x^2, x)

3.40 $\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx$

Optimal result	277
Rubi [A] (verified)	277
Mathematica [A] (warning: unable to verify)	280
Maple [A] (verified)	281
Fricas [F]	281
Sympy [F]	281
Maxima [F]	282
Giac [F(-2)]	282
Mupad [F(-1)]	282

Optimal result

Integrand size = 10, antiderivative size = 115

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = 2a^2 \operatorname{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{x} - \frac{\operatorname{arccosh}(ax)^4}{2x^2} - 6a^2 \operatorname{arccosh}(ax)^2 \log(1 + e^{2\operatorname{arccosh}(ax)}) - 6a^2 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) + 3a^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})$$

[Out] $2*a^2*\operatorname{arccosh}(a*x)^3-1/2*\operatorname{arccosh}(a*x)^4/x^2-6*a^2*\operatorname{arccosh}(a*x)^2*\ln(1+(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)-6*a^2*\operatorname{arccosh}(a*x)*\operatorname{polylog}(2,-(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)+3*a^2*\operatorname{polylog}(3,-(a*x+(a*x-1)^{(1/2)}*(a*x+1)^{(1/2}))^2)+2*a*\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {5883, 5918, 5882, 3799, 2221, 2611, 2320, 6724}

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = -6a^2 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) + 3a^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)}) + 2a^2 \operatorname{arccosh}(ax)^3 - 6a^2 \operatorname{arccosh}(ax)^2 \log(e^{2\operatorname{arccosh}(ax)} + 1) - \frac{\operatorname{arccosh}(ax)^4}{2x^2} + \frac{2a\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^3}{x}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^4/x^3, x]$

```
[Out] 2*a^2*ArcCosh[a*x]^3 + (2*a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/x
- ArcCosh[a*x]^4/(2*x^2) - 6*a^2*ArcCosh[a*x]^2*Log[1 + E^(2*ArcCosh[a*x])]
- 6*a^2*ArcCosh[a*x]*PolyLog[2, -E^(2*ArcCosh[a*x])] + 3*a^2*PolyLog[3, -E
^(2*ArcCosh[a*x])]
```

Rule 2221

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Di
st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2320

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2611

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m
- 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e,
f, g, n}, x] && GtQ[m, 0]
```

Rule 3799

```
Int[(((c_) + (d_)*(x_))^(m_))*tan[(e_) + (Complex[0, fz_]*(f_)*(x_)], x
_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c
+ d*x)^m*(E^(2*((-I)*e + f*fz*x))/(1 + E^(2*((-I)*e + f*fz*x))), x], x]
/; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]
```

Rule 5882

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)/(x_), x_Symbol] := Dist[1/b,
Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a,
b, c}, x] && IGtQ[n, 0]
```

Rule 5883

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
```

$c*x]*\text{Sqrt}[-1 + c*x]))$, $x]$, $x]$ /; $\text{FreeQ}[\{a, b, c, d, m\}, x]$ && $\text{IGtQ}[n, 0]$ && $\text{NeQ}[m, -1]$

Rule 5918

$\text{Int}[\{(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)\}^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}$, $x_Symbol]$:> $\text{Simp}[(f*x)^{(m+1)}*(d1 + e1*x)^{(p+1)}*(d2 + e2*x)^{(p+1)}*((a + b*\text{ArcCosh}[c*x])^n/(d1*d2*f*(m+1)))$, $x]$ + $\text{Dist}[b*c*(n/(f*(m+1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p]$, $\text{Int}[(f*x)^{(m+1)}*(1 + c*x)^{(p+1/2)}*(-1 + c*x)^{(p+1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}$, $x]$, $x]$ /; $\text{FreeQ}[\{a, b, c, d1, e1, d2, e2, f, m, p\}, x]$ && $\text{EqQ}[e1, c*d1]$ && $\text{EqQ}[e2, (-c)*d2]$ && $\text{GtQ}[n, 0]$ && $\text{EqQ}[m + 2*p + 3, 0]$ && $\text{NeQ}[p, -1]$

Rule 6724

$\text{Int}[\text{PolyLog}[n_, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.))$, $x_Symbol]$:> $\text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p)$, $x]$ /; $\text{FreeQ}[\{a, b, c, d, e, n, p\}, x]$ && $\text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\text{arccosh}(ax)^4}{2x^2} + (2a) \int \frac{\text{arccosh}(ax)^3}{x^2\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3}{x} - \frac{\text{arccosh}(ax)^4}{2x^2} - (6a^2) \int \frac{\text{arccosh}(ax)^2}{x} dx \\
 &= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3}{x} - \frac{\text{arccosh}(ax)^4}{2x^2} \\
 &\quad - (6a^2) \text{Subst}\left(\int x^2 \tanh(x) dx, x, \text{arccosh}(ax)\right) \\
 &= 2a^2\text{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3}{x} \\
 &\quad - \frac{\text{arccosh}(ax)^4}{2x^2} - (12a^2) \text{Subst}\left(\int \frac{e^{2x}x^2}{1+e^{2x}} dx, x, \text{arccosh}(ax)\right) \\
 &= 2a^2\text{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3}{x} \\
 &\quad - \frac{\text{arccosh}(ax)^4}{2x^2} - 6a^2\text{arccosh}(ax)^2 \log(1 + e^{2\text{arccosh}(ax)}) \\
 &\quad + (12a^2) \text{Subst}\left(\int x \log(1 + e^{2x}) dx, x, \text{arccosh}(ax)\right)
 \end{aligned}$$

$$\begin{aligned}
&= 2a^2 \operatorname{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{x} - \frac{\operatorname{arccosh}(ax)^4}{2x^2} \\
&\quad - 6a^2 \operatorname{arccosh}(ax)^2 \log(1+e^{2\operatorname{arccosh}(ax)}) - 6a^2 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad + (6a^2) \operatorname{Subst}\left(\int \operatorname{PolyLog}(2, -e^{2x}) dx, x, \operatorname{arccosh}(ax)\right) \\
&= 2a^2 \operatorname{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{x} - \frac{\operatorname{arccosh}(ax)^4}{2x^2} \\
&\quad - 6a^2 \operatorname{arccosh}(ax)^2 \log(1+e^{2\operatorname{arccosh}(ax)}) - 6a^2 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) \\
&\quad + (3a^2) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(2, -x)}{x} dx, x, e^{2\operatorname{arccosh}(ax)}\right) \\
&= 2a^2 \operatorname{arccosh}(ax)^3 + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{x} \\
&\quad - \frac{\operatorname{arccosh}(ax)^4}{2x^2} - 6a^2 \operatorname{arccosh}(ax)^2 \log(1+e^{2\operatorname{arccosh}(ax)}) \\
&\quad - 6a^2 \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{2\operatorname{arccosh}(ax)}) + 3a^2 \operatorname{PolyLog}(3, -e^{2\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.78 (sec) , antiderivative size = 112, normalized size of antiderivative = 0.97

$$\begin{aligned}
\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx &= -\frac{\operatorname{arccosh}(ax)^4}{2x^2} \\
&\quad + a^2 \left(2\operatorname{arccosh}(ax)^2 \left(-\operatorname{arccosh}(ax) + \frac{\sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{arccosh}(ax)}{ax} \right. \right. \\
&\quad \left. \left. - 3 \log(1+e^{-2\operatorname{arccosh}(ax)}) \right) + 6\operatorname{arccosh}(ax) \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(ax)}) \right. \\
&\quad \left. + 3 \operatorname{PolyLog}(3, -e^{-2\operatorname{arccosh}(ax)}) \right)
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^4/x^3,x]

[Out] -1/2*ArcCosh[a*x]^4/x^2 + a^2*(2*ArcCosh[a*x]^2*(-ArcCosh[a*x] + (Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*ArcCosh[a*x])/(a*x) - 3*Log[1 + E^(-2*ArcCosh[a*x])]) + 6*ArcCosh[a*x]*PolyLog[2, -E^(-2*ArcCosh[a*x])] + 3*PolyLog[3, -E^(-2*ArcCosh[a*x])])

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 149, normalized size of antiderivative = 1.30

method	result
derivativedivides	$a^2 \left(-\frac{\operatorname{arccosh}(ax)^3 (4a^2x^2 - 4\sqrt{ax-1}\sqrt{ax+1}ax + \operatorname{arccosh}(ax))}{2a^2x^2} + 4 \operatorname{arccosh}(ax)^3 - 6 \operatorname{arccosh}(ax)^2 \ln \left(1 + \frac{ax + (ax-1)^{1/2}}{ax+1} \right) \right)$
default	$a^2 \left(-\frac{\operatorname{arccosh}(ax)^3 (4a^2x^2 - 4\sqrt{ax-1}\sqrt{ax+1}ax + \operatorname{arccosh}(ax))}{2a^2x^2} + 4 \operatorname{arccosh}(ax)^3 - 6 \operatorname{arccosh}(ax)^2 \ln \left(1 + \frac{ax + (ax-1)^{1/2}}{ax+1} \right) \right)$

[In] int(arccosh(a*x)^4/x^3,x,method=_RETURNVERBOSE)

```
[Out] a^2*(-1/2*arccosh(a*x)^3*(4*a^2*x^2-4*(a*x-1)^(1/2)*(a*x+1)^(1/2)*a*x+arccosh(a*x))/a^2/x^2+4*arccosh(a*x)^3-6*arccosh(a*x)^2*ln(1+(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)-6*arccosh(a*x)*polylog(2,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2)+3*polylog(3,-(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2))^2))
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = \int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx$$

[In] integrate(arccosh(a*x)^4/x^3,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^4/x^3, x)

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = \int \frac{\operatorname{acosh}^4(ax)}{x^3} dx$$

[In] integrate(acosh(a*x)**4/x**3,x)

[Out] Integral(acosh(a*x)**4/x**3, x)

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x^3} dx$$

[In] integrate(arccosh(a*x)^4/x^3,x, algorithm="maxima")

[Out] $-1/2*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^4/x^2 + \text{integrate}(2*(a^3*x^2 + \sqrt{a*x + 1})*\sqrt{a*x - 1}*a^2*x - a)*\log(a*x + \sqrt{a*x + 1})*\sqrt{a*x - 1})^3/(a^3*x^5 - a*x^3 + (a^2*x^4 - x^2)*\sqrt{a*x + 1})*\sqrt{a*x - 1}), x)$

Giac [F(-2)]

Exception generated.

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = \text{Exception raised: TypeError}$$

[In] integrate(arccosh(a*x)^4/x^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^3} dx = \int \frac{\operatorname{acosh}(ax)^4}{x^3} dx$$

[In] int(acosh(a*x)^4/x^3,x)

[Out] int(acosh(a*x)^4/x^3, x)

3.41 $\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$

Optimal result	283
Rubi [A] (verified)	284
Mathematica [B] (warning: unable to verify)	289
Maple [F]	290
Fricas [F]	290
Sympy [F]	290
Maxima [F]	291
Giac [F]	291
Mupad [F(-1)]	291

Optimal result

Integrand size = 10, antiderivative size = 268

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) + \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)})$$

```
[Out] 2*a^2*arccosh(a*x)^2/x-1/3*arccosh(a*x)^4/x^3-8*a^3*arccosh(a*x)*arctan(a*x
+(a*x-1)^(1/2)*(a*x+1)^(1/2))+4/3*a^3*arccosh(a*x)^3*arctan(a*x+(a*x-1)^(1/
2)*(a*x+1)^(1/2))+4*I*a^3*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-2
*I*a^3*arccosh(a*x)^2*polylog(2,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a
^3*polylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2*I*a^3*arccosh(a*x)^2*po
lylog(2,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+4*I*a^3*arccosh(a*x)*polylog(3
,-I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a^3*arccosh(a*x)*polylog(3,I*(a
x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))-4*I*a^3*polylog(4,-I*(a*x+(a*x-1)^(1/2)*(a
x+1)^(1/2)))+4*I*a^3*polylog(4,I*(a*x+(a*x-1)^(1/2)*(a*x+1)^(1/2)))+2/3*a*a
rccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/x^2
```

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {5883, 5933, 5947, 4265, 2611, 6744, 2320, 6724, 2317, 2438}

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) - 4ia^3 \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)}) + \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} + \frac{2a\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^3}{3x^2}$$

[In] Int[ArcCosh[a*x]^4/x^4, x]

[Out] (2*a^2*ArcCosh[a*x]^2)/x + (2*a*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^3)/(3*x^2) - ArcCosh[a*x]^4/(3*x^3) - 8*a^3*ArcCosh[a*x]*ArcTan[E^ArcCosh[a*x]] + (4*a^3*ArcCosh[a*x]^3*ArcTan[E^ArcCosh[a*x]])/3 + (4*I)*a^3*PolyLog[2, (-I)*E^ArcCosh[a*x]] - (2*I)*a^3*ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcCosh[a*x]] - (4*I)*a^3*PolyLog[2, I*E^ArcCosh[a*x]] + (2*I)*a^3*ArcCosh[a*x]^2*PolyLog[2, I*E^ArcCosh[a*x]] + (4*I)*a^3*ArcCosh[a*x]*PolyLog[3, (-I)*E^ArcCosh[a*x]] - (4*I)*a^3*ArcCosh[a*x]*PolyLog[3, I*E^ArcCosh[a*x]] - (4*I)*a^3*PolyLog[4, (-I)*E^ArcCosh[a*x]] + (4*I)*a^3*PolyLog[4, I*E^ArcCosh[a*x]]

Rule 2317

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2320

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2438

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 2611

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Dist[g*(m/(b*c*n*Log[F])), Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 4265

Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Dist[d*(m/(f*fz*I)), Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5933

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[(f*x)^(m + 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(d1*d2*f*(m + 1))), x] + (Dist[c^2*((m + 2*p + 3)/(f^2*(m + 1))), Int[(f*x)^(m + 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] + Dist[b*c*(n/(f*(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m + 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && ILtQ[m, -1]

Rule 5947

Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Dist[(1/c^(m + 1))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Subst[Int[(a + b*x)^n*Cosh[x]^m, x], x, ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1,

e1, d2, e2}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[n, 0] && Integ
erQ[m]

Rule 6724

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6744

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_)))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Dist[f*(m/(b*c*p*Log[F])), Int[(e + f*x)
(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\operatorname{arccosh}(ax)^4}{3x^3} + \frac{1}{3}(4a) \int \frac{\operatorname{arccosh}(ax)^3}{x^3\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} \\
 &\quad - (2a^2) \int \frac{\operatorname{arccosh}(ax)^2}{x^2} dx + \frac{1}{3}(2a^3) \int \frac{\operatorname{arccosh}(ax)^3}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{2a^2\operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} \\
 &\quad - \frac{\operatorname{arccosh}(ax)^4}{3x^3} + \frac{1}{3}(2a^3) \operatorname{Subst}\left(\int x^3 \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &\quad - (4a^3) \int \frac{\operatorname{arccosh}(ax)}{x\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= \frac{2a^2\operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} \\
 &\quad - \frac{\operatorname{arccosh}(ax)^4}{3x^3} + \frac{4}{3}a^3\operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
 &\quad - (2ia^3) \operatorname{Subst}\left(\int x^2 \log(1-ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &\quad + (2ia^3) \operatorname{Subst}\left(\int x^2 \log(1+ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
 &\quad - (4a^3) \operatorname{Subst}\left(\int x \operatorname{sech}(x) dx, x, \operatorname{arccosh}(ax)\right)
 \end{aligned}$$

$$\begin{aligned}
&= \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} \\
&\quad - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) + \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (4ia^3) \operatorname{Subst}\left(\int \log(1 - ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad - (4ia^3) \operatorname{Subst}\left(\int \log(1 + ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad + (4ia^3) \operatorname{Subst}\left(\int x \operatorname{PolyLog}(2, -ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad - (4ia^3) \operatorname{Subst}\left(\int x \operatorname{PolyLog}(2, ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&= \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} \\
&\quad - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) + \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + (4ia^3) \operatorname{Subst}\left(\int \frac{\log(1 - ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - (4ia^3) \operatorname{Subst}\left(\int \frac{\log(1 + ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad - (4ia^3) \operatorname{Subst}\left(\int \operatorname{PolyLog}(3, -ie^x) dx, x, \operatorname{arccosh}(ax)\right) \\
&\quad + (4ia^3) \operatorname{Subst}\left(\int \operatorname{PolyLog}(3, ie^x) dx, x, \operatorname{arccosh}(ax)\right)
\end{aligned}$$

$$\begin{aligned}
&= \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} \\
&\quad - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) + \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad + 4ia^3 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad - (4ia^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, -ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&\quad + (4ia^3) \operatorname{Subst}\left(\int \frac{\operatorname{PolyLog}(3, ix)}{x} dx, x, e^{\operatorname{arccosh}(ax)}\right) \\
&= \frac{2a^2 \operatorname{arccosh}(ax)^2}{x} + \frac{2a\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}{3x^2} - \frac{\operatorname{arccosh}(ax)^4}{3x^3} \\
&\quad - 8a^3 \operatorname{arccosh}(ax) \arctan(e^{\operatorname{arccosh}(ax)}) + \frac{4}{3}a^3 \operatorname{arccosh}(ax)^3 \arctan(e^{\operatorname{arccosh}(ax)}) \\
&\quad + 4ia^3 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 2ia^3 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) \\
&\quad + 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, ie^{\operatorname{arccosh}(ax)}) \\
&\quad - 4ia^3 \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) + 4ia^3 \operatorname{PolyLog}(4, ie^{\operatorname{arccosh}(ax)})
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 595 vs. $2(268) = 536$.

Time = 2.11 (sec) , antiderivative size = 595, normalized size of antiderivative = 2.22

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$$

$$= a^3 \left(\frac{1}{2} i (8 + \pi^2 - 4i\pi \operatorname{arccosh}(ax) - 4\operatorname{arccosh}(ax)^2) \operatorname{PolyLog}(2, -ie^{-\operatorname{arccosh}(ax)}) \right.$$

$$- \frac{1}{96} i \left(7\pi^4 + 8i\pi^3 \operatorname{arccosh}(ax) + 24\pi^2 \operatorname{arccosh}(ax)^2 + \frac{192i \operatorname{arccosh}(ax)^2}{ax} \right.$$

$$- 32i\pi \operatorname{arccosh}(ax)^3 + \frac{64i \sqrt{\frac{-1+ax}{1+ax}} (1+ax) \operatorname{arccosh}(ax)^3}{a^2 x^2} - 16 \operatorname{arccosh}(ax)^4$$

$$- \frac{32i \operatorname{arccosh}(ax)^4}{a^3 x^3} - 384 \operatorname{arccosh}(ax) \log(1 - ie^{-\operatorname{arccosh}(ax)}) + 8i\pi^3 \log(1 + ie^{-\operatorname{arccosh}(ax)})$$

$$+ 384 \operatorname{arccosh}(ax) \log(1 + ie^{-\operatorname{arccosh}(ax)}) + 48\pi^2 \operatorname{arccosh}(ax) \log(1 + ie^{-\operatorname{arccosh}(ax)})$$

$$- 96i\pi \operatorname{arccosh}(ax)^2 \log(1 + ie^{-\operatorname{arccosh}(ax)}) - 64 \operatorname{arccosh}(ax)^3 \log(1 + ie^{-\operatorname{arccosh}(ax)})$$

$$- 48\pi^2 \operatorname{arccosh}(ax) \log(1 - ie^{\operatorname{arccosh}(ax)}) + 96i\pi \operatorname{arccosh}(ax)^2 \log(1 - ie^{\operatorname{arccosh}(ax)})$$

$$- 8i\pi^3 \log(1 + ie^{\operatorname{arccosh}(ax)}) + 64 \operatorname{arccosh}(ax)^3 \log(1 + ie^{\operatorname{arccosh}(ax)})$$

$$+ 8i\pi^3 \log\left(\tan\left(\frac{1}{4}(\pi + 2i \operatorname{arccosh}(ax))\right)\right) + 384 \operatorname{PolyLog}(2, ie^{-\operatorname{arccosh}(ax)})$$

$$+ 192 \operatorname{arccosh}(ax)^2 \operatorname{PolyLog}(2, -ie^{\operatorname{arccosh}(ax)}) - 48\pi^2 \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)})$$

$$+ 192i\pi \operatorname{arccosh}(ax) \operatorname{PolyLog}(2, ie^{\operatorname{arccosh}(ax)}) + 192i\pi \operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)})$$

$$+ 384 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{-\operatorname{arccosh}(ax)}) - 384 \operatorname{arccosh}(ax) \operatorname{PolyLog}(3, -ie^{\operatorname{arccosh}(ax)}) - 192i\pi \operatorname{PolyLog}(3,$$

$$+ 384 \operatorname{PolyLog}(4, -ie^{-\operatorname{arccosh}(ax)}) + 384 \operatorname{PolyLog}(4, -ie^{\operatorname{arccosh}(ax)}) \left. \right)$$

[In] Integrate[ArcCosh[a*x]^4/x^4, x]

[Out] $a^3 \left(\frac{1}{2} (8 + \pi^2 - (4I)\pi \operatorname{ArcCosh}[a*x] - 4 \operatorname{ArcCosh}[a*x]^2) \operatorname{PolyLog}[2, (-1)/E^{\operatorname{ArcCosh}[a*x]}] - \frac{1}{96} (7\pi^4 + (8I)\pi^3 \operatorname{ArcCosh}[a*x] + 24\pi^2 \operatorname{ArcCosh}[a*x]^2 + ((192I)\operatorname{ArcCosh}[a*x]^2)/(a*x) - (32I)\pi \operatorname{ArcCosh}[a*x]^3 + ((64I)\sqrt{(-1 + a*x)/(1 + a*x)}(1 + a*x) \operatorname{ArcCosh}[a*x]^3)/(a^2 x^2) - 16 \operatorname{ArcCosh}[a*x]^4 - ((32I)\operatorname{ArcCosh}[a*x]^4)/(a^3 x^3) - 384 \operatorname{ArcCosh}[a*x] \operatorname{Log}[1 - 1/E^{\operatorname{ArcCosh}[a*x]}] + (8I)\pi^3 \operatorname{Log}[1 + 1/E^{\operatorname{ArcCosh}[a*x]}] + 384 \operatorname{ArcCosh}[a*x] \operatorname{Log}[1 + 1/E^{\operatorname{ArcCosh}[a*x]}] + 48\pi^2 \operatorname{ArcCosh}[a*x] \operatorname{Log}[1 + 1/E^{\operatorname{ArcCosh}[a*x]}] - (96I)\pi \operatorname{ArcCosh}[a*x]^2 \operatorname{Log}[1 + 1/E^{\operatorname{ArcCosh}[a*x]}] - 64 \operatorname{ArcCosh}[a*x]^3 \operatorname{Log}[1 + 1/E^{\operatorname{ArcCosh}[a*x]}] - 48\pi^2 \operatorname{ArcCosh}[a*x] \operatorname{Log}[1 - 1/E^{\operatorname{ArcCosh}[a*x]}] \right.$

```
*x]] + (96*I)*Pi*ArcCosh[a*x]^2*Log[1 - I*E^ArcCosh[a*x]] - (8*I)*Pi^3*Log[
1 + I*E^ArcCosh[a*x]] + 64*ArcCosh[a*x]^3*Log[1 + I*E^ArcCosh[a*x]] + (8*I)
*Pi^3*Log[Tan[(Pi + (2*I)*ArcCosh[a*x])/4]] + 384*PolyLog[2, I/E^ArcCosh[a*
x]] + 192*ArcCosh[a*x]^2*PolyLog[2, (-I)*E^ArcCosh[a*x]] - 48*Pi^2*PolyLog[
2, I*E^ArcCosh[a*x]] + (192*I)*Pi*ArcCosh[a*x]*PolyLog[2, I*E^ArcCosh[a*x]]
+ (192*I)*Pi*PolyLog[3, (-I)/E^ArcCosh[a*x]] + 384*ArcCosh[a*x]*PolyLog[3,
(-I)/E^ArcCosh[a*x]] - 384*ArcCosh[a*x]*PolyLog[3, (-I)*E^ArcCosh[a*x]] -
(192*I)*Pi*PolyLog[3, I*E^ArcCosh[a*x]] + 384*PolyLog[4, (-I)/E^ArcCosh[a*x
]] + 384*PolyLog[4, (-I)*E^ArcCosh[a*x]]))
```

Maple [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx$$

```
[In] int(arccosh(a*x)^4/x^4,x)
```

```
[Out] int(arccosh(a*x)^4/x^4,x)
```

Fricas [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x^4} dx$$

```
[In] integrate(arccosh(a*x)^4/x^4,x, algorithm="fricas")
```

```
[Out] integral(arccosh(a*x)^4/x^4, x)
```

Sympy [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \int \frac{\operatorname{acosh}^4(ax)}{x^4} dx$$

```
[In] integrate(acosh(a*x)**4/x**4,x)
```

```
[Out] Integral(acosh(a*x)**4/x**4, x)
```

Maxima [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x^4} dx$$

[In] integrate(arccosh(a*x)^4/x^4,x, algorithm="maxima")

[Out] $-1/3 \cdot \log(ax + \sqrt{ax + 1}) \cdot \sqrt{ax - 1}^4 / x^3 + \text{integrate}(4/3 \cdot (a^3 \cdot x^2 + \sqrt{ax + 1}) \cdot \sqrt{ax - 1} \cdot a^2 \cdot x - a) \cdot \log(ax + \sqrt{ax + 1}) \cdot \sqrt{ax - 1}^3 / (a^3 \cdot x^6 - a \cdot x^4 + (a^2 \cdot x^5 - x^3) \cdot \sqrt{ax + 1}) \cdot \sqrt{ax - 1}, x)$

Giac [F]

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \int \frac{\operatorname{arcosh}(ax)^4}{x^4} dx$$

[In] integrate(arccosh(a*x)^4/x^4,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^4/x^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^4}{x^4} dx = \int \frac{\operatorname{acosh}(ax)^4}{x^4} dx$$

[In] int(acosh(a*x)^4/x^4,x)

[Out] int(acosh(a*x)^4/x^4, x)

3.42 $\int \frac{x^6}{\operatorname{arccosh}(ax)} dx$

Optimal result	292
Rubi [A] (verified)	292
Mathematica [A] (verified)	293
Maple [A] (verified)	294
Fricas [F]	294
Sympy [F]	294
Maxima [F]	294
Giac [F]	295
Mupad [F(-1)]	295

Optimal result

Integrand size = 10, antiderivative size = 55

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \frac{5\operatorname{Shi}(\operatorname{arccosh}(ax))}{64a^7} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{64a^7} + \frac{5\operatorname{Shi}(5\operatorname{arccosh}(ax))}{64a^7} + \frac{\operatorname{Shi}(7\operatorname{arccosh}(ax))}{64a^7}$$

[Out] 5/64*Shi(arccosh(a*x))/a^7+9/64*Shi(3*arccosh(a*x))/a^7+5/64*Shi(5*arccosh(a*x))/a^7+1/64*Shi(7*arccosh(a*x))/a^7

Rubi [A] (verified)

Time = 0.08 (sec), antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5887, 5556, 3379}

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \frac{5\operatorname{Shi}(\operatorname{arccosh}(ax))}{64a^7} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{64a^7} + \frac{5\operatorname{Shi}(5\operatorname{arccosh}(ax))}{64a^7} + \frac{\operatorname{Shi}(7\operatorname{arccosh}(ax))}{64a^7}$$

[In] Int[x^6/ArcCosh[a*x],x]

[Out] (5*SinhIntegral[ArcCosh[a*x]]/(64*a^7) + (9*SinhIntegral[3*ArcCosh[a*x]])/(64*a^7) + (5*SinhIntegral[5*ArcCosh[a*x]])/(64*a^7) + SinhIntegral[7*ArcCosh[a*x]]/(64*a^7)

Rule 3379

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f

, fz}, x] && EqQ[d*e - c*f*fz*I, 0]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^6(x)\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^7} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{5\sinh(x)}{64x} + \frac{9\sinh(3x)}{64x} + \frac{5\sinh(5x)}{64x} + \frac{\sinh(7x)}{64x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^7} \\
 &= \frac{\text{Subst}\left(\int \frac{\sinh(7x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{64a^7} + \frac{5\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{64a^7} \\
 &\quad + \frac{5\text{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{64a^7} + \frac{9\text{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{64a^7} \\
 &= \frac{5\operatorname{Shi}(\operatorname{arccosh}(ax))}{64a^7} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{64a^7} + \frac{5\operatorname{Shi}(5\operatorname{arccosh}(ax))}{64a^7} + \frac{\operatorname{Shi}(7\operatorname{arccosh}(ax))}{64a^7}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.73

$$\begin{aligned}
 &\int \frac{x^6}{\operatorname{arccosh}(ax)} dx \\
 &= \frac{5\operatorname{Shi}(\operatorname{arccosh}(ax)) + 9\operatorname{Shi}(3\operatorname{arccosh}(ax)) + 5\operatorname{Shi}(5\operatorname{arccosh}(ax)) + \operatorname{Shi}(7\operatorname{arccosh}(ax))}{64a^7}
 \end{aligned}$$

[In] Integrate[x^6/ArcCosh[a*x], x]

[Out] (5*SinhIntegral[ArcCosh[a*x]] + 9*SinhIntegral[3*ArcCosh[a*x]] + 5*SinhIntegral[5*ArcCosh[a*x]] + SinhIntegral[7*ArcCosh[a*x]])/(64*a^7)

Maple [A] (verified)

Time = 0.31 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.73

method	result	size
derivativedivides	$\frac{\frac{5 \operatorname{Shi}(\operatorname{arccosh}(ax))}{64} + \frac{9 \operatorname{Shi}(3 \operatorname{arccosh}(ax))}{64} + \frac{5 \operatorname{Shi}(5 \operatorname{arccosh}(ax))}{64} + \frac{\operatorname{Shi}(7 \operatorname{arccosh}(ax))}{64}}{a^7}$	40
default	$\frac{\frac{5 \operatorname{Shi}(\operatorname{arccosh}(ax))}{64} + \frac{9 \operatorname{Shi}(3 \operatorname{arccosh}(ax))}{64} + \frac{5 \operatorname{Shi}(5 \operatorname{arccosh}(ax))}{64} + \frac{\operatorname{Shi}(7 \operatorname{arccosh}(ax))}{64}}{a^7}$	40

[In] int(x^6/arccosh(a*x),x,method=_RETURNVERBOSE)

[Out] 1/a^7*(5/64*Shi(arccosh(a*x))+9/64*Shi(3*arccosh(a*x))+5/64*Shi(5*arccosh(a*x))+1/64*Shi(7*arccosh(a*x)))

Fricas [F]

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \int \frac{x^6}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^6/arccosh(a*x),x, algorithm="fricas")

[Out] integral(x^6/arccosh(a*x), x)

Sympy [F]

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \int \frac{x^6}{\operatorname{acosh}(ax)} dx$$

[In] integrate(x**6/acosh(a*x),x)

[Out] Integral(x**6/acosh(a*x), x)

Maxima [F]

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \int \frac{x^6}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^6/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(x^6/arccosh(a*x), x)

Giac [F]

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \int \frac{x^6}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^6/arccosh(a*x),x, algorithm="giac")

[Out] integrate(x^6/arccosh(a*x), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^6}{\operatorname{arccosh}(ax)} dx = \int \frac{x^6}{\operatorname{acosh}(ax)} dx$$

[In] int(x^6/acosh(a*x),x)

[Out] int(x^6/acosh(a*x), x)

3.43 $\int \frac{x^5}{\operatorname{arccosh}(ax)} dx$

Optimal result	296
Rubi [A] (verified)	296
Mathematica [A] (verified)	297
Maple [A] (verified)	298
Fricas [F]	298
Sympy [F]	298
Maxima [F]	298
Giac [F(-2)]	299
Mupad [F(-1)]	299

Optimal result

Integrand size = 10, antiderivative size = 43

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \frac{5\operatorname{Shi}(2\operatorname{arccosh}(ax))}{32a^6} + \frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{8a^6} + \frac{\operatorname{Shi}(6\operatorname{arccosh}(ax))}{32a^6}$$

[Out] $5/32*\operatorname{Shi}(2*\operatorname{arccosh}(a*x))/a^6+1/8*\operatorname{Shi}(4*\operatorname{arccosh}(a*x))/a^6+1/32*\operatorname{Shi}(6*\operatorname{arccosh}(a*x))/a^6$

Rubi [A] (verified)

Time = 0.07 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5887, 5556, 3379}

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \frac{5\operatorname{Shi}(2\operatorname{arccosh}(ax))}{32a^6} + \frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{8a^6} + \frac{\operatorname{Shi}(6\operatorname{arccosh}(ax))}{32a^6}$$

[In] $\operatorname{Int}[x^5/\operatorname{ArcCosh}[a*x], x]$

[Out] $(5*\operatorname{SinhIntegral}[2*\operatorname{ArcCosh}[a*x]])/(32*a^6) + \operatorname{SinhIntegral}[4*\operatorname{ArcCosh}[a*x]]/(8*a^6) + \operatorname{SinhIntegral}[6*\operatorname{ArcCosh}[a*x]]/(32*a^6)$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x] \ \&\& \operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 5556


```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^5(x) \sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a^6} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{5 \sinh(2x)}{32x} + \frac{\sinh(4x)}{8x} + \frac{\sinh(6x)}{32x}\right) dx, x, \text{arccosh}(ax)\right)}{a^6} \\
 &= \frac{\text{Subst}\left(\int \frac{\sinh(6x)}{x} dx, x, \text{arccosh}(ax)\right)}{32a^6} + \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{x} dx, x, \text{arccosh}(ax)\right)}{8a^6} \\
 &\quad + \frac{5 \text{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \text{arccosh}(ax)\right)}{32a^6} \\
 &= \frac{5 \text{Shi}(2 \text{arccosh}(ax))}{32a^6} + \frac{\text{Shi}(4 \text{arccosh}(ax))}{8a^6} + \frac{\text{Shi}(6 \text{arccosh}(ax))}{32a^6}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.77

$$\int \frac{x^5}{\text{arccosh}(ax)} dx = \frac{5 \text{Shi}(2 \text{arccosh}(ax)) + 4 \text{Shi}(4 \text{arccosh}(ax)) + \text{Shi}(6 \text{arccosh}(ax))}{32a^6}$$

```
[In] Integrate[x^5/ArcCosh[a*x], x]
```

```
[Out] (5*SinhIntegral[2*ArcCosh[a*x]] + 4*SinhIntegral[4*ArcCosh[a*x]] + SinhInte
gral[6*ArcCosh[a*x]])/(32*a^6)
```

Maple [A] (verified)

Time = 0.21 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.77

method	result	size
derivativedivides	$\frac{\frac{5 \operatorname{Shi}(2 \operatorname{arccosh}(ax))}{32} + \frac{\operatorname{Shi}(4 \operatorname{arccosh}(ax))}{8} + \frac{\operatorname{Shi}(6 \operatorname{arccosh}(ax))}{32}}{a^6}$	33
default	$\frac{\frac{5 \operatorname{Shi}(2 \operatorname{arccosh}(ax))}{32} + \frac{\operatorname{Shi}(4 \operatorname{arccosh}(ax))}{8} + \frac{\operatorname{Shi}(6 \operatorname{arccosh}(ax))}{32}}{a^6}$	33

[In] int(x^5/arccosh(a*x),x,method=_RETURNVERBOSE)

[Out] 1/a^6*(5/32*Shi(2*arccosh(a*x))+1/8*Shi(4*arccosh(a*x))+1/32*Shi(6*arccosh(a*x)))

Fricas [F]

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \int \frac{x^5}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^5/arccosh(a*x),x, algorithm="fricas")

[Out] integral(x^5/arccosh(a*x), x)

Sympy [F]

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \int \frac{x^5}{\operatorname{acosh}(ax)} dx$$

[In] integrate(x**5/acosh(a*x),x)

[Out] Integral(x**5/acosh(a*x), x)

Maxima [F]

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \int \frac{x^5}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^5/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(x^5/arccosh(a*x), x)

Giac [F(-2)]

Exception generated.

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^5/arccosh(a*x),x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^5}{\operatorname{arccosh}(ax)} dx = \int \frac{x^5}{\operatorname{acosh}(ax)} dx$$

[In] int(x^5/acosh(a*x),x)

[Out] int(x^5/acosh(a*x), x)

3.44 $\int \frac{x^4}{\operatorname{arccosh}(ax)} dx$

Optimal result	300
Rubi [A] (verified)	300
Mathematica [A] (verified)	301
Maple [A] (verified)	302
Fricas [F]	302
Sympy [F]	302
Maxima [F]	302
Giac [F]	303
Mupad [F(-1)]	303

Optimal result

Integrand size = 10, antiderivative size = 41

$$\int \frac{x^4}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8a^5} + \frac{3\operatorname{Shi}(3\operatorname{arccosh}(ax))}{16a^5} + \frac{\operatorname{Shi}(5\operatorname{arccosh}(ax))}{16a^5}$$

[Out] 1/8*Shi(arccosh(a*x))/a^5+3/16*Shi(3*arccosh(a*x))/a^5+1/16*Shi(5*arccosh(a*x))/a^5

Rubi [A] (verified)

Time = 0.07 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5887, 5556, 3379}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8a^5} + \frac{3\operatorname{Shi}(3\operatorname{arccosh}(ax))}{16a^5} + \frac{\operatorname{Shi}(5\operatorname{arccosh}(ax))}{16a^5}$$

[In] Int[x^4/ArcCosh[a*x],x]

[Out] SinhIntegral[ArcCosh[a*x]]/(8*a^5) + (3*SinhIntegral[3*ArcCosh[a*x]])/(16*a^5) + SinhIntegral[5*ArcCosh[a*x]]/(16*a^5)

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^4(x)\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{8x} + \frac{3\sinh(3x)}{16x} + \frac{\sinh(5x)}{16x}\right) dx, x, \text{arccosh}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \text{arccosh}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{8a^5} \\
&\quad + \frac{3\text{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \text{arccosh}(ax)\right)}{16a^5} \\
&= \frac{\text{Shi}(\text{arccosh}(ax))}{8a^5} + \frac{3\text{Shi}(3\text{arccosh}(ax))}{16a^5} + \frac{\text{Shi}(5\text{arccosh}(ax))}{16a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.76

$$\int \frac{x^4}{\text{arccosh}(ax)} dx = \frac{2\text{Shi}(\text{arccosh}(ax)) + 3\text{Shi}(3\text{arccosh}(ax)) + \text{Shi}(5\text{arccosh}(ax))}{16a^5}$$

```
[In] Integrate[x^4/ArcCosh[a*x], x]
```

```
[Out] (2*SinhIntegral[ArcCosh[a*x]] + 3*SinhIntegral[3*ArcCosh[a*x]] + SinhIntegr
al[5*ArcCosh[a*x]])/(16*a^5)
```

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.76

method	result	size
derivativedivides	$\frac{\text{Shi}(\text{arccosh}(ax))}{8} + \frac{3 \text{Shi}(3 \text{arccosh}(ax))}{16} + \frac{\text{Shi}(5 \text{arccosh}(ax))}{16}$	31
default	$\frac{\text{Shi}(\text{arccosh}(ax))}{8} + \frac{3 \text{Shi}(3 \text{arccosh}(ax))}{16} + \frac{\text{Shi}(5 \text{arccosh}(ax))}{16}$	31

[In] int(x^4/arccosh(a*x),x,method=_RETURNVERBOSE)

[Out] 1/a^5*(1/8*Shi(arccosh(a*x))+3/16*Shi(3*arccosh(a*x))+1/16*Shi(5*arccosh(a*x)))

Fricas [F]

$$\int \frac{x^4}{\text{arccosh}(ax)} dx = \int \frac{x^4}{\text{arcosh}(ax)} dx$$

[In] integrate(x^4/arccosh(a*x),x, algorithm="fricas")

[Out] integral(x^4/arccosh(a*x), x)

Sympy [F]

$$\int \frac{x^4}{\text{arccosh}(ax)} dx = \int \frac{x^4}{\text{acosh}(ax)} dx$$

[In] integrate(x**4/acosh(a*x),x)

[Out] Integral(x**4/acosh(a*x), x)

Maxima [F]

$$\int \frac{x^4}{\text{arccosh}(ax)} dx = \int \frac{x^4}{\text{arcosh}(ax)} dx$$

[In] integrate(x^4/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(x^4/arccosh(a*x), x)

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^4/arccosh(a*x),x, algorithm="giac")

[Out] integrate(x^4/arccosh(a*x), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)} dx = \int \frac{x^4}{\operatorname{acosh}(ax)} dx$$

[In] int(x^4/acosh(a*x),x)

[Out] int(x^4/acosh(a*x), x)

3.45 $\int \frac{x^3}{\operatorname{arccosh}(ax)} dx$

Optimal result	304
Rubi [A] (verified)	304
Mathematica [A] (verified)	305
Maple [A] (verified)	305
Fricas [F]	306
Sympy [F]	306
Maxima [F]	306
Giac [F(-2)]	306
Mupad [F(-1)]	307

Optimal result

Integrand size = 10, antiderivative size = 29

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{4a^4} + \frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{8a^4}$$

[Out] $1/4*\operatorname{Shi}(2*\operatorname{arccosh}(a*x))/a^4+1/8*\operatorname{Shi}(4*\operatorname{arccosh}(a*x))/a^4$

Rubi [A] (verified)

Time = 0.06 (sec), antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5887, 5556, 3379}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{4a^4} + \frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{8a^4}$$

[In] $\operatorname{Int}[x^3/\operatorname{ArcCosh}[a*x], x]$

[Out] $\operatorname{SinhIntegral}[2*\operatorname{ArcCosh}[a*x]]/(4*a^4) + \operatorname{SinhIntegral}[4*\operatorname{ArcCosh}[a*x]]/(8*a^4)$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]$ $\rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x]$ /; $\operatorname{FreeQ}\{c, d, e, f, fz\}, x]$ && $\operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 5556

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_)]^{(p_.)*((c_.) + (d_.)*(x_))^{(m_.)*\operatorname{Sinh}[(a_.) + (b_.)*(x_)]^{(n_.)}, x_Symbol]$ $\rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sinh}[a +$

$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

Rule 5887

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] := \text{Dist}[1/(b*c^{(m+1)}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^3(x) \sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a^4} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(2x)}{4x} + \frac{\sinh(4x)}{8x}\right) dx, x, \text{arccosh}(ax)\right)}{a^4} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{x} dx, x, \text{arccosh}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \text{arccosh}(ax)\right)}{4a^4} \\ &= \frac{\text{Shi}(2\text{arccosh}(ax))}{4a^4} + \frac{\text{Shi}(4\text{arccosh}(ax))}{8a^4} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.83

$$\int \frac{x^3}{\text{arccosh}(ax)} dx = \frac{2\text{Shi}(2\text{arccosh}(ax)) + \text{Shi}(4\text{arccosh}(ax))}{8a^4}$$

[In] Integrate[x^3/ArcCosh[a*x],x]

[Out] (2*SinhIntegral[2*ArcCosh[a*x]] + SinhIntegral[4*ArcCosh[a*x]])/(8*a^4)

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.83

method	result	size
derivativedivides	$\frac{\text{Shi}(2 \text{ arccosh}(ax)) + \text{Shi}(4 \text{ arccosh}(ax))}{4a^4}$	24
default	$\frac{\text{Shi}(2 \text{ arccosh}(ax)) + \text{Shi}(4 \text{ arccosh}(ax))}{4a^4}$	24

```
[In] int(x^3/arccosh(a*x),x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^4*(1/4*Shi(2*arccosh(a*x))+1/8*Shi(4*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)} dx$$

```
[In] integrate(x^3/arccosh(a*x),x, algorithm="fricas")
```

```
[Out] integral(x^3/arccosh(a*x), x)
```

Sympy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \int \frac{x^3}{\operatorname{acosh}(ax)} dx$$

```
[In] integrate(x**3/acosh(a*x),x)
```

```
[Out] Integral(x**3/acosh(a*x), x)
```

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)} dx$$

```
[In] integrate(x^3/arccosh(a*x),x, algorithm="maxima")
```

```
[Out] integrate(x^3/arccosh(a*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3/arccosh(a*x),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)} dx = \int \frac{x^3}{\operatorname{acosh}(ax)} dx$$

```
[In] int(x^3/acosh(a*x),x)
```

```
[Out] int(x^3/acosh(a*x), x)
```

3.46 $\int \frac{x^2}{\operatorname{arccosh}(ax)} dx$

Optimal result	308
Rubi [A] (verified)	308
Mathematica [A] (verified)	309
Maple [A] (verified)	309
Fricas [F]	310
Sympy [F]	310
Maxima [F]	310
Giac [F]	310
Mupad [F(-1)]	311

Optimal result

Integrand size = 10, antiderivative size = 27

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{4a^3} + \frac{\operatorname{Shi}(3\operatorname{arccosh}(ax))}{4a^3}$$

[Out] $1/4*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a^3+1/4*\operatorname{Shi}(3*\operatorname{arccosh}(a*x))/a^3$

Rubi [A] (verified)

Time = 0.05 (sec), antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5887, 5556, 3379}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{4a^3} + \frac{\operatorname{Shi}(3\operatorname{arccosh}(ax))}{4a^3}$$

[In] $\operatorname{Int}[x^2/\operatorname{ArcCosh}[a*x], x]$

[Out] $\operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(4*a^3) + \operatorname{SinhIntegral}[3*\operatorname{ArcCosh}[a*x]]/(4*a^3)$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]$ $\rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /;$ $\operatorname{FreeQ}[\{c, d, e, f, fz\}, x]$ && $\operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 5556

$\operatorname{Int}[\operatorname{Cosh}[(a_.) + (b_.)*(x_)]^{(p_.)*((c_.) + (d_.)*(x_))^{(m_.)*\operatorname{Sinh}[(a_.) + (b_.)*(x_)]^{(n_.)}, x_Symbol]$ $\rightarrow \operatorname{Int}[\operatorname{ExpandTrigReduce}[(c + d*x)^m, \operatorname{Sinh}[a +$

$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}[\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \& \text{IGtQ}[p, 0]$

Rule 5887

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(b*c^{(m+1)}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{4x} + \frac{\sinh(3x)}{4x}\right) dx, x, \text{arccosh}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{4a^3} + \frac{\text{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \text{arccosh}(ax)\right)}{4a^3} \\ &= \frac{\text{Shi}(\text{arccosh}(ax))}{4a^3} + \frac{\text{Shi}(3\text{arccosh}(ax))}{4a^3} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.74

$$\int \frac{x^2}{\text{arccosh}(ax)} dx = \frac{\text{Shi}(\text{arccosh}(ax)) + \text{Shi}(3\text{arccosh}(ax))}{4a^3}$$

[In] Integrate[x^2/ArcCosh[a*x],x]

[Out] (SinhIntegral[ArcCosh[a*x]] + SinhIntegral[3*ArcCosh[a*x]])/(4*a^3)

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.81

method	result	size
derivativedivides	$\frac{\text{Shi}(\text{arccosh}(ax)) + \text{Shi}(3 \text{arccosh}(ax))}{4a^3}$	22
default	$\frac{\text{Shi}(\text{arccosh}(ax)) + \text{Shi}(3 \text{arccosh}(ax))}{4a^3}$	22

[In] `int(x^2/arccosh(a*x),x,method=_RETURNVERBOSE)`

[Out] `1/a^3*(1/4*Shi(arccosh(a*x))+1/4*Shi(3*arccosh(a*x)))`

Fricas [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)} dx$$

[In] `integrate(x^2/arccosh(a*x),x, algorithm="fricas")`

[Out] `integral(x^2/arccosh(a*x), x)`

Sympy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \int \frac{x^2}{\operatorname{acosh}(ax)} dx$$

[In] `integrate(x**2/acosh(a*x),x)`

[Out] `Integral(x**2/acosh(a*x), x)`

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)} dx$$

[In] `integrate(x^2/arccosh(a*x),x, algorithm="maxima")`

[Out] `integrate(x^2/arccosh(a*x), x)`

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)} dx$$

[In] `integrate(x^2/arccosh(a*x),x, algorithm="giac")`

[Out] `integrate(x^2/arccosh(a*x), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)} dx = \int \frac{x^2}{\operatorname{acosh}(ax)} dx$$

```
[In] int(x^2/acosh(a*x),x)
```

```
[Out] int(x^2/acosh(a*x), x)
```

3.47 $\int \frac{x}{\operatorname{arccosh}(ax)} dx$

Optimal result	312
Rubi [A] (verified)	312
Mathematica [A] (verified)	313
Maple [A] (verified)	314
Fricas [F]	314
Sympy [F]	314
Maxima [F]	314
Giac [F]	315
Mupad [F(-1)]	315

Optimal result

Integrand size = 8, antiderivative size = 14

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{2a^2}$$

[Out] 1/2*Shi(2*arccosh(a*x))/a^2

Rubi [A] (verified)

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5887, 5556, 12, 3379}

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{2a^2}$$

[In] Int[x/ArcCosh[a*x],x]

[Out] SinhIntegral[2*ArcCosh[a*x]]/(2*a^2)

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3379

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{2x} dx, x, \text{arccosh}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \text{arccosh}(ax)\right)}{2a^2} \\ &= \frac{\text{Shi}(2\text{arccosh}(ax))}{2a^2} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{x}{\text{arccosh}(ax)} dx = \frac{\text{Shi}(2\text{arccosh}(ax))}{2a^2}$$

```
[In] Integrate[x/ArcCosh[a*x],x]
```

```
[Out] SinhIntegral[2*ArcCosh[a*x]]/(2*a^2)
```

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 13, normalized size of antiderivative = 0.93

method	result	size
derivativedivides	$\frac{\text{Shi}(2 \operatorname{arccosh}(ax))}{2a^2}$	13
default	$\frac{\text{Shi}(2 \operatorname{arccosh}(ax))}{2a^2}$	13

[In] `int(x/arccosh(a*x),x,method=_RETURNVERBOSE)`

[Out] `1/2*Shi(2*arccosh(a*x))/a^2`

Fricas [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \int \frac{x}{\operatorname{arcosh}(ax)} dx$$

[In] `integrate(x/arccosh(a*x),x, algorithm="fricas")`

[Out] `integral(x/arccosh(a*x), x)`

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \int \frac{x}{\operatorname{acosh}(ax)} dx$$

[In] `integrate(x/acosh(a*x),x)`

[Out] `Integral(x/acosh(a*x), x)`

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \int \frac{x}{\operatorname{arcosh}(ax)} dx$$

[In] `integrate(x/arccosh(a*x),x, algorithm="maxima")`

[Out] `integrate(x/arccosh(a*x), x)`

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \int \frac{x}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x/arccosh(a*x),x, algorithm="giac")

[Out] integrate(x/arccosh(a*x), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)} dx = \int \frac{x}{\operatorname{acosh}(ax)} dx$$

[In] int(x/acosh(a*x),x)

[Out] int(x/acosh(a*x), x)

3.48 $\int \frac{1}{\operatorname{arccosh}(ax)} dx$

Optimal result	316
Rubi [A] (verified)	316
Mathematica [A] (verified)	317
Maple [A] (verified)	317
Fricas [F]	317
Sympy [F]	318
Maxima [F]	318
Giac [F]	318
Mupad [F(-1)]	318

Optimal result

Integrand size = 6, antiderivative size = 9

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{a}$$

[Out] Shi(arccosh(a*x))/a

Rubi [A] (verified)

Time = 0.01 (sec) , antiderivative size = 9, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5881, 3379}

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{a}$$

[In] Int[ArcCosh[a*x]^(-1),x]

[Out] SinhIntegral[ArcCosh[a*x]]/a

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*e - c*f*fz*I, 0]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n_, x_Symbol]
:> Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a} \\ &= \frac{\text{Shi}(\text{arccosh}(ax))}{a} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 9, normalized size of antiderivative = 1.00

$$\int \frac{1}{\text{arccosh}(ax)} dx = \frac{\text{Shi}(\text{arccosh}(ax))}{a}$$

[In] Integrate[ArcCosh[a*x]^(-1),x]

[Out] SinhIntegral[ArcCosh[a*x]]/a

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.11

method	result	size
derivativedivides	$\frac{\text{Shi}(\text{arccosh}(ax))}{a}$	10
default	$\frac{\text{Shi}(\text{arccosh}(ax))}{a}$	10

[In] int(1/arccosh(a*x),x,method=_RETURNVERBOSE)

[Out] Shi(arccosh(a*x))/a

Fricas [F]

$$\int \frac{1}{\text{arccosh}(ax)} dx = \int \frac{1}{\text{arcosh}(ax)} dx$$

[In] integrate(1/arccosh(a*x),x, algorithm="fricas")

[Out] integral(1/arccosh(a*x), x)

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \int \frac{1}{\operatorname{acosh}(ax)} dx$$

[In] integrate(1/acosh(a*x),x)

[Out] Integral(1/acosh(a*x), x)

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \int \frac{1}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(1/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(1/arccosh(a*x), x)

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \int \frac{1}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(1/arccosh(a*x),x, algorithm="giac")

[Out] integrate(1/arccosh(a*x), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)} dx = \int \frac{1}{\operatorname{acosh}(ax)} dx$$

[In] int(1/acosh(a*x),x)

[Out] int(1/acosh(a*x), x)

3.49 $\int \frac{1}{x \operatorname{arccosh}(ax)} dx$

Optimal result	319
Rubi [N/A]	319
Mathematica [N/A]	320
Maple [N/A] (verified)	320
Fricas [N/A]	320
Sympy [N/A]	320
Maxima [N/A]	321
Giac [N/A]	321
Mupad [N/A]	321

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

[In] Int[1/(x*ArcCosh[a*x]),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

Mathematica [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

[In] Integrate[1/(x*ArcCosh[a*x]),x]

[Out] Integrate[1/(x*ArcCosh[a*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.09 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

[In] int(1/x/arccosh(a*x),x)

[Out] int(1/x/arccosh(a*x),x)

Fricas [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{arccosh}(ax)} dx$$

[In] integrate(1/x/arccosh(a*x),x, algorithm="fricas")

[Out] integral(1/(x*arccosh(a*x)), x)

Sympy [N/A]

Not integrable

Time = 0.39 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{acosh}(ax)} dx$$

[In] integrate(1/x/acosh(a*x),x)

[Out] Integral(1/(x*acosh(a*x)), x)

Maxima [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{arcosh}(ax)} dx$$

[In] integrate(1/x/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(1/(x*arccosh(a*x)), x)

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{arcosh}(ax)} dx$$

[In] integrate(1/x/arccosh(a*x),x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)), x)

Mupad [N/A]

Not integrable

Time = 2.63 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)} dx = \int \frac{1}{x \operatorname{acosh}(ax)} dx$$

[In] int(1/(x*acosh(a*x)),x)

[Out] int(1/(x*acosh(a*x)), x)

3.50 $\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$

Optimal result	322
Rubi [N/A]	322
Mathematica [N/A]	323
Maple [N/A] (verified)	323
Fricas [N/A]	323
Sympy [N/A]	323
Maxima [N/A]	324
Giac [N/A]	324
Mupad [N/A]	324

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \operatorname{Int}\left(\frac{1}{x^2 \operatorname{arccosh}(ax)}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a*x),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

[In] Int[1/(x^2*ArcCosh[a*x]),x]

[Out] Defer[Int][1/(x^2*ArcCosh[a*x]), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

Mathematica [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

`[In] Integrate[1/(x^2*ArcCosh[a*x]),x]``[Out] Integrate[1/(x^2*ArcCosh[a*x]), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.12 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

`[In] int(1/x^2/arccosh(a*x),x)``[Out] int(1/x^2/arccosh(a*x),x)`**Fricas [N/A]**

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx$$

`[In] integrate(1/x^2/arccosh(a*x),x, algorithm="fricas")``[Out] integral(1/(x^2*arccosh(a*x)), x)`**Sympy [N/A]**

Not integrable

Time = 0.61 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)} dx$$

`[In] integrate(1/x**2/acosh(a*x),x)``[Out] Integral(1/(x**2*acosh(a*x)), x)`

Maxima [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)} dx$$

[In] integrate(1/x^2/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(1/(x^2*arccosh(a*x)), x)

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)} dx$$

[In] integrate(1/x^2/arccosh(a*x),x, algorithm="giac")

[Out] integrate(1/(x^2*arccosh(a*x)), x)

Mupad [N/A]

Not integrable

Time = 2.62 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)} dx$$

[In] int(1/(x^2*acosh(a*x)),x)

[Out] int(1/(x^2*acosh(a*x)), x)

3.51 $\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	325
Rubi [A] (verified)	325
Mathematica [A] (warning: unable to verify)	326
Maple [A] (verified)	327
Fricas [F]	327
Sympy [F]	327
Maxima [F]	327
Giac [F]	328
Mupad [F(-1)]	328

Optimal result

Integrand size = 10, antiderivative size = 73

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{a \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{8a^5} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{16a^5} + \frac{5\operatorname{Chi}(5\operatorname{arccosh}(ax))}{16a^5}$$

[Out] 1/8*Chi(arccosh(a*x))/a^5+9/16*Chi(3*arccosh(a*x))/a^5+5/16*Chi(5*arccosh(a*x))/a^5-x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)

Rubi [A] (verified)

Time = 0.05 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5885, 3382}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{8a^5} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{16a^5} + \frac{5\operatorname{Chi}(5\operatorname{arccosh}(ax))}{16a^5} - \frac{x^4 \sqrt{ax-1} \sqrt{ax+1}}{a \operatorname{arccosh}(ax)}$$

[In] Int[x^4/ArcCosh[a*x]^2,x]

[Out] -((x^4*sqrt[-1+a*x]*sqrt[1+a*x])/(a*ArcCosh[a*x])) + CoshIntegral[ArcCosh[a*x]]/(8*a^5) + (9*CoshIntegral[3*ArcCosh[a*x]])/(16*a^5) + (5*CoshIntegral[5*ArcCosh[a*x]])/(16*a^5)

Rule 3382

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz

```
}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.), x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} \\ &\quad - \frac{\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{8x} - \frac{9\cosh(3x)}{16x} - \frac{5\cosh(5x)}{16x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\ &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} \\ &\quad + \frac{5\operatorname{Subst}\left(\int\frac{\cosh(5x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} + \frac{9\operatorname{Subst}\left(\int\frac{\cosh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\ &= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{8a^5} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{16a^5} + \frac{5\operatorname{Chi}(5\operatorname{arccosh}(ax))}{16a^5} \end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.16 (sec) , antiderivative size = 101, normalized size of antiderivative = 1.38

$$\begin{aligned} &\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx \\ &= \frac{-16a^4x^4\sqrt{\frac{-1+ax}{1+ax}} - 16a^5x^5\sqrt{\frac{-1+ax}{1+ax}} + 2\operatorname{arccosh}(ax)\operatorname{Chi}(\operatorname{arccosh}(ax)) + 9\operatorname{arccosh}(ax)\operatorname{Chi}(3\operatorname{arccosh}(ax)) +}{16a^5\operatorname{arccosh}(ax)} \end{aligned}$$

```
[In] Integrate[x^4/ArcCosh[a*x]^2,x]
```

```
[Out] (-16*a^4*x^4*Sqrt[(-1 + a*x)/(1 + a*x)] - 16*a^5*x^5*Sqrt[(-1 + a*x)/(1 + a
*x)] + 2*ArcCosh[a*x]*CoshIntegral[ArcCosh[a*x]] + 9*ArcCosh[a*x]*CoshInteg
ral[3*ArcCosh[a*x]] + 5*ArcCosh[a*x]*CoshIntegral[5*ArcCosh[a*x]])/(16*a^5*
ArcCosh[a*x])
```

Maple [A] (verified)

Time = 0.22 (sec) , antiderivative size = 83, normalized size of antiderivative = 1.14

method	result
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{8 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{8} - \frac{3 \sinh(3 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)} + \frac{9 \operatorname{Chi}(3 \operatorname{arccosh}(ax))}{16} - \frac{\sinh(5 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)} + \frac{5 \operatorname{Chi}(5 \operatorname{arccosh}(ax))}{16}}{a^5}$
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{8 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{8} - \frac{3 \sinh(3 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)} + \frac{9 \operatorname{Chi}(3 \operatorname{arccosh}(ax))}{16} - \frac{\sinh(5 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)} + \frac{5 \operatorname{Chi}(5 \operatorname{arccosh}(ax))}{16}}{a^5}$

[In] int(x^4/arccosh(a*x)^2,x,method=_RETURNVERBOSE)

```
[Out] 1/a^5*(-1/8/arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+1/8*Chi(arccosh(a*x))-
3/16/arccosh(a*x)*sinh(3*arccosh(a*x))+9/16*Chi(3*arccosh(a*x))-1/16/arccos
h(a*x)*sinh(5*arccosh(a*x))+5/16*Chi(5*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^2} dx$$

[In] integrate(x^4/arccosh(a*x)^2,x, algorithm="fricas")

[Out] integral(x^4/arccosh(a*x)^2, x)

Sympy [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^4}{\operatorname{acosh}^2(ax)} dx$$

[In] integrate(x**4/acosh(a*x)**2,x)

[Out] Integral(x**4/acosh(a*x)**2, x)

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^2} dx$$

[In] integrate(x^4/arccosh(a*x)^2,x, algorithm="maxima")

```
[Out] -(a^3*x^7 - a*x^5 + (a^2*x^6 - x^4)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^3*x^2
+ sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x -
```

```

1))) + integrate((5*a^5*x^8 - 10*a^3*x^6 + 5*a*x^4 + (5*a^3*x^6 - 3*a*x^4)
*(a*x + 1)*(a*x - 1) + (10*a^4*x^7 - 13*a^2*x^5 + 4*x^3)*sqrt(a*x + 1)*sqrt
(a*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3
- a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1))), x)

```

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x^4/arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(x^4/arccosh(a*x)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^2} dx$$

```
[In] int(x^4/acosh(a*x)^2,x)
```

```
[Out] int(x^4/acosh(a*x)^2, x)
```


3.52 $\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	329
Rubi [A] (verified)	329
Mathematica [A] (verified)	330
Maple [A] (verified)	330
Fricas [F]	331
Sympy [F]	331
Maxima [F]	331
Giac [F(-2)]	332
Mupad [F(-1)]	332

Optimal result

Integrand size = 10, antiderivative size = 61

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{a \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2 \operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Chi}(4 \operatorname{arccosh}(ax))}{2a^4}$$

[Out] 1/2*Chi(2*arccosh(a*x))/a^4+1/2*Chi(4*arccosh(a*x))/a^4-x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)

Rubi [A] (verified)

Time = 0.04 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5885, 3382}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \frac{\operatorname{Chi}(2 \operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Chi}(4 \operatorname{arccosh}(ax))}{2a^4} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{a \operatorname{arccosh}(ax)}$$

[In] Int[x^3/ArcCosh[a*x]^2,x]

[Out] -((x^3*sqrt[-1+a*x]*sqrt[1+a*x])/(a*ArcCosh[a*x])) + CoshIntegral[2*ArcCosh[a*x]]/(2*a^4) + CoshIntegral[4*ArcCosh[a*x]]/(2*a^4)

Rule 3382

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int\left(-\frac{\cosh(2x)}{2x} - \frac{\cosh(4x)}{2x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} \\
&\quad + \frac{\operatorname{Subst}\left(\int\frac{\cosh(4x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Chi}(4\operatorname{arccosh}(ax))}{2a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.19 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.95

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \frac{-\frac{2a^3x^3\sqrt{\frac{-1+ax}{1+ax}}(1+ax)}{\operatorname{arccosh}(ax)} + \operatorname{Chi}(2\operatorname{arccosh}(ax)) + \operatorname{Chi}(4\operatorname{arccosh}(ax))}{2a^4}$$

[In] Integrate[x^3/ArcCosh[a*x]^2,x]

[Out] ((-2*a^3*x^3*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/ArcCosh[a*x] + CoshIntegral[2*ArcCosh[a*x]] + CoshIntegral[4*ArcCosh[a*x]])/(2*a^4)

Maple [A] (verified)

Time = 0.17 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.89

method	result	size
derivativedivides	$\frac{-\frac{\sinh(2\operatorname{arccosh}(ax))}{4\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{2} - \frac{\sinh(4\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(4\operatorname{arccosh}(ax))}{2}}{a^4}$	54
default	$\frac{-\frac{\sinh(2\operatorname{arccosh}(ax))}{4\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{2} - \frac{\sinh(4\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(4\operatorname{arccosh}(ax))}{2}}{a^4}$	54

[In] `int(x^3/arccosh(a*x)^2,x,method=_RETURNVERBOSE)`

[Out] `1/a^4*(-1/4/arccosh(a*x)*sinh(2*arccosh(a*x))+1/2*Chi(2*arccosh(a*x))-1/8/a
rccosh(a*x)*sinh(4*arccosh(a*x))+1/2*Chi(4*arccosh(a*x)))`

Fricas [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(x^3/arccosh(a*x)^2,x, algorithm="fricas")`

[Out] `integral(x^3/arccosh(a*x)^2, x)`

Sympy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^3}{\operatorname{acosh}^2(ax)} dx$$

[In] `integrate(x**3/acosh(a*x)**2,x)`

[Out] `Integral(x**3/acosh(a*x)**2, x)`

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(x^3/arccosh(a*x)^2,x, algorithm="maxima")`

[Out] `-(a^3*x^6 - a*x^4 + (a^2*x^5 - x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^3*x^2
+ sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x -
1))) + integrate((4*a^5*x^7 - 8*a^3*x^5 + 4*a*x^3 + 2*(2*a^3*x^5 - a*x^3)*
(a*x + 1)*(a*x - 1) + (8*a^4*x^6 - 10*a^2*x^4 + 3*x^2)*sqrt(a*x + 1)*sqrt(a
*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 -
a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x -
1))), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3/arccosh(a*x)^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^2} dx$$

[In] int(x^3/acosh(a*x)^2,x)

[Out] int(x^3/acosh(a*x)^2, x)

3.53 $\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	333
Rubi [A] (verified)	333
Mathematica [A] (warning: unable to verify)	334
Maple [A] (verified)	334
Fricas [F]	335
Sympy [F]	335
Maxima [F]	335
Giac [F]	336
Mupad [F(-1)]	336

Optimal result

Integrand size = 10, antiderivative size = 59

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = -\frac{x^2 \sqrt{-1+ax} \sqrt{1+ax}}{a \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{4a^3} + \frac{3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4a^3}$$

[Out] 1/4*Chi(arccosh(a*x))/a^3+3/4*Chi(3*arccosh(a*x))/a^3-x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)

Rubi [A] (verified)

Time = 0.05 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5885, 3382}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{4a^3} + \frac{3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4a^3} - \frac{x^2 \sqrt{ax-1} \sqrt{ax+1}}{a \operatorname{arccosh}(ax)}$$

[In] Int[x^2/ArcCosh[a*x]^2,x]

[Out] -((x^2*sqrt[-1+a*x]*sqrt[1+a*x])/(a*ArcCosh[a*x])) + CoshIntegral[ArcCosh[a*x]]/(4*a^3) + (3*CoshIntegral[3*ArcCosh[a*x]])/(4*a^3)

Rule 3382

Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4x} - \frac{3\cosh(3x)}{4x}\right)dx, x, \operatorname{arccosh}(ax)\right)}{a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} \\ &\quad + \frac{3\operatorname{Subst}\left(\int\frac{\cosh(3x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} \\ &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{4a^3} + \frac{3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4a^3} \end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.18 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.98

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \frac{-\frac{4a^2x^2\sqrt{\frac{-1+ax}{1+ax}}(1+ax)}{\operatorname{arccosh}(ax)} + \operatorname{Chi}(\operatorname{arccosh}(ax)) + 3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4a^3}$$

[In] Integrate[x^2/ArcCosh[a*x]^2,x]

[Out] ((-4*a^2*x^2*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/ArcCosh[a*x] + CoshIntegral[ArcCosh[a*x]] + 3*CoshIntegral[3*ArcCosh[a*x]])/(4*a^3)

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.00

method	result	size
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{4\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{4} - \frac{\sinh(3\operatorname{arccosh}(ax))}{4\operatorname{arccosh}(ax)} + \frac{3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4}}{a^3}$	59
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{4\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{4} - \frac{\sinh(3\operatorname{arccosh}(ax))}{4\operatorname{arccosh}(ax)} + \frac{3\operatorname{Chi}(3\operatorname{arccosh}(ax))}{4}}{a^3}$	59

[In] `int(x^2/arccosh(a*x)^2,x,method=_RETURNVERBOSE)`

[Out] `1/a^3*(-1/4/arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+1/4*Chi(arccosh(a*x))-1/4/arccosh(a*x)*sinh(3*arccosh(a*x))+3/4*Chi(3*arccosh(a*x)))`

Fricas [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(x^2/arccosh(a*x)^2,x, algorithm="fricas")`

[Out] `integral(x^2/arccosh(a*x)^2, x)`

Sympy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^2}{\operatorname{acosh}^2(ax)} dx$$

[In] `integrate(x**2/acosh(a*x)**2,x)`

[Out] `Integral(x**2/acosh(a*x)**2, x)`

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(x^2/arccosh(a*x)^2,x, algorithm="maxima")`

[Out] `-(a^3*x^5 - a*x^3 + (a^2*x^4 - x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) + integrate((3*a^5*x^6 - 6*a^3*x^4 + (3*a^3*x^4 - a*x^2)*(a*x + 1)*(a*x - 1) + 3*a*x^2 + (6*a^4*x^5 - 7*a^2*x^3 + 2*x)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^5*x^4 + (a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 - a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)`

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^2} dx$$

[In] integrate(x^2/arccosh(a*x)^2,x, algorithm="giac")

[Out] integrate(x^2/arccosh(a*x)^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^2} dx$$

[In] int(x^2/acosh(a*x)^2,x)

[Out] int(x^2/acosh(a*x)^2, x)

3.54 $\int \frac{x}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	337
Rubi [A] (verified)	337
Mathematica [A] (warning: unable to verify)	338
Maple [A] (verified)	338
Fricas [F]	339
Sympy [F]	339
Maxima [F]	339
Giac [F]	339
Mupad [F(-1)]	340

Optimal result

Integrand size = 8, antiderivative size = 42

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{a^2}$$

[Out] $\operatorname{Chi}(2*\operatorname{arccosh}(a*x))/a^2 - x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5885, 3382}

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{a^2} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a\operatorname{arccosh}(ax)}$$

[In] $\operatorname{Int}[x/\operatorname{ArcCosh}[a*x]^2, x]$

[Out] $-((x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x])) + \operatorname{CoshIntegral}[2*\operatorname{ArcCosh}[a*x]]/a^2$

Rule 3382

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CoshIntegral}[c*f*(fz/d) + f*fz*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x] \ \&\& \ \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f*fz*I, 0]$

Rule 5885

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)]^{(n_.)}*(x_)^{(m_.)}, x_Symbol] \rightarrow \operatorname{Simp}[x^m*\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[-1+c*x]*((a+b*\operatorname{ArcCosh}[c*x])^{(n+1)})/(b*c*(n+1))$

)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] & LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\ &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{a^2} \end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.19 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.05

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \frac{-\frac{ax\sqrt{\frac{-1+ax}{1+ax}}(1+ax)}{\operatorname{arccosh}(ax)} + \operatorname{Chi}(2\operatorname{arccosh}(ax))}{a^2}$$

[In] Integrate[x/ArcCosh[a*x]^2,x]

[Out] (-((a*x*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x))/ArcCosh[a*x]) + CoshIntegral[2*ArcCosh[a*x]])/a^2

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.67

method	result	size
derivativedivides	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + \operatorname{Chi}(2 \operatorname{arccosh}(ax))}{a^2}$	28
default	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + \operatorname{Chi}(2 \operatorname{arccosh}(ax))}{a^2}$	28

[In] int(x/arccosh(a*x)^2,x,method=_RETURNVERBOSE)

[Out] 1/a^2*(-1/2/arccosh(a*x)*sinh(2*arccosh(a*x))+Chi(2*arccosh(a*x)))

Fricas [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x/arccosh(a*x)^2,x, algorithm="fricas")
```

```
[Out] integral(x/arccosh(a*x)^2, x)
```

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x}{\operatorname{acosh}^2(ax)} dx$$

```
[In] integrate(x/acosh(a*x)**2,x)
```

```
[Out] Integral(x/acosh(a*x)**2, x)
```

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x/arccosh(a*x)^2,x, algorithm="maxima")
```

```
[Out] -(a^3*x^4 - a*x^2 + (a^2*x^3 - x)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^3*x^2 +
sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1
))) + integrate((2*a^5*x^5 + 2*(a*x + 1)*(a*x - 1)*a^3*x^3 - 4*a^3*x^3 + (4
*a^4*x^4 - 4*a^2*x^2 + 1)*sqrt(a*x + 1)*sqrt(a*x - 1) + 2*a*x)/((a^5*x^4 +
(a*x + 1)*(a*x - 1)*a^3*x^2 - 2*a^3*x^2 + 2*(a^4*x^3 - a^2*x)*sqrt(a*x + 1)
*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x/arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(x/arccosh(a*x)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x}{\operatorname{acosh}(ax)^2} dx$$

```
[In] int(x/acosh(a*x)^2,x)
```

```
[Out] int(x/acosh(a*x)^2, x)
```

3.55 $\int \frac{1}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	341
Rubi [A] (verified)	341
Mathematica [A] (verified)	342
Maple [A] (verified)	343
Fricas [F]	343
Sympy [F]	343
Maxima [F]	343
Giac [F]	344
Mupad [F(-1)]	344

Optimal result

Integrand size = 6, antiderivative size = 39

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{a}$$

[Out] $\operatorname{Chi}(\operatorname{arccosh}(a*x))/a-(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.13 (sec), antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5880, 5953, 3382}

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{a} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{a\operatorname{arccosh}(ax)}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-2}, x]$

[Out] $-((\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x])) + \operatorname{CoshIntegral}[\operatorname{ArcCosh}[a*x]]/a$

Rule 3382

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CoshIntegral}[c*f*(fz/d) + f*fz*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x] \ \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f*fz*I, 0]$

Rule 5880

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{Sqrt}[1+c*x]*\operatorname{Sqrt}[-1+c*x]*((a + b*\operatorname{ArcCosh}[c*x])^{(n+1)})/(b*c*(n+1)), x] - \operatorname{Dist}[c$

$\int \frac{x^{n+1}}{(b(n+1)) \sqrt{1+cx} \sqrt{-1+cx}}$, $\text{Int}[x^{n+1}/(\text{Sqrt}[1+cx]*\text{Sqrt}[-1+cx])]$, x]; $\text{FreeQ}\{a, b, c, x\}$ && $\text{LtQ}[n, -1]$

Rule 5953

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (x)^m * ((d1) + (e1)*(x))^p * ((d2) + (e2)*(x))^q]$, x]; $\text{Dist}[(1/(b*c^{m+1})) * \text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p] * \text{Simp}[(d2 + e2*x)^q / (-1 + c*x)^q]]$, $\text{Subst}[\text{Int}[x^n * \text{Cosh}[-a/b + x/b]^m * \text{Sinh}[-a/b + x/b]^{2*p+1}]$, x], x , $a + b*\text{ArcCosh}[c*x]$]; $\text{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}$, x && $\text{EqQ}[e1, c*d1]$ && $\text{EqQ}[e2, (-c)*d2]$ && $\text{IGtQ}[p + 3/2, 0]$ && $\text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a\text{arccosh}(ax)} + a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)} dx \\ &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a\text{arccosh}(ax)} + \frac{\text{Subst}\left(\int \frac{\cosh(x)}{x} dx, x, \text{arccosh}(ax)\right)}{a} \\ &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{a\text{arccosh}(ax)} + \frac{\text{Chi}(\text{arccosh}(ax))}{a} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.54

$$\int \frac{1}{\text{arccosh}(ax)^2} dx = \frac{1 - ax + \sqrt{\frac{-1+ax}{1+ax}} \text{arccosh}(ax) \text{Chi}(\text{arccosh}(ax))}{a \sqrt{\frac{-1+ax}{1+ax}} \text{arccosh}(ax)}$$

[In] $\text{Integrate}[\text{ArcCosh}[a*x]^{-2}, x]$

[Out] $(1 - a*x + \text{Sqrt}[(-1 + a*x)/(1 + a*x)]*\text{ArcCosh}[a*x]*\text{CoshIntegral}[\text{ArcCosh}[a*x]])/(a*\text{Sqrt}[(-1 + a*x)/(1 + a*x)]*\text{ArcCosh}[a*x])$

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.85

method	result	size
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{\operatorname{arccosh}(ax)} + \operatorname{Chi}(\operatorname{arccosh}(ax))}{a}$	33
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{\operatorname{arccosh}(ax)} + \operatorname{Chi}(\operatorname{arccosh}(ax))}{a}$	33

[In] `int(1/arccosh(a*x)^2,x,method=_RETURNVERBOSE)`

[Out] `1/a*(-1/arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+Chi(arccosh(a*x)))`

Fricas [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \int \frac{1}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(1/arccosh(a*x)^2,x, algorithm="fricas")`

[Out] `integral(arccosh(a*x)^(-2), x)`

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \int \frac{1}{\operatorname{acosh}^2(ax)} dx$$

[In] `integrate(1/acosh(a*x)**2,x)`

[Out] `Integral(acosh(a*x)**(-2), x)`

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \int \frac{1}{\operatorname{arcosh}(ax)^2} dx$$

[In] `integrate(1/arccosh(a*x)^2,x, algorithm="maxima")`

[Out] `-(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x)/((a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) + integrate((a^4*x^4 - 2*a^2*x^2 + (a^2*x^2 + 1)*(a*x + 1)*(a*x - 1) + (2*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + 1)/((a^4*x^4 + (a*x + 1)*(a*x - 1)*a^2*x^2 - 2*a^2*x^2 + 2*(a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + 1)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)`

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \int \frac{1}{\operatorname{arcosh}(ax)^2} dx$$

[In] integrate(1/arccosh(a*x)^2,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(-2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^2} dx = \int \frac{1}{\operatorname{acosh}(ax)^2} dx$$

[In] int(1/acosh(a*x)^2,x)

[Out] int(1/acosh(a*x)^2, x)

3.56 $\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$

Optimal result	345
Rubi [N/A]	345
Mathematica [N/A]	346
Maple [N/A] (verified)	346
Fricas [N/A]	346
Sympy [N/A]	346
Maxima [N/A]	347
Giac [N/A]	347
Mupad [N/A]	347

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^2,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

[In] Int[1/(x*ArcCosh[a*x]^2),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 1.66 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

`[In] Integrate[1/(x*ArcCosh[a*x]^2), x]``[Out] Integrate[1/(x*ArcCosh[a*x]^2), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.08 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

`[In] int(1/x/arccosh(a*x)^2,x)``[Out] int(1/x/arccosh(a*x)^2,x)`**Fricas [N/A]**

Not integrable

Time = 0.26 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^2} dx$$

`[In] integrate(1/x/arccosh(a*x)^2,x, algorithm="fricas")``[Out] integral(1/(x*arccosh(a*x)^2), x)`**Sympy [N/A]**

Not integrable

Time = 0.66 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{acosh}^2(ax)} dx$$

`[In] integrate(1/x/acosh(a*x)**2,x)``[Out] Integral(1/(x*acosh(a*x)**2), x)`

Maxima [N/A]

Not integrable

Time = 0.50 (sec) , antiderivative size = 233, normalized size of antiderivative = 23.30

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^2} dx$$

[In] integrate(1/x/arccosh(a*x)^2,x, algorithm="maxima")

```
[Out] -(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x)/((a^3*x^3 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^2 - a*x)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) + integrate((2*(a*x + 1)*(a*x - 1)*a*x + (2*a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^5*x^6 + (a*x + 1)*(a*x - 1)*a^3*x^4 - 2*a^3*x^4 + a*x^2 + 2*(a^4*x^5 - a^2*x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^2} dx$$

[In] integrate(1/x/arccosh(a*x)^2,x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^2), x)

Mupad [N/A]

Not integrable

Time = 2.60 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x \operatorname{acosh}(ax)^2} dx$$

[In] int(1/(x*acosh(a*x)^2), x)

[Out] int(1/(x*acosh(a*x)^2), x)

3.57 $\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$

Optimal result	348
Rubi [N/A]	348
Mathematica [N/A]	349
Maple [N/A] (verified)	349
Fricas [N/A]	349
Sympy [N/A]	349
Maxima [N/A]	350
Giac [N/A]	350
Mupad [N/A]	350

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \operatorname{Int}\left(\frac{1}{x^2 \operatorname{arccosh}(ax)^2}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a*x)^2,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

[In] Int[1/(x^2*ArcCosh[a*x]^2),x]

[Out] Defer[Int][1/(x^2*ArcCosh[a*x]^2), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 3.96 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

[In] Integrate[1/(x^2*ArcCosh[a*x]^2), x]

[Out] Integrate[1/(x^2*ArcCosh[a*x]^2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.10 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

[In] int(1/x^2/arccosh(a*x)^2, x)

[Out] int(1/x^2/arccosh(a*x)^2, x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx$$

[In] integrate(1/x^2/arccosh(a*x)^2, x, algorithm="fricas")

[Out] integral(1/(x^2*arccosh(a*x)^2), x)

Sympy [N/A]

Not integrable

Time = 1.18 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{acosh}^2(ax)} dx$$

[In] integrate(1/x**2/acosh(a*x)**2, x)

[Out] Integral(1/(x**2*acosh(a*x)**2), x)

Maxima [N/A]

Not integrable

Time = 0.59 (sec) , antiderivative size = 272, normalized size of antiderivative = 27.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(1/x^2/arccosh(a*x)^2,x, algorithm="maxima")
```

```
[Out] -(a^3*x^3 + (a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x)/((a^3*x^4 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^3 - a*x^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) - integrate((a^5*x^5 - 2*a^3*x^3 + (a^3*x^3 - 3*a*x)*(a*x + 1)*(a*x - 1) + (2*a^4*x^4 - 5*a^2*x^2 + 2)*sqrt(a*x + 1)*sqrt(a*x - 1) + a*x)/((a^5*x^7 + (a*x + 1)*(a*x - 1)*a^3*x^5 - 2*a^3*x^5 + a*x^3 + 2*(a^4*x^6 - a^2*x^4)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(1/x^2/arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(1/(x^2*arccosh(a*x)^2), x)
```

Mupad [N/A]

Not integrable

Time = 2.63 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^2} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)^2} dx$$

```
[In] int(1/(x^2*acosh(a*x)^2), x)
```

```
[Out] int(1/(x^2*acosh(a*x)^2), x)
```

3.58 $\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	351
Rubi [A] (verified)	351
Mathematica [A] (verified)	354
Maple [A] (verified)	354
Fricas [F]	354
Sympy [F]	355
Maxima [F]	355
Giac [F]	356
Mupad [F(-1)]	356

Optimal result

Integrand size = 10, antiderivative size = 102

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = -\frac{x^4 \sqrt{-1+ax} \sqrt{1+ax}}{2a \operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2 \operatorname{arccosh}(ax)} - \frac{5x^5}{2 \operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16a^5} + \frac{27 \operatorname{Shi}(3 \operatorname{arccosh}(ax))}{32a^5} + \frac{25 \operatorname{Shi}(5 \operatorname{arccosh}(ax))}{32a^5}$$

[Out] $2*x^3/a^2/\operatorname{arccosh}(a*x)-5/2*x^5/\operatorname{arccosh}(a*x)+1/16*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a^5+27/32*\operatorname{Shi}(3*\operatorname{arccosh}(a*x))/a^5+25/32*\operatorname{Shi}(5*\operatorname{arccosh}(a*x))/a^5-1/2*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5886, 5951, 5887, 5556, 3379}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16a^5} + \frac{27 \operatorname{Shi}(3 \operatorname{arccosh}(ax))}{32a^5} + \frac{25 \operatorname{Shi}(5 \operatorname{arccosh}(ax))}{32a^5} + \frac{2x^3}{a^2 \operatorname{arccosh}(ax)} - \frac{5x^5}{2 \operatorname{arccosh}(ax)} - \frac{x^4 \sqrt{ax-1} \sqrt{ax+1}}{2a \operatorname{arccosh}(ax)^2}$$

[In] $\operatorname{Int}[x^4/\operatorname{ArcCosh}[a*x]^3, x]$

[Out] $-1/2*(x^4*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^2) + (2*x^3)/(a^2*\operatorname{ArcCosh}[a*x]) - (5*x^5)/(2*\operatorname{ArcCosh}[a*x]) + \operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(16*a^5) + (27*\operatorname{SinhIntegral}[3*\operatorname{ArcCosh}[a*x]])/(32*a^5) + (25*\operatorname{SinhIntegral}[5*\operatorname{ArcCosh}[a*x]])/(32*a^5)$

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f,
fz}, x] && EqQ[d*e - c*f*fz*I, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{2\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}dx}{a} \\ + \frac{1}{2}(5a)\int\frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}dx$$

$$\begin{aligned}
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2\operatorname{arccosh}(ax)} - \frac{5x^5}{2\operatorname{arccosh}(ax)} \\
&\quad + \frac{25}{2} \int \frac{x^4}{\operatorname{arccosh}(ax)} dx - \frac{6 \int \frac{x^2}{\operatorname{arccosh}(ax)} dx}{a^2} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2\operatorname{arccosh}(ax)} - \frac{5x^5}{2\operatorname{arccosh}(ax)} \\
&\quad - \frac{6\operatorname{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad + \frac{25\operatorname{Subst}\left(\int \frac{\cosh^4(x)\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2\operatorname{arccosh}(ax)} - \frac{5x^5}{2\operatorname{arccosh}(ax)} \\
&\quad - \frac{6\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4x} + \frac{\sinh(3x)}{4x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad + \frac{25\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{8x} + \frac{3\sinh(3x)}{16x} + \frac{\sinh(5x)}{16x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2\operatorname{arccosh}(ax)} - \frac{5x^5}{2\operatorname{arccosh}(ax)} \\
&\quad + \frac{25\operatorname{Subst}\left(\int \frac{\sinh(5x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5} - \frac{3\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} + \frac{25\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\
&\quad + \frac{75\operatorname{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{2x^3}{a^2\operatorname{arccosh}(ax)} - \frac{5x^5}{2\operatorname{arccosh}(ax)} \\
&\quad + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16a^5} + \frac{27\operatorname{Shi}(3\operatorname{arccosh}(ax))}{32a^5} + \frac{25\operatorname{Shi}(5\operatorname{arccosh}(ax))}{32a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.11 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.05

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \frac{-16a^4x^4\sqrt{-1+ax}\sqrt{1+ax} + 64a^3x^3\operatorname{arccosh}(ax) - 80a^5x^5\operatorname{arccosh}(ax) + 2\operatorname{arccosh}(ax)^2\operatorname{Shi}(\operatorname{arccosh}(ax))}{32a^5\operatorname{arccosh}(ax)^2}$$

`[In] Integrate[x^4/ArcCosh[a*x]^3,x]`

```
[Out] (-16*a^4*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x] + 64*a^3*x^3*ArcCosh[a*x] - 80*a^5*x^5*ArcCosh[a*x] + 2*ArcCosh[a*x]^2*SinhIntegral[ArcCosh[a*x]] + 27*ArcCosh[a*x]^2*SinhIntegral[3*ArcCosh[a*x]] + 25*ArcCosh[a*x]^2*SinhIntegral[5*ArcCosh[a*x]])/(32*a^5*ArcCosh[a*x]^2)
```

Maple [A] (verified)

Time = 0.23 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.21

method	result
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{16\operatorname{arccosh}(ax)^2} - \frac{ax}{16\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)^2} - \frac{9\cosh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)} + \frac{27\operatorname{Shi}(3\operatorname{arccosh}(ax))}{32} - \frac{\sinh(5\operatorname{arccosh}(ax))}{32}}{a^5}$
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{16\operatorname{arccosh}(ax)^2} - \frac{ax}{16\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{16} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)^2} - \frac{9\cosh(3\operatorname{arccosh}(ax))}{32\operatorname{arccosh}(ax)} + \frac{27\operatorname{Shi}(3\operatorname{arccosh}(ax))}{32} - \frac{\sinh(5\operatorname{arccosh}(ax))}{32}}{a^5}$

`[In] int(x^4/arccosh(a*x)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^5*(-1/16/arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/16*a*x/arccosh(a*x)+1/16*Shi(arccosh(a*x))-3/32/arccosh(a*x)^2*sinh(3*arccosh(a*x))-9/32/arccosh(a*x)*cosh(3*arccosh(a*x))+27/32*Shi(3*arccosh(a*x))-1/32/arccosh(a*x)^2*sinh(5*arccosh(a*x))-5/32/arccosh(a*x)*cosh(5*arccosh(a*x))+25/32*Shi(5*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^3} dx$$

`[In] integrate(x^4/arccosh(a*x)^3,x, algorithm="fricas")``[Out] integral(x^4/arccosh(a*x)^3, x)`

SymPy [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^4}{\operatorname{acosh}^3(ax)} dx$$

```
[In] integrate(x**4/acosh(a*x)**3,x)
```

```
[Out] Integral(x**4/acosh(a*x)**3, x)
```

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^3} dx$$

```
[In] integrate(x^4/arccosh(a*x)^3,x, algorithm="maxima")
```

```
[Out] -1/2*(a^8*x^11 - 3*a^6*x^9 + 3*a^4*x^7 - a^2*x^5 + (a^5*x^8 - a^3*x^6)*(a*x
+ 1)^(3/2)*(a*x - 1)^(3/2) + (3*a^6*x^9 - 5*a^4*x^7 + 2*a^2*x^5)*(a*x + 1)
*(a*x - 1) + (3*a^7*x^10 - 7*a^5*x^8 + 5*a^3*x^6 - a*x^4)*sqrt(a*x + 1)*sqr
t(a*x - 1) + (5*a^8*x^11 - 15*a^6*x^9 + 15*a^4*x^7 - 5*a^2*x^5 + (5*a^5*x^8
- 8*a^3*x^6 + 3*a*x^4)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + (15*a^6*x^9 - 31*
a^4*x^7 + 20*a^2*x^5 - 4*x^3)*(a*x + 1)*(a*x - 1) + (15*a^7*x^10 - 38*a^5*x
^8 + 32*a^3*x^6 - 9*a*x^4)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x
+ 1)*sqrt(a*x - 1)))/((a^8*x^6 + (a*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^5*x^3 -
3*a^6*x^4 + 3*a^4*x^2 + 3*(a^6*x^4 - a^4*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^7*
x^5 - 2*a^5*x^3 + a^3*x)*sqrt(a*x + 1)*sqrt(a*x - 1) - a^2)*log(a*x + sqrt(
a*x + 1)*sqrt(a*x - 1))^2) + integrate(1/2*(25*a^10*x^12 - 100*a^8*x^10 + 1
50*a^6*x^8 - 100*a^4*x^6 + 25*a^2*x^4 + (25*a^6*x^8 - 24*a^4*x^6 + 3*a^2*x^
4)*(a*x + 1)^2*(a*x - 1)^2 + (100*a^7*x^9 - 172*a^5*x^7 + 87*a^3*x^5 - 12*a
*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 3*(50*a^8*x^10 - 124*a^6*x^8 + 105*
a^4*x^6 - 35*a^2*x^4 + 4*x^2)*(a*x + 1)*(a*x - 1) + (100*a^9*x^11 - 324*a^7
*x^9 + 381*a^5*x^7 - 193*a^3*x^5 + 36*a*x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))/
(a^10*x^8 + (a*x + 1)^2*(a*x - 1)^2*a^6*x^4 - 4*a^8*x^6 + 6*a^6*x^4 - 4*a^4
*x^2 + 4*(a^7*x^5 - a^5*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 6*(a^8*x^6 -
2*a^6*x^4 + a^4*x^2)*(a*x + 1)*(a*x - 1) + 4*(a^9*x^7 - 3*a^7*x^5 + 3*a^5*
x^3 - a^3*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a^2)*log(a*x + sqrt(a*x + 1)*sqr
t(a*x - 1))), x)
```

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^4/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x^4/arccosh(a*x)^3, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^3} dx$$

[In] int(x^4/acosh(a*x)^3,x)

[Out] int(x^4/acosh(a*x)^3, x)

3.59 $\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	357
Rubi [A] (verified)	357
Mathematica [A] (verified)	360
Maple [A] (verified)	360
Fricas [F]	360
Sympy [F]	361
Maxima [F]	361
Giac [F(-2)]	362
Mupad [F(-1)]	362

Optimal result

Integrand size = 10, antiderivative size = 87

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = -\frac{x^3 \sqrt{-1+ax} \sqrt{1+ax}}{2a \operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2 \operatorname{arccosh}(ax)} - \frac{2x^4}{\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2 \operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Shi}(4 \operatorname{arccosh}(ax))}{a^4}$$

[Out] $3/2*x^2/a^2/\operatorname{arccosh}(a*x)-2*x^4/\operatorname{arccosh}(a*x)+1/2*\operatorname{Shi}(2*\operatorname{arccosh}(a*x))/a^4+\operatorname{Shi}(4*\operatorname{arccosh}(a*x))/a^4-1/2*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5886, 5951, 5887, 5556, 3379, 12}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \frac{\operatorname{Shi}(2 \operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Shi}(4 \operatorname{arccosh}(ax))}{a^4} + \frac{3x^2}{2a^2 \operatorname{arccosh}(ax)} - \frac{2x^4}{\operatorname{arccosh}(ax)} - \frac{x^3 \sqrt{ax-1} \sqrt{ax+1}}{2a \operatorname{arccosh}(ax)^2}$$

[In] $\operatorname{Int}[x^3/\operatorname{ArcCosh}[a*x]^3, x]$

[Out] $-1/2*(x^3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^2) + (3*x^2)/(2*a^2*\operatorname{ArcCosh}[a*x]) - (2*x^4)/\operatorname{ArcCosh}[a*x] + \operatorname{SinhIntegral}[2*\operatorname{ArcCosh}[a*x]]/(2*a^4) + \operatorname{SinhIntegral}[4*\operatorname{ArcCosh}[a*x]]/a^4$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:= Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f,
fz}, x] && EqQ[d*e - c*f*fz*I, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^(n)*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{3\int\frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}dx}{2a} \\
&\quad + (2a)\int\frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2}dx \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2\operatorname{arccosh}(ax)} - \frac{2x^4}{\operatorname{arccosh}(ax)} \\
&\quad + 8\int\frac{x^3}{\operatorname{arccosh}(ax)}dx - \frac{3\int\frac{x}{\operatorname{arccosh}(ax)}dx}{a^2} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2\operatorname{arccosh}(ax)} - \frac{2x^4}{\operatorname{arccosh}(ax)} \\
&\quad - \frac{3\operatorname{Subst}\left(\int\frac{\cosh(x)\sinh(x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad + \frac{8\operatorname{Subst}\left(\int\frac{\cosh^3(x)\sinh(x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2\operatorname{arccosh}(ax)} \\
&\quad - \frac{2x^4}{\operatorname{arccosh}(ax)} - \frac{3\operatorname{Subst}\left(\int\frac{\sinh(2x)}{2x}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad + \frac{8\operatorname{Subst}\left(\int\left(\frac{\sinh(2x)}{4x} + \frac{\sinh(4x)}{8x}\right)dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2\operatorname{arccosh}(ax)} \\
&\quad - \frac{2x^4}{\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int\frac{\sinh(4x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad - \frac{3\operatorname{Subst}\left(\int\frac{\sinh(2x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} + \frac{2\operatorname{Subst}\left(\int\frac{\sinh(2x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{3x^2}{2a^2\operatorname{arccosh}(ax)} - \frac{2x^4}{\operatorname{arccosh}(ax)} \\
&\quad + \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{2a^4} + \frac{\operatorname{Shi}(4\operatorname{arccosh}(ax))}{a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 75, normalized size of antiderivative = 0.86

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \frac{-\frac{a^2 x^2 (ax\sqrt{-1+ax}\sqrt{1+ax} + (-3+4a^2 x^2)\operatorname{arccosh}(ax))}{\operatorname{arccosh}(ax)^2} + \operatorname{Shi}(2\operatorname{arccosh}(ax)) + 2\operatorname{Shi}(4\operatorname{arccosh}(ax))}{2a^4}$$

`[In] Integrate[x^3/ArcCosh[a*x]^3,x]`

```
[Out] (-((a^2*x^2*(a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x] + (-3 + 4*a^2*x^2)*ArcCosh[a*x]))/ArcCosh[a*x]^2) + SinhIntegral[2*ArcCosh[a*x]] + 2*SinhIntegral[4*ArcCosh[a*x]])/(2*a^4)
```

Maple [A] (verified)

Time = 0.17 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.94

method	result
derivativedivides	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{8 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2 \operatorname{arccosh}(ax))}{2} - \frac{\sinh(4 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)^2} - \frac{\cosh(4 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \operatorname{Shi}(4 \operatorname{arccosh}(ax))}{a^4}$
default	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{8 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2 \operatorname{arccosh}(ax))}{2} - \frac{\sinh(4 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)^2} - \frac{\cosh(4 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)} + \operatorname{Shi}(4 \operatorname{arccosh}(ax))}{a^4}$

`[In] int(x^3/arccosh(a*x)^3,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^4*(-1/8/arccosh(a*x)^2*sinh(2*arccosh(a*x))-1/4/arccosh(a*x)*cosh(2*arccosh(a*x))+1/2*Shi(2*arccosh(a*x))-1/16/arccosh(a*x)^2*sinh(4*arccosh(a*x))-1/4/arccosh(a*x)*cosh(4*arccosh(a*x))+Shi(4*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^3} dx$$

`[In] integrate(x^3/arccosh(a*x)^3,x, algorithm="fricas")``[Out] integral(x^3/arccosh(a*x)^3, x)`

SymPy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^3}{\operatorname{acosh}^3(ax)} dx$$

[In] integrate(x**3/acosh(a*x)**3,x)

[Out] Integral(x**3/acosh(a*x)**3, x)

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^3/arccosh(a*x)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/2*(a^8*x^{10} - 3*a^6*x^8 + 3*a^4*x^6 - a^2*x^4 + (a^5*x^7 - a^3*x^5)*(a*x \\ & + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (3*a^6*x^8 - 5*a^4*x^6 + 2*a^2*x^4)*(a*x + 1) \\ & *(a*x - 1) + (3*a^7*x^9 - 7*a^5*x^7 + 5*a^3*x^5 - a*x^3)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt} \\ & (a*x - 1) + (4*a^8*x^{10} - 12*a^6*x^8 + 12*a^4*x^6 - 4*a^2*x^4 + 2*(2*a^5*x^7 \\ & - 3*a^3*x^5 + a*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 3*(4*a^6*x^8 - 8*a \\ & ^4*x^6 + 5*a^2*x^4 - x^2)*(a*x + 1)*(a*x - 1) + (12*a^7*x^9 - 30*a^5*x^7 + \\ & 25*a^3*x^5 - 7*a*x^3)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))*\log(a*x + \operatorname{sqrt}(a*x + 1)* \\ & \operatorname{sqrt}(a*x - 1)))/((a^8*x^6 + (a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)}*a^5*x^3 - 3*a^6 \\ & *x^4 + 3*a^4*x^2 + 3*(a^6*x^4 - a^4*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^5 - \\ & 2*a^5*x^3 + a^3*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - a^2)*\log(a*x + \operatorname{sqrt}(a*x + \\ & 1)*\operatorname{sqrt}(a*x - 1))^2) + \operatorname{integrate}(1/2*(16*a^{10}*x^{11} - 64*a^8*x^9 + 96*a^6*x \\ & ^7 - 64*a^4*x^5 + 4*(4*a^6*x^7 - 3*a^4*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 16*a^ \\ & 2*x^3 + (64*a^7*x^8 - 100*a^5*x^6 + 42*a^3*x^4 - 3*a*x^2)*(a*x + 1)^{(3/2)}*(\\ & a*x - 1)^{(3/2)} + 6*(16*a^8*x^9 - 38*a^6*x^7 + 30*a^4*x^5 - 9*a^2*x^3 + x)*(\\ & a*x + 1)*(a*x - 1) + (64*a^9*x^{10} - 204*a^7*x^8 + 234*a^5*x^6 - 115*a^3*x^4 \\ & + 21*a*x^2)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))/((a^{10}*x^8 + (a*x + 1)^2*(a*x - 1) \\ &)^2*a^6*x^4 - 4*a^8*x^6 + 6*a^6*x^4 - 4*a^4*x^2 + 4*(a^7*x^5 - a^5*x^3)*(a* \\ & x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 6*(a^8*x^6 - 2*a^6*x^4 + a^4*x^2)*(a*x + 1)* \\ & (a*x - 1) + 4*(a^9*x^7 - 3*a^7*x^5 + 3*a^5*x^3 - a^3*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(\\ & a*x - 1) + a^2)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))), x) \end{aligned}$$

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3/arccosh(a*x)^3,x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^3} dx$$

[In] int(x^3/acosh(a*x)^3,x)

[Out] int(x^3/acosh(a*x)^3, x)

3.60 $\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	363
Rubi [A] (verified)	363
Mathematica [A] (verified)	365
Maple [A] (verified)	366
Fricas [F]	366
Sympy [F]	366
Maxima [F]	367
Giac [F]	367
Mupad [F(-1)]	368

Optimal result

Integrand size = 10, antiderivative size = 85

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8a^3} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8a^3}$$

[Out] $x/a^2/\operatorname{arccosh}(a*x)-3/2*x^3/\operatorname{arccosh}(a*x)+1/8*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a^3+9/8*\operatorname{Shi}(3*\operatorname{arccosh}(a*x))/a^3-1/2*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5886, 5951, 5887, 5556, 3379, 5881}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8a^3} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8a^3} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\operatorname{arccosh}(ax)^2}$$

[In] $\operatorname{Int}[x^2/\operatorname{ArcCosh}[a*x]^3, x]$

[Out] $-1/2*(x^2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^2) + x/(a^2*\operatorname{ArcCosh}[a*x]) - (3*x^3)/(2*\operatorname{ArcCosh}[a*x]) + \operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(8*a^3) + (9*\operatorname{SinhIntegral}[3*\operatorname{ArcCosh}[a*x]])/(8*a^3)$

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*e - c*f*fz*I, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x]
&& IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol]
:> Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol]
:> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x]
+ (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]
+ Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x]
&& IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol]
:> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
&& IGtQ[m, 0]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol]
:> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x]
- Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x]
&& EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{\int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2} dx}{a} \\
 &+ \frac{1}{2}(3a) \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2} dx \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} \\
 &+ \frac{9}{2} \int \frac{x^2}{\operatorname{arccosh}(ax)} dx - \frac{\int \frac{1}{\operatorname{arccosh}(ax)} dx}{a^2} \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} \\
 &\quad - \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^3} + \frac{9\operatorname{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} \\
 &\quad - \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{a^3} + \frac{9\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4x} + \frac{\sinh(3x)}{4x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} - \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{a^3} \\
 &\quad + \frac{9\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{8a^3} + \frac{9\operatorname{Subst}\left(\int \frac{\sinh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{8a^3} \\
 &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{x}{a^2\operatorname{arccosh}(ax)} - \frac{3x^3}{2\operatorname{arccosh}(ax)} \\
 &\quad + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8a^3} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8a^3}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.11 (sec) , antiderivative size = 69, normalized size of antiderivative = 0.81

$$\begin{aligned}
 &\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx \\
 &= \frac{4ax\left(ax\sqrt{-1+ax}\sqrt{1+ax} + (-2+3a^2x^2)\operatorname{arccosh}(ax)\right)}{\operatorname{arccosh}(ax)^2} + \operatorname{Shi}(\operatorname{arccosh}(ax)) + 9\operatorname{Shi}(3\operatorname{arccosh}(ax)) \\
 &= \frac{\hspace{15em}}{8a^3}
 \end{aligned}$$

[In] Integrate[x^2/ArcCosh[a*x]^3,x]

```
[Out] ((-4*a*x*(a*x*sqrt[-1 + a*x]*sqrt[1 + a*x] + (-2 + 3*a^2*x^2)*ArcCosh[a*x])
)/ArcCosh[a*x]^2 + SinhIntegral[ArcCosh[a*x]] + 9*SinhIntegral[3*ArcCosh[a*
x]])/(8*a^3)
```

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 84, normalized size of antiderivative = 0.99

method	result	size
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{8\operatorname{arccosh}(ax)^2} - \frac{ax}{8\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8} - \frac{\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8}}{a^3}$	84
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{8\operatorname{arccosh}(ax)^2} - \frac{ax}{8\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{8} - \frac{\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)} + \frac{9\operatorname{Shi}(3\operatorname{arccosh}(ax))}{8}}{a^3}$	84

```
[In] int(x^2/arccosh(a*x)^3,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^3*(-1/8/arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/8*a*x/arccosh(a*x)
+1/8*Shi(arccosh(a*x))-1/8/arccosh(a*x)^2*sinh(3*arccosh(a*x))-3/8/arccosh(
a*x)*cosh(3*arccosh(a*x))+9/8*Shi(3*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^3} dx$$

```
[In] integrate(x^2/arccosh(a*x)^3,x, algorithm="fricas")
```

```
[Out] integral(x^2/arccosh(a*x)^3, x)
```

Sympy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^2}{\operatorname{acosh}^3(ax)} dx$$

```
[In] integrate(x**2/acosh(a*x)**3,x)
```

```
[Out] Integral(x**2/acosh(a*x)**3, x)
```

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^2/arccosh(a*x)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/2*(a^8*x^9 - 3*a^6*x^7 + 3*a^4*x^5 - a^2*x^3 + (a^5*x^6 - a^3*x^4)*(a*x \\ & + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (3*a^6*x^7 - 5*a^4*x^5 + 2*a^2*x^3)*(a*x + 1)* \\ & (a*x - 1) + (3*a^7*x^8 - 7*a^5*x^6 + 5*a^3*x^4 - a*x^2)*\sqrt{a*x + 1}*\sqrt{ \\ & a*x - 1} + (3*a^8*x^9 - 9*a^6*x^7 + 9*a^4*x^5 - 3*a^2*x^3 + (3*a^5*x^6 - 4* \\ & a^3*x^4 + a*x^2)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (9*a^6*x^7 - 17*a^4*x^5 \\ & + 10*a^2*x^3 - 2*x)*(a*x + 1)*(a*x - 1) + (9*a^7*x^8 - 22*a^5*x^6 + 18*a^3* \\ & x^4 - 5*a*x^2)*\sqrt{a*x + 1}*\sqrt{a*x - 1})*\log(a*x + \sqrt{a*x + 1}*\sqrt{a* \\ & x - 1}))/((a^8*x^6 + (a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)}*a^5*x^3 - 3*a^6*x^4 + \\ & 3*a^4*x^2 + 3*(a^6*x^4 - a^4*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^5 - 2*a^5* \\ & x^3 + a^3*x)*\sqrt{a*x + 1}*\sqrt{a*x - 1} - a^2)*\log(a*x + \sqrt{a*x + 1}*\sqrt{ \\ & a*x - 1})^2) + \text{integrate}(1/2*(9*a^{10}*x^{10} - 36*a^8*x^8 + 54*a^6*x^6 - 36* \\ & a^4*x^4 + (9*a^6*x^6 - 4*a^4*x^4 - a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (36*a \\ & ^7*x^7 - 48*a^5*x^5 + 13*a^3*x^3 + 2*a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + \\ & 9*a^2*x^2 + (54*a^8*x^8 - 120*a^6*x^6 + 83*a^4*x^4 - 19*a^2*x^2 + 2)*(a*x \\ & + 1)*(a*x - 1) + (36*a^9*x^9 - 112*a^7*x^7 + 123*a^5*x^5 - 57*a^3*x^3 + 10* \\ & a*x)*\sqrt{a*x + 1}*\sqrt{a*x - 1}))/((a^{10}*x^8 + (a*x + 1)^2*(a*x - 1)^2*a^6* \\ & x^4 - 4*a^8*x^6 + 6*a^6*x^4 - 4*a^4*x^2 + 4*(a^7*x^5 - a^5*x^3)*(a*x + 1)^{(\\ & 3/2)}*(a*x - 1)^{(3/2)} + 6*(a^8*x^6 - 2*a^6*x^4 + a^4*x^2)*(a*x + 1)*(a*x - 1 \\ &) + 4*(a^9*x^7 - 3*a^7*x^5 + 3*a^5*x^3 - a^3*x)*\sqrt{a*x + 1}*\sqrt{a*x - 1} \\ & + a^2)*\log(a*x + \sqrt{a*x + 1}*\sqrt{a*x - 1})), x) \end{aligned}$$

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^2/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x^2/arccosh(a*x)^3, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^3} dx$$

```
[In] int(x^2/acosh(a*x)^3,x)
```

```
[Out] int(x^2/acosh(a*x)^3, x)
```


3.61 $\int \frac{x}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	369
Rubi [A] (verified)	369
Mathematica [A] (verified)	371
Maple [A] (verified)	372
Fricas [F]	372
Sympy [F]	372
Maxima [F]	372
Giac [F]	373
Mupad [F(-1)]	373

Optimal result

Integrand size = 8, antiderivative size = 68

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} - \frac{x^2}{\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{a^2}$$

[Out] 1/2/a^2/arccosh(a*x)-x^2/arccosh(a*x)+Shi(2*arccosh(a*x))/a^2-1/2*x*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^2

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5886, 5951, 5887, 5556, 12, 3379, 5893}

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{a^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} - \frac{x^2}{\operatorname{arccosh}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{2a\operatorname{arccosh}(ax)^2}$$

[In] Int[x/ArcCosh[a*x]^3,x]

[Out] -1/2*(x*Sqrt[-1+a*x]*Sqrt[1+a*x])/(a*ArcCosh[a*x]^2) + 1/(2*a^2*ArcCosh[a*x]) - x^2/ArcCosh[a*x] + SinhIntegral[2*ArcCosh[a*x]]/a^2

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3379

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[I*(SinhIntegral[c*f*(fz/d) + f*fz*x]/d), x] /; FreeQ[{c, d, e, f,
fz}, x] && EqQ[d*e - c*f*fz*I, 0]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sq
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 +
c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[
c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1
] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2} dx}{2a} \\
&\quad + a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2} dx \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} - \frac{x^2}{\operatorname{arccosh}(ax)} + 2 \int \frac{x}{\operatorname{arccosh}(ax)} dx \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} - \frac{x^2}{\operatorname{arccosh}(ax)} \\
&\quad + \frac{2\operatorname{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} \\
&\quad - \frac{x^2}{\operatorname{arccosh}(ax)} + \frac{2\operatorname{Subst}\left(\int \frac{\sinh(2x)}{2x} dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} \\
&\quad - \frac{x^2}{\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2a^2\operatorname{arccosh}(ax)} - \frac{x^2}{\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 67, normalized size of antiderivative = 0.99

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1-2a^2x^2}{2a^2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(2\operatorname{arccosh}(ax))}{a^2}$$

[In] Integrate[x/ArcCosh[a*x]^3,x]

[Out] -1/2*(x*Sqrt[-1+a*x]*Sqrt[1+a*x])/(a*ArcCosh[a*x]^2) + (1-2*a^2*x^2)/(2*a^2*ArcCosh[a*x]) + SinhIntegral[2*ArcCosh[a*x]]/a^2

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.63

method	result	size
derivativedivides	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + \operatorname{Shi}(2 \operatorname{arccosh}(ax))}{a^2}$	43
default	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{4 \operatorname{arccosh}(ax)^2} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{2 \operatorname{arccosh}(ax)} + \operatorname{Shi}(2 \operatorname{arccosh}(ax))}{a^2}$	43

[In] `int(x/arccosh(a*x)^3,x,method=_RETURNVERBOSE)`

[Out] `1/a^2*(-1/4/arccosh(a*x)^2*sinh(2*arccosh(a*x))-1/2/arccosh(a*x)*cosh(2*arccosh(a*x))+Shi(2*arccosh(a*x)))`

Fricas [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x}{\operatorname{arcosh}(ax)^3} dx$$

[In] `integrate(x/arccosh(a*x)^3,x, algorithm="fricas")`

[Out] `integral(x/arccosh(a*x)^3, x)`

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x}{\operatorname{acosh}^3(ax)} dx$$

[In] `integrate(x/acosh(a*x)**3,x)`

[Out] `Integral(x/acosh(a*x)**3, x)`

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x}{\operatorname{arcosh}(ax)^3} dx$$

[In] `integrate(x/arccosh(a*x)^3,x, algorithm="maxima")`

[Out] `-1/2*(a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2) *(a*x - 1)^(3/2) - a^2*x^2 + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*`

```
(a*x - 1) + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + (2*a^8*x^8 - 6*a^6*x^6 + 6*a^4*x^4 + 2*(a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) - 2*a^2*x^2 + (6*a^6*x^6 - 10*a^4*x^4 + 5*a^2*x^2 - 1)*(a*x + 1)*(a*x - 1) + (6*a^7*x^7 - 14*a^5*x^5 + 11*a^3*x^3 - 3*a*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^8*x^6 + (a*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^5*x^3 - 3*a^6*x^4 + 3*a^4*x^2 + 3*(a^6*x^4 - a^4*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^5 - 2*a^5*x^3 + a^3*x)*sqrt(a*x + 1)*sqrt(a*x - 1) - a^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2) + integrate(1/2*(4*a^9*x^9 + 4*(a*x + 1)^2*(a*x - 1)^2*a^5*x^5 - 16*a^7*x^7 + 24*a^5*x^5 - 16*a^3*x^3 + (16*a^6*x^6 - 16*a^4*x^4 + 3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 24*(a^7*x^7 - 2*a^5*x^5 + a^3*x^3)*(a*x + 1)*(a*x - 1) + (16*a^8*x^8 - 48*a^6*x^6 + 48*a^4*x^4 - 19*a^2*x^2 + 3)*sqrt(a*x + 1)*sqrt(a*x - 1) + 4*a*x)/((a^9*x^8 + (a*x + 1)^2*(a*x - 1)^2*a^5*x^4 - 4*a^7*x^6 + 6*a^5*x^4 - 4*a^3*x^2 + 4*(a^6*x^5 - a^4*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 6*(a^7*x^6 - 2*a^5*x^4 + a^3*x^2)*(a*x + 1)*(a*x - 1) + 4*(a^8*x^7 - 3*a^6*x^5 + 3*a^4*x^3 - a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x/arccosh(a*x)^3, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x}{\operatorname{acosh}(ax)^3} dx$$

[In] int(x/acosh(a*x)^3,x)

[Out] int(x/acosh(a*x)^3, x)

3.62 $\int \frac{1}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	374
Rubi [A] (verified)	374
Mathematica [A] (verified)	375
Maple [A] (verified)	376
Fricas [F]	376
Sympy [F]	376
Maxima [F]	376
Giac [F]	377
Mupad [F(-1)]	377

Optimal result

Integrand size = 6, antiderivative size = 55

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{x}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2a}$$

[Out] $-1/2*x/\operatorname{arccosh}(a*x)+1/2*\operatorname{Shi}(\operatorname{arccosh}(a*x))/a-1/2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^2$

Rubi [A] (verified)

Time = 0.14 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5880, 5951, 5881, 3379}

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2a} - \frac{x}{2\operatorname{arccosh}(ax)} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{2a\operatorname{arccosh}(ax)^2}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-3}, x]$

[Out] $-1/2*(\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^2) - x/(2*\operatorname{ArcCosh}[a*x]) + \operatorname{SinhIntegral}[\operatorname{ArcCosh}[a*x]]/(2*a)$

Rule 3379

$\operatorname{Int}[\sin[(e_.) + (\operatorname{Complex}[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[I*(\operatorname{SinhIntegral}[c*f*(fz/d) + f*fz*x]/d), x] /; \operatorname{FreeQ}\{c, d, e, f, fz\}, x] \ \&\& \ \operatorname{EqQ}[d*e - c*f*fz*I, 0]$

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} + \frac{1}{2}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^2} dx \\
 &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{x}{2\operatorname{arccosh}(ax)} + \frac{1}{2} \int \frac{1}{\operatorname{arccosh}(ax)} dx \\
 &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{x}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a} \\
 &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{x}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2a}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.00

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)^2} - \frac{x}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2a}$$

```
[In] Integrate[ArcCosh[a*x]^(-3), x]
```

```
[Out] -1/2*(Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*ArcCosh[a*x]^2) - x/(2*ArcCosh[a*x]) + SinhIntegral[ArcCosh[a*x]]/(2*a)
```

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.82

method	result	size
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{2\operatorname{arccosh}(ax)^2} - \frac{ax}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2}}{a}$	45
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{2\operatorname{arccosh}(ax)^2} - \frac{ax}{2\operatorname{arccosh}(ax)} + \frac{\operatorname{Shi}(\operatorname{arccosh}(ax))}{2}}{a}$	45

[In] int(1/arccosh(a*x)^3,x,method=_RETURNVERBOSE)

[Out] 1/a*(-1/2/arccosh(a*x)^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/2*a*x/arccosh(a*x)+1/2*Shi(arccosh(a*x)))

Fricas [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \int \frac{1}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/arccosh(a*x)^3,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^(-3), x)

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \int \frac{1}{\operatorname{acosh}^3(ax)} dx$$

[In] integrate(1/acosh(a*x)**3,x)

[Out] Integral(acosh(a*x)**(-3), x)

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \int \frac{1}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/arccosh(a*x)^3,x, algorithm="maxima")

[Out] -1/2*(a^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 + (a^4*x^4 - a^2*x^2)*(a*x + 1)^(3/2) *(a*x - 1)^(3/2) + (3*a^5*x^5 - 5*a^3*x^3 + 2*a*x)*(a*x + 1)*(a*x - 1) + (3


```

*a^6*x^6 - 7*a^4*x^4 + 5*a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x + (
a^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 + (a^4*x^4 - 1)*(a*x + 1)^(3/2)*(a*x - 1)^(
3/2) + 3*(a^5*x^5 - a^3*x^3)*(a*x + 1)*(a*x - 1) + (3*a^6*x^6 - 6*a^4*x^4 +
4*a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1) - a*x)*log(a*x + sqrt(a*x + 1)*
sqrt(a*x - 1)))/((a^7*x^6 + (a*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^4*x^3 - 3*a^5
*x^4 + 3*a^3*x^2 + 3*(a^5*x^4 - a^3*x^2)*(a*x + 1)*(a*x - 1) + 3*(a^6*x^5 -
2*a^4*x^3 + a^2*x)*sqrt(a*x + 1)*sqrt(a*x - 1) - a)*log(a*x + sqrt(a*x + 1
)*sqrt(a*x - 1))^2) + integrate(1/2*(a^8*x^8 - 4*a^6*x^6 + 6*a^4*x^4 + (a^4
*x^4 + 3)*(a*x + 1)^2*(a*x - 1)^2 + (4*a^5*x^5 - 4*a^3*x^3 + 3*a*x)*(a*x +
1)^(3/2)*(a*x - 1)^(3/2) - 4*a^2*x^2 + 3*(2*a^6*x^6 - 4*a^4*x^4 + a^2*x^2 +
1)*(a*x + 1)*(a*x - 1) + (4*a^7*x^7 - 12*a^5*x^5 + 9*a^3*x^3 - a*x)*sqrt(a
*x + 1)*sqrt(a*x - 1) + 1)/((a^8*x^8 + (a*x + 1)^2*(a*x - 1)^2*a^4*x^4 - 4*
a^6*x^6 + 6*a^4*x^4 + 4*(a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)
- 4*a^2*x^2 + 6*(a^6*x^6 - 2*a^4*x^4 + a^2*x^2)*(a*x + 1)*(a*x - 1) + 4*(a
^7*x^7 - 3*a^5*x^5 + 3*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + 1)*log(
a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)

```

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \int \frac{1}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(-3), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^3} dx = \int \frac{1}{\operatorname{acosh}(ax)^3} dx$$

[In] int(1/acosh(a*x)^3,x)

[Out] int(1/acosh(a*x)^3, x)

3.63 $\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$

Optimal result	378
Rubi [N/A]	378
Mathematica [N/A]	379
Maple [N/A] (verified)	379
Fricas [N/A]	379
Sympy [N/A]	379
Maxima [N/A]	380
Giac [N/A]	380
Mupad [N/A]	381

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^3,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec), antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$$

[In] Int[1/(x*ArcCosh[a*x]^3),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^3), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$$

Mathematica [N/A]

Not integrable

Time = 0.53 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$$

[In] Integrate[1/(x*ArcCosh[a*x]^3),x]

[Out] Integrate[1/(x*ArcCosh[a*x]^3), x]

Maple [N/A] (verified)

Not integrable

Time = 0.08 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx$$

[In] int(1/x/arccosh(a*x)^3,x)

[Out] int(1/x/arccosh(a*x)^3,x)

Fricas [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/x/arccosh(a*x)^3,x, algorithm="fricas")

[Out] integral(1/(x*arccosh(a*x)^3), x)

Sympy [N/A]

Not integrable

Time = 1.11 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{acosh}^3(ax)} dx$$

[In] integrate(1/x/acosh(a*x)**3,x)

[Out] Integral(1/(x*acosh(a*x)**3), x)

Maxima [N/A]

Not integrable

Time = 1.04 (sec) , antiderivative size = 760, normalized size of antiderivative = 76.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/x/arccosh(a*x)^3,x, algorithm="maxima")

```
[Out] -1/2*(a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)
*(a*x - 1)^(3/2) - a^2*x^2 + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*
(a*x - 1) + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*
x - 1) + (2*(a^3*x^3 - a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + (4*a^4*x^4 -
5*a^2*x^2 + 1)*(a*x + 1)*(a*x - 1) + (2*a^5*x^5 - 3*a^3*x^3 + a*x)*sqrt(a*x
+ 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^8*x^8 + (a
*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^5*x^5 - 3*a^6*x^6 + 3*a^4*x^4 - a^2*x^2 + 3
*(a^6*x^6 - a^4*x^4)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^7 - 2*a^5*x^5 + a^3*x^3
)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2) -
integrate(1/2*(4*(a^4*x^4 - 2*a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (12*a^5*x^
5 - 22*a^3*x^3 + 7*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(6*a^6*x^6 - 10
*a^4*x^4 + 5*a^2*x^2 - 1)*(a*x + 1)*(a*x - 1) + (4*a^7*x^7 - 6*a^5*x^5 + 3*
a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^10*x^11 + (a*x + 1)^2*(a*x
- 1)^2*a^6*x^7 - 4*a^8*x^9 + 6*a^6*x^7 - 4*a^4*x^5 + a^2*x^3 + 4*(a^7*x^8 -
a^5*x^6)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 6*(a^8*x^9 - 2*a^6*x^7 + a^4*x^
5)*(a*x + 1)*(a*x - 1) + 4*(a^9*x^10 - 3*a^7*x^8 + 3*a^5*x^6 - a^3*x^4)*sqr
t(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/x/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^3), x)

Mupad [N/A]

Not integrable

Time = 2.87 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x \operatorname{acosh}(ax)^3} dx$$

```
[In] int(1/(x*acosh(a*x)^3),x)
```

```
[Out] int(1/(x*acosh(a*x)^3), x)
```

3.64 $\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$

Optimal result	382
Rubi [N/A]	382
Mathematica [N/A]	383
Maple [N/A] (verified)	383
Fricas [N/A]	383
Sympy [N/A]	383
Maxima [N/A]	384
Giac [N/A]	384
Mupad [N/A]	385

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \operatorname{Int}\left(\frac{1}{x^2 \operatorname{arccosh}(ax)^3}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a*x)^3,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

[In] Int[1/(x^2*ArcCosh[a*x]^3),x]

[Out] Defer[Int][1/(x^2*ArcCosh[a*x]^3), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

Mathematica [N/A]

Not integrable

Time = 2.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

[In] Integrate[1/(x^2*ArcCosh[a*x]^3),x]

[Out] Integrate[1/(x^2*ArcCosh[a*x]^3), x]

Maple [N/A] (verified)

Not integrable

Time = 0.10 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

[In] int(1/x^2/arccosh(a*x)^3,x)

[Out] int(1/x^2/arccosh(a*x)^3,x)

Fricas [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx$$

[In] integrate(1/x^2/arccosh(a*x)^3,x, algorithm="fricas")

[Out] integral(1/(x^2*arccosh(a*x)^3), x)

Sympy [N/A]

Not integrable

Time = 2.61 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{acosh}^3(ax)} dx$$

[In] integrate(1/x**2/acosh(a*x)**3,x)

[Out] Integral(1/(x**2*acosh(a*x)**3), x)

Maxima [N/A]

Not integrable

Time = 1.10 (sec) , antiderivative size = 883, normalized size of antiderivative = 88.30

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/x^2/arccosh(a*x)^3,x, algorithm="maxima")

```
[Out] -1/2*(a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)
*(a*x - 1)^(3/2) - a^2*x^2 + (3*a^6*x^6 - 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*
(a*x - 1) + (3*a^7*x^7 - 7*a^5*x^5 + 5*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*
x - 1) - (a^8*x^8 - 3*a^6*x^6 + 3*a^4*x^4 + (a^5*x^5 - 4*a^3*x^3 + 3*a*x)*
(a*x + 1)^(3/2)*(a*x - 1)^(3/2) - a^2*x^2 + (3*a^6*x^6 - 11*a^4*x^4 + 10*a^2
*x^2 - 2)*(a*x + 1)*(a*x - 1) + (3*a^7*x^7 - 10*a^5*x^5 + 10*a^3*x^3 - 3*a*
x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1)))/((a
^8*x^9 + (a*x + 1)^(3/2)*(a*x - 1)^(3/2)*a^5*x^6 - 3*a^6*x^7 + 3*a^4*x^5 -
a^2*x^3 + 3*(a^6*x^7 - a^4*x^5)*(a*x + 1)*(a*x - 1) + 3*(a^7*x^8 - 2*a^5*x^
6 + a^3*x^4)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1))^2) + integrate(1/2*(a^10*x^10 - 4*a^8*x^8 + 6*a^6*x^6 - 4*a^4*x^4 + (
a^6*x^6 - 12*a^4*x^4 + 15*a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (4*a^7*x^7 - 4
0*a^5*x^5 + 57*a^3*x^3 - 18*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + a^2*x^2
+ 3*(2*a^8*x^8 - 16*a^6*x^6 + 25*a^4*x^4 - 13*a^2*x^2 + 2)*(a*x + 1)*(a*x -
1) + (4*a^9*x^9 - 24*a^7*x^7 + 39*a^5*x^5 - 25*a^3*x^3 + 6*a*x)*sqrt(a*x +
1)*sqrt(a*x - 1)))/((a^10*x^12 + (a*x + 1)^2*(a*x - 1)^2*a^6*x^8 - 4*a^8*x^
10 + 6*a^6*x^8 - 4*a^4*x^6 + a^2*x^4 + 4*(a^7*x^9 - a^5*x^7)*(a*x + 1)^(3/2
)*(a*x - 1)^(3/2) + 6*(a^8*x^10 - 2*a^6*x^8 + a^4*x^6)*(a*x + 1)*(a*x - 1)
+ 4*(a^9*x^11 - 3*a^7*x^9 + 3*a^5*x^7 - a^3*x^5)*sqrt(a*x + 1)*sqrt(a*x - 1
))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^3} dx$$

[In] integrate(1/x^2/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(1/(x^2*arccosh(a*x)^3), x)

Mupad [N/A]

Not integrable

Time = 2.66 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^3} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)^3} dx$$

```
[In] int(1/(x^2*acosh(a*x)^3),x)
```

```
[Out] int(1/(x^2*acosh(a*x)^3), x)
```

3.65 $\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx$

Optimal result	386
Rubi [A] (verified)	386
Mathematica [B] (warning: unable to verify)	389
Maple [A] (verified)	389
Fricas [F]	390
Sympy [F]	390
Maxima [F]	390
Giac [F]	391
Mupad [F(-1)]	392

Optimal result

Integrand size = 10, antiderivative size = 170

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2}$$

$$+ \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{25x^4\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)}$$

$$+ \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{48a^5} + \frac{27\operatorname{Chi}(3\operatorname{arccosh}(ax))}{32a^5} + \frac{125\operatorname{Chi}(5\operatorname{arccosh}(ax))}{96a^5}$$

[Out] $2/3*x^3/a^2/\operatorname{arccosh}(a*x)^2-5/6*x^5/\operatorname{arccosh}(a*x)^2+1/48*\operatorname{Chi}(\operatorname{arccosh}(a*x))/a^5+27/32*\operatorname{Chi}(3*\operatorname{arccosh}(a*x))/a^5+125/96*\operatorname{Chi}(5*\operatorname{arccosh}(a*x))/a^5-1/3*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^3+2*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3/\operatorname{arccosh}(a*x)-25/6*x^4*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5886, 5951, 5885, 3382}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{48a^5} + \frac{27\operatorname{Chi}(3\operatorname{arccosh}(ax))}{32a^5} + \frac{125\operatorname{Chi}(5\operatorname{arccosh}(ax))}{96a^5}$$

$$+ \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{a^3\operatorname{arccosh}(ax)} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2}$$

$$- \frac{25x^4\sqrt{ax-1}\sqrt{ax+1}}{6a\operatorname{arccosh}(ax)} - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^3}$$

[In] Int[x^4/ArcCosh[a*x]^4,x]

```
[Out] -1/3*(x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*ArcCosh[a*x]^3) + (2*x^3)/(3*a^2
*ArcCosh[a*x]^2) - (5*x^5)/(6*ArcCosh[a*x]^2) + (2*x^2*Sqrt[-1 + a*x]*Sqrt[
1 + a*x])/(a^3*ArcCosh[a*x]) - (25*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(6*a*A
rcCosh[a*x]) + CoshIntegral[ArcCosh[a*x]]/(48*a^5) + (27*CoshIntegral[3*Arc
Cosh[a*x]])/(32*a^5) + (125*CoshIntegral[5*ArcCosh[a*x]])/(96*a^5)
```

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz
}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_)^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{4\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}dx}{3a} \\ + \frac{1}{3}(5a)\int\frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}dx$$

$$\begin{aligned}
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{25}{6} \int \frac{x^4}{\operatorname{arccosh}(ax)^2} dx - \frac{2 \int \frac{x^2}{\operatorname{arccosh}(ax)^2} dx}{a^2} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{25x^4\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} \\
&\quad + \frac{2\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4x} - \frac{3\cosh(3x)}{4x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad - \frac{25\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{8x} - \frac{9\cosh(3x)}{16x} - \frac{5\cosh(5x)}{16x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{6a^5} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{25x^4\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} \\
&\quad - \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} + \frac{25\operatorname{Subst}\left(\int\frac{\cosh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{48a^5} \\
&\quad + \frac{125\operatorname{Subst}\left(\int\frac{\cosh(5x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{96a^5} \\
&\quad - \frac{3\operatorname{Subst}\left(\int\frac{\cosh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5} + \frac{75\operatorname{Subst}\left(\int\frac{\cosh(3x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5} \\
&= -\frac{x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{2x^3}{3a^2\operatorname{arccosh}(ax)^2} - \frac{5x^5}{6\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{25x^4\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} \\
&\quad + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{48a^5} + \frac{27\operatorname{Chi}(3\operatorname{arccosh}(ax))}{32a^5} + \frac{125\operatorname{Chi}(5\operatorname{arccosh}(ax))}{96a^5}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 356 vs. 2(170) = 340.

Time = 0.29 (sec) , antiderivative size = 356, normalized size of antiderivative = 2.09

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx$$

$$= \frac{\sqrt{-1+ax} \left(32a^4 x^4 \sqrt{\frac{-1+ax}{1+ax}} - 32a^6 x^6 \sqrt{\frac{-1+ax}{1+ax}} + 64a^3 x^3 \sqrt{-1+ax} \sqrt{\frac{-1+ax}{1+ax}} \sqrt{1+ax} \operatorname{arccosh}(ax) - 80a^5 x^5 \sqrt{-1+ax} \sqrt{1+ax} \operatorname{arccosh}(ax)^2 \right)}{(1+ax)^{3/2} \operatorname{arccosh}(ax)^3}$$

[In] Integrate[x^4/ArcCosh[a*x]^4,x]

[Out] (Sqrt[-1 + a*x]*(32*a^4*x^4*Sqrt[(-1 + a*x)/(1 + a*x)] - 32*a^6*x^6*Sqrt[(-1 + a*x)/(1 + a*x)] + 64*a^3*x^3*Sqrt[-1 + a*x]*Sqrt[(-1 + a*x)/(1 + a*x)]*Sqrt[1 + a*x]*ArcCosh[a*x] - 80*a^5*x^5*Sqrt[-1 + a*x]*Sqrt[(-1 + a*x)/(1 + a*x)]*Sqrt[1 + a*x]*ArcCosh[a*x] - 192*a^2*x^2*Sqrt[(-1 + a*x)/(1 + a*x)]*ArcCosh[a*x]^2 + 592*a^4*x^4*Sqrt[(-1 + a*x)/(1 + a*x)]*ArcCosh[a*x]^2 - 400*a^6*x^6*Sqrt[(-1 + a*x)/(1 + a*x)]*ArcCosh[a*x]^2 + 2*(-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral[ArcCosh[a*x]] + 81*(-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral[3*ArcCosh[a*x]] - 125*ArcCosh[a*x]^3*CoshIntegral[5*ArcCosh[a*x]] + 125*a*x*ArcCosh[a*x]^3*CoshIntegral[5*ArcCosh[a*x]]))/(96*a^5*((-1 + a*x)/(1 + a*x))^(3/2)*(1 + a*x)^(3/2)*ArcCosh[a*x]^3)

Maple [A] (verified)

Time = 0.22 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.03

method	result
derivativedivides	$-\frac{\sqrt{ax-1}\sqrt{ax+1}}{24 \operatorname{arccosh}(ax)^3} - \frac{ax}{48 \operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{48 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{48} - \frac{\sinh(3 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)^3} - \frac{3 \cosh(3 \operatorname{arccosh}(ax))}{32 \operatorname{arccosh}(ax)^2} - \frac{9 \sinh(3 \operatorname{arccosh}(ax))}{32 \operatorname{arccosh}(ax)}$
default	$-\frac{\sqrt{ax-1}\sqrt{ax+1}}{24 \operatorname{arccosh}(ax)^3} - \frac{ax}{48 \operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{48 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{48} - \frac{\sinh(3 \operatorname{arccosh}(ax))}{16 \operatorname{arccosh}(ax)^3} - \frac{3 \cosh(3 \operatorname{arccosh}(ax))}{32 \operatorname{arccosh}(ax)^2} - \frac{9 \sinh(3 \operatorname{arccosh}(ax))}{32 \operatorname{arccosh}(ax)}$

[In] int(x^4/arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] $1/a^5*(-1/24/\operatorname{arccosh}(a*x)^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}-1/48*a*x/\operatorname{arccosh}(a*x)^2-1/48/\operatorname{arccosh}(a*x)*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}+1/48*\operatorname{Chi}(\operatorname{arccosh}(a*x))-1/16/\operatorname{arccosh}(a*x)^3*\sinh(3*\operatorname{arccosh}(a*x))-3/32/\operatorname{arccosh}(a*x)^2*\cosh(3*\operatorname{arccosh}(a*x))-9/32/\operatorname{arccosh}(a*x)*\sinh(3*\operatorname{arccosh}(a*x))+27/32*\operatorname{Chi}(3*\operatorname{arccosh}(a*x))-1/48/\operatorname{arccosh}(a*x)^3*\sinh(5*\operatorname{arccosh}(a*x))-5/96/\operatorname{arccosh}(a*x)^2*\cosh(5*\operatorname{arccosh}(a*x))-25/96/\operatorname{arccosh}(a*x)*\sinh(5*\operatorname{arccosh}(a*x))+125/96*\operatorname{Chi}(5*\operatorname{arccosh}(a*x)))$

Fricas [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(x^4/arccosh(a*x)^4,x, algorithm="fricas")

[Out] integral(x^4/arccosh(a*x)^4, x)

Sympy [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^4}{\operatorname{acosh}^4(ax)} dx$$

[In] integrate(x**4/acosh(a*x)**4,x)

[Out] Integral(x**4/acosh(a*x)**4, x)

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(x^4/arccosh(a*x)^4,x, algorithm="maxima")

[Out] $-1/6*(2*a^{13}*x^{15} - 10*a^{11}*x^{13} + 20*a^9*x^{11} - 20*a^7*x^9 + 10*a^5*x^7 - 2*a^3*x^5 + 2*(a^8*x^{10} - a^6*x^8)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 2*(5*a^9*x^{11} - 9*a^7*x^9 + 4*a^5*x^7)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^{10}*x^{12} - 13*a^8*x^{10} + 11*a^6*x^8 - 3*a^4*x^6)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a^{11}*x^{13} - 17*a^9*x^{11} + 21*a^7*x^9 - 11*a^5*x^7 + 2*a^3*x^5)*(a*x + 1)*(a*x - 1) + (25*a^{13}*x^{15} - 125*a^{11}*x^{13} + 250*a^9*x^{11} - 250*a^7*x^9 + 125*a^5*x^7 - 25*a^3*x^5 + (25*a^8*x^{10} - 49*a^6*x^8 + 27*a^4*x^6 - 3*a^2*x^4)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + (125*a^9*x^{11} - 321*a^7*x^9 + 286*a^5*x^7 - 102*a^3*x^5 + 12*a*x^3)*(a*x + 1)^2*(a*x - 1)^2 + (250*a^{10}*x^{12} - 794*a^8*x^{10} + 946*a^6*x^8 - 519*a^4*x^6 + 129*a^2*x^4 - 12*x^2)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(125*a^{11}*x^{13} - 473*a^9*x^{11} + 696*a^7*x^9 - 497*a^5*x^7 + 173*a^3*x^5 - 24*a*x^3)*(a*x + 1)*(a*x - 1) + (125*a^{12}*x^{14} - 549*a^{10}*x^{12} + 955*a^8*x^{10} - 824*a^6*x^8 + 354*a^4*x^6 - 61*a^2*x^4)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)*\log(a*x + \operatorname{sqrt}(a*x + 1))*\operatorname{sqrt}(a*x - 1))^2 + 2*(5*a^{12}*x^{14} - 21*a^{10}*x^{12} + 34*a^8*x^{10} - 26*a^6*x^8 + 9*a^4*x^6 - a^2*x^4)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + (5*a^{13}*x^{15} - 25*a^{11}*x^{13} + 50*a^9*x^{11} - 50*a^7$

```

*x^9 + 25*a^5*x^7 - 5*a^3*x^5 + (5*a^8*x^10 - 8*a^6*x^8 + 3*a^4*x^6)*(a*x +
1)^(5/2)*(a*x - 1)^(5/2) + (25*a^9*x^11 - 57*a^7*x^9 + 42*a^5*x^7 - 10*a^3
*x^5)*(a*x + 1)^2*(a*x - 1)^2 + (50*a^10*x^12 - 148*a^8*x^10 + 158*a^6*x^8
- 71*a^4*x^6 + 11*a^2*x^4)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(25*a^11*x^1
3 - 91*a^9*x^11 + 126*a^7*x^9 - 81*a^5*x^7 + 23*a^3*x^5 - 2*a*x^3)*(a*x + 1
)*(a*x - 1) + (25*a^12*x^14 - 108*a^10*x^12 + 183*a^8*x^10 - 151*a^6*x^8 +
60*a^4*x^6 - 9*a^2*x^4)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1
))*sqrt(a*x - 1))/((a^13*x^10 - 5*a^11*x^8 + (a*x + 1)^(5/2)*(a*x - 1)^(5/2
))*a^8*x^5 + 10*a^9*x^6 - 10*a^7*x^4 + 5*a^5*x^2 + 5*(a^9*x^6 - a^7*x^4)*(a*x
+ 1)^2*(a*x - 1)^2 + 10*(a^10*x^7 - 2*a^8*x^5 + a^6*x^3)*(a*x + 1)^(3/2)*
(a*x - 1)^(3/2) + 10*(a^11*x^8 - 3*a^9*x^6 + 3*a^7*x^4 - a^5*x^2)*(a*x + 1)
*(a*x - 1) - a^3 + 5*(a^12*x^9 - 4*a^10*x^7 + 6*a^8*x^5 - 4*a^6*x^3 + a^4*x
)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1))*sqrt(a*x - 1))^3) +
integrate(1/6*(125*a^15*x^16 - 750*a^13*x^14 + 1875*a^11*x^12 - 2500*a^9*x^
10 + 1875*a^7*x^8 - 750*a^5*x^6 + (125*a^9*x^10 - 147*a^7*x^8 + 27*a^5*x^6
+ 3*a^3*x^4)*(a*x + 1)^3*(a*x - 1)^3 + 125*a^3*x^4 + (750*a^10*x^11 - 1485*
a^8*x^9 + 901*a^6*x^7 - 147*a^4*x^5 - 12*a^2*x^3)*(a*x + 1)^(5/2)*(a*x - 1)
^(5/2) + (1875*a^11*x^12 - 5220*a^9*x^10 + 5209*a^7*x^8 - 2185*a^5*x^6 + 32
1*a^3*x^4)*(a*x + 1)^2*(a*x - 1)^2 + (2500*a^12*x^13 - 8970*a^10*x^11 + 123
66*a^8*x^9 - 8143*a^6*x^7 + 2583*a^4*x^5 - 360*a^2*x^3 + 24*x)*(a*x + 1)^(3
/2)*(a*x - 1)^(3/2) + (1875*a^13*x^14 - 8235*a^11*x^12 + 14449*a^9*x^10 - 1
2834*a^7*x^8 + 6030*a^5*x^6 - 1429*a^3*x^4 + 144*a*x^2)*(a*x + 1)*(a*x - 1)
+ (750*a^14*x^15 - 3897*a^12*x^13 + 8293*a^10*x^11 - 9226*a^8*x^9 + 5655*a
^6*x^7 - 1819*a^4*x^5 + 244*a^2*x^3)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^15*x^
12 - 6*a^13*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^9*x^6 + 15*a^11*x^8 - 20*a^9*x
^6 + 15*a^7*x^4 - 6*a^5*x^2 + 6*(a^10*x^7 - a^8*x^5)*(a*x + 1)^(5/2)*(a*x -
1)^(5/2) + 15*(a^11*x^8 - 2*a^9*x^6 + a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 2
0*(a^12*x^9 - 3*a^10*x^7 + 3*a^8*x^5 - a^6*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(
3/2) + 15*(a^13*x^10 - 4*a^11*x^8 + 6*a^9*x^6 - 4*a^7*x^4 + a^5*x^2)*(a*x +
1)*(a*x - 1) + a^3 + 6*(a^14*x^11 - 5*a^12*x^9 + 10*a^10*x^7 - 10*a^8*x^5
+ 5*a^6*x^3 - a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1))*s
qrt(a*x - 1))), x)

```

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx$$

[In] integrate(x^4/arccosh(a*x)^4,x, algorithm="giac")

[Out] integrate(x^4/arccosh(a*x)^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^4} dx$$

```
[In] int(x^4/acosh(a*x)^4,x)
```

```
[Out] int(x^4/acosh(a*x)^4, x)
```


3.66 $\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx$

Optimal result	393
Rubi [A] (verified)	393
Mathematica [A] (warning: unable to verify)	395
Maple [A] (verified)	396
Fricas [F]	396
Sympy [F]	396
Maxima [F]	397
Giac [F(-2)]	398
Mupad [F(-1)]	398

Optimal result

Integrand size = 10, antiderivative size = 155

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2}$$

$$+ \frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{8x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)}$$

$$+ \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^4} + \frac{4\operatorname{Chi}(4\operatorname{arccosh}(ax))}{3a^4}$$

[Out] $1/2*x^2/a^2/\operatorname{arccosh}(a*x)^2 - 2/3*x^4/\operatorname{arccosh}(a*x)^2 + 1/3*\operatorname{Chi}(2*\operatorname{arccosh}(a*x))/a^4 + 4/3*\operatorname{Chi}(4*\operatorname{arccosh}(a*x))/a^4 - 1/3*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^3 + x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3/\operatorname{arccosh}(a*x) - 8/3*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5886, 5951, 5885, 3382}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^4} + \frac{4\operatorname{Chi}(4\operatorname{arccosh}(ax))}{3a^4}$$

$$+ \frac{x\sqrt{ax-1}\sqrt{ax+1}}{a^3\operatorname{arccosh}(ax)} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2}$$

$$- \frac{8x^3\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)} - \frac{x^3\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^3}$$

[In] $\operatorname{Int}[x^3/\operatorname{ArcCosh}[a*x]^4, x]$

```
[Out] -1/3*(x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*ArcCosh[a*x]^3) + x^2/(2*a^2*Arc
Cosh[a*x]^2) - (2*x^4)/(3*ArcCosh[a*x]^2) + (x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]
)/(a^3*ArcCosh[a*x]) - (8*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*ArcCosh[a*
x]) + CoshIntegral[2*ArcCosh[a*x]]/(3*a^4) + (4*CoshIntegral[4*ArcCosh[a*x]
])/(3*a^4)
```

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbo
l] :> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz
}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] :> Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_)^m)/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\text{arccosh}(ax)^3} - \frac{\int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3} dx}{a}$$

$$+ \frac{1}{3}(4a) \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3} dx$$

$$\begin{aligned}
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{8}{3} \int \frac{x^3}{\operatorname{arccosh}(ax)^2} dx - \frac{\int \frac{x}{\operatorname{arccosh}(ax)^2} dx}{a^2} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2} + \frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} \\
&\quad - \frac{8x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad - \frac{8\operatorname{Subst}\left(\int \left(-\frac{\cosh(2x)}{2x} - \frac{\cosh(4x)}{2x}\right) dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2} \\
&\quad + \frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} - \frac{8x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} - \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{a^4} \\
&\quad + \frac{4\operatorname{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} + \frac{4\operatorname{Subst}\left(\int \frac{\cosh(4x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x^2}{2a^2\operatorname{arccosh}(ax)^2} - \frac{2x^4}{3\operatorname{arccosh}(ax)^2} + \frac{x\sqrt{-1+ax}\sqrt{1+ax}}{a^3\operatorname{arccosh}(ax)} \\
&\quad - \frac{8x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^4} + \frac{4\operatorname{Chi}(4\operatorname{arccosh}(ax))}{3a^4}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.30 (sec) , antiderivative size = 188, normalized size of antiderivative = 1.21

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \frac{\sqrt{-1+ax} \left(ax \sqrt{\frac{-1+ax}{1+ax}} (2a^2x^2 - 2a^4x^4 - ax\sqrt{-1+ax}\sqrt{1+ax}(-3 + 4a^2x^2) \operatorname{arccosh}(ax) - 2(3 - 11a^2x^2) \right)}{6a^4 \left(\frac{-1+ax}{1+ax} \right)^3}$$

[In] Integrate[x^3/ArcCosh[a*x]^4,x]

[Out] (Sqrt[-1 + a*x]*(a*x*Sqrt[(-1 + a*x)/(1 + a*x)]*(2*a^2*x^2 - 2*a^4*x^4 - a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(-3 + 4*a^2*x^2)*ArcCosh[a*x] - 2*(3 - 11*a^2*x^2 + 8*a^4*x^4)*ArcCosh[a*x]^2) + 2*(-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral[2*ArcCosh[a*x]] + 8*(-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral[4*ArcCosh[a*x]])/(6*a^4*((-1 + a*x)/(1 + a*x))^(3/2)*(1 + a*x)^(3/2)*ArcCosh[a*x]^3)

Maple [A] (verified)

Time = 0.16 (sec) , antiderivative size = 114, normalized size of antiderivative = 0.74

method	result
derivativedivides	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^3} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2 \operatorname{arccosh}(ax))}{3} - \frac{\sinh(4 \operatorname{arccosh}(ax))}{24 \operatorname{arccosh}(ax)^3} - \frac{\cosh(4 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^2}}{a^4}$
default	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^3} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(2 \operatorname{arccosh}(ax))}{3} - \frac{\sinh(4 \operatorname{arccosh}(ax))}{24 \operatorname{arccosh}(ax)^3} - \frac{\cosh(4 \operatorname{arccosh}(ax))}{12 \operatorname{arccosh}(ax)^2}}{a^4}$

```
[In] int(x^3/arccosh(a*x)^4,x,method=_RETURNVERBOSE)
```

```
[Out] 1/a^4*(-1/12/arccosh(a*x)^3*sinh(2*arccosh(a*x))-1/12/arccosh(a*x)^2*cosh(2
*arccosh(a*x))-1/6/arccosh(a*x)*sinh(2*arccosh(a*x))+1/3*Chi(2*arccosh(a*x)
)-1/24/arccosh(a*x)^3*sinh(4*arccosh(a*x))-1/12/arccosh(a*x)^2*cosh(4*arcco
sh(a*x))-1/3/arccosh(a*x)*sinh(4*arccosh(a*x))+4/3*Chi(4*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^4} dx$$

```
[In] integrate(x^3/arccosh(a*x)^4,x, algorithm="fricas")
```

```
[Out] integral(x^3/arccosh(a*x)^4, x)
```

Sympy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^3}{\operatorname{acosh}^4(ax)} dx$$

```
[In] integrate(x**3/acosh(a*x)**4,x)
```

```
[Out] Integral(x**3/acosh(a*x)**4, x)
```

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(x^3/arccosh(a*x)^4,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/6*(2*a^{13}*x^{14} - 10*a^{11}*x^{12} + 20*a^9*x^{10} - 20*a^7*x^8 + 10*a^5*x^6 - \\ & 2*a^3*x^4 + 2*(a^8*x^9 - a^6*x^7)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 2*(5*a^9*x^{10} - 9*a^7*x^8 + 4*a^5*x^6)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^{10}*x^{11} - \\ & 13*a^8*x^9 + 11*a^6*x^7 - 3*a^4*x^5)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a^{11}*x^{12} - 17*a^9*x^{10} + 21*a^7*x^8 - 11*a^5*x^6 + 2*a^3*x^4)*(a*x + 1)*(\\ & a*x - 1) + (16*a^{13}*x^{14} - 80*a^{11}*x^{12} + 160*a^9*x^{10} - 160*a^7*x^8 + 80*a^5*x^6 - 16*a^3*x^4 + 4*(4*a^8*x^9 - 7*a^6*x^7 + 3*a^4*x^5)*(a*x + 1)^{(5/2)} \\ & *(a*x - 1)^{(5/2)} + (80*a^9*x^{10} - 192*a^7*x^8 + 154*a^5*x^6 - 45*a^3*x^4 + 3*a*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (160*a^{10}*x^{11} - 488*a^8*x^9 + 550*a^6*x^7 - 279*a^4*x^5 + 63*a^2*x^3 - 6*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (160 \\ & *a^{11}*x^{12} - 592*a^9*x^{10} + 846*a^7*x^8 - 583*a^5*x^6 + 196*a^3*x^4 - 27*a*x^2)*(a*x + 1)*(a*x - 1) + (80*a^{12}*x^{13} - 348*a^{10}*x^{11} + 598*a^8*x^9 - 50 \\ & 9*a^6*x^7 + 216*a^4*x^5 - 37*a^2*x^3)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^2 + 2*(5*a^{12}*x^{13} - 21*a^{10}*x^{11} + 34*a^8*x^9 - 26*a^6*x^7 + 9*a^4*x^5 - a^2*x^3)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + (4*a^{13}*x^{14} - 20*a^{11}*x^{12} + 40*a^9*x^{10} - 40*a^7*x^8 + 20*a^5*x^6 - 4*a^3*x^4 + 2*(2*a^8*x^9 - 3*a^6*x^7 + a^4*x^5)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + (20*a^9*x^{10} - 44*a^7*x^8 + 31*a^5*x^6 - 7*a^3*x^4)*(a*x + 1)^2*(a*x - 1)^2 + (40*a^{10}*x^{11} - 116*a^8*x^9 + 121*a^6*x^7 - 53*a^4*x^5 + 8*a^2*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + (40*a^{11}*x^{12} - 144*a^9*x^{10} + 197*a^7*x^8 - 125*a^5*x^6 + 35*a^3*x^4 - 3*a*x^2)*(a*x + 1)*(a*x - 1) + (20*a^{12}*x^{13} - 86*a^{10}*x^{11} + 145*a^8*x^9 - 119*a^6*x^7 + 47*a^4*x^5 - 7*a^2*x^3)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)))/((a^{13}*x^{10} - 5*a^{11}*x^8 + (a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)}*a^8*x^5 + 10*a^9*x^6 - 10*a^7*x^4 + 5*a^5*x^2 + 5*(a^9*x^6 - a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 10*(a^{10}*x^7 - 2*a^8*x^5 + a^6*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 10*(a^{11}*x^8 - 3*a^9*x^6 + 3*a^7*x^4 - a^5*x^2)*(a*x + 1)*(a*x - 1) - a^3 + 5*(a^{12}*x^9 - 4*a^{10}*x^7 + 6*a^8*x^5 - 4*a^6*x^3 + a^4*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^3) + \operatorname{integrate}(1/6*(64*a^{15}*x^{15} - 384*a^{13}*x^{13} + 960*a^{11}*x^{11} - 1280*a^9*x^9 + 960*a^7*x^7 - 384*a^5*x^5 + 8*(8*a^9*x^9 - 7*a^7*x^7)*(a*x + 1)^3*(a*x - 1)^3 + (384*a^{10}*x^{10} - 664*a^8*x^8 + 308*a^6*x^6 - 12*a^4*x^4 - 9*a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 64*a^3*x^3 + 2*(480*a^{11}*x^{11} - 1240*a^9*x^9 + 1096*a^7*x^7 - 360*a^5*x^5 + 15*a^3*x^3 + 9*a*x)*(a*x + 1)^2*(a*x - 1)^2 + 2*(640*a^{12}*x^{12} - 2200*a^{10}*x^{10} + 2844*a^8*x^8 - 1684*a^6*x^6 + 433*a^4*x^4 - 36*a^2*x^2 + 3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(480*a^{13}*x^{13} - 2060*a^{11}*x^{11} + 3496*a^9*x^9 - 2952*a^7*x^7 + 1283*a^5*x^5 - 274*a^3*x^3 + 27*a*x)*(a*x + 1)*(a*x - 1) + \end{aligned}$$

```
(384*a^14*x^14 - 1976*a^12*x^12 + 4148*a^10*x^10 - 4524*a^8*x^8 + 2699*a^6*x^6 - 842*a^4*x^4 + 111*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1)/((a^15*x^12 - 6*a^13*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^9*x^6 + 15*a^11*x^8 - 20*a^9*x^6 + 15*a^7*x^4 - 6*a^5*x^2 + 6*(a^10*x^7 - a^8*x^5)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + 15*(a^11*x^8 - 2*a^9*x^6 + a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a^12*x^9 - 3*a^10*x^7 + 3*a^8*x^5 - a^6*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 15*(a^13*x^10 - 4*a^11*x^8 + 6*a^9*x^6 - 4*a^7*x^4 + a^5*x^2)*(a*x + 1)*(a*x - 1) + a^3 + 6*(a^14*x^11 - 5*a^12*x^9 + 10*a^10*x^7 - 10*a^8*x^5 + 5*a^6*x^3 - a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3/arccosh(a*x)^4,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^4} dx$$

```
[In] int(x^3/acosh(a*x)^4,x)
```

```
[Out] int(x^3/acosh(a*x)^4, x)
```

3.67 $\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx$

Optimal result	399
Rubi [A] (verified)	399
Mathematica [A] (warning: unable to verify)	402
Maple [A] (verified)	402
Fricas [F]	402
Sympy [F]	403
Maxima [F]	403
Giac [F]	404
Mupad [F(-1)]	404

Optimal result

Integrand size = 10, antiderivative size = 153

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2}$$

$$+ \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\operatorname{arccosh}(ax)} - \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)}$$

$$+ \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{24a^3} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{8a^3}$$

[Out] $1/3*x/a^2/\operatorname{arccosh}(a*x)^2-1/2*x^3/\operatorname{arccosh}(a*x)^2+1/24*\operatorname{Chi}(\operatorname{arccosh}(a*x))/a^3+$
 $9/8*\operatorname{Chi}(3*\operatorname{arccosh}(a*x))/a^3-1/3*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a$
 $*x)^3+1/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a^3/\operatorname{arccosh}(a*x)-3/2*x^2*(a*x-1)^{(1/2)}$
 $)*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 153, normalized size of antiderivative = 1.00,
 number of steps used = 10, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used
 = {5886, 5951, 5885, 3382, 5880, 5953}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{24a^3} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{8a^3}$$

$$+ \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a^3\operatorname{arccosh}(ax)} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2}$$

$$- \frac{3x^2\sqrt{ax-1}\sqrt{ax+1}}{2a\operatorname{arccosh}(ax)} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^3}$$

[In] $\operatorname{Int}[x^2/\operatorname{ArcCosh}[a*x]^4, x]$

```
[Out] -1/3*(x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*ArcCosh[a*x]^3) + x/(3*a^2*ArcCosh[a*x]^2) - x^3/(2*ArcCosh[a*x]^2) + (Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a^3*ArcCosh[a*x]) - (3*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(2*a*ArcCosh[a*x]) + CoshIntegral[ArcCosh[a*x]]/(24*a^3) + (9*CoshIntegral[3*ArcCosh[a*x]])/(8*a^3)
```

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x] && EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n, x_Symbol] := Simp[Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^m, x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*((f_.)*(x_)^m)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```


Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x_)^(p_.))*((d2_) + (e2_.)*(x_)^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{2\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}dx}{3a} \\
&+ a\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3}dx \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2} \\
&+ \frac{3}{2}\int\frac{x^2}{\operatorname{arccosh}(ax)^2}dx - \frac{\int\frac{1}{\operatorname{arccosh}(ax)^2}dx}{3a^2} \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\operatorname{arccosh}(ax)} \\
&- \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)} - \frac{3\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4x} - \frac{3\cosh(3x)}{4x}\right)dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\
&- \frac{\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)}dx}{3a} \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\operatorname{arccosh}(ax)} \\
&- \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{3a^3} \\
&+ \frac{3\operatorname{Subst}\left(\int\frac{\cosh(x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{8a^3} + \frac{9\operatorname{Subst}\left(\int\frac{\cosh(3x)}{x}dx, x, \operatorname{arccosh}(ax)\right)}{8a^3} \\
&= -\frac{x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{x}{3a^2\operatorname{arccosh}(ax)^2} - \frac{x^3}{2\operatorname{arccosh}(ax)^2} + \frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a^3\operatorname{arccosh}(ax)} \\
&- \frac{3x^2\sqrt{-1+ax}\sqrt{1+ax}}{2a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{24a^3} + \frac{9\operatorname{Chi}(3\operatorname{arccosh}(ax))}{8a^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.28 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.20

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx$$

$$= \frac{\sqrt{-1+ax} \left(-4\sqrt{\frac{-1+ax}{1+ax}} (2a^2x^2(-1+a^2x^2) + ax\sqrt{-1+ax}\sqrt{1+ax}(-2+3a^2x^2) \operatorname{arccosh}(ax) + (2-11a^2x^2) \operatorname{arccosh}(ax)^3) \right)}{24a^3 \left(\frac{-1+ax}{1+ax} \right)^3}$$

`[In] Integrate[x^2/ArcCosh[a*x]^4,x]`

```
[Out] (Sqrt[-1 + a*x]*(-4*Sqrt[(-1 + a*x)/(1 + a*x)]*(2*a^2*x^2*(-1 + a^2*x^2) +
a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(-2 + 3*a^2*x^2)*ArcCosh[a*x] + (2 - 11*a^
2*x^2 + 9*a^4*x^4)*ArcCosh[a*x]^2) + (-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral
[ArcCosh[a*x]] + 27*(-1 + a*x)*ArcCosh[a*x]^3*CoshIntegral[3*ArcCosh[a*x]])
)/(24*a^3*((-1 + a*x)/(1 + a*x))^(3/2)*(1 + a*x)^(3/2)*ArcCosh[a*x]^3)
```

Maple [A] (verified)

Time = 0.05 (sec) , antiderivative size = 121, normalized size of antiderivative = 0.79

method	result
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{12\operatorname{arccosh}(ax)^3} - \frac{ax}{24\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{24\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{24} - \frac{\sinh(3\operatorname{arccosh}(ax))}{12\operatorname{arccosh}(ax)^3} - \frac{\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^3}}$
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{12\operatorname{arccosh}(ax)^3} - \frac{ax}{24\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{24\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{24} - \frac{\sinh(3\operatorname{arccosh}(ax))}{12\operatorname{arccosh}(ax)^3} - \frac{\cosh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^2} - \frac{3\sinh(3\operatorname{arccosh}(ax))}{8\operatorname{arccosh}(ax)^3}}$

`[In] int(x^2/arccosh(a*x)^4,x,method=_RETURNVERBOSE)`

```
[Out] 1/a^3*(-1/12/arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/24*a*x/arccosh(a*
x)^2-1/24/arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+1/24*Chi(arccosh(a*x))-1
/12/arccosh(a*x)^3*sinh(3*arccosh(a*x))-1/8/arccosh(a*x)^2*cosh(3*arccosh(a
*x))-3/8/arccosh(a*x)*sinh(3*arccosh(a*x))+9/8*Chi(3*arccosh(a*x)))
```

Fricas [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^4} dx$$

`[In] integrate(x^2/arccosh(a*x)^4,x, algorithm="fricas")``[Out] integral(x^2/arccosh(a*x)^4, x)`

SymPy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^2}{\operatorname{acosh}^4(ax)} dx$$

```
[In] integrate(x**2/acosh(a*x)**4,x)
```

```
[Out] Integral(x**2/acosh(a*x)**4, x)
```

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^2}{\operatorname{arcosh}^4(ax)} dx$$

```
[In] integrate(x^2/arccosh(a*x)^4,x, algorithm="maxima")
```

```
[Out] -1/6*(2*a^13*x^13 - 10*a^11*x^11 + 20*a^9*x^9 - 20*a^7*x^7 + 10*a^5*x^5 + 2
*(a^8*x^8 - a^6*x^6)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) - 2*a^3*x^3 + 2*(5*a^9
*x^9 - 9*a^7*x^7 + 4*a^5*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^10*x^10 - 13
*a^8*x^8 + 11*a^6*x^6 - 3*a^4*x^4)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 4*(5*a
^11*x^11 - 17*a^9*x^9 + 21*a^7*x^7 - 11*a^5*x^5 + 2*a^3*x^3)*(a*x + 1)*(a*x
- 1) + (9*a^13*x^13 - 45*a^11*x^11 + 90*a^9*x^9 - 90*a^7*x^7 + 45*a^5*x^5
+ (9*a^8*x^8 - 13*a^6*x^6 + 3*a^4*x^4 + a^2*x^2)*(a*x + 1)^(5/2)*(a*x - 1)^(
5/2) - 9*a^3*x^3 + (45*a^9*x^9 - 97*a^7*x^7 + 64*a^5*x^5 - 10*a^3*x^3 - 2*
a*x)*(a*x + 1)^2*(a*x - 1)^2 + (90*a^10*x^10 - 258*a^8*x^8 + 264*a^6*x^6 -
113*a^4*x^4 + 19*a^2*x^2 - 2)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(45*a^11*
x^11 - 161*a^9*x^9 + 219*a^7*x^7 - 141*a^5*x^5 + 44*a^3*x^3 - 6*a*x)*(a*x +
1)*(a*x - 1) + (45*a^12*x^12 - 193*a^10*x^10 + 325*a^8*x^8 - 270*a^6*x^6 +
112*a^4*x^4 - 19*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1)*log(a*x + sqrt(a*x
+ 1)*sqrt(a*x - 1))^2 + 2*(5*a^12*x^12 - 21*a^10*x^10 + 34*a^8*x^8 - 26*a^6
*x^6 + 9*a^4*x^4 - a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1) + (3*a^13*x^13 - 15
*a^11*x^11 + 30*a^9*x^9 - 30*a^7*x^7 + 15*a^5*x^5 + (3*a^8*x^8 - 4*a^6*x^6
+ a^4*x^4)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) - 3*a^3*x^3 + (15*a^9*x^9 - 31*a
^7*x^7 + 20*a^5*x^5 - 4*a^3*x^3)*(a*x + 1)^2*(a*x - 1)^2 + (30*a^10*x^10 -
84*a^8*x^8 + 84*a^6*x^6 - 35*a^4*x^4 + 5*a^2*x^2)*(a*x + 1)^(3/2)*(a*x - 1)
^(3/2) + 2*(15*a^11*x^11 - 53*a^9*x^9 + 71*a^7*x^7 - 44*a^5*x^5 + 12*a^3*x^
3 - a*x)*(a*x + 1)*(a*x - 1) + (15*a^12*x^12 - 64*a^10*x^10 + 107*a^8*x^8 -
87*a^6*x^6 + 34*a^4*x^4 - 5*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1)*log(a*x
+ sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^13*x^10 - 5*a^11*x^8 + (a*x + 1)^(5/2)*
(a*x - 1)^(5/2)*a^8*x^5 + 10*a^9*x^6 - 10*a^7*x^4 + 5*a^5*x^2 + 5*(a^9*x^6
- a^7*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 10*(a^10*x^7 - 2*a^8*x^5 + a^6*x^3)*(a
*x + 1)^(3/2)*(a*x - 1)^(3/2) + 10*(a^11*x^8 - 3*a^9*x^6 + 3*a^7*x^4 - a^5*
x^2)*(a*x + 1)*(a*x - 1) - a^3 + 5*(a^12*x^9 - 4*a^10*x^7 + 6*a^8*x^5 - 4*a
```

```

^6*x^3 + a^4*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a
*x - 1))^3) + integrate(1/6*(27*a^14*x^14 - 162*a^12*x^12 + 405*a^10*x^10 -
540*a^8*x^8 + 405*a^6*x^6 - 162*a^4*x^4 + (27*a^8*x^8 - 13*a^6*x^6 - 3*a^4
*x^4 - 3*a^2*x^2)*(a*x + 1)^3*(a*x - 1)^3 + (162*a^9*x^9 - 227*a^7*x^7 + 63
*a^5*x^5 + 3*a^3*x^3 + 6*a*x)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + (405*a^10*x
^10 - 940*a^8*x^8 + 687*a^6*x^6 - 143*a^4*x^4 - 21*a^2*x^2 + 12)*(a*x + 1)^
2*(a*x - 1)^2 + (540*a^11*x^11 - 1750*a^9*x^9 + 2058*a^7*x^7 - 1017*a^5*x^5
+ 145*a^3*x^3 + 24*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 27*a^2*x^2 + (40
5*a^12*x^12 - 1685*a^10*x^10 + 2727*a^8*x^8 - 2118*a^6*x^6 + 782*a^4*x^4 -
123*a^2*x^2 + 12)*(a*x + 1)*(a*x - 1) + (162*a^13*x^13 - 823*a^11*x^11 + 16
95*a^9*x^9 - 1790*a^7*x^7 + 1015*a^5*x^5 - 297*a^3*x^3 + 38*a*x)*sqrt(a*x +
1)*sqrt(a*x - 1))/((a^14*x^12 - 6*a^12*x^10 + (a*x + 1)^3*(a*x - 1)^3*a^8*
x^6 + 15*a^10*x^8 - 20*a^8*x^6 + 15*a^6*x^4 + 6*(a^9*x^7 - a^7*x^5)*(a*x +
1)^(5/2)*(a*x - 1)^(5/2) - 6*a^4*x^2 + 15*(a^10*x^8 - 2*a^8*x^6 + a^6*x^4)*
(a*x + 1)^2*(a*x - 1)^2 + 20*(a^11*x^9 - 3*a^9*x^7 + 3*a^7*x^5 - a^5*x^3)*
(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 15*(a^12*x^10 - 4*a^10*x^8 + 6*a^8*x^6 - 4
*a^6*x^4 + a^4*x^2)*(a*x + 1)*(a*x - 1) + 6*(a^13*x^11 - 5*a^11*x^9 + 10*a^
9*x^7 - 10*a^7*x^5 + 5*a^5*x^3 - a^3*x)*sqrt(a*x + 1)*sqrt(a*x - 1) + a^2)*
log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)

```

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^4} dx$$

```
[In] integrate(x^2/arccosh(a*x)^4,x, algorithm="giac")
```

```
[Out] integrate(x^2/arccosh(a*x)^4, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^4} dx$$

```
[In] int(x^2/acosh(a*x)^4,x)
```

```
[Out] int(x^2/acosh(a*x)^4, x)
```

3.68 $\int \frac{x}{\operatorname{arccosh}(ax)^4} dx$

Optimal result	405
Rubi [A] (verified)	405
Mathematica [A] (warning: unable to verify)	407
Maple [A] (verified)	407
Fricas [F]	408
Sympy [F]	408
Maxima [F]	408
Giac [F]	409
Mupad [F(-1)]	410

Optimal result

Integrand size = 8, antiderivative size = 105

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{1}{6a^2\operatorname{arccosh}(ax)^2} - \frac{x^2}{3\operatorname{arccosh}(ax)^2} - \frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} + \frac{2\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^2}$$

[Out] $1/6/a^2/\operatorname{arccosh}(a*x)^2-1/3*x^2/\operatorname{arccosh}(a*x)^2+2/3*\operatorname{Chi}(2*\operatorname{arccosh}(a*x))/a^2-1/3*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^3-2/3*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5886, 5951, 5885, 3382, 5893}

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \frac{2\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^2} + \frac{1}{6a^2\operatorname{arccosh}(ax)^2} - \frac{x^2}{3\operatorname{arccosh}(ax)^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)} - \frac{x\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^3}$$

[In] $\operatorname{Int}[x/\operatorname{ArcCosh}[a*x]^4, x]$

[Out] $-1/3*(x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^3) + 1/(6*a^2*\operatorname{ArcCosh}[a*x]^2) - x^2/(3*\operatorname{ArcCosh}[a*x]^2) - (2*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(3*a*\operatorname{ArcCosh}[a*x]) + (2*\operatorname{CoshIntegral}[2*\operatorname{ArcCosh}[a*x]])/(3*a^2)$

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol]
:> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x]
+ Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*
(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x]
&& IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*(x_)^(m_.), x_Symbol]
:> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x]
+ (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])], x], x]
+ Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])], x], x)) /; FreeQ[{a, b, c}, x]
&& IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol]
:> Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x]
/; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^ (n_)*((f_.)*(x_))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol]
:> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x]
- Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*
(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\text{arccosh}(ax)^3} - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3} dx}{3a} + \frac{1}{3}(2a) \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^3} dx$$

$$\begin{aligned}
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{1}{6a^2\operatorname{arccosh}(ax)^2} - \frac{x^2}{3\operatorname{arccosh}(ax)^2} + \frac{2}{3} \int \frac{x}{\operatorname{arccosh}(ax)^2} dx \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{1}{6a^2\operatorname{arccosh}(ax)^2} - \frac{x^2}{3\operatorname{arccosh}(ax)^2} \\
&\quad - \frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} + \frac{2\operatorname{Subst}\left(\int \frac{\cosh(2x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{3a^2} \\
&= -\frac{x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{1}{6a^2\operatorname{arccosh}(ax)^2} - \frac{x^2}{3\operatorname{arccosh}(ax)^2} \\
&\quad - \frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)} + \frac{2\operatorname{Chi}(2\operatorname{arccosh}(ax))}{3a^2}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.23 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.25

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \frac{\frac{2ax-2a^3x^3-\sqrt{-1+ax}\sqrt{1+ax}(-1+2a^2x^2)\operatorname{arccosh}(ax)+(4ax-4a^3x^3)\operatorname{arccosh}(ax)^2}{\operatorname{arccosh}(ax)^3} + 4\sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{Chi}(2\operatorname{arccosh}(ax))}{6a^2\sqrt{-1+ax}\sqrt{1+ax}}$$

[In] Integrate[x/ArcCosh[a*x]^4,x]

[Out] ((2*a*x - 2*a^3*x^3 - Sqrt[-1 + a*x]*Sqrt[1 + a*x]*(-1 + 2*a^2*x^2)*ArcCosh[a*x] + (4*a*x - 4*a^3*x^3)*ArcCosh[a*x]^2)/ArcCosh[a*x]^3 + 4*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*CoshIntegral[2*ArcCosh[a*x]])/(6*a^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])

Maple [A] (verified)

Time = 0.04 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.57

method	result	size
derivativedivides	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^3} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{3 \operatorname{arccosh}(ax)} + \frac{2 \operatorname{Chi}(2 \operatorname{arccosh}(ax))}{3}}{a^2}$	60
default	$\frac{-\frac{\sinh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^3} - \frac{\cosh(2 \operatorname{arccosh}(ax))}{6 \operatorname{arccosh}(ax)^2} - \frac{\sinh(2 \operatorname{arccosh}(ax))}{3 \operatorname{arccosh}(ax)} + \frac{2 \operatorname{Chi}(2 \operatorname{arccosh}(ax))}{3}}{a^2}$	60

[In] int(x/arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] 1/a^2*(-1/6/arccosh(a*x)^3*sinh(2*arccosh(a*x))-1/6/arccosh(a*x)^2*cosh(2*arccosh(a*x))-1/3/arccosh(a*x)*sinh(2*arccosh(a*x))+2/3*Chi(2*arccosh(a*x)))

Fricas [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(x/arccosh(a*x)^4,x, algorithm="fricas")

[Out] integral(x/arccosh(a*x)^4, x)

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x}{\operatorname{acosh}^4(ax)} dx$$

[In] integrate(x/acosh(a*x)**4,x)

[Out] Integral(x/acosh(a*x)**4, x)

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(x/arccosh(a*x)^4,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/6*(2*a^{12}*x^{12} - 10*a^{10}*x^{10} + 20*a^8*x^8 - 20*a^6*x^6 + 10*a^4*x^4 + 2 \\ & *(a^7*x^7 - a^5*x^5)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 2*(5*a^8*x^8 - 9*a^6 \\ & *x^6 + 4*a^4*x^4)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^9*x^9 - 13*a^7*x^7 + 11* \\ & a^5*x^5 - 3*a^3*x^3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} - 2*a^2*x^2 + 4*(5*a^1 \\ & 0*x^{10} - 17*a^8*x^8 + 21*a^6*x^6 - 11*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*(a*x - \\ & 1) + (4*a^{12}*x^{12} - 20*a^{10}*x^{10} + 40*a^8*x^8 - 40*a^6*x^6 + 20*a^4*x^4 + \\ & 4*(a^7*x^7 - a^5*x^5)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + (20*a^8*x^8 - 36*a^ \\ & 6*x^6 + 16*a^4*x^4 + 3*a^2*x^2 - 3)*(a*x + 1)^2*(a*x - 1)^2 + (40*a^9*x^9 - \\ & 104*a^7*x^7 + 88*a^5*x^5 - 21*a^3*x^3 - 3*a*x)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(\\ & 3/2)} - 4*a^2*x^2 + (40*a^{10}*x^{10} - 136*a^8*x^8 + 168*a^6*x^6 - 91*a^4*x^4 + \\ & 22*a^2*x^2 - 3)*(a*x + 1)*(a*x - 1) + (20*a^{11}*x^{11} - 84*a^9*x^9 + 136*a^7 \\ & *x^7 - 107*a^5*x^5 + 42*a^3*x^3 - 7*a*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1)*\log(a \\ & *x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^2 + 2*(5*a^{11}*x^{11} - 21*a^9*x^9 + 34*a^7* \\ & x^7 - 26*a^5*x^5 + 9*a^3*x^3 - a*x)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) + (2*a^{12}*x \\ & ^{12} - 10*a^{10}*x^{10} + 20*a^8*x^8 - 20*a^6*x^6 + 10*a^4*x^4 + 2*(a^7*x^7 - a^ \\ & 5*x^5)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + (10*a^8*x^8 - 18*a^6*x^6 + 9*a^4*x \\ & ^4 - a^2*x^2)*(a*x + 1)^2*(a*x - 1)^2 + (20*a^9*x^9 - 52*a^7*x^7 + 47*a^5*x \end{aligned}$$


```

^5 - 17*a^3*x^3 + 2*a*x)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) - 2*a^2*x^2 + (20*
a^10*x^10 - 68*a^8*x^8 + 87*a^6*x^6 - 51*a^4*x^4 + 13*a^2*x^2 - 1)*(a*x + 1
)*(a*x - 1) + (10*a^11*x^11 - 42*a^9*x^9 + 69*a^7*x^7 - 55*a^5*x^5 + 21*a^3
*x^3 - 3*a*x)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1)))/((a^12*x^10 - 5*a^10*x^8 + (a*x + 1)^(5/2)*(a*x - 1)^(5/2)*a^7*x^5
+ 10*a^8*x^6 - 10*a^6*x^4 + 5*a^4*x^2 + 5*(a^8*x^6 - a^6*x^4)*(a*x + 1)^2*(
a*x - 1)^2 + 10*(a^9*x^7 - 2*a^7*x^5 + a^5*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(
3/2) + 10*(a^10*x^8 - 3*a^8*x^6 + 3*a^6*x^4 - a^4*x^2)*(a*x + 1)*(a*x - 1)
+ 5*(a^11*x^9 - 4*a^9*x^7 + 6*a^7*x^5 - 4*a^5*x^3 + a^3*x)*sqrt(a*x + 1)*sq
rt(a*x - 1) - a^2)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3) + integrate(1/
6*(8*a^13*x^13 - 48*a^11*x^11 + 8*(a*x + 1)^3*(a*x - 1)^3*a^7*x^7 + 120*a^9
*x^9 - 160*a^7*x^7 + 120*a^5*x^5 + (48*a^8*x^8 - 48*a^6*x^6 + 4*a^4*x^4 - 1
2*a^2*x^2 + 15)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) - 48*a^3*x^3 + 8*(15*a^9*x^
9 - 30*a^7*x^7 + 17*a^5*x^5 - 5*a^3*x^3 + 3*a*x)*(a*x + 1)^2*(a*x - 1)^2 +
2*(80*a^10*x^10 - 240*a^8*x^8 + 252*a^6*x^6 - 104*a^4*x^4 + 3*a^2*x^2 + 9)*
(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 8*(15*a^11*x^11 - 60*a^9*x^9 + 92*a^7*x^7
- 63*a^5*x^5 + 15*a^3*x^3 + a*x)*(a*x + 1)*(a*x - 1) + (48*a^12*x^12 - 240
*a^10*x^10 + 484*a^8*x^8 - 484*a^6*x^6 + 243*a^4*x^4 - 58*a^2*x^2 + 7)*sqrt
(a*x + 1)*sqrt(a*x - 1) + 8*a*x)/((a^13*x^12 - 6*a^11*x^10 + (a*x + 1)^3*(a
*x - 1)^3*a^7*x^6 + 15*a^9*x^8 - 20*a^7*x^6 + 15*a^5*x^4 + 6*(a^8*x^7 - a^6
*x^5)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + 15*(a^9*x^8 - 2*a^7*x^6 + a^5*x^4)*
(a*x + 1)^2*(a*x - 1)^2 - 6*a^3*x^2 + 20*(a^10*x^9 - 3*a^8*x^7 + 3*a^6*x^5
- a^4*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 15*(a^11*x^10 - 4*a^9*x^8 + 6*
a^7*x^6 - 4*a^5*x^4 + a^3*x^2)*(a*x + 1)*(a*x - 1) + 6*(a^12*x^11 - 5*a^10*
x^9 + 10*a^8*x^7 - 10*a^6*x^5 + 5*a^4*x^3 - a^2*x)*sqrt(a*x + 1)*sqrt(a*x -
1) + a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)

```

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x}{\operatorname{arccosh}(ax)^4} dx$$

[In] integrate(x/arccosh(a*x)^4,x, algorithm="giac")

[Out] integrate(x/arccosh(a*x)^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^4} dx = \int \frac{x}{\operatorname{acosh}(ax)^4} dx$$

```
[In] int(x/acosh(a*x)^4,x)
```

```
[Out] int(x/acosh(a*x)^4, x)
```

3.69 $\int \frac{1}{\operatorname{arccosh}(ax)^4} dx$

Optimal result	411
Rubi [A] (verified)	411
Mathematica [A] (verified)	413
Maple [A] (verified)	413
Fricas [F]	414
Sympy [F]	414
Maxima [F]	414
Giac [F]	415
Mupad [F(-1)]	415

Optimal result

Integrand size = 6, antiderivative size = 86

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{x}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{6a}$$

[Out] $-1/6*x/\operatorname{arccosh}(a*x)^2+1/6*\operatorname{Chi}(\operatorname{arccosh}(a*x))/a-1/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^3-1/6*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5880, 5951, 5953, 3382}

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{6a} - \frac{x}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6a\operatorname{arccosh}(ax)} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^3}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-4}, x]$

[Out] $-1/3*(\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{ArcCosh}[a*x]^3) - x/(6*\operatorname{ArcCosh}[a*x]^2) - (\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(6*a*\operatorname{ArcCosh}[a*x]) + \operatorname{CoshIntegral}[\operatorname{ArcCosh}[a*x]]/(6*a)$

Rule 3382

```
Int[sin[(e_.) + (Complex[0, fz_])*(f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol]
:> Simp[CoshIntegral[c*f*(fz/d) + f*fz*x]/d, x] /; FreeQ[{c, d, e, f, fz}, x]
&& EqQ[d*(e - Pi/2) - c*f*fz*I, 0]
```

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n, x_Symbol]
:> Simp[Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x]
- Dist[c/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]
/; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n)*((f_.)*(x_))^(m_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol]
:> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x]
- Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x]
/; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rule 5953

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^n*(x_)^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(q_.), x_Symbol]
:> Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^q/(-1 + c*x)^q], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x]
/; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} + \frac{1}{3}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^3} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{x}{6\operatorname{arccosh}(ax)^2} + \frac{1}{6} \int \frac{1}{\operatorname{arccosh}(ax)^2} dx \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{x}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} \\
&\quad + \frac{1}{6}a \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)} dx
\end{aligned}$$

$$\begin{aligned}
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{x}{6\operatorname{arccosh}(ax)^2} \\
&\quad - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} + \frac{\operatorname{Subst}\left(\int \frac{\cosh(x)}{x} dx, x, \operatorname{arccosh}(ax)\right)}{6a} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^3} - \frac{x}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{-1+ax}\sqrt{1+ax}}{6a\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{6a}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.16 (sec) , antiderivative size = 114, normalized size of antiderivative = 1.33

$$\begin{aligned}
&\int \frac{1}{\operatorname{arccosh}(ax)^4} dx \\
&= \frac{2-2a^2x^2-ax\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)+(1-a^2x^2)\operatorname{arccosh}(ax)^2}{\operatorname{arccosh}(ax)^3} + \sqrt{\frac{-1+ax}{1+ax}}(1+ax)\operatorname{Chi}(\operatorname{arccosh}(ax)) \\
&\quad \frac{1}{6a\sqrt{-1+ax}\sqrt{1+ax}}
\end{aligned}$$

[In] Integrate[ArcCosh[a*x]^(-4),x]

[Out] ((2 - 2*a^2*x^2 - a*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x] + (1 - a^2*x^2)*ArcCosh[a*x]^2)/ArcCosh[a*x]^3 + Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)*CoshIntegral[ArcCosh[a*x]])/(6*a*Sqrt[-1 + a*x]*Sqrt[1 + a*x])

Maple [A] (verified)

Time = 0.09 (sec) , antiderivative size = 67, normalized size of antiderivative = 0.78

method	result	size
derivativedivides	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{3\operatorname{arccosh}(ax)^3} - \frac{ax}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{6}}{a}$	67
default	$\frac{-\frac{\sqrt{ax-1}\sqrt{ax+1}}{3\operatorname{arccosh}(ax)^3} - \frac{ax}{6\operatorname{arccosh}(ax)^2} - \frac{\sqrt{ax-1}\sqrt{ax+1}}{6\operatorname{arccosh}(ax)} + \frac{\operatorname{Chi}(\operatorname{arccosh}(ax))}{6}}{a}$	67

[In] int(1/arccosh(a*x)^4,x,method=_RETURNVERBOSE)

[Out] 1/a*(-1/3/arccosh(a*x)^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)-1/6*a*x/arccosh(a*x)^2-1/6/arccosh(a*x)*(a*x-1)^(1/2)*(a*x+1)^(1/2)+1/6*Chi(arccosh(a*x)))

Fricas [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \int \frac{1}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/arccosh(a*x)^4,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^(-4), x)

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \int \frac{1}{\operatorname{acosh}^4(ax)} dx$$

[In] integrate(1/acosh(a*x)**4,x)

[Out] Integral(acosh(a*x)**(-4), x)

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \int \frac{1}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/arccosh(a*x)^4,x, algorithm="maxima")

[Out] $-1/6*(2*a^{11}*x^{11} - 10*a^9*x^9 + 20*a^7*x^7 - 20*a^5*x^5 + 2*(a^6*x^6 - a^4*x^4)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 10*a^3*x^3 + 2*(5*a^7*x^7 - 9*a^5*x^5 + 4*a^3*x^3)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^8*x^8 - 13*a^6*x^6 + 11*a^4*x^4 - 3*a^2*x^2)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 4*(5*a^9*x^9 - 17*a^7*x^7 + 21*a^5*x^5 - 11*a^3*x^3 + 2*a*x)*(a*x + 1)*(a*x - 1) + (a^{11}*x^{11} - 5*a^9*x^9 + 10*a^7*x^7 - 10*a^5*x^5 + (a^6*x^6 - a^4*x^4 + 3*a^2*x^2 - 3)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 5*a^3*x^3 + (5*a^7*x^7 - 9*a^5*x^5 + 10*a^3*x^3 - 6*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^8*x^8 - 26*a^6*x^6 + 22*a^4*x^4 - 3*a^2*x^2 - 3)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^9*x^9 - 17*a^7*x^7 + 18*a^5*x^5 - 5*a^3*x^3 - a*x)*(a*x + 1)*(a*x - 1) + (5*a^{10}*x^{10} - 21*a^8*x^8 + 31*a^6*x^6 - 20*a^4*x^4 + 6*a^2*x^2 - 1)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - a*x)*\log(a*x + \operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1))^2 + 2*(5*a^{10}*x^{10} - 21*a^8*x^8 + 34*a^6*x^6 - 26*a^4*x^4 + 9*a^2*x^2 - 1)*\operatorname{sqrt}(a*x + 1)*\operatorname{sqrt}(a*x - 1) - 2*a*x + (a^{11}*x^{11} - 5*a^9*x^9 + 10*a^7*x^7 - 10*a^5*x^5 + (a^6*x^6 - a^2*x^2)*(a*x + 1)^{(5/2)}*(a*x - 1)^{(5/2)} + 5*a^3*x^3 + (5*a^7*x^7 - 5*a^5*x^5 - 2*a^3*x^3 + 2*a*x)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^8*x^8 - 20*a^6*x^6 + 10*a^4*x^4 + a^2*x^2 - 1)*(a*x + 1)^{(3/2)}*(a*x - 1)^{(3/2)} + 2*(5*a^9*x^9$

$$9 - 15a^7x^7 + 16a^5x^5 - 7a^3x^3 + ax)(ax + 1)(ax - 1) + (5a^{10}x^{10} - 20a^8x^8 + 31a^6x^6 - 23a^4x^4 + 8a^2x^2 - 1)\sqrt{ax + 1}\sqrt{ax - 1} - ax)\log(ax + \sqrt{ax + 1}\sqrt{ax - 1})/((a^{11}x^{10} - 5a^9x^8 + (ax + 1)^{(5/2)}(ax - 1)^{(5/2)}a^6x^5 + 10a^7x^6 - 10a^5x^4 + 5(a^7x^6 - a^5x^4)(ax + 1)^2(ax - 1)^2 + 5a^3x^2 + 10(a^8x^7 - 2a^6x^5 + a^4x^3)(ax + 1)^{(3/2)}(ax - 1)^{(3/2)} + 10(a^9x^8 - 3a^7x^6 + 3a^5x^4 - a^3x^2)(ax + 1)(ax - 1) + 5(a^{10}x^9 - 4a^8x^7 + 6a^6x^5 - 4a^4x^3 + a^2x)\sqrt{ax + 1}\sqrt{ax - 1} - a)\log(ax + \sqrt{ax + 1}\sqrt{ax - 1})^3 + \int (1/6(a^{12}x^{12} - 6a^{10}x^{10} + 15a^8x^8 - 20a^6x^6 + 15a^4x^4 + (a^6x^6 + a^4x^4 - 9a^2x^2 + 15)(ax + 1)^3(ax - 1)^3 + (6a^7x^7 - a^5x^5 - 31a^3x^3 + 33ax)(ax + 1)^{(5/2)}(ax - 1)^{(5/2)} + (15a^8x^8 - 20a^6x^6 - 19a^4x^4 + 3a^2x^2 + 21)(ax + 1)^2(ax - 1)^2 + (20a^9x^9 - 50a^7x^7 + 54a^5x^5 - 59a^3x^3 + 35ax)(ax + 1)^{(3/2)}(ax - 1)^{(3/2)} - 6a^2x^2 + (15a^{10}x^{10} - 55a^8x^8 + 101a^6x^6 - 90a^4x^4 + 22a^2x^2 + 7)(ax + 1)(ax - 1) + (6a^{11}x^{11} - 29a^9x^9 + 65a^7x^7 - 66a^5x^5 + 23a^3x^3 + ax)\sqrt{ax + 1}\sqrt{ax - 1} + 1)/((a^{12}x^{12} - 6a^{10}x^{10} + (ax + 1)^3(ax - 1)^3a^6x^6 + 15a^8x^8 - 20a^6x^6 + 15a^4x^4 + 6(a^7x^7 - a^5x^5)(ax + 1)^{(5/2)}(ax - 1)^{(5/2)} + 15(a^8x^8 - 2a^6x^6 + a^4x^4)(ax + 1)^2(ax - 1)^2 + 20(a^9x^9 - 3a^7x^7 + 3a^5x^5 - a^3x^3)(ax + 1)^{(3/2)}(ax - 1)^{(3/2)} - 6a^2x^2 + 15(a^{10}x^{10} - 4a^8x^8 + 6a^6x^6 - 4a^4x^4 + a^2x^2)(ax + 1)(ax - 1) + 6(a^{11}x^{11} - 5a^9x^9 + 10a^7x^7 - 10a^5x^5 + 5a^3x^3 - ax)\sqrt{ax + 1}\sqrt{ax - 1} + 1)\log(ax + \sqrt{ax + 1}\sqrt{ax - 1})), x)$$

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \int \frac{1}{\operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/arccosh(ax)^4,x, algorithm="giac")

[Out] integrate(arccosh(ax)^(-4), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^4} dx = \int \frac{1}{\operatorname{acosh}(ax)^4} dx$$

[In] int(1/acosh(ax)^4,x)

[Out] int(1/acosh(ax)^4, x)

3.70 $\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$

Optimal result	416
Rubi [N/A]	416
Mathematica [N/A]	417
Maple [N/A] (verified)	417
Fricas [N/A]	417
Sympy [N/A]	417
Maxima [N/A]	418
Giac [N/A]	419
Mupad [N/A]	419

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^4,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec), antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$$

[In] Int[1/(x*ArcCosh[a*x]^4),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^4), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$$

Mathematica [N/A]

Not integrable

Time = 3.68 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$$

[In] Integrate[1/(x*ArcCosh[a*x]^4), x]

[Out] Integrate[1/(x*ArcCosh[a*x]^4), x]

Maple [N/A] (verified)

Not integrable

Time = 0.08 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx$$

[In] int(1/x/arccosh(a*x)^4, x)

[Out] int(1/x/arccosh(a*x)^4, x)

Fricas [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/x/arccosh(a*x)^4, x, algorithm="fricas")

[Out] integral(1/(x*arccosh(a*x)^4), x)

Sympy [N/A]

Not integrable

Time = 2.42 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{acosh}^4(ax)} dx$$

[In] integrate(1/x/acosh(a*x)**4, x)

[Out] Integral(1/(x*acosh(a*x)**4), x)

Maxima [N/A]

Not integrable

Time = 2.22 (sec) , antiderivative size = 1719, normalized size of antiderivative = 171.90

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/x/arccosh(a*x)^4,x, algorithm="maxima")

```
[Out] -1/6*(2*a^13*x^13 - 10*a^11*x^11 + 20*a^9*x^9 - 20*a^7*x^7 + 10*a^5*x^5 + 2
*(a^8*x^8 - a^6*x^6)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) - 2*a^3*x^3 + 2*(5*a^9
*x^9 - 9*a^7*x^7 + 4*a^5*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^10*x^10 - 13
*a^8*x^8 + 11*a^6*x^6 - 3*a^4*x^4)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 4*(5*a
^11*x^11 - 17*a^9*x^9 + 21*a^7*x^7 - 11*a^5*x^5 + 2*a^3*x^3)*(a*x + 1)*(a*x
- 1) - (4*(a^6*x^6 - 3*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2
) + (16*a^7*x^7 - 46*a^5*x^5 + 37*a^3*x^3 - 7*a*x)*(a*x + 1)^2*(a*x - 1)^2
+ (24*a^8*x^8 - 66*a^6*x^6 + 59*a^4*x^4 - 19*a^2*x^2 + 2)*(a*x + 1)^(3/2)*(
a*x - 1)^(3/2) + (16*a^9*x^9 - 42*a^7*x^7 + 39*a^5*x^5 - 16*a^3*x^3 + 3*a*x
)*(a*x + 1)*(a*x - 1) + (4*a^10*x^10 - 10*a^8*x^8 + 9*a^6*x^6 - 4*a^4*x^4 +
a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1
))^2 + 2*(5*a^12*x^12 - 21*a^10*x^10 + 34*a^8*x^8 - 26*a^6*x^6 + 9*a^4*x^4
- a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1) + (2*(a^6*x^6 - a^4*x^4)*(a*x + 1)^(
5/2)*(a*x - 1)^(5/2) + (8*a^7*x^7 - 13*a^5*x^5 + 5*a^3*x^3)*(a*x + 1)^2*(a
x - 1)^2 + (12*a^8*x^8 - 27*a^6*x^6 + 19*a^4*x^4 - 4*a^2*x^2)*(a*x + 1)^(3/
2)*(a*x - 1)^(3/2) + (8*a^9*x^9 - 23*a^7*x^7 + 23*a^5*x^5 - 9*a^3*x^3 + a*x
)*(a*x + 1)*(a*x - 1) + (2*a^10*x^10 - 7*a^8*x^8 + 9*a^6*x^6 - 5*a^4*x^4 +
a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1
)))/((a^13*x^13 - 5*a^11*x^11 + (a*x + 1)^(5/2)*(a*x - 1)^(5/2)*a^8*x^8 + 10
*a^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 - a^3*x^3 + 5*(a^9*x^9 - a^7*x^7)*(a*x +
1)^2*(a*x - 1)^2 + 10*(a^10*x^10 - 2*a^8*x^8 + a^6*x^6)*(a*x + 1)^(3/2)*(a
x - 1)^(3/2) + 10*(a^11*x^11 - 3*a^9*x^9 + 3*a^7*x^7 - a^5*x^5)*(a*x + 1)*(
a*x - 1) + 5*(a^12*x^12 - 4*a^10*x^10 + 6*a^8*x^8 - 4*a^6*x^6 + a^4*x^4)*sq
rt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3) + inte
grate(1/6*(8*(a^7*x^7 - 6*a^5*x^5 + 6*a^3*x^3)*(a*x + 1)^3*(a*x - 1)^3 + (4
0*a^8*x^8 - 204*a^6*x^6 + 228*a^4*x^4 - 57*a^2*x^2)*(a*x + 1)^(5/2)*(a*x -
1)^(5/2) + 2*(40*a^9*x^9 - 168*a^7*x^7 + 200*a^5*x^5 - 87*a^3*x^3 + 15*a*x)
*(a*x + 1)^2*(a*x - 1)^2 + 2*(40*a^10*x^10 - 132*a^8*x^8 + 156*a^6*x^6 - 91
*a^4*x^4 + 30*a^2*x^2 - 3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(20*a^11*x^1
1 - 48*a^9*x^9 + 48*a^7*x^7 - 35*a^5*x^5 + 18*a^3*x^3 - 3*a*x)*(a*x + 1)*(a
*x - 1) + (8*a^12*x^12 - 12*a^10*x^10 + 4*a^8*x^8 - 5*a^6*x^6 + 6*a^4*x^4 -
a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))/((a^15*x^16 - 6*a^13*x^14 + (a*x + 1
)^3*(a*x - 1)^3*a^9*x^10 + 15*a^11*x^12 - 20*a^9*x^10 + 15*a^7*x^8 - 6*a^5*
x^6 + a^3*x^4 + 6*(a^10*x^11 - a^8*x^9)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + 1
5*(a^11*x^12 - 2*a^9*x^10 + a^7*x^8)*(a*x + 1)^2*(a*x - 1)^2 + 20*(a^12*x^1
```

$3 - 3a^{10}x^{11} + 3a^8x^9 - a^6x^7)(ax + 1)^{3/2}(ax - 1)^{3/2} + 15$
 $(a^{13}x^{14} - 4a^{11}x^{12} + 6a^9x^{10} - 4a^7x^8 + a^5x^6)(ax + 1)(ax$
 $x - 1) + 6(a^{14}x^{15} - 5a^{12}x^{13} + 10a^{10}x^{11} - 10a^8x^9 + 5a^6x^7$
 $- a^4x^5)\sqrt{ax + 1}\sqrt{ax - 1})\log(ax + \sqrt{ax + 1})\sqrt{ax -$
 $1))$, x)

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/x/arccosh(a*x)^4,x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^4), x)

Mupad [N/A]

Not integrable

Time = 2.65 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x \operatorname{acosh}(ax)^4} dx$$

[In] int(1/(x*acosh(a*x)^4),x)

[Out] int(1/(x*acosh(a*x)^4), x)

3.71 $\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$

Optimal result	420
Rubi [N/A]	420
Mathematica [N/A]	421
Maple [N/A] (verified)	421
Fricas [N/A]	421
Sympy [N/A]	421
Maxima [N/A]	422
Giac [N/A]	423
Mupad [N/A]	423

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \operatorname{Int}\left(\frac{1}{x^2 \operatorname{arccosh}(ax)^4}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a*x)^4,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

[In] Int[1/(x^2*ArcCosh[a*x]^4),x]

[Out] Defer[Int][1/(x^2*ArcCosh[a*x]^4), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

Mathematica [N/A]

Not integrable

Time = 6.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

`[In] Integrate[1/(x^2*ArcCosh[a*x]^4), x]``[Out] Integrate[1/(x^2*ArcCosh[a*x]^4), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.11 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

`[In] int(1/x^2/arccosh(a*x)^4, x)``[Out] int(1/x^2/arccosh(a*x)^4, x)`**Fricas [N/A]**

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx$$

`[In] integrate(1/x^2/arccosh(a*x)^4, x, algorithm="fricas")``[Out] integral(1/(x^2*arccosh(a*x)^4), x)`**Sympy [N/A]**

Not integrable

Time = 5.36 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)^4} dx$$

`[In] integrate(1/x**2/acosh(a*x)**4, x)``[Out] Integral(1/(x**2*acosh(a*x)**4), x)`

Maxima [N/A]

Not integrable

Time = 2.58 (sec) , antiderivative size = 1996, normalized size of antiderivative = 199.60

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/x^2/arccosh(a*x)^4,x, algorithm="maxima")

```
[Out] -1/6*(2*a^13*x^13 - 10*a^11*x^11 + 20*a^9*x^9 - 20*a^7*x^7 + 10*a^5*x^5 + 2
*(a^8*x^8 - a^6*x^6)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) - 2*a^3*x^3 + 2*(5*a^9
*x^9 - 9*a^7*x^7 + 4*a^5*x^5)*(a*x + 1)^2*(a*x - 1)^2 + 4*(5*a^10*x^10 - 13
*a^8*x^8 + 11*a^6*x^6 - 3*a^4*x^4)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 4*(5*a
^11*x^11 - 17*a^9*x^9 + 21*a^7*x^7 - 11*a^5*x^5 + 2*a^3*x^3)*(a*x + 1)*(a*x
- 1) + (a^13*x^13 - 5*a^11*x^11 + 10*a^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 + (a
^8*x^8 - 13*a^6*x^6 + 27*a^4*x^4 - 15*a^2*x^2)*(a*x + 1)^(5/2)*(a*x - 1)^(5
/2) - a^3*x^3 + (5*a^9*x^9 - 57*a^7*x^7 + 124*a^5*x^5 - 90*a^3*x^3 + 18*a*x
)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^10*x^10 - 98*a^8*x^8 + 220*a^6*x^6 - 189*
a^4*x^4 + 63*a^2*x^2 - 6)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(5*a^11*x^11
- 41*a^9*x^9 + 93*a^7*x^7 - 89*a^5*x^5 + 38*a^3*x^3 - 6*a*x)*(a*x + 1)*(a*x
- 1) + (5*a^12*x^12 - 33*a^10*x^10 + 73*a^8*x^8 - 74*a^6*x^6 + 36*a^4*x^4
- 7*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1))^2 + 2*(5*a^12*x^12 - 21*a^10*x^10 + 34*a^8*x^8 - 26*a^6*x^6 + 9*a^4*x
^4 - a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1) - (a^13*x^13 - 5*a^11*x^11 + 10*a
^9*x^9 - 10*a^7*x^7 + 5*a^5*x^5 + (a^8*x^8 - 4*a^6*x^6 + 3*a^4*x^4)*(a*x +
1)^(5/2)*(a*x - 1)^(5/2) - a^3*x^3 + (5*a^9*x^9 - 21*a^7*x^7 + 24*a^5*x^5 -
8*a^3*x^3)*(a*x + 1)^2*(a*x - 1)^2 + (10*a^10*x^10 - 44*a^8*x^8 + 64*a^6*x
^6 - 37*a^4*x^4 + 7*a^2*x^2)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2) + 2*(5*a^11*x^
11 - 23*a^9*x^9 + 39*a^7*x^7 - 30*a^5*x^5 + 10*a^3*x^3 - a*x)*(a*x + 1)*(a*
x - 1) + (5*a^12*x^12 - 24*a^10*x^10 + 45*a^8*x^8 - 41*a^6*x^6 + 18*a^4*x^4
- 3*a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x
- 1)))/((a^13*x^14 - 5*a^11*x^12 + (a*x + 1)^(5/2)*(a*x - 1)^(5/2)*a^8*x^9
+ 10*a^9*x^10 - 10*a^7*x^8 + 5*a^5*x^6 - a^3*x^4 + 5*(a^9*x^10 - a^7*x^8)*
(a*x + 1)^2*(a*x - 1)^2 + 10*(a^10*x^11 - 2*a^8*x^9 + a^6*x^7)*(a*x + 1)^(3
/2)*(a*x - 1)^(3/2) + 10*(a^11*x^12 - 3*a^9*x^10 + 3*a^7*x^8 - a^5*x^6)*(a*
x + 1)*(a*x - 1) + 5*(a^12*x^13 - 4*a^10*x^11 + 6*a^8*x^9 - 4*a^6*x^7 + a^4
*x^5)*sqrt(a*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3
) - integrate(1/6*(a^15*x^15 - 6*a^13*x^13 + 15*a^11*x^11 - 20*a^9*x^9 + 15
*a^7*x^7 - 6*a^5*x^5 + (a^9*x^9 - 39*a^7*x^7 + 135*a^5*x^5 - 105*a^3*x^3)*(
a*x + 1)^3*(a*x - 1)^3 + (6*a^10*x^10 - 201*a^8*x^8 + 677*a^6*x^6 - 663*a^4
*x^4 + 174*a^2*x^2)*(a*x + 1)^(5/2)*(a*x - 1)^(5/2) + a^3*x^3 + (15*a^11*x^
11 - 420*a^9*x^9 + 1373*a^7*x^7 - 1565*a^5*x^5 + 705*a^3*x^3 - 108*a*x)*(a*
x + 1)^2*(a*x - 1)^2 + (20*a^12*x^12 - 450*a^10*x^10 + 1422*a^8*x^8 - 1787*
a^6*x^6 + 1059*a^4*x^4 - 288*a^2*x^2 + 24)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)
```

+ (15*a¹³*x¹³ - 255*a¹¹*x¹¹ + 773*a⁹*x⁹ - 1026*a⁷*x⁷ + 714*a⁵*x⁵ - 257*a³*x³ + 36*a*x)*(a*x + 1)*(a*x - 1) + (6*a¹⁴*x¹⁴ - 69*a¹²*x¹² + 197*a¹⁰*x¹⁰ - 266*a⁸*x⁸ + 201*a⁶*x⁶ - 83*a⁴*x⁴ + 14*a²*x²)*sqrt(a*x + 1)*sqrt(a*x - 1)/((a¹⁵*x¹⁷ - 6*a¹³*x¹⁵ + (a*x + 1)³(a*x - 1)³*a⁹*x¹¹ + 15*a¹¹*x¹³ - 20*a⁹*x¹¹ + 15*a⁷*x⁹ - 6*a⁵*x⁷ + a³*x⁵ + 6*(a¹⁰*x¹² - a⁸*x¹⁰)*(a*x + 1)^(5/2)(a*x - 1)^(5/2) + 15*(a¹¹*x¹³ - 2*a⁹*x¹¹ + a⁷*x⁹)*(a*x + 1)²(a*x - 1)² + 20*(a¹²*x¹⁴ - 3*a¹⁰*x¹² + 3*a⁸*x¹⁰ - a⁶*x⁸)*(a*x + 1)^(3/2)(a*x - 1)^(3/2) + 15*(a¹³*x¹⁵ - 4*a¹¹*x¹³ + 6*a⁹*x¹¹ - 4*a⁷*x⁹ + a⁵*x⁷)*(a*x + 1)*(a*x - 1) + 6*(a¹⁴*x¹⁶ - 5*a¹²*x¹⁴ + 10*a¹⁰*x¹² - 10*a⁸*x¹⁰ + 5*a⁶*x⁸ - a⁴*x⁶)*sqrt(a*x + 1)*sqrt(a*x - 1)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{arcosh}(ax)^4} dx$$

[In] integrate(1/x²/arccosh(a*x)⁴,x, algorithm="giac")

[Out] integrate(1/(x²*arccosh(a*x)⁴), x)

Mupad [N/A]

Not integrable

Time = 2.66 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{1}{x^2 \operatorname{arccosh}(ax)^4} dx = \int \frac{1}{x^2 \operatorname{acosh}(ax)^4} dx$$

[In] int(1/(x²*acosh(a*x)⁴),x)

[Out] int(1/(x²*acosh(a*x)⁴), x)

3.72 $\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	424
Rubi [A] (verified)	424
Mathematica [A] (verified)	427
Maple [F]	428
Fricas [F(-2)]	428
Sympy [F]	428
Maxima [F]	428
Giac [F]	429
Mupad [F(-1)]	429

Optimal result

Integrand size = 12, antiderivative size = 182

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \frac{1}{5} x^5 \sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5} \sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5} \sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5}$$

[Out] $-1/1600*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-1/1600*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-1/192*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-1/192*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-1/32*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5-1/32*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5+1/5*x^5*\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used

= {5884, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} \\ - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5} \sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} \\ - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} \\ - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5} \sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5} + \frac{1}{5} x^5 \sqrt{\operatorname{arccosh}(ax)}$$

[In] Int[x^4*Sqrt[ArcCosh[a*x]],x]

[Out] (x^5*Sqrt[ArcCosh[a*x]])/5 - (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(32*a^5) - (Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(64*a^5) - (Sqrt[Pi/5]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(320*a^5) - (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(32*a^5) - (Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(64*a^5) - (Sqrt[Pi/5]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(320*a^5)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

```
Int[((c_.) + (d_.)*(x_)^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 5884

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^(n/(m + 1))), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5953

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_)*((d1_) + (e1_.)*(x_)^(p_))*((d2_) + (e2_.)*(x_)^(p_)), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{1}{10}a \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
 &= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh^5(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{10a^5} \\
 &= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \left(\frac{5\cosh(x)}{8\sqrt{x}} + \frac{5\cosh(3x)}{16\sqrt{x}} + \frac{\cosh(5x)}{16\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{10a^5} \\
 &= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(5x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{160a^5} \\
 &\quad - \frac{\operatorname{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\
 &= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{320a^5} \\
 &\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{320a^5} \\
 &\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^5} - \frac{\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^5} \\
 &\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5} - \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^5}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{160a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{160a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} - \frac{\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} - \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} \\
&= \frac{1}{5}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} \\
&\quad - \frac{\sqrt{\frac{\pi}{5}}\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5} - \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} \\
&\quad - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{5}}\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{320a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 162, normalized size of antiderivative = 0.89

$$\begin{aligned}
&\int x^4\sqrt{\operatorname{arccosh}(ax)} dx \\
&= \frac{3\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{3}{2}, -5\operatorname{arccosh}(ax)\right) + 25\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{3}{2}, -3\operatorname{arccosh}(ax)\right) + 150\sqrt{\operatorname{arccosh}(ax)}}{2400a^5\sqrt{-\operatorname{arccosh}(ax)}}
\end{aligned}$$

[In] Integrate[x^4*Sqrt[ArcCosh[a*x]],x]

[Out] (3*Sqrt[5]*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -5*ArcCosh[a*x]] + 25*Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -3*ArcCosh[a*x]] + 150*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -ArcCosh[a*x]] + 150*Sqrt[-ArcCosh[a*x]]*Gamma[3/2, ArcCosh[a*x]] + 25*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[3/2, 3*ArcCosh[a*x]] + 3*Sqrt[5]*Sqrt[-ArcCosh[a*x]]*Gamma[3/2, 5*ArcCosh[a*x]])/(2400*a^5*Sqrt[-ArcCosh[a*x]])

Maple [F]

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx$$

```
[In] int(x^4*arccosh(a*x)^(1/2),x)
```

```
[Out] int(x^4*arccosh(a*x)^(1/2),x)
```

Fricas [F(-2)]

Exception generated.

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^4*arccosh(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code:  integ
rate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^4 \sqrt{\operatorname{acosh}(ax)} dx$$

```
[In] integrate(x**4*acosh(a*x)**(1/2),x)
```

```
[Out] Integral(x**4*sqrt(acosh(a*x)), x)
```

Maxima [F]

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^4 \sqrt{\operatorname{arcosh}(ax)} dx$$

```
[In] integrate(x^4*arccosh(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x^4*sqrt(arccosh(a*x)), x)
```

Giac [F]

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^4 \sqrt{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^4*arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^4*sqrt(arccosh(a*x)), x)

Mupad [F(-1)]

Timed out.

$$\int x^4 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^4 \sqrt{\operatorname{acosh}(ax)} dx$$

[In] int(x^4*acosh(a*x)^(1/2),x)

[Out] int(x^4*acosh(a*x)^(1/2), x)

3.73 $\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	430
Rubi [A] (verified)	430
Mathematica [A] (verified)	433
Maple [A] (verified)	433
Fricas [F(-2)]	433
Sympy [F]	434
Maxima [F]	434
Giac [F(-2)]	434
Mupad [F(-1)]	434

Optimal result

Integrand size = 12, antiderivative size = 139

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4 \sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} - \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4}$$

[Out] $-1/64*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-1/64*\operatorname{erfi}(2^{(1/2)})*\operatorname{arccosh}(a*x)^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-1/256*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-1/256*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-3/32*\operatorname{arccosh}(a*x)^{(1/2)}/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5884, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} - \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} - \frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4 \sqrt{\operatorname{arccosh}(ax)}$$

[In] Int[x^3*Sqrt[ArcCosh[a*x]],x]

[Out] $(-3\sqrt{\text{ArcCosh}[a*x]})/(32*a^4) + (x^4\sqrt{\text{ArcCosh}[a*x]})/4 - (\sqrt{\text{Pi}}*\text{Erf}[2\sqrt{\text{ArcCosh}[a*x]})]/(256*a^4) - (\sqrt{\text{Pi}/2}*\text{Erf}[\sqrt{2}*\sqrt{\text{ArcCosh}[a*x]})]/(32*a^4) - (\sqrt{\text{Pi}}*\text{Erfi}[2\sqrt{\text{ArcCosh}[a*x]})]/(256*a^4) - (\sqrt{\text{Pi}/2}*\text{Erfi}[\sqrt{2}*\sqrt{\text{ArcCosh}[a*x]})]/(32*a^4)$

Rule 2211

Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] :> Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5953

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_)*((d1_) + (e1_)*(x_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*

Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int [x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{1}{8}a \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh^4(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a^4} \\
&= \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}} + \frac{\cosh(4x)}{8\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{8a^4} \\
&= -\frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(4x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^4} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^4} \\
&= -\frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{128a^4} - \frac{\operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{128a^4} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^4} - \frac{\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^4} \\
&= -\frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^4} - \frac{\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{64a^4} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^4} - \frac{\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^4} \\
&= -\frac{3\sqrt{\operatorname{arccosh}(ax)}}{32a^4} + \frac{1}{4}x^4\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} \\
&\quad - \frac{\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.73

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx$$

$$= \frac{\sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{3}{2}, -4\operatorname{arccosh}(ax)\right) + 4\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{3}{2}, -2\operatorname{arccosh}(ax)\right) + \sqrt{-\operatorname{arccosh}(ax)} (4\sqrt{2} \Gamma\left(\frac{3}{2}, -\operatorname{arccosh}(ax)\right) - 4\sqrt{2} \Gamma\left(\frac{3}{2}, -2\operatorname{arccosh}(ax)\right))}{128a^4 \sqrt{-\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^3*Sqrt[ArcCosh[a*x]],x]

[Out] (Sqrt[ArcCosh[a*x]]*Gamma[3/2, -4*ArcCosh[a*x]] + 4*Sqrt[2]*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -2*ArcCosh[a*x]] + Sqrt[-ArcCosh[a*x]]*(4*Sqrt[2]*Gamma[3/2, 2*ArcCosh[a*x]] + Gamma[3/2, 4*ArcCosh[a*x]]))/(128*a^4*Sqrt[-ArcCosh[a*x]])

Maple [A] (verified)

Time = 1.14 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.09

method	result
default	$\frac{\sqrt{2} \left(8\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} a^2 x^2 - 4\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} - \pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) - \pi \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{64\sqrt{\pi} a^4} - 64\sqrt{\operatorname{arccosh}(ax)}$

[In] int(x^3*arccosh(a*x)^(1/2),x,method=_RETURNVERBOSE)

[Out] $\frac{1}{64} 2^{1/2} (8 \cdot 2^{1/2} \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} a^2 x^2 - 4 \cdot 2^{1/2} \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} - \pi \operatorname{erf}(2^{1/2} \operatorname{arccosh}(a x)^{1/2}) - \pi \operatorname{erfi}(2^{1/2} \operatorname{arccosh}(a x)^{1/2})) / \pi^{1/2} / a^4 - 1/256 (-64 \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} a^4 x^4 + 64 \operatorname{arccosh}(a x)^{1/2} \pi^{1/2} a^2 x^2 + \pi \operatorname{erf}(2 \operatorname{arccosh}(a x)^{1/2}) + \pi \operatorname{erfi}(2 \operatorname{arccosh}(a x)^{1/2}) - 8 \operatorname{arccosh}(a x)^{1/2} \pi^{1/2}) / \pi^{1/2} / a^4$

Fricas [F(-2)]

Exception generated.

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3*arccosh(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^3 \sqrt{\operatorname{acosh}(ax)} dx$$

```
[In] integrate(x**3*acosh(a*x)**(1/2),x)
```

```
[Out] Integral(x**3*sqrt(acosh(a*x)), x)
```

Maxima [F]

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^3 \sqrt{\operatorname{arcosh}(ax)} dx$$

```
[In] integrate(x^3*arccosh(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x^3*sqrt(arccosh(a*x)), x)
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3*arccosh(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx);;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^3 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^3 \sqrt{\operatorname{acosh}(ax)} dx$$

```
[In] int(x^3*acosh(a*x)^(1/2),x)
```

```
[Out] int(x^3*acosh(a*x)^(1/2), x)
```

3.74 $\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	435
Rubi [A] (verified)	435
Mathematica [A] (verified)	438
Maple [F]	438
Fricas [F(-2)]	438
Sympy [F]	438
Maxima [F]	439
Giac [F]	439
Mupad [F(-1)]	439

Optimal result

Integrand size = 12, antiderivative size = 120

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \frac{1}{3} x^3 \sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3}$$

[Out] $-1/144*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3-1/144*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3-1/16*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3-1/16*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3+1/3*x^3*\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5884, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} - \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3} \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} + \frac{1}{3} x^3 \sqrt{\operatorname{arccosh}(ax)}$$

[In] Int[x^2*Sqrt[ArcCosh[a*x]],x]

[Out] (x^3*Sqrt[ArcCosh[a*x]])/3 - (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]])]/(16*a^3) - (Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]])]/(48*a^3) - (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]])]/(16*a^3) - (Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]])]/(48*a^3)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m, x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m*((d1_.) + (e1_.)*(x_)^p)*((d2_.) + (e2_.)*(x_)^p), x_Symbol] := Dist[(1/(b*c^(m + 1)))*

Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int [x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{1}{6}a \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh^3(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^3} \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \left(\frac{3\cosh(x)}{4\sqrt{x}} + \frac{\cosh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{6a^3} \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{24a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a^3} \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{48a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{48a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^3} - \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^3} \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{24a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{24a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} - \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} \\
&= \frac{1}{3}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} \\
&\quad - \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^3} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 100, normalized size of antiderivative = 0.83

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$$

$$= \frac{\sqrt{3} \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{3}{2}, -3 \operatorname{arccosh}(ax)\right) + 9 \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{3}{2}, -\operatorname{arccosh}(ax)\right) + \sqrt{-\operatorname{arccosh}(ax)} (9 \Gamma\left(\frac{3}{2}, \operatorname{arccosh}(ax)\right) + \Gamma\left(\frac{3}{2}, 3 \operatorname{arccosh}(ax)\right))}{72 a^3 \sqrt{-\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^2*Sqrt[ArcCosh[a*x]],x]

[Out] (Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -3*ArcCosh[a*x]] + 9*Sqrt[ArcCosh[a*x]]*Gamma[3/2, -ArcCosh[a*x]] + Sqrt[-ArcCosh[a*x]]*(9*Gamma[3/2, ArcCosh[a*x]] + Sqrt[3]*Gamma[3/2, 3*ArcCosh[a*x]]))/(72*a^3*Sqrt[-ArcCosh[a*x]])

Maple [F]

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx$$

[In] int(x^2*arccosh(a*x)^(1/2),x)

[Out] int(x^2*arccosh(a*x)^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2*arccosh(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^2 \sqrt{\operatorname{acosh}(ax)} dx$$

[In] integrate(x**2*acosh(a*x)**(1/2),x)

[Out] Integral(x**2*sqrt(acosh(a*x)), x)

Maxima [F]

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^2 \sqrt{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^2*arccosh(a*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^2*sqrt(arccosh(a*x)), x)

Giac [F]

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^2 \sqrt{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^2*arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^2*sqrt(arccosh(a*x)), x)

Mupad [F(-1)]

Timed out.

$$\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx = \int x^2 \sqrt{\operatorname{acosh}(ax)} dx$$

[In] int(x^2*acosh(a*x)^(1/2),x)

[Out] int(x^2*acosh(a*x)^(1/2), x)

3.75 $\int x \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	440
Rubi [A] (verified)	440
Mathematica [A] (verified)	442
Maple [A] (verified)	443
Fricas [F(-2)]	443
Sympy [F]	443
Maxima [F]	443
Giac [F]	444
Mupad [F(-1)]	444

Optimal result

Integrand size = 10, antiderivative size = 93

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2 \sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2}$$

[Out] $-1/32*\operatorname{erf}\left(2^{1/2}*\operatorname{arccosh}(a*x)^{1/2}\right)*2^{1/2}*Pi^{1/2}/a^2-1/32*\operatorname{erfi}\left(2^{1/2}*\operatorname{arccosh}(a*x)^{1/2}\right)*2^{1/2}*Pi^{1/2}/a^2-1/4*\operatorname{arccosh}(a*x)^{1/2}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{1/2}$

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5884, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2} - \frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2 \sqrt{\operatorname{arccosh}(ax)}$$

[In] $\operatorname{Int}[x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]],x]$

[Out] $-1/4*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]/a^2 + (x^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/2 - (\operatorname{Sqrt}[Pi/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^2) - (\operatorname{Sqrt}[Pi/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(16*a^2)$

Rule 2211


```
Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(2)), x_Symbol] :> Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(2)), x_Symbol] :> Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol
] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 3393

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] :> In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 5884

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] :> Simp[
x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[
x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5953

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_)*((d1_) + (e1_)*(x
_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*
Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int
[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*
x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e
2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{1}{4}a \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh^2(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^2} \\
&= \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{4a^2} \\
&= -\frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a^2} \\
&= -\frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^2} - \frac{\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^2} \\
&= -\frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^2} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^2} \\
&= -\frac{\sqrt{\operatorname{arccosh}(ax)}}{4a^2} + \frac{1}{2}x^2\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2} - \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 65, normalized size of antiderivative = 0.70

$$\begin{aligned}
&\int x\sqrt{\operatorname{arccosh}(ax)} dx \\
&= \frac{8\sqrt{\operatorname{arccosh}(ax)}\cosh(2\operatorname{arccosh}(ax)) - \sqrt{2\pi}\left(\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)\right)}{32a^2}
\end{aligned}$$

[In] Integrate[x*Sqrt[ArcCosh[a*x]], x]

[Out] (8*Sqrt[ArcCosh[a*x]]*Cosh[2*ArcCosh[a*x]] - Sqrt[2*Pi]*(Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] + Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]))/(32*a^2)

Maple [A] (verified)

Time = 0.20 (sec) , antiderivative size = 75, normalized size of antiderivative = 0.81

method	result	size
default	$\frac{\sqrt{2} \left(8\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} a^2 x^2 - 4\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} - \pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) - \pi \operatorname{erfi}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{32\sqrt{\pi} a^2}$	75

```
[In] int(x*arccosh(a*x)^(1/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/32*2^(1/2)*(8*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*a^2*x^2-4*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)-Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))-Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2)))/Pi^(1/2)/a^2
```

Fricas [F(-2)]

Exception generated.

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x*arccosh(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = \int x \sqrt{\operatorname{acosh}(ax)} dx$$

```
[In] integrate(x*acosh(a*x)**(1/2),x)
```

```
[Out] Integral(x*sqrt(acosh(a*x)), x)
```

Maxima [F]

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = \int x \sqrt{\operatorname{arcosh}(ax)} dx$$

```
[In] integrate(x*arccosh(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x*sqrt(arccosh(a*x)), x)
```

Giac [F]

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = \int x \sqrt{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x*arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(x*sqrt(arccosh(a*x)), x)

Mupad [F(-1)]

Timed out.

$$\int x \sqrt{\operatorname{arccosh}(ax)} dx = \int x \sqrt{\operatorname{acosh}(ax)} dx$$

[In] int(x*acosh(a*x)^(1/2),x)

[Out] int(x*acosh(a*x)^(1/2), x)

3.76 $\int \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	445
Rubi [A] (verified)	445
Mathematica [A] (verified)	447
Maple [A] (verified)	447
Fricas [F(-2)]	447
Sympy [F]	448
Maxima [F]	448
Giac [F]	448
Mupad [F(-1)]	448

Optimal result

Integrand size = 8, antiderivative size = 53

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = x\sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a} - \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a}$$

[Out] $-1/4*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-1/4*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+x*\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {5879, 5953, 3388, 2211, 2235, 2236}

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = -\frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a} - \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a} + x\sqrt{\operatorname{arccosh}(ax)}$$

[In] `Int[Sqrt[ArcCosh[a*x]],x]`

[Out] $x*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]] - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a) - (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a)$

Rule 2211

`Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :`
`> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*(x_)^m*((d1_) + (e1_.)*(x_)^p)*((d2_) + (e2_.)*(x_)^p), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= x\sqrt{\operatorname{arccosh}(ax)} - \frac{1}{2}a \int \frac{x}{\sqrt{-1 + ax}\sqrt{1 + ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
 &= x\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a} \\
 &= x\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a} - \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a} \\
 &= x\sqrt{\operatorname{arccosh}(ax)} - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a} - \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a}
 \end{aligned}$$

$$= x\sqrt{\operatorname{arccosh}(ax)} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a} - \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.85

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \frac{\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{3}{2}, -\operatorname{arccosh}(ax)\right)}{\sqrt{-\operatorname{arccosh}(ax)}} + \frac{\Gamma\left(\frac{3}{2}, \operatorname{arccosh}(ax)\right)}{2a}$$

[In] Integrate[Sqrt[ArcCosh[a*x]], x]

[Out] ((Sqrt[ArcCosh[a*x]]*Gamma[3/2, -ArcCosh[a*x]])/Sqrt[-ArcCosh[a*x]] + Gamma[3/2, ArcCosh[a*x]])/(2*a)

Maple [A] (verified)

Time = 0.17 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.77

method	result	size
default	$-\frac{-4\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}ax + \pi\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) + \pi\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4\sqrt{\pi}a}$	41

[In] int(arccosh(a*x)^(1/2), x, method=_RETURNVERBOSE)

[Out] -1/4*(-4*arccosh(a*x)^(1/2)*Pi^(1/2)*a*x+Pi*erf(arccosh(a*x)^(1/2))+Pi*erfi(arccosh(a*x)^(1/2)))/Pi^(1/2)/a

Fricas [F(-2)]

Exception generated.

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

[In] integrate(arccosh(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \int \sqrt{\operatorname{acosh}(ax)} dx$$

[In] integrate(acosh(a*x)**(1/2), x)

[Out] Integral(sqrt(acosh(a*x)), x)

Maxima [F]

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \int \sqrt{\operatorname{acosh}(ax)} dx$$

[In] integrate(arccosh(a*x)^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(arccosh(a*x)), x)

Giac [F]

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \int \sqrt{\operatorname{acosh}(ax)} dx$$

[In] integrate(arccosh(a*x)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(arccosh(a*x)), x)

Mupad [F(-1)]

Timed out.

$$\int \sqrt{\operatorname{arccosh}(ax)} dx = \int \sqrt{\operatorname{acosh}(ax)} dx$$

[In] int(acosh(a*x)^(1/2), x)

[Out] int(acosh(a*x)^(1/2), x)

3.77 $\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$

Optimal result	449
Rubi [N/A]	449
Mathematica [N/A]	450
Maple [N/A] (verified)	450
Fricas [F(-2)]	450
Sympy [N/A]	450
Maxima [N/A]	451
Giac [N/A]	451
Mupad [N/A]	451

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \operatorname{Int}\left(\frac{\sqrt{\operatorname{arccosh}(ax)}}{x}, x\right)$$

[Out] Unintegrable(arccosh(a*x)^(1/2)/x,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

[In] Int[Sqrt[ArcCosh[a*x]]/x,x]

[Out] Defer[Int][Sqrt[ArcCosh[a*x]]/x, x]

Rubi steps

$$\text{integral} = \int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

Mathematica [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

`[In] Integrate[Sqrt[ArcCosh[a*x]]/x,x]``[Out] Integrate[Sqrt[ArcCosh[a*x]]/x, x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx$$

`[In] int(arccosh(a*x)^(1/2)/x,x)``[Out] int(arccosh(a*x)^(1/2)/x,x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \text{Exception raised: TypeError}$$

`[In] integrate(arccosh(a*x)^(1/2)/x,x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [N/A]**

Not integrable

Time = 0.51 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{acosh}(ax)}}{x} dx$$

`[In] integrate(acosh(a*x)**(1/2)/x,x)``[Out] Integral(sqrt(acosh(a*x))/x, x)`

Maxima [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{arcosh}(ax)}}{x} dx$$

[In] integrate(arccosh(a*x)^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(arccosh(a*x))/x, x)

Giac [N/A]

Not integrable

Time = 1.95 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{arcosh}(ax)}}{x} dx$$

[In] integrate(arccosh(a*x)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(arccosh(a*x))/x, x)

Mupad [N/A]

Not integrable

Time = 2.74 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\sqrt{\operatorname{arccosh}(ax)}}{x} dx = \int \frac{\sqrt{\operatorname{acosh}(ax)}}{x} dx$$

[In] int(acosh(a*x)^(1/2)/x,x)

[Out] int(acosh(a*x)^(1/2)/x, x)

3.78 $\int x^4 \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	452
Rubi [A] (verified)	453
Mathematica [A] (verified)	458
Maple [F]	458
Fricas [F(-2)]	459
Sympy [F(-1)]	459
Maxima [F]	459
Giac [F]	459
Mupad [F(-1)]	460

Optimal result

Integrand size = 12, antiderivative size = 345

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} - \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} - \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} + \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5}$$

```
[Out] 1/5*x^5*arccosh(a*x)^(3/2)-3/16000*erf(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*
Pi^(1/2)/a^5+3/16000*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5-
1/384*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+1/384*erfi(3^(1/
2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5-3/64*erf(arccosh(a*x)^(1/2))*Pi
^(1/2)/a^5+3/64*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5-4/25*(a*x-1)^(1/2)*(a
*x+1)^(1/2)*arccosh(a*x)^(1/2)/a^5-2/25*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arc
cosh(a*x)^(1/2)/a^3-3/50*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)*arccosh(a*x)^(1/2)
/a
```

Rubi [A] (verified)

Time = 0.77 (sec) , antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 41, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {5884, 5939, 5915, 5881, 3389, 2211, 2235, 2236, 5887, 5556}

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} + \frac{3\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} + \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} - \frac{4\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} - \frac{3x^4\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{50a}$$

[In] Int[x^4*ArcCosh[a*x]^(3/2), x]

[Out] (-4*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]]/(25*a^5) - (2*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]]/(25*a^3) - (3*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]]/(50*a) + (x^5*ArcCosh[a*x]^(3/2))/5 - (3*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(64*a^5) - (Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(200*a^5) - (3*Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(3200*a^5) - (3*Sqrt[Pi/5]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(3200*a^5) + (3*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(64*a^5) + (Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(200*a^5) + (3*Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(3200*a^5) + (3*Sqrt[Pi/5]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(3200*a^5)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{

F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))²), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]ⁿ*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5881

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Dist[1/(b*c), Subst[Int[xⁿ*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((x_)^(m_.)), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^{n/(m + 1)}), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((x_)^(m_.)), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[xⁿ*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((x_) * ((d1_.) + (e1_.)*(x_))^(p_.) * ((d2_.) + (e2_.)*(x_))^(p_.)), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^{n/(2*e1*e2*(p + 1))}), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^{p/(1 + c*x)}]*Simp[(d2 + e2*x)^{p/(-1 + c*x)}

p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} - \frac{1}{10}(3a) \int \frac{x^5 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{3x^4 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} \\
 &\quad + \frac{3}{100} \int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx - \frac{6 \int \frac{x^3 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a} \\
 &= -\frac{2x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{25a^3} - \frac{3x^4 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{50a} \\
 &\quad + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\cosh^4(x) \sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{100a^5} \\
 &\quad - \frac{4 \int \frac{x \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{25a^3} + \frac{\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx}{25a^2} \\
 &= -\frac{4\sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
 &\quad - \frac{3x^4 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{3/2} \\
 &\quad + \frac{3 \operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{8\sqrt{x}} + \frac{3 \sinh(3x)}{16\sqrt{x}} + \frac{\sinh(5x)}{16\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{100a^5} \\
 &\quad + \frac{\operatorname{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{25a^5} + \frac{2 \int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx}{25a^4}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{3/2} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(5x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1600a^5} + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{800a^5} \\
&\quad + \frac{9\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1600a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{25a^5} \\
&\quad + \frac{2\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{25a^5} \\
&= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3200a^5} + \frac{3\operatorname{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3200a^5} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1600a^5} + \frac{3\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1600a^5} \\
&\quad - \frac{9\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3200a^5} + \frac{9\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3200a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{100a^5} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{100a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{25a^5} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{25a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\operatorname{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} + \frac{3\operatorname{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} \\
&\quad - \frac{3\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{800a^5} + \frac{3\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{800a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} + \frac{\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} \\
&\quad - \frac{9\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} + \frac{9\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} \\
&\quad - \frac{2\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{25a^5} + \frac{2\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{25a^5} \\
&= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
&\quad - \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{67\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} - \frac{3\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} \\
&\quad - \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{67\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{1600a^5} \\
&\quad + \frac{3\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{100a^5} - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{100a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{100a^5} + \frac{\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{100a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{25a^3} \\
&- \frac{3x^4\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{50a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{3/2} \\
&- \frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} \\
&- \frac{3\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} - \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} \\
&+ \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^5} + \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{200a^5} \\
&+ \frac{3\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} + \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 152, normalized size of antiderivative = 0.44

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \frac{9\sqrt{5}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{5}{2}, -5\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{125\sqrt{3}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{5}{2}, -3\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{2250\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{5}{2}, \operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^4*ArcCosh[a*x]^(3/2), x]

[Out] ((9*Sqrt[5]*Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -5*ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + (125*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -3*ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + (2250*Sqrt[ArcCosh[a*x]]*Gamma[5/2, ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + 2250*Gamma[5/2, ArcCosh[a*x]] + 125*Sqrt[3]*Gamma[5/2, 3*ArcCosh[a*x]] + 9*Sqrt[5]*Gamma[5/2, 5*ArcCosh[a*x]])/(36000*a^5)

Maple [F]

$$\int x^4 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

[In] int(x^4*arccosh(a*x)^(3/2), x)

[Out] int(x^4*arccosh(a*x)^(3/2), x)

Fricas [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^4*arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \text{Timed out}$$

[In] `integrate(x**4*acosh(a*x)**(3/2),x)`

[Out] Timed out

Maxima [F]

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \int x^4 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

[In] `integrate(x^4*arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^4*arccosh(a*x)^(3/2), x)`

Giac [F]

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \int x^4 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

[In] `integrate(x^4*arccosh(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(x^4*arccosh(a*x)^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^{3/2} dx = \int x^4 \operatorname{acosh}(ax)^{3/2} dx$$

```
[In] int(x^4*acosh(a*x)^(3/2),x)
```

```
[Out] int(x^4*acosh(a*x)^(3/2), x)
```

3.79 $\int x^3 \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	461
Rubi [A] (verified)	461
Mathematica [A] (verified)	466
Maple [A] (verified)	466
Fricas [F(-2)]	466
Sympy [F]	467
Maxima [F]	467
Giac [F(-2)]	467
Mupad [F(-1)]	467

Optimal result

Integrand size = 12, antiderivative size = 209

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} - \frac{3\operatorname{arccosh}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4} + \frac{3\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4}$$

[Out] $-3/32*\operatorname{arccosh}(a*x)^{(3/2)}/a^4+1/4*x^4*\operatorname{arccosh}(a*x)^{(3/2)}-3/256*\operatorname{erf}(2^{(1/2)}*a*\operatorname{rccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4+3/256*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-3/2048*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4+3/2048*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-9/64*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a^3-3/32*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 25, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules

used = {5884, 5939, 5893, 5887, 5556, 12, 3389, 2211, 2235, 2236}

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4}$$

$$+ \frac{3\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4}$$

$$- \frac{3 \operatorname{arccosh}(ax)^{3/2}}{32a^4} - \frac{9x\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{64a^3}$$

$$+ \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} - \frac{3x^3\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{32a}$$

[In] Int[x^3*ArcCosh[a*x]^(3/2), x]

[Out] (-9*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]])/(64*a^3) - (3*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]])/(32*a) - (3*ArcCosh[a*x]^(3/2))/(32*a^4) + (x^4*ArcCosh[a*x]^(3/2))/4 - (3*Sqrt[Pi]*Erf[2*Sqrt[ArcCosh[a*x]]])/(2048*a^4) - (3*Sqrt[Pi/2]*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(128*a^4) + (3*Sqrt[Pi]*Erfi[2*Sqrt[ArcCosh[a*x]]])/(2048*a^4) + (3*Sqrt[Pi/2]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(128*a^4)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x]

$I*(e + f*x)), x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

Rule 5556

$\text{Int}[\text{Cosh}[(a_.) + (b_.)*(x_.)]^{(p_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}*\text{Sinh}[(a_.) + (b_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sinh}[a + b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{IGtQ}[p, 0]$

Rule 5884

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a + b*\text{ArcCosh}[c*x])^{(n/(m+1))}, x) - \text{Dist}[b*c*(n/(m+1)), \text{Int}[x^{(m+1)}*((a + b*\text{ArcCosh}[c*x])^{(n-1)} / (\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x])], x], x] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{IGtQ}[m, 0] \&\& \text{GtQ}[n, 0]$

Rule 5887

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(b*c^{(m+1)}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 5893

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)} / (\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(1/(b*c*(n+1)))*\text{Simp}[\text{Sqrt}[1 + c*x] / \text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x] / \text{Sqrt}[d2 + e2*x]]*(a + b*\text{ArcCosh}[c*x])^{(n+1)}, x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{NeQ}[n, -1]$

Rule 5939

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x_Symbol] \rightarrow \text{Simp}[f*(f*x)^{(m-1)}*(d1 + e1*x)^{(p+1)}*(d2 + e2*x)^{(p+1)}*((a + b*\text{ArcCosh}[c*x])^n / (e1*e2*(m + 2*p + 1))), x] + (\text{Dist}[f^2*((m-1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{(m-2)}*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] - \text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p / (-1 + c*x)^p], \text{Int}[(f*x)^{(m-1)}*(1 + c*x)^{(p+1/2)}*(-1 + c*x)^{(p+1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x]) /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{GtQ}[n, 0] \&\& \text{IGtQ}[m, 1] \&\& \text{NeQ}[m + 2*p + 1, 0]$

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} - \frac{1}{8}(3a) \int \frac{x^4 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} \\
&\quad + \frac{3}{64} \int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx - \frac{9 \int \frac{x^2 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\cosh^3(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^4} \\
&\quad - \frac{9 \int \frac{\sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{64a^3} + \frac{9 \int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx}{128a^2} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} \\
&\quad - \frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} - \frac{3 \operatorname{arccosh}(ax)^{3/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \left(\frac{\sinh(2x)}{4\sqrt{x}} + \frac{\sinh(4x)}{8\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{64a^4} \\
&\quad + \frac{9 \operatorname{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{128a^4} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} \\
&\quad - \frac{3 \operatorname{arccosh}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sinh(4x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} \\
&\quad + \frac{3 \operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{256a^4} + \frac{9 \operatorname{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{128a^4} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} - \frac{3x^3 \sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} \\
&\quad - \frac{3 \operatorname{arccosh}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{3/2} - \frac{3 \operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1024a^4} \\
&\quad + \frac{3 \operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1024a^4} - \frac{3 \operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} \\
&\quad + \frac{3 \operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} + \frac{9 \operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{256a^4}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} \\
&\quad - \frac{3\operatorname{arccosh}(ax)^{3/2}}{32a^4} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^{3/2} - \frac{3\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} \\
&\quad + \frac{3\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} - \frac{3\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} \\
&\quad + \frac{3\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} - \frac{9\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} \\
&\quad + \frac{9\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} \\
&\quad - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} - \frac{3\operatorname{arccosh}(ax)^{3/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} \\
&\quad + \frac{3\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} \\
&\quad - \frac{9\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} + \frac{9\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{256a^4} \\
&= -\frac{9x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{64a^3} \\
&\quad - \frac{3x^3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{32a} - \frac{3\operatorname{arccosh}(ax)^{3/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} - \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4} \\
&\quad + \frac{3\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.48

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \frac{\sqrt{-\operatorname{arccosh}(ax)} \Gamma\left(\frac{5}{2}, -4\operatorname{arccosh}(ax)\right) + 8\sqrt{2} \sqrt{-\operatorname{arccosh}(ax)} \Gamma\left(\frac{5}{2}, -2\operatorname{arccosh}(ax)\right)}{512a^4 \sqrt{\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^3*ArcCosh[a*x]^(3/2),x]

[Out] (Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -4*ArcCosh[a*x]] + 8*Sqrt[2]*Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -2*ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*(8*Sqrt[2]*Gamma[5/2, 2*ArcCosh[a*x]] + Gamma[5/2, 4*ArcCosh[a*x]]))/(512*a^4*Sqrt[ArcCosh[a*x]])

Maple [A] (verified)

Time = 1.27 (sec) , antiderivative size = 242, normalized size of antiderivative = 1.16

method	result
default	$-\frac{\sqrt{2} \left(-32\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} a^2 x^2 + 24\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax + 16\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} + 3\pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{256\sqrt{\pi} a^4}$

[In] int(x^3*arccosh(a*x)^(3/2),x,method=_RETURNVERBOSE)

[Out]
$$-1/256*2^{(1/2)}*(-32*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}*a^2*x^2+24*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x+16*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}+3*\operatorname{Pi}*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})-3*\operatorname{Pi}*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a^4-1/2048*(-512*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}*a^4*x^4+192*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a^3*x^3+512*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}*a^2*x^2-96*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x-64*\operatorname{arccosh}(a*x)^{(3/2)}*\operatorname{Pi}^{(1/2)}+3*\operatorname{Pi}*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})-3*\operatorname{Pi}*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a^4$$

Fricas [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3*arccosh(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \int x^3 \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

```
[In] integrate(x**3*acosh(a*x)**(3/2),x)
```

```
[Out] Integral(x**3*acosh(a*x)**(3/2), x)
```

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \int x^3 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

```
[In] integrate(x^3*arccosh(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x^3*arccosh(a*x)^(3/2), x)
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3*arccosh(a*x)^(3/2),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx)::OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^{3/2} dx = \int x^3 \operatorname{acosh}(ax)^{3/2} dx$$

```
[In] int(x^3*acosh(a*x)^(3/2),x)
```

```
[Out] int(x^3*acosh(a*x)^(3/2), x)
```

3.80 $\int x^2 \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	468
Rubi [A] (verified)	468
Mathematica [A] (verified)	472
Maple [F]	473
Fricas [F(-2)]	473
Sympy [F]	473
Maxima [F]	473
Giac [F]	474
Mupad [F(-1)]	474

Optimal result

Integrand size = 12, antiderivative size = 189

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{6a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} + \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} + \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3}$$

[Out] $\frac{1}{3}x^3\operatorname{arccosh}(ax)^{3/2} - \frac{1}{288}\operatorname{erf}\left(3^{1/2}\operatorname{arccosh}(ax)^{1/2}\right)3^{1/2}\pi^{1/2}/a^3 + \frac{1}{288}\operatorname{erfi}\left(3^{1/2}\operatorname{arccosh}(ax)^{1/2}\right)3^{1/2}\pi^{1/2}/a^3 - \frac{3}{32}\operatorname{erf}\left(\operatorname{arccosh}(ax)^{1/2}\right)\pi^{1/2}/a^3 + \frac{3}{32}\operatorname{erfi}\left(\operatorname{arccosh}(ax)^{1/2}\right)\pi^{1/2}/a^3 - \frac{1}{3}\sqrt{a^2-1}\sqrt{a^2+1}\operatorname{arccosh}(ax)^{1/2}/a^3 - \frac{1}{6}x^2\sqrt{a^2-1}\sqrt{a^2+1}\operatorname{arccosh}(ax)^{1/2}/a$

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules

used = {5884, 5939, 5915, 5881, 3389, 2211, 2235, 2236, 5887, 5556}

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} - \frac{\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{3a^3} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} - \frac{x^2\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{6a}$$

[In] Int[x^2*ArcCosh[a*x]^(3/2),x]

[Out] -1/3*(Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]])/a^3 - (x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*Sqrt[ArcCosh[a*x]])/(6*a) + (x^3*ArcCosh[a*x]^(3/2))/3 - (3*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(32*a^3) - (Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(96*a^3) + (3*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(32*a^3) + (Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(96*a^3)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^(n)*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Su
bst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b
, c, n}, x]
```

Rule 5884

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^(m + 1)*((a + b*ArcCosh[c*x])^(n/(m + 1))), x] - Dist[b*c*(n/(m + 1)), Int[
x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5915

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 +
e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^(n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2
*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n -
1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && Eq
Q[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d1_) + (e
1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^(n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*(m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*
(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-
1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p},
x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ
```

[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} - \frac{1}{2}a \int \frac{x^3 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{6a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} \\
&\quad + \frac{1}{12} \int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx - \frac{\int \frac{x \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{3a} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} + \frac{\operatorname{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^3} \\
&\quad + \frac{\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx}{6a^2} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} + \frac{\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{12a^3} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^3} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2 \sqrt{-1+ax}\sqrt{1+ax} \sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{3/2} + \frac{\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{48a^3} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{48a^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^3} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&+ \frac{1}{3}x^3\operatorname{arccosh}(ax)^{3/2} - \frac{\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{96a^3} \\
&- \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{96a^3} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{96a^3} \\
&+ \frac{\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{96a^3} - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} \\
&+ \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&+ \frac{1}{3}x^3\operatorname{arccosh}(ax)^{3/2} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^3} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^3} \\
&- \frac{\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} - \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} \\
&+ \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} + \frac{\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{48a^3} \\
&= -\frac{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{3a^3} - \frac{x^2\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{6a} \\
&+ \frac{1}{3}x^3\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} \\
&+ \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^3} + \frac{\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 100, normalized size of antiderivative = 0.53

$$\int x^2\operatorname{arccosh}(ax)^{3/2} dx = \frac{\sqrt{3}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{5}{2}, -3\operatorname{arccosh}(ax)\right) + 27\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{5}{2}, -\operatorname{arccosh}(ax)\right)}{216a^3\sqrt{\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^2*ArcCosh[a*x]^(3/2), x]

[Out] (Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -3*ArcCosh[a*x]] + 27*Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*(27*Gamma[5/2, ArcCosh[a*x]] + Sqrt[3]*Gamma[5/2, 3*ArcCosh[a*x]]))/(216*a^3*Sqrt[ArcCosh[a*x]])

Maple [F]

$$\int x^2 \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

```
[In] int(x^2*arccosh(a*x)^(3/2),x)
```

```
[Out] int(x^2*arccosh(a*x)^(3/2),x)
```

Fricas [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^2*arccosh(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = \int x^2 \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

```
[In] integrate(x**2*acosh(a*x)**(3/2),x)
```

```
[Out] Integral(x**2*acosh(a*x)**(3/2), x)
```

Maxima [F]

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = \int x^2 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

```
[In] integrate(x^2*arccosh(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x^2*arccosh(a*x)^(3/2), x)
```

Giac [F]

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = \int x^2 \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

[In] integrate(x^2*arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2*arccosh(a*x)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^{3/2} dx = \int x^2 \operatorname{acosh}(ax)^{3/2} dx$$

[In] int(x^2*acosh(a*x)^(3/2),x)

[Out] int(x^2*acosh(a*x)^(3/2), x)

3.81 $\int x \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	475
Rubi [A] (verified)	475
Mathematica [A] (verified)	478
Maple [A] (verified)	478
Fricas [F(-2)]	479
Sympy [F]	479
Maxima [F]	479
Giac [F]	480
Mupad [F(-1)]	480

Optimal result

Integrand size = 10, antiderivative size = 127

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2}$$

[Out] $-1/4*\operatorname{arccosh}(a*x)^{(3/2)}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{(3/2)}-3/128*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+3/128*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-3/8*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {5884, 5939, 5893, 5887, 5556, 12, 3389, 2211, 2235, 2236}

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} - \frac{3x\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{8a}$$

[In] $\operatorname{Int}[x*\operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

[Out] $(-3*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(8*a) - \operatorname{ArcCosh}[a*x]^{(3/2)}/(4*a^2) + (x^2*\operatorname{ArcCosh}[a*x]^{(3/2)})/2 - (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(64*a^2) + (3*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])]/(64*a^2)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)^p]*((c_.) + (d_.)*(x_)^m)*Sinh[(a_.) + (b_.)*(x_)^n], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m, x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m, x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,

$a + b \operatorname{ArcCosh}[c*x]$, x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5893

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{2}x^2 \operatorname{arccosh}(ax)^{3/2} - \frac{1}{4}(3a) \int \frac{x^2 \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx \\
 &= -\frac{3x\sqrt{-1 + ax}\sqrt{1 + ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^{3/2} \\
 &\quad + \frac{3}{16} \int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx - \frac{3 \int \frac{\sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx}{8a} \\
 &= -\frac{3x\sqrt{-1 + ax}\sqrt{1 + ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} \\
 &\quad + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^2} \\
 &= -\frac{3x\sqrt{-1 + ax}\sqrt{1 + ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} \\
 &\quad + \frac{1}{2}x^2 \operatorname{arccosh}(ax)^{3/2} + \frac{3 \operatorname{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a^2}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} \\
&\quad + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{32a^2} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^2} + \frac{3\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{64a^2} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{32a^2} + \frac{3\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{32a^2} \\
&= -\frac{3x\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{8a} - \frac{\operatorname{arccosh}(ax)^{3/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2} + \frac{3\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 84, normalized size of antiderivative = 0.66

$$\int x\operatorname{arccosh}(ax)^{3/2} dx = \frac{32\operatorname{arccosh}(ax)^{3/2} \cosh(2\operatorname{arccosh}(ax)) + 3\sqrt{2\pi} \left(-\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) \right)}{128a^2}$$

[In] Integrate[x*ArcCosh[a*x]^(3/2), x]

[Out] (32*ArcCosh[a*x]^(3/2)*Cosh[2*ArcCosh[a*x]] + 3*Sqrt[2*Pi]*(-Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] + Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]) - 24*Sqrt[ArcCosh[a*x]]*Sinh[2*ArcCosh[a*x]])/(128*a^2)

Maple [A] (verified)

Time = 0.31 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.83

method	result
default	$-\frac{\sqrt{2} \left(-32\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} a^2 x^2 + 24\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax + 16\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} + 3\pi \operatorname{erf}\left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)}\right) \right)}{128\sqrt{\pi} a^2}$

[In] int(x*arccosh(a*x)^(3/2), x, method=_RETURNVERBOSE)

```
[Out] -1/128*2^(1/2)*(-32*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2+24*2^(1/2)*
arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+16*2^(1/2)*arcc
osh(a*x)^(3/2)*Pi^(1/2)+3*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))-3*Pi*erfi(2^(1
/2)*arccosh(a*x)^(1/2)))/Pi^(1/2)/a^2
```

Fricas [F(-2)]

Exception generated.

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x*arccosh(a*x)^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = \int x \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

```
[In] integrate(x*acosh(a*x)**(3/2),x)
```

```
[Out] Integral(x*acosh(a*x)**(3/2), x)
```

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = \int x \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

```
[In] integrate(x*arccosh(a*x)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate(x*arccosh(a*x)^(3/2), x)
```

Giac [F]

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = \int x \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

[In] integrate(x*arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x*arccosh(a*x)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^{3/2} dx = \int x \operatorname{acosh}(ax)^{3/2} dx$$

[In] int(x*acosh(a*x)^(3/2),x)

[Out] int(x*acosh(a*x)^(3/2), x)

3.82 $\int \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	481
Rubi [A] (verified)	481
Mathematica [A] (verified)	483
Maple [A] (verified)	484
Fricas [F(-2)]	484
Sympy [F]	484
Maxima [F]	484
Giac [F]	485
Mupad [F(-1)]	485

Optimal result

Integrand size = 8, antiderivative size = 86

$$\int \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a} + \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a}$$

[Out] $x*\operatorname{arccosh}(a*x)^{(3/2)}-3/8*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+3/8*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-3/2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5879, 5915, 5881, 3389, 2211, 2235, 2236}

$$\int \operatorname{arccosh}(ax)^{3/2} dx = -\frac{3\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a} + \frac{3\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a} + x\operatorname{arccosh}(ax)^{3/2} - \frac{3\sqrt{ax-1}\sqrt{ax+1}\sqrt{\operatorname{arccosh}(ax)}}{2a}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

[Out] $(-3*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])/(2*a) + x*\operatorname{ArcCosh}[a*x]^{(3/2)} - (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a) + (3*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a)$

Rule 2211

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3389

```
Int[((c_) + (d_)*(x_)^m)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5879

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[
1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5881

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Dist[1/(b*c), Su
bst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b
, c, n}, x]
```

Rule 5915

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)*((d1_) + (e1_)*(x_)^(p
_))*((d2_) + (e2_)*(x_)^(p_)), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 +
e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2
*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n -
1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && Eq
Q[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= x \operatorname{arccosh}(ax)^{3/2} - \frac{1}{2}(3a) \int \frac{x \sqrt{\operatorname{arccosh}(ax)}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x \operatorname{arccosh}(ax)^{3/2} + \frac{3}{4} \int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x \operatorname{arccosh}(ax)^{3/2} \\
&\quad + \frac{3 \operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a} \\
&= -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x \operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3 \operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a} + \frac{3 \operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a} \\
&= -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x \operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3 \operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a} + \frac{3 \operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a} \\
&= -\frac{3\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}{2a} + x \operatorname{arccosh}(ax)^{3/2} \\
&\quad - \frac{3\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a} + \frac{3\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.52

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \frac{\sqrt{-\operatorname{arccosh}(ax)} \Gamma\left(\frac{5}{2}, -\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{\Gamma\left(\frac{5}{2}, \operatorname{arccosh}(ax)\right)}{2a}$$

[In] Integrate[ArcCosh[a*x]^(3/2), x]

[Out] ((Sqrt[-ArcCosh[a*x]]*Gamma[5/2, -ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + Gamma[5/2, ArcCosh[a*x]])/(2*a)

Maple [A] (verified)

Time = 0.24 (sec) , antiderivative size = 68, normalized size of antiderivative = 0.79

method	result	size
default	$-\frac{-8 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} ax + 12 \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} + 3\pi \operatorname{erf}(\sqrt{\operatorname{arccosh}(ax)}) - 3\pi \operatorname{erfi}(\sqrt{\operatorname{arccosh}(ax)})}{8\sqrt{\pi} a}$	68

[In] `int(arccosh(a*x)^(3/2),x,method=_RETURNVERBOSE)`

[Out] `-1/8*(-8*arccosh(a*x)^(3/2)*Pi^(1/2)*a*x+12*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)+3*Pi*erf(arccosh(a*x)^(1/2))-3*Pi*erfi(arccosh(a*x)^(1/2)))/Pi^(1/2)/a`

Fricas [F(-2)]

Exception generated.

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

[In] `integrate(arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \int \operatorname{acosh}^{\frac{3}{2}}(ax) dx$$

[In] `integrate(acosh(a*x)**(3/2),x)`

[Out] `Integral(acosh(a*x)**(3/2), x)`

Maxima [F]

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \int \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

[In] `integrate(arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(arccosh(a*x)^(3/2), x)`

Giac [F]

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \int \operatorname{arcosh}(ax)^{\frac{3}{2}} dx$$

[In] integrate(arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^{3/2} dx = \int \operatorname{acosh}(ax)^{3/2} dx$$

[In] int(acosh(a*x)^(3/2),x)

[Out] int(acosh(a*x)^(3/2), x)

3.83 $\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx$

Optimal result	486
Rubi [N/A]	486
Mathematica [N/A]	487
Maple [N/A] (verified)	487
Fricas [F(-2)]	487
Sympy [N/A]	487
Maxima [N/A]	488
Giac [N/A]	488
Mupad [N/A]	488

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \operatorname{Int}\left(\frac{\operatorname{arccosh}(ax)^{3/2}}{x}, x\right)$$

[Out] Unintegrable(arccosh(a*x)^(3/2)/x,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec), antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx$$

[In] Int[ArcCosh[a*x]^(3/2)/x,x]

[Out] Defer[Int][ArcCosh[a*x]^(3/2)/x, x]

Rubi steps

$$\text{integral} = \int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx$$

Mathematica [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx$$

`[In] Integrate[ArcCosh[a*x]^(3/2)/x,x]``[Out] Integrate[ArcCosh[a*x]^(3/2)/x, x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.17 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\operatorname{arccosh}(ax)^{\frac{3}{2}}}{x} dx$$

`[In] int(arccosh(a*x)^(3/2)/x,x)``[Out] int(arccosh(a*x)^(3/2)/x,x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \text{Exception raised: TypeError}$$

`[In] integrate(arccosh(a*x)^(3/2)/x,x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [N/A]**

Not integrable

Time = 7.20 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{acosh}^{\frac{3}{2}}(ax)}{x} dx$$

`[In] integrate(acosh(a*x)**(3/2)/x,x)``[Out] Integral(acosh(a*x)**(3/2)/x, x)`

Maxima [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{arcosh}(ax)^{3/2}}{x} dx$$

[In] integrate(arccosh(a*x)^(3/2)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^(3/2)/x, x)

Giac [N/A]

Not integrable

Time = 3.59 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{arcosh}(ax)^{3/2}}{x} dx$$

[In] integrate(arccosh(a*x)^(3/2)/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(3/2)/x, x)

Mupad [N/A]

Not integrable

Time = 2.72 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{3/2}}{x} dx = \int \frac{\operatorname{acosh}(ax)^{3/2}}{x} dx$$

[In] int(acosh(a*x)^(3/2)/x,x)

[Out] int(acosh(a*x)^(3/2)/x, x)

3.84 $\int x^4 \operatorname{arccosh}(ax)^{5/2} dx$

Optimal result	489
Rubi [A] (verified)	490
Mathematica [A] (verified)	494
Maple [F]	494
Fricas [F(-2)]	495
Sympy [F(-1)]	495
Maxima [F]	495
Giac [F(-2)]	495
Mupad [F(-1)]	496

Optimal result

Integrand size = 12, antiderivative size = 394

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^5} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{240a^5} - \frac{\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{1280a^5}$$

```
[Out] 1/5*x^5*arccosh(a*x)^(5/2)-3/32000*erf(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*
Pi^(1/2)/a^5-3/32000*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5-
5/2304*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5-5/2304*erfi(3^(
1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5-15/128*erf(arccosh(a*x)^(1/2)
)*Pi^(1/2)/a^5-15/128*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5-4/15*arccosh(a*
x)^(3/2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^5-2/15*x^2*arccosh(a*x)^(3/2)*(a*x-1)
^(1/2)*(a*x+1)^(1/2)/a^3-1/10*x^4*arccosh(a*x)^(3/2)*(a*x-1)^(1/2)*(a*x+1)
^(1/2)/a^2+5*x*arccosh(a*x)^(1/2)/a^4+1/15*x^3*arccosh(a*x)^(1/2)/a^2+3/100
*x^5*arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 1.23 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 44, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {5884, 5939, 5915, 5879, 5953, 3388, 2211, 2235, 2236, 3393}

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^5} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{1280a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{240a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{6400a^5} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^5} - \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{1280a^5} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{240a^5} - \frac{3\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{6400a^5} - \frac{4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{15a^5} + \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{15a^3} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{5/2} + \frac{3}{100}x^5\sqrt{\operatorname{arccosh}(ax)} - \frac{x^4\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{10a}$$

[In] Int[x^4*ArcCosh[a*x]^(5/2), x]

[Out] (2*x*Sqrt[ArcCosh[a*x]]/(5*a^4) + (x^3*Sqrt[ArcCosh[a*x]]/(15*a^2) + (3*x^5*Sqrt[ArcCosh[a*x]]/100 - (4*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(15*a^3) - (2*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(15*a^3) - (x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(10*a) + (x^5*ArcCosh[a*x]^(5/2))/5 - (15*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(128*a^5) - (Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(240*a^5) - (Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(1280*a^5) - (3*Sqrt[Pi/5]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(6400*a^5) - (15*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(128*a^5) - (Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(240*a^5) - (Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(1280*a^5) - (3*Sqrt[Pi/5]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(6400*a^5)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))²), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))²), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]ⁿ, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*ArcCosh[c*x])ⁿ, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*x^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])ⁿ/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*x*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])ⁿ/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

```

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(q_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(q + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

```

Rule 5953

```

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(q_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x) /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{1}{2}a \int \frac{x^5 \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{x^4 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{5/2} + \frac{3}{20} \int x^4 \sqrt{\operatorname{arccosh}(ax)} dx - \frac{2 \int \frac{x^3 \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{5a} \\
&= \frac{3}{100}x^5 \sqrt{\operatorname{arccosh}(ax)} - \frac{2x^2 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{15a^3} \\
&\quad - \frac{x^4 \sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5}x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{4 \int \frac{x \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{15a^3} + \frac{\int x^2 \sqrt{\operatorname{arccosh}(ax)} dx}{5a^2} \\
&\quad - \frac{1}{200}(3a) \int \frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx
\end{aligned}$$

$$\begin{aligned}
&= \frac{x^3 \sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\operatorname{arccosh}(ax)} - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5} x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{3\operatorname{Subst}\left(\int \frac{\cosh^5(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} + \frac{2\int \sqrt{\operatorname{arccosh}(ax)} dx}{5a^4} - \frac{\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{5a^4} \\
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5} x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{3\operatorname{Subst}\left(\int \left(\frac{5\cosh(x)}{8\sqrt{x}} + \frac{5\cosh(3x)}{16\sqrt{x}} + \frac{\cosh(5x)}{16\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{200a^5} - \frac{\operatorname{Subst}\left(\int \frac{1}{\sqrt{-1+ax}\sqrt{1+ax}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^4} \\
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5} x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{3\operatorname{Subst}\left(\int \frac{\cosh(5x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3200a^5} - \frac{3\operatorname{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{640a^5} \\
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5} x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{3\operatorname{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6400a^5} - \frac{3\operatorname{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6400a^5} \\
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100} x^5 \sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5} x^5 \operatorname{arccosh}(ax)^{5/2} - \frac{3\operatorname{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5} - \frac{3\operatorname{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3200a^5}
\end{aligned}$$

$$\begin{aligned}
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100}x^5\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{5/2} - \frac{67\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{640a^5} - \frac{\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{1280a^5} - \frac{3\sqrt{\frac{\pi}{5}}\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{6400a^5} \\
&= \frac{2x\sqrt{\operatorname{arccosh}(ax)}}{5a^4} + \frac{x^3\sqrt{\operatorname{arccosh}(ax)}}{15a^2} + \frac{3}{100}x^5\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^5} \\
&\quad - \frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{15a^3} - \frac{x^4\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{10a} \\
&\quad + \frac{1}{5}x^5\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{128a^5} - \frac{\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{240a^5} - \frac{\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{1280a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 162, normalized size of antiderivative = 0.41

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \frac{27\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{7}{2}, -5\operatorname{arccosh}(ax)\right) + 625\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{7}{2}, -3\operatorname{arccosh}(ax)\right)}{(540000a^5\sqrt{-\operatorname{arccosh}(ax)})}$$

[In] Integrate[x^4*ArcCosh[a*x]^(5/2), x]

[Out] (27*Sqrt[5]*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -5*ArcCosh[a*x]] + 625*Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -3*ArcCosh[a*x]] + 33750*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -ArcCosh[a*x]] + 33750*Sqrt[-ArcCosh[a*x]]*Gamma[7/2, ArcCosh[a*x]] + 625*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[7/2, 3*ArcCosh[a*x]] + 27*Sqrt[5]*Sqrt[-ArcCosh[a*x]]*Gamma[7/2, 5*ArcCosh[a*x]])/(540000*a^5*Sqrt[-ArcCosh[a*x]])

Maple [F]

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx$$

[In] int(x^4*arccosh(a*x)^(5/2), x)

[Out] int(x^4*arccosh(a*x)^(5/2), x)

Fricas [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^4*arccosh(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \text{Timed out}$$

[In] `integrate(x**4*acosh(a*x)**(5/2),x)`

[Out] Timed out

Maxima [F]

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \int x^4 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

[In] `integrate(x^4*arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(x^4*arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x^4*arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^{5/2} dx = \int x^4 \operatorname{acosh}(ax)^{5/2} dx$$

```
[In] int(x^4*acosh(a*x)^(5/2),x)
```

```
[Out] int(x^4*acosh(a*x)^(5/2), x)
```


3.85 $\int x^3 \operatorname{arccosh}(ax)^{5/2} dx$

Optimal result	497
Rubi [A] (verified)	497
Mathematica [A] (verified)	502
Maple [A] (verified)	502
Fricas [F(-2)]	503
Sympy [F(-1)]	503
Maxima [F]	503
Giac [F(-2)]	503
Mupad [F(-1)]	504

Optimal result

Integrand size = 12, antiderivative size = 257

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = -\frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2}$$

$$+ \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3}$$

$$- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4}$$

$$+ \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4}$$

```
[Out] -3/32*arccosh(a*x)^(5/2)/a^4+1/4*x^4*arccosh(a*x)^(5/2)-15/1024*erf(2^(1/2)
*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4-15/1024*erfi(2^(1/2)*arccosh(a*x)
^(1/2))*2^(1/2)*Pi^(1/2)/a^4-15/16384*erf(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^
4-15/16384*erfi(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4-15/64*x*arccosh(a*x)^(3/
2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-5/32*x^3*arccosh(a*x)^(3/2)*(a*x-1)^(1/2
)*(a*x+1)^(1/2)/a-225/2048*arccosh(a*x)^(1/2)/a^4+45/256*x^2*arccosh(a*x)^(
1/2)/a^2+15/256*x^4*arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used

= {5884, 5939, 5893, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} - \frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} - \frac{15x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{64a^3} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} + \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} + \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{5x^3\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{32a}$$

[In] Int[x^3*ArcCosh[a*x]^(5/2), x]

[Out] (-225*sqrt[ArcCosh[a*x]])/(2048*a^4) + (45*x^2*sqrt[ArcCosh[a*x]])/(256*a^2) + (15*x^4*sqrt[ArcCosh[a*x]])/256 - (15*x*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(64*a^3) - (5*x^3*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(32*a) - (3*ArcCosh[a*x]^(5/2))/(32*a^4) + (x^4*ArcCosh[a*x]^(5/2))/4 - (15*sqrt[Pi]*Erf[2*sqrt[ArcCosh[a*x]]])/(16384*a^4) - (15*sqrt[Pi/2]*Erf[sqrt[2]*sqrt[ArcCosh[a*x]]])/(512*a^4) - (15*sqrt[Pi]*Erfi[2*sqrt[ArcCosh[a*x]]])/(16384*a^4) - (15*sqrt[Pi/2]*Erfi[sqrt[2]*sqrt[ArcCosh[a*x]]])/(512*a^4)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[

$I/2, \text{Int}[(c + d*x)^m * E^{(I*k*Pi)*E^{(I*(e + f*x))}}, x], x] /;$ FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

$\text{Int}[(c + d*x)^m * \sin[e + f*x]^n, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$ FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (b*x)^m, x_Symbol] \rightarrow \text{Simp}[x^{m+1} * ((a + b*\text{ArcCosh}[c*x])^n / (m+1)), x] - \text{Dist}[b*c*(n/(m+1)), \text{Int}[x^{m+1} * ((a + b*\text{ArcCosh}[c*x])^{n-1} / (\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x])), x] /;$ FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5893

$\text{Int}[(a + \text{ArcCosh}[c*x])^n / (\text{Sqrt}[d1 + e1*x]*\text{Sqrt}[d2 + e2*x]), x_Symbol] \rightarrow \text{Simp}[(1/(b*c*(n+1)))*\text{Simp}[\text{Sqrt}[1 + c*x]/\text{Sqrt}[d1 + e1*x]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]]*(a + b*\text{ArcCosh}[c*x])^{n+1}, x] /;$ FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (f*x)^m * ((d1 + e1*x)^p * ((d2 + e2*x)^p), x_Symbol] \rightarrow \text{Simp}[f*(f*x)^{m-1} * (d1 + e1*x)^{p+1} * (d2 + e2*x)^{p+1} * ((a + b*\text{ArcCosh}[c*x])^n / (e1*e2*(m + 2*p + 1))), x] + (\text{Dist}[f^2*((m-1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{m-2} * (d1 + e1*x)^p * (d2 + e2*x)^p * (a + b*\text{ArcCosh}[c*x])^n, x] - \text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p] * \text{Simp}[(d2 + e2*x)^p / (-1 + c*x)^p], \text{Int}[(f*x)^{m-1} * (1 + c*x)^{p+1/2} * (-1 + c*x)^{p+1/2} * (a + b*\text{ArcCosh}[c*x])^{n-1}, x], x] /;$ FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rule 5953

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (b*x)^m * ((d1 + e1*x)^p * ((d2 + e2*x)^p), x_Symbol] \rightarrow \text{Dist}[(1/(b*c^{m+1})) * \text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p] * \text{Simp}[(d2 + e2*x)^p / (-1 + c*x)^p], \text{Subst}[\text{Int}[x^n * \text{Cosh}[-a/b + x/b]^m * \text{Sinh}[-a/b + x/b]^{2*p+1}, x], x, a + b*\text{ArcCosh}[c*x]], x] /;$ FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} - \frac{1}{8}(5a) \int \frac{x^4 \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} + \frac{15}{64} \int x^3 \sqrt{\operatorname{arccosh}(ax)} dx - \frac{15 \int \frac{x^2 \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{32a} \\
&= \frac{15}{256}x^4 \sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&\quad - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} - \frac{15 \int \frac{\operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{64a^3} + \frac{45 \int x \sqrt{\operatorname{arccosh}(ax)} dx}{128a^2} \\
&\quad - \frac{1}{512}(15a) \int \frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&\quad - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \frac{\cosh^4(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} - \frac{45 \int \frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx}{512a} \\
&= \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} + \frac{15}{256}x^4 \sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&\quad - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \left(\frac{3}{8\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}} + \frac{\cosh(4x)}{8\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{512a^4} - \frac{45 \operatorname{Subst}\left(\int \frac{\cosh}{\sqrt{x}}\right)}{512a} \\
&= -\frac{45\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} \\
&\quad + \frac{15}{256}x^4 \sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&\quad - \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&\quad + \frac{1}{4}x^4 \operatorname{arccosh}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \frac{\cosh(4x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4096a^4} - \frac{15 \operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{1024a^4}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} \\
&+ \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&+ \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} - \frac{15\operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8192a^4} - \frac{15\operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8192a^4} \\
&= -\frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} \\
&+ \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&+ \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} - \frac{15\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4096a^4} - \frac{15\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4096a^4} \\
&= -\frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} \\
&+ \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&+ \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2048a^4} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} \\
&= -\frac{225\sqrt{\operatorname{arccosh}(ax)}}{2048a^4} + \frac{45x^2\sqrt{\operatorname{arccosh}(ax)}}{256a^2} \\
&+ \frac{15}{256}x^4\sqrt{\operatorname{arccosh}(ax)} - \frac{15x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{64a^3} \\
&- \frac{5x^3\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{32a} - \frac{3\operatorname{arccosh}(ax)^{5/2}}{32a^4} \\
&+ \frac{1}{4}x^4\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{512a^4} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{16384a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.39

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \frac{\sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, -4 \operatorname{arccosh}(ax)\right) + 16\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, -2 \operatorname{arccosh}(ax)\right) + 2048a^4 \sqrt{-\operatorname{arccosh}(ax)}}{2048a^4 \sqrt{-\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^3*ArcCosh[a*x]^(5/2),x]

[Out] (Sqrt[ArcCosh[a*x]]*Gamma[7/2, -4*ArcCosh[a*x]] + 16*Sqrt[2]*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -2*ArcCosh[a*x]] + Sqrt[-ArcCosh[a*x]]*(16*Sqrt[2]*Gamma[7/2, 2*ArcCosh[a*x]] + Gamma[7/2, 4*ArcCosh[a*x]]))/(2048*a^4*Sqrt[-ArcCosh[a*x]])

Maple [A] (verified)

Time = 1.41 (sec) , antiderivative size = 321, normalized size of antiderivative = 1.25

method	result
default	$-\frac{\sqrt{2} \left(-128 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} a^2 x^2 + 160 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax - 120 \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} a^2 x^2 + 64 \operatorname{arccosh}(ax) \right)}{1024 \sqrt{\pi} a^4}$

[In] int(x^3*arccosh(a*x)^(5/2),x,method=_RETURNVERBOSE)

[Out] -1/1024*2^(1/2)*(-128*arccosh(a*x)^(5/2)*2^(1/2)*Pi^(1/2)*a^2*x^2+160*arccosh(a*x)^(3/2)*2^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x-120*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*a^2*x^2+64*arccosh(a*x)^(5/2)*2^(1/2)*Pi^(1/2)+60*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)+15*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))+15*Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2)))/Pi^(1/2)/a^4-1/16384*(-4096*arccosh(a*x)^(5/2)*Pi^(1/2)*a^4*x^4+2560*arccosh(a*x)^(3/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a^3*x^3-960*arccosh(a*x)^(1/2)*Pi^(1/2)*a^4*x^4+4096*arccosh(a*x)^(5/2)*Pi^(1/2)*a^2*x^2-1280*arccosh(a*x)^(3/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+960*arccosh(a*x)^(1/2)*Pi^(1/2)*a^2*x^2-512*arccosh(a*x)^(5/2)*Pi^(1/2)+15*Pi*erf(2*arccosh(a*x)^(1/2))+15*Pi*erfi(2*arccosh(a*x)^(1/2))-120*arccosh(a*x)^(1/2)*Pi^(1/2))/Pi^(1/2)/a^4

Fricas [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3*arccosh(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \text{Timed out}$$

[In] `integrate(x**3*acosh(a*x)**(5/2),x)`

[Out] Timed out

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \int x^3 \operatorname{arccosh}(ax)^{\frac{5}{2}} dx$$

[In] `integrate(x^3*arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(x^3*arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3*arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^{5/2} dx = \int x^3 \operatorname{acosh}(ax)^{5/2} dx$$

```
[In] int(x^3*acosh(a*x)^(5/2),x)
```

```
[Out] int(x^3*acosh(a*x)^(5/2), x)
```


3.86 $\int x^2 \operatorname{arccosh}(ax)^{5/2} dx$

Optimal result	505
Rubi [A] (verified)	506
Mathematica [A] (verified)	510
Maple [F]	510
Fricas [F(-2)]	510
Sympy [F(-1)]	510
Maxima [F]	511
Giac [F(-2)]	511
Mupad [F(-1)]	511

Optimal result

Integrand size = 12, antiderivative size = 220

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3\sqrt{\operatorname{arccosh}(ax)}$$

$$- \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{9a^3} - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{18a}$$

$$+ \frac{1}{3}x^3\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{576a^3} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3}$$

```
[Out] 1/3*x^3*arccosh(a*x)^(5/2)-5/1728*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*P
i^(1/2)/a^3-5/1728*erfi(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^3-15
/64*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a^3-15/64*erfi(arccosh(a*x)^(1/2))*Pi^
(1/2)/a^3-5/9*arccosh(a*x)^(3/2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3-5/18*x^2*a
rccosh(a*x)^(3/2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a+5/6*x*arccosh(a*x)^(1/2)/a^
2+5/36*x^3*arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.833$, Rules used = {5884, 5939, 5915, 5879, 5953, 3388, 2211, 2235, 2236, 3393}

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{576a^3} \\ - \frac{15\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{576a^3} \\ - \frac{5\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^{3/2}}{9a^3} + \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} \\ + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} + \frac{5}{36}x^3 \sqrt{\operatorname{arccosh}(ax)} - \frac{5x^2\sqrt{ax-1}\sqrt{ax+1} \operatorname{arccosh}(ax)^{3/2}}{18a}$$

[In] Int[x^2*ArcCosh[a*x]^(5/2), x]

[Out] (5*x*Sqrt[ArcCosh[a*x]])/(6*a^2) + (5*x^3*Sqrt[ArcCosh[a*x]])/36 - (5*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(9*a^3) - (5*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(18*a) + (x^3*ArcCosh[a*x]^(5/2))/3 - (15*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(64*a^3) - (5*Sqrt[Pi/3]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(576*a^3) - (15*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(64*a^3) - (5*Sqrt[Pi/3]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(576*a^3)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[

$I/2, \text{Int}[(c + d*x)^m * E^{(I*k*Pi)} * E^{(I*(e + f*x))}, x], x] /;$ FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

$\text{Int}[(c + d*x)^m * \sin[e + f*x]^n, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /;$ FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5879

$\text{Int}[(a + \text{ArcCosh}[c*x])^n, x_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcCosh}[c*x])^n, x] - \text{Dist}[b*c*n, \text{Int}[x*(a + b*\text{ArcCosh}[c*x])^{n-1}/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /;$ FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5884

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * x^m, x_Symbol] \rightarrow \text{Simp}[x^{m+1}*(a + b*\text{ArcCosh}[c*x])^n/(m+1), x] - \text{Dist}[b*c*(n/(m+1)), \text{Int}[x^{m+1}*(a + b*\text{ArcCosh}[c*x])^{n-1}/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /;$ FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5915

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (d1 + e1*x)^p * (d2 + e2*x)^q, x_Symbol] \rightarrow \text{Simp}[(d1 + e1*x)^{p+1} * (d2 + e2*x)^q / (2*e1*e2*(p+1)), x] - \text{Dist}[b*(n/(2*c*(p+1))), \text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p] * \text{Simp}[(d2 + e2*x)^q / (-1 + c*x)^q], \text{Int}[(1 + c*x)^{p+1/2} * (-1 + c*x)^{p+1/2} * (a + b*\text{ArcCosh}[c*x])^{n-1}, x], x] /;$ FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

$\text{Int}[(a + \text{ArcCosh}[c*x])^n * (f*x)^m * (d1 + e1*x)^p * (d2 + e2*x)^q, x_Symbol] \rightarrow \text{Simp}[f*(f*x)^{m-1} * (d1 + e1*x)^{p+1} * (d2 + e2*x)^q / (a + b*\text{ArcCosh}[c*x])^n / (e1*e2*(m + 2*p + 1)), x] + (\text{Dist}[f^2 * ((m-1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{m-2} * (d1 + e1*x)^p * (d2 + e2*x)^q * (a + b*\text{ArcCosh}[c*x])^n, x], x] - \text{Dist}[b*f*(n/(c*(m + 2*p + 1))), \text{Simp}[(d1 + e1*x)^p / (1 + c*x)^p] * \text{Simp}[(d2 + e2*x)^q / (-1 + c*x)^q], \text{Int}[(f*x)^{m-1} * (1 + c*x)^{p+1/2} * (-1 + c*x)^{p+1/2} * (a + b*\text{ArcCosh}[c*x])^{n-1}, x], x]) /;$ FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rule 5953

```

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x
_))^(p_.)*((d2_) + (e2_.)*(x_.))^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*
Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int
[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*
x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e
2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} - \frac{1}{6}(5a) \int \frac{x^3 \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
&= -\frac{5x^2\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{18a} \\
&\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} + \frac{5}{12} \int x^2 \sqrt{\operatorname{arccosh}(ax)} dx - \frac{5 \int \frac{x \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{9a} \\
&= \frac{5}{36}x^3 \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} \\
&\quad + \frac{5 \int \sqrt{\operatorname{arccosh}(ax)} dx}{6a^2} - \frac{1}{72}(5a) \int \frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{18a} + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{5 \operatorname{Subst}\left(\int \frac{\cosh^3(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{72a^3} - \frac{5 \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx}{12a} \\
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3 \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{18a} \\
&\quad + \frac{1}{3}x^3 \operatorname{arccosh}(ax)^{5/2} - \frac{5 \operatorname{Subst}\left(\int \left(\frac{3 \cosh(x)}{4\sqrt{x}} + \frac{\cosh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{72a^3} \\
&\quad - \frac{5 \operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^3}
\end{aligned}$$

$$\begin{aligned}
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{18a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{5\operatorname{Subst}\left(\int \frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{288a^3} - \frac{5\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{96a^3} \\
&\quad - \frac{5\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{24a^3} - \frac{5\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{24a^3} \\
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{18a} + \frac{1}{3}x^3\operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{5\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{576a^3} - \frac{5\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{576a^3} \\
&\quad - \frac{5\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{192a^3} - \frac{5\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{192a^3} \\
&\quad - \frac{5\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{12a^3} - \frac{5\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{12a^3} \\
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{18a} \\
&\quad + \frac{1}{3}x^3\operatorname{arccosh}(ax)^{5/2} - \frac{5\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^3} - \frac{5\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^3} \\
&\quad - \frac{5\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{288a^3} - \frac{5\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{288a^3} \\
&\quad - \frac{5\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} - \frac{5\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{96a^3} \\
&= \frac{5x\sqrt{\operatorname{arccosh}(ax)}}{6a^2} + \frac{5}{36}x^3\sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{9a^3} \\
&\quad - \frac{5x^2\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{18a} \\
&\quad + \frac{1}{3}x^3\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{576a^3} \\
&\quad - \frac{15\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{64a^3} - \frac{5\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{576a^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 100, normalized size of antiderivative = 0.45

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \frac{\sqrt{3} \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, -3 \operatorname{arccosh}(ax)\right) + 81 \sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, -\operatorname{arccosh}(ax)\right) + \sqrt{-\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, 3 \operatorname{arccosh}(ax)\right)}{648 a^3}$$

[In] Integrate[x^2*ArcCosh[a*x]^(5/2),x]

[Out] (Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -3*ArcCosh[a*x]] + 81*Sqrt[ArcCosh[a*x]]*Gamma[7/2, -ArcCosh[a*x]] + Sqrt[-ArcCosh[a*x]]*(81*Gamma[7/2, ArcCosh[a*x]] + Sqrt[3]*Gamma[7/2, 3*ArcCosh[a*x]]))/(648*a^3*Sqrt[-ArcCosh[a*x]])

Maple [F]

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx$$

[In] int(x^2*arccosh(a*x)^(5/2),x)

[Out] int(x^2*arccosh(a*x)^(5/2),x)

Fricas [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2*arccosh(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \text{Timed out}$$

[In] integrate(x**2*acosh(a*x)**(5/2),x)

[Out] Timed out

Maxima [F]

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \int x^2 \operatorname{arcosh}(ax)^{5/2} dx$$

[In] `integrate(x^2*arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(x^2*arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x^2*arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^{5/2} dx = \int x^2 \operatorname{acosh}(ax)^{5/2} dx$$

[In] `int(x^2*acosh(a*x)^(5/2),x)`

[Out] `int(x^2*acosh(a*x)^(5/2), x)`

3.87 $\int x \operatorname{arccosh}(ax)^{5/2} dx$

Optimal result	512
Rubi [A] (verified)	512
Mathematica [A] (verified)	515
Maple [A] (verified)	516
Fricas [F(-2)]	516
Sympy [F(-1)]	516
Maxima [F]	517
Giac [F(-2)]	517
Mupad [F(-1)]	517

Optimal result

Integrand size = 10, antiderivative size = 157

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)}$$

$$- \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2}$$

$$+ \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2}$$

[Out] $-1/4*\operatorname{arccosh}(a*x)^{(5/2)}/a^2+1/2*x^2*\operatorname{arccosh}(a*x)^{(5/2)}-15/512*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-15/512*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-5/8*x*\operatorname{arccosh}(a*x)^{(3/2)}*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a-15/64*\operatorname{arccosh}(a*x)^{(1/2)}/a^2+15/32*x^2*\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.900$, Rules used = {5884, 5939, 5893, 5953, 3393, 3388, 2211, 2235, 2236}

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2}$$

$$- \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} - \frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2}$$

$$+ \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{5x\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{8a}$$

[In] $\operatorname{Int}[x*\operatorname{ArcCosh}[a*x]^{(5/2)},x]$


```
[Out] (-15*sqrt[ArcCosh[a*x]])/(64*a^2) + (15*x^2*sqrt[ArcCosh[a*x]])/32 - (5*x*sqrt[-1 + a*x]*sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(8*a) - ArcCosh[a*x]^(5/2)/(4*a^2) + (x^2*ArcCosh[a*x]^(5/2))/2 - (15*sqrt[Pi/2]*Erf[sqrt[2]*sqrt[ArcCosh[a*x]])]/(256*a^2) - (15*sqrt[Pi/2]*Erfi[sqrt[2]*sqrt[ArcCosh[a*x]])]/(256*a^2)
```

Rule 2211

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3393

```
Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)]^n, x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 5884

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m, x_Symbol] :> Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(sqrt[1 + c*x]*sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n/(sqrt[(d1_) + (e1_.)*(x_)])*sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(1/(b*c*(n + 1)))*Simp[sqrt[1 +
```

$c*x]/\text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]]*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}, x] /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2, n\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{NeQ}[n, -1]$

Rule 5939

$\text{Int}[(a_. + \text{ArcCosh}[c_.*(x_.)]*(b_.))^{(n_.)}*((f_.)*(x_.))^{(m_.)}*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x_Symbol] :> \text{Simp}[f*(f*x)^{(m - 1)}*(d1 + e1*x)^{(p + 1)}*(d2 + e2*x)^{(p + 1)}*((a + b*\text{ArcCosh}[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (\text{Dist}[f^2*((m - 1)/(c^2*(m + 2*p + 1))), \text{Int}[(f*x)^{(m - 2)}*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] - \text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Int}[(f*x)^{(m - 1)}*(1 + c*x)^{(p + 1/2)}*(-1 + c*x)^{(p + 1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n - 1)}, x], x]) /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2, f, p\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{GtQ}[n, 0] \&\& \text{IGtQ}[m, 1] \&\& \text{NeQ}[m + 2*p + 1, 0]$

Rule 5953

$\text{Int}[(a_. + \text{ArcCosh}[c_.*(x_.)]*(b_.))^{(n_.)}*(x_.)^{(m_.)}*((d1_.) + (e1_.)*(x_.))^{(p_.)}*((d2_.) + (e2_.)*(x_.))^{(p_.)}, x_Symbol] :> \text{Dist}[(1/(b*c^{(m + 1)}))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b]^{(2*p + 1)}, x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}[\{a, b, c, d1, e1, d2, e2, n\}, x] \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{IGtQ}[p + 3/2, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{2}x^2\text{arccosh}(ax)^{5/2} - \frac{1}{4}(5a) \int \frac{x^2\text{arccosh}(ax)^{3/2}}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx \\
 &= -\frac{5x\sqrt{-1 + ax}\sqrt{1 + ax}\text{arccosh}(ax)^{3/2}}{8a} \\
 &\quad + \frac{1}{2}x^2\text{arccosh}(ax)^{5/2} + \frac{15}{16} \int x\sqrt{\text{arccosh}(ax)} dx - \frac{5 \int \frac{\text{arccosh}(ax)^{3/2}}{\sqrt{-1 + ax}\sqrt{1 + ax}} dx}{8a} \\
 &= \frac{15}{32}x^2\sqrt{\text{arccosh}(ax)} - \frac{5x\sqrt{-1 + ax}\sqrt{1 + ax}\text{arccosh}(ax)^{3/2}}{8a} - \frac{\text{arccosh}(ax)^{5/2}}{4a^2} \\
 &\quad + \frac{1}{2}x^2\text{arccosh}(ax)^{5/2} - \frac{1}{64}(15a) \int \frac{x^2}{\sqrt{-1 + ax}\sqrt{1 + ax}\sqrt{\text{arccosh}(ax)}} dx \\
 &= \frac{15}{32}x^2\sqrt{\text{arccosh}(ax)} - \frac{5x\sqrt{-1 + ax}\sqrt{1 + ax}\text{arccosh}(ax)^{3/2}}{8a} - \frac{\text{arccosh}(ax)^{5/2}}{4a^2} \\
 &\quad + \frac{1}{2}x^2\text{arccosh}(ax)^{5/2} - \frac{15\text{Subst}\left(\int \frac{\cosh^2(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{64a^2}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} \\
&\quad + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} - \frac{15\operatorname{Subst}\left(\int\left(\frac{1}{2\sqrt{x}} + \frac{\cosh(2x)}{2\sqrt{x}}\right)dx, x, \operatorname{arccosh}(ax)\right)}{64a^2} \\
&= -\frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} \\
&\quad - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} - \frac{15\operatorname{Subst}\left(\int\frac{\cosh(2x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{128a^2} \\
&= -\frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{15\operatorname{Subst}\left(\int\frac{e^{-2x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{256a^2} - \frac{15\operatorname{Subst}\left(\int\frac{e^{2x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{256a^2} \\
&= -\frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{15\operatorname{Subst}\left(\int e^{-2x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{128a^2} - \frac{15\operatorname{Subst}\left(\int e^{2x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{128a^2} \\
&= -\frac{15\sqrt{\operatorname{arccosh}(ax)}}{64a^2} + \frac{15}{32}x^2\sqrt{\operatorname{arccosh}(ax)} \\
&\quad - \frac{5x\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{8a} - \frac{\operatorname{arccosh}(ax)^{5/2}}{4a^2} + \frac{1}{2}x^2\operatorname{arccosh}(ax)^{5/2} \\
&\quad - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2} - \frac{15\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{256a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 92, normalized size of antiderivative = 0.59

$$\int x\operatorname{arccosh}(ax)^{5/2}dx = \frac{8\sqrt{\operatorname{arccosh}(ax)}(15 + 16\operatorname{arccosh}(ax)^2)\cosh(2\operatorname{arccosh}(ax)) - 15\sqrt{2\pi}\left(\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)\right)}{512a^2}$$

[In] Integrate[x*ArcCosh[a*x]^(5/2),x]

[Out] (8*sqrt[ArcCosh[a*x]]*(15 + 16*ArcCosh[a*x]^2)*Cosh[2*ArcCosh[a*x]] - 15*sqrt[2]*pi*(Erf[sqrt[2]*sqrt[ArcCosh[a*x]]] + Erfi[sqrt[2]*sqrt[ArcCosh[a*x]]]) - 160*ArcCosh[a*x]^(3/2)*Sinh[2*ArcCosh[a*x]])/(512*a^2)

Maple [A] (verified)

Time = 0.29 (sec) , antiderivative size = 139, normalized size of antiderivative = 0.89

method	result
default	$-\frac{\sqrt{2} \left(-128 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} a^2 x^2 + 160 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{2} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax - 120 \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} a^2 x^2 + 64 \operatorname{arccosh}(ax) \right)}{512 \sqrt{\pi} a^2}$

[In] int(x*arccosh(a*x)^(5/2),x,method=_RETURNVERBOSE)

[Out]
$$-1/512*2^{(1/2)}*(-128*\operatorname{arccosh}(a*x)^{(5/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}*a^2*x^2+160*\operatorname{arccosh}(a*x)^{(3/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x-120*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*a^2*x^2+64*\operatorname{arccosh}(a*x)^{(5/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}+60*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}+15*\operatorname{Pi}*erf(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}))+15*\operatorname{Pi}*erfi(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a^2$$

Fricas [F(-2)]

Exception generated.

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] integrate(x*arccosh(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = \text{Timed out}$$

[In] integrate(x*acosh(a*x)**(5/2),x)

[Out] Timed out

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = \int x \operatorname{arcosh}(ax)^{\frac{5}{2}} dx$$

[In] `integrate(x*arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(x*arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x*arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^{5/2} dx = \int x \operatorname{acosh}(ax)^{5/2} dx$$

[In] `int(x*acosh(a*x)^(5/2),x)`

[Out] `int(x*acosh(a*x)^(5/2), x)`

3.88 $\int \operatorname{arccosh}(ax)^{5/2} dx$

Optimal result	518
Rubi [A] (verified)	518
Mathematica [A] (verified)	521
Maple [A] (verified)	521
Fricas [F(-2)]	521
Sympy [F(-1)]	522
Maxima [F]	522
Giac [F(-2)]	522
Mupad [F(-1)]	522

Optimal result

Integrand size = 8, antiderivative size = 99

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \frac{15}{4}x\sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}{2a} \\ + x\operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a}$$

[Out] x*arccosh(a*x)^(5/2)-15/16*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a-15/16*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a-5/2*arccosh(a*x)^(3/2)*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a+15/4*x*arccosh(a*x)^(1/2)

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5879, 5915, 5953, 3388, 2211, 2235, 2236}

$$\int \operatorname{arccosh}(ax)^{5/2} dx = -\frac{15\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a} - \frac{15\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a} \\ + x\operatorname{arccosh}(ax)^{5/2} - \frac{5\sqrt{ax-1}\sqrt{ax+1}\operatorname{arccosh}(ax)^{3/2}}{2a} + \frac{15}{4}x\sqrt{\operatorname{arccosh}(ax)}$$

[In] Int[ArcCosh[a*x]^(5/2), x]

[Out] (15*x*Sqrt[ArcCosh[a*x]])/4 - (5*Sqrt[-1 + a*x]*Sqrt[1 + a*x]*ArcCosh[a*x]^(3/2))/(2*a) + x*ArcCosh[a*x]^(5/2) - (15*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(16*a) - (15*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(16*a)

Rule 2211

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 5879

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] := Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c^n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[
1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5915

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)*((d1_) + (e1_)*(x_))^(p
_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 +
e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2
*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n -
1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && Eq
Q[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 5953

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_)*((d1_) + (e1_)*(x
_))^(p_)*((d2_) + (e2_)*(x_))^(p_), x_Symbol] := Dist[(1/(b*c^(m + 1)))*
Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int
[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*
x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e
```

2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= x \operatorname{arccosh}(ax)^{5/2} - \frac{1}{2}(5a) \int \frac{x \operatorname{arccosh}(ax)^{3/2}}{\sqrt{-1+ax}\sqrt{1+ax}} dx \\
 &= -\frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} + x \operatorname{arccosh}(ax)^{5/2} + \frac{15}{4} \int \sqrt{\operatorname{arccosh}(ax)} dx \\
 &= \frac{15}{4} x \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} \\
 &\quad + x \operatorname{arccosh}(ax)^{5/2} - \frac{1}{8}(15a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
 &= \frac{15}{4} x \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} \\
 &\quad + x \operatorname{arccosh}(ax)^{5/2} - \frac{15 \operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a} \\
 &= \frac{15}{4} x \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} + x \operatorname{arccosh}(ax)^{5/2} \\
 &\quad - \frac{15 \operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a} - \frac{15 \operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{16a} \\
 &= \frac{15}{4} x \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} + x \operatorname{arccosh}(ax)^{5/2} \\
 &\quad - \frac{15 \operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a} - \frac{15 \operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a} \\
 &= \frac{15}{4} x \sqrt{\operatorname{arccosh}(ax)} - \frac{5\sqrt{-1+ax}\sqrt{1+ax} \operatorname{arccosh}(ax)^{3/2}}{2a} \\
 &\quad + x \operatorname{arccosh}(ax)^{5/2} - \frac{15\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a} - \frac{15\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.45

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \frac{\sqrt{\operatorname{arccosh}(ax)} \Gamma\left(\frac{7}{2}, -\operatorname{arccosh}(ax)\right) + \Gamma\left(\frac{7}{2}, \operatorname{arccosh}(ax)\right)}{\sqrt{-\operatorname{arccosh}(ax)} 2a}$$

[In] Integrate[ArcCosh[a*x]^(5/2), x]

[Out] ((Sqrt[ArcCosh[a*x]]*Gamma[7/2, -ArcCosh[a*x]])/Sqrt[-ArcCosh[a*x]] + Gamma[7/2, ArcCosh[a*x]])/(2*a)

Maple [A] (verified)

Time = 0.26 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.82

method	result
default	$-\frac{-16 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{\pi} ax + 40 \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} - 60 \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} ax + 15\pi \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) + 15\pi \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16\sqrt{\pi} a}$

[In] int(arccosh(a*x)^(5/2), x, method=_RETURNVERBOSE)

[Out] -1/16*(-16*arccosh(a*x)^(5/2)*Pi^(1/2)*a*x+40*arccosh(a*x)^(3/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)-60*arccosh(a*x)^(1/2)*Pi^(1/2)*a*x+15*Pi*erf(arcosh(a*x)^(1/2))+15*Pi*erfi(arccosh(a*x)^(1/2)))/Pi^(1/2)/a

Fricas [F(-2)]

Exception generated.

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: TypeError}$$

[In] integrate(arccosh(a*x)^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \text{Timed out}$$

[In] `integrate(acosh(a*x)**(5/2),x)`

[Out] Timed out

Maxima [F]

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \int \operatorname{arcosh}(ax)^{\frac{5}{2}} dx$$

[In] `integrate(arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \operatorname{arccosh}(ax)^{5/2} dx = \int \operatorname{acosh}(ax)^{5/2} dx$$

[In] `int(acosh(a*x)^(5/2),x)`

[Out] `int(acosh(a*x)^(5/2), x)`

3.89 $\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$

Optimal result	523
Rubi [N/A]	523
Mathematica [N/A]	524
Maple [N/A] (verified)	524
Fricas [F(-2)]	524
Sympy [F(-1)]	524
Maxima [N/A]	525
Giac [N/A]	525
Mupad [N/A]	525

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \operatorname{Int}\left(\frac{\operatorname{arccosh}(ax)^{5/2}}{x}, x\right)$$

[Out] Unintegrable(arccosh(a*x)^(5/2)/x,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$$

[In] Int[ArcCosh[a*x]^(5/2)/x,x]

[Out] Defer[Int][ArcCosh[a*x]^(5/2)/x, x]

Rubi steps

$$\text{integral} = \int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$$

Mathematica [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$$

`[In] Integrate[ArcCosh[a*x]^(5/2)/x,x]``[Out] Integrate[ArcCosh[a*x]^(5/2)/x, x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx$$

`[In] int(arccosh(a*x)^(5/2)/x,x)``[Out] int(arccosh(a*x)^(5/2)/x,x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \text{Exception raised: TypeError}$$

`[In] integrate(arccosh(a*x)^(5/2)/x,x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)`**Sympy [F(-1)]**

Timed out.

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \text{Timed out}$$

`[In] integrate(acosch(a*x)**(5/2)/x,x)``[Out] Timed out`

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \int \frac{\operatorname{arcosh}(ax)^{5/2}}{x} dx$$

[In] integrate(arccosh(a*x)^(5/2)/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^(5/2)/x, x)

Giac [N/A]

Not integrable

Time = 3.60 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \int \frac{\operatorname{arcosh}(ax)^{5/2}}{x} dx$$

[In] integrate(arccosh(a*x)^(5/2)/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(5/2)/x, x)

Mupad [N/A]

Not integrable

Time = 2.74 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^{5/2}}{x} dx = \int \frac{\operatorname{acosh}(ax)^{5/2}}{x} dx$$

[In] int(acosh(a*x)^(5/2)/x,x)

[Out] int(acosh(a*x)^(5/2)/x, x)

3.90 $\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$

Optimal result	526
Rubi [A] (verified)	526
Mathematica [A] (verified)	529
Maple [F]	529
Fricas [F(-2)]	529
Sympy [F]	530
Maxima [F]	530
Giac [F]	530
Mupad [F(-1)]	530

Optimal result

Integrand size = 12, antiderivative size = 163

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} \\ - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} \\ + \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} + \frac{\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5}$$

[Out] $-1/160*\operatorname{erf}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+1/160*\operatorname{erfi}(5^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*5^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5-1/16*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5+1/16*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^5-1/32*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5+1/32*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^5$

Rubi [A] (verified)

Time = 0.14 (sec) , antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used

= {5887, 5556, 3389, 2211, 2235, 2236}

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} \\ - \frac{\sqrt{\frac{\pi}{5}} \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} \\ + \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5} + \frac{\sqrt{\frac{\pi}{5}} \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^5}$$

[In] Int[x^4/Sqrt[ArcCosh[a*x]],x]

[Out] -1/16*(Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/a^5 - (Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(32*a^5) - (Sqrt[Pi/5]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(32*a^5) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(16*a^5) + (Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(32*a^5) + (Sqrt[Pi/5]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(32*a^5)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_)^m)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +

$b*x]^n*\text{Cosh}[a + b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \&$
 $\& \text{IGtQ}[p, 0]$

Rule 5887

$\text{Int}[(a_.) + \text{ArcCosh}[c_.)*(x_.)]*(b_.))^n*(x_.)^m, x_Symbol] :> \text{Dist}[$
 $1/(b*c^{m+1}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b], x], x,$
 $a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^4(x) \sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a^5} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{8\sqrt{x}} + \frac{3 \sinh(3x)}{16\sqrt{x}} + \frac{\sinh(5x)}{16\sqrt{x}}\right) dx, x, \text{arccosh}(ax)\right)}{a^5} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(5x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^5} \\ &\quad + \frac{3\text{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^5} \\ &= -\frac{\text{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{32a^5} + \frac{\text{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{32a^5} \\ &\quad - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^5} \\ &\quad - \frac{3\text{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{32a^5} + \frac{3\text{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{32a^5} \\ &= -\frac{\text{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{16a^5} + \frac{\text{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{16a^5} \\ &\quad - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{8a^5} + \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{8a^5} \\ &\quad - \frac{3\text{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{16a^5} + \frac{3\text{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{16a^5} \\ &= -\frac{\sqrt{\pi} \text{erf}\left(\sqrt{\text{arccosh}(ax)}\right)}{16a^5} - \frac{\sqrt{3\pi} \text{erf}\left(\sqrt{3}\sqrt{\text{arccosh}(ax)}\right)}{32a^5} - \frac{\sqrt{\frac{\pi}{5}} \text{erf}\left(\sqrt{5}\sqrt{\text{arccosh}(ax)}\right)}{32a^5} \\ &\quad + \frac{\sqrt{\pi} \text{erfi}\left(\sqrt{\text{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{3\pi} \text{erfi}\left(\sqrt{3}\sqrt{\text{arccosh}(ax)}\right)}{32a^5} + \frac{\sqrt{\frac{\pi}{5}} \text{erfi}\left(\sqrt{5}\sqrt{\text{arccosh}(ax)}\right)}{32a^5} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 150, normalized size of antiderivative = 0.92

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

$$= \frac{\sqrt{5}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -5\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{5\sqrt{3}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -3\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{10\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{10\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, \operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{5\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, 3\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, 5\operatorname{arccosh}(ax)\right)}{\sqrt{\operatorname{arccosh}(ax)}} + \frac{10}{160a^5}$$

[In] Integrate[x^4/Sqrt[ArcCosh[a*x]], x]

[Out] ((Sqrt[5]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -5*ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]]) + (5*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + (10*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + 10*Gamma[1/2, ArcCosh[a*x]] + 5*Sqrt[3]*Gamma[1/2, 3*ArcCosh[a*x]] + Sqrt[5]*Gamma[1/2, 5*ArcCosh[a*x]]/(160*a^5)

Maple [F]

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] int(x^4/arccosh(a*x)^(1/2), x)

[Out] int(x^4/arccosh(a*x)^(1/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^4/arccosh(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^4}{\sqrt{\operatorname{acosh}(ax)}} dx$$

```
[In] integrate(x**4/acosh(a*x)**(1/2),x)
```

```
[Out] Integral(x**4/sqrt(acosh(a*x)), x)
```

Maxima [F]

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^4}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

```
[In] integrate(x^4/arccosh(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x^4/sqrt(arccosh(a*x)), x)
```

Giac [F]

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^4}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

```
[In] integrate(x^4/arccosh(a*x)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x^4/sqrt(arccosh(a*x)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^4}{\sqrt{\operatorname{acosh}(ax)}} dx$$

```
[In] int(x^4/acosh(a*x)^(1/2),x)
```

```
[Out] int(x^4/acosh(a*x)^(1/2), x)
```

3.91 $\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx$

Optimal result	531
Rubi [A] (verified)	531
Mathematica [A] (verified)	533
Maple [A] (verified)	533
Fricas [F(-2)]	534
Sympy [F]	534
Maxima [F]	534
Giac [F(-2)]	535
Mupad [F(-1)]	535

Optimal result

Integrand size = 12, antiderivative size = 109

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^4} \\ + \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^4}$$

[Out] $-1/16*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4+1/16*\operatorname{erfi}(2^{(1/2)})*\operatorname{arccosh}(a*x)^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-1/32*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4+1/32*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4$

Rubi [A] (verified)

Time = 0.10 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5887, 5556, 3389, 2211, 2235, 2236}

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^4} \\ + \frac{\sqrt{\pi} \operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{32a^4} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^4}$$

[In] $\operatorname{Int}[x^3/\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]], x]$

[Out] $-1/32*(\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a^4 - (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^4) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{ErFi}[2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(32*a^4) + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{ErFi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^4)$

Rule 2211

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3389

```
Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)^(p_.)*((c_.) + (d_.)*(x_)^(m_.)*Sinh[(a_.) +
(b_.)*(x_)^(n_.)], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^3(x)\sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a^4} \\ &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(2x)}{4\sqrt{x}} + \frac{\sinh(4x)}{8\sqrt{x}}\right) dx, x, \text{arccosh}(ax)\right)}{a^4} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(4x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{4a^4} \end{aligned}$$

$$\begin{aligned}
&= -\frac{\text{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^4} + \frac{\text{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{16a^4} \\
&\quad - \frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^4} \\
&= -\frac{\text{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{8a^4} + \frac{\text{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{8a^4} \\
&\quad - \frac{\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^4} + \frac{\text{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^4} \\
&= -\frac{\sqrt{\pi}\text{erf}\left(2\sqrt{\text{arccosh}(ax)}\right)}{32a^4} - \frac{\sqrt{\frac{\pi}{2}}\text{erf}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)}{8a^4} \\
&\quad + \frac{\sqrt{\pi}\text{erfi}\left(2\sqrt{\text{arccosh}(ax)}\right)}{32a^4} + \frac{\sqrt{\frac{\pi}{2}}\text{erfi}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)}{8a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.93

$$\begin{aligned}
&\int \frac{x^3}{\sqrt{\text{arccosh}(ax)}} dx \\
&= \frac{\sqrt{-\text{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -4\text{arccosh}(ax)\right) + 2\sqrt{2}\sqrt{-\text{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -2\text{arccosh}(ax)\right) + \sqrt{\text{arccosh}(ax)}(2\sqrt{2} \\
&\quad 32a^4\sqrt{\text{arccosh}(ax)})
\end{aligned}$$

[In] Integrate[x^3/Sqrt[ArcCosh[a*x]], x]

[Out] (Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -4*ArcCosh[a*x]] + 2*Sqrt[2]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -2*ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*(2*Sqrt[2]*Gamma[1/2, 2*ArcCosh[a*x]] + Gamma[1/2, 4*ArcCosh[a*x]]))/(32*a^4*Sqrt[ArcCosh[a*x]])

Maple [A] (verified)

Time = 1.01 (sec) , antiderivative size = 67, normalized size of antiderivative = 0.61

method	result	size
default	$-\frac{\sqrt{\pi}\sqrt{2}\left(\text{erf}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)-\text{erfi}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)\right)}{16a^4} - \frac{\sqrt{\pi}\left(\text{erf}\left(2\sqrt{\text{arccosh}(ax)}\right)-\text{erfi}\left(2\sqrt{\text{arccosh}(ax)}\right)\right)}{32a^4}$	67

[In] int(x^3/arccosh(a*x)^(1/2), x, method=_RETURNVERBOSE)

```
[Out] -1/16*Pi^(1/2)*2^(1/2)*(erf(2^(1/2)*arccosh(a*x)^(1/2))-erfi(2^(1/2)*arccosh(a*x)^(1/2)))/a^4-1/32*Pi^(1/2)*(erf(2*arccosh(a*x)^(1/2))-erfi(2*arccosh(a*x)^(1/2)))/a^4
```

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3/arccosh(a*x)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^3}{\sqrt{\operatorname{acosh}(ax)}} dx$$

```
[In] integrate(x**3/acosh(a*x)**(1/2),x)
```

```
[Out] Integral(x**3/sqrt(acosh(a*x)), x)
```

Maxima [F]

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^3}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

```
[In] integrate(x^3/arccosh(a*x)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(x^3/sqrt(arccosh(a*x)), x)
```

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3/arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^3}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] int(x^3/acosh(a*x)^(1/2),x)

[Out] int(x^3/acosh(a*x)^(1/2), x)

3.92 $\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx$

Optimal result	536
Rubi [A] (verified)	536
Mathematica [A] (verified)	538
Maple [F]	538
Fricas [F(-2)]	539
Sympy [F]	539
Maxima [F]	539
Giac [F]	539
Mupad [F(-1)]	540

Optimal result

Integrand size = 12, antiderivative size = 105

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} \\ + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3}$$

[Out] $-1/24*\operatorname{erf}(3^{1/2}*\operatorname{arccosh}(a*x)^{1/2})*3^{1/2}*Pi^{1/2}/a^3+1/24*\operatorname{erfi}(3^{1/2})*\operatorname{arccosh}(a*x)^{1/2})*3^{1/2}*Pi^{1/2}/a^3-1/8*\operatorname{erf}(\operatorname{arccosh}(a*x)^{1/2})*Pi^{1/2}/a^3+1/8*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{1/2})*Pi^{1/2}/a^3$

Rubi [A] (verified)

Time = 0.10 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5887, 5556, 3389, 2211, 2235, 2236}

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} \\ + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^3}$$

[In] $\operatorname{Int}[x^2/\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]], x]$

[Out] $-1/8*(\operatorname{Sqrt}[Pi]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a^3 - (\operatorname{Sqrt}[Pi/3]*\operatorname{Erf}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^3) + (\operatorname{Sqrt}[Pi]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^3) + (\operatorname{Sqrt}[Pi/3]*\operatorname{Erfi}[\operatorname{Sqrt}[3]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(8*a^3)$

Rule 2211

Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_) + (d_)*(x_)^m)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_)^m)*Sinh[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] & IGtQ[p, 0]

Rule 5887

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^m, x_Symbol] :> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh^2(x) \sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a^3} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \text{arccosh}(ax)\right)}{a^3} \\
 &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{4a^3} + \frac{\text{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{4a^3}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{\text{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^3} - \frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^3} \\
&\quad + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^3} + \frac{\text{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{8a^3} \\
&= -\frac{\text{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^3} - \frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^3} \\
&\quad + \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^3} + \frac{\text{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{4a^3} \\
&= -\frac{\sqrt{\pi}\text{erf}\left(\sqrt{\text{arccosh}(ax)}\right)}{8a^3} - \frac{\sqrt{\frac{\pi}{3}}\text{erf}\left(\sqrt{3}\sqrt{\text{arccosh}(ax)}\right)}{8a^3} \\
&\quad + \frac{\sqrt{\pi}\text{erfi}\left(\sqrt{\text{arccosh}(ax)}\right)}{8a^3} + \frac{\sqrt{\frac{\pi}{3}}\text{erfi}\left(\sqrt{3}\sqrt{\text{arccosh}(ax)}\right)}{8a^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 100, normalized size of antiderivative = 0.95

$$\begin{aligned}
&\int \frac{x^2}{\sqrt{\text{arccosh}(ax)}} dx \\
&= \frac{\sqrt{3}\sqrt{-\text{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -3\text{arccosh}(ax)\right) + 3\sqrt{-\text{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -\text{arccosh}(ax)\right) + \sqrt{\text{arccosh}(ax)}\left(3\Gamma\left(\frac{1}{2}, \text{arccosh}(ax)\right) + \Gamma\left(\frac{1}{2}, 3\text{arccosh}(ax)\right)\right)}{24a^3\sqrt{\text{arccosh}(ax)}}
\end{aligned}$$

[In] Integrate[x^2/Sqrt[ArcCosh[a*x]], x]

[Out] (Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*ArcCosh[a*x]] + 3*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*(3*Gamma[1/2, ArcCosh[a*x]] + Sqrt[3]*Gamma[1/2, 3*ArcCosh[a*x]]))/(24*a^3*Sqrt[ArcCosh[a*x]])

Maple [F]

$$\int \frac{x^2}{\sqrt{\text{arccosh}(ax)}} dx$$

[In] int(x^2/arccosh(a*x)^(1/2), x)

[Out] int(x^2/arccosh(a*x)^(1/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/arccosh(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^2}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] `integrate(x**2/acosh(a*x)**(1/2),x)`

[Out] `Integral(x**2/sqrt(acosh(a*x)), x)`

Maxima [F]

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^2}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(x^2/arccosh(a*x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^2/sqrt(arccosh(a*x)), x)`

Giac [F]

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^2}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(x^2/arccosh(a*x)^(1/2),x, algorithm="giac")`

[Out] `integrate(x^2/sqrt(arccosh(a*x)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^2}{\sqrt{\operatorname{acosh}(ax)}} dx$$

```
[In] int(x^2/acosh(a*x)^(1/2),x)
```

```
[Out] int(x^2/acosh(a*x)^(1/2), x)
```

3.93 $\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx$

Optimal result	541
Rubi [A] (verified)	541
Mathematica [A] (verified)	543
Maple [A] (verified)	543
Fricas [F(-2)]	544
Sympy [F]	544
Maxima [F]	544
Giac [F]	544
Mupad [F(-1)]	545

Optimal result

Integrand size = 10, antiderivative size = 63

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^2} + \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^2}$$

[Out] $-1/8*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+1/8*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2$

Rubi [A] (verified)

Time = 0.06 (sec), antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {5887, 5556, 12, 3389, 2211, 2235, 2236}

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \frac{\sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^2} - \frac{\sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^2}$$

[In] $\operatorname{Int}[x/\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]], x]$

[Out] $-1/4*(\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a^2 + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(4*a^2)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2211

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3389

```
Int[((c_) + (d_)*(x_)^m)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_) + (b_)*(x_)^(p_)*((c_) + (d_)*(x_)^m)*Sinh[(a_) +
(b_)*(x_)^(n_)], x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a^2} \\ &= \frac{\text{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{2a^2} \end{aligned}$$

$$\begin{aligned}
&= -\frac{\text{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{4a^2} + \frac{\text{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{4a^2} \\
&= -\frac{\text{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{2a^2} + \frac{\text{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{2a^2} \\
&= -\frac{\sqrt{\frac{\pi}{2}} \text{erf}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)}{4a^2} + \frac{\sqrt{\frac{\pi}{2}} \text{erfi}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)}{4a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 49, normalized size of antiderivative = 0.78

$$\int \frac{x}{\sqrt{\text{arccosh}(ax)}} dx = \frac{\sqrt{\frac{\pi}{2}} \left(-\text{erf}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right) + \text{erfi}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right) \right)}{4a^2}$$

[In] Integrate[x/Sqrt[ArcCosh[a*x]],x]

[Out] (Sqrt[Pi/2]*(-Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] + Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]))/(4*a^2)

Maple [A] (verified)

Time = 0.12 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.59

method	result	size
default	$-\frac{\sqrt{\pi}\sqrt{2}\left(\text{erf}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)-\text{erfi}\left(\sqrt{2}\sqrt{\text{arccosh}(ax)}\right)\right)}{8a^2}$	37

[In] int(x/arccosh(a*x)^(1/2),x,method=_RETURNVERBOSE)

[Out] -1/8*Pi^(1/2)*2^(1/2)*(erf(2^(1/2)*arccosh(a*x)^(1/2))-erfi(2^(1/2)*arccosh(a*x)^(1/2)))/a^2

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x/arccosh(a*x)^(1/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] `integrate(x/acosh(a*x)**(1/2),x)`

[Out] `Integral(x/sqrt(acosh(a*x)), x)`

Maxima [F]

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(x/arccosh(a*x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x/sqrt(arccosh(a*x)), x)`

Giac [F]

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(x/arccosh(a*x)^(1/2),x, algorithm="giac")`

[Out] `integrate(x/sqrt(arccosh(a*x)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x}{\sqrt{\operatorname{acosh}(ax)}} dx$$

```
[In] int(x/acosh(a*x)^(1/2), x)
```

```
[Out] int(x/acosh(a*x)^(1/2), x)
```

3.94 $\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx$

Optimal result	546
Rubi [A] (verified)	546
Mathematica [A] (verified)	548
Maple [A] (verified)	548
Fricas [F(-2)]	548
Sympy [F]	549
Maxima [F]	549
Giac [F]	549
Mupad [F(-1)]	549

Optimal result

Integrand size = 8, antiderivative size = 43

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{2a} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{2a}$$

[Out] $-1/2*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+1/2*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a$

Rubi [A] (verified)

Time = 0.03 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5881, 3389, 2211, 2235, 2236}

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{2a} - \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{2a}$$

[In] `Int[1/Sqrt[ArcCosh[a*x]],x]`

[Out] $-1/2*(\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(2*a)$

Rule 2211

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5881

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{\text{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{a} \\
 &= -\frac{\text{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{2a} + \frac{\text{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \text{arccosh}(ax)\right)}{2a} \\
 &= -\frac{\text{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{a} + \frac{\text{Subst}\left(\int e^{x^2} dx, x, \sqrt{\text{arccosh}(ax)}\right)}{a} \\
 &= -\frac{\sqrt{\pi}\text{erf}\left(\sqrt{\text{arccosh}(ax)}\right)}{2a} + \frac{\sqrt{\pi}\text{erfi}\left(\sqrt{\text{arccosh}(ax)}\right)}{2a}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \frac{\sqrt{-\operatorname{arccosh}(ax)} \Gamma\left(\frac{1}{2}, -\operatorname{arccosh}(ax)\right) + \Gamma\left(\frac{1}{2}, \operatorname{arccosh}(ax)\right)}{2a}$$

[In] Integrate[1/Sqrt[ArcCosh[a*x]], x]

[Out] ((Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + Gamma[1/2, ArcCosh[a*x]])/(2*a)

Maple [A] (verified)

Time = 0.11 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.60

method	result	size
default	$-\frac{\sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) - \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right) \right)}{2a}$	26

[In] int(1/arccosh(a*x)^(1/2), x, method=_RETURNVERBOSE)

[Out] -1/2*Pi^(1/2)*(erf(arccosh(a*x)^(1/2))-erfi(arccosh(a*x)^(1/2)))/a

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/arccosh(a*x)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] `integrate(1/acosh(a*x)**(1/2), x)`

[Out] `Integral(1/sqrt(acosh(a*x)), x)`

Maxima [F]

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(1/arccosh(a*x)^(1/2), x, algorithm="maxima")`

[Out] `integrate(1/sqrt(arccosh(a*x)), x)`

Giac [F]

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] `integrate(1/arccosh(a*x)^(1/2), x, algorithm="giac")`

[Out] `integrate(1/sqrt(arccosh(a*x)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] `int(1/acosh(a*x)^(1/2), x)`

[Out] `int(1/acosh(a*x)^(1/2), x)`

$$3.95 \quad \int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

Optimal result	550
Rubi [N/A]	550
Mathematica [N/A]	551
Maple [N/A] (verified)	551
Fricas [F(-2)]	551
Sympy [N/A]	551
Maxima [N/A]	552
Giac [N/A]	552
Mupad [N/A]	552

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \operatorname{Int}\left(\frac{1}{x\sqrt{\operatorname{arccosh}(ax)}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^(1/2), x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] Int[1/(x*Sqrt[ArcCosh[a*x]]), x]

[Out] Defer[Int][1/(x*Sqrt[ArcCosh[a*x]]), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

Mathematica [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] Integrate[1/(x*Sqrt[ArcCosh[a*x]]),x]

[Out] Integrate[1/(x*Sqrt[ArcCosh[a*x]]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.18 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] int(1/x/arccosh(a*x)^(1/2),x)

[Out] int(1/x/arccosh(a*x)^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/x/arccosh(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [N/A]

Not integrable

Time = 0.61 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] integrate(1/x/acosh(a*x)**(1/2),x)

[Out] Integral(1/(x*sqrt(acosh(a*x))), x)

Maxima [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(1/x/arccosh(a*x)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(x*sqrt(arccosh(a*x))), x)

Giac [N/A]

Not integrable

Time = 2.47 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(1/x/arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(x*sqrt(arccosh(a*x))), x)

Mupad [N/A]

Not integrable

Time = 2.79 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] int(1/(x*acosh(a*x)^(1/2)),x)

[Out] int(1/(x*acosh(a*x)^(1/2)), x)

$$3.96 \quad \int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

Optimal result	553
Rubi [N/A]	553
Mathematica [N/A]	554
Maple [N/A] (verified)	554
Fricas [F(-2)]	554
Sympy [N/A]	554
Maxima [N/A]	555
Giac [N/A]	555
Mupad [N/A]	555

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \operatorname{Int}\left(\frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}}, x\right)$$

[Out] Unintegrable(1/x^2/arccosh(a*x)^(1/2), x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] Int[1/(x^2*sqrt[ArcCosh[a*x]]), x]

[Out] Defer[Int][1/(x^2*sqrt[ArcCosh[a*x]]), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

Mathematica [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] Integrate[1/(x^2*Sqrt[ArcCosh[a*x]]),x]

[Out] Integrate[1/(x^2*Sqrt[ArcCosh[a*x]]), x]

Maple [N/A] (verified)

Not integrable

Time = 0.18 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] int(1/x^2/arccosh(a*x)^(1/2),x)

[Out] int(1/x^2/arccosh(a*x)^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/x^2/arccosh(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [N/A]

Not integrable

Time = 1.20 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{acosh}(ax)}} dx$$

[In] integrate(1/x**2/acosh(a*x)**(1/2),x)

[Out] Integral(1/(x**2*sqrt(acosh(a*x))), x)

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(1/x^2/arccosh(a*x)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(x^2*sqrt(arccosh(a*x))), x)

Giac [N/A]

Not integrable

Time = 2.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(1/x^2/arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(1/(x^2*sqrt(arccosh(a*x))), x)

Mupad [N/A]

Not integrable

Time = 2.68 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x^2 \sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{1}{x^2 \sqrt{\operatorname{acosh}(ax)}} dx$$

[In] int(1/(x^2*acosh(a*x)^(1/2)),x)

[Out] int(1/(x^2*acosh(a*x)^(1/2)), x)

3.97 $\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	556
Rubi [A] (verified)	556
Mathematica [A] (warning: unable to verify)	559
Maple [F]	559
Fricas [F(-2)]	560
Sympy [F]	560
Maxima [F]	560
Giac [F]	560
Mupad [F(-1)]	561

Optimal result

Integrand size = 12, antiderivative size = 193

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5}$$

```
[Out] 1/8*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+1/8*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+3/16*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+3/16*erfi(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+1/16*erf(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5+1/16*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5-2*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.13 (sec) , antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used

= {5885, 3388, 2211, 2235, 2236}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{3\sqrt{3}\pi \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5}$$

$$+ \frac{\sqrt{5}\pi \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5}$$

$$+ \frac{3\sqrt{3}\pi \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{5}\pi \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} - \frac{2x^4 \sqrt{ax-1} \sqrt{ax+1}}{a \sqrt{\operatorname{arccosh}(ax)}}$$

[In] Int[x^4/ArcCosh[a*x]^(3/2),x]

[Out] (-2*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*Sqrt[ArcCosh[a*x]]) + (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(8*a^5) + (3*Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(16*a^5) + (Sqrt[5*Pi]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(16*a^5) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(8*a^5) + (3*Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(16*a^5) + (Sqrt[5*Pi]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(16*a^5)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

```

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]

```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{2\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{8\sqrt{x}} - \frac{9\cosh(3x)}{16\sqrt{x}} - \frac{5\cosh(5x)}{16\sqrt{x}}\right)dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{4a^5} \\
&\quad + \frac{5\operatorname{Subst}\left(\int\frac{\cosh(5x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} + \frac{9\operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{e^{-x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int\frac{e^x}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} + \frac{5\operatorname{Subst}\left(\int\frac{e^{-5x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\
&\quad + \frac{5\operatorname{Subst}\left(\int\frac{e^{5x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} + \frac{9\operatorname{Subst}\left(\int\frac{e^{-3x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\
&\quad + \frac{9\operatorname{Subst}\left(\int\frac{e^{3x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{16a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int e^{-x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a^5} \\
&\quad + \frac{\operatorname{Subst}\left(\int e^{x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a^5} + \frac{5\operatorname{Subst}\left(\int e^{-5x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} \\
&\quad + \frac{5\operatorname{Subst}\left(\int e^{5x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{9\operatorname{Subst}\left(\int e^{-3x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} \\
&\quad + \frac{9\operatorname{Subst}\left(\int e^{3x^2}dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} \\
&\quad + \frac{\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} \\
&\quad + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5} + \frac{\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{16a^5}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.21 (sec) , antiderivative size = 201, normalized size of antiderivative = 1.04

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx =$$

$$4\sqrt{\frac{-1+ax}{1+ax}}(1+ax) - \sqrt{5}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -5\operatorname{arccosh}(ax)\right) - 3\sqrt{3}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -3\operatorname{arccosh}(ax)\right)$$

[In] Integrate[x^4/ArcCosh[a*x]^(3/2), x]

[Out] -1/16*(4*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) - Sqrt[5]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -5*ArcCosh[a*x]] - 3*Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*ArcCosh[a*x]] - 2*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]] + 2*Sqrt[ArcCosh[a*x]]*Gamma[1/2, ArcCosh[a*x]] + 3*Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 3*ArcCosh[a*x]] + Sqrt[5]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 5*ArcCosh[a*x]] + 6*Sinh[3*ArcCosh[a*x]] + 2*Sinh[5*ArcCosh[a*x]])/(a^5*Sqrt[ArcCosh[a*x]])

Maple [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx$$

[In] int(x^4/arccosh(a*x)^(3/2), x)

[Out] int(x^4/arccosh(a*x)^(3/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^4/arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^4}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] `integrate(x**4/acosh(a*x)**(3/2),x)`

[Out] `Integral(x**4/acosh(a*x)**(3/2), x)`

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(x^4/arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^4/arccosh(a*x)^(3/2), x)`

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(x^4/arccosh(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(x^4/arccosh(a*x)^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^{3/2}} dx$$

```
[In] int(x^4/acosh(a*x)^(3/2),x)
```

```
[Out] int(x^4/acosh(a*x)^(3/2), x)
```

3.98 $\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	562
Rubi [A] (verified)	562
Mathematica [A] (verified)	564
Maple [A] (verified)	565
Fricas [F(-2)]	565
Sympy [F]	565
Maxima [F]	566
Giac [F(-2)]	566
Mupad [F(-1)]	566

Optimal result

Integrand size = 12, antiderivative size = 143

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4}$$

$$+ \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4} + \frac{\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4}$$

[Out] $\frac{1}{4}\operatorname{erf}\left(2\sqrt{\frac{1}{2}}\operatorname{arccosh}(a*x)\sqrt{\frac{1}{2}}\right)*2\sqrt{\frac{1}{2}}*\operatorname{Pi}\sqrt{\frac{1}{2}}/a^4 + \frac{1}{4}\operatorname{erfi}\left(2\sqrt{\frac{1}{2}}\operatorname{arccosh}(a*x)\sqrt{\frac{1}{2}}\right)*2\sqrt{\frac{1}{2}}*\operatorname{Pi}\sqrt{\frac{1}{2}}/a^4 + \frac{1}{4}\operatorname{erf}\left(2\operatorname{arccosh}(a*x)\sqrt{\frac{1}{2}}\right)*\operatorname{Pi}\sqrt{\frac{1}{2}}/a^4 + \frac{1}{4}\operatorname{erfi}\left(2\operatorname{arccosh}(a*x)\sqrt{\frac{1}{2}}\right)*\operatorname{Pi}\sqrt{\frac{1}{2}}/a^4 - \frac{2x^3\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\operatorname{arccosh}(a*x)}}\sqrt{\frac{1}{2}}$

Rubi [A] (verified)

Time = 0.10 (sec) , antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5885, 3388, 2211, 2235, 2236}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4}$$

$$+ \frac{\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4} - \frac{2x^3\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\operatorname{arccosh}(ax)}}$$

[In] $\operatorname{Int}\left[x^3/\operatorname{ArcCosh}[a*x]^{3/2}, x\right]$

[Out] $\frac{(-2x^3\sqrt{-1+ax}\sqrt{1+ax})/(a\sqrt{\operatorname{ArcCosh}[a*x]}) + (\sqrt{\operatorname{Pi}}*\operatorname{Erf}[2*\sqrt{\operatorname{ArcCosh}[a*x]})/(4*a^4) + (\sqrt{\operatorname{Pi}/2}*\operatorname{Erf}[\sqrt{2}*\sqrt{\operatorname{ArcCosh}[a*x]})/(4*a^4) + (\sqrt{\operatorname{Pi}/2}*\operatorname{Erfi}[2*\sqrt{\operatorname{ArcCosh}[a*x]})/(4*a^4) + (\sqrt{\operatorname{Pi}/2}*\operatorname{Erfi}[\sqrt{2}*\sqrt{\operatorname{ArcCosh}[a*x]})/(4*a^4)}$

]])/(2*a^4) + (Sqrt[Pi]*Erfi[2*Sqrt[ArcCosh[a*x]])/(4*a^4) + (Sqrt[Pi/2]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]])/(2*a^4)

Rule 2211

Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\operatorname{Subst}\left(\int\left(-\frac{\cosh(2x)}{2\sqrt{x}} - \frac{\cosh(4x)}{2\sqrt{x}}\right)dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(2x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\ &\quad + \frac{\operatorname{Subst}\left(\int\frac{\cosh(4x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} + \frac{\operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} \\
&\quad + \frac{\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} \\
&\quad + \frac{\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} + \frac{\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4} \\
&\quad + \frac{\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^4} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^4}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 124, normalized size of antiderivative = 0.87

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{-\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -4\operatorname{arccosh}(ax)\right) - \sqrt{2}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -2\operatorname{arccosh}(ax)\right) + \sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, 2\operatorname{arccosh}(ax)\right) + \sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, 4\operatorname{arccosh}(ax)\right) + 2\operatorname{Sinh}[2\operatorname{ArcCosh}[a*x]] + \operatorname{Sinh}[4\operatorname{ArcCosh}[a*x]]}{4a^4\sqrt{\operatorname{arccosh}(ax)}}$$

[In] Integrate[x^3/ArcCosh[a*x]^(3/2), x]

[Out] -1/4*(-(Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -4*ArcCosh[a*x]]) - Sqrt[2]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -2*ArcCosh[a*x]] + Sqrt[2]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 2*ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*Gamma[1/2, 4*ArcCosh[a*x]] + 2*Sinh[2*ArcCosh[a*x]] + Sinh[4*ArcCosh[a*x]])/(a^4*Sqrt[ArcCosh[a*x]])

Maple [A] (verified)

Time = 2.01 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.34

method	result
default	$-\frac{\sqrt{2} \left(2\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax - \operatorname{arccosh}(ax) \pi \operatorname{erf} \left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \right) - \operatorname{arccosh}(ax) \pi \operatorname{erfi} \left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \right) \right)}{4\sqrt{\pi} a^4 \operatorname{arccosh}(ax)}$

[In] `int(x^3/arccosh(a*x)^(3/2),x,method=_RETURNVERBOSE)`

[Out]
$$-1/4*2^{(1/2)}*(2*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}*\pi^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x-\operatorname{arccosh}(a*x)*\pi*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})-\operatorname{arccosh}(a*x)*\pi*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}))/\pi^{(1/2)}/a^4/\operatorname{arccosh}(a*x)-1/4*(8*\operatorname{arccosh}(a*x)^{(1/2)}*\pi^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a^3*x^3-4*\operatorname{arccosh}(a*x)^{(1/2)}*\pi^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x-\operatorname{arccosh}(a*x)*\pi*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})-\operatorname{arccosh}(a*x)*\pi*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)}))/\pi^{(1/2)}/a^4/\operatorname{arccosh}(a*x)$$

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3/arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^3}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] `integrate(x**3/acosh(a*x)**(3/2),x)`

[Out] `Integral(x**3/acosh(a*x)**(3/2), x)`

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^{3/2}} dx$$

[In] integrate(x^3/arccosh(a*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^3/arccosh(a*x)^(3/2), x)

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3/arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx);OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^{3/2}} dx$$

[In] int(x^3/acosh(a*x)^(3/2),x)

[Out] int(x^3/acosh(a*x)^(3/2), x)

3.99 $\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	567
Rubi [A] (verified)	567
Mathematica [A] (warning: unable to verify)	569
Maple [F]	570
Fricas [F(-2)]	570
Sympy [F]	570
Maxima [F]	570
Giac [F]	571
Mupad [F(-1)]	571

Optimal result

Integrand size = 12, antiderivative size = 135

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3}$$

```
[Out] 1/4*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a^3+1/4*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^3+1/4*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^3+1/4*erfi(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^3-2*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.09 (sec) , antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5885, 3388, 2211, 2235, 2236}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\operatorname{arccosh}(ax)}}$$

```
[In] Int[x^2/ArcCosh[a*x]^(3/2),x]
```

```
[Out] (-2*x^2*Sqrt[-1+a*x]*Sqrt[1+a*x])/(a*Sqrt[ArcCosh[a*x]]) + (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(4*a^3) + (Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])
```

)]/(4*a^3) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(4*a^3) + (Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(4*a^3)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^((n_.)*(x_)^m), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4\sqrt{x}} - \frac{3\cosh(3x)}{4\sqrt{x}}\right)dx, x, \operatorname{arccosh}(ax)\right)}{a^3} \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\ &\quad + \frac{3\operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} + \frac{3\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} \\
&\quad + \frac{\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} + \frac{3\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} \\
&\quad + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3} + \frac{\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{4a^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.13 (sec) , antiderivative size = 139, normalized size of antiderivative = 1.03

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{2\sqrt{\frac{-1+ax}{1+ax}}(1+ax) - \sqrt{3}\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -3\operatorname{arccosh}(ax)\right) - \sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -\operatorname{arccosh}(ax)\right) + \sqrt{3}\sqrt{\operatorname{arccosh}(ax)}}{4a^3}$$

[In] Integrate[x^2/ArcCosh[a*x]^(3/2),x]

[Out] -1/4*(2*Sqrt[(-1+a*x)/(1+a*x)]*(1+a*x) - Sqrt[3]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -3*ArcCosh[a*x]] - Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -ArcCosh[a*x]] + Sqrt[ArcCosh[a*x]]*Gamma[1/2, ArcCosh[a*x]] + Sqrt[3]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 3*ArcCosh[a*x]] + 2*Sinh[3*ArcCosh[a*x]])/(a^3*Sqrt[ArcCosh[a*x]])

Maple [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

[In] `int(x^2/arccosh(a*x)^(3/2),x)`

[Out] `int(x^2/arccosh(a*x)^(3/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^2}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] `integrate(x**2/acosh(a*x)**(3/2),x)`

[Out] `Integral(x**2/acosh(a*x)**(3/2), x)`

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(x^2/arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^2/arccosh(a*x)^(3/2), x)`

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] integrate(x^2/arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a*x)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^{3/2}} dx$$

[In] int(x^2/acosh(a*x)^(3/2),x)

[Out] int(x^2/acosh(a*x)^(3/2), x)

3.100 $\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	572
Rubi [A] (verified)	572
Mathematica [A] (verified)	574
Maple [A] (verified)	574
Fricas [F(-2)]	575
Sympy [F]	575
Maxima [F]	575
Giac [F]	575
Mupad [F(-1)]	576

Optimal result

Integrand size = 10, antiderivative size = 89

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2}$$

[Out] $\frac{1}{2}\operatorname{erf}\left(2^{1/2}\operatorname{arccosh}(a*x)^{1/2}\right)*2^{1/2}\pi^{1/2}/a^2 + \frac{1}{2}\operatorname{erfi}\left(2^{1/2}\operatorname{arccosh}(a*x)^{1/2}\right)*2^{1/2}\pi^{1/2}/a^2 - 2*x*(a*x-1)^{1/2}*(a*x+1)^{1/2}/a/\operatorname{arccosh}(a*x)^{1/2}$

Rubi [A] (verified)

Time = 0.05 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5885, 3388, 2211, 2235, 2236}

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\operatorname{arccosh}(ax)}}$$

[In] $\operatorname{Int}[x/\operatorname{ArcCosh}[a*x]^{3/2}, x]$

[Out] $(-2*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) + (\operatorname{Sqrt}[\pi/2]*\operatorname{Erf}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a^2 + (\operatorname{Sqrt}[\pi/2]*\operatorname{Erfi}[\operatorname{Sqrt}[2]*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/a^2$

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)^m, x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{2\operatorname{Subst}\left(\int\frac{\cosh(2x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\ &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int\frac{e^{-2x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \\ &\quad + \frac{\operatorname{Subst}\left(\int\frac{e^{2x}}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{a^2} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{2\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} \\
&\quad + \frac{2\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2} + \frac{\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.71

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\frac{\pi}{2}}\left(\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)\right) - \frac{\sinh(2\operatorname{arccosh}(ax))}{\sqrt{\operatorname{arccosh}(ax)}}}{a^2}$$

[In] Integrate[x/ArcCosh[a*x]^(3/2), x]

[Out] (Sqrt[Pi/2]*(Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] + Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]) - Sinh[2*ArcCosh[a*x]]/Sqrt[ArcCosh[a*x]])/a^2

Maple [A] (verified)

Time = 0.41 (sec) , antiderivative size = 85, normalized size of antiderivative = 0.96

method	result
default	$-\frac{\sqrt{2}\left(2\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}ax-\operatorname{arccosh}(ax)\pi\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)-\operatorname{arccosh}(ax)\pi\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)\right)}{2\sqrt{\pi}a^2\operatorname{arccosh}(ax)}$

[In] int(x/arccosh(a*x)^(3/2), x, method=_RETURNVERBOSE)

[Out] -1/2*2^(1/2)*(2*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x-arccosh(a*x)*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))-arccosh(a*x)*Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2)))/Pi^(1/2)/a^2/arccosh(a*x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x/arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] `integrate(x/acosh(a*x)**(3/2),x)`

[Out] `Integral(x/acosh(a*x)**(3/2), x)`

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(x/arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x/arccosh(a*x)^(3/2), x)`

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(x/arccosh(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(x/arccosh(a*x)^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x}{\operatorname{acosh}(ax)^{3/2}} dx$$

```
[In] int(x/acosh(a*x)^(3/2),x)
```

```
[Out] int(x/acosh(a*x)^(3/2), x)
```


3.101 $\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	577
Rubi [A] (verified)	577
Mathematica [A] (warning: unable to verify)	579
Maple [A] (verified)	579
Fricas [F(-2)]	580
Sympy [F]	580
Maxima [F]	580
Giac [F]	580
Mupad [F(-1)]	581

Optimal result

Integrand size = 8, antiderivative size = 68

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a}$$

[Out] erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a+erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a-2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)

Rubi [A] (verified)

Time = 0.14 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {5880, 5953, 3388, 2211, 2235, 2236}

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{a\sqrt{\operatorname{arccosh}(ax)}}$$

[In] Int[ArcCosh[a*x]^(-3/2), x]

[Out] (-2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(a*Sqrt[ArcCosh[a*x]]) + (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/a + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/a

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*

`x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]`

Rule 2235

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]`

Rule 2236

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]`

Rule 3388

`Int[((c_.) + (d_.)*(x_))m_*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]`

Rule 5880

`Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))n_, x_Symbol] := Simp[Sqrt[1 + c*
x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])(n + 1)/(b*c*(n + 1))), x] - Dist[c
/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 +
c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]`

Rule 5953

`Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))n_*(x_)m_*((d1_) + (e1_.)*(x
))p*((d2_) + (e2_.)*(x_))p_, x_Symbol] := Dist[(1/(b*c^(m + 1)))*
Simp[(d1 + e1*x)p/(1 + c*x)p*Simp[(d2 + e2*x)p/(-1 + c*x)p], Subst[Int
[xn*Cosh[-a/b + x/b]m*Sinh[-a/b + x/b](2*p + 1), x], x, a + b*ArcCosh[c*
x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e
2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]`

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + (2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\ &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{2\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a} + \frac{\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{2\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a} \\
&\quad + \frac{2\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{a\sqrt{\operatorname{arccosh}(ax)}} + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{a}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.05 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.12

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \frac{-2\sqrt{\frac{-1+ax}{1+ax}}(1+ax) + \sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -\operatorname{arccosh}(ax)\right) - \sqrt{\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, \operatorname{arccosh}(ax)\right)}{a\sqrt{\operatorname{arccosh}(ax)}}$$

[In] Integrate[ArcCosh[a*x]^(-3/2), x]

[Out] $(-2*\operatorname{Sqrt}[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + \operatorname{Sqrt}[-\operatorname{ArcCosh}[a*x]]*\operatorname{Gamma}[1/2, -\operatorname{ArcCosh}[a*x]] - \operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]*\operatorname{Gamma}[1/2, \operatorname{ArcCosh}[a*x]])/(a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])$

Maple [A] (verified)

Time = 0.35 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.97

method	result	size
default	$\frac{-2\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1} + \operatorname{arccosh}(ax)\pi\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{arccosh}(ax)\pi\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{\sqrt{\pi}a\sqrt{\operatorname{arccosh}(ax)}}$	66

[In] int(1/arccosh(a*x)^(3/2), x, method=_RETURNVERBOSE)

[Out] $(-2*\operatorname{arccosh}(a*x)^{(1/2)}*\operatorname{Pi}^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)} + \operatorname{arccosh}(a*x)*\operatorname{Pi}* \operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)}) + \operatorname{arccosh}(a*x)*\operatorname{Pi}* \operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)}))/\operatorname{Pi}^{(1/2)}/a/\operatorname{arccosh}(a*x)$

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(1/arccosh(a*x)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] `integrate(1/acosh(a*x)**(3/2),x)`

[Out] `Integral(acosh(a*x)**(-3/2), x)`

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(1/arccosh(a*x)^(3/2),x, algorithm="maxima")`

[Out] `integrate(arccosh(a*x)^(-3/2), x)`

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] `integrate(1/arccosh(a*x)^(3/2),x, algorithm="giac")`

[Out] `integrate(arccosh(a*x)^(-3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{\operatorname{acosh}(ax)^{3/2}} dx$$

```
[In] int(1/acosh(a*x)^(3/2), x)
```

```
[Out] int(1/acosh(a*x)^(3/2), x)
```

3.102 $\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	582
Rubi [N/A]	582
Mathematica [N/A]	583
Maple [N/A] (verified)	583
Fricas [F(-2)]	583
Sympy [N/A]	583
Maxima [N/A]	584
Giac [N/A]	584
Mupad [N/A]	584

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^(3/2),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx$$

[In] Int[1/(x*ArcCosh[a*x]^(3/2)),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^(3/2)), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx$$

Mathematica [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx$$

`[In] Integrate[1/(x*ArcCosh[a*x]^(3/2)),x]``[Out] Integrate[1/(x*ArcCosh[a*x]^(3/2)), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.20 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

`[In] int(1/x/arccosh(a*x)^(3/2),x)``[Out] int(1/x/arccosh(a*x)^(3/2),x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

`[In] integrate(1/x/arccosh(a*x)^(3/2),x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [N/A]**

Not integrable

Time = 3.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

`[In] integrate(1/x/acosh(a*x)**(3/2),x)``[Out] Integral(1/(x*acosh(a*x)**(3/2)), x)`

Maxima [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] integrate(1/x/arccosh(a*x)^(3/2),x, algorithm="maxima")

[Out] integrate(1/(x*arccosh(a*x)^(3/2)), x)

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] integrate(1/x/arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^(3/2)), x)

Mupad [N/A]

Not integrable

Time = 3.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{1}{x \operatorname{acosh}(ax)^{3/2}} dx$$

[In] int(1/(x*acosh(a*x)^(3/2)),x)

[Out] int(1/(x*acosh(a*x)^(3/2)), x)

3.103 $\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	585
Rubi [A] (verified)	586
Mathematica [A] (warning: unable to verify)	590
Maple [F]	590
Fricas [F(-2)]	590
Sympy [F]	591
Maxima [F]	591
Giac [F]	591
Mupad [F(-1)]	591

Optimal result

Integrand size = 12, antiderivative size = 228

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} - \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} - \frac{5\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{5\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5}$$

```
[Out] -1/12*erf(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+1/12*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5-3/8*erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+3/8*erfi(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5-5/24*erf(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5+5/24*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/a^5-2/3*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(3/2)+16/3*x^3/a^2/arccosh(a*x)^(1/2)-20/3*x^5/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 34, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5886, 5951, 5887, 5556, 3389, 2211, 2235, 2236}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} - \frac{3\sqrt{3}\pi \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5}$$

$$- \frac{5\sqrt{5}\pi \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5}$$

$$+ \frac{3\sqrt{3}\pi \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{5\sqrt{5}\pi \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5}$$

$$+ \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^4\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^{3/2}}$$

[In] Int[x^4/ArcCosh[a*x]^(5/2), x]

[Out] (-2*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*ArcCosh[a*x]^(3/2)) + (16*x^3)/(3*a^2*Sqrt[ArcCosh[a*x]]) - (20*x^5)/(3*Sqrt[ArcCosh[a*x]]) - (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(12*a^5) - (3*Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(8*a^5) - (5*Sqrt[5*Pi]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(24*a^5) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(12*a^5) + (3*Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(8*a^5) + (5*Sqrt[5*Pi]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(24*a^5)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{8\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx}{3a} + \frac{1}{3}(10a)\int\frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{100}{3} \int \frac{x^4}{\sqrt{\operatorname{arccosh}(ax)}} dx - \frac{16 \int \frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}} dx}{a^2} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{16\operatorname{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad + \frac{100\operatorname{Subst}\left(\int \frac{\cosh^4(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{16\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad + \frac{100\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{8\sqrt{x}} + \frac{3\sinh(3x)}{16\sqrt{x}} + \frac{\sinh(5x)}{16\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{3a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{25\operatorname{Subst}\left(\int \frac{\sinh(5x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^5} \\
&\quad - \frac{4\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} - \frac{4\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad + \frac{25\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^5} + \frac{25\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{25\operatorname{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{24a^5} + \frac{25\operatorname{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{24a^5} \\
&\quad + \frac{2\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} + \frac{2\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad - \frac{2\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} - \frac{2\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^5} \\
&\quad - \frac{25\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^5} + \frac{25\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^5} \\
&\quad - \frac{25\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} + \frac{25\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{8a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{25\operatorname{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} + \frac{25\operatorname{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} \\
&\quad + \frac{4\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^5} + \frac{4\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^5} \\
&\quad - \frac{4\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^5} - \frac{4\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^5} \\
&\quad - \frac{25\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^5} + \frac{25\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^5} \\
&\quad - \frac{25\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a^5} + \frac{25\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{4a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{16x^3}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{20x^5}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} - \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} \\
&\quad - \frac{5\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} \\
&\quad + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{8a^5} + \frac{5\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{24a^5}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 1.07 (sec) , antiderivative size = 284, normalized size of antiderivative = 1.25

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \frac{-5e^{-5\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - 5e^{5\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - 5\sqrt{5}(-\operatorname{arccosh}(ax))^{3/2}\Gamma(\frac{1}{2},$$

[In] Integrate[x^4/ArcCosh[a*x]^(5/2),x]

[Out] ((-5*ArcCosh[a*x])/E^(5*ArcCosh[a*x]) - 5*E^(5*ArcCosh[a*x])*ArcCosh[a*x] - 5*Sqrt[5]*(-ArcCosh[a*x])^(3/2)*Gamma[1/2, -5*ArcCosh[a*x]] - 2*(Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + ArcCosh[a*x]/E^ArcCosh[a*x] + E^ArcCosh[a*x]*ArcCosh[a*x] + (-ArcCosh[a*x])^(3/2)*Gamma[1/2, -ArcCosh[a*x]] - ArcCosh[a*x]^(3/2)*Gamma[1/2, ArcCosh[a*x]]) + 5*Sqrt[5]*ArcCosh[a*x]^(3/2)*Gamma[1/2, 5*ArcCosh[a*x]] - 3*((3*ArcCosh[a*x])/E^(3*ArcCosh[a*x]) + 3*E^(3*ArcCosh[a*x])*ArcCosh[a*x] + 3*Sqrt[3]*(-ArcCosh[a*x])^(3/2)*Gamma[1/2, -3*ArcCosh[a*x]] - 3*Sqrt[3]*ArcCosh[a*x]^(3/2)*Gamma[1/2, 3*ArcCosh[a*x]] + Sinh[3*ArcCosh[a*x]]) - Sinh[5*ArcCosh[a*x]])/(24*a^5*ArcCosh[a*x]^(3/2))

Maple [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx$$

[In] int(x^4/arccosh(a*x)^(5/2),x)

[Out] int(x^4/arccosh(a*x)^(5/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^4/arccosh(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^4}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

```
[In] integrate(x**4/acosh(a*x)**(5/2),x)
```

```
[Out] Integral(x**4/acosh(a*x)**(5/2), x)
```

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

```
[In] integrate(x^4/arccosh(a*x)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(x^4/arccosh(a*x)^(5/2), x)
```

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

```
[In] integrate(x^4/arccosh(a*x)^(5/2),x, algorithm="giac")
```

```
[Out] integrate(x^4/arccosh(a*x)^(5/2), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^{5/2}} dx$$

```
[In] int(x^4/acosh(a*x)^(5/2),x)
```

```
[Out] int(x^4/acosh(a*x)^(5/2), x)
```

3.104 $\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	592
Rubi [A] (verified)	592
Mathematica [A] (verified)	596
Maple [B] (verified)	596
Fricas [F(-2)]	597
Sympy [F]	597
Maxima [F]	597
Giac [F(-2)]	597
Mupad [F(-1)]	598

Optimal result

Integrand size = 12, antiderivative size = 172

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} - \frac{\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{2\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}$$

[Out] $-2/3*\operatorname{erf}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4+2/3*\operatorname{erfi}(2*\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^4-1/3*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4+1/3*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^4-2/3*x^3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+4*x^2/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-16/3*x^4/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used

= {5886, 5951, 5887, 5556, 3389, 2211, 2235, 2236, 12}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} - \frac{\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}$$

$$+ \frac{2\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}$$

$$+ \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^3\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^{3/2}}$$

[In] Int[x^3/ArcCosh[a*x]^(5/2), x]

[Out] (-2*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*ArcCosh[a*x]^(3/2)) + (4*x^2)/(a^2*Sqrt[ArcCosh[a*x]]) - (16*x^4)/(3*Sqrt[ArcCosh[a*x]]) - (2*Sqrt[Pi]*Erf[2*Sqrt[ArcCosh[a*x]]])/(3*a^4) - (Sqrt[2*Pi]*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(3*a^4) + (2*Sqrt[Pi]*Erfi[2*Sqrt[ArcCosh[a*x]]])/(3*a^4) + (Sqrt[2*Pi]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(3*a^4)

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2211

Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_) + (d_)*(x_)^m)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*((m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{2\int\frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx}{a} \\
&+ \frac{1}{3}(8a)\int\frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&+ \frac{64}{3}\int\frac{x^3}{\sqrt{\operatorname{arccosh}(ax)}}dx - \frac{8\int\frac{x}{\sqrt{\operatorname{arccosh}(ax)}}dx}{a^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{8\operatorname{Subst}\left(\int \frac{\cosh(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad + \frac{64\operatorname{Subst}\left(\int \frac{\cosh^3(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{8\operatorname{Subst}\left(\int \frac{\sinh(2x)}{2\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad + \frac{64\operatorname{Subst}\left(\int \left(\frac{\sinh(2x)}{4\sqrt{x}} + \frac{\sinh(4x)}{8\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{8\operatorname{Subst}\left(\int \frac{\sinh(4x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&\quad - \frac{4\operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} + \frac{16\operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{4\operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} + \frac{4\operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&\quad + \frac{2\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} - \frac{2\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^4} \\
&\quad - \frac{8\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} + \frac{8\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{8\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{8\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} \\
&\quad + \frac{4\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} - \frac{4\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^4} \\
&\quad - \frac{16\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{16\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}
\end{aligned}$$

$$= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4x^2}{a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{16x^4}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}$$

$$- \frac{\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{2\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4} + \frac{\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^4}$$

Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.02

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \frac{-4\operatorname{arccosh}(ax) \left(e^{-4\operatorname{arccosh}(ax)} + e^{4\operatorname{arccosh}(ax)} - 2\sqrt{-\operatorname{arccosh}(ax)}\Gamma\left(\frac{1}{2}, -4\operatorname{arccosh}(ax)\right) \right)}{\operatorname{arccosh}(ax)^{5/2}}$$

[In] Integrate[x^3/ArcCosh[a*x]^(5/2),x]

[Out] (-4*ArcCosh[a*x]*(E^(-4*ArcCosh[a*x]) + E^(4*ArcCosh[a*x]) - 2*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -4*ArcCosh[a*x]] - 2*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 4*ArcCosh[a*x]]) - 2*(2*ArcCosh[a*x]*(E^(-2*ArcCosh[a*x]) + E^(2*ArcCosh[a*x]) - Sqrt[2]*Sqrt[-ArcCosh[a*x]]*Gamma[1/2, -2*ArcCosh[a*x]] - Sqrt[2]*Sqrt[ArcCosh[a*x]]*Gamma[1/2, 2*ArcCosh[a*x]]) + Sinh[2*ArcCosh[a*x]]) - Sinh[4*ArcCosh[a*x]])/(12*a^4*ArcCosh[a*x]^(3/2))

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 276 vs. 2(132) = 264.

Time = 1.48 (sec) , antiderivative size = 277, normalized size of antiderivative = 1.61

method	result
default	$-\frac{\sqrt{2}\left(4\sqrt{2}\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}a^2x^2+\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}ax+2\operatorname{arccosh}(ax)^2\pi\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)-2\operatorname{arccosh}(ax)\right)}{6\sqrt{\pi}a^4\operatorname{arccosh}(ax)^2}$

[In] int(x^3/arccosh(a*x)^(5/2),x,method=_RETURNVERBOSE)

[Out] -1/6*2^(1/2)*(4*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2+2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+2*arccosh(a*x)^2*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))-2*arccosh(a*x)^2*Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2))-2*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2))/Pi^(1/2)/a^4/arccosh(a*x)^2-1/3*(16*arccosh(a*x)^(3/2)*Pi^(1/2)*a^4*x^4+2*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a^3*x^3-16*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2-a*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+2*arccosh(a*x)^2*Pi*erf(2*arccosh(a*x)^(1/2))-2*arccosh(a*x)^2*Pi*erfi(2*arccosh(a*x)^(1/2))+2*arccosh(a*x)^(3/2)*Pi^(1/2))/Pi^(1/2)/a^4/arccosh(a*x)^2

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3/arccosh(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^3}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

[In] `integrate(x**3/acosh(a*x)**(5/2),x)`

[Out] `Integral(x**3/acosh(a*x)**(5/2), x)`

Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

[In] `integrate(x^3/arccosh(a*x)^(5/2),x, algorithm="maxima")`

[Out] `integrate(x^3/arccosh(a*x)^(5/2), x)`

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3/arccosh(a*x)^(5/2),x, algorithm="giac")`

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INPUT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^{5/2}} dx$$

```
[In] int(x^3/acosh(a*x)^(5/2),x)
```

```
[Out] int(x^3/acosh(a*x)^(5/2), x)
```

3.105 $\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	599
Rubi [A] (verified)	599
Mathematica [A] (warning: unable to verify)	603
Maple [F]	603
Fricas [F(-2)]	603
Sympy [F]	604
Maxima [F]	604
Giac [F]	604
Mupad [F(-1)]	604

Optimal result

Integrand size = 12, antiderivative size = 166

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} - \frac{\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} + \frac{\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3}$$

[Out] $-1/6*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3+1/6*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a^3-1/2*\operatorname{erf}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3+1/2*\operatorname{erfi}(3^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*3^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^3-2/3*x^2*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+8/3*x/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-4*x^3/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used

= {5886, 5951, 5887, 5556, 3389, 2211, 2235, 2236, 5881}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} - \frac{\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3}$$

$$+ \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} + \frac{\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3}$$

$$+ \frac{8x}{3a^2 \sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^2 \sqrt{ax-1} \sqrt{ax+1}}{3a \operatorname{arccosh}(ax)^{3/2}}$$

[In] Int[x^2/ArcCosh[a*x]^(5/2),x]

[Out] (-2*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*ArcCosh[a*x]^(3/2)) + (8*x)/(3*a^2*Sqrt[ArcCosh[a*x]]) - (4*x^3)/Sqrt[ArcCosh[a*x]] - (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(6*a^3) - (Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(2*a^3) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(6*a^3) + (Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(2*a^3)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)^(p_.)*((c_.) + (d_.)*(x_)^(m_.))*Sinh[(a_.) + (b_.)*(x_)^(n_.)], x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &

& IGtQ[p, 0]

Rule 5881

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 5886

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] :> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5951

Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx}{3a} \\ &+ (2a)\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx \\ &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} \\ &+ 12\int\frac{x^2}{\sqrt{\operatorname{arccosh}(ax)}}dx - \frac{8\int\frac{1}{\sqrt{\operatorname{arccosh}(ax)}}dx}{3a^2} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} - \frac{8\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^3} \\
&\quad + \frac{12\operatorname{Subst}\left(\int \frac{\cosh^2(x)\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{4\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^3} - \frac{4\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^3} \\
&\quad + \frac{12\operatorname{Subst}\left(\int \left(\frac{\sinh(x)}{4\sqrt{x}} + \frac{\sinh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{8\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} - \frac{8\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^3} + \frac{3\operatorname{Subst}\left(\int \frac{\sinh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{4\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} - \frac{4\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} - \frac{3\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} + \frac{3\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{4\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} - \frac{4\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^3} \\
&\quad - \frac{3\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^3} - \frac{3\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^3} + \frac{3\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{a^3}
\end{aligned}$$

$$= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{8x}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{4x^3}{\sqrt{\operatorname{arccosh}(ax)}} - \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3}$$

$$- \frac{\sqrt{3\pi}\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{6a^3} + \frac{\sqrt{3\pi}\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{2a^3}$$

Mathematica [A] (warning: unable to verify)

Time = 0.45 (sec) , antiderivative size = 194, normalized size of antiderivative = 1.17

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \frac{-\sqrt{\frac{-1+ax}{1+ax}}(1+ax) - 3e^{-3\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - e^{-\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - e^{\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax)}{\dots}$$

[In] Integrate[x^2/ArcCosh[a*x]^(5/2),x]

[Out] $(-\sqrt{(-1+ax)/(1+ax)}(1+ax) - (3*\operatorname{ArcCosh}[a*x])/E^{(3*\operatorname{ArcCosh}[a*x])} - \operatorname{ArcCosh}[a*x]/E^{\operatorname{ArcCosh}[a*x]} - E^{\operatorname{ArcCosh}[a*x]}*\operatorname{ArcCosh}[a*x] - 3*E^{(3*\operatorname{ArcCosh}[a*x])}*\operatorname{ArcCosh}[a*x] - 3*\sqrt{3}*(-\operatorname{ArcCosh}[a*x])^{(3/2)}*\Gamma[1/2, -3*\operatorname{ArcCosh}[a*x]] - (-\operatorname{ArcCosh}[a*x])^{(3/2)}*\Gamma[1/2, -\operatorname{ArcCosh}[a*x]] + \operatorname{ArcCosh}[a*x]^{(3/2)}*\Gamma[1/2, \operatorname{ArcCosh}[a*x]] + 3*\sqrt{3}*\operatorname{ArcCosh}[a*x]^{(3/2)}*\Gamma[1/2, 3*\operatorname{ArcCosh}[a*x]] - \operatorname{Sinh}[3*\operatorname{ArcCosh}[a*x]])/(6*a^3*\operatorname{ArcCosh}[a*x]^{(3/2)})$

Maple [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx$$

[In] int(x^2/arccosh(a*x)^(5/2),x)

[Out] int(x^2/arccosh(a*x)^(5/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2/arccosh(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^2}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

[In] integrate(x**2/acosh(a*x)**(5/2),x)

[Out] Integral(x**2/acosh(a*x)**(5/2), x)

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

[In] integrate(x^2/arccosh(a*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a*x)^(5/2), x)

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

[In] integrate(x^2/arccosh(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a*x)^(5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^{5/2}} dx$$

[In] int(x^2/acosh(a*x)^(5/2),x)

[Out] int(x^2/acosh(a*x)^(5/2), x)

3.106 $\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	605
Rubi [A] (verified)	605
Mathematica [A] (verified)	608
Maple [A] (verified)	609
Fricas [F(-2)]	609
Sympy [F]	609
Maxima [F]	610
Giac [F]	610
Mupad [F(-1)]	610

Optimal result

Integrand size = 10, antiderivative size = 123

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} + \frac{2\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2}$$

[Out] $-2/3*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+2/3*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-2/3*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}+4/3/a^2/\operatorname{arccosh}(a*x)^{(1/2)}-8/3*x^2/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 1.000$, Rules used = {5886, 5951, 5887, 5556, 12, 3389, 2211, 2235, 2236, 5893}

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} + \frac{2\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^{3/2}}$$

[In] $\operatorname{Int}[x/\operatorname{ArcCosh}[a*x]^{(5/2)}, x]$

[Out] $(-2*x*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) + 4/(3*a^2*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (8*x^2)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[$

$2] \cdot \text{Sqrt}[\text{ArcCosh}[a \cdot x]] / (3 \cdot a^2) + (2 \cdot \text{Sqrt}[2 \cdot \text{Pi}] \cdot \text{Erfi}[\text{Sqrt}[2] \cdot \text{Sqrt}[\text{ArcCosh}[a \cdot x]])] / (3 \cdot a^2)$

Rule 12

$\text{Int}[(a_)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_)(v_)] /; \text{FreeQ}[b, x]$

Rule 2211

$\text{Int}[(F_)^{(g_)((e_)+(f_)(x_))} / \text{Sqrt}[(c_)+(d_)(x_)], x_Symbol] \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[F^{(g*(e-c*(f/d))+f*g*(x^2/d))}, x], x, \text{Sqrt}[c+d*x]], x] /; \text{FreeQ}\{F, c, d, e, f, g\}, x\} \ \&\& \ !\text{TrueQ}[\$UseGamma]$

Rule 2235

$\text{Int}[(F_)^{(a_)+(b_)((c_)+(d_)(x_))^2}, x_Symbol] \rightarrow \text{Simp}[F^a \cdot \text{Sqrt}[\text{Pi}] \cdot (\text{Erfi}[(c+d*x) \cdot \text{Rt}[b \cdot \text{Log}[F], 2]] / (2*d \cdot \text{Rt}[b \cdot \text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x\} \ \&\& \ \text{PosQ}[b]$

Rule 2236

$\text{Int}[(F_)^{(a_)+(b_)((c_)+(d_)(x_))^2}, x_Symbol] \rightarrow \text{Simp}[F^a \cdot \text{Sqrt}[\text{Pi}] \cdot (\text{Erf}[(c+d*x) \cdot \text{Rt}[(-b) \cdot \text{Log}[F], 2]] / (2*d \cdot \text{Rt}[(-b) \cdot \text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x\} \ \&\& \ \text{NegQ}[b]$

Rule 3389

$\text{Int}[(c_)+(d_)(x_)]^{(m_)} \cdot \sin[(e_)+(f_)(x_)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(c+d*x)^m / E^{I*(e+f*x)}, x], x] - \text{Dist}[I/2, \text{Int}[(c+d*x)^m \cdot E^{I*(e+f*x)}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

Rule 5556

$\text{Int}[\text{Cosh}[(a_)+(b_)(x_)]^{(p_)} \cdot ((c_)+(d_)(x_))^{(m_)} \cdot \text{Sinh}[(a_)+(b_)(x_)]^{(n_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c+d*x)^m, \text{Sinh}[a+b*x]^n \cdot \text{Cosh}[a+b*x]^p, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{IGtQ}[p, 0]$

Rule 5886

$\text{Int}[(a_)+\text{ArcCosh}[(c_)(x_)] \cdot (b_)]^{(n_)} \cdot (x_)^{(m_)}, x_Symbol] \rightarrow \text{Simp}[x^m \cdot \text{Sqrt}[1+c*x] \cdot \text{Sqrt}[-1+c*x] \cdot ((a+b \cdot \text{ArcCosh}[c*x])^{(n+1)} / (b \cdot c \cdot (n+1))), x] + (-\text{Dist}[c \cdot ((m+1)/(b \cdot (n+1))), \text{Int}[x^{(m+1)} \cdot ((a+b \cdot \text{ArcCosh}[c*x])^{(n+1)} / (\text{Sqrt}[1+c*x] \cdot \text{Sqrt}[-1+c*x])), x], x] + \text{Dist}[m/(b \cdot c \cdot (n+1)), \text{Int}[x^{(m-1)} \cdot ((a+b \cdot \text{ArcCosh}[c*x])^{(n+1)} / (\text{Sqrt}[1+c*x] \cdot \text{Sqrt}[-1+c*x])), x], x]) /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -2]$

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5893

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5951

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_)^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{2\int\frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx}{3a} \\
 &+ \frac{1}{3}(4a)\int\frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}}dx \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{16}{3}\int\frac{x}{\sqrt{\operatorname{arccosh}(ax)}}dx \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} \\
 &+ \frac{16\operatorname{Subst}\left(\int\frac{\cosh(x)\sinh(x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{3a^2} \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} \\
 &- \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{16\operatorname{Subst}\left(\int\frac{\sinh(2x)}{2\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{3a^2}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{8\operatorname{Subst}\left(\int \frac{\sinh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{4\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^2} + \frac{4\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{8\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} + \frac{8\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{3a^2\sqrt{\operatorname{arccosh}(ax)}} - \frac{8x^2}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{2\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2} + \frac{2\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{3a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 83, normalized size of antiderivative = 0.67

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \frac{\frac{4 \cosh(2\operatorname{arccosh}(ax))}{\sqrt{\operatorname{arccosh}(ax)}} + 2\sqrt{2\pi} \left(\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) - \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) \right) + \frac{\sinh(2\operatorname{arccosh}(ax))}{\operatorname{arccosh}(ax)^{3/2}}}{3a^2}$$

[In] Integrate[x/ArcCosh[a*x]^(5/2), x]

[Out] -1/3*((4*Cosh[2*ArcCosh[a*x]])/Sqrt[ArcCosh[a*x]] + 2*Sqrt[2*Pi]*(Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] - Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]) + Sinh[2*ArcCosh[a*x]]/ArcCosh[a*x]^(3/2))/a^2

Maple [A] (verified)

Time = 0.35 (sec) , antiderivative size = 122, normalized size of antiderivative = 0.99

method	result
default	$-\frac{\sqrt{2} \left(4\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} a^2 x^2 + \sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax + 2 \operatorname{arccosh}(ax)^2 \pi \operatorname{erf} \left(\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \right) - 2 \operatorname{arccosh}(ax) \right)}{3\sqrt{\pi} a^2 \operatorname{arccosh}(ax)^2}$

[In] `int(x/arccosh(a*x)^(5/2),x,method=_RETURNVERBOSE)`

[Out]
$$-1/3*2^{(1/2)}*(4*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(3/2)}*\pi^{(1/2)}*a^2*x^2+2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}*\pi^{(1/2)}*(a*x+1)^{(1/2)}*(a*x-1)^{(1/2)}*a*x+2*\operatorname{arccosh}(a*x)^2*\pi*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})-2*\operatorname{arccosh}(a*x)^2*\pi*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)}))-2*2^{(1/2)}*\operatorname{arccosh}(a*x)^{(3/2)}*\pi^{(1/2)})/\pi^{(1/2)}/a^2/\operatorname{arccosh}(a*x)^2$$

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x/arccosh(a*x)^(5/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

[In] `integrate(x/acosh(a*x)**(5/2),x)`[Out] `Integral(x/acosh(a*x)**(5/2), x)`

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{5/2}} dx$$

[In] integrate(x/arccosh(a*x)^(5/2),x, algorithm="maxima")

[Out] integrate(x/arccosh(a*x)^(5/2), x)

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{5/2}} dx$$

[In] integrate(x/arccosh(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(x/arccosh(a*x)^(5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{x}{\operatorname{acosh}(ax)^{5/2}} dx$$

[In] int(x/acosh(a*x)^(5/2),x)

[Out] int(x/acosh(a*x)^(5/2), x)

3.107 $\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	611
Rubi [A] (verified)	611
Mathematica [A] (warning: unable to verify)	613
Maple [A] (verified)	614
Fricas [F(-2)]	614
Sympy [F]	614
Maxima [F]	614
Giac [F]	615
Mupad [F(-1)]	615

Optimal result

Integrand size = 8, antiderivative size = 89

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a} + \frac{2\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a}$$

[Out] $-2/3*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+2/3*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-2/3*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(3/2)}-4/3*x/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5880, 5951, 5881, 3389, 2211, 2235, 2236}

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = -\frac{2\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a} + \frac{2\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{3a\operatorname{arccosh}(ax)^{3/2}}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-5/2}, x]$

[Out] $(-2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(3*a*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (4*x)/(3*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]) - (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a) + (2*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]])/(3*a)$

Rule 2211

```
Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :=> Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :=> Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3389

```
Int[((c_) + (d_)*(x_)^(m_))*sin[(e_) + (f_)*(x_)], x_Symbol] :=> Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5880

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] :=> Simp[Sqrt[1 + c*x
]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c
/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 +
c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5881

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] :=> Dist[1/(b*c), Su
bst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b
, c, n}, x]
```

Rule 5951

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_)^(m_))/(Sqrt[(d1
_) + (e1_)*(x_)])*Sqrt[(d2_) + (e2_)*(x_)], x_Symbol] :=> Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} + \frac{1}{3}(2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{3/2}} dx \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{4}{3} \int \frac{1}{\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} + \frac{4\operatorname{Subst}\left(\int \frac{\sinh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{2\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a} + \frac{2\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{4\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a} + \frac{4\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{3a\operatorname{arccosh}(ax)^{3/2}} - \frac{4x}{3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{2\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a} + \frac{2\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{3a}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.20 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.18

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \frac{2\left(-\sqrt{\frac{-1+ax}{1+ax}}(1+ax) - e^{-\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - e^{\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - (-\operatorname{arccosh}(ax))\right)}{3a\operatorname{arccosh}(ax)^{3/2}}$$

[In] Integrate[ArcCosh[a*x]^(-5/2), x]

[Out] (2*(-(Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x)) - ArcCosh[a*x]/E^ArcCosh[a*x] - E^ArcCosh[a*x]*ArcCosh[a*x] - (-ArcCosh[a*x])^(3/2)*Gamma[1/2, -ArcCosh[a*x]] + ArcCosh[a*x]^(3/2)*Gamma[1/2, ArcCosh[a*x]])/(3*a*ArcCosh[a*x]^(3/2))

Maple [A] (verified)

Time = 0.29 (sec) , antiderivative size = 84, normalized size of antiderivative = 0.94

method	result
default	$-\frac{2\left(2\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}ax+\operatorname{arccosh}(ax)^2\pi\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)-\operatorname{arccosh}(ax)^2\pi\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)+\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}\right)}{3\sqrt{\pi}a\operatorname{arccosh}(ax)^2}$

[In] int(1/arccosh(a*x)^(5/2),x,method=_RETURNVERBOSE)

[Out]
$$-\frac{2}{3}\cdot(2\operatorname{arccosh}(a*x)^{\frac{3}{2}}\pi^{\frac{1}{2}}*a*x+\operatorname{arccosh}(a*x)^2\pi*\operatorname{erf}(\operatorname{arccosh}(a*x)^{\frac{1}{2}})-\operatorname{arccosh}(a*x)^2\pi*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{\frac{1}{2}})+\operatorname{arccosh}(a*x)^{\frac{1}{2}}\pi^{\frac{1}{2}}*(a*x+1)^{\frac{1}{2}}*(a*x-1)^{\frac{1}{2}})/\pi^{\frac{1}{2}}/a/\operatorname{arccosh}(a*x)^2$$

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/arccosh(a*x)^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{\operatorname{acosh}^{\frac{5}{2}}(ax)} dx$$

[In] integrate(1/acosh(a*x)**(5/2),x)

[Out] Integral(acosh(a*x)**(-5/2), x)

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{\frac{5}{2}}} dx$$

[In] integrate(1/arccosh(a*x)^(5/2),x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^(-5/2), x)

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{5/2}} dx$$

[In] integrate(1/arccosh(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(-5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{\operatorname{acosh}(ax)^{5/2}} dx$$

[In] int(1/acosh(a*x)^(5/2),x)

[Out] int(1/acosh(a*x)^(5/2), x)

3.108 $\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx$

Optimal result	616
Rubi [N/A]	616
Mathematica [N/A]	617
Maple [N/A] (verified)	617
Fricas [F(-2)]	617
Sympy [N/A]	617
Maxima [N/A]	618
Giac [N/A]	618
Mupad [N/A]	618

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^{5/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^(5/2),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx$$

[In] Int[1/(x*ArcCosh[a*x]^(5/2)),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^(5/2)), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx$$

Mathematica [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx$$

`[In] Integrate[1/(x*ArcCosh[a*x]^(5/2)),x]``[Out] Integrate[1/(x*ArcCosh[a*x]^(5/2)), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.20 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx$$

`[In] int(1/x/arccosh(a*x)^(5/2),x)``[Out] int(1/x/arccosh(a*x)^(5/2),x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \text{Exception raised: TypeError}$$

`[In] integrate(1/x/arccosh(a*x)^(5/2),x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [N/A]**

Not integrable

Time = 58.73 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{acosh}^{5/2}(ax)} dx$$

`[In] integrate(1/x/acosh(a*x)**(5/2),x)``[Out] Integral(1/(x*acosh(a*x)**(5/2)), x)`

Maxima [N/A]

Not integrable

Time = 0.50 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{5/2}} dx$$

[In] integrate(1/x/arccosh(a*x)^(5/2),x, algorithm="maxima")

[Out] integrate(1/(x*arccosh(a*x)^(5/2)), x)

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{5/2}} dx$$

[In] integrate(1/x/arccosh(a*x)^(5/2),x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^(5/2)), x)

Mupad [N/A]

Not integrable

Time = 2.74 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{5/2}} dx = \int \frac{1}{x \operatorname{acosh}(ax)^{5/2}} dx$$

[In] int(1/(x*acosh(a*x)^(5/2)),x)

[Out] int(1/(x*acosh(a*x)^(5/2)), x)

3.109 $\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx$

Optimal result	619
Rubi [A] (verified)	620
Mathematica [A] (warning: unable to verify)	624
Maple [F]	624
Fricas [F(-2)]	625
Sympy [F(-1)]	625
Maxima [F]	625
Giac [F]	625
Mupad [F(-1)]	626

Optimal result

Integrand size = 12, antiderivative size = 300

$$\begin{aligned} \int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = & -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} \\ & - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} \\ & + \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5} + \frac{9\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5} \\ & + \frac{5\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5} \\ & + \frac{9\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5} + \frac{5\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} \end{aligned}$$

```
[Out] 16/15*x^3/a^2/arccosh(a*x)^(3/2)-4/3*x^5/arccosh(a*x)^(3/2)+1/30*erf(arccos
h(a*x)^(1/2))*Pi^(1/2)/a^5+1/30*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^5+9/20*
erf(3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+9/20*erfi(3^(1/2)*arcc
osh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^5+5/12*erf(5^(1/2)*arccosh(a*x)^(1/2))*5
^(1/2)*Pi^(1/2)/a^5+5/12*erfi(5^(1/2)*arccosh(a*x)^(1/2))*5^(1/2)*Pi^(1/2)/
a^5-2/5*x^4*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(5/2)+32/5*x^2*(a*x-
1)^(1/2)*(a*x+1)^(1/2)/a^3/arccosh(a*x)^(1/2)-40/3*x^4*(a*x-1)^(1/2)*(a*x+1
)^(1/2)/a/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.59 (sec) , antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 32, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5886, 5951, 5885, 3388, 2211, 2235, 2236}

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5} + \frac{9\sqrt{3}\pi \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5}$$

$$+ \frac{5\sqrt{5}\pi \operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} + \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5}$$

$$+ \frac{9\sqrt{3}\pi \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5} + \frac{5\sqrt{5}\pi \operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5}$$

$$+ \frac{32x^2\sqrt{ax-1}\sqrt{ax+1}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}}$$

$$- \frac{40x^4\sqrt{ax-1}\sqrt{ax+1}}{3a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^4\sqrt{ax-1}\sqrt{ax+1}}{5a\operatorname{arccosh}(ax)^{5/2}}$$

[In] Int[x^4/ArcCosh[a*x]^(7/2), x]

[Out] (-2*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a*ArcCosh[a*x]^(5/2)) + (16*x^3)/(15*a^2*ArcCosh[a*x]^(3/2)) - (4*x^5)/(3*ArcCosh[a*x]^(3/2)) + (32*x^2*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a^3*Sqrt[ArcCosh[a*x]]) - (40*x^4*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(3*a*Sqrt[ArcCosh[a*x]]) + (Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]]])/(30*a^5) + (9*Sqrt[3*Pi]*Erf[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(20*a^5) + (5*Sqrt[5*Pi]*Erf[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(12*a^5) + (Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]]])/(30*a^5) + (9*Sqrt[3*Pi]*Erfi[Sqrt[3]*Sqrt[ArcCosh[a*x]]])/(20*a^5) + (5*Sqrt[5*Pi]*Erfi[Sqrt[5]*Sqrt[ArcCosh[a*x]]])/(12*a^5)

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr

eeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 5886

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 5951

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((f_.)*(x_.))^(m_.)/(Sqrt[(d1_.) + (e1_.)*(x_.)]*Sqrt[(d2_.) + (e2_.)*(x_.)]), x_Symbol] :> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rubi steps

$$\text{integral} = -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{8\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx}{5a} \\ + (2a)\int\frac{x^5}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} \\
&\quad + \frac{20}{3} \int \frac{x^4}{\operatorname{arccosh}(ax)^{3/2}} dx - \frac{16 \int \frac{x^2}{\operatorname{arccosh}(ax)^{3/2}} dx}{5a^2} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} \\
&\quad + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{32\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4\sqrt{x}} - \frac{3\cosh(3x)}{4\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} \\
&\quad - \frac{40\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{8\sqrt{x}} - \frac{9\cosh(3x)}{16\sqrt{x}} - \frac{5\cosh(5x)}{16\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{3a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} \\
&\quad - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} + \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} - \frac{8\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} \\
&\quad + \frac{5\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{3a^5} + \frac{25\operatorname{Subst}\left(\int\frac{\cosh(5x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^5} \\
&\quad - \frac{24\operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} + \frac{15\operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{2a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{4\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} - \frac{4\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} \\
&+ \frac{5\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^5} + \frac{5\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{6a^5} \\
&+ \frac{25\operatorname{Subst}\left(\int \frac{e^{-5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^5} + \frac{25\operatorname{Subst}\left(\int \frac{e^{5x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{12a^5} \\
&- \frac{12\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} - \frac{12\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^5} \\
&+ \frac{15\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^5} + \frac{15\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{4a^5} \\
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{8\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^5} - \frac{8\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^5} \\
&+ \frac{5\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^5} + \frac{5\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{3a^5} \\
&+ \frac{25\operatorname{Subst}\left(\int e^{-5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^5} + \frac{25\operatorname{Subst}\left(\int e^{5x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{6a^5} \\
&- \frac{24\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^5} - \frac{24\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^5} \\
&+ \frac{15\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^5} + \frac{15\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{2a^5}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^4\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{16x^3}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^5}{3\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{32x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{40x^4\sqrt{-1+ax}\sqrt{1+ax}}{3a\sqrt{\operatorname{arccosh}(ax)}} \\
&+ \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5} + \frac{9\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5} \\
&+ \frac{5\sqrt{5}\pi\operatorname{erf}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5} + \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{30a^5} \\
&+ \frac{9\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{20a^5} + \frac{5\sqrt{5}\pi\operatorname{erfi}\left(\sqrt{5}\sqrt{\operatorname{arccosh}(ax)}\right)}{12a^5}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 1.28 (sec) , antiderivative size = 374, normalized size of antiderivative = 1.25

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{-6\sqrt{\frac{-1+ax}{1+ax}}(1+ax) - 2e^{-\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) - 2e^{\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) + 4e^{-\operatorname{arccosh}(ax)}}{\dots}$$

[In] Integrate[x^4/ArcCosh[a*x]^(7/2),x]

[Out] (-6*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) - (2*ArcCosh[a*x])/E^ArcCosh[a*x] - 2*E^ArcCosh[a*x]*ArcCosh[a*x] + (4*ArcCosh[a*x]^2)/E^ArcCosh[a*x] - 4*E^ArcCosh[a*x]*ArcCosh[a*x]^2 + 4*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -ArcCosh[a*x]] - 4*ArcCosh[a*x]^(5/2)*Gamma[1/2, ArcCosh[a*x]] - 5*ArcCosh[a*x]*((1 - 10*ArcCosh[a*x])/E^(5*ArcCosh[a*x]) + E^(5*ArcCosh[a*x])*(1 + 10*ArcCosh[a*x])) + 10*Sqrt[5]*(-ArcCosh[a*x])^(3/2)*Gamma[1/2, -5*ArcCosh[a*x]] + 10*Sqrt[5]*ArcCosh[a*x]^(3/2)*Gamma[1/2, 5*ArcCosh[a*x]]) - (9*(ArcCosh[a*x] + E^(6*ArcCosh[a*x])*ArcCosh[a*x] - 6*ArcCosh[a*x]^2 + 6*E^(6*ArcCosh[a*x])*ArcCosh[a*x]^2 - 6*Sqrt[3]*E^(3*ArcCosh[a*x])*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -3*ArcCosh[a*x]] + 6*Sqrt[3]*E^(3*ArcCosh[a*x])*ArcCosh[a*x]^(5/2)*Gamma[1/2, 3*ArcCosh[a*x]] + E^(3*ArcCosh[a*x])*Sinh[3*ArcCosh[a*x]]))/E^(3*ArcCosh[a*x]) - 3*Sinh[5*ArcCosh[a*x]])/(120*a^5*ArcCosh[a*x]^(5/2))

Maple [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx$$

[In] int(x^4/arccosh(a*x)^(7/2),x)

[Out] int(x^4/arccosh(a*x)^(7/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^4/arccosh(a*x)^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

[In] `integrate(x**4/acosh(a*x)**(7/2),x)`

[Out] Timed out

Maxima [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

[In] `integrate(x^4/arccosh(a*x)^(7/2),x, algorithm="maxima")`

[Out] `integrate(x^4/arccosh(a*x)^(7/2), x)`

Giac [F]

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^4}{\operatorname{arcosh}(ax)^{\frac{7}{2}}} dx$$

[In] `integrate(x^4/arccosh(a*x)^(7/2),x, algorithm="giac")`

[Out] `integrate(x^4/arccosh(a*x)^(7/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^4}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^4}{\operatorname{acosh}(ax)^{7/2}} dx$$

```
[In] int(x^4/acosh(a*x)^(7/2),x)
```

```
[Out] int(x^4/acosh(a*x)^(7/2), x)
```

3.110 $\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx$

Optimal result	627
Rubi [A] (verified)	628
Mathematica [A] (warning: unable to verify)	631
Maple [A] (verified)	632
Fricas [F(-2)]	632
Sympy [F(-1)]	632
Maxima [F]	633
Giac [F(-2)]	633
Mupad [F(-1)]	633

Optimal result

Integrand size = 12, antiderivative size = 244

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} + \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} + \frac{16\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2}\pi\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2}\pi\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4}$$

```
[Out] 4/5*x^2/a^2/arccosh(a*x)^(3/2)-16/15*x^4/arccosh(a*x)^(3/2)+16/15*erf(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4+16/15*erfi(2*arccosh(a*x)^(1/2))*Pi^(1/2)/a^4+4/15*erf(2^(1/2)*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4+4/15*erfi(2^(1/2)*arccosh(a*x)^(1/2))*2^(1/2)*Pi^(1/2)/a^4-2/5*x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(5/2)+16/5*x*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3/arccosh(a*x)^(1/2)-128/15*x^3*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 21, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5886, 5951, 5885, 3388, 2211, 2235, 2236}

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{16\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{16\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{16x\sqrt{ax-1}\sqrt{ax+1}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{128x^3\sqrt{ax-1}\sqrt{ax+1}}{15a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^3\sqrt{ax-1}\sqrt{ax+1}}{5a\operatorname{arccosh}(ax)^{5/2}}$$

[In] Int[x^3/ArcCosh[a*x]^(7/2),x]

[Out] (-2*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a*ArcCosh[a*x]^(5/2)) + (4*x^2)/(5*a^2*ArcCosh[a*x]^(3/2)) - (16*x^4)/(15*ArcCosh[a*x]^(3/2)) + (16*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a^3*Sqrt[ArcCosh[a*x]]) - (128*x^3*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(15*a*Sqrt[ArcCosh[a*x]]) + (16*Sqrt[Pi]*Erf[2*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (4*Sqrt[2*Pi]*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (16*Sqrt[Pi]*Erfi[2*Sqrt[ArcCosh[a*x]]])/(15*a^4) + (4*Sqrt[2*Pi]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]])/(15*a^4)

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rule 5886

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*(x_)^(m_.), x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]

Rule 5951

Int((((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*((f_.)*(x_)^(m_.)))/(Sqrt[(d1_) + (e1_.)*(x_)])*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{6\int\frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx}{5a} \\ &+ \frac{1}{5}(8a)\int\frac{x^4}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx \\ &= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\ &+ \frac{64}{15}\int\frac{x^3}{\operatorname{arccosh}(ax)^{3/2}}dx - \frac{8\int\frac{x}{\operatorname{arccosh}(ax)^{3/2}}dx}{5a^2} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{16\operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^4} \\
&- \frac{128\operatorname{Subst}\left(\int \left(-\frac{\cosh(2x)}{2\sqrt{x}} - \frac{\cosh(4x)}{2\sqrt{x}}\right) dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{8\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^4} - \frac{8\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^4} \\
&+ \frac{64\operatorname{Subst}\left(\int \frac{\cosh(2x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} + \frac{64\operatorname{Subst}\left(\int \frac{\cosh(4x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&+ \frac{32\operatorname{Subst}\left(\int \frac{e^{-4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} + \frac{32\operatorname{Subst}\left(\int \frac{e^{-2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} \\
&+ \frac{32\operatorname{Subst}\left(\int \frac{e^{2x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} + \frac{32\operatorname{Subst}\left(\int \frac{e^{4x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^4} \\
&- \frac{16\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^4} - \frac{16\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^4}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{4\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^4} - \frac{4\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^4} \\
&+ \frac{64\operatorname{Subst}\left(\int e^{-4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} \\
&+ \frac{64\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} \\
&+ \frac{64\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{64\operatorname{Subst}\left(\int e^{4x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} \\
&= -\frac{2x^3\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4x^2}{5a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{16x^4}{15\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16x\sqrt{-1+ax}\sqrt{1+ax}}{5a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{128x^3\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&+ \frac{16\sqrt{\pi}\operatorname{erf}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} \\
&+ \frac{16\sqrt{\pi}\operatorname{erfi}\left(2\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4} + \frac{4\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^4}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.38 (sec) , antiderivative size = 291, normalized size of antiderivative = 1.19

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{e^{-4\operatorname{arccosh}(ax)}\left(3 - 3e^{8\operatorname{arccosh}(ax)} - 8\operatorname{arccosh}(ax) - 8e^{8\operatorname{arccosh}(ax)}\operatorname{arccosh}(ax) + 64\operatorname{arccosh}(ax)\right)}{\dots}$$

[In] Integrate[x^3/ArcCosh[a*x]^(7/2), x]

[Out] (3 - 3E^(8*ArcCosh[a*x]) - 8*ArcCosh[a*x] - 8E^(8*ArcCosh[a*x])*ArcCosh[a*x] + 64*ArcCosh[a*x]^2 - 64E^(8*ArcCosh[a*x])*ArcCosh[a*x]^2 + 128E^(4*ArcCosh[a*x])*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -4*ArcCosh[a*x]] - 8E^(2*ArcCosh[a*x])*(3*a*E^(2*ArcCosh[a*x])*x*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + ArcCosh[a*x] + E^(4*ArcCosh[a*x])*ArcCosh[a*x] - 4*ArcCosh[a*x]^2 + 4E^(4*ArcCosh[a*x])*ArcCosh[a*x]^2 - 4*Sqrt[2]*E^(2*ArcCosh[a*x])*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -2*ArcCosh[a*x]] + 4*Sqrt[2]*E^(2*ArcCosh[a*x])*ArcCosh[a*x]^(5/2)*Gamma[1/2, 2*ArcCosh[a*x]]) - 128E^(4*ArcCosh[a*x])*ArcCosh[a*x]^(5/2)*Gamma[1/2, 4*ArcCosh[a*x]])/(120*a^4*E^(4*ArcCosh[a*x])*ArcCosh[a*x]^(5/2))

Maple [A] (verified)

Time = 1.49 (sec) , antiderivative size = 366, normalized size of antiderivative = 1.50

method	result
default	$\frac{\sqrt{2} \left(-16 \operatorname{arccosh}(ax)^{\frac{5}{2}} \sqrt{2} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax - 4\sqrt{2} \operatorname{arccosh}(ax)^{\frac{3}{2}} \sqrt{\pi} a^2 x^2 - 3\sqrt{2} \sqrt{\operatorname{arccosh}(ax)} \sqrt{\pi} \sqrt{ax+1} \sqrt{ax-1} ax + 8 \operatorname{arccosh}(ax) \right)}{30\sqrt{\pi} a^4 \operatorname{arccosh}(ax)^3}$

```
[In] int(x^3/arccosh(a*x)^(7/2),x,method=_RETURNVERBOSE)
```

```
[Out] 1/30*2^(1/2)*(-16*arccosh(a*x)^(5/2)*2^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x-4*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2-3*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+8*arccosh(a*x)^3*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))+8*arccosh(a*x)^3*Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2))+2*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2))/Pi^(1/2)/a^4/arccosh(a*x)^3+1/15*(-128*(a*x-1)^(1/2)*(a*x+1)^(1/2)*Pi^(1/2)*arccosh(a*x)^(5/2)*a^3*x^3-16*arccosh(a*x)^(3/2)*Pi^(1/2)*a^4*x^4-6*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a^3*x^3+64*(a*x-1)^(1/2)*(a*x+1)^(1/2)*Pi^(1/2)*arccosh(a*x)^(5/2)*a*x+16*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2+3*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+16*arccosh(a*x)^3*Pi*erf(2*arccosh(a*x)^(1/2))+16*arccosh(a*x)^3*Pi*erfi(2*arccosh(a*x)^(1/2))-2*arccosh(a*x)^(3/2)*Pi^(1/2))/Pi^(1/2)/a^4/arccosh(a*x)^3
```

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3/arccosh(a*x)^(7/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

```
[In] integrate(x**3/acosh(a*x)**(7/2),x)
```

```
[Out] Timed out
```


Maxima [F]

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^3}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(x^3/arccosh(a*x)^(7/2),x, algorithm="maxima")

[Out] integrate(x^3/arccosh(a*x)^(7/2), x)

Giac [F(-2)]

Exception generated.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^3/arccosh(a*x)^(7/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^3}{\operatorname{acosh}(ax)^{7/2}} dx$$

[In] int(x^3/acosh(a*x)^(7/2),x)

[Out] int(x^3/acosh(a*x)^(7/2), x)

3.111 $\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx$

Optimal result	634
Rubi [A] (verified)	635
Mathematica [A] (warning: unable to verify)	639
Maple [F]	639
Fricas [F(-2)]	639
Sympy [F(-1)]	640
Maxima [F]	640
Giac [F]	640
Mupad [F(-1)]	640

Optimal result

Integrand size = 12, antiderivative size = 237

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}}$$

$$- \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}}$$

$$+ \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3}$$

$$+ \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3}$$

```
[Out] 8/15*x/a^2/arccosh(a*x)^(3/2)-4/5*x^3/arccosh(a*x)^(3/2)+1/15*erf(arccosh(a
*x)^(1/2))*Pi^(1/2)/a^3+1/15*erfi(arccosh(a*x)^(1/2))*Pi^(1/2)/a^3+3/5*erf(
3^(1/2)*arccosh(a*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^3+3/5*erfi(3^(1/2)*arccosh(a
*x)^(1/2))*3^(1/2)*Pi^(1/2)/a^3-2/5*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arcco
sh(a*x)^(5/2)+16/15*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a^3/arccosh(a*x)^(1/2)-24/5
*x^2*(a*x-1)^(1/2)*(a*x+1)^(1/2)/a/arccosh(a*x)^(1/2)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {5886, 5951, 5885, 3388, 2211, 2235, 2236, 5880, 5953}

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{\sqrt{\pi} \operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3}$$

$$+ \frac{\sqrt{\pi} \operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3\pi} \operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3}$$

$$+ \frac{16\sqrt{ax-1}\sqrt{ax+1}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}}$$

$$- \frac{24x^2\sqrt{ax-1}\sqrt{ax+1}}{5a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x^2\sqrt{ax-1}\sqrt{ax+1}}{5a\operatorname{arccosh}(ax)^{5/2}}$$

[In] Int[x^2/ArcCosh[a*x]^(7/2), x]

[Out] $(-2*x^2*\sqrt{-1 + a*x}*\sqrt{1 + a*x})/(5*a*\operatorname{ArcCosh}[a*x]^{(5/2)}) + (8*x)/(15*a^2*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (4*x^3)/(5*\operatorname{ArcCosh}[a*x]^{(3/2)}) + (16*\sqrt{-1 + a*x}*\sqrt{1 + a*x})/(15*a^3*\sqrt{\operatorname{ArcCosh}[a*x]}) - (24*x^2*\sqrt{-1 + a*x}*\sqrt{1 + a*x})/(5*a*\sqrt{\operatorname{ArcCosh}[a*x]}) + (\sqrt{\pi}*\operatorname{Erf}[\sqrt{\operatorname{ArcCosh}[a*x]}])/(15*a^3) + (3*\sqrt{3*\pi}*\operatorname{Erf}[\sqrt{3}*\sqrt{\operatorname{ArcCosh}[a*x]}])/(5*a^3) + (\sqrt{\pi}*\operatorname{Erfi}[\sqrt{\operatorname{ArcCosh}[a*x]}])/(15*a^3) + (3*\sqrt{3*\pi}*\operatorname{Erfi}[\sqrt{3}*\sqrt{\operatorname{ArcCosh}[a*x]}])/(5*a^3)$

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

```
Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)*(b_.)]^(n_.), x_Symbol] := Simp[Sqrt[1 + c*
x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c
/(b*(n + 1)), Int[x*(a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 +
c*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)*(b_.)]^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)*(b_.)]^(n_.)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)*(b_.)]^(n_.)*((f_.)*(x_)^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)])*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rule 5953

```
Int[((a_.) + ArcCosh[(c_.)*(x_)*(b_.)]^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x
_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*
Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int
[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c
```

x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx}{5a} \\
&+ \frac{1}{5}(6a)\int\frac{x^3}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}}dx \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{12}{5}\int\frac{x^2}{\operatorname{arccosh}(ax)^{3/2}}dx - \frac{8\int\frac{1}{\operatorname{arccosh}(ax)^{3/2}}dx}{15a^2} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{24\operatorname{Subst}\left(\int\left(-\frac{\cosh(x)}{4\sqrt{x}} - \frac{3\cosh(3x)}{4\sqrt{x}}\right)dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} \\
&- \frac{16\int\frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}}dx}{15a} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} \\
&- \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} + \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}} - \frac{16\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{15a^3} \\
&+ \frac{6\operatorname{Subst}\left(\int\frac{\cosh(x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} + \frac{18\operatorname{Subst}\left(\int\frac{\cosh(3x)}{\sqrt{x}}dx, x, \operatorname{arccosh}(ax)\right)}{5a^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{8\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^3} - \frac{8\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a^3} \\
&+ \frac{3\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} + \frac{3\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} \\
&+ \frac{9\operatorname{Subst}\left(\int \frac{e^{-3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} + \frac{9\operatorname{Subst}\left(\int \frac{e^{3x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{5a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}} \\
&- \frac{16\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} - \frac{16\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} \\
&+ \frac{6\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3} + \frac{6\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3} \\
&+ \frac{18\operatorname{Subst}\left(\int e^{-3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3} + \frac{18\operatorname{Subst}\left(\int e^{3x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3} \\
&= -\frac{2x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{8x}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{4x^3}{5\operatorname{arccosh}(ax)^{3/2}} \\
&+ \frac{16\sqrt{-1+ax}\sqrt{1+ax}}{15a^3\sqrt{\operatorname{arccosh}(ax)}} - \frac{24x^2\sqrt{-1+ax}\sqrt{1+ax}}{5a\sqrt{\operatorname{arccosh}(ax)}} \\
&+ \frac{\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3}\pi\operatorname{erf}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3} \\
&+ \frac{\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^3} + \frac{3\sqrt{3}\pi\operatorname{erfi}\left(\sqrt{3}\sqrt{\operatorname{arccosh}(ax)}\right)}{5a^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.54 (sec) , antiderivative size = 286, normalized size of antiderivative = 1.21

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{e^{-3\operatorname{arccosh}(ax)} \left(-e^{2\operatorname{arccosh}(ax)} \left(3e^{\operatorname{arccosh}(ax)} \sqrt{\frac{-1+ax}{1+ax}} (1+ax) + \operatorname{arccosh}(ax) + e^{2\operatorname{arccosh}(ax)} \right) \right)}{\dots}$$

[In] Integrate[x^2/ArcCosh[a*x]^(7/2),x]

[Out] $(-(E^{(2*ArcCosh[a*x])}*(3*E^{ArcCosh[a*x]}*Sqrt[(-1+a*x)/(1+a*x)]*(1+a*x) + ArcCosh[a*x] + E^{(2*ArcCosh[a*x])}*ArcCosh[a*x] - 2*ArcCosh[a*x]^2 + 2*E^{(2*ArcCosh[a*x])}*ArcCosh[a*x]^2 - 2*E^{ArcCosh[a*x]}*(-ArcCosh[a*x])^{(5/2)}*Gamma[1/2, -ArcCosh[a*x]] + 2*E^{ArcCosh[a*x]}*ArcCosh[a*x]^{(5/2)}*Gamma[1/2, ArcCosh[a*x]])) - 3*(ArcCosh[a*x] + E^{(6*ArcCosh[a*x])}*ArcCosh[a*x] - 6*ArcCosh[a*x]^2 + 6*E^{(6*ArcCosh[a*x])}*ArcCosh[a*x]^2 - 6*Sqrt[3]*E^{(3*ArcCosh[a*x])}*(-ArcCosh[a*x])^{(5/2)}*Gamma[1/2, -3*ArcCosh[a*x]] + 6*Sqrt[3]*E^{(3*ArcCosh[a*x])}*ArcCosh[a*x]^{(5/2)}*Gamma[1/2, 3*ArcCosh[a*x]] + E^{(3*ArcCosh[a*x])}*Sinh[3*ArcCosh[a*x]]))/(30*a^3*E^{(3*ArcCosh[a*x])}*ArcCosh[a*x]^{(5/2)})$

Maple [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx$$

[In] int(x^2/arccosh(a*x)^(7/2),x)

[Out] int(x^2/arccosh(a*x)^(7/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^2/arccosh(a*x)^(7/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

[In] integrate(x**2/acosh(a*x)**(7/2),x)

[Out] Timed out

Maxima [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(x^2/arccosh(a*x)^(7/2),x, algorithm="maxima")

[Out] integrate(x^2/arccosh(a*x)^(7/2), x)

Giac [F]

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^2}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(x^2/arccosh(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(x^2/arccosh(a*x)^(7/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x^2}{\operatorname{acosh}(ax)^{7/2}} dx$$

[In] int(x^2/acosh(a*x)^(7/2),x)

[Out] int(x^2/acosh(a*x)^(7/2), x)

3.112 $\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx$

Optimal result	641
Rubi [A] (verified)	641
Mathematica [A] (verified)	644
Maple [A] (verified)	644
Fricas [F(-2)]	645
Sympy [F(-1)]	645
Maxima [F]	645
Giac [F]	645
Mupad [F(-1)]	646

Optimal result

Integrand size = 10, antiderivative size = 157

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} + \frac{8\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} + \frac{8\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2}$$

[Out] $4/15/a^2/\operatorname{arccosh}(a*x)^{(3/2)}-8/15*x^2/\operatorname{arccosh}(a*x)^{(3/2)}+8/15*\operatorname{erf}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2+8/15*\operatorname{erfi}(2^{(1/2)}*\operatorname{arccosh}(a*x)^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/a^2-2/5*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(5/2)}-32/15*x*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$, Rules used = {5886, 5951, 5885, 3388, 2211, 2235, 2236, 5893}

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{8\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} + \frac{8\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} + \frac{4}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{32x\sqrt{ax-1}\sqrt{ax+1}}{15a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2x\sqrt{ax-1}\sqrt{ax+1}}{5a\operatorname{arccosh}(ax)^{5/2}}$$

[In] $\operatorname{Int}[x/\operatorname{ArcCosh}[a*x]^{(7/2)}, x]$

```
[Out] (-2*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(5*a*ArcCosh[a*x]^(5/2)) + 4/(15*a^2*ArcCosh[a*x]^(3/2)) - (8*x^2)/(15*ArcCosh[a*x]^(3/2)) - (32*x*Sqrt[-1 + a*x]*Sqrt[1 + a*x])/(15*a*Sqrt[ArcCosh[a*x]]) + (8*Sqrt[2*Pi]*Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]])]/(15*a^2) + (8*Sqrt[2*Pi]*Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]])]/(15*a^2)
```

Rule 2211

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*(x_)^m, x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*(x_)^m, x_Symbol] :> Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x])
```

$x], x]) /; \text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{LtQ}[n, -2]$

Rule 5893

$\text{Int}[(a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(1/(b*c*(n + 1)))*\text{Simp}[\text{Sqrt}[1 + c*x]/\text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]]*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}, x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, n\}, x\} \ \&\& \ \text{EqQ}[e1, c*d1] \ \&\& \ \text{EqQ}[e2, (-c)*d2] \ \&\& \ \text{NeQ}[n, -1]$

Rule 5951

$\text{Int}[((a_.) + \text{ArcCosh}[c_.*(x_.)]*(b_.)]^{(n_.)}*((f_.)*(x_.))^{(m_.)}/(\text{Sqrt}[(d1_.) + (e1_.)*(x_.)]*\text{Sqrt}[(d2_.) + (e2_.)*(x_.)]), x_Symbol] \rightarrow \text{Simp}[(f*x)^m*((a + b*\text{ArcCosh}[c*x])^{(n + 1)/(b*c*(n + 1))})*\text{Simp}[\text{Sqrt}[1 + c*x]/\text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]], x] - \text{Dist}[f*(m/(b*c*(n + 1)))*\text{Simp}[\text{Sqrt}[1 + c*x]/\text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]], \text{Int}[(f*x)^{(m - 1)}*(a + b*\text{ArcCosh}[c*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, m\}, x\} \ \&\& \ \text{EqQ}[e1, c*d1] \ \&\& \ \text{EqQ}[e2, (-c)*d2] \ \&\& \ \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\text{arccosh}(ax)^{5/2}} - \frac{2\int\frac{1}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^{5/2}}dx}{5a} \\
 &+ \frac{1}{5}(4a)\int\frac{x^2}{\sqrt{-1+ax}\sqrt{1+ax}\text{arccosh}(ax)^{5/2}}dx \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\text{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\text{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\text{arccosh}(ax)^{3/2}} + \frac{16}{15}\int\frac{x}{\text{arccosh}(ax)^{3/2}}dx \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\text{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\text{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\text{arccosh}(ax)^{3/2}} \\
 &- \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\text{arccosh}(ax)}} + \frac{32\text{Subst}\left(\int\frac{\cosh(2x)}{\sqrt{x}}dx, x, \text{arccosh}(ax)\right)}{15a^2} \\
 &= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\text{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\text{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\text{arccosh}(ax)^{3/2}} \\
 &- \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\text{arccosh}(ax)}} + \frac{16\text{Subst}\left(\int\frac{e^{-2x}}{\sqrt{x}}dx, x, \text{arccosh}(ax)\right)}{15a^2} \\
 &+ \frac{16\text{Subst}\left(\int\frac{e^{2x}}{\sqrt{x}}dx, x, \text{arccosh}(ax)\right)}{15a^2}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\operatorname{arccosh}(ax)^{3/2}} - \frac{8x^2}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{32\operatorname{Subst}\left(\int e^{-2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} + \frac{32\operatorname{Subst}\left(\int e^{2x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} \\
&= -\frac{2x\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{4}{15a^2\operatorname{arccosh}(ax)^{3/2}} \\
&\quad - \frac{8x^2}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{32x\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{8\sqrt{2\pi}\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2} + \frac{8\sqrt{2\pi}\operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)}{15a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 91, normalized size of antiderivative = 0.58

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{\frac{4\cosh(2\operatorname{arccosh}(ax))}{\operatorname{arccosh}(ax)^{3/2}} - 8\sqrt{2\pi}\left(\operatorname{erf}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right) + \operatorname{erfi}\left(\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\right)\right) + \frac{(3+16\operatorname{arccosh}(ax))^2 \sinh(2\operatorname{arccosh}(ax))}{\operatorname{arccosh}(ax)^{5/2}}}{15a^2}$$

[In] Integrate[x/ArcCosh[a*x]^(7/2),x]

[Out] -1/15*((4*Cosh[2*ArcCosh[a*x]])/ArcCosh[a*x]^(3/2) - 8*Sqrt[2*Pi]*(Erf[Sqrt[2]*Sqrt[ArcCosh[a*x]]] + Erfi[Sqrt[2]*Sqrt[ArcCosh[a*x]]]) + ((3 + 16*ArcCosh[a*x]^2)*Sinh[2*ArcCosh[a*x]])/ArcCosh[a*x]^(5/2))/a^2

Maple [A] (verified)

Time = 0.35 (sec) , antiderivative size = 153, normalized size of antiderivative = 0.97

method	result
default	$-\frac{\sqrt{2}\left(16\operatorname{arccosh}(ax)^{\frac{5}{2}}\sqrt{2}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}ax+4\sqrt{2}\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}a^2x^2+3\sqrt{2}\sqrt{\operatorname{arccosh}(ax)}\sqrt{\pi}\sqrt{ax+1}\sqrt{ax-1}ax-8\operatorname{arccosh}(ax)\right)}{15\sqrt{\pi}a^2\operatorname{arccosh}(ax)^3}$

[In] int(x/arccosh(a*x)^(7/2),x,method=_RETURNVERBOSE)

[Out] -1/15*2^(1/2)*(16*arccosh(a*x)^(5/2)*2^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x+4*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2)*a^2*x^2+3*2^(1/2)*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2)*a*x-8*arccosh(a*x)^3*Pi*erf(2^(1/2)*arccosh(a*x)^(1/2))-8*arccosh(a*x)^3*Pi*erfi(2^(1/2)*arccosh(a*x)^(1/2))-2*2^(1/2)*arccosh(a*x)^(3/2)*Pi^(1/2))/Pi^(1/2)/a^2/arccosh(a*x)^3

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x/arccosh(a*x)^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

[In] `integrate(x/acosh(a*x)**(7/2),x)`

[Out] Timed out

Maxima [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] `integrate(x/arccosh(a*x)^(7/2),x, algorithm="maxima")`

[Out] `integrate(x/arccosh(a*x)^(7/2), x)`

Giac [F]

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] `integrate(x/arccosh(a*x)^(7/2),x, algorithm="giac")`

[Out] `integrate(x/arccosh(a*x)^(7/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{x}{\operatorname{acosh}(ax)^{7/2}} dx$$

```
[In] int(x/acosh(a*x)^(7/2),x)
```

```
[Out] int(x/acosh(a*x)^(7/2), x)
```

3.113 $\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx$

Optimal result	647
Rubi [A] (verified)	647
Mathematica [A] (warning: unable to verify)	650
Maple [A] (verified)	650
Fricas [F(-2)]	650
Sympy [F(-1)]	651
Maxima [F]	651
Giac [F]	651
Mupad [F(-1)]	651

Optimal result

Integrand size = 8, antiderivative size = 122

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} + \frac{4\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a} + \frac{4\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a}$$

[Out] $-4/15*x/\operatorname{arccosh}(a*x)^{(3/2)}+4/15*\operatorname{erf}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a+4/15*\operatorname{erfi}(\operatorname{arccosh}(a*x)^{(1/2)})*\operatorname{Pi}^{(1/2)}/a-2/5*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(5/2)}-8/15*(a*x-1)^{(1/2)}*(a*x+1)^{(1/2)}/a/\operatorname{arccosh}(a*x)^{(1/2)}$

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.875$, Rules used = {5880, 5951, 5953, 3388, 2211, 2235, 2236}

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{4\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a} + \frac{4\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{ax-1}\sqrt{ax+1}}{15a\sqrt{\operatorname{arccosh}(ax)}} - \frac{2\sqrt{ax-1}\sqrt{ax+1}}{5a\operatorname{arccosh}(ax)^{5/2}}$$

[In] $\operatorname{Int}[\operatorname{ArcCosh}[a*x]^{-7/2}, x]$

[Out] $(-2*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(5*a*\operatorname{ArcCosh}[a*x]^{(5/2)}) - (4*x)/(15*\operatorname{ArcCosh}[a*x]^{(3/2)}) - (8*\operatorname{Sqrt}[-1+a*x]*\operatorname{Sqrt}[1+a*x])/(15*a*\operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]])$

) + (4*Sqrt[Pi]*Erf[Sqrt[ArcCosh[a*x]])]/(15*a) + (4*Sqrt[Pi]*Erfi[Sqrt[ArcCosh[a*x]])]/(15*a)

Rule 2211

Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :=> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^2), x_Symbol] :=> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_) + (d_)*(x_)^m)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] :=> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5880

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_), x_Symbol] :=> Simp[Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 5951

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*((f_)*(x_)^m_)/(Sqrt[(d1_) + (e1_)*(x_)])*Sqrt[(d2_) + (e2_)*(x_)]), x_Symbol] :=> Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rule 5953


```

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} + \frac{1}{5}(2a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\operatorname{arccosh}(ax)^{5/2}} dx \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} + \frac{4}{15} \int \frac{1}{\operatorname{arccosh}(ax)^{3/2}} dx \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{1}{15}(8a) \int \frac{x}{\sqrt{-1+ax}\sqrt{1+ax}\sqrt{\operatorname{arccosh}(ax)}} dx \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} \\
&\quad - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} + \frac{8\operatorname{Subst}\left(\int \frac{\cosh(x)}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{4\operatorname{Subst}\left(\int \frac{e^{-x}}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a} + \frac{4\operatorname{Subst}\left(\int \frac{e^x}{\sqrt{x}} dx, x, \operatorname{arccosh}(ax)\right)}{15a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{8\operatorname{Subst}\left(\int e^{-x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a} + \frac{8\operatorname{Subst}\left(\int e^{x^2} dx, x, \sqrt{\operatorname{arccosh}(ax)}\right)}{15a} \\
&= -\frac{2\sqrt{-1+ax}\sqrt{1+ax}}{5a\operatorname{arccosh}(ax)^{5/2}} - \frac{4x}{15\operatorname{arccosh}(ax)^{3/2}} - \frac{8\sqrt{-1+ax}\sqrt{1+ax}}{15a\sqrt{\operatorname{arccosh}(ax)}} \\
&\quad + \frac{4\sqrt{\pi}\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a} + \frac{4\sqrt{\pi}\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15a}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.14 (sec) , antiderivative size = 147, normalized size of antiderivative = 1.20

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \frac{2e^{-\operatorname{arccosh}(ax)} \left(3e^{\operatorname{arccosh}(ax)} \sqrt{\frac{-1+ax}{1+ax}} (1+ax) + \operatorname{arccosh}(ax) + e^{2\operatorname{arccosh}(ax)} \operatorname{arccosh}(ax) - 2\operatorname{arccosh}(ax)^2 + 2e^{2\operatorname{arccosh}(ax)} \right)}{15}$$

[In] Integrate[ArcCosh[a*x]^(-7/2), x]

[Out] (-2*(3*E^ArcCosh[a*x]*Sqrt[(-1 + a*x)/(1 + a*x)]*(1 + a*x) + ArcCosh[a*x] + E^(2*ArcCosh[a*x])*ArcCosh[a*x] - 2*ArcCosh[a*x]^2 + 2*E^(2*ArcCosh[a*x])*ArcCosh[a*x]^2 - 2*E^ArcCosh[a*x]*(-ArcCosh[a*x])^(5/2)*Gamma[1/2, -ArcCosh[a*x]] + 2*E^ArcCosh[a*x]*ArcCosh[a*x]^(5/2)*Gamma[1/2, ArcCosh[a*x]]))/(15 * a * E^ArcCosh[a*x] * ArcCosh[a*x]^(5/2))

Maple [A] (verified)

Time = 0.28 (sec) , antiderivative size = 111, normalized size of antiderivative = 0.91

method	result
default	$\frac{-\frac{8\sqrt{ax-1}\sqrt{ax+1}\sqrt{\pi}\operatorname{arccosh}(ax)^{\frac{5}{2}}}{15} + \frac{4\operatorname{arccosh}(ax)^3\pi\operatorname{erf}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15} + \frac{4\operatorname{arccosh}(ax)^3\pi\operatorname{erfi}\left(\sqrt{\operatorname{arccosh}(ax)}\right)}{15} - \frac{4\operatorname{arccosh}(ax)^{\frac{3}{2}}\sqrt{\pi}ax}{15} - \frac{2\sqrt{\operatorname{arccosh}(ax)}}{\sqrt{\pi}a\operatorname{arccosh}(ax)^3}}$

[In] int(1/arccosh(a*x)^(7/2), x, method=_RETURNVERBOSE)

[Out] 2/15*(-4*(a*x-1)^(1/2)*(a*x+1)^(1/2)*Pi^(1/2)*arccosh(a*x)^(5/2)+2*arccosh(a*x)^3*Pi*erf(arccosh(a*x)^(1/2))+2*arccosh(a*x)^3*Pi*erfi(arccosh(a*x)^(1/2))-2*arccosh(a*x)^(3/2)*Pi^(1/2)*a*x-3*arccosh(a*x)^(1/2)*Pi^(1/2)*(a*x+1)^(1/2)*(a*x-1)^(1/2))/Pi^(1/2)/a/arccosh(a*x)^3

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/arccosh(a*x)^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

[In] integrate(1/acosh(a*x)**(7/2),x)

[Out] Timed out

Maxima [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(1/arccosh(a*x)^(7/2),x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^(-7/2), x)

Giac [F]

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{\operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(1/arccosh(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(arccosh(a*x)^(-7/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{\operatorname{acosh}(ax)^{7/2}} dx$$

[In] int(1/acosh(a*x)^(7/2),x)

[Out] int(1/acosh(a*x)^(7/2), x)

$$3.114 \quad \int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx$$

Optimal result	652
Rubi [N/A]	652
Mathematica [N/A]	653
Maple [N/A] (verified)	653
Fricas [F(-2)]	653
Sympy [F(-1)]	653
Maxima [N/A]	654
Giac [N/A]	654
Mupad [N/A]	654

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \operatorname{Int}\left(\frac{1}{x \operatorname{arccosh}(ax)^{7/2}}, x\right)$$

[Out] Unintegrable(1/x/arccosh(a*x)^(7/2),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx$$

[In] Int[1/(x*ArcCosh[a*x]^(7/2)),x]

[Out] Defer[Int][1/(x*ArcCosh[a*x]^(7/2)), x]

Rubi steps

$$\text{integral} = \int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx$$

Mathematica [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx$$

`[In] Integrate[1/(x*ArcCosh[a*x]^(7/2)),x]``[Out] Integrate[1/(x*ArcCosh[a*x]^(7/2)), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx$$

`[In] int(1/x/arccosh(a*x)^(7/2),x)``[Out] int(1/x/arccosh(a*x)^(7/2),x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \text{Exception raised: TypeError}$$

`[In] integrate(1/x/arccosh(a*x)^(7/2),x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [F(-1)]**

Timed out.

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \text{Timed out}$$

`[In] integrate(1/x/acosh(a*x)**(7/2),x)``[Out] Timed out`

Maxima [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(1/x/arccosh(a*x)^(7/2),x, algorithm="maxima")

[Out] integrate(1/(x*arccosh(a*x)^(7/2)), x)

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{x \operatorname{arcosh}(ax)^{7/2}} dx$$

[In] integrate(1/x/arccosh(a*x)^(7/2),x, algorithm="giac")

[Out] integrate(1/(x*arccosh(a*x)^(7/2)), x)

Mupad [N/A]

Not integrable

Time = 2.93 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{1}{x \operatorname{arccosh}(ax)^{7/2}} dx = \int \frac{1}{x \operatorname{acosh}(ax)^{7/2}} dx$$

[In] int(1/(x*acosh(a*x)^(7/2)),x)

[Out] int(1/(x*acosh(a*x)^(7/2)), x)

3.115 $\int x^m \operatorname{arccosh}(ax)^4 dx$

Optimal result	655
Rubi [N/A]	655
Mathematica [N/A]	656
Maple [N/A] (verified)	656
Fricas [N/A]	656
Sympy [N/A]	656
Maxima [N/A]	657
Giac [N/A]	657
Mupad [N/A]	657

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \frac{x^{1+m} \operatorname{arccosh}(ax)^4}{1+m} - \frac{4a \operatorname{Int}\left(\frac{x^{1+m} \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}}, x\right)}{1+m}$$

[Out] $x^{(1+m)} \operatorname{arccosh}(a*x)^4 / (1+m) - 4*a* \operatorname{Unintegrable}(x^{(1+m)} \operatorname{arccosh}(a*x)^3 / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}, x) / (1+m)$

Rubi [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{arccosh}(ax)^4 dx$$

[In] $\operatorname{Int}[x^m \operatorname{ArcCosh}[a*x]^4, x]$

[Out] $(x^{(1+m)} \operatorname{ArcCosh}[a*x]^4) / (1+m) - (4*a* \operatorname{Defer}[\operatorname{Int}[(x^{(1+m)} \operatorname{ArcCosh}[a*x]^3) / (\operatorname{Sqrt}[-1+a*x] * \operatorname{Sqrt}[1+a*x]), x]) / (1+m)$

Rubi steps

$$\text{integral} = \frac{x^{1+m} \operatorname{arccosh}(ax)^4}{1+m} - \frac{(4a) \int \frac{x^{1+m} \operatorname{arccosh}(ax)^3}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{1+m}$$

Mathematica [N/A]

Not integrable

Time = 0.91 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{arccosh}(ax)^4 dx$$

`[In] Integrate[x^m*ArcCosh[a*x]^4,x]``[Out] Integrate[x^m*ArcCosh[a*x]^4, x]`**Maple [N/A] (verified)**

Not integrable

Time = 1.32 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^4 dx$$

`[In] int(x^m*arccosh(a*x)^4,x)``[Out] int(x^m*arccosh(a*x)^4,x)`**Fricas [N/A]**

Not integrable

Time = 0.26 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{arcosh}(ax)^4 dx$$

`[In] integrate(x^m*arccosh(a*x)^4,x, algorithm="fricas")``[Out] integral(x^m*arccosh(a*x)^4, x)`**Sympy [N/A]**

Not integrable

Time = 27.24 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{acosh}^4(ax) dx$$

`[In] integrate(x**m*acosh(a*x)**4,x)``[Out] Integral(x**m*acosh(a*x)**4, x)`

Maxima [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 152, normalized size of antiderivative = 15.20

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{arcosh}(ax)^4 dx$$

[In] integrate(x^m*arccosh(a*x)^4,x, algorithm="maxima")

```
[Out] x*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^4/(m + 1) - integrate(4*(sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^2*x^m + (a^3*x^3 - a*x)*x^m)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(a^3*(m + 1)*x^3 - a*(m + 1)*x + (a^2*(m + 1)*x^2 - m - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.45 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{arcosh}(ax)^4 dx$$

[In] integrate(x^m*arccosh(a*x)^4,x, algorithm="giac")

[Out] integrate(x^m*arccosh(a*x)^4, x)

Mupad [N/A]

Not integrable

Time = 2.80 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^4 dx = \int x^m \operatorname{acosh}(ax)^4 dx$$

[In] int(x^m*acosh(a*x)^4,x)

[Out] int(x^m*acosh(a*x)^4, x)

3.116 $\int x^m \operatorname{arccosh}(ax)^3 dx$

Optimal result	658
Rubi [N/A]	658
Mathematica [N/A]	659
Maple [N/A] (verified)	659
Fricas [N/A]	659
Sympy [N/A]	659
Maxima [N/A]	660
Giac [N/A]	660
Mupad [N/A]	660

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \frac{x^{1+m} \operatorname{arccosh}(ax)^3}{1+m} - \frac{3a \operatorname{Int}\left(\frac{x^{1+m} \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}}, x\right)}{1+m}$$

[Out] $x^{(1+m)} \operatorname{arccosh}(a*x)^3 / (1+m) - 3*a * \operatorname{Unintegrable}(x^{(1+m)} \operatorname{arccosh}(a*x)^2 / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}, x) / (1+m)$

Rubi [N/A]

Not integrable

Time = 0.18 (sec), antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{arccosh}(ax)^3 dx$$

[In] $\operatorname{Int}[x^m \operatorname{ArcCosh}[a*x]^3, x]$

[Out] $(x^{(1+m)} \operatorname{ArcCosh}[a*x]^3) / (1+m) - (3*a * \operatorname{Defer}[\operatorname{Int}][x^{(1+m)} \operatorname{ArcCosh}[a*x]^2 / (\operatorname{Sqrt}[-1+a*x] * \operatorname{Sqrt}[1+a*x]), x]) / (1+m)$

Rubi steps

$$\text{integral} = \frac{x^{1+m} \operatorname{arccosh}(ax)^3}{1+m} - \frac{(3a) \int \frac{x^{1+m} \operatorname{arccosh}(ax)^2}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{1+m}$$

Mathematica [N/A]

Not integrable

Time = 0.89 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{arccosh}(ax)^3 dx$$

[In] Integrate[x^m*ArcCosh[a*x]^3,x]

[Out] Integrate[x^m*ArcCosh[a*x]^3, x]

Maple [N/A] (verified)

Not integrable

Time = 0.75 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^3 dx$$

[In] int(x^m*arccosh(a*x)^3,x)

[Out] int(x^m*arccosh(a*x)^3,x)

Fricas [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{arcosh}(ax)^3 dx$$

[In] integrate(x^m*arccosh(a*x)^3,x, algorithm="fricas")

[Out] integral(x^m*arccosh(a*x)^3, x)

Sympy [N/A]

Not integrable

Time = 11.64 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{acosh}^3(ax) dx$$

[In] integrate(x**m*acosh(a*x)**3,x)

[Out] Integral(x**m*acosh(a*x)**3, x)

Maxima [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 152, normalized size of antiderivative = 15.20

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{arcosh}(ax)^3 dx$$

[In] integrate(x^m*arccosh(a*x)^3,x, algorithm="maxima")

```
[Out] x*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^3/(m + 1) - integrate(3*(sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^2*x^m + (a^3*x^3 - a*x)*x^m)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(a^3*(m + 1)*x^3 - a*(m + 1)*x + (a^2*(m + 1)*x^2 - m - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{arcosh}(ax)^3 dx$$

[In] integrate(x^m*arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x^m*arccosh(a*x)^3, x)

Mupad [N/A]

Not integrable

Time = 2.54 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int x^m \operatorname{arccosh}(ax)^3 dx = \int x^m \operatorname{acosh}(ax)^3 dx$$

[In] int(x^m*acosh(a*x)^3,x)

[Out] int(x^m*acosh(a*x)^3, x)

3.117 $\int x^m \operatorname{arccosh}(ax)^2 dx$

Optimal result	661
Rubi [A] (verified)	661
Mathematica [A] (verified)	663
Maple [F]	663
Fricas [F]	663
Sympy [F]	664
Maxima [F]	664
Giac [F]	664
Mupad [F(-1)]	664

Optimal result

Integrand size = 10, antiderivative size = 154

$$\begin{aligned} & \int x^m \operatorname{arccosh}(ax)^2 dx \\ &= \frac{x^{1+m} \operatorname{arccosh}(ax)^2}{1+m} \\ & \quad - \frac{2ax^{2+m} \sqrt{1-ax} \operatorname{arccosh}(ax) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{(2+3m+m^2) \sqrt{-1+ax}} \\ & \quad - \frac{2a^2x^{3+m} {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; a^2x^2\right)}{6+11m+6m^2+m^3} \end{aligned}$$

```
[Out] x^(1+m)*arccosh(a*x)^2/(1+m)-2*a^2*x^(3+m)*hypergeom([1, 3/2+1/2*m, 3/2+1/2
*m], [2+1/2*m, 5/2+1/2*m], a^2*x^2)/(m^3+6*m^2+11*m+6)-2*a*x^(2+m)*arccosh(a*
x)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], a^2*x^2)*(-a*x+1)^(1/2)/(m^2+3*m+2)/(
a*x-1)^(1/2)
```

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {5883, 5949}

$$\begin{aligned} & \int x^m \operatorname{arccosh}(ax)^2 dx \\ &= -\frac{2a^2x^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; a^2x^2\right)}{m^3+6m^2+11m+6} \\ & \quad - \frac{2a\sqrt{1-ax}x^{m+2} \operatorname{arccosh}(ax) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, a^2x^2\right)}{(m^2+3m+2) \sqrt{ax-1}} \\ & \quad + \frac{x^{m+1} \operatorname{arccosh}(ax)^2}{m+1} \end{aligned}$$

[In] Int[x^m*ArcCosh[a*x]^2,x]

[Out] (x^(1+m)*ArcCosh[a*x]^2)/(1+m) - (2*a*x^(2+m)*Sqrt[1-a*x]*ArcCosh[a*x]*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2*x^2])/((2+3*m+m^2)*Sqrt[-1+a*x]) - (2*a^2*x^(3+m)*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, a^2*x^2])/(6+11*m+6*m^2+m^3)

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*((d_.)*(x_.))^ (m_.), x_Symbol] :> Simp[(d*x)^(m+1)*((a+b*ArcCosh[c*x])^n/(d*(m+1))), x] - Dist[b*c*(n/(d*(m+1))), Int[(d*x)^(m+1)*((a+b*ArcCosh[c*x])^(n-1)/(Sqrt[1+c*x]*Sqrt[-1+c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5949

Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^ (m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] :> Simp[((f*x)^(m+1)/(f*(m+1)))*Simp[Sqrt[1-c^2*x^2]/(Sqrt[d1+e1*x]*Sqrt[d2+e2*x])]*(a+b*ArcCosh[c*x])*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, c^2*x^2], x] + Simp[b*c*((f*x)^(m+2)/(f^2*(m+1)*(m+2)))*Simp[Sqrt[1+c*x]/Sqrt[d1+e1*x]]*Simp[Sqrt[-1+c*x]/Sqrt[d2+e2*x]]*HypergeometricPFQ[{1, 1+m/2, 1+m/2}, {3/2+m/2, 2+m/2}, c^2*x^2], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{x^{1+m} \operatorname{arccosh}(ax)^2}{1+m} - \frac{(2a) \int \frac{x^{1+m} \operatorname{arccosh}(ax)}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{1+m} \\ &= \frac{x^{1+m} \operatorname{arccosh}(ax)^2}{1+m} \\ &\quad - \frac{2ax^{2+m} \sqrt{1-ax} \operatorname{arccosh}(ax) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{(2+3m+m^2) \sqrt{-1+ax}} \\ &\quad - \frac{2a^2x^{3+m} {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; a^2x^2\right)}{6+11m+6m^2+m^3} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 143, normalized size of antiderivative = 0.93

$$\int x^m \operatorname{arccosh}(ax)^2 dx$$

$$= \frac{x^{1+m} \left(\operatorname{arccosh}(ax)^2 - \frac{2ax \left(\frac{\sqrt{1-a^2x^2} \operatorname{arccosh}(ax) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right) + a x {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; a^2x^2\right)}{\sqrt{-1+ax}\sqrt{1+ax}} \right)}{2+m} \right)}{1+m}$$

`[In] Integrate[x^m*ArcCosh[a*x]^2,x]`

```
[Out] (x^(1+m)*(ArcCosh[a*x]^2 - (2*a*x*((Sqrt[1 - a^2*x^2]*ArcCosh[a*x]*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2*x^2])/(Sqrt[-1+a*x]*Sqrt[1+a*x])) + (a*x*HypergeometricPFQ[{1, 3/2+m/2, 3/2+m/2}, {2+m/2, 5/2+m/2}, a^2*x^2])/(3+m)))/(2+m))/(1+m)
```

Maple [F]

$$\int x^m \operatorname{arccosh}(ax)^2 dx$$

`[In] int(x^m*arccosh(a*x)^2,x)``[Out] int(x^m*arccosh(a*x)^2,x)`**Fricas [F]**

$$\int x^m \operatorname{arccosh}(ax)^2 dx = \int x^m \operatorname{arccosh}(ax)^2 dx$$

`[In] integrate(x^m*arccosh(a*x)^2,x, algorithm="fricas")``[Out] integral(x^m*arccosh(a*x)^2, x)`

Sympy [F]

$$\int x^m \operatorname{arccosh}(ax)^2 dx = \int x^m \operatorname{acosh}^2(ax) dx$$

[In] integrate(x**m*acosh(a*x)**2,x)

[Out] Integral(x**m*acosh(a*x)**2, x)

Maxima [F]

$$\int x^m \operatorname{arccosh}(ax)^2 dx = \int x^m \operatorname{arcosh}(ax)^2 dx$$

[In] integrate(x^m*arccosh(a*x)^2,x, algorithm="maxima")

[Out] x*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2/(m + 1) - integrate(2*(sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x^2*x^m + (a^3*x^3 - a*x)*x^m)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))/(a^3*(m + 1)*x^3 - a*(m + 1)*x + (a^2*(m + 1)*x^2 - m - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)), x)

Giac [F]

$$\int x^m \operatorname{arccosh}(ax)^2 dx = \int x^m \operatorname{arcosh}(ax)^2 dx$$

[In] integrate(x^m*arccosh(a*x)^2,x, algorithm="giac")

[Out] integrate(x^m*arccosh(a*x)^2, x)

Mupad [F(-1)]

Timed out.

$$\int x^m \operatorname{arccosh}(ax)^2 dx = \int x^m \operatorname{acosh}(ax)^2 dx$$

[In] int(x^m*acosh(a*x)^2,x)

[Out] int(x^m*acosh(a*x)^2, x)

3.118 $\int x^m \operatorname{arccosh}(ax) dx$

Optimal result	665
Rubi [A] (verified)	665
Mathematica [A] (verified)	667
Maple [F]	667
Fricas [F]	667
Sympy [F]	667
Maxima [F]	668
Giac [F]	668
Mupad [F(-1)]	668

Optimal result

Integrand size = 8, antiderivative size = 91

$$\int x^m \operatorname{arccosh}(ax) dx = \frac{x^{1+m} \operatorname{arccosh}(ax)}{1+m} - \frac{ax^{2+m} \sqrt{1-a^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{(2+3m+m^2) \sqrt{-1+ax} \sqrt{1+ax}}$$

[Out] $x^{(1+m)} \operatorname{arccosh}(a*x) / (1+m) - a*x^{(2+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, 1+1/2*m\right], [2+1/2*m], a^2*x^2\right) * (-a^2*x^2+1)^{(1/2)} / (m^2+3*m+2) / (a*x-1)^{(1/2)} / (a*x+1)^{(1/2)}$

Rubi [A] (verified)

Time = 0.03 (sec), antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5883, 127, 372, 371}

$$\int x^m \operatorname{arccosh}(ax) dx = \frac{x^{m+1} \operatorname{arccosh}(ax)}{m+1} - \frac{a \sqrt{1-a^2x^2} x^{m+2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, a^2x^2\right)}{(m^2+3m+2) \sqrt{ax-1} \sqrt{ax+1}}$$

[In] $\operatorname{Int}[x^m \operatorname{ArcCosh}[a*x], x]$

[Out] $(x^{(1+m)} \operatorname{ArcCosh}[a*x]) / (1+m) - (a*x^{(2+m)} \operatorname{Sqrt}[1-a^2*x^2] \operatorname{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, a^2*x^2]) / ((2+3*m+m^2) \operatorname{Sqrt}[-1+a*x] \operatorname{Sqrt}[1+a*x])$

Rule 127

$\operatorname{Int}(((f_.) * (x_.)^{(p_.)}) * ((a_.) + (b_.) * (x_.)^{(m_.)}) * ((c_.) + (d_.) * (x_.)^{(n_.)}), x_Symbol] \rightarrow \operatorname{Dist}[(a + b*x)^{\operatorname{FracPart}[m]} * ((c + d*x)^{\operatorname{FracPart}[m]} / (a*c + b*$

$d*x^2)^{\text{FracPart}[m]}$), Int[(a*c + b*d*x^2)^m*(f*x)^p, x], x] /; FreeQ[{a, b, c, d, f, m, n, p}, x] && EqQ[b*c + a*d, 0] && EqQ[n, m]

Rule 371

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Simp[a^p * ((c*x)^(m + 1)/(c*(m + 1))) * Hypergeometric2F1[-p, (m + 1)/n, (m + 1)/n + 1, (-b)*(x^n/a)], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && (ILtQ[p, 0] || GtQ[a, 0])

Rule 372

Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Dist[a^IntPart[p]*((a + b*x^n)^FracPart[p]/(1 + b*(x^n/a))^FracPart[p]), Int[(c*x)^m*(1 + b*(x^n/a))^p, x], x] /; FreeQ[{a, b, c, m, n, p}, x] && !IGtQ[p, 0] && !(ILtQ[p, 0] || GtQ[a, 0])

Rule 5883

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{x^{1+m} \operatorname{arccosh}(ax)}{1+m} - \frac{a \int \frac{x^{1+m}}{\sqrt{-1+ax}\sqrt{1+ax}} dx}{1+m} \\
 &= \frac{x^{1+m} \operatorname{arccosh}(ax)}{1+m} - \frac{(a\sqrt{-1+a^2x^2}) \int \frac{x^{1+m}}{\sqrt{-1+a^2x^2}} dx}{(1+m)\sqrt{-1+ax}\sqrt{1+ax}} \\
 &= \frac{x^{1+m} \operatorname{arccosh}(ax)}{1+m} - \frac{(a\sqrt{1-a^2x^2}) \int \frac{x^{1+m}}{\sqrt{1-a^2x^2}} dx}{(1+m)\sqrt{-1+ax}\sqrt{1+ax}} \\
 &= \frac{x^{1+m} \operatorname{arccosh}(ax)}{1+m} - \frac{ax^{2+m} \sqrt{1-a^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{(2+3m+m^2)\sqrt{-1+ax}\sqrt{1+ax}}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.90

$$\int x^m \operatorname{arccosh}(ax) dx = \frac{x^{1+m} \left(\operatorname{arccosh}(ax) - \frac{ax\sqrt{1-a^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, a^2x^2\right)}{(2+m)\sqrt{-1+ax}\sqrt{1+ax}} \right)}{1+m}$$

[In] Integrate[x^m*ArcCosh[a*x],x]

[Out] (x^(1+m)*(ArcCosh[a*x] - (a*x*Sqrt[1 - a^2*x^2]*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, a^2*x^2])/((2+m)*Sqrt[-1+a*x]*Sqrt[1+a*x]))/(1+m)

Maple [F]

$$\int x^m \operatorname{arccosh}(ax) dx$$

[In] int(x^m*arccosh(a*x),x)

[Out] int(x^m*arccosh(a*x),x)

Fricas [F]

$$\int x^m \operatorname{arccosh}(ax) dx = \int x^m \operatorname{acosh}(ax) dx$$

[In] integrate(x^m*arccosh(a*x),x, algorithm="fricas")

[Out] integral(x^m*arccosh(a*x), x)

Sympy [F]

$$\int x^m \operatorname{arccosh}(ax) dx = \int x^m \operatorname{acosh}(ax) dx$$

[In] integrate(x**m*acosh(a*x),x)

[Out] Integral(x**m*acosh(a*x), x)

Maxima [F]

$$\int x^m \operatorname{arccosh}(ax) dx = \int x^m \operatorname{arcosh}(ax) dx$$

[In] integrate(x^m*arccosh(a*x),x, algorithm="maxima")

[Out] -a^2*integrate(x^2*x^m/(a^2*(m + 1)*x^2 - m - 1), x) + a*integrate(x*x^m/(a^3*(m + 1)*x^3 - a*(m + 1)*x + (a^2*(m + 1)*x^2 - m - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)), x) + x*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))/(m + 1)

Giac [F]

$$\int x^m \operatorname{arccosh}(ax) dx = \int x^m \operatorname{arcosh}(ax) dx$$

[In] integrate(x^m*arccosh(a*x),x, algorithm="giac")

[Out] integrate(x^m*arccosh(a*x), x)

Mupad [F(-1)]

Timed out.

$$\int x^m \operatorname{arccosh}(ax) dx = \int x^m \operatorname{acosh}(ax) dx$$

[In] int(x^m*acosh(a*x),x)

[Out] int(x^m*acosh(a*x), x)

3.119 $\int \frac{x^m}{\operatorname{arccosh}(ax)} dx$

Optimal result	669
Rubi [N/A]	669
Mathematica [N/A]	670
Maple [N/A] (verified)	670
Fricas [N/A]	670
Sympy [N/A]	670
Maxima [N/A]	671
Giac [N/A]	671
Mupad [N/A]	671

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \operatorname{Int}\left(\frac{x^m}{\operatorname{arccosh}(ax)}, x\right)$$

[Out] Unintegrable($x^m/\operatorname{arccosh}(a*x)$, x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)} dx$$

[In] Int [$x^m/\operatorname{ArcCosh}[a*x]$, x]

[Out] Defer[Int] [$x^m/\operatorname{ArcCosh}[a*x]$, x]

Rubi steps

$$\text{integral} = \int \frac{x^m}{\operatorname{arccosh}(ax)} dx$$

Mathematica [N/A]

Not integrable

Time = 0.68 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)} dx$$

`[In] Integrate[x^m/ArcCosh[a*x], x]``[Out] Integrate[x^m/ArcCosh[a*x], x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.67 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx$$

`[In] int(x^m/arccosh(a*x), x)``[Out] int(x^m/arccosh(a*x), x)`**Fricas [N/A]**

Not integrable

Time = 0.24 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)} dx$$

`[In] integrate(x^m/arccosh(a*x), x, algorithm="fricas")``[Out] integral(x^m/arccosh(a*x), x)`**Sympy [N/A]**

Not integrable

Time = 0.67 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{acosh}(ax)} dx$$

`[In] integrate(x**m/acosh(a*x), x)``[Out] Integral(x**m/acosh(a*x), x)`

Maxima [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^m/arccosh(a*x),x, algorithm="maxima")

[Out] integrate(x^m/arccosh(a*x), x)

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^m/arccosh(a*x),x, algorithm="giac")

[Out] integrate(x^m/arccosh(a*x), x)

Mupad [N/A]

Not integrable

Time = 2.50 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)} dx = \int \frac{x^m}{\operatorname{acosh}(ax)} dx$$

[In] int(x^m/acosh(a*x),x)

[Out] int(x^m/acosh(a*x), x)

3.120 $\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$

Optimal result	672
Rubi [N/A]	672
Mathematica [N/A]	673
Maple [N/A] (verified)	673
Fricas [N/A]	673
Sympy [N/A]	673
Maxima [N/A]	674
Giac [N/A]	674
Mupad [N/A]	674

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \operatorname{Int}\left(\frac{x^m}{\operatorname{arccosh}(ax)^2}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a*x)^2,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

[In] Int[x^m/ArcCosh[a*x]^2,x]

[Out] Defer[Int][x^m/ArcCosh[a*x]^2, x]

Rubi steps

$$\text{integral} = \int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

Mathematica [N/A]

Not integrable

Time = 0.71 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

[In] Integrate[x^m/ArcCosh[a*x]^2,x]

[Out] Integrate[x^m/ArcCosh[a*x]^2, x]

Maple [N/A] (verified)

Not integrable

Time = 0.73 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

[In] int(x^m/arccosh(a*x)^2,x)

[Out] int(x^m/arccosh(a*x)^2,x)

Fricas [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx$$

[In] integrate(x^m/arccosh(a*x)^2,x, algorithm="fricas")

[Out] integral(x^m/arccosh(a*x)^2, x)

Sympy [N/A]

Not integrable

Time = 1.59 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{acosh}^2(ax)} dx$$

[In] integrate(x**m/acosh(a*x)**2,x)

[Out] Integral(x**m/acosh(a*x)**2, x)

Maxima [N/A]

Not integrable

Time = 0.72 (sec) , antiderivative size = 305, normalized size of antiderivative = 30.50

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x^m/arccosh(a*x)^2,x, algorithm="maxima")
```

```
[Out] -((a^2*x^2 - 1)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + (a^3*x^3 - a*x)*x^m)/((a^3*x^2 + sqrt(a*x + 1)*sqrt(a*x - 1)*a^2*x - a)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))) + integrate(((a^3*(m + 1)*x^3 - a*(m - 1)*x)*(a*x + 1)*(a*x - 1)*x^m + (2*a^4*(m + 1)*x^4 - a^2*(3*m + 1)*x^2 + m)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + (a^5*(m + 1)*x^5 - 2*a^3*(m + 1)*x^3 + a*(m + 1)*x)*x^m)/((a^5*x^5 + (a*x + 1)*(a*x - 1)*a^3*x^3 - 2*a^3*x^3 + 2*(a^4*x^4 - a^2*x^2)*sqrt(a*x + 1)*sqrt(a*x - 1) + a*x)*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^2} dx$$

```
[In] integrate(x^m/arccosh(a*x)^2,x, algorithm="giac")
```

```
[Out] integrate(x^m/arccosh(a*x)^2, x)
```

Mupad [N/A]

Not integrable

Time = 2.52 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^2} dx = \int \frac{x^m}{\operatorname{acosh}(ax)^2} dx$$

```
[In] int(x^m/acosh(a*x)^2,x)
```

```
[Out] int(x^m/acosh(a*x)^2, x)
```

3.121 $\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$

Optimal result	675
Rubi [N/A]	675
Mathematica [N/A]	676
Maple [N/A] (verified)	676
Fricas [N/A]	676
Sympy [N/A]	676
Maxima [N/A]	677
Giac [N/A]	678
Mupad [N/A]	678

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \operatorname{Int}\left(\frac{x^m}{\operatorname{arccosh}(ax)^3}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a*x)³,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

[In] Int[x^m/ArcCosh[a*x]³,x]

[Out] Defer[Int][x^m/ArcCosh[a*x]³, x]

Rubi steps

$$\text{integral} = \int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

Mathematica [N/A]

Not integrable

Time = 0.71 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

`[In] Integrate[x^m/ArcCosh[a*x]^3,x]``[Out] Integrate[x^m/ArcCosh[a*x]^3, x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.72 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

`[In] int(x^m/arccosh(a*x)^3,x)``[Out] int(x^m/arccosh(a*x)^3,x)`**Fricas [N/A]**

Not integrable

Time = 0.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx$$

`[In] integrate(x^m/arccosh(a*x)^3,x, algorithm="fricas")``[Out] integral(x^m/arccosh(a*x)^3, x)`**Sympy [N/A]**

Not integrable

Time = 4.52 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{acosh}^3(ax)} dx$$

`[In] integrate(x**m/acosh(a*x)**3,x)``[Out] Integral(x**m/acosh(a*x)**3, x)`

Maxima [N/A]

Not integrable

Time = 2.18 (sec) , antiderivative size = 1152, normalized size of antiderivative = 115.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^m/arccosh(a*x)^3,x, algorithm="maxima")

```
[Out] -1/3*((a^5*x^5 - a^3*x^3)*(a*x + 1)^(3/2)*(a*x - 1)^(3/2)*x^m + (3*a^6*x^6
- 5*a^4*x^4 + 2*a^2*x^2)*(a*x + 1)*(a*x - 1)*x^m + (3*a^7*x^7 - 7*a^5*x^5 +
5*a^3*x^3 - a*x)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + (a^8*x^8 - 3*a^6*x^6 +
3*a^4*x^4 - a^2*x^2)*x^m + ((a^5*(m + 1)*x^5 - 2*a^3*m*x^3 + a*(m - 1)*x)*(
a*x + 1)^(3/2)*(a*x - 1)^(3/2)*x^m + (3*a^6*(m + 1)*x^6 - a^4*(7*m + 3)*x^4
+ 5*a^2*m*x^2 - m)*(a*x + 1)*(a*x - 1)*x^m + (3*a^7*(m + 1)*x^7 - 2*a^5*(4
*m + 3)*x^5 + a^3*(7*m + 4)*x^3 - a*(2*m + 1)*x)*sqrt(a*x + 1)*sqrt(a*x - 1
)*x^m + (a^8*(m + 1)*x^8 - 3*a^6*(m + 1)*x^6 + 3*a^4*(m + 1)*x^4 - a^2*(m +
1)*x^2)*x^m*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1)))/((a^8*x^7 + (a*x + 1)
^(3/2)*(a*x - 1)^(3/2)*a^5*x^4 - 3*a^6*x^5 + 3*a^4*x^3 + 3*(a^6*x^5 - a^4*x
^3)*(a*x + 1)*(a*x - 1) - a^2*x + 3*(a^7*x^6 - 2*a^5*x^4 + a^3*x^2)*sqrt(a*
x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))^2) + integrate
(1/2*((m^2 + 2*m + 1)*a^6*x^6 - 2*(m^2 - m)*a^4*x^4 + (m^2 - 4*m + 3)*a^2*
x^2)*(a*x + 1)^2*(a*x - 1)^2*x^m + (4*(m^2 + 2*m + 1)*a^7*x^7 - 2*(5*m^2 +
m + 2)*a^5*x^5 + (8*m^2 - 11*m + 3)*a^3*x^3 - (2*m^2 - 5*m)*a*x)*(a*x + 1)^
(3/2)*(a*x - 1)^(3/2)*x^m + (6*(m^2 + 2*m + 1)*a^8*x^8 - 6*(3*m^2 + 3*m + 2
)*a^6*x^6 + (19*m^2 + 2*m + 3)*a^4*x^4 - (8*m^2 - 5*m - 3)*a^2*x^2 + m^2 -
m)*(a*x + 1)*(a*x - 1)*x^m + (4*(m^2 + 2*m + 1)*a^9*x^9 - 2*(7*m^2 + 11*m +
6)*a^7*x^7 + 3*(6*m^2 + 7*m + 3)*a^5*x^5 - (10*m^2 + 8*m + 1)*a^3*x^3 + (2
*m^2 + m)*a*x)*sqrt(a*x + 1)*sqrt(a*x - 1)*x^m + ((m^2 + 2*m + 1)*a^10*x^10
- 4*(m^2 + 2*m + 1)*a^8*x^8 + 6*(m^2 + 2*m + 1)*a^6*x^6 - 4*(m^2 + 2*m + 1
)*a^4*x^4 + (m^2 + 2*m + 1)*a^2*x^2)*x^m)/((a^10*x^10 + (a*x + 1)^2*(a*x -
1)^2*a^6*x^6 - 4*a^8*x^8 + 6*a^6*x^6 - 4*a^4*x^4 + 4*(a^7*x^7 - a^5*x^5)*(a
*x + 1)^(3/2)*(a*x - 1)^(3/2) + a^2*x^2 + 6*(a^8*x^8 - 2*a^6*x^6 + a^4*x^4)
*(a*x + 1)*(a*x - 1) + 4*(a^9*x^9 - 3*a^7*x^7 + 3*a^5*x^5 - a^3*x^3)*sqrt(a
*x + 1)*sqrt(a*x - 1))*log(a*x + sqrt(a*x + 1)*sqrt(a*x - 1))), x)
```

Giac [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^3} dx$$

[In] integrate(x^m/arccosh(a*x)^3,x, algorithm="giac")

[Out] integrate(x^m/arccosh(a*x)^3, x)

Mupad [N/A]

Not integrable

Time = 2.50 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^3} dx = \int \frac{x^m}{\operatorname{acosh}(ax)^3} dx$$

[In] int(x^m/acosh(a*x)^3,x)

[Out] int(x^m/acosh(a*x)^3, x)

3.122 $\int x^m \operatorname{arccosh}(ax)^{3/2} dx$

Optimal result	679
Rubi [N/A]	679
Mathematica [N/A]	680
Maple [N/A] (verified)	680
Fricas [F(-2)]	680
Sympy [F(-1)]	680
Maxima [N/A]	681
Giac [F(-1)]	681
Mupad [N/A]	681

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \operatorname{Int}(x^m \operatorname{arccosh}(ax)^{3/2}, x)$$

[Out] Unintegrable($x^m \operatorname{arccosh}(a*x)^{(3/2)}, x$)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \int x^m \operatorname{arccosh}(ax)^{3/2} dx$$

[In] $\operatorname{Int}[x^m \operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

[Out] $\operatorname{Defer}[\operatorname{Int}][x^m \operatorname{ArcCosh}[a*x]^{(3/2)}, x]$

Rubi steps

$$\text{integral} = \int x^m \operatorname{arccosh}(ax)^{3/2} dx$$

Mathematica [N/A]

Not integrable

Time = 0.93 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \int x^m \operatorname{arccosh}(ax)^{3/2} dx$$

`[In] Integrate[x^m*ArcCosh[a*x]^(3/2),x]``[Out] Integrate[x^m*ArcCosh[a*x]^(3/2), x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.27 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int x^m \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

`[In] int(x^m*arccosh(a*x)^(3/2),x)``[Out] int(x^m*arccosh(a*x)^(3/2),x)`**Fricas [F(-2)]**

Exception generated.

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \text{Exception raised: TypeError}$$

`[In] integrate(x^m*arccosh(a*x)^(3/2),x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [F(-1)]**

Timed out.

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \text{Timed out}$$

`[In] integrate(x**m*acosh(a*x)**(3/2),x)``[Out] Timed out`

Maxima [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \int x^m \operatorname{arccosh}(ax)^{\frac{3}{2}} dx$$

[In] integrate(x^m*arccosh(a*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^m*arccosh(a*x)^(3/2), x)

Giac [F(-1)]

Timed out.

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \text{Timed out}$$

[In] integrate(x^m*arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] Timed out

Mupad [N/A]

Not integrable

Time = 2.63 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^m \operatorname{arccosh}(ax)^{3/2} dx = \int x^m \operatorname{acosh}(ax)^{3/2} dx$$

[In] int(x^m*acosh(a*x)^(3/2),x)

[Out] int(x^m*acosh(a*x)^(3/2), x)

3.123 $\int x^m \sqrt{\operatorname{arccosh}(ax)} dx$

Optimal result	682
Rubi [N/A]	682
Mathematica [N/A]	683
Maple [N/A] (verified)	683
Fricas [F(-2)]	683
Sympy [N/A]	683
Maxima [N/A]	684
Giac [F(-1)]	684
Mupad [N/A]	684

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \operatorname{Int}\left(x^m \sqrt{\operatorname{arccosh}(ax)}, x\right)$$

[Out] Unintegrable($x^m \operatorname{arccosh}(a*x)^{(1/2)}$, x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \int x^m \sqrt{\operatorname{arccosh}(ax)} dx$$

[In] Int [$x^m \operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]$], x]

[Out] Defer[Int] [$x^m \operatorname{Sqrt}[\operatorname{ArcCosh}[a*x]]$], x]

Rubi steps

$$\text{integral} = \int x^m \sqrt{\operatorname{arccosh}(ax)} dx$$

Mathematica [N/A]

Not integrable

Time = 1.02 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \int x^m \sqrt{\operatorname{arccosh}(ax)} dx$$

[In] Integrate[x^m*Sqrt[ArcCosh[a*x]],x]

[Out] Integrate[x^m*Sqrt[ArcCosh[a*x]], x]

Maple [N/A] (verified)

Not integrable

Time = 0.26 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx$$

[In] int(x^m*arccosh(a*x)^(1/2),x)

[Out] int(x^m*arccosh(a*x)^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^m*arccosh(a*x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [N/A]

Not integrable

Time = 3.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \int x^m \sqrt{\operatorname{acosh}(ax)} dx$$

[In] integrate(x**m*acosh(a*x)**(1/2),x)

[Out] Integral(x**m*sqrt(acosh(a*x)), x)

Maxima [N/A]

Not integrable

Time = 0.50 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \int x^m \sqrt{\operatorname{arcosh}(ax)} dx$$

[In] integrate(x^m*arccosh(a*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^m*sqrt(arccosh(a*x)), x)

Giac [F(-1)]

Timed out.

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \text{Timed out}$$

[In] integrate(x^m*arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] Timed out

Mupad [N/A]

Not integrable

Time = 2.80 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int x^m \sqrt{\operatorname{arccosh}(ax)} dx = \int x^m \sqrt{\operatorname{acosh}(ax)} dx$$

[In] int(x^m*acosh(a*x)^(1/2),x)

[Out] int(x^m*acosh(a*x)^(1/2), x)

$$3.124 \quad \int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Optimal result	685
Rubi [N/A]	685
Mathematica [N/A]	686
Maple [N/A] (verified)	686
Fricas [F(-2)]	686
Sympy [N/A]	686
Maxima [N/A]	687
Giac [N/A]	687
Mupad [N/A]	687

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \operatorname{Int}\left(\frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a*x)^(1/2), x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

[In] Int[x^m/Sqrt[ArcCosh[a*x]], x]

[Out] Defer[Int][x^m/Sqrt[ArcCosh[a*x]], x]

Rubi steps

$$\text{integral} = \int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

Mathematica [N/A]

Not integrable

Time = 1.69 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

`[In] Integrate[x^m/Sqrt[ArcCosh[a*x]], x]``[Out] Integrate[x^m/Sqrt[ArcCosh[a*x]], x]`**Maple [N/A] (verified)**

Not integrable

Time = 0.28 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx$$

`[In] int(x^m/arccosh(a*x)^(1/2), x)``[Out] int(x^m/arccosh(a*x)^(1/2), x)`**Fricas [F(-2)]**

Exception generated.

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \text{Exception raised: TypeError}$$

`[In] integrate(x^m/arccosh(a*x)^(1/2), x, algorithm="fricas")``[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`**Sympy [N/A]**

Not integrable

Time = 0.92 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{acosh}(ax)}} dx$$

`[In] integrate(x**m/acosh(a*x)**(1/2), x)``[Out] Integral(x**m/sqrt(acosh(a*x)), x)`

Maxima [N/A]

Not integrable

Time = 0.51 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(x^m/arccosh(a*x)^(1/2),x, algorithm="maxima")

[Out] integrate(x^m/sqrt(arccosh(a*x)), x)

Giac [N/A]

Not integrable

Time = 2.34 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{arcosh}(ax)}} dx$$

[In] integrate(x^m/arccosh(a*x)^(1/2),x, algorithm="giac")

[Out] integrate(x^m/sqrt(arccosh(a*x)), x)

Mupad [N/A]

Not integrable

Time = 2.61 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\sqrt{\operatorname{arccosh}(ax)}} dx = \int \frac{x^m}{\sqrt{\operatorname{acosh}(ax)}} dx$$

[In] int(x^m/acosh(a*x)^(1/2),x)

[Out] int(x^m/acosh(a*x)^(1/2), x)

3.125 $\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx$

Optimal result	688
Rubi [N/A]	688
Mathematica [N/A]	689
Maple [N/A] (verified)	689
Fricas [F(-2)]	689
Sympy [N/A]	689
Maxima [N/A]	690
Giac [N/A]	690
Mupad [N/A]	690

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \operatorname{Int}\left(\frac{x^m}{\operatorname{arccosh}(ax)^{3/2}}, x\right)$$

[Out] Unintegrable(x^m/arccosh(a*x)^(3/2),x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx$$

[In] Int[x^m/ArcCosh[a*x]^(3/2),x]

[Out] Defer[Int][x^m/ArcCosh[a*x]^(3/2), x]

Rubi steps

$$\text{integral} = \int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx$$

Mathematica [N/A]

Not integrable

Time = 1.73 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx$$

[In] Integrate[x^m/ArcCosh[a*x]^(3/2),x]

[Out] Integrate[x^m/ArcCosh[a*x]^(3/2), x]

Maple [N/A] (verified)

Not integrable

Time = 0.26 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.83

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{\frac{3}{2}}} dx$$

[In] int(x^m/arccosh(a*x)^(3/2),x)

[Out] int(x^m/arccosh(a*x)^(3/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x^m/arccosh(a*x)^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [N/A]

Not integrable

Time = 13.67 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{acosh}^{\frac{3}{2}}(ax)} dx$$

[In] integrate(x**m/acosh(a*x)**(3/2),x)

[Out] Integral(x**m/acosh(a*x)**(3/2), x)

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] integrate(x^m/arccosh(a*x)^(3/2),x, algorithm="maxima")

[Out] integrate(x^m/arccosh(a*x)^(3/2), x)

Giac [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{arcosh}(ax)^{\frac{3}{2}}} dx$$

[In] integrate(x^m/arccosh(a*x)^(3/2),x, algorithm="giac")

[Out] integrate(x^m/arccosh(a*x)^(3/2), x)

Mupad [N/A]

Not integrable

Time = 3.00 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int \frac{x^m}{\operatorname{arccosh}(ax)^{3/2}} dx = \int \frac{x^m}{\operatorname{acosh}(ax)^{3/2}} dx$$

[In] int(x^m/acosh(a*x)^(3/2),x)

[Out] int(x^m/acosh(a*x)^(3/2), x)

3.126 $\int (dx)^m \operatorname{arccosh}(ax)^n dx$

Optimal result	691
Rubi [N/A]	691
Mathematica [N/A]	692
Maple [N/A] (verified)	692
Fricas [N/A]	692
Sympy [N/A]	692
Maxima [N/A]	693
Giac [F(-1)]	693
Mupad [N/A]	693

Optimal result

Integrand size = 12, antiderivative size = 12

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \operatorname{Int}((dx)^m \operatorname{arccosh}(ax)^n, x)$$

[Out] Unintegrable((d*x)^m*arccosh(a*x)^n,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int (dx)^m \operatorname{arccosh}(ax)^n dx$$

[In] Int[(d*x)^m*ArcCosh[a*x]^n,x]

[Out] Defer[Int] [(d*x)^m*ArcCosh[a*x]^n, x]

Rubi steps

$$\text{integral} = \int (dx)^m \operatorname{arccosh}(ax)^n dx$$

Mathematica [N/A]

Not integrable

Time = 1.24 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int (dx)^m \operatorname{arccosh}(ax)^n dx$$

[In] Integrate[(d*x)^m*ArcCosh[a*x]^n,x]

[Out] Integrate[(d*x)^m*ArcCosh[a*x]^n, x]

Maple [N/A] (verified)

Not integrable

Time = 0.28 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx$$

[In] int((d*x)^m*arccosh(a*x)^n,x)

[Out] int((d*x)^m*arccosh(a*x)^n,x)

Fricas [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int (dx)^m \operatorname{arccosh}(ax)^n dx$$

[In] integrate((d*x)^m*arccosh(a*x)^n,x, algorithm="fricas")

[Out] integral((d*x)^m*arccosh(a*x)^n, x)

Sympy [N/A]

Not integrable

Time = 12.72 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.00

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int (dx)^m \operatorname{acosh}^n(ax) dx$$

[In] integrate((d*x)**m*acosh(a*x)**n,x)

[Out] Integral((d*x)**m*acosh(a*x)**n, x)

Maxima [N/A]

Not integrable

Time = 0.49 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int (dx)^m \operatorname{arcosh}(ax)^n dx$$

[In] integrate((d*x)^m*arccosh(a*x)^n,x, algorithm="maxima")

[Out] integrate((d*x)^m*arccosh(a*x)^n, x)

Giac [F(-1)]

Timed out.

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \text{Timed out}$$

[In] integrate((d*x)^m*arccosh(a*x)^n,x, algorithm="giac")

[Out] Timed out

Mupad [N/A]

Not integrable

Time = 2.79 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.17

$$\int (dx)^m \operatorname{arccosh}(ax)^n dx = \int \operatorname{acosh}(ax)^n (dx)^m dx$$

[In] int(acosh(a*x)^n*(d*x)^m,x)

[Out] int(acosh(a*x)^n*(d*x)^m, x)

3.127 $\int x^4 \operatorname{arccosh}(ax)^n dx$

Optimal result	694
Rubi [A] (verified)	694
Mathematica [A] (verified)	696
Maple [F]	697
Fricas [F]	697
Sympy [F]	697
Maxima [F]	697
Giac [F]	698
Mupad [F(-1)]	698

Optimal result

Integrand size = 10, antiderivative size = 173

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \frac{5^{-1-n}(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -5\operatorname{arccosh}(ax))}{32a^5} + \frac{3^{-n}(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -3\operatorname{arccosh}(ax))}{32a^5} + \frac{(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -\operatorname{arccosh}(ax))}{16a^5} + \frac{\Gamma(1+n, \operatorname{arccosh}(ax))}{16a^5} + \frac{3^{-n} \Gamma(1+n, 3\operatorname{arccosh}(ax))}{32a^5} + \frac{5^{-1-n} \Gamma(1+n, 5\operatorname{arccosh}(ax))}{32a^5}$$

```
[Out] 1/32*5^(-1-n)*arccosh(a*x)^n*GAMMA(1+n,-5*arccosh(a*x))/a^5/((-arccosh(a*x))^n)+1/32*arccosh(a*x)^n*GAMMA(1+n,-3*arccosh(a*x))/(3^n)/a^5/((-arccosh(a*x))^n)+1/16*arccosh(a*x)^n*GAMMA(1+n,-arccosh(a*x))/a^5/((-arccosh(a*x))^n)+1/16*GAMMA(1+n,arccosh(a*x))/a^5+1/32*GAMMA(1+n,3*arccosh(a*x))/(3^n)/a^5+1/32*5^(-1-n)*GAMMA(1+n,5*arccosh(a*x))/a^5
```

Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used

= {5887, 5556, 3389, 2212}

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \frac{5^{-n-1} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -5 \operatorname{arccosh}(ax))}{32a^5} + \frac{3^{-n} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -3 \operatorname{arccosh}(ax))}{32a^5} + \frac{\operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -\operatorname{arccosh}(ax))}{16a^5} + \frac{\Gamma(n+1, \operatorname{arccosh}(ax))}{16a^5} + \frac{3^{-n} \Gamma(n+1, 3 \operatorname{arccosh}(ax))}{32a^5} + \frac{5^{-n-1} \Gamma(n+1, 5 \operatorname{arccosh}(ax))}{32a^5}$$

[In] Int[x^4*ArcCosh[a*x]^n,x]

[Out] (5^(-1 - n)*ArcCosh[a*x]^n*Gamma[1 + n, -5*ArcCosh[a*x]])/(32*a^5*(-ArcCosh[a*x])^n) + (ArcCosh[a*x]^n*Gamma[1 + n, -3*ArcCosh[a*x]])/(32*3^n*a^5*(-ArcCosh[a*x])^n) + (ArcCosh[a*x]^n*Gamma[1 + n, -ArcCosh[a*x]])/(16*a^5*(-ArcCosh[a*x])^n) + Gamma[1 + n, ArcCosh[a*x]]/(16*a^5) + Gamma[1 + n, 3*ArcCosh[a*x]]/(32*3^n*a^5) + (5^(-1 - n)*Gamma[1 + n, 5*ArcCosh[a*x]])/(32*a^5)

Rule 2212

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)))^(IntPart[m] + 1))*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]]*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3389

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sinh[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] & IGtQ[p, 0]

Rule 5887

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] :> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{\text{Subst}\left(\int x^n \cosh^4(x) \sinh(x) dx, x, \text{arccosh}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int \left(\frac{1}{8}x^n \sinh(x) + \frac{3}{16}x^n \sinh(3x) + \frac{1}{16}x^n \sinh(5x)\right) dx, x, \text{arccosh}(ax)\right)}{a^5} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(5x) dx, x, \text{arccosh}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \text{arccosh}(ax)\right)}{8a^5} \\
&\quad + \frac{3\text{Subst}\left(\int x^n \sinh(3x) dx, x, \text{arccosh}(ax)\right)}{16a^5} \\
&= -\frac{\text{Subst}\left(\int e^{-5x}x^n dx, x, \text{arccosh}(ax)\right)}{32a^5} + \frac{\text{Subst}\left(\int e^{5x}x^n dx, x, \text{arccosh}(ax)\right)}{32a^5} \\
&\quad - \frac{\text{Subst}\left(\int e^{-x}x^n dx, x, \text{arccosh}(ax)\right)}{16a^5} + \frac{\text{Subst}\left(\int e^x x^n dx, x, \text{arccosh}(ax)\right)}{16a^5} \\
&\quad - \frac{3\text{Subst}\left(\int e^{-3x}x^n dx, x, \text{arccosh}(ax)\right)}{32a^5} + \frac{3\text{Subst}\left(\int e^{3x}x^n dx, x, \text{arccosh}(ax)\right)}{32a^5} \\
&= \frac{5^{-1-n}(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -5\text{arccosh}(ax))}{32a^5} \\
&\quad + \frac{3^{-n}(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -3\text{arccosh}(ax))}{32a^5} \\
&\quad + \frac{(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -\text{arccosh}(ax))}{16a^5} + \frac{\Gamma(1+n, \text{arccosh}(ax))}{16a^5} \\
&\quad + \frac{3^{-n}\Gamma(1+n, 3\text{arccosh}(ax))}{32a^5} + \frac{5^{-1-n}\Gamma(1+n, 5\text{arccosh}(ax))}{32a^5}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 144, normalized size of antiderivative = 0.83

$$\begin{aligned}
&\int x^4 \text{arccosh}(ax)^n dx \\
&= \frac{5^{-n}(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -5\text{arccosh}(ax)) + 5 \cdot 3^{-n}(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -3\text{arccosh}(ax)) + (-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -\text{arccosh}(ax)) + \Gamma(1+n, \text{arccosh}(ax)) + 3^{-n}\Gamma(1+n, 3\text{arccosh}(ax)) + 5^{-1-n}\Gamma(1+n, 5\text{arccosh}(ax))}{160a^5}
\end{aligned}$$

[In] Integrate[x^4*ArcCosh[a*x]^n,x]

[Out] ((ArcCosh[a*x]^n*Gamma[1+n, -5*ArcCosh[a*x]])/(5^n*(-ArcCosh[a*x])^n) + (5*ArcCosh[a*x]^n*Gamma[1+n, -3*ArcCosh[a*x]])/(3^n*(-ArcCosh[a*x])^n) + (10*ArcCosh[a*x]^n*Gamma[1+n, -ArcCosh[a*x]])/(-ArcCosh[a*x])^n + 10*Gamma[1+n, ArcCosh[a*x]] + (5*Gamma[1+n, 3*ArcCosh[a*x]])/3^n + Gamma[1+n, 5*ArcCosh[a*x]]/5^n)/(160*a^5)

Maple [F]

$$\int x^4 \operatorname{arccosh}(ax)^n dx$$

```
[In] int(x^4*arccosh(a*x)^n,x)
```

```
[Out] int(x^4*arccosh(a*x)^n,x)
```

Fricas [F]

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \int x^4 \operatorname{arcosh}(ax)^n dx$$

```
[In] integrate(x^4*arccosh(a*x)^n,x, algorithm="fricas")
```

```
[Out] integral(x^4*arccosh(a*x)^n, x)
```

Sympy [F]

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \int x^4 \operatorname{acosh}^n(ax) dx$$

```
[In] integrate(x**4*acosh(a*x)**n,x)
```

```
[Out] Integral(x**4*acosh(a*x)**n, x)
```

Maxima [F]

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \int x^4 \operatorname{arcosh}(ax)^n dx$$

```
[In] integrate(x^4*arccosh(a*x)^n,x, algorithm="maxima")
```

```
[Out] integrate(x^4*arccosh(a*x)^n, x)
```

Giac [F]

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \int x^4 \operatorname{arcosh}(ax)^n dx$$

[In] integrate(x^4*arccosh(a*x)^n,x, algorithm="giac")

[Out] integrate(x^4*arccosh(a*x)^n, x)

Mupad [F(-1)]

Timed out.

$$\int x^4 \operatorname{arccosh}(ax)^n dx = \int x^4 \operatorname{acosh}(ax)^n dx$$

[In] int(x^4*acosh(a*x)^n,x)

[Out] int(x^4*acosh(a*x)^n, x)

3.128 $\int x^3 \operatorname{arccosh}(ax)^n dx$

Optimal result	699
Rubi [A] (verified)	699
Mathematica [A] (verified)	701
Maple [C] (verified)	701
Fricas [F]	702
Sympy [F]	702
Maxima [F]	702
Giac [F(-2)]	702
Mupad [F(-1)]	703

Optimal result

Integrand size = 10, antiderivative size = 117

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \frac{2^{-2(3+n)}(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -4\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-4-n}(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -2\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-4-n} \Gamma(1+n, 2\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-2(3+n)} \Gamma(1+n, 4\operatorname{arccosh}(ax))}{a^4}$$

[Out] $\operatorname{arccosh}(a*x)^n * \text{GAMMA}(1+n, -4*\operatorname{arccosh}(a*x)) / (2^{(6+2*n)}) / a^4 / ((-\operatorname{arccosh}(a*x))^{n+2} * (-4-n) * \operatorname{arccosh}(a*x)^n * \text{GAMMA}(1+n, -2*\operatorname{arccosh}(a*x)) / a^4 / ((-\operatorname{arccosh}(a*x))^{n+2} * (-4-n) * \text{GAMMA}(1+n, 2*\operatorname{arccosh}(a*x)) / a^4 + \text{GAMMA}(1+n, 4*\operatorname{arccosh}(a*x)) / (2^{(6+2*n)}) / a^4$

Rubi [A] (verified)

Time = 0.13 (sec) , antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5887, 5556, 3389, 2212}

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \frac{2^{-2(n+3)} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -4\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-n-4} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -2\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-n-4} \Gamma(n+1, 2\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-2(n+3)} \Gamma(n+1, 4\operatorname{arccosh}(ax))}{a^4}$$

[In] Int[x^3*ArcCosh[a*x]^n,x]

```
[Out] (ArcCosh[a*x]^n*Gamma[1 + n, -4*ArcCosh[a*x]])/(2^(2*(3 + n))*a^4*(-ArcCosh[a*x])^n) + (2^(-4 - n)*ArcCosh[a*x]^n*Gamma[1 + n, -2*ArcCosh[a*x]])/(a^4*(-ArcCosh[a*x])^n) + (2^(-4 - n)*Gamma[1 + n, 2*ArcCosh[a*x]])/a^4 + Gamma[1 + n, 4*ArcCosh[a*x]]/(2^(2*(3 + n))*a^4)
```

Rule 2212

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d))^(IntPart[m] + 1))*((-f)*g*Log[F]*((c + d*x)/d)^FracPart[m])*Gamma[m + 1, ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3389

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sinh[(a_) + (b_)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5887

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^m_, x_Symbol] :> Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{\text{Subst}\left(\int x^n \cosh^3(x) \sinh(x) dx, x, \text{arccosh}(ax)\right)}{a^4} \\
 &= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sinh(2x) + \frac{1}{8}x^n \sinh(4x)\right) dx, x, \text{arccosh}(ax)\right)}{a^4} \\
 &= \frac{\text{Subst}\left(\int x^n \sinh(4x) dx, x, \text{arccosh}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int x^n \sinh(2x) dx, x, \text{arccosh}(ax)\right)}{4a^4} \\
 &= -\frac{\text{Subst}\left(\int e^{-4x} x^n dx, x, \text{arccosh}(ax)\right)}{16a^4} + \frac{\text{Subst}\left(\int e^{4x} x^n dx, x, \text{arccosh}(ax)\right)}{16a^4} \\
 &\quad - \frac{\text{Subst}\left(\int e^{-2x} x^n dx, x, \text{arccosh}(ax)\right)}{8a^4} + \frac{\text{Subst}\left(\int e^{2x} x^n dx, x, \text{arccosh}(ax)\right)}{8a^4}
 \end{aligned}$$

$$= \frac{4^{-3-n}(-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -4\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-4-n}(-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -2\operatorname{arccosh}(ax))}{a^4} + \frac{2^{-4-n}\Gamma(1+n, 2\operatorname{arccosh}(ax))}{a^4} + \frac{4^{-3-n}\Gamma(1+n, 4\operatorname{arccosh}(ax))}{a^4}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 97, normalized size of antiderivative = 0.83

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \frac{4^{-3-n}(-\operatorname{arccosh}(ax))^{-n}(\operatorname{arccosh}(ax)^n\Gamma(1+n, -4\operatorname{arccosh}(ax)) + 2^{2+n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -2\operatorname{arccosh}(ax)))}{a^4}$$

[In] Integrate[x^3*ArcCosh[a*x]^n,x]

[Out] (4^(-3 - n)*(ArcCosh[a*x]^n*Gamma[1 + n, -4*ArcCosh[a*x]] + 2^(2 + n)*ArcCosh[a*x]^n*Gamma[1 + n, -2*ArcCosh[a*x]] + (-ArcCosh[a*x])^n*(2^(2 + n)*Gamma[1 + n, 2*ArcCosh[a*x]] + Gamma[1 + n, 4*ArcCosh[a*x]])))/(a^4*(-ArcCosh[a*x])^n)

Maple [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 4.

Time = 0.69 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.68

method	result
default	$\frac{\operatorname{arccosh}(ax)^{2+n} \operatorname{hypergeom}\left(\left[1+\frac{n}{2}\right], \left[\frac{3}{2}, 2+\frac{n}{2}\right], \operatorname{arccosh}(ax)^2\right)}{2a^4(2+n)} + \frac{\operatorname{arccosh}(ax)^{2+n} \operatorname{hypergeom}\left(\left[1+\frac{n}{2}\right], \left[\frac{3}{2}, 2+\frac{n}{2}\right], 4\operatorname{arccosh}(ax)^2\right)}{2a^4(2+n)}$

[In] int(x^3*arccosh(a*x)^n,x,method=_RETURNVERBOSE)

[Out] 1/2/a^4/(2+n)*arccosh(a*x)^(2+n)*hypergeom([1+1/2*n], [3/2, 2+1/2*n], arccosh(a*x)^2)+1/2/a^4/(2+n)*arccosh(a*x)^(2+n)*hypergeom([1+1/2*n], [3/2, 2+1/2*n], 4*arccosh(a*x)^2)

Fricas [F]

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \int x^3 \operatorname{arcosh}(ax)^n dx$$

```
[In] integrate(x^3*arccosh(a*x)^n,x, algorithm="fricas")
```

```
[Out] integral(x^3*arccosh(a*x)^n, x)
```

Sympy [F]

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \int x^3 \operatorname{acosh}^n(ax) dx$$

```
[In] integrate(x**3*acosh(a*x)**n,x)
```

```
[Out] Integral(x**3*acosh(a*x)**n, x)
```

Maxima [F]

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \int x^3 \operatorname{arcosh}(ax)^n dx$$

```
[In] integrate(x^3*arccosh(a*x)^n,x, algorithm="maxima")
```

```
[Out] integrate(x^3*arccosh(a*x)^n, x)
```

Giac [F(-2)]

Exception generated.

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^3*arccosh(a*x)^n,x, algorithm="giac")
```

```
[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
dex_m & i,const vecteur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^3 \operatorname{arccosh}(ax)^n dx = \int x^3 \operatorname{acosh}(ax)^n dx$$

```
[In] int(x^3*acosh(a*x)^n,x)
```

```
[Out] int(x^3*acosh(a*x)^n, x)
```

3.129 $\int x^2 \operatorname{arccosh}(ax)^n dx$

Optimal result	704
Rubi [A] (verified)	704
Mathematica [A] (verified)	706
Maple [F]	706
Fricas [F]	706
Sympy [F]	707
Maxima [F]	707
Giac [F]	707
Mupad [F(-1)]	707

Optimal result

Integrand size = 10, antiderivative size = 113

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \frac{3^{-1-n} (-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -3\operatorname{arccosh}(ax))}{8a^3} + \frac{(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -\operatorname{arccosh}(ax))}{8a^3} + \frac{\Gamma(1+n, \operatorname{arccosh}(ax))}{8a^3} + \frac{3^{-1-n} \Gamma(1+n, 3\operatorname{arccosh}(ax))}{8a^3}$$

[Out] $1/8*3^{(-1-n)}*\operatorname{arccosh}(a*x)^n*\operatorname{GAMMA}(1+n, -3*\operatorname{arccosh}(a*x))/a^3/((- \operatorname{arccosh}(a*x))^n)+1/8*\operatorname{arccosh}(a*x)^n*\operatorname{GAMMA}(1+n, -\operatorname{arccosh}(a*x))/a^3/((- \operatorname{arccosh}(a*x))^n)+1/8*\operatorname{GAMMA}(1+n, \operatorname{arccosh}(a*x))/a^3+1/8*3^{(-1-n)}*\operatorname{GAMMA}(1+n, 3*\operatorname{arccosh}(a*x))/a^3$

Rubi [A] (verified)

Time = 0.11 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5887, 5556, 3389, 2212}

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \frac{3^{-n-1} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -3\operatorname{arccosh}(ax))}{8a^3} + \frac{\operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -\operatorname{arccosh}(ax))}{8a^3} + \frac{\Gamma(n+1, \operatorname{arccosh}(ax))}{8a^3} + \frac{3^{-n-1} \Gamma(n+1, 3\operatorname{arccosh}(ax))}{8a^3}$$

[In] $\operatorname{Int}[x^2*\operatorname{ArcCosh}[a*x]^n, x]$

[Out] $(3^{(-1-n)}*\operatorname{ArcCosh}[a*x]^n*\operatorname{Gamma}[1+n, -3*\operatorname{ArcCosh}[a*x]])/(8*a^3*(-\operatorname{ArcCosh}[a*x])^n) + (\operatorname{ArcCosh}[a*x]^n*\operatorname{Gamma}[1+n, -\operatorname{ArcCosh}[a*x]])/(8*a^3*(-\operatorname{ArcCosh}[a*x])^n) + \operatorname{Gamma}[1+n, \operatorname{ArcCosh}[a*x]]/a^3 + 3^{(-1-n)}*\operatorname{Gamma}[1+n, 3*\operatorname{ArcCosh}[a*x]]/a^3$

$x])^n) + \text{Gamma}[1 + n, \text{ArcCosh}[a*x]]/(8*a^3) + (3^{(-1 - n)}*\text{Gamma}[1 + n, 3*\text{ArcCosh}[a*x]])/(8*a^3)$

Rule 2212

$\text{Int}[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Simp}[(-F^{(g*(e - c*(f/d)))})*((c + d*x)^{\text{FracPart}[m]}/(d*((-f)*g*(\text{Log}[F]/d)))^{(\text{IntPart}[m] + 1)*((-f)*g*\text{Log}[F]*((c + d*x)/d))^{\text{FracPart}[m]})]*\text{Gamma}[m + 1, ((-f)*g*(\text{Log}[F]/d))*(c + d*x)], x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x\} \&\& \text{IntegerQ}[m]$

Rule 3389

$\text{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(c + d*x)^m/E^{(I*(e + f*x))}, x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*(e + f*x))}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x\}$

Rule 5556

$\text{Int}[\text{Cosh}[a_.) + (b_.)*(x_)]^{(p_.)}*((c_.) + (d_.)*(x_))^{(m_.)}*\text{Sinh}[a_.) + (b_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sinh}[a + b*x]^{n*\text{Cosh}[a + b*x]^p}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x\} \&\& \text{IGtQ}[n, 0] \& \& \text{IGtQ}[p, 0]$

Rule 5887

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.)]^{(n_.)}*(x_)]^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(b*c^{(m + 1)}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^{m*\text{Sinh}[-a/b + x/b}], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x\} \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int x^n \cosh^2(x) \sinh(x) dx, x, \text{arccosh}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int \left(\frac{1}{4}x^n \sinh(x) + \frac{1}{4}x^n \sinh(3x)\right) dx, x, \text{arccosh}(ax)\right)}{a^3} \\ &= \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \text{arccosh}(ax)\right)}{4a^3} + \frac{\text{Subst}\left(\int x^n \sinh(3x) dx, x, \text{arccosh}(ax)\right)}{4a^3} \\ &= -\frac{\text{Subst}\left(\int e^{-3x} x^n dx, x, \text{arccosh}(ax)\right)}{8a^3} - \frac{\text{Subst}\left(\int e^{-x} x^n dx, x, \text{arccosh}(ax)\right)}{8a^3} \\ &\quad + \frac{\text{Subst}\left(\int e^x x^n dx, x, \text{arccosh}(ax)\right)}{8a^3} + \frac{\text{Subst}\left(\int e^{3x} x^n dx, x, \text{arccosh}(ax)\right)}{8a^3} \end{aligned}$$

$$= \frac{3^{-1-n}(-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -3\operatorname{arccosh}(ax))}{8a^3} + \frac{(-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -\operatorname{arccosh}(ax))}{8a^3} + \frac{\Gamma(1+n, \operatorname{arccosh}(ax))}{8a^3} + \frac{3^{-1-n}\Gamma(1+n, 3\operatorname{arccosh}(ax))}{8a^3}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 95, normalized size of antiderivative = 0.84

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \frac{3^{-1-n}(-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -3\operatorname{arccosh}(ax)) + (-\operatorname{arccosh}(ax))^{-n}\operatorname{arccosh}(ax)^n\Gamma(1+n, -\operatorname{arccosh}(ax)) + \Gamma(1+n, \operatorname{arccosh}(ax)) + 3^{-1-n}\Gamma(1+n, 3\operatorname{arccosh}(ax))}{8a^3}$$

[In] Integrate[x^2*ArcCosh[a*x]^n,x]

[Out] ((3^(-1 - n)*ArcCosh[a*x]^n*Gamma[1 + n, -3*ArcCosh[a*x]])/(-ArcCosh[a*x])^n + (ArcCosh[a*x]^n*Gamma[1 + n, -ArcCosh[a*x]])/(-ArcCosh[a*x])^n + Gamma[1 + n, ArcCosh[a*x]] + 3^(-1 - n)*Gamma[1 + n, 3*ArcCosh[a*x]])/(8*a^3)

Maple [F]

$$\int x^2 \operatorname{arccosh}(ax)^n dx$$

[In] int(x^2*arccosh(a*x)^n,x)

[Out] int(x^2*arccosh(a*x)^n,x)

Fricas [F]

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \int x^2 \operatorname{arcosh}(ax)^n dx$$

[In] integrate(x^2*arccosh(a*x)^n,x, algorithm="fricas")

[Out] integral(x^2*arccosh(a*x)^n, x)

Sympy [F]

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \int x^2 \operatorname{acosh}^n(ax) dx$$

[In] `integrate(x**2*acosh(a*x)**n,x)`

[Out] `Integral(x**2*acosh(a*x)**n, x)`

Maxima [F]

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \int x^2 \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(x^2*arccosh(a*x)^n,x, algorithm="maxima")`

[Out] `integrate(x^2*arccosh(a*x)^n, x)`

Giac [F]

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \int x^2 \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(x^2*arccosh(a*x)^n,x, algorithm="giac")`

[Out] `integrate(x^2*arccosh(a*x)^n, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \operatorname{arccosh}(ax)^n dx = \int x^2 \operatorname{acosh}(ax)^n dx$$

[In] `int(x^2*acosh(a*x)^n,x)`

[Out] `int(x^2*acosh(a*x)^n, x)`

3.130 $\int x \operatorname{arccosh}(ax)^n dx$

Optimal result	708
Rubi [A] (verified)	708
Mathematica [A] (verified)	710
Maple [C] (verified)	710
Fricas [F]	710
Sympy [F]	711
Maxima [F]	711
Giac [F]	711
Mupad [F(-1)]	711

Optimal result

Integrand size = 8, antiderivative size = 59

$$\int x \operatorname{arccosh}(ax)^n dx = \frac{2^{-3-n}(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -2\operatorname{arccosh}(ax))}{a^2} + \frac{2^{-3-n} \Gamma(1+n, 2\operatorname{arccosh}(ax))}{a^2}$$

[Out] $2^{(-3-n)} \operatorname{arccosh}(a*x)^n \operatorname{GAMMA}(1+n, -2*\operatorname{arccosh}(a*x)) / a^2 / ((-\operatorname{arccosh}(a*x))^n) + 2^{(-3-n)} \operatorname{GAMMA}(1+n, 2*\operatorname{arccosh}(a*x)) / a^2$

Rubi [A] (verified)

Time = 0.06 (sec), antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5887, 5556, 12, 3389, 2212}

$$\int x \operatorname{arccosh}(ax)^n dx = \frac{2^{-n-3} \operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -2\operatorname{arccosh}(ax))}{a^2} + \frac{2^{-n-3} \Gamma(n+1, 2\operatorname{arccosh}(ax))}{a^2}$$

[In] `Int[x*ArcCosh[a*x]^n,x]`

[Out] $(2^{(-3-n)} \operatorname{ArcCosh}[a*x]^n \operatorname{Gamma}[1+n, -2*\operatorname{ArcCosh}[a*x]]) / (a^2 * (-\operatorname{ArcCosh}[a*x])^n) + (2^{(-3-n)} \operatorname{Gamma}[1+n, 2*\operatorname{ArcCosh}[a*x]]) / a^2$

Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

Rule 2212

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]))*Gamma[m + 1,
((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

Rule 3389

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) +
(b_.)*(x_)]^(n_.), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a +
b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &
& IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] :> Dist[
1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x,
a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{\text{Subst}\left(\int x^n \cosh(x) \sinh(x) dx, x, \text{arccosh}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int \frac{1}{2}x^n \sinh(2x) dx, x, \text{arccosh}(ax)\right)}{a^2} \\
&= \frac{\text{Subst}\left(\int x^n \sinh(2x) dx, x, \text{arccosh}(ax)\right)}{2a^2} \\
&= -\frac{\text{Subst}\left(\int e^{-2x}x^n dx, x, \text{arccosh}(ax)\right)}{4a^2} + \frac{\text{Subst}\left(\int e^{2x}x^n dx, x, \text{arccosh}(ax)\right)}{4a^2} \\
&= \frac{2^{-3-n}(-\text{arccosh}(ax))^{-n}\text{arccosh}(ax)^n\Gamma(1+n, -2\text{arccosh}(ax))}{a^2} + \frac{2^{-3-n}\Gamma(1+n, 2\text{arccosh}(ax))}{a^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.98

$$\int x \operatorname{arccosh}(ax)^n dx = \frac{2^{-3-n} (-\operatorname{arccosh}(ax))^{-n} (\operatorname{arccosh}(ax))^n \Gamma(1+n, -2\operatorname{arccosh}(ax)) + (-\operatorname{arccosh}(ax))^n \Gamma(1+n, 2\operatorname{arccosh}(ax))}{a^2}$$

[In] Integrate[x*ArcCosh[a*x]^n,x]

[Out] (2^(-3 - n)*(ArcCosh[a*x]^n*Gamma[1 + n, -2*ArcCosh[a*x]] + (-ArcCosh[a*x])^n*Gamma[1 + n, 2*ArcCosh[a*x]]))/(a^2*(-ArcCosh[a*x])^n)

Maple [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 4.

Time = 0.12 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.64

method	result	size
default	$\frac{\operatorname{arccosh}(ax)^{2+n} \operatorname{hypergeom}\left(\left[1+\frac{n}{2}\right], \left[\frac{3}{2}, 2+\frac{n}{2}\right], \operatorname{arccosh}(ax)^2\right)}{a^2(2+n)}$	38

[In] int(x*arccosh(a*x)^n,x,method=_RETURNVERBOSE)

[Out] 1/a^2/(2+n)*arccosh(a*x)^(2+n)*hypergeom([1+1/2*n],[3/2,2+1/2*n],arccosh(a*x)^2)

Fricas [F]

$$\int x \operatorname{arccosh}(ax)^n dx = \int x \operatorname{arcosh}(ax)^n dx$$

[In] integrate(x*arccosh(a*x)^n,x, algorithm="fricas")

[Out] integral(x*arccosh(a*x)^n, x)

Sympy [F]

$$\int x \operatorname{arccosh}(ax)^n dx = \int x \operatorname{acosh}^n(ax) dx$$

[In] `integrate(x*acosh(a*x)**n,x)`

[Out] `Integral(x*acosh(a*x)**n, x)`

Maxima [F]

$$\int x \operatorname{arccosh}(ax)^n dx = \int x \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(x*arccosh(a*x)^n,x, algorithm="maxima")`

[Out] `integrate(x*arccosh(a*x)^n, x)`

Giac [F]

$$\int x \operatorname{arccosh}(ax)^n dx = \int x \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(x*arccosh(a*x)^n,x, algorithm="giac")`

[Out] `integrate(x*arccosh(a*x)^n, x)`

Mupad [F(-1)]

Timed out.

$$\int x \operatorname{arccosh}(ax)^n dx = \int x \operatorname{acosh}(ax)^n dx$$

[In] `int(x*acosh(a*x)^n,x)`

[Out] `int(x*acosh(a*x)^n, x)`

3.131 $\int \operatorname{arccosh}(ax)^n dx$

Optimal result	712
Rubi [A] (verified)	712
Mathematica [A] (verified)	713
Maple [C] (verified)	714
Fricas [F]	714
Sympy [F]	714
Maxima [F]	714
Giac [F]	715
Mupad [F(-1)]	715

Optimal result

Integrand size = 6, antiderivative size = 49

$$\int \operatorname{arccosh}(ax)^n dx = \frac{(-\operatorname{arccosh}(ax))^{-n} \operatorname{arccosh}(ax)^n \Gamma(1+n, -\operatorname{arccosh}(ax))}{2a} + \frac{\Gamma(1+n, \operatorname{arccosh}(ax))}{2a}$$

[Out] 1/2*arccosh(a*x)^n*GAMMA(1+n,-arccosh(a*x))/a/((-arccosh(a*x))^n)+1/2*GAMMA(1+n,arccosh(a*x))/a

Rubi [A] (verified)

Time = 0.04 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5881, 3389, 2212}

$$\int \operatorname{arccosh}(ax)^n dx = \frac{\operatorname{arccosh}(ax)^n (-\operatorname{arccosh}(ax))^{-n} \Gamma(n+1, -\operatorname{arccosh}(ax))}{2a} + \frac{\Gamma(n+1, \operatorname{arccosh}(ax))}{2a}$$

[In] Int[ArcCosh[a*x]^n,x]

[Out] (ArcCosh[a*x]^n*Gamma[1+n,-ArcCosh[a*x]])/(2*a*(-ArcCosh[a*x])^n) + Gamma[a[1+n, ArcCosh[a*x]]/(2*a)

Rule 2212

```
Int[(F_)^((g_)*((e_)+(f_)*(x_)))*((c_)+(d_)*(x_))^(m_), x_Symbol]
:= Simp[(-F^(g*(e-c*(f/d))))*((c+d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d))^(IntPart[m]+1))*((-f)*g*Log[F]*((c+d*x)/d))^FracPart[m]]*Gamma[m+1,
```


`((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]`

Rule 3389

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]`

Rule 5881

`Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]`

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{\text{Subst}\left(\int x^n \sinh(x) dx, x, \text{arccosh}(ax)\right)}{a} \\ &= -\frac{\text{Subst}\left(\int e^{-x} x^n dx, x, \text{arccosh}(ax)\right)}{2a} + \frac{\text{Subst}\left(\int e^x x^n dx, x, \text{arccosh}(ax)\right)}{2a} \\ &= \frac{(-\text{arccosh}(ax))^{-n} \text{arccosh}(ax)^n \Gamma(1+n, -\text{arccosh}(ax))}{2a} + \frac{\Gamma(1+n, \text{arccosh}(ax))}{2a} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.88

$$\begin{aligned} &\int \text{arccosh}(ax)^n dx \\ &= \frac{(-\text{arccosh}(ax))^{-n} \text{arccosh}(ax)^n \Gamma(1+n, -\text{arccosh}(ax)) + \Gamma(1+n, \text{arccosh}(ax))}{2a} \end{aligned}$$

[In] Integrate[ArcCosh[a*x]^n,x]

[Out] ((ArcCosh[a*x]^n*Gamma[1 + n, -ArcCosh[a*x]])/(-ArcCosh[a*x])^n + Gamma[1 + n, ArcCosh[a*x]])/(2*a)

Maple [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 4.

Time = 0.06 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.82

method	result	size
default	$\frac{\operatorname{arccosh}(ax)^{2+n} \operatorname{hypergeom}\left(\left[1+\frac{n}{2}\right], \left[\frac{3}{2}, 2+\frac{n}{2}\right], \frac{\operatorname{arccosh}(ax)^2}{4}\right)}{a(2+n)}$	40

[In] `int(arccosh(a*x)^n,x,method=_RETURNVERBOSE)`

[Out] `1/a/(2+n)*arccosh(a*x)^(2+n)*hypergeom([1+1/2*n],[3/2,2+1/2*n],1/4*arccosh(a*x)^2)`

Fricas [F]

$$\int \operatorname{arccosh}(ax)^n dx = \int \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(arccosh(a*x)^n,x, algorithm="fricas")`

[Out] `integral(arccosh(a*x)^n, x)`

Sympy [F]

$$\int \operatorname{arccosh}(ax)^n dx = \int \operatorname{acosh}^n(ax) dx$$

[In] `integrate(acosh(a*x)**n,x)`

[Out] `Integral(acosh(a*x)**n, x)`

Maxima [F]

$$\int \operatorname{arccosh}(ax)^n dx = \int \operatorname{arcosh}(ax)^n dx$$

[In] `integrate(arccosh(a*x)^n,x, algorithm="maxima")`

[Out] `integrate(arccosh(a*x)^n, x)`

Giac [**F**]

$$\int \operatorname{arccosh}(ax)^n dx = \int \operatorname{arcosh}(ax)^n dx$$

[In] integrate(arccosh(a*x)^n,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^n, x)

Mupad [**F(-1)**]

Timed out.

$$\int \operatorname{arccosh}(ax)^n dx = \int \operatorname{acosh}(ax)^n dx$$

[In] int(acosh(a*x)^n,x)

[Out] int(acosh(a*x)^n, x)

3.132 $\int \frac{\operatorname{arccosh}(ax)^n}{x} dx$

Optimal result	716
Rubi [N/A]	716
Mathematica [N/A]	717
Maple [N/A] (verified)	717
Fricas [N/A]	717
Sympy [N/A]	717
Maxima [N/A]	718
Giac [N/A]	718
Mupad [N/A]	718

Optimal result

Integrand size = 10, antiderivative size = 10

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \operatorname{Int}\left(\frac{\operatorname{arccosh}(ax)^n}{x}, x\right)$$

[Out] Unintegrable(arccosh(a*x)^n/x,x)

Rubi [N/A]

Not integrable

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

[In] Int[ArcCosh[a*x]^n/x,x]

[Out] Defer[Int][ArcCosh[a*x]^n/x, x]

Rubi steps

$$\text{integral} = \int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

Mathematica [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

[In] Integrate[ArcCosh[a*x]^n/x,x]

[Out] Integrate[ArcCosh[a*x]^n/x, x]

Maple [N/A] (verified)

Not integrable

Time = 0.10 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

[In] int(arccosh(a*x)^n/x,x)

[Out] int(arccosh(a*x)^n/x,x)

Fricas [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{arccosh}(ax)^n}{x} dx$$

[In] integrate(arccosh(a*x)^n/x,x, algorithm="fricas")

[Out] integral(arccosh(a*x)^n/x, x)

Sympy [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{acosh}^n(ax)}{x} dx$$

[In] integrate(acosh(a*x)**n/x,x)

[Out] Integral(acosh(a*x)**n/x, x)

Maxima [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{arcosh}(ax)^n}{x} dx$$

[In] integrate(arccosh(a*x)^n/x,x, algorithm="maxima")

[Out] integrate(arccosh(a*x)^n/x, x)

Giac [N/A]

Not integrable

Time = 1.93 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{arcosh}(ax)^n}{x} dx$$

[In] integrate(arccosh(a*x)^n/x,x, algorithm="giac")

[Out] integrate(arccosh(a*x)^n/x, x)

Mupad [N/A]

Not integrable

Time = 2.70 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.20

$$\int \frac{\operatorname{arccosh}(ax)^n}{x} dx = \int \frac{\operatorname{acosh}(ax)^n}{x} dx$$

[In] int(acosh(a*x)^n/x,x)

[Out] int(acosh(a*x)^n/x, x)

3.133 $\int x^3(a + \operatorname{barccosh}(cx)) dx$

Optimal result	719
Rubi [A] (verified)	719
Mathematica [A] (verified)	721
Maple [A] (verified)	721
Fricas [A] (verification not implemented)	722
Sympy [F]	722
Maxima [A] (verification not implemented)	722
Giac [F(-2)]	723
Mupad [F(-1)]	723

Optimal result

Integrand size = 12, antiderivative size = 84

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}}{32c^3} - \frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} - \frac{3\operatorname{barccosh}(cx)}{32c^4} + \frac{1}{4}x^4(a + \operatorname{barccosh}(cx))$$

[Out] $-3/32*b*\operatorname{arccosh}(c*x)/c^4+1/4*x^4*(a+b*\operatorname{arccosh}(c*x))-3/32*b*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c^3-1/16*b*x^3*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c$

Rubi [A] (verified)

Time = 0.03 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5883, 102, 12, 92, 54}

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = \frac{1}{4}x^4(a + \operatorname{barccosh}(cx)) - \frac{3\operatorname{barccosh}(cx)}{32c^4} - \frac{3bx\sqrt{cx-1}\sqrt{cx+1}}{32c^3} - \frac{bx^3\sqrt{cx-1}\sqrt{cx+1}}{16c}$$

[In] $\operatorname{Int}[x^3*(a + b*\operatorname{ArcCosh}[c*x]),x]$

[Out] $(-3*b*x*\operatorname{Sqrt}[-1+c*x]*\operatorname{Sqrt}[1+c*x])/(32*c^3) - (b*x^3*\operatorname{Sqrt}[-1+c*x]*\operatorname{Sqrt}[1+c*x])/(16*c) - (3*b*\operatorname{ArcCosh}[c*x])/(32*c^4) + (x^4*(a + b*\operatorname{ArcCosh}[c*x]))/4$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} \operatorname{Q}[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 54

```
Int[1/(Sqrt[(a_) + (b_)*(x_)]*Sqrt[(c_) + (d_)*(x_)]), x_Symbol] := Simp[
ArcCosh[b*(x/a)]/b, x] /; FreeQ[{a, b, c, d}, x] && EqQ[a + c, 0] && EqQ[b
- d, 0] && GtQ[a, 0]
```

Rule 92

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_))^(
p_), x_Symbol] := Simp[b*(a + b*x)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(
d*f*(n + p + 3))), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 102

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_)*((e_) + (f_)*(x_
))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)
)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a
+ b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b
*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*
(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p
}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 5883

```
Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*((d_)*(x_))^(m_), x_Symbol]
:= Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{4}x^4(a + \text{barccosh}(cx)) - \frac{1}{4}(bc) \int \frac{x^4}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
&= -\frac{bx^3\sqrt{-1 + cx}\sqrt{1 + cx}}{16c} + \frac{1}{4}x^4(a + \text{barccosh}(cx)) - \frac{b \int \frac{3x^2}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{16c} \\
&= -\frac{bx^3\sqrt{-1 + cx}\sqrt{1 + cx}}{16c} + \frac{1}{4}x^4(a + \text{barccosh}(cx)) - \frac{(3b) \int \frac{x^2}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{16c} \\
&= -\frac{3bx\sqrt{-1 + cx}\sqrt{1 + cx}}{32c^3} - \frac{bx^3\sqrt{-1 + cx}\sqrt{1 + cx}}{16c} \\
&\quad + \frac{1}{4}x^4(a + \text{barccosh}(cx)) - \frac{(3b) \int \frac{1}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{32c^3}
\end{aligned}$$

$$= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}}{32c^3} - \frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} - \frac{3\operatorname{arccosh}(cx)}{32c^4} + \frac{1}{4}x^4(a + \operatorname{arccosh}(cx))$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.25

$$\int x^3(a + \operatorname{arccosh}(cx)) dx = \frac{ax^4}{4} - \frac{3bx\sqrt{-1+cx}\sqrt{1+cx}}{32c^3} - \frac{bx^3\sqrt{-1+cx}\sqrt{1+cx}}{16c} + \frac{1}{4}bx^4\operatorname{arccosh}(cx) - \frac{3b\operatorname{arctanh}\left(\frac{\sqrt{-1+cx}}{\sqrt{1+cx}}\right)}{16c^4}$$

[In] Integrate[x^3*(a + b*ArcCosh[c*x]),x]

[Out] (a*x^4)/4 - (3*b*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(32*c^3) - (b*x^3*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(16*c) + (b*x^4*ArcCosh[c*x])/4 - (3*b*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/(16*c^4)

Maple [A] (verified)

Time = 0.31 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.26

method	result	size
parts	$\frac{ax^4}{4} + \frac{b\left(\frac{c^4x^4\operatorname{arccosh}(cx)}{4} - \frac{\sqrt{cx-1}\sqrt{cx+1}\left(2\sqrt{c^2x^2-1}c^3x^3+3cx\sqrt{c^2x^2-1}+3\ln(cx+\sqrt{c^2x^2-1})\right)}{32\sqrt{c^2x^2-1}}\right)}{c^4}$	106
derivativedivides	$\frac{ac^4x^4}{4} + b\left(\frac{c^4x^4\operatorname{arccosh}(cx)}{4} - \frac{\sqrt{cx-1}\sqrt{cx+1}\left(2\sqrt{c^2x^2-1}c^3x^3+3cx\sqrt{c^2x^2-1}+3\ln(cx+\sqrt{c^2x^2-1})\right)}{32\sqrt{c^2x^2-1}}\right)$	110
default	$\frac{ac^4x^4}{4} + b\left(\frac{c^4x^4\operatorname{arccosh}(cx)}{4} - \frac{\sqrt{cx-1}\sqrt{cx+1}\left(2\sqrt{c^2x^2-1}c^3x^3+3cx\sqrt{c^2x^2-1}+3\ln(cx+\sqrt{c^2x^2-1})\right)}{32\sqrt{c^2x^2-1}}\right)$	110

[In] int(x^3*(a+b*arccosh(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/4*a*x^4+b/c^4*(1/4*c^4*x^4*arccosh(c*x)-1/32*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(2*(c^2*x^2-1)^(1/2)*c^3*x^3+3*c*x*(c^2*x^2-1)^(1/2)+3*ln(c*x+(c^2*x^2-1)^(1/2)))/(c^2*x^2-1)^(1/2))

Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.87

$$\int x^3(a + \operatorname{barccosh}(cx)) dx$$

$$= \frac{8ac^4x^4 + (8bc^4x^4 - 3b)\log(cx + \sqrt{c^2x^2 - 1}) - (2bc^3x^3 + 3bcx)\sqrt{c^2x^2 - 1}}{32c^4}$$

[In] integrate(x^3*(a+b*arccosh(c*x)),x, algorithm="fricas")

[Out] 1/32*(8*a*c^4*x^4 + (8*b*c^4*x^4 - 3*b)*log(c*x + sqrt(c^2*x^2 - 1)) - (2*b*c^3*x^3 + 3*b*c*x)*sqrt(c^2*x^2 - 1))/c^4

Sympy [F]

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = \int x^3(a + b \operatorname{acosh}(cx)) dx$$

[In] integrate(x**3*(a+b*acosh(c*x)),x)

[Out] Integral(x**3*(a + b*acosh(c*x)), x)

Maxima [A] (verification not implemented)

none

Time = 0.23 (sec) , antiderivative size = 87, normalized size of antiderivative = 1.04

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = \frac{1}{4}ax^4$$

$$+ \frac{1}{32} \left(8x^4 \operatorname{arcosh}(cx) - \left(\frac{2\sqrt{c^2x^2 - 1}x^3}{c^2} + \frac{3\sqrt{c^2x^2 - 1}x}{c^4} + \frac{3\log(2c^2x + 2\sqrt{c^2x^2 - 1}c)}{c^5} \right) c \right) b$$

[In] integrate(x^3*(a+b*arccosh(c*x)),x, algorithm="maxima")

[Out] 1/4*a*x^4 + 1/32*(8*x^4*arccosh(c*x) - (2*sqrt(c^2*x^2 - 1)*x^3/c^2 + 3*sqrt(c^2*x^2 - 1)*x/c^4 + 3*log(2*c^2*x + 2*sqrt(c^2*x^2 - 1)*c)/c^5)*c)*b

Giac [F(-2)]

Exception generated.

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^3*(a+b*arccosh(c*x)),x, algorithm="giac")`

[Out] Exception raised: TypeError >> an error occurred running a Giac command:INP
 UT:sage2:=int(sage0,sageVARx):;OUTPUT:sym2poly/r2sym(const gen & e,const in
 dex_m & i,const vecteur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^3(a + \operatorname{barccosh}(cx)) dx = \int x^3(a + b \operatorname{acosh}(cx)) dx$$

[In] `int(x^3*(a + b*acosh(c*x)),x)`

[Out] `int(x^3*(a + b*acosh(c*x)), x)`

3.134 $\int x^2(a + \operatorname{barccosh}(cx)) dx$

Optimal result	724
Rubi [A] (verified)	724
Mathematica [A] (verified)	726
Maple [A] (verified)	726
Fricas [A] (verification not implemented)	726
Sympy [F]	727
Maxima [A] (verification not implemented)	727
Giac [F(-2)]	727
Mupad [F(-1)]	728

Optimal result

Integrand size = 12, antiderivative size = 71

$$\int x^2(a + \operatorname{barccosh}(cx)) dx = -\frac{2b\sqrt{-1+cx}\sqrt{1+cx}}{9c^3} - \frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}}{9c} + \frac{1}{3}x^3(a + \operatorname{barccosh}(cx))$$

[Out] $\frac{1}{3}x^3(a+b\operatorname{arccosh}(cx)) - \frac{2}{9}b(c^2x-1)^{1/2}(c^2x+1)^{1/2}/c^3 - \frac{1}{9}bx^2(c^2x-1)^{1/2}(c^2x+1)^{1/2}/c$

Rubi [A] (verified)

Time = 0.02 (sec), antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5883, 102, 12, 75}

$$\int x^2(a + \operatorname{barccosh}(cx)) dx = \frac{1}{3}x^3(a + \operatorname{barccosh}(cx)) - \frac{2b\sqrt{cx-1}\sqrt{cx+1}}{9c^3} - \frac{bx^2\sqrt{cx-1}\sqrt{cx+1}}{9c}$$

[In] $\operatorname{Int}[x^2(a + b\operatorname{ArcCosh}[c*x]), x]$

[Out] $(-2*b*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(9*c^3) - (b*x^2*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(9*c) + (x^3*(a + b*\operatorname{ArcCosh}[c*x]))/3$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 75

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(n + p + 2))), x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 2, 0] && EqQ[a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)), 0]
```

Rule 102

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] := Simp[b*(a + b*x)^(m - 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(d*f*(m + n + p + 1))), x] + Dist[1/(d*f*(m + n + p + 1)), Int[(a + b*x)^(m - 2)*(c + d*x)^n*(e + f*x)^p*Simp[a^2*d*f*(m + n + p + 1) - b*(b*c*e*(m - 1) + a*(d*e*(n + 1) + c*f*(p + 1))) + b*(a*d*f*(2*m + n + p) - b*(d*e*(m + n) + c*f*(m + p)))*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && GtQ[m, 1] && NeQ[m + n + p + 1, 0] && IntegerQ[m]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{3}x^3(a + \text{barccosh}(cx)) - \frac{1}{3}(bc) \int \frac{x^3}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
&= -\frac{bx^2\sqrt{-1 + cx}\sqrt{1 + cx}}{9c} + \frac{1}{3}x^3(a + \text{barccosh}(cx)) - \frac{b \int \frac{2x}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{9c} \\
&= -\frac{bx^2\sqrt{-1 + cx}\sqrt{1 + cx}}{9c} + \frac{1}{3}x^3(a + \text{barccosh}(cx)) - \frac{(2b) \int \frac{x}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{9c} \\
&= -\frac{2b\sqrt{-1 + cx}\sqrt{1 + cx}}{9c^3} - \frac{bx^2\sqrt{-1 + cx}\sqrt{1 + cx}}{9c} + \frac{1}{3}x^3(a + \text{barccosh}(cx))
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.76

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx = \frac{1}{9} \left(3ax^3 - \frac{b\sqrt{-1+cx}\sqrt{1+cx}(2+c^2x^2)}{c^3} + 3bx^3 \operatorname{arccosh}(cx) \right)$$

[In] Integrate[x^2*(a + b*ArcCosh[c*x]),x]

[Out] (3*a*x^3 - (b*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(2 + c^2*x^2))/c^3 + 3*b*x^3*ArcCosh[c*x])/9

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.72

method	result	size
parts	$\frac{ax^3}{3} + \frac{b \left(\frac{c^3 x^3 \operatorname{arccosh}(cx)}{3} - \frac{\sqrt{cx-1} \sqrt{cx+1} (c^2 x^2 + 2)}{9} \right)}{c^3}$	51
derivativedivides	$\frac{\frac{c^3 x^3 a}{3} + b \left(\frac{c^3 x^3 \operatorname{arccosh}(cx)}{3} - \frac{\sqrt{cx-1} \sqrt{cx+1} (c^2 x^2 + 2)}{9} \right)}{c^3}$	55
default	$\frac{\frac{c^3 x^3 a}{3} + b \left(\frac{c^3 x^3 \operatorname{arccosh}(cx)}{3} - \frac{\sqrt{cx-1} \sqrt{cx+1} (c^2 x^2 + 2)}{9} \right)}{c^3}$	55

[In] int(x^2*(a+b*arccosh(c*x)),x,method=_RETURNVERBOSE)

[Out] 1/3*a*x^3+b/c^3*(1/3*c^3*x^3*arccosh(c*x)-1/9*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(c^2*x^2+2))

Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 65, normalized size of antiderivative = 0.92

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx = \frac{3bc^3x^3 \log(cx + \sqrt{c^2x^2 - 1}) + 3ac^3x^3 - (bc^2x^2 + 2b)\sqrt{c^2x^2 - 1}}{9c^3}$$

[In] integrate(x^2*(a+b*arccosh(c*x)),x, algorithm="fricas")

[Out] 1/9*(3*b*c^3*x^3*log(c*x + sqrt(c^2*x^2 - 1)) + 3*a*c^3*x^3 - (b*c^2*x^2 + 2*b)*sqrt(c^2*x^2 - 1))/c^3

Sympy [F]

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx = \int x^2(a + b \operatorname{acosh}(cx)) dx$$

```
[In] integrate(x**2*(a+b*acosh(c*x)),x)
```

```
[Out] Integral(x**2*(a + b*acosh(c*x)), x)
```

Maxima [A] (verification not implemented)

none

Time = 0.28 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.82

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx$$

$$= \frac{1}{3}ax^3 + \frac{1}{9}\left(3x^3 \operatorname{arccosh}(cx) - c\left(\frac{\sqrt{c^2x^2 - 1}x^2}{c^2} + \frac{2\sqrt{c^2x^2 - 1}}{c^4}\right)\right)b$$

```
[In] integrate(x^2*(a+b*arccosh(c*x)),x, algorithm="maxima")
```

```
[Out] 1/3*a*x^3 + 1/9*(3*x^3*arccosh(c*x) - c*(sqrt(c^2*x^2 - 1)*x^2/c^2 + 2*sqrt(c^2*x^2 - 1)/c^4))*b
```

Giac [F(-2)]

Exception generated.

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx = \text{Exception raised: RuntimeError}$$

```
[In] integrate(x^2*(a+b*arccosh(c*x)),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
eur & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int x^2(a + b \operatorname{arccosh}(cx)) dx = \int x^2(a + b \operatorname{acosh}(cx)) dx$$

```
[In] int(x^2*(a + b*acosh(c*x)),x)
```

```
[Out] int(x^2*(a + b*acosh(c*x)), x)
```


3.135 $\int x(a + \operatorname{barccosh}(cx)) dx$

Optimal result	729
Rubi [A] (verified)	729
Mathematica [A] (verified)	730
Maple [A] (verified)	731
Fricas [A] (verification not implemented)	731
Sympy [F]	731
Maxima [A] (verification not implemented)	732
Giac [A] (verification not implemented)	732
Mupad [B] (verification not implemented)	732

Optimal result

Integrand size = 10, antiderivative size = 55

$$\int x(a + \operatorname{barccosh}(cx)) dx = -\frac{bx\sqrt{-1+cx}\sqrt{1+cx}}{4c} - \frac{\operatorname{barccosh}(cx)}{4c^2} + \frac{1}{2}x^2(a + \operatorname{barccosh}(cx))$$

[Out] $-1/4*b*\operatorname{arccosh}(c*x)/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))-1/4*b*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5883, 92, 54}

$$\int x(a + \operatorname{barccosh}(cx)) dx = \frac{1}{2}x^2(a + \operatorname{barccosh}(cx)) - \frac{\operatorname{barccosh}(cx)}{4c^2} - \frac{bx\sqrt{cx-1}\sqrt{cx+1}}{4c}$$

[In] $\operatorname{Int}[x*(a + b*\operatorname{ArcCosh}[c*x]), x]$

[Out] $-1/4*(b*x*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/c - (b*\operatorname{ArcCosh}[c*x])/(4*c^2) + (x^2*(a + b*\operatorname{ArcCosh}[c*x]))/2$

Rule 54

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_) + (b_)*(x_)]*\operatorname{Sqrt}[(c_) + (d_)*(x_)]), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcCosh}[b*(x/a)]/b, x] /; \operatorname{FreeQ}[\{a, b, c, d\}, x] \ \&\& \operatorname{EqQ}[a + c, 0] \ \&\& \operatorname{EqQ}[b - d, 0] \ \&\& \operatorname{GtQ}[a, 0]$

Rule 92

$\operatorname{Int}[(a_ + (b_)*(x_))^{n_}*((c_ + (d_)*(x_))^{m_}*((e_ + (f_)*(x_))^{p_})], x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1)}/($

```
d*f*(n + p + 3)), x] + Dist[1/(d*f*(n + p + 3)), Int[(c + d*x)^n*(e + f*x)
^p*Simp[a^2*d*f*(n + p + 3) - b*(b*c*e + a*(d*e*(n + 1) + c*f*(p + 1))) + b
*(a*d*f*(n + p + 4) - b*(d*e*(n + 2) + c*f*(p + 2)))*x, x], x] /; FreeQ
[{a, b, c, d, e, f, n, p}, x] && NeQ[n + p + 3, 0]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{1}{2}x^2(a + \operatorname{arccosh}(cx)) - \frac{1}{2}(bc) \int \frac{x^2}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= -\frac{bx\sqrt{-1 + cx}\sqrt{1 + cx}}{4c} + \frac{1}{2}x^2(a + \operatorname{arccosh}(cx)) - \frac{b \int \frac{1}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{4c} \\ &= -\frac{bx\sqrt{-1 + cx}\sqrt{1 + cx}}{4c} - \frac{\operatorname{arccosh}(cx)}{4c^2} + \frac{1}{2}x^2(a + \operatorname{arccosh}(cx)) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.38

$$\begin{aligned} \int x(a + \operatorname{arccosh}(cx)) dx &= \frac{ax^2}{2} - \frac{bx\sqrt{-1 + cx}\sqrt{1 + cx}}{4c} \\ &\quad + \frac{1}{2}bx^2\operatorname{arccosh}(cx) - \frac{\operatorname{arctanh}\left(\frac{\sqrt{-1 + cx}}{\sqrt{1 + cx}}\right)}{2c^2} \end{aligned}$$

```
[In] Integrate[x*(a + b*ArcCosh[c*x]),x]
```

```
[Out] (a*x^2)/2 - (b*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(4*c) + (b*x^2*ArcCosh[c*x])
/2 - (b*ArcTanh[Sqrt[-1 + c*x]/Sqrt[1 + c*x]])/(2*c^2)
```

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.53

method	result	size
parts	$\frac{ax^2}{2} + \frac{b \left(\frac{c^2 x^2 \operatorname{arccosh}(cx) - \sqrt{cx-1} \sqrt{cx+1} (cx \sqrt{c^2 x^2 - 1} + \ln(cx + \sqrt{c^2 x^2 - 1}))}{2} \right)}{c^2}$	84
derivativedivides	$\frac{\frac{ac^2x^2}{2} + b \left(\frac{c^2 x^2 \operatorname{arccosh}(cx) - \sqrt{cx-1} \sqrt{cx+1} (cx \sqrt{c^2 x^2 - 1} + \ln(cx + \sqrt{c^2 x^2 - 1}))}{2} \right)}{c^2}$	88
default	$\frac{\frac{ac^2x^2}{2} + b \left(\frac{c^2 x^2 \operatorname{arccosh}(cx) - \sqrt{cx-1} \sqrt{cx+1} (cx \sqrt{c^2 x^2 - 1} + \ln(cx + \sqrt{c^2 x^2 - 1}))}{2} \right)}{c^2}$	88

[In] `int(x*(a+b*arccosh(c*x)),x,method=_RETURNVERBOSE)`[Out]
$$\frac{1/2*a*x^2+b/c^2*(1/2*c^2*x^2*arccosh(c*x)-1/4*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}*(c*x*(c^2*x^2-1)^{(1/2)}+\ln(c*x+(c^2*x^2-1)^{(1/2)}))}{(c^2*x^2-1)^{(1/2)}}$$
Fricas [A] (verification not implemented)

none

Time = 0.24 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.11

$$\int x(a + b \operatorname{arccosh}(cx)) dx = \frac{2ac^2x^2 - \sqrt{c^2x^2 - 1}bcx + (2bc^2x^2 - b) \log(cx + \sqrt{c^2x^2 - 1})}{4c^2}$$

[In] `integrate(x*(a+b*arccosh(c*x)),x, algorithm="fricas")`[Out]
$$\frac{1/4*(2*a*c^2*x^2 - \sqrt{c^2*x^2 - 1}*b*c*x + (2*b*c^2*x^2 - b)*\log(c*x + \sqrt{c^2*x^2 - 1}))}{c^2}$$
Sympy [F]

$$\int x(a + b \operatorname{arccosh}(cx)) dx = \int x(a + b \operatorname{acosh}(cx)) dx$$

[In] `integrate(x*(a+b*acosh(c*x)),x)`[Out] `Integral(x*(a + b*acosh(c*x)), x)`

Maxima [A] (verification not implemented)

none

Time = 0.23 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.20

$$\int x(a + b \operatorname{arccosh}(cx)) dx$$

$$= \frac{1}{2} ax^2 + \frac{1}{4} \left(2x^2 \operatorname{arccosh}(cx) - c \left(\frac{\sqrt{c^2x^2 - 1}x}{c^2} + \frac{\log(2c^2x + 2\sqrt{c^2x^2 - 1}c)}{c^3} \right) \right) b$$

[In] integrate(x*(a+b*arccosh(c*x)),x, algorithm="maxima")

[Out] 1/2*a*x^2 + 1/4*(2*x^2*arccosh(c*x) - c*(sqrt(c^2*x^2 - 1)*x/c^2 + log(2*c^2*x + 2*sqrt(c^2*x^2 - 1)*c)/c^3))*b

Giac [A] (verification not implemented)

none

Time = 0.34 (sec) , antiderivative size = 80, normalized size of antiderivative = 1.45

$$\int x(a + b \operatorname{arccosh}(cx)) dx$$

$$= \frac{1}{2} ax^2$$

$$+ \frac{1}{4} \left(2x^2 \log(cx + \sqrt{c^2x^2 - 1}) - c \left(\frac{\sqrt{c^2x^2 - 1}x}{c^2} - \frac{\log(|-x|c| + \sqrt{c^2x^2 - 1}|)}{c^2|c|} \right) \right) b$$

[In] integrate(x*(a+b*arccosh(c*x)),x, algorithm="giac")

[Out] 1/2*a*x^2 + 1/4*(2*x^2*log(c*x + sqrt(c^2*x^2 - 1)) - c*(sqrt(c^2*x^2 - 1)*x/c^2 - log(abs(-x*abs(c) + sqrt(c^2*x^2 - 1)))/(c^2*abs(c))))*b

Mupad [B] (verification not implemented)

Time = 2.98 (sec) , antiderivative size = 47, normalized size of antiderivative = 0.85

$$\int x(a + b \operatorname{arccosh}(cx)) dx = \frac{ax^2}{2} + bx \operatorname{acosh}(cx) \left(\frac{x}{2} - \frac{1}{4c^2x} \right) - \frac{bx \sqrt{cx - 1} \sqrt{cx + 1}}{4c}$$

[In] int(x*(a + b*acosh(c*x)),x)

[Out] (a*x^2)/2 + b*x*acosh(c*x)*(x/2 - 1/(4*c^2*x)) - (b*x*(c*x - 1)^(1/2)*(c*x + 1)^(1/2))/(4*c)

3.136 $\int (a + b \operatorname{arccosh}(cx)) dx$

Optimal result	733
Rubi [A] (verified)	733
Mathematica [A] (verified)	734
Maple [A] (verified)	734
Fricas [A] (verification not implemented)	735
Sympy [F]	735
Maxima [A] (verification not implemented)	735
Giac [A] (verification not implemented)	735
Mupad [B] (verification not implemented)	736

Optimal result

Integrand size = 8, antiderivative size = 35

$$\int (a + b \operatorname{arccosh}(cx)) dx = ax - \frac{b\sqrt{-1+cx}\sqrt{1+cx}}{c} + b \operatorname{arccosh}(cx)$$

[Out] $a*x + b*x*\operatorname{arccosh}(c*x) - b*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/c$

Rubi [A] (verified)

Time = 0.01 (sec), antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5879, 75}

$$\int (a + b \operatorname{arccosh}(cx)) dx = ax + b \operatorname{arccosh}(cx) - \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c}$$

[In] $\operatorname{Int}[a + b*\operatorname{ArcCosh}[c*x], x]$

[Out] $a*x - (b*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/c + b*x*\operatorname{ArcCosh}[c*x]$

Rule 75

$\operatorname{Int}[(a_. + (b_.)*(x_)) * ((c_.) + (d_.)*(x_))^{(n_.)} * ((e_.) + (f_.)*(x_))^{(p_.)}, x_Symbol] \rightarrow \operatorname{Simp}[b*(c + d*x)^{(n+1)} * ((e + f*x)^{(p+1)} / (d*f*(n+p+2))), x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n, p\}, x] \&\& \operatorname{NeQ}[n + p + 2, 0] \&\& \operatorname{EqQ}[a*d*f*(n+p+2) - b*(d*e*(n+1) + c*f*(p+1)), 0]$

Rule 5879

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)] * (b_.)]^{(n_.)}, x_Symbol] \rightarrow \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c*n, \operatorname{Int}[x*((a + b*\operatorname{ArcCosh}[c*x])^{(n-1)}) / (\operatorname{Sqrt}[$

$1 + c*x]*\text{Sqrt}[-1 + c*x]))$, $x]$, $x]$ /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rubi steps

$$\begin{aligned} \text{integral} &= ax + b \int \text{arccosh}(cx) dx \\ &= ax + b \text{arccosh}(cx) - (bc) \int \frac{x}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= ax - \frac{b\sqrt{-1 + cx}\sqrt{1 + cx}}{c} + b \text{arccosh}(cx) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.00

$$\int (a + b \text{arccosh}(cx)) dx = ax - \frac{b\sqrt{-1 + cx}\sqrt{1 + cx}}{c} + b \text{arccosh}(cx)$$

[In] Integrate[a + b*ArcCosh[c*x],x]

[Out] a*x - (b*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/c + b*x*ArcCosh[c*x]

Maple [A] (verified)

Time = 0.01 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.97

method	result	size
default	$ax + \frac{b(cx \text{arccosh}(cx) - \sqrt{cx-1}\sqrt{cx+1})}{c}$	34
parts	$ax + \frac{b(cx \text{arccosh}(cx) - \sqrt{cx-1}\sqrt{cx+1})}{c}$	34
derivativedivides	$\frac{cxa + b(cx \text{arccosh}(cx) - \sqrt{cx-1}\sqrt{cx+1})}{c}$	36

[In] int(a+b*arccosh(c*x),x,method=_RETURNVERBOSE)

[Out] a*x+b/c*(c*x*arccosh(c*x)-(c*x-1)^(1/2)*(c*x+1)^(1/2))

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.23

$$\int (a + \operatorname{barccosh}(cx)) dx = \frac{bcx \log(cx + \sqrt{c^2x^2 - 1}) + acx - \sqrt{c^2x^2 - 1}b}{c}$$

[In] integrate(a+b*arccosh(c*x),x, algorithm="fricas")

[Out] (b*c*x*log(c*x + sqrt(c^2*x^2 - 1)) + a*c*x - sqrt(c^2*x^2 - 1)*b)/c

Sympy [F]

$$\int (a + \operatorname{barccosh}(cx)) dx = \int (a + b \operatorname{acosh}(cx)) dx$$

[In] integrate(a+b*acosh(c*x),x)

[Out] Integral(a + b*acosh(c*x), x)

Maxima [A] (verification not implemented)

none

Time = 0.22 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.86

$$\int (a + \operatorname{barccosh}(cx)) dx = ax + \frac{(cx \operatorname{arcosh}(cx) - \sqrt{c^2x^2 - 1})b}{c}$$

[In] integrate(a+b*arccosh(c*x),x, algorithm="maxima")

[Out] a*x + (c*x*arccosh(c*x) - sqrt(c^2*x^2 - 1))*b/c

Giac [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.17

$$\int (a + \operatorname{barccosh}(cx)) dx = \left(x \log \left(cx + \sqrt{c^2x^2 - 1} \right) - \frac{\sqrt{c^2x^2 - 1}}{c} \right) b + ax$$

[In] integrate(a+b*arccosh(c*x),x, algorithm="giac")

[Out] (x*log(c*x + sqrt(c^2*x^2 - 1)) - sqrt(c^2*x^2 - 1)/c)*b + a*x

Mupad [B] (verification not implemented)

Time = 2.79 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.89

$$\int (a + b \operatorname{arccosh}(cx)) dx = ax + bx \operatorname{acosh}(cx) - \frac{b\sqrt{cx-1}\sqrt{cx+1}}{c}$$

[In] int(a + b*acosh(c*x),x)

[Out] a*x + b*x*acosh(c*x) - (b*(c*x - 1)^(1/2)*(c*x + 1)^(1/2))/c

3.137 $\int \frac{a+b\operatorname{arccosh}(cx)}{x} dx$

Optimal result	737
Rubi [A] (verified)	737
Mathematica [A] (verified)	739
Maple [A] (verified)	739
Fricas [F]	740
Sympy [F]	740
Maxima [F]	740
Giac [F]	740
Mupad [F(-1)]	741

Optimal result

Integrand size = 12, antiderivative size = 55

$$\int \frac{a + \operatorname{arccosh}(cx)}{x} dx = \frac{(a + \operatorname{arccosh}(cx))^2}{2b} + (a + \operatorname{arccosh}(cx)) \log(1 + e^{-2\operatorname{arccosh}(cx)}) - \frac{1}{2}b \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(cx)})$$

[Out] $1/2*(a+b*\operatorname{arccosh}(c*x))^2/b+(a+b*\operatorname{arccosh}(c*x))*\ln(1+1/(c*x+(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}))^2-1/2*b*\operatorname{polylog}(2,-1/(c*x+(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}))^2$

Rubi [A] (verified)

Time = 0.09 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5882, 3799, 2221, 2317, 2438}

$$\int \frac{a + \operatorname{arccosh}(cx)}{x} dx = \frac{(a + \operatorname{arccosh}(cx))^2}{2b} + \log(e^{-2\operatorname{arccosh}(cx)} + 1) (a + \operatorname{arccosh}(cx)) - \frac{1}{2}b \operatorname{PolyLog}(2, -e^{-2\operatorname{arccosh}(cx)})$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])/x, x]$

[Out] $(a + b*\operatorname{ArcCosh}[c*x])^2/(2*b) + (a + b*\operatorname{ArcCosh}[c*x])*Log[1 + E^{(-2*\operatorname{ArcCosh}[c*x])}] - (b*\operatorname{PolyLog}[2, -E^{(-2*\operatorname{ArcCosh}[c*x])}])/2$

Rule 2221

$\operatorname{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^((n_)*((c_) + (d_)*(x_))^(m_)))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^((n_))), x_Symbol] :> \operatorname{Simp} [((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - \operatorname{Di}$

st[d*(m/(b*f*g*n*Log[F])), Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2317

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2438

Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3799

Int[((c_) + (d_)*(x_)^(m_))*tan[(e_) + (Complex[0, fz_])*(f_)*(x_)], x_Symbol] := Simp[(-I)*((c + d*x)^(m + 1)/(d*(m + 1))), x] + Dist[2*I, Int[(c + d*x)^m*(E^(2*((-I)*e + f*fz*x)))/(1 + E^(2*((-I)*e + f*fz*x)))], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IGtQ[m, 0]

Rule 5882

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)/(x_), x_Symbol] := Dist[1/b, Subst[Int[x^n*Tanh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\text{Subst}\left(\int x \tanh\left(\frac{a}{b} - \frac{x}{b}\right) dx, x, a + \text{barccosh}(cx)\right)}{b} \\
 &= \frac{(a + \text{barccosh}(cx))^2}{2b} - \frac{2\text{Subst}\left(\int \frac{e^{2\left(\frac{a}{b} - \frac{x}{b}\right)} x}{1 + e^{2\left(\frac{a}{b} - \frac{x}{b}\right)}} dx, x, a + \text{barccosh}(cx)\right)}{b} \\
 &= \frac{(a + \text{barccosh}(cx))^2}{2b} + (a + \text{barccosh}(cx)) \log(1 + e^{-2\text{arccosh}(cx)}) \\
 &\quad - \text{Subst}\left(\int \log\left(1 + e^{2\left(\frac{a}{b} - \frac{x}{b}\right)}\right) dx, x, a + \text{barccosh}(cx)\right) \\
 &= \frac{(a + \text{barccosh}(cx))^2}{2b} + (a + \text{barccosh}(cx)) \log(1 + e^{-2\text{arccosh}(cx)}) \\
 &\quad + \frac{1}{2}b\text{Subst}\left(\int \frac{\log(1 + x)}{x} dx, x, e^{2\left(\frac{a}{b} - \frac{a + \text{barccosh}(cx)}{b}\right)}\right)
 \end{aligned}$$

$$= \frac{(a + b \operatorname{arccosh}(cx))^2}{2b} + (a + b \operatorname{arccosh}(cx)) \log(1 + e^{-2 \operatorname{arccosh}(cx)}) - \frac{1}{2} b \operatorname{PolyLog}\left(2, -e^{2\left(\frac{a}{b} - \frac{a + b \operatorname{arccosh}(cx)}{b}\right)}\right)$$

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.87

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = a \log(x) + \frac{1}{2} b (\operatorname{arccosh}(cx) (\operatorname{arccosh}(cx) + 2 \log(1 + e^{-2 \operatorname{arccosh}(cx)})) - \operatorname{PolyLog}(2, -e^{-2 \operatorname{arccosh}(cx)}))$$

[In] Integrate[(a + b*ArcCosh[c*x])/x,x]

[Out] a*Log[x] + (b*(ArcCosh[c*x]*(ArcCosh[c*x] + 2*Log[1 + E^(-2*ArcCosh[c*x])]) - PolyLog[2, -E^(-2*ArcCosh[c*x])]))/2

Maple [A] (verified)

Time = 0.26 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.33

method	result
parts	$a \ln(x) + b \left(-\frac{\operatorname{arccosh}(cx)^2}{2} + \operatorname{arccosh}(cx) \ln \left(1 + (cx + \sqrt{cx-1} \sqrt{cx+1})^2 \right) + \frac{\operatorname{polylog}(2, -e^{-2 \operatorname{arccosh}(cx)})}{2} \right)$
derivativedivides	$a \ln(cx) + b \left(-\frac{\operatorname{arccosh}(cx)^2}{2} + \operatorname{arccosh}(cx) \ln \left(1 + (cx + \sqrt{cx-1} \sqrt{cx+1})^2 \right) + \frac{\operatorname{polylog}(2, -e^{-2 \operatorname{arccosh}(cx)})}{2} \right)$
default	$a \ln(cx) + b \left(-\frac{\operatorname{arccosh}(cx)^2}{2} + \operatorname{arccosh}(cx) \ln \left(1 + (cx + \sqrt{cx-1} \sqrt{cx+1})^2 \right) + \frac{\operatorname{polylog}(2, -e^{-2 \operatorname{arccosh}(cx)})}{2} \right)$

[In] int((a+b*arccosh(c*x))/x,x,method=_RETURNVERBOSE)

[Out] a*ln(x)+b*(-1/2*arccosh(c*x)^2+arccosh(c*x)*ln(1+(c*x+(c*x-1)^(1/2)*(c*x+1)^(1/2))^2)+1/2*polylog(2,-(c*x+(c*x-1)^(1/2)*(c*x+1)^(1/2))^2))

Fricas [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x} dx$$

[In] integrate((a+b*arccosh(c*x))/x,x, algorithm="fricas")

[Out] integral((b*arccosh(c*x) + a)/x, x)

Sympy [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x} dx$$

[In] integrate((a+b*acosh(c*x))/x,x)

[Out] Integral((a + b*acosh(c*x))/x, x)

Maxima [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x} dx$$

[In] integrate((a+b*arccosh(c*x))/x,x, algorithm="maxima")

[Out] b*integrate(log(c*x + sqrt(c*x + 1))*sqrt(c*x - 1))/x, x) + a*log(x)

Giac [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x} dx$$

[In] integrate((a+b*arccosh(c*x))/x,x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)/x, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x} dx$$

```
[In] int((a + b*acosh(c*x))/x,x)
```

```
[Out] int((a + b*acosh(c*x))/x, x)
```

3.138 $\int \frac{a+b\operatorname{arccosh}(cx)}{x^2} dx$

Optimal result	742
Rubi [A] (verified)	742
Mathematica [A] (verified)	743
Maple [A] (verified)	743
Fricas [B] (verification not implemented)	744
Sympy [F]	744
Maxima [A] (verification not implemented)	744
Giac [F]	745
Mupad [F(-1)]	745

Optimal result

Integrand size = 12, antiderivative size = 37

$$\int \frac{a + \operatorname{arccosh}(cx)}{x^2} dx = -\frac{a + \operatorname{arccosh}(cx)}{x} + bc \arctan\left(\sqrt{-1 + cx}\sqrt{1 + cx}\right)$$

[Out] $(-a-b*\operatorname{arccosh}(c*x))/x+b*c*\arctan((c*x-1)^{(1/2)}*(c*x+1)^{(1/2)})$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {5883, 94, 211}

$$\int \frac{a + \operatorname{arccosh}(cx)}{x^2} dx = bc \arctan\left(\sqrt{cx - 1}\sqrt{cx + 1}\right) - \frac{a + \operatorname{arccosh}(cx)}{x}$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])/x^2, x]$

[Out] $-((a + b*\operatorname{ArcCosh}[c*x])/x) + b*c*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]]$

Rule 94

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_.) + (b_.)*(x_.)]*\operatorname{Sqrt}[(c_.) + (d_.)*(x_.)]*((e_.) + (f_.)*(x_.))), x_Symbol] \rightarrow \operatorname{Dist}[b*f, \operatorname{Subst}[\operatorname{Int}[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, \operatorname{Sqrt}[a + b*x]*\operatorname{Sqrt}[c + d*x]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{EqQ}[2*b*d*e - f*(b*c + a*d), 0]$

Rule 211

$\operatorname{Int}(((a_.) + (b_.)*(x_.)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]/a)*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]], x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{PosQ}[a/b]$

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol]
  :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*
(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 +
c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] &&
NeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{a + \text{barccosh}(cx)}{x} + (bc) \int \frac{1}{x\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= -\frac{a + \text{barccosh}(cx)}{x} + (bc^2) \text{Subst}\left(\int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx}\sqrt{1 + cx}\right) \\ &= -\frac{a + \text{barccosh}(cx)}{x} + bc \arctan\left(\sqrt{-1 + cx}\sqrt{1 + cx}\right) \end{aligned}$$

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.76

$$\int \frac{a + \text{barccosh}(cx)}{x^2} dx = -\frac{a}{x} - \frac{\text{barccosh}(cx)}{x} + \frac{bc\sqrt{-1 + c^2x^2} \arctan\left(\sqrt{-1 + c^2x^2}\right)}{\sqrt{-1 + cx}\sqrt{1 + cx}}$$

[In] Integrate[(a + b*ArcCosh[c*x])/x^2,x]

[Out] -(a/x) - (b*ArcCosh[c*x])/x + (b*c*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]])/(Sqrt[-1 + c*x]*Sqrt[1 + c*x])

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.59

method	result	size
parts	$-\frac{a}{x} - \frac{b \operatorname{arccosh}(cx)}{x} - \frac{bc\sqrt{cx-1}\sqrt{cx+1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}}$	59
derivativedivides	$c \left(-\frac{a}{cx} - \frac{b \operatorname{arccosh}(cx)}{cx} - \frac{b\sqrt{cx-1}\sqrt{cx+1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} \right)$	66
default	$c \left(-\frac{a}{cx} - \frac{b \operatorname{arccosh}(cx)}{cx} - \frac{b\sqrt{cx-1}\sqrt{cx+1} \arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right)}{\sqrt{c^2x^2-1}} \right)$	66

[In] `int((a+b*arccosh(c*x))/x^2,x,method=_RETURNVERBOSE)`

[Out] $-a/x - b/x * \operatorname{arccosh}(c*x) - b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/(c^2*x^2-1)^{(1/2)} * \arctan(1/(c^2*x^2-1)^{(1/2)})$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 74 vs. $2(33) = 66$.

Time = 0.27 (sec) , antiderivative size = 74, normalized size of antiderivative = 2.00

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^2} dx = \frac{2bcx \arctan(-cx + \sqrt{c^2x^2 - 1}) + bx \log(-cx + \sqrt{c^2x^2 - 1}) + (bx - b) \log(cx + \sqrt{c^2x^2 - 1}) - a}{x}$$

[In] `integrate((a+b*arccosh(c*x))/x^2,x, algorithm="fricas")`

[Out] $(2*b*c*x*\arctan(-c*x + \sqrt{c^2*x^2 - 1}) + b*x*\log(-c*x + \sqrt{c^2*x^2 - 1}) + (b*x - b)*\log(c*x + \sqrt{c^2*x^2 - 1}) - a)/x$

Sympy [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^2} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^2} dx$$

[In] `integrate((a+b*acosh(c*x))/x**2,x)`

[Out] `Integral((a + b*acosh(c*x))/x**2, x)`

Maxima [A] (verification not implemented)

none

Time = 0.35 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.81

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^2} dx = - \left(c \arcsin \left(\frac{1}{c|x|} \right) + \frac{\operatorname{arccosh}(cx)}{x} \right) b - \frac{a}{x}$$

[In] `integrate((a+b*arccosh(c*x))/x^2,x, algorithm="maxima")`

[Out] $-(c*\arcsin(1/(c*abs(x)))) + \operatorname{arccosh}(c*x)/x)*b - a/x$

Giac [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^2} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x^2} dx$$

[In] integrate((a+b*arccosh(c*x))/x^2,x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)/x^2, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^2} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^2} dx$$

[In] int((a + b*acosh(c*x))/x^2,x)

[Out] int((a + b*acosh(c*x))/x^2, x)

3.139 $\int \frac{a+b\operatorname{arccosh}(cx)}{x^3} dx$

Optimal result	746
Rubi [A] (verified)	746
Mathematica [A] (verified)	747
Maple [A] (verified)	747
Fricas [A] (verification not implemented)	748
Sympy [F]	748
Maxima [A] (verification not implemented)	748
Giac [F]	748
Mupad [F(-1)]	749

Optimal result

Integrand size = 12, antiderivative size = 43

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^3} dx = \frac{bc\sqrt{-1+cx}\sqrt{1+cx}}{2x} - \frac{a + b\operatorname{arccosh}(cx)}{2x^2}$$

[Out] $1/2*(-a-b*\operatorname{arccosh}(c*x))/x^2+1/2*b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {5883, 97}

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^3} dx = \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{2x} - \frac{a + b\operatorname{arccosh}(cx)}{2x^2}$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])/x^3, x]$

[Out] $(b*c*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(2*x) - (a + b*\operatorname{ArcCosh}[c*x])/(2*x^2)$

Rule 97

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^{(m_.)}*((c_.) + (d_.)*(x_.)^{(n_.)})*((e_.) + (f_.)*(x_.)^{(p_.)}), x_Symbol] \rightarrow \operatorname{Simp}[b*(a + b*x)^{(m+1)}*(c + d*x)^{(n+1)}*((e + f*x)^{(p+1})/((m+1)*(b*c - a*d)*(b*e - a*f))), x] /;$ $\operatorname{FreeQ}\{a, b, c, d, e, f, m, n, p\}, x \ \&\& \operatorname{EqQ}[\operatorname{Simplify}[m + n + p + 3], 0] \ \&\& \operatorname{EqQ}[a*d*f*(m+1) + b*c*f*(n+1) + b*d*e*(p+1), 0] \ \&\& \operatorname{NeQ}[m, -1]$

Rule 5883

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_.)]*(b_.)^{(n_.)}*((d_.)*(x_.)^{(m_.)})], x_Symbol] \rightarrow \operatorname{Simp}[(d*x)^{(m+1)}*((a + b*\operatorname{ArcCosh}[c*x])^n/(d*(m+1))), x] - \operatorname{Dist}[b*c*$

$(n/(d*(m + 1))), \text{Int}[(d*x)^{(m + 1)}*((a + b*\text{ArcCosh}[c*x])^{(n - 1)})/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x])], x, x] /;$ FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{a + \text{barccosh}(cx)}{2x^2} + \frac{1}{2}(bc) \int \frac{1}{x^2\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= \frac{bc\sqrt{-1 + cx}\sqrt{1 + cx}}{2x} - \frac{a + \text{barccosh}(cx)}{2x^2} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.12

$$\int \frac{a + \text{barccosh}(cx)}{x^3} dx = -\frac{a}{2x^2} + \frac{bc\sqrt{-1 + cx}\sqrt{1 + cx}}{2x} - \frac{\text{barccosh}(cx)}{2x^2}$$

[In] Integrate[(a + b*ArcCosh[c*x])/x^3,x]

[Out] -1/2*a/x^2 + (b*c*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(2*x) - (b*ArcCosh[c*x])/(2*x^2)

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.12

method	result	size
parts	$-\frac{a}{2x^2} + bc^2 \left(-\frac{\text{arccosh}(cx)}{2c^2x^2} + \frac{\sqrt{cx-1}\sqrt{cx+1}}{2cx} \right)$	48
derivativedivides	$c^2 \left(-\frac{a}{2c^2x^2} + b \left(-\frac{\text{arccosh}(cx)}{2c^2x^2} + \frac{\sqrt{cx-1}\sqrt{cx+1}}{2cx} \right) \right)$	52
default	$c^2 \left(-\frac{a}{2c^2x^2} + b \left(-\frac{\text{arccosh}(cx)}{2c^2x^2} + \frac{\sqrt{cx-1}\sqrt{cx+1}}{2cx} \right) \right)$	52

[In] int((a+b*arccosh(c*x))/x^3,x,method=_RETURNVERBOSE)

[Out] -1/2*a/x^2+b*c^2*(-1/2/c^2/x^2*arccosh(c*x)+1/2*(c*x-1)^(1/2)*(c*x+1)^(1/2)/c/x)

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.12

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^3} dx = \frac{\sqrt{c^2x^2 - 1}bcx + ax^2 - b \log(cx + \sqrt{c^2x^2 - 1}) - a}{2x^2}$$

[In] integrate((a+b*arccosh(c*x))/x^3,x, algorithm="fricas")

[Out] 1/2*(sqrt(c^2*x^2 - 1)*b*c*x + a*x^2 - b*log(c*x + sqrt(c^2*x^2 - 1)) - a)/x^2

Sympy [F]

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^3} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^3} dx$$

[In] integrate((a+b*acosh(c*x))/x**3,x)

[Out] Integral((a + b*acosh(c*x))/x**3, x)

Maxima [A] (verification not implemented)

none

Time = 0.29 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.84

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^3} dx = \frac{1}{2} b \left(\frac{\sqrt{c^2x^2 - 1}c}{x} - \frac{\operatorname{arcosh}(cx)}{x^2} \right) - \frac{a}{2x^2}$$

[In] integrate((a+b*arccosh(c*x))/x^3,x, algorithm="maxima")

[Out] 1/2*b*(sqrt(c^2*x^2 - 1)*c/x - arccosh(c*x)/x^2) - 1/2*a/x^2

Giac [F]

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^3} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x^3} dx$$

[In] integrate((a+b*arccosh(c*x))/x^3,x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)/x^3, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^3} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^3} dx$$

```
[In] int((a + b*acosh(c*x))/x^3,x)
```

```
[Out] int((a + b*acosh(c*x))/x^3, x)
```

3.140 $\int \frac{a+b\operatorname{arccosh}(cx)}{x^4} dx$

Optimal result	750
Rubi [A] (verified)	750
Mathematica [A] (verified)	752
Maple [A] (verified)	752
Fricas [A] (verification not implemented)	753
Sympy [F]	753
Maxima [A] (verification not implemented)	753
Giac [F]	754
Mupad [F(-1)]	754

Optimal result

Integrand size = 12, antiderivative size = 71

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^4} dx = \frac{bc\sqrt{-1+cx}\sqrt{1+cx}}{6x^2} - \frac{a + b\operatorname{arccosh}(cx)}{3x^3} + \frac{1}{6}bc^3 \arctan\left(\sqrt{-1+cx}\sqrt{1+cx}\right)$$

[Out] $1/3*(-a-b*\operatorname{arccosh}(c*x))/x^3+1/6*b*c^3*\arctan((c*x-1)^{(1/2)}*(c*x+1)^{(1/2)})+1/6*b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x^2$

Rubi [A] (verified)

Time = 0.03 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5883, 105, 12, 94, 211}

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^4} dx = -\frac{a + b\operatorname{arccosh}(cx)}{3x^3} + \frac{1}{6}bc^3 \arctan\left(\sqrt{cx-1}\sqrt{cx+1}\right) + \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{6x^2}$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])/x^4, x]$

[Out] $(b*c*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(6*x^2) - (a + b*\operatorname{ArcCosh}[c*x])/(3*x^3) + (b*c^3*\operatorname{ArcTan}[\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x]])/6$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 94

```
Int[1/(Sqrt[(a_.) + (b_.)*(x_)]*Sqrt[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))), x_Symbol] := Dist[b*f, Subst[Int[1/(d*(b*e - a*f)^2 + b*f^2*x^2), x], x, Sqrt[a + b*x]*Sqrt[c + d*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && EqQ[2*b*d*e - f*(b*c + a*d), 0]
```

Rule 105

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_), x_Symbol] := Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (IntegerQ[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 211

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]/a)*ArcTan[x/Rt[a/b, 2]], x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((d_.)*(x_))^(m_), x_Symbol] := Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{a + \operatorname{barccosh}(cx)}{3x^3} + \frac{1}{3}(bc) \int \frac{1}{x^3 \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + \operatorname{barccosh}(cx)}{3x^3} + \frac{1}{6}(bc) \int \frac{c^2}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + \operatorname{barccosh}(cx)}{3x^3} + \frac{1}{6}(bc^3) \int \frac{1}{x \sqrt{-1 + cx} \sqrt{1 + cx}} dx \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + \operatorname{barccosh}(cx)}{3x^3} \\
&\quad + \frac{1}{6}(bc^4) \operatorname{Subst} \left(\int \frac{1}{c + cx^2} dx, x, \sqrt{-1 + cx} \sqrt{1 + cx} \right) \\
&= \frac{bc \sqrt{-1 + cx} \sqrt{1 + cx}}{6x^2} - \frac{a + \operatorname{barccosh}(cx)}{3x^3} + \frac{1}{6} bc^3 \arctan \left(\sqrt{-1 + cx} \sqrt{1 + cx} \right)
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 101, normalized size of antiderivative = 1.42

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^4} dx = -\frac{a}{3x^3} + \frac{bc\sqrt{-1+cx}\sqrt{1+cx}}{6x^2} - \frac{\operatorname{barccosh}(cx)}{3x^3} + \frac{bc^3\sqrt{-1+c^2x^2}\arctan(\sqrt{-1+c^2x^2})}{6\sqrt{-1+cx}\sqrt{1+cx}}$$

[In] Integrate[(a + b*ArcCosh[c*x])/x^4,x]

[Out] -1/3*a/x^3 + (b*c*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/((6*x^2) - (b*ArcCosh[c*x]))/(3*x^3) + (b*c^3*Sqrt[-1 + c^2*x^2]*ArcTan[Sqrt[-1 + c^2*x^2]])/(6*Sqrt[-1 + c*x]*Sqrt[1 + c*x])

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.30

method	result	size
parts	$-\frac{a}{3x^3} + bc^3 \left(-\frac{\operatorname{arccosh}(cx)}{3c^3x^3} - \frac{\sqrt{cx-1}\sqrt{cx+1} \left(\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) c^2x^2 - \sqrt{c^2x^2-1} \right)}{6c^2x^2\sqrt{c^2x^2-1}} \right)$	92
derivativedivides	$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\operatorname{arccosh}(cx)}{3c^3x^3} - \frac{\sqrt{cx-1}\sqrt{cx+1} \left(\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) c^2x^2 - \sqrt{c^2x^2-1} \right)}{6c^2x^2\sqrt{c^2x^2-1}} \right) \right)$	96
default	$c^3 \left(-\frac{a}{3c^3x^3} + b \left(-\frac{\operatorname{arccosh}(cx)}{3c^3x^3} - \frac{\sqrt{cx-1}\sqrt{cx+1} \left(\arctan\left(\frac{1}{\sqrt{c^2x^2-1}}\right) c^2x^2 - \sqrt{c^2x^2-1} \right)}{6c^2x^2\sqrt{c^2x^2-1}} \right) \right)$	96

[In] int((a+b*arccosh(c*x))/x^4,x,method=_RETURNVERBOSE)

[Out] -1/3*a/x^3+b*c^3*(-1/3/c^3/x^3*arccosh(c*x)-1/6*(c*x-1)^(1/2)*(c*x+1)^(1/2)*(arctan(1/(c^2*x^2-1)^(1/2))*c^2*x^2-(c^2*x^2-1)^(1/2))/c^2/x^2/(c^2*x^2-1)^(1/2))

Fricas [A] (verification not implemented)

none

Time = 0.27 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.41

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^4} dx = \frac{2bc^3x^3 \arctan(-cx + \sqrt{c^2x^2 - 1}) + 2bx^3 \log(-cx + \sqrt{c^2x^2 - 1}) + \sqrt{c^2x^2 - 1}bcx + 2(bx^3 - b) \log(cx + \sqrt{c^2x^2 - 1}) - 2a}{6x^3}$$

[In] integrate((a+b*arccosh(c*x))/x^4,x, algorithm="fricas")

```
[Out] 1/6*(2*b*c^3*x^3*arctan(-c*x + sqrt(c^2*x^2 - 1)) + 2*b*x^3*log(-c*x + sqrt(c^2*x^2 - 1)) + sqrt(c^2*x^2 - 1)*b*c*x + 2*(b*x^3 - b)*log(c*x + sqrt(c^2*x^2 - 1)) - 2*a)/x^3
```

Sympy [F]

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^4} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^4} dx$$

[In] integrate((a+b*acosh(c*x))/x**4,x)

[Out] Integral((a + b*acosh(c*x))/x**4, x)

Maxima [A] (verification not implemented)

none

Time = 0.36 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.73

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^4} dx = -\frac{1}{6} \left(\left(c^2 \arcsin\left(\frac{1}{c|x|}\right) - \frac{\sqrt{c^2x^2 - 1}}{x^2} \right) c + \frac{2 \operatorname{arcosh}(cx)}{x^3} \right) b - \frac{a}{3x^3}$$

[In] integrate((a+b*arccosh(c*x))/x^4,x, algorithm="maxima")

```
[Out] -1/6*((c^2*arcsin(1/(c*abs(x)))) - sqrt(c^2*x^2 - 1)/x^2)*c + 2*arccosh(c*x)/x^3)*b - 1/3*a/x^3
```

Giac [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^4} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x^4} dx$$

[In] integrate((a+b*arccosh(c*x))/x^4,x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)/x^4, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^4} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^4} dx$$

[In] int((a + b*acosh(c*x))/x^4,x)

[Out] int((a + b*acosh(c*x))/x^4, x)

3.141 $\int \frac{a+b\operatorname{arccosh}(cx)}{x^5} dx$

Optimal result	755
Rubi [A] (verified)	755
Mathematica [A] (verified)	756
Maple [A] (verified)	757
Fricas [A] (verification not implemented)	757
Sympy [F]	757
Maxima [A] (verification not implemented)	758
Giac [F]	758
Mupad [F(-1)]	758

Optimal result

Integrand size = 12, antiderivative size = 72

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^5} dx = \frac{bc\sqrt{-1+cx}\sqrt{1+cx}}{12x^3} + \frac{bc^3\sqrt{-1+cx}\sqrt{1+cx}}{6x} - \frac{a + b\operatorname{arccosh}(cx)}{4x^4}$$

[Out] $\frac{1}{4}*(-a-b*\operatorname{arccosh}(c*x))/x^4+1/12*b*c*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x^3+1/6*b*c^3*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/x$

Rubi [A] (verified)

Time = 0.02 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5883, 105, 12, 97}

$$\int \frac{a + b\operatorname{arccosh}(cx)}{x^5} dx = -\frac{a + b\operatorname{arccosh}(cx)}{4x^4} + \frac{bc^3\sqrt{cx-1}\sqrt{cx+1}}{6x} + \frac{bc\sqrt{cx-1}\sqrt{cx+1}}{12x^3}$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])/x^5, x]$

[Out] $(b*c*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(12*x^3) + (b*c^3*\operatorname{Sqrt}[-1 + c*x]*\operatorname{Sqrt}[1 + c*x])/(6*x) - (a + b*\operatorname{ArcCosh}[c*x])/(4*x^4)$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] := \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 97

$\operatorname{Int}[((a_.) + (b_.)*(x_.))^{(m_.)}*((c_.) + (d_.)*(x_.))^{(n_.)}*((e_.) + (f_.)*(x_.))^{(p_.)}, x_Symbol] := \operatorname{Simp}[b*(a + b*x)^{(m + 1)}*(c + d*x)^{(n + 1)}*((e + f*x$

```
)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f)), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && EqQ[Simplify[m + n + p + 3], 0] && EqQ[a*d*f*(m + 1) + b*c*f*(n + 1) + b*d*e*(p + 1), 0] && NeQ[m, -1]
```

Rule 105

```
Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_)*((e_.) + (f_.)*(x_))^(p_.), x_Symbol] :> Simp[b*(a + b*x)^(m + 1)*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/((m + 1)*(b*c - a*d)*(b*e - a*f))), x] + Dist[1/((m + 1)*(b*c - a*d)*(b*e - a*f)), Int[(a + b*x)^(m + 1)*(c + d*x)^n*(e + f*x)^p*Simp[a*d*f*(m + 1) - b*(d*e*(m + n + 2) + c*f*(m + p + 2)) - b*d*f*(m + n + p + 3)*x, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x] && ILtQ[m, -1] && (IntegerQ[n] || IntegersQ[2*n, 2*p] || ILtQ[m + n + p + 3, 0])
```

Rule 5883

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{a + \operatorname{barccosh}(cx)}{4x^4} + \frac{1}{4}(bc) \int \frac{1}{x^4\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
 &= \frac{bc\sqrt{-1 + cx}\sqrt{1 + cx}}{12x^3} - \frac{a + \operatorname{barccosh}(cx)}{4x^4} + \frac{1}{12}(bc) \int \frac{2c^2}{x^2\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
 &= \frac{bc\sqrt{-1 + cx}\sqrt{1 + cx}}{12x^3} - \frac{a + \operatorname{barccosh}(cx)}{4x^4} + \frac{1}{6}(bc^3) \int \frac{1}{x^2\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
 &= \frac{bc\sqrt{-1 + cx}\sqrt{1 + cx}}{12x^3} + \frac{bc^3\sqrt{-1 + cx}\sqrt{1 + cx}}{6x} - \frac{a + \operatorname{barccosh}(cx)}{4x^4}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.69

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^5} dx = \frac{-3a + bcx\sqrt{-1 + cx}\sqrt{1 + cx}(1 + 2c^2x^2) - 3\operatorname{barccosh}(cx)}{12x^4}$$

```
[In] Integrate[(a + b*ArcCosh[c*x])/x^5,x]
```

```
[Out] (-3*a + b*c*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(1 + 2*c^2*x^2) - 3*b*ArcCosh[c*x])/(12*x^4)
```

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.81

method	result	size
parts	$-\frac{a}{4x^4} + b c^4 \left(-\frac{\operatorname{arccosh}(cx)}{4c^4 x^4} + \frac{\sqrt{cx-1} \sqrt{cx+1} (2c^2 x^2 + 1)}{12c^3 x^3} \right)$	58
derivativedivides	$c^4 \left(-\frac{a}{4c^4 x^4} + b \left(-\frac{\operatorname{arccosh}(cx)}{4c^4 x^4} + \frac{\sqrt{cx-1} \sqrt{cx+1} (2c^2 x^2 + 1)}{12c^3 x^3} \right) \right)$	62
default	$c^4 \left(-\frac{a}{4c^4 x^4} + b \left(-\frac{\operatorname{arccosh}(cx)}{4c^4 x^4} + \frac{\sqrt{cx-1} \sqrt{cx+1} (2c^2 x^2 + 1)}{12c^3 x^3} \right) \right)$	62

[In] int((a+b*arccosh(c*x))/x^5,x,method=_RETURNVERBOSE)

[Out] $-1/4*a/x^4 + b*c^4*(-1/4/c^4/x^4*arccosh(c*x) + 1/12*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}*(2*c^2*x^2+1)/c^3/x^3)$

Fricas [A] (verification not implemented)

none

Time = 0.26 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.83

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^5} dx = \frac{3ax^4 - 3b \log(cx + \sqrt{c^2x^2 - 1}) + (2bc^3x^3 + bcx)\sqrt{c^2x^2 - 1} - 3a}{12x^4}$$

[In] integrate((a+b*arccosh(c*x))/x^5,x, algorithm="fricas")

[Out] $1/12*(3*a*x^4 - 3*b*\log(c*x + \sqrt{c^2*x^2 - 1}) + (2*b*c^3*x^3 + b*c*x)*\sqrt{c^2*x^2 - 1} - 3*a)/x^4$

Sympy [F]

$$\int \frac{a + b \operatorname{arccosh}(cx)}{x^5} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^5} dx$$

[In] integrate((a+b*acosh(c*x))/x**5,x)

[Out] Integral((a + b*acosh(c*x))/x**5, x)

Maxima [A] (verification not implemented)

none

Time = 0.31 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.79

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^5} dx = \frac{1}{12} \left(\left(\frac{2\sqrt{c^2x^2 - 1}c^2}{x} + \frac{\sqrt{c^2x^2 - 1}}{x^3} \right) c - \frac{3 \operatorname{arcosh}(cx)}{x^4} \right) b - \frac{a}{4x^4}$$

[In] integrate((a+b*arccosh(c*x))/x^5,x, algorithm="maxima")

[Out] 1/12*((2*sqrt(c^2*x^2 - 1)*c^2/x + sqrt(c^2*x^2 - 1)/x^3)*c - 3*arccosh(c*x)/x^4)*b - 1/4*a/x^4

Giac [F]

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^5} dx = \int \frac{b \operatorname{arcosh}(cx) + a}{x^5} dx$$

[In] integrate((a+b*arccosh(c*x))/x^5,x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)/x^5, x)

Mupad [F(-1)]

Timed out.

$$\int \frac{a + \operatorname{barccosh}(cx)}{x^5} dx = \int \frac{a + b \operatorname{acosh}(cx)}{x^5} dx$$

[In] int((a + b*acosh(c*x))/x^5,x)

[Out] int((a + b*acosh(c*x))/x^5, x)

3.142 $\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx$

Optimal result	759
Rubi [A] (verified)	760
Mathematica [A] (verified)	762
Maple [F]	763
Fricas [F(-2)]	763
Sympy [F]	763
Maxima [F]	764
Giac [F]	764
Mupad [F(-1)]	764

Optimal result

Integrand size = 16, antiderivative size = 213

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \frac{1}{3} x^3 \sqrt{a + b \operatorname{arccosh}(cx)} - \frac{\sqrt{b} e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^3}$$

$$- \frac{\sqrt{b} e^{\frac{3a}{b}} \sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{48c^3}$$

$$- \frac{\sqrt{b} e^{-\frac{a}{b}} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^3}$$

$$- \frac{\sqrt{b} e^{-\frac{3a}{b}} \sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\frac{\sqrt{3} \sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{48c^3}$$

```
[Out] -1/144*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*b^(1/2)*3^(1/2)*Pi^(1/2)/c^3-1/144*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*b^(1/2)*3^(1/2)*Pi^(1/2)/c^3/exp(3*a/b)-1/16*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*b^(1/2)*Pi^(1/2)/c^3-1/16*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*b^(1/2)*Pi^(1/2)/c^3/exp(a/b)+1/3*x^3*(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 213, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5884, 5953, 3393, 3388, 2211, 2236, 2235}

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = -\frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3} \sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{48c^3} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^3} - \frac{\sqrt{\frac{\pi}{3}} \sqrt{b} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3} \sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{48c^3} + \frac{1}{3} x^3 \sqrt{a + b \operatorname{arccosh}(cx)}$$

[In] Int[x^2*Sqrt[a + b*ArcCosh[c*x]],x]

[Out] (x^3*Sqrt[a + b*ArcCosh[c*x]])/3 - (Sqrt[b]*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(16*c^3) - (Sqrt[b]*E^((3*a)/b)*Sqrt[Pi/3]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(48*c^3) - (Sqrt[b]*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(16*c^3*E^(a/b)) - (Sqrt[b]*Sqrt[Pi/3]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(48*c^3*E^((3*a)/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(q_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^q/(-1 + c*x)^q], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3\sqrt{a + \text{barccosh}(cx)} - \frac{1}{6}(bc) \int \frac{x^3}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx \\
 &= \frac{1}{3}x^3\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \frac{\cosh^3\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{6c^3} \\
 &= \frac{1}{3}x^3\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \left(\frac{\cosh\left(\frac{3a-3x}{b}\right)}{4\sqrt{x}} + \frac{3\cosh\left(\frac{a-x}{b}\right)}{4\sqrt{x}}\right) dx, x, a + \text{barccosh}(cx)\right)}{6c^3} \\
 &= \frac{1}{3}x^3\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \frac{\cosh\left(\frac{3a-3x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{24c^3} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{\cosh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8c^3}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{1}{3}x^3\sqrt{a + \operatorname{barccosh}(cx)} - \frac{\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{3ia}{b} - \frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a + \operatorname{barccosh}(cx)\right)}{48c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{3ia}{b} - \frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a + \operatorname{barccosh}(cx)\right)}{48c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \operatorname{barccosh}(cx)\right)}{16c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \operatorname{barccosh}(cx)\right)}{16c^3} \\
&= \frac{1}{3}x^3\sqrt{a + \operatorname{barccosh}(cx)} - \frac{\operatorname{Subst}\left(\int e^{\frac{3a}{b} - \frac{3x^2}{b}} dx, x, \sqrt{a + \operatorname{barccosh}(cx)}\right)}{24c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-\frac{3a}{b} + \frac{3x^2}{b}} dx, x, \sqrt{a + \operatorname{barccosh}(cx)}\right)}{24c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + \operatorname{barccosh}(cx)}\right)}{8c^3} \\
&\quad - \frac{\operatorname{Subst}\left(\int e^{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \operatorname{barccosh}(cx)}\right)}{8c^3} \\
&= \frac{1}{3}x^3\sqrt{a + \operatorname{barccosh}(cx)} - \frac{\sqrt{b}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c^3} \\
&\quad - \frac{\sqrt{b}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{48c^3} - \frac{\sqrt{b}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c^3} \\
&\quad - \frac{\sqrt{b}e^{-\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{48c^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 214, normalized size of antiderivative = 1.00

$$\begin{aligned}
&\int x^2\sqrt{a + \operatorname{barccosh}(cx)} dx \\
&= \frac{e^{-\frac{3a}{b}}\sqrt{a + \operatorname{barccosh}(cx)}\left(9e^{\frac{4a}{b}}\sqrt{-\frac{a + \operatorname{barccosh}(cx)}{b}}\Gamma\left(\frac{3}{2}, \frac{a}{b} + \operatorname{arccosh}(cx)\right) + \sqrt{3}\sqrt{\frac{a}{b} + \operatorname{arccosh}(cx)}\Gamma\left(\frac{3}{2}, -\frac{3(a+}{\right.}\right)}{72c^3\sqrt{-}
\end{aligned}$$

```
[In] Integrate[x^2*Sqrt[a + b*ArcCosh[c*x]],x]
```

```
[Out] (Sqrt[a + b*ArcCosh[c*x]]*(9*E^((4*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, (-3*(a + b*ArcCosh[c*x])/b] + 9*E^((2*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, -((a + b*ArcCosh[c*x])/b)] + Sqrt[3]*E^((6*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, (3*(a + b*ArcCosh[c*x])/b)])/(72*c^3*E^((3*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])^2/b^2)])
```

Maple **[F]**

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

```
[In] int(x^2*(a+b*arccosh(c*x))^(1/2),x)
```

```
[Out] int(x^2*(a+b*arccosh(c*x))^(1/2),x)
```

Fricas **[F(-2)]**

Exception generated.

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)
```

Sympy **[F]**

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int x^2 \sqrt{a + b \operatorname{acosh}(cx)} dx$$

```
[In] integrate(x**2*(a+b*acosh(c*x))**(1/2),x)
```

```
[Out] Integral(x**2*sqrt(a + b*acosh(c*x)), x)
```

Maxima [F]

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arccosh}(cx) + ax^2} dx$$

[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*arccosh(c*x) + a)*x^2, x)

Giac [F]

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arccosh}(cx) + ax^2} dx$$

[In] integrate(x^2*(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*arccosh(c*x) + a)*x^2, x)

Mupad [F(-1)]

Timed out.

$$\int x^2 \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int x^2 \sqrt{a + b \operatorname{acosh}(cx)} dx$$

[In] int(x^2*(a + b*acosh(c*x))^(1/2),x)

[Out] int(x^2*(a + b*acosh(c*x))^(1/2), x)

3.143 $\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx$

Optimal result	765
Rubi [A] (verified)	765
Mathematica [A] (verified)	768
Maple [F]	768
Fricas [F(-2)]	768
Sympy [F]	769
Maxima [F]	769
Giac [F]	769
Mupad [F(-1)]	769

Optimal result

Integrand size = 14, antiderivative size = 145

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = -\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{4c^2} + \frac{1}{2}x^2 \sqrt{a + b \operatorname{arccosh}(cx)}$$

$$- \frac{\sqrt{b} e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^2}$$

$$- \frac{\sqrt{b} e^{-\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^2}$$

[Out] $-1/32*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2-1/32*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/\exp(2*a/b)-1/4*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5884, 5953, 3393, 3388, 2211, 2236, 2235}

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = -\frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^2}$$

$$- \frac{\sqrt{\frac{\pi}{2}} \sqrt{b} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{16c^2}$$

$$- \frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{4c^2} + \frac{1}{2}x^2 \sqrt{a + b \operatorname{arccosh}(cx)}$$

[In] Int[x*Sqrt[a + b*ArcCosh[c*x]],x]

[Out] $-1/4*\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/c^2 + (x^2*\sqrt{a + b*\operatorname{ArcCosh}[c*x]})/2 - (\sqrt{b}*E^{((2*a)/b)}*\sqrt{\pi/2}*\operatorname{Erf}[(\sqrt{2}*\sqrt{a + b*\operatorname{ArcCosh}[c*x]})/\sqrt{b}])/(16*c^2) - (\sqrt{b}*\sqrt{\pi/2}*\operatorname{Erfi}[(\sqrt{2}*\sqrt{a + b*\operatorname{ArcCosh}[c*x]})/\sqrt{b}])/(16*c^2*E^{((2*a)/b)})$

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*(x_)^m, x_Symbol] :> Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*(x_)^m*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(q_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*

Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int [x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} - \frac{1}{4}(bc) \int \frac{x^2}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx \\
 &= \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \frac{\cosh^2\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4c^2} \\
 &= \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cosh\left(\frac{2a-2x}{b}\right)}{2\sqrt{x}}\right) dx, x, a + \text{barccosh}(cx)\right)}{4c^2} \\
 &= -\frac{\sqrt{a + \text{barccosh}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{\cosh\left(\frac{2a-2x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8c^2} \\
 &= -\frac{\sqrt{a + \text{barccosh}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{16c^2} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{16c^2} \\
 &= -\frac{\sqrt{a + \text{barccosh}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} \\
 &\quad - \frac{\text{Subst}\left(\int e^{\frac{2a}{b} - \frac{2x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{8c^2} \\
 &\quad - \frac{\text{Subst}\left(\int e^{-\frac{2a}{b} + \frac{2x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{8c^2} \\
 &= -\frac{\sqrt{a + \text{barccosh}(cx)}}{4c^2} + \frac{1}{2}x^2\sqrt{a + \text{barccosh}(cx)} \\
 &\quad - \frac{\sqrt{b}e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\text{erf}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{16c^2} - \frac{\sqrt{b}e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\text{erfi}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{16c^2}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.34 (sec) , antiderivative size = 137, normalized size of antiderivative = 0.94

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

$$= \frac{8\sqrt{a + b \operatorname{arccosh}(cx)} \cosh(2 \operatorname{arccosh}(cx)) - \sqrt{b} \sqrt{2\pi} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right) \left(\cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right)\right) - \sqrt{b} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right) \left(\cosh\left(\frac{2a}{b}\right) + \sinh\left(\frac{2a}{b}\right)\right)}{32c^2}$$

```
[In] Integrate[x*Sqrt[a + b*ArcCosh[c*x]],x]
```

```
[Out] (8*Sqrt[a + b*ArcCosh[c*x]]*Cosh[2*ArcCosh[c*x]] - Sqrt[b]*Sqrt[2*Pi]*Erfi[
(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] - Sinh[(2*a)/b])
- Sqrt[b]*Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh
[(2*a)/b] + Sinh[(2*a)/b]))/(32*c^2)
```

Maple [F]

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

```
[In] int(x*(a+b*arccosh(c*x))^(1/2),x)
```

```
[Out] int(x*(a+b*arccosh(c*x))^(1/2),x)
```

Fricas [F(-2)]

Exception generated.

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x*(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```


Sympy [F]

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int x \sqrt{a + b \operatorname{acosh}(cx)} dx$$

[In] `integrate(x*(a+b*acosh(c*x))**(1/2),x)`

[Out] `Integral(x*sqrt(a + b*acosh(c*x)), x)`

Maxima [F]

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arccosh}(cx) + ax} dx$$

[In] `integrate(x*(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*arccosh(c*x) + a)*x, x)`

Giac [F]

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arccosh}(cx) + ax} dx$$

[In] `integrate(x*(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")`

[Out] `integrate(sqrt(b*arccosh(c*x) + a)*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int x \sqrt{a + b \operatorname{acosh}(cx)} dx$$

[In] `int(x*(a + b*acosh(c*x))^(1/2),x)`

[Out] `int(x*(a + b*acosh(c*x))^(1/2), x)`

3.144 $\int \sqrt{a + b \operatorname{arccosh}(cx)} dx$

Optimal result	770
Rubi [A] (verified)	770
Mathematica [A] (verified)	772
Maple [F]	773
Fricas [F(-2)]	773
Sympy [F]	773
Maxima [F]	773
Giac [F]	774
Mupad [F(-1)]	774

Optimal result

Integrand size = 12, antiderivative size = 102

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = x \sqrt{a + b \operatorname{arccosh}(cx)} - \frac{\sqrt{b} e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{b} e^{-\frac{a}{b}} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4c}$$

[Out] $-1/4 * \exp(a/b) * \operatorname{erf}((a + b * \operatorname{arccosh}(c * x))^{1/2} / b^{1/2}) * b^{1/2} * \pi^{1/2} / c - 1/4 * \operatorname{erfi}((a + b * \operatorname{arccosh}(c * x))^{1/2} / b^{1/2}) * b^{1/2} * \pi^{1/2} / c / \exp(a/b) + x * (a + b * \operatorname{arccosh}(c * x))^{1/2}$

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5879, 5953, 3388, 2211, 2236, 2235}

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = - \frac{\sqrt{\pi} \sqrt{b} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{\pi} \sqrt{b} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4c} + x \sqrt{a + b \operatorname{arccosh}(cx)}$$

[In] `Int[Sqrt[a + b*ArcCosh[c*x]],x]`

[Out] $x\sqrt{a + b\operatorname{ArcCosh}[c*x]} - (\sqrt{b}*E^{(a/b)}*\sqrt{\pi}*\operatorname{Erf}[\sqrt{a + b\operatorname{ArcCosh}[c*x]}/\sqrt{b}])/(4*c) - (\sqrt{b}*\sqrt{\pi}*\operatorname{Erfi}[\sqrt{a + b\operatorname{ArcCosh}[c*x]}/\sqrt{b}])/(4*c*E^{(a/b)})$

Rule 2211

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\sqrt{(c_.) + (d_.)*(x_)}}, x_Symbol] :$
 $> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - c*(f/d)) + f*g*(x^2/d))}, x], x, \sqrt{c + d*x}], x] /;$ $\operatorname{FreeQ}\{F, c, d, e, f, g, x\} \&\& !\operatorname{TrueQ}[\$UseGamma]$

Rule 2235

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x_Symbol] := \operatorname{Simp}[F^a*\sqrt{\pi}*(\operatorname{Erfi}[(c + d*x)*\operatorname{Rt}[b*\operatorname{Log}[F], 2]]/(2*d*\operatorname{Rt}[b*\operatorname{Log}[F], 2])), x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, x\} \&\& \operatorname{PosQ}[b]$

Rule 2236

$\operatorname{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x_Symbol] := \operatorname{Simp}[F^a*\sqrt{\pi}*(\operatorname{Erf}[(c + d*x)*\operatorname{Rt}[(-b)*\operatorname{Log}[F], 2]]/(2*d*\operatorname{Rt}[(-b)*\operatorname{Log}[F], 2])), x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, x\} \&\& \operatorname{NegQ}[b]$

Rule 3388

$\operatorname{Int}[(c_.) + (d_.)*(x_))^{(m_.)}\sin[(e_.) + \pi*(k_.) + (f_.)*(x_)], x_Symbol] := \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m/(E^{(I*k*\pi)}*E^{(I*(e + f*x))}), x], x] - \operatorname{Dist}[I/2, \operatorname{Int}[(c + d*x)^m*E^{(I*k*\pi)}*E^{(I*(e + f*x))}, x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f, m, x\} \&\& \operatorname{IntegerQ}[2*k]$

Rule 5879

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] := \operatorname{Simp}[x*(a + b*\operatorname{ArcCosh}[c*x])^n, x] - \operatorname{Dist}[b*c^n, \operatorname{Int}[x*((a + b*\operatorname{ArcCosh}[c*x])^{(n - 1)})/(\sqrt{1 + c*x}*\sqrt{-1 + c*x})], x], x] /;$ $\operatorname{FreeQ}\{a, b, c, x\} \&\& \operatorname{GtQ}[n, 0]$

Rule 5953

$\operatorname{Int}[(a_.) + \operatorname{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}*(x_)^{(m_.)}*((d1_.) + (e1_.)*(x_))^{(p_.)}*((d2_.) + (e2_.)*(x_))^{(p_.)}, x_Symbol] := \operatorname{Dist}[(1/(b*c^{(m + 1)}))*\operatorname{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\operatorname{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \operatorname{Subst}[\operatorname{Int}[x^n*\operatorname{Cosh}[-a/b + x/b]^m*\operatorname{Sinh}[-a/b + x/b]^{(2*p + 1)}, x], x, a + b*\operatorname{ArcCosh}[c*x]], x] /;$ $\operatorname{FreeQ}\{a, b, c, d1, e1, d2, e2, n, x\} \&\& \operatorname{EqQ}[e1, c*d1] \&\& \operatorname{EqQ}[e2, (-c)*d2] \&\& \operatorname{IGtQ}[p + 3/2, 0] \&\& \operatorname{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= x\sqrt{a + \text{barccosh}(cx)} - \frac{1}{2}(bc) \int \frac{x}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx \\
 &= x\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \frac{\cosh\left(\frac{a}{b} - \frac{x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{2c} \\
 &= x\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4c} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4c} \\
 &= x\sqrt{a + \text{barccosh}(cx)} - \frac{\text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{2c} \\
 &\quad - \frac{\text{Subst}\left(\int e^{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{2c} \\
 &= x\sqrt{a + \text{barccosh}(cx)} - \frac{\sqrt{b}e^{a/b}\sqrt{\pi}\text{erf}\left(\frac{\sqrt{a + \text{barccosh}(cx)}}{\sqrt{b}}\right)}{4c} - \frac{\sqrt{b}e^{-\frac{a}{b}}\sqrt{\pi}\text{erfi}\left(\frac{\sqrt{a + \text{barccosh}(cx)}}{\sqrt{b}}\right)}{4c}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 100, normalized size of antiderivative = 0.98

$$\begin{aligned}
 &\int \sqrt{a + \text{barccosh}(cx)} dx \\
 &= \frac{e^{-\frac{a}{b}}\sqrt{a + \text{barccosh}(cx)}\left(\frac{e^{\frac{2a}{b}}\Gamma\left(\frac{3}{2}, \frac{a}{b} + \text{arccosh}(cx)\right)}{\sqrt{\frac{a}{b} + \text{arccosh}(cx)}} + \frac{\Gamma\left(\frac{3}{2}, -\frac{a + b\text{arccosh}(cx)}{b}\right)}{\sqrt{-\frac{a + b\text{arccosh}(cx)}{b}}}\right)}{2c}
 \end{aligned}$$

[In] Integrate[Sqrt[a + b*ArcCosh[c*x]], x]

[Out] (Sqrt[a + b*ArcCosh[c*x]]*((E^((2*a)/b)*Gamma[3/2, a/b + ArcCosh[c*x]])/Sqrt[a/b + ArcCosh[c*x]] + Gamma[3/2, -(a + b*ArcCosh[c*x])/b])/Sqrt[-(a + b*ArcCosh[c*x])/b])/(2*c*E^(a/b))

Maple [F]

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx$$

[In] int((a+b*arccosh(c*x))^(1/2),x)

[Out] int((a+b*arccosh(c*x))^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = \text{Exception raised: TypeError}$$

[In] integrate((a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{a + b \operatorname{acosh}(cx)} dx$$

[In] integrate((a+b*acosh(c*x))**(1/2),x)

[Out] Integral(sqrt(a + b*acosh(c*x)), x)

Maxima [F]

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arcosh}(cx) + a} dx$$

[In] integrate((a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b*arccosh(c*x) + a), x)

Giac [F]

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{b \operatorname{arcosh}(cx) + a} dx$$

[In] integrate((a+b*arccosh(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b*arccosh(c*x) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \sqrt{a + b \operatorname{arccosh}(cx)} dx = \int \sqrt{a + b \operatorname{acosh}(cx)} dx$$

[In] int((a + b*acosh(c*x))^(1/2),x)

[Out] int((a + b*acosh(c*x))^(1/2), x)

3.145 $\int x^2(a + b \operatorname{arccosh}(cx))^{3/2} dx$

Optimal result	775
Rubi [A] (verified)	776
Mathematica [A] (warning: unable to verify)	780
Maple [F]	781
Fricas [F(-2)]	781
Sympy [F]	781
Maxima [F]	782
Giac [F(-2)]	782
Mupad [F(-1)]	782

Optimal result

Integrand size = 16, antiderivative size = 292

$$\int x^2(a + b \operatorname{arccosh}(cx))^{3/2} dx = -\frac{b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+b \operatorname{arccosh}(cx)}}{3c^3}$$

$$- \frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+b \operatorname{arccosh}(cx)}}{6c} + \frac{1}{3}x^3(a + b \operatorname{arccosh}(cx))^{3/2}$$

$$- \frac{3b^{3/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{32c^3} - \frac{b^{3/2}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{96c^3}$$

$$+ \frac{3b^{3/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{32c^3} + \frac{b^{3/2}e^{-\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{96c^3}$$

```
[Out] 1/3*x^3*(a+b*arccosh(c*x))^(3/2)-1/288*b^(3/2)*exp(3*a/b)*erf(3^(1/2)*(a+b*
arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3+1/288*b^(3/2)*erfi(3^(1/2)
)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3/exp(3*a/b)-3/32*b^(3
/2)*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3+3/32*b^(3
/2)*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3/exp(a/b)-1/3*b*(c*x
-1)^(1/2)*(c*x+1)^(1/2)*(a+b*arccosh(c*x))^(1/2)/c^3-1/6*b*x^2*(c*x-1)^(1/2
)*(c*x+1)^(1/2)*(a+b*arccosh(c*x))^(1/2)/c
```

Rubi [A] (verified)

Time = 0.83 (sec) , antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5884, 5939, 5915, 5881, 3389, 2211, 2236, 2235, 5887, 5556}

$$\int x^2(a + \operatorname{arccosh}(cx))^{3/2} dx = -\frac{3\sqrt{\pi}b^{3/2}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{32c^3}$$

$$- \frac{\sqrt{\frac{\pi}{3}}b^{3/2}e^{\frac{3a}{b}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{96c^3} + \frac{3\sqrt{\pi}b^{3/2}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{32c^3}$$

$$+ \frac{\sqrt{\frac{\pi}{3}}b^{3/2}e^{-\frac{3a}{b}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{96c^3} - \frac{b\sqrt{cx-1}\sqrt{cx+1}\sqrt{a+b\operatorname{arccosh}(cx)}}{3c^3}$$

$$+ \frac{1}{3}x^3(a + \operatorname{arccosh}(cx))^{3/2} - \frac{bx^2\sqrt{cx-1}\sqrt{cx+1}\sqrt{a+b\operatorname{arccosh}(cx)}}{6c}$$

[In] Int[x^2*(a + b*ArcCosh[c*x])^(3/2),x]

[Out] -1/3*(b*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*Sqrt[a + b*ArcCosh[c*x]])/c^3 - (b*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*Sqrt[a + b*ArcCosh[c*x]])/(6*c) + (x^3*(a + b*ArcCosh[c*x])^(3/2))/3 - (3*b^(3/2)*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(32*c^3) - (b^(3/2)*E^((3*a)/b)*Sqrt[Pi/3]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(96*c^3) + (3*b^(3/2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(32*c^3*E^(a/b)) + (b^(3/2)*Sqrt[Pi/3]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(96*c^3*E^((3*a)/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5881

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5887

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((f_.)*(x_))^(m_.)*((d1_.) + (e1_.)*(x_))^(p_.)*((d2_.) + (e2_.)*(x_))^(p_.), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(

$m + 2*p + 1))$, $x]$ + $(\text{Dist}[f^2*((m - 1)/(c^2*(m + 2*p + 1)))$, $\text{Int}[(f*x)^{(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n$, $x]$, $x]$ - $\text{Dist}[b*f*(n/(c*(m + 2*p + 1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p]$, $\text{Int}[(f*x)^{(m - 1)*(1 + c*x)^{(p + 1/2)*(-1 + c*x)^{(p + 1/2)*(a + b*\text{ArcCosh}[c*x])^{(n - 1)}$, $x]$, $x]$) /; $\text{FreeQ}\{a, b, c, d1, e1, d2, e2, f, p\}$, $x\}$ && $\text{EqQ}[e1, c*d1]$ && $\text{EqQ}[e2, (-c)*d2]$ && $\text{GtQ}[n, 0]$ && $\text{IGtQ}[m, 1]$ && $\text{NeQ}[m + 2*p + 1, 0]$

Rubi steps

$$\begin{aligned}
\text{integral} &= \frac{1}{3}x^3(a + \text{barccosh}(cx))^{3/2} - \frac{1}{2}(bc) \int \frac{x^3 \sqrt{a + \text{barccosh}(cx)}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
&= -\frac{bx^2 \sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{3/2} \\
&\quad + \frac{1}{12}b^2 \int \frac{x^2}{\sqrt{a + \text{barccosh}(cx)}} dx - \frac{b \int \frac{x \sqrt{a + \text{barccosh}(cx)}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{3c} \\
&= -\frac{b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{3c^3} \\
&\quad - \frac{bx^2 \sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{b \text{Subst}\left(\int \frac{\cosh^2\left(\frac{a-x}{b}\right) \sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{12c^3} + \frac{b^2 \int \frac{1}{\sqrt{a + \text{barccosh}(cx)}} dx}{6c^2} \\
&= -\frac{b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{3c^3} \\
&\quad - \frac{bx^2 \sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{b \text{Subst}\left(\int \left(\frac{\sinh\left(\frac{3a}{b} - \frac{3x}{b}\right)}{4\sqrt{x}} + \frac{\sinh\left(\frac{a-x}{b}\right)}{4\sqrt{x}}\right) dx, x, a + \text{barccosh}(cx)\right)}{12c^3} \\
&\quad - \frac{b \text{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{6c^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{3c^3} \\
&\quad -\frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{3/2} \\
&\quad -\frac{b\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{48c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{48c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{12c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{12c^3} \\
&= -\frac{b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{3c^3} \\
&\quad -\frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{3/2} \\
&\quad -\frac{b\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{96c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{96c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{96c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{96c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{6c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{6c^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{3c^3} \\
&\quad -\frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{3/2} \\
&\quad -\frac{b^{3/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{12c^3} + \frac{b^{3/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{12c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{48c^3} \\
&\quad -\frac{b\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{48c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{48c^3} \\
&\quad +\frac{b\operatorname{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{48c^3} \\
&= -\frac{b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{3c^3} \\
&\quad -\frac{bx^2\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{6c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{3/2} \\
&\quad -\frac{3b^{3/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{32c^3} - \frac{b^{3/2}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{96c^3} \\
&\quad +\frac{3b^{3/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{32c^3} + \frac{b^{3/2}e^{-\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{96c^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 1.95 (sec) , antiderivative size = 540, normalized size of antiderivative = 1.85

$$\begin{aligned}
&\int x^2(a \\
&\quad +\operatorname{barccosh}(cx))^{3/2}dx = \frac{ae^{-\frac{3a}{b}}\sqrt{a+\operatorname{barccosh}(cx)}\left(9e^{\frac{4a}{b}}\sqrt{-\frac{a+\operatorname{barccosh}(cx)}{b}}\Gamma\left(\frac{3}{2}, \frac{a}{b}+\operatorname{arccosh}(cx)\right)+\sqrt{3}\sqrt{\frac{a}{b}+a}\right)}{96c^3} \\
&\quad +\frac{\sqrt{b}\left(9\left(-12\sqrt{b}\sqrt{\frac{-1+cx}{1+cx}}(1+cx)\sqrt{a+\operatorname{barccosh}(cx)}+8\sqrt{bc}x\operatorname{arccosh}(cx)\sqrt{a+\operatorname{barccosh}(cx)}+(2a+3b)\sqrt{\pi}\right)\right)}{96c^3}
\end{aligned}$$

[In] Integrate[x^2*(a + b*ArcCosh[c*x])^(3/2), x]

```
[Out] (a*Sqrt[a + b*ArcCosh[c*x]]*(9*E^((4*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*
Gamma[3/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2
, (-3*(a + b*ArcCosh[c*x])/b] + 9*E^((2*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gam
ma[3/2, -((a + b*ArcCosh[c*x])/b)] + Sqrt[3]*E^((6*a)/b)*Sqrt[-((a + b*ArcC
osh[c*x])/b)]*Gamma[3/2, (3*(a + b*ArcCosh[c*x])/b]))/(72*c^3*E^((3*a)/b)*
Sqrt[-((a + b*ArcCosh[c*x])^2/b^2)]) + (Sqrt[b]*(9*(-12*Sqrt[b]*Sqrt[(-1 +
c*x)/(1 + c*x)]*(1 + c*x)*Sqrt[a + b*ArcCosh[c*x]] + 8*Sqrt[b]*c*x*ArcCosh[
c*x]*Sqrt[a + b*ArcCosh[c*x]] + (2*a + 3*b)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCos
h[c*x]]/Sqrt[b]]*(Cosh[a/b] - Sinh[a/b]) + (2*a - 3*b)*Sqrt[Pi]*Erf[Sqrt[a
+ b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b])) + (2*a + b)*Sqrt[3*Pi]*
Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(3*a)/b] - Sinh[(3*a
)/b]) + (2*a - b)*Sqrt[3*Pi]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b
]]*(Cosh[(3*a)/b] + Sinh[(3*a)/b]) + 12*Sqrt[b]*Sqrt[a + b*ArcCosh[c*x]]*(2*
ArcCosh[c*x]*Cosh[3*ArcCosh[c*x]] - Sinh[3*ArcCosh[c*x]])))/(288*c^3)
```

Maple [F]

$$\int x^2(a + b \operatorname{arccosh}(cx))^{\frac{3}{2}} dx$$

```
[In] int(x^2*(a+b*arccosh(c*x))^(3/2),x)
```

```
[Out] int(x^2*(a+b*arccosh(c*x))^(3/2),x)
```

Fricas [F(-2)]

Exception generated.

$$\int x^2(a + b \operatorname{arccosh}(cx))^{3/2} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int x^2(a + b \operatorname{arccosh}(cx))^{3/2} dx = \int x^2(a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

```
[In] integrate(x**2*(a+b*acosh(c*x))**(3/2),x)
```

```
[Out] Integral(x**2*(a + b*acosh(c*x))**(3/2), x)
```

Maxima [F]

$$\int x^2(a + \operatorname{barccosh}(cx))^{3/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}} x^2 dx$$

[In] `integrate(x^2*(a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(3/2)*x^2, x)`

Giac [F(-2)]

Exception generated.

$$\int x^2(a + \operatorname{barccosh}(cx))^{3/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x^2*(a+b*arccosh(c*x))^(3/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^2(a + \operatorname{barccosh}(cx))^{3/2} dx = \int x^2 (a + b \operatorname{acosh}(cx))^{3/2} dx$$

[In] `int(x^2*(a + b*acosh(c*x))^(3/2),x)`

[Out] `int(x^2*(a + b*acosh(c*x))^(3/2), x)`

3.146 $\int x(a + \operatorname{barccosh}(cx))^{3/2} dx$

Optimal result	783
Rubi [A] (verified)	783
Mathematica [A] (verified)	787
Maple [F]	787
Fricas [F(-2)]	787
Sympy [F]	788
Maxima [F]	788
Giac [F]	788
Mupad [F(-1)]	788

Optimal result

Integrand size = 14, antiderivative size = 184

$$\int x(a + \operatorname{barccosh}(cx))^{3/2} dx = -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} - \frac{(a + \operatorname{barccosh}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + \operatorname{barccosh}(cx))^{3/2} - \frac{3b^{3/2}e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2} + \frac{3b^{3/2}e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2}$$

[Out] $-1/4*(a+b*\operatorname{arccosh}(c*x))^{(3/2)}/c^2+1/2*x^2*(a+b*\operatorname{arccosh}(c*x))^{(3/2)}-3/128*b^{(3/2)}*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2+3/128*b^{(3/2)}*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/\exp(2*a/b)-3/8*b*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/c$

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5884, 5939, 5893, 5887, 5556, 12, 3389, 2211, 2236, 2235}

$$\int x(a + \operatorname{barccosh}(cx))^{3/2} dx = -\frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e^{\frac{2a}{b}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2} + \frac{3\sqrt{\frac{\pi}{2}}b^{3/2}e^{-\frac{2a}{b}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2} - \frac{(a + \operatorname{barccosh}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a + \operatorname{barccosh}(cx))^{3/2} - \frac{3bx\sqrt{cx-1}\sqrt{cx+1}\sqrt{a+\operatorname{barccosh}(cx)}}{8c}$$

[In] Int[x*(a + b*ArcCosh[c*x])^(3/2), x]

[Out] $(-3*b*x*\sqrt{-1 + c*x}*\sqrt{1 + c*x}*\sqrt{a + b*\text{ArcCosh}[c*x]})/(8*c) - (a + b*\text{ArcCosh}[c*x])^{3/2}/(4*c^2) + (x^2*(a + b*\text{ArcCosh}[c*x])^{3/2})/2 - (3*b^{3/2}*E^{((2*a)/b)}*\sqrt{\pi/2}*\text{Erf}[(\sqrt{2}*\sqrt{a + b*\text{ArcCosh}[c*x]})/\sqrt{b}])/(64*c^2) + (3*b^{3/2}*\sqrt{\pi/2}*\text{Erfi}[(\sqrt{2}*\sqrt{a + b*\text{ArcCosh}[c*x]})/\sqrt{b}])/(64*c^2*E^{((2*a)/b)})$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2211

Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sinh[(a_) + (b_)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5884

Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[

$x^{(m+1)}*((a + b*\text{ArcCosh}[c*x])^{(n-1)}/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x])), x]$
 $, x] /;$ FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5887

$\text{Int}[(a + \text{ArcCosh}[c*x])^{(n)}*(b*x)^{(m)}, x_Symbol] := \text{Dist}[1/(b*c^{(m+1)}), \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /;$ FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rule 5893

$\text{Int}[(a + \text{ArcCosh}[c*x])^{(n)}/(\text{Sqrt}[(d1 + (e1*x))*\text{Sqrt}[(d2 + (e2*x))], x_Symbol] := \text{Simp}[(1/(b*c^{(n+1)}))*\text{Simp}[\text{Sqrt}[1 + c*x]/\text{Sqrt}[d1 + e1*x]]*\text{Simp}[\text{Sqrt}[-1 + c*x]/\text{Sqrt}[d2 + e2*x]]*(a + b*\text{ArcCosh}[c*x])^{(n+1)}, x] /;$ FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

$\text{Int}[(a + \text{ArcCosh}[c*x])^{(n)}*((f*x)^{(m)}*((d1 + (e1*x))^{(p)}*((d2 + (e2*x))^{(p)}), x_Symbol] := \text{Simp}[f*(f*x)^{(m-1)}*(d1 + e1*x)^{(p+1)}*(d2 + e2*x)^{(p+1)}*((a + b*\text{ArcCosh}[c*x])^{(n)/(e1*e2*(m+2*p+1))}), x] + (\text{Dist}[f^2*((m-1)/(c^2*(m+2*p+1))), \text{Int}[(f*x)^{(m-2)}*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*\text{ArcCosh}[c*x])^n, x], x] - \text{Dist}[b*f*(n/(c*(m+2*p+1)))*\text{Simp}[(d1 + e1*x)^p/(1 + c*x)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + c*x)^p], \text{Int}[(f*x)^{(m-1)}*(1 + c*x)^{(p+1/2)}*(-1 + c*x)^{(p+1/2)}*(a + b*\text{ArcCosh}[c*x])^{(n-1)}, x], x]) /;$ FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{1}{2}x^2(a + \text{barccosh}(cx))^{3/2} - \frac{1}{4}(3bc) \int \frac{x^2 \sqrt{a + \text{barccosh}(cx)}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\ &= -\frac{3bx\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{8c} + \frac{1}{2}x^2(a + \text{barccosh}(cx))^{3/2} \\ &\quad + \frac{1}{16}(3b^2) \int \frac{x}{\sqrt{a + \text{barccosh}(cx)}} dx - \frac{(3b) \int \frac{\sqrt{a + \text{barccosh}(cx)}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{8c} \end{aligned}$$

$$\begin{aligned}
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} \\
&\quad -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} \\
&\quad\quad (3b)\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a-x}{b}\right)\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right) \\
&\quad\quad -\frac{16c^2}{16c^2} \\
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} \\
&\quad +\frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} -\frac{(3b)\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{2a-2x}{b}\right)}{2\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{16c^2} \\
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} \\
&\quad +\frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} -\frac{(3b)\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{2a-2x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{32c^2} \\
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} \\
&\quad +\frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} -\frac{(3b)\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{64c^2} \\
&\quad\quad +\frac{(3b)\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{64c^2} \\
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} \\
&\quad +\frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} -\frac{(3b)\operatorname{Subst}\left(\int e^{\frac{2a-2x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{32c^2} \\
&\quad\quad +\frac{(3b)\operatorname{Subst}\left(\int e^{-\frac{2a+2x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{32c^2} \\
&= -\frac{3bx\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{8c} -\frac{(a+\operatorname{barccosh}(cx))^{3/2}}{4c^2} \\
&\quad +\frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{3/2} -\frac{3b^{3/2}e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2} \\
&\quad\quad +\frac{3b^{3/2}e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.65 (sec) , antiderivative size = 165, normalized size of antiderivative = 0.90

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \frac{3b^{3/2}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right) \left(\cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right)\right) - 3b^{3/2}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right) \left(\cosh\left(\frac{2a}{b}\right) + \sinh\left(\frac{2a}{b}\right)\right) + 8\sqrt{a+b\operatorname{arccosh}(cx)} \left(4a\cosh[2\operatorname{arccosh}(cx)] + 4b\operatorname{arccosh}(cx)\cosh[2\operatorname{arccosh}(cx)] - 3b\sinh[2\operatorname{arccosh}(cx)]\right)}{128c^2}$$

[In] Integrate[x*(a + b*ArcCosh[c*x])^(3/2),x]

[Out] (3*b^(3/2)*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] - Sinh[(2*a)/b]) - 3*b^(3/2)*Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] + Sinh[(2*a)/b]) + 8*Sqrt[a + b*ArcCosh[c*x]]*(4*a*Cosh[2*ArcCosh[c*x]] + 4*b*ArcCosh[c*x]*Cosh[2*ArcCosh[c*x]] - 3*b*Sinh[2*ArcCosh[c*x]])/(128*c^2)

Maple [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx$$

[In] int(x*(a+b*arccosh(c*x))^(3/2),x)

[Out] int(x*(a+b*arccosh(c*x))^(3/2),x)

Fricas [F(-2)]

Exception generated.

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \text{Exception raised: TypeError}$$

[In] integrate(x*(a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \int x(a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

[In] `integrate(x*(a+b*acosh(c*x))**(3/2),x)`

[Out] `Integral(x*(a + b*acosh(c*x))**(3/2), x)`

Maxima [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}} x dx$$

[In] `integrate(x*(a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(3/2)*x, x)`

Giac [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}} x dx$$

[In] `integrate(x*(a+b*arccosh(c*x))^(3/2),x, algorithm="giac")`

[Out] `integrate((b*arccosh(c*x) + a)^(3/2)*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x(a + b \operatorname{arccosh}(cx))^{3/2} dx = \int x(a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

[In] `int(x*(a + b*acosh(c*x))^(3/2),x)`

[Out] `int(x*(a + b*acosh(c*x))^(3/2), x)`

3.147 $\int (a + \operatorname{barccosh}(cx))^{3/2} dx$

Optimal result	789
Rubi [A] (verified)	789
Mathematica [A] (warning: unable to verify)	792
Maple [F]	792
Fricas [F(-2)]	792
Sympy [F]	793
Maxima [F]	793
Giac [F]	793
Mupad [F(-1)]	793

Optimal result

Integrand size = 12, antiderivative size = 140

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = -\frac{3b\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}{2c}$$

$$+ x(a + \operatorname{barccosh}(cx))^{3/2} - \frac{3b^{3/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{8c}$$

$$+ \frac{3b^{3/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{8c}$$

[Out] $x*(a+b*\operatorname{arccosh}(c*x))^{(3/2)}-3/8*b^{(3/2)}*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\Pi^{(1/2)}/c+3/8*b^{(3/2)}*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\Pi^{(1/2)}/c/\exp(a/b)-3/2*b*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/c$

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5879, 5915, 5881, 3389, 2211, 2236, 2235}

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = -\frac{3\sqrt{\pi}b^{3/2}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{8c}$$

$$+ \frac{3\sqrt{\pi}b^{3/2}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{8c}$$

$$- \frac{3b\sqrt{cx-1}\sqrt{cx+1}\sqrt{a+\operatorname{barccosh}(cx)}}{2c} + x(a + \operatorname{barccosh}(cx))^{3/2}$$

[In] Int[(a + b*ArcCosh[c*x])^(3/2), x]

[Out] (-3*b*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*Sqrt[a + b*ArcCosh[c*x]])/(2*c) + x*(a + b*ArcCosh[c*x])^(3/2) - (3*b^(3/2)*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(8*c) + (3*b^(3/2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(8*c*E^(a/b))

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :=> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :=> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :=> Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n, x_Symbol] :=> Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1))/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5881

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n, x_Symbol] :=> Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^n*(x_)*((d1_.) + (e1_.)*(x_)^p)*((d2_.) + (e2_.)*(x_)^p), x_Symbol] :=> Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2

c(p + 1))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rubi steps

$$\begin{aligned}
\text{integral} &= x(a + \text{barccosh}(cx))^{3/2} - \frac{1}{2}(3bc) \int \frac{x\sqrt{a + \text{barccosh}(cx)}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
&= -\frac{3b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{3/2} + \frac{1}{4}(3b^2) \int \frac{1}{\sqrt{a + \text{barccosh}(cx)}} dx \\
&= -\frac{3b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{2c} + x(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{(3b)\text{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4c} \\
&= -\frac{3b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{2c} + x(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{(3b)\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia-x}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8c} \\
&\quad + \frac{(3b)\text{Subst}\left(\int \frac{e^{i\left(\frac{ia-x}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8c} \\
&= -\frac{3b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{2c} + x(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{(3b)\text{Subst}\left(\int e^{\frac{a-x}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{4c} \\
&\quad + \frac{(3b)\text{Subst}\left(\int e^{-\frac{a-x}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{4c} \\
&= -\frac{3b\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}}{2c} + x(a + \text{barccosh}(cx))^{3/2} \\
&\quad - \frac{3b^{3/2}e^{a/b}\sqrt{\pi}\text{erf}\left(\frac{\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{8c} + \frac{3b^{3/2}e^{-a/b}\sqrt{\pi}\text{erfi}\left(\frac{\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{8c}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.41 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.92

$$\int (a + b \operatorname{arccosh}(cx))^{3/2} dx = \frac{ae^{-\frac{a}{b}} \sqrt{a + b \operatorname{arccosh}(cx)} \left(\frac{e^{\frac{2a}{b}} \Gamma\left(\frac{3}{2}, \frac{a}{b} + \operatorname{arccosh}(cx)\right)}{\sqrt{\frac{a}{b} + \operatorname{arccosh}(cx)}} + \frac{\Gamma\left(\frac{3}{2}, -\frac{a + b \operatorname{arccosh}(cx)}{b}\right)}{\sqrt{-\frac{a + b \operatorname{arccosh}(cx)}{b}}}\right)}{2c} + \frac{b \left(-12 \sqrt{\frac{-1+cx}{1+cx}} (1+cx) \sqrt{a + b \operatorname{arccosh}(cx)} + 8cx \operatorname{arccosh}(cx) \sqrt{a + b \operatorname{arccosh}(cx)} + \frac{(2a+3b)\sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a+b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{\sqrt{b}} \right)}{8c}$$

[In] Integrate[(a + b*ArcCosh[c*x])^(3/2), x]

[Out] (a*Sqrt[a + b*ArcCosh[c*x]]*((E^((2*a)/b)*Gamma[3/2, a/b + ArcCosh[c*x]])/Sqrt[a/b + ArcCosh[c*x]] + Gamma[3/2, -(a + b*ArcCosh[c*x])/b])/Sqrt[-((a + b*ArcCosh[c*x])/b)])/(2*c*E^(a/b)) + (b*(-12*Sqrt[(-1 + c*x)/(1 + c*x)]*(1 + c*x)*Sqrt[a + b*ArcCosh[c*x]] + 8*c*x*ArcCosh[c*x]*Sqrt[a + b*ArcCosh[c*x]] + ((2*a + 3*b)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] - Sinh[a/b]))/Sqrt[b] + ((2*a - 3*b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b]))/Sqrt[b]))/(8*c)

Maple [F]

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{3}{2}} dx$$

[In] int((a+b*arccosh(c*x))^(3/2), x)

[Out] int((a+b*arccosh(c*x))^(3/2), x)

Fricas [F(-2)]

Exception generated.

$$\int (a + b \operatorname{arccosh}(cx))^{3/2} dx = \text{Exception raised: TypeError}$$

[In] integrate((a+b*arccosh(c*x))^(3/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = \int (a + b \operatorname{acosh}(cx))^{\frac{3}{2}} dx$$

[In] integrate((a+b*acosh(c*x))**(3/2),x)

[Out] Integral((a + b*acosh(c*x))**(3/2), x)

Maxima [F]

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}} dx$$

[In] integrate((a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")

[Out] integrate((b*arccosh(c*x) + a)^(3/2), x)

Giac [F]

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}} dx$$

[In] integrate((a+b*arccosh(c*x))^(3/2),x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int (a + \operatorname{barccosh}(cx))^{3/2} dx = \int (a + b \operatorname{acosh}(cx))^{3/2} dx$$

[In] int((a + b*acosh(c*x))^(3/2),x)

[Out] int((a + b*acosh(c*x))^(3/2), x)

3.148 $\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx$

Optimal result	794
Rubi [A] (verified)	794
Mathematica [B] (warning: unable to verify)	800
Maple [F]	801
Fricas [F(-2)]	801
Sympy [F(-1)]	801
Maxima [F]	802
Giac [F(-2)]	802
Mupad [F(-1)]	802

Optimal result

Integrand size = 16, antiderivative size = 337

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \frac{5b^2x\sqrt{a + \operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + \operatorname{barccosh}(cx)}$$

$$- \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \operatorname{barccosh}(cx))^{3/2}}{9c^3} - \frac{5bx^2\sqrt{-1 + cx}\sqrt{1 + cx}(a + \operatorname{barccosh}(cx))^{3/2}}{18c}$$

$$+ \frac{1}{3}x^3(a + \operatorname{barccosh}(cx))^{5/2} - \frac{15b^{5/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^3} - \frac{5b^{5/2}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3} - \frac{15b^{5/2}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3}$$

```
[Out] 1/3*x^3*(a+b*arccosh(c*x))^(5/2)-5/1728*b^(5/2)*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3-5/1728*b^(5/2)*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3/exp(3*a/b)-15/64*b^(5/2)*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3-15/64*b^(5/2)*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3/exp(a/b)-5/9*b*(a+b*arccosh(c*x))^(3/2)*(c*x-1)^(1/2)*(c*x+1)^(1/2)/c^3-5/18*b*x^2*(a+b*arccosh(c*x))^(3/2)*(c*x-1)^(1/2)*(c*x+1)^(1/2)/c+5/6*b^2*x*(a+b*arccosh(c*x))^(1/2)/c^2+5/36*b^2*x^3*(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 1.30 (sec) , antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules

used = {5884, 5939, 5915, 5879, 5953, 3388, 2211, 2236, 2235, 3393}

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = -\frac{15\sqrt{\pi}b^{5/2}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^3}$$

$$-\frac{5\sqrt{\frac{\pi}{3}}b^{5/2}e^{\frac{3a}{b}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3} - \frac{15\sqrt{\pi}b^{5/2}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^3}$$

$$-\frac{5\sqrt{\frac{\pi}{3}}b^{5/2}e^{-\frac{3a}{b}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3} + \frac{5b^2x\sqrt{a + \operatorname{barccosh}(cx)}}{6c^2}$$

$$+ \frac{5}{36}b^2x^3\sqrt{a + \operatorname{barccosh}(cx)} - \frac{5b\sqrt{cx - 1}\sqrt{cx + 1}(a + \operatorname{barccosh}(cx))^{3/2}}{9c^3}$$

$$+ \frac{1}{3}x^3(a + \operatorname{barccosh}(cx))^{5/2} - \frac{5bx^2\sqrt{cx - 1}\sqrt{cx + 1}(a + \operatorname{barccosh}(cx))^{3/2}}{18c}$$

[In] Int[x^2*(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (5*b^2*x*Sqrt[a + b*ArcCosh[c*x]]/(6*c^2) + (5*b^2*x^3*Sqrt[a + b*ArcCosh[c*x]]/36 - (5*b*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(3/2))/(9*c^3) - (5*b*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(3/2))/(18*c) + (x^3*(a + b*ArcCosh[c*x])^(5/2))/3 - (15*b^(5/2)*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]/(64*c^3) - (5*b^(5/2)*E^((3*a)/b)*Sqrt[Pi/3]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]/(576*c^3) - (15*b^(5/2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]/(64*c^3*E^(a/b)) - (5*b^(5/2)*Sqrt[Pi/3]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]/(576*c^3*E^((3*a)/b)))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:= Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 3393

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 5879

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.), x_Symbol] := Simp[x*(a + b*A
rcCosh[c*x])^n, x] - Dist[b*c*n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[
1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]
```

Rule 5884

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[
x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x]
, x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]
```

Rule 5915

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)*((d1_) + (e1_.)*(x_))^(p
_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[(d1 + e1*x)^(p + 1)*(d2 +
e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2
*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^
p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n -
1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && Eq
Q[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]
```

Rule 5939

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d1_) + (e
1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m -
1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(
m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m
- 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(
n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-
1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a
+ b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}
```

, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x_.))^(p_.)*((d2_) + (e2_.)*(x_.))^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= \frac{1}{3}x^3(a + \text{barccosh}(cx))^{5/2} - \frac{1}{6}(5bc) \int \frac{x^3(a + \text{barccosh}(cx))^{3/2}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
 &= -\frac{5bx^2\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{18c} + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{5/2} \\
 &\quad + \frac{1}{12}(5b^2) \int x^2\sqrt{a + \text{barccosh}(cx)} dx - \frac{(5b) \int \frac{x(a + \text{barccosh}(cx))^{3/2}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx}{9c} \\
 &= \frac{5}{36}b^2x^3\sqrt{a + \text{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{9c^3} \\
 &\quad - \frac{5bx^2\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{18c} \\
 &\quad + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{5/2} + \frac{(5b^2) \int \sqrt{a + \text{barccosh}(cx)} dx}{6c^2} \\
 &\quad - \frac{1}{72}(5b^3c) \int \frac{x^3}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx \\
 &= \frac{5b^2x\sqrt{a + \text{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a + \text{barccosh}(cx)} \\
 &\quad - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{9c^3} \\
 &\quad - \frac{5bx^2\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{18c} \\
 &\quad + \frac{1}{3}x^3(a + \text{barccosh}(cx))^{5/2} - \frac{(5b^2) \text{Subst}\left(\int \frac{\cosh^3\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{72c^3} \\
 &\quad - \frac{(5b^3) \int \frac{x}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx}{12c}
 \end{aligned}$$

$$\begin{aligned}
&= \frac{5b^2x\sqrt{a+\operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{9c^3} \\
&\quad - \frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{18c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\left(\frac{\cosh\left(\frac{3a-3x}{b}\right)}{4\sqrt{x}} + \frac{3\cosh\left(\frac{a-x}{b}\right)}{4\sqrt{x}}\right)dx, x, a+\operatorname{barccosh}(cx)\right)}{72c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a-x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{12c^3} \\
&= \frac{5b^2x\sqrt{a+\operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{9c^3} \\
&\quad - \frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{18c} \\
&\quad + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{3a-3x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{288c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a-x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{96c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{24c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{24c^3}
\end{aligned}$$

$$\begin{aligned}
&= \frac{5b^2x\sqrt{a+\operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{9c^3} \\
&\quad - \frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{18c} \\
&\quad + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx,x,a+\operatorname{barccosh}(cx)\right)}{576c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx,x,a+\operatorname{barccosh}(cx)\right)}{576c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx,x,a+\operatorname{barccosh}(cx)\right)}{192c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx,x,a+\operatorname{barccosh}(cx)\right)}{192c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{12c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{12c^3} \\
&= \frac{5b^2x\sqrt{a+\operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{9c^3} \\
&\quad - \frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{18c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad - \frac{5b^{5/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{24c^3} - \frac{5b^{5/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{24c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{288c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{288c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{96c^3} \\
&\quad - \frac{(5b^2)\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx,x,\sqrt{a+\operatorname{barccosh}(cx)}\right)}{96c^3}
\end{aligned}$$

$$\begin{aligned}
&= \frac{5b^2x\sqrt{a+\operatorname{barccosh}(cx)}}{6c^2} + \frac{5}{36}b^2x^3\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5b\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{9c^3} \\
&\quad - \frac{5bx^2\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{18c} + \frac{1}{3}x^3(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad - \frac{15b^{5/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^3} - \frac{5b^{5/2}e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3} \\
&\quad - \frac{15b^{5/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{64c^3} - \frac{5b^{5/2}e^{-\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{576c^3}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 924 vs. 2(337) = 674.

Time = 8.75 (sec) , antiderivative size = 924, normalized size of antiderivative = 2.74

$$\begin{aligned}
&\int x^2(a \\
&\quad + \operatorname{barccosh}(cx))^{5/2} dx = \frac{a^2e^{-\frac{3a}{b}}\sqrt{a+\operatorname{barccosh}(cx)}\left(9e^{\frac{4a}{b}}\sqrt{-\frac{a+\operatorname{barccosh}(cx)}{b}}\Gamma\left(\frac{3}{2}, \frac{a}{b} + \operatorname{arccosh}(cx)\right) + \sqrt{3}\sqrt{\frac{a}{b}} + \right.}{\dots} \\
&\quad + \frac{a\sqrt{b}\left(9\left(-12\sqrt{b}\sqrt{\frac{-1+cx}{1+cx}}(1+cx)\sqrt{a+\operatorname{barccosh}(cx)} + 8\sqrt{b}cx\operatorname{arccosh}(cx)\sqrt{a+\operatorname{barccosh}(cx)} + (2a+3b)\sqrt{\dots}\right)}{\dots} \\
&\quad + \frac{27\left(-4b\sqrt{a+\operatorname{barccosh}(cx)}\left(2\sqrt{\frac{-1+cx}{1+cx}}(1+cx)(a-5\operatorname{barccosh}(cx)) + bcx(15+4\operatorname{arccosh}(cx)^2)\right) + \sqrt{b}(4a^2 - \dots)}{\dots}
\end{aligned}$$

[In] Integrate[x^2*(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (a^2*Sqrt[a + b*ArcCosh[c*x]]*(9*E^((4*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, (-3*(a + b*ArcCosh[c*x]))/b] + 9*E^((2*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[3/2, -((a + b*ArcCosh[c*x])/b)] + Sqrt[3]*E^((6*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[3/2, (3*(a + b*ArcCosh[c*x]))/b])/(72*c^3*E^((3*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])^2/b^2)]) + (a*Sqrt[b]*(9*(-12*Sqrt[b]*Sqrt[(-1 + c*x)/(1 + c*x)]*(1 + c*x)*Sqrt[a + b*ArcCosh[c*x]] + 8*Sqrt[b]*c*x*ArcCosh[c*x]*Sqrt[a + b*ArcCosh[c*x]] + (2*a + 3*b)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] - Sinh[a/b]) + (2*a - 3*b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b])) + (2*a + b)*Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(3*a)/b] - Sinh[


```
(3*a)/b)) + (2*a - b)*Sqrt[3*Pi]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqr
t[b]]*(Cosh[(3*a)/b] + Sinh[(3*a)/b]) + 12*Sqrt[b]*Sqrt[a + b*ArcCosh[c*x]]
*(2*ArcCosh[c*x]*Cosh[3*ArcCosh[c*x]] - Sinh[3*ArcCosh[c*x]])))/(144*c^3) -
(27*(-4*b*Sqrt[a + b*ArcCosh[c*x]]*(2*Sqrt[(-1 + c*x)/(1 + c*x)]*(1 + c*x)
*(a - 5*b*ArcCosh[c*x]) + b*c*x*(15 + 4*ArcCosh[c*x]^2)) + Sqrt[b]*(4*a^2 +
12*a*b + 15*b^2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b
] - Sinh[a/b]) + Sqrt[b]*(4*a^2 - 12*a*b + 15*b^2)*Sqrt[Pi]*Erf[Sqrt[a + b*
ArcCosh[c*x]]/Sqrt[b]]*(Cosh[a/b] + Sinh[a/b])) + Sqrt[b]*(12*a^2 + 12*a*b
+ 5*b^2)*Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[
(3*a)/b] - Sinh[(3*a)/b]) + Sqrt[b]*(12*a^2 - 12*a*b + 5*b^2)*Sqrt[3*Pi]*Er
f[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(3*a)/b] + Sinh[(3*a)/b
]) - 12*b*Sqrt[a + b*ArcCosh[c*x]]*(b*(5 + 12*ArcCosh[c*x]^2)*Cosh[3*ArcCos
h[c*x]] + 2*(a - 5*b*ArcCosh[c*x])*Sinh[3*ArcCosh[c*x]])))/(1728*c^3)
```

Maple [F]

$$\int x^2(a + b \operatorname{arccosh}(cx))^{5/2} dx$$

```
[In] int(x^2*(a+b*arccosh(c*x))^(5/2),x)
```

```
[Out] int(x^2*(a+b*arccosh(c*x))^(5/2),x)
```

Fricas [F(-2)]

Exception generated.

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

Sympy [F(-1)]

Timed out.

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \text{Timed out}$$

```
[In] integrate(x**2*(a+b*acosh(c*x))**(5/2),x)
```

```
[Out] Timed out
```

Maxima [F]

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \int (b \operatorname{arcosh}(cx) + a)^{5/2} x^2 dx$$

[In] `integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(5/2)*x^2, x)`

Giac [F(-2)]

Exception generated.

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x^2*(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x^2(a + \operatorname{barccosh}(cx))^{5/2} dx = \int x^2 (a + b \operatorname{acosh}(cx))^{5/2} dx$$

[In] `int(x^2*(a + b*acosh(c*x))^(5/2),x)`

[Out] `int(x^2*(a + b*acosh(c*x))^(5/2), x)`

3.149 $\int x(a + \operatorname{barccosh}(cx))^{5/2} dx$

Optimal result	803
Rubi [A] (verified)	803
Mathematica [A] (verified)	807
Maple [F]	808
Fricas [F(-2)]	808
Sympy [F(-1)]	808
Maxima [F]	808
Giac [F(-2)]	809
Mupad [F(-1)]	809

Optimal result

Integrand size = 14, antiderivative size = 228

$$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx = -\frac{15b^2\sqrt{a + \operatorname{barccosh}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a + \operatorname{barccosh}(cx)}$$

$$- \frac{5bx\sqrt{-1 + cx}\sqrt{1 + cx}(a + \operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a + \operatorname{barccosh}(cx))^{5/2}}{4c^2}$$

$$+ \frac{1}{2}x^2(a + \operatorname{barccosh}(cx))^{5/2} - \frac{15b^{5/2}e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15b^{5/2}e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2}$$

```
[Out] -1/4*(a+b*arccosh(c*x))^(5/2)/c^2+1/2*x^2*(a+b*arccosh(c*x))^(5/2)-15/512*b
^(5/2)*exp(2*a/b)*erf(2^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*2^(1/2)*Pi^(
1/2)/c^2-15/512*b^(5/2)*erfi(2^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*2^(
1/2)*Pi^(1/2)/c^2/exp(2*a/b)-5/8*b*x*(a+b*arccosh(c*x))^(3/2)*(c*x-1)^(1/2)
*(c*x+1)^(1/2)/c-15/64*b^2*(a+b*arccosh(c*x))^(1/2)/c^2+15/32*b^2*x^2*(a+b*
arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 0.87 (sec) , antiderivative size = 228, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.643$, Rules used

= {5884, 5939, 5893, 5953, 3393, 3388, 2211, 2236, 2235}

$$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx = -\frac{15\sqrt{\frac{\pi}{2}}b^{5/2}e^{\frac{2a}{b}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2}$$

$$-\frac{15\sqrt{\frac{\pi}{2}}b^{5/2}e^{-\frac{2a}{b}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2} - \frac{15b^2\sqrt{a + \operatorname{barccosh}(cx)}}{64c^2}$$

$$+ \frac{15}{32}b^2x^2\sqrt{a + \operatorname{barccosh}(cx)} - \frac{(a + \operatorname{barccosh}(cx))^{5/2}}{4c^2}$$

$$+ \frac{1}{2}x^2(a + \operatorname{barccosh}(cx))^{5/2} - \frac{5bx\sqrt{cx - 1}\sqrt{cx + 1}(a + \operatorname{barccosh}(cx))^{3/2}}{8c}$$

[In] Int[x*(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (-15*b^2*sqrt[a + b*ArcCosh[c*x]]/(64*c^2) + (15*b^2*x^2*sqrt[a + b*ArcCosh[c*x]])/32 - (5*b*x*sqrt[-1 + c*x]*sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(3/2))/(8*c) - (a + b*ArcCosh[c*x])^(5/2)/(4*c^2) + (x^2*(a + b*ArcCosh[c*x])^(5/2))/2 - (15*b^(5/2)*E^((2*a)/b)*sqrt[Pi/2]*Erf[(sqrt[2]*sqrt[a + b*ArcCosh[c*x]])/sqrt[b]])/(256*c^2) - (15*b^(5/2)*sqrt[Pi/2]*Erfi[(sqrt[2]*sqrt[a + b*ArcCosh[c*x]])/sqrt[b]])/(256*c^2*E^((2*a)/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3393

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 5884

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCosh[c*x])^n/(m + 1)), x] - Dist[b*c*(n/(m + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GtQ[n, 0]

Rule 5893

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]

Rule 5939

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_)*((d1_) + (e1_.)*(x_))^(p_)*((d2_) + (e2_.)*(x_))^(p_), x_Symbol] := Simp[f*(f*x)^(m - 1)*(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(e1*e2*(m + 2*p + 1))), x] + (Dist[f^2*((m - 1)/(c^2*(m + 2*p + 1))), Int[(f*x)^(m - 2)*(d1 + e1*x)^p*(d2 + e2*x)^p*(a + b*ArcCosh[c*x])^n, x], x] - Dist[b*f*(n/(c*(m + 2*p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(f*x)^(m - 1)*(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x]) /; FreeQ[{a, b, c, d1, e1, d2, e2, f, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && IGtQ[m, 1] && NeQ[m + 2*p + 1, 0]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.)*((d1_) + (e1_.)*(x_))^(p_.)*((d2_) + (e2_.)*(x_))^(p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\text{integral} = \frac{1}{2}x^2(a + \text{barccosh}(cx))^{5/2} - \frac{1}{4}(5bc) \int \frac{x^2(a + \text{barccosh}(cx))^{3/2}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx$$

$$\begin{aligned}
&= -\frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad + \frac{1}{16}(15b^2) \int x\sqrt{a+\operatorname{barccosh}(cx)} dx - \frac{(5b) \int \frac{(a+\operatorname{barccosh}(cx))^{3/2}}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{8c} \\
&= \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} \\
&\quad - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad - \frac{1}{64}(15b^3c) \int \frac{x^2}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}} dx \\
&= \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} \\
&\quad + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(15b^2) \operatorname{Subst}\left(\int \frac{\cosh^2\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{64c^2} \\
&= \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} \\
&\quad - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} \\
&\quad - \frac{(15b^2) \operatorname{Subst}\left(\int \left(\frac{1}{2\sqrt{x}} + \frac{\cosh\left(\frac{2a-2x}{b}\right)}{2\sqrt{x}}\right) dx, x, a+\operatorname{barccosh}(cx)\right)}{64c^2} \\
&= -\frac{15b^2\sqrt{a+\operatorname{barccosh}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} \\
&\quad + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(15b^2) \operatorname{Subst}\left(\int \frac{\cosh\left(\frac{2a-2x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{128c^2} \\
&= -\frac{15b^2\sqrt{a+\operatorname{barccosh}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} \\
&\quad + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(15b^2) \operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{256c^2} \\
&\quad - \frac{(15b^2) \operatorname{Subst}\left(\int \frac{e^{i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{256c^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{15b^2\sqrt{a+\operatorname{barccosh}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} \\
&\quad + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} - \frac{(15b^2)\operatorname{Subst}\left(\int e^{\frac{2a}{b}-\frac{2x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{128c^2} \\
&\quad - \frac{(15b^2)\operatorname{Subst}\left(\int e^{-\frac{2a}{b}+\frac{2x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{128c^2} \\
&= -\frac{15b^2\sqrt{a+\operatorname{barccosh}(cx)}}{64c^2} + \frac{15}{32}b^2x^2\sqrt{a+\operatorname{barccosh}(cx)} \\
&\quad - \frac{5bx\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}{8c} - \frac{(a+\operatorname{barccosh}(cx))^{5/2}}{4c^2} \\
&\quad + \frac{1}{2}x^2(a+\operatorname{barccosh}(cx))^{5/2} - \frac{15b^{5/2}e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2} \\
&\quad - \frac{15b^{5/2}e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{256c^2}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.15 (sec) , antiderivative size = 207, normalized size of antiderivative = 0.91

$$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx = \frac{-15b^{5/2}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right) (\cosh\left(\frac{2a}{b}\right) - \sinh\left(\frac{2a}{b}\right)) - 15b^{5/2}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right) (\cosh\left(\frac{2a}{b}\right) + \sinh\left(\frac{2a}{b}\right)) + 8\sqrt{a+b\operatorname{barccosh}(cx)}((16a^2 + 15b^2)\operatorname{Cosh}[2\operatorname{ArcCosh}[c*x]] + 16b^2\operatorname{ArcCosh}[c*x]^2\operatorname{Cosh}[2\operatorname{ArcCosh}[c*x]] - 20a*b*\operatorname{Sinh}[2\operatorname{ArcCosh}[c*x]] + 4*b*\operatorname{ArcCosh}[c*x]*(8*a*\operatorname{Cosh}[2\operatorname{ArcCosh}[c*x]] - 5*b*\operatorname{Sinh}[2\operatorname{ArcCosh}[c*x]])))/(512*c^2)}{512c^2}$$

[In] Integrate[x*(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (-15*b^(5/2)*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] - Sinh[(2*a)/b]) - 15*b^(5/2)*Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] + Sinh[(2*a)/b]) + 8*Sqrt[a + b*ArcCosh[c*x]]*((16*a^2 + 15*b^2)*Cosh[2*ArcCosh[c*x]] + 16*b^2*ArcCosh[c*x]^2*Cosh[2*ArcCosh[c*x]] - 20*a*b*Sinh[2*ArcCosh[c*x]] + 4*b*ArcCosh[c*x]*(8*a*Cosh[2*ArcCosh[c*x]] - 5*b*Sinh[2*ArcCosh[c*x]])))/(512*c^2)

Maple [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx$$

[In] `int(x*(a+b*arccosh(c*x))^(5/2),x)`

[Out] `int(x*(a+b*arccosh(c*x))^(5/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int x(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x*(a+b*arccosh(c*x))^(5/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F(-1)]

Timed out.

$$\int x(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \text{Timed out}$$

[In] `integrate(x*(a+b*acosh(c*x))**(5/2),x)`

[Out] `Timed out`

Maxima [F]

$$\int x(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \int (b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}} x dx$$

[In] `integrate(x*(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(5/2)*x, x)`

Giac [F(-2)]

Exception generated.

$$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] `integrate(x*(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")`

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vect
 eur & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int x(a + \operatorname{barccosh}(cx))^{5/2} dx = \int x(a + b \operatorname{acosh}(cx))^{5/2} dx$$

[In] `int(x*(a + b*acosh(c*x))^(5/2),x)`

[Out] `int(x*(a + b*acosh(c*x))^(5/2), x)`

3.150 $\int (a + \operatorname{barccosh}(cx))^{5/2} dx$

Optimal result	810
Rubi [A] (verified)	810
Mathematica [B] (warning: unable to verify)	813
Maple [F]	814
Fricas [F(-2)]	814
Sympy [F(-1)]	814
Maxima [F]	814
Giac [F(-2)]	815
Mupad [F(-1)]	815

Optimal result

Integrand size = 12, antiderivative size = 160

$$\int (a + \operatorname{barccosh}(cx))^{5/2} dx = \frac{15}{4} b^2 x \sqrt{a + \operatorname{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \operatorname{barccosh}(cx))^{3/2}}{2c} + x(a + \operatorname{barccosh}(cx))^{5/2} - \frac{15b^{5/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c} - \frac{15b^{5/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c}$$

[Out] $x*(a+b*\operatorname{arccosh}(c*x))^{5/2}-15/16*b^{5/2}*exp(a/b)*erf((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*Pi^{1/2}/c-15/16*b^{5/2}*erfi((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*Pi^{1/2}/c/exp(a/b)-5/2*b*(a+b*\operatorname{arccosh}(c*x))^{3/2}*(c*x-1)^{1/2}*(c*x+1)^{1/2}/c+15/4*b^2*x*(a+b*\operatorname{arccosh}(c*x))^{1/2}$

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5879, 5915, 5953, 3388, 2211, 2236, 2235}

$$\int (a + \operatorname{barccosh}(cx))^{5/2} dx = -\frac{15\sqrt{\pi}b^{5/2}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c} - \frac{15\sqrt{\pi}b^{5/2}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c} + \frac{15}{4} b^2 x \sqrt{a + \operatorname{barccosh}(cx)} - \frac{5b\sqrt{cx-1}\sqrt{cx+1}(a + \operatorname{barccosh}(cx))^{3/2}}{2c} + x(a + \operatorname{barccosh}(cx))^{5/2}$$

[In] Int[(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (15*b^2*x*Sqrt[a + b*ArcCosh[c*x]])/4 - (5*b*Sqrt[-1 + c*x]*Sqrt[1 + c*x]*(a + b*ArcCosh[c*x])^(3/2))/(2*c) + x*(a + b*ArcCosh[c*x])^(5/2) - (15*b^(5/2)*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(16*c) - (15*b^(5/2)*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(16*c*E^(a/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5879

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.), x_Symbol] :> Simp[x*(a + b*ArcCosh[c*x])^n, x] - Dist[b*c^n, Int[x*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && GtQ[n, 0]

Rule 5915

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.)^(n_.)*(x_)*((d1_) + (e1_.)*(x_)^(p_) * ((d2_) + (e2_.)*(x_)^(p_)), x_Symbol] :> Simp[(d1 + e1*x)^(p + 1)*(d2 + e2*x)^(p + 1)*((a + b*ArcCosh[c*x])^n/(2*e1*e2*(p + 1))), x] - Dist[b*(n/(2*c*(p + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Int[(1 + c*x)^(p + 1/2)*(-1 + c*x)^(p + 1/2)*(a + b*ArcCosh[c*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, p}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && GtQ[n, 0] && NeQ[p, -1]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^ (n_.)*(x_)^(m_.)*((d1_.) + (e1_.)*(x_.))^ (p_.)*((d2_.) + (e2_.)*(x_.))^ (p_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= x(a + \text{barccosh}(cx))^{5/2} - \frac{1}{2}(5bc) \int \frac{x(a + \text{barccosh}(cx))^{3/2}}{\sqrt{-1 + cx}\sqrt{1 + cx}} dx \\
&= -\frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{5/2} + \frac{1}{4}(15b^2) \int \sqrt{a + \text{barccosh}(cx)} dx \\
&= \frac{15}{4}b^2x\sqrt{a + \text{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{5/2} - \frac{1}{8}(15b^3c) \int \frac{x}{\sqrt{-1 + cx}\sqrt{1 + cx}\sqrt{a + \text{barccosh}(cx)}} dx \\
&= \frac{15}{4}b^2x\sqrt{a + \text{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{5/2} - \frac{(15b^2) \text{Subst}\left(\int \frac{\cosh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8c} \\
&= \frac{15}{4}b^2x\sqrt{a + \text{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{5/2} - \frac{(15b^2) \text{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{16c} \\
&\quad - \frac{(15b^2) \text{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{16c} \\
&= \frac{15}{4}b^2x\sqrt{a + \text{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \text{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \text{barccosh}(cx))^{5/2} - \frac{(15b^2) \text{Subst}\left(\int e^{\frac{a-x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{8c} \\
&\quad - \frac{(15b^2) \text{Subst}\left(\int e^{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{8c}
\end{aligned}$$

$$\begin{aligned}
&= \frac{15}{4}b^2x\sqrt{a + \operatorname{barccosh}(cx)} - \frac{5b\sqrt{-1 + cx}\sqrt{1 + cx}(a + \operatorname{barccosh}(cx))^{3/2}}{2c} \\
&\quad + x(a + \operatorname{barccosh}(cx))^{5/2} - \frac{15b^{5/2}e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c} \\
&\quad - \frac{15b^{5/2}e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{16c}
\end{aligned}$$

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 452 vs. $2(160) = 320$.

Time = 1.67 (sec) , antiderivative size = 452, normalized size of antiderivative = 2.82

$\int (a$

$$\begin{aligned}
&\quad 4b\sqrt{a + \operatorname{barccosh}(cx)}\left(2\sqrt{\frac{-1+cx}{1+cx}}(1 + cx)(a - 5\operatorname{barccosh}(cx)) + bcx(15 + 4\operatorname{arccosh}(c\right. \\
&\quad \left. + \operatorname{barccosh}(cx))^{5/2} dx = \frac{\hspace{15em}}{\hspace{15em}}
\end{aligned}$$

[In] Integrate[(a + b*ArcCosh[c*x])^(5/2), x]

[Out] $(4*b*\sqrt{a + b*\operatorname{ArcCosh}[c*x]}*(2*\sqrt{\frac{-1 + c*x}{1 + c*x}}*(1 + c*x)*(a - 5*b*\operatorname{ArcCosh}[c*x]) + b*c*x*(15 + 4*\operatorname{ArcCosh}[c*x]^2)) + (8*a^2*\sqrt{a + b*\operatorname{ArcCosh}[c*x]}*((E^{\frac{2*a}{b}}*\Gamma[\frac{3}{2}, a/b + \operatorname{ArcCosh}[c*x]])/\sqrt{a/b + \operatorname{ArcCosh}[c*x]} + \Gamma[\frac{3}{2}, -((a + b*\operatorname{ArcCosh}[c*x])/b)])/sqrt[-((a + b*\operatorname{ArcCosh}[c*x])/b])))/E^{\frac{a}{b}} - \sqrt{b}*(4*a^2 + 12*a*b + 15*b^2)*\sqrt{\pi}*\operatorname{Erfi}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}]*(\operatorname{Cosh}[a/b] - \operatorname{Sinh}[a/b]) - \sqrt{b}*(4*a^2 - 12*a*b + 15*b^2)*\sqrt{\pi}*\operatorname{Erf}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}]*(\operatorname{Cosh}[a/b] + \operatorname{Sinh}[a/b]) + 4*a*b*(-12*\sqrt{\frac{-1 + c*x}{1 + c*x}}*(1 + c*x)*\sqrt{a + b*\operatorname{ArcCosh}[c*x]} + 8*c*x*\operatorname{ArcCosh}[c*x]*\sqrt{a + b*\operatorname{ArcCosh}[c*x]} + ((2*a + 3*b)*\sqrt{\pi}*\operatorname{Erfi}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}]*(\operatorname{Cosh}[a/b] - \operatorname{Sinh}[a/b]))/\sqrt{b} + ((2*a - 3*b)*\sqrt{\pi}*\operatorname{Erf}[\sqrt{a + b*\operatorname{ArcCosh}[c*x]}/\sqrt{b}]*(\operatorname{Cosh}[a/b] + \operatorname{Sinh}[a/b]))/\sqrt{b}))/16*c$

Maple [F]

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx$$

[In] int((a+b*arccosh(c*x))^(5/2),x)

[Out] int((a+b*arccosh(c*x))^(5/2),x)

Fricas [F(-2)]

Exception generated.

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \text{Exception raised: TypeError}$$

[In] integrate((a+b*arccosh(c*x))^(5/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \text{Timed out}$$

[In] integrate((a+b*acosh(c*x))**(5/2),x)

[Out] Timed out

Maxima [F]

$$\int (a + b \operatorname{arccosh}(cx))^{\frac{5}{2}} dx = \int (b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}} dx$$

[In] integrate((a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b*arccosh(c*x) + a)^(5/2), x)

Giac [F(-2)]

Exception generated.

$$\int (a + b \operatorname{arccosh}(cx))^{5/2} dx = \text{Exception raised: RuntimeError}$$

[In] integrate((a+b*arccosh(c*x))^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> an error occurred running a Giac command:
 INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value

Mupad [F(-1)]

Timed out.

$$\int (a + b \operatorname{arccosh}(cx))^{5/2} dx = \int (a + b \operatorname{acosh}(cx))^{5/2} dx$$

[In] int((a + b*acosh(c*x))^(5/2),x)

[Out] int((a + b*acosh(c*x))^(5/2), x)

$$3.151 \quad \int \frac{x^2}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx$$

Optimal result	816
Rubi [A] (verified)	817
Mathematica [A] (verified)	819
Maple [F]	820
Fricas [F(-2)]	820
Sympy [F]	820
Maxima [F]	820
Giac [F]	821
Mupad [F(-1)]	821

Optimal result

Integrand size = 16, antiderivative size = 194

$$\int \frac{x^2}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx = -\frac{e^{a/b} \sqrt{\pi} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} - \frac{e^{\frac{3a}{b}} \sqrt{\frac{\pi}{3}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{e^{-\frac{a}{b}} \sqrt{\pi} \operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3} + \frac{e^{-\frac{3a}{b}} \sqrt{\frac{\pi}{3}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{b}c^3}$$

```
[Out] -1/24*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3/b^(1/2)+1/24*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/c^3/exp(3*a/b)/b^(1/2)-1/8*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3/b^(1/2)+1/8*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/c^3/exp(a/b)/b^(1/2)
```


Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {5887, 5556, 3389, 2211, 2236, 2235}

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = -\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} - \frac{\sqrt{\frac{\pi}{3}} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} + \frac{\sqrt{\frac{\pi}{3}} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a + b \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}}$$

[In] Int[x^2/Sqrt[a + b*ArcCosh[c*x]], x]

[Out] -1/8*(E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(Sqrt[b]*c^3) - (E^((3*a)/b)*Sqrt[Pi/3]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(8*Sqrt[b]*c^3) + (Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(8*Sqrt[b]*c^3*E^(a/b)) + (Sqrt[Pi/3]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(8*Sqrt[b]*c^3*E^((3*a)/b))

Rule 2211

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\text{Subst}\left(\int \frac{\cosh^2\left(\frac{a-x}{b}\right)\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{bc^3} \\
 &= -\frac{\text{Subst}\left(\int \left(\frac{\sinh\left(\frac{3a-3x}{b}\right)}{4\sqrt{x}} + \frac{\sinh\left(\frac{a-x}{b}\right)}{4\sqrt{x}}\right) dx, x, a + \text{barccosh}(cx)\right)}{bc^3} \\
 &= -\frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{3a-3x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4bc^3} - \frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4bc^3} \\
 &= -\frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia-ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8bc^3} \\
 &\quad + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{ia-ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8bc^3} \\
 &\quad - \frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{3ia-3ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8bc^3} \\
 &\quad + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{3ia-3ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{8bc^3}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{\text{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}} dx, x, \sqrt{a+b\text{arccosh}(cx)}\right)}{4bc^3} \\
&\quad -\frac{\text{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+b\text{arccosh}(cx)}\right)}{4bc^3} \\
&\quad +\frac{\text{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+b\text{arccosh}(cx)}\right)}{4bc^3} \\
&\quad +\frac{\text{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}} dx, x, \sqrt{a+b\text{arccosh}(cx)}\right)}{4bc^3} \\
&= -\frac{e^{a/b}\sqrt{\pi}\text{erf}\left(\frac{\sqrt{a+b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} -\frac{e^{\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\text{erf}\left(\frac{\sqrt{3}\sqrt{a+b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} \\
&\quad +\frac{e^{-\frac{a}{b}}\sqrt{\pi}\text{erfi}\left(\frac{\sqrt{a+b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}} +\frac{e^{-\frac{3a}{b}}\sqrt{\frac{\pi}{3}}\text{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{8\sqrt{bc^3}}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 195, normalized size of antiderivative = 1.01

$$\int \frac{x^2}{\sqrt{a+b\text{arccosh}(cx)}} dx$$

$$= \frac{e^{-\frac{3a}{b}} \left(3e^{\frac{4a}{b}} \sqrt{\frac{a}{b} + \text{arccosh}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \text{arccosh}(cx)\right) + \sqrt{3} \sqrt{-\frac{a+b\text{arccosh}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{3(a+b\text{arccosh}(cx))}{b}\right) \right) + 3}{24c^3 \sqrt{a+b\text{arccosh}(cx)}}$$

[In] Integrate[x^2/Sqrt[a + b*ArcCosh[c*x]], x]

[Out] (3*E^((4*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, (-3*(a + b*ArcCosh[c*x]))/b] + 3*E^((2*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, -(a + b*ArcCosh[c*x])/b] + Sqrt[3]*E^((6*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, (3*(a + b*ArcCosh[c*x]))/b])/(24*c^3*E^((3*a)/b)*Sqrt[a + b*ArcCosh[c*x]])

Maple [F]

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

[In] `int(x^2/(a+b*arccosh(c*x))^(1/2),x)`

[Out] `int(x^2/(a+b*arccosh(c*x))^(1/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x^2}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] `integrate(x**2/(a+b*acosh(c*x))**(1/2),x)`

[Out] `Integral(x**2/sqrt(a + b*acosh(c*x)), x)`

Maxima [F]

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x^2}{\sqrt{b \operatorname{arccosh}(cx) + a}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^2/sqrt(b*arccosh(c*x) + a), x)`

Giac [F]

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x^2}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

[In] integrate(x^2/(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(x^2/sqrt(b*arccosh(c*x) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x^2}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] int(x^2/(a + b*acosh(c*x))^(1/2),x)

[Out] int(x^2/(a + b*acosh(c*x))^(1/2), x)

3.152 $\int \frac{x}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx$

Optimal result	822
Rubi [A] (verified)	822
Mathematica [A] (verified)	824
Maple [F]	825
Fricas [F(-2)]	825
Sympy [F]	825
Maxima [F]	825
Giac [F]	826
Mupad [F(-1)]	826

Optimal result

Integrand size = 14, antiderivative size = 107

$$\int \frac{x}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx = -\frac{e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}} + \frac{e^{-\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}}$$

[Out] $-1/8*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/b^{(1/2)}+1/8*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/c^2/\exp(2*a/b)/b^{(1/2)}$

Rubi [A] (verified)

Time = 0.12 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5887, 5556, 12, 3389, 2211, 2236, 2235}

$$\int \frac{x}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx = \frac{\sqrt{\frac{\pi}{2}} e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}} - \frac{\sqrt{\frac{\pi}{2}} e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}}$$

[In] $\operatorname{Int}[x/\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]], x]$

[Out] $-1/4*(E^{((2*a)/b)}*\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erf}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(\operatorname{Sqrt}[b]*c^2) + (\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{Erfi}[(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]])/\operatorname{Sqrt}[b]])/(4*\operatorname{Sqrt}[b]*c^2*E^{((2*a)/b)})$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 2211

Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rule 5556

Int[Cosh[(a_) + (b_)*(x_)]^(p_)*((c_) + (d_)*(x_))^(m_)*Sinh[(a_) + (b_)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]

Rule 5887

Int[((a_) + ArcCosh[(c_)*(x_)]*(b_))^(n_)*(x_)^(m_), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]

Rubi steps

$$\text{integral} = - \frac{\text{Subst}\left(\int \frac{\cosh\left(\frac{a}{b} - \frac{x}{b}\right) \sinh\left(\frac{a}{b} - \frac{x}{b}\right)}{\sqrt{x}} dx, x, a + b \operatorname{arccosh}(cx)\right)}{bc^2}$$

$$\begin{aligned}
&= -\frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{2a}{b}-\frac{2x}{b}\right)}{2\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{bc^2} \\
&= -\frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{2a}{b}-\frac{2x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{2bc^2} \\
&= -\frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4bc^2} \\
&\quad + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{4bc^2} \\
&= -\frac{\text{Subst}\left(\int e^{\frac{2a}{b}-\frac{2x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{2bc^2} + \frac{\text{Subst}\left(\int e^{-\frac{2a}{b}+\frac{2x^2}{b}} dx, x, \sqrt{a + \text{barccosh}(cx)}\right)}{2bc^2} \\
&= -\frac{e^{\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \text{erf}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}} + \frac{e^{-\frac{2a}{b}} \sqrt{\frac{\pi}{2}} \text{erfi}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{4\sqrt{bc^2}}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 104, normalized size of antiderivative = 0.97

$$\int \frac{x}{\sqrt{a + \text{barccosh}(cx)}} dx = \frac{\sqrt{\frac{\pi}{2}} \left(\text{erfi}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right) \left(-\cosh\left(\frac{2a}{b}\right) + \sinh\left(\frac{2a}{b}\right)\right) + \text{erf}\left(\frac{\sqrt{2}\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right) \left(\cosh\left(\frac{2a}{b}\right) + \sinh\left(\frac{2a}{b}\right)\right) \right)}{4\sqrt{bc^2}}$$

[In] Integrate[x/Sqrt[a + b*ArcCosh[c*x]],x]

[Out] -1/4*(Sqrt[Pi/2]*(Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(-Cosh[(2*a)/b] + Sinh[(2*a)/b]) + Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]]*(Cosh[(2*a)/b] + Sinh[(2*a)/b])))/(Sqrt[b]*c^2)

Maple [F]

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

[In] `int(x/(a+b*arccosh(c*x))^(1/2),x)`

[Out] `int(x/(a+b*arccosh(c*x))^(1/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x/(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] `integrate(x/(a+b*acosh(c*x))**(1/2),x)`

[Out] `Integral(x/sqrt(a + b*acosh(c*x)), x)`

Maxima [F]

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

[In] `integrate(x/(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")`

[Out] `integrate(x/sqrt(b*arccosh(c*x) + a), x)`

Giac [F]

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(b*arccosh(c*x) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{x}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] int(x/(a + b*acosh(c*x))^(1/2),x)

[Out] int(x/(a + b*acosh(c*x))^(1/2), x)

$$3.153 \quad \int \frac{1}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx$$

Optimal result	827
Rubi [A] (verified)	827
Mathematica [A] (verified)	829
Maple [F]	829
Fricas [F(-2)]	829
Sympy [F]	830
Maxima [F]	830
Giac [F]	830
Mupad [F(-1)]	830

Optimal result

Integrand size = 12, antiderivative size = 88

$$\int \frac{1}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx = -\frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}}$$

[Out] $-1/2*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/c/b^{(1/2)}+1/2*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\operatorname{Pi}^{(1/2)}/c/\exp(a/b)/b^{(1/2)}$

Rubi [A] (verified)

Time = 0.07 (sec) , antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5881, 3389, 2211, 2236, 2235}

$$\int \frac{1}{\sqrt{a+b\operatorname{arccosh}(cx)}} dx = \frac{\sqrt{\pi}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}} - \frac{\sqrt{\pi}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}}$$

[In] $\operatorname{Int}[1/\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]], x]$

[Out] $-1/2*(E^{(a/b)}*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erf}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(\operatorname{Sqrt}[b]*c) + (\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Erfi}[\operatorname{Sqrt}[a + b*\operatorname{ArcCosh}[c*x]]/\operatorname{Sqrt}[b]])/(2*\operatorname{Sqrt}[b]*c*E^{(a/b)})$

Rule 2211

$\operatorname{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\operatorname{Sqrt}[(c_.) + (d_.)*(x_)]}, x_Symbol] :$
 $> \operatorname{Dist}[2/d, \operatorname{Subst}[\operatorname{Int}[F^{(g*(e - c*(f/d)) + f*g*(x^2/d))}, x], x, \operatorname{Sqrt}[c + d*$

$x]], x] /; \text{FreeQ}\{F, c, d, e, f, g\}, x] \&\& \text{!TrueQ}\{\$UseGamma\}$

Rule 2235

$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2}), x_Symbol] \text{ :> Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x] \&\& \text{PosQ}[b]$

Rule 2236

$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2}), x_Symbol] \text{ :> Simp}[F^a*\text{Sqrt}[\text{Pi}]*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d\}, x] \&\& \text{NegQ}[b]$

Rule 3389

$\text{Int}(((c_.) + (d_.)*(x_))^{(m_.)*\sin[(e_.) + (f_.)*(x_)]}, x_Symbol] \text{ :> Dist}[I/2, \text{Int}[(c + d*x)^m/E^{I*(e + f*x)}, x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m/E^{I*(e + f*x)}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

Rule 5881

$\text{Int}(((a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.))^{(n_.)}, x_Symbol] \text{ :> Dist}[1/(b*c), \text{Subst}[\text{Int}[x^n*\text{Sinh}[-a/b + x/b], x], x, a + b*\text{ArcCosh}[c*x]], x] /; \text{FreeQ}\{a, b, c, n\}, x]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{\text{Subst}\left(\int \frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a + b\text{arccosh}(cx)\right)}{bc} \\
 &= -\frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + b\text{arccosh}(cx)\right)}{2bc} + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b} - \frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a + b\text{arccosh}(cx)\right)}{2bc} \\
 &= -\frac{\text{Subst}\left(\int e^{\frac{a}{b} - \frac{x^2}{b}} dx, x, \sqrt{a + b\text{arccosh}(cx)}\right)}{bc} + \frac{\text{Subst}\left(\int e^{-\frac{a}{b} + \frac{x^2}{b}} dx, x, \sqrt{a + b\text{arccosh}(cx)}\right)}{bc} \\
 &= -\frac{e^{a/b} \sqrt{\pi} \text{erf}\left(\frac{\sqrt{a + b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}} + \frac{e^{-a/b} \sqrt{\pi} \text{erfi}\left(\frac{\sqrt{a + b\text{arccosh}(cx)}}{\sqrt{b}}\right)}{2\sqrt{bc}}
 \end{aligned}$$

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.14

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

$$= \frac{e^{-\frac{a}{b}} \left(e^{\frac{2a}{b}} \sqrt{\frac{a}{b} + \operatorname{arccosh}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \operatorname{arccosh}(cx)\right) + \sqrt{-\frac{a + b \operatorname{arccosh}(cx)}{b}} \Gamma\left(\frac{1}{2}, -\frac{a + b \operatorname{arccosh}(cx)}{b}\right) \right)}{2c \sqrt{a + b \operatorname{arccosh}(cx)}}$$

[In] Integrate[1/Sqrt[a + b*ArcCosh[c*x]],x]

[Out] (E^((2*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, a/b + ArcCosh[c*x]] + Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, -((a + b*ArcCosh[c*x])/b)])/(2*c*E^(a/b)*Sqrt[a + b*ArcCosh[c*x]])

Maple [F]

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx$$

[In] int(1/(a+b*arccosh(c*x))^(1/2),x)

[Out] int(1/(a+b*arccosh(c*x))^(1/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \text{Exception raised: TypeError}$$

[In] integrate(1/(a+b*arccosh(c*x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{1}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] integrate(1/(a+b*acosh(c*x))**(1/2),x)

[Out] Integral(1/sqrt(a + b*acosh(c*x)), x)

Maxima [F]

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{1}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

[In] integrate(1/(a+b*arccosh(c*x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(b*arccosh(c*x) + a), x)

Giac [F]

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{1}{\sqrt{b \operatorname{arcosh}(cx) + a}} dx$$

[In] integrate(1/(a+b*arccosh(c*x))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(b*arccosh(c*x) + a), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{\sqrt{a + b \operatorname{arccosh}(cx)}} dx = \int \frac{1}{\sqrt{a + b \operatorname{acosh}(cx)}} dx$$

[In] int(1/(a + b*acosh(c*x))^(1/2),x)

[Out] int(1/(a + b*acosh(c*x))^(1/2), x)

$$3.154 \quad \int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx$$

Optimal result	831
Rubi [A] (verified)	831
Mathematica [A] (warning: unable to verify)	834
Maple [F]	834
Fricas [F(-2)]	835
Sympy [F]	835
Maxima [F]	835
Giac [F]	835
Mupad [F(-1)]	836

Optimal result

Integrand size = 16, antiderivative size = 231

$$\int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx = -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{e^{\frac{3a}{b}}\sqrt{3\pi}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{e^{-\frac{3a}{b}}\sqrt{3\pi}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3}$$

```
[Out] 1/4*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(3/2)/c^3+1/4*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(3/2)/c^3/exp(a/b)+1/4*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(3/2)/c^3+1/4*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(3/2)/c^3/exp(3*a/b)-2*x^2*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b/c/(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used

= {5885, 3388, 2211, 2236, 2235}

$$\int \frac{x^2}{(a + \operatorname{arccosh}(cx))^{3/2}} dx = \frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a + \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2} c^3} + \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2} c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a + \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2} c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2} c^3} - \frac{2x^2 \sqrt{cx-1} \sqrt{cx+1}}{bc \sqrt{a + \operatorname{arccosh}(cx)}}$$

[In] Int[x^2/(a + b*ArcCosh[c*x])^(3/2),x]

[Out] (-2*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(b*c*Sqrt[a + b*ArcCosh[c*x]]) + (E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(4*b^(3/2)*c^3) + (E^((3*a)/b)*Sqrt[3*Pi]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(4*b^(3/2)*c^3) + (Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(4*b^(3/2)*c^3) + (Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(4*b^(3/2)*c^3) + (Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(4*b^(3/2)*c^3) + (Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(4*b^(3/2)*c^3) + (Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(4*b^(3/2)*c^3) - (2*x^2*Sqrt[cx-1]*Sqrt[cx+1])/(bc*Sqrt[a + b*ArcCosh[c*x]])

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n + 1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} \\
 &\quad - \frac{2\text{Subst}\left(\int\left(-\frac{3\cosh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{4\sqrt{x}}-\frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{4\sqrt{x}}\right)dx, x, a+\text{barccosh}(cx)\right)}{b^2c^3} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{\text{Subst}\left(\int\frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{2b^2c^3} \\
 &\quad + \frac{3\text{Subst}\left(\int\frac{\cosh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{2b^2c^3} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{\text{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{4b^2c^3} \\
 &\quad + \frac{\text{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{4b^2c^3} \\
 &\quad + \frac{3\text{Subst}\left(\int\frac{e^{-i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{4b^2c^3} \\
 &\quad + \frac{3\text{Subst}\left(\int\frac{e^{i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}}dx, x, a+\text{barccosh}(cx)\right)}{4b^2c^3} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{\text{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{2b^2c^3} \\
 &\quad + \frac{\text{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{2b^2c^3} \\
 &\quad + \frac{3\text{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}}dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{2b^2c^3} \\
 &\quad + \frac{3\text{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}}dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{2b^2c^3}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\operatorname{arccosh}(cx)}} + \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} \\
&+ \frac{e^{\frac{3a}{b}}\sqrt{3\pi}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3} \\
&+ \frac{e^{-\frac{3a}{b}}\sqrt{3\pi}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{4b^{3/2}c^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 0.47 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.07

$$\int \frac{x^2}{(a + \operatorname{arccosh}(cx))^{3/2}} dx = \frac{e^{-\frac{3a}{b}} \left(-2e^{\frac{3a}{b}} \sqrt{\frac{-1+cx}{1+cx}} (1+cx) - e^{\frac{4a}{b}} \sqrt{\frac{a}{b} + \operatorname{arccosh}(cx)} \Gamma\left(\frac{1}{2}, \frac{a}{b} + \operatorname{arccosh}(cx)\right) + \dots \right)}{\dots}$$

[In] Integrate[x^2/(a + b*ArcCosh[c*x])^(3/2),x]

[Out] (-2*E^((3*a)/b)*Sqrt[(-1 + c*x)/(1 + c*x)]*(1 + c*x) - E^((4*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, a/b + ArcCosh[c*x]] + Sqrt[3]*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, (-3*(a + b*ArcCosh[c*x]))/b] + E^((2*a)/b)*Sqrt[-((a + b*ArcCosh[c*x])/b)]*Gamma[1/2, -((a + b*ArcCosh[c*x])/b)] - Sqrt[3]*E^((6*a)/b)*Sqrt[a/b + ArcCosh[c*x]]*Gamma[1/2, (3*(a + b*ArcCosh[c*x]))/b] - 2*E^((3*a)/b)*Sinh[3*ArcCosh[c*x]]/(4*b*c^3*E^((3*a)/b)*Sqrt[a + b*ArcCosh[c*x]])

Maple [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx$$

[In] int(x^2/(a+b*arccosh(c*x))^(3/2),x)

[Out] int(x^2/(a+b*arccosh(c*x))^(3/2),x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{3/2}} dx = \int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

[In] `integrate(x**2/(a+b*acosh(c*x))**(3/2),x)`

[Out] `Integral(x**2/(a + b*acosh(c*x))**(3/2), x)`

Maxima [F]

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{3/2}} dx = \int \frac{x^2}{(b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate(x^2/(b*arccosh(c*x) + a)^(3/2), x)`

Giac [F]

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{3/2}} dx = \int \frac{x^2}{(b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(3/2),x, algorithm="giac")`

[Out] `integrate(x^2/(b*arccosh(c*x) + a)^(3/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{3/2}} dx$$

```
[In] int(x^2/(a + b*acosh(c*x))^(3/2),x)
```

```
[Out] int(x^2/(a + b*acosh(c*x))^(3/2), x)
```

3.155 $\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx$

Optimal result	837
Rubi [A] (verified)	837
Mathematica [F]	839
Maple [F]	839
Fricas [F(-2)]	840
Sympy [F]	840
Maxima [F]	840
Giac [F]	840
Mupad [F(-1)]	841

Optimal result

Integrand size = 14, antiderivative size = 140

$$\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx = -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} + \frac{e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2}$$

[Out] $\frac{1}{2}\exp(2a/b)\operatorname{erf}(2^{1/2}(a+b\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})\sqrt{2}\sqrt{\pi}^{1/2}/b^{3/2}/c^2 + \frac{1}{2}\operatorname{erfi}(2^{1/2}(a+b\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})\sqrt{2}\sqrt{\pi}^{1/2}/b^{3/2}/c^2 - \frac{2*x*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b/c}{(a+b\operatorname{arccosh}(c*x))^{3/2}}$

Rubi [A] (verified)

Time = 0.11 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {5885, 3388, 2211, 2236, 2235}

$$\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx = \frac{\sqrt{\frac{\pi}{2}}e^{\frac{2a}{b}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} + \frac{\sqrt{\frac{\pi}{2}}e^{-\frac{2a}{b}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} - \frac{2x\sqrt{cx-1}\sqrt{cx+1}}{bc\sqrt{a+b\operatorname{arccosh}(cx)}}$$

[In] $\operatorname{Int}[x/(a+b\operatorname{ArcCosh}[c*x])^{3/2},x]$

```
[Out] (-2*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(b*c*Sqrt[a + b*ArcCosh[c*x]]) + (E^((2
*a)/b)*Sqrt[Pi/2]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(b^(3/2)
*c^2) + (Sqrt[Pi/2]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(b^(3
/2)*c^2*E^((2*a)/b))
```

Rule 2211

```
Int[(F_)^((g_)*((e_) + (f_)*(x_)))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 5885

```
Int[((a_) + ArcCosh[(c_)*(x_)])*(b_)^(n_)*(x_)^(m_), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rubi steps

$$\text{integral} = -\frac{2x\sqrt{-1 + cx}\sqrt{1 + cx}}{bc\sqrt{a + \text{barccosh}(cx)}} + \frac{2\text{Subst}\left(\int \frac{\cosh\left(\frac{2a}{b} - \frac{2x}{b}\right)}{\sqrt{x}} dx, x, a + \text{barccosh}(cx)\right)}{b^2c^2}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{b^2c^2} \\
&\quad + \frac{\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{b^2c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{2\operatorname{Subst}\left(\int e^{\frac{2a}{b}-\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^2c^2} \\
&\quad + \frac{2\operatorname{Subst}\left(\int e^{-\frac{2a}{b}+\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^2c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{e^{\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2} \\
&\quad + \frac{e^{-\frac{2a}{b}}\sqrt{\frac{\pi}{2}}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c^2}
\end{aligned}$$

Mathematica **[F]**

$$\int \frac{x}{(a+\operatorname{barccosh}(cx))^{3/2}} dx = \int \frac{x}{(a+\operatorname{barccosh}(cx))^{3/2}} dx$$

[In] Integrate[x/(a + b*ArcCosh[c*x])^(3/2), x]

[Out] Integrate[x/(a + b*ArcCosh[c*x])^(3/2), x]

Maple **[F]**

$$\int \frac{x}{(a+b \operatorname{arccosh}(cx))^{\frac{3}{2}}} dx$$

[In] int(x/(a+b*arccosh(c*x))^(3/2), x)

[Out] int(x/(a+b*arccosh(c*x))^(3/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x/(a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{x}{(a + b \operatorname{acosh}(cx))^{\frac{3}{2}}} dx$$

[In] integrate(x/(a+b*acosh(c*x))**(3/2),x)

[Out] Integral(x/(a + b*acosh(c*x))**(3/2), x)

Maxima [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")

[Out] integrate(x/(b*arccosh(c*x) + a)^(3/2), x)

Giac [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{\frac{3}{2}}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(3/2),x, algorithm="giac")

[Out] integrate(x/(b*arccosh(c*x) + a)^(3/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{x}{(a + b \operatorname{acosh}(cx))^{3/2}} dx$$

```
[In] int(x/(a + b*acosh(c*x))^(3/2), x)
```

```
[Out] int(x/(a + b*acosh(c*x))^(3/2), x)
```

3.156 $\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx$

Optimal result	842
Rubi [A] (verified)	842
Mathematica [F]	844
Maple [F]	845
Fricas [F(-2)]	845
Sympy [F]	845
Maxima [F]	845
Giac [F]	846
Mupad [F(-1)]	846

Optimal result

Integrand size = 12, antiderivative size = 120

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx = -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}$$

[Out] $\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\pi^{1/2}/b^{3/2}/c+\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{1/2}/b^{1/2})*\pi^{1/2}/b^{3/2}/c/\exp(a/b)-2*(c*x-1)^{1/2}*(c*x+1)^{1/2}/b/c/(a+b*\operatorname{arccosh}(c*x))^{1/2}$

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5880, 5953, 3388, 2211, 2236, 2235}

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{3/2}} dx = \frac{\sqrt{\pi}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{\sqrt{\pi}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{bc\sqrt{a+b\operatorname{arccosh}(cx)}}$$

[In] $\operatorname{Int}[(a + b*\operatorname{ArcCosh}[c*x])^{-3/2}, x]$

[Out] $(-2\sqrt{-1 + cx}\sqrt{1 + cx})/(b*c*\sqrt{a + b*\text{ArcCosh}[cx]}) + (E^{(a/b)}*\sqrt{\text{Pi}}*\text{Erf}[\sqrt{a + b*\text{ArcCosh}[cx]}/\sqrt{b}])/(b^{(3/2)}*c) + (\sqrt{\text{Pi}}*\text{Erfi}[\sqrt{a + b*\text{ArcCosh}[cx]}/\sqrt{b}])/(b^{(3/2)}*c*E^{(a/b)})$

Rule 2211

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))/\sqrt{(c_.) + (d_.)*(x_)}}, x_Symbol] :> \text{Dist}[2/d, \text{Subst}[\text{Int}[F^{(g*(e - c*(f/d)) + f*g*(x^2/d))}, x], x, \sqrt{c + d*x}], x] /; \text{FreeQ}\{F, c, d, e, f, g, x\} \&\& \text{!TrueQ}[\$UseGamma]$

Rule 2235

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x_Symbol] :> \text{Simp}[F^{a*}\sqrt{\text{Pi}}*(\text{Erfi}[(c + d*x)*\text{Rt}[b*\text{Log}[F], 2]]/(2*d*\text{Rt}[b*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d, x\} \&\& \text{PosQ}[b]$

Rule 2236

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{2})}, x_Symbol] :> \text{Simp}[F^{a*}\sqrt{\text{Pi}}*(\text{Erf}[(c + d*x)*\text{Rt}[(-b)*\text{Log}[F], 2]]/(2*d*\text{Rt}[(-b)*\text{Log}[F], 2])), x] /; \text{FreeQ}\{F, a, b, c, d, x\} \&\& \text{NegQ}[b]$

Rule 3388

$\text{Int}[(c_.) + (d_.)*(x_))^{(m_.)}\sin[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_)], x_Symbol] :> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /; \text{FreeQ}\{c, d, e, f, m, x\} \&\& \text{IntegerQ}[2*k]$

Rule 5880

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}, x_Symbol] :> \text{Simp}[\sqrt{1 + cx}*\sqrt{-1 + cx}*((a + b*\text{ArcCosh}[cx])^{(n + 1)})/(b*c*(n + 1)), x] - \text{Dist}[c/(b*(n + 1)), \text{Int}[x*((a + b*\text{ArcCosh}[cx])^{(n + 1)})/(\sqrt{1 + cx}*\sqrt{-1 + cx}), x], x] /; \text{FreeQ}\{a, b, c, x\} \&\& \text{LtQ}[n, -1]$

Rule 5953

$\text{Int}[(a_.) + \text{ArcCosh}[(c_.)*(x_)]*(b_.)^{(n_.)}\sqrt{(d1_.) + (e1_.)*(x_)}^{(p_.)}\sqrt{(d2_.) + (e2_.)*(x_)}^{(p_.)}, x_Symbol] :> \text{Dist}[(1/(b*c^{(m + 1)}))*\text{Simp}[(d1 + e1*x)^p/(1 + cx)^p]*\text{Simp}[(d2 + e2*x)^p/(-1 + cx)^p], \text{Subst}[\text{Int}[x^n*\text{Cosh}[-a/b + x/b]^m*\text{Sinh}[-a/b + x/b]^{(2*p + 1)}, x], x, a + b*\text{ArcCosh}[cx]], x] /; \text{FreeQ}\{a, b, c, d1, e1, d2, e2, n, x\} \&\& \text{EqQ}[e1, c*d1] \&\& \text{EqQ}[e2, (-c)*d2] \&\& \text{IGtQ}[p + 3/2, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\text{barccosh}(cx)}} dx}{b} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{2\text{Subst}\left(\int \frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}} dx, x, a+\text{barccosh}(cx)\right)}{b^2c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{\text{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\text{barccosh}(cx)\right)}{b^2c} \\
 &\quad + \frac{\text{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\text{barccosh}(cx)\right)}{b^2c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{2\text{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{b^2c} \\
 &\quad + \frac{2\text{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\text{barccosh}(cx)}\right)}{b^2c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{bc\sqrt{a+\text{barccosh}(cx)}} + \frac{e^{a/b}\sqrt{\pi}\text{erf}\left(\frac{\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\text{erfi}\left(\frac{\sqrt{a+\text{barccosh}(cx)}}{\sqrt{b}}\right)}{b^{3/2}c}
 \end{aligned}$$

Mathematica [F]

$$\int \frac{1}{(a+\text{barccosh}(cx))^{3/2}} dx = \int \frac{1}{(a+\text{barccosh}(cx))^{3/2}} dx$$

[In] Integrate[(a + b*ArcCosh[c*x])^(-3/2), x]

[Out] Integrate[(a + b*ArcCosh[c*x])^(-3/2), x]

Maple [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx$$

[In] `int(1/(a+b*arccosh(c*x))^(3/2),x)`

[Out] `int(1/(a+b*arccosh(c*x))^(3/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(1/(a+b*arccosh(c*x))^(3/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{1}{(a + b \operatorname{acosh}(cx))^{3/2}} dx$$

[In] `integrate(1/(a+b*acosh(c*x))**(3/2),x)`

[Out] `Integral((a + b*acosh(c*x))**(-3/2), x)`

Maxima [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{3/2}} dx$$

[In] `integrate(1/(a+b*arccosh(c*x))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(-3/2), x)`

Giac [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{3/2}} dx$$

[In] integrate(1/(a+b*arccosh(c*x))^(3/2),x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)^(-3/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{3/2}} dx = \int \frac{1}{(a + b \operatorname{acosh}(cx))^{3/2}} dx$$

[In] int(1/(a + b*acosh(c*x))^(3/2),x)

[Out] int(1/(a + b*acosh(c*x))^(3/2), x)

$$3.157 \quad \int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx$$

Optimal result	847
Rubi [A] (verified)	848
Mathematica [A] (verified)	852
Maple [F]	853
Fricas [F(-2)]	853
Sympy [F]	853
Maxima [F]	853
Giac [F]	854
Mupad [F(-1)]	854

Optimal result

Integrand size = 16, antiderivative size = 276

$$\int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx = -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\operatorname{arccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{4x^3}{b^2\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} - \frac{e^{\frac{3a}{b}}\sqrt{3\pi}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} + \frac{e^{-\frac{3a}{b}}\sqrt{3\pi}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3}$$

```
[Out] -1/6*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(5/2)/c^3+1/6*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(5/2)/c^3/exp(a/b)-1/2*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(5/2)/c^3+1/2*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(5/2)/c^3/exp(3*a/b)-2/3*x^2*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b/c/(a+b*arccosh(c*x))^(3/2)+8/3*x/b^2/c^2/(a+b*arccosh(c*x))^(1/2)-4*x^3/b^2/(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5886, 5951, 5887, 5556, 3389, 2211, 2236, 2235, 5881}

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{5/2}} dx = -\frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} - \frac{\sqrt{3\pi} e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} + \frac{\sqrt{3\pi} e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a + \operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} + \frac{8x}{3b^2c^2\sqrt{a + \operatorname{barccosh}(cx)}} - \frac{4x^3}{b^2\sqrt{a + \operatorname{barccosh}(cx)}} - \frac{2x^2\sqrt{cx - 1}\sqrt{cx + 1}}{3bc(a + \operatorname{barccosh}(cx))^{3/2}}$$

[In] Int[x^2/(a + b*ArcCosh[c*x])^(5/2),x]

[Out] (-2*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*b*c*(a + b*ArcCosh[c*x])^(3/2)) + (8*x)/(3*b^2*c^2*Sqrt[a + b*ArcCosh[c*x]]) - (4*x^3)/(b^2*Sqrt[a + b*ArcCosh[c*x]]) - (E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(6*b^(5/2)*c^3) - (E^((3*a)/b)*Sqrt[3*Pi]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(2*b^(5/2)*c^3) + (Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(6*b^(5/2)*c^3*E^(a/b)) + (Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(2*b^(5/2)*c^3*E^((3*a)/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[1/(b*c), Subst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x)) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5951

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_))^(m_)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4\int\frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}dx}{3bc} \\
 &+ \frac{(2c)\int\frac{x^3}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}dx}{b} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &- \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{12\int\frac{x^2}{\sqrt{a+\operatorname{barccosh}(cx)}}dx}{b^2} - \frac{8\int\frac{1}{\sqrt{a+\operatorname{barccosh}(cx)}}dx}{3b^2c^2} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &- \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{8\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^3} \\
 &- \frac{12\operatorname{Subst}\left(\int\frac{\cosh^2\left(\frac{a-x}{b}\right)\sinh\left(\frac{a-x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{b^3c^3} \\
 &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &- \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{4\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^3} \\
 &- \frac{4\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^3} \\
 &- \frac{12\operatorname{Subst}\left(\int\left(\frac{\sinh\left(\frac{3a-3x}{b}\right)}{4\sqrt{x}}+\frac{\sinh\left(\frac{a-x}{b}\right)}{4\sqrt{x}}\right)dx, x, a+\operatorname{barccosh}(cx)\right)}{b^3c^3}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{8\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c^3} \\
&\quad - \frac{8\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c^3} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{\sinh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{b^3c^3} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{\sinh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{b^3c^3} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{4e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} \\
&\quad - \frac{4e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} - \frac{3\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{2b^3c^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{2b^3c^3} \\
&\quad - \frac{3\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{2b^3c^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{2b^3c^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&+ \frac{4e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} - \frac{4e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^3} \\
&- \frac{3\operatorname{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^3c^3} \\
&- \frac{3\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^3c^3} \\
&+ \frac{3\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^3c^3} \\
&+ \frac{3\operatorname{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{b^3c^3} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{8x}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{4x^3}{b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} - \frac{e^{\frac{3a}{b}}\sqrt{3\pi}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3} \\
&+ \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{6b^{5/2}c^3} + \frac{e^{-\frac{3a}{b}}\sqrt{3\pi}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{2b^{5/2}c^3}
\end{aligned}$$

Mathematica [A] (verified)

Time = 1.50 (sec) , antiderivative size = 340, normalized size of antiderivative = 1.23

$$\int \frac{x^2}{(a+\operatorname{barccosh}(cx))^{5/2}} dx = \frac{e^{-3\left(\frac{a}{b}+\operatorname{arccosh}(cx)\right)}\left(2e^{\frac{4a}{b}+3\operatorname{arccosh}(cx)}\sqrt{\frac{a}{b}+\operatorname{arccosh}(cx)}(a+\operatorname{barccosh}(cx))\Gamma\left(\frac{1}{2}, \frac{a}{b}+\right.\right.$$

[In] Integrate[x^2/(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (2*E^((4*a)/b + 3*ArcCosh[c*x])*Sqrt[a/b + ArcCosh[c*x]]*(a + b*ArcCosh[c*x])*Gamma[1/2, a/b + ArcCosh[c*x]] - 6*Sqrt[3]*b*E^(3*ArcCosh[c*x])*(-(a + b*ArcCosh[c*x])/b)^(3/2)*Gamma[1/2, (-3*(a + b*ArcCosh[c*x]))/b] - 2*b*E^((2*a)/b + 3*ArcCosh[c*x])*(-(a + b*ArcCosh[c*x])/b)^(3/2)*Gamma[1/2, -(a + b*ArcCosh[c*x])/b] + E^((3*a)/b)*(-(1 + E^(2*ArcCosh[c*x]))*(a*(6 - 4*E^(2*ArcCosh[c*x]) + 6*E^(4*ArcCosh[c*x])) + b*(-1 + 6*ArcCosh[c*x] - 4*E^(2*ArcCosh[c*x])*ArcCosh[c*x] + E^(4*ArcCosh[c*x])*(1 + 6*ArcCosh[c*x]))) + 6*Sqrt[3]*E^(3*(a/b + ArcCosh[c*x]))*Sqrt[a/b + ArcCosh[c*x]]*(a + b*ArcCosh[c*x])*Gamma[1/2, (3*(a + b*ArcCosh[c*x]))/b]))/(12*b^2*c^3*E^(3*(a/b + ArcCosh[c*x]))*(a + b*ArcCosh[c*x])^(3/2))

Maple [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx$$

[In] `int(x^2/(a+b*arccosh(c*x))^(5/2),x)`

[Out] `int(x^2/(a+b*arccosh(c*x))^(5/2),x)`

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(5/2),x, algorithm="fricas")`

[Out] `Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)`

Sympy [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx = \int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

[In] `integrate(x**2/(a+b*acosh(c*x))**(5/2),x)`

[Out] `Integral(x**2/(a + b*acosh(c*x))**(5/2), x)`

Maxima [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx = \int \frac{x^2}{(b \operatorname{arccosh}(cx) + a)^{\frac{5}{2}}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")`

[Out] `integrate(x^2/(b*arccosh(c*x) + a)^(5/2), x)`

Giac [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x^2}{(b \operatorname{arcosh}(cx) + a)^{5/2}} dx$$

[In] integrate(x^2/(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")

[Out] integrate(x^2/(b*arccosh(c*x) + a)^(5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{5/2}} dx$$

[In] int(x^2/(a + b*acosh(c*x))^(5/2),x)

[Out] int(x^2/(a + b*acosh(c*x))^(5/2), x)

3.158 $\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx$

Optimal result	855
Rubi [A] (verified)	856
Mathematica [F]	859
Maple [F]	859
Fricas [F(-2)]	859
Sympy [F]	860
Maxima [F]	860
Giac [F]	860
Mupad [F(-1)]	860

Optimal result

Integrand size = 14, antiderivative size = 188

$$\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx = -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\operatorname{arccosh}(cx))^{3/2}} + \frac{2x}{8x^2} + \frac{3b^2c^2\sqrt{a+b\operatorname{arccosh}(cx)}}{3b^2\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{2e^{\frac{2a}{b}}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{2e^{-\frac{2a}{b}}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2}$$

[Out] $-2/3*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^2+2/3*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(5/2)}/c^2/\exp(2*a/b)-2/3*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}+4/3/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}-8/3*x^2/b^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5886, 5951, 5887, 5556, 12, 3389, 2211, 2236, 2235, 5893}

$$\int \frac{x}{(a + \operatorname{barccosh}(cx))^{5/2}} dx = -\frac{2\sqrt{2\pi}e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{2\sqrt{2\pi}e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{4}{3b^2c^2\sqrt{a + \operatorname{barccosh}(cx)}} - \frac{8x^2}{3b^2\sqrt{a + \operatorname{barccosh}(cx)}} - \frac{2x\sqrt{cx-1}\sqrt{cx+1}}{3bc(a + \operatorname{barccosh}(cx))^{3/2}}$$

[In] Int[x/(a + b*ArcCosh[c*x])^(5/2), x]

[Out] (-2*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*b*c*(a + b*ArcCosh[c*x])^(3/2)) + 4/(3*b^2*c^2*Sqrt[a + b*ArcCosh[c*x]]) - (8*x^2)/(3*b^2*Sqrt[a + b*ArcCosh[c*x]]) - (2*E^((2*a)/b)*Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(3*b^(5/2)*c^2) + (2*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(3*b^(5/2)*c^2*E^((2*a)/b))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2)), x_Symbol] := Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3389

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5556

```
Int[Cosh[(a_.) + (b_.)*(x_)]^(p_.)*((c_.) + (d_.)*(x_))^(m_.)*Sinh[(a_.) + (b_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sinh[a + b*x]^n*Cosh[a + b*x]^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && IGtQ[p, 0]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Simp[x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), Int[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5887

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*(x_)^(m_.), x_Symbol] := Dist[1/(b*c^(m + 1)), Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[m, 0]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5951

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)*((f_.)*(x_))^(m_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{2\int\frac{1}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}dx}{3bc} \\
&+ \frac{(4c)\int\frac{x^2}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}dx}{3b} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{16\int\frac{x}{\sqrt{a+\operatorname{barccosh}(cx)}}dx}{3b^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{16\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a-x}{b}-\frac{x}{b}\right)\sinh\left(\frac{a-x}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{16\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{2a-2x}{b}\right)}{2\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{8\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{2a-2x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{4\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^2} \\
&+ \frac{4\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{2ia-2ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c^2}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{8\operatorname{Subst}\left(\int e^{\frac{2a}{b}-\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c^2} \\
&\quad + \frac{8\operatorname{Subst}\left(\int e^{-\frac{2a}{b}+\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4}{3b^2c^2\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{8x^2}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{2e^{\frac{2a}{b}}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2} + \frac{2e^{-\frac{2a}{b}}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c^2}
\end{aligned}$$

Mathematica [F]

$$\int \frac{x}{(a+\operatorname{barccosh}(cx))^{5/2}} dx = \int \frac{x}{(a+\operatorname{barccosh}(cx))^{5/2}} dx$$

[In] Integrate[x/(a + b*ArcCosh[c*x])^(5/2), x]

[Out] Integrate[x/(a + b*ArcCosh[c*x])^(5/2), x]

Maple [F]

$$\int \frac{x}{(a+b \operatorname{arccosh}(cx))^{5/2}} dx$$

[In] int(x/(a+b*arccosh(c*x))^(5/2), x)

[Out] int(x/(a+b*arccosh(c*x))^(5/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{(a+\operatorname{barccosh}(cx))^{5/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x/(a+b*arccosh(c*x))^(5/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x}{(a + b \operatorname{acosh}(cx))^{5/2}} dx$$

[In] integrate(x/(a+b*acosh(c*x))**(5/2),x)

[Out] Integral(x/(a + b*acosh(c*x))**(5/2), x)

Maxima [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{5/2}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate(x/(b*arccosh(c*x) + a)^(5/2), x)

Giac [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{5/2}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")

[Out] integrate(x/(b*arccosh(c*x) + a)^(5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{x}{(a + b \operatorname{acosh}(cx))^{5/2}} dx$$

[In] int(x/(a + b*acosh(c*x))^(5/2),x)

[Out] int(x/(a + b*acosh(c*x))^(5/2), x)

$$3.159 \quad \int \frac{1}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx$$

Optimal result	861
Rubi [A] (verified)	861
Mathematica [F]	864
Maple [F]	864
Fricas [F(-2)]	864
Sympy [F]	864
Maxima [F]	865
Giac [F]	865
Mupad [F(-1)]	865

Optimal result

Integrand size = 12, antiderivative size = 148

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx = -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{2e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{2e^{-a/b}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c}$$

[Out] $-2/3*\exp(a/b)*\operatorname{erf}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\Pi^{(1/2)}/b^{(5/2)}/c+2/3*\operatorname{erfi}((a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*\Pi^{(1/2)}/b^{(5/2)}/c/\exp(a/b)-2/3*(c*x-1)^{(1/2)*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}-4/3*x/b^2/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {5880, 5951, 5881, 3389, 2211, 2236, 2235}

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{5/2}} dx = -\frac{2\sqrt{\pi}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{2\sqrt{\pi}e^{-a/b}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} - \frac{4x}{3b^2\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{3bc(a+b\operatorname{arccosh}(cx))^{3/2}}$$

[In] $\operatorname{Int}[(a+b*\operatorname{ArcCosh}[c*x])^{(-5/2)},x]$

```
[Out] (-2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(3*b*c*(a + b*ArcCosh[c*x])^(3/2)) - (4*x
)/(3*b^2*Sqrt[a + b*ArcCosh[c*x]]) - (2*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*Arc
Cosh[c*x]]/Sqrt[b]])/(3*b^(5/2)*c) + (2*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*
x]]/Sqrt[b]])/(3*b^(5/2)*c*E^(a/b))
```

Rule 2211

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :
> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*
x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[$UseGamma]
```

Rule 2235

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{
F, a, b, c, d}, x] && PosQ[b]
```

Rule 2236

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3389

```
Int[((c_.) + (d_.)*(x_)^m)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I
/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(
I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Simp[Sqrt[1 + c*
x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c
/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 +
c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5881

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n, x_Symbol] := Dist[1/(b*c), Su
bst[Int[x^n*Sinh[-a/b + x/b], x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b
, c, n}, x]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^n*((f_.)*(x_)^m)/(Sqrt[(d1
_) + (e1_.)*(x_)])*Sqrt[(d2_) + (e2_.)*(x_)], x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
```

]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{(2c)\int\frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{3/2}}dx}{3b} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{4\int\frac{1}{\sqrt{a+\operatorname{barccosh}(cx)}}dx}{3b^2} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &\quad - \frac{4\operatorname{Subst}\left(\int\frac{\sinh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &\quad - \frac{2\operatorname{Subst}\left(\int\frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c} \\
 &\quad + \frac{2\operatorname{Subst}\left(\int\frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{3b^3c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &\quad - \frac{4\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c} \\
 &\quad + \frac{4\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}}dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{3b^3c} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{3bc(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{4x}{3b^2\sqrt{a+\operatorname{barccosh}(cx)}} \\
 &\quad - \frac{2e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c} + \frac{2e^{-a/b}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{3b^{5/2}c}
 \end{aligned}$$

Mathematica [F]

$$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{5/2}} dx = \int \frac{1}{(a + \operatorname{barccosh}(cx))^{5/2}} dx$$

```
[In] Integrate[(a + b*ArcCosh[c*x])^(-5/2), x]
```

```
[Out] Integrate[(a + b*ArcCosh[c*x])^(-5/2), x]
```

Maple [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{\frac{5}{2}}} dx$$

```
[In] int(1/(a+b*arccosh(c*x))^(5/2), x)
```

```
[Out] int(1/(a+b*arccosh(c*x))^(5/2), x)
```

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{5/2}} dx = \text{Exception raised: TypeError}$$

```
[In] integrate(1/(a+b*arccosh(c*x))^(5/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (constant residues)
```

Sympy [F]

$$\int \frac{1}{(a + \operatorname{barccosh}(cx))^{5/2}} dx = \int \frac{1}{(a + b \operatorname{acosh}(cx))^{\frac{5}{2}}} dx$$

```
[In] integrate(1/(a+b*acosh(c*x))**(5/2), x)
```

```
[Out] Integral((a + b*acosh(c*x))**(-5/2), x)
```


Maxima [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{5/2}} dx$$

[In] integrate(1/(a+b*arccosh(c*x))^(5/2),x, algorithm="maxima")

[Out] integrate((b*arccosh(c*x) + a)^(-5/2), x)

Giac [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{5/2}} dx$$

[In] integrate(1/(a+b*arccosh(c*x))^(5/2),x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)^(-5/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{5/2}} dx = \int \frac{1}{(a + b \operatorname{acosh}(cx))^{5/2}} dx$$

[In] int(1/(a + b*acosh(c*x))^(5/2),x)

[Out] int(1/(a + b*acosh(c*x))^(5/2), x)

3.160 $\int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx$

Optimal result	866
Rubi [A] (verified)	867
Mathematica [A] (warning: unable to verify)	871
Maple [F]	871
Fricas [F(-2)]	872
Sympy [F(-1)]	872
Maxima [F]	872
Giac [F]	872
Mupad [F(-1)]	873

Optimal result

Integrand size = 16, antiderivative size = 361

$$\int \frac{x^2}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx = -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\operatorname{arccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{4x^3}{5b^2(a+b\operatorname{arccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+b\operatorname{arccosh}(cx)}} - \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3e^{\frac{3a}{b}}\sqrt{3}\pi\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3e^{-\frac{3a}{b}}\sqrt{3}\pi\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3}$$

```
[Out] 8/15*x/b^2/c^2/(a+b*arccosh(c*x))^(3/2)-4/5*x^3/b^2/(a+b*arccosh(c*x))^(3/2)+1/15*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(7/2)/c^3+1/15*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(7/2)/c^3/exp(a/b)+3/5*exp(3*a/b)*erf(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(7/2)/c^3+3/5*erfi(3^(1/2)*(a+b*arccosh(c*x))^(1/2)/b^(1/2))*3^(1/2)*Pi^(1/2)/b^(7/2)/c^3/exp(3*a/b)-2/5*x^2*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b/c/(a+b*arccosh(c*x))^(5/2)+16/15*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b^3/c^3/(a+b*arccosh(c*x))^(1/2)-24/5*x^2*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b^3/c/(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 1.12 (sec) , antiderivative size = 361, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.562$, Rules used = {5886, 5951, 5885, 3388, 2211, 2236, 2235, 5880, 5953}

$$\int \frac{x^2}{(a + \operatorname{arccosh}(cx))^{7/2}} dx = \frac{\sqrt{\pi} e^{a/b} \operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3}\pi e^{\frac{3a}{b}} \operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} + \frac{\sqrt{\pi} e^{-\frac{a}{b}} \operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3\sqrt{3}\pi e^{-\frac{3a}{b}} \operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} + \frac{16\sqrt{cx-1}\sqrt{cx+1}}{15b^3c^3\sqrt{a+\operatorname{arccosh}(cx)}} - \frac{24x^2\sqrt{cx-1}\sqrt{cx+1}}{5b^3c\sqrt{a+\operatorname{arccosh}(cx)}} + \frac{8x}{15b^2c^2(a+\operatorname{arccosh}(cx))^{3/2}} - \frac{4x^3}{5b^2(a+\operatorname{arccosh}(cx))^{3/2}} - \frac{2x^2\sqrt{cx-1}\sqrt{cx+1}}{5bc(a+\operatorname{arccosh}(cx))^{5/2}}$$

[In] Int[x^2/(a + b*ArcCosh[c*x])^(7/2), x]

[Out] (-2*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(5*b*c*(a + b*ArcCosh[c*x])^(5/2)) + (8*x)/(15*b^2*c^2*(a + b*ArcCosh[c*x])^(3/2)) - (4*x^3)/(5*b^2*(a + b*ArcCosh[c*x])^(3/2)) + (16*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(15*b^3*c^3*Sqrt[a + b*ArcCosh[c*x]]) - (24*x^2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(5*b^3*c^3*Sqrt[a + b*ArcCosh[c*x]]) + (E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(15*b^(7/2)*c^3) + (3*E^((3*a)/b)*Sqrt[3*Pi]*Erf[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(5*b^(7/2)*c^3) + (Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(15*b^(7/2)*c^3*E^(a/b)) + (3*Sqrt[3*Pi]*Erfi[(Sqrt[3]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(5*b^(7/2)*c^3*E^((3*a)/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] := Simp[F^a*Sqrt
[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; Fr
eeQ[{F, a, b, c, d}, x] && NegQ[b]
```

Rule 3388

```
Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[
I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e,
f, m}, x] && IntegerQ[2*k]
```

Rule 5880

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_), x_Symbol] := Simp[Sqrt[1 + c*
x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c
/(b*(n + 1)), Int[x*(a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 +
c*x]), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]
```

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1)), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]),
x], x]) /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_)*((f_.)*(x_)^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d1_.) + (e1_.)*(x_.))^(p_.)*((d2_.) + (e2_.)*(x_.))^(p_.), x_Symbol] :> Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^p/(-1 + c*x)^p], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\text{integral} &= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4\int\frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{5/2}}dx}{5bc} \\
&+ \frac{(6c)\int\frac{x^3}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{5/2}}dx}{5b} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&- \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{12\int\frac{x^2}{(a+\operatorname{barccosh}(cx))^{3/2}}dx}{5b^2} - \frac{8\int\frac{1}{(a+\operatorname{barccosh}(cx))^{3/2}}dx}{15b^2c^2} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&- \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{24\operatorname{Subst}\left(\int\left(-\frac{3\cosh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{4\sqrt{x}}-\frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{4\sqrt{x}}\right)dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&- \frac{16\int\frac{x}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}}dx}{15b^3c} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&- \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+\operatorname{barccosh}(cx)}} \\
&- \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{16\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^3} \\
&+ \frac{6\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{a}{b}-\frac{x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&+ \frac{18\operatorname{Subst}\left(\int\frac{\cosh\left(\frac{3a}{b}-\frac{3x}{b}\right)}{\sqrt{x}}dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{8\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^3} \\
&\quad - \frac{8\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&\quad + \frac{3\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&\quad + \frac{9\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&\quad + \frac{9\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{3ia}{b}-\frac{3ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{5b^4c^3} \\
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad - \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{16\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c^3} \\
&\quad - \frac{16\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c^3} \\
&\quad + \frac{6\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{5b^4c^3} \\
&\quad + \frac{6\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{5b^4c^3} \\
&\quad + \frac{18\operatorname{Subst}\left(\int e^{\frac{3a}{b}-\frac{3x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{5b^4c^3} \\
&\quad + \frac{18\operatorname{Subst}\left(\int e^{-\frac{3a}{b}+\frac{3x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{5b^4c^3}
\end{aligned}$$

$$\begin{aligned}
&= -\frac{2x^2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{8x}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{4x^3}{5b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c^3\sqrt{a+\operatorname{barccosh}(cx)}} - \frac{24x^2\sqrt{-1+cx}\sqrt{1+cx}}{5b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad + \frac{e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3e^{\frac{3a}{b}}\sqrt{3\pi}\operatorname{erf}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3} \\
&\quad + \frac{e^{-\frac{a}{b}}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^3} + \frac{3e^{-\frac{3a}{b}}\sqrt{3\pi}\operatorname{erfi}\left(\frac{\sqrt{3}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{5b^{7/2}c^3}
\end{aligned}$$

Mathematica [A] (warning: unable to verify)

Time = 1.69 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.09

$$\int \frac{x^2}{(a+\operatorname{barccosh}(cx))^{7/2}} dx = \frac{-6b^2\sqrt{\frac{-1+cx}{1+cx}}(1+cx) - 2e^{-\operatorname{arccosh}(cx)}(a+\operatorname{barccosh}(cx))(-2a+b-2\operatorname{barccosh}(cx))}{(a+\operatorname{barccosh}(cx))^{7/2}}$$

[In] Integrate[x^2/(a + b*ArcCosh[c*x])^(7/2), x]

[Out] $(-6*b^2*\sqrt{(-1 + c*x)/(1 + c*x)}*(1 + c*x) - (2*(a + b*ArcCosh[c*x]))*(-2*a + b - 2*b*ArcCosh[c*x] + 2*E^{(a/b + ArcCosh[c*x])*Sqrt[a/b + ArcCosh[c*x]]*(a + b*ArcCosh[c*x])*Gamma[1/2, a/b + ArcCosh[c*x]])/E^{ArcCosh[c*x]} - (2*(a + b*ArcCosh[c*x])*(E^{(a/b + ArcCosh[c*x])*(2*a + b + 2*b*ArcCosh[c*x])} + 2*b*(-((a + b*ArcCosh[c*x])/b))^{(3/2)*Gamma[1/2, -((a + b*ArcCosh[c*x])/b)}))/E^{(a/b)} - 3*(a + b*ArcCosh[c*x])*((12*Sqrt[3]*b*(-((a + b*ArcCosh[c*x])/b))^{(3/2)*Gamma[1/2, (-3*(a + b*ArcCosh[c*x])/b)}/E^{((3*a)/b)} + (2*(b + 6*a*(-1 + E^{(6*ArcCosh[c*x]))} - 6*b*ArcCosh[c*x] + b*E^{(6*ArcCosh[c*x])*(1 + 6*ArcCosh[c*x])} + 6*Sqrt[3]*E^{(3*(a/b + ArcCosh[c*x]))*Sqrt[a/b + ArcCosh[c*x]])*(a + b*ArcCosh[c*x])*Gamma[1/2, (3*(a + b*ArcCosh[c*x])/b)}))/E^{(3*ArcCosh[c*x])} - 6*b^2*Sinh[3*ArcCosh[c*x]])/(60*b^3*c^3*(a + b*ArcCosh[c*x])^{(5/2)})$

Maple [F]

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx$$

[In] int(x^2/(a+b*arccosh(c*x))^(7/2), x)

[Out] int(x^2/(a+b*arccosh(c*x))^(7/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{7/2}} dx = \text{Timed out}$$

[In] `integrate(x**2/(a+b*acosh(c*x))**(7/2),x)`

[Out] Timed out

Maxima [F]

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{7/2}} dx = \int \frac{x^2}{(b \operatorname{arcosh}(cx) + a)^{\frac{7}{2}}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(7/2),x, algorithm="maxima")`

[Out] `integrate(x^2/(b*arccosh(c*x) + a)^(7/2), x)`

Giac [F]

$$\int \frac{x^2}{(a + \operatorname{barccosh}(cx))^{7/2}} dx = \int \frac{x^2}{(b \operatorname{arcosh}(cx) + a)^{\frac{7}{2}}} dx$$

[In] `integrate(x^2/(a+b*arccosh(c*x))^(7/2),x, algorithm="giac")`

[Out] `integrate(x^2/(b*arccosh(c*x) + a)^(7/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{x^2}{(a + b \operatorname{acosh}(cx))^{7/2}} dx$$

```
[In] int(x^2/(a + b*acosh(c*x))^(7/2), x)
```

```
[Out] int(x^2/(a + b*acosh(c*x))^(7/2), x)
```

3.161 $\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx$

Optimal result	874
Rubi [A] (verified)	874
Mathematica [F]	878
Maple [F]	878
Fricas [F(-2)]	878
Sympy [F(-1)]	878
Maxima [F]	879
Giac [F]	879
Mupad [F(-1)]	879

Optimal result

Integrand size = 14, antiderivative size = 229

$$\int \frac{x}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx = -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\operatorname{arccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{32x\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{8e^{\frac{2a}{b}}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{8e^{-\frac{2a}{b}}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2}$$

[Out] $4/15/b^2/c^2/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}-8/15*x^2/b^2/(a+b*\operatorname{arccosh}(c*x))^{(3/2)}+8/15*\exp(2*a/b)*\operatorname{erf}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(7/2)}/c^2+8/15*\operatorname{erfi}(2^{(1/2)}*(a+b*\operatorname{arccosh}(c*x))^{(1/2)}/b^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}/b^{(7/2)}/c^2/\exp(2*a/b)-2/5*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b/c/(a+b*\operatorname{arccosh}(c*x))^{(5/2)}-32/15*x*(c*x-1)^{(1/2)}*(c*x+1)^{(1/2)}/b^3/c/(a+b*\operatorname{arccosh}(c*x))^{(1/2)}$

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used

= {5886, 5951, 5885, 3388, 2211, 2236, 2235, 5893}

$$\int \frac{x}{(a + \operatorname{barccosh}(cx))^{7/2}} dx = \frac{8\sqrt{2\pi}e^{\frac{2a}{b}} \operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{8\sqrt{2\pi}e^{-\frac{2a}{b}} \operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} - \frac{32x\sqrt{cx-1}\sqrt{cx+1}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{2x\sqrt{cx-1}\sqrt{cx+1}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}}$$

[In] Int[x/(a + b*ArcCosh[c*x])^(7/2), x]

[Out] (-2*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(5*b*c*(a + b*ArcCosh[c*x])^(5/2)) + 4/(15*b^2*c^2*(a + b*ArcCosh[c*x])^(3/2)) - (8*x^2)/(15*b^2*(a + b*ArcCosh[c*x])^(3/2)) - (32*x*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(15*b^3*c*Sqrt[a + b*ArcCosh[c*x]]) + (8*E^((2*a)/b)*Sqrt[2*Pi]*Erf[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(15*b^(7/2)*c^2) + (8*Sqrt[2*Pi]*Erfi[(Sqrt[2]*Sqrt[a + b*ArcCosh[c*x]])/Sqrt[b]])/(15*b^(7/2)*c^2*E^((2*a)/b))

Rule 2211

Int[(F_)^((g_)*(e_) + (f_)*(x_))/Sqrt[(c_) + (d_)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5885

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + Dist[1/(b^2*c^(m + 1)*(n + 1)), Subst[Int[ExpandTrigReduce[x^(n +
1), Cosh[-a/b + x/b]^(m - 1)*(m - (m + 1)*Cosh[-a/b + x/b]^2), x], x], x, a
+ b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && GeQ[n, -2] &
& LtQ[n, -1]
```

Rule 5886

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*(x_)^(m_.), x_Symbol] := Simp[
x^m*Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)
)), x] + (-Dist[c*(m + 1)/(b*(n + 1))), Int[x^(m + 1)*((a + b*ArcCosh[c*x]
)^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] + Dist[m/(b*c*(n + 1)), I
nt[x^(m - 1)*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])),
x], x] /; FreeQ[{a, b, c}, x] && IGtQ[m, 0] && LtQ[n, -2]
```

Rule 5893

```
Int[((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_.)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sq
rt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(1/(b*c*(n + 1)))*Simp[Sqrt[1 +
c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*(a + b*ArcCosh[
c*x])^(n + 1), x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1
] && EqQ[e2, (-c)*d2] && NeQ[n, -1]
```

Rule 5951

```
Int[(((a_.) + ArcCosh[(c_.)*(x_)]*(b_.))^(n_)*((f_.)*(x_)^(m_.))/(Sqrt[(d1
_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] := Simp[(f*x)^m*((a
+ b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x
]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp
[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(
f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1
, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]
```

Rubi steps

$$\begin{aligned} \text{integral} &= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{2\int\frac{1}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{5/2}}dx}{5bc} \\ &\quad + \frac{(4c)\int\frac{x^2}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{5/2}}dx}{5b} \\ &= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\ &\quad - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{16\int\frac{x}{(a+\operatorname{barccosh}(cx))^{3/2}}dx}{15b^2} \end{aligned}$$

$$\begin{aligned}
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{32x\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{32\operatorname{Subst}\left(\int \frac{\cosh\left(\frac{2a}{b}-\frac{2x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{32x\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad + \frac{16\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^2} \\
&\quad + \frac{16\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{2ia}{b}-\frac{2ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{32x\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad + \frac{32\operatorname{Subst}\left(\int e^{\frac{2a}{b}-\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c^2} \\
&\quad + \frac{32\operatorname{Subst}\left(\int e^{-\frac{2a}{b}+\frac{2x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c^2} \\
&= -\frac{2x\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{4}{15b^2c^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{8x^2}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{32x\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad + \frac{8e^{\frac{2a}{b}}\sqrt{2\pi}\operatorname{erf}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2} + \frac{8e^{-\frac{2a}{b}}\sqrt{2\pi}\operatorname{erfi}\left(\frac{\sqrt{2}\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c^2}
\end{aligned}$$

Mathematica [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx$$

[In] Integrate[x/(a + b*ArcCosh[c*x])^(7/2), x]

[Out] Integrate[x/(a + b*ArcCosh[c*x])^(7/2), x]

Maple [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx$$

[In] int(x/(a+b*arccosh(c*x))^(7/2), x)

[Out] int(x/(a+b*arccosh(c*x))^(7/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] integrate(x/(a+b*arccosh(c*x))^(7/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \text{Timed out}$$

[In] integrate(x/(a+b*acosh(c*x))**(7/2), x)

[Out] Timed out

Maxima [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{7/2}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(7/2),x, algorithm="maxima")

[Out] integrate(x/(b*arccosh(c*x) + a)^(7/2), x)

Giac [F]

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{x}{(b \operatorname{arcosh}(cx) + a)^{7/2}} dx$$

[In] integrate(x/(a+b*arccosh(c*x))^(7/2),x, algorithm="giac")

[Out] integrate(x/(b*arccosh(c*x) + a)^(7/2), x)

Mupad [F(-1)]

Timed out.

$$\int \frac{x}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{x}{(a + b \operatorname{acosh}(cx))^{7/2}} dx$$

[In] int(x/(a + b*acosh(c*x))^(7/2),x)

[Out] int(x/(a + b*acosh(c*x))^(7/2), x)

3.162 $\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx$

Optimal result	880
Rubi [A] (verified)	880
Mathematica [F]	883
Maple [F]	883
Fricas [F(-2)]	884
Sympy [F(-1)]	884
Maxima [F]	884
Giac [F]	884
Mupad [F(-1)]	885

Optimal result

Integrand size = 12, antiderivative size = 188

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx = -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+b\operatorname{arccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+b\operatorname{arccosh}(cx)}} + \frac{4e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} + \frac{4e^{-a/b}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c}$$

```
[Out] -4/15*x/b^2/(a+b*arccosh(c*x))^(3/2)+4/15*exp(a/b)*erf((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(7/2)/c+4/15*erfi((a+b*arccosh(c*x))^(1/2)/b^(1/2))*Pi^(1/2)/b^(7/2)/c/exp(a/b)-2/5*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b/c/(a+b*arccosh(c*x))^(5/2)-8/15*(c*x-1)^(1/2)*(c*x+1)^(1/2)/b^3/c/(a+b*arccosh(c*x))^(1/2)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used

= {5880, 5951, 5953, 3388, 2211, 2236, 2235}

$$\int \frac{1}{(a + \operatorname{arccosh}(cx))^{7/2}} dx = \frac{4\sqrt{\pi}e^{a/b}\operatorname{erf}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c}$$

$$+ \frac{4\sqrt{\pi}e^{-\frac{a}{b}}\operatorname{erfi}\left(\frac{\sqrt{a+b\operatorname{arccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} - \frac{8\sqrt{cx-1}\sqrt{cx+1}}{15b^3c\sqrt{a+b\operatorname{arccosh}(cx)}}$$

$$- \frac{4x}{15b^2(a+b\operatorname{arccosh}(cx))^{3/2}} - \frac{2\sqrt{cx-1}\sqrt{cx+1}}{5bc(a+b\operatorname{arccosh}(cx))^{5/2}}$$

[In] Int[(a + b*ArcCosh[c*x])^(-7/2),x]

[Out] (-2*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(5*b*c*(a + b*ArcCosh[c*x])^(5/2)) - (4*x)/(15*b^2*(a + b*ArcCosh[c*x])^(3/2)) - (8*Sqrt[-1 + c*x]*Sqrt[1 + c*x])/(15*b^3*c*Sqrt[a + b*ArcCosh[c*x]]) + (4*E^(a/b)*Sqrt[Pi]*Erf[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(15*b^(7/2)*c) + (4*Sqrt[Pi]*Erfi[Sqrt[a + b*ArcCosh[c*x]]/Sqrt[b]])/(15*b^(7/2)*c*E^(a/b))

Rule 2211

Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[F^(g*(e - c*(f/d)) + f*g*(x^2/d)), x], x, Sqrt[c + d*x]], x] /; FreeQ[{F, c, d, e, f, g}, x] && !TrueQ[\$UseGamma]

Rule 2235

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erfi[(c + d*x)*Rt[b*Log[F], 2]]/(2*d*Rt[b*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && PosQ[b]

Rule 2236

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^2), x_Symbol] :> Simp[F^a*Sqrt[Pi]*(Erf[(c + d*x)*Rt[(-b)*Log[F], 2]]/(2*d*Rt[(-b)*Log[F], 2])), x] /; FreeQ[{F, a, b, c, d}, x] && NegQ[b]

Rule 3388

Int[((c_.) + (d_.)*(x_)^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 5880

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[Sqrt[1 + c*x]*Sqrt[-1 + c*x]*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1))), x] - Dist[c/(b*(n + 1)), Int[x*((a + b*ArcCosh[c*x])^(n + 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c}, x] && LtQ[n, -1]

Rule 5951

Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_))*((f_.)*(x_.))^(m_.)/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] := Simp[(f*x)^m*((a + b*ArcCosh[c*x])^(n + 1)/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], x] - Dist[f*(m/(b*c*(n + 1)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]], Int[(f*x)^(m - 1)*(a + b*ArcCosh[c*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && LtQ[n, -1]

Rule 5953

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*(x_.)^(m_.)*((d1_) + (e1_.)*(x_.))^(p_.)*((d2_) + (e2_.)*(x_.))^(q_.), x_Symbol] := Dist[(1/(b*c^(m + 1)))*Simp[(d1 + e1*x)^p/(1 + c*x)^p]*Simp[(d2 + e2*x)^q/(-1 + c*x)^q], Subst[Int[x^n*Cosh[-a/b + x/b]^m*Sinh[-a/b + x/b]^(2*p + 1), x], x, a + b*ArcCosh[c*x]], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, n}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && IGtQ[p + 3/2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \text{integral} &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} + \frac{(2c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}(a+\operatorname{barccosh}(cx))^{5/2}} dx}{5b} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} + \frac{4 \int \frac{1}{(a+\operatorname{barccosh}(cx))^{3/2}} dx}{15b^2} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
 &\quad - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{(8c) \int \frac{x}{\sqrt{-1+cx}\sqrt{1+cx}\sqrt{a+\operatorname{barccosh}(cx)}} dx}{15b^3} \\
 &= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
 &\quad - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{8\operatorname{Subst}\left(\int \frac{\cosh\left(\frac{a-x}{b}\right)}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c}
 \end{aligned}$$

$$\begin{aligned}
&= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{4\operatorname{Subst}\left(\int \frac{e^{-i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c} \\
&\quad + \frac{4\operatorname{Subst}\left(\int \frac{e^{i\left(\frac{ia}{b}-\frac{ix}{b}\right)}}{\sqrt{x}} dx, x, a+\operatorname{barccosh}(cx)\right)}{15b^4c} \\
&= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} \\
&\quad - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} + \frac{8\operatorname{Subst}\left(\int e^{\frac{a}{b}-\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c} \\
&\quad + \frac{8\operatorname{Subst}\left(\int e^{-\frac{a}{b}+\frac{x^2}{b}} dx, x, \sqrt{a+\operatorname{barccosh}(cx)}\right)}{15b^4c} \\
&= -\frac{2\sqrt{-1+cx}\sqrt{1+cx}}{5bc(a+\operatorname{barccosh}(cx))^{5/2}} - \frac{4x}{15b^2(a+\operatorname{barccosh}(cx))^{3/2}} - \frac{8\sqrt{-1+cx}\sqrt{1+cx}}{15b^3c\sqrt{a+\operatorname{barccosh}(cx)}} \\
&\quad + \frac{4e^{a/b}\sqrt{\pi}\operatorname{erf}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c} + \frac{4e^{-a/b}\sqrt{\pi}\operatorname{erfi}\left(\frac{\sqrt{a+\operatorname{barccosh}(cx)}}{\sqrt{b}}\right)}{15b^{7/2}c}
\end{aligned}$$

Mathematica [F]

$$\int \frac{1}{(a+\operatorname{barccosh}(cx))^{7/2}} dx = \int \frac{1}{(a+\operatorname{barccosh}(cx))^{7/2}} dx$$

[In] Integrate[(a + b*ArcCosh[c*x])^(-7/2), x]

[Out] Integrate[(a + b*ArcCosh[c*x])^(-7/2), x]

Maple [F]

$$\int \frac{1}{(a+b\operatorname{arccosh}(cx))^{7/2}} dx$$

[In] int(1/(a+b*arccosh(c*x))^(7/2), x)

[Out] int(1/(a+b*arccosh(c*x))^(7/2), x)

Fricas [F(-2)]

Exception generated.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \text{Exception raised: TypeError}$$

[In] `integrate(1/(a+b*arccosh(c*x))^(7/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \text{Timed out}$$

[In] `integrate(1/(a+b*acosh(c*x))**(7/2),x)`

[Out] Timed out

Maxima [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{7/2}} dx$$

[In] `integrate(1/(a+b*arccosh(c*x))^(7/2),x, algorithm="maxima")`

[Out] `integrate((b*arccosh(c*x) + a)^(-7/2), x)`

Giac [F]

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{1}{(b \operatorname{arcosh}(cx) + a)^{7/2}} dx$$

[In] `integrate(1/(a+b*arccosh(c*x))^(7/2),x, algorithm="giac")`

[Out] `integrate((b*arccosh(c*x) + a)^(-7/2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(a + b \operatorname{arccosh}(cx))^{7/2}} dx = \int \frac{1}{(a + b \operatorname{acosh}(cx))^{7/2}} dx$$

```
[In] int(1/(a + b*acosh(c*x))^(7/2), x)
```

```
[Out] int(1/(a + b*acosh(c*x))^(7/2), x)
```

3.163 $\int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx$

Optimal result	886
Rubi [A] (verified)	886
Mathematica [A] (verified)	888
Maple [F]	888
Fricas [F]	888
Sympy [F]	889
Maxima [F]	889
Giac [F(-2)]	889
Mupad [F(-1)]	890

Optimal result

Integrand size = 18, antiderivative size = 128

$$\begin{aligned} & \int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx \\ &= \frac{2(fx)^{3/2}(a + \operatorname{barccosh}(cx))^2}{3f} \\ & \quad - \frac{8bc(fx)^{5/2}\sqrt{1-cx}(a + \operatorname{barccosh}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)}{15f^2\sqrt{-1+cx}} \\ & \quad - \frac{16b^2c^2(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105f^3} \end{aligned}$$

[Out] $2/3*(f*x)^{(3/2)}*(a+b*\operatorname{arccosh}(c*x))^{2/f}-16/105*b^2*c^2*(f*x)^{(7/2)}*\operatorname{hypergeom}([1, 7/4, 7/4], [9/4, 11/4], c^2*x^2)/f^3-8/15*b*c*(f*x)^{(5/2)}*(a+b*\operatorname{arccosh}(c*x))*\operatorname{hypergeom}([1/2, 5/4], [9/4], c^2*x^2)*(-c*x+1)^{(1/2)}/f^2/(c*x-1)^{(1/2)}$

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {5883, 5949}

$$\begin{aligned} & \int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx \\ &= -\frac{16b^2c^2(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105f^3} \\ & \quad - \frac{8bc\sqrt{1-cx}(fx)^{5/2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)(a + \operatorname{barccosh}(cx))}{15f^2\sqrt{cx-1}} \\ & \quad + \frac{2(fx)^{3/2}(a + \operatorname{barccosh}(cx))^2}{3f} \end{aligned}$$

[In] Int[Sqrt[f*x]*(a + b*ArcCosh[c*x])^2,x]

[Out] (2*(f*x)^(3/2)*(a + b*ArcCosh[c*x])^2)/(3*f) - (8*b*c*(f*x)^(5/2)*Sqrt[1 - c*x]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, 5/4, 9/4, c^2*x^2])/(15*f^2*Sqrt[-1 + c*x]) - (16*b^2*c^2*(f*x)^(7/2)*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2*x^2])/(105*f^3)

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))^(n_.)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x]))], x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5949

Int[((a_.) + ArcCosh[(c_.)*(x_)])*(b_.))*((f_.)*(x_))^(m_)/(Sqrt[(d1_) + (e1_.)*(x_)]*Sqrt[(d2_) + (e2_.)*(x_)]), x_Symbol] :> Simp[((f*x)^(m + 1)/(f*(m + 1)))*Simp[Sqrt[1 - c^2*x^2]/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x])]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2], x] + Simp[b*c*((f*x)^(m + 2)/(f^2*(m + 1)*(m + 2)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && !IntegerQ[m]

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{2(fx)^{3/2}(a + \text{barccosh}(cx))^2}{3f} - \frac{(4bc) \int \frac{(fx)^{3/2}(a + \text{barccosh}(cx))}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{3f} \\ &= \frac{2(fx)^{3/2}(a + \text{barccosh}(cx))^2}{3f} \\ &\quad - \frac{8bc(fx)^{5/2}\sqrt{1 - cx}(a + \text{barccosh}(cx)) \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)}{15f^2\sqrt{-1 + cx}} \\ &\quad - \frac{16b^2c^2(fx)^{7/2} {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}, \frac{9}{4}, \frac{11}{4}; c^2x^2\right)}{105f^3} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.31 (sec) , antiderivative size = 118, normalized size of antiderivative = 0.92

$$\int \sqrt{fx}(a + \operatorname{arccosh}(cx))^2 dx$$

$$= \frac{2}{105} x \sqrt{fx} \left(35(a + \operatorname{arccosh}(cx))^2 - 4bcx \left(\frac{7\sqrt{1-c^2x^2}(a + \operatorname{arccosh}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{5}{4}, \frac{9}{4}, c^2x^2\right)}{\sqrt{-1+cx}\sqrt{1+cx}} + 2bcx {}_3F_2\left(1, \frac{7}{4}, \frac{7}{4}; \frac{9}{4}, \frac{11}{4}; c^2x^2\right) \right) \right)$$

[In] Integrate[Sqrt[f*x]*(a + b*ArcCosh[c*x])^2,x]

[Out] (2*x*Sqrt[f*x]*(35*(a + b*ArcCosh[c*x])^2 - 4*b*c*x*((7*Sqrt[1 - c^2*x^2]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, 5/4, 9/4, c^2*x^2])/(Sqrt[-1 + c*x]*Sqrt[1 + c*x]) + 2*b*c*x*HypergeometricPFQ[{1, 7/4, 7/4}, {9/4, 11/4}, c^2*x^2]))) / 105

Maple [F]

$$\int (a + b \operatorname{arccosh}(cx))^2 \sqrt{fx} dx$$

[In] int((a+b*arccosh(c*x))^2*(f*x)^(1/2),x)

[Out] int((a+b*arccosh(c*x))^2*(f*x)^(1/2),x)

Fricas [F]

$$\int \sqrt{fx}(a + \operatorname{arccosh}(cx))^2 dx = \int \sqrt{fx}(b \operatorname{arccosh}(cx) + a)^2 dx$$

[In] integrate((a+b*arccosh(c*x))^2*(f*x)^(1/2),x, algorithm="fricas")

[Out] integral((b^2*arccosh(c*x)^2 + 2*a*b*arccosh(c*x) + a^2)*sqrt(f*x), x)

Sympy [F]

$$\int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx = \int \sqrt{fx}(a + b \operatorname{acosh}(cx))^2 dx$$

```
[In] integrate((a+b*acosh(c*x))**2*(f*x)**(1/2),x)
```

```
[Out] Integral(sqrt(f*x)*(a + b*acosh(c*x))**2, x)
```

Maxima [F]

$$\int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx = \int \sqrt{fx}(b \operatorname{arcosh}(cx) + a)^2 dx$$

```
[In] integrate((a+b*arccosh(c*x))^2*(f*x)^(1/2),x, algorithm="maxima")
```

```
[Out] 2/3*b^2*sqrt(f)*x^(3/2)*log(c*x + sqrt(c*x + 1)*sqrt(c*x - 1))^2 + 2/3*(f*x)^(3/2)*a^2/f + integrate(2/3*(((3*a*b*c^2*sqrt(f) - 2*b^2*c^2*sqrt(f))*x^2 - 3*a*b*sqrt(f))*sqrt(c*x + 1)*sqrt(c*x - 1)*sqrt(x) + ((3*a*b*c^3*sqrt(f) - 2*b^2*c^3*sqrt(f))*x^3 - (3*a*b*c*sqrt(f) - 2*b^2*c*sqrt(f))*x)*sqrt(x)) *log(c*x + sqrt(c*x + 1)*sqrt(c*x - 1))/(c^3*x^3 + (c^2*x^2 - 1)*sqrt(c*x + 1)*sqrt(c*x - 1) - c*x), x)
```

Giac [F(-2)]

Exception generated.

$$\int \sqrt{fx}(a + \operatorname{barccosh}(cx))^2 dx = \text{Exception raised: RuntimeError}$$

```
[In] integrate((a+b*arccosh(c*x))^2*(f*x)^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: RuntimeError >> an error occurred running a Giac command: INPUT:sage2OUTPUT:sym2poly/r2sym(const gen & e,const index_m & i,const vector & l) Error: Bad Argument Value
```

Mupad [F(-1)]

Timed out.

$$\int \sqrt{fx}(a + b \operatorname{arccosh}(cx))^2 dx = \int (a + b \operatorname{acosh}(cx))^2 \sqrt{fx} dx$$

```
[In] int((a + b*acosh(c*x))^2*(f*x)^(1/2),x)
```

```
[Out] int((a + b*acosh(c*x))^2*(f*x)^(1/2), x)
```

3.164 $\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx$

Optimal result	891
Rubi [A] (verified)	891
Mathematica [A] (verified)	893
Maple [F]	893
Fricas [F]	893
Sympy [F]	894
Maxima [F]	894
Giac [F]	894
Mupad [F(-1)]	894

Optimal result

Integrand size = 16, antiderivative size = 181

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx$$

$$= \frac{(dx)^{1+m} (a + \operatorname{barccosh}(cx))^2}{d(1+m)}$$

$$- \frac{2bc(dx)^{2+m} \sqrt{1-cx} (a + \operatorname{barccosh}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2 x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx}}$$

$$- \frac{2b^2 c^2 (dx)^{3+m} {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; c^2 x^2\right)}{d^3(1+m)(2+m)(3+m)}$$

```
[Out] (d*x)^(1+m)*(a+b*arccosh(c*x))^2/d/(1+m)-2*b^2*c^2*(d*x)^(3+m)*hypergeom([1, 3/2+1/2*m, 3/2+1/2*m], [2+1/2*m, 5/2+1/2*m], c^2*x^2)/d^3/(3+m)/(m^2+3*m+2)
-2*b*c*(d*x)^(2+m)*(a+b*arccosh(c*x))*hypergeom([1/2, 1+1/2*m], [2+1/2*m], c^2*x^2)*(-c*x+1)^(1/2)/d^2/(1+m)/(2+m)/(c*x-1)^(1/2)
```

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used

= {5883, 5949}

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx$$

$$= -\frac{2b^2 c^2 (dx)^{m+3} {}_3F_2\left(1, \frac{m}{2} + \frac{3}{2}, \frac{m}{2} + \frac{3}{2}; \frac{m}{2} + 2, \frac{m}{2} + \frac{5}{2}; c^2 x^2\right)}{d^3 (m+1)(m+2)(m+3)}$$

$$- \frac{2bc\sqrt{1-cx}(dx)^{m+2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2 x^2\right) (a + \operatorname{barccosh}(cx))}{d^2 (m+1)(m+2)\sqrt{cx-1}}$$

$$+ \frac{(dx)^{m+1} (a + \operatorname{barccosh}(cx))^2}{d(m+1)}$$

[In] Int[(d*x)^m*(a + b*ArcCosh[c*x])^2,x]

[Out] ((d*x)^(1 + m)*(a + b*ArcCosh[c*x])^2)/(d*(1 + m)) - (2*b*c*(d*x)^(2 + m)*Sqrt[1 - c*x]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/(d^2*(1 + m)*(2 + m)*Sqrt[-1 + c*x]) - (2*b^2*c^2*(d*x)^(3 + m)*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/2}, {2 + m/2, 5/2 + m/2}, c^2*x^2])/(d^3*(1 + m)*(2 + m)*(3 + m))

Rule 5883

Int[((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))^(n_.)*((d_.)*(x_.))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^n/(d*(m + 1))), x] - Dist[b*c*(n/(d*(m + 1))), Int[(d*x)^(m + 1)*((a + b*ArcCosh[c*x])^(n - 1)/(Sqrt[1 + c*x]*Sqrt[-1 + c*x])), x], x] /; FreeQ[{a, b, c, d, m}, x] && IGtQ[n, 0] && NeQ[m, -1]

Rule 5949

Int[(((a_.) + ArcCosh[(c_.)*(x_.)]*(b_.))*((f_.)*(x_.))^(m_.))/(Sqrt[(d1_) + (e1_.)*(x_.)]*Sqrt[(d2_) + (e2_.)*(x_.)]), x_Symbol] :> Simp[((f*x)^(m + 1)/(f*(m + 1)))*Simp[Sqrt[1 - c^2*x^2]/(Sqrt[d1 + e1*x]*Sqrt[d2 + e2*x])]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, c^2*x^2], x] + Simp[b*c*((f*x)^(m + 2)/(f^2*(m + 1)*(m + 2)))*Simp[Sqrt[1 + c*x]/Sqrt[d1 + e1*x]]*Simp[Sqrt[-1 + c*x]/Sqrt[d2 + e2*x]]*HypergeometricPFQ[{1, 1 + m/2, 1 + m/2}, {3/2 + m/2, 2 + m/2}, c^2*x^2], x] /; FreeQ[{a, b, c, d1, e1, d2, e2, f, m}, x] && EqQ[e1, c*d1] && EqQ[e2, (-c)*d2] && !IntegerQ[m]

Rubi steps

$$\text{integral} = \frac{(dx)^{1+m} (a + \operatorname{barccosh}(cx))^2}{d(1+m)} - \frac{(2bc) \int \frac{(dx)^{1+m} (a + \operatorname{barccosh}(cx))}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{d(1+m)}$$

$$\begin{aligned}
&= \frac{(dx)^{1+m}(a + \operatorname{arccosh}(cx))^2}{d(1+m)} \\
&\quad - \frac{2bc(dx)^{2+m}\sqrt{1-cx}(a + \operatorname{arccosh}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx}} \\
&\quad - \frac{2b^2c^2(dx)^{3+m} {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; c^2x^2\right)}{d^3(1+m)(2+m)(3+m)}
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 164, normalized size of antiderivative = 0.91

$$\begin{aligned}
&\int (dx)^m (a + \operatorname{arccosh}(cx))^2 dx \\
&= \frac{x(dx)^m \left((a + \operatorname{arccosh}(cx))^2 - \frac{2bcx\sqrt{1-c^2x^2}(a + \operatorname{arccosh}(cx)) \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2x^2\right)}{(2+m)\sqrt{-1+cx}\sqrt{1+cx}} - \frac{2b^2c^2x^2 {}_3F_2\left(1, \frac{3}{2} + \frac{m}{2}, \frac{3}{2} + \frac{m}{2}; 2 + \frac{m}{2}, \frac{5}{2} + \frac{m}{2}; c^2x^2\right)}{6} \right)}{1+m}
\end{aligned}$$

[In] Integrate[(d*x)^m*(a + b*ArcCosh[c*x])^2,x]

[Out] (x*(d*x)^m*((a + b*ArcCosh[c*x])^2 - (2*b*c*x*Sqrt[1 - c^2*x^2]*(a + b*ArcCosh[c*x])*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/((2 + m)*Sqrt[-1 + c*x]*Sqrt[1 + c*x]) - (2*b^2*c^2*x^2*HypergeometricPFQ[{1, 3/2 + m/2, 3/2 + m/2}, {2 + m/2, 5/2 + m/2}, c^2*x^2])/(6 + 5*m + m^2)))/(1 + m)

Maple [F]

$$\int (dx)^m (a + b \operatorname{arccosh}(cx))^2 dx$$

[In] int((d*x)^m*(a+b*arccosh(c*x))^2,x)

[Out] int((d*x)^m*(a+b*arccosh(c*x))^2,x)

Fricas [F]

$$\int (dx)^m (a + \operatorname{arccosh}(cx))^2 dx = \int (b \operatorname{arccosh}(cx) + a)^2 (dx)^m dx$$

[In] integrate((d*x)^m*(a+b*arccosh(c*x))^2,x, algorithm="fricas")

[Out] integral((b^2*arccosh(c*x)^2 + 2*a*b*arccosh(c*x) + a^2)*(d*x)^m, x)

Sympy [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx = \int (dx)^m (a + b \operatorname{acosh}(cx))^2 dx$$

```
[In] integrate((d*x)**m*(a+b*acosh(c*x))**2,x)
```

```
[Out] Integral((d*x)**m*(a + b*acosh(c*x))**2, x)
```

Maxima [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx = \int (b \operatorname{arcosh}(cx) + a)^2 (dx)^m dx$$

```
[In] integrate((d*x)^m*(a+b*arccosh(c*x))^2,x, algorithm="maxima")
```

```
[Out] b^2*d^m*x*x^m*log(c*x + sqrt(c*x + 1)*sqrt(c*x - 1))^2/(m + 1) + (d*x)^(m + 1)*a^2/(d*(m + 1)) + integrate(-2*((a*b*d^m*(m + 1) - (a*b*c^2*d^m*(m + 1) - b^2*c^2*d^m)*x^2)*sqrt(c*x + 1)*sqrt(c*x - 1)*x^m - ((a*b*c^3*d^m*(m + 1) - b^2*c^3*d^m)*x^3 - (a*b*c*d^m*(m + 1) - b^2*c*d^m)*x)*x^m*log(c*x + sqrt(c*x + 1)*sqrt(c*x - 1))/(c^3*(m + 1)*x^3 - c*(m + 1)*x + (c^2*(m + 1)*x^2 - m - 1)*sqrt(c*x + 1)*sqrt(c*x - 1)), x)
```

Giac [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx = \int (b \operatorname{arcosh}(cx) + a)^2 (dx)^m dx$$

```
[In] integrate((d*x)^m*(a+b*arccosh(c*x))^2,x, algorithm="giac")
```

```
[Out] integrate((b*arccosh(c*x) + a)^2*(d*x)^m, x)
```

Mupad [F(-1)]

Timed out.

$$\int (dx)^m (a + \operatorname{barccosh}(cx))^2 dx = \int (a + b \operatorname{acosh}(cx))^2 (dx)^m dx$$

```
[In] int((a + b*acosh(c*x))^2*(d*x)^m,x)
```

```
[Out] int((a + b*acosh(c*x))^2*(d*x)^m, x)
```

3.165 $\int (dx)^m (a + \operatorname{barccosh}(cx)) dx$

Optimal result	895
Rubi [A] (verified)	895
Mathematica [A] (verified)	897
Maple [F]	897
Fricas [F]	897
Sympy [F]	897
Maxima [F]	898
Giac [F]	898
Mupad [F(-1)]	898

Optimal result

Integrand size = 14, antiderivative size = 106

$$\begin{aligned} & \int (dx)^m (a + \operatorname{barccosh}(cx)) dx \\ &= \frac{(dx)^{1+m} (a + \operatorname{barccosh}(cx))}{d(1+m)} \\ & - \frac{bc(dx)^{2+m} \sqrt{1-c^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx}\sqrt{1+cx}} \end{aligned}$$

[Out] (d*x)^(1+m)*(a+b*arccosh(c*x))/d/(1+m)-b*c*(d*x)^(2+m)*hypergeom([1/2, 1+1/2*m], [2+1/2*m], c^2*x^2)*(-c^2*x^2+1)^(1/2)/d^2/(1+m)/(2+m)/(c*x-1)^(1/2)/(c*x+1)^(1/2)

Rubi [A] (verified)

Time = 0.05 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {5883, 127, 372, 371}

$$\begin{aligned} & \int (dx)^m (a + \operatorname{barccosh}(cx)) dx \\ &= \frac{(dx)^{m+1} (a + \operatorname{barccosh}(cx))}{d(m+1)} \\ & - \frac{bc\sqrt{1-c^2x^2}(dx)^{m+2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{m+2}{2}, \frac{m+4}{2}, c^2x^2\right)}{d^2(m+1)(m+2)\sqrt{cx-1}\sqrt{cx+1}} \end{aligned}$$

[In] Int[(d*x)^m*(a + b*ArcCosh[c*x]),x]

[Out] $((d*x)^{(1+m)}*(a + b*\text{ArcCosh}[c*x]))/(d*(1+m)) - (b*c*(d*x)^{(2+m)}*\text{Sqrt}[1 - c^2*x^2]*\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, c^2*x^2])/(d^2*(1+m)*(2+m)*\text{Sqrt}[-1+c*x]*\text{Sqrt}[1+c*x])$

Rule 127

$\text{Int}[(f(x))^{p_1}*(a + b*(x))^{m_1}*((c + d*(x))^{n_1}), x_Symbol] \rightarrow \text{Dist}[(a + b*x)^{\text{FracPart}[m]}*((c + d*x)^{\text{FracPart}[m]}/(a*c + b*d*x^2)^{\text{FracPart}[m]}), \text{Int}[(a*c + b*d*x^2)^m*(f*x)^p, x], x] /; \text{FreeQ}\{a, b, c, d, f, m, n, p\}, x] \&\& \text{EqQ}[b*c + a*d, 0] \&\& \text{EqQ}[n, m]$

Rule 371

$\text{Int}[(c*(x))^{m_1}*(a + b*(x)^{n_1})^{p_1}, x_Symbol] \rightarrow \text{Simp}[a^p * ((c*x)^{(m+1)}/(c*(m+1))) * \text{Hypergeometric2F1}[-p, (m+1)/n, (m+1)/n+1, (-b)*(x^n/a)], x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& (\text{ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

Rule 372

$\text{Int}[(c*(x))^{m_1}*(a + b*(x)^{n_1})^{p_1}, x_Symbol] \rightarrow \text{Dist}[\text{IntPart}[p]*((a + b*x^n)^{\text{FracPart}[p]}/(1 + b*(x^n/a))^{\text{FracPart}[p]}), \text{Int}[(c*x)^{m*(1 + b*(x^n/a))^p}, x], x] /; \text{FreeQ}\{a, b, c, m, n, p\}, x] \&\& !\text{IGtQ}[p, 0] \&\& !(\text{ILtQ}[p, 0] \parallel \text{GtQ}[a, 0])$

Rule 5883

$\text{Int}[(a + \text{ArcCosh}[c*(x)]*(b))^{n_1}*((d*(x))^{m_1}), x_Symbol] \rightarrow \text{Simp}[(d*x)^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^n/(d*(m+1)), x] - \text{Dist}[b*c*(n/(d*(m+1))), \text{Int}[(d*x)^{(m+1)}*(a + b*\text{ArcCosh}[c*x])^{n-1}/(\text{Sqrt}[1 + c*x]*\text{Sqrt}[-1 + c*x]), x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{NeQ}[m, -1]$

Rubi steps

$$\begin{aligned} \text{integral} &= \frac{(dx)^{1+m}(a + \text{barccosh}(cx))}{d(1+m)} - \frac{(bc) \int \frac{(dx)^{1+m}}{\sqrt{-1+cx}\sqrt{1+cx}} dx}{d(1+m)} \\ &= \frac{(dx)^{1+m}(a + \text{barccosh}(cx))}{d(1+m)} - \frac{(bc\sqrt{-1+c^2x^2}) \int \frac{(dx)^{1+m}}{\sqrt{-1+c^2x^2}} dx}{d(1+m)\sqrt{-1+cx}\sqrt{1+cx}} \\ &= \frac{(dx)^{1+m}(a + \text{barccosh}(cx))}{d(1+m)} - \frac{(bc\sqrt{1-c^2x^2}) \int \frac{(dx)^{1+m}}{\sqrt{1-c^2x^2}} dx}{d(1+m)\sqrt{-1+cx}\sqrt{1+cx}} \\ &= \frac{(dx)^{1+m}(a + \text{barccosh}(cx))}{d(1+m)} - \frac{bc(dx)^{2+m}\sqrt{1-c^2x^2} \text{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2x^2\right)}{d^2(1+m)(2+m)\sqrt{-1+cx}\sqrt{1+cx}} \end{aligned}$$

Mathematica [A] (verified)

Time = 0.11 (sec) , antiderivative size = 87, normalized size of antiderivative = 0.82

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx$$

$$= \frac{x(dx)^m \left(a + \operatorname{barccosh}(cx) - \frac{bcx\sqrt{1-c^2x^2} \operatorname{Hypergeometric2F1}\left(\frac{1}{2}, \frac{2+m}{2}, \frac{4+m}{2}, c^2x^2\right)}{(2+m)\sqrt{-1+cx}\sqrt{1+cx}} \right)}{1+m}$$

[In] Integrate[(d*x)^m*(a + b*ArcCosh[c*x]),x]

[Out] (x*(d*x)^m*(a + b*ArcCosh[c*x] - (b*c*x*Sqrt[1 - c^2*x^2]*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, c^2*x^2])/((2 + m)*Sqrt[-1 + c*x]*Sqrt[1 + c*x]))/(1 + m)

Maple [F]

$$\int (dx)^m (a + b \operatorname{arccosh}(cx)) dx$$

[In] int((d*x)^m*(a+b*arccosh(c*x)),x)

[Out] int((d*x)^m*(a+b*arccosh(c*x)),x)

Fricas [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx = \int (b \operatorname{arcosh}(cx) + a)(dx)^m dx$$

[In] integrate((d*x)^m*(a+b*arccosh(c*x)),x, algorithm="fricas")

[Out] integral((b*arccosh(c*x) + a)*(d*x)^m, x)

Sympy [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx = \int (dx)^m (a + b \operatorname{acosh}(cx)) dx$$

[In] integrate((d*x)**m*(a+b*acosh(c*x)),x)

[Out] Integral((d*x)**m*(a + b*acosh(c*x)), x)

Maxima [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx = \int (b \operatorname{arcosh}(cx) + a)(dx)^m dx$$

[In] integrate((d*x)^m*(a+b*arccosh(c*x)),x, algorithm="maxima")

[Out] $-(c^2 d^m \int (x^2 x^m / (c^2 (m+1)x^2 - m - 1), x) - c d^m \int (x x^m / (c^3 (m+1)x^3 - c(m+1)x + (c^2 (m+1)x^2 - m - 1)\sqrt{c x + 1}\sqrt{c x - 1}), x) - d^m x x^m \log(c x + \sqrt{c x + 1}\sqrt{c x - 1})) / ((m+1)b + (d x)^{m+1} a / (d(m+1)))$

Giac [F]

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx = \int (b \operatorname{arcosh}(cx) + a)(dx)^m dx$$

[In] integrate((d*x)^m*(a+b*arccosh(c*x)),x, algorithm="giac")

[Out] integrate((b*arccosh(c*x) + a)*(d*x)^m, x)

Mupad [F(-1)]

Timed out.

$$\int (dx)^m (a + \operatorname{barccosh}(cx)) dx = \int (a + b \operatorname{acosh}(cx)) (dx)^m dx$$

[In] int((a + b*acosh(c*x))*(d*x)^m,x)

[Out] int((a + b*acosh(c*x))*(d*x)^m, x)

$$3.166 \quad \int \frac{(dx)^m}{a+b\operatorname{arccosh}(cx)} dx$$

Optimal result	899
Rubi [N/A]	899
Mathematica [N/A]	900
Maple [N/A] (verified)	900
Fricas [N/A]	900
Sympy [N/A]	900
Maxima [N/A]	901
Giac [N/A]	901
Mupad [N/A]	901

Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{(dx)^m}{a + b\operatorname{arccosh}(cx)} dx = \operatorname{Int}\left(\frac{(dx)^m}{a + b\operatorname{arccosh}(cx)}, x\right)$$

[Out] Unintegrable((d*x)^m/(a+b*arccosh(c*x)), x)

Rubi [N/A]

Not integrable

Time = 0.02 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 0, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(dx)^m}{a + b\operatorname{arccosh}(cx)} dx = \int \frac{(dx)^m}{a + b\operatorname{arccosh}(cx)} dx$$

[In] Int[(d*x)^m/(a + b*ArcCosh[c*x]), x]

[Out] Defer[Int] [(d*x)^m/(a + b*ArcCosh[c*x]), x]

Rubi steps

$$\text{integral} = \int \frac{(dx)^m}{a + b\operatorname{arccosh}(cx)} dx$$

Mathematica [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(dx)^m}{a + \operatorname{barccosh}(cx)} dx = \int \frac{(dx)^m}{a + \operatorname{barccosh}(cx)} dx$$

[In] Integrate[(d*x)^m/(a + b*ArcCosh[c*x]),x]

[Out] Integrate[(d*x)^m/(a + b*ArcCosh[c*x]), x]

Maple [N/A] (verified)

Not integrable

Time = 1.60 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{(dx)^m}{a + b \operatorname{arccosh}(cx)} dx$$

[In] int((d*x)^m/(a+b*arccosh(c*x)),x)

[Out] int((d*x)^m/(a+b*arccosh(c*x)),x)

Fricas [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(dx)^m}{a + \operatorname{barccosh}(cx)} dx = \int \frac{(dx)^m}{b \operatorname{arccosh}(cx) + a} dx$$

[In] integrate((d*x)^m/(a+b*arccosh(c*x)),x, algorithm="fricas")

[Out] integral((d*x)^m/(b*arccosh(c*x) + a), x)

Sympy [N/A]

Not integrable

Time = 0.71 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{(dx)^m}{a + \operatorname{barccosh}(cx)} dx = \int \frac{(dx)^m}{a + b \operatorname{acosh}(cx)} dx$$

[In] integrate((d*x)**m/(a+b*acosh(c*x)),x)

[Out] Integral((d*x)**m/(a + b*acosh(c*x)), x)

Maxima [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(dx)^m}{a + b \operatorname{arccosh}(cx)} dx = \int \frac{(dx)^m}{b \operatorname{arcosh}(cx) + a} dx$$

[In] integrate((d*x)^m/(a+b*arccosh(c*x)),x, algorithm="maxima")

[Out] integrate((d*x)^m/(b*arccosh(c*x) + a), x)

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(dx)^m}{a + b \operatorname{arccosh}(cx)} dx = \int \frac{(dx)^m}{b \operatorname{arcosh}(cx) + a} dx$$

[In] integrate((d*x)^m/(a+b*arccosh(c*x)),x, algorithm="giac")

[Out] integrate((d*x)^m/(b*arccosh(c*x) + a), x)

Mupad [N/A]

Not integrable

Time = 2.66 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{(dx)^m}{a + b \operatorname{arccosh}(cx)} dx = \int \frac{(dx)^m}{a + b \operatorname{acosh}(cx)} dx$$

[In] int((d*x)^m/(a + b*acosh(c*x)),x)

[Out] int((d*x)^m/(a + b*acosh(c*x)), x)

CHAPTER 4

APPENDIX

4.1 Listing of Grading functions 903

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*      Small rewrite of logic in main function to make it*)
(*      match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
```

```

(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCo
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count is
        ]
      ,(*ELSE*)
      finalresult={"C","Result contains complex when optimal does not."}
    ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal. $"}
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "<>
    ,
    finalresult={"F","Contains unresolved integral."}
  ]
];

  finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)

```



```

(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,

```

```

    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ[func_] :=
  MemberQ[{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result, optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);

```

```

#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issues
fi;

leaf_count_optimal := leafcount(optimal);
ExpnType_result := ExpnType(result);
ExpnType_optimal := ExpnType(optimal);

if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 ("
```

```

                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf_c
    end if
else #result contains complex but optimal is not
    if debug then
        print("result contains complex but optimal is not");
    fi;
    return "C","Result contains complex when optimal does not.";
fi;
else # result do not contain complex
    # this assumes optimal do not as well. No check is needed here.
    if debug then
        print("result do not contain complex, this assumes optimal do not as well")
    fi;
    if leaf_count_result<=2*leaf_count_optimal then
        if debug then
            print("leaf_count_result<=2*leaf_count_optimal");
        fi;
        return "A"," ";
    else
        if debug then
            print("leaf_count_result>2*leaf_count_optimal");
        fi;
        return "B",cat("Leaf count of result is larger than twice the leaf count of opt
                                convert(leaf_count_result,string)," $ vs. $2(",
                                convert(leaf_count_optimal,string)," )=",convert(2*leaf_coun
    fi;
fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

```

```

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+`) or type(expn,'*`) then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else

```

```

9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u), u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                    asinh,acosh,atanh,acoth,asech,acsch
                    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                    gamma,loggamma,digamma,zeta,polylog,LambertW,
                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
                    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

```

```

except AttributeError as error:
    return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnTy
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:

```



```

    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation = ""
                    else:
                        grade = "B"
                        grade_annotation = "Both result and optimal contain complex but leaf count of result is large"
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)+str(leaf_count_optimal)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType_result)+str(ExpnType_optimal)

```

```

# print("Before returning. grade=", grade, " grade_annotation=", grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

# Dec 24, 2019. Nasser: Ported original Maple grading function by
# Albert Rich to use with Sagemath. This is used to
# grade Fricas, Giac and Maxima results.
# Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
# 'arctan2', 'floor', 'abs', 'log_integral'
# June 4, 2022 Made default grade_annotation "none" instead of "" due
# issue later when reading the file.
# July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    # print("Enter tree_size, expr is ", expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: # isinstance(expr, Pow):
        if expr.operands()[1] == 1/2: # expr.args[1] == Rational(1,2):
            if debug: print("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

```

```

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func , " is special_function")
        else:
            print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in sagemath

```

```

def is_atom(expn):

    #debug=False
    if debug:
        print ("Enter is_atom, expn=",expn)

    if not hasattr(expn, 'parent'):
        return False

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type
    try:
        if expn.parent() is SR:
            return expn.operator() is None
        if expn.parent() in (ZZ, QQ, AA, QQbar):
            return expn in expn.parent() # Should always return True
        if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
            return expn in expn.parent().base_ring() or expn in expn.parent().gens()

        return False

    except AttributeError as error:
        print("Exception,AttributeError in is_atom")
        print ("caught exception" , type(error).__name__ )
        return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)

```

```

    return 1
  else:
    return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
  else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn.
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isinst
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sagemath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    #if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger than"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. " + str(leaf_c
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order " + str(expnType_result)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```