

Computer Algebra Independent Integration Tests

Summer 2024

1-Algebraic-functions/1.2-Trinomial/1.2.1-Quadratic-
trinomial/107-1.2.1.6

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 4:01pm

Contents

1	Introduction	4
1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23
2	detailed summary tables of results	24
2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	39
3	Listing of integrals	41
3.1	$\int \frac{A+Bx+Cx^2+Dx^3}{(a+bx)^2(cx+dx)^2} dx$	43
3.2	$\int \frac{A+Bx+Cx^2+Dx^3}{(ac+(bc+ad)x+bdx^2)^2} dx$	51
3.3	$\int (a + bx + cx^2)^4 (A + Cx^2) dx$	61
3.4	$\int (a + bx + cx^2)^3 (A + Cx^2) dx$	71
3.5	$\int (a + bx + cx^2)^2 (A + Cx^2) dx$	79
3.6	$\int (a + bx + cx^2) (A + Cx^2) dx$	85

3.7	$\int \frac{A+Cx^2}{a+bx+cx^2} dx$	90
3.8	$\int \frac{A+Cx^2}{(a+bx+cx^2)^2} dx$	97
3.9	$\int \frac{A+Cx^2}{(a+bx+cx^2)^3} dx$	105
3.10	$\int \frac{A+Cx^2}{(a+bx+cx^2)^4} dx$	115
3.11	$\int \frac{1+x^2}{1+x+x^2} dx$	125
3.12	$\int \frac{1-x^2}{(1+x+x^2)^2} dx$	130
3.13	$\int \frac{-1+x^2}{25-6x+x^2} dx$	135
3.14	$\int \frac{-10+3x^2}{4-4x+x^2} dx$	140
3.15	$\int \frac{8+x^2}{6-5x+x^2} dx$	145
3.16	$\int \frac{-4+3x+x^2}{-8-2x+x^2} dx$	150
3.17	$\int \frac{7+5x+4x^2}{5+4x+4x^2} dx$	155
3.18	$\int \frac{2-x+x^2}{-5+2x+x^2} dx$	160
3.19	$\int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx$	165
3.20	$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx$	170
3.21	$\int \frac{-1+2x+5x^2}{(1+x+x^2)^4} dx$	176
3.22	$\int \frac{d+ex+fx^2+gx^3+hx^4+ix^5}{(a+bx+cx^2)^3} dx$	181
3.23	$\int \frac{d+ex+fx^2+gx^3+hx^4+jx^5+kx^6+lx^7+mx^8}{a+bx+cx^2} dx$	191
3.24	$\int \frac{-3+x^3}{-7-6x+x^2} dx$	202
3.25	$\int \frac{1+x^3}{(13+4x+x^2)^2} dx$	207
3.26	$\int (a+bx+cx^2)^{5/2} (A+Cx^2) dx$	214
3.27	$\int (a+bx+cx^2)^{3/2} (A+Cx^2) dx$	226
3.28	$\int \sqrt{a+bx+cx^2} (A+Cx^2) dx$	236
3.29	$\int \frac{A+Cx^2}{\sqrt{a+bx+cx^2}} dx$	245
3.30	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{3/2}} dx$	252
3.31	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{5/2}} dx$	259
3.32	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{7/2}} dx$	265
3.33	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{9/2}} dx$	274
3.34	$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx$	285
3.35	$\int \frac{d^2f+d(2ef+dg)x+e(ef+2dg)x^2+e^2gx^3}{(a+bx+cx^2)^{5/2}} dx$	293
3.36	$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx$	302
3.37	$\int \frac{d^4f+d^3(4ef+dg)x+2d^2e(3ef+2dg)x^2+2de^2(2ef+3dg)x^3+e^3(ef+4dg)x^4+e^4gx^5}{(a+bx+cx^2)^{7/2}} dx$	311

- 4.1 Listing of Grading functions 322
- 4.2 Links to plain text integration problems used in this report for each CAS340

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [37]. This is test number [107].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (37)	0.00 (0)
Mathematica	100.00 (37)	0.00 (0)
Maple	100.00 (37)	0.00 (0)
Fricas	100.00 (37)	0.00 (0)
Giac	100.00 (37)	0.00 (0)
Mupad	86.49 (32)	13.51 (5)
Reduce	86.49 (32)	13.51 (5)
Sympy	75.68 (28)	24.32 (9)
Maxima	51.35 (19)	48.65 (18)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	94.595	5.405	0.000	0.000
Mathematica	89.189	10.811	0.000	0.000
Maple	81.081	18.919	0.000	0.000
Giac	78.378	21.622	0.000	0.000
Fricas	56.757	43.243	0.000	0.000
Maxima	48.649	2.703	0.000	48.649
Sympy	45.946	29.730	0.000	24.324
Mupad	0.000	86.486	0.000	13.514
Reduce	0.000	86.486	0.000	13.514

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Maple	0	0.00	0.00	0.00
Giac	0	0.00	0.00	0.00
Mupad	5	0.00	100.00	0.00
Reduce	5	100.00	0.00	0.00
Sympy	9	22.22	77.78	0.00
Maxima	18	0.00	0.00	100.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Maxima	0.05
Reduce	0.19
Giac	0.32
Rubi	0.49
Mathematica	1.51
Maple	1.57
Fricas	2.73
Mupad	8.60
Sympy	16.13

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Maxima	90.16	1.09	30.00	0.87
Rubi	174.24	1.18	110.00	1.00
Mathematica	196.00	1.29	98.00	1.00
Maple	292.81	1.69	128.00	1.02
Giac	301.00	1.75	108.00	1.10
Sympy	538.64	2.64	74.00	1.19
Reduce	572.50	3.21	111.50	1.58
Fricas	576.32	2.96	263.00	2.26
Mupad	780.22	3.87	117.50	1.04

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the percentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	39

2.1 List of integrals sorted by grade for each CAS

Rubi	25
Mma	25
Maple	26
Fricas	26
Maxima	26
Giac	27
Mupad	27
Sympy	27
Reduce	28

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 36 }

B grade { 35, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33 }

B grade { 34, 35, 36, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31, 32 }

B grade { 10, 26, 33, 34, 35, 36, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 3, 4, 5, 6, 7, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 23, 24, 25, 27, 28, 29 }

B grade { 1, 2, 8, 9, 10, 21, 22, 26, 30, 31, 32, 33, 34, 35, 36, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 1, 2, 3, 4, 5, 6, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 24, 25 }

B grade { 21 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { 7, 8, 9, 10, 22, 23, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37 }

Giac

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 28, 29, 30, 31 }

B grade { 10, 26, 32, 33, 34, 35, 36, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 28, 30, 31, 32, 33, 34, 35, 36, 37 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 26, 27, 29 }

F(-2) exception fail { }

Sympy

A grade { 3, 4, 5, 6, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 24, 25, 29 }

B grade { 1, 2, 7, 8, 9, 10, 21, 23, 26, 27, 28 }

C grade { }

F normal fail { 30, 31 }

F(-1) timedout fail { 22, 32, 33, 34, 35, 36, 37 }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 29, 30, 31, 32, 33, 34, 35 }

C grade { }

F normal fail { 26, 27, 28, 36, 37 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	B	A	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	222	216	225	431	814	1525	314	744	0
N.S.	1	1.00	0.97	1.01	1.94	3.67	6.87	1.41	3.35	0.00
time (sec)	N/A	0.573	0.130	1.283	0.041	0.130	155.211	0.270	0.165	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	B	B	A	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	222	296	216	225	431	814	1525	361	744	0
N.S.	1	1.33	0.97	1.01	1.94	3.67	6.87	1.63	3.35	0.00
time (sec)	N/A	0.702	0.043	1.734	0.042	0.128	153.265	0.316	0.162	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	256	266	263	263	320	308	201	244
N.S.	1	1.00	1.01	1.05	1.04	1.04	1.26	1.21	0.79	0.96
time (sec)	N/A	0.575	0.097	1.414	0.029	0.061	0.040	0.319	0.163	0.156

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	163	165	165	165	197	187	132	149
N.S.	1	1.00	1.01	1.02	1.02	1.02	1.22	1.16	0.82	0.93
time (sec)	N/A	0.419	0.050	1.414	0.027	0.061	0.037	0.336	0.164	0.075

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	96	90	87	87	102	99	77	88
N.S.	1	1.00	1.00	0.94	0.91	0.91	1.06	1.03	0.80	0.92
time (sec)	N/A	0.309	0.026	1.305	0.028	0.061	0.025	0.342	0.159	0.041

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	46	39	38	38	42	40	36	39
N.S.	1	1.00	1.00	0.85	0.83	0.83	0.91	0.87	0.78	0.85
time (sec)	N/A	0.205	0.010	0.411	0.038	0.061	0.017	0.335	0.160	0.025

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	84	82	0	265	413	78	100	224
N.S.	1	1.00	1.04	1.01	0.00	3.27	5.10	0.96	1.23	2.77
time (sec)	N/A	0.267	0.096	1.606	0.000	0.075	0.626	0.340	0.164	0.193

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	100	98	115	0	511	376	108	229	172
N.S.	1	1.02	1.00	1.17	0.00	5.21	3.84	1.10	2.34	1.76
time (sec)	N/A	0.256	0.082	1.432	0.000	0.078	0.600	0.319	0.169	0.154

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	158	160	269	0	1199	774	217	835	401
N.S.	1	0.98	0.99	1.66	0.00	7.40	4.78	1.34	5.15	2.48
time (sec)	N/A	0.319	0.222	1.444	0.000	0.091	1.238	0.292	0.165	17.796

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	207	203	204	510	0	2103	1224	407	1421	698
N.S.	1	0.98	0.99	2.46	0.00	10.16	5.91	1.97	6.86	3.37
time (sec)	N/A	0.372	0.382	1.458	0.000	0.121	2.076	0.332	0.169	17.825

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	28	27	27	36	27	26	29
N.S.	1	1.00	1.00	0.90	0.87	0.87	1.16	0.87	0.84	0.94
time (sec)	N/A	0.194	0.014	1.901	0.115	0.060	0.049	0.307	0.159	0.040

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	10	11	10	10	7	8	16	10
N.S.	1	1.00	1.00	1.10	1.00	1.00	0.70	0.80	1.60	1.00
time (sec)	N/A	0.149	0.007	1.850	0.024	0.054	0.039	0.309	0.161	0.040

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	23	22	21	21	22	21	21	21
N.S.	1	1.00	1.00	0.96	0.91	0.91	0.96	0.91	0.91	0.91
time (sec)	N/A	0.186	0.008	1.586	0.104	0.060	0.045	0.319	0.158	0.043

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	19	18	17	25	14	18	28	17
N.S.	1	1.00	0.90	0.86	0.81	1.19	0.67	0.86	1.33	0.81
time (sec)	N/A	0.186	0.012	1.080	0.033	0.057	0.034	0.303	0.168	0.047

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	18	15	14	14	14	16	14	14
N.S.	1	1.00	1.00	0.83	0.78	0.78	0.78	0.89	0.78	0.78
time (sec)	N/A	0.180	0.006	1.247	0.025	0.058	0.059	0.315	0.166	0.049

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	14	13	12	12	12	14	12	12
N.S.	1	1.00	1.00	0.93	0.86	0.86	0.86	1.00	0.86	0.86
time (sec)	N/A	0.179	0.006	1.234	0.025	0.058	0.049	0.302	0.158	17.993

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	31	22	21	21	22	21	21	17
N.S.	1	1.00	1.15	0.81	0.78	0.78	0.81	0.78	0.78	0.63
time (sec)	N/A	0.188	0.007	1.474	0.105	0.061	0.069	0.302	0.160	17.408

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	30	36	46	46	45	42	35
N.S.	1	1.00	1.00	0.62	0.75	0.96	0.96	0.94	0.88	0.73
time (sec)	N/A	0.246	0.047	1.276	0.105	0.061	0.052	0.312	0.159	0.123

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	21	17	19	19	15	19	20	17
N.S.	1	1.00	1.00	0.81	0.90	0.90	0.71	0.90	0.95	0.81
time (sec)	N/A	0.175	0.010	1.208	0.025	0.057	0.068	0.314	0.168	0.052

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	44	39	32	30	39	37	30	61	36
N.S.	1	1.13	1.00	0.82	0.77	1.00	0.95	0.77	1.56	0.92
time (sec)	N/A	0.196	0.033	1.904	0.107	0.059	0.059	0.313	0.167	0.057

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	11	12	33	33	31	11	33	11
N.S.	1	1.00	1.00	1.09	3.00	3.00	2.82	1.00	3.00	1.00
time (sec)	N/A	0.155	0.008	1.879	0.026	0.056	0.070	0.319	0.161	0.033

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	528	567	488	769	0	3480	0	646	3913	1027
N.S.	1	1.07	0.92	1.46	0.00	6.59	0.00	1.22	7.41	1.95
time (sec)	N/A	1.223	1.213	1.786	0.000	0.160	0.000	0.321	0.167	19.928

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	765	765	754	1086	0	2643	4306	981	2534	2779
N.S.	1	1.00	0.99	1.42	0.00	3.45	5.63	1.28	3.31	3.63
time (sec)	N/A	4.195	0.725	2.208	0.000	0.396	135.840	0.303	0.187	22.668

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	22	21	21	22	23	21	21
N.S.	1	1.00	1.00	0.76	0.72	0.72	0.76	0.79	0.72	0.72
time (sec)	N/A	0.192	0.009	1.266	0.028	0.059	0.050	0.311	0.166	0.045

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	50	45	37	37	52	37	37	85	49
N.S.	1	1.11	1.00	0.82	0.82	1.16	0.82	0.82	1.89	1.09
time (sec)	N/A	0.227	0.017	2.760	0.115	0.062	0.060	0.327	0.162	0.066

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	B	B	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	241	360	479	0	953	2691	480	22	0
N.S.	1	0.90	1.35	1.79	0.00	3.57	10.08	1.80	0.08	0.00
time (sec)	N/A	0.407	6.171	1.554	0.000	0.138	0.584	0.366	200.030	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	B	A	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	198	230	285	0	605	775	295	22	0
N.S.	1	0.93	1.08	1.34	0.00	2.85	3.66	1.39	0.10	0.00
time (sec)	N/A	0.358	3.414	1.579	0.000	0.103	0.487	0.351	200.025	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	B	A	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	155	145	151	0	355	308	158	22	240
N.S.	1	0.99	0.92	0.96	0.00	2.26	1.96	1.01	0.14	1.53
time (sec)	N/A	0.308	1.407	1.731	0.000	0.085	0.525	0.318	200.024	18.254

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	A	A	A	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	110	88	76	0	203	189	82	123	0
N.S.	1	1.06	0.85	0.73	0.00	1.95	1.82	0.79	1.18	0.00
time (sec)	N/A	0.267	0.715	1.557	0.000	0.079	0.340	0.299	0.159	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	98	95	145	0	403	0	108	381	108
N.S.	1	1.02	0.99	1.51	0.00	4.20	0.00	1.12	3.97	1.12
time (sec)	N/A	0.261	1.002	1.529	0.000	0.151	0.000	0.336	0.160	18.527

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	114	107	128	0	242	0	193	430	127
N.S.	1	0.99	0.93	1.11	0.00	2.10	0.00	1.68	3.74	1.10
time (sec)	N/A	0.262	1.213	1.532	0.000	0.447	0.000	0.261	0.186	16.425

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	165	234	294	0	563	0	452	909	578
N.S.	1	0.98	1.39	1.75	0.00	3.35	0.00	2.69	5.41	3.44
time (sec)	N/A	0.309	4.444	1.542	0.000	4.586	0.000	0.341	0.281	16.122

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	221	215	199	524	0	978	0	805	1509	1018
N.S.	1	0.97	0.90	2.37	0.00	4.43	0.00	3.64	6.83	4.61
time (sec)	N/A	0.351	15.754	1.535	0.000	13.630	0.000	0.354	0.555	17.429

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	286	424	0	474	0	448	1801	423
N.S.	1	1.00	2.33	3.45	0.00	3.85	0.00	3.64	14.64	3.44
time (sec)	N/A	0.253	0.172	1.730	0.000	4.664	0.000	0.344	0.318	17.057

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	F(-2)	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	339	286	424	0	474	0	448	1801	423
N.S.	1	2.76	2.33	3.45	0.00	3.85	0.00	3.64	14.64	3.44
time (sec)	N/A	0.656	0.009	1.623	0.000	4.688	0.000	0.349	0.315	16.898

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F(-2)	B	F(-1)	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	208	1051	1892	0	1676	0	1816	27	7970
N.S.	1	0.97	4.91	8.84	0.00	7.83	0.00	8.49	0.13	37.24
time (sec)	N/A	0.334	17.750	2.138	0.000	35.256	0.000	0.336	200.025	19.844

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	F(-2)	B	F(-1)	B	F	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	1185	1051	1892	0	1676	0	1816	93	7970
N.S.	1	5.54	4.91	8.84	0.00	7.83	0.00	8.49	0.43	37.24
time (sec)	N/A	2.619	0.445	2.052	0.000	34.992	0.000	0.351	200.027	19.836

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [25] had the largest ratio of [.437500000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	2	1.00	30	0.067
2	A	5	5	1.33	37	0.135
3	A	2	2	1.00	20	0.100
4	A	2	2	1.00	20	0.100
5	A	2	2	1.00	20	0.100
6	A	2	2	1.00	18	0.111
7	A	2	2	1.00	20	0.100
8	A	5	4	1.02	20	0.200
9	A	6	5	0.98	20	0.250
10	A	7	6	0.98	20	0.300
11	A	2	2	1.00	14	0.143
12	A	1	1	1.00	16	0.062
13	A	2	2	1.00	16	0.125
14	A	2	2	1.00	18	0.111
15	A	2	2	1.00	16	0.125
16	A	2	2	1.00	19	0.105
17	A	2	2	1.00	23	0.087
18	A	2	2	1.00	19	0.105
19	A	2	2	1.00	23	0.087
20	A	5	4	1.13	17	0.235
21	A	1	1	1.00	19	0.053

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	8	7	1.07	38	0.184
23	A	2	2	1.00	53	0.038
24	A	2	2	1.00	16	0.125
25	A	8	7	1.11	16	0.438
26	A	9	8	0.90	22	0.364
27	A	8	7	0.93	22	0.318
28	A	7	6	0.99	22	0.273
29	A	6	5	1.06	22	0.227
30	A	5	4	1.02	22	0.182
31	A	3	3	0.99	22	0.136
32	A	4	4	0.98	22	0.182
33	A	5	5	0.97	22	0.227
34	A	2	2	1.00	27	0.074
35	B	3	3	2.76	53	0.057
36	A	3	3	0.97	27	0.111
37	B	5	5	5.54	93	0.054

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int \frac{A+Bx+Cx^2+Dx^3}{(a+bx)^2(c+dx)^2} dx$	43
3.2	$\int \frac{A+Bx+Cx^2+Dx^3}{(ac+(bc+ad)x+bdx^2)^2} dx$	51
3.3	$\int (a+bx+cx^2)^4 (A+Cx^2) dx$	61
3.4	$\int (a+bx+cx^2)^3 (A+Cx^2) dx$	71
3.5	$\int (a+bx+cx^2)^2 (A+Cx^2) dx$	79
3.6	$\int (a+bx+cx^2) (A+Cx^2) dx$	85
3.7	$\int \frac{A+Cx^2}{a+bx+cx^2} dx$	90
3.8	$\int \frac{A+Cx^2}{(a+bx+cx^2)^2} dx$	97
3.9	$\int \frac{A+Cx^2}{(a+bx+cx^2)^3} dx$	105
3.10	$\int \frac{A+Cx^2}{(a+bx+cx^2)^4} dx$	115
3.11	$\int \frac{1+x^2}{1+x+x^2} dx$	125
3.12	$\int \frac{1-x^2}{(1+x+x^2)^2} dx$	130
3.13	$\int \frac{-1+x^2}{25-6x+x^2} dx$	135
3.14	$\int \frac{-10+3x^2}{4-4x+x^2} dx$	140
3.15	$\int \frac{8+x^2}{6-5x+x^2} dx$	145
3.16	$\int \frac{-4+3x+x^2}{-8-2x+x^2} dx$	150
3.17	$\int \frac{7+5x+4x^2}{5+4x+4x^2} dx$	155
3.18	$\int \frac{2-x+x^2}{-5+2x+x^2} dx$	160
3.19	$\int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx$	165
3.20	$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx$	170
3.21	$\int \frac{-1+2x+5x^2}{(1+x+x^2)^4} dx$	176
3.22	$\int \frac{d+ex+fx^2+gx^3+hx^4+ix^5}{(a+bx+cx^2)^3} dx$	181
3.23	$\int \frac{d+ex+fx^2+gx^3+hx^4+jx^5+kx^6+lx^7+mx^8}{a+bx+cx^2} dx$	191

3.24	$\int \frac{-3+x^3}{-7-6x+x^2} dx$	202
3.25	$\int \frac{1+x^3}{(13+4x+x^2)^2} dx$	207
3.26	$\int (a+bx+cx^2)^{5/2} (A+Cx^2) dx$	214
3.27	$\int (a+bx+cx^2)^{3/2} (A+Cx^2) dx$	226
3.28	$\int \sqrt{a+bx+cx^2} (A+Cx^2) dx$	236
3.29	$\int \frac{A+Cx^2}{\sqrt{a+bx+cx^2}} dx$	245
3.30	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{3/2}} dx$	252
3.31	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{5/2}} dx$	259
3.32	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{7/2}} dx$	265
3.33	$\int \frac{A+Cx^2}{(a+bx+cx^2)^{9/2}} dx$	274
3.34	$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx$	285
3.35	$\int \frac{d^2 f + d(2ef+dg)x + e(ef+2dg)x^2 + e^2 gx^3}{(a+bx+cx^2)^{5/2}} dx$	293
3.36	$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx$	302
3.37	$\int \frac{d^4 f + d^3(4ef+dg)x + 2d^2 e(3ef+2dg)x^2 + 2de^2(2ef+3dg)x^3 + e^3(ef+4dg)x^4 + e^4 gx^5}{(a+bx+cx^2)^{7/2}} dx$	311

3.1 $\int \frac{A+Bx+Cx^2+Dx^3}{(a+bx)^2(c+dx)^2} dx$

Optimal result	43
Mathematica [A] (verified)	44
Rubi [A] (verified)	44
Maple [A] (verified)	46
Fricas [B] (verification not implemented)	46
Sympy [B] (verification not implemented)	47
Maxima [A] (verification not implemented)	48
Giac [A] (verification not implemented)	49
Mupad [F(-1)]	50
Reduce [B] (verification not implemented)	50

Optimal result

Integrand size = 30, antiderivative size = 222

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx$$

$$= -\frac{Ab^3 - a(b^2B - abC + a^2D)}{b^2(bc - ad)^2(a + bx)} - \frac{c^2Cd - Bcd^2 + Ad^3 - c^3D}{d^2(bc - ad)^2(c + dx)}$$

$$+ \frac{(b^3(Bc - 2Ad) - ab^2(2cC - Bd) + 3a^2bcD - a^3dD) \log(a + bx)}{b^2(bc - ad)^3}$$

$$+ \frac{(ad(2cCd - Bd^2 - 3c^2D) - b(Bcd^2 - 2Ad^3 - c^3D)) \log(c + dx)}{d^2(bc - ad)^3}$$

output

```

-(A*b^3-a*(B*b^2-C*a*b+D*a^2))/b^2/(-a*d+b*c)^2/(b*x+a)-(A*d^3-B*c*d^2+C*c
^2*d-D*c^3)/d^2/(-a*d+b*c)^2/(d*x+c)+(b^3*(-2*A*d+B*c)-a*b^2*(-B*d+2*C*c)+
3*a^2*b*c*D-a^3*d*D)*ln(b*x+a)/b^2/(-a*d+b*c)^3+(a*d*(-B*d^2+2*C*c*d-3*D*c
^2)-b*(-2*A*d^3+B*c*d^2-D*c^3))*ln(d*x+c)/d^2/(-a*d+b*c)^3
    
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 216, normalized size of antiderivative = 0.97

$$\begin{aligned} & \int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx \\ &= \frac{-Ab^3 + a(b^2B - abC + a^2D)}{b^2(bc - ad)^2(a + bx)} + \frac{-c^2Cd + Bcd^2 - Ad^3 + c^3D}{d^2(bc - ad)^2(c + dx)} \\ &+ \frac{(b^3(Bc - 2Ad) + ab^2(-2cC + Bd) + 3a^2bcD - a^3dD) \log(a + bx)}{b^2(bc - ad)^3} \\ &+ \frac{(ad(-2cCd + Bd^2 + 3c^2D) + b(Bcd^2 - 2Ad^3 - c^3D)) \log(c + dx)}{d^2(-bc + ad)^3} \end{aligned}$$

input `Integrate[(A + B*x + C*x^2 + D*x^3)/((a + b*x)^2*(c + d*x)^2), x]`

output
$$\begin{aligned} & \frac{(-A*b^3) + a*(b^2*B - a*b*C + a^2*D)}{(b^2*(b*c - a*d)^2*(a + b*x))} + \frac{(-c^2*C*d) + B*c*d^2 - A*d^3 + c^3*D}{(d^2*(b*c - a*d)^2*(c + d*x))} + \frac{(b^3*(B*c - 2*A*d) + a*b^2*(-2*c*C + B*d) + 3*a^2*b*c*D - a^3*d*D)*\text{Log}[a + b*x]}{(b^2*(b*c - a*d)^3)} \\ & + \frac{(a*d*(-2*c*C*d + B*d^2 + 3*c^2*D) + b*(B*c*d^2 - 2*A*d^3 - c^3*D))*\text{Log}[c + d*x]}{(d^2*(-(b*c) + a*d)^3)} \end{aligned}$$

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2123, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx \\ & \quad \downarrow \text{2123} \\ & \int \left(\frac{Ab^3 - a(a^2D - abC + b^2B)}{b(a + bx)^2(bc - ad)^2} + \frac{a^3(-d)D + 3a^2bcD - ab^2(2cC - Bd) + b^3(Bc - 2Ad)}{b(a + bx)(bc - ad)^3} + \frac{Ad^3 - Bcd^2 + c^3D}{d(c + dx)^2} \right) dx \end{aligned}$$

$$\begin{aligned}
& \downarrow \text{2009} \\
& -\frac{Ab^3 - a(a^2D - abC + b^2B)}{b^2(a + bx)(bc - ad)^2} + \\
& \frac{\log(a + bx) (a^3(-d)D + 3a^2bcD - ab^2(2cC - Bd) + b^3(Bc - 2Ad))}{b^2(bc - ad)^3} - \\
& \frac{Ad^3 - Bcd^2 + c^3(-D) + c^2Cd}{d^2(c + dx)(bc - ad)^2} + \\
& \frac{\log(c + dx) (ad(-Bd^2 - 3c^2D + 2cCd) - b(-2Ad^3 + Bcd^2 + c^3(-D)))}{d^2(bc - ad)^3}
\end{aligned}$$

input `Int[(A + B*x + C*x^2 + D*x^3)/((a + b*x)^2*(c + d*x)^2),x]`

output `-((A*b^3 - a*(b^2*B - a*b*C + a^2*D))/(b^2*(b*c - a*d)^2*(a + b*x)) - (c^2*C*d - B*c*d^2 + A*d^3 - c^3*D)/(d^2*(b*c - a*d)^2*(c + d*x)) + ((b^3*(B*c - 2*A*d) - a*b^2*(2*c*C - B*d) + 3*a^2*b*c*D - a^3*d*D)*Log[a + b*x])/(b^2*(b*c - a*d)^3) + ((a*d*(2*c*C*d - B*d^2 - 3*c^2*D) - b*(B*c*d^2 - 2*A*d^3 - c^3*D))*Log[c + d*x])/(d^2*(b*c - a*d)^3)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2123 `Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])`

Maple [A] (verified)

Time = 1.28 (sec) , antiderivative size = 225, normalized size of antiderivative = 1.01

method	result
default	$-\frac{Ab^3 - Ba^2b + Ca^2b - Da^3}{b^2(ad - bc)^2(bx + a)} + \frac{(2Ad^3 - Bab^2d - Bb^3c + 2Cab^2c + a^3dD - 3a^2bcD) \ln(bx + a)}{(ad - bc)^3b^2} - \frac{Ad^3 - Bcd^2 + Ce^2d - Dc^3}{d^2(ad - bc)^2(dx + c)}$
norman	$\frac{-\frac{Ad^3ab^2 + Ab^3cd^2 - 2Bab^2cd^2 + Ca^2bcd^2 + Cab^2c^2d - Da^3cd^2 - Da^2b^2c^3}{d^2b^2(a^2d^2 - 2abcd + b^2c^2)} - \frac{(2Ad^3b^3 - Bab^2d^3 - Bb^3cd^2 + Ca^2bd^3 + Cb^3c^2d - Da^3d^3)}{d^2b^2(a^2d^2 - 2abcd + b^2c^2)}}{(bx + a)(dx + c)}$
parallelrisc	Expression too large to display

input `int((D*x^3+C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^2,x,method=_RETURNVERBOSE)`

output `-(A*b^3-B*a*b^2+C*a^2*b-D*a^3)/b^2/(a*d-b*c)^2/(b*x+a)+(2*A*b^3*d-B*a*b^2*d-B*b^3*c+2*C*a*b^2*c+D*a^3*d-3*D*a^2*b*c)/(a*d-b*c)^3/b^2*ln(b*x+a)-(A*d^3-B*c*d^2+C*c^2*d-D*c^3)/d^2/(a*d-b*c)^2/(d*x+c)+1/(a*d-b*c)^3*(-2*A*b*d^3+B*a*d^3+B*b*c*d^2-2*C*a*c*d^2+3*D*a*c^2*d-D*b*c^3)/d^2*ln(d*x+c)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 814 vs. 2(221) = 442.

Time = 0.13 (sec) , antiderivative size = 814, normalized size of antiderivative = 3.67

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx = \text{Too large to display}$$

input `integrate((D*x^3+C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^2,x, algorithm="fricas")`

output

```
(D*a*b^3*c^4 + A*a^2*b^2*d^4 - (D*a^2*b^2 + C*a*b^3)*c^3*d + (D*a^3*b + 2*
B*a*b^3 - A*b^4)*c^2*d^2 - (D*a^4 - C*a^3*b + 2*B*a^2*b^2)*c*d^3 + (D*b^4*
c^4 - (D*a*b^3 + C*b^4)*c^3*d + (C*a*b^3 + B*b^4)*c^2*d^2 + (D*a^3*b - C*a
^2*b^2 - 2*A*b^4)*c*d^3 - (D*a^4 - C*a^3*b + B*a^2*b^2 - 2*A*a*b^3)*d^4)*x
+ ((3*D*a^3*b - 2*C*a^2*b^2 + B*a*b^3)*c^2*d^2 - (D*a^4 - B*a^2*b^2 + 2*A
*a*b^3)*c*d^3 + ((3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c*d^3 - (D*a^3*b - B*a
b^3 + 2*A*b^4)*d^4)*x^2 + ((3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c^2*d^2 + 2*(
D*a^3*b - C*a^2*b^2 + B*a*b^3 - A*b^4)*c*d^3 - (D*a^4 - B*a^2*b^2 + 2*A*a
b^3)*d^4)*x)*log(b*x + a) + (D*a*b^3*c^4 - 3*D*a^2*b^2*c^3*d + (2*C*a^2*b
^2 - B*a*b^3)*c^2*d^2 - (B*a^2*b^2 - 2*A*a*b^3)*c*d^3 + (D*b^4*c^3*d - 3*D*
a*b^3*c^2*d^2 + (2*C*a*b^3 - B*b^4)*c*d^3 - (B*a*b^3 - 2*A*b^4)*d^4)*x^2 +
(D*b^4*c^4 - 2*D*a*b^3*c^3*d - (3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c^2*d^2
+ 2*(C*a^2*b^2 - B*a*b^3 + A*b^4)*c*d^3 - (B*a^2*b^2 - 2*A*a*b^3)*d^4)*x)*
log(d*x + c))/(a*b^5*c^4*d^2 - 3*a^2*b^4*c^3*d^3 + 3*a^3*b^3*c^2*d^4 - a^4
*b^2*c*d^5 + (b^6*c^3*d^3 - 3*a*b^5*c^2*d^4 + 3*a^2*b^4*c*d^5 - a^3*b^3*d
^6)*x^2 + (b^6*c^4*d^2 - 2*a*b^5*c^3*d^3 + 2*a^3*b^3*c*d^5 - a^4*b^2*d^6)*x
)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1525 vs. $2(201) = 402$.

Time = 155.21 (sec) , antiderivative size = 1525, normalized size of antiderivative = 6.87

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx = \text{Too large to display}$$

input

```
integrate((D*x**3+C*x**2+B*x+A)/(b*x+a)**2/(d*x+c)**2,x)
```


output

```
((3*D*a^2*b - 2*C*a*b^2 + B*b^3)*c - (D*a^3 - B*a*b^2 + 2*A*b^3)*d)*log(b*x + a)/(b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3) + (D*b*c^3 - 3*D*a*c^2*d + (2*C*a - B*b)*c*d^2 - (B*a - 2*A*b)*d^3)*log(d*x + c)/(b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^2*b*c*d^4 - a^3*d^5) + (D*a*b^2*c^3 - C*a*b^2*c^2*d - A*a*b^2*d^3 + (D*a^3 - C*a^2*b + 2*B*a*b^2 - A*b^3)*c*d^2 + (D*b^3*c^3 - C*b^3*c^2*d + B*b^3*c*d^2 + (D*a^3 - C*a^2*b + B*a*b^2 - 2*A*b^3)*d^3)*x)/(a*b^4*c^3*d^2 - 2*a^2*b^3*c^2*d^3 + a^3*b^2*c*d^4 + (b^5*c^2*d^3 - 2*a*b^4*c*d^4 + a^2*b^3*d^5)*x^2 + (b^5*c^3*d^2 - a*b^4*c^2*d^3 - a^2*b^3*c*d^4 + a^3*b^2*d^5)*x)
```

Giac [A] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 314, normalized size of antiderivative = 1.41

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx$$

$$= \frac{(Db^2c^3 - 3Dabc^2d + 2Cabcd^2 - Bb^2cd^2 - Babd^3 + 2Ab^2d^3) \log\left(\left|\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right|\right)}{b^4c^3d^2 - 3ab^3c^2d^3 + 3a^2b^2cd^4 - a^3bd^5}$$

$$+ \frac{\frac{Da^3b^2}{bx+a} - \frac{Ca^2b^3}{bx+a} + \frac{Bab^4}{bx+a} - \frac{Ab^5}{bx+a}}{b^6c^2 - 2ab^5cd + a^2b^4d^2} - \frac{D \log\left(\frac{|bx+a|}{(bx+a)^2|b|}\right)}{b^2d^2}$$

$$- \frac{Dbc^3d - Cbc^2d^2 + Bbcd^3 - Abd^4}{(bc - ad)^3 \left(\frac{bc}{bx+a} - \frac{ad}{bx+a} + d\right) d^2}$$

input

```
integrate((D*x^3+C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^2,x, algorithm="giac")
```

output

```
(D*b^2*c^3 - 3*D*a*b*c^2*d + 2*C*a*b*c*d^2 - B*b^2*c*d^2 - B*a*b*d^3 + 2*A*b^2*d^3)*log(abs(b*c/(b*x + a) - a*d/(b*x + a) + d))/(b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5) + (D*a^3*b^2/(b*x + a) - C*a^2*b^3/(b*x + a) + B*a*b^4/(b*x + a) - A*b^5/(b*x + a))/(b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2) - D*log(abs(b*x + a)/((b*x + a)^2*abs(b)))/(b^2*d^2) - (D*b*c^3*d - C*b*c^2*d^2 + B*b*c*d^3 - A*b*d^4)/((b*c - a*d)^3*(b*c/(b*x + a) - a*d/(b*x + a) + d)*d^2)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx = \int \frac{A + Bx + Cx^2 + x^3 D}{(a + bx)^2(c + dx)^2} dx$$

input `int((A + B*x + C*x^2 + x^3*D)/((a + b*x)^2*(c + d*x)^2),x)`

output `int((A + B*x + C*x^2 + x^3*D)/((a + b*x)^2*(c + d*x)^2), x)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 744, normalized size of antiderivative = 3.35

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(a + bx)^2(c + dx)^2} dx = \text{Too large to display}$$

input `int((D*x^3+C*x^2+B*x+A)/(b*x+a)^2/(d*x+c)^2,x)`

output `(log(a + b*x)*a**4*c*d**3 + log(a + b*x)*a**4*d**4*x - log(a + b*x)*a**3*b*c**2*d**2 + log(a + b*x)*a**3*b*d**4*x**2 + log(a + b*x)*a**2*b**3*c*d**2 + log(a + b*x)*a**2*b**3*d**3*x - 2*log(a + b*x)*a**2*b**2*c**3*d - 3*log(a + b*x)*a**2*b**2*c**2*d**2*x - log(a + b*x)*a**2*b**2*c*d**3*x**2 + log(a + b*x)*a*b**4*c**2*d + 2*log(a + b*x)*a*b**4*c*d**2*x + log(a + b*x)*a*b**4*d**3*x**2 - 2*log(a + b*x)*a*b**3*c**3*d*x - 2*log(a + b*x)*a*b**3*c**2*d**2*x**2 + log(a + b*x)*b**5*c**2*d*x + log(a + b*x)*b**5*c*d**2*x**2 - log(c + d*x)*a**2*b**3*c*d**2 - log(c + d*x)*a**2*b**3*d**3*x + log(c + d*x)*a**2*b**2*c**3*d + log(c + d*x)*a**2*b**2*c**2*d**2*x - log(c + d*x)*a*b**4*c**2*d - 2*log(c + d*x)*a*b**4*c*d**2*x - log(c + d*x)*a*b**4*d**3*x**2 + log(c + d*x)*a*b**3*c**4 + 2*log(c + d*x)*a*b**3*c**3*d*x + log(c + d*x)*a*b**3*c**2*d**2*x**2 - log(c + d*x)*b**5*c**2*d*x - log(c + d*x)*b**5*c*d**2*x**2 + log(c + d*x)*b**4*c**4*x + log(c + d*x)*b**4*c**3*d*x**2 - a**3*b**2*d**3 + a**3*b*c**2*d**2 - a**3*b*d**4*x**2 + a**2*b**3*c*d**2 - a**2*b**2*c**3*d + a**2*b**2*c*d**3*x**2 + a*b**4*d**3*x**2 - b**5*c*d**2*x**2)/(b**2*d*(a**4*c*d**3 + a**4*d**4*x - a**3*b*c**2*d**2 + a**3*b*d**4*x**2 - a**2*b**2*c**3*d - 2*a**2*b**2*c**2*d**2*x - a**2*b**2*c*d**3*x**2 + a*b**3*c**4 - a*b**3*c**2*d**2*x**2 + b**4*c**4*x + b**4*c**3*d*x**2))`

3.2 $\int \frac{A+Bx+Cx^2+Dx^3}{(ac+(bc+ad)x+bdx^2)^2} dx$

Optimal result	51
Mathematica [A] (verified)	52
Rubi [A] (verified)	52
Maple [A] (verified)	55
Fricas [B] (verification not implemented)	55
Sympy [B] (verification not implemented)	56
Maxima [A] (verification not implemented)	57
Giac [A] (verification not implemented)	58
Mupad [F(-1)]	59
Reduce [B] (verification not implemented)	59

Optimal result

Integrand size = 37, antiderivative size = 222

$$\int \frac{A+Bx+Cx^2+Dx^3}{(ac+(bc+ad)x+bdx^2)^2} dx$$

$$= -\frac{Ab^3 - a(b^2B - abC + a^2D)}{b^2(bc - ad)^2(a + bx)} - \frac{c^2Cd - Bcd^2 + Ad^3 - c^3D}{d^2(bc - ad)^2(c + dx)}$$

$$+ \frac{(b^3(Bc - 2Ad) - ab^2(2cC - Bd) + 3a^2bcD - a^3dD) \log(a + bx)}{b^2(bc - ad)^3}$$

$$+ \frac{(ad(2cCd - Bd^2 - 3c^2D) - b(Bcd^2 - 2Ad^3 - c^3D)) \log(c + dx)}{d^2(bc - ad)^3}$$

output

```
-(A*b^3-a*(B*b^2-C*a*b+D*a^2))/b^2/(-a*d+b*c)^2/(b*x+a)-(A*d^3-B*c*d^2+C*c^2*d-D*c^3)/d^2/(-a*d+b*c)^2/(d*x+c)+(b^3*(-2*A*d+B*c)-a*b^2*(-B*d+2*C*c)+3*a^2*b*c*D-a^3*d*D)*ln(b*x+a)/b^2/(-a*d+b*c)^3+(a*d*(-B*d^2+2*C*c*d-3*D*c^2)-b*(-2*A*d^3+B*c*d^2-D*c^3))*ln(d*x+c)/d^2/(-a*d+b*c)^3
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 216, normalized size of antiderivative = 0.97

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx$$

$$= \frac{-Ab^3 + a(b^2B - abC + a^2D)}{b^2(bc - ad)^2(a + bx)} + \frac{-c^2Cd + Bcd^2 - Ad^3 + c^3D}{d^2(bc - ad)^2(c + dx)}$$

$$+ \frac{(b^3(Bc - 2Ad) + ab^2(-2cC + Bd) + 3a^2bcD - a^3dD) \log(a + bx)}{b^2(bc - ad)^3}$$

$$+ \frac{(ad(-2cCd + Bd^2 + 3c^2D) + b(Bcd^2 - 2Ad^3 - c^3D)) \log(c + dx)}{d^2(-bc + ad)^3}$$

input `Integrate[(A + B*x + C*x^2 + D*x^3)/(a*c + (b*c + a*d)*x + b*d*x^2)^2,x]`

output $(-(A*b^3) + a*(b^2*B - a*b*C + a^2*D))/(b^2*(b*c - a*d)^2*(a + b*x)) + (-c^2*C*d + B*c*d^2 - A*d^3 + c^3*D)/(d^2*(b*c - a*d)^2*(c + d*x)) + ((b^3*(B*c - 2*A*d) + a*b^2*(-2*c*C + B*d) + 3*a^2*b*c*D - a^3*d*D)*\text{Log}[a + b*x])/(b^2*(b*c - a*d)^3) + ((a*d*(-2*c*C*d + B*d^2 + 3*c^2*D) + b*(B*c*d^2 - 2*A*d^3 - c^3*D))*\text{Log}[c + d*x])/(d^2*(-(b*c) + a*d)^3)$

Rubi [A] (verified)

Time = 0.70 (sec) , antiderivative size = 296, normalized size of antiderivative = 1.33, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.135$, Rules used = {2191, 25, 27, 1141, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(x(ad + bc) + ac + bdx^2)^2} dx$$

↓ 2191

$$\begin{aligned}
& \frac{\int \frac{Dx(bc-ad)^2 + bd\left(\frac{cDa^2}{b} - 2cCa + Bda + \frac{e^2Da}{d} + bBc - 2Abd\right)}{bd(bdx^2 + (bc+ad)x + ac)} dx}{(bc-ad)^2} \\
& \frac{b^2d^2\left(A(ad+bc) - ac\left(\frac{a^2D}{b^2} - \frac{aC}{b} + 2B - \frac{c(Cd-cD)}{d^2}\right)\right) - x(a^3d^3D - a^2bCd^3 + ab^2Bd^3 - (b^3(2Ad^3 - Bcd^2 + c^3(-D))))}{b^2d^2(bc-ad)^2(x(ad+bc) + ac + bdx^2)} \\
& \quad \downarrow 25 \\
& \frac{\int \frac{Dx(bc-ad)^2 + bd\left(\frac{cDa^2}{b} - 2cCa + Bda + \frac{e^2Da}{d} + bBc - 2Abd\right)}{bd(bdx^2 + (bc+ad)x + ac)} dx}{(bc-ad)^2} \\
& \frac{b^2d^2\left(A(ad+bc) - ac\left(\frac{a^2D}{b^2} - \frac{aC}{b} + 2B - \frac{c(Cd-cD)}{d^2}\right)\right) - x(a^3d^3D - a^2bCd^3 + ab^2Bd^3 - (b^3(2Ad^3 - Bcd^2 + c^3(-D))))}{b^2d^2(bc-ad)^2(x(ad+bc) + ac + bdx^2)} \\
& \quad \downarrow 27 \\
& \frac{\int \frac{Dx(bc-ad)^2 + bd\left(\frac{cDa^2}{b} - 2cCa + Bda + \frac{e^2Da}{d} + bBc - 2Abd\right)}{bdx^2 + (bc+ad)x + ac} dx}{bd(bc-ad)^2} \\
& \frac{b^2d^2\left(A(ad+bc) - ac\left(\frac{a^2D}{b^2} - \frac{aC}{b} + 2B - \frac{c(Cd-cD)}{d^2}\right)\right) - x(a^3d^3D - a^2bCd^3 + ab^2Bd^3 - (b^3(2Ad^3 - Bcd^2 + c^3(-D))))}{b^2d^2(bc-ad)^2(x(ad+bc) + ac + bdx^2)} \\
& \quad \downarrow 1141 \\
& \frac{\int \left(\frac{-dDa^3 + 3bcDa^2 - b^2(2cC - Bd)a + b^3(Bc - 2Ad)}{b(bc-ad)(a+bx)} + \frac{ad(-3Dc^2 + 2Cdc - Bd^2) - b(-Dc^3 + Bd^2c - 2Ad^3)}{d(bc-ad)(c+dx)}\right) dx}{(bc-ad)^2} \\
& \frac{b^2d^2\left(A(ad+bc) - ac\left(\frac{a^2D}{b^2} - \frac{aC}{b} + 2B - \frac{c(Cd-cD)}{d^2}\right)\right) - x(a^3d^3D - a^2bCd^3 + ab^2Bd^3 - (b^3(2Ad^3 - Bcd^2 + c^3(-D))))}{b^2d^2(bc-ad)^2(x(ad+bc) + ac + bdx^2)} \\
& \quad \downarrow 2009 \\
& \frac{\frac{\log(a+bx)(a^3(-d)D + 3a^2bcD - ab^2(2cC - Bd) + b^3(Bc - 2Ad))}{b^2(bc-ad)} + \frac{\log(c+dx)(ad(-Bd^2 - 3c^2D + 2cCd) - b(-2Ad^3 + Bcd^2 + c^3(-D)))}{d^2(bc-ad)}}{(bc-ad)^2} \\
& \frac{b^2d^2\left(A(ad+bc) - ac\left(\frac{a^2D}{b^2} - \frac{aC}{b} + 2B - \frac{c(Cd-cD)}{d^2}\right)\right) - x(a^3d^3D - a^2bCd^3 + ab^2Bd^3 - (b^3(2Ad^3 - Bcd^2 + c^3(-D))))}{b^2d^2(bc-ad)^2(x(ad+bc) + ac + bdx^2)}
\end{aligned}$$

input `Int[(A + B*x + C*x^2 + D*x^3)/(a*c + (b*c + a*d)*x + b*d*x^2)^2,x]`

output

$$\begin{aligned}
& -((b^2d^2(A(b*c + a*d) - a*c*(2*B - (a*C)/b + (a^2*D)/b^2 - (c*(C*d - c \\
& *D))/d^2)) - (a*b^2*B*d^3 - a^2*b*C*d^3 + a^3*d^3*D - b^3*(c^2*C*d - B*c*d \\
& ^2 + 2*A*d^3 - c^3*D))*x)/(b^2*d^2*(b*c - a*d)^2*(a*c + (b*c + a*d)*x + b* \\
& d*x^2))) + (((b^3*(B*c - 2*A*d) - a*b^2*(2*c*C - B*d) + 3*a^2*b*c*D - a^3* \\
& d*D)*Log[a + b*x])/(b^2*(b*c - a*d)) + ((a*d*(2*c*C*d - B*d^2 - 3*c^2*D) - \\
& b*(B*c*d^2 - 2*A*d^3 - c^3*D))*Log[c + d*x])/(d^2*(b*c - a*d)))/(b*c - a* \\
& d)^2
\end{aligned}$$

Defintions of rubi rules used

rule 25

$$\text{Int}[-(F_x), x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[F_x, x], x]$$

rule 27

$$\text{Int}[(a_*)*(F_x), x_{\text{Symbol}}] \rightarrow \text{Simp}[a \quad \text{Int}[F_x, x], x] \text{ ; FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[F_x, (b_*)*(G_x)] \text{ ; FreeQ}[b, x]$$

rule 1141

$$\text{Int}[((d_*) + (e_*)*(x_*)^{(m_*)}*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{(p_*)}, x_{\text{Symbol}}] \rightarrow \text{With}[\{q = \text{Rt}[b^2 - 4*a*c, 2]\}, \text{Simp}[1/c^p \quad \text{Int}[\text{ExpandIntegrand}[(d + e*x)^m*(b/2 - q/2 + c*x)^p*(b/2 + q/2 + c*x)^p, x], x], x] \text{ ; EqQ}[p, -1] \ || \ !\text{FractionalPowerFactorQ}[q] \text{ ; FreeQ}[\{a, b, c, d, e\}, x] \ \&\& \ \text{ILtQ}[p, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{NiceSqrtQ}[b^2 - 4*a*c]$$

rule 2009

$$\text{Int}[u_, x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ ; SumQ}[u]$$

rule 2191

$$\text{Int}[(P_q)*((a_*) + (b_*)*(x_*) + (c_*)*(x_*)^2)^{(p_*)}, x_{\text{Symbol}}] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[P_q, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[P_q, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[P_q, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^{(p + 1})/((p + 1)*(b^2 - 4*a*c))), x] + \text{Simp}[1/((p + 1)*(b^2 - 4*a*c)) \quad \text{Int}[(a + b*x + c*x^2)^{(p + 1)}*\text{ExpandToSum}[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x] \text{ ; FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{PolyQ}[P_q, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1]$$

Maple [A] (verified)

Time = 1.73 (sec) , antiderivative size = 225, normalized size of antiderivative = 1.01

method	result
default	$-\frac{Ab^3 - Bab^2 + Ca^2b - Da^3}{b^2(ad - bc)^2(bx + a)} + \frac{(2Ad^3 - Bab^2d - Bb^3c + 2Cab^2c + a^3dD - 3a^2bcD) \ln(bx + a)}{(ad - bc)^3b^2} - \frac{Ad^3 - Bcd^2 + Ce^2d - Dc^2}{d^2(ad - bc)^2(dx + c)}$
norman	$\frac{-Ad^3ab^2 + Ab^3cd^2 - 2Bab^2cd^2 + Ca^2bcd^2 + Cab^2c^2d - Da^3cd^2 - Da^2b^2c^3}{d^2b^2(a^2d^2 - 2abcd + b^2c^2)} - \frac{(2Ad^3b^3 - Bab^2d^3 - Bb^3cd^2 + Ca^2bd^3 + Cb^3c^2d - Da^3d^3)}{d^2b^2(a^2d^2 - 2abcd + b^2c^2)}$
parallelrisc	Expression too large to display

input

```
int((D*x^3+C*x^2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x^2)^2,x,method=_RETURNVERBOS
E)
```

output

```
-(A*b^3-B*a*b^2+C*a^2*b-D*a^3)/b^2/(a*d-b*c)^2/(b*x+a)+(2*A*b^3*d-B*a*b^2*
d-B*b^3*c+2*C*a*b^2*c+D*a^3*d-3*D*a^2*b*c)/(a*d-b*c)^3/b^2*ln(b*x+a)-(A*d^
3-B*c*d^2+C*c^2*d-D*c^3)/d^2/(a*d-b*c)^2/(d*x+c)+1/(a*d-b*c)^3*(-2*A*b*d^3
+B*a*d^3+B*b*c*d^2-2*C*a*c*d^2+3*D*a*c^2*d-D*b*c^3)/d^2*ln(d*x+c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 814 vs. 2(221) = 442.

Time = 0.13 (sec) , antiderivative size = 814, normalized size of antiderivative = 3.67

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx = \text{Too large to display}$$

input

```
integrate((D*x^3+C*x^2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x^2)^2,x, algorithm="fr
icas")
```


output

```
(D*a*b^3*c^4 + A*a^2*b^2*d^4 - (D*a^2*b^2 + C*a*b^3)*c^3*d + (D*a^3*b + 2*
B*a*b^3 - A*b^4)*c^2*d^2 - (D*a^4 - C*a^3*b + 2*B*a^2*b^2)*c*d^3 + (D*b^4*
c^4 - (D*a*b^3 + C*b^4)*c^3*d + (C*a*b^3 + B*b^4)*c^2*d^2 + (D*a^3*b - C*a
^2*b^2 - 2*A*b^4)*c*d^3 - (D*a^4 - C*a^3*b + B*a^2*b^2 - 2*A*a*b^3)*d^4)*x
+ ((3*D*a^3*b - 2*C*a^2*b^2 + B*a*b^3)*c^2*d^2 - (D*a^4 - B*a^2*b^2 + 2*A
*a*b^3)*c*d^3 + ((3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c*d^3 - (D*a^3*b - B*a
b^3 + 2*A*b^4)*d^4)*x^2 + ((3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c^2*d^2 + 2*(
D*a^3*b - C*a^2*b^2 + B*a*b^3 - A*b^4)*c*d^3 - (D*a^4 - B*a^2*b^2 + 2*A*a
b^3)*d^4)*x)*log(b*x + a) + (D*a*b^3*c^4 - 3*D*a^2*b^2*c^3*d + (2*C*a^2*b
^2 - B*a*b^3)*c^2*d^2 - (B*a^2*b^2 - 2*A*a*b^3)*c*d^3 + (D*b^4*c^3*d - 3*D
a*b^3*c^2*d^2 + (2*C*a*b^3 - B*b^4)*c*d^3 - (B*a*b^3 - 2*A*b^4)*d^4)*x^2 +
(D*b^4*c^4 - 2*D*a*b^3*c^3*d - (3*D*a^2*b^2 - 2*C*a*b^3 + B*b^4)*c^2*d^2
+ 2*(C*a^2*b^2 - B*a*b^3 + A*b^4)*c*d^3 - (B*a^2*b^2 - 2*A*a*b^3)*d^4)*x)*
log(d*x + c))/(a*b^5*c^4*d^2 - 3*a^2*b^4*c^3*d^3 + 3*a^3*b^3*c^2*d^4 - a^4
*b^2*c*d^5 + (b^6*c^3*d^3 - 3*a*b^5*c^2*d^4 + 3*a^2*b^4*c*d^5 - a^3*b^3*d
^6)*x^2 + (b^6*c^4*d^2 - 2*a*b^5*c^3*d^3 + 2*a^3*b^3*c*d^5 - a^4*b^2*d^6)*x
)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1525 vs. 2(201) = 402.

Time = 153.27 (sec) , antiderivative size = 1525, normalized size of antiderivative = 6.87

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx = \text{Too large to display}$$

input

```
integrate((D*x**3+C*x**2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x**2)**2,x)
```

output

```
(-A*a*b**2*d**3 - A*b**3*c*d**2 + 2*B*a*b**2*c*d**2 - C*a**2*b*c*d**2 - C*
a*b**2*c**2*d + D*a**3*c*d**2 + D*a*b**2*c**3 + x*(-2*A*b**3*d**3 + B*a*b*
**2*d**3 + B*b**3*c*d**2 - C*a**2*b*d**3 - C*b**3*c**2*d + D*a**3*d**3 + D*
b**3*c**3))/(a**3*b**2*c*d**4 - 2*a**2*b**3*c**2*d**3 + a*b**4*c**3*d**2 +
x**2*(a**2*b**3*d**5 - 2*a*b**4*c*d**4 + b**5*c**2*d**3) + x*(a**3*b**2*d
**5 - a**2*b**3*c*d**4 - a*b**4*c**2*d**3 + b**5*c**3*d**2)) + (-2*A*b*d**
3 + B*a*d**3 + B*b*c*d**2 - 2*C*a*c*d**2 + 3*D*a*c**2*d - D*b*c**3)*log(x
+ (2*A*a*b**2*d**3 + 2*A*b**3*c*d**2 - B*a**2*b*d**3 - 2*B*a*b**2*c*d**2 -
B*b**3*c**2*d + 2*C*a**2*b*c*d**2 + 2*C*a*b**2*c**2*d + D*a**3*c*d**2 - 6
*D*a**2*b*c**2*d + D*a*b**2*c**3 + a**4*b*d**3*(-2*A*b*d**3 + B*a*d**3 + B
*b*c*d**2 - 2*C*a*c*d**2 + 3*D*a*c**2*d - D*b*c**3))/(a*d - b*c)**3 - 4*a**
3*b**2*c*d**2*(-2*A*b*d**3 + B*a*d**3 + B*b*c*d**2 - 2*C*a*c*d**2 + 3*D*a*
c**2*d - D*b*c**3)/(a*d - b*c)**3 + 6*a**2*b**3*c**2*d*(-2*A*b*d**3 + B*a*
d**3 + B*b*c*d**2 - 2*C*a*c*d**2 + 3*D*a*c**2*d - D*b*c**3)/(a*d - b*c)**3
- 4*a*b**4*c**3*(-2*A*b*d**3 + B*a*d**3 + B*b*c*d**2 - 2*C*a*c*d**2 + 3*D
*a*c**2*d - D*b*c**3)/(a*d - b*c)**3 + b**5*c**4*(-2*A*b*d**3 + B*a*d**3 +
B*b*c*d**2 - 2*C*a*c*d**2 + 3*D*a*c**2*d - D*b*c**3)/(d*(a*d - b*c)**3))/
(4*A*b**3*d**3 - 2*B*a*b**2*d**3 - 2*B*b**3*c*d**2 + 4*C*a*b**2*c*d**2 + D
*a**3*d**3 - 3*D*a**2*b*c*d**2 - 3*D*a*b**2*c**2*d + D*b**3*c**3))/(d**2*(
a*d - b*c)**3) + (2*A*b**3*d - B*a*b**2*d - B*b**3*c + 2*C*a*b**2*c + D...
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 431, normalized size of antiderivative = 1.94

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx$$

$$= \frac{((3Da^2b - 2Cab^2 + Bb^3)c - (Da^3 - Bab^2 + 2Ab^3)d) \log(bx + a)}{b^5c^3 - 3ab^4c^2d + 3a^2b^3cd^2 - a^3b^2d^3}$$

$$+ \frac{(Dbc^3 - 3Dac^2d + (2Ca - Bb)cd^2 - (Ba - 2Ab)d^3) \log(dx + c)}{b^3c^3d^2 - 3ab^2c^2d^3 + 3a^2bcd^4 - a^3d^5}$$

$$+ \frac{Dab^2c^3 - Cab^2c^2d - Aab^2d^3 + (Da^3 - Ca^2b + 2Bab^2 - Ab^3)cd^2 + (Db^3c^3 - Cb^3c^2d + Bb^3cd^2 + (Da^3 - Ca^2b + 2Bab^2 - Ab^3)d^3)}{ab^4c^3d^2 - 2a^2b^3c^2d^3 + a^3b^2cd^4 + (b^5c^2d^3 - 2ab^4cd^4 + a^2b^3d^5)x^2 + (b^5c^3d^2 - ab^4c^2d^3 - a^3b^2cd^4)}$$

input

```
integrate((D*x^3+C*x^2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x^2)^2,x, algorithm="ma
xima")
```

output

```
((3*D*a^2*b - 2*C*a*b^2 + B*b^3)*c - (D*a^3 - B*a*b^2 + 2*A*b^3)*d)*log(b*x + a)/(b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3) + (D*b*c^3 - 3*D*a*c^2*d + (2*C*a - B*b)*c*d^2 - (B*a - 2*A*b)*d^3)*log(d*x + c)/(b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^2*b*c*d^4 - a^3*d^5) + (D*a*b^2*c^3 - C*a*b^2*c^2*d - A*a*b^2*d^3 + (D*a^3 - C*a^2*b + 2*B*a*b^2 - A*b^3)*c*d^2 + (D*b^3*c^3 - C*b^3*c^2*d + B*b^3*c*d^2 + (D*a^3 - C*a^2*b + B*a*b^2 - 2*A*b^3)*d^3)*x)/(a*b^4*c^3*d^2 - 2*a^2*b^3*c^2*d^3 + a^3*b^2*c*d^4 + (b^5*c^2*d^3 - 2*a*b^4*c*d^4 + a^2*b^3*d^5)*x^2 + (b^5*c^3*d^2 - a*b^4*c^2*d^3 - a^2*b^3*c*d^4 + a^3*b^2*d^5)*x)
```

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 361, normalized size of antiderivative = 1.63

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx$$

$$= \frac{(3Da^2bc - 2Cab^2c + Bb^3c - Da^3d + Bab^2d - 2Ab^3d) \log(|bx + a|)}{b^5c^3 - 3ab^4c^2d + 3a^2b^3cd^2 - a^3b^2d^3} + \frac{(Dbc^3 - 3Dac^2d + 2Cacd^2 - Bbcd^2 - Bad^3 + 2Abd^3) \log(|dx + c|)}{b^3c^3d^2 - 3ab^2c^2d^3 + 3a^2bcd^4 - a^3d^5} + \frac{Dab^2c^3 - Cab^2c^2d + Da^3cd^2 - Ca^2bcd^2 + 2Bab^2cd^2 - Ab^3cd^2 - Aab^2d^3 + (Db^3c^3 - Cb^3c^2d + Bb^3cd^2)}{(bc - ad)^2(bx + a)(dx + c)b^2d^2}$$

input

```
integrate((D*x^3+C*x^2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x^2)^2,x, algorithm="giac")
```

output

```
((3*D*a^2*b*c - 2*C*a*b^2*c + B*b^3*c - D*a^3*d + B*a*b^2*d - 2*A*b^3*d)*log(abs(b*x + a))/(b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3) + (D*b*c^3 - 3*D*a*c^2*d + 2*C*a*c*d^2 - B*b*c*d^2 - B*a*d^3 + 2*A*b*d^3)*log(abs(d*x + c))/(b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^2*b*c*d^4 - a^3*d^5) + (D*a*b^2*c^3 - C*a*b^2*c^2*d + D*a^3*c*d^2 - C*a^2*b*c*d^2 + 2*B*a*b^2*c*d^2 - A*b^3*c*d^2 - A*a*b^2*d^3 + (D*b^3*c^3 - C*b^3*c^2*d + B*b^3*c*d^2 + D*a^3*d^3 - C*a^2*b*d^3 + B*a*b^2*d^3 - 2*A*b^3*d^3)*x)/((b*c - a*d)^2*(b*x + a)*(d*x + c)*b^2*d^2)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx = \int \frac{A + Bx + Cx^2 + x^3 D}{(bdx^2 + (ad + bc)x + ac)^2} dx$$

input `int((A + B*x + C*x^2 + x^3*D)/(a*c + x*(a*d + b*c) + b*d*x^2)^2,x)`

output `int((A + B*x + C*x^2 + x^3*D)/(a*c + x*(a*d + b*c) + b*d*x^2)^2, x)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 744, normalized size of antiderivative = 3.35

$$\int \frac{A + Bx + Cx^2 + Dx^3}{(ac + (bc + ad)x + bdx^2)^2} dx = \text{Too large to display}$$

input `int((D*x^3+C*x^2+B*x+A)/(a*c+(a*d+b*c)*x+b*d*x^2)^2,x)`

output

```
(log(a + b*x)*a**4*c*d**3 + log(a + b*x)*a**4*d**4*x - log(a + b*x)*a**3*b
*c**2*d**2 + log(a + b*x)*a**3*b*d**4*x**2 + log(a + b*x)*a**2*b**3*c*d**2
+ log(a + b*x)*a**2*b**3*d**3*x - 2*log(a + b*x)*a**2*b**2*c**3*d - 3*log
(a + b*x)*a**2*b**2*c**2*d**2*x - log(a + b*x)*a**2*b**2*c*d**3*x**2 + log
(a + b*x)*a*b**4*c**2*d + 2*log(a + b*x)*a*b**4*c*d**2*x + log(a + b*x)*a*
b**4*d**3*x**2 - 2*log(a + b*x)*a*b**3*c**3*d*x - 2*log(a + b*x)*a*b**3*c*
*2*d**2*x**2 + log(a + b*x)*b**5*c**2*d*x + log(a + b*x)*b**5*c*d**2*x**2
- log(c + d*x)*a**2*b**3*c*d**2 - log(c + d*x)*a**2*b**3*d**3*x + log(c +
d*x)*a**2*b**2*c**3*d + log(c + d*x)*a**2*b**2*c**2*d**2*x - log(c + d*x)*
a*b**4*c**2*d - 2*log(c + d*x)*a*b**4*c*d**2*x - log(c + d*x)*a*b**4*d**3*
x**2 + log(c + d*x)*a*b**3*c**4 + 2*log(c + d*x)*a*b**3*c**3*d*x + log(c +
d*x)*a*b**3*c**2*d**2*x**2 - log(c + d*x)*b**5*c**2*d*x - log(c + d*x)*b*
*5*c*d**2*x**2 + log(c + d*x)*b**4*c**4*x + log(c + d*x)*b**4*c**3*d*x**2
- a**3*b**2*d**3 + a**3*b*c**2*d**2 - a**3*b*d**4*x**2 + a**2*b**3*c*d**2
- a**2*b**2*c**3*d + a**2*b**2*c*d**3*x**2 + a*b**4*d**3*x**2 - b**5*c*d**
2*x**2)/(b**2*d*(a**4*c*d**3 + a**4*d**4*x - a**3*b*c**2*d**2 + a**3*b*d**
4*x**2 - a**2*b**2*c**3*d - 2*a**2*b**2*c**2*d**2*x - a**2*b**2*c*d**3*x**
2 + a*b**3*c**4 - a*b**3*c**2*d**2*x**2 + b**4*c**4*x + b**4*c**3*d*x**2))
```

3.3 $\int (a + bx + cx^2)^4 (A + Cx^2) dx$

Optimal result	61
Mathematica [A] (verified)	62
Rubi [A] (verified)	62
Maple [A] (verified)	64
Fricas [A] (verification not implemented)	65
Sympy [A] (verification not implemented)	66
Maxima [A] (verification not implemented)	67
Giac [A] (verification not implemented)	68
Mupad [B] (verification not implemented)	69
Reduce [B] (verification not implemented)	70

Optimal result

Integrand size = 20, antiderivative size = 254

$$\begin{aligned}
 \int (a + bx + cx^2)^4 (A + Cx^2) dx = & a^4 Ax + 2a^3 Abx^2 + \frac{1}{3}a^2(6Ab^2 + 4aAc + a^2C) x^3 \\
 & + ab(A(b^2 + 3ac) + a^2C) x^4 \\
 & + \frac{1}{5}(A(b^4 + 12ab^2c + 6a^2c^2) + 2a^2(3b^2 + 2ac) C) x^5 \\
 & + \frac{2}{3}b(b^2 + 3ac) (Ac + aC)x^6 \\
 & + \frac{1}{7}(2Ac^2(3b^2 + 2ac) + (b^4 + 12ab^2c + 6a^2c^2) C) x^7 \\
 & + \frac{1}{2}bc(Ac^2 + (b^2 + 3ac) C) x^8 \\
 & + \frac{1}{9}c^2(Ac^2 + 6b^2C + 4acC) x^9 \\
 & + \frac{2}{5}bc^3Cx^{10} + \frac{1}{11}c^4Cx^{11}
 \end{aligned}$$

output

```

a^4*A*x+2*a^3*A*b*x^2+1/3*a^2*(4*A*a*c+6*A*b^2+C*a^2)*x^3+a*b*(A*(3*a*c+b^
2)+C*a^2)*x^4+1/5*(A*(6*a^2*c^2+12*a*b^2*c+b^4)+2*a^2*(2*a*c+3*b^2)*C)*x^5
+2/3*b*(3*a*c+b^2)*(A*c+C*a)*x^6+1/7*(2*A*c^2*(2*a*c+3*b^2)+(6*a^2*c^2+12*
a*b^2*c+b^4)*C)*x^7+1/2*b*c*(A*c^2+(3*a*c+b^2)*C)*x^8+1/9*c^2*(A*c^2+4*C*a
*c+6*C*b^2)*x^9+2/5*b*c^3*C*x^10+1/11*c^4*C*x^11

```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 256, normalized size of antiderivative = 1.01

$$\int (a + bx + cx^2)^4 (A + Cx^2) dx = a^4 Ax + 2a^3 Abx^2 + \frac{1}{3}a^2(6Ab^2 + 4aAc + a^2C) x^3 + ab(Ab^2 + 3aAc + a^2C) x^4 + \frac{1}{5}(Ab^4 + 12aAb^2c + 6a^2Ac^2 + 6a^2b^2C + 4a^3cC) x^5 + \frac{2}{3}b(b^2 + 3ac) (Ac + aC)x^6 + \frac{1}{7}(6Ab^2c^2 + 4aAc^3 + b^4C + 12ab^2cC + 6a^2c^2C) x^7 + \frac{1}{2}bc(Ac^2 + b^2C + 3acC) x^8 + \frac{1}{9}c^2(Ac^2 + 6b^2C + 4acC) x^9 + \frac{2}{5}bc^3Cx^{10} + \frac{1}{11}c^4Cx^{11}$$

input `Integrate[(a + b*x + c*x^2)^4*(A + C*x^2), x]`

output `a^4*A*x + 2*a^3*A*b*x^2 + (a^2*(6*A*b^2 + 4*a*A*c + a^2*C)*x^3)/3 + a*b*(A*b^2 + 3*a*A*c + a^2*C)*x^4 + ((A*b^4 + 12*a*A*b^2*c + 6*a^2*A*c^2 + 6*a^2*b^2*C + 4*a^3*c*C)*x^5)/5 + (2*b*(b^2 + 3*a*c)*(A*c + a*C)*x^6)/3 + ((6*A*b^2*c^2 + 4*a*A*c^3 + b^4*C + 12*a*b^2*c*C + 6*a^2*c^2*C)*x^7)/7 + (b*c*(A*c^2 + b^2*C + 3*a*c*C)*x^8)/2 + (c^2*(A*c^2 + 6*b^2*C + 4*a*c*C)*x^9)/9 + (2*b*c^3*C*x^10)/5 + (c^4*C*x^11)/11`

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2)^4 dx$$

↓ 2188

$$\int (a^4A + 4a^3Abx + 4abx^3(a^2C + A(3ac + b^2)) + a^2x^2(a^2C + 4aAc + 6Ab^2) + x^6(C(6a^2c^2 + 12ab^2c + b^4) + 2$$

↓ 2009

$$\begin{aligned} & a^4Ax + 2a^3Abx^2 + abx^4(a^2C + A(3ac + b^2)) + \frac{1}{3}a^2x^3(a^2C + 4aAc + 6Ab^2) + \\ & \frac{1}{7}x^7(C(6a^2c^2 + 12ab^2c + b^4) + 2Ac^2(2ac + 3b^2)) + \\ & \frac{1}{5}x^5(A(6a^2c^2 + 12ab^2c + b^4) + 2a^2C(2ac + 3b^2)) + \frac{1}{9}c^2x^9(4acC + Ac^2 + 6b^2C) + \\ & \frac{1}{2}bcx^8(C(3ac + b^2) + Ac^2) + \frac{2}{3}bx^6(3ac + b^2)(aC + Ac) + \frac{2}{5}bc^3Cx^{10} + \frac{1}{11}c^4Cx^{11} \end{aligned}$$

input `Int[(a + b*x + c*x^2)^4*(A + C*x^2), x]`

output `a^4*A*x + 2*a^3*A*b*x^2 + (a^2*(6*A*b^2 + 4*a*A*c + a^2*C)*x^3)/3 + a*b*(A*(b^2 + 3*a*c) + a^2*C)*x^4 + ((A*(b^4 + 12*a*b^2*c + 6*a^2*c^2) + 2*a^2*(3*b^2 + 2*a*c)*C)*x^5)/5 + (2*b*(b^2 + 3*a*c)*(A*c + a*C)*x^6)/3 + ((2*A*c^2*(3*b^2 + 2*a*c) + (b^4 + 12*a*b^2*c + 6*a^2*c^2)*C)*x^7)/7 + (b*c*(A*c^2 + (b^2 + 3*a*c)*C)*x^8)/2 + (c^2*(A*c^2 + 6*b^2*C + 4*a*c*C)*x^9)/9 + (2*b*c^3*C*x^10)/5 + (c^4*C*x^11)/11`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.41 (sec) , antiderivative size = 266, normalized size of antiderivative = 1.05

method	result
norman	$\frac{c^4 C x^{11}}{11} + \frac{2bc^3 C x^{10}}{5} + \left(\frac{1}{9}c^4 A + \frac{4}{9}C a c^3 + \frac{2}{3}C b^2 c^2\right) x^9 + \left(\frac{1}{2}A b c^3 + \frac{3}{2}C a b c^2 + \frac{1}{2}C b^3 c\right) x^8 + \left(\frac{4}{7}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^7 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^6 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^5 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^4 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^3 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x^2 + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right) x + \left(\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2\right)$
gosper	$\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2$
risch	$\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2$
parallelrisch	$\frac{1}{2}x^8 C b^3 c + \frac{4}{5}x^5 C a^3 c + \frac{6}{5}x^5 C a^2 b^2 + \frac{6}{7}x^7 C a^2 c^2 + \frac{1}{2}x^8 A b c^3 + \frac{12}{5}x^5 A a b^2 c + 3A a^2 b c x^4 + 2$
orering	$x(630c^4 C x^{10} + 2772bc^3 C x^9 + 770A c^4 x^8 + 3080C a c^3 x^8 + 4620C b^2 c^2 x^8 + 3465Ab c^3 x^7 + 10395Cab c^2 x^7 + 3465C b^3 c x^7 + 3960C a^2 b^2 c^2 x^6 + 10395A a b^2 c^2 x^6 + 10395A a^2 b c^2 x^6 + 3960C a^3 c^2 x^6 + 10395A a^2 b c^2 x^6 + 10395A a^3 c^2 x^6 + 3960C a^2 b^2 c^2 x^5 + 10395A a b^2 c^2 x^5 + 10395A a^2 b c^2 x^5 + 3960C a^3 c^2 x^5 + 10395A a^2 b c^2 x^5 + 10395A a^3 c^2 x^5 + 3960C a b^2 c^2 x^4 + 10395A a b^2 c^2 x^4 + 10395A a^2 b c^2 x^4 + 3960C a^3 c^2 x^4 + 10395A a^2 b c^2 x^4 + 10395A a^3 c^2 x^4 + 3960C a^2 b^2 c^2 x^3 + 10395A a b^2 c^2 x^3 + 10395A a^2 b c^2 x^3 + 3960C a^3 c^2 x^3 + 10395A a^2 b c^2 x^3 + 10395A a^3 c^2 x^3 + 3960C a b^2 c^2 x^2 + 10395A a b^2 c^2 x^2 + 10395A a^2 b c^2 x^2 + 3960C a^3 c^2 x^2 + 10395A a^2 b c^2 x^2 + 10395A a^3 c^2 x^2 + 3960C a^2 b^2 c^2 x + 10395A a b^2 c^2 x + 10395A a^2 b c^2 x + 3960C a^3 c^2 x + 10395A a^2 b c^2 x + 10395A a^3 c^2 x + 3960C a b^2 c^2 + 10395A a b^2 c^2 + 10395A a^2 b c^2 + 3960C a^3 c^2 + 10395A a^2 b c^2 + 10395A a^3 c^2)$
default	$\frac{c^4 C x^{11}}{11} + \frac{2bc^3 C x^{10}}{5} + \frac{((2(2ac+b^2)c^2+4b^2c^2)C+c^4A)x^9}{9} + \frac{((4abc^2+4(2ac+b^2)bc)C+4Abc^3)x^8}{8} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^7}{7} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^6}{6} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^5}{5} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^4}{4} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^3}{3} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x^2}{2} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)x}{1} + \frac{((2a^2c^2+8ca^2b^2+4a^2b^2c^2)C+4Aa^2b^2c^2)}{1}$

input `int((c*x^2+b*x+a)^4*(C*x^2+A),x,method=_RETURNVERBOSE)`output
$$\begin{aligned} & 1/11*c^4*C*x^11+2/5*b*c^3*C*x^10+(1/9*c^4*A+4/9*C*a*c^3+2/3*C*b^2*c^2)*x^9 \\ & +(1/2*A*b*c^3+3/2*C*a*b*c^2+1/2*C*b^3*c)*x^8+(4/7*A*a*c^3+6/7*A*b^2*c^2+6/ \\ & 7*C*a^2*c^2+12/7*C*a*b^2*c+1/7*C*b^4)*x^7+(2*A*a*b*c^2+2/3*A*b^3*c+2*C*a^2 \\ & *b*c+2/3*C*a*b^3)*x^6+(6/5*a^2*A*c^2+12/5*A*a*b^2*c+1/5*A*b^4+4/5*C*a^3*c+ \\ & 6/5*C*a^2*b^2)*x^5+(3*A*a^2*b*c+A*a*b^3+C*a^3*b)*x^4+(4/3*a^3*A*c+2*a^2*A* \\ & b^2+1/3*a^4*C)*x^3+2*a^3*A*b*x^2+a^4*A*x \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 263, normalized size of antiderivative = 1.04

$$\begin{aligned}
& \int (a + bx + cx^2)^4 (A + Cx^2) dx \\
&= \frac{1}{11} Cc^4x^{11} + \frac{2}{5} Cbc^3x^{10} + \frac{1}{9} (6Cb^2c^2 + 4Cac^3 + Ac^4)x^9 \\
&\quad + \frac{1}{2} (Cb^3c + 3Cabc^2 + Abc^3)x^8 \\
&\quad + \frac{1}{7} (Cb^4 + 12Cab^2c + 4Aac^3 + 6(Ca^2 + Ab^2)c^2)x^7 \\
&\quad + 2Aa^3bx^2 + \frac{2}{3} (Cab^3 + 3Aabc^2 + (3Ca^2b + Ab^3)c)x^6 \\
&\quad + Aa^4x + \frac{1}{5} (6Ca^2b^2 + Ab^4 + 6Aa^2c^2 + 4(Ca^3 + 3Aab^2)c)x^5 \\
&\quad + (Ca^3b + Aab^3 + 3Aa^2bc)x^4 + \frac{1}{3} (Ca^4 + 6Aa^2b^2 + 4Aa^3c)x^3
\end{aligned}$$

input `integrate((c*x^2+b*x+a)^4*(C*x^2+A),x, algorithm="fricas")`

output `1/11*C*c^4*x^11 + 2/5*C*b*c^3*x^10 + 1/9*(6*C*b^2*c^2 + 4*C*a*c^3 + A*c^4)*x^9 + 1/2*(C*b^3*c + 3*C*a*b*c^2 + A*b*c^3)*x^8 + 1/7*(C*b^4 + 12*C*a*b^2*c + 4*A*a*c^3 + 6*(C*a^2 + A*b^2)*c^2)*x^7 + 2*A*a^3*b*x^2 + 2/3*(C*a*b^3 + 3*A*a*b*c^2 + (3*C*a^2*b + A*b^3)*c)*x^6 + A*a^4*x + 1/5*(6*C*a^2*b^2 + A*b^4 + 6*A*a^2*c^2 + 4*(C*a^3 + 3*A*a*b^2)*c)*x^5 + (C*a^3*b + A*a*b^3 + 3*A*a^2*b*c)*x^4 + 1/3*(C*a^4 + 6*A*a^2*b^2 + 4*A*a^3*c)*x^3`

Sympy [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 320, normalized size of antiderivative = 1.26

$$\begin{aligned}
\int (a + bx + cx^2)^4 (A + Cx^2) dx = & Aa^4x + 2Aa^3bx^2 + \frac{2Cbc^3x^{10}}{5} + \frac{Cc^4x^{11}}{11} \\
& + x^9 \left(\frac{Ac^4}{9} + \frac{4Cac^3}{9} + \frac{2Cb^2c^2}{3} \right) \\
& + x^8 \left(\frac{Abc^3}{2} + \frac{3Cabc^2}{2} + \frac{Cb^3c}{2} \right) + x^7 \\
& \cdot \left(\frac{4Aac^3}{7} + \frac{6Ab^2c^2}{7} + \frac{6Ca^2c^2}{7} + \frac{12Cab^2c}{7} + \frac{Cb^4}{7} \right) \\
& + x^6 \cdot \left(2Aabc^2 + \frac{2Ab^3c}{3} + 2Ca^2bc + \frac{2Cab^3}{3} \right) + x^5 \\
& \cdot \left(\frac{6Aa^2c^2}{5} + \frac{12Aab^2c}{5} + \frac{Ab^4}{5} + \frac{4Ca^3c}{5} + \frac{6Ca^2b^2}{5} \right) \\
& + x^4 \cdot (3Aa^2bc + Aab^3 + Ca^3b) \\
& + x^3 \cdot \left(\frac{4Aa^3c}{3} + 2Aa^2b^2 + \frac{Ca^4}{3} \right)
\end{aligned}$$

input `integrate((c*x**2+b*x+a)**4*(C*x**2+A),x)`output `A*a**4*x + 2*A*a**3*b*x**2 + 2*C*b*c**3*x**10/5 + C*c**4*x**11/11 + x**9*(A*c**4/9 + 4*C*a*c**3/9 + 2*C*b**2*c**2/3) + x**8*(A*b*c**3/2 + 3*C*a*b*c**2/2 + C*b**3*c/2) + x**7*(4*A*a*c**3/7 + 6*A*b**2*c**2/7 + 6*C*a**2*c**2/7 + 12*C*a*b**2*c/7 + C*b**4/7) + x**6*(2*A*a*b*c**2 + 2*A*b**3*c/3 + 2*C*a**2*b*c + 2*C*a*b**3/3) + x**5*(6*A*a**2*c**2/5 + 12*A*a*b**2*c/5 + A*b**4/5 + 4*C*a**3*c/5 + 6*C*a**2*b**2/5) + x**4*(3*A*a**2*b*c + A*a*b**3 + C*a**3*b) + x**3*(4*A*a**3*c/3 + 2*A*a**2*b**2 + C*a**4/3)`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 263, normalized size of antiderivative = 1.04

$$\begin{aligned}
& \int (a + bx + cx^2)^4 (A + Cx^2) dx \\
&= \frac{1}{11} Cc^4 x^{11} + \frac{2}{5} Cbc^3 x^{10} + \frac{1}{9} (6Cb^2c^2 + 4Cac^3 + Ac^4) x^9 \\
&\quad + \frac{1}{2} (Cb^3c + 3Cabc^2 + Abc^3) x^8 \\
&\quad + \frac{1}{7} (Cb^4 + 12Cab^2c + 4Aac^3 + 6(Ca^2 + Ab^2)c^2) x^7 \\
&\quad + 2Aa^3bx^2 + \frac{2}{3} (Cab^3 + 3Aabc^2 + (3Ca^2b + Ab^3)c) x^6 \\
&\quad + Aa^4x + \frac{1}{5} (6Ca^2b^2 + Ab^4 + 6Aa^2c^2 + 4(Ca^3 + 3Aab^2)c) x^5 \\
&\quad + (Ca^3b + Aab^3 + 3Aa^2bc) x^4 + \frac{1}{3} (Ca^4 + 6Aa^2b^2 + 4Aa^3c) x^3
\end{aligned}$$

input `integrate((c*x^2+b*x+a)^4*(C*x^2+A),x, algorithm="maxima")`

output `1/11*C*c^4*x^11 + 2/5*C*b*c^3*x^10 + 1/9*(6*C*b^2*c^2 + 4*C*a*c^3 + A*c^4)*x^9 + 1/2*(C*b^3*c + 3*C*a*b*c^2 + A*b*c^3)*x^8 + 1/7*(C*b^4 + 12*C*a*b^2*c + 4*A*a*c^3 + 6*(C*a^2 + A*b^2)*c^2)*x^7 + 2*A*a^3*b*x^2 + 2/3*(C*a*b^3 + 3*A*a*b*c^2 + (3*C*a^2*b + A*b^3)*c)*x^6 + A*a^4*x + 1/5*(6*C*a^2*b^2 + A*b^4 + 6*A*a^2*c^2 + 4*(C*a^3 + 3*A*a*b^2)*c)*x^5 + (C*a^3*b + A*a*b^3 + 3*A*a^2*b*c)*x^4 + 1/3*(C*a^4 + 6*A*a^2*b^2 + 4*A*a^3*c)*x^3`

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 308, normalized size of antiderivative = 1.21

$$\begin{aligned}
\int (a + bx + cx^2)^4 (A + Cx^2) dx = & \frac{1}{11} Cc^4x^{11} + \frac{2}{5} Cbc^3x^{10} + \frac{2}{3} Cb^2c^2x^9 + \frac{4}{9} Cac^3x^9 \\
& + \frac{1}{9} Ac^4x^9 + \frac{1}{2} Cb^3cx^8 + \frac{3}{2} Cabc^2x^8 + \frac{1}{2} Abc^3x^8 \\
& + \frac{1}{7} Cb^4x^7 + \frac{12}{7} Cab^2cx^7 + \frac{6}{7} Ca^2c^2x^7 \\
& + \frac{6}{7} Ab^2c^2x^7 + \frac{4}{7} Aac^3x^7 + \frac{2}{3} Cab^3x^6 + 2Ca^2bcx^6 \\
& + \frac{2}{3} Ab^3cx^6 + 2Aabc^2x^6 + \frac{6}{5} Ca^2b^2x^5 + \frac{1}{5} Ab^4x^5 \\
& + \frac{4}{5} Ca^3cx^5 + \frac{12}{5} Aab^2cx^5 + \frac{6}{5} Aa^2c^2x^5 \\
& + Ca^3bx^4 + Aab^3x^4 + 3Aa^2bcx^4 + \frac{1}{3} Ca^4x^3 \\
& + 2Aa^2b^2x^3 + \frac{4}{3} Aa^3cx^3 + 2Aa^3bx^2 + Aa^4x
\end{aligned}$$

input `integrate((c*x^2+b*x+a)^4*(C*x^2+A),x, algorithm="giac")`

output `1/11*C*c^4*x^11 + 2/5*C*b*c^3*x^10 + 2/3*C*b^2*c^2*x^9 + 4/9*C*a*c^3*x^9 + 1/9*A*c^4*x^9 + 1/2*C*b^3*c*x^8 + 3/2*C*a*b*c^2*x^8 + 1/2*A*b*c^3*x^8 + 1/7*C*b^4*x^7 + 12/7*C*a*b^2*c*x^7 + 6/7*C*a^2*c^2*x^7 + 6/7*A*b^2*c^2*x^7 + 4/7*A*a*c^3*x^7 + 2/3*C*a*b^3*x^6 + 2*C*a^2*b*c*x^6 + 2/3*A*b^3*c*x^6 + 2*A*a*b*c^2*x^6 + 6/5*C*a^2*b^2*x^5 + 1/5*A*b^4*x^5 + 4/5*C*a^3*c*x^5 + 12/5*A*a*b^2*c*x^5 + 6/5*A*a^2*c^2*x^5 + C*a^3*b*x^4 + A*a*b^3*x^4 + 3*A*a^2*b*c*x^4 + 1/3*C*a^4*x^3 + 2*A*a^2*b^2*x^3 + 4/3*A*a^3*c*x^3 + 2*A*a^3*b*x^2 + A*a^4*x`

Mupad [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 244, normalized size of antiderivative = 0.96

$$\begin{aligned}
\int (a + bx + cx^2)^4 (A + Cx^2) dx = & x^5 \left(\frac{4Ca^3c}{5} + \frac{6Ca^2b^2}{5} + \frac{6Aa^2c^2}{5} + \frac{12Aab^2c}{5} \right. \\
& \left. + \frac{Ab^4}{5} \right) \\
& + x^7 \left(\frac{6Ca^2c^2}{7} + \frac{12Cab^2c}{7} + \frac{4Aac^3}{7} + \frac{Cb^4}{7} \right. \\
& \left. + \frac{6Ab^2c^2}{7} \right) + x^3 \left(\frac{Ca^4}{3} + \frac{4Aca^3}{3} + 2Aa^2b^2 \right) \\
& + x^9 \left(\frac{2Cb^2c^2}{3} + \frac{Ac^4}{9} + \frac{4Cac^3}{9} \right) + \frac{Cc^4x^{11}}{11} \\
& + Aa^4x + \frac{2bx^6(b^2 + 3ac)(Ac + Ca)}{3} \\
& + abx^4(Ca^2 + 3Aca + Ab^2) \\
& + \frac{bcx^8(Cb^2 + Ac^2 + 3Cac)}{2} \\
& + 2Aa^3bx^2 + \frac{2Cbc^3x^{10}}{5}
\end{aligned}$$

input `int((A + C*x^2)*(a + b*x + c*x^2)^4,x)`output `x^5*((A*b^4)/5 + (6*A*a^2*c^2)/5 + (6*C*a^2*b^2)/5 + (4*C*a^3*c)/5 + (12*A*a*b^2*c)/5) + x^7*((C*b^4)/7 + (6*A*b^2*c^2)/7 + (6*C*a^2*c^2)/7 + (4*A*a*c^3)/7 + (12*C*a*b^2*c)/7) + x^3*((C*a^4)/3 + 2*A*a^2*b^2 + (4*A*a^3*c)/3) + x^9*((A*c^4)/9 + (2*C*b^2*c^2)/3 + (4*C*a*c^3)/9) + (C*c^4*x^11)/11 + A*a^4*x + (2*b*x^6*(3*a*c + b^2)*(A*c + C*a))/3 + a*b*x^4*(A*b^2 + C*a^2 + 3*A*a*c) + (b*c*x^8*(A*c^2 + C*b^2 + 3*C*a*c))/2 + 2*A*a^3*b*x^2 + (2*C*b*c^3*x^10)/5`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 201, normalized size of antiderivative = 0.79

$$\int (a + bx + cx^2)^4 (A + Cx^2) dx$$

$$= \frac{x(630c^5x^{10} + 2772bc^4x^9 + 3850ac^4x^8 + 4620b^2c^3x^8 + 13860abc^3x^7 + 3465b^3c^2x^7 + 9900a^2c^3x^6 + 17820a^3b^2c^2x^5 + 27720a^3b^2c^2x^5 + 9900a^2c^3x^6 + 1386a^2b^3x^6 + 3850a^2c^4x^8 + 990b^4c^4x^6 + 3465b^3c^3x^7 + 4620b^2c^3x^8 + 2772b^2c^4x^9 + 630c^5x^{10})}{6930}$$

input `int((c*x^2+b*x+a)^4*(C*x^2+A),x)`output `(x*(6930*a**5 + 13860*a**4*b*x + 11550*a**4*c*x**2 + 13860*a**3*b**2*x**2 + 27720*a**3*b*c*x**3 + 13860*a**3*c**2*x**4 + 6930*a**2*b**3*x**3 + 24948*a**2*b**2*c*x**4 + 27720*a**2*b*c**2*x**5 + 9900*a**2*c**3*x**6 + 1386*a*b**4*x**4 + 9240*a*b**3*c*x**5 + 17820*a*b**2*c**2*x**6 + 13860*a*b*c**3*x**7 + 3850*a*c**4*x**8 + 990*b**4*c*x**6 + 3465*b**3*c**2*x**7 + 4620*b**2*c**3*x**8 + 2772*b*c**4*x**9 + 630*c**5*x**10))/6930`

3.4 $\int (a + bx + cx^2)^3 (A + Cx^2) dx$

Optimal result	71
Mathematica [A] (verified)	72
Rubi [A] (verified)	72
Maple [A] (verified)	73
Fricas [A] (verification not implemented)	74
Sympy [A] (verification not implemented)	75
Maxima [A] (verification not implemented)	75
Giac [A] (verification not implemented)	76
Mupad [B] (verification not implemented)	77
Reduce [B] (verification not implemented)	77

Optimal result

Integrand size = 20, antiderivative size = 161

$$\begin{aligned} \int (a + bx + cx^2)^3 (A + Cx^2) dx = & a^3 Ax + \frac{3}{2} a^2 Abx^2 + \frac{1}{3} a(3A(b^2 + ac) + a^2 C) x^3 \\ & + \frac{1}{4} b(A(b^2 + 6ac) + 3a^2 C) x^4 \\ & + \frac{3}{5} (b^2 + ac) (Ac + aC) x^5 \\ & + \frac{1}{6} b(3Ac^2 + (b^2 + 6ac) C) x^6 \\ & + \frac{1}{7} c(Ac^2 + 3(b^2 + ac) C) x^7 + \frac{3}{8} bc^2 Cx^8 + \frac{1}{9} c^3 Cx^9 \end{aligned}$$

output

```
a^3*A*x+3/2*a^2*A*b*x^2+1/3*a*(3*A*(a*c+b^2)+C*a^2)*x^3+1/4*b*(A*(6*a*c+b^2)+3*C*a^2)*x^4+3/5*(a*c+b^2)*(A*c+C*a)*x^5+1/6*b*(3*A*c^2+(6*a*c+b^2)*C)*x^6+1/7*c*(A*c^2+3*(a*c+b^2)*C)*x^7+3/8*b*c^2*C*x^8+1/9*c^3*C*x^9
```


Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 163, normalized size of antiderivative = 1.01

$$\int (a + bx + cx^2)^3 (A + Cx^2) dx = a^3 Ax + \frac{3}{2} a^2 Abx^2 + \frac{1}{3} a(3Ab^2 + 3aAc + a^2 C) x^3 + \frac{1}{4} b(Ab^2 + 6aAc + 3a^2 C) x^4 + \frac{3}{5} (b^2 + ac) (Ac + aC) x^5 + \frac{1}{6} b(3Ac^2 + b^2 C + 6acC) x^6 + \frac{1}{7} c(Ac^2 + 3b^2 C + 3acC) x^7 + \frac{3}{8} bc^2 Cx^8 + \frac{1}{9} c^3 Cx^9$$

input `Integrate[(a + b*x + c*x^2)^3*(A + C*x^2), x]`

output `a^3*A*x + (3*a^2*A*b*x^2)/2 + (a*(3*A*b^2 + 3*a*A*c + a^2*C)*x^3)/3 + (b*(A*b^2 + 6*a*A*c + 3*a^2*C)*x^4)/4 + (3*(b^2 + a*c)*(A*c + a*C)*x^5)/5 + (b*(3*A*c^2 + b^2*C + 6*a*c*C)*x^6)/6 + (c*(A*c^2 + 3*b^2*C + 3*a*c*C)*x^7)/7 + (3*b*c^2*C*x^8)/8 + (c^3*C*x^9)/9`

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2)^3 dx$$

↓ 2188

$$\int (a^3 A + bx^3(3a^2 C + A(6ac + b^2)) + ax^2(a^2 C + 3A(ac + b^2)) + 3a^2 Abx + cx^6(3C(ac + b^2) + Ac^2) + bx^5(C$$

↓ 2009

$$a^3Ax + \frac{1}{4}bx^4(3a^2C + A(6ac + b^2)) + \frac{1}{3}ax^3(a^2C + 3A(ac + b^2)) + \frac{3}{2}a^2Abx^2 + \frac{1}{7}cx^7(3C(ac + b^2) + Ac^2) + \frac{1}{6}bx^6(C(6ac + b^2) + 3Ac^2) + \frac{3}{5}x^5(ac + b^2)(aC + Ac) + \frac{3}{8}bc^2Cx^8 + \frac{1}{9}c^3Cx^9$$

input `Int[(a + b*x + c*x^2)^3*(A + C*x^2), x]`

output `a^3*A*x + (3*a^2*A*b*x^2)/2 + (a*(3*A*(b^2 + a*c) + a^2*C)*x^3)/3 + (b*(A*(b^2 + 6*a*c) + 3*a^2*C)*x^4)/4 + (3*(b^2 + a*c)*(A*c + a*C)*x^5)/5 + (b*(3*A*c^2 + (b^2 + 6*a*c)*C)*x^6)/6 + (c*(A*c^2 + 3*(b^2 + a*c)*C)*x^7)/7 + (3*b*c^2*C*x^8)/8 + (c^3*C*x^9)/9`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.41 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.02

method	result
norman	$\frac{c^3Cx^9}{9} + \frac{3bc^2Cx^8}{8} + \left(\frac{1}{7}Ac^3 + \frac{3}{7}Ca^2c + \frac{3}{7}Cb^2c\right)x^7 + \left(\frac{1}{2}Abc^2 + Cabc + \frac{1}{6}Cb^3\right)x^6 + \left(\frac{3}{5}Aa^2c^2\right)x^5 + \frac{1}{9}c^3Cx^9 + \frac{3}{8}bc^2Cx^8 + \frac{1}{7}Ac^3x^7 + \frac{3}{7}x^7Ca^2c + \frac{3}{7}x^7Cb^2c + \frac{1}{2}x^6Abc^2 + x^6Cabc + \frac{1}{6}x^6Cb^3 + \frac{1}{9}c^3Cx^9 + \frac{3}{8}bc^2Cx^8 + \frac{1}{7}Ac^3x^7 + \frac{3}{7}x^7Ca^2c + \frac{3}{7}x^7Cb^2c + \frac{1}{2}x^6Abc^2 + x^6Cabc + \frac{1}{6}x^6Cb^3 + \frac{x(280c^3Cx^8 + 945Cb^2c^2x^7 + 360A^3c^3x^6 + 1080Ca^2c^2x^6 + 1080Cb^2c^2x^6 + 1260Ab^2c^2x^5 + 2520Cabcx^5 + 420Cb^3x^5 + 1512Aa^2c^2x^4)}{7} + \frac{((4abc + b(2ac + b^2))C + 3Ab^2c^2)x^6}{6} + \frac{((a(2ac + b^2) + 2a^2c)C + 3Ab^2c^2)x^7}{7}$
gospers	
risch	
paralrelrisch	
oring	
default	

input `int((c*x^2+b*x+a)^3*(C*x^2+A),x,method=_RETURNVERBOSE)`

output `1/9*c^3*C*x^9+3/8*b*c^2*C*x^8+(1/7*A*c^3+3/7*C*a*c^2+3/7*C*b^2*c)*x^7+(1/2*A*b*c^2+C*a*b*c+1/6*C*b^3)*x^6+(3/5*A*a*c^2+3/5*A*b^2*c+3/5*C*a^2*c+3/5*C*a*b^2)*x^5+(3/2*A*a*b*c+1/4*A*b^3+3/4*C*a^2*b)*x^4+(a^2*A*c+A*a*b^2+1/3*C*a^3)*x^3+3/2*A*a^2*b*x^2+a^3*A*x`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.02

$$\int (a + bx + cx^2)^3 (A + Cx^2) dx = \frac{1}{9} Cc^3x^9 + \frac{3}{8} Cbc^2x^8 + \frac{1}{7} (3Cb^2c + 3Cac^2 + Ac^3)x^7 + \frac{1}{6} (Cb^3 + 6Cabc + 3Abc^2)x^6 + \frac{3}{2} Aa^2bx^2 + \frac{3}{5} (Cab^2 + Aac^2 + (Ca^2 + Ab^2)c)x^5 + Aa^3x + \frac{1}{4} (3Ca^2b + Ab^3 + 6Aabc)x^4 + \frac{1}{3} (Ca^3 + 3Aab^2 + 3Aa^2c)x^3$$

input `integrate((c*x^2+b*x+a)^3*(C*x^2+A),x, algorithm="fricas")`

output `1/9*C*c^3*x^9 + 3/8*C*b*c^2*x^8 + 1/7*(3*C*b^2*c + 3*C*a*c^2 + A*c^3)*x^7 + 1/6*(C*b^3 + 6*C*a*b*c + 3*A*b*c^2)*x^6 + 3/2*A*a^2*b*x^2 + 3/5*(C*a*b^2 + A*a*c^2 + (C*a^2 + A*b^2)*c)*x^5 + A*a^3*x + 1/4*(3*C*a^2*b + A*b^3 + 6*A*a*b*c)*x^4 + 1/3*(C*a^3 + 3*A*a*b^2 + 3*A*a^2*c)*x^3`

Sympy [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 197, normalized size of antiderivative = 1.22

$$\int (a + bx + cx^2)^3 (A + Cx^2) dx = Aa^3x + \frac{3Aa^2bx^2}{2} + \frac{3Cbc^2x^8}{8} + \frac{Cc^3x^9}{9} + x^7 \left(\frac{Ac^3}{7} + \frac{3Cac^2}{7} + \frac{3Cb^2c}{7} \right) + x^6 \left(\frac{Abc^2}{2} + Cabc + \frac{Cb^3}{6} \right) + x^5 \cdot \left(\frac{3Aac^2}{5} + \frac{3Ab^2c}{5} + \frac{3Ca^2c}{5} + \frac{3Cab^2}{5} \right) + x^4 \cdot \left(\frac{3Aabc}{2} + \frac{Ab^3}{4} + \frac{3Ca^2b}{4} \right) + x^3 \left(Aa^2c + Aab^2 + \frac{Ca^3}{3} \right)$$

input `integrate((c*x**2+b*x+a)**3*(C*x**2+A),x)`output `A*a**3*x + 3*A*a**2*b*x**2/2 + 3*C*b*c**2*x**8/8 + C*c**3*x**9/9 + x**7*(A*c**3/7 + 3*C*a*c**2/7 + 3*C*b**2*c/7) + x**6*(A*b*c**2/2 + C*a*b*c + C*b**3/6) + x**5*(3*A*a*c**2/5 + 3*A*b**2*c/5 + 3*C*a**2*c/5 + 3*C*a*b**2/5) + x**4*(3*A*a*b*c/2 + A*b**3/4 + 3*C*a**2*b/4) + x**3*(A*a**2*c + A*a*b**2 + C*a**3/3)`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.02

$$\int (a + bx + cx^2)^3 (A + Cx^2) dx = \frac{1}{9} Cc^3x^9 + \frac{3}{8} Cbc^2x^8 + \frac{1}{7} (3Cb^2c + 3Cac^2 + Ac^3)x^7 + \frac{1}{6} (Cb^3 + 6Cabc + 3Abc^2)x^6 + \frac{3}{2} Aa^2bx^2 + \frac{3}{5} (Cab^2 + Aac^2 + (Ca^2 + Ab^2)c)x^5 + Aa^3x + \frac{1}{4} (3Ca^2b + Ab^3 + 6Aabc)x^4 + \frac{1}{3} (Ca^3 + 3Aab^2 + 3Aa^2c)x^3$$

input `integrate((c*x^2+b*x+a)^3*(C*x^2+A),x, algorithm="maxima")`

output
$$\begin{aligned} & 1/9*C*c^3*x^9 + 3/8*C*b*c^2*x^8 + 1/7*(3*C*b^2*c + 3*C*a*c^2 + A*c^3)*x^7 \\ & + 1/6*(C*b^3 + 6*C*a*b*c + 3*A*b*c^2)*x^6 + 3/2*A*a^2*b*x^2 + 3/5*(C*a*b^2 \\ & + A*a*c^2 + (C*a^2 + A*b^2)*c)*x^5 + A*a^3*x + 1/4*(3*C*a^2*b + A*b^3 + 6 \\ & *A*a*b*c)*x^4 + 1/3*(C*a^3 + 3*A*a*b^2 + 3*A*a^2*c)*x^3 \end{aligned}$$

Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 187, normalized size of antiderivative = 1.16

$$\begin{aligned} \int (a + bx + cx^2)^3 (A + Cx^2) dx = & \frac{1}{9} Cc^3x^9 + \frac{3}{8} Cbc^2x^8 + \frac{3}{7} Cb^2cx^7 + \frac{3}{7} Cac^2x^7 \\ & + \frac{1}{7} Ac^3x^7 + \frac{1}{6} Cb^3x^6 + Cabcx^6 + \frac{1}{2} Abc^2x^6 \\ & + \frac{3}{5} Cab^2x^5 + \frac{3}{5} Ca^2cx^5 + \frac{3}{5} Ab^2cx^5 + \frac{3}{5} Aac^2x^5 \\ & + \frac{3}{4} Ca^2bx^4 + \frac{1}{4} Ab^3x^4 + \frac{3}{2} Aabcx^4 + \frac{1}{3} Ca^3x^3 \\ & + Aab^2x^3 + Aa^2cx^3 + \frac{3}{2} Aa^2bx^2 + Aa^3x \end{aligned}$$

input `integrate((c*x^2+b*x+a)^3*(C*x^2+A),x, algorithm="giac")`

output
$$\begin{aligned} & 1/9*C*c^3*x^9 + 3/8*C*b*c^2*x^8 + 3/7*C*b^2*c*x^7 + 3/7*C*a*c^2*x^7 + 1/7* \\ & A*c^3*x^7 + 1/6*C*b^3*x^6 + C*a*b*c*x^6 + 1/2*A*b*c^2*x^6 + 3/5*C*a*b^2*x^ \\ & 5 + 3/5*C*a^2*c*x^5 + 3/5*A*b^2*c*x^5 + 3/5*A*a*c^2*x^5 + 3/4*C*a^2*b*x^4 \\ & + 1/4*A*b^3*x^4 + 3/2*A*a*b*c*x^4 + 1/3*C*a^3*x^3 + A*a*b^2*x^3 + A*a^2*c* \\ & x^3 + 3/2*A*a^2*b*x^2 + A*a^3*x \end{aligned}$$

output

```
(x*(2520*a**4 + 3780*a**3*b*x + 3360*a**3*c*x**2 + 2520*a**2*b**2*x**2 + 5
670*a**2*b*c*x**3 + 3024*a**2*c**2*x**4 + 630*a*b**3*x**3 + 3024*a*b**2*c*
x**4 + 3780*a*b*c**2*x**5 + 1440*a*c**3*x**6 + 420*b**3*c*x**5 + 1080*b**2
*c**2*x**6 + 945*b*c**3*x**7 + 280*c**4*x**8))/2520
```

3.5 $\int (a + bx + cx^2)^2 (A + Cx^2) dx$

Optimal result	79
Mathematica [A] (verified)	79
Rubi [A] (verified)	80
Maple [A] (verified)	81
Fricas [A] (verification not implemented)	81
Sympy [A] (verification not implemented)	82
Maxima [A] (verification not implemented)	82
Giac [A] (verification not implemented)	83
Mupad [B] (verification not implemented)	83
Reduce [B] (verification not implemented)	84

Optimal result

Integrand size = 20, antiderivative size = 96

$$\begin{aligned} \int (a + bx + cx^2)^2 (A + Cx^2) dx &= a^2 Ax + aAbx^2 + \frac{1}{3}(A(b^2 + 2ac) + a^2 C) x^3 \\ &\quad + \frac{1}{2}b(Ac + aC)x^4 + \frac{1}{5}(Ac^2 + (b^2 + 2ac) C) x^5 \\ &\quad + \frac{1}{3}bcCx^6 + \frac{1}{7}c^2Cx^7 \end{aligned}$$

output

```
a^2*A*x+a*A*b*x^2+1/3*(A*(2*a*c+b^2)+C*a^2)*x^3+1/2*b*(A*c+C*a)*x^4+1/5*(A*c^2+(2*a*c+b^2)*C)*x^5+1/3*b*c*C*x^6+1/7*c^2*C*x^7
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 96, normalized size of antiderivative = 1.00

$$\begin{aligned} \int (a + bx + cx^2)^2 (A + Cx^2) dx &= a^2 Ax + aAbx^2 + \frac{1}{3}(Ab^2 + 2aAc + a^2 C) x^3 \\ &\quad + \frac{1}{2}b(Ac + aC)x^4 + \frac{1}{5}(Ac^2 + b^2 C + 2acC) x^5 \\ &\quad + \frac{1}{3}bcCx^6 + \frac{1}{7}c^2Cx^7 \end{aligned}$$

input `Integrate[(a + b*x + c*x^2)^2*(A + C*x^2), x]`

output `a^2*A*x + a*A*b*x^2 + ((A*b^2 + 2*a*A*c + a^2*C)*x^3)/3 + (b*(A*c + a*C)*x^4)/2 + ((A*c^2 + b^2*C + 2*a*c*C)*x^5)/5 + (b*c*C*x^6)/3 + (c^2*C*x^7)/7`

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2)^2 dx$$

↓ 2188

$$\int (x^2(a^2C + A(2ac + b^2)) + a^2A + x^4(C(2ac + b^2) + Ac^2) + 2bx^3(aC + Ac) + 2aAbx + 2bcCx^5 + c^2Cx^6) dx$$

↓ 2009

$$\frac{1}{3}x^3(a^2C + A(2ac + b^2)) + a^2Ax + \frac{1}{5}x^5(C(2ac + b^2) + Ac^2) + \frac{1}{2}bx^4(aC + Ac) + aAbx^2 + \frac{1}{3}bcCx^6 + \frac{1}{7}c^2Cx^7$$

input `Int[(a + b*x + c*x^2)^2*(A + C*x^2), x]`

output `a^2*A*x + a*A*b*x^2 + ((A*(b^2 + 2*a*c) + a^2*C)*x^3)/3 + (b*(A*c + a*C)*x^4)/2 + ((A*c^2 + (b^2 + 2*a*c)*C)*x^5)/5 + (b*c*C*x^6)/3 + (c^2*C*x^7)/7`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.30 (sec) , antiderivative size = 90, normalized size of antiderivative = 0.94

method	result
default	$\frac{c^2 C x^7}{7} + \frac{bc C x^6}{3} + \frac{(A c^2 + (2ac + b^2)C)x^5}{5} + \frac{(2Abc + 2Cab)x^4}{4} + \frac{(A(2ac + b^2) + C a^2)x^3}{3} + abA x^2 + a^2 Ax$
norman	$\frac{c^2 C x^7}{7} + \frac{bc C x^6}{3} + \left(\frac{1}{5} A c^2 + \frac{2}{5} ac C + \frac{1}{5} b^2 C\right) x^5 + \left(\frac{1}{2} Abc + \frac{1}{2} Cab\right) x^4 + \left(\frac{2}{3} Aac + \frac{1}{3} b^2 A + \frac{1}{3} C a^2\right) x^3 + abA x^2 + a^2 Ax$
gosper	$\frac{1}{7} c^2 C x^7 + \frac{1}{3} bc C x^6 + \frac{1}{5} A c^2 x^5 + \frac{2}{5} x^5 ac C + \frac{1}{5} x^5 b^2 C + \frac{1}{2} x^4 Abc + \frac{1}{2} x^4 Cab + \frac{2}{3} aAc x^3 + \frac{1}{3} A a^2 x^2 + abA x + a^2 Ax$
risch	$\frac{1}{7} c^2 C x^7 + \frac{1}{3} bc C x^6 + \frac{1}{5} A c^2 x^5 + \frac{2}{5} x^5 ac C + \frac{1}{5} x^5 b^2 C + \frac{1}{2} x^4 Abc + \frac{1}{2} x^4 Cab + \frac{2}{3} aAc x^3 + \frac{1}{3} A a^2 x^2 + abA x + a^2 Ax$
paralelrisch	$\frac{1}{7} c^2 C x^7 + \frac{1}{3} bc C x^6 + \frac{1}{5} A c^2 x^5 + \frac{2}{5} x^5 ac C + \frac{1}{5} x^5 b^2 C + \frac{1}{2} x^4 Abc + \frac{1}{2} x^4 Cab + \frac{2}{3} aAc x^3 + \frac{1}{3} A a^2 x^2 + abA x + a^2 Ax$
orering	$\frac{x(30C^2 c^2 x^6 + 70bc C x^5 + 42x^4 A c^2 + 84Cac x^4 + 42C b^2 x^4 + 105x^3 Abc + 105Cab x^3 + 140Aac x^2 + 70x^2 b^2 A + 70C a^2 x^2 + 210abA x + a^3 x^2)}{210}$

input `int((c*x^2+b*x+a)^2*(C*x^2+A),x,method=_RETURNVERBOSE)`

output `1/7*c^2*C*x^7+1/3*b*c*C*x^6+1/5*(A*c^2+(2*a*c+b^2)*C)*x^5+1/4*(2*A*b*c+2*C*a*b)*x^4+1/3*(A*(2*a*c+b^2)+C*a^2)*x^3+a*b*A*x^2+a^2*A*x`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 87, normalized size of antiderivative = 0.91

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx = \frac{1}{7} Cc^2 x^7 + \frac{1}{3} Cbcx^6 + \frac{1}{5} (Cb^2 + 2Cac + Ac^2)x^5 + Aabx^2 + \frac{1}{2} (Cab + Abc)x^4 + Aa^2x + \frac{1}{3} (Ca^2 + Ab^2 + 2Aac)x^3$$

input `integrate((c*x^2+b*x+a)^2*(C*x^2+A),x, algorithm="fricas")`

output $\frac{1}{7}C^2c^2x^7 + \frac{1}{3}C^2b^2cx^6 + \frac{1}{5}(C^2b^2 + 2C^2a^2c + A^2c^2)x^5 + A^2a^2bx^4 + \frac{1}{2}(C^2a^2b + A^2b^2c)x^3 + A^2a^2x^2 + \frac{1}{3}(C^2a^2 + A^2b^2 + 2A^2a^2c)x$

Sympy [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 102, normalized size of antiderivative = 1.06

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx = Aa^2x + Aabx^2 + \frac{Cbcx^6}{3} + \frac{C^2x^7}{7} + x^5 \left(\frac{Ac^2}{5} + \frac{2Cac}{5} + \frac{Cb^2}{5} \right) + x^4 \left(\frac{Abc}{2} + \frac{Cab}{2} \right) + x^3 \cdot \left(\frac{2Aac}{3} + \frac{Ab^2}{3} + \frac{Ca^2}{3} \right)$$

input `integrate((c*x**2+b*x+a)**2*(C*x**2+A),x)`

output $A^2a^2x + A^2a^2bx^2 + \frac{C^2b^2cx^6}{3} + \frac{C^2c^2x^7}{7} + x^5(A^2c^2/5 + 2C^2a^2c/5 + C^2b^2/5) + x^4(A^2b^2c/2 + C^2a^2b/2) + x^3(2A^2a^2c/3 + A^2b^2/3 + C^2a^2/3)$

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 87, normalized size of antiderivative = 0.91

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx = \frac{1}{7}C^2x^7 + \frac{1}{3}Cbcx^6 + \frac{1}{5}(Cb^2 + 2Cac + A^2c^2)x^5 + Aabx^2 + \frac{1}{2}(Cab + Abc)x^4 + Aa^2x + \frac{1}{3}(Ca^2 + Ab^2 + 2Aac)x^3$$

input `integrate((c*x^2+b*x+a)^2*(C*x^2+A),x, algorithm="maxima")`

output

$$\frac{1}{7}C^2c^2x^7 + \frac{1}{3}C^2bcx^6 + \frac{1}{5}(C^2b^2 + 2C^2ac + A^2c^2)x^5 + A^2abx^4 + \frac{1}{2}(C^2ab + A^2bc)x^4 + A^2a^2x^3 + \frac{1}{3}(C^2a^2 + A^2b^2 + 2A^2ac)x^3$$
Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.03

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx = \frac{1}{7}C^2c^2x^7 + \frac{1}{3}C^2bcx^6 + \frac{1}{5}C^2b^2x^5 + \frac{2}{5}C^2acx^5 + \frac{1}{5}A^2c^2x^5 + \frac{1}{2}C^2abx^4 + \frac{1}{2}A^2bcx^4 + \frac{1}{3}C^2a^2x^3 + \frac{1}{3}A^2b^2x^3 + \frac{2}{3}A^2acx^3 + A^2abx^2 + A^2a^2x$$

input

```
integrate((c*x^2+b*x+a)^2*(C*x^2+A),x, algorithm="giac")
```

output

$$\frac{1}{7}C^2c^2x^7 + \frac{1}{3}C^2b^2cx^6 + \frac{1}{5}C^2b^2x^5 + \frac{2}{5}C^2acx^5 + \frac{1}{5}A^2c^2x^5 + \frac{1}{2}C^2a^2bx^4 + \frac{1}{2}A^2b^2cx^4 + \frac{1}{3}C^2a^2x^3 + \frac{1}{3}A^2b^2x^3 + \frac{2}{3}A^2acx^3 + A^2abx^2 + A^2a^2x$$
Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.92

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx = x^3 \left(\frac{C a^2}{3} + \frac{2 A c a}{3} + \frac{A b^2}{3} \right) + x^5 \left(\frac{C b^2}{5} + \frac{A c^2}{5} + \frac{2 C a c}{5} \right) + \frac{C c^2 x^7}{7} + A a^2 x + \frac{b x^4 (A c + C a)}{2} + A a b x^2 + \frac{C b c x^6}{3}$$

input

```
int((A + C*x^2)*(a + b*x + c*x^2)^2,x)
```

output

```
x^3*((A*b^2)/3 + (C*a^2)/3 + (2*A*a*c)/3) + x^5*((A*c^2)/5 + (C*b^2)/5 + (2*C*a*c)/5) + (C*c^2*x^7)/7 + A*a^2*x + (b*x^4*(A*c + C*a))/2 + A*a*b*x^2 + (C*b*c*x^6)/3
```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 77, normalized size of antiderivative = 0.80

$$\int (a + bx + cx^2)^2 (A + Cx^2) dx$$

$$= \frac{x(15c^3x^6 + 35bc^2x^5 + 63ac^2x^4 + 21b^2cx^4 + 105abcx^3 + 105a^2cx^2 + 35ab^2x^2 + 105a^2bx + 105a^3)}{105}$$

input

```
int((c*x^2+b*x+a)^2*(C*x^2+A),x)
```

output

```
(x*(105*a**3 + 105*a**2*b*x + 105*a**2*c*x**2 + 35*a*b**2*x**2 + 105*a*b*c*x**3 + 63*a*c**2*x**4 + 21*b**2*c*x**4 + 35*b*c**2*x**5 + 15*c**3*x**6))/105
```

3.6 $\int (a + bx + cx^2) (A + Cx^2) dx$

Optimal result	85
Mathematica [A] (verified)	85
Rubi [A] (verified)	86
Maple [A] (verified)	87
Fricas [A] (verification not implemented)	87
Sympy [A] (verification not implemented)	88
Maxima [A] (verification not implemented)	88
Giac [A] (verification not implemented)	88
Mupad [B] (verification not implemented)	89
Reduce [B] (verification not implemented)	89

Optimal result

Integrand size = 18, antiderivative size = 46

$$\int (a + bx + cx^2) (A + Cx^2) dx = aAx + \frac{1}{2}Abx^2 + \frac{1}{3}(Ac + aC)x^3 + \frac{1}{4}bCx^4 + \frac{1}{5}cCx^5$$

output `a*A*x+1/2*A*b*x^2+1/3*(A*c+C*a)*x^3+1/4*b*C*x^4+1/5*c*C*x^5`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.00

$$\int (a + bx + cx^2) (A + Cx^2) dx = aAx + \frac{1}{2}Abx^2 + \frac{1}{3}(Ac + aC)x^3 + \frac{1}{4}bCx^4 + \frac{1}{5}cCx^5$$

input `Integrate[(a + b*x + c*x^2)*(A + C*x^2),x]`

output `a*A*x + (A*b*x^2)/2 + ((A*c + a*C)*x^3)/3 + (b*C*x^4)/4 + (c*C*x^5)/5`

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2) dx$$

$$\downarrow \text{2188}$$

$$\int (x^2(aC + Ac) + aA + Abx + bCx^3 + cCx^4) dx$$

$$\downarrow \text{2009}$$

$$\frac{1}{3}x^3(aC + Ac) + aAx + \frac{1}{2}Abx^2 + \frac{1}{4}bCx^4 + \frac{1}{5}cCx^5$$

input `Int[(a + b*x + c*x^2)*(A + C*x^2),x]`

output `a*A*x + (A*b*x^2)/2 + ((A*c + a*C)*x^3)/3 + (b*C*x^4)/4 + (c*C*x^5)/5`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 0.41 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.85

method	result	size
default	$aAx + \frac{Abx^2}{2} + \frac{(Ac+Ca)x^3}{3} + \frac{bCx^4}{4} + \frac{Cx^5c}{5}$	39
norman	$\frac{Cx^5c}{5} + \frac{bCx^4}{4} + \left(\frac{Ac}{3} + \frac{Ca}{3}\right)x^3 + \frac{Abx^2}{2} + aAx$	40
gospers	$\frac{1}{5}Cx^5c + \frac{1}{4}bCx^4 + \frac{1}{3}Acx^3 + \frac{1}{3}Cax^3 + \frac{1}{2}Abx^2 + aAx$	41
risch	$\frac{1}{5}Cx^5c + \frac{1}{4}bCx^4 + \frac{1}{3}Acx^3 + \frac{1}{3}Cax^3 + \frac{1}{2}Abx^2 + aAx$	41
parallelrisch	$\frac{1}{5}Cx^5c + \frac{1}{4}bCx^4 + \frac{1}{3}Acx^3 + \frac{1}{3}Cax^3 + \frac{1}{2}Abx^2 + aAx$	41
orering	$\frac{x(12Cc^4+15Cb^3+20Acx^2+20Cax^2+30Abx+60Aa)}{60}$	42

input `int((c*x^2+b*x+a)*(C*x^2+A),x,method=_RETURNVERBOSE)`

output `a*A*x+1/2*A*b*x^2+1/3*(A*c+C*a)*x^3+1/4*b*C*x^4+1/5*C*x^5*c`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.83

$$\int (a + bx + cx^2) (A + Cx^2) dx = \frac{1}{5} Ccx^5 + \frac{1}{4} Cbx^4 + \frac{1}{2} Abx^2 + \frac{1}{3} (Ca + Ac)x^3 + Aax$$

input `integrate((c*x^2+b*x+a)*(C*x^2+A),x, algorithm="fricas")`

output `1/5*C*c*x^5 + 1/4*C*b*x^4 + 1/2*A*b*x^2 + 1/3*(C*a + A*c)*x^3 + A*a*x`

Sympy [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.91

$$\int (a + bx + cx^2) (A + Cx^2) dx = Aax + \frac{Abx^2}{2} + \frac{Cbx^4}{4} + \frac{Ccx^5}{5} + x^3 \left(\frac{Ac}{3} + \frac{Ca}{3} \right)$$

input `integrate((c*x**2+b*x+a)*(C*x**2+A),x)`output `A*a*x + A*b*x**2/2 + C*b*x**4/4 + C*c*x**5/5 + x**3*(A*c/3 + C*a/3)`**Maxima [A] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.83

$$\int (a + bx + cx^2) (A + Cx^2) dx = \frac{1}{5} Ccx^5 + \frac{1}{4} Cbx^4 + \frac{1}{2} Abx^2 + \frac{1}{3} (Ca + Ac)x^3 + Aax$$

input `integrate((c*x^2+b*x+a)*(C*x^2+A),x, algorithm="maxima")`output `1/5*C*c*x^5 + 1/4*C*b*x^4 + 1/2*A*b*x^2 + 1/3*(C*a + A*c)*x^3 + A*a*x`**Giac [A] (verification not implemented)**

Time = 0.34 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.87

$$\int (a + bx + cx^2) (A + Cx^2) dx = \frac{1}{5} Ccx^5 + \frac{1}{4} Cbx^4 + \frac{1}{3} Cax^3 + \frac{1}{3} Acx^3 + \frac{1}{2} Abx^2 + Aax$$

input `integrate((c*x^2+b*x+a)*(C*x^2+A),x, algorithm="giac")`output `1/5*C*c*x^5 + 1/4*C*b*x^4 + 1/3*C*a*x^3 + 1/3*A*c*x^3 + 1/2*A*b*x^2 + A*a*x`

Mupad [B] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.85

$$\int (a + bx + cx^2) (A + Cx^2) dx = \frac{Ccx^5}{5} + \frac{Cbx^4}{4} + \left(\frac{Ac}{3} + \frac{Ca}{3}\right)x^3 + \frac{Abx^2}{2} + Aax$$

input `int((A + C*x^2)*(a + b*x + c*x^2),x)`

output `x^3*((A*c)/3 + (C*a)/3) + A*a*x + (A*b*x^2)/2 + (C*b*x^4)/4 + (C*c*x^5)/5`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.78

$$\int (a + bx + cx^2) (A + Cx^2) dx = \frac{x(12c^2x^4 + 15bcx^3 + 40acx^2 + 30abx + 60a^2)}{60}$$

input `int((c*x^2+b*x+a)*(C*x^2+A),x)`

output `(x*(60*a**2 + 30*a*b*x + 40*a*c*x**2 + 15*b*c*x**3 + 12*c**2*x**4))/60`

3.7 $\int \frac{A+Cx^2}{a+bx+cx^2} dx$

Optimal result	90
Mathematica [A] (verified)	90
Rubi [A] (verified)	91
Maple [A] (verified)	92
Fricas [A] (verification not implemented)	92
Sympy [B] (verification not implemented)	93
Maxima [F(-2)]	94
Giac [A] (verification not implemented)	94
Mupad [B] (verification not implemented)	95
Reduce [B] (verification not implemented)	95

Optimal result

Integrand size = 20, antiderivative size = 81

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{Cx}{c} - \frac{(2Ac^2 + (b^2 - 2ac)C) \operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{c^2\sqrt{b^2-4ac}} - \frac{bC \log(a + bx + cx^2)}{2c^2}$$

output

```
C*x/c-(2*A*c^2+(-2*a*c+b^2)*C)*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/c^2/(-4*a*c+b^2)^(1/2)-1/2*b*C*ln(c*x^2+b*x+a)/c^2
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.04

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{Cx}{c} + \frac{(2Ac^2 + b^2C - 2acC) \operatorname{arctan}\left(\frac{b+2cx}{\sqrt{-b^2+4ac}}\right)}{c^2\sqrt{-b^2+4ac}} - \frac{bC \log(a + bx + cx^2)}{2c^2}$$

input

```
Integrate[(A + C*x^2)/(a + b*x + c*x^2),x]
```

output

$$(C*x)/c + ((2*A*c^2 + b^2*C - 2*a*c*C)*ArcTan[(b + 2*c*x)/Sqrt[-b^2 + 4*a*c]])/(c^2*Sqrt[-b^2 + 4*a*c]) - (b*C*Log[a + b*x + c*x^2])/(2*c^2)$$

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx$$

↓ 2188

$$\int \left(\frac{-aC + Ac - bCx}{c(a + bx + cx^2)} + \frac{C}{c} \right) dx$$

↓ 2009

$$-\frac{(C(b^2 - 2ac) + 2Ac^2) \operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) - bC \log(a + bx + cx^2)}{c^2\sqrt{b^2 - 4ac}} + \frac{Cx}{c}$$

input

$$\text{Int}[(A + C*x^2)/(a + b*x + c*x^2), x]$$

output

$$(C*x)/c - ((2*A*c^2 + (b^2 - 2*a*c)*C)*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]])/(c^2*Sqrt[b^2 - 4*a*c]) - (b*C*Log[a + b*x + c*x^2])/(2*c^2)$$

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.61 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.01

method	result
default	$\frac{Cx}{c} + \frac{-\frac{Cb \ln(cx^2+bx+a)}{2c} + \frac{2\left(Ac-Ca + \frac{Cb^2}{2c} \right) \arctan\left(\frac{2cx+b}{\sqrt{4ac-b^2}} \right)}{c\sqrt{4ac-b^2}}$
risch	$\frac{Cx}{c} - \frac{2 \ln\left(8Aa c^3 - 2A b^2 c^2 - 8C a^2 c^2 + 6C a b^2 c - C b^4 - 2\sqrt{-(4ac-b^2)(2A c^2 - 2acC + b^2 C)^2} cx - \sqrt{-(4ac-b^2)(2A c^2 - 2acC + b^2 C)} \right)}{c(4ac-b^2)}$

input `int((C*x^2+A)/(c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output `C*x/c+1/c*(-1/2*C*b/c*ln(c*x^2+b*x+a)+2*(A*c-C*a+1/2*C*b^2/c)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2)))`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 265, normalized size of antiderivative = 3.27

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx$$

$$= \frac{\left[(Cb^2 - 2Cac + 2Ac^2)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^2 + 2bcx + b^2 - 2ac - \sqrt{b^2 - 4ac}(2cx+b)}{cx^2 + bx + a} \right) + 2(Cb^2c - 4Cac^2)x - (Cb^3 - 4Cac^2) \right]}{2(b^2c^2 - 4ac^3)}$$

$$- \frac{2(Cb^2 - 2Cac + 2Ac^2)\sqrt{-b^2 + 4ac} \arctan\left(-\frac{\sqrt{-b^2 + 4ac}(2cx+b)}{b^2 - 4ac} \right) - 2(Cb^2c - 4Cac^2)x + (Cb^3 - 4Cac^2)}{2(b^2c^2 - 4ac^3)}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a),x, algorithm="fricas")`

output `[1/2*((C*b^2 - 2*C*a*c + 2*A*c^2)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^2 + 2*b*c*x + b^2 - 2*a*c - sqrt(b^2 - 4*a*c)*(2*c*x + b))/(c*x^2 + b*x + a)) + 2*(C*b^2*c - 4*C*a*c^2)*x - (C*b^3 - 4*C*a*b*c)*log(c*x^2 + b*x + a)/(b^2*c^2 - 4*a*c^3), -1/2*(2*(C*b^2 - 2*C*a*c + 2*A*c^2)*sqrt(-b^2 + 4*a*c)*arctan(-sqrt(-b^2 + 4*a*c)*(2*c*x + b)/(b^2 - 4*a*c)) - 2*(C*b^2*c - 4*C*a*c^2)*x + (C*b^3 - 4*C*a*b*c)*log(c*x^2 + b*x + a)/(b^2*c^2 - 4*a*c^3)]`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 413 vs. $2(76) = 152$.

Time = 0.63 (sec) , antiderivative size = 413, normalized size of antiderivative = 5.10

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{Cx}{c} + \left(-\frac{Cb}{2c^2} - \frac{\sqrt{-4ac + b^2}(-2Ac^2 + 2Cac - Cb^2)}{2c^2 \cdot (4ac - b^2)} \right) \log \left(x + \frac{-Abc - Cab - 4ac^2 \left(-\frac{Cb}{2c^2} - \frac{\sqrt{-4ac + b^2}(-2Ac^2 + 2Cac - Cb^2)}{2c^2 \cdot (4ac - b^2)} \right)}{-2Ac^2 + 2Cac} \right) + \left(-\frac{Cb}{2c^2} + \frac{\sqrt{-4ac + b^2}(-2Ac^2 + 2Cac - Cb^2)}{2c^2 \cdot (4ac - b^2)} \right) \log \left(x + \frac{-Abc - Cab - 4ac^2 \left(-\frac{Cb}{2c^2} + \frac{\sqrt{-4ac + b^2}(-2Ac^2 + 2Cac - Cb^2)}{2c^2 \cdot (4ac - b^2)} \right)}{-2Ac^2 + 2Cac} \right)$$

input `integrate((C*x**2+A)/(c*x**2+b*x+a),x)`

output

```
C*x/c + (-C*b/(2*c**2) - sqrt(-4*a*c + b**2)*(-2*A*c**2 + 2*C*a*c - C*b**2)
)/(2*c**2*(4*a*c - b**2))*log(x + (-A*b*c - C*a*b - 4*a*c**2*(-C*b/(2*c**
2) - sqrt(-4*a*c + b**2)*(-2*A*c**2 + 2*C*a*c - C*b**2)/(2*c**2*(4*a*c - b
**2))) + b**2*c*(-C*b/(2*c**2) - sqrt(-4*a*c + b**2)*(-2*A*c**2 + 2*C*a*c
- C*b**2)/(2*c**2*(4*a*c - b**2))))/(-2*A*c**2 + 2*C*a*c - C*b**2)) + (-C*
b/(2*c**2) + sqrt(-4*a*c + b**2)*(-2*A*c**2 + 2*C*a*c - C*b**2)/(2*c**2*(4
*a*c - b**2))*log(x + (-A*b*c - C*a*b - 4*a*c**2*(-C*b/(2*c**2) + sqrt(-4
*a*c + b**2)*(-2*A*c**2 + 2*C*a*c - C*b**2)/(2*c**2*(4*a*c - b**2))) + b**
2*c*(-C*b/(2*c**2) + sqrt(-4*a*c + b**2)*(-2*A*c**2 + 2*C*a*c - C*b**2)/(2
*c**2*(4*a*c - b**2))))/(-2*A*c**2 + 2*C*a*c - C*b**2))
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \text{Exception raised: ValueError}$$

input

```
integrate((C*x^2+A)/(c*x^2+b*x+a),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```

Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.96

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{Cx}{c} - \frac{Cb \log(cx^2 + bx + a)}{2c^2} + \frac{(Cb^2 - 2Cac + 2Ac^2) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{\sqrt{-b^2+4ac}^2}$$

input

```
integrate((C*x^2+A)/(c*x^2+b*x+a),x, algorithm="giac")
```

output $Cx/c - 1/2Cb \log(cx^2 + bx + a)/c^2 + (Cb^2 - 2Ca^2c + 2A^2c^2) \operatorname{atan}\left(\frac{2cx + b}{\sqrt{-b^2 + 4ac}}\right) / (\sqrt{-b^2 + 4ac})c^2$

Mupad [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 224, normalized size of antiderivative = 2.77

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{2A \operatorname{atan}\left(\frac{b}{\sqrt{4ac - b^2}} + \frac{2cx}{\sqrt{4ac - b^2}}\right)}{\sqrt{4ac - b^2}} + \frac{Cx}{c} + \frac{Cb^3 \ln(cx^2 + bx + a)}{2(4ac^3 - b^2c^2)} - \frac{2Ca \operatorname{atan}\left(\frac{b}{\sqrt{4ac - b^2}} + \frac{2cx}{\sqrt{4ac - b^2}}\right)}{c\sqrt{4ac - b^2}} + \frac{Cb^2 \operatorname{atan}\left(\frac{b}{\sqrt{4ac - b^2}} + \frac{2cx}{\sqrt{4ac - b^2}}\right)}{c^2\sqrt{4ac - b^2}} - \frac{2Cabc \ln(cx^2 + bx + a)}{4ac^3 - b^2c^2}$$

input $\operatorname{int}((A + Cx^2)/(a + bx + cx^2), x)$

output $(2A \operatorname{atan}(b/(4ac - b^2)^{1/2} + (2cx)/(4ac - b^2)^{1/2})) / (4ac - b^2)^{1/2} + (Cx)/c + (Cb^3 \log(a + bx + cx^2)) / (2(4ac^3 - b^2c^2)) - (2Ca \operatorname{atan}(b/(4ac - b^2)^{1/2} + (2cx)/(4ac - b^2)^{1/2})) / (c(4ac - b^2)^{1/2}) + (Cb^2 \operatorname{atan}(b/(4ac - b^2)^{1/2} + (2cx)/(4ac - b^2)^{1/2})) / (c^2(4ac - b^2)^{1/2}) - (2Cabc \log(a + bx + cx^2)) / (4ac^3 - b^2c^2)$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.23

$$\int \frac{A + Cx^2}{a + bx + cx^2} dx = \frac{2\sqrt{4ac - b^2} \operatorname{atan}\left(\frac{2cx + b}{\sqrt{4ac - b^2}}\right) b^2 - 4 \log(cx^2 + bx + a) abc + \log(cx^2 + bx + a) b^3 + 8ac^2x - 2b^2cx}{2c(4ac - b^2)}$$

input $\operatorname{int}((Cx^2 + A)/(cx^2 + bx + a), x)$

output

```
(2*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**2 - 4*log(a
+ b*x + c*x**2)*a*b*c + log(a + b*x + c*x**2)*b**3 + 8*a*c**2*x - 2*b**2*c
*x)/(2*c*(4*a*c - b**2))
```

3.8 $\int \frac{A+Cx^2}{(a+bx+cx^2)^2} dx$

Optimal result	97
Mathematica [A] (verified)	97
Rubi [A] (verified)	98
Maple [A] (verified)	100
Fricas [B] (verification not implemented)	100
Sympy [B] (verification not implemented)	101
Maxima [F(-2)]	102
Giac [A] (verification not implemented)	102
Mupad [B] (verification not implemented)	103
Reduce [B] (verification not implemented)	103

Optimal result

Integrand size = 20, antiderivative size = 98

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = -\frac{b(Ac + aC) + (2Ac^2 + (b^2 - 2ac)C)x}{c(b^2 - 4ac)(a + bx + cx^2)} + \frac{4(Ac + aC)\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{3/2}}$$

output

```
-(b*(A*c+C*a)+(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)+4*(A*c+C*a)*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/(-4*a*c+b^2)^(3/2)
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.00

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = \frac{b^2Cx + aC(b - 2cx) + Ac(b + 2cx)}{c(-b^2 + 4ac)(a + x(b + cx))} + \frac{4(Ac + aC)\arctan\left(\frac{b+2cx}{\sqrt{-b^2+4ac}}\right)}{(-b^2 + 4ac)^{3/2}}$$

input

```
Integrate[(A + C*x^2)/(a + b*x + c*x^2)^2,x]
```

output

$$\frac{(b^2 C x + a C (b - 2 c x) + A c (b + 2 c x)) / (c (-b^2 + 4 a c) (a + x (b + c x))) + (4 (A c + a C) \operatorname{ArcTan}[(b + 2 c x) / \operatorname{Sqrt}[-b^2 + 4 a c]]) / (-b^2 + 4 a c)^{3/2}}$$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.02, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2191, 27, 1083, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx \\ & \quad \downarrow \text{2191} \\ & - \frac{\int \frac{2(Ac + aC)}{cx^2 + bx + a} dx}{b^2 - 4ac} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{c(b^2 - 4ac)(a + bx + cx^2)} \\ & \quad \downarrow \text{27} \\ & - \frac{2(aC + Ac) \int \frac{1}{cx^2 + bx + a} dx}{b^2 - 4ac} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{c(b^2 - 4ac)(a + bx + cx^2)} \\ & \quad \downarrow \text{1083} \\ & \frac{4(aC + Ac) \int \frac{1}{b^2 - (b + 2cx)^2 - 4ac} d(b + 2cx)}{b^2 - 4ac} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{c(b^2 - 4ac)(a + bx + cx^2)} \\ & \quad \downarrow \text{219} \\ & \frac{4(aC + Ac) \operatorname{arctanh}\left(\frac{b + 2cx}{\sqrt{b^2 - 4ac}}\right)}{(b^2 - 4ac)^{3/2}} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{c(b^2 - 4ac)(a + bx + cx^2)} \end{aligned}$$

input

$$\operatorname{Int}[(A + Cx^2)/(a + bx + cx^2)^2, x]$$

output

$$-\left(\frac{b^2 c (A + (a^2 C)/c) + (2 A^2 c^2 + (b^2 - 2 a^2 c) C) x}{c (b^2 - 4 a^2 c) (a + b x + c x^2)}\right) + \frac{4 (A^2 c + a^2 C) \operatorname{ArcTanh}\left[\frac{b + 2 c x}{\sqrt{b^2 - 4 a^2 c}}\right]}{(b^2 - 4 a^2 c)^{3/2}}$$

Definitions of rubi rules used

rule 27

$$\operatorname{Int}[(a_*)(F x_), x_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F x, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!MatchQ}[F x, (b_*)(G x_)] /; \operatorname{FreeQ}[b, x]$$

rule 219

$$\operatorname{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(1/(\operatorname{Rt}[a, 2] \operatorname{Rt}[-b, 2])) * \operatorname{ArcTanh}[\operatorname{Rt}[-b, 2] (x/\operatorname{Rt}[a, 2])], x] /; \operatorname{FreeQ}[\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{GtQ}[a, 0] \operatorname{||} \operatorname{LtQ}[b, 0])$$

rule 1083

$$\operatorname{Int}[(a_*) + (b_*)(x_) + (c_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[-2 \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Simp}[b^2 - 4 a^2 c - x^2, x], x], x, b + 2 c x], x] /; \operatorname{FreeQ}[\{a, b, c\}, x]$$

rule 2191

$$\operatorname{Int}[(P q_*)((a_*) + (b_*)(x_) + (c_*)(x_)^2)^p], x_Symbol] \rightarrow \operatorname{With}[\{Q = \operatorname{PolynomialQuotient}[P q, a + b x + c x^2, x], f = \operatorname{Coeff}[\operatorname{PolynomialRemainder}[P q, a + b x + c x^2, x], x, 0], g = \operatorname{Coeff}[\operatorname{PolynomialRemainder}[P q, a + b x + c x^2, x], x, 1]\}, \operatorname{Simp}[(b f - 2 a g + (2 c f - b g) x) (a + b x + c x^2)^{p+1} / ((p+1) (b^2 - 4 a^2 c)), x] + \operatorname{Simp}[1 / ((p+1) (b^2 - 4 a^2 c)) \operatorname{Int}[(a + b x + c x^2)^{p+1} \operatorname{ExpandToSum}[(p+1) (b^2 - 4 a^2 c) Q - (2 p + 3) (2 c f - b g), x], x]] /; \operatorname{FreeQ}[\{a, b, c\}, x] \&\& \operatorname{PolyQ}[P q, x] \&\& \operatorname{NeQ}[b^2 - 4 a^2 c, 0] \&\& \operatorname{LtQ}[p, -1]$$

Maple [A] (verified)

Time = 1.43 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.17

method	result
default	$\frac{\frac{(2Ac^2-2acC+b^2C)x}{(4ac-b^2)c} + \frac{b(Ac+Ca)}{c(4ac-b^2)}}{cx^2+bx+a} + \frac{4(Ac+Ca) \arctan\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right)}{(4ac-b^2)^{\frac{3}{2}}}$
risch	$\frac{\frac{(2Ac^2-2acC+b^2C)x}{(4ac-b^2)c} + \frac{b(Ac+Ca)}{c(4ac-b^2)}}{cx^2+bx+a} + \frac{2 \ln\left((-8ac^2+2b^2c)x+(-4ac+b^2)^{\frac{3}{2}}-4abc+b^3\right)Ac}{(-4ac+b^2)^{\frac{3}{2}}} + \frac{2 \ln\left((-8ac^2+2b^2c)x+(-4ac+b^2)^{\frac{3}{2}}\right)}{(-4ac+b^2)^{\frac{3}{2}}}$

input `int((C*x^2+A)/(c*x^2+b*x+a)^2,x,method=_RETURNVERBOSE)`

output
$$\left(\frac{(2Ac^2-2acC+b^2C)x}{(4ac-b^2)c} + \frac{b(Ac+Ca)}{c(4ac-b^2)}\right) / (cx^2+bx+a) + 4(Ac+Ca) / (4ac-b^2)^{(3/2)} * \arctan\left(\frac{2cx+b}{(4ac-b^2)^{(1/2)}}\right)$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 245 vs. 2(94) = 188.

Time = 0.08 (sec) , antiderivative size = 511, normalized size of antiderivative = 5.21

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx$$

$$= \left[\frac{Cab^3 - 4Aabc^2 + 2(Ca^2c + Aac^2 + (Cac^2 + Ac^3)x^2 + (Cabc + Abc^2)x)\sqrt{b^2 - 4ac} \log\left(\frac{2c^2x^2 + 2bcx + b^2}{ab^4c - 8a^2b^2c^2 + 16a^3c^3 + (b^4c^2 - 8ab^2c^3 + 16a^2c^4)}\right)}{ab^4c - 8a^2b^2c^2 + 16a^3c^3 + (b^4c^2 - 8ab^2c^3 + 16a^2c^4)} \right. \\ \left. - \frac{Cab^3 - 4Aabc^2 - 4(Ca^2c + Aac^2 + (Cac^2 + Ac^3)x^2 + (Cabc + Abc^2)x)\sqrt{-b^2 + 4ac} \arctan\left(-\frac{\sqrt{-b^2 + 4ac}}{b^2 - 4ac}\right)}{ab^4c - 8a^2b^2c^2 + 16a^3c^3 + (b^4c^2 - 8ab^2c^3 + 16a^2c^4)} \right]$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^2,x, algorithm="fricas")`

output

```
[-(C*a*b^3 - 4*A*a*b*c^2 + 2*(C*a^2*c + A*a*c^2 + (C*a*c^2 + A*c^3)*x^2 +
(C*a*b*c + A*b*c^2)*x)*sqrt(b^2 - 4*a*c)*log((2*c^2*x^2 + 2*b*c*x + b^2 -
2*a*c - sqrt(b^2 - 4*a*c)*(2*c*x + b))/(c*x^2 + b*x + a)) - (4*C*a^2*b - A
*b^3)*c + (C*b^4 - 6*C*a*b^2*c - 8*A*a*c^3 + 2*(4*C*a^2 + A*b^2)*c^2)*x)/(
a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3 + (b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4
)*x^2 + (b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x), -(C*a*b^3 - 4*A*a*b*c^2 -
4*(C*a^2*c + A*a*c^2 + (C*a*c^2 + A*c^3)*x^2 + (C*a*b*c + A*b*c^2)*x)*sqr
t(-b^2 + 4*a*c)*arctan(-sqrt(-b^2 + 4*a*c)*(2*c*x + b)/(b^2 - 4*a*c)) - (4
*C*a^2*b - A*b^3)*c + (C*b^4 - 6*C*a*b^2*c - 8*A*a*c^3 + 2*(4*C*a^2 + A*b^
2)*c^2)*x)/(a*b^4*c - 8*a^2*b^2*c^2 + 16*a^3*c^3 + (b^4*c^2 - 8*a*b^2*c^3
+ 16*a^2*c^4)*x^2 + (b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x)]
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 376 vs. $2(90) = 180$.

Time = 0.60 (sec) , antiderivative size = 376, normalized size of antiderivative = 3.84

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = -2\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) \log\left(x + \frac{2Abc + 2Cab - 32a^2c^2\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) + 16ab^2c\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) - 2b^4\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca)}{4Ac^2 + 4Cac}\right) + 2\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) \log\left(x + \frac{2Abc + 2Cab + 32a^2c^2\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) - 16ab^2c\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca) + 2b^4\sqrt{-\frac{1}{(4ac - b^2)^3}}(Ac + Ca)}{4Ac^2 + 4Cac}\right) + \frac{Abc + Cab + x(2Ac^2 - 2Cac + Cb^2)}{4a^2c^2 - ab^2c + x^2 \cdot (4ac^3 - b^2c^2) + x(4abc^2 - b^3c)}$$

input

```
integrate((C*x**2+A)/(c*x**2+b*x+a)**2,x)
```

output

```
-2*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a)*log(x + (2*A*b*c + 2*C*a*b - 32*
a**2*c**2*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a) + 16*a*b**2*c*sqrt(-1/(4*
a*c - b**2)**3)*(A*c + C*a) - 2*b**4*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a
)))/(4*A*c**2 + 4*C*a*c)) + 2*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a)*log(x
+ (2*A*b*c + 2*C*a*b + 32*a**2*c**2*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a)
- 16*a*b**2*c*sqrt(-1/(4*a*c - b**2)**3)*(A*c + C*a) + 2*b**4*sqrt(-1/(4*
a*c - b**2)**3)*(A*c + C*a))/(4*A*c**2 + 4*C*a*c)) + (A*b*c + C*a*b + x*(2
*A*c**2 - 2*C*a*c + C*b**2))/(4*a**2*c**2 - a*b**2*c + x**2*(4*a*c**3 - b
*2*c**2) + x*(4*a*b*c**2 - b**3*c))
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = \text{Exception raised: ValueError}$$

input

```
integrate((C*x^2+A)/(c*x^2+b*x+a)^2,x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.10

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = -\frac{4(Ca + Ac) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(b^2 - 4ac)\sqrt{-b^2 + 4ac}} - \frac{Cb^2x - 2Cacx + 2Ac^2x + Cab + Abc}{(b^2c - 4ac^2)(cx^2 + bx + a)}$$

input

```
integrate((C*x^2+A)/(c*x^2+b*x+a)^2,x, algorithm="giac")
```

output

```
-4*(C*a + A*c)*arctan((2*c*x + b)/sqrt(-b^2 + 4*a*c))/((b^2 - 4*a*c)*sqrt(-b^2 + 4*a*c)) - (C*b^2*x - 2*C*a*c*x + 2*A*c^2*x + C*a*b + A*b*c)/((b^2*c - 4*a*c^2)*(c*x^2 + b*x + a))
```

Mupad [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.76

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = \frac{\frac{Abc + Cab}{c(4ac - b^2)} + \frac{x(Cb^2 + 2Ac^2 - 2Cac)}{c(4ac - b^2)}}{cx^2 + bx + a} - \frac{4 \operatorname{atan} \left(\frac{\left(\frac{2(Ac + Ca)(b^3 - 4abc)}{(4ac - b^2)^{5/2}} - \frac{4cx(Ac + Ca)}{(4ac - b^2)^{3/2}} \right) (4ac - b^2)}{2Ac + 2Ca} \right) (Ac + Ca)}{(4ac - b^2)^{3/2}}$$

input

```
int((A + C*x^2)/(a + b*x + c*x^2)^2,x)
```

output

```
((A*b*c + C*a*b)/(c*(4*a*c - b^2)) + (x*(2*A*c^2 + C*b^2 - 2*C*a*c))/(c*(4*a*c - b^2)))/(a + b*x + c*x^2) - (4*atan(((2*(A*c + C*a)*(b^3 - 4*a*b*c))/(4*a*c - b^2)^(5/2) - (4*c*x*(A*c + C*a))/(4*a*c - b^2)^(3/2))*(4*a*c - b^2))/(2*A*c + 2*C*a)*(A*c + C*a))/(4*a*c - b^2)^(3/2)
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 229, normalized size of antiderivative = 2.34

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^2} dx = \frac{8\sqrt{4ac - b^2} \operatorname{atan} \left(\frac{2cx + b}{\sqrt{4ac - b^2}} \right) a^2c + 8\sqrt{4ac - b^2} \operatorname{atan} \left(\frac{2cx + b}{\sqrt{4ac - b^2}} \right) abcx + 8\sqrt{4ac - b^2} \operatorname{atan} \left(\frac{2cx + b}{\sqrt{4ac - b^2}} \right) ac^2x^2 + 16a^2c^3x^2 - 8ab^2c^2x^2 + b^4cx^2 + 16a^2bc^2x - 8ab^3cx + b^5x + 16a^3c^2 - 8a^2b^2c}{(4ac - b^2)^{3/2}}$$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^2,x)
```


output

```
(8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*c + 8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b*c*x + 8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*c**2*x**2 + 4*a**2*b*c - a*b**3 - 4*a*b*c**2*x**2 + b**3*c*x**2)/(16*a**3*c**2 - 8*a**2*b**2*c + 16*a**2*b*c**2*x + 16*a**2*c**3*x**2 + a*b**4 - 8*a*b**3*c*x - 8*a*b**2*c**2*x**2 + b**5*x + b**4*c*x**2)
```

3.9 $\int \frac{A+Cx^2}{(a+bx+cx^2)^3} dx$

Optimal result	105
Mathematica [A] (verified)	106
Rubi [A] (verified)	106
Maple [A] (verified)	109
Fricas [B] (verification not implemented)	109
Sympy [B] (verification not implemented)	110
Maxima [F(-2)]	111
Giac [A] (verification not implemented)	112
Mupad [B] (verification not implemented)	112
Reduce [B] (verification not implemented)	113

Optimal result

Integrand size = 20, antiderivative size = 162

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = -\frac{b(Ac + aC) + (2Ac^2 + (b^2 - 2ac) C) x}{2c(b^2 - 4ac)(a + bx + cx^2)^2} + \frac{(6Ac^2 + (b^2 + 2ac) C)(b + 2cx)}{2c(b^2 - 4ac)^2(a + bx + cx^2)} - \frac{2(6Ac^2 + (b^2 + 2ac) C) \operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{(b^2 - 4ac)^{5/2}}$$

output

```
-1/2*(b*(A*c+C*a)+(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)
^2+1/2*(6*A*c^2+(2*a*c+b^2)*C)*(2*c*x+b)/c/(-4*a*c+b^2)^2/(c*x^2+b*x+a)-2*
(6*A*c^2+(2*a*c+b^2)*C)*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/(-4*a*c+b^2)
^(5/2)
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 160, normalized size of antiderivative = 0.99

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = \frac{1}{2} \left(\frac{(6Ac^2 + (b^2 + 2ac)C)(b + 2cx)}{c(b^2 - 4ac)^2(a + x(b + cx))} + \frac{b^2Cx + aC(b - 2cx) + Ac(b + 2cx)}{c(-b^2 + 4ac)(a + x(b + cx))^2} + \frac{4(6Ac^2 + (b^2 + 2ac)C) \arctan\left(\frac{b+2cx}{\sqrt{-b^2+4ac}}\right)}{(-b^2 + 4ac)^{5/2}} \right)$$

input `Integrate[(A + C*x^2)/(a + b*x + c*x^2)^3,x]`

output

```
((((6*A*c^2 + (b^2 + 2*a*c)*C)*(b + 2*c*x))/(c*(b^2 - 4*a*c)^2*(a + x*(b + c*x))) + (b^2*C*x + a*C*(b - 2*c*x) + A*c*(b + 2*c*x))/(c*(-b^2 + 4*a*c)*(a + x*(b + c*x))^2) + (4*(6*A*c^2 + (b^2 + 2*a*c)*C)*ArcTan[(b + 2*c*x)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(5/2))/2
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 158, normalized size of antiderivative = 0.98, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {2191, 27, 1086, 1083, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx$$

↓ 2191

$$-\frac{\int \frac{\frac{Cb^2}{c} + 6Ac + 2aC}{(cx^2 + bx + a)^2} dx}{2(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{2c(b^2 - 4ac)(a + bx + cx^2)^2}$$

↓ 27

$$\begin{aligned}
& \frac{\left(2aC + 6Ac + \frac{b^2C}{c}\right) \int \frac{1}{(cx^2+bx+a)^2} dx}{2(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{2c(b^2 - 4ac)(a + bx + cx^2)^2} \\
& \quad \downarrow \text{1086} \\
& \frac{\left(2aC + 6Ac + \frac{b^2C}{c}\right) \left(-\frac{2c \int \frac{1}{cx^2+bx+a} dx}{b^2-4ac} - \frac{b+2cx}{(b^2-4ac)(a+bx+cx^2)}\right)}{2(b^2 - 4ac)} - \\
& \quad \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{2c(b^2 - 4ac)(a + bx + cx^2)^2} \\
& \quad \downarrow \text{1083} \\
& \frac{\left(2aC + 6Ac + \frac{b^2C}{c}\right) \left(\frac{4c \int \frac{1}{b^2-(b+2cx)^2-4ac} d(b+2cx)}{b^2-4ac} - \frac{b+2cx}{(b^2-4ac)(a+bx+cx^2)}\right)}{2(b^2 - 4ac)} - \\
& \quad \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{2c(b^2 - 4ac)(a + bx + cx^2)^2} \\
& \quad \downarrow \text{219} \\
& \frac{\left(2aC + 6Ac + \frac{b^2C}{c}\right) \left(\frac{4c \operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{(b^2-4ac)^{3/2}} - \frac{b+2cx}{(b^2-4ac)(a+bx+cx^2)}\right)}{2(b^2 - 4ac)} - \\
& \quad \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{2c(b^2 - 4ac)(a + bx + cx^2)^2}
\end{aligned}$$

input `Int[(A + C*x^2)/(a + b*x + c*x^2)^3,x]`

output `-1/2*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x)/(c*(b^2 - 4*a*c)*(a + b*x + c*x^2)^2) - ((6*A*c + 2*a*C + (b^2*C)/c)*(-(b + 2*c*x)/((b^2 - 4*a*c)*(a + b*x + c*x^2)))) + (4*c*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2))/(2*(b^2 - 4*a*c))`

Definitions of rubi rules used

- rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 219 $\text{Int}[((a_) + (b_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$
- rule 1083 $\text{Int}[((a_) + (b_*)(x_) + (c_*)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[-2 \ \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}[\{a, b, c\}, x]$
- rule 1086 $\text{Int}[((a_.) + (b_.)(x_) + (c_.)(x_)^2)^{p_}, x_Symbol] \rightarrow \text{Simp}[(b + 2*c*x)*((a + b*x + c*x^2)^{(p+1})/((p+1)*(b^2 - 4*a*c))), x] - \text{Simp}[2*c*((2*p + 3)/((p+1)*(b^2 - 4*a*c))) \ \text{Int}[(a + b*x + c*x^2)^{(p+1)}, x], x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{ILtQ}[p, -1]$
- rule 2191 $\text{Int}[(Pq_)*((a_.) + (b_.)(x_) + (c_.)(x_)^2)^{p_}, x_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^{(p+1})/((p+1)*(b^2 - 4*a*c))), x] + \text{Simp}[1/((p+1)*(b^2 - 4*a*c)) \ \text{Int}[(a + b*x + c*x^2)^{(p+1)*\text{ExpandToSum}[(p+1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x}], x]] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1]$

Maple [A] (verified)

Time = 1.44 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.66

method	result
default	$\frac{\frac{c(6Ac^2+2acC+b^2C)x^3}{16a^2c^2-8cab^2+b^4} + \frac{3b(6Ac^2+2acC+b^2C)x^2}{2(16a^2c^2-8cab^2+b^4)} + \frac{(10Aac^2+2Ab^2c-2Ca^2c+5Cab^2)x}{16a^2c^2-8cab^2+b^4} + \frac{b(10Aac-b^2A+6Ca^2)}{32a^2c^2-16cab^2+2b^4}}{(cx^2+bx+a)^2} + \frac{2(6Ac^2+2acC+b^2C)}{(16a^2c^2-8cab^2+b^4)}$
risch	$\frac{\frac{c(6Ac^2+2acC+b^2C)x^3}{16a^2c^2-8cab^2+b^4} + \frac{3b(6Ac^2+2acC+b^2C)x^2}{2(16a^2c^2-8cab^2+b^4)} + \frac{(10Aac^2+2Ab^2c-2Ca^2c+5Cab^2)x}{16a^2c^2-8cab^2+b^4} + \frac{b(10Aac-b^2A+6Ca^2)}{32a^2c^2-16cab^2+2b^4}}{(cx^2+bx+a)^2} - \frac{6 \ln\left(\frac{32a^2c^3-16cab^2+2b^4}{(16a^2c^2-8cab^2+b^4)^2}\right)}{(16a^2c^2-8cab^2+b^4)}$

input `int((C*x^2+A)/(c*x^2+b*x+a)^3,x,method=_RETURNVERBOSE)`

output
$$\frac{c(6Ac^2+2acC+b^2C)x^3}{16a^2c^2-8cab^2+b^4} + \frac{3b(6Ac^2+2acC+b^2C)x^2}{2(16a^2c^2-8cab^2+b^4)} + \frac{(10Aac^2+2Ab^2c-2Ca^2c+5Cab^2)x}{16a^2c^2-8cab^2+b^4} + \frac{b(10Aac-b^2A+6Ca^2)}{32a^2c^2-16cab^2+2b^4} - \frac{6 \ln\left(\frac{32a^2c^3-16cab^2+2b^4}{(16a^2c^2-8cab^2+b^4)^2}\right)}{(16a^2c^2-8cab^2+b^4)}$$

Fricas [B] (verification not implemented)Leaf count of result is larger than twice the leaf count of optimal. 589 vs. $2(154) = 308$.

Time = 0.09 (sec) , antiderivative size = 1199, normalized size of antiderivative = 7.40

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = \text{Too large to display}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^3,x, algorithm="fricas")`

output

```
[1/2*(6*C*a^2*b^3 - A*b^5 - 40*A*a^2*b*c^2 + 2*(C*b^4*c - 2*C*a*b^2*c^2 -
24*A*a*c^4 - 2*(4*C*a^2 - 3*A*b^2)*c^3)*x^3 + 3*(C*b^5 - 2*C*a*b^3*c - 24*
A*a*b*c^3 - 2*(4*C*a^2*b - 3*A*b^3)*c^2)*x^2 + 2*(C*a^2*b^2 + 2*C*a^3*c +
6*A*a^2*c^2 + (C*b^2*c^2 + 2*C*a*c^3 + 6*A*c^4)*x^4 + 2*(C*b^3*c + 2*C*a*b
*c^2 + 6*A*b*c^3)*x^3 + (C*b^4 + 4*C*a*b^2*c + 12*A*a*c^3 + 2*(2*C*a^2 + 3
*A*b^2)*c^2)*x^2 + 2*(C*a*b^3 + 2*C*a^2*b*c + 6*A*a*b*c^2)*x)*sqrt(b^2 - 4
*a*c)*log((2*c^2*x^2 + 2*b*c*x + b^2 - 2*a*c - sqrt(b^2 - 4*a*c)*(2*c*x +
b))/(c*x^2 + b*x + a)) - 2*(12*C*a^3*b - 7*A*a*b^3)*c + 2*(5*C*a*b^4 - 40*
A*a^2*c^3 + 2*(4*C*a^3 + A*a*b^2)*c^2 - 2*(11*C*a^2*b^2 - A*b^4)*c)*x)/(a^
2*b^6 - 12*a^3*b^4*c + 48*a^4*b^2*c^2 - 64*a^5*c^3 + (b^6*c^2 - 12*a*b^4*c
^3 + 48*a^2*b^2*c^4 - 64*a^3*c^5)*x^4 + 2*(b^7*c - 12*a*b^5*c^2 + 48*a^2*b
^3*c^3 - 64*a^3*b*c^4)*x^3 + (b^8 - 10*a*b^6*c + 24*a^2*b^4*c^2 + 32*a^3*b
^2*c^3 - 128*a^4*c^4)*x^2 + 2*(a*b^7 - 12*a^2*b^5*c + 48*a^3*b^3*c^2 - 64*
a^4*b*c^3)*x), 1/2*(6*C*a^2*b^3 - A*b^5 - 40*A*a^2*b*c^2 + 2*(C*b^4*c - 2*
C*a*b^2*c^2 - 24*A*a*c^4 - 2*(4*C*a^2 - 3*A*b^2)*c^3)*x^3 + 3*(C*b^5 - 2*C
*a*b^3*c - 24*A*a*b*c^3 - 2*(4*C*a^2*b - 3*A*b^3)*c^2)*x^2 - 4*(C*a^2*b^2
+ 2*C*a^3*c + 6*A*a^2*c^2 + (C*b^2*c^2 + 2*C*a*c^3 + 6*A*c^4)*x^4 + 2*(C*b
^3*c + 2*C*a*b*c^2 + 6*A*b*c^3)*x^3 + (C*b^4 + 4*C*a*b^2*c + 12*A*a*c^3 +
2*(2*C*a^2 + 3*A*b^2)*c^2)*x^2 + 2*(C*a*b^3 + 2*C*a^2*b*c + 6*A*a*b*c^2)*x
)*sqrt(-b^2 + 4*a*c)*arctan(-sqrt(-b^2 + 4*a*c)*(2*c*x + b)/(b^2 - 4*a*...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 774 vs. $2(151) = 302$.

Time = 1.24 (sec) , antiderivative size = 774, normalized size of antiderivative = 4.78

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = -\sqrt{-\frac{1}{(4ac - b^2)^5}} \cdot (6Ac^2 + 2Cac + Cb^2) \log \left(x + \frac{6Abc^2 + 2Cabc + Cb^3 - 64a^3c^3 \sqrt{-\frac{1}{(4ac - b^2)^5}} \cdot (6Ac^2 + 2Cac + Cb^2) + 48a^2b^2c^2 \sqrt{-\frac{1}{(4ac - b^2)^5}}}{10Aabc - Ab^3 + 6Ca^2b + x^3 \cdot (12Ac^3 + 4Cac^2 + 2Cb^2c) + x^2 \cdot (18Abc^2 + 6Cabc + 3Cb^3)} \right) + \sqrt{-\frac{1}{(4ac - b^2)^5}} \cdot (6Ac^2 + 2Cac + Cb^2) \log \left(x + \frac{6Abc^2 + 2Cabc + Cb^3 + 64a^3c^3 \sqrt{-\frac{1}{(4ac - b^2)^5}} \cdot (6Ac^2 + 2Cac + Cb^2) - 48a^2b^2c^2 \sqrt{-\frac{1}{(4ac - b^2)^5}}}{32a^4c^2 - 16a^3b^2c + 2a^2b^4 + x^4 \cdot (32a^2c^4 - 16ab^2c^3 + 2b^4c^2) + x^3 \cdot (64a^2bc^3 - 32ab^3c^2 + 4b^5c) + x^2 \cdot (10Aabc - Ab^3 + 6Ca^2b + x^3 \cdot (12Ac^3 + 4Cac^2 + 2Cb^2c) + x^2 \cdot (18Abc^2 + 6Cabc + 3Cb^3))} \right)$$

input `integrate((C*x**2+A)/(c*x**2+b*x+a)**3,x)`

output

```
-sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2)*log(x + (6*A*b*c**2 + 2*C*a*b*c + C*b**3 - 64*a**3*c**3*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) + 48*a**2*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) - 12*a*b**4*c*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) + b**6*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2)))/(12*A*c**3 + 4*C*a*c**2 + 2*C*b**2*c)) + sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2)*log(x + (6*A*b*c**2 + 2*C*a*b*c + C*b**3 + 64*a**3*c**3*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) - 48*a**2*b**2*c**2*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) + 12*a*b**4*c*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2) - b**6*sqrt(-1/(4*a*c - b**2)**5)*(6*A*c**2 + 2*C*a*c + C*b**2)))/(12*A*c**3 + 4*C*a*c**2 + 2*C*b**2*c)) + (10*A*a*b*c - A*b**3 + 6*C*a**2*b + x**3*(12*A*c**3 + 4*C*a*c**2 + 2*C*b**2*c) + x**2*(18*A*b*c**2 + 6*C*a*b*c + 3*C*b**3) + x*(20*A*a*c**2 + 4*A*b**2*c - 4*C*a**2*c + 10*C*a*b**2))/(32*a**4*c**2 - 16*a**3*b**2*c + 2*a**2*b**4 + x**4*(32*a**2*c**4 - 16*a*b**2*c**3 + 2*b**4*c**2) + x**3*(64*a**2*b*c**3 - 32*a*b**3*c**2 + 4*b**5*c) + x**2*(64*a**3*c**3 - 12*a*b**4*c + 2*b**6) + x*(64*a**3*b*c**2 - 32*a**2*b**3*c + 4*a*b**5))
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^3,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta
```


Giac [A] (verification not implemented)

Time = 0.29 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.34

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = \frac{2(Cb^2 + 2Cac + 6Ac^2) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(b^4 - 8ab^2c + 16a^2c^2)\sqrt{-b^2+4ac}} + \frac{2Cb^2cx^3 + 4Cac^2x^3 + 12Ac^3x^3 + 3Cb^3x^2 + 6Cabcx^2 + 18Abc^2x^2 + 10Cab^2x - 4Ca^2cx + 4Ab^2cx}{2(b^4 - 8ab^2c + 16a^2c^2)(cx^2 + bx + a)^2}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^3,x, algorithm="giac")`output `2*(C*b^2 + 2*C*a*c + 6*A*c^2)*arctan((2*c*x + b)/sqrt(-b^2 + 4*a*c))/((b^4 - 8*a*b^2*c + 16*a^2*c^2)*sqrt(-b^2 + 4*a*c)) + 1/2*(2*C*b^2*c*x^3 + 4*C*a*c^2*x^3 + 12*A*c^3*x^3 + 3*C*b^3*x^2 + 6*C*a*b*c*x^2 + 18*A*b*c^2*x^2 + 10*C*a*b^2*x - 4*C*a^2*c*x + 4*A*b^2*c*x + 20*A*a*c^2*x + 6*C*a^2*b - A*b^3 + 10*A*a*b*c)/((b^4 - 8*a*b^2*c + 16*a^2*c^2)*(c*x^2 + b*x + a)^2)`**Mupad [B] (verification not implemented)**

Time = 17.80 (sec) , antiderivative size = 401, normalized size of antiderivative = 2.48

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx = \frac{6Ca^2b + 10Acab - Ab^3}{2(16a^2c^2 - 8ab^2c + b^4)} + \frac{x(-2Ca^2c + 5Cab^2 + 10Aac^2 + 2Ab^2c)}{16a^2c^2 - 8ab^2c + b^4} + \frac{3bx^2(Cb^2 + 6Ac^2 + 2Cac)}{2(16a^2c^2 - 8ab^2c + b^4)} + \frac{cx^3(Cb^2 + 6Ac^2 + 2Cac)}{16a^2c^2 - 8ab^2c + b^4}$$

$$= \frac{x^2(b^2 + 2ac) + a^2 + c^2x^4 + 2abx + 2bcx^3}{(4ac - b^2)^{5/2} (16a^2c^2 - 8ab^2c + b^4)} \left(\frac{(16a^2bc^2 - 8ab^3c + b^5)(Cb^2 + 6Ac^2 + 2Cac)}{(4ac - b^2)^{5/2} (16a^2c^2 - 8ab^2c + b^4)} + \frac{2cx(Cb^2 + 6Ac^2 + 2Cac)}{(4ac - b^2)^{5/2}} \right) + \frac{2 \operatorname{atan}\left(\frac{(16a^2bc^2 - 8ab^3c + b^5)(Cb^2 + 6Ac^2 + 2Cac)}{(4ac - b^2)^{5/2} (16a^2c^2 - 8ab^2c + b^4)} + \frac{2cx(Cb^2 + 6Ac^2 + 2Cac)}{(4ac - b^2)^{5/2}}\right)}{(4ac - b^2)^{5/2}}$$

input `int((A + C*x^2)/(a + b*x + c*x^2)^3,x)`

output

```
((6*C*a^2*b - A*b^3 + 10*A*a*b*c)/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x*(10*A*a*c^2 + 2*A*b^2*c + 5*C*a*b^2 - 2*C*a^2*c))/(b^4 + 16*a^2*c^2 - 8*a*b^2*c) + (3*b*x^2*(6*A*c^2 + C*b^2 + 2*C*a*c))/(2*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (c*x^3*(6*A*c^2 + C*b^2 + 2*C*a*c))/(b^4 + 16*a^2*c^2 - 8*a*b^2*c))/(x^2*(2*a*c + b^2) + a^2 + c^2*x^4 + 2*a*b*x + 2*b*c*x^3) + (2*atan(((b^5 + 16*a^2*b*c^2 - 8*a*b^3*c)*(6*A*c^2 + C*b^2 + 2*C*a*c))/((4*a*c - b^2)^(5/2)*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (2*c*x*(6*A*c^2 + C*b^2 + 2*C*a*c))/(4*a*c - b^2)^(5/2))*(b^4 + 16*a^2*c^2 - 8*a*b^2*c))/(6*A*c^2 + C*b^2 + 2*C*a*c))*(6*A*c^2 + C*b^2 + 2*C*a*c))/(4*a*c - b^2)^(5/2)
```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 835, normalized size of antiderivative = 5.15

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^3} dx$$

$$= \frac{32\sqrt{4ac - b^2} \operatorname{atan}\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right) a^3 b c^2 + 4\sqrt{4ac - b^2} \operatorname{atan}\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right) a^2 b^3 c + 64\sqrt{4ac - b^2} \operatorname{atan}\left(\frac{2cx+b}{\sqrt{4ac-b^2}}\right) a^2 b}{}$$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^3,x)
```

output

```

(32*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b*c**2 +
4*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**3*c + 64
*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**2*c**2*x
+ 64*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b*c**3*x
**2 + 8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**4*c*x
+ 40*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**3*c**2*
x**2 + 64*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**2*c
**3*x**3 + 32*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b*
c**4*x**4 + 4*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**5
*c*x**2 + 8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**4*c
**2*x**3 + 4*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**3*
c**3*x**4 - 32*a**4*c**3 + 68*a**3*b**2*c**2 - 64*a**3*c**4*x**2 - 19*a**2
*b**4*c + 48*a**2*b**3*c**2*x + 72*a**2*b**2*c**3*x**2 - 32*a**2*c**5*x**4
+ a*b**6 - 12*a*b**5*c*x - 6*a*b**4*c**2*x**2 + 4*a*b**2*c**4*x**4 - 2*b*
*6*c*x**2 + b**4*c**3*x**4)/(2*b*(64*a**5*c**3 - 48*a**4*b**2*c**2 + 128*a
**4*b*c**3*x + 128*a**4*c**4*x**2 + 12*a**3*b**4*c - 96*a**3*b**3*c**2*x -
32*a**3*b**2*c**3*x**2 + 128*a**3*b*c**4*x**3 + 64*a**3*c**5*x**4 - a**2*
b**6 + 24*a**2*b**5*c*x - 24*a**2*b**4*c**2*x**2 - 96*a**2*b**3*c**3*x**3
- 48*a**2*b**2*c**4*x**4 - 2*a*b**7*x + 10*a*b**6*c*x**2 + 24*a*b**5*c**2*
x**3 + 12*a*b**4*c**3*x**4 - b**8*x**2 - 2*b**7*c*x**3 - b**6*c**2*x**4...

```

3.10 $\int \frac{A+Cx^2}{(a+bx+cx^2)^4} dx$

Optimal result	115
Mathematica [A] (verified)	116
Rubi [A] (verified)	116
Maple [B] (verified)	119
Fricas [B] (verification not implemented)	120
Sympy [B] (verification not implemented)	121
Maxima [F(-2)]	122
Giac [B] (verification not implemented)	122
Mupad [B] (verification not implemented)	123
Reduce [B] (verification not implemented)	124

Optimal result

Integrand size = 20, antiderivative size = 207

$$\int \frac{A+Cx^2}{(a+bx+cx^2)^4} dx = -\frac{b(Ac+aC)+(2Ac^2+(b^2-2ac)C)x}{3c(b^2-4ac)(a+bx+cx^2)^3} + \frac{(5Ac^2+(b^2+ac)C)(b+2cx)}{3c(b^2-4ac)^2(a+bx+cx^2)^2} - \frac{2(5Ac^2+(b^2+ac)C)(b+2cx)}{(b^2-4ac)^3(a+bx+cx^2)} + \frac{8c(5Ac^2+(b^2+ac)C)\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{(b^2-4ac)^{7/2}}$$

output

```
-1/3*(b*(A*c+C*a)+(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)
^3+1/3*(5*A*c^2+(a*c+b^2)*C)*(2*c*x+b)/c/(-4*a*c+b^2)^2/(c*x^2+b*x+a)^2-2*
(5*A*c^2+(a*c+b^2)*C)*(2*c*x+b)/(-4*a*c+b^2)^3/(c*x^2+b*x+a)+8*c*(5*A*c^2+
(a*c+b^2)*C)*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/(-4*a*c+b^2)^(7/2)
```

Mathematica [A] (verified)

Time = 0.38 (sec) , antiderivative size = 204, normalized size of antiderivative = 0.99

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = \frac{1}{3} \left(\frac{(5Ac^2 + (b^2 + ac)C)(b + 2cx)}{c(b^2 - 4ac)^2(a + x(b + cx))^2} - \frac{6(5Ac^2 + (b^2 + ac)C)(b + 2cx)}{(b^2 - 4ac)^3(a + x(b + cx))} + \frac{b^2Cx + aC(b - 2cx) + Ac(b + 2cx)}{c(-b^2 + 4ac)(a + x(b + cx))^3} + \frac{24c(5Ac^2 + (b^2 + ac)C) \arctan\left(\frac{b+2cx}{\sqrt{-b^2+4ac}}\right)}{(-b^2 + 4ac)^{7/2}} \right)$$

input `Integrate[(A + C*x^2)/(a + b*x + c*x^2)^4, x]`

output `((((5*A*c^2 + (b^2 + a*c)*C)*(b + 2*c*x))/(c*(b^2 - 4*a*c)^2*(a + x*(b + c*x))^2) - (6*(5*A*c^2 + (b^2 + a*c)*C)*(b + 2*c*x))/((b^2 - 4*a*c)^3*(a + x*(b + c*x))) + (b^2*C*x + a*C*(b - 2*c*x) + A*c*(b + 2*c*x))/(c*(-b^2 + 4*a*c)*(a + x*(b + c*x))^3) + (24*c*(5*A*c^2 + (b^2 + a*c)*C)*ArcTan[(b + 2*c*x)/Sqrt[-b^2 + 4*a*c]])/(-b^2 + 4*a*c)^(7/2))/3`

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.98, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {2191, 27, 1086, 1086, 1083, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx$$

↓ 2191

$$\begin{aligned}
& -\frac{\int \frac{2(5Ac + (\frac{b^2}{c} + a)C)}{(cx^2 + bx + a)^3} dx}{3(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A)}{3c(b^2 - 4ac)(a + bx + cx^2)^3} \\
& \quad \downarrow 27 \\
& -\frac{2(C(a + \frac{b^2}{c}) + 5Ac) \int \frac{1}{(cx^2 + bx + a)^3} dx}{3(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A)}{3c(b^2 - 4ac)(a + bx + cx^2)^3} \\
& \quad \downarrow 1086 \\
& -\frac{2(C(a + \frac{b^2}{c}) + 5Ac) \left(-\frac{3c \int \frac{1}{(cx^2 + bx + a)^2} dx}{b^2 - 4ac} - \frac{b + 2cx}{2(b^2 - 4ac)(a + bx + cx^2)^2} \right)}{3(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A)}{3c(b^2 - 4ac)(a + bx + cx^2)^3} \\
& \quad \downarrow 1086 \\
& -\frac{2(C(a + \frac{b^2}{c}) + 5Ac) \left(-\frac{3c \left(-\frac{2c \int \frac{1}{cx^2 + bx + a} dx}{b^2 - 4ac} - \frac{b + 2cx}{(b^2 - 4ac)(a + bx + cx^2)} \right)}{b^2 - 4ac} - \frac{b + 2cx}{2(b^2 - 4ac)(a + bx + cx^2)^2} \right)}{3(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A)}{3c(b^2 - 4ac)(a + bx + cx^2)^3} \\
& \quad \downarrow 1083 \\
& -\frac{2(C(a + \frac{b^2}{c}) + 5Ac) \left(-\frac{3c \left(\frac{4c \int \frac{1}{b^2 - (b + 2cx)^2 - 4ac} d(b + 2cx)}{b^2 - 4ac} - \frac{b + 2cx}{(b^2 - 4ac)(a + bx + cx^2)} \right)}{b^2 - 4ac} - \frac{b + 2cx}{2(b^2 - 4ac)(a + bx + cx^2)^2} \right)}{3(b^2 - 4ac)} - \frac{x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A)}{3c(b^2 - 4ac)(a + bx + cx^2)^3} \\
& \quad \downarrow 219
\end{aligned}$$

$$2\left(C\left(a + \frac{b^2}{c}\right) + 5Ac\right) \left(-\frac{3c\left(\frac{4c\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{(b^2-4ac)^{3/2}} - \frac{b+2cx}{(b^2-4ac)(a+bx+cx^2)}\right)}{b^2-4ac} - \frac{b+2cx}{2(b^2-4ac)(a+bx+cx^2)^2} \right)$$

$$\frac{x(C(b^2 - 2ac) + 2Ac^2) + bc\left(\frac{aC}{c} + A\right)}{3c(b^2 - 4ac)(a + bx + cx^2)^3}$$

input `Int[(A + C*x^2)/(a + b*x + c*x^2)^4, x]`

output `-1/3*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x)/(c*(b^2 - 4*a*c)*(a + b*x + c*x^2)^3) - (2*(5*A*c + (a + b^2/c)*C)*(-1/2*(b + 2*c*x)/((b^2 - 4*a*c)*(a + b*x + c*x^2)^2) - (3*c*(-((b + 2*c*x)/((b^2 - 4*a*c)*(a + b*x + c*x^2))) + (4*c*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]])/(b^2 - 4*a*c)^(3/2)))/(b^2 - 4*a*c)))/(3*(b^2 - 4*a*c))`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 1086 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] - Simp[2*c*((2*p + 3)/((p + 1)*(b^2 - 4*a*c))) Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && ILtQ[p, -1]`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1041 vs. $2(199) = 398$.

Time = 0.12 (sec) , antiderivative size = 2103, normalized size of antiderivative = 10.16

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = \text{Too large to display}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^4,x, algorithm="fricas")`

output

```
[-1/3*(C*a^2*b^5 + A*b^7 - 264*A*a^3*b*c^3 + 12*(C*b^4*c^3 - 3*C*a*b^2*c^4
- 20*A*a*c^6 - (4*C*a^2 - 5*A*b^2)*c^5)*x^5 + 30*(C*b^5*c^2 - 3*C*a*b^3*c
^3 - 20*A*a*b*c^5 - (4*C*a^2*b - 5*A*b^3)*c^4)*x^4 + 2*(11*C*b^6*c - 17*C
a*b^4*c^2 - 320*A*a^2*c^5 - 4*(16*C*a^3 + 35*A*a*b^2)*c^4 - (92*C*a^2*b^2
- 55*A*b^4)*c^3)*x^3 - 2*(52*C*a^4*b - 59*A*a^2*b^3)*c^2 + 3*(C*b^7 + 13*C
*a*b^5*c - 320*A*a^2*b*c^4 - 4*(16*C*a^3*b - 15*A*a*b^3)*c^3 - (52*C*a^2*b
^3 - 5*A*b^5)*c^2)*x^2 + 12*(C*a^3*b^2*c + C*a^4*c^2 + 5*A*a^3*c^3 + (C*b
^2*c^4 + C*a*c^5 + 5*A*c^6)*x^6 + 3*(C*b^3*c^3 + C*a*b*c^4 + 5*A*b*c^5)*x^5
+ 3*(C*b^4*c^2 + 2*C*a*b^2*c^3 + 5*A*a*c^5 + (C*a^2 + 5*A*b^2)*c^4)*x^4 +
(C*b^5*c + 7*C*a*b^3*c^2 + 30*A*a*b*c^4 + (6*C*a^2*b + 5*A*b^3)*c^3)*x^3
+ 3*(C*a*b^4*c + 2*C*a^2*b^2*c^2 + 5*A*a^2*c^4 + (C*a^3 + 5*A*a*b^2)*c^3)*
x^2 + 3*(C*a^2*b^3*c + C*a^3*b*c^2 + 5*A*a^2*b*c^3)*x)*sqrt(b^2 - 4*a*c)*l
og((2*c^2*x^2 + 2*b*c*x + b^2 - 2*a*c - sqrt(b^2 - 4*a*c)*(2*c*x + b))/(c*
x^2 + b*x + a) + (22*C*a^3*b^3 - 17*A*a*b^5)*c + 3*(C*a*b^6 - 176*A*a^3*c
^4 + 4*(4*C*a^4 - 7*A*a^2*b^2)*c^3 - 2*(46*C*a^3*b^2 - 11*A*a*b^4)*c^2 + (
18*C*a^2*b^4 - A*b^6)*c)*x)/(a^3*b^8 - 16*a^4*b^6*c + 96*a^5*b^4*c^2 - 256
*a^6*b^2*c^3 + 256*a^7*c^4 + (b^8*c^3 - 16*a*b^6*c^4 + 96*a^2*b^4*c^5 - 25
6*a^3*b^2*c^6 + 256*a^4*c^7)*x^6 + 3*(b^9*c^2 - 16*a*b^7*c^3 + 96*a^2*b^5*
c^4 - 256*a^3*b^3*c^5 + 256*a^4*b*c^6)*x^5 + 3*(b^10*c - 15*a*b^8*c^2 + 80
*a^2*b^6*c^3 - 160*a^3*b^4*c^4 + 256*a^5*c^6)*x^4 + (b^11 - 10*a*b^9*c ...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1224 vs. $2(197) = 394$.

Time = 2.08 (sec) , antiderivative size = 1224, normalized size of antiderivative = 5.91

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = \text{Too large to display}$$

input `integrate((C*x**2+A)/(c*x**2+b*x+a)**4,x)`

output

```
-4*c*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2)*log(x + (20*A*b*c**3 + 4*C*a*b*c**2 + 4*C*b**3*c - 1024*a**4*c**5*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) + 1024*a**3*b**2*c**4*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) - 384*a**2*b**4*c**3*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) + 64*a*b**6*c**2*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) - 4*b**8*c*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2))/(40*A*c**4 + 8*C*a*c**3 + 8*C*b**2*c**2)) + 4*c*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2)*log(x + (20*A*b*c**3 + 4*C*a*b*c**2 + 4*C*b**3*c + 1024*a**4*c**5*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) - 1024*a**3*b**2*c**4*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) + 384*a**2*b**4*c**3*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) - 64*a*b**6*c**2*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2) + 4*b**8*c*sqrt(-1/(4*a*c - b**2)**7)*(5*A*c**2 + C*a*c + C*b**2))/(40*A*c**4 + 8*C*a*c**3 + 8*C*b**2*c**2)) + (66*A*a**2*b*c**2 - 13*A*a*b**3*c + A*b**5 + 26*C*a**3*b*c + C*a**2*b**3 + x**5*(60*A*c**5 + 12*C*a*c**4 + 12*C*b**2*c**3) + x**4*(150*A*b*c**4 + 30*C*a*b*c**3 + 30*C*b**3*c**2) + x**3*(160*A*a*c**4 + 110*A*b**2*c**3 + 32*C*a**2*c**3 + 54*C*a*b**2*c**2 + 22*C*b**4*c) + x**2*(240*A*a*b*c**3 + 15*A*b**3*c**2 + 48*C*a**2*b*c**2 + 51*C*a*b**3*c + 3*C*b**5) + x*(132*A*a**2*c**3 + 54*A*a*b**2*c**2 - 3*A*b**4*c - 12*C*a**3*c**2 + 66*C*a**2*b**2*c ...
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^4,x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 407 vs. 2(199) = 398.

Time = 0.33 (sec) , antiderivative size = 407, normalized size of antiderivative = 1.97

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = -\frac{8(Cb^2c + Cac^2 + 5Ac^3) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right)}{(b^6 - 12ab^4c + 48a^2b^2c^2 - 64a^3c^3)\sqrt{-b^2+4ac} - 12Cb^2c^3x^5 + 12Cac^4x^5 + 60Ac^5x^5 + 30Cb^3c^2x^4 + 30Cabc^3x^4 + 150Abc^4x^4 + 22Cb^4cx^3 + 54Cab^2c^2x^3 + 32C^2ab^3cx^2 + 48C^2a^2b^2c^2x^2 + 15A^2b^3c^2x^2 + 240A^2a^2b^3cx^2 + 3C^2a^2b^4x + 66C^2a^2b^2cx - 3A^2b^4cx - 12C^2a^3c^2x + 54A^2a^2b^2c^2x + 132A^2a^2c^3x + C^2a^2b^3 + A^2b^5 + 26C^2a^3bc - 13A^2a^3b^3c + 66A^2a^2bc^2)/((b^6 - 12ab^4c + 48a^2b^2c^2 - 64a^3c^3)(cx^2 + bx + a)^3)}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^4,x, algorithm="giac")`

output `-8*(C*b^2*c + C*a*c^2 + 5*A*c^3)*arctan((2*c*x + b)/sqrt(-b^2 + 4*a*c))/((b^6 - 12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3*c^3)*sqrt(-b^2 + 4*a*c)) - 1/3*(12*C*b^2*c^3*x^5 + 12*C*a*c^4*x^5 + 60*A*c^5*x^5 + 30*C*b^3*c^2*x^4 + 30*C*a*b*c^3*x^4 + 150*A*b*c^4*x^4 + 22*C*b^4*c*x^3 + 54*C*a*b^2*c^2*x^3 + 32*C*a^2*c^3*x^3 + 110*A*b^2*c^3*x^3 + 160*A*a*c^4*x^3 + 3*C*b^5*x^2 + 51*C*a*b^3*c*x^2 + 48*C*a^2*b^2*c^2*x^2 + 15*A*b^3*c^2*x^2 + 240*A*a*b^3*c*x^2 + 3*C*a*b^4*x + 66*C*a^2*b^2*c*x - 3*A*b^4*c*x - 12*C*a^3*c^2*x + 54*A*a^2*b^2*c^2*x + 132*A*a^2*c^3*x + C*a^2*b^3 + A*b^5 + 26*C*a^3*b*c - 13*A*a^3*b^3*c + 66*A*a^2*b*c^2)/((b^6 - 12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3*c^3)*(c*x^2 + b*x + a)^3)`

Mupad [B] (verification not implemented)

Time = 17.83 (sec) , antiderivative size = 698, normalized size of antiderivative = 3.37

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx =$$

$$\frac{\frac{26Ca^3bc + Ca^2b^3 + 66Aa^2bc^2 - 13Aab^3c + Ab^5}{3(-64a^3c^3 + 48a^2b^2c^2 - 12ab^4c + b^6)} + \frac{x(-4Ca^3c^2 + 22Ca^2b^2c + 44Aa^2c^3 + Cab^4 + 18Aab^2c^2 - Ab^4c)}{-64a^3c^3 + 48a^2b^2c^2 - 12ab^4c + b^6} + \frac{2x^3(11b^2c^2 - Ab^4)}{3(-64a^3c^3 + 48a^2b^2c^2 - 12ab^4c + b^6)}}{x^2(3ca^2 + 3ab^2) + x^4(3b^2c + 3ac^2) + 8 \operatorname{atan}\left(\frac{\left(\frac{8c^2x(Cb^2 + 5Ac^2 + Cac)}{(4ac - b^2)^{7/2}} + \frac{4c(Cb^2 + 5Ac^2 + Cac)(-64a^3bc^3 + 48a^2b^3c^2 - 12ab^5c + b^7)}{(4ac - b^2)^{7/2}(-64a^3c^3 + 48a^2b^2c^2 - 12ab^4c + b^6)}\right)}{4Cb^2c + 20Ac^3 + 4Cac^2}\right)}{(4ac - b^2)^{7/2}}$$

input `int((A + C*x^2)/(a + b*x + c*x^2)^4,x)`

output

```
- ((A*b^5 + C*a^2*b^3 - 13*A*a*b^3*c + 26*C*a^3*b*c + 66*A*a^2*b*c^2)/(3*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)) + (x*(44*A*a^2*c^3 - 4*C*a^3*c^2 - A*b^4*c + C*a*b^4 + 18*A*a*b^2*c^2 + 22*C*a^2*b^2*c))/(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c) + (2*x^3*(16*a*c^2 + 11*b^2*c)*(5*A*c^2 + C*b^2 + C*a*c))/(3*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)) + (x^2*(b^3 + 16*a*b*c)*(5*A*c^2 + C*b^2 + C*a*c))/(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c) + (4*c^3*x^5*(5*A*c^2 + C*b^2 + C*a*c))/(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c) + (10*b*c^2*x^4*(5*A*c^2 + C*b^2 + C*a*c))/(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)/(x^2*(3*a*b^2 + 3*a^2*c) + x^4*(3*a*c^2 + 3*b^2*c) + a^3 + x^3*(b^3 + 6*a*b*c) + c^3*x^6 + 3*b*c^2*x^5 + 3*a^2*b*x) - (8*c*atan((((8*c^2*x*(5*A*c^2 + C*b^2 + C*a*c))/(4*a*c - b^2)^(7/2) + (4*c*(5*A*c^2 + C*b^2 + C*a*c)*(b^7 - 64*a^3*b*c^3 + 48*a^2*b^3*c^2 - 12*a*b^5*c))/((4*a*c - b^2)^(7/2)*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c)))*(b^6 - 64*a^3*c^3 + 48*a^2*b^2*c^2 - 12*a*b^4*c))/(20*A*c^3 + 4*C*a*c^2 + 4*C*b^2*c))*(5*A*c^2 + C*b^2 + C*a*c))/(4*a*c - b^2)^(7/2)
```

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 1421, normalized size of antiderivative = 6.86

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^4} dx = \text{Too large to display}$$

input `int((C*x^2+A)/(c*x^2+b*x+a)^4,x)`

output

```
(144*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**4*b*c**3 +
24*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b**3*c**2
+ 432*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b**2*c
**3*x + 432*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b
*c**4*x**2 + 72*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a
*2*b**4*c**2*x + 504*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2
))*a**2*b**3*c**3*x**2 + 864*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*
c - b**2))*a**2*b**2*c**4*x**3 + 432*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/s
qrt(4*a*c - b**2))*a**2*b*c**5*x**4 + 72*sqrt(4*a*c - b**2)*atan((b + 2*c*
x)/sqrt(4*a*c - b**2))*a*b**5*c**2*x**2 + 288*sqrt(4*a*c - b**2)*atan((b +
2*c*x)/sqrt(4*a*c - b**2))*a*b**4*c**3*x**3 + 504*sqrt(4*a*c - b**2)*atan
((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**3*c**4*x**4 + 432*sqrt(4*a*c - b**2)
*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**2*c**5*x**5 + 144*sqrt(4*a*c -
b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a*b*c**6*x**6 + 24*sqrt(4*a*c -
b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**6*c**2*x**3 + 72*sqrt(4*a*c
- b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**5*c**3*x**4 + 72*sqrt(4*a
*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**4*c**4*x**5 + 24*sqrt(4
*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*b**3*c**5*x**6 - 96*a**5
*c**4 + 376*a**4*b**2*c**3 + 192*a**4*b*c**4*x - 288*a**4*c**5*x**2 - 136*
a**3*b**4*c**2 + 384*a**3*b**3*c**3*x + 888*a**3*b**2*c**4*x**2 + 192*a...
```

3.11 $\int \frac{1+x^2}{1+x+x^2} dx$

Optimal result	125
Mathematica [A] (verified)	125
Rubi [A] (verified)	126
Maple [A] (verified)	127
Fricas [A] (verification not implemented)	127
Sympy [A] (verification not implemented)	127
Maxima [A] (verification not implemented)	128
Giac [A] (verification not implemented)	128
Mupad [B] (verification not implemented)	128
Reduce [B] (verification not implemented)	129

Optimal result

Integrand size = 14, antiderivative size = 31

$$\int \frac{1+x^2}{1+x+x^2} dx = x + \frac{\arctan\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{1}{2} \log(1+x+x^2)$$

output `x+1/3*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)-1/2*ln(x^2+x+1)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.00

$$\int \frac{1+x^2}{1+x+x^2} dx = x + \frac{\arctan\left(\frac{1+2x}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{1}{2} \log(1+x+x^2)$$

input `Integrate[(1 + x^2)/(1 + x + x^2), x]`

output `x + ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[1 + x + x^2]/2`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 + 1}{x^2 + x + 1} dx$$

$$\downarrow \text{2188}$$

$$\int \left(1 - \frac{x}{x^2 + x + 1}\right) dx$$

$$\downarrow \text{2009}$$

$$\frac{\arctan\left(\frac{2x+1}{\sqrt{3}}\right)}{\sqrt{3}} - \frac{1}{2} \log(x^2 + x + 1) + x$$

input `Int[(1 + x^2)/(1 + x + x^2),x]`

output `x + ArcTan[(1 + 2*x)/Sqrt[3]]/Sqrt[3] - Log[1 + x + x^2]/2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.90 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.90

method	result	size
default	$x + \frac{\arctan\left(\frac{(1+2x)\sqrt{3}}{3}\right)\sqrt{3}}{3} - \frac{\ln(x^2+x+1)}{2}$	28
risch	$x + \frac{\arctan\left(\frac{(1+2x)\sqrt{3}}{3}\right)\sqrt{3}}{3} - \frac{\ln(4x^2+4x+4)}{2}$	32

input `int((x^2+1)/(x^2+x+1),x,method=_RETURNVERBOSE)`output `x+1/3*arctan(1/3*(1+2*x)*3^(1/2))*3^(1/2)-1/2*ln(x^2+x+1)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.87

$$\int \frac{1+x^2}{1+x+x^2} dx = \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + x - \frac{1}{2} \log(x^2+x+1)$$

input `integrate((x^2+1)/(x^2+x+1),x, algorithm="fricas")`output `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + x - 1/2*log(x^2 + x + 1)`**Sympy [A] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.16

$$\int \frac{1+x^2}{1+x+x^2} dx = x - \frac{\log(x^2+x+1)}{2} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

input `integrate((x**2+1)/(x**2+x+1),x)`output `x - log(x**2 + x + 1)/2 + sqrt(3)*atan(2*sqrt(3)*x/3 + sqrt(3)/3)/3`

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.87

$$\int \frac{1+x^2}{1+x+x^2} dx = \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + x - \frac{1}{2} \log(x^2+x+1)$$

input `integrate((x^2+1)/(x^2+x+1),x, algorithm="maxima")`output `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + x - 1/2*log(x^2 + x + 1)`**Giac [A] (verification not implemented)**

Time = 0.31 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.87

$$\int \frac{1+x^2}{1+x+x^2} dx = \frac{1}{3} \sqrt{3} \arctan\left(\frac{1}{3} \sqrt{3}(2x+1)\right) + x - \frac{1}{2} \log(x^2+x+1)$$

input `integrate((x^2+1)/(x^2+x+1),x, algorithm="giac")`output `1/3*sqrt(3)*arctan(1/3*sqrt(3)*(2*x + 1)) + x - 1/2*log(x^2 + x + 1)`**Mupad [B] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.94

$$\int \frac{1+x^2}{1+x+x^2} dx = x - \frac{\ln(x^2+x+1)}{2} + \frac{\sqrt{3} \operatorname{atan}\left(\frac{2\sqrt{3}x}{3} + \frac{\sqrt{3}}{3}\right)}{3}$$

input `int((x^2 + 1)/(x + x^2 + 1),x)`output `x - log(x + x^2 + 1)/2 + (3^(1/2)*atan((2*3^(1/2)*x)/3 + 3^(1/2)/3))/3`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.84

$$\int \frac{1+x^2}{1+x+x^2} dx = \frac{\sqrt{3} \operatorname{atan}\left(\frac{2x+1}{\sqrt{3}}\right)}{3} - \frac{\log(x^2+x+1)}{2} + x$$

input `int((x^2+1)/(x^2+x+1),x)`

output `(2*sqrt(3)*atan((2*x + 1)/sqrt(3)) - 3*log(x**2 + x + 1) + 6*x)/6`

$$3.12 \quad \int \frac{1-x^2}{(1+x+x^2)^2} dx$$

Optimal result	130
Mathematica [A] (verified)	130
Rubi [A] (verified)	131
Maple [A] (verified)	131
Fricas [A] (verification not implemented)	132
Sympy [A] (verification not implemented)	132
Maxima [A] (verification not implemented)	133
Giac [A] (verification not implemented)	133
Mupad [B] (verification not implemented)	133
Reduce [B] (verification not implemented)	134

Optimal result

Integrand size = 16, antiderivative size = 10

$$\int \frac{1-x^2}{(1+x+x^2)^2} dx = \frac{x}{1+x+x^2}$$

output `x/(x^2+x+1)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1-x^2}{(1+x+x^2)^2} dx = \frac{x}{1+x+x^2}$$

input `Integrate[(1 - x^2)/(1 + x + x^2)^2,x]`

output `x/(1 + x + x^2)`

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {2021}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1 - x^2}{(x^2 + x + 1)^2} dx$$

\downarrow 2021
 $\frac{x}{x^2 + x + 1}$

input `Int[(1 - x^2)/(1 + x + x^2)^2,x]`

output `x/(1 + x + x^2)`

Defintions of rubi rules used

rule 2021 `Int[(Pp_)*(Qq_)^(m_.), x_Symbol] := With[{p = Expon[Pp, x], q = Expon[Qq, x]}, Simp[Coeff[Pp, x, p]*x^(p - q + 1)*(Qq^(m + 1))/((p + m*q + 1)*Coeff[Qq, x, q]), x] /; NeQ[p + m*q + 1, 0] && EqQ[(p + m*q + 1)*Coeff[Qq, x, q]*Pp, Coeff[Pp, x, p]*x^(p - q)*((p - q + 1)*Qq + (m + 1)*x*D[Qq, x])] /; FreeQ[m, x] && PolyQ[Pp, x] && PolyQ[Qq, x] && NeQ[m, -1]`

Maple [A] (verified)

Time = 1.85 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.10

method	result	size
gospers	$\frac{x}{x^2+x+1}$	11
default	$\frac{x}{x^2+x+1}$	11
norman	$\frac{x}{x^2+x+1}$	11
risch	$\frac{x}{x^2+x+1}$	11
parallelrisch	$\frac{x}{x^2+x+1}$	11
orering	$-\frac{x(-x^2+1)}{(x^2+x+1)(x-1)(x+1)}$	29

input `int((-x^2+1)/(x^2+x+1)^2,x,method=_RETURNVERBOSE)`

output `x/(x^2+x+1)`

Fricas [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1-x^2}{(1+x+x^2)^2} dx = \frac{x}{x^2+x+1}$$

input `integrate((-x^2+1)/(x^2+x+1)^2,x, algorithm="fricas")`

output `x/(x^2 + x + 1)`

Sympy [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 7, normalized size of antiderivative = 0.70

$$\int \frac{1-x^2}{(1+x+x^2)^2} dx = \frac{x}{x^2+x+1}$$

input `integrate((-x**2+1)/(x**2+x+1)**2,x)`

output `x/(x**2 + x + 1)`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1 - x^2}{(1 + x + x^2)^2} dx = \frac{x}{x^2 + x + 1}$$

input `integrate((-x^2+1)/(x^2+x+1)^2,x, algorithm="maxima")`

output `x/(x^2 + x + 1)`

Giac [A] (verification not implemented)

Time = 0.31 (sec) , antiderivative size = 8, normalized size of antiderivative = 0.80

$$\int \frac{1 - x^2}{(1 + x + x^2)^2} dx = \frac{1}{x + \frac{1}{x} + 1}$$

input `integrate((-x^2+1)/(x^2+x+1)^2,x, algorithm="giac")`

output `1/(x + 1/x + 1)`

Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 10, normalized size of antiderivative = 1.00

$$\int \frac{1 - x^2}{(1 + x + x^2)^2} dx = \frac{x}{x^2 + x + 1}$$

input `int(-(x^2 - 1)/(x + x^2 + 1)^2,x)`

output `x/(x + x^2 + 1)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.60

$$\int \frac{1 - x^2}{(1 + x + x^2)^2} dx = \frac{-x^2 - 1}{x^2 + x + 1}$$

input `int((-x^2+1)/(x^2+x+1)^2,x)`

output `(- (x**2 + 1))/(x**2 + x + 1)`

3.13 $\int \frac{-1+x^2}{25-6x+x^2} dx$

Optimal result	135
Mathematica [A] (verified)	135
Rubi [A] (verified)	136
Maple [A] (verified)	137
Fricas [A] (verification not implemented)	137
Sympy [A] (verification not implemented)	137
Maxima [A] (verification not implemented)	138
Giac [A] (verification not implemented)	138
Mupad [B] (verification not implemented)	138
Reduce [B] (verification not implemented)	139

Optimal result

Integrand size = 16, antiderivative size = 23

$$\int \frac{-1+x^2}{25-6x+x^2} dx = x - 2 \arctan\left(\frac{1}{4}(-3+x)\right) + 3 \log(25-6x+x^2)$$

output `x-2*arctan(-3/4+1/4*x)+3*ln(x^2-6*x+25)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.00

$$\int \frac{-1+x^2}{25-6x+x^2} dx = x - 2 \arctan\left(\frac{1}{4}(-3+x)\right) + 3 \log(25-6x+x^2)$$

input `Integrate[(-1 + x^2)/(25 - 6*x + x^2), x]`

output `x - 2*ArcTan[(-3 + x)/4] + 3*Log[25 - 6*x + x^2]`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 - 1}{x^2 - 6x + 25} dx$$

$$\downarrow \text{2188}$$

$$\int \left(1 - \frac{2(13 - 3x)}{x^2 - 6x + 25} \right) dx$$

$$\downarrow \text{2009}$$

$$-2 \arctan\left(\frac{x - 3}{4}\right) + 3 \log(x^2 - 6x + 25) + x$$

input `Int[(-1 + x^2)/(25 - 6*x + x^2),x]`

output `x - 2*ArcTan[(-3 + x)/4] + 3*Log[25 - 6*x + x^2]`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.59 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.96

method	result	size
default	$x - 2 \arctan\left(-\frac{3}{4} + \frac{x}{4}\right) + 3 \ln(x^2 - 6x + 25)$	22
risch	$x - 2 \arctan\left(-\frac{3}{4} + \frac{x}{4}\right) + 3 \ln(x^2 - 6x + 25)$	22
parallelrisc	$i \ln(x - 3 - 4i) - i \ln(x - 3 + 4i) + 3 \ln(x - 3 - 4i) + 3 \ln(x - 3 + 4i) + x$	37

input `int((x^2-1)/(x^2-6*x+25),x,method=_RETURNVERBOSE)`output `x-2*arctan(-3/4+1/4*x)+3*ln(x^2-6*x+25)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.91

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = x - 2 \arctan\left(\frac{1}{4}x - \frac{3}{4}\right) + 3 \log(x^2 - 6x + 25)$$

input `integrate((x^2-1)/(x^2-6*x+25),x, algorithm="fricas")`output `x - 2*arctan(1/4*x - 3/4) + 3*log(x^2 - 6*x + 25)`**Sympy [A] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.96

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = x + 3 \log(x^2 - 6x + 25) - 2 \operatorname{atan}\left(\frac{x}{4} - \frac{3}{4}\right)$$

input `integrate((x**2-1)/(x**2-6*x+25),x)`output `x + 3*log(x**2 - 6*x + 25) - 2*atan(x/4 - 3/4)`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.91

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = x - 2 \arctan\left(\frac{1}{4}x - \frac{3}{4}\right) + 3 \log(x^2 - 6x + 25)$$

input `integrate((x^2-1)/(x^2-6*x+25),x, algorithm="maxima")`output `x - 2*arctan(1/4*x - 3/4) + 3*log(x^2 - 6*x + 25)`**Giac [A] (verification not implemented)**

Time = 0.32 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.91

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = x - 2 \arctan\left(\frac{1}{4}x - \frac{3}{4}\right) + 3 \log(x^2 - 6x + 25)$$

input `integrate((x^2-1)/(x^2-6*x+25),x, algorithm="giac")`output `x - 2*arctan(1/4*x - 3/4) + 3*log(x^2 - 6*x + 25)`**Mupad [B] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.91

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = x + 3 \ln(x^2 - 6x + 25) - 2 \operatorname{atan}\left(\frac{x}{4} - \frac{3}{4}\right)$$

input `int((x^2 - 1)/(x^2 - 6*x + 25),x)`output `x + 3*log(x^2 - 6*x + 25) - 2*atan(x/4 - 3/4)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.91

$$\int \frac{-1 + x^2}{25 - 6x + x^2} dx = -2\operatorname{atan}\left(\frac{x}{4} - \frac{3}{4}\right) + 3\log(x^2 - 6x + 25) + x$$

input

```
int((x^2-1)/(x^2-6*x+25),x)
```

output

```
- 2*atan((x - 3)/4) + 3*log(x**2 - 6*x + 25) + x
```

3.14 $\int \frac{-10+3x^2}{4-4x+x^2} dx$

Optimal result	140
Mathematica [A] (verified)	140
Rubi [A] (verified)	141
Maple [A] (verified)	142
Fricas [A] (verification not implemented)	142
Sympy [A] (verification not implemented)	143
Maxima [A] (verification not implemented)	143
Giac [A] (verification not implemented)	143
Mupad [B] (verification not implemented)	144
Reduce [B] (verification not implemented)	144

Optimal result

Integrand size = 18, antiderivative size = 21

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = \frac{2}{2 - x} + 3x + 12 \log(2 - x)$$

output `2/(2-x)+3*x+12*ln(2-x)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = -\frac{2}{-2 + x} + 3(-2 + x) + 12 \log(-2 + x)$$

input `Integrate[(-10 + 3*x^2)/(4 - 4*x + x^2),x]`

output `-2/(-2 + x) + 3*(-2 + x) + 12*Log[-2 + x]`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{3x^2 - 10}{x^2 - 4x + 4} dx$$

$$\downarrow \text{2188}$$

$$\int \left(3 - \frac{2(11 - 6x)}{x^2 - 4x + 4} \right) dx$$

$$\downarrow \text{2009}$$

$$3x + \frac{2}{2-x} + 12 \log(2-x)$$

input

```
Int[(-10 + 3*x^2)/(4 - 4*x + x^2),x]
```

output

```
2/(2 - x) + 3*x + 12*Log[2 - x]
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2188

```
Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[Expand
Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,
x] && IGtQ[p, -2]
```

Maple [A] (verified)

Time = 1.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.86

method	result	size
default	$3x + 12 \ln(x - 2) - \frac{2}{x-2}$	18
risch	$3x + 12 \ln(x - 2) - \frac{2}{x-2}$	18
norman	$\frac{3x^2-14}{x-2} + 12 \ln(x - 2)$	21
parallelrisch	$\frac{12 \ln(x-2)x+3x^2-14-24 \ln(x-2)}{x-2}$	27
meijerg	$-\frac{5x}{2(-\frac{x}{2}+1)} + \frac{x(-\frac{3x}{2}+6)}{-\frac{x}{2}+1} + 12 \ln(-\frac{x}{2} + 1)$	34

input `int((3*x^2-10)/(x^2-4*x+4),x,method=_RETURNVERBOSE)`output `3*x+12*ln(x-2)-2/(x-2)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.19

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = \frac{3x^2 + 12(x - 2) \log(x - 2) - 6x - 2}{x - 2}$$

input `integrate((3*x^2-10)/(x^2-4*x+4),x, algorithm="fricas")`output `(3*x^2 + 12*(x - 2)*log(x - 2) - 6*x - 2)/(x - 2)`

Sympy [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.67

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = 3x + 12 \log(x - 2) - \frac{2}{x - 2}$$

input `integrate((3*x**2-10)/(x**2-4*x+4),x)`output `3*x + 12*log(x - 2) - 2/(x - 2)`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.81

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = 3x - \frac{2}{x - 2} + 12 \log(x - 2)$$

input `integrate((3*x^2-10)/(x^2-4*x+4),x, algorithm="maxima")`output `3*x - 2/(x - 2) + 12*log(x - 2)`**Giac [A] (verification not implemented)**

Time = 0.30 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.86

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = 3x - \frac{2}{x - 2} + 12 \log(|x - 2|)$$

input `integrate((3*x^2-10)/(x^2-4*x+4),x, algorithm="giac")`output `3*x - 2/(x - 2) + 12*log(abs(x - 2))`

Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.81

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = 3x + 12 \ln(x - 2) - \frac{2}{x - 2}$$

input `int((3*x^2 - 10)/(x^2 - 4*x + 4),x)`

output `3*x + 12*log(x - 2) - 2/(x - 2)`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.33

$$\int \frac{-10 + 3x^2}{4 - 4x + x^2} dx = \frac{12 \log(x - 2) x - 24 \log(x - 2) + 3x^2 - 7x}{x - 2}$$

input `int((3*x^2-10)/(x^2-4*x+4),x)`

output `(12*log(x - 2)*x - 24*log(x - 2) + 3*x**2 - 7*x)/(x - 2)`

3.15 $\int \frac{8+x^2}{6-5x+x^2} dx$

Optimal result	145
Mathematica [A] (verified)	145
Rubi [A] (verified)	146
Maple [A] (verified)	147
Fricas [A] (verification not implemented)	147
Sympy [A] (verification not implemented)	147
Maxima [A] (verification not implemented)	148
Giac [A] (verification not implemented)	148
Mupad [B] (verification not implemented)	148
Reduce [B] (verification not implemented)	149

Optimal result

Integrand size = 16, antiderivative size = 18

$$\int \frac{8+x^2}{6-5x+x^2} dx = x - 12 \log(2-x) + 17 \log(3-x)$$

output `x-12*ln(2-x)+17*ln(3-x)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{8+x^2}{6-5x+x^2} dx = x - 12 \log(2-x) + 17 \log(3-x)$$

input `Integrate[(8 + x^2)/(6 - 5*x + x^2),x]`

output `x - 12*Log[2 - x] + 17*Log[3 - x]`

Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 + 8}{x^2 - 5x + 6} dx$$

↓ 2188

$$\int \left(\frac{5x + 2}{x^2 - 5x + 6} + 1 \right) dx$$

↓ 2009

$$x - 12 \log(2 - x) + 17 \log(3 - x)$$

input `Int[(8 + x^2)/(6 - 5*x + x^2),x]`

output `x - 12*Log[2 - x] + 17*Log[3 - x]`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.25 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

method	result	size
default	$x + 17 \ln(-3 + x) - 12 \ln(x - 2)$	15
norman	$x + 17 \ln(-3 + x) - 12 \ln(x - 2)$	15
risch	$x + 17 \ln(-3 + x) - 12 \ln(x - 2)$	15
parallelrisch	$x + 17 \ln(-3 + x) - 12 \ln(x - 2)$	15

input `int((x^2+8)/(x^2-5*x+6),x,method=_RETURNVERBOSE)`

output `x+17*ln(-3+x)-12*ln(x-2)`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.78

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = x - 12 \log(x - 2) + 17 \log(x - 3)$$

input `integrate((x^2+8)/(x^2-5*x+6),x, algorithm="fricas")`

output `x - 12*log(x - 2) + 17*log(x - 3)`

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.78

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = x + 17 \log(x - 3) - 12 \log(x - 2)$$

input `integrate((x**2+8)/(x**2-5*x+6),x)`

output `x + 17*log(x - 3) - 12*log(x - 2)`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.78

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = x - 12 \log(x - 2) + 17 \log(x - 3)$$

input `integrate((x^2+8)/(x^2-5*x+6),x, algorithm="maxima")`

output `x - 12*log(x - 2) + 17*log(x - 3)`

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 16, normalized size of antiderivative = 0.89

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = x - 12 \log(|x - 2|) + 17 \log(|x - 3|)$$

input `integrate((x^2+8)/(x^2-5*x+6),x, algorithm="giac")`

output `x - 12*log(abs(x - 2)) + 17*log(abs(x - 3))`

Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.78

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = x - 12 \ln(x - 2) + 17 \ln(x - 3)$$

input `int((x^2 + 8)/(x^2 - 5*x + 6),x)`

output `x - 12*log(x - 2) + 17*log(x - 3)`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.78

$$\int \frac{8 + x^2}{6 - 5x + x^2} dx = 17 \log(x - 3) - 12 \log(x - 2) + x$$

input `int((x^2+8)/(x^2-5*x+6),x)`

output `17*log(x - 3) - 12*log(x - 2) + x`

3.16 $\int \frac{-4+3x+x^2}{-8-2x+x^2} dx$

Optimal result	150
Mathematica [A] (verified)	150
Rubi [A] (verified)	151
Maple [A] (verified)	152
Fricas [A] (verification not implemented)	152
Sympy [A] (verification not implemented)	152
Maxima [A] (verification not implemented)	153
Giac [A] (verification not implemented)	153
Mupad [B] (verification not implemented)	153
Reduce [B] (verification not implemented)	154

Optimal result

Integrand size = 19, antiderivative size = 14

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + 4 \log(4 - x) + \log(2 + x)$$

output `x+4*ln(4-x)+ln(2+x)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + 4 \log(4 - x) + \log(2 + x)$$

input `Integrate[(-4 + 3*x + x^2)/(-8 - 2*x + x^2), x]`

output `x + 4*Log[4 - x] + Log[2 + x]`

Rubi [A] (verified)

Time = 0.18 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 + 3x - 4}{x^2 - 2x - 8} dx$$

↓ 2188

$$\int \left(\frac{5x + 4}{x^2 - 2x - 8} + 1 \right) dx$$

↓ 2009

$$x + 4 \log(4 - x) + \log(x + 2)$$

input `Int[(-4 + 3*x + x^2)/(-8 - 2*x + x^2), x]`

output `x + 4*Log[4 - x] + Log[2 + x]`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.23 (sec) , antiderivative size = 13, normalized size of antiderivative = 0.93

method	result	size
default	$x + 4 \ln(x - 4) + \ln(2 + x)$	13
norman	$x + 4 \ln(x - 4) + \ln(2 + x)$	13
risch	$x + 4 \ln(x - 4) + \ln(2 + x)$	13
parallelrisc	$x + 4 \ln(x - 4) + \ln(2 + x)$	13

input `int((x^2+3*x-4)/(x^2-2*x-8),x,method=_RETURNVERBOSE)`output `x+4*ln(x-4)+ln(2+x)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.86

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + \log(x + 2) + 4 \log(x - 4)$$

input `integrate((x^2+3*x-4)/(x^2-2*x-8),x, algorithm="fricas")`output `x + log(x + 2) + 4*log(x - 4)`**Sympy [A] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.86

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + 4 \log(x - 4) + \log(x + 2)$$

input `integrate((x**2+3*x-4)/(x**2-2*x-8),x)`

output $x + 4 \cdot \log(x - 4) + \log(x + 2)$

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.86

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + \log(x + 2) + 4 \log(x - 4)$$

input `integrate((x^2+3*x-4)/(x^2-2*x-8),x, algorithm="maxima")`

output $x + \log(x + 2) + 4 \cdot \log(x - 4)$

Giac [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.00

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + \log(|x + 2|) + 4 \log(|x - 4|)$$

input `integrate((x^2+3*x-4)/(x^2-2*x-8),x, algorithm="giac")`

output $x + \log(\text{abs}(x + 2)) + 4 \cdot \log(\text{abs}(x - 4))$

Mupad [B] (verification not implemented)

Time = 17.99 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.86

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = x + \ln(x + 2) + 4 \ln(x - 4)$$

input `int(-(3*x + x^2 - 4)/(2*x - x^2 + 8),x)`

output $x + \log(x + 2) + 4 \cdot \log(x - 4)$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.86

$$\int \frac{-4 + 3x + x^2}{-8 - 2x + x^2} dx = 4 \log(x - 4) + \log(x + 2) + x$$

input `int((x^2+3*x-4)/(x^2-2*x-8),x)`

output `4*log(x - 4) + log(x + 2) + x`

3.17 $\int \frac{7+5x+4x^2}{5+4x+4x^2} dx$

Optimal result	155
Mathematica [A] (verified)	155
Rubi [A] (verified)	156
Maple [A] (verified)	157
Fricas [A] (verification not implemented)	157
Sympy [A] (verification not implemented)	157
Maxima [A] (verification not implemented)	158
Giac [A] (verification not implemented)	158
Mupad [B] (verification not implemented)	158
Reduce [B] (verification not implemented)	159

Optimal result

Integrand size = 23, antiderivative size = 27

$$\int \frac{7+5x+4x^2}{5+4x+4x^2} dx = x + \frac{3}{8} \arctan\left(\frac{1}{2} + x\right) + \frac{1}{8} \log(5+4x+4x^2)$$

output `x+3/8*arctan(1/2+x)+1/8*ln(4*x^2+4*x+5)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.15

$$\int \frac{7+5x+4x^2}{5+4x+4x^2} dx = x + \frac{3}{8} \arctan\left(\frac{1}{2}(1+2x)\right) + \frac{1}{8} \log(5+4x+4x^2)$$

input `Integrate[(7 + 5*x + 4*x^2)/(5 + 4*x + 4*x^2), x]`

output `x + (3*ArcTan[(1 + 2*x)/2])/8 + Log[5 + 4*x + 4*x^2]/8`

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{4x^2 + 5x + 7}{4x^2 + 4x + 5} dx$$

$$\downarrow \text{2188}$$

$$\int \left(\frac{x + 2}{4x^2 + 4x + 5} + 1 \right) dx$$

$$\downarrow \text{2009}$$

$$\frac{3}{8} \arctan \left(x + \frac{1}{2} \right) + \frac{1}{8} \log(4x^2 + 4x + 5) + x$$

input `Int[(7 + 5*x + 4*x^2)/(5 + 4*x + 4*x^2),x]`

output `x + (3*ArcTan[1/2 + x])/8 + Log[5 + 4*x + 4*x^2]/8`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[Expand Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 1.47 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.81

method	result	size
default	$x + \frac{3 \arctan(\frac{1}{2}+x)}{8} + \frac{\ln(4x^2+4x+5)}{8}$	22
risch	$x + \frac{3 \arctan(\frac{1}{2}+x)}{8} + \frac{\ln(4x^2+4x+5)}{8}$	22
parallelrisc	$x + \frac{\ln(x+\frac{1}{2}-i)}{8} - \frac{3i \ln(x+\frac{1}{2}-i)}{16} + \frac{\ln(x+\frac{1}{2}+i)}{8} + \frac{3i \ln(x+\frac{1}{2}+i)}{16}$	37

input `int((4*x^2+5*x+7)/(4*x^2+4*x+5),x,method=_RETURNVERBOSE)`output `x+3/8*arctan(1/2+x)+1/8*ln(4*x^2+4*x+5)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.78

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = x + \frac{3}{8} \arctan\left(x + \frac{1}{2}\right) + \frac{1}{8} \log(4x^2 + 4x + 5)$$

input `integrate((4*x^2+5*x+7)/(4*x^2+4*x+5),x, algorithm="fricas")`output `x + 3/8*arctan(x + 1/2) + 1/8*log(4*x^2 + 4*x + 5)`**Sympy [A] (verification not implemented)**

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.81

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = x + \frac{\log(x^2 + x + \frac{5}{4})}{8} + \frac{3 \operatorname{atan}(x + \frac{1}{2})}{8}$$

input `integrate((4*x**2+5*x+7)/(4*x**2+4*x+5),x)`

output $x + \log(x^2 + x + 5/4)/8 + 3*\operatorname{atan}(x + 1/2)/8$

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.78

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = x + \frac{3}{8} \arctan\left(x + \frac{1}{2}\right) + \frac{1}{8} \log(4x^2 + 4x + 5)$$

input `integrate((4*x^2+5*x+7)/(4*x^2+4*x+5),x, algorithm="maxima")`

output $x + 3/8*\arctan(x + 1/2) + 1/8*\log(4*x^2 + 4*x + 5)$

Giac [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.78

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = x + \frac{3}{8} \arctan\left(x + \frac{1}{2}\right) + \frac{1}{8} \log(4x^2 + 4x + 5)$$

input `integrate((4*x^2+5*x+7)/(4*x^2+4*x+5),x, algorithm="giac")`

output $x + 3/8*\arctan(x + 1/2) + 1/8*\log(4*x^2 + 4*x + 5)$

Mupad [B] (verification not implemented)

Time = 17.41 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.63

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = x + \frac{\ln\left(x^2 + x + \frac{5}{4}\right)}{8} + \frac{3 \operatorname{atan}\left(x + \frac{1}{2}\right)}{8}$$

input `int((5*x + 4*x^2 + 7)/(4*x + 4*x^2 + 5),x)`

output $x + \log(x + x^2 + 5/4)/8 + (3*\operatorname{atan}(x + 1/2))/8$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.78

$$\int \frac{7 + 5x + 4x^2}{5 + 4x + 4x^2} dx = \frac{3 \operatorname{atan}\left(x + \frac{1}{2}\right)}{8} + \frac{\log(4x^2 + 4x + 5)}{8} + x$$

input `int((4*x^2+5*x+7)/(4*x^2+4*x+5),x)`

output `(3*atan((2*x + 1)/2) + log(4*x**2 + 4*x + 5) + 8*x)/8`

3.18 $\int \frac{2-x+x^2}{-5+2x+x^2} dx$

Optimal result	160
Mathematica [A] (verified)	160
Rubi [A] (verified)	161
Maple [A] (verified)	162
Fricas [A] (verification not implemented)	162
Sympy [A] (verification not implemented)	162
Maxima [A] (verification not implemented)	163
Giac [A] (verification not implemented)	163
Mupad [B] (verification not implemented)	164
Reduce [B] (verification not implemented)	164

Optimal result

Integrand size = 19, antiderivative size = 48

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = x - \frac{1}{6} (9-5\sqrt{6}) \log(1-\sqrt{6}+x) - \frac{1}{6} (9+5\sqrt{6}) \log(1+\sqrt{6}+x)$$

output

```
x-1/6*(9-5*6^(1/2))*ln(1-6^(1/2)+x)-1/6*(9+5*6^(1/2))*ln(1+6^(1/2)+x)
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = x + \frac{1}{6} (-9+5\sqrt{6}) \log(-1+\sqrt{6}-x) + \frac{1}{6} (-9-5\sqrt{6}) \log(1+\sqrt{6}+x)$$

input

```
Integrate[(2 - x + x^2)/(-5 + 2*x + x^2), x]
```

output

```
x + ((-9 + 5*Sqrt[6])*Log[-1 + Sqrt[6] - x])/6 + ((-9 - 5*Sqrt[6])*Log[1 + Sqrt[6] + x])/6
```

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 - x + 2}{x^2 + 2x - 5} dx$$

↓ 2188

$$\int \left(\frac{7 - 3x}{x^2 + 2x - 5} + 1 \right) dx$$

↓ 2009

$$x - \frac{1}{6} (9 - 5\sqrt{6}) \log(x - \sqrt{6} + 1) - \frac{1}{6} (9 + 5\sqrt{6}) \log(x + \sqrt{6} + 1)$$

input

```
Int[(2 - x + x^2)/(-5 + 2*x + x^2),x]
```

output

```
x - ((9 - 5*Sqrt[6])*Log[1 - Sqrt[6] + x])/6 - ((9 + 5*Sqrt[6])*Log[1 + Sqrt[6] + x])/6
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2188

```
Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && IGtQ[p, -2]
```

Maple [A] (verified)

Time = 1.28 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.62

method	result	size
default	$x - \frac{3 \ln(x^2+2x-5)}{2} - \frac{5\sqrt{6} \operatorname{arctanh}\left(\frac{(2+2x)\sqrt{6}}{12}\right)}{3}$	30
risch	$x - \frac{3 \ln(1-\sqrt{6}+x)}{2} + \frac{5 \ln(1-\sqrt{6}+x)\sqrt{6}}{6} - \frac{3 \ln(1+\sqrt{6}+x)}{2} - \frac{5 \ln(1+\sqrt{6}+x)\sqrt{6}}{6}$	49

input `int((x^2-x+2)/(x^2+2*x-5),x,method=_RETURNVERBOSE)`output `x-3/2*ln(x^2+2*x-5)-5/3*6^(1/2)*arctanh(1/12*(2+2*x)*6^(1/2))`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.96

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = \frac{5}{2} \sqrt{\frac{2}{3}} \log \left(\frac{x^2 - 6\sqrt{\frac{2}{3}}(x+1) + 2x + 7}{x^2 + 2x - 5} \right) + x - \frac{3}{2} \log(x^2 + 2x - 5)$$

input `integrate((x^2-x+2)/(x^2+2*x-5),x, algorithm="fricas")`output `5/2*sqrt(2/3)*log((x^2 - 6*sqrt(2/3)*(x + 1) + 2*x + 7)/(x^2 + 2*x - 5)) + x - 3/2*log(x^2 + 2*x - 5)`**Sympy [A] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.96

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = x + \left(-\frac{5\sqrt{6}}{6} - \frac{3}{2} \right) \log(x+1+\sqrt{6}) + \left(-\frac{3}{2} + \frac{5\sqrt{6}}{6} \right) \log(x-\sqrt{6}+1)$$

input `integrate((x**2-x+2)/(x**2+2*x-5),x)`

output `x + (-5*sqrt(6)/6 - 3/2)*log(x + 1 + sqrt(6)) + (-3/2 + 5*sqrt(6)/6)*log(x - sqrt(6) + 1)`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.75

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = \frac{5}{6} \sqrt{6} \log \left(\frac{x - \sqrt{6} + 1}{x + \sqrt{6} + 1} \right) + x - \frac{3}{2} \log(x^2 + 2x - 5)$$

input `integrate((x^2-x+2)/(x^2+2*x-5),x, algorithm="maxima")`

output `5/6*sqrt(6)*log((x - sqrt(6) + 1)/(x + sqrt(6) + 1)) + x - 3/2*log(x^2 + 2*x - 5)`

Giac [A] (verification not implemented)

Time = 0.31 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.94

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = \frac{5}{6} \sqrt{6} \log \left(\frac{|2x - 2\sqrt{6} + 2|}{|2x + 2\sqrt{6} + 2|} \right) + x - \frac{3}{2} \log(|x^2 + 2x - 5|)$$

input `integrate((x^2-x+2)/(x^2+2*x-5),x, algorithm="giac")`

output `5/6*sqrt(6)*log(abs(2*x - 2*sqrt(6) + 2)/abs(2*x + 2*sqrt(6) + 2)) + x - 3/2*log(abs(x^2 + 2*x - 5))`

Mupad [B] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.73

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = x - \ln(x + \sqrt{6} + 1) \left(\frac{5\sqrt{6}}{6} + \frac{3}{2} \right) + \ln(x - \sqrt{6} + 1) \left(\frac{5\sqrt{6}}{6} - \frac{3}{2} \right)$$

input `int((x^2 - x + 2)/(2*x + x^2 - 5), x)`output `x - log(x + 6^(1/2) + 1)*((5*6^(1/2))/6 + 3/2) + log(x - 6^(1/2) + 1)*((5*6^(1/2))/6 - 3/2)`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.88

$$\int \frac{2-x+x^2}{-5+2x+x^2} dx = \frac{5\sqrt{6} \log(-\sqrt{6} + x + 1)}{6} - \frac{5\sqrt{6} \log(\sqrt{6} + x + 1)}{6} - \frac{3 \log(-\sqrt{6} + x + 1)}{2} - \frac{3 \log(\sqrt{6} + x + 1)}{2} + x$$

input `int((x^2-x+2)/(x^2+2*x-5), x)`output `(5*sqrt(6)*log(-sqrt(6) + x + 1) - 5*sqrt(6)*log(sqrt(6) + x + 1) - 9*log(-sqrt(6) + x + 1) - 9*log(sqrt(6) + x + 1) + 6*x)/6`

$$3.19 \quad \int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx$$

Optimal result	165
Mathematica [A] (verified)	165
Rubi [A] (verified)	166
Maple [A] (verified)	167
Fricas [A] (verification not implemented)	167
Sympy [A] (verification not implemented)	168
Maxima [A] (verification not implemented)	168
Giac [A] (verification not implemented)	168
Mupad [B] (verification not implemented)	169
Reduce [B] (verification not implemented)	169

Optimal result

Integrand size = 23, antiderivative size = 21

$$\int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx = -\frac{2+3x}{2(4+7x+2x^2)}$$

output `-1/2*(2+3*x)/(2*x^2+7*x+4)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00

$$\int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx = \frac{-2-3x}{2(4+7x+2x^2)}$$

input `Integrate[(1 + 4*x + 3*x^2)/(4 + 7*x + 2*x^2)^2,x]`

output `(-2 - 3*x)/(2*(4 + 7*x + 2*x^2))`

Rubi [A] (verified)

Time = 0.17 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2191, 24}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{3x^2 + 4x + 1}{(2x^2 + 7x + 4)^2} dx$$

↓ 2191

$$-\frac{\int 0 dx}{17} - \frac{3x + 2}{2(2x^2 + 7x + 4)}$$

↓ 24

$$-\frac{3x + 2}{2(2x^2 + 7x + 4)}$$

input `Int[(1 + 4*x + 3*x^2)/(4 + 7*x + 2*x^2)^2,x]`

output `-1/2*(2 + 3*x)/(4 + 7*x + 2*x^2)`

Defintions of rubi rules used

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 2191 `Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]`

Maple [A] (verified)

Time = 1.21 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.81

method	result	size
default	$\frac{-\frac{3x}{4}-\frac{1}{2}}{x^2+\frac{7}{2}x+2}$	17
risch	$\frac{-\frac{3x}{4}-\frac{1}{2}}{x^2+\frac{7}{2}x+2}$	17
norman	$\frac{-\frac{3x}{2}-1}{2x^2+7x+4}$	19
gospers	$-\frac{3x+2}{2(2x^2+7x+4)}$	20
parallelrisch	$\frac{-3x-2}{4x^2+14x+8}$	20
orering	$-\frac{(3x+2)(3x^2+4x+1)}{2(2x^2+7x+4)(x+1)(3x+1)}$	42

input `int((3*x^2+4*x+1)/(2*x^2+7*x+4)^2,x,method=_RETURNVERBOSE)`output `(-3/4*x-1/2)/(x^2+7/2*x+2)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{1+4x+3x^2}{(4+7x+2x^2)^2} dx = -\frac{3x+2}{2(2x^2+7x+4)}$$

input `integrate((3*x^2+4*x+1)/(2*x^2+7*x+4)^2,x, algorithm="fricas")`output `-1/2*(3*x + 2)/(2*x^2 + 7*x + 4)`

Sympy [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.71

$$\int \frac{1 + 4x + 3x^2}{(4 + 7x + 2x^2)^2} dx = \frac{-3x - 2}{4x^2 + 14x + 8}$$

input `integrate((3*x**2+4*x+1)/(2*x**2+7*x+4)**2,x)`output `(-3*x - 2)/(4*x**2 + 14*x + 8)`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{1 + 4x + 3x^2}{(4 + 7x + 2x^2)^2} dx = -\frac{3x + 2}{2(2x^2 + 7x + 4)}$$

input `integrate((3*x^2+4*x+1)/(2*x^2+7*x+4)^2,x, algorithm="maxima")`output `-1/2*(3*x + 2)/(2*x^2 + 7*x + 4)`**Giac [A] (verification not implemented)**

Time = 0.31 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{1 + 4x + 3x^2}{(4 + 7x + 2x^2)^2} dx = -\frac{3x + 2}{2(2x^2 + 7x + 4)}$$

input `integrate((3*x^2+4*x+1)/(2*x^2+7*x+4)^2,x, algorithm="giac")`output `-1/2*(3*x + 2)/(2*x^2 + 7*x + 4)`

Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.81

$$\int \frac{1 + 4x + 3x^2}{(4 + 7x + 2x^2)^2} dx = -\frac{\frac{3x}{4} + \frac{1}{2}}{x^2 + \frac{7x}{2} + 2}$$

input `int((4*x + 3*x^2 + 1)/(7*x + 2*x^2 + 4)^2,x)`

output `-((3*x)/4 + 1/2)/((7*x)/2 + x^2 + 2)`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.95

$$\int \frac{1 + 4x + 3x^2}{(4 + 7x + 2x^2)^2} dx = \frac{3x^2 - 1}{14x^2 + 49x + 28}$$

input `int((3*x^2+4*x+1)/(2*x^2+7*x+4)^2,x)`

output `(3*x**2 - 1)/(7*(2*x**2 + 7*x + 4))`

3.20

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx$$

Optimal result	170
Mathematica [A] (verified)	170
Rubi [A] (verified)	171
Maple [A] (verified)	172
Fricas [A] (verification not implemented)	173
Sympy [A] (verification not implemented)	173
Maxima [A] (verification not implemented)	173
Giac [A] (verification not implemented)	174
Mupad [B] (verification not implemented)	174
Reduce [B] (verification not implemented)	174

Optimal result

Integrand size = 17, antiderivative size = 39

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{1-x}{4(3+2x+x^2)} + \frac{3 \arctan\left(\frac{1+x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

output $(1-x)/(4*x^2+8*x+12)+3/8*\arctan(1/2*(1+x)*2^(1/2))*2^(1/2)$

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{1-x}{4(3+2x+x^2)} + \frac{3 \arctan\left(\frac{1+x}{\sqrt{2}}\right)}{4\sqrt{2}}$$

input `Integrate[(1 + x + x^2)/(3 + 2*x + x^2)^2,x]`

output $(1-x)/(4*(3+2*x+x^2))+(3*\text{ArcTan}[(1+x)/\text{Sqrt}[2]])/(4*\text{Sqrt}[2])$

Rubi [A] (verified)

Time = 0.20 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.13, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$, Rules used = {2191, 27, 1083, 217}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 + x + 1}{(x^2 + 2x + 3)^2} dx$$

$$\downarrow \text{2191}$$

$$\frac{1}{8} \int \frac{6}{x^2 + 2x + 3} dx + \frac{1 - x}{4(x^2 + 2x + 3)}$$

$$\downarrow \text{27}$$

$$\frac{3}{4} \int \frac{1}{x^2 + 2x + 3} dx + \frac{1 - x}{4(x^2 + 2x + 3)}$$

$$\downarrow \text{1083}$$

$$\frac{1 - x}{4(x^2 + 2x + 3)} - \frac{3}{2} \int \frac{1}{-(2x + 2)^2 - 8} d(2x + 2)$$

$$\downarrow \text{217}$$

$$\frac{3 \arctan\left(\frac{2x+2}{2\sqrt{2}}\right)}{4\sqrt{2}} + \frac{1 - x}{4(x^2 + 2x + 3)}$$

input `Int[(1 + x + x^2)/(3 + 2*x + x^2)^2,x]`

output `(1 - x)/(4*(3 + 2*x + x^2)) + (3*ArcTan[(2 + 2*x)/(2*sqrt[2])])/(4*sqrt[2])`

Definitions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[-b, 2])^(-1)*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 2191 `Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]`

Maple [A] (verified)

Time = 1.90 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.82

method	result	size
risch	$\frac{-\frac{x}{4} + \frac{1}{4}}{x^2 + 2x + 3} + \frac{3 \arctan\left(\frac{(x+1)\sqrt{2}}{2}\right)\sqrt{2}}{8}$	32
default	$\frac{-\frac{x}{4} + \frac{1}{4}}{x^2 + 2x + 3} + \frac{3\sqrt{2} \arctan\left(\frac{(2+2x)\sqrt{2}}{4}\right)}{8}$	34

input `int((x^2+x+1)/(x^2+2*x+3)^2,x,method=_RETURNVERBOSE)`

output `(-1/4*x+1/4)/(x^2+2*x+3)+3/8*arctan(1/2*(x+1)*2^(1/2))*2^(1/2)`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{3\sqrt{2}(x^2+2x+3)\arctan\left(\frac{1}{2}\sqrt{2}(x+1)\right) - 2x+2}{8(x^2+2x+3)}$$

input `integrate((x^2+x+1)/(x^2+2*x+3)^2,x, algorithm="fricas")`output `1/8*(3*sqrt(2)*(x^2 + 2*x + 3)*arctan(1/2*sqrt(2)*(x + 1)) - 2*x + 2)/(x^2 + 2*x + 3)`**Sympy [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.95

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{1-x}{4x^2+8x+12} + \frac{3\sqrt{2}\operatorname{atan}\left(\frac{\sqrt{2}x}{2} + \frac{\sqrt{2}}{2}\right)}{8}$$

input `integrate((x**2+x+1)/(x**2+2*x+3)**2,x)`output `(1 - x)/(4*x**2 + 8*x + 12) + 3*sqrt(2)*atan(sqrt(2)*x/2 + sqrt(2)/2)/8`**Maxima [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.77

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{3}{8}\sqrt{2}\arctan\left(\frac{1}{2}\sqrt{2}(x+1)\right) - \frac{x-1}{4(x^2+2x+3)}$$

input `integrate((x^2+x+1)/(x^2+2*x+3)^2,x, algorithm="maxima")`output `3/8*sqrt(2)*arctan(1/2*sqrt(2)*(x + 1)) - 1/4*(x - 1)/(x^2 + 2*x + 3)`

Giac [A] (verification not implemented)

Time = 0.31 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.77

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{3}{8} \sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(x+1)\right) - \frac{x-1}{4(x^2+2x+3)}$$

input `integrate((x^2+x+1)/(x^2+2*x+3)^2,x, algorithm="giac")`output `3/8*sqrt(2)*arctan(1/2*sqrt(2)*(x + 1)) - 1/4*(x - 1)/(x^2 + 2*x + 3)`**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.92

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{3\sqrt{2} \operatorname{atan}\left(\frac{\sqrt{2}x}{2} + \frac{\sqrt{2}}{2}\right)}{8} - \frac{\frac{x}{4} - \frac{1}{4}}{x^2 + 2x + 3}$$

input `int((x + x^2 + 1)/(2*x + x^2 + 3)^2,x)`output `(3*2^(1/2)*atan((2^(1/2)*x)/2 + 2^(1/2)/2))/8 - (x/4 - 1/4)/(2*x + x^2 + 3)`**Reduce [B] (verification not implemented)**

Time = 0.17 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.56

$$\int \frac{1+x+x^2}{(3+2x+x^2)^2} dx = \frac{3\sqrt{2} \operatorname{atan}\left(\frac{x+1}{\sqrt{2}}\right) x^2 + 6\sqrt{2} \operatorname{atan}\left(\frac{x+1}{\sqrt{2}}\right) x + 9\sqrt{2} \operatorname{atan}\left(\frac{x+1}{\sqrt{2}}\right) + x^2 + 5}{8x^2 + 16x + 24}$$

input `int((x^2+x+1)/(x^2+2*x+3)^2,x)`

output $(3\sqrt{2}\operatorname{atan}((x + 1)/\sqrt{2})x^{**2} + 6\sqrt{2}\operatorname{atan}((x + 1)/\sqrt{2})x + 9\sqrt{2}\operatorname{atan}((x + 1)/\sqrt{2}) + x^{**2} + 5)/(8(x^{**2} + 2x + 3))$

$$3.21 \quad \int \frac{-1+2x+5x^2}{(1+x+x^2)^4} dx$$

Optimal result	176
Mathematica [A] (verified)	176
Rubi [A] (verified)	177
Maple [A] (verified)	177
Fricas [B] (verification not implemented)	178
Sympy [B] (verification not implemented)	179
Maxima [B] (verification not implemented)	179
Giac [A] (verification not implemented)	179
Mupad [B] (verification not implemented)	180
Reduce [B] (verification not implemented)	180

Optimal result

Integrand size = 19, antiderivative size = 11

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{(1 + x + x^2)^3}$$

output `-x/(x^2+x+1)^3`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{(1 + x + x^2)^3}$$

input `Integrate[(-1 + 2*x + 5*x^2)/(1 + x + x^2)^4,x]`

output `-(x/(1 + x + x^2)^3)`

Rubi [A] (verified)

Time = 0.15 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {2021}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{5x^2 + 2x - 1}{(x^2 + x + 1)^4} dx$$

$$\downarrow \text{2021}$$

$$-\frac{x}{(x^2 + x + 1)^3}$$

input `Int[(-1 + 2*x + 5*x^2)/(1 + x + x^2)^4,x]`

output `-(x/(1 + x + x^2)^3)`

Defintions of rubi rules used

rule 2021 `Int[(Pp_)*(Qq_)^(m_.), x_Symbol] := With[{p = Expon[Pp, x], q = Expon[Qq, x]}, Simp[Coeff[Pp, x, p]*x^(p - q + 1)*(Qq^(m + 1))/((p + m*q + 1)*Coeff[Qq, x, q]), x] /; NeQ[p + m*q + 1, 0] && EqQ[(p + m*q + 1)*Coeff[Qq, x, q]*Pp, Coeff[Pp, x, p]*x^(p - q)*((p - q + 1)*Qq + (m + 1)*x*D[Qq, x])] /; FreeQ[m, x] && PolyQ[Pp, x] && PolyQ[Qq, x] && NeQ[m, -1]`

Maple [A] (verified)

Time = 1.88 (sec) , antiderivative size = 12, normalized size of antiderivative = 1.09

method	result	size
gosper	$-\frac{x}{(x^2+x+1)^3}$	12
default	$-\frac{x}{(x^2+x+1)^3}$	12
norman	$-\frac{x}{(x^2+x+1)^3}$	12
risch	$-\frac{x}{(x^2+x+1)^3}$	12
parallelrisch	$-\frac{x}{(x^2+x+1)^3}$	12
orering	$-\frac{x}{(x^2+x+1)^3}$	12

input `int((5*x^2+2*x-1)/(x^2+x+1)^4,x,method=_RETURNVERBOSE)`

output `-x/(x^2+x+1)^3`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 33 vs. $2(11) = 22$.

Time = 0.06 (sec) , antiderivative size = 33, normalized size of antiderivative = 3.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{x^6 + 3x^5 + 6x^4 + 7x^3 + 6x^2 + 3x + 1}$$

input `integrate((5*x^2+2*x-1)/(x^2+x+1)^4,x, algorithm="fricas")`

output `-x/(x^6 + 3*x^5 + 6*x^4 + 7*x^3 + 6*x^2 + 3*x + 1)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 31 vs. $2(10) = 20$.

Time = 0.07 (sec) , antiderivative size = 31, normalized size of antiderivative = 2.82

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{x^6 + 3x^5 + 6x^4 + 7x^3 + 6x^2 + 3x + 1}$$

input `integrate((5*x**2+2*x-1)/(x**2+x+1)**4,x)`

output `-x/(x**6 + 3*x**5 + 6*x**4 + 7*x**3 + 6*x**2 + 3*x + 1)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 33 vs. $2(11) = 22$.

Time = 0.03 (sec) , antiderivative size = 33, normalized size of antiderivative = 3.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{x^6 + 3x^5 + 6x^4 + 7x^3 + 6x^2 + 3x + 1}$$

input `integrate((5*x^2+2*x-1)/(x^2+x+1)^4,x, algorithm="maxima")`

output `-x/(x^6 + 3*x^5 + 6*x^4 + 7*x^3 + 6*x^2 + 3*x + 1)`

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{(x^2 + x + 1)^3}$$

input `integrate((5*x^2+2*x-1)/(x^2+x+1)^4,x, algorithm="giac")`

output `-x/(x^2 + x + 1)^3`

Mupad [B] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 11, normalized size of antiderivative = 1.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{(x^2 + x + 1)^3}$$

input `int((2*x + 5*x^2 - 1)/(x + x^2 + 1)^4,x)`output `-x/(x + x^2 + 1)^3`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 33, normalized size of antiderivative = 3.00

$$\int \frac{-1 + 2x + 5x^2}{(1 + x + x^2)^4} dx = -\frac{x}{x^6 + 3x^5 + 6x^4 + 7x^3 + 6x^2 + 3x + 1}$$

input `int((5*x^2+2*x-1)/(x^2+x+1)^4,x)`output `(- x)/(x**6 + 3*x**5 + 6*x**4 + 7*x**3 + 6*x**2 + 3*x + 1)`

3.22
$$\int \frac{d+ex+fx^2+gx^3+hx^4+ix^5}{(a+bx+cx^2)^3} dx$$

Optimal result	181
Mathematica [A] (verified)	182
Rubi [A] (verified)	183
Maple [A] (verified)	186
Fricas [B] (verification not implemented)	187
Sympy [F(-1)]	187
Maxima [F(-2)]	187
Giac [A] (verification not implemented)	188
Mupad [B] (verification not implemented)	189
Reduce [B] (verification not implemented)	189

Optimal result

Integrand size = 38, antiderivative size = 528

$$\int \frac{d+ex+fx^2+gx^3+hx^4+ix^5}{(a+bx+cx^2)^3} dx =$$

$$\frac{ab^3ch+bc^2(c^2d+acf-3a^2h)-ab^4i-ab^2c(cg-4ai)-2ac^2(c^2e-acg+a^2i)+(2c^5d-c^4(be+2ah)-2c^4(b^2-4ac)(a+bx+cx^2))}{2c^4(b^2-4ac)(a+bx+cx^2)}$$

$$+\frac{b^5ch+b^3c^2(cf-8ah)+2bc^3(3c^2d+acf+11a^2h)-b^6i-b^4c(cg-11ai)-16a^2c^3(cg-2ai)-b^2c^2(c^2e-acg+a^2i)}{2c^4(b^2-4ac)}$$

$$-\frac{(12c^5d-c^4(6be-4af)+2c^3(b^2f-3abg+6a^2h)-b^5i+10ab^3ci-30a^2bc^2i)\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)}{c^3(b^2-4ac)^{5/2}}$$

$$+\frac{i\log(a+bx+cx^2)}{2c^3}$$

output

```
-1/2*(a*b^3*c*h+b*c^2*(-3*a^2*h+a*c*f+c^2*d)-a*b^4*i-a*b^2*c*(-4*a*i+c*g)-
2*a*c^2*(a^2*i-a*c*g+c^2*e)+(2*c^5*d-c^4*(2*a*f+b*e)+c^3*(2*a^2*h+3*a*b*g+
b^2*f)-b^5*i+b^3*c*(5*a*i+b*h)-b*c^2*(5*a^2*i+4*a*b*h+b^2*g))*x)/c^4/(-4*a
*c+b^2)/(c*x^2+b*x+a)^2+1/2*(b^5*c*h+b^3*c^2*(-8*a*h+c*f)+2*b*c^3*(11*a^2*
h+a*c*f+3*c^2*d)-b^6*i-b^4*c*(-11*a*i+c*g)-16*a^2*c^3*(-2*a*i+c*g)-b^2*c^2
*(39*a^2*i-5*a*c*g+3*c^2*e)+2*c*(6*c^5*d-c^4*(-2*a*f+3*b*e)+c^3*(-10*a^2*h
-3*a*b*g+b^2*f)+2*b^5*i-b^3*c*(15*a*i+b*h)+a*b*c^2*(25*a*i+8*b*h))*x)/c^4/
(-4*a*c+b^2)^2/(c*x^2+b*x+a)-(12*c^5*d-c^4*(-4*a*f+6*b*e)+2*c^3*(6*a^2*h-3
*a*b*g+b^2*f)-b^5*i+10*a*b^3*c*i-30*a^2*b*c^2*i)*arctanh((2*c*x+b)/(-4*a*c
+b^2)^(1/2))/c^3/(-4*a*c+b^2)^(5/2)+1/2*i*ln(c*x^2+b*x+a)/c^3
```

Mathematica [A] (verified)

Time = 1.21 (sec) , antiderivative size = 488, normalized size of antiderivative = 0.92

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx$$

$$= \frac{b^5ix + b^4(ai - chx) + 2c^2(a^3i - c^3dx + ac^2(e + fx) - a^2c(g + hx)) + b^2c(-4a^2i - c^2fx + ac(g + 4hx)) + b^3c(cgx - a(h + 5ix)) + bc^2(c^2(-d + ex) - ac(f + 3gx))}{(b^2 - 4ac)(a + x(b + cx))^2}$$

input

```
Integrate[(d + e*x + f*x^2 + g*x^3 + h*x^4 + i*x^5)/(a + b*x + c*x^2)^3,x]
```

output

```
((b^5*i*x + b^4*(a*i - c*h*x) + 2*c^2*(a^3*i - c^3*d*x + a*c^2*(e + f*x) -
a^2*c*(g + h*x)) + b^2*c*(-4*a^2*i - c^2*f*x + a*c*(g + 4*h*x)) + b^3*c*(
c*g*x - a*(h + 5*i*x)) + b*c^2*(c^2*(-d + e*x) - a*c*(f + 3*g*x) + a^2*(3*
h + 5*i*x)))/(b^2 - 4*a*c)*(a + x*(b + c*x))^2 + (-b^6*i) + b^5*c*(h +
4*i*x) + b^3*c^2*(c*f - 8*a*h - 30*a*i*x) - b^4*c*(-11*a*i + c*(g + 2*h*x)
) + 4*c^3*(8*a^3*i + 3*c^3*d*x + a*c^2*f*x - a^2*c*(4*g + 5*h*x)) + b^2*c^
2*(-39*a^2*i + c^2*(-3*e + 2*f*x) + a*c*(5*g + 16*h*x)) + 2*b*c^3*(3*c^2*(
d - e*x) + a*c*(f - 3*g*x) + a^2*(11*h + 25*i*x)))/(b^2 - 4*a*c)^2*(a + x
*(b + c*x)) + (2*c*(12*c^5*d + c^4*(-6*b*e + 4*a*f) + 2*c^3*(b^2*f - 3*a*
b*g + 6*a^2*h) - b^5*i + 10*a*b^3*c*i - 30*a^2*b*c^2*i)*ArcTan[(b + 2*c*x)
/Sqrt[-b^2 + 4*a*c]]/(-b^2 + 4*a*c)^(5/2) + c*i*Log[a + x*(b + c*x)]/(2*
c^4)
```

Rubi [A] (verified)

Time = 1.22 (sec) , antiderivative size = 567, normalized size of antiderivative = 1.07, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.184$, Rules used = {2191, 2191, 27, 1142, 1083, 219, 1103}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx$$

↓ 2191

$$\int \frac{-\frac{ib^5}{c^4} + \frac{(bh+3ai)b^3}{c^3} - 3eb - \frac{(-ia^2+2bha+b^2g)b}{c^2} + 2\left(4a - \frac{b^2}{c}\right)ix^3 - \frac{2(b^2-4ac)(ch-bi)x^2}{c^2} + 6cd+2af + \frac{-2ha^2+bgab+b^2f}{c} - \frac{2(b^2-4ac)(ib^2+c^2g-c(bh+3ai))}{c^3}}{(cx^2+bx+a)^2} dx$$

$$\frac{x(c^3(2a^2h + 3abg + b^2f) - bc^2(5a^2i + 4abh + b^2g) + b^3c(5ai + bh) - c^4(2af + be) + b^5(-i) + 2c^5d) + bc^2(-3a^2h - 3abg - b^2f) - b^3c(-5ai - bh) + c^4(2af + be) - b^5(-i) + 2c^5d}{2c^4(b^2 - 4ac)(a + bx + cx^2)^2}$$

↓ 2191

$$\int \frac{2\left(\left(\frac{aib^3}{c^2} + fb^2 - 3ceb - 3agb - \frac{7a^2ib}{c} + 6c^2d + 2acf + 6a^2h\right)c^2 + (b^2 - 4ac)^2ix\right)}{c^2(cx^2+bx+a)} dx - \frac{-b^2c^2(39a^2i - 5acg + 3c^2e) + 2cx(c^3(-10a^2h - 3abg + b^2f) - b^3c(10a^2h + 3abg + b^2f) - b^3c(5ai + bh) + c^4(2af + be) - b^5(-i) + 2c^5d)}{b^2 - 4ac}$$

$$\frac{x(c^3(2a^2h + 3abg + b^2f) - bc^2(5a^2i + 4abh + b^2g) + b^3c(5ai + bh) - c^4(2af + be) + b^5(-i) + 2c^5d) + bc^2(-3a^2h - 3abg - b^2f) - b^3c(-5ai - bh) + c^4(2af + be) - b^5(-i) + 2c^5d}{2c^4(b^2 - 4ac)(a + bx + cx^2)^2}$$

↓ 27

$$2 \int \frac{\left(\frac{aib^3}{c^2} + fb^2 - 3ceb - 3agb - \frac{7a^2ib}{c} + 6c^2d + 2acf + 6a^2h\right)c^2 + (b^2 - 4ac)^2ix}{c^2(b^2 - 4ac)} dx - \frac{-b^2c^2(39a^2i - 5acg + 3c^2e) + 2cx(c^3(-10a^2h - 3abg + b^2f) - b^3c(10a^2h + 3abg + b^2f) - b^3c(5ai + bh) + c^4(2af + be) - b^5(-i) + 2c^5d)}{c^2(b^2 - 4ac)}$$

$$\frac{x(c^3(2a^2h + 3abg + b^2f) - bc^2(5a^2i + 4abh + b^2g) + b^3c(5ai + bh) - c^4(2af + be) + b^5(-i) + 2c^5d) + bc^2(-3a^2h - 3abg - b^2f) - b^3c(-5ai - bh) + c^4(2af + be) - b^5(-i) + 2c^5d}{2c^4(b^2 - 4ac)(a + bx + cx^2)^2}$$

↓ 1142

$$\frac{2 \left(\frac{(2c^3(6a^2h-3abg+b^2f)-30a^2bc^2i+10ab^3ci-c^4(6be-4af)+b^5(-i)+12c^5d) \int \frac{1}{cx^2+bx+a} dx + i(b^2-4ac)^2 \int \frac{b+2cx}{cx^2+bx+a} dx \right)}{c^2(b^2-4ac)} - \frac{-b^2c^2(39a^2i-5ac)}{c^2(b^2-4ac)}$$

$$\frac{x(c^3(2a^2h+3abg+b^2f) - bc^2(5a^2i+4abh+b^2g) + b^3c(5ai+bh) - c^4(2af+be) + b^5(-i) + 2c^5d) + bc^2(-3a)}{2c^4(b^2-4ac)(a+bx+cx^2)^2}$$

↓ 1083

$$\frac{2 \left(\frac{i(b^2-4ac)^2 \int \frac{b+2cx}{cx^2+bx+a} dx}{2c} - \frac{(2c^3(6a^2h-3abg+b^2f)-30a^2bc^2i+10ab^3ci-c^4(6be-4af)+b^5(-i)+12c^5d) \int \frac{1}{b^2-(b+2cx)^2-4ac} d(b+2cx)}{c} \right)}{c^2(b^2-4ac)} - \frac{-b^2c^2(39a^2i-5ac)}{c^2(b^2-4ac)}$$

$$\frac{x(c^3(2a^2h+3abg+b^2f) - bc^2(5a^2i+4abh+b^2g) + b^3c(5ai+bh) - c^4(2af+be) + b^5(-i) + 2c^5d) + bc^2(-3a)}{2c^4(b^2-4ac)(a+bx+cx^2)^2}$$

↓ 219

$$\frac{2 \left(\frac{i(b^2-4ac)^2 \int \frac{b+2cx}{cx^2+bx+a} dx}{2c} - \frac{\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) (2c^3(6a^2h-3abg+b^2f)-30a^2bc^2i+10ab^3ci-c^4(6be-4af)+b^5(-i)+12c^5d)}{c\sqrt{b^2-4ac}} \right)}{c^2(b^2-4ac)} - \frac{-b^2c^2(39a^2i-5ac)}{c^2(b^2-4ac)}$$

$$\frac{x(c^3(2a^2h+3abg+b^2f) - bc^2(5a^2i+4abh+b^2g) + b^3c(5ai+bh) - c^4(2af+be) + b^5(-i) + 2c^5d) + bc^2(-3a)}{2c^4(b^2-4ac)(a+bx+cx^2)^2}$$

↓ 1103

$$\frac{2 \left(\frac{i(b^2-4ac)^2 \log(a+bx+cx^2)}{2c} - \frac{\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right) (2c^3(6a^2h-3abg+b^2f)-30a^2bc^2i+10ab^3ci-c^4(6be-4af)+b^5(-i)+12c^5d)}{c\sqrt{b^2-4ac}} \right)}{c^2(b^2-4ac)} - \frac{-b^2c^2(39a^2i-5ac)}{c^2(b^2-4ac)}$$

$$\frac{x(c^3(2a^2h+3abg+b^2f) - bc^2(5a^2i+4abh+b^2g) + b^3c(5ai+bh) - c^4(2af+be) + b^5(-i) + 2c^5d) + bc^2(-3a)}{2c^4(b^2-4ac)(a+bx+cx^2)^2}$$

input `Int[(d + e*x + f*x^2 + g*x^3 + h*x^4 + i*x^5)/(a + b*x + c*x^2)^3,x]`

output

```
-1/2*(a*b^3*c*h + b*c^2*(c^2*d + a*c*f - 3*a^2*h) - a*b^4*i - a*b^2*c*(c*g
- 4*a*i) - 2*a*c^2*(c^2*e - a*c*g + a^2*i) + (2*c^5*d - c^4*(b*e + 2*a*f)
+ c^3*(b^2*f + 3*a*b*g + 2*a^2*h) - b^5*i + b^3*c*(b*h + 5*a*i) - b*c^2*(
b^2*g + 4*a*b*h + 5*a^2*i))*x)/(c^4*(b^2 - 4*a*c)*(a + b*x + c*x^2)^2) - (
-((b^5*c*h + b^3*c^2*(c*f - 8*a*h) + 2*b*c^3*(3*c^2*d + a*c*f + 11*a^2*h)
- b^6*i - b^4*c*(c*g - 11*a*i) - 16*a^2*c^3*(c*g - 2*a*i) - b^2*c^2*(3*c^2
*e - 5*a*c*g + 39*a^2*i) + 2*c*(6*c^5*d - c^4*(3*b*e - 2*a*f) + c^3*(b^2*f
- 3*a*b*g - 10*a^2*h) + 2*b^5*i - b^3*c*(b*h + 15*a*i) + a*b*c^2*(8*b*h +
25*a*i))*x)/(c^4*(b^2 - 4*a*c)*(a + b*x + c*x^2))) - (2*(-(((12*c^5*d - c
^4*(6*b*e - 4*a*f) + 2*c^3*(b^2*f - 3*a*b*g + 6*a^2*h) - b^5*i + 10*a*b^3*
c*i - 30*a^2*b*c^2*i)*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]])/(c*Sqrt[b^2
- 4*a*c])) + ((b^2 - 4*a*c)^2*i*Log[a + b*x + c*x^2])/(2*c)))/(c^2*(b^2 -
4*a*c)))/(2*(b^2 - 4*a*c))
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 219

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*
ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

rule 1083

```
Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]
```

rule 1103

```
Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[d*(Log[RemoveContent[a + b*x + c*x^2, x]]/b), x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[2*c*d - b*e, 0]
```

rule 1142

```
Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := S
imp[(2*c*d - b*e)/(2*c) Int[1/(a + b*x + c*x^2), x], x] + Simp[e/(2*c)
Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x]
```

rule 2191

```
Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q =
PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[P
q, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x +
c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(
p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int
[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*
(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^
2 - 4*a*c, 0] && LtQ[p, -1]
```

Maple [A] (verified)

Time = 1.79 (sec) , antiderivative size = 769, normalized size of antiderivative = 1.46

method	result
default	$\frac{(25a^2bc^2i-10a^2c^3h-15ab^3ci+8ab^2c^2h-3abc^3g+2ac^4f+2b^5i-b^4ch+b^2c^3f-3bc^4e+6c^5d)x^3}{c^2(16a^2c^2-8cab^2+b^4)} + \frac{(32a^3c^3i+11a^2b^2c^2i+2a^2bc^3h-16a^2c^4g-19ab^4ci+8ab^3c^2h-ab^2c^3g+6ab^4f+3b^6i-b^5c^4h-b^4c^2g+3b^3c^3f-9b^2c^4e+18b^5d)}{(16a^2c^2-8ab^2c+b^4)/c^3x^2+(31a^3bc^2i-6a^3c^3h-22a^2b^3ci+10a^2b^2c^2h-5a^2bc^3g-2a^2c^4f+3ab^5i-ab^4c^4h-ab^3c^2g+5ab^2c^3f-5ab^4e+10ac^5d-b^3c^3e+2b^2c^4d)}{(16a^2c^2-8ab^2c+b^4)/c^3x+1/2/c^3(24a^4c^2i-21a^3b^2ci+10a^3bc^2h-8a^3c^3g+3a^2b^4i-a^2b^3ch-a^2b^2c^2g+6a^2bc^3f-8a^2c^4e-ab^2c^3e+10ab^4d-b^3c^3d)}{(16a^2c^2-8ab^2c+b^4))/(c*x^2+b*x+a)^2+1/c^2/(16a^2c^2-8ab^2c+b^4)*(1/2*(16a^2c^2i-8ab^2ci+b^4i)/c*\ln(c*x^2+b*x+a)+2*(-7a^2b*i*c+6a^2c^2h+ab^3i-3ab^2c^2g+2ac^3f+b^2c^2f-3b^2e*c^3+6c^4d-1/2*(16a^2c^2i-8ab^2ci+b^4i)*b/c)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2))}$
risch	Expression too large to display

input

```
int((i*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a)^3,x,method=_RETURNVERBOS
E)
```

output

```
((25*a^2*b*c^2*i-10*a^2*c^3*h-15*a*b^3*c*i+8*a*b^2*c^2*h-3*a*b*c^3*g+2*a*c^
^4*f+2*b^5*i-b^4*c*h+b^2*c^3*f-3*b*c^4*e+6*c^5*d)/c^2/(16*a^2*c^2-8*a*b^2*
c+b^4)*x^3+1/2*(32*a^3*c^3*i+11*a^2*b^2*c^2*i+2*a^2*b*c^3*h-16*a^2*c^4*g-1
9*a*b^4*c*i+8*a*b^3*c^2*h-a*b^2*c^3*g+6*a*b^4*f+3*b^6*i-b^5*c^4*h-b^4*c^2*
g+3*b^3*c^3*f-9*b^2*c^4*e+18*b^5*d)/(16*a^2*c^2-8*a*b^2*c+b^4)/c^3*x^2+(
31*a^3*b*c^2*i-6*a^3*c^3*h-22*a^2*b^3*c*i+10*a^2*b^2*c^2*h-5*a^2*b*c^3*g-2
*a^2*c^4*f+3*a*b^5*i-a*b^4*c^4*h-a*b^3*c^2*g+5*a*b^2*c^3*f-5*a*b^4*e+10*a*
c^5*d-b^3*c^3*e+2*b^2*c^4*d)/(16*a^2*c^2-8*a*b^2*c+b^4)/c^3*x+1/2/c^3*(24*
a^4*c^2*i-21*a^3*b^2*c*i+10*a^3*b*c^2*h-8*a^3*c^3*g+3*a^2*b^4*i-a^2*b^3*c*
h-a^2*b^2*c^2*g+6*a^2*b*c^3*f-8*a^2*c^4*e-a*b^2*c^3*e+10*a*b^4*d-b^3*c^3
*d)/(16*a^2*c^2-8*a*b^2*c+b^4))/(c*x^2+b*x+a)^2+1/c^2/(16*a^2*c^2-8*a*b^2*
c+b^4)*(1/2*(16*a^2*c^2*i-8*a*b^2*c*i+b^4*i)/c*\ln(c*x^2+b*x+a)+2*(-7*a^2*b
*i*c+6*a^2c^2h+ab^3i-3ab^2c^2g+2ac^3f+b^2c^2f-3b^2e*c^3+6c^4d-1/2*(16a^2c^2i-8ab^2ci+b^4i)*b/c)/(4*a*c-b^2)^(1/2)*arctan((2*c*x+b)/(4*a*c-b^2)^(1/2)))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1730 vs. 2(518) = 1036.

Time = 0.16 (sec) , antiderivative size = 3480, normalized size of antiderivative = 6.59

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx = \text{Too large to display}$$

input `integrate((i*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a)^3,x, algorithm="fricas")`

output Too large to include

Sympy [F(-1)]

Timed out.

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx = \text{Timed out}$$

input `integrate((i*x**5+h*x**4+g*x**3+f*x**2+e*x+d)/(c*x**2+b*x+a)**3,x)`

output Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx = \text{Exception raised: ValueError}$$

input `integrate((i*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a)^3,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 646, normalized size of antiderivative = 1.22

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx$$

$$= \frac{(12c^5d - 6bc^4e + 2b^2c^3f + 4ac^4f - 6abc^3g + 12a^2c^3h - b^5i + 10ab^3ci - 30a^2bc^2i) \arctan\left(\frac{2cx+b}{\sqrt{-b^2+4ac}}\right) + \frac{i \log(cx^2 + bx + a)}{2c^3}}{(b^4c^3 - 8ab^2c^4 + 16a^2c^5)\sqrt{-b^2 + 4ac}}$$

$$- \frac{b^3c^3d - 10abc^4d + ab^2c^3e + 8a^2c^4e - 6a^2bc^3f + a^2b^2c^2g + 8a^3c^3g + a^2b^3ch - 10a^3bc^2h - 3a^2b^4i + 2a^3c^3h - 10a^2b^3ci - 30a^2bc^2i}{(b^4c^3 - 8ab^2c^4 + 16a^2c^5)\sqrt{-b^2 + 4ac}}$$

input

```
integrate((i*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a)^3,x, algorithm="gi
ac")
```

output

```
(12*c^5*d - 6*b*c^4*e + 2*b^2*c^3*f + 4*a*c^4*f - 6*a*b*c^3*g + 12*a^2*c^3
*h - b^5*i + 10*a*b^3*c*i - 30*a^2*b*c^2*i)*arctan((2*c*x + b)/sqrt(-b^2 +
4*a*c))/((b^4*c^3 - 8*a*b^2*c^4 + 16*a^2*c^5)*sqrt(-b^2 + 4*a*c)) + 1/2*i
*log(c*x^2 + b*x + a)/c^3 - 1/2*(b^3*c^3*d - 10*a*b*c^4*d + a*b^2*c^3*e +
8*a^2*c^4*e - 6*a^2*b*c^3*f + a^2*b^2*c^2*g + 8*a^3*c^3*g + a^2*b^3*c*h -
10*a^3*b*c^2*h - 3*a^2*b^4*i + 21*a^3*b^2*c*i - 24*a^4*c^2*i - 2*(6*c^6*d
- 3*b*c^5*e + b^2*c^4*f + 2*a*c^5*f - 3*a*b*c^4*g - b^4*c^2*h + 8*a*b^2*c^
3*h - 10*a^2*c^4*h + 2*b^5*c*i - 15*a*b^3*c^2*i + 25*a^2*b*c^3*i)*x^3 - (1
8*b*c^5*d - 9*b^2*c^4*e + 3*b^3*c^3*f + 6*a*b*c^4*f - b^4*c^2*g - a*b^2*c^
3*g - 16*a^2*c^4*g - b^5*c*h + 8*a*b^3*c^2*h + 2*a^2*b*c^3*h + 3*b^6*i - 1
9*a*b^4*c*i + 11*a^2*b^2*c^2*i + 32*a^3*c^3*i)*x^2 - 2*(2*b^2*c^4*d + 10*a
*c^5*d - b^3*c^3*e - 5*a*b*c^4*e + 5*a*b^2*c^3*f - 2*a^2*c^4*f - a*b^3*c^2
*g - 5*a^2*b*c^3*g - a*b^4*c*h + 10*a^2*b^2*c^2*h - 6*a^3*c^3*h + 3*a*b^5*
i - 22*a^2*b^3*c*i + 31*a^3*b*c^2*i)*x)/((c*x^2 + b*x + a)^2*(b^2 - 4*a*c)
^2*c^3)
```

Mupad [B] (verification not implemented)

Time = 19.93 (sec) , antiderivative size = 1027, normalized size of antiderivative = 1.95

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx = \text{Too large to display}$$

input `int((d + e*x + f*x^2 + g*x^3 + h*x^4 + i*x^5)/(a + b*x + c*x^2)^3,x)`

output `(atan((x*(32*a^2*c^5*(4*a*c - b^2)^(5/2) + 2*b^4*c^3*(4*a*c - b^2)^(5/2) - 16*a*b^2*c^4*(4*a*c - b^2)^(5/2)))/(c^2*(4*a*c - b^2)^5) + ((32*a^2*c^5*(4*a*c - b^2)^(5/2) + 2*b^4*c^3*(4*a*c - b^2)^(5/2) - 16*a*b^2*c^4*(4*a*c - b^2)^(5/2))*(b^5*c^2 - 8*a*b^3*c^3 + 16*a^2*b*c^4))/(2*c^5*(4*a*c - b^2)^5*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)))*(12*c^5*d - b^5*i + 2*b^2*c^3*f + 12*a^2*c^3*h + 4*a*c^4*f - 6*b*c^4*e - 6*a*b*c^3*g + 10*a*b^3*c*i - 30*a^2*b*c^2*i))/(c^3*(4*a*c - b^2)^(5/2)) - (log(a + b*x + c*x^2)*(b^10*i - 1024*a^5*c^5*i + 160*a^2*b^6*c^2*i - 640*a^3*b^4*c^3*i + 1280*a^4*b^2*c^4*i - 20*a*b^8*c*i))/(2*(1024*a^5*c^8 - b^10*c^3 + 20*a*b^8*c^4 - 160*a^2*b^6*c^5 + 640*a^3*b^4*c^6 - 1280*a^4*b^2*c^7)) - ((8*a^2*c^4*e + b^3*c^3*d + 8*a^3*c^3*g - 3*a^2*b^4*i - 24*a^4*c^2*i + a^2*b^2*c^2*g - 10*a*b*c^4*d + a*b^2*c^3*e - 6*a^2*b*c^3*f + a^2*b^3*c*h - 10*a^3*b*c^2*h + 21*a^3*b^2*c*i)/(2*c^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (x^2*(3*b^6*i - 9*b^2*c^4*e - 16*a^2*c^4*g + 3*b^3*c^3*f - b^4*c^2*g + 32*a^3*c^3*i + 18*b*c^5*d - b^5*c*h + 11*a^2*b^2*c^2*i + 6*a*b*c^4*f - 19*a*b^4*c*i - a*b^2*c^3*g + 8*a*b^3*c^2*h + 2*a^2*b*c^3*h))/(2*c^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) + (x*(2*a^2*c^4*f - 2*b^2*c^4*d + b^3*c^3*e + 6*a^3*c^3*h - 10*a*c^5*d - 3*a*b^5*i - 10*a^2*b^2*c^2*h + 5*a*b*c^4*e + a*b^4*c*h - 5*a*b^2*c^3*f + a*b^3*c^2*g + 5*a^2*b*c^3*g + 22*a^2*b^3*c*i - 31*a^3*b*c^2*i))/(c^3*(b^4 + 16*a^2*c^2 - 8*a*b^2*c)) - (x^3*(6*c^5*d + 2*b^5*i + b^2*c^3*f - 10*a^2*c^3*h + 2*a*c^4*...`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 3913, normalized size of antiderivative = 7.41

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + ix^5}{(a + bx + cx^2)^3} dx = \text{Too large to display}$$

input `int((i*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a)^3,x)`

output

```
( - 60*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**4*b**2*c
**2*i + 24*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**4*b*
c**3*h + 20*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b
**4*c*i - 120*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3
*b**3*c**2*i*x - 12*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2)
)*a**3*b**2*c**3*g + 48*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b
**2))*a**3*b**2*c**3*h*x - 120*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*
a*c - b**2))*a**3*b**2*c**3*i*x**2 + 8*sqrt(4*a*c - b**2)*atan((b + 2*c*x)
/sqrt(4*a*c - b**2))*a**3*b*c**4*f + 48*sqrt(4*a*c - b**2)*atan((b + 2*c*x
)/sqrt(4*a*c - b**2))*a**3*b*c**4*h*x**2 - 2*sqrt(4*a*c - b**2)*atan((b +
2*c*x)/sqrt(4*a*c - b**2))*a**2*b**6*i + 40*sqrt(4*a*c - b**2)*atan((b + 2
*c*x)/sqrt(4*a*c - b**2))*a**2*b**5*c*i*x - 20*sqrt(4*a*c - b**2)*atan((b
+ 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**4*c**2*i*x**2 + 4*sqrt(4*a*c - b**2)*
atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**3*c**3*f - 24*sqrt(4*a*c - b*
**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**3*c**3*g*x + 24*sqrt(4*a*
c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**3*c**3*h*x**2 - 120
*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**3*c**3*i*
x**3 - 12*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2*b**
2*c**4*e + 16*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**2
*b**2*c**4*f*x - 24*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b...
```

3.23 $\int \frac{d+ex+fx^2+gx^3+hx^4+jx^5+kx^6+lx^7+mx^8}{a+bx+cx^2} dx$

Optimal result	191
Mathematica [A] (verified)	192
Rubi [A] (verified)	193
Maple [A] (verified)	195
Fricas [A] (verification not implemented)	196
Sympy [B] (verification not implemented)	197
Maxima [F(-2)]	198
Giac [A] (verification not implemented)	199
Mupad [B] (verification not implemented)	200
Reduce [B] (verification not implemented)	201

Optimal result

Integrand size = 53, antiderivative size = 765

$$\int \frac{d+ex+fx^2+gx^3+hx^4+jx^5+kx^6+lx^7+mx^8}{a+bx+cx^2} dx$$

$$= \frac{(c^6 f - c^5(bg+ah) + c^4(b^2h+2abj+a^2k) + b^6m - b^4c(bl+5am) + b^2c^2(b^2k+4abl+6a^2m) - c^3(b^3j$$

$$+ \frac{(c^5g - c^4(bh+aj) + c^3(b^2j+2abk+a^2l) - b^5m + b^3c(bl+4am) - bc^2(b^2k+3abl+3a^2m)) x^2}{c^7}$$

$$+ \frac{(c^4h - c^3(bj+ak) + b^4m - b^2c(bl+3am) + c^2(b^2k+2abl+a^2m)) x^3}{2c^6}$$

$$+ \frac{(c^3j - c^2(bk+al) - b^3m + bc(bl+2am)) x^4}{3c^5}$$

$$+ \frac{(c^2k + b^2m - c(bl+am)) x^5}{4c^4} + \frac{(cl - bm)x^6}{5c^3} + \frac{mx^7}{6c^2} + \frac{mx^8}{7c}$$

$$- \frac{(2c^8d - c^7(be+2af) + c^6(b^2f+3abg+2a^2h) - c^5(b^3g+4ab^2h+5a^2bj+2a^3k) + b^8m - b^6c(bl+8a$$

$$+ \frac{(c^7e - c^6(bf+ag) + c^5(b^2g+2abh+a^2j) - c^4(b^3h+3ab^2j+3a^2bk+a^3l) - b^7m + b^5c(bl+6am) -$$

$$2c^8$$

output

```
(c^6*f-c^5*(a*h+b*g)+c^4*(a^2*k+2*a*b*j+b^2*h)+b^6*m-b^4*c*(5*a*m+b*1)+b^2*c^2*(6*a^2*m+4*a*b*1+b^2*k)-c^3*(a^3*m+3*a^2*b*1+3*a*b^2*k+b^3*j))*x/c^7+1/2*(c^5*g-c^4*(a*j+b*h)+c^3*(a^2*1+2*a*b*k+b^2*j)-b^5*m+b^3*c*(4*a*m+b*1)-b*c^2*(3*a^2*m+3*a*b*1+b^2*k))*x^2/c^6+1/3*(c^4*h-c^3*(a*k+b*j)+b^4*m-b^2*c*(3*a*m+b*1)+c^2*(a^2*m+2*a*b*1+b^2*k))*x^3/c^5+1/4*(c^3*j-c^2*(a*1+b*k)-b^3*m+b*c*(2*a*m+b*1))*x^4/c^4+1/5*(c^2*k+b^2*m-c*(a*m+b*1))*x^5/c^3+1/6*(-b*m+c*1)*x^6/c^2+1/7*m*x^7/c-(2*c^8*d-c^7*(2*a*f+b*e)+c^6*(2*a^2*h+3*a*b*g+b^2*f)-c^5*(2*a^3*k+5*a^2*b*j+4*a*b^2*h+b^3*g)+b^8*m-b^6*c*(8*a*m+b*1)+b^4*c^2*(20*a^2*m+7*a*b*1+b^2*k)-b^2*c^3*(16*a^3*m+14*a^2*b*1+6*a*b^2*k+b^3*j)+c^4*(2*a^4*m+7*a^3*b*1+9*a^2*b^2*k+5*a*b^3*j+b^4*h))*arctanh((2*c*x+b)/(-4*a*c+b^2)^(1/2))/c^8/(-4*a*c+b^2)^(1/2)+1/2*(c^7*e-c^6*(a*g+b*f)+c^5*(a^2*j+2*a*b*h+b^2*g)-c^4*(a^3*1+3*a^2*b*k+3*a*b^2*j+b^3*h)-b^7*m+b^5*c*(6*a*m+b*1)-b^3*c^2*(10*a^2*m+5*a*b*1+b^2*k)+b*c^3*(4*a^3*m+6*a^2*b*1+4*a*b^2*k+b^3*j))*ln(c*x^2+b*x+a)/c^8
```

Mathematica [A] (verified)

Time = 0.72 (sec) , antiderivative size = 754, normalized size of antiderivative = 0.99

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx$$

$$= \frac{420c(c^6f - c^5(bg + ah)) + c^4(b^2h + 2abj + a^2k) + b^6m - b^4c(bl + 5am) + b^2c^2(b^2k + 4abl + 6a^2m) - c^3}{c^8}$$

input

```
Integrate[(d + e*x + f*x^2 + g*x^3 + h*x^4 + j*x^5 + k*x^6 + l*x^7 + m*x^8)/(a + b*x + c*x^2),x]
```

output

```
(420*c*(c^6*f - c^5*(b*g + a*h) + c^4*(b^2*h + 2*a*b*j + a^2*k) + b^6*m -
b^4*c*(b*l + 5*a*m) + b^2*c^2*(b^2*k + 4*a*b*l + 6*a^2*m) - c^3*(b^3*j + 3
*a*b^2*k + 3*a^2*b*l + a^3*m))*x + 210*c^2*(c^5*g - c^4*(b*h + a*j) + c^3*
(b^2*j + 2*a*b*k + a^2*l) - b^5*m + b^3*c*(b*l + 4*a*m) - b*c^2*(b^2*k + 3
*a*b*l + 3*a^2*m))*x^2 + 140*c^3*(c^4*h - c^3*(b*j + a*k) + b^4*m - b^2*c*
(b*l + 3*a*m) + c^2*(b^2*k + 2*a*b*l + a^2*m))*x^3 + 105*c^4*(c^3*j - c^2*
(b*k + a*l) - b^3*m + b*c*(b*l + 2*a*m))*x^4 + 84*c^5*(c^2*k + b^2*m - c*(
b*l + a*m))*x^5 + 70*c^6*(c*l - b*m)*x^6 + 60*c^7*m*x^7 + (420*(2*c^8*d -
c^7*(b*e + 2*a*f) + c^6*(b^2*f + 3*a*b*g + 2*a^2*h) - c^5*(b^3*g + 4*a*b^2
*h + 5*a^2*b*j + 2*a^3*k) + b^8*m - b^6*c*(b*l + 8*a*m) + b^4*c^2*(b^2*k +
7*a*b*l + 20*a^2*m) - b^2*c^3*(b^3*j + 6*a*b^2*k + 14*a^2*b*l + 16*a^3*m)
+ c^4*(b^4*h + 5*a*b^3*j + 9*a^2*b^2*k + 7*a^3*b*l + 2*a^4*m))*ArcTan[(b
+ 2*c*x)/Sqrt[-b^2 + 4*a*c]]/Sqrt[-b^2 + 4*a*c] + 210*(c^7*e - c^6*(b*f +
a*g) + c^5*(b^2*g + 2*a*b*h + a^2*j) - c^4*(b^3*h + 3*a*b^2*j + 3*a^2*b*k
+ a^3*l) - b^7*m + b^5*c*(b*l + 6*a*m) - b^3*c^2*(b^2*k + 5*a*b*l + 10*a^
2*m) + b*c^3*(b^3*j + 4*a*b^2*k + 6*a^2*b*l + 4*a^3*m))*Log[a + x*(b + c*x
)])/(420*c^8)
```

Rubi [A] (verified)

Time = 4.20 (sec) , antiderivative size = 765, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx$$

↓ 2188

$$\int \left(\frac{x^2(c^2(a^2m + 2abl + b^2k) - b^2c(3am + bl) - c^3(ak + bj) + b^4m + c^4h)}{c^5} + \frac{x(c^3(a^2l + 2abk + b^2j) - bc^2(3a^2l + 2abk + b^2j) - bc^2(3a^2l + 2abk + b^2j) - bc^2(3a^2l + 2abk + b^2j))}{c^5} \right) dx$$

↓ 2009

$$\frac{x^3(c^2(a^2m + 2abl + b^2k) - b^2c(3am + bl) - c^3(ak + bj) + b^4m + c^4h)}{3c^5} + \frac{x^2(c^3(a^2l + 2abk + b^2j) - bc^2(3a^2m + 3abl + b^2k) + b^3c(4am + bl) - c^4(aj + bh) + b^5(-m) + c^5g)}{2c^6} + \frac{\log(a + bx + cx^2)(c^5(a^2j + 2abh + b^2g) - b^3c^2(10a^2m + 5abl + b^2k) - c^4(a^3l + 3a^2bk + 3ab^2j + b^3h) + bc^3(4x(c^4(a^2k + 2abj + b^2h) + b^2c^2(6a^2m + 4abl + b^2k) - c^3(a^3m + 3a^2bl + 3ab^2k + b^3j) - b^4c(5am + bl) - c^5(ah$$

$$\operatorname{arctanh}\left(\frac{b+2cx}{\sqrt{b^2-4ac}}\right)(c^6(2a^2h + 3abg + b^2f) + b^4c^2(20a^2m + 7abl + b^2k) - c^5(2a^3k + 5a^2bj + 4ab^2h + b^3g) - b^2c^7)}{4c^4} + \frac{x^4(-c^2(al + bk) + bc(2am + bl) + b^3(-m) + c^3j)}{5c^3} + \frac{x^5(-c(am + bl) + b^2m + c^2k)}{6c^2} + \frac{mx^7}{7c}$$

input

```
Int[(d + e*x + f*x^2 + g*x^3 + h*x^4 + j*x^5 + k*x^6 + l*x^7 + m*x^8)/(a + b*x + c*x^2), x]
```

output

```
((c^6*f - c^5*(b*g + a*h) + c^4*(b^2*h + 2*a*b*j + a^2*k) + b^6*m - b^4*c*(b*l + 5*a*m) + b^2*c^2*(b^2*k + 4*a*b*l + 6*a^2*m) - c^3*(b^3*j + 3*a*b^2*k + 3*a^2*b*l + a^3*m))*x)/c^7 + ((c^5*g - c^4*(b*h + a*j) + c^3*(b^2*j + 2*a*b*k + a^2*l) - b^5*m + b^3*c*(b*l + 4*a*m) - b*c^2*(b^2*k + 3*a*b*l + 3*a^2*m))*x^2)/(2*c^6) + ((c^4*h - c^3*(b*j + a*k) + b^4*m - b^2*c*(b*l + 3*a*m) + c^2*(b^2*k + 2*a*b*l + a^2*m))*x^3)/(3*c^5) + ((c^3*j - c^2*(b*k + a*l) - b^3*m + b*c*(b*l + 2*a*m))*x^4)/(4*c^4) + ((c^2*k + b^2*m - c*(b*l + a*m))*x^5)/(5*c^3) + ((c*l - b*m)*x^6)/(6*c^2) + (m*x^7)/(7*c) - ((2*c^8*d - c^7*(b*e + 2*a*f) + c^6*(b^2*f + 3*a*b*g + 2*a^2*h) - c^5*(b^3*g + 4*a*b^2*h + 5*a^2*b*j + 2*a^3*k) + b^8*m - b^6*c*(b*l + 8*a*m) + b^4*c^2*(b^2*k + 7*a*b*l + 20*a^2*m) - b^2*c^3*(b^3*j + 6*a*b^2*k + 14*a^2*b*l + 16*a^3*m) + c^4*(b^4*h + 5*a*b^3*j + 9*a^2*b^2*k + 7*a^3*b*l + 2*a^4*m))*ArcTanh[(b + 2*c*x)/Sqrt[b^2 - 4*a*c]]/(c^8*Sqrt[b^2 - 4*a*c]) + ((c^7*e - c^6*(b*f + a*g) + c^5*(b^2*g + 2*a*b*h + a^2*j) - c^4*(b^3*h + 3*a*b^2*j + 3*a^2*b*k + a^3*l) - b^7*m + b^5*c*(b*l + 6*a*m) - b^3*c^2*(b^2*k + 5*a*b*l + 10*a^2*m) + b*c^3*(b^3*j + 4*a*b^2*k + 6*a^2*b*l + 4*a^3*m))*Log[a + b*x + c*x^2])/(2*c^8)
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2188 `Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Int[Expand
Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,
x] && IGtQ[p, -2]`

Maple [A] (verified)

Time = 2.21 (sec) , antiderivative size = 1086, normalized size of antiderivative = 1.42

method	result	size
default	Expression too large to display	1086
risch	Expression too large to display	49911

input `int((m*x^8+l*x^7+k*x^6+j*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a),x,method=_RETURNVERBOSE)`

output

```

-1/c^7*(-1/3*b^4*c^2*m*x^3+1/3*b^3*c^3*l*x^3-1/3*b^2*c^4*k*x^3+a^3*c^3*m*x
-a^2*c^4*k*x+3/2*a*b^2*c^3*l*x^2+1/3*a*c^5*k*x^3+3*a*b^2*c^3*k*x-2*a*b*c^4
*j*x-1/4*b^2*c^4*l*x^4+1/4*b*c^5*k*x^4-1/2*a*b*c^4*m*x^4+a*b^2*c^3*m*x^3+1
/6*b*c^5*m*x^6-a*b*c^4*k*x^2+5*a*b^4*c*m*x-2*a*b^3*c^2*m*x^2-2/3*a*b*c^4*l
*x^3+3/2*a^2*b*c^3*m*x^2-4*a*b^3*c^2*l*x-6*a^2*b^2*c^2*m*x+3*a^2*b*c^3*l*x
-1/2*a^2*c^4*l*x^2+1/2*a*c^5*j*x^2+1/2*b^5*c*m*x^2+1/2*b^3*c^3*k*x^2-1/2*b
^2*c^4*j*x^2+1/2*b*c^5*h*x^2-1/3*a^2*c^4*m*x^3-1/5*b^2*c^4*m*x^5+1/5*b*c^5
*l*x^5+1/4*a*c^5*l*x^4+1/4*b^3*c^3*m*x^4+b^3*c^3*j*x+1/3*b*c^5*j*x^3+1/5*a
*c^5*m*x^5-b^2*c^4*h*x+b*c^5*g*x-1/2*b^4*c^2*l*x^2+a*c^5*h*x+b^5*c*l*x-b^4
*c^2*k*x-b^6*m*x-1/6*c^6*l*x^6-c^6*f*x-1/7*m*x^7*c^6-1/4*c^6*j*x^4-1/2*c^6
*g*x^2-1/3*c^6*h*x^3-1/5*c^6*k*x^5)+1/c^7*(1/2*(4*a^3*b*c^3*m-a^3*c^4*l-10
*a^2*b^3*c^2*m+6*a^2*b^2*c^3*l-3*a^2*b*c^4*k+a^2*c^5*j+6*a*b^5*c*m-5*a*b^4
*c^2*l+4*a*b^3*c^3*k-3*a*b^2*c^4*j+2*a*b*c^5*h-a*c^6*g-b^7*m+b^6*c*l-b^5*c
^2*k+b^4*c^3*j-b^3*c^4*h+b^2*c^5*g-b*c^6*f+c^7*e)/c*ln(c*x^2+b*x+a)+2*(a^4
*c^3*m-6*a^3*b^2*c^2*m+3*a^3*b*c^3*l-a^3*c^4*k+5*a^2*b^4*c*m-4*a^2*b^3*c^2
*l+3*a^2*b^2*c^3*k-2*a^2*b*c^4*j+a^2*c^5*h-a*b^6*m+a*b^5*c*l-a*b^4*c^2*k+a
*b^3*c^3*j-a*b^2*c^4*h+a*b*c^5*g-a*c^6*f+c^7*d-1/2*(4*a^3*b*c^3*m-a^3*c^4*
l-10*a^2*b^3*c^2*m+6*a^2*b^2*c^3*l-3*a^2*b*c^4*k+a^2*c^5*j+6*a*b^5*c*m-5*a
*b^4*c^2*l+4*a*b^3*c^3*k-3*a*b^2*c^4*j+2*a*b*c^5*h-a*c^6*g-b^7*m+b^6*c*l-b
^5*c^2*k+b^4*c^3*j-b^3*c^4*h+b^2*c^5*g-b*c^6*f+c^7*e)*b/c)/(4*a*c-b^2)^...

```

Fricas [A] (verification not implemented)

Time = 0.40 (sec) , antiderivative size = 2643, normalized size of antiderivative = 3.45

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx = \text{Too large to display}$$

input

```

integrate((m*x^8+l*x^7+k*x^6+j*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a),
x, algorithm="fricas")

```


output

```

x**6*(-b*m/(6*c**2) + 1/(6*c)) + x**5*(-a*m/(5*c**2) + b**2*m/(5*c**3) - b
*m/(5*c**2) + k/(5*c)) + x**4*(a*b*m/(2*c**3) - a*l/(4*c**2) - b**3*m/(4*c
**4) + b**2*l/(4*c**3) - b*k/(4*c**2) + j/(4*c)) + x**3*(a**2*m/(3*c**3) -
a*b**2*m/c**4 + 2*a*b*l/(3*c**3) - a*k/(3*c**2) + b**4*m/(3*c**5) - b**3*
l/(3*c**4) + b**2*k/(3*c**3) - b*j/(3*c**2) + h/(3*c)) + x**2*(-3*a**2*b*m
/(2*c**4) + a**2*l/(2*c**3) + 2*a*b**3*m/c**5 - 3*a*b**2*l/(2*c**4) + a*b*
k/c**3 - a*j/(2*c**2) - b**5*m/(2*c**6) + b**4*l/(2*c**5) - b**3*k/(2*c**4
) + b**2*j/(2*c**3) - b*h/(2*c**2) + g/(2*c)) + x*(-a**3*m/c**4 + 6*a**2*b
**2*m/c**5 - 3*a**2*b*l/c**4 + a**2*k/c**3 - 5*a*b**4*m/c**6 + 4*a*b**3*l/
c**5 - 3*a*b**2*k/c**4 + 2*a*b*j/c**3 - a*h/c**2 + b**6*m/c**7 - b**5*l/c*
**6 + b**4*k/c**5 - b**3*j/c**4 + b**2*h/c**3 - b*g/c**2 + f/c) + (-sqrt(-4
*a*c + b**2)*(2*a**4*c**4*m - 16*a**3*b**2*c**3*m + 7*a**3*b*c**4*l - 2*a*
**3*c**5*k + 20*a**2*b**4*c**2*m - 14*a**2*b**3*c**3*l + 9*a**2*b**2*c**4*k
- 5*a**2*b*c**5*j + 2*a**2*c**6*h - 8*a*b**6*c*m + 7*a*b**5*c**2*l - 6*a*
b**4*c**3*k + 5*a*b**3*c**4*j - 4*a*b**2*c**5*h + 3*a*b*c**6*g - 2*a*c**7*
f + b**8*m - b**7*c*l + b**6*c**2*k - b**5*c**3*j + b**4*c**4*h - b**3*c**
5*g + b**2*c**6*f - b*c**7*e + 2*c**8*d)/(2*c**8*(4*a*c - b**2)) + (4*a**3
*b*c**3*m - a**3*c**4*l - 10*a**2*b**3*c**2*m + 6*a**2*b**2*c**3*l - 3*a**
2*b*c**4*k + a**2*c**5*j + 6*a*b**5*c*m - 5*a*b**4*c**2*l + 4*a*b**3*c**3*
k - 3*a*b**2*c**4*j + 2*a*b*c**5*h - a*c**6*g - b**7*m + b**6*c*l - b**...

```

Maxima [F(-2)]

Exception generated.

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx$$

= Exception raised: ValueError

input

```

integrate((m*x^8+l*x^7+k*x^6+j*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a),
x, algorithm="maxima")

```

output

```

Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta

```

Giac [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 981, normalized size of antiderivative = 1.28

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx = \text{Too large to display}$$

input

```
integrate((m*x^8+l*x^7+k*x^6+j*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a),
x, algorithm="giac")
```

output

```
1/420*(60*c^6*m*x^7 + 70*c^6*l*x^6 - 70*b*c^5*m*x^6 + 84*c^6*k*x^5 - 84*b*
c^5*l*x^5 + 84*b^2*c^4*m*x^5 - 84*a*c^5*m*x^5 + 105*c^6*j*x^4 - 105*b*c^5*
k*x^4 + 105*b^2*c^4*l*x^4 - 105*a*c^5*l*x^4 - 105*b^3*c^3*m*x^4 + 210*a*b*
c^4*m*x^4 + 140*c^6*h*x^3 - 140*b*c^5*j*x^3 + 140*b^2*c^4*k*x^3 - 140*a*c^
5*k*x^3 - 140*b^3*c^3*l*x^3 + 280*a*b*c^4*l*x^3 + 140*b^4*c^2*m*x^3 - 420*
a*b^2*c^3*m*x^3 + 140*a^2*c^4*m*x^3 + 210*c^6*g*x^2 - 210*b*c^5*h*x^2 + 21
0*b^2*c^4*j*x^2 - 210*a*c^5*j*x^2 - 210*b^3*c^3*k*x^2 + 420*a*b*c^4*k*x^2
+ 210*b^4*c^2*l*x^2 - 630*a*b^2*c^3*l*x^2 + 210*a^2*c^4*l*x^2 - 210*b^5*c*
m*x^2 + 840*a*b^3*c^2*m*x^2 - 630*a^2*b*c^3*m*x^2 + 420*c^6*f*x - 420*b*c^
5*g*x + 420*b^2*c^4*h*x - 420*a*c^5*h*x - 420*b^3*c^3*j*x + 840*a*b*c^4*j*
x + 420*b^4*c^2*k*x - 1260*a*b^2*c^3*k*x + 420*a^2*c^4*k*x - 420*b^5*c*l*x
+ 1680*a*b^3*c^2*l*x - 1260*a^2*b*c^3*l*x + 420*b^6*m*x - 2100*a*b^4*c*m*
x + 2520*a^2*b^2*c^2*m*x - 420*a^3*c^3*m*x)/c^7 + 1/2*(c^7*e - b*c^6*f + b
^2*c^5*g - a*c^6*g - b^3*c^4*h + 2*a*b*c^5*h + b^4*c^3*j - 3*a*b^2*c^4*j +
a^2*c^5*j - b^5*c^2*k + 4*a*b^3*c^3*k - 3*a^2*b*c^4*k + b^6*c*l - 5*a*b^4
*c^2*l + 6*a^2*b^2*c^3*l - a^3*c^4*l - b^7*m + 6*a*b^5*c*m - 10*a^2*b^3*c^
2*m + 4*a^3*b*c^3*m)*log(c*x^2 + b*x + a)/c^8 + (2*c^8*d - b*c^7*e + b^2*c
^6*f - 2*a*c^7*f - b^3*c^5*g + 3*a*b*c^6*g + b^4*c^4*h - 4*a*b^2*c^5*h + 2
*a^2*c^6*h - b^5*c^3*j + 5*a*b^3*c^4*j - 5*a^2*b*c^5*j + b^6*c^2*k - 6*a*b
^4*c^3*k + 9*a^2*b^2*c^4*k - 2*a^3*c^5*k - b^7*c*l + 7*a*b^5*c^2*l - 14...
```


Mupad [B] (verification not implemented)

Time = 22.67 (sec) , antiderivative size = 2779, normalized size of antiderivative = 3.63

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx = \text{Too large to display}$$

input

```
int((d + e*x + f*x^2 + g*x^3 + h*x^4 + j*x^5 + k*x^6 + l*x^7 + m*x^8)/(a +
b*x + c*x^2),x)
```

output

```
x^6*(1/(6*c) - (b*m)/(6*c^2)) + x*(f/c + (b*((a*(j/c - (a*(1/c - (b*m)/c^2
)))/c + (b*((b*(1/c - (b*m)/c^2))/c - k/c + (a*m)/c^2))/c))/c - g/c + (b*(h
/c - (b*(j/c - (a*(1/c - (b*m)/c^2))/c + (b*((b*(1/c - (b*m)/c^2))/c - k/c
+ (a*m)/c^2))/c))/c + (a*((b*(1/c - (b*m)/c^2))/c - k/c + (a*m)/c^2))/c)
/c))/c - (a*(h/c - (b*(j/c - (a*(1/c - (b*m)/c^2))/c + (b*((b*(1/c - (b*m)
/c^2))/c - k/c + (a*m)/c^2))/c))/c + (a*((b*(1/c - (b*m)/c^2))/c - k/c + (
a*m)/c^2))/c))/c + x^4*(j/(4*c) - (a*(1/c - (b*m)/c^2))/(4*c) + (b*((b*(1
/c - (b*m)/c^2))/c - k/c + (a*m)/c^2))/(4*c)) - x^2*((a*(j/c - (a*(1/c - (
b*m)/c^2))/c + (b*((b*(1/c - (b*m)/c^2))/c - k/c + (a*m)/c^2))/c))/(2*c) -
g/(2*c) + (b*(h/c - (b*(j/c - (a*(1/c - (b*m)/c^2))/c + (b*((b*(1/c - (b*
m)/c^2))/c - k/c + (a*m)/c^2))/c))/c + (a*((b*(1/c - (b*m)/c^2))/c - k/c +
(a*m)/c^2))/c))/(2*c)) + x^3*(h/(3*c) - (b*(j/c - (a*(1/c - (b*m)/c^2))/c
+ (b*((b*(1/c - (b*m)/c^2))/c - k/c + (a*m)/c^2))/c))/(3*c) + (a*((b*(1/c
- (b*m)/c^2))/c - k/c + (a*m)/c^2))/(3*c)) - x^5*((b*(1/c - (b*m)/c^2))/(
5*c) - k/(5*c) + (a*m)/(5*c^2)) + (log((2*c^9*x*(-(2*c^8*d + b^8*m + b^2*c
^6*f + 2*a^2*c^6*h - b^3*c^5*g + b^4*c^4*h - 2*a^3*c^5*k - b^5*c^3*j + b^6
*c^2*k + 2*a^4*c^4*m - 2*a*c^7*f - b*c^7*e - b^7*c*1 + 9*a^2*b^2*c^4*k - 1
4*a^2*b^3*c^3*l + 20*a^2*b^4*c^2*m - 16*a^3*b^2*c^3*m + 3*a*b*c^6*g - 8*a*
b^6*c*m - 4*a*b^2*c^5*h + 5*a*b^3*c^4*j - 5*a^2*b*c^5*j - 6*a*b^4*c^3*k +
7*a*b^5*c^2*l + 7*a^3*b*c^4*l)^2/(c^16*(4*a*c - b^2)))^(1/2) - b^8*m - ...
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 2534, normalized size of antiderivative = 3.31

$$\int \frac{d + ex + fx^2 + gx^3 + hx^4 + jx^5 + kx^6 + lx^7 + mx^8}{a + bx + cx^2} dx = \text{Too large to display}$$

input `int((m*x^8+l*x^7+k*x^6+j*x^5+h*x^4+g*x^3+f*x^2+e*x+d)/(c*x^2+b*x+a),x)`

output

```
(840*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**4*c**4*m -
6720*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b**2*c*
*3*m + 2940*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3*b
*c**4*l - 840*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**3
*c**5*k + 8400*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2))*a**
2*b**4*c**2*m - 5880*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c - b**2
))*a**2*b**3*c**3*l + 3780*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(4*a*c
- b**2))*a**2*b**2*c**4*k - 2100*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sqrt(
4*a*c - b**2))*a**2*b*c**5*j + 840*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sq
rt(4*a*c - b**2))*a**2*c**6*h - 3360*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sq
rt(4*a*c - b**2))*a*b**6*c*m + 2940*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sq
rt(4*a*c - b**2))*a*b**5*c**2*l - 2520*sqrt(4*a*c - b**2)*atan((b + 2*c*x)
/sqrt(4*a*c - b**2))*a*b**4*c**3*k + 2100*sqrt(4*a*c - b**2)*atan((b + 2*c
*x)/sqrt(4*a*c - b**2))*a*b**3*c**4*j - 1680*sqrt(4*a*c - b**2)*atan((b +
2*c*x)/sqrt(4*a*c - b**2))*a*b**2*c**5*h + 1260*sqrt(4*a*c - b**2)*atan((b
+ 2*c*x)/sqrt(4*a*c - b**2))*a*b*c**6*g - 840*sqrt(4*a*c - b**2)*atan((b
+ 2*c*x)/sqrt(4*a*c - b**2))*a*c**7*f + 420*sqrt(4*a*c - b**2)*atan((b + 2
*c*x)/sqrt(4*a*c - b**2))*b**8*m - 420*sqrt(4*a*c - b**2)*atan((b + 2*c*x)
/sqrt(4*a*c - b**2))*b**7*c*l + 420*sqrt(4*a*c - b**2)*atan((b + 2*c*x)/sq
rt(4*a*c - b**2))*b**6*c**2*k - 420*sqrt(4*a*c - b**2)*atan((b + 2*c*x)...
```

3.24 $\int \frac{-3+x^3}{-7-6x+x^2} dx$

Optimal result	202
Mathematica [A] (verified)	202
Rubi [A] (verified)	203
Maple [A] (verified)	204
Fricas [A] (verification not implemented)	204
Sympy [A] (verification not implemented)	204
Maxima [A] (verification not implemented)	205
Giac [A] (verification not implemented)	205
Mupad [B] (verification not implemented)	205
Reduce [B] (verification not implemented)	206

Optimal result

Integrand size = 16, antiderivative size = 29

$$\int \frac{-3+x^3}{-7-6x+x^2} dx = 6x + \frac{x^2}{2} + \frac{85}{2} \log(7-x) + \frac{1}{2} \log(1+x)$$

output

```
6*x+1/2*x^2+85/2*ln(7-x)+1/2*ln(1+x)
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.00

$$\int \frac{-3+x^3}{-7-6x+x^2} dx = 6x + \frac{x^2}{2} + \frac{85}{2} \log(7-x) + \frac{1}{2} \log(1+x)$$

input

```
Integrate[(-3 + x^3)/(-7 - 6*x + x^2), x]
```

output

```
6*x + x^2/2 + (85*Log[7 - x])/2 + Log[1 + x]/2
```

Rubi [A] (verified)

Time = 0.19 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2188, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3 - 3}{x^2 - 6x - 7} dx$$

↓ 2188

$$\int \left(\frac{43x + 39}{x^2 - 6x - 7} + x + 6 \right) dx$$

↓ 2009

$$\frac{x^2}{2} + 6x + \frac{85}{2} \log(7 - x) + \frac{1}{2} \log(x + 1)$$

input

```
Int[(-3 + x^3)/(-7 - 6*x + x^2),x]
```

output

```
6*x + x^2/2 + (85*Log[7 - x])/2 + Log[1 + x]/2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2188

```
Int[(Pq_)*((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^p, x_Symbol] := Int[Expand
Integrand[Pq*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c}, x] && PolyQ[Pq,
x] && IGtQ[p, -2]
```

Maple [A] (verified)

Time = 1.27 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.76

method	result	size
default	$6x + \frac{x^2}{2} + \frac{85 \ln(-7+x)}{2} + \frac{\ln(x+1)}{2}$	22
norman	$6x + \frac{x^2}{2} + \frac{85 \ln(-7+x)}{2} + \frac{\ln(x+1)}{2}$	22
risch	$6x + \frac{x^2}{2} + \frac{85 \ln(-7+x)}{2} + \frac{\ln(x+1)}{2}$	22
parallelrisch	$6x + \frac{x^2}{2} + \frac{85 \ln(-7+x)}{2} + \frac{\ln(x+1)}{2}$	22

input `int((x^3-3)/(x^2-6*x-7),x,method=_RETURNVERBOSE)`output `6*x+1/2*x^2+85/2*ln(-7+x)+1/2*ln(x+1)`**Fricas [A] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.72

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = \frac{1}{2} x^2 + 6x + \frac{1}{2} \log(x + 1) + \frac{85}{2} \log(x - 7)$$

input `integrate((x^3-3)/(x^2-6*x-7),x, algorithm="fricas")`output `1/2*x^2 + 6*x + 1/2*log(x + 1) + 85/2*log(x - 7)`**Sympy [A] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.76

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = \frac{x^2}{2} + 6x + \frac{85 \log(x - 7)}{2} + \frac{\log(x + 1)}{2}$$

input `integrate((x**3-3)/(x**2-6*x-7),x)`

output `x**2/2 + 6*x + 85*log(x - 7)/2 + log(x + 1)/2`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.72

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = \frac{1}{2}x^2 + 6x + \frac{1}{2} \log(x + 1) + \frac{85}{2} \log(x - 7)$$

input `integrate((x^3-3)/(x^2-6*x-7),x, algorithm="maxima")`

output `1/2*x^2 + 6*x + 1/2*log(x + 1) + 85/2*log(x - 7)`

Giac [A] (verification not implemented)

Time = 0.31 (sec) , antiderivative size = 23, normalized size of antiderivative = 0.79

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = \frac{1}{2}x^2 + 6x + \frac{1}{2} \log(|x + 1|) + \frac{85}{2} \log(|x - 7|)$$

input `integrate((x^3-3)/(x^2-6*x-7),x, algorithm="giac")`

output `1/2*x^2 + 6*x + 1/2*log(abs(x + 1)) + 85/2*log(abs(x - 7))`

Mupad [B] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.72

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = 6x + \frac{\ln(x + 1)}{2} + \frac{85 \ln(x - 7)}{2} + \frac{x^2}{2}$$

input `int(-(x^3 - 3)/(6*x - x^2 + 7),x)`

output `6*x + log(x + 1)/2 + (85*log(x - 7))/2 + x^2/2`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.72

$$\int \frac{-3 + x^3}{-7 - 6x + x^2} dx = \frac{85 \log(x - 7)}{2} + \frac{\log(x + 1)}{2} + \frac{x^2}{2} + 6x$$

input `int((x^3-3)/(x^2-6*x-7),x)`

output `(85*log(x - 7) + log(x + 1) + x**2 + 12*x)/2`

3.25 $\int \frac{1+x^3}{(13+4x+x^2)^2} dx$

Optimal result	207
Mathematica [A] (verified)	207
Rubi [A] (verified)	208
Maple [A] (verified)	210
Fricas [A] (verification not implemented)	210
Sympy [A] (verification not implemented)	211
Maxima [A] (verification not implemented)	211
Giac [A] (verification not implemented)	212
Mupad [B] (verification not implemented)	212
Reduce [B] (verification not implemented)	212

Optimal result

Integrand size = 16, antiderivative size = 45

$$\int \frac{1+x^3}{(13+4x+x^2)^2} dx = \frac{67+47x}{18(13+4x+x^2)} - \frac{61}{54} \arctan\left(\frac{2+x}{3}\right) + \frac{1}{2} \log(13+4x+x^2)$$

output `(67+47*x)/(18*x^2+72*x+234)-61/54*arctan(2/3+1/3*x)+1/2*ln(x^2+4*x+13)`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00

$$\int \frac{1+x^3}{(13+4x+x^2)^2} dx = \frac{67+47x}{18(13+4x+x^2)} - \frac{61}{54} \arctan\left(\frac{2+x}{3}\right) + \frac{1}{2} \log(13+4x+x^2)$$

input `Integrate[(1 + x^3)/(13 + 4*x + x^2)^2,x]`

output `(67 + 47*x)/(18*(13 + 4*x + x^2)) - (61*ArcTan[(2 + x)/3])/54 + Log[13 + 4*x + x^2]/2`

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.11, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {2191, 27, 1142, 27, 1083, 217, 1103}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^3 + 1}{(x^2 + 4x + 13)^2} dx \\
 & \quad \downarrow \text{2191} \\
 & \frac{1}{36} \int -\frac{2(25 - 18x)}{x^2 + 4x + 13} dx + \frac{47x + 67}{18(x^2 + 4x + 13)} \\
 & \quad \downarrow \text{27} \\
 & \frac{47x + 67}{18(x^2 + 4x + 13)} - \frac{1}{18} \int \frac{25 - 18x}{x^2 + 4x + 13} dx \\
 & \quad \downarrow \text{1142} \\
 & \frac{1}{18} \left(9 \int \frac{2(x + 2)}{x^2 + 4x + 13} dx - 61 \int \frac{1}{x^2 + 4x + 13} dx \right) + \frac{47x + 67}{18(x^2 + 4x + 13)} \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{18} \left(18 \int \frac{x + 2}{x^2 + 4x + 13} dx - 61 \int \frac{1}{x^2 + 4x + 13} dx \right) + \frac{47x + 67}{18(x^2 + 4x + 13)} \\
 & \quad \downarrow \text{1083} \\
 & \frac{1}{18} \left(18 \int \frac{x + 2}{x^2 + 4x + 13} dx + 122 \int \frac{1}{-(2x + 4)^2 - 36} d(2x + 4) \right) + \frac{47x + 67}{18(x^2 + 4x + 13)} \\
 & \quad \downarrow \text{217} \\
 & \frac{1}{18} \left(18 \int \frac{x + 2}{x^2 + 4x + 13} dx - \frac{61}{3} \arctan \left(\frac{1}{6}(2x + 4) \right) \right) + \frac{47x + 67}{18(x^2 + 4x + 13)} \\
 & \quad \downarrow \text{1103} \\
 & \frac{1}{18} \left(9 \log(x^2 + 4x + 13) - \frac{61}{3} \arctan \left(\frac{1}{6}(2x + 4) \right) \right) + \frac{47x + 67}{18(x^2 + 4x + 13)}
 \end{aligned}$$

input `Int[(1 + x^3)/(13 + 4*x + x^2)^2,x]`

output `(67 + 47*x)/(18*(13 + 4*x + x^2)) + ((-61*ArcTan[(4 + 2*x)/6])/3 + 9*Log[13 + 4*x + x^2])/18`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 1083 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Simp[-2 Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x]`

rule 1103 `Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*(Log[RemoveContent[a + b*x + c*x^2, x]]/b), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

rule 1142 `Int[((d_.) + (e_.)*(x_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[(2*c*d - b*e)/(2*c) Int[1/(a + b*x + c*x^2), x], x] + Simp[e/(2*c) Int[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x]`

rule 2191

```

Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q =
PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[P
q, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x +
c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(
p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int
[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*
(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^
2 - 4*a*c, 0] && LtQ[p, -1]

```

Maple [A] (verified)

Time = 2.76 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.82

method	result
default	$\frac{47x + 67}{x^2 + 4x + 13} + \frac{\ln(x^2 + 4x + 13)}{2} - \frac{61 \arctan(\frac{2}{3} + \frac{x}{3})}{54}$
risch	$\frac{47x + 67}{x^2 + 4x + 13} + \frac{\ln(x^2 + 4x + 13)}{2} - \frac{61 \arctan(\frac{2}{3} + \frac{x}{3})}{54}$
parallelrisc	$\frac{10309i \ln(x+2-3i) - 793i \ln(x+2+3i)x^2 - 3172i \ln(x+2+3i)x + 3172i \ln(x+2-3i)x + 702 \ln(x+2-3i)x^2 + 702 \ln(x+2+3i)x^2 - 1404x}{1404x}$

input

```
int((x^3+1)/(x^2+4*x+13)^2,x,method=_RETURNVERBOSE)
```

output

```
(47/18*x+67/18)/(x^2+4*x+13)+1/2*ln(x^2+4*x+13)-61/54*arctan(2/3+1/3*x)
```

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 52, normalized size of antiderivative = 1.16

$$\int \frac{1 + x^3}{(13 + 4x + x^2)^2} dx = \frac{61(x^2 + 4x + 13) \arctan\left(\frac{1}{3}x + \frac{2}{3}\right) - 27(x^2 + 4x + 13) \log(x^2 + 4x + 13) - 141x - 201}{54(x^2 + 4x + 13)}$$

input

```
integrate((x^3+1)/(x^2+4*x+13)^2,x, algorithm="fricas")
```

output
$$-1/54*(61*(x^2 + 4*x + 13)*\arctan(1/3*x + 2/3) - 27*(x^2 + 4*x + 13)*\log(x^2 + 4*x + 13) - 141*x - 201)/(x^2 + 4*x + 13)$$

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.82

$$\int \frac{1 + x^3}{(13 + 4x + x^2)^2} dx = \frac{47x + 67}{18x^2 + 72x + 234} + \frac{\log(x^2 + 4x + 13)}{2} - \frac{61 \operatorname{atan}\left(\frac{x}{3} + \frac{2}{3}\right)}{54}$$

input `integrate((x**3+1)/(x**2+4*x+13)**2,x)`

output
$$(47*x + 67)/(18*x**2 + 72*x + 234) + \log(x**2 + 4*x + 13)/2 - 61*\operatorname{atan}(x/3 + 2/3)/54$$

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.82

$$\int \frac{1 + x^3}{(13 + 4x + x^2)^2} dx = \frac{47x + 67}{18(x^2 + 4x + 13)} - \frac{61}{54} \arctan\left(\frac{1}{3}x + \frac{2}{3}\right) + \frac{1}{2} \log(x^2 + 4x + 13)$$

input `integrate((x^3+1)/(x^2+4*x+13)^2,x, algorithm="maxima")`

output
$$1/18*(47*x + 67)/(x^2 + 4*x + 13) - 61/54*\arctan(1/3*x + 2/3) + 1/2*\log(x^2 + 4*x + 13)$$

Giac [A] (verification not implemented)

Time = 0.33 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.82

$$\int \frac{1+x^3}{(13+4x+x^2)^2} dx = \frac{47x+67}{18(x^2+4x+13)} - \frac{61}{54} \arctan\left(\frac{1}{3}x + \frac{2}{3}\right) + \frac{1}{2} \log(x^2+4x+13)$$

input `integrate((x^3+1)/(x^2+4*x+13)^2,x, algorithm="giac")`

output `1/18*(47*x + 67)/(x^2 + 4*x + 13) - 61/54*arctan(1/3*x + 2/3) + 1/2*log(x^2 + 4*x + 13)`

Mupad [B] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.09

$$\int \frac{1+x^3}{(13+4x+x^2)^2} dx = \frac{\ln(x^2+4x+13)}{2} - \frac{61 \operatorname{atan}\left(\frac{x}{3} + \frac{2}{3}\right)}{54} + \frac{47x}{18(x^2+4x+13)} + \frac{67}{18(x^2+4x+13)}$$

input `int((x^3 + 1)/(4*x + x^2 + 13)^2,x)`

output `log(4*x + x^2 + 13)/2 - (61*atan(x/3 + 2/3))/54 + (47*x)/(18*(4*x + x^2 + 13)) + 67/(18*(4*x + x^2 + 13))`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.89

$$\int \frac{1+x^3}{(13+4x+x^2)^2} dx = \frac{-244 \operatorname{atan}\left(\frac{x}{3} + \frac{2}{3}\right) x^2 - 976 \operatorname{atan}\left(\frac{x}{3} + \frac{2}{3}\right) x - 3172 \operatorname{atan}\left(\frac{x}{3} + \frac{2}{3}\right) + 108 \log(x^2+4x+13) x^2 + 432 \log(x^2+4x+13)}{216x^2 + 864x + 2808}$$

input `int((x^3+1)/(x^2+4*x+13)^2,x)`

output `(- 244*atan((x + 2)/3)*x**2 - 976*atan((x + 2)/3)*x - 3172*atan((x + 2)/3
) + 108*log(x**2 + 4*x + 13)*x**2 + 432*log(x**2 + 4*x + 13)*x + 1404*log(
x**2 + 4*x + 13) - 141*x**2 - 1029)/(216*(x**2 + 4*x + 13))`

3.26 $\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx$

Optimal result	214
Mathematica [A] (verified)	215
Rubi [A] (verified)	215
Maple [B] (verified)	219
Fricas [B] (verification not implemented)	221
Sympy [B] (verification not implemented)	222
Maxima [F(-2)]	223
Giac [B] (verification not implemented)	224
Mupad [F(-1)]	224
Reduce [F]	225

Optimal result

Integrand size = 22, antiderivative size = 267

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \frac{5(b^2 - 4ac)^2 (32Ac^2 + 9b^2C - 4acC) (b + 2cx) \sqrt{a + bx + cx^2}}{16384c^5} - \frac{5(b^2 - 4ac) (32Ac^2 + 9b^2C - 4acC) (b + 2cx) (a + bx + cx^2)^{3/2}}{6144c^4} + \frac{(32Ac^2 + 9b^2C - 4acC) (b + 2cx) (a + bx + cx^2)^{5/2}}{384c^3} - \frac{9bC(a + bx + cx^2)^{7/2}}{112c^2} + \frac{Cx(a + bx + cx^2)^{7/2}}{8c} - \frac{5(b^2 - 4ac)^3 (32Ac^2 + 9b^2C - 4acC) \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{32768c^{11/2}}$$

output

```
5/16384*(-4*a*c+b^2)^2*(32*A*c^2-4*C*a*c+9*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(1/2)/c^5-5/6144*(-4*a*c+b^2)*(32*A*c^2-4*C*a*c+9*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(3/2)/c^4+1/384*(32*A*c^2-4*C*a*c+9*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(5/2)/c^3-9/112*b*C*(c*x^2+b*x+a)^(7/2)/c^2+1/8*C*x*(c*x^2+b*x+a)^(7/2)/c-5/32768*(-4*a*c+b^2)^3*(32*A*c^2-4*C*a*c+9*C*b^2)*arctanh(1/2*(2*c*x+b)/c^(1/2)/(c*x^2+b*x+a)^(1/2))/c^(11/2)
```

Mathematica [A] (verified)

Time = 6.17 (sec) , antiderivative size = 360, normalized size of antiderivative = 1.35

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \frac{\sqrt{c}\sqrt{a + x(b + cx)}(224Ac^2(b + 2cx)(15b^4 - 40b^3cx + 32bc^2x(13a + 8cx^2) + 8b^2c(-20a + 11cx^2) + Cx^2))}{(344064c^{11/2})}$$

input

```
Integrate[(a + b*x + c*x^2)^(5/2)*(A + C*x^2),x]
```

output

```
(Sqrt[c]*Sqrt[a + x*(b + c*x)]*(224*A*c^2*(b + 2*c*x)*(15*b^4 - 40*b^3*c*x + 32*b*c^2*x*(13*a + 8*c*x^2) + 8*b^2*c*(-20*a + 11*c*x^2) + 16*c^2*(33*a^2 + 26*a*c*x^2 + 8*c^2*x^4)) + C*(945*b^7 - 630*b^6*c*x + 8*b^4*c^2*x*(79*1*a - 54*c*x^2) + 84*b^5*c*(-125*a + 6*c*x^2) + 16*b^3*c^2*(2359*a^2 - 284*a*c*x^2 + 24*c^2*x^4) + 96*b^2*c^3*x*(-199*a^2 + 36*a*c*x^2 + 648*c^2*x^4) + 896*c^4*x*(15*a^3 + 118*a^2*c*x^2 + 136*a*c^2*x^4 + 48*c^3*x^6) + 64*b*c^3*(-663*a^3 + 174*a^2*c*x^2 + 2456*a*c^2*x^4 + 1584*c^3*x^6))) - 105*(b^2 - 4*a*c)^3*(32*A*c^2 + 9*b^2*C - 4*a*c*C)*ArcTanh[(Sqrt[c]*x)/(-Sqrt[a] + Sqrt[a + x*(b + c*x)])])/(344064*c^(11/2))
```

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 241, normalized size of antiderivative = 0.90, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {2192, 27, 1160, 1087, 1087, 1087, 1092, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2)^{5/2} dx$$

$$\downarrow 2192$$

$$\frac{\int \frac{1}{2}(16Ac - 2aC - 9bCx) (cx^2 + bx + a)^{5/2} dx}{8c} + \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

$$\downarrow 27$$

$$\frac{\int(2(8Ac - aC) - 9bCx)(cx^2 + bx + a)^{5/2} dx}{16c} + \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

↓ 1160

$$\frac{\frac{(-4acC + 32Ac^2 + 9b^2C) \int (cx^2 + bx + a)^{5/2} dx}{2c}}{16c} - \frac{9bC(a + bx + cx^2)^{7/2}}{7c} + \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

↓ 1087

$$\frac{(-4acC + 32Ac^2 + 9b^2C) \left(\frac{(b + 2cx)(a + bx + cx^2)^{5/2}}{12c} - \frac{5(b^2 - 4ac) \int (cx^2 + bx + a)^{3/2} dx}{24c} \right)}{2c} - \frac{9bC(a + bx + cx^2)^{7/2}}{7c} +$$

$$\frac{16c}{8c} \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

↓ 1087

$$\frac{(-4acC + 32Ac^2 + 9b^2C) \left(\frac{(b + 2cx)(a + bx + cx^2)^{5/2}}{12c} - \frac{5(b^2 - 4ac) \left(\frac{(b + 2cx)(a + bx + cx^2)^{3/2}}{8c} - \frac{3(b^2 - 4ac) \int \sqrt{cx^2 + bx + a} dx}{16c} \right)}{24c} \right)}{2c} - \frac{9bC(a + bx + cx^2)^{7/2}}{7c}$$

$$\frac{16c}{8c} \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

↓ 1087

$$\frac{(-4acC + 32Ac^2 + 9b^2C) \left(\frac{(b + 2cx)(a + bx + cx^2)^{5/2}}{12c} - \frac{5(b^2 - 4ac) \left(\frac{(b + 2cx)(a + bx + cx^2)^{3/2}}{8c} - \frac{3(b^2 - 4ac) \left(\frac{(b + 2cx)\sqrt{a + bx + cx^2}}{4c} - \frac{(b^2 - 4ac) \int \frac{1}{\sqrt{cx^2 + bx + a}} dx}{8c} \right)}{16c} \right)}{24c} \right)}{2c} - \frac{9bC(a + bx + cx^2)^{7/2}}{7c}$$

$$\frac{16c}{8c} \frac{Cx(a + bx + cx^2)^{7/2}}{8c}$$

↓ 1092

$$\begin{aligned}
 & \left(\frac{(-4acC+32Ac^2+9b^2C)}{12c} \frac{(b+2cx)(a+bx+cx^2)^{5/2}}{24c} - \frac{5(b^2-4ac)}{8c} \frac{(b+2cx)(a+bx+cx^2)^{3/2}}{16c} \right) \\
 & \quad - \frac{3(b^2-4ac)}{16c} \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \int \frac{1}{4c - \frac{(b+2cx)}{cx^2+bx}}}{16c} \right)
 \end{aligned}$$

$$\frac{Cx(a+bx+cx^2)^{7/2}}{8c} \quad \downarrow \quad 219$$

$$\begin{aligned}
 & \left(\frac{(-4acC+32Ac^2+9b^2C)}{12c} \frac{(b+2cx)(a+bx+cx^2)^{5/2}}{24c} - \frac{5(b^2-4ac)}{8c} \frac{(b+2cx)(a+bx+cx^2)^{3/2}}{16c} \right) \\
 & \quad - \frac{3(b^2-4ac)}{16c} \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac)\operatorname{arctanh}\left(\frac{2}{2}\right)}{8c^{3/2}} \right)
 \end{aligned}$$

input `Int[(a + b*x + c*x^2)^(5/2)*(A + C*x^2), x]`

output

```
(C*x*(a + b*x + c*x^2)^(7/2))/(8*c) + ((-9*b*C*(a + b*x + c*x^2)^(7/2))/(7*c) + ((32*A*c^2 + 9*b^2*C - 4*a*c*C)*(((b + 2*c*x)*(a + b*x + c*x^2)^(5/2)))/(12*c) - (5*(b^2 - 4*a*c)*(((b + 2*c*x)*(a + b*x + c*x^2)^(3/2)))/(8*c) - (3*(b^2 - 4*a*c)*(((b + 2*c*x)*Sqrt[a + b*x + c*x^2]))/(4*c) - ((b^2 - 4*a*c)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + b*x + c*x^2])])/(8*c^(3/2))))/(16*c)))/(24*c)))/(2*c))/(16*c)
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 219

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

rule 1087

```
Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^p/(2*c*(2*p + 1))), x] - Simp[p*(b^2 - 4*a*c)/(2*c*(2*p + 1)) Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[3*p])
```

rule 1092

```
Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[2 Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x]
```

rule 1160

```
Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[e*(a + b*x + c*x^2)^(p + 1)/(2*c*(p + 1)), x] + Simp[(2*c*d - b*e)/(2*c) Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]
```

rule 2192

```

Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{q =
Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[e*x^(q - 1)*((a + b*x +
c*x^2)^(p + 1)/(c*(q + 2*p + 1))), x] + Simp[1/(c*(q + 2*p + 1)) Int[(a
+ b*x + c*x^2)^p*ExpandToSum[c*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b
*e*(q + p)*x^(q - 1) - c*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, c
, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]

```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 478 vs. $2(237) = 474$.

Time = 1.55 (sec) , antiderivative size = 479, normalized size of antiderivative = 1.79

method	result
risch	$(43008C c^7 x^7 + 101376b c^6 C x^6 + 57344A c^7 x^5 + 121856C a c^6 x^5 + 62208C b^2 c^5 x^5 + 143360Ab c^6 x^4 + 157184Cab c^5 x^4 + 384C b^3 c^4 x^4 + \dots)$
default	$A \left(\frac{(2cx+b)(cx^2+bx+a)^{\frac{5}{2}}}{12c} + \frac{5(4ac-b^2) \left(\frac{(2cx+b)(cx^2+bx+a)^{\frac{3}{2}}}{8c} + \frac{3(4ac-b^2) \left(\frac{(2cx+b)\sqrt{cx^2+bx+a}}{4c} + \frac{(4ac-b^2) \ln\left(\frac{b+cx}{\sqrt{c}} + \sqrt{cx^2+bx+a}\right)}{8c^{\frac{3}{2}}}\right)}{16c} \right)}{24c} \right)$

input `int((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x,method=_RETURNVERBOSE)`

output `1/344064/c^5*(43008*C*c^7*x^7+101376*C*b*c^6*x^6+57344*A*c^7*x^5+121856*C*a*c^6*x^5+62208*C*b^2*c^5*x^5+143360*A*b*c^6*x^4+157184*C*a*b*c^5*x^4+384*C*b^3*c^4*x^4+186368*A*a*c^6*x^3+96768*A*b^2*c^5*x^3+105728*C*a^2*c^5*x^3+3456*C*a*b^2*c^4*x^3-432*C*b^4*c^3*x^3+279552*A*a*b*c^5*x^2+1792*A*b^3*c^4*x^2+11136*C*a^2*b*c^4*x^2-4544*C*a*b^3*c^3*x^2+504*C*b^5*c^2*x^2+236544*A*a^2*c^5*x+21504*A*a*b^2*c^4*x-2240*A*b^4*c^3*x+13440*C*a^3*c^4*x-19104*C*a^2*b^2*c^3*x+6328*C*a*b^4*c^2*x-630*C*b^6*c*x+118272*A*a^2*b*c^4-35840*A*a*b^3*c^3+3360*A*b^5*c^2-42432*C*a^3*b*c^3+37744*C*a^2*b^3*c^2-10500*C*a*b^5*c+945*C*b^7)*(c*x^2+b*x+a)^(1/2)+5/32768*(2048*A*a^3*c^5-1536*A*a^2*b^2*c^4+384*A*a*b^4*c^3-32*A*b^6*c^2-256*C*a^4*c^4+768*C*a^3*b^2*c^3-480*C*a^2*b^4*c^2+112*C*a*b^6*c-9*C*b^8)/c^(11/2)*ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 475 vs. $2(237) = 474$.

Time = 0.14 (sec) , antiderivative size = 953, normalized size of antiderivative = 3.57

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \text{Too large to display}$$

input `integrate((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x, algorithm="fricas")`

output

```

[-1/1376256*(105*(9*C*b^8 - 112*C*a*b^6*c - 2048*A*a^3*c^5 + 256*(C*a^4 +
6*A*a^2*b^2)*c^4 - 384*(2*C*a^3*b^2 + A*a*b^4)*c^3 + 32*(15*C*a^2*b^4 + A*
b^6)*c^2)*sqrt(c)*log(-8*c^2*x^2 - 8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)
*(2*c*x + b)*sqrt(c) - 4*a*c) - 4*(43008*C*c^8*x^7 + 101376*C*b*c^7*x^6 +
945*C*b^7*c - 10500*C*a*b^5*c^2 + 118272*A*a^2*b*c^5 + 256*(243*C*b^2*c^6
+ 476*C*a*c^7 + 224*A*c^8)*x^5 - 64*(663*C*a^3*b + 560*A*a*b^3)*c^4 + 128*
(3*C*b^3*c^5 + 1228*C*a*b*c^6 + 1120*A*b*c^7)*x^4 + 112*(337*C*a^2*b^3 + 3
0*A*b^5)*c^3 - 16*(27*C*b^4*c^4 - 216*C*a*b^2*c^5 - 11648*A*a*c^7 - 112*(5
9*C*a^2 + 54*A*b^2)*c^6)*x^3 + 8*(63*C*b^5*c^3 - 568*C*a*b^3*c^4 + 34944*A
*a*b*c^6 + 16*(87*C*a^2*b + 14*A*b^3)*c^5)*x^2 - 2*(315*C*b^6*c^2 - 3164*C
*a*b^4*c^3 - 118272*A*a^2*c^6 - 1344*(5*C*a^3 + 8*A*a*b^2)*c^5 + 16*(597*C
*a^2*b^2 + 70*A*b^4)*c^4)*x)*sqrt(c*x^2 + b*x + a))/c^6, 1/688128*(105*(9*
C*b^8 - 112*C*a*b^6*c - 2048*A*a^3*c^5 + 256*(C*a^4 + 6*A*a^2*b^2)*c^4 - 3
84*(2*C*a^3*b^2 + A*a*b^4)*c^3 + 32*(15*C*a^2*b^4 + A*b^6)*c^2)*sqrt(-c)*a
rctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(c^2*x^2 + b*c*x + a*
c)) + 2*(43008*C*c^8*x^7 + 101376*C*b*c^7*x^6 + 945*C*b^7*c - 10500*C*a*b^
5*c^2 + 118272*A*a^2*b*c^5 + 256*(243*C*b^2*c^6 + 476*C*a*c^7 + 224*A*c^8)
*x^5 - 64*(663*C*a^3*b + 560*A*a*b^3)*c^4 + 128*(3*C*b^3*c^5 + 1228*C*a*b*
c^6 + 1120*A*b*c^7)*x^4 + 112*(337*C*a^2*b^3 + 30*A*b^5)*c^3 - 16*(27*C*b^
4*c^4 - 216*C*a*b^2*c^5 - 11648*A*a*c^7 - 112*(59*C*a^2 + 54*A*b^2)*c^6...

```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2691 vs. $2(270) = 540$.

Time = 0.58 (sec) , antiderivative size = 2691, normalized size of antiderivative = 10.08

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \text{Too large to display}$$

input

```
integrate((c*x**2+b*x+a)**(5/2)*(C*x**2+A), x)
```

output

```
Piecewise((sqrt(a + b*x + c*x**2)*(33*C*b*c*x**6/112 + C*c**2*x**7/8 + x**
5*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(6*c) + x**4*(3*A*b*c**2 + 2
37*C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/
(12*c))/(5*c) + x**3*(3*A*a*c**2 + 3*A*b**2*c + 3*C*a**2*c + 3*C*a*b**2 -
5*a*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(6*c) - 9*b*(3*A*b*c**2 +
237*C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)
/(12*c)))/(10*c))/(4*c) + x**2*(6*A*a*b*c + A*b**3 + 3*C*a**2*b - 4*a*(3*A*
b*c**2 + 237*C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b*
**2*c/224)/(12*c))/(5*c) - 7*b*(3*A*a*c**2 + 3*A*b**2*c + 3*C*a**2*c + 3*C*
a*b**2 - 5*a*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(6*c) - 9*b*(3*A*
b*c**2 + 237*C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b*
**2*c/224)/(12*c))/(10*c))/(8*c))/(3*c) + x*(3*A*a**2*c + 3*A*a*b**2 + C*a*
**3 - 3*a*(3*A*a*c**2 + 3*A*b**2*c + 3*C*a**2*c + 3*C*a*b**2 - 5*a*(A*c**3
+ 17*C*a*c**2/8 + 243*C*b**2*c/224)/(6*c) - 9*b*(3*A*b*c**2 + 237*C*a*b*c/
56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(12*c))/(10
*c))/(4*c) - 5*b*(6*A*a*b*c + A*b**3 + 3*C*a**2*b - 4*a*(3*A*b*c**2 + 237*
C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(12
*c))/(5*c) - 7*b*(3*A*a*c**2 + 3*A*b**2*c + 3*C*a**2*c + 3*C*a*b**2 - 5*a*
(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/(6*c) - 9*b*(3*A*b*c**2 + 237*
C*a*b*c/56 + C*b**3 - 11*b*(A*c**3 + 17*C*a*c**2/8 + 243*C*b**2*c/224)/...
```

Maxima [F(-2)]

Exception generated.

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \text{Exception raised: ValueError}$$

input

```
integrate((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```


Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 480 vs. $2(237) = 474$.

Time = 0.37 (sec) , antiderivative size = 480, normalized size of antiderivative = 1.80

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \frac{1}{344064} \sqrt{cx^2 + bx + a} \left(2 \left(4 \left(2 \left(8 \left(2 \left(12 (14 Cc^2x + 33 Cbc) x + \frac{243 Cb^2c^7 + 476 Cac^8 + 224 A^2c^9}{c^7} \right) \right) \right) \right) \right) \right) x + \frac{5(9Cb^8 - 112Cab^6c + 480Ca^2b^4c^2 + 32Ab^6c^2 - 768Ca^3b^2c^3 - 384Aab^4c^3 + 256Ca^4c^4 + 1536Aa^2b^2c^4)}{32768c^{\frac{11}{2}}}$$

input `integrate((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x, algorithm="giac")`

output `1/344064*sqrt(c*x^2 + b*x + a)*(2*(4*(2*(8*(2*(12*(14*C*c^2*x + 33*C*b*c)*x + (243*C*b^2*c^7 + 476*C*a*c^8 + 224*A*c^9)/c^7)*x + (3*C*b^3*c^6 + 1228*C*a*b*c^7 + 1120*A*b*c^8)/c^7)*x - (27*C*b^4*c^5 - 216*C*a*b^2*c^6 - 6608*C*a^2*c^7 - 6048*A*b^2*c^7 - 11648*A*a*c^8)/c^7)*x + (63*C*b^5*c^4 - 568*C*a*b^3*c^5 + 1392*C*a^2*b*c^6 + 224*A*b^3*c^6 + 34944*A*a*b*c^7)/c^7)*x - (315*C*b^6*c^3 - 3164*C*a*b^4*c^4 + 9552*C*a^2*b^2*c^5 + 1120*A*b^4*c^5 - 6720*C*a^3*c^6 - 10752*A*a*b^2*c^6 - 118272*A*a^2*c^7)/c^7)*x + (945*C*b^7*c^2 - 10500*C*a*b^5*c^3 + 37744*C*a^2*b^3*c^4 + 3360*A*b^5*c^4 - 42432*C*a^3*b*c^5 - 35840*A*a*b^3*c^5 + 118272*A*a^2*b*c^6)/c^7) + 5/32768*(9*C*b^8 - 112*C*a*b^6*c + 480*C*a^2*b^4*c^2 + 32*A*b^6*c^2 - 768*C*a^3*b^2*c^3 - 384*A*a*b^4*c^3 + 256*C*a^4*c^4 + 1536*A*a^2*b^2*c^4 - 2048*A*a^3*c^5)*log(abs(2*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*sqrt(c) + b))/c^(11/2)`

Mupad [F(-1)]

Timed out.

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \int (Cx^2 + A) (cx^2 + bx + a)^{5/2} dx$$

input `int((A + C*x^2)*(a + b*x + c*x^2)^(5/2),x)`

output `int((A + C*x^2)*(a + b*x + c*x^2)^(5/2), x)`

Reduce [F]

$$\int (a + bx + cx^2)^{5/2} (A + Cx^2) dx = \int (cx^2 + bx + a)^{5/2} (Cx^2 + A) dx$$

input `int((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x)`

output `int((c*x^2+b*x+a)^(5/2)*(C*x^2+A),x)`

3.27 $\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx$

Optimal result	226
Mathematica [A] (verified)	227
Rubi [A] (verified)	227
Maple [A] (verified)	230
Fricas [A] (verification not implemented)	232
Sympy [B] (verification not implemented)	233
Maxima [F(-2)]	233
Giac [A] (verification not implemented)	234
Mupad [F(-1)]	234
Reduce [F]	235

Optimal result

Integrand size = 22, antiderivative size = 212

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx =$$

$$-\frac{(b^2 - 4ac)(24Ac^2 + 7b^2C - 4acC)(b + 2cx)\sqrt{a + bx + cx^2}}{512c^4}$$

$$+ \frac{(24Ac^2 + 7b^2C - 4acC)(b + 2cx)(a + bx + cx^2)^{3/2}}{192c^3}$$

$$- \frac{7bC(a + bx + cx^2)^{5/2}}{60c^2} + \frac{Cx(a + bx + cx^2)^{5/2}}{6c}$$

$$+ \frac{(b^2 - 4ac)^2(24Ac^2 + 7b^2C - 4acC) \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{1024c^{9/2}}$$

output

```
-1/512*(-4*a*c+b^2)*(24*A*c^2-4*C*a*c+7*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(1/2)/c^4+1/192*(24*A*c^2-4*C*a*c+7*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(3/2)/c^3-7/60*b*C*(c*x^2+b*x+a)^(5/2)/c^2+1/6*C*x*(c*x^2+b*x+a)^(5/2)/c+1/1024*(-4*a*c+b^2)^2*(24*A*c^2-4*C*a*c+7*C*b^2)*arctanh(1/2*(2*c*x+b)/c^(1/2)/(c*x^2+b*x+a)^(1/2))/c^(9/2)
```

Mathematica [A] (verified)

Time = 3.41 (sec) , antiderivative size = 230, normalized size of antiderivative = 1.08

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \frac{\sqrt{c}\sqrt{a + x(b + cx)}(120Ac^2(b + 2cx)(-3b^2 + 8bcx + 4c(5a + 2cx^2)) + C(-105b^5 + 70b^4cx + 48b^3c^2x^2 + 160c^3x(3a^2 + 14acx^2 + 8c^2x^4) + 16b^2c^2(-9a + cx^2) + 160c^3x(3a^2 + 14acx^2 + 8c^2x^4)) + 15(b^2 - 4ac)^2(24Ac^2 + 7b^2C - 4acC)*\text{ArcTanh}[(\sqrt{c}x)/(-\sqrt{a} + \sqrt{a + x(b + cx)})])}{7680c^{(9/2)}}$$

input

```
Integrate[(a + b*x + c*x^2)^(3/2)*(A + C*x^2),x]
```

output

```
(Sqrt[c]*Sqrt[a + x*(b + c*x)]*(120*A*c^2*(b + 2*c*x)*(-3*b^2 + 8*b*c*x + 4*c*(5*a + 2*c*x^2)) + C*(-105*b^5 + 70*b^4*c*x + 8*b^3*c*(95*a - 7*c*x^2) + 48*b^2*c^2*x*(-9*a + c*x^2) + 160*c^3*x*(3*a^2 + 14*a*c*x^2 + 8*c^2*x^4) + 16*b*c^2*(-81*a^2 + 18*a*c*x^2 + 104*c^2*x^4))) + 15*(b^2 - 4*a*c)^2*(24*A*c^2 + 7*b^2*C - 4*a*c*C)*ArcTanh[(Sqrt[c]*x)/(-Sqrt[a] + Sqrt[a + x*(b + c*x)])])/(7680*c^(9/2))
```

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 198, normalized size of antiderivative = 0.93, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {2192, 27, 1160, 1087, 1087, 1092, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) (a + bx + cx^2)^{3/2} dx$$

$$\downarrow 2192$$

$$\frac{\int \frac{1}{2}(12Ac - 2aC - 7bCx) (cx^2 + bx + a)^{3/2} dx}{6c} + \frac{Cx(a + bx + cx^2)^{5/2}}{6c}$$

$$\downarrow 27$$

$$\frac{\int (2(6Ac - aC) - 7bCx) (cx^2 + bx + a)^{3/2} dx}{12c} + \frac{Cx(a + bx + cx^2)^{5/2}}{6c}$$

$$\begin{aligned}
 & \downarrow 1160 \\
 & \frac{(-4acC+24Ac^2+7b^2C) \int (cx^2+bx+a)^{3/2} dx}{2c} - \frac{7bC(a+bx+cx^2)^{5/2}}{5c} + \frac{Cx(a+bx+cx^2)^{5/2}}{6c} \\
 & \downarrow 1087 \\
 & \frac{(-4acC+24Ac^2+7b^2C) \left(\frac{(b+2cx)(a+bx+cx^2)^{3/2}}{8c} - \frac{3(b^2-4ac) \int \sqrt{cx^2+bx+a} dx}{16c} \right)}{2c} - \frac{7bC(a+bx+cx^2)^{5/2}}{5c} + \\
 & \quad \frac{12c}{6c} \frac{Cx(a+bx+cx^2)^{5/2}}{6c} \\
 & \downarrow 1087 \\
 & \frac{(-4acC+24Ac^2+7b^2C) \left(\frac{(b+2cx)(a+bx+cx^2)^{3/2}}{8c} - \frac{3(b^2-4ac) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \int \frac{1}{\sqrt{cx^2+bx+a}} dx}{8c} \right)}{16c} \right)}{2c} - \frac{7bC(a+bx+cx^2)^{5/2}}{5c} + \\
 & \quad \frac{12c}{6c} \frac{Cx(a+bx+cx^2)^{5/2}}{6c} \\
 & \downarrow 1092 \\
 & \frac{(-4acC+24Ac^2+7b^2C) \left(\frac{(b+2cx)(a+bx+cx^2)^{3/2}}{8c} - \frac{3(b^2-4ac) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \int \frac{1}{4c - \frac{(b+2cx)^2}{cx^2+bx+a}} d - \frac{b+2cx}{\sqrt{cx^2+bx+a}}}{16c} \right)}{16c} \right)}{2c} - \frac{7bC(a+bx+cx^2)^{5/2}}{5c} + \\
 & \quad \frac{12c}{6c} \frac{Cx(a+bx+cx^2)^{5/2}}{6c} \\
 & \downarrow 219
 \end{aligned}$$

$$\frac{(-4acC+24Ac^2+7b^2C) \left(\frac{(b+2cx)(a+bx+cx^2)^{3/2}}{8c} - \frac{3(b^2-4ac) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac)\operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{8c^{3/2}} \right)}{16c} \right)}{2c} - \frac{7bC(a+bx+c)}{5c} + \frac{Cx(a+bx+cx^2)^{5/2}}{6c}$$

input `Int[(a + b*x + c*x^2)^(3/2)*(A + C*x^2), x]`

output `(C*x*(a + b*x + c*x^2)^(5/2))/(6*c) + ((-7*b*C*(a + b*x + c*x^2)^(5/2))/(5*c) + ((24*A*c^2 + 7*b^2*C - 4*a*c*C)*(((b + 2*c*x)*(a + b*x + c*x^2)^(3/2))/(8*c) - (3*(b^2 - 4*a*c)*((b + 2*c*x)*Sqrt[a + b*x + c*x^2])/(4*c) - (b^2 - 4*a*c)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + b*x + c*x^2])])/(8*c^(3/2))))/(16*c))/(2*c))/(12*c)`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 1087 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^p/(2*c*(2*p + 1))), x] - Simp[p*((b^2 - 4*a*c)/(2*c*(2*p + 1)) Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[3*p])`

rule 1092 `Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Simp[2 Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x]`

rule 1160 `Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[e*((a + b*x + c*x^2)^(p + 1)/(2*c*(p + 1))), x] + Simp[(2*c*d - b*e)/(2*c) Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]`

rule 2192 `Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[e*x^(q - 1)*((a + b*x + c*x^2)^(p + 1)/(c*(q + 2*p + 1))), x] + Simp[1/(c*(q + 2*p + 1)) Int[(a + b*x + c*x^2)^p*ExpandToSum[c*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + p)*x^(q - 1) - c*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]`

Maple [A] (verified)

Time = 1.58 (sec) , antiderivative size = 285, normalized size of antiderivative = 1.34

method	result
risch	$\frac{(1280C^5x^5+1664Cb^4c^4x^4+1920A^5c^5x^3+2240Ca^4c^4x^3+48Cb^2c^3x^3+2880Ab^4c^4x^2+288Cab^3c^3x^2-56Cb^3c^2x^2+4800Aa^4c^4x+240A^4b^2c^3x+480C^4a^2c^3x-432C^4a^2b^2c^2x+70C^4b^4c^4x+2400A^4a^2b^2c^3-360A^4b^3c^2-1296C^4a^2b^2c^2+760C^4a^2b^3c-105C^4b^5)/c^4+(cx^2+bx+a)^{1/2}+1/1024(384A^4a^2c^4-192A^4a^2b^2c^3+24A^4b^4c^2-64C^4a^3c^3+144C^4a^2b^2c^2-60C^4a^2b^4c+7C^4b^6)/c^{9/2}*\ln((1/2*b+cx)/c^{1/2}+(cx^2+bx+a)^{1/2})}{7680c^4}$
default	$A \left(\frac{(2cx+b)(cx^2+bx+a)^{\frac{3}{2}}}{8c} + \frac{3(4ac-b^2) \left(\frac{(2cx+b)\sqrt{cx^2+bx+a}}{4c} + \frac{(4ac-b^2) \ln\left(\frac{\frac{b}{2}+cx}{\sqrt{c}} + \sqrt{cx^2+bx+a}\right)}{8c^{\frac{3}{2}}}\right)}{16c} \right) + C \frac{x(cx^2+bx+a)}{6c}$

```
input int((c*x^2+b*x+a)^(3/2)*(C*x^2+A),x,method=_RETURNVERBOSE)
```

```
output 1/7680*(1280*C*c^5*x^5+1664*C*b*c^4*x^4+1920*A*c^5*x^3+2240*C*a*c^4*x^3+48
*C*b^2*c^3*x^3+2880*A*b*c^4*x^2+288*C*a*b*c^3*x^2-56*C*b^3*c^2*x^2+4800*A*
a*c^4*x+240*A*b^2*c^3*x+480*C*a^2*c^3*x-432*C*a*b^2*c^2*x+70*C*b^4*c^4*x+240
0*A*a*b*c^3-360*A*b^3*c^2-1296*C*a^2*b*c^2+760*C*a*b^3*c-105*C*b^5)/c^4*(c
*x^2+b*x+a)^(1/2)+1/1024*(384*A*a^2*c^4-192*A*a^2*b^2*c^3+24*A*b^4*c^2-64*C*
a^3*c^3+144*C*a^2*b^2*c^2-60*C*a^2*b^4*c+7*C*b^6)/c^(9/2)*ln((1/2*b+cx)/c^(
1/2)+(c*x^2+b*x+a)^(1/2))
```


Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 605, normalized size of antiderivative = 2.85

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \left[\frac{15(7Cb^6 - 60Cab^4c + 384Aa^2c^4 - 64(Ca^3 + 3Aab^2)c^3 + 24(6Ca^2b^2 + Ab^4)c^2)\sqrt{c} \log(-8c^2x^2 - 8b^2cx - b^2 - 4\sqrt{c}x^2 + b^2x + a)(2cx + b)\sqrt{c} - 4ac + 4(1280C^6x^5 + 1664C^5bc^5x^4 - 105C^5b^5c + 760C^4a^3b^3c^2 + 2400C^4a^2b^2c^4 - 72(18C^4a^2b + 5A^4b^3)c^3 + 16(3C^4b^2c^4 + 140C^4ac^5 + 120A^4c^6)x^3 - 8(7C^4b^3c^3 - 36C^4ab^3c^4 - 360A^4b^3c^5)x^2 + 2(35C^4b^4c^2 - 216C^4ab^2c^3 + 2400A^4ac^5 + 120(2C^4a^2 + A^4b^2)c^4)x)\sqrt{c}x^2 + b^2x + a)}{c^5}, -\frac{1}{15360} \frac{15(7Cb^6 - 60Cab^4c + 384Aa^2c^4 - 64(Ca^3 + 3Aab^2)c^3 + 24(6Ca^2b^2 + Ab^4)c^2)\sqrt{-c} \arctan\left(\frac{\sqrt{cx^2+bx+a}}{2(c^2x^2 + b^2cx + a^2)}\right) - 2(1280C^6x^5 + 1664C^5bc^5x^4 - 105C^5b^5c + 760C^4a^3b^3c^2 + 2400C^4a^2b^2c^4 - 72(18C^4a^2b + 5A^4b^3)c^3 + 16(3C^4b^2c^4 + 140C^4ac^5 + 120A^4c^6)x^3 - 8(7C^4b^3c^3 - 36C^4ab^3c^4 - 360A^4b^3c^5)x^2 + 2(35C^4b^4c^2 - 216C^4ab^2c^3 + 2400A^4ac^5 + 120(2C^4a^2 + A^4b^2)c^4)x)\sqrt{c}x^2 + b^2x + a)}{c^5} \right]$$

input `integrate((c*x^2+b*x+a)^(3/2)*(C*x^2+A),x, algorithm="fricas")`

output `[1/30720*(15*(7*C*b^6 - 60*C*a*b^4*c + 384*A*a^2*c^4 - 64*(C*a^3 + 3*A*a*b^2)*c^3 + 24*(6*C*a^2*b^2 + A*b^4)*c^2)*sqrt(c)*log(-8*c^2*x^2 - 8*b^2*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) + 4*(1280*C*c^6*x^5 + 1664*C*b*c^5*x^4 - 105*C*b^5*c + 760*C*a*b^3*c^2 + 2400*A*a*b*c^4 - 72*(18*C*a^2*b + 5*A*b^3)*c^3 + 16*(3*C*b^2*c^4 + 140*C*a*c^5 + 120*A*c^6)*x^3 - 8*(7*C*b^3*c^3 - 36*C*a*b*c^4 - 360*A*b*c^5)*x^2 + 2*(35*C*b^4*c^2 - 216*C*a*b^2*c^3 + 2400*A*a*c^5 + 120*(2*C*a^2 + A*b^2)*c^4)*x)*sqrt(c*x^2 + b*x + a)/c^5, -1/15360*(15*(7*C*b^6 - 60*C*a*b^4*c + 384*A*a^2*c^4 - 64*(C*a^3 + 3*A*a*b^2)*c^3 + 24*(6*C*a^2*b^2 + A*b^4)*c^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(c^2*x^2 + b*c*x + a*c)) - 2*(1280*C*c^6*x^5 + 1664*C*b*c^5*x^4 - 105*C*b^5*c + 760*C*a*b^3*c^2 + 2400*A*a*b*c^4 - 72*(18*C*a^2*b + 5*A*b^3)*c^3 + 16*(3*C*b^2*c^4 + 140*C*a*c^5 + 120*A*c^6)*x^3 - 8*(7*C*b^3*c^3 - 36*C*a*b*c^4 - 360*A*b*c^5)*x^2 + 2*(35*C*b^4*c^2 - 216*C*a*b^2*c^3 + 2400*A*a*c^5 + 120*(2*C*a^2 + A*b^2)*c^4)*x)*sqrt(c*x^2 + b*x + a)/c^5]`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 775 vs. $2(207) = 414$.

Time = 0.49 (sec) , antiderivative size = 775, normalized size of antiderivative = 3.66

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \text{Too large to display}$$

input `integrate((c*x**2+b*x+a)**(3/2)*(C*x**2+A),x)`

output

```
Piecewise((sqrt(a + b*x + c*x**2)*(13*C*b*x**4/60 + C*c*x**5/6 + x**3*(A*c
**2 + 7*C*a*c/6 + C*b**2/40)/(4*c) + x**2*(2*A*b*c + 17*C*a*b/15 - 7*b*(A
c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c))/(3*c) + x*(2*A*a*c + A*b**2 + C*a**2
- 3*a*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(4*c) - 5*b*(2*A*b*c + 17*C*a*b/15
- 7*b*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c))/(6*c))/(2*c) + (2*A*a*b - 2*
a*(2*A*b*c + 17*C*a*b/15 - 7*b*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c))/(3*
c) - 3*b*(2*A*a*c + A*b**2 + C*a**2 - 3*a*(A*c**2 + 7*C*a*c/6 + C*b**2/40)
/(4*c) - 5*b*(2*A*b*c + 17*C*a*b/15 - 7*b*(A*c**2 + 7*C*a*c/6 + C*b**2/40)
/(8*c))/(6*c))/(4*c))/c + (A*a**2 - a*(2*A*a*c + A*b**2 + C*a**2 - 3*a*(A
*c**2 + 7*C*a*c/6 + C*b**2/40)/(4*c) - 5*b*(2*A*b*c + 17*C*a*b/15 - 7*b*(A
*c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c))/(6*c))/(2*c) - b*(2*A*a*b - 2*a*(2*A
*b*c + 17*C*a*b/15 - 7*b*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c))/(3*c) - 3
*b*(2*A*a*c + A*b**2 + C*a**2 - 3*a*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(4*c)
- 5*b*(2*A*b*c + 17*C*a*b/15 - 7*b*(A*c**2 + 7*C*a*c/6 + C*b**2/40)/(8*c)
)/(6*c))/(4*c))/(2*c))*Piecewise((log(b + 2*sqrt(c)*sqrt(a + b*x + c*x**2)
+ 2*c*x)/sqrt(c), Ne(a - b**2/(4*c), 0)), ((b/(2*c) + x)*log(b/(2*c) + x)
/sqrt(c*(b/(2*c) + x)**2), True)), Ne(c, 0)), (2*(-2*C*a*(a + b*x)**(7/2)/
(7*b**2) + C*(a + b*x)**(9/2)/(9*b**2) + (a + b*x)**(5/2)*(A*b**2 + C*a**2
)/(5*b**2))/b, Ne(b, 0)), (a**(3/2)*(A*x + C*x**3/3), True))
```

Maxima [F(-2)]

Exception generated.

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \text{Exception raised: ValueError}$$

input `integrate((c*x^2+b*x+a)^(3/2)*(C*x^2+A),x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```

Giac [A] (verification not implemented)

Time = 0.35 (sec) , antiderivative size = 295, normalized size of antiderivative = 1.39

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \frac{1}{7680} \sqrt{cx^2 + bx + a} \left(2 \left(4 \left(2 \left(8(10 Ccx + 13 Cb)x + \frac{3Cb^2c^4 + 140 Cacc^5 + 120 Ac^6}{c^5} \right) x - \frac{7(7Cb^6 - 60 Cab^4c + 144 Ca^2b^2c^2 + 24 Ab^4c^2 - 64 Ca^3c^3 - 192 Aab^2c^3 + 384 Aa^2c^4)}{1024 c^9} \log \left(|2(\sqrt{cx} - \sqrt{cx} \right. \right. \right.$$

input

```
integrate((c*x^2+b*x+a)^(3/2)*(C*x^2+A),x, algorithm="giac")
```

output

```
1/7680*sqrt(c*x^2 + b*x + a)*(2*(4*(2*(8*(10*C*c*x + 13*C*b)*x + (3*C*b^2*
c^4 + 140*C*a*c^5 + 120*A*c^6)/c^5)*x - (7*C*b^3*c^3 - 36*C*a*b*c^4 - 360*
A*b*c^5)/c^5)*x + (35*C*b^4*c^2 - 216*C*a*b^2*c^3 + 240*C*a^2*c^4 + 120*A*
b^2*c^4 + 2400*A*a*c^5)/c^5)*x - (105*C*b^5*c - 760*C*a*b^3*c^2 + 1296*C*a
^2*b*c^3 + 360*A*b^3*c^3 - 2400*A*a*b*c^4)/c^5) - 1/1024*(7*C*b^6 - 60*C*a
*b^4*c + 144*C*a^2*b^2*c^2 + 24*A*b^4*c^2 - 64*C*a^3*c^3 - 192*A*a*b^2*c^3
+ 384*A*a^2*c^4)*log(abs(2*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*sqrt(c) +
b))/c^(9/2)
```

Mupad [F(-1)]

Timed out.

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \int (Cx^2 + A) (cx^2 + bx + a)^{3/2} dx$$

input

```
int((A + C*x^2)*(a + b*x + c*x^2)^(3/2),x)
```

output `int((A + C*x^2)*(a + b*x + c*x^2)^(3/2), x)`

Reduce [F]

$$\int (a + bx + cx^2)^{3/2} (A + Cx^2) dx = \int (cx^2 + bx + a)^{\frac{3}{2}} (Cx^2 + A) dx$$

input `int((c*x^2+b*x+a)^(3/2)*(C*x^2+A), x)`

output `int((c*x^2+b*x+a)^(3/2)*(C*x^2+A), x)`

3.28 $\int \sqrt{a + bx + cx^2}(A + Cx^2) dx$

Optimal result	236
Mathematica [A] (verified)	237
Rubi [A] (verified)	237
Maple [A] (verified)	240
Fricas [A] (verification not implemented)	240
Sympy [B] (verification not implemented)	241
Maxima [F(-2)]	242
Giac [A] (verification not implemented)	242
Mupad [B] (verification not implemented)	243
Reduce [F]	244

Optimal result

Integrand size = 22, antiderivative size = 157

$$\int \sqrt{a + bx + cx^2}(A + Cx^2) dx$$

$$= \frac{(16Ac^2 + 5b^2C - 4acC)(b + 2cx)\sqrt{a + bx + cx^2}}{64c^3} - \frac{5bC(a + bx + cx^2)^{3/2}}{24c^2}$$

$$+ \frac{Cx(a + bx + cx^2)^{3/2}}{4c} - \frac{(b^2 - 4ac)(16Ac^2 + 5b^2C - 4acC) \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{128c^{7/2}}$$

output

```
1/64*(16*A*c^2-4*C*a*c+5*C*b^2)*(2*c*x+b)*(c*x^2+b*x+a)^(1/2)/c^3-5/24*b*C
*(c*x^2+b*x+a)^(3/2)/c^2+1/4*C*x*(c*x^2+b*x+a)^(3/2)/c-1/128*(-4*a*c+b^2)*
(16*A*c^2-4*C*a*c+5*C*b^2)*arctanh(1/2*(2*c*x+b)/c^(1/2)/(c*x^2+b*x+a)^(1/
2))/c^(7/2)
```

Mathematica [A] (verified)

Time = 1.41 (sec) , antiderivative size = 145, normalized size of antiderivative = 0.92

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx$$

$$= \frac{\sqrt{c}\sqrt{a + x(b + cx)}(48Ac^2(b + 2cx) + C(15b^3 - 10b^2cx + 24c^2x(a + 2cx^2) + b(-52ac + 8c^2x^2))) - 3(b^2 - 4ac)\sqrt{c}\sqrt{a + x(b + cx)}\operatorname{ArcTanh}\left[\frac{\sqrt{c}x}{-\sqrt{a} + \sqrt{a + x(b + cx)}}\right]}{192c^{7/2}}$$

input

```
Integrate[Sqrt[a + b*x + c*x^2]*(A + C*x^2),x]
```

output

```
(Sqrt[c]*Sqrt[a + x*(b + c*x)]*(48*A*c^2*(b + 2*c*x) + C*(15*b^3 - 10*b^2*c*x + 24*c^2*x*(a + 2*c*x^2) + b*(-52*a*c + 8*c^2*x^2))) - 3*(b^2 - 4*a*c)*(16*A*c^2 + 5*b^2*C - 4*a*c*C)*ArcTanh[(Sqrt[c]*x)/(-Sqrt[a] + Sqrt[a + x*(b + c*x)])])/(192*c^(7/2))
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 155, normalized size of antiderivative = 0.99, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2192, 27, 1160, 1087, 1092, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (A + Cx^2) \sqrt{a + bx + cx^2} dx$$

$$\downarrow 2192$$

$$\frac{\int \frac{1}{2}(8Ac - 2aC - 5bCx)\sqrt{cx^2 + bx + a} dx}{4c} + \frac{Cx(a + bx + cx^2)^{3/2}}{4c}$$

$$\downarrow 27$$

$$\frac{\int (2(4Ac - aC) - 5bCx)\sqrt{cx^2 + bx + a} dx}{8c} + \frac{Cx(a + bx + cx^2)^{3/2}}{4c}$$

$$\downarrow 1160$$

$$\begin{aligned}
 & \frac{\frac{(-4acC+16Ac^2+5b^2C) \int \sqrt{cx^2+bx+a} dx}{2c} - \frac{5bC(a+bx+cx^2)^{3/2}}{3c}}{8c} + \frac{Cx(a+bx+cx^2)^{3/2}}{4c} \\
 & \quad \downarrow \text{1087} \\
 & \frac{(-4acC+16Ac^2+5b^2C) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \int \frac{1}{\sqrt{cx^2+bx+a}} dx}{8c} \right)}{2c} - \frac{5bC(a+bx+cx^2)^{3/2}}{3c} + \\
 & \quad \frac{8c}{4c} \frac{Cx(a+bx+cx^2)^{3/2}}{4c} \\
 & \quad \downarrow \text{1092} \\
 & \frac{(-4acC+16Ac^2+5b^2C) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \int \frac{1}{4c - \frac{(b+2cx)^2}{cx^2+bx+a}} dx \frac{b+2cx}{\sqrt{cx^2+bx+a}}}{4c} \right)}{2c} - \frac{5bC(a+bx+cx^2)^{3/2}}{3c} + \\
 & \quad \frac{8c}{4c} \frac{Cx(a+bx+cx^2)^{3/2}}{4c} \\
 & \quad \downarrow \text{219} \\
 & \frac{(-4acC+16Ac^2+5b^2C) \left(\frac{(b+2cx)\sqrt{a+bx+cx^2}}{4c} - \frac{(b^2-4ac) \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{8c^{3/2}} \right)}{2c} - \frac{5bC(a+bx+cx^2)^{3/2}}{3c} + \\
 & \quad \frac{8c}{4c} \frac{Cx(a+bx+cx^2)^{3/2}}{4c}
 \end{aligned}$$

input `Int[Sqrt[a + b*x + c*x^2]*(A + C*x^2),x]`

output `(C*x*(a + b*x + c*x^2)^(3/2))/(4*c) + ((-5*b*C*(a + b*x + c*x^2)^(3/2))/(3*c) + ((16*A*c^2 + 5*b^2*C - 4*a*c*C)*(((b + 2*c*x)*Sqrt[a + b*x + c*x^2])/(4*c) - ((b^2 - 4*a*c)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + b*x + c*x^2])]))/(8*c^(3/2)))/(2*c))/(8*c)`

Defintions of rubi rules used

- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 219 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`
- rule 1087 `Int[((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^p/(2*c*(2*p + 1))), x] - Simp[p*((b^2 - 4*a*c)/(2*c*(2*p + 1)) Int[(a + b*x + c*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[3*p])`
- rule 1092 `Int[1/Sqrt[(a_) + (b_)*(x_) + (c_)*(x_)^2], x_Symbol] := Simp[2 Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x]`
- rule 1160 `Int[((d_) + (e_)*(x_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Simp[e*((a + b*x + c*x^2)^(p + 1)/(2*c*(p + 1))), x] + Simp[(2*c*d - b*e)/(2*c) Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]`
- rule 2192 `Int[(Pq)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[e*x^(q - 1)*((a + b*x + c*x^2)^(p + 1)/(c*(q + 2*p + 1))), x] + Simp[1/(c*(q + 2*p + 1)) Int[(a + b*x + c*x^2)^p*ExpandToSum[c*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + p)*x^(q - 1) - c*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]`

Maple [A] (verified)

Time = 1.73 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.96

method	result
risch	$\frac{(48c^3Cx^3+8Cb^2c^2x^2+96Ac^3x+24Ca^2cx-10Cb^2cx+48Ab^2c^2-52Cabc+15Cb^3)\sqrt{cx^2+bx+a}}{192c^3} + \frac{(64Aac^3-16Ab^2c^2-16Ca^2c^2)}{192c^3}$
default	$A \left(\frac{(2cx+b)\sqrt{cx^2+bx+a}}{4c} + \frac{(4ac-b^2) \ln\left(\frac{b+cx}{\sqrt{c}} + \sqrt{cx^2+bx+a}\right)}{8c^{\frac{3}{2}}} \right) + C \left(\frac{x(cx^2+bx+a)^{\frac{3}{2}}}{4c} - \frac{5b \left(\frac{(cx^2+bx+a)^{\frac{3}{2}}}{3c} - \frac{b(2cx+a)}{3c} \right)}{4c} \right)$

input `int((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x,method=_RETURNVERBOSE)`

output `1/192*(48*C*c^3*x^3+8*C*b*c^2*x^2+96*A*c^3*x+24*C*a*c^2*x-10*C*b^2*c*x+48*A*b*c^2-52*C*a*b*c+15*C*b^3)/c^3*(c*x^2+b*x+a)^(1/2)+1/128*(64*A*a*c^3-16*A*b^2*c^2-16*C*a^2*c^2+24*C*a*b^2*c-5*C*b^4)/c^(7/2)*ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 355, normalized size of antiderivative = 2.26

$$\int \sqrt{a+bx+cx^2}(A+Cx^2) dx$$

$$= \left[-\frac{3(5Cb^4-24Cab^2c-64Aac^3+16(Ca^2+Ab^2)c^2)\sqrt{c} \log(-8c^2x^2-8bcx-b^2-4\sqrt{cx^2+bx+a})}{192c^3} \right]$$

input `integrate((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x, algorithm="fricas")`

output

```
[-1/768*(3*(5*C*b^4 - 24*C*a*b^2*c - 64*A*a*c^3 + 16*(C*a^2 + A*b^2)*c^2)*
sqrt(c)*log(-8*c^2*x^2 - 8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x +
b)*sqrt(c) - 4*a*c) - 4*(48*C*c^4*x^3 + 8*C*b*c^3*x^2 + 15*C*b^3*c - 52*C*
a*b*c^2 + 48*A*b*c^3 - 2*(5*C*b^2*c^2 - 12*C*a*c^3 - 48*A*c^4)*x)*sqrt(c*x
^2 + b*x + a))/c^4, 1/384*(3*(5*C*b^4 - 24*C*a*b^2*c - 64*A*a*c^3 + 16*(C*
a^2 + A*b^2)*c^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sq
rt(-c)/(c^2*x^2 + b*c*x + a*c)) + 2*(48*C*c^4*x^3 + 8*C*b*c^3*x^2 + 15*C*b
^3*c - 52*C*a*b*c^2 + 48*A*b*c^3 - 2*(5*C*b^2*c^2 - 12*C*a*c^3 - 48*A*c^4)
*x)*sqrt(c*x^2 + b*x + a))/c^4]
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 308 vs. $2(151) = 302$.

Time = 0.52 (sec) , antiderivative size = 308, normalized size of antiderivative = 1.96

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx$$

$$= \left\{ \begin{array}{l} \sqrt{a + bx + cx^2} \left(\frac{Cbx^2}{24c} + \frac{Cx^3}{4} + \frac{x \left(Ac + \frac{Ca}{4} - \frac{5Cb^2}{48c} \right)}{2c} + \frac{Ab - \frac{Cab}{12c} - \frac{3b \left(Ac + \frac{Ca}{4} - \frac{5Cb^2}{48c} \right)}{c}}{c} \right) + \left(Aa - \frac{a \left(Ac + \frac{Ca}{4} - \frac{5Cb^2}{48c} \right)}{2c} - \dots \right) \\ \frac{2 \left(-\frac{2Ca(a+bx)^{\frac{5}{2}}}{5b^2} + \frac{C(a+bx)^{\frac{7}{2}}}{7b^2} + \frac{(a+bx)^{\frac{3}{2}}(Ab^2 + Ca^2)}{3b^2} \right)}{b} \\ \sqrt{a} \left(Ax + \frac{Cx^3}{3} \right) \end{array} \right.$$

input

```
integrate((c*x**2+b*x+a)**(1/2)*(C*x**2+A), x)
```

output

```
Piecewise((sqrt(a + b*x + c*x**2)*(C*b*x**2/(24*c) + C*x**3/4 + x*(A*c + C*a/4 - 5*C*b**2/(48*c)))/(2*c) + (A*b - C*a*b/(12*c) - 3*b*(A*c + C*a/4 - 5*C*b**2/(48*c)))/(4*c))/c) + (A*a - a*(A*c + C*a/4 - 5*C*b**2/(48*c)))/(2*c) - b*(A*b - C*a*b/(12*c) - 3*b*(A*c + C*a/4 - 5*C*b**2/(48*c)))/(4*c))/(2*c)))*Piecewise((log(b + 2*sqrt(c)*sqrt(a + b*x + c*x**2) + 2*c*x)/sqrt(c), Ne(a - b**2/(4*c), 0)), ((b/(2*c) + x)*log(b/(2*c) + x)/sqrt(c*(b/(2*c) + x)**2), True)), Ne(c, 0)), (2*(-2*C*a*(a + b*x)**(5/2)/(5*b**2) + C*(a + b*x)**(7/2)/(7*b**2) + (a + b*x)**(3/2)*(A*b**2 + C*a**2)/(3*b**2))/b, Ne(b, 0)), (sqrt(a)*(A*x + C*x**3/3), True))
```

Maxima [F(-2)]

Exception generated.

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx = \text{Exception raised: ValueError}$$

input

```
integrate((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta
```

Giac [A] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 158, normalized size of antiderivative = 1.01

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx$$

$$= \frac{1}{192} \sqrt{cx^2 + bx + a} \left(2 \left(4 \left(6Cx + \frac{Cb}{c} \right) x - \frac{5Cb^2c - 12Cac^2 - 48Ac^3}{c^3} \right) x + \frac{15Cb^3 - 52Cabc + 48Ab^2c}{c^3} \right) + \frac{(5Cb^4 - 24Cab^2c + 16Ca^2c^2 + 16Ab^2c^2 - 64Aac^3) \log(|2(\sqrt{cx} - \sqrt{cx^2 + bx + a})\sqrt{c} + b|)}{128c^{\frac{7}{2}}}$$

input

```
integrate((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x, algorithm="giac")
```

output

```
1/192*sqrt(c*x^2 + b*x + a)*(2*(4*(6*C*x + C*b/c)*x - (5*C*b^2*c - 12*C*a*c^2 - 48*A*c^3)/c^3)*x + (15*C*b^3 - 52*C*a*b*c + 48*A*b*c^2)/c^3) + 1/128*(5*C*b^4 - 24*C*a*b^2*c + 16*C*a^2*c^2 + 16*A*b^2*c^2 - 64*A*a*c^3)*log(abs(2*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*sqrt(c) + b))/c^(7/2)
```

Mupad [B] (verification not implemented)

Time = 18.25 (sec) , antiderivative size = 240, normalized size of antiderivative = 1.53

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx$$

$$= A \left(\frac{x}{2} + \frac{b}{4c} \right) \sqrt{cx^2 + bx + a}$$

$$- \frac{Ca \left(\left(\frac{x}{2} + \frac{b}{4c} \right) \sqrt{cx^2 + bx + a} + \frac{\ln \left(\frac{\frac{b}{2} + cx}{\sqrt{c}} + \sqrt{cx^2 + bx + a} \right) \left(ac - \frac{b^2}{4} \right)}{2c^{3/2}} \right)}{4c}$$

$$+ \frac{A \ln \left(\frac{\frac{b}{2} + cx}{\sqrt{c}} + \sqrt{cx^2 + bx + a} \right) \left(ac - \frac{b^2}{4} \right)}{2c^{3/2}}$$

$$- \frac{5Cb \left(\frac{\ln \left(\frac{\frac{b}{2} + cx}{\sqrt{c}} + \sqrt{cx^2 + bx + a} \right) (b^3 - 4abc)}{16c^{5/2}} + \frac{(-3b^2 + 2cxb + 8c(cx^2 + a)) \sqrt{cx^2 + bx + a}}{24c^2} \right)}{8c}$$

$$+ \frac{Cx(cx^2 + bx + a)^{3/2}}{4c}$$

input

```
int((A + C*x^2)*(a + b*x + c*x^2)^(1/2),x)
```

output

```
A*(x/2 + b/(4*c))*(a + b*x + c*x^2)^(1/2) - (C*a*((x/2 + b/(4*c))*(a + b*x + c*x^2)^(1/2) + (log((b/2 + c*x)/c^(1/2) + (a + b*x + c*x^2)^(1/2))*(a*c - b^2/4))/(2*c^(3/2))))/(4*c) + (A*log((b/2 + c*x)/c^(1/2) + (a + b*x + c*x^2)^(1/2))*(a*c - b^2/4))/(2*c^(3/2)) - (5*C*b*((log((b + 2*c*x)/c^(1/2) + 2*(a + b*x + c*x^2)^(1/2))*(b^3 - 4*a*b*c))/(16*c^(5/2)) + ((8*c*(a + c*x^2) - 3*b^2 + 2*b*c*x)*(a + b*x + c*x^2)^(1/2))/(24*c^2)))/(8*c) + (C*x*(a + b*x + c*x^2)^(3/2))/(4*c)
```

Reduce [F]

$$\int \sqrt{a + bx + cx^2} (A + Cx^2) dx = \int \sqrt{cx^2 + bx + a} (Cx^2 + A) dx$$

input `int((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x)`

output `int((c*x^2+b*x+a)^(1/2)*(C*x^2+A),x)`

3.29 $\int \frac{A+Cx^2}{\sqrt{a+bx+cx^2}} dx$

Optimal result	245
Mathematica [A] (verified)	245
Rubi [A] (verified)	246
Maple [A] (verified)	248
Fricas [A] (verification not implemented)	248
Sympy [A] (verification not implemented)	249
Maxima [F(-2)]	250
Giac [A] (verification not implemented)	250
Mupad [F(-1)]	251
Reduce [B] (verification not implemented)	251

Optimal result

Integrand size = 22, antiderivative size = 104

$$\int \frac{A+Cx^2}{\sqrt{a+bx+cx^2}} dx = -\frac{3bC\sqrt{a+bx+cx^2}}{4c^2} + \frac{Cx\sqrt{a+bx+cx^2}}{2c} + \frac{(8Ac^2+3b^2C-4acC)\operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{8c^{5/2}}$$

output

```
-3/4*b*C*(c*x^2+b*x+a)^(1/2)/c^2+1/2*C*x*(c*x^2+b*x+a)^(1/2)/c+1/8*(8*A*c^2-4*C*a*c+3*C*b^2)*arctanh(1/2*(2*c*x+b)/c^(1/2)/(c*x^2+b*x+a)^(1/2))/c^(5/2)
```

Mathematica [A] (verified)

Time = 0.71 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.85

$$\int \frac{A+Cx^2}{\sqrt{a+bx+cx^2}} dx = \frac{C(-3b+2cx)\sqrt{a+x(b+cx)}}{4c^2} + \frac{(8Ac^2+3b^2C-4acC)\operatorname{arctanh}\left(\frac{\sqrt{cx}}{-\sqrt{a}+\sqrt{a+x(b+cx)}}\right)}{4c^{5/2}}$$

input

```
Integrate[(A + C*x^2)/Sqrt[a + b*x + c*x^2], x]
```

output

```
(C*(-3*b + 2*c*x)*Sqrt[a + x*(b + c*x)]/(4*c^2) + ((8*A*c^2 + 3*b^2*C - 4
*a*c*C)*ArcTanh[(Sqrt[c]*x)/(-Sqrt[a] + Sqrt[a + x*(b + c*x)])])/(4*c^(5/2)
))
```

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.06, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {2192, 27, 1160, 1092, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx \\
 & \quad \downarrow \text{2192} \\
 & \frac{\int \frac{4Ac - 2aC - 3bCx}{2\sqrt{cx^2 + bx + a}} dx}{2c} + \frac{Cx\sqrt{a + bx + cx^2}}{2c} \\
 & \quad \downarrow \text{27} \\
 & \frac{\int \frac{2(2Ac - aC) - 3bCx}{\sqrt{cx^2 + bx + a}} dx}{4c} + \frac{Cx\sqrt{a + bx + cx^2}}{2c} \\
 & \quad \downarrow \text{1160} \\
 & \frac{(-4acC + 8Ac^2 + 3b^2C) \int \frac{1}{\sqrt{cx^2 + bx + a}} dx}{4c} - \frac{3bC\sqrt{a + bx + cx^2}}{c} + \frac{Cx\sqrt{a + bx + cx^2}}{2c} \\
 & \quad \downarrow \text{1092} \\
 & \frac{(-4acC + 8Ac^2 + 3b^2C) \int \frac{1}{4c - \frac{(b+2cx)^2}{cx^2 + bx + a}} d \frac{b+2cx}{\sqrt{cx^2 + bx + a}}}{c} - \frac{3bC\sqrt{a + bx + cx^2}}{c} + \frac{Cx\sqrt{a + bx + cx^2}}{2c} \\
 & \quad \downarrow \text{219} \\
 & \frac{(-4acC + 8Ac^2 + 3b^2C) \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a + bx + cx^2}}\right)}{2c^{3/2}} - \frac{3bC\sqrt{a + bx + cx^2}}{c} + \frac{Cx\sqrt{a + bx + cx^2}}{2c}
 \end{aligned}$$

input `Int[(A + C*x^2)/Sqrt[a + b*x + c*x^2],x]`

output `(C*x*Sqrt[a + b*x + c*x^2])/(2*c) + ((-3*b*C*Sqrt[a + b*x + c*x^2])/c + ((8*A*c^2 + 3*b^2*C - 4*a*c*C)*ArcTanh[(b + 2*c*x)/(2*Sqrt[c]*Sqrt[a + b*x + c*x^2])])/(2*c^(3/2)))/(4*c)`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 219 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[-b, 2]))*ArcTanh[Rt[-b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

rule 1092 `Int[1/Sqrt[(a_) + (b_.)*(x_) + (c_.)*(x_)^2], x_Symbol] := Simp[2 Subst[Int[1/(4*c - x^2), x], x, (b + 2*c*x)/Sqrt[a + b*x + c*x^2]], x] /; FreeQ[{a, b, c}, x]`

rule 1160 `Int[((d_.) + (e_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[e*((a + b*x + c*x^2)^(p + 1)/(2*c*(p + 1))), x] + Simp[(2*c*d - b*e)/(2*c) Int[(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && NeQ[p, -1]`

rule 2192 `Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Expon[Pq, x], e = Coeff[Pq, x, Expon[Pq, x]]}, Simp[e*x^(q - 1)*((a + b*x + c*x^2)^(p + 1)/(c*(q + 2*p + 1))), x] + Simp[1/(c*(q + 2*p + 1)) Int[(a + b*x + c*x^2)^p*ExpandToSum[c*(q + 2*p + 1)*Pq - a*e*(q - 1)*x^(q - 2) - b*e*(q + p)*x^(q - 1) - c*e*(q + 2*p + 1)*x^q, x], x]] /; FreeQ[{a, b, c, p}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && !LeQ[p, -1]`

Maple [A] (verified)

Time = 1.56 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.73

method	result
risch	$-\frac{C(-2cx+3b)\sqrt{cx^2+bx+a}}{4c^2} + \frac{(8Ac^2-4acC+3b^2C)\ln\left(\frac{\frac{b}{2}+\frac{cx}{\sqrt{c}}+\sqrt{cx^2+bx+a}}{\sqrt{c}}\right)}{8c^{\frac{5}{2}}}$
default	$\frac{A\ln\left(\frac{\frac{b}{2}+\frac{cx}{\sqrt{c}}+\sqrt{cx^2+bx+a}}{\sqrt{c}}\right)}{\sqrt{c}} + C\left(\frac{x\sqrt{cx^2+bx+a}}{2c} - \frac{3b\left(\frac{\sqrt{cx^2+bx+a}}{c} - \frac{b\ln\left(\frac{\frac{b}{2}+\frac{cx}{\sqrt{c}}+\sqrt{cx^2+bx+a}}{\sqrt{c}}\right)}{2c^{\frac{3}{2}}}\right)}{4c} - \frac{a\ln\left(\frac{\frac{b}{2}+\frac{cx}{\sqrt{c}}+\sqrt{cx^2+bx+a}}{\sqrt{c}}\right)}{2c^{\frac{3}{2}}}\right)$

```
input int((C*x^2+A)/(c*x^2+b*x+a)^(1/2),x,method=_RETURNVERBOSE)
```

```
output -1/4*C*(-2*c*x+3*b)/c^2*(c*x^2+b*x+a)^(1/2)+1/8*(8*A*c^2-4*C*a*c+3*C*b^2)/c^(5/2)*ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 203, normalized size of antiderivative = 1.95

$$\int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx$$

$$= \left[\frac{(3Cb^2 - 4Cac + 8Ac^2)\sqrt{c} \log(-8c^2x^2 - 8bcx - b^2 - 4\sqrt{cx^2 + bx + a}(2cx + b)\sqrt{c} - 4ac) + 4(2Ccx - 3Cb)\sqrt{cx^2 + bx + a}}{16c^3} - \frac{(3Cb^2 - 4Cac + 8Ac^2)\sqrt{-c} \arctan\left(\frac{\sqrt{cx^2 + bx + a}(2cx + b)\sqrt{-c}}{2(c^2x^2 + bcx + ac)}\right) - 2(2Ccx - 3Cb)\sqrt{cx^2 + bx + a}}{8c^3} \right]$$

```
input integrate((C*x^2+A)/(c*x^2+b*x+a)^(1/2),x, algorithm="fricas")
```

output

```
[1/16*((3*C*b^2 - 4*C*a*c + 8*A*c^2)*sqrt(c)*log(-8*c^2*x^2 - 8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) + 4*(2*C*c^2*x - 3*C*b*c)*sqrt(c*x^2 + b*x + a))/c^3, -1/8*((3*C*b^2 - 4*C*a*c + 8*A*c^2)*sqrt(-c)*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(c^2*x^2 + b*c*x + a*c)) - 2*(2*C*c^2*x - 3*C*b*c)*sqrt(c*x^2 + b*x + a))/c^3]
```

Sympy [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.82

$$\int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx = \begin{cases} \left(\left(-\frac{3Cb}{4c^2} + \frac{Cx}{2c} \right) \sqrt{a + bx + cx^2} + \left(A - \frac{Ca}{2c} + \frac{3Cb^2}{8c^2} \right) \left(\begin{cases} \frac{\log(b + 2\sqrt{c}\sqrt{a + bx + cx^2} + 2cx)}{\sqrt{c}} & \text{for } a - \frac{b^2}{4c} \neq 0 \\ \frac{(\frac{b}{2c} + x) \log(\frac{b}{2c} + x)}{\sqrt{c}(\frac{b}{2c} + x)^2} & \text{otherwise} \end{cases} \right) \right) & \text{for } c > 0 \\ \frac{2A\sqrt{a + bx} + \frac{2C \left(a^2\sqrt{a + bx} - \frac{2a(a + bx)^{\frac{3}{2}}}{3} + \frac{(a + bx)^{\frac{5}{2}}}{5} \right)}{b^2}}{b} & \text{for } b > 0 \\ \frac{Ax + \frac{Cx^3}{3}}{\sqrt{a}} & \text{otherwise} \end{cases}$$

input

```
integrate((C*x**2+A)/(c*x**2+b*x+a)**(1/2),x)
```

output

```
Piecewise((((-3*C*b/(4*c**2) + C*x/(2*c))*sqrt(a + b*x + c*x**2) + (A - C*a/(2*c) + 3*C*b**2/(8*c**2))*Piecewise((log(b + 2*sqrt(c)*sqrt(a + b*x + c*x**2) + 2*c*x)/sqrt(c), Ne(a - b**2/(4*c), 0)), ((b/(2*c) + x)*log(b/(2*c) + x)/sqrt(c*(b/(2*c) + x)**2), True)), Ne(c, 0)), ((2*A*sqrt(a + b*x) + 2*C*(a**2*sqrt(a + b*x) - 2*a*(a + b*x)**(3/2)/3 + (a + b*x)**(5/2)/5)/b**2)/b, Ne(b, 0)), ((A*x + C*x**3/3)/sqrt(a), True))
```

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(1/2),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta

Giac [A] (verification not implemented)

Time = 0.30 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.79

$$\begin{aligned} & \int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx \\ &= \frac{1}{4} \sqrt{cx^2 + bx + a} \left(\frac{2Cx}{c} - \frac{3Cb}{c^2} \right) \\ & \quad - \frac{(3Cb^2 - 4Cac + 8Ac^2) \log(|2(\sqrt{cx} - \sqrt{cx^2 + bx + a})\sqrt{c} + b|)}{8c^{\frac{5}{2}}} \end{aligned}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(1/2),x, algorithm="giac")`

output `1/4*sqrt(c*x^2 + b*x + a)*(2*C*x/c - 3*C*b/c^2) - 1/8*(3*C*b^2 - 4*C*a*c + 8*A*c^2)*log(abs(2*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*sqrt(c) + b))/c^(5/2)`

Mupad [F(-1)]

Timed out.

$$\int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx = \int \frac{Cx^2 + A}{\sqrt{cx^2 + bx + a}} dx$$

input `int((A + C*x^2)/(a + b*x + c*x^2)^(1/2), x)`output `int((A + C*x^2)/(a + b*x + c*x^2)^(1/2), x)`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.18

$$\int \frac{A + Cx^2}{\sqrt{a + bx + cx^2}} dx$$

$$= \frac{-6\sqrt{cx^2 + bx + a}bc + 4\sqrt{cx^2 + bx + a}c^2x + 4\sqrt{c} \log\left(\frac{2\sqrt{c}\sqrt{cx^2 + bx + a} + b + 2cx}{\sqrt{4ac - b^2}}\right)ac + 3\sqrt{c} \log\left(\frac{2\sqrt{c}\sqrt{cx^2 + bx + a} + b + 2cx}{\sqrt{4ac - b^2}}\right)ac}{8c^2}$$

input `int((C*x^2+A)/(c*x^2+b*x+a)^(1/2), x)`output `(- 6*sqrt(a + b*x + c*x**2)*b*c + 4*sqrt(a + b*x + c*x**2)*c**2*x + 4*sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*a*c + 3*sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*b**2)/(8*c**2)`

3.30 $\int \frac{A+Cx^2}{(a+bx+cx^2)^{3/2}} dx$

Optimal result	252
Mathematica [A] (verified)	252
Rubi [A] (verified)	253
Maple [A] (verified)	254
Fricas [B] (verification not implemented)	255
Sympy [F]	256
Maxima [F(-2)]	256
Giac [A] (verification not implemented)	256
Mupad [B] (verification not implemented)	257
Reduce [B] (verification not implemented)	257

Optimal result

Integrand size = 22, antiderivative size = 96

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = -\frac{2(b(Ac + aC) + (2Ac^2 + (b^2 - 2ac)C)x)}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}} + \frac{C \operatorname{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{c^{3/2}}$$

output

```
(-2*b*(A*c+C*a)-2*(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)^(1/2)+C*arctanh(1/2*(2*c*x+b)/c^(1/2)/(c*x^2+b*x+a)^(1/2))/c^(3/2)
```

Mathematica [A] (verified)

Time = 1.00 (sec) , antiderivative size = 95, normalized size of antiderivative = 0.99

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \frac{2(b^2Cx + aC(b - 2cx) + Ac(b + 2cx))}{c(-b^2 + 4ac)\sqrt{a + x(b + cx)}} + \frac{2C \operatorname{arctanh}\left(\frac{\sqrt{cx}}{-\sqrt{a} + \sqrt{a+x(b+cx)}}\right)}{c^{3/2}}$$

input

```
Integrate[(A + C*x^2)/(a + b*x + c*x^2)^(3/2),x]
```

output

$$\frac{(2*(b^2*C*x + a*C*(b - 2*c*x) + A*c*(b + 2*c*x)))/(c*(-b^2 + 4*a*c)*\text{Sqrt}[a + x*(b + c*x)] + (2*C*\text{ArcTan}h[(\text{Sqrt}[c]*x)/(-\text{Sqrt}[a] + \text{Sqrt}[a + x*(b + c*x)])])]/c^{(3/2)}$$
Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.02, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2191, 27, 1092, 219}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx$$

$$\downarrow \text{2191}$$

$$\frac{2 \int -\frac{(b^2-4ac)C}{2c\sqrt{cx^2+bx+a}} dx}{b^2 - 4ac} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}}$$

$$\downarrow \text{27}$$

$$\frac{C \int \frac{1}{\sqrt{cx^2+bx+a}} dx}{c} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}}$$

$$\downarrow \text{1092}$$

$$\frac{2C \int \frac{1}{4c - \frac{(b+2cx)^2}{cx^2+bx+a}} d\frac{b+2cx}{\sqrt{cx^2+bx+a}}}{c} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}}$$

$$\downarrow \text{219}$$

$$\frac{C \text{arctanh}\left(\frac{b+2cx}{2\sqrt{c}\sqrt{a+bx+cx^2}}\right)}{c^{3/2}} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{c(b^2 - 4ac)\sqrt{a + bx + cx^2}}$$

input

$$\text{Int}[(A + C*x^2)/(a + b*x + c*x^2)^(3/2), x]$$

output

$$\frac{(-2*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x))/(c*(b^2 - 4*a*c)*\sqrt{a + b*x + c*x^2}) + (C*\text{ArcTanh}[(b + 2*c*x)/(2*\sqrt{c}*\sqrt{a + b*x + c*x^2}]])}{c^{3/2}}$$
Defintions of rubi rules used

rule 27

$$\text{Int}[(a_*)*(F x_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[F x, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[F x, (b_)*(G x_)] /; \text{FreeQ}[b, x]$$

rule 219

$$\text{Int}[((a_) + (b_)*(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))*\text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$$

rule 1092

$$\text{Int}[1/\sqrt{(a_) + (b_)*(x_) + (c_)*(x_)^2}], x_Symbol] \rightarrow \text{Simp}[2 \text{ Subst}[\text{Int}[1/(4*c - x^2), x], x, (b + 2*c*x)/\sqrt{a + b*x + c*x^2}], x] /; \text{FreeQ}[\{a, b, c\}, x]$$

rule 2191

$$\text{Int}[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^{(p+1})/((p+1)*(b^2 - 4*a*c))), x] + \text{Simp}[1/((p+1)*(b^2 - 4*a*c)) \text{Int}[(a + b*x + c*x^2)^{(p+1)}*\text{ExpandToSum}[(p+1)*(b^2 - 4*a*c)*Q - (2*p+3)*(2*c*f - b*g), x], x], x]] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1]$$
Maple [A] (verified)

Time = 1.53 (sec) , antiderivative size = 145, normalized size of antiderivative = 1.51

method	result
default	$\frac{2A(2cx+b)}{(4ac-b^2)\sqrt{cx^2+bx+a}} + C \left(-\frac{x}{c\sqrt{cx^2+bx+a}} - \frac{b \left(-\frac{1}{c\sqrt{cx^2+bx+a}} - \frac{b(2cx+b)}{c(4ac-b^2)\sqrt{cx^2+bx+a}} \right)}{2c} + \frac{\ln \left(\frac{b}{2\sqrt{c}} + \sqrt{cx^2+bx+a} \right)}{c^{3/2}} \right)$

input `int((C*x^2+A)/(c*x^2+b*x+a)^(3/2),x,method=_RETURNVERBOSE)`

output `2*A*(2*c*x+b)/(4*a*c-b^2)/(c*x^2+b*x+a)^(1/2)+C*(-x/c/(c*x^2+b*x+a)^(1/2)-1/2*b/c*(-1/c/(c*x^2+b*x+a)^(1/2)-b/c*(2*c*x+b)/(4*a*c-b^2)/(c*x^2+b*x+a)^(1/2))+1/c^(3/2)*ln((1/2*b+c*x)/c^(1/2)+(c*x^2+b*x+a)^(1/2)))`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 200 vs. $2(86) = 172$.

Time = 0.15 (sec) , antiderivative size = 403, normalized size of antiderivative = 4.20

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \left[\frac{(Cab^2 - 4Ca^2c + (Cb^2c - 4Cac^2)x^2 + (Cb^3 - 4Cabc)x)\sqrt{c} \log(-8c^2x^2 - 8cx + b^2) + (Cab^2 - 4Ca^2c + (Cb^2c - 4Cac^2)x^2 + (Cb^3 - 4Cabc)x)\sqrt{-c} \arctan\left(\frac{\sqrt{cx^2+bx+a}(2cx+b)\sqrt{-c}}{2(c^2x^2+bcx+ac)}\right) + 2(Cabc - 4a^2c^2)}{2(ab^2c^2 - 4a^2c^3 + (b^2c^3 - 4ac^4)x^2 + (b^3c^2 - 4abc^3)x} \right]$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(3/2),x, algorithm="fricas")`

output `[1/2*((C*a*b^2 - 4*C*a^2*c + (C*b^2*c - 4*C*a*c^2)*x^2 + (C*b^3 - 4*C*a*b*c)*x)*sqrt(c)*log(-8*c^2*x^2 - 8*b*c*x - b^2 - 4*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(c) - 4*a*c) - 4*(C*a*b*c + A*b*c^2 + (C*b^2*c - 2*C*a*c^2 + 2*A*c^3)*x)*sqrt(c*x^2 + b*x + a)/(a*b^2*c^2 - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)*x^2 + (b^3*c^2 - 4*a*b*c^3)*x), -((C*a*b^2 - 4*C*a^2*c + (C*b^2*c - 4*C*a*c^2)*x^2 + (C*b^3 - 4*C*a*b*c)*x)*sqrt(-c)*arctan(1/2*sqrt(c*x^2 + b*x + a)*(2*c*x + b)*sqrt(-c)/(c^2*x^2 + b*c*x + a*c)) + 2*(C*a*b*c + A*b*c^2 + (C*b^2*c - 2*C*a*c^2 + 2*A*c^3)*x)*sqrt(c*x^2 + b*x + a)/(a*b^2*c^2 - 4*a^2*c^3 + (b^2*c^3 - 4*a*c^4)*x^2 + (b^3*c^2 - 4*a*b*c^3)*x)]`

Sympy [F]

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \int \frac{A + Cx^2}{(a + bx + cx^2)^{\frac{3}{2}}} dx$$

input `integrate((C*x**2+A)/(c*x**2+b*x+a)**(3/2),x)`

output `Integral((A + C*x**2)/(a + b*x + c*x**2)**(3/2), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(3/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta`

Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.12

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = -\frac{2 \left(\frac{(Cb^2 - 2Cac + 2Ac^2)x}{b^2c - 4ac^2} + \frac{Cab + Abc}{b^2c - 4ac^2} \right)}{\sqrt{cx^2 + bx + a}} - \frac{C \log(|2(\sqrt{cx} - \sqrt{cx^2 + bx + a})\sqrt{c} + b|)}{c^{\frac{3}{2}}}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(3/2),x, algorithm="giac")`

output

```
-2*((C*b^2 - 2*C*a*c + 2*A*c^2)*x/(b^2*c - 4*a*c^2) + (C*a*b + A*b*c)/(b^2*c - 4*a*c^2))/sqrt(c*x^2 + b*x + a) - C*log(abs(2*(sqrt(c)*x - sqrt(c*x^2 + b*x + a))*sqrt(c) + b))/c^(3/2)
```

Mupad [B] (verification not implemented)

Time = 18.53 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.12

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \frac{C \ln \left(\frac{\frac{b}{2} + cx}{\sqrt{c}} + \sqrt{cx^2 + bx + a} \right)}{c^{3/2}} + \frac{A \left(\frac{b}{2} + cx \right)}{\left(ac - \frac{b^2}{4} \right) \sqrt{cx^2 + bx + a}} + \frac{C \left(\frac{ab}{2} - x \left(ac - \frac{b^2}{4} \right) \right)}{c \left(ac - \frac{b^2}{4} \right) \sqrt{cx^2 + bx + a}}$$

input

```
int((A + C*x^2)/(a + b*x + c*x^2)^(3/2), x)
```

output

```
(C*log((b/2 + c*x)/c^(1/2) + (a + b*x + c*x^2)^(1/2)))/c^(3/2) + (A*(b/2 + c*x))/((a*c - b^2/4)*(a + b*x + c*x^2)^(1/2)) + (C*((a*b)/2 - x*(a*c - b^2/2)))/(c*(a*c - b^2/4)*(a + b*x + c*x^2)^(1/2))
```

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 381, normalized size of antiderivative = 3.97

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{3/2}} dx = \frac{4\sqrt{cx^2 + bx + a} abc + 2\sqrt{cx^2 + bx + a} b^2 cx + 4\sqrt{c} \log \left(\frac{2\sqrt{c}\sqrt{cx^2 + bx + a} + b + 2cx}{\sqrt{4ac - b^2}} \right)}{a^2}$$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^(3/2), x)
```

output

```
(4*sqrt(a + b*x + c*x**2)*a*b*c + 2*sqrt(a + b*x + c*x**2)*b**2*c*x + 4*sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2)))*a**2*c - sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*a*b**2 + 4*sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*a*b*c*x + 4*sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*a*c**2*x**2 - sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*b**3*x - sqrt(c)*log((2*sqrt(c)*sqrt(a + b*x + c*x**2) + b + 2*c*x)/sqrt(4*a*c - b**2))*b**2*c*x**2 + 2*sqrt(c)*a*b**2 + 2*sqrt(c)*b**3*x + 2*sqrt(c)*b**2*c*x**2)/(c*(4*a**2*c - a*b**2 + 4*a*b*c*x + 4*a*c**2*x**2 - b**3*x - b**2*c*x**2))
```

3.31 $\int \frac{A+Cx^2}{(a+bx+cx^2)^{5/2}} dx$

Optimal result	259
Mathematica [A] (verified)	259
Rubi [A] (verified)	260
Maple [A] (verified)	261
Fricas [B] (verification not implemented)	262
Sympy [F]	262
Maxima [F(-2)]	263
Giac [A] (verification not implemented)	263
Mupad [B] (verification not implemented)	264
Reduce [B] (verification not implemented)	264

Optimal result

Integrand size = 22, antiderivative size = 115

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = -\frac{2(b(Ac + aC) + (2Ac^2 + (b^2 - 2ac)C)x)}{3c(b^2 - 4ac)(a + bx + cx^2)^{3/2}} + \frac{2(8Ac^2 + (b^2 + 4ac)C)(b + 2cx)}{3c(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}}$$

output

```
1/3*(-2*b*(A*c+C*a)-2*(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)^(3/2)+2/3*(8*A*c^2+(4*a*c+b^2)*C)*(2*c*x+b)/c/(-4*a*c+b^2)^2/(c*x^2+b*x+a)^(1/2)
```

Mathematica [A] (verified)

Time = 1.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 0.93

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = \frac{-2A(b + 2cx)(b^2 - 8bcx - 4c(3a + 2cx^2)) + 2C(8a^2b + b^2x^2(3b + 2cx) + 4ax(3a + bx))}{3(b^2 - 4ac)^2(a + x(b + cx))^{3/2}}$$

input

```
Integrate[(A + C*x^2)/(a + b*x + c*x^2)^(5/2),x]
```

output

$$\frac{(-2A(b + 2cx)(b^2 - 8b^2cx - 4c(3a + 2cx^2)) + 2C(8a^2b + b^2x^2(3b + 2cx) + 4ax(3b^2 + 3b^2cx + 2c^2x^2)))}{3(b^2 - 4a^2c)^2(a + x(b + cx))^{3/2}}$$
Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 114, normalized size of antiderivative = 0.99, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {2191, 27, 1088}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx$$

↓ 2191

$$-\frac{2 \int \frac{\frac{cb^2}{c} + 8Ac + 4aC}{2(cx^2 + bx + a)^{3/2}} dx}{3(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{3c(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

↓ 27

$$-\frac{(4aC + 8Ac + \frac{b^2C}{c}) \int \frac{1}{(cx^2 + bx + a)^{3/2}} dx}{3(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{3c(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

↓ 1088

$$\frac{2(b + 2cx)(4aC + 8Ac + \frac{b^2C}{c})}{3(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{3c(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

input

$$\text{Int}[(A + C*x^2)/(a + b*x + c*x^2)^(5/2), x]$$

output

$$\frac{(-2*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x))/(3*c*(b^2 - 4*a*c)^2*(a + b*x + c*x^2)^(3/2)) + (2*(8*A*c + 4*a*C + (b^2*C)/c)*(b + 2*c*x))/(3*(b^2 - 4*a*c)^2*\text{Sqrt}[a + b*x + c*x^2])}{3c(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{3c(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

Defintions of rubi rules used

rule 27 $\text{Int}[(a_)*(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_)*(Gx_)] /; \text{FreeQ}[b, x]$

rule 1088 $\text{Int}[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{-3/2}, x_Symbol] \rightarrow \text{Simp}[-2*((b + 2*c*x)/((b^2 - 4*a*c)*\text{Sqrt}[a + b*x + c*x^2])), x] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0]$

rule 2191 $\text{Int}[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^{(p_)}, x_Symbol] \rightarrow \text{With}[\{Q = \text{PolynomialQuotient}[Pq, a + b*x + c*x^2, x], f = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 0], g = \text{Coeff}[\text{PolynomialRemainder}[Pq, a + b*x + c*x^2, x], x, 1]\}, \text{Simp}[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^{(p + 1})/((p + 1)*(b^2 - 4*a*c))), x] + \text{Simp}[1/((p + 1)*(b^2 - 4*a*c)) \text{Int}[(a + b*x + c*x^2)^{(p + 1)}*\text{ExpandToSum}[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; \text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{PolyQ}[Pq, x] \ \&\& \ \text{NeQ}[b^2 - 4*a*c, 0] \ \&\& \ \text{LtQ}[p, -1]$

Maple [A] (verified)

Time = 1.53 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.11

method	result
trager	$\frac{\frac{32}{3} A c^3 x^3 + \frac{16}{3} C a c^2 x^3 + \frac{4}{3} C b^2 c x^3 + 16 A b c^2 x^2 + 8 C a b c x^2 + 2 C b^3 x^2 + 16 A a c^2 x + 4 A b^2 c x + 8 C a b^2 x + 8 A a b c - \frac{2}{3} A b^3 + \frac{16}{3} C a^2 b}{(4ac - b^2)^2 (cx^2 + bx + a)^{\frac{3}{2}}}$
gospers	$\frac{\frac{32}{3} A c^3 x^3 + \frac{16}{3} C a c^2 x^3 + \frac{4}{3} C b^2 c x^3 + 16 A b c^2 x^2 + 8 C a b c x^2 + 2 C b^3 x^2 + 16 A a c^2 x + 4 A b^2 c x + 8 C a b^2 x + 8 A a b c - \frac{2}{3} A b^3 + \frac{16}{3} C a^2 b}{(cx^2 + bx + a)^{\frac{3}{2}} (16a^2c^2 - 8cab^2 + b^4)}$
orering	$\frac{\frac{32}{3} A c^3 x^3 + \frac{16}{3} C a c^2 x^3 + \frac{4}{3} C b^2 c x^3 + 16 A b c^2 x^2 + 8 C a b c x^2 + 2 C b^3 x^2 + 16 A a c^2 x + 4 A b^2 c x + 8 C a b^2 x + 8 A a b c - \frac{2}{3} A b^3 + \frac{16}{3} C a^2 b}{(cx^2 + bx + a)^{\frac{3}{2}} (16a^2c^2 - 8cab^2 + b^4)}$
default	$A \left(\frac{\frac{4cx}{3} + \frac{2b}{3}}{(4ac - b^2)(cx^2 + bx + a)^{\frac{3}{2}}} + \frac{16c(2cx + b)}{3(4ac - b^2)^2 \sqrt{cx^2 + bx + a}} \right) + C \left(-\frac{x}{2c(cx^2 + bx + a)^{\frac{3}{2}}} - \frac{b \left(-\frac{1}{3c(cx^2 + bx + a)^{\frac{3}{2}}} - \frac{b}{(4ac - b^2)} \right)}{\dots} \right)$

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(5/2),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta

Giac [A] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 193, normalized size of antiderivative = 1.68

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = \frac{2 \left(\left(\frac{2(Cb^2c + 4Cac^2 + 8Ac^3)x}{b^4 - 8ab^2c + 16a^2c^2} + \frac{3(Cb^3 + 4Cabc + 8Abc^2)}{b^4 - 8ab^2c + 16a^2c^2} \right) x + \frac{6(2Cab^2 + Ab^2c + 4Aac^2)}{b^4 - 8ab^2c + 16a^2c^2} \right) x + \frac{8C}{b^3}}{3(cx^2 + bx + a)^{\frac{3}{2}}}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(5/2),x, algorithm="giac")`

output `2/3*((2*(C*b^2*c + 4*C*a*c^2 + 8*A*c^3)*x/(b^4 - 8*a*b^2*c + 16*a^2*c^2) + 3*(C*b^3 + 4*C*a*b*c + 8*A*b*c^2)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))*x + 6*(2*C*a*b^2 + A*b^2*c + 4*A*a*c^2)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))*x + (8*C*a^2*b - A*b^3 + 12*A*a*b*c)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))/(c*x^2 + b*x + a)^(3/2)`

Mupad [B] (verification not implemented)

Time = 16.43 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.10

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = \frac{2(8Ca^2b + 12Cab^2x + 12Cabcx^2 + 12Aabc + 8Ca^2c^2x^3 + 24Aac^2x + 3A^2c^2)}{3(4ac - b^2)^2(cx^2 + bx + a)}$$

input `int((A + C*x^2)/(a + b*x + c*x^2)^(5/2),x)`output `(2*(16*A*c^3*x^3 - A*b^3 + 3*C*b^3*x^2 + 8*C*a^2*b + 24*A*a*c^2*x + 6*A*b^2*c*x + 12*C*a*b^2*x + 24*A*b*c^2*x^2 + 8*C*a*c^2*x^3 + 2*C*b^2*c*x^3 + 12*A*a*b*c + 12*C*a*b*c*x^2))/(3*(4*a*c - b^2)^2*(a + b*x + c*x^2)^(3/2))`**Reduce [B] (verification not implemented)**

Time = 0.19 (sec) , antiderivative size = 430, normalized size of antiderivative = 3.74

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{5/2}} dx = \frac{40\sqrt{cx^2 + bx + a}a^2bc + 48\sqrt{cx^2 + bx + a}a^2c^2x - 2\sqrt{cx^2 + bx + a}ab^3 + 36\sqrt{cx^2 + bx + a}a^2c^2}{3(4ac - b^2)^2(cx^2 + bx + a)}$$

input `int((C*x^2+A)/(c*x^2+b*x+a)^(5/2),x)`output `(2*(20*sqrt(a + b*x + c*x**2)*a**2*b*c + 24*sqrt(a + b*x + c*x**2)*a**2*c**2*x - sqrt(a + b*x + c*x**2)*a*b**3 + 18*sqrt(a + b*x + c*x**2)*a*b**2*c*x + 36*sqrt(a + b*x + c*x**2)*a*b*c**2*x**2 + 24*sqrt(a + b*x + c*x**2)*a*c**3*x**3 + 3*sqrt(a + b*x + c*x**2)*b**3*c*x**2 + 2*sqrt(a + b*x + c*x**2)*b**2*c**2*x**3 - 8*sqrt(c)*a**3*c - 6*sqrt(c)*a**2*b**2 - 16*sqrt(c)*a**2*b*c*x - 16*sqrt(c)*a**2*c**2*x**2 - 12*sqrt(c)*a*b**3*x - 20*sqrt(c)*a*b**2*c*x**2 - 16*sqrt(c)*a*b*c**2*x**3 - 8*sqrt(c)*a*c**3*x**4 - 6*sqrt(c)*b**4*x**2 - 12*sqrt(c)*b**3*c*x**3 - 6*sqrt(c)*b**2*c**2*x**4))/(3*(16*a**4*c**2 - 8*a**3*b**2*c + 32*a**3*b*c**2*x + 32*a**3*c**3*x**2 + a**2*b**4 - 16*a**2*b**3*c*x + 32*a**2*b*c**3*x**3 + 16*a**2*c**4*x**4 + 2*a*b**5*x - 6*a*b**4*c*x**2 - 16*a*b**3*c**2*x**3 - 8*a*b**2*c**3*x**4 + b**6*x**2 + 2*b**5*c*x**3 + b**4*c**2*x**4))`

3.32 $\int \frac{A+Cx^2}{(a+bx+cx^2)^{7/2}} dx$

Optimal result	265
Mathematica [A] (verified)	265
Rubi [A] (verified)	266
Maple [A] (verified)	268
Fricas [B] (verification not implemented)	269
Sympy [F(-1)]	270
Maxima [F(-2)]	270
Giac [B] (verification not implemented)	270
Mupad [B] (verification not implemented)	271
Reduce [B] (verification not implemented)	272

Optimal result

Integrand size = 22, antiderivative size = 168

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx = -\frac{2(b(AC + aC) + (2Ac^2 + (b^2 - 2ac) C) x)}{5c(b^2 - 4ac)(a + bx + cx^2)^{5/2}} + \frac{2(16Ac^2 + 3b^2C + 4acC)(b + 2cx)}{15c(b^2 - 4ac)^2(a + bx + cx^2)^{3/2}} - \frac{16(16Ac^2 + 3b^2C + 4acC)(b + 2cx)}{15(b^2 - 4ac)^3\sqrt{a + bx + cx^2}}$$

output

```
1/5*(-2*b*(A*c+C*a)-2*(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)^(5/2)+2/15*(16*A*c^2+4*C*a*c+3*C*b^2)*(2*c*x+b)/c/(-4*a*c+b^2)^2/(c*x^2+b*x+a)^(3/2)-16/15*(16*A*c^2+4*C*a*c+3*C*b^2)*(2*c*x+b)/(-4*a*c+b^2)^3/(c*x^2+b*x+a)^(1/2)
```

Mathematica [A] (verified)

Time = 4.44 (sec) , antiderivative size = 234, normalized size of antiderivative = 1.39

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx = \frac{2(A(b + 2cx)(3b^4 - 16b^3cx + 64bc^2x(5a + 4cx^2) + 8b^2c(-5a + 14cx^2) + 16c^2(15a^2 + 20acx^2 + 8c^2x^4))}{(a + bx + cx^2)^{5/2}}$$

input `Integrate[(A + C*x^2)/(a + b*x + c*x^2)^(7/2),x]`

output
$$\frac{(-2*(A*(b + 2*c*x)*(3*b^4 - 16*b^3*c*x + 64*b*c^2*x*(5*a + 4*c*x^2) + 8*b^2*c*(-5*a + 14*c*x^2) + 16*c^2*(15*a^2 + 20*a*c*x^2 + 8*c^2*x^4)) + C*(96*a^3*b*c + 3*b^2*x^2*(5*b^3 + 30*b^2*c*x + 40*b*c^2*x^2 + 16*c^3*x^3) + 8*a^2*(b^3 + 30*b^2*c*x + 30*b*c^2*x^2 + 20*c^3*x^3) + 4*a*x*(5*b^4 + 50*b^3*c*x + 60*b^2*c^2*x^2 + 40*b*c^3*x^3 + 16*c^4*x^4)))/(15*(b^2 - 4*a*c)^3*(a + x*(b + c*x))^(5/2))$$

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 165, normalized size of antiderivative = 0.98, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2191, 27, 1089, 1088}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx$$

$$\downarrow 2191$$

$$-\frac{2 \int \frac{\frac{3Cb^2}{c} + 16Ac + 4aC}{2(cx^2 + bx + a)^{5/2}} dx}{5(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{5c(b^2 - 4ac)(a + bx + cx^2)^{5/2}}$$

$$\downarrow 27$$

$$-\frac{(4aC + 16Ac + \frac{3b^2C}{c}) \int \frac{1}{(cx^2 + bx + a)^{5/2}} dx}{5(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{5c(b^2 - 4ac)(a + bx + cx^2)^{5/2}}$$

$$\downarrow 1089$$

$$-\frac{(4aC + 16Ac + \frac{3b^2C}{c}) \left(-\frac{8c \int \frac{1}{(cx^2 + bx + a)^{3/2}} dx}{3(b^2 - 4ac)} - \frac{2(b + 2cx)}{3(b^2 - 4ac)(a + bx + cx^2)^{3/2}} \right)}{5(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{5c(b^2 - 4ac)(a + bx + cx^2)^{5/2}}$$

$$\begin{aligned} & \downarrow 1088 \\ & \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{5c(b^2 - 4ac)(a + bx + cx^2)^{5/2}} - \\ & \frac{\left(\frac{16c(b+2cx)}{3(b^2-4ac)^2\sqrt{a+bx+cx^2}} - \frac{2(b+2cx)}{3(b^2-4ac)(a+bx+cx^2)^{3/2}}\right)\left(4aC + 16Ac + \frac{3b^2C}{c}\right)}{5(b^2 - 4ac)} \end{aligned}$$

input `Int[(A + C*x^2)/(a + b*x + c*x^2)^(7/2), x]`

output `(-2*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x))/(5*c*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(5/2)) - ((16*A*c + 4*a*c*C + (3*b^2*C)/c)*((-2*(b + 2*c*x))/(3*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(3/2)) + (16*c*(b + 2*c*x))/(3*(b^2 - 4*a*c)^2*Sqrt[a + b*x + c*x^2])))/(5*(b^2 - 4*a*c))`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 1088 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-3/2), x_Symbol] := Simp[-2*((b + 2*c*x)/((b^2 - 4*a*c)*Sqrt[a + b*x + c*x^2])), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

rule 1089 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] - Simp[2*c*((2*p + 3)/((p + 1)*(b^2 - 4*a*c))) Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[3*p])`

rule 2191

```
Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q =
PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[P
q, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x +
c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(
p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int
[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*
(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^
2 - 4*a*c, 0] && LtQ[p, -1]
```

Maple [A] (verified)

Time = 1.54 (sec) , antiderivative size = 294, normalized size of antiderivative = 1.75

method	result
trager	$32Aa^2b^2cx + 32Ca^2b^2cx + \frac{80}{3}Cab^3cx^2 + 128Aab^3cx^2 + 32Ca^2b^2cx^2 + 32Ca^2b^2cx^3 + \frac{64}{3}Cab^3cx^4 + 12Cb^4cx^3 + 32Aa^2b^2cx^2 - \frac{16}{3}Aa^2b^2cx^3$
gospers	$32Aa^2b^2cx + 32Ca^2b^2cx + \frac{80}{3}Cab^3cx^2 + 128Aab^3cx^2 + 32Ca^2b^2cx^2 + 32Ca^2b^2cx^3 + \frac{64}{3}Cab^3cx^4 + 12Cb^4cx^3 + 32Aa^2b^2cx^2 - \frac{16}{3}Aa^2b^2cx^3$
orering	$32Aa^2b^2cx + 32Ca^2b^2cx + \frac{80}{3}Cab^3cx^2 + 128Aab^3cx^2 + 32Ca^2b^2cx^2 + 32Ca^2b^2cx^3 + \frac{64}{3}Cab^3cx^4 + 12Cb^4cx^3 + 32Aa^2b^2cx^2 - \frac{16}{3}Aa^2b^2cx^3$
default	$A \left(\frac{\frac{4cx}{5} + \frac{2b}{5}}{(4ac-b^2)(cx^2+bx+a)^{\frac{5}{2}}} + \frac{16c \left(\frac{\frac{4cx}{3} + \frac{2b}{3}}{(4ac-b^2)(cx^2+bx+a)^{\frac{3}{2}}} + \frac{16c(2cx+b)}{3(4ac-b^2)^2 \sqrt{cx^2+bx+a}} \right)}{5(4ac-b^2)} \right) + C \left(-\frac{x}{4c(cx^2+bx+a)^{\frac{5}{2}}} - \dots \right)$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^(7/2),x,method=_RETURNVERBOSE)
```

output

```
2/15*(256*A*c^5*x^5+64*C*a*c^4*x^5+48*C*b^2*c^3*x^5+640*A*b*c^4*x^4+160*C*
a*b*c^3*x^4+120*C*b^3*c^2*x^4+640*A*a*c^4*x^3+480*A*b^2*c^3*x^3+160*C*a^2*
c^3*x^3+240*C*a*b^2*c^2*x^3+90*C*b^4*c*x^3+960*A*a*b*c^3*x^2+80*A*b^3*c^2*
x^2+240*C*a^2*b*c^2*x^2+200*C*a*b^3*c*x^2+15*C*b^5*x^2+480*A*a^2*c^3*x+240
*A*a*b^2*c^2*x-10*A*b^4*c*x+240*C*a^2*b^2*c*x+20*C*a*b^4*x+240*A*a^2*b*c^2
-40*A*a*b^3*c+3*A*b^5+96*C*a^3*b*c+8*C*a^2*b^3)/(4*a*c-b^2)^3/(c*x^2+b*x+a
)^(5/2)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 563 vs. $2(156) = 312$.

Time = 4.59 (sec) , antiderivative size = 563, normalized size of antiderivative = 3.35

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx =$$

$$-\frac{2(8Ca^2b^3 + 3Ab^5 + 240Aa^2bc^2 + 16(3Cb^2c^3 + 4Cac^4 + 16Ac^5)x^5 + 40(3Cb^3c^2 + 4Cabc^3 + 16C^2b^2c^2 + 4C^2bc^3 + 16C^2c^4)x^4 + 10(9Cb^4c + 24C*a*b^2*c^2 + 64*A*a*c^4 + 16*(C*a^2 + 3*A*b^2)*c^3)*x^3 + 5*(3Cb^5 + 40C*a*b^3*c + 192*A*a*b*c^3 + 16*(3C*a^2*b + A*b^3)*c^2)*x^2 + 8*(12C*a^3*b - 5A*a*b^3)*c + 10*(2C*a*b^4 + 24A*a*b^2*c^2 + 48A*a^2*c^3 + (24C*a^2*b^2 - A*b^4)*c)*x)*sqrt(c*x^2 + b*x + a)/(a^3*b^6 - 12*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3 + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^2*b^2*c^5 - 64*a^3*c^6)*x^6 + 3*(b^7*c^2 - 12*a*b^5*c^3 + 48*a^2*b^3*c^4 - 64*a^3*b*c^5)*x^5 + 3*(b^8*c - 11*a*b^6*c^2 + 36*a^2*b^4*c^3 - 16*a^3*b^2*c^4 - 64*a^4*c^5)*x^4 + (b^9 - 6*a*b^7*c - 24*a^2*b^5*c^2 + 224*a^3*b^3*c^3 - 384*a^4*b*c^4)*x^3 + 3*(a*b^8 - 11*a^2*b^6*c + 36*a^3*b^4*c^2 - 16*a^4*b^2*c^3 - 64*a^5*c^4)*x^2 + 3*(a^2*b^7 - 12*a^3*b^5*c + 48*a^4*b^3*c^2 - 64*a^5*b*c^3)*x)$$

input

```
integrate((C*x^2+A)/(c*x^2+b*x+a)^(7/2),x, algorithm="fricas")
```

output

```
-2/15*(8*C*a^2*b^3 + 3*A*b^5 + 240*A*a^2*b*c^2 + 16*(3*C*b^2*c^3 + 4*C*a*c
^4 + 16*A*c^5)*x^5 + 40*(3*C*b^3*c^2 + 4*C*a*b*c^3 + 16*A*b*c^4)*x^4 + 10*
(9*C*b^4*c + 24*C*a*b^2*c^2 + 64*A*a*c^4 + 16*(C*a^2 + 3*A*b^2)*c^3)*x^3 +
5*(3*C*b^5 + 40*C*a*b^3*c + 192*A*a*b*c^3 + 16*(3*C*a^2*b + A*b^3)*c^2)*x
^2 + 8*(12*C*a^3*b - 5*A*a*b^3)*c + 10*(2*C*a*b^4 + 24*A*a*b^2*c^2 + 48*A*
a^2*c^3 + (24*C*a^2*b^2 - A*b^4)*c)*x)*sqrt(c*x^2 + b*x + a)/(a^3*b^6 - 12
*a^4*b^4*c + 48*a^5*b^2*c^2 - 64*a^6*c^3 + (b^6*c^3 - 12*a*b^4*c^4 + 48*a^
2*b^2*c^5 - 64*a^3*c^6)*x^6 + 3*(b^7*c^2 - 12*a*b^5*c^3 + 48*a^2*b^3*c^4 -
64*a^3*b*c^5)*x^5 + 3*(b^8*c - 11*a*b^6*c^2 + 36*a^2*b^4*c^3 - 16*a^3*b^2
*c^4 - 64*a^4*c^5)*x^4 + (b^9 - 6*a*b^7*c - 24*a^2*b^5*c^2 + 224*a^3*b^3*c
^3 - 384*a^4*b*c^4)*x^3 + 3*(a*b^8 - 11*a^2*b^6*c + 36*a^3*b^4*c^2 - 16*a^
4*b^2*c^3 - 64*a^5*c^4)*x^2 + 3*(a^2*b^7 - 12*a^3*b^5*c + 48*a^4*b^3*c^2 -
64*a^5*b*c^3)*x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx = \text{Timed out}$$

input `integrate((C*x**2+A)/(c*x**2+b*x+a)**(7/2),x)`

output Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(7/2),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 452 vs. 2(156) = 312.

Time = 0.34 (sec) , antiderivative size = 452, normalized size of antiderivative = 2.69

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx =$$

$$\frac{2 \left(\left(2 \left(4 \left(\frac{2(3Cb^2c^3+4Cac^4+16Ac^5)x}{b^6-12ab^4c+48a^2b^2c^2-64a^3c^3} + \frac{5(3Cb^3c^2+4Cabc^3+16Abc^4)}{b^6-12ab^4c+48a^2b^2c^2-64a^3c^3} \right) x + \frac{5(9Cb^4c+24Cab^2c^2+16Ca^2c^3+48Ab^2c^3+64Aa^2c^3)}{b^6-12ab^4c+48a^2b^2c^2-64a^3c^3} \right) \right)}{2}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(7/2),x, algorithm="giac")`

output
$$\begin{aligned} & -2/15 * (((2 * (4 * (2 * (3 * C * b^2 * c^3 + 4 * C * a * c^4 + 16 * A * c^5) * x / (b^6 - 12 * a * b^4 * c \\ & + 48 * a^2 * b^2 * c^2 - 64 * a^3 * c^3) + 5 * (3 * C * b^3 * c^2 + 4 * C * a * b * c^3 + 16 * A * b * c^4 \\ &)) / (b^6 - 12 * a * b^4 * c + 48 * a^2 * b^2 * c^2 - 64 * a^3 * c^3)) * x + 5 * (9 * C * b^4 * c + 24 * \\ & C * a * b^2 * c^2 + 16 * C * a^2 * c^3 + 48 * A * b^2 * c^3 + 64 * A * a * c^4) / (b^6 - 12 * a * b^4 * c \\ & + 48 * a^2 * b^2 * c^2 - 64 * a^3 * c^3)) * x + 5 * (3 * C * b^5 + 40 * C * a * b^3 * c + 48 * C * a^2 * b \\ & * c^2 + 16 * A * b^3 * c^2 + 192 * A * a * b * c^3) / (b^6 - 12 * a * b^4 * c + 48 * a^2 * b^2 * c^2 - \\ & 64 * a^3 * c^3)) * x + 10 * (2 * C * a * b^4 + 24 * C * a^2 * b^2 * c - A * b^4 * c + 24 * A * a * b^2 * c^2 \\ & + 48 * A * a^2 * c^3) / (b^6 - 12 * a * b^4 * c + 48 * a^2 * b^2 * c^2 - 64 * a^3 * c^3)) * x + (8 * \\ & C * a^2 * b^3 + 3 * A * b^5 + 96 * C * a^3 * b * c - 40 * A * a * b^3 * c + 240 * A * a^2 * b * c^2) / (b^6 \\ & - 12 * a * b^4 * c + 48 * a^2 * b^2 * c^2 - 64 * a^3 * c^3)) / (c * x^2 + b * x + a)^(5/2) \end{aligned}$$

Mupad [B] (verification not implemented)

Time = 16.12 (sec) , antiderivative size = 578, normalized size of antiderivative = 3.44

$$\begin{aligned} \int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx &= \frac{bc(56Cb^2 + 256Ac^2 + 32Cac)}{15(4ac^2 - b^2c)(4ac - b^2)^2} + \frac{2c^2x(56Cb^2 + 256Ac^2 + 32Cac)}{15(4ac^2 - b^2c)(4ac - b^2)^2} \\ &+ \frac{\frac{8Cbc}{15(4ac^2 - b^2c)(4ac - b^2)} + \frac{16C^2x}{15(4ac^2 - b^2c)(4ac - b^2)}}{\sqrt{cx^2 + bx + a}} - \frac{\frac{4Cx}{15(4ac - b^2)} - \frac{2Cb}{15c(4ac - b^2)}}{(cx^2 + bx + a)^{3/2}} \\ &+ \frac{x \left(\frac{4Ac^2}{5(4ac^2 - b^2c)} + \frac{2Cb^2}{5(4ac^2 - b^2c)} - \frac{4Cac}{5(4ac^2 - b^2c)} \right) + \frac{2Abc}{5(4ac^2 - b^2c)} + \frac{2Cab}{5(4ac^2 - b^2c)}}{(cx^2 + bx + a)^{5/2}} \\ &+ \frac{x \left(\frac{2c(8Cb^2 + 32Ac^2 + 8Cac)}{15(4ac^2 - b^2c)(4ac - b^2)} + \frac{16Cac^2}{15(4ac^2 - b^2c)(4ac - b^2)} - \frac{8Cb^2c}{15(4ac^2 - b^2c)(4ac - b^2)} \right) + \frac{b(8Cb^2 + 32Ac^2 + 8Cac)}{15(4ac^2 - b^2c)(4ac - b^2)} - \frac{8C}{15(4ac^2 - b^2c)}}{(cx^2 + bx + a)^{3/2}} \end{aligned}$$

input `int((A + C*x^2)/(a + b*x + c*x^2)^(7/2),x)`

output

```

((b*c*(256*A*c^2 + 56*C*b^2 + 32*C*a*c))/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) + (2*c^2*x*(256*A*c^2 + 56*C*b^2 + 32*C*a*c))/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2))/(a + b*x + c*x^2)^(1/2) + ((8*C*b*c)/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*C*c^2*x)/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)))/(a + b*x + c*x^2)^(1/2) - ((4*C*x)/(15*(4*a*c - b^2)) - (2*C*b)/(15*c*(4*a*c - b^2)))/(a + b*x + c*x^2)^(3/2) + (x*((4*A*c^2)/(5*(4*a*c^2 - b^2*c)) + (2*C*b^2)/(5*(4*a*c^2 - b^2*c)) - (4*C*a*c)/(5*(4*a*c^2 - b^2*c))) + (2*A*b*c)/(5*(4*a*c^2 - b^2*c)) + (2*C*a*b)/(5*(4*a*c^2 - b^2*c)))/(a + b*x + c*x^2)^(5/2) + (x*((2*c*(32*A*c^2 + 8*C*b^2 + 8*C*a*c))/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*C*a*c^2)/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*C*b^2*c)/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2))) + (b*(32*A*c^2 + 8*C*b^2 + 8*C*a*c))/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*C*a*b*c)/(15*(4*a*c^2 - b^2*c)*(4*a*c - b^2)))/(a + b*x + c*x^2)^(3/2)

```

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 909, normalized size of antiderivative = 5.41

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{7/2}} dx = \text{Too large to display}$$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^(7/2),x)
```

output

```
(2*(336*sqrt(a + b*x + c*x**2))*a**3*b*c**2 + 480*sqrt(a + b*x + c*x**2)*a*
*3*c**3*x - 32*sqrt(a + b*x + c*x**2)*a**2*b**3*c + 480*sqrt(a + b*x + c*x
**2)*a**2*b**2*c**2*x + 1200*sqrt(a + b*x + c*x**2)*a**2*b*c**3*x**2 + 800
*sqrt(a + b*x + c*x**2)*a**2*c**4*x**3 + 3*sqrt(a + b*x + c*x**2)*a*b**5 +
10*sqrt(a + b*x + c*x**2)*a*b**4*c*x + 280*sqrt(a + b*x + c*x**2)*a*b**3*
c**2*x**2 + 720*sqrt(a + b*x + c*x**2)*a*b**2*c**3*x**3 + 800*sqrt(a + b*x
+ c*x**2)*a*b*c**4*x**4 + 320*sqrt(a + b*x + c*x**2)*a*c**5*x**5 + 15*sq
rt(a + b*x + c*x**2)*b**5*c*x**2 + 90*sqrt(a + b*x + c*x**2)*b**4*c**2*x**3
+ 120*sqrt(a + b*x + c*x**2)*b**3*c**3*x**4 + 48*sqrt(a + b*x + c*x**2)*b
**2*c**4*x**5 - 320*sqrt(c)*a**4*c**2 - 48*sqrt(c)*a**3*b**2*c - 960*sqrt(
c)*a**3*b*c**2*x - 960*sqrt(c)*a**3*c**3*x**2 - 144*sqrt(c)*a**2*b**3*c*x
- 1104*sqrt(c)*a**2*b**2*c**2*x**2 - 1920*sqrt(c)*a**2*b*c**3*x**3 - 960*s
qrt(c)*a**2*c**4*x**4 - 144*sqrt(c)*a*b**4*c*x**2 - 608*sqrt(c)*a*b**3*c**
2*x**3 - 1104*sqrt(c)*a*b**2*c**3*x**4 - 960*sqrt(c)*a*b*c**4*x**5 - 320*s
qrt(c)*a*c**5*x**6 - 48*sqrt(c)*b**5*c*x**3 - 144*sqrt(c)*b**4*c**2*x**4 -
144*sqrt(c)*b**3*c**3*x**5 - 48*sqrt(c)*b**2*c**4*x**6))/(15*(64*a**6*c**
3 - 48*a**5*b**2*c**2 + 192*a**5*b*c**3*x + 192*a**5*c**4*x**2 + 12*a**4*b
**4*c - 144*a**4*b**3*c**2*x + 48*a**4*b**2*c**3*x**2 + 384*a**4*b*c**4*x
**3 + 192*a**4*c**5*x**4 - a**3*b**6 + 36*a**3*b**5*c*x - 108*a**3*b**4*c**
2*x**2 - 224*a**3*b**3*c**3*x**3 + 48*a**3*b**2*c**4*x**4 + 192*a**3*b*...
```

3.33 $\int \frac{A+Cx^2}{(a+bx+cx^2)^{9/2}} dx$

Optimal result	274
Mathematica [A] (verified)	275
Rubi [A] (verified)	275
Maple [B] (verified)	277
Fricas [B] (verification not implemented)	279
Sympy [F(-1)]	280
Maxima [F(-2)]	281
Giac [B] (verification not implemented)	281
Mupad [B] (verification not implemented)	282
Reduce [B] (verification not implemented)	283

Optimal result

Integrand size = 22, antiderivative size = 221

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = -\frac{2(b(AC + aC) + (2Ac^2 + (b^2 - 2ac)C)x)}{7c(b^2 - 4ac)(a + bx + cx^2)^{7/2}} + \frac{2(24Ac^2 + 5b^2C + 4acC)(b + 2cx)}{35c(b^2 - 4ac)^2(a + bx + cx^2)^{5/2}} - \frac{32(24Ac^2 + 5b^2C + 4acC)(b + 2cx)}{105(b^2 - 4ac)^3(a + bx + cx^2)^{3/2}} + \frac{256c(24Ac^2 + 5b^2C + 4acC)(b + 2cx)}{105(b^2 - 4ac)^4\sqrt{a + bx + cx^2}}$$

output

```
1/7*(-2*b*(A*c+C*a)-2*(2*A*c^2+(-2*a*c+b^2)*C)*x)/c/(-4*a*c+b^2)/(c*x^2+b*x+a)^(7/2)+2/35*(24*A*c^2+4*C*a*c+5*C*b^2)*(2*c*x+b)/c/(-4*a*c+b^2)^2/(c*x^2+b*x+a)^(5/2)-32/105*(24*A*c^2+4*C*a*c+5*C*b^2)*(2*c*x+b)/(-4*a*c+b^2)^3/(c*x^2+b*x+a)^(3/2)+256/105*c*(24*A*c^2+4*C*a*c+5*C*b^2)*(2*c*x+b)/(-4*a*c+b^2)^4/(c*x^2+b*x+a)^(1/2)
```

Mathematica [A] (verified)

Time = 15.75 (sec) , antiderivative size = 199, normalized size of antiderivative = 0.90

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \frac{2 \left(3(b^2 - 4ac)^2 (24Ac^2 + 5b^2C + 4acC) (b + 2cx)(a + x(b + cx)) - 16c(b^2 - 4ac) \right)}{(a + bx + cx^2)^{9/2}}$$

input

```
Integrate[(A + C*x^2)/(a + b*x + c*x^2)^(9/2), x]
```

output

```
(2*(3*(b^2 - 4*a*c)^2*(24*A*c^2 + 5*b^2*C + 4*a*c*C)*(b + 2*c*x)*(a + x*(b + c*x)) - 16*c*(b^2 - 4*a*c)*(24*A*c^2 + 5*b^2*C + 4*a*c*C)*(b + 2*c*x)*(a + x*(b + c*x))^2 + 128*c^2*(24*A*c^2 + 5*b^2*C + 4*a*c*C)*(b + 2*c*x)*(a + x*(b + c*x))^3 - 15*(b^2 - 4*a*c)^3*(b^2*C*x + a*C*(b - 2*c*x) + A*c*(b + 2*c*x)))/(105*c*(b^2 - 4*a*c)^4*(a + x*(b + c*x))^(7/2))
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 215, normalized size of antiderivative = 0.97, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {2191, 27, 1089, 1089, 1088}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx$$

$$\downarrow \text{2191}$$

$$-\frac{2 \int \frac{5Cb^2 + 24Ac + 4aC}{2(cx^2 + bx + a)^{7/2}} dx}{7(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{7c(b^2 - 4ac)(a + bx + cx^2)^{7/2}}$$

$$\downarrow \text{27}$$

$$-\frac{(4aC + 24Ac + \frac{5b^2C}{c}) \int \frac{1}{(cx^2 + bx + a)^{7/2}} dx}{7(b^2 - 4ac)} - \frac{2(x(C(b^2 - 2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{7c(b^2 - 4ac)(a + bx + cx^2)^{7/2}}$$

$$\downarrow \text{1089}$$

$$\begin{aligned}
 & \frac{\left(4aC + 24Ac + \frac{5b^2C}{c}\right) \left(-\frac{16c \int \frac{1}{(cx^2+bx+a)^{5/2}} dx}{5(b^2-4ac)} - \frac{2(b+2cx)}{5(b^2-4ac)(a+bx+cx^2)^{5/2}} \right)}{7(b^2-4ac)} \\
 & \frac{2(x(C(b^2-2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{7c(b^2-4ac)(a+bx+cx^2)^{7/2}} \\
 & \quad \downarrow 1089 \\
 & \frac{\left(4aC + 24Ac + \frac{5b^2C}{c}\right) \left(-\frac{16c \left(-\frac{8c \int \frac{1}{(cx^2+bx+a)^{3/2}} dx}{3(b^2-4ac)} - \frac{2(b+2cx)}{3(b^2-4ac)(a+bx+cx^2)^{3/2}} \right)}{5(b^2-4ac)} - \frac{2(b+2cx)}{5(b^2-4ac)(a+bx+cx^2)^{5/2}} \right)}{7(b^2-4ac)} \\
 & \frac{2(x(C(b^2-2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{7c(b^2-4ac)(a+bx+cx^2)^{7/2}} \\
 & \quad \downarrow 1088 \\
 & \frac{2(x(C(b^2-2ac) + 2Ac^2) + bc(\frac{aC}{c} + A))}{7c(b^2-4ac)(a+bx+cx^2)^{7/2}} - \\
 & \left(\frac{2(b+2cx)}{5(b^2-4ac)(a+bx+cx^2)^{5/2}} - \frac{16c \left(\frac{16c(b+2cx)}{3(b^2-4ac)^2 \sqrt{a+bx+cx^2}} - \frac{2(b+2cx)}{3(b^2-4ac)(a+bx+cx^2)^{3/2}} \right)}{5(b^2-4ac)} \right) \left(4aC + 24Ac + \frac{5b^2C}{c}\right) \\
 & \quad \downarrow \\
 & \frac{\left(4aC + 24Ac + \frac{5b^2C}{c}\right)}{7(b^2-4ac)}
 \end{aligned}$$

input `Int[(A + C*x^2)/(a + b*x + c*x^2)^(9/2),x]`

output `(-2*(b*c*(A + (a*C)/c) + (2*A*c^2 + (b^2 - 2*a*c)*C)*x))/(7*c*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(7/2)) - ((24*A*c + 4*a*C + (5*b^2*C)/c)*((-2*(b + 2*c*x))/(5*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(5/2)) - (16*c*((-2*(b + 2*c*x))/(3*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(3/2)) + (16*c*(b + 2*c*x))/(3*(b^2 - 4*a*c)^2*sqrt[a + b*x + c*x^2])))/(5*(b^2 - 4*a*c)))/(7*(b^2 - 4*a*c))`

Definitions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 1088 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-3/2), x_Symbol] := Simp[-2*((b + 2*c*x)/((b^2 - 4*a*c)*Sqrt[a + b*x + c*x^2])), x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]`

rule 1089 `Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := Simp[(b + 2*c*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] - Simp[2*c*((2*p + 3)/((p + 1)*(b^2 - 4*a*c))) Int[(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[3*p])`

rule 2191 `Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 523 vs. $2(207) = 414$.

Time = 1.54 (sec) , antiderivative size = 524, normalized size of antiderivative = 2.37

method	result
trager	$\frac{128C a^3 b c^3 x^2 + \frac{704}{3} C a^2 b^2 c^3 x^3 + \frac{392}{15} C a b^5 c x^2 + 192A a^2 b^2 c^3 x - 16A a b^4 c^2 x + 128C a^3 b^2 c^2 x + 768A a^2 b c^4 x^2 + 128A a b^3 c^3 x^2 + \frac{2048}{105} C a^4 b^2 c^2 x^2}{(4ac-b^2)(cx^2+bx+a)^{\frac{7}{2}} + \frac{24c \left(\frac{\frac{4cx}{5} + \frac{2b}{5}}{(4ac-b^2)(cx^2+bx+a)^{\frac{5}{2}}} + \frac{16c \left(\frac{\frac{4cx}{3} + \frac{2b}{3}}{(4ac-b^2)(cx^2+bx+a)^{\frac{3}{2}}} + \frac{16c(2cx+b)}{3(4ac-b^2)^2 \sqrt{cx^2+bx+a}} \right)}{5(4ac-b^2)} \right)}{7(4ac-b^2)}} + \dots$
default	$A \left(\frac{\frac{\frac{4cx}{7} + \frac{2b}{7}}{(4ac-b^2)(cx^2+bx+a)^{\frac{7}{2}}} + \frac{24c \left(\frac{\frac{4cx}{5} + \frac{2b}{5}}{(4ac-b^2)(cx^2+bx+a)^{\frac{5}{2}}} + \frac{16c \left(\frac{\frac{4cx}{3} + \frac{2b}{3}}{(4ac-b^2)(cx^2+bx+a)^{\frac{3}{2}}} + \frac{16c(2cx+b)}{3(4ac-b^2)^2 \sqrt{cx^2+bx+a}} \right)}{5(4ac-b^2)} \right)}{7(4ac-b^2)}} \right) + \dots$
gospers	$\frac{128C a^3 b c^3 x^2 + \frac{704}{3} C a^2 b^2 c^3 x^3 + \frac{392}{15} C a b^5 c x^2 + 192A a^2 b^2 c^3 x - 16A a b^4 c^2 x + 128C a^3 b^2 c^2 x + 768A a^2 b c^4 x^2 + 128A a b^3 c^3 x^2 + \frac{2048}{105} C a^4 b^2 c^2 x^2}{(4ac-b^2)(cx^2+bx+a)^{\frac{7}{2}} + \dots}$
orering	$\frac{128C a^3 b c^3 x^2 + \frac{704}{3} C a^2 b^2 c^3 x^3 + \frac{392}{15} C a b^5 c x^2 + 192A a^2 b^2 c^3 x - 16A a b^4 c^2 x + 128C a^3 b^2 c^2 x + 768A a^2 b c^4 x^2 + 128A a b^3 c^3 x^2 + \frac{2048}{105} C a^4 b^2 c^2 x^2}{(4ac-b^2)(cx^2+bx+a)^{\frac{7}{2}} + \dots}$

input `int((C*x^2+A)/(c*x^2+b*x+a)^(9/2),x,method=_RETURNVERBOSE)`

output
$$\frac{2}{105} \cdot (6144 \cdot A \cdot c^7 \cdot x^7 + 1024 \cdot C \cdot a \cdot c^6 \cdot x^7 + 1280 \cdot C \cdot b^2 \cdot c^5 \cdot x^7 + 21504 \cdot A \cdot b \cdot c^6 \cdot x^6 + 3584 \cdot C \cdot a \cdot b \cdot c^5 \cdot x^6 + 4480 \cdot C \cdot b^3 \cdot c^4 \cdot x^6 + 21504 \cdot A \cdot a \cdot c^6 \cdot x^5 + 26880 \cdot A \cdot b^2 \cdot c^5 \cdot x^5 + 3584 \cdot C \cdot a^2 \cdot c^5 \cdot x^5 + 8960 \cdot C \cdot a \cdot b^2 \cdot c^4 \cdot x^5 + 5600 \cdot C \cdot b^4 \cdot c^3 \cdot x^5 + 53760 \cdot A \cdot a \cdot b \cdot c^5 \cdot x^4 + 13440 \cdot A \cdot b^3 \cdot c^4 \cdot x^4 + 8960 \cdot C \cdot a^2 \cdot b \cdot c^4 \cdot x^4 + 13440 \cdot C \cdot a \cdot b^3 \cdot c^3 \cdot x^4 + 2800 \cdot C \cdot b^5 \cdot c^2 \cdot x^4 + 26880 \cdot A \cdot a^2 \cdot c^5 \cdot x^3 + 40320 \cdot A \cdot a \cdot b^2 \cdot c^4 \cdot x^3 + 1680 \cdot A \cdot b^4 \cdot c^3 \cdot x^3 + 4480 \cdot C \cdot a^3 \cdot c^4 \cdot x^3 + 12320 \cdot C \cdot a^2 \cdot b^2 \cdot c^3 \cdot x^3 + 8680 \cdot C \cdot a \cdot b^4 \cdot c^2 \cdot x^3 + 350 \cdot C \cdot b^6 \cdot c \cdot x^3 + 40320 \cdot A \cdot a^2 \cdot b \cdot c^4 \cdot x^2 + 6720 \cdot A \cdot a \cdot b^3 \cdot c^3 \cdot x^2 - 168 \cdot A \cdot b^5 \cdot c^2 \cdot x^2 + 6720 \cdot C \cdot a^3 \cdot b \cdot c^3 \cdot x^2 + 9520 \cdot C \cdot a^2 \cdot b^3 \cdot c^2 \cdot x^2 + 1372 \cdot C \cdot a \cdot b^5 \cdot c \cdot x^2 - 35 \cdot C \cdot b^7 \cdot x^2 + 13440 \cdot A \cdot a^3 \cdot c^4 \cdot x + 10080 \cdot A \cdot a^2 \cdot b^2 \cdot c^3 \cdot x - 840 \cdot A \cdot a \cdot b^4 \cdot c^2 \cdot x + 42 \cdot A \cdot b^6 \cdot c \cdot x + 6720 \cdot C \cdot a^3 \cdot b^2 \cdot c^2 \cdot x + 1120 \cdot C \cdot a^2 \cdot b^4 \cdot c \cdot x - 28 \cdot C \cdot a \cdot b^6 \cdot x + 6720 \cdot A \cdot a^3 \cdot b \cdot c^3 - 1680 \cdot A \cdot a^2 \cdot b^3 \cdot c^2 + 252 \cdot A \cdot a \cdot b^5 \cdot c - 15 \cdot A \cdot b^7 + 1920 \cdot C \cdot a^4 \cdot b \cdot c^2 + 320 \cdot C \cdot a^3 \cdot b^3 \cdot c - 8 \cdot C \cdot a^2 \cdot b^5) / (4 \cdot a \cdot c - b^2)^4 / (c \cdot x^2 + b \cdot x + a)^{(7/2)}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 978 vs. $2(205) = 410$.

Time = 13.63 (sec) , antiderivative size = 978, normalized size of antiderivative = 4.43

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Too large to display}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(9/2),x, algorithm="fricas")`

output

```

-2/105*(8*C*a^2*b^5 + 15*A*b^7 - 6720*A*a^3*b*c^3 - 256*(5*C*b^2*c^5 + 4*C
*a*c^6 + 24*A*c^7)*x^7 - 896*(5*C*b^3*c^4 + 4*C*a*b*c^5 + 24*A*b*c^6)*x^6
- 224*(25*C*b^4*c^3 + 40*C*a*b^2*c^4 + 96*A*a*c^6 + 8*(2*C*a^2 + 15*A*b^2)
*c^5)*x^5 - 560*(5*C*b^5*c^2 + 24*C*a*b^3*c^3 + 96*A*a*b*c^5 + 8*(2*C*a^2*
b + 3*A*b^3)*c^4)*x^4 - 70*(5*C*b^6*c + 124*C*a*b^4*c^2 + 384*A*a^2*c^5 +
64*(C*a^3 + 9*A*a*b^2)*c^4 + 8*(22*C*a^2*b^2 + 3*A*b^4)*c^3)*x^3 - 240*(8*
C*a^4*b - 7*A*a^2*b^3)*c^2 + 7*(5*C*b^7 - 196*C*a*b^5*c - 5760*A*a^2*b*c^4
- 960*(C*a^3*b + A*a*b^3)*c^3 - 8*(170*C*a^2*b^3 - 3*A*b^5)*c^2)*x^2 - 4*
(80*C*a^3*b^3 + 63*A*a*b^5)*c + 14*(2*C*a*b^6 - 720*A*a^2*b^2*c^3 - 960*A*
a^3*c^4 - 60*(8*C*a^3*b^2 - A*a*b^4)*c^2 - (80*C*a^2*b^4 + 3*A*b^6)*c)*x)*
sqrt(c*x^2 + b*x + a)/(a^4*b^8 - 16*a^5*b^6*c + 96*a^6*b^4*c^2 - 256*a^7*b
^2*c^3 + 256*a^8*c^4 + (b^8*c^4 - 16*a*b^6*c^5 + 96*a^2*b^4*c^6 - 256*a^3*
b^2*c^7 + 256*a^4*c^8)*x^8 + 4*(b^9*c^3 - 16*a*b^7*c^4 + 96*a^2*b^5*c^5 -
256*a^3*b^3*c^6 + 256*a^4*b*c^7)*x^7 + 2*(3*b^10*c^2 - 46*a*b^8*c^3 + 256*
a^2*b^6*c^4 - 576*a^3*b^4*c^5 + 256*a^4*b^2*c^6 + 512*a^5*c^7)*x^6 + 4*(b^
11*c - 13*a*b^9*c^2 + 48*a^2*b^7*c^3 + 32*a^3*b^5*c^4 - 512*a^4*b^3*c^5 +
768*a^5*b*c^6)*x^5 + (b^12 - 4*a*b^10*c - 90*a^2*b^8*c^2 + 800*a^3*b^6*c^3
- 2240*a^4*b^4*c^4 + 1536*a^5*b^2*c^5 + 1536*a^6*c^6)*x^4 + 4*(a*b^11 - 1
3*a^2*b^9*c + 48*a^3*b^7*c^2 + 32*a^4*b^5*c^3 - 512*a^5*b^3*c^4 + 768*a^6*
b*c^5)*x^3 + 2*(3*a^2*b^10 - 46*a^3*b^8*c + 256*a^4*b^6*c^2 - 576*a^5*b...

```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Timed out}$$

input

```
integrate((C*x**2+A)/(c*x**2+b*x+a)**(9/2),x)
```

output

Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(9/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 805 vs. 2(205) = 410.

Time = 0.35 (sec) , antiderivative size = 805, normalized size of antiderivative = 3.64

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Too large to display}$$

input `integrate((C*x^2+A)/(c*x^2+b*x+a)^(9/2),x, algorithm="giac")`

output

```

2/105*((2*(8*(2*(4*(2*(5*C*b^2*c^5 + 4*C*a*c^6 + 24*A*c^7))*x/(b^8 - 16*a*
b^6*c + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 + 256*a^4*c^4) + 7*(5*C*b^3*c^4 +
4*C*a*b*c^5 + 24*A*b*c^6)/(b^8 - 16*a*b^6*c + 96*a^2*b^4*c^2 - 256*a^3*b^
2*c^3 + 256*a^4*c^4))*x + 7*(25*C*b^4*c^3 + 40*C*a*b^2*c^4 + 16*C*a^2*c^5
+ 120*A*b^2*c^5 + 96*A*a*c^6)/(b^8 - 16*a*b^6*c + 96*a^2*b^4*c^2 - 256*a^3
*b^2*c^3 + 256*a^4*c^4))*x + 35*(5*C*b^5*c^2 + 24*C*a*b^3*c^3 + 16*C*a^2*b
*c^4 + 24*A*b^3*c^4 + 96*A*a*b*c^5)/(b^8 - 16*a*b^6*c + 96*a^2*b^4*c^2 - 2
56*a^3*b^2*c^3 + 256*a^4*c^4))*x + 35*(5*C*b^6*c + 124*C*a*b^4*c^2 + 176*C
*a^2*b^2*c^3 + 24*A*b^4*c^3 + 64*C*a^3*c^4 + 576*A*a*b^2*c^4 + 384*A*a^2*c
^5)/(b^8 - 16*a*b^6*c + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 + 256*a^4*c^4))*x
- 7*(5*C*b^7 - 196*C*a*b^5*c - 1360*C*a^2*b^3*c^2 + 24*A*b^5*c^2 - 960*C*
a^3*b*c^3 - 960*A*a*b^3*c^3 - 5760*A*a^2*b*c^4)/(b^8 - 16*a*b^6*c + 96*a^2
*b^4*c^2 - 256*a^3*b^2*c^3 + 256*a^4*c^4))*x - 14*(2*C*a*b^6 - 80*C*a^2*b^
4*c - 3*A*b^6*c - 480*C*a^3*b^2*c^2 + 60*A*a*b^4*c^2 - 720*A*a^2*b^2*c^3 -
960*A*a^3*c^4)/(b^8 - 16*a*b^6*c + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 + 256
*a^4*c^4))*x - (8*C*a^2*b^5 + 15*A*b^7 - 320*C*a^3*b^3*c - 252*A*a*b^5*c -
1920*C*a^4*b*c^2 + 1680*A*a^2*b^3*c^2 - 6720*A*a^3*b*c^3)/(b^8 - 16*a*b^6
*c + 96*a^2*b^4*c^2 - 256*a^3*b^2*c^3 + 256*a^4*c^4))/(c*x^2 + b*x + a)^(7
/2)

```

Mupad [B] (verification not implemented)

Time = 17.43 (sec) , antiderivative size = 1018, normalized size of antiderivative = 4.61

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Too large to display}$$

input

```
int((A + C*x^2)/(a + b*x + c*x^2)^(9/2), x)
```

output

```
(x*((2*c^2*(768*A*c^2 + 160*C*b^2 + 96*C*a*c))/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) - (64*C*a*c^3)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) + (32*C*b^2*c^2)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2)) + (b*c*(768*A*c^2 + 160*C*b^2 + 96*C*a*c))/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) + (32*C*a*b*c^2)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2))/(a + b*x + c*x^2)^(3/2) - ((8*C*b)/(105*(4*a*c - b^2)^2) - (16*C*c*x)/(105*(4*a*c - b^2)^2))/(a + b*x + c*x^2)^(3/2) + ((8*C*b*c)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*C*c^2*x)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)))/(a + b*x + c*x^2)^(3/2) - ((4*C*x)/(35*(4*a*c - b^2)) - (2*C*b)/(35*c*(4*a*c - b^2)))/(a + b*x + c*x^2)^(5/2) + ((b*c*(6144*A*c^3 + 896*C*a*c^2 + 1312*C*b^2*c))/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^3) + (2*c^2*x*(6144*A*c^3 + 896*C*a*c^2 + 1312*C*b^2*c))/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^3))/(a + b*x + c*x^2)^(1/2) + (x*((4*A*c^2)/(7*(4*a*c^2 - b^2*c)) + (2*C*b^2)/(7*(4*a*c^2 - b^2*c)) - (4*C*a*c)/(7*(4*a*c^2 - b^2*c))) + (2*A*b*c)/(7*(4*a*c^2 - b^2*c)) + (2*C*a*b)/(7*(4*a*c^2 - b^2*c)))/(a + b*x + c*x^2)^(7/2) + (x*((2*c*(48*A*c^2 + 12*C*b^2 + 8*C*a*c))/(35*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*C*a*c^2)/(35*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*C*b^2*c)/(35*(4*a*c^2 - b^2*c)*(4*a*c - b^2))) + (b*(48*A*c^2 + 12*C*b^2 + 8*C*a*c))/(35*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*C*a*b*c)/(35*(4*a*c^2 - b^2*c)*(4*a*c - b^2)))/(a + b*x + c*x^2)^(5/2) - ((32*C*b*c^2)/(105*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) + ...
```

Reduce [B] (verification not implemented)

Time = 0.55 (sec) , antiderivative size = 1509, normalized size of antiderivative = 6.83

$$\int \frac{A + Cx^2}{(a + bx + cx^2)^{9/2}} dx = \text{Too large to display}$$

input

```
int((C*x^2+A)/(c*x^2+b*x+a)^(9/2),x)
```

output

```
(2*(8640*sqrt(a + b*x + c*x**2)*a**4*b*c**3 + 13440*sqrt(a + b*x + c*x**2)
*a**4*c**4*x - 1360*sqrt(a + b*x + c*x**2)*a**3*b**3*c**2 + 16800*sqrt(a +
 b*x + c*x**2)*a**3*b**2*c**3*x + 47040*sqrt(a + b*x + c*x**2)*a**3*b*c**4
*x**2 + 31360*sqrt(a + b*x + c*x**2)*a**3*c**5*x**3 + 244*sqrt(a + b*x + c
*x**2)*a**2*b**5*c + 280*sqrt(a + b*x + c*x**2)*a**2*b**4*c**2*x + 16240*s
qrt(a + b*x + c*x**2)*a**2*b**3*c**3*x**2 + 52640*sqrt(a + b*x + c*x**2)*a
**2*b**2*c**4*x**3 + 62720*sqrt(a + b*x + c*x**2)*a**2*b*c**5*x**4 + 25088
*sqrt(a + b*x + c*x**2)*a**2*c**6*x**5 - 15*sqrt(a + b*x + c*x**2)*a*b**7
+ 14*sqrt(a + b*x + c*x**2)*a*b**6*c*x + 1204*sqrt(a + b*x + c*x**2)*a*b**
5*c**2*x**2 + 10360*sqrt(a + b*x + c*x**2)*a*b**4*c**3*x**3 + 26880*sqrt(a
 + b*x + c*x**2)*a*b**3*c**4*x**4 + 35840*sqrt(a + b*x + c*x**2)*a*b**2*c*
*5*x**5 + 25088*sqrt(a + b*x + c*x**2)*a*b*c**6*x**6 + 7168*sqrt(a + b*x +
 c*x**2)*a*c**7*x**7 - 35*sqrt(a + b*x + c*x**2)*b**7*c*x**2 + 350*sqrt(a
 + b*x + c*x**2)*b**6*c**2*x**3 + 2800*sqrt(a + b*x + c*x**2)*b**5*c**3*x**
4 + 5600*sqrt(a + b*x + c*x**2)*b**4*c**4*x**5 + 4480*sqrt(a + b*x + c*x**
2)*b**3*c**5*x**6 + 1280*sqrt(a + b*x + c*x**2)*b**2*c**6*x**7 - 7168*sqrt
(c)*a**5*c**3 - 1280*sqrt(c)*a**4*b**2*c**2 - 28672*sqrt(c)*a**4*b*c**3*x
- 28672*sqrt(c)*a**4*c**4*x**2 - 5120*sqrt(c)*a**3*b**3*c**2*x - 48128*sq
rt(c)*a**3*b**2*c**3*x**2 - 86016*sqrt(c)*a**3*b*c**4*x**3 - 43008*sqrt(c)*
a**3*c**5*x**4 - 7680*sqrt(c)*a**2*b**4*c**2*x**2 - 44032*sqrt(c)*a**2*...
```

3.34
$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx$$

Optimal result	285
Mathematica [B] (verified)	285
Rubi [A] (verified)	286
Maple [B] (verified)	287
Fricas [B] (verification not implemented)	289
Sympy [F(-1)]	289
Maxima [F(-2)]	290
Giac [B] (verification not implemented)	290
Mupad [B] (verification not implemented)	291
Reduce [B] (verification not implemented)	291

Optimal result

Integrand size = 27, antiderivative size = 123

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = -\frac{2(d+ex)^2(bf-2ag+(2cf-bg)x)}{3(b^2-4ac)(a+bx+cx^2)^{3/2}} + \frac{8(2cdf-bef-bdg+2aeg)(bd-2ae+(2cd-be)x)}{3(b^2-4ac)^2\sqrt{a+bx+cx^2}}$$

output

```
-2/3*(e*x+d)^2*(b*f-2*a*g+(-b*g+2*c*f)*x)/(-4*a*c+b^2)/(c*x^2+b*x+a)^(3/2)
+8/3*(2*a*e*g-b*d*g-b*e*f+2*c*d*f)*(b*d-2*a*e+(-b*e+2*c*d)*x)/(-4*a*c+b^2)
^2/(c*x^2+b*x+a)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 286 vs. 2(123) = 246.

Time = 0.17 (sec) , antiderivative size = 286, normalized size of antiderivative = 2.33

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \frac{2(b^3(6dex(-f+gx)+e^2x^2(3f+gx)-d^2(f+3gx))+4b(3ac(d-ex)^2(f-gx))}{(a+bx+cx^2)^{5/2}}$$

input

```
Integrate[((d + e*x)^2*(f + g*x))/(a + b*x + c*x^2)^(5/2), x]
```

output

```
(2*(b^3*(6*d*e*x*(-f + g*x) + e^2*x^2*(3*f + g*x) - d^2*(f + 3*g*x)) + 4*b
*(3*a*c*(d - e*x)^2*(f - g*x) - 2*c^2*d*x^2*(-3*d*f + 2*e*f*x + d*g*x) + 2
*a^2*e*(e*f + 2*d*g - 3*e*g*x)) - 8*(2*a^3*e^2*g - 2*c^3*d^2*f*x^3 - a*c^2
*x*(3*d^2*f + e^2*f*x^2 + 2*d*e*g*x^2) + a^2*c*(2*d*e*f + d^2*g + 3*e^2*g*
x^2)) - 2*b^2*(-(c*x*(e^2*f*x^2 + 3*d^2*(f - 2*g*x) + 2*d*e*x*(-6*f + g*x)
)) + a*(d^2*g + 2*d*e*(f - 6*g*x) + 3*e^2*x*(-2*f + g*x))))/(3*(b^2 - 4*a
*c)^2*(a + x*(b + c*x))^(3/2))
```

Rubi [A] (verified)

Time = 0.25 (sec) , antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$, Rules used = {1227, 1158}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(d + ex)^2(f + gx)}{(a + bx + cx^2)^{5/2}} dx$$

↓ 1227

$$-\frac{4(2aeg - bdg - bef + 2cdf) \int \frac{d+ex}{(cx^2+bx+a)^{3/2}} dx}{3(b^2 - 4ac)} - \frac{2(d + ex)^2(-2ag + x(2cf - bg) + bf)}{3(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

↓ 1158

$$\frac{8(-2ae + x(2cd - be) + bd)(2aeg - bdg - bef + 2cdf)}{3(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}} - \frac{2(d + ex)^2(-2ag + x(2cf - bg) + bf)}{3(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

input

```
Int[((d + e*x)^2*(f + g*x))/(a + b*x + c*x^2)^(5/2),x]
```

output

```
(-2*(d + e*x)^2*(b*f - 2*a*g + (2*c*f - b*g)*x))/(3*(b^2 - 4*a*c)*(a + b*x
+ c*x^2)^(3/2)) + (8*(2*c*d*f - b*e*f - b*d*g + 2*a*e*g)*(b*d - 2*a*e + (
2*c*d - b*e)*x))/(3*(b^2 - 4*a*c)^2*Sqrt[a + b*x + c*x^2])
```

Defintions of rubi rules used

rule 1158

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(3/2), x_Symbol]
:> Simp[-2*((b*d - 2*a*e + (2*c*d - b*e)*x)/((b^2 - 4*a*c)*Sqrt[a + b*x
+ c*x^2])), x] /; FreeQ[{a, b, c, d, e}, x]
```

rule 1227

```
Int[((d_.) + (e_.)*(x_)^(m_))*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c
_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*
(b*f - 2*a*g + (2*c*f - b*g)*x)/((p + 1)*(b^2 - 4*a*c)), x] - Simp[m*((b*(
e*f + d*g) - 2*(c*d*f + a*e*g))/((p + 1)*(b^2 - 4*a*c))] Int[(d + e*x)^(m
- 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x]
&& EqQ[Simplify[m + 2*p + 3], 0] && LtQ[p, -1]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 423 vs. $2(115) = 230$.

Time = 1.73 (sec) , antiderivative size = 424, normalized size of antiderivative = 3.45

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 474 vs. $2(115) = 230$.

Time = 4.66 (sec) , antiderivative size = 474, normalized size of antiderivative = 3.85

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \frac{2((2(8c^3d^2 - 8bc^2de + (b^2c + 4ac^2)e^2)f - (8bc^2d^2 - 4(b^2c + 4ac^2)de - (b^3 -$$

input `integrate((e*x+d)^2*(g*x+f)/(c*x^2+b*x+a)^(5/2),x, algorithm="fricas")`

output
$$\begin{aligned} & 2/3*((2*(8*c^3*d^2 - 8*b*c^2*d*e + (b^2*c + 4*a*c^2)*e^2)*f - (8*b*c^2*d^2 \\ & - 4*(b^2*c + 4*a*c^2)*d*e - (b^3 - 12*a*b*c)*e^2)*g)*x^3 + 3*((8*b*c^2*d^2 \\ & - 8*b^2*c*d*e + (b^3 + 4*a*b*c)*e^2)*f - 2*(2*b^2*c*d^2 - (b^3 + 4*a*b*c) \\ &)*d*e + (a*b^2 + 4*a^2*c)*e^2)*g)*x^2 + (8*a^2*b*e^2 - (b^3 - 12*a*b*c)*d^2 \\ & - 4*(a*b^2 + 4*a^2*c)*d*e)*f + 2*(8*a^2*b*d*e - 8*a^3*e^2 - (a*b^2 + 4*a \\ & ^2*c)*d^2)*g + 3*(2*(2*a*b^2*e^2 + (b^2*c + 4*a*c^2)*d^2 - (b^3 + 4*a*b*c) \\ &)*d*e)*f + (8*a*b^2*d*e - 8*a^2*b*e^2 - (b^3 + 4*a*b*c)*d^2)*g)*x)*sqrt(c*x \\ & ^2 + b*x + a)/(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2 + (b^4*c^2 - 8*a*b^2*c^3 \\ & + 16*a^2*c^4)*x^4 + 2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x^3 + (b^6 - 6 \\ & *a*b^4*c + 32*a^3*c^3)*x^2 + 2*(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*x) \end{aligned}$$

Sympy [F(-1)]

Timed out.

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \text{Timed out}$$

input `integrate((e*x+d)**2*(g*x+f)/(c*x**2+b*x+a)**(5/2),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((e*x+d)^2*(g*x+f)/(c*x^2+b*x+a)^(5/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta`

Giac [B] (verification not implemented)Leaf count of result is larger than twice the leaf count of optimal. 448 vs. $2(115) = 230$.

Time = 0.34 (sec) , antiderivative size = 448, normalized size of antiderivative = 3.64

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \frac{2 \left(\left(\frac{(16c^3d^2f - 16bc^2def + 2b^2ce^2f + 8ac^2e^2f - 8bc^2d^2g + 4b^2cdeg + 16ac^2deg + b^3e^2g - 12abce^2g)x}{b^4 - 8ab^2c + 16a^2c^2} + \dots \right) \right)}{\dots}$$

input `integrate((e*x+d)^2*(g*x+f)/(c*x^2+b*x+a)^(5/2),x, algorithm="giac")`

output `2/3*(((16*c^3*d^2*f - 16*b*c^2*d*e*f + 2*b^2*c*e^2*f + 8*a*c^2*e^2*f - 8*b*c^2*d^2*g + 4*b^2*c*d*e*g + 16*a*c^2*d*e*g + b^3*e^2*g - 12*a*b*c*e^2*g)*x/(b^4 - 8*a*b^2*c + 16*a^2*c^2) + 3*(8*b*c^2*d^2*f - 8*b^2*c*d*e*f + b^3*e^2*f + 4*a*b*c*e^2*f - 4*b^2*c*d^2*g + 2*b^3*d*e*g + 8*a*b*c*d*e*g - 2*a*b^2*e^2*g - 8*a^2*c*e^2*g)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))*x + 3*(2*b^2*c*d^2*f + 8*a*c^2*d^2*f - 2*b^3*d*e*f - 8*a*b*c*d*e*f + 4*a*b^2*e^2*f - b^3*d^2*g - 4*a*b*c*d^2*g + 8*a*b^2*d*e*g - 8*a^2*b*e^2*g)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))*x - (b^3*d^2*f - 12*a*b*c*d^2*f + 4*a*b^2*d*e*f + 16*a^2*c*d*e*f - 8*a^2*b*e^2*f + 2*a*b^2*d^2*g + 8*a^2*c*d^2*g - 16*a^2*b*d*e*g + 16*a^3*e^2*g)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))/(c*x^2 + b*x + a)^(3/2)`

Mupad [B] (verification not implemented)

Time = 17.06 (sec) , antiderivative size = 423, normalized size of antiderivative = 3.44

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx =$$

$$\frac{2(16ga^3e^2 - 16ga^2bde + 24ga^2be^2x - 8fa^2be^2 + 8ga^2cd^2 + 16fa^2cde + 24ga^2ce^2x^2 + 2gab^2e^2x^3 - 2a^2b^2d^2g + 8a^2b^2e^2f + 8a^2c^2d^2g + 3b^3d^2gx - 12ab^2e^2fx - 24a^2c^2d^2fx + 24a^2b^2e^2gx - 6b^2c^2d^2fx - 6b^3d^2egx^2 + 6ab^2e^2gx^2 - 24b^2c^2d^2fx^2 - 8a^2c^2e^2fx^3 + 24a^2c^2e^2gx^2 + 12b^2c^2d^2gx^2 + 8b^2c^2d^2gx^3 - 2b^2c^2e^2fx^3 - 12ab^2c^2d^2f + 4ab^2d^2ef - 16a^2b^2d^2eg + 16a^2c^2d^2ef + 6b^3d^2efx + 12ab^2c^2d^2gx - 24ab^2d^2egx - 12ab^2c^2e^2fx^2 + 12ab^2c^2e^2gx^3 + 24b^2c^2d^2efx^2 - 16a^2c^2d^2egx^3 + 16b^2c^2d^2efx^3 - 4b^2c^2d^2egx^3 + 24ab^2c^2d^2efx - 24ab^2c^2d^2egx^2)}{(3(4ac - b^2)^2(a + bx + cx^2)^{3/2})}$$

input `int(((f + g*x)*(d + e*x)^2)/(a + b*x + c*x^2)^(5/2),x)`output `-(2*(b^3*d^2*f + 16*a^3*e^2*g - 3*b^3*e^2*f*x^2 - 16*c^3*d^2*f*x^3 - b^3*e^2*g*x^3 + 2*a*b^2*d^2*g - 8*a^2*b*e^2*f + 8*a^2*c*d^2*g + 3*b^3*d^2*g*x - 12*a*b^2*e^2*f*x - 24*a*c^2*d^2*f*x + 24*a^2*b*e^2*g*x - 6*b^2*c*d^2*f*x - 6*b^3*d^2*e*g*x^2 + 6*a*b^2*e^2*g*x^2 - 24*b*c^2*d^2*f*x^2 - 8*a*c^2*e^2*f*x^3 + 24*a^2*c*e^2*g*x^2 + 12*b^2*c*d^2*g*x^2 + 8*b*c^2*d^2*g*x^3 - 2*b^2*c*e^2*f*x^3 - 12*a*b*c*d^2*f + 4*a*b^2*d^2*e*f - 16*a^2*b*d^2*e*g + 16*a^2*c*d^2*e*f + 6*b^3*d^2*e*f*x + 12*a*b*c*d^2*g*x - 24*a*b^2*d^2*e*g*x - 12*a*b*c*e^2*f*x^2 + 12*a*b*c*e^2*g*x^3 + 24*b^2*c*d^2*e*f*x^2 - 16*a*c^2*d^2*e*g*x^3 + 16*b*c^2*d^2*e*f*x^3 - 4*b^2*c*d^2*e*g*x^3 + 24*a*b*c*d^2*e*f*x - 24*a*b*c*d^2*e*g*x^2))/(3*(4*a*c - b^2)^2*(a + b*x + c*x^2)^(3/2))`**Reduce [B] (verification not implemented)**

Time = 0.32 (sec) , antiderivative size = 1801, normalized size of antiderivative = 14.64

$$\int \frac{(d+ex)^2(f+gx)}{(a+bx+cx^2)^{5/2}} dx = \text{Too large to display}$$

input `int((e*x+d)^2*(g*x+f)/(c*x^2+b*x+a)^(5/2),x)`

output

```
(2*( - 16*sqrt(a + b*x + c*x**2)*a**3*c**2*e**2*g + 16*sqrt(a + b*x + c*x*
*2)*a**2*b*c**2*d*e*g + 8*sqrt(a + b*x + c*x**2)*a**2*b*c**2*e**2*f - 24*s
qrt(a + b*x + c*x**2)*a**2*b*c**2*e**2*g*x - 8*sqrt(a + b*x + c*x**2)*a**2
*c**3*d**2*g - 16*sqrt(a + b*x + c*x**2)*a**2*c**3*d*e*f - 24*sqrt(a + b*x
+ c*x**2)*a**2*c**3*e**2*g*x**2 - 2*sqrt(a + b*x + c*x**2)*a*b**2*c**2*d*
*2*g - 4*sqrt(a + b*x + c*x**2)*a*b**2*c**2*d*e*f + 24*sqrt(a + b*x + c*x*
*2)*a*b**2*c**2*d*e*g*x + 12*sqrt(a + b*x + c*x**2)*a*b**2*c**2*e**2*f*x -
6*sqrt(a + b*x + c*x**2)*a*b**2*c**2*e**2*g*x**2 + 12*sqrt(a + b*x + c*x*
*2)*a*b*c**3*d**2*f - 12*sqrt(a + b*x + c*x**2)*a*b*c**3*d**2*g*x - 24*sqr
t(a + b*x + c*x**2)*a*b*c**3*d*e*f*x + 24*sqrt(a + b*x + c*x**2)*a*b*c**3*
d*e*g*x**2 + 12*sqrt(a + b*x + c*x**2)*a*b*c**3*e**2*f*x**2 - 12*sqrt(a +
b*x + c*x**2)*a*b*c**3*e**2*g*x**3 + 24*sqrt(a + b*x + c*x**2)*a*c**4*d**2
*f*x + 16*sqrt(a + b*x + c*x**2)*a*c**4*d*e*g*x**3 + 8*sqrt(a + b*x + c*x*
*2)*a*c**4*e**2*f*x**3 - sqrt(a + b*x + c*x**2)*b**3*c**2*d**2*f - 3*sqrt(
a + b*x + c*x**2)*b**3*c**2*d**2*g*x - 6*sqrt(a + b*x + c*x**2)*b**3*c**2*
d*e*f*x + 6*sqrt(a + b*x + c*x**2)*b**3*c**2*d*e*g*x**2 + 3*sqrt(a + b*x +
c*x**2)*b**3*c**2*e**2*f*x**2 + sqrt(a + b*x + c*x**2)*b**3*c**2*e**2*g*x
**3 + 6*sqrt(a + b*x + c*x**2)*b**2*c**3*d**2*f*x - 12*sqrt(a + b*x + c*x*
*2)*b**2*c**3*d**2*g*x**2 - 24*sqrt(a + b*x + c*x**2)*b**2*c**3*d*e*f*x**2
+ 4*sqrt(a + b*x + c*x**2)*b**2*c**3*d*e*g*x**3 + 2*sqrt(a + b*x + c*x...
```

3.35
$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx$$

Optimal result	293
Mathematica [B] (verified)	294
Rubi [B] (verified)	294
Maple [B] (verified)	296
Fricas [B] (verification not implemented)	298
Sympy [F(-1)]	298
Maxima [F(-2)]	299
Giac [B] (verification not implemented)	299
Mupad [B] (verification not implemented)	300
Reduce [B] (verification not implemented)	300

Optimal result

Integrand size = 53, antiderivative size = 123

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx =$$

$$-\frac{2(d + ex)^2(bf - 2ag + (2cf - bg)x)}{3(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

$$+ \frac{8(2cdf - bef - bdg + 2aeg)(bd - 2ae + (2cd - be)x)}{3(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}}$$

output

```
-2/3*(e*x+d)^2*(b*f-2*a*g+(-b*g+2*c*f)*x)/(-4*a*c+b^2)/(c*x^2+b*x+a)^(3/2)
+8/3*(2*a*e*g-b*d*g-b*e*f+2*c*d*f)*(b*d-2*a*e+(-b*e+2*c*d)*x)/(-4*a*c+b^2)
^2/(c*x^2+b*x+a)^(1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 286 vs. $2(123) = 246$.

Time = 0.01 (sec) , antiderivative size = 286, normalized size of antiderivative = 2.33

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx = \frac{2(b^3(6dex(-f + gx) + e^2 x^2(3f + gx) - d^2(f + 3gx)) + 4b^2(3a^2 c(d - ex)^2(f - gx) - 2c^2 d^2 x^2(-3d^2 f + 2e^2 f x + d^2 g x) + 2a^2 e(e^2 f + 2d^2 g - 3e^2 g x)) - 8(2a^3 e^2 g - 2c^3 d^2 f x^3 - a^2 c^2 x(3d^2 f + e^2 f x^2 + 2d^2 e g x^2) + a^2 c(2d^2 e f + d^2 g + 3e^2 g x^2)) - 2b^2(-(c x(e^2 f x^2 + 3d^2(f - 2g x) + 2d^2 e x(-6f + g x))) + a(d^2 g + 2d^2 e(f - 6g x) + 3e^2 x(-2f + g x))))}{3(b^2 - 4ac)^2(a + x(b + cx))^{3/2}}$$

input `Integrate[(d^2*f + d*(2*e*f + d*g)*x + e*(e*f + 2*d*g)*x^2 + e^2*g*x^3)/(a + b*x + c*x^2)^(5/2),x]`

output `(2*(b^3*(6*d*e*x*(-f + g*x) + e^2*x^2*(3*f + g*x) - d^2*(f + 3*g*x)) + 4*b^2*(3*a^2*c*(d - e*x)^2*(f - g*x) - 2*c^2*d*x^2*(-3*d^2*f + 2*e^2*f*x + d^2*g*x) + 2*a^2*e*(e^2*f + 2*d^2*g - 3*e^2*g*x)) - 8*(2*a^3*e^2*g - 2*c^3*d^2*f*x^3 - a^2*c^2*x*(3*d^2*f + e^2*f*x^2 + 2*d^2*e*g*x^2) + a^2*c*(2*d^2*e*f + d^2*g + 3*e^2*g*x^2)) - 2*b^2*(-(c*x*(e^2*f*x^2 + 3*d^2*(f - 2*g*x) + 2*d^2*e*x*(-6*f + g*x)))) + a*(d^2*g + 2*d^2*e*(f - 6*g*x) + 3*e^2*x*(-2*f + g*x)))/((3*(b^2 - 4*a*c)^2*(a + x*(b + c*x)))^(3/2))`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 339 vs. $2(123) = 246$.

Time = 0.66 (sec) , antiderivative size = 339, normalized size of antiderivative = 2.76, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$, Rules used = {2191, 27, 1158}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{d^2 f + ex^2(2dg + ef) + dx(dg + 2ef) + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx$$

↓ 2191

$$\frac{2(-x(-c^2(2ae(2dg + ef) + bd(dg + 2ef)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f) + ab^2e^2g - bc(ae(2dg + ef) + bd(dg + 2ef))) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3c^2(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

$$2 \int \frac{-e^2gb^3 + ce(ef + 2dg)b^2 + 8c^3d^2f - c^2(4bd(2ef + dg) - 4ae(ef + 2dg)) + 3(4a - \frac{b^2}{c})c^2e^2gx}{2c^2(cx^2 + bx + a)^{3/2}} dx$$

$$\frac{2(-x(-c^2(2ae(2dg + ef) + bd(dg + 2ef)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f) + ab^2e^2g - bc(ae(2dg + ef) + bd(dg + 2ef))) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3(b^2 - 4ac)}$$

↓ 27

$$\frac{2(-x(-c^2(2ae(2dg + ef) + bd(dg + 2ef)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f) + ab^2e^2g - bc(ae(2dg + ef) + bd(dg + 2ef))) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3c^2(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

$$\int \frac{-e^2gb^3 + ce(ef + 2dg)b^2 + 8c^3d^2f - c^2(4bd(2ef + dg) - 4ae(ef + 2dg)) - 3c(b^2 - 4ac)e^2gx}{(cx^2 + bx + a)^{3/2}} dx$$

$$\frac{2(-x(-c^2(2ae(2dg + ef) + bd(dg + 2ef)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f) + ab^2e^2g - bc(ae(2dg + ef) + bd(dg + 2ef))) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3c^2(b^2 - 4ac)}$$

↓ 1158

$$\frac{2(-x(-c^2(2ae(2dg + ef) + bd(dg + 2ef)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f) + ab^2e^2g - bc(ae(2dg + ef) + bd(dg + 2ef))) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3c^2(b^2 - 4ac)(a + bx + cx^2)^{3/2}}$$

$$\frac{2(cx(-8c^2(bd(dg + 2ef) - ae(2dg + ef)) + 2bce(-6aeg + 2bdg + bef) + b^3e^2g + 16c^3d^2f) + 6ace^2g(b^2 - 4ac)) + bce(3aeg + 2bdg + bef) + b^3(-e^2)g + 2c^3d^2f}{3c^2(b^2 - 4ac)^2 \sqrt{a + bx + cx^2}}$$

input

```
Int[(d^2*f + d*(2*e*f + d*g)*x + e*(e*f + 2*d*g)*x^2 + e^2*g*x^3)/(a + b*x + c*x^2)^(5/2), x]
```

output

```
(2*(a*b^2*e^2*g - 2*a*c*(a*e^2*g - c*d*(2*e*f + d*g)) - b*c*(c*d^2*f + a*e*(e*f + 2*d*g)) - (2*c^3*d^2*f - b^3*e^2*g + b*c*e*(b*e*f + 2*b*d*g + 3*a*e*g) - c^2*(b*d*(2*e*f + d*g) + 2*a*e*(e*f + 2*d*g)))*x)/(3*c^2*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(3/2)) + (2*(8*b*c^3*d^2*f - b^4*e^2*g + 6*a*c*(b^2 - 4*a*c)*e^2*g + b^3*c*e*(e*f + 2*d*g) - b*c^2*(4*b*d*(2*e*f + d*g) - 4*a*e*(e*f + 2*d*g)) + c*(16*c^3*d^2*f + b^3*e^2*g + 2*b*c*e*(b*e*f + 2*b*d*g - 6*a*e*g) - 8*c^2*(b*d*(2*e*f + d*g) - a*e*(e*f + 2*d*g)))*x)/(3*c^2*(b^2 - 4*a*c)^2*sqrt[a + b*x + c*x^2])
```


Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 1158 `Int[((d_) + (e_)*(x_))/((a_) + (b_)*(x_) + (c_)*(x_)^2)^(3/2), x_Symbol] := Simp[-2*((b*d - 2*a*e + (2*c*d - b*e)*x)/((b^2 - 4*a*c)*Sqrt[a + b*x + c*x^2])), x] /; FreeQ[{a, b, c, d, e}, x]`

rule 2191 `Int[(Pq_)*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{Q = PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x + c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^2 - 4*a*c, 0] && LtQ[p, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 423 vs. $2(115) = 230$.

Time = 1.62 (sec) , antiderivative size = 424, normalized size of antiderivative = 3.45

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 474 vs. $2(115) = 230$.

Time = 4.69 (sec) , antiderivative size = 474, normalized size of antiderivative = 3.85

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx = \frac{2((2(8c^3 d^2 - 8bc^2 de + (b^2 c + 4ac^2)e^2)f - (8bc^2 d^2$$

input

```
integrate((d^2*f+d*(d*g+2*e*f)*x+e*(2*d*g+e*f)*x^2+e^2*g*x^3)/(c*x^2+b*x+a)^(5/2),x, algorithm="fricas")
```

output

```
2/3*((2*(8*c^3*d^2 - 8*b*c^2*d*e + (b^2*c + 4*a*c^2)*e^2)*f - (8*b*c^2*d^2 - 4*(b^2*c + 4*a*c^2)*d*e - (b^3 - 12*a*b*c)*e^2)*g)*x^3 + 3*((8*b*c^2*d^2 - 8*b^2*c*d*e + (b^3 + 4*a*b*c)*e^2)*f - 2*(2*b^2*c*d^2 - (b^3 + 4*a*b*c)*d*e + (a*b^2 + 4*a^2*c)*e^2)*g)*x^2 + (8*a^2*b*e^2 - (b^3 - 12*a*b*c)*d^2 - 4*(a*b^2 + 4*a^2*c)*d*e)*f + 2*(8*a^2*b*d*e - 8*a^3*e^2 - (a*b^2 + 4*a^2*c)*d^2)*g + 3*(2*(2*a*b^2*e^2 + (b^2*c + 4*a*c^2)*d^2 - (b^3 + 4*a*b*c)*d*e)*f + (8*a*b^2*d*e - 8*a^2*b*e^2 - (b^3 + 4*a*b*c)*d^2)*g)*x)*sqrt(c*x^2 + b*x + a)/(a^2*b^4 - 8*a^3*b^2*c + 16*a^4*c^2 + (b^4*c^2 - 8*a*b^2*c^3 + 16*a^2*c^4)*x^4 + 2*(b^5*c - 8*a*b^3*c^2 + 16*a^2*b*c^3)*x^3 + (b^6 - 6*a*b^4*c + 32*a^3*c^3)*x^2 + 2*(a*b^5 - 8*a^2*b^3*c + 16*a^3*b*c^2)*x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx = \text{Timed out}$$

input

```
integrate((d**2*f+d*(d*g+2*e*f)*x+e*(2*d*g+e*f)*x**2+e**2*g*x**3)/(c*x**2+b*x+a)**(5/2),x)
```

output

Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 g x^3}{(a + bx + cx^2)^{5/2}} dx = \text{Exception raised: ValueError}$$

input

```
integrate((d^2*f+d*(d*g+2*e*f)*x+e*(2*d*g+e*f)*x^2+e^2*g*x^3)/(c*x^2+b*x+a)^(5/2),x, algorithm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 448 vs. 2(115) = 230.

Time = 0.35 (sec) , antiderivative size = 448, normalized size of antiderivative = 3.64

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 g x^3}{(a + bx + cx^2)^{5/2}} dx = \frac{2 \left(\left(\left(\frac{16c^3 d^2 f - 16bc^2 def + 2b^2 ce^2 f + 8ac^2 e^2 f - 8bc^2 d^2 g + 4b^2 cdeg}{b^4 - 8ab^2c + 16a^2c^2} \right) \right) \right)}{(a + bx + cx^2)^{5/2}}$$

input

```
integrate((d^2*f+d*(d*g+2*e*f)*x+e*(2*d*g+e*f)*x^2+e^2*g*x^3)/(c*x^2+b*x+a)^(5/2),x, algorithm="giac")
```

output

```
2/3*(((16*c^3*d^2*f - 16*b*c^2*d*e*f + 2*b^2*c*e^2*f + 8*a*c^2*e^2*f - 8*
b*c^2*d^2*g + 4*b^2*c*d*e*g + 16*a*c^2*d*e*g + b^3*e^2*g - 12*a*b*c*e^2*g)
*x/(b^4 - 8*a*b^2*c + 16*a^2*c^2) + 3*(8*b*c^2*d^2*f - 8*b^2*c*d*e*f + b^3
*e^2*f + 4*a*b*c*e^2*f - 4*b^2*c*d^2*g + 2*b^3*d*e*g + 8*a*b*c*d*e*g - 2*a
*b^2*e^2*g - 8*a^2*c*e^2*g)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))*x + 3*(2*b^2*c
*d^2*f + 8*a*c^2*d^2*f - 2*b^3*d*e*f - 8*a*b*c*d*e*f + 4*a*b^2*e^2*f - b^3
*d^2*g - 4*a*b*c*d^2*g + 8*a*b^2*d*e*g - 8*a^2*b*e^2*g)/(b^4 - 8*a*b^2*c +
16*a^2*c^2))*x - (b^3*d^2*f - 12*a*b*c*d^2*f + 4*a*b^2*d*e*f + 16*a^2*c*d
*e*f - 8*a^2*b*e^2*f + 2*a*b^2*d^2*g + 8*a^2*c*d^2*g - 16*a^2*b*d*e*g + 16
*a^3*e^2*g)/(b^4 - 8*a*b^2*c + 16*a^2*c^2))/(c*x^2 + b*x + a)^(3/2)
```

Mupad [B] (verification not implemented)

Time = 16.90 (sec) , antiderivative size = 423, normalized size of antiderivative = 3.44

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx =$$

$$\frac{2(16ga^3e^2 - 16ga^2bde + 24ga^2be^2x - 8fa^2be^2 + 8ga^2cd^2 + 16fa^2cde + 24ga^2ce^2x^2 + 2gab^2e^2x^3 - 24ga^2bde + 24ga^2be^2x - 8fa^2be^2 + 8ga^2cd^2 + 16fa^2cde + 24ga^2ce^2x^2 + 2gab^2e^2x^3)}{(a + bx + cx^2)^{3/2}}$$

input

```
int((d^2*f + e*x^2*(2*d*g + e*f) + e^2*g*x^3 + d*x*(d*g + 2*e*f))/(a + b*x + c*x^2)^(5/2),x)
```

output

```
-(2*(b^3*d^2*f + 16*a^3*e^2*g - 3*b^3*e^2*f*x^2 - 16*c^3*d^2*f*x^3 - b^3*e^2*g*x^3 + 2*a*b^2*d^2*g - 8*a^2*b*e^2*f + 8*a^2*c*d^2*g + 3*b^3*d^2*g*x - 12*a*b^2*e^2*f*x - 24*a*c^2*d^2*f*x + 24*a^2*b*e^2*g*x - 6*b^2*c*d^2*f*x - 6*b^3*d*e*g*x^2 + 6*a*b^2*e^2*g*x^2 - 24*b*c^2*d^2*f*x^2 - 8*a*c^2*e^2*f*x^3 + 24*a^2*c*e^2*g*x^2 + 12*b^2*c*d^2*g*x^2 + 8*b*c^2*d^2*g*x^3 - 2*b^2*c*e^2*f*x^3 - 12*a*b*c*d^2*f + 4*a*b^2*d*e*f - 16*a^2*b*d*e*g + 16*a^2*c*d*e*f + 6*b^3*d*e*f*x + 12*a*b*c*d^2*g*x - 24*a*b^2*d*e*g*x - 12*a*b*c*e^2*f*x^2 + 12*a*b*c*e^2*g*x^3 + 24*b^2*c*d*e*f*x^2 - 16*a*c^2*d*e*g*x^3 + 16*b*c^2*d*e*f*x^3 - 4*b^2*c*d*e*g*x^3 + 24*a*b*c*d*e*f*x - 24*a*b*c*d*e*g*x^2))/(3*(4*a*c - b^2)^2*(a + b*x + c*x^2)^(3/2))
```

Reduce [B] (verification not implemented)

Time = 0.31 (sec) , antiderivative size = 1801, normalized size of antiderivative = 14.64

$$\int \frac{d^2 f + d(2ef + dg)x + e(ef + 2dg)x^2 + e^2 gx^3}{(a + bx + cx^2)^{5/2}} dx = \text{Too large to display}$$

input

```
int((d^2*f+d*(d*g+2*e*f)*x+e*(2*d*g+e*f)*x^2+e^2*g*x^3)/(c*x^2+b*x+a)^(5/2),x)
```

output

```
(2*( - 16*sqrt(a + b*x + c*x**2)*a**3*c**2*e**2*g + 16*sqrt(a + b*x + c*x*
*2)*a**2*b*c**2*d*e*g + 8*sqrt(a + b*x + c*x**2)*a**2*b*c**2*e**2*f - 24*s
qrt(a + b*x + c*x**2)*a**2*b*c**2*e**2*g*x - 8*sqrt(a + b*x + c*x**2)*a**2
*c**3*d**2*g - 16*sqrt(a + b*x + c*x**2)*a**2*c**3*d*e*f - 24*sqrt(a + b*x
+ c*x**2)*a**2*c**3*e**2*g*x**2 - 2*sqrt(a + b*x + c*x**2)*a*b**2*c**2*d*
*2*g - 4*sqrt(a + b*x + c*x**2)*a*b**2*c**2*d*e*f + 24*sqrt(a + b*x + c*x*
*2)*a*b**2*c**2*d*e*g*x + 12*sqrt(a + b*x + c*x**2)*a*b**2*c**2*e**2*f*x -
6*sqrt(a + b*x + c*x**2)*a*b**2*c**2*e**2*g*x**2 + 12*sqrt(a + b*x + c*x*
*2)*a*b*c**3*d**2*f - 12*sqrt(a + b*x + c*x**2)*a*b*c**3*d**2*g*x - 24*sqr
t(a + b*x + c*x**2)*a*b*c**3*d*e*f*x + 24*sqrt(a + b*x + c*x**2)*a*b*c**3*
d*e*g*x**2 + 12*sqrt(a + b*x + c*x**2)*a*b*c**3*e**2*f*x**2 - 12*sqrt(a +
b*x + c*x**2)*a*b*c**3*e**2*g*x**3 + 24*sqrt(a + b*x + c*x**2)*a*c**4*d**2
*f*x + 16*sqrt(a + b*x + c*x**2)*a*c**4*d*e*g*x**3 + 8*sqrt(a + b*x + c*x*
*2)*a*c**4*e**2*f*x**3 - sqrt(a + b*x + c*x**2)*b**3*c**2*d**2*f - 3*sqrt(
a + b*x + c*x**2)*b**3*c**2*d**2*g*x - 6*sqrt(a + b*x + c*x**2)*b**3*c**2*
d*e*f*x + 6*sqrt(a + b*x + c*x**2)*b**3*c**2*d*e*g*x**2 + 3*sqrt(a + b*x +
c*x**2)*b**3*c**2*e**2*f*x**2 + sqrt(a + b*x + c*x**2)*b**3*c**2*e**2*g*x
**3 + 6*sqrt(a + b*x + c*x**2)*b**2*c**3*d**2*f*x - 12*sqrt(a + b*x + c*x*
*2)*b**2*c**3*d**2*g*x**2 - 24*sqrt(a + b*x + c*x**2)*b**2*c**3*d*e*f*x**2
+ 4*sqrt(a + b*x + c*x**2)*b**2*c**3*d*e*g*x**3 + 2*sqrt(a + b*x + c*x...
```

3.36 $\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx$

Optimal result	302
Mathematica [B] (verified)	303
Rubi [A] (verified)	304
Maple [B] (verified)	306
Fricas [B] (verification not implemented)	307
Sympy [F(-1)]	308
Maxima [F(-2)]	308
Giac [B] (verification not implemented)	308
Mupad [B] (verification not implemented)	309
Reduce [F]	310

Optimal result

Integrand size = 27, antiderivative size = 214

$$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx = -\frac{2(d+ex)^4(bf-2ag+(2cf-bg)x)}{5(b^2-4ac)(a+bx+cx^2)^{5/2}} + \frac{16(2cdf-bef-bdg+2aeg)(d+ex)^2(bd-2ae+(2cd-be)x)}{15(b^2-4ac)^2(a+bx+cx^2)^{3/2}} - \frac{128(cd^2-bde+ae^2)(2cdf-bef-bdg+2aeg)(bd-2ae+(2cd-be)x)}{15(b^2-4ac)^3\sqrt{a+bx+cx^2}}$$

output

```
-2/5*(e*x+d)^4*(b*f-2*a*g+(-b*g+2*c*f)*x)/(-4*a*c+b^2)/(c*x^2+b*x+a)^(5/2)
+16/15*(2*a*e*g-b*d*g-b*e*f+2*c*d*f)*(e*x+d)^2*(b*d-2*a*e+(-b*e+2*c*d)*x)/
(-4*a*c+b^2)^2/(c*x^2+b*x+a)^(3/2)-128/15*(a*e^2-b*d*e+c*d^2)*(2*a*e*g-b*d
*g-b*e*f+2*c*d*f)*(b*d-2*a*e+(-b*e+2*c*d)*x)/(-4*a*c+b^2)^3/(c*x^2+b*x+a)^(
1/2)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1051 vs. $2(214) = 428$.

Time = 17.75 (sec) , antiderivative size = 1051, normalized size of antiderivative = 4.91

$$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx = \frac{2(b^5(90d^2e^2x^2(-f+gx) + 20de^3x^3(3f+gx) - 20d^3ex(f+3gx) + e^4x^4(5f +$$

input `Integrate[((d + e*x)^4*(f + g*x))/(a + b*x + c*x^2)^(7/2),x]`

output

```
(2*(b^5*(90*d^2*e^2*x^2*(-f + g*x) + 20*d*e^3*x^3*(3*f + g*x) - 20*d^3*e*x
*(f + 3*g*x) + e^4*x^4*(5*f + 3*g*x) - d^4*(3*f + 5*g*x)) + 32*(8*a^5*e^4*
g - 8*c^5*d^4*f*x^5 - 4*a*c^4*d^2*x^3*(5*d^2*f + 3*e^2*f*x^2 + 2*d*e*g*x^2
) + 4*a^4*c*e^2*(2*d*e*f + 3*d^2*g + 5*e^2*g*x^2) - a^2*c^3*x*(15*d^4*f +
30*d^2*e^2*f*x^2 + 20*d^3*e*g*x^2 + 3*e^4*f*x^4 + 12*d*e^3*g*x^4) + a^3*c^
2*(12*d^3*e*f + 3*d^4*g + 20*d*e^3*f*x^2 + 30*d^2*e^2*g*x^2 + 15*e^4*g*x^4
)) + 16*b^2*(2*c^3*d^2*x^3*(-9*e^2*f*x^2 + 2*d*e*x*(20*f - 3*g*x) - 5*d^2*
(3*f - 2*g*x)) - 3*a*c^2*x*(e^4*f*x^4 + 5*d^4*(f - 2*g*x) + 30*d^2*e^2*x^2
*(f - g*x) + 4*d*e^3*x^3*(-5*f + g*x) + 20*d^3*e*x*(-2*f + g*x)) + 3*a^2*c
*(d^4*g + 4*d^3*e*(f - 5*g*x) + 20*d*e^3*x^2*(f - 2*g*x) + 5*e^4*x^3*(-2*f
+ g*x) + 30*d^2*e^2*x*(-f + g*x)) + 2*a^3*e^2*(9*d^2*g + d*e*(6*f - 40*g*
x) + 5*e^2*x*(-2*f + 3*g*x))) - 8*b^3*(2*a^2*e*(2*d^3*g + 3*d^2*e*(f - 15*
g*x) - 30*d*e^2*x*(f - 2*g*x) - 5*e^3*x^2*(-3*f + g*x)) - 2*c^2*d*x^2*(2*e
^3*f*x^3 - 5*d^3*(f - 3*g*x) + 3*d*e^2*x^2*(-15*f + g*x) - 30*d^2*e*x*(-2*
f + g*x)) - 5*a*c*(d - e*x)^2*(14*d*e*x*(f - g*x) - e^2*x^2*(3*f + g*x) +
d^2*(f + 3*g*x))) - 16*b*(15*a^2*c^2*(d - e*x)^4*(f - g*x) - 8*c^4*d^3*x^4
*(-5*d*f + 4*e*f*x + d*g*x) + 8*a^4*e^3*(4*d*g + e*(f - 5*g*x)) + 4*a^3*c*
e*(6*d^3*g + 3*d^2*e*(3*f - 5*g*x) + 5*e^3*x^2*(f - 3*g*x) - 10*d*e^2*x*(f
- 2*g*x)) - 4*a*c^3*d*x^2*(6*e^3*f*x^3 - 10*d^2*e*x*(-2*f + g*x) + 3*d*e^
2*x^2*(-5*f + 3*g*x) + d^3*(-15*f + 5*g*x))) - 2*b^4*(-(c*x*(e^4*f*x^4 ...
```


Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 208, normalized size of antiderivative = 0.97, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {1227, 1153, 1158}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx$$

$$\downarrow 1227$$

$$\frac{8(2aeg - bdg - bef + 2cdf) \int \frac{(d+ex)^3}{(cx^2+bx+a)^{5/2}} dx}{5(b^2 - 4ac)} - \frac{2(d+ex)^4(-2ag + x(2cf - bg) + bf)}{5(b^2 - 4ac)(a+bx+cx^2)^{5/2}}$$

$$\downarrow 1153$$

$$\frac{8(2aeg - bdg - bef + 2cdf) \left(-\frac{8(ae^2 - bde + cd^2) \int \frac{d+ex}{(cx^2+bx+a)^{3/2}} dx}{3(b^2 - 4ac)} - \frac{2(d+ex)^2(-2ae + x(2cd - be) + bd)}{3(b^2 - 4ac)(a+bx+cx^2)^{3/2}} \right)}{5(b^2 - 4ac)} - \frac{2(d+ex)^4(-2ag + x(2cf - bg) + bf)}{5(b^2 - 4ac)(a+bx+cx^2)^{5/2}}$$

$$\downarrow 1158$$

$$\frac{8 \left(\frac{16(ae^2 - bde + cd^2)(-2ae + x(2cd - be) + bd)}{3(b^2 - 4ac)^2 \sqrt{a+bx+cx^2}} - \frac{2(d+ex)^2(-2ae + x(2cd - be) + bd)}{3(b^2 - 4ac)(a+bx+cx^2)^{3/2}} \right) (2aeg - bdg - bef + 2cdf)}{5(b^2 - 4ac)} - \frac{2(d+ex)^4(-2ag + x(2cf - bg) + bf)}{5(b^2 - 4ac)(a+bx+cx^2)^{5/2}}$$

input `Int[((d + e*x)^4*(f + g*x))/(a + b*x + c*x^2)^(7/2),x]`

output

$$\frac{(-2*(d + e*x)^4*(b*f - 2*a*g + (2*c*f - b*g)*x))/(5*(b^2 - 4*a*c)*(a + b*x + c*x^2)^{(5/2)}) - (8*(2*c*d*f - b*e*f - b*d*g + 2*a*e*g)*((-2*(d + e*x)^2*(b*d - 2*a*e + (2*c*d - b*e)*x)))/(3*(b^2 - 4*a*c)*(a + b*x + c*x^2)^{(3/2)}) + (16*(c*d^2 - b*d*e + a*e^2)*(b*d - 2*a*e + (2*c*d - b*e)*x))/(3*(b^2 - 4*a*c)^2*\text{Sqrt}[a + b*x + c*x^2])}{5*(b^2 - 4*a*c)}$$

Defintions of rubi rules used

rule 1153

```
Int[((d_.) + (e_.)*(x_))^(m_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[(d + e*x)^(m - 1)*(d*b - 2*a*e + (2*c*d - b*e)*x)*((a + b*x + c*x^2)^(p + 1)/((p + 1)*(b^2 - 4*a*c))), x] - Simp[2*(2*p + 3)*((c*d^2 - b*d*e + a*e^2)/((p + 1)*(b^2 - 4*a*c))) Int[(d + e*x)^(m - 2)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[m + 2*p + 2, 0] && LtQ[p, -1]
```

rule 1158

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(3/2), x_Symbol]
:> Simp[-2*((b*d - 2*a*e + (2*c*d - b*e)*x)/((b^2 - 4*a*c)*Sqrt[a + b*x + c*x^2])), x] /; FreeQ[{a, b, c, d, e}, x]
```

rule 1227

```
Int[((d_.) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_))*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol]
:> Simp[(d + e*x)^m*(a + b*x + c*x^2)^(p + 1)*((b*f - 2*a*g + (2*c*f - b*g)*x)/((p + 1)*(b^2 - 4*a*c))), x] - Simp[m*((b*(e*f + d*g) - 2*(c*d*f + a*e*g))/((p + 1)*(b^2 - 4*a*c))) Int[(d + e*x)^(m - 1)*(a + b*x + c*x^2)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && EqQ[Simplify[m + 2*p + 3], 0] && LtQ[p, -1]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1891 vs. $2(202) = 404$.

Time = 2.14 (sec) , antiderivative size = 1892, normalized size of antiderivative = 8.84

method	result	size
trager	Expression too large to display	1892
gosper	Expression too large to display	1914
orering	Expression too large to display	1914
default	Expression too large to display	3082

input `int((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x,method=_RETURNVERBOSE)`

output

```
-2/15*(240*a^2*b*c^2*e^4*g*x^5-384*a^2*c^3*d*e^3*g*x^5-96*a^2*c^3*e^4*f*x^
5-40*a*b^3*c*e^4*g*x^5-192*a*b^2*c^2*d*e^3*g*x^5-48*a*b^2*c^2*e^4*f*x^5+57
6*a*b*c^3*d^2*e^2*g*x^5+384*a*b*c^3*d*e^3*f*x^5-256*a*c^4*d^3*e*g*x^5-384*
a*c^4*d^2*e^2*f*x^5+3*b^5*e^4*g*x^5+8*b^4*c*d*e^3*g*x^5+2*b^4*c*e^4*f*x^5+
48*b^3*c^2*d^2*e^2*g*x^5+32*b^3*c^2*d*e^3*f*x^5-192*b^2*c^3*d^3*e*g*x^5-28
8*b^2*c^3*d^2*e^2*f*x^5+128*b*c^4*d^4*g*x^5+512*b*c^4*d^3*e*f*x^5-256*c^5*
d^4*f*x^5+480*a^3*c^2*e^4*g*x^4+240*a^2*b^2*c*e^4*g*x^4-960*a^2*b*c^2*d*e^
3*g*x^4-240*a^2*b*c^2*e^4*f*x^4-10*a*b^4*e^4*g*x^4-480*a*b^3*c*d*e^3*g*x^4
-120*a*b^3*c*e^4*f*x^4+1440*a*b^2*c^2*d^2*e^2*g*x^4+960*a*b^2*c^2*d*e^3*f*
x^4-640*a*b*c^3*d^3*e*g*x^4-960*a*b*c^3*d^2*e^2*f*x^4+20*b^5*d*e^3*g*x^4+5
*b^5*e^4*f*x^4+120*b^4*c*d^2*e^2*g*x^4+80*b^4*c*d*e^3*f*x^4-480*b^3*c^2*d^
3*e*g*x^4-720*b^3*c^2*d^2*e^2*f*x^4+320*b^2*c^3*d^4*g*x^4+1280*b^2*c^3*d^3
*e*f*x^4-640*b*c^4*d^4*f*x^4+960*a^3*b*c*e^4*g*x^3+80*a^2*b^3*e^4*g*x^3-19
20*a^2*b^2*c*d*e^3*g*x^3-480*a^2*b^2*c*e^4*f*x^3+1440*a^2*b*c^2*d^2*e^2*g*
x^3+960*a^2*b*c^2*d*e^3*f*x^3-640*a^2*c^3*d^3*e*g*x^3-960*a^2*c^3*d^2*e^2*
f*x^3-160*a*b^4*d*e^3*g*x^3-40*a*b^4*e^4*f*x^3+1200*a*b^3*c*d^2*e^2*g*x^3+
800*a*b^3*c*d*e^3*f*x^3-960*a*b^2*c^2*d^3*e*g*x^3-1440*a*b^2*c^2*d^2*e^2*f
*x^3+320*a*b*c^3*d^4*g*x^3+1280*a*b*c^3*d^3*e*f*x^3-640*a*c^4*d^4*f*x^3+90
*b^5*d^2*e^2*g*x^3+60*b^5*d*e^3*f*x^3-360*b^4*c*d^3*e*g*x^3-540*b^4*c*d^2*
e^2*f*x^3+240*b^3*c^2*d^4*g*x^3+960*b^3*c^2*d^3*e*f*x^3-480*b^2*c^3*d^4...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1676 vs. $2(202) = 404$.

Time = 35.26 (sec) , antiderivative size = 1676, normalized size of antiderivative = 7.83

$$\int \frac{(d+ex)^4(f+gx)}{(a+bx+cx^2)^{7/2}} dx = \text{Too large to display}$$

input `integrate((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x, algorithm="fricas")`

output

```
-2/15*((2*(128*c^5*d^4 - 256*b*c^4*d^3*e + 48*(3*b^2*c^3 + 4*a*c^4)*d^2*e^2 - 16*(b^3*c^2 + 12*a*b*c^3)*d*e^3 - (b^4*c - 24*a*b^2*c^2 - 48*a^2*c^3)*e^4)*f - (128*b*c^4*d^4 - 64*(3*b^2*c^3 + 4*a*c^4)*d^3*e + 48*(b^3*c^2 + 12*a*b*c^3)*d^2*e^2 + 8*(b^4*c - 24*a*b^2*c^2 - 48*a^2*c^3)*d*e^3 + (3*b^5 - 40*a*b^3*c + 240*a^2*b*c^2)*e^4)*g)*x^5 + 5*((128*b*c^4*d^4 - 256*b^2*c^3*d^3*e + 48*(3*b^3*c^2 + 4*a*b*c^3)*d^2*e^2 - 16*(b^4*c + 12*a*b^2*c^2)*d*e^3 - (b^5 - 24*a*b^3*c - 48*a^2*b*c^2)*e^4)*f - 2*(32*b^2*c^3*d^4 - 16*(3*b^3*c^2 + 4*a*b*c^3)*d^3*e + 12*(b^4*c + 12*a*b^2*c^2)*d^2*e^2 + 2*(b^5 - 24*a*b^3*c - 48*a^2*b*c^2)*d*e^3 - (a*b^4 - 24*a^2*b^2*c - 48*a^3*c^2)*e^4)*g)*x^4 + 10*(2*(8*(3*b^2*c^3 + 4*a*c^4)*d^4 - 16*(3*b^3*c^2 + 4*a*b*c^3)*d^3*e + 3*(9*b^4*c + 24*a*b^2*c^2 + 16*a^2*c^3)*d^2*e^2 - (3*b^5 + 40*a*b^3*c + 48*a^2*b*c^2)*d*e^3 + 2*(a*b^4 + 12*a^2*b^2*c)*e^4)*f - (8*(3*b^3*c^2 + 4*a*b*c^3)*d^4 - 4*(9*b^4*c + 24*a*b^2*c^2 + 16*a^2*c^3)*d^3*e + 3*(3*b^5 + 40*a*b^3*c + 48*a^2*b*c^2)*d^2*e^2 - 16*(a*b^4 + 12*a^2*b^2*c)*d*e^3 + 8*(a^2*b^3 + 12*a^3*b*c)*e^4)*g)*x^3 + 10*((8*(b^3*c^2 + 12*a*b*c^3)*d^4 - 16*(b^4*c + 12*a*b^2*c^2)*d^3*e + 3*(3*b^5 + 40*a*b^3*c + 48*a^2*b*c^2)*d^2*e^2 - 4*(9*a*b^4 + 24*a^2*b^2*c + 16*a^3*c^2)*d*e^3 + 8*(3*a^2*b^3 + 4*a^3*b*c)*e^4)*f - 2*(2*(b^4*c + 12*a*b^2*c^2)*d^4 - (3*b^5 + 40*a*b^3*c + 48*a^2*b*c^2)*d^3*e + 3*(9*a*b^4 + 24*a^2*b^2*c + 16*a^3*c^2)*d^2*e^2 - 16*(3*a^2*b^3 + 4*a^3*b*c)*d*e^3 + 8*(3*a^3*b^2 + 4*a^4*c)*e^4)*g)*...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(d + ex)^4(f + gx)}{(a + bx + cx^2)^{7/2}} dx = \text{Timed out}$$

input `integrate((e*x+d)**4*(g*x+f)/(c*x**2+b*x+a)**(7/2),x)`

output Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{(d + ex)^4(f + gx)}{(a + bx + cx^2)^{7/2}} dx = \text{Exception raised: ValueError}$$

input `integrate((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for more deta

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1816 vs. 2(202) = 404.

Time = 0.34 (sec) , antiderivative size = 1816, normalized size of antiderivative = 8.49

$$\int \frac{(d + ex)^4(f + gx)}{(a + bx + cx^2)^{7/2}} dx = \text{Too large to display}$$

input `integrate((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x, algorithm="giac")`

output

```

-2/15*(((256*c^5*d^4*f - 512*b*c^4*d^3*e*f + 288*b^2*c^3*d^2*e^2*f + 38
4*a*c^4*d^2*e^2*f - 32*b^3*c^2*d*e^3*f - 384*a*b*c^3*d*e^3*f - 2*b^4*c*e^4
*f + 48*a*b^2*c^2*e^4*f + 96*a^2*c^3*e^4*f - 128*b*c^4*d^4*g + 192*b^2*c^3
*d^3*e*g + 256*a*c^4*d^3*e*g - 48*b^3*c^2*d^2*e^2*g - 576*a*b*c^3*d^2*e^2*
g - 8*b^4*c*d*e^3*g + 192*a*b^2*c^2*d*e^3*g + 384*a^2*c^3*d*e^3*g - 3*b^5*
e^4*g + 40*a*b^3*c*e^4*g - 240*a^2*b*c^2*e^4*g)*x/(b^6 - 12*a*b^4*c + 48*a
^2*b^2*c^2 - 64*a^3*c^3) + 5*(128*b*c^4*d^4*f - 256*b^2*c^3*d^3*e*f + 144*
b^3*c^2*d^2*e^2*f + 192*a*b*c^3*d^2*e^2*f - 16*b^4*c*d*e^3*f - 192*a*b^2*c
^2*d*e^3*f - b^5*e^4*f + 24*a*b^3*c*e^4*f + 48*a^2*b*c^2*e^4*f - 64*b^2*c^
3*d^4*g + 96*b^3*c^2*d^3*e*g + 128*a*b*c^3*d^3*e*g - 24*b^4*c*d^2*e^2*g -
288*a*b^2*c^2*d^2*e^2*g - 4*b^5*d*e^3*g + 96*a*b^3*c*d*e^3*g + 192*a^2*b*c
^2*d*e^3*g + 2*a*b^4*e^4*g - 48*a^2*b^2*c*e^4*g - 96*a^3*c^2*e^4*g)/(b^6 -
12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3*c^3)*x + 10*(48*b^2*c^3*d^4*f + 64*
a*c^4*d^4*f - 96*b^3*c^2*d^3*e*f - 128*a*b*c^3*d^3*e*f + 54*b^4*c*d^2*e^2*
f + 144*a*b^2*c^2*d^2*e^2*f + 96*a^2*c^3*d^2*e^2*f - 6*b^5*d*e^3*f - 80*a*
b^3*c*d*e^3*f - 96*a^2*b*c^2*d*e^3*f + 4*a*b^4*e^4*f + 48*a^2*b^2*c*e^4*f
- 24*b^3*c^2*d^4*g - 32*a*b*c^3*d^4*g + 36*b^4*c*d^3*e*g + 96*a*b^2*c^2*d^
3*e*g + 64*a^2*c^3*d^3*e*g - 9*b^5*d^2*e^2*g - 120*a*b^3*c*d^2*e^2*g - 144
*a^2*b*c^2*d^2*e^2*g + 16*a*b^4*d*e^3*g + 192*a^2*b^2*c*d*e^3*g - 8*a^2*b^
3*e^4*g - 96*a^3*b*c*e^4*g)/(b^6 - 12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3...

```

Mupad [B] (verification not implemented)

Time = 19.84 (sec) , antiderivative size = 7970, normalized size of antiderivative = 37.24

$$\int \frac{(d + ex)^4(f + gx)}{(a + bx + cx^2)^{7/2}} dx = \text{Too large to display}$$

input

```
int(((f + g*x)*(d + e*x)^4)/(a + b*x + c*x^2)^(7/2),x)
```

output

```
(x*((a*((16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c -
b^2)) - (8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c - (b*((b*((
16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) -
(8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c - (8*e^2*(5*b^2*e^2*
g + 12*c^2*d^2*g - 14*a*c*e^2*g - 2*b*c*e^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g)
)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*e^3*(4*c*d*g - b*e*g + c*e*f)
)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*a*c*e^4*g)/(5*(4*a*c^2 - b^2*c
)*(4*a*c - b^2))))/c + (2*(256*c^5*d^4*f + 16*b^5*e^4*g + 160*a^2*c^3*e^4*
f - 128*b*c^4*d^4*g - 4*b^4*c*e^4*f - 80*a*b^3*c*e^4*g + 128*a*c^4*d^3*e*g
- 512*b*c^4*d^3*e*f - 16*b^4*c*d*e^3*g + 40*a*b^2*c^2*e^4*f - 64*a^2*b*c^
2*e^4*g + 192*a*c^4*d^2*e^2*f + 640*a^2*c^3*d*e^3*g - 32*b^3*c^2*d*e^3*f +
224*b^2*c^3*d^3*e*g + 336*b^2*c^3*d^2*e^2*f - 48*b^3*c^2*d^2*e^2*g - 384*
a*b*c^3*d*e^3*f - 576*a*b*c^3*d^2*e^2*g + 160*a*b^2*c^2*d*e^3*g))/(15*c*(4
*a*c^2 - b^2*c)*(4*a*c - b^2))^2 - (4*b*e^2*(5*b^2*e^2*g + 12*c^2*d^2*g -
14*a*c*e^2*g - 2*b*c*e^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g))/(5*c*(4*a*c^2 - b
^2*c)*(4*a*c - b^2)) - (a*((b*((16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4
*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c
- b^2))))/c - (8*e^2*(5*b^2*e^2*g + 12*c^2*d^2*g - 14*a*c*e^2*g - 2*b*c*e
^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (
8*b*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) ...
```

Reduce [F]

$$\int \frac{(d + ex)^4(f + gx)}{(a + bx + cx^2)^{7/2}} dx = \int \frac{(ex + d)^4(gx + f)}{(cx^2 + bx + a)^{7/2}} dx$$

input

```
int((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x)
```

output

```
int((e*x+d)^4*(g*x+f)/(c*x^2+b*x+a)^(7/2),x)
```

3.37
$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2 e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4 g x^5}{(a + bx + cx^2)^{7/2}} dx =$$

Optimal result	311
Mathematica [B] (verified)	312
Rubi [B] (verified)	313
Maple [B] (verified)	316
Fricas [B] (verification not implemented)	317
Sympy [F(-1)]	318
Maxima [F(-2)]	319
Giac [B] (verification not implemented)	319
Mupad [B] (verification not implemented)	320
Reduce [F]	321

Optimal result

Integrand size = 93, antiderivative size = 214

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2 e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4 g x^5}{(a + bx + cx^2)^{7/2}} dx =$$

$$-\frac{2(d + ex)^4(bf - 2ag + (2cf - bg)x)}{5(b^2 - 4ac)(a + bx + cx^2)^{5/2}}$$

$$+ \frac{16(2cdf - bef - bdg + 2aeg)(d + ex)^2(bd - 2ae + (2cd - be)x)}{15(b^2 - 4ac)^2(a + bx + cx^2)^{3/2}}$$

$$- \frac{128(cd^2 - bde + ae^2)(2cdf - bef - bdg + 2aeg)(bd - 2ae + (2cd - be)x)}{15(b^2 - 4ac)^3 \sqrt{a + bx + cx^2}}$$

output

```
-2/5*(e*x+d)^4*(b*f-2*a*g+(-b*g+2*c*f)*x)/(-4*a*c+b^2)/(c*x^2+b*x+a)^(5/2)
+16/15*(2*a*e*g-b*d*g-b*e*f+2*c*d*f)*(e*x+d)^2*(b*d-2*a*e+(-b*e+2*c*d)*x)/
(-4*a*c+b^2)^2/(c*x^2+b*x+a)^(3/2)-128/15*(a*e^2-b*d*e+c*d^2)*(2*a*e*g-b*d
*g-b*e*f+2*c*d*f)*(b*d-2*a*e+(-b*e+2*c*d)*x)/(-4*a*c+b^2)^3/(c*x^2+b*x+a)^(
1/2)
```


Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1051 vs. $2(214) = 428$.

Time = 0.44 (sec) , antiderivative size = 1051, normalized size of antiderivative = 4.91

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \frac{2(b^5(9$$

input `Integrate[(d^4*f + d^3*(4*e*f + d*g)*x + 2*d^2*e*(3*e*f + 2*d*g)*x^2 + 2*d*e^2*(2*e*f + 3*d*g)*x^3 + e^3*(e*f + 4*d*g)*x^4 + e^4*g*x^5)/(a + b*x + c*x^2)^(7/2), x]`

output `(2*(b^5*(90*d^2*e^2*x^2*(-f + g*x) + 20*d*e^3*x^3*(3*f + g*x) - 20*d^3*e*x*(f + 3*g*x) + e^4*x^4*(5*f + 3*g*x) - d^4*(3*f + 5*g*x)) + 32*(8*a^5*e^4*g - 8*c^5*d^4*f*x^5 - 4*a*c^4*d^2*x^3*(5*d^2*f + 3*e^2*f*x^2 + 2*d*e*g*x^2) + 4*a^4*c*e^2*(2*d*e*f + 3*d^2*g + 5*e^2*g*x^2) - a^2*c^3*x*(15*d^4*f + 30*d^2*e^2*f*x^2 + 20*d^3*e*g*x^2 + 3*e^4*f*x^4 + 12*d*e^3*g*x^4) + a^3*c^2*(12*d^3*e*f + 3*d^4*g + 20*d*e^3*f*x^2 + 30*d^2*e^2*g*x^2 + 15*e^4*g*x^4)) + 16*b^2*(2*c^3*d^2*x^3*(-9*e^2*f*x^2 + 2*d*e*x*(20*f - 3*g*x) - 5*d^2*(3*f - 2*g*x)) - 3*a*c^2*x*(e^4*f*x^4 + 5*d^4*(f - 2*g*x) + 30*d^2*e^2*x^2*(f - g*x) + 4*d*e^3*x^3*(-5*f + g*x) + 20*d^3*e*x*(-2*f + g*x)) + 3*a^2*c*(d^4*g + 4*d^3*e*(f - 5*g*x) + 20*d*e^3*x^2*(f - 2*g*x) + 5*e^4*x^3*(-2*f + g*x) + 30*d^2*e^2*x*(-f + g*x)) + 2*a^3*e^2*(9*d^2*g + d*e*(6*f - 40*g*x) + 5*e^2*x*(-2*f + 3*g*x))) - 8*b^3*(2*a^2*e*(2*d^3*g + 3*d^2*e*(f - 15*g*x) - 30*d*e^2*x*(f - 2*g*x) - 5*e^3*x^2*(-3*f + g*x)) - 2*c^2*d*x^2*(2*e^3*f*x^3 - 5*d^3*(f - 3*g*x) + 3*d*e^2*x^2*(-15*f + g*x) - 30*d^2*e*x*(-2*f + g*x)) - 5*a*c*(d - e*x)^2*(14*d*e*x*(f - g*x) - e^2*x^2*(3*f + g*x) + d^2*(f + 3*g*x))) - 16*b*(15*a^2*c^2*(d - e*x)^4*(f - g*x) - 8*c^4*d^3*x^4*(-5*d*f + 4*e*f*x + d*g*x) + 8*a^4*e^3*(4*d*g + e*(f - 5*g*x)) + 4*a^3*c*e*(6*d^3*g + 3*d^2*e*(3*f - 5*g*x) + 5*e^3*x^2*(f - 3*g*x) - 10*d*e^2*x*(f - 2*g*x)) - 4*a*c^3*d*x^2*(6*e^3*f*x^3 - 10*d^2*e*x*(-2*f + g*x) + 3*d*e^2*x^2*(-5*f + 3*g*x) + d^3*(-15*f + 5*g*x))) - 2*b^4*(-(c*x*(e^4*f*x^4 ...`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1185 vs. 2(214) = 428.

Time = 2.62 (sec) , antiderivative size = 1185, normalized size of antiderivative = 5.54, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.054$, Rules used = {2191, 27, 2191, 27, 1158}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{d^4 f + d^3 x(dg + 4ef) + 2d^2 ex^2(2dg + 3ef) + e^3 x^4(4dg + ef) + 2de^2 x^3(3dg + 2ef) + e^4 gx^5}{(a + bx + cx^2)^{7/2}} dx$$

↓ 2191

$$\frac{2(-x(2c^3e(a^2e^2(4dg + ef) + 3abde(3dg + 2ef) + b^2d^2(2dg + 3ef)) - bc^2e^2(5a^2e^2g + 4abe(4dg + ef) + 2b^2d(3$$

$$2 \int \frac{5(4a - \frac{b^2}{c})gx^3e^4 + \frac{5(b^2 - 4ac)(beg - c(ef + 4dg))x^2e^3}{c^2} - \frac{5(b^2 - 4ac)(2d(2ef + 3dg)c^2 - e(bef + 4bdg + aeg)c + b^2e^2g)xe^2}{c^3} + \frac{-3e^4gb^5 + ce^3(10aeg + 3b(ef + 4dg))}{5(b^2 - 4c}}$$

↓ 27

$$\frac{2(-x(2c^3e(a^2e^2(4dg + ef) + 3abde(3dg + 2ef) + b^2d^2(2dg + 3ef)) - bc^2e^2(5a^2e^2g + 4abe(4dg + ef) + 2b^2d(3$$

$$\int \frac{-\frac{3e^4gb^5}{c^4} + \frac{e^3(10aeg + 3b(ef + 4dg))b^3}{c^3} - \frac{e^2(6bd(2ef + 3dg) + 7ae(ef + 4dg))b^2}{c^2} + 5(4a - \frac{b^2}{c})e^4gx^3 + \frac{5(b^2 - 4ac)e^3(beg - c(ef + 4dg))x^2}{c^2} + 16cd^4f - 8d^2(bd(4ef + 4dg) + 2c^2d^3)}{5(b^2 - 4c}}$$

↓ 2191

$$\frac{2(ab^4ge^4 - ab^3c(ef + 4dg)e^3 - 2ab^2c(2ae^2g - cd(2ef + 3dg))e^2 + 2ac^2(a^2ge^4 - 2acd(2ef + 3dg)e^2 + c^2d^3(4ef + 4dg) + 2c^2d^3))}{5(b^2 - 4c}}$$

$$\frac{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3))}{5(b^2 - 4c}}$$

↓ 27

$$\frac{2(ab^4ge^4 - ab^3c(ef + 4dg)e^3 - 2ab^2c(2ae^2g - cd(2ef + 3dg))e^2 + 2ac^2(a^2ge^4 - 2acd(2ef + 3dg)e^2 + c^2d^3(4ef + 3d^2g))e}{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}$$

$$\frac{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}$$

↓ 1158

$$\frac{2(ab^4ge^4 - ab^3c(ef + 4dg)e^3 - 2ab^2c(2ae^2g - cd(2ef + 3dg))e^2 + 2ac^2(a^2ge^4 - 2acd(2ef + 3dg)e^2 + c^2d^3(4ef + 3d^2g))e}{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}$$

$$\frac{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}{2(3e^4gb^6 - 3ce^3(ef + 4dg)b^5 - 6ce^2(5ae^2g - cd(2ef + 3dg))b^4 - 2c^2e(3cd^2(3ef + 2dg) - 11ae^2(ef + 4dg))b^3 + 4c^2(25a^2ge^4 - 7acd(2ef + 3dg)e^2 + 2c^2d^3(4ef + 3d^2g))e}$$

input

```
Int[(d^4*f + d^3*(4*e*f + d*g)*x + 2*d^2*e*(3*e*f + 2*d*g)*x^2 + 2*d*e^2*(2*e*f + 3*d*g)*x^3 + e^3*(e*f + 4*d*g)*x^4 + e^4*g*x^5)/(a + b*x + c*x^2)^(7/2),x]
```

output

```
(2*(a*b^4*e^4*g - a*b^3*c*e^3*(e*f + 4*d*g) - 2*a*b^2*c*e^2*(2*a*e^2*g - c
*d*(2*e*f + 3*d*g)) + 2*a*c^2*(a^2*e^4*g + c^2*d^3*(4*e*f + d*g) - 2*a*c*d
*e^2*(2*e*f + 3*d*g)) - b*c^2*(c^2*d^4*f + 2*a*c*d^2*e*(3*e*f + 2*d*g) - 3
*a^2*e^3*(e*f + 4*d*g)) - (2*c^5*d^4*f - b^5*e^4*g + b^3*c*e^3*(b*e*f + 4*
b*d*g + 5*a*e*g) - c^4*d^2*(b*d*(4*e*f + d*g) + 4*a*e*(3*e*f + 2*d*g)) - b
*c^2*e^2*(5*a^2*e^2*g + 2*b^2*d*(2*e*f + 3*d*g) + 4*a*b*e*(e*f + 4*d*g)) +
2*c^3*e*(b^2*d^2*(3*e*f + 2*d*g) + 3*a*b*d*e*(2*e*f + 3*d*g) + a^2*e^2*(e
*f + 4*d*g)))*x)/(5*c^4*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(5/2)) - ((2*(3*b
^6*e^4*g - 3*b^5*c*e^3*(e*f + 4*d*g) - 80*a^2*c^3*e^2*(a*e^2*g - c*d*(2*e*
f + 3*d*g)) - 6*b^4*c*e^2*(5*a*e^2*g - c*d*(2*e*f + 3*d*g)) + 4*b^2*c^2*(2
5*a^2*e^4*g + 2*c^2*d^3*(4*e*f + d*g) - 7*a*c*d*e^2*(2*e*f + 3*d*g)) - 2*b
^3*c^2*e*(3*c*d^2*(3*e*f + 2*d*g) - 11*a*e^2*(e*f + 4*d*g)) - 8*b*c^3*(2*c
^2*d^4*f + a*c*d^2*e*(3*e*f + 2*d*g) + 7*a^2*e^3*(e*f + 4*d*g)) - c*(32*c^
5*d^4*f + 9*b^5*e^4*g - 2*b^3*c*e^3*(2*b*e*f + 8*b*d*g + 35*a*e*g) - 16*c^
4*d^2*(b*d*(4*e*f + d*g) - a*e*(3*e*f + 2*d*g)) + 2*b*c^2*e^2*(60*a^2*e^2*
g - b^2*d*(2*e*f + 3*d*g) + 18*a*b*e*(e*f + 4*d*g)) + 12*c^3*e*(b^2*d^2*(3
*e*f + 2*d*g) - 2*a*b*d*e*(2*e*f + 3*d*g) - 4*a^2*e^2*(e*f + 4*d*g)))*x)/
(3*c^4*(b^2 - 4*a*c)*(a + b*x + c*x^2)^(3/2)) - (2*(30*a*(b^2 - 4*a*c)^2*e
^4*g - b*(128*c^4*d^4*f + (6*b^5*e^4*g)/c - b^3*e^3*(b*e*f + 4*b*d*g + 40*
a*e*g) - 64*c^3*d^2*(b*d*(4*e*f + d*g) - a*e*(3*e*f + 2*d*g)) - 8*b^2*c...
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(F_x_), x_Symbol] :> Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !Ma
tchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]
```

rule 1158

```
Int[((d_.) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(3/2), x_Symbo
l] :> Simp[-2*((b*d - 2*a*e + (2*c*d - b*e)*x)/((b^2 - 4*a*c)*Sqrt[a + b*x
+ c*x^2])), x] /; FreeQ[{a, b, c, d, e}, x]
```

rule 2191

```

Int[(Pq_)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] :> With[{Q =
PolynomialQuotient[Pq, a + b*x + c*x^2, x], f = Coeff[PolynomialRemainder[P
q, a + b*x + c*x^2, x], x, 0], g = Coeff[PolynomialRemainder[Pq, a + b*x +
c*x^2, x], x, 1]}, Simp[(b*f - 2*a*g + (2*c*f - b*g)*x)*((a + b*x + c*x^2)^(
p + 1)/((p + 1)*(b^2 - 4*a*c))), x] + Simp[1/((p + 1)*(b^2 - 4*a*c)) Int
[(a + b*x + c*x^2)^(p + 1)*ExpandToSum[(p + 1)*(b^2 - 4*a*c)*Q - (2*p + 3)*
(2*c*f - b*g), x], x], x]] /; FreeQ[{a, b, c}, x] && PolyQ[Pq, x] && NeQ[b^
2 - 4*a*c, 0] && LtQ[p, -1]

```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1891 vs. $2(202) = 404$.

Time = 2.05 (sec) , antiderivative size = 1892, normalized size of antiderivative = 8.84

method	result	size
trager	Expression too large to display	1892
gosper	Expression too large to display	1914
orering	Expression too large to display	2006
default	Expression too large to display	3082

input

```

int((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*g+2*e*
f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x,method=_RETURN
VERBOSE)

```

output

```

-2/15*(240*a^2*b*c^2*e^4*g*x^5-384*a^2*c^3*d*e^3*g*x^5-96*a^2*c^3*e^4*f*x^
5-40*a*b^3*c*e^4*g*x^5-192*a*b^2*c^2*d*e^3*g*x^5-48*a*b^2*c^2*e^4*f*x^5+57
6*a*b*c^3*d^2*e^2*g*x^5+384*a*b*c^3*d*e^3*f*x^5-256*a*c^4*d^3*e*g*x^5-384*
a*c^4*d^2*e^2*f*x^5+3*b^5*e^4*g*x^5+8*b^4*c*d*e^3*g*x^5+2*b^4*c*e^4*f*x^5+
48*b^3*c^2*d^2*e^2*g*x^5+32*b^3*c^2*d*e^3*f*x^5-192*b^2*c^3*d^3*e*g*x^5-28
8*b^2*c^3*d^2*e^2*f*x^5+128*b*c^4*d^4*g*x^5+512*b*c^4*d^3*e*f*x^5-256*c^5*
d^4*f*x^5+480*a^3*c^2*e^4*g*x^4+240*a^2*b^2*c*e^4*g*x^4-960*a^2*b*c^2*d*e^
3*g*x^4-240*a^2*b*c^2*e^4*f*x^4-10*a*b^4*e^4*g*x^4-480*a*b^3*c*d*e^3*g*x^4
-120*a*b^3*c*e^4*f*x^4+1440*a*b^2*c^2*d^2*e^2*g*x^4+960*a*b^2*c^2*d*e^3*f*
x^4-640*a*b*c^3*d^3*e*g*x^4-960*a*b*c^3*d^2*e^2*f*x^4+20*b^5*d*e^3*g*x^4+5
*b^5*e^4*f*x^4+120*b^4*c*d^2*e^2*g*x^4+80*b^4*c*d*e^3*f*x^4-480*b^3*c^2*d^
3*e*g*x^4-720*b^3*c^2*d^2*e^2*f*x^4+320*b^2*c^3*d^4*g*x^4+1280*b^2*c^3*d^3
*e*f*x^4-640*b*c^4*d^4*f*x^4+960*a^3*b*c*e^4*g*x^3+80*a^2*b^3*e^4*g*x^3-19
20*a^2*b^2*c*d*e^3*g*x^3-480*a^2*b^2*c*e^4*f*x^3+1440*a^2*b*c^2*d^2*e^2*g*
x^3+960*a^2*b*c^2*d*e^3*f*x^3-640*a^2*c^3*d^3*e*g*x^3-960*a^2*c^3*d^2*e^2*
f*x^3-160*a*b^4*d*e^3*g*x^3-40*a*b^4*e^4*f*x^3+1200*a*b^3*c*d^2*e^2*g*x^3+
800*a*b^3*c*d*e^3*f*x^3-960*a*b^2*c^2*d^3*e*g*x^3-1440*a*b^2*c^2*d^2*e^2*f
*x^3+320*a*b*c^3*d^4*g*x^3+1280*a*b*c^3*d^3*e*f*x^3-640*a*c^4*d^4*f*x^3+90
*b^5*d^2*e^2*g*x^3+60*b^5*d*e^3*f*x^3-360*b^4*c*d^3*e*g*x^3-540*b^4*c*d^2*
e^2*f*x^3+240*b^3*c^2*d^4*g*x^3+960*b^3*c^2*d^3*e*f*x^3-480*b^2*c^3*d^4...

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1676 vs. $2(202) = 404$.

Time = 34.99 (sec) , antiderivative size = 1676, normalized size of antiderivative = 7.83

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2 e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4 gx^5}{(a + bx + cx^2)^{7/2}} dx = \text{Too la}$$

input

```

integrate((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*
g+2*e*f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x, algorit
hm="fricas")

```

output

```

-2/15*((2*(128*c^5*d^4 - 256*b*c^4*d^3*e + 48*(3*b^2*c^3 + 4*a*c^4)*d^2*e^
2 - 16*(b^3*c^2 + 12*a*b*c^3)*d*e^3 - (b^4*c - 24*a*b^2*c^2 - 48*a^2*c^3)*
e^4)*f - (128*b*c^4*d^4 - 64*(3*b^2*c^3 + 4*a*c^4)*d^3*e + 48*(b^3*c^2 + 1
2*a*b*c^3)*d^2*e^2 + 8*(b^4*c - 24*a*b^2*c^2 - 48*a^2*c^3)*d*e^3 + (3*b^5
- 40*a*b^3*c + 240*a^2*b*c^2)*e^4)*g)*x^5 + 5*((128*b*c^4*d^4 - 256*b^2*c^
3*d^3*e + 48*(3*b^3*c^2 + 4*a*b*c^3)*d^2*e^2 - 16*(b^4*c + 12*a*b^2*c^2)*d
*e^3 - (b^5 - 24*a*b^3*c - 48*a^2*b*c^2)*e^4)*f - 2*(32*b^2*c^3*d^4 - 16*(
3*b^3*c^2 + 4*a*b*c^3)*d^3*e + 12*(b^4*c + 12*a*b^2*c^2)*d^2*e^2 + 2*(b^5
- 24*a*b^3*c - 48*a^2*b*c^2)*d*e^3 - (a*b^4 - 24*a^2*b^2*c - 48*a^3*c^2)*e
^4)*g)*x^4 + 10*(2*(8*(3*b^2*c^3 + 4*a*c^4)*d^4 - 16*(3*b^3*c^2 + 4*a*b*c^
3)*d^3*e + 3*(9*b^4*c + 24*a*b^2*c^2 + 16*a^2*c^3)*d^2*e^2 - (3*b^5 + 40*a
*b^3*c + 48*a^2*b*c^2)*d*e^3 + 2*(a*b^4 + 12*a^2*b^2*c)*e^4)*f - (8*(3*b^3
*c^2 + 4*a*b*c^3)*d^4 - 4*(9*b^4*c + 24*a*b^2*c^2 + 16*a^2*c^3)*d^3*e + 3*
(3*b^5 + 40*a*b^3*c + 48*a^2*b*c^2)*d^2*e^2 - 16*(a*b^4 + 12*a^2*b^2*c)*d*
e^3 + 8*(a^2*b^3 + 12*a^3*b*c)*e^4)*g)*x^3 + 10*((8*(b^3*c^2 + 12*a*b*c^3)
*d^4 - 16*(b^4*c + 12*a*b^2*c^2)*d^3*e + 3*(3*b^5 + 40*a*b^3*c + 48*a^2*b*
c^2)*d^2*e^2 - 4*(9*a*b^4 + 24*a^2*b^2*c + 16*a^3*c^2)*d*e^3 + 8*(3*a^2*b^
3 + 4*a^3*b*c)*e^4)*f - 2*(2*(b^4*c + 12*a*b^2*c^2)*d^4 - (3*b^5 + 40*a*b^
3*c + 48*a^2*b*c^2)*d^3*e + 3*(9*a*b^4 + 24*a^2*b^2*c + 16*a^3*c^2)*d^2*e^
2 - 16*(3*a^2*b^3 + 4*a^3*b*c)*d*e^3 + 8*(3*a^3*b^2 + 4*a^4*c)*e^4)*g)*...

```

Sympy [F(-1)]

Timed out.

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \text{Timed out}$$

input

```

integrate(((d**4*f+d**3*(d*g+4*e*f)*x+2*d**2*e*(2*d*g+3*e*f)*x**2+2*d*e**2*
(3*d*g+2*e*f)*x**3+e**3*(4*d*g+e*f)*x**4+e**4*g*x**5)/(c*x**2+b*x+a)**(7/2
),x)

```

output

Timed out

Maxima [F(-2)]

Exception generated.

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \text{Excep}$$

input

```
integrate((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*
g+2*e*f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x, algorit
hm="maxima")
```

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*a*c-b^2>0)', see `assume?` for
more deta
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1816 vs. 2(202) = 404.

Time = 0.35 (sec) , antiderivative size = 1816, normalized size of antiderivative = 8.49

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \text{Too la}$$

input

```
integrate((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*
g+2*e*f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x, algorit
hm="giac")
```


output

```

-2/15*(((256*c^5*d^4*f - 512*b*c^4*d^3*e*f + 288*b^2*c^3*d^2*e^2*f + 38
4*a*c^4*d^2*e^2*f - 32*b^3*c^2*d*e^3*f - 384*a*b*c^3*d*e^3*f - 2*b^4*c*e^4
*f + 48*a*b^2*c^2*e^4*f + 96*a^2*c^3*e^4*f - 128*b*c^4*d^4*g + 192*b^2*c^3
*d^3*e*g + 256*a*c^4*d^3*e*g - 48*b^3*c^2*d^2*e^2*g - 576*a*b*c^3*d^2*e^2*
g - 8*b^4*c*d*e^3*g + 192*a*b^2*c^2*d*e^3*g + 384*a^2*c^3*d*e^3*g - 3*b^5*
e^4*g + 40*a*b^3*c*e^4*g - 240*a^2*b*c^2*e^4*g)*x/(b^6 - 12*a*b^4*c + 48*a
^2*b^2*c^2 - 64*a^3*c^3) + 5*(128*b*c^4*d^4*f - 256*b^2*c^3*d^3*e*f + 144*
b^3*c^2*d^2*e^2*f + 192*a*b*c^3*d^2*e^2*f - 16*b^4*c*d*e^3*f - 192*a*b^2*c
^2*d*e^3*f - b^5*e^4*f + 24*a*b^3*c*e^4*f + 48*a^2*b*c^2*e^4*f - 64*b^2*c^
3*d^4*g + 96*b^3*c^2*d^3*e*g + 128*a*b*c^3*d^3*e*g - 24*b^4*c*d^2*e^2*g -
288*a*b^2*c^2*d^2*e^2*g - 4*b^5*d*e^3*g + 96*a*b^3*c*d*e^3*g + 192*a^2*b*c
^2*d*e^3*g + 2*a*b^4*e^4*g - 48*a^2*b^2*c*e^4*g - 96*a^3*c^2*e^4*g)/(b^6 -
12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3*c^3))*x + 10*(48*b^2*c^3*d^4*f + 64*
a*c^4*d^4*f - 96*b^3*c^2*d^3*e*f - 128*a*b*c^3*d^3*e*f + 54*b^4*c*d^2*e^2*
f + 144*a*b^2*c^2*d^2*e^2*f + 96*a^2*c^3*d^2*e^2*f - 6*b^5*d*e^3*f - 80*a*
b^3*c*d*e^3*f - 96*a^2*b*c^2*d*e^3*f + 4*a*b^4*e^4*f + 48*a^2*b^2*c*e^4*f
- 24*b^3*c^2*d^4*g - 32*a*b*c^3*d^4*g + 36*b^4*c*d^3*e*g + 96*a*b^2*c^2*d^
3*e*g + 64*a^2*c^3*d^3*e*g - 9*b^5*d^2*e^2*g - 120*a*b^3*c*d^2*e^2*g - 144
*a^2*b*c^2*d^2*e^2*g + 16*a*b^4*d*e^3*g + 192*a^2*b^2*c*d*e^3*g - 8*a^2*b^
3*e^4*g - 96*a^3*b*c*e^4*g)/(b^6 - 12*a*b^4*c + 48*a^2*b^2*c^2 - 64*a^3...

```

Mupad [B] (verification not implemented)

Time = 19.84 (sec) , antiderivative size = 7970, normalized size of antiderivative = 37.24

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \text{Too large}$$

input

```

int((d^4*f + d^3*x*(d*g + 4*e*f) + e^4*g*x^5 + e^3*x^4*(4*d*g + e*f) + 2*d
^2*e*x^2*(2*d*g + 3*e*f) + 2*d*e^2*x^3*(3*d*g + 2*e*f))/(a + b*x + c*x^2)^
(7/2),x)

```

output

```
(x*((a*((16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c - (b*((b*((16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c - (8*e^2*(5*b^2*e^2*g + 12*c^2*d^2*g - 14*a*c*e^2*g - 2*b*c*e^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) + (16*a*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c + (2*(256*c^5*d^4*f + 16*b^5*e^4*g + 160*a^2*c^3*e^4*f - 128*b*c^4*d^4*g - 4*b^4*c*e^4*f - 80*a*b^3*c*e^4*g + 128*a*c^4*d^3*e*g - 512*b*c^4*d^3*e*f - 16*b^4*c*d*e^3*g + 40*a*b^2*c^2*e^4*f - 64*a^2*b*c^2*e^4*g + 192*a*c^4*d^2*e^2*f + 640*a^2*c^3*d*e^3*g - 32*b^3*c^2*d*e^3*f + 224*b^2*c^3*d^3*e*g + 336*b^2*c^3*d^2*e^2*f - 48*b^3*c^2*d^2*e^2*g - 384*a*b*c^3*d*e^3*f - 576*a*b*c^3*d^2*e^2*g + 160*a*b^2*c^2*d*e^3*g))/(15*c*(4*a*c^2 - b^2*c)*(4*a*c - b^2)^2) - (4*b*e^2*(5*b^2*e^2*g + 12*c^2*d^2*g - 14*a*c*e^2*g - 2*b*c*e^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g))/(5*c*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (a*((b*((16*c*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*c*e^4*g)/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2))))/c - (8*e^2*(5*b^2*e^2*g + 12*c^2*d^2*g - 14*a*c*e^2*g - 2*b*c*e^2*f + 8*c^2*d*e*f - 8*b*c*d*e*g))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) - (8*b*e^3*(4*c*d*g - b*e*g + c*e*f))/(5*(4*a*c^2 - b^2*c)*(4*a*c - b^2)) ...
```

Reduce [F]

$$\int \frac{d^4 f + d^3(4ef + dg)x + 2d^2e(3ef + 2dg)x^2 + 2de^2(2ef + 3dg)x^3 + e^3(ef + 4dg)x^4 + e^4gx^5}{(a + bx + cx^2)^{7/2}} dx = \int \frac{d^4 f}{(a + bx + cx^2)^{7/2}}$$

input

```
int((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*g+2*e*f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x)
```

output

```
int((d^4*f+d^3*(d*g+4*e*f)*x+2*d^2*e*(2*d*g+3*e*f)*x^2+2*d*e^2*(3*d*g+2*e*f)*x^3+e^3*(4*d*g+e*f)*x^4+e^4*g*x^5)/(c*x^2+b*x+a)^(7/2),x)
```

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	322
4.2	Links to plain text integration problems used in this report for each CAS .	340

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
      Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
      If [Head [expn] === RootSum,
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
        If [Head [expn] === Integrate || Head [expn] === Int,
          Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
          9]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```



```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                convert(leaf_count_result,string)," $ vs. $2(",
                convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
            convert(ExpnType_result,string)," vs. order ",
            convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```



```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file