Computer Algebra
Independent Integration Tests

Summer 2024

3-Logarithms/173-3.5

Nasser M. Abbasi

May 17, 2024 Compiled on May 17, 2024 at 9:15pm

Contents

1 Introduction **13**

1.1 Listing of CAS systems tested 14
1.2 Results 15
1.3 Time and leaf size Performance 19
1.4 Performance based on number of rules Rubi used 21
1.5 Performance based on number of steps Rubi used 22
1.6 Solved integrals histogram based on leaf size of result 23
1.7 Solved integrals histogram based on CPU time used 24
1.8 Leaf size vs. CPU time used 25
1.9 list of integrals with no known antiderivative 26
1.10 List of integrals solved by CAS but has no known antiderivative 26
1.11 list of integrals solved by CAS but failed verification 26
1.12 Timing 27
1.13 Verification 27
1.14 Important notes about some of the results 28
1.15 Current tree layout of integration tests 31
1.16 Design of the test system 32

2 detailed summary tables of results **33**

2.1 List of integrals sorted by grade for each CAS 34
2.2 Detailed conclusion table per each integral for all CAS systems 40
2.3 Detailed conclusion table specific for Rubi results 106

3 Listing of integrals **115**

3.1 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 126
3.2 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 137
3.3 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 149
3.4 $\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 160
3.5 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ 168

3.6 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ 177
3.7 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ 185
3.8 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ 194
3.9 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ 205
3.10 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 216
3.11 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 228
3.12 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 239
3.13 $\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 252
3.14 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ 261
3.15 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ 273
3.16 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ 282
3.17 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ 293
3.18 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ 302
3.19 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$ 313
3.20 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 324
3.21 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 336
3.22 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 348
3.23 $\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 359
3.24 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ 369
3.25 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ 382
3.26 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ 392
3.27 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ 402
3.28 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ 415
3.29 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$ 424
3.30 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx$ 434

3.31 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ 445
3.32 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ 455
3.33 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ 464
3.34 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx$ 473
3.35 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx$ 481
3.36 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx$ 488
3.37 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx$ 498
3.38 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx$ 509
3.39 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ 520
3.40 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ 531
3.41 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ 541
3.42 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$ 550
3.43 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$ 557
3.44 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$ 566
3.45 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$ 577
3.46 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$ 588
3.47 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 599
3.48 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 610
3.49 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 620
3.50 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$ 629
3.51 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$ 637
3.52 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$ 648
3.53 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$ 658
3.54 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$ 669
3.55 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 681

3.56 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 695
3.57 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 707
3.58 $\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 719
3.59 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx} dx$ 728
3.60 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2} dx$ 739
3.61 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3} dx$ 748
3.62 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4} dx$ 759
3.63 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5} dx$ 771
3.64 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 783
3.65 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 802
3.66 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 821
3.67 $\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 836
3.68 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx} dx$ 849
3.69 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2} dx$ 864
3.70 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3} dx$ 873
3.71 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4} dx$ 886
3.72 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5} dx$ 896
3.73 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6} dx$ 908
3.74 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 919
3.75 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 943
3.76 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 965
3.77 $\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$ 987
3.78 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx} dx$ 1002
3.79 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2} dx$ 1026

3.80 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$ 1035
3.81 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$ 1045
3.82 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx$ 1055
3.83 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx$ 1066
3.84 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1078
3.85 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1088
3.86 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1097
3.87 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1105
3.88 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$ 1113
3.89 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$ 1121
3.90 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$ 1131
3.91 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$ 1142
3.92 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1154
3.93 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1163
3.94 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1172
3.95 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1179
3.96 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$ 1188
3.97 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$ 1199
3.98 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$ 1210
3.99 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$ 1222
3.100 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1234
3.101 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1244
3.102 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1253

3.103 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1264
3.104 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$ 1275
3.105 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$ 1287
3.106 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$ 1298
3.107 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$ 1310
3.108 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1322
3.109 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1332
3.110 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1343
3.111 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1353
3.112 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1360
3.113 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1368
3.114 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1375
3.115 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1382
3.116 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$ 1391
3.117 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1401
3.118 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1412
3.119 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1423
3.120 $\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1434
3.121 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1443
3.122 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1454
3.123 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1462
3.124 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1471
3.125 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$ 1479
3.126 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx$ 1489
3.127 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1499
3.128 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1510
3.129 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1521
3.130 $\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1531

3.131 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1541
3.132 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1553
3.133 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1561
3.134 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1569
3.135 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1581
3.136 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1589
3.137 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1598
3.138 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci+dix}\,dx$ 1606
3.139 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx$ 1613
3.140 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx$ 1619
3.141 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx$ 1627
3.142 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx$ 1636
3.143 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1647
3.144 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1656
3.145 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1664
3.146 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$ 1671
3.147 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$ 1678
3.148 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$ 1686
3.149 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$ 1695
3.150 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$ 1706
3.151 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1717
3.152 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1726
3.153 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1734
3.154 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$ 1741

3.155 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$ 1748
3.156 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$ 1757
3.157 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$ 1767
3.158 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$ 1777
3.159 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1789
3.160 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1802
3.161 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1816
3.162 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1828
3.163 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ 1837
3.164 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ 1848
3.165 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ 1858
3.166 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ 1868
3.167 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$ 1880
3.168 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1891
3.169 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1909
3.170 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1928
3.171 $\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1945
3.172 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ 1959
3.173 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ 1974
3.174 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ 1983
3.175 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ 1995
3.176 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$ 2005
3.177 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx$ 2016
3.178 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2027
3.179 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2050
3.180 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2071
3.181 $\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2093

3.182 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ 2109
3.183 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ 2133
3.184 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ 2142
3.185 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ 2151
3.186 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ 2165
3.187 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ 2175
3.188 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ 2184
3.189 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ 2192
3.190 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$ 2199
3.191 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$ 2206
3.192 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$ 2215
3.193 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$ 2226
3.194 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2237
3.195 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2246
3.196 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2255
3.197 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2262
3.198 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$ 2270
3.199 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$ 2280
3.200 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$ 2290
3.201 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$ 2301
3.202 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2312
3.203 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2321
3.204 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2330

3.205 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2340
3.206 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$ 2350
3.207 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$ 2362
3.208 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$ 2373
3.209 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$ 2384
3.210 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p\,dx$ 2395
3.211 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p\,dx$ 2401
3.212 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$ 2407
3.213 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2415
3.214 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 2424
3.215 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ 2431
3.216 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$ 2437
3.217 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$ 2444
3.218 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$ 2452
3.219 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2460
3.220 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 2468
3.221 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ 2475
3.222 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$ 2481
3.223 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$ 2488
3.224 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx$ 2497
3.225 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx$ 2502
3.226 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$. 2508
3.227 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$. 2514
3.228 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(a+bx)(c+dx)}\,dx$ 2520
3.229 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx$ 2527
3.230 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx$ 2534
3.231 $\int \frac{1}{(a+bx)(c+dx)(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))}\,dx$ 2540
3.232 $\int \frac{1}{(a+bx)(c+dx)(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^2}\,dx$ 2546

3.233 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}\,dx$ . . . 2552
3.234 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx$ . . . 2559
3.235 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx$ . . . 2565
3.236 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf+(bc+ad)fx+bdfx^2}\,dx$ . . . 2571
3.237 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2577
3.238 $\int \frac{1}{(af+bfx)(cg+dgx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2583
3.239 $\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2589
3.240 $\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log(e(a+bx)^n(c+dx)^{-n})}\,dx$ . . . 2595
3.241 $\int \frac{(a+bx)^3}{(c+dx)^5\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2601
3.242 $\int \frac{(a+bx)^2}{(c+dx)^4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2607
3.243 $\int \frac{a+bx}{(c+dx)^3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2613
3.244 $\int \frac{1}{(c+dx)^2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2619
3.245 $\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2624
3.246 $\int \frac{1}{(a+bx)^2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2630
3.247 $\int \frac{c+dx}{(a+bx)^3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2635
3.248 $\int \frac{(c+dx)^2}{(a+bx)^4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2641
3.249 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^4}{(f+gx)(ah+bhx)}\,dx$ . . . 2647
3.250 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx$ . . . 2655
3.251 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(f+gx)(ah+bhx)}\,dx$ . . . 2663
3.252 $\int \frac{A+B\log(e(a+bx)^n(c+dx)^{-n})}{(f+gx)(ah+bhx)}\,dx$ . . . 2671
3.253 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2679
3.254 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}\,dx$ . . . 2685
3.255 $\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx$ . . . 2692
3.256 $\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ . . . 2699
3.257 $\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ . . . 2706
3.258 $\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ . . . 2713
3.259 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx$ . . . 2720
3.260 $\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx$ . . . 2728

3.261 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx$ 2736

4 Appendix **2744**

4.1 Listing of Grading functions 2744

4.2 Links to plain text integration problems used in this report for each CAS 2762

CHAPTER 1

Introduction

1.1 Listing of CAS systems tested 14
1.2 Results 15
1.3 Time and leaf size Performance 19
1.4 Performance based on number of rules Rubi used 21
1.5 Performance based on number of steps Rubi used 22
1.6 Solved integrals histogram based on leaf size of result 23
1.7 Solved integrals histogram based on CPU time used 24
1.8 Leaf size vs. CPU time used 25
1.9 list of integrals with no known antiderivative 26
1.10 List of integrals solved by CAS but has no known antiderivative 26
1.11 list of integrals solved by CAS but failed verification 26
1.12 Timing 27
1.13 Verification 27
1.14 Important notes about some of the results 28
1.15 Current tree layout of integration tests 31
1.16 Design of the test system 32

This report gives the result of running the computer algebra independent integration test.The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [**261**]. This is test number [173].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or `Hypergeometric2F1` functions. `RootSum` and `RootOf` are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (261)	0.00 (0)
Mathematica	94.64 (247)	5.36 (14)
Maxima	68.20 (178)	31.80 (83)
Maple	60.92 (159)	39.08 (102)
Fricas	59.00 (154)	41.00 (107)
Reduce	50.19 (131)	49.81 (130)
Mupad	47.89 (125)	52.11 (136)
Giac	45.21 (118)	54.79 (143)
Sympy	20.69 (54)	79.31 (207)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.

Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	99.234	0.000	0.000	0.766
Mathematica	51.724	24.904	17.241	6.130
Giac	28.736	15.709	0.000	55.556
Fricas	24.904	33.333	0.000	41.762
Maple	21.456	37.931	0.766	39.847
Maxima	6.130	61.303	0.000	32.567
Mupad	0.000	47.126	0.000	52.874
Reduce	0.000	49.425	0.000	50.575
Sympy	0.000	20.690	0.000	79.310

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	14	100.00	0.00	0.00
Maxima	83	100.00	0.00	0.00
Maple	102	100.00	0.00	0.00
Fricas	107	100.00	0.00	0.00
Reduce	130	100.00	0.00	0.00
Mupad	136	0.00	100.00	0.00
Giac	143	82.52	16.08	1.40
Sympy	207	28.02	67.63	4.35

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.11
Reduce	0.22
Maxima	0.24
Rubi	0.72
Mathematica	1.37
Sympy	17.47
Maple	17.72
Giac	17.82
Mupad	28.79

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Rubi	283.10	0.90	229.00	0.88
Fricas	667.80	2.44	447.00	2.09
Maple	727.47	2.68	522.00	2.20
Mathematica	907.77	2.65	374.00	1.27
Giac	919.63	3.97	397.50	1.58
Mupad	1064.22	3.40	647.00	2.81
Sympy	1071.65	4.28	869.50	4.35
Reduce	1362.80	5.07	801.00	3.59
Maxima	2313.22	7.51	1433.50	4.95

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.



Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.



Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the precentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.



Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.



Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.



Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{253, 254}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {88, 96, 104, 190, 198, 206, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 249, 250, 251, 252, 259, 260, 261}

Mathematica {}

Maple {252, 261}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime'
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for `Rubi` and `Mathematica`.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See `https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/` for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at `https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/`

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:
  # 1.7 is a fudge factor since it is low side from actual leaf count
  leafCount = round(1.7*count_ops(anti))

  except Exception as ee:
        leafCount =1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine,'cos(x)*sin(x)')
the_variable = evalin(symengine,'x')
anti = int(integrand,the_variable)
```

Which gives `sin(x)^2/2`

1.15 Current tree layout of integration tests



Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be “A”, “B”, “C”, or “F”
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

*The following fields are present only in **Rubi** Table file*

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form “{n,n,..}” which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntx

Nasser M. Abbasi
January 13, 2024
Design.vsdx

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1 List of integrals sorted by grade for each CAS 34
2.2 Detailed conclusion table per each integral for all CAS systems 40
2.3 Detailed conclusion table specific for Rubi results 106

2.1 List of integrals sorted by grade for each CAS

Rubi 34
Mma 35
Maple 35
Fricas 36
Maxima 36
Giac 37
Mupad 38
Sympy 38
Reduce 39

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 15, 16, 19, 20, 21, 22, 23, 24, 25, 26, 27, 31, 32, 33, 34, 39, 40, 41, 42, 47, 48, 50, 55, 56, 58, 65, 66, 67, 75, 76, 77, 84, 85, 87, 88, 89, 90, 91, 96, 97, 98, 99, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 121, 122, 123, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 145, 146, 151, 152, 154, 159, 160, 162, 169, 170, 171, 179, 180, 181, 186, 187, 189, 190, 212, 213, 214, 218, 219, 220, 224, 225, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 241, 242, 243, 244, 245, 246, 247, 248 }

B grade { 7, 17, 18, 28, 29, 30, 49, 57, 59, 60, 64, 68, 69, 70, 74, 78, 79, 80, 86, 92, 93, 94, 100, 101, 114, 124, 125, 153, 161, 163, 164, 168, 172, 173, 174, 178, 182, 183, 184, 185, 188, 191, 192, 193, 194, 195, 196, 198, 199, 200, 201, 202, 203, 206, 207, 208, 209, 251, 252, 255, 256, 257, 258, 260, 261 }

C grade { 35, 36, 37, 38, 43, 44, 45, 46, 51, 52, 53, 54, 61, 62, 63, 71, 72, 73, 81, 82, 83, 95, 102, 103, 139, 140, 141, 142, 147, 148, 149, 150, 155, 156, 157, 158, 165, 166, 167, 175, 176, 177, 197, 204, 205 }

F normal fail { 210, 211, 215, 216, 217, 221, 222, 223, 226, 227, 240, 249, 250, 259 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 3, 4, 7, 8, 9, 11, 12, 13, 18, 19, 30, 34, 35, 36, 37, 38, 41, 42, 43, 44, 45, 46, 47, 48, 50, 51, 52, 53, 54, 95, 96, 103, 139, 140, 146, 147, 154, 197, 224, 225, 228, 229, 230, 231, 232, 233, 234, 235, 237, 238, 239, 245, 255, 256, 257, 258 }

B grade { 1, 2, 5, 6, 10, 14, 15, 16, 17, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 31, 32, 33, 39, 40, 49, 61, 62, 63, 71, 72, 73, 81, 82, 83, 87, 88, 89, 90, 91, 97, 98, 99, 102, 104, 105, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 118, 119, 120, 124, 125, 126, 127, 128, 129, 130, 141, 142, 148, 149, 150, 153, 155, 156, 157, 158, 165, 166, 167, 175, 176, 177, 190, 191, 192, 193, 198, 199, 200, 201, 204, 205, 206, 207, 208, 209, 213, 214, 219, 220 }

C grade { 252, 261 }

F normal fail { 55, 56, 57, 58, 59, 60, 64, 65, 66, 67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 84, 85, 86, 92, 93, 94, 100, 101, 112, 113, 121, 122, 123, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 145, 151, 152, 159, 160, 161, 162, 163, 164, 168, 169, 170, 171, 172, 173, 174, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 194, 195, 196, 202, 203, 210, 211, 212,

215, 216, 217, 218, 221, 222, 223, 226, 227, 236, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 259, 260 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 3, 4, 10, 11, 12, 22, 35, 36, 37, 38, 42, 43, 44, 45, 50, 51, 52, 89, 90, 91, 95, 96, 97, 98, 103, 104, 105, 139, 140, 141, 146, 147, 148, 154, 155, 197, 198, 215, 216, 220, 221, 222, 224, 225, 230, 231, 232, 234, 235, 236, 237, 238, 239, 241, 242, 243, 244, 245, 246, 247, 248, 255, 256, 257, 258 }

B grade { 1, 2, 7, 8, 9, 13, 17, 18, 19, 20, 21, 23, 28, 29, 30, 46, 49, 53, 54, 61, 62, 63, 71, 72, 73, 81, 82, 83, 88, 99, 102, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 118, 119, 120, 124, 125, 126, 127, 128, 129, 130, 142, 149, 150, 153, 156, 157, 158, 165, 166, 167, 175, 176, 177, 190, 191, 192, 193, 199, 200, 201, 204, 205, 206, 207, 208, 209, 212, 213, 214, 217, 218, 219, 223, 228, 229, 233 }

C grade { }

F normal fail { 5, 6, 14, 15, 16, 24, 25, 26, 27, 31, 32, 33, 34, 39, 40, 41, 47, 48, 55, 56, 57, 58, 59, 60, 64, 65, 66, 67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 84, 85, 86, 87, 92, 93, 94, 100, 101, 112, 113, 121, 122, 123, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 145, 151, 152, 159, 160, 161, 162, 163, 164, 168, 169, 170, 171, 172, 173, 174, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 194, 195, 196, 202, 203, 210, 211, 226, 227, 240, 249, 250, 251, 252, 259, 260, 261 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 4, 5, 14, 33, 42, 50, 111, 112, 146, 154, 231, 232, 237, 238, 239, 245 }

B grade { 1, 2, 3, 7, 8, 9, 10, 11, 12, 13, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 28, 29, 30, 31, 32, 35, 36, 37, 38, 39, 40, 43, 44, 45, 46, 47, 49, 51, 52, 53, 54, 55, 56, 57, 58, 61, 62, 63, 64, 65, 66, 67, 71, 72, 73, 74, 75, 76, 77, 81, 82, 83, 88, 89, 90, 91, 95, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 109, 110, 114, 115, 116, 117, 118, 119, 120, 121, 122, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 135, 136, 137, 139, 140, 141, 142, 143, 144, 147, 148, 149, 150, 151, 153, 155, 156, 157, 158, 159, 160, 161, 162, 165, 166, 167, 168, 169, 170, 171, 175,

176, 177, 178, 179, 180, 181, 190, 191, 192, 193, 197, 198, 199, 200, 201, 204, 205, 206, 207, 208, 209, 228, 229, 230, 233, 255, 256, 257, 258 }

C grade { }

F normal fail { 6, 16, 27, 34, 41, 48, 59, 60, 68, 69, 70, 78, 79, 80, 84, 85, 86, 87, 92, 93, 94, 100, 101, 113, 123, 134, 138, 145, 152, 163, 164, 172, 173, 174, 182, 183, 184, 185, 186, 187, 188, 189, 194, 195, 196, 202, 203, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 234, 235, 236, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 259, 260, 261 }

F(-1) timedout fail { }

F(-2) exception fail { }

Giac

A grade { 7, 8, 9, 17, 18, 19, 28, 29, 30, 37, 38, 42, 43, 44, 45, 46, 49, 50, 51, 61, 62, 63, 71, 72, 73, 81, 82, 83, 90, 91, 95, 96, 97, 98, 99, 102, 103, 104, 114, 115, 116, 124, 125, 126, 139, 141, 142, 146, 147, 148, 149, 150, 153, 154, 155, 165, 166, 167, 175, 176, 177, 197, 198, 204, 205, 206, 224, 225, 231, 234, 235, 236, 237, 238, 239 }

B grade { 1, 2, 3, 4, 10, 11, 12, 13, 20, 21, 22, 23, 31, 32, 33, 34, 35, 39, 40, 41, 88, 108, 109, 110, 111, 117, 118, 119, 120, 127, 128, 129, 130, 136, 137, 138, 145, 190, 232, 233, 245 }

C grade { }

F normal fail { 5, 6, 14, 15, 16, 24, 25, 26, 27, 36, 47, 48, 52, 53, 54, 55, 56, 57, 58, 59, 60, 64, 65, 66, 67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 84, 85, 86, 87, 89, 92, 93, 94, 100, 101, 105, 106, 107, 112, 113, 121, 122, 123, 131, 132, 133, 134, 140, 151, 152, 156, 157, 158, 161, 162, 163, 164, 171, 172, 173, 181, 182, 186, 187, 188, 189, 191, 195, 196, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 228, 229, 230, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261 }

F(-1) timedout fail { 135, 143, 144, 159, 160, 168, 169, 170, 174, 178, 179, 180, 183, 184, 185, 192, 193, 194, 199, 200, 201, 202, 203 }

F(-2) exception fail { 226, 227 }

Mupad

A grade { }

B grade { 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 17, 18, 19, 20, 21, 22, 23, 28, 29, 30, 35, 36, 37, 38, 42, 43, 44, 45, 46, 49, 50, 51, 52, 53, 54, 61, 62, 63, 71, 72, 73, 81, 82, 83, 88, 89, 90, 91, 95, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 118, 119, 120, 124, 125, 126, 127, 128, 129, 130, 139, 140, 141, 142, 146, 147, 148, 149, 150, 153, 154, 155, 156, 157, 158, 165, 166, 167, 175, 176, 177, 190, 191, 192, 193, 197, 198, 200, 201, 204, 205, 206, 207, 208, 209, 228, 229, 230, 231, 232, 233, 237, 238, 239, 245 }

C grade { }

F normal fail { }

F(-1) timedout fail { 5, 6, 14, 15, 16, 24, 25, 26, 27, 31, 32, 33, 34, 39, 40, 41, 47, 48, 55, 56, 57, 58, 59, 60, 64, 65, 66, 67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 84, 85, 86, 87, 92, 93, 94, 100, 101, 112, 113, 121, 122, 123, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 145, 151, 152, 159, 160, 161, 162, 163, 164, 168, 169, 170, 171, 172, 173, 174, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 194, 195, 196, 199, 202, 203, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 234, 235, 236, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261 }

F(-2) exception fail { }

Sympy

A grade { }

B grade { 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 17, 18, 19, 20, 21, 22, 23, 35, 36, 37, 38, 42, 43, 44, 45, 49, 50, 51, 52, 53, 61, 62, 63, 71, 72, 88, 89, 90, 91, 95, 96, 97, 98, 102, 103, 104, 105, 106, 110, 111, 120, 146, 245 }

C grade { }

F normal fail { 5, 14, 16, 24, 26, 27, 31, 32, 33, 34, 47, 48, 59, 68, 70, 78, 80, 84, 85, 86, 87, 100, 101, 112, 121, 123, 131, 133, 134, 135, 136, 137, 138, 139, 151, 152, 160, 161, 162, 163, 165, 166, 170, 171, 172, 174, 175, 181, 182, 186, 187, 188, 189, 190, 197, 203, 204, 205 }

F(-1) timedout fail { 6, 15, 25, 28, 29, 30, 39, 40, 41, 46, 54, 55, 56, 57, 58, 60, 64, 65, 66, 67, 69, 73, 74, 75, 76, 77, 79, 81, 82, 83, 92, 93, 94, 99, 107, 108, 109, 113, 114, 115, 116, 117, 118, 119, 122, 124, 125, 126, 127, 128, 129, 130, 132, 140, 141, 142, 143, 144, 145, 147, 148, 149, 150, 153, 154, 155, 156, 157, 158, 159, 164, 167, 168, 169, 173, 176, 177, 178, 179, 180, 183, 184, 185, 191, 192, 193, 194, 195, 196, 198, 199, 200, 201, 202, 206, 207, 208, 209, 210,

211, 217, 218, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261 }

F(-2) exception fail { 212, 213, 214, 215, 216, 219, 220, 221, 222 }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 17, 18, 19, 20, 21, 22, 23, 28, 29, 30, 35, 36, 37, 38, 42, 43, 44, 45, 46, 49, 50, 51, 52, 53, 54, 61, 62, 63, 71, 72, 73, 81, 82, 83, 88, 89, 90, 91, 95, 96, 97, 98, 99, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 114, 115, 116, 117, 118, 119, 120, 124, 125, 126, 127, 128, 129, 130, 139, 140, 141, 142, 146, 147, 148, 149, 150, 153, 154, 155, 156, 157, 158, 165, 166, 167, 175, 176, 177, 190, 191, 192, 193, 197, 198, 199, 200, 201, 204, 205, 206, 207, 208, 209, 224, 225, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 245 }

C grade { }

F normal fail { 5, 6, 14, 15, 16, 24, 25, 26, 27, 31, 32, 33, 34, 39, 40, 41, 47, 48, 55, 56, 57, 58, 59, 60, 64, 65, 66, 67, 68, 69, 70, 74, 75, 76, 77, 78, 79, 80, 84, 85, 86, 87, 92, 93, 94, 100, 101, 112, 113, 121, 122, 123, 131, 132, 133, 134, 135, 136, 137, 138, 143, 144, 145, 151, 152, 159, 160, 161, 162, 163, 164, 168, 169, 170, 171, 172, 173, 174, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 194, 195, 196, 202, 203, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 226, 227, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column `N.S.` means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name `Mathematica` was abbreviated to `MMA`.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	189	261	574	1022	504	1158	3637	757	1195
N.S.	1	0.89	1.23	2.71	4.82	2.38	5.46	17.16	3.57	5.64
time (sec)	N/A	0.435	0.260	1.483	0.065	0.133	3.785	0.309	0.238	27.203

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	165	217	396	671	370	850	2418	541	638
N.S.	1	0.92	1.21	2.20	3.73	2.06	4.72	13.43	3.01	3.54
time (sec)	N/A	0.410	0.181	1.260	0.052	0.101	2.504	0.283	0.204	26.501

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	137	181	206	361	226	498	1254	326	282
N.S.	1	0.98	1.29	1.47	2.58	1.61	3.56	8.96	2.33	2.01
time (sec)	N/A	0.369	0.272	1.116	0.042	0.089	1.513	0.236	0.244	26.197

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	77	70	108	144	127	253	627	181	126
N.S.	1	0.95	0.86	1.33	1.78	1.57	3.12	7.74	2.23	1.56
time (sec)	N/A	0.255	0.037	1.027	0.036	0.082	0.943	0.199	0.208	26.502

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	126	164	417	241	0	0	0	101	0
N.S.	1	0.95	1.23	3.14	1.81	0.00	0.00	0.00	0.76	0.00
time (sec)	N/A	0.673	0.140	2.937	0.100	0.000	0.000	0.000	0.205	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	134	175	370	0	0	0	0	449	0
N.S.	1	0.94	1.23	2.61	0.00	0.00	0.00	0.00	3.16	0.00
time (sec)	N/A	0.512	0.179	2.986	0.000	0.000	0.000	0.000	0.204	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	72	208	153	570	177	384	134	335	197
N.S.	1	0.85	2.45	1.80	6.71	2.08	4.52	1.58	3.94	2.32
time (sec)	N/A	0.287	0.187	1.353	0.054	0.082	2.298	0.216	0.200	27.159

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	136	187	279	933	363	629	270	894	361
N.S.	1	0.79	1.08	1.61	5.39	2.10	3.64	1.56	5.17	2.09
time (sec)	N/A	0.350	0.407	1.501	0.070	0.083	4.150	0.268	0.201	27.821

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	269	201	210	390	1386	602	928	426	954	590
N.S.	1	0.75	0.78	1.45	5.15	2.24	3.45	1.58	3.55	2.19
time (sec)	N/A	0.423	0.489	2.093	0.097	0.092	6.895	0.336	0.196	28.155

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	423	375	429	925	1789	724	1727	4746	1036	2473
N.S.	1	0.89	1.01	2.19	4.23	1.71	4.08	11.22	2.45	5.85
time (sec)	N/A	0.622	0.400	1.764	0.084	0.211	6.069	0.355	0.205	27.930

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	301	362	636	1200	534	1266	3144	754	1287
N.S.	1	0.89	1.07	1.89	3.56	1.58	3.76	9.33	2.24	3.82
time (sec)	N/A	0.539	0.281	1.520	0.072	0.132	3.484	0.317	0.209	27.254

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	227	216	396	671	367	850	1975	545	636
N.S.	1	0.95	0.90	1.66	2.81	1.54	3.56	8.26	2.28	2.66
time (sec)	N/A	0.421	0.209	1.286	0.053	0.141	2.299	0.281	0.205	26.626

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	105	97	206	280	223	491	1056	268	290
N.S.	1	0.89	0.82	1.75	2.37	1.89	4.16	8.95	2.27	2.46
time (sec)	N/A	0.289	0.043	1.184	0.041	0.089	1.344	0.237	0.195	26.442

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	276	307	252	698	518	0	0	0	191	0
N.S.	1	1.11	0.91	2.53	1.88	0.00	0.00	0.00	0.69	0.00
time (sec)	N/A	0.925	0.215	3.183	0.106	0.000	0.000	0.000	0.189	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	223	221	568	992	0	0	0	753	0
N.S.	1	0.90	0.89	2.30	4.02	0.00	0.00	0.00	3.05	0.00
time (sec)	N/A	0.523	0.259	3.061	0.112	0.000	0.000	0.000	0.207	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	230	203	244	522	0	0	0	0	1318	0
N.S.	1	0.88	1.06	2.27	0.00	0.00	0.00	0.00	5.73	0.00
time (sec)	N/A	0.762	0.349	3.106	0.000	0.000	0.000	0.000	0.219	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	74	315	185	1515	271	614	140	534	423
N.S.	1	0.83	3.54	2.08	17.02	3.04	6.90	1.57	6.00	4.75
time (sec)	N/A	0.312	0.371	1.645	0.099	0.093	9.795	0.279	0.188	28.258

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	138	454	319	2218	510	928	282	1274	647
N.S.	1	0.76	2.51	1.76	12.25	2.82	5.13	1.56	7.04	3.57
time (sec)	N/A	0.369	0.418	2.211	0.138	0.091	18.930	0.350	0.217	28.885

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	205	344	430	3029	807	1300	444	1323	941
N.S.	1	0.73	1.22	1.53	10.78	2.87	4.63	1.58	4.71	3.35
time (sec)	N/A	0.427	0.935	2.311	0.184	0.099	41.371	0.376	0.267	29.824

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	457	401	586	1194	2637	912	2161	5520	1347	4347
N.S.	1	0.88	1.28	2.61	5.77	2.00	4.73	12.08	2.95	9.51
time (sec)	N/A	0.661	0.681	2.127	0.102	0.312	9.198	0.429	0.255	29.202

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	371	327	429	925	1789	722	1727	4110	1040	2465
N.S.	1	0.88	1.16	2.49	4.82	1.95	4.65	11.08	2.80	6.64
time (sec)	N/A	0.562	0.378	1.679	0.083	0.194	5.844	0.364	0.252	28.411

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	253	261	568	1022	502	1158	2589	703	1192
N.S.	1	0.93	0.96	2.10	3.77	1.85	4.27	9.55	2.59	4.40
time (sec)	N/A	0.445	0.232	1.441	0.062	0.146	3.535	0.303	0.205	27.976

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	129	120	314	439	322	706	1506	477	566
N.S.	1	0.87	0.81	2.11	2.95	2.16	4.74	10.11	3.20	3.80
time (sec)	N/A	0.311	0.065	1.244	0.044	0.096	1.976	0.270	0.201	27.080

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	356	462	352	1086	850	0	0	0	295	0
N.S.	1	1.30	0.99	3.05	2.39	0.00	0.00	0.00	0.83	0.00
time (sec)	N/A	1.306	0.309	3.314	0.113	0.000	0.000	0.000	0.216	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	373	326	374	863	1501	0	0	0	1084	0
N.S.	1	0.87	1.00	2.31	4.02	0.00	0.00	0.00	2.91	0.00
time (sec)	N/A	0.609	0.436	3.302	0.117	0.000	0.000	0.000	0.233	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	345	293	314	732	2302	0	0	0	0	0
N.S.	1	0.85	0.91	2.12	6.67	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.587	0.438	3.217	0.166	0.000	0.000	0.000	0.236	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	310	270	308	685	0	0	0	0	0	0
N.S.	1	0.87	0.99	2.21	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.001	0.493	3.256	0.000	0.000	0.000	0.000	0.378	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	74	427	185	3107	355	0	140	727	780
N.S.	1	0.83	4.80	2.08	34.91	3.99	0.00	1.57	8.17	8.76
time (sec)	N/A	0.320	0.538	2.145	0.177	0.086	0.000	0.393	0.194	29.163

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	138	608	357	4218	644	0	282	1647	1053
N.S.	1	0.76	3.36	1.97	23.30	3.56	0.00	1.56	9.10	5.82
time (sec)	N/A	0.373	0.616	2.264	0.249	0.136	0.000	0.394	0.226	30.184

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	205	642	481	5524	991	0	444	1696	1396
N.S.	1	0.73	2.28	1.71	19.66	3.53	0.00	1.58	6.04	4.97
time (sec)	N/A	0.433	1.093	2.948	0.354	0.104	0.000	0.443	0.215	31.986

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	252	298	354	1105	790	0	0	3552	298	0
N.S.	1	1.18	1.40	4.38	3.13	0.00	0.00	14.10	1.18	0.00
time (sec)	N/A	0.726	0.332	3.352	0.115	0.000	0.000	66.588	0.230	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	225	254	657	477	0	0	2364	195	0
N.S.	1	1.14	1.28	3.32	2.41	0.00	0.00	11.94	0.98	0.00
time (sec)	N/A	0.577	0.208	3.199	0.099	0.000	0.000	55.507	0.215	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	125	145	162	332	221	0	0	1230	105	0
N.S.	1	1.16	1.30	2.66	1.77	0.00	0.00	9.84	0.84	0.00
time (sec)	N/A	0.426	0.127	2.961	0.099	0.000	0.000	43.187	0.203	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	81	95	146	0	0	0	617	45	0
N.S.	1	1.00	1.17	1.80	0.00	0.00	0.00	7.62	0.56	0.00
time (sec)	N/A	0.542	0.047	2.846	0.000	0.000	0.000	36.838	0.186	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	207	72	172	60	170	104	56	69
N.S.	1	1.00	4.70	1.64	3.91	1.36	3.86	2.36	1.27	1.57
time (sec)	N/A	0.302	0.135	1.389	0.040	0.074	0.303	0.133	0.192	27.498

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	173	127	292	230	424	144	386	0	297	241
N.S.	1	0.73	1.69	1.33	2.45	0.83	2.23	0.00	1.72	1.39
time (sec)	N/A	0.412	0.335	1.776	0.057	0.087	0.606	0.000	0.209	27.533

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	255	194	418	365	885	349	889	139	679	545
N.S.	1	0.76	1.64	1.43	3.47	1.37	3.49	0.55	2.66	2.14
time (sec)	N/A	0.471	0.426	1.990	0.091	0.087	2.615	41.449	0.204	28.843

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	373	262	492	500	1469	611	1392	270	1284	970
N.S.	1	0.70	1.32	1.34	3.94	1.64	3.73	0.72	3.44	2.60
time (sec)	N/A	0.536	0.732	2.427	0.147	0.093	7.732	53.522	0.219	31.784

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	304	359	846	1341	0	0	2814	1103	0
N.S.	1	0.89	1.05	2.48	3.93	0.00	0.00	8.25	3.23	0.00
time (sec)	N/A	0.647	0.482	3.293	0.115	0.000	0.000	69.450	0.232	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	F	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	260	227	239	532	886	0	0	1774	773	0
N.S.	1	0.87	0.92	2.05	3.41	0.00	0.00	6.82	2.97	0.00
time (sec)	N/A	0.538	0.269	3.063	0.100	0.000	0.000	59.344	0.214	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	146	175	295	0	0	0	895	464	0
N.S.	1	0.91	1.09	1.84	0.00	0.00	0.00	5.59	2.90	0.00
time (sec)	N/A	0.376	0.198	2.923	0.000	0.000	0.000	46.757	0.200	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	73	104	82	134	88	231	115	144	106
N.S.	1	0.74	1.06	0.84	1.37	0.90	2.36	1.17	1.47	1.08
time (sec)	N/A	0.222	0.058	1.148	0.043	0.076	0.634	0.186	0.237	26.593

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	109	292	231	421	151	386	233	301	247
N.S.	1	0.70	1.87	1.48	2.70	0.97	2.47	1.49	1.93	1.58
time (sec)	N/A	0.396	0.262	1.710	0.062	0.074	0.597	0.199	0.259	27.667

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	182	324	366	859	334	828	133	894	415
N.S.	1	0.70	1.24	1.40	3.29	1.28	3.17	0.51	3.43	1.59
time (sec)	N/A	0.417	0.418	1.884	0.082	0.082	1.881	42.641	0.203	27.994

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	346	254	453	506	1721	664	1562	276	1775	984
N.S.	1	0.73	1.31	1.46	4.97	1.92	4.51	0.80	5.13	2.84
time (sec)	N/A	0.520	0.651	3.593	0.161	0.094	12.134	53.396	0.201	31.107

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	457	313	520	640	2560	1019	0	436	2879	1679
N.S.	1	0.68	1.14	1.40	5.60	2.23	0.00	0.95	6.30	3.67
time (sec)	N/A	0.507	1.229	3.399	0.270	0.105	0.000	64.853	0.213	34.899

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	361	300	317	681	2037	0	0	0	0	0
N.S.	1	0.83	0.88	1.89	5.64	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.595	0.428	3.198	0.162	0.000	0.000	0.000	0.244	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	217	245	463	0	0	0	0	1347	0
N.S.	1	0.86	0.98	1.84	0.00	0.00	0.00	0.00	5.37	0.00
time (sec)	N/A	0.455	0.352	3.118	0.000	0.000	0.000	0.000	0.239	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	72	207	174	567	185	382	132	339	198
N.S.	1	0.85	2.44	2.05	6.67	2.18	4.49	1.55	3.99	2.33
time (sec)	N/A	0.262	0.183	1.339	0.056	0.076	2.277	0.219	0.197	28.294

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	144	138	111	221	255	221	422	236	577	208
N.S.	1	0.96	0.77	1.53	1.77	1.53	2.93	1.64	4.01	1.44
time (sec)	N/A	0.336	0.122	1.354	0.045	0.081	1.103	0.210	0.204	27.255

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	182	418	367	885	355	889	442	674	545
N.S.	1	0.75	1.72	1.51	3.64	1.46	3.66	1.82	2.77	2.24
time (sec)	N/A	0.444	0.463	2.005	0.091	0.084	2.569	0.226	0.199	29.274

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	365	253	452	506	1721	672	1562	0	1782	983
N.S.	1	0.69	1.24	1.39	4.72	1.84	4.28	0.00	4.88	2.69
time (sec)	N/A	0.452	0.687	3.543	0.157	0.103	12.232	0.000	0.218	31.329

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	B	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	319	533	649	2380	1011	2106	0	2732	1443
N.S.	1	0.69	1.15	1.40	5.14	2.18	4.55	0.00	5.90	3.12
time (sec)	N/A	0.488	1.070	2.819	0.177	0.109	19.848	0.000	0.200	35.022

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	563	388	637	787	3816	1509	0	0	3982	2291
N.S.	1	0.69	1.13	1.40	6.78	2.68	0.00	0.00	7.07	4.07
time (sec)	N/A	0.638	1.514	8.757	0.379	0.132	0.000	0.000	0.217	38.946

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	539	617	905	0	3186	0	0	0	0	0
N.S.	1	1.14	1.68	0.00	5.91	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.442	0.766	0.000	0.190	0.000	0.000	0.000	0.262	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	450	516	680	0	2243	0	0	0	1657	0
N.S.	1	1.15	1.51	0.00	4.98	0.00	0.00	0.00	3.68	0.00
time (sec)	N/A	1.263	0.597	0.000	0.155	0.000	0.000	0.000	0.245	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	343	405	869	0	1252	0	0	0	940	0
N.S.	1	1.18	2.53	0.00	3.65	0.00	0.00	0.00	2.74	0.00
time (sec)	N/A	0.912	0.708	0.000	0.138	0.000	0.000	0.000	0.233	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	203	227	205	0	633	0	0	0	578	0
N.S.	1	1.12	1.01	0.00	3.12	0.00	0.00	0.00	2.85	0.00
time (sec)	N/A	0.625	0.218	0.000	0.117	0.000	0.000	0.000	0.261	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	286	272	1214	0	0	0	0	0	178	0
N.S.	1	0.95	4.24	0.00	0.00	0.00	0.00	0.00	0.62	0.00
time (sec)	N/A	1.076	1.383	0.000	0.000	0.000	0.000	0.000	0.216	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	241	218	1407	0	0	0	0	0	859	0
N.S.	1	0.90	5.84	0.00	0.00	0.00	0.00	0.00	3.56	0.00
time (sec)	N/A	0.909	2.116	0.000	0.000	0.000	0.000	0.000	0.264	0.000

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	114	765	330	1987	289	714	206	684	469
N.S.	1	0.81	5.43	2.34	14.09	2.05	5.06	1.46	4.85	3.33
time (sec)	N/A	0.341	0.981	1.468	0.172	0.092	5.145	0.264	0.244	28.198

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	287	218	1032	643	3282	601	1387	455	1481	955
N.S.	1	0.76	3.60	2.24	11.44	2.09	4.83	1.59	5.16	3.33
time (sec)	N/A	0.446	1.064	1.655	0.275	0.095	10.724	0.334	0.227	29.658

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	445	334	1255	926	4808	985	2251	744	2224	1870
N.S.	1	0.75	2.82	2.08	10.80	2.21	5.06	1.67	5.00	4.20
time (sec)	N/A	0.548	1.209	2.359	0.408	0.100	90.492	0.389	0.254	33.251

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	711	963	1559	0	5178	0	0	0	0	0
N.S.	1	1.35	2.19	0.00	7.28	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.251	1.360	0.000	0.219	0.000	0.000	0.000	0.253	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	761	852	1194	0	3656	0	0	0	0	0
N.S.	1	1.12	1.57	0.00	4.80	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.103	0.976	0.000	0.193	0.000	0.000	0.000	0.228	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	589	670	677	0	2259	0	0	0	1663	0
N.S.	1	1.14	1.15	0.00	3.84	0.00	0.00	0.00	2.82	0.00
time (sec)	N/A	1.468	0.597	0.000	0.169	0.000	0.000	0.000	0.221	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	334	360	287	0	1202	0	0	0	962	0
N.S.	1	1.08	0.86	0.00	3.60	0.00	0.00	0.00	2.88	0.00
time (sec)	N/A	0.960	0.243	0.000	0.140	0.000	0.000	0.000	0.224	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	535	501	2615	0	0	0	0	0	314	0
N.S.	1	0.94	4.89	0.00	0.00	0.00	0.00	0.00	0.59	0.00
time (sec)	N/A	2.008	4.366	0.000	0.000	0.000	0.000	0.000	0.235	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	442	366	2649	0	0	0	0	0	1397	0
N.S.	1	0.83	5.99	0.00	0.00	0.00	0.00	0.00	3.16	0.00
time (sec)	N/A	0.724	4.615	0.000	0.000	0.000	0.000	0.000	0.263	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	387	329	3426	0	0	0	0	0	0	0
N.S.	1	0.85	8.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.407	7.384	0.000	0.000	0.000	0.000	0.000	0.314	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	119	1352	367	5532	444	1182	219	1067	1153
N.S.	1	0.81	9.20	2.50	37.63	3.02	8.04	1.49	7.26	7.84
time (sec)	N/A	0.392	2.028	1.723	0.412	0.094	27.695	0.343	0.234	29.440

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	220	1703	685	8031	837	2055	479	2107	1940
N.S.	1	0.74	5.70	2.29	26.86	2.80	6.87	1.60	7.05	6.49
time (sec)	N/A	0.497	3.013	2.428	0.608	0.096	54.500	0.404	0.236	32.738

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	336	2010	968	10880	1323	0	780	3022	3434
N.S.	1	0.73	4.34	2.09	23.50	2.86	0.00	1.68	6.53	7.42
time (sec)	N/A	0.579	3.200	2.506	0.897	0.110	0.000	0.429	0.238	35.876

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1089	1398	2330	0	6921	0	0	0	0	0
N.S.	1	1.28	2.14	0.00	6.36	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.506	3.359	0.000	0.252	0.000	0.000	0.000	5.235	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	908	1213	1555	0	5196	0	0	0	0	0
N.S.	1	1.34	1.71	0.00	5.72	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.042	1.381	0.000	0.202	0.000	0.000	0.000	0.753	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	730	959	901	0	3218	0	0	0	0	0
N.S.	1	1.31	1.23	0.00	4.41	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.236	0.765	0.000	0.179	0.000	0.000	0.000	0.231	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	420	515	389	0	1789	0	0	0	1533	0
N.S.	1	1.23	0.93	0.00	4.26	0.00	0.00	0.00	3.65	0.00
time (sec)	N/A	1.391	0.361	0.000	0.145	0.000	0.000	0.000	0.219	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	712	857	5044	0	0	0	0	0	464	0
N.S.	1	1.20	7.08	0.00	0.00	0.00	0.00	0.00	0.65	0.00
time (sec)	N/A	3.150	6.868	0.000	0.000	0.000	0.000	0.000	0.237	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	692	577	5266	0	0	0	0	0	0	0
N.S.	1	0.83	7.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.970	7.582	0.000	0.000	0.000	0.000	0.000	0.248	0.000

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	604	486	5989	0	0	0	0	0	0	0
N.S.	1	0.80	9.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.820	7.628	0.000	0.000	0.000	0.000	0.000	0.348	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	147	119	2401	367	11688	559	0	218	1432	1565
N.S.	1	0.81	16.33	2.50	79.51	3.80	0.00	1.48	9.74	10.65
time (sec)	N/A	0.385	1.299	2.362	0.841	0.099	0.000	0.454	0.200	31.532

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	220	2456	722	15765	1045	0	479	2741	3720
N.S.	1	0.74	8.21	2.41	52.73	3.49	0.00	1.60	9.17	12.44
time (sec)	N/A	0.504	5.015	2.503	1.258	0.104	0.000	0.430	0.211	35.595

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	463	336	2606	1019	20330	1610	0	780	3828	6275
N.S.	1	0.73	5.63	2.20	43.91	3.48	0.00	1.68	8.27	13.55
time (sec)	N/A	0.598	5.826	3.197	1.831	0.121	0.000	0.501	0.252	36.440

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	718	629	1020	0	0	0	0	0	471	0
N.S.	1	0.88	1.42	0.00	0.00	0.00	0.00	0.00	0.66	0.00
time (sec)	N/A	1.138	1.812	0.000	0.000	0.000	0.000	0.000	0.249	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	536	470	727	0	0	0	0	0	323	0
N.S.	1	0.88	1.36	0.00	0.00	0.00	0.00	0.00	0.60	0.00
time (sec)	N/A	0.804	1.485	0.000	0.000	0.000	0.000	0.000	0.214	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	283	260	1227	0	0	0	0	0	188	0
N.S.	1	0.92	4.34	0.00	0.00	0.00	0.00	0.00	0.66	0.00
time (sec)	N/A	0.550	1.172	0.000	0.000	0.000	0.000	0.000	0.207	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	120	252	338	0	0	0	0	84	0
N.S.	1	0.94	1.98	2.66	0.00	0.00	0.00	0.00	0.66	0.00
time (sec)	N/A	0.432	0.996	3.110	0.000	0.000	0.000	0.000	0.213	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	37	79	106	397	87	206	132	85	96
N.S.	1	0.84	1.80	2.41	9.02	1.98	4.68	3.00	1.93	2.18
time (sec)	N/A	0.357	0.400	1.497	0.057	0.071	0.351	0.147	0.202	27.621

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	136	186	400	1008	231	541	0	537	419
N.S.	1	0.74	1.02	2.19	5.51	1.26	2.96	0.00	2.93	2.29
time (sec)	N/A	0.470	0.695	1.795	0.104	0.079	0.719	0.000	0.207	28.036

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	343	248	318	767	2115	540	1488	211	1426	981
N.S.	1	0.72	0.93	2.24	6.17	1.57	4.34	0.62	4.16	2.86
time (sec)	N/A	0.578	1.075	2.230	0.193	0.095	4.166	57.212	0.213	29.849

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	507	364	442	1076	3434	940	2388	451	2371	1882
N.S.	1	0.72	0.87	2.12	6.77	1.85	4.71	0.89	4.68	3.71
time (sec)	N/A	0.647	1.438	2.638	0.329	0.107	19.092	72.167	0.217	33.826

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	722	592	5199	0	0	0	0	0	0	0
N.S.	1	0.82	7.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.897	8.082	0.000	0.000	0.000	0.000	0.000	0.251	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	469	380	2622	0	0	0	0	0	1446	0
N.S.	1	0.81	5.59	0.00	0.00	0.00	0.00	0.00	3.08	0.00
time (sec)	N/A	0.642	6.491	0.000	0.000	0.000	0.000	0.000	0.237	0.000

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	261	239	1412	0	0	0	0	0	905	0
N.S.	1	0.92	5.41	0.00	0.00	0.00	0.00	0.00	3.47	0.00
time (sec)	N/A	0.485	1.831	0.000	0.000	0.000	0.000	0.000	0.232	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	111	315	182	416	155	432	173	332	222
N.S.	1	0.73	2.07	1.20	2.74	1.02	2.84	1.14	2.18	1.46
time (sec)	N/A	0.272	0.447	1.200	0.058	0.076	1.149	0.221	0.203	27.362

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	B	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	140	187	398	1004	236	539	339	565	423
N.S.	1	0.65	0.87	1.86	4.69	1.10	2.52	1.58	2.64	1.98
time (sec)	N/A	0.534	0.619	1.783	0.106	0.084	0.720	0.241	0.195	28.060

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	365	254	307	766	1995	515	1404	203	1957	731
N.S.	1	0.70	0.84	2.10	5.47	1.41	3.85	0.56	5.36	2.00
time (sec)	N/A	0.558	0.910	2.005	0.166	0.092	3.063	57.730	0.207	28.806

Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	523	364	466	1080	4187	1005	2683	460	3290	1497
N.S.	1	0.70	0.89	2.07	8.01	1.92	5.13	0.88	6.29	2.86
time (sec)	N/A	0.624	1.275	3.477	0.394	0.108	27.334	71.573	0.238	32.857

Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	682	475	613	1386	6160	1534	0	754	5157	2701
N.S.	1	0.70	0.90	2.03	9.03	2.25	0.00	1.11	7.56	3.96
time (sec)	N/A	0.718	1.849	3.591	0.575	0.121	0.000	86.562	0.245	35.648

Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	635	504	5929	0	0	0	0	0	0	0
N.S.	1	0.79	9.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.776	8.396	0.000	0.000	0.000	0.000	0.000	0.287	0.000

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	410	358	3840	0	0	0	0	0	0	0
N.S.	1	0.87	9.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.604	7.256	0.000	0.000	0.000	0.000	0.000	0.285	0.000

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	115	767	344	1966	295	712	198	695	474
N.S.	1	0.82	5.44	2.44	13.94	2.09	5.05	1.40	4.93	3.36
time (sec)	N/A	0.339	0.915	1.468	0.162	0.086	5.174	0.254	0.208	28.153

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	296	219	444	483	848	373	892	371	886	507
N.S.	1	0.74	1.50	1.63	2.86	1.26	3.01	1.25	2.99	1.71
time (sec)	N/A	0.350	0.426	1.477	0.092	0.086	2.284	0.253	0.203	27.985

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	375	351	290	769	2116	545	1488	672	1457	984
N.S.	1	0.94	0.77	2.05	5.64	1.45	3.97	1.79	3.89	2.62
time (sec)	N/A	0.860	0.829	2.089	0.295	0.095	4.170	0.281	0.235	30.064

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	A	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	525	366	453	1080	4188	1008	2683	0	3298	1505
N.S.	1	0.70	0.86	2.06	7.98	1.92	5.11	0.00	6.28	2.87
time (sec)	N/A	0.625	1.166	3.407	0.559	0.105	27.487	0.000	0.230	32.616

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	685	478	611	1396	5583	1517	3720	0	4870	2155
N.S.	1	0.70	0.89	2.04	8.15	2.21	5.43	0.00	7.11	3.15
time (sec)	N/A	0.705	1.564	3.035	0.421	0.125	50.009	0.000	0.247	36.224

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	851	596	793	1708	9282	2257	0	0	7204	3550
N.S.	1	0.70	0.93	2.01	10.91	2.65	0.00	0.00	8.47	4.17
time (sec)	N/A	0.796	2.301	8.223	0.897	0.156	0.000	0.000	0.276	40.901

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	197	269	1195	1118	720	0	3945	801	1237
N.S.	1	0.88	1.21	5.36	5.01	3.23	0.00	17.69	3.59	5.55
time (sec)	N/A	0.468	0.284	11.737	0.072	0.169	0.000	0.992	0.214	27.083

Problem 109	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	190	173	225	876	740	529	0	2571	573	663
N.S.	1	0.91	1.18	4.61	3.89	2.78	0.00	13.53	3.02	3.49
time (sec)	N/A	0.444	0.205	4.976	0.057	0.113	0.000	0.845	0.208	26.142

Problem 110	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	149	145	189	507	393	309	643	1276	346	295
N.S.	1	0.97	1.27	3.40	2.64	2.07	4.32	8.56	2.32	1.98
time (sec)	N/A	0.382	0.307	1.871	0.049	0.095	137.269	0.486	0.237	25.837

Problem 111	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	81	74	250	156	162	382	580	194	134
N.S.	1	0.94	0.86	2.91	1.81	1.88	4.44	6.74	2.26	1.56
time (sec)	N/A	0.269	0.027	0.795	0.038	0.093	21.461	0.244	0.208	25.638

Problem 112	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	141	134	172	0	276	0	0	0	105	0
N.S.	1	0.95	1.22	0.00	1.96	0.00	0.00	0.00	0.74	0.00
time (sec)	N/A	0.711	0.144	0.000	0.351	0.000	0.000	0.000	0.244	0.000

Problem 113	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	150	142	189	0	0	0	0	0	467	0
N.S.	1	0.95	1.26	0.00	0.00	0.00	0.00	0.00	3.11	0.00
time (sec)	N/A	0.545	0.187	0.000	0.000	0.000	0.000	0.000	0.208	0.000

Problem 114	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	76	216	237	582	250	0	100	353	204
N.S.	1	0.85	2.43	2.66	6.54	2.81	0.00	1.12	3.97	2.29
time (sec)	N/A	0.268	0.201	4.732	0.058	0.086	0.000	0.631	0.208	26.435

Problem 115	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	143	196	455	945	478	0	234	937	374
N.S.	1	0.79	1.08	2.51	5.22	2.64	0.00	1.29	5.18	2.07
time (sec)	N/A	0.351	0.478	10.158	0.086	0.098	0.000	0.883	0.206	26.502

Problem 116	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	281	211	220	986	1398	773	0	394	994	610
N.S.	1	0.75	0.78	3.51	4.98	2.75	0.00	1.40	3.54	2.17
time (sec)	N/A	0.415	0.577	29.720	0.100	0.110	0.000	1.175	0.221	26.915

Problem 117	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	442	388	441	1761	1978	1074	0	5133	1093	2555
N.S.	1	0.88	1.00	3.98	4.48	2.43	0.00	11.61	2.47	5.78
time (sec)	N/A	0.654	0.446	26.818	0.103	0.289	0.000	1.629	0.221	27.557

Problem 118	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	352	311	374	1274	1336	774	0	3352	796	1328
N.S.	1	0.88	1.06	3.62	3.80	2.20	0.00	9.52	2.26	3.77
time (sec)	N/A	0.555	0.298	11.690	0.072	0.183	0.000	1.132	0.211	26.555

Problem 119	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	234	224	837	740	530	0	1997	577	661
N.S.	1	0.94	0.90	3.35	2.96	2.12	0.00	7.99	2.31	2.64
time (sec)	N/A	0.442	0.224	4.967	0.066	0.118	0.000	0.846	0.204	26.092

Problem 120	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	109	101	463	309	297	656	990	285	303
N.S.	1	0.88	0.81	3.73	2.49	2.40	5.29	7.98	2.30	2.44
time (sec)	N/A	0.291	0.032	2.013	0.043	0.095	127.477	0.401	0.210	25.767

Problem 121	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	289	319	264	0	580	0	0	0	197	0
N.S.	1	1.10	0.91	0.00	2.01	0.00	0.00	0.00	0.68	0.00
time (sec)	N/A	0.936	0.228	0.000	0.376	0.000	0.000	0.000	0.214	0.000

Problem 122	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	259	235	233	0	1190	0	0	0	779	0
N.S.	1	0.91	0.90	0.00	4.59	0.00	0.00	0.00	3.01	0.00
time (sec)	N/A	0.553	0.263	0.000	0.583	0.000	0.000	0.000	0.214	0.000

Problem 123	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	242	215	258	0	0	0	0	0	1359	0
N.S.	1	0.89	1.07	0.00	0.00	0.00	0.00	0.00	5.62	0.00
time (sec)	N/A	0.800	0.392	0.000	0.000	0.000	0.000	0.000	0.224	0.000

Problem 124	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	78	329	376	1544	409	0	108	560	421
N.S.	1	0.84	3.54	4.04	16.60	4.40	0.00	1.16	6.02	4.53
time (sec)	N/A	0.311	0.397	11.940	0.097	0.093	0.000	1.327	0.209	26.830

Problem 125	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	189	145	474	855	2247	710	0	250	1333	652
N.S.	1	0.77	2.51	4.52	11.89	3.76	0.00	1.32	7.05	3.45
time (sec)	N/A	0.386	0.459	29.830	0.144	0.108	0.000	1.815	0.227	27.083

Problem 126	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	293	215	357	1049	3058	1087	0	418	1378	954
N.S.	1	0.73	1.22	3.58	10.44	3.71	0.00	1.43	4.70	3.26
time (sec)	N/A	0.455	1.067	61.252	0.183	0.132	0.000	2.420	0.214	27.943

Problem 127	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	477	414	631	2179	2901	1336	0	5934	1419	4476
N.S.	1	0.87	1.32	4.57	6.08	2.80	0.00	12.44	2.97	9.38
time (sec)	N/A	0.702	0.659	54.626	0.127	0.587	0.000	2.349	0.206	28.086

Problem 128	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	387	337	441	1721	1978	1075	0	4300	1097	2547
N.S.	1	0.87	1.14	4.45	5.11	2.78	0.00	11.11	2.83	6.58
time (sec)	N/A	0.572	0.381	26.806	0.092	0.372	0.000	1.638	0.197	27.724

Problem 129	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	283	260	269	1119	1118	721	0	2584	743	1234
N.S.	1	0.92	0.95	3.95	3.95	2.55	0.00	9.13	2.63	4.36
time (sec)	N/A	0.445	0.241	11.686	0.068	0.163	0.000	1.016	0.218	27.036

Problem 130	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	133	124	652	479	429	0	1402	507	588
N.S.	1	0.85	0.79	4.18	3.07	2.75	0.00	8.99	3.25	3.77
time (sec)	N/A	0.323	0.044	4.886	0.056	0.114	0.000	0.603	0.196	26.269

Problem 131	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	373	478	368	0	935	0	0	0	303	0
N.S.	1	1.28	0.99	0.00	2.51	0.00	0.00	0.00	0.81	0.00
time (sec)	N/A	1.383	0.327	0.000	0.383	0.000	0.000	0.000	0.229	0.000

Problem 132	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	390	343	394	0	1785	0	0	0	1118	0
N.S.	1	0.88	1.01	0.00	4.58	0.00	0.00	0.00	2.87	0.00
time (sec)	N/A	0.638	0.454	0.000	0.380	0.000	0.000	0.000	0.220	0.000

Problem 133	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	361	309	331	0	2746	0	0	0	0	0
N.S.	1	0.86	0.92	0.00	7.61	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.595	0.448	0.000	0.433	0.000	0.000	0.000	0.253	0.000

Problem 134	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	326	286	326	0	0	0	0	0	0	0
N.S.	1	0.88	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.090	0.533	0.000	0.000	0.000	0.000	0.000	0.258	0.000

Problem 135	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	269	315	370	0	1003	0	0	0	306	0
N.S.	1	1.17	1.38	0.00	3.73	0.00	0.00	0.00	1.14	0.00
time (sec)	N/A	0.764	0.342	0.000	0.364	0.000	0.000	0.000	0.203	0.000

Problem 136	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	211	238	266	0	627	0	0	2499	201	0
N.S.	1	1.13	1.26	0.00	2.97	0.00	0.00	11.84	0.95	0.00
time (sec)	N/A	0.599	0.206	0.000	0.353	0.000	0.000	131.852	0.202	0.000

Problem 137	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	134	154	170	0	306	0	0	1242	109	0
N.S.	1	1.15	1.27	0.00	2.28	0.00	0.00	9.27	0.81	0.00
time (sec)	N/A	0.427	0.141	0.000	0.353	0.000	0.000	80.683	0.227	0.000

Problem 138	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	101	0	0	0	0	566	47	0
N.S.	1	1.00	1.19	0.00	0.00	0.00	0.00	6.66	0.55	0.00
time (sec)	N/A	0.546	0.045	0.000	0.000	0.000	0.000	53.919	0.202	0.000

Problem 139	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	219	84	175	74	0	92	63	76
N.S.	1	1.00	4.38	1.68	3.50	1.48	0.00	1.84	1.26	1.52
time (sec)	N/A	0.314	0.123	1.728	0.039	0.079	0.000	0.245	0.202	26.801

Problem 140	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	181	134	304	269	427	194	0	0	334	239
N.S.	1	0.74	1.68	1.49	2.36	1.07	0.00	0.00	1.85	1.32
time (sec)	N/A	0.419	0.300	5.068	0.057	0.076	0.000	0.000	0.198	27.180

Problem 141	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	266	204	434	633	888	483	0	104	747	573
N.S.	1	0.77	1.63	2.38	3.34	1.82	0.00	0.39	2.81	2.15
time (sec)	N/A	0.495	0.376	13.374	0.084	0.094	0.000	101.187	0.195	27.497

Problem 142	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	389	275	518	1090	1472	859	0	232	1414	986
N.S.	1	0.71	1.33	2.80	3.78	2.21	0.00	0.60	3.63	2.53
time (sec)	N/A	0.547	0.708	27.757	0.131	0.102	0.000	138.569	0.208	28.441

Problem 143	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	359	322	375	0	1892	0	0	0	1137	0
N.S.	1	0.90	1.04	0.00	5.27	0.00	0.00	0.00	3.17	0.00
time (sec)	N/A	0.709	0.462	0.000	0.368	0.000	0.000	0.000	0.219	0.000

Problem 144	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	275	242	252	0	1273	0	0	0	799	0
N.S.	1	0.88	0.92	0.00	4.63	0.00	0.00	0.00	2.91	0.00
time (sec)	N/A	0.552	0.262	0.000	0.348	0.000	0.000	0.000	0.213	0.000

Problem 145	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	B	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	168	154	183	0	0	0	0	906	482	0
N.S.	1	0.92	1.09	0.00	0.00	0.00	0.00	5.39	2.87	0.00
time (sec)	N/A	0.383	0.216	0.000	0.000	0.000	0.000	142.584	0.209	0.000

Problem 146	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	77	114	81	136	105	444	91	154	113
N.S.	1	0.75	1.12	0.79	1.33	1.03	4.35	0.89	1.51	1.11
time (sec)	N/A	0.232	0.054	2.280	0.037	0.076	39.033	0.364	0.215	25.804

Problem 147	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	166	119	304	269	424	196	0	208	338	241
N.S.	1	0.72	1.83	1.62	2.55	1.18	0.00	1.25	2.04	1.45
time (sec)	N/A	0.415	0.289	5.109	0.059	0.083	0.000	0.865	0.198	25.834

Problem 148	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	273	192	342	671	862	450	0	96	961	432
N.S.	1	0.70	1.25	2.46	3.16	1.65	0.00	0.35	3.52	1.58
time (sec)	N/A	0.434	0.437	9.756	0.077	0.095	0.000	103.275	0.239	26.374

Problem 149	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	361	267	478	977	1724	946	0	238	1921	1016
N.S.	1	0.74	1.32	2.71	4.78	2.62	0.00	0.66	5.32	2.81
time (sec)	N/A	0.533	0.690	30.930	0.153	0.110	0.000	134.380	0.194	28.206

Problem 150	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	477	329	549	1910	2563	1458	0	401	3127	1665
N.S.	1	0.69	1.15	4.00	5.37	3.06	0.00	0.84	6.56	3.49
time (sec)	N/A	0.498	1.314	49.065	0.223	0.136	0.000	173.654	0.233	31.144

Problem 151	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	382	321	334	0	2894	0	0	0	0	0
N.S.	1	0.84	0.87	0.00	7.58	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.645	0.453	0.000	0.433	0.000	0.000	0.000	0.246	0.000

Problem 152	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	263	229	259	0	0	0	0	0	1388	0
N.S.	1	0.87	0.98	0.00	0.00	0.00	0.00	0.00	5.28	0.00
time (sec)	N/A	0.458	0.361	0.000	0.000	0.000	0.000	0.000	0.245	0.000

Problem 153	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	76	215	237	578	250	0	101	357	205
N.S.	1	0.85	2.42	2.66	6.49	2.81	0.00	1.13	4.01	2.30
time (sec)	N/A	0.268	0.181	4.892	0.050	0.106	0.000	0.626	0.203	26.326

Problem 154	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	142	115	272	259	266	0	207	606	221
N.S.	1	0.94	0.76	1.80	1.72	1.76	0.00	1.37	4.01	1.46
time (sec)	N/A	0.349	0.134	4.753	0.040	0.106	0.000	0.567	0.209	26.213

Problem 155	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	A	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	192	434	633	888	487	0	418	742	573
N.S.	1	0.76	1.71	2.49	3.50	1.92	0.00	1.65	2.92	2.26
time (sec)	N/A	0.438	0.377	13.384	0.085	0.115	0.000	1.296	0.188	27.877

Problem 156	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	381	266	477	977	1724	949	0	0	1928	1018
N.S.	1	0.70	1.25	2.56	4.52	2.49	0.00	0.00	5.06	2.67
time (sec)	N/A	0.463	0.692	30.639	0.145	0.116	0.000	0.000	0.225	28.638

Problem 157	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	483	335	561	1450	2383	1416	0	0	2958	1341
N.S.	1	0.69	1.16	3.00	4.93	2.93	0.00	0.00	6.12	2.78
time (sec)	N/A	0.516	1.195	58.839	0.160	0.137	0.000	0.000	0.208	28.742

Problem 158	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	587	407	671	2149	3819	2181	0	0	4291	2400
N.S.	1	0.69	1.14	3.66	6.51	3.72	0.00	0.00	7.31	4.09
time (sec)	N/A	0.629	1.632	211.336	0.331	0.181	0.000	0.000	0.244	31.382

Problem 159	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	584	646	949	0	3764	0	0	0	0	0
N.S.	1	1.11	1.62	0.00	6.45	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.521	0.870	0.000	0.637	0.000	0.000	0.000	0.235	0.000

Problem 160	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	487	541	716	0	2691	0	0	0	0	0
N.S.	1	1.11	1.47	0.00	5.53	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.286	0.672	0.000	0.605	0.000	0.000	0.000	0.223	0.000

Problem 161	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	372	426	937	0	1542	0	0	0	1011	0
N.S.	1	1.15	2.52	0.00	4.15	0.00	0.00	0.00	2.72	0.00
time (sec)	N/A	0.957	0.839	0.000	0.573	0.000	0.000	0.000	0.216	0.000

Problem 162	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	220	239	216	0	825	0	0	0	627	0
N.S.	1	1.09	0.98	0.00	3.75	0.00	0.00	0.00	2.85	0.00
time (sec)	N/A	0.679	0.146	0.000	0.541	0.000	0.000	0.000	0.216	0.000

Problem 163	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	306	288	1372	0	0	0	0	0	186	0
N.S.	1	0.94	4.48	0.00	0.00	0.00	0.00	0.00	0.61	0.00
time (sec)	N/A	1.152	1.111	0.000	0.000	0.000	0.000	0.000	0.215	0.000

Problem 164	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	261	234	1564	0	0	0	0	0	913	0
N.S.	1	0.90	5.99	0.00	0.00	0.00	0.00	0.00	3.50	0.00
time (sec)	N/A	0.953	1.995	0.000	0.000	0.000	0.000	0.000	0.256	0.000

Problem 165	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	122	801	530	2017	600	0	195	750	561
N.S.	1	0.81	5.30	3.51	13.36	3.97	0.00	1.29	4.97	3.72
time (sec)	N/A	0.355	0.935	4.812	0.139	0.105	0.000	1.513	0.212	27.515

Problem 166	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	307	238	1082	1099	3312	1167	0	501	1624	993
N.S.	1	0.78	3.52	3.58	10.79	3.80	0.00	1.63	5.29	3.23
time (sec)	N/A	0.469	1.141	10.207	0.230	0.121	0.000	2.152	0.217	28.893

Problem 167	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	475	364	1319	2220	4838	1868	0	871	2426	1794
N.S.	1	0.77	2.78	4.67	10.19	3.93	0.00	1.83	5.11	3.78
time (sec)	N/A	0.602	1.306	29.838	0.355	0.145	0.000	2.841	0.217	31.163

Problem 168	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	766	1003	1634	0	5952	0	0	0	0	0
N.S.	1	1.31	2.13	0.00	7.77	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.366	1.578	0.000	0.652	0.000	0.000	0.000	0.227	0.000

Problem 169	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	819	891	1254	0	4247	0	0	0	0	0
N.S.	1	1.09	1.53	0.00	5.19	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.228	1.076	0.000	0.641	0.000	0.000	0.000	0.224	0.000

Problem 170	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	635	702	713	0	2662	0	0	0	0	0
N.S.	1	1.11	1.12	0.00	4.19	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.553	0.671	0.000	0.607	0.000	0.000	0.000	0.217	0.000

Problem 171	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	361	376	303	0	1473	0	0	0	1046	0
N.S.	1	1.04	0.84	0.00	4.08	0.00	0.00	0.00	2.90	0.00
time (sec)	N/A	1.034	0.195	0.000	0.555	0.000	0.000	0.000	0.232	0.000

Problem 172	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	572	529	2852	0	0	0	0	0	326	0
N.S.	1	0.92	4.99	0.00	0.00	0.00	0.00	0.00	0.57	0.00
time (sec)	N/A	2.126	3.968	0.000	0.000	0.000	0.000	0.000	0.235	0.000

Problem 173	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	472	396	2885	0	0	0	0	0	1467	0
N.S.	1	0.84	6.11	0.00	0.00	0.00	0.00	0.00	3.11	0.00
time (sec)	N/A	0.751	5.588	0.000	0.000	0.000	0.000	0.000	0.242	0.000

Problem 174	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	417	353	4535	0	0	0	0	0	0	0
N.S.	1	0.85	10.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.486	7.323	0.000	0.000	0.000	0.000	0.000	0.302	0.000

Problem 175	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	127	1418	825	5588	975	0	216	1161	1195
N.S.	1	0.81	9.03	5.25	35.59	6.21	0.00	1.38	7.39	7.61
time (sec)	N/A	0.402	2.435	10.297	0.363	0.101	0.000	3.371	0.192	29.032

Problem 176	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	319	240	1787	1884	8087	1729	0	541	2302	1934
N.S.	1	0.75	5.60	5.91	25.35	5.42	0.00	1.70	7.22	6.06
time (sec)	N/A	0.531	3.687	29.841	0.559	0.141	0.000	4.493	0.212	30.382

Problem 177	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	493	366	2112	2528	10936	2633	0	931	3287	3296
N.S.	1	0.74	4.28	5.13	22.18	5.34	0.00	1.89	6.67	6.69
time (sec)	N/A	0.630	3.464	61.605	0.773	0.188	0.000	5.969	0.212	32.527

Problem 178	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1172	1455	2448	0	7845	0	0	0	0	0
N.S.	1	1.24	2.09	0.00	6.69	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.657	3.510	0.000	0.714	0.000	0.000	0.000	0.280	0.000

Problem 179	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	976	1266	1627	0	5931	0	0	0	0	0
N.S.	1	1.30	1.67	0.00	6.08	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.285	1.520	0.000	0.656	0.000	0.000	0.000	0.238	0.000

Problem 180	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	786	1002	945	0	3724	0	0	0	0	0
N.S.	1	1.27	1.20	0.00	4.74	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.306	0.856	0.000	0.624	0.000	0.000	0.000	0.238	0.000

Problem 181	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	454	535	409	0	2129	0	0	0	0	0
N.S.	1	1.18	0.90	0.00	4.69	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.444	0.246	0.000	0.571	0.000	0.000	0.000	0.208	0.000

Problem 182	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	762	901	4969	0	0	0	0	0	480	0
N.S.	1	1.18	6.52	0.00	0.00	0.00	0.00	0.00	0.63	0.00
time (sec)	N/A	3.300	9.447	0.000	0.000	0.000	0.000	0.000	0.238	0.000

Problem 183	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	739	624	5917	0	0	0	0	0	0	0
N.S.	1	0.84	8.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.013	7.544	0.000	0.000	0.000	0.000	0.000	0.244	0.000

Problem 184	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	644	526	6938	0	0	0	0	0	0	0
N.S.	1	0.82	10.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.854	7.537	0.000	0.000	0.000	0.000	0.000	0.285	0.000

Problem 185	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	561	473	8570	0	0	0	0	0	0	0
N.S.	1	0.84	15.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.948	8.504	0.000	0.000	0.000	0.000	0.000	0.402	0.000

Problem 186	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	768	679	1072	0	0	0	0	0	487	0
N.S.	1	0.88	1.40	0.00	0.00	0.00	0.00	0.00	0.63	0.00
time (sec)	N/A	1.187	1.729	0.000	0.000	0.000	0.000	0.000	0.235	0.000

Problem 187	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	573	507	763	0	0	0	0	0	335	0
N.S.	1	0.88	1.33	0.00	0.00	0.00	0.00	0.00	0.58	0.00
time (sec)	N/A	0.873	1.381	0.000	0.000	0.000	0.000	0.000	0.222	0.000

Problem 188	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	303	280	1385	0	0	0	0	0	196	0
N.S.	1	0.92	4.57	0.00	0.00	0.00	0.00	0.00	0.65	0.00
time (sec)	N/A	0.557	1.000	0.000	0.000	0.000	0.000	0.000	0.210	0.000

Problem 189	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	137	128	268	0	0	0	0	0	88	0
N.S.	1	0.93	1.96	0.00	0.00	0.00	0.00	0.00	0.64	0.00
time (sec)	N/A	0.466	0.874	0.000	0.000	0.000	0.000	0.000	0.219	0.000

Problem 190	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	40	90	118	407	149	0	167	94	122
N.S.	1	0.80	1.80	2.36	8.14	2.98	0.00	3.34	1.88	2.44
time (sec)	N/A	0.370	0.287	1.747	0.060	0.080	0.000	0.403	0.180	27.087

Problem 191	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	199	152	793	509	1018	428	0	0	612	361
N.S.	1	0.76	3.98	2.56	5.12	2.15	0.00	0.00	3.08	1.81
time (sec)	N/A	0.493	0.763	5.098	0.102	0.088	0.000	0.000	0.185	27.162

Problem 192	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	369	274	975	1236	2126	1068	0	0	1609	1011
N.S.	1	0.74	2.64	3.35	5.76	2.89	0.00	0.00	4.36	2.74
time (sec)	N/A	0.618	1.227	13.404	0.187	0.102	0.000	0.000	0.194	29.929

Problem 193	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	543	400	1295	2216	3445	1910	0	0	2656	1921
N.S.	1	0.74	2.38	4.08	6.34	3.52	0.00	0.00	4.89	3.54
time (sec)	N/A	0.694	1.734	28.330	0.313	0.123	0.000	0.000	0.201	31.810

Problem 194	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	770	640	5850	0	0	0	0	0	0	0
N.S.	1	0.83	7.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.993	7.726	0.000	0.000	0.000	0.000	0.000	0.269	0.000

Problem 195	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	500	411	3522	0	0	0	0	0	1516	0
N.S.	1	0.82	7.04	0.00	0.00	0.00	0.00	0.00	3.03	0.00
time (sec)	N/A	0.679	7.258	0.000	0.000	0.000	0.000	0.000	0.236	0.000

Problem 196	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	282	260	1570	0	0	0	0	0	959	0
N.S.	1	0.92	5.57	0.00	0.00	0.00	0.00	0.00	3.40	0.00
time (sec)	N/A	0.511	1.841	0.000	0.000	0.000	0.000	0.000	0.230	0.000

Problem 197	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	A	B	A	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	119	331	294	428	263	0	175	370	237
N.S.	1	0.73	2.03	1.80	2.63	1.61	0.00	1.07	2.27	1.45
time (sec)	N/A	0.286	0.432	2.219	0.049	0.083	0.000	0.805	0.204	27.824

Problem 198	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	A	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	151	789	509	1014	432	0	368	640	365
N.S.	1	0.65	3.42	2.20	4.39	1.87	0.00	1.59	2.77	1.58
time (sec)	N/A	0.544	0.762	4.602	0.104	0.093	0.000	0.694	0.223	27.228

Problem 199	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F(-1)	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	392	281	870	1307	2006	983	0	0	2172	0
N.S.	1	0.72	2.22	3.33	5.12	2.51	0.00	0.00	5.54	0.00
time (sec)	N/A	0.586	1.123	9.774	0.156	0.111	0.000	0.000	0.205	0.000

Problem 200	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	560	401	1340	1986	4198	2052	0	0	3630	1784
N.S.	1	0.72	2.39	3.55	7.50	3.66	0.00	0.00	6.48	3.19
time (sec)	N/A	0.665	1.658	30.547	0.338	0.132	0.000	0.000	0.212	31.672

Problem 201	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	729	522	1695	3056	6171	3183	0	0	5699	3157
N.S.	1	0.72	2.33	4.19	8.47	4.37	0.00	0.00	7.82	4.33
time (sec)	N/A	0.762	2.569	48.602	0.490	0.166	0.000	0.000	0.220	32.825

Problem 202	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	676	545	6878	0	0	0	0	0	0	0
N.S.	1	0.81	10.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.793	7.791	0.000	0.000	0.000	0.000	0.000	0.309	0.000

Problem 203	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	441	389	4493	0	0	0	0	0	0	0
N.S.	1	0.88	10.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.648	7.206	0.000	0.000	0.000	0.000	0.000	0.282	0.000

Problem 204	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	123	803	530	1995	600	0	195	761	565
N.S.	1	0.81	5.32	3.51	13.21	3.97	0.00	1.29	5.04	3.74
time (sec)	N/A	0.343	1.153	4.747	0.133	0.101	0.000	1.616	0.188	29.011

Problem 205	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	B	B	B	F	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	317	240	464	672	861	654	0	407	977	505
N.S.	1	0.76	1.46	2.12	2.72	2.06	0.00	1.28	3.08	1.59
time (sec)	N/A	0.375	0.459	4.808	0.080	0.106	0.000	0.823	0.187	27.726

Problem 206	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	402	383	971	1236	2126	1076	0	747	1640	1007
N.S.	1	0.95	2.42	3.07	5.29	2.68	0.00	1.86	4.08	2.50
time (sec)	N/A	0.961	0.948	13.411	0.183	0.115	0.000	0.901	0.214	29.963

Problem 207	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	562	403	1334	2000	4199	2057	0	0	3638	1785
N.S.	1	0.72	2.37	3.56	7.47	3.66	0.00	0.00	6.47	3.18
time (sec)	N/A	0.659	1.631	30.478	0.343	0.131	0.000	0.000	0.214	31.764

Problem 208	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	732	525	1653	2993	5594	3062	0	0	5363	2419
N.S.	1	0.72	2.26	4.09	7.64	4.18	0.00	0.00	7.33	3.30
time (sec)	N/A	0.737	2.135	58.612	0.391	0.165	0.000	0.000	0.224	33.752

Problem 209	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	908	653	2138	4486	9293	4725	0	0	7917	4649
N.S.	1	0.72	2.35	4.94	10.23	5.20	0.00	0.00	8.72	5.12
time (sec)	N/A	0.850	3.524	210.380	0.811	0.249	0.000	0.000	0.243	35.042

Problem 210	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	189	189	0	0	0	0	0	0	89	0
N.S.	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00
time (sec)	N/A	0.558	0.000	0.000	0.000	0.000	0.000	0.000	0.215	0.000

Problem 211	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	190	190	0	0	0	0	0	0	91	0
N.S.	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00
time (sec)	N/A	0.572	0.000	0.000	0.000	0.000	0.000	0.000	0.204	0.000

Problem 212	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	292	237	206	0	0	2680	0	0	332	0
N.S.	1	0.81	0.71	0.00	0.00	9.18	0.00	0.00	1.14	0.00
time (sec)	N/A	0.607	7.720	0.000	0.000	0.191	0.000	0.000	0.216	0.000

Problem 213	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	210	180	134	2629	0	991	0	0	241	0
N.S.	1	0.86	0.64	12.52	0.00	4.72	0.00	0.00	1.15	0.00
time (sec)	N/A	0.515	3.127	148.283	0.000	0.131	0.000	0.000	0.187	0.000

Problem 214	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	123	78	826	0	274	0	0	150	0
N.S.	1	0.96	0.61	6.45	0.00	2.14	0.00	0.00	1.17	0.00
time (sec)	N/A	0.390	1.056	36.541	0.000	0.107	0.000	0.000	0.202	0.000

Problem 215	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	125	125	0	0	0	98	0	0	173	0
N.S.	1	1.00	0.00	0.00	0.00	0.78	0.00	0.00	1.38	0.00
time (sec)	N/A	0.542	0.000	0.000	0.000	0.087	0.000	0.000	0.197	0.000

Problem 216	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	206	201	0	0	0	293	0	0	302	0
N.S.	1	0.98	0.00	0.00	0.00	1.42	0.00	0.00	1.47	0.00
time (sec)	N/A	0.613	0.000	0.000	0.000	0.085	0.000	0.000	0.214	0.000

Problem 217	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	295	266	0	0	0	818	0	0	431	0
N.S.	1	0.90	0.00	0.00	0.00	2.77	0.00	0.00	1.46	0.00
time (sec)	N/A	0.733	0.000	0.000	0.000	0.124	0.000	0.000	0.221	0.000

Problem 218	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	309	252	206	0	0	2669	0	0	334	0
N.S.	1	0.82	0.67	0.00	0.00	8.64	0.00	0.00	1.08	0.00
time (sec)	N/A	0.640	7.973	0.000	0.000	0.220	0.000	0.000	0.214	0.000

Problem 219	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	192	134	2619	0	983	0	0	243	0
N.S.	1	0.86	0.60	11.74	0.00	4.41	0.00	0.00	1.09	0.00
time (sec)	N/A	0.543	2.997	148.895	0.000	0.131	0.000	0.000	0.207	0.000

Problem 220	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	132	78	812	0	269	0	0	152	0
N.S.	1	0.96	0.57	5.93	0.00	1.96	0.00	0.00	1.11	0.00
time (sec)	N/A	0.391	1.001	37.200	0.000	0.120	0.000	0.000	0.223	0.000

Problem 221	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	128	128	0	0	0	93	0	0	175	0
N.S.	1	1.00	0.00	0.00	0.00	0.73	0.00	0.00	1.37	0.00
time (sec)	N/A	0.543	0.000	0.000	0.000	0.091	0.000	0.000	0.194	0.000

Problem 222	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	214	209	0	0	0	284	0	0	296	0
N.S.	1	0.98	0.00	0.00	0.00	1.33	0.00	0.00	1.38	0.00
time (sec)	N/A	0.647	0.000	0.000	0.000	0.099	0.000	0.000	0.214	0.000

Problem 223	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	306	276	0	0	0	815	0	0	417	0
N.S.	1	0.90	0.00	0.00	0.00	2.66	0.00	0.00	1.36	0.00
time (sec)	N/A	0.733	0.000	0.000	0.000	0.124	0.000	0.000	0.244	0.000

Problem 224	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F(-1)	A	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	40	43	0	65	0	41	64	0
N.S.	1	1.00	0.98	1.05	0.00	1.59	0.00	1.00	1.56	0.00
time (sec)	N/A	0.314	0.040	8.248	0.000	0.084	0.000	0.114	0.193	0.000

Problem 225	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F(-1)	A	B	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	40	63	0	65	0	41	64	0
N.S.	1	1.00	0.98	1.54	0.00	1.59	0.00	1.00	1.56	0.00
time (sec)	N/A	0.376	0.004	11.125	0.000	0.156	0.000	0.121	0.255	0.000

Problem 226	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F(-2)	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	193	189	0	0	0	0	0	0	89	0
N.S.	1	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.00
time (sec)	N/A	0.762	0.000	0.000	0.000	0.000	0.000	0.000	0.281	0.000

Problem 227	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F(-2)	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	194	190	0	0	0	0	0	0	91	0
N.S.	1	0.98	0.00	0.00	0.00	0.00	0.00	0.00	0.47	0.00
time (sec)	N/A	0.805	0.000	0.000	0.000	0.000	0.000	0.000	0.269	0.000

Problem 228	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	F	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	34	43	44	766	375	0	0	120	141
N.S.	1	0.76	0.96	0.98	17.02	8.33	0.00	0.00	2.67	3.13
time (sec)	N/A	0.459	0.028	39.288	0.102	0.097	0.000	0.000	0.257	28.668

Problem 229	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	F	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	34	43	44	387	188	0	0	91	100
N.S.	1	0.76	0.96	0.98	8.60	4.18	0.00	0.00	2.02	2.22
time (sec)	N/A	0.458	0.021	6.621	0.063	0.092	0.000	0.000	0.250	27.150

Problem 230	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	F(-1)	F	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	44	43	62	151	72	0	0	60	71
N.S.	1	0.98	0.96	1.38	3.36	1.60	0.00	0.00	1.33	1.58
time (sec)	N/A	0.397	0.018	4.460	0.041	0.074	0.000	0.000	0.274	26.302

Problem 231	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	40	39	43	49	45	0	41	42	40
N.S.	1	0.98	0.95	1.05	1.20	1.10	0.00	1.00	1.02	0.98
time (sec)	N/A	0.479	0.100	24.734	0.157	0.074	0.000	0.112	0.258	25.790

Problem 232	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	30	41	43	81	86	0	99	88	42
N.S.	1	0.70	0.95	1.00	1.88	2.00	0.00	2.30	2.05	0.98
time (sec)	N/A	0.485	0.027	72.098	0.167	0.073	0.000	0.111	0.256	25.788

Problem 233	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	B	F(-1)	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	34	43	44	220	238	0	321	129	72
N.S.	1	0.76	0.96	0.98	4.89	5.29	0.00	7.13	2.87	1.60
time (sec)	N/A	0.504	0.031	181.952	0.235	0.078	0.000	0.129	0.267	25.732

Problem 234	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F(-1)	A	B	F(-1)
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	48	47	51	0	81	0	49	75	0
N.S.	1	0.98	0.96	1.04	0.00	1.65	0.00	1.00	1.53	0.00
time (sec)	N/A	0.531	0.035	272.589	0.000	0.092	0.000	0.122	0.256	0.000

Problem 235	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F(-1)	A	B	F(-1)
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	54	51	57	0	85	0	53	81	0
N.S.	1	0.98	0.93	1.04	0.00	1.55	0.00	0.96	1.47	0.00
time (sec)	N/A	0.623	0.057	0.034	0.000	0.092	0.000	0.123	0.282	0.000

Problem 236	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	A	B	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	52	51	50	0	0	83	0	51	78	0
N.S.	1	0.98	0.96	0.00	0.00	1.60	0.00	0.98	1.50	0.00
time (sec)	N/A	0.561	0.005	0.000	0.000	0.090	0.000	0.119	0.281	0.000

Problem 237	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	40	39	43	49	45	0	41	42	40
N.S.	1	0.98	0.95	1.05	1.20	1.10	0.00	1.00	1.02	0.98
time (sec)	N/A	0.491	0.011	24.596	0.152	0.074	0.000	0.115	0.267	0.002

Problem 238	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	46	43	49	53	51	0	45	48	44
N.S.	1	0.98	0.91	1.04	1.13	1.09	0.00	0.96	1.02	0.94
time (sec)	N/A	0.562	0.236	77.312	0.154	0.074	0.000	0.114	0.279	26.411

Problem 239	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	43	42	46	51	48	0	43	45	42
N.S.	1	0.98	0.95	1.05	1.16	1.09	0.00	0.98	1.02	0.95
time (sec)	N/A	0.529	0.013	62.267	0.156	0.079	0.000	0.120	0.267	26.284

Problem 240	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	88	86	0	0	0	0	0	0	107	0
N.S.	1	0.98	0.00	0.00	0.00	0.00	0.00	0.00	1.22	0.00
time (sec)	N/A	0.583	0.000	0.000	0.000	0.000	0.000	0.000	0.282	0.000

Problem 241	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	0	0	110	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	1.47	0.00	0.00	0.00	0.00
time (sec)	N/A	0.328	0.039	0.000	0.000	0.088	0.000	0.000	0.406	0.000

Problem 242	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	0	0	88	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00
time (sec)	N/A	0.323	0.033	0.000	0.000	0.071	0.000	0.000	0.320	0.000

Problem 243	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	0	0	66	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	0.88	0.00	0.00	0.00	0.00
time (sec)	N/A	0.290	0.026	0.000	0.000	0.100	0.000	0.000	0.333	0.000

Problem 244	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	72	0	0	40	0	0	544	0
N.S.	1	1.00	1.00	0.00	0.00	0.56	0.00	0.00	7.56	0.00
time (sec)	N/A	0.263	0.100	0.000	0.000	0.073	0.000	0.000	0.265	0.000

Problem 245	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	34	35	37	34	146	88	35	33
N.S.	1	1.00	1.03	1.06	1.12	1.03	4.42	2.67	1.06	1.00
time (sec)	N/A	0.277	0.074	1.467	0.159	0.073	93.173	0.135	0.265	27.716

Problem 246	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	71	0	0	40	0	0	546	0
N.S.	1	1.00	1.00	0.00	0.00	0.56	0.00	0.00	7.69	0.00
time (sec)	N/A	0.276	0.090	0.000	0.000	0.078	0.000	0.000	0.275	0.000

Problem 247	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	0	0	66	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	0.88	0.00	0.00	0.00	0.00
time (sec)	N/A	0.295	0.020	0.000	0.000	0.077	0.000	0.000	0.305	0.000

Problem 248	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	0	0	88	0	0	0	0
N.S.	1	1.00	1.00	0.00	0.00	1.17	0.00	0.00	0.00	0.00
time (sec)	N/A	0.318	0.026	0.000	0.000	0.073	0.000	0.000	0.334	0.000

Problem 249	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	361	312	0	0	0	0	0	0	0	0
N.S.	1	0.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.211	0.000	0.000	0.000	0.000	0.000	0.000	0.350	0.000

Problem 250	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	282	248	0	0	0	0	0	0	0	0
N.S.	1	0.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.085	0.000	0.000	0.000	0.000	0.000	0.000	0.370	0.000

Problem 251	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	203	183	1415	0	0	0	0	0	1241	0
N.S.	1	0.90	6.97	0.00	0.00	0.00	0.00	0.00	6.11	0.00
time (sec)	N/A	0.945	1.436	0.000	0.000	0.000	0.000	0.000	0.406	0.000

Problem 252	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	C	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	123	120	304	1447	0	0	0	0	651	0
N.S.	1	0.98	2.47	11.76	0.00	0.00	0.00	0.00	5.29	0.00
time (sec)	N/A	0.631	0.455	27.073	0.000	0.000	0.000	0.000	0.312	0.000

Problem 253	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	45	43	45	76	0	45	1185	45
N.S.	1	1.00	1.05	1.00	1.05	1.77	0.00	1.05	27.56	1.05
time (sec)	N/A	0.482	0.301	0.648	0.199	0.080	0.000	0.127	0.336	28.121

Problem 254	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	45	43	506	145	0	45	4555	45
N.S.	1	1.00	1.05	1.00	11.77	3.37	0.00	1.05	105.93	1.05
time (sec)	N/A	0.473	0.571	0.042	0.244	0.079	0.000	0.146	0.336	26.954

Problem 255	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	298	42	357	32	0	0	1201	0
N.S.	1	1.00	9.03	1.27	10.82	0.97	0.00	0.00	36.39	0.00
time (sec)	N/A	0.318	0.235	3.013	0.048	0.076	0.000	0.000	0.832	0.000

Problem 256	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	38	375	46	344	38	0	0	463	0
N.S.	1	1.41	13.89	1.70	12.74	1.41	0.00	0.00	17.15	0.00
time (sec)	N/A	0.279	0.383	3.071	0.047	0.070	0.000	0.000	0.268	0.000

Problem 257	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	38	375	46	336	38	0	0	463	0
N.S.	1	1.41	13.89	1.70	12.44	1.41	0.00	0.00	17.15	0.00
time (sec)	N/A	0.347	0.354	2.787	0.046	0.075	0.000	0.000	0.286	0.000

Problem 258	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	B	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	38	375	46	343	38	0	0	463	0
N.S.	1	1.41	13.89	1.70	12.70	1.41	0.00	0.00	17.15	0.00
time (sec)	N/A	0.338	0.102	2.689	0.048	0.076	0.000	0.000	0.422	0.000

Problem 259	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	282	279	0	0	0	0	0	0	0	0
N.S.	1	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.161	0.000	0.000	0.000	0.000	0.000	0.000	0.344	0.000

Problem 260	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	203	214	1415	0	0	0	0	0	1241	0
N.S.	1	1.05	6.97	0.00	0.00	0.00	0.00	0.00	6.11	0.00
time (sec)	N/A	0.990	1.085	0.000	0.000	0.000	0.000	0.000	0.321	0.000

Problem 261	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	C	F	F	F(-1)	F	F	F(-1)
verified	N/A	No	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	123	151	303	1447	0	0	0	0	651	0
N.S.	1	1.23	2.46	11.76	0.00	0.00	0.00	0.00	5.29	0.00
time (sec)	N/A	0.669	0.335	32.815	0.000	0.000	0.000	0.000	0.307	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [74] had the largest ratio of [.523809999999999998]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	5	0.89	38	0.132
2	A	5	5	0.92	38	0.132
3	A	5	5	0.98	36	0.139
4	A	4	4	0.95	28	0.143
5	A	9	8	0.95	38	0.211
6	A	6	5	0.94	38	0.132
7	A	3	2	0.85	38	0.053
8	A	6	5	0.79	38	0.132
9	A	6	5	0.75	38	0.132
10	A	6	5	0.89	40	0.125
11	A	6	5	0.89	40	0.125
12	A	6	5	0.95	38	0.132
13	A	4	4	0.89	30	0.133
14	A	11	10	1.11	40	0.250
15	A	4	3	0.90	40	0.075
16	A	8	7	0.88	40	0.175
17	A	3	2	0.83	40	0.050
18	A	6	5	0.76	40	0.125
19	A	6	5	0.73	40	0.125
20	A	6	5	0.88	40	0.125
21	A	6	5	0.88	40	0.125

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	6	5	0.93	38	0.132
23	A	4	4	0.87	30	0.133
24	A	15	14	1.30	40	0.350
25	A	4	3	0.87	40	0.075
26	A	4	3	0.85	40	0.075
27	A	10	9	0.87	40	0.225
28	A	3	2	0.83	40	0.050
29	A	6	5	0.76	40	0.125
30	A	6	5	0.73	40	0.125
31	A	7	6	1.18	40	0.150
32	A	6	5	1.14	40	0.125
33	A	5	4	1.16	38	0.105
34	A	8	7	1.00	30	0.233
35	A	3	2	1.00	40	0.050
36	A	6	5	0.73	40	0.125
37	A	6	5	0.76	40	0.125
38	A	6	5	0.70	40	0.125
39	A	6	5	0.89	40	0.125
40	A	5	4	0.87	40	0.100
41	A	4	3	0.91	38	0.079
42	A	3	2	0.74	30	0.067
43	A	5	4	0.70	40	0.100
44	A	4	3	0.70	40	0.075
45	A	6	5	0.73	40	0.125
46	A	4	3	0.68	40	0.075
47	A	5	4	0.83	40	0.100
48	A	4	3	0.86	40	0.075
49	A	3	2	0.85	38	0.053
50	A	4	4	0.96	30	0.133
51	A	4	3	0.75	40	0.075
52	A	4	3	0.69	40	0.075
53	A	4	3	0.69	40	0.075

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
54	A	6	5	0.69	40	0.125
55	A	12	11	1.14	40	0.275
56	A	11	10	1.15	40	0.250
57	A	10	9	1.18	38	0.237
58	A	8	7	1.12	30	0.233
59	A	9	8	0.95	40	0.200
60	A	8	7	0.90	40	0.175
61	A	4	3	0.81	40	0.075
62	A	4	3	0.76	40	0.075
63	A	4	3	0.75	40	0.075
64	A	18	17	1.35	42	0.405
65	A	16	15	1.12	42	0.357
66	A	15	14	1.14	40	0.350
67	A	12	11	1.08	32	0.344
68	A	13	12	0.94	42	0.286
69	A	4	3	0.83	42	0.071
70	A	11	10	0.85	42	0.238
71	A	4	3	0.81	42	0.071
72	A	4	3	0.74	42	0.071
73	A	4	3	0.73	42	0.071
74	A	23	22	1.28	42	0.524
75	A	21	20	1.34	42	0.476
76	A	20	19	1.31	40	0.475
77	A	16	15	1.23	32	0.469
78	A	17	16	1.20	42	0.381
79	A	4	3	0.83	42	0.071
80	A	4	3	0.80	42	0.071
81	A	4	3	0.81	42	0.071
82	A	4	3	0.74	42	0.071
83	A	4	3	0.73	42	0.071
84	A	4	3	0.88	42	0.071
85	A	4	3	0.88	42	0.071

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
86	A	4	3	0.92	40	0.075
87	A	5	4	0.94	32	0.125
88	A	4	3	0.84	42	0.071
89	A	4	3	0.74	42	0.071
90	A	4	3	0.72	42	0.071
91	A	4	3	0.72	42	0.071
92	A	4	3	0.82	42	0.071
93	A	4	3	0.81	42	0.071
94	A	4	3	0.92	40	0.075
95	A	4	3	0.73	32	0.094
96	A	7	6	0.65	42	0.143
97	A	4	3	0.70	42	0.071
98	A	4	3	0.70	42	0.071
99	A	4	3	0.70	42	0.071
100	A	4	3	0.79	42	0.071
101	A	4	3	0.87	42	0.071
102	A	4	3	0.82	40	0.075
103	A	4	3	0.74	32	0.094
104	A	10	9	0.94	42	0.214
105	A	4	3	0.70	42	0.071
106	A	4	3	0.70	42	0.071
107	A	4	3	0.70	42	0.071
108	A	5	5	0.88	41	0.122
109	A	5	5	0.91	41	0.122
110	A	5	5	0.97	39	0.128
111	A	4	4	0.94	31	0.129
112	A	9	8	0.95	41	0.195
113	A	6	5	0.95	41	0.122
114	A	3	2	0.85	41	0.049
115	A	6	5	0.79	41	0.122
116	A	6	5	0.75	41	0.122
117	A	6	5	0.88	43	0.116

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
118	A	6	5	0.88	43	0.116
119	A	6	5	0.94	41	0.122
120	A	4	4	0.88	33	0.121
121	A	11	10	1.10	43	0.233
122	A	4	3	0.91	43	0.070
123	A	8	7	0.89	43	0.163
124	A	3	2	0.84	43	0.047
125	A	6	5	0.77	43	0.116
126	A	6	5	0.73	43	0.116
127	A	6	5	0.87	43	0.116
128	A	6	5	0.87	43	0.116
129	A	6	5	0.92	41	0.122
130	A	4	4	0.85	33	0.121
131	A	15	14	1.28	43	0.326
132	A	4	3	0.88	43	0.070
133	A	4	3	0.86	43	0.070
134	A	10	9	0.88	43	0.209
135	A	7	6	1.17	43	0.140
136	A	6	5	1.13	43	0.116
137	A	5	4	1.15	41	0.098
138	A	8	7	1.00	33	0.212
139	A	3	2	1.00	43	0.047
140	A	6	5	0.74	43	0.116
141	A	6	5	0.77	43	0.116
142	A	6	5	0.71	43	0.116
143	A	6	5	0.90	43	0.116
144	A	5	4	0.88	43	0.093
145	A	4	3	0.92	41	0.073
146	A	3	2	0.75	33	0.061
147	A	5	4	0.72	43	0.093
148	A	4	3	0.70	43	0.070
149	A	6	5	0.74	43	0.116

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
150	A	4	3	0.69	43	0.070
151	A	5	4	0.84	43	0.093
152	A	4	3	0.87	43	0.070
153	A	3	2	0.85	41	0.049
154	A	4	4	0.94	33	0.121
155	A	4	3	0.76	43	0.070
156	A	4	3	0.70	43	0.070
157	A	4	3	0.69	43	0.070
158	A	6	5	0.69	43	0.116
159	A	12	11	1.11	43	0.256
160	A	11	10	1.11	43	0.233
161	A	10	9	1.15	41	0.220
162	A	8	7	1.09	33	0.212
163	A	9	8	0.94	43	0.186
164	A	8	7	0.90	43	0.163
165	A	4	3	0.81	43	0.070
166	A	4	3	0.78	43	0.070
167	A	4	3	0.77	43	0.070
168	A	18	17	1.31	45	0.378
169	A	16	15	1.09	45	0.333
170	A	15	14	1.11	43	0.326
171	A	12	11	1.04	35	0.314
172	A	13	12	0.92	45	0.267
173	A	4	3	0.84	45	0.067
174	A	11	10	0.85	45	0.222
175	A	4	3	0.81	45	0.067
176	A	4	3	0.75	45	0.067
177	A	4	3	0.74	45	0.067
178	A	23	22	1.24	45	0.489
179	A	21	20	1.30	45	0.444
180	A	20	19	1.27	43	0.442
181	A	16	15	1.18	35	0.429

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
182	A	17	16	1.18	45	0.356
183	A	4	3	0.84	45	0.067
184	A	4	3	0.82	45	0.067
185	A	14	13	0.84	45	0.289
186	A	4	3	0.88	45	0.067
187	A	4	3	0.88	45	0.067
188	A	4	3	0.92	43	0.070
189	A	5	4	0.93	35	0.114
190	A	4	3	0.80	45	0.067
191	A	4	3	0.76	45	0.067
192	A	4	3	0.74	45	0.067
193	A	4	3	0.74	45	0.067
194	A	4	3	0.83	45	0.067
195	A	4	3	0.82	45	0.067
196	A	4	3	0.92	43	0.070
197	A	4	3	0.73	35	0.086
198	A	7	6	0.65	45	0.133
199	A	4	3	0.72	45	0.067
200	A	4	3	0.72	45	0.067
201	A	4	3	0.72	45	0.067
202	A	4	3	0.81	45	0.067
203	A	4	3	0.88	45	0.067
204	A	4	3	0.81	43	0.070
205	A	4	3	0.76	35	0.086
206	A	10	9	0.95	45	0.200
207	A	4	3	0.72	45	0.067
208	A	4	3	0.72	45	0.067
209	A	4	3	0.72	45	0.067
210	A	4	3	1.00	49	0.061
211	A	4	3	1.00	49	0.061
212	A	5	4	0.81	49	0.082
213	A	4	3	0.86	49	0.061

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
214	A	3	2	0.96	47	0.043
215	A	4	3	1.00	49	0.061
216	A	5	4	0.98	49	0.082
217	A	6	5	0.90	49	0.102
218	A	5	4	0.82	49	0.082
219	A	4	3	0.86	49	0.061
220	A	3	2	0.96	47	0.043
221	A	4	3	1.00	49	0.061
222	A	5	4	0.98	49	0.082
223	A	6	5	0.90	49	0.102
224	A	4	3	1.00	35	0.086
225	A	5	4	1.00	42	0.095
226	A	5	4	0.98	50	0.080
227	A	5	4	0.98	50	0.080
228	A	5	4	0.76	40	0.100
229	A	5	4	0.76	40	0.100
230	A	4	3	0.98	38	0.079
231	A	5	4	0.98	40	0.100
232	A	5	4	0.70	40	0.100
233	A	5	4	0.76	40	0.100
234	A	5	4	0.98	40	0.100
235	A	5	4	0.98	46	0.087
236	A	6	5	0.98	50	0.100
237	A	5	4	0.98	40	0.100
238	A	5	4	0.98	46	0.087
239	A	6	5	0.98	50	0.100
240	A	5	4	0.98	40	0.100
241	A	4	3	1.00	35	0.086
242	A	4	3	1.00	35	0.086
243	A	4	3	1.00	33	0.091
244	A	4	3	1.00	28	0.107
245	A	4	3	1.00	35	0.086

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
246	A	4	3	1.00	28	0.107
247	A	4	3	1.00	33	0.091
248	A	4	3	1.00	35	0.086
249	A	9	8	0.86	43	0.186
250	A	8	7	0.88	43	0.163
251	A	7	6	0.90	43	0.140
252	A	6	5	0.98	41	0.122
253	N/A	3	0	1.00	43	0.000
254	N/A	3	0	1.00	43	0.000
255	A	5	4	1.00	40	0.100
256	A	3	2	1.41	38	0.053
257	A	4	3	1.41	33	0.091
258	A	4	3	1.41	38	0.079
259	A	8	7	0.99	51	0.137
260	A	7	6	1.05	51	0.118
261	A	6	5	1.23	49	0.102

CHAPTER 3

Listing of integrals

3.1 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 126

3.2 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 137

3.3 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 149

3.4 $\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 160

3.5 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ 168

3.6 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ 177

3.7 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ 185

3.8 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ 194

3.9 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ 205

3.10 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 216

3.11 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 228

3.12 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 239

3.13 $\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ 252

3.14 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ 261

3.15 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ 273

3.16 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ 282

3.17 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ 293

3.18 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ 302

3.19 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$ . . . 313

3.20 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ . . . 324

3.21 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ . . . 336

3.22 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ . . . 348

3.23 $\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$ . . . 359

3.24 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$ . . . 369

3.25 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$ . . . 382

3.26 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$ . . . 392

3.27 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$ . . . 402

3.28 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$ . . . 415

3.29 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$ . . . 424

3.30 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx$ . . . 434

3.31 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ . . . 445

3.32 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ . . . 455

3.33 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$ . . . 464

3.34 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx$ . . . 473

3.35 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx$ . . . 481

3.36 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx$ . . . 488

3.37 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx$ . . . 498

3.38 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx$ . . . 509

3.39 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ . . . 520

3.40 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ . . . 531

3.41 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$ . . . 541

3.42 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$ . . . 550

3.43 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$ . . . 557

3.44 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$ 566

3.45 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$ 577

3.46 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$ 588

3.47 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 599

3.48 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 610

3.49 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$ 620

3.50 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$ 629

3.51 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$ 637

3.52 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$ 648

3.53 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$ 658

3.54 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$ 669

3.55 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 681

3.56 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 695

3.57 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 707

3.58 $\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 719

3.59 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$ 728

3.60 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$ 739

3.61 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$ 748

3.62 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx$ 759

3.63 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$ 771

3.64 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 783

3.65 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 802

3.66 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 821

3.67 $\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 836

3.68 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$ 849
3.69 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$ 864
3.70 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$ 873
3.71 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx$ 886
3.72 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$ 896
3.73 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx$ 908
3.74 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 919
3.75 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 943
3.76 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 965
3.77 $\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$ 987
3.78 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$ 1002
3.79 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$ 1026
3.80 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$ 1035
3.81 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$ 1045
3.82 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx$ 1055
3.83 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx$ 1066
3.84 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1078
3.85 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1088
3.86 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1097
3.87 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$ 1105
3.88 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$ 1113
3.89 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$ 1121
3.90 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$ 1131
3.91 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$ 1142

3.92 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1154
3.93 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1163
3.94 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1172
3.95 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$ 1179
3.96 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$ 1188
3.97 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$ 1199
3.98 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$ 1210
3.99 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$ 1222
3.100 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1234
3.101 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1244
3.102 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1253
3.103 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$ 1264
3.104 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$ 1275
3.105 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$ 1287
3.106 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$ 1298
3.107 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$ 1310
3.108 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1322
3.109 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1332
3.110 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1343
3.111 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1353
3.112 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1360
3.113 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1368
3.114 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1375
3.115 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1382
3.116 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$ 1391

3.117 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1401
3.118 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1412
3.119 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1423
3.120 $\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1434
3.121 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1443
3.122 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1454
3.123 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1462
3.124 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1471
3.125 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$ 1479
3.126 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx$ 1489
3.127 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1499
3.128 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1510
3.129 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1521
3.130 $\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 1531
3.131 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$ 1541
3.132 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$ 1553
3.133 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$ 1561
3.134 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$ 1569
3.135 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1581
3.136 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1589
3.137 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$ 1598
3.138 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci+dix}\,dx$ 1606
3.139 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx$ 1613
3.140 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx$ 1619
3.141 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx$ 1627
3.142 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx$ 1636
3.143 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1647

3.144 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1656

3.145 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$ 1664

3.146 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$ 1671

3.147 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$ 1678

3.148 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$ 1686

3.149 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$ 1695

3.150 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$ 1706

3.151 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1717

3.152 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1726

3.153 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$ 1734

3.154 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$ 1741

3.155 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$ 1748

3.156 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$ 1757

3.157 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$ 1767

3.158 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$ 1777

3.159 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1789

3.160 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1802

3.161 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1816

3.162 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1828

3.163 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ 1837

3.164 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ 1848

3.165 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ 1858

3.166 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ 1868

3.167 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$ 1880

3.168 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1891

3.169 $\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 1909

3.170 $\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 1928
3.171 $\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 1945
3.172 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ . . . 1959
3.173 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ . . . 1974
3.174 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ . . . 1983
3.175 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ . . . 1995
3.176 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$ . . . 2005
3.177 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx$ . . . 2016
3.178 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 2027
3.179 $\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 2050
3.180 $\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 2071
3.181 $\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ . . . 2093
3.182 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$ . . . 2109
3.183 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$ . . . 2133
3.184 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$ . . . 2142
3.185 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$ . . . 2151
3.186 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ . . . 2165
3.187 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ . . . 2175
3.188 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ . . . 2184
3.189 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$ . . . 2192
3.190 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$ . . . 2199
3.191 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$ . . . 2206
3.192 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$ . . . 2215
3.193 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$ . . . 2226
3.194 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ . . . 2237

3.195 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2246
3.196 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2255
3.197 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$ 2262
3.198 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$ 2270
3.199 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$ 2280
3.200 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$ 2290
3.201 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$ 2301
3.202 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2312
3.203 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2321
3.204 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2330
3.205 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$ 2340
3.206 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$ 2350
3.207 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$ 2362
3.208 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$ 2373
3.209 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$ 2384
3.210 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p\,dx$ 2395
3.211 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p\,dx$ 2401
3.212 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$ 2407
3.213 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2415
3.214 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 2424
3.215 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ 2431
3.216 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$ 2437
3.217 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$ 2444
3.218 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$ 2452
3.219 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$ 2460
3.220 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$ 2468

3.221 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2475
3.222 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$ . . . 2481
3.223 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$ . . . 2488
3.224 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx$ . . . 2497
3.225 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx$ . . . 2502
3.226 $\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$ . . . 2508
3.227 $\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$ . . . 2514
3.228 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(a+bx)(c+dx)}\,dx$ . . . 2520
3.229 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx$ . . . 2527
3.230 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx$ . . . 2534
3.231 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2540
3.232 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}\,dx$ . . . 2546
3.233 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}\,dx$ . . . 2552
3.234 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{(a+bx)(c+dx)}\,dx$ . . . 2559
3.235 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{(af+bfx)(cg+dgx)}\,dx$ . . . 2565
3.236 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{acf+(bc+ad)fx+bdfx^2}\,dx$ . . . 2571
3.237 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2577
3.238 $\int \frac{1}{(af+bfx)(cg+dgx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2583
3.239 $\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ . . . 2589
3.240 $\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log(e(a+bx)^n(c+dx)^{-n})}\,dx$ . . . 2595
3.241 $\int \frac{(a+bx)^3}{(c+dx)^5\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2601
3.242 $\int \frac{(a+bx)^2}{(c+dx)^4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2607
3.243 $\int \frac{a+bx}{(c+dx)^3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2613
3.244 $\int \frac{1}{(c+dx)^2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2619
3.245 $\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2624
3.246 $\int \frac{1}{(a+bx)^2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2630
3.247 $\int \frac{c+dx}{(a+bx)^3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2635
3.248 $\int \frac{(c+dx)^2}{(a+bx)^4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$ . . . 2641
3.249 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{(f+gx)(ah+bhx)}\,dx$ . . . 2647

3.250 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(f+gx)(ah+bhx)}\,dx$ 2655
3.251 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(f+gx)(ah+bhx)}\,dx$ 2663
3.252 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx$ 2671
3.253 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$ 2679
3.254 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}\,dx$ 2685
3.255 $\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx$ 2692
3.256 $\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ 2699
3.257 $\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ 2706
3.258 $\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$ 2713
3.259 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{afh+bghx^2+h(bfx+agx)}\,dx$ 2720
3.260 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{afh+bghx^2+h(bfx+agx)}\,dx$ 2728
3.261 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx$ 2736

3.1 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result . . . 126
Mathematica [A] (verified) . . . 127
Rubi [A] (verified) . . . 127
Maple [B] (verified) . . . 130
Fricas [B] (verification not implemented) . . . 130
Sympy [B] (verification not implemented) . . . 131
Maxima [B] (verification not implemented) . . . 132
Giac [B] (verification not implemented) . . . 133
Mupad [B] (verification not implemented) . . . 134
Reduce [B] (verification not implemented) . . . 135

Optimal result

Integrand size = 38, antiderivative size = 212

$$\begin{aligned}
&\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= -\frac{B(bc-ad)^4g^3ix}{20bd^3}+\frac{B(bc-ad)^3g^3i(a+bx)^2}{40b^2d^2} \\
&\quad -\frac{B(bc-ad)^2g^3i(a+bx)^3}{60b^2d}+\frac{g^3i(a+bx)^4(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5b} \\
&\quad +\frac{(bc-ad)g^3i(a+bx)^4\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{20b^2}+\frac{B(bc-ad)^5g^3i\log(c+dx)}{20b^2d^4}
\end{aligned}$$

output

```
-1/20*B*(-a*d+b*c)^4*g^3*i*x/b/d^3+1/40*B*(-a*d+b*c)^3*g^3*i*(b*x+a)^2/b^2
/d^2-1/60*B*(-a*d+b*c)^2*g^3*i*(b*x+a)^3/b^2/d+1/5*g^3*i*(b*x+a)^4*(d*x+c)
*(A+B*ln(e*(b*x+a)/(d*x+c)))/b+1/20*(-a*d+b*c)*g^3*i*(b*x+a)^4*(A-B+B*ln(e
*(b*x+a)/(d*x+c)))/b^2+1/20*B*(-a*d+b*c)^5*g^3*i*ln(d*x+c)/b^2/d^4
```

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 261, normalized size of antiderivative = 1.23

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^3 i\Big(30(bc-ad)(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+24d(a+bx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)-\frac{5B(bc-ad)^2(6bd($$

input
```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
]),x]
```

output
```
(g^3*i*(30*(b*c - a*d)*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]) +
24*d*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - (5*B*(b*c - a*d)^2
*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*(a + b*
x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]))/d^4 + (2*B*(b*c - a*d)*(12*b*d*(b*c
- a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c - a*d)*(a + b*x)
^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x]))/d^4))/(120*b^2)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 189, normalized size of antiderivative = 0.89, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2960, 27, 2948, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$
$$\downarrow \text{2960}$$
$$\frac{i(bc-ad)\int g^3(a+bx)^3\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{5b}+$$
$$\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b}$$

$$\downarrow 27$$

$$\frac{g^3 i(bc-ad)\int (a+bx)^3\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b}$$

$$\downarrow 2948$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{4b}-\frac{B(bc-ad)\int\frac{(a+bx)^3}{c+dx}dx}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b}$$

$$\downarrow 49$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{4b}-\frac{B(bc-ad)\int\left(\frac{(ad-bc)^3}{d^3(c+dx)}+\frac{b(bc-ad)^2}{d^3}+\frac{b(a+bx)^2}{d}-\frac{b(bc-ad)(a+bx)}{d^2}\right)dx}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b}$$

$$\downarrow 2009$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{4b}-\frac{B(bc-ad)\left(-\frac{(bc-ad)^3\log(c+dx)}{d^4}+\frac{bx(bc-ad)^2}{d^3}-\frac{(a+bx)^2(bc-ad)}{2d^2}+\frac{(a+bx)^3}{3d}\right)}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b}$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
(g^3*i*(a + b*x)^4*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*b) +
 ((b*c - a*d)*g^3*i*(((a + b*x)^4*(A - B + B*Log[(e*(a + b*x))/(c + d*x)])
)/(4*b) - (B*(b*c - a*d)*((b*(b*c - a*d)^2*x)/d^3 - ((b*c - a*d)*(a + b*x)
^2)/(2*d^2) + (a + b*x)^3/(3*d) - ((b*c - a*d)^3*Log[c + d*x])/d^4))/(4*b)
))/(5*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

rule 2960
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Sim
p[(f + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*
(m + 2))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B
*n + B*Log[e*((a + b*x)^n/(c + d*x)^n)]), x], x] /; FreeQ[{a, b, c, d, e, f
, g, h, i, A, B, m, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 573 vs. 2(200) = 400.

Time = 1.48 (sec) , antiderivative size = 574, normalized size of antiderivative = 2.71

method	result
risch	$\frac{i g^3 bB \ln(-dx-c) a^2 c^3}{2d^2} - \frac{i g^3 b^2 B \ln(-dx-c) a c^4}{4d^3} + \frac{i g^3 B a^3 cx}{4} - \frac{i g^3 bB a^2 c^2 x}{2d} + \frac{i g^3 b^2 Ba c^3 x}{4d^2} + i g^3 b^2 Aac$
parallelrisch	Expression too large to display
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURN
VERBOSE)
```

output
```
1/2*i*g^3*b/d^2*B*ln(-d*x-c)*a^2*c^3-1/4*i*g^3*b^2/d^3*B*ln(-d*x-c)*a*c^4+
1/4*i*g^3*B*a^3*c*x-1/2*i*g^3*b/d*B*a^2*c^2*x+1/4*i*g^3*b^2/d^2*B*a*c^3*x+
i*g^3*b^2*A*a*c*x^3-1/6*i*g^3*b^2*B*a*c*x^3+3/2*i*g^3*b*A*a^2*c*x^2-1/8*i*
g^3*b*B*a^2*c*x^2-1/8*i*g^3*b^2/d*B*a*c^2*x^2+i*g^3*A*a^3*c*x+1/40*i*g^3*b
^3/d^2*B*c^3*x^2+1/20*i*g^3/b*d*B*a^4*x-1/20*i*g^3*b^3/d^3*B*c^4*x+1/4*i*g
^3/b*B*ln(b*x+a)*a^4*c-1/2*i*g^3/d*B*ln(-d*x-c)*a^3*c^2-1/20*i*g^3/b^2*d*B
*ln(b*x+a)*a^5+1/20*i*g^3*b^3/d^4*B*ln(-d*x-c)*c^5+3/4*i*g^3*b^2*d*A*a*x^4
+1/4*i*g^3*b^3*A*c*x^4+1/20*i*g^3*b^2*d*B*a*x^4-1/20*i*g^3*b^3*B*c*x^4+i*g
^3*b*d*A*a^2*x^3+11/60*i*g^3*b*d*B*a^2*x^3-1/60*i*g^3*b^3/d*B*c^2*x^3+1/2*
i*g^3*d*A*a^3*x^2+9/40*i*g^3*d*B*a^3*x^2+1/5*i*g^3*b^3*d*A*x^5+1/20*i*g^3*
B*x*(4*b^3*d*x^4+15*a*b^2*d*x^3+5*b^3*c*x^3+20*a^2*b*d*x^2+20*a*b^2*c*x^2+
10*a^3*d*x+30*a^2*b*c*x+20*a^3*c)*ln(e*(b*x+a)/(d*x+c))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 504 vs. 2(200) = 400.

Time = 0.13 (sec) , antiderivative size = 504, normalized size of antiderivative = 2.38

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$= \frac{24\,Ab^5d^5g^3ix^5+6\left((5\,A-B)b^5cd^4+(15\,A+B)ab^4d^5\right)g^3ix^4-2\left(Bb^5c^2d^3-10\,(6\,A-B)ab^4cd^4-(60\,A$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="fricas")
```

output
```
1/120*(24*A*b^5*d^5*g^3*i*x^5 + 6*((5*A - B)*b^5*c*d^4 + (15*A + B)*a*b^4*
d^5)*g^3*i*x^4 - 2*(B*b^5*c^2*d^3 - 10*(6*A - B)*a*b^4*c*d^4 - (60*A + 11*
B)*a^2*b^3*d^5)*g^3*i*x^3 + 3*(B*b^5*c^3*d^2 - 5*B*a*b^4*c^2*d^3 + 5*(12*A
 - B)*a^2*b^3*c*d^4 + (20*A + 9*B)*a^3*b^2*d^5)*g^3*i*x^2 - 6*(B*b^5*c^4*d
 - 5*B*a*b^4*c^3*d^2 + 10*B*a^2*b^3*c^2*d^3 - 5*(4*A + B)*a^3*b^2*c*d^4 -
B*a^4*b*d^5)*g^3*i*x + 6*(5*B*a^4*b*c*d^4 - B*a^5*d^5)*g^3*i*log(b*x + a)
+ 6*(B*b^5*c^5 - 5*B*a*b^4*c^4*d + 10*B*a^2*b^3*c^3*d^2 - 10*B*a^3*b^2*c^2
*d^3)*g^3*i*log(d*x + c) + 6*(4*B*b^5*d^5*g^3*i*x^5 + 20*B*a^3*b^2*c*d^4*g
^3*i*x + 5*(B*b^5*c*d^4 + 3*B*a*b^4*d^5)*g^3*i*x^4 + 20*(B*a*b^4*c*d^4 + B
*a^2*b^3*d^5)*g^3*i*x^3 + 10*(3*B*a^2*b^3*c*d^4 + B*a^3*b^2*d^5)*g^3*i*x^2
)*log((b*e*x + a*e)/(d*x + c)))/(b^2*d^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1158 vs. $2(194) = 388$.

Time $= 3.79$ (sec) , antiderivative size $= 1158$, normalized size of antiderivative $= 5.46$

$$\int (ag + bgx)^3 (ci + dix) \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**3*d*g**3*i*x**5/5 - B*a**4*g**3*i*(a*d - 5*b*c)*log(x + (B*a**5*c*d**
4*g**3*i + B*a**5*d**4*g**3*i*(a*d - 5*b*c)/b - 15*B*a**4*b*c**2*d**3*g**3
*i - B*a**4*c*d**3*g**3*i*(a*d - 5*b*c) + 10*B*a**3*b**2*c**3*d**2*g**3*i
- 5*B*a**2*b**3*c**4*d*g**3*i + B*a*b**4*c**5*g**3*i)/(B*a**5*d**5*g**3*i
- 5*B*a**4*b*c*d**4*g**3*i - 10*B*a**3*b**2*c**2*d**3*g**3*i + 10*B*a**2*b
**3*c**3*d**2*g**3*i - 5*B*a*b**4*c**4*d*g**3*i + B*b**5*c**5*g**3*i))/(20
*b**2) - B*c**2*g**3*i*(10*a**3*d**3 - 10*a**2*b*c*d**2 + 5*a*b**2*c**2*d
- b**3*c**3)*log(x + (B*a**5*c*d**4*g**3*i - 15*B*a**4*b*c**2*d**3*g**3*i
+ 10*B*a**3*b**2*c**3*d**2*g**3*i - 5*B*a**2*b**3*c**4*d*g**3*i + B*a*b**4
*c**5*g**3*i + B*a*b*c**2*g**3*i*(10*a**3*d**3 - 10*a**2*b*c*d**2 + 5*a*b*
*2*c**2*d - b**3*c**3) - B*b**2*c**3*g**3*i*(10*a**3*d**3 - 10*a**2*b*c*d*
*2 + 5*a*b**2*c**2*d - b**3*c**3)/d)/(B*a**5*d**5*g**3*i - 5*B*a**4*b*c*d*
*4*g**3*i - 10*B*a**3*b**2*c**2*d**3*g**3*i + 10*B*a**2*b**3*c**3*d**2*g**
3*i - 5*B*a*b**4*c**4*d*g**3*i + B*b**5*c**5*g**3*i))/(20*d**4) + x**4*(3*
A*a*b**2*d*g**3*i/4 + A*b**3*c*g**3*i/4 + B*a*b**2*d*g**3*i/20 - B*b**3*c*
g**3*i/20) + x**3*(A*a**2*b*d*g**3*i + A*a*b**2*c*g**3*i + 11*B*a**2*b*d*g
**3*i/60 - B*a*b**2*c*g**3*i/6 - B*b**3*c**2*g**3*i/(60*d)) + x**2*(A*a**3
*d*g**3*i/2 + 3*A*a**2*b*c*g**3*i/2 + 9*B*a**3*d*g**3*i/40 - B*a**2*b*c*g*
*3*i/8 - B*a*b**2*c**2*g**3*i/(8*d) + B*b**3*c**3*g**3*i/(40*d**2)) + x*(A
*a**3*c*g**3*i + B*a**4*d*g**3*i/(20*b) + B*a**3*c*g**3*i/4 - B*a**2*b*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1022 vs. $2(200) = 400$.

Time $= 0.07$ (sec) , antiderivative size $= 1022$, normalized size of antiderivative $= 4.82$

$$\int (ag + bgx)^3 (ci + dix) \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="maxima")
```

output

```
1/5*A*b^3*d*g^3*i*x^5 + 1/4*A*b^3*c*g^3*i*x^4 + 3/4*A*a*b^2*d*g^3*i*x^4 +
A*a*b^2*c*g^3*i*x^3 + A*a^2*b*d*g^3*i*x^3 + 3/2*A*a^2*b*c*g^3*i*x^2 + 1/2*
A*a^3*d*g^3*i*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x +
a)/b - c*log(d*x + c)/d)*B*a^3*c*g^3*i + 3/2*(x^2*log(b*e*x/(d*x + c) + a*
e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x
/(b*d))*B*a^2*b*c*g^3*i + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))
+ 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x
^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a*b^2*c*g^3*i + 1/24*(6*x^4*log
(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x
 + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2
 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^3*c*g^3*i + 1/2*(x^2*log(b*e*x/
(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 -
 (b*c - a*d)*x/(b*d))*B*a^3*d*g^3*i + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e
/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d
- a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a^2*b*d*g^3*i + 1/8
*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*
c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2
*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*a*b^2*d*g^3*i + 1/60*(
12*x^5*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 12*a^5*log(b*x + a)/b^5 - 12
*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2*d^2...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3637 vs. $2(200) = 400$.

Time $= 0.31$ (sec) , antiderivative size $= 3637$, normalized size of antiderivative $= 17.16$

$$\int (ag + bgx)^3 (ci + dix) \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="giac")
```

output

```
-1/120*(6*(B*b^9*c^6*e^6*g^3*i - 6*B*a*b^8*c^5*d*e^6*g^3*i + 15*B*a^2*b^7*
c^4*d^2*e^6*g^3*i - 20*B*a^3*b^6*c^3*d^3*e^6*g^3*i + 15*B*a^4*b^5*c^2*d^4*
e^6*g^3*i - 6*B*a^5*b^4*c*d^5*e^6*g^3*i + B*a^6*b^3*d^6*e^6*g^3*i - 5*(b*e
*x + a*e)*B*b^8*c^6*d*e^5*g^3*i/(d*x + c) + 30*(b*e*x + a*e)*B*a*b^7*c^5*d
^2*e^5*g^3*i/(d*x + c) - 75*(b*e*x + a*e)*B*a^2*b^6*c^4*d^3*e^5*g^3*i/(d*x
 + c) + 100*(b*e*x + a*e)*B*a^3*b^5*c^3*d^4*e^5*g^3*i/(d*x + c) - 75*(b*e*
x + a*e)*B*a^4*b^4*c^2*d^5*e^5*g^3*i/(d*x + c) + 30*(b*e*x + a*e)*B*a^5*b^
3*c*d^6*e^5*g^3*i/(d*x + c) - 5*(b*e*x + a*e)*B*a^6*b^2*d^7*e^5*g^3*i/(d*x
 + c) + 10*(b*e*x + a*e)^2*B*b^7*c^6*d^2*e^4*g^3*i/(d*x + c)^2 - 60*(b*e*x
 + a*e)^2*B*a*b^6*c^5*d^3*e^4*g^3*i/(d*x + c)^2 + 150*(b*e*x + a*e)^2*B*a^
2*b^5*c^4*d^4*e^4*g^3*i/(d*x + c)^2 - 200*(b*e*x + a*e)^2*B*a^3*b^4*c^3*d^
5*e^4*g^3*i/(d*x + c)^2 + 150*(b*e*x + a*e)^2*B*a^4*b^3*c^2*d^6*e^4*g^3*i/
(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a^5*b^2*c*d^7*e^4*g^3*i/(d*x + c)^2 + 1
0*(b*e*x + a*e)^2*B*a^6*b*d^8*e^4*g^3*i/(d*x + c)^2 - 10*(b*e*x + a*e)^3*B
*b^6*c^6*d^3*e^3*g^3*i/(d*x + c)^3 + 60*(b*e*x + a*e)^3*B*a*b^5*c^5*d^4*e^
3*g^3*i/(d*x + c)^3 - 150*(b*e*x + a*e)^3*B*a^2*b^4*c^4*d^5*e^3*g^3*i/(d*x
 + c)^3 + 200*(b*e*x + a*e)^3*B*a^3*b^3*c^3*d^6*e^3*g^3*i/(d*x + c)^3 - 15
0*(b*e*x + a*e)^3*B*a^4*b^2*c^2*d^7*e^3*g^3*i/(d*x + c)^3 + 60*(b*e*x + a*
e)^3*B*a^5*b*c*d^8*e^3*g^3*i/(d*x + c)^3 - 10*(b*e*x + a*e)^3*B*a^6*d^9*e^
3*g^3*i/(d*x + c)^3)*log((b*e*x + a*e)/(d*x + c))/(b^5*d^4*e^5 - 5*(b*e...
```

Mupad [B] (verification not implemented)

Time = 27.20 (sec) , antiderivative size = 1195, normalized size of antiderivative = 5.64

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output

```
x*((a*c*(((20*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d - B*b
*c))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(20*b*d) - (b*g^3*i*(24*A*a^
2*d^2 + 4*A*b^2*c^2 + 3*B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d - 2*B*a*b*c*d
))/(4*d) + A*a*b^2*c*g^3*i))/(b*d) - ((20*a*d + 20*b*c)*(((20*a*d + 20*b*c
)*(((20*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d - B*b*c))/5
 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(20*b*d) - (b*g^3*i*(24*A*a^2*d^2
+ 4*A*b^2*c^2 + 3*B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d - 2*B*a*b*c*d))/(4*
d) + A*a*b^2*c*g^3*i))/(20*b*d) - (a*c*((b^2*g^3*i*(20*A*a*d + 10*A*b*c +
B*a*d - B*b*c))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(b*d) + (a*g^3*i*
(4*A*a^2*d^2 + 4*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 12*A*a*b*c*d))/d))/(2
0*b*d) + (a^2*g^3*i*(2*A*a^2*d^2 + 12*A*b^2*c^2 + B*a^2*d^2 - 3*B*b^2*c^2
+ 16*A*a*b*c*d + 2*B*a*b*c*d))/(2*b*d)) + x^4*((b^2*g^3*i*(20*A*a*d + 10*A
*b*c + B*a*d - B*b*c))/20 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/80) - x^3*(((2
0*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d - B*b*c))/5 - (A*
b^2*g^3*i*(20*a*d + 20*b*c))/20))/(60*b*d) - (b*g^3*i*(24*A*a^2*d^2 + 4*A*
b^2*c^2 + 3*B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d - 2*B*a*b*c*d))/(12*d) +
(A*a*b^2*c*g^3*i)/3) + x^2*(((20*a*d + 20*b*c)*(((20*a*d + 20*b*c)*((b^2*g
^3*i*(20*A*a*d + 10*A*b*c + B*a*d - B*b*c))/5 - (A*b^2*g^3*i*(20*a*d + 20*
b*c))/20))/(20*b*d) - (b*g^3*i*(24*A*a^2*d^2 + 4*A*b^2*c^2 + 3*B*a^2*d^2 -
 B*b^2*c^2 + 32*A*a*b*c*d - 2*B*a*b*c*d))/(4*d) + A*a*b^2*c*g^3*i))/(40...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 757, normalized size of antiderivative = 3.57

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$$
$$=\frac{g^3 i\left(24\log\left(\frac{bex+ae}{dx+c}\right)b^5d^5x^5+6a^4b\,d^5x+27a^3b^2d^5x^2+22a^2b^3d^5x^3+6a\,b^4d^5x^4-6b^5c^4dx+3b^5c^3d^2x^2-2\right.}{}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**3*i*( - 6*log(a + b*x)*a**5*d**5 + 30*log(a + b*x)*a**4*b*c*d**4 - 60*
log(a + b*x)*a**3*b**2*c**2*d**3 + 60*log(a + b*x)*a**2*b**3*c**3*d**2 - 3
0*log(a + b*x)*a*b**4*c**4*d + 6*log(a + b*x)*b**5*c**5 + 60*log((a*e + b*
e*x)/(c + d*x))*a**3*b**2*c**2*d**3 + 120*log((a*e + b*e*x)/(c + d*x))*a**
3*b**2*c*d**4*x + 60*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*d**5*x**2 - 60
*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c**3*d**2 + 180*log((a*e + b*e*x)/
(c + d*x))*a**2*b**3*c*d**4*x**2 + 120*log((a*e + b*e*x)/(c + d*x))*a**2*b
**3*d**5*x**3 + 30*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**4*d + 120*log((a
*e + b*e*x)/(c + d*x))*a*b**4*c*d**4*x**3 + 90*log((a*e + b*e*x)/(c + d*x)
)*a*b**4*d**5*x**4 - 6*log((a*e + b*e*x)/(c + d*x))*b**5*c**5 + 30*log((a*
e + b*e*x)/(c + d*x))*b**5*c*d**4*x**4 + 24*log((a*e + b*e*x)/(c + d*x))*b
**5*d**5*x**5 + 120*a**4*b*c*d**4*x + 60*a**4*b*d**5*x**2 + 6*a**4*b*d**5*
x + 180*a**3*b**2*c*d**4*x**2 + 30*a**3*b**2*c*d**4*x + 120*a**3*b**2*d**5
*x**3 + 27*a**3*b**2*d**5*x**2 - 60*a**2*b**3*c**2*d**3*x + 120*a**2*b**3*
c*d**4*x**3 - 15*a**2*b**3*c*d**4*x**2 + 90*a**2*b**3*d**5*x**4 + 22*a**2*
b**3*d**5*x**3 + 30*a*b**4*c**3*d**2*x - 15*a*b**4*c**2*d**3*x**2 + 30*a*b
**4*c*d**4*x**4 - 20*a*b**4*c*d**4*x**3 + 24*a*b**4*d**5*x**5 + 6*a*b**4*d
**5*x**4 - 6*b**5*c**4*d*x + 3*b**5*c**3*d**2*x**2 - 2*b**5*c**2*d**3*x**3
 - 6*b**5*c*d**4*x**4))/(120*b*d**4)
```

3.2 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result . . . 137
Mathematica [A] (verified) . . . 138
Rubi [A] (verified) . . . 138
Maple [B] (verified) . . . 141
Fricas [B] (verification not implemented) . . . 141
Sympy [B] (verification not implemented) . . . 142
Maxima [B] (verification not implemented) . . . 143
Giac [B] (verification not implemented) . . . 145
Mupad [B] (verification not implemented) . . . 146
Reduce [B] (verification not implemented) . . . 147

Optimal result

Integrand size = 38, antiderivative size = 180

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= \frac{B(bc-ad)^3g^2ix}{12bd^2} - \frac{B(bc-ad)^2g^2i(a+bx)^2}{24b^2d} \\
&\quad + \frac{g^2i(a+bx)^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4b} \\
&\quad + \frac{(bc-ad)g^2i(a+bx)^3\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{12b^2} - \frac{B(bc-ad)^4g^2i\log(c+dx)}{12b^2d^3}
\end{aligned}$$

output

```
1/12*B*(-a*d+b*c)^3*g^2*i*x/b/d^2-1/24*B*(-a*d+b*c)^2*g^2*i*(b*x+a)^2/b^2/
d+1/4*g^2*i*(b*x+a)^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b+1/12*(-a*d+b*c
)*g^2*i*(b*x+a)^3*(A-B+B*ln(e*(b*x+a)/(d*x+c)))/b^2-1/12*B*(-a*d+b*c)^4*g^
2*i*ln(d*x+c)/b^2/d^3
```

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.21

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^2 i\left(8(bc-ad)(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+6d(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+\frac{4B(bc-ad)^2(2bd(bc-}{24b^2}$$

input
```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
]),x]
```

output
```
(g^2*i*(8*(b*c - a*d)*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6
*d*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + (4*B*(b*c - a*d)^2*(
2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]))/d^3
 - (B*(b*c - a*d)*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^
2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]))/d^3))/(24*b^2)
```

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 165, normalized size of antiderivative = 0.92, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2960, 27, 2948, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$
$$\downarrow 2960$$
$$\frac{i(bc-ad)\int g^2(a+bx)^2\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{4b}+$$
$$\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b}$$
$$\downarrow 27$$

$$\frac{g^2 i(bc-ad)\int (a+bx)^2\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b}$$

$$\downarrow 2948$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{3b}-\frac{B(bc-ad)\int\frac{(a+bx)^2}{c+dx}dx}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b}$$

$$\downarrow 49$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{3b}-\frac{B(bc-ad)\int\left(\frac{(ad-bc)^2}{d^2(c+dx)}-\frac{b(bc-ad)}{d^2}+\frac{b(a+bx)}{d}\right)dx}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b}$$

$$\downarrow 2009$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{3b}-\frac{B(bc-ad)\left(\frac{(bc-ad)^2\log(c+dx)}{d^3}-\frac{bx(bc-ad)}{d^2}+\frac{(a+bx)^2}{2d}\right)}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b}$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output

```
(g^2*i*(a + b*x)^3*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*b) +
 ((b*c - a*d)*g^2*i*(((a + b*x)^3*(A - B + B*Log[(e*(a + b*x))/(c + d*x)])
)/(3*b) - (B*(b*c - a*d)*(-((b*(b*c - a*d)*x)/d^2) + (a + b*x)^2/(2*d) + (
(b*c - a*d)^2*Log[c + d*x])/d^3))/(3*b)))/(4*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

rule 2960
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Sim
p[(f + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*
(m + 2))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B
*n + B*Log[e*((a + b*x)^n/(c + d*x)^n)]), x], x] /; FreeQ[{a, b, c, d, e, f
, g, h, i, A, B, m, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 395 vs. 2(170) = 340.

Time = 1.26 (sec) , antiderivative size = 396, normalized size of antiderivative = 2.20

method	result
risch	$\frac{i g^2 Bx(3b^2dx^3+8abdx^2+4b^2cx^2+6a^2dx+12abcx+12a^2c)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{12}+\frac{ig^2b^2dAx^4}{4}+\frac{2ig^2bdAax^3}{3}+\frac{ig^2b^2}{3}$
parallelrisch	$\frac{16Bx^3\ln\left(\frac{e(bx+a)}{dx+c}\right)ab^3d^4g^2i+8Ba^2b^2c^2d^2g^2i+7Bab^3c^3dg^2i-11Ba^3bcd^3g^2i+12Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)a^2b^2d^4g^2i+24A$
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURN
VERBOSE)
```

output
```
1/12*i*g^2*B*x*(3*b^2*d*x^3+8*a*b*d*x^2+4*b^2*c*x^2+6*a^2*d*x+12*a*b*c*x+1
2*a^2*c)*ln(e*(b*x+a)/(d*x+c))+1/4*i*g^2*b^2*d*A*x^4+2/3*i*g^2*b*d*A*a*x^3
+1/3*i*g^2*b^2*A*c*x^3+1/12*i*g^2*b*d*B*a*x^3-1/12*i*g^2*b^2*B*c*x^3+1/2*i
*g^2*d*A*a^2*x^2+i*g^2*b*A*a*c*x^2+5/24*i*g^2*d*B*a^2*x^2-1/6*i*g^2*b*B*a*
c*x^2-1/24*i*g^2*b^2/d*B*c^2*x^2+i*g^2*A*a^2*c*x-1/2*i*g^2/d*B*ln(-d*x-c)*
a^2*c^2+1/3*i*g^2*b/d^2*B*ln(-d*x-c)*a*c^3-1/12*i*g^2*b^2/d^3*B*ln(-d*x-c)
*c^4-1/12*i*g^2/b^2*d*B*ln(b*x+a)*a^4+1/3*i*g^2/b*B*ln(b*x+a)*a^3*c+1/12*i
*g^2/b*d*B*a^3*x+1/6*i*g^2*B*a^2*c*x-1/3*i*g^2*b/d*B*a*c^2*x+1/12*i*g^2*b^
2/d^2*B*c^3*x
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 370 vs. 2(170) = 340.

Time = 0.10 (sec) , antiderivative size = 370, normalized size of antiderivative = 2.06

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{6Ab^4d^4g^2ix^4+2\left((4A-B)b^4cd^3+(8A+B)ab^3d^4\right)g^2ix^3-\left(Bb^4c^2d^2-4(6A-B)ab^3cd^3-(12A+5\right.}{}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="fricas")
```

output
```
1/24*(6*A*b^4*d^4*g^2*i*x^4 + 2*((4*A - B)*b^4*c*d^3 + (8*A + B)*a*b^3*d^4
)*g^2*i*x^3 - (B*b^4*c^2*d^2 - 4*(6*A - B)*a*b^3*c*d^3 - (12*A + 5*B)*a^2*
b^2*d^4)*g^2*i*x^2 + 2*(B*b^4*c^3*d - 4*B*a*b^3*c^2*d^2 + 2*(6*A + B)*a^2*
b^2*c*d^3 + B*a^3*b*d^4)*g^2*i*x + 2*(4*B*a^3*b*c*d^3 - B*a^4*d^4)*g^2*i*l
og(b*x + a) - 2*(B*b^4*c^4 - 4*B*a*b^3*c^3*d + 6*B*a^2*b^2*c^2*d^2)*g^2*i*
log(d*x + c) + 2*(3*B*b^4*d^4*g^2*i*x^4 + 12*B*a^2*b^2*c*d^3*g^2*i*x + 4*(
B*b^4*c*d^3 + 2*B*a*b^3*d^4)*g^2*i*x^3 + 6*(2*B*a*b^3*c*d^3 + B*a^2*b^2*d^
4)*g^2*i*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^2*d^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 850 vs. $2(163) = 326$.

Time = 2.50 (sec) , antiderivative size = 850, normalized size of antiderivative = 4.72

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{Ab^2dg^2ix^4}{4}$$
$$-\frac{Ba^3g^2i(ad-4bc)\log\left(x+\frac{\frac{Ba^4cd^3g^2i+\frac{Ba^4d^3g^2i(ad-4bc)}{b}-10Ba^3bc^2d^2g^2i-Ba^3cd^2g^2i(ad-4bc)+4Ba^2b^2c^3dg^2i-Bab^3c^4g^2i}{Ba^4d^4g^2i-4Ba^3bcd^3g^2i-6Ba^2b^2c^2d^2g^2i+4Bab^3c^3dg^2i-Bb^4c^4g^2i}\right)}{12b^2}$$
$$-\frac{Bc^2g^2i(6a^2d^2-4abcd+b^2c^2)\log\left(x+\frac{Ba^4cd^3g^2i-10Ba^3bc^2d^2g^2i+4Ba^2b^2c^3dg^2i-Bab^3c^4g^2i+Babc^2g^2i(6a^2d^2-4abcd+}{Ba^4d^4g^2i-4Ba^3bcd^3g^2i-6Ba^2b^2c^2d^2g^2i+4Bab^3c^3dg^2i-}\right)}{12d^3}$$
$$+x^3\cdot\left(\frac{2Aabdg^2i}{3}+\frac{Ab^2cg^2i}{3}+\frac{Babdg^2i}{12}-\frac{Bb^2cg^2i}{12}\right)$$
$$+x^2\left(\frac{Aa^2dg^2i}{2}+Aabcg^2i+\frac{5Ba^2dg^2i}{24}-\frac{Babcg^2i}{6}-\frac{Bb^2c^2g^2i}{24d}\right)$$
$$+x\left(Aa^2cg^2i+\frac{Ba^3dg^2i}{12b}+\frac{Ba^2cg^2i}{6}-\frac{Babc^2g^2i}{3d}+\frac{Bb^2c^3g^2i}{12d^2}\right)+\left(Ba^2cg^2ix\right.$$
$$\left.+\frac{Ba^2dg^2ix^2}{2}+Babcg^2ix^2+\frac{2Babdg^2ix^3}{3}+\frac{Bb^2cg^2ix^3}{3}+\frac{Bb^2dg^2ix^4}{4}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**2*d*g**2*i*x**4/4 - B*a**3*g**2*i*(a*d - 4*b*c)*log(x + (B*a**4*c*d**
3*g**2*i + B*a**4*d**3*g**2*i*(a*d - 4*b*c)/b - 10*B*a**3*b*c**2*d**2*g**2
*i - B*a**3*c*d**2*g**2*i*(a*d - 4*b*c) + 4*B*a**2*b**2*c**3*d*g**2*i - B*
a*b**3*c**4*g**2*i)/(B*a**4*d**4*g**2*i - 4*B*a**3*b*c*d**3*g**2*i - 6*B*a
**2*b**2*c**2*d**2*g**2*i + 4*B*a*b**3*c**3*d*g**2*i - B*b**4*c**4*g**2*i)
)/(12*b**2) - B*c**2*g**2*i*(6*a**2*d**2 - 4*a*b*c*d + b**2*c**2)*log(x +
(B*a**4*c*d**3*g**2*i - 10*B*a**3*b*c**2*d**2*g**2*i + 4*B*a**2*b**2*c**3*
d*g**2*i - B*a*b**3*c**4*g**2*i + B*a*b*c**2*g**2*i*(6*a**2*d**2 - 4*a*b*c
*d + b**2*c**2) - B*b**2*c**3*g**2*i*(6*a**2*d**2 - 4*a*b*c*d + b**2*c**2)
/d)/(B*a**4*d**4*g**2*i - 4*B*a**3*b*c*d**3*g**2*i - 6*B*a**2*b**2*c**2*d*
*2*g**2*i + 4*B*a*b**3*c**3*d*g**2*i - B*b**4*c**4*g**2*i))/(12*d**3) + x*
*3*(2*A*a*b*d*g**2*i/3 + A*b**2*c*g**2*i/3 + B*a*b*d*g**2*i/12 - B*b**2*c*
g**2*i/12) + x**2*(A*a**2*d*g**2*i/2 + A*a*b*c*g**2*i + 5*B*a**2*d*g**2*i/
24 - B*a*b*c*g**2*i/6 - B*b**2*c**2*g**2*i/(24*d)) + x*(A*a**2*c*g**2*i +
B*a**3*d*g**2*i/(12*b) + B*a**2*c*g**2*i/6 - B*a*b*c**2*g**2*i/(3*d) + B*b
**2*c**3*g**2*i/(12*d**2)) + (B*a**2*c*g**2*i*x + B*a**2*d*g**2*i*x**2/2 +
 B*a*b*c*g**2*i*x**2 + 2*B*a*b*d*g**2*i*x**3/3 + B*b**2*c*g**2*i*x**3/3 +
B*b**2*d*g**2*i*x**4/4)*log(e*(a + b*x)/(c + d*x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 671 vs. $2(170) = 340$.

Time = 0.05 (sec) , antiderivative size = 671, normalized size of antiderivative = 3.73

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{1}{4}Ab^2dg^2ix^4+\frac{1}{3}Ab^2cg^2ix^3+\frac{2}{3}Aabdg^2ix^3+Aabcg^2ix^2+\frac{1}{2}Aa^2dg^2ix^2$$
$$+\left(x\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right)Ba^2cg^2i$$
$$+\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Babcg^2i$$
$$+\frac{1}{6}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+\frac{1}{2}\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Ba^2dg^2i$$
$$+\frac{1}{3}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+\frac{1}{24}\left(6x^4\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{6a^4\log(bx+a)}{b^4}+\frac{6c^4\log(dx+c)}{d^4}-\frac{2(b^3cd^2-ab^2d^3)x^3-3(b^3}{}\right.$$
$$+Aa^2cg^2ix$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="maxima")
```

output
```
1/4*A*b^2*d*g^2*i*x^4 + 1/3*A*b^2*c*g^2*i*x^3 + 2/3*A*a*b*d*g^2*i*x^3 + A*
a*b*c*g^2*i*x^2 + 1/2*A*a^2*d*g^2*i*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B*a^2*c*g^2*i + (x^2*log(b*
e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d
^2 - (b*c - a*d)*x/(b*d))*B*a*b*c*g^2*i + 1/6*(2*x^3*log(b*e*x/(d*x + c) +
 a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*
c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*b^2*c*g^2*i + 1
/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*
log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*a^2*d*g^2*i + 1/3*(2*x^3*log(b*e
*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c
)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a
*b*d*g^2*i + 1/24*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(
b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3
*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^2*d
*g^2*i + A*a^2*c*g^2*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2418 vs. $2(170) = 340$.

Time $= 0.28$ (sec) , antiderivative size $= 2418$, normalized size of antiderivative $= 13.43$

$$\int (ag + bgx)^2(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="giac")
```

output

```
1/24*(2*(B*b^7*c^5*e^5*g^2*i - 5*B*a*b^6*c^4*d*e^5*g^2*i + 10*B*a^2*b^5*c^
3*d^2*e^5*g^2*i - 10*B*a^3*b^4*c^2*d^3*e^5*g^2*i + 5*B*a^4*b^3*c*d^4*e^5*g
^2*i - B*a^5*b^2*d^5*e^5*g^2*i - 4*(b*e*x + a*e)*B*b^6*c^5*d*e^4*g^2*i/(d*
x + c) + 20*(b*e*x + a*e)*B*a*b^5*c^4*d^2*e^4*g^2*i/(d*x + c) - 40*(b*e*x
+ a*e)*B*a^2*b^4*c^3*d^3*e^4*g^2*i/(d*x + c) + 40*(b*e*x + a*e)*B*a^3*b^3*
c^2*d^4*e^4*g^2*i/(d*x + c) - 20*(b*e*x + a*e)*B*a^4*b^2*c*d^5*e^4*g^2*i/(
d*x + c) + 4*(b*e*x + a*e)*B*a^5*b*d^6*e^4*g^2*i/(d*x + c) + 6*(b*e*x + a*
e)^2*B*b^5*c^5*d^2*e^3*g^2*i/(d*x + c)^2 - 30*(b*e*x + a*e)^2*B*a*b^4*c^4*
d^3*e^3*g^2*i/(d*x + c)^2 + 60*(b*e*x + a*e)^2*B*a^2*b^3*c^3*d^4*e^3*g^2*i
/(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a^3*b^2*c^2*d^5*e^3*g^2*i/(d*x + c)^2
+ 30*(b*e*x + a*e)^2*B*a^4*b*c*d^6*e^3*g^2*i/(d*x + c)^2 - 6*(b*e*x + a*e)
^2*B*a^5*d^7*e^3*g^2*i/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/(b^4*d^3*
e^4 - 4*(b*e*x + a*e)*b^3*d^4*e^3/(d*x + c) + 6*(b*e*x + a*e)^2*b^2*d^5*e^
2/(d*x + c)^2 - 4*(b*e*x + a*e)^3*b*d^6*e/(d*x + c)^3 + (b*e*x + a*e)^4*d^
7/(d*x + c)^4) + (2*A*b^8*c^5*e^5*g^2*i + B*b^8*c^5*e^5*g^2*i - 10*A*a*b^7
*c^4*d*e^5*g^2*i - 5*B*a*b^7*c^4*d*e^5*g^2*i + 20*A*a^2*b^6*c^3*d^2*e^5*g^
2*i + 10*B*a^2*b^6*c^3*d^2*e^5*g^2*i - 20*A*a^3*b^5*c^2*d^3*e^5*g^2*i - 10
*B*a^3*b^5*c^2*d^3*e^5*g^2*i + 10*A*a^4*b^4*c*d^4*e^5*g^2*i + 5*B*a^4*b^4*
c*d^4*e^5*g^2*i - 2*A*a^5*b^3*d^5*e^5*g^2*i - B*a^5*b^3*d^5*e^5*g^2*i - 8*
(b*e*x + a*e)*A*b^7*c^5*d*e^4*g^2*i/(d*x + c) - 2*(b*e*x + a*e)*B*b^7*c...
```

Mupad [B] (verification not implemented)

Time = 26.50 (sec) , antiderivative size = 638, normalized size of antiderivative = 3.54

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= x^3\left(\frac{b\,g^2\,i\,(12\,A\,a\,d+8\,A\,b\,c+B\,a\,d-B\,b\,c)}{12}-\frac{A\,b\,g^2\,i\,(12\,a\,d+12\,b\,c)}{36}\right) \\
&\quad -x^2\left(\frac{\left(\frac{b\,g^2\,i\,(12\,A\,a\,d+8\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,b\,g^2\,i\,(12\,a\,d+12\,b\,c)}{12}\right)\,(12\,a\,d+12\,b\,c)}{24\,b\,d}\right. \\
&\qquad \left.-\frac{g^2\,i\,(9\,A\,a^2\,d^2+3\,A\,b^2\,c^2+2\,B\,a^2\,d^2-B\,b^2\,c^2+18\,A\,a\,b\,c\,d-B\,a\,b\,c\,d)}{6\,d}\right. \\
&\qquad \left.+\frac{A\,a\,b\,c\,g^2\,i}{2}\right)+\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(B\,a^2\,c\,g^2\,i\,x+\frac{B\,a\,g^2\,i\,x^2\,(a\,d+2\,b\,c)}{2}\right. \\
&\qquad \left.+\frac{B\,b\,g^2\,i\,x^3\,(2\,a\,d+b\,c)}{3}+\frac{B\,b^2\,d\,g^2\,i\,x^4}{4}\right) \\
&\quad +x\left(\frac{(12\,a\,d+12\,b\,c)\left(\frac{\left(\frac{b\,g^2\,i\,(12\,A\,a\,d+8\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,b\,g^2\,i\,(12\,a\,d+12\,b\,c)}{12}\right)\,(12\,a\,d+12\,b\,c)}{12\,b\,d}-\frac{g^2\,i\,(9\,A\,a^2\,d^2+3\,A\,b^2\,c^2+2\,B\,a}{12\,b\,d}\right. \\
&\qquad \left.-\frac{a\,c\left(\frac{b\,g^2\,i\,(12\,A\,a\,d+8\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,b\,g^2\,i\,(12\,a\,d+12\,b\,c)}{12}\right)}{b\,d}\right. \\
&\qquad \left.+\frac{a\,g^2\,i\,(2\,A\,a^2\,d^2+6\,A\,b^2\,c^2+B\,a^2\,d^2-2\,B\,b^2\,c^2+12\,A\,a\,b\,c\,d+B\,a\,b\,c\,d)}{2\,b\,d}\right) \\
&\quad -\frac{\ln(c+d\,x)\,(6\,B\,i\,a^2\,c^2\,d^2\,g^2-4\,B\,i\,a\,b\,c^3\,d\,g^2+B\,i\,b^2\,c^4\,g^2)}{12\,d^3} \\
&\quad -\frac{\ln(a+b\,x)\,(B\,a^4\,d\,g^2\,i-4\,B\,a^3\,b\,c\,g^2\,i)}{12\,b^2}+\frac{A\,b^2\,d\,g^2\,i\,x^4}{4}
\end{aligned}
$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output

```
x^3*((b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d - B*b*c))/12 - (A*b*g^2*i*(12*a*
d + 12*b*c))/36) - x^2*((((b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d - B*b*c))/4
 - (A*b*g^2*i*(12*a*d + 12*b*c))/12)*(12*a*d + 12*b*c))/(24*b*d) - (g^2*i*
(9*A*a^2*d^2 + 3*A*b^2*c^2 + 2*B*a^2*d^2 - B*b^2*c^2 + 18*A*a*b*c*d - B*a*
b*c*d))/(6*d) + (A*a*b*c*g^2*i)/2) + log((e*(a + b*x))/(c + d*x))*(B*a^2*c
*g^2*i*x + (B*a*g^2*i*x^2*(a*d + 2*b*c))/2 + (B*b*g^2*i*x^3*(2*a*d + b*c))
/3 + (B*b^2*d*g^2*i*x^4)/4) + x*(((12*a*d + 12*b*c)*((((b*g^2*i*(12*A*a*d
+ 8*A*b*c + B*a*d - B*b*c))/4 - (A*b*g^2*i*(12*a*d + 12*b*c))/12)*(12*a*d
+ 12*b*c))/(12*b*d) - (g^2*i*(9*A*a^2*d^2 + 3*A*b^2*c^2 + 2*B*a^2*d^2 - B*
b^2*c^2 + 18*A*a*b*c*d - B*a*b*c*d))/(3*d) + A*a*b*c*g^2*i))/(12*b*d) - (a
*c*((b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d - B*b*c))/4 - (A*b*g^2*i*(12*a*d
+ 12*b*c))/12))/(b*d) + (a*g^2*i*(2*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2 -
2*B*b^2*c^2 + 12*A*a*b*c*d + B*a*b*c*d))/(2*b*d)) - (log(c + d*x)*(B*b^2*c
^4*g^2*i + 6*B*a^2*c^2*d^2*g^2*i - 4*B*a*b*c^3*d*g^2*i))/(12*d^3) - (log(a
 + b*x)*(B*a^4*d*g^2*i - 4*B*a^3*b*c*g^2*i))/(12*b^2) + (A*b^2*d*g^2*i*x^4
)/4
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 541, normalized size of antiderivative = 3.01

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^2i\left(2a^3b\,d^4x+5a^2b^2d^4x^2+2a\,b^3d^4x^3+2b^4c^3dx-b^4c^2d^2x^2-2b^4c\,d^3x^3+4a^2b^2c\,d^3x-8a\,b^3c^2d^2x-4a\right.}{}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**2*i*( - 2*log(a + b*x)*a**4*d**4 + 8*log(a + b*x)*a**3*b*c*d**3 - 12*l
og(a + b*x)*a**2*b**2*c**2*d**2 + 8*log(a + b*x)*a*b**3*c**3*d - 2*log(a +
 b*x)*b**4*c**4 + 12*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c**2*d**2 + 24
*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d**3*x + 12*log((a*e + b*e*x)/(c
 + d*x))*a**2*b**2*d**4*x**2 - 8*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**3*
d + 24*log((a*e + b*e*x)/(c + d*x))*a*b**3*c*d**3*x**2 + 16*log((a*e + b*e
*x)/(c + d*x))*a*b**3*d**4*x**3 + 2*log((a*e + b*e*x)/(c + d*x))*b**4*c**4
 + 8*log((a*e + b*e*x)/(c + d*x))*b**4*c*d**3*x**3 + 6*log((a*e + b*e*x)/(
c + d*x))*b**4*d**4*x**4 + 24*a**3*b*c*d**3*x + 12*a**3*b*d**4*x**2 + 2*a*
*3*b*d**4*x + 24*a**2*b**2*c*d**3*x**2 + 4*a**2*b**2*c*d**3*x + 16*a**2*b*
*2*d**4*x**3 + 5*a**2*b**2*d**4*x**2 - 8*a*b**3*c**2*d**2*x + 8*a*b**3*c*d
**3*x**3 - 4*a*b**3*c*d**3*x**2 + 6*a*b**3*d**4*x**4 + 2*a*b**3*d**4*x**3
+ 2*b**4*c**3*d*x - b**4*c**2*d**2*x**2 - 2*b**4*c*d**3*x**3))/(24*b*d**3)
```

3.3 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$

Optimal result . . . 149
Mathematica [A] (verified) . . . 150
Rubi [A] (verified) . . . 150
Maple [A] (verified) . . . 153
Fricas [A] (verification not implemented) . . . 154
Sympy [B] (verification not implemented) . . . 154
Maxima [B] (verification not implemented) . . . 155
Giac [B] (verification not implemented) . . . 156
Mupad [B] (verification not implemented) . . . 158
Reduce [B] (verification not implemented) . . . 159

Optimal result

Integrand size = 36, antiderivative size = 140

$$\begin{aligned}&\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx\\&=-\frac{B(bc-ad)^2gix}{6bd}+\frac{gi(a+bx)^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b}\\&\quad+\frac{(bc-ad)gi(a+bx)^2\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6b^2}+\frac{B(bc-ad)^3gi\log(c+dx)}{6b^2d^2}\end{aligned}$$

output

```
-1/6*B*(-a*d+b*c)^2*g*i*x/b/d+1/3*g*i*(b*x+a)^2*(d*x+c)*(A+B*ln(e*(b*x+a)/
(d*x+c)))/b+1/6*(-a*d+b*c)*g*i*(b*x+a)^2*(A-B+B*ln(e*(b*x+a)/(d*x+c)))/b^2
+1/6*B*(-a*d+b*c)^3*g*i*ln(d*x+c)/b^2/d^2
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 181, normalized size of antiderivative = 1.29

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{gi\Big(-a^2Bd^2(3bc+ad)\log(a+bx)+b\Big(dx(a^2Bd^2-b^2Bc(c+dx)+Ab^2dx(3c+2dx)+abd(6Ac+3Ad$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
,x]
```

output
```
(g*i*(-(a^2*B*d^2*(3*b*c + a*d)*Log[a + b*x]) + b*(d*x*(a^2*B*d^2 - b^2*B*
c*(c + d*x) + A*b^2*d*x*(3*c + 2*d*x) + a*b*d*(6*A*c + 3*A*d*x + B*d*x)) +
 B*d^2*(6*a^2*c + 3*a*b*x*(2*c + d*x) + b^2*x^2*(3*c + 2*d*x))*Log[(e*(a +
 b*x))/(c + d*x)] + B*c*(b^2*c^2 - 3*a*b*c*d + 6*a^2*d^2)*Log[c + d*x])))/
(6*b^2*d^2)
```

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 137, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.139$, Rules used = {2960, 27, 2948, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$
$$\downarrow 2960$$
$$\frac{i(bc-ad)\int g(a+bx)\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{3b}+$$
$$\frac{gi(a+bx)^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b}$$
$$\downarrow 27$$

$$\frac{gi(bc-ad)\int(a+bx)\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b}$$

$$\downarrow 2948$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{2b}-\frac{B(bc-ad)\int\frac{a+bx}{c+dx}dx}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b}$$

$$\downarrow 49$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{2b}-\frac{B(bc-ad)\int\left(\frac{b}{d}+\frac{ad-bc}{d(c+dx)}\right)dx}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b}$$

$$\downarrow 2009$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{2b}-\frac{B(bc-ad)\left(\frac{bx}{d}-\frac{(bc-ad)\log(c+dx)}{d^2}\right)}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b}$$

input
```
Int[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
(g*i*(a + b*x)^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*b) + (
(b*c - a*d)*g*i*(((a + b*x)^2*(A - B + B*Log[(e*(a + b*x))/(c + d*x)]))/(2
*b) - (B*(b*c - a*d)*((b*x)/d - ((b*c - a*d)*Log[c + d*x])/d^2))/(2*b)))/(
3*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

rule 2960
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Sim
p[(f + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*
(m + 2))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B
*n + B*Log[e*((a + b*x)^n/(c + d*x)^n)]), x], x] /; FreeQ[{a, b, c, d, e, f
, g, h, i, A, B, m, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IGtQ[m, -2]
```

Maple [A] (verified)

Time = 1.12 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.47

method	result
risch	$\frac{giBx\left(2bd\,x^2+3xda+3bcx+6ac\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{6}+\frac{igbdA\,x^3}{3}+\frac{igdAa\,x^2}{2}+\frac{igbAc\,x^2}{2}+\frac{igdBa\,x^2}{6}-\frac{igbBc\,x^2}{6}+$
parallelrisch	$\frac{3B\,x^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3cd^2gi+6Axa\,b^2cd^2gi+3B\ln\left(\frac{e(bx+a)}{dx+c}\right)a\,b^2c^2dgi+3B\ln(bx+a)a^2bcd^2gi-3B\ln(bx+a)a\,b^2c^2dg}$
parts	$Agi\left(acx+\frac{(da+bc)x^2}{2}+\frac{bdx^3}{3}\right)-\frac{Bgi(da-bc)^2e^2\left(\left(-\frac{1}{2bed\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}-\frac{\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-b\right.}{2b^2e^2d}\right.\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(Ad^2egi\left(a^2d^2-2acdb+c^2b^2\right)\left(-\frac{1}{2d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}+\frac{be}{3d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^3}\right)+Bd^2egi(\right.}{}$
default	$-\frac{e(da-bc)\left(Ad^2egi\left(a^2d^2-2acdb+c^2b^2\right)\left(-\frac{1}{2d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}+\frac{be}{3d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^3}\right)+Bd^2egi(\right.}{}$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURNVE
RBOSE)
```

output
```
1/6*g*i*B*x*(2*b*d*x^2+3*a*d*x+3*b*c*x+6*a*c)*ln(e*(b*x+a)/(d*x+c))+1/3*i*
g*b*d*A*x^3+1/2*i*g*d*A*a*x^2+1/2*i*g*b*A*c*x^2+1/6*i*g*d*B*a*x^2-1/6*i*g*
b*B*c*x^2+i*g*A*a*c*x-1/2*i*g/d*B*ln(-d*x-c)*a*c^2+1/6*i*g*b/d^2*B*ln(-d*x
-c)*c^3-1/6*i*g/b^2*d*B*ln(b*x+a)*a^3+1/2*i*g/b*B*ln(b*x+a)*a^2*c+1/6*i*g/
b*d*B*a^2*x-1/6*i*g*b/d*B*c^2*x
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 226, normalized size of antiderivative = 1.61

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{2\,Ab^3d^3gix^3+((3\,A-B)b^3cd^2+(3\,A+B)ab^2d^3)gix^2-(Bb^3c^2d-6\,Aab^2cd^2-Ba^2bd^3)gix+(3\,Ba^2bc$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="fricas")
```

output
```
1/6*(2*A*b^3*d^3*g*i*x^3 + ((3*A - B)*b^3*c*d^2 + (3*A + B)*a*b^2*d^3)*g*i*x^2 - (B*b^3*c^2*d - 6*A*a*b^2*c*d^2 - B*a^2*b*d^3)*g*i*x + (3*B*a^2*b*c*d^2 - B*a^3*d^3)*g*i*log(b*x + a) + (B*b^3*c^3 - 3*B*a*b^2*c^2*d)*g*i*log(d*x + c) + (2*B*b^3*d^3*g*i*x^3 + 6*B*a*b^2*c*d^2*g*i*x + 3*(B*b^3*c*d^2 + B*a*b^2*d^3)*g*i*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^2*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 498 vs. 2(126) = 252.

Time = 1.51 (sec) , antiderivative size = 498, normalized size of antiderivative = 3.56

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{Abdgix^3}{3}$$
$$-\frac{Ba^2gi(ad-3bc)\log\left(x+\frac{Ba^3cd^2gi+\frac{Ba^3d^2gi(ad-3bc)}{b}-6Ba^2bc^2dgi-Ba^2cdgi(ad-3bc)+Bab^2c^3gi}{Ba^3d^3gi-3Ba^2bcd^2gi-3Bab^2c^2dgi+Bb^3c^3gi}\right)}{6b^2}$$
$$-\frac{Bc^2gi(3ad-bc)\log\left(x+\frac{Ba^3cd^2gi-6Ba^2bc^2dgi+Bab^2c^3gi+Babc^2gi(3ad-bc)-\frac{Bb^2c^3gi(3ad-bc)}{d}}{Ba^3d^3gi-3Ba^2bcd^2gi-3Bab^2c^2dgi+Bb^3c^3gi}\right)}{6d^2}$$
$$+x^2\left(\frac{Aadgi}{2}+\frac{Abcgi}{2}+\frac{Badgi}{6}-\frac{Bbcgi}{6}\right)+x\left(Aacgi+\frac{Ba^2dgi}{6b}-\frac{Bbc^2gi}{6d}\right)$$
$$+\left(Bacgix+\frac{Badgix^2}{2}+\frac{Bbcgix^2}{2}+\frac{Bbdgix^3}{3}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output
```
A*b*d*g*i*x**3/3 - B*a**2*g*i*(a*d - 3*b*c)*log(x + (B*a**3*c*d**2*g*i + B
*a**3*d**2*g*i*(a*d - 3*b*c)/b - 6*B*a**2*b*c**2*d*g*i - B*a**2*c*d*g*i*(a
*d - 3*b*c) + B*a*b**2*c**3*g*i)/(B*a**3*d**3*g*i - 3*B*a**2*b*c*d**2*g*i
- 3*B*a*b**2*c**2*d*g*i + B*b**3*c**3*g*i))/(6*b**2) - B*c**2*g*i*(3*a*d -
 b*c)*log(x + (B*a**3*c*d**2*g*i - 6*B*a**2*b*c**2*d*g*i + B*a*b**2*c**3*g
*i + B*a*b*c**2*g*i*(3*a*d - b*c) - B*b**2*c**3*g*i*(3*a*d - b*c)/d)/(B*a*
*3*d**3*g*i - 3*B*a**2*b*c*d**2*g*i - 3*B*a*b**2*c**2*d*g*i + B*b**3*c**3*
g*i))/(6*d**2) + x**2*(A*a*d*g*i/2 + A*b*c*g*i/2 + B*a*d*g*i/6 - B*b*c*g*i
/6) + x*(A*a*c*g*i + B*a**2*d*g*i/(6*b) - B*b*c**2*g*i/(6*d)) + (B*a*c*g*i
*x + B*a*d*g*i*x**2/2 + B*b*c*g*i*x**2/2 + B*b*d*g*i*x**3/3)*log(e*(a + b*
x)/(c + d*x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 361 vs. $2(132) = 264$.

Time $= 0.04$ (sec) , antiderivative size $= 361$, normalized size of antiderivative $= 2.58$

$$\begin{aligned}\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx &= \frac{1}{3}Abdgix^3+\frac{1}{2}Abcgix^2\\ &+\frac{1}{2}Aadgix^2+\left(x\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right)Bacgi\\ &+\frac{1}{2}\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Bbcgi\\ &+\frac{1}{2}\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Badgi\\ &+\frac{1}{6}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.\\ &+Aacgix\end{aligned}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorith
m="maxima")
```

output

```
1/3*A*b*d*g*i*x^3 + 1/2*A*b*c*g*i*x^2 + 1/2*A*a*d*g*i*x^2 + (x*log(b*e*x/(
d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B*a*c*g*i
 + 1/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 +
c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*b*c*g*i + 1/2*(x^2*log(b*e*x
/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2
- (b*c - a*d)*x/(b*d))*B*a*d*g*i + 1/6*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d
*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a
*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*b*d*g*i + A*a*c*g*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1254 vs. $2(132) = 264$.

Time $= 0.24$ (sec) , antiderivative size $= 1254$, normalized size of antiderivative $= 8.96$

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(\frac{e(a + bx)}{c + dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorith
m="giac")
```

output

```
-1/6*((B*b^5*c^4*e^4*g*i - 4*B*a*b^4*c^3*d*e^4*g*i + 6*B*a^2*b^3*c^2*d^2*e
^4*g*i - 4*B*a^3*b^2*c*d^3*e^4*g*i + B*a^4*b*d^4*e^4*g*i - 3*(b*e*x + a*e)
*B*b^4*c^4*d*e^3*g*i/(d*x + c) + 12*(b*e*x + a*e)*B*a*b^3*c^3*d^2*e^3*g*i/
(d*x + c) - 18*(b*e*x + a*e)*B*a^2*b^2*c^2*d^3*e^3*g*i/(d*x + c) + 12*(b*e
*x + a*e)*B*a^3*b*c*d^4*e^3*g*i/(d*x + c) - 3*(b*e*x + a*e)*B*a^4*d^5*e^3*
g*i/(d*x + c))*log((b*e*x + a*e)/(d*x + c))/(b^3*d^2*e^3 - 3*(b*e*x + a*e)
*b^2*d^3*e^2/(d*x + c) + 3*(b*e*x + a*e)^2*b*d^4*e/(d*x + c)^2 - (b*e*x +
a*e)^3*d^5/(d*x + c)^3) + (A*b^6*c^4*e^4*g*i - 4*A*a*b^5*c^3*d*e^4*g*i + 6
*A*a^2*b^4*c^2*d^2*e^4*g*i - 4*A*a^3*b^3*c*d^3*e^4*g*i + A*a^4*b^2*d^4*e^4
*g*i - 3*(b*e*x + a*e)*A*b^5*c^4*d*e^3*g*i/(d*x + c) + (b*e*x + a*e)*B*b^5
*c^4*d*e^3*g*i/(d*x + c) + 12*(b*e*x + a*e)*A*a*b^4*c^3*d^2*e^3*g*i/(d*x +
 c) - 4*(b*e*x + a*e)*B*a*b^4*c^3*d^2*e^3*g*i/(d*x + c) - 18*(b*e*x + a*e)
*A*a^2*b^3*c^2*d^3*e^3*g*i/(d*x + c) + 6*(b*e*x + a*e)*B*a^2*b^3*c^2*d^3*e
^3*g*i/(d*x + c) + 12*(b*e*x + a*e)*A*a^3*b^2*c*d^4*e^3*g*i/(d*x + c) - 4*
(b*e*x + a*e)*B*a^3*b^2*c*d^4*e^3*g*i/(d*x + c) - 3*(b*e*x + a*e)*A*a^4*b*
d^5*e^3*g*i/(d*x + c) + (b*e*x + a*e)*B*a^4*b*d^5*e^3*g*i/(d*x + c) - (b*e
*x + a*e)^2*B*b^4*c^4*d^2*e^2*g*i/(d*x + c)^2 + 4*(b*e*x + a*e)^2*B*a*b^3*
c^3*d^3*e^2*g*i/(d*x + c)^2 - 6*(b*e*x + a*e)^2*B*a^2*b^2*c^2*d^4*e^2*g*i/
(d*x + c)^2 + 4*(b*e*x + a*e)^2*B*a^3*b*c*d^5*e^2*g*i/(d*x + c)^2 - (b*e*x
 + a*e)^2*B*a^4*d^6*e^2*g*i/(d*x + c)^2)/(b^4*d^2*e^3 - 3*(b*e*x + a*e)...
```

Mupad [B] (verification not implemented)

Time = 26.20 (sec) , antiderivative size = 282, normalized size of antiderivative = 2.01

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx \\
&= x^2\left(\frac{gi\,(6\,A\,a\,d+6\,A\,b\,c+B\,a\,d-B\,b\,c)}{6}-\frac{A\,g\,i\,(6\,a\,d+6\,b\,c)}{12}\right) \\
&\quad - x\left(\frac{\left(\frac{gi\,(6\,A\,a\,d+6\,A\,b\,c+B\,a\,d-B\,b\,c)}{3}-\frac{A\,g\,i\,(6\,a\,d+6\,b\,c)}{6}\right)(6\,a\,d+6\,b\,c)}{6\,b\,d}+A\,a\,c\,g\,i\right. \\
&\qquad\qquad \left.-\frac{gi\,(2\,A\,a^2\,d^2+2\,A\,b^2\,c^2+B\,a^2\,d^2-B\,b^2\,c^2+8\,A\,a\,b\,c\,d)}{2\,b\,d}\right) \\
&\quad + \ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(\frac{B\,b\,d\,g\,i\,x^3}{3}+\frac{B\,g\,i\,(a\,d+b\,c)\,x^2}{2}+B\,a\,c\,g\,i\,x\right) \\
&\quad - \frac{\ln(a+b\,x)\,(B\,a^3\,d\,g\,i-3\,B\,a^2\,b\,c\,g\,i)}{6\,b^2} \\
&\quad + \frac{\ln(c+d\,x)\,(B\,b\,c^3\,g\,i-3\,B\,a\,c^2\,d\,g\,i)}{6\,d^2}+\frac{A\,b\,d\,g\,i\,x^3}{3}
\end{aligned}$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output
```
x^2*((g*i*(6*A*a*d + 6*A*b*c + B*a*d - B*b*c))/6 - (A*g*i*(6*a*d + 6*b*c))
/12) - x*((((g*i*(6*A*a*d + 6*A*b*c + B*a*d - B*b*c))/3 - (A*g*i*(6*a*d +
6*b*c))/6)*(6*a*d + 6*b*c))/(6*b*d) + A*a*c*g*i - (g*i*(2*A*a^2*d^2 + 2*A*
b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 8*A*a*b*c*d))/(2*b*d)) + log((e*(a + b*x
))/(c + d*x))*((B*g*i*x^2*(a*d + b*c))/2 + (B*b*d*g*i*x^3)/3 + B*a*c*g*i*x
) - (log(a + b*x)*(B*a^3*d*g*i - 3*B*a^2*b*c*g*i))/(6*b^2) + (log(c + d*x)
*(B*b*c^3*g*i - 3*B*a*c^2*d*g*i))/(6*d^2) + (A*b*d*g*i*x^3)/3
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 326, normalized size of antiderivative = 2.33

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{gi\left(-\log(bx+a)\,a^3d^3+3\log(bx+a)\,a^2bc\,d^2-3\log(bx+a)\,a\,b^2c^2d+\log(bx+a)\,b^3c^3+3\log\left(\frac{bex+ae}{dx+c}\right)a\right.}{}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output
```
(g*i*( - log(a + b*x)*a**3*d**3 + 3*log(a + b*x)*a**2*b*c*d**2 - 3*log(a +
 b*x)*a*b**2*c**2*d + log(a + b*x)*b**3*c**3 + 3*log((a*e + b*e*x)/(c + d*
x))*a*b**2*c**2*d + 6*log((a*e + b*e*x)/(c + d*x))*a*b**2*c*d**2*x + 3*log
((a*e + b*e*x)/(c + d*x))*a*b**2*d**3*x**2 - log((a*e + b*e*x)/(c + d*x))*
b**3*c**3 + 3*log((a*e + b*e*x)/(c + d*x))*b**3*c*d**2*x**2 + 2*log((a*e +
 b*e*x)/(c + d*x))*b**3*d**3*x**3 + 6*a**2*b*c*d**2*x + 3*a**2*b*d**3*x**2
 + a**2*b*d**3*x + 3*a*b**2*c*d**2*x**2 + 2*a*b**2*d**3*x**3 + a*b**2*d**3
*x**2 - b**3*c**2*d*x - b**3*c*d**2*x**2))/(6*b*d**2)
```

3.4 $\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result . . . 160
Mathematica [A] (verified) . . . 160
Rubi [A] (verified) . . . 161
Maple [A] (verified) . . . 162
Fricas [A] (verification not implemented) . . . 163
Sympy [B] (verification not implemented) . . . 163
Maxima [A] (verification not implemented) . . . 164
Giac [B] (verification not implemented) . . . 165
Mupad [B] (verification not implemented) . . . 166
Reduce [B] (verification not implemented) . . . 166

Optimal result

Integrand size = 28, antiderivative size = 81

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = -\frac{B(bc-ad)ix}{2b} - \frac{B(bc-ad)^2 i\log(a+bx)}{2b^2 d} + \frac{i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d}$$

output
```
-1/2*B*(-a*d+b*c)*i*x/b-1/2*B*(-a*d+b*c)^2*i*ln(b*x+a)/b^2/d+1/2*i*(d*x+c)
^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 70, normalized size of antiderivative = 0.86

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \frac{i\left(-\frac{B(bc-ad)(bdx+(bc-ad)\log(a+bx))}{b^2} + (c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\right)}{2d}$$

input
```
Integrate[(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
(i*(-((B*(b*c - a*d)*(b*d*x + (b*c - a*d)*Log[a + b*x]))/b^2) + (c + d*x)^
2*(A + B*Log[(e*(a + b*x))/(c + d*x)])))/(2*d)
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 77, normalized size of antiderivative = 0.95, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2948, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci + dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right) + A\right)\,dx$$

$$\downarrow 2948$$

$$\frac{i(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d} - \frac{B(bc-ad)\int \frac{i^2(c+dx)}{a+bx}dx}{2di}$$

$$\downarrow 27$$

$$\frac{i(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d} - \frac{Bi(bc-ad)\int \frac{c+dx}{a+bx}dx}{2d}$$

$$\downarrow 49$$

$$\frac{i(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d} - \frac{Bi(bc-ad)\int \left(\frac{d}{b} + \frac{bc-ad}{b(a+bx)}\right)dx}{2d}$$

$$\downarrow 2009$$

$$\frac{i(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d} - \frac{Bi(bc-ad)\left(\frac{(bc-ad)\log(a+bx)}{b^2} + \frac{dx}{b}\right)}{2d}$$

input
```
Int[(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
-1/2*(B*(b*c - a*d)*i*((d*x)/b + ((b*c - a*d)*Log[a + b*x])/b^2))/d + (i*(
c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

Maple [A] (verified)

Time = 1.03 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.33

method	result
risch	$\frac{iBx(dx+2c)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2}+\frac{idAx^2}{2}+iAcx-\frac{Bc^2i\ln(-dx-c)}{2d}-\frac{idB\ln(bx+a)a^2}{2b^2}+\frac{iB\ln(bx+a)ac}{b}+\frac{idB}{2}$
parallelrisch	$\frac{Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^2d^2i+Ax^2b^2d^2i+2Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^2cdi+2Axb^2cdi-B\ln(bx+a)a^2d^2i+2B\ln(bx+a)abcdi-B\ln(}{2b^2d}$
parts	$Ai\left(\frac{1}{2}dx^2+xc\right)-Bi(da-bc)^2e^2\left(-\frac{1}{2bed\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}-\frac{\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}{2b^2e^2d}+\frac{\ln}{}\right.$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{Adei(da-bc)}{2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-Bd^2ei(da-bc)\left(-\frac{1}{2bed\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{2b^2e^2d}\right.\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{Adei(da-bc)}{2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-Bd^2ei(da-bc)\left(-\frac{1}{2bed\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{2b^2e^2d}\right.\right.}{d^2}$

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURNVERBOSE)
```

output
```
1/2*i*B*x*(d*x+2*c)*ln(e*(b*x+a)/(d*x+c))+1/2*i*d*A*x^2+i*A*c*x-1/2*B*c^2*
i/d*ln(-d*x-c)-1/2*i/b^2*d*B*ln(b*x+a)*a^2+i/b*B*ln(b*x+a)*a*c+1/2*i/b*d*B
*a*x-1/2*i*B*c*x
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 127, normalized size of antiderivative = 1.57

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{Ab^2d^2ix^2-Bb^2c^2i\log(dx+c)+((2A-B)b^2cd+Babd^2)ix+(2Babcd-Ba^2d^2)i\log(bx+a)+(Bb^2$$
$$2b^2d$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="fricas")
```

output
```
1/2*(A*b^2*d^2*i*x^2 - B*b^2*c^2*i*log(d*x + c) + ((2*A - B)*b^2*c*d + B*a
*b*d^2)*i*x + (2*B*a*b*c*d - B*a^2*d^2)*i*log(b*x + a) + (B*b^2*d^2*i*x^2
+ 2*B*b^2*c*d*i*x)*log((b*e*x + a*e)/(d*x + c)))/(b^2*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 253 vs. 2(68) = 136.

Time = 0.94 (sec) , antiderivative size = 253, normalized size of antiderivative = 3.12

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{Adix^2}{2}-\frac{Bai(ad-2bc)\log\left(x+\frac{Ba^2cdi+\frac{Ba^2di(ad-2bc)}{b}-3Babc^2i-Baci(ad-2bc)}{Ba^2d^2i-2Babcdi-Bb^2c^2i}\right)}{2b^2}$$
$$-\frac{Bc^2i\log\left(x+\frac{Ba^2cdi-2Babc^2i-\frac{Bb^2c^3i}{d}}{Ba^2d^2i-2Babcdi-Bb^2c^2i}\right)}{2d}+x\left(Aci+\frac{Badi}{2b}-\frac{Bci}{2}\right)$$
$$+\left(Bcix+\frac{Bdix^2}{2}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output
```
A*d*i*x**2/2 - B*a*i*(a*d - 2*b*c)*log(x + (B*a**2*c*d*i + B*a**2*d*i*(a*d
 - 2*b*c)/b - 3*B*a*b*c**2*i - B*a*c*i*(a*d - 2*b*c))/(B*a**2*d**2*i - 2*B
*a*b*c*d*i - B*b**2*c**2*i))/(2*b**2) - B*c**2*i*log(x + (B*a**2*c*d*i - 2
*B*a*b*c**2*i - B*b**2*c**3*i/d)/(B*a**2*d**2*i - 2*B*a*b*c*d*i - B*b**2*c
**2*i))/(2*d) + x*(A*c*i + B*a*d*i/(2*b) - B*c*i/2) + (B*c*i*x + B*d*i*x**
2/2)*log(e*(a + b*x)/(c + d*x))
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 144, normalized size of antiderivative = 1.78

$$\begin{aligned}
&\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx \\
&= \frac{1}{2}Adix^2 + \left(x\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) + \frac{a\log(bx+a)}{b} - \frac{c\log(dx+c)}{d}\right)Bci \\
&\quad + \frac{1}{2}\left(x^2\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) - \frac{a^2\log(bx+a)}{b^2} + \frac{c^2\log(dx+c)}{d^2} - \frac{(bc-ad)x}{bd}\right)Bdi \\
&\quad + Acix
\end{aligned}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="maxima")
```

output
```
1/2*A*d*i*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b
 - c*log(d*x + c)/d)*B*c*i + 1/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))
 - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*d*
i + A*c*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 627 vs. $2(75) = 150$.

Time $= 0.20$ (sec) , antiderivative size $= 627$, normalized size of antiderivative $= 7.74$

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$

$$= \frac{1}{2}\left(\frac{(Bb^3c^3e^3i - 3\,Bab^2c^2de^3i + 3\,Ba^2bcd^2e^3i - Ba^3d^3e^3i)\log\left(\frac{bex+ae}{dx+c}\right)}{b^2de^2 - \frac{2\,(bex+ae)bd^2e}{dx+c} + \frac{(bex+ae)^2d^3}{(dx+c)^2}} + \frac{Ab^4c^3e^3i - Bb^4c^3e^3i - 3\,Aab^3\right.$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="giac")
```

output
```
1/2*((B*b^3*c^3*e^3*i - 3*B*a*b^2*c^2*d*e^3*i + 3*B*a^2*b*c*d^2*e^3*i - B*
a^3*d^3*e^3*i)*log((b*e*x + a*e)/(d*x + c))/(b^2*d*e^2 - 2*(b*e*x + a*e)*b
*d^2*e/(d*x + c) + (b*e*x + a*e)^2*d^3/(d*x + c)^2) + (A*b^4*c^3*e^3*i - B
*b^4*c^3*e^3*i - 3*A*a*b^3*c^2*d*e^3*i + 3*B*a*b^3*c^2*d*e^3*i + 3*A*a^2*b
^2*c*d^2*e^3*i - 3*B*a^2*b^2*c*d^2*e^3*i - A*a^3*b*d^3*e^3*i + B*a^3*b*d^3
*e^3*i + (b*e*x + a*e)*B*b^3*c^3*d*e^2*i/(d*x + c) - 3*(b*e*x + a*e)*B*a*b
^2*c^2*d^2*e^2*i/(d*x + c) + 3*(b*e*x + a*e)*B*a^2*b*c*d^3*e^2*i/(d*x + c)
 - (b*e*x + a*e)*B*a^3*d^4*e^2*i/(d*x + c))/(b^3*d*e^2 - 2*(b*e*x + a*e)*b
^2*d^2*e/(d*x + c) + (b*e*x + a*e)^2*b*d^3/(d*x + c)^2) + (B*b^3*c^3*e*i -
 3*B*a*b^2*c^2*d*e*i + 3*B*a^2*b*c*d^2*e*i - B*a^3*d^3*e*i)*log(-b*e + (b*
e*x + a*e)*d/(d*x + c))/(b^2*d) - (B*b^3*c^3*e*i - 3*B*a*b^2*c^2*d*e*i + 3
*B*a^2*b*c*d^2*e*i - B*a^3*d^3*e*i)*log((b*e*x + a*e)/(d*x + c))/(b^2*d))*
(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 26.50 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.56

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = x\left(\frac{i\,(2\,A\,a\,d+4\,A\,b\,c+B\,a\,d-B\,b\,c)}{2\,b} - \frac{A\,i\,(2\,a\,d+2\,b\,c)}{2\,b}\right) + \ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(\frac{B\,d\,i\,x^2}{2}+B\,c\,i\,x\right) - \frac{\ln(a+b\,x)\,(B\,a^2\,d\,i-2\,B\,a\,b\,c\,i)}{2\,b^2} + \frac{A\,d\,i\,x^2}{2} - \frac{B\,c^2\,i\,\ln(c+d\,x)}{2\,d}$$

input
```
int((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output
```
x*((i*(2*A*a*d + 4*A*b*c + B*a*d - B*b*c))/(2*b) - (A*i*(2*a*d + 2*b*c))/(
2*b)) + log((e*(a + b*x))/(c + d*x))*((B*d*i*x^2)/2 + B*c*i*x) - (log(a +
b*x)*(B*a^2*d*i - 2*B*a*b*c*i))/(2*b^2) + (A*d*i*x^2)/2 - (B*c^2*i*log(c +
 d*x))/(2*d)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 181, normalized size of antiderivative = 2.23

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$= \frac{i\left(-\log(dx+c)\,a^2d^2+2\log(dx+c)\,abcd-\log(dx+c)\,b^2c^2-\log\left(\frac{bex+ae}{dx+c}\right)a^2d^2+2\log\left(\frac{bex+ae}{dx+c}\right)abcd+2\right.}{2bd}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(i*( - log(c + d*x)*a**2*d**2 + 2*log(c + d*x)*a*b*c*d - log(c + d*x)*b**2
*c**2 - log((a*e + b*e*x)/(c + d*x))*a**2*d**2 + 2*log((a*e + b*e*x)/(c +
d*x))*a*b*c*d + 2*log((a*e + b*e*x)/(c + d*x))*b**2*c*d*x + log((a*e + b*e
*x)/(c + d*x))*b**2*d**2*x**2 + 2*a*b*c*d*x + a*b*d**2*x**2 + a*b*d**2*x -
 b**2*c*d*x))/(2*b*d)
```

3.5 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 168
Mathematica [A] (verified) . . . 169
Rubi [A] (verified) . . . 169
Maple [B] (verified) . . . 172
Fricas [F] . . . 174
Sympy [F] . . . 174
Maxima [A] (verification not implemented) . . . 175
Giac [F] . . . 175
Mupad [F(-1)] . . . 176
Reduce [F] . . . 176

Optimal result

Integrand size = 38, antiderivative size = 133

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx \\
&= \frac{i(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{bg} \\
&\quad - \frac{(bc-ad)i\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g} \\
&\quad + \frac{B(bc-ad)i\,\mathrm{PolyLog}\left(2,1+\frac{bc-ad}{d(a+bx)}\right)}{b^2g}
\end{aligned}$$

output

```
i*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g-(-a*d+b*c)*i*ln(-(-a*d+b*c)/d/(b
*x+a))*(A-B+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g+B*(-a*d+b*c)*i*polylog(2,1+(-a*
d+b*c)/d/(b*x+a))/b^2/g
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.23

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i\Big((-bBc+aBd)\log^2(a+bx)+2\Big(Abdx+Bd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)+(-bBc+aBd)\log(c+dx)\Big)+2}{2b^2g}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*
x),x]
```

output
```
(i*((-(b*B*c) + a*B*d)*Log[a + b*x]^2 + 2*(A*b*d*x + B*d*(a + b*x)*Log[(e*
(a + b*x))/(c + d*x)] + (-(b*B*c) + a*B*d)*Log[c + d*x]) + 2*(b*c - a*d)*L
og[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)] + B*Log[(b*(c + d*x))/(b*c
 - a*d)]) + 2*B*(b*c - a*d)*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]))/(2*
b^2*g)
```

Rubi [A] (verified)

Time = 0.67 (sec) , antiderivative size = 126, normalized size of antiderivative = 0.95, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.211$, Rules used = {2960, 27, 2942, 2858, 27, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ag+bgx}\,dx$$
$$\downarrow 2960$$
$$\frac{i(bc-ad)\int \frac{A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{g(a+bx)}dx}{b} + \frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$
$$\downarrow 27$$

$$\frac{i(bc-ad)\int \frac{A-B+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{a+bx}dx}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 2942$$

$$\frac{i(bc-ad)\left(\frac{B(bc-ad)\int \frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)}dx}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 2858$$

$$\frac{i(bc-ad)\left(\frac{B(bc-ad)\int \frac{b\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)\left(b\left(c-\frac{ad}{b}\right)+d(a+bx)\right)}d(a+bx)}{b^2}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 27$$

$$\frac{i(bc-ad)\left(\frac{B(bc-ad)\int \frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(bc-ad+d(a+bx))}d(a+bx)}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 2778$$

$$\frac{i(bc-ad)\left(-\frac{B(bc-ad)\int \frac{(a+bx)\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{bc-ad+d(a+bx)}d\frac{1}{a+bx}}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 2005$$

$$\frac{i(bc-ad)\left(-\frac{B(bc-ad)\int \frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{d+\frac{bc-ad}{a+bx}}d\frac{1}{a+bx}}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

$$\downarrow 2752$$

$$\frac{i(bc-ad)\left(\frac{B\,\mathrm{PolyLog}\left(2,\frac{bc-ad}{d(a+bx)}+1\right)}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A-B\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{bg}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x),x]
```

output
```
(i*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b*g) + ((b*c - a*d)*i*
(-((Log[-((b*c - a*d)/(d*(a + b*x)))]*(A - B + B*Log[(e*(a + b*x))/(c + d*
x)]))/b) + (B*PolyLog[2, 1 + (b*c - a*d)/(d*(a + b*x))])/b))/(b*g)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2005
```
Int[(Fx_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[x^(m
+ n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2778
```
Int[((a_.) + Log[(c_.)*(x_)^(n_)]*(b_.))/((x_)*((d_) + (e_.)*(x_)^(r_.))),
x_Symbol] :> Simp[1/n   Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x],
 x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]
```

rule 2858
```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_
.)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] :> Simp[1/e   Subst[In
t[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d +
e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f -
d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

rule 2942
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))/((f_.) + (g_.)*(x_)), x_Symbol] :> Simp[(-Log[-(b*c - a*d)/(d*(a
+ b*x))])*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/g), x] + Simp[B*n*((b*c
 - a*d)/g)   Int[Log[-(b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)), x],
 x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*
c - a*d, 0] && EqQ[b*f - a*g, 0]
```

rule 2960
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Sim
p[(f + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*
(m + 2))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B
*n + B*Log[e*((a + b*x)^n/(c + d*x)^n)]), x], x] /; FreeQ[{a, b, c, d, e, f
, g, h, i, A, B, m, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d
, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 416 vs. $2(133) = 266$.

Time = 2.94 (sec) , antiderivative size = 417, normalized size of antiderivative = 3.14

method	result
parts	$\frac{iA\left(\frac{xd}{b}+\frac{(-da+bc)\ln(bx+a)}{b^2}\right)}{g} - \frac{iB(da-bc)^2e^2\left(\frac{\left(\frac{\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}{bed}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}\right)d^4}{(da-bc)be}-$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i\,d^2eA\left(\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^2e^2}+\frac{1}{be\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^2e^2}\right)}{g}+\frac{i\,d^2eB\left(-\frac{\left(\mathrm{dilog}\left(-\right.\right.\right.}{}\right.$
default	$-\frac{e(da-bc)\left(\frac{i\,d^2eA\left(\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^2e^2}+\frac{1}{be\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^2e^2}\right)}{g}+\frac{i\,d^2eB\left(-\frac{\left(\mathrm{dilog}\left(-\right.\right.\right.}{}\right.$
risch	Expression too large to display

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x,method=_RETURNVE
RBOSE)
```

output
```
i*A/g*(x*d/b+(-a*d+b*c)/b^2*ln(b*x+a))-i*B/g/d^3*(a*d-b*c)^2*e^2*((1/b/e*l
n((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(
b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e))/(a
*d-b*c)*d^4/b/e+1/2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2/(a*d-b*c)*d^3/b^2/e^
2-(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)*d
^4/b^2/e^2)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algorith
m="fricas")
```

output
```
integral((A*d*i*x + A*c*i + (B*d*i*x + B*c*i)*log((b*e*x + a*e)/(d*x + c))
)/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \frac{i\left(\int \frac{Ac}{a+bx}\,dx + \int \frac{Adx}{a+bx}\,dx + \int \frac{Bc\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx + \int \frac{Bdx\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx\right)}{g}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
i*(Integral(A*c/(a + b*x), x) + Integral(A*d*x/(a + b*x), x) + Integral(B*
c*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Integral(B*d*x*log(
a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x))/g
```

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 241, normalized size of antiderivative = 1.81

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= Adi\left(\frac{x}{bg}-\frac{a\log(bx+a)}{b^2g}\right)+\frac{Aci\log(bgx+ag)}{bg}-\frac{Bci\log(dx+c)}{bg}$$
$$+\frac{(bci-adi)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{b^2g}$$
$$+\frac{2\,Bbdix\log(e)+(bci-adi)B\log(bx+a)^2+2\left(Bbdix+(bci\log(e)-(i\log(e)-i)ad)B\right)\log(bx+}{2\,b^2g}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algorith
m="maxima")
```

output
```
A*d*i*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + A*c*i*log(b*g*x + a*g)/(b*g) -
B*c*i*log(d*x + c)/(b*g) + (b*c*i - a*d*i)*(log(b*x + a)*log((b*d*x + a*d)
/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^2*g) + 1/2*(2*
B*b*d*i*x*log(e) + (b*c*i - a*d*i)*B*log(b*x + a)^2 + 2*(B*b*d*i*x + (b*c*
i*log(e) - (i*log(e) - i)*a*d)*B)*log(b*x + a) - 2*(B*b*d*i*x + (b*c*i - a
*d*i)*B*log(b*x + a))*log(d*x + c))/(b^2*g)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx=\int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algorith
m="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g),
x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x),x)
```

output
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x), x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i\left(\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)b^3c+\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{bx+a}dx\right)b^3d-\log(bx+a)\,a^2d+\log(bx+a)\,abc+abdx\right)}{b^2g}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
(i*(int(log((a*e + b*e*x)/(c + d*x))/(a + b*x),x)*b**3*c + int((log((a*e +
 b*e*x)/(c + d*x))*x)/(a + b*x),x)*b**3*d - log(a + b*x)*a**2*d + log(a +
b*x)*a*b*c + a*b*d*x))/(b**2*g)
```

3.6 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 177
Mathematica [A] (verified) . . . 178
Rubi [A] (verified) . . . 178
Maple [B] (verified) . . . 180
Fricas [F] . . . 182
Sympy [F(-1)] . . . 182
Maxima [F] . . . 183
Giac [F] . . . 183
Mupad [F(-1)] . . . 184
Reduce [F] . . . 184

Optimal result

Integrand size = 38, antiderivative size = 142

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = -\frac{Bi(c+dx)}{bg^2(a+bx)} - \frac{i(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{bg^2(a+bx)} - \frac{di\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} + \frac{Bdi\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2}$$

output

```
-B*i*(d*x+c)/b/g^2/(b*x+a)-i*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g^2/(b*
x+a)-d*i*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^2/g^2+B*d
*i*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/g^2
```

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.23

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i\Big(-2(A+B)(bc-ad)-Bd(a+bx)\log^2(a+bx)+2(-bBc+aBd)\log\left(\frac{e(a+bx)}{c+dx}\right)+2Bd(a+bx)\log(c$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*
x)^2,x]
```

output
```
(i*(-2*(A + B)*(b*c - a*d) - B*d*(a + b*x)*Log[a + b*x]^2 + 2*(-(b*B*c) +
a*B*d)*Log[(e*(a + b*x))/(c + d*x)] + 2*B*d*(a + b*x)*Log[c + d*x] + 2*d*(
a + b*x)*Log[a + b*x]*(A - B + B*Log[(e*(a + b*x))/(c + d*x)] + B*Log[(b*(
c + d*x))/(b*c - a*d)]) + 2*B*d*(a + b*x)*PolyLog[2, (d*(a + b*x))/(-(b*c)
 + a*d)]))/(2*b^2*g^2*(a + b*x))
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.94, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2962, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^2}\,dx$$
$$\downarrow 2962$$
$$\frac{i\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^2}$$
$$\downarrow 2780$$

$$\frac{i\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2741$$

$$\frac{i\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2779$$

$$\frac{i\left(\frac{d\left(\frac{B\int \frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}\right)}{b}+\frac{-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2838$$

$$\frac{i\left(\frac{d\left(\frac{B\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}\right)}{b}+\frac{-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}}{b}\right)}{g^2}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^2,x
]
```

output

```
(i*((-((B*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[(e*(a + b*x))/(c +
 d*x)]))/(a + b*x))/b + (d*(-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1
 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b
 *x))])/b))/b))/g^2
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 369 vs. $2(142) = 284$.

Time = 2.99 (sec) , antiderivative size = 370, normalized size of antiderivative = 2.61

method	result
parts	$\frac{iA\left(\frac{d\ln(bx+a)}{b^2}-\frac{-da+bc}{b^2(bx+a)}\right)}{g^2}-\frac{iB(da-bc)^2e^2\left(-\frac{\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)d^3}{(da-bc)^2be}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2d^4}{2(da-bc)^2b^2e^2}+\frac{}{}\right.}{g^2}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i\,d^2eA\left(-\frac{1}{be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^2e^2}-\frac{d\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^2e^2}\right)}{(da-bc)g^2}-\frac{i\,d^2eB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(d}{d(}\right.\right.}{\frac{be}{d}+\frac{(da}{d(}}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{i\,d^2eA\left(-\frac{1}{be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^2e^2}-\frac{d\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^2e^2}\right)}{(da-bc)g^2}-\frac{i\,d^2eB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(d}{d(}\right.\right.}{\frac{be}{d}+\frac{(da}{d(}}\right.}{}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x,method=_RETURN
VERBOSE)
```

output
```
i*A/g^2*(d/b^2*ln(b*x+a)-(-a*d+b*c)/b^2/(b*x+a))-i*B/g^2/d^3*(a*d-b*c)^2*e
^2*(-(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(
b*e/d+(a*d-b*c)*e/d/(d*x+c)))/(a*d-b*c)^2*d^3/b/e-1/2*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2/(a*d-b*c)^2*d^4/b^2/e^2+(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c
))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d
/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)^2*d^5/b^2/e^2)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algori
thm="fricas")
```

output
```
integral((A*d*i*x + A*c*i + (B*d*i*x + B*c*i)*log((b*e*x + a*e)/(d*x + c))
)/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algori
thm="maxima")
```

output
```
-B*d*i*(((b*x + a)*log(b*x + a) + a)*log(d*x + c)/(b^3*g^2*x + a*b^2*g^2)
- integrate((b^2*d*x^2*log(e) + a^2*d + (b^2*c*log(e) + a*b*d)*x + (2*b^2*
d*x^2 + a^2*d + (b^2*c + 2*a*b*d)*x)*log(b*x + a))/(b^4*d*g^2*x^3 + a^2*b^
2*c*g^2 + (b^4*c*g^2 + 2*a*b^3*d*g^2)*x^2 + (2*a*b^3*c*g^2 + a^2*b^2*d*g^2
)*x), x)) + A*d*i*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - B
*c*i*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^2*g^2*x + a*b*g^2) + 1/(b^2*
g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2) - d*log(d*x + c)/(
(b^2*c - a*b*d)*g^2)) - A*c*i/(b^2*g^2*x + a*b*g^2)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algori
thm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)^2
, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2,x
)
```

output
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2,
x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i\left(\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{b^2x^2+2abx+a^2}dx\right)a^3b^3d^2 - \left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{b^2x^2+2abx+a^2}dx\right)a^2b^4cd + \left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{b^2x^2+2abx+a^2}dx\right)a^2b^4d^2x - \left(\int \frac{\log\left(\frac{bex+}{dx+}\right.\right.\right.}{\left.\left.\left.b^2x^2+2ab\right.\right.\right.}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x)
```

output
```
(i*(int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a
**3*b**3*d**2 - int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**
2*x**2),x)*a**2*b**4*c*d + int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*
a*b*x + b**2*x**2),x)*a**2*b**4*d**2*x - int((log((a*e + b*e*x)/(c + d*x))
*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**5*c*d*x + log(a + b*x)*a**4*d**2
 - log(a + b*x)*a**3*b*c*d + log(a + b*x)*a**3*b*d**2*x - log(a + b*x)*a**2
*b**2*c*d*x + log(a + b*x)*a*b**3*c**2 + log(a + b*x)*b**4*c**2*x - log(c
 + d*x)*a*b**3*c**2 - log(c + d*x)*b**4*c**2*x + log((a*e + b*e*x)/(c + d*x
))*a*b**3*c*d*x - log((a*e + b*e*x)/(c + d*x))*b**4*c**2*x - a**3*b*d**2*x
 + 2*a**2*b**2*c*d*x - a*b**3*c**2*x + a*b**3*c*d*x - b**4*c**2*x))/(a*b**
2*g**2*(a**2*d - a*b*c + a*b*d*x - b**2*c*x))
```

3.7 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 185
Mathematica [B] (verified) . . . 185
Rubi [A] (verified) . . . 186
Maple [A] (verified) . . . 187
Fricas [B] (verification not implemented) . . . 189
Sympy [B] (verification not implemented) . . . 189
Maxima [B] (verification not implemented) . . . 190
Giac [A] (verification not implemented) . . . 191
Mupad [B] (verification not implemented) . . . 192
Reduce [B] (verification not implemented) . . . 192

Optimal result

Integrand size = 38, antiderivative size = 85

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = -\frac{Bi(c+dx)^2}{4(bc-ad)g^3(a+bx)^2} - \frac{i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)g^3(a+bx)^2}$$

output

```
-1/4*B*i*(d*x+c)^2/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*i*(d*x+c)^2*(A+B*ln(e*(b*x
+a)/(d*x+c)))/(-a*d+b*c)/g^3/(b*x+a)^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 208 vs. 2(85) = 170.

Time = 0.19 (sec) , antiderivative size = 208, normalized size of antiderivative = 2.45

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \frac{i\left(-\frac{(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2(a+bx)^2} - \frac{d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2(a+bx)} - \frac{Bd\left(\frac{1}{a+bx}+\frac{d\log(a+bx)}{bc-ad}-\frac{d\log(c+dx)}{bc-ad}\right)}{b^2} - \frac{B\left(\frac{bc-ad}{(a+bx)^2}-\frac{2d}{a+bx}-\frac{2d^2\log(a+}{bc-ad}\right.\right.}{4b^2}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*
x)^3,x]
```

output
```
(i*(-1/2*((b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b^2*(a + b*x)
^2) - (d*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b^2*(a + b*x)) - (B*d*((a
+ b*x)^(-1) + (d*Log[a + b*x])/(b*c - a*d) - (d*Log[c + d*x])/(b*c - a*d))
)/b^2 - (B*((b*c - a*d)/(a + b*x)^2 - (2*d)/(a + b*x) - (2*d^2*Log[a + b*x
])/(b*c - a*d) + (2*d^2*Log[c + d*x])/(b*c - a*d)))/(4*b^2)))/g^3
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 72, normalized size of antiderivative = 0.85, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {2962, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i\left(-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}\right)}{g^3(bc-ad)}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^3,x
]
```

output
```
(i*(-1/4*(B*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(2*(a + b*x)^2)))/((b*c - a*d)*g^3)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.35 (sec) , antiderivative size = 153, normalized size of antiderivative = 1.80

method	result
parts	$\frac{iA\left(-\frac{-da+bc}{2b^2(bx+a)^2}-\frac{d}{b^2(bx+a)}\right)}{g^3}-\frac{iBe^2\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{g^3(da-bc)}$
norman	$\frac{\frac{Bcdix\ln\left(\frac{e(bx+a)}{dx+c}\right)}{g(da-bc)}-\frac{2Aadi+2Abci+Badi+Bbci}{4gb^2}-\frac{(2Adi+Bdi)x}{2gb}+\frac{Bic^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2g(da-bc)}+\frac{Bd^2ix^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2(da-bc)g}}{(bx+a)^2g^2}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{id^2eA}{2(da-bc)^2g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{id^2eB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^2g^3}\right)}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{id^2eA}{2(da-bc)^2g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{id^2eB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^2g^3}\right)}{d^2}$
parallelrisch	$-\frac{2Aa^2b^2d^3i+Ba^2b^2d^3i-Bb^4c^2di-4Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^4cd^2i-4Axb^4cd^2i-2Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^4d^3i+4Axab^3d^3i-2}{4g^3(bx+a)^2b^4d(da-bc)}$
risch	$-\frac{Bi(2bdx+da+bc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2g^3(bx+a)^2b^2}-\frac{i\left(2B\ln(dx+c)b^2d^2x^2-2B\ln(-bx-a)b^2d^2x^2+4B\ln(dx+c)abd^2x-4B\ln(-bx-\right.}{}$
orering	$-\frac{(bx+a)(2d^2b^2x^3-3x^2abd^2+3x^2b^2cd-6xacdb+a^2cd-5ab c^2)(dix+ci)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)}{4a(da-bc)b(dx+c)(bgx+ag)^3}+\frac{(-bdx^2+ac)(bx+}{}$

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x,method=_RETURN
VERBOSE)
```

output
```
i*A/g^3*(-1/2*(-a*d+b*c)/b^2/(b*x+a)^2-d/b^2/(b*x+a))-i*B/g^3/(a*d-b*c)*e^
2*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/
4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 177 vs. 2(81) = 162.

Time = 0.08 (sec) , antiderivative size = 177, normalized size of antiderivative = 2.08

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = -\frac{2\left((2A+B)b^2cd-(2A+B)abd^2\right)ix+\left((2A+B)b^2c^2-(2A+B)a^2d^2\right)i+2\left(Bb^2d^2ix^2+2Bb^2cdix\right.}{4\left((b^5c-ab^4d)g^3x^2+2\left(ab^4c-a^2b^3d\right)g^3x+\left(a^2b^3c-a^3b^2d\right)g^3\right)}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algori
thm="fricas")
```

output
```
-1/4*(2*((2*A + B)*b^2*c*d - (2*A + B)*a*b*d^2)*i*x + ((2*A + B)*b^2*c^2 -
 (2*A + B)*a^2*d^2)*i + 2*(B*b^2*d^2*i*x^2 + 2*B*b^2*c*d*i*x + B*b^2*c^2*i
)*log((b*e*x + a*e)/(d*x + c)))/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c -
a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 384 vs. 2(73) = 146.

Time = 2.30 (sec) , antiderivative size = 384, normalized size of antiderivative = 4.52

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx \\
&= -\frac{Bd^2i\log\left(x+\frac{-\frac{Ba^2d^4i}{ad-bc}+\frac{2Babcd^3i}{ad-bc}+Bad^3i-\frac{Bb^2c^2d^2i}{ad-bc}+Bbcd^2i}{2Bbd^3i}\right)}{2b^2g^3(ad-bc)} \\
&\quad + \frac{Bd^2i\log\left(x+\frac{\frac{Ba^2d^4i}{ad-bc}-\frac{2Babcd^3i}{ad-bc}+Bad^3i+\frac{Bb^2c^2d^2i}{ad-bc}+Bbcd^2i}{2Bbd^3i}\right)}{2b^2g^3(ad-bc)} \\
&\quad + \frac{-2Aadi-2Abci-Badi-Bbci+x(-4Abdi-2Bbdi)}{4a^2b^2g^3+8ab^3g^3x+4b^4g^3x^2} \\
&\quad + \frac{(-Badi-Bbci-2Bbdix)\log\left(\frac{e(a+bx)}{c+dx}\right)}{2a^2b^2g^3+4ab^3g^3x+2b^4g^3x^2}
\end{aligned}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3,x)
```

output
```
-B*d**2*i*log(x + (-B*a**2*d**4*i/(a*d - b*c) + 2*B*a*b*c*d**3*i/(a*d - b*
c) + B*a*d**3*i - B*b**2*c**2*d**2*i/(a*d - b*c) + B*b*c*d**2*i)/(2*B*b*d*
*3*i))/(2*b**2*g**3*(a*d - b*c)) + B*d**2*i*log(x + (B*a**2*d**4*i/(a*d -
b*c) - 2*B*a*b*c*d**3*i/(a*d - b*c) + B*a*d**3*i + B*b**2*c**2*d**2*i/(a*d
 - b*c) + B*b*c*d**2*i)/(2*B*b*d**3*i))/(2*b**2*g**3*(a*d - b*c)) + (-2*A*
a*d*i - 2*A*b*c*i - B*a*d*i - B*b*c*i + x*(-4*A*b*d*i - 2*B*b*d*i))/(4*a**
2*b**2*g**3 + 8*a*b**3*g**3*x + 4*b**4*g**3*x**2) + (-B*a*d*i - B*b*c*i -
2*B*b*d*i*x)*log(e*(a + b*x)/(c + d*x))/(2*a**2*b**2*g**3 + 4*a*b**3*g**3*
x + 2*b**4*g**3*x**2)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 570 vs. $2(81) = 162$.

Time $= 0.05$ (sec) , antiderivative size $= 570$, normalized size of antiderivative $= 6.71$

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}\,Bdi\left(\frac{2\,(2\,bx+a)\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)}{b^4g^3x^2+2\,ab^3g^3x+a^2b^2g^3}+\frac{3\,abc-a^2d+2\,(2\,b^2c-abd)x}{(b^5c-ab^4d)g^3x^2+2\,(ab^4c-a^2b^3d)g^3x+(a^2b^3c-a^3b^2d)g^3}\right.$$
$$+\frac{1}{4}\,Bci\left(\frac{2\,bdx-bc+3\,ad}{(b^4c-ab^3d)g^3x^2+2\,(ab^3c-a^2b^2d)g^3x+(a^2b^2c-a^3bd)g^3}-\frac{2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)}{b^3g^3x^2+2\,ab^2g^3x+a^2bg^3}+\frac{}{(b^3}\right.$$
$$-\frac{(2\,bx+a)Adi}{2\,(b^4g^3x^2+2\,ab^3g^3x+a^2b^2g^3)}-\frac{Aci}{2\,(b^3g^3x^2+2\,ab^2g^3x+a^2bg^3)}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algori
thm="maxima")
```

output

```
-1/4*B*d*i*(2*(2*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^4*g^3*x^
2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + (3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*
x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c
 - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*
c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a
*b^3*c*d + a^2*b^2*d^2)*g^3)) + 1/4*B*c*i*((2*b*d*x - b*c + 3*a*d)/((b^4*c
 - a*b^3*d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d
)*g^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^3*g^3*x^2 + 2*a*b^2*g^3
*x + a^2*b*g^3) + 2*d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*
g^3) - 2*d^2*log(d*x + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - 1/2
*(2*b*x + a)*A*d*i/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*A*c*i
/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3)
```

Giac [A] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.58

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2Be^3i\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^2g^3}+\frac{(2\,Ae^3i+Be^3i)(dx+c)^2}{(bex+ae)^2g^3}\right)\left(\frac{bc}{(bce-ade)(bc-ad)}-\frac{ad}{(bce-ade)(}\right.$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algori
thm="giac")
```

output

```
-1/4*(2*(d*x + c)^2*B*e^3*i*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^2*
g^3) + (2*A*e^3*i + B*e^3*i)*(d*x + c)^2/((b*e*x + a*e)^2*g^3))*(b*c/((b*c
*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.16 (sec) , antiderivative size = 197, normalized size of antiderivative = 2.32

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$
$$= -\frac{x\,(2\,A\,b\,d\,i+B\,b\,d\,i)+A\,a\,d\,i+A\,b\,c\,i+\frac{B\,a\,d\,i}{2}+\frac{B\,b\,c\,i}{2}}{2\,a^2\,b^2\,g^3+4\,a\,b^3\,g^3\,x+2\,b^4\,g^3\,x^2}$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,\left(\frac{B\,c\,i}{2\,b^2\,g^3}+\frac{B\,a\,d\,i}{2\,b^3\,g^3}+\frac{B\,d\,i\,x}{b^2\,g^3}\right)}{2\,a\,x+b\,x^2+\frac{a^2}{b}}-\frac{B\,d^2\,i\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,1\mathrm{i}}{b^2\,g^3\,(a\,d-b\,c)}$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^3,x
)
```

output
```
- (x*(2*A*b*d*i + B*b*d*i) + A*a*d*i + A*b*c*i + (B*a*d*i)/2 + (B*b*c*i)/2
)/(2*a^2*b^2*g^3 + 2*b^4*g^3*x^2 + 4*a*b^3*g^3*x) - (log((e*(a + b*x))/(c
+ d*x))*((B*c*i)/(2*b^2*g^3) + (B*a*d*i)/(2*b^3*g^3) + (B*d*i*x)/(b^2*g^3)
))/(2*a*x + b*x^2 + a^2/b) - (B*d^2*i*atan((b*c*2i + b*d*x*2i)/(a*d - b*c)
 + 1i)*1i)/(b^2*g^3*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 335, normalized size of antiderivative = 3.94

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$
$$= \frac{i\big(2\log(bx+a)\,a^2bcd+4\log(bx+a)\,ab^2cdx+2\log(bx+a)\,b^3cd\,x^2-2\log(dx+c)\,a^2bcd-4\log(dx+c$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x)
```

output

```
(i*(2*log(a + b*x)*a**2*b*c*d + 4*log(a + b*x)*a*b**2*c*d*x + 2*log(a + b*
x)*b**3*c*d*x**2 - 2*log(c + d*x)*a**2*b*c*d - 4*log(c + d*x)*a*b**2*c*d*x
 - 2*log(c + d*x)*b**3*c*d*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*a**2*b*c*
d + 2*log((a*e + b*e*x)/(c + d*x))*a*b**2*c**2 + 2*log((a*e + b*e*x)/(c +
d*x))*a*b**2*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*b**3*c*d*x**2 - 2*
a**3*c*d + 2*a**2*b*c**2 - a**2*b*c*d + 2*a**2*b*d**2*x**2 + a*b**2*c**2 -
 2*a*b**2*c*d*x**2 + a*b**2*d**2*x**2 - b**3*c*d*x**2))/(4*a*b*g**3*(a**3*
d - a**2*b*c + 2*a**2*b*d*x - 2*a*b**2*c*x + a*b**2*d*x**2 - b**3*c*x**2))
```

3.8 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 194
Mathematica [A] (verified) . . . 195
Rubi [A] (verified) . . . 195
Maple [A] (verified) . . . 198
Fricas [B] (verification not implemented) . . . 199
Sympy [B] (verification not implemented) . . . 200
Maxima [B] (verification not implemented) . . . 201
Giac [A] (verification not implemented) . . . 202
Mupad [B] (verification not implemented) . . . 202
Reduce [B] (verification not implemented) . . . 203

Optimal result

Integrand size = 38, antiderivative size = 173

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx &= \frac{Bdi(c+dx)^2}{4(bc-ad)^2g^4(a+bx)^2}\\ &\quad-\frac{bBi(c+dx)^3}{9(bc-ad)^2g^4(a+bx)^3}\\ &\quad+\frac{di(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^2g^4(a+bx)^2}\\ &\quad-\frac{bi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^2g^4(a+bx)^3}\end{aligned}$$

output

```
1/4*B*d*i*(d*x+c)^2/(-a*d+b*c)^2/g^4/(b*x+a)^2-1/9*b*B*i*(d*x+c)^3/(-a*d+b
*c)^2/g^4/(b*x+a)^3+1/2*d*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*
c)^2/g^4/(b*x+a)^2-1/3*b*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^2/g^4/(b*x+a)^3
```

Mathematica [A] (verified)

Time = 0.41 (sec) , antiderivative size = 187, normalized size of antiderivative = 1.08

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$

$$-\frac{i\left(\frac{12Abc}{(a+bx)^3}+\frac{4bBc}{(a+bx)^3}-\frac{12aAd}{(a+bx)^3}-\frac{4aBd}{(a+bx)^3}+\frac{18Ad}{(a+bx)^2}+\frac{3Bd}{(a+bx)^2}-\frac{6Bd^2}{(bc-ad)(a+bx)}-\frac{6Bd^3\log(a+bx)}{(bc-ad)^2}+\frac{6B(2bc+ad+3b}{(a+}\right.}{36b^2g^4}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*
x)^4,x]
```

output
```
-1/36*(i*((12*A*b*c)/(a + b*x)^3 + (4*b*B*c)/(a + b*x)^3 - (12*a*A*d)/(a +
 b*x)^3 - (4*a*B*d)/(a + b*x)^3 + (18*A*d)/(a + b*x)^2 + (3*B*d)/(a + b*x)
^2 - (6*B*d^2)/((b*c - a*d)*(a + b*x)) - (6*B*d^3*Log[a + b*x])/(b*c - a*d
)^2 + (6*B*(2*b*c + a*d + 3*b*d*x)*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x)
^3 + (6*B*d^3*Log[c + d*x])/(b*c - a*d)^2))/(b^2*g^4)
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.79, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2962, 2772, 27, 53, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^4}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{i\left(-B\int -\frac{(c+dx)^4\left(2b-\frac{3d(a+bx)}{c+dx}\right)}{6(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 27$$

$$\frac{i\left(\frac{1}{6}B\int \frac{(c+dx)^4\left(2b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 53$$

$$\frac{i\left(\frac{1}{6}B\int \left(\frac{2b(c+dx)^4}{(a+bx)^4}-\frac{3d(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{1}{6}B\left(\frac{3d(c+dx)^2}{2(a+bx)^2}-\frac{2b(c+dx)^3}{3(a+bx)^3}\right)\right)}{g^4(bc-ad)^2}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^4,x
]
```

output

```
(i*((B*((3*d*(c + d*x)^2)/(2*(a + b*x)^2) - (2*b*(c + d*x)^3)/(3*(a + b*x)
^3)))/6 + (d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x
)^2) - (b*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a + b*x)^3
)))/((b*c - a*d)^2*g^4)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 53
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
|| LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.50 (sec) , antiderivative size = 279, normalized size of antiderivative = 1.61

method	result
parts	$\frac{iA\left(-\frac{d}{2b^2(bx+a)^2}-\frac{-da+bc}{3b^2(bx+a)^3}\right)}{g^4}-\frac{iB(da-bc)^2e^2\left(\frac{d^4\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^4}-\frac{d^3be\left(-\frac{\ln\left(\frac{be}{d}+\right.\right.}{3\left(\frac{be}{d}+\frac{(}{d}\right.}\right.}{g^4d^3}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i\,d^2e^2Ab}{3(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i\,d^3eA}{2(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{i\,d^2e^2Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{}{9\left(\frac{be}{d}+\frac{(}{d}\right.}\right.}{(da-bc)^3g^4}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{i\,d^2e^2Ab}{3(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i\,d^3eA}{2(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{i\,d^2e^2Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{}{9\left(\frac{be}{d}+\frac{(d}{d}\right.}\right.}{(da-bc)^3g^4}\right.}{d^2}$
norman	$\frac{-\frac{6A\,a^2d^2i+6Aabcdi-12A\,b^2c^2i+3B\,a^2d^2i+5Babcdi-4B\,b^2c^2i}{36b^2g(da-bc)}-\frac{\left(6Aa\,d^2i-6Abcdi+3Ba\,d^2i-Bbcdi\right)x}{12g(da-bc)b}+\frac{B\,d^2ib\,x^3}{18a(da-bc)g}+\frac{Bi\,c^2(3}{6\left(a^{}\right.}}{(bx+a)^3g^3}$
risch	$-\frac{Bi(3bdx+da+2bc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{6(bx+a)^3b^2g^4}-\frac{(-6B\ln(-bx-a)b^3d^3x^3+6B\ln(dx+c)b^3d^3x^3-18B\ln(-bx-a)a\,b^2d^3x^2+18B}{}$
orering	$-\frac{(bx+a)\left(-24b^3d^3x^3-57a\,b^2d^3x^2-15b^3c\,d^2x^2-114a\,b^2c\,d^2x+42b^3c^2dx+5a^3d^3-15a^2bc\,d^2-42a\,b^2c^2d+28b^3c^3\right)(dix}{36b^2(a^2d^2-2acdb+c^2b^2)(dx+c)(bgx+ag)^4}$
parallelrisch	$-\frac{-36Axa\,b^5c\,d^3i-18Bxa\,b^5c\,d^3i-18B\ln\left(\frac{e(bx+a)}{dx+c}\right)a\,b^5c^2d^2i+4B\,b^6c^3di-6B\,x^3\ln\left(\frac{e(bx+a)}{dx+c}\right)b^6d^4i+6A\,a^3b^3d^4i+12}{}$

input

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x,method=_RETURN
VERBOSE)
```

output
```
i*A/g^4*(-1/2*d/b^2/(b*x+a)^2-1/3*(-a*d+b*c)/b^2/(b*x+a)^3)-i*B/g^4/d^3*(a
*d-b*c)^2*e^2*(d^4/(a*d-b*c)^4*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-d^3/(a*d-b
*c)^4*b*e*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 363 vs. $2(165) = 330$.

Time $= 0.08$ (sec) , antiderivative size $= 363$, normalized size of antiderivative $= 2.10$

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{6\left(Bb^3cd^2-Bab^2d^3\right)ix^2-3\left((6A+B)b^3c^2d-6(2A+B)ab^2cd^2+(6A+5B)a^2bd^3\right)ix-\left(4(3A+B)\right.}{36\left(\left(b^7c^2-2ab^6cd+a^2b^5d^2\right)g^4x^3+3\left(ab^6c^2-2a^2\right.\right.}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algori
thm="fricas")
```

output
```
1/36*(6*(B*b^3*c*d^2 - B*a*b^2*d^3)*i*x^2 - 3*((6*A + B)*b^3*c^2*d - 6*(2*
A + B)*a*b^2*c*d^2 + (6*A + 5*B)*a^2*b*d^3)*i*x - (4*(3*A + B)*b^3*c^3 - 9
*(2*A + B)*a*b^2*c^2*d + (6*A + 5*B)*a^3*d^3)*i + 6*(B*b^3*d^3*i*x^3 + 3*B
*a*b^2*d^3*i*x^2 - 3*(B*b^3*c^2*d - 2*B*a*b^2*c*d^2)*i*x - (2*B*b^3*c^3 -
3*B*a*b^2*c^2*d)*i)*log((b*e*x + a*e)/(d*x + c)))/((b^7*c^2 - 2*a*b^6*c*d
+ a^2*b^5*d^2)*g^4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x
^2 + 3*(a^2*b^5*c^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 -
2*a^4*b^3*c*d + a^5*b^2*d^2)*g^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 629 vs. 2(158) = 316.

Time = 4.15 (sec) , antiderivative size = 629, normalized size of antiderivative = 3.64

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$

$$= -\frac{Bd^3i\log\left(x+\frac{-\frac{Ba^3d^6i}{(ad-bc)^2}+\frac{3Ba^2bcd^5i}{(ad-bc)^2}-\frac{3Bab^2c^2d^4i}{(ad-bc)^2}+Bad^4i+\frac{Bb^3c^3d^3i}{(ad-bc)^2}+Bbcd^3i}{2Bbd^4i}\right)}{6b^2g^4(ad-bc)^2}$$

$$+\frac{Bd^3i\log\left(x+\frac{\frac{Ba^3d^6i}{(ad-bc)^2}-\frac{3Ba^2bcd^5i}{(ad-bc)^2}+\frac{3Bab^2c^2d^4i}{(ad-bc)^2}+Bad^4i-\frac{Bb^3c^3d^3i}{(ad-bc)^2}+Bbcd^3i}{2Bbd^4i}\right)}{6b^2g^4(ad-bc)^2}$$

$$+\frac{(-Badi-2Bbci-3Bbdix)\log\left(\frac{e(a+bx)}{c+dx}\right)}{6a^3b^2g^4+18a^2b^3g^4x+18ab^4g^4x^2+6b^5g^4x^3}$$

$$+\frac{-6Aa^2d^2i-6Aabcdi+12Ab^2c^2i-5Ba^2d^2i-5Babcdi+4Bb^2c^2i-6Bb^2d^2ix^2+x(-18Aabd^2i+18}{36a^4b^2dg^4-36a^3b^3cg^4+x^3\cdot(36ab^5dg^4-36b^6cg^4)+x^2\cdot(108a^2b^4dg^4-108ab^5cg^4)+x\,(108}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4,x)
```

output
```
-B*d**3*i*log(x + (-B*a**3*d**6*i/(a*d - b*c)**2 + 3*B*a**2*b*c*d**5*i/(a*
d - b*c)**2 - 3*B*a*b**2*c**2*d**4*i/(a*d - b*c)**2 + B*a*d**4*i + B*b**3*
c**3*d**3*i/(a*d - b*c)**2 + B*b*c*d**3*i)/(2*B*b*d**4*i))/(6*b**2*g**4*(a
*d - b*c)**2) + B*d**3*i*log(x + (B*a**3*d**6*i/(a*d - b*c)**2 - 3*B*a**2*
b*c*d**5*i/(a*d - b*c)**2 + 3*B*a*b**2*c**2*d**4*i/(a*d - b*c)**2 + B*a*d*
*4*i - B*b**3*c**3*d**3*i/(a*d - b*c)**2 + B*b*c*d**3*i)/(2*B*b*d**4*i))/(
6*b**2*g**4*(a*d - b*c)**2) + (-B*a*d*i - 2*B*b*c*i - 3*B*b*d*i*x)*log(e*(
a + b*x)/(c + d*x))/(6*a**3*b**2*g**4 + 18*a**2*b**3*g**4*x + 18*a*b**4*g*
*4*x**2 + 6*b**5*g**4*x**3) + (-6*A*a**2*d**2*i - 6*A*a*b*c*d*i + 12*A*b**
2*c**2*i - 5*B*a**2*d**2*i - 5*B*a*b*c*d*i + 4*B*b**2*c**2*i - 6*B*b**2*d*
*2*i*x**2 + x*(-18*A*a*b*d**2*i + 18*A*b**2*c*d*i - 15*B*a*b*d**2*i + 3*B*
b**2*c*d*i))/(36*a**4*b**2*d*g**4 - 36*a**3*b**3*c*g**4 + x**3*(36*a*b**5*
d*g**4 - 36*b**6*c*g**4) + x**2*(108*a**2*b**4*d*g**4 - 108*a*b**5*c*g**4)
 + x*(108*a**3*b**3*d*g**4 - 108*a**2*b**4*c*g**4))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 933 vs. $2(165) = 330$.

Time = 0.07 (sec) , antiderivative size = 933, normalized size of antiderivative = 5.39

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag + bgx)^4}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algori
thm="maxima")
```

output
```
-1/36*B*d*i*(6*(3*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^5*g^4*x
^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) + (5*a*b^2*c^2 - 22*
a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c^2 - 16*
a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^4*x^3
 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c^2 -
2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a^5*b^
2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*a*b^4*c^2*d
 + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4) + 6*(3*b*c*d^2 - a*d^3)*log(d*x + c
)/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4)) - 1/18*
B*c*i*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d -
5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*(a*b^5*c^
2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3*b^3*c*d
+ a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*g^4) + 6*
log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^4*g^4*x^3 + 3*a*b^3*g^4*x^2 + 3*a^
2*b^2*g^4*x + a^3*b*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d +
3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3
*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4)) - 1/6*(3*b*x + a)*A*d*i/(b^5*g
^4*x^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/3*A*c*i/(b^4
*g^4*x^3 + 3*a*b^3*g^4*x^2 + 3*a^2*b^2*g^4*x + a^3*b*g^4)
```

Giac [A] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 270, normalized size of antiderivative = 1.56

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{1}{36}\left(\frac{6\left(2\,Bbe^4i-\frac{3\,(bex+ae)Bde^3i}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^3bcg^4}{(dx+c)^3}-\frac{(bex+ae)^3adg^4}{(dx+c)^3}}+\frac{12\,Abe^4i+4\,Bbe^4i-\frac{18\,(bex+ae)Ade^3i}{dx+c}-\frac{9\,(bex+ae)Bde^3i}{dx+c}}{\frac{(bex+ae)^3bcg^4}{(dx+c)^3}-\frac{(bex+ae)^3adg^4}{(dx+c)^3}}\right)$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algori
thm="giac")
```

output
```
-1/36*(6*(2*B*b*e^4*i - 3*(b*e*x + a*e)*B*d*e^3*i/(d*x + c))*log((b*e*x + 
a*e)/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4/(d*x + c)^3 - (b*e*x + a*e)^3*a*d
*g^4/(d*x + c)^3) + (12*A*b*e^4*i + 4*B*b*e^4*i - 18*(b*e*x + a*e)*A*d*e^3
*i/(d*x + c) - 9*(b*e*x + a*e)*B*d*e^3*i/(d*x + c))/((b*e*x + a*e)^3*b*c*g
^4/(d*x + c)^3 - (b*e*x + a*e)^3*a*d*g^4/(d*x + c)^3))*(b*c/((b*c*e - a*d*
e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.82 (sec) , antiderivative size = 361, normalized size of antiderivative = 2.09

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{\frac{6\,A\,a^2\,d^2\,i-12\,A\,b^2\,c^2\,i+5\,B\,a^2\,d^2\,i-4\,B\,b^2\,c^2\,i+6\,A\,a\,b\,c\,d\,i+5\,B\,a\,b\,c\,d\,i}{6\,(a\,d-b\,c)}+\frac{x\,(6\,A\,a\,b\,d^2\,i+5\,B\,a\,b\,d^2\,i-6\,A\,b^2\,c\,d\,i-B\,b^2\,c\,d\,i)}{2\,(a\,d-b\,c)}+\frac{B\,b^2\,d^2\,i\,x}{a\,d-b\,c}}{6\,a^3\,b^2\,g^4+18\,a^2\,b^3\,g^4\,x+18\,a\,b^4\,g^4\,x^2+6\,b^5\,g^4\,x^3}$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(\frac{B\,c\,i}{3\,b^2\,g^4}+\frac{B\,a\,d\,i}{6\,b^3\,g^4}+\frac{B\,d\,i\,x}{2\,b^2\,g^4}\right)}{3\,a^2\,x+\frac{a^3}{b}+b^2\,x^3+3\,a\,b\,x^2}-\frac{B\,d^3\,i\,\operatorname{atanh}\left(\frac{6\,b^4\,c^2\,g^4-6\,a^2\,b^2\,d^2\,g^4}{6\,b^2\,g^4\,(a\,d-b\,c)^2}-\frac{2\,b\,d\,x}{a\,d-b\,c}\right)}{3\,b^2\,g^4\,(a\,d-b\,c)^2}$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^4,x
)
```

output

```
- ((6*A*a^2*d^2*i - 12*A*b^2*c^2*i + 5*B*a^2*d^2*i - 4*B*b^2*c^2*i + 6*A*a
*b*c*d*i + 5*B*a*b*c*d*i)/(6*(a*d - b*c)) + (x*(6*A*a*b*d^2*i + 5*B*a*b*d^
2*i - 6*A*b^2*c*d*i - B*b^2*c*d*i))/(2*(a*d - b*c)) + (B*b^2*d^2*i*x^2)/(a
*d - b*c))/(6*a^3*b^2*g^4 + 6*b^5*g^4*x^3 + 18*a^2*b^3*g^4*x + 18*a*b^4*g^
4*x^2) - (log((e*(a + b*x))/(c + d*x))*((B*c*i)/(3*b^2*g^4) + (B*a*d*i)/(6
*b^3*g^4) + (B*d*i*x)/(2*b^2*g^4)))/(3*a^2*x + a^3/b + b^2*x^3 + 3*a*b*x^2
) - (B*d^3*i*atanh((6*b^4*c^2*g^4 - 6*a^2*b^2*d^2*g^4)/(6*b^2*g^4*(a*d - b
*c)^2) - (2*b*d*x)/(a*d - b*c)))/(3*b^2*g^4*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 894, normalized size of antiderivative = 5.17

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x)
```

output

```
(i*(12*log(a + b*x)*a**4*b**2*c*d**2 - 6*log(a + b*x)*a**3*b**3*c**2*d + 3
6*log(a + b*x)*a**3*b**3*c*d**2*x - 18*log(a + b*x)*a**2*b**4*c**2*d*x + 3
6*log(a + b*x)*a**2*b**4*c*d**2*x**2 - 18*log(a + b*x)*a*b**5*c**2*d*x**2
+ 12*log(a + b*x)*a*b**5*c*d**2*x**3 - 6*log(a + b*x)*b**6*c**2*d*x**3 - 1
2*log(c + d*x)*a**4*b**2*c*d**2 + 6*log(c + d*x)*a**3*b**3*c**2*d - 36*log
(c + d*x)*a**3*b**3*c*d**2*x + 18*log(c + d*x)*a**2*b**4*c**2*d*x - 36*log
(c + d*x)*a**2*b**4*c*d**2*x**2 + 18*log(c + d*x)*a*b**5*c**2*d*x**2 - 12*
log(c + d*x)*a*b**5*c*d**2*x**3 + 6*log(c + d*x)*b**6*c**2*d*x**3 - 12*log
((a*e + b*e*x)/(c + d*x))*a**4*b**2*c*d**2 + 24*log((a*e + b*e*x)/(c + d*x
))*a**3*b**3*c**2*d + 18*log((a*e + b*e*x)/(c + d*x))*a**3*b**3*d**3*x**2
- 12*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c**3 - 36*log((a*e + b*e*x)/(c
 + d*x))*a**2*b**4*c*d**2*x**2 + 6*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*
d**3*x**3 + 18*log((a*e + b*e*x)/(c + d*x))*a*b**5*c**2*d*x**2 - 12*log((a
*e + b*e*x)/(c + d*x))*a*b**5*c*d**2*x**3 + 6*log((a*e + b*e*x)/(c + d*x))
*b**6*c**2*d*x**3 - 6*a**6*d**3 - 18*a**5*b*d**3*x - 3*a**5*b*d**3 + 18*a*
*4*b**2*c**2*d + 36*a**4*b**2*c*d**2*x - 2*a**4*b**2*c*d**2 - 9*a**4*b**2*
d**3*x - 12*a**3*b**3*c**3 - 18*a**3*b**3*c**2*d*x + 9*a**3*b**3*c**2*d +
12*a**3*b**3*c*d**2*x - 4*a**2*b**4*c**3 - 3*a**2*b**4*c**2*d*x + 2*a**2*b
**4*d**3*x**3 - 2*a*b**5*c*d**2*x**3))/(36*a**2*b**2*g**4*(a**5*d**2 - 2*a
**4*b*c*d + 3*a**4*b*d**2*x + a**3*b**2*c**2 - 6*a**3*b**2*c*d*x + 3*a*...
```

3.9 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$

Optimal result . . . 205
Mathematica [A] (verified) . . . 206
Rubi [A] (verified) . . . 206
Maple [A] (verified) . . . 209
Fricas [B] (verification not implemented) . . . 210
Sympy [B] (verification not implemented) . . . 211
Maxima [B] (verification not implemented) . . . 212
Giac [A] (verification not implemented) . . . 213
Mupad [B] (verification not implemented) . . . 213
Reduce [B] (verification not implemented) . . . 214

Optimal result

Integrand size = 38, antiderivative size = 269

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = &-\frac{Bd^2i(c+dx)^2}{4(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bBdi(c+dx)^3}{9(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2Bi(c+dx)^4}{16(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{d^2i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bdi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2i(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)^3g^5(a+bx)^4}\end{aligned}$$

output
```
-1/4*B*d^2*i*(d*x+c)^2/(-a*d+b*c)^3/g^5/(b*x+a)^2+2/9*b*B*d*i*(d*x+c)^3/(-
a*d+b*c)^3/g^5/(b*x+a)^3-1/16*b^2*B*i*(d*x+c)^4/(-a*d+b*c)^3/g^5/(b*x+a)^4
-1/2*d^2*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^5/(b*x+a)^
2+2/3*b*d*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^5/(b*x+a)
^3-1/4*b^2*i*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^5/(b*x+a
)^4
```

Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 210, normalized size of antiderivative = 0.78

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{i\left(\frac{36Abc}{(a+bx)^4}+\frac{9bBc}{(a+bx)^4}-\frac{36aAd}{(a+bx)^4}-\frac{9aBd}{(a+bx)^4}+\frac{48Ad}{(a+bx)^3}+\frac{4Bd}{(a+bx)^3}-\frac{6Bd^2}{(bc-ad)(a+bx)^2}+\frac{12Bd^3}{(bc-ad)^2(a+bx)}+\frac{12Bd^4\log(a+b}{(bc-ad)^3}\right.}{144b^2g^5}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*
x)^5,x]
```

output
```
-1/144*(i*((36*A*b*c)/(a + b*x)^4 + (9*b*B*c)/(a + b*x)^4 - (36*a*A*d)/(a
+ b*x)^4 - (9*a*B*d)/(a + b*x)^4 + (48*A*d)/(a + b*x)^3 + (4*B*d)/(a + b*x
)^3 - (6*B*d^2)/((b*c - a*d)*(a + b*x)^2) + (12*B*d^3)/((b*c - a*d)^2*(a +
 b*x)) + (12*B*d^4*Log[a + b*x])/(b*c - a*d)^3 + (12*B*(3*b*c + a*d + 4*b*
d*x)*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x)^4 - (12*B*d^4*Log[c + d*x])/(
b*c - a*d)^3))/(b^2*g^5)
```

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 201, normalized size of antiderivative = 0.75, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2962, 2772, 27, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{i\left(-B\int -\frac{(c+dx)^5\left(3b^2-\frac{8d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{2b}{}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{i\left(\frac{1}{12}B\int \frac{(c+dx)^5\left(3b^2-\frac{8d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{2bd(}{}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 1140$$

$$\frac{i\left(\frac{1}{12}B\int \left(\frac{3b^2(c+dx)^5}{(a+bx)^5}-\frac{8bd(c+dx)^4}{(a+bx)^4}+\frac{6d^2(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{2bd(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{1}{12}B\left(-\frac{3b^2(c+dx)^4}{4(a+bx)^4}-\right.\right.}{g^5(bc-ad)^3}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^5,x
]
```

output
```
(i*((B*((-3*d^2*(c + d*x)^2)/(a + b*x)^2 + (8*b*d*(c + d*x)^3)/(3*(a + b*x
)^3) - (3*b^2*(c + d*x)^4)/(4*(a + b*x)^4)))/12 - (d^2*(c + d*x)^2*(A + B*
Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) + (2*b*d*(c + d*x)^3*(A + B
*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a + b*x)^3) - (b^2*(c + d*x)^4*(A + B*
Log[(e*(a + b*x))/(c + d*x)]))/(4*(a + b*x)^4)))/((b*c - a*d)^3*g^5)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1140
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.09 (sec) , antiderivative size = 390, normalized size of antiderivative = 1.45

method	result
parts	$\frac{iA\left(-\frac{d}{3b^2(bx+a)^3}-\frac{-da+bc}{4b^2(bx+a)^4}\right)}{g^5}-\frac{iB(da-bc)^2e^2\left(\frac{d^5\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^5}-\frac{2d^4be\left(-\frac{\ln\left(\frac{be}{d}+\right.\right.}{3\left(\frac{be}{d}+\right.}\right.}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i\,d^2e^3Ab^2}{4(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{2i\,d^3e^2Ab}{3(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i\,d^4eA}{2(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{i\,d^2e^3B}{}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{i\,d^2e^3Ab^2}{4(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{2i\,d^3e^2Ab}{3(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i\,d^4eA}{2(da-bc)^4g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{i\,d^2e^3B}{}\right.}{}$
orering	$-\frac{(bx+a)(-60b^4d^4x^4-204ab^3d^4x^3-36b^4cd^3x^3-238a^2b^2d^4x^2-136ab^3cd^3x^2+14b^4c^2d^2x^2-476a^2b^2cd^3x+340ab^3c}{144b^2(a^3d^3-3a^2bcd^2+3ab^2c^2d-}$
risch	$-\frac{iB(4bdx+da+3bc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{12(bx+a)^4b^2g^5}-\frac{(-36Ba^2b^2c^2d^2+6Bb^4c^2d^2x^2+12Baab^3d^4x^3-12Bb^4cd^3x^3+52Baa^3bd^4x-4}{}$
norman	$\frac{\left(12Aa^2cd^2i-24Aabc^2di+12Ab^2c^3i+6Ba^2cd^2i-8Babc^2di+3Bb^2c^3i\right)x}{12ga\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{\left(12Aa^3d^3i+12Aa^2bcd^2i-60Aab^2c^2di+36Ab^3c^3i+\right.}{24ga^2\left(a^2d^2-\right.}$
parallelrisch	$\frac{48Bx^3\ln\left(\frac{e(bx+a)}{dx+c}\right)a^7bcd^4i-144Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a^7bc^3d^2i+12Bx^4\ln\left(\frac{e(bx+a)}{dx+c}\right)a^6b^2cd^4i+72B\ln\left(\frac{e(bx+a)}{dx+c}\right)a^8c^3d^2}{}$

input

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x,method=_RETURN
VERBOSE)
```

output

```
i*A/g^5*(-1/3*d/b^2/(b*x+a)^3-1/4*(-a*d+b*c)/b^2/(b*x+a)^4)-i*B/g^5/d^3*(a
*d-b*c)^2*e^2*(d^5/(a*d-b*c)^5*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2*d^4/(a*d
-b*c)^5*b*e*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)+d^3/(a*d-b*c)^5*b^2*e^2*(-1/4
/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e
/d+(a*d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 602 vs. $2(257) = 514$.

Time $= 0.09$ (sec) , antiderivative size $= 602$, normalized size of antiderivative $= 2.24$

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{12\,(Bb^4cd^3-Bab^3d^4)ix^3-6\,(Bb^4c^2d^2-8\,Bab^3cd^3+7\,Ba^2b^2d^4)ix^2+4\,((12\,A+B)b^4c^3d-6\,(6\,A+}{144\,((b^9c^3-3\,ab^8c^2d+3\,a}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algori
thm="fricas")
```

output

```
-1/144*(12*(B*b^4*c*d^3 - B*a*b^3*d^4)*i*x^3 - 6*(B*b^4*c^2*d^2 - 8*B*a*b^
3*c*d^3 + 7*B*a^2*b^2*d^4)*i*x^2 + 4*((12*A + B)*b^4*c^3*d - 6*(6*A + B)*a
*b^3*c^2*d^2 + 18*(2*A + B)*a^2*b^2*c*d^3 - (12*A + 13*B)*a^3*b*d^4)*i*x +
 (9*(4*A + B)*b^4*c^4 - 32*(3*A + B)*a*b^3*c^3*d + 36*(2*A + B)*a^2*b^2*c^
2*d^2 - (12*A + 13*B)*a^4*d^4)*i + 12*(B*b^4*d^4*i*x^4 + 4*B*a*b^3*d^4*i*x
^3 + 6*B*a^2*b^2*d^4*i*x^2 + 4*(B*b^4*c^3*d - 3*B*a*b^3*c^2*d^2 + 3*B*a^2*
b^2*c*d^3)*i*x + (3*B*b^4*c^4 - 8*B*a*b^3*c^3*d + 6*B*a^2*b^2*c^2*d^2)*i)*
log((b*e*x + a*e)/(d*x + c)))/((b^9*c^3 - 3*a*b^8*c^2*d + 3*a^2*b^7*c*d^2
- a^3*b^6*d^3)*g^5*x^4 + 4*(a*b^8*c^3 - 3*a^2*b^7*c^2*d + 3*a^3*b^6*c*d^2
- a^4*b^5*d^3)*g^5*x^3 + 6*(a^2*b^7*c^3 - 3*a^3*b^6*c^2*d + 3*a^4*b^5*c*d^
2 - a^5*b^4*d^3)*g^5*x^2 + 4*(a^3*b^6*c^3 - 3*a^4*b^5*c^2*d + 3*a^5*b^4*c*
d^2 - a^6*b^3*d^3)*g^5*x + (a^4*b^5*c^3 - 3*a^5*b^4*c^2*d + 3*a^6*b^3*c*d^
2 - a^7*b^2*d^3)*g^5)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 928 vs. $2(252) = 504$.

Time = 6.90 (sec) , antiderivative size = 928, normalized size of antiderivative = 3.45

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**5,x)
```

output

```
-B*d**4*i*log(x + (-B*a**4*d**8*i/(a*d - b*c)**3 + 4*B*a**3*b*c*d**7*i/(a*
d - b*c)**3 - 6*B*a**2*b**2*c**2*d**6*i/(a*d - b*c)**3 + 4*B*a*b**3*c**3*d
**5*i/(a*d - b*c)**3 + B*a*d**5*i - B*b**4*c**4*d**4*i/(a*d - b*c)**3 + B*
b*c*d**4*i)/(2*B*b*d**5*i))/(12*b**2*g**5*(a*d - b*c)**3) + B*d**4*i*log(x
 + (B*a**4*d**8*i/(a*d - b*c)**3 - 4*B*a**3*b*c*d**7*i/(a*d - b*c)**3 + 6*
B*a**2*b**2*c**2*d**6*i/(a*d - b*c)**3 - 4*B*a*b**3*c**3*d**5*i/(a*d - b*c
)**3 + B*a*d**5*i + B*b**4*c**4*d**4*i/(a*d - b*c)**3 + B*b*c*d**4*i)/(2*B
*b*d**5*i))/(12*b**2*g**5*(a*d - b*c)**3) + (-B*a*d*i - 3*B*b*c*i - 4*B*b*
d*i*x)*log(e*(a + b*x)/(c + d*x))/(12*a**4*b**2*g**5 + 48*a**3*b**3*g**5*x
 + 72*a**2*b**4*g**5*x**2 + 48*a*b**5*g**5*x**3 + 12*b**6*g**5*x**4) + (-1
2*A*a**3*d**3*i - 12*A*a**2*b*c*d**2*i + 60*A*a*b**2*c**2*d*i - 36*A*b**3*
c**3*i - 13*B*a**3*d**3*i - 13*B*a**2*b*c*d**2*i + 23*B*a*b**2*c**2*d*i -
9*B*b**3*c**3*i - 12*B*b**3*d**3*i*x**3 + x**2*(-42*B*a*b**2*d**3*i + 6*B*
b**3*c*d**2*i) + x*(-48*A*a**2*b*d**3*i + 96*A*a*b**2*c*d**2*i - 48*A*b**3
*c**2*d*i - 52*B*a**2*b*d**3*i + 20*B*a*b**2*c*d**2*i - 4*B*b**3*c**2*d*i)
)/(144*a**6*b**2*d**2*g**5 - 288*a**5*b**3*c*d*g**5 + 144*a**4*b**4*c**2*g
**5 + x**4*(144*a**2*b**6*d**2*g**5 - 288*a*b**7*c*d*g**5 + 144*b**8*c**2*
g**5) + x**3*(576*a**3*b**5*d**2*g**5 - 1152*a**2*b**6*c*d*g**5 + 576*a*b*
*7*c**2*g**5) + x**2*(864*a**4*b**4*d**2*g**5 - 1728*a**3*b**5*c*d*g**5 +
864*a**2*b**6*c**2*g**5) + x*(576*a**5*b**3*d**2*g**5 - 1152*a**4*b**4*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1386 vs. $2(257) = 514$.

Time $= 0.10$ (sec) , antiderivative size $= 1386$, normalized size of antiderivative $= 5.15$

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algori
thm="maxima")
```

output
```
-1/144*B*d*i*(12*(4*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^6*g^5
*x^4 + 4*a*b^5*g^5*x^3 + 6*a^2*b^4*g^5*x^2 + 4*a^3*b^3*g^5*x + a^4*b^2*g^5
) + (7*a*b^3*c^3 - 33*a^2*b^2*c^2*d + 75*a^3*b*c*d^2 - 13*a^4*d^3 + 12*(4*
b^4*c*d^2 - a*b^3*d^3)*x^3 - 6*(4*b^4*c^2*d - 29*a*b^3*c*d^2 + 7*a^2*b^2*d
^3)*x^2 + 4*(4*b^4*c^3 - 21*a*b^3*c^2*d + 57*a^2*b^2*c*d^2 - 13*a^3*b*d^3)
*x)/((b^9*c^3 - 3*a*b^8*c^2*d + 3*a^2*b^7*c*d^2 - a^3*b^6*d^3)*g^5*x^4 + 4
*(a*b^8*c^3 - 3*a^2*b^7*c^2*d + 3*a^3*b^6*c*d^2 - a^4*b^5*d^3)*g^5*x^3 + 6
*(a^2*b^7*c^3 - 3*a^3*b^6*c^2*d + 3*a^4*b^5*c*d^2 - a^5*b^4*d^3)*g^5*x^2 +
 4*(a^3*b^6*c^3 - 3*a^4*b^5*c^2*d + 3*a^5*b^4*c*d^2 - a^6*b^3*d^3)*g^5*x +
 (a^4*b^5*c^3 - 3*a^5*b^4*c^2*d + 3*a^6*b^3*c*d^2 - a^7*b^2*d^3)*g^5) + 12
*(4*b*c*d^3 - a*d^4)*log(b*x + a)/((b^6*c^4 - 4*a*b^5*c^3*d + 6*a^2*b^4*c^
2*d^2 - 4*a^3*b^3*c*d^3 + a^4*b^2*d^4)*g^5) - 12*(4*b*c*d^3 - a*d^4)*log(d
*x + c)/((b^6*c^4 - 4*a*b^5*c^3*d + 6*a^2*b^4*c^2*d^2 - 4*a^3*b^3*c*d^3 +
a^4*b^2*d^4)*g^5)) + 1/48*B*c*i*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^
2*d - 23*a^2*b*c*d^2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b
^3*c^2*d - 5*a*b^2*c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*
a^2*b^6*c*d^2 - a^3*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*
a^3*b^5*c*d^2 - a^4*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d +
3*a^4*b^4*c*d^2 - a^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d
+ 3*a^5*b^3*c*d^2 - a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d...
```

Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 426, normalized size of antiderivative = 1.58

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{144}\left(\frac{12\left(3\,Bb^2e^5i-\frac{8\,(bex+ae)Bbde^4i}{dx+c}+\frac{6\,(bex+ae)^2Bd^2e^3i}{(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^4b^2c^2g^5}{(dx+c)^4}-\frac{2\,(bex+ae)^4abcdg^5}{(dx+c)^4}+\frac{(bex+ae)^4a^2d^2g^5}{(dx+c)^4}}+\frac{36\,Ab^2e^5i+9\,Bb^2e^5i-\frac{96\,(bex+a}{dx+}}{\frac{(bex+ae)^4b}{(dx+c)}}\right.$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algori
thm="giac")
```

output
```
-1/144*(12*(3*B*b^2*e^5*i - 8*(b*e*x + a*e)*B*b*d*e^4*i/(d*x + c) + 6*(b*e
*x + a*e)^2*B*d^2*e^3*i/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/((b*e*x
 + a*e)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*e*x + a*e)^4*a*b*c*d*g^5/(d*x + c)
^4 + (b*e*x + a*e)^4*a^2*d^2*g^5/(d*x + c)^4) + (36*A*b^2*e^5*i + 9*B*b^2*
e^5*i - 96*(b*e*x + a*e)*A*b*d*e^4*i/(d*x + c) - 32*(b*e*x + a*e)*B*b*d*e^
4*i/(d*x + c) + 72*(b*e*x + a*e)^2*A*d^2*e^3*i/(d*x + c)^2 + 36*(b*e*x + a
*e)^2*B*d^2*e^3*i/(d*x + c)^2)/((b*e*x + a*e)^4*b^2*c^2*g^5/(d*x + c)^4 -
2*(b*e*x + a*e)^4*a*b*c*d*g^5/(d*x + c)^4 + (b*e*x + a*e)^4*a^2*d^2*g^5/(d
*x + c)^4))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
 - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.15 (sec) , antiderivative size = 590, normalized size of antiderivative = 2.19

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$$

$$=\frac{B\,d^4\,i\,\operatorname{atanh}\left(\frac{12\,a^3\,b^2\,d^3\,g^5-12\,a^2\,b^3\,c\,d^2\,g^5-12\,a\,b^4\,c^2\,d\,g^5+12\,b^5\,c^3\,g^5}{12\,b^2\,g^5\,(a\,d-b\,c)^3}+\frac{2\,b\,d\,x\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}{(a\,d-b\,c)^3}\right)}{6\,b^2\,g^5\,(a\,d-b\,c)^3}$$

$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(\frac{B\,c\,i}{4\,b^2\,g^5}+\frac{B\,a\,d\,i}{12\,b^3\,g^5}+\frac{B\,d\,i\,x}{3\,b^2\,g^5}\right)}{4\,a^3\,x+\frac{a^4}{b}+b^3\,x^4+6\,a^2\,b\,x^2+4\,a\,b^2\,x^3}$$

$$-\frac{\frac{12\,A\,a^3\,d^3\,i+36\,A\,b^3\,c^3\,i+13\,B\,a^3\,d^3\,i+9\,B\,b^3\,c^3\,i-60\,A\,a\,b^2\,c^2\,d\,i+12\,A\,a^2\,b\,c\,d^2\,i-23\,B\,a\,b^2\,c^2\,d\,i+13\,B\,a^2\,b\,c\,d^2\,i}{12\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}+\frac{x\,(12\,A\,a^2\,b\,d^3\,i+13\,B}{}}{12\,a^4\,b^2\,g^5+48\,a^3\,b^3\,g^5\,x+72\,a^2\,b^4\,g^5\,x}$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^5,x
)
```

output
```
(B*d^4*i*atanh((12*b^5*c^3*g^5 + 12*a^3*b^2*d^3*g^5 - 12*a*b^4*c^2*d*g^5 -
 12*a^2*b^3*c*d^2*g^5)/(12*b^2*g^5*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2 + b^
2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(6*b^2*g^5*(a*d - b*c)^3) - (log((e*(a
 + b*x))/(c + d*x))*((B*c*i)/(4*b^2*g^5) + (B*a*d*i)/(12*b^3*g^5) + (B*d*i
*x)/(3*b^2*g^5)))/(4*a^3*x + a^4/b + b^3*x^4 + 6*a^2*b*x^2 + 4*a*b^2*x^3)
 - ((12*A*a^3*d^3*i + 36*A*b^3*c^3*i + 13*B*a^3*d^3*i + 9*B*b^3*c^3*i - 60*
A*a*b^2*c^2*d*i + 12*A*a^2*b*c*d^2*i - 23*B*a*b^2*c^2*d*i + 13*B*a^2*b*c*d
^2*i)/(12*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (x*(12*A*a^2*b*d^3*i + 13*B*a
^2*b*d^3*i + 12*A*b^3*c^2*d*i + B*b^3*c^2*d*i - 24*A*a*b^2*c*d^2*i - 5*B*a
*b^2*c*d^2*i))/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (d*x^2*(B*b^3*c*d*i -
 7*B*a*b^2*d^2*i))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B*b^3*d^3*i*x^3)
/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(12*a^4*b^2*g^5 + 12*b^6*g^5*x^4 + 48*a^
3*b^3*g^5*x + 48*a*b^5*g^5*x^3 + 72*a^2*b^4*g^5*x^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 954, normalized size of antiderivative = 3.55

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x)
```

output

```
(i*(12*log(a + b*x)*a**5*b*d**4 + 48*log(a + b*x)*a**4*b**2*d**4*x + 72*lo
g(a + b*x)*a**3*b**3*d**4*x**2 + 48*log(a + b*x)*a**2*b**4*d**4*x**3 + 12*
log(a + b*x)*a*b**5*d**4*x**4 - 12*log(c + d*x)*a**5*b*d**4 - 48*log(c + d
*x)*a**4*b**2*d**4*x - 72*log(c + d*x)*a**3*b**3*d**4*x**2 - 48*log(c + d*
x)*a**2*b**4*d**4*x**3 - 12*log(c + d*x)*a*b**5*d**4*x**4 - 12*log((a*e +
b*e*x)/(c + d*x))*a**5*b*d**4 - 48*log((a*e + b*e*x)/(c + d*x))*a**4*b**2*
d**4*x + 72*log((a*e + b*e*x)/(c + d*x))*a**3*b**3*c**2*d**2 + 144*log((a*
e + b*e*x)/(c + d*x))*a**3*b**3*c*d**3*x - 96*log((a*e + b*e*x)/(c + d*x))
*a**2*b**4*c**3*d - 144*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c**2*d**2*x
 + 36*log((a*e + b*e*x)/(c + d*x))*a*b**5*c**4 + 48*log((a*e + b*e*x)/(c +
 d*x))*a*b**5*c**3*d*x - 12*a**6*d**4 - 48*a**5*b*d**4*x - 10*a**5*b*d**4
+ 72*a**4*b**2*c**2*d**2 + 144*a**4*b**2*c*d**3*x - 3*a**4*b**2*c*d**3 - 4
0*a**4*b**2*d**4*x - 96*a**3*b**3*c**3*d - 144*a**3*b**3*c**2*d**2*x + 36*
a**3*b**3*c**2*d**2 + 60*a**3*b**3*c*d**3*x - 24*a**3*b**3*d**4*x**2 + 36*
a**2*b**4*c**4 + 48*a**2*b**4*c**3*d*x - 32*a**2*b**4*c**3*d - 24*a**2*b**
4*c**2*d**2*x + 30*a**2*b**4*c*d**3*x**2 + 9*a*b**5*c**4 + 4*a*b**5*c**3*d
*x - 6*a*b**5*c**2*d**2*x**2 + 3*a*b**5*d**4*x**4 - 3*b**6*c*d**3*x**4))/(
144*a*b**2*g**5*(a**7*d**3 - 3*a**6*b*c*d**2 + 4*a**6*b*d**3*x + 3*a**5*b*
*2*c**2*d - 12*a**5*b**2*c*d**2*x + 6*a**5*b**2*d**3*x**2 - a**4*b**3*c**3
 + 12*a**4*b**3*c**2*d*x - 18*a**4*b**3*c*d**2*x**2 + 4*a**4*b**3*d**3*...
```

3.10 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result 216
Mathematica [A] (verified) 217
Rubi [A] (verified) 218
Maple [B] (verified) 220
Fricas [A] (verification not implemented) 221
Sympy [B] (verification not implemented) 222
Maxima [B] (verification not implemented) 223
Giac [B] (verification not implemented) 224
Mupad [B] (verification not implemented) 225
Reduce [B] (verification not implemented) 226

Optimal result

Integrand size = 40, antiderivative size = 423

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= \frac{B(bc-ad)^5g^3i^2x}{60b^2d^3}+\frac{B(bc-ad)^4g^3i^2(c+dx)^2}{120bd^4}-\frac{19B(bc-ad)^3g^3i^2(c+dx)^3}{180d^4} \\
&\quad+\frac{13bB(bc-ad)^2g^3i^2(c+dx)^4}{120d^4}-\frac{b^2B(bc-ad)g^3i^2(c+dx)^5}{30d^4} \\
&\quad+\frac{B(bc-ad)^6g^3i^2\log\left(\frac{a+bx}{c+dx}\right)}{60b^3d^4}-\frac{(bc-ad)^3g^3i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d^4} \\
&\quad+\frac{3b(bc-ad)^2g^3i^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^4} \\
&\quad-\frac{3b^2(bc-ad)g^3i^2(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5d^4} \\
&\quad+\frac{b^3g^3i^2(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^4}+\frac{B(bc-ad)^6g^3i^2\log(c+dx)}{60b^3d^4}
\end{aligned}
$$

output
```
1/60*B*(-a*d+b*c)^5*g^3*i^2*x/b^2/d^3+1/120*B*(-a*d+b*c)^4*g^3*i^2*(d*x+c)
^2/b/d^4-19/180*B*(-a*d+b*c)^3*g^3*i^2*(d*x+c)^3/d^4+13/120*b*B*(-a*d+b*c)
^2*g^3*i^2*(d*x+c)^4/d^4-1/30*b^2*B*(-a*d+b*c)*g^3*i^2*(d*x+c)^5/d^4+1/60*
B*(-a*d+b*c)^6*g^3*i^2*ln((b*x+a)/(d*x+c))/b^3/d^4-1/3*(-a*d+b*c)^3*g^3*i^
2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4+3/4*b*(-a*d+b*c)^2*g^3*i^2*(d*
x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4-3/5*b^2*(-a*d+b*c)*g^3*i^2*(d*x+c)^
5*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4+1/6*b^3*g^3*i^2*(d*x+c)^6*(A+B*ln(e*(b*x
+a)/(d*x+c)))/d^4+1/60*B*(-a*d+b*c)^6*g^3*i^2*ln(d*x+c)/b^3/d^4
```

Mathematica [A] (verified)

Time = 0.40 (sec) , antiderivative size = 429, normalized size of antiderivative = 1.01

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^3i^2\Big(90d^4(bc-ad)^2(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+144d^5(bc-ad)(a+bx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)$$

input
```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)]),x]
```

output
```
(g^3*i^2*(90*d^4*(b*c - a*d)^2*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d
*x)]) + 144*d^5*(b*c - a*d)*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)
]) + 60*d^6*(a + b*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 15*B*(b*c -
 a*d)^3*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*
(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + 12*B*(b*c - a*d)^2*(12*b*d*(
b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c - a*d)*(a +
b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x]) - B*(b*c - a*d
)*(60*b*d*(b*c - a*d)^4*x + 30*d^2*(-(b*c) + a*d)^3*(a + b*x)^2 + 20*d^3*(
b*c - a*d)^2*(a + b*x)^3 + 15*d^4*(-(b*c) + a*d)*(a + b*x)^4 + 12*d^5*(a +
 b*x)^5 - 60*(b*c - a*d)^5*Log[c + d*x])))/(360*b^3*d^4)
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 375, normalized size of antiderivative = 0.89, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2782, 27, 2123, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$

$$\downarrow 2962$$

$$g^3i^2(bc-ad)^6\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^3i^2(bc-ad)^6\left(-B\int-\frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{60d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}+\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{3b}{}\right.$$

$$\downarrow 27$$

$$g^3i^2(bc-ad)^6\left(\frac{B\int\frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{60d^4}+\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{3b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.$$

$$\downarrow 2123$$

$$g^3i^2(bc-ad)^6\left(\frac{B\int\left(-\frac{10db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}+\frac{26db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{19d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3b}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2b^2}+\frac{c+dx}{(a+bx)b^3}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.}{60d^4}\right.$$

$$\downarrow 2009$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{b^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{6d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{5d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} + \frac{3b \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{4d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^4} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) +}{3d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)}$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x
]
```

output
```
(b*c - a*d)^6*g^3*i^2*((b^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(6*d^4*(
b - (d*(a + b*x))/(c + d*x))^6) - (3*b^2*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(5*d^4*(b - (d*(a + b*x))/(c + d*x))^5) + (3*b*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(4*d^4*(b - (d*(a + b*x))/(c + d*x))^4) - (A + B*Log[(e*(a
 + b*x))/(c + d*x)])/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) + (B*((-2*b^2
)/(b - (d*(a + b*x))/(c + d*x))^5 + (13*b)/(2*(b - (d*(a + b*x))/(c + d*x)
)^4) - 19/(3*(b - (d*(a + b*x))/(c + d*x))^3) + 1/(2*b*(b - (d*(a + b*x))/
(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c +
 d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(60*d^4))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123
```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 924 vs. $2(401) = 802$.

Time = 1.76 (sec) , antiderivative size = 925, normalized size of antiderivative = 2.19

method	result
risch	$i^2g^3Aa^3c^2x + \frac{3i^2g^3b^2dAacx^4}{2} - \frac{i^2g^3b^2dBacx^4}{20} + 2i^2g^3bdAa^2cx^3 + i^2g^3b^2Aac^2x^3 + \frac{7i^2g^3bdE$
parallelrisch	Expression too large to display
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETU
RNVERBOSE)
```

output

```
i^2*g^3*A*a^3*c^2*x+3/2*i^2*g^3*b^2*d*A*a*c*x^4-1/20*i^2*g^3*b^2*d*B*a*c*x
^4+2*i^2*g^3*b*d*A*a^2*c*x^3+i^2*g^3*b^2*A*a*c^2*x^3+7/60*i^2*g^3*b*d*B*a^
2*c*x^3-13/60*i^2*g^3*b^2*B*a*c^2*x^3+i^2*g^3*d*A*a^3*c*x^2+3/2*i^2*g^3*b*
A*a^2*c^2*x^2+17/60*i^2*g^3*d*B*a^3*c*x^2-1/4*i^2*g^3*b*B*a^2*c^2*x^2-1/20
*i^2*g^3*b^2/d*B*a*c^3*x^2+1/10*i^2*g^3/b*d*B*a^4*c*x+1/12*i^2*g^3*B*a^3*c
^2*x-1/4*i^2*g^3*b/d*B*a^2*c^3*x+1/10*i^2*g^3*b^2/d^2*B*a*c^4*x-1/10*i^2*g
^3/b^2*d*B*ln(-b*x-a)*a^5*c+1/4*i^2*g^3*b/d^2*B*ln(d*x+c)*a^2*c^4-1/10*i^2
*g^3*b^2/d^3*B*ln(d*x+c)*a*c^5+3/5*i^2*g^3*b^2*d^2*A*a*x^5+2/5*i^2*g^3*b^3
*d*A*c*x^5+1/30*i^2*g^3*b^2*d^2*B*a*x^5-1/30*i^2*g^3*b^3*d*B*c*x^5+3/4*i^2
*g^3*b*d^2*A*a^2*x^4+1/4*i^2*g^3*b^3*A*c^2*x^4+13/120*i^2*g^3*b*d^2*B*a^2*
x^4-7/120*i^2*g^3*b^3*B*c^2*x^4+1/3*i^2*g^3*d^2*A*a^3*x^3+19/180*i^2*g^3*d
^2*B*a^3*x^3-1/180*i^2*g^3*b^3/d*B*c^3*x^3+1/120*i^2*g^3/b*d^2*B*a^4*x^2+1
/120*i^2*g^3*b^3/d^2*B*c^4*x^2-1/60*i^2*g^3/b^2*d^2*B*a^5*x-1/60*i^2*g^3*b
^3/d^3*B*c^5*x+1/4*i^2*g^3/b*B*ln(-b*x-a)*a^4*c^2-1/3*i^2*g^3/d*B*ln(d*x+c
)*a^3*c^3+1/60*i^2*g^3/b^3*d^2*B*ln(-b*x-a)*a^6+1/60*i^2*g^3*b^3/d^4*B*ln(
d*x+c)*c^6+1/6*i^2*g^3*b^3*d^2*A*x^6+1/60*i^2*g^3*B*x*(10*b^3*d^2*x^5+36*a
*b^2*d^2*x^4+24*b^3*c*d*x^4+45*a^2*b*d^2*x^3+90*a*b^2*c*d*x^3+15*b^3*c^2*x
^3+20*a^3*d^2*x^2+120*a^2*b*c*d*x^2+60*a*b^2*c^2*x^2+60*a^3*c*d*x+90*a^2*b
*c^2*x+60*a^3*c^2)*ln(e*(b*x+a)/(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 724, normalized size of antiderivative = 1.71

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$$
$$=\frac{60\,Ab^6d^6g^3i^2x^6+12\left((12\,A-B)b^6cd^5+(18\,A+B)ab^5d^6\right)g^3i^2x^5+3\left((30\,A-7\,B)b^6c^2d^4+6\,(30\,A-B\right.}{}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="fricas")
```

output

```
1/360*(60*A*b^6*d^6*g^3*i^2*x^6 + 12*((12*A - B)*b^6*c*d^5 + (18*A + B)*a*
b^5*d^6)*g^3*i^2*x^5 + 3*((30*A - 7*B)*b^6*c^2*d^4 + 6*(30*A - B)*a*b^5*c*
d^5 + (90*A + 13*B)*a^2*b^4*d^6)*g^3*i^2*x^4 - 2*(B*b^6*c^3*d^3 - 3*(60*A
- 13*B)*a*b^5*c^2*d^4 - 3*(120*A + 7*B)*a^2*b^4*c*d^5 - (60*A + 19*B)*a^3*
b^3*d^6)*g^3*i^2*x^3 + 3*(B*b^6*c^4*d^2 - 6*B*a*b^5*c^3*d^3 + 30*(6*A - B)
*a^2*b^4*c^2*d^4 + 2*(60*A + 17*B)*a^3*b^3*c*d^5 + B*a^4*b^2*d^6)*g^3*i^2*
x^2 - 6*(B*b^6*c^5*d - 6*B*a*b^5*c^4*d^2 + 15*B*a^2*b^4*c^3*d^3 - 5*(12*A
+ B)*a^3*b^3*c^2*d^4 - 6*B*a^4*b^2*c*d^5 + B*a^5*b*d^6)*g^3*i^2*x + 6*(15*
B*a^4*b^2*c^2*d^4 - 6*B*a^5*b*c*d^5 + B*a^6*d^6)*g^3*i^2*log(b*x + a) + 6*
(B*b^6*c^6 - 6*B*a*b^5*c^5*d + 15*B*a^2*b^4*c^4*d^2 - 20*B*a^3*b^3*c^3*d^3
)*g^3*i^2*log(d*x + c) + 6*(10*B*b^6*d^6*g^3*i^2*x^6 + 60*B*a^3*b^3*c^2*d^
4*g^3*i^2*x + 12*(2*B*b^6*c*d^5 + 3*B*a*b^5*d^6)*g^3*i^2*x^5 + 15*(B*b^6*c
^2*d^4 + 6*B*a*b^5*c*d^5 + 3*B*a^2*b^4*d^6)*g^3*i^2*x^4 + 20*(3*B*a*b^5*c^
2*d^4 + 6*B*a^2*b^4*c*d^5 + B*a^3*b^3*d^6)*g^3*i^2*x^3 + 30*(3*B*a^2*b^4*c
^2*d^4 + 2*B*a^3*b^3*c*d^5)*g^3*i^2*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^
3*d^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1727 vs. $2(398) = 796$.

Time = 6.07 (sec) , antiderivative size = 1727, normalized size of antiderivative = 4.08

$$\int (ag + bgx)^3 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**3*d**2*g**3*i**2*x**6/6 + B*a**4*g**3*i**2*(a**2*d**2 - 6*a*b*c*d + 1
5*b**2*c**2)*log(x + (B*a**6*c*d**5*g**3*i**2 - 6*B*a**5*b*c**2*d**4*g**3*
i**2 + B*a**5*d**4*g**3*i**2*(a**2*d**2 - 6*a*b*c*d + 15*b**2*c**2)/b + 35
*B*a**4*b**2*c**3*d**3*g**3*i**2 - B*a**4*c*d**3*g**3*i**2*(a**2*d**2 - 6*
a*b*c*d + 15*b**2*c**2) - 15*B*a**3*b**3*c**4*d**2*g**3*i**2 + 6*B*a**2*b*
*4*c**5*d*g**3*i**2 - B*a*b**5*c**6*g**3*i**2)/(B*a**6*d**6*g**3*i**2 - 6*
B*a**5*b*c*d**5*g**3*i**2 + 15*B*a**4*b**2*c**2*d**4*g**3*i**2 + 20*B*a**3
*b**3*c**3*d**3*g**3*i**2 - 15*B*a**2*b**4*c**4*d**2*g**3*i**2 + 6*B*a*b**
5*c**5*d*g**3*i**2 - B*b**6*c**6*g**3*i**2))/(60*b**3) - B*c**3*g**3*i**2*
(20*a**3*d**3 - 15*a**2*b*c*d**2 + 6*a*b**2*c**2*d - b**3*c**3)*log(x + (B
*a**6*c*d**5*g**3*i**2 - 6*B*a**5*b*c**2*d**4*g**3*i**2 + 35*B*a**4*b**2*c
**3*d**3*g**3*i**2 - 15*B*a**3*b**3*c**4*d**2*g**3*i**2 + 6*B*a**2*b**4*c*
*5*d*g**3*i**2 - B*a*b**5*c**6*g**3*i**2 - B*a*b**2*c**3*g**3*i**2*(20*a**
3*d**3 - 15*a**2*b*c*d**2 + 6*a*b**2*c**2*d - b**3*c**3) + B*b**3*c**4*g**
3*i**2*(20*a**3*d**3 - 15*a**2*b*c*d**2 + 6*a*b**2*c**2*d - b**3*c**3)/d)/
(B*a**6*d**6*g**3*i**2 - 6*B*a**5*b*c*d**5*g**3*i**2 + 15*B*a**4*b**2*c**2
*d**4*g**3*i**2 + 20*B*a**3*b**3*c**3*d**3*g**3*i**2 - 15*B*a**2*b**4*c**4
*d**2*g**3*i**2 + 6*B*a*b**5*c**5*d*g**3*i**2 - B*b**6*c**6*g**3*i**2))/(6
0*d**4) + x**5*(3*A*a*b**2*d**2*g**3*i**2/5 + 2*A*b**3*c*d*g**3*i**2/5 + B
*a*b**2*d**2*g**3*i**2/30 - B*b**3*c*d*g**3*i**2/30) + x**4*(3*A*a**2*b...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1789 vs. $2(401) = 802$.

Time $= 0.08$ (sec) , antiderivative size $= 1789$, normalized size of antiderivative $= 4.23$

$$\int (ag + bgx)^3 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="maxima")
```

output

```
1/6*A*b^3*d^2*g^3*i^2*x^6 + 2/5*A*b^3*c*d*g^3*i^2*x^5 + 3/5*A*a*b^2*d^2*g^
3*i^2*x^5 + 1/4*A*b^3*c^2*g^3*i^2*x^4 + 3/2*A*a*b^2*c*d*g^3*i^2*x^4 + 3/4*
A*a^2*b*d^2*g^3*i^2*x^4 + A*a*b^2*c^2*g^3*i^2*x^3 + 2*A*a^2*b*c*d*g^3*i^2*
x^3 + 1/3*A*a^3*d^2*g^3*i^2*x^3 + 3/2*A*a^2*b*c^2*g^3*i^2*x^2 + A*a^3*c*d*
g^3*i^2*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b -
 c*log(d*x + c)/d)*B*a^3*c^2*g^3*i^2 + 3/2*(x^2*log(b*e*x/(d*x + c) + a*e/
(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(
b*d))*B*a^2*b*c^2*g^3*i^2 + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)
) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)
*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a*b^2*c^2*g^3*i^2 + 1/24*(6*x
^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*l
og(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^
3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^3*c^2*g^3*i^2 + (x^2*log(
b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)
/d^2 - (b*c - a*d)*x/(b*d))*B*a^3*c*d*g^3*i^2 + (2*x^3*log(b*e*x/(d*x + c)
 + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^
2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a^2*b*c*d*g^3
*i^2 + 1/4*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a
)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c
^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*a*b^2*c*d...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4746 vs. $2(401) = 802$.

Time $= 0.36$ (sec) , antiderivative size $= 4746$, normalized size of antiderivative $= 11.22$

$$\int (ag + bgx)^3 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="giac")
```

output

```
-1/360*(6*(B*b^10*c^7*e^7*g^3*i^2 - 7*B*a*b^9*c^6*d*e^7*g^3*i^2 + 21*B*a^2
*b^8*c^5*d^2*e^7*g^3*i^2 - 35*B*a^3*b^7*c^4*d^3*e^7*g^3*i^2 + 35*B*a^4*b^6
*c^3*d^4*e^7*g^3*i^2 - 21*B*a^5*b^5*c^2*d^5*e^7*g^3*i^2 + 7*B*a^6*b^4*c*d^
6*e^7*g^3*i^2 - B*a^7*b^3*d^7*e^7*g^3*i^2 - 6*(b*e*x + a*e)*B*b^9*c^7*d*e^
6*g^3*i^2/(d*x + c) + 42*(b*e*x + a*e)*B*a*b^8*c^6*d^2*e^6*g^3*i^2/(d*x +
c) - 126*(b*e*x + a*e)*B*a^2*b^7*c^5*d^3*e^6*g^3*i^2/(d*x + c) + 210*(b*e*
x + a*e)*B*a^3*b^6*c^4*d^4*e^6*g^3*i^2/(d*x + c) - 210*(b*e*x + a*e)*B*a^4
*b^5*c^3*d^5*e^6*g^3*i^2/(d*x + c) + 126*(b*e*x + a*e)*B*a^5*b^4*c^2*d^6*e
^6*g^3*i^2/(d*x + c) - 42*(b*e*x + a*e)*B*a^6*b^3*c*d^7*e^6*g^3*i^2/(d*x +
 c) + 6*(b*e*x + a*e)*B*a^7*b^2*d^8*e^6*g^3*i^2/(d*x + c) + 15*(b*e*x + a*
e)^2*B*b^8*c^7*d^2*e^5*g^3*i^2/(d*x + c)^2 - 105*(b*e*x + a*e)^2*B*a*b^7*c
^6*d^3*e^5*g^3*i^2/(d*x + c)^2 + 315*(b*e*x + a*e)^2*B*a^2*b^6*c^5*d^4*e^5
*g^3*i^2/(d*x + c)^2 - 525*(b*e*x + a*e)^2*B*a^3*b^5*c^4*d^5*e^5*g^3*i^2/(
d*x + c)^2 + 525*(b*e*x + a*e)^2*B*a^4*b^4*c^3*d^6*e^5*g^3*i^2/(d*x + c)^2
 - 315*(b*e*x + a*e)^2*B*a^5*b^3*c^2*d^7*e^5*g^3*i^2/(d*x + c)^2 + 105*(b*
e*x + a*e)^2*B*a^6*b^2*c*d^8*e^5*g^3*i^2/(d*x + c)^2 - 15*(b*e*x + a*e)^2*
B*a^7*b*d^9*e^5*g^3*i^2/(d*x + c)^2 - 20*(b*e*x + a*e)^3*B*b^7*c^7*d^3*e^4
*g^3*i^2/(d*x + c)^3 + 140*(b*e*x + a*e)^3*B*a*b^6*c^6*d^4*e^4*g^3*i^2/(d*
x + c)^3 - 420*(b*e*x + a*e)^3*B*a^2*b^5*c^5*d^5*e^4*g^3*i^2/(d*x + c)^3 +
 700*(b*e*x + a*e)^3*B*a^3*b^4*c^4*d^6*e^4*g^3*i^2/(d*x + c)^3 - 700*(b...
```

Mupad [B] (verification not implemented)

Time = 27.93 (sec) , antiderivative size = 2473, normalized size of antiderivative = 5.85

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))),x
)
```

output

```
x^3*((g^3*i^2*(16*A*a^3*d^3 + 4*A*b^3*c^3 + 3*B*a^3*d^3 - B*b^3*c^3 + 48*A
*a*b^2*c^2*d + 72*A*a^2*b*c*d^2 - 5*B*a*b^2*c^2*d + 3*B*a^2*b*c*d^2))/(12*
d) + ((60*a*d + 60*b*c)*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d - B
*b*c))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*
b*d) - (b*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*d^2 - 2*B*b^2*c^2
 + 60*A*a*b*c*d - B*a*b*c*d))/5 + A*a*b^2*c*d*g^3*i^2))/(180*b*d) - (a*c*(
(b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d - B*b*c))/6 - (A*b^2*d*g^3*i^2
*(60*a*d + 60*b*c))/60))/(3*b*d)) - x^4*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A
*b*c + B*a*d - B*b*c))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d
 + 60*b*c))/(240*b*d) - (b*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*
d^2 - 2*B*b^2*c^2 + 60*A*a*b*c*d - B*a*b*c*d))/20 + (A*a*b^2*c*d*g^3*i^2)/
4) + x^2*((a*c*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d - B*b*c))/6
- (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d) - (b
*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*d^2 - 2*B*b^2*c^2 + 60*A*a
*b*c*d - B*a*b*c*d))/5 + A*a*b^2*c*d*g^3*i^2))/(2*b*d) - ((60*a*d + 60*b*c
)*((g^3*i^2*(16*A*a^3*d^3 + 4*A*b^3*c^3 + 3*B*a^3*d^3 - B*b^3*c^3 + 48*A*a
*b^2*c^2*d + 72*A*a^2*b*c*d^2 - 5*B*a*b^2*c^2*d + 3*B*a^2*b*c*d^2))/(4*d)
+ ((60*a*d + 60*b*c)*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d - B*b*
c))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d
) - (b*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*d^2 - 2*B*b^2*c^2...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 1036, normalized size of antiderivative = 2.45

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**3*( - 6*log(c + d*x)*a**6*d**6 + 36*log(c + d*x)*a**5*b*c*d**5 - 90*lo
g(c + d*x)*a**4*b**2*c**2*d**4 + 120*log(c + d*x)*a**3*b**3*c**3*d**3 - 90
*log(c + d*x)*a**2*b**4*c**4*d**2 + 36*log(c + d*x)*a*b**5*c**5*d - 6*log(
c + d*x)*b**6*c**6 - 6*log((a*e + b*e*x)/(c + d*x))*a**6*d**6 + 36*log((a*
e + b*e*x)/(c + d*x))*a**5*b*c*d**5 - 90*log((a*e + b*e*x)/(c + d*x))*a**4
*b**2*c**2*d**4 - 360*log((a*e + b*e*x)/(c + d*x))*a**3*b**3*c**2*d**4*x -
 360*log((a*e + b*e*x)/(c + d*x))*a**3*b**3*c*d**5*x**2 - 120*log((a*e + b
*e*x)/(c + d*x))*a**3*b**3*d**6*x**3 - 540*log((a*e + b*e*x)/(c + d*x))*a*
*2*b**4*c**2*d**4*x**2 - 720*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c*d**5
*x**3 - 270*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*d**6*x**4 - 360*log((a*
e + b*e*x)/(c + d*x))*a*b**5*c**2*d**4*x**3 - 540*log((a*e + b*e*x)/(c + d
*x))*a*b**5*c*d**5*x**4 - 216*log((a*e + b*e*x)/(c + d*x))*a*b**5*d**6*x**
5 - 90*log((a*e + b*e*x)/(c + d*x))*b**6*c**2*d**4*x**4 - 144*log((a*e + b
*e*x)/(c + d*x))*b**6*c*d**5*x**5 - 60*log((a*e + b*e*x)/(c + d*x))*b**6*d
**6*x**6 + 6*a**5*b*d**6*x - 360*a**4*b**2*c**2*d**4*x - 360*a**4*b**2*c*d
**5*x**2 - 36*a**4*b**2*c*d**5*x - 120*a**4*b**2*d**6*x**3 - 3*a**4*b**2*d
**6*x**2 - 540*a**3*b**3*c**2*d**4*x**2 - 30*a**3*b**3*c**2*d**4*x - 720*a
**3*b**3*c*d**5*x**3 - 102*a**3*b**3*c*d**5*x**2 - 270*a**3*b**3*d**6*x**4
 - 38*a**3*b**3*d**6*x**3 + 90*a**2*b**4*c**3*d**3*x - 360*a**2*b**4*c**2*
d**4*x**3 + 90*a**2*b**4*c**2*d**4*x**2 - 540*a**2*b**4*c*d**5*x**4 - 4...
```

3.11 $\int (ag+bgx)^2(ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result 228
Mathematica [A] (verified) 229
Rubi [A] (verified) 230
Maple [A] (verified) 232
Fricas [A] (verification not implemented) 233
Sympy [B] (verification not implemented) 233
Maxima [B] (verification not implemented) 234
Giac [B] (verification not implemented) 235
Mupad [B] (verification not implemented) 236
Reduce [B] (verification not implemented) 237

Optimal result

Integrand size = 40, antiderivative size = 337

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= -\frac{B(bc-ad)^4g^2i^2x}{30b^2d^2} - \frac{B(bc-ad)^3g^2i^2(c+dx)^2}{60bd^3} + \frac{B(bc-ad)^2g^2i^2(c+dx)^3}{10d^3} \\
&\quad - \frac{bB(bc-ad)g^2i^2(c+dx)^4}{20d^3} - \frac{B(bc-ad)^5g^2i^2\log\left(\frac{a+bx}{c+dx}\right)}{30b^3d^3} \\
&\quad + \frac{(bc-ad)^2g^2i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d^3} \\
&\quad - \frac{b(bc-ad)g^2i^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^3} \\
&\quad + \frac{b^2g^2i^2(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5d^3} - \frac{B(bc-ad)^5g^2i^2\log(c+dx)}{30b^3d^3}
\end{aligned}$$

output
```
-1/30*B*(-a*d+b*c)^4*g^2*i^2*x/b^2/d^2-1/60*B*(-a*d+b*c)^3*g^2*i^2*(d*x+c)
^2/b/d^3+1/10*B*(-a*d+b*c)^2*g^2*i^2*(d*x+c)^3/d^3-1/20*b*B*(-a*d+b*c)*g^2
*i^2*(d*x+c)^4/d^3-1/30*B*(-a*d+b*c)^5*g^2*i^2*ln((b*x+a)/(d*x+c))/b^3/d^3
+1/3*(-a*d+b*c)^2*g^2*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3-1/2*b*
(-a*d+b*c)*g^2*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3+1/5*b^2*g^2*i
^2*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3-1/30*B*(-a*d+b*c)^5*g^2*i^2*l
n(d*x+c)/b^3/d^3
```

Mathematica [A] (verified)

Time = 0.28 (sec) , antiderivative size = 362, normalized size of antiderivative = 1.07

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^2i^2\Big(20d^3(bc-ad)^2(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+30d^4(bc-ad)(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+$$

input
```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)]),x]
```

output
```
(g^2*i^2*(20*d^3*(b*c - a*d)^2*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d
*x)]) + 30*d^4*(b*c - a*d)*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]
) + 12*d^5*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 10*B*(b*c -
a*d)^3*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*
x]) - 5*B*(b*c - a*d)^2*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a +
 b*x)^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + B*(b*c - a*d
)*(12*b*d*(b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c -
 a*d)*(a + b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x])))/(
60*b^3*d^3)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 301, normalized size of antiderivative = 0.89, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2782, 27, 1195, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$

$$\downarrow 2962$$

$$g^2i^2(bc-ad)^5\int\frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^2i^2(bc-ad)^5\left(-B\int\frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}+\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 27$$

$$g^2i^2(bc-ad)^5\left(-\frac{B\int\frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{30d^3}+\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{B\,l}{3d}\right.$$

$$\downarrow 1195$$

$$g^2i^2(bc-ad)^5\left(-\frac{B\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{9d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{6bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{30d^3}+\right.$$

$$\downarrow 2009$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{5d^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{2d^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^4} + \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{3d^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^3} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b - \frac{d(a+}{c+d}\right.\right.}{b^3}$$

input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x
]
```

output
```
(b*c - a*d)^5*g^2*i^2*((b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*d^3*(
b - (d*(a + b*x))/(c + d*x))^5) - (b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))
/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^4) + (A + B*Log[(e*(a + b*x))/(c + d
*x)])/(3*d^3*(b - (d*(a + b*x))/(c + d*x))^3) - (B*((3*b)/(2*(b - (d*(a +
b*x))/(c + d*x))^4) - 3/(b - (d*(a + b*x))/(c + d*x))^3 + 1/(2*b*(b - (d*(
a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a +
 b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(30*d^3))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.52 (sec) , antiderivative size = 636, normalized size of antiderivative = 1.89

method	result
risch	$\frac{i^2g^2dB\,a^3cx}{6b} - \frac{i^2g^2bBa\,c^3x}{6d} + \frac{i^2g^2bB\ln(dx+c)a\,c^4}{6d^2} - \frac{i^2g^2dB\ln(-bx-a)a^4c}{6b^2} + i^2g^2A\,a^2c^2x + \frac{4i^2g^2bdAa$
parallelrisch	Expression too large to display
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETU
RNVERBOSE)
```

output

```
1/6*i^2*g^2/b*d*B*a^3*c*x-1/6*i^2*g^2*b/d*B*a*c^3*x+1/6*i^2*g^2*b/d^2*B*ln
(d*x+c)*a*c^4-1/6*i^2*g^2/b^2*d*B*ln(-b*x-a)*a^4*c+i^2*g^2*A*a^2*c^2*x+4/3
*i^2*g^2*b*d*A*a*c*x^3+i^2*g^2*d*A*a^2*c*x^2+i^2*g^2*b*A*a*c^2*x^2+1/4*i^2
*g^2*d*B*a^2*c*x^2-1/4*i^2*g^2*b*B*a*c^2*x^2-1/30*i^2*g^2/b^2*d^2*B*a^4*x+
1/30*i^2*g^2*b^2/d^2*B*c^4*x-1/3*i^2*g^2/d*B*ln(d*x+c)*a^2*c^3+1/3*i^2*g^2
/b*B*ln(-b*x-a)*a^3*c^2+1/30*i^2*g^2/b^3*d^2*B*ln(-b*x-a)*a^5-1/30*i^2*g^2
*b^2/d^3*B*ln(d*x+c)*c^5+1/2*i^2*g^2*b*d^2*A*a*x^4+1/2*i^2*g^2*b^2*d*A*c*x
^4+1/20*i^2*g^2*b*d^2*B*a*x^4-1/20*i^2*g^2*b^2*d*B*c*x^4+1/3*i^2*g^2*d^2*A
*a^2*x^3+1/3*i^2*g^2*b^2*A*c^2*x^3+1/10*i^2*g^2*d^2*B*a^2*x^3-1/10*i^2*g^2
*b^2*B*c^2*x^3+1/60*i^2*g^2/b*d^2*B*a^3*x^2-1/60*i^2*g^2*b^2/d*B*c^3*x^2+1
/5*i^2*g^2*b^2*d^2*A*x^5+1/30*i^2*g^2*B*x*(6*b^2*d^2*x^4+15*a*b*d^2*x^3+15
*b^2*c*d*x^3+10*a^2*d^2*x^2+40*a*b*c*d*x^2+10*b^2*c^2*x^2+30*a^2*c*d*x+30*
a*b*c^2*x+30*a^2*c^2)*ln(e*(b*x+a)/(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 534, normalized size of antiderivative = 1.58

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{12\,Ab^5d^5g^2i^2x^5+3\left((10\,A-B)b^5cd^4+(10\,A+B)ab^4d^5\right)g^2i^2x^4+2\left((10\,A-3\,B)b^5c^2d^3+40\,Aab^4cd^4+\right.}{}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="fricas")
```

output
```
1/60*(12*A*b^5*d^5*g^2*i^2*x^5 + 3*((10*A - B)*b^5*c*d^4 + (10*A + B)*a*b^
4*d^5)*g^2*i^2*x^4 + 2*((10*A - 3*B)*b^5*c^2*d^3 + 40*A*a*b^4*c*d^4 + (10*
A + 3*B)*a^2*b^3*d^5)*g^2*i^2*x^3 - (B*b^5*c^3*d^2 - 15*(4*A - B)*a*b^4*c^
2*d^3 - 15*(4*A + B)*a^2*b^3*c*d^4 - B*a^3*b^2*d^5)*g^2*i^2*x^2 + 2*(B*b^5
*c^4*d - 5*B*a*b^4*c^3*d^2 + 30*A*a^2*b^3*c^2*d^3 + 5*B*a^3*b^2*c*d^4 - B*
a^4*b*d^5)*g^2*i^2*x + 2*(10*B*a^3*b^2*c^2*d^3 - 5*B*a^4*b*c*d^4 + B*a^5*d
^5)*g^2*i^2*log(b*x + a) - 2*(B*b^5*c^5 - 5*B*a*b^4*c^4*d + 10*B*a^2*b^3*c
^3*d^2)*g^2*i^2*log(d*x + c) + 2*(6*B*b^5*d^5*g^2*i^2*x^5 + 30*B*a^2*b^3*c
^2*d^3*g^2*i^2*x + 15*(B*b^5*c*d^4 + B*a*b^4*d^5)*g^2*i^2*x^4 + 10*(B*b^5*
c^2*d^3 + 4*B*a*b^4*c*d^4 + B*a^2*b^3*d^5)*g^2*i^2*x^3 + 30*(B*a*b^4*c^2*d
^3 + B*a^2*b^3*c*d^4)*g^2*i^2*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^3*d^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1266 vs. 2(311) = 622.

Time = 3.48 (sec) , antiderivative size = 1266, normalized size of antiderivative = 3.76

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**2*d**2*g**2*i**2*x**5/5 + B*a**3*g**2*i**2*(a**2*d**2 - 5*a*b*c*d + 1
0*b**2*c**2)*log(x + (B*a**5*c*d**4*g**2*i**2 - 5*B*a**4*b*c**2*d**3*g**2*
i**2 + B*a**4*d**3*g**2*i**2*(a**2*d**2 - 5*a*b*c*d + 10*b**2*c**2)/b + 20
*B*a**3*b**2*c**3*d**2*g**2*i**2 - B*a**3*c*d**2*g**2*i**2*(a**2*d**2 - 5*
a*b*c*d + 10*b**2*c**2) - 5*B*a**2*b**3*c**4*d*g**2*i**2 + B*a*b**4*c**5*g
**2*i**2)/(B*a**5*d**5*g**2*i**2 - 5*B*a**4*b*c*d**4*g**2*i**2 + 10*B*a**3
*b**2*c**2*d**3*g**2*i**2 + 10*B*a**2*b**3*c**3*d**2*g**2*i**2 - 5*B*a*b**
4*c**4*d*g**2*i**2 + B*b**5*c**5*g**2*i**2))/(30*b**3) - B*c**3*g**2*i**2*
(10*a**2*d**2 - 5*a*b*c*d + b**2*c**2)*log(x + (B*a**5*c*d**4*g**2*i**2 -
5*B*a**4*b*c**2*d**3*g**2*i**2 + 20*B*a**3*b**2*c**3*d**2*g**2*i**2 - 5*B*
a**2*b**3*c**4*d*g**2*i**2 + B*a*b**4*c**5*g**2*i**2 - B*a*b**2*c**3*g**2*
i**2*(10*a**2*d**2 - 5*a*b*c*d + b**2*c**2) + B*b**3*c**4*g**2*i**2*(10*a*
*2*d**2 - 5*a*b*c*d + b**2*c**2)/d)/(B*a**5*d**5*g**2*i**2 - 5*B*a**4*b*c*
d**4*g**2*i**2 + 10*B*a**3*b**2*c**2*d**3*g**2*i**2 + 10*B*a**2*b**3*c**3*
d**2*g**2*i**2 - 5*B*a*b**4*c**4*d*g**2*i**2 + B*b**5*c**5*g**2*i**2))/(30
*d**3) + x**4*(A*a*b*d**2*g**2*i**2/2 + A*b**2*c*d*g**2*i**2/2 + B*a*b*d**
2*g**2*i**2/20 - B*b**2*c*d*g**2*i**2/20) + x**3*(A*a**2*d**2*g**2*i**2/3
+ 4*A*a*b*c*d*g**2*i**2/3 + A*b**2*c**2*g**2*i**2/3 + B*a**2*d**2*g**2*i**
2/10 - B*b**2*c**2*g**2*i**2/10) + x**2*(A*a**2*c*d*g**2*i**2 + A*a*b*c**2
*g**2*i**2 + B*a**3*d**2*g**2*i**2/(60*b) + B*a**2*c*d*g**2*i**2/4 - B*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1200 vs. $2(319) = 638$.

Time $= 0.07$ (sec) , antiderivative size $= 1200$, normalized size of antiderivative $= 3.56$

$$\int (ag + bgx)^2 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="maxima")
```

output

```
1/5*A*b^2*d^2*g^2*i^2*x^5 + 1/2*A*b^2*c*d*g^2*i^2*x^4 + 1/2*A*a*b*d^2*g^2*
i^2*x^4 + 1/3*A*b^2*c^2*g^2*i^2*x^3 + 4/3*A*a*b*c*d*g^2*i^2*x^3 + 1/3*A*a^
2*d^2*g^2*i^2*x^3 + A*a*b*c^2*g^2*i^2*x^2 + A*a^2*c*d*g^2*i^2*x^2 + (x*log
(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B
*a^2*c^2*g^2*i^2 + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x
 + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*a*b*c^2*g^2*i^2
+ 1/6*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3
 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^
2)*x)/(b^2*d^2))*B*b^2*c^2*g^2*i^2 + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x +
 c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*
B*a^2*c*d*g^2*i^2 + 2/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^
3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2
*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a*b*c*d*g^2*i^2 + 1/12*(6*x^4*log(b*e
*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c
)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6
*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^2*c*d*g^2*i^2 + 1/6*(2*x^3*log(b*e*
x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a^
2*d^2*g^2*i^2 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*l
og(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3144 vs. $2(319) = 638$.

Time $= 0.32$ (sec) , antiderivative size $= 3144$, normalized size of antiderivative $= 9.33$

$$\int (ag + bgx)^2 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="giac")
```

output

```
1/60*(2*(B*b^8*c^6*e^6*g^2*i^2 - 6*B*a*b^7*c^5*d*e^6*g^2*i^2 + 15*B*a^2*b^
6*c^4*d^2*e^6*g^2*i^2 - 20*B*a^3*b^5*c^3*d^3*e^6*g^2*i^2 + 15*B*a^4*b^4*c^
2*d^4*e^6*g^2*i^2 - 6*B*a^5*b^3*c*d^5*e^6*g^2*i^2 + B*a^6*b^2*d^6*e^6*g^2*
i^2 - 5*(b*e*x + a*e)*B*b^7*c^6*d*e^5*g^2*i^2/(d*x + c) + 30*(b*e*x + a*e)
*B*a*b^6*c^5*d^2*e^5*g^2*i^2/(d*x + c) - 75*(b*e*x + a*e)*B*a^2*b^5*c^4*d^
3*e^5*g^2*i^2/(d*x + c) + 100*(b*e*x + a*e)*B*a^3*b^4*c^3*d^4*e^5*g^2*i^2/
(d*x + c) - 75*(b*e*x + a*e)*B*a^4*b^3*c^2*d^5*e^5*g^2*i^2/(d*x + c) + 30*
(b*e*x + a*e)*B*a^5*b^2*c*d^6*e^5*g^2*i^2/(d*x + c) - 5*(b*e*x + a*e)*B*a^
6*b*d^7*e^5*g^2*i^2/(d*x + c) + 10*(b*e*x + a*e)^2*B*b^6*c^6*d^2*e^4*g^2*i
^2/(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a*b^5*c^5*d^3*e^4*g^2*i^2/(d*x + c)^
2 + 150*(b*e*x + a*e)^2*B*a^2*b^4*c^4*d^4*e^4*g^2*i^2/(d*x + c)^2 - 200*(b
*e*x + a*e)^2*B*a^3*b^3*c^3*d^5*e^4*g^2*i^2/(d*x + c)^2 + 150*(b*e*x + a*e
)^2*B*a^4*b^2*c^2*d^6*e^4*g^2*i^2/(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a^5*b
*c*d^7*e^4*g^2*i^2/(d*x + c)^2 + 10*(b*e*x + a*e)^2*B*a^6*d^8*e^4*g^2*i^2/
(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/(b^5*d^3*e^5 - 5*(b*e*x + a*e)*b
^4*d^4*e^4/(d*x + c) + 10*(b*e*x + a*e)^2*b^3*d^5*e^3/(d*x + c)^2 - 10*(b*
e*x + a*e)^3*b^2*d^6*e^2/(d*x + c)^3 + 5*(b*e*x + a*e)^4*b*d^7*e/(d*x + c)
^4 - (b*e*x + a*e)^5*d^8/(d*x + c)^5) + (2*A*b^10*c^6*e^6*g^2*i^2 - 12*A*a
*b^9*c^5*d*e^6*g^2*i^2 + 30*A*a^2*b^8*c^4*d^2*e^6*g^2*i^2 - 40*A*a^3*b^7*c
^3*d^3*e^6*g^2*i^2 + 30*A*a^4*b^6*c^2*d^4*e^6*g^2*i^2 - 12*A*a^5*b^5*c*...
```

Mupad [B] (verification not implemented)

Time = 27.25 (sec) , antiderivative size = 1287, normalized size of antiderivative = 3.82

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))),x
)
```

output

```
log((e*(a + b*x))/(c + d*x))*((B*g^2*i^2*x^3*(a^2*d^2 + b^2*c^2 + 4*a*b*c*
d))/3 + B*a^2*c^2*g^2*i^2*x + (B*b^2*d^2*g^2*i^2*x^5)/5 + B*a*c*g^2*i^2*x^
2*(a*d + b*c) + (B*b*d*g^2*i^2*x^4*(a*d + b*c))/2) - x^3*(((30*a*d + 30*b*
c)*((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d - B*b*c))/5 - (A*b*d*g^2*i^2
*(30*a*d + 30*b*c))/30))/(90*b*d) - (g^2*i^2*(6*A*a^2*d^2 + 6*A*b^2*c^2 +
B*a^2*d^2 - B*b^2*c^2 + 18*A*a*b*c*d))/6 + (A*a*b*c*d*g^2*i^2)/3) + x*((a*
c*(((30*a*d + 30*b*c)*((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d - B*b*c))
/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))/30))/(30*b*d) - (g^2*i^2*(6*A*a^2*d
^2 + 6*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 18*A*a*b*c*d))/2 + A*a*b*c*d*g^
2*i^2))/(b*d) - ((30*a*d + 30*b*c)*(((30*a*d + 30*b*c)*(((30*a*d + 30*b*c)
*((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d - B*b*c))/5 - (A*b*d*g^2*i^2*(
30*a*d + 30*b*c))/30))/(30*b*d) - (g^2*i^2*(6*A*a^2*d^2 + 6*A*b^2*c^2 + B*
a^2*d^2 - B*b^2*c^2 + 18*A*a*b*c*d))/2 + A*a*b*c*d*g^2*i^2))/(30*b*d) + (g
^2*i^2*(3*A*a^3*d^3 + 3*A*b^3*c^3 + B*a^3*d^3 - B*b^3*c^3 + 27*A*a*b^2*c^2
*d + 27*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d + 3*B*a^2*b*c*d^2))/(3*b*d) - (a*c
*((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d - B*b*c))/5 - (A*b*d*g^2*i^2*(
30*a*d + 30*b*c))/30))/(b*d)))/(30*b*d) + (a*c*g^2*i^2*(3*A*a^2*d^2 + 3*A*
b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 9*A*a*b*c*d))/(b*d)) + x^2*(((30*a*d + 3
0*b*c)*(((30*a*d + 30*b*c)*((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d - B*
b*c))/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))/30))/(30*b*d) - (g^2*i^2*(6...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 754, normalized size of antiderivative = 2.24

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^2\left(-12\log\left(\frac{bex+ae}{dx+c}\right)b^5d^5x^5+2a^4b\,d^5x-a^3b^2d^5x^2-6a^2b^3d^5x^3-3a\,b^4d^5x^4-2b^5c^4dx+b^5c^3d^2x^2+6b^5c^2\right.}{}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**2*( - 2*log(c + d*x)*a**5*d**5 + 10*log(c + d*x)*a**4*b*c*d**4 - 20*lo
g(c + d*x)*a**3*b**2*c**2*d**3 + 20*log(c + d*x)*a**2*b**3*c**3*d**2 - 10*
log(c + d*x)*a*b**4*c**4*d + 2*log(c + d*x)*b**5*c**5 - 2*log((a*e + b*e*x
)/(c + d*x))*a**5*d**5 + 10*log((a*e + b*e*x)/(c + d*x))*a**4*b*c*d**4 - 2
0*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c**2*d**3 - 60*log((a*e + b*e*x)/
(c + d*x))*a**2*b**3*c**2*d**3*x - 60*log((a*e + b*e*x)/(c + d*x))*a**2*b*
*3*c*d**4*x**2 - 20*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*d**5*x**3 - 60*
log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*d**3*x**2 - 80*log((a*e + b*e*x)/
(c + d*x))*a*b**4*c*d**4*x**3 - 30*log((a*e + b*e*x)/(c + d*x))*a*b**4*d**
5*x**4 - 20*log((a*e + b*e*x)/(c + d*x))*b**5*c**2*d**3*x**3 - 30*log((a*e
 + b*e*x)/(c + d*x))*b**5*c*d**4*x**4 - 12*log((a*e + b*e*x)/(c + d*x))*b*
*5*d**5*x**5 + 2*a**4*b*d**5*x - 60*a**3*b**2*c**2*d**3*x - 60*a**3*b**2*c
*d**4*x**2 - 10*a**3*b**2*c*d**4*x - 20*a**3*b**2*d**5*x**3 - a**3*b**2*d*
*5*x**2 - 60*a**2*b**3*c**2*d**3*x**2 - 80*a**2*b**3*c*d**4*x**3 - 15*a**2
*b**3*c*d**4*x**2 - 30*a**2*b**3*d**5*x**4 - 6*a**2*b**3*d**5*x**3 + 10*a*
b**4*c**3*d**2*x - 20*a*b**4*c**2*d**3*x**3 + 15*a*b**4*c**2*d**3*x**2 - 3
0*a*b**4*c*d**4*x**4 - 12*a*b**4*d**5*x**5 - 3*a*b**4*d**5*x**4 - 2*b**5*c
**4*d*x + b**5*c**3*d**2*x**2 + 6*b**5*c**2*d**3*x**3 + 3*b**5*c*d**4*x**4
))/(60*b**2*d**3)
```

3.12 $\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$

Optimal result 239
Mathematica [A] (verified) 240
Rubi [A] (verified) 240
Maple [A] (verified) 243
Fricas [A] (verification not implemented) 244
Sympy [B] (verification not implemented) 244
Maxima [B] (verification not implemented) 246
Giac [B] (verification not implemented) 248
Mupad [B] (verification not implemented) 249
Reduce [B] (verification not implemented) 250

Optimal result

Integrand size = 38, antiderivative size = 239

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx \\
&= \frac{B(bc-ad)^3 gi^2 x}{12b^2 d} + \frac{B(bc-ad)^2 gi^2 (c+dx)^2}{24bd^2} - \frac{B(bc-ad) gi^2 (c+dx)^3}{12d^2} \\
&\quad + \frac{B(bc-ad)^4 gi^2 \log\left(\frac{a+bx}{c+dx}\right)}{12b^3 d^2} - \frac{(bc-ad) gi^2 (c+dx)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d^2} \\
&\quad + \frac{bgi^2 (c+dx)^4 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2} + \frac{B(bc-ad)^4 gi^2 \log(c+dx)}{12b^3 d^2}
\end{aligned}$$

output

```
1/12*B*(-a*d+b*c)^3*g*i^2*x/b^2/d+1/24*B*(-a*d+b*c)^2*g*i^2*(d*x+c)^2/b/d^
2-1/12*B*(-a*d+b*c)*g*i^2*(d*x+c)^3/d^2+1/12*B*(-a*d+b*c)^4*g*i^2*ln((b*x+
a)/(d*x+c))/b^3/d^2-1/3*(-a*d+b*c)*g*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+
c)))/d^2+1/4*b*g*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2+1/12*B*(-a*
d+b*c)^4*g*i^2*ln(d*x+c)/b^3/d^2
```

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 216, normalized size of antiderivative = 0.90

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{gi^2\left(\frac{4B(bc-ad)^2(2bd(bc-ad)x+b^2(c+dx)^2+2(bc-ad)^2\log(a+bx))}{b^3}-\frac{B(bc-ad)(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-d}{b^3}\right.}{24d^2}$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)
]),x]
```

output
```
(g*i^2*((4*B*(b*c - a*d)^2*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c
 - a*d)^2*Log[a + b*x]))/b^3 - (B*(b*c - a*d)*(6*b*d*(b*c - a*d)^2*x + 3*b
^2*(b*c - a*d)*(c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b
*x]))/b^3 - 8*(b*c - a*d)*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])
 + 6*b*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])))/(24*d^2)
```

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 227, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2962, 2782, 27, 86, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$
$$\downarrow 2962$$
$$gi^2(bc-ad)^4\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$
$$\downarrow 2782$$

$$gi^2(bc-ad)^4\left(-B\int -\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{12d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)$$

$$\downarrow 27$$

$$gi^2(bc-ad)^4\left(\frac{B\int\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)$$

$$\downarrow 86$$

$$gi^2(bc-ad)^4\left(\frac{B\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.$$

$$\downarrow 2009$$

$$gi^2(bc-ad)^4\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^3}+\frac{1}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{1}{2b\left(b-\right.}\right.}{12d^2}$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output

```
(b*c - a*d)^4*g*i^2*((b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*d^2*(b -
(d*(a + b*x))/(c + d*x))^4) - (A + B*Log[(e*(a + b*x))/(c + d*x)])/(3*d^2*
(b - (d*(a + b*x))/(c + d*x))^3) + (B*(-(b - (d*(a + b*x))/(c + d*x))^(-3)
 + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c
+ d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]
/b^3))/(12*d^2))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.29 (sec) , antiderivative size = 396, normalized size of antiderivative = 1.66

method	result
risch	$\frac{g i^2 B x \left(3 b d^2 x^3+4 x^2 a d^2+8 b c d x^2+12 a c d x+6 b c^2 x+12 a c^2\right) \ln\left(\frac{e(bx+a)}{dx+c}\right)}{12}+\frac{i^2 g b d^2 A x^4}{4}+\frac{i^2 g d^2 A a x^3}{3}+\frac{2 i^2 g b d}{3}$
parallelrisch	$\frac{2B a^4 d^4 g i^2+2B b^4 c^4 g i^2-7B a^3 b c d^3 g i^2-8B a^2 b^2 c^2 d^2 g i^2+11 B a b^3 c^3 d g i^2+8B x^3 \ln\left(\frac{e(bx+a)}{dx+c}\right) a b^3 d^4 g i^2+6B x^4 \ln$
parts	$Ag i^2\left(\frac{b d^2 x^4}{4}+\frac{(a d^2+2bcd) x^3}{3}+\frac{(2acd+b c^2) x^2}{2}+a c^2 x\right)-\frac{Bg i^2 (da-bc)^3 e^3\left(\left(\frac{1}{3b^2 e^2 d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.\right.\right.$
derivativedivides	$-\frac{e(da-bc)\left(-A d^2 e^2 g i^2\left(a^3 d^3-3a^2 bc d^2+3a b^2 c^2 d-b^3 c^3\right)\left(-\frac{1}{3d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right) d\right)^3}+\frac{be}{4d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}\right.\right.$
default	$-\frac{e(da-bc)\left(-A d^2 e^2 g i^2\left(a^3 d^3-3a^2 bc d^2+3a b^2 c^2 d-b^3 c^3\right)\left(-\frac{1}{3d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right) d\right)^3}+\frac{be}{4d^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}\right.\right.$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURN
VERBOSE)
```

output
```
1/12*g*i^2*B*x*(3*b*d^2*x^3+4*a*d^2*x^2+8*b*c*d*x^2+12*a*c*d*x+6*b*c^2*x+1
2*a*c^2)*ln(e*(b*x+a)/(d*x+c))+1/4*i^2*g*b*d^2*A*x^4+1/3*i^2*g*d^2*A*a*x^3
+2/3*i^2*g*b*d*A*c*x^3+1/12*i^2*g*d^2*B*a*x^3-1/12*i^2*g*b*d*B*c*x^3+i^2*g
*d*A*a*c*x^2+1/2*i^2*g*b*A*c^2*x^2+1/24*i^2*g/b*d^2*B*a^2*x^2+1/6*i^2*g*d*
B*a*c*x^2-5/24*i^2*g*b*B*c^2*x^2+i^2*g*A*a*c^2*x+1/12*i^2*g/b^3*d^2*B*ln(-
b*x-a)*a^4-1/3*i^2*g/b^2*d*B*ln(-b*x-a)*a^3*c+1/2*i^2*g/b*B*ln(-b*x-a)*a^2
*c^2-1/3*i^2*g/d*B*ln(d*x+c)*a*c^3+1/12*i^2*g*b/d^2*B*ln(d*x+c)*c^4-1/12*i
^2*g/b^2*d^2*B*a^3*x+1/3*i^2*g/b*d*B*a^2*c*x-1/6*i^2*g*B*a*c^2*x-1/12*i^2*
g*b/d*B*c^3*x
```

Fricas [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 367, normalized size of antiderivative = 1.54

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{6\,Ab^4d^4gi^2x^4+2\left((8\,A-B)b^4cd^3+(4\,A+B)ab^3d^4\right)gi^2x^3+\left((12\,A-5\,B)b^4c^2d^2+4\,(6\,A+B)ab^3cd^3+\right.}{}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="fricas")
```

output
```
1/24*(6*A*b^4*d^4*g*i^2*x^4 + 2*((8*A - B)*b^4*c*d^3 + (4*A + B)*a*b^3*d^4
)*g*i^2*x^3 + ((12*A - 5*B)*b^4*c^2*d^2 + 4*(6*A + B)*a*b^3*c*d^3 + B*a^2*
b^2*d^4)*g*i^2*x^2 - 2*(B*b^4*c^3*d - 2*(6*A - B)*a*b^3*c^2*d^2 - 4*B*a^2*
b^2*c*d^3 + B*a^3*b*d^4)*g*i^2*x + 2*(6*B*a^2*b^2*c^2*d^2 - 4*B*a^3*b*c*d^
3 + B*a^4*d^4)*g*i^2*log(b*x + a) + 2*(B*b^4*c^4 - 4*B*a*b^3*c^3*d)*g*i^2*
log(d*x + c) + 2*(3*B*b^4*d^4*g*i^2*x^4 + 12*B*a*b^3*c^2*d^2*g*i^2*x + 4*(
2*B*b^4*c*d^3 + B*a*b^3*d^4)*g*i^2*x^3 + 6*(B*b^4*c^2*d^2 + 2*B*a*b^3*c*d^
3)*g*i^2*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^3*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 850 vs. $2(221) = 442$.

Time = 2.30 (sec) , antiderivative size = 850, normalized size of antiderivative = 3.56

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{Abd^2gi^2x^4}{4}$$
$$+\frac{Ba^2gi^2(a^2d^2-4abcd+6b^2c^2)\log\left(x+\frac{Ba^4cd^3gi^2-4Ba^3bc^2d^2gi^2+\frac{Ba^3d^2gi^2\left(a^2d^2-4abcd+6b^2c^2\right)}{b}+10Ba^2b^2c^3dgi^2-Ba^2cd}{Ba^4d^4gi^2-4Ba^3bcd^3gi^2+6Ba^2b^2c^2d^2gi^2+4Bab^3c^3dgi^2-}\right)}{12b^3}$$
$$-\frac{Bc^3gi^2\cdot(4ad-bc)\log\left(x+\frac{Ba^4cd^3gi^2-4Ba^3bc^2d^2gi^2+10Ba^2b^2c^3dgi^2-Bab^3c^4gi^2-Bab^2c^3gi^2\cdot(4ad-bc)+\frac{Bb^3c^4gi^2\cdot(4ad-bc)}{d}}{Ba^4d^4gi^2-4Ba^3bcd^3gi^2+6Ba^2b^2c^2d^2gi^2+4Bab^3c^3dgi^2-Bb^4c^4gi^2}\right)}{12d^2}$$
$$+x^3\left(\frac{Aad^2gi^2}{3}+\frac{2Abcdgi^2}{3}+\frac{Bad^2gi^2}{12}-\frac{Bbcdgi^2}{12}\right)$$
$$+x^2\left(Aacdgi^2+\frac{Abc^2gi^2}{2}+\frac{Ba^2d^2gi^2}{24b}+\frac{Bacdgi^2}{6}-\frac{5Bbc^2gi^2}{24}\right)$$
$$+x\left(Aac^2gi^2-\frac{Ba^3d^2gi^2}{12b^2}+\frac{Ba^2cdgi^2}{3b}-\frac{Bac^2gi^2}{6}-\frac{Bbc^3gi^2}{12d}\right)+\left(Bac^2gi^2x\right.$$
$$\left.+Bacdgi^2x^2+\frac{Bad^2gi^2x^3}{3}+\frac{Bbc^2gi^2x^2}{2}+\frac{2Bbcdgi^2x^3}{3}+\frac{Bbd^2gi^2x^4}{4}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b*d**2*g*i**2*x**4/4 + B*a**2*g*i**2*(a**2*d**2 - 4*a*b*c*d + 6*b**2*c**
2)*log(x + (B*a**4*c*d**3*g*i**2 - 4*B*a**3*b*c**2*d**2*g*i**2 + B*a**3*d*
*2*g*i**2*(a**2*d**2 - 4*a*b*c*d + 6*b**2*c**2)/b + 10*B*a**2*b**2*c**3*d*
g*i**2 - B*a**2*c*d*g*i**2*(a**2*d**2 - 4*a*b*c*d + 6*b**2*c**2) - B*a*b**
3*c**4*g*i**2)/(B*a**4*d**4*g*i**2 - 4*B*a**3*b*c*d**3*g*i**2 + 6*B*a**2*b
**2*c**2*d**2*g*i**2 + 4*B*a*b**3*c**3*d*g*i**2 - B*b**4*c**4*g*i**2))/(12
*b**3) - B*c**3*g*i**2*(4*a*d - b*c)*log(x + (B*a**4*c*d**3*g*i**2 - 4*B*a
**3*b*c**2*d**2*g*i**2 + 10*B*a**2*b**2*c**3*d*g*i**2 - B*a*b**3*c**4*g*i*
*2 - B*a*b**2*c**3*g*i**2*(4*a*d - b*c) + B*b**3*c**4*g*i**2*(4*a*d - b*c)
/d)/(B*a**4*d**4*g*i**2 - 4*B*a**3*b*c*d**3*g*i**2 + 6*B*a**2*b**2*c**2*d*
*2*g*i**2 + 4*B*a*b**3*c**3*d*g*i**2 - B*b**4*c**4*g*i**2))/(12*d**2) + x*
*3*(A*a*d**2*g*i**2/3 + 2*A*b*c*d*g*i**2/3 + B*a*d**2*g*i**2/12 - B*b*c*d*
g*i**2/12) + x**2*(A*a*c*d*g*i**2 + A*b*c**2*g*i**2/2 + B*a**2*d**2*g*i**2
/(24*b) + B*a*c*d*g*i**2/6 - 5*B*b*c**2*g*i**2/24) + x*(A*a*c**2*g*i**2 -
B*a**3*d**2*g*i**2/(12*b**2) + B*a**2*c*d*g*i**2/(3*b) - B*a*c**2*g*i**2/6
 - B*b*c**3*g*i**2/(12*d)) + (B*a*c**2*g*i**2*x + B*a*c*d*g*i**2*x**2 + B*
a*d**2*g*i**2*x**3/3 + B*b*c**2*g*i**2*x**2/2 + 2*B*b*c*d*g*i**2*x**3/3 +
B*b*d**2*g*i**2*x**4/4)*log(e*(a + b*x)/(c + d*x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 671 vs. $2(225) = 450$.

Time = 0.05 (sec) , antiderivative size = 671, normalized size of antiderivative = 2.81

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$= \frac{1}{4}Abd^2gi^2x^4+\frac{2}{3}Abcdgi^2x^3+\frac{1}{3}Aad^2gi^2x^3+\frac{1}{2}Abc^2gi^2x^2+Aacdgi^2x^2$$
$$+\left(x\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right)Bac^2gi^2$$
$$+\frac{1}{2}\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Bbc^2gi^2$$
$$+\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Bacdgi^2$$
$$+\frac{1}{3}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+\frac{1}{6}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+\frac{1}{24}\left(6x^4\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{6a^4\log(bx+a)}{b^4}+\frac{6c^4\log(dx+c)}{d^4}-\frac{2(b^3cd^2-ab^2d^3)x^3-3(b^3}{}\right.$$
$$+Aac^2gi^2x$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="maxima")
```

output
```
1/4*A*b*d^2*g*i^2*x^4 + 2/3*A*b*c*d*g*i^2*x^3 + 1/3*A*a*d^2*g*i^2*x^3 + 1/
2*A*b*c^2*g*i^2*x^2 + A*a*c*d*g*i^2*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B*a*c^2*g*i^2 + 1/2*(x^2*lo
g(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x +
c)/d^2 - (b*c - a*d)*x/(b*d))*B*b*c^2*g*i^2 + (x^2*log(b*e*x/(d*x + c) + a
*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*
x/(b*d))*B*a*c*d*g*i^2 + 1/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) +
 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^
2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*b*c*d*g*i^2 + 1/6*(2*x^3*log(b*e
*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c
)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a
*d^2*g*i^2 + 1/24*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(
b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3
*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b*d^2
*g*i^2 + A*a*c^2*g*i^2*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1975 vs. $2(225) = 450$.

Time = 0.28 (sec) , antiderivative size = 1975, normalized size of antiderivative = 8.26

$$\int (ag + bgx)(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="giac")
```

output

```
-1/24*(2*(B*b^6*c^5*e^5*g*i^2 - 5*B*a*b^5*c^4*d*e^5*g*i^2 + 10*B*a^2*b^4*c
^3*d^2*e^5*g*i^2 - 10*B*a^3*b^3*c^2*d^3*e^5*g*i^2 + 5*B*a^4*b^2*c*d^4*e^5*
g*i^2 - B*a^5*b*d^5*e^5*g*i^2 - 4*(b*e*x + a*e)*B*b^5*c^5*d*e^4*g*i^2/(d*x
 + c) + 20*(b*e*x + a*e)*B*a*b^4*c^4*d^2*e^4*g*i^2/(d*x + c) - 40*(b*e*x +
 a*e)*B*a^2*b^3*c^3*d^3*e^4*g*i^2/(d*x + c) + 40*(b*e*x + a*e)*B*a^3*b^2*c
^2*d^4*e^4*g*i^2/(d*x + c) - 20*(b*e*x + a*e)*B*a^4*b*c*d^5*e^4*g*i^2/(d*x
 + c) + 4*(b*e*x + a*e)*B*a^5*d^6*e^4*g*i^2/(d*x + c))*log((b*e*x + a*e)/(
d*x + c))/(b^4*d^2*e^4 - 4*(b*e*x + a*e)*b^3*d^3*e^3/(d*x + c) + 6*(b*e*x
+ a*e)^2*b^2*d^4*e^2/(d*x + c)^2 - 4*(b*e*x + a*e)^3*b*d^5*e/(d*x + c)^3 +
 (b*e*x + a*e)^4*d^6/(d*x + c)^4) + (2*A*b^8*c^5*e^5*g*i^2 - B*b^8*c^5*e^5
*g*i^2 - 10*A*a*b^7*c^4*d*e^5*g*i^2 + 5*B*a*b^7*c^4*d*e^5*g*i^2 + 20*A*a^2
*b^6*c^3*d^2*e^5*g*i^2 - 10*B*a^2*b^6*c^3*d^2*e^5*g*i^2 - 20*A*a^3*b^5*c^2
*d^3*e^5*g*i^2 + 10*B*a^3*b^5*c^2*d^3*e^5*g*i^2 + 10*A*a^4*b^4*c*d^4*e^5*g
*i^2 - 5*B*a^4*b^4*c*d^4*e^5*g*i^2 - 2*A*a^5*b^3*d^5*e^5*g*i^2 + B*a^5*b^3
*d^5*e^5*g*i^2 - 8*(b*e*x + a*e)*A*b^7*c^5*d*e^4*g*i^2/(d*x + c) + 6*(b*e*
x + a*e)*B*b^7*c^5*d*e^4*g*i^2/(d*x + c) + 40*(b*e*x + a*e)*A*a*b^6*c^4*d^
2*e^4*g*i^2/(d*x + c) - 30*(b*e*x + a*e)*B*a*b^6*c^4*d^2*e^4*g*i^2/(d*x +
c) - 80*(b*e*x + a*e)*A*a^2*b^5*c^3*d^3*e^4*g*i^2/(d*x + c) + 60*(b*e*x +
a*e)*B*a^2*b^5*c^3*d^3*e^4*g*i^2/(d*x + c) + 80*(b*e*x + a*e)*A*a^3*b^4*c^
2*d^4*e^4*g*i^2/(d*x + c) - 60*(b*e*x + a*e)*B*a^3*b^4*c^2*d^4*e^4*g*i^...
```

Mupad [B] (verification not implemented)

Time = 26.63 (sec) , antiderivative size = 636, normalized size of antiderivative = 2.66

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx \\
&= x^3\left(\frac{d\,g\,i^2\,(8\,A\,a\,d+12\,A\,b\,c+B\,a\,d-B\,b\,c)}{12}-\frac{A\,d\,g\,i^2\,(12\,a\,d+12\,b\,c)}{36}\right) \\
&\quad -x^2\left(\frac{\left(\frac{d\,g\,i^2\,(8\,A\,a\,d+12\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,d\,g\,i^2\,(12\,a\,d+12\,b\,c)}{12}\right)(12\,a\,d+12\,b\,c)}{24\,b\,d}\right. \\
&\qquad \left.-\frac{g\,i^2\,(3\,A\,a^2\,d^2+9\,A\,b^2\,c^2+B\,a^2\,d^2-2\,B\,b^2\,c^2+18\,A\,a\,b\,c\,d+B\,a\,b\,c\,d)}{6\,b}\right. \\
&\qquad \left.+\frac{A\,a\,c\,d\,g\,i^2}{2}\right)+\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(B\,a\,c^2\,g\,i^2\,x+\frac{B\,c\,g\,i^2\,x^2\,(2\,a\,d+b\,c)}{2}\right. \\
&\qquad \left.+\frac{B\,d\,g\,i^2\,x^3\,(a\,d+2\,b\,c)}{3}+\frac{B\,b\,d^2\,g\,i^2\,x^4}{4}\right) \\
&\quad +x\left(\frac{(12\,a\,d+12\,b\,c)\left(\frac{\left(\frac{d\,g\,i^2\,(8\,A\,a\,d+12\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,d\,g\,i^2\,(12\,a\,d+12\,b\,c)}{12}\right)(12\,a\,d+12\,b\,c)}{12\,b\,d}-\frac{g\,i^2\,(3\,A\,a^2\,d^2+9\,A\,b^2\,c^2+B\,a^2}{12\,b\,d}\right. \\
&\qquad \left.-\frac{a\,c\left(\frac{d\,g\,i^2\,(8\,A\,a\,d+12\,A\,b\,c+B\,a\,d-B\,b\,c)}{4}-\frac{A\,d\,g\,i^2\,(12\,a\,d+12\,b\,c)}{12}\right)}{b\,d}\right. \\
&\qquad \left.+\frac{c\,g\,i^2\,(6\,A\,a^2\,d^2+2\,A\,b^2\,c^2+2\,B\,a^2\,d^2-B\,b^2\,c^2+12\,A\,a\,b\,c\,d-B\,a\,b\,c\,d)}{2\,b\,d}\right) \\
&\quad +\frac{\ln(a+b\,x)\,(B\,g\,a^4\,d^2\,i^2-4\,B\,g\,a^3\,b\,c\,d\,i^2+6\,B\,g\,a^2\,b^2\,c^2\,i^2)}{12\,b^3} \\
&\quad +\frac{\ln(c+d\,x)\,(B\,b\,c^4\,g\,i^2-4\,B\,a\,c^3\,d\,g\,i^2)}{12\,d^2}+\frac{A\,b\,d^2\,g\,i^2\,x^4}{4}
\end{aligned}
$$

input

```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output

```
x^3*((d*g*i^2*(8*A*a*d + 12*A*b*c + B*a*d - B*b*c))/12 - (A*d*g*i^2*(12*a*
d + 12*b*c))/36) - x^2*((((d*g*i^2*(8*A*a*d + 12*A*b*c + B*a*d - B*b*c))/4
 - (A*d*g*i^2*(12*a*d + 12*b*c))/12)*(12*a*d + 12*b*c))/(24*b*d) - (g*i^2*
(3*A*a^2*d^2 + 9*A*b^2*c^2 + B*a^2*d^2 - 2*B*b^2*c^2 + 18*A*a*b*c*d + B*a*
b*c*d))/(6*b) + (A*a*c*d*g*i^2)/2) + log((e*(a + b*x))/(c + d*x))*(B*a*c^2
*g*i^2*x + (B*c*g*i^2*x^2*(2*a*d + b*c))/2 + (B*d*g*i^2*x^3*(a*d + 2*b*c))
/3 + (B*b*d^2*g*i^2*x^4)/4) + x*(((12*a*d + 12*b*c)*((((d*g*i^2*(8*A*a*d +
 12*A*b*c + B*a*d - B*b*c))/4 - (A*d*g*i^2*(12*a*d + 12*b*c))/12)*(12*a*d
+ 12*b*c))/(12*b*d) - (g*i^2*(3*A*a^2*d^2 + 9*A*b^2*c^2 + B*a^2*d^2 - 2*B*
b^2*c^2 + 18*A*a*b*c*d + B*a*b*c*d))/(3*b) + A*a*c*d*g*i^2))/(12*b*d) - (a
*c*((d*g*i^2*(8*A*a*d + 12*A*b*c + B*a*d - B*b*c))/4 - (A*d*g*i^2*(12*a*d
+ 12*b*c))/12))/(b*d) + (c*g*i^2*(6*A*a^2*d^2 + 2*A*b^2*c^2 + 2*B*a^2*d^2
- B*b^2*c^2 + 12*A*a*b*c*d - B*a*b*c*d))/(2*b*d)) + (log(a + b*x)*(B*a^4*d
^2*g*i^2 + 6*B*a^2*b^2*c^2*g*i^2 - 4*B*a^3*b*c*d*g*i^2))/(12*b^3) + (log(c
 + d*x)*(B*b*c^4*g*i^2 - 4*B*a*c^3*d*g*i^2))/(12*d^2) + (A*b*d^2*g*i^2*x^4
)/4
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 545, normalized size of antiderivative = 2.28

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g\left(2a^3b\,d^4x-a^2b^2d^4x^2-2a\,b^3d^4x^3+2b^4c^3dx+5b^4c^2d^2x^2+2b^4c\,d^3x^3-24\log\left(\frac{bex+ae}{dx+c}\right)a\,b^3c^2d^2x+8\log\right.}{}$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g*( - 2*log(c + d*x)*a**4*d**4 + 8*log(c + d*x)*a**3*b*c*d**3 - 12*log(c
+ d*x)*a**2*b**2*c**2*d**2 + 8*log(c + d*x)*a*b**3*c**3*d - 2*log(c + d*x)
*b**4*c**4 - 2*log((a*e + b*e*x)/(c + d*x))*a**4*d**4 + 8*log((a*e + b*e*x
)/(c + d*x))*a**3*b*c*d**3 - 12*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c**
2*d**2 - 24*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2*d**2*x - 24*log((a*e
+ b*e*x)/(c + d*x))*a*b**3*c*d**3*x**2 - 8*log((a*e + b*e*x)/(c + d*x))*a*
b**3*d**4*x**3 - 12*log((a*e + b*e*x)/(c + d*x))*b**4*c**2*d**2*x**2 - 16*
log((a*e + b*e*x)/(c + d*x))*b**4*c*d**3*x**3 - 6*log((a*e + b*e*x)/(c + d
*x))*b**4*d**4*x**4 + 2*a**3*b*d**4*x - 24*a**2*b**2*c**2*d**2*x - 24*a**2
*b**2*c*d**3*x**2 - 8*a**2*b**2*c*d**3*x - 8*a**2*b**2*d**4*x**3 - a**2*b*
*2*d**4*x**2 - 12*a*b**3*c**2*d**2*x**2 + 4*a*b**3*c**2*d**2*x - 16*a*b**3
*c*d**3*x**3 - 4*a*b**3*c*d**3*x**2 - 6*a*b**3*d**4*x**4 - 2*a*b**3*d**4*x
**3 + 2*b**4*c**3*d*x + 5*b**4*c**2*d**2*x**2 + 2*b**4*c*d**3*x**3))/(24*b
**2*d**2)
```

3.13 $\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$

Optimal result 252
Mathematica [A] (verified) 252
Rubi [A] (verified) 253
Maple [A] (verified) 254
Fricas [B] (verification not implemented) 255
Sympy [B] (verification not implemented) 256
Maxima [B] (verification not implemented) 257
Giac [B] (verification not implemented) 257
Mupad [B] (verification not implemented) 259
Reduce [B] (verification not implemented) 260

Optimal result

Integrand size = 30, antiderivative size = 118

$$\begin{aligned}&\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx\\&=-\frac{B(bc-ad)^2i^2x}{3b^2}-\frac{B(bc-ad)i^2(c+dx)^2}{6bd}\\&\quad-\frac{B(bc-ad)^3i^2\log(a+bx)}{3b^3d}+\frac{i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d}\end{aligned}$$

output

```
-1/3*B*(-a*d+b*c)^2*i^2*x/b^2-1/6*B*(-a*d+b*c)*i^2*(d*x+c)^2/b/d-1/3*B*(-a
*d+b*c)^3*i^2*ln(b*x+a)/b^3/d+1/3*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c))
)/d
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 97, normalized size of antiderivative = 0.82

$$\begin{aligned}&\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx\\&=\frac{i^2\left(-\frac{B(bc-ad)\left(2bd(bc-ad)x+b^2(c+dx)^2+2(bc-ad)^2\log(a+bx)\right)}{2b^3}+(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\right)}{3d}\end{aligned}$$

input
```
Integrate[(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
(i^2*(-1/2*(B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c
- a*d)^2*Log[a + b*x]))/b^3 + (c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)])))/(3*d)
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.89, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2948, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right) dx$$

$$\downarrow 2948$$

$$\frac{i^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d} - \frac{B(bc-ad)\int \frac{i^3(c+dx)^2}{a+bx}dx}{3di}$$

$$\downarrow 27$$

$$\frac{i^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d} - \frac{Bi^2(bc-ad)\int \frac{(c+dx)^2}{a+bx}dx}{3d}$$

$$\downarrow 49$$

$$\frac{i^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d} - \frac{Bi^2(bc-ad)\int \left(\frac{(bc-ad)^2}{b^2(a+bx)}+\frac{d(bc-ad)}{b^2}+\frac{d(c+dx)}{b}\right)dx}{3d}$$

$$\downarrow 2009$$

$$\frac{i^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d} - \frac{Bi^2(bc-ad)\left(\frac{(bc-ad)^2\log(a+bx)}{b^3}+\frac{dx(bc-ad)}{b^2}+\frac{(c+dx)^2}{2b}\right)}{3d}$$

input
```
Int[(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
-1/3*(B*(b*c - a*d)*i^2*((d*(b*c - a*d)*x)/b^2 + (c + d*x)^2/(2*b) + ((b*c
 - a*d)^2*Log[a + b*x])/b^3))/d + (i^2*(c + d*x)^3*(A + B*Log[(e*(a + b*x)
)/(c + d*x)]))/(3*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

Maple [A] (verified)

Time = 1.18 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.75

method	result
risch	$\frac{i^2(dx+c)^3 B \ln\left(\frac{e(bx+a)}{dx+c}\right)}{3d} + \frac{i^2 d^2 A x^3}{3} + i^2 dAc x^2 + \frac{i^2 d^2 Ba x^2}{6b} - \frac{i^2 dBc x^2}{6} + i^2 A c^2 x + \frac{i^2 d^2 B \ln(bx+a}{3b^3}$
parts	$\frac{A i^2(dx+c)^3}{3d} - B i^2(da-bc)^3 e^3 \left(\frac{1}{3b^2e^2d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)} - \frac{1}{6bed\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)^2} + \frac{\ln\left(\right.}{}$
parallelrisch	$\frac{-6A b^3c^3i^2-6B\ln(bx+a)a^2bcd^2i^2+6B\ln(bx+a)ab^2c^2di^2+6Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3cd^2i^2+6Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3c^2di^2+}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{Ade^2i^2\left(a^2d^2-2acdb+c^2b^2\right)}{3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^3}+Bd^2e^2i^2\left(a^2d^2-2acdb+c^2b^2\right)\left(-\frac{1}{6bed\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-\frac{}{3b^2e^2d\left(be-\right.}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{Ade^2i^2\left(a^2d^2-2acdb+c^2b^2\right)}{3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^3}+Bd^2e^2i^2\left(a^2d^2-2acdb+c^2b^2\right)\left(-\frac{1}{6bed\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-\frac{}{3b^2e^2d\left(be-\right.}\right.}{}$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURNVERBOSE)
```

output
```
1/3*i^2*(d*x+c)^3*B/d*ln(e*(b*x+a)/(d*x+c))+1/3*i^2*d^2*A*x^3+i^2*d*A*c*x^
2+1/6*i^2/b*d^2*B*a*x^2-1/6*i^2*d*B*c*x^2+i^2*A*c^2*x+1/3*i^2/b^3*d^2*B*ln
(b*x+a)*a^3-i^2/b^2*d*B*ln(b*x+a)*a^2*c+i^2/b*B*ln(b*x+a)*a*c^2-1/3*i^2/d*
B*ln(b*x+a)*c^3-1/3*i^2/b^2*d^2*B*a^2*x+i^2/b*d*B*a*c*x-2/3*i^2*B*c^2*x
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 223 vs. $2(110) = 220$.

Time = 0.09 (sec) , antiderivative size = 223, normalized size of antiderivative = 1.89

$$\int (ci+dix)^2 \left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$$
$$= \frac{2Ab^3d^3i^2x^3 - 2Bb^3c^3i^2\log(dx+c) + ((6A-B)b^3cd^2 + Bab^2d^3)i^2x^2 + 2((3A-2B)b^3c^2d + 3Bab^2c}{}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="fricas"
)
```

output
```
1/6*(2*A*b^3*d^3*i^2*x^3 - 2*B*b^3*c^3*i^2*log(d*x + c) + ((6*A - B)*b^3*c
*d^2 + B*a*b^2*d^3)*i^2*x^2 + 2*((3*A - 2*B)*b^3*c^2*d + 3*B*a*b^2*c*d^2 -
 B*a^2*b*d^3)*i^2*x + 2*(3*B*a*b^2*c^2*d - 3*B*a^2*b*c*d^2 + B*a^3*d^3)*i^
2*log(b*x + a) + 2*(B*b^3*d^3*i^2*x^3 + 3*B*b^3*c*d^2*i^2*x^2 + 3*B*b^3*c^
2*d*i^2*x)*log((b*e*x + a*e)/(d*x + c)))/(b^3*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 491 vs. $2(100) = 200$.

Time = 1.34 (sec) , antiderivative size = 491, normalized size of antiderivative = 4.16

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{Ad^2i^2x^3}{3} + \frac{Bai^2(a^2d^2-3abcd+3b^2c^2)\log\left(x+\frac{\frac{Ba^3cd^2i^2-3Ba^2bc^2di^2+\frac{Ba^2di^2\left(a^2d^2-3abcd+3b^2c^2\right)}{b}+4Bab^2c^3i^2-Baci^2\left(a^2d^2-3abcd-}{Ba^3d^3i^2-3Ba^2bcd^2i^2+3Bab^2c^2di^2+Bb^3c^3i^2}}{3b^3} - \frac{Bc^3i^2\log\left(x+\frac{\frac{Ba^3cd^2i^2-3Ba^2bc^2di^2+3Bab^2c^3i^2+\frac{Bb^3c^4i^2}{d}}{Ba^3d^3i^2-3Ba^2bcd^2i^2+3Bab^2c^2di^2+Bb^3c^3i^2}}\right)}{3d} + x^2\left(Acdi^2+\frac{Bad^2i^2}{6b}-\frac{Bcdi^2}{6}\right) + x\left(Ac^2i^2-\frac{Ba^2d^2i^2}{3b^2}+\frac{Bacdi^2}{b}-\frac{2Bc^2i^2}{3}\right) + \left(Bc^2i^2x+Bcdi^2x^2+\frac{Bd^2i^2x^3}{3}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output
```
A*d**2*i**2*x**3/3 + B*a*i**2*(a**2*d**2 - 3*a*b*c*d + 3*b**2*c**2)*log(x
+ (B*a**3*c*d**2*i**2 - 3*B*a**2*b*c**2*d*i**2 + B*a**2*d*i**2*(a**2*d**2
- 3*a*b*c*d + 3*b**2*c**2)/b + 4*B*a*b**2*c**3*i**2 - B*a*c*i**2*(a**2*d**
2 - 3*a*b*c*d + 3*b**2*c**2))/(B*a**3*d**3*i**2 - 3*B*a**2*b*c*d**2*i**2 +
 3*B*a*b**2*c**2*d*i**2 + B*b**3*c**3*i**2))/(3*b**3) - B*c**3*i**2*log(x
+ (B*a**3*c*d**2*i**2 - 3*B*a**2*b*c**2*d*i**2 + 3*B*a*b**2*c**3*i**2 + B*
b**3*c**4*i**2/d)/(B*a**3*d**3*i**2 - 3*B*a**2*b*c*d**2*i**2 + 3*B*a*b**2*
c**2*d*i**2 + B*b**3*c**3*i**2))/(3*d) + x**2*(A*c*d*i**2 + B*a*d**2*i**2/
(6*b) - B*c*d*i**2/6) + x*(A*c**2*i**2 - B*a**2*d**2*i**2/(3*b**2) + B*a*c
*d*i**2/b - 2*B*c**2*i**2/3) + (B*c**2*i**2*x + B*c*d*i**2*x**2 + B*d**2*i
**2*x**3/3)*log(e*(a + b*x)/(c + d*x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 280 vs. $2(110) = 220$.

Time = 0.04 (sec) , antiderivative size = 280, normalized size of antiderivative = 2.37

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{1}{3}Ad^2i^2x^3 + Acdi^2x^2$$
$$+\left(x\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right)Bc^2i^2$$
$$+\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Bcdi^2$$
$$+\frac{1}{6}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+Ac^2i^2x$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="maxima"
)
```

output
```
1/3*A*d^2*i^2*x^3 + A*c*d*i^2*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)
) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B*c^2*i^2 + (x^2*log(b*e*x/(d*x +
 c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c
- a*d)*x/(b*d))*B*c*d*i^2 + 1/6*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)
) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)
*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*d^2*i^2 + A*c^2*i^2*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1056 vs. $2(110) = 220$.

Time = 0.24 (sec) , antiderivative size = 1056, normalized size of antiderivative = 8.95

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="giac")
```

output

```
1/6*(2*(B*b^4*c^4*e^4*i^2 - 4*B*a*b^3*c^3*d*e^4*i^2 + 6*B*a^2*b^2*c^2*d^2*
e^4*i^2 - 4*B*a^3*b*c*d^3*e^4*i^2 + B*a^4*d^4*e^4*i^2)*log((b*e*x + a*e)/(
d*x + c))/(b^3*d*e^3 - 3*(b*e*x + a*e)*b^2*d^2*e^2/(d*x + c) + 3*(b*e*x +
a*e)^2*b*d^3*e/(d*x + c)^2 - (b*e*x + a*e)^3*d^4/(d*x + c)^3) + (2*A*b^6*c
^4*e^4*i^2 - 3*B*b^6*c^4*e^4*i^2 - 8*A*a*b^5*c^3*d*e^4*i^2 + 12*B*a*b^5*c^
3*d*e^4*i^2 + 12*A*a^2*b^4*c^2*d^2*e^4*i^2 - 18*B*a^2*b^4*c^2*d^2*e^4*i^2
- 8*A*a^3*b^3*c*d^3*e^4*i^2 + 12*B*a^3*b^3*c*d^3*e^4*i^2 + 2*A*a^4*b^2*d^4
*e^4*i^2 - 3*B*a^4*b^2*d^4*e^4*i^2 + 5*(b*e*x + a*e)*B*b^5*c^4*d*e^3*i^2/(
d*x + c) - 20*(b*e*x + a*e)*B*a*b^4*c^3*d^2*e^3*i^2/(d*x + c) + 30*(b*e*x
+ a*e)*B*a^2*b^3*c^2*d^3*e^3*i^2/(d*x + c) - 20*(b*e*x + a*e)*B*a^3*b^2*c*
d^4*e^3*i^2/(d*x + c) + 5*(b*e*x + a*e)*B*a^4*b*d^5*e^3*i^2/(d*x + c) - 2*
(b*e*x + a*e)^2*B*b^4*c^4*d^2*e^2*i^2/(d*x + c)^2 + 8*(b*e*x + a*e)^2*B*a*
b^3*c^3*d^3*e^2*i^2/(d*x + c)^2 - 12*(b*e*x + a*e)^2*B*a^2*b^2*c^2*d^4*e^2
*i^2/(d*x + c)^2 + 8*(b*e*x + a*e)^2*B*a^3*b*c*d^5*e^2*i^2/(d*x + c)^2 - 2
*(b*e*x + a*e)^2*B*a^4*d^6*e^2*i^2/(d*x + c)^2)/(b^5*d*e^3 - 3*(b*e*x + a*
e)*b^4*d^2*e^2/(d*x + c) + 3*(b*e*x + a*e)^2*b^3*d^3*e/(d*x + c)^2 - (b*e*
x + a*e)^3*b^2*d^4/(d*x + c)^3) + 2*(B*b^4*c^4*e*i^2 - 4*B*a*b^3*c^3*d*e*i
^2 + 6*B*a^2*b^2*c^2*d^2*e*i^2 - 4*B*a^3*b*c*d^3*e*i^2 + B*a^4*d^4*e*i^2)*
log(-b*e + (b*e*x + a*e)*d/(d*x + c))/(b^3*d) - 2*(B*b^4*c^4*e*i^2 - 4*B*a
*b^3*c^3*d*e*i^2 + 6*B*a^2*b^2*c^2*d^2*e*i^2 - 4*B*a^3*b*c*d^3*e*i^2 + ...
```

Mupad [B] (verification not implemented)

Time = 26.44 (sec) , antiderivative size = 290, normalized size of antiderivative = 2.46

$$\begin{aligned}
&\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx \\
&= x^2\left(\frac{di^2(3Aad+9Abc+Bad-Bbc)}{6b}-\frac{Adi^2(3ad+3bc)}{6b}\right) \\
&\quad - x\left(\frac{(3ad+3bc)\left(\frac{di^2(3Aad+9Abc+Bad-Bbc)}{3b}-\frac{Adi^2(3ad+3bc)}{3b}\right)}{3bd}\right. \\
&\qquad\qquad \left. -\frac{ci^2(3Aad+3Abc+Bad-Bbc)}{b}+\frac{Aacdi^2}{b}\right) \\
&\quad + \ln\left(\frac{e(a+bx)}{c+dx}\right)\left(Bc^2i^2x+Bcdi^2x^2+\frac{Bd^2i^2x^3}{3}\right) \\
&\quad + \frac{\ln(a+bx)\left(Ba^3d^2i^2-3Ba^2bcdi^2+3Bab^2c^2i^2\right)}{3b^3} \\
&\quad + \frac{Ad^2i^2x^3}{3}-\frac{Bc^3i^2\ln(c+dx)}{3d}
\end{aligned}$$

input
```
int((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output
```
x^2*((d*i^2*(3*A*a*d + 9*A*b*c + B*a*d - B*b*c))/(6*b) - (A*d*i^2*(3*a*d +
 3*b*c))/(6*b)) - x*(((3*a*d + 3*b*c)*((d*i^2*(3*A*a*d + 9*A*b*c + B*a*d -
 B*b*c))/(3*b) - (A*d*i^2*(3*a*d + 3*b*c))/(3*b)))/(3*b*d) - (c*i^2*(3*A*a
*d + 3*A*b*c + B*a*d - B*b*c))/b + (A*a*c*d*i^2)/b) + log((e*(a + b*x))/(c
 + d*x))*((B*d^2*i^2*x^3)/3 + B*c^2*i^2*x + B*c*d*i^2*x^2) + (log(a + b*x)
*(B*a^3*d^2*i^2 + 3*B*a*b^2*c^2*i^2 - 3*B*a^2*b*c*d*i^2))/(3*b^3) + (A*d^2
*i^2*x^3)/3 - (B*c^3*i^2*log(c + d*x))/(3*d)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 268, normalized size of antiderivative = 2.27

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{-2\log(bx+a)\,a^3d^3+6\log(bx+a)\,a^2bc\,d^2-6\log(bx+a)\,ab^2c^2d+2\log(bx+a)\,b^3c^3-2\log\left(\frac{bex+ae}{dx+c}\right)b^3$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output
```
( - 2*log(a + b*x)*a**3*d**3 + 6*log(a + b*x)*a**2*b*c*d**2 - 6*log(a + b*
x)*a*b**2*c**2*d + 2*log(a + b*x)*b**3*c**3 - 2*log((a*e + b*e*x)/(c + d*x
))*b**3*c**3 - 6*log((a*e + b*e*x)/(c + d*x))*b**3*c**2*d*x - 6*log((a*e +
 b*e*x)/(c + d*x))*b**3*c*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*b**3*
d**3*x**3 + 2*a**2*b*d**3*x - 6*a*b**2*c**2*d*x - 6*a*b**2*c*d**2*x**2 - 6
*a*b**2*c*d**2*x - 2*a*b**2*d**3*x**3 - a*b**2*d**3*x**2 + 4*b**3*c**2*d*x
 + b**3*c*d**2*x**2)/(6*b**2*d)
```

3.14 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 261
Mathematica [A] (verified) . . . 262
Rubi [A] (verified) . . . 262
Maple [B] (verified) . . . 267
Fricas [F] . . . 269
Sympy [F] . . . 269
Maxima [A] (verification not implemented) . . . 270
Giac [F] . . . 271
Mupad [F(-1)] . . . 271
Reduce [F] . . . 272

Optimal result

Integrand size = 40, antiderivative size = 276

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx \\
&= -\frac{Bd(bc-ad)i^2x}{2b^2g} - \frac{B(bc-ad)^2i^2\log\left(\frac{a+bx}{c+dx}\right)}{2b^3g} \\
&\quad + \frac{d(bc-ad)i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g} + \frac{i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2bg} \\
&\quad - \frac{3B(bc-ad)^2i^2\log(c+dx)}{2b^3g} - \frac{(bc-ad)^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{B(bc-ad)^2i^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g}
\end{aligned}$$

output

```
-1/2*B*d*(-a*d+b*c)*i^2*x/b^2/g-1/2*B*(-a*d+b*c)^2*i^2*ln((b*x+a)/(d*x+c))
/b^3/g+d*(-a*d+b*c)*i^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g+1/2*i^2*
(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g-3/2*B*(-a*d+b*c)^2*i^2*ln(d*x+c)
/b^3/g-(-a*d+b*c)^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+
a))/b^3/g+B*(-a*d+b*c)^2*i^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 252, normalized size of antiderivative = 0.91

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^2\Big(2Abd(bc-ad)x - B(bc-ad)(bdx+(bc-ad)\log(a+bx)) + 2Bd(bc-ad)(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right) +$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x),x]
```

output
```
(i^2*(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*(b*d*x + (b*c - a*d)*Log[a + b
*x]) + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + b^2*(c +
 d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*(b*c - a*d)^2*Log[g*(a +
b*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*B*(b*c - a*d)^2*Log[c + d*x
] + B*(b*c - a*d)^2*(-(Log[g*(a + b*x)]*(Log[g*(a + b*x)] - 2*Log[(b*(c +
d*x))/(b*c - a*d)])) + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(2*b^
3*g)
```

Rubi [A] (verified)

Time = 0.93 (sec) , antiderivative size = 307, normalized size of antiderivative = 1.11, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {2962, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ag+bgx}\,dx$$
$$\downarrow \text{2962}$$
$$\frac{i^2(bc-ad)^2\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 54$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2009$$

$$\frac{i^2(bc-ad)^2\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}\right)}{g}$$

$$\downarrow 2789$$

$$i^2(bc-ad)^2\left(\frac{\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+}{c+d}\right.\right.}{2d}\right.}{b}\right.$$

$$g$$

$$\downarrow 2751$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\right.}{}\right.$$

$$g$$

$$\downarrow 16$$

$$i^2(bc-ad)^2\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\right.\right.}{}\right.$$

$$g$$

$$\downarrow 2779$$



input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x),x
]
```

output
```
((b*c - a*d)^2*i^2*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])/(2*d*(b - (d*
(a + b*x))/(c + d*x))^2) - (B*(1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(
a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(2*d)))/b
 + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b*(c + d*x)*(b -
 (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a + b*x))/(c + d*x)])/(b*d)))/
b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a +
 b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 697 vs. $2(268) = 536$.

Time = 3.18 (sec) , antiderivative size = 698, normalized size of antiderivative = 2.53

method	result
parts	$\frac{i^2 A\left(\frac{d\left(\frac{1}{2}bd\,x^2-xda+2bcx\right)}{b^2}+\frac{\left(a^2d^2-2acdb+c^2b^2\right)\ln(bx+a)}{b^3}\right)}{g}-\frac{i^2B(da-bc)^3e^3\left(\frac{\left(-\frac{1}{2bed\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}-\frac{\ln\left(\right.}{}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{A\,d^2e^2i^2(da-bc)\left(\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}+\frac{1}{b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^3e^3}+\frac{}{2be\left(be-\right.}\right.}{g}$
default	$-\frac{e(da-bc)\left(-\frac{A\,d^2e^2i^2(da-bc)\left(\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}+\frac{1}{b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^3e^3}+\frac{}{2be\left(be-\right.}\right.}{g}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x,method=_RETURN
VERBOSE)
```

output
```
i^2*A/g*(d/b^2*(1/2*b*d*x^2-x*d*a+2*b*c*x)+(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3
*ln(b*x+a))-i^2*B/g/d^4*(a*d-b*c)^3*e^3*((-1/2/b/e/d/((b*e/d+(a*d-b*c)*e/d
/(d*x+c))*d-b*e)-1/2/b^2/e^2*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d+1/2
*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*((b*e/d+(a*
d-b*c)*e/d/(d*x+c))*d-2*b*e)/b^2/e^2/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)
^2)/(a*d-b*c)*d^5/b/e-(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-ln(
b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(a*
d-b*c)*e/d/(d*x+c))*d-b*e))/(a*d-b*c)*d^5/b^2/e^2-1/2*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2/(a*d-b*c)*d^4/b^3/e^3+(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))
*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(
d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)*d^5/b^3/e^3)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="fricas")
```

output
```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^2\left(\int \frac{Ac^2}{a+bx}\,dx + \int \frac{Ad^2x^2}{a+bx}\,dx + \int \frac{Bc^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx + \int \frac{2Acdx}{a+bx}\,dx + \int \frac{Bd^2x^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx + \int \frac{2Bcdx\log}{}\right.}{g}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
i**2*(Integral(A*c**2/(a + b*x), x) + Integral(A*d**2*x**2/(a + b*x), x) +
 Integral(B*c**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Inte
gral(2*A*c*d*x/(a + b*x), x) + Integral(B*d**2*x**2*log(a*e/(c + d*x) + b*
e*x/(c + d*x))/(a + b*x), x) + Integral(2*B*c*d*x*log(a*e/(c + d*x) + b*e*
x/(c + d*x))/(a + b*x), x))/g
```

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 518, normalized size of antiderivative = 1.88

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= 2\,Acdi^2\left(\frac{x}{bg}-\frac{a\log(bx+a)}{b^2g}\right)+\frac{1}{2}\,Ad^2i^2\left(\frac{2\,a^2\log(bx+a)}{b^3g}+\frac{bx^2-2\,ax}{b^2g}\right)$$
$$+\frac{Ac^2i^2\log(bgx+ag)}{bg}-\frac{(3\,bc^2i^2-2\,acdi^2)B\log(dx+c)}{2\,b^2g}$$
$$+\frac{(b^2c^2i^2-2\,abcdi^2+a^2d^2i^2)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{b^3g}$$
$$+\frac{Bb^2d^2i^2x^2\log(e)+(b^2c^2i^2-2\,abcdi^2+a^2d^2i^2)B\log(bx+a)^2+((4\,i^2\log(e)-i^2)b^2cd-(2\,i^2\log(e)$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="maxima")
```

output

```
2*A*c*d*i^2*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + 1/2*A*d^2*i^2*(2*a^2*log(
b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A*c^2*i^2*log(b*g*x + a*g)/(
b*g) - 1/2*(3*b*c^2*i^2 - 2*a*c*d*i^2)*B*log(d*x + c)/(b^2*g) + (b^2*c^2*i
^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a
*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^3*g) + 1/2*(B*b^2*d^2*i
^2*x^2*log(e) + (b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*B*log(b*x + a)
^2 + ((4*i^2*log(e) - i^2)*b^2*c*d - (2*i^2*log(e) - i^2)*a*b*d^2)*B*x + (
B*b^2*d^2*i^2*x^2 + 2*(2*b^2*c*d*i^2 - a*b*d^2*i^2)*B*x + (2*b^2*c^2*i^2*l
og(e) - 4*(i^2*log(e) - i^2)*a*b*c*d + (2*i^2*log(e) - 3*i^2)*a^2*d^2)*B)*
log(b*x + a) - (B*b^2*d^2*i^2*x^2 + 2*(2*b^2*c*d*i^2 - a*b*d^2*i^2)*B*x +
2*(b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*B*log(b*x + a))*log(d*x + c)
)/(b^3*g)
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{a\,g+b\,g\,x}\,dx$$

input

```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x),x
)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x),
x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)b^4c^2 - 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^2}{bx+a}dx\right)b^4d^2 - 4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{bx+a}dx\right)b^4cd - 2\log(bx+a)\,a^3d^2}{2b^3g}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
( - 2*int(log((a*e + b*e*x)/(c + d*x))/(a + b*x),x)*b**4*c**2 - 2*int((log
((a*e + b*e*x)/(c + d*x))*x**2)/(a + b*x),x)*b**4*d**2 - 4*int((log((a*e +
 b*e*x)/(c + d*x))*x)/(a + b*x),x)*b**4*c*d - 2*log(a + b*x)*a**3*d**2 + 4
*log(a + b*x)*a**2*b*c*d - 2*log(a + b*x)*a*b**2*c**2 + 2*a**2*b*d**2*x -
4*a*b**2*c*d*x - a*b**2*d**2*x**2)/(2*b**3*g)
```

3.15 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 273
Mathematica [A] (verified) . . . 274
Rubi [A] (verified) . . . 274
Maple [B] (verified) . . . 276
Fricas [F] . . . 278
Sympy [F(-1)] . . . 278
Maxima [B] (verification not implemented) . . . 279
Giac [F] . . . 280
Mupad [F(-1)] . . . 280
Reduce [F] . . . 280

Optimal result

Integrand size = 40, antiderivative size = 247

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx \\
&= -\frac{B(bc-ad)i^2(c+dx)}{b^2g^2(a+bx)} + \frac{d^2i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^2} \\
&\quad - \frac{(bc-ad)i^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g^2(a+bx)} - \frac{Bd(bc-ad)i^2\log(c+dx)}{b^3g^2} \\
&\quad - \frac{2d(bc-ad)i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{2Bd(bc-ad)i^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2}
\end{aligned}$$

output

```
-B*(-a*d+b*c)*i^2*(d*x+c)/b^2/g^2/(b*x+a)+d^2*i^2*(b*x+a)*(A+B*ln(e*(b*x+a
)/(d*x+c)))/b^3/g^2-(-a*d+b*c)*i^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2
/g^2/(b*x+a)-B*d*(-a*d+b*c)*i^2*ln(d*x+c)/b^3/g^2-2*d*(-a*d+b*c)*i^2*(A+B*
ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^2+2*B*d*(-a*d+b*c)*
i^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g^2
```

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 221, normalized size of antiderivative = 0.89

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i^2\left(Abd^2x - \frac{B(bc-ad)^2}{a+bx} + Bd(-bc+ad)\log(a+bx) + Bd^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right) - \frac{(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{a+bx}\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^2,x]
```

output
```
(i^2*(A*b*d^2*x - (B*(b*c - a*d)^2)/(a + b*x) + B*d*(-(b*c) + a*d)*Log[a +
 b*x] + B*d^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - ((b*c - a*d)^2*(A +
 B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) + 2*d*(b*c - a*d)*Log[a + b*x]
*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + B*d*(-(b*c) + a*d)*(Log[a + b*x]*(
Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*
x))/(-(b*c) + a*d)])))/(b^3*g^2)
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 223, normalized size of antiderivative = 0.90, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^2}\,dx$$
$$\downarrow \text{2962}$$
$$\frac{i^2(bc-ad)\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2793$$

$$\frac{i^2(bc-ad)\int\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d}{b^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2(a+bx)^2}\right)d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2009$$

$$\frac{i^2(bc-ad)\left(\frac{d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^3(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2d\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^3}-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^2(a+bx)}+\frac{2Bd\,\mathrm{Poly}}{g^2}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^2
,x]
```

output

```
((b*c - a*d)*i^2*(-((B*(c + d*x))/(b^2*(a + b*x))) - ((c + d*x)*(A + B*Log
[(e*(a + b*x))/(c + d*x)]))/(b^2*(a + b*x)) + (d^2*(a + b*x)*(A + B*Log[(e
*(a + b*x))/(c + d*x)]))/(b^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (
B*d*Log[b - (d*(a + b*x))/(c + d*x)])/b^3 - (2*d*(A + B*Log[(e*(a + b*x))/
(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b^3 + (2*B*d*PolyLog[2,
(b*(c + d*x))/(d*(a + b*x))])/b^3))/g^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 567 vs. $2(247) = 494$.

Time = 3.06 (sec) , antiderivative size = 568, normalized size of antiderivative = 2.30

method	result
parts	$\frac{i^2A\left(\frac{x\,d^2}{b^2}-\frac{2d(da-bc)\ln(bx+a)}{b^3}-\frac{a^2d^2-2acdb+c^2b^2}{b^3(bx+a)}\right)}{g^2}-\frac{i^2B(da-bc)^3e^3\left(\frac{\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)d^4}{(da-bc)^2b^2e^2}+$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i^2d^2e^2A\left(-\frac{1}{b^2e^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{2d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}+\frac{d}{b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{2d\ln\left(be-\left(\frac{be}{d}+\frac{(d}{b^3e^3}\right.\right.\right.\right.}{g^2}$
default	$-\frac{e(da-bc)\left(\frac{i^2d^2e^2A\left(-\frac{1}{b^2e^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{2d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}+\frac{d}{b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{2d\ln\left(be-\left(\frac{be}{d}+\frac{(d}{b^3e^3}\right.\right.\right.\right.}{g^2}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x,method=_RETU
RNVERBOSE)
```

output
```
i^2*A/g^2*(x*d^2/b^2-2/b^3*d*(a*d-b*c)*ln(b*x+a)-1/b^3*(a^2*d^2-2*a*b*c*d+
b^2*c^2)/(b*x+a))-i^2*B/g^2/d^4*(a*d-b*c)^3*e^3*((-1/(b*e/d+(a*d-b*c)*e/d/
(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))/
(a*d-b*c)^2*d^4/b^2/e^2+(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(
a*d-b*c)*e/d/(d*x+c))*d-b*e))/(a*d-b*c)^2*d^6/b^2/e^2+ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2/(a*d-b*c)^2*d^5/b^3/e^3-2*(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x
+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e
/d/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)^2*d^6/b^3/e^3)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="fricas")
```

output
```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)))/(b^2*g^2*x^2 + 2*a*b
*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 992 vs. $2(246) = 492$.

Time = 0.11 (sec) , antiderivative size = 992, normalized size of antiderivative = 4.02

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="maxima")
```

output
```
-A*(a^2/(b^4*g^2*x + a*b^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^2)
)*d^2*i^2 + 2*A*c*d*i^2*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2
)) - B*c^2*i^2*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^2*g^2*x + a*b*g^2)
 + 1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2) - d*log(
d*x + c)/((b^2*c - a*b*d)*g^2)) - A*c^2*i^2/(b^2*g^2*x + a*b*g^2) - (b^2*c
^2*d*i^2 + a*b*c*d^2*i^2 - a^2*d^3*i^2)*B*log(d*x + c)/(b^4*c*g^2 - a*b^3*
d*g^2) + ((b^3*c*d^2*i^2*log(e) - a*b^2*d^3*i^2*log(e))*B*x^2 + (a*b^2*c*d
^2*i^2*log(e) - a^2*b*d^3*i^2*log(e))*B*x + ((b^3*c^2*d*i^2 - 2*a*b^2*c*d^
2*i^2 + a^2*b*d^3*i^2)*B*x + (a*b^2*c^2*d*i^2 - 2*a^2*b*c*d^2*i^2 + a^3*d^
3*i^2)*B)*log(b*x + a)^2 + (2*(i^2*log(e) + i^2)*a*b^2*c^2*d - 3*(i^2*log(
e) + i^2)*a^2*b*c*d^2 + (i^2*log(e) + i^2)*a^3*d^3)*B + ((b^3*c*d^2*i^2 -
a*b^2*d^3*i^2)*B*x^2 + (2*b^3*c^2*d*i^2*log(e) - 4*(i^2*log(e) - i^2)*a*b^
2*c*d^2 + (2*i^2*log(e) - 3*i^2)*a^2*b*d^3)*B*x - (4*a^2*b*c*d^2*i^2*log(e
) - 2*(i^2*log(e) + i^2)*a*b^2*c^2*d - (2*i^2*log(e) - i^2)*a^3*d^3)*B)*lo
g(b*x + a) - ((b^3*c*d^2*i^2 - a*b^2*d^3*i^2)*B*x^2 + (a*b^2*c*d^2*i^2 - a
^2*b*d^3*i^2)*B*x + (2*a*b^2*c^2*d*i^2 - 3*a^2*b*c*d^2*i^2 + a^3*d^3*i^2)*
B + 2*((b^3*c^2*d*i^2 - 2*a*b^2*c*d^2*i^2 + a^2*b*d^3*i^2)*B*x + (a*b^2*c^
2*d*i^2 - 2*a^2*b*c*d^2*i^2 + a^3*d^3*i^2)*B)*log(b*x + a))*log(d*x + c))/
(a*b^4*c*g^2 - a^2*b^3*d*g^2 + (b^5*c*g^2 - a*b^4*d*g^2)*x) + 2*(b*c*d*i^2
 - a*d^2*i^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="giac")
```

output
```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2
,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x)
```

output

```
( - int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x
)*a**3*b**4*d**3 + int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x
 + b**2*x**2),x)*a**2*b**5*c*d**2 - int((log((a*e + b*e*x)/(c + d*x))*x**2
)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*d**3*x + int((log((a*e + b*e*x
)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**6*c*d**2*x - 2*int
((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**
4*c*d**2 + 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x
**2),x)*a**2*b**5*c**2*d - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 +
2*a*b*x + b**2*x**2),x)*a**2*b**5*c*d**2*x + 2*int((log((a*e + b*e*x)/(c +
 d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**6*c**2*d*x + 2*log(a + b*x)
*a**5*d**3 - 4*log(a + b*x)*a**4*b*c*d**2 + 2*log(a + b*x)*a**4*b*d**3*x +
 2*log(a + b*x)*a**3*b**2*c**2*d - 4*log(a + b*x)*a**3*b**2*c*d**2*x + 2*l
og(a + b*x)*a**2*b**3*c**2*d*x - log(a + b*x)*a*b**4*c**3 - log(a + b*x)*b
**5*c**3*x + log(c + d*x)*a*b**4*c**3 + log(c + d*x)*b**5*c**3*x - log((a*
e + b*e*x)/(c + d*x))*a*b**4*c**2*d*x + log((a*e + b*e*x)/(c + d*x))*b**5*
c**3*x - 2*a**4*b*d**3*x + 4*a**3*b**2*c*d**2*x - a**3*b**2*d**3*x**2 - 3*
a**2*b**3*c**2*d*x + a**2*b**3*c*d**2*x**2 + a*b**4*c**3*x - a*b**4*c**2*d
*x + b**5*c**3*x)/(a*b**3*g**2*(a**2*d - a*b*c + a*b*d*x - b**2*c*x))
```

3.16 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 282
Mathematica [A] (verified) . . . 283
Rubi [A] (verified) . . . 283
Maple [B] (verified) . . . 286
Fricas [F] . . . 288
Sympy [F] . . . 288
Maxima [F] . . . 289
Giac [F] . . . 290
Mupad [F(-1)] . . . 291
Reduce [F] . . . 291

Optimal result

Integrand size = 40, antiderivative size = 230

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx \\
&= -\frac{Bdi^2(c+dx)}{b^2g^3(a+bx)} - \frac{Bi^2(c+dx)^2}{4bg^3(a+bx)^2} - \frac{di^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g^3(a+bx)} \\
&\quad - \frac{i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2bg^3(a+bx)^2} \\
&\quad - \frac{d^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} + \frac{Bd^2i^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3}
\end{aligned}$$

output

```
-B*d*i^2*(d*x+c)/b^2/g^3/(b*x+a)-1/4*B*i^2*(d*x+c)^2/b/g^3/(b*x+a)^2-d*i^2
*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g^3/(b*x+a)-1/2*i^2*(d*x+c)^2*(A+
B*ln(e*(b*x+a)/(d*x+c)))/b/g^3/(b*x+a)^2-d^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)
))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^3+B*d^2*i^2*polylog(2,b*(d*x+c)/d/(b*x+
a))/b^3/g^3
```

Mathematica [A] (verified)

Time = 0.35 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.06

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$
$$= \frac{i^2\left(-\frac{B(bc-ad)^2}{(a+bx)^2}+\frac{6Bd(-bc+ad)}{a+bx}-6Bd^2\log(a+bx)-\frac{2(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}+\frac{8d(-bc+ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx}\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^3,x]
```

output
```
(i^2*(-((B*(b*c - a*d)^2)/(a + b*x)^2) + (6*B*d*(-(b*c) + a*d))/(a + b*x)
- 6*B*d^2*Log[a + b*x] - (2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)]))/(a + b*x)^2 + (8*d*(-(b*c) + a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)
]))/(a + b*x) + 4*d^2*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) +
6*B*d^2*Log[c + d*x] - 2*B*d^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c +
 d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(4*b^
3*g^3)
```

Rubi [A] (verified)

Time = 0.76 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.88, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {2962, 2780, 2741, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^3}\,dx$$
$$\downarrow \text{2962}$$
$$\frac{i^2\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{d\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2779$$



↓ 2838



input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^3
,x]
```

output
```
(i^2*((-1/4*(B*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[(e*(a +
b*x))/(c + d*x)]))/(2*(a + b*x)^2))/b + (d*((-((B*(c + d*x))/(a + b*x)) -
((c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x))/b + (d*(-(((A
+ B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b)
 + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b))/b))/b))/g^3
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 521 vs. $2(226) = 452$.

Time = 3.11 (sec) , antiderivative size = 522, normalized size of antiderivative = 2.27

method	result
parts	$\frac{i^2 A\left(-\frac{a^2d^2-2acdb+c^2b^2}{2b^3(bx+a)^2}+\frac{d^2\ln(bx+a)}{b^3}+\frac{2d(da-bc)}{b^3(bx+a)}\right)}{g^3}-\frac{i^2B(da-bc)^3e^3\left(-\frac{\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)d^5}{(da-bc)^3b^2e^2}\right.$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A\left(-\frac{d^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^3e^3}-\frac{1}{2be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}-\frac{d}{b^2e^2\left(\frac{be}{d}+\frac{(da-b}{d(dx+}\right.\right.\right.\right.}{(da-bc)g^3}$
default	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A\left(-\frac{d^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^3e^3}-\frac{1}{2be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^3e^3}-\frac{d}{b^2e^2\left(\frac{be}{d}+\frac{(da-b}{d(dx+}\right.\right.\right.\right.}{(da-bc)g^3}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x,method=_RETU
RNVERBOSE)
```

output
```
i^2*A/g^3*(-1/2*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/(b*x+a)^2+d^2/b^3*ln(b*x+a
)+2/b^3*d*(a*d-b*c)/(b*x+a))-i^2*B/g^3/d^4*(a*d-b*c)^3*e^3*(-(-1/(b*e/d+(a
*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/
d/(d*x+c)))/(a*d-b*c)^3*d^5/b^2/e^2-1/2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2/
(a*d-b*c)^3*d^6/b^3/e^3-(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*
d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)/(a*d-b*c)^3*d^4/b
/e+(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)
*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)^
3*d^7/b^3/e^3)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="fricas")
```

output
```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)))/(b^3*g^3*x^3 + 3*a*b
^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$

$$= \frac{i^2\left(\int \frac{Ac^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Ad^2x^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Bc^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2Acdx}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\right.}{g^3}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3,x)
```

output
```
i**2*(Integral(A*c**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
+ Integral(A*d**2*x**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
 + Integral(B*c**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x
 + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*c*d*x/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3), x) + Integral(B*d**2*x**2*log(a*e/(c + d*x)
+ b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + I
ntegral(2*B*c*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3), x))/g**3
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="maxima")
```

output

```
-1/2*B*d^2*i^2*((4*a*b*x + 3*a^2 + 2*(b^2*x^2 + 2*a*b*x + a^2)*log(b*x + a
))*log(d*x + c)/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) - 2*integrate(
1/2*(2*b^3*d*x^3*log(e) + 7*a^2*b*d*x + 3*a^3*d + 2*(b^3*c*log(e) + 2*a*b^
2*d)*x^2 + 2*(2*b^3*d*x^3 + 3*a^2*b*d*x + a^3*d + (b^3*c + 3*a*b^2*d)*x^2)
*log(b*x + a))/(b^6*d*g^3*x^4 + a^3*b^3*c*g^3 + (b^6*c*g^3 + 3*a*b^5*d*g^3
)*x^3 + 3*(a*b^5*c*g^3 + a^2*b^4*d*g^3)*x^2 + (3*a^2*b^4*c*g^3 + a^3*b^3*d
*g^3)*x), x)) - 1/2*B*c*d*i^2*(2*(2*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*
x + c))/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + (3*a*b*c - a^2*d + 2
*(2*b^2*c - a*b*d)*x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)
*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/(
(b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x +
 c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3)) + 1/2*A*d^2*i^2*((4*a*b*x
 + 3*a^2)/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^
3*g^3)) + 1/4*B*c^2*i^2*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^
2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) - 2*log(b*e
*x/(d*x + c) + a*e/(d*x + c))/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) +
2*d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d
*x + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - (2*b*x + a)*A*c*d*i^2
/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*A*c^2*i^2/(b^3*g^3*x^2
+ 2*a*b^2*g^3*x + a^2*b*g^3)
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^3
,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^3
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x)
```

output

```
( - 4*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**
2*x**2 + b**3*x**3),x)*a**6*b**4*d**4 + 8*int((log((a*e + b*e*x)/(c + d*x)
)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**5*c*d**
3 - 8*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**
2*x**2 + b**3*x**3),x)*a**5*b**5*d**4*x - 4*int((log((a*e + b*e*x)/(c + d*
x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*c**
2*d**2 + 16*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3
*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*c*d**3*x - 4*int((log((a*e + b*e*x)
/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*
b**6*d**4*x**2 - 8*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*
b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**7*c**2*d**2*x + 8*int((log((a*
e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3
),x)*a**3*b**7*c*d**3*x**2 - 4*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a*
*3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**8*c**2*d**2*x**2 -
 4*log(a + b*x)*a**7*d**4 + 8*log(a + b*x)*a**6*b*c*d**3 - 8*log(a + b*x)*
a**6*b*d**4*x - 4*log(a + b*x)*a**5*b**2*c**2*d**2 + 16*log(a + b*x)*a**5*
b**2*c*d**3*x - 4*log(a + b*x)*a**5*b**2*d**4*x**2 - 8*log(a + b*x)*a**4*b
**3*c**2*d**2*x + 8*log(a + b*x)*a**4*b**3*c*d**3*x**2 - 4*log(a + b*x)*a*
*3*b**4*c**2*d**2*x**2 + 2*log(a + b*x)*a**2*b**5*c**4 + 4*log(a + b*x)*a*
b**6*c**4*x + 2*log(a + b*x)*b**7*c**4*x**2 - 2*log(c + d*x)*a**2*b**5*...
```

3.17 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 293
Mathematica [B] (verified) . . . 293
Rubi [A] (verified) . . . 294
Maple [B] (verified) . . . 295
Fricas [B] (verification not implemented) . . . 297
Sympy [B] (verification not implemented) . . . 297
Maxima [B] (verification not implemented) . . . 299
Giac [A] (verification not implemented) . . . 300
Mupad [B] (verification not implemented) . . . 300
Reduce [B] (verification not implemented) . . . 301

Optimal result

Integrand size = 40, antiderivative size = 89

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = -\frac{Bi^2(c+dx)^3}{9(bc-ad)g^4(a+bx)^3} - \frac{i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)g^4(a+bx)^3}$$

output
```
-1/9*B*i^2*(d*x+c)^3/(-a*d+b*c)/g^4/(b*x+a)^3-1/3*i^2*(d*x+c)^3*(A+B*ln(e*
(b*x+a)/(d*x+c)))/(-a*d+b*c)/g^4/(b*x+a)^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 315 vs. 2(89) = 178.

Time = 0.37 (sec) , antiderivative size = 315, normalized size of antiderivative = 3.54

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = -\frac{i^2\left(3Ab^3c^3+b^3Bc^3-3a^3Ad^3-a^3Bd^3+9Ab^3c^2dx+3b^3Bc^2dx-9a^2Abd^3x-3a^2bBd^3x+9Ab^3cd^2x\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^4,x]
```

output
```
-1/9*(i^2*(3*A*b^3*c^3 + b^3*B*c^3 - 3*a^3*A*d^3 - a^3*B*d^3 + 9*A*b^3*c^2
*d*x + 3*b^3*B*c^2*d*x - 9*a^2*A*b*d^3*x - 3*a^2*b*B*d^3*x + 9*A*b^3*c*d^2
*x^2 + 3*b^3*B*c*d^2*x^2 - 9*a*A*b^2*d^3*x^2 - 3*a*b^2*B*d^3*x^2 + 3*B*d^3
*(a + b*x)^3*Log[a + b*x] + 3*B*(b*c - a*d)*(a^2*d^2 + a*b*d*(c + 3*d*x) +
 b^2*(c^2 + 3*c*d*x + 3*d^2*x^2))*Log[(e*(a + b*x))/(c + d*x)] - 3*a^3*B*d
^3*Log[c + d*x] - 9*a^2*b*B*d^3*x*Log[c + d*x] - 9*a*b^2*B*d^3*x^2*Log[c +
 d*x] - 3*b^3*B*d^3*x^3*Log[c + d*x]))/(b^3*(b*c - a*d)*g^4*(a + b*x)^3)
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 74, normalized size of antiderivative = 0.83, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2962, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^4}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^2\left(-\frac{(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}-\frac{B(c+dx)^3}{9(a+bx)^3}\right)}{g^4(bc-ad)}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^4
,x]
```

output
```
(i^2*(-1/9*(B*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log[(e*(a + b
*x))/(c + d*x)]))/(3*(a + b*x)^3)))/((b*c - a*d)*g^4)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 184 vs. $2(85) = 170$.

Time = 1.64 (sec) , antiderivative size = 185, normalized size of antiderivative = 2.08

method	result
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A}{3(da-bc)^2g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{i^2d^2e^2B\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}\right)}{(da-bc)^2g^4}\right)}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A}{3(da-bc)^2g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{i^2d^2e^2B\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}\right)}{(da-bc)^2g^4}\right)}{d^2}$
parts	$\frac{i^2A\left(\frac{d(da-bc)}{b^3(bx+a)^2}-\frac{d^2}{b^3(bx+a)}-\frac{a^2d^2-2acdb+c^2b^2}{3b^3(bx+a)^3}\right)}{g^4}-\frac{i^2Be^3\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}\right)}{g^4(da-bc)}$
norman	$\frac{Bcd^2i^2x^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{g(da-bc)}+\frac{Bc^2di^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{g(da-bc)}-\frac{3Aacdi^2+3Abc^2i^2+Bacdi^2+Bbc^2i^2}{9gb^2}+\frac{\left(3i^2Ad^2+Bd^2i^2\right)x^3}{9ag}-\frac{\left(3Acdi^2+\right.}{3g}$
parallelrisch	$-\frac{-3Bx^3\ln\left(\frac{e(bx+a)}{dx+c}\right)b^5d^4i^2+9Ax^2ab^4d^4i^2-9Ax^2b^5cd^3i^2+3Bx^2ab^4d^4i^2-3Bx^2b^5cd^3i^2+9Axa^2b^3d^4i^2-9Axb^5$
risch	$-\frac{Bi^2\left(3d^2b^2x^2+3abd^2x+3b^2cdx+a^2d^2+acdb+c^2b^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{3(bx+a)^3g^4b^3}-\frac{i^2\left(3B\ln(dx+c)b^3d^3x^3-3B\ln(-bx-a)b^3d^3x\right.}{}$
orering	$-\frac{(bx+a)\left(2ab^2d^3x^4+2b^3cd^2x^4-5a^2bd^3x^3+8ab^2cd^2x^3+4b^3c^2dx^3-15a^2bcd^2x^2+12ab^2c^2dx^2-11a^2bc^2dx+2a^3c^2\right.}{9a^2b(da-bc)(dx+c)^2(bgx+ag)^4}$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x,method=_RETU
RNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(-1/3*i^2*d^2*e^2/(a*d-b*c)^2/g^4*A/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^3+i^2*d^2*e^2/(a*d-b*c)^2/g^4*B*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3
))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 271 vs. $2(85) = 170$.

Time = 0.09 (sec) , antiderivative size = 271, normalized size of antiderivative = 3.04

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{3\left((3A+B)b^3cd^2-(3A+B)ab^2d^3\right)i^2x^2+3\left((3A+B)b^3c^2d-(3A+B)a^2bd^3\right)i^2x+\left((3A+B)b^3c^{3}\right.}{9\left((b^7c-ab^6d)g^4x^3+3\left(ab^6c-a^2b^5d\right)g^4x^2+3\left(a\right.\right.}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="fricas")
```

output
```
-1/9*(3*((3*A + B)*b^3*c*d^2 - (3*A + B)*a*b^2*d^3)*i^2*x^2 + 3*((3*A + B)
*b^3*c^2*d - (3*A + B)*a^2*b*d^3)*i^2*x + ((3*A + B)*b^3*c^3 - (3*A + B)*a
^3*d^3)*i^2 + 3*(B*b^3*d^3*i^2*x^3 + 3*B*b^3*c*d^2*i^2*x^2 + 3*B*b^3*c^2*d
*i^2*x + B*b^3*c^3*i^2)*log((b*e*x + a*e)/(d*x + c)))/((b^7*c - a*b^6*d)*g
^4*x^3 + 3*(a*b^6*c - a^2*b^5*d)*g^4*x^2 + 3*(a^2*b^5*c - a^3*b^4*d)*g^4*x
 + (a^3*b^4*c - a^4*b^3*d)*g^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 614 vs. $2(76) = 152$.

Time = 9.79 (sec) , antiderivative size = 614, normalized size of antiderivative = 6.90

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$

$$= -\frac{Bd^3i^2\log\left(x+\frac{-\frac{Ba^2d^5i^2}{ad-bc}+\frac{2Babcd^4i^2}{ad-bc}+Bad^4i^2-\frac{Bb^2c^2d^3i^2}{ad-bc}+Bbcd^3i^2}{2Bbd^4i^2}\right)}{3b^3g^4(ad-bc)}$$

$$+\frac{Bd^3i^2\log\left(x+\frac{\frac{Ba^2d^5i^2}{ad-bc}-\frac{2Babcd^4i^2}{ad-bc}+Bad^4i^2+\frac{Bb^2c^2d^3i^2}{ad-bc}+Bbcd^3i^2}{2Bbd^4i^2}\right)}{3b^3g^4(ad-bc)}$$

$$+\frac{-3Aa^2d^2i^2-3Aabcdi^2-3Ab^2c^2i^2-Ba^2d^2i^2-Babcdi^2-Bb^2c^2i^2+x^2(-9Ab^2d^2i^2-3Bb^2d^2i^2)+x}{9a^3b^3g^4+27a^2b^4g^4x+27ab^5g^4x^2+9b^6g^4x^3}$$

$$+\frac{(-Ba^2d^2i^2-Babcdi^2-3Babd^2i^2x-Bb^2c^2i^2-3Bb^2cdi^2x-3Bb^2d^2i^2x^2)\log\left(\frac{e(a+bx)}{c+dx}\right)}{3a^3b^3g^4+9a^2b^4g^4x+9ab^5g^4x^2+3b^6g^4x^3}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4,x)
```

output
```
-B*d**3*i**2*log(x + (-B*a**2*d**5*i**2/(a*d - b*c) + 2*B*a*b*c*d**4*i**2/
(a*d - b*c) + B*a*d**4*i**2 - B*b**2*c**2*d**3*i**2/(a*d - b*c) + B*b*c*d*
*3*i**2)/(2*B*b*d**4*i**2))/(3*b**3*g**4*(a*d - b*c)) + B*d**3*i**2*log(x
+ (B*a**2*d**5*i**2/(a*d - b*c) - 2*B*a*b*c*d**4*i**2/(a*d - b*c) + B*a*d*
*4*i**2 + B*b**2*c**2*d**3*i**2/(a*d - b*c) + B*b*c*d**3*i**2)/(2*B*b*d**4
*i**2))/(3*b**3*g**4*(a*d - b*c)) + (-3*A*a**2*d**2*i**2 - 3*A*a*b*c*d*i**
2 - 3*A*b**2*c**2*i**2 - B*a**2*d**2*i**2 - B*a*b*c*d*i**2 - B*b**2*c**2*i
**2 + x**2*(-9*A*b**2*d**2*i**2 - 3*B*b**2*d**2*i**2) + x*(-9*A*a*b*d**2*i
**2 - 9*A*b**2*c*d*i**2 - 3*B*a*b*d**2*i**2 - 3*B*b**2*c*d*i**2))/(9*a**3*
b**3*g**4 + 27*a**2*b**4*g**4*x + 27*a*b**5*g**4*x**2 + 9*b**6*g**4*x**3)
+ (-B*a**2*d**2*i**2 - B*a*b*c*d*i**2 - 3*B*a*b*d**2*i**2*x - B*b**2*c**2*
i**2 - 3*B*b**2*c*d*i**2*x - 3*B*b**2*d**2*i**2*x**2)*log(e*(a + b*x)/(c +
 d*x))/(3*a**3*b**3*g**4 + 9*a**2*b**4*g**4*x + 9*a*b**5*g**4*x**2 + 3*b**
6*g**4*x**3)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1515 vs. $2(85) = 170$.

Time = 0.10 (sec) , antiderivative size = 1515, normalized size of antiderivative = 17.02

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="maxima")
```

output
```
-1/18*B*d^2*i^2*(6*(3*b^2*x^2 + 3*a*b*x + a^2)*log(b*e*x/(d*x + c) + a*e/(
d*x + c))/(b^6*g^4*x^3 + 3*a*b^5*g^4*x^2 + 3*a^2*b^4*g^4*x + a^3*b^3*g^4)
+ (11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4*c^2 - 3*a*b^3*c*d +
 a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2*a^3*b*d^2)*x)/((b^8
*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c^2 - 2*a^2*b^6*c*d +
 a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d + a^4*b^4*d^2)*g^4*
x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) + 6*(3*b^2*c^2*d - 3*
a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*
d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(d*x
+ c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4)) - 1/
18*B*c*d*i^2*(6*(3*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^5*g^4*
x^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) + (5*a*b^2*c^2 - 22
*a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c^2 - 16
*a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^4*x^
3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c^2 -
 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a^5*b
^2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*a*b^4*c^2*
d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4) + 6*(3*b*c*d^2 - a*d^3)*log(d*x +
c)/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4)) - 1/18
*B*c^2*i^2*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^...
```

Giac [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.57

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{1}{9}\left(\frac{3\,(dx+c)^3Be^4i^2\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^3g^4}+\frac{(3\,Ae^4i^2+Be^4i^2)(dx+c)^3}{(bex+ae)^3g^4}\right)\left(\frac{bc}{(bce-ade)(bc-ad)}-\frac{c}{(bce-ad}\right.$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="giac")
```

output
```
-1/9*(3*(d*x + c)^3*B*e^4*i^2*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^
3*g^4) + (3*A*e^4*i^2 + B*e^4*i^2)*(d*x + c)^3/((b*e*x + a*e)^3*g^4))*(b*c
/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.26 (sec) , antiderivative size = 423, normalized size of antiderivative = 4.75

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{x^2\,(3\,A\,b^2\,d^2\,i^2+B\,b^2\,d^2\,i^2)+x\,(3\,A\,a\,b\,d^2\,i^2+B\,a\,b\,d^2\,i^2+3\,A\,b^2\,c\,d\,i^2+B\,b^2\,c\,d\,i^2)+A\,a^2\,d^2\,i^2+A\,b}{3\,a^3\,b^3\,g^4+9\,a^2\,b^4\,g^4\,x+9\,a\,b^5\,g^4\,x^2+3\,b^6\,g^4\,x^3}$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,\left(a\left(\frac{B\,a\,d^2\,i^2}{3\,b^4\,g^4}+\frac{B\,c\,d\,i^2}{3\,b^3\,g^4}\right)+x\left(b\left(\frac{B\,a\,d^2\,i^2}{3\,b^4\,g^4}+\frac{B\,c\,d\,i^2}{3\,b^3\,g^4}\right)+\frac{2\,B\,a\,d^2\,i^2}{3\,b^3\,g^4}+\frac{2\,B\,c\,d\,i^2}{3\,b^2\,g^4}\right)+\frac{B\,c^2\,i^2}{3\,b^2\,g^4}+\frac{B\,d^2\,i^2\,x^2}{b^2\,g^4}\right.}{3\,a^2\,x+\frac{a^3}{b}+b^2\,x^3+3\,a\,b\,x^2}$$
$$-\frac{B\,d^3\,i^2\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,2\mathrm{i}}{3\,b^3\,g^4\,\left(a\,d-b\,c\right)}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^4
,x)
```

output

```
- (x^2*(3*A*b^2*d^2*i^2 + B*b^2*d^2*i^2) + x*(3*A*a*b*d^2*i^2 + B*a*b*d^2*
i^2 + 3*A*b^2*c*d*i^2 + B*b^2*c*d*i^2) + A*a^2*d^2*i^2 + A*b^2*c^2*i^2 + (
B*a^2*d^2*i^2)/3 + (B*b^2*c^2*i^2)/3 + A*a*b*c*d*i^2 + (B*a*b*c*d*i^2)/3)/
(3*a^3*b^3*g^4 + 3*b^6*g^4*x^3 + 9*a^2*b^4*g^4*x + 9*a*b^5*g^4*x^2) - (log
((e*(a + b*x))/(c + d*x))*(a*((B*a*d^2*i^2)/(3*b^4*g^4) + (B*c*d*i^2)/(3*b
^3*g^4)) + x*(b*((B*a*d^2*i^2)/(3*b^4*g^4) + (B*c*d*i^2)/(3*b^3*g^4)) + (2
*B*a*d^2*i^2)/(3*b^3*g^4) + (2*B*c*d*i^2)/(3*b^2*g^4)) + (B*c^2*i^2)/(3*b^
2*g^4) + (B*d^2*i^2*x^2)/(b^2*g^4)))/(3*a^2*x + a^3/b + b^2*x^3 + 3*a*b*x^
2) - (B*d^3*i^2*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*2i)/(3*b^3*g^4*
(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 534, normalized size of antiderivative = 6.00

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{3a^4cd^2 - 3a^2b^2c^3 + a^3bcd^2 - ab^3c^3 - ab^3d^3x^3 + b^4cd^2x^3 - 3\log\left(\frac{bex+ae}{dx+c}\right)ab^3c^3 - 3a^2b^2d^3x^3 - 9a^2b^2c^2d$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x)
```

output

```
( - 3*log(a + b*x)*a**3*b*c*d**2 - 9*log(a + b*x)*a**2*b**2*c*d**2*x - 9*l
og(a + b*x)*a*b**3*c*d**2*x**2 - 3*log(a + b*x)*b**4*c*d**2*x**3 + 3*log(c
 + d*x)*a**3*b*c*d**2 + 9*log(c + d*x)*a**2*b**2*c*d**2*x + 9*log(c + d*x)
*a*b**3*c*d**2*x**2 + 3*log(c + d*x)*b**4*c*d**2*x**3 + 3*log((a*e + b*e*x
)/(c + d*x))*a**3*b*c*d**2 + 9*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d*
*2*x - 3*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**3 - 9*log((a*e + b*e*x)/(c
 + d*x))*a*b**3*c**2*d*x - 3*log((a*e + b*e*x)/(c + d*x))*a*b**3*d**3*x**3
 + 3*log((a*e + b*e*x)/(c + d*x))*b**4*c*d**2*x**3 + 3*a**4*c*d**2 + 9*a**
3*b*c*d**2*x + a**3*b*c*d**2 - 3*a**2*b**2*c**3 - 9*a**2*b**2*c**2*d*x + 3
*a**2*b**2*c*d**2*x - 3*a**2*b**2*d**3*x**3 - a*b**3*c**3 - 3*a*b**3*c**2*
d*x + 3*a*b**3*c*d**2*x**3 - a*b**3*d**3*x**3 + b**4*c*d**2*x**3)/(9*a*b**
2*g**4*(a**4*d - a**3*b*c + 3*a**3*b*d*x - 3*a**2*b**2*c*x + 3*a**2*b**2*d
*x**2 - 3*a*b**3*c*x**2 + a*b**3*d*x**3 - b**4*c*x**3))
```

3.18 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$

Optimal result 302
Mathematica [B] (verified) 303
Rubi [A] (verified) 303
Maple [A] (verified) 306
Fricas [B] (verification not implemented) 307
Sympy [B] (verification not implemented) 308
Maxima [B] (verification not implemented) 309
Giac [A] (verification not implemented) 310
Mupad [B] (verification not implemented) 310
Reduce [B] (verification not implemented) 311

Optimal result

Integrand size = 40, antiderivative size = 181

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx &= \frac{Bdi^2(c+dx)^3}{9(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bBi^2(c+dx)^4}{16(bc-ad)^2g^5(a+bx)^4}\\ &\quad+\frac{di^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)^2g^5(a+bx)^4}\end{aligned}$$

output

```
1/9*B*d*i^2*(d*x+c)^3/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/16*b*B*i^2*(d*x+c)^4/(-
a*d+b*c)^2/g^5/(b*x+a)^4+1/3*d*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(
-a*d+b*c)^2/g^5/(b*x+a)^3-1/4*b*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/
(-a*d+b*c)^2/g^5/(b*x+a)^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 454 vs. $2(181) = 362$.

Time $= 0.42$ (sec) , antiderivative size $= 454$, normalized size of antiderivative $= 2.51$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{i^2\Big(36Ab^4c^4+9b^4Bc^4-48aAb^3c^3d-16ab^3Bc^3d+12a^4Ad^4+7a^4Bd^4+96Ab^4c^3dx+20b^4Bc^3dx-1$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^5,x]
```

output
```
-1/144*(i^2*(36*A*b^4*c^4 + 9*b^4*B*c^4 - 48*a*A*b^3*c^3*d - 16*a*b^3*B*c^
3*d + 12*a^4*A*d^4 + 7*a^4*B*d^4 + 96*A*b^4*c^3*d*x + 20*b^4*B*c^3*d*x - 1
44*a*A*b^3*c^2*d^2*x - 48*a*b^3*B*c^2*d^2*x + 48*a^3*A*b*d^4*x + 28*a^3*b*
B*d^4*x + 72*A*b^4*c^2*d^2*x^2 + 6*b^4*B*c^2*d^2*x^2 - 144*a*A*b^3*c*d^3*x
^2 - 48*a*b^3*B*c*d^3*x^2 + 72*a^2*A*b^2*d^4*x^2 + 42*a^2*b^2*B*d^4*x^2 -
12*b^4*B*c*d^3*x^3 + 12*a*b^3*B*d^4*x^3 - 12*B*d^4*(a + b*x)^4*Log[a + b*x
] + 12*B*(b*c - a*d)^2*(a^2*d^2 + 2*a*b*d*(c + 2*d*x) + b^2*(3*c^2 + 8*c*d
*x + 6*d^2*x^2))*Log[(e*(a + b*x))/(c + d*x)] + 12*a^4*B*d^4*Log[c + d*x]
+ 48*a^3*b*B*d^4*x*Log[c + d*x] + 72*a^2*b^2*B*d^4*x^2*Log[c + d*x] + 48*a
*b^3*B*d^4*x^3*Log[c + d*x] + 12*b^4*B*d^4*x^4*Log[c + d*x]))/(b^3*(b*c -
a*d)^2*g^5*(a + b*x)^4)
```

Rubi [A] (verified)

Time $= 0.37$ (sec) , antiderivative size $= 138$, normalized size of antiderivative $= 0.76$, number of steps used $= 6$, number of rules used $= 5$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used $= \{2962, 2772, 27, 53, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{i^2\left(-B\int -\frac{(c+dx)^5\left(3b-\frac{4d(a+bx)}{c+dx}\right)}{12(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 27$$

$$\frac{i^2\left(\frac{1}{12}B\int \frac{(c+dx)^5\left(3b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 53$$

$$\frac{i^2\left(\frac{1}{12}B\int \left(\frac{3b(c+dx)^5}{(a+bx)^5}-\frac{4d(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{1}{12}B\left(\frac{4d(c+dx)^3}{3(a+bx)^3}-\frac{3b(c+dx)^4}{4(a+bx)^4}\right)\right)}{g^5(bc-ad)^2}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^5
,x]
```

output

```
(i^2*((B*((4*d*(c + d*x)^3)/(3*(a + b*x)^3) - (3*b*(c + d*x)^4)/(4*(a + b*
x)^4)))/12 + (d*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a +
b*x)^3) - (b*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*(a + b*x
)^4)))/((b*c - a*d)^2*g^5)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 53
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
|| LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.21 (sec) , antiderivative size = 319, normalized size of antiderivative = 1.76

method	result
parts	$\frac{i^2A\left(-\frac{d^2}{2b^3(bx+a)^2}+\frac{2d(da-bc)}{3b^3(bx+a)^3}-\frac{a^2d^2-2acdb+c^2b^2}{4b^3(bx+a)^4}\right)}{g^5}-\frac{i^2B(da-bc)^3e^3\left(\frac{d^5\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}\right.\right.}{(da-bc)^5}}{g^5d}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i^2d^2e^3Ab}{4(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^3e^2A}{3(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i^2d^2e^3Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{}{16\left(\frac{be}{d}+\right.\right.}\right.}{(da-bc)^3g^5}}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{i^2d^2e^3Ab}{4(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^3e^2A}{3(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{i^2d^2e^3Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{}{16\left(\frac{be}{d}+\right.\right.}\right.}{(da-bc)^3g^5}}{d^2}$
orering	$-\frac{(bx+a)\left(-48b^4d^4x^4-150ab^3d^4x^3-42b^4cd^3x^3-450ab^3cd^3x^2+162b^4c^2d^2x^2+35a^3bd^4x-105a^2b^2cd^3x-345ab^3c^2\right.}{144b^3(a^2d^2-2acdb+c^2b^2)(d}$
risch	$-\frac{i^2B\left(6d^2b^2x^2+4abd^2x+8b^2cdx+a^2d^2+2acdb+3c^2b^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{12(bx+a)^4g^5b^3}-\frac{(6Bb^4c^2d^2x^2+12Bab^3d^4x^3-12Bb^4cd^3x^3}{}$
norman	$\frac{\left(12Aac^2di^2-12Abc^3i^2+4Bac^2di^2-3Bbc^3i^2\right)x}{12ga(da-bc)}+\frac{\left(24Aa^2cd^2i^2+12Aabc^2di^2-36Ab^2c^3i^2+8Ba^2cd^2i^2+7Babc^2di^2-9Bb^2c^3\right.}{24ga^2(da-bc)}$
parallelrisch	$\frac{12Bx^4\ln\left(\frac{e(bx+a)}{dx+c}\right)a^6bcd^4i^2-72Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)a^6b^3cd^2i^2-96Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a^6b^2c^4di^2+36Ax^4a^2b^5c^5i^2+9Bx^4}{}$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x,method=_RETU
RNVERBOSE)
```

output
```
i^2*A/g^5*(-1/2*d^2/b^3/(b*x+a)^2+2/3*d*(a*d-b*c)/b^3/(b*x+a)^3-1/4*(a^2*d
^2-2*a*b*c*d+b^2*c^2)/b^3/(b*x+a)^4)-i^2*B/g^5/d^4*(a*d-b*c)^3*e^3*(d^5/(a
*d-b*c)^5*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-d^4/(a*d-b*c)^5*b*e*(-1/4/(b*e/
d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*
d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 510 vs. $2(173) = 346$.

Time $= 0.09$ (sec) , antiderivative size $= 510$, normalized size of antiderivative $= 2.82$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$$
$$= \frac{12\left(Bb^4cd^3-Bab^3d^4\right)i^2x^3-6\left(\left(12\,A+B\right)b^4c^2d^2-8\left(3\,A+B\right)ab^3cd^3+\left(12\,A+7\,B\right)a^2b^2d^4\right)i^2x^2-4\left(\left(2\right.\right.}{144\left(\left(b^9c\right.\right.}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algo
rithm="fricas")
```

output
```
1/144*(12*(B*b^4*c*d^3 - B*a*b^3*d^4)*i^2*x^3 - 6*((12*A + B)*b^4*c^2*d^2
- 8*(3*A + B)*a*b^3*c*d^3 + (12*A + 7*B)*a^2*b^2*d^4)*i^2*x^2 - 4*((24*A +
 5*B)*b^4*c^3*d - 12*(3*A + B)*a*b^3*c^2*d^2 + (12*A + 7*B)*a^3*b*d^4)*i^2
*x - (9*(4*A + B)*b^4*c^4 - 16*(3*A + B)*a*b^3*c^3*d + (12*A + 7*B)*a^4*d^
4)*i^2 + 12*(B*b^4*d^4*i^2*x^4 + 4*B*a*b^3*d^4*i^2*x^3 - 6*(B*b^4*c^2*d^2
- 2*B*a*b^3*c*d^3)*i^2*x^2 - 4*(2*B*b^4*c^3*d - 3*B*a*b^3*c^2*d^2)*i^2*x -
 (3*B*b^4*c^4 - 4*B*a*b^3*c^3*d)*i^2)*log((b*e*x + a*e)/(d*x + c)))/((b^9*
c^2 - 2*a*b^8*c*d + a^2*b^7*d^2)*g^5*x^4 + 4*(a*b^8*c^2 - 2*a^2*b^7*c*d +
a^3*b^6*d^2)*g^5*x^3 + 6*(a^2*b^7*c^2 - 2*a^3*b^6*c*d + a^4*b^5*d^2)*g^5*x
^2 + 4*(a^3*b^6*c^2 - 2*a^4*b^5*c*d + a^5*b^4*d^2)*g^5*x + (a^4*b^5*c^2 -
2*a^5*b^4*c*d + a^6*b^3*d^2)*g^5)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 928 vs. $2(165) = 330$.

Time = 18.93 (sec) , antiderivative size = 928, normalized size of antiderivative = 5.13

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**5,x)
```

output

```
-B*d**4*i**2*log(x + (-B*a**3*d**7*i**2/(a*d - b*c)**2 + 3*B*a**2*b*c*d**6
*i**2/(a*d - b*c)**2 - 3*B*a*b**2*c**2*d**5*i**2/(a*d - b*c)**2 + B*a*d**5
*i**2 + B*b**3*c**3*d**4*i**2/(a*d - b*c)**2 + B*b*c*d**4*i**2)/(2*B*b*d**
5*i**2))/(12*b**3*g**5*(a*d - b*c)**2) + B*d**4*i**2*log(x + (B*a**3*d**7*
i**2/(a*d - b*c)**2 - 3*B*a**2*b*c*d**6*i**2/(a*d - b*c)**2 + 3*B*a*b**2*c
**2*d**5*i**2/(a*d - b*c)**2 + B*a*d**5*i**2 - B*b**3*c**3*d**4*i**2/(a*d
- b*c)**2 + B*b*c*d**4*i**2)/(2*B*b*d**5*i**2))/(12*b**3*g**5*(a*d - b*c)*
*2) + (-12*A*a**3*d**3*i**2 - 12*A*a**2*b*c*d**2*i**2 - 12*A*a*b**2*c**2*d
*i**2 + 36*A*b**3*c**3*i**2 - 7*B*a**3*d**3*i**2 - 7*B*a**2*b*c*d**2*i**2
- 7*B*a*b**2*c**2*d*i**2 + 9*B*b**3*c**3*i**2 - 12*B*b**3*d**3*i**2*x**3 +
 x**2*(-72*A*a*b**2*d**3*i**2 + 72*A*b**3*c*d**2*i**2 - 42*B*a*b**2*d**3*i
**2 + 6*B*b**3*c*d**2*i**2) + x*(-48*A*a**2*b*d**3*i**2 - 48*A*a*b**2*c*d*
*2*i**2 + 96*A*b**3*c**2*d*i**2 - 28*B*a**2*b*d**3*i**2 - 28*B*a*b**2*c*d*
*2*i**2 + 20*B*b**3*c**2*d*i**2))/(144*a**5*b**3*d*g**5 - 144*a**4*b**4*c*
g**5 + x**4*(144*a*b**7*d*g**5 - 144*b**8*c*g**5) + x**3*(576*a**2*b**6*d*
g**5 - 576*a*b**7*c*g**5) + x**2*(864*a**3*b**5*d*g**5 - 864*a**2*b**6*c*g
**5) + x*(576*a**4*b**4*d*g**5 - 576*a**3*b**5*c*g**5)) + (-B*a**2*d**2*i*
*2 - 2*B*a*b*c*d*i**2 - 4*B*a*b*d**2*i**2*x - 3*B*b**2*c**2*i**2 - 8*B*b**
2*c*d*i**2*x - 6*B*b**2*d**2*i**2*x**2)*log(e*(a + b*x)/(c + d*x))/(12*a**
4*b**3*g**5 + 48*a**3*b**4*g**5*x + 72*a**2*b**5*g**5*x**2 + 48*a*b**6*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2218 vs. $2(173) = 346$.

Time $= 0.14$ (sec) , antiderivative size $= 2218$, normalized size of antiderivative $= 12.25$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algo
rithm="maxima")
```

output
```
-1/144*B*d^2*i^2*(12*(6*b^2*x^2 + 4*a*b*x + a^2)*log(b*e*x/(d*x + c) + a*e
/(d*x + c))/(b^7*g^5*x^4 + 4*a*b^6*g^5*x^3 + 6*a^2*b^5*g^5*x^2 + 4*a^3*b^4
*g^5*x + a^4*b^3*g^5) + (13*a^2*b^3*c^3 - 75*a^3*b^2*c^2*d + 33*a^4*b*c*d^
2 - 7*a^5*d^3 - 12*(6*b^5*c^2*d - 4*a*b^4*c*d^2 + a^2*b^3*d^3)*x^3 + 6*(6*
b^5*c^3 - 46*a*b^4*c^2*d + 29*a^2*b^3*c*d^2 - 7*a^3*b^2*d^3)*x^2 + 4*(10*a
*b^4*c^3 - 63*a^2*b^3*c^2*d + 33*a^3*b^2*c*d^2 - 7*a^4*b*d^3)*x)/((b^10*c^
3 - 3*a*b^9*c^2*d + 3*a^2*b^8*c*d^2 - a^3*b^7*d^3)*g^5*x^4 + 4*(a*b^9*c^3
- 3*a^2*b^8*c^2*d + 3*a^3*b^7*c*d^2 - a^4*b^6*d^3)*g^5*x^3 + 6*(a^2*b^8*c^
3 - 3*a^3*b^7*c^2*d + 3*a^4*b^6*c*d^2 - a^5*b^5*d^3)*g^5*x^2 + 4*(a^3*b^7*
c^3 - 3*a^4*b^6*c^2*d + 3*a^5*b^5*c*d^2 - a^6*b^4*d^3)*g^5*x + (a^4*b^6*c^
3 - 3*a^5*b^5*c^2*d + 3*a^6*b^4*c*d^2 - a^7*b^3*d^3)*g^5) - 12*(6*b^2*c^2*
d^2 - 4*a*b*c*d^3 + a^2*d^4)*log(b*x + a)/((b^7*c^4 - 4*a*b^6*c^3*d + 6*a^
2*b^5*c^2*d^2 - 4*a^3*b^4*c*d^3 + a^4*b^3*d^4)*g^5) + 12*(6*b^2*c^2*d^2 -
4*a*b*c*d^3 + a^2*d^4)*log(d*x + c)/((b^7*c^4 - 4*a*b^6*c^3*d + 6*a^2*b^5*
c^2*d^2 - 4*a^3*b^4*c*d^3 + a^4*b^3*d^4)*g^5)) - 1/72*B*c*d*i^2*(12*(4*b*x
 + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^6*g^5*x^4 + 4*a*b^5*g^5*x^3
+ 6*a^2*b^4*g^5*x^2 + 4*a^3*b^3*g^5*x + a^4*b^2*g^5) + (7*a*b^3*c^3 - 33*a
^2*b^2*c^2*d + 75*a^3*b*c*d^2 - 13*a^4*d^3 + 12*(4*b^4*c*d^2 - a*b^3*d^3)*
x^3 - 6*(4*b^4*c^2*d - 29*a*b^3*c*d^2 + 7*a^2*b^2*d^3)*x^2 + 4*(4*b^4*c^3
- 21*a*b^3*c^2*d + 57*a^2*b^2*c*d^2 - 13*a^3*b*d^3)*x)/((b^9*c^3 - 3*a*...
```

Giac [A] (verification not implemented)

Time = 0.35 (sec) , antiderivative size = 282, normalized size of antiderivative = 1.56

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{144}\left(\frac{12\left(3\,Bbe^5i^2-\frac{4\,(bex+ae)Bde^4i^2}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^4bcg^5}{(dx+c)^4}-\frac{(bex+ae)^4adg^5}{(dx+c)^4}}+\frac{36\,Abe^5i^2+9\,Bbe^5i^2-\frac{48\,(bex+ae)Ade^4i^2}{dx+c}-\frac{16\,(bex+a}{dx}}{\frac{(bex+ae)^4bcg^5}{(dx+c)^4}-\frac{(bex+ae)^4adg^5}{(dx+c)^4}}\right.$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algo
rithm="giac")
```

output
```
-1/144*(12*(3*B*b*e^5*i^2 - 4*(b*e*x + a*e)*B*d*e^4*i^2/(d*x + c))*log((b*
e*x + a*e)/(d*x + c))/((b*e*x + a*e)^4*b*c*g^5/(d*x + c)^4 - (b*e*x + a*e)
^4*a*d*g^5/(d*x + c)^4) + (36*A*b*e^5*i^2 + 9*B*b*e^5*i^2 - 48*(b*e*x + a*
e)*A*d*e^4*i^2/(d*x + c) - 16*(b*e*x + a*e)*B*d*e^4*i^2/(d*x + c))/((b*e*x
 + a*e)^4*b*c*g^5/(d*x + c)^4 - (b*e*x + a*e)^4*a*d*g^5/(d*x + c)^4))*(b*c
/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.89 (sec) , antiderivative size = 647, normalized size of antiderivative = 3.57

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{\frac{12\,A\,a^3\,d^3\,i^2-36\,A\,b^3\,c^3\,i^2+7\,B\,a^3\,d^3\,i^2-9\,B\,b^3\,c^3\,i^2+12\,A\,a\,b^2\,c^2\,d\,i^2+12\,A\,a^2\,b\,c\,d^2\,i^2+7\,B\,a\,b^2\,c^2\,d\,i^2+7\,B\,a^2\,b\,c\,d^2\,i^2}{12\,(a\,d-b\,c)}+\frac{x^2\,(12\,A\,a\,b^2\,d^3}{}}{12\,a^4\,b^3\,g^5+48\,a^3\,b^4\,g^5\,x}$$

$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(a\left(\frac{B\,a\,d^2\,i^2}{12\,b^4\,g^5}+\frac{B\,c\,d\,i^2}{6\,b^3\,g^5}\right)+x\left(b\left(\frac{B\,a\,d^2\,i^2}{12\,b^4\,g^5}+\frac{B\,c\,d\,i^2}{6\,b^3\,g^5}\right)+\frac{B\,a\,d^2\,i^2}{4\,b^3\,g^5}+\frac{B\,c\,d\,i^2}{2\,b^2\,g^5}\right)+\frac{B\,c^2\,i^2}{4\,b^2\,g^5}+\frac{B\,d^2\,i^2\,x^2}{2\,b^2\,g^5}\right)}{4\,a^3\,x+\frac{a^4}{b}+b^3\,x^4+6\,a^2\,b\,x^2+4\,a\,b^2\,x^3}$$

$$-\frac{B\,d^4\,i^2\,\mathrm{atanh}\left(\frac{12\,b^5\,c^2\,g^5-12\,a^2\,b^3\,d^2\,g^5}{12\,b^3\,g^5\,(a\,d-b\,c)^2}-\frac{2\,b\,d\,x}{a\,d-b\,c}\right)}{6\,b^3\,g^5\,(a\,d-b\,c)^2}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^5
,x)
```

output

```
- ((12*A*a^3*d^3*i^2 - 36*A*b^3*c^3*i^2 + 7*B*a^3*d^3*i^2 - 9*B*b^3*c^3*i^
2 + 12*A*a*b^2*c^2*d*i^2 + 12*A*a^2*b*c*d^2*i^2 + 7*B*a*b^2*c^2*d*i^2 + 7*
B*a^2*b*c*d^2*i^2)/(12*(a*d - b*c)) + (x^2*(12*A*a*b^2*d^3*i^2 + 7*B*a*b^2
*d^3*i^2 - 12*A*b^3*c*d^2*i^2 - B*b^3*c*d^2*i^2))/(2*(a*d - b*c)) + (x*(12
*A*a^2*b*d^3*i^2 + 7*B*a^2*b*d^3*i^2 - 24*A*b^3*c^2*d*i^2 - 5*B*b^3*c^2*d*
i^2 + 12*A*a*b^2*c*d^2*i^2 + 7*B*a*b^2*c*d^2*i^2))/(3*(a*d - b*c)) + (B*b^
3*d^3*i^2*x^3)/(a*d - b*c))/(12*a^4*b^3*g^5 + 12*b^7*g^5*x^4 + 48*a^3*b^4*
g^5*x + 48*a*b^6*g^5*x^3 + 72*a^2*b^5*g^5*x^2) - (log((e*(a + b*x))/(c + d
*x))*(a*((B*a*d^2*i^2)/(12*b^4*g^5) + (B*c*d*i^2)/(6*b^3*g^5)) + x*(b*((B*
a*d^2*i^2)/(12*b^4*g^5) + (B*c*d*i^2)/(6*b^3*g^5)) + (B*a*d^2*i^2)/(4*b^3*
g^5) + (B*c*d*i^2)/(2*b^2*g^5)) + (B*c^2*i^2)/(4*b^2*g^5) + (B*d^2*i^2*x^2
)/(2*b^2*g^5)))/(4*a^3*x + a^4/b + b^3*x^4 + 6*a^2*b*x^2 + 4*a*b^2*x^3) -
(B*d^4*i^2*atanh((12*b^5*c^2*g^5 - 12*a^2*b^3*d^2*g^5)/(12*b^3*g^5*(a*d -
b*c)^2) - (2*b*d*x)/(a*d - b*c)))/(6*b^3*g^5*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 1274, normalized size of antiderivative = 7.04

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x)
```

output

```
( - 24*log(a + b*x)*a**5*b**2*c*d**3 + 12*log(a + b*x)*a**4*b**3*c**2*d**2
 - 96*log(a + b*x)*a**4*b**3*c*d**3*x + 48*log(a + b*x)*a**3*b**4*c**2*d**
2*x - 144*log(a + b*x)*a**3*b**4*c*d**3*x**2 + 72*log(a + b*x)*a**2*b**5*c
**2*d**2*x**2 - 96*log(a + b*x)*a**2*b**5*c*d**3*x**3 + 48*log(a + b*x)*a*
b**6*c**2*d**2*x**3 - 24*log(a + b*x)*a*b**6*c*d**3*x**4 + 12*log(a + b*x)
*b**7*c**2*d**2*x**4 + 24*log(c + d*x)*a**5*b**2*c*d**3 - 12*log(c + d*x)*
a**4*b**3*c**2*d**2 + 96*log(c + d*x)*a**4*b**3*c*d**3*x - 48*log(c + d*x)
*a**3*b**4*c**2*d**2*x + 144*log(c + d*x)*a**3*b**4*c*d**3*x**2 - 72*log(c
 + d*x)*a**2*b**5*c**2*d**2*x**2 + 96*log(c + d*x)*a**2*b**5*c*d**3*x**3 -
 48*log(c + d*x)*a*b**6*c**2*d**2*x**3 + 24*log(c + d*x)*a*b**6*c*d**3*x**
4 - 12*log(c + d*x)*b**7*c**2*d**2*x**4 + 24*log((a*e + b*e*x)/(c + d*x))*
a**5*b**2*c*d**3 - 12*log((a*e + b*e*x)/(c + d*x))*a**4*b**3*c**2*d**2 + 9
6*log((a*e + b*e*x)/(c + d*x))*a**4*b**3*c*d**3*x - 48*log((a*e + b*e*x)/(
c + d*x))*a**3*b**4*c**3*d - 192*log((a*e + b*e*x)/(c + d*x))*a**3*b**4*c*
*2*d**2*x - 48*log((a*e + b*e*x)/(c + d*x))*a**3*b**4*d**4*x**3 + 36*log((
a*e + b*e*x)/(c + d*x))*a**2*b**5*c**4 + 96*log((a*e + b*e*x)/(c + d*x))*a
**2*b**5*c**3*d*x + 96*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*c*d**3*x**3
- 12*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*d**4*x**4 - 48*log((a*e + b*e*
x)/(c + d*x))*a*b**6*c**2*d**2*x**3 + 24*log((a*e + b*e*x)/(c + d*x))*a*b*
*6*c*d**3*x**4 - 12*log((a*e + b*e*x)/(c + d*x))*b**7*c**2*d**2*x**4 + ...
```

3.19 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$

Optimal result . . . 313
Mathematica [A] (verified) . . . 314
Rubi [A] (verified) . . . 315
Maple [A] (verified) . . . 317
Fricas [B] (verification not implemented) . . . 318
Sympy [B] (verification not implemented) . . . 318
Maxima [B] (verification not implemented) . . . 319
Giac [A] (verification not implemented) . . . 320
Mupad [B] (verification not implemented) . . . 321
Reduce [B] (verification not implemented) . . . 322

Optimal result

Integrand size = 40, antiderivative size = 281

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = &-\frac{Bd^2i^2(c+dx)^3}{9(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bBdi^2(c+dx)^4}{8(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{b^2Bi^2(c+dx)^5}{25(bc-ad)^3g^6(a+bx)^5}\\ &-\frac{d^2i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bdi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{b^2i^2(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5(bc-ad)^3g^6(a+bx)^5}\end{aligned}$$

output

```
-1/9*B*d^2*i^2*(d*x+c)^3/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/8*b*B*d*i^2*(d*x+c)^
4/(-a*d+b*c)^3/g^6/(b*x+a)^4-1/25*b^2*B*i^2*(d*x+c)^5/(-a*d+b*c)^3/g^6/(b*
x+a)^5-1/3*d^2*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^6/
(b*x+a)^3+1/2*b*d*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g
^6/(b*x+a)^4-1/5*b^2*i^2*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^
3/g^6/(b*x+a)^5
```

Mathematica [A] (verified)

Time = 0.93 (sec) , antiderivative size = 344, normalized size of antiderivative = 1.22

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$$

$$= \frac{i^2\left(-\frac{360Ab^2c^2}{(a+bx)^5}-\frac{72b^2Bc^2}{(a+bx)^5}+\frac{720aAbcd}{(a+bx)^5}+\frac{144abBcd}{(a+bx)^5}-\frac{360a^2Ad^2}{(a+bx)^5}-\frac{72a^2Bd^2}{(a+bx)^5}-\frac{900Abcd}{(a+bx)^4}-\frac{135bBcd}{(a+bx)^4}+\frac{900aAd^2}{(a+bx)^4}+\frac{135aBd^2}{(a+bx)^4}\right.}{}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^6,x]
```

output

```
(i^2*((-360*A*b^2*c^2)/(a + b*x)^5 - (72*b^2*B*c^2)/(a + b*x)^5 + (720*a*A
*b*c*d)/(a + b*x)^5 + (144*a*b*B*c*d)/(a + b*x)^5 - (360*a^2*A*d^2)/(a + b
*x)^5 - (72*a^2*B*d^2)/(a + b*x)^5 - (900*A*b*c*d)/(a + b*x)^4 - (135*b*B*
c*d)/(a + b*x)^4 + (900*a*A*d^2)/(a + b*x)^4 + (135*a*B*d^2)/(a + b*x)^4 -
 (600*A*d^2)/(a + b*x)^3 - (20*B*d^2)/(a + b*x)^3 + (30*B*d^3)/((b*c - a*d
)*(a + b*x)^2) - (60*B*d^4)/((b*c - a*d)^2*(a + b*x)) - (60*B*d^5*Log[a +
b*x])/(b*c - a*d)^3 - (60*B*(a^2*d^2 + a*b*d*(3*c + 5*d*x) + b^2*(6*c^2 +
15*c*d*x + 10*d^2*x^2))*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x)^5 + (60*B*
d^5*Log[c + d*x])/(b*c - a*d)^3))/(1800*b^3*g^6)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 205, normalized size of antiderivative = 0.73, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^6}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^6\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{i^2\left(-B\int -\frac{(c+dx)^6\left(6b^2-\frac{15d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\right.}{g^6(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{i^2\left(\frac{1}{30}B\int \frac{(c+dx)^6\left(6b^2-\frac{15d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\right.}{g^6(bc-ad)^3}$$

$$\downarrow 1140$$

$$\frac{i^2\left(\frac{1}{30}B\int \left(\frac{6b^2(c+dx)^6}{(a+bx)^6}-\frac{15bd(c+dx)^5}{(a+bx)^5}+\frac{10d^2(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{g^6(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b^2(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{bd(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^4}+\frac{1}{30}B\left(-\frac{6b^2(c+dx)^5}{5(a+bx)^5}-\right.}{g^6(bc-ad)^3}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^6
,x]
```

output
```
(i^2*((B*((-10*d^2*(c + d*x)^3)/(3*(a + b*x)^3) + (15*b*d*(c + d*x)^4)/(4*
(a + b*x)^4) - (6*b^2*(c + d*x)^5)/(5*(a + b*x)^5)))/30 - (d^2*(c + d*x)^3
*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a + b*x)^3) + (b*d*(c + d*x)^4*
(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^4) - (b^2*(c + d*x)^5*(
A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*(a + b*x)^5)))/((b*c - a*d)^3*g^6)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1140
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.31 (sec) , antiderivative size = 430, normalized size of antiderivative = 1.53

method	result
parts	$\frac{i^2A\left(-\frac{a^2d^2-2acdb+c^2b^2}{5b^3(bx+a)^5}+\frac{d(da-bc)}{2b^3(bx+a)^4}-\frac{d^2}{3b^3(bx+a)^3}\right)}{g^6}-\frac{i^2B(da-bc)^3e^3\left(\frac{d^6\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}\right.\right.}{(da-bc)^6}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^4Ab^2}{5(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}+\frac{i^2d^3e^3Ab}{2(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^4e^2A}{3(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{i^2d^2e^4B}{}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^4Ab^2}{5(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}+\frac{i^2d^3e^3Ab}{2(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^4e^2A}{3(da-bc)^4g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{i^2d^2e^4B}{}\right.}{}$
risch	$-\frac{i^2B\left(10d^2b^2x^2+5abd^2x+15b^2cdx+a^2d^2+3acdb+6c^2b^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{30(bx+a)^5g^6b^3}-\frac{(-300Ba\,b^4cd^4x^3-600B\,a^2b^3cd^4x^2+15}{}$
parallelrisch	$-\frac{60A\,a^5b^4d^6i^2-360A\,b^9c^5di^2+47B\,a^5b^4d^6i^2-72B\,b^9c^5di^2-200B\,a^2b^7c^3d^3i^2+225Ba\,b^8c^4d^2i^2-300B\,x^4\ln\left(\frac{e(bx+}{dx+}\right.}{}$
norman	Expression too large to display
orering	Expression too large to display

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x,method=_RETU
RNVERBOSE)
```

output
```
i^2*A/g^6*(-1/5*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/(b*x+a)^5+1/2*d*(a*d-b*c)/
b^3/(b*x+a)^4-1/3*d^2/b^3/(b*x+a)^3)-i^2*B/g^6/d^4*(a*d-b*c)^3*e^3*(d^6/(a
*d-b*c)^6*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-2*d^5/(a*d-b*c)^6*b*e*(-1/4/(b*
e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(
a*d-b*c)*e/d/(d*x+c))^4)+d^4/(a*d-b*c)^6*b^2*e^2*(-1/5/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b*c)*e/d/(d*
x+c))^5))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 807 vs. $2(269) = 538$.

Time = 0.10 (sec) , antiderivative size = 807, normalized size of antiderivative = 2.87

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="fricas")
```

output
```
-1/1800*(60*(B*b^5*c*d^4 - B*a*b^4*d^5)*i^2*x^4 - 30*(B*b^5*c^2*d^3 - 10*B
*a*b^4*c*d^4 + 9*B*a^2*b^3*d^5)*i^2*x^3 + 10*(2*(30*A + B)*b^5*c^3*d^2 - 1
5*(12*A + B)*a*b^4*c^2*d^3 + 60*(3*A + B)*a^2*b^3*c*d^4 - (60*A + 47*B)*a^
3*b^2*d^5)*i^2*x^2 + 5*(9*(20*A + 3*B)*b^5*c^4*d - 20*(24*A + 5*B)*a*b^4*c
^3*d^2 + 120*(3*A + B)*a^2*b^3*c^2*d^3 - (60*A + 47*B)*a^4*b*d^5)*i^2*x +
(72*(5*A + B)*b^5*c^5 - 225*(4*A + B)*a*b^4*c^4*d + 200*(3*A + B)*a^2*b^3*
c^3*d^2 - (60*A + 47*B)*a^5*d^5)*i^2 + 60*(B*b^5*d^5*i^2*x^5 + 5*B*a*b^4*d
^5*i^2*x^4 + 10*B*a^2*b^3*d^5*i^2*x^3 + 10*(B*b^5*c^3*d^2 - 3*B*a*b^4*c^2*
d^3 + 3*B*a^2*b^3*c*d^4)*i^2*x^2 + 5*(3*B*b^5*c^4*d - 8*B*a*b^4*c^3*d^2 +
6*B*a^2*b^3*c^2*d^3)*i^2*x + (6*B*b^5*c^5 - 15*B*a*b^4*c^4*d + 10*B*a^2*b^
3*c^3*d^2)*i^2)*log((b*e*x + a*e)/(d*x + c)))/((b^11*c^3 - 3*a*b^10*c^2*d
+ 3*a^2*b^9*c*d^2 - a^3*b^8*d^3)*g^6*x^5 + 5*(a*b^10*c^3 - 3*a^2*b^9*c^2*d
 + 3*a^3*b^8*c*d^2 - a^4*b^7*d^3)*g^6*x^4 + 10*(a^2*b^9*c^3 - 3*a^3*b^8*c^
2*d + 3*a^4*b^7*c*d^2 - a^5*b^6*d^3)*g^6*x^3 + 10*(a^3*b^8*c^3 - 3*a^4*b^7
*c^2*d + 3*a^5*b^6*c*d^2 - a^6*b^5*d^3)*g^6*x^2 + 5*(a^4*b^7*c^3 - 3*a^5*b
^6*c^2*d + 3*a^6*b^5*c*d^2 - a^7*b^4*d^3)*g^6*x + (a^5*b^6*c^3 - 3*a^6*b^5
*c^2*d + 3*a^7*b^4*c*d^2 - a^8*b^3*d^3)*g^6)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1300 vs. $2(258) = 516$.

Time = 41.37 (sec) , antiderivative size = 1300, normalized size of antiderivative = 4.63

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**6,x)
```

output
```
-B*d**5*i**2*log(x + (-B*a**4*d**9*i**2/(a*d - b*c)**3 + 4*B*a**3*b*c*d**8
*i**2/(a*d - b*c)**3 - 6*B*a**2*b**2*c**2*d**7*i**2/(a*d - b*c)**3 + 4*B*a
*b**3*c**3*d**6*i**2/(a*d - b*c)**3 + B*a*d**6*i**2 - B*b**4*c**4*d**5*i**
2/(a*d - b*c)**3 + B*b*c*d**5*i**2)/(2*B*b*d**6*i**2))/(30*b**3*g**6*(a*d
- b*c)**3) + B*d**5*i**2*log(x + (B*a**4*d**9*i**2/(a*d - b*c)**3 - 4*B*a*
*3*b*c*d**8*i**2/(a*d - b*c)**3 + 6*B*a**2*b**2*c**2*d**7*i**2/(a*d - b*c)
**3 - 4*B*a*b**3*c**3*d**6*i**2/(a*d - b*c)**3 + B*a*d**6*i**2 + B*b**4*c*
*4*d**5*i**2/(a*d - b*c)**3 + B*b*c*d**5*i**2)/(2*B*b*d**6*i**2))/(30*b**3
*g**6*(a*d - b*c)**3) + (-60*A*a**4*d**4*i**2 - 60*A*a**3*b*c*d**3*i**2 -
60*A*a**2*b**2*c**2*d**2*i**2 + 540*A*a*b**3*c**3*d*i**2 - 360*A*b**4*c**4
*i**2 - 47*B*a**4*d**4*i**2 - 47*B*a**3*b*c*d**3*i**2 - 47*B*a**2*b**2*c**
2*d**2*i**2 + 153*B*a*b**3*c**3*d*i**2 - 72*B*b**4*c**4*i**2 - 60*B*b**4*d
**4*i**2*x**4 + x**3*(-270*B*a*b**3*d**4*i**2 + 30*B*b**4*c*d**3*i**2) + x
**2*(-600*A*a**2*b**2*d**4*i**2 + 1200*A*a*b**3*c*d**3*i**2 - 600*A*b**4*c
**2*d**2*i**2 - 470*B*a**2*b**2*d**4*i**2 + 130*B*a*b**3*c*d**3*i**2 - 20*
B*b**4*c**2*d**2*i**2) + x*(-300*A*a**3*b*d**4*i**2 - 300*A*a**2*b**2*c*d*
*3*i**2 + 1500*A*a*b**3*c**2*d**2*i**2 - 900*A*b**4*c**3*d*i**2 - 235*B*a*
*3*b*d**4*i**2 - 235*B*a**2*b**2*c*d**3*i**2 + 365*B*a*b**3*c**2*d**2*i**2
 - 135*B*b**4*c**3*d*i**2))/(1800*a**7*b**3*d**2*g**6 - 3600*a**6*b**4*c*d
*g**6 + 1800*a**5*b**5*c**2*g**6 + x**5*(1800*a**2*b**8*d**2*g**6 - 360...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3029 vs. $2(269) = 538$.

Time $= 0.18$ (sec) , antiderivative size $= 3029$, normalized size of antiderivative $= 10.78$

$$\int \frac{(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag + bgx)^6}\, dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="maxima")
```

output

```
-1/1800*B*d^2*i^2*(60*(10*b^2*x^2 + 5*a*b*x + a^2)*log(b*e*x/(d*x + c) + a
*e/(d*x + c))/(b^8*g^6*x^5 + 5*a*b^7*g^6*x^4 + 10*a^2*b^6*g^6*x^3 + 10*a^3
*b^5*g^6*x^2 + 5*a^4*b^4*g^6*x + a^5*b^3*g^6) + (47*a^2*b^4*c^4 - 278*a^3*
b^3*c^3*d + 822*a^4*b^2*c^2*d^2 - 278*a^5*b*c*d^3 + 47*a^6*d^4 + 60*(10*b^
6*c^2*d^2 - 5*a*b^5*c*d^3 + a^2*b^4*d^4)*x^4 - 30*(10*b^6*c^3*d - 95*a*b^5
*c^2*d^2 + 46*a^2*b^4*c*d^3 - 9*a^3*b^3*d^4)*x^3 + 10*(20*b^6*c^4 - 140*a*
b^5*c^3*d + 537*a^2*b^4*c^2*d^2 - 248*a^3*b^3*c*d^3 + 47*a^4*b^2*d^4)*x^2
+ 5*(35*a*b^5*c^4 - 218*a^2*b^4*c^3*d + 702*a^3*b^3*c^2*d^2 - 278*a^4*b^2*
c*d^3 + 47*a^5*b*d^4)*x)/((b^12*c^4 - 4*a*b^11*c^3*d + 6*a^2*b^10*c^2*d^2
- 4*a^3*b^9*c*d^3 + a^4*b^8*d^4)*g^6*x^5 + 5*(a*b^11*c^4 - 4*a^2*b^10*c^3*
d + 6*a^3*b^9*c^2*d^2 - 4*a^4*b^8*c*d^3 + a^5*b^7*d^4)*g^6*x^4 + 10*(a^2*b
^10*c^4 - 4*a^3*b^9*c^3*d + 6*a^4*b^8*c^2*d^2 - 4*a^5*b^7*c*d^3 + a^6*b^6*
d^4)*g^6*x^3 + 10*(a^3*b^9*c^4 - 4*a^4*b^8*c^3*d + 6*a^5*b^7*c^2*d^2 - 4*a
^6*b^6*c*d^3 + a^7*b^5*d^4)*g^6*x^2 + 5*(a^4*b^8*c^4 - 4*a^5*b^7*c^3*d + 6
*a^6*b^6*c^2*d^2 - 4*a^7*b^5*c*d^3 + a^8*b^4*d^4)*g^6*x + (a^5*b^7*c^4 - 4
*a^6*b^6*c^3*d + 6*a^7*b^5*c^2*d^2 - 4*a^8*b^4*c*d^3 + a^9*b^3*d^4)*g^6) +
 60*(10*b^2*c^2*d^3 - 5*a*b*c*d^4 + a^2*d^5)*log(b*x + a)/((b^8*c^5 - 5*a*
b^7*c^4*d + 10*a^2*b^6*c^3*d^2 - 10*a^3*b^5*c^2*d^3 + 5*a^4*b^4*c*d^4 - a^
5*b^3*d^5)*g^6) - 60*(10*b^2*c^2*d^3 - 5*a*b*c*d^4 + a^2*d^5)*log(d*x + c)
/((b^8*c^5 - 5*a*b^7*c^4*d + 10*a^2*b^6*c^3*d^2 - 10*a^3*b^5*c^2*d^3 + ...
```

Giac [A] (verification not implemented)

Time = 0.38 (sec) , antiderivative size = 444, normalized size of antiderivative = 1.58

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx =$$

$$-\frac{1}{1800}\left(\frac{60\left(6\,Bb^2e^6i^2-\frac{15\,(bex+ae)Bbde^5i^2}{dx+c}+\frac{10\,(bex+ae)^2Bd^2e^4i^2}{(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^5b^2c^2g^6}{(dx+c)^5}-\frac{2\,(bex+ae)^5abcdg^6}{(dx+c)^5}+\frac{(bex+ae)^5a^2d^2g^6}{(dx+c)^5}}+\frac{360\,Ab^2e^6i^2+72\,Bb^2e^6i^2}{}\right.$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="giac")
```

output

```
-1/1800*(60*(6*B*b^2*e^6*i^2 - 15*(b*e*x + a*e)*B*b*d*e^5*i^2/(d*x + c) +
10*(b*e*x + a*e)^2*B*d^2*e^4*i^2/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))
/((b*e*x + a*e)^5*b^2*c^2*g^6/(d*x + c)^5 - 2*(b*e*x + a*e)^5*a*b*c*d*g^6/
(d*x + c)^5 + (b*e*x + a*e)^5*a^2*d^2*g^6/(d*x + c)^5) + (360*A*b^2*e^6*i^
2 + 72*B*b^2*e^6*i^2 - 900*(b*e*x + a*e)*A*b*d*e^5*i^2/(d*x + c) - 225*(b*
e*x + a*e)*B*b*d*e^5*i^2/(d*x + c) + 600*(b*e*x + a*e)^2*A*d^2*e^4*i^2/(d*
x + c)^2 + 200*(b*e*x + a*e)^2*B*d^2*e^4*i^2/(d*x + c)^2)/((b*e*x + a*e)^5
*b^2*c^2*g^6/(d*x + c)^5 - 2*(b*e*x + a*e)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*
e*x + a*e)^5*a^2*d^2*g^6/(d*x + c)^5))*(b*c/((b*c*e - a*d*e)*(b*c - a*d))
- a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 29.82 (sec) , antiderivative size = 941, normalized size of antiderivative = 3.35

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$$

$$= \frac{B\,d^5\,i^2\,\operatorname{atanh}\left(\frac{30\,a^3\,b^3\,d^3\,g^6-30\,a^2\,b^4\,c\,d^2\,g^6-30\,a\,b^5\,c^2\,d\,g^6+30\,b^6\,c^3\,g^6}{30\,b^3\,g^6\,(a\,d-b\,c)^3}+\frac{2\,b\,d\,x\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}{(a\,d-b\,c)^3}\right)}{15\,b^3\,g^6\,(a\,d-b\,c)^3}$$

$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(a\left(\frac{B\,a\,d^2\,i^2}{30\,b^4\,g^6}+\frac{B\,c\,d\,i^2}{10\,b^3\,g^6}\right)+x\left(b\left(\frac{B\,a\,d^2\,i^2}{30\,b^4\,g^6}+\frac{B\,c\,d\,i^2}{10\,b^3\,g^6}\right)+\frac{2\,B\,a\,d^2\,i^2}{15\,b^3\,g^6}+\frac{2\,B\,c\,d\,i^2}{5\,b^2\,g^6}\right)+\frac{B\,c^2\,i^2}{5\,b^2\,g^6}+\frac{B\,d^2\,i^2\,x^2}{3\,b^2\,g^6}\right.}{5\,a^4\,x+\frac{a^5}{b}+b^4\,x^5+10\,a^3\,b\,x^2+5\,a\,b^3\,x^4+10\,a^2\,b^2\,x^3}$$

$$-\frac{60\,A\,a^4\,d^4\,i^2+360\,A\,b^4\,c^4\,i^2+47\,B\,a^4\,d^4\,i^2+72\,B\,b^4\,c^4\,i^2+60\,A\,a^2\,b^2\,c^2\,d^2\,i^2+47\,B\,a^2\,b^2\,c^2\,d^2\,i^2-540\,A\,a\,b^3\,c^3\,d\,i^2+60\,A\,a^3\,b\,c\,d^3\,i^2-153\,B\,a}{60\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}$$

input

```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^6
,x)
```

output

```
(B*d^5*i^2*atanh((30*b^6*c^3*g^6 + 30*a^3*b^3*d^3*g^6 - 30*a*b^5*c^2*d*g^6
 - 30*a^2*b^4*c*d^2*g^6)/(30*b^3*g^6*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2 +
b^2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(15*b^3*g^6*(a*d - b*c)^3) - (log((e
*(a + b*x))/(c + d*x))*(a*((B*a*d^2*i^2)/(30*b^4*g^6) + (B*c*d*i^2)/(10*b^
3*g^6)) + x*(b*((B*a*d^2*i^2)/(30*b^4*g^6) + (B*c*d*i^2)/(10*b^3*g^6)) + (
2*B*a*d^2*i^2)/(15*b^3*g^6) + (2*B*c*d*i^2)/(5*b^2*g^6)) + (B*c^2*i^2)/(5*
b^2*g^6) + (B*d^2*i^2*x^2)/(3*b^2*g^6)))/(5*a^4*x + a^5/b + b^4*x^5 + 10*a
^3*b*x^2 + 5*a*b^3*x^4 + 10*a^2*b^2*x^3) - ((60*A*a^4*d^4*i^2 + 360*A*b^4*
c^4*i^2 + 47*B*a^4*d^4*i^2 + 72*B*b^4*c^4*i^2 + 60*A*a^2*b^2*c^2*d^2*i^2 +
 47*B*a^2*b^2*c^2*d^2*i^2 - 540*A*a*b^3*c^3*d*i^2 + 60*A*a^3*b*c*d^3*i^2 -
 153*B*a*b^3*c^3*d*i^2 + 47*B*a^3*b*c*d^3*i^2)/(60*(a^2*d^2 + b^2*c^2 - 2*
a*b*c*d)) + (x^2*(60*A*a^2*b^2*d^4*i^2 + 47*B*a^2*b^2*d^4*i^2 + 60*A*b^4*c
^2*d^2*i^2 + 2*B*b^4*c^2*d^2*i^2 - 120*A*a*b^3*c*d^3*i^2 - 13*B*a*b^3*c*d^
3*i^2))/(6*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (x*(60*A*a^3*b*d^4*i^2 + 47*
B*a^3*b*d^4*i^2 + 180*A*b^4*c^3*d*i^2 + 27*B*b^4*c^3*d*i^2 - 300*A*a*b^3*c
^2*d^2*i^2 + 60*A*a^2*b^2*c*d^3*i^2 - 73*B*a*b^3*c^2*d^2*i^2 + 47*B*a^2*b^
2*c*d^3*i^2))/(12*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (d*x^3*(9*B*a*b^3*d^3
*i^2 - B*b^4*c*d^2*i^2))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B*b^4*d^4*
i^2*x^4)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(30*a^5*b^3*g^6 + 30*b^8*g^6*x^5
 + 150*a^4*b^4*g^6*x + 150*a*b^7*g^6*x^4 + 300*a^3*b^5*g^6*x^2 + 300*a^...
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 1323, normalized size of antiderivative = 4.71

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x)
```

output

```
( - 60*log(a + b*x)*a**6*b*d**5 - 300*log(a + b*x)*a**5*b**2*d**5*x - 600*
log(a + b*x)*a**4*b**3*d**5*x**2 - 600*log(a + b*x)*a**3*b**4*d**5*x**3 -
300*log(a + b*x)*a**2*b**5*d**5*x**4 - 60*log(a + b*x)*a*b**6*d**5*x**5 +
60*log(c + d*x)*a**6*b*d**5 + 300*log(c + d*x)*a**5*b**2*d**5*x + 600*log(
c + d*x)*a**4*b**3*d**5*x**2 + 600*log(c + d*x)*a**3*b**4*d**5*x**3 + 300*
log(c + d*x)*a**2*b**5*d**5*x**4 + 60*log(c + d*x)*a*b**6*d**5*x**5 + 60*l
og((a*e + b*e*x)/(c + d*x))*a**6*b*d**5 + 300*log((a*e + b*e*x)/(c + d*x))
*a**5*b**2*d**5*x + 600*log((a*e + b*e*x)/(c + d*x))*a**4*b**3*d**5*x**2 -
 600*log((a*e + b*e*x)/(c + d*x))*a**3*b**4*c**3*d**2 - 1800*log((a*e + b*
e*x)/(c + d*x))*a**3*b**4*c**2*d**3*x - 1800*log((a*e + b*e*x)/(c + d*x))*
a**3*b**4*c*d**4*x**2 + 900*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*c**4*d
+ 2400*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*c**3*d**2*x + 1800*log((a*e
+ b*e*x)/(c + d*x))*a**2*b**5*c**2*d**3*x**2 - 360*log((a*e + b*e*x)/(c +
d*x))*a*b**6*c**5 - 900*log((a*e + b*e*x)/(c + d*x))*a*b**6*c**4*d*x - 600
*log((a*e + b*e*x)/(c + d*x))*a*b**6*c**3*d**2*x**2 + 60*a**7*d**5 + 300*a
**6*b*d**5*x + 35*a**6*b*d**5 + 12*a**5*b**2*c*d**4 + 600*a**5*b**2*d**5*x
**2 + 175*a**5*b**2*d**5*x - 600*a**4*b**3*c**3*d**2 - 1800*a**4*b**3*c**2
*d**3*x - 1800*a**4*b**3*c*d**4*x**2 + 60*a**4*b**3*c*d**4*x + 350*a**4*b*
*3*d**5*x**2 + 900*a**3*b**4*c**4*d + 2400*a**3*b**4*c**3*d**2*x - 200*a**
3*b**4*c**3*d**2 + 1800*a**3*b**4*c**2*d**3*x**2 - 600*a**3*b**4*c**2*d...
```

3.20 $\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$

Optimal result 324
Mathematica [A] (verified) 325
Rubi [A] (verified) 326
Maple [B] (verified) 328
Fricas [B] (verification not implemented) 329
Sympy [B] (verification not implemented) 330
Maxima [B] (verification not implemented) 331
Giac [B] (verification not implemented) 332
Mupad [B] (verification not implemented) 333
Reduce [B] (verification not implemented) 334

Optimal result

Integrand size = 40, antiderivative size = 457

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx \\
&= \frac{B(bc-ad)^6g^3i^3x}{140b^3d^3}+\frac{B(bc-ad)^5g^3i^3(c+dx)^2}{280b^2d^4}+\frac{B(bc-ad)^4g^3i^3(c+dx)^3}{420bd^4} \\
&\quad -\frac{17B(bc-ad)^3g^3i^3(c+dx)^4}{280d^4}+\frac{bB(bc-ad)^2g^3i^3(c+dx)^5}{14d^4} \\
&\quad -\frac{b^2B(bc-ad)g^3i^3(c+dx)^6}{42d^4}+\frac{B(bc-ad)^7g^3i^3\log\left(\frac{a+bx}{c+dx}\right)}{140b^4d^4} \\
&\quad -\frac{(bc-ad)^3g^3i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^4} \\
&\quad +\frac{3b(bc-ad)^2g^3i^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5d^4} \\
&\quad -\frac{b^2(bc-ad)g^3i^3(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^4} \\
&\quad +\frac{b^3g^3i^3(c+dx)^7\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{7d^4}+\frac{B(bc-ad)^7g^3i^3\log(c+dx)}{140b^4d^4}
\end{aligned}
$$

output

```
1/140*B*(-a*d+b*c)^6*g^3*i^3*x/b^3/d^3+1/280*B*(-a*d+b*c)^5*g^3*i^3*(d*x+c
)^2/b^2/d^4+1/420*B*(-a*d+b*c)^4*g^3*i^3*(d*x+c)^3/b/d^4-17/280*B*(-a*d+b*
c)^3*g^3*i^3*(d*x+c)^4/d^4+1/14*b*B*(-a*d+b*c)^2*g^3*i^3*(d*x+c)^5/d^4-1/4
2*b^2*B*(-a*d+b*c)*g^3*i^3*(d*x+c)^6/d^4+1/140*B*(-a*d+b*c)^7*g^3*i^3*ln((
b*x+a)/(d*x+c))/b^4/d^4-1/4*(-a*d+b*c)^3*g^3*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+
a)/(d*x+c)))/d^4+3/5*b*(-a*d+b*c)^2*g^3*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d
*x+c)))/d^4-1/2*b^2*(-a*d+b*c)*g^3*i^3*(d*x+c)^6*(A+B*ln(e*(b*x+a)/(d*x+c)
))/d^4+1/7*b^3*g^3*i^3*(d*x+c)^7*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4+1/140*B*(
-a*d+b*c)^7*g^3*i^3*ln(d*x+c)/b^4/d^4
```

Mathematica [A] (verified)

Time = 0.68 (sec) , antiderivative size = 586, normalized size of antiderivative = 1.28

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^3i^3\left(\frac{120b^2Bc(bc-ad)^5x}{d^3}-\frac{126bB(bc-ad)^6x}{d^3}+\frac{120abB(-bc+ad)^5x}{d^2}-\frac{60bBc(bc-ad)^4(a+bx)^2}{d^2}+\frac{60aB(bc-ad)^4(a+bx)^2}{d}+\frac{63B(bc-}{}\right.}{}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)]),x]
```

output

```
(g^3*i^3*((120*b^2*B*c*(b*c - a*d)^5*x)/d^3 - (126*b*B*(b*c - a*d)^6*x)/d^
3 + (120*a*b*B*(-(b*c) + a*d)^5*x)/d^2 - (60*b*B*c*(b*c - a*d)^4*(a + b*x)
^2)/d^2 + (60*a*B*(b*c - a*d)^4*(a + b*x)^2)/d + (63*B*(b*c - a*d)^5*(a +
b*x)^2)/d^2 + (40*b*B*c*(b*c - a*d)^3*(a + b*x)^3)/d - (42*B*(b*c - a*d)^4
*(a + b*x)^3)/d + 40*a*B*(-(b*c) + a*d)^3*(a + b*x)^3 - 30*b*B*c*(b*c - a*
d)^2*(a + b*x)^4 + 30*a*B*d*(b*c - a*d)^2*(a + b*x)^4 + 21*B*(-(b*c) + a*d
)^3*(a + b*x)^4 + 24*b*B*c*d*(b*c - a*d)*(a + b*x)^5 - 84*B*d*(b*c - a*d)^
2*(a + b*x)^5 + 24*a*B*d^2*(-(b*c) + a*d)*(a + b*x)^5 - 20*b*B*c*d^2*(a +
b*x)^6 + 20*a*B*d^3*(a + b*x)^6 + 210*(b*c - a*d)^3*(a + b*x)^4*(A + B*Log
[(e*(a + b*x))/(c + d*x)]) + 504*d*(b*c - a*d)^2*(a + b*x)^5*(A + B*Log[(e
*(a + b*x))/(c + d*x)]) + 420*d^2*(b*c - a*d)*(a + b*x)^6*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]) + 120*d^3*(a + b*x)^7*(A + B*Log[(e*(a + b*x))/(c + d
*x)]) - (120*b*B*c*(b*c - a*d)^6*Log[c + d*x])/d^4 + (120*a*B*(b*c - a*d)^
6*Log[c + d*x])/d^3 + (126*B*(b*c - a*d)^7*Log[c + d*x])/d^4))/(840*b^4)
```

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 401, normalized size of antiderivative = 0.88, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2782, 27, 2123, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$

$$\downarrow 2962$$

$$g^3i^3(bc-ad)^7\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^8}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^3i^3(bc-ad)^7\left(-B\int-\frac{(c+dx)\left(b^3-\frac{7d(a+bx)b^2}{c+dx}+\frac{21d^2(a+bx)^2b}{(c+dx)^2}-\frac{35d^3(a+bx)^3}{(c+dx)^3}\right)}{140d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}+\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{7d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7}-\frac{b^2}{}\right.$$

$$\downarrow 27$$

$$g^3i^3(bc-ad)^7\left(\frac{B\int\frac{(c+dx)\left(b^3-\frac{7d(a+bx)b^2}{c+dx}+\frac{21d^2(a+bx)^2b}{(c+dx)^2}-\frac{35d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}}{140d^4}+\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{7d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7}-\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.$$

$$\downarrow 2123$$

$$g^3i^3(bc-ad)^7\left(\frac{B\int\left(-\frac{20db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^7}+\frac{50db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{34d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4b}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3b^2}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2b^3}+\frac{c+}{(a+}\right.}{140d^4}\right.$$

$$\downarrow 2009$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{b^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{7d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^7} - \frac{b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{2d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} + \frac{3b \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{5d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{4d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^4}$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x
]
```

output
```
(b*c - a*d)^7*g^3*i^3*((b^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(7*d^4*(
b - (d*(a + b*x))/(c + d*x))^7) - (b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^6) + (3*b*(A + B*Log[(e*(a + b*x))
/(c + d*x)]))/(5*d^4*(b - (d*(a + b*x))/(c + d*x))^5) - (A + B*Log[(e*(a +
 b*x))/(c + d*x)])/(4*d^4*(b - (d*(a + b*x))/(c + d*x))^4) + (B*((-10*b^2)
/(3*(b - (d*(a + b*x))/(c + d*x))^6) + (10*b)/(b - (d*(a + b*x))/(c + d*x)
)^5 - 17/(2*(b - (d*(a + b*x))/(c + d*x))^4) + 1/(3*b*(b - (d*(a + b*x))/(
c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^3*(b - (d*
(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^4 - Log[b - (d*(a + b*
x))/(c + d*x)]/b^4))/(140*d^4))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123
```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1193 vs. $2(433) = 866$.

Time = 2.13 (sec) , antiderivative size = 1194, normalized size of antiderivative = 2.61

method	result	size
risch	Expression too large to display	1194
parallelrisch	Expression too large to display	1958
parts	Expression too large to display	2513
derivativedivides	Expression too large to display	2536
default	Expression too large to display	2536

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETU
RNVERBOSE)
```

output

```
9/5*i^3*g^3*d^2*b^2*A*a*c*x^5+i^3*g^3*b^2*A*a*c^3*x^3+7/30*i^3*g^3*d^2*B*a
^3*c*x^3-7/30*i^3*g^3*b^2*B*a*c^3*x^3+3/2*i^3*g^3*d*A*a^3*c^2*x^2+3/2*i^3*
g^3*b*A*a^2*c^3*x^2+1/40*i^3*g^3*d^2/b*B*a^4*c*x^2+3/10*i^3*g^3*d*B*a^3*c^
2*x^2-3/10*i^3*g^3*b*B*a^2*c^3*x^2-1/40*i^3*g^3/d*b^2*B*a*c^4*x^2+i^3*g^3*
A*a^3*c^3*x+9/4*i^3*g^3*d*b^2*A*a*c^2*x^4+7/40*i^3*g^3*d^2*b*B*a^2*c*x^4-7
/40*i^3*g^3*d*b^2*B*a*c^2*x^4+1/4*i^3*g^3/b*B*ln(b*x+a)*a^4*c^3+1/140*i^3*
g^3/d^4*b^3*B*ln(-d*x-c)*c^7-1/140*i^3*g^3*d^3/b^4*B*ln(b*x+a)*a^7+17/280*
i^3*g^3*d^3*B*a^3*x^4+i^3*g^3*d^2*A*a^3*c*x^3+3*i^3*g^3*d*b*A*a^2*c^2*x^3+
9/4*i^3*g^3*d^2*b*A*a^2*c*x^4-1/20*i^3*g^3*d^2/b^2*B*a^5*c*x+3/20*i^3*g^3*
d/b*B*a^4*c^2*x-3/20*i^3*g^3/d*b*B*a^2*c^4*x+1/20*i^3*g^3/d^2*b^2*B*a*c^5*
x+3/20*i^3*g^3/d^2*b*B*ln(-d*x-c)*a^2*c^5-1/20*i^3*g^3/d^3*b^2*B*ln(-d*x-c
)*a*c^6+1/20*i^3*g^3*d^2/b^3*B*ln(b*x+a)*a^6*c-3/20*i^3*g^3*d/b^2*B*ln(b*x
+a)*a^5*c^2+3/5*i^3*g^3*d^3*b*A*a^2*x^5+1/2*i^3*g^3*d^3*b^2*A*a*x^6+1/2*i^
3*g^3*d^2*b^3*A*c*x^6+3/5*i^3*g^3*d*b^3*A*c^2*x^5+1/14*i^3*g^3*d^3*b*B*a^2
*x^5-1/14*i^3*g^3*d*b^3*B*c^2*x^5+1/4*i^3*g^3*d^3*A*a^3*x^4+1/4*i^3*g^3*b^
3*A*c^3*x^4-17/280*i^3*g^3*b^3*B*c^3*x^4+1/420*i^3*g^3*d^3/b*B*a^4*x^3-1/4
20*i^3*g^3/d*b^3*B*c^4*x^3-1/280*i^3*g^3*d^3/b^2*B*a^5*x^2+1/280*i^3*g^3/d
^2*b^3*B*c^5*x^2+1/140*i^3*g^3*d^3/b^3*B*a^6*x-1/140*i^3*g^3/d^3*b^3*B*c^6
*x-1/4*i^3*g^3/d*B*ln(-d*x-c)*a^3*c^4+1/42*i^3*g^3*d^3*b^2*B*a*x^6-1/42*i^
3*g^3*d^2*b^3*B*c*x^6+1/140*i^3*g^3*B*x*(20*b^3*d^3*x^6+70*a*b^2*d^3*x^...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 912 vs. $2(433) = 866$.

Time $= 0.31$ (sec) , antiderivative size $= 912$, normalized size of antiderivative $= 2.00$

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="fricas")
```

output

```
1/840*(120*A*b^7*d^7*g^3*i^3*x^7 + 20*((21*A - B)*b^7*c*d^6 + (21*A + B)*a
*b^6*d^7)*g^3*i^3*x^6 + 12*((42*A - 5*B)*b^7*c^2*d^5 + 126*A*a*b^6*c*d^6 +
 (42*A + 5*B)*a^2*b^5*d^7)*g^3*i^3*x^5 + 3*((70*A - 17*B)*b^7*c^3*d^4 + 7*
(90*A - 7*B)*a*b^6*c^2*d^5 + 7*(90*A + 7*B)*a^2*b^5*c*d^6 + (70*A + 17*B)*
a^3*b^4*d^7)*g^3*i^3*x^4 - 2*(B*b^7*c^4*d^3 - 14*(30*A - 7*B)*a*b^6*c^3*d^
4 - 1260*A*a^2*b^5*c^2*d^5 - 14*(30*A + 7*B)*a^3*b^4*c*d^6 - B*a^4*b^3*d^7
)*g^3*i^3*x^3 + 3*(B*b^7*c^5*d^2 - 7*B*a*b^6*c^4*d^3 + 84*(5*A - B)*a^2*b^
5*c^3*d^4 + 84*(5*A + B)*a^3*b^4*c^2*d^5 + 7*B*a^4*b^3*c*d^6 - B*a^5*b^2*d
^7)*g^3*i^3*x^2 - 6*(B*b^7*c^6*d - 7*B*a*b^6*c^5*d^2 + 21*B*a^2*b^5*c^4*d^
3 - 140*A*a^3*b^4*c^3*d^4 - 21*B*a^4*b^3*c^2*d^5 + 7*B*a^5*b^2*c*d^6 - B*a
^6*b*d^7)*g^3*i^3*x + 6*(35*B*a^4*b^3*c^3*d^4 - 21*B*a^5*b^2*c^2*d^5 + 7*B
*a^6*b*c*d^6 - B*a^7*d^7)*g^3*i^3*log(b*x + a) + 6*(B*b^7*c^7 - 7*B*a*b^6*
c^6*d + 21*B*a^2*b^5*c^5*d^2 - 35*B*a^3*b^4*c^4*d^3)*g^3*i^3*log(d*x + c)
+ 6*(20*B*b^7*d^7*g^3*i^3*x^7 + 140*B*a^3*b^4*c^3*d^4*g^3*i^3*x + 70*(B*b^
7*c*d^6 + B*a*b^6*d^7)*g^3*i^3*x^6 + 84*(B*b^7*c^2*d^5 + 3*B*a*b^6*c*d^6 +
 B*a^2*b^5*d^7)*g^3*i^3*x^5 + 35*(B*b^7*c^3*d^4 + 9*B*a*b^6*c^2*d^5 + 9*B*
a^2*b^5*c*d^6 + B*a^3*b^4*d^7)*g^3*i^3*x^4 + 140*(B*a*b^6*c^3*d^4 + 3*B*a^
2*b^5*c^2*d^5 + B*a^3*b^4*c*d^6)*g^3*i^3*x^3 + 210*(B*a^2*b^5*c^3*d^4 + B*
a^3*b^4*c^2*d^5)*g^3*i^3*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^4*d^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2161 vs. $2(427) = 854$.

Time $= 9.20$ (sec) , antiderivative size $= 2161$, normalized size of antiderivative $= 4.73$

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**3*d**3*g**3*i**3*x**7/7 - B*a**4*g**3*i**3*(a**3*d**3 - 7*a**2*b*c*d*
*2 + 21*a*b**2*c**2*d - 35*b**3*c**3)*log(x + (B*a**7*c*d**6*g**3*i**3 - 7
*B*a**6*b*c**2*d**5*g**3*i**3 + 21*B*a**5*b**2*c**3*d**4*g**3*i**3 + B*a**
5*d**4*g**3*i**3*(a**3*d**3 - 7*a**2*b*c*d**2 + 21*a*b**2*c**2*d - 35*b**3
*c**3)/b - 70*B*a**4*b**3*c**4*d**3*g**3*i**3 - B*a**4*c*d**3*g**3*i**3*(a
**3*d**3 - 7*a**2*b*c*d**2 + 21*a*b**2*c**2*d - 35*b**3*c**3) + 21*B*a**3*
b**4*c**5*d**2*g**3*i**3 - 7*B*a**2*b**5*c**6*d*g**3*i**3 + B*a*b**6*c**7*
g**3*i**3)/(B*a**7*d**7*g**3*i**3 - 7*B*a**6*b*c*d**6*g**3*i**3 + 21*B*a**
5*b**2*c**2*d**5*g**3*i**3 - 35*B*a**4*b**3*c**3*d**4*g**3*i**3 - 35*B*a**
3*b**4*c**4*d**3*g**3*i**3 + 21*B*a**2*b**5*c**5*d**2*g**3*i**3 - 7*B*a*b*
*6*c**6*d*g**3*i**3 + B*b**7*c**7*g**3*i**3))/(140*b**4) - B*c**4*g**3*i**
3*(35*a**3*d**3 - 21*a**2*b*c*d**2 + 7*a*b**2*c**2*d - b**3*c**3)*log(x +
(B*a**7*c*d**6*g**3*i**3 - 7*B*a**6*b*c**2*d**5*g**3*i**3 + 21*B*a**5*b**2
*c**3*d**4*g**3*i**3 - 70*B*a**4*b**3*c**4*d**3*g**3*i**3 + 21*B*a**3*b**4
*c**5*d**2*g**3*i**3 - 7*B*a**2*b**5*c**6*d*g**3*i**3 + B*a*b**6*c**7*g**3
*i**3 + B*a*b**3*c**4*g**3*i**3*(35*a**3*d**3 - 21*a**2*b*c*d**2 + 7*a*b**
2*c**2*d - b**3*c**3) - B*b**4*c**5*g**3*i**3*(35*a**3*d**3 - 21*a**2*b*c*
d**2 + 7*a*b**2*c**2*d - b**3*c**3)/d)/(B*a**7*d**7*g**3*i**3 - 7*B*a**6*b
*c*d**6*g**3*i**3 + 21*B*a**5*b**2*c**2*d**5*g**3*i**3 - 35*B*a**4*b**3*c*
*3*d**4*g**3*i**3 - 35*B*a**3*b**4*c**4*d**3*g**3*i**3 + 21*B*a**2*b**5...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2637 vs. $2(433) = 866$.

Time $= 0.10$ (sec) , antiderivative size $= 2637$, normalized size of antiderivative $= 5.77$

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="maxima")
```

output

```
1/7*A*b^3*d^3*g^3*i^3*x^7 + 1/2*A*b^3*c*d^2*g^3*i^3*x^6 + 1/2*A*a*b^2*d^3*
g^3*i^3*x^6 + 3/5*A*b^3*c^2*d*g^3*i^3*x^5 + 9/5*A*a*b^2*c*d^2*g^3*i^3*x^5
+ 3/5*A*a^2*b*d^3*g^3*i^3*x^5 + 1/4*A*b^3*c^3*g^3*i^3*x^4 + 9/4*A*a*b^2*c^
2*d*g^3*i^3*x^4 + 9/4*A*a^2*b*c*d^2*g^3*i^3*x^4 + 1/4*A*a^3*d^3*g^3*i^3*x^
4 + A*a*b^2*c^3*g^3*i^3*x^3 + 3*A*a^2*b*c^2*d*g^3*i^3*x^3 + A*a^3*c*d^2*g^
3*i^3*x^3 + 3/2*A*a^2*b*c^3*g^3*i^3*x^2 + 3/2*A*a^3*c^2*d*g^3*i^3*x^2 + (x
*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/
d)*B*a^3*c^3*g^3*i^3 + 3/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2
*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*a^2*b*c^
3*g^3*i^3 + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*
x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^
2 - a^2*d^2)*x)/(b^2*d^2))*B*a*b^2*c^3*g^3*i^3 + 1/24*(6*x^4*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4
- (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*
c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^3*c^3*g^3*i^3 + 3/2*(x^2*log(b*e*x/(d*x +
 c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c
- a*d)*x/(b*d))*B*a^3*c^2*d*g^3*i^3 + 3/2*(2*x^3*log(b*e*x/(d*x + c) + a*e
/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d
- a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a^2*b*c^2*d*g^3*i^3
 + 3/8*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5520 vs. $2(433) = 866$.

Time $= 0.43$ (sec) , antiderivative size $= 5520$, normalized size of antiderivative $= 12.08$

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="giac")
```

output

```
-1/840*(6*(B*b^11*c^8*e^8*g^3*i^3 - 8*B*a*b^10*c^7*d*e^8*g^3*i^3 + 28*B*a^
2*b^9*c^6*d^2*e^8*g^3*i^3 - 56*B*a^3*b^8*c^5*d^3*e^8*g^3*i^3 + 70*B*a^4*b^
7*c^4*d^4*e^8*g^3*i^3 - 56*B*a^5*b^6*c^3*d^5*e^8*g^3*i^3 + 28*B*a^6*b^5*c^
2*d^6*e^8*g^3*i^3 - 8*B*a^7*b^4*c*d^7*e^8*g^3*i^3 + B*a^8*b^3*d^8*e^8*g^3*
i^3 - 7*(b*e*x + a*e)*B*b^10*c^8*d*e^7*g^3*i^3/(d*x + c) + 56*(b*e*x + a*e
)*B*a*b^9*c^7*d^2*e^7*g^3*i^3/(d*x + c) - 196*(b*e*x + a*e)*B*a^2*b^8*c^6*
d^3*e^7*g^3*i^3/(d*x + c) + 392*(b*e*x + a*e)*B*a^3*b^7*c^5*d^4*e^7*g^3*i^
3/(d*x + c) - 490*(b*e*x + a*e)*B*a^4*b^6*c^4*d^5*e^7*g^3*i^3/(d*x + c) +
392*(b*e*x + a*e)*B*a^5*b^5*c^3*d^6*e^7*g^3*i^3/(d*x + c) - 196*(b*e*x + a
*e)*B*a^6*b^4*c^2*d^7*e^7*g^3*i^3/(d*x + c) + 56*(b*e*x + a*e)*B*a^7*b^3*c
*d^8*e^7*g^3*i^3/(d*x + c) - 7*(b*e*x + a*e)*B*a^8*b^2*d^9*e^7*g^3*i^3/(d*
x + c) + 21*(b*e*x + a*e)^2*B*b^9*c^8*d^2*e^6*g^3*i^3/(d*x + c)^2 - 168*(b
*e*x + a*e)^2*B*a*b^8*c^7*d^3*e^6*g^3*i^3/(d*x + c)^2 + 588*(b*e*x + a*e)^
2*B*a^2*b^7*c^6*d^4*e^6*g^3*i^3/(d*x + c)^2 - 1176*(b*e*x + a*e)^2*B*a^3*b
^6*c^5*d^5*e^6*g^3*i^3/(d*x + c)^2 + 1470*(b*e*x + a*e)^2*B*a^4*b^5*c^4*d^
6*e^6*g^3*i^3/(d*x + c)^2 - 1176*(b*e*x + a*e)^2*B*a^5*b^4*c^3*d^7*e^6*g^3
*i^3/(d*x + c)^2 + 588*(b*e*x + a*e)^2*B*a^6*b^3*c^2*d^8*e^6*g^3*i^3/(d*x
+ c)^2 - 168*(b*e*x + a*e)^2*B*a^7*b^2*c*d^9*e^6*g^3*i^3/(d*x + c)^2 + 21*
(b*e*x + a*e)^2*B*a^8*b*d^10*e^6*g^3*i^3/(d*x + c)^2 - 35*(b*e*x + a*e)^3*
B*b^8*c^8*d^3*e^5*g^3*i^3/(d*x + c)^3 + 280*(b*e*x + a*e)^3*B*a*b^7*c^7...
```

Mupad [B] (verification not implemented)

Time = 29.20 (sec) , antiderivative size = 4347, normalized size of antiderivative = 9.51

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))),x
)
```

output

```
x*(((140*a*d + 140*b*c)*(((140*a*d + 140*b*c)*((a*c*((((b^2*d^2*g^3*i^3*(2
8*A*a*d + 28*A*b*c + B*a*d - B*b*c))/7 - (A*b^2*d^2*g^3*i^3*(140*a*d + 140
*b*c))/140)*(140*a*d + 140*b*c))/(140*b*d) - (b*d*g^3*i^3*(12*A*a^2*d^2 +
12*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d))/2 + A*a*b^2*c*d^2*g^
3*i^3))/(b*d) - ((140*a*d + 140*b*c)*((g^3*i^3*(20*A*a^3*d^3 + 20*A*b^3*c^
3 + 3*B*a^3*d^3 - 3*B*b^3*c^3 + 120*A*a*b^2*c^2*d + 120*A*a^2*b*c*d^2 - 6*
B*a*b^2*c^2*d + 6*B*a^2*b*c*d^2))/5 + ((140*a*d + 140*b*c)*((((b^2*d^2*g^3
*i^3*(28*A*a*d + 28*A*b*c + B*a*d - B*b*c))/7 - (A*b^2*d^2*g^3*i^3*(140*a*
d + 140*b*c))/140)*(140*a*d + 140*b*c))/(140*b*d) - (b*d*g^3*i^3*(12*A*a^2
*d^2 + 12*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d))/2 + A*a*b^2*c
*d^2*g^3*i^3))/(140*b*d) - (a*c*((b^2*d^2*g^3*i^3*(28*A*a*d + 28*A*b*c + B
*a*d - B*b*c))/7 - (A*b^2*d^2*g^3*i^3*(140*a*d + 140*b*c))/140))/(b*d)))/(
140*b*d) + (g^3*i^3*(4*A*a^4*d^4 + 4*A*b^4*c^4 + B*a^4*d^4 - B*b^4*c^4 + 1
44*A*a^2*b^2*c^2*d^2 + 64*A*a*b^3*c^3*d + 64*A*a^3*b*c*d^3 - 8*B*a*b^3*c^3
*d + 8*B*a^3*b*c*d^3))/(4*b*d)))/(140*b*d) + (a*c*((g^3*i^3*(20*A*a^3*d^3
+ 20*A*b^3*c^3 + 3*B*a^3*d^3 - 3*B*b^3*c^3 + 120*A*a*b^2*c^2*d + 120*A*a^2
*b*c*d^2 - 6*B*a*b^2*c^2*d + 6*B*a^2*b*c*d^2))/5 + ((140*a*d + 140*b*c)*((
((b^2*d^2*g^3*i^3*(28*A*a*d + 28*A*b*c + B*a*d - B*b*c))/7 - (A*b^2*d^2*g^
3*i^3*(140*a*d + 140*b*c))/140)*(140*a*d + 140*b*c))/(140*b*d) - (b*d*g^3*
i^3*(12*A*a^2*d^2 + 12*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2 + 32*A*a*b*c*d...
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 1347, normalized size of antiderivative = 2.95

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**3*i*(6*log(a + b*x)*a**7*d**7 - 42*log(a + b*x)*a**6*b*c*d**6 + 126*lo
g(a + b*x)*a**5*b**2*c**2*d**5 - 210*log(a + b*x)*a**4*b**3*c**3*d**4 + 21
0*log(a + b*x)*a**3*b**4*c**4*d**3 - 126*log(a + b*x)*a**2*b**5*c**5*d**2
+ 42*log(a + b*x)*a*b**6*c**6*d - 6*log(a + b*x)*b**7*c**7 - 210*log((a*e
+ b*e*x)/(c + d*x))*a**3*b**4*c**4*d**3 - 840*log((a*e + b*e*x)/(c + d*x))
*a**3*b**4*c**3*d**4*x - 1260*log((a*e + b*e*x)/(c + d*x))*a**3*b**4*c**2*
d**5*x**2 - 840*log((a*e + b*e*x)/(c + d*x))*a**3*b**4*c*d**6*x**3 - 210*l
og((a*e + b*e*x)/(c + d*x))*a**3*b**4*d**7*x**4 + 126*log((a*e + b*e*x)/(c
 + d*x))*a**2*b**5*c**5*d**2 - 1260*log((a*e + b*e*x)/(c + d*x))*a**2*b**5
*c**3*d**4*x**2 - 2520*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*c**2*d**5*x*
*3 - 1890*log((a*e + b*e*x)/(c + d*x))*a**2*b**5*c*d**6*x**4 - 504*log((a*
e + b*e*x)/(c + d*x))*a**2*b**5*d**7*x**5 - 42*log((a*e + b*e*x)/(c + d*x)
)*a*b**6*c**6*d - 840*log((a*e + b*e*x)/(c + d*x))*a*b**6*c**3*d**4*x**3 -
 1890*log((a*e + b*e*x)/(c + d*x))*a*b**6*c**2*d**5*x**4 - 1512*log((a*e +
 b*e*x)/(c + d*x))*a*b**6*c*d**6*x**5 - 420*log((a*e + b*e*x)/(c + d*x))*a
*b**6*d**7*x**6 + 6*log((a*e + b*e*x)/(c + d*x))*b**7*c**7 - 210*log((a*e
+ b*e*x)/(c + d*x))*b**7*c**3*d**4*x**4 - 504*log((a*e + b*e*x)/(c + d*x))
*b**7*c**2*d**5*x**5 - 420*log((a*e + b*e*x)/(c + d*x))*b**7*c*d**6*x**6 -
 120*log((a*e + b*e*x)/(c + d*x))*b**7*d**7*x**7 - 6*a**6*b*d**7*x + 42*a*
*5*b**2*c*d**6*x + 3*a**5*b**2*d**7*x**2 - 840*a**4*b**3*c**3*d**4*x - ...
```

3.21 $\int (ag+bgx)^2(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$

Optimal result 336
Mathematica [A] (verified) 337
Rubi [A] (verified) 338
Maple [B] (verified) 340
Fricas [B] (verification not implemented) 341
Sympy [B] (verification not implemented) 342
Maxima [B] (verification not implemented) 343
Giac [B] (verification not implemented) 344
Mupad [B] (verification not implemented) 345
Reduce [B] (verification not implemented) 346

Optimal result

Integrand size = 40, antiderivative size = 371

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx \\
&= -\frac{B(bc-ad)^5 g^2 i^3 x}{60b^3d^2} - \frac{B(bc-ad)^4 g^2 i^3 (c+dx)^2}{120b^2d^3} - \frac{B(bc-ad)^3 g^2 i^3 (c+dx)^3}{180bd^3} \\
&\quad + \frac{7B(bc-ad)^2 g^2 i^3 (c+dx)^4}{120d^3} - \frac{bB(bc-ad) g^2 i^3 (c+dx)^5}{30d^3} \\
&\quad - \frac{B(bc-ad)^6 g^2 i^3 \log\left(\frac{a+bx}{c+dx}\right)}{60b^4d^3} + \frac{(bc-ad)^2 g^2 i^3 (c+dx)^4 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^3} \\
&\quad - \frac{2b(bc-ad) g^2 i^3 (c+dx)^5 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5d^3} \\
&\quad + \frac{b^2 g^2 i^3 (c+dx)^6 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^3} - \frac{B(bc-ad)^6 g^2 i^3 \log(c+dx)}{60b^4d^3}
\end{aligned}
$$

output

```
-1/60*B*(-a*d+b*c)^5*g^2*i^3*x/b^3/d^2-1/120*B*(-a*d+b*c)^4*g^2*i^3*(d*x+c
)^2/b^2/d^3-1/180*B*(-a*d+b*c)^3*g^2*i^3*(d*x+c)^3/b/d^3+7/120*B*(-a*d+b*c
)^2*g^2*i^3*(d*x+c)^4/d^3-1/30*b*B*(-a*d+b*c)*g^2*i^3*(d*x+c)^5/d^3-1/60*B
*(-a*d+b*c)^6*g^2*i^3*ln((b*x+a)/(d*x+c))/b^4/d^3+1/4*(-a*d+b*c)^2*g^2*i^3
*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3-2/5*b*(-a*d+b*c)*g^2*i^3*(d*x+c
)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3+1/6*b^2*g^2*i^3*(d*x+c)^6*(A+B*ln(e*(b
*x+a)/(d*x+c)))/d^3-1/60*B*(-a*d+b*c)^6*g^2*i^3*ln(d*x+c)/b^4/d^3
```

Mathematica [A] (verified)

Time = 0.38 (sec) , antiderivative size = 429, normalized size of antiderivative = 1.16

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{g^2i^3\Big(-15B(bc-ad)^3\left(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx)\right.$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)]),x]
```

output

```
(g^2*i^3*(-15*B*(b*c - a*d)^3*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(
c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]) + 12*B*(b*c
 - a*d)^2*(12*b*d*(b*c - a*d)^3*x + 6*b^2*(b*c - a*d)^2*(c + d*x)^2 + 4*b^
3*(b*c - a*d)*(c + d*x)^3 + 3*b^4*(c + d*x)^4 + 12*(b*c - a*d)^4*Log[a + b
*x]) - B*(b*c - a*d)*(60*b*d*(b*c - a*d)^4*x + 30*b^2*(b*c - a*d)^3*(c + d
*x)^2 + 20*b^3*(b*c - a*d)^2*(c + d*x)^3 + 15*b^4*(b*c - a*d)*(c + d*x)^4
+ 12*b^5*(c + d*x)^5 + 60*(b*c - a*d)^5*Log[a + b*x]) + 90*b^4*(b*c - a*d)
^2*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 144*b^5*(b*c - a*d)*
(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 60*b^6*(c + d*x)^6*(A +
 B*Log[(e*(a + b*x))/(c + d*x)])))/(360*b^4*d^3)
```

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 327, normalized size of antiderivative = 0.88, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2782, 27, 1195, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$

$$\downarrow 2962$$

$$g^2i^3(bc-ad)^6\int\frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^2i^3(bc-ad)^6\left(-B\int\frac{(c+dx)\left(b^2-\frac{6d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{60d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}+\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{2b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 27$$

$$g^2i^3(bc-ad)^6\left(-\frac{B\int\frac{(c+dx)\left(b^2-\frac{6d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{60d^3}+\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{2b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{B}{4}\right.$$

$$\downarrow 1195$$

$$g^2i^3(bc-ad)^6\left(-\frac{B\int\left(\frac{d}{b^4\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{14d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{10bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}+\frac{c}{b^4(}\right.\right.}{60d^3}$$

$$\downarrow 2009$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{6d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^6} - \frac{2b \left(B \log\left(\frac{e(a+bx)}{c+dx}\right) + A \right)}{5d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} + \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{4d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{B \left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^4} - \frac{\log\left(b - \frac{d(a}{c+}\right.\right.}{b^4}$$

input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x
]
```

output
```
(b*c - a*d)^6*g^2*i^3*((b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(6*d^3*(
b - (d*(a + b*x))/(c + d*x))^6) - (2*b*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(5*d^3*(b - (d*(a + b*x))/(c + d*x))^5) + (A + B*Log[(e*(a + b*x))/(c +
 d*x)])/(4*d^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*((2*b)/(b - (d*(a + b
*x))/(c + d*x))^5 - 7/(2*(b - (d*(a + b*x))/(c + d*x))^4) + 1/(3*b*(b - (d
*(a + b*x))/(c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b*x))/(c + d*x))^2) + 1/
(b^3*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^4 - Log[b
 - (d*(a + b*x))/(c + d*x)]/b^4))/(60*d^3))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 924 vs. $2(351) = 702$.

Time = 1.68 (sec) , antiderivative size = 925, normalized size of antiderivative = 2.49

method	result
risch	$\frac{3i^3g^2b^2d^2Acx^5}{5}+\frac{i^3g^2bd^3Bax^5}{30}-\frac{i^3g^2b^2d^2Bcx^5}{30}+\frac{i^3g^2d^3Aa^2x^4}{4}+\frac{3i^3g^2b^2dAc^2x^4}{4}+\frac{i^3g^2bB\ln(-dx-c)a}{10d^2}$
parallelrisch	Expression too large to display
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETU
RNVERBOSE)
```

output

```
3/5*i^3*g^2*b^2*d^2*A*c*x^5+1/30*i^3*g^2*b*d^3*B*a*x^5-1/30*i^3*g^2*b^2*d^
2*B*c*x^5+1/4*i^3*g^2*d^3*A*a^2*x^4+3/4*i^3*g^2*b^2*d*A*c^2*x^4+1/10*i^3*g
^2*b/d^2*B*ln(-d*x-c)*a*c^5+3/2*i^3*g^2*b*d^2*A*a*c*x^4+1/20*i^3*g^2*b*d^2
*B*a*c*x^4+i^3*g^2*d^2*A*a^2*c*x^3+2*i^3*g^2*b*d*A*a*c^2*x^3+13/60*i^3*g^2
*d^2*B*a^2*c*x^3-7/60*i^3*g^2*b*d*B*a*c^2*x^3+3/2*i^3*g^2*d*A*a^2*c^2*x^2+
i^3*g^2*b*A*a*c^3*x^2+2/5*i^3*g^2*b*d^3*A*a*x^5+1/4*i^3*g^2/b*d*B*a^3*c^2*
x-1/12*i^3*g^2*B*a^2*c^3*x-1/10*i^3*g^2*b/d*B*a*c^4*x+1/10*i^3*g^2/b^3*d^2
*B*ln(b*x+a)*a^5*c-1/4*i^3*g^2/b^2*d*B*ln(b*x+a)*a^4*c^2+1/20*i^3*g^2/b*d^
2*B*a^3*c*x^2+1/4*i^3*g^2*d*B*a^2*c^2*x^2-17/60*i^3*g^2*b*B*a*c^3*x^2+i^3*
g^2*A*a^2*c^3*x-1/10*i^3*g^2/b^2*d^2*B*a^4*c*x+7/120*i^3*g^2*d^3*B*a^2*x^4
-13/120*i^3*g^2*b^2*d*B*c^2*x^4+1/3*i^3*g^2*b^2*A*c^3*x^3+1/180*i^3*g^2/b*
d^3*B*a^3*x^3-19/180*i^3*g^2*b^2*B*c^3*x^3-1/120*i^3*g^2/b^2*d^3*B*a^4*x^2
-1/120*i^3*g^2*b^2/d*B*c^4*x^2+1/60*i^3*g^2/b^3*d^3*B*a^5*x+1/60*i^3*g^2*b
^2/d^2*B*c^5*x+1/3*i^3*g^2/b*B*ln(b*x+a)*a^3*c^3-1/4*i^3*g^2/d*B*ln(-d*x-c
)*a^2*c^4-1/60*i^3*g^2/b^4*d^3*B*ln(b*x+a)*a^6-1/60*i^3*g^2*b^2/d^3*B*ln(-
d*x-c)*c^6+1/60*i^3*g^2*B*x*(10*b^2*d^3*x^5+24*a*b*d^3*x^4+36*b^2*c*d^2*x^
4+15*a^2*d^3*x^3+90*a*b*c*d^2*x^3+45*b^2*c^2*d*x^3+60*a^2*c*d^2*x^2+120*a*
b*c^2*d*x^2+20*b^2*c^3*x^2+90*a^2*c^2*d*x+60*a*b*c^3*x+60*a^2*c^3)*ln(e*(b
*x+a)/(d*x+c))+1/6*i^3*g^2*b^2*d^3*A*x^6
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 722 vs. $2(351) = 702$.

Time $= 0.19$ (sec) , antiderivative size $= 722$, normalized size of antiderivative $= 1.95$

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{60\,Ab^6d^6g^2i^3x^6+12\left((18\,A-B)b^6cd^5+(12\,A+B)ab^5d^6\right)g^2i^3x^5+3\left((90\,A-13\,B)b^6c^2d^4+6\,(30\,A+$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="fricas")
```

output

```
1/360*(60*A*b^6*d^6*g^2*i^3*x^6 + 12*((18*A - B)*b^6*c*d^5 + (12*A + B)*a*
b^5*d^6)*g^2*i^3*x^5 + 3*((90*A - 13*B)*b^6*c^2*d^4 + 6*(30*A + B)*a*b^5*c
*d^5 + (30*A + 7*B)*a^2*b^4*d^6)*g^2*i^3*x^4 + 2*((60*A - 19*B)*b^6*c^3*d^
3 + 3*(120*A - 7*B)*a*b^5*c^2*d^4 + 3*(60*A + 13*B)*a^2*b^4*c*d^5 + B*a^3*
b^3*d^6)*g^2*i^3*x^3 - 3*(B*b^6*c^4*d^2 - 2*(60*A - 17*B)*a*b^5*c^3*d^3 -
30*(6*A + B)*a^2*b^4*c^2*d^4 - 6*B*a^3*b^3*c*d^5 + B*a^4*b^2*d^6)*g^2*i^3*
x^2 + 6*(B*b^6*c^5*d - 6*B*a*b^5*c^4*d^2 + 5*(12*A - B)*a^2*b^4*c^3*d^3 +
15*B*a^3*b^3*c^2*d^4 - 6*B*a^4*b^2*c*d^5 + B*a^5*b*d^6)*g^2*i^3*x + 6*(20*
B*a^3*b^3*c^3*d^3 - 15*B*a^4*b^2*c^2*d^4 + 6*B*a^5*b*c*d^5 - B*a^6*d^6)*g^
2*i^3*log(b*x + a) - 6*(B*b^6*c^6 - 6*B*a*b^5*c^5*d + 15*B*a^2*b^4*c^4*d^2
)*g^2*i^3*log(d*x + c) + 6*(10*B*b^6*d^6*g^2*i^3*x^6 + 60*B*a^2*b^4*c^3*d^
3*g^2*i^3*x + 12*(3*B*b^6*c*d^5 + 2*B*a*b^5*d^6)*g^2*i^3*x^5 + 15*(3*B*b^6
*c^2*d^4 + 6*B*a*b^5*c*d^5 + B*a^2*b^4*d^6)*g^2*i^3*x^4 + 20*(B*b^6*c^3*d^
3 + 6*B*a*b^5*c^2*d^4 + 3*B*a^2*b^4*c*d^5)*g^2*i^3*x^3 + 30*(2*B*a*b^5*c^3
*d^3 + 3*B*a^2*b^4*c^2*d^4)*g^2*i^3*x^2)*log((b*e*x + a*e)/(d*x + c)))/(b^
4*d^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1727 vs. $2(347) = 694$.

Time = 5.84 (sec) , antiderivative size = 1727, normalized size of antiderivative = 4.65

$$\int (ag + bgx)^2 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b**2*d**3*g**2*i**3*x**6/6 - B*a**3*g**2*i**3*(a**3*d**3 - 6*a**2*b*c*d*
*2 + 15*a*b**2*c**2*d - 20*b**3*c**3)*log(x + (B*a**6*c*d**5*g**2*i**3 - 6
*B*a**5*b*c**2*d**4*g**2*i**3 + 15*B*a**4*b**2*c**3*d**3*g**2*i**3 + B*a**
4*d**3*g**2*i**3*(a**3*d**3 - 6*a**2*b*c*d**2 + 15*a*b**2*c**2*d - 20*b**3
*c**3)/b - 35*B*a**3*b**3*c**4*d**2*g**2*i**3 - B*a**3*c*d**2*g**2*i**3*(a
**3*d**3 - 6*a**2*b*c*d**2 + 15*a*b**2*c**2*d - 20*b**3*c**3) + 6*B*a**2*b
**4*c**5*d*g**2*i**3 - B*a*b**5*c**6*g**2*i**3)/(B*a**6*d**6*g**2*i**3 - 6
*B*a**5*b*c*d**5*g**2*i**3 + 15*B*a**4*b**2*c**2*d**4*g**2*i**3 - 20*B*a**
3*b**3*c**3*d**3*g**2*i**3 - 15*B*a**2*b**4*c**4*d**2*g**2*i**3 + 6*B*a*b*
*5*c**5*d*g**2*i**3 - B*b**6*c**6*g**2*i**3))/(60*b**4) - B*c**4*g**2*i**3
*(15*a**2*d**2 - 6*a*b*c*d + b**2*c**2)*log(x + (B*a**6*c*d**5*g**2*i**3 -
 6*B*a**5*b*c**2*d**4*g**2*i**3 + 15*B*a**4*b**2*c**3*d**3*g**2*i**3 - 35*
B*a**3*b**3*c**4*d**2*g**2*i**3 + 6*B*a**2*b**4*c**5*d*g**2*i**3 - B*a*b**
5*c**6*g**2*i**3 + B*a*b**3*c**4*g**2*i**3*(15*a**2*d**2 - 6*a*b*c*d + b**
2*c**2) - B*b**4*c**5*g**2*i**3*(15*a**2*d**2 - 6*a*b*c*d + b**2*c**2)/d)/
(B*a**6*d**6*g**2*i**3 - 6*B*a**5*b*c*d**5*g**2*i**3 + 15*B*a**4*b**2*c**2
*d**4*g**2*i**3 - 20*B*a**3*b**3*c**3*d**3*g**2*i**3 - 15*B*a**2*b**4*c**4
*d**2*g**2*i**3 + 6*B*a*b**5*c**5*d*g**2*i**3 - B*b**6*c**6*g**2*i**3))/(6
0*d**3) + x**5*(2*A*a*b*d**3*g**2*i**3/5 + 3*A*b**2*c*d**2*g**2*i**3/5 + B
*a*b*d**3*g**2*i**3/30 - B*b**2*c*d**2*g**2*i**3/30) + x**4*(A*a**2*d**...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1789 vs. $2(351) = 702$.

Time $= 0.08$ (sec) , antiderivative size $= 1789$, normalized size of antiderivative $= 4.82$

$$\int (ag + bgx)^2 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="maxima")
```

output

```
1/6*A*b^2*d^3*g^2*i^3*x^6 + 3/5*A*b^2*c*d^2*g^2*i^3*x^5 + 2/5*A*a*b*d^3*g^
2*i^3*x^5 + 3/4*A*b^2*c^2*d*g^2*i^3*x^4 + 3/2*A*a*b*c*d^2*g^2*i^3*x^4 + 1/
4*A*a^2*d^3*g^2*i^3*x^4 + 1/3*A*b^2*c^3*g^2*i^3*x^3 + 2*A*a*b*c^2*d*g^2*i^
3*x^3 + A*a^2*c*d^2*g^2*i^3*x^3 + A*a*b*c^3*g^2*i^3*x^2 + 3/2*A*a^2*c^2*d*
g^2*i^3*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b -
 c*log(d*x + c)/d)*B*a^2*c^3*g^2*i^3 + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x
 + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d)
)*B*a*b*c^3*g^2*i^3 + 1/6*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*
a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 -
 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*b^2*c^3*g^2*i^3 + 3/2*(x^2*log(b*e*
x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2
 - (b*c - a*d)*x/(b*d))*B*a^2*c^2*d*g^2*i^3 + (2*x^3*log(b*e*x/(d*x + c) +
 a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*
c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a*b*c^2*d*g^2*i
^3 + 1/8*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/
b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2
*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b^2*c^2*d*g^2*
i^3 + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)
/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^
2*d^2)*x)/(b^2*d^2))*B*a^2*c*d^2*g^2*i^3 + 1/4*(6*x^4*log(b*e*x/(d*x + ...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4110 vs. $2(351) = 702$.

Time $= 0.36$ (sec) , antiderivative size $= 4110$, normalized size of antiderivative $= 11.08$

$$\int (ag + bgx)^2 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algo
rithm="giac")
```

output

```
1/360*(6*(B*b^9*c^7*e^7*g^2*i^3 - 7*B*a*b^8*c^6*d*e^7*g^2*i^3 + 21*B*a^2*b
^7*c^5*d^2*e^7*g^2*i^3 - 35*B*a^3*b^6*c^4*d^3*e^7*g^2*i^3 + 35*B*a^4*b^5*c
^3*d^4*e^7*g^2*i^3 - 21*B*a^5*b^4*c^2*d^5*e^7*g^2*i^3 + 7*B*a^6*b^3*c*d^6*
e^7*g^2*i^3 - B*a^7*b^2*d^7*e^7*g^2*i^3 - 6*(b*e*x + a*e)*B*b^8*c^7*d*e^6*
g^2*i^3/(d*x + c) + 42*(b*e*x + a*e)*B*a*b^7*c^6*d^2*e^6*g^2*i^3/(d*x + c)
 - 126*(b*e*x + a*e)*B*a^2*b^6*c^5*d^3*e^6*g^2*i^3/(d*x + c) + 210*(b*e*x
+ a*e)*B*a^3*b^5*c^4*d^4*e^6*g^2*i^3/(d*x + c) - 210*(b*e*x + a*e)*B*a^4*b
^4*c^3*d^5*e^6*g^2*i^3/(d*x + c) + 126*(b*e*x + a*e)*B*a^5*b^3*c^2*d^6*e^6
*g^2*i^3/(d*x + c) - 42*(b*e*x + a*e)*B*a^6*b^2*c*d^7*e^6*g^2*i^3/(d*x + c
) + 6*(b*e*x + a*e)*B*a^7*b*d^8*e^6*g^2*i^3/(d*x + c) + 15*(b*e*x + a*e)^2
*B*b^7*c^7*d^2*e^5*g^2*i^3/(d*x + c)^2 - 105*(b*e*x + a*e)^2*B*a*b^6*c^6*d
^3*e^5*g^2*i^3/(d*x + c)^2 + 315*(b*e*x + a*e)^2*B*a^2*b^5*c^5*d^4*e^5*g^2
*i^3/(d*x + c)^2 - 525*(b*e*x + a*e)^2*B*a^3*b^4*c^4*d^5*e^5*g^2*i^3/(d*x
+ c)^2 + 525*(b*e*x + a*e)^2*B*a^4*b^3*c^3*d^6*e^5*g^2*i^3/(d*x + c)^2 - 3
15*(b*e*x + a*e)^2*B*a^5*b^2*c^2*d^7*e^5*g^2*i^3/(d*x + c)^2 + 105*(b*e*x
+ a*e)^2*B*a^6*b*c*d^8*e^5*g^2*i^3/(d*x + c)^2 - 15*(b*e*x + a*e)^2*B*a^7*
d^9*e^5*g^2*i^3/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/(b^6*d^3*e^6 - 6
*(b*e*x + a*e)*b^5*d^4*e^5/(d*x + c) + 15*(b*e*x + a*e)^2*b^4*d^5*e^4/(d*x
 + c)^2 - 20*(b*e*x + a*e)^3*b^3*d^6*e^3/(d*x + c)^3 + 15*(b*e*x + a*e)^4*
b^2*d^7*e^2/(d*x + c)^4 - 6*(b*e*x + a*e)^5*b*d^8*e/(d*x + c)^5 + (b*e*...
```

Mupad [B] (verification not implemented)

Time = 28.41 (sec) , antiderivative size = 2465, normalized size of antiderivative = 6.64

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))),x
)
```

output

```
x^3*((g^2*i^3*(4*A*a^3*d^3 + 16*A*b^3*c^3 + B*a^3*d^3 - 3*B*b^3*c^3 + 72*A
*a*b^2*c^2*d + 48*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d + 5*B*a^2*b*c*d^2))/(12*
b) + ((60*a*d + 60*b*c)*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d - B
*b*c))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*
b*d) - (d*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*d^2 - 3*B*b^2*c^2
 + 60*A*a*b*c*d + B*a*b*c*d))/5 + A*a*b*c*d^2*g^2*i^3))/(180*b*d) - (a*c*(
(b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d - B*b*c))/6 - (A*b*d^2*g^2*i^3
*(60*a*d + 60*b*c))/60))/(3*b*d)) - x^4*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A
*b*c + B*a*d - B*b*c))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d
 + 60*b*c))/(240*b*d) - (d*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*
d^2 - 3*B*b^2*c^2 + 60*A*a*b*c*d + B*a*b*c*d))/20 + (A*a*b*c*d^2*g^2*i^3)/
4) + x^2*((a*c*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d - B*b*c))/6
 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d) - (d
*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*d^2 - 3*B*b^2*c^2 + 60*A*a
*b*c*d + B*a*b*c*d))/5 + A*a*b*c*d^2*g^2*i^3))/(2*b*d) - ((60*a*d + 60*b*c
)*((g^2*i^3*(4*A*a^3*d^3 + 16*A*b^3*c^3 + B*a^3*d^3 - 3*B*b^3*c^3 + 72*A*a
*b^2*c^2*d + 48*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d + 5*B*a^2*b*c*d^2))/(4*b)
+ ((60*a*d + 60*b*c)*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d - B*b*
c))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d
) - (d*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*d^2 - 3*B*b^2*c^2...
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 1040, normalized size of antiderivative = 2.80

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g**2*i*(6*log(a + b*x)*a**6*d**6 - 36*log(a + b*x)*a**5*b*c*d**5 + 90*log
(a + b*x)*a**4*b**2*c**2*d**4 - 120*log(a + b*x)*a**3*b**3*c**3*d**3 + 90*
log(a + b*x)*a**2*b**4*c**4*d**2 - 36*log(a + b*x)*a*b**5*c**5*d + 6*log(a
 + b*x)*b**6*c**6 - 90*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c**4*d**2 -
360*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c**3*d**3*x - 540*log((a*e + b*
e*x)/(c + d*x))*a**2*b**4*c**2*d**4*x**2 - 360*log((a*e + b*e*x)/(c + d*x)
)*a**2*b**4*c*d**5*x**3 - 90*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*d**6*x
**4 + 36*log((a*e + b*e*x)/(c + d*x))*a*b**5*c**5*d - 360*log((a*e + b*e*x
)/(c + d*x))*a*b**5*c**3*d**3*x**2 - 720*log((a*e + b*e*x)/(c + d*x))*a*b*
*5*c**2*d**4*x**3 - 540*log((a*e + b*e*x)/(c + d*x))*a*b**5*c*d**5*x**4 -
144*log((a*e + b*e*x)/(c + d*x))*a*b**5*d**6*x**5 - 6*log((a*e + b*e*x)/(c
 + d*x))*b**6*c**6 - 120*log((a*e + b*e*x)/(c + d*x))*b**6*c**3*d**3*x**3
- 270*log((a*e + b*e*x)/(c + d*x))*b**6*c**2*d**4*x**4 - 216*log((a*e + b*
e*x)/(c + d*x))*b**6*c*d**5*x**5 - 60*log((a*e + b*e*x)/(c + d*x))*b**6*d*
*6*x**6 - 6*a**5*b*d**6*x + 36*a**4*b**2*c*d**5*x + 3*a**4*b**2*d**6*x**2
- 360*a**3*b**3*c**3*d**3*x - 540*a**3*b**3*c**2*d**4*x**2 - 90*a**3*b**3*
c**2*d**4*x - 360*a**3*b**3*c*d**5*x**3 - 18*a**3*b**3*c*d**5*x**2 - 90*a*
*3*b**3*d**6*x**4 - 2*a**3*b**3*d**6*x**3 - 360*a**2*b**4*c**3*d**3*x**2 +
 30*a**2*b**4*c**3*d**3*x - 720*a**2*b**4*c**2*d**4*x**3 - 90*a**2*b**4*c*
*2*d**4*x**2 - 540*a**2*b**4*c*d**5*x**4 - 78*a**2*b**4*c*d**5*x**3 - 1...
```

3.22 $\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$

Optimal result . . . 348
Mathematica [A] (verified) . . . 349
Rubi [A] (verified) . . . 349
Maple [B] (verified) . . . 352
Fricas [A] (verification not implemented) . . . 352
Sympy [B] (verification not implemented) . . . 353
Maxima [B] (verification not implemented) . . . 354
Giac [B] (verification not implemented) . . . 355
Mupad [B] (verification not implemented) . . . 356
Reduce [B] (verification not implemented) . . . 357

Optimal result

Integrand size = 38, antiderivative size = 271

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx \\
&= \frac{B(bc-ad)^4 gi^3 x}{20b^3 d} + \frac{B(bc-ad)^3 gi^3 (c+dx)^2}{40b^2 d^2} + \frac{B(bc-ad)^2 gi^3 (c+dx)^3}{60bd^2} \\
&\quad - \frac{B(bc-ad) gi^3 (c+dx)^4}{20d^2} + \frac{B(bc-ad)^5 gi^3 \log\left(\frac{a+bx}{c+dx}\right)}{20b^4 d^2} \\
&\quad - \frac{(bc-ad) gi^3 (c+dx)^4 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2} \\
&\quad + \frac{bgi^3 (c+dx)^5 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5d^2} + \frac{B(bc-ad)^5 gi^3 \log(c+dx)}{20b^4 d^2}
\end{aligned}$$

output

```
1/20*B*(-a*d+b*c)^4*g*i^3*x/b^3/d+1/40*B*(-a*d+b*c)^3*g*i^3*(d*x+c)^2/b^2/
d^2+1/60*B*(-a*d+b*c)^2*g*i^3*(d*x+c)^3/b/d^2-1/20*B*(-a*d+b*c)*g*i^3*(d*x
+c)^4/d^2+1/20*B*(-a*d+b*c)^5*g*i^3*ln((b*x+a)/(d*x+c))/b^4/d^2-1/4*(-a*d+
b*c)*g*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2+1/5*b*g*i^3*(d*x+c)^5
*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2+1/20*B*(-a*d+b*c)^5*g*i^3*ln(d*x+c)/b^4/d
^2
```

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 261, normalized size of antiderivative = 0.96

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{gi^3\left(\frac{5B(bc-ad)^2(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx))}{b^4}-\frac{2B(bc-ad)(12bd(bc-ad)^3x+6b^2(bc-ad)^2(c+\right.}{}$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)
]),x]
```

output
```
(g*i^3*((5*B*(b*c - a*d)^2*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c +
 d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]))/b^4 - (2*B*(b
*c - a*d)*(12*b*d*(b*c - a*d)^3*x + 6*b^2*(b*c - a*d)^2*(c + d*x)^2 + 4*b^
3*(b*c - a*d)*(c + d*x)^3 + 3*b^4*(c + d*x)^4 + 12*(b*c - a*d)^4*Log[a + b
*x]))/b^4 - 30*(b*c - a*d)*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]
) + 24*b*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])))/(120*d^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 253, normalized size of antiderivative = 0.93, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$, Rules used = {2962, 2782, 27, 86, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)dx$$
$$\downarrow 2962$$
$$gi^3(bc-ad)^5\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$
$$\downarrow 2782$$

$$gi^3(bc-ad)^5\left(-B\int -\frac{(c+dx)\left(b-\frac{5d(a+bx)}{c+dx}\right)}{20d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)$$

$$\downarrow 27$$

$$gi^3(bc-ad)^5\left(\frac{B\int\frac{(c+dx)\left(b-\frac{5d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{20d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)$$

$$\downarrow 86$$

$$gi^3(bc-ad)^5\left(\frac{B\int\left(\frac{d}{b^4\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{4d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{c+dx}{b^4(a+bx)}\right)d\frac{a+bx}{c+dx}}{20d^2}-\right.$$

$$\downarrow 2009$$

$$gi^3(bc-ad)^5\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^4}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^4}+\frac{1}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{}{2b^2\left(\right.}\right.}{20d^2}$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output

```
(b*c - a*d)^5*g*i^3*((b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*d^2*(b -
(d*(a + b*x))/(c + d*x))^5) - (A + B*Log[(e*(a + b*x))/(c + d*x)])/(4*d^2*
(b - (d*(a + b*x))/(c + d*x))^4) + (B*(-(b - (d*(a + b*x))/(c + d*x))^(-4)
 + 1/(3*b*(b - (d*(a + b*x))/(c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b*x))/(
c + d*x))^2) + 1/(b^3*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c +
d*x)]/b^4 - Log[b - (d*(a + b*x))/(c + d*x)]/b^4))/(20*d^2))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 567 vs. 2(255) = 510.

Time = 1.44 (sec) , antiderivative size = 568, normalized size of antiderivative = 2.10

method	result
risch	$-\frac{i^3gBa\,c^3x}{4}+\frac{i^3g\,d^2B\ln(bx+a)a^4c}{4b^3}-\frac{i^3gdB\ln(bx+a)a^3c^2}{2b^2}+i^3gAa\,c^3x+\frac{i^3g\,d^2Bacx^3}{6}+\frac{3i^3gdAa\,c^2x^2}{2}$
parallelrisch	$\frac{27Ba^4bcd^4gi^3-45Ba^3b^2c^2d^3gi^3-45Ba^2b^3c^3d^2gi^3+63Bab^4c^4dgi^3+120Axab^4c^3d^2gi^3-300Aa^2b^3c^3d^2gi^3-180A}{}$
parts	Expression too large to display
derivativedivides	Expression too large to display
default	Expression too large to display

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURN
VERBOSE)
```

output
```
-1/4*i^3*g*B*a*c^3*x+1/4*i^3*g/b^3*d^2*B*ln(b*x+a)*a^4*c-1/2*i^3*g/b^2*d*B
*ln(b*x+a)*a^3*c^2+i^3*g*A*a*c^3*x+1/6*i^3*g*d^2*B*a*c*x^3+3/2*i^3*g*d*A*a
*c^2*x^2+1/8*i^3*g/b*d^2*B*a^2*c*x^2+1/8*i^3*g*d*B*a*c^2*x^2+1/4*i^3*g*d^3
*A*a*x^4+i^3*g*d^2*A*a*c*x^3-1/4*i^3*g/b^2*d^2*B*a^3*c*x+1/2*i^3*g/b*d*B*a
^2*c^2*x-1/20*i^3*g*b/d*B*c^4*x-1/4*i^3*g/d*B*ln(-d*x-c)*a*c^4+1/2*i^3*g/b
*B*ln(b*x+a)*a^2*c^3+1/20*i^3*g*b/d^2*B*ln(-d*x-c)*c^5+3/4*i^3*g*b*d^2*A*c
*x^4+1/20*i^3*g*d^3*B*a*x^4-1/20*i^3*g*b*d^2*B*c*x^4+i^3*g*b*d*A*c^2*x^3+1
/60*i^3*g/b*d^3*B*a^2*x^3-11/60*i^3*g*b*d*B*c^2*x^3+1/2*i^3*g*b*A*c^3*x^2-
1/40*i^3*g/b^2*d^3*B*a^3*x^2-9/40*i^3*g*b*B*c^3*x^2+1/20*i^3*g/b^3*d^3*B*a
^4*x-1/20*i^3*g/b^4*d^3*B*ln(b*x+a)*a^5+1/20*g*i^3*B*x*(4*b*d^3*x^4+5*a*d^
3*x^3+15*b*c*d^2*x^3+20*a*c*d^2*x^2+20*b*c^2*d*x^2+30*a*c^2*d*x+10*b*c^3*x
+20*a*c^3)*ln(e*(b*x+a)/(d*x+c))+1/5*i^3*g*b*d^3*A*x^5
```

Fricas [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 502, normalized size of antiderivative = 1.85

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{24\,Ab^5d^5gi^3x^5+6\left((15\,A-B)b^5cd^4+(5\,A+B)ab^4d^5\right)gi^3x^4+2\left((60\,A-11\,B)b^5c^2d^3+10\,(6\,A+B)ab\right.}{}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="fricas")
```

output
```
1/120*(24*A*b^5*d^5*g*i^3*x^5 + 6*((15*A - B)*b^5*c*d^4 + (5*A + B)*a*b^4*
d^5)*g*i^3*x^4 + 2*((60*A - 11*B)*b^5*c^2*d^3 + 10*(6*A + B)*a*b^4*c*d^4 +
 B*a^2*b^3*d^5)*g*i^3*x^3 + 3*((20*A - 9*B)*b^5*c^3*d^2 + 5*(12*A + B)*a*b
^4*c^2*d^3 + 5*B*a^2*b^3*c*d^4 - B*a^3*b^2*d^5)*g*i^3*x^2 - 6*(B*b^5*c^4*d
 - 5*(4*A - B)*a*b^4*c^3*d^2 - 10*B*a^2*b^3*c^2*d^3 + 5*B*a^3*b^2*c*d^4 -
B*a^4*b*d^5)*g*i^3*x + 6*(10*B*a^2*b^3*c^3*d^2 - 10*B*a^3*b^2*c^2*d^3 + 5*
B*a^4*b*c*d^4 - B*a^5*d^5)*g*i^3*log(b*x + a) + 6*(B*b^5*c^5 - 5*B*a*b^4*c
^4*d)*g*i^3*log(d*x + c) + 6*(4*B*b^5*d^5*g*i^3*x^5 + 20*B*a*b^4*c^3*d^2*g
*i^3*x + 5*(3*B*b^5*c*d^4 + B*a*b^4*d^5)*g*i^3*x^4 + 20*(B*b^5*c^2*d^3 + B
*a*b^4*c*d^4)*g*i^3*x^3 + 10*(B*b^5*c^3*d^2 + 3*B*a*b^4*c^2*d^3)*g*i^3*x^2
)*log((b*e*x + a*e)/(d*x + c)))/(b^4*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1158 vs. $2(252) = 504$.

Time $= 3.53$ (sec) , antiderivative size $= 1158$, normalized size of antiderivative $= 4.27$

$$\int (ag + bgx)(ci + dix)^3 \left(A + B \log\left(\frac{e(a + bx)}{c + dx}\right)\right) dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*b*d**3*g*i**3*x**5/5 - B*a**2*g*i**3*(a**3*d**3 - 5*a**2*b*c*d**2 + 10*a
*b**2*c**2*d - 10*b**3*c**3)*log(x + (B*a**5*c*d**4*g*i**3 - 5*B*a**4*b*c*
*2*d**3*g*i**3 + 10*B*a**3*b**2*c**3*d**2*g*i**3 + B*a**3*d**2*g*i**3*(a**
3*d**3 - 5*a**2*b*c*d**2 + 10*a*b**2*c**2*d - 10*b**3*c**3)/b - 15*B*a**2*
b**3*c**4*d*g*i**3 - B*a**2*c*d*g*i**3*(a**3*d**3 - 5*a**2*b*c*d**2 + 10*a
*b**2*c**2*d - 10*b**3*c**3) + B*a*b**4*c**5*g*i**3)/(B*a**5*d**5*g*i**3 -
 5*B*a**4*b*c*d**4*g*i**3 + 10*B*a**3*b**2*c**2*d**3*g*i**3 - 10*B*a**2*b*
*3*c**3*d**2*g*i**3 - 5*B*a*b**4*c**4*d*g*i**3 + B*b**5*c**5*g*i**3))/(20*
b**4) - B*c**4*g*i**3*(5*a*d - b*c)*log(x + (B*a**5*c*d**4*g*i**3 - 5*B*a*
*4*b*c**2*d**3*g*i**3 + 10*B*a**3*b**2*c**3*d**2*g*i**3 - 15*B*a**2*b**3*c
**4*d*g*i**3 + B*a*b**4*c**5*g*i**3 + B*a*b**3*c**4*g*i**3*(5*a*d - b*c) -
 B*b**4*c**5*g*i**3*(5*a*d - b*c)/d)/(B*a**5*d**5*g*i**3 - 5*B*a**4*b*c*d*
*4*g*i**3 + 10*B*a**3*b**2*c**2*d**3*g*i**3 - 10*B*a**2*b**3*c**3*d**2*g*i
**3 - 5*B*a*b**4*c**4*d*g*i**3 + B*b**5*c**5*g*i**3))/(20*d**2) + x**4*(A*
a*d**3*g*i**3/4 + 3*A*b*c*d**2*g*i**3/4 + B*a*d**3*g*i**3/20 - B*b*c*d**2*
g*i**3/20) + x**3*(A*a*c*d**2*g*i**3 + A*b*c**2*d*g*i**3 + B*a**2*d**3*g*i
**3/(60*b) + B*a*c*d**2*g*i**3/6 - 11*B*b*c**2*d*g*i**3/60) + x**2*(3*A*a*
c**2*d*g*i**3/2 + A*b*c**3*g*i**3/2 - B*a**3*d**3*g*i**3/(40*b**2) + B*a**
2*c*d**2*g*i**3/(8*b) + B*a*c**2*d*g*i**3/8 - 9*B*b*c**3*g*i**3/40) + x*(A
*a*c**3*g*i**3 + B*a**4*d**3*g*i**3/(20*b**3) - B*a**3*c*d**2*g*i**3/(4...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1022 vs. $2(255) = 510$.

Time $= 0.06$ (sec) , antiderivative size $= 1022$, normalized size of antiderivative $= 3.77$

$$\int (ag + bgx)(ci + dix)^3 \left(A + B \log\left(\frac{e(a + bx)}{c + dx}\right)\right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="maxima")
```

output

```
1/5*A*b*d^3*g*i^3*x^5 + 3/4*A*b*c*d^2*g*i^3*x^4 + 1/4*A*a*d^3*g*i^3*x^4 +
A*b*c^2*d*g*i^3*x^3 + A*a*c*d^2*g*i^3*x^3 + 1/2*A*b*c^3*g*i^3*x^2 + 3/2*A*
a*c^2*d*g*i^3*x^2 + (x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x +
a)/b - c*log(d*x + c)/d)*B*a*c^3*g*i^3 + 1/2*(x^2*log(b*e*x/(d*x + c) + a*
e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x
/(b*d))*B*b*c^3*g*i^3 + 3/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^
2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*a*c^2*d
*g*i^3 + 1/2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x +
 a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 -
 a^2*d^2)*x)/(b^2*d^2))*B*b*c^2*d*g*i^3 + 1/2*(2*x^3*log(b*e*x/(d*x + c) +
 a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*
c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B*a*c*d^2*g*i^3 +
 1/8*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4
+ 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d -
 a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*b*c*d^2*g*i^3 + 1/
24*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 +
6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a
^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*a*d^3*g*i^3 + 1/60*(
12*x^5*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 12*a^5*log(b*x + a)/b^5 - 12
*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2*d^2...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2589 vs. $2(255) = 510$.

Time $= 0.30$ (sec) , antiderivative size $= 2589$, normalized size of antiderivative $= 9.55$

$$\int (ag + bgx)(ci + dix)^3 \left(A + B \log\left(\frac{e(a + bx)}{c + dx}\right)\right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algori
thm="giac")
```

output

```
-1/120*(6*(B*b^7*c^6*e^6*g*i^3 - 6*B*a*b^6*c^5*d*e^6*g*i^3 + 15*B*a^2*b^5*
c^4*d^2*e^6*g*i^3 - 20*B*a^3*b^4*c^3*d^3*e^6*g*i^3 + 15*B*a^4*b^3*c^2*d^4*
e^6*g*i^3 - 6*B*a^5*b^2*c*d^5*e^6*g*i^3 + B*a^6*b*d^6*e^6*g*i^3 - 5*(b*e*x
 + a*e)*B*b^6*c^6*d*e^5*g*i^3/(d*x + c) + 30*(b*e*x + a*e)*B*a*b^5*c^5*d^2
*e^5*g*i^3/(d*x + c) - 75*(b*e*x + a*e)*B*a^2*b^4*c^4*d^3*e^5*g*i^3/(d*x +
 c) + 100*(b*e*x + a*e)*B*a^3*b^3*c^3*d^4*e^5*g*i^3/(d*x + c) - 75*(b*e*x
 + a*e)*B*a^4*b^2*c^2*d^5*e^5*g*i^3/(d*x + c) + 30*(b*e*x + a*e)*B*a^5*b*c*
d^6*e^5*g*i^3/(d*x + c) - 5*(b*e*x + a*e)*B*a^6*d^7*e^5*g*i^3/(d*x + c))*l
og((b*e*x + a*e)/(d*x + c))/(b^5*d^2*e^5 - 5*(b*e*x + a*e)*b^4*d^3*e^4/(d*
x + c) + 10*(b*e*x + a*e)^2*b^3*d^4*e^3/(d*x + c)^2 - 10*(b*e*x + a*e)^3*b
^2*d^5*e^2/(d*x + c)^3 + 5*(b*e*x + a*e)^4*b*d^6*e/(d*x + c)^4 - (b*e*x +
a*e)^5*d^7/(d*x + c)^5) + (6*A*b^10*c^6*e^6*g*i^3 - 5*B*b^10*c^6*e^6*g*i^3
 - 36*A*a*b^9*c^5*d*e^6*g*i^3 + 30*B*a*b^9*c^5*d*e^6*g*i^3 + 90*A*a^2*b^8*
c^4*d^2*e^6*g*i^3 - 75*B*a^2*b^8*c^4*d^2*e^6*g*i^3 - 120*A*a^3*b^7*c^3*d^3
*e^6*g*i^3 + 100*B*a^3*b^7*c^3*d^3*e^6*g*i^3 + 90*A*a^4*b^6*c^2*d^4*e^6*g*
i^3 - 75*B*a^4*b^6*c^2*d^4*e^6*g*i^3 - 36*A*a^5*b^5*c*d^5*e^6*g*i^3 + 30*B
*a^5*b^5*c*d^5*e^6*g*i^3 + 6*A*a^6*b^4*d^6*e^6*g*i^3 - 5*B*a^6*b^4*d^6*e^6
*g*i^3 - 30*(b*e*x + a*e)*A*b^9*c^6*d*e^5*g*i^3/(d*x + c) + 31*(b*e*x + a*
e)*B*b^9*c^6*d*e^5*g*i^3/(d*x + c) + 180*(b*e*x + a*e)*A*a*b^8*c^5*d^2*e^5
*g*i^3/(d*x + c) - 186*(b*e*x + a*e)*B*a*b^8*c^5*d^2*e^5*g*i^3/(d*x + c...
```

Mupad [B] (verification not implemented)

Time = 27.98 (sec) , antiderivative size = 1192, normalized size of antiderivative = 4.40

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output

```
x^4*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d - B*b*c))/20 - (A*d^2*g*i^3*(
20*a*d + 20*b*c))/80) + x*((a*c*(((20*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d
+ 20*A*b*c + B*a*d - B*b*c))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(20*
b*d) - (d*g*i^3*(4*A*a^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2 - 3*B*b^2*c^2 + 32
*A*a*b*c*d + 2*B*a*b*c*d))/(4*b) + A*a*c*d^2*g*i^3))/(b*d) - ((20*a*d + 20
*b*c)*(((20*a*d + 20*b*c)*(((20*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A
*b*c + B*a*d - B*b*c))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(20*b*d) -
 (d*g*i^3*(4*A*a^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2 - 3*B*b^2*c^2 + 32*A*a*b
*c*d + 2*B*a*b*c*d))/(4*b) + A*a*c*d^2*g*i^3))/(20*b*d) - (a*c*((d^2*g*i^3
*(10*A*a*d + 20*A*b*c + B*a*d - B*b*c))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c)
)/20))/(b*d) + (c*g*i^3*(4*A*a^2*d^2 + 4*A*b^2*c^2 + B*a^2*d^2 - B*b^2*c^2
 + 12*A*a*b*c*d))/b))/(20*b*d) + (c^2*g*i^3*(12*A*a^2*d^2 + 2*A*b^2*c^2 +
3*B*a^2*d^2 - B*b^2*c^2 + 16*A*a*b*c*d - 2*B*a*b*c*d))/(2*b*d)) - x^3*(((2
0*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d - B*b*c))/5 - (A*
d^2*g*i^3*(20*a*d + 20*b*c))/20))/(60*b*d) - (d*g*i^3*(4*A*a^2*d^2 + 24*A*
b^2*c^2 + B*a^2*d^2 - 3*B*b^2*c^2 + 32*A*a*b*c*d + 2*B*a*b*c*d))/(12*b) +
(A*a*c*d^2*g*i^3)/3) + x^2*(((20*a*d + 20*b*c)*(((20*a*d + 20*b*c)*((d^2*g
*i^3*(10*A*a*d + 20*A*b*c + B*a*d - B*b*c))/5 - (A*d^2*g*i^3*(20*a*d + 20*
b*c))/20))/(20*b*d) - (d*g*i^3*(4*A*a^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2 - 3
*B*b^2*c^2 + 32*A*a*b*c*d + 2*B*a*b*c*d))/(4*b) + A*a*c*d^2*g*i^3))/(40...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 703, normalized size of antiderivative = 2.59

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$
$$=\frac{gi\left(-24\log\left(\frac{bex+ae}{dx+c}\right)b^5d^5x^5-6a^4bd^5x+3a^3b^2d^5x^2-2a^2b^3d^5x^3-6ab^4d^5x^4+6b^5c^4dx+27b^5c^3d^2x^2+22\right.}{}$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(g*i*(6*log(a + b*x)*a**5*d**5 - 30*log(a + b*x)*a**4*b*c*d**4 + 60*log(a
+ b*x)*a**3*b**2*c**2*d**3 - 60*log(a + b*x)*a**2*b**3*c**3*d**2 + 30*log(
a + b*x)*a*b**4*c**4*d - 6*log(a + b*x)*b**5*c**5 - 30*log((a*e + b*e*x)/(
c + d*x))*a*b**4*c**4*d - 120*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**3*d**
2*x - 180*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*d**3*x**2 - 120*log((a*
e + b*e*x)/(c + d*x))*a*b**4*c*d**4*x**3 - 30*log((a*e + b*e*x)/(c + d*x))
*a*b**4*d**5*x**4 + 6*log((a*e + b*e*x)/(c + d*x))*b**5*c**5 - 60*log((a*e
 + b*e*x)/(c + d*x))*b**5*c**3*d**2*x**2 - 120*log((a*e + b*e*x)/(c + d*x)
)*b**5*c**2*d**3*x**3 - 90*log((a*e + b*e*x)/(c + d*x))*b**5*c*d**4*x**4 -
 24*log((a*e + b*e*x)/(c + d*x))*b**5*d**5*x**5 - 6*a**4*b*d**5*x + 30*a**
3*b**2*c*d**4*x + 3*a**3*b**2*d**5*x**2 - 120*a**2*b**3*c**3*d**2*x - 180*
a**2*b**3*c**2*d**3*x**2 - 60*a**2*b**3*c**2*d**3*x - 120*a**2*b**3*c*d**4
*x**3 - 15*a**2*b**3*c*d**4*x**2 - 30*a**2*b**3*d**5*x**4 - 2*a**2*b**3*d*
*5*x**3 - 60*a*b**4*c**3*d**2*x**2 + 30*a*b**4*c**3*d**2*x - 120*a*b**4*c*
*2*d**3*x**3 - 15*a*b**4*c**2*d**3*x**2 - 90*a*b**4*c*d**4*x**4 - 20*a*b**
4*c*d**4*x**3 - 24*a*b**4*d**5*x**5 - 6*a*b**4*d**5*x**4 + 6*b**5*c**4*d*x
 + 27*b**5*c**3*d**2*x**2 + 22*b**5*c**2*d**3*x**3 + 6*b**5*c*d**4*x**4))/
(120*b**3*d**2)
```

3.23 $\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$

Optimal result . . . 359
Mathematica [A] (verified) . . . 359
Rubi [A] (verified) . . . 360
Maple [B] (verified) . . . 361
Fricas [B] (verification not implemented) . . . 362
Sympy [B] (verification not implemented) . . . 363
Maxima [B] (verification not implemented) . . . 364
Giac [B] (verification not implemented) . . . 365
Mupad [B] (verification not implemented) . . . 367
Reduce [B] (verification not implemented) . . . 368

Optimal result

Integrand size = 30, antiderivative size = 149

$$\begin{aligned}&\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx \\ &= -\frac{B(bc-ad)^3 i^3 x}{4b^3} - \frac{B(bc-ad)^2 i^3 (c+dx)^2}{8b^2 d} - \frac{B(bc-ad) i^3 (c+dx)^3}{12bd} \\ &\quad - \frac{B(bc-ad)^4 i^3 \log(a+bx)}{4b^4 d} + \frac{i^3 (c+dx)^4 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d}\end{aligned}$$

output

```
-1/4*B*(-a*d+b*c)^3*i^3*x/b^3-1/8*B*(-a*d+b*c)^2*i^3*(d*x+c)^2/b^2/d-1/12*
B*(-a*d+b*c)*i^3*(d*x+c)^3/b/d-1/4*B*(-a*d+b*c)^4*i^3*ln(b*x+a)/b^4/d+1/4*
i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 120, normalized size of antiderivative = 0.81

$$\begin{aligned}&\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx \\ &= \frac{i^3\left(-\frac{B(bc-ad)(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx))}{6b^4} + (c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\right)}{4d}\end{aligned}$$

input
```
Integrate[(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
(i^3*(-1/6*(B*(b*c - a*d)*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c +
d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]))/b^4 + (c + d*x
)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])))/(4*d)
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 129, normalized size of antiderivative = 0.87, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2948, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right) dx$$

$$\downarrow 2948$$

$$\frac{i^3(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d} - \frac{B(bc-ad)\int \frac{i^4(c+dx)^3}{a+bx}dx}{4di}$$

$$\downarrow 27$$

$$\frac{i^3(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d} - \frac{Bi^3(bc-ad)\int \frac{(c+dx)^3}{a+bx}dx}{4d}$$

$$\downarrow 49$$

$$\frac{i^3(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d} - \frac{Bi^3(bc-ad)\int \left(\frac{(bc-ad)^3}{b^3(a+bx)}+\frac{d(bc-ad)^2}{b^3}+\frac{d(c+dx)(bc-ad)}{b^2}+\frac{d(c+dx)^2}{b}\right)dx}{4d}$$

$$\downarrow 2009$$

$$\frac{i^3(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d} - \frac{Bi^3(bc-ad)\left(\frac{(bc-ad)^3\log(a+bx)}{b^4}+\frac{dx(bc-ad)^2}{b^3}+\frac{(c+dx)^2(bc-ad)}{2b^2}+\frac{(c+dx)^3}{3b}\right)}{4d}$$

input
```
Int[(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]),x]
```

output
```
-1/4*(B*(b*c - a*d)*i^3*((d*(b*c - a*d)^2*x)/b^3 + ((b*c - a*d)*(c + d*x)^
2)/(2*b^2) + (c + d*x)^3/(3*b) + ((b*c - a*d)^3*Log[a + b*x])/b^4))/d + (i
^3*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 313 vs. $2(139) = 278$.

Time = 1.24 (sec) , antiderivative size = 314, normalized size of antiderivative = 2.11

method	result
risch	$\frac{i^3(dx+c)^4 B \ln\left(\frac{e(bx+a)}{dx+c}\right)}{4d} + \frac{i^3 d^3 A x^4}{4} + i^3 d^2 Ac x^3 + \frac{i^3 d^3 Ba x^3}{12b} - \frac{i^3 d^2 Bc x^3}{12} + \frac{3i^3 dA c^2 x^2}{2} - \frac{i^3 d^3 B a^2 x}$
parts	$\frac{A i^3(dx+c)^4}{4d} - B i^3(da-bc)^4 e^4 \left(- \frac{1}{4b^3 e^3 d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)} + \frac{1}{8b^2 e^2 d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)^2} -$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{Ad\,e^3 i^3\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)}{4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^4} - B\,d^2 e^3 i^3\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)\left(-\frac{}{12bed\left(be-\left(\frac{be}{d}\right.\right.\right.\right.}$
default	$-\frac{e(da-bc)\left(-\frac{Ad\,e^3 i^3\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)}{4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^4} - B\,d^2 e^3 i^3\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)\left(-\frac{}{12bed\left(be-\left(\frac{be}{d}\right.\right.\right.\right.}$
parallelrisch	$\frac{-6Ba^4d^4i^3+18Bb^4c^4i^3+21Ba^3bcd^3i^3-24Ba^2b^2c^2d^2i^3-9Bab^3c^3di^3+24B\ln(bx+a)a^3bcd^3i^3-36B\ln(bx+a)a^2b^2}{}$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c))),x,method=_RETURNVERBOSE)
```

output
```
1/4*i^3*(d*x+c)^4*B/d*ln(e*(b*x+a)/(d*x+c))+1/4*i^3*d^3*A*x^4+i^3*d^2*A*c*
x^3+1/12*i^3/b*d^3*B*a*x^3-1/12*i^3*d^2*B*c*x^3+3/2*i^3*d*A*c^2*x^2-1/8*i^
3/b^2*d^3*B*a^2*x^2+1/2*i^3/b*d^2*B*a*c*x^2-3/8*i^3*d*B*c^2*x^2+i^3*A*c^3*
x-1/4*i^3/b^4*d^3*B*ln(b*x+a)*a^4+i^3/b^3*d^2*B*ln(b*x+a)*a^3*c-3/2*i^3/b^
2*d*B*ln(b*x+a)*a^2*c^2+i^3/b*B*ln(b*x+a)*a*c^3-1/4*i^3/d*B*ln(b*x+a)*c^4+
1/4*i^3/b^3*d^3*B*a^3*x-i^3/b^2*d^2*B*a^2*c*x+3/2*i^3/b*d*B*a*c^2*x-3/4*i^
3*B*c^3*x
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 322 vs. $2(139) = 278$.

Time = 0.10 (sec) , antiderivative size = 322, normalized size of antiderivative = 2.16

$$\int (ci+dix)^3 \left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) dx$$
$$= \frac{6\,Ab^4d^4i^3x^4 - 6\,Bb^4c^4i^3\log(dx+c) + 2\left((12\,A-B)b^4cd^3 + Bab^3d^4\right)i^3x^3 + 3\left(3\left(4\,A-B\right)b^4c^2d^2 + 4\,Ba\right.}{}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="fricas"
)
```

output
```
1/24*(6*A*b^4*d^4*i^3*x^4 - 6*B*b^4*c^4*i^3*log(d*x + c) + 2*((12*A - B)*b
^4*c*d^3 + B*a*b^3*d^4)*i^3*x^3 + 3*(3*(4*A - B)*b^4*c^2*d^2 + 4*B*a*b^3*c
*d^3 - B*a^2*b^2*d^4)*i^3*x^2 + 6*((4*A - 3*B)*b^4*c^3*d + 6*B*a*b^3*c^2*d
^2 - 4*B*a^2*b^2*c*d^3 + B*a^3*b*d^4)*i^3*x + 6*(4*B*a*b^3*c^3*d - 6*B*a^2
*b^2*c^2*d^2 + 4*B*a^3*b*c*d^3 - B*a^4*d^4)*i^3*log(b*x + a) + 6*(B*b^4*d^
4*i^3*x^4 + 4*B*b^4*c*d^3*i^3*x^3 + 6*B*b^4*c^2*d^2*i^3*x^2 + 4*B*b^4*c^3*
d*i^3*x)*log((b*e*x + a*e)/(d*x + c)))/(b^4*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 706 vs. 2(128) = 256.

Time = 1.98 (sec) , antiderivative size = 706, normalized size of antiderivative = 4.74

$$\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{Ad^3i^3x^4}{4}$$
$$-\frac{Bai^3(ad-2bc)\left(a^2d^2-2abcd+2b^2c^2\right)\log\left(x+\frac{Ba^4cd^3i^3-4Ba^3bc^2d^2i^3+6Ba^2b^2c^3di^3+\frac{Ba^2di^3(ad-2bc)\left(a^2d^2-2abcd+2b}{b}}{Ba^4d^4i^3-4Ba^3bcd^3i^3+6Ba^2b^2c^2d^2i^3-}\right)}{4b^4}$$
$$-\frac{Bc^4i^3\log\left(x+\frac{Ba^4cd^3i^3-4Ba^3bc^2d^2i^3+6Ba^2b^2c^3di^3-4Bab^3c^4i^3-\frac{Bb^4c^5i^3}{d}}{Ba^4d^4i^3-4Ba^3bcd^3i^3+6Ba^2b^2c^2d^2i^3-4Bab^3c^3di^3-Bb^4c^4i^3}\right)}{4d}$$
$$+x^3\left(Acd^2i^3+\frac{Bad^3i^3}{12b}-\frac{Bcd^2i^3}{12}\right)+x^2\cdot\left(\frac{3Ac^2di^3}{2}-\frac{Ba^2d^3i^3}{8b^2}+\frac{Bacd^2i^3}{2b}-\frac{3Bc^2di^3}{8}\right)$$
$$+x\left(Ac^3i^3+\frac{Ba^3d^3i^3}{4b^3}-\frac{Ba^2cd^2i^3}{b^2}+\frac{3Bac^2di^3}{2b}-\frac{3Bc^3i^3}{4}\right)$$
$$+\left(Bc^3i^3x+\frac{3Bc^2di^3x^2}{2}+Bcd^2i^3x^3+\frac{Bd^3i^3x^4}{4}\right)\log\left(\frac{e(a+bx)}{c+dx}\right)$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c))),x)
```

output

```
A*d**3*i**3*x**4/4 - B*a*i**3*(a*d - 2*b*c)*(a**2*d**2 - 2*a*b*c*d + 2*b**
2*c**2)*log(x + (B*a**4*c*d**3*i**3 - 4*B*a**3*b*c**2*d**2*i**3 + 6*B*a**2
*b**2*c**3*d*i**3 + B*a**2*d*i**3*(a*d - 2*b*c)*(a**2*d**2 - 2*a*b*c*d + 2
*b**2*c**2)/b - 5*B*a*b**3*c**4*i**3 - B*a*c*i**3*(a*d - 2*b*c)*(a**2*d**2
 - 2*a*b*c*d + 2*b**2*c**2))/(B*a**4*d**4*i**3 - 4*B*a**3*b*c*d**3*i**3 +
6*B*a**2*b**2*c**2*d**2*i**3 - 4*B*a*b**3*c**3*d*i**3 - B*b**4*c**4*i**3))
/(4*b**4) - B*c**4*i**3*log(x + (B*a**4*c*d**3*i**3 - 4*B*a**3*b*c**2*d**2
*i**3 + 6*B*a**2*b**2*c**3*d*i**3 - 4*B*a*b**3*c**4*i**3 - B*b**4*c**5*i**
3/d)/(B*a**4*d**4*i**3 - 4*B*a**3*b*c*d**3*i**3 + 6*B*a**2*b**2*c**2*d**2*
i**3 - 4*B*a*b**3*c**3*d*i**3 - B*b**4*c**4*i**3))/(4*d) + x**3*(A*c*d**2*
i**3 + B*a*d**3*i**3/(12*b) - B*c*d**2*i**3/12) + x**2*(3*A*c**2*d*i**3/2
- B*a**2*d**3*i**3/(8*b**2) + B*a*c*d**2*i**3/(2*b) - 3*B*c**2*d*i**3/8) +
 x*(A*c**3*i**3 + B*a**3*d**3*i**3/(4*b**3) - B*a**2*c*d**2*i**3/b**2 + 3*
B*a*c**2*d*i**3/(2*b) - 3*B*c**3*i**3/4) + (B*c**3*i**3*x + 3*B*c**2*d*i**
3*x**2/2 + B*c*d**2*i**3*x**3 + B*d**3*i**3*x**4/4)*log(e*(a + b*x)/(c + d
*x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 439 vs. $2(139) = 278$.

Time $= 0.04$ (sec) , antiderivative size $= 439$, normalized size of antiderivative $= 2.95$

$$\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx = \frac{1}{4}Ad^3i^3x^4 + Acd^2i^3x^3 + \frac{3}{2}Ac^2di^3x^2$$
$$+\left(x\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right)Bc^3i^3$$
$$+\frac{3}{2}\left(x^2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{a^2\log(bx+a)}{b^2}+\frac{c^2\log(dx+c)}{d^2}-\frac{(bc-ad)x}{bd}\right)Bc^2di^3$$
$$+\frac{1}{2}\left(2x^3\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)+\frac{2a^3\log(bx+a)}{b^3}-\frac{2c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2(b^2c^2-}{b^2d^2}\right.$$
$$+\frac{1}{24}\left(6x^4\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)-\frac{6a^4\log(bx+a)}{b^4}+\frac{6c^4\log(dx+c)}{d^4}-\frac{2(b^3cd^2-ab^2d^3)x^3-3(b^3}{}\right.$$
$$+Ac^3i^3x$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="maxima"
)
```

output

```
1/4*A*d^3*i^3*x^4 + A*c*d^2*i^3*x^3 + 3/2*A*c^2*d*i^3*x^2 + (x*log(b*e*x/(
d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*B*c^3*i^3
 + 3/2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 +
c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*B*c^2*d*i^3 + 1/2*(2*x^3*log(b
*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x +
 c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*B
*c*d^2*i^3 + 1/24*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(
b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3
*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*B*d^3*i
^3 + A*c^3*i^3*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1506 vs. $2(139) = 278$.

Time $= 0.27$ (sec) , antiderivative size $= 1506$, normalized size of antiderivative $= 10.11$

$$\int (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right) dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x, algorithm="giac")
```

output

```
1/24*(6*(B*b^5*c^5*e^5*i^3 - 5*B*a*b^4*c^4*d*e^5*i^3 + 10*B*a^2*b^3*c^3*d^
2*e^5*i^3 - 10*B*a^3*b^2*c^2*d^3*e^5*i^3 + 5*B*a^4*b*c*d^4*e^5*i^3 - B*a^5
*d^5*e^5*i^3)*log((b*e*x + a*e)/(d*x + c))/(b^4*d*e^4 - 4*(b*e*x + a*e)*b^
3*d^2*e^3/(d*x + c) + 6*(b*e*x + a*e)^2*b^2*d^3*e^2/(d*x + c)^2 - 4*(b*e*x
 + a*e)^3*b*d^4*e/(d*x + c)^3 + (b*e*x + a*e)^4*d^5/(d*x + c)^4) + (6*A*b^
8*c^5*e^5*i^3 - 11*B*b^8*c^5*e^5*i^3 - 30*A*a*b^7*c^4*d*e^5*i^3 + 55*B*a*b
^7*c^4*d*e^5*i^3 + 60*A*a^2*b^6*c^3*d^2*e^5*i^3 - 110*B*a^2*b^6*c^3*d^2*e^
5*i^3 - 60*A*a^3*b^5*c^2*d^3*e^5*i^3 + 110*B*a^3*b^5*c^2*d^3*e^5*i^3 + 30*
A*a^4*b^4*c*d^4*e^5*i^3 - 55*B*a^4*b^4*c*d^4*e^5*i^3 - 6*A*a^5*b^3*d^5*e^5
*i^3 + 11*B*a^5*b^3*d^5*e^5*i^3 + 26*(b*e*x + a*e)*B*b^7*c^5*d*e^4*i^3/(d*
x + c) - 130*(b*e*x + a*e)*B*a*b^6*c^4*d^2*e^4*i^3/(d*x + c) + 260*(b*e*x
+ a*e)*B*a^2*b^5*c^3*d^3*e^4*i^3/(d*x + c) - 260*(b*e*x + a*e)*B*a^3*b^4*c
^2*d^4*e^4*i^3/(d*x + c) + 130*(b*e*x + a*e)*B*a^4*b^3*c*d^5*e^4*i^3/(d*x
+ c) - 26*(b*e*x + a*e)*B*a^5*b^2*d^6*e^4*i^3/(d*x + c) - 21*(b*e*x + a*e)
^2*B*b^6*c^5*d^2*e^3*i^3/(d*x + c)^2 + 105*(b*e*x + a*e)^2*B*a*b^5*c^4*d^3
*e^3*i^3/(d*x + c)^2 - 210*(b*e*x + a*e)^2*B*a^2*b^4*c^3*d^4*e^3*i^3/(d*x
+ c)^2 + 210*(b*e*x + a*e)^2*B*a^3*b^3*c^2*d^5*e^3*i^3/(d*x + c)^2 - 105*(
b*e*x + a*e)^2*B*a^4*b^2*c*d^6*e^3*i^3/(d*x + c)^2 + 21*(b*e*x + a*e)^2*B*
a^5*b*d^7*e^3*i^3/(d*x + c)^2 + 6*(b*e*x + a*e)^3*B*b^5*c^5*d^3*e^2*i^3/(d
*x + c)^3 - 30*(b*e*x + a*e)^3*B*a*b^4*c^4*d^4*e^2*i^3/(d*x + c)^3 + 60...
```

Mupad [B] (verification not implemented)

Time = 27.08 (sec) , antiderivative size = 566, normalized size of antiderivative = 3.80

$$\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)dx$$

$$=x\left(\frac{(4ad+4bc)\left(\frac{\left(\frac{d^2i^3(4Aad+16Abc+Bad-Bbc)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)(4ad+4bc)}{4bd}-\frac{cdi^3(4Aad+6Abc+Bad-Bbc)}{b}+\frac{A}{4bd}\right.}{}\right.$$

$$\left.+\frac{c^2i^3(12Aad+8Abc+3Bad-3Bbc)}{2b}-\frac{ac\left(\frac{d^2i^3(4Aad+16Abc+Bad-Bbc)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)}{bd}\right)$$

$$-x^2\left(\frac{\left(\frac{d^2i^3(4Aad+16Abc+Bad-Bbc)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)(4ad+4bc)}{8bd}\right.$$

$$\left.-\frac{cdi^3(4Aad+6Abc+Bad-Bbc)}{2b}+\frac{Aacd^2i^3}{2b}\right)$$

$$+\ln\left(\frac{e(a+bx)}{c+dx}\right)\left(Bc^3i^3x+\frac{3Bc^2di^3x^2}{2}+Bcd^2i^3x^3+\frac{Bd^3i^3x^4}{4}\right)$$

$$+x^3\left(\frac{d^2i^3(4Aad+16Abc+Bad-Bbc)}{12b}-\frac{Ad^2i^3(4ad+4bc)}{12b}\right)$$

$$-\frac{\ln(a+bx)\left(Ba^4d^3i^3-4Ba^3bcd^2i^3+6Ba^2b^2c^2di^3-4Bab^3c^3i^3\right)}{4b^4}$$

$$+\frac{Ad^3i^3x^4}{4}-\frac{Bc^4i^3\ln(c+dx)}{4d}$$

input

```
int((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))),x)
```

output

```
x*(((4*a*d + 4*b*c)*((((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d - B*b*c))/(4*b
) - (A*d^2*i^3*(4*a*d + 4*b*c))/(4*b))*(4*a*d + 4*b*c))/(4*b*d) - (c*d*i^3
*(4*A*a*d + 6*A*b*c + B*a*d - B*b*c))/b + (A*a*c*d^2*i^3)/b))/(4*b*d) + (c
^2*i^3*(12*A*a*d + 8*A*b*c + 3*B*a*d - 3*B*b*c))/(2*b) - (a*c*((d^2*i^3*(4
*A*a*d + 16*A*b*c + B*a*d - B*b*c))/(4*b) - (A*d^2*i^3*(4*a*d + 4*b*c))/(4
*b)))/(b*d)) - x^2*((((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d - B*b*c))/(4*b)
 - (A*d^2*i^3*(4*a*d + 4*b*c))/(4*b))*(4*a*d + 4*b*c))/(8*b*d) - (c*d*i^3*
(4*A*a*d + 6*A*b*c + B*a*d - B*b*c))/(2*b) + (A*a*c*d^2*i^3)/(2*b)) + log(
(e*(a + b*x))/(c + d*x))*((B*d^3*i^3*x^4)/4 + B*c^3*i^3*x + (3*B*c^2*d*i^3
*x^2)/2 + B*c*d^2*i^3*x^3) + x^3*((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d - B
*b*c))/(12*b) - (A*d^2*i^3*(4*a*d + 4*b*c))/(12*b)) - (log(a + b*x)*(B*a^4
*d^3*i^3 - 4*B*a*b^3*c^3*i^3 + 6*B*a^2*b^2*c^2*d*i^3 - 4*B*a^3*b*c*d^2*i^3
))/(4*b^4) + (A*d^3*i^3*x^4)/4 - (B*c^4*i^3*log(c + d*x))/(4*d)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 477, normalized size of antiderivative = 3.20

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\,dx$$
$$= \frac{i\left(-6a^3b\,d^4x+3a^2b^2d^4x^2-2a\,b^3d^4x^3+18b^4c^3dx+9b^4c^2d^2x^2+2b^4c\,d^3x^3-24\log(dx+c)\,a^3bc\,d^3+36\right.}{}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c))),x)
```

output

```
(i*(6*log(c + d*x)*a**4*d**4 - 24*log(c + d*x)*a**3*b*c*d**3 + 36*log(c +
d*x)*a**2*b**2*c**2*d**2 - 24*log(c + d*x)*a*b**3*c**3*d + 6*log(c + d*x)*
b**4*c**4 + 6*log((a*e + b*e*x)/(c + d*x))*a**4*d**4 - 24*log((a*e + b*e*x
)/(c + d*x))*a**3*b*c*d**3 + 36*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c**
2*d**2 - 24*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**3*d - 24*log((a*e + b*e
*x)/(c + d*x))*b**4*c**3*d*x - 36*log((a*e + b*e*x)/(c + d*x))*b**4*c**2*d
**2*x**2 - 24*log((a*e + b*e*x)/(c + d*x))*b**4*c*d**3*x**3 - 6*log((a*e +
 b*e*x)/(c + d*x))*b**4*d**4*x**4 - 6*a**3*b*d**4*x + 24*a**2*b**2*c*d**3*
x + 3*a**2*b**2*d**4*x**2 - 24*a*b**3*c**3*d*x - 36*a*b**3*c**2*d**2*x**2
- 36*a*b**3*c**2*d**2*x - 24*a*b**3*c*d**3*x**3 - 12*a*b**3*c*d**3*x**2 -
6*a*b**3*d**4*x**4 - 2*a*b**3*d**4*x**3 + 18*b**4*c**3*d*x + 9*b**4*c**2*d
**2*x**2 + 2*b**4*c*d**3*x**3))/(24*b**3*d)
```

3.24 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 369
Mathematica [A] (verified) . . . 370
Rubi [A] (verified) . . . 371
Maple [B] (verified) . . . 377
Fricas [F] . . . 378
Sympy [F] . . . 379
Maxima [B] (verification not implemented) . . . 379
Giac [F] . . . 380
Mupad [F(-1)] . . . 381
Reduce [F] . . . 381

Optimal result

Integrand size = 40, antiderivative size = 356

$$\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx \\
&= -\frac{5Bd(bc-ad)^2i^3x}{6b^3g} - \frac{B(bc-ad)i^3(c+dx)^2}{6b^2g} - \frac{5B(bc-ad)^3i^3\log\left(\frac{a+bx}{c+dx}\right)}{6b^4g} \\
&\quad + \frac{d(bc-ad)^2i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g} \\
&\quad + \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2g} \\
&\quad + \frac{i^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3bg} - \frac{11B(bc-ad)^3i^3\log(c+dx)}{6b^4g} \\
&\quad - \frac{(bc-ad)^3i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{B(bc-ad)^3i^3\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g}
\end{aligned}$$

output

```
-5/6*B*d*(-a*d+b*c)^2*i^3*x/b^3/g-1/6*B*(-a*d+b*c)*i^3*(d*x+c)^2/b^2/g-5/6
*B*(-a*d+b*c)^3*i^3*ln((b*x+a)/(d*x+c))/b^4/g+d*(-a*d+b*c)^2*i^3*(b*x+a)*(
A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g+1/2*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b
*x+a)/(d*x+c)))/b^2/g+1/3*i^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g-11
/6*B*(-a*d+b*c)^3*i^3*ln(d*x+c)/b^4/g-(-a*d+b*c)^3*i^3*(A+B*ln(e*(b*x+a)/(
d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g+B*(-a*d+b*c)^3*i^3*polylog(2,b*(d
*x+c)/d/(b*x+a))/b^4/g
```

Mathematica [A] (verified)

Time = 0.31 (sec) , antiderivative size = 352, normalized size of antiderivative = 0.99

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^3\Big(6Abd(bc-ad)^2x-3B(bc-ad)^2(bdx+(bc-ad)\log(a+bx))-B(bc-ad)\,(2bd(bc-ad)x+b^2(c+$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x),x]
```

output

```
(i^3*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*(b*d*x + (b*c - a*d)*Log
[a + b*x]) - B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c
 - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/
(c + d*x)] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d
*x)]) + 2*b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*(b*c -
a*d)^3*Log[g*(a + b*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B*(b*c -
a*d)^3*Log[c + d*x] - 3*B*(b*c - a*d)^3*(Log[g*(a + b*x)]*(Log[g*(a + b*x)
] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c)
 + a*d)])))/(6*b^4*g)
```

Rubi [A] (verified)

Time = 1.31 (sec) , antiderivative size = 462, normalized size of antiderivative = 1.30, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {2962, 2789, 2756, 54, 2009, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ag+bgx}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)^3\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{d\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)$$

$$\downarrow 2756$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int \frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)$$

$$\downarrow 54$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\right.}{(a+bx)\left(b-\frac{d}{}\right.}}{g}$$

$$\downarrow 2009$$

$$i^3(bc-ad)^3\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^3}+\frac{1}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{}{2b\left(b-\frac{d}{}\right.}\right.}{3d}\right)}{b}\right)}{g}$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d(a+}{c+d}\right.}{b^3}\right.}{b}\right)}{g}$$

$$\downarrow 2756$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-$$

$$g$$

$$\downarrow 54$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+$$

$$g$$

$$\downarrow 2009$$

$$i^3(bc-ad)^3\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}\right)}{b}+\frac{d\left(\frac{E}{-}\right.}{}$$

$$g$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}\right.}{2d}\right.}{b}}{b}\right.$$

$$g$$

$$\downarrow 2751$$

$$i^3(bc-ad)^3\left(\frac{\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B}{}\right.}{b}\right.$$

$$\downarrow 16$$

$$i^3(bc-ad)^3\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\log\right.\right.}{}\right.}{b}\right.$$

$$\downarrow 2779$$



↓ 2838

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x),x
]
```

output
```
((b*c - a*d)^3*i^3*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])/(3*d*(b - (d*
(a + b*x))/(c + d*x))^3) - (B*(1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1
/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[
b - (d*(a + b*x))/(c + d*x)]/b^3))/(3*d)))/b + ((d*((A + B*Log[(e*(a + b*x
))/(c + d*x)])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(1/(b*(b - (d*(a
 + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x)
)/(c + d*x)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c
 + d*x)]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a
+ b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*L
og[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(
a + b*x))])/b)/b)/b)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1085 vs. $2(344) = 688$.

Time = 3.31 (sec) , antiderivative size = 1086, normalized size of antiderivative = 3.05

method	result	size
parts	Expression too large to display	1086
derivativedivides	Expression too large to display	1178
default	Expression too large to display	1178
risch	Expression too large to display	5361

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x,method=_RETURN
VERBOSE)
```

output

```
i^3*A/g*(d/b^3*(1/3*d^2*b^2*x^3-1/2*x^2*a*b*d^2+3/2*x^2*b^2*c*d+x*a^2*d^2-
3*x*a*c*d*b+3*x*c^2*b^2)+(-a^3*d^3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+b^3*c^3)/b^
4*ln(b*x+a))-i^3*B/g/d^5*(a*d-b*c)^4*e^4*((1/3/b^2/e^2/d/((b*e/d+(a*d-b*c)
*e/d/(d*x+c))*d-b*e)-1/6/b/e/d/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)^2+1/3
/b^3/e^3*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-1/3*ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(3*b^2*e^2-3*(b*e/d+(a*d-b*c)*e
/d/(d*x+c))*d*b*e+d^2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)/b^3/e^3/((b*e/d+(a*
d-b*c)*e/d/(d*x+c))*d-b*e)^3)/(a*d-b*c)*d^6/b/e-(-1/2/b/e/d/((b*e/d+(a*d-b
*c)*e/d/(d*x+c))*d-b*e)-1/2/b^2/e^2*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e
)/d+1/2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*((b*
e/d+(a*d-b*c)*e/d/(d*x+c))*d-2*b*e)/b^2/e^2/((b*e/d+(a*d-b*c)*e/d/(d*x+c))
*d-b*e)^2)/(a*d-b*c)*d^6/b^2/e^2+(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d
-b*e)/d-ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/
((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e))/(a*d-b*c)*d^6/b^3/e^3+1/2*ln(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^2/(a*d-b*c)*d^5/b^4/e^4-(dilog(-((b*e/d+(a*d-b*c)*e
/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d
-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)*d^6/b^4/e^4)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="fricas")
```

output

```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log((b
*e*x + a*e)/(d*x + c)))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^3\left(\int \frac{Ac^3}{a+bx}\,dx+\int \frac{Ad^3x^3}{a+bx}\,dx+\int \frac{Bc^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx+\int \frac{3Acd^2x^2}{a+bx}\,dx+\int \frac{3Ac^2dx}{a+bx}\,dx+\int \frac{Bd^3x^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\right.}{g}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
i**3*(Integral(A*c**3/(a + b*x), x) + Integral(A*d**3*x**3/(a + b*x), x) +
 Integral(B*c**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Inte
gral(3*A*c*d**2*x**2/(a + b*x), x) + Integral(3*A*c**2*d*x/(a + b*x), x) +
 Integral(B*d**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) +
 Integral(3*B*c*d**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x),
x) + Integral(3*B*c**2*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x),
 x))/g
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 850 vs. $2(343) = 686$.

Time $= 0.11$ (sec) , antiderivative size $= 850$, normalized size of antiderivative $= 2.39$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="maxima")
```

output

```
3*A*c^2*d*i^3*(x/(b*g) - a*log(b*x + a)/(b^2*g)) - 1/6*A*d^3*i^3*(6*a^3*lo
g(b*x + a)/(b^4*g) - (2*b^2*x^3 - 3*a*b*x^2 + 6*a^2*x)/(b^3*g)) + 3/2*A*c*
d^2*i^3*(2*a^2*log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A*c^3*i^3
*log(b*g*x + a*g)/(b*g) - 1/6*(11*b^2*c^3*i^3 - 15*a*b*c^2*d*i^3 + 6*a^2*c
*d^2*i^3)*B*log(d*x + c)/(b^3*g) + (b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^
2*b*c*d^2*i^3 - a^3*d^3*i^3)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) +
 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^4*g) + 1/6*(2*B*b^3*d^3*i^3*
x^3*log(e) + ((9*i^3*log(e) - i^3)*b^3*c*d^2 - (3*i^3*log(e) - i^3)*a*b^2*
d^3)*B*x^2 + 3*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c*d^2*i^3 - a^3*
d^3*i^3)*B*log(b*x + a)^2 + ((18*i^3*log(e) - 7*i^3)*b^3*c^2*d - 6*(3*i^3*
log(e) - 2*i^3)*a*b^2*c*d^2 + (6*i^3*log(e) - 5*i^3)*a^2*b*d^3)*B*x + (2*B
*b^3*d^3*i^3*x^3 + 3*(3*b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B*x^2 + 6*(3*b^3*c^
2*d*i^3 - 3*a*b^2*c*d^2*i^3 + a^2*b*d^3*i^3)*B*x + (6*b^3*c^3*i^3*log(e) -
 18*(i^3*log(e) - i^3)*a*b^2*c^2*d + 9*(2*i^3*log(e) - 3*i^3)*a^2*b*c*d^2
 - (6*i^3*log(e) - 11*i^3)*a^3*d^3)*B)*log(b*x + a) - (2*B*b^3*d^3*i^3*x^3
 + 3*(3*b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B*x^2 + 6*(3*b^3*c^2*d*i^3 - 3*a*b^2
*c*d^2*i^3 + a^2*b*d^3*i^3)*B*x + 6*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a
^2*b*c*d^2*i^3 - a^3*d^3*i^3)*B*log(b*x + a))*log(d*x + c))/(b^4*g)
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x, algori
thm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x),x
)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x),
x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i\left(-6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)b^5c^3 - 6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^3}{bx+a}dx\right)b^5d^3 - 18\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^2}{bx+a}dx\right)b^5c\,d^2 - 18\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)b^5c^2d + 6\log(a+bx)a^4d^3 - 18\log(a+bx)a^3bcd^2 + 18\log(a+bx)a^2b^2c^2d - 6\log(a+bx)ab^3c^3 - 6a^3bd^3x + 18a^2b^2cd^2x + 3a^2b^2d^3x^2 - 18ab^3c^2dx - 9ab^3cd^2x^2 - 2ab^3d^3x^3\right)}{6b^4g}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g),x)
```

output
```
(i*( - 6*int(log((a*e + b*e*x)/(c + d*x))/(a + b*x),x)*b**5*c**3 - 6*int((
log((a*e + b*e*x)/(c + d*x))*x**3)/(a + b*x),x)*b**5*d**3 - 18*int((log((a
*e + b*e*x)/(c + d*x))*x**2)/(a + b*x),x)*b**5*c*d**2 - 18*int((log((a*e +
 b*e*x)/(c + d*x))*x)/(a + b*x),x)*b**5*c**2*d + 6*log(a + b*x)*a**4*d**3
 - 18*log(a + b*x)*a**3*b*c*d**2 + 18*log(a + b*x)*a**2*b**2*c**2*d - 6*log
(a + b*x)*a*b**3*c**3 - 6*a**3*b*d**3*x + 18*a**2*b**2*c*d**2*x + 3*a**2*b
**2*d**3*x**2 - 18*a*b**3*c**2*d*x - 9*a*b**3*c*d**2*x**2 - 2*a*b**3*d**3*
x**3))/(6*b**4*g)
```

3.25 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 382
Mathematica [A] (verified) . . . 383
Rubi [A] (verified) . . . 384
Maple [B] (verified) . . . 385
Fricas [F] . . . 387
Sympy [F(-1)] . . . 388
Maxima [B] (verification not implemented) . . . 388
Giac [F] . . . 389
Mupad [F(-1)] . . . 390
Reduce [F] . . . 390

Optimal result

Integrand size = 40, antiderivative size = 373

$$\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx \\
&= -\frac{Bd^2(bc-ad)i^3x}{2b^3g^2} - \frac{B(bc-ad)^2i^3(c+dx)}{b^3g^2(a+bx)} - \frac{Bd(bc-ad)^2i^3\log\left(\frac{a+bx}{c+dx}\right)}{2b^4g^2} \\
&\quad + \frac{2d^2(bc-ad)i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g^2} \\
&\quad - \frac{(bc-ad)^2i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^2(a+bx)} \\
&\quad + \frac{di^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2g^2} - \frac{5Bd(bc-ad)^2i^3\log(c+dx)}{2b^4g^2} \\
&\quad - \frac{3d(bc-ad)^2i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{3Bd(bc-ad)^2i^3\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2}
\end{aligned}$$

output
```
-1/2*B*d^2*(-a*d+b*c)*i^3*x/b^3/g^2-B*(-a*d+b*c)^2*i^3*(d*x+c)/b^3/g^2/(b*
x+a)-1/2*B*d*(-a*d+b*c)^2*i^3*ln((b*x+a)/(d*x+c))/b^4/g^2+2*d^2*(-a*d+b*c)
*i^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g^2-(-a*d+b*c)^2*i^3*(d*x+c)*
(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g^2/(b*x+a)+1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*
(b*x+a)/(d*x+c)))/b^2/g^2-5/2*B*d*(-a*d+b*c)^2*i^3*ln(d*x+c)/b^4/g^2-3*d*(
-a*d+b*c)^2*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/
g^2+3*B*d*(-a*d+b*c)^2*i^3*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^2
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 374, normalized size of antiderivative = 1.00

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx$$

$$= \frac{i^3\left(2Abd^2(3bc-2ad)x - bBd^2(bc-ad)x - \frac{2B(bc-ad)^3}{a+bx} - a^2Bd^3\log(a+bx) - 2Bd(bc-ad)^2\log(a+bx)\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^2,x]
```

output
```
(i^3*(2*A*b*d^2*(3*b*c - 2*a*d)*x - b*B*d^2*(b*c - a*d)*x - (2*B*(b*c - a*
d)^3)/(a + b*x) - a^2*B*d^3*Log[a + b*x] - 2*B*d*(b*c - a*d)^2*Log[a + b*x
] + 2*B*d^2*(3*b*c - 2*a*d)*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + b^2*d
^3*x^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - (2*(b*c - a*d)^3*(A + B*Log[
(e*(a + b*x))/(c + d*x)]))/(a + b*x) + 6*d*(b*c - a*d)^2*Log[a + b*x]*(A +
 B*Log[(e*(a + b*x))/(c + d*x)]) + b^2*B*c^2*d*Log[c + d*x] + 2*B*d*(b*c -
 a*d)^2*Log[c + d*x] - 2*B*d*(-(b*c) + a*d)*(-3*b*c + 2*a*d)*Log[c + d*x]
- 3*B*d*(b*c - a*d)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b
*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(2*b^4*g^2)
```

Rubi [A] (verified)

Time = 0.61 (sec) , antiderivative size = 326, normalized size of antiderivative = 0.87, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)^2\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2793$$

$$\frac{i^3(bc-ad)^2\int\left(\frac{2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d^2}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{b^3(a+bx)^2}\right.}{g^2}$$

$$\downarrow 2009$$

$$\frac{i^3(bc-ad)^2\left(\frac{2d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{3d\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^4}-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^3(a+bx)}+\frac{d\left(B\log\right.}{2b^2(}\right.}{g^2}$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^2
,x]
```

output
```
((b*c - a*d)^2*i^3*(-((B*(c + d*x))/(b^3*(a + b*x))) - (B*d)/(2*b^3*(b - (
d*(a + b*x))/(c + d*x))) - (B*d*Log[(a + b*x)/(c + d*x)])/(2*b^4) - ((c +
d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b^3*(a + b*x)) + (d*(A + B*Log
[(e*(a + b*x))/(c + d*x)]))/(2*b^2*(b - (d*(a + b*x))/(c + d*x))^2) + (2*d
^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b^4*(c + d*x)*(b - (d*
(a + b*x))/(c + d*x))) + (5*B*d*Log[b - (d*(a + b*x))/(c + d*x)])/(2*b^4)
- (3*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a +
b*x))])/b^4 + (3*B*d*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b^4))/g^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 862 vs. $2(365) = 730$.

Time = 3.30 (sec) , antiderivative size = 863, normalized size of antiderivative = 2.31

method	result
parts	$\frac{i^3 A\left(\frac{d^2\left(\frac{1}{2}bd\,x^2-2xda+3bcx\right)}{b^3}+\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)\ln(bx+a)}{b^4}-\frac{-a^3d^3+3a^2bc\,d^2-3a\,b^2c^2d+b^3c^3}{b^4(bx+a)}\right)}{g^2}-\frac{i^3B(da-bc)^4e^4}{}$
derivativedivides	$e(da-bc)\left(-\frac{A\,d^2e^3i^3(da-bc)\left(-\frac{3d\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}+\frac{2d}{b^3e^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{d}{2b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right.\right.$
default	$e(da-bc)\left(-\frac{A\,d^2e^3i^3(da-bc)\left(-\frac{3d\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}+\frac{2d}{b^3e^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{d}{2b^2e^2\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right.\right.$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x,method=_RETU
RNVERBOSE)
```

output
```
i^3*A/g^2*(d^2/b^3*(1/2*b*d*x^2-2*x*d*a+3*b*c*x)+3/b^4*d*(a^2*d^2-2*a*b*c*
d+b^2*c^2)*ln(b*x+a)-1/b^4*(-a^3*d^3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+b^3*c^3)/
(b*x+a))-i^3*B/g^2/d^5*(a*d-b*c)^4*e^4*((-1/2/b/e/d/((b*e/d+(a*d-b*c)*e/d/
(d*x+c))*d-b*e)-1/2/b^2/e^2*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d+1/2*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*((b*e/d+(a*d
-b*c)*e/d/(d*x+c))*d-2*b*e)/b^2/e^2/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)^
2)/(a*d-b*c)^2*d^7/b^2/e^2-(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d
-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))/(a*d-b*c)^2*d^5/b^3/e^
3-2*(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(a*d-b*c)*e/d/(d*x+c)
)*d-b*e))/(a*d-b*c)^2*d^7/b^3/e^3-3/2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2/(a
*d-b*c)^2*d^6/b^4/e^4+3*(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)
/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*
e)/b/e)/d)/(a*d-b*c)^2*d^7/b^4/e^4)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log((b
*e*x + a*e)/(d*x + c)))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1501 vs. $2(364) = 728$.

Time = 0.12 (sec) , antiderivative size = 1501, normalized size of antiderivative = 4.02

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="maxima")
```

output

```
-3*A*(a^2/(b^4*g^2*x + a*b^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^
2))*c*d^2*i^3 + 1/2*(2*a^3/(b^5*g^2*x + a*b^4*g^2) + 6*a^2*log(b*x + a)/(b
^4*g^2) + (b*x^2 - 4*a*x)/(b^3*g^2))*A*d^3*i^3 + 3*A*c^2*d*i^3*(a/(b^3*g^2
*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - B*c^3*i^3*(log(b*e*x/(d*x + c)
 + a*e/(d*x + c))/(b^2*g^2*x + a*b*g^2) + 1/(b^2*g^2*x + a*b*g^2) + d*log(
b*x + a)/((b^2*c - a*b*d)*g^2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - A
*c^3*i^3/(b^2*g^2*x + a*b*g^2) - 1/2*(5*b^3*c^3*d*i^3 - 3*a*b^2*c^2*d^2*i^
3 - 2*a^2*b*c*d^3*i^3 + 2*a^3*d^4*i^3)*B*log(d*x + c)/(b^5*c*g^2 - a*b^4*d
*g^2) + 1/2*((b^4*c*d^3*i^3*log(e) - a*b^3*d^4*i^3*log(e))*B*x^3 + ((6*i^3
*log(e) - i^3)*b^4*c^2*d^2 - (9*i^3*log(e) - 2*i^3)*a*b^3*c*d^3 + (3*i^3*l
og(e) - i^3)*a^2*b^2*d^4)*B*x^2 + ((6*i^3*log(e) - i^3)*a*b^3*c^2*d^2 - 2*
(5*i^3*log(e) - i^3)*a^2*b^2*c*d^3 + (4*i^3*log(e) - i^3)*a^3*b*d^4)*B*x +
 3*((b^4*c^3*d*i^3 - 3*a*b^3*c^2*d^2*i^3 + 3*a^2*b^2*c*d^3*i^3 - a^3*b*d^4
*i^3)*B*x + (a*b^3*c^3*d*i^3 - 3*a^2*b^2*c^2*d^2*i^3 + 3*a^3*b*c*d^3*i^3 -
 a^4*d^4*i^3)*B)*log(b*x + a)^2 + 2*(3*(i^3*log(e) + i^3)*a*b^3*c^3*d - 6*
(i^3*log(e) + i^3)*a^2*b^2*c^2*d^2 + 4*(i^3*log(e) + i^3)*a^3*b*c*d^3 - (i
^3*log(e) + i^3)*a^4*d^4)*B + ((b^4*c*d^3*i^3 - a*b^3*d^4*i^3)*B*x^3 + 3*(
2*b^4*c^2*d^2*i^3 - 3*a*b^3*c*d^3*i^3 + a^2*b^2*d^4*i^3)*B*x^2 + (6*b^4*c^
3*d*i^3*log(e) - 18*(i^3*log(e) - i^3)*a*b^3*c^2*d^2 + 9*(2*i^3*log(e) - 3
*i^3)*a^2*b^2*c*d^3 - (6*i^3*log(e) - 11*i^3)*a^3*b*d^4)*B*x - (18*a^2*...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2
,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2,x)
```

output

```
(i*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**2 + 2*a*b*x + b**2*x*
*2),x)*a**3*b**5*d**4 + 2*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**2 +
2*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**3 - 2*int((log((a*e + b*e*x)/(c + d
*x))*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*d**4*x + 2*int((log((
a*e + b*e*x)/(c + d*x))*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c*d**
3*x - 6*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**
2),x)*a**3*b**5*c*d**3 + 6*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 +
 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**2*d**2 - 6*int((log((a*e + b*e*x)/(c
 + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**3*x + 6*int(
(log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7
*c**2*d**2*x - 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b*
*2*x**2),x)*a**3*b**5*c**2*d**2 + 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(
a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**3*d - 6*int((log((a*e + b*e*x)
/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**2*d**2*x + 6*i
nt((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7
*c**3*d*x - 6*log(a + b*x)*a**6*d**4 + 18*log(a + b*x)*a**5*b*c*d**3 - 6*l
og(a + b*x)*a**5*b*d**4*x - 18*log(a + b*x)*a**4*b**2*c**2*d**2 + 18*log(a
 + b*x)*a**4*b**2*c*d**3*x + 6*log(a + b*x)*a**3*b**3*c**3*d - 18*log(a +
b*x)*a**3*b**3*c**2*d**2*x + 6*log(a + b*x)*a**2*b**4*c**3*d*x - 2*log(a +
 b*x)*a*b**5*c**4 - 2*log(a + b*x)*b**6*c**4*x + 2*log(c + d*x)*a*b**5*...
```

3.26 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 392
Mathematica [A] (verified) . . . 393
Rubi [A] (verified) . . . 394
Maple [B] (verified) . . . 395
Fricas [F] . . . 397
Sympy [F] . . . 398
Maxima [B] (verification not implemented) . . . 398
Giac [F] . . . 399
Mupad [F(-1)] . . . 400
Reduce [F] . . . 400

Optimal result

Integrand size = 40, antiderivative size = 345

$$\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx \\
&= -\frac{2Bd(bc-ad)i^3(c+dx)}{b^3g^3(a+bx)} - \frac{B(bc-ad)i^3(c+dx)^2}{4b^2g^3(a+bx)^2} \\
&\quad + \frac{d^3i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g^3} \\
&\quad - \frac{2d(bc-ad)i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^3(a+bx)} \\
&\quad - \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2g^3(a+bx)^2} - \frac{Bd^2(bc-ad)i^3\log(c+dx)}{b^4g^3} \\
&\quad - \frac{3d^2(bc-ad)i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{3Bd^2(bc-ad)i^3\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3}
\end{aligned}$$

output
```
-2*B*d*(-a*d+b*c)*i^3*(d*x+c)/b^3/g^3/(b*x+a)-1/4*B*(-a*d+b*c)*i^3*(d*x+c)
^2/b^2/g^3/(b*x+a)^2+d^3*i^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g^3-2
*d*(-a*d+b*c)*i^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g^3/(b*x+a)-1/2*
(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g^3/(b*x+a)^2-B*d
^2*(-a*d+b*c)*i^3*ln(d*x+c)/b^4/g^3-3*d^2*(-a*d+b*c)*i^3*(A+B*ln(e*(b*x+a)
/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^3+3*B*d^2*(-a*d+b*c)*i^3*polylo
g(2,b*(d*x+c)/d/(b*x+a))/b^4/g^3
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 314, normalized size of antiderivative = 0.91

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$
$$= \frac{i^3\left(4Abd^3x - \frac{B(bc-ad)^3}{(a+bx)^2} - \frac{10Bd(bc-ad)^2}{a+bx} + 10Bd^2(-bc+ad)\log(a+bx) + 4Bd^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right) - \frac{2(}{}\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^3,x]
```

output
```
(i^3*(4*A*b*d^3*x - (B*(b*c - a*d)^3)/(a + b*x)^2 - (10*B*d*(b*c - a*d)^2)
/(a + b*x) + 10*B*d^2*(-(b*c) + a*d)*Log[a + b*x] + 4*B*d^3*(a + b*x)*Log[
(e*(a + b*x))/(c + d*x)] - (2*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c +
d*x)]))/(a + b*x)^2 - (12*d*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)]))/(a + b*x) + 12*d^2*(b*c - a*d)*Log[a + b*x]*(A + B*Log[(e*(a + b*x))
/(c + d*x)]) + 6*B*d^2*(b*c - a*d)*Log[c + d*x] + 6*B*d^2*(-(b*c) + a*d)*(
Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog
[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(4*b^4*g^3)
```

Rubi [A] (verified)

Time = 0.59 (sec) , antiderivative size = 293, normalized size of antiderivative = 0.85, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2793$$

$$\frac{i^3(bc-ad)\int \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d^3}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d}{b^3(a+bx)^2}+\frac{(c+dx)^3\left(A+B\log\left(\right.\right.\right.}{b^2(a+bx)}}{g^3}$$

$$\downarrow 2009$$

$$\frac{i^3(bc-ad)\left(\frac{d^3(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{3d^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^4}-\frac{2d(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^3(a+bx)}-\frac{(c+dx}{}\right.}{g^3}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^3
,x]
```

output
```
((b*c - a*d)*i^3*((-2*B*d*(c + d*x))/(b^3*(a + b*x)) - (B*(c + d*x)^2)/(4*
b^2*(a + b*x)^2) - (2*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b
^3*(a + b*x)) - ((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*b^2*
(a + b*x)^2) + (d^3*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b^4*(
c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*d^2*Log[b - (d*(a + b*x))/(c
+ d*x)])/b^4 - (3*d^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c +
 d*x))/(d*(a + b*x))])/b^4 + (3*B*d^2*PolyLog[2, (b*(c + d*x))/(d*(a + b*x
))])/b^4))/g^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 731 vs. $2(341) = 682$.

Time = 3.22 (sec) , antiderivative size = 732, normalized size of antiderivative = 2.12

method	result
parts	$\frac{i^3 A\left(\frac{x\,d^3}{b^3}-\frac{-a^3d^3+3a^2bc\,d^2-3a\,b^2c^2d+b^3c^3}{2b^4(bx+a)^2}-\frac{3d^2(da-bc)\ln(bx+a)}{b^4}-\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)}{b^4(bx+a)}\right)}{g^3}-\frac{i^3B(da-bc)^4e^4\left(\frac{2\left(-\right.\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i^3d^2e^3A\left(\frac{d^2}{b^3e^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{3d^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}-\frac{1}{2b^2e^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{3d^2\ln\left(\frac{b}{d}\right.\right.}{g^3}$
default	$-\frac{e(da-bc)\left(\frac{i^3d^2e^3A\left(\frac{d^2}{b^3e^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}-\frac{3d^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}-\frac{1}{2b^2e^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{3d^2\ln\left(\frac{b}{d}\right.\right.}{g^3}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x,method=_RETU
RNVERBOSE)
```

output
```
i^3*A/g^3*(x*d^3/b^3-1/2/b^4*(-a^3*d^3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+b^3*c^3
)/(b*x+a)^2-3/b^4*d^2*(a*d-b*c)*ln(b*x+a)-3/b^4*d*(a^2*d^2-2*a*b*c*d+b^2*c
^2)/(b*x+a))-i^3*B/g^3/d^5*(a*d-b*c)^4*e^4*(2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*
x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))/(a*
d-b*c)^3*d^6/b^3/e^3+(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-ln(b
*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(a*d
-b*c)*e/d/(d*x+c))*d-b*e))/(a*d-b*c)^3*d^8/b^3/e^3+3/2*ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^2/(a*d-b*c)^3*d^7/b^4/e^4+(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))
^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)/(a
*d-b*c)^3*d^5/b^2/e^2-3*(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)
/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*
e)/b/e)/d)/(a*d-b*c)^3*d^8/b^4/e^4)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log((b
*e*x + a*e)/(d*x + c)))/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a
^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx$$

$$= \frac{i^3\left(\int \frac{Ac^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx+\int \frac{Ad^3x^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx+\int \frac{Bc^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx+\int \frac{3Acd^2x^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3,x)
```

output
```
i**3*(Integral(A*c**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
+ Integral(A*d**3*x**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
 + Integral(B*c**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x
 + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*A*c*d**2*x**2/(a**3 + 3*a**
2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*A*c**2*d*x/(a**3 + 3*a
**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(B*d**3*x**3*log(a*e/(c
 + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3)
, x) + Integral(3*B*c*d**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3
 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*B*c**2*d*x*log
(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**
3*x**3), x))/g**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2302 vs. $2(340) = 680$.

Time $= 0.17$ (sec) , antiderivative size $= 2302$, normalized size of antiderivative $= 6.67$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="maxima")
```

output

```
-3/4*B*c^2*d*i^3*(2*(2*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^4*
g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + (3*a*b*c - a^2*d + 2*(2*b^2*c - a
*b*d)*x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2
*b^3*c - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*
a*b^3*c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2
 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3)) - 1/2*A*d^3*i^3*((6*a^2*b*x + 5*a^3)/(
b^6*g^3*x^2 + 2*a*b^5*g^3*x + a^2*b^4*g^3) - 2*x/(b^3*g^3) + 6*a*log(b*x +
 a)/(b^4*g^3)) + 3/2*A*c*d^2*i^3*((4*a*b*x + 3*a^2)/(b^5*g^3*x^2 + 2*a*b^4
*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^3*g^3)) + 1/4*B*c^3*i^3*((2*b*d*
x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*
x + (a^2*b^2*c - a^3*b*d)*g^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b
^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) + 2*d^2*log(b*x + a)/((b^3*c^2 - 2
*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c)/((b^3*c^2 - 2*a*b^2*c*d
+ a^2*b*d^2)*g^3)) - 3/2*(2*b*x + a)*A*c^2*d*i^3/(b^4*g^3*x^2 + 2*a*b^3*g^
3*x + a^2*b^2*g^3) - 1/2*A*c^3*i^3/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^
3) - 1/2*(2*b^3*c^3*d^2*i^3 + 8*a*b^2*c^2*d^3*i^3 - 13*a^2*b*c*d^4*i^3 + 5
*a^3*d^5*i^3)*B*log(d*x + c)/(b^6*c^2*g^3 - 2*a*b^5*c*d*g^3 + a^2*b^4*d^2*
g^3) + 1/4*(4*(b^5*c^2*d^3*i^3*log(e) - 2*a*b^4*c*d^4*i^3*log(e) + a^2*b^3
*d^5*i^3*log(e))*B*x^3 + 8*(a*b^4*c^2*d^3*i^3*log(e) - 2*a^2*b^3*c*d^4*i^3
*log(e) + a^3*b^2*d^5*i^3*log(e))*B*x^2 + 2*(12*(i^3*log(e) + i^3)*a*b^...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^3
,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^3
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3,x)
```

output

```
(i*( - 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*
b**2*x**2 + b**3*x**3),x)*a**6*b**5*d**5 + 8*int((log((a*e + b*e*x)/(c + d
*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c*
d**4 - 8*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*
b**2*x**2 + b**3*x**3),x)*a**5*b**6*d**5*x - 4*int((log((a*e + b*e*x)/(c +
 d*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*
c**2*d**3 + 16*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*c*d**4*x - 4*int((log((a*e + b*e
*x)/(c + d*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a*
*4*b**7*d**5*x**2 - 8*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**3 + 3*a*
*2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**8*c**2*d**3*x + 8*int((log(
(a*e + b*e*x)/(c + d*x))*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x
**3),x)*a**3*b**8*c*d**4*x**2 - 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/
(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**9*c**2*d**3*x**
2 - 12*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b*
*2*x**2 + b**3*x**3),x)*a**6*b**5*c*d**4 + 24*int((log((a*e + b*e*x)/(c +
d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c
**2*d**3 - 24*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x +
 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c*d**4*x - 12*int((log((a*e + b*e
*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)...
```

3.27 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 402
Mathematica [A] (verified) . . . 403
Rubi [A] (verified) . . . 403
Maple [B] (verified) . . . 408
Fricas [F] . . . 410
Sympy [F] . . . 411
Maxima [F] . . . 411
Giac [F] . . . 412
Mupad [F(-1)] . . . 413
Reduce [F] . . . 413

Optimal result

Integrand size = 40, antiderivative size = 310

$$\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx \\
&= -\frac{Bd^2i^3(c+dx)}{b^3g^4(a+bx)} - \frac{Bdi^3(c+dx)^2}{4b^2g^4(a+bx)^2} - \frac{Bi^3(c+dx)^3}{9bg^4(a+bx)^3} \\
&\quad - \frac{d^2i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^4(a+bx)} \\
&\quad - \frac{di^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2g^4(a+bx)^2} - \frac{i^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3bg^4(a+bx)^3} \\
&\quad - \frac{d^3i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4} + \frac{Bd^3i^3\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4}
\end{aligned}$$

output

```
-B*d^2*i^3*(d*x+c)/b^3/g^4/(b*x+a)-1/4*B*d*i^3*(d*x+c)^2/b^2/g^4/(b*x+a)^2
-1/9*B*i^3*(d*x+c)^3/b/g^4/(b*x+a)^3-d^2*i^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*
x+c)))/b^3/g^4/(b*x+a)-1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2
/g^4/(b*x+a)^2-1/3*i^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g^4/(b*x+a)
^3-d^3*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^4+B
*d^3*i^3*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^4
```

Mathematica [A] (verified)

Time = 0.49 (sec) , antiderivative size = 308, normalized size of antiderivative = 0.99

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$

$$= \frac{i^3\left(-\frac{4B(bc-ad)^3}{(a+bx)^3}-\frac{21Bd(bc-ad)^2}{(a+bx)^2}+\frac{66Bd^2(-bc+ad)}{a+bx}-66Bd^3\log(a+bx)-\frac{12(bc-ad)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}-\frac{54d(bc-a}{}\right.}{}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^4,x]
```

output

```
(i^3*((-4*B*(b*c - a*d)^3)/(a + b*x)^3 - (21*B*d*(b*c - a*d)^2)/(a + b*x)^
2 + (66*B*d^2*(-(b*c) + a*d))/(a + b*x) - 66*B*d^3*Log[a + b*x] - (12*(b*c
 - a*d)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)^3 - (54*d*(b*c -
 a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)^2 + (108*d^2*(-(b*
c) + a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) + 36*d^3*Log[a +
 b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 66*B*d^3*Log[c + d*x] - 18*B*
d^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*Po
lyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(36*b^4*g^4)
```

Rubi [A] (verified)

Time = 1.00 (sec) , antiderivative size = 270, normalized size of antiderivative = 0.87, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.225$, Rules used = {2962, 2780, 2741, 2780, 2741, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^4}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3 \int \frac{(c+dx)^4 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3 \left(\frac{\int \frac{(c+dx)^4 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4} d\frac{a+bx}{c+dx}}{b} + \frac{d \int \frac{(c+dx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} \right)}{g^4}$$

$$\downarrow 2741$$

$$\frac{i^3 \left(\frac{d \int \frac{(c+dx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3} - \frac{B(c+dx)^3}{9(a+bx)^3}}{b} \right)}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3 \left(\frac{d \left(\frac{\int \frac{(c+dx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3} d\frac{a+bx}{c+dx}}{b} + \frac{d \int \frac{(c+dx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} \right)}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3} - \frac{B(c+dx)^3}{9(a+bx)^3}}{b} \right)}{g^4}$$

$$\downarrow 2741$$

$$\frac{i^3 \left(\frac{d \left(\frac{d \int \frac{(c+dx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} + \frac{-\frac{(c+dx)^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2} - \frac{B(c+dx)^2}{4(a+bx)^2}}{b} \right)}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3} - \frac{B(c+dx)^3}{9(a+bx)^3}}{b} \right)}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3\left(d\left(\frac{d\left(\frac{\int\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}}{b}\right)}{b}+$$

$$g^4$$

$$\downarrow 2741$$

$$\frac{i^3\left(d\left(\frac{d\left(\frac{d\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}}{b}\right)}{b}+$$

$$g^4$$

$$\downarrow 2779$$



$$\downarrow 2838$$



input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^4
,x]
```

output
```
(i^3*((-1/9*(B*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log[(e*(a +
b*x))/(c + d*x)]))/(3*(a + b*x)^3))/b + (d*((-1/4*(B*(c + d*x)^2)/(a + b*x
)^2 - ((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2))/
b + (d*((-((B*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[(e*(a + b*x))/
(c + d*x)]))/(a + b*x))/b + (d*(-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Lo
g[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a
 + b*x))])/b))/b))/b))/b))/g^4
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 684 vs. $2(302) = 604$.

Time = 3.26 (sec) , antiderivative size = 685, normalized size of antiderivative = 2.21

method	result
parts	$\frac{i^3 A\left(-\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)}{2b^4(bx+a)^2}+\frac{d^3\ln(bx+a)}{b^4}+\frac{3d^2(da-bc)}{b^4(bx+a)}-\frac{-a^3d^3+3a^2bc\,d^2-3a\,b^2c^2d+b^3c^3}{3b^4(bx+a)^3}\right)}{g^4}-\frac{i^3B(da-bc)^4e^4\left(-\frac{\left(\cdots\right.}{\cdots}\cdots\right.}{\cdots}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A\left(-\frac{d^3\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}-\frac{1}{3be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{d^3\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^4e^4}-\frac{d^2}{b^3e^3\left(\frac{be}{d}+\frac{(da-b\cdots}{d(dx+\cdots}\cdots\right.}\cdots\right.}{(da-bc)g^4}\cdots\right.}{\cdots}$
default	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A\left(-\frac{d^3\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{b^4e^4}-\frac{1}{3be\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{d^3\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{b^4e^4}-\frac{d^2}{b^3e^3\left(\frac{be}{d}+\frac{(da-b\cdots}{d(dx+\cdots}\cdots\right.}\cdots\right.}{(da-bc)g^4}\cdots\right.}{\cdots}$
risch	Expression too large to display

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x,method=_RETU
RNVERBOSE)
```

output
```
i^3*A/g^4*(-3/2*d*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^4/(b*x+a)^2+d^3/b^4*ln(b*x
+a)+3/b^4*d^2*(a*d-b*c)/(b*x+a)-1/3*(-a^3*d^3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+
b^3*c^3)/b^4/(b*x+a)^3)-i^3*B/g^4/d^5*(a*d-b*c)^4*e^4*(-(-1/(b*e/d+(a*d-b*
c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*
x+c)))/(a*d-b*c)^4*d^7/b^3/e^3-1/2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2/(a*d-
b*c)^4*d^8/b^4/e^4-(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c
)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)/(a*d-b*c)^4*d^6/b^2/e^
2-(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/
9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)/(a*d-b*c)^4*d^5/b/e+(dilog(-((b*e/d+(a*
d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*
e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/(a*d-b*c)^4*d^9/b^4/e^4)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^4}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log((b
*e*x + a*e)/(d*x + c)))/(b^4*g^4*x^4 + 4*a*b^3*g^4*x^3 + 6*a^2*b^2*g^4*x^2
 + 4*a^3*b*g^4*x + a^4*g^4), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{i^3\left(\int \frac{Ac^3}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx+\int \frac{Ad^3x^3}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx+\int \frac{Bc^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4,x)
```

output
```
i**3*(Integral(A*c**3/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**
3 + b**4*x**4), x) + Integral(A*d**3*x**3/(a**4 + 4*a**3*b*x + 6*a**2*b**2
*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B*c**3*log(a*e/(c + d*x)
 + b*e*x/(c + d*x))/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3
+ b**4*x**4), x) + Integral(3*A*c*d**2*x**2/(a**4 + 4*a**3*b*x + 6*a**2*b*
*2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*A*c**2*d*x/(a**4 + 4
*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B
*d**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**4 + 4*a**3*b*x + 6*a**
2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*B*c*d**2*x**2*lo
g(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 +
 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*B*c**2*d*x*log(a*e/(c + d*x)
+ b*e*x/(c + d*x))/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 +
 b**4*x**4), x))/g**4
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^4}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="maxima")
```

output

```
-1/6*B*d^3*i^3*((18*a*b^2*x^2 + 27*a^2*b*x + 11*a^3 + 6*(b^3*x^3 + 3*a*b^2
*x^2 + 3*a^2*b*x + a^3)*log(b*x + a))*log(d*x + c)/(b^7*g^4*x^3 + 3*a*b^6*
g^4*x^2 + 3*a^2*b^5*g^4*x + a^3*b^4*g^4) - 6*integrate(1/6*(6*b^4*d*x^4*lo
g(e) + 45*a^2*b^2*d*x^2 + 38*a^3*b*d*x + 11*a^4*d + 6*(b^4*c*log(e) + 3*a*
b^3*d)*x^3 + 6*(2*b^4*d*x^4 + 6*a^2*b^2*d*x^2 + 4*a^3*b*d*x + a^4*d + (b^4
*c + 4*a*b^3*d)*x^3)*log(b*x + a))/(b^8*d*g^4*x^5 + a^4*b^4*c*g^4 + (b^8*c
*g^4 + 4*a*b^7*d*g^4)*x^4 + 2*(2*a*b^7*c*g^4 + 3*a^2*b^6*d*g^4)*x^3 + 2*(3
*a^2*b^6*c*g^4 + 2*a^3*b^5*d*g^4)*x^2 + (4*a^3*b^5*c*g^4 + a^4*b^4*d*g^4)*
x), x)) - 1/6*B*c*d^2*i^3*(6*(3*b^2*x^2 + 3*a*b*x + a^2)*log(b*e*x/(d*x +
c) + a*e/(d*x + c))/(b^6*g^4*x^3 + 3*a*b^5*g^4*x^2 + 3*a^2*b^4*g^4*x + a^3
*b^3*g^4) + (11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4*c^2 - 3*a
*b^3*c*d + a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2*a^3*b*d^2
)*x)/((b^8*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c^2 - 2*a^2
*b^6*c*d + a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d + a^4*b^4
*d^2)*g^4*x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) + 6*(3*b^2*
c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*
a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3
)*log(d*x + c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*
g^4)) - 1/12*B*c^2*d*i^3*(6*(3*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c
))/(b^5*g^4*x^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) + (5...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(bgx+ag)^4}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)/(b*g*x + a*g)
^4, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(a\,g+b\,g\,x)^4}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^4
,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^4
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^4}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4,x)
```

output

```
(i*( - 36*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a
**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**8*b**5*d**6 + 108*int((lo
g((a*e + b*e*x)/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4
*a*b**3*x**3 + b**4*x**4),x)*a**7*b**6*c*d**5 - 108*int((log((a*e + b*e*x)
/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 +
b**4*x**4),x)*a**7*b**6*d**6*x - 108*int((log((a*e + b*e*x)/(c + d*x))*x**
3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a
**6*b**7*c**2*d**4 + 324*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**4 + 4
*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**6*b**7*c*d
**5*x - 108*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6
*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**6*b**7*d**6*x**2 + 36*i
nt((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x*
*2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**5*b**8*c**3*d**3 - 324*int((log((a*e
 + b*e*x)/(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**
3*x**3 + b**4*x**4),x)*a**5*b**8*c**2*d**4*x + 324*int((log((a*e + b*e*x)/
(c + d*x))*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b
**4*x**4),x)*a**5*b**8*c*d**5*x**2 - 36*int((log((a*e + b*e*x)/(c + d*x))*
x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x
)*a**5*b**8*d**6*x**3 + 108*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**4
+ 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**4*b*...
```

3.28 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$

Optimal result . . . 415
Mathematica [B] (verified) . . . 415
Rubi [A] (verified) . . . 416
Maple [B] (verified) . . . 417
Fricas [B] (verification not implemented) . . . 419
Sympy [F(-1)] . . . 419
Maxima [B] (verification not implemented) . . . 420
Giac [A] (verification not implemented) . . . 421
Mupad [B] (verification not implemented) . . . 421
Reduce [B] (verification not implemented) . . . 422

Optimal result

Integrand size = 40, antiderivative size = 89

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = -\frac{Bi^3(c+dx)^4}{16(bc-ad)g^5(a+bx)^4} - \frac{i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)g^5(a+bx)^4}$$

output

```
-1/16*B*i^3*(d*x+c)^4/(-a*d+b*c)/g^5/(b*x+a)^4-1/4*i^3*(d*x+c)^4*(A+B*ln(e
*(b*x+a)/(d*x+c)))/(-a*d+b*c)/g^5/(b*x+a)^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 427 vs. 2(89) = 178.

Time = 0.54 (sec) , antiderivative size = 427, normalized size of antiderivative = 4.80

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = -\frac{i^3\left(4Ab^4c^4+b^4Bc^4-4a^4Ad^4-a^4Bd^4+16Ab^4c^3dx+4b^4Bc^3dx-16a^3Abd^4x-4a^3bBd^4x+24Ab^4c^{}\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^5,x]
```

output
```
-1/16*(i^3*(4*A*b^4*c^4 + b^4*B*c^4 - 4*a^4*A*d^4 - a^4*B*d^4 + 16*A*b^4*c
^3*d*x + 4*b^4*B*c^3*d*x - 16*a^3*A*b*d^4*x - 4*a^3*b*B*d^4*x + 24*A*b^4*c
^2*d^2*x^2 + 6*b^4*B*c^2*d^2*x^2 - 24*a^2*A*b^2*d^4*x^2 - 6*a^2*b^2*B*d^4*
x^2 + 16*A*b^4*c*d^3*x^3 + 4*b^4*B*c*d^3*x^3 - 16*a*A*b^3*d^4*x^3 - 4*a*b^
3*B*d^4*x^3 + 4*B*d^4*(a + b*x)^4*Log[a + b*x] + 4*B*(-(a^4*d^4) - 4*a^3*b
*d^4*x - 6*a^2*b^2*d^4*x^2 - 4*a*b^3*d^4*x^3 + b^4*c*(c^3 + 4*c^2*d*x + 6*
c*d^2*x^2 + 4*d^3*x^3))*Log[(e*(a + b*x))/(c + d*x)] - 4*a^4*B*d^4*Log[c +
 d*x] - 16*a^3*b*B*d^4*x*Log[c + d*x] - 24*a^2*b^2*B*d^4*x^2*Log[c + d*x]
- 16*a*b^3*B*d^4*x^3*Log[c + d*x] - 4*b^4*B*d^4*x^4*Log[c + d*x]))/(b^4*(b
*c - a*d)*g^5*(a + b*x)^4)
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 74, normalized size of antiderivative = 0.83, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2962, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3\int \frac{(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^3\left(-\frac{(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{B(c+dx)^4}{16(a+bx)^4}\right)}{g^5(bc-ad)}$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^5
,x]
```

output
```
(i^3*(-1/16*(B*(c + d*x)^4)/(a + b*x)^4 - ((c + d*x)^4*(A + B*Log[(e*(a +
b*x))/(c + d*x)]))/(4*(a + b*x)^4)))/((b*c - a*d)*g^5)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 184 vs. $2(85) = 170$.

Time = 2.14 (sec) , antiderivative size = 185, normalized size of antiderivative = 2.08

method	result
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A}{4(da-bc)^2g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{i^3d^2e^3B\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{1}{16\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}\right)}{(da-bc)^2g^5}\right)}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A}{4(da-bc)^2g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{i^3d^2e^3B\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{1}{16\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}\right)}{(da-bc)^2g^5}\right)}{d^2}$
parts	$\frac{i^3A\left(-\frac{-a^3d^3+3a^2bcd^2-3ab^2c^2d+b^3c^3}{4b^4(bx+a)^4}+\frac{3d^2(da-bc)}{2b^4(bx+a)^2}-\frac{d^3}{b^4(bx+a)}-\frac{d\left(a^2d^2-2acdb+c^2b^2\right)}{b^4(bx+a)^3}\right)}{g^5}-\frac{i^3Be^4\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c)}\right.\right.}{4\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c)}\right.}\right.$
parallelrisch	$\frac{4Bx^3a^6c^2d^3i^3-4Bx^3a^3b^3c^5i^3+24Ax^2a^6c^3d^2i^3-24Ax^2a^4b^2c^5i^3+6Bx^2a^6c^3d^2i^3-6Bx^2a^4b^2c^5i^3+16Axa^6c^4di^3-}{}$
norman	$\frac{Bcd^3i^3x^3\ln\left(\frac{e(bx+a)}{dx+c}\right)}{(da-bc)g}+\frac{Bc^3di^3x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{g(da-bc)}+\frac{\left(4Ac^3i^3+i^3c^3B\right)x}{4ga}+\frac{3\left(4Aac^2di^3+4Abc^3i^3+Bac^2di^3+Bbc^3i^3\right)x^2}{8ga^2}+\frac{(4}{}$
risch	$-\frac{i^3B\left(4b^3d^3x^3+6ab^2d^3x^2+6b^3cd^2x^2+4a^2bd^3x+4ab^2cd^2x+4b^3c^2dx+a^3d^3+a^2bcd^2+ab^2c^2d+b^3c^3\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{4(bx+a)^4g^5b^4}$
orering	$\frac{(bx+a)\left(-2a^3bd^4x^5-2a^2b^2cd^3x^5-2ab^3c^2d^2x^5-2b^4c^3dx^5+7a^4d^4x^4-10a^3bcd^3x^4-10a^2b^2c^2d^2x^4-10ab^3c^3dx^4-5b}{}$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x,method=_RETU
RNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(-1/4*i^3*d^2*e^3/(a*d-b*c)^2/g^5*A/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^4+i^3*d^2*e^3/(a*d-b*c)^2/g^5*B*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^
4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 355 vs. 2(85) = 170.

Time = 0.09 (sec) , antiderivative size = 355, normalized size of antiderivative = 3.99

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$
$$-\frac{4\left((4A+B)b^4cd^3-(4A+B)ab^3d^4\right)i^3x^3+6\left((4A+B)b^4c^2d^2-(4A+B)a^2b^2d^4\right)i^3x^2+4\left((4A+B\right.}{16\left((b^9c-ab^8d\right)g^5x^4+4\left(ab^8c\right.}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algorithm="fricas")
```

output
```
-1/16*(4*((4*A + B)*b^4*c*d^3 - (4*A + B)*a*b^3*d^4)*i^3*x^3 + 6*((4*A + B)*b^4*c^2*d^2 - (4*A + B)*a^2*b^2*d^4)*i^3*x^2 + 4*((4*A + B)*b^4*c^3*d - (4*A + B)*a^3*b*d^4)*i^3*x + ((4*A + B)*b^4*c^4 - (4*A + B)*a^4*d^4)*i^3 + 4*(B*b^4*d^4*i^3*x^4 + 4*B*b^4*c*d^3*i^3*x^3 + 6*B*b^4*c^2*d^2*i^3*x^2 + 4*B*b^4*c^3*d*i^3*x + B*b^4*c^4*i^3)*log((b*e*x + a*e)/(d*x + c)))/((b^9*c - a*b^8*d)*g^5*x^4 + 4*(a*b^8*c - a^2*b^7*d)*g^5*x^3 + 6*(a^2*b^7*c - a^3*b^6*d)*g^5*x^2 + 4*(a^3*b^6*c - a^4*b^5*d)*g^5*x + (a^4*b^5*c - a^5*b^4*d)*g^5)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**5,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3107 vs. $2(85) = 170$.

Time = 0.18 (sec) , antiderivative size = 3107, normalized size of antiderivative = 34.91

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algo
rithm="maxima")
```

output
```
-1/48*B*d^3*i^3*(12*(4*b^3*x^3 + 6*a*b^2*x^2 + 4*a^2*b*x + a^3)*log(b*e*x/
(d*x + c) + a*e/(d*x + c))/(b^8*g^5*x^4 + 4*a*b^7*g^5*x^3 + 6*a^2*b^6*g^5*
x^2 + 4*a^3*b^5*g^5*x + a^4*b^4*g^5) + (25*a^3*b^3*c^3 - 23*a^4*b^2*c^2*d
+ 13*a^5*b*c*d^2 - 3*a^6*d^3 + 12*(4*b^6*c^3 - 6*a*b^5*c^2*d + 4*a^2*b^4*c
*d^2 - a^3*b^3*d^3)*x^3 + 6*(18*a*b^5*c^3 - 22*a^2*b^4*c^2*d + 13*a^3*b^3*
c*d^2 - 3*a^4*b^2*d^3)*x^2 + 4*(22*a^2*b^4*c^3 - 23*a^3*b^3*c^2*d + 13*a^4
*b^2*c*d^2 - 3*a^5*b*d^3)*x)/((b^11*c^3 - 3*a*b^10*c^2*d + 3*a^2*b^9*c*d^2
 - a^3*b^8*d^3)*g^5*x^4 + 4*(a*b^10*c^3 - 3*a^2*b^9*c^2*d + 3*a^3*b^8*c*d^
2 - a^4*b^7*d^3)*g^5*x^3 + 6*(a^2*b^9*c^3 - 3*a^3*b^8*c^2*d + 3*a^4*b^7*c*
d^2 - a^5*b^6*d^3)*g^5*x^2 + 4*(a^3*b^8*c^3 - 3*a^4*b^7*c^2*d + 3*a^5*b^6*
c*d^2 - a^6*b^5*d^3)*g^5*x + (a^4*b^7*c^3 - 3*a^5*b^6*c^2*d + 3*a^6*b^5*c*
d^2 - a^7*b^4*d^3)*g^5) + 12*(4*b^3*c^3*d - 6*a*b^2*c^2*d^2 + 4*a^2*b*c*d^
3 - a^3*d^4)*log(b*x + a)/((b^8*c^4 - 4*a*b^7*c^3*d + 6*a^2*b^6*c^2*d^2 -
4*a^3*b^5*c*d^3 + a^4*b^4*d^4)*g^5) - 12*(4*b^3*c^3*d - 6*a*b^2*c^2*d^2 +
4*a^2*b*c*d^3 - a^3*d^4)*log(d*x + c)/((b^8*c^4 - 4*a*b^7*c^3*d + 6*a^2*b^
6*c^2*d^2 - 4*a^3*b^5*c*d^3 + a^4*b^4*d^4)*g^5)) - 1/48*B*c*d^2*i^3*(12*(6
*b^2*x^2 + 4*a*b*x + a^2)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^7*g^5*x^
4 + 4*a*b^6*g^5*x^3 + 6*a^2*b^5*g^5*x^2 + 4*a^3*b^4*g^5*x + a^4*b^3*g^5) +
 (13*a^2*b^3*c^3 - 75*a^3*b^2*c^2*d + 33*a^4*b*c*d^2 - 7*a^5*d^3 - 12*(6*b
^5*c^2*d - 4*a*b^4*c*d^2 + a^2*b^3*d^3)*x^3 + 6*(6*b^5*c^3 - 46*a*b^4*c...
```

Giac [A] (verification not implemented)

Time = 0.39 (sec) , antiderivative size = 140, normalized size of antiderivative = 1.57

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$
$$-\frac{1}{16}\left(\frac{4\,(dx+c)^4Be^5i^3\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^4g^5}+\frac{(4\,Ae^5i^3+Be^5i^3)(dx+c)^4}{(bex+ae)^4g^5}\right)\left(\frac{bc}{(bce-ade)(bc-ad)}-\frac{}{(bce-ad}\right.$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x, algo
rithm="giac")
```

output
```
-1/16*(4*(d*x + c)^4*B*e^5*i^3*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)
^4*g^5) + (4*A*e^5*i^3 + B*e^5*i^3)*(d*x + c)^4/((b*e*x + a*e)^4*g^5))*(b*
c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 29.16 (sec) , antiderivative size = 780, normalized size of antiderivative = 8.76

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx =$$
$$-\frac{x^3\,(4\,A\,b^3\,d^3\,i^3+B\,b^3\,d^3\,i^3)+x^2\left(6\,A\,a\,b^2\,d^3\,i^3+\frac{3\,B\,a\,b^2\,d^3\,i^3}{2}+6\,A\,b^3\,c\,d^2\,i^3+\frac{3\,B\,b^3\,c\,d^2\,i^3}{2}\right)+x\,(4\,A\,a^2\,b\,c}{}$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(x^2\left(b\left(b\left(\frac{B\,a\,d^3\,i^3}{4\,b^5\,g^5}+\frac{B\,c\,d^2\,i^3}{4\,b^4\,g^5}\right)+\frac{B\,a\,d^3\,i^3}{2\,b^4\,g^5}+\frac{B\,c\,d^2\,i^3}{2\,b^3\,g^5}\right)+\frac{3\,B\,a\,d^3\,i^3}{4\,b^3\,g^5}+\frac{3\,B\,c\,d^2\,i^3}{4\,b^2\,g^5}\right)+x\left(b\left(a\left(\frac{B\,a\,c}{4\,b^5}\right.\right.\right.\right.}{}$$
$$-\frac{B\,d^4\,i^3\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,1\mathrm{i}}{2\,b^4\,g^5\,(a\,d-b\,c)}$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^5
,x)
```

output

```
- (x^3*(4*A*b^3*d^3*i^3 + B*b^3*d^3*i^3) + x^2*(6*A*a*b^2*d^3*i^3 + (3*B*a
*b^2*d^3*i^3)/2 + 6*A*b^3*c*d^2*i^3 + (3*B*b^3*c*d^2*i^3)/2) + x*(4*A*a^2*
b*d^3*i^3 + B*a^2*b*d^3*i^3 + 4*A*b^3*c^2*d*i^3 + B*b^3*c^2*d*i^3 + 4*A*a*
b^2*c*d^2*i^3 + B*a*b^2*c*d^2*i^3) + A*a^3*d^3*i^3 + A*b^3*c^3*i^3 + (B*a^
3*d^3*i^3)/4 + (B*b^3*c^3*i^3)/4 + A*a*b^2*c^2*d*i^3 + A*a^2*b*c*d^2*i^3 +
 (B*a*b^2*c^2*d*i^3)/4 + (B*a^2*b*c*d^2*i^3)/4)/(4*a^4*b^4*g^5 + 4*b^8*g^5
*x^4 + 16*a^3*b^5*g^5*x + 16*a*b^7*g^5*x^3 + 24*a^2*b^6*g^5*x^2) - (log((e
*(a + b*x))/(c + d*x))*(x^2*(b*(b*((B*a*d^3*i^3)/(4*b^5*g^5) + (B*c*d^2*i^
3)/(4*b^4*g^5)) + (B*a*d^3*i^3)/(2*b^4*g^5) + (B*c*d^2*i^3)/(2*b^3*g^5)) +
 (3*B*a*d^3*i^3)/(4*b^3*g^5) + (3*B*c*d^2*i^3)/(4*b^2*g^5)) + x*(b*(a*((B*
a*d^3*i^3)/(4*b^5*g^5) + (B*c*d^2*i^3)/(4*b^4*g^5)) + (B*c^2*d*i^3)/(4*b^3
*g^5)) + a*(b*((B*a*d^3*i^3)/(4*b^5*g^5) + (B*c*d^2*i^3)/(4*b^4*g^5)) + (B
*a*d^3*i^3)/(2*b^4*g^5) + (B*c*d^2*i^3)/(2*b^3*g^5)) + (3*B*c^2*d*i^3)/(4*
b^2*g^5)) + a*(a*((B*a*d^3*i^3)/(4*b^5*g^5) + (B*c*d^2*i^3)/(4*b^4*g^5)) +
 (B*c^2*d*i^3)/(4*b^3*g^5)) + (B*c^3*i^3)/(4*b^2*g^5) + (B*d^3*i^3*x^3)/(b
^2*g^5)))/(4*a^3*x + a^4/b + b^3*x^4 + 6*a^2*b*x^2 + 4*a*b^2*x^3) - (B*d^4
*i^3*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*1i)/(2*b^4*g^5*(a*d - b*c)
)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 727, normalized size of antiderivative = 8.17

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^5}\,dx$$
$$= \frac{i\left(4a^5cd^3-4a^2b^3c^4-4a^2b^3d^4x^4-4\log(bx+a)\,a^4bcd^3-4\log(bx+a)\,b^5cd^3x^4+4\log(dx+c)\,b^5cd^3x^4\right.}{}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^5,x)
```

output

```
(i*( - 4*log(a + b*x)*a**4*b*c*d**3 - 16*log(a + b*x)*a**3*b**2*c*d**3*x -
 24*log(a + b*x)*a**2*b**3*c*d**3*x**2 - 16*log(a + b*x)*a*b**4*c*d**3*x**
3 - 4*log(a + b*x)*b**5*c*d**3*x**4 + 4*log(c + d*x)*a**4*b*c*d**3 + 16*lo
g(c + d*x)*a**3*b**2*c*d**3*x + 24*log(c + d*x)*a**2*b**3*c*d**3*x**2 + 16
*log(c + d*x)*a*b**4*c*d**3*x**3 + 4*log(c + d*x)*b**5*c*d**3*x**4 + 4*log
((a*e + b*e*x)/(c + d*x))*a**4*b*c*d**3 + 16*log((a*e + b*e*x)/(c + d*x))*
a**3*b**2*c*d**3*x + 24*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c*d**3*x**2
 - 4*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**4 - 16*log((a*e + b*e*x)/(c +
d*x))*a*b**4*c**3*d*x - 24*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*d**2*x
**2 - 4*log((a*e + b*e*x)/(c + d*x))*a*b**4*d**4*x**4 + 4*log((a*e + b*e*x
)/(c + d*x))*b**5*c*d**3*x**4 + 4*a**5*c*d**3 + 16*a**4*b*c*d**3*x + a**4*
b*c*d**3 + 24*a**3*b**2*c*d**3*x**2 + 4*a**3*b**2*c*d**3*x - 4*a**2*b**3*c
**4 - 16*a**2*b**3*c**3*d*x - 24*a**2*b**3*c**2*d**2*x**2 + 6*a**2*b**3*c*
d**3*x**2 - 4*a**2*b**3*d**4*x**4 - a*b**4*c**4 - 4*a*b**4*c**3*d*x - 6*a*
b**4*c**2*d**2*x**2 + 4*a*b**4*c*d**3*x**4 - a*b**4*d**4*x**4 + b**5*c*d**
3*x**4))/(16*a*b**3*g**5*(a**5*d - a**4*b*c + 4*a**4*b*d*x - 4*a**3*b**2*c
*x + 6*a**3*b**2*d*x**2 - 6*a**2*b**3*c*x**2 + 4*a**2*b**3*d*x**3 - 4*a*b*
*4*c*x**3 + a*b**4*d*x**4 - b**5*c*x**4))
```

3.29 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$

Optimal result . . . 424
Mathematica [B] (verified) . . . 425
Rubi [A] (verified) . . . 425
Maple [B] (verified) . . . 428
Fricas [B] (verification not implemented) . . . 429
Sympy [F(-1)] . . . 430
Maxima [B] (verification not implemented) . . . 430
Giac [A] (verification not implemented) . . . 431
Mupad [B] (verification not implemented) . . . 432
Reduce [B] (verification not implemented) . . . 433

Optimal result

Integrand size = 40, antiderivative size = 181

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \frac{Bdi^3(c+dx)^4}{16(bc-ad)^2g^6(a+bx)^4} - \frac{bBi^3(c+dx)^5}{25(bc-ad)^2g^6(a+bx)^5} + \frac{di^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)^2g^6(a+bx)^4} - \frac{bi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5(bc-ad)^2g^6(a+bx)^5}$$

output

```
1/16*B*d*i^3*(d*x+c)^4/(-a*d+b*c)^2/g^6/(b*x+a)^4-1/25*b*B*i^3*(d*x+c)^5/(
-a*d+b*c)^2/g^6/(b*x+a)^5+1/4*d*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/
(-a*d+b*c)^2/g^6/(b*x+a)^4-1/5*b*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))
/(-a*d+b*c)^2/g^6/(b*x+a)^5
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 608 vs. $2(181) = 362$.

Time $= 0.62$ (sec) , antiderivative size $= 608$, normalized size of antiderivative $= 3.36$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx =$$

$$-\frac{i^3\Big(80Ab^5c^5+16b^5Bc^5-100aAb^4c^4d-25ab^4Bc^4d+20a^5Ad^5+9a^5Bd^5+300Ab^5c^4dx+55b^5Bc^4dx$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^6,x]
```

output
```
-1/400*(i^3*(80*A*b^5*c^5 + 16*b^5*B*c^5 - 100*a*A*b^4*c^4*d - 25*a*b^4*B*
c^4*d + 20*a^5*A*d^5 + 9*a^5*B*d^5 + 300*A*b^5*c^4*d*x + 55*b^5*B*c^4*d*x
- 400*a*A*b^4*c^3*d^2*x - 100*a*b^4*B*c^3*d^2*x + 100*a^4*A*b*d^5*x + 45*a
^4*b*B*d^5*x + 400*A*b^5*c^3*d^2*x^2 + 60*b^5*B*c^3*d^2*x^2 - 600*a*A*b^4*
c^2*d^3*x^2 - 150*a*b^4*B*c^2*d^3*x^2 + 200*a^3*A*b^2*d^5*x^2 + 90*a^3*b^2
*B*d^5*x^2 + 200*A*b^5*c^2*d^3*x^3 + 10*b^5*B*c^2*d^3*x^3 - 400*a*A*b^4*c*
d^4*x^3 - 100*a*b^4*B*c*d^4*x^3 + 200*a^2*A*b^3*d^5*x^3 + 90*a^2*b^3*B*d^5
*x^3 - 20*b^5*B*c*d^4*x^4 + 20*a*b^4*B*d^5*x^4 - 20*B*d^5*(a + b*x)^5*Log[
a + b*x] + 20*B*(b*c - a*d)^2*(a^3*d^3 + a^2*b*d^2*(2*c + 5*d*x) + a*b^2*d
*(3*c^2 + 10*c*d*x + 10*d^2*x^2) + b^3*(4*c^3 + 15*c^2*d*x + 20*c*d^2*x^2
+ 10*d^3*x^3))*Log[(e*(a + b*x))/(c + d*x)] + 20*a^5*B*d^5*Log[c + d*x] +
100*a^4*b*B*d^5*x*Log[c + d*x] + 200*a^3*b^2*B*d^5*x^2*Log[c + d*x] + 200*
a^2*b^3*B*d^5*x^3*Log[c + d*x] + 100*a*b^4*B*d^5*x^4*Log[c + d*x] + 20*b^5
*B*d^5*x^5*Log[c + d*x]))/(b^4*(b*c - a*d)^2*g^6*(a + b*x)^5)
```

Rubi [A] (verified)

Time $= 0.37$ (sec) , antiderivative size $= 138$, normalized size of antiderivative $= 0.76$, number of steps used $= 6$, number of rules used $= 5$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used $= \{2962, 2772, 27, 53, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^6}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3\int \frac{(c+dx)^6\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}}{g^6(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{i^3\left(-B\int -\frac{(c+dx)^6\left(4b-\frac{5d(a+bx)}{c+dx}\right)}{20(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}+\frac{d(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}\right)}{g^6(bc-ad)^2}$$

$$\downarrow 27$$

$$\frac{i^3\left(\frac{1}{20}B\int \frac{(c+dx)^6\left(4b-\frac{5d(a+bx)}{c+dx}\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}+\frac{d(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}\right)}{g^6(bc-ad)^2}$$

$$\downarrow 53$$

$$\frac{i^3\left(\frac{1}{20}B\int \left(\frac{4b(c+dx)^6}{(a+bx)^6}-\frac{5d(c+dx)^5}{(a+bx)^5}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}+\frac{d(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}\right)}{g^6(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^3\left(-\frac{b(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}+\frac{d(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{1}{20}B\left(\frac{5d(c+dx)^4}{4(a+bx)^4}-\frac{4b(c+dx)^5}{5(a+bx)^5}\right)\right)}{g^6(bc-ad)^2}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^6
,x]
```

output

```
(i^3*((B*((5*d*(c + d*x)^4)/(4*(a + b*x)^4) - (4*b*(c + d*x)^5)/(5*(a + b*
x)^5)))/20 + (d*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*(a +
b*x)^4) - (b*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*(a + b*x
)^5)))/((b*c - a*d)^2*g^6)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 53
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
|| LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 356 vs. 2(173) = 346.

Time = 2.26 (sec) , antiderivative size = 357, normalized size of antiderivative = 1.97

method	result
derivativedivides	$-\frac{e(da-bc)\left(\frac{i^3d^2e^4Ab}{5(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{i^3d^3e^3A}{4(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^3d^2e^4Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{25\left(\frac{be}{d}+\right.}{(da-bc)^3g^6}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{i^3d^2e^4Ab}{5(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{i^3d^3e^3A}{4(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^3d^2e^4Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{25\left(\frac{be}{d}+\right.}{(da-bc)^3g^6}\right.}{d^2}$
parts	$\frac{i^3A\left(-\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)}{4b^4(bx+a)^4}-\frac{-a^3d^3+3a^2bcd^2-3ab^2c^2d+b^3c^3}{5b^4(bx+a)^5}-\frac{d^3}{2b^4(bx+a)^2}+\frac{d^2(da-bc)}{b^4(bx+a)^3}\right)}{g^6}-\frac{i^3B(da-bc)^4e^4\left(\frac{d^6\left(-\right.}{}\right.}{}$
risch	$-\frac{i^3B\left(10b^3d^3x^3+10ab^2d^3x^2+20b^3cd^2x^2+5a^2bd^3x+10ab^2cd^2x+15b^3c^2dx+a^3d^3+2a^2bcd^2+3ab^2c^2d+4b^3c^3\right)\ln\left(9\right.}{20(bx+a)^5g^6b^4}$
parallelrisch	$-\frac{-400Ax^3ab^7cd^5i^3-100Bx^3ab^7cd^5i^3+400Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^8c^3d^3i^3+20Aa^5b^3d^6i^3+80Ab^8c^5di^3+9Ba^5b^3d^6i^3}{}$
orering	$\frac{(bx+a)\left(-27a^4b^2d^5x^6-27a^3b^3cd^4x^6-27a^2b^4c^2d^3x^6-27ab^5c^3d^2x^6+48b^6c^4dx^6-28a^5bd^5x^5-162a^4b^2cd^4x^5-162a^3\right.}{}$
norman	$\frac{\left(20Aac^3di^3-20Abc^4i^3+5Bac^3di^3-4Bbc^4i^3\right)x}{20ga(da-bc)}+\frac{\left(60Aa^2c^2d^2i^3+20Aabc^3di^3-80Ab^2c^4i^3+15Ba^2c^2d^2i^3+9Babc^3di^3-16B\right.}{40ga^2(da-bc)}$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x,method=_RETU
RNVERBOSE)
```

output

```
-1/d^2*e*(a*d-b*c)*(1/5*i^3*d^2*e^4/(a*d-b*c)^3/g^6*A*b/(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^5-1/4*i^3*d^3*e^3/(a*d-b*c)^3/g^6*A/(b*e/d+(a*d-b*c)*e/d/(d*x+
c))^4-i^3*d^2*e^4/(a*d-b*c)^3/g^6*B*b*(-1/5/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^
5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5)+i^
3*d^3*e^3/(a*d-b*c)^3/g^6*B*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d
+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 644 vs. $2(173) = 346$.

Time $= 0.14$ (sec) , antiderivative size $= 644$, normalized size of antiderivative $= 3.56$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx$$
$$= \frac{20\left(Bb^5cd^4-Bab^4d^5\right)i^3x^4-10\left((20\,A+B)b^5c^2d^3-10\left(4\,A+B\right)ab^4cd^4+(20\,A+9\,B)a^2b^3d^5\right)i^3x^3-10}{}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="fricas")
```

output

```
1/400*(20*(B*b^5*c*d^4 - B*a*b^4*d^5)*i^3*x^4 - 10*((20*A + B)*b^5*c^2*d^3
 - 10*(4*A + B)*a*b^4*c*d^4 + (20*A + 9*B)*a^2*b^3*d^5)*i^3*x^3 - 10*(2*(2
0*A + 3*B)*b^5*c^3*d^2 - 15*(4*A + B)*a*b^4*c^2*d^3 + (20*A + 9*B)*a^3*b^2
*d^5)*i^3*x^2 - 5*((60*A + 11*B)*b^5*c^4*d - 20*(4*A + B)*a*b^4*c^3*d^2 +
(20*A + 9*B)*a^4*b*d^5)*i^3*x - (16*(5*A + B)*b^5*c^5 - 25*(4*A + B)*a*b^4
*c^4*d + (20*A + 9*B)*a^5*d^5)*i^3 + 20*(B*b^5*d^5*i^3*x^5 + 5*B*a*b^4*d^5
*i^3*x^4 - 10*(B*b^5*c^2*d^3 - 2*B*a*b^4*c*d^4)*i^3*x^3 - 10*(2*B*b^5*c^3*
d^2 - 3*B*a*b^4*c^2*d^3)*i^3*x^2 - 5*(3*B*b^5*c^4*d - 4*B*a*b^4*c^3*d^2)*i
^3*x - (4*B*b^5*c^5 - 5*B*a*b^4*c^4*d)*i^3)*log((b*e*x + a*e)/(d*x + c)))/
((b^11*c^2 - 2*a*b^10*c*d + a^2*b^9*d^2)*g^6*x^5 + 5*(a*b^10*c^2 - 2*a^2*b
^9*c*d + a^3*b^8*d^2)*g^6*x^4 + 10*(a^2*b^9*c^2 - 2*a^3*b^8*c*d + a^4*b^7*
d^2)*g^6*x^3 + 10*(a^3*b^8*c^2 - 2*a^4*b^7*c*d + a^5*b^6*d^2)*g^6*x^2 + 5*
(a^4*b^7*c^2 - 2*a^5*b^6*c*d + a^6*b^5*d^2)*g^6*x + (a^5*b^6*c^2 - 2*a^6*b
^5*c*d + a^7*b^4*d^2)*g^6)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**6,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4218 vs. $2(173) = 346$.

Time = 0.25 (sec) , antiderivative size = 4218, normalized size of antiderivative = 23.30

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="maxima")
```

output

```
-1/1200*B*d^3*i^3*(60*(10*b^3*x^3 + 10*a*b^2*x^2 + 5*a^2*b*x + a^3)*log(b*
e*x/(d*x + c) + a*e/(d*x + c))/(b^9*g^6*x^5 + 5*a*b^8*g^6*x^4 + 10*a^2*b^7
*g^6*x^3 + 10*a^3*b^6*g^6*x^2 + 5*a^4*b^5*g^6*x + a^5*b^4*g^6) + (77*a^3*b
^4*c^4 - 548*a^4*b^3*c^3*d + 352*a^5*b^2*c^2*d^2 - 148*a^6*b*c*d^3 + 27*a^
7*d^4 - 60*(10*b^7*c^3*d - 10*a*b^6*c^2*d^2 + 5*a^2*b^5*c*d^3 - a^3*b^4*d^
4)*x^4 + 30*(10*b^7*c^4 - 100*a*b^6*c^3*d + 95*a^2*b^5*c^2*d^2 - 46*a^3*b^
4*c*d^3 + 9*a^4*b^3*d^4)*x^3 + 10*(50*a*b^6*c^4 - 410*a^2*b^5*c^3*d + 337*
a^3*b^4*c^2*d^2 - 148*a^4*b^3*c*d^3 + 27*a^5*b^2*d^4)*x^2 + 5*(65*a^2*b^5*
c^4 - 488*a^3*b^4*c^3*d + 352*a^4*b^3*c^2*d^2 - 148*a^5*b^2*c*d^3 + 27*a^6
*b*d^4)*x)/((b^13*c^4 - 4*a*b^12*c^3*d + 6*a^2*b^11*c^2*d^2 - 4*a^3*b^10*c
*d^3 + a^4*b^9*d^4)*g^6*x^5 + 5*(a*b^12*c^4 - 4*a^2*b^11*c^3*d + 6*a^3*b^1
0*c^2*d^2 - 4*a^4*b^9*c*d^3 + a^5*b^8*d^4)*g^6*x^4 + 10*(a^2*b^11*c^4 - 4*
a^3*b^10*c^3*d + 6*a^4*b^9*c^2*d^2 - 4*a^5*b^8*c*d^3 + a^6*b^7*d^4)*g^6*x^
3 + 10*(a^3*b^10*c^4 - 4*a^4*b^9*c^3*d + 6*a^5*b^8*c^2*d^2 - 4*a^6*b^7*c*d
^3 + a^7*b^6*d^4)*g^6*x^2 + 5*(a^4*b^9*c^4 - 4*a^5*b^8*c^3*d + 6*a^6*b^7*c
^2*d^2 - 4*a^7*b^6*c*d^3 + a^8*b^5*d^4)*g^6*x + (a^5*b^8*c^4 - 4*a^6*b^7*c
^3*d + 6*a^7*b^6*c^2*d^2 - 4*a^8*b^5*c*d^3 + a^9*b^4*d^4)*g^6) - 60*(10*b^
3*c^3*d^2 - 10*a*b^2*c^2*d^3 + 5*a^2*b*c*d^4 - a^3*d^5)*log(b*x + a)/((b^9
*c^5 - 5*a*b^8*c^4*d + 10*a^2*b^7*c^3*d^2 - 10*a^3*b^6*c^2*d^3 + 5*a^4*b^5
*c*d^4 - a^5*b^4*d^5)*g^6) + 60*(10*b^3*c^3*d^2 - 10*a*b^2*c^2*d^3 + 5*...
```

Giac [A] (verification not implemented)

Time = 0.39 (sec) , antiderivative size = 282, normalized size of antiderivative = 1.56

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx =$$

$$-\frac{1}{400}\left(\frac{20\left(4\,Bbe^6i^3-\frac{5\,(bex+ae)Bde^5i^3}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^5bcg^6}{(dx+c)^5}-\frac{(bex+ae)^5adg^6}{(dx+c)^5}}+\frac{80\,Abe^6i^3+16\,Bbe^6i^3-\frac{100\,(bex+ae)Ade^5i^3}{dx+c}-\frac{25\,(bex}{\frac{(bex+ae)^5bcg^6}{(dx+c)^5}-\frac{(bex+ae)^5adg^6}{(dx+c)^5}}\right.$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x, algo
rithm="giac")
```

output

```
-1/400*(20*(4*B*b*e^6*i^3 - 5*(b*e*x + a*e)*B*d*e^5*i^3/(d*x + c))*log((b*
e*x + a*e)/(d*x + c))/((b*e*x + a*e)^5*b*c*g^6/(d*x + c)^5 - (b*e*x + a*e)
^5*a*d*g^6/(d*x + c)^5) + (80*A*b*e^6*i^3 + 16*B*b*e^6*i^3 - 100*(b*e*x +
a*e)*A*d*e^5*i^3/(d*x + c) - 25*(b*e*x + a*e)*B*d*e^5*i^3/(d*x + c))/((b*e
*x + a*e)^5*b*c*g^6/(d*x + c)^5 - (b*e*x + a*e)^5*a*d*g^6/(d*x + c)^5))*(b
*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 30.18 (sec) , antiderivative size = 1053, normalized size of antiderivative = 5.82

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^6
,x)
```

output

```
- ((20*A*a^4*d^4*i^3 - 80*A*b^4*c^4*i^3 + 9*B*a^4*d^4*i^3 - 16*B*b^4*c^4*i
^3 + 20*A*a^2*b^2*c^2*d^2*i^3 + 9*B*a^2*b^2*c^2*d^2*i^3 + 20*A*a*b^3*c^3*d
*i^3 + 20*A*a^3*b*c*d^3*i^3 + 9*B*a*b^3*c^3*d*i^3 + 9*B*a^3*b*c*d^3*i^3)/(
20*(a*d - b*c)) + (x^2*(20*A*a^2*b^2*d^4*i^3 + 9*B*a^2*b^2*d^4*i^3 - 40*A*
b^4*c^2*d^2*i^3 - 6*B*b^4*c^2*d^2*i^3 + 20*A*a*b^3*c*d^3*i^3 + 9*B*a*b^3*c
*d^3*i^3))/(2*(a*d - b*c)) + (x*(20*A*a^3*b*d^4*i^3 + 9*B*a^3*b*d^4*i^3 -
60*A*b^4*c^3*d*i^3 - 11*B*b^4*c^3*d*i^3 + 20*A*a*b^3*c^2*d^2*i^3 + 20*A*a^
2*b^2*c*d^3*i^3 + 9*B*a*b^3*c^2*d^2*i^3 + 9*B*a^2*b^2*c*d^3*i^3))/(4*(a*d
- b*c)) + (x^3*(20*A*a*b^3*d^4*i^3 + 9*B*a*b^3*d^4*i^3 - 20*A*b^4*c*d^3*i^
3 - B*b^4*c*d^3*i^3))/(2*(a*d - b*c)) + (B*b^4*d^4*i^3*x^4)/(a*d - b*c))/(
20*a^5*b^4*g^6 + 20*b^9*g^6*x^5 + 100*a^4*b^5*g^6*x + 100*a*b^8*g^6*x^4 +
200*a^3*b^6*g^6*x^2 + 200*a^2*b^7*g^6*x^3) - (log((e*(a + b*x))/(c + d*x))
*(x^2*(b*(b*((B*a*d^3*i^3)/(20*b^5*g^6) + (B*c*d^2*i^3)/(10*b^4*g^6)) + (3
*B*a*d^3*i^3)/(20*b^4*g^6) + (3*B*c*d^2*i^3)/(10*b^3*g^6)) + (3*B*a*d^3*i^
3)/(10*b^3*g^6) + (3*B*c*d^2*i^3)/(5*b^2*g^6)) + x*(b*(a*((B*a*d^3*i^3)/(2
0*b^5*g^6) + (B*c*d^2*i^3)/(10*b^4*g^6)) + (3*B*c^2*d*i^3)/(20*b^3*g^6)) +
 a*(b*((B*a*d^3*i^3)/(20*b^5*g^6) + (B*c*d^2*i^3)/(10*b^4*g^6)) + (3*B*a*d
^3*i^3)/(20*b^4*g^6) + (3*B*c*d^2*i^3)/(10*b^3*g^6)) + (3*B*c^2*d*i^3)/(5*
b^2*g^6)) + a*(a*((B*a*d^3*i^3)/(20*b^5*g^6) + (B*c*d^2*i^3)/(10*b^4*g^6))
 + (3*B*c^2*d*i^3)/(20*b^3*g^6)) + (B*c^3*i^3)/(5*b^2*g^6) + (B*d^3*i^3...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1647, normalized size of antiderivative = 9.10

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^6,x)
```

output

```
(i*( - 40*log(a + b*x)*a**6*b**2*c*d**4 + 20*log(a + b*x)*a**5*b**3*c**2*d
**3 - 200*log(a + b*x)*a**5*b**3*c*d**4*x + 100*log(a + b*x)*a**4*b**4*c**
2*d**3*x - 400*log(a + b*x)*a**4*b**4*c*d**4*x**2 + 200*log(a + b*x)*a**3*
b**5*c**2*d**3*x**2 - 400*log(a + b*x)*a**3*b**5*c*d**4*x**3 + 200*log(a +
 b*x)*a**2*b**6*c**2*d**3*x**3 - 200*log(a + b*x)*a**2*b**6*c*d**4*x**4 +
100*log(a + b*x)*a*b**7*c**2*d**3*x**4 - 40*log(a + b*x)*a*b**7*c*d**4*x**
5 + 20*log(a + b*x)*b**8*c**2*d**3*x**5 + 40*log(c + d*x)*a**6*b**2*c*d**4
 - 20*log(c + d*x)*a**5*b**3*c**2*d**3 + 200*log(c + d*x)*a**5*b**3*c*d**4
*x - 100*log(c + d*x)*a**4*b**4*c**2*d**3*x + 400*log(c + d*x)*a**4*b**4*c
*d**4*x**2 - 200*log(c + d*x)*a**3*b**5*c**2*d**3*x**2 + 400*log(c + d*x)*
a**3*b**5*c*d**4*x**3 - 200*log(c + d*x)*a**2*b**6*c**2*d**3*x**3 + 200*lo
g(c + d*x)*a**2*b**6*c*d**4*x**4 - 100*log(c + d*x)*a*b**7*c**2*d**3*x**4
+ 40*log(c + d*x)*a*b**7*c*d**4*x**5 - 20*log(c + d*x)*b**8*c**2*d**3*x**5
 + 40*log((a*e + b*e*x)/(c + d*x))*a**6*b**2*c*d**4 - 20*log((a*e + b*e*x)
/(c + d*x))*a**5*b**3*c**2*d**3 + 200*log((a*e + b*e*x)/(c + d*x))*a**5*b*
*3*c*d**4*x - 100*log((a*e + b*e*x)/(c + d*x))*a**4*b**4*c**2*d**3*x + 400
*log((a*e + b*e*x)/(c + d*x))*a**4*b**4*c*d**4*x**2 - 100*log((a*e + b*e*x
)/(c + d*x))*a**3*b**5*c**4*d - 400*log((a*e + b*e*x)/(c + d*x))*a**3*b**5
*c**3*d**2*x - 800*log((a*e + b*e*x)/(c + d*x))*a**3*b**5*c**2*d**3*x**2 -
 100*log((a*e + b*e*x)/(c + d*x))*a**3*b**5*d**5*x**4 + 80*log((a*e + b...
```

3.30 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx$

Optimal result . . . 434
Mathematica [B] (verified) . . . 435
Rubi [A] (verified) . . . 436
Maple [A] (verified) . . . 438
Fricas [B] (verification not implemented) . . . 439
Sympy [F(-1)] . . . 440
Maxima [B] (verification not implemented) . . . 441
Giac [A] (verification not implemented) . . . 442
Mupad [B] (verification not implemented) . . . 442
Reduce [B] (verification not implemented) . . . 443

Optimal result

Integrand size = 40, antiderivative size = 281

$$\begin{aligned}\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = &-\frac{Bd^2i^3(c+dx)^4}{16(bc-ad)^3g^7(a+bx)^4}\\ &+\frac{2bBdi^3(c+dx)^5}{25(bc-ad)^3g^7(a+bx)^5}\\ &-\frac{b^2Bi^3(c+dx)^6}{36(bc-ad)^3g^7(a+bx)^6}\\ &-\frac{d^2i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)^3g^7(a+bx)^4}\\ &+\frac{2bdi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5(bc-ad)^3g^7(a+bx)^5}\\ &-\frac{b^2i^3(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6(bc-ad)^3g^7(a+bx)^6}\end{aligned}$$

output

```
-1/16*B*d^2*i^3*(d*x+c)^4/(-a*d+b*c)^3/g^7/(b*x+a)^4+2/25*b*B*d*i^3*(d*x+c
)^5/(-a*d+b*c)^3/g^7/(b*x+a)^5-1/36*b^2*B*i^3*(d*x+c)^6/(-a*d+b*c)^3/g^7/(
b*x+a)^6-1/4*d^2*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^
7/(b*x+a)^4+2/5*b*d*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3
/g^7/(b*x+a)^5-1/6*b^2*i^3*(d*x+c)^6*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^3/g^7/(b*x+a)^6
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 642 vs. $2(281) = 562$.

Time = 1.09 (sec) , antiderivative size = 642, normalized size of antiderivative = 2.28

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx$$
$$= \frac{i^3\Big(-100B(bc-ad)^6+432aBd(-bc+ad)^5-432bBd(bc-ad)^5x+540aBd^2(bc-ad)^4(a+bx)+120B$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*
g*x)^7,x]
```

output

```
(i^3*(-100*B*(b*c - a*d)^6 + 432*a*B*d*(-(b*c) + a*d)^5 - 432*b*B*d*(b*c -
 a*d)^5*x + 540*a*B*d^2*(b*c - a*d)^4*(a + b*x) + 120*B*d*(b*c - a*d)^5*(a
 + b*x) + 540*b*B*d^2*(b*c - a*d)^4*x*(a + b*x) - 825*B*d^2*(b*c - a*d)^4*
(a + b*x)^2 + 720*a*B*d^3*(-(b*c) + a*d)^3*(a + b*x)^2 - 720*b*B*d^3*(b*c
 - a*d)^3*x*(a + b*x)^2 + 1080*a*B*d^4*(b*c - a*d)^2*(a + b*x)^3 + 700*B*d^
3*(b*c - a*d)^3*(a + b*x)^3 + 1080*b*B*d^4*(b*c - a*d)^2*x*(a + b*x)^3 - 1
050*B*d^4*(b*c - a*d)^2*(a + b*x)^4 + 2160*a*B*d^5*(-(b*c) + a*d)*(a + b*x
)^4 - 2160*b*B*d^5*(b*c - a*d)*x*(a + b*x)^4 + 2100*B*d^5*(b*c - a*d)*(a +
 b*x)^5 - 2160*a*B*d^6*(a + b*x)^5*Log[a + b*x] - 2160*b*B*d^6*x*(a + b*x)
^5*Log[a + b*x] + 2100*B*d^6*(a + b*x)^6*Log[a + b*x] - 600*(b*c - a*d)^6*
(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2160*d*(-(b*c) + a*d)^5*(a + b*x)*(
A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2700*d^2*(b*c - a*d)^4*(a + b*x)^2*(
A + B*Log[(e*(a + b*x))/(c + d*x)]) + 1200*d^3*(-(b*c) + a*d)^3*(a + b*x)^
3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2160*a*B*d^6*(a + b*x)^5*Log[c +
d*x] + 2160*b*B*d^6*x*(a + b*x)^5*Log[c + d*x] - 2100*B*d^6*(a + b*x)^6*Lo
g[c + d*x]))/(3600*b^4*(b*c - a*d)^3*g^7*(a + b*x)^6)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 205, normalized size of antiderivative = 0.73, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ag+bgx)^7}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3\int \frac{(c+dx)^7\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^7}d\frac{a+bx}{c+dx}}{g^7(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{i^3\left(-B\int -\frac{(c+dx)^7\left(10b^2-\frac{24d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{60(a+bx)^7}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6(a+bx)^6}-\frac{d^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\right.}{g^7(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{i^3\left(\frac{1}{60}B\int \frac{(c+dx)^7\left(10b^2-\frac{24d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)^7}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6(a+bx)^6}-\frac{d^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\right.}{g^7(bc-ad)^3}$$

$$\downarrow 1140$$

$$\frac{i^3\left(\frac{1}{60}B\int \left(\frac{10b^2(c+dx)^7}{(a+bx)^7}-\frac{24bd(c+dx)^6}{(a+bx)^6}+\frac{15d^2(c+dx)^5}{(a+bx)^5}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6(a+bx)^6}-\frac{d^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{g^7(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i^3\left(-\frac{b^2(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6(a+bx)^6}-\frac{d^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}+\frac{2bd(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5(a+bx)^5}+\frac{1}{60}B\left(-\frac{5b^2(c+dx)^6}{3(a+bx)^6}\right.\right.}{g^7(bc-ad)^3}$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a*g + b*g*x)^7
,x]
```

output
```
(i^3*((B*((-15*d^2*(c + d*x)^4)/(4*(a + b*x)^4) + (24*b*d*(c + d*x)^5)/(5*
(a + b*x)^5) - (5*b^2*(c + d*x)^6)/(3*(a + b*x)^6)))/60 - (d^2*(c + d*x)^4
*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*(a + b*x)^4) + (2*b*d*(c + d*x)^
5*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*(a + b*x)^5) - (b^2*(c + d*x)^6
*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(6*(a + b*x)^6)))/((b*c - a*d)^3*g^
7)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1140
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.95 (sec) , antiderivative size = 481, normalized size of antiderivative = 1.71

method	result
parts	$\frac{i^3 A\left(\frac{3d^2(da-bc)}{4b^4(bx+a)^4}-\frac{-a^3d^3+3a^2bcd^2-3ab^2c^2d+b^3c^3}{6b^4(bx+a)^6}-\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)}{5b^4(bx+a)^5}-\frac{d^3}{3b^4(bx+a)^3}\right)}{g^7}-\frac{i^3B(da-bc)^4e^4\left(\frac{d^7\left(-\right.}{}\right.}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^5Ab^2}{6(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^6}+\frac{2i^3d^3e^4Ab}{5(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{i^3d^4e^3A}{4(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{i^3d^2e^5B}{}\right.}$
default	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^5Ab^2}{6(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^6}+\frac{2i^3d^3e^4Ab}{5(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{i^3d^4e^3A}{4(da-bc)^4g^7\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{i^3d^2e^5B}{}\right.}$
orering	$-\frac{(bx+a)(-300b^6d^6x^6-1500ab^5d^6x^5-300b^6cd^5x^5-2870a^2b^4d^6x^4-1760ab^5cd^5x^4+130b^6c^2d^4x^4-11480a^2b^4cd^5x}$
risch	$-\frac{i^3B(20b^3d^3x^3+15ab^2d^3x^2+45b^3cd^2x^2+6a^2bd^3x+18ab^2cd^2x+36b^3c^2dx+a^3d^3+3a^2bcd^2+6ab^2c^2d+10b^3c^3)\ln\left(}{60(bx+a)^6g^7b^4}$
parallelrisch	Expression too large to display
norman	Expression too large to display

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^7,x,method=_RETU
RNVERBOSE)
```

output
```
i^3*A/g^7*(3/4*d^2*(a*d-b*c)/b^4/(b*x+a)^4-1/6*(-a^3*d^3+3*a^2*b*c*d^2-3*a
*b^2*c^2*d+b^3*c^3)/b^4/(b*x+a)^6-3/5*d*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^4/(b
*x+a)^5-1/3*d^3/b^4/(b*x+a)^3)-i^3*B/g^7/d^5*(a*d-b*c)^4*e^4*(d^7/(a*d-b*c
)^7*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-
1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4)-2*d^6/(a*d-b*c)^7*b*e*(-1/5/(b*e/d+(
a*d-b*c)*e/d/(d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^5)+d^5/(a*d-b*c)^7*b^2*e^2*(-1/6/(b*e/d+(a*d-b*c)*e/d/(d*
x+c))^6*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/36/(b*e/d+(a*d-b*c)*e/d/(d*x+c))
^6))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 991 vs. $2(269) = 538$.

Time $= 0.10$ (sec) , antiderivative size $= 991$, normalized size of antiderivative $= 3.53$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^7,x, algo
rithm="fricas")
```

output

```
-1/3600*(60*(B*b^6*c*d^5 - B*a*b^5*d^6)*i^3*x^5 - 30*(B*b^6*c^2*d^4 - 12*B
*a*b^5*c*d^5 + 11*B*a^2*b^4*d^6)*i^3*x^4 + 20*((60*A + B)*b^6*c^3*d^3 - 9*
(20*A + B)*a*b^5*c^2*d^4 + 45*(4*A + B)*a^2*b^4*c*d^5 - (60*A + 37*B)*a^3*
b^3*d^6)*i^3*x^3 + 15*((180*A + 19*B)*b^6*c^4*d^2 - 24*(20*A + 3*B)*a*b^5*
c^3*d^3 + 90*(4*A + B)*a^2*b^4*c^2*d^4 - (60*A + 37*B)*a^4*b^2*d^6)*i^3*x^
2 + 6*(4*(90*A + 13*B)*b^6*c^5*d - 15*(60*A + 11*B)*a*b^5*c^4*d^2 + 150*(4
*A + B)*a^2*b^4*c^3*d^3 - (60*A + 37*B)*a^5*b*d^6)*i^3*x + (100*(6*A + B)*
b^6*c^6 - 288*(5*A + B)*a*b^5*c^5*d + 225*(4*A + B)*a^2*b^4*c^4*d^2 - (60*
A + 37*B)*a^6*d^6)*i^3 + 60*(B*b^6*d^6*i^3*x^6 + 6*B*a*b^5*d^6*i^3*x^5 + 1
5*B*a^2*b^4*d^6*i^3*x^4 + 20*(B*b^6*c^3*d^3 - 3*B*a*b^5*c^2*d^4 + 3*B*a^2*
b^4*c*d^5)*i^3*x^3 + 15*(3*B*b^6*c^4*d^2 - 8*B*a*b^5*c^3*d^3 + 6*B*a^2*b^4
*c^2*d^4)*i^3*x^2 + 6*(6*B*b^6*c^5*d - 15*B*a*b^5*c^4*d^2 + 10*B*a^2*b^4*c
^3*d^3)*i^3*x + (10*B*b^6*c^6 - 24*B*a*b^5*c^5*d + 15*B*a^2*b^4*c^4*d^2)*i
^3)*log((b*e*x + a*e)/(d*x + c)))/((b^13*c^3 - 3*a*b^12*c^2*d + 3*a^2*b^11
*c*d^2 - a^3*b^10*d^3)*g^7*x^6 + 6*(a*b^12*c^3 - 3*a^2*b^11*c^2*d + 3*a^3*
b^10*c*d^2 - a^4*b^9*d^3)*g^7*x^5 + 15*(a^2*b^11*c^3 - 3*a^3*b^10*c^2*d +
3*a^4*b^9*c*d^2 - a^5*b^8*d^3)*g^7*x^4 + 20*(a^3*b^10*c^3 - 3*a^4*b^9*c^2*
d + 3*a^5*b^8*c*d^2 - a^6*b^7*d^3)*g^7*x^3 + 15*(a^4*b^9*c^3 - 3*a^5*b^8*c
^2*d + 3*a^6*b^7*c*d^2 - a^7*b^6*d^3)*g^7*x^2 + 6*(a^5*b^8*c^3 - 3*a^6*b^7
*c^2*d + 3*a^7*b^6*c*d^2 - a^8*b^5*d^3)*g^7*x + (a^6*b^7*c^3 - 3*a^7*b^...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**7,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5524 vs. $2(269) = 538$.

Time $= 0.35$ (sec) , antiderivative size $= 5524$, normalized size of antiderivative $= 19.66$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^7,x, algo
rithm="maxima")
```

output
```
-1/3600*B*d^3*i^3*(60*(20*b^3*x^3 + 15*a*b^2*x^2 + 6*a^2*b*x + a^3)*log(b*
e*x/(d*x + c) + a*e/(d*x + c))/(b^10*g^7*x^6 + 6*a*b^9*g^7*x^5 + 15*a^2*b^
8*g^7*x^4 + 20*a^3*b^7*g^7*x^3 + 15*a^4*b^6*g^7*x^2 + 6*a^5*b^5*g^7*x + a^
6*b^4*g^7) + (57*a^3*b^5*c^5 - 405*a^4*b^4*c^4*d + 1470*a^5*b^3*c^3*d^2 -
730*a^6*b^2*c^2*d^3 + 245*a^7*b*c*d^4 - 37*a^8*d^5 + 60*(20*b^8*c^3*d^2 -
15*a*b^7*c^2*d^3 + 6*a^2*b^6*c*d^4 - a^3*b^5*d^5)*x^5 - 30*(20*b^8*c^4*d -
 235*a*b^7*c^3*d^2 + 171*a^2*b^6*c^2*d^3 - 67*a^3*b^5*c*d^4 + 11*a^4*b^4*d
^5)*x^4 + 20*(20*b^8*c^5 - 175*a*b^7*c^4*d + 866*a^2*b^6*c^3*d^2 - 604*a^3
*b^5*c^2*d^3 + 230*a^4*b^4*c*d^4 - 37*a^5*b^3*d^5)*x^3 + 15*(35*a*b^7*c^5
- 271*a^2*b^6*c^4*d + 1128*a^3*b^5*c^3*d^2 - 700*a^4*b^4*c^2*d^3 + 245*a^5
*b^3*c*d^4 - 37*a^6*b^2*d^5)*x^2 + 6*(47*a^2*b^6*c^5 - 345*a^3*b^5*c^4*d +
 1320*a^4*b^4*c^3*d^2 - 730*a^5*b^3*c^2*d^3 + 245*a^6*b^2*c*d^4 - 37*a^7*b
*d^5)*x)/((b^15*c^5 - 5*a*b^14*c^4*d + 10*a^2*b^13*c^3*d^2 - 10*a^3*b^12*c
^2*d^3 + 5*a^4*b^11*c*d^4 - a^5*b^10*d^5)*g^7*x^6 + 6*(a*b^14*c^5 - 5*a^2*
b^13*c^4*d + 10*a^3*b^12*c^3*d^2 - 10*a^4*b^11*c^2*d^3 + 5*a^5*b^10*c*d^4
- a^6*b^9*d^5)*g^7*x^5 + 15*(a^2*b^13*c^5 - 5*a^3*b^12*c^4*d + 10*a^4*b^11
*c^3*d^2 - 10*a^5*b^10*c^2*d^3 + 5*a^6*b^9*c*d^4 - a^7*b^8*d^5)*g^7*x^4 +
20*(a^3*b^12*c^5 - 5*a^4*b^11*c^4*d + 10*a^5*b^10*c^3*d^2 - 10*a^6*b^9*c^2
*d^3 + 5*a^7*b^8*c*d^4 - a^8*b^7*d^5)*g^7*x^3 + 15*(a^4*b^11*c^5 - 5*a^5*b
^10*c^4*d + 10*a^6*b^9*c^3*d^2 - 10*a^7*b^8*c^2*d^3 + 5*a^8*b^7*c*d^4 -...
```

Giac [A] (verification not implemented)

Time = 0.44 (sec) , antiderivative size = 444, normalized size of antiderivative = 1.58

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx =$$
$$-\frac{1}{3600}\left(\frac{60\left(10\,Bb^2e^7i^3-\frac{24\,(bex+ae)Bbde^6i^3}{dx+c}+\frac{15\,(bex+ae)^2Bd^2e^5i^3}{(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^6b^2c^2g^7}{(dx+c)^6}-\frac{2\,(bex+ae)^6abcdg^7}{(dx+c)^6}+\frac{(bex+ae)^6a^2d^2g^7}{(dx+c)^6}}+\frac{600\,Ab^2e^7i^3+100\,Bb^2e^7}{}\right.$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^7,x, algo
rithm="giac")
```

output
```
-1/3600*(60*(10*B*b^2*e^7*i^3 - 24*(b*e*x + a*e)*B*b*d*e^6*i^3/(d*x + c) +
 15*(b*e*x + a*e)^2*B*d^2*e^5*i^3/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c)
)/((b*e*x + a*e)^6*b^2*c^2*g^7/(d*x + c)^6 - 2*(b*e*x + a*e)^6*a*b*c*d*g^7
/(d*x + c)^6 + (b*e*x + a*e)^6*a^2*d^2*g^7/(d*x + c)^6) + (600*A*b^2*e^7*i
^3 + 100*B*b^2*e^7*i^3 - 1440*(b*e*x + a*e)*A*b*d*e^6*i^3/(d*x + c) - 288*
(b*e*x + a*e)*B*b*d*e^6*i^3/(d*x + c) + 900*(b*e*x + a*e)^2*A*d^2*e^5*i^3/
(d*x + c)^2 + 225*(b*e*x + a*e)^2*B*d^2*e^5*i^3/(d*x + c)^2)/((b*e*x + a*e
)^6*b^2*c^2*g^7/(d*x + c)^6 - 2*(b*e*x + a*e)^6*a*b*c*d*g^7/(d*x + c)^6 +
(b*e*x + a*e)^6*a^2*d^2*g^7/(d*x + c)^6))*(b*c/((b*c*e - a*d*e)*(b*c - a*d
)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 31.99 (sec) , antiderivative size = 1396, normalized size of antiderivative = 4.97

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(a*g + b*g*x)^7
,x)
```

output

```
(B*d^6*i^3*atanh((60*b^7*c^3*g^7 + 60*a^3*b^4*d^3*g^7 - 60*a*b^6*c^2*d*g^7
 - 60*a^2*b^5*c*d^2*g^7)/(60*b^4*g^7*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2 +
b^2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(30*b^4*g^7*(a*d - b*c)^3) - (log((e
*(a + b*x))/(c + d*x))*(x^2*(b*(b*((B*a*d^3*i^3)/(60*b^5*g^7) + (B*c*d^2*i
^3)/(20*b^4*g^7)) + (B*a*d^3*i^3)/(15*b^4*g^7) + (B*c*d^2*i^3)/(5*b^3*g^7)
) + (B*a*d^3*i^3)/(6*b^3*g^7) + (B*c*d^2*i^3)/(2*b^2*g^7)) + x*(b*(a*((B*a
*d^3*i^3)/(60*b^5*g^7) + (B*c*d^2*i^3)/(20*b^4*g^7)) + (B*c^2*d*i^3)/(10*b
^3*g^7)) + a*(b*((B*a*d^3*i^3)/(60*b^5*g^7) + (B*c*d^2*i^3)/(20*b^4*g^7))
+ (B*a*d^3*i^3)/(15*b^4*g^7) + (B*c*d^2*i^3)/(5*b^3*g^7)) + (B*c^2*d*i^3)/
(2*b^2*g^7)) + a*(a*((B*a*d^3*i^3)/(60*b^5*g^7) + (B*c*d^2*i^3)/(20*b^4*g^
7)) + (B*c^2*d*i^3)/(10*b^3*g^7)) + (B*c^3*i^3)/(6*b^2*g^7) + (B*d^3*i^3*x
^3)/(3*b^2*g^7)))/(6*a^5*x + a^6/b + b^5*x^6 + 15*a^4*b*x^2 + 6*a*b^4*x^5
+ 20*a^3*b^2*x^3 + 15*a^2*b^3*x^4) - ((60*A*a^5*d^5*i^3 + 600*A*b^5*c^5*i^
3 + 37*B*a^5*d^5*i^3 + 100*B*b^5*c^5*i^3 + 60*A*a^2*b^3*c^3*d^2*i^3 + 60*A
*a^3*b^2*c^2*d^3*i^3 + 37*B*a^2*b^3*c^3*d^2*i^3 + 37*B*a^3*b^2*c^2*d^3*i^3
 - 840*A*a*b^4*c^4*d*i^3 + 60*A*a^4*b*c*d^4*i^3 - 188*B*a*b^4*c^4*d*i^3 +
37*B*a^4*b*c*d^4*i^3)/(60*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (x^2*(60*A*a^
3*b^2*d^5*i^3 + 37*B*a^3*b^2*d^5*i^3 + 180*A*b^5*c^3*d^2*i^3 + 19*B*b^5*c^
3*d^2*i^3 - 300*A*a*b^4*c^2*d^3*i^3 + 60*A*a^2*b^3*c*d^4*i^3 - 53*B*a*b^4*
c^2*d^3*i^3 + 37*B*a^2*b^3*c*d^4*i^3))/(4*(a^2*d^2 + b^2*c^2 - 2*a*b*c*...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1696, normalized size of antiderivative = 6.04

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^7,x)
```

output

```
(i*( - 60*log(a + b*x)*a**7*b*d**6 - 360*log(a + b*x)*a**6*b**2*d**6*x - 9
00*log(a + b*x)*a**5*b**3*d**6*x**2 - 1200*log(a + b*x)*a**4*b**4*d**6*x**
3 - 900*log(a + b*x)*a**3*b**5*d**6*x**4 - 360*log(a + b*x)*a**2*b**6*d**6
*x**5 - 60*log(a + b*x)*a*b**7*d**6*x**6 + 60*log(c + d*x)*a**7*b*d**6 + 3
60*log(c + d*x)*a**6*b**2*d**6*x + 900*log(c + d*x)*a**5*b**3*d**6*x**2 +
1200*log(c + d*x)*a**4*b**4*d**6*x**3 + 900*log(c + d*x)*a**3*b**5*d**6*x*
*4 + 360*log(c + d*x)*a**2*b**6*d**6*x**5 + 60*log(c + d*x)*a*b**7*d**6*x*
*6 + 60*log((a*e + b*e*x)/(c + d*x))*a**7*b*d**6 + 360*log((a*e + b*e*x)/(
c + d*x))*a**6*b**2*d**6*x + 900*log((a*e + b*e*x)/(c + d*x))*a**5*b**3*d*
*6*x**2 + 1200*log((a*e + b*e*x)/(c + d*x))*a**4*b**4*d**6*x**3 - 900*log(
(a*e + b*e*x)/(c + d*x))*a**3*b**5*c**4*d**2 - 3600*log((a*e + b*e*x)/(c +
 d*x))*a**3*b**5*c**3*d**3*x - 5400*log((a*e + b*e*x)/(c + d*x))*a**3*b**5
*c**2*d**4*x**2 - 3600*log((a*e + b*e*x)/(c + d*x))*a**3*b**5*c*d**5*x**3
+ 1440*log((a*e + b*e*x)/(c + d*x))*a**2*b**6*c**5*d + 5400*log((a*e + b*e
*x)/(c + d*x))*a**2*b**6*c**4*d**2*x + 7200*log((a*e + b*e*x)/(c + d*x))*a
**2*b**6*c**3*d**3*x**2 + 3600*log((a*e + b*e*x)/(c + d*x))*a**2*b**6*c**2
*d**4*x**3 - 600*log((a*e + b*e*x)/(c + d*x))*a*b**7*c**6 - 2160*log((a*e
+ b*e*x)/(c + d*x))*a*b**7*c**5*d*x - 2700*log((a*e + b*e*x)/(c + d*x))*a*
b**7*c**4*d**2*x**2 - 1200*log((a*e + b*e*x)/(c + d*x))*a*b**7*c**3*d**3*x
**3 + 60*a**8*d**6 + 360*a**7*b*d**6*x + 27*a**7*b*d**6 + 10*a**6*b**2*...
```

3.31 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$

Optimal result . . . 445
Mathematica [A] (verified) . . . 446
Rubi [A] (verified) . . . 446
Maple [B] (verified) . . . 449
Fricas [F] . . . 450
Sympy [F] . . . 451
Maxima [B] (verification not implemented) . . . 451
Giac [B] (verification not implemented) . . . 452
Mupad [F(-1)] . . . 453
Reduce [F] . . . 454

Optimal result

Integrand size = 40, antiderivative size = 252

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx \\
&= \frac{g^3(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3di} \\
&\quad - \frac{(bc-ad)g^3(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^2i} \\
&\quad + \frac{(bc-ad)^2g^3(a+bx)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^3i} \\
&\quad + \frac{(bc-ad)^3g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(6A+11B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^4i} \\
&\quad + \frac{B(bc-ad)^3g^3\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i}
\end{aligned}
$$

output

```
1/3*g^3*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i-1/6*(-a*d+b*c)*g^3*(b*x+
a)^2*(3*A+B+3*B*ln(e*(b*x+a)/(d*x+c)))/d^2/i+1/6*(-a*d+b*c)^2*g^3*(b*x+a)*
(6*A+5*B+6*B*ln(e*(b*x+a)/(d*x+c)))/d^3/i+1/6*(-a*d+b*c)^3*g^3*ln((-a*d+b*
c)/b/(d*x+c))*(6*A+11*B+6*B*ln(e*(b*x+a)/(d*x+c)))/d^4/i+B*(-a*d+b*c)^3*g^
3*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i
```

Mathematica [A] (verified)

Time = 0.33 (sec) , antiderivative size = 354, normalized size of antiderivative = 1.40

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^3\left(6Abd(bc-ad)^2x+6Bd(bc-ad)^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)+3d^2(-bc+ad)(a+bx)^2\left(A+B\log\left(\frac{e(a+}{c+}\right.\right.\right.$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x),x]
```

output
```
(g^3*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a +
b*x))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) -
6*B*(b*c - a*d)^3*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*
(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (
-(b*c) + a*d)*Log[c + d*x]) - 6*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c
+ d*x)])*Log[i*(c + d*x)] + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b*c
) + a*d)] - Log[i*(c + d*x)])*Log[i*(c + d*x)] + 2*PolyLog[2, (b*(c + d*x)
)/(b*c - a*d)])))/(6*d^4*i)
```

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 298, normalized size of antiderivative = 1.18, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {2962, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow 2962$$

$$\frac{g^3(bc-ad)^3\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\int\frac{(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}}{3d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6A+5B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{6A+11B+6B\log}{b-\frac{d(a-}{c+}}}{2d}}{3d}\right)}{i}$$

$$\downarrow 2754$$

$$g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6A+5B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{6B\int\frac{(c+dx)\log\left($$

$$\Big\downarrow 2838$$

$$g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6A+5B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{}$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x),x
]
```

output

```
((b*c - a*d)^3*g^3*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*
d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a + b*x)^2*(3*A + B +
3*B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c
+ d*x))^2) - (((a + b*x)*(6*A + 5*B + 6*B*Log[(e*(a + b*x))/(c + d*x)]))/(
d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((6*A + 11*B + 6*B*Log[(e*
(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (6*B*Pol
yLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d))/(3*d)))/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1104 vs. $2(244) = 488$.

Time = 3.35 (sec) , antiderivative size = 1105, normalized size of antiderivative = 4.38

method	result	size
derivativedivides	Expression too large to display	1105
default	Expression too large to display	1105
parts	Expression too large to display	1116
risch	Expression too large to display	3731

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x,method=_RETURN
VERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(A*d^2*g^3*(a^2*d^2-2*a*b*c*d+b^2*c^2)/e/i*(-3/2*b^2/d^
4*e^2/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^2+3*b*e/d^4/(b*e-(b*e/d+(a*d-b
*c)*e/d/(d*x+c))*d)+1/d^4*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+1/3*b^3*
e^3/d^4/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^3)+B*d^2*g^3*(a^2*d^2-2*a*b*
c*d+b^2*c^2)/e/i*(3*(1/2/b/e/d/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)-1/2/b
^2/e^2/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)-1/2*ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(2*b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+
c))*d)/b^2/e^2/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^2)*b^2/d^3*e^2+3*(1/b
/e/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c
))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)
)*b*e/d^3+(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a
*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/d^3
+(-1/6/b/e/d/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^2-1/3/b^2/e^2/d/(b*e-(b
*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+1/3/b^3/e^3/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(
d*x+c))*d)+1/3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c
))*(3*b^2*e^2-3*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d*b*e+d^2*(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2)/b^3/e^3/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^3)*b^3*e^3/d^
3))
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log((b
*e*x + a*e)/(d*x + c)))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^3\left(\int \frac{Aa^3}{c+dx}\,dx+\int \frac{Ab^3x^3}{c+dx}\,dx+\int \frac{Ba^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx+\int \frac{3Aab^2x^2}{c+dx}\,dx+\int \frac{3Aa^2bx}{c+dx}\,dx+\int \frac{Bb^3x^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right.}{c+dx}\right.}{i}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
g**3*(Integral(A*a**3/(c + d*x), x) + Integral(A*b**3*x**3/(c + d*x), x) +
 Integral(B*a**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Inte
gral(3*A*a*b**2*x**2/(c + d*x), x) + Integral(3*A*a**2*b*x/(c + d*x), x) +
 Integral(B*b**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) +
 Integral(3*B*a*b**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x),
x) + Integral(3*B*a**2*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x),
 x))/i
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 790 vs. $2(243) = 486$.

Time $= 0.12$ (sec) , antiderivative size $= 790$, normalized size of antiderivative $= 3.13$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="maxima")
```

output

```
3*A*a^2*b*g^3*(x/(d*i) - c*log(d*x + c)/(d^2*i)) - 1/6*A*b^3*g^3*(6*c^3*lo
g(d*x + c)/(d^4*i) - (2*d^2*x^3 - 3*c*d*x^2 + 6*c^2*x)/(d^3*i)) + 3/2*A*a*
b^2*g^3*(2*c^2*log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A*a^3*g^3
*log(d*i*x + c*i)/(d*i) - (b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2
*g^3 - a^3*d^3*g^3)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dil
og(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^4*i) + 1/6*(6*a^3*d^3*g^3*log(e) - (6
*g^3*log(e) + 11*g^3)*b^3*c^3 + 9*(2*g^3*log(e) + 3*g^3)*a*b^2*c^2*d - 18*
(g^3*log(e) + g^3)*a^2*b*c*d^2)*B*log(d*x + c)/(d^4*i) + 1/6*(2*B*b^3*d^3*
g^3*x^3*log(e) - ((3*g^3*log(e) + g^3)*b^3*c*d^2 - (9*g^3*log(e) + g^3)*a*
b^2*d^3)*B*x^2 + 3*(b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2*g^3 -
a^3*d^3*g^3)*B*log(d*x + c)^2 + ((6*g^3*log(e) + 5*g^3)*b^3*c^2*d - 6*(3*g
^3*log(e) + 2*g^3)*a*b^2*c*d^2 + (18*g^3*log(e) + 7*g^3)*a^2*b*d^3)*B*x +
(2*B*b^3*d^3*g^3*x^3 - 3*(b^3*c*d^2*g^3 - 3*a*b^2*d^3*g^3)*B*x^2 + 6*(b^3*
c^2*d*g^3 - 3*a*b^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B*x + (6*a*b^2*c^2*d*g^3
- 15*a^2*b*c*d^2*g^3 + 11*a^3*d^3*g^3)*B)*log(b*x + a) - (2*B*b^3*d^3*g^3*
x^3 - 3*(b^3*c*d^2*g^3 - 3*a*b^2*d^3*g^3)*B*x^2 + 6*(b^3*c^2*d*g^3 - 3*a*b
^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B*x)*log(d*x + c))/(d^4*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3552 vs. $2(243) = 486$.

Time $= 66.59$ (sec) , antiderivative size $= 3552$, normalized size of antiderivative $= 14.10$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="giac")
```

output

```
-1/120*(6*(B*b^9*c^6*e^6*g^3 - 6*B*a*b^8*c^5*d*e^6*g^3 + 15*B*a^2*b^7*c^4*
d^2*e^6*g^3 - 20*B*a^3*b^6*c^3*d^3*e^6*g^3 + 15*B*a^4*b^5*c^2*d^4*e^6*g^3
- 6*B*a^5*b^4*c*d^5*e^6*g^3 + B*a^6*b^3*d^6*e^6*g^3 - 5*(b*e*x + a*e)*B*b^
8*c^6*d*e^5*g^3/(d*x + c) + 30*(b*e*x + a*e)*B*a*b^7*c^5*d^2*e^5*g^3/(d*x
+ c) - 75*(b*e*x + a*e)*B*a^2*b^6*c^4*d^3*e^5*g^3/(d*x + c) + 100*(b*e*x +
 a*e)*B*a^3*b^5*c^3*d^4*e^5*g^3/(d*x + c) - 75*(b*e*x + a*e)*B*a^4*b^4*c^2
*d^5*e^5*g^3/(d*x + c) + 30*(b*e*x + a*e)*B*a^5*b^3*c*d^6*e^5*g^3/(d*x + c
) - 5*(b*e*x + a*e)*B*a^6*b^2*d^7*e^5*g^3/(d*x + c) + 10*(b*e*x + a*e)^2*B
*b^7*c^6*d^2*e^4*g^3/(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a*b^6*c^5*d^3*e^4*
g^3/(d*x + c)^2 + 150*(b*e*x + a*e)^2*B*a^2*b^5*c^4*d^4*e^4*g^3/(d*x + c)^
2 - 200*(b*e*x + a*e)^2*B*a^3*b^4*c^3*d^5*e^4*g^3/(d*x + c)^2 + 150*(b*e*x
 + a*e)^2*B*a^4*b^3*c^2*d^6*e^4*g^3/(d*x + c)^2 - 60*(b*e*x + a*e)^2*B*a^5
*b^2*c*d^7*e^4*g^3/(d*x + c)^2 + 10*(b*e*x + a*e)^2*B*a^6*b*d^8*e^4*g^3/(d
*x + c)^2 - 10*(b*e*x + a*e)^3*B*b^6*c^6*d^3*e^3*g^3/(d*x + c)^3 + 60*(b*e
*x + a*e)^3*B*a*b^5*c^5*d^4*e^3*g^3/(d*x + c)^3 - 150*(b*e*x + a*e)^3*B*a^
2*b^4*c^4*d^5*e^3*g^3/(d*x + c)^3 + 200*(b*e*x + a*e)^3*B*a^3*b^3*c^3*d^6*
e^3*g^3/(d*x + c)^3 - 150*(b*e*x + a*e)^3*B*a^4*b^2*c^2*d^7*e^3*g^3/(d*x +
 c)^3 + 60*(b*e*x + a*e)^3*B*a^5*b*c*d^8*e^3*g^3/(d*x + c)^3 - 10*(b*e*x +
 a*e)^3*B*a^6*d^9*e^3*g^3/(d*x + c)^3)*log((b*e*x + a*e)/(d*x + c))/(b^5*d
^4*e^5*i - 5*(b*e*x + a*e)*b^4*d^5*e^4*i/(d*x + c) + 10*(b*e*x + a*e)^2...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{c\,i+d\,i\,x}\,dx$$

input

```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x),x
)
```

output

```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x),
x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$

$$= \frac{g^3 i\left(-6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)a^3 b\,d^4 - 6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^3}{dx+c}dx\right)b^4 d^4 - 18\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^2}{dx+c}dx\right)a\,b^3 d^4 - 18\left(\int \frac{\log}{}\right.\right.}{}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
(g**3*i*( - 6*int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a**3*b*d**4 -
6*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c + d*x),x)*b**4*d**4 - 18*int(
(log((a*e + b*e*x)/(c + d*x))*x**2)/(c + d*x),x)*a*b**3*d**4 - 18*int((log
((a*e + b*e*x)/(c + d*x))*x)/(c + d*x),x)*a**2*b**2*d**4 - 6*log(c + d*x)*
a**4*d**3 + 18*log(c + d*x)*a**3*b*c*d**2 - 18*log(c + d*x)*a**2*b**2*c**2
*d + 6*log(c + d*x)*a*b**3*c**3 - 18*a**3*b*d**3*x + 18*a**2*b**2*c*d**2*x
 - 9*a**2*b**2*d**3*x**2 - 6*a*b**3*c**2*d*x + 3*a*b**3*c*d**2*x**2 - 2*a*
b**3*d**3*x**3))/(6*d**4)
```

3.32 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$

Optimal result . . . 455
Mathematica [A] (verified) . . . 456
Rubi [A] (verified) . . . 456
Maple [B] (verified) . . . 459
Fricas [F] . . . 460
Sympy [F] . . . 460
Maxima [B] (verification not implemented) . . . 461
Giac [B] (verification not implemented) . . . 462
Mupad [F(-1)] . . . 463
Reduce [F] . . . 463

Optimal result

Integrand size = 40, antiderivative size = 198

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx \\
&= \frac{g^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2di} \\
&\quad - \frac{(bc-ad)g^2(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^2i} \\
&\quad - \frac{(bc-ad)^2g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^3i} \\
&\quad - \frac{B(bc-ad)^2g^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i}
\end{aligned}$$

output

```
1/2*g^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i-1/2*(-a*d+b*c)*g^2*(b*x+
a)*(2*A+B+2*B*ln(e*(b*x+a)/(d*x+c)))/d^2/i-1/2*(-a*d+b*c)^2*g^2*ln((-a*d+b
*c)/b/(d*x+c))*(2*A+3*B+2*B*ln(e*(b*x+a)/(d*x+c)))/d^3/i-B*(-a*d+b*c)^2*g^
2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i
```

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 254, normalized size of antiderivative = 1.28

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$=\frac{g^2\left(-2Abd(bc-ad)x+2Bd(-bc+ad)(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)+d^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+2I\right.}{}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x),x]
```

output
```
(g^2*(-2*A*b*d*(b*c - a*d)*x + 2*B*d*(-(b*c) + a*d)*(a + b*x)*Log[(e*(a +
b*x))/(c + d*x)] + d^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) +
2*B*(b*c - a*d)^2*Log[c + d*x] - B*(b*c - a*d)*(b*d*x + (-(b*c) + a*d)*Log
[c + d*x]) + 2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[i*(c
 + d*x)] - B*(b*c - a*d)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[i*(
c + d*x)])*Log[i*(c + d*x)] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(
2*d^3*i)
```

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 225, normalized size of antiderivative = 1.14, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow \text{2962}$$
$$\frac{g^2(bc-ad)^2\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}}{2d}\right)}{i}$$

$$\downarrow 2754$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{d}}{2d}\right)}{i}$$

$$\downarrow 2838$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+3B\right)}{d}}{d}-\frac{2B\,\mathrm{Pol}}{}}{2d}\right)}{i}$$

input
```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x),x
]
```

output
```
((b*c - a*d)^2*g^2*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*
d*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)*(2*A + B + 2*
B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)
)) - (-(((2*A + 3*B + 2*B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*
x))/(b*(c + d*x))])/d) - (2*B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/
d)/(2*d)))/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 656 vs. 2(192) = 384.

Time = 3.20 (sec) , antiderivative size = 657, normalized size of antiderivative = 3.32

method	result
parts	$\frac{g^2 A\left(\frac{b\left(\frac{1}{2}bd\,x^2+2xda-bcx\right)}{d^2}+\frac{\left(a^2d^2-2acdb+c^2b^2\right)\ln(dx+c)}{d^3}\right)}{i}-g^2B\left(\frac{\left(-\frac{1}{2bed\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}-\frac{\ln\left(\left(\frac{be}{d}+\frac{(da-b}{d(dx-}\right.\right.}{2b^2e^2}\right.$
derivativedivides	$-e(da-bc)\left(-\frac{A\,d^2g^2(da-bc)\left(\frac{b^2e^2}{2d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}-\frac{2be}{d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right.}{ei}\right.$
default	$-e(da-bc)\left(-\frac{A\,d^2g^2(da-bc)\left(\frac{b^2e^2}{2d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)^2}-\frac{\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}-\frac{2be}{d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right.}{ei}\right.$
risch	Expression too large to display

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
g^2*A/i*(b/d^2*(1/2*b*d*x^2+2*x*d*a-b*c*x)+(a^2*d^2-2*a*b*c*d+b^2*c^2)/d^3
*ln(d*x+c))-g^2*B/i/d*((-1/2/b/e/d/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)-1
/2/b^2/e^2*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d+1/2*ln(b*e/d+(a*d-b*c
)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*((b*e/d+(a*d-b*c)*e/d/(d*x+c)
)*d-2*b*e)/b^2/e^2/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)^2)*b^2*e^2*(a^2*d
^2-2*a*b*c*d+b^2*c^2)/d+2*(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d
-ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d
+(a*d-b*c)*e/d/(d*x+c))*d-b*e))*b*e*(a^2*d^2-2*a*b*c*d+b^2*c^2)/d+(dilog(-
((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c
))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)*(a^2*d^2-2*a*b*c*d+b^
2*c^2)/d)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="fricas")
```

output
```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^2\left(\int \frac{Aa^2}{c+dx}\,dx + \int \frac{Ab^2x^2}{c+dx}\,dx + \int \frac{Ba^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{2Aabx}{c+dx}\,dx + \int \frac{Bb^2x^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{2Babx\,\text{lo}}{i}\right.}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output

```
g**2*(Integral(A*a**2/(c + d*x), x) + Integral(A*b**2*x**2/(c + d*x), x) +
 Integral(B*a**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Inte
gral(2*A*a*b*x/(c + d*x), x) + Integral(B*b**2*x**2*log(a*e/(c + d*x) + b*
e*x/(c + d*x))/(c + d*x), x) + Integral(2*B*a*b*x*log(a*e/(c + d*x) + b*e*
x/(c + d*x))/(c + d*x), x))/i
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 477 vs. $2(191) = 382$.

Time $= 0.10$ (sec) , antiderivative size $= 477$, normalized size of antiderivative $= 2.41$

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = 2\,Aabg^2\left(\frac{x}{di}-\frac{c\log(dx+c)}{d^2i}\right)$$
$$+\frac{1}{2}\,Ab^2g^2\left(\frac{2\,c^2\log(dx+c)}{d^3i}+\frac{dx^2-2\,cx}{d^2i}\right)+\frac{Aa^2g^2\log(dix+ci)}{di}$$
$$+\frac{(b^2c^2g^2-2\,abcdg^2+a^2d^2g^2)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{d^3i}$$
$$+\frac{(2\,a^2d^2g^2\log(e)+(2\,g^2\log(e)+3\,g^2)b^2c^2-4\,(g^2\log(e)+g^2)abcd)B\log(dx+c)}{2\,d^3i}$$
$$+\frac{Bb^2d^2g^2x^2\log(e)-(b^2c^2g^2-2\,abcdg^2+a^2d^2g^2)B\log(dx+c)^2-((2\,g^2\log(e)+g^2)b^2cd-(4\,g^2\log($$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="maxima")
```

output

```
2*A*a*b*g^2*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + 1/2*A*b^2*g^2*(2*c^2*log(
d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A*a^2*g^2*log(d*i*x + c*i)/(
d*i) + (b^2*c^2*g^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*(log(b*x + a)*log((b*d*
x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^3*i) +
 1/2*(2*a^2*d^2*g^2*log(e) + (2*g^2*log(e) + 3*g^2)*b^2*c^2 - 4*(g^2*log(e
) + g^2)*a*b*c*d)*B*log(d*x + c)/(d^3*i) + 1/2*(B*b^2*d^2*g^2*x^2*log(e) -
 (b^2*c^2*g^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*B*log(d*x + c)^2 - ((2*g^2*lo
g(e) + g^2)*b^2*c*d - (4*g^2*log(e) + g^2)*a*b*d^2)*B*x + (B*b^2*d^2*g^2*x
^2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B*x - (2*a*b*c*d*g^2 - 3*a^2*d^2*g^2)
*B)*log(b*x + a) - (B*b^2*d^2*g^2*x^2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B*
x)*log(d*x + c))/(d^3*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2364 vs. $2(191) = 382$.

Time = 55.51 (sec) , antiderivative size = 2364, normalized size of antiderivative = 11.94

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algori
thm="giac")
```

output

```
1/24*(2*(B*b^7*c^5*e^5*g^2 - 5*B*a*b^6*c^4*d*e^5*g^2 + 10*B*a^2*b^5*c^3*d^
2*e^5*g^2 - 10*B*a^3*b^4*c^2*d^3*e^5*g^2 + 5*B*a^4*b^3*c*d^4*e^5*g^2 - B*a
^5*b^2*d^5*e^5*g^2 - 4*(b*e*x + a*e)*B*b^6*c^5*d*e^4*g^2/(d*x + c) + 20*(b
*e*x + a*e)*B*a*b^5*c^4*d^2*e^4*g^2/(d*x + c) - 40*(b*e*x + a*e)*B*a^2*b^4
*c^3*d^3*e^4*g^2/(d*x + c) + 40*(b*e*x + a*e)*B*a^3*b^3*c^2*d^4*e^4*g^2/(d
*x + c) - 20*(b*e*x + a*e)*B*a^4*b^2*c*d^5*e^4*g^2/(d*x + c) + 4*(b*e*x +
a*e)*B*a^5*b*d^6*e^4*g^2/(d*x + c) + 6*(b*e*x + a*e)^2*B*b^5*c^5*d^2*e^3*g
^2/(d*x + c)^2 - 30*(b*e*x + a*e)^2*B*a*b^4*c^4*d^3*e^3*g^2/(d*x + c)^2 +
60*(b*e*x + a*e)^2*B*a^2*b^3*c^3*d^4*e^3*g^2/(d*x + c)^2 - 60*(b*e*x + a*e
)^2*B*a^3*b^2*c^2*d^5*e^3*g^2/(d*x + c)^2 + 30*(b*e*x + a*e)^2*B*a^4*b*c*d
^6*e^3*g^2/(d*x + c)^2 - 6*(b*e*x + a*e)^2*B*a^5*d^7*e^3*g^2/(d*x + c)^2)*
log((b*e*x + a*e)/(d*x + c))/(b^4*d^3*e^4*i - 4*(b*e*x + a*e)*b^3*d^4*e^3*
i/(d*x + c) + 6*(b*e*x + a*e)^2*b^2*d^5*e^2*i/(d*x + c)^2 - 4*(b*e*x + a*e
)^3*b*d^6*e*i/(d*x + c)^3 + (b*e*x + a*e)^4*d^7*i/(d*x + c)^4) + (2*A*b^8*
c^5*e^5*g^2 + B*b^8*c^5*e^5*g^2 - 10*A*a*b^7*c^4*d*e^5*g^2 - 5*B*a*b^7*c^4
*d*e^5*g^2 + 20*A*a^2*b^6*c^3*d^2*e^5*g^2 + 10*B*a^2*b^6*c^3*d^2*e^5*g^2 -
 20*A*a^3*b^5*c^2*d^3*e^5*g^2 - 10*B*a^3*b^5*c^2*d^3*e^5*g^2 + 10*A*a^4*b^
4*c*d^4*e^5*g^2 + 5*B*a^4*b^4*c*d^4*e^5*g^2 - 2*A*a^5*b^3*d^5*e^5*g^2 - B*
a^5*b^3*d^5*e^5*g^2 - 8*(b*e*x + a*e)*A*b^7*c^5*d*e^4*g^2/(d*x + c) - 2*(b
*e*x + a*e)*B*b^7*c^5*d*e^4*g^2/(d*x + c) + 40*(b*e*x + a*e)*A*a*b^6*c^...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x),x
)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x),
x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^2 i\left(-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)a^2 b\,d^3 - 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x^2}{dx+c}dx\right)b^3 d^3 - 4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{dx+c}dx\right)a\,b^2 d^3 - 2\log(dx+\right.}{2d^3}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
(g**2*i*( - 2*int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a**2*b*d**3 -
2*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c + d*x),x)*b**3*d**3 - 4*int((
log((a*e + b*e*x)/(c + d*x))*x)/(c + d*x),x)*a*b**2*d**3 - 2*log(c + d*x)*
a**3*d**2 + 4*log(c + d*x)*a**2*b*c*d - 2*log(c + d*x)*a*b**2*c**2 - 4*a**
2*b*d**2*x + 2*a*b**2*c*d*x - a*b**2*d**2*x**2))/(2*d**3)
```

3.33 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$

Optimal result . . . 464
Mathematica [A] (verified) . . . 465
Rubi [A] (verified) . . . 465
Maple [B] (verified) . . . 467
Fricas [F] . . . 468
Sympy [F] . . . 469
Maxima [A] (verification not implemented) . . . 469
Giac [B] (verification not implemented) . . . 470
Mupad [F(-1)] . . . 471
Reduce [F] . . . 472

Optimal result

Integrand size = 38, antiderivative size = 125

$$\begin{aligned}
&\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx \\
&= \frac{g(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{di} \\
&\quad + \frac{(bc-ad)g\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^2 i} \\
&\quad + \frac{B(bc-ad)g\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2 i}
\end{aligned}$$

output

```
g*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i+(-a*d+b*c)*g*ln((-a*d+b*c)/b/(d*
x+c))*(A+B+B*ln(e*(b*x+a)/(d*x+c)))/d^2/i+B*(-a*d+b*c)*g*polylog(2,d*(b*x+
a)/b/(d*x+c))/d^2/i
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 162, normalized size of antiderivative = 1.30

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$=\frac{g\left(2Abdx+2Bd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)-2B(bc-ad)\log(c+dx)-2(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\text{lo}\right.}{2d^2i}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*
x),x]
```

output
```
(g*(2*A*b*d*x + 2*B*d*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 2*B*(b*c -
a*d)*Log[c + d*x] - 2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log
[c + d*x] + B*(b*c - a*d)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c +
d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(2*d^2*i)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 145, normalized size of antiderivative = 1.16, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2962, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow 2962$$
$$\frac{g(bc-ad)\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i}$$
$$\downarrow 2784$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{i}$$

$$\downarrow 2754$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\frac{B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A+B\right)}{d}}{d}\right)}{i}$$

$$\downarrow 2838$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A+B\right)}{d}-\frac{B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d}}{d}\right)}{i}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x),x]
```

output
```
((b*c - a*d)*g*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d
*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((A + B + B*Log[(e*(a + b*x))/(c +
 d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*PolyLog[2, (d*(a + b
*x))/(b*(c + d*x))])/d)/d))/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 331 vs. $2(125) = 250$.

Time = 2.96 (sec) , antiderivative size = 332, normalized size of antiderivative = 2.66

method	result
parts	$\frac{gA\left(\frac{bx}{d}+\frac{(da-bc)\ln(dx+c)}{d^2}\right)}{i} - \frac{gB\left(\left(\frac{\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}{bed}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)}\right)be(da-bc)+\left($
derivativedivides	$-\frac{e(da-bc)\left(\frac{gA\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ei}+\frac{gAb}{i\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{gB\,\mathrm{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{ei}+\frac{gB\ln\left(\frac{be}{d}+\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{gA\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ei}+\frac{gAb}{i\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{gB\,\mathrm{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{ei}+\frac{gB\ln\left(\frac{be}{d}+\right.}{d^2}$
risch	$\frac{gAbx}{id}+\frac{gA\ln(dx+c)a}{id}-\frac{gA\ln(dx+c)bc}{i\,d^2}-\frac{gB\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)a}{id}+\frac{gBb\ln\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be\right)c}{i\,d^2}+$

input
```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x,method=_RETURNVE
RBOSE)
```

output
```
g*A/i*(b*x/d+(a*d-b*c)/d^2*ln(d*x+c))-g*B/i/d*((1/b/e*ln((b*e/d+(a*d-b*c)*
e/d/(d*x+c))*d-b*e)/d-ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d
/(d*x+c))/b/e/((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e))*b*e*(a*d-b*c)+(dilog(
-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+
c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)*(a*d-b*c))
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorith
m="fricas")
```

output
```
integral((A*b*g*x + A*a*g + (B*b*g*x + B*a*g)*log((b*e*x + a*e)/(d*x + c))
)/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \frac{g\left(\int \frac{Aa}{c+dx}\,dx + \int \frac{Abx}{c+dx}\,dx + \int \frac{Ba\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{Bbx\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx\right)}{i}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
g*(Integral(A*a/(c + d*x), x) + Integral(A*b*x/(c + d*x), x) + Integral(B*
a*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Integral(B*b*x*log(
a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x))/i
```

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 221, normalized size of antiderivative = 1.77

$$\begin{aligned}\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx &= Abg\left(\frac{x}{di}-\frac{c\log(dx+c)}{d^2i}\right)\\ &+\frac{Aag\log(dix+ci)}{di}-\frac{(bcg-adg)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{d^2i}\\ &+\frac{(adg\log(e)-(g\log(e)+g)bc)B\log(dx+c)}{d^2i}\\ &-\frac{2\,Bbdgx\log(dx+c)-2\,Bbdgx\log(e)-(bcg-adg)B\log(dx+c)^2-2\,(Bbdgx+Badg)\log(bx+a}{2\,d^2i}\end{aligned}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorith
m="maxima")
```

output

```
A*b*g*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + A*a*g*log(d*i*x + c*i)/(d*i) -
(b*c*g - a*d*g)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-
(b*d*x + a*d)/(b*c - a*d)))*B/(d^2*i) + (a*d*g*log(e) - (g*log(e) + g)*b*c
)*B*log(d*x + c)/(d^2*i) - 1/2*(2*B*b*d*g*x*log(d*x + c) - 2*B*b*d*g*x*log
(e) - (b*c*g - a*d*g)*B*log(d*x + c)^2 - 2*(B*b*d*g*x + B*a*d*g)*log(b*x +
 a))/(d^2*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1230 vs. $2(124) = 248$.

Time $= 43.19$ (sec) , antiderivative size $= 1230$, normalized size of antiderivative $= 9.84$

$$\int \frac{(ag + bgx)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci + dix}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorith
m="giac")
```

output

```
-1/6*((B*b^5*c^4*e^4*g - 4*B*a*b^4*c^3*d*e^4*g + 6*B*a^2*b^3*c^2*d^2*e^4*g
 - 4*B*a^3*b^2*c*d^3*e^4*g + B*a^4*b*d^4*e^4*g - 3*(b*e*x + a*e)*B*b^4*c^4
*d*e^3*g/(d*x + c) + 12*(b*e*x + a*e)*B*a*b^3*c^3*d^2*e^3*g/(d*x + c) - 18
*(b*e*x + a*e)*B*a^2*b^2*c^2*d^3*e^3*g/(d*x + c) + 12*(b*e*x + a*e)*B*a^3*
b*c*d^4*e^3*g/(d*x + c) - 3*(b*e*x + a*e)*B*a^4*d^5*e^3*g/(d*x + c))*log((
b*e*x + a*e)/(d*x + c))/(b^3*d^2*e^3*i - 3*(b*e*x + a*e)*b^2*d^3*e^2*i/(d*
x + c) + 3*(b*e*x + a*e)^2*b*d^4*e*i/(d*x + c)^2 - (b*e*x + a*e)^3*d^5*i/(
d*x + c)^3) + (A*b^6*c^4*e^4*g - 4*A*a*b^5*c^3*d*e^4*g + 6*A*a^2*b^4*c^2*d
^2*e^4*g - 4*A*a^3*b^3*c*d^3*e^4*g + A*a^4*b^2*d^4*e^4*g - 3*(b*e*x + a*e)
*A*b^5*c^4*d*e^3*g/(d*x + c) + (b*e*x + a*e)*B*b^5*c^4*d*e^3*g/(d*x + c) +
 12*(b*e*x + a*e)*A*a*b^4*c^3*d^2*e^3*g/(d*x + c) - 4*(b*e*x + a*e)*B*a*b^
4*c^3*d^2*e^3*g/(d*x + c) - 18*(b*e*x + a*e)*A*a^2*b^3*c^2*d^3*e^3*g/(d*x
 + c) + 6*(b*e*x + a*e)*B*a^2*b^3*c^2*d^3*e^3*g/(d*x + c) + 12*(b*e*x + a*e
)*A*a^3*b^2*c*d^4*e^3*g/(d*x + c) - 4*(b*e*x + a*e)*B*a^3*b^2*c*d^4*e^3*g/
(d*x + c) - 3*(b*e*x + a*e)*A*a^4*b*d^5*e^3*g/(d*x + c) + (b*e*x + a*e)*B*
a^4*b*d^5*e^3*g/(d*x + c) - (b*e*x + a*e)^2*B*b^4*c^4*d^2*e^2*g/(d*x + c)^
2 + 4*(b*e*x + a*e)^2*B*a*b^3*c^3*d^3*e^2*g/(d*x + c)^2 - 6*(b*e*x + a*e)^
2*B*a^2*b^2*c^2*d^4*e^2*g/(d*x + c)^2 + 4*(b*e*x + a*e)^2*B*a^3*b*c*d^5*e^
2*g/(d*x + c)^2 - (b*e*x + a*e)^2*B*a^4*d^6*e^2*g/(d*x + c)^2)/(b^4*d^2*e^
3*i - 3*(b*e*x + a*e)*b^3*d^3*e^2*i/(d*x + c) + 3*(b*e*x + a*e)^2*b^2*d...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{c\,i+d\,i\,x}\,dx$$

input

```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x),x)
```

output

```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{ci+dix}\,dx$$
$$= \frac{gi\left(-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)ab\,d^2-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{dx+c}dx\right)b^2d^2-\log(dx+c)\,a^2d+\log(dx+c)\,abc-abdx\right)}{d^2}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
(g*i*( - int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a*b*d**2 - int((log
((a*e + b*e*x)/(c + d*x))*x)/(c + d*x),x)*b**2*d**2 - log(c + d*x)*a**2*d
+ log(c + d*x)*a*b*c - a*b*d*x))/d**2
```

3.34 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx$

Optimal result . . . 473
Mathematica [A] (verified) . . . 473
Rubi [A] (verified) . . . 474
Maple [A] (verified) . . . 476
Fricas [F] . . . 478
Sympy [F] . . . 478
Maxima [F] . . . 478
Giac [B] (verification not implemented) . . . 479
Mupad [F(-1)] . . . 479
Reduce [F] . . . 480

Optimal result

Integrand size = 30, antiderivative size = 81

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx = -\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{di} - \frac{B\,\mathrm{PolyLog}\left(2,1-\frac{bc-ad}{b(c+dx)}\right)}{di}$$

output

```
-ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i-B*polylog(2,1-(-
a*d+b*c)/b/(d*x+c))/d/i
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.17

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx = \frac{\log(i(c+dx))\left(2A-2B\log\left(\frac{d(a+bx)}{-bc+ad}\right)+2B\log\left(\frac{e(a+bx)}{c+dx}\right)+B\log(i(c+dx))\right)-2B\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{bc-ad}\right.}{2di}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x),x]
```

output
```
(Log[i*(c + d*x)]*(2*A - 2*B*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*B*Log[(
e*(a + b*x))/(c + d*x)] + B*Log[i*(c + d*x)]) - 2*B*PolyLog[2, (b*(c + d*x
))/(b*c - a*d)])/(2*d*i)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {2944, 2858, 27, 25, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{ci + dix}\, dx$$

$$\downarrow 2944$$

$$\frac{B(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)}dx}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 2858$$

$$\frac{B(bc-ad)\int \frac{d\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)\left(\left(a-\frac{bc}{d}\right)d+b(c+dx)\right)}d(c+dx)}{d^2 i} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 27$$

$$\frac{B(bc-ad)\int -\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(bc-ad-b(c+dx))}d(c+dx)}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 25$$

$$-\frac{B(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(bc-ad-b(c+dx))}d(c+dx)}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 2778$$

$$\frac{B(bc-ad)\int \frac{(c+dx)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{bc-ad-b(c+dx)}d\frac{1}{c+dx}}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 2005$$

$$\frac{B(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{\frac{bc-ad}{c+dx}-b}d\frac{1}{c+dx}}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di}$$

$$\downarrow 2752$$

$$-\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{di} - \frac{B\,\mathrm{PolyLog}\left(2,1-\frac{bc-ad}{b(c+dx)}\right)}{di}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x),x]
```

output
```
-((Log[(b*c - a*d)/(b*(c + d*x))]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d
*i)) - (B*PolyLog[2, 1 - (b*c - a*d)/(b*(c + d*x))])/(d*i)
```

Defintions of rubi rules used

rule 25
```
Int[-(Fx_), x_Symbol] :> Simp[Identity[-1]   Int[Fx, x], x]
```

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2005
```
Int[(Fx_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[x^(m
+ n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2778

```
Int[((a_.) + Log[(c_.)*(x_)^(n_)]*(b_.))/((x_)*((d_) + (e_.)*(x_)^(r_.))),
x_Symbol] :> Simp[1/n   Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x],
 x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]
```

rule 2858

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_
.)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] :> Simp[1/e   Subst[In
t[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d +
e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f -
d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

rule 2944

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))/((f_.) + (g_.)*(x_)), x_Symbol] :> Simp[(-Log[(b*c - a*d)/(b*(c +
 d*x))])*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/g), x] + Simp[B*n*((b*c
- a*d)/g)   Int[Log[(b*c - a*d)/(b*(c + d*x))]/((a + b*x)*(c + d*x)), x], x
] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && EqQ[d*f - c*g, 0]
```

Maple [A] (verified)

Time = 2.85 (sec) , antiderivative size = 146, normalized size of antiderivative = 1.80

method	result
parts	$\frac{A\ln(dx+c)}{id}+\frac{B\left(-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{d}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{d}\right)}{i}$
risch	$\frac{A\ln(dx+c)}{id}-\frac{B\operatorname{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{id}-\frac{B\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{id}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{dA\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ie(da-bc)}-\frac{d^2B\left(-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{d}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(-\frac{\left(\frac{be}{d}+\frac{(da}{d(d}\right.\right.\right.}{ie(da-bc)}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{dA\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ie(da-bc)}-\frac{d^2B\left(-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d-be}{be}\right)}{d}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(-\frac{\left(\frac{be}{d}+\frac{(da}{d(d}\right.\right.\right.}{ie(da-bc)}\right.}{d^2}$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
A/i*ln(d*x+c)/d+B/i*(-dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d-
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/
b/e)/d)
```

Fricas [F]

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{ci + dix}\, dx = \int \frac{B \log\left(\frac{(bx+a)e}{dx+c}\right) + A}{dix + ci}\, dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorithm="fricas")
```

output
```
integral((B*log((b*e*x + a*e)/(d*x + c)) + A)/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{ci + dix}\, dx = \frac{\int \frac{A}{c+dx}\, dx + \int \frac{B \log\left(\frac{ae}{c+dx} + \frac{bex}{c+dx}\right)}{c+dx}\, dx}{i}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
(Integral(A/(c + d*x), x) + Integral(B*log(a*e/(c + d*x) + b*e*x/(c + d*x)
)/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{ci + dix}\, dx = \int \frac{B \log\left(\frac{(bx+a)e}{dx+c}\right) + A}{dix + ci}\, dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorithm="maxima")
```

output
```
-1/2*B*(log(d*x + c)^2/(d*i) - 2*integrate((log(b*x + a) + log(e))/(d*i*x
+ c*i), x)) + A*log(d*i*x + c*i)/(d*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 617 vs. 2(80) = 160.

Time = 36.84 (sec) , antiderivative size = 617, normalized size of antiderivative = 7.62

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx$$

$$=\frac{1}{2}\left(\frac{\left(Bb^3c^3e^3-3\,Bab^2c^2de^3+3\,Ba^2bcd^2e^3-Ba^3d^3e^3\right)\log\left(\frac{bex+ae}{dx+c}\right)}{b^2de^2i-\frac{2\,(bex+ae)bd^2ei}{dx+c}+\frac{(bex+ae)^2d^3i}{(dx+c)^2}}+\frac{Ab^4c^3e^3-Bb^4c^3e^3-3\,Aab^3c^2de^3}{}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x, algorithm="giac")
```

output
```
1/2*((B*b^3*c^3*e^3 - 3*B*a*b^2*c^2*d*e^3 + 3*B*a^2*b*c*d^2*e^3 - B*a^3*d^
3*e^3)*log((b*e*x + a*e)/(d*x + c))/(b^2*d*e^2*i - 2*(b*e*x + a*e)*b*d^2*e
*i/(d*x + c) + (b*e*x + a*e)^2*d^3*i/(d*x + c)^2) + (A*b^4*c^3*e^3 - B*b^4
*c^3*e^3 - 3*A*a*b^3*c^2*d*e^3 + 3*B*a*b^3*c^2*d*e^3 + 3*A*a^2*b^2*c*d^2*e
^3 - 3*B*a^2*b^2*c*d^2*e^3 - A*a^3*b*d^3*e^3 + B*a^3*b*d^3*e^3 + (b*e*x +
a*e)*B*b^3*c^3*d*e^2/(d*x + c) - 3*(b*e*x + a*e)*B*a*b^2*c^2*d^2*e^2/(d*x
+ c) + 3*(b*e*x + a*e)*B*a^2*b*c*d^3*e^2/(d*x + c) - (b*e*x + a*e)*B*a^3*d
^4*e^2/(d*x + c))/(b^3*d*e^2*i - 2*(b*e*x + a*e)*b^2*d^2*e*i/(d*x + c) + (
b*e*x + a*e)^2*b*d^3*i/(d*x + c)^2) + (B*b^3*c^3*e - 3*B*a*b^2*c^2*d*e + 3
*B*a^2*b*c*d^2*e - B*a^3*d^3*e)*log(-b*e + (b*e*x + a*e)*d/(d*x + c))/(b^2
*d*i) - (B*b^3*c^3*e - 3*B*a*b^2*c^2*d*e + 3*B*a^2*b*c*d^2*e - B*a^3*d^3*e
)*log((b*e*x + a*e)/(d*x + c))/(b^2*d*i))*(b*c/((b*c*e - a*d*e)*(b*c - a*d
)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci+dix}\,dx=\int \frac{A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{c\,i+d\,i\,x}\,dx$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/(c*i + d*i*x),x)
```

output
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{ci + dix}\,dx = -\frac{i\left(\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)bd + \log(dx+c)\,a\right)}{d}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i),x)
```

output
```
( - i*(int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*b*d + log(c + d*x)*a)
)/d
```

3.35 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx$

Optimal result . . . 481
Mathematica [C] (verified) . . . 481
Rubi [A] (verified) . . . 482
Maple [A] (verified) . . . 483
Fricas [A] (verification not implemented) . . . 484
Sympy [B] (verification not implemented) . . . 484
Maxima [B] (verification not implemented) . . . 485
Giac [B] (verification not implemented) . . . 486
Mupad [B] (verification not implemented) . . . 486
Reduce [B] (verification not implemented) . . . 487

Optimal result

Integrand size = 40, antiderivative size = 44

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2B(bc-ad)gi}$$

output
```
1/2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/B/(-a*d+b*c)/g/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.13 (sec) , antiderivative size = 207, normalized size of antiderivative = 4.70

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{2A\log(a+bx) - B\log^2(a+bx) + 2B\log(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right) - 2A\log(c+dx) + 2B\log\left(\frac{d(a+bx)}{-bc+ad}\right)\log}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x
)),x]
```

output
```
(2*A*Log[a + b*x] - B*Log[a + b*x]^2 + 2*B*Log[a + b*x]*Log[(e*(a + b*x))/
(c + d*x)] - 2*A*Log[c + d*x] + 2*B*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[
c + d*x] - 2*B*Log[(e*(a + b*x))/(c + d*x)]*Log[c + d*x] - B*Log[c + d*x]^
2 + 2*B*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 2*B*PolyLog[2, (d*(a
 + b*x))/(-(b*c) + a*d)] + 2*B*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])/(2*(
b*c - a*d)*g*i)
```

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2962, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx} d\frac{a+bx}{c+dx}}{gi(bc-ad)}$$

$$\downarrow 2738$$

$$\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2Bgi(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x)),x]
```

output
```
(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(2*B*(b*c - a*d)*g*i)
```

Defintions of rubi rules used

rule 2738

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] :> Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.39 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.64

method	result	size
norman	$-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi(da-bc)}-\frac{A\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi(da-bc)}$	72
parallelrisch	$-\frac{a^2c^2B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2+2A\ln\left(\frac{e(bx+a)}{dx+c}\right)a^2c^2}{2a^2c^2gi(da-bc)}$	75
parts	$\frac{A\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi(da-bc)}$	82
risch	$\frac{A\ln(dx+c)}{gi(da-bc)}-\frac{A\ln(bx+a)}{gi(da-bc)}-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi(da-bc)}$	87
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^2g}+\frac{d^2B\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2ei(da-bc)^2g}\right)}{d^2}$	123
default	$-\frac{e(da-bc)\left(\frac{d^2A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^2g}+\frac{d^2B\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2ei(da-bc)^2g}\right)}{d^2}$	123

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
-1/2*B/g/i/(a*d-b*c)*ln(e*(b*x+a)/(d*x+c))^2-A/g/i/(a*d-b*c)*ln(e*(b*x+a)/
(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.36

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{B \log\left(\frac{bex+ae}{dx+c}\right)^2 + 2\,A \log\left(\frac{bex+ae}{dx+c}\right)}{2\,(bc-ad)gi}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x, algorith
m="fricas")
```

output
```
1/2*(B*log((b*e*x + a*e)/(d*x + c))^2 + 2*A*log((b*e*x + a*e)/(d*x + c)))/
((b*c - a*d)*g*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 170 vs. $2(31) = 62$.

Time = 0.30 (sec) , antiderivative size = 170, normalized size of antiderivative = 3.86

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = A\left(\frac{\log\left(x + \frac{-\frac{a^2d^2}{ad-bc} + \frac{2abcd}{ad-bc} + ad - \frac{b^2c^2}{ad-bc} + bc}{2bd}\right)}{gi\,(ad-bc)} - \frac{\log\left(x + \frac{\frac{a^2d^2}{ad-bc} - \frac{2abcd}{ad-bc} + ad + \frac{b^2c^2}{ad-bc} + bc}{2bd}\right)}{gi\,(ad-bc)}\right) - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right)^2}{2adgi - 2bcgi}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
A*(log(x + (-a**2*d**2/(a*d - b*c) + 2*a*b*c*d/(a*d - b*c) + a*d - b**2*c*
*2/(a*d - b*c) + b*c)/(2*b*d))/(g*i*(a*d - b*c)) - log(x + (a**2*d**2/(a*d
 - b*c) - 2*a*b*c*d/(a*d - b*c) + a*d + b**2*c**2/(a*d - b*c) + b*c)/(2*b*
d))/(g*i*(a*d - b*c))) - B*log(e*(a + b*x)/(c + d*x))**2/(2*a*d*g*i - 2*b*
c*g*i)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 172 vs. $2(42) = 84$.

Time $= 0.04$ (sec) , antiderivative size $= 172$, normalized size of antiderivative $= 3.91$

$$\begin{aligned}
&\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx \\
&= B\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) \\
&\quad + A\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right) \\
&\quad - \frac{\left(\log(bx+a)^2 - 2\log(bx+a)\log(dx+c) + \log(dx+c)^2\right)B}{2(bcgi-adgi)}
\end{aligned}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x, algorith
m="maxima")
```

output
```
B*(log(b*x + a)/((b*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))*log(b*
e*x/(d*x + c) + a*e/(d*x + c)) + A*(log(b*x + a)/((b*c - a*d)*g*i) - log(d
*x + c)/((b*c - a*d)*g*i)) - 1/2*(log(b*x + a)^2 - 2*log(b*x + a)*log(d*x
 + c) + log(d*x + c)^2)*B/(b*c*g*i - a*d*g*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 104 vs. $2(42) = 84$.

Time = 0.13 (sec) , antiderivative size = 104, normalized size of antiderivative = 2.36

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{\left(Be\log\left(\frac{bex+ae}{dx+c}\right)^2 + 2\,Ae\log\left(\frac{bex+ae}{dx+c}\right)\right)\left(\frac{bc}{(bce-ade)(bc-ad)} - \frac{ad}{(bce-ade)(bc-ad)}\right)}{2\,gi}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x, algorithm="giac")
```

output
```
1/2*(B*e*log((b*e*x + a*e)/(d*x + c))^2 + 2*A*e*log((b*e*x + a*e)/(d*x + c)))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))/(g*i)
```

Mupad [B] (verification not implemented)

Time = 27.50 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.57

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = -\frac{B\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2 - A\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c} + 1\mathrm{i}\right)\,4\mathrm{i}}{2\,g\,i\,\left(a\,d-b\,c\right)}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)*(c*i + d*i*x)),x)
```

output
```
-(B*log((e*(a + b*x))/(c + d*x))^2 - A*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*4i)/(2*g*i*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.27

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{i\left(2\log(bx+a)\,a-2\log(dx+c)\,a+\log\left(\frac{bex+ae}{dx+c}\right)^2 b\right)}{2g\,(ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(i*(2*log(a + b*x)*a - 2*log(c + d*x)*a + log((a*e + b*e*x)/(c + d*x))**2*
b))/(2*g*(a*d - b*c))
```

3.36 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx$

Optimal result . . . 488
Mathematica [C] (verified) . . . 489
Rubi [A] (verified) . . . 489
Maple [A] (verified) . . . 492
Fricas [A] (verification not implemented) . . . 493
Sympy [B] (verification not implemented) . . . 493
Maxima [B] (verification not implemented) . . . 495
Giac [F] . . . 496
Mupad [B] (verification not implemented) . . . 496
Reduce [B] (verification not implemented) . . . 497

Optimal result

Integrand size = 40, antiderivative size = 173

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx = -\frac{bB(c+dx)}{(bc-ad)^2g^2i(a+bx)} + \frac{Bd\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^2g^2i} - \frac{b(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^2g^2i(a+bx)} - \frac{d\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^2g^2i}$$

output

```
-b*B*(d*x+c)/(-a*d+b*c)^2/g^2/i/(b*x+a)+1/2*B*d*ln((b*x+a)/(d*x+c))^2/(-a*
d+b*c)^2/g^2/i-b*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^2/g^2/i/(b
*x+a)-d*ln((b*x+a)/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^2/g^2/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.34 (sec) , antiderivative size = 292, normalized size of antiderivative = 1.69

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{2(bc-ad)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) + 2d(a+bx)\log(a+bx)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) - 2d(a+bx)\left(A +$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i
*x)),x]
```

output
```
-1/2*(2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*d*(a + b*x)*L
og[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*d*(a + b*x)*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 2*B*(b*c - a*d + d*(a + b*x)*Lo
g[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*d*(a + b*x)*(Log[a + b*x]*(Log[
a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/
(-(b*c) + a*d)]) + B*d*(a + b*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - L
og[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b*
c - a*d)^2*g^2*i*(a + b*x))
```

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 127, normalized size of antiderivative = 0.73, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 25, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)^2(ci+dix)}\,dx$$
$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{-B\int -\frac{(c+dx)^2\left(b+\frac{d(a+bx)\log\left(\frac{a+bx}{c+dx}\right)}{c+dx}\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{g^2i(bc-ad)^2}$$

$$\downarrow 25$$

$$\frac{B\int \frac{(c+dx)^2\left(b+\frac{d(a+bx)\log\left(\frac{a+bx}{c+dx}\right)}{c+dx}\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{g^2i(bc-ad)^2}$$

$$\downarrow 2010$$

$$\frac{B\int \left(\frac{b(c+dx)^2}{(a+bx)^2}+\frac{d\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{g^2i(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{-\frac{b(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)+B\left(\frac{1}{2}d\log^2\left(\frac{a+bx}{c+dx}\right)-\frac{b(c+dx)}{a+bx}\right)}{g^2i(bc-ad)^2}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i*x)),x
]
```

output

```
(B*(-((b*(c + d*x))/(a + b*x)) + (d*Log[(a + b*x)/(c + d*x)]^2)/2) - (b*(c
 + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - d*Log[(a + b*x)/
(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/((b*c - a*d)^2*g^2*i)
```

Defintions of rubi rules used

rule 25

```
Int[-(Fx_), x_Symbol] :> Simp[Identity[-1]   Int[Fx, x], x]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.78 (sec) , antiderivative size = 230, normalized size of antiderivative = 1.33

method	result
parts	$\frac{A\left(\frac{d\ln(dx+c)}{(da-bc)^2}+\frac{1}{(bx+a)(da-bc)}-\frac{d\ln(bx+a)}{(da-bc)^2}\right)}{g^2 i}-\frac{B\left(\frac{d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^2}-\frac{dbe\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)}{(da-bc)^2}\right.}{g^2 id}$
norman	$\frac{-\frac{(Ada+Bbc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{Bad\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{b(Ad+Bd)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{(A+B)bx}{gia(da-bc)}-\frac{bBdx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi\left(a^2d^2-2acdb+c^2b^2\right)}}{g(bx+a)}$
parallelrisch	$-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2 a^4c^2d-2Ax\,a^2b^2c^3+2A\ln\left(\frac{e(bx+a)}{dx+c}\right)a^4c^2d-2Bx\,a^2b^2c^3+2B\ln\left(\frac{e(bx+a)}{dx+c}\right)a^3bc^3+2Ax\,a^3bc^2d+2B$ $2i\,g^2(bx+a)(a^2d^2-2acdb+c^2b^2$
risch	$\frac{Ad\ln(dx+c)}{g^2i(da-bc)^2}+\frac{A}{g^2i(bx+a)(da-bc)}-\frac{Ad\ln(bx+a)}{g^2i(da-bc)^2}-\frac{Bd\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2g^2i(da-bc)^2}-\frac{Bbe\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{g^2i(da-bc)^2\left(\frac{be}{d}+\frac{ea}{dx+c}-\frac{ebc}{d(dx+$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2Ab}{i(da-bc)^3g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^3A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^3g^2}-\frac{d^2Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)}{i(da-bc)^3g^2}+\frac{d^3B}{}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{d^2Ab}{i(da-bc)^3g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^3A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^3g^2}-\frac{d^2Bb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)}{i(da-bc)^3g^2}+\frac{d^3B}{}\right.}{d^2}$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
1/g^2*A/i*(d/(a*d-b*c)^2*ln(d*x+c)+1/(b*x+a)/(a*d-b*c)-d/(a*d-b*c)^2*ln(b*x+a))-B/g^2/i/d*(1/2*d^2/(a*d-b*c)^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-d/(a*d-b*c)^2*b*e*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 144, normalized size of antiderivative = 0.83

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{2\,(A+B)bc - 2\,(A+B)ad + (Bbdx + Bad)\log\left(\frac{bex+ae}{dx+c}\right)^2 + 2\,((A+B)bdx + Bbc + Aad)\log\left(\frac{bex+ae}{dx+c}\right.}{2\,((b^3c^2 - 2\,ab^2cd + a^2bd^2)g^2ix + (ab^2c^2 - 2\,a^2bcd + a^3d^2)g^2i)}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i),x, algori
thm="fricas")
```

output
```
-1/2*(2*(A + B)*b*c - 2*(A + B)*a*d + (B*b*d*x + B*a*d)*log((b*e*x + a*e)/
(d*x + c))^2 + 2*((A + B)*b*d*x + B*b*c + A*a*d)*log((b*e*x + a*e)/(d*x +
c)))/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^2*i*x + (a*b^2*c^2 - 2*a^2*b*c
*d + a^3*d^2)*g^2*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 386 vs. $2(144) = 288$.

Time = 0.61 (sec) , antiderivative size = 386, normalized size of antiderivative = 2.23

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx$$
$$= -\frac{Bd\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{2a^2d^2g^2i-4abcdg^2i+2b^2c^2g^2i}+\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)}{a^2dg^2i-abcg^2i+abdg^2ix-b^2cg^2ix}$$
$$+(A+B)\left(\frac{d\log\left(x+\frac{-\frac{a^3d^4}{(ad-bc)^2}+\frac{3a^2bcd^3}{(ad-bc)^2}-\frac{3ab^2c^2d^2}{(ad-bc)^2}+ad^2+\frac{b^3c^3d}{(ad-bc)^2}+bcd}{2bd^2}\right)}{g^2i\,(ad-bc)^2}\right.$$
$$-\frac{d\log\left(x+\frac{\frac{a^3d^4}{(ad-bc)^2}-\frac{3a^2bcd^3}{(ad-bc)^2}+\frac{3ab^2c^2d^2}{(ad-bc)^2}+ad^2-\frac{b^3c^3d}{(ad-bc)^2}+bcd}{2bd^2}\right)}{g^2i\,(ad-bc)^2}$$
$$\left.+\frac{1}{a^2dg^2i-abcg^2i+x\,(abdg^2i-b^2cg^2i)}\right)$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2/(d*i*x+c*i),x)
```

output
```
-B*d*log(e*(a + b*x)/(c + d*x))**2/(2*a**2*d**2*g**2*i - 4*a*b*c*d*g**2*i
+ 2*b**2*c**2*g**2*i) + B*log(e*(a + b*x)/(c + d*x))/(a**2*d*g**2*i - a*b*
c*g**2*i + a*b*d*g**2*i*x - b**2*c*g**2*i*x) + (A + B)*(d*log(x + (-a**3*d
**4/(a*d - b*c)**2 + 3*a**2*b*c*d**3/(a*d - b*c)**2 - 3*a*b**2*c**2*d**2/(
a*d - b*c)**2 + a*d**2 + b**3*c**3*d/(a*d - b*c)**2 + b*c*d)/(2*b*d**2))/(
g**2*i*(a*d - b*c)**2) - d*log(x + (a**3*d**4/(a*d - b*c)**2 - 3*a**2*b*c*
d**3/(a*d - b*c)**2 + 3*a*b**2*c**2*d**2/(a*d - b*c)**2 + a*d**2 - b**3*c*
*3*d/(a*d - b*c)**2 + b*c*d)/(2*b*d**2))/(g**2*i*(a*d - b*c)**2) + 1/(a**2
*d*g**2*i - a*b*c*g**2*i + x*(a*b*d*g**2*i - b**2*c*g**2*i)))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 424 vs. $2(171) = 342$.

Time $= 0.06$ (sec) , antiderivative size $= 424$, normalized size of antiderivative $= 2.45$

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$

$$-B\left(\frac{1}{(b^2c-abd)g^2ix+(abc-a^2d)g^2i}+\frac{d\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}-\frac{d\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}\right)\log\left(\right.$$

$$\left.+\frac{ae}{dx+c}\right)$$

$$-A\left(\frac{1}{(b^2c-abd)g^2ix+(abc-a^2d)g^2i}+\frac{d\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}-\frac{d\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}\right)$$

$$+\frac{\left((bdx+ad)\log(bx+a)^2+(bdx+ad)\log(dx+c)^2-2\,bc+2\,ad-2\,(bdx+ad)\log(bx+a)+2\,(bdx\right.}{2\left(ab^2c^2g^2i-2\,a^2bcdg^2i+a^3d^2g^2i+(b^3c^2g^2i-2\,ab^2cdg^2i+a^2\right.}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i),x, algori
thm="maxima")
```

output

```
-B*(1/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/(
(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*
c*d + a^2*d^2)*g^2*i))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - A*(1/((b^2*c
 - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/((b^2*c^2 - 2*
a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2
)*g^2*i)) + 1/2*((b*d*x + a*d)*log(b*x + a)^2 + (b*d*x + a*d)*log(d*x + c)
^2 - 2*b*c + 2*a*d - 2*(b*d*x + a*d)*log(b*x + a) + 2*(b*d*x + a*d - (b*d*
x + a*d)*log(b*x + a))*log(d*x + c))*B/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*
i + a^3*d^2*g^2*i + (b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*
x)
```

Giac [F]

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx = \int \frac{B\log\left(\frac{(bx+a)e}{dx+c}\right)+A}{(bgx+ag)^2(dix+ci)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i),x, algori
thm="giac")
```

output
```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)/((b*g*x + a*g)^2*(d*i*x + c*i
)), x)
```

Mupad [B] (verification not implemented)

Time = 27.53 (sec) , antiderivative size = 241, normalized size of antiderivative = 1.39

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx = {} & \frac{A+B}{(a\,d-b\,c)\,(a\,g^2\,i+b\,g^2\,i\,x)} \\ & - \frac{B\,d\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2}{2\,g^2\,i\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)} \\ & + \frac{B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,(a\,d-b\,c)}{b\,d\,g^2\,i\,\left(\frac{x}{d}+\frac{a}{b\,d}\right)\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)} \\ & + \frac{d\,\mathrm{atan}\left(\frac{\left(2\,b\,d\,x+\frac{a^2\,d^2\,g^2\,i-b^2\,c^2\,g^2\,i}{g^2\,i\,(a\,d-b\,c)}\right)\,1\mathrm{i}}{a\,d-b\,c}\right)\,(A+B)\,2\mathrm{i}}{g^2\,i\,(a\,d-b\,c)^2}\end{aligned}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^2*(c*i + d*i*x)),x
)
```

output
```
(A + B)/((a*d - b*c)*(a*g^2*i + b*g^2*i*x)) + (d*atan(((2*b*d*x + (a^2*d^2
*g^2*i - b^2*c^2*g^2*i)/(g^2*i*(a*d - b*c)))*1i)/(a*d - b*c))*(A + B)*2i)/
(g^2*i*(a*d - b*c)^2) - (B*d*log((e*(a + b*x))/(c + d*x))^2)/(2*g^2*i*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B*log((e*(a + b*x))/(c + d*x))*(a*d - b*c)
)/(b*d*g^2*i*(x/d + a/(b*d))*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 297, normalized size of antiderivative = 1.72

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)}\,dx$$

$$= \frac{i\Big(2\log(bx+a)\,a^3d + 2\log(bx+a)\,a^2bdx + 2\log(bx+a)\,ab^2c + 2\log(bx+a)\,b^3cx - 2\log(dx+c)\,a^3d -$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i),x)
```

output

```
(i*(2*log(a + b*x)*a**3*d + 2*log(a + b*x)*a**2*b*d*x + 2*log(a + b*x)*a*b
**2*c + 2*log(a + b*x)*b**3*c*x - 2*log(c + d*x)*a**3*d - 2*log(c + d*x)*a
**2*b*d*x - 2*log(c + d*x)*a*b**2*c - 2*log(c + d*x)*b**3*c*x + log((a*e +
 b*e*x)/(c + d*x))**2*a**2*b*d + log((a*e + b*e*x)/(c + d*x))**2*a*b**2*d*
x + 2*log((a*e + b*e*x)/(c + d*x))*a*b**2*d*x - 2*log((a*e + b*e*x)/(c + d
*x))*b**3*c*x + 2*a**2*b*d*x - 2*a*b**2*c*x + 2*a*b**2*d*x - 2*b**3*c*x))/
(2*a*g**2*(a**3*d**2 - 2*a**2*b*c*d + a**2*b*d**2*x + a*b**2*c**2 - 2*a*b*
*2*c*d*x + b**3*c**2*x))
```

3.37 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx$

Optimal result . . . 498
Mathematica [C] (verified) . . . 499
Rubi [A] (verified) . . . 499
Maple [A] (verified) . . . 502
Fricas [A] (verification not implemented) . . . 503
Sympy [B] (verification not implemented) . . . 503
Maxima [B] (verification not implemented) . . . 504
Giac [A] (verification not implemented) . . . 505
Mupad [B] (verification not implemented) . . . 506
Reduce [B] (verification not implemented) . . . 507

Optimal result

Integrand size = 40, antiderivative size = 255

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx &= -\frac{B(c+dx)^2\left(b-\frac{4d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^3g^3i(a+bx)^2}-\frac{Bd^2\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^3g^3i}\\ &\quad+\frac{2bd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^3i(a+bx)}\\ &\quad-\frac{b^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3g^3i(a+bx)^2}\\ &\quad+\frac{d^2\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^3i}\end{aligned}$$

output

```
-1/4*B*(d*x+c)^2*(b-4*d*(b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^3/i/(b*x+a)^2-1/
2*B*d^2*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^3/i+2*b*d*(d*x+c)*(A+B*ln(e*(
b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^3/i/(b*x+a)-1/2*b^2*(d*x+c)^2*(A+B*ln(e*(b
*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^3/i/(b*x+a)^2+d^2*ln((b*x+a)/(d*x+c))*(A+B*
ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^3/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.43 (sec) , antiderivative size = 418, normalized size of antiderivative = 1.64

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx$$
$$= \frac{-2(bc-ad)^2\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) + 4d(bc-ad)(a+bx)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) + 4d^2(a+bx)^2\log(a$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i
*x)),x]
```

output
```
(-2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*d*(b*c - a*d)*(
a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*d^2*(a + b*x)^2*Log[a +
b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 4*d^2*(a + b*x)^2*(A + B*Log[(
e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 4*B*d*(a + b*x)*(b*c - a*d + d*(a
+ b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*((b*c - a*d)^2 + 2*d*(
-(b*c) + a*d)*(a + b*x) - 2*d^2*(a + b*x)^2*Log[a + b*x] + 2*d^2*(a + b*x)
^2*Log[c + d*x]) - 2*B*d^2*(a + b*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log
[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])
 + 2*B*d^2*(a + b*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x
])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*(b*c - a*d)
^3*g^3*i*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 194, normalized size of antiderivative = 0.76, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{(ag+bgx)^3(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3i(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-B\int -\frac{(c+dx)^3\left(b^2-\frac{4d(a+bx)b}{c+dx}-\frac{2d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^2}\right)}{2(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+}{g^3i(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{\frac{1}{2}B\int \frac{(c+dx)^3\left(b^2-\frac{4d(a+bx)b}{c+dx}-\frac{2d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^2}\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right.\right.}{g^3i(bc-ad)^3}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{2}B\int\left(\frac{b(c+dx)^3\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)^3}-\frac{2d^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(}{g^3i(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)+\frac{2bd(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}+\frac{1}{2}B\left(-d^2\log\right.}{g^3i(bc-ad)^3}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i*x)),x
]
```

output
```
((B*(-1/2*((c + d*x)^2*(b - (4*d*(a + b*x))/(c + d*x))^2)/(a + b*x)^2 - d^
2*Log[(a + b*x)/(c + d*x)]^2))/2 + (2*b*d*(c + d*x)*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(a + b*x) - (b^2*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c +
 d*x)]))/(2*(a + b*x)^2) + d^2*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a +
 b*x))/(c + d*x)]))/((b*c - a*d)^3*g^3*i)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.99 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.43

method	result
parts	$\frac{A\left(\frac{d^2\ln(dx+c)}{(da-bc)^3}+\frac{1}{2(da-bc)(bx+a)^2}+\frac{d}{(da-bc)^2(bx+a)}-\frac{d^2\ln(bx+a)}{(da-bc)^3}\right)}{g^3 i}-B\left(\frac{d^3\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^3}-\frac{2d^2be\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da}{d(}\right.\right.}{\frac{be}{d}+\frac{(da-}{(}$
risch	$\frac{A\,d^2\ln(dx+c)}{g^3 i(da-bc)^3}+\frac{A}{2g^3 i(da-bc)(bx+a)^2}+\frac{Ad}{g^3 i(da-bc)^2(bx+a)}-\frac{A\,d^2\ln(bx+a)}{g^3 i(da-bc)^3}-\frac{B\,d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2g^3 i(da-bc)^3}-$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2eA\,b^2}{2i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2d^3Ab}{i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^4A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^4g^3}+\frac{d^2eB\,b^2\left(-\frac{\ln\left(\frac{b}{c}\right.\right.}{2\left(\frac{be}{d}\right.}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{d^2eA\,b^2}{2i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2d^3Ab}{i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^4A\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^4g^3}+\frac{d^2eB\,b^2\left(-\frac{\ln\left(\frac{b}{c}\right.\right.}{2\left(\frac{be}{d}\right.}\right.}{d^2}$
parallelrisch	$-\frac{-2B\ln\left(\frac{e(bx+a)}{dx+c}\right)a^4b^2c^4+2A\,x^2a^2b^4c^4+B\,x^2a^2b^4c^4+2B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a^6c^2d^2+4Ax\,a^3b^3c^4+4A\ln\left(\frac{e(bx+a)}{dx+c}\right)a^6c^2$
norman	$\frac{6Aa\,b^2d-2A\,b^3c+7Ba\,b^2d-B\,b^3c}{4gi(da-bc)^2b^2}-\frac{\left(2A\,a^2d^2+4Babcd-B\,b^2c^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2ig\left(a^3d^3-3a^2bc\,d^2+3a\,b^2c^2d-b^3c^3\right)}+\frac{\left(2A\,b^2d+3B\,b^2d\right)x}{2ig\left(a^2d^2-2acdb+c^2b^2\right)b}-\frac{B\,a^2d^2\ln\left(\frac{e}{}\right.}{2ig\left(a^3d^3-3a^2bc\,d^2\right.}$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
A/g^3/i*(d^2/(a*d-b*c)^3*ln(d*x+c)+1/2/(a*d-b*c)/(b*x+a)^2+d/(a*d-b*c)^2/(b*x+a)-d^2/(a*d-b*c)^3*ln(b*x+a))-B/g^3/i/d*(1/2*d^3/(a*d-b*c)^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*d^2/(a*d-b*c)^3*b*e*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))+d/(a*d-b*c)^3*b^2*e^2*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 349, normalized size of antiderivative = 1.37

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx =$$
$$-\frac{(2A+B)b^2c^2 - 8(A+B)abcd + (6A+7B)a^2d^2 - 2(Bb^2d^2x^2 + 2Babd^2x + Ba^2d^2)\log\left(\frac{bex+ae}{dx+c}\right)^2 -}{4((b^5c^3 - 3ab^4c^2d + 3a^2b^3cd^2 - a^3b^2d^3)g^3ix^2 + 2($$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i),x, algori
thm="fricas")
```

output
```
-1/4*((2*A + B)*b^2*c^2 - 8*(A + B)*a*b*c*d + (6*A + 7*B)*a^2*d^2 - 2*(B*b
^2*d^2*x^2 + 2*B*a*b*d^2*x + B*a^2*d^2)*log((b*e*x + a*e)/(d*x + c))^2 - 2
*((2*A + 3*B)*b^2*c*d - (2*A + 3*B)*a*b*d^2)*x - 2*((2*A + 3*B)*b^2*d^2*x^
2 - B*b^2*c^2 + 4*B*a*b*c*d + 2*A*a^2*d^2 + 2*(B*b^2*c*d + 2*(A + B)*a*b*d
^2)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3
*c*d^2 - a^3*b^2*d^3)*g^3*i*x^2 + 2*(a*b^4*c^3 - 3*a^2*b^3*c^2*d + 3*a^3*b
^2*c*d^2 - a^4*b*d^3)*g^3*i*x + (a^2*b^3*c^3 - 3*a^3*b^2*c^2*d + 3*a^4*b*c
*d^2 - a^5*d^3)*g^3*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 889 vs. 2(221) = 442.

Time = 2.62 (sec) , antiderivative size = 889, normalized size of antiderivative = 3.49

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3/(d*i*x+c*i),x)
```

output

```
-B*d**2*log(e*(a + b*x)/(c + d*x))**2/(2*a**3*d**3*g**3*i - 6*a**2*b*c*d**
2*g**3*i + 6*a*b**2*c**2*d*g**3*i - 2*b**3*c**3*g**3*i) + d**2*(2*A + 3*B)
*log(x + (2*A*a*d**3 + 2*A*b*c*d**2 + 3*B*a*d**3 + 3*B*b*c*d**2 - a**4*d**
6*(2*A + 3*B)/(a*d - b*c)**3 + 4*a**3*b*c*d**5*(2*A + 3*B)/(a*d - b*c)**3
- 6*a**2*b**2*c**2*d**4*(2*A + 3*B)/(a*d - b*c)**3 + 4*a*b**3*c**3*d**3*(2
*A + 3*B)/(a*d - b*c)**3 - b**4*c**4*d**2*(2*A + 3*B)/(a*d - b*c)**3)/(4*A
*b*d**3 + 6*B*b*d**3))/(2*g**3*i*(a*d - b*c)**3) - d**2*(2*A + 3*B)*log(x
+ (2*A*a*d**3 + 2*A*b*c*d**2 + 3*B*a*d**3 + 3*B*b*c*d**2 + a**4*d**6*(2*A
+ 3*B)/(a*d - b*c)**3 - 4*a**3*b*c*d**5*(2*A + 3*B)/(a*d - b*c)**3 + 6*a**
2*b**2*c**2*d**4*(2*A + 3*B)/(a*d - b*c)**3 - 4*a*b**3*c**3*d**3*(2*A + 3*
B)/(a*d - b*c)**3 + b**4*c**4*d**2*(2*A + 3*B)/(a*d - b*c)**3)/(4*A*b*d**3
 + 6*B*b*d**3))/(2*g**3*i*(a*d - b*c)**3) + (3*B*a*d - B*b*c + 2*B*b*d*x)*
log(e*(a + b*x)/(c + d*x))/(2*a**4*d**2*g**3*i - 4*a**3*b*c*d*g**3*i + 4*a
**3*b*d**2*g**3*i*x + 2*a**2*b**2*c**2*g**3*i - 8*a**2*b**2*c*d*g**3*i*x +
 2*a**2*b**2*d**2*g**3*i*x**2 + 4*a*b**3*c**2*g**3*i*x - 4*a*b**3*c*d*g**3
*i*x**2 + 2*b**4*c**2*g**3*i*x**2) + (6*A*a*d - 2*A*b*c + 7*B*a*d - B*b*c
+ x*(4*A*b*d + 6*B*b*d))/(4*a**4*d**2*g**3*i - 8*a**3*b*c*d*g**3*i + 4*a**
2*b**2*c**2*g**3*i + x**2*(4*a**2*b**2*d**2*g**3*i - 8*a*b**3*c*d*g**3*i +
 4*b**4*c**2*g**3*i) + x*(8*a**3*b*d**2*g**3*i - 16*a**2*b**2*c*d*g**3*i +
 8*a*b**3*c**2*g**3*i))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 885 vs. $2(249) = 498$.

Time = 0.09 (sec) , antiderivative size = 885, normalized size of antiderivative = 3.47

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^3(ci + dix)}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i),x, algori
thm="maxima")
```

output

```
1/2*B*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3*
i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (a^2*b^2*c^2 -
 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^
2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((b^3*c^3 - 3*a
*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(b*e*x/(d*x + c) + a*e/(d
*x + c)) + 1/2*A*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^
2*d^2)*g^3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (a^
2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3 -
 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((b^
3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i)) - 1/4*(b^2*c^2 -
8*a*b*c*d + 7*a^2*d^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x +
a)^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(d*x + c)^2 - 6*(b^2*c*d
 - a*b*d^2)*x - 6*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a) + 2*(
3*b^2*d^2*x^2 + 6*a*b*d^2*x + 3*a^2*d^2 - 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a
^2*d^2)*log(b*x + a))*log(d*x + c))*B/(a^2*b^3*c^3*g^3*i - 3*a^3*b^2*c^2*d
*g^3*i + 3*a^4*b*c*d^2*g^3*i - a^5*d^3*g^3*i + (b^5*c^3*g^3*i - 3*a*b^4*c^
2*d*g^3*i + 3*a^2*b^3*c*d^2*g^3*i - a^3*b^2*d^3*g^3*i)*x^2 + 2*(a*b^4*c^3*
g^3*i - 3*a^2*b^3*c^2*d*g^3*i + 3*a^3*b^2*c*d^2*g^3*i - a^4*b*d^3*g^3*i)*x
)
```

Giac [A] (verification not implemented)

Time = 41.45 (sec) , antiderivative size = 139, normalized size of antiderivative = 0.55

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2 Be^3\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^2 g^3 i} + \frac{(2\,Ae^3+Be^3)(dx+c)^2}{(bex+ae)^2 g^3 i}\right)\left(\frac{bc}{(bce-ade)(bc-ad)} - \frac{ad}{(bce-ade)(bc}\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i),x, algori
thm="giac")
```

output

```
-1/4*(2*(d*x + c)^2*B*e^3*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^2*g^
3*i) + (2*A*e^3 + B*e^3)*(d*x + c)^2/((b*e*x + a*e)^2*g^3*i))*(b*c/((b*c*e
 - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 28.84 (sec) , antiderivative size = 545, normalized size of antiderivative = 2.14

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx = \frac{3Aad}{2g^3i(ad-bc)^2(a+bx)^2} - \frac{Bd^2\ln\left(\frac{e(a+bx)}{c+dx}\right)^2}{2g^3i(ad-bc)^3} - \frac{Abc}{2g^3i(ad-bc)^2(a+bx)^2} + \frac{7Bad}{4g^3i(ad-bc)^2(a+bx)^2} - \frac{Bbc}{4g^3i(ad-bc)^2(a+bx)^2} + \frac{3Ba^2d^2\ln\left(\frac{e(a+bx)}{c+dx}\right)}{2g^3i(ad-bc)^3(a+bx)^2} + \frac{Bb^2c^2\ln\left(\frac{e(a+bx)}{c+dx}\right)}{2g^3i(ad-bc)^3(a+bx)^2} + \frac{Abdx}{g^3i(ad-bc)^2(a+bx)^2} + \frac{3Bbdx}{2g^3i(ad-bc)^2(a+bx)^2} + \frac{Babd^2x\ln\left(\frac{e(a+bx)}{c+dx}\right)}{g^3i(ad-bc)^3(a+bx)^2} - \frac{Bb^2cdx\ln\left(\frac{e(a+bx)}{c+dx}\right)}{g^3i(ad-bc)^3(a+bx)^2} - \frac{2Babcd\ln\left(\frac{e(a+bx)}{c+dx}\right)}{g^3i(ad-bc)^3(a+bx)^2} + \frac{Ad^2\operatorname{atan}\left(\frac{ad\,1i+bc\,1i+bdx\,2i}{ad-bc}\right)\,2i}{g^3i(ad-bc)^3} + \frac{Bd^2\operatorname{atan}\left(\frac{ad\,1i+bc\,1i+bdx\,2i}{ad-bc}\right)\,3i}{g^3i(ad-bc)^3}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^3*(c*i + d*i*x)),x
)
```

output

```
(A*d^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g^3*i*(a*d - b*
c)^3) + (B*d^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*3i)/(g^3*i*(
a*d - b*c)^3) - (B*d^2*log((e*(a + b*x))/(c + d*x))^2)/(2*g^3*i*(a*d - b*c
)^3) + (3*A*a*d)/(2*g^3*i*(a*d - b*c)^2*(a + b*x)^2) - (A*b*c)/(2*g^3*i*(a
*d - b*c)^2*(a + b*x)^2) + (7*B*a*d)/(4*g^3*i*(a*d - b*c)^2*(a + b*x)^2) -
 (B*b*c)/(4*g^3*i*(a*d - b*c)^2*(a + b*x)^2) + (3*B*a^2*d^2*log((e*(a + b*
x))/(c + d*x)))/(2*g^3*i*(a*d - b*c)^3*(a + b*x)^2) + (B*b^2*c^2*log((e*(a
 + b*x))/(c + d*x)))/(2*g^3*i*(a*d - b*c)^3*(a + b*x)^2) + (A*b*d*x)/(g^3*
i*(a*d - b*c)^2*(a + b*x)^2) + (3*B*b*d*x)/(2*g^3*i*(a*d - b*c)^2*(a + b*x
)^2) + (B*a*b*d^2*x*log((e*(a + b*x))/(c + d*x)))/(g^3*i*(a*d - b*c)^3*(a
+ b*x)^2) - (B*b^2*c*d*x*log((e*(a + b*x))/(c + d*x)))/(g^3*i*(a*d - b*c)^
3*(a + b*x)^2) - (2*B*a*b*c*d*log((e*(a + b*x))/(c + d*x)))/(g^3*i*(a*d -
b*c)^3*(a + b*x)^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 679, normalized size of antiderivative = 2.66

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)}\,dx$$
$$= \frac{i\Big(4\log(bx+a)\,a^2b^2d^2x^2 + 12\log(bx+a)\,a^2b^2d^2x + 6\log(bx+a)\,ab^3d^2x^2 - 8\log(dx+c)\,a^3bd^2x - 4\lo$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i),x)
```

output

```
(i*(4*log(a + b*x)*a**4*d**2 + 8*log(a + b*x)*a**3*b*d**2*x + 6*log(a + b*
x)*a**3*b*d**2 + 4*log(a + b*x)*a**2*b**2*d**2*x**2 + 12*log(a + b*x)*a**2
*b**2*d**2*x + 6*log(a + b*x)*a*b**3*d**2*x**2 - 4*log(c + d*x)*a**4*d**2
- 8*log(c + d*x)*a**3*b*d**2*x - 6*log(c + d*x)*a**3*b*d**2 - 4*log(c + d*
x)*a**2*b**2*d**2*x**2 - 12*log(c + d*x)*a**2*b**2*d**2*x - 6*log(c + d*x)
*a*b**3*d**2*x**2 + 2*log((a*e + b*e*x)/(c + d*x))**2*a**3*b*d**2 + 4*log(
(a*e + b*e*x)/(c + d*x))**2*a**2*b**2*d**2*x + 2*log((a*e + b*e*x)/(c + d*
x))**2*a*b**3*d**2*x**2 - 6*log((a*e + b*e*x)/(c + d*x))*a**3*b*d**2 + 8*l
og((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d - 4*log((a*e + b*e*x)/(c + d*x))
*a**2*b**2*d**2*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2 + 4*log((a*
e + b*e*x)/(c + d*x))*a*b**3*c*d*x - 4*a**4*d**2 + 6*a**3*b*c*d - 4*a**3*b
*d**2 - 2*a**2*b**2*c**2 + 5*a**2*b**2*c*d + 2*a**2*b**2*d**2*x**2 - a*b**
3*c**2 - 2*a*b**3*c*d*x**2 + 3*a*b**3*d**2*x**2 - 3*b**4*c*d*x**2))/(4*a*g
**3*(a**5*d**3 - 3*a**4*b*c*d**2 + 2*a**4*b*d**3*x + 3*a**3*b**2*c**2*d -
6*a**3*b**2*c*d**2*x + a**3*b**2*d**3*x**2 - a**2*b**3*c**3 + 6*a**2*b**3*
c**2*d*x - 3*a**2*b**3*c*d**2*x**2 - 2*a*b**4*c**3*x + 3*a*b**4*c**2*d*x**
2 - b**5*c**3*x**2))
```

3.38 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx$

Optimal result 509
Mathematica [C] (verified) 510
Rubi [A] (verified) 511
Maple [A] (verified) 513
Fricas [A] (verification not implemented) 514
Sympy [B] (verification not implemented) 515
Maxima [B] (verification not implemented) 516
Giac [A] (verification not implemented) 517
Mupad [B] (verification not implemented) 517
Reduce [B] (verification not implemented) 518

Optimal result

Integrand size = 40, antiderivative size = 373

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx = &-\frac{3bBd^2(c+dx)}{(bc-ad)^4g^4i(a+bx)}+\frac{3b^2Bd(c+dx)^2}{4(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{b^3B(c+dx)^3}{9(bc-ad)^4g^4i(a+bx)^3}+\frac{Bd^3\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^4i}\\ &-\frac{3bd^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^4i(a+bx)}\\ &+\frac{3b^2d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{b^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{d^3\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^4i}\end{aligned}$$

output

```
-3*b*B*d^2*(d*x+c)/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/4*b^2*B*d*(d*x+c)^2/(-a*d+
b*c)^4/g^4/i/(b*x+a)^2-1/9*b^3*B*(d*x+c)^3/(-a*d+b*c)^4/g^4/i/(b*x+a)^3+1/
2*B*d^3*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^4/i-3*b*d^2*(d*x+c)*(A+B*ln(e
*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/2*b^2*d*(d*x+c)^2*(A+B*ln(
e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i/(b*x+a)^2-1/3*b^3*(d*x+c)^3*(A+B*ln
(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i/(b*x+a)^3-d^3*ln((b*x+a)/(d*x+c))*
(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.73 (sec) , antiderivative size = 492, normalized size of antiderivative = 1.32

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx$$

$$= \frac{-\frac{12A(bc-ad)^3}{(a+bx)^3} - \frac{4B(bc-ad)^3}{(a+bx)^3} + \frac{18Ad(bc-ad)^2}{(a+bx)^2} + \frac{15Bd(bc-ad)^2}{(a+bx)^2} + \frac{36Ad^2(-bc+ad)}{a+bx} + \frac{66Bd^2(-bc+ad)}{a+bx} - 36Ad^3\log(a+bx}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i
*x)),x]
```

output

```
((-12*A*(b*c - a*d)^3)/(a + b*x)^3 - (4*B*(b*c - a*d)^3)/(a + b*x)^3 + (18
*A*d*(b*c - a*d)^2)/(a + b*x)^2 + (15*B*d*(b*c - a*d)^2)/(a + b*x)^2 + (36
*A*d^2*(-(b*c) + a*d))/(a + b*x) + (66*B*d^2*(-(b*c) + a*d))/(a + b*x) - 3
6*A*d^3*Log[a + b*x] - 66*B*d^3*Log[a + b*x] + 18*B*d^3*Log[a + b*x]^2 - (
12*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x)^3 + (18*B*d*(b*
c - a*d)^2*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x)^2 + (36*B*d^2*(-(b*c) +
 a*d)*Log[(e*(a + b*x))/(c + d*x)])/(a + b*x) - 36*B*d^3*Log[a + b*x]*Log[
(e*(a + b*x))/(c + d*x)] + 36*A*d^3*Log[c + d*x] + 66*B*d^3*Log[c + d*x] -
 36*B*d^3*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] + 36*B*d^3*Log[(e
*(a + b*x))/(c + d*x)]*Log[c + d*x] + 18*B*d^3*Log[c + d*x]^2 - 36*B*d^3*L
og[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] - 36*B*d^3*PolyLog[2, (d*(a + b
*x))/(-(b*c) + a*d)] - 36*B*d^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])/(36
*(b*c - a*d)^4*g^4*i)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 262, normalized size of antiderivative = 0.70, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{(ag+bgx)^4(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4i(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-B\int -\frac{(c+dx)^4\left(2b^3-\frac{9d(a+bx)b^2}{c+dx}+\frac{18d^2(a+bx)^2b}{(c+dx)^2}+\frac{6d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^3}\right)}{6(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{3b^2d(c+dx)^2\left(B}{2(a}}{g^4i(bc-ad)^4}$$

$$\downarrow 27$$

$$\frac{\frac{1}{6}B\int \frac{(c+dx)^4\left(2b^3-\frac{9d(a+bx)b^2}{c+dx}+\frac{18d^2(a+bx)^2b}{(c+dx)^2}+\frac{6d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^3}\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{3b^2d(c+dx)^2\left(B\log\right.}{2(a+b}}{g^4i(bc-ad)^4}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{6}B\int\left(\frac{b\left(2b^2-\frac{9d(a+bx)b}{c+dx}+\frac{18d^2(a+bx)^2}{(c+dx)^2}\right)(c+dx)^4}{(a+bx)^4}+\frac{6d^3\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{3b^2d(c+dx)^2}{}}{g^4i(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{3b^2d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+d^3\left(-\log\left(\frac{a+bx}{c+dx}\right)\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-\frac{3bd^2(c}{}}{g^4i(bc-ad)^4}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i*x)),x
]
```

output
```
((B*((-18*b*d^2*(c + d*x))/(a + b*x) + (9*b^2*d*(c + d*x)^2)/(2*(a + b*x)^
2) - (2*b^3*(c + d*x)^3)/(3*(a + b*x)^3) + 3*d^3*Log[(a + b*x)/(c + d*x)]^
2))/6 - (3*b*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)
 + (3*b^2*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)
^2) - (b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a + b*x)^
3) - d^3*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/((
b*c - a*d)^4*g^4*i)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.43 (sec) , antiderivative size = 500, normalized size of antiderivative = 1.34

method	result
parts	$\frac{A\left(\frac{d^3\ln(dx+c)}{(da-bc)^4}+\frac{1}{3(da-bc)(bx+a)^3}+\frac{d}{2(da-bc)^2(bx+a)^2}+\frac{d^2}{(da-bc)^3(bx+a)}-\frac{d^3\ln(bx+a)}{(da-bc)^4}\right)}{g^4 i}-\frac{B\left(\frac{d^4\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^4}-\right.$
risch	$\frac{A\,d^3\ln(dx+c)}{g^4 i(da-bc)^4}+\frac{A}{3g^4 i(da-bc)(bx+a)^3}+\frac{Ad}{2g^4 i(da-bc)^2(bx+a)^2}+\frac{A\,d^2}{g^4 i(da-bc)^3(bx+a)}-\frac{A\,d^3\ln(bx+a)}{g^4 i(da-bc)^4}-\frac{B}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2e^2Ab^3}{3i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{3d^3eAb^2}{2i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{3d^4Ab}{i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^5A\ln\left(\frac{be}{d}\right.}{ei(da}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2e^2Ab^3}{3i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{3d^3eAb^2}{2i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{3d^4Ab}{i(da-bc)^5g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^5A\ln\left(\frac{be}{d}\right.}{ei(da}\right.}{}$
parallelrisch	$-\frac{36Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)a^5b^3c^3d^2+54Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a^7bc^2d^3+108Ax\ln\left(\frac{e(bx+a)}{dx+c}\right)a^7bc^2d^3+108Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a^7b}{}$
norman	Expression too large to display

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i),x,method=_RETURN
VERBOSE)
```

output

```
A/g^4/i*(d^3/(a*d-b*c)^4*ln(d*x+c)+1/3/(a*d-b*c)/(b*x+a)^3+1/2*d/(a*d-b*c)
^2/(b*x+a)^2+d^2/(a*d-b*c)^3/(b*x+a)-d^3/(a*d-b*c)^4*ln(b*x+a))-B/g^4/i/d*
(1/2*d^4/(a*d-b*c)^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-3*d^3/(a*d-b*c)^4*b
*e*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*
e/d+(a*d-b*c)*e/d/(d*x+c)))+3*d^2/(a*d-b*c)^4*b^2*e^2*(-1/2/(b*e/d+(a*d-b*
c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d
/(d*x+c))^2)-d/(a*d-b*c)^4*b^3*e^3*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 611, normalized size of antiderivative = 1.64

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx =$$

$$-\frac{4\,(3\,A+B)b^3c^3 - 27\,(2\,A+B)ab^2c^2d + 108\,(A+B)a^2bcd^2 - (66\,A+85\,B)a^3d^3 + 6\,((6\,A+11\,B)b^3c}{36\,((}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i),x, algori
thm="fricas")
```

output

```
-1/36*(4*(3*A + B)*b^3*c^3 - 27*(2*A + B)*a*b^2*c^2*d + 108*(A + B)*a^2*b*
c*d^2 - (66*A + 85*B)*a^3*d^3 + 6*((6*A + 11*B)*b^3*c*d^2 - (6*A + 11*B)*a
*b^2*d^3)*x^2 + 18*(B*b^3*d^3*x^3 + 3*B*a*b^2*d^3*x^2 + 3*B*a^2*b*d^3*x +
B*a^3*d^3)*log((b*e*x + a*e)/(d*x + c))^2 - 3*((6*A + 5*B)*b^3*c^2*d - 18*
(2*A + 3*B)*a*b^2*c*d^2 + (30*A + 49*B)*a^2*b*d^3)*x + 6*((6*A + 11*B)*b^3
*d^3*x^3 + 2*B*b^3*c^3 - 9*B*a*b^2*c^2*d + 18*B*a^2*b*c*d^2 + 6*A*a^3*d^3
+ 3*(2*B*b^3*c*d^2 + 3*(2*A + 3*B)*a*b^2*d^3)*x^2 - 3*(B*b^3*c^2*d - 6*B*a
*b^2*c*d^2 - 6*(A + B)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^7*c
^4 - 4*a*b^6*c^3*d + 6*a^2*b^5*c^2*d^2 - 4*a^3*b^4*c*d^3 + a^4*b^3*d^4)*g^
4*i*x^3 + 3*(a*b^6*c^4 - 4*a^2*b^5*c^3*d + 6*a^3*b^4*c^2*d^2 - 4*a^4*b^3*c
*d^3 + a^5*b^2*d^4)*g^4*i*x^2 + 3*(a^2*b^5*c^4 - 4*a^3*b^4*c^3*d + 6*a^4*b
^3*c^2*d^2 - 4*a^5*b^2*c*d^3 + a^6*b*d^4)*g^4*i*x + (a^3*b^4*c^4 - 4*a^4*b
^3*c^3*d + 6*a^5*b^2*c^2*d^2 - 4*a^6*b*c*d^3 + a^7*d^4)*g^4*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1392 vs. $2(332) = 664$.

Time = 7.73 (sec) , antiderivative size = 1392, normalized size of antiderivative = 3.73

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4/(d*i*x+c*i),x)
```

output

```
-B*d**3*log(e*(a + b*x)/(c + d*x))**2/(2*a**4*d**4*g**4*i - 8*a**3*b*c*d**
3*g**4*i + 12*a**2*b**2*c**2*d**2*g**4*i - 8*a*b**3*c**3*d*g**4*i + 2*b**4
*c**4*g**4*i) + d**3*(6*A + 11*B)*log(x + (6*A*a*d**4 + 6*A*b*c*d**3 + 11*
B*a*d**4 + 11*B*b*c*d**3 - a**5*d**8*(6*A + 11*B)/(a*d - b*c)**4 + 5*a**4*
b*c*d**7*(6*A + 11*B)/(a*d - b*c)**4 - 10*a**3*b**2*c**2*d**6*(6*A + 11*B)
/(a*d - b*c)**4 + 10*a**2*b**3*c**3*d**5*(6*A + 11*B)/(a*d - b*c)**4 - 5*a
*b**4*c**4*d**4*(6*A + 11*B)/(a*d - b*c)**4 + b**5*c**5*d**3*(6*A + 11*B)/
(a*d - b*c)**4)/(12*A*b*d**4 + 22*B*b*d**4))/(6*g**4*i*(a*d - b*c)**4) - d
**3*(6*A + 11*B)*log(x + (6*A*a*d**4 + 6*A*b*c*d**3 + 11*B*a*d**4 + 11*B*b
*c*d**3 + a**5*d**8*(6*A + 11*B)/(a*d - b*c)**4 - 5*a**4*b*c*d**7*(6*A + 1
1*B)/(a*d - b*c)**4 + 10*a**3*b**2*c**2*d**6*(6*A + 11*B)/(a*d - b*c)**4 -
 10*a**2*b**3*c**3*d**5*(6*A + 11*B)/(a*d - b*c)**4 + 5*a*b**4*c**4*d**4*(
6*A + 11*B)/(a*d - b*c)**4 - b**5*c**5*d**3*(6*A + 11*B)/(a*d - b*c)**4)/(
12*A*b*d**4 + 22*B*b*d**4))/(6*g**4*i*(a*d - b*c)**4) + (11*B*a**2*d**2 -
7*B*a*b*c*d + 15*B*a*b*d**2*x + 2*B*b**2*c**2 - 3*B*b**2*c*d*x + 6*B*b**2*
d**2*x**2)*log(e*(a + b*x)/(c + d*x))/(6*a**6*d**3*g**4*i - 18*a**5*b*c*d*
*2*g**4*i + 18*a**5*b*d**3*g**4*i*x + 18*a**4*b**2*c**2*d*g**4*i - 54*a**4
*b**2*c*d**2*g**4*i*x + 18*a**4*b**2*d**3*g**4*i*x**2 - 6*a**3*b**3*c**3*g
**4*i + 54*a**3*b**3*c**2*d*g**4*i*x - 54*a**3*b**3*c*d**2*g**4*i*x**2 + 6
*a**3*b**3*d**3*g**4*i*x**3 - 18*a**2*b**4*c**3*g**4*i*x + 54*a**2*b**4...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1469 vs. $2(363) = 726$.

Time $= 0.15$ (sec) , antiderivative size $= 1469$, normalized size of antiderivative $= 3.94$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i),x, algori
thm="maxima")
```

output
```
-1/6*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d -
 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*
g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3*b^3*c*d^2 - a^4*b^2*d^3
)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3*a^4*b^2*c*d^2 - a^5*b*d
^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3)*g^
4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 -
4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c
^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i))*log(b*e*x/(d*x
 + c) + a*e/(d*x + c)) - 1/6*A*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 1
1*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b
^4*c*d^2 - a^3*b^3*d^3)*g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3
*b^3*c*d^2 - a^4*b^2*d^3)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3
*a^4*b^2*c*d^2 - a^5*b*d^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a
^5*b*c*d^2 - a^6*d^3)*g^4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^3*c^3*
d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(d*x +
c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4
)*g^4*i)) - 1/36*(4*b^3*c^3 - 27*a*b^2*c^2*d + 108*a^2*b*c*d^2 - 85*a^3*d^
3 + 66*(b^3*c*d^2 - a*b^2*d^3)*x^2 - 18*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3
*a^2*b*d^3*x + a^3*d^3)*log(b*x + a)^2 - 18*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2
 + 3*a^2*b*d^3*x + a^3*d^3)*log(d*x + c)^2 - 3*(5*b^3*c^2*d - 54*a*b^2*...
```

Giac [A] (verification not implemented)

Time = 53.52 (sec) , antiderivative size = 270, normalized size of antiderivative = 0.72

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx =$$
$$-\frac{1}{36}\left(\frac{6\left(2\,Bbe^4-\frac{3\,(bex+ae)Bde^3}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^3bcg^4i}{(dx+c)^3}-\frac{(bex+ae)^3adg^4i}{(dx+c)^3}}+\frac{12\,Abe^4+4\,Bbe^4-\frac{18\,(bex+ae)Ade^3}{dx+c}-\frac{9\,(bex+ae)Bde^3}{dx+c}}{\frac{(bex+ae)^3bcg^4i}{(dx+c)^3}-\frac{(bex+ae)^3adg^4i}{(dx+c)^3}}\right)\left(\frac{}{(}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i),x, algori
thm="giac")
```

output
```
-1/36*(6*(2*B*b*e^4 - 3*(b*e*x + a*e)*B*d*e^3/(d*x + c))*log((b*e*x + a*e)
/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4*i/(d*x + c)^3 - (b*e*x + a*e)^3*a*d*g
^4*i/(d*x + c)^3) + (12*A*b*e^4 + 4*B*b*e^4 - 18*(b*e*x + a*e)*A*d*e^3/(d*
x + c) - 9*(b*e*x + a*e)*B*d*e^3/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4*i/(d*
x + c)^3 - (b*e*x + a*e)^3*a*d*g^4*i/(d*x + c)^3))*(b*c/((b*c*e - a*d*e)*(
b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 31.78 (sec) , antiderivative size = 970, normalized size of antiderivative = 2.60

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^4*(c*i + d*i*x)),x
)
```

output

```
(A*d^3*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g^4*i*(a*d - b*
c)^4) + (B*d^3*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*11i)/(3*g^4*
i*(a*d - b*c)^4) - (B*d^3*log((e*(a + b*x))/(c + d*x))^2)/(2*g^4*i*(a*d -
b*c)^4) + (11*A*a^2*d^2)/(6*g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (A*b^2*c^2)
/(3*g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (85*B*a^2*d^2)/(36*g^4*i*(a*d - b*c
)^3*(a + b*x)^3) + (B*b^2*c^2)/(9*g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (11*B
*a^3*d^3*log((e*(a + b*x))/(c + d*x)))/(6*g^4*i*(a*d - b*c)^4*(a + b*x)^3)
 - (B*b^3*c^3*log((e*(a + b*x))/(c + d*x)))/(3*g^4*i*(a*d - b*c)^4*(a + b*
x)^3) + (A*b^2*d^2*x^2)/(g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (11*B*b^2*d^2*
x^2)/(6*g^4*i*(a*d - b*c)^3*(a + b*x)^3) - (7*A*a*b*c*d)/(6*g^4*i*(a*d - b
*c)^3*(a + b*x)^3) - (23*B*a*b*c*d)/(36*g^4*i*(a*d - b*c)^3*(a + b*x)^3) +
 (5*A*a*b*d^2*x)/(2*g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (49*B*a*b*d^2*x)/(1
2*g^4*i*(a*d - b*c)^3*(a + b*x)^3) - (A*b^2*c*d*x)/(2*g^4*i*(a*d - b*c)^3*
(a + b*x)^3) - (5*B*b^2*c*d*x)/(12*g^4*i*(a*d - b*c)^3*(a + b*x)^3) + (3*B
*a*b^2*c^2*d*log((e*(a + b*x))/(c + d*x)))/(2*g^4*i*(a*d - b*c)^4*(a + b*x
)^3) - (3*B*a^2*b*c*d^2*log((e*(a + b*x))/(c + d*x)))/(g^4*i*(a*d - b*c)^4
*(a + b*x)^3) + (5*B*a^2*b*d^3*x*log((e*(a + b*x))/(c + d*x)))/(2*g^4*i*(a
*d - b*c)^4*(a + b*x)^3) + (B*b^3*c^2*d*x*log((e*(a + b*x))/(c + d*x)))/(2
*g^4*i*(a*d - b*c)^4*(a + b*x)^3) + (B*a*b^2*d^3*x^2*log((e*(a + b*x))/(c
+ d*x)))/(g^4*i*(a*d - b*c)^4*(a + b*x)^3) - (B*b^3*c*d^2*x^2*log((e*(a...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 1284, normalized size of antiderivative = 3.44

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i),x)
```

output

```
(i*(36*log(a + b*x)*a**5*d**3 + 108*log(a + b*x)*a**4*b*d**3*x + 54*log(a
+ b*x)*a**4*b*d**3 + 12*log(a + b*x)*a**3*b**2*c*d**2 + 108*log(a + b*x)*a
**3*b**2*d**3*x**2 + 162*log(a + b*x)*a**3*b**2*d**3*x + 36*log(a + b*x)*a
**2*b**3*c*d**2*x + 36*log(a + b*x)*a**2*b**3*d**3*x**3 + 162*log(a + b*x)
*a**2*b**3*d**3*x**2 + 36*log(a + b*x)*a*b**4*c*d**2*x**2 + 54*log(a + b*x
)*a*b**4*d**3*x**3 + 12*log(a + b*x)*b**5*c*d**2*x**3 - 36*log(c + d*x)*a*
*5*d**3 - 108*log(c + d*x)*a**4*b*d**3*x - 54*log(c + d*x)*a**4*b*d**3 - 1
2*log(c + d*x)*a**3*b**2*c*d**2 - 108*log(c + d*x)*a**3*b**2*d**3*x**2 - 1
62*log(c + d*x)*a**3*b**2*d**3*x - 36*log(c + d*x)*a**2*b**3*c*d**2*x - 36
*log(c + d*x)*a**2*b**3*d**3*x**3 - 162*log(c + d*x)*a**2*b**3*d**3*x**2 -
 36*log(c + d*x)*a*b**4*c*d**2*x**2 - 54*log(c + d*x)*a*b**4*d**3*x**3 - 1
2*log(c + d*x)*b**5*c*d**2*x**3 + 18*log((a*e + b*e*x)/(c + d*x))**2*a**4*
b*d**3 + 54*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**2*d**3*x + 54*log((a*e
 + b*e*x)/(c + d*x))**2*a**2*b**3*d**3*x**2 + 18*log((a*e + b*e*x)/(c + d*
x))**2*a*b**4*d**3*x**3 - 54*log((a*e + b*e*x)/(c + d*x))*a**4*b*d**3 + 96
*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c*d**2 - 54*log((a*e + b*e*x)/(c +
 d*x))*a**3*b**2*d**3*x - 54*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c**2*d
 + 72*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c*d**2*x + 12*log((a*e + b*e*
x)/(c + d*x))*a*b**4*c**3 - 18*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*d*
x + 12*log((a*e + b*e*x)/(c + d*x))*a*b**4*d**3*x**3 - 12*log((a*e + b*...
```

3.39 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 520
Mathematica [A] (verified) . . . 521
Rubi [A] (verified) . . . 522
Maple [B] (verified) . . . 524
Fricas [F] . . . 526
Sympy [F(-1)] . . . 527
Maxima [B] (verification not implemented) . . . 527
Giac [B] (verification not implemented) . . . 528
Mupad [F(-1)] . . . 529
Reduce [F] . . . 530

Optimal result

Integrand size = 40, antiderivative size = 341

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx \\
&= \frac{3B(bc-ad)^2g^3(a+bx)}{d^3i^2(c+dx)} - \frac{(6A+5B)(bc-ad)^2g^3(a+bx)}{2d^3i^2(c+dx)} \\
&\quad - \frac{3B(bc-ad)^2g^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^3i^2(c+dx)} + \frac{g^3(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2di^2(c+dx)} \\
&\quad - \frac{(bc-ad)g^3(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^2i^2(c+dx)} \\
&\quad - \frac{b(bc-ad)^2g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^4i^2} \\
&\quad - \frac{3bB(bc-ad)^2g^3\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2}
\end{aligned}
$$

output
```
3*B*(-a*d+b*c)^2*g^3*(b*x+a)/d^3/i^2/(d*x+c)-1/2*(6*A+5*B)*(-a*d+b*c)^2*g^
3*(b*x+a)/d^3/i^2/(d*x+c)-3*B*(-a*d+b*c)^2*g^3*(b*x+a)*ln(e*(b*x+a)/(d*x+c
))/d^3/i^2/(d*x+c)+1/2*g^3*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^2/(d*
x+c)-1/2*(-a*d+b*c)*g^3*(b*x+a)^2*(3*A+B+3*B*ln(e*(b*x+a)/(d*x+c)))/d^2/i^
2/(d*x+c)-1/2*b*(-a*d+b*c)^2*g^3*ln((-a*d+b*c)/b/(d*x+c))*(6*A+5*B+6*B*ln(
e*(b*x+a)/(d*x+c)))/d^4/i^2-3*b*B*(-a*d+b*c)^2*g^3*polylog(2,d*(b*x+a)/b/(
d*x+c))/d^4/i^2
```

Mathematica [A] (verified)

Time = 0.48 (sec) , antiderivative size = 359, normalized size of antiderivative = 1.05

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g^3\left(-2Ab^2d(2bc-3ad)x-2bBd(2bc-3ad)(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)+b^3d^2x^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+\frac{2(b$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x)^2,x]
```

output
```
(g^3*(-2*A*b^2*d*(2*b*c - 3*a*d)*x - 2*b*B*d*(2*b*c - 3*a*d)*(a + b*x)*Log
[(e*(a + b*x))/(c + d*x)] + b^3*d^2*x^2*(A + B*Log[(e*(a + b*x))/(c + d*x)
]) + (2*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) + 2*
b*B*(2*b*c - 3*a*d)*(b*c - a*d)*Log[c + d*x] + 6*b*(b*c - a*d)^2*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 2*B*(b*c - a*d)^2*((b*c - a*d)/
(c + d*x) + b*Log[a + b*x] - b*Log[c + d*x]) + b*B*(-(a^2*d^2*Log[a + b*x]
) + b*(d*(-(b*c) + a*d)*x + b*c^2*Log[c + d*x])) - 3*b*B*(b*c - a*d)^2*((2
*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLo
g[2, (b*(c + d*x))/(b*c - a*d)])))/(2*d^4*i^2)
```

Rubi [A] (verified)

Time = 0.65 (sec) , antiderivative size = 304, normalized size of antiderivative = 0.89, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2784, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{g^3(bc-ad)^2\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2784$$

$$g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int \frac{(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)$$

$$\downarrow 2784$$

$$g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int \frac{(a+bx)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}}{2d}\right)$$

$$\downarrow 2793$$

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)}{d}-\frac{b\left(6A+5B+6B\log\left(\frac{e(a}{c}\right.\right.\right.}{d\left(\frac{d(a+bx)}{c+dx}-b\right.}}{d}}{2d}\right)}{i^2}$$

↓ 2009

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6A+5B\right)}{d^2}-\frac{(6A}{}}{2d}\right)}{i^2}$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^2
,x]
```

output

```
((b*c - a*d)^2*g^3*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*
d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)^2*(3*A + B +
3*B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x)^2*(b - (d*(a + b*x))/(c +
d*x))) - ((6*B*(a + b*x))/(d*(c + d*x)) - ((6*A + 5*B)*(a + b*x))/(d*(c +
d*x)) - (6*B*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d*(c + d*x)) - (b*(6
*A + 5*B + 6*B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c +
 d*x))])/d^2 - (6*b*B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^2)/d)/(2*
d)))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 845 vs. $2(333) = 666$.

Time = 3.29 (sec) , antiderivative size = 846, normalized size of antiderivative = 2.48

method	result
derivativedivides	$-\frac{e(da-bc)\left(-\frac{A d^2 g^3 (da-bc)\left(-\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d^3}-\frac{3be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^4}-\frac{3b^2e^2}{d^4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{\cdots}{2d^4\left(be-\left(\cdots\right)\right)}\cdots\right)}{e^2 i^2}\cdots\right)}{\cdots}$
default	$-\frac{e(da-bc)\left(-\frac{A d^2 g^3 (da-bc)\left(-\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d^3}-\frac{3be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^4}-\frac{3b^2e^2}{d^4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{\cdots}{2d^4\left(be-\left(\cdots\right)\right)}\cdots\right)}{e^2 i^2}\cdots\right)}{\cdots}$
parts	$\frac{g^3 A\left(\frac{b^2\left(\frac{1}{2}bdx^2+3xda-2bcx\right)}{d^3}+\frac{3b\left(a^2d^2-2acdb+c^2b^2\right)\ln(dx+c)}{d^4}-\frac{a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3}{d^4(dx+c)}\right)}{i^2}-\frac{g^3 B\left(\frac{\left(\left(\frac{be}{d}+\frac{(da-\cdots}{d(dx\cdots}\cdots\right)\cdots\right)\cdots}{\cdots}\cdots\right)}{\cdots}$
risch	Expression too large to display

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(-A*d^2*g^3*(a*d-b*c)/e^2/i^2*(-(b*e/d+(a*d-b*c)*e/d/(d
*x+c))/d^3-3/d^4*b*e*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)-3/d^4*b^2*e^2
/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+1/2*b^3*e^3/d^4/(b*e-(b*e/d+(a*d-b*
c)*e/d/(d*x+c))*d)^2)-B*d^2*g^3*(a*d-b*c)/e^2/i^2*(-((b*e/d+(a*d-b*c)*e/d/
(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)/d^3-
3*(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)/d^3*b*e-3*(
1/b/e/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))
*d))/d^3*b^2*e^2-(1/2/b/e/d/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)-1/2/b^2/
e^2/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)-1/2*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*(2*b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))
*d)/b^2/e^2/(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)^2)*b^3*e^3/d^3))
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log((b
*e*x + a*e)/(d*x + c)))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1341 vs. $2(332) = 664$.

Time = 0.11 (sec) , antiderivative size = 1341, normalized size of antiderivative = 3.93

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output

```
1/2*(2*c^3/(d^5*i^2*x + c*d^4*i^2) + 6*c^2*log(d*x + c)/(d^4*i^2) + (d*x^2
 - 4*c*x)/(d^3*i^2))*A*b^3*g^3 - 3*A*a*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2) -
x/(d^2*i^2) + 2*c*log(d*x + c)/(d^3*i^2))*g^3 + 3*A*a^2*b*g^3*(c/(d^3*i^2*
x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2)) - B*a^3*g^3*(log(b*e*x/(d*x + c)
+ a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2) - 1/(d^2*i^2*x + c*d*i^2) - b*log(b
*x + a)/((b*c*d - a*d^2)*i^2) + b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - A*
a^3*g^3/(d^2*i^2*x + c*d*i^2) - 1/2*(6*a^3*b*d^3*g^3*log(e) - (6*g^3*log(e
) + 7*g^3)*b^4*c^3 + (18*g^3*log(e) + 17*g^3)*a*b^3*c^2*d - 6*(3*g^3*log(e
) + 2*g^3)*a^2*b^2*c*d^2)*B*log(d*x + c)/(b*c*d^4*i^2 - a*d^5*i^2) + 1/2*(
(b^4*c*d^3*g^3*log(e) - a*b^3*d^4*g^3*log(e))*B*x^3 - ((3*g^3*log(e) + g^3
)*b^4*c^2*d^2 - (9*g^3*log(e) + 2*g^3)*a*b^3*c*d^3 + (6*g^3*log(e) + g^3)*
a^2*b^2*d^4)*B*x^2 - ((4*g^3*log(e) + g^3)*b^4*c^3*d - 2*(5*g^3*log(e) + g
^3)*a*b^3*c^2*d^2 + (6*g^3*log(e) + g^3)*a^2*b^2*c*d^3)*B*x - 3*((b^4*c^3*
d*g^3 - 3*a*b^3*c^2*d^2*g^3 + 3*a^2*b^2*c*d^3*g^3 - a^3*b*d^4*g^3)*B*x + (
b^4*c^4*g^3 - 3*a*b^3*c^3*d*g^3 + 3*a^2*b^2*c^2*d^2*g^3 - a^3*b*c*d^3*g^3)
*B)*log(d*x + c)^2 + 2*((g^3*log(e) - g^3)*b^4*c^4 - 4*(g^3*log(e) - g^3)*
a*b^3*c^3*d + 6*(g^3*log(e) - g^3)*a^2*b^2*c^2*d^2 - 3*(g^3*log(e) - g^3)*
a^3*b*c*d^3)*B + ((b^4*c*d^3*g^3 - a*b^3*d^4*g^3)*B*x^3 - 3*(b^4*c^2*d^2*g
^3 - 3*a*b^3*c*d^3*g^3 + 2*a^2*b^2*d^4*g^3)*B*x^2 - (6*b^4*c^3*d*g^3 - 12*
a*b^3*c^2*d^2*g^3 + 3*a^2*b^2*c*d^3*g^3 + 5*a^3*b*d^4*g^3)*B*x - (6*a*b...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2814 vs. $2(332) = 664$.

Time $= 69.45$ (sec) , antiderivative size $= 2814$, normalized size of antiderivative $= 8.25$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output

```
-1/24*(6*(B*b^8*c^5*e^5*g^3 - 5*B*a*b^7*c^4*d*e^5*g^3 + 10*B*a^2*b^6*c^3*d
^2*e^5*g^3 - 10*B*a^3*b^5*c^2*d^3*e^5*g^3 + 5*B*a^4*b^4*c*d^4*e^5*g^3 - B*
a^5*b^3*d^5*e^5*g^3 - 4*(b*e*x + a*e)*B*b^7*c^5*d*e^4*g^3/(d*x + c) + 20*(
b*e*x + a*e)*B*a*b^6*c^4*d^2*e^4*g^3/(d*x + c) - 40*(b*e*x + a*e)*B*a^2*b^
5*c^3*d^3*e^4*g^3/(d*x + c) + 40*(b*e*x + a*e)*B*a^3*b^4*c^2*d^4*e^4*g^3/(
d*x + c) - 20*(b*e*x + a*e)*B*a^4*b^3*c*d^5*e^4*g^3/(d*x + c) + 4*(b*e*x +
 a*e)*B*a^5*b^2*d^6*e^4*g^3/(d*x + c) + 6*(b*e*x + a*e)^2*B*b^6*c^5*d^2*e^
3*g^3/(d*x + c)^2 - 30*(b*e*x + a*e)^2*B*a*b^5*c^4*d^3*e^3*g^3/(d*x + c)^2
 + 60*(b*e*x + a*e)^2*B*a^2*b^4*c^3*d^4*e^3*g^3/(d*x + c)^2 - 60*(b*e*x +
a*e)^2*B*a^3*b^3*c^2*d^5*e^3*g^3/(d*x + c)^2 + 30*(b*e*x + a*e)^2*B*a^4*b^
2*c*d^6*e^3*g^3/(d*x + c)^2 - 6*(b*e*x + a*e)^2*B*a^5*b*d^7*e^3*g^3/(d*x +
 c)^2 - 4*(b*e*x + a*e)^3*B*b^5*c^5*d^3*e^2*g^3/(d*x + c)^3 + 20*(b*e*x +
a*e)^3*B*a*b^4*c^4*d^4*e^2*g^3/(d*x + c)^3 - 40*(b*e*x + a*e)^3*B*a^2*b^3*
c^3*d^5*e^2*g^3/(d*x + c)^3 + 40*(b*e*x + a*e)^3*B*a^3*b^2*c^2*d^6*e^2*g^3
/(d*x + c)^3 - 20*(b*e*x + a*e)^3*B*a^4*b*c*d^7*e^2*g^3/(d*x + c)^3 + 4*(b
*e*x + a*e)^3*B*a^5*d^8*e^2*g^3/(d*x + c)^3)*log((b*e*x + a*e)/(d*x + c))/
(b^4*d^4*e^4*i^2 - 4*(b*e*x + a*e)*b^3*d^5*e^3*i^2/(d*x + c) + 6*(b*e*x +
a*e)^2*b^2*d^6*e^2*i^2/(d*x + c)^2 - 4*(b*e*x + a*e)^3*b*d^7*e*i^2/(d*x +
c)^3 + (b*e*x + a*e)^4*d^8*i^2/(d*x + c)^4) + (6*A*b^8*c^5*e^5*g^3 + 11*B*
b^8*c^5*e^5*g^3 - 30*A*a*b^7*c^4*d*e^5*g^3 - 55*B*a*b^7*c^4*d*e^5*g^3 +...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input

```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2
,x)
```

output

```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x)
```

output

```
(g**3*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**2 + 2*c*d*x + d**2
*x**2),x)*a*b**4*c**2*d**5 - 2*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c*
*2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c*d**6*x + 2*int((log((a*e + b*e*x)/(c
 + d*x))*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c**3*d**4 + 2*int((log
((a*e + b*e*x)/(c + d*x))*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c**2*
d**5*x - 6*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*
x**2),x)*a**2*b**3*c**2*d**5 - 6*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(
c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c*d**6*x + 6*int((log((a*e + b*e*
x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c**3*d**4 + 6*i
nt((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b
**4*c**2*d**5*x - 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x +
 d**2*x**2),x)*a**3*b**2*c**2*d**5 - 6*int((log((a*e + b*e*x)/(c + d*x))*x
)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**2*c*d**6*x + 6*int((log((a*e + b
*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c**3*d**4 +
6*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**
2*b**3*c**2*d**5*x + 2*log(a + b*x)*a**4*b*c*d**4 + 2*log(a + b*x)*a**4*b*
d**5*x - 6*log(c + d*x)*a**4*b*c**2*d**3 - 6*log(c + d*x)*a**4*b*c*d**4*x
- 2*log(c + d*x)*a**4*b*c*d**4 - 2*log(c + d*x)*a**4*b*d**5*x + 18*log(c +
 d*x)*a**3*b**2*c**3*d**2 + 18*log(c + d*x)*a**3*b**2*c**2*d**3*x - 18*log
(c + d*x)*a**2*b**3*c**4*d - 18*log(c + d*x)*a**2*b**3*c**3*d**2*x + 6*...
```

3.40 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 531
Mathematica [A] (verified) . . . 532
Rubi [A] (verified) . . . 532
Maple [B] (verified) . . . 534
Fricas [F] . . . 536
Sympy [F(-1)] . . . 536
Maxima [B] (verification not implemented) . . . 537
Giac [B] (verification not implemented) . . . 538
Mupad [F(-1)] . . . 539
Reduce [F] . . . 539

Optimal result

Integrand size = 40, antiderivative size = 260

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx \\
&= -\frac{2B(bc-ad)g^2(a+bx)}{d^2i^2(c+dx)} + \frac{(2A+B)(bc-ad)g^2(a+bx)}{d^2i^2(c+dx)} \\
&\quad + \frac{2B(bc-ad)g^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^2i^2(c+dx)} + \frac{g^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{di^2(c+dx)} \\
&\quad + \frac{b(bc-ad)g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^3i^2} \\
&\quad + \frac{2bB(bc-ad)g^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2}
\end{aligned}$$

output

```
-2*B*(-a*d+b*c)*g^2*(b*x+a)/d^2/i^2/(d*x+c)+(2*A+B)*(-a*d+b*c)*g^2*(b*x+a)
/d^2/i^2/(d*x+c)+2*B*(-a*d+b*c)*g^2*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d^2/i^2/
(d*x+c)+g^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^2/(d*x+c)+b*(-a*d+b*
c)*g^2*ln((-a*d+b*c)/b/(d*x+c))*(2*A+B+2*B*ln(e*(b*x+a)/(d*x+c)))/d^3/i^2+
2*b*B*(-a*d+b*c)*g^2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^2
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 239, normalized size of antiderivative = 0.92

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g^2\left(Ab^2dx+\frac{B(bc-ad)^2}{c+dx}+bB(bc-ad)\log(a+bx)+bBd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)-\frac{(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx}\right.}{}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x)^2,x]
```

output
```
(g^2*(A*b^2*d*x + (B*(b*c - a*d)^2)/(c + d*x) + b*B*(b*c - a*d)*Log[a + b*
x] + b*B*d*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - ((b*c - a*d)^2*(A + B*
Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) - 2*b*B*(b*c - a*d)*Log[c + d*x]
- 2*b*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + b*B*
(b*c - a*d)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c +
d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(d^3*i^2)
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 227, normalized size of antiderivative = 0.87, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2962, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^2}\,dx$$
$$\downarrow 2962$$
$$\frac{g^2(bc-ad)\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}\right)}{i^2}$$

$$\downarrow 2793$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)}{d}-\frac{b\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{d}\right)}{i^2}$$

$$\downarrow 2009$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d^2}-\frac{(2A+B)(a+bx)}{d(c+dx)}-\frac{2bB\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2}-}{d}\right)}{i^2}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^2
,x]
```

output

```
((b*c - a*d)*g^2*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c
 + d*x)^2*(b - (d*(a + b*x))/(c + d*x))) - ((2*B*(a + b*x))/(d*(c + d*x))
- ((2*A + B)*(a + b*x))/(d*(c + d*x)) - (2*B*(a + b*x)*Log[(e*(a + b*x))/(
c + d*x)])/(d*(c + d*x)) - (b*(2*A + B + 2*B*Log[(e*(a + b*x))/(c + d*x)])
*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 - (2*b*B*PolyLog[2, (d*(a + b*x
))/(b*(c + d*x))])/d^2)/d))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 531 vs. $2(260) = 520$.

Time = 3.06 (sec) , antiderivative size = 532, normalized size of antiderivative = 2.05

method	result
parts	$\frac{g^2 A\left(\frac{x\,b^2}{d^2}+\frac{2b(da-bc)\ln(dx+c)}{d^3}-\frac{a^2d^2-2acdb+c^2b^2}{d^3(dx+c)}\right)}{i^2} - \frac{g^2 B\left(\frac{\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)(a^2$
derivativedivides	$-\frac{e(da-bc)\left(\frac{g^2d^2A\left(\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d^2}+\frac{2be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}+\frac{b^2e^2}{d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right)}{e^2i^2}+\frac{g^2d^2B\left(\frac{\left(\frac{be}{d}+\frac{(da-b}{d(dx+}\right.\right.}$
default	$-\frac{e(da-bc)\left(\frac{g^2d^2A\left(\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d^2}+\frac{2be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}+\frac{b^2e^2}{d^3\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}\right)}{e^2i^2}+\frac{g^2d^2B\left(\frac{\left(\frac{be}{d}+\frac{(da-b}{d(dx+}\right.\right.}$
risch	Expression too large to display

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output
```
g^2*A/i^2*(x*b^2/d^2+2*b/d^3*(a*d-b*c)*ln(d*x+c)-1/d^3*(a^2*d^2-2*a*b*c*d+
b^2*c^2)/(d*x+c))-g^2*B/i^2/(a*d-b*c)/e*(((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln
(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)/d^2*(a^2*d^2-2*
a*b*c*d+b^2*c^2)+(1/b/e*ln((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/d-ln(b*e/d
+(a*d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/((b*e/d+(a*d-b*c
)*e/d/(d*x+c))*d-b*e))*b^2*e^2*(a^2*d^2-2*a*b*c*d+b^2*c^2)/d^2+2*(dilog(-(
(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)*b/d^2*e*(a^2*d^2-2*a*b
*c*d+b^2*c^2))
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output
```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)))/(d^2*i^2*x^2 + 2*c*d
*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 886 vs. 2(259) = 518.

Time = 0.10 (sec) , antiderivative size = 886, normalized size of antiderivative = 3.41

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output
```
-A*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2) - x/(d^2*i^2) + 2*c*log(d*x + c)/(d^3*
i^2))*g^2 + 2*A*a*b*g^2*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2
)) - B*a^2*g^2*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2)
 - 1/(d^2*i^2*x + c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^2) + b*log(
d*x + c)/((b*c*d - a*d^2)*i^2)) - A*a^2*g^2/(d^2*i^2*x + c*d*i^2) - (2*a^2
*b*d^2*g^2*log(e) + 2*(g^2*log(e) + g^2)*b^3*c^2 - (4*g^2*log(e) + 3*g^2)*
a*b^2*c*d)*B*log(d*x + c)/(b*c*d^3*i^2 - a*d^4*i^2) + ((b^3*c*d^2*g^2*log(
e) - a*b^2*d^3*g^2*log(e))*B*x^2 + (b^3*c^2*d*g^2*log(e) - a*b^2*c*d^2*g^2
*log(e))*B*x + ((b^3*c^2*d*g^2 - 2*a*b^2*c*d^2*g^2 + a^2*b*d^3*g^2)*B*x +
(b^3*c^3*g^2 - 2*a*b^2*c^2*d*g^2 + a^2*b*c*d^2*g^2)*B)*log(d*x + c)^2 - ((
g^2*log(e) - g^2)*b^3*c^3 - 3*(g^2*log(e) - g^2)*a*b^2*c^2*d + 2*(g^2*log(
e) - g^2)*a^2*b*c*d^2)*B + ((b^3*c*d^2*g^2 - a*b^2*d^3*g^2)*B*x^2 + (2*b^3
*c^2*d*g^2 - 2*a*b^2*c*d^2*g^2 - a^2*b*d^3*g^2)*B*x + (2*a*b^2*c^2*d*g^2 -
 3*a^2*b*c*d^2*g^2)*B)*log(b*x + a) - ((b^3*c*d^2*g^2 - a*b^2*d^3*g^2)*B*x
^2 + (b^3*c^2*d*g^2 - a*b^2*c*d^2*g^2)*B*x - (b^3*c^3*g^2 - 3*a*b^2*c^2*d*
g^2 + 2*a^2*b*c*d^2*g^2)*B)*log(d*x + c))/(b*c^2*d^3*i^2 - a*c*d^4*i^2 + (
b*c*d^4*i^2 - a*d^5*i^2)*x) - 2*(b^2*c*g^2 - a*b*d*g^2)*(log(b*x + a)*log(
(b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^3
*i^2)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1774 vs. $2(259) = 518$.

Time = 59.34 (sec) , antiderivative size = 1774, normalized size of antiderivative = 6.82

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output

```
1/6*(2*(B*b^6*c^4*e^4*g^2 - 4*B*a*b^5*c^3*d*e^4*g^2 + 6*B*a^2*b^4*c^2*d^2*
e^4*g^2 - 4*B*a^3*b^3*c*d^3*e^4*g^2 + B*a^4*b^2*d^4*e^4*g^2 - 3*(b*e*x + a
*e)*B*b^5*c^4*d*e^3*g^2/(d*x + c) + 12*(b*e*x + a*e)*B*a*b^4*c^3*d^2*e^3*g
^2/(d*x + c) - 18*(b*e*x + a*e)*B*a^2*b^3*c^2*d^3*e^3*g^2/(d*x + c) + 12*(
b*e*x + a*e)*B*a^3*b^2*c*d^4*e^3*g^2/(d*x + c) - 3*(b*e*x + a*e)*B*a^4*b*d
^5*e^3*g^2/(d*x + c) + 3*(b*e*x + a*e)^2*B*b^4*c^4*d^2*e^2*g^2/(d*x + c)^2
 - 12*(b*e*x + a*e)^2*B*a*b^3*c^3*d^3*e^2*g^2/(d*x + c)^2 + 18*(b*e*x + a*
e)^2*B*a^2*b^2*c^2*d^4*e^2*g^2/(d*x + c)^2 - 12*(b*e*x + a*e)^2*B*a^3*b*c*
d^5*e^2*g^2/(d*x + c)^2 + 3*(b*e*x + a*e)^2*B*a^4*d^6*e^2*g^2/(d*x + c)^2)
*log((b*e*x + a*e)/(d*x + c))/(b^3*d^3*e^3*i^2 - 3*(b*e*x + a*e)*b^2*d^4*e
^2*i^2/(d*x + c) + 3*(b*e*x + a*e)^2*b*d^5*e*i^2/(d*x + c)^2 - (b*e*x + a*
e)^3*d^6*i^2/(d*x + c)^3) + (2*A*b^6*c^4*e^4*g^2 + 3*B*b^6*c^4*e^4*g^2 - 8
*A*a*b^5*c^3*d*e^4*g^2 - 12*B*a*b^5*c^3*d*e^4*g^2 + 12*A*a^2*b^4*c^2*d^2*e
^4*g^2 + 18*B*a^2*b^4*c^2*d^2*e^4*g^2 - 8*A*a^3*b^3*c*d^3*e^4*g^2 - 12*B*a
^3*b^3*c*d^3*e^4*g^2 + 2*A*a^4*b^2*d^4*e^4*g^2 + 3*B*a^4*b^2*d^4*e^4*g^2 -
 6*(b*e*x + a*e)*A*b^5*c^4*d*e^3*g^2/(d*x + c) - 7*(b*e*x + a*e)*B*b^5*c^4
*d*e^3*g^2/(d*x + c) + 24*(b*e*x + a*e)*A*a*b^4*c^3*d^2*e^3*g^2/(d*x + c)
+ 28*(b*e*x + a*e)*B*a*b^4*c^3*d^2*e^3*g^2/(d*x + c) - 36*(b*e*x + a*e)*A*
a^2*b^3*c^2*d^3*e^3*g^2/(d*x + c) - 42*(b*e*x + a*e)*B*a^2*b^3*c^2*d^3*e^3
*g^2/(d*x + c) + 24*(b*e*x + a*e)*A*a^3*b^2*c*d^4*e^3*g^2/(d*x + c) + 2...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2
,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x)
```

output

```
(g**2*( - int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x
**2),x)*a*b**3*c**2*d**4 - int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 +
 2*c*d*x + d**2*x**2),x)*a*b**3*c*d**5*x + int((log((a*e + b*e*x)/(c + d*x
))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**3*d**3 + int((log((a*e +
b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**2*d**4*x -
 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*
*2*b**2*c**2*d**4 - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x
 + d**2*x**2),x)*a**2*b**2*c*d**5*x + 2*int((log((a*e + b*e*x)/(c + d*x))*
x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c**3*d**3 + 2*int((log((a*e + b*
e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c**2*d**4*x + lo
g(a + b*x)*a**3*b*c*d**3 + log(a + b*x)*a**3*b*d**4*x - 2*log(c + d*x)*a**
3*b*c**2*d**2 - 2*log(c + d*x)*a**3*b*c*d**3*x - log(c + d*x)*a**3*b*c*d**
3 - log(c + d*x)*a**3*b*d**4*x + 4*log(c + d*x)*a**2*b**2*c**3*d + 4*log(c
 + d*x)*a**2*b**2*c**2*d**2*x - 2*log(c + d*x)*a*b**3*c**4 - 2*log(c + d*x
)*a*b**3*c**3*d*x - log((a*e + b*e*x)/(c + d*x))*a**3*b*d**4*x + log((a*e
+ b*e*x)/(c + d*x))*a**2*b**2*c*d**3*x - a**4*d**4*x + 3*a**3*b*c*d**3*x +
 a**3*b*d**4*x - 4*a**2*b**2*c**2*d**2*x - a**2*b**2*c*d**3*x**2 - a**2*b*
*2*c*d**3*x + 2*a*b**3*c**3*d*x + a*b**3*c**2*d**2*x**2))/(c*d**3*(a*c*d +
 a*d**2*x - b*c**2 - b*c*d*x))
```

3.41 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 541
Mathematica [A] (verified) . . . 542
Rubi [A] (verified) . . . 542
Maple [A] (verified) . . . 544
Fricas [F] . . . 546
Sympy [F(-1)] . . . 546
Maxima [F] . . . 547
Giac [B] (verification not implemented) . . . 547
Mupad [F(-1)] . . . 548
Reduce [F] . . . 549

Optimal result

Integrand size = 38, antiderivative size = 160

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = -\frac{Ag(a+bx)}{di^2(c+dx)} + \frac{Bg(a+bx)}{di^2(c+dx)} - \frac{Bg(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{di^2(c+dx)} - \frac{bg\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^2i^2} - \frac{bBg\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2}$$

output

```
-A*g*(b*x+a)/d/i^2/(d*x+c)+B*g*(b*x+a)/d/i^2/(d*x+c)-B*g*(b*x+a)*ln(e*(b*x
+a)/(d*x+c))/d/i^2/(d*x+c)-b*g*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/
(d*x+c)))/d^2/i^2-b*B*g*polylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i^2
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.09

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g\left(\frac{2(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx}+2b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log(c+dx)-2B\left(\frac{bc-ad}{c+dx}+b\log(a+bx)-b\log(c\right.\right.}{2d^2i^2}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*
x)^2,x]
```

output
```
(g*((2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) + 2*b*(
A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 2*B*((b*c - a*d)/(c + d
*x) + b*Log[a + b*x] - b*Log[c + d*x]) - b*B*((2*Log[(d*(a + b*x))/(-(b*c)
 + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c -
a*d)])))/(2*d^2*i^2)
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 146, normalized size of antiderivative = 0.91, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {2962, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^2}\,dx$$
$$\downarrow \text{2962}$$
$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^2}$$
$$\downarrow \text{2793}$$

$$\frac{g\int\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{d}-\frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2009$$

$$\frac{g\left(-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^2}-\frac{A(a+bx)}{d(c+dx)}-\frac{bB\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2}-\frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d(c+dx)}+\frac{B(a+bx)}{d(c+dx)}\right)}{i^2}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^2,x
]
```

output
```
(g*(-((A*(a + b*x))/(d*(c + d*x))) + (B*(a + b*x))/(d*(c + d*x)) - (B*(a +
 b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d*(c + d*x)) - (b*(A + B*Log[(e*(a +
b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 - (b*B*PolyLog
[2, (d*(a + b*x))/(b*(c + d*x))])/d^2))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.92 (sec) , antiderivative size = 295, normalized size of antiderivative = 1.84

method	result
parts	$\frac{gA\left(\frac{b\ln(dx+c)}{d^2}-\frac{da-bc}{d^2(dx+c)}\right)}{i^2}-\frac{gB\left(\frac{\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)(da-bc)}{d}+\left(\frac{\operatorname{dilog}\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{d}\right.}{d}\right.\right.}{i^2(da-bc)e}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{g\,d^2A\left(-\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d}-\frac{be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^2}\right)}{(da-bc)e^2i^2}-\frac{g\,d^2B\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\left(\right.\right.}{d}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{g\,d^2A\left(-\frac{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}{d}-\frac{be\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^2}\right)}{(da-bc)e^2i^2}-\frac{g\,d^2B\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\left(\right.\right.}{d}\right.}{d^2}$
risch	$\frac{gAb\ln(dx+c)}{i^2d^2}-\frac{gAa}{i^2d(dx+c)}+\frac{gAbc}{i^2d^2(dx+c)}-\frac{gB\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)ba}{i^2(da-bc)d}+\frac{gB\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)b^2c}{i^2(da-bc)d^2}-\frac{gB\ln\left(\frac{be}{d}\right.}{i^2(da-$

input
```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x,method=_RETURN
VERBOSE)
```

output
```
g*A/i^2*(b/d^2*ln(d*x+c)-(a*d-b*c)/d^2/(d*x+c))-g*B/i^2/(a*d-b*c)/e*(((b*e
/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d
*x+c)-b*e/d)*(a*d-b*c)/d+(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e
)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b
*e)/b/e)/d)*b*e*(a*d-b*c)/d)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algori
thm="fricas")
```

output
```
integral((A*b*g*x + A*a*g + (B*b*g*x + B*a*g)*log((b*e*x + a*e)/(d*x + c))
)/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algori
thm="maxima")
```

output
```
-1/2*B*b*g*(((d*x + c)*log(d*x + c)^2 + 2*c*log(d*x + c))/(d^3*i^2*x + c*d
^2*i^2) - 2*integrate((d*x*log(b*x + a) + d*x*log(e) + c)/(d^3*i^2*x^2 + 2
*c*d^2*i^2*x + c^2*d*i^2), x)) + A*b*g*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*
x + c)/(d^2*i^2)) - B*a*g*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x
 + c*d*i^2) - 1/(d^2*i^2*x + c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^
2) + b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - A*a*g/(d^2*i^2*x + c*d*i^2)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 895 vs. $2(159) = 318$.

Time $= 46.76$ (sec) , antiderivative size $= 895$, normalized size of antiderivative $= 5.59$

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algori
thm="giac")
```

output

```
-1/2*((B*b^4*c^3*e^3*g - 3*B*a*b^3*c^2*d*e^3*g + 3*B*a^2*b^2*c*d^2*e^3*g -
 B*a^3*b*d^3*e^3*g - 2*(b*e*x + a*e)*B*b^3*c^3*d*e^2*g/(d*x + c) + 6*(b*e*
x + a*e)*B*a*b^2*c^2*d^2*e^2*g/(d*x + c) - 6*(b*e*x + a*e)*B*a^2*b*c*d^3*e
^2*g/(d*x + c) + 2*(b*e*x + a*e)*B*a^3*d^4*e^2*g/(d*x + c))*log((b*e*x + a
*e)/(d*x + c))/(b^2*d^2*e^2*i^2 - 2*(b*e*x + a*e)*b*d^3*e*i^2/(d*x + c) +
(b*e*x + a*e)^2*d^4*i^2/(d*x + c)^2) + (A*b^4*c^3*e^3*g + B*b^4*c^3*e^3*g
- 3*A*a*b^3*c^2*d*e^3*g - 3*B*a*b^3*c^2*d*e^3*g + 3*A*a^2*b^2*c*d^2*e^3*g
+ 3*B*a^2*b^2*c*d^2*e^3*g - A*a^3*b*d^3*e^3*g - B*a^3*b*d^3*e^3*g - 2*(b*e
*x + a*e)*A*b^3*c^3*d*e^2*g/(d*x + c) - (b*e*x + a*e)*B*b^3*c^3*d*e^2*g/(d
*x + c) + 6*(b*e*x + a*e)*A*a*b^2*c^2*d^2*e^2*g/(d*x + c) + 3*(b*e*x + a*e
)*B*a*b^2*c^2*d^2*e^2*g/(d*x + c) - 6*(b*e*x + a*e)*A*a^2*b*c*d^3*e^2*g/(d
*x + c) - 3*(b*e*x + a*e)*B*a^2*b*c*d^3*e^2*g/(d*x + c) + 2*(b*e*x + a*e)*
A*a^3*d^4*e^2*g/(d*x + c) + (b*e*x + a*e)*B*a^3*d^4*e^2*g/(d*x + c))/(b^2*
d^2*e^2*i^2 - 2*(b*e*x + a*e)*b*d^3*e*i^2/(d*x + c) + (b*e*x + a*e)^2*d^4*
i^2/(d*x + c)^2) + (B*b^3*c^3*e*g - 3*B*a*b^2*c^2*d*e*g + 3*B*a^2*b*c*d^2*
e*g - B*a^3*d^3*e*g)*log(-b*e + (b*e*x + a*e)*d/(d*x + c))/(b*d^2*i^2) - (
B*b^3*c^3*e*g - 3*B*a*b^2*c^2*d*e*g + 3*B*a^2*b*c*d^2*e*g - B*a^3*d^3*e*g)
*log((b*e*x + a*e)/(d*x + c))/(b*d^2*i^2))*(b*c/((b*c*e - a*d*e)*(b*c - a*
d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input

```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2,x
)
```

output

```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^2,
x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^2}\,dx$$

$$= \frac{g\left(-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{d^2x^2+2cdx+c^2}dx\right)ab^2c^2d^3-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{d^2x^2+2cdx+c^2}dx\right)ab^2cd^4x+\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{d^2x^2+2cdx+c^2}dx\right)b^3c^3d^2+\left(\int \frac{\log(}{d^2x^2}\right.\right.}{}$$

input

```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x)
```

output

```
(g*( - int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x
)*a*b**2*c**2*d**3 - int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x
+ d**2*x**2),x)*a*b**2*c*d**4*x + int((log((a*e + b*e*x)/(c + d*x))*x)/(c*
*2 + 2*c*d*x + d**2*x**2),x)*b**3*c**3*d**2 + int((log((a*e + b*e*x)/(c +
d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**3*c**2*d**3*x + log(a + b*x)*a
**2*b*c*d**2 + log(a + b*x)*a**2*b*d**3*x - log(c + d*x)*a**2*b*c**2*d - l
og(c + d*x)*a**2*b*c*d**2*x - log(c + d*x)*a**2*b*c*d**2 - log(c + d*x)*a*
*2*b*d**3*x + log(c + d*x)*a*b**2*c**3 + log(c + d*x)*a*b**2*c**2*d*x - lo
g((a*e + b*e*x)/(c + d*x))*a**2*b*d**3*x + log((a*e + b*e*x)/(c + d*x))*a*
b**2*c*d**2*x - a**3*d**3*x + 2*a**2*b*c*d**2*x + a**2*b*d**3*x - a*b**2*c
**2*d*x - a*b**2*c*d**2*x))/(c*d**2*(a*c*d + a*d**2*x - b*c**2 - b*c*d*x))
```

3.42 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$

Optimal result 550
Mathematica [A] (verified) 550
Rubi [A] (verified) 551
Maple [A] (verified) 552
Fricas [A] (verification not implemented) 553
Sympy [B] (verification not implemented) 553
Maxima [A] (verification not implemented) 554
Giac [A] (verification not implemented) 554
Mupad [B] (verification not implemented) 555
Reduce [B] (verification not implemented) 555

Optimal result

Integrand size = 30, antiderivative size = 98

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx = \frac{A(a+bx)}{(bc-ad)i^2(c+dx)} - \frac{B(a+bx)}{(bc-ad)i^2(c+dx)} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)i^2(c+dx)}$$

output

```
A*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)-B*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)+B*(b*x+a
)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)/i^2/(d*x+c)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.06

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx = \frac{Abc-bBc-aAd+aBd-bB(c+dx)\log(a+bx)+B(bc-ad)\log\left(\frac{e(a+bx)}{c+dx}\right)+bBc\log(c+dx)+bBd}{d(-bc+ad)i^2(c+dx)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x)^2,x]
```

output
```
(A*b*c - b*B*c - a*A*d + a*B*d - b*B*(c + d*x)*Log[a + b*x] + B*(b*c - a*d
)*Log[(e*(a + b*x))/(c + d*x)] + b*B*c*Log[c + d*x] + b*B*d*x*Log[c + d*x]
)/(d*(-(b*c) + a*d)*i^2*(c + d*x))
```

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 73, normalized size of antiderivative = 0.74, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2952, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ci+dix)^2}\,dx$$

$$\downarrow 2952$$

$$\frac{\int \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2009$$

$$\frac{\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}}{i^2(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x)^2,x]
```

output
```
((A*(a + b*x))/(c + d*x) - (B*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[(e*(
a + b*x))/(c + d*x)])/(c + d*x))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [A] (verified)

Time = 1.15 (sec) , antiderivative size = 82, normalized size of antiderivative = 0.84

method	result
parts	$-\frac{A}{i^2(dx+c)d}-\frac{B\left(\frac{\ln\left(\frac{e(bx+a)}{dx+c}\right)e(bx+a)}{dx+c}-\frac{e(bx+a)}{dx+c}\right)}{i^2e(da-bc)}$
norman	$\frac{\frac{(A-B)x}{ic}-\frac{aB\ln\left(\frac{e(bx+a)}{dx+c}\right)}{(da-bc)i}-\frac{Bbx\ln\left(\frac{e(bx+a)}{dx+c}\right)}{(da-bc)i}}{i(dx+c)}$
parallelrisch	$-\frac{-Babd^3+Bb^2cd^2+Aabd^3-Ab^2cd^2+Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^2d^3+B\ln\left(\frac{e(bx+a)}{dx+c}\right)abd^3}{i^2(dx+c)bd^3(da-bc)}$
risch	$-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)}{di^2(dx+c)}-\frac{B\ln(bx+a)bdx-B\ln(-dx-c)bdx+B\ln(bx+a)bc-B\ln(-dx-c)bc+Ada-Abc-Bad+Bbc}{i^2(dx+c)d(da-bc)}$
orering	$-\frac{3\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)(bx+a)(dx+c)}{(dix+ci)^2(da-bc)}-\frac{(bx+a)(dx+c)^2\left(\frac{B\left(\frac{eb}{dx+c}-\frac{e(bx+a)d}{(dx+c)^2}\right)(dx+c)}{e(bx+a)(dix+ci)^2}-\frac{2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)di}{(dix+ci)^3}\right)}{(da-bc)d}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^2e^2i^2}+\frac{d^2B\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)}{(da-bc)^2e^2i^2}\right)}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{d^2A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^2e^2i^2}+\frac{d^2B\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)}{(da-bc)^2e^2i^2}\right)}{d^2}$

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x,method=_RETURNVERBOSE)
```

output
```
-A/i^2/(d*x+c)/d-B/i^2/e/(a*d-b*c)*(ln(e*(b*x+a)/(d*x+c))*e*(b*x+a)/(d*x+c
)-e*(b*x+a)/(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.90

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx = -\frac{(A-B)bc-(A-B)ad-(Bbdx+Bad)\log\left(\frac{bex+ae}{dx+c}\right)}{(bcd^2-ad^3)i^2x+(bc^2d-acd^2)i^2}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algorithm="fricas"
)
```

output
```
-((A - B)*b*c - (A - B)*a*d - (B*b*d*x + B*a*d)*log((b*e*x + a*e)/(d*x + c
)))/((b*c*d^2 - a*d^3)*i^2*x + (b*c^2*d - a*c*d^2)*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 231 vs. 2(78) = 156.

Time = 0.63 (sec) , antiderivative size = 231, normalized size of antiderivative = 2.36

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx = {} & \frac{Bb\log\left(x+\frac{-\frac{Ba^2bd^2}{ad-bc}+\frac{2Bab^2cd}{ad-bc}+Babd-\frac{Bb^3c^2}{ad-bc}+Bb^2c}{2Bb^2d}\right)}{di^2\left(ad-bc\right)} \\ & - \frac{Bb\log\left(x+\frac{\frac{Ba^2bd^2}{ad-bc}-\frac{2Bab^2cd}{ad-bc}+Babd+\frac{Bb^3c^2}{ad-bc}+Bb^2c}{2Bb^2d}\right)}{di^2\left(ad-bc\right)} \\ & - \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)}{cdi^2+d^2i^2x}+\frac{-A+B}{cdi^2+d^2i^2x}\end{aligned}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**2,x)
```

output
```
B*b*log(x + (-B*a**2*b*d**2/(a*d - b*c) + 2*B*a*b**2*c*d/(a*d - b*c) + B*a
*b*d - B*b**3*c**2/(a*d - b*c) + B*b**2*c)/(2*B*b**2*d))/(d*i**2*(a*d - b*
c)) - B*b*log(x + (B*a**2*b*d**2/(a*d - b*c) - 2*B*a*b**2*c*d/(a*d - b*c)
+ B*a*b*d + B*b**3*c**2/(a*d - b*c) + B*b**2*c)/(2*B*b**2*d))/(d*i**2*(a*d
 - b*c)) - B*log(e*(a + b*x)/(c + d*x))/(c*d*i**2 + d**2*i**2*x) + (-A + B
)/(c*d*i**2 + d**2*i**2*x)
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.37

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$$
$$= -B\left(\frac{\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)}{d^2i^2x + cdi^2} - \frac{1}{d^2i^2x + cdi^2} - \frac{b\log(bx+a)}{(bcd - ad^2)i^2} + \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right)$$
$$- \frac{A}{d^2i^2x + cdi^2}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algorithm="maxima"
)
```

output
```
-B*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2) - 1/(d^2*i^
2*x + c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^2) + b*log(d*x + c)/((b
*c*d - a*d^2)*i^2)) - A/(d^2*i^2*x + c*d*i^2)
```

Giac [A] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 115, normalized size of antiderivative = 1.17

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$$
$$= \left(\frac{bc}{(bce - ade)(bc - ad)} - \frac{ad}{(bce - ade)(bc - ad)}\right)\left(\frac{(bex + ae)B\log\left(\frac{bex+ae}{dx+c}\right)}{(dx+c)i^2} + \frac{(bex+ae)(A-B)}{(dx+c)i^2}\right)$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x, algorithm="giac")
```

output
```
(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))*((
b*e*x + a*e)*B*log((b*e*x + a*e)/(d*x + c))/((d*x + c)*i^2) + (b*e*x + a*e
)*(A - B)/((d*x + c)*i^2))
```

Mupad [B] (verification not implemented)

Time = 26.59 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.08

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx = -\frac{A-B}{x\,d^2\,i^2+c\,d\,i^2}-\frac{B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{d^2\,i^2\,\left(x+\frac{c}{d}\right)} + \frac{B\,b\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,2\mathrm{i}}{d\,i^2\,(a\,d-b\,c)}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/(c*i + d*i*x)^2,x)
```

output
```
(B*b*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*2i)/(d*i^2*(a*d - b*c)) -
(B*log((e*(a + b*x))/(c + d*x)))/(d^2*i^2*(x + c/d)) - (A - B)/(d^2*i^2*x
+ c*d*i^2)
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 144, normalized size of antiderivative = 1.47

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^2}\,dx$$
$$= \frac{\log(bx+a)\,abc+\log(bx+a)\,abdx-\log(dx+c)\,abc-\log(dx+c)\,abdx-\log\left(\frac{bex+ae}{dx+c}\right)\,abdx+\log\left(\frac{bex+a}{dx+c}\right.}{c\,(a\,d^2x-bcdx+acd-b\,c^2)}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^2,x)
```

output

```
(log(a + b*x)*a*b*c + log(a + b*x)*a*b*d*x - log(c + d*x)*a*b*c - log(c +
d*x)*a*b*d*x - log((a*e + b*e*x)/(c + d*x))*a*b*d*x + log((a*e + b*e*x)/(c
 + d*x))*b**2*c*x - a**2*d*x + a*b*c*x + a*b*d*x - b**2*c*x)/(c*(a*c*d + a
*d**2*x - b*c**2 - b*c*d*x))
```

3.43 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$

Optimal result . . . 557
Mathematica [C] (verified) . . . 557
Rubi [A] (verified) . . . 558
Maple [A] (verified) . . . 560
Fricas [A] (verification not implemented) . . . 561
Sympy [B] (verification not implemented) . . . 561
Maxima [B] (verification not implemented) . . . 563
Giac [A] (verification not implemented) . . . 564
Mupad [B] (verification not implemented) . . . 564
Reduce [B] (verification not implemented) . . . 565

Optimal result

Integrand size = 40, antiderivative size = 156

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx = -\frac{Ad(a+bx)}{(bc-ad)^2gi^2(c+dx)} + \frac{Bd(a+bx)}{(bc-ad)^2gi^2(c+dx)} - \frac{Bd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^2gi^2(c+dx)} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2B(bc-ad)^2gi^2}$$

output

```
-A*d*(b*x+a)/(-a*d+b*c)^2/g/i^2/(d*x+c)+B*d*(b*x+a)/(-a*d+b*c)^2/g/i^2/(d*
x+c)-B*d*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^2/g/i^2/(d*x+c)+1/2*b*(A
+B*ln(e*(b*x+a)/(d*x+c)))^2/B/(-a*d+b*c)^2/g/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.26 (sec) , antiderivative size = 292, normalized size of antiderivative = 1.87

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{2(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+2b(c+dx)\log(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)-2b(c+dx)\left(A+B\right.}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x
)^2),x]
```

output
```
(2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*b*(c + d*x)*Log[a
+ b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*b*(c + d*x)*(A + B*Log[(e*
(a + b*x))/(c + d*x)])*Log[c + d*x] - 2*B*(b*c - a*d + b*(c + d*x)*Log[a +
 b*x] - b*(c + d*x)*Log[c + d*x]) - b*B*(c + d*x)*(Log[a + b*x]*(Log[a + b
*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*
c) + a*d)]) + b*B*(c + d*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c
+ d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(2*(b*c -
 a*d)^2*g*i^2*(c + d*x))
```

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 109, normalized size of antiderivative = 0.70, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2962, 2788, 2009, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx} d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx} d\frac{a+bx}{c+dx} - d\int \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx} d\frac{a+bx}{c+dx} - d\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right)}{gi^2(bc-ad)^2}$$

$$\downarrow 2738$$

$$\frac{\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2B}-d\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx}-\frac{B(a+bx)}{c+dx}\right)}{gi^2(bc-ad)^2}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x)^2),x
]
```

output
```
((b*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*B) - d*((A*(a + b*x))/(c +
d*x) - (B*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)]
)/(c + d*x)))/((b*c - a*d)^2*g*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2738
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] :> Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

rule 2788
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.71 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.48

method	result
parts	$\frac{A\left(-\frac{1}{(da-bc)(dx+c)}-\frac{b\ln(dx+c)}{(da-bc)^2}+\frac{b\ln(bx+a)}{(da-bc)^2}\right)}{g\,i^2}-\frac{B\left(\frac{d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)}{da-bc}-\frac{be\ln\left(\frac{be}{d}+\right.}{2(d}\right.}{g\,i^2(da-bc)e}$
parallelrisch	$\frac{-2Aa\,b^2d^4+2A\,b^3cd^3+Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^3d^4+2Ax\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3d^4-2Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3d^4+B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^3cd^3}{2i^2g(dx+c)b^2d^3(a^2d^2-2acdb+c^2b^2)}$
norman	$\frac{\frac{(Abc-Bad)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{d(Ab-Bb)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{(A-B)dx}{gic(da-bc)}+\frac{Bbc\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{bBdx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2gi\left(a^2d^2-2acdb+c^2b^2\right)}}{i(dx+c)}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^2(da-bc)^3g}+\frac{d^3A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^3g}-\frac{d^2Bb\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e\,i^2(da-bc)^3g}+\frac{d^3B\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\right.\right.}{e^2i^2(da}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{d^2Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^2(da-bc)^3g}+\frac{d^3A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^3g}-\frac{d^2Bb\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e\,i^2(da-bc)^3g}+\frac{d^3B\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\right.\right.}{e^2i^2(da}\right.}{d^2}$
risch	$-\frac{A}{g\,i^2(da-bc)(dx+c)}-\frac{Ab\ln(dx+c)}{g\,i^2(da-bc)^2}+\frac{Ab\ln(bx+a)}{g\,i^2(da-bc)^2}-\frac{B\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)b}{g\,i^2(da-bc)^2}-\frac{Bd\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)a}{g\,i^2(da-bc)^2(dx+c)}+\frac{B}{g}$

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^2,x,method=_RETURN
VERBOSE)
```

output

```
A/g/i^2*(-1/(a*d-b*c)/(d*x+c)-b/(a*d-b*c)^2*ln(d*x+c)+b/(a*d-b*c)^2*ln(b*x
+a))-B/g/i^2/(a*d-b*c)/e*(d/(a*d-b*c)*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)-1/2/(a*d-b*c)*b*e*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.97

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{2\,(A-B)bc - 2\,(A-B)ad + (Bbdx + Bbc)\log\left(\frac{bex+ae}{dx+c}\right)^2 + 2\,((A-B)bdx + Abc - Bad)\log\left(\frac{bex+ae}{dx+c}\right)}{2\,((b^2c^2d - 2\,abcd^2 + a^2d^3)gi^2x + (b^2c^3 - 2\,abc^2d + a^2cd^2)gi^2)}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algori
thm="fricas")
```

output
```
1/2*(2*(A - B)*b*c - 2*(A - B)*a*d + (B*b*d*x + B*b*c)*log((b*e*x + a*e)/(
d*x + c))^2 + 2*((A - B)*b*d*x + A*b*c - B*a*d)*log((b*e*x + a*e)/(d*x + c
)))/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*g*i^2*x + (b^2*c^3 - 2*a*b*c^2*d
+ a^2*c*d^2)*g*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 386 vs. 2(131) = 262.

Time = 0.60 (sec) , antiderivative size = 386, normalized size of antiderivative = 2.47

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{Bb\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{2a^2d^2gi^2-4abcdgi^2+2b^2c^2gi^2} - \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)}{acdgi^2+ad^2gi^2x-bc^2gi^2-bcdgi^2x}$$
$$+(A-B)\left(-\frac{b\log\left(x+\frac{-\frac{a^3bd^3}{(ad-bc)^2}+\frac{3a^2b^2cd^2}{(ad-bc)^2}-\frac{3ab^3c^2d}{(ad-bc)^2}+abd+\frac{b^4c^3}{(ad-bc)^2}+b^2c}{2b^2d}\right)}{gi^2(ad-bc)^2}\right.$$
$$+\frac{b\log\left(x+\frac{\frac{a^3bd^3}{(ad-bc)^2}-\frac{3a^2b^2cd^2}{(ad-bc)^2}+\frac{3ab^3c^2d}{(ad-bc)^2}+abd-\frac{b^4c^3}{(ad-bc)^2}+b^2c}{2b^2d}\right)}{gi^2(ad-bc)^2}$$
$$\left.-\frac{1}{acdgi^2-bc^2gi^2+x\left(ad^2gi^2-bcdgi^2\right)}\right)$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)**2,x)
```

output
```
B*b*log(e*(a + b*x)/(c + d*x))**2/(2*a**2*d**2*g*i**2 - 4*a*b*c*d*g*i**2 +
 2*b**2*c**2*g*i**2) - B*log(e*(a + b*x)/(c + d*x))/(a*c*d*g*i**2 + a*d**2
*g*i**2*x - b*c**2*g*i**2 - b*c*d*g*i**2*x) + (A - B)*(-b*log(x + (-a**3*b
*d**3/(a*d - b*c)**2 + 3*a**2*b**2*c*d**2/(a*d - b*c)**2 - 3*a*b**3*c**2*d
/(a*d - b*c)**2 + a*b*d + b**4*c**3/(a*d - b*c)**2 + b**2*c)/(2*b**2*d))/(
g*i**2*(a*d - b*c)**2) + b*log(x + (a**3*b*d**3/(a*d - b*c)**2 - 3*a**2*b*
*2*c*d**2/(a*d - b*c)**2 + 3*a*b**3*c**2*d/(a*d - b*c)**2 + a*b*d - b**4*c
**3/(a*d - b*c)**2 + b**2*c)/(2*b**2*d))/(g*i**2*(a*d - b*c)**2) - 1/(a*c*
d*g*i**2 - b*c**2*g*i**2 + x*(a*d**2*g*i**2 - b*c*d*g*i**2)))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 421 vs. 2(154) = 308.

Time = 0.06 (sec) , antiderivative size = 421, normalized size of antiderivative = 2.70

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$

$$= B\left(\frac{1}{(bcd-ad^2)gi^2x+(bc^2-acd)gi^2}+\frac{b\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}-\frac{b\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}\right)\log\left(\frac{b}{dx}\right.$$

$$\left.+\frac{ae}{dx+c}\right)$$

$$+A\left(\frac{1}{(bcd-ad^2)gi^2x+(bc^2-acd)gi^2}+\frac{b\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}-\frac{b\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}\right)$$

$$-\frac{\left((bdx+bc)\log(bx+a)^2+(bdx+bc)\log(dx+c)^2+2\,bc-2\,ad+2\,(bdx+bc)\log(bx+a)-2\,(bdx+\right.}{2\left(b^2c^3gi^2-2\,abc^2dgi^2+a^2cd^2gi^2+(b^2c^2dgi^2-2\,abcd^2gi^2+a^2\right.}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algori
thm="maxima")
```

output

```
B*(1/((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((
b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c
*d + a^2*d^2)*g*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + A*(1/((b*c*d
 - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((b^2*c^2 - 2*a
*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)
*g*i^2)) - 1/2*((b*d*x + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^
2 + 2*b*c - 2*a*d + 2*(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*d*x
 + b*c)*log(b*x + a))*log(d*x + c))*B/(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 +
 a^2*c*d^2*g*i^2 + (b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x
)
```

Giac [A] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 233, normalized size of antiderivative = 1.49

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$=\frac{1}{2}\left(\frac{Bbe\log\left(\frac{bex+ae}{dx+c}\right)^2}{bcgi^2-adgi^2}+\frac{2\,Abe\log\left(\frac{bex+ae}{dx+c}\right)}{bcgi^2-adgi^2}-\frac{2\,(bex+ae)Bd\log\left(\frac{bex+ae}{dx+c}\right)}{(bcgi^2-adgi^2)(dx+c)}-\frac{2\,(bex+ae)(Ad-Bd)}{(bcgi^2-adgi^2)(dx+c)}\right)\left($$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algori
thm="giac")
```

output
```
1/2*(B*b*e*log((b*e*x + a*e)/(d*x + c))^2/(b*c*g*i^2 - a*d*g*i^2) + 2*A*b*
e*log((b*e*x + a*e)/(d*x + c))/(b*c*g*i^2 - a*d*g*i^2) - 2*(b*e*x + a*e)*B
*d*log((b*e*x + a*e)/(d*x + c))/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)) - 2*(b
*e*x + a*e)*(A*d - B*d)/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)))*(b*c/((b*c*e
- a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.67 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.58

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx = \frac{B\,b\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2}{2\,g\,i^2\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)}$$
$$-\frac{A-B}{(a\,d-b\,c)\,\left(c\,g\,i^2+d\,g\,i^2\,x\right)}$$
$$-\frac{B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,(a\,d-b\,c)}{b\,d\,g\,i^2\,\left(\frac{x}{b}+\frac{c}{b\,d}\right)\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)}$$
$$-\frac{b\,\mathrm{atan}\left(\frac{\left(2\,b\,d\,x+\frac{a^2\,d^2\,g\,i^2-b^2\,c^2\,g\,i^2}{g\,i^2\,(a\,d-b\,c)}\right)\,1\mathrm{i}}{a\,d-b\,c}\right)\,(A-B)\,2\mathrm{i}}{g\,i^2\,(a\,d-b\,c)^2}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)*(c*i + d*i*x)^2),x
)
```

output
```
(B*b*log((e*(a + b*x))/(c + d*x))^2)/(2*g*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c
*d)) - (b*atan(((2*b*d*x + (a^2*d^2*g*i^2 - b^2*c^2*g*i^2)/(g*i^2*(a*d - b
*c)))*1i)/(a*d - b*c))*(A - B)*2i)/(g*i^2*(a*d - b*c)^2) - (A - B)/((a*d -
 b*c)*(c*g*i^2 + d*g*i^2*x)) - (B*log((e*(a + b*x))/(c + d*x))*(a*d - b*c)
)/(b*d*g*i^2*(x/b + c/(b*d))*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 301, normalized size of antiderivative = 1.93

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{-2\log(bx+a)\,ab\,c^2 - 2\log(bx+a)\,abcdx + 2\log(bx+a)\,abcd + 2\log(bx+a)\,ab\,d^2x + 2\log(dx+c)\,ab$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^2,x)
```

output
```
( - 2*log(a + b*x)*a*b*c**2 - 2*log(a + b*x)*a*b*c*d*x + 2*log(a + b*x)*a*
b*c*d + 2*log(a + b*x)*a*b*d**2*x + 2*log(c + d*x)*a*b*c**2 + 2*log(c + d*
x)*a*b*c*d*x - 2*log(c + d*x)*a*b*c*d - 2*log(c + d*x)*a*b*d**2*x - log((a
*e + b*e*x)/(c + d*x))**2*b**2*c**2 - log((a*e + b*e*x)/(c + d*x))**2*b**2
*c*d*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b*d**2*x + 2*log((a*e + b*e*x)/(
c + d*x))*b**2*c*d*x - 2*a**2*d**2*x + 2*a*b*c*d*x + 2*a*b*d**2*x - 2*b**2
*c*d*x)/(2*c*g*(a**2*c*d**2 + a**2*d**3*x - 2*a*b*c**2*d - 2*a*b*c*d**2*x
+ b**2*c**3 + b**2*c**2*d*x))
```

3.44 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$

Optimal result 566
Mathematica [C] (verified) 567
Rubi [A] (verified) 567
Maple [A] (verified) 569
Fricas [A] (verification not implemented) 570
Sympy [B] (verification not implemented) 570
Maxima [B] (verification not implemented) 572
Giac [A] (verification not implemented) 573
Mupad [B] (verification not implemented) 574
Reduce [B] (verification not implemented) 575

Optimal result

Integrand size = 40, antiderivative size = 261

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx &= -\frac{Bd^2(a+bx)}{(bc-ad)^3g^2i^2(c+dx)} - \frac{b^2B(c+dx)}{(bc-ad)^3g^2i^2(a+bx)} \\ &+ \frac{bBd\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^3g^2i^2} + \frac{d^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^2i^2(c+dx)} \\ &- \frac{b^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^2i^2(a+bx)} \\ &- \frac{2bd\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^2i^2}\end{aligned}$$

output

```
-B*d^2*(b*x+a)/(-a*d+b*c)^3/g^2/i^2/(d*x+c)-b^2*B*(d*x+c)/(-a*d+b*c)^3/g^2
/i^2/(b*x+a)+b*B*d*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^2/i^2+d^2*(b*x+a)*
(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^2/i^2/(d*x+c)-b^2*(d*x+c)*(A+B*
ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^2/i^2/(b*x+a)-2*b*d*ln((b*x+a)/(d*x+
c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^2/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.42 (sec) , antiderivative size = 324, normalized size of antiderivative = 1.24

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$$

$$= \frac{-\frac{b^2Bc}{a+bx} + \frac{abBd}{a+bx} + \frac{bBcd}{c+dx} - \frac{aBd^2}{c+dx} - \frac{b(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx} + \frac{d(-bc+ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx} - 2bd\log(a+bx)\left(A\right.}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i
*x)^2),x]
```

output
```
(-((b^2*B*c)/(a + b*x)) + (a*b*B*d)/(a + b*x) + (b*B*c*d)/(c + d*x) - (a*B
*d^2)/(c + d*x) - (b*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a
+ b*x) + (d*(-(b*c) + a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x)
 - 2*b*d*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*b*d*(A + B*
Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + b*B*d*(Log[a + b*x]*(Log[a +
b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b
*c) + a*d)]) - b*B*d*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])
*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b*c - a*d)^3*g
^2*i^2)
```

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 182, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)^2(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-B\int\left(d^2-\frac{2b(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d}{a+bx}-\frac{b^2(c+dx)^2}{(a+bx)^2}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{c+dx}-2b}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{c+dx}-2bd\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\left(\frac{b^2(c+dx)}{a+bx}+\right.}{g^2i^2(bc-ad)^3}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i*x)^2)
,x]
```

output
```
(-(B*((d^2*(a + b*x))/(c + d*x) + (b^2*(c + d*x))/(a + b*x) - b*d*Log[(a +
 b*x)/(c + d*x)]^2)) + (d^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
)/(c + d*x) - (b^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*
x) - 2*b*d*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/
((b*c - a*d)^3*g^2*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.88 (sec) , antiderivative size = 366, normalized size of antiderivative = 1.40

method	result
parts	$\frac{A\left(-\frac{d}{(da-bc)^2(dx+c)}-\frac{2db\ln(dx+c)}{(da-bc)^3}-\frac{b}{(da-bc)^2(bx+a)}+\frac{2db\ln(bx+a)}{(da-bc)^3}\right)}{g^2i^2}-B\left(\frac{d^2\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(d}{(da-bc)^2}\right.\right.$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2Ab^2}{i^2(da-bc)^4g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{2d^3Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^4g^2}+\frac{d^4A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^4g^2}+\frac{d^2Bb^2\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-}{d(dx}\right.\right.}{i^2(da-}$
default	$-\frac{e(da-bc)\left(-\frac{d^2Ab^2}{i^2(da-bc)^4g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{2d^3Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^4g^2}+\frac{d^4A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^4g^2}+\frac{d^2Bb^2\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-}{d(dx}\right.\right.}{i^2(da-}$
risch	$-\frac{Ad}{g^2i^2(da-bc)^2(dx+c)}-\frac{2Adb\ln(dx+c)}{g^2i^2(da-bc)^3}-\frac{Ab}{g^2i^2(da-bc)^2(bx+a)}+\frac{2Adb\ln(bx+a)}{g^2i^2(da-bc)^3}-\frac{Bd\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)b}{g^2i^2(da-bc)^3}$
norman	$\frac{\left(2Aabcd-Ba^2d^2+Bb^2c^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)}+\frac{\left(2Aabd^2+2Ab^2cd-2Babd^2+2Bb^2cd\right)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3\right)}+\frac{b^2Bd^2x^2\ln\left(\frac{e(bx+a)}{dx+c}\right.}{ig\left(a^3d^3-3a^2bcd^2+3ab^2c^2\right.}$
parallelrisch	$\frac{2Ax\ln\left(\frac{e(bx+a)}{dx+c}\right)a^4bc^3d^2+2Ax\ln\left(\frac{e(bx+a)}{dx+c}\right)a^3b^2c^4d-2Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a^4bc^3d^2+2Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a^3b^2c^4d+Axa^5c$

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output
```
1/g^2*A/i^2*(-d/(a*d-b*c)^2/(d*x+c)-2*d/(a*d-b*c)^3*b*ln(d*x+c)-b/(a*d-b*c
)^2/(b*x+a)+2*d/(a*d-b*c)^3*b*ln(b*x+a))-B/g^2/i^2/(a*d-b*c)/e*(d^2/(a*d-b
*c)^2*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-
b*c)*e/d/(d*x+c)-b*e/d)-1/(a*d-b*c)^2*b*d*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^2+1/(a*d-b*c)^2*b^2*e^2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-
b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 334, normalized size of antiderivative = 1.28

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx =$$
$$-\frac{(A+B)b^2c^2 - 2\,Babcd - (A-B)a^2d^2 + (Bb^2d^2x^2 + Babcd + (Bb^2cd + Babd^2)x)\log\left(\frac{bex+ae}{dx+c}\right)^2 + 2\,(}{(b^4c^3d - 3\,ab^3c^2d^2 + 3\,a^2b^2cd^3 - a^3bd^4)g^2i^2x^2 + (b^4c^4 - 2\,ab^3c^3$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output
```
-((A + B)*b^2*c^2 - 2*B*a*b*c*d - (A - B)*a^2*d^2 + (B*b^2*d^2*x^2 + B*a*b
*c*d + (B*b^2*c*d + B*a*b*d^2)*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*b^
2*c*d - A*a*b*d^2)*x + (2*A*b^2*d^2*x^2 + B*b^2*c^2 + 2*A*a*b*c*d - B*a^2*
d^2 + 2*((A + B)*b^2*c*d + (A - B)*a*b*d^2)*x)*log((b*e*x + a*e)/(d*x + c)
))/((b^4*c^3*d - 3*a*b^3*c^2*d^2 + 3*a^2*b^2*c*d^3 - a^3*b*d^4)*g^2*i^2*x^
2 + (b^4*c^4 - 2*a*b^3*c^3*d + 2*a^3*b*c*d^3 - a^4*d^4)*g^2*i^2*x + (a*b^3
*c^4 - 3*a^2*b^2*c^3*d + 3*a^3*b*c^2*d^2 - a^4*c*d^3)*g^2*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 828 vs. 2(235) = 470.

Time = 1.88 (sec) , antiderivative size = 828, normalized size of antiderivative = 3.17

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$$

$$= -\frac{2Abd\log\left(x + \frac{-\frac{2Aa^4bd^5}{(ad-bc)^3} + \frac{8Aa^3b^2cd^4}{(ad-bc)^3} - \frac{12Aa^2b^3c^2d^3}{(ad-bc)^3} + \frac{8Aab^4c^3d^2}{(ad-bc)^3} + 2Aabd^2 - \frac{2Ab^5c^4d}{(ad-bc)^3} + 2Ab^2cd}{4Ab^2d^2}\right)}{g^2i^2\left(ad-bc\right)^3}$$

$$+ \frac{2Abd\log\left(x + \frac{\frac{2Aa^4bd^5}{(ad-bc)^3} - \frac{8Aa^3b^2cd^4}{(ad-bc)^3} + \frac{12Aa^2b^3c^2d^3}{(ad-bc)^3} - \frac{8Aab^4c^3d^2}{(ad-bc)^3} + 2Aabd^2 + \frac{2Ab^5c^4d}{(ad-bc)^3} + 2Ab^2cd}{4Ab^2d^2}\right)}{g^2i^2\left(ad-bc\right)^3}$$

$$+ \frac{Bbd\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{a^3d^3g^2i^2 - 3a^2bcd^2g^2i^2 + 3ab^2c^2dg^2i^2 - b^3c^3g^2i^2}$$

$$+ \frac{(-Bad - Bbc - 2Bbdx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{a^3cd^2g^2i^2 + a^3d^3g^2i^2x - 2a^2bc^2dg^2i^2 - a^2bcd^2g^2i^2x + a^2bd^3g^2i^2x^2 + ab^2c^3g^2i^2 - ab^2c^2dg^2i^2x - 2ab^2c}$$

$$- \frac{Aad + Abc + 2Abdx - Bad + Bbc}{a^3cd^2g^2i^2 - 2a^2bc^2dg^2i^2 + ab^2c^3g^2i^2 + x^2\left(a^2bd^3g^2i^2 - 2ab^2cd^2g^2i^2 + b^3c^2dg^2i^2\right) + x\left(a^3d^3g^2i^2 - a^2bcd\right.}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2/(d*i*x+c*i)**2,x)
```

output

```
-2*A*b*d*log(x + (-2*A*a**4*b*d**5/(a*d - b*c)**3 + 8*A*a**3*b**2*c*d**4/(
a*d - b*c)**3 - 12*A*a**2*b**3*c**2*d**3/(a*d - b*c)**3 + 8*A*a*b**4*c**3*
d**2/(a*d - b*c)**3 + 2*A*a*b*d**2 - 2*A*b**5*c**4*d/(a*d - b*c)**3 + 2*A*
b**2*c*d)/(4*A*b**2*d**2))/(g**2*i**2*(a*d - b*c)**3) + 2*A*b*d*log(x + (2
*A*a**4*b*d**5/(a*d - b*c)**3 - 8*A*a**3*b**2*c*d**4/(a*d - b*c)**3 + 12*A
*a**2*b**3*c**2*d**3/(a*d - b*c)**3 - 8*A*a*b**4*c**3*d**2/(a*d - b*c)**3
+ 2*A*a*b*d**2 + 2*A*b**5*c**4*d/(a*d - b*c)**3 + 2*A*b**2*c*d)/(4*A*b**2*
d**2))/(g**2*i**2*(a*d - b*c)**3) + B*b*d*log(e*(a + b*x)/(c + d*x))**2/(a
**3*d**3*g**2*i**2 - 3*a**2*b*c*d**2*g**2*i**2 + 3*a*b**2*c**2*d*g**2*i**2
 - b**3*c**3*g**2*i**2) + (-B*a*d - B*b*c - 2*B*b*d*x)*log(e*(a + b*x)/(c
+ d*x))/(a**3*c*d**2*g**2*i**2 + a**3*d**3*g**2*i**2*x - 2*a**2*b*c**2*d*g
**2*i**2 - a**2*b*c*d**2*g**2*i**2*x + a**2*b*d**3*g**2*i**2*x**2 + a*b**2
*c**3*g**2*i**2 - a*b**2*c**2*d*g**2*i**2*x - 2*a*b**2*c*d**2*g**2*i**2*x*
*2 + b**3*c**3*g**2*i**2*x + b**3*c**2*d*g**2*i**2*x**2) - (A*a*d + A*b*c
+ 2*A*b*d*x - B*a*d + B*b*c)/(a**3*c*d**2*g**2*i**2 - 2*a**2*b*c**2*d*g**2
*i**2 + a*b**2*c**3*g**2*i**2 + x**2*(a**2*b*d**3*g**2*i**2 - 2*a*b**2*c*d
**2*g**2*i**2 + b**3*c**2*d*g**2*i**2) + x*(a**3*d**3*g**2*i**2 - a**2*b*c
*d**2*g**2*i**2 - a*b**2*c**2*d*g**2*i**2 + b**3*c**3*g**2*i**2))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 859 vs. $2(261) = 522$.

Time $= 0.08$ (sec) , antiderivative size $= 859$, normalized size of antiderivative $= 3.29$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^2(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output

```
-B*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i^2
*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d^2 + a^3*d^3)*g^2*i^2*x + (a*b^2*
c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2) + 2*b*d*log(b*x + a)/((b^3*c^3 -
 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2) - 2*b*d*log(d*x + c)/((
b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2))*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) - A*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2*a*b^2*c
*d^2 + a^2*b*d^3)*g^2*i^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d^2 + a^3
*d^3)*g^2*i^2*x + (a*b^2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2) + 2*b*d
*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2
) - 2*b*d*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3
)*g^2*i^2)) - (b^2*c^2 - 2*a*b*c*d + a^2*d^2 - (b^2*d^2*x^2 + a*b*c*d + (b
^2*c*d + a*b*d^2)*x)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + a*b*c*d + (b^2*c*d
+ a*b*d^2)*x)*log(b*x + a)*log(d*x + c) - (b^2*d^2*x^2 + a*b*c*d + (b^2*c*
d + a*b*d^2)*x)*log(d*x + c)^2)*B/(a*b^3*c^4*g^2*i^2 - 3*a^2*b^2*c^3*d*g^2
*i^2 + 3*a^3*b*c^2*d^2*g^2*i^2 - a^4*c*d^3*g^2*i^2 + (b^4*c^3*d*g^2*i^2 -
3*a*b^3*c^2*d^2*g^2*i^2 + 3*a^2*b^2*c*d^3*g^2*i^2 - a^3*b*d^4*g^2*i^2)*x^2
 + (b^4*c^4*g^2*i^2 - 2*a*b^3*c^3*d*g^2*i^2 + 2*a^3*b*c*d^3*g^2*i^2 - a^4*
d^4*g^2*i^2)*x)
```

Giac [A] (verification not implemented)

Time = 42.64 (sec) , antiderivative size = 133, normalized size of antiderivative = 0.51

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx =$$
$$-\left(\frac{bc}{(bce-ade)(bc-ad)} - \frac{ad}{(bce-ade)(bc-ad)}\right)^2\left(\frac{(dx+c)Be^2\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)g^2i^2} + \frac{(Ae^2+Be^2)(dx+c)}{(bex+ae)g^2i^2}\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output

```
-(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
*((d*x + c)*B*e^2*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)*g^2*i^2) + (
A*e^2 + B*e^2)*(d*x + c)/((b*e*x + a*e)*g^2*i^2))
```

Mupad [B] (verification not implemented)

Time = 27.99 (sec) , antiderivative size = 415, normalized size of antiderivative = 1.59

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx = \frac{B\,b\,d\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2}{g^2\,i^2\,(a\,d-b\,c)^3} - \frac{A\,a\,d}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{A\,b\,c}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} + \frac{B\,a\,d}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,b\,c}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{2\,A\,b\,d\,x}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,a\,d\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,b\,c\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{2\,B\,b\,d\,x\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{A\,b\,d\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,4\mathrm{i}}{g^2\,i^2\,(a\,d-b\,c)^3}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^2*(c*i + d*i*x)^2)
,x)
```

output

```
(B*b*d*log((e*(a + b*x))/(c + d*x))^2)/(g^2*i^2*(a*d - b*c)^3) - (A*b*d*at
an((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*4i)/(g^2*i^2*(a*d - b*c)^3) -
 (A*a*d)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (A*b*c)/(g^2*i^2*(a
*d - b*c)^2*(a + b*x)*(c + d*x)) + (B*a*d)/(g^2*i^2*(a*d - b*c)^2*(a + b*x
)*(c + d*x)) - (B*b*c)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (2*A*
b*d*x)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (B*a*d*log((e*(a + b*
x))/(c + d*x)))/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (B*b*c*log((
e*(a + b*x))/(c + d*x)))/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (2*
B*b*d*x*log((e*(a + b*x))/(c + d*x)))/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c
+ d*x))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 894, normalized size of antiderivative = 3.43

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x)
```

output

```
( - 2*log(a + b*x)*a**3*b*c*d**2 - 2*log(a + b*x)*a**3*b*d**3*x - 2*log(a
+ b*x)*a**2*b**2*c**2*d - 4*log(a + b*x)*a**2*b**2*c*d**2*x - 2*log(a + b*
x)*a**2*b**2*d**3*x**2 - 2*log(a + b*x)*a*b**3*c**2*d*x - 2*log(a + b*x)*a
*b**3*c*d**2*x**2 + 2*log(c + d*x)*a**3*b*c*d**2 + 2*log(c + d*x)*a**3*b*d
**3*x + 2*log(c + d*x)*a**2*b**2*c**2*d + 4*log(c + d*x)*a**2*b**2*c*d**2*
x + 2*log(c + d*x)*a**2*b**2*d**3*x**2 + 2*log(c + d*x)*a*b**3*c**2*d*x +
2*log(c + d*x)*a*b**3*c*d**2*x**2 - log((a*e + b*e*x)/(c + d*x))**2*a**2*b
**2*c*d**2 - log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*d**3*x - log((a*e +
 b*e*x)/(c + d*x))**2*a*b**3*c**2*d - 2*log((a*e + b*e*x)/(c + d*x))**2*a*
b**3*c*d**2*x - log((a*e + b*e*x)/(c + d*x))**2*a*b**3*d**3*x**2 - log((a*
e + b*e*x)/(c + d*x))**2*b**4*c**2*d*x - log((a*e + b*e*x)/(c + d*x))**2*b
**4*c*d**2*x**2 + log((a*e + b*e*x)/(c + d*x))*a**3*b*d**3 + log((a*e + b*
e*x)/(c + d*x))*a**2*b**2*c*d**2 + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b**
2*d**3*x - log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2*d - log((a*e + b*e*x)/
(c + d*x))*b**4*c**3 - 2*log((a*e + b*e*x)/(c + d*x))*b**4*c**2*d*x + a**4
*d**3 - a**3*b*c*d**2 - a**3*b*d**3 + a**2*b**2*c**2*d + a**2*b**2*c*d**2
- 2*a**2*b**2*d**3*x**2 - a*b**3*c**3 + a*b**3*c**2*d + 2*a*b**3*c*d**2*x*
*2 - b**4*c**3)/(g**2*(a**5*c*d**4 + a**5*d**5*x - 2*a**4*b*c**2*d**3 - a*
*4*b*c*d**4*x + a**4*b*d**5*x**2 - 2*a**3*b**2*c**2*d**3*x - 2*a**3*b**2*c
*d**4*x**2 + 2*a**2*b**3*c**4*d + 2*a**2*b**3*c**3*d**2*x - a*b**4*c**5...
```

3.45 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$

Optimal result 577
Mathematica [C] (verified) 578
Rubi [A] (verified) 579
Maple [A] (verified) 581
Fricas [A] (verification not implemented) 582
Sympy [B] (verification not implemented) 583
Maxima [B] (verification not implemented) 584
Giac [A] (verification not implemented) 585
Mupad [B] (verification not implemented) 585
Reduce [B] (verification not implemented) 586

Optimal result

Integrand size = 40, antiderivative size = 346

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = {}& \frac{Bd^3(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} - \frac{bB(c+dx)^2\left(b-\frac{6d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^4g^3i^2(a+bx)^2} \\ & - \frac{3bBd^2\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^3i^2} - \frac{d^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^3i^2(c+dx)} \\ & + \frac{3b^2d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^3i^2(a+bx)} \\ & - \frac{b^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^3i^2(a+bx)^2} \\ & + \frac{3bd^2\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^3i^2}\end{aligned}$$

output

```
B*d^3*(b*x+a)/(-a*d+b*c)^4/g^3/i^2/(d*x+c)-1/4*b*B*(d*x+c)^2*(b-6*d*(b*x+a
)/(d*x+c))^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2-3/2*b*B*d^2*ln((b*x+a)/(d*x+c)
)^2/(-a*d+b*c)^4/g^3/i^2-d^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^4/g^3/i^2/(d*x+c)+3*b^2*d*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)
^4/g^3/i^2/(b*x+a)-1/2*b^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^4/g^3/i^2/(b*x+a)^2+3*b*d^2*ln((b*x+a)/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c
)))/(-a*d+b*c)^4/g^3/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.65 (sec) , antiderivative size = 453, normalized size of antiderivative = 1.31

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$= \frac{-\frac{bB(bc-ad)^2}{(a+bx)^2} + \frac{8b^2Bcd}{a+bx} - \frac{8abBd^2}{a+bx} + \frac{2bBd(bc-ad)}{a+bx} - \frac{4bBcd^2}{c+dx} + \frac{4aBd^3}{c+dx} + 6bBd^2\log(a+bx) - \frac{2b(bc-ad)^2\left(A+B\log\left(\frac{e(a+}{c+}\right.\right.}{(a+bx)^2}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i
*x)^2),x]
```

output

```
(-((b*B*(b*c - a*d)^2)/(a + b*x)^2) + (8*b^2*B*c*d)/(a + b*x) - (8*a*b*B*d
^2)/(a + b*x) + (2*b*B*d*(b*c - a*d))/(a + b*x) - (4*b*B*c*d^2)/(c + d*x)
+ (4*a*B*d^3)/(c + d*x) + 6*b*B*d^2*Log[a + b*x] - (2*b*(b*c - a*d)^2*(A +
 B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)^2 + (8*b*d*(b*c - a*d)*(A + B*
Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) + (4*d^2*(b*c - a*d)*(A + B*Log[(
e*(a + b*x))/(c + d*x)]))/(c + d*x) + 12*b*d^2*Log[a + b*x]*(A + B*Log[(e*
(a + b*x))/(c + d*x)]) - 6*b*B*d^2*Log[c + d*x] - 12*b*d^2*(A + B*Log[(e*(
a + b*x))/(c + d*x)])*Log[c + d*x] - 6*b*B*d^2*(Log[a + b*x]*(Log[a + b*x]
 - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c)
+ a*d)]) + 6*b*B*d^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])
*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*(b*c - a*d)^4
*g^3*i^2)
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 254, normalized size of antiderivative = 0.73, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-B\int -\frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}-\frac{6d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)b}{(c+dx)^2}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{2(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\right.}{a+b}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 27$$

$$\frac{\frac{1}{2}B\int \frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}-\frac{6d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)b}{(c+dx)^2}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\left(\right.\right.}{a+bx}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{2}B\int \left(\frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)^3}-\frac{6bd^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(\right.}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{d^3(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{c+dx}+3bd^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\right.}{g^3i^2(bc-ad)^4}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i*x)^2)
,x]
```

output
```
((B*((2*d^3*(a + b*x))/(c + d*x) + (6*b^2*d*(c + d*x))/(a + b*x) - (b^3*(c
 + d*x)^2)/(2*(a + b*x)^2) - 3*b*d^2*Log[(a + b*x)/(c + d*x)]^2))/2 - (d^3
*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) + (3*b^2*d*(c +
 d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - (b^3*(c + d*x)^2*(
A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) + 3*b*d^2*Log[(a + b*
x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/((b*c - a*d)^4*g^3*i^2
)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 3.59 (sec) , antiderivative size = 506, normalized size of antiderivative = 1.46

method	result
parts	$\frac{A\left(-\frac{d^2}{(da-bc)^3(dx+c)}-\frac{3d^2b\ln(dx+c)}{(da-bc)^4}-\frac{b}{2(da-bc)^2(bx+a)^2}+\frac{3d^2b\ln(bx+a)}{(da-bc)^4}-\frac{2bd}{(da-bc)^3(bx+a)}\right)}{g^3i^2}-B\left(\frac{d^3\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right.\right.\right.}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2eAb^3}{2i^2(da-bc)^5g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{3d^3Ab^2}{i^2(da-bc)^5g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{3d^4Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^5g^3}+\frac{d^5A\left(\frac{be}{d}+\frac{(da}{e^2i^2(da-bc}\right.\right.\right.}$
default	$-\frac{e(da-bc)\left(\frac{d^2eAb^3}{2i^2(da-bc)^5g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{3d^3Ab^2}{i^2(da-bc)^5g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{3d^4Ab\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^5g^3}+\frac{d^5A\left(\frac{be}{d}+\frac{(da}{e^2i^2(da-bc}\right.\right.\right.}$
risch	$-\frac{Ad^2}{g^3i^2(da-bc)^3(dx+c)}-\frac{3Ad^2b\ln(dx+c)}{g^3i^2(da-bc)^4}-\frac{Ab}{2g^3i^2(da-bc)^2(bx+a)^2}+\frac{3Ad^2b\ln(bx+a)}{g^3i^2(da-bc)^4}-\frac{2Abd}{g^3i^2(da-bc)^3(bx+}$
parallelrisch	$\frac{6Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^7cd^5+24Ax^2\ln\left(\frac{e(bx+a)}{dx+c}\right)ab^6d^6+12Ax^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^7cd^5+18Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^7cd^5+6Bx}$
norman	Expression too large to display

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output

```
A/g^3/i^2*(-d^2/(a*d-b*c)^3/(d*x+c)-3*d^2/(a*d-b*c)^4*b*ln(d*x+c)-1/2*b/(a
*d-b*c)^2/(b*x+a)^2+3*d^2/(a*d-b*c)^4*b*ln(b*x+a)-2*b/(a*d-b*c)^3*d/(b*x+a
))-B/g^3/i^2/(a*d-b*c)/e*(d^3/(a*d-b*c)^3*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)-3/2/(a*d-b*c)^
3*b*d^2*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2+3/(a*d-b*c)^3*b^2*d*e^2*(-1/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-
b*c)*e/d/(d*x+c)))-1/(a*d-b*c)^3*b^3*e^3*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c
))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 664, normalized size of antiderivative = 1.92

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx =$$

$$-\frac{(2\,A+B)b^3c^3 - 12\,(A+B)ab^2c^2d + 3\,(2\,A+5\,B)a^2bcd^2 + 4\,(A-B)a^3d^3 - 6\,((2\,A+B)b^3cd^2 - (2\,A}{4\,((b^6c^4d - 4\,a}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output

```
-1/4*((2*A + B)*b^3*c^3 - 12*(A + B)*a*b^2*c^2*d + 3*(2*A + 5*B)*a^2*b*c*d
^2 + 4*(A - B)*a^3*d^3 - 6*((2*A + B)*b^3*c*d^2 - (2*A + B)*a*b^2*d^3)*x^2
 - 6*(B*b^3*d^3*x^3 + B*a^2*b*c*d^2 + (B*b^3*c*d^2 + 2*B*a*b^2*d^3)*x^2 +
(2*B*a*b^2*c*d^2 + B*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 3*((2*
A + 3*B)*b^3*c^2*d + 2*(2*A - B)*a*b^2*c*d^2 - (6*A + B)*a^2*b*d^3)*x - 2*
(3*(2*A + B)*b^3*d^3*x^3 - B*b^3*c^3 + 6*B*a*b^2*c^2*d + 6*A*a^2*b*c*d^2 -
 2*B*a^3*d^3 + 3*((2*A + 3*B)*b^3*c*d^2 + 4*A*a*b^2*d^3)*x^2 + 3*(B*b^3*c^
2*d + 4*(A + B)*a*b^2*c*d^2 + 2*(A - B)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d
*x + c)))/((b^6*c^4*d - 4*a*b^5*c^3*d^2 + 6*a^2*b^4*c^2*d^3 - 4*a^3*b^3*c*
d^4 + a^4*b^2*d^5)*g^3*i^2*x^3 + (b^6*c^5 - 2*a*b^5*c^4*d - 2*a^2*b^4*c^3*
d^2 + 8*a^3*b^3*c^2*d^3 - 7*a^4*b^2*c*d^4 + 2*a^5*b*d^5)*g^3*i^2*x^2 + (2*
a*b^5*c^5 - 7*a^2*b^4*c^4*d + 8*a^3*b^3*c^3*d^2 - 2*a^4*b^2*c^2*d^3 - 2*a^
5*b*c*d^4 + a^6*d^5)*g^3*i^2*x + (a^2*b^4*c^5 - 4*a^3*b^3*c^4*d + 6*a^4*b^
2*c^3*d^2 - 4*a^5*b*c^2*d^3 + a^6*c*d^4)*g^3*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1562 vs. $2(316) = 632$.

Time = 12.13 (sec) , antiderivative size = 1562, normalized size of antiderivative = 4.51

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3/(d*i*x+c*i)**2,x)
```

output

```
3*B*b*d**2*log(e*(a + b*x)/(c + d*x))**2/(2*a**4*d**4*g**3*i**2 - 8*a**3*b
*c*d**3*g**3*i**2 + 12*a**2*b**2*c**2*d**2*g**3*i**2 - 8*a*b**3*c**3*d*g**
3*i**2 + 2*b**4*c**4*g**3*i**2) - 3*b*d**2*(2*A + B)*log(x + (6*A*a*b*d**3
 + 6*A*b**2*c*d**2 + 3*B*a*b*d**3 + 3*B*b**2*c*d**2 - 3*a**5*b*d**7*(2*A +
 B)/(a*d - b*c)**4 + 15*a**4*b**2*c*d**6*(2*A + B)/(a*d - b*c)**4 - 30*a**
3*b**3*c**2*d**5*(2*A + B)/(a*d - b*c)**4 + 30*a**2*b**4*c**3*d**4*(2*A +
B)/(a*d - b*c)**4 - 15*a*b**5*c**4*d**3*(2*A + B)/(a*d - b*c)**4 + 3*b**6*
c**5*d**2*(2*A + B)/(a*d - b*c)**4)/(12*A*b**2*d**3 + 6*B*b**2*d**3))/(2*g
**3*i**2*(a*d - b*c)**4) + 3*b*d**2*(2*A + B)*log(x + (6*A*a*b*d**3 + 6*A*
b**2*c*d**2 + 3*B*a*b*d**3 + 3*B*b**2*c*d**2 + 3*a**5*b*d**7*(2*A + B)/(a*
d - b*c)**4 - 15*a**4*b**2*c*d**6*(2*A + B)/(a*d - b*c)**4 + 30*a**3*b**3*
c**2*d**5*(2*A + B)/(a*d - b*c)**4 - 30*a**2*b**4*c**3*d**4*(2*A + B)/(a*d
 - b*c)**4 + 15*a*b**5*c**4*d**3*(2*A + B)/(a*d - b*c)**4 - 3*b**6*c**5*d*
*2*(2*A + B)/(a*d - b*c)**4)/(12*A*b**2*d**3 + 6*B*b**2*d**3))/(2*g**3*i**
2*(a*d - b*c)**4) + (-2*B*a**2*d**2 - 5*B*a*b*c*d - 9*B*a*b*d**2*x + B*b**
2*c**2 - 3*B*b**2*c*d*x - 6*B*b**2*d**2*x**2)*log(e*(a + b*x)/(c + d*x))/(
2*a**5*c*d**3*g**3*i**2 + 2*a**5*d**4*g**3*i**2*x - 6*a**4*b*c**2*d**2*g**
3*i**2 - 2*a**4*b*c*d**3*g**3*i**2*x + 4*a**4*b*d**4*g**3*i**2*x**2 + 6*a*
*3*b**2*c**3*d*g**3*i**2 - 6*a**3*b**2*c**2*d**2*g**3*i**2*x - 10*a**3*b**
2*c*d**3*g**3*i**2*x**2 + 2*a**3*b**2*d**4*g**3*i**2*x**3 - 2*a**2*b**3...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1721 vs. $2(340) = 680$.

Time $= 0.16$ (sec) , antiderivative size $= 1721$, normalized size of antiderivative $= 4.97$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output

```
1/2*B*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3*a
*b*d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4)*
g^3*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d^3
 - 2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2*c
^2*d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3*d
 + 3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^4
- 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2) -
6*b*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3
*b*c*d^3 + a^4*d^4)*g^3*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 1/2*A
*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3*a*b*d^
2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4)*g^3*i
^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d^3 - 2*
a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2*c^2*d^
2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3*d + 3*
a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^4 - 4*a
*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2) - 6*b*d
^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*
d^3 + a^4*d^4)*g^3*i^2)) - 1/4*(b^3*c^3 - 12*a*b^2*c^2*d + 15*a^2*b*c*d^2
- 4*a^3*d^3 - 6*(b^3*c*d^2 - a*b^2*d^3)*x^2 + 6*(b^3*d^3*x^3 + a^2*b*c*d^2
 + (b^3*c*d^2 + 2*a*b^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*b*d^3)*x)*log(b...
```

Giac [A] (verification not implemented)

Time = 53.40 (sec) , antiderivative size = 276, normalized size of antiderivative = 0.80

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\left(Bbe^3 - \frac{2\,(bex+ae)Bde^2}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^2bcg^3i^2}{(dx+c)^2} - \frac{(bex+ae)^2adg^3i^2}{(dx+c)^2}} + \frac{2\,Abe^3 + Bbe^3 - \frac{4\,(bex+ae)Ade^2}{dx+c} - \frac{4\,(bex+ae)Bde^2}{dx+c}}{\frac{(bex+ae)^2bcg^3i^2}{(dx+c)^2} - \frac{(bex+ae)^2adg^3i^2}{(dx+c)^2}}\right)\left(\frac{}{(bce - d\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output
```
-1/4*(2*(B*b*e^3 - 2*(b*e*x + a*e)*B*d*e^2/(d*x + c))*log((b*e*x + a*e)/(d
*x + c))/((b*e*x + a*e)^2*b*c*g^3*i^2/(d*x + c)^2 - (b*e*x + a*e)^2*a*d*g^
3*i^2/(d*x + c)^2) + (2*A*b*e^3 + B*b*e^3 - 4*(b*e*x + a*e)*A*d*e^2/(d*x +
 c) - 4*(b*e*x + a*e)*B*d*e^2/(d*x + c))/((b*e*x + a*e)^2*b*c*g^3*i^2/(d*x
 + c)^2 - (b*e*x + a*e)^2*a*d*g^3*i^2/(d*x + c)^2))*(b*c/((b*c*e - a*d*e)*
(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 31.11 (sec) , antiderivative size = 984, normalized size of antiderivative = 2.84

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^3*(c*i + d*i*x)^2)
,x)
```

output

```
(3*B*b*d^2*log((e*(a + b*x))/(c + d*x))^2)/(2*g^3*i^2*(a*d - b*c)^4) - (A*
b*d^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*6i)/(g^3*i^2*(a*d - b
*c)^4) - (B*b*d^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*3i)/(g^3*
i^2*(a*d - b*c)^4) - (A*a^2*d^2)/(g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d
*x)) + (A*b^2*c^2)/(2*g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) + (B*a^
2*d^2)/(g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) + (B*b^2*c^2)/(4*g^3*
i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (B*a*d*log((e*(a + b*x))/(c + d
*x)))/(g^3*i^2*(a*d - b*c)^2*(a + b*x)^2*(c + d*x)) - (B*b*c*log((e*(a + b
*x))/(c + d*x)))/(2*g^3*i^2*(a*d - b*c)^2*(a + b*x)^2*(c + d*x)) - (3*A*b^
2*d^2*x^2)/(g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (3*B*b^2*d^2*x^
2)/(2*g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (5*A*a*b*c*d)/(2*g^3*
i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (11*B*a*b*c*d)/(4*g^3*i^2*(a*d
- b*c)^3*(a + b*x)^2*(c + d*x)) - (3*B*b*d*x*log((e*(a + b*x))/(c + d*x)))
/(2*g^3*i^2*(a*d - b*c)^2*(a + b*x)^2*(c + d*x)) - (3*B*b^2*d^2*x^2*log((e
*(a + b*x))/(c + d*x)))/(g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (9
*A*a*b*d^2*x)/(2*g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (3*B*a*b*d
^2*x)/(4*g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (3*A*b^2*c*d*x)/(2
*g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (9*B*b^2*c*d*x)/(4*g^3*i^2
*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (3*B*a*b*c*d*log((e*(a + b*x))/(c
+ d*x)))/(g^3*i^2*(a*d - b*c)^3*(a + b*x)^2*(c + d*x)) - (3*B*a*b*d^2*x...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 1775, normalized size of antiderivative = 5.13

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x)
```

output

```
( - 24*log(a + b*x)*a**4*b*c*d**3 - 24*log(a + b*x)*a**4*b*d**4*x - 12*log
(a + b*x)*a**3*b**2*c**2*d**2 - 60*log(a + b*x)*a**3*b**2*c*d**3*x - 48*lo
g(a + b*x)*a**3*b**2*d**4*x**2 - 24*log(a + b*x)*a**2*b**3*c**2*d**2*x - 1
8*log(a + b*x)*a**2*b**3*c**2*d**2 - 48*log(a + b*x)*a**2*b**3*c*d**3*x**2
 - 18*log(a + b*x)*a**2*b**3*c*d**3*x - 24*log(a + b*x)*a**2*b**3*d**4*x**
3 - 12*log(a + b*x)*a*b**4*c**2*d**2*x**2 - 36*log(a + b*x)*a*b**4*c**2*d*
*2*x - 12*log(a + b*x)*a*b**4*c*d**3*x**3 - 36*log(a + b*x)*a*b**4*c*d**3*
x**2 - 18*log(a + b*x)*b**5*c**2*d**2*x**2 - 18*log(a + b*x)*b**5*c*d**3*x
**3 + 24*log(c + d*x)*a**4*b*c*d**3 + 24*log(c + d*x)*a**4*b*d**4*x + 12*l
og(c + d*x)*a**3*b**2*c**2*d**2 + 60*log(c + d*x)*a**3*b**2*c*d**3*x + 48*
log(c + d*x)*a**3*b**2*d**4*x**2 + 24*log(c + d*x)*a**2*b**3*c**2*d**2*x +
 18*log(c + d*x)*a**2*b**3*c**2*d**2 + 48*log(c + d*x)*a**2*b**3*c*d**3*x*
*2 + 18*log(c + d*x)*a**2*b**3*c*d**3*x + 24*log(c + d*x)*a**2*b**3*d**4*x
**3 + 12*log(c + d*x)*a*b**4*c**2*d**2*x**2 + 36*log(c + d*x)*a*b**4*c**2*
d**2*x + 12*log(c + d*x)*a*b**4*c*d**3*x**3 + 36*log(c + d*x)*a*b**4*c*d**
3*x**2 + 18*log(c + d*x)*b**5*c**2*d**2*x**2 + 18*log(c + d*x)*b**5*c*d**3
*x**3 - 12*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**2*c*d**3 - 12*log((a*e
+ b*e*x)/(c + d*x))**2*a**3*b**2*d**4*x - 6*log((a*e + b*e*x)/(c + d*x))**
2*a**2*b**3*c**2*d**2 - 30*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c*d**
3*x - 24*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*d**4*x**2 - 12*log((...
```

3.46 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$

Optimal result . . . 588
Mathematica [C] (verified) . . . 589
Rubi [A] (verified) . . . 590
Maple [A] (verified) . . . 592
Fricas [B] (verification not implemented) . . . 593
Sympy [F(-1)] . . . 594
Maxima [B] (verification not implemented) . . . 595
Giac [A] (verification not implemented) . . . 596
Mupad [B] (verification not implemented) . . . 596
Reduce [B] (verification not implemented) . . . 597

Optimal result

Integrand size = 40, antiderivative size = 457

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx &= -\frac{Bd^4(a+bx)}{(bc-ad)^5g^4i^2(c+dx)} - \frac{6b^2Bd^2(c+dx)}{(bc-ad)^5g^4i^2(a+bx)} \\ &+ \frac{b^3Bd(c+dx)^2}{(bc-ad)^5g^4i^2(a+bx)^2} - \frac{b^4B(c+dx)^3}{9(bc-ad)^5g^4i^2(a+bx)^3} \\ &+ \frac{2bBd^3\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^4i^2} + \frac{d^4(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2(c+dx)} \\ &- \frac{6b^2d^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2(a+bx)} \\ &+ \frac{2b^3d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2(a+bx)^2} \\ &- \frac{b^4(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^5g^4i^2(a+bx)^3} \\ &- \frac{4bd^3\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2}\end{aligned}$$

output

```
-B*d^4*(b*x+a)/(-a*d+b*c)^5/g^4/i^2/(d*x+c)-6*b^2*B*d^2*(d*x+c)/(-a*d+b*c)
^5/g^4/i^2/(b*x+a)+b^3*B*d*(d*x+c)^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-1/9*b^
4*B*(d*x+c)^3/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3+2*b*B*d^3*ln((b*x+a)/(d*x+c))
^2/(-a*d+b*c)^5/g^4/i^2+d^4*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)
^5/g^4/i^2/(d*x+c)-6*b^2*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^5/g^4/i^2/(b*x+a)+2*b^3*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*
c)^5/g^4/i^2/(b*x+a)^2-1/3*b^4*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d
+b*c)^5/g^4/i^2/(b*x+a)^3-4*b*d^3*ln((b*x+a)/(d*x+c))*(A+B*ln(e*(b*x+a)/(d
*x+c)))/(-a*d+b*c)^5/g^4/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.23 (sec) , antiderivative size = 520, normalized size of antiderivative = 1.14

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx =$$

$$-\frac{\frac{bB(bc-ad)^3}{(a+bx)^3} - \frac{6bBd(bc-ad)^2}{(a+bx)^2} + \frac{27b^2Bcd^2}{a+bx} - \frac{27abBd^3}{a+bx} + \frac{12bBd^2(bc-ad)}{a+bx} - \frac{9bBcd^3}{c+dx} + \frac{9aBd^4}{c+dx} + 30bBd^3\log(a+bx) +$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i
*x)^2),x]
```

output

```
-1/9*((b*B*(b*c - a*d)^3)/(a + b*x)^3 - (6*b*B*d*(b*c - a*d)^2)/(a + b*x)^
2 + (27*b^2*B*c*d^2)/(a + b*x) - (27*a*b*B*d^3)/(a + b*x) + (12*b*B*d^2*(b
*c - a*d))/(a + b*x) - (9*b*B*c*d^3)/(c + d*x) + (9*a*B*d^4)/(c + d*x) + 3
0*b*B*d^3*Log[a + b*x] + (3*b*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c +
d*x)]))/(a + b*x)^3 - (9*b*d*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d
*x)]))/(a + b*x)^2 + (27*b*d^2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d
*x)]))/(a + b*x) - (9*d^3*(-(b*c) + a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(c + d*x) + 36*b*d^3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]
) - 30*b*B*d^3*Log[c + d*x] - 36*b*d^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]
)*Log[c + d*x] - 18*b*B*d^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*
x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 18*b*B*d
^3*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*
PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b*c - a*d)^5*g^4*i^2)
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 313, normalized size of antiderivative = 0.68, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)^4(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4} d\frac{a+bx}{c+dx}}{g^4 i^2 (bc-ad)^5}$$

$$\downarrow 2772$$

$$\frac{-B\int \left(d^4 - \frac{4b(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d^3}{a+bx} - \frac{6b^2(c+dx)^2d^2}{(a+bx)^2} + \frac{2b^3(c+dx)^3 d}{(a+bx)^3} - \frac{b^4(c+dx)^4}{3(a+bx)^4}\right) d\frac{a+bx}{c+dx} - \frac{b^4(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3} + \frac{2}{}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^4(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3} + \frac{2b^3d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(a+bx)^2} - \frac{6b^2d^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx} + \frac{d^4(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{c+dx}}{g^4}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i*x)^2)
,x]
```

output
```
(-(B*((d^4*(a + b*x))/(c + d*x) + (6*b^2*d^2*(c + d*x))/(a + b*x) - (b^3*d
*(c + d*x)^2)/(a + b*x)^2 + (b^4*(c + d*x)^3)/(9*(a + b*x)^3) - 2*b*d^3*Lo
g[(a + b*x)/(c + d*x)]^2)) + (d^4*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c +
d*x)]))/(c + d*x) - (6*b^2*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(a + b*x) + (2*b^3*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
)/(a + b*x)^2 - (b^4*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*
(a + b*x)^3) - 4*b*d^3*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(
c + d*x)]))/((b*c - a*d)^5*g^4*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 3.40 (sec) , antiderivative size = 640, normalized size of antiderivative = 1.40

method	result
parts	$\frac{A\left(-\frac{d^3}{(da-bc)^4(dx+c)}-\frac{4d^3b\ln(dx+c)}{(da-bc)^5}-\frac{b}{3(da-bc)^2(bx+a)^3}+\frac{4d^3b\ln(bx+a)}{(da-bc)^5}-\frac{3bd^2}{(da-bc)^4(bx+a)}-\frac{bd}{(da-bc)^3(bx+a)^2}\right)}{g^4i^2}-B\left($
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2e^2Ab^4}{3i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{2d^3eAb^3}{i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{6d^4Ab^2}{i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{4d^5A}{}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{d^2e^2Ab^4}{3i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{2d^3eAb^3}{i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{6d^4Ab^2}{i^2(da-bc)^6g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{4d^5A}{}\right.}{}$
risch	$-\frac{Ad^3}{g^4i^2(da-bc)^4(dx+c)}-\frac{4Ad^3b\ln(dx+c)}{g^4i^2(da-bc)^5}-\frac{Ab}{3g^4i^2(da-bc)^2(bx+a)^3}+\frac{4Ad^3b\ln(bx+a)}{g^4i^2(da-bc)^5}-\frac{3Abd^2}{g^4i^2(da-bc)^4(bx+}$
norman	Expression too large to display
parallelrisch	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output

```
A/g^4/i^2*(-d^3/(a*d-b*c)^4/(d*x+c)-4*d^3/(a*d-b*c)^5*b*ln(d*x+c)-1/3*b/(a
*d-b*c)^2/(b*x+a)^3+4*d^3/(a*d-b*c)^5*b*ln(b*x+a)-3*b/(a*d-b*c)^4*d^2/(b*x
+a)-b/(a*d-b*c)^3*d/(b*x+a)^2)-B/g^4/i^2/(a*d-b*c)/e*(d^4/(a*d-b*c)^4*((b*
e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(
d*x+c)-b*e/d)-2/(a*d-b*c)^4*b*d^3*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2+6/(a
*d-b*c)^4*b^2*d^2*e^2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)
*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))-4/(a*d-b*c)^4*b^3*d*e^3*(-1
/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*
e/d+(a*d-b*c)*e/d/(d*x+c))^2)+1/(a*d-b*c)^4*b^4*e^4*(-1/3/(b*e/d+(a*d-b*c)
*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^3))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1019 vs. $2(453) = 906$.

Time $= 0.10$ (sec) , antiderivative size $= 1019$, normalized size of antiderivative $= 2.23$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^4 (ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output

```
-1/9*((3*A + B)*b^4*c^4 - 9*(2*A + B)*a*b^3*c^3*d + 54*(A + B)*a^2*b^2*c^2
*d^2 - 5*(6*A + 11*B)*a^3*b*c*d^3 - 9*(A - B)*a^4*d^4 + 6*((6*A + 5*B)*b^4
*c*d^3 - (6*A + 5*B)*a*b^3*d^4)*x^3 + 3*((6*A + 11*B)*b^4*c^2*d^2 + 8*(3*A
 + B)*a*b^3*c*d^3 - (30*A + 19*B)*a^2*b^2*d^4)*x^2 + 18*(B*b^4*d^4*x^4 + B
*a^3*b*c*d^3 + (B*b^4*c*d^3 + 3*B*a*b^3*d^4)*x^3 + 3*(B*a*b^3*c*d^3 + B*a^
2*b^2*d^4)*x^2 + (3*B*a^2*b^2*c*d^3 + B*a^3*b*d^4)*x)*log((b*e*x + a*e)/(d
*x + c))^2 - ((6*A + 5*B)*b^4*c^3*d - 27*(2*A + 3*B)*a*b^3*c^2*d^2 - 3*(6*
A - 19*B)*a^2*b^2*c*d^3 + (66*A + 19*B)*a^3*b*d^4)*x + 3*(2*(6*A + 5*B)*b^
4*d^4*x^4 + B*b^4*c^4 - 6*B*a*b^3*c^3*d + 18*B*a^2*b^2*c^2*d^2 + 12*A*a^3*
b*c*d^3 - 3*B*a^4*d^4 + 2*((6*A + 11*B)*b^4*c*d^3 + 9*(2*A + B)*a*b^3*d^4)
*x^3 + 6*(B*b^4*c^2*d^2 + 3*(2*A + 3*B)*a*b^3*c*d^3 + 6*A*a^2*b^2*d^4)*x^2
 - 2*(B*b^4*c^3*d - 9*B*a*b^3*c^2*d^2 - 18*(A + B)*a^2*b^2*c*d^3 - 6*(A -
B)*a^3*b*d^4)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^8*c^5*d - 5*a*b^7*c^4*d
^2 + 10*a^2*b^6*c^3*d^3 - 10*a^3*b^5*c^2*d^4 + 5*a^4*b^4*c*d^5 - a^5*b^3*d
^6)*g^4*i^2*x^4 + (b^8*c^6 - 2*a*b^7*c^5*d - 5*a^2*b^6*c^4*d^2 + 20*a^3*b^
5*c^3*d^3 - 25*a^4*b^4*c^2*d^4 + 14*a^5*b^3*c*d^5 - 3*a^6*b^2*d^6)*g^4*i^2
*x^3 + 3*(a*b^7*c^6 - 4*a^2*b^6*c^5*d + 5*a^3*b^5*c^4*d^2 - 5*a^5*b^3*c^2*
d^4 + 4*a^6*b^2*c*d^5 - a^7*b*d^6)*g^4*i^2*x^2 + (3*a^2*b^6*c^6 - 14*a^3*b
^5*c^5*d + 25*a^4*b^4*c^4*d^2 - 20*a^5*b^3*c^3*d^3 + 5*a^6*b^2*c^2*d^4 + 2
*a^7*b*c*d^5 - a^8*d^6)*g^4*i^2*x + (a^3*b^5*c^6 - 5*a^4*b^4*c^5*d + 10...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4/(d*i*x+c*i)**2,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2560 vs. $2(453) = 906$.

Time $= 0.27$ (sec) , antiderivative size $= 2560$, normalized size of antiderivative $= 5.60$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output
```
-1/3*B*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^2*c^2*d + 13*a^2*b*c*d^2 + 3*a^3
*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2*(b^3*c^2*d - 8*a*b^2*c*d^2 - 11
*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3*b
^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7*c^5 - a*b^6*c^4*d - 6*a^2*b^5*c
^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*x^
3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d^3
 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2*x^2 + (3*a^2*b^5*c^5 - 11*a^3*b^4*
c^4*d + 14*a^4*b^3*c^3*d^2 - 6*a^5*b^2*c^2*d^3 - a^6*b*c*d^4 + a^7*d^5)*g^
4*i^2*x + (a^3*b^4*c^5 - 4*a^4*b^3*c^4*d + 6*a^5*b^2*c^3*d^2 - 4*a^6*b*c^2
*d^3 + a^7*c*d^4)*g^4*i^2) + 12*b*d^3*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4
*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^
4*i^2) - 12*b*d^3*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*
d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^4*i^2))*log(b*e*x/(d
*x + c) + a*e/(d*x + c)) - 1/3*A*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^2*c^2*
d + 13*a^2*b*c*d^2 + 3*a^3*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2*(b^3*
c^2*d - 8*a*b^2*c*d^2 - 11*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d^2 + 6
*a^2*b^5*c^2*d^3 - 4*a^3*b^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7*c^5 -
 a*b^6*c^4*d - 6*a^2*b^5*c^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c*d^4 +
 3*a^5*b^2*d^5)*g^4*i^2*x^3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3*b^4*c
^3*d^2 + 2*a^4*b^3*c^2*d^3 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2*x^2 +...
```

Giac [A] (verification not implemented)

Time = 64.85 (sec) , antiderivative size = 436, normalized size of antiderivative = 0.95

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx =$$
$$-\frac{1}{18}\left(\frac{6\left(Bb^2e^4-\frac{3\,(bex+ae)Bbde^3}{dx+c}+\frac{3\,(bex+ae)^2Bd^2e^2}{(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right)}{\frac{(bex+ae)^3b^2c^2g^4i^2}{(dx+c)^3}-\frac{2\,(bex+ae)^3abcdg^4i^2}{(dx+c)^3}+\frac{(bex+ae)^3a^2d^2g^4i^2}{(dx+c)^3}}+\frac{6\,Ab^2e^4+2\,Bb^2e^4-\frac{18\,(bex+ae)Abde^3}{dx+c}-}{\frac{(bex+ae)^3b^2c^2g^4i^2}{(dx+c)^3}-\frac{2(}{}}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output
```
-1/18*(6*(B*b^2*e^4 - 3*(b*e*x + a*e)*B*b*d*e^3/(d*x + c) + 3*(b*e*x + a*e
)^2*B*d^2*e^2/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^3*b
^2*c^2*g^4*i^2/(d*x + c)^3 - 2*(b*e*x + a*e)^3*a*b*c*d*g^4*i^2/(d*x + c)^3
 + (b*e*x + a*e)^3*a^2*d^2*g^4*i^2/(d*x + c)^3) + (6*A*b^2*e^4 + 2*B*b^2*e
^4 - 18*(b*e*x + a*e)*A*b*d*e^3/(d*x + c) - 9*(b*e*x + a*e)*B*b*d*e^3/(d*x
 + c) + 18*(b*e*x + a*e)^2*A*d^2*e^2/(d*x + c)^2 + 18*(b*e*x + a*e)^2*B*d^
2*e^2/(d*x + c)^2)/((b*e*x + a*e)^3*b^2*c^2*g^4*i^2/(d*x + c)^3 - 2*(b*e*x
 + a*e)^3*a*b*c*d*g^4*i^2/(d*x + c)^3 + (b*e*x + a*e)^3*a^2*d^2*g^4*i^2/(d
*x + c)^3))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
 - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 34.90 (sec) , antiderivative size = 1679, normalized size of antiderivative = 3.67

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^4*(c*i + d*i*x)^2)
,x)
```

output

```
(2*B*b*d^3*log((e*(a + b*x))/(c + d*x))^2)/(g^4*i^2*(a*d - b*c)^2*(a^3*d^3
 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) - (log((e*(a + b*x))/(c + d*x
))*(x*((4*B)/(3*g^4*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (4*B*b*d^3*(((2
*a^2*d^2 + b^2*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^2))*(a*
d + b*c) + (a*c*(a*d - b*c))/d^2))/(g^4*i^2*(a*d - b*c)^2*(a^3*d^3 - b^3*c
^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))) + (B*(3*a*d + b*c))/(3*g^4*i^2*(a^2*
b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) + (4*B*b^2*d^2*x^3)/(g^4*i^2*(a*d - b*
c)*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (4*B*b*d^3*x^2*(
b*d*((2*a^2*d^2 + b^2*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^
2)) + ((a*d + b*c)*(a*d - b*c))/d^2))/(g^4*i^2*(a*d - b*c)^2*(a^3*d^3 - b^
3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (4*B*a*b*c*d^3*((2*a^2*d^2 + b^2
*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^2)))/(g^4*i^2*(a*d -
b*c)^2*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))))/(b^2*x^4 + (
a^3*c)/(b*d) + (x*(a^3*d + 3*a^2*b*c))/(b*d) + (x^3*(b^3*c + 3*a*b^2*d))/(
b*d) + (x^2*(3*a*b^2*c + 3*a^2*b*d))/(b*d)) - (b*d^3*atan((b*d^3*((a^5*d^5
*g^4*i^2 + b^5*c^5*g^4*i^2 - 3*a*b^4*c^4*d*g^4*i^2 - 3*a^4*b*c*d^4*g^4*i^2
 + 2*a^2*b^3*c^3*d^2*g^4*i^2 + 2*a^3*b^2*c^2*d^3*g^4*i^2)/(a^4*d^4*g^4*i^2
 + b^4*c^4*g^4*i^2 - 4*a*b^3*c^3*d*g^4*i^2 - 4*a^3*b*c*d^3*g^4*i^2 + 6*a^2
*b^2*c^2*d^2*g^4*i^2) + 2*b*d*x)*(6*A + 5*B)*(a^4*d^4*g^4*i^2 + b^4*c^4*g^
4*i^2 - 4*a*b^3*c^3*d*g^4*i^2 - 4*a^3*b*c*d^3*g^4*i^2 + 6*a^2*b^2*c^2*d...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 2879, normalized size of antiderivative = 6.30

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x)
```

output

```
( - 108*log(a + b*x)*a**5*b*c*d**4 - 108*log(a + b*x)*a**5*b*d**5*x - 36*l
og(a + b*x)*a**4*b**2*c**2*d**3 - 360*log(a + b*x)*a**4*b**2*c*d**4*x - 54
*log(a + b*x)*a**4*b**2*c*d**4 - 324*log(a + b*x)*a**4*b**2*d**5*x**2 - 54
*log(a + b*x)*a**4*b**2*d**5*x - 108*log(a + b*x)*a**3*b**3*c**2*d**3*x -
66*log(a + b*x)*a**3*b**3*c**2*d**3 - 432*log(a + b*x)*a**3*b**3*c*d**4*x*
*2 - 228*log(a + b*x)*a**3*b**3*c*d**4*x - 324*log(a + b*x)*a**3*b**3*d**5
*x**3 - 162*log(a + b*x)*a**3*b**3*d**5*x**2 - 108*log(a + b*x)*a**2*b**4*
c**2*d**3*x**2 - 198*log(a + b*x)*a**2*b**4*c**2*d**3*x - 216*log(a + b*x)
*a**2*b**4*c*d**4*x**3 - 360*log(a + b*x)*a**2*b**4*c*d**4*x**2 - 108*log(
a + b*x)*a**2*b**4*d**5*x**4 - 162*log(a + b*x)*a**2*b**4*d**5*x**3 - 36*l
og(a + b*x)*a*b**5*c**2*d**3*x**3 - 198*log(a + b*x)*a*b**5*c**2*d**3*x**2
 - 36*log(a + b*x)*a*b**5*c*d**4*x**4 - 252*log(a + b*x)*a*b**5*c*d**4*x**
3 - 54*log(a + b*x)*a*b**5*d**5*x**4 - 66*log(a + b*x)*b**6*c**2*d**3*x**3
 - 66*log(a + b*x)*b**6*c*d**4*x**4 + 108*log(c + d*x)*a**5*b*c*d**4 + 108
*log(c + d*x)*a**5*b*d**5*x + 36*log(c + d*x)*a**4*b**2*c**2*d**3 + 360*lo
g(c + d*x)*a**4*b**2*c*d**4*x + 54*log(c + d*x)*a**4*b**2*c*d**4 + 324*log
(c + d*x)*a**4*b**2*d**5*x**2 + 54*log(c + d*x)*a**4*b**2*d**5*x + 108*log
(c + d*x)*a**3*b**3*c**2*d**3*x + 66*log(c + d*x)*a**3*b**3*c**2*d**3 + 43
2*log(c + d*x)*a**3*b**3*c*d**4*x**2 + 228*log(c + d*x)*a**3*b**3*c*d**4*x
 + 324*log(c + d*x)*a**3*b**3*d**5*x**3 + 162*log(c + d*x)*a**3*b**3*d*...
```

3.47 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 599
Mathematica [A] (verified) . . . 600
Rubi [A] (verified) . . . 601
Maple [A] (verified) . . . 603
Fricas [F] . . . 605
Sympy [F] . . . 606
Maxima [B] (verification not implemented) . . . 606
Giac [F] . . . 607
Mupad [F(-1)] . . . 608
Reduce [F] . . . 608

Optimal result

Integrand size = 40, antiderivative size = 361

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx \\
&= -\frac{3B(bc-ad)g^3(a+bx)^2}{4d^2i^3(c+dx)^2} - \frac{3bB(bc-ad)g^3(a+bx)}{d^3i^3(c+dx)} \\
&\quad + \frac{b(3A+B)(bc-ad)g^3(a+bx)}{d^3i^3(c+dx)} + \frac{3bB(bc-ad)g^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^3i^3(c+dx)} \\
&\quad + \frac{g^3(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{di^3(c+dx)^2} \\
&\quad + \frac{(bc-ad)g^3(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{b^2(bc-ad)g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^4i^3} \\
&\quad + \frac{3b^2B(bc-ad)g^3\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3}
\end{aligned}
$$

output

```
-3/4*B*(-a*d+b*c)*g^3*(b*x+a)^2/d^2/i^3/(d*x+c)^2-3*b*B*(-a*d+b*c)*g^3*(b*
x+a)/d^3/i^3/(d*x+c)+b*(3*A+B)*(-a*d+b*c)*g^3*(b*x+a)/d^3/i^3/(d*x+c)+3*b*
B*(-a*d+b*c)*g^3*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d^3/i^3/(d*x+c)+g^3*(b*x+a)
^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^3/(d*x+c)^2+1/2*(-a*d+b*c)*g^3*(b*x+a)^
2*(3*A+B+3*B*ln(e*(b*x+a)/(d*x+c)))/d^2/i^3/(d*x+c)^2+b^2*(-a*d+b*c)*g^3*l
n((-a*d+b*c)/b/(d*x+c))*(3*A+B+3*B*ln(e*(b*x+a)/(d*x+c)))/d^4/i^3+3*b^2*B*
(-a*d+b*c)*g^3*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^3
```

Mathematica [A] (verified)

Time = 0.43 (sec) , antiderivative size = 317, normalized size of antiderivative = 0.88

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^3\left(4Ab^3dx - \frac{B(bc-ad)^3}{(c+dx)^2} + \frac{10bB(bc-ad)^2}{c+dx} + 10b^2B(bc-ad)\log(a+bx) + 4b^2Bd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right) + \frac{2(b}{}\right.}{}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x)^3,x]
```

output

```
(g^3*(4*A*b^3*d*x - (B*(b*c - a*d)^3)/(c + d*x)^2 + (10*b*B*(b*c - a*d)^2)
/(c + d*x) + 10*b^2*B*(b*c - a*d)*Log[a + b*x] + 4*b^2*B*d*(a + b*x)*Log[(
e*(a + b*x))/(c + d*x)] + (2*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c + d
*x)]))/(c + d*x)^2 - (12*b*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(c + d*x) - 14*b^2*B*(b*c - a*d)*Log[c + d*x] - 12*b^2*(b*c - a*d)*(A
 + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 6*b^2*B*(b*c - a*d)*((2*
Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog
[2, (b*(c + d*x))/(b*c - a*d)])))/(4*d^4*i^3)
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 300, normalized size of antiderivative = 0.83, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2962, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g^3(bc-ad)\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2784$$

$$g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int \frac{(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}\right)$$
$$i^3$$

$$\downarrow 2793$$

$$g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{d^2}-\frac{(a+bx)\left(3A+B+3B\log\left(\frac{e}{}\right.\right.}{d(c+dx)}\right.}{d}$$
$$i^3$$

$$\downarrow 2009$$

$$g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{d^3}-\frac{b(3A+B)(a+bx)}{d^2(c+dx)}-\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right.\right.}{2d(c+dx)^2}}{d}\right)$$
$$i^3$$

input
```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^3
,x]
```

output
```
((b*c - a*d)*g^3*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c
 + d*x)^3*(b - (d*(a + b*x))/(c + d*x))) - ((3*B*(a + b*x)^2)/(4*d*(c + d*
x)^2) + (3*b*B*(a + b*x))/(d^2*(c + d*x)) - (b*(3*A + B)*(a + b*x))/(d^2*(
c + d*x)) - (3*b*B*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d^2*(c + d*x))
 - ((a + b*x)^2*(3*A + B + 3*B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d*(c + d*
x)^2) - (b^2*(3*A + B + 3*B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a +
b*x))/(b*(c + d*x))])/d^3 - (3*b^2*B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x)
)])/d^3)/d))/i^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 3.20 (sec) , antiderivative size = 681, normalized size of antiderivative = 1.89

method	result
derivativedivides	$e(da-bc)\left(\frac{g^3d^2A\left(\frac{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)be+\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2d}{2}}{d^3}+\frac{b^3e^3}{d^4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{3b^2e^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right)}{d^4}\right.\right.$
default	$e(da-bc)\left(\frac{g^3d^2A\left(\frac{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)be+\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2d}{2}}{d^3}+\frac{b^3e^3}{d^4\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}+\frac{3b^2e^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right)}{d^4}\right.\right.$
parts	$\frac{g^3A\left(\frac{xb^3}{d^3}-\frac{a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3}{2d^4(dx+c)^2}+\frac{3b^2(da-bc)\ln(dx+c)}{d^4}-\frac{3b\left(a^2d^2-2acdb+c^2b^2\right)}{d^4(dx+c)}\right)}{i^3}-g^3Bd\left(\frac{\left(\left(\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c)}\right.\right.\right.\right.$
risch	Expression too large to display

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(g^3*d^2/e^3/i^3*A*(1/d^3*(2*(b*e/d+(a*d-b*c)*e/d/(d*x+
c))*b*e+1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*d)+b^3*e^3/d^4/(b*e-(b*e/d+(a*
d-b*c)*e/d/(d*x+c))*d)+3/d^4*b^2*e^2*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*
d))+g^3*d^2/e^3/i^3*B*((1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-
b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)/d^2+2*((b*e/d+(a*d-
b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*
e/d)*b*e/d^3+(1/b/e/d*ln(b*e-(b*e/d+(a*d-b*c)*e/d/(d*x+c))*d)+ln(b*e/d+(a*
d-b*c)*e/d/(d*x+c))*(b*e/d+(a*d-b*c)*e/d/(d*x+c))/b/e/(b*e-(b*e/d+(a*d-b*c
)*e/d/(d*x+c))*d))*b^3*e^3/d^3+3*(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-
b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x
+c))*d-b*e)/b/e)/d)/d^3*b^2*e^2))
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log((b
*e*x + a*e)/(d*x + c)))/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c
^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$

$$= \frac{g^3\left(\int \frac{Aa^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{Ab^3x^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{Ba^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{3Aab^2x^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\right.}{}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**3,x)
```

output
```
g**3*(Integral(A*a**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
+ Integral(A*b**3*x**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
 + Integral(B*a**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*A*a*b**2*x**2/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*A*a**2*b*x/(c**3 + 3*c
**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(B*b**3*x**3*log(a*e/(c
 + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3)
, x) + Integral(3*B*a*b**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3
 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*B*a**2*b*x*log
(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**
3*x**3), x))/i**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2037 vs. $2(356) = 712$.

Time $= 0.16$ (sec) , antiderivative size $= 2037$, normalized size of antiderivative $= 5.64$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
-3/4*B*a^2*b*g^3*(2*(2*d*x + c)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^4*
i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a
*d^2)*x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c
^3*d^2 - a*c^2*d^3)*i^3) - 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2
- 2*a*b*c*d^3 + a^2*d^4)*i^3) + 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2
*d^2 - 2*a*b*c*d^3 + a^2*d^4)*i^3)) - 1/2*A*b^3*g^3*((6*c^2*d*x + 5*c^3)/(
d^6*i^3*x^2 + 2*c*d^5*i^3*x + c^2*d^4*i^3) - 2*x/(d^3*i^3) + 6*c*log(d*x +
 c)/(d^4*i^3)) + 1/4*B*a^3*g^3*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)
*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) - 2*
log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*
i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^
2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) + 3/2*A*a*b^2*g^
3*((4*c*d*x + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) + 2*log(d
*x + c)/(d^3*i^3)) - 3/2*(2*d*x + c)*A*a^2*b*g^3/(d^4*i^3*x^2 + 2*c*d^3*i^
3*x + c^2*d^2*i^3) - 1/2*A*a^3*g^3/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^
3) + 1/2*(6*a^3*b^2*d^3*g^3*log(e) - (6*g^3*log(e) + 7*g^3)*b^5*c^3 + (18*
g^3*log(e) + 19*g^3)*a*b^4*c^2*d - 2*(9*g^3*log(e) + 7*g^3)*a^2*b^3*c*d^2)
*B*log(d*x + c)/(b^2*c^2*d^4*i^3 - 2*a*b*c*d^5*i^3 + a^2*d^6*i^3) + 1/4*(4
*(b^5*c^2*d^3*g^3*log(e) - 2*a*b^4*c*d^4*g^3*log(e) + a^2*b^3*d^5*g^3*log(
e))*B*x^3 + 8*(b^5*c^3*d^2*g^3*log(e) - 2*a*b^4*c^2*d^3*g^3*log(e) + a^...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)^3*(B*log((b*x + a)*e/(d*x + c)) + A)/(d*i*x + c*i)
^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^3
,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^3
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x)
```

output

```
(g**3*i*(4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**3 + 3*c**2*d*x + 3*
c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**4*d**6 + 8*int((log((a*e + b*e*x)
/(c + d*x))*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*
b**4*c**3*d**7*x + 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**2*d**8*x**2 - 8*int((lo
g((a*e + b*e*x)/(c + d*x))*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3
*x**3),x)*a*b**5*c**5*d**5 - 16*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c
**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**4*d**6*x - 8*in
t((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 +
 d**3*x**3),x)*a*b**5*c**3*d**7*x**2 + 4*int((log((a*e + b*e*x)/(c + d*x))
*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**6*d**4 +
 8*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x
**2 + d**3*x**3),x)*b**6*c**5*d**5*x + 4*int((log((a*e + b*e*x)/(c + d*x))
*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**4*d**6*x
**2 + 12*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*
d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**4*d**6 + 24*int((log((a*e + b*e*x)/
(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b
**3*c**3*d**7*x + 12*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**2*d**8*x**2 - 24*int((l
og((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + ...
```

3.48 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 610
Mathematica [A] (verified) . . . 611
Rubi [A] (verified) . . . 611
Maple [A] (verified) . . . 613
Fricas [F] . . . 615
Sympy [F] . . . 615
Maxima [F] . . . 616
Giac [F] . . . 617
Mupad [F(-1)] . . . 618
Reduce [F] . . . 618

Optimal result

Integrand size = 40, antiderivative size = 251

$$\begin{aligned}\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx &= \frac{Bg^2(a+bx)^2}{4di^3(c+dx)^2}-\frac{Abg^2(a+bx)}{d^2i^3(c+dx)}\\ &+\frac{bBg^2(a+bx)}{d^2i^3(c+dx)}\\ &-\frac{bBg^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^2i^3(c+dx)}\\ &-\frac{g^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2di^3(c+dx)^2}\\ &-\frac{b^2g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^3i^3}\\ &-\frac{b^2Bg^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3}\end{aligned}$$

output
```
1/4*B*g^2*(b*x+a)^2/d/i^3/(d*x+c)^2-A*b*g^2*(b*x+a)/d^2/i^3/(d*x+c)+b*B*g^
2*(b*x+a)/d^2/i^3/(d*x+c)-b*B*g^2*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d^2/i^3/(d
*x+c)-1/2*g^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^3/(d*x+c)^2-b^2*g^
2*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3/i^3-b^2*B*g^2*p
olylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^3
```

Mathematica [A] (verified)

Time = 0.35 (sec) , antiderivative size = 245, normalized size of antiderivative = 0.98

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^2\left(\frac{B(bc-ad)^2}{(c+dx)^2}-\frac{6bB(bc-ad)}{c+dx}-6b^2B\log(a+bx)-\frac{2(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2}+\frac{8b(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx}+6\right.}{}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*
i*x)^3,x]
```

output
```
(g^2*((B*(b*c - a*d)^2)/(c + d*x)^2 - (6*b*B*(b*c - a*d))/(c + d*x) - 6*b^
2*B*Log[a + b*x] - (2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/
(c + d*x)^2 + (8*b*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c +
d*x) + 6*b^2*B*Log[c + d*x] + 4*b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*L
og[c + d*x] - 2*b^2*B*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x]
)*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*d^3*i^3)
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 217, normalized size of antiderivative = 0.86, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g^2\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2793$$

$$\frac{g^2\int\left(-\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{d^2}-\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d(c+dx)}\right)d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2009$$

$$\frac{g^2\left(-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}-\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2}-\frac{Ab(a+bx)}{d^2(c+dx)}-\frac{b^2B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3}-\frac{bB(a+bx)}{d^2(}\right.}{i^3}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^3
,x]
```

output

```
(g^2*((B*(a + b*x)^2)/(4*d*(c + d*x)^2) - (A*b*(a + b*x))/(d^2*(c + d*x))
+ (b*B*(a + b*x))/(d^2*(c + d*x)) - (b*B*(a + b*x)*Log[(e*(a + b*x))/(c +
d*x)])/(d^2*(c + d*x)) - ((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
)/(2*d*(c + d*x)^2) - (b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d
*(a + b*x))/(b*(c + d*x))])/d^3 - (b^2*B*PolyLog[2, (d*(a + b*x))/(b*(c +
d*x))])/d^3))/i^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 3.12 (sec) , antiderivative size = 463, normalized size of antiderivative = 1.84

method	result
parts	$\frac{g^2 A\left(-\frac{a^2d^2-2acdb+c^2b^2}{2d^3(dx+c)^2}+\frac{b^2\ln(dx+c)}{d^3}-\frac{2b(da-bc)}{d^3(dx+c)}\right)}{i^3}-\frac{g^2Bd\left(\frac{\left(\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right.\right.\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{g^2d^2A\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)be+\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2d}{2}}{d^2}-\frac{b^2e^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}\right)}{(da-bc)e^3i^3}-\frac{g^2d^2B\left(-\frac{\left(\frac{be}{d}+\frac{(}{d}\right.\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{g^2d^2A\left(-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)be+\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2d}{2}}{d^2}-\frac{b^2e^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{d^3}\right)}{(da-bc)e^3i^3}-\frac{g^2d^2B\left(-\frac{\left(\frac{be}{d}+\frac{(}{d}\right.\right.}{}$
risch	Expression too large to display

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output
```
g^2*A/i^3*(-1/2*(a^2*d^2-2*a*b*c*d+b^2*c^2)/d^3/(d*x+c)^2+b^2/d^3*ln(d*x+c
)-2*b/d^3*(a*d-b*c)/(d*x+c))-g^2*B/i^3*d/(a*d-b*c)^2/e^2*(((1/2*(b*e/d+(a*
d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)
*e/d/(d*x+c))^2)*d+((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)*b*e)*(a^2*d^2-2*a*b*c*d+b^2*c^2)/d^3+
(dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d+ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b/e)/d)*e^2*(a^2*d^2-
2*a*b*c*d+b^2*c^2)/d^3*b^2)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output
```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)))/(d^3*i^3*x^3 + 3*c*d
^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^2\left(\int \frac{Aa^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{Ab^2x^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{Ba^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2Aabx}{c^3+3c^2dx+3cd^2x^2+d^3}\right.}{i^3}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**3,x)
```

output
```
g**2*(Integral(A*a**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
+ Integral(A*b**2*x**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
 + Integral(B*a**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*a*b*x/(c**3 + 3*c**2*d*x
+ 3*c*d**2*x**2 + d**3*x**3), x) + Integral(B*b**2*x**2*log(a*e/(c + d*x)
+ b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + I
ntegral(2*B*a*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x
+ 3*c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
-1/2*B*a*b*g^2*(2*(2*d*x + c)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^4*i^
3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d
^2)*x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3
*d^2 - a*c^2*d^3)*i^3) - 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 -
2*a*b*c*d^3 + a^2*d^4)*i^3) + 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d
^2 - 2*a*b*c*d^3 + a^2*d^4)*i^3)) + 1/4*B*a^2*g^2*((2*b*d*x + 3*b*c - a*d)
/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a
*c^2*d^2)*i^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^3*i^3*x^2 + 2*c
*d^2*i^3*x + c^2*d*i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a
^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3
)) + 1/2*A*b^2*g^2*((4*c*d*x + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d
^3*i^3) + 2*log(d*x + c)/(d^3*i^3)) - 1/2*B*b^2*g^2*(((d^2*x^2 + 2*c*d*x +
 c^2)*log(d*x + c)^2 + (4*c*d*x + 3*c^2)*log(d*x + c))/(d^5*i^3*x^2 + 2*c*
d^4*i^3*x + c^2*d^3*i^3) - 2*integrate(1/2*(2*d^2*x^2*log(b*x + a) + 2*d^2
*x^2*log(e) + 4*c*d*x + 3*c^2)/(d^5*i^3*x^3 + 3*c*d^4*i^3*x^2 + 3*c^2*d^3*
i^3*x + c^3*d^2*i^3), x)) - (2*d*x + c)*A*a*b*g^2/(d^4*i^3*x^2 + 2*c*d^3*i
^3*x + c^2*d^2*i^3) - 1/2*A*a^2*g^2/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i
^3)
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(B*log((b*x + a)*e/(d*x + c)) + A)/(d*i*x + c*i)
^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^3
,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^3
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x)
```

output

```
(g**2*i*(4*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*
c*d**2*x**2 + d**3*x**3),x)*a**2*b**3*c**4*d**5 + 8*int((log((a*e + b*e*x)
/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*
b**3*c**3*d**6*x + 4*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**3*c**2*d**7*x**2 - 8*int((lo
g((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3
*x**3),x)*a*b**4*c**5*d**4 - 16*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c
**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**4*c**4*d**5*x - 8*in
t((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 +
 d**3*x**3),x)*a*b**4*c**3*d**6*x**2 + 4*int((log((a*e + b*e*x)/(c + d*x))
*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**5*c**6*d**3 +
 8*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x
**2 + d**3*x**3),x)*b**5*c**5*d**4*x + 4*int((log((a*e + b*e*x)/(c + d*x))
*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**5*c**4*d**5*x
**2 - 2*log(a + b*x)*a**4*b*c**2*d**4 - 4*log(a + b*x)*a**4*b*c*d**5*x - 2
*log(a + b*x)*a**4*b*d**6*x**2 + 2*log(c + d*x)*a**4*b*c**2*d**4 + 4*log(c
 + d*x)*a**4*b*c*d**5*x + 2*log(c + d*x)*a**4*b*d**6*x**2 + 4*log(c + d*x)
*a**3*b**2*c**4*d**2 + 8*log(c + d*x)*a**3*b**2*c**3*d**3*x + 4*log(c + d*
x)*a**3*b**2*c**2*d**4*x**2 - 8*log(c + d*x)*a**2*b**3*c**5*d - 16*log(c +
 d*x)*a**2*b**3*c**4*d**2*x - 8*log(c + d*x)*a**2*b**3*c**3*d**3*x**2 +...
```

3.49 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 620
Mathematica [B] (verified) . . . 620
Rubi [A] (verified) . . . 621
Maple [B] (verified) . . . 622
Fricas [B] (verification not implemented) . . . 624
Sympy [B] (verification not implemented) . . . 624
Maxima [B] (verification not implemented) . . . 625
Giac [A] (verification not implemented) . . . 626
Mupad [B] (verification not implemented) . . . 627
Reduce [B] (verification not implemented) . . . 627

Optimal result

Integrand size = 38, antiderivative size = 85

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = -\frac{Bg(a+bx)^2}{4(bc-ad)i^3(c+dx)^2} + \frac{g(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)i^3(c+dx)^2}$$

output

```
-1/4*B*g*(b*x+a)^2/(-a*d+b*c)/i^3/(d*x+c)^2+1/2*g*(b*x+a)^2*(A+B*ln(e*(b*x
+a)/(d*x+c)))/(-a*d+b*c)/i^3/(d*x+c)^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 207 vs. 2(85) = 170.

Time = 0.18 (sec) , antiderivative size = 207, normalized size of antiderivative = 2.44

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx = \frac{g\left(\frac{(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^2(c+dx)^2} - \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^2(c+dx)} + \frac{bB\left(\frac{1}{c+dx}+\frac{b\log(a+bx)}{bc-ad}-\frac{b\log(c+dx)}{bc-ad}\right)}{d^2} - \frac{B\left(\frac{bc-ad}{(c+dx)^2}+\frac{2b}{c+dx}+\frac{2b^2\log(a+bx)}{bc-ad}\right.}{4d^2}\right.}{i^3}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*
x)^3,x]
```

output
```
(g*(((b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d^2*(c + d*x)^2)
 - (b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d^2*(c + d*x)) + (b*B*((c + d
*x)^(-1) + (b*Log[a + b*x])/(b*c - a*d) - (b*Log[c + d*x])/(b*c - a*d)))/d
^2 - (B*((b*c - a*d)/(c + d*x)^2 + (2*b)/(c + d*x) + (2*b^2*Log[a + b*x])/
(b*c - a*d) - (2*b^2*Log[c + d*x])/(b*c - a*d)))/(4*d^2)))/i^3
```

Rubi [A] (verified)

Time $= 0.26$ (sec) , antiderivative size $= 72$, normalized size of antiderivative $= 0.85$, number of steps used $= 3$, number of rules used $= 2$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used $= \{2962, 2741\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx}d\frac{a+bx}{c+dx}}{i^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2}-\frac{B(a+bx)^2}{4(c+dx)^2}\right)}{i^3(bc-ad)}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c*i + d*i*x)^3,x
]
```

output
```
(g*(-1/4*(B*(a + b*x)^2)/(c + d*x)^2 + ((a + b*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(2*(c + d*x)^2)))/((b*c - a*d)*i^3)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 173 vs. $2(81) = 162$.

Time = 1.34 (sec) , antiderivative size = 174, normalized size of antiderivative = 2.05

method	result
norman	$\frac{-\frac{2Aadg+2Abcg-Badg-Bbcg}{4i\,d^2}-\frac{(2Abg-Bbg)x}{2id}-\frac{B\,a^2 g\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2i(da-bc)}-\frac{B\,b^2 g\,x^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2(da-bc)i}-\frac{Babgx\ln\left(\frac{e(bx+a)}{dx+c}\right)}{i(da-bc)}}{i^2(dx+c)^2}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{g\,d^2A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^2e^3i^3}+\frac{g\,d^2B\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right)}{(da-bc)^2e^3i^3}\right)}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{g\,d^2A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^2e^3i^3}+\frac{g\,d^2B\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right)}{(da-bc)^2e^3i^3}\right)}{d^2}$
parallelrisch	$-\frac{2A\,a^2b\,d^4g-2A\,b^3c^2d^2g-B\,a^2b\,d^4g+B\,b^3c^2d^2g+2B\ln\left(\frac{e(bx+a)}{dx+c}\right)a^2b\,d^4g+2B\,x^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3d^4g+4Axa\,b^2d^4g-$
risch	$-\frac{Bg(2bdx+da+bc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2d^2i^3(dx+c)^2}-\frac{g(2B\ln(bx+a)b^2d^2x^2-2B\ln(-dx-c)b^2d^2x^2+4B\ln(bx+a)b^2cdx-4B\ln(-dx-$
parts	$\frac{gA\left(-\frac{da-bc}{2d^2(dx+c)^2}-\frac{b}{d^2(dx+c)}\right)}{i^3}-\frac{gBd\left(a\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right)-\frac{bc\left(\frac{\left(\frac{be}{d}+\frac{(da-}{d(d}\right.\right.}{i^3(da-bc)^2e^2}$
orering	$-\frac{(dx+c)(-2d^2b^2x^3-3x^2ab\,d^2+3x^2b^2cd+6xacdb+5a^2cd-ab\,c^2)(bgx+ag)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)}{4c(da-bc)d(bx+a)(dix+ci)^3}-\frac{(-bd\,x^2+ac)(d}{}$

input
```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x,method=_RETURN
VERBOSE)
```

output
```
(-1/4*(2*A*a*d*g+2*A*b*c*g-B*a*d*g-B*b*c*g)/i/d^2-1/2*(2*A*b*g-B*b*g)/i/d*
x-1/2*B*a^2*g/i/(a*d-b*c)*ln(e*(b*x+a)/(d*x+c))-1/2*B*b^2*g/(a*d-b*c)/i*x^
2*ln(e*(b*x+a)/(d*x+c))-B*a*b*g/i/(a*d-b*c)*x*ln(e*(b*x+a)/(d*x+c)))/i^2/(
d*x+c)^2
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 185 vs. 2(81) = 162.

Time = 0.08 (sec) , antiderivative size = 185, normalized size of antiderivative = 2.18

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx =$$
$$-\frac{2\left((2A-B)b^2cd-(2A-B)abd^2\right)gx+\left((2A-B)b^2c^2-(2A-B)a^2d^2\right)g-2\left(Bb^2d^2gx^2+2Babd^2g\right.}{4\left((bcd^4-ad^5)i^3x^2+2\left(bc^2d^3-acd^4\right)i^3x+\left(bc^3d^2-ac^2d^3\right)i^3\right)}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algori
thm="fricas")
```

output
```
-1/4*(2*((2*A - B)*b^2*c*d - (2*A - B)*a*b*d^2)*g*x + ((2*A - B)*b^2*c^2 -
 (2*A - B)*a^2*d^2)*g - 2*(B*b^2*d^2*g*x^2 + 2*B*a*b*d^2*g*x + B*a^2*d^2*g
)*log((b*e*x + a*e)/(d*x + c)))/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3
- a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 382 vs. 2(71) = 142.

Time = 2.28 (sec) , antiderivative size = 382, normalized size of antiderivative = 4.49

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{Bb^2g\log\left(x+\frac{-\frac{Ba^2b^2d^2g}{ad-bc}+\frac{2Bab^3cdg}{ad-bc}+Bab^2dg-\frac{Bb^4c^2g}{ad-bc}+Bb^3cg}{2Bb^3dg}\right)}{2d^2i^3\left(ad-bc\right)}$$
$$- \frac{Bb^2g\log\left(x+\frac{\frac{Ba^2b^2d^2g}{ad-bc}-\frac{2Bab^3cdg}{ad-bc}+Bab^2dg+\frac{Bb^4c^2g}{ad-bc}+Bb^3cg}{2Bb^3dg}\right)}{2d^2i^3\left(ad-bc\right)}$$
$$+ \frac{-2Aadg-2Abcg+Badg+Bbcg+x(-4Abdg+2Bbdg)}{4c^2d^2i^3+8cd^3i^3x+4d^4i^3x^2}$$
$$+ \frac{(-Badg-Bbcg-2Bbdgx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{2c^2d^2i^3+4cd^3i^3x+2d^4i^3x^2}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**3,x)
```

output
```
B*b**2*g*log(x + (-B*a**2*b**2*d**2*g/(a*d - b*c) + 2*B*a*b**3*c*d*g/(a*d
 - b*c) + B*a*b**2*d*g - B*b**4*c**2*g/(a*d - b*c) + B*b**3*c*g)/(2*B*b**3*
d*g))/(2*d**2*i**3*(a*d - b*c)) - B*b**2*g*log(x + (B*a**2*b**2*d**2*g/(a*
d - b*c) - 2*B*a*b**3*c*d*g/(a*d - b*c) + B*a*b**2*d*g + B*b**4*c**2*g/(a*
d - b*c) + B*b**3*c*g)/(2*B*b**3*d*g))/(2*d**2*i**3*(a*d - b*c)) + (-2*A*a
*d*g - 2*A*b*c*g + B*a*d*g + B*b*c*g + x*(-4*A*b*d*g + 2*B*b*d*g))/(4*c**2
*d**2*i**3 + 8*c*d**3*i**3*x + 4*d**4*i**3*x**2) + (-B*a*d*g - B*b*c*g - 2
*B*b*d*g*x)*log(e*(a + b*x)/(c + d*x))/(2*c**2*d**2*i**3 + 4*c*d**3*i**3*x
 + 2*d**4*i**3*x**2)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 567 vs. $2(81) = 162$.

Time $= 0.06$ (sec) , antiderivative size $= 567$, normalized size of antiderivative $= 6.67$

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx =$$
$$-\frac{1}{4}\,Bbg\left(\frac{2\,(2\,dx+c)\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)}{d^4i^3x^2+2\,cd^3i^3x+c^2d^2i^3}-\frac{bc^2-3\,acd+2\,(bcd-2\,ad^2)x}{(bcd^4-ad^5)i^3x^2+2\,(bc^2d^3-acd^4)i^3x+(bc^3d^2-ac^2d^3)i^3}-\right.$$
$$+\frac{1}{4}\,Bag\left(\frac{2\,bdx+3\,bc-ad}{(bcd^3-ad^4)i^3x^2+2\,(bc^2d^2-acd^3)i^3x+(bc^3d-ac^2d^2)i^3}-\frac{2\log\left(\frac{bex}{dx+c}+\frac{ae}{dx+c}\right)}{d^3i^3x^2+2\,cd^2i^3x+c^2di^3}+\right.$$
$$-\frac{(2\,dx+c)Abg}{2\,(d^4i^3x^2+2\,cd^3i^3x+c^2d^2i^3)}-\frac{Aag}{2\,(d^3i^3x^2+2\,cd^2i^3x+c^2di^3)}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algori
thm="maxima")
```

output

```
-1/4*B*b*g*(2*(2*d*x + c)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^4*i^3*x^
2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*
x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2
 - a*c^2*d^3)*i^3) - 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*
b*c*d^3 + a^2*d^4)*i^3) + 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 -
 2*a*b*c*d^3 + a^2*d^4)*i^3)) + 1/4*B*a*g*((2*b*d*x + 3*b*c - a*d)/((b*c*d
^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2
)*i^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^3*i^3*x^2 + 2*c*d^2*i^3
*x + c^2*d*i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*
i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2
*(2*d*x + c)*A*b*g/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - 1/2*A*a*g
/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.55

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$

$$=\frac{1}{4}\left(\frac{bc}{(bce-ade)(bc-ad)}-\frac{ad}{(bce-ade)(bc-ad)}\right)\left(\frac{2\,(bex+ae)^2Bg\log\left(\frac{bex+ae}{dx+c}\right)}{(dx+c)^2ei^3}+\frac{(bex+ae)^2(2\,Ag-\right.$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algori
thm="giac")
```

output

```
1/4*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d))
)*(2*(b*e*x + a*e)^2*B*g*log((b*e*x + a*e)/(d*x + c))/((d*x + c)^2*e*i^3)
+ (b*e*x + a*e)^2*(2*A*g - B*g)/((d*x + c)^2*e*i^3))
```

Mupad [B] (verification not implemented)

Time = 28.29 (sec) , antiderivative size = 198, normalized size of antiderivative = 2.33

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= -\frac{x\,(2\,A\,b\,d\,g - B\,b\,d\,g) + A\,a\,d\,g + A\,b\,c\,g - \frac{B\,a\,d\,g}{2} - \frac{B\,b\,c\,g}{2}}{2\,c^2\,d^2\,i^3 + 4\,c\,d^3\,i^3\,x + 2\,d^4\,i^3\,x^2}$$
$$- \frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,\left(\frac{B\,a\,g}{2\,d^2\,i^3} + \frac{B\,b\,c\,g}{2\,d^3\,i^3} + \frac{B\,b\,g\,x}{d^2\,i^3}\right)}{2\,c\,x + d\,x^2 + \frac{c^2}{d}} + \frac{B\,b^2\,g\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c} + 1\mathrm{i}\right)\,1\mathrm{i}}{d^2\,i^3\,(a\,d-b\,c)}$$

input
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x))))/(c*i + d*i*x)^3,x
)
```

output
```
(B*b^2*g*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*1i)/(d^2*i^3*(a*d - b*
c)) - (log((e*(a + b*x))/(c + d*x))*((B*a*g)/(2*d^2*i^3) + (B*b*c*g)/(2*d^
3*i^3) + (B*b*g*x)/(d^2*i^3)))/(2*c*x + d*x^2 + c^2/d) - (x*(2*A*b*d*g - B
*b*d*g) + A*a*d*g + A*b*c*g - (B*a*d*g)/2 - (B*b*c*g)/2)/(2*c^2*d^2*i^3 +
2*d^4*i^3*x^2 + 4*c*d^3*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 339, normalized size of antiderivative = 3.99

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{gi\left(-2\log(bx+a)\,a\,b^2c^2 - 4\log(bx+a)\,a\,b^2cdx - 2\log(bx+a)\,a\,b^2d^2x^2 + 2\log(dx+c)\,a\,b^2c^2 + 4\log(d$$

input
```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x)
```

output

```
(g*i*( - 2*log(a + b*x)*a*b**2*c**2 - 4*log(a + b*x)*a*b**2*c*d*x - 2*log(
a + b*x)*a*b**2*d**2*x**2 + 2*log(c + d*x)*a*b**2*c**2 + 4*log(c + d*x)*a*
b**2*c*d*x + 2*log(c + d*x)*a*b**2*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*
x))*a**2*b*c*d + 2*log((a*e + b*e*x)/(c + d*x))*a*b**2*c**2 + 2*log((a*e +
 b*e*x)/(c + d*x))*a*b**2*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*b**3*
c*d*x**2 - 2*a**3*c*d + 2*a**2*b*c**2 + a**2*b*c*d + 2*a**2*b*d**2*x**2 -
a*b**2*c**2 - 2*a*b**2*c*d*x**2 - a*b**2*d**2*x**2 + b**3*c*d*x**2))/(4*c*
d*(a*c**2*d + 2*a*c*d**2*x + a*d**3*x**2 - b*c**3 - 2*b*c**2*d*x - b*c*d**
2*x**2))
```

3.50 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 629
Mathematica [A] (verified) . . . 629
Rubi [A] (verified) . . . 630
Maple [A] (verified) . . . 632
Fricas [A] (verification not implemented) . . . 633
Sympy [B] (verification not implemented) . . . 633
Maxima [A] (verification not implemented) . . . 634
Giac [A] (verification not implemented) . . . 635
Mupad [B] (verification not implemented) . . . 635
Reduce [B] (verification not implemented) . . . 636

Optimal result

Integrand size = 30, antiderivative size = 144

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx = \frac{B}{4di^3(c+dx)^2}+\frac{bB}{2d(bc-ad)i^3(c+dx)}+\frac{b^2B\log(a+bx)}{2d(bc-ad)^2i^3} - \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2di^3(c+dx)^2}-\frac{b^2B\log(c+dx)}{2d(bc-ad)^2i^3}$$

output

```
1/4*B/d/i^3/(d*x+c)^2+1/2*b*B/d/(-a*d+b*c)/i^3/(d*x+c)+1/2*b^2*B*ln(b*x+a)
/d/(-a*d+b*c)^2/i^3-1/2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^3/(d*x+c)^2-1/2*b^
2*B*ln(d*x+c)/d/(-a*d+b*c)^2/i^3
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 111, normalized size of antiderivative = 0.77

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx = \frac{-2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+\frac{B\left((bc-ad)(3bc-ad+2bdx)+2b^2(c+dx)^2\log(a+bx)-2b^2(c+dx)^2\log(c+dx)\right)}{(bc-ad)^2}}{4di^3(c+dx)^2}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x)^3,x]
```

output
```
(-2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + (B*((b*c - a*d)*(3*b*c - a*d +
2*b*d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*Log[c + d*x]
))/(b*c - a*d)^2)/(4*d*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 138, normalized size of antiderivative = 0.96, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2948, 27, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ci+dix)^3}\,dx$$

$$\downarrow 2948$$

$$\frac{B(bc-ad)\int \frac{1}{i^2(a+bx)(c+dx)^3}\,dx}{2di} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 27$$

$$\frac{B(bc-ad)\int \frac{1}{(a+bx)(c+dx)^3}\,dx}{2di^3} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 54$$

$$\frac{B(bc-ad)\int \left(\frac{b^3}{(bc-ad)^3(a+bx)} - \frac{db^2}{(bc-ad)^3(c+dx)} - \frac{db}{(bc-ad)^2(c+dx)^2} - \frac{d}{(bc-ad)(c+dx)^3}\right)dx}{2di^3} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 2009$$

$$\frac{B(bc-ad)\left(\frac{b^2\log(a+bx)}{(bc-ad)^3} - \frac{b^2\log(c+dx)}{(bc-ad)^3} + \frac{b}{(c+dx)(bc-ad)^2} + \frac{1}{2(c+dx)^2(bc-ad)}\right)}{2di^3} - \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{2di^3(c+dx)^2}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/(c*i + d*i*x)^3,x]
```

output
```
-1/2*(A + B*Log[(e*(a + b*x))/(c + d*x)])/(d*i^3*(c + d*x)^2) + (B*(b*c -
a*d)*(1/(2*(b*c - a*d)*(c + d*x)^2) + b/((b*c - a*d)^2*(c + d*x)) + (b^2*L
og[a + b*x])/(b*c - a*d)^3 - (b^2*Log[c + d*x])/(b*c - a*d)^3))/(2*d*i^3)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2948
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*(
(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])/(g*(m + 1))), x] - Simp[B*n*((b*c
- a*d)/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /
; FreeQ[{a, b, c, d, e, f, g, A, B, m, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && NeQ[m, -1] &&  !(EqQ[m, -2] && IntegerQ[n])
```

Maple [A] (verified)

Time = 1.35 (sec) , antiderivative size = 221, normalized size of antiderivative = 1.53

method	result
parts	$-\frac{A}{2i^3(dx+c)^2d}-\frac{Bd\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}-\frac{be\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}{d}\right.}{i^3(da-bc)^2e^2}$
norman	$\frac{\frac{Bcb^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{\left(a^2d^2-2acdb+c^2b^2\right)i}-\frac{2Aad^2-2Abcd-Bad^2+3Bbcd}{4id^2(da-bc)}-\frac{Bbx}{2i(da-bc)}-\frac{Ba(da-2bc)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2i\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{b^2Bdx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2\left(a^2d^2-2acdb+c^2b^2\right)i}}{i^2(dx+c)^2}$
parallelrisch	$-\frac{2Aa^2bd^5+2Ab^3c^2d^3-Ba^2bd^5-3Bb^3c^2d^3-4Aab^2cd^4+4Bab^2cd^4-2Bx^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^3d^5+2Bxab^2d^5-2Bxb^3}{4i^3(dx+c)^2(a^2d^2-2acdb+c^2b^2)bd^4}$
orering	$-\frac{(dx+c)(-8b^2dx^2-3xabd-13b^2cx+5a^2d-13abc)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)}{4(a^2d^2-2acdb+c^2b^2)(dix+ci)^3}-\frac{(-2bdx+da-3bc)(bx+a)(dx+c)^2\left(\frac{B\left(\right.\right.}{4d(a^2}$
risch	$-\frac{B\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2di^3(dx+c)^2}-\frac{2B\ln(dx+c)b^2d^2x^2-2B\ln(-bx-a)b^2d^2x^2+4B\ln(dx+c)b^2cdx-4B\ln(-bx-a)b^2cdx+2B\ln(d}{4(a^2d^2-2}$
derivativedivides	$e(da-bc)\left(-\frac{d^2Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^3e^2i^3}+\frac{d^3A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^3e^3i^3}-\frac{d^2Bb\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right.}{(da-bc)^3e^2i^3}\right.$ $-\frac{}{d^2}$
default	$e(da-bc)\left(-\frac{d^2Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^3e^2i^3}+\frac{d^3A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^3e^3i^3}-\frac{d^2Bb\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right.}{(da-bc)^3e^2i^3}\right.$ $-\frac{}{d^2}$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x,method=_RETURNVERBOSE)
```

output
```
-1/2*A/i^3/(d*x+c)^2/d-B/i^3*d/(a*d-b*c)^2/e^2*(1/2*(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^2-b*e/d*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(
a*d-b*c)*e/d/(d*x+c)-b*e/d))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 221, normalized size of antiderivative = 1.53

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx = -\frac{(2\,A-3\,B)b^2c^2-4\,(A-B)abcd+(2\,A-B)a^2d^2-2\,(Bb^2cd-Babd^2)x-2\,(Bb^2d^2x^2+2\,Bb^2cdx+}{4\,((b^2c^2d^3-2\,abcd^4+a^2d^5)i^3x^2+2\,(b^2c^3d^2-2\,abc^2d^3+a^2cd^4)i^3x+(b^2c^4d-2\,abc^3$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algorithm="fricas"
)
```

output
```
-1/4*((2*A - 3*B)*b^2*c^2 - 4*(A - B)*a*b*c*d + (2*A - B)*a^2*d^2 - 2*(B*b
^2*c*d - B*a*b*d^2)*x - 2*(B*b^2*d^2*x^2 + 2*B*b^2*c*d*x + 2*B*a*b*c*d - B
*a^2*d^2)*log((b*e*x + a*e)/(d*x + c)))/((b^2*c^2*d^3 - 2*a*b*c*d^4 + a^2*
d^5)*i^3*x^2 + 2*(b^2*c^3*d^2 - 2*a*b*c^2*d^3 + a^2*c*d^4)*i^3*x + (b^2*c^
4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 422 vs. 2(122) = 244.

Time = 1.10 (sec) , antiderivative size = 422, normalized size of antiderivative = 2.93

$$\begin{aligned}
&\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx \\
&= -\frac{Bb^2\log\left(x+\frac{-\frac{Ba^3b^2d^3}{(ad-bc)^2}+\frac{3Ba^2b^3cd^2}{(ad-bc)^2}-\frac{3Bab^4c^2d}{(ad-bc)^2}+Bab^2d+\frac{Bb^5c^3}{(ad-bc)^2}+Bb^3c}{2Bb^3d}\right)}{2di^3\,(ad-bc)^2} \\
&\quad + \frac{Bb^2\log\left(x+\frac{\frac{Ba^3b^2d^3}{(ad-bc)^2}-\frac{3Ba^2b^3cd^2}{(ad-bc)^2}+\frac{3Bab^4c^2d}{(ad-bc)^2}+Bab^2d-\frac{Bb^5c^3}{(ad-bc)^2}+Bb^3c}{2Bb^3d}\right)}{2di^3\,(ad-bc)^2} \\
&\quad - \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2c^2di^3+4cd^2i^3x+2d^3i^3x^2} \\
&\quad + \frac{-2Aad+2Abc+Bad-3Bbc-2Bbdx}{4ac^2d^2i^3-4bc^3di^3+x^2\cdot(4ad^4i^3-4bcd^3i^3)+x\,(8acd^3i^3-8bc^2d^2i^3)}
\end{aligned}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)**3,x)
```

output
```
-B*b**2*log(x + (-B*a**3*b**2*d**3/(a*d - b*c)**2 + 3*B*a**2*b**3*c*d**2/(
a*d - b*c)**2 - 3*B*a*b**4*c**2*d/(a*d - b*c)**2 + B*a*b**2*d + B*b**5*c**
3/(a*d - b*c)**2 + B*b**3*c)/(2*B*b**3*d))/(2*d*i**3*(a*d - b*c)**2) + B*b
**2*log(x + (B*a**3*b**2*d**3/(a*d - b*c)**2 - 3*B*a**2*b**3*c*d**2/(a*d -
 b*c)**2 + 3*B*a*b**4*c**2*d/(a*d - b*c)**2 + B*a*b**2*d - B*b**5*c**3/(a*
d - b*c)**2 + B*b**3*c)/(2*B*b**3*d))/(2*d*i**3*(a*d - b*c)**2) - B*log(e*
(a + b*x)/(c + d*x))/(2*c**2*d*i**3 + 4*c*d**2*i**3*x + 2*d**3*i**3*x**2)
+ (-2*A*a*d + 2*A*b*c + B*a*d - 3*B*b*c - 2*B*b*d*x)/(4*a*c**2*d**2*i**3 -
 4*b*c**3*d*i**3 + x**2*(4*a*d**4*i**3 - 4*b*c*d**3*i**3) + x*(8*a*c*d**3*
i**3 - 8*b*c**2*d**2*i**3))
```

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 255, normalized size of antiderivative = 1.77

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}B\left(\frac{2\,bdx + 3\,bc - ad}{(bcd^3 - ad^4)i^3x^2 + 2\,(bc^2d^2 - acd^3)i^3x + (bc^3d - ac^2d^2)i^3} - \frac{2\,\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)}{d^3i^3x^2 + 2\,cd^2i^3x + c^2di^3} + \frac{2\,b^2}{(b^2c^2d -}\right.$$
$$\left. - \frac{A}{2\,(d^3i^3x^2 + 2\,cd^2i^3x + c^2di^3)}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algorithm="maxima"
)
```

output
```
1/4*B*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 -
 a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) - 2*log(b*e*x/(d*x + c) + a*e
/(d*x + c))/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) + 2*b^2*log(b*x + a)
/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*
d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*A/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^
2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 236, normalized size of antiderivative = 1.64

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}\left(2\left(\frac{2\,(bex+ae)Bb}{(bci^3-adi^3)(dx+c)} - \frac{(bex+ae)^2Bd}{(bcei^3-adei^3)(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right) - \frac{(bex+ae)^2(2\,Ad-Bd)}{(bcei^3-adei^3)(dx+c)^2}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x, algorithm="giac")
```

output
```
1/4*(2*(2*(b*e*x + a*e)*B*b/((b*c*i^3 - a*d*i^3)*(d*x + c)) - (b*e*x + a*e
)^2*B*d/((b*c*e*i^3 - a*d*e*i^3)*(d*x + c)^2))*log((b*e*x + a*e)/(d*x + c)
) - (b*e*x + a*e)^2*(2*A*d - B*d)/((b*c*e*i^3 - a*d*e*i^3)*(d*x + c)^2) +
4*(b*e*x + a*e)*(A*b - B*b)/((b*c*i^3 - a*d*i^3)*(d*x + c)))*(b*c/((b*c*e
- a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.25 (sec) , antiderivative size = 208, normalized size of antiderivative = 1.44

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx = \frac{B\,b^2\,\mathrm{atanh}\left(\frac{2\,a^2\,d^3\,i^3-2\,b^2\,c^2\,d\,i^3}{2\,d\,i^3\,(a\,d-b\,c)^2}+\frac{2\,b\,d\,x}{a\,d-b\,c}\right)}{d\,i^3\,(a\,d-b\,c)^2}$$
$$-\frac{B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{2\,d^2\,i^3\,\left(2\,c\,x+d\,x^2+\frac{c^2}{d}\right)}$$
$$-\frac{\frac{2\,A\,a\,d-2\,A\,b\,c-B\,a\,d+3\,B\,b\,c}{2\,(a\,d-b\,c)}+\frac{B\,b\,d\,x}{a\,d-b\,c}}{2\,c^2\,d\,i^3+4\,c\,d^2\,i^3\,x+2\,d^3\,i^3\,x^2}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/(c*i + d*i*x)^3,x)
```

output
```
(B*b^2*atanh((2*a^2*d^3*i^3 - 2*b^2*c^2*d*i^3)/(2*d*i^3*(a*d - b*c)^2) + (
2*b*d*x)/(a*d - b*c)))/(d*i^3*(a*d - b*c)^2) - (B*log((e*(a + b*x))/(c + d
*x)))/(2*d^2*i^3*(2*c*x + d*x^2 + c^2/d)) - ((2*A*a*d - 2*A*b*c - B*a*d +
3*B*b*c)/(2*(a*d - b*c)) + (B*b*d*x)/(a*d - b*c))/(2*c^2*d*i^3 + 2*d^3*i^3
*x^2 + 4*c*d^2*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 577, normalized size of antiderivative = 4.01

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ci+dix)^3}\,dx$$
$$= \frac{i\left(-3a\,b^2c^3d + a\,b^2c\,d^3x^2 - 4\log(bx+a)\,a^2bc\,d^3x + 8\log(bx+a)\,a\,b^2c^2d^2x + 4\log(bx+a)\,a\,b^2c\,d^3x^2 + 4\right.}{}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(d*i*x+c*i)^3,x)
```

output
```
(i*( - 2*log(a + b*x)*a**2*b*c**2*d**2 - 4*log(a + b*x)*a**2*b*c*d**3*x -
2*log(a + b*x)*a**2*b*d**4*x**2 + 4*log(a + b*x)*a*b**2*c**3*d + 8*log(a +
 b*x)*a*b**2*c**2*d**2*x + 4*log(a + b*x)*a*b**2*c*d**3*x**2 + 2*log(c + d
*x)*a**2*b*c**2*d**2 + 4*log(c + d*x)*a**2*b*c*d**3*x + 2*log(c + d*x)*a**
2*b*d**4*x**2 - 4*log(c + d*x)*a*b**2*c**3*d - 8*log(c + d*x)*a*b**2*c**2*
d**2*x - 4*log(c + d*x)*a*b**2*c*d**3*x**2 + 4*log((a*e + b*e*x)/(c + d*x)
)*a**2*b*c*d**3*x + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b*d**4*x**2 - 8*lo
g((a*e + b*e*x)/(c + d*x))*a*b**2*c**2*d**2*x - 4*log((a*e + b*e*x)/(c + d
*x))*a*b**2*c*d**3*x**2 + 4*log((a*e + b*e*x)/(c + d*x))*b**3*c**3*d*x + 2
*log((a*e + b*e*x)/(c + d*x))*b**3*c**2*d**2*x**2 - 2*a**3*c**2*d**2 + 4*a
**2*b*c**3*d + a**2*b*c**2*d**2 - 2*a*b**2*c**4 - 3*a*b**2*c**3*d + a*b**2
*c*d**3*x**2 + 2*b**3*c**4 - b**3*c**2*d**2*x**2))/(4*c**2*d*(a**2*c**2*d*
*2 + 2*a**2*c*d**3*x + a**2*d**4*x**2 - 2*a*b*c**3*d - 4*a*b*c**2*d**2*x -
 2*a*b*c*d**3*x**2 + b**2*c**4 + 2*b**2*c**3*d*x + b**2*c**2*d**2*x**2))
```

3.51 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$

Optimal result . . . 637
Mathematica [C] (verified) . . . 638
Rubi [A] (verified) . . . 638
Maple [A] (verified) . . . 640
Fricas [A] (verification not implemented) . . . 642
Sympy [B] (verification not implemented) . . . 642
Maxima [B] (verification not implemented) . . . 643
Giac [A] (verification not implemented) . . . 644
Mupad [B] (verification not implemented) . . . 645
Reduce [B] (verification not implemented) . . . 646

Optimal result

Integrand size = 40, antiderivative size = 243

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx = &-\frac{B\left(4b-\frac{d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^3gi^3}-\frac{b^2B\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^3gi^3}\\ &+\frac{d^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3gi^3(c+dx)^2}\\ &-\frac{2bd(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3gi^3(c+dx)}\\ &+\frac{b^2\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3gi^3}\end{aligned}$$

output

```
-1/4*B*(4*b-d*(b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g/i^3-1/2*b^2*B*ln((b*x+a)/(
d*x+c))^2/(-a*d+b*c)^3/g/i^3+1/2*d^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))
/(-a*d+b*c)^3/g/i^3/(d*x+c)^2-2*b*d*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-
a*d+b*c)^3/g/i^3/(d*x+c)+b^2*ln((b*x+a)/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)
))/(-a*d+b*c)^3/g/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.46 (sec) , antiderivative size = 418, normalized size of antiderivative = 1.72

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{2(bc-ad)^2\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) + 4b(bc-ad)(c+dx)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right) + 4b^2(c+dx)^2\log(a+$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x
)^3),x]
```

output
```
(2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*b*(b*c - a*d)*(c
 + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*b^2*(c + d*x)^2*Log[a + b
*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 4*b^2*(c + d*x)^2*(A + B*Log[(e
*(a + b*x))/(c + d*x)])*Log[c + d*x] - 4*b*B*(c + d*x)*(b*c - a*d + b*(c +
 d*x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]) - B*((b*c - a*d)^2 + 2*b*(b
*c - a*d)*(c + d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*L
og[c + d*x]) - 2*b^2*B*(c + d*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*
(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 2
*b^2*B*(c + d*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*L
og[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*(b*c - a*d)^3*g
*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 182, normalized size of antiderivative = 0.75, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{(ag+bgx)(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{a+bx}d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-B\int\left(\frac{b^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}-\frac{1}{2}d\left(4b-\frac{d(a+bx)}{c+dx}\right)\right)d\frac{a+bx}{c+dx}+b^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)+\frac{d^2(a+bx)^2\left(B\log\left(\frac{e}{}\right.\right.}{2(c+dx)}}{gi^3(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{b^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)+\frac{d^2(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2}-\frac{2bd(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{c+dx}-B\left(\frac{1}{2}b^2\log^2\left(\frac{}{}\right.\right.}{gi^3(bc-ad)^3}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)*(c*i + d*i*x)^3),x
]
```

output

```
(-(B*((4*b - (d*(a + b*x))/(c + d*x))^2/4 + (b^2*Log[(a + b*x)/(c + d*x)]^
2)/2)) + (d^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(c + d*
x)^2) - (2*b*d*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) +
 b^2*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/((b*c
- a*d)^3*g*i^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.00 (sec) , antiderivative size = 367, normalized size of antiderivative = 1.51

method	result
parts	$\frac{A\left(-\frac{1}{2(da-bc)(dx+c)^2}+\frac{b^2\ln(dx+c)}{(da-bc)^3}+\frac{b}{(da-bc)^2(dx+c)}-\frac{b^2\ln(bx+a)}{(da-bc)^3}\right)}{g\,i^3}-\frac{Bd\left(\frac{d\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\right.}{da-bc}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}-\frac{2d^3Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^4g}+\frac{d^4A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^4g}+\frac{d^2Bb^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e\,i^3(da-bc)^4g}-\frac{2}{}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}-\frac{2d^3Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^4g}+\frac{d^4A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^4g}+\frac{d^2Bb^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e\,i^3(da-bc)^4g}-\frac{2}{}\right.}{}$
parallelrisch	$-\frac{2B\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a^2b^2c^6-4Ax\,a^4c^3d^3+4A\ln\left(\frac{e(bx+a)}{dx+c}\right)a^2b^2c^6+2Bx\,a^4c^3d^3+2B\ln\left(\frac{e(bx+a)}{dx+c}\right)a^4c^4d^2-2A\,x^2a^4c^2d}{}$
norman	$-\frac{2Aa\,d^3-6Abc\,d^2-Ba\,d^3+7Bbc\,d^2}{4gi(da-bc)^2d^2}-\frac{\left(2A\,b^2c^2+B\,a^2d^2-4Babcd\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{2gi\left(a^3d^3-3a^2bc\,d^2+3a\,b^2c^2d-b^3c^3\right)}+\frac{\left(2Ab\,d^2-3Bb\,d^2\right)x}{2ig\left(a^2d^2-2acdb+c^2b^2\right)d}-\frac{B\,b^2c^2\ln}{2gi\left(a^3d^3-3a^2bc}$
risch	$-\frac{A}{2g\,i^3(da-bc)(dx+c)^2}+\frac{A\,b^2\ln(dx+c)}{g\,i^3(da-bc)^3}+\frac{Ab}{g\,i^3(da-bc)^2(dx+c)}-\frac{A\,b^2\ln(bx+a)}{g\,i^3(da-bc)^3}+\frac{3B\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)b^2}{2g\,i^3(da-bc)^3}+$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^3,x,method=_RETURN
VERBOSE)
```

output
```
A/g/i^3*(-1/2/(a*d-b*c)/(d*x+c)^2+b^2/(a*d-b*c)^3*ln(d*x+c)+b/(a*d-b*c)^2/
(d*x+c)-b^2/(a*d-b*c)^3*ln(b*x+a))-B/g/i^3*d/(a*d-b*c)^2/e^2*(d/(a*d-b*c)*
(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(
b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2/(a*d-b*c)*b*e*((b*e/d+(a*d-b*c)*e/d/(d*x
+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)+1/2/d/(a
*d-b*c)*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 355, normalized size of antiderivative = 1.46

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{(6A-7B)b^2c^2 - 8(A-B)abcd + (2A-B)a^2d^2 + 2\left(Bb^2d^2x^2 + 2Bb^2cdx + Bb^2c^2\right)\log\left(\frac{bex+ae}{dx+c}\right)^2 + 2($$
$$4\left((b^3c^3d^2 - 3ab^2c^2d^3 + 3a^2bcd^4 - a^3d^5)gi^3x^2 + 2(b^3$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algori
thm="fricas")
```

output
```
1/4*((6*A - 7*B)*b^2*c^2 - 8*(A - B)*a*b*c*d + (2*A - B)*a^2*d^2 + 2*(B*b^
2*d^2*x^2 + 2*B*b^2*c*d*x + B*b^2*c^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*
((2*A - 3*B)*b^2*c*d - (2*A - 3*B)*a*b*d^2)*x + 2*((2*A - 3*B)*b^2*d^2*x^2
 + 2*A*b^2*c^2 - 4*B*a*b*c*d + B*a^2*d^2 + 2*(2*(A - B)*b^2*c*d - B*a*b*d^
2)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^
2*b*c*d^4 - a^3*d^5)*g*i^3*x^2 + 2*(b^3*c^4*d - 3*a*b^2*c^3*d^2 + 3*a^2*b*
c^2*d^3 - a^3*c*d^4)*g*i^3*x + (b^3*c^5 - 3*a*b^2*c^4*d + 3*a^2*b*c^3*d^2
 - a^3*c^2*d^3)*g*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 889 vs. 2(207) = 414.

Time = 2.57 (sec) , antiderivative size = 889, normalized size of antiderivative = 3.66

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)**3,x)
```

output

```
-B*b**2*log(e*(a + b*x)/(c + d*x))**2/(2*a**3*d**3*g*i**3 - 6*a**2*b*c*d**
2*g*i**3 + 6*a*b**2*c**2*d*g*i**3 - 2*b**3*c**3*g*i**3) + b**2*(2*A - 3*B)
*log(x + (2*A*a*b**2*d + 2*A*b**3*c - 3*B*a*b**2*d - 3*B*b**3*c - a**4*b**
2*d**4*(2*A - 3*B)/(a*d - b*c)**3 + 4*a**3*b**3*c*d**3*(2*A - 3*B)/(a*d -
b*c)**3 - 6*a**2*b**4*c**2*d**2*(2*A - 3*B)/(a*d - b*c)**3 + 4*a*b**5*c**3
*d*(2*A - 3*B)/(a*d - b*c)**3 - b**6*c**4*(2*A - 3*B)/(a*d - b*c)**3)/(4*A
*b**3*d - 6*B*b**3*d))/(2*g*i**3*(a*d - b*c)**3) - b**2*(2*A - 3*B)*log(x
+ (2*A*a*b**2*d + 2*A*b**3*c - 3*B*a*b**2*d - 3*B*b**3*c + a**4*b**2*d**4*
(2*A - 3*B)/(a*d - b*c)**3 - 4*a**3*b**3*c*d**3*(2*A - 3*B)/(a*d - b*c)**3
 + 6*a**2*b**4*c**2*d**2*(2*A - 3*B)/(a*d - b*c)**3 - 4*a*b**5*c**3*d*(2*A
 - 3*B)/(a*d - b*c)**3 + b**6*c**4*(2*A - 3*B)/(a*d - b*c)**3)/(4*A*b**3*d
 - 6*B*b**3*d))/(2*g*i**3*(a*d - b*c)**3) + (-B*a*d + 3*B*b*c + 2*B*b*d*x)
*log(e*(a + b*x)/(c + d*x))/(2*a**2*c**2*d**2*g*i**3 + 4*a**2*c*d**3*g*i**
3*x + 2*a**2*d**4*g*i**3*x**2 - 4*a*b*c**3*d*g*i**3 - 8*a*b*c**2*d**2*g*i*
*3*x - 4*a*b*c*d**3*g*i**3*x**2 + 2*b**2*c**4*g*i**3 + 4*b**2*c**3*d*g*i**
3*x + 2*b**2*c**2*d**2*g*i**3*x**2) + (-2*A*a*d + 6*A*b*c + B*a*d - 7*B*b*
c + x*(4*A*b*d - 6*B*b*d))/(4*a**2*c**2*d**2*g*i**3 - 8*a*b*c**3*d*g*i**3
+ 4*b**2*c**4*g*i**3 + x**2*(4*a**2*d**4*g*i**3 - 8*a*b*c*d**3*g*i**3 + 4*
b**2*c**2*d**2*g*i**3) + x*(8*a**2*c*d**3*g*i**3 - 16*a*b*c**2*d**2*g*i**3
 + 8*b**2*c**3*d*g*i**3))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 885 vs. $2(237) = 474$.

Time $= 0.09$ (sec) , antiderivative size $= 885$, normalized size of antiderivative $= 3.64$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algori
thm="maxima")
```

output

```
1/2*B*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g*i^
3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (b^2*c^4 - 2*a
*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^
2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((b^3*c^3 - 3*a
*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(b*e*x/(d*x + c) + a*e/(d
*x + c)) + 1/2*A*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^
2*d^4)*g*i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (b^
2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3 -
 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((b^
3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3)) - 1/4*(7*b^2*c^2
- 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x +
a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(d*x + c)^2 + 6*(b^2*c*d
 - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a) - 2*(
3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b
^2*c^2)*log(b*x + a))*log(d*x + c))*B/(b^3*c^5*g*i^3 - 3*a*b^2*c^4*d*g*i^3
 + 3*a^2*b*c^3*d^2*g*i^3 - a^3*c^2*d^3*g*i^3 + (b^3*c^3*d^2*g*i^3 - 3*a*b^
2*c^2*d^3*g*i^3 + 3*a^2*b*c*d^4*g*i^3 - a^3*d^5*g*i^3)*x^2 + 2*(b^3*c^4*d*
g*i^3 - 3*a*b^2*c^3*d^2*g*i^3 + 3*a^2*b*c^2*d^3*g*i^3 - a^3*c*d^4*g*i^3)*x
)
```

Giac [A] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 442, normalized size of antiderivative = 1.82

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{1}{4}\left(\frac{2\,Bb^2e\log\left(\frac{bex+ae}{dx+c}\right)^2}{b^2c^2gi^3 - 2\,abcdgi^3 + a^2d^2gi^3} + \frac{4\,Ab^2e\log\left(\frac{bex+ae}{dx+c}\right)}{b^2c^2gi^3 - 2\,abcdgi^3 + a^2d^2gi^3} - 2\left(\frac{4\,(bex+ae)Bbd}{(b^2c^2gi^3 - 2\,abcdgi^3 + a^2d^2gi^3)}\right.\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algori
thm="giac")
```

output

```
1/4*(2*B*b^2*e*log((b*e*x + a*e)/(d*x + c))^2/(b^2*c^2*g*i^3 - 2*a*b*c*d*g
*i^3 + a^2*d^2*g*i^3) + 4*A*b^2*e*log((b*e*x + a*e)/(d*x + c))/(b^2*c^2*g*
i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3) - 2*(4*(b*e*x + a*e)*B*b*d/((b^2*c^
2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)) - (b*e*x + a*e)^2*B*
d^2/((b^2*c^2*e*g*i^3 - 2*a*b*c*d*e*g*i^3 + a^2*d^2*e*g*i^3)*(d*x + c)^2))
*log((b*e*x + a*e)/(d*x + c)) + (2*A*d^2 - B*d^2)*(b*e*x + a*e)^2/((b^2*c^
2*e*g*i^3 - 2*a*b*c*d*e*g*i^3 + a^2*d^2*e*g*i^3)*(d*x + c)^2) - 8*(A*b*d -
 B*b*d)*(b*e*x + a*e)/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(
d*x + c)))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
- a*d)))
```

Mupad [B] (verification not implemented)

Time = 29.27 (sec) , antiderivative size = 545, normalized size of antiderivative = 2.24

$$\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx = \frac{3\,A\,b\,c}{2\,g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} - \frac{A\,a\,d}{2\,g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} - \frac{B\,b^2\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2}{2\,g\,i^3\,(a\,d-b\,c)^3} + \frac{B\,a\,d}{4\,g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} - \frac{7\,B\,b\,c}{4\,g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} - \frac{B\,a^2\,d^2\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{2\,g\,i^3\,(a\,d-b\,c)^3\,(c+d\,x)^2} - \frac{3\,B\,b^2\,c^2\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{2\,g\,i^3\,(a\,d-b\,c)^3\,(c+d\,x)^2} + \frac{A\,b\,d\,x}{g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} - \frac{3\,B\,b\,d\,x}{2\,g\,i^3\,(a\,d-b\,c)^2\,(c+d\,x)^2} + \frac{B\,a\,b\,d^2\,x\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g\,i^3\,(a\,d-b\,c)^3\,(c+d\,x)^2} - \frac{B\,b^2\,c\,d\,x\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g\,i^3\,(a\,d-b\,c)^3\,(c+d\,x)^2} + \frac{2\,B\,a\,b\,c\,d\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)}{g\,i^3\,(a\,d-b\,c)^3\,(c+d\,x)^2} + \frac{A\,b^2\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g\,i^3\,(a\,d-b\,c)^3} - \frac{B\,b^2\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,3\mathrm{i}}{g\,i^3\,(a\,d-b\,c)^3}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)*(c*i + d*i*x)^3),x
)
```

output
```
(A*b^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g*i^3*(a*d - b*
c)^3) - (B*b^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*3i)/(g*i^3*(
a*d - b*c)^3) - (B*b^2*log((e*(a + b*x))/(c + d*x))^2)/(2*g*i^3*(a*d - b*c
)^3) - (A*a*d)/(2*g*i^3*(a*d - b*c)^2*(c + d*x)^2) + (3*A*b*c)/(2*g*i^3*(a
*d - b*c)^2*(c + d*x)^2) + (B*a*d)/(4*g*i^3*(a*d - b*c)^2*(c + d*x)^2) - (
7*B*b*c)/(4*g*i^3*(a*d - b*c)^2*(c + d*x)^2) - (B*a^2*d^2*log((e*(a + b*x)
)/(c + d*x)))/(2*g*i^3*(a*d - b*c)^3*(c + d*x)^2) - (3*B*b^2*c^2*log((e*(a
 + b*x))/(c + d*x)))/(2*g*i^3*(a*d - b*c)^3*(c + d*x)^2) + (A*b*d*x)/(g*i^
3*(a*d - b*c)^2*(c + d*x)^2) - (3*B*b*d*x)/(2*g*i^3*(a*d - b*c)^2*(c + d*x
)^2) + (B*a*b*d^2*x*log((e*(a + b*x))/(c + d*x)))/(g*i^3*(a*d - b*c)^3*(c
+ d*x)^2) - (B*b^2*c*d*x*log((e*(a + b*x))/(c + d*x)))/(g*i^3*(a*d - b*c)^
3*(c + d*x)^2) + (2*B*a*b*c*d*log((e*(a + b*x))/(c + d*x)))/(g*i^3*(a*d -
b*c)^3*(c + d*x)^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 674, normalized size of antiderivative = 2.77

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)(ci+dix)^3}\,dx$$

$$= \frac{i\Big(-6\log(dx+c)\,b^3c^3 + 4\log(dx+c)\,a\,b^2c^3 + 3a\,b^2d^3x^2 - 3b^3c\,d^2x^2 + 8\log\left(\frac{bex+ae}{dx+c}\right)a\,b^2c^2d + 12\log(bx -$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 4*log(a + b*x)*a*b**2*c**3 - 8*log(a + b*x)*a*b**2*c**2*d*x - 4*log
(a + b*x)*a*b**2*c*d**2*x**2 + 6*log(a + b*x)*b**3*c**3 + 12*log(a + b*x)*
b**3*c**2*d*x + 6*log(a + b*x)*b**3*c*d**2*x**2 + 4*log(c + d*x)*a*b**2*c*
*3 + 8*log(c + d*x)*a*b**2*c**2*d*x + 4*log(c + d*x)*a*b**2*c*d**2*x**2 -
6*log(c + d*x)*b**3*c**3 - 12*log(c + d*x)*b**3*c**2*d*x - 6*log(c + d*x)*
b**3*c*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))**2*b**3*c**3 - 4*log((a*
e + b*e*x)/(c + d*x))**2*b**3*c**2*d*x - 2*log((a*e + b*e*x)/(c + d*x))**2
*b**3*c*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*a**2*b*c*d**2 + 8*log((
a*e + b*e*x)/(c + d*x))*a*b**2*c**2*d + 4*log((a*e + b*e*x)/(c + d*x))*a*b
**2*c*d**2*x - 6*log((a*e + b*e*x)/(c + d*x))*b**3*c**3 - 4*log((a*e + b*e
*x)/(c + d*x))*b**3*c**2*d*x - 2*a**3*c*d**2 + 6*a**2*b*c**2*d + a**2*b*c*
d**2 - 2*a**2*b*d**3*x**2 - 4*a*b**2*c**3 - 5*a*b**2*c**2*d + 2*a*b**2*c*d
**2*x**2 + 3*a*b**2*d**3*x**2 + 4*b**3*c**3 - 3*b**3*c*d**2*x**2))/(4*c*g*
(a**3*c**2*d**3 + 2*a**3*c*d**4*x + a**3*d**5*x**2 - 3*a**2*b*c**3*d**2 -
6*a**2*b*c**2*d**3*x - 3*a**2*b*c*d**4*x**2 + 3*a*b**2*c**4*d + 6*a*b**2*c
**3*d**2*x + 3*a*b**2*c**2*d**3*x**2 - b**3*c**5 - 2*b**3*c**4*d*x - b**3*
c**3*d**2*x**2))
```

3.52 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$

Optimal result . . . 648
Mathematica [C] (verified) . . . 649
Rubi [A] (verified) . . . 650
Maple [A] (verified) . . . 651
Fricas [A] (verification not implemented) . . . 653
Sympy [B] (verification not implemented) . . . 653
Maxima [B] (verification not implemented) . . . 654
Giac [F] . . . 655
Mupad [B] (verification not implemented) . . . 656
Reduce [B] (verification not implemented) . . . 657

Optimal result

Integrand size = 40, antiderivative size = 365

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = {}& \frac{Bd^3(a+bx)^2}{4(bc-ad)^4g^2i^3(c+dx)^2} - \frac{3bBd^2(a+bx)}{(bc-ad)^4g^2i^3(c+dx)} \\ & - \frac{b^3B(c+dx)}{(bc-ad)^4g^2i^3(a+bx)} + \frac{3b^2Bd\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^2i^3} \\ & - \frac{d^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^2i^3(c+dx)^2} \\ & + \frac{3bd^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^2i^3(c+dx)} \\ & - \frac{b^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^2i^3(a+bx)} \\ & - \frac{3b^2d\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^2i^3}\end{aligned}$$

output
```
1/4*B*d^3*(b*x+a)^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2-3*b*B*d^2*(b*x+a)/(-a*d
+b*c)^4/g^2/i^3/(d*x+c)-b^3*B*(d*x+c)/(-a*d+b*c)^4/g^2/i^3/(b*x+a)+3/2*b^2
*B*d*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^2/i^3-1/2*d^3*(b*x+a)^2*(A+B*ln(
e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2+3*b*d^2*(b*x+a)*(A+B*ln
(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3/(d*x+c)-b^3*(d*x+c)*(A+B*ln(e*(b
*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-3*b^2*d*ln((b*x+a)/(d*x+c))*(
A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.69 (sec) , antiderivative size = 452, normalized size of antiderivative = 1.24

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$= \frac{-\frac{4b^3Bc}{a+bx} + \frac{4ab^2Bd}{a+bx} + \frac{Bd(bc-ad)^2}{(c+dx)^2} + \frac{8b^2Bcd}{c+dx} - \frac{8abBd^2}{c+dx} + \frac{2bBd(bc-ad)}{c+dx} + 6b^2Bd\log(a+bx) - \frac{4b^2(bc-ad)\left(A+B\log\left(\frac{e(a+}{c+}\right.\right.}{a+bx}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i
*x)^3),x]
```

output
```
((-4*b^3*B*c)/(a + b*x) + (4*a*b^2*B*d)/(a + b*x) + (B*d*(b*c - a*d)^2)/(c
 + d*x)^2 + (8*b^2*B*c*d)/(c + d*x) - (8*a*b*B*d^2)/(c + d*x) + (2*b*B*d*(
b*c - a*d))/(c + d*x) + 6*b^2*B*d*Log[a + b*x] - (4*b^2*(b*c - a*d)*(A + B
*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - (2*d*(b*c - a*d)^2*(A + B*Log[
(e*(a + b*x))/(c + d*x)]))/(c + d*x)^2 - (8*b*d*(b*c - a*d)*(A + B*Log[(e*
(a + b*x))/(c + d*x)]))/(c + d*x) - 12*b^2*d*Log[a + b*x]*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]) - 6*b^2*B*d*Log[c + d*x] + 12*b^2*d*(A + B*Log[(e*(a
+ b*x))/(c + d*x)])*Log[c + d*x] + 6*b^2*B*d*(Log[a + b*x]*(Log[a + b*x] -
 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) +
a*d)]) - 6*b^2*B*d*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*L
og[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*(b*c - a*d)^4*g
^2*i^3)
```

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 253, normalized size of antiderivative = 0.69, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2} d\frac{a+bx}{c+dx}}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-B\int\left(-\frac{(c+dx)^2b^3}{(a+bx)^2} - \frac{3d(c+dx)\log\left(\frac{a+bx}{c+dx}\right)b^2}{a+bx} + 3d^2b - \frac{d^3(a+bx)}{2(c+dx)}\right) d\frac{a+bx}{c+dx} - \frac{b^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx} - 3b^2d\log\left(\frac{a+bx}{c+dx}\right.}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx} - 3b^2d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right) - \frac{d^3(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2} + \frac{3bd^2(a+bx)\left(\right.}{g^2i^3(bc-ad)^4}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^2*(c*i + d*i*x)^3)
,x]
```

output

```
(-(B*(-1/4*(d^3*(a + b*x)^2)/(c + d*x)^2 + (3*b*d^2*(a + b*x))/(c + d*x) +
 (b^3*(c + d*x))/(a + b*x) - (3*b^2*d*Log[(a + b*x)/(c + d*x)]^2)/2)) - (d
^3*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(c + d*x)^2) + (3*
b*d^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) - (b^3*(c
+ d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - 3*b^2*d*Log[(a +
b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/((b*c - a*d)^4*g^2*i
^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 3.54 (sec) , antiderivative size = 506, normalized size of antiderivative = 1.39

method	result
parts	$\frac{A\left(-\frac{d}{2(da-bc)^2(dx+c)^2}+\frac{3d\,b^2\ln(dx+c)}{(da-bc)^4}+\frac{2db}{(da-bc)^3(dx+c)}+\frac{b^2}{(da-bc)^3(bx+a)}-\frac{3d\,b^2\ln(bx+a)}{(da-bc)^4}\right)}{g^2i^3}-\frac{Bd\left(\frac{d^2\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right.}{}\right.}{}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2Ab^3}{i^3(da-bc)^5g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{3d^3Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^3(da-bc)^5g^2}-\frac{3d^4Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^5g^2}+\frac{d^5A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^5g^2}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2Ab^3}{i^3(da-bc)^5g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{3d^3Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^3(da-bc)^5g^2}-\frac{3d^4Ab\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^5g^2}+\frac{d^5A\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^5g^2}\right.}{}$
risch	$-\frac{Ad}{2g^2i^3(da-bc)^2(dx+c)^2}+\frac{3Ad\,b^2\ln(dx+c)}{g^2i^3(da-bc)^4}+\frac{2Adb}{g^2i^3(da-bc)^3(dx+c)}+\frac{A\,b^2}{g^2i^3(da-bc)^3(bx+a)}-\frac{3Ad\,b^2\ln(bx+}{g^2i^3(da-bc)^}$
parallelrisch	$-\frac{12Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a\,b^5c\,d^6+24Ax\ln\left(\frac{e(bx+a)}{dx+c}\right)a\,b^5c\,d^6-24Bx\ln\left(\frac{e(bx+a)}{dx+c}\right)a\,b^5c\,d^6+18Ax\,b^6c^2d^5+9Bx\,a^2b^4d^7-3}{}$
norman	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output
```
1/g^2*A/i^3*(-1/2*d/(a*d-b*c)^2/(d*x+c)^2+3*d/(a*d-b*c)^4*b^2*ln(d*x+c)+2*
d/(a*d-b*c)^3*b/(d*x+c)+b^2/(a*d-b*c)^3/(b*x+a)-3*d/(a*d-b*c)^4*b^2*ln(b*x
+a))-B/g^2/i^3*d/(a*d-b*c)^2/e^2*(d^2/(a*d-b*c)^2*(1/2*(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^2)-3*d/(a*d-b*c)^2*b*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b
*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)+3/2/(a*d-b*c)^2*b^2*e^2*ln(b
*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/d/(a*d-b*c)^2*b^3*e^3*(-1/(b*e/d+(a*d-b*c)
*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+
c))))
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 672, normalized size of antiderivative = 1.84

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx =$$

$$-\frac{4\,(A+B)b^3c^3 + 3\,(2\,A-5\,B)ab^2c^2d - 12\,(A-B)a^2bcd^2 + (2\,A-B)a^3d^3 + 6\,((2\,A-B)b^3cd^2 - (2\,A}{4\,((b^5c^4d^2 - 4}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output
```
-1/4*(4*(A + B)*b^3*c^3 + 3*(2*A - 5*B)*a*b^2*c^2*d - 12*(A - B)*a^2*b*c*d
^2 + (2*A - B)*a^3*d^3 + 6*((2*A - B)*b^3*c*d^2 - (2*A - B)*a*b^2*d^3)*x^2
 + 6*(B*b^3*d^3*x^3 + B*a*b^2*c^2*d + (2*B*b^3*c*d^2 + B*a*b^2*d^3)*x^2 +
(B*b^3*c^2*d + 2*B*a*b^2*c*d^2)*x)*log((b*e*x + a*e)/(d*x + c))^2 + 3*((6*
A - B)*b^3*c^2*d - 2*(2*A + B)*a*b^2*c*d^2 - (2*A - 3*B)*a^2*b*d^3)*x + 2*
(3*(2*A - B)*b^3*d^3*x^3 + 2*B*b^3*c^3 + 6*A*a*b^2*c^2*d - 6*B*a^2*b*c*d^2
 + B*a^3*d^3 + 3*(4*A*b^3*c*d^2 + (2*A - 3*B)*a*b^2*d^3)*x^2 + 3*(2*(A + B
)*b^3*c^2*d + 4*(A - B)*a*b^2*c*d^2 - B*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d
*x + c)))/((b^5*c^4*d^2 - 4*a*b^4*c^3*d^3 + 6*a^2*b^3*c^2*d^4 - 4*a^3*b^2*
c*d^5 + a^4*b*d^6)*g^2*i^3*x^3 + (2*b^5*c^5*d - 7*a*b^4*c^4*d^2 + 8*a^2*b^
3*c^3*d^3 - 2*a^3*b^2*c^2*d^4 - 2*a^4*b*c*d^5 + a^5*d^6)*g^2*i^3*x^2 + (b^
5*c^6 - 2*a*b^4*c^5*d - 2*a^2*b^3*c^4*d^2 + 8*a^3*b^2*c^3*d^3 - 7*a^4*b*c^
2*d^4 + 2*a^5*c*d^5)*g^2*i^3*x + (a*b^4*c^6 - 4*a^2*b^3*c^5*d + 6*a^3*b^2*
c^4*d^2 - 4*a^4*b*c^3*d^3 + a^5*c^2*d^4)*g^2*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1562 vs. $2(335) = 670$.

Time = 12.23 (sec) , antiderivative size = 1562, normalized size of antiderivative = 4.28

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**2/(d*i*x+c*i)**3,x)
```

output

```
-3*B*b**2*d*log(e*(a + b*x)/(c + d*x))**2/(2*a**4*d**4*g**2*i**3 - 8*a**3*
b*c*d**3*g**2*i**3 + 12*a**2*b**2*c**2*d**2*g**2*i**3 - 8*a*b**3*c**3*d*g*
*2*i**3 + 2*b**4*c**4*g**2*i**3) + 3*b**2*d*(2*A - B)*log(x + (6*A*a*b**2*
d**2 + 6*A*b**3*c*d - 3*B*a*b**2*d**2 - 3*B*b**3*c*d - 3*a**5*b**2*d**6*(2
*A - B)/(a*d - b*c)**4 + 15*a**4*b**3*c*d**5*(2*A - B)/(a*d - b*c)**4 - 30
*a**3*b**4*c**2*d**4*(2*A - B)/(a*d - b*c)**4 + 30*a**2*b**5*c**3*d**3*(2*
A - B)/(a*d - b*c)**4 - 15*a*b**6*c**4*d**2*(2*A - B)/(a*d - b*c)**4 + 3*b
**7*c**5*d*(2*A - B)/(a*d - b*c)**4)/(12*A*b**3*d**2 - 6*B*b**3*d**2))/(2*
g**2*i**3*(a*d - b*c)**4) - 3*b**2*d*(2*A - B)*log(x + (6*A*a*b**2*d**2 +
6*A*b**3*c*d - 3*B*a*b**2*d**2 - 3*B*b**3*c*d + 3*a**5*b**2*d**6*(2*A - B)
/(a*d - b*c)**4 - 15*a**4*b**3*c*d**5*(2*A - B)/(a*d - b*c)**4 + 30*a**3*b
**4*c**2*d**4*(2*A - B)/(a*d - b*c)**4 - 30*a**2*b**5*c**3*d**3*(2*A - B)/
(a*d - b*c)**4 + 15*a*b**6*c**4*d**2*(2*A - B)/(a*d - b*c)**4 - 3*b**7*c**
5*d*(2*A - B)/(a*d - b*c)**4)/(12*A*b**3*d**2 - 6*B*b**3*d**2))/(2*g**2*i*
*3*(a*d - b*c)**4) + (-B*a**2*d**2 + 5*B*a*b*c*d + 3*B*a*b*d**2*x + 2*B*b*
*2*c**2 + 9*B*b**2*c*d*x + 6*B*b**2*d**2*x**2)*log(e*(a + b*x)/(c + d*x))/
(2*a**4*c**2*d**3*g**2*i**3 + 4*a**4*c*d**4*g**2*i**3*x + 2*a**4*d**5*g**2
*i**3*x**2 - 6*a**3*b*c**3*d**2*g**2*i**3 - 10*a**3*b*c**2*d**3*g**2*i**3*
x - 2*a**3*b*c*d**4*g**2*i**3*x**2 + 2*a**3*b*d**5*g**2*i**3*x**3 + 6*a**2
*b**2*c**4*d*g**2*i**3 + 6*a**2*b**2*c**3*d**2*g**2*i**3*x - 6*a**2*b**...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1721 vs. $2(359) = 718$.

Time $= 0.16$ (sec) , antiderivative size $= 1721$, normalized size of antiderivative $= 4.72$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^2(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
-1/2*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d +
a*b*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5)
*g^2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*b*
c*d^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^2
+ 5*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*d
+ 3*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c^4
 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3) -
 6*b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^
3*b*c*d^3 + a^4*d^4)*g^2*i^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 1/2*
A*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d + a*b*d
^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5)*g^2*
i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*b*c*d^4
 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^2 + 5*a
^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*d + 3*a
^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c^4 - 4*
a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3) - 6*b^
2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c
*d^3 + a^4*d^4)*g^2*i^3)) - 1/4*(4*b^3*c^3 - 15*a*b^2*c^2*d + 12*a^2*b*c*d
^2 - a^3*d^3 - 6*(b^3*c*d^2 - a*b^2*d^3)*x^2 - 6*(b^3*d^3*x^3 + a*b^2*c^2*
d + (2*b^3*c*d^2 + a*b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2*c*d^2)*x)*log(...
```

Giac [F]

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \int \frac{B\log\left(\frac{(bx+a)e}{dx+c}\right) + A}{(bgx+ag)^2(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output

```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)/((b*g*x + a*g)^2*(d*i*x + c*i
)^3), x)
```

Mupad [B] (verification not implemented)

Time = 31.33 (sec) , antiderivative size = 983, normalized size of antiderivative = 2.69

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^2*(c*i + d*i*x)^3)
,x)
```

output

```
(A*b^2*d*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*6i)/(g^2*i^3*(a*d
- b*c)^4) - (3*B*b^2*d*log((e*(a + b*x))/(c + d*x))^2)/(2*g^2*i^3*(a*d - b
*c)^4) - (B*b^2*d*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*3i)/(g^2*
i^3*(a*d - b*c)^4) - (A*a^2*d^2)/(2*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d
*x)^2) + (A*b^2*c^2)/(g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (B*a^
2*d^2)/(4*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (B*b^2*c^2)/(g^2*
i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) - (B*a*d*log((e*(a + b*x))/(c + d
*x)))/(2*g^2*i^3*(a*d - b*c)^2*(a + b*x)*(c + d*x)^2) - (B*b*c*log((e*(a +
 b*x))/(c + d*x)))/(g^2*i^3*(a*d - b*c)^2*(a + b*x)*(c + d*x)^2) + (3*A*b^
2*d^2*x^2)/(g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) - (3*B*b^2*d^2*x^
2)/(2*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (5*A*a*b*c*d)/(2*g^2*
i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) - (11*B*a*b*c*d)/(4*g^2*i^3*(a*d
- b*c)^3*(a + b*x)*(c + d*x)^2) - (3*B*b*d*x*log((e*(a + b*x))/(c + d*x)))
/(2*g^2*i^3*(a*d - b*c)^2*(a + b*x)*(c + d*x)^2) + (3*B*b^2*d^2*x^2*log((e
*(a + b*x))/(c + d*x)))/(g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (3
*A*a*b*d^2*x)/(2*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) - (9*B*a*b*d
^2*x)/(4*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (9*A*b^2*c*d*x)/(2
*g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) - (3*B*b^2*c*d*x)/(4*g^2*i^3
*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (3*B*a*b*c*d*log((e*(a + b*x))/(c
+ d*x)))/(g^2*i^3*(a*d - b*c)^3*(a + b*x)*(c + d*x)^2) + (3*B*a*b*d^2*x...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 1782, normalized size of antiderivative = 4.88

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**3*b**2*c**2*d**2 - 24*log(a + b*x)*a**3*b**2*c*d
**3*x - 12*log(a + b*x)*a**3*b**2*d**4*x**2 - 24*log(a + b*x)*a**2*b**3*c*
*3*d - 60*log(a + b*x)*a**2*b**3*c**2*d**2*x + 18*log(a + b*x)*a**2*b**3*c
**2*d**2 - 48*log(a + b*x)*a**2*b**3*c*d**3*x**2 + 36*log(a + b*x)*a**2*b*
*3*c*d**3*x - 12*log(a + b*x)*a**2*b**3*d**4*x**3 + 18*log(a + b*x)*a**2*b
**3*d**4*x**2 - 24*log(a + b*x)*a*b**4*c**3*d*x - 48*log(a + b*x)*a*b**4*c
**2*d**2*x**2 + 18*log(a + b*x)*a*b**4*c**2*d**2*x - 24*log(a + b*x)*a*b**
4*c*d**3*x**3 + 36*log(a + b*x)*a*b**4*c*d**3*x**2 + 18*log(a + b*x)*a*b**
4*d**4*x**3 + 12*log(c + d*x)*a**3*b**2*c**2*d**2 + 24*log(c + d*x)*a**3*b
**2*c*d**3*x + 12*log(c + d*x)*a**3*b**2*d**4*x**2 + 24*log(c + d*x)*a**2*
b**3*c**3*d + 60*log(c + d*x)*a**2*b**3*c**2*d**2*x - 18*log(c + d*x)*a**2
*b**3*c**2*d**2 + 48*log(c + d*x)*a**2*b**3*c*d**3*x**2 - 36*log(c + d*x)*
a**2*b**3*c*d**3*x + 12*log(c + d*x)*a**2*b**3*d**4*x**3 - 18*log(c + d*x)
*a**2*b**3*d**4*x**2 + 24*log(c + d*x)*a*b**4*c**3*d*x + 48*log(c + d*x)*a
*b**4*c**2*d**2*x**2 - 18*log(c + d*x)*a*b**4*c**2*d**2*x + 24*log(c + d*x
)*a*b**4*c*d**3*x**3 - 36*log(c + d*x)*a*b**4*c*d**3*x**2 - 18*log(c + d*x
)*a*b**4*d**4*x**3 - 6*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c**2*d**2
 - 12*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c*d**3*x - 6*log((a*e + b*
e*x)/(c + d*x))**2*a**2*b**3*d**4*x**2 - 12*log((a*e + b*e*x)/(c + d*x))**
2*a*b**4*c**3*d - 30*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c**2*d**2*x...
```

3.53 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$

Optimal result . . . 658
Mathematica [C] (verified) . . . 659
Rubi [A] (verified) . . . 660
Maple [A] (verified) . . . 662
Fricas [B] (verification not implemented) . . . 663
Sympy [B] (verification not implemented) . . . 664
Maxima [B] (verification not implemented) . . . 665
Giac [F] . . . 666
Mupad [B] (verification not implemented) . . . 666
Reduce [B] (verification not implemented) . . . 667

Optimal result

Integrand size = 40, antiderivative size = 463

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = &-\frac{Bd^4(a+bx)^2}{4(bc-ad)^5g^3i^3(c+dx)^2}\\ &+\frac{4bBd^3(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}+\frac{4b^3Bd(c+dx)}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4B(c+dx)^2}{4(bc-ad)^5g^3i^3(a+bx)^2}-\frac{3b^2Bd^2\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^3i^3}\\ &+\frac{d^4(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ &-\frac{4bd^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^3i^3(c+dx)}\\ &+\frac{4b^3d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{6b^2d^2\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^3i^3}\end{aligned}$$

output

```
-1/4*B*d^4*(b*x+a)^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+4*b*B*d^3*(b*x+a)/(-a*
d+b*c)^5/g^3/i^3/(d*x+c)+4*b^3*B*d*(d*x+c)/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/
4*b^4*B*(d*x+c)^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2-3*b^2*B*d^2*ln((b*x+a)/(d
*x+c))^2/(-a*d+b*c)^5/g^3/i^3+1/2*d^4*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c))
)/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2-4*b*d^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)
))/(-a*d+b*c)^5/g^3/i^3/(d*x+c)+4*b^3*d*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c))
)/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*b^4*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)
))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+6*b^2*d^2*ln((b*x+a)/(d*x+c))*(A+B*ln(e*
(b*x+a)/(d*x+c)))/(-a*d+b*c)^5/g^3/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.07 (sec) , antiderivative size = 533, normalized size of antiderivative = 1.15

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx =$$

$$-\frac{\frac{b^2B(bc-ad)^2}{(a+bx)^2} - \frac{12b^3Bcd}{a+bx} + \frac{12ab^2Bd^2}{a+bx} - \frac{2b^2Bd(bc-ad)}{a+bx} + \frac{Bd^2(bc-ad)^2}{(c+dx)^2} + \frac{12b^2Bcd^2}{c+dx} - \frac{12abBd^3}{c+dx} + \frac{2bBd^2(bc-ad)}{c+dx} + \frac{2b^2(bc-}{}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i
*x)^3),x]
```

output

```
-1/4*((b^2*B*(b*c - a*d)^2)/(a + b*x)^2 - (12*b^3*B*c*d)/(a + b*x) + (12*a
*b^2*B*d^2)/(a + b*x) - (2*b^2*B*d*(b*c - a*d))/(a + b*x) + (B*d^2*(b*c -
a*d)^2)/(c + d*x)^2 + (12*b^2*B*c*d^2)/(c + d*x) - (12*a*b*B*d^3)/(c + d*x
) + (2*b*B*d^2*(b*c - a*d))/(c + d*x) + (2*b^2*(b*c - a*d)^2*(A + B*Log[(e
*(a + b*x))/(c + d*x)]))/(a + b*x)^2 - (12*b^2*d*(b*c - a*d)*(A + B*Log[(e
*(a + b*x))/(c + d*x)]))/(a + b*x) - (2*d^2*(b*c - a*d)^2*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]))/(c + d*x)^2 - (12*b*d^2*(b*c - a*d)*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]))/(c + d*x) - 24*b^2*d^2*Log[a + b*x]*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]) + 24*b^2*d^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log
[c + d*x] + 12*b^2*B*d^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))
/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) - 12*b^2*B*d^
2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*P
olyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b*c - a*d)^5*g^3*i^3)
```

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 319, normalized size of antiderivative = 0.69, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right) + A}{(ag+bgx)^3(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3} d\frac{a+bx}{c+dx}}{g^3 i^3 (bc-ad)^5}$$

$$\downarrow 2772$$

$$-B\int\left(\frac{6b^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d^2}{a+bx} + \frac{1}{2}\left(-\frac{(c+dx)^3 b^4}{(a+bx)^3} + \frac{8d(c+dx)^2 b^3}{(a+bx)^2} - 8d^3 b + \frac{d^4(a+bx)}{c+dx}\right)\right) d\frac{a+bx}{c+dx} - \frac{b^4(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{2(a+bx)^2}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2} + \frac{4b^3 d(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx} + 6b^2 d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right) + \frac{d^4(a+bx)}{g^3}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^3*(c*i + d*i*x)^3)
,x]
```

output
```
(-(B*((d^4*(a + b*x)^2)/(4*(c + d*x)^2) - (4*b*d^3*(a + b*x))/(c + d*x) -
(4*b^3*d*(c + d*x))/(a + b*x) + (b^4*(c + d*x)^2)/(4*(a + b*x)^2) + 3*b^2*
d^2*Log[(a + b*x)/(c + d*x)]^2)) + (d^4*(a + b*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(2*(c + d*x)^2) - (4*b*d^3*(a + b*x)*(A + B*Log[(e*(a + b*
x))/(c + d*x)]))/(c + d*x) + (4*b^3*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(
c + d*x)]))/(a + b*x) - (b^4*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(2*(a + b*x)^2) + 6*b^2*d^2*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]))/((b*c - a*d)^5*g^3*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 2.82 (sec) , antiderivative size = 649, normalized size of antiderivative = 1.40

method	result
parts	$\frac{A\left(-\frac{d^2}{2(da-bc)^3(dx+c)^2}+\frac{6d^2b^2\ln(dx+c)}{(da-bc)^5}+\frac{3d^2b}{(da-bc)^4(dx+c)}+\frac{b^2}{2(da-bc)^3(bx+a)^2}-\frac{6d^2b^2\ln(bx+a)}{(da-bc)^5}+\frac{3b^2d}{(da-bc)^4(bx+a)}\right)}{g^3i^3}-$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2eAb^4}{2i^3(da-bc)^6g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{4d^3Ab^3}{i^3(da-bc)^6g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{6d^4Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^3(da-bc)^6g^3}-\frac{4d^5Ab\left(\frac{be}{d}\right.}{e^2i^3(d}$
default	$-\frac{e(da-bc)\left(-\frac{d^2eAb^4}{2i^3(da-bc)^6g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{4d^3Ab^3}{i^3(da-bc)^6g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{6d^4Ab^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^3(da-bc)^6g^3}-\frac{4d^5Ab\left(\frac{be}{d}\right.}{e^2i^3(d}$
risch	Expression too large to display
parallelrisch	Expression too large to display
norman	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output
```
A/g^3/i^3*(-1/2*d^2/(a*d-b*c)^3/(d*x+c)^2+6*d^2/(a*d-b*c)^5*b^2*ln(d*x+c)+
3*d^2/(a*d-b*c)^4*b/(d*x+c)+1/2*b^2/(a*d-b*c)^3/(b*x+a)^2-6*d^2/(a*d-b*c)^
5*b^2*ln(b*x+a)+3*b^2/(a*d-b*c)^4*d/(b*x+a))-B/g^3/i^3*d/(a*d-b*c)^2/e^2*(
d^3/(a*d-b*c)^3*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-4*d^2/(a*d-b*c)^3*b*e*((b*
e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(
d*x+c)-b*e/d)+3*d/(a*d-b*c)^3*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-4/
(a*d-b*c)^3*b^3*e^3*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))+1/d/(a*d-b*c)^3*b^4*e^4*(-1/2
/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/
d+(a*d-b*c)*e/d/(d*x+c))^2))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1011 vs. $2(455) = 910$.

Time = 0.11 (sec) , antiderivative size = 1011, normalized size of antiderivative = 2.18

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^3(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output

```
-1/4*((2*A + B)*b^4*c^4 - 16*(A + B)*a*b^3*c^3*d + 30*B*a^2*b^2*c^2*d^2 +
16*(A - B)*a^3*b*c*d^3 - (2*A - B)*a^4*d^4 - 24*(A*b^4*c*d^3 - A*a*b^3*d^4
)*x^3 - 12*((3*A + B)*b^4*c^2*d^2 - 2*B*a*b^3*c*d^3 - (3*A - B)*a^2*b^2*d^
4)*x^2 - 12*(B*b^4*d^4*x^4 + B*a^2*b^2*c^2*d^2 + 2*(B*b^4*c*d^3 + B*a*b^3*
d^4)*x^3 + (B*b^4*c^2*d^2 + 4*B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*x^2 + 2*(B*a*
b^3*c^2*d^2 + B*a^2*b^2*c*d^3)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 4*((2*A
 + 3*B)*b^4*c^3*d + 3*(4*A - B)*a*b^3*c^2*d^2 - 3*(4*A + B)*a^2*b^2*c*d^3
 - (2*A - 3*B)*a^3*b*d^4)*x - 2*(12*A*b^4*d^4*x^4 - B*b^4*c^4 + 8*B*a*b^3*c
^3*d + 12*A*a^2*b^2*c^2*d^2 - 8*B*a^3*b*c*d^3 + B*a^4*d^4 + 12*((2*A + B)*
b^4*c*d^3 + (2*A - B)*a*b^3*d^4)*x^3 + 6*((2*A + 3*B)*b^4*c^2*d^2 + 8*A*a*
b^3*c*d^3 + (2*A - 3*B)*a^2*b^2*d^4)*x^2 + 4*(B*b^4*c^3*d + 6*(A + B)*a*b^
3*c^2*d^2 + 6*(A - B)*a^2*b^2*c*d^3 - B*a^3*b*d^4)*x)*log((b*e*x + a*e)/(d
*x + c)))/((b^7*c^5*d^2 - 5*a*b^6*c^4*d^3 + 10*a^2*b^5*c^3*d^4 - 10*a^3*b^
4*c^2*d^5 + 5*a^4*b^3*c*d^6 - a^5*b^2*d^7)*g^3*i^3*x^4 + 2*(b^7*c^6*d - 4*
a*b^6*c^5*d^2 + 5*a^2*b^5*c^4*d^3 - 5*a^4*b^3*c^2*d^5 + 4*a^5*b^2*c*d^6 -
a^6*b*d^7)*g^3*i^3*x^3 + (b^7*c^7 - a*b^6*c^6*d - 9*a^2*b^5*c^5*d^2 + 25*a
^3*b^4*c^4*d^3 - 25*a^4*b^3*c^3*d^4 + 9*a^5*b^2*c^2*d^5 + a^6*b*c*d^6 - a^
7*d^7)*g^3*i^3*x^2 + 2*(a*b^6*c^7 - 4*a^2*b^5*c^6*d + 5*a^3*b^4*c^5*d^2 -
5*a^5*b^2*c^3*d^4 + 4*a^6*b*c^2*d^5 - a^7*c*d^6)*g^3*i^3*x + (a^2*b^5*c^7
- 5*a^3*b^4*c^6*d + 10*a^4*b^3*c^5*d^2 - 10*a^5*b^2*c^4*d^3 + 5*a^6*b*c...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2106 vs. $2(430) = 860$.

Time = 19.85 (sec) , antiderivative size = 2106, normalized size of antiderivative = 4.55

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**3/(d*i*x+c*i)**3,x)
```

output

```
6*A*b**2*d**2*log(x + (-6*A*a**6*b**2*d**8/(a*d - b*c)**5 + 36*A*a**5*b**3
*c*d**7/(a*d - b*c)**5 - 90*A*a**4*b**4*c**2*d**6/(a*d - b*c)**5 + 120*A*a
**3*b**5*c**3*d**5/(a*d - b*c)**5 - 90*A*a**2*b**6*c**4*d**4/(a*d - b*c)**
5 + 36*A*a*b**7*c**5*d**3/(a*d - b*c)**5 + 6*A*a*b**2*d**3 - 6*A*b**8*c**6
*d**2/(a*d - b*c)**5 + 6*A*b**3*c*d**2)/(12*A*b**3*d**3))/(g**3*i**3*(a*d
- b*c)**5) - 6*A*b**2*d**2*log(x + (6*A*a**6*b**2*d**8/(a*d - b*c)**5 - 36
*A*a**5*b**3*c*d**7/(a*d - b*c)**5 + 90*A*a**4*b**4*c**2*d**6/(a*d - b*c)*
*5 - 120*A*a**3*b**5*c**3*d**5/(a*d - b*c)**5 + 90*A*a**2*b**6*c**4*d**4/(
a*d - b*c)**5 - 36*A*a*b**7*c**5*d**3/(a*d - b*c)**5 + 6*A*a*b**2*d**3 + 6
*A*b**8*c**6*d**2/(a*d - b*c)**5 + 6*A*b**3*c*d**2)/(12*A*b**3*d**3))/(g**
3*i**3*(a*d - b*c)**5) - 3*B*b**2*d**2*log(e*(a + b*x)/(c + d*x))**2/(a**5
*d**5*g**3*i**3 - 5*a**4*b*c*d**4*g**3*i**3 + 10*a**3*b**2*c**2*d**3*g**3*
i**3 - 10*a**2*b**3*c**3*d**2*g**3*i**3 + 5*a*b**4*c**4*d*g**3*i**3 - b**5
*c**5*g**3*i**3) + (-B*a**3*d**3 + 7*B*a**2*b*c*d**2 + 4*B*a**2*b*d**3*x +
 7*B*a*b**2*c**2*d + 28*B*a*b**2*c*d**2*x + 18*B*a*b**2*d**3*x**2 - B*b**3
*c**3 + 4*B*b**3*c**2*d*x + 18*B*b**3*c*d**2*x**2 + 12*B*b**3*d**3*x**3)*l
og(e*(a + b*x)/(c + d*x))/(2*a**6*c**2*d**4*g**3*i**3 + 4*a**6*c*d**5*g**3
*i**3*x + 2*a**6*d**6*g**3*i**3*x**2 - 8*a**5*b*c**3*d**3*g**3*i**3 - 12*a
**5*b*c**2*d**4*g**3*i**3*x + 4*a**5*b*d**6*g**3*i**3*x**3 + 12*a**4*b**2*
c**4*d**2*g**3*i**3 + 8*a**4*b**2*c**3*d**3*g**3*i**3*x - 18*a**4*b**2*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2380 vs. $2(455) = 910$.

Time $= 0.18$ (sec) , antiderivative size $= 2380$, normalized size of antiderivative $= 5.14$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
1/2*B*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d^2 - a^3*d^3
 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d^2 + a^2*b*d
^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4*a^3*b^3*c*d
^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2 + 2*a^2*b^4
*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^3*i^3*x^3 +
(b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*c^2*d^4 + a^
6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3*b^3*c^4*d^2 +
2*a^4*b^2*c^3*d^3 - 3*a^5*b*c^2*d^4 + a^6*c*d^5)*g^3*i^3*x + (a^2*b^4*c^6
- 4*a^3*b^3*c^5*d + 6*a^4*b^2*c^4*d^2 - 4*a^5*b*c^3*d^3 + a^6*c^2*d^4)*g^3
*i^3) + 12*b^2*d^2*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3
*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3) - 12*b^2*d^2
*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*
c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3))*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) + 1/2*A*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d^2
 - a^3*d^3 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d^2
 + a^2*b*d^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4*a
^3*b^3*c*d^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2 +
 2*a^2*b^4*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^3*
i^3*x^3 + (b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*c^
2*d^4 + a^6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3*b...
```

Giac [F]

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \int \frac{B \log\left(\frac{(bx+a)e}{dx+c}\right) + A}{(bgx+ag)^3(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output
```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)/((b*g*x + a*g)^3*(d*i*x + c*i
)^3), x)
```

Mupad [B] (verification not implemented)

Time = 35.02 (sec) , antiderivative size = 1443, normalized size of antiderivative = 3.12

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^3*(c*i + d*i*x)^3)
,x)
```

output

```
(A*b^2*d^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*12i)/(g^3*i^3*(a
*d - b*c)^5) - (3*B*b^2*d^2*log((e*(a + b*x))/(c + d*x))^2)/(g^3*i^3*(a*d
- b*c)^5) - (A*a^3*d^3)/(2*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2)
- (A*b^3*c^3)/(2*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (B*a^3*d
^3)/(4*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) - (B*b^3*c^3)/(4*g^3
*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) - (B*a*d*log((e*(a + b*x))/(c
+ d*x)))/(2*g^3*i^3*(a*d - b*c)^2*(a + b*x)^2*(c + d*x)^2) - (B*b*c*log((e
*(a + b*x))/(c + d*x)))/(2*g^3*i^3*(a*d - b*c)^2*(a + b*x)^2*(c + d*x)^2)
+ (6*A*b^3*d^3*x^3)/(g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (7*A
*a*b^2*c^2*d)/(2*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (7*A*a^2
*b*c*d^2)/(2*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (15*B*a*b^2*
c^2*d)/(4*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) - (15*B*a^2*b*c*d
^2)/(4*g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (2*A*a^2*b*d^3*x)/
(g^3*i^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) - (3*B*a^2*b*d^3*x)/(g^3*i
^3*(a*d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (2*A*b^3*c^2*d*x)/(g^3*i^3*(a*
d - b*c)^4*(a + b*x)^2*(c + d*x)^2) + (3*B*b^3*c^2*d*x)/(g^3*i^3*(a*d - b*
c)^4*(a + b*x)^2*(c + d*x)^2) + (9*A*a*b^2*d^3*x^2)/(g^3*i^3*(a*d - b*c)^4
*(a + b*x)^2*(c + d*x)^2) - (3*B*a*b^2*d^3*x^2)/(g^3*i^3*(a*d - b*c)^4*(a
+ b*x)^2*(c + d*x)^2) + (9*A*b^3*c*d^2*x^2)/(g^3*i^3*(a*d - b*c)^4*(a + b*
x)^2*(c + d*x)^2) + (3*B*b^3*c*d^2*x^2)/(g^3*i^3*(a*d - b*c)^4*(a + b*x...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 2732, normalized size of antiderivative = 5.90

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^3(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 24*log(a + b*x)*a**4*b**2*c**2*d**3 - 48*log(a + b*x)*a**4*b**2*c*d
**4*x - 24*log(a + b*x)*a**4*b**2*d**5*x**2 - 24*log(a + b*x)*a**3*b**3*c*
*3*d**2 - 96*log(a + b*x)*a**3*b**3*c**2*d**3*x + 12*log(a + b*x)*a**3*b**
3*c**2*d**3 - 120*log(a + b*x)*a**3*b**3*c*d**4*x**2 + 24*log(a + b*x)*a**
3*b**3*c*d**4*x - 48*log(a + b*x)*a**3*b**3*d**5*x**3 + 12*log(a + b*x)*a*
*3*b**3*d**5*x**2 - 48*log(a + b*x)*a**2*b**4*c**3*d**2*x - 12*log(a + b*x
)*a**2*b**4*c**3*d**2 - 120*log(a + b*x)*a**2*b**4*c**2*d**3*x**2 - 96*log
(a + b*x)*a**2*b**4*c*d**4*x**3 + 36*log(a + b*x)*a**2*b**4*c*d**4*x**2 -
24*log(a + b*x)*a**2*b**4*d**5*x**4 + 24*log(a + b*x)*a**2*b**4*d**5*x**3
- 24*log(a + b*x)*a*b**5*c**3*d**2*x**2 - 24*log(a + b*x)*a*b**5*c**3*d**2
*x - 48*log(a + b*x)*a*b**5*c**2*d**3*x**3 - 36*log(a + b*x)*a*b**5*c**2*d
**3*x**2 - 24*log(a + b*x)*a*b**5*c*d**4*x**4 + 12*log(a + b*x)*a*b**5*d**
5*x**4 - 12*log(a + b*x)*b**6*c**3*d**2*x**2 - 24*log(a + b*x)*b**6*c**2*d
**3*x**3 - 12*log(a + b*x)*b**6*c*d**4*x**4 + 24*log(c + d*x)*a**4*b**2*c*
*2*d**3 + 48*log(c + d*x)*a**4*b**2*c*d**4*x + 24*log(c + d*x)*a**4*b**2*d
**5*x**2 + 24*log(c + d*x)*a**3*b**3*c**3*d**2 + 96*log(c + d*x)*a**3*b**3
*c**2*d**3*x - 12*log(c + d*x)*a**3*b**3*c**2*d**3 + 120*log(c + d*x)*a**3
*b**3*c*d**4*x**2 - 24*log(c + d*x)*a**3*b**3*c*d**4*x + 48*log(c + d*x)*a
**3*b**3*d**5*x**3 - 12*log(c + d*x)*a**3*b**3*d**5*x**2 + 48*log(c + d*x)
*a**2*b**4*c**3*d**2*x + 12*log(c + d*x)*a**2*b**4*c**3*d**2 + 120*log(...
```

3.54 $\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$

Optimal result 670
Mathematica [C] (verified) 671
Rubi [A] (verified) 672
Maple [A] (verified) 674
Fricas [B] (verification not implemented) 675
Sympy [F(-1)] 676
Maxima [B] (verification not implemented) 677
Giac [F] 678
Mupad [B] (verification not implemented) 678
Reduce [B] (verification not implemented) 679

Optimal result

Integrand size = 40, antiderivative size = 563

$$\begin{aligned}\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = {} & \frac{Bd^5(a+bx)^2}{4(bc-ad)^6g^4i^3(c+dx)^2}-\frac{5bBd^4(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}\\ & -\frac{10b^3Bd^2(c+dx)}{(bc-ad)^6g^4i^3(a+bx)}+\frac{5b^4Bd(c+dx)^2}{4(bc-ad)^6g^4i^3(a+bx)^2}\\ & -\frac{b^5B(c+dx)^3}{9(bc-ad)^6g^4i^3(a+bx)^3}+\frac{5b^2Bd^3\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^6g^4i^3}\\ & -\frac{d^5(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^6g^4i^3(c+dx)^2}\\ & +\frac{5bd^4(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^6g^4i^3(c+dx)}\\ & -\frac{10b^3d^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^6g^4i^3(a+bx)}\\ & +\frac{5b^4d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^6g^4i^3(a+bx)^2}\\ & -\frac{b^5(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3(bc-ad)^6g^4i^3(a+bx)^3}\\ & -\frac{10b^2d^3\log\left(\frac{a+bx}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^6g^4i^3}\end{aligned}$$

output

```
1/4*B*d^5*(b*x+a)^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2-5*b*B*d^4*(b*x+a)/(-a*d
+b*c)^6/g^4/i^3/(d*x+c)-10*b^3*B*d^2*(d*x+c)/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+
5/4*b^4*B*d*(d*x+c)^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-1/9*b^5*B*(d*x+c)^3/(
-a*d+b*c)^6/g^4/i^3/(b*x+a)^3+5*b^2*B*d^3*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)
^6/g^4/i^3-1/2*d^5*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^6/g^4/
i^3/(d*x+c)^2+5*b*d^4*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^6/g^4
/i^3/(d*x+c)-10*b^3*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^6/g
^4/i^3/(b*x+a)+5/2*b^4*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^
6/g^4/i^3/(b*x+a)^2-1/3*b^5*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*
c)^6/g^4/i^3/(b*x+a)^3-10*b^2*d^3*ln((b*x+a)/(d*x+c))*(A+B*ln(e*(b*x+a)/(d
*x+c)))/(-a*d+b*c)^6/g^4/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.51 (sec) , antiderivative size = 637, normalized size of antiderivative = 1.13

$$\int \frac{A + B\log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx =$$

$$-\frac{\frac{4b^2B(bc-ad)^3}{(a+bx)^3} - \frac{33b^2Bd(bc-ad)^2}{(a+bx)^2} + \frac{216b^3Bcd^2}{a+bx} - \frac{216ab^2Bd^3}{a+bx} + \frac{66b^2Bd^2(bc-ad)}{a+bx} - \frac{9Bd^3(bc-ad)^2}{(c+dx)^2} - \frac{144b^2Bcd^3}{c+dx} + \frac{144abBd^4}{c+dx}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i
*x)^3),x]
```

output

```
-1/36*((4*b^2*B*(b*c - a*d)^3)/(a + b*x)^3 - (33*b^2*B*d*(b*c - a*d)^2)/(a
 + b*x)^2 + (216*b^3*B*c*d^2)/(a + b*x) - (216*a*b^2*B*d^3)/(a + b*x) + (6
6*b^2*B*d^2*(b*c - a*d))/(a + b*x) - (9*B*d^3*(b*c - a*d)^2)/(c + d*x)^2 -
 (144*b^2*B*c*d^3)/(c + d*x) + (144*a*b*B*d^4)/(c + d*x) - (18*b*B*d^3*(b*
c - a*d))/(c + d*x) + 120*b^2*B*d^3*Log[a + b*x] + (12*b^2*(b*c - a*d)^3*(
A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)^3 - (54*b^2*d*(b*c - a*d)^2
*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)^2 + (216*b^2*d^2*(b*c - a
*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) + (18*d^3*(b*c - a*d)^
2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x)^2 + (144*b*d^3*(b*c - a*
d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d*x) + 360*b^2*d^3*Log[a + b
*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 120*b^2*B*d^3*Log[c + d*x] - 36
0*b^2*d^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 180*b^2*B*d^
3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*Poly
Log[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 180*b^2*B*d^3*((2*Log[(d*(a + b*x)
)/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x)
)/(b*c - a*d)]))/((b*c - a*d)^6*g^4*i^3)
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 388, normalized size of antiderivative = 0.69, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{(ag+bgx)^4(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4i^3(bc-ad)^6}$$

$$\downarrow 2772$$

$$-B\int -\frac{(c+dx)^4\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}+\frac{60d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)b^2}{(c+dx)^3}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)}{6(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(B\log\left(\frac{e(}{3(a+bx)^3}\right.\right.$$

$$\downarrow 27$$

$$\frac{1}{6}B\int \frac{(c+dx)^4\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}+\frac{60d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)b^2}{(c+dx)^3}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(B\log\left(\frac{e(a+}{c+}\right.\right.$$

$$\downarrow 2010$$

$$\frac{1}{6}B\int \left(\frac{\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)(c+dx)^4}{(a+bx)^4}+\frac{60b^2d^3\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(B\right.}{3(a}$$

$$\downarrow 2009$$

$$-\frac{b^5(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}+\frac{5b^4d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{10b^3d^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-10b^2d^3\log\left(\frac{a+bx}{c+dx}\right)$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])/((a*g + b*g*x)^4*(c*i + d*i*x)^3)
,x]
```

output
```
((B*((3*d^5*(a + b*x)^2)/(2*(c + d*x)^2) - (30*b*d^4*(a + b*x))/(c + d*x)
- (60*b^3*d^2*(c + d*x))/(a + b*x) + (15*b^4*d*(c + d*x)^2)/(2*(a + b*x)^2
) - (2*b^5*(c + d*x)^3)/(3*(a + b*x)^3) + 30*b^2*d^3*Log[(a + b*x)/(c + d*
x)]^2))/6 - (d^5*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(c +
 d*x)^2) + (5*b*d^4*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(c + d
*x) - (10*b^3*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x
) + (5*b^4*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x
)^2) - (b^5*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*(a + b*x)
^3) - 10*b^2*d^3*Log[(a + b*x)/(c + d*x)]*(A + B*Log[(e*(a + b*x))/(c + d*
x)]))/((b*c - a*d)^6*g^4*i^3)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 8.76 (sec) , antiderivative size = 787, normalized size of antiderivative = 1.40

method	result
parts	$\frac{A\left(-\frac{d^3}{2(da-bc)^4(dx+c)^2}+\frac{10d^3b^2\ln(dx+c)}{(da-bc)^6}+\frac{4d^3b}{(da-bc)^5(dx+c)}+\frac{b^2}{3(da-bc)^3(bx+a)^3}-\frac{10d^3b^2\ln(bx+a)}{(da-bc)^6}+\frac{6b^2d^2}{(da-bc)^5(bx+a)}+\frac{2(da}{g^4i^3}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2e^2Ab^5}{3i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{5d^3eAb^4}{2i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{10d^4Ab^3}{i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{10d^5A}{}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2e^2Ab^5}{3i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{5d^3eAb^4}{2i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{10d^4Ab^3}{i^3(da-bc)^7g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{10d^5A}{}\right.}{}$
risch	Expression too large to display
parallelrisch	Expression too large to display
norman	Expression too large to display

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output

```
A/g^4/i^3*(-1/2*d^3/(a*d-b*c)^4/(d*x+c)^2+10*d^3/(a*d-b*c)^6*b^2*ln(d*x+c)
+4*d^3/(a*d-b*c)^5*b/(d*x+c)+1/3*b^2/(a*d-b*c)^3/(b*x+a)^3-10*d^3/(a*d-b*c
)^6*b^2*ln(b*x+a)+6*b^2/(a*d-b*c)^5*d^2/(b*x+a)+3/2*b^2/(a*d-b*c)^4*d/(b*x
+a)^2)-B/g^4/i^3*d/(a*d-b*c)^2/e^2*(d^4/(a*d-b*c)^4*(1/2*(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d
*x+c))^2)-5*d^3/(a*d-b*c)^4*b*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a
*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)+5*d^2/(a*d-b*c)^4*b^2*e^
2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-10*d/(a*d-b*c)^4*b^3*e^3*(-1/(b*e/d+(a
*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/
d/(d*x+c)))+5/(a*d-b*c)^4*b^4*e^4*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln
(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-1/d/(a*
d-b*c)^4*b^5*e^5*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1509 vs. $2(551) = 1102$.

Time $= 0.13$ (sec) , antiderivative size $= 1509$, normalized size of antiderivative $= 2.68$

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output

```
-1/36*(4*(3*A + B)*b^5*c^5 - 45*(2*A + B)*a*b^4*c^4*d + 360*(A + B)*a^2*b^
3*c^3*d^2 - 10*(12*A + 49*B)*a^3*b^2*c^2*d^3 - 180*(A - B)*a^4*b*c*d^4 + 9
*(2*A - B)*a^5*d^5 + 120*((3*A + B)*b^5*c*d^4 - (3*A + B)*a*b^4*d^5)*x^4 +
 60*(3*(3*A + 2*B)*b^5*c^2*d^3 + 2*(3*A - 2*B)*a*b^4*c*d^4 - (15*A + 2*B)*
a^2*b^3*d^5)*x^3 + 20*((6*A + 11*B)*b^5*c^3*d^2 + 21*(3*A + B)*a*b^4*c^2*d
^3 - 3*(12*A + 13*B)*a^2*b^3*c*d^4 - (33*A - 7*B)*a^3*b^2*d^5)*x^2 + 180*(
B*b^5*d^5*x^5 + B*a^3*b^2*c^2*d^3 + (2*B*b^5*c*d^4 + 3*B*a*b^4*d^5)*x^4 +
(B*b^5*c^2*d^3 + 6*B*a*b^4*c*d^4 + 3*B*a^2*b^3*d^5)*x^3 + (3*B*a*b^4*c^2*d
^3 + 6*B*a^2*b^3*c*d^4 + B*a^3*b^2*d^5)*x^2 + (3*B*a^2*b^3*c^2*d^3 + 2*B*a
^3*b^2*c*d^4)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 5*((6*A + 5*B)*b^5*c^4*d
 - 36*(2*A + 3*B)*a*b^4*c^3*d^2 - 6*(24*A - 13*B)*a^2*b^3*c^2*d^3 + 4*(48*
A + 13*B)*a^3*b^2*c*d^4 + 9*(2*A - 3*B)*a^4*b*d^5)*x + 6*(20*(3*A + B)*b^5
*d^5*x^5 + 2*B*b^5*c^5 - 15*B*a*b^4*c^4*d + 60*B*a^2*b^3*c^3*d^2 + 60*A*a^
3*b^2*c^2*d^3 - 30*B*a^4*b*c*d^4 + 3*B*a^5*d^5 + 20*((6*A + 5*B)*b^5*c*d^4
 + 9*A*a*b^4*d^5)*x^4 + 10*((6*A + 11*B)*b^5*c^2*d^3 + 18*(2*A + B)*a*b^4*
c*d^4 + 9*(2*A - B)*a^2*b^3*d^5)*x^3 + 10*(2*B*b^5*c^3*d^2 + 9*(2*A + 3*B)
*a*b^4*c^2*d^3 + 36*A*a^2*b^3*c*d^4 + 3*(2*A - 3*B)*a^3*b^2*d^5)*x^2 - 5*(
B*b^5*c^4*d - 12*B*a*b^4*c^3*d^2 - 36*(A + B)*a^2*b^3*c^2*d^3 - 24*(A - B)
*a^3*b^2*c*d^4 + 3*B*a^4*b*d^5)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^9*c^6
*d^2 - 6*a*b^8*c^5*d^3 + 15*a^2*b^7*c^4*d^4 - 20*a^3*b^6*c^3*d^5 + 15*a...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag + bgx)^4 (ci + dix)^3}\, dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)**4/(d*i*x+c*i)**3,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3816 vs. $2(551) = 1102$.

Time = 0.38 (sec) , antiderivative size = 3816, normalized size of antiderivative = 6.78

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
-1/6*B*((60*b^4*d^4*x^4 + 2*b^4*c^4 - 13*a*b^3*c^3*d + 47*a^2*b^2*c^2*d^2
+ 27*a^3*b*c*d^3 - 3*a^4*d^4 + 30*(3*b^4*c*d^3 + 5*a*b^3*d^4)*x^3 + 10*(2*
b^4*c^2*d^2 + 23*a*b^3*c*d^3 + 11*a^2*b^2*d^4)*x^2 - 5*(b^4*c^3*d - 11*a*b
^3*c^2*d^2 - 35*a^2*b^2*c*d^3 - 3*a^3*b*d^4)*x)/((b^8*c^5*d^2 - 5*a*b^7*c^
4*d^3 + 10*a^2*b^6*c^3*d^4 - 10*a^3*b^5*c^2*d^5 + 5*a^4*b^4*c*d^6 - a^5*b^
3*d^7)*g^4*i^3*x^5 + (2*b^8*c^6*d - 7*a*b^7*c^5*d^2 + 5*a^2*b^6*c^4*d^3 +
10*a^3*b^5*c^3*d^4 - 20*a^4*b^4*c^2*d^5 + 13*a^5*b^3*c*d^6 - 3*a^6*b^2*d^7
)*g^4*i^3*x^4 + (b^8*c^7 + a*b^7*c^6*d - 17*a^2*b^6*c^5*d^2 + 35*a^3*b^5*c
^4*d^3 - 25*a^4*b^4*c^3*d^4 - a^5*b^3*c^2*d^5 + 9*a^6*b^2*c*d^6 - 3*a^7*b*
d^7)*g^4*i^3*x^3 + (3*a*b^7*c^7 - 9*a^2*b^6*c^6*d + a^3*b^5*c^5*d^2 + 25*a
^4*b^4*c^4*d^3 - 35*a^5*b^3*c^3*d^4 + 17*a^6*b^2*c^2*d^5 - a^7*b*c*d^6 - a
^8*d^7)*g^4*i^3*x^2 + (3*a^2*b^6*c^7 - 13*a^3*b^5*c^6*d + 20*a^4*b^4*c^5*d
^2 - 10*a^5*b^3*c^4*d^3 - 5*a^6*b^2*c^3*d^4 + 7*a^7*b*c^2*d^5 - 2*a^8*c*d^
6)*g^4*i^3*x + (a^3*b^5*c^7 - 5*a^4*b^4*c^6*d + 10*a^5*b^3*c^5*d^2 - 10*a^
6*b^2*c^4*d^3 + 5*a^7*b*c^3*d^4 - a^8*c^2*d^5)*g^4*i^3) + 60*b^2*d^3*log(b
*x + a)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^
3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3) - 60*b^2*d^3*lo
g(d*x + c)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3
*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3))*log(b*e*x/(
d*x + c) + a*e/(d*x + c)) - 1/6*A*((60*b^4*d^4*x^4 + 2*b^4*c^4 - 13*a*b...
```

Giac [F]

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \int \frac{B \log\left(\frac{(bx+a)e}{dx+c}\right) + A}{(bgx+ag)^4(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output
```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)/((b*g*x + a*g)^4*(d*i*x + c*i
)^3), x)
```

Mupad [B] (verification not implemented)

Time = 38.95 (sec) , antiderivative size = 2291, normalized size of antiderivative = 4.07

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))/((a*g + b*g*x)^4*(c*i + d*i*x)^3)
,x)
```

output

```
((12*A*b^4*c^4 - 18*A*a^4*d^4 + 9*B*a^4*d^4 + 4*B*b^4*c^4 + 282*A*a^2*b^2*
c^2*d^2 + 319*B*a^2*b^2*c^2*d^2 - 78*A*a*b^3*c^3*d + 162*A*a^3*b*c*d^3 - 4
1*B*a*b^3*c^3*d - 171*B*a^3*b*c*d^3)/(6*(a*d - b*c)) + (10*x^2*(33*A*a^2*b
^2*d^4 - 7*B*a^2*b^2*d^4 + 6*A*b^4*c^2*d^2 + 11*B*b^4*c^2*d^2 + 69*A*a*b^3
*c*d^3 + 32*B*a*b^3*c*d^3))/(3*(a*d - b*c)) + (5*x*(18*A*a^3*b*d^4 - 27*B*
a^3*b*d^4 - 6*A*b^4*c^3*d - 5*B*b^4*c^3*d + 66*A*a*b^3*c^2*d^2 + 210*A*a^2
*b^2*c*d^3 + 103*B*a*b^3*c^2*d^2 + 25*B*a^2*b^2*c*d^3))/(6*(a*d - b*c)) +
(10*x^3*(15*A*a*b^3*d^4 + 2*B*a*b^3*d^4 + 9*A*b^4*c*d^3 + 6*B*b^4*c*d^3))/
(a*d - b*c) + (20*x^4*(3*A*b^4*d^4 + B*b^4*d^4))/(a*d - b*c))/(x^5*(6*a^4*
b^3*d^6*g^4*i^3 + 6*b^7*c^4*d^2*g^4*i^3 - 24*a*b^6*c^3*d^3*g^4*i^3 - 24*a^
3*b^4*c*d^5*g^4*i^3 + 36*a^2*b^5*c^2*d^4*g^4*i^3) + x*(18*a^2*b^5*c^6*g^4*
i^3 + 12*a^7*c*d^5*g^4*i^3 - 60*a^3*b^4*c^5*d*g^4*i^3 - 30*a^6*b*c^2*d^4*g
^4*i^3 + 60*a^4*b^3*c^4*d^2*g^4*i^3) + x^2*(6*a^7*d^6*g^4*i^3 + 18*a*b^6*c
^6*g^4*i^3 + 12*a^6*b*c*d^5*g^4*i^3 - 36*a^2*b^5*c^5*d*g^4*i^3 - 30*a^3*b^
4*c^4*d^2*g^4*i^3 + 120*a^4*b^3*c^3*d^3*g^4*i^3 - 90*a^5*b^2*c^2*d^4*g^4*i
^3) + x^3*(6*b^7*c^6*g^4*i^3 + 18*a^6*b*d^6*g^4*i^3 + 12*a*b^6*c^5*d*g^4*i
^3 - 36*a^5*b^2*c*d^5*g^4*i^3 - 90*a^2*b^5*c^4*d^2*g^4*i^3 + 120*a^3*b^4*c
^3*d^3*g^4*i^3 - 30*a^4*b^3*c^2*d^4*g^4*i^3) + x^4*(18*a^5*b^2*d^6*g^4*i^3
 + 12*b^7*c^5*d*g^4*i^3 - 30*a*b^6*c^4*d^2*g^4*i^3 - 60*a^4*b^3*c*d^5*g^4*
i^3 + 60*a^3*b^4*c^2*d^4*g^4*i^3) + 6*a^3*b^4*c^6*g^4*i^3 + 6*a^7*c^2*d...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 3982, normalized size of antiderivative = 7.07

$$\int \frac{A + B \log\left(\frac{e(a+bx)}{c+dx}\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 1080*log(a + b*x)*a**5*b**2*c**2*d**4 - 2160*log(a + b*x)*a**5*b**2
*c*d**5*x - 1080*log(a + b*x)*a**5*b**2*d**6*x**2 - 720*log(a + b*x)*a**4*
b**3*c**3*d**3 - 4680*log(a + b*x)*a**4*b**3*c**2*d**4*x - 7200*log(a + b*
x)*a**4*b**3*c*d**5*x**2 - 3240*log(a + b*x)*a**4*b**3*d**6*x**3 - 2160*lo
g(a + b*x)*a**3*b**4*c**3*d**3*x - 600*log(a + b*x)*a**3*b**4*c**3*d**3 -
7560*log(a + b*x)*a**3*b**4*c**2*d**4*x**2 - 1200*log(a + b*x)*a**3*b**4*c
**2*d**4*x - 8640*log(a + b*x)*a**3*b**4*c*d**5*x**3 - 600*log(a + b*x)*a*
*3*b**4*c*d**5*x**2 - 3240*log(a + b*x)*a**3*b**4*d**6*x**4 - 2160*log(a +
 b*x)*a**2*b**5*c**3*d**3*x**2 - 1800*log(a + b*x)*a**2*b**5*c**3*d**3*x -
 5400*log(a + b*x)*a**2*b**5*c**2*d**4*x**3 - 3600*log(a + b*x)*a**2*b**5*
c**2*d**4*x**2 - 4320*log(a + b*x)*a**2*b**5*c*d**5*x**4 - 1800*log(a + b*
x)*a**2*b**5*c*d**5*x**3 - 1080*log(a + b*x)*a**2*b**5*d**6*x**5 - 720*log
(a + b*x)*a*b**6*c**3*d**3*x**3 - 1800*log(a + b*x)*a*b**6*c**3*d**3*x**2
- 1440*log(a + b*x)*a*b**6*c**2*d**4*x**4 - 3600*log(a + b*x)*a*b**6*c**2*
d**4*x**3 - 720*log(a + b*x)*a*b**6*c*d**5*x**5 - 1800*log(a + b*x)*a*b**6
*c*d**5*x**4 - 600*log(a + b*x)*b**7*c**3*d**3*x**3 - 1200*log(a + b*x)*b*
*7*c**2*d**4*x**4 - 600*log(a + b*x)*b**7*c*d**5*x**5 + 1080*log(c + d*x)*
a**5*b**2*c**2*d**4 + 2160*log(c + d*x)*a**5*b**2*c*d**5*x + 1080*log(c +
d*x)*a**5*b**2*d**6*x**2 + 720*log(c + d*x)*a**4*b**3*c**3*d**3 + 4680*log
(c + d*x)*a**4*b**3*c**2*d**4*x + 7200*log(c + d*x)*a**4*b**3*c*d**5*x*...
```

3.55 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 682
Mathematica [A] (verified) 683
Rubi [A] (verified) 684
Maple [F] 690
Fricas [F] 690
Sympy [F(-1)] 691
Maxima [B] (verification not implemented) 691
Giac [F] 692
Mupad [F(-1)] 693
Reduce [F] 693

Optimal result

Integrand size = 40, antiderivative size = 539

$$\begin{aligned}
&\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{3B^2(bc-ad)^4g^3ix}{10bd^3} - \frac{3B^2(bc-ad)^3g^3i(c+dx)^2}{20d^4} + \frac{bB^2(bc-ad)^2g^3i(c+dx)^3}{30d^4} \\
&\quad - \frac{B(bc-ad)^2g^3i(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30b^2d} \\
&\quad - \frac{B(bc-ad)g^3i(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10b^2} \\
&\quad + \frac{(bc-ad)g^3i(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{20b^2} \\
&\quad + \frac{g^3i(a+bx)^4(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b} \\
&\quad + \frac{B(bc-ad)^3g^3i(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^2d^2} \\
&\quad - \frac{B(bc-ad)^4g^3i(a+bx)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^2d^3} \\
&\quad - \frac{B(bc-ad)^5g^3i\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(6A+11B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^2d^4} \\
&\quad - \frac{B^2(bc-ad)^5g^3i\log(c+dx)}{10b^2d^4} - \frac{B^2(bc-ad)^5g^3i\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{10b^2d^4}
\end{aligned}$$

output

```
3/10*B^2*(-a*d+b*c)^4*g^3*i*x/b/d^3-3/20*B^2*(-a*d+b*c)^3*g^3*i*(d*x+c)^2/
d^4+1/30*b*B^2*(-a*d+b*c)^2*g^3*i*(d*x+c)^3/d^4-1/30*B*(-a*d+b*c)^2*g^3*i*
(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/d-1/10*B*(-a*d+b*c)*g^3*i*(b*x+a
)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2+1/20*(-a*d+b*c)*g^3*i*(b*x+a)^4*(A+B*l
n(e*(b*x+a)/(d*x+c)))^2/b^2+1/5*g^3*i*(b*x+a)^4*(d*x+c)*(A+B*ln(e*(b*x+a)/
(d*x+c)))^2/b+1/60*B*(-a*d+b*c)^3*g^3*i*(b*x+a)^2*(3*A+B+3*B*ln(e*(b*x+a)/
(d*x+c)))/b^2/d^2-1/60*B*(-a*d+b*c)^4*g^3*i*(b*x+a)*(6*A+5*B+6*B*ln(e*(b*x
+a)/(d*x+c)))/b^2/d^3-1/60*B*(-a*d+b*c)^5*g^3*i*ln((-a*d+b*c)/b/(d*x+c))*(
6*A+11*B+6*B*ln(e*(b*x+a)/(d*x+c)))/b^2/d^4-1/10*B^2*(-a*d+b*c)^5*g^3*i*ln
(d*x+c)/b^2/d^4-1/10*B^2*(-a*d+b*c)^5*g^3*i*polylog(2,d*(b*x+a)/b/(d*x+c))
/b^2/d^4
```

Mathematica [A] (verified)

Time = 0.77 (sec) , antiderivative size = 905, normalized size of antiderivative = 1.68

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \frac{g^3 i\left(5(bc-ad)(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+4d(a+bx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2-\frac{5B(bc-ad)^2\left(6Ab\right.}{}\right.}{}$$

input
```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2,x]
```

output
```
(g^3*i*(5*(b*c - a*d)*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 +
 4*d*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (5*B*(b*c - a*d)
^2*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*
x))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b*x))
/(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*
B*(b*c - a*d)^3*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c
 + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x
)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (-(b*c) +
 a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b*c) + a*
d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]
)))/(3*d^4) + (B*(b*c - a*d)*(24*A*b*d*(b*c - a*d)^3*x + 24*B*d*(b*c - a*d
)^3*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 12*d^2*(b*c - a*d)^2*(a + b*x
)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 8*d^3*(b*c - a*d)*(a + b*x)^3*(
A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*d^4*(a + b*x)^4*(A + B*Log[(e*(a +
 b*x))/(c + d*x)]) - 24*B*(b*c - a*d)^4*Log[c + d*x] - 24*(b*c - a*d)^4*(A
 + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 4*B*(b*c - a*d)^2*(2*b*d
*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + B*(b*c
- a*d)*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*(
a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + 12*B*(b*c - a*d)^3*(b*d*x + (
-(b*c) + a*d)*Log[c + d*x]) + 12*B*(b*c - a*d)^4*((2*Log[(d*(a + b*x))/...
```

Rubi [A] (verified)

Time = 1.44 (sec) , antiderivative size = 617, normalized size of antiderivative = 1.14, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.275$, Rules used = {2962, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^3i(bc-ad)^5\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3i(bc-ad)^5\left(-\frac{2B\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.$$

$$\downarrow 2773$$

$$g^3i(bc-ad)^5\left(-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\int \frac{(a+bx)^3}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}\right)}{5b}+\frac{\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a\right.$$

$$\downarrow 49$$

$$g^3 i(bc-ad)^5 \left(-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\int\left(\frac{b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{3b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{1}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a+bx}{c+dx}}{4b}\right)}{5b}\right)$$

$$\downarrow 2009$$

$$g^3 i(bc-ad)^5 \left(\frac{\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{b^3}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\right.}{4b}\right.}{5b}\right)$$

$$\downarrow 2781$$

$$g^3 i(bc-ad)^5 \left(\frac{\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}}{5b}-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\right.}{3d^4\left(b-\right.}\right.}{5b}\right)$$

$$\downarrow 2784$$

$$ad)^5\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\int\frac{(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{2b}-\frac{g^3i(bc-}{5b}\right.$$

$$\left.2B\left(\frac{(a+bx$$

$$\downarrow 2784$$

$$ad)^5\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(6A+5B+6B\log\left(\frac{e}{}\right.\right.}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right.}}{2d}}{3d}\right)}{2b}-\frac{g^3i(bc-}{5b}\right.$$

$$\downarrow 2784$$

$$g^3 i(bc-$$

$$ad)^5\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6\right.}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right.}}{3d}\right.}{2b}\right.$$

$$\Big\downarrow 2754$$

$$g^3 i(bc-$$

$$ad)^5\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(\frac{e(a+bx)}{c+dx}\right)+3A+B\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(\frac{e(a+bx)}{c+dx}\right)+6\right.}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right.}}{3d}\right.}{2b}\right.$$



input

```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x
]
```

output

```
(b*c - a*d)^5*g^3*i*(((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/
(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*(((a + b*x)^4*(A
+ B*Log[(e*(a + b*x))/(c + d*x)]))/(4*b*(c + d*x)^4*(b - (d*(a + b*x))/(c
+ d*x))^4) - (B*(b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3*b^2)/(2*
d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (d*(a + b*x))/(c +
d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^4))/(4*b)))/(5*b) + (((a + b*x
)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*b*(c + d*x)^4*(b - (d*(a +
b*x))/(c + d*x))^4) - (B*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(3*d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a + b*x)^2*(3*A
+ B + 3*B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x
))/(c + d*x))^2) - (((a + b*x)*(6*A + 5*B + 6*B*Log[(e*(a + b*x))/(c + d*x
)]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((6*A + 11*B + 6*B*L
og[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (6
*B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d))/(3*d)))/(2*b))/(5
*b))
```

Defintions of rubi rules used

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci) \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3 (ci+dix) \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^3 (dix+ci) \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="fricas")
```

output
```
integral(A^2*b^3*d*g^3*i*x^4 + A^2*a^3*c*g^3*i + (A^2*b^3*c + 3*A^2*a*b^2*
d)*g^3*i*x^3 + 3*(A^2*a*b^2*c + A^2*a^2*b*d)*g^3*i*x^2 + (3*A^2*a^2*b*c +
A^2*a^3*d)*g^3*i*x + (B^2*b^3*d*g^3*i*x^4 + B^2*a^3*c*g^3*i + (B^2*b^3*c +
 3*B^2*a*b^2*d)*g^3*i*x^3 + 3*(B^2*a*b^2*c + B^2*a^2*b*d)*g^3*i*x^2 + (3*B
^2*a^2*b*c + B^2*a^3*d)*g^3*i*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b
^3*d*g^3*i*x^4 + A*B*a^3*c*g^3*i + (A*B*b^3*c + 3*A*B*a*b^2*d)*g^3*i*x^3 +
 3*(A*B*a*b^2*c + A*B*a^2*b*d)*g^3*i*x^2 + (3*A*B*a^2*b*c + A*B*a^3*d)*g^3
*i*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3186 vs. $2(514) = 1028$.

Time $= 0.19$ (sec) , antiderivative size $= 3186$, normalized size of antiderivative $= 5.91$

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="maxima")
```

output

```
1/5*A^2*b^3*d*g^3*i*x^5 + 1/4*A^2*b^3*c*g^3*i*x^4 + 3/4*A^2*a*b^2*d*g^3*i*
x^4 + A^2*a*b^2*c*g^3*i*x^3 + A^2*a^2*b*d*g^3*i*x^3 + 3/2*A^2*a^2*b*c*g^3*
i*x^2 + 1/2*A^2*a^3*d*g^3*i*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x + c)
) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a^3*c*g^3*i + 3*(x^2*log(b*e*
x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2
 - (b*c - a*d)*x/(b*d))*A*B*a^2*b*c*g^3*i + (2*x^3*log(b*e*x/(d*x + c) + a
*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*
d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a*b^2*c*g^3*i +
 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4
 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d
- a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*b^3*c*g^3*i + (
x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(
d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^3*d*g^3*i + (2*x^3*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3
- ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a^2*b
*d*g^3*i + 1/4*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x
 + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b
^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*a*b^2*
d*g^3*i + 1/30*(12*x^5*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 12*a^5*log(b
*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 ...
```

Giac [F]

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^3(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)^3*(d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x
)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,
x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g**3*i*( - 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x +
b*d*x**2),x)*a**5*b**2*d**6 + 30*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c
 + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5 - 60*int((log((a*e + b*e*
x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**4*c**2*d**4 +
 60*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),
x)*a**2*b**5*c**3*d**3 - 30*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*
d*x + b*c*x + b*d*x**2),x)*a*b**6*c**4*d**2 + 6*int((log((a*e + b*e*x)/(c
+ d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**7*c**5*d - 6*log(a + b*x
)*a**6*d**5 + 30*log(a + b*x)*a**5*b*c*d**4 - 5*log(a + b*x)*a**5*b*d**5 -
 60*log(a + b*x)*a**4*b**2*c**2*d**3 + 25*log(a + b*x)*a**4*b**2*c*d**4 +
60*log(a + b*x)*a**3*b**3*c**3*d**2 - 50*log(a + b*x)*a**3*b**3*c**2*d**3
- 30*log(a + b*x)*a**2*b**4*c**4*d + 50*log(a + b*x)*a**2*b**4*c**3*d**2 +
 6*log(a + b*x)*a*b**5*c**5 - 25*log(a + b*x)*a*b**5*c**4*d + 5*log(a + b*
x)*b**6*c**5 + 3*log((a*e + b*e*x)/(c + d*x))**2*a**4*b**2*c*d**4 + 18*log
((a*e + b*e*x)/(c + d*x))**2*a**3*b**3*c**2*d**3 + 60*log((a*e + b*e*x)/(c
 + d*x))**2*a**3*b**3*c*d**4*x + 30*log((a*e + b*e*x)/(c + d*x))**2*a**3*b
**3*d**5*x**2 - 12*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*c**3*d**2 + 9
0*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*c*d**4*x**2 + 60*log((a*e + b*
e*x)/(c + d*x))**2*a**2*b**4*d**5*x**3 + 3*log((a*e + b*e*x)/(c + d*x))**2
*a*b**5*c**4*d + 60*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c*d**4*x**3 ...
```

3.56 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result . . . 695
Mathematica [A] (verified) . . . 696
Rubi [A] (verified) . . . 697
Maple [F] . . . 703
Fricas [F] . . . 703
Sympy [F(-1)] . . . 703
Maxima [B] (verification not implemented) . . . 704
Giac [F] . . . 705
Mupad [F(-1)] . . . 705
Reduce [F] . . . 706

Optimal result

Integrand size = 40, antiderivative size = 450

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= -\frac{B^2(bc-ad)^3g^2ix}{3bd^2} + \frac{B^2(bc-ad)^2g^2i(c+dx)^2}{12d^3} \\
&\quad - \frac{B(bc-ad)^2g^2i(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{12b^2d} \\
&\quad - \frac{B(bc-ad)g^2i(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6b^2} \\
&\quad + \frac{(bc-ad)g^2i(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{12b^2} \\
&\quad + \frac{g^2i(a+bx)^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4b} \\
&\quad + \frac{B(bc-ad)^3g^2i(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{12b^2d^2} \\
&\quad + \frac{B(bc-ad)^4g^2i\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{12b^2d^3} \\
&\quad + \frac{B^2(bc-ad)^4g^2i\log(c+dx)}{6b^2d^3} + \frac{B^2(bc-ad)^4g^2i\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{6b^2d^3}
\end{aligned}
$$

output

```
-1/3*B^2*(-a*d+b*c)^3*g^2*i*x/b/d^2+1/12*B^2*(-a*d+b*c)^2*g^2*i*(d*x+c)^2/
d^3-1/12*B*(-a*d+b*c)^2*g^2*i*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/d-
1/6*B*(-a*d+b*c)*g^2*i*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2+1/12*(-a*
d+b*c)*g^2*i*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^2+1/4*g^2*i*(b*x+a)
^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b+1/12*B*(-a*d+b*c)^3*g^2*i*(b*x+
a)*(2*A+B+2*B*ln(e*(b*x+a)/(d*x+c)))/b^2/d^2+1/12*B*(-a*d+b*c)^4*g^2*i*ln(
(-a*d+b*c)/b/(d*x+c))*(2*A+3*B+2*B*ln(e*(b*x+a)/(d*x+c)))/b^2/d^3+1/6*B^2*
(-a*d+b*c)^4*g^2*i*ln(d*x+c)/b^2/d^3+1/6*B^2*(-a*d+b*c)^4*g^2*i*polylog(2,
d*(b*x+a)/b/(d*x+c))/b^2/d^3
```

Mathematica [A] (verified)

Time = 0.60 (sec) , antiderivative size = 680, normalized size of antiderivative = 1.51

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$

$$= \frac{g^2 i\left(4(bc-ad)(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+3d(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+\frac{4B(bc-ad)^2\left(2Ab\right.}{}\right.}{}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2,x]
```

output

```
(g^2*i*(4*(b*c - a*d)*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 +
 3*d*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + (4*B*(b*c - a*d)
^2*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(a + b*x))/
(c + d*x)] - d^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*B*(b
*c - a*d)^2*Log[c + d*x] - 2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d
*x)])*Log[c + d*x] + B*(b*c - a*d)*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) +
 B*(b*c - a*d)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log
[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/d^3 - (B*(b*c - a*d
)*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x
))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/
(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B
*(b*c - a*d)^3*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c
 + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)
^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (-(b*c) +
a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b*c) + a*d
)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])
))/d^3))/(12*b^2)
```

Rubi [A] (verified)

Time = 1.26 (sec) , antiderivative size = 516, normalized size of antiderivative = 1.15, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {2962, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^2i(bc-ad)^4\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i(bc-ad)^4\left(-\frac{B\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}+\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{4b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.$$

$\downarrow$ 2773

$$g^2 i(bc-ad)^4\left(-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int \frac{(a+bx)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}\right)}{2b}+\frac{\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}+\frac{(a\ }{}\right.$$

$\downarrow$ 49

$$g^2 i(bc-ad)^4\left(-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int \left(\frac{b^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{1}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a+bx}{c+dx}}{3b}\right)}{2b}+\frac{\int \frac{(a+bx)^2\left(A+\right.}{(c+dx)^2}}{}\right.$$

$\downarrow$ 2009

$$g^2 i(bc-ad)^4\left(\frac{\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\left(\frac{b^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(b\right.}{}\right.}{3b}\right.}{2b}\right.$$

$\downarrow$ 2781

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\int\frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}}{4b}-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\left(\frac{}{2d^3\left(b-\right.}\right.}{2}\right.$$

$$\downarrow 2784$$

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{3b}}{4b}-\frac{B\left(\frac{(a+bx)^3}{3b(c-}\right.}{}$$

$$\downarrow 2784$$

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}}{d}}{2d}\right)}{3b}}{4b}$$

$$\downarrow 2754$$

$$g^2 i(bc-ad)^4\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(\frac{e(a+bx)}{c+dx}\right)+2A+B\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}}{d}}{2d}\right)}{3b}\right)$$

$$\downarrow 2838$$

$$g^2 i(bc-ad)^4\left(-\frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\left(\frac{b^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^3}\right)}{3b}\right)}{2b}+\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{3b(c+dx)^3\left(b-\frac{d(a+b}{c+d}\right.}$$

input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x
]
```

output
```
(b*c - a*d)^4*g^2*i*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/
(4*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*(((a + b*x)^3*(A +
B*Log[(e*(a + b*x))/(c + d*x)]))/(3*b*(c + d*x)^3*(b - (d*(a + b*x))/(c +
d*x))^3) - (B*(b^2/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*b)/(d^3*(b
 - (d*(a + b*x))/(c + d*x))) - Log[b - (d*(a + b*x))/(c + d*x)]/d^3))/(3*b
)))/(2*b) + (((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*b*(c
+ d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*(((a + b*x)^2*(A + B*Log[
(e*(a + b*x))/(c + d*x)]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^
2) - (((a + b*x)*(2*A + B + 2*B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x
)*(b - (d*(a + b*x))/(c + d*x))) - (-(((2*A + 3*B + 2*B*Log[(e*(a + b*x))/
(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (2*B*PolyLog[2, (d*
(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d)))/(3*b))/(4*b))
```

Defintions of rubi rules used

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci) \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="fricas")
```

output
```
integral(A^2*b^2*d*g^2*i*x^3 + A^2*a^2*c*g^2*i + (A^2*b^2*c + 2*A^2*a*b*d)
*g^2*i*x^2 + (2*A^2*a*b*c + A^2*a^2*d)*g^2*i*x + (B^2*b^2*d*g^2*i*x^3 + B^
2*a^2*c*g^2*i + (B^2*b^2*c + 2*B^2*a*b*d)*g^2*i*x^2 + (2*B^2*a*b*c + B^2*a
^2*d)*g^2*i*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^2*d*g^2*i*x^3 + A
*B*a^2*c*g^2*i + (A*B*b^2*c + 2*A*B*a*b*d)*g^2*i*x^2 + (2*A*B*a*b*c + A*B*
a^2*d)*g^2*i*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2243 vs. $2(429) = 858$.

Time $= 0.16$ (sec) , antiderivative size $= 2243$, normalized size of antiderivative $= 4.98$

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="maxima")
```

output
```
1/4*A^2*b^2*d*g^2*i*x^4 + 1/3*A^2*b^2*c*g^2*i*x^3 + 2/3*A^2*a*b*d*g^2*i*x^
3 + A^2*a*b*c*g^2*i*x^2 + 1/2*A^2*a^2*d*g^2*i*x^2 + 2*(x*log(b*e*x/(d*x +
c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a^2*c*g^2*i
 + 2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^
2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a*b*c*g^2*i + 1/3*(2*x^3*log
(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x
 + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))
*A*B*b^2*c*g^2*i + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x
 + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^2*d*g^2*i +
2/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 -
 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)
*x)/(b^2*d^2))*A*B*a*b*d*g^2*i + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2
- a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x
)/(b^3*d^3))*A*B*b^2*d*g^2*i + A^2*a^2*c*g^2*i*x - 1/12*(2*a^3*c*d^3*g^2*i
 + (2*g^2*i*log(e) + g^2*i)*b^3*c^4 - 2*(4*g^2*i*log(e) + g^2*i)*a*b^2*c^3
*d + (12*g^2*i*log(e) - g^2*i)*a^2*b*c^2*d^2)*B^2*log(d*x + c)/(b*d^3) - 1
/6*(b^4*c^4*g^2*i - 4*a*b^3*c^3*d*g^2*i + 6*a^2*b^2*c^2*d^2*g^2*i - 4*a^3*
b*c*d^3*g^2*i + a^4*d^4*g^2*i)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d)
 + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^2*d^3) + 1/12*(3*B^2*...
```

Giac [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="giac")
```

output
```
integrate((b*g*x + a*g)^2*(d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x
)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,
x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g**2*i*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x +
b*d*x**2),x)*a**4*b**2*d**5 + 8*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4 - 12*int((log((a*e + b*e*x
)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**4*c**2*d**3 +
8*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)
*a*b**5*c**3*d**2 - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x +
b*c*x + b*d*x**2),x)*b**6*c**4*d - 2*log(a + b*x)*a**5*d**4 + 8*log(a + b*
x)*a**4*b*c*d**3 - log(a + b*x)*a**4*b*d**4 - 12*log(a + b*x)*a**3*b**2*c*
*2*d**2 + 4*log(a + b*x)*a**3*b**2*c*d**3 + 8*log(a + b*x)*a**2*b**3*c**3*
d - 6*log(a + b*x)*a**2*b**3*c**2*d**2 - 2*log(a + b*x)*a*b**4*c**4 + 4*lo
g(a + b*x)*a*b**4*c**3*d - log(a + b*x)*b**5*c**4 + log((a*e + b*e*x)/(c +
 d*x))**2*a**3*b**2*c*d**3 + 3*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c
**2*d**2 + 12*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c*d**3*x + 6*log((
a*e + b*e*x)/(c + d*x))**2*a**2*b**3*d**4*x**2 - log((a*e + b*e*x)/(c + d*
x))**2*a*b**4*c**3*d + 12*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c*d**3*x*
*2 + 8*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*d**4*x**3 + 4*log((a*e + b*e
*x)/(c + d*x))**2*b**5*c*d**3*x**3 + 3*log((a*e + b*e*x)/(c + d*x))**2*b**
5*d**4*x**4 + 12*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c**2*d**2 + 24*log
((a*e + b*e*x)/(c + d*x))*a**3*b**2*c*d**3*x + 2*log((a*e + b*e*x)/(c + d*
x))*a**3*b**2*c*d**3 + 12*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*d**4*x...
```

3.57 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result . . . 707
Mathematica [B] (verified) . . . 708
Rubi [A] (verified) . . . 709
Maple [F] . . . 714
Fricas [F] . . . 714
Sympy [F(-1)] . . . 715
Maxima [B] (verification not implemented) . . . 715
Giac [F] . . . 716
Mupad [F(-1)] . . . 717
Reduce [F] . . . 717

Optimal result

Integrand size = 38, antiderivative size = 343

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{B^2(bc-ad)^2gix}{3bd} - \frac{B(bc-ad)^2gi(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^2d} \\
&\quad - \frac{B(bc-ad)gi(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^2} \\
&\quad + \frac{(bc-ad)gi(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{6b^2} \\
&\quad + \frac{gi(a+bx)^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3b} \\
&\quad - \frac{B(bc-ad)^3gi\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^2d^2} \\
&\quad - \frac{B^2(bc-ad)^3gi\log(c+dx)}{3b^2d^2} - \frac{B^2(bc-ad)^3gi\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{3b^2d^2}
\end{aligned}$$

output

```
1/3*B^2*(-a*d+b*c)^2*g*i*x/b/d-1/3*B*(-a*d+b*c)^2*g*i*(b*x+a)*(A+B*ln(e*(b
*x+a)/(d*x+c)))/b^2/d-1/3*B*(-a*d+b*c)*g*i*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*
x+c)))/b^2+1/6*(-a*d+b*c)*g*i*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^2+
1/3*g*i*(b*x+a)^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b-1/3*B*(-a*d+b*c)
^3*g*i*ln((-a*d+b*c)/b/(d*x+c))*(A+B+B*ln(e*(b*x+a)/(d*x+c)))/b^2/d^2-1/3*
B^2*(-a*d+b*c)^3*g*i*ln(d*x+c)/b^2/d^2-1/3*B^2*(-a*d+b*c)^3*g*i*polylog(2,
d*(b*x+a)/b/(d*x+c))/b^2/d^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 869 vs. $2(343) = 686$.

Time $= 0.71$ (sec) , antiderivative size $= 869$, normalized size of antiderivative $= 2.53$

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$

$$= \frac{gi\Big(-6Ab^2Bcd(bc-ad)x + 6aAbBd^2(-bc+ad)x + 4AbBd(bc-ad)(bc+ad)x - 6bB^2cd(bc-ad)(a+$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^2,x]
```

output

```
(g*i*(-6*A*b^2*B*c*d*(b*c - a*d)*x + 6*a*A*b*B*d^2*(-(b*c) + a*d)*x + 4*A*
b*B*d*(b*c - a*d)*(b*c + a*d)*x - 6*b*B^2*c*d*(b*c - a*d)*(a + b*x)*Log[(e
*(a + b*x))/(c + d*x)] + 6*a*B^2*d^2*(-(b*c) + a*d)*(a + b*x)*Log[(e*(a +
b*x))/(c + d*x)] + 4*B^2*d*(b*c - a*d)*(b*c + a*d)*(a + b*x)*Log[(e*(a + b
*x))/(c + d*x)] - 2*b^2*B*d^2*(b*c - a*d)*x^2*(A + B*Log[(e*(a + b*x))/(c
+ d*x)]) + 6*a^2*b*B*c*d^2*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)
]) - 2*a^3*B*d^3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*a*b
^2*c*d^2*x*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 3*b^2*d^2*(b*c + a*d)*
x^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 2*b^3*d^3*x^3*(A + B*Log[(e*(
a + b*x))/(c + d*x)])^2 + 6*b*B^2*c*(b*c - a*d)^2*Log[c + d*x] + 6*a*B^2*d
*(b*c - a*d)^2*Log[c + d*x] - 4*B^2*(b*c - a*d)^2*(b*c + a*d)*Log[c + d*x]
 + 2*b^3*B*c^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 6*a*b^2
*B*c^2*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 2*B^2*(b*c -
a*d)*(a^2*d^2*Log[a + b*x] - b*(d*(-(b*c) + a*d)*x + b*c^2*Log[c + d*x]))
- 3*a^2*b*B^2*c*d^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c
 - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + a^3*B^2*d^3*(Log
[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2,
 (d*(a + b*x))/(-(b*c) + a*d)]) - b^3*B^2*c^3*((2*Log[(d*(a + b*x))/(-(b*c
) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c -
 a*d)]) + 3*a*b^2*B^2*c^2*d*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log...
```

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 405, normalized size of antiderivative = 1.18, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$, Rules used = {2962, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$gi(bc-ad)^3\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi(bc-ad)^3\left(-\frac{2B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{3b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)$$

$$\downarrow 2773$$

$$gi(bc-ad)^3\left(-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{a+bx}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+}{}\right)$$

$$\downarrow 49$$

$$gi(bc-ad)^3\left(-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{b}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{1}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d}{3b}\right)$$

$$\downarrow 2009$$

$$gi(bc-ad)^3\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right)}{2b}\right)}{3b}+\right)$$

$$\downarrow 2781$$

$$gi(bc-ad)^3\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)\Bigg/3b-2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{b}{d^2\left(b-\frac{d}{}\right.\right.}\right.$$

$\downarrow$ 2784

$$gi(bc-ad)^3\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{b}\right)\Bigg/3b-2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a}{2b(c+dx)^2\left(b-\frac{d}{}\right.\right.}\right.$$

$\downarrow$ 2754

$$gi(bc-ad)^3\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+}{c+}\right.\right.\right.}{d}\right.}{b}\right)\Bigg/3b$$

$\downarrow$ 2838

$$gi(bc-ad)^3\left(-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right)}{2b}\right)}{3b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{(a}{-}\right.$$

input
```
Int[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(b*c - a*d)^3*g*i*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3
*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*(((a + b*x)^2*(A +
B*Log[(e*(a + b*x))/(c + d*x)]))/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c +
d*x))^2) - (B*(b/(d^2*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x
))/(c + d*x)]/d^2))/(2*b)))/(3*b) + (((a + b*x)^2*(A + B*Log[(e*(a + b*x))
/(c + d*x)])^2)/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(((
a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x)*(b - (d*(a + b
*x))/(c + d*x))) - (-(((A + B + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d
*(a + b*x))/(b*(c + d*x))])/d) - (B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))
])/d)/d))/b)/(3*b))
```

Defintions of rubi rules used

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$=\int (bgx+ag)(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algori
thm="fricas")
```

output

```
integral(A^2*b*d*g*i*x^2 + A^2*a*c*g*i + (A^2*b*c + A^2*a*d)*g*i*x + (B^2*
b*d*g*i*x^2 + B^2*a*c*g*i + (B^2*b*c + B^2*a*d)*g*i*x)*log((b*e*x + a*e)/(
d*x + c))^2 + 2*(A*B*b*d*g*i*x^2 + A*B*a*c*g*i + (A*B*b*c + A*B*a*d)*g*i*x
)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1252 vs. $2(326) = 652$.

Time = 0.14 (sec) , antiderivative size = 1252, normalized size of antiderivative = 3.65

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algori
thm="maxima")
```

output

```
1/3*A^2*b*d*g*i*x^3 + 1/2*A^2*b*c*g*i*x^2 + 1/2*A^2*a*d*g*i*x^2 + 2*(x*log
(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A
*B*a*c*g*i + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/
b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*b*c*g*i + (x^2*log(b
*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/
d^2 - (b*c - a*d)*x/(b*d))*A*B*a*d*g*i + 1/3*(2*x^3*log(b*e*x/(d*x + c) +
a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c
*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*b*d*g*i + A^2*
a*c*g*i*x + 1/3*(b^2*c^3*g*i*log(e) - a^2*c*d^2*g*i - (3*g*i*log(e) - g*i)
*a*b*c^2*d)*B^2*log(d*x + c)/(b*d^2) + 1/3*(b^3*c^3*g*i - 3*a*b^2*c^2*d*g*
i + 3*a^2*b*c*d^2*g*i - a^3*d^3*g*i)*(log(b*x + a)*log((b*d*x + a*d)/(b*c
- a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^2*d^2) + 1/6*(2*B^
2*b^3*d^3*g*i*x^3*log(e)^2 + ((3*g*i*log(e)^2 - 2*g*i*log(e))*b^3*c*d^2 +
(3*g*i*log(e)^2 + 2*g*i*log(e))*a*b^2*d^3)*B^2*x^2 - 2*((g*i*log(e) - g*i)
*b^3*c^2*d - (3*g*i*log(e)^2 - 2*g*i)*a*b^2*c*d^2 - (g*i*log(e) + g*i)*a^2
*b*d^3)*B^2*x + (2*B^2*b^3*d^3*g*i*x^3 + 6*B^2*a*b^2*c*d^2*g*i*x + 3*(b^3*
c*d^2*g*i + a*b^2*d^3*g*i)*B^2*x^2 + (3*a^2*b*c*d^2*g*i - a^3*d^3*g*i)*B^2
)*log(b*x + a)^2 + (2*B^2*b^3*d^3*g*i*x^3 + 6*B^2*a*b^2*c*d^2*g*i*x + 3*(b
^3*c*d^2*g*i + a*b^2*d^3*g*i)*B^2*x^2 - (b^3*c^3*g*i - 3*a*b^2*c^2*d*g*i)*
B^2)*log(d*x + c)^2 + 2*(2*B^2*b^3*d^3*g*i*x^3*log(e) + ((3*g*i*log(e) ...
```

Giac [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algori
thm="giac")
```

output

```
integrate((b*g*x + a*g)*(d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)^2
, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2, x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g*i*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d
*x**2),x)*a**3*b**2*d**4 + 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a
*d*x + b*c*x + b*d*x**2),x)*a**2*b**3*c*d**3 - 6*int((log((a*e + b*e*x)/(c
 + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**4*c**2*d**2 + 2*int((
log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**5*c
**3*d - 2*log(a + b*x)*a**4*d**3 + 6*log(a + b*x)*a**3*b*c*d**2 - 6*log(a
+ b*x)*a**2*b**2*c**2*d + 2*log(a + b*x)*a*b**3*c**3 + log((a*e + b*e*x)/(
c + d*x))**2*a**2*b**2*c*d**2 + log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c**
2*d + 6*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c*d**2*x + 3*log((a*e + b*e
*x)/(c + d*x))**2*a*b**3*d**3*x**2 + 3*log((a*e + b*e*x)/(c + d*x))**2*b**
4*c*d**2*x**2 + 2*log((a*e + b*e*x)/(c + d*x))**2*b**4*d**3*x**3 + 6*log((
a*e + b*e*x)/(c + d*x))*a**2*b**2*c**2*d + 12*log((a*e + b*e*x)/(c + d*x))
*a**2*b**2*c*d**2*x + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d**2 + 6*
log((a*e + b*e*x)/(c + d*x))*a**2*b**2*d**3*x**2 + 2*log((a*e + b*e*x)/(c
+ d*x))*a**2*b**2*d**3*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**3 - 2*
log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2*d + 6*log((a*e + b*e*x)/(c + d*x)
)*a*b**3*c*d**2*x**2 + 4*log((a*e + b*e*x)/(c + d*x))*a*b**3*d**3*x**3 + 2
*log((a*e + b*e*x)/(c + d*x))*a*b**3*d**3*x**2 - 2*log((a*e + b*e*x)/(c +
d*x))*b**4*c**2*d*x - 2*log((a*e + b*e*x)/(c + d*x))*b**4*c*d**2*x**2 + 6*
a**3*b*c*d**2*x + 3*a**3*b*d**3*x**2 + 2*a**3*b*d**3*x + 3*a**2*b**2*c*...
```

3.58 $\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result . . . 719
Mathematica [A] (verified) . . . 720
Rubi [A] (verified) . . . 720
Maple [F] . . . 724
Fricas [F] . . . 724
Sympy [F(-1)] . . . 725
Maxima [B] (verification not implemented) . . . 725
Giac [F] . . . 726
Mupad [F(-1)] . . . 726
Reduce [F] . . . 727

Optimal result

Integrand size = 30, antiderivative size = 203

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= -\frac{B(bc-ad)i(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2} + \frac{i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2d}$$
$$+ \frac{B^2(bc-ad)^2 i\log(c+dx)}{b^2 d} + \frac{B(bc-ad)^2 i\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2 d}$$
$$- \frac{B^2(bc-ad)^2 i\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2 d}$$

output

```
-B*(-a*d+b*c)*i*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2+1/2*i*(d*x+c)^2*(A
+B*ln(e*(b*x+a)/(d*x+c)))^2/d+B^2*(-a*d+b*c)^2*i*ln(d*x+c)/b^2/d+B*(-a*d+b
*c)^2*i*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^2/d-B^2*(-
a*d+b*c)^2*i*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/d
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 205, normalized size of antiderivative = 1.01

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \frac{i\left((c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 - \frac{B(bc-ad)\left((-bBc+aBd)\log^2(a+bx)+2\left(Abdx+Bd(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+(-bBc+aBd)\right.}{2d}$$

input
```
Integrate[(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(i*((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (B*(b*c - a*d)*((
-(b*B*c) + a*B*d)*Log[a + b*x]^2 + 2*(A*b*d*x + B*d*(a + b*x)*Log[(e*(a +
b*x))/(c + d*x)] + (-(b*B*c) + a*B*d)*Log[c + d*x]) + 2*(b*c - a*d)*Log[a
+ b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)] + B*Log[(b*(c + d*x))/(b*c - a*
d)]) + 2*B*(b*c - a*d)*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]))/b^2))/(2
*d)
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 227, normalized size of antiderivative = 1.12, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {2952, 2756, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$
$$\downarrow 2952$$
$$i(bc-ad)^2\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}$$
$$\downarrow 2756$$

$$i(bc-ad)^2\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{d}\right)$$

$$\downarrow 2789$$

$$ad)^2\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\\ B\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{d}\right)$$

$$\downarrow 2751$$

$$ad)^2\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\\ B\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a}{c}}{b}\right)}{d}\right)$$

$$\downarrow 16$$

$$ad)^2\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\\ B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{d}\right)$$



input
```
Int[(c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(b*c - a*d)^2*i*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(2*d*(b - (d*(a +
b*x))/(c + d*x))^2) - (B*((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a + b*x)
)/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 -
 (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b*
x))])/b)/b))/d)
```

Defintions of rubi rules used

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 2751

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [F]

$$\int (dix + ci)\left(A + B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix + ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right) + A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="fricas"
)
```

output

```
integral(A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log((b*e*x + a*e)/(d*
x + c))^2 + 2*(A*B*d*i*x + A*B*c*i)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 633 vs. $2(200) = 400$.

Time = 0.12 (sec) , antiderivative size = 633, normalized size of antiderivative = 3.12

$$\begin{aligned}
&\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{1}{2}A^2 dix^2 + 2\left(x\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) + \frac{a\log(bx+a)}{b} - \frac{c\log(dx+c)}{d}\right)ABci \\
&\quad + \left(x^2\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) - \frac{a^2\log(bx+a)}{b^2} + \frac{c^2\log(dx+c)}{d^2} - \frac{(bc-ad)x}{bd}\right)ABdi \\
&\quad + A^2cix - \frac{((i\log(e)-i)bc^2 + acdi)B^2\log(dx+c)}{bd} \\
&\quad - \frac{(b^2c^2i - 2\,abcdi + a^2d^2i)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B^2}{b^2d} \\
&\quad + \frac{B^2b^2d^2ix^2\log(e)^2 + 2\left(abd^2i\log(e) + \left(i\log(e)^2 - i\log(e)\right)b^2cd\right)B^2x + (B^2b^2d^2ix^2 + 2\,B^2b^2cdix + (2}{}
\end{aligned}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="maxima"
)
```

output
```
1/2*A^2*d*i*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x +
a)/b - c*log(d*x + c)/d)*A*B*c*i + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c
)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*
B*d*i + A^2*c*i*x - ((i*log(e) - i)*b*c^2 + a*c*d*i)*B^2*log(d*x + c)/(b*d
) - (b^2*c^2*i - 2*a*b*c*d*i + a^2*d^2*i)*(log(b*x + a)*log((b*d*x + a*d)/
(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^2*d) + 1/2*(B
^2*b^2*d^2*i*x^2*log(e)^2 + 2*(a*b*d^2*i*log(e) + (i*log(e)^2 - i*log(e))*
b^2*c*d)*B^2*x + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x + (2*a*b*c*d*i - a
^2*d^2*i)*B^2)*log(b*x + a)^2 + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x + B
^2*b^2*c^2*i)*log(d*x + c)^2 + 2*(B^2*b^2*d^2*i*x^2*log(e) + ((2*i*log(e)
- i)*b^2*c*d + a*b*d^2*i)*B^2*x + ((2*i*log(e) - i)*a*b*c*d - (i*log(e) -
i)*a^2*d^2)*B^2)*log(b*x + a) - 2*(B^2*b^2*d^2*i*x^2*log(e) + ((2*i*log(e)
 - i)*b^2*c*d + a*b*d^2*i)*B^2*x + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x
+ (2*a*b*c*d*i - a^2*d^2*i)*B^2)*log(b*x + a))*log(d*x + c))/(b^2*d)
```

Giac [F]

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix + ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right) + A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (c\,i + d\,i\,x)\left(A + B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x)
```

output
```
int((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2, x)
```

Reduce [F]

$$\int (ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \frac{i\left(-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{bd\,x^2+adx+bcx+ac}dx\right)a^2b^2d^3+4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{bd\,x^2+adx+bcx+ac}dx\right)a\,b^3c\,d^2-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)x}{bd\,x^2+adx+bcx+ac}dx\right)b^4c^2d\right.}{}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
(i*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x
**2),x)*a**2*b**2*d**3 + 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d
*x + b*c*x + b*d*x**2),x)*a*b**3*c*d**2 - 2*int((log((a*e + b*e*x)/(c + d*
x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**4*c**2*d - 2*log(c + d*x)*a*
*3*d**2 + 4*log(c + d*x)*a**2*b*c*d + 2*log(c + d*x)*a**2*b*d**2 - 2*log(c
 + d*x)*a*b**2*c**2 - 4*log(c + d*x)*a*b**2*c*d + 2*log(c + d*x)*b**3*c**2
 + log((a*e + b*e*x)/(c + d*x))**2*a*b**2*c*d + 2*log((a*e + b*e*x)/(c + d
*x))**2*b**3*c*d*x + log((a*e + b*e*x)/(c + d*x))**2*b**3*d**2*x**2 - 2*lo
g((a*e + b*e*x)/(c + d*x))*a**3*d**2 + 4*log((a*e + b*e*x)/(c + d*x))*a**2
*b*c*d + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b*d**2 + 4*log((a*e + b*e*x)/
(c + d*x))*a*b**2*c*d*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**2*c*d + 2*lo
g((a*e + b*e*x)/(c + d*x))*a*b**2*d**2*x**2 + 2*log((a*e + b*e*x)/(c + d*x
))*a*b**2*d**2*x - 2*log((a*e + b*e*x)/(c + d*x))*b**3*c*d*x + 2*a**2*b*c*
d*x + a**2*b*d**2*x**2 + 2*a**2*b*d**2*x - 2*a*b**2*c*d*x))/(2*b*d)
```

3.59 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$

Optimal result . . . 728
Mathematica [B] (verified) . . . 729
Rubi [A] (verified) . . . 730
Maple [F] . . . 735
Fricas [F] . . . 735
Sympy [F] . . . 735
Maxima [F] . . . 736
Giac [F] . . . 736
Mupad [F(-1)] . . . 737
Reduce [F] . . . 737

Optimal result

Integrand size = 40, antiderivative size = 286

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx \\
&= \frac{2B(bc-ad)i\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g} \\
&\quad + \frac{di(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2g} \\
&\quad - \frac{(bc-ad)i\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g} \\
&\quad + \frac{2B^2(bc-ad)i\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^2g} \\
&\quad + \frac{2B(bc-ad)i\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g} \\
&\quad + \frac{2B^2(bc-ad)i\,\mathrm{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g}
\end{aligned}$$

output

```
2*B*(-a*d+b*c)*i*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/
g+d*i*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^2/g-(-a*d+b*c)*i*(A+B*ln(e*(
b*x+a)/(d*x+c)))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^2/g+2*B^2*(-a*d+b*c)*i*poly
log(2,d*(b*x+a)/b/(d*x+c))/b^2/g+2*B*(-a*d+b*c)*i*(A+B*ln(e*(b*x+a)/(d*x+c
)))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/g+2*B^2*(-a*d+b*c)*i*polylog(3,b*(d
*x+c)/d/(b*x+a))/b^2/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1214 vs. $2(286) = 572$.

Time = 1.38 (sec) , antiderivative size = 1214, normalized size of antiderivative = 4.24

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag + bgx}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*
g*x),x]
```

output

```
(i*(3*A^2*b*d*x + 3*A^2*(b*c - a*d)*Log[a + b*x] - 3*A*B*(a*d*Log[a/b + x]
^2 - 2*a*d*Log[a/b + x]*(1 + Log[a + b*x]) + 2*(-(b*c) + a*d + Log[c/d + x
]*(b*c + a*d*Log[a + b*x] - a*d*Log[(d*(a + b*x))/(-(b*c) + a*d)]) + (-(b*
d*x) + a*d*Log[a + b*x])*Log[(e*(a + b*x))/(c + d*x)]) - 2*a*d*PolyLog[2,
(b*(c + d*x))/(b*c - a*d)]) + 3*A*b*B*c*(Log[a/b + x]^2 - 2*Log[a + b*x]*(
Log[a/b + x] - Log[c/d + x] - Log[(e*(a + b*x))/(c + d*x)]) - 2*(Log[c/d +
 x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + PolyLog[2, (b*(c + d*x))/(b*c - a*
d)])) - B^2*(a*d*Log[a/b + x]^3 - 3*d*(2*b*x - 2*(a + b*x)*Log[a/b + x] +
(a + b*x)*Log[a/b + x]^2) - 3*b*(2*d*x - 2*(c + d*x)*Log[c/d + x] + (c + d
*x)*Log[c/d + x]^2) - 3*d*(b*x - a*Log[a + b*x])*(-Log[a/b + x] + Log[c/d
+ x] + Log[(e*(a + b*x))/(c + d*x)])^2 + 6*(a*d + 2*b*d*x - b*d*x*Log[c/d
+ x] - b*c*Log[c + d*x] + Log[a/b + x]*(-(d*(a + b*x)) + d*(a + b*x)*Log[c
/d + x] + (b*c - a*d)*Log[(b*(c + d*x))/(b*c - a*d)]) + (b*c - a*d)*PolyLo
g[2, (d*(a + b*x))/(-(b*c) + a*d)]) - 3*(Log[a/b + x] - Log[c/d + x] - Log
[(e*(a + b*x))/(c + d*x)])*(-2*b*c + 2*a*d - 2*d*(a + b*x)*Log[a/b + x] +
a*d*Log[a/b + x]^2 + 2*Log[c/d + x]*(b*(c + d*x) - a*d*Log[(d*(a + b*x))/(
-(b*c) + a*d)]) - 2*a*d*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) - 3*a*d*(Lo
g[a/b + x]^2*(Log[c/d + x] - Log[(b*(c + d*x))/(b*c - a*d)]) - 2*Log[a/b +
 x]*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 2*PolyLog[3, (d*(a + b*x))/
(-(b*c) + a*d)]) + 3*a*d*(Log[c/d + x]^2*Log[(d*(a + b*x))/(-(b*c) + a*...
```

Rubi [A] (verified)

Time = 1.08 (sec) , antiderivative size = 272, normalized size of antiderivative = 0.95, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2962, 2789, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow 2962$$

$$\frac{i(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i(bc-ad)\left(\frac{d\int\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2755$$

$$\frac{i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2754$$

$$\frac{i(bc-ad)\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\left(\frac{B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a}{b(c-}\right.\right.\right.}{b}\right.}{b}\right.}{b}\right.}{b}\right.}{g}$$

$$\downarrow 2779$$

$$i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\left(\frac{B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d}\right)}{b}\right)}{b}+\frac{2B\int-}{}\right)$$

$$g$$

$$\downarrow 2821$$

$$i(bc-ad)\left(\frac{2B\left(\frac{\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\int\frac{(c+dx)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}$$

$$g$$

$$\downarrow 2838$$

$$i(bc-ad)\left(\frac{2B\left(\frac{\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\int\frac{(c+dx)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}$$

$$g$$

$$\downarrow 7143$$

$$\frac{i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2B\left(-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d}-\frac{B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d}\right)}{b}\right)}{b}+\frac{2B\left(\mathrm{PolyLog}\left(2,\frac{b(}{d(}\right.\right.}{g}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x),x
]
```

output
```
((b*c - a*d)*i*((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(b*
(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (2*B*(-(((A + B*Log[(e*(a + b*x
))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*PolyLog[2, (d
*(a + b*x))/(b*(c + d*x))])/d))/b))/b + (-(((A + B*Log[(e*(a + b*x))/(c +
d*x)])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*((A + B*Log[(e*(a
 + b*x))/(c + d*x)])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] + B*PolyLog[3
, (b*(c + d*x))/(d*(a + b*x))]))/b)/b))/g
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))  Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d  Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d  Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algori
thm="fricas")
```

output
```
integral((A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log((b*e*x + a*e)/(d
*x + c))^2 + 2*(A*B*d*i*x + A*B*c*i)*log((b*e*x + a*e)/(d*x + c)))/(b*g*x
+ a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}dx$$
$$= \frac{i\left(\int \frac{A^2c}{a+bx}dx + \int \frac{A^2dx}{a+bx}dx + \int \frac{B^2c\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a+bx}dx + \int \frac{2ABc\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}dx + \int \frac{B^2dx\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a+bx}dx\right.}{g}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g),x)
```

output
```
i*(Integral(A**2*c/(a + b*x), x) + Integral(A**2*d*x/(a + b*x), x) + Integ
ral(B**2*c*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x), x) + Integra
l(2*A*B*c*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Integral(B*
*2*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x), x) + Integral(2*
A*B*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x))/g
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algori
thm="maxima")
```

output
```
A^2*d*i*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + A^2*c*i*log(b*g*x + a*g)/(b*g
) + (B^2*b*d*i*x + (b*c*i - a*d*i)*B^2*log(b*x + a))*log(d*x + c)^2/(b^2*g
) - integrate(-(B^2*b^2*c^2*i*log(e)^2 + 2*A*B*b^2*c^2*i*log(e) + (B^2*b^2
*d^2*i*log(e)^2 + 2*A*B*b^2*d^2*i*log(e))*x^2 + (B^2*b^2*d^2*i*x^2 + 2*B^2
*b^2*c*d*i*x + B^2*b^2*c^2*i)*log(b*x + a)^2 + 2*(B^2*b^2*c*d*i*log(e)^2 +
 2*A*B*b^2*c*d*i*log(e))*x + 2*(B^2*b^2*c^2*i*log(e) + A*B*b^2*c^2*i + (B^
2*b^2*d^2*i*log(e) + A*B*b^2*d^2*i)*x^2 + 2*(B^2*b^2*c*d*i*log(e) + A*B*b^
2*c*d*i)*x)*log(b*x + a) - 2*(B^2*b^2*c^2*i*log(e) + A*B*b^2*c^2*i + ((i*l
og(e) + i)*B^2*b^2*d^2 + A*B*b^2*d^2*i)*x^2 + (2*A*B*b^2*c*d*i + (2*b^2*c*
d*i*log(e) + a*b*d^2*i)*B^2)*x + (B^2*b^2*d^2*i*x^2 + (3*b^2*c*d*i - a*b*d
^2*i)*B^2*x + (b^2*c^2*i + a*b*c*d*i - a^2*d^2*i)*B^2)*log(b*x + a))*log(d
*x + c))/(b^3*d*g*x^2 + a*b^2*c*g + (b^3*c*g + a*b^2*d*g)*x), x)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algori
thm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*g)
, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x),x
)
```

output
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x),
x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i\left(\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{bx+a}dx\right) b^4c + 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right) a\,b^3c + \left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2 x}{bx+a}dx\right) b^4d + 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right) x}{bx+a}dx\right)}{b^2g}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output

```
(i*(int(log((a*e + b*e*x)/(c + d*x))**2/(a + b*x),x)*b**4*c + 2*int(log((a
*e + b*e*x)/(c + d*x))/(a + b*x),x)*a*b**3*c + int((log((a*e + b*e*x)/(c +
 d*x))**2*x)/(a + b*x),x)*b**4*d + 2*int((log((a*e + b*e*x)/(c + d*x))*x)/
(a + b*x),x)*a*b**3*d - log(a + b*x)*a**3*d + log(a + b*x)*a**2*b*c + a**2
*b*d*x))/(b**2*g)
```

3.60 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result . . . 739
Mathematica [B] (verified) . . . 740
Rubi [A] (verified) . . . 741
Maple [F] . . . 744
Fricas [F] . . . 744
Sympy [F(-1)] . . . 745
Maxima [F] . . . 745
Giac [F] . . . 746
Mupad [F(-1)] . . . 746
Reduce [F] . . . 746

Optimal result

Integrand size = 40, antiderivative size = 241

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2i(c+dx)}{bg^2(a+bx)} - \frac{2Bi(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{bg^2(a+bx)} \\
&\quad - \frac{i(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{bg^2(a+bx)} - \frac{di\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} \\
&\quad + \frac{2Bdi\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} + \frac{2B^2di\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2}
\end{aligned}$$

output

```
-2*B^2*i*(d*x+c)/b/g^2/(b*x+a)-2*B*i*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b
/g^2/(b*x+a)-i*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b/g^2/(b*x+a)-d*i*(A+
B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^2/g^2+2*B*d*i*(A+B*
ln(e*(b*x+a)/(d*x+c)))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/g^2+2*B^2*d*i*po
lylog(3,b*(d*x+c)/d/(b*x+a))/b^2/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1407 vs. $2(241) = 482$.

Time = 2.12 (sec) , antiderivative size = 1407, normalized size of antiderivative = 5.84

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^2}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*
g*x)^2,x]
```

output

```
(i*((3*A^2*(-(b*c) + a*d))/(a + b*x) + 3*A^2*d*Log[a + b*x] - (6*A*b*B*c*(
-(d*(a + b*x)*Log[c/d + x]) + d*(a + b*x)*Log[(d*(a + b*x))/(-(b*c) + a*d)
] + (b*c - a*d)*(1 + Log[(e*(a + b*x))/(c + d*x)])))/((b*c - a*d)*(a + b*x
)) + (3*b*B^2*c*(-2*b*c + 2*a*d - 2*d*(a + b*x)*Log[a + b*x] - 2*(b*c - a*
d)*Log[(e*(a + b*x))/(c + d*x)] - 2*d*(a + b*x)*Log[a + b*x]*Log[(e*(a + b
*x))/(c + d*x)] - (b*c - a*d)*Log[(e*(a + b*x))/(c + d*x)]^2 + 2*d*(a + b*
x)*Log[c + d*x] - 2*d*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)]*Log[(b*c - a*
d)/(b*c + b*d*x)] + d*(a + b*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c
+ d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + d*(a
 + b*x)*(Log[(b*c - a*d)/(b*c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d
)] + Log[(b*c - a*d)/(b*c + b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a
*d)])))/((b*c - a*d)*(a + b*x)) + 3*A*B*d*(Log[a/b + x]^2 - 2*Log[a/b + x]
*Log[a + b*x] - 2*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*Log[a
 + b*x]*((a*d)/(b*c - a*d) + Log[c/d + x] + Log[(e*(a + b*x))/(c + d*x)])
+ 2*a*((a + b*x)^(-1) + Log[(e*(a + b*x))/(c + d*x)]/(a + b*x) + (d*Log[c
+ d*x])/(-(b*c) + a*d)) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + (B^2*
d*((b*c - a*d)*(a + b*x)*Log[a/b + x]^3 + 3*a*(b*c - a*d)*(2 + 2*Log[a/b +
 x] + Log[a/b + x]^2) + 3*(b*c - a*d)*(a + (a + b*x)*Log[a + b*x])*(-Log[a
/b + x] + Log[c/d + x] + Log[(e*(a + b*x))/(c + d*x)])^2 + 3*a*(d*(a + b*x
)*Log[a/b + x]^2 + 2*((-(b*c) + a*d)*Log[c/d + x] + d*(a + b*x)*(Log[a ...
```

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 218, normalized size of antiderivative = 0.90, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.175$, Rules used = {2962, 2780, 2742, 2741, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2780$$

$$\frac{i\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2742$$

$$\frac{i\left(\frac{2B\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2741$$

$$\frac{i\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{2B\left(-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}\right)-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2779$$

$$i\left(\frac{d\left(\frac{2B\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}\right)}{b}+\frac{2B\left(-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{a+bx}\right.}{g^2}$$

$$\downarrow 2821$$

$$i\left(\frac{d\left(\frac{2B\left(\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\int\frac{(c+dx)\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}\right)}{b}+\frac{2B}{g^2}$$

$$\downarrow 7143$$

$$i\left(\frac{d\left(\frac{2B\left(\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)+B\,\text{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}\right)}{b}+\frac{2B\left(-\frac{(c+dx)\left(B\log\right.\right.}{g^2}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)^2
,x]
```

output

```
(i*((-(((c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x)) + 2*B
*(-((B*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*
x)]))/(a + b*x)))/b + (d*(-(((A + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1
 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*((A + B*Log[(e*(a + b*x))/(c + d
*x)])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] + B*PolyLog[3, (b*(c + d*x))
/(d*(a + b*x))]))/b))/b))/g^2
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(bgx+ag)^2}dx$$

input

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output

```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, algo
rithm="fricas")
```

output

```
integral((A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log((b*e*x + a*e)/(d
*x + c))^2 + 2*(A*B*d*i*x + A*B*c*i)*log((b*e*x + a*e)/(d*x + c)))/(b^2*g^
2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, algo
rithm="maxima")
```

output
```
A^2*d*i*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - 2*A*B*c*i*(
log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^2*g^2*x + a*b*g^2) + 1/(b^2*g^2*x
+ a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2) - d*log(d*x + c)/((b^2*c
 - a*b*d)*g^2)) - A^2*c*i/(b^2*g^2*x + a*b*g^2) - ((b*c*i - a*d*i)*B^2 - (
B^2*b*d*i*x + B^2*a*d*i)*log(b*x + a))*log(d*x + c)^2/(b^3*g^2*x + a*b^2*g
^2) - integrate(-(B^2*b^2*c^2*i*log(e)^2 + (B^2*b^2*d^2*i*log(e)^2 + 2*A*B
*b^2*d^2*i*log(e))*x^2 + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x + B^2*b^2*
c^2*i)*log(b*x + a)^2 + 2*(B^2*b^2*c*d*i*log(e)^2 + A*B*b^2*c*d*i*log(e))*
x + 2*(B^2*b^2*c^2*i*log(e) + (B^2*b^2*d^2*i*log(e) + A*B*b^2*d^2*i)*x^2 +
 (2*B^2*b^2*c*d*i*log(e) + A*B*b^2*c*d*i)*x)*log(b*x + a) - 2*((b^2*c^2*i*
log(e) - a*b*c*d*i + a^2*d^2*i)*B^2 + (B^2*b^2*d^2*i*log(e) + A*B*b^2*d^2*
i)*x^2 + (A*B*b^2*c*d*i + ((2*i*log(e) - i)*b^2*c*d + a*b*d^2*i)*B^2)*x +
(2*B^2*b^2*d^2*i*x^2 + 2*(b^2*c*d*i + a*b*d^2*i)*B^2*x + (b^2*c^2*i + a^2*
d^2*i)*B^2)*log(b*x + a))*log(d*x + c))/(b^4*d*g^2*x^3 + a^2*b^2*c*g^2 + (
b^4*c*g^2 + 2*a*b^3*d*g^2)*x^2 + (2*a*b^3*c*g^2 + a^2*b^2*d*g^2)*x), x)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, algorithm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)^2,x)
```

output
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output

```
(i*(int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x
)*a**3*b**4*d**2 - int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x
 + b**2*x**2),x)*a**2*b**5*c*d + int((log((a*e + b*e*x)/(c + d*x))**2*x)/(
a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*d**2*x - int((log((a*e + b*e*x)/(
c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**6*c*d*x + 2*int((log(
(a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**4*b**3*d**2
 - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*
a**3*b**4*c*d + 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a**3*b**4*d**2*x - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*
*2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*c*d*x + log(a + b*x)*a**5*d**2 - lo
g(a + b*x)*a**4*b*c*d + log(a + b*x)*a**4*b*d**2*x - log(a + b*x)*a**3*b**
2*c*d*x + 2*log(a + b*x)*a**2*b**3*c**2 + 2*log(a + b*x)*a*b**4*c**2*x + 2
*log(a + b*x)*a*b**4*c**2 + 2*log(a + b*x)*b**5*c**2*x - 2*log(c + d*x)*a*
*2*b**3*c**2 - 2*log(c + d*x)*a*b**4*c**2*x - 2*log(c + d*x)*a*b**4*c**2 -
 2*log(c + d*x)*b**5*c**2*x + log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c**2
+ log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c*d*x + 2*log((a*e + b*e*x)/(c +
d*x))*a**2*b**3*c*d*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*x + 2*l
og((a*e + b*e*x)/(c + d*x))*a*b**4*c*d*x - 2*log((a*e + b*e*x)/(c + d*x))*
b**5*c**2*x - a**4*b*d**2*x + 2*a**3*b**2*c*d*x - a**2*b**3*c**2*x + 2*a**
2*b**3*c*d*x - 2*a*b**4*c**2*x + 2*a*b**4*c*d*x - 2*b**5*c**2*x))/(a*b*...
```

3.61 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result . . . 748
Mathematica [C] (verified) . . . 749
Rubi [A] (verified) . . . 750
Maple [B] (verified) . . . 751
Fricas [B] (verification not implemented) . . . 753
Sympy [B] (verification not implemented) . . . 753
Maxima [B] (verification not implemented) . . . 755
Giac [A] (verification not implemented) . . . 756
Mupad [B] (verification not implemented) . . . 756
Reduce [B] (verification not implemented) . . . 757

Optimal result

Integrand size = 40, antiderivative size = 141

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = -\frac{B^2 i(c+dx)^2}{4(bc-ad)g^3(a+bx)^2} - \frac{Bi(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)g^3(a+bx)^2} - \frac{i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)g^3(a+bx)^2}$$

output

```
-1/4*B^2*i*(d*x+c)^2/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*B*i*(d*x+c)^2*(A+B*ln(e*
(b*x+a)/(d*x+c)))/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*i*(d*x+c)^2*(A+B*ln(e*(b*x+
a)/(d*x+c)))^2/(-a*d+b*c)/g^3/(b*x+a)^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.98 (sec) , antiderivative size = 765, normalized size of antiderivative = 5.43

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx =$$

$$-\frac{i\left(2(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2-4d(-bc+ad)(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+4Bd(a+bx\right.}{}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*
g*x)^3,x]
```

output

```
-1/4*(i*(2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 4*d*(-(b
*c) + a*d)*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 4*B*d*(a + b
*x)*(2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*d*(a + b*x)*Lo
g[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*d*(a + b*x)*(A + B*Log
[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 2*B*(b*c - a*d + d*(a + b*x)*Log
[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*d*(a + b*x)*(Log[a + b*x]*(Log[a
 + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(
-(b*c) + a*d)]) + B*d*(a + b*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Lo
g[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + B*(
2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*d*(-(b*c) + a*d)*
(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 4*d^2*(a + b*x)^2*Log[a +
 b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*d^2*(a + b*x)^2*(A + B*Log[
(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 4*B*d*(a + b*x)*(b*c - a*d + d*(a
 + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) + B*((b*c - a*d)^2 + 2*d*
(-(b*c) + a*d)*(a + b*x) - 2*d^2*(a + b*x)^2*Log[a + b*x] + 2*d^2*(a + b*x
)^2*Log[c + d*x]) + 2*B*d^2*(a + b*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Lo
g[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]
) - 2*B*d^2*(a + b*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*
x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(b^2*(b*c -
 a*d)*g^3*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 114, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{i\left(B\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}\right)}{g^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i\left(B\left(-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}\right)-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}\right)}{g^3(bc-ad)}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)^3
,x]
```

output

```
(i*(-1/2*((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x)^2
+ B*(-1/4*(B*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[(e*(a + b*
x))/(c + d*x)]))/(2*(a + b*x)^2))))/((b*c - a*d)*g^3)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 329 vs. $2(135) = 270$.

Time = 1.47 (sec) , antiderivative size = 330, normalized size of antiderivative = 2.34

method	result
parts	$\frac{iA^2\left(-\frac{-da+bc}{2b^2(bx+a)^2}-\frac{d}{b^2(bx+a)}\right)}{g^3}-\frac{iB^2e^2\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{g^3(da-bc)}-\frac{2iA}{}$
norman	$\frac{B^2cdix\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{g(da-bc)}+\frac{ciBd(2A+B)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{g(da-bc)}-\frac{2A^2aid+2A^2bci+2adiBA+2bciBA+adiB^2+bciB^2}{4gb^2}-\frac{\left(2A^2id+2diBA+c\right.}{2gb}$ $(bx+a)^2$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{id^2eA^2}{2(da-bc)^2g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2id^2eAB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^2g^3}+\frac{id^2eB^2\left(-\frac{\ln\left(\frac{b}{2}\right.\right.}{2\left(\frac{b}{d}\right.}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{id^2eA^2}{2(da-bc)^2g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2id^2eAB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}\right)}{(da-bc)^2g^3}+\frac{id^2eB^2\left(-\frac{\ln\left(\frac{b}{2}\right.\right.}{2\left(\frac{b}{d}\right.}\right.}{d^2}$
risch	$\frac{iA^2da}{2g^3b^2(bx+a)^2}-\frac{iA^2c}{2g^3b(bx+a)^2}-\frac{iA^2d}{g^3b^2(bx+a)}+\frac{iB^2e^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2g^3(da-bc)\left(\frac{be}{d}+\frac{ea}{dx+c}-\frac{ebc}{d(dx+c)}\right)^2}+\frac{iB^2e^2\ln\left(\frac{be}{d}+\frac{(da}{d(d}\right.}{2g^3(da-bc)\left(\frac{be}{d}+\frac{ea}{dx+c}-\right.}$
parallelrisch	$-\frac{2A^2a^2b^2d^3i+B^2a^2b^2d^3i-B^2b^4c^2di+4A^2xab^3d^3i-4A^2xb^4cd^2i+2B^2xab^3d^3i-2B^2xb^4cd^2i-2B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^4}{}$
orering	Expression too large to display

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x,method=_RETU
RNVERBOSE)
```

output
```
i*A^2/g^3*(-1/2*(-a*d+b*c)/b^2/(b*x+a)^2-d/b^2/(b*x+a))-i*B^2/g^3/(a*d-b*c
)*e^2*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/
4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2*i*A*B/g^3/(a*d-b*c)*e^2*(-1/2/(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^2)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 289 vs. $2(135) = 270$.

Time = 0.09 (sec) , antiderivative size = 289, normalized size of antiderivative = 2.05

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx =$$

$$-\frac{2\left((2A^2+2AB+B^2)b^2cd-(2A^2+2AB+B^2)abd^2\right)ix+2\left(B^2b^2d^2ix^2+2B^2b^2cdix+B^2b^2c^2i\right)\log}{4\left((b^5c}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, algo
rithm="fricas")
```

output
```
-1/4*(2*((2*A^2 + 2*A*B + B^2)*b^2*c*d - (2*A^2 + 2*A*B + B^2)*a*b*d^2)*i*
x + 2*(B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x + B^2*b^2*c^2*i)*log((b*e*x +
 a*e)/(d*x + c))^2 + ((2*A^2 + 2*A*B + B^2)*b^2*c^2 - (2*A^2 + 2*A*B + B^2
)*a^2*d^2)*i + 2*((2*A*B + B^2)*b^2*d^2*i*x^2 + 2*(2*A*B + B^2)*b^2*c*d*i*
x + (2*A*B + B^2)*b^2*c^2*i)*log((b*e*x + a*e)/(d*x + c)))/((b^5*c - a*b^4
*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 714 vs. $2(122) = 244$.

Time = 5.15 (sec) , antiderivative size = 714, normalized size of antiderivative = 5.06

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx =$$
$$-\frac{Bd^2i(2A+B)\log\left(x+\frac{2ABad^3i+2ABbcd^2i+B^2ad^3i+B^2bcd^2i-\frac{Ba^2d^4i(2A+B)}{ad-bc}+\frac{2Babcd^3i(2A+B)}{ad-bc}-\frac{Bb^2c^2d^2i(2A+B)}{ad-bc}}{4ABbd^3i+2B^2bd^3i}\right)}{2b^2g^3(ad-bc)}$$
$$+\frac{Bd^2i(2A+B)\log\left(x+\frac{2ABad^3i+2ABbcd^2i+B^2ad^3i+B^2bcd^2i+\frac{Ba^2d^4i(2A+B)}{ad-bc}-\frac{2Babcd^3i(2A+B)}{ad-bc}+\frac{Bb^2c^2d^2i(2A+B)}{ad-bc}}{4ABbd^3i+2B^2bd^3i}\right)}{2b^2g^3(ad-bc)}$$
$$+\frac{(B^2c^2i+2B^2cdix+B^2d^2ix^2)\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{2a^3dg^3-2a^2bcg^3+4a^2bdg^3x-4ab^2cg^3x+2ab^2dg^3x^2-2b^3cg^3x^2}$$
$$+\frac{-2A^2adi-2A^2bci-2ABadi-2ABbci-B^2adi-B^2bci+x(-4A^2bdi-4ABbdi-2B^2bdi)}{4a^2b^2g^3+8ab^3g^3x+4b^4g^3x^2}$$
$$+\frac{(-2ABadi-2ABbci-4ABbdix-B^2adi-B^2bci-2B^2bdix)\log\left(\frac{e(a+bx)}{c+dx}\right)}{2a^2b^2g^3+4ab^3g^3x+2b^4g^3x^2}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3,x)
```

output
```
-B*d**2*i*(2*A + B)*log(x + (2*A*B*a*d**3*i + 2*A*B*b*c*d**2*i + B**2*a*d*
**3*i + B**2*b*c*d**2*i - B*a**2*d**4*i*(2*A + B)/(a*d - b*c) + 2*B*a*b*c*d
**3*i*(2*A + B)/(a*d - b*c) - B*b**2*c**2*d**2*i*(2*A + B)/(a*d - b*c))/(4
*A*B*b*d**3*i + 2*B**2*b*d**3*i))/(2*b**2*g**3*(a*d - b*c)) + B*d**2*i*(2*
A + B)*log(x + (2*A*B*a*d**3*i + 2*A*B*b*c*d**2*i + B**2*a*d**3*i + B**2*b
*c*d**2*i + B*a**2*d**4*i*(2*A + B)/(a*d - b*c) - 2*B*a*b*c*d**3*i*(2*A +
B)/(a*d - b*c) + B*b**2*c**2*d**2*i*(2*A + B)/(a*d - b*c))/(4*A*B*b*d**3*i
 + 2*B**2*b*d**3*i))/(2*b**2*g**3*(a*d - b*c)) + (B**2*c**2*i + 2*B**2*c*d
*i*x + B**2*d**2*i*x**2)*log(e*(a + b*x)/(c + d*x))**2/(2*a**3*d*g**3 - 2*
a**2*b*c*g**3 + 4*a**2*b*d*g**3*x - 4*a*b**2*c*g**3*x + 2*a*b**2*d*g**3*x*
*2 - 2*b**3*c*g**3*x**2) + (-2*A**2*a*d*i - 2*A**2*b*c*i - 2*A*B*a*d*i - 2
*A*B*b*c*i - B**2*a*d*i - B**2*b*c*i + x*(-4*A**2*b*d*i - 4*A*B*b*d*i - 2*
B**2*b*d*i))/(4*a**2*b**2*g**3 + 8*a*b**3*g**3*x + 4*b**4*g**3*x**2) + (-2
*A*B*a*d*i - 2*A*B*b*c*i - 4*A*B*b*d*i*x - B**2*a*d*i - B**2*b*c*i - 2*B**
2*b*d*i*x)*log(e*(a + b*x)/(c + d*x))/(2*a**2*b**2*g**3 + 4*a*b**3*g**3*x
+ 2*b**4*g**3*x**2)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1987 vs. $2(135) = 270$.

Time = 0.17 (sec) , antiderivative size = 1987, normalized size of antiderivative = 14.09

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^3}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, algo
rithm="maxima")
```

output

```
-1/2*(2*b*x + a)*B^2*d*i*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^4*g^3*x
^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + 1/4*(2*((2*b*d*x - b*c + 3*a*d)/((b^4*
c - a*b^3*d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*
d)*g^3) + 2*d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2
*d^2*log(d*x + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3))*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) - (b^2*c^2 - 8*a*b*c*d + 7*a^2*d^2 + 2*(b^2*d^2*x^
2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x +
 a^2*d^2)*log(d*x + c)^2 - 6*(b^2*c*d - a*b*d^2)*x - 6*(b^2*d^2*x^2 + 2*a*
b*d^2*x + a^2*d^2)*log(b*x + a) + 2*(3*b^2*d^2*x^2 + 6*a*b*d^2*x + 3*a^2*d
^2 - 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a))*log(d*x + c))/(
a^2*b^3*c^2*g^3 - 2*a^3*b^2*c*d*g^3 + a^4*b*d^2*g^3 + (b^5*c^2*g^3 - 2*a*b
^4*c*d*g^3 + a^2*b^3*d^2*g^3)*x^2 + 2*(a*b^4*c^2*g^3 - 2*a^2*b^3*c*d*g^3 +
 a^3*b^2*d^2*g^3)*x))*B^2*c*i - 1/4*(2*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*
b*d)*x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*
b^3*c - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a
*b^3*c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2
- 2*a*b^3*c*d + a^2*b^2*d^2)*g^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) +
(7*a*b^2*c^2 - 8*a^2*b*c*d + a^3*d^2 - 2*(2*a^2*b*c*d - a^3*d^2 + (2*b^3*c
*d - a*b^2*d^2)*x^2 + 2*(2*a*b^2*c*d - a^2*b*d^2)*x)*log(b*x + a)^2 - 2*(2
*a^2*b*c*d - a^3*d^2 + (2*b^3*c*d - a*b^2*d^2)*x^2 + 2*(2*a*b^2*c*d - a...
```

Giac [A] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.46

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2B^2e^3i\log\left(\frac{bex+ae}{dx+c}\right)^2}{(bex+ae)^2g^3}+\frac{2\,(2\,ABe^3i+B^2e^3i)(dx+c)^2\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^2g^3}+\frac{(2\,A^2e^3i+2\,ABe^3i}{(bex+\right.$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, algo
rithm="giac")
```

output
```
-1/4*(2*(d*x + c)^2*B^2*e^3*i*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x + a*e
)^2*g^3) + 2*(2*A*B*e^3*i + B^2*e^3*i)*(d*x + c)^2*log((b*e*x + a*e)/(d*x
 + c))/((b*e*x + a*e)^2*g^3) + (2*A^2*e^3*i + 2*A*B*e^3*i + B^2*e^3*i)*(d*x
  + c)^2/((b*e*x + a*e)^2*g^3))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((
b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.20 (sec) , antiderivative size = 469, normalized size of antiderivative = 3.33

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx =$$
$$-\frac{x\,(2\,b\,d\,i\,A^2+2\,b\,d\,i\,A\,B+b\,d\,i\,B^2)+A^2\,a\,d\,i+A^2\,b\,c\,i+\frac{B^2\,a\,d\,i}{2}+\frac{B^2\,b\,c\,i}{2}+A\,B\,a\,d\,i+A\,B\,b\,c\,i}{2\,a^2\,b^2\,g^3+4\,a\,b^3\,g^3\,x+2\,b^4\,g^3\,x^2}$$
$$-\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2\left(\frac{\frac{B^2\,c\,i}{2\,b^2\,g^3}+\frac{B^2\,a\,d\,i}{2\,b^3\,g^3}+\frac{B^2\,d\,i\,x}{b^2\,g^3}}{2\,a\,x+b\,x^2+\frac{a^2}{b}}-\frac{B^2\,d^2\,i}{2\,b^2\,g^3\,(a\,d-b\,c)}\right)$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(x\left(\frac{B^2\,i}{b^2\,g^3}+\frac{2\,A\,B\,i}{b^2\,g^3}\right)+\frac{A\,B\,a\,i}{b^3\,g^3}+\frac{B\,i\,(A\,b\,c-B\,a\,d+B\,b\,c)}{b^3\,d\,g^3}+\frac{B^2\,d^2\,i\left(\frac{2\,a^2\,d^2-3\,a\,b\,c\,d+b^2\,c^2}{2\,b\,d^3}+\frac{a\,(a\,d-b\,c)}{2\,b\,d^2}\right)}{b^2\,g^3\,(a\,d-b\,c)}\right)}{\frac{b\,x^2}{d}+\frac{a^2}{b\,d}+\frac{2\,a\,x}{d}}$$
$$-\frac{B\,d^2\,i\,\mathrm{atan}\left(\frac{\left(\frac{2\,c\,b^3\,g^3+2\,a\,d\,b^2\,g^3}{2\,b^2\,g^3}+2\,b\,d\,x\right)1\mathrm{i}}{a\,d-b\,c}\right)\,(2\,A+B)\,1\mathrm{i}}{b^2\,g^3\,(a\,d-b\,c)}$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)^3
,x)
```

output
```
- (x*(2*A^2*b*d*i + B^2*b*d*i + 2*A*B*b*d*i) + A^2*a*d*i + A^2*b*c*i + (B^
2*a*d*i)/2 + (B^2*b*c*i)/2 + A*B*a*d*i + A*B*b*c*i)/(2*a^2*b^2*g^3 + 2*b^4
*g^3*x^2 + 4*a*b^3*g^3*x) - log((e*(a + b*x))/(c + d*x))^2*(((B^2*c*i)/(2*
b^2*g^3) + (B^2*a*d*i)/(2*b^3*g^3) + (B^2*d*i*x)/(b^2*g^3))/(2*a*x + b*x^2
 + a^2/b) - (B^2*d^2*i)/(2*b^2*g^3*(a*d - b*c))) - (log((e*(a + b*x))/(c +
 d*x))*(x*((B^2*i)/(b^2*g^3) + (2*A*B*i)/(b^2*g^3)) + (A*B*a*i)/(b^3*g^3)
+ (B*i*(A*b*c - B*a*d + B*b*c))/(b^3*d*g^3) + (B^2*d^2*i*((2*a^2*d^2 + b^2
*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^2)))/(b^2*g^3*(a*d -
b*c))))/((b*x^2)/d + a^2/(b*d) + (2*a*x)/d) - (B*d^2*i*atan((((2*b^3*c*g^3
 + 2*a*b^2*d*g^3)/(2*b^2*g^3) + 2*b*d*x)*1i)/(a*d - b*c))*(2*A + B)*1i)/(b
^2*g^3*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 684, normalized size of antiderivative = 4.85

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$$
$$= \frac{i\left(2\log\left(\frac{bex+ae}{dx+c}\right)^2 a\,b^3c^2+4\log\left(\frac{bex+ae}{dx+c}\right)a^2b^2c^2-2a^4cd+2a^3b\,c^2+2a^3b\,d^2x^2+2\log\left(\frac{bex+ae}{dx+c}\right)^2 a\,b^3d^2x^2-2\right.}{}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

output

```
(i*(4*log(a + b*x)*a**3*b*c*d + 8*log(a + b*x)*a**2*b**2*c*d*x + 2*log(a +
 b*x)*a**2*b**2*c*d + 4*log(a + b*x)*a*b**3*c*d*x**2 + 4*log(a + b*x)*a*b*
*3*c*d*x + 2*log(a + b*x)*b**4*c*d*x**2 - 4*log(c + d*x)*a**3*b*c*d - 8*lo
g(c + d*x)*a**2*b**2*c*d*x - 2*log(c + d*x)*a**2*b**2*c*d - 4*log(c + d*x)
*a*b**3*c*d*x**2 - 4*log(c + d*x)*a*b**3*c*d*x - 2*log(c + d*x)*b**4*c*d*x
**2 + 2*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c**2 + 4*log((a*e + b*e*x)/
(c + d*x))**2*a*b**3*c*d*x + 2*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*d**2
*x**2 - 4*log((a*e + b*e*x)/(c + d*x))*a**3*b*c*d + 4*log((a*e + b*e*x)/(c
 + d*x))*a**2*b**2*c**2 - 2*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d + 4
*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*d**2*x**2 + 2*log((a*e + b*e*x)/(c
 + d*x))*a*b**3*c**2 - 4*log((a*e + b*e*x)/(c + d*x))*a*b**3*c*d*x**2 + 2*
log((a*e + b*e*x)/(c + d*x))*a*b**3*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d
*x))*b**4*c*d*x**2 - 2*a**4*c*d + 2*a**3*b*c**2 - 2*a**3*b*c*d + 2*a**3*b*
d**2*x**2 + 2*a**2*b**2*c**2 - 2*a**2*b**2*c*d*x**2 - a**2*b**2*c*d + 2*a*
*2*b**2*d**2*x**2 + a*b**3*c**2 - 2*a*b**3*c*d*x**2 + a*b**3*d**2*x**2 - b
**4*c*d*x**2))/(4*a*b*g**3*(a**3*d - a**2*b*c + 2*a**2*b*d*x - 2*a*b**2*c*
x + a*b**2*d*x**2 - b**3*c*x**2))
```

3.62 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx$

Optimal result 759
Mathematica [C] (verified) 760
Rubi [A] (verified) 761
Maple [B] (verified) 763
Fricas [B] (verification not implemented) 764
Sympy [B] (verification not implemented) 765
Maxima [B] (verification not implemented) 766
Giac [A] (verification not implemented) 767
Mupad [B] (verification not implemented) 768
Reduce [B] (verification not implemented) 769

Optimal result

Integrand size = 40, antiderivative size = 287

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx &= \frac{B^2di(c+dx)^2}{4(bc-ad)^2g^4(a+bx)^2} \\ &\quad - \frac{2bB^2i(c+dx)^3}{27(bc-ad)^2g^4(a+bx)^3} \\ &\quad + \frac{Bdi(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^2g^4(a+bx)^2} \\ &\quad - \frac{2bBi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^2g^4(a+bx)^3} \\ &\quad + \frac{di(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^2g^4(a+bx)^2} \\ &\quad - \frac{bi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^2g^4(a+bx)^3}\end{aligned}$$

output

```
1/4*B^2*d*i*(d*x+c)^2/(-a*d+b*c)^2/g^4/(b*x+a)^2-2/27*b*B^2*i*(d*x+c)^3/(-
a*d+b*c)^2/g^4/(b*x+a)^3+1/2*B*d*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(
-a*d+b*c)^2/g^4/(b*x+a)^2-2/9*b*B*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/
(-a*d+b*c)^2/g^4/(b*x+a)^3+1/2*d*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2
/(-a*d+b*c)^2/g^4/(b*x+a)^2-1/3*b*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^
2/(-a*d+b*c)^2/g^4/(b*x+a)^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.06 (sec) , antiderivative size = 1032, normalized size of antiderivative = 3.60

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*
g*x)^4,x]
```

output

```
-1/108*(i*(36*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 54*d*
(b*c - a*d)^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 2*B*(12*A
*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 - 18*A*d*(b*c - a*d)^2*(a + b*x) - 15*B
*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a + b*x)^2 + 66*B*d^2*(
b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a + b*x] + 66*B*d^3*(a +
 b*x)^3*Log[a + b*x] - 18*B*d^3*(a + b*x)^3*Log[a + b*x]^2 + 12*B*(b*c - a
*d)^3*Log[(e*(a + b*x))/(c + d*x)] - 18*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e
*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*c - a*d)*(a + b*x)^2*Log[(e*(a + b*x)
)/(c + d*x)] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[(e*(a + b*x))/(c + d*
x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3*(a + b*x)^3*Log[c + d*x
] + 36*B*d^3*(a + b*x)^3*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] -
36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x))/(c + d*x)]*Log[c + d*x] - 18*B*d^3*
(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[(b*(c +
 d*x))/(b*c - a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c
) + a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) +
27*B*d*(a + b*x)*(2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4
*d*(-(b*c) + a*d)*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 4*d^2*(
a + b*x)^2*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*d^2*(a +
b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - 4*B*d*(a + b*x)
*(b*c - a*d + d*(a + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) + B*...
```

Rubi [A] (verified)

Time $= 0.45$ (sec) , antiderivative size $= 218$, normalized size of antiderivative $= 0.76$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used $= \{2962, 2795, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^4}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow 2795$$

$$\frac{i\int\left(\frac{b(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}-\frac{d(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}-\frac{2bB(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{9(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}+\frac{Bd(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}\right.}{g^4(bc-ad)^2}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)^4
,x]
```

output
```
(i*((B^2*d*(c + d*x)^2)/(4*(a + b*x)^2) - (2*b*B^2*(c + d*x)^3)/(27*(a + b
*x)^3) + (B*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*
x)^2) - (2*b*B*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(9*(a + b
*x)^3) + (d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*
x)^2) - (b*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*(a + b*x
)^3)))/((b*c - a*d)^2*g^4)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 642 vs. 2(275) = 550.

Time = 1.66 (sec) , antiderivative size = 643, normalized size of antiderivative = 2.24

method	result
parts	$\frac{iA^2\left(-\frac{d}{2b^2(bx+a)^2}-\frac{-da+bc}{3b^2(bx+a)^3}\right)}{g^4} - \frac{iB^2(da-bc)^2e^2\left(\frac{d^4\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c)}\right.}\right.}{(da-bc)^4}\right.}{g}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{id^2e^2A^2b}{3(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{id^3eA^2}{2(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{2id^2e^2ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{}{9\left(\frac{be}{d}+\right.}\right.}{(da-bc)^3g^4}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{id^2e^2A^2b}{3(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{id^3eA^2}{2(da-bc)^3g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{2id^2e^2ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{}{9\left(\frac{be}{d}+\right.}\right.}{(da-bc)^3g^4}\right.}{}$
norman	$-\frac{18A^2a^2bd^2i+18A^2ab^2cdi-36A^2b^3c^2i+30ABa^2bd^2i+30ABab^2cdi-24ABb^3c^2i+19B^2a^2bd^2i+19B^2ab^2cdi-8B^2b^3c^2i}{108gb^3(da-bc)} - \frac{\left(18\right.}{}$
parallelrisch	$-\frac{-54ABab^5c^2d^2i+108ABx\ln\left(\frac{e(bx+a)}{dx+c}\right)b^6c^2d^2i-108B^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)ab^5cd^3i-108ABxab^5cd^3i-108AB\ln\left(\frac{e(bx}{dx}\right.}{}$
orering	Expression too large to display
risch	Expression too large to display

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x,method=_RETU
RNVERBOSE)
```

output
```
i*A^2/g^4*(-1/2*d/b^2/(b*x+a)^2-1/3*(-a*d+b*c)/b^2/(b*x+a)^3)-i*B^2/g^4/d^
3*(a*d-b*c)^2*e^2*(d^4/(a*d-b*c)^4*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-d^3/(a*d-b
*c)^4*b*e*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))-2*i*A*B/g^4/d^3*(a*d-b*c)^2*e^2*(
d^4/(a*d-b*c)^4*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-d^3/(a*d-b*c)^4*b*e*(-1/3
/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/
d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 601 vs. $2(275) = 550$.

Time $= 0.09$ (sec) , antiderivative size $= 601$, normalized size of antiderivative $= 2.09$

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^4}\,dx$$

$$= \frac{6\left((6\,AB + 5\,B^2)b^3cd^2 - (6\,AB + 5\,B^2)ab^2d^3\right)ix^2 - 3\left((18\,A^2 + 6\,AB - B^2)b^3c^2d - 18\,(2\,A^2 + 2\,AB + B^2)ab^2cd^2 + (18\,A^2 + 6\,AB - B^2)ab^3c^2d\right)ix - \left(6\,(3\,A^2 + 3\,AB + B^2)b^3c^3 - 18\,(2\,A^2 + 2\,AB + B^2)ab^2c^2d + 6\,(3\,A^2 + 3\,AB + B^2)a^2b^3cd^2\right)i + 6\left((6\,AB + 5\,B^2)b^3cdx^2 + (6\,AB + 5\,B^2)ab^2d^2x + (6\,AB + 5\,B^2)ab^3cd\right)\log\left(\frac{bex + aex}{dx + c}\right)^2 - 3\left((18\,A^2 + 6\,AB - B^2)b^3c^2dx - 18\,(2\,A^2 + 2\,AB + B^2)ab^2cd^2x + (18\,A^2 + 6\,AB - B^2)ab^3c^2d\right)\log\left(\frac{bex + aex}{dx + c}\right) +

output

```
1/108*(6*((6*A*B + 5*B^2)*b^3*c*d^2 - (6*A*B + 5*B^2)*a*b^2*d^3)*i*x^2 - 3
*((18*A^2 + 6*A*B - B^2)*b^3*c^2*d - 18*(2*A^2 + 2*A*B + B^2)*a*b^2*c*d^2
+ (18*A^2 + 30*A*B + 19*B^2)*a^2*b*d^3)*i*x + 18*(B^2*b^3*d^3*i*x^3 + 3*B^
2*a*b^2*d^3*i*x^2 - 3*(B^2*b^3*c^2*d - 2*B^2*a*b^2*c*d^2)*i*x - (2*B^2*b^3
*c^3 - 3*B^2*a*b^2*c^2*d)*i)*log((b*e*x + a*e)/(d*x + c))^2 - (4*(9*A^2 +
6*A*B + 2*B^2)*b^3*c^3 - 27*(2*A^2 + 2*A*B + B^2)*a*b^2*c^2*d + (18*A^2 +
30*A*B + 19*B^2)*a^3*d^3)*i + 6*((6*A*B + 5*B^2)*b^3*d^3*i*x^3 + 3*(2*B^2*
b^3*c*d^2 + 3*(2*A*B + B^2)*a*b^2*d^3)*i*x^2 - 3*((6*A*B + B^2)*b^3*c^2*d
- 6*(2*A*B + B^2)*a*b^2*c*d^2)*i*x - (4*(3*A*B + B^2)*b^3*c^3 - 9*(2*A*B +
 B^2)*a*b^2*c^2*d)*i)*log((b*e*x + a*e)/(d*x + c)))/((b^7*c^2 - 2*a*b^6*c*
d + a^2*b^5*d^2)*g^4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4
*x^2 + 3*(a^2*b^5*c^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2
- 2*a^4*b^3*c*d + a^5*b^2*d^2)*g^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1387 vs. $2(267) = 534$.

Time $= 10.72$ (sec) , antiderivative size $= 1387$, normalized size of antiderivative $= 4.83$

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**4,x)
```

output

```
-B*d**3*i*(6*A + 5*B)*log(x + (6*A*B*a*d**4*i + 6*A*B*b*c*d**3*i + 5*B**2*
a*d**4*i + 5*B**2*b*c*d**3*i - B*a**3*d**6*i*(6*A + 5*B)/(a*d - b*c)**2 +
3*B*a**2*b*c*d**5*i*(6*A + 5*B)/(a*d - b*c)**2 - 3*B*a*b**2*c**2*d**4*i*(6
*A + 5*B)/(a*d - b*c)**2 + B*b**3*c**3*d**3*i*(6*A + 5*B)/(a*d - b*c)**2)/
(12*A*B*b*d**4*i + 10*B**2*b*d**4*i))/(18*b**2*g**4*(a*d - b*c)**2) + B*d*
*3*i*(6*A + 5*B)*log(x + (6*A*B*a*d**4*i + 6*A*B*b*c*d**3*i + 5*B**2*a*d**
4*i + 5*B**2*b*c*d**3*i + B*a**3*d**6*i*(6*A + 5*B)/(a*d - b*c)**2 - 3*B*a
**2*b*c*d**5*i*(6*A + 5*B)/(a*d - b*c)**2 + 3*B*a*b**2*c**2*d**4*i*(6*A +
5*B)/(a*d - b*c)**2 - B*b**3*c**3*d**3*i*(6*A + 5*B)/(a*d - b*c)**2)/(12*A
*B*b*d**4*i + 10*B**2*b*d**4*i))/(18*b**2*g**4*(a*d - b*c)**2) + (3*B**2*a
*c**2*d*i + 6*B**2*a*c*d**2*i*x + 3*B**2*a*d**3*i*x**2 - 2*B**2*b*c**3*i -
 3*B**2*b*c**2*d*i*x + B**2*b*d**3*i*x**3)*log(e*(a + b*x)/(c + d*x))**2/(
6*a**5*d**2*g**4 - 12*a**4*b*c*d*g**4 + 18*a**4*b*d**2*g**4*x + 6*a**3*b**
2*c**2*g**4 - 36*a**3*b**2*c*d*g**4*x + 18*a**3*b**2*d**2*g**4*x**2 + 18*a
**2*b**3*c**2*g**4*x - 36*a**2*b**3*c*d*g**4*x**2 + 6*a**2*b**3*d**2*g**4*
x**3 + 18*a*b**4*c**2*g**4*x**2 - 12*a*b**4*c*d*g**4*x**3 + 6*b**5*c**2*g*
*4*x**3) + (-6*A*B*a**2*d**2*i - 6*A*B*a*b*c*d*i - 18*A*B*a*b*d**2*i*x + 1
2*A*B*b**2*c**2*i + 18*A*B*b**2*c*d*i*x - 5*B**2*a**2*d**2*i - 5*B**2*a*b*
c*d*i - 15*B**2*a*b*d**2*i*x + 4*B**2*b**2*c**2*i + 3*B**2*b**2*c*d*i*x -
6*B**2*b**2*d**2*i*x**2)*log(e*(a + b*x)/(c + d*x))/(18*a**4*b**2*d*g**...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3282 vs. $2(275) = 550$.

Time $= 0.27$ (sec) , antiderivative size $= 3282$, normalized size of antiderivative $= 11.44$

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x, algo
rithm="maxima")
```

output

```
-1/6*(3*b*x + a)*B^2*d*i*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^5*g^4*x
^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/54*(6*((6*b^2*d^
2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((
b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*
d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g
^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)
/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log
(d*x + c)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4))*l
og(b*e*x/(d*x + c) + a*e/(d*x + c)) + (4*b^3*c^3 - 27*a*b^2*c^2*d + 108*a^
2*b*c*d^2 - 85*a^3*d^3 + 66*(b^3*c*d^2 - a*b^2*d^3)*x^2 - 18*(b^3*d^3*x^3
+ 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a)^2 - 18*(b^3*d^3*
x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(d*x + c)^2 - 3*(5*b^3
*c^2*d - 54*a*b^2*c*d^2 + 49*a^2*b*d^3)*x + 66*(b^3*d^3*x^3 + 3*a*b^2*d^3*
x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a) - 6*(11*b^3*d^3*x^3 + 33*a*b^2
*d^3*x^2 + 33*a^2*b*d^3*x + 11*a^3*d^3 - 6*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2
+ 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a))*log(d*x + c))/(a^3*b^4*c^3*g^4 -
3*a^4*b^3*c^2*d*g^4 + 3*a^5*b^2*c*d^2*g^4 - a^6*b*d^3*g^4 + (b^7*c^3*g^4 -
 3*a*b^6*c^2*d*g^4 + 3*a^2*b^5*c*d^2*g^4 - a^3*b^4*d^3*g^4)*x^3 + 3*(a*b^6
*c^3*g^4 - 3*a^2*b^5*c^2*d*g^4 + 3*a^3*b^4*c*d^2*g^4 - a^4*b^3*d^3*g^4)*x^
2 + 3*(a^2*b^5*c^3*g^4 - 3*a^3*b^4*c^2*d*g^4 + 3*a^4*b^3*c*d^2*g^4 - a^...
```

Giac [A] (verification not implemented)

Time = 0.33 (sec) , antiderivative size = 455, normalized size of antiderivative = 1.59

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx =$$

$$-\frac{1}{108}\left(\frac{18\left(2\,B^2be^4i-\frac{3\,(bex+ae)B^2de^3i}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2}{\frac{(bex+ae)^3bcg^4}{(dx+c)^3}-\frac{(bex+ae)^3adg^4}{(dx+c)^3}}+\frac{6\left(12\,ABbe^4i+4\,B^2be^4i-\frac{18\,(bex+ae)ABde^3i}{dx+c}-\frac{9(}{}\right.\right.$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x, algo
rithm="giac")
```

output

```
-1/108*(18*(2*B^2*b*e^4*i - 3*(b*e*x + a*e)*B^2*d*e^3*i/(d*x + c))*log((b*
e*x + a*e)/(d*x + c))^2/((b*e*x + a*e)^3*b*c*g^4/(d*x + c)^3 - (b*e*x + a*
e)^3*a*d*g^4/(d*x + c)^3) + 6*(12*A*B*b*e^4*i + 4*B^2*b*e^4*i - 18*(b*e*x
+ a*e)*A*B*d*e^3*i/(d*x + c) - 9*(b*e*x + a*e)*B^2*d*e^3*i/(d*x + c))*log(
(b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4/(d*x + c)^3 - (b*e*x + a
*e)^3*a*d*g^4/(d*x + c)^3) + (36*A^2*b*e^4*i + 24*A*B*b*e^4*i + 8*B^2*b*e^
4*i - 54*(b*e*x + a*e)*A^2*d*e^3*i/(d*x + c) - 54*(b*e*x + a*e)*A*B*d*e^3*
i/(d*x + c) - 27*(b*e*x + a*e)*B^2*d*e^3*i/(d*x + c))/((b*e*x + a*e)^3*b*c
*g^4/(d*x + c)^3 - (b*e*x + a*e)^3*a*d*g^4/(d*x + c)^3))*(b*c/((b*c*e - a*
d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 29.66 (sec) , antiderivative size = 955, normalized size of antiderivative = 3.33

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)^4
,x)
```

output

```
- log((e*(a + b*x))/(c + d*x))^2*(((B^2*c*i)/(3*b^2*g^4) + (B^2*a*d*i)/(6*
b^3*g^4) + (B^2*d*i*x)/(2*b^2*g^4))/(3*a^2*x + a^3/b + b^2*x^3 + 3*a*b*x^2
) - (B^2*d^3*i)/(6*b^2*g^4*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) - ((18*A^2*a^
2*d^2*i - 36*A^2*b^2*c^2*i + 19*B^2*a^2*d^2*i - 8*B^2*b^2*c^2*i + 30*A*B*a
^2*d^2*i - 24*A*B*b^2*c^2*i + 18*A^2*a*b*c*d*i + 19*B^2*a*b*c*d*i + 30*A*B
*a*b*c*d*i)/(6*(a*d - b*c)) + (x^2*(5*B^2*b^2*d^2*i + 6*A*B*b^2*d^2*i))/(a
*d - b*c) + (x*(18*A^2*a*b*d^2*i + 19*B^2*a*b*d^2*i - 18*A^2*b^2*c*d*i + B
^2*b^2*c*d*i + 30*A*B*a*b*d^2*i - 6*A*B*b^2*c*d*i))/(2*(a*d - b*c)))/(18*a
^3*b^2*g^4 + 18*b^5*g^4*x^3 + 54*a^2*b^3*g^4*x + 54*a*b^4*g^4*x^2) - (log(
(e*(a + b*x))/(c + d*x))*(x*((A*B*i)/(b^2*g^4) + (B^2*d^3*i*(b*((3*a^2*d^2
 + b^2*c^2 - 4*a*b*c*d)/(6*b*d^3) + (a*(a*d - b*c))/(3*b*d^2)) + (3*a^2*d^
2 + b^2*c^2 - 4*a*b*c*d)/(3*d^3) + (2*a*(a*d - b*c))/(3*d^2)))/(3*b^2*g^4*
(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) + (A*B*a*i)/(3*b^3*g^4) + (B*i*(2*A*b*c
- B*a*d + B*b*c))/(3*b^3*d*g^4) + (B^2*d^3*i*(a*((3*a^2*d^2 + b^2*c^2 - 4*
a*b*c*d)/(6*b*d^3) + (a*(a*d - b*c))/(3*b*d^2)) + (3*a^3*d^3 - b^3*c^3 + 4
*a*b^2*c^2*d - 6*a^2*b*c*d^2)/(3*b*d^4)))/(3*b^2*g^4*(a^2*d^2 + b^2*c^2 -
2*a*b*c*d)) - (B^2*d^3*i*x^2*((b^2*c - a*b*d)/(3*d^2) - (2*b*(a*d - b*c))/
(3*d^2)))/(3*b^2*g^4*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))))/((3*a^2*x)/d + a^3
/(b*d) + (b^2*x^3)/d + (3*a*b*x^2)/d) - (B*d^3*i*atan(((2*b*d*x - (18*b^4*
c^2*g^4 - 18*a^2*b^2*d^2*g^4)/(18*b^2*g^4*(a*d - b*c)))*1i)/(a*d - b*c)...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1481, normalized size of antiderivative = 5.16

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x)
```

output

```
(i*(36*log(a + b*x)*a**5*b*d**3 + 108*log(a + b*x)*a**4*b**2*d**3*x + 18*l
og(a + b*x)*a**4*b**2*d**3 + 12*log(a + b*x)*a**3*b**3*c*d**2 + 108*log(a
+ b*x)*a**3*b**3*d**3*x**2 + 54*log(a + b*x)*a**3*b**3*d**3*x + 36*log(a +
 b*x)*a**2*b**4*c*d**2*x + 36*log(a + b*x)*a**2*b**4*d**3*x**3 + 54*log(a
+ b*x)*a**2*b**4*d**3*x**2 + 36*log(a + b*x)*a*b**5*c*d**2*x**2 + 18*log(a
 + b*x)*a*b**5*d**3*x**3 + 12*log(a + b*x)*b**6*c*d**2*x**3 - 36*log(c + d
*x)*a**5*b*d**3 - 108*log(c + d*x)*a**4*b**2*d**3*x - 18*log(c + d*x)*a**4
*b**2*d**3 - 12*log(c + d*x)*a**3*b**3*c*d**2 - 108*log(c + d*x)*a**3*b**3
*d**3*x**2 - 54*log(c + d*x)*a**3*b**3*d**3*x - 36*log(c + d*x)*a**2*b**4*
c*d**2*x - 36*log(c + d*x)*a**2*b**4*d**3*x**3 - 54*log(c + d*x)*a**2*b**4
*d**3*x**2 - 36*log(c + d*x)*a*b**5*c*d**2*x**2 - 18*log(c + d*x)*a*b**5*d
**3*x**3 - 12*log(c + d*x)*b**6*c*d**2*x**3 + 54*log((a*e + b*e*x)/(c + d*
x))**2*a**2*b**4*c**2*d + 108*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*c*
d**2*x + 54*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*d**3*x**2 - 36*log((
a*e + b*e*x)/(c + d*x))**2*a*b**5*c**3 - 54*log((a*e + b*e*x)/(c + d*x))**
2*a*b**5*c**2*d*x + 18*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*d**3*x**3 -
36*log((a*e + b*e*x)/(c + d*x))*a**5*b*d**3 - 108*log((a*e + b*e*x)/(c + d
*x))*a**4*b**2*d**3*x - 18*log((a*e + b*e*x)/(c + d*x))*a**4*b**2*d**3 + 1
08*log((a*e + b*e*x)/(c + d*x))*a**3*b**3*c**2*d + 216*log((a*e + b*e*x)/(
c + d*x))*a**3*b**3*c*d**2*x - 12*log((a*e + b*e*x)/(c + d*x))*a**3*b**...
```

3.63 $\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$

Optimal result 772
Mathematica [C] (verified) 773
Rubi [A] (verified) 774
Maple [B] (verified) 775
Fricas [B] (verification not implemented) 777
Sympy [B] (verification not implemented) 778
Maxima [B] (verification not implemented) 779
Giac [A] (verification not implemented) 780
Mupad [B] (verification not implemented) 780
Reduce [B] (verification not implemented) 781

Optimal result

Integrand size = 40, antiderivative size = 445

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = &-\frac{B^2d^2i(c+dx)^2}{4(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{4bB^2di(c+dx)^3}{27(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2B^2i(c+dx)^4}{32(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{Bd^2i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{4bBdi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2Bi(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{8(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{d^2i(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bdi(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2i(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4(bc-ad)^3g^5(a+bx)^4}\end{aligned}$$

output

```
-1/4*B^2*d^2*i*(d*x+c)^2/(-a*d+b*c)^3/g^5/(b*x+a)^2+4/27*b*B^2*d*i*(d*x+c)
^3/(-a*d+b*c)^3/g^5/(b*x+a)^3-1/32*b^2*B^2*i*(d*x+c)^4/(-a*d+b*c)^3/g^5/(b
*x+a)^4-1/2*B*d^2*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^5
/(b*x+a)^2+4/9*b*B*d*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/
g^5/(b*x+a)^3-1/8*b^2*B*i*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)
^3/g^5/(b*x+a)^4-1/2*d^2*i*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b
*c)^3/g^5/(b*x+a)^2+2/3*b*d*i*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*
d+b*c)^3/g^5/(b*x+a)^3-1/4*b^2*i*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(
-a*d+b*c)^3/g^5/(b*x+a)^4
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.21 (sec) , antiderivative size = 1255, normalized size of antiderivative = 2.82

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*
g*x)^5,x]
```

output

```
-1/864*(i*(216*(b*c - a*d)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 288*
d*(-(b*c) + a*d)^3*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 16*B
*d*(a + b*x)*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 - 18*A*d*(b*c - a*d)^
2*(a + b*x) - 15*B*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a + b
*x)^2 + 66*B*d^2*(b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a + b*
x] + 66*B*d^3*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*(a + b*x)^3*Log[a + b*x]
^2 + 12*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)] - 18*B*d*(b*c - a*d)^
2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*c - a*d)*(a + b*x)^
2*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[(e*
(a + b*x))/(c + d*x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3*(a +
b*x)^3*Log[c + d*x] + 36*B*d^3*(a + b*x)^3*Log[(d*(a + b*x))/(-(b*c) + a*d
)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x))/(c + d*x)]*Log[c
+ d*x] - 18*B*d^3*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*(a + b*x)^3*Log[a
+ b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (d
*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (b*(c + d*x)
)/(b*c - a*d)]) + 3*B*(36*A*(b*c - a*d)^4 + 9*B*(b*c - a*d)^4 + 48*A*d*(-(
b*c) + a*d)^3*(a + b*x) + 28*B*d*(-(b*c) + a*d)^3*(a + b*x) + 72*A*d^2*(b*
c - a*d)^2*(a + b*x)^2 + 78*B*d^2*(b*c - a*d)^2*(a + b*x)^2 + 144*A*d^3*(-
(b*c) + a*d)*(a + b*x)^3 + 300*B*d^3*(-(b*c) + a*d)*(a + b*x)^3 - 144*A*d^
4*(a + b*x)^4*Log[a + b*x] - 300*B*d^4*(a + b*x)^4*Log[a + b*x] + 72*B*...
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 334, normalized size of antiderivative = 0.75, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{i\int\left(\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^5}{(a+bx)^5}-\frac{2bd\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^4}{(a+bx)^4}+\frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}-\frac{b^2B(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{8(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}-\frac{Bd^2(c+dx)^2\left(B\log\left(\right.\right.\right.}{2(a+bx)}$$

$$g^5($$

input

```
Int[((c*i + d*i*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)^5
,x]
```

output
```
(i*(-1/4*(B^2*d^2*(c + d*x)^2)/(a + b*x)^2 + (4*b*B^2*d*(c + d*x)^3)/(27*(
a + b*x)^3) - (b^2*B^2*(c + d*x)^4)/(32*(a + b*x)^4) - (B*d^2*(c + d*x)^2*
(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) + (4*b*B*d*(c + d*x)
^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(9*(a + b*x)^3) - (b^2*B*(c + d*x
)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(8*(a + b*x)^4) - (d^2*(c + d*x)
^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*x)^2) + (2*b*d*(c + d
*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*(a + b*x)^3) - (b^2*(c +
d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*(a + b*x)^4)))/((b*c - a
*d)^3*g^5)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 925 vs. $2(427) = 854$.

Time = 2.36 (sec) , antiderivative size = 926, normalized size of antiderivative = 2.08

method	result
parts	$\frac{i A^2\left(-\frac{-da+bc}{4b^2(bx+a)^4}-\frac{d}{3b^2(bx+a)^3}\right)}{g^5} - \frac{i B^2(da-bc)^2e^2\left(\frac{d^5\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}-\frac{1}{4\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c}\right.\right.\right.}{(da-bc)^5}$
derivativedivides	Expression too large to display
default	Expression too large to display
orering	Expression too large to display
norman	Expression too large to display
parallelrisch	Expression too large to display
risch	Expression too large to display

input
```
int((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x,method=_RETU
RNVERBOSE)
```

output
```
i*A^2/g^5*(-1/4*(-a*d+b*c)/b^2/(b*x+a)^4-1/3*d/b^2/(b*x+a)^3)-i*B^2/g^5/d^
3*(a*d-b*c)^2*e^2*(d^5/(a*d-b*c)^5*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2*d^4/(a*d
-b*c)^5*b*e*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+
c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)+d^3/(a*d-b*c)^5*b^2*e^2*(-1/4/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/8/(b*e/d
+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/32/(b*e/d+(a*d
-b*c)*e/d/(d*x+c))^4))-2*i*A*B/g^5/d^3*(a*d-b*c)^2*e^2*(d^5/(a*d-b*c)^5*(-
1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2*d^4/(a*d-b*c)^5*b*e*(-1/3/(b*e/d+(a*d-b*c
)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/
(d*x+c))^3)+d^3/(a*d-b*c)^5*b^2*e^2*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 985 vs. $2(427) = 854$.

Time = 0.10 (sec) , antiderivative size = 985, normalized size of antiderivative = 2.21

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, algo
rithm="fricas")
```

output

```
-1/864*(12*((12*A*B + 13*B^2)*b^4*c*d^3 - (12*A*B + 13*B^2)*a*b^3*d^4)*i*x
^3 - 6*((12*A*B + B^2)*b^4*c^2*d^2 - 16*(6*A*B + 5*B^2)*a*b^3*c*d^3 + (84*
A*B + 79*B^2)*a^2*b^2*d^4)*i*x^2 + 4*((72*A^2 + 12*A*B - 5*B^2)*b^4*c^3*d
- 12*(18*A^2 + 6*A*B - B^2)*a*b^3*c^2*d^2 + 108*(2*A^2 + 2*A*B + B^2)*a^2*
b^2*c*d^3 - (72*A^2 + 156*A*B + 115*B^2)*a^3*b*d^4)*i*x + 72*(B^2*b^4*d^4*
i*x^4 + 4*B^2*a*b^3*d^4*i*x^3 + 6*B^2*a^2*b^2*d^4*i*x^2 + 4*(B^2*b^4*c^3*d
 - 3*B^2*a*b^3*c^2*d^2 + 3*B^2*a^2*b^2*c*d^3)*i*x + (3*B^2*b^4*c^4 - 8*B^2
*a*b^3*c^3*d + 6*B^2*a^2*b^2*c^2*d^2)*i)*log((b*e*x + a*e)/(d*x + c))^2 +
(27*(8*A^2 + 4*A*B + B^2)*b^4*c^4 - 64*(9*A^2 + 6*A*B + 2*B^2)*a*b^3*c^3*d
 + 216*(2*A^2 + 2*A*B + B^2)*a^2*b^2*c^2*d^2 - (72*A^2 + 156*A*B + 115*B^2
)*a^4*d^4)*i + 12*((12*A*B + 13*B^2)*b^4*d^4*i*x^4 + 4*(3*B^2*b^4*c*d^3 +
2*(6*A*B + 5*B^2)*a*b^3*d^4)*i*x^3 - 6*(B^2*b^4*c^2*d^2 - 8*B^2*a*b^3*c*d^
3 - 6*(2*A*B + B^2)*a^2*b^2*d^4)*i*x^2 + 4*((12*A*B + B^2)*b^4*c^3*d - 6*(
6*A*B + B^2)*a*b^3*c^2*d^2 + 18*(2*A*B + B^2)*a^2*b^2*c*d^3)*i*x + (9*(4*A
*B + B^2)*b^4*c^4 - 32*(3*A*B + B^2)*a*b^3*c^3*d + 36*(2*A*B + B^2)*a^2*b^
2*c^2*d^2)*i)*log((b*e*x + a*e)/(d*x + c)))/((b^9*c^3 - 3*a*b^8*c^2*d + 3*
a^2*b^7*c*d^2 - a^3*b^6*d^3)*g^5*x^4 + 4*(a*b^8*c^3 - 3*a^2*b^7*c^2*d + 3*
a^3*b^6*c*d^2 - a^4*b^5*d^3)*g^5*x^3 + 6*(a^2*b^7*c^3 - 3*a^3*b^6*c^2*d +
3*a^4*b^5*c*d^2 - a^5*b^4*d^3)*g^5*x^2 + 4*(a^3*b^6*c^3 - 3*a^4*b^5*c^2*d
+ 3*a^5*b^4*c*d^2 - a^6*b^3*d^3)*g^5*x + (a^4*b^5*c^3 - 3*a^5*b^4*c^2*d...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2251 vs. $2(416) = 832$.

Time = 90.49 (sec) , antiderivative size = 2251, normalized size of antiderivative = 5.06

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**5,x)
```

output

```
-B*d**4*i*(12*A + 13*B)*log(x + (12*A*B*a*d**5*i + 12*A*B*b*c*d**4*i + 13*
B**2*a*d**5*i + 13*B**2*b*c*d**4*i - B*a**4*d**8*i*(12*A + 13*B)/(a*d - b*
c)**3 + 4*B*a**3*b*c*d**7*i*(12*A + 13*B)/(a*d - b*c)**3 - 6*B*a**2*b**2*c
**2*d**6*i*(12*A + 13*B)/(a*d - b*c)**3 + 4*B*a*b**3*c**3*d**5*i*(12*A + 1
3*B)/(a*d - b*c)**3 - B*b**4*c**4*d**4*i*(12*A + 13*B)/(a*d - b*c)**3)/(24
*A*B*b*d**5*i + 26*B**2*b*d**5*i))/(72*b**2*g**5*(a*d - b*c)**3) + B*d**4*
i*(12*A + 13*B)*log(x + (12*A*B*a*d**5*i + 12*A*B*b*c*d**4*i + 13*B**2*a*d
**5*i + 13*B**2*b*c*d**4*i + B*a**4*d**8*i*(12*A + 13*B)/(a*d - b*c)**3 -
4*B*a**3*b*c*d**7*i*(12*A + 13*B)/(a*d - b*c)**3 + 6*B*a**2*b**2*c**2*d**6
*i*(12*A + 13*B)/(a*d - b*c)**3 - 4*B*a*b**3*c**3*d**5*i*(12*A + 13*B)/(a*
d - b*c)**3 + B*b**4*c**4*d**4*i*(12*A + 13*B)/(a*d - b*c)**3)/(24*A*B*b*d
**5*i + 26*B**2*b*d**5*i))/(72*b**2*g**5*(a*d - b*c)**3) + (6*B**2*a**2*c*
*2*d**2*i + 12*B**2*a**2*c*d**3*i*x + 6*B**2*a**2*d**4*i*x**2 - 8*B**2*a*b
*c**3*d*i - 12*B**2*a*b*c**2*d**2*i*x + 4*B**2*a*b*d**4*i*x**3 + 3*B**2*b*
*2*c**4*i + 4*B**2*b**2*c**3*d*i*x + B**2*b**2*d**4*i*x**4)*log(e*(a + b*x
)/(c + d*x))**2/(12*a**7*d**3*g**5 - 36*a**6*b*c*d**2*g**5 + 48*a**6*b*d**
3*g**5*x + 36*a**5*b**2*c**2*d*g**5 - 144*a**5*b**2*c*d**2*g**5*x + 72*a**
5*b**2*d**3*g**5*x**2 - 12*a**4*b**3*c**3*g**5 + 144*a**4*b**3*c**2*d*g**5
*x - 216*a**4*b**3*c*d**2*g**5*x**2 + 48*a**4*b**3*d**3*g**5*x**3 - 48*a**
3*b**4*c**3*g**5*x + 216*a**3*b**4*c**2*d*g**5*x**2 - 144*a**3*b**4*c*d...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4808 vs. $2(427) = 854$.

Time $= 0.41$ (sec) , antiderivative size $= 4808$, normalized size of antiderivative $= 10.80$

$$\int \frac{(ci + dix)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, algo
rithm="maxima")
```

output

```
-1/12*(4*b*x + a)*B^2*d*i*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^6*g^5*
x^4 + 4*a*b^5*g^5*x^3 + 6*a^2*b^4*g^5*x^2 + 4*a^3*b^3*g^5*x + a^4*b^2*g^5)
 + 1/288*(12*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*b*c*d^
2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*a*b^2*
c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2 - a^3
*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2 - a^4
*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d^2 - a
^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c*d^2 -
 a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d^2 - a
^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3
*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/((b^5*c
^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5)
)*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - (9*b^4*c^4 - 64*a*b^3*c^3*d + 216
*a^2*b^2*c^2*d^2 - 576*a^3*b*c*d^3 + 415*a^4*d^4 - 300*(b^4*c*d^3 - a*b^3*
d^4)*x^3 + 6*(13*b^4*c^2*d^2 - 176*a*b^3*c*d^3 + 163*a^2*b^2*d^4)*x^2 + 72
*(b^4*d^4*x^4 + 4*a*b^3*d^4*x^3 + 6*a^2*b^2*d^4*x^2 + 4*a^3*b*d^4*x + a^4*
d^4)*log(b*x + a)^2 + 72*(b^4*d^4*x^4 + 4*a*b^3*d^4*x^3 + 6*a^2*b^2*d^4*x^
2 + 4*a^3*b*d^4*x + a^4*d^4)*log(d*x + c)^2 - 4*(7*b^4*c^3*d - 60*a*b^3*c^
2*d^2 + 324*a^2*b^2*c*d^3 - 271*a^3*b*d^4)*x - 300*(b^4*d^4*x^4 + 4*a*b^3*
d^4*x^3 + 6*a^2*b^2*d^4*x^2 + 4*a^3*b*d^4*x + a^4*d^4)*log(b*x + a) + 1...
```

Giac [A] (verification not implemented)

Time = 0.39 (sec) , antiderivative size = 744, normalized size of antiderivative = 1.67

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, algo
rithm="giac")
```

output
```
-1/864*(72*(3*B^2*b^2*e^5*i - 8*(b*e*x + a*e)*B^2*b*d*e^4*i/(d*x + c) + 6*
(b*e*x + a*e)^2*B^2*d^2*e^3*i/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))^2/
((b*e*x + a*e)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*e*x + a*e)^4*a*b*c*d*g^5/(
d*x + c)^4 + (b*e*x + a*e)^4*a^2*d^2*g^5/(d*x + c)^4) + 12*(36*A*B*b^2*e^5
*i + 9*B^2*b^2*e^5*i - 96*(b*e*x + a*e)*A*B*b*d*e^4*i/(d*x + c) - 32*(b*e*
x + a*e)*B^2*b*d*e^4*i/(d*x + c) + 72*(b*e*x + a*e)^2*A*B*d^2*e^3*i/(d*x +
 c)^2 + 36*(b*e*x + a*e)^2*B^2*d^2*e^3*i/(d*x + c)^2)*log((b*e*x + a*e)/(d
*x + c))/((b*e*x + a*e)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*e*x + a*e)^4*a*b*
c*d*g^5/(d*x + c)^4 + (b*e*x + a*e)^4*a^2*d^2*g^5/(d*x + c)^4) + (216*A^2*
b^2*e^5*i + 108*A*B*b^2*e^5*i + 27*B^2*b^2*e^5*i - 576*(b*e*x + a*e)*A^2*b
*d*e^4*i/(d*x + c) - 384*(b*e*x + a*e)*A*B*b*d*e^4*i/(d*x + c) - 128*(b*e*
x + a*e)*B^2*b*d*e^4*i/(d*x + c) + 432*(b*e*x + a*e)^2*A^2*d^2*e^3*i/(d*x
 + c)^2 + 432*(b*e*x + a*e)^2*A*B*d^2*e^3*i/(d*x + c)^2 + 216*(b*e*x + a*e)
^2*B^2*d^2*e^3*i/(d*x + c)^2)/((b*e*x + a*e)^4*b^2*c^2*g^5/(d*x + c)^4 - 2
*(b*e*x + a*e)^4*a*b*c*d*g^5/(d*x + c)^4 + (b*e*x + a*e)^4*a^2*d^2*g^5/(d*
x + c)^4))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
- a*d)))
```

Mupad [B] (verification not implemented)

Time = 33.25 (sec) , antiderivative size = 1870, normalized size of antiderivative = 4.20

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)^5
,x)
```

output

```
((72*A^2*a^3*d^3*i + 216*A^2*b^3*c^3*i + 115*B^2*a^3*d^3*i + 27*B^2*b^3*c^
3*i + 156*A*B*a^3*d^3*i + 108*A*B*b^3*c^3*i - 360*A^2*a*b^2*c^2*d*i + 72*A
^2*a^2*b*c*d^2*i - 101*B^2*a*b^2*c^2*d*i + 115*B^2*a^2*b*c*d^2*i - 276*A*B
*a*b^2*c^2*d*i + 156*A*B*a^2*b*c*d^2*i)/(12*(a*d - b*c)) + (x^2*(79*B^2*a*
b^2*d^3*i - B^2*b^3*c*d^2*i + 84*A*B*a*b^2*d^3*i - 12*A*B*b^3*c*d^2*i))/(2
*(a*d - b*c)) + (x*(72*A^2*a^2*b*d^3*i + 115*B^2*a^2*b*d^3*i + 72*A^2*b^3*
c^2*d*i - 5*B^2*b^3*c^2*d*i + 156*A*B*a^2*b*d^3*i + 12*A*B*b^3*c^2*d*i - 1
44*A^2*a*b^2*c*d^2*i + 7*B^2*a*b^2*c*d^2*i - 60*A*B*a*b^2*c*d^2*i))/(3*(a*
d - b*c)) + (d*x^3*(13*B^2*b^3*d^2*i + 12*A*B*b^3*d^2*i))/(a*d - b*c))/(x*
(288*a^3*b^4*c*g^5 - 288*a^4*b^3*d*g^5) - x^3*(288*a^2*b^5*d*g^5 - 288*a*b
^6*c*g^5) + x^4*(72*b^7*c*g^5 - 72*a*b^6*d*g^5) + x^2*(432*a^2*b^5*c*g^5 -
 432*a^3*b^4*d*g^5) + 72*a^4*b^3*c*g^5 - 72*a^5*b^2*d*g^5) - log((e*(a + b
*x))/(c + d*x))^2*(((B^2*c*i)/(4*b^2*g^5) + (B^2*a*d*i)/(12*b^3*g^5) + (B^
2*d*i*x)/(3*b^2*g^5))/(4*a^3*x + a^4/b + b^3*x^4 + 6*a^2*b*x^2 + 4*a*b^2*x
^3) - (B^2*d^4*i)/(12*b^2*g^5*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b
*c*d^2))) - (log((e*(a + b*x))/(c + d*x))*(x*((2*A*B*i)/(3*b^2*g^5) + (B^2
*d^4*i*(b*(a*((4*a^2*d^2 + b^2*c^2 - 5*a*b*c*d)/(12*b*d^3) + (a*(a*d - b*c
))/(4*b*d^2)) + (6*a^3*d^3 - b^3*c^3 + 5*a*b^2*c^2*d - 10*a^2*b*c*d^2)/(12
*b*d^4)) + a*(b*((4*a^2*d^2 + b^2*c^2 - 5*a*b*c*d)/(12*b*d^3) + (a*(a*d -
b*c))/(4*b*d^2)) + (4*a^2*d^2 + b^2*c^2 - 5*a*b*c*d)/(6*d^3) + (a*(a*d ...
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 2224, normalized size of antiderivative = 5.00

$$\int \frac{(ci+dix)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x)
```

output

```
(i*(144*log(a + b*x)*a**6*b*d**4 + 576*log(a + b*x)*a**5*b**2*d**4*x + 120
*log(a + b*x)*a**5*b**2*d**4 + 36*log(a + b*x)*a**4*b**3*c*d**3 + 864*log(
a + b*x)*a**4*b**3*d**4*x**2 + 480*log(a + b*x)*a**4*b**3*d**4*x + 144*log
(a + b*x)*a**3*b**4*c*d**3*x + 576*log(a + b*x)*a**3*b**4*d**4*x**3 + 720*
log(a + b*x)*a**3*b**4*d**4*x**2 + 216*log(a + b*x)*a**2*b**5*c*d**3*x**2
+ 144*log(a + b*x)*a**2*b**5*d**4*x**4 + 480*log(a + b*x)*a**2*b**5*d**4*x
**3 + 144*log(a + b*x)*a*b**6*c*d**3*x**3 + 120*log(a + b*x)*a*b**6*d**4*x
**4 + 36*log(a + b*x)*b**7*c*d**3*x**4 - 144*log(c + d*x)*a**6*b*d**4 - 57
6*log(c + d*x)*a**5*b**2*d**4*x - 120*log(c + d*x)*a**5*b**2*d**4 - 36*log
(c + d*x)*a**4*b**3*c*d**3 - 864*log(c + d*x)*a**4*b**3*d**4*x**2 - 480*lo
g(c + d*x)*a**4*b**3*d**4*x - 144*log(c + d*x)*a**3*b**4*c*d**3*x - 576*lo
g(c + d*x)*a**3*b**4*d**4*x**3 - 720*log(c + d*x)*a**3*b**4*d**4*x**2 - 21
6*log(c + d*x)*a**2*b**5*c*d**3*x**2 - 144*log(c + d*x)*a**2*b**5*d**4*x**
4 - 480*log(c + d*x)*a**2*b**5*d**4*x**3 - 144*log(c + d*x)*a*b**6*c*d**3*
x**3 - 120*log(c + d*x)*a*b**6*d**4*x**4 - 36*log(c + d*x)*b**7*c*d**3*x**
4 + 432*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**4*c**2*d**2 + 864*log((a*e
 + b*e*x)/(c + d*x))**2*a**3*b**4*c*d**3*x + 432*log((a*e + b*e*x)/(c + d*
x))**2*a**3*b**4*d**4*x**2 - 576*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**5
*c**3*d - 864*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**5*c**2*d**2*x + 288*
log((a*e + b*e*x)/(c + d*x))**2*a**2*b**5*d**4*x**3 + 216*log((a*e + b*...
```

3.64 $\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 784
Mathematica [B] (verified) 785
Rubi [A] (verified) 786
Maple [F] 797
Fricas [F] 797
Sympy [F(-1)] 798
Maxima [B] (verification not implemented) 798
Giac [F] 799
Mupad [F(-1)] 800
Reduce [F] 800

Optimal result

Integrand size = 42, antiderivative size = 711

$$\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx \\
&= \frac{3B^2(bc-ad)^5g^3i^2x}{20b^2d^3} + \frac{B^2(bc-ad)^2g^3i^2(a+bx)^4}{60b^3} - \frac{3B^2(bc-ad)^4g^3i^2(c+dx)^2}{40bd^4} \\
&\quad + \frac{B^2(bc-ad)^3g^3i^2(c+dx)^3}{60d^4} - \frac{B(bc-ad)^3g^3i^2(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{90b^3d} \\
&\quad - \frac{B(bc-ad)^2g^3i^2(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{20b^3} \\
&\quad - \frac{B(bc-ad)g^3i^2(a+bx)^4(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{15b^2} \\
&\quad + \frac{(bc-ad)^2g^3i^2(a+bx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{60b^3} \\
&\quad + \frac{(bc-ad)g^3i^2(a+bx)^4(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{15b^2} \\
&\quad + \frac{g^3i^2(a+bx)^4(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{6b} \\
&\quad + \frac{B(bc-ad)^4g^3i^2(a+bx)^2\left(3A+B+3B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{180b^3d^2} \\
&\quad - \frac{B(bc-ad)^5g^3i^2(a+bx)\left(6A+5B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{180b^3d^3} \\
&\quad - \frac{B(bc-ad)^6g^3i^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(6A+11B+6B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{180b^3d^4} \\
&\quad - \frac{B^2(bc-ad)^6g^3i^2\log(c+dx)}{20b^3d^4} - \frac{B^2(bc-ad)^6g^3i^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{30b^3d^4}
\end{aligned}$$

output

```
3/20*B^2*(-a*d+b*c)^5*g^3*i^2*x/b^2/d^3+1/60*B^2*(-a*d+b*c)^2*g^3*i^2*(b*x
+a)^4/b^3-3/40*B^2*(-a*d+b*c)^4*g^3*i^2*(d*x+c)^2/b/d^4+1/60*B^2*(-a*d+b*c
)^3*g^3*i^2*(d*x+c)^3/d^4-1/90*B*(-a*d+b*c)^3*g^3*i^2*(b*x+a)^3*(A+B*ln(e*
(b*x+a)/(d*x+c)))/b^3/d-1/20*B*(-a*d+b*c)^2*g^3*i^2*(b*x+a)^4*(A+B*ln(e*(b
*x+a)/(d*x+c)))/b^3-1/15*B*(-a*d+b*c)*g^3*i^2*(b*x+a)^4*(d*x+c)*(A+B*ln(e*
(b*x+a)/(d*x+c)))/b^2+1/60*(-a*d+b*c)^2*g^3*i^2*(b*x+a)^4*(A+B*ln(e*(b*x+a
)/(d*x+c)))^2/b^3+1/15*(-a*d+b*c)*g^3*i^2*(b*x+a)^4*(d*x+c)*(A+B*ln(e*(b*x
+a)/(d*x+c)))^2/b^2+1/6*g^3*i^2*(b*x+a)^4*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x
+c)))^2/b+1/180*B*(-a*d+b*c)^4*g^3*i^2*(b*x+a)^2*(3*A+B+3*B*ln(e*(b*x+a)/(
d*x+c)))/b^3/d^2-1/180*B*(-a*d+b*c)^5*g^3*i^2*(b*x+a)*(6*A+5*B+6*B*ln(e*(b
*x+a)/(d*x+c)))/b^3/d^3-1/180*B*(-a*d+b*c)^6*g^3*i^2*ln((-a*d+b*c)/b/(d*x+
c))*(6*A+11*B+6*B*ln(e*(b*x+a)/(d*x+c)))/b^3/d^4-1/20*B^2*(-a*d+b*c)^6*g^3
*i^2*ln(d*x+c)/b^3/d^4-1/30*B^2*(-a*d+b*c)^6*g^3*i^2*polylog(2,d*(b*x+a)/b
/(d*x+c))/b^3/d^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1559 vs. $2(711) = 1422$.

Time $= 1.36$ (sec) , antiderivative size $= 1559$, normalized size of antiderivative $= 2.19$

$$\int (ag + bgx)^3 (ci + dix)^2 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right)^2 dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2,x]
```

output

```
(g^3*i^2*(15*(b*c - a*d)^2*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]
)^2 + 24*d*(b*c - a*d)*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 10*d^2*(a + b*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (5*B*(b*c -
a*d)^3*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a
+ b*x))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b
*x))/(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])
- 6*B*(b*c - a*d)^3*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x)
)/(c + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*(a +
 b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (-(b*
c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b*c)
+ a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a
*d)])))/d^4 + (2*B*(b*c - a*d)^2*(24*A*b*d*(b*c - a*d)^3*x + 24*B*d*(b*c -
 a*d)^3*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 12*d^2*(b*c - a*d)^2*(a +
 b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 8*d^3*(b*c - a*d)*(a + b*x)
^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*d^4*(a + b*x)^4*(A + B*Log[(e*
(a + b*x))/(c + d*x)]) - 24*B*(b*c - a*d)^4*Log[c + d*x] - 24*(b*c - a*d)^
4*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 4*B*(b*c - a*d)^2*(2
*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + B*(
b*c - a*d)*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d
^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + 12*B*(b*c - a*d)^3*(b*...
```

Rubi [A] (verified)

Time = 2.25 (sec) , antiderivative size = 963, normalized size of antiderivative = 1.35, number of steps used = 18, number of rules used = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.405$, Rules used = {2962, 2783, 2782, 27, 87, 49, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^3i^2(bc-ad)^6\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{B\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 2782$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{B\left(-B\int \frac{(a+bx)^3\left(5b-\frac{d(a+bx)}{c+dx}\right)}{20b^2(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)}{3b} + \frac{\int (a+\right.$$

$$\downarrow 27$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{B\left(-\frac{B\int \frac{(a+bx)^3\left(5b-\frac{d(a+bx)}{c+dx}\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{20b^2} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)}{3b} + \frac{\int \frac{(a+bx)^3\left(A\right.}{(c+dx\right.}$$

$$\downarrow 87$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{B\left(-\frac{B\left(\int \frac{(a+bx)^3}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{(a+bx)^4}{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{20b^2} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right.\right.}{5b(c+dx)^4\left(b-\frac{d(a+b}{c+dx}\right.}$$

$$\downarrow 49$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{B\left(-\frac{B\left(\int \left(\frac{b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{3b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{3b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{1}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx} + \frac{(a+bx)^4}{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right)}{20b^2} + \frac{(a+}{20} \right.$$

$$\left. \vphantom{\frac{1}{1}} \right) \Big/ 3b$$

$$\downarrow 2009$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} - \frac{B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(\right.}{3d^4\left(b-\right.} \right.$$

$$\left. \vphantom{\frac{1}{1}} \right) \Big/ 3b$$

$$\downarrow 2783$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{2B\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(\right.}{\left.} \right.$$

$$\left. \vphantom{\frac{1}{1}} \right) \Big/ 3b$$

$$\downarrow 2773$$

$$ad)^6\left(\frac{g^3i^2(bc-}{3b}\right.$$

$$\left.-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\int\frac{(a+bx)^3}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}\right)}{5b}+\frac{\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a+bx)^4\left(B\,l}{5b(c+dx)}\right)$$

$$\downarrow 49$$

$$ad)^6\left(\frac{g^3i^2(bc-}{3b}\right.$$

$$\left.-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\int\left(\frac{b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{3b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{1}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a+bx}{c+dx}}{4b}\right)}{5b}+\frac{\int}{}\right)$$

$$\downarrow 2009$$

$$ad)^6\left(\frac{g^3i^2(bc-}{3b}\right.$$

$$\left.\frac{\int\frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}-\frac{2B\left(\frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{b^3}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3b}{d^4\left(b-\frac{d(a+}{c+}\right.\right.\right.}{4b}\right.}{5b}$$

$$\downarrow 2781$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{\frac{(a+bx)^4 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{B \int \frac{(a+bx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2b}}{5b} - \frac{2B \left(\frac{(a+bx)^4 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{B \left(\frac{b^3}{3d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.}{} \right.}{3b}$$

$$\downarrow 2784$$

$$(bc -$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{6b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B \left(\frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{20b^2(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{5b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B \left(\right.}{(c+} \right.}{} \right.$$

$$\downarrow 2784$$

$$(bc-$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(\right.}{(c+} \right.$$

$$\downarrow 2784$$

$$(bc-$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(-\right.}{(c+} \right.$$

$$\downarrow 2754$$

$$(bc-$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(\right.}{(c+}\right.$$

↓ 2838

$$(bc-$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{B\left(-\right.}{(c+}\right.}{\right.}$$

input

```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
,x]
```

output

```
(b*c - a*d)^6*g^3*i^2*(((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(6*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^6) - (B*(((a + b*x)^4*(A
+ B*Log[(e*(a + b*x))/(c + d*x)]))/(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c
+ d*x))^5) + ((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(20*b^2*(c
 + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) - (B*((a + b*x)^4/((c + d*x)^4*
(b - (d*(a + b*x))/(c + d*x))^4) + b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x)
)^3) - (3*b^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (
d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^4))/(20*b^2)
))/(3*b) + (((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(5*b*(c +
 d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*(((a + b*x)^4*(A + B*Log[(
e*(a + b*x))/(c + d*x)]))/(4*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4
) - (B*(b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3*b^2)/(2*d^4*(b -
(d*(a + b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (d*(a + b*x))/(c + d*x))) +
Log[b - (d*(a + b*x))/(c + d*x)]/d^4))/(4*b)))/(5*b) + (((a + b*x)^4*(A +
B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*b*(c + d*x)^4*(b - (d*(a + b*x))/(c
+ d*x))^4) - (B*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*d*(
c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a + b*x)^2*(3*A + B + 3*B
*Log[(e*(a + b*x))/(c + d*x)]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c + d
*x))^2) - (((a + b*x)*(6*A + 5*B + 6*B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(
c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((6*A + 11*B + 6*B*Log[(e*...
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 87

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_] :> Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p
+ 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p
+ 1)))/(f*(p + 1)*(c*f - d*e))   Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && ( !LtQ[n, -1] || Intege
rQ[p] ||  !(IntegerQ[n] ||  !(EqQ[e, 0] ||  !(EqQ[c, 0] || LtQ[p, n]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci)^2 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3 (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^3 (dix+ci)^2 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="fricas")
```

output
```
integral(A^2*b^3*d^2*g^3*i^2*x^5 + A^2*a^3*c^2*g^3*i^2 + (2*A^2*b^3*c*d +
3*A^2*a*b^2*d^2)*g^3*i^2*x^4 + (A^2*b^3*c^2 + 6*A^2*a*b^2*c*d + 3*A^2*a^2*
b*d^2)*g^3*i^2*x^3 + (3*A^2*a*b^2*c^2 + 6*A^2*a^2*b*c*d + A^2*a^3*d^2)*g^3
*i^2*x^2 + (3*A^2*a^2*b*c^2 + 2*A^2*a^3*c*d)*g^3*i^2*x + (B^2*b^3*d^2*g^3*
i^2*x^5 + B^2*a^3*c^2*g^3*i^2 + (2*B^2*b^3*c*d + 3*B^2*a*b^2*d^2)*g^3*i^2*
x^4 + (B^2*b^3*c^2 + 6*B^2*a*b^2*c*d + 3*B^2*a^2*b*d^2)*g^3*i^2*x^3 + (3*B
^2*a*b^2*c^2 + 6*B^2*a^2*b*c*d + B^2*a^3*d^2)*g^3*i^2*x^2 + (3*B^2*a^2*b*c
^2 + 2*B^2*a^3*c*d)*g^3*i^2*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^3
*d^2*g^3*i^2*x^5 + A*B*a^3*c^2*g^3*i^2 + (2*A*B*b^3*c*d + 3*A*B*a*b^2*d^2)
*g^3*i^2*x^4 + (A*B*b^3*c^2 + 6*A*B*a*b^2*c*d + 3*A*B*a^2*b*d^2)*g^3*i^2*x
^3 + (3*A*B*a*b^2*c^2 + 6*A*B*a^2*b*c*d + A*B*a^3*d^2)*g^3*i^2*x^2 + (3*A*
B*a^2*b*c^2 + 2*A*B*a^3*c*d)*g^3*i^2*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5178 vs. $2(680) = 1360$.

Time = 0.22 (sec) , antiderivative size = 5178, normalized size of antiderivative = 7.28

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="maxima")
```

output
```
1/6*A^2*b^3*d^2*g^3*i^2*x^6 + 2/5*A^2*b^3*c*d*g^3*i^2*x^5 + 3/5*A^2*a*b^2*
d^2*g^3*i^2*x^5 + 1/4*A^2*b^3*c^2*g^3*i^2*x^4 + 3/2*A^2*a*b^2*c*d*g^3*i^2*
x^4 + 3/4*A^2*a^2*b*d^2*g^3*i^2*x^4 + A^2*a*b^2*c^2*g^3*i^2*x^3 + 2*A^2*a^
2*b*c*d*g^3*i^2*x^3 + 1/3*A^2*a^3*d^2*g^3*i^2*x^3 + 3/2*A^2*a^2*b*c^2*g^3*
i^2*x^2 + A^2*a^3*c*d*g^3*i^2*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x +
c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a^3*c^2*g^3*i^2 + 3*(x^2*lo
g(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x +
c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^2*b*c^2*g^3*i^2 + (2*x^3*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3
- ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a*b^2
*c^2*g^3*i^2 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*lo
g(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 -
 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*b
^3*c^2*g^3*i^2 + 2*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x
 + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^3*c*d*g^3*i^
2 + 2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3
 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^
2)*x)/(b^2*d^2))*A*B*a^2*b*c*d*g^3*i^2 + 1/2*(6*x^4*log(b*e*x/(d*x + c) +
a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3
*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - ...
```

Giac [F]

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx$$
$$=\int (bgx+ag)^3(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2\,dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)^3*(d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) +
A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2
,x)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g**3*( - 12*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b
*d*x**2),x)*a**6*b**2*d**7 + 72*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a**5*b**3*c*d**6 - 180*int((log((a*e + b*e*
x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**4*c**2*d**5 +
 240*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2)
,x)*a**3*b**5*c**3*d**4 - 180*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c +
a*d*x + b*c*x + b*d*x**2),x)*a**2*b**6*c**4*d**3 + 72*int((log((a*e + b*e*
x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**7*c**5*d**2 - 12
*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*
b**8*c**6*d - 12*log(c + d*x)*a**7*d**6 + 72*log(c + d*x)*a**6*b*c*d**5 -
4*log(c + d*x)*a**6*b*d**6 - 180*log(c + d*x)*a**5*b**2*c**2*d**4 + 24*log
(c + d*x)*a**5*b**2*c*d**5 + 240*log(c + d*x)*a**4*b**3*c**3*d**3 - 60*log
(c + d*x)*a**4*b**3*c**2*d**4 - 180*log(c + d*x)*a**3*b**4*c**4*d**2 + 80*
log(c + d*x)*a**3*b**4*c**3*d**3 + 72*log(c + d*x)*a**2*b**5*c**5*d - 60*l
og(c + d*x)*a**2*b**5*c**4*d**2 - 12*log(c + d*x)*a*b**6*c**6 + 24*log(c +
 d*x)*a*b**6*c**5*d - 4*log(c + d*x)*b**7*c**6 + 6*log((a*e + b*e*x)/(c +
d*x))**2*a**5*b**2*c*d**5 - 30*log((a*e + b*e*x)/(c + d*x))**2*a**4*b**3*c
**2*d**4 - 60*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**4*c**3*d**3 - 360*lo
g((a*e + b*e*x)/(c + d*x))**2*a**3*b**4*c**2*d**4*x - 360*log((a*e + b*e*x
)/(c + d*x))**2*a**3*b**4*c*d**5*x**2 - 120*log((a*e + b*e*x)/(c + d*x)...
```

3.65 $\int (ag+bgx)^2(ci+dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 803
Mathematica [A] (verified) 804
Rubi [A] (verified) 805
Maple [F] 816
Fricas [F] 816
Sympy [F(-1)] 817
Maxima [B] (verification not implemented) 817
Giac [F] 818
Mupad [F(-1)] 819
Reduce [F] 819

Optimal result

Integrand size = 42, antiderivative size = 761

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= -\frac{B^2(bc-ad)^4g^2i^2x}{10b^2d^2} - \frac{B^2(bc-ad)^3g^2i^2(c+dx)^2}{20bd^3} + \frac{B^2(bc-ad)^2g^2i^2(c+dx)^3}{30d^3} \\
&\quad + \frac{B^2(bc-ad)^5g^2i^2\log\left(\frac{a+bx}{c+dx}\right)}{30b^3d^3} - \frac{B(bc-ad)^3g^2i^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30b^3d} \\
&\quad - \frac{B(bc-ad)^2g^2i^2(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{15b^3} \\
&\quad - \frac{B(bc-ad)^3g^2i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{5bd^3} \\
&\quad + \frac{4B(bc-ad)^2g^2i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{15d^3} \\
&\quad - \frac{bB(bc-ad)g^2i^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10d^3} \\
&\quad + \frac{(bc-ad)^2g^2i^2(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{30b^3} \\
&\quad + \frac{(bc-ad)g^2i^2(a+bx)^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{10b^2} \\
&\quad + \frac{g^2i^2(a+bx)^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b} \\
&\quad + \frac{B(bc-ad)^4g^2i^2(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30b^3d^2} \\
&\quad + \frac{B(bc-ad)^5g^2i^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30b^3d^3} \\
&\quad + \frac{B^2(bc-ad)^5g^2i^2\log(c+dx)}{10b^3d^3} + \frac{B^2(bc-ad)^5g^2i^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{15b^3d^3}
\end{aligned}
$$

output

```
-1/10*B^2*(-a*d+b*c)^4*g^2*i^2*x/b^2/d^2-1/20*B^2*(-a*d+b*c)^3*g^2*i^2*(d*
x+c)^2/b/d^3+1/30*B^2*(-a*d+b*c)^2*g^2*i^2*(d*x+c)^3/d^3+1/30*B^2*(-a*d+b*
c)^5*g^2*i^2*ln((b*x+a)/(d*x+c))/b^3/d^3-1/30*B*(-a*d+b*c)^3*g^2*i^2*(b*x+
a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/d-1/15*B*(-a*d+b*c)^2*g^2*i^2*(b*x+a)
^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3-1/5*B*(-a*d+b*c)^3*g^2*i^2*(d*x+c)^2*(A
+B*ln(e*(b*x+a)/(d*x+c)))/b/d^3+4/15*B*(-a*d+b*c)^2*g^2*i^2*(d*x+c)^3*(A+B
*ln(e*(b*x+a)/(d*x+c)))/d^3-1/10*b*B*(-a*d+b*c)*g^2*i^2*(d*x+c)^4*(A+B*ln(
e*(b*x+a)/(d*x+c)))/d^3+1/30*(-a*d+b*c)^2*g^2*i^2*(b*x+a)^3*(A+B*ln(e*(b*x
+a)/(d*x+c)))^2/b^3+1/10*(-a*d+b*c)*g^2*i^2*(b*x+a)^3*(d*x+c)*(A+B*ln(e*(b
*x+a)/(d*x+c)))^2/b^2+1/5*g^2*i^2*(b*x+a)^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d
*x+c)))^2/b+1/30*B*(-a*d+b*c)^4*g^2*i^2*(b*x+a)*(2*A+B+2*B*ln(e*(b*x+a)/(d
*x+c)))/b^3/d^2+1/30*B*(-a*d+b*c)^5*g^2*i^2*ln((-a*d+b*c)/b/(d*x+c))*(2*A+
3*B+2*B*ln(e*(b*x+a)/(d*x+c)))/b^3/d^3+1/10*B^2*(-a*d+b*c)^5*g^2*i^2*ln(d*
x+c)/b^3/d^3+1/15*B^2*(-a*d+b*c)^5*g^2*i^2*polylog(2,d*(b*x+a)/b/(d*x+c))/
b^3/d^3
```

Mathematica [A] (verified)

Time = 0.98 (sec) , antiderivative size = 1194, normalized size of antiderivative = 1.57

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2,x]
```

output

```
(g^2*i^2*(20*d^3*(b*c - a*d)^2*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d
*x)])^2 + 30*d^4*(b*c - a*d)*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x
)])^2 + 12*d^5*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 20*B*(
b*c - a*d)^3*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(
a + b*x))/(c + d*x)] - d^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]
) - 2*B*(b*c - a*d)^2*Log[c + d*x] - 2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*
x))/(c + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(b*d*x + (-(b*c) + a*d)*Log[c
 + d*x]) + B*(b*c - a*d)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c +
 d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - 10*B*(b*
c - a*d)^2*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e
*(a + b*x))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x
)]) - 6*B*(b*c - a*d)^3*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[(e*(a +
b*x))/(c + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*
(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (
-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b
*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c
 - a*d)])) + B*(b*c - a*d)*(24*A*b*d*(b*c - a*d)^3*x + 24*B*d*(b*c - a*d)^
3*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 12*d^2*(b*c - a*d)^2*(a + b*x)^
2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 8*d^3*(b*c - a*d)*(a + b*x)^3*...
```

Rubi [A] (verified)

Time = 2.10 (sec) , antiderivative size = 852, normalized size of antiderivative = 1.12, number of steps used = 16, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {2962, 2783, 2782, 27, 1195, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^2i^2(bc-ad)^5\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2B \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{2 \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{5b(c+dx)^3 \left(b-\frac{d(a+b}{c+d}\right.} \right.$$

$$\downarrow 2782$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2B \left(-B \int \frac{(c+dx)\left(b^2-\frac{4d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{b^2\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(\frac{e(a}{2d^3\left(b-\frac{d}{}\right.}\right.}{5b} \right.$$

$$\downarrow 27$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2B \left(-\frac{B \int \frac{(c+dx)\left(b^2-\frac{4d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(\frac{e(a+bx}{2d^3\left(b-\frac{d(a+b}{c+d}\right.}\right.}{5b} \right.$$

$$\downarrow 1195$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2B \left(-\frac{B \int \left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{5d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{3bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{c+dx}{b^2(a+bx)} \right) d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right.}{5b} \right.$$

$$\downarrow 2009$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} - \frac{2B \left(\frac{b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

$$\downarrow 2783$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(-\frac{B \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2b} + \frac{\int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{4b} + \frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right)}{5b} - \right.$$

$$\downarrow 2773$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(-\frac{B \left(\frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{B \int \frac{(a+bx)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{3b} \right)}{2b} + \frac{\int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{4b} + \frac{(a+bx)^3 \left(\right.}{4b(c+} \right.$$

$$\downarrow 49$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(-\frac{B \left(\frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A \right)}{3b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{B \int \left(\frac{b^2}{d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2b}{d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^2} + \frac{1}{d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx}}{3b} \right)}{2b} + \int \frac{(a+bx)^2 \left(A+B\log \right.}{(c+dx)^2 \left(b-\right.} \right.}{5b}$$

$$\downarrow 2009$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(\frac{\int \frac{(a+bx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{4b} - \frac{B \left(\frac{(a+bx)^3 \left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A \right)}{3b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{B \left(\frac{b^2}{2d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{2b}{d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right.}{d^3} \right.}{3b} \right)}{2b} \right.}{5b}$$

$\downarrow$ 2781

$$g^2 i^2 (bc - ad)^5 \left(\frac{2\left(\frac{\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{3b}}{4b} - \frac{B\left(\frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{B\left(\frac{b^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.}{}\right.}{2b} \right.}{5b} \right.$$

$\downarrow$ 2784

$$g^2 i^2 (bc -$$

$$ad)^5 \left(2 \left(\frac{\frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A \right)^2}{3b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx} \right)^3} - \frac{2B \left(\frac{(a+bx)^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A \right)}{2d(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx} \right)^2} - \frac{\int \frac{(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2} d\frac{a+bx}{c+dx}}{2d} \right)}{3b} }{4b} - B \left(\frac{(a+bx)^3 \left(\right.}{3b(c+dx}$$

$$\Big\downarrow 2784$$

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

↓ 2754

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

$$\left. \right)$$

$$\downarrow 2838$$

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
,x]
```

output
```
(b*c - a*d)^5*g^2*i^2*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(5*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*((b^2*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)]))/(4*d^3*(b - (d*(a + b*x))/(c + d*x))^4) - (2*
b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*d^3*(b - (d*(a + b*x))/(c + d*x
))^3) + (A + B*Log[(e*(a + b*x))/(c + d*x)])/(2*d^3*(b - (d*(a + b*x))/(c
 + d*x))^2) - (B*(b/(b - (d*(a + b*x))/(c + d*x))^3 - 5/(2*(b - (d*(a + b*x
))/(c + d*x))^2) + 1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c
 + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(12*d^3)))/(5*b) + (2
*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*b*(c + d*x)^3*(b
 - (d*(a + b*x))/(c + d*x))^4) - (B*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))
/(c + d*x)]))/(3*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (B*(b^2/
(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*b)/(d^3*(b - (d*(a + b*x))/(c
 + d*x))) - Log[b - (d*(a + b*x))/(c + d*x)]/d^3))/(3*b)))/(2*b) + (((a +
b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*b*(c + d*x)^3*(b - (d*(a
 + b*x))/(c + d*x))^3) - (2*B*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c +
d*x)]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)*(2
*A + B + 2*B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x)*(b - (d*(a + b*x)
)/(c + d*x))) - (-(((2*A + 3*B + 2*B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 -
 (d*(a + b*x))/(b*(c + d*x))])/d) - (2*B*PolyLog[2, (d*(a + b*x))/(b*(c +
d*x))])/d)/d)/(2*d)))/(3*b))/(4*b)))/(5*b))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci)^2 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2 (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2 (dix+ci)^2 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="fricas")
```

output
```
integral(A^2*b^2*d^2*g^2*i^2*x^4 + A^2*a^2*c^2*g^2*i^2 + 2*(A^2*b^2*c*d +
A^2*a*b*d^2)*g^2*i^2*x^3 + (A^2*b^2*c^2 + 4*A^2*a*b*c*d + A^2*a^2*d^2)*g^2
*i^2*x^2 + 2*(A^2*a*b*c^2 + A^2*a^2*c*d)*g^2*i^2*x + (B^2*b^2*d^2*g^2*i^2*
x^4 + B^2*a^2*c^2*g^2*i^2 + 2*(B^2*b^2*c*d + B^2*a*b*d^2)*g^2*i^2*x^3 + (B
^2*b^2*c^2 + 4*B^2*a*b*c*d + B^2*a^2*d^2)*g^2*i^2*x^2 + 2*(B^2*a*b*c^2 + B
^2*a^2*c*d)*g^2*i^2*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^2*d^2*g^2
*i^2*x^4 + A*B*a^2*c^2*g^2*i^2 + 2*(A*B*b^2*c*d + A*B*a*b*d^2)*g^2*i^2*x^3
 + (A*B*b^2*c^2 + 4*A*B*a*b*c*d + A*B*a^2*d^2)*g^2*i^2*x^2 + 2*(A*B*a*b*c^
2 + A*B*a^2*c*d)*g^2*i^2*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3656 vs. $2(728) = 1456$.

Time $= 0.19$ (sec) , antiderivative size $= 3656$, normalized size of antiderivative $= 4.80$

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="maxima")
```

output

```
1/5*A^2*b^2*d^2*g^2*i^2*x^5 + 1/2*A^2*b^2*c*d*g^2*i^2*x^4 + 1/2*A^2*a*b*d^
2*g^2*i^2*x^4 + 1/3*A^2*b^2*c^2*g^2*i^2*x^3 + 4/3*A^2*a*b*c*d*g^2*i^2*x^3
+ 1/3*A^2*a^2*d^2*g^2*i^2*x^3 + A^2*a*b*c^2*g^2*i^2*x^2 + A^2*a^2*c*d*g^2*
i^2*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c
*log(d*x + c)/d)*A*B*a^2*c^2*g^2*i^2 + 2*(x^2*log(b*e*x/(d*x + c) + a*e/(d
*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*
d))*A*B*a*b*c^2*g^2*i^2 + 1/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))
+ 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x
^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*b^2*c^2*g^2*i^2 + 2*(x^2*log(
b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)
/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^2*c*d*g^2*i^2 + 4/3*(2*x^3*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3
- ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a*b*c
*d*g^2*i^2 + 1/6*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b
*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*
(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*b^2*
c*d*g^2*i^2 + 1/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(
b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*
c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a^2*d^2*g^2*i^2 + 1/6*(6*x^4*log(b*e*x/(d
*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/...
```

Giac [F]

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) +
A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2
,x)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g**2*( - 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*
d*x**2),x)*a**5*b**2*d**6 + 20*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c +
 a*d*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5 - 40*int((log((a*e + b*e*x)
/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**4*c**2*d**4 + 4
0*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)
*a**2*b**5*c**3*d**3 - 20*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*
x + b*c*x + b*d*x**2),x)*a*b**6*c**4*d**2 + 4*int((log((a*e + b*e*x)/(c +
d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**7*c**5*d - 4*log(c + d*x)*
a**6*d**5 + 20*log(c + d*x)*a**5*b*c*d**4 - 40*log(c + d*x)*a**4*b**2*c**2
*d**3 + 40*log(c + d*x)*a**3*b**3*c**3*d**2 - 20*log(c + d*x)*a**2*b**4*c*
*4*d + 4*log(c + d*x)*a*b**5*c**5 + 2*log((a*e + b*e*x)/(c + d*x))**2*a**4
*b**2*c*d**4 - 8*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**3*c**2*d**3 - 8*l
og((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*c**3*d**2 - 60*log((a*e + b*e*x)/
(c + d*x))**2*a**2*b**4*c**2*d**3*x - 60*log((a*e + b*e*x)/(c + d*x))**2*a
**2*b**4*c*d**4*x**2 - 20*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**4*d**5*x
**3 + 2*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c**4*d - 60*log((a*e + b*e*
x)/(c + d*x))**2*a*b**5*c**2*d**3*x**2 - 80*log((a*e + b*e*x)/(c + d*x))**
2*a*b**5*c*d**4*x**3 - 30*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*d**5*x**4
 - 20*log((a*e + b*e*x)/(c + d*x))**2*b**6*c**2*d**3*x**3 - 30*log((a*e +
b*e*x)/(c + d*x))**2*b**6*c*d**4*x**4 - 12*log((a*e + b*e*x)/(c + d*x))...
```

3.66 $\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 822
Mathematica [A] (verified) 823
Rubi [A] (verified) 824
Maple [F] 831
Fricas [F] 831
Sympy [F(-1)] 832
Maxima [B] (verification not implemented) 832
Giac [F] 833
Mupad [F(-1)] 834
Reduce [F] 834

Optimal result

Integrand size = 40, antiderivative size = 589

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\,dx \\
&= \frac{B^2(bc-ad)^3gi^2x}{12b^2d} + \frac{B^2(bc-ad)^2gi^2(c+dx)^2}{12bd^2} - \frac{B^2(bc-ad)^4gi^2\log\left(\frac{a+bx}{c+dx}\right)}{12b^3d^2} \\
&\quad - \frac{B(bc-ad)^3gi^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6b^3d} \\
&\quad - \frac{B(bc-ad)^2gi^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6b^3} \\
&\quad + \frac{B(bc-ad)^2gi^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4bd^2} \\
&\quad - \frac{B(bc-ad)gi^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6d^2} \\
&\quad + \frac{(bc-ad)^2gi^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{12b^3} \\
&\quad + \frac{(bc-ad)gi^2(a+bx)^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{6b^2} \\
&\quad + \frac{gi^2(a+bx)^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4b} \\
&\quad - \frac{B(bc-ad)^4gi^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6b^3d^2} \\
&\quad - \frac{B^2(bc-ad)^4gi^2\log(c+dx)}{4b^3d^2} - \frac{B^2(bc-ad)^4gi^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{6b^3d^2}
\end{aligned}
$$

output

```
1/12*B^2*(-a*d+b*c)^3*g*i^2*x/b^2/d+1/12*B^2*(-a*d+b*c)^2*g*i^2*(d*x+c)^2/
b/d^2-1/12*B^2*(-a*d+b*c)^4*g*i^2*ln((b*x+a)/(d*x+c))/b^3/d^2-1/6*B*(-a*d+
b*c)^3*g*i^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/d-1/6*B*(-a*d+b*c)^2*
g*i^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3+1/4*B*(-a*d+b*c)^2*g*i^2*(
d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/d^2-1/6*B*(-a*d+b*c)*g*i^2*(d*x+c)^
3*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2+1/12*(-a*d+b*c)^2*g*i^2*(b*x+a)^2*(A+B*l
n(e*(b*x+a)/(d*x+c)))^2/b^3+1/6*(-a*d+b*c)*g*i^2*(b*x+a)^2*(d*x+c)*(A+B*ln
(e*(b*x+a)/(d*x+c)))^2/b^2+1/4*g*i^2*(b*x+a)^2*(d*x+c)^2*(A+B*ln(e*(b*x+a)
/(d*x+c)))^2/b-1/6*B*(-a*d+b*c)^4*g*i^2*ln((-a*d+b*c)/b/(d*x+c))*(A+B+B*ln
(e*(b*x+a)/(d*x+c)))/b^3/d^2-1/4*B^2*(-a*d+b*c)^4*g*i^2*ln(d*x+c)/b^3/d^2-
1/6*B^2*(-a*d+b*c)^4*g*i^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^3/d^2
```

Mathematica [A] (verified)

Time = 0.60 (sec) , antiderivative size = 677, normalized size of antiderivative = 1.15

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$

$$= \frac{gi^2\left(-4(bc-ad)(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+3b(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+\frac{4B(bc-ad)^2\left(2A\right.}{}\right.}{}$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2,x]
```

output

```
(g*i^2*(-4*(b*c - a*d)*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 3*b*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + (4*B*(b*c - a*d
)^2*(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*(b*d*x + (b*c - a*d)*Log[a + b*
x]) + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + b^2*(c +
d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*(b*c - a*d)^2*Log[a + b*x]
*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*B*(b*c - a*d)^2*Log[c + d*x] - B
*(b*c - a*d)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*
d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/b^3 - (B*(b*c - a*d)*
(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*(b*d*x + (b*c - a*d)*Log[a +
b*x]) - B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c - a*
d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/(c +
d*x)] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
 + 2*b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*(b*c - a*d)^
3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B*(b*c - a*d)^3*Lo
g[c + d*x] - 3*B*(b*c - a*d)^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c +
 d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/b^3))
/(12*d^2)
```

Rubi [A] (verified)

Time = 1.47 (sec) , antiderivative size = 670, normalized size of antiderivative = 1.14, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {2962, 2783, 2782, 27, 86, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$gi^2(bc-ad)^4\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi^2(bc-ad)^4\left(-\frac{B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{4b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right.$$

$$\downarrow 2782$$

$$gi^2(bc-ad)^4\left(-\frac{B\left(-B\int-\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{6d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}}{2b}\right.$$

$$\downarrow 27$$

$$gi^2(bc-ad)^4\left(-\frac{B\left(\frac{B\int\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d}{2b}\right.$$

$$\downarrow 86$$

$$gi^2(bc-ad)^4\left(-\frac{B\left(\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}\right.$$

$$\downarrow 2009$$

$$ad)^4\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}-\frac{gi^2(bc-\quad B\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+b}{c+d}\right.\right.\right.\right.}{2b}\right.$$

$$\downarrow 2783$$

$$ad)^4\left(\frac{-\frac{2B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{gi^2(bc-\quad B\left(-\right.}{2b}\right.$$

$$\downarrow 2773$$

$$ad)^4\left(\frac{-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{a+bx}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\right.}{3b(c+dx)^2\left(\right.}\right.$$

$$\downarrow 49$$

$$gi^2(bc-ad)^4\left(\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{b}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{1}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(}{}$$

$$\downarrow 2009$$

$$gi^2(bc-ad)^4\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right)}{2b}\right)}{3b}+\frac{(a+bx)^2\left(}{3b(c+}\right)}{2b}$$

$$\downarrow 2781$$

$$gi^2(bc-ad)^4\left(\frac{\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}}{3b}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log}{}\right.\right.}{2b}\right)}{3b}$$

$$\downarrow 2784$$

$$gi^2(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{b}}{3b}-\frac{2B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.\right.}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}$$

$$\Big\downarrow 2754$$

$$gi^2(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{d}\right)}{b}}{3b}$$

$$\Big\downarrow 2838$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{B\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{1}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right)}{6d^2}\right)}{2b}$$

input
```
Int[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x
]
```

output
```
(b*c - a*d)^4*g*i^2*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/
(4*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^4) - (B*((b*(A + B*Log[(e*(
a + b*x))/(c + d*x)]))/(3*d^2*(b - (d*(a + b*x))/(c + d*x))^3) - (A + B*Lo
g[(e*(a + b*x))/(c + d*x)])/(2*d^2*(b - (d*(a + b*x))/(c + d*x))^2) + (B*(
-(b - (d*(a + b*x))/(c + d*x))^(-2) + 1/(b*(b - (d*(a + b*x))/(c + d*x)))
+ Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(6
*d^2)))/(2*b) + (((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*b
*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*(((a + b*x)^2*(A + B*
Log[(e*(a + b*x))/(c + d*x)]))/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*
x))^2) - (B*(b/(d^2*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))
/(c + d*x)]/d^2))/(2*b)))/(3*b) + (((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(
c + d*x)])^2)/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(((a
+ b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d*(c + d*x)*(b - (d*(a + b*x
))/(c + d*x))) - (-(((A + B + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(
a + b*x))/(b*(c + d*x))])/d) - (B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])
/d)/d))/b)/(3*b))/(2*b))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$=\int (bgx+ag)(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="fricas")
```

output
```
integral(A^2*b*d^2*g*i^2*x^3 + A^2*a*c^2*g*i^2 + (2*A^2*b*c*d + A^2*a*d^2)
*g*i^2*x^2 + (A^2*b*c^2 + 2*A^2*a*c*d)*g*i^2*x + (B^2*b*d^2*g*i^2*x^3 + B^
2*a*c^2*g*i^2 + (2*B^2*b*c*d + B^2*a*d^2)*g*i^2*x^2 + (B^2*b*c^2 + 2*B^2*a
*c*d)*g*i^2*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b*d^2*g*i^2*x^3 + A
*B*a*c^2*g*i^2 + (2*A*B*b*c*d + A*B*a*d^2)*g*i^2*x^2 + (A*B*b*c^2 + 2*A*B*
a*c*d)*g*i^2*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2259 vs. $2(562) = 1124$.

Time $= 0.17$ (sec) , antiderivative size $= 2259$, normalized size of antiderivative $= 3.84$

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="maxima")
```

output

```
1/4*A^2*b*d^2*g*i^2*x^4 + 2/3*A^2*b*c*d*g*i^2*x^3 + 1/3*A^2*a*d^2*g*i^2*x^
3 + 1/2*A^2*b*c^2*g*i^2*x^2 + A^2*a*c*d*g*i^2*x^2 + 2*(x*log(b*e*x/(d*x +
c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a*c^2*g*i^2
 + (x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*
log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*b*c^2*g*i^2 + 2*(x^2*log(b*e*x
/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2
- (b*c - a*d)*x/(b*d))*A*B*a*c*d*g*i^2 + 2/3*(2*x^3*log(b*e*x/(d*x + c) +
a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c
*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*b*c*d*g*i^2 +
1/3*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 -
 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)
*x)/(b^2*d^2))*A*B*a*d^2*g*i^2 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2
- a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x
)/(b^3*d^3))*A*B*b*d^2*g*i^2 + A^2*a*c^2*g*i^2*x - 1/12*(7*a^2*b*c^2*d^2*g
*i^2 - 2*a^3*c*d^3*g*i^2 - (2*g*i^2*log(e) - g*i^2)*b^3*c^4 + 2*(4*g*i^2*l
og(e) - 3*g*i^2)*a*b^2*c^3*d)*B^2*log(d*x + c)/(b^2*d^2) + 1/6*(b^4*c^4*g*
i^2 - 4*a*b^3*c^3*d*g*i^2 + 6*a^2*b^2*c^2*d^2*g*i^2 - 4*a^3*b*c*d^3*g*i^2
+ a^4*d^4*g*i^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(
-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^3*d^2) + 1/12*(3*B^2*b^4*d^4*g*i^2*...
```

Giac [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)*(d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x
)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2,
x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g*( - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x
**2),x)*a**4*b**2*d**5 + 8*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d
*x + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4 - 12*int((log((a*e + b*e*x)/(c
+ d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**4*c**2*d**3 + 8*int
((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b*
*5*c**3*d**2 - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x
 + b*d*x**2),x)*b**6*c**4*d - 2*log(c + d*x)*a**5*d**4 + 8*log(c + d*x)*a*
*4*b*c*d**3 + log(c + d*x)*a**4*b*d**4 - 12*log(c + d*x)*a**3*b**2*c**2*d*
*2 - 4*log(c + d*x)*a**3*b**2*c*d**3 + 8*log(c + d*x)*a**2*b**3*c**3*d + 6
*log(c + d*x)*a**2*b**3*c**2*d**2 - 2*log(c + d*x)*a*b**4*c**4 - 4*log(c +
 d*x)*a*b**4*c**3*d + log(c + d*x)*b**5*c**4 + log((a*e + b*e*x)/(c + d*x)
)**2*a**3*b**2*c*d**3 - 3*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c**2*d
**2 - log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c**3*d - 12*log((a*e + b*e*x)
/(c + d*x))**2*a*b**4*c**2*d**2*x - 12*log((a*e + b*e*x)/(c + d*x))**2*a*b
**4*c*d**3*x**2 - 4*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*d**4*x**3 - 6*l
og((a*e + b*e*x)/(c + d*x))**2*b**5*c**2*d**2*x**2 - 8*log((a*e + b*e*x)/(
c + d*x))**2*b**5*c*d**3*x**3 - 3*log((a*e + b*e*x)/(c + d*x))**2*b**5*d**
4*x**4 - 2*log((a*e + b*e*x)/(c + d*x))*a**5*d**4 + 8*log((a*e + b*e*x)/(c
 + d*x))*a**4*b*c*d**3 + log((a*e + b*e*x)/(c + d*x))*a**4*b*d**4 - 12*log
((a*e + b*e*x)/(c + d*x))*a**3*b**2*c**2*d**2 - 2*log((a*e + b*e*x)/(c ...
```

3.67 $\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result . . . 836
Mathematica [A] (verified) . . . 837
Rubi [A] (verified) . . . 837
Maple [F] . . . 844
Fricas [F] . . . 844
Sympy [F(-1)] . . . 845
Maxima [B] (verification not implemented) . . . 845
Giac [F] . . . 846
Mupad [F(-1)] . . . 847
Reduce [F] . . . 847

Optimal result

Integrand size = 32, antiderivative size = 334

$$
\begin{aligned}
&\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{B^2(bc-ad)^2i^2x}{3b^2} + \frac{B^2(bc-ad)^3i^2\log\left(\frac{a+bx}{c+dx}\right)}{3b^3d} \\
&\quad - \frac{2B(bc-ad)^2i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^3} \\
&\quad - \frac{B(bc-ad)i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3bd} \\
&\quad + \frac{i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d} + \frac{B^2(bc-ad)^3i^2\log(c+dx)}{b^3d} \\
&\quad + \frac{2B(bc-ad)^3i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3b^3d} \\
&\quad - \frac{2B^2(bc-ad)^3i^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3b^3d}
\end{aligned}
$$

output
```
1/3*B^2*(-a*d+b*c)^2*i^2*x/b^2+1/3*B^2*(-a*d+b*c)^3*i^2*ln((b*x+a)/(d*x+c)
)/b^3/d-2/3*B*(-a*d+b*c)^2*i^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3-1/3
*B*(-a*d+b*c)*i^2*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/d+1/3*i^2*(d*x+c
)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d+B^2*(-a*d+b*c)^3*i^2*ln(d*x+c)/b^3/d+2
/3*B*(-a*d+b*c)^3*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a)
)/b^3/d-2/3*B^2*(-a*d+b*c)^3*i^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/d
```

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 287, normalized size of antiderivative = 0.86

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \frac{i^2\left((c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 - \frac{B(bc-ad)\left(2Abd(bc-ad)x-B(bc-ad)(bdx+(bc-ad)\log(a+bx))+2Bd(bc-ad)(a+bx)\log\right.}{}\right.}{}$$

input
```
Integrate[(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(i^2*((c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (B*(b*c - a*d)*
(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*(b*d*x + (b*c - a*d)*Log[a + b*x])
 + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + b^2*(c + d*x)
^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*(b*c - a*d)^2*Log[a + b*x]*(A
 + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*B*(b*c - a*d)^2*Log[c + d*x] - B*(b*
c - a*d)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)])
 - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/b^3))/(3*d)
```

Rubi [A] (verified)

Time = 0.96 (sec) , antiderivative size = 360, normalized size of antiderivative = 1.08, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.344$, Rules used = {2952, 2756, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^2 \left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2952$$

$$i^2(bc-ad)^3 \int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}$$

$$\downarrow 2756$$

$$i^2(bc-ad)^3 \left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{3d}\right)$$

$$\downarrow 2789$$

$$i^2(bc-ad)^3 \left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\left(\frac{d\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2} d\frac{a+bx}{c+dx}}{b}\right)}{3d}\right)$$

$$\downarrow 2756$$

$$i^2(bc-ad)^3 \left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{B\int \frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2} d\frac{a+bx}{c+dx}}{2d}\right)}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}}{b}\right)}{3d}\right)$$

$$\downarrow 54$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\int\frac{(c}{}\right.$$

$$i^2(bc-$$

$$\downarrow 2009$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+}{c+}\right.\right.\right.\right.$$

$$i^2(bc-$$

$$\downarrow 2789$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{i^2(bc-}{3d}\right.$$

$$\left.2B\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.\right.$$

$$\downarrow 2751$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{i^2(bc-}{3d}\right.$$

$$\left.2B\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+}{c+}}{b}\right.$$

$$\downarrow 16$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{i^2(bc-}{\frac{\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}}{b}\right)}{3d}\right)$$

$$\downarrow 2779$$

$$ad)^3\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{i^2(bc-}{\frac{\frac{B\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\right.\right.\right.}{b(c+dx)\left(b\right.}\right.}{b}\right)$$

$$\downarrow 2838$$



input
```
Int[(c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(b*c - a*d)^3*i^2*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(3*d*(b - (d*(a
+ b*x))/(c + d*x))^3) - (2*B*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])/(2*
d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(1/(b*(b - (d*(a + b*x))/(c + d*x)
)) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))
/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b*(c +
 d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a + b*x))/(c + d*x)]
)/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x
))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b)/b)/
b))/(3*d))
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [F]

$$\int (dix + ci)^2 \left(A + B \ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix + ci)^2 \left(B \log\left(\frac{(bx+a)e}{dx+c}\right) + A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="frica
s")
```

output

```
integral(A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x^
2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B
*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c))
, x)
```

Sympy [F(-1)]

Timed out.

$$\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1202 vs. $2(319) = 638$.

Time = 0.14 (sec) , antiderivative size = 1202, normalized size of antiderivative = 3.60

$$\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="maxim
a")
```

output

```
1/3*A^2*d^2*i^2*x^3 + A^2*c*d*i^2*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*
x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*c^2*i^2 + 2*(x^2*log(b*
e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d
^2 - (b*c - a*d)*x/(b*d))*A*B*c*d*i^2 + 1/3*(2*x^3*log(b*e*x/(d*x + c) + a
*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*
d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*d^2*i^2 + A^2*c
^2*i^2*x - 1/3*(5*a*b*c^2*d*i^2 - 2*a^2*c*d^2*i^2 + (2*i^2*log(e) - 3*i^2)
*b^2*c^3)*B^2*log(d*x + c)/(b^2*d) - 2/3*(b^3*c^3*i^2 - 3*a*b^2*c^2*d*i^2
+ 3*a^2*b*c*d^2*i^2 - a^3*d^3*i^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c -
a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^3*d) + 1/3*(B^2*b^3*
d^3*i^2*x^3*log(e)^2 + (a*b^2*d^3*i^2*log(e) + (3*i^2*log(e)^2 - i^2*log(e
))*b^3*c*d^2)*B^2*x^2 + ((3*i^2*log(e)^2 - 4*i^2*log(e) + i^2)*b^3*c^2*d +
 2*(3*i^2*log(e) - i^2)*a*b^2*c*d^2 - (2*i^2*log(e) - i^2)*a^2*b*d^3)*B^2*
x + (B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*x
 + (3*a*b^2*c^2*d*i^2 - 3*a^2*b*c*d^2*i^2 + a^3*d^3*i^2)*B^2)*log(b*x + a)
^2 + (B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*
x + B^2*b^3*c^3*i^2)*log(d*x + c)^2 + (2*B^2*b^3*d^3*i^2*x^3*log(e) + (a*b
^2*d^3*i^2 + (6*i^2*log(e) - i^2)*b^3*c*d^2)*B^2*x^2 + 2*(3*a*b^2*c*d^2*i^
2 - a^2*b*d^3*i^2 + (3*i^2*log(e) - 2*i^2)*b^3*c^2*d)*B^2*x + (2*(3*i^2*lo
g(e) - 2*i^2)*a*b^2*c^2*d - (6*i^2*log(e) - 7*i^2)*a^2*b*c*d^2 + (2*i^2...
```

Giac [F]

$$\int (ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix+ci)^2 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="giac"
)
```

output

```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x)
```

output
```
int((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2, x)
```

Reduce [F]

$$\int (ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
( - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2
),x)*a**3*b**2*d**4 + 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x
+ b*c*x + b*d*x**2),x)*a**2*b**3*c*d**3 - 6*int((log((a*e + b*e*x)/(c + d*
x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**4*c**2*d**2 + 2*int((log((
a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**5*c**3*d
 - 2*log(a + b*x)*a**4*d**3 + 6*log(a + b*x)*a**3*b*c*d**2 + 3*log(a + b*x
)*a**3*b*d**3 - 6*log(a + b*x)*a**2*b**2*c**2*d - 9*log(a + b*x)*a**2*b**2
*c*d**2 + 2*log(a + b*x)*a*b**3*c**3 + 9*log(a + b*x)*a*b**3*c**2*d - 3*lo
g(a + b*x)*b**4*c**3 + log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*c*d**2 -
2*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c**2*d - 3*log((a*e + b*e*x)/(c +
 d*x))**2*b**4*c**2*d*x - 3*log((a*e + b*e*x)/(c + d*x))**2*b**4*c*d**2*x*
*2 - log((a*e + b*e*x)/(c + d*x))**2*b**4*d**3*x**3 + 2*log((a*e + b*e*x)/
(c + d*x))*a**2*b**2*c*d**2 + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*d**
3*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**3 - 6*log((a*e + b*e*x)/(c
+ d*x))*a*b**3*c**2*d*x - 5*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2*d - 6
*log((a*e + b*e*x)/(c + d*x))*a*b**3*c*d**2*x**2 - 6*log((a*e + b*e*x)/(c
+ d*x))*a*b**3*c*d**2*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3*d**3*x**3
- log((a*e + b*e*x)/(c + d*x))*a*b**3*d**3*x**2 + 3*log((a*e + b*e*x)/(c +
 d*x))*b**4*c**3 + 4*log((a*e + b*e*x)/(c + d*x))*b**4*c**2*d*x + log((a*e
 + b*e*x)/(c + d*x))*b**4*c*d**2*x**2 + 2*a**3*b*d**3*x - 3*a**2*b**2*c...
```

3.68 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$

Optimal result 850
Mathematica [B] (verified) 851
Rubi [A] (verified) 852
Maple [F] 860
Fricas [F] 860
Sympy [F] 861
Maxima [F] 861
Giac [F] 862
Mupad [F(-1)] 863
Reduce [F] 863

Optimal result

Integrand size = 42, antiderivative size = 535

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx \\
&= -\frac{Bd(bc-ad)i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g} \\
&\quad + \frac{2B(bc-ad)^2i^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g} \\
&\quad + \frac{d(bc-ad)i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3g} \\
&\quad + \frac{i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2bg} + \frac{B^2(bc-ad)^2i^2\log(c+dx)}{b^3g} \\
&\quad + \frac{B(bc-ad)^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad - \frac{(bc-ad)^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B^2(bc-ad)^2i^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^3g} - \frac{B^2(bc-ad)^2i^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B(bc-ad)^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B^2(bc-ad)^2i^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g}
\end{aligned}
$$

output

```
-B*d*(-a*d+b*c)*i^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g+2*B*(-a*d+b*
c)^2*i^2*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g+d*(-a*
d+b*c)*i^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^3/g+1/2*i^2*(d*x+c)^2*(
A+B*ln(e*(b*x+a)/(d*x+c)))^2/b/g+B^2*(-a*d+b*c)^2*i^2*ln(d*x+c)/b^3/g+B*(-
a*d+b*c)^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g
-(-a*d+b*c)^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1-b*(d*x+c)/d/(b*x+a))/
b^3/g+2*B^2*(-a*d+b*c)^2*i^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^3/g-B^2*(-a*
d+b*c)^2*i^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g+2*B*(-a*d+b*c)^2*i^2*(A+
B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g+2*B^2*(-a*d+
b*c)^2*i^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^3/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2615 vs. $2(535) = 1070$.

Time $= 4.37$ (sec) , antiderivative size $= 2615$, normalized size of antiderivative $= 4.89$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x),x]
```

output

```
(i^2*(12*A^2*b*d*(2*b*c - a*d)*x + 6*A^2*b^2*d^2*x^2 + 12*A^2*(b*c - a*d)^
2*Log[a + b*x] - 24*A*b*B*c*(a*d*Log[a/b + x]^2 - 2*a*d*Log[a/b + x]*(1 +
Log[a + b*x]) + 2*(-(b*c) + a*d + Log[c/d + x]*(b*c + a*d*Log[a + b*x] - a
*d*Log[(d*(a + b*x))/(-(b*c) + a*d)]) + (-(b*d*x) + a*d*Log[a + b*x])*Log[
(e*(a + b*x))/(c + d*x)]) - 2*a*d*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) +
 12*A*b^2*B*c^2*(Log[a/b + x]^2 - 2*Log[a + b*x]*(Log[a/b + x] - Log[c/d +
 x] - Log[(e*(a + b*x))/(c + d*x)]) - 2*(Log[c/d + x]*Log[(d*(a + b*x))/(-
(b*c) + a*d)] + PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + 6*A*B*(-4*a*d^2*
(a + b*x)*(-1 + Log[a/b + x]) + 2*a^2*d^2*Log[a/b + x]^2 + 4*a*b*d*(c + d*
x)*(-1 + Log[c/d + x]) + d^2*(b*x*(2*a - b*x) + 2*b^2*x^2*Log[a/b + x] - 2
*a^2*Log[a + b*x]) - 2*d^2*(b*x*(-2*a + b*x) + 2*a^2*Log[a + b*x])*(Log[a/
b + x] - Log[c/d + x] - Log[(e*(a + b*x))/(c + d*x)]) + b^2*(d*x*(-2*c + d
*x) - 2*d^2*x^2*Log[c/d + x] + 2*c^2*Log[c + d*x]) - 4*a^2*d^2*(Log[c/d +
x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + PolyLog[2, (b*(c + d*x))/(b*c - a*d
)])) - 8*b*B^2*c*(a*d*Log[a/b + x]^3 - 3*d*(2*b*x - 2*(a + b*x)*Log[a/b +
x] + (a + b*x)*Log[a/b + x]^2) - 3*b*(2*d*x - 2*(c + d*x)*Log[c/d + x] + (
c + d*x)*Log[c/d + x]^2) - 3*d*(b*x - a*Log[a + b*x])*(-Log[a/b + x] + Log
[c/d + x] + Log[(e*(a + b*x))/(c + d*x)])^2 + 6*(a*d + 2*b*d*x - b*d*x*Log
[c/d + x] - b*c*Log[c + d*x] + Log[a/b + x]*(-(d*(a + b*x)) + d*(a + b*x)*
Log[c/d + x] + (b*c - a*d)*Log[(b*(c + d*x))/(b*c - a*d)]) + (b*c - a*d...
```

Rubi [A] (verified)

Time = 2.01 (sec) , antiderivative size = 501, normalized size of antiderivative = 0.94, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2962, 2789, 2756, 2789, 2751, 16, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow \text{2962}$$

$$\frac{i^2(bc-ad)^2\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow \text{2789}$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\int\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2789$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{d}\right)}{b}+\frac{d\int\frac{\left(A+B\log\left(\frac{e(a}{c}\right.\right.}{\left(b-\frac{d(a+b}{c+d}\right.}}{g}$$

$$\downarrow 2751$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{d}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+b}{c+d}}{b}\right)}{b}\right)}{g}$$

$$\downarrow 16$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{d}\right)}{b}\right)}{g}$$

$$\downarrow 2755$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{d}\right)}{b}\right)}{g}$$

$$\downarrow 2754$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{d}\right)}{b}\right)$$

$$\downarrow 2779$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{B\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\right.\right.\right.}{b(c+dx)\left(b-\right.}\right.}{d}\right.}{b}\right.$$

$$\downarrow 2821$$

$$i^2(bc-ad)^2\left(\frac{2B\left(\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\int\frac{(c+dx)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{b}\right)$$

$$\downarrow 2838$$

$$i^2(bc-ad)^2\left(\frac{\frac{\frac{2B\left(\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)-B\int\frac{(c+dx)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{b}}{b}}{b}\right.$$

$$\Big\downarrow \; 7143$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\frac{B\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right.}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}\right.}{b}\right.}{d}\right.}{b}\right.$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
,x]
```

output
```
((b*c - a*d)^2*i^2*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(2*d*(b - (
d*(a + b*x))/(c + d*x))^2) - (B*((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(
c + d*x)]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a
 + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*
Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*
(a + b*x))])/b)/b))/d))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c +
d*x)])^2)/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (2*B*(-(((A + B*Lo
g[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*
PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d))/b))/b + (-(((A + B*Log[(e*(a
+ b*x))/(c + d*x)])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*((A
+ B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))]
+ B*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b)/b)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2756

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{bgx+ag}dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="fricas")
```

output
```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)
))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$$

$$= \frac{i^2\left(\int \frac{A^2c^2}{a+bx}\,dx + \int \frac{A^2d^2x^2}{a+bx}\,dx + \int \frac{B^2c^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a+bx}\,dx + \int \frac{2ABc^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx + \int \frac{2A^2cdx}{a+bx}\,dx + \int \frac{B^2d}{}\right.}{}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g),x)
```

output
```
i**2*(Integral(A**2*c**2/(a + b*x), x) + Integral(A**2*d**2*x**2/(a + b*x)
, x) + Integral(B**2*c**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x
), x) + Integral(2*A*B*c**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x)
, x) + Integral(2*A**2*c*d*x/(a + b*x), x) + Integral(B**2*d**2*x**2*log(a
*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x), x) + Integral(2*A*B*d**2*x**
2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Integral(2*B**2*c*d
*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x), x) + Integral(4*A*B*
c*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x))/g
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="maxima")
```

output

```
2*A^2*c*d*i^2*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + 1/2*A^2*d^2*i^2*(2*a^2*
log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A^2*c^2*i^2*log(b*g*x +
a*g)/(b*g) + 1/2*(B^2*b^2*d^2*i^2*x^2 + 2*(2*b^2*c*d*i^2 - a*b*d^2*i^2)*B^
2*x + 2*(b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*B^2*log(b*x + a))*log(
d*x + c)^2/(b^3*g) - integrate(-(B^2*b^3*c^3*i^2*log(e)^2 + 2*A*B*b^3*c^3*
i^2*log(e) + (B^2*b^3*d^3*i^2*log(e)^2 + 2*A*B*b^3*d^3*i^2*log(e))*x^3 + 3
*(B^2*b^3*c*d^2*i^2*log(e)^2 + 2*A*B*b^3*c*d^2*i^2*log(e))*x^2 + (B^2*b^3*
d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*x + B^2*b^3*c^
3*i^2)*log(b*x + a)^2 + 3*(B^2*b^3*c^2*d*i^2*log(e)^2 + 2*A*B*b^3*c^2*d*i^
2*log(e))*x + 2*(B^2*b^3*c^3*i^2*log(e) + A*B*b^3*c^3*i^2 + (B^2*b^3*d^3*i
^2*log(e) + A*B*b^3*d^3*i^2)*x^3 + 3*(B^2*b^3*c*d^2*i^2*log(e) + A*B*b^3*c
*d^2*i^2)*x^2 + 3*(B^2*b^3*c^2*d*i^2*log(e) + A*B*b^3*c^2*d*i^2)*x)*log(b*
x + a) - (2*B^2*b^3*c^3*i^2*log(e) + 2*A*B*b^3*c^3*i^2 + (2*A*B*b^3*d^3*i^
2 + (2*i^2*log(e) + i^2)*B^2*b^3*d^3)*x^3 + (6*A*B*b^3*c*d^2*i^2 - (a*b^2*
d^3*i^2 - 2*(3*i^2*log(e) + 2*i^2)*b^3*c*d^2)*B^2)*x^2 + 2*(3*A*B*b^3*c^2*
d*i^2 + (3*b^3*c^2*d*i^2*log(e) + 2*a*b^2*c*d^2*i^2 - a^2*b*d^3*i^2)*B^2)*
x + 2*(B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + (4*b^3*c^2*d*i^2 -
2*a*b^2*c*d^2*i^2 + a^2*b*d^3*i^2)*B^2*x + (b^3*c^3*i^2 + a*b^2*c^2*d*i^2
- 2*a^2*b*c*d^2*i^2 + a^3*d^3*i^2)*B^2)*log(b*x + a))*log(d*x + c))/(b^4*d
*g*x^2 + a*b^3*c*g + (b^4*c*g + a*b^3*d*g)*x), x)
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{bx+a}dx\right)b^5c^2 - 4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)a\,b^4c^2 - 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^2}{bx+a}dx\right)b^5d^2 - 4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{bx+a}\right.}{}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output
```
( - 2*int(log((a*e + b*e*x)/(c + d*x))**2/(a + b*x),x)*b**5*c**2 - 4*int(l
og((a*e + b*e*x)/(c + d*x))/(a + b*x),x)*a*b**4*c**2 - 2*int((log((a*e + b
*e*x)/(c + d*x))**2*x**2)/(a + b*x),x)*b**5*d**2 - 4*int((log((a*e + b*e*x
)/(c + d*x))**2*x)/(a + b*x),x)*b**5*c*d - 4*int((log((a*e + b*e*x)/(c + d
*x))*x**2)/(a + b*x),x)*a*b**4*d**2 - 8*int((log((a*e + b*e*x)/(c + d*x))*
x)/(a + b*x),x)*a*b**4*c*d - 2*log(a + b*x)*a**4*d**2 + 4*log(a + b*x)*a**
3*b*c*d - 2*log(a + b*x)*a**2*b**2*c**2 + 2*a**3*b*d**2*x - 4*a**2*b**2*c*
d*x - a**2*b**2*d**2*x**2)/(2*b**3*g)
```

3.69 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result 865
Mathematica [B] (verified) 866
Rubi [A] (verified) 867
Maple [F] 869
Fricas [F] 869
Sympy [F(-1)] 869
Maxima [F] 870
Giac [F] 871
Mupad [F(-1)] 871
Reduce [F] 871

Optimal result

Integrand size = 42, antiderivative size = 442

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2(bc-ad)i^2(c+dx)}{b^2g^2(a+bx)} - \frac{2B(bc-ad)i^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g^2(a+bx)} \\
&\quad + \frac{2Bd(bc-ad)i^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^2} \\
&\quad + \frac{d^2i^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3g^2} \\
&\quad - \frac{(bc-ad)i^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2g^2(a+bx)} \\
&\quad - \frac{2d(bc-ad)i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{2B^2d(bc-ad)i^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^3g^2} \\
&\quad + \frac{4Bd(bc-ad)i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{4B^2d(bc-ad)i^2\,\mathrm{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2}
\end{aligned}
$$

output

```
-2*B^2*(-a*d+b*c)*i^2*(d*x+c)/b^2/g^2/(b*x+a)-2*B*(-a*d+b*c)*i^2*(d*x+c)*(
A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g^2/(b*x+a)+2*B*d*(-a*d+b*c)*i^2*ln((-a*d+b
*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3/g^2+d^2*i^2*(b*x+a)*(A+B*ln
(e*(b*x+a)/(d*x+c)))^2/b^3/g^2-(-a*d+b*c)*i^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d
*x+c)))^2/b^2/g^2/(b*x+a)-2*d*(-a*d+b*c)*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2
*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^2+2*B^2*d*(-a*d+b*c)*i^2*polylog(2,d*(b*x
+a)/b/(d*x+c))/b^3/g^2+4*B*d*(-a*d+b*c)*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*po
lylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g^2+4*B^2*d*(-a*d+b*c)*i^2*polylog(3,b*(d
*x+c)/d/(b*x+a))/b^3/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2649 vs. $2(442) = 884$.

Time $= 4.61$ (sec) , antiderivative size $= 2649$, normalized size of antiderivative $= 5.99$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^2,x]
```

output

```
(i^2*(3*A^2*b*d^2*x - (3*A^2*(b*c - a*d)^2)/(a + b*x) + 6*A^2*d*(b*c - a*d
)*Log[a + b*x] - (6*A*b^2*B*c^2*(-(d*(a + b*x)*Log[c/d + x]) + d*(a + b*x)
*Log[(d*(a + b*x))/(-(b*c) + a*d)] + (b*c - a*d)*(1 + Log[(e*(a + b*x))/(c
 + d*x)])))/((b*c - a*d)*(a + b*x)) + (3*b^2*B^2*c^2*(-2*b*c + 2*a*d - 2*d
*(a + b*x)*Log[a + b*x] - 2*(b*c - a*d)*Log[(e*(a + b*x))/(c + d*x)] - 2*d
*(a + b*x)*Log[a + b*x]*Log[(e*(a + b*x))/(c + d*x)] - (b*c - a*d)*Log[(e*
(a + b*x))/(c + d*x)]^2 + 2*d*(a + b*x)*Log[c + d*x] - 2*d*(a + b*x)*Log[(
e*(a + b*x))/(c + d*x)]*Log[(b*c - a*d)/(b*c + b*d*x)] + d*(a + b*x)*(Log[
a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2,
(d*(a + b*x))/(-(b*c) + a*d)]) + d*(a + b*x)*(Log[(b*c - a*d)/(b*c + b*d*x
)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(b*c + b*d*x)])
- 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/((b*c - a*d)*(a + b*x)) + 6*A
*b*B*c*d*(Log[a/b + x]^2 - 2*Log[a/b + x]*Log[a + b*x] - 2*Log[c/d + x]*Lo
g[(d*(a + b*x))/(-(b*c) + a*d)] + 2*Log[a + b*x]*((a*d)/(b*c - a*d) + Log[
c/d + x] + Log[(e*(a + b*x))/(c + d*x)]) + 2*a*((a + b*x)^(-1) + Log[(e*(a
 + b*x))/(c + d*x)]/(a + b*x) + (d*Log[c + d*x])/(-(b*c) + a*d)) - 2*PolyL
og[2, (b*(c + d*x))/(b*c - a*d)]) + 6*A*B*d^2*((a + b*x)*(-1 + Log[a/b + x
]) - a*Log[a/b + x]^2 - (a^2*(1 + Log[a/b + x]))/(a + b*x) - b*(c/d + x)*(
-1 + Log[c/d + x]) + (a^2*Log[c/d + x])/(a + b*x) + (b*x - a^2/(a + b*x) -
 2*a*Log[a + b*x])*(-Log[a/b + x] + Log[c/d + x] + Log[(e*(a + b*x))/(c...
```

Rubi [A] (verified)

Time = 0.72 (sec) , antiderivative size = 366, normalized size of antiderivative = 0.83, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2(bc-ad)\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2795$$

$$\frac{i^2(bc-ad)\int \left(\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2(a+bx)^2}+\frac{2d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right)d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2009$$

$$i^2(bc-ad)\left(\frac{d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b^3(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{4Bd\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^3}+\frac{2Bd\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{b^3}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^2,x]
```

output
```
((b*c - a*d)*i^2*((-2*B^2*(c + d*x))/(b^2*(a + b*x)) - (2*B*(c + d*x)*(A +
 B*Log[(e*(a + b*x))/(c + d*x)]))/(b^2*(a + b*x)) - ((c + d*x)*(A + B*Log[
(e*(a + b*x))/(c + d*x)])^2)/(b^2*(a + b*x)) + (d^2*(a + b*x)*(A + B*Log[(
e*(a + b*x))/(c + d*x)])^2)/(b^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)))
 + (2*B*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c
 + d*x))])/b^3 - (2*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (b*(c
 + d*x))/(d*(a + b*x))])/b^3 + (2*B^2*d*PolyLog[2, (d*(a + b*x))/(b*(c + d*
x))])/b^3 + (4*B*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (b*(c +
 d*x))/(d*(a + b*x))])/b^3 + (4*B^2*d*PolyLog[3, (b*(c + d*x))/(d*(a + b*x
))])/b^3))/g^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(bgx+ag)^2}dx$$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="fricas")
```

output
```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)
))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="maxima")
```

output

```
-A^2*(a^2/(b^4*g^2*x + a*b^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^
2))*d^2*i^2 + 2*A^2*c*d*i^2*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2
*g^2)) - 2*A*B*c^2*i^2*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^2*g^2*x +
a*b*g^2) + 1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2)
- d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - A^2*c^2*i^2/(b^2*g^2*x + a*b*g^2
) + (B^2*b^2*d^2*i^2*x^2 + B^2*a*b*d^2*i^2*x - (b^2*c^2*i^2 - 2*a*b*c*d*i^
2 + a^2*d^2*i^2)*B^2 + 2*((b^2*c*d*i^2 - a*b*d^2*i^2)*B^2*x + (a*b*c*d*i^2
 - a^2*d^2*i^2)*B^2)*log(b*x + a))*log(d*x + c)^2/(b^4*g^2*x + a*b^3*g^2)
- integrate(-(B^2*b^3*c^3*i^2*log(e)^2 + (B^2*b^3*d^3*i^2*log(e)^2 + 2*A*B
*b^3*d^3*i^2*log(e))*x^3 + 3*(B^2*b^3*c*d^2*i^2*log(e)^2 + 2*A*B*b^3*c*d^2
*i^2*log(e))*x^2 + (B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*
b^3*c^2*d*i^2*x + B^2*b^3*c^3*i^2)*log(b*x + a)^2 + (3*B^2*b^3*c^2*d*i^2*l
og(e)^2 + 4*A*B*b^3*c^2*d*i^2*log(e))*x + 2*(B^2*b^3*c^3*i^2*log(e) + (B^2
*b^3*d^3*i^2*log(e) + A*B*b^3*d^3*i^2)*x^3 + 3*(B^2*b^3*c*d^2*i^2*log(e) +
 A*B*b^3*c*d^2*i^2)*x^2 + (3*B^2*b^3*c^2*d*i^2*log(e) + 2*A*B*b^3*c^2*d*i^
2)*x)*log(b*x + a) - 2*((A*B*b^3*d^3*i^2 + (i^2*log(e) + i^2)*B^2*b^3*d^3)
*x^3 + (b^3*c^3*i^2*log(e) - a*b^2*c^2*d*i^2 + 2*a^2*b*c*d^2*i^2 - a^3*d^3
*i^2)*B^2 + (3*A*B*b^3*c*d^2*i^2 + (3*b^3*c*d^2*i^2*log(e) + 2*a*b^2*d^3*i
^2)*B^2)*x^2 + (2*A*B*b^3*c^2*d*i^2 + (2*a*b^2*c*d^2*i^2 + (3*i^2*log(e) -
 i^2)*b^3*c^2*d)*B^2)*x + (B^2*b^3*d^3*i^2*x^3 + (5*b^3*c*d^2*i^2 - 2*a...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="giac")
```

output
```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^2,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output

```
( - int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2
),x)*a**3*b**5*d**3 + int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2
*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**2 - int((log((a*e + b*e*x)/(c + d*x)
)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*d**3*x + int((log((a*
e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c*d*
*2*x - 2*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x*
*2),x)*a**3*b**5*c*d**2 + 2*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a**2
+ 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**2*d - 2*int((log((a*e + b*e*x)/(c +
 d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**2*x + 2*int((l
og((a*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c
**2*d*x - 2*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2
*x**2),x)*a**4*b**4*d**3 + 2*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**2
 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c*d**2 - 2*int((log((a*e + b*e*x)/(c
+ d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*d**3*x + 2*int((lo
g((a*e + b*e*x)/(c + d*x))*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6
*c*d**2*x - 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*
x**2),x)*a**4*b**4*c*d**2 + 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(a**2 +
 2*a*b*x + b**2*x**2),x)*a**3*b**5*c**2*d - 4*int((log((a*e + b*e*x)/(c +
d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c*d**2*x + 4*int((log((
a*e + b*e*x)/(c + d*x))*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*...
```

3.70 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result . . . 873
Mathematica [B] (verified) . . . 874
Rubi [A] (verified) . . . 875
Maple [F] . . . 880
Fricas [F] . . . 881
Sympy [F] . . . 881
Maxima [F] . . . 882
Giac [F] . . . 883
Mupad [F(-1)] . . . 884
Reduce [F] . . . 884

Optimal result

Integrand size = 42, antiderivative size = 387

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx \\
&= -\frac{2B^2di^2(c+dx)}{b^2g^3(a+bx)} - \frac{B^2i^2(c+dx)^2}{4bg^3(a+bx)^2} - \frac{2Bdi^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^2g^3(a+bx)} \\
&\quad - \frac{Bi^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2bg^3(a+bx)^2} \\
&\quad - \frac{di^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2g^3(a+bx)} - \frac{i^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2bg^3(a+bx)^2} \\
&\quad - \frac{d^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} \\
&\quad + \frac{2Bd^2i^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} \\
&\quad + \frac{2B^2d^2i^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3}
\end{aligned}$$

output

```
-2*B^2*d*i^2*(d*x+c)/b^2/g^3/(b*x+a)-1/4*B^2*i^2*(d*x+c)^2/b/g^3/(b*x+a)^2
-2*B*d*i^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g^3/(b*x+a)-1/2*B*i^2*(
d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/g^3/(b*x+a)^2-d*i^2*(d*x+c)*(A+B*ln
(e*(b*x+a)/(d*x+c)))^2/b^2/g^3/(b*x+a)-1/2*i^2*(d*x+c)^2*(A+B*ln(e*(b*x+a)
/(d*x+c)))^2/b/g^3/(b*x+a)^2-d^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1-b*
(d*x+c)/d/(b*x+a))/b^3/g^3+2*B*d^2*i^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog
(2,b*(d*x+c)/d/(b*x+a))/b^3/g^3+2*B^2*d^2*i^2*polylog(3,b*(d*x+c)/d/(b*x+a
))/b^3/g^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 3426 vs. $2(387) = 774$.

Time $= 7.38$ (sec) , antiderivative size $= 3426$, normalized size of antiderivative $= 8.85$

$$\int \frac{(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^3}\, dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^3,x]
```

output

```
(i^2*((-6*A^2*(b*c - a*d)^2)/(a + b*x)^2 + (24*A^2*d*(-(b*c) + a*d))/(a +
b*x) + 12*A^2*d^2*Log[a + b*x] - (6*A*b^2*B*c^2*(b^2*c^2 - 4*a*b*c*d + a^2
*d^2 - 2*b^2*c*d*x - 2*a*b*d^2*x - 2*b^2*d^2*x^2 + 2*d^2*(a + b*x)^2*Log[c
/d + x] - 2*d^2*(a + b*x)^2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*b^2*c^2*
Log[(e*(a + b*x))/(c + d*x)] - 4*a*b*c*d*Log[(e*(a + b*x))/(c + d*x)] + 2*
a^2*d^2*Log[(e*(a + b*x))/(c + d*x)]))/((b*c - a*d)^2*(a + b*x)^2) - (12*A
*b*B*c*d*(3*a*b^2*c^2 - 4*a^2*b*c*d + a^3*d^2 + 4*b^3*c^2*x - 6*a*b^2*c*d*
x + 2*a^2*b*d^2*x - 2*d*(-2*b*c + a*d)*(a + b*x)^2*Log[a + b*x] + 2*(b*c -
 a*d)^2*(a + 2*b*x)*Log[(e*(a + b*x))/(c + d*x)] - 4*a^2*b*c*d*Log[c + d*x
] + 2*a^3*d^2*Log[c + d*x] - 8*a*b^2*c*d*x*Log[c + d*x] + 4*a^2*b*d^2*x*Lo
g[c + d*x] - 4*b^3*c*d*x^2*Log[c + d*x] + 2*a*b^2*d^2*x^2*Log[c + d*x]))/(
(b*c - a*d)^2*(a + b*x)^2) + (3*b^2*B^2*c^2*(-(b*c - a*d)^2 + 6*d*(b*c - a
*d)*(a + b*x) + 6*d^2*(a + b*x)^2*Log[a + b*x] - 2*d^2*(a + b*x)^2*Log[a +
 b*x]^2 - 2*(b*c - a*d)^2*Log[(e*(a + b*x))/(c + d*x)] + 4*d*(b*c - a*d)*(
a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + 4*d^2*(a + b*x)^2*Log[a + b*x]*Log
[(e*(a + b*x))/(c + d*x)] - 2*(b*c - a*d)^2*Log[(e*(a + b*x))/(c + d*x)]^2
 - 6*d^2*(a + b*x)^2*Log[c + d*x] + 4*d^2*(a + b*x)^2*Log[a + b*x]*Log[(b*
(c + d*x))/(b*c - a*d)] - 4*d^2*(a + b*x)^2*Log[(d*(a + b*x))/(-(b*c) + a*
d)]*Log[(b*c - a*d)/(b*c + b*d*x)] + 4*d^2*(a + b*x)^2*Log[(e*(a + b*x))/(
c + d*x)]*Log[(b*c - a*d)/(b*c + b*d*x)] - 2*d^2*(a + b*x)^2*Log[(b*c -...
```

Rubi [A] (verified)

Time = 1.41 (sec) , antiderivative size = 329, normalized size of antiderivative = 0.85, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$, Rules used = {2962, 2780, 2742, 2741, 2780, 2742, 2741, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2 \int \frac{(c+dx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2742$$

$$\frac{i^2\left(\frac{B\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{B\left(-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}\right)-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{d\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{B\left(-\frac{(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}-\frac{B(c+dx)^2}{4(a+bx)^2}\right)}{b}\right)}{g^3}$$

$$\downarrow 2742$$

$$i^2\left(\frac{d\left(\frac{2B\int\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{B\left(-\frac{(c+dx)^2\left(\right.\right.}{}\right.$$

$$\Big\downarrow 2741$$

$$i^2\left(\frac{d\left(\frac{d\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}+\frac{2B\left(-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{B(c+dx)}{a+bx}\right)-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}}{b}\right)}{b}+\frac{B\left(-\frac{(c+}{}\right.$$

$$\Big\downarrow 2779$$

$$i^2\left(\frac{d\left(\frac{d\left(\frac{2B\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b}\right)}{b}+\frac{2B\left(-\frac{(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.\right.}{a+bx}\right.$$

$$\Big\downarrow 2821$$



↓ 7143



input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^3,x]
```

output
```
(i^2*((-1/2*((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x)
^2 + B*(-1/4*(B*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[(e*(a +
 b*x))/(c + d*x)]))/(2*(a + b*x)^2)))/b + (d*((-(((c + d*x)*(A + B*Log[(e*
(a + b*x))/(c + d*x)])^2)/(a + b*x)) + 2*B*(-((B*(c + d*x))/(a + b*x)) - (
(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x)))/b + (d*(-(((A
+ B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/
b) + (2*B*((A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (b*(c + d*x))/(
d*(a + b*x))] + B*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b))/b))/b))/g^
3
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(bgx+ag)^3}dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="fricas")
```

output
```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log((b*e*x + a*e)/(d*x + c)
))/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$$
$$= \frac{i^2\left(\int \frac{A^2c^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{A^2d^2x^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{B^2c^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2ABc^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+d}\right.}{a^3+3a^2bx+3ab^2x^2+b^3}\right.}{}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3,x)
```

output

```
i**2*(Integral(A**2*c**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x) + Integral(A**2*d**2*x**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**
3), x) + Integral(B**2*c**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a**3
+ 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*c**2*log(a*
e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x
**3), x) + Integral(2*A**2*c*d*x/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3
*x**3), x) + Integral(B**2*d**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))*
*2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*d*
*2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2
*x**2 + b**3*x**3), x) + Integral(2*B**2*c*d*x*log(a*e/(c + d*x) + b*e*x/(
c + d*x))**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integra
l(4*A*B*c*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*
a*b**2*x**2 + b**3*x**3), x))/g**3
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="maxima")
```

output

```
-A*B*c*d*i^2*(2*(2*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^4*g^3*
x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + (3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d
)*x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3
*c - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^
3*c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2
*a*b^3*c*d + a^2*b^2*d^2)*g^3)) + 1/2*A^2*d^2*i^2*((4*a*b*x + 3*a^2)/(b^5*
g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^3*g^3)) + 1/2*A
*B*c^2*i^2*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^2 + 2*(a*b^3*
c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) - 2*log(b*e*x/(d*x + c)
+ a*e/(d*x + c))/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) + 2*d^2*log(b*x
 + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c)/((b^3
*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - (2*b*x + a)*A^2*c*d*i^2/(b^4*g^3*x
^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*A^2*c^2*i^2/(b^3*g^3*x^2 + 2*a*b^2
*g^3*x + a^2*b*g^3) - 1/2*(4*(b^2*c*d*i^2 - a*b*d^2*i^2)*B^2*x + (b^2*c^2*
i^2 + 2*a*b*c*d*i^2 - 3*a^2*d^2*i^2)*B^2 - 2*(B^2*b^2*d^2*i^2*x^2 + 2*B^2*
a*b*d^2*i^2*x + B^2*a^2*d^2*i^2)*log(b*x + a))*log(d*x + c)^2/(b^5*g^3*x^2
 + 2*a*b^4*g^3*x + a^2*b^3*g^3) - integrate(-(3*B^2*b^3*c^2*d*i^2*x*log(e)
^2 + B^2*b^3*c^3*i^2*log(e)^2 + (B^2*b^3*d^3*i^2*log(e)^2 + 2*A*B*b^3*d^3*
i^2*log(e))*x^3 + (3*B^2*b^3*c*d^2*i^2*log(e)^2 + 2*A*B*b^3*c*d^2*i^2*log(
e))*x^2 + (B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^3,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

output

```
( - 4*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*
b**2*x**2 + b**3*x**3),x)*a**5*b**5*d**4 + 8*int((log((a*e + b*e*x)/(c + d
*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6
*c*d**3 - 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*d**4*x - 4*int((log((a*e + b*e*x
)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a
**3*b**7*c**2*d**2 + 16*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 +
 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**7*c*d**3*x - 4*int((lo
g((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b
**3*x**3),x)*a**3*b**7*d**4*x**2 - 8*int((log((a*e + b*e*x)/(c + d*x))**2*
x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**8*c**2*d*
*2*x + 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3
*a*b**2*x**2 + b**3*x**3),x)*a**2*b**8*c*d**3*x**2 - 4*int((log((a*e + b*e
*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)
*a*b**9*c**2*d**2*x**2 - 8*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 +
 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**6*b**4*d**4 + 16*int((log((
a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x*
*3),x)*a**5*b**5*c*d**3 - 16*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(a**3
 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**5*d**4*x - 8*int((lo
g((a*e + b*e*x)/(c + d*x))*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b...
```

3.71 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx$

Optimal result 886
Mathematica [C] (verified) 887
Rubi [A] (verified) 888
Maple [B] (verified) 889
Fricas [B] (verification not implemented) 891
Sympy [B] (verification not implemented) 891
Maxima [B] (verification not implemented) 892
Giac [A] (verification not implemented) 893
Mupad [B] (verification not implemented) 894
Reduce [B] (verification not implemented) 895

Optimal result

Integrand size = 42, antiderivative size = 147

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = -\frac{2B^2i^2(c+dx)^3}{27(bc-ad)g^4(a+bx)^3} - \frac{2Bi^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)g^4(a+bx)^3} - \frac{i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)g^4(a+bx)^3}$$

output

```
-2/27*B^2*i^2*(d*x+c)^3/(-a*d+b*c)/g^4/(b*x+a)^3-2/9*B*i^2*(d*x+c)^3*(A+B*
ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)/g^4/(b*x+a)^3-1/3*i^2*(d*x+c)^3*(A+B*ln(
e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)/g^4/(b*x+a)^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 2.03 (sec) , antiderivative size = 1352, normalized size of antiderivative = 9.20

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^4,x]
```

output

```
-1/54*(i^2*(18*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 54*d
*(b*c - a*d)^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 54*d^2*(
-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + B*(12*A
*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 - 18*A*d*(b*c - a*d)^2*(a + b*x) - 15*B
*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a + b*x)^2 + 66*B*d^2*(
b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a + b*x] + 66*B*d^3*(a +
 b*x)^3*Log[a + b*x] - 18*B*d^3*(a + b*x)^3*Log[a + b*x]^2 + 12*B*(b*c - a
*d)^3*Log[(e*(a + b*x))/(c + d*x)] - 18*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e
*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*c - a*d)*(a + b*x)^2*Log[(e*(a + b*x)
)/(c + d*x)] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[(e*(a + b*x))/(c + d*
x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3*(a + b*x)^3*Log[c + d*x
] + 36*B*d^3*(a + b*x)^3*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] -
36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x))/(c + d*x)]*Log[c + d*x] - 18*B*d^3*
(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[(b*(c +
 d*x))/(b*c - a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c
) + a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) +
54*B*d^2*(a + b*x)^2*(2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) +
 2*d*(a + b*x)*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*d*(a
+ b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 2*B*(b*c - a*d
+ d*(a + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*d*(a + b*x)*...
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 119, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^4}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{i^2\left(\frac{2}{3}B\int \frac{(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}\right)}{g^4(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{2}{3}B\left(-\frac{(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3(a+bx)^3}-\frac{B(c+dx)^3}{9(a+bx)^3}\right)-\frac{(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}\right)}{g^4(bc-ad)}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^4,x]
```

output
```
(i^2*(-1/3*((c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x)^
3 + (2*B*(-1/9*(B*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]))/(3*(a + b*x)^3)))/3))/((b*c - a*d)*g^4)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 366 vs. $2(141) = 282$.

Time = 1.72 (sec) , antiderivative size = 367, normalized size of antiderivative = 2.50

method	result
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A^2}{3(da-bc)^2g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{2i^2d^2e^2AB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}\right)}{(da-bc)^2g^4}+\frac{i^2d^2e^2B^2\left(-}{}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{i^2d^2e^2A^2}{3(da-bc)^2g^4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}+\frac{2i^2d^2e^2AB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{1}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}\right)}{(da-bc)^2g^4}+\frac{i^2d^2e^2B^2\left(-}{}\right.}{d^2}$
parts	$\frac{i^2A^2\left(\frac{d(da-bc)}{b^3(bx+a)^2}-\frac{d^2}{b^3(bx+a)}-\frac{a^2d^2-2acdb+c^2b^2}{3b^3(bx+a)^3}\right)}{g^4}-\frac{i^2B^2e^3\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{9\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{2}{27\left(\frac{be}{d}+\frac{(d}{d(}\right.}{g^4(da-bc)}$
risch	$\frac{i^2A^2d^2a}{g^4b^3(bx+a)^2}-\frac{i^2A^2dc}{g^4b^2(bx+a)^2}-\frac{i^2A^2d^2}{g^4b^3(bx+a)}-\frac{i^2A^2a^2d^2}{3g^4b^3(bx+a)^3}+\frac{2i^2A^2acd}{3g^4b^2(bx+a)^3}-\frac{i^2A^2c^2}{3g^4b(bx+a)^3}+\frac{i^2B^2e}{3g^4(da-b}$
norman	$\frac{B^2cd^2i^2x^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{g(da-bc)}+\frac{B^2c^2di^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{g(da-bc)}-\frac{9A^2a^2d^2i^2+9A^2abcdi^2+9A^2b^2c^2i^2+6ABa^2d^2i^2+6ABabcdi^2+6ABi}{27gb^3}$
parallelrisch	$-\frac{27A^2x^2ab^4d^4i^2-27A^2x^2b^5cd^3i^2+6B^2x^2ab^4d^4i^2-6B^2x^2b^5cd^3i^2-9B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^5c^3di^2+27A^2xa^2b^3d^4i^2-}{}$
orering	Expression too large to display

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x,method=_RE
TURNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(-1/3*i^2*d^2*e^2/(a*d-b*c)^2/g^4*A^2/(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^3+2*i^2*d^2*e^2/(a*d-b*c)^2/g^4*A*B*(-1/3/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^3)+i^2*d^2*e^2/(a*d-b*c)^2/g^4*B^2*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 444 vs. $2(141) = 282$.

Time $= 0.09$ (sec) , antiderivative size $= 444$, normalized size of antiderivative $= 3.02$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx =$$

$$-\frac{3\left((9A^2+6AB+2B^2)b^3cd^2-(9A^2+6AB+2B^2)ab^2d^3\right)i^2x^2+3\left((9A^2+6AB+2B^2)b^3c^2d-(9\right.}{}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x, al
gorithm="fricas")
```

output
```
-1/27*(3*((9*A^2 + 6*A*B + 2*B^2)*b^3*c*d^2 - (9*A^2 + 6*A*B + 2*B^2)*a*b^
2*d^3)*i^2*x^2 + 3*((9*A^2 + 6*A*B + 2*B^2)*b^3*c^2*d - (9*A^2 + 6*A*B + 2
*B^2)*a^2*b*d^3)*i^2*x + ((9*A^2 + 6*A*B + 2*B^2)*b^3*c^3 - (9*A^2 + 6*A*B
 + 2*B^2)*a^3*d^3)*i^2 + 9*(B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2
+ 3*B^2*b^3*c^2*d*i^2*x + B^2*b^3*c^3*i^2)*log((b*e*x + a*e)/(d*x + c))^2
+ 6*((3*A*B + B^2)*b^3*d^3*i^2*x^3 + 3*(3*A*B + B^2)*b^3*c*d^2*i^2*x^2 + 3
*(3*A*B + B^2)*b^3*c^2*d*i^2*x + (3*A*B + B^2)*b^3*c^3*i^2)*log((b*e*x + a
*e)/(d*x + c)))/((b^7*c - a*b^6*d)*g^4*x^3 + 3*(a*b^6*c - a^2*b^5*d)*g^4*x
^2 + 3*(a^2*b^5*c - a^3*b^4*d)*g^4*x + (a^3*b^4*c - a^4*b^3*d)*g^4)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1182 vs. $2(131) = 262$.

Time $= 27.70$ (sec) , antiderivative size $= 1182$, normalized size of antiderivative $= 8.04$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**4,x)
```

output

```
-2*B*d**3*i**2*(3*A + B)*log(x + (6*A*B*a*d**4*i**2 + 6*A*B*b*c*d**3*i**2
+ 2*B**2*a*d**4*i**2 + 2*B**2*b*c*d**3*i**2 - 2*B*a**2*d**5*i**2*(3*A + B)
/(a*d - b*c) + 4*B*a*b*c*d**4*i**2*(3*A + B)/(a*d - b*c) - 2*B*b**2*c**2*d
**3*i**2*(3*A + B)/(a*d - b*c))/(12*A*B*b*d**4*i**2 + 4*B**2*b*d**4*i**2))
/(9*b**3*g**4*(a*d - b*c)) + 2*B*d**3*i**2*(3*A + B)*log(x + (6*A*B*a*d**4
*i**2 + 6*A*B*b*c*d**3*i**2 + 2*B**2*a*d**4*i**2 + 2*B**2*b*c*d**3*i**2 +
2*B*a**2*d**5*i**2*(3*A + B)/(a*d - b*c) - 4*B*a*b*c*d**4*i**2*(3*A + B)/(
a*d - b*c) + 2*B*b**2*c**2*d**3*i**2*(3*A + B)/(a*d - b*c))/(12*A*B*b*d**4
*i**2 + 4*B**2*b*d**4*i**2))/(9*b**3*g**4*(a*d - b*c)) + (B**2*c**3*i**2 +
 3*B**2*c**2*d*i**2*x + 3*B**2*c*d**2*i**2*x**2 + B**2*d**3*i**2*x**3)*log
(e*(a + b*x)/(c + d*x))**2/(3*a**4*d*g**4 - 3*a**3*b*c*g**4 + 9*a**3*b*d*g
**4*x - 9*a**2*b**2*c*g**4*x + 9*a**2*b**2*d*g**4*x**2 - 9*a*b**3*c*g**4*x
**2 + 3*a*b**3*d*g**4*x**3 - 3*b**4*c*g**4*x**3) + (-9*A**2*a**2*d**2*i**2
 - 9*A**2*a*b*c*d*i**2 - 9*A**2*b**2*c**2*i**2 - 6*A*B*a**2*d**2*i**2 - 6*
A*B*a*b*c*d*i**2 - 6*A*B*b**2*c**2*i**2 - 2*B**2*a**2*d**2*i**2 - 2*B**2*a
*b*c*d*i**2 - 2*B**2*b**2*c**2*i**2 + x**2*(-27*A**2*b**2*d**2*i**2 - 18*A
*B*b**2*d**2*i**2 - 6*B**2*b**2*d**2*i**2) + x*(-27*A**2*a*b*d**2*i**2 - 2
7*A**2*b**2*c*d*i**2 - 18*A*B*a*b*d**2*i**2 - 18*A*B*b**2*c*d*i**2 - 6*B**
2*a*b*d**2*i**2 - 6*B**2*b**2*c*d*i**2))/(27*a**3*b**3*g**4 + 81*a**2*b**4
*g**4*x + 81*a*b**5*g**4*x**2 + 27*b**6*g**4*x**3) + (-6*A*B*a**2*d**2*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5532 vs. $2(141) = 282$.

Time $= 0.41$ (sec) , antiderivative size $= 5532$, normalized size of antiderivative $= 37.63$

$$\int \frac{(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^4}\, dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x, al
gorithm="maxima")
```

output

```
-1/3*(3*b*x + a)*B^2*c*d*i^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^5*g
^4*x^3 + 3*a*b^4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/3*(3*b^2*x^2
 + 3*a*b*x + a^2)*B^2*d^2*i^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^6*
g^4*x^3 + 3*a*b^5*g^4*x^2 + 3*a^2*b^4*g^4*x + a^3*b^3*g^4) - 1/54*(6*((6*b
^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*
x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b
^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d
^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x
 + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^
3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^
4))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + (4*b^3*c^3 - 27*a*b^2*c^2*d + 1
08*a^2*b*c*d^2 - 85*a^3*d^3 + 66*(b^3*c*d^2 - a*b^2*d^3)*x^2 - 18*(b^3*d^3
*x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a)^2 - 18*(b^3
*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(d*x + c)^2 - 3*(
5*b^3*c^2*d - 54*a*b^2*c*d^2 + 49*a^2*b*d^3)*x + 66*(b^3*d^3*x^3 + 3*a*b^2
*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a) - 6*(11*b^3*d^3*x^3 + 33*
a*b^2*d^3*x^2 + 33*a^2*b*d^3*x + 11*a^3*d^3 - 6*(b^3*d^3*x^3 + 3*a*b^2*d^3
*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a))*log(d*x + c))/(a^3*b^4*c^3*g
^4 - 3*a^4*b^3*c^2*d*g^4 + 3*a^5*b^2*c*d^2*g^4 - a^6*b*d^3*g^4 + (b^7*c^3*
g^4 - 3*a*b^6*c^2*d*g^4 + 3*a^2*b^5*c*d^2*g^4 - a^3*b^4*d^3*g^4)*x^3 + ...
```

Giac [A] (verification not implemented)

Time = 0.34 (sec) , antiderivative size = 219, normalized size of antiderivative = 1.49

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx =$$
$$-\frac{1}{27}\left(\frac{9\,(dx+c)^3B^2e^4i^2\log\left(\frac{bex+ae}{dx+c}\right)^2}{(bex+ae)^3g^4}+\frac{6\,(3\,ABe^4i^2+B^2e^4i^2)(dx+c)^3\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^3g^4}+\frac{(9\,A^2e^4i^2+6\,A\right.$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x, al
gorithm="giac")
```

output
```
-1/27*(9*(d*x + c)^3*B^2*e^4*i^2*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x +
a*e)^3*g^4) + 6*(3*A*B*e^4*i^2 + B^2*e^4*i^2)*(d*x + c)^3*log((b*e*x + a*e
)/(d*x + c))/((b*e*x + a*e)^3*g^4) + (9*A^2*e^4*i^2 + 6*A*B*e^4*i^2 + 2*B^
2*e^4*i^2)*(d*x + c)^3/((b*e*x + a*e)^3*g^4))*(b*c/((b*c*e - a*d*e)*(b*c -
 a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 29.44 (sec) , antiderivative size = 1153, normalized size of antiderivative = 7.84

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^4,x)
```

output
```
- (x^2*(9*A^2*b^2*d^2*i^2 + 2*B^2*b^2*d^2*i^2 + 6*A*B*b^2*d^2*i^2) + x*(9*
A^2*a*b*d^2*i^2 + 2*B^2*a*b*d^2*i^2 + 9*A^2*b^2*c*d*i^2 + 2*B^2*b^2*c*d*i^
2 + 6*A*B*a*b*d^2*i^2 + 6*A*B*b^2*c*d*i^2) + 3*A^2*a^2*d^2*i^2 + 3*A^2*b^2
*c^2*i^2 + (2*B^2*a^2*d^2*i^2)/3 + (2*B^2*b^2*c^2*i^2)/3 + 2*A*B*a^2*d^2*i
^2 + 2*A*B*b^2*c^2*i^2 + 3*A^2*a*b*c*d*i^2 + (2*B^2*a*b*c*d*i^2)/3 + 2*A*B
*a*b*c*d*i^2)/(9*a^3*b^3*g^4 + 9*b^6*g^4*x^3 + 27*a^2*b^4*g^4*x + 27*a*b^5
*g^4*x^2) - log((e*(a + b*x))/(c + d*x))^2*((x*(b*((B^2*c*d*i^2)/(3*b^3*g^
4) + (B^2*a*d^2*i^2)/(3*b^4*g^4)) + (2*B^2*c*d*i^2)/(3*b^2*g^4) + (2*B^2*a
*d^2*i^2)/(3*b^3*g^4)) + a*((B^2*c*d*i^2)/(3*b^3*g^4) + (B^2*a*d^2*i^2)/(3
*b^4*g^4)) + (B^2*c^2*i^2)/(3*b^2*g^4) + (B^2*d^2*i^2*x^2)/(b^2*g^4))/(3*a
^2*x + a^3/b + b^2*x^3 + 3*a*b*x^2) - (B^2*d^3*i^2)/(3*b^3*g^4*(a*d - b*c)
)) - (log((e*(a + b*x))/(c + d*x))*(x*(b*((B*i^2*(2*A*b*c - B*a*d + B*b*c)
)/(3*b^4*g^4) + (2*A*B*a*d*i^2)/(3*b^4*g^4)) + (2*B*i^2*(2*A*b*c - B*a*d +
 B*b*c))/(3*b^3*g^4) + (2*B^2*d^3*i^2*(b*((3*a^2*d^2 + b^2*c^2 - 4*a*b*c*d
)/(6*b*d^3) + (a*(a*d - b*c))/(3*b*d^2)) + (3*a^2*d^2 + b^2*c^2 - 4*a*b*c*
d)/(3*d^3) + (2*a*(a*d - b*c))/(3*d^2)))/(3*b^3*g^4*(a*d - b*c)) + (4*A*B*
a*d*i^2)/(3*b^3*g^4)) + x^2*((2*A*B*d*i^2)/(b^2*g^4) - (2*B^2*d^3*i^2*((b^
2*c - a*b*d)/(3*d^2) - (2*b*(a*d - b*c))/(3*d^2)))/(3*b^3*g^4*(a*d - b*c))
) + a*((B*i^2*(2*A*b*c - B*a*d + B*b*c))/(3*b^4*g^4) + (2*A*B*a*d*i^2)/(3*
b^4*g^4)) + (2*B*i^2*(A*b^2*c^2 - B*a^2*d^2 + B*a*b*c*d))/(3*b^4*d*g^4)...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1067, normalized size of antiderivative = 7.26

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4,x)
```

output

```
( - 18*log(a + b*x)*a**4*b*c*d**2 - 54*log(a + b*x)*a**3*b**2*c*d**2*x - 6
*log(a + b*x)*a**3*b**2*c*d**2 - 54*log(a + b*x)*a**2*b**3*c*d**2*x**2 - 1
8*log(a + b*x)*a**2*b**3*c*d**2*x - 18*log(a + b*x)*a*b**4*c*d**2*x**3 - 1
8*log(a + b*x)*a*b**4*c*d**2*x**2 - 6*log(a + b*x)*b**5*c*d**2*x**3 + 18*l
og(c + d*x)*a**4*b*c*d**2 + 54*log(c + d*x)*a**3*b**2*c*d**2*x + 6*log(c +
 d*x)*a**3*b**2*c*d**2 + 54*log(c + d*x)*a**2*b**3*c*d**2*x**2 + 18*log(c
+ d*x)*a**2*b**3*c*d**2*x + 18*log(c + d*x)*a*b**4*c*d**2*x**3 + 18*log(c
+ d*x)*a*b**4*c*d**2*x**2 + 6*log(c + d*x)*b**5*c*d**2*x**3 - 9*log((a*e +
 b*e*x)/(c + d*x))**2*a*b**4*c**3 - 27*log((a*e + b*e*x)/(c + d*x))**2*a*b
**4*c**2*d*x - 27*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c*d**2*x**2 - 9*l
og((a*e + b*e*x)/(c + d*x))**2*a*b**4*d**3*x**3 + 18*log((a*e + b*e*x)/(c
+ d*x))*a**4*b*c*d**2 + 54*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c*d**2*x
 + 6*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c*d**2 - 18*log((a*e + b*e*x)/
(c + d*x))*a**2*b**3*c**3 - 54*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c**2
*d*x + 18*log((a*e + b*e*x)/(c + d*x))*a**2*b**3*c*d**2*x - 18*log((a*e +
b*e*x)/(c + d*x))*a**2*b**3*d**3*x**3 - 6*log((a*e + b*e*x)/(c + d*x))*a*b
**4*c**3 - 18*log((a*e + b*e*x)/(c + d*x))*a*b**4*c**2*d*x + 18*log((a*e +
 b*e*x)/(c + d*x))*a*b**4*c*d**2*x**3 - 6*log((a*e + b*e*x)/(c + d*x))*a*b
**4*d**3*x**3 + 6*log((a*e + b*e*x)/(c + d*x))*b**5*c*d**2*x**3 + 9*a**5*c
*d**2 + 27*a**4*b*c*d**2*x + 6*a**4*b*c*d**2 - 9*a**3*b**2*c**3 - 27*a*...
```

3.72 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$

Optimal result 896
Mathematica [C] (verified) 897
Rubi [A] (verified) 898
Maple [B] (verified) 900
Fricas [B] (verification not implemented) 901
Sympy [B] (verification not implemented) 902
Maxima [B] (verification not implemented) 903
Giac [A] (verification not implemented) 904
Mupad [B] (verification not implemented) 905
Reduce [B] (verification not implemented) 906

Optimal result

Integrand size = 42, antiderivative size = 299

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx &= \frac{2B^2di^2(c+dx)^3}{27(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bB^2i^2(c+dx)^4}{32(bc-ad)^2g^5(a+bx)^4}\\ &\quad+\frac{2Bdi^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bBi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{8(bc-ad)^2g^5(a+bx)^4}\\ &\quad+\frac{di^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4(bc-ad)^2g^5(a+bx)^4}\end{aligned}$$

output

```
2/27*B^2*d*i^2*(d*x+c)^3/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/32*b*B^2*i^2*(d*x+c)
^4/(-a*d+b*c)^2/g^5/(b*x+a)^4+2/9*B*d*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x
+c)))/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/8*b*B*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(
d*x+c)))/(-a*d+b*c)^2/g^5/(b*x+a)^4+1/3*d*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/
(d*x+c)))^2/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/4*b*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+
a)/(d*x+c)))^2/(-a*d+b*c)^2/g^5/(b*x+a)^4
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 3.01 (sec) , antiderivative size = 1703, normalized size of antiderivative = 5.70

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^5,x]
```

output

```
-1/864*(i^2*(216*(b*c - a*d)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 57
6*d*(-(b*c) + a*d)^3*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 43
2*d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 3
2*B*d*(a + b*x)*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 - 18*A*d*(b*c - a*
d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a
+ b*x)^2 + 66*B*d^2*(b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a +
 b*x] + 66*B*d^3*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*(a + b*x)^3*Log[a + b
*x]^2 + 12*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)] - 18*B*d*(b*c - a*
d)^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*c - a*d)*(a + b*
x)^2*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[
(e*(a + b*x))/(c + d*x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3*(a
 + b*x)^3*Log[c + d*x] + 36*B*d^3*(a + b*x)^3*Log[(d*(a + b*x))/(-(b*c) +
a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x))/(c + d*x)]*Log
[c + d*x] - 18*B*d^3*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*(a + b*x)^3*Log
[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2,
 (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*(a + b*x)^3*PolyLog[2, (b*(c + d
*x))/(b*c - a*d)]) + 3*B*(36*A*(b*c - a*d)^4 + 9*B*(b*c - a*d)^4 + 48*A*d*
(-(b*c) + a*d)^3*(a + b*x) + 28*B*d*(-(b*c) + a*d)^3*(a + b*x) + 72*A*d^2*
(b*c - a*d)^2*(a + b*x)^2 + 78*B*d^2*(b*c - a*d)^2*(a + b*x)^2 + 144*A*d^3
*(-(b*c) + a*d)*(a + b*x)^3 + 300*B*d^3*(-(b*c) + a*d)*(a + b*x)^3 - 14...
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 220, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2795$$

$$\frac{i^2\int\left(\frac{b(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^5}-\frac{d(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}-\frac{bB(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{8(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}+\frac{2Bd(c+dx)^3\left(B\log\left(\frac{e(}{9(a+bx)^3}\right.\right.\right.}{g^5(bc-ad)^2}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^5,x]
```

output

```
(i^2*((2*B^2*d*(c + d*x)^3)/(27*(a + b*x)^3) - (b*B^2*(c + d*x)^4)/(32*(a
 + b*x)^4) + (2*B*d*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(9*(a
 + b*x)^3) - (b*B*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(8*(a
 + b*x)^4) + (d*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*(a +
 b*x)^3) - (b*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*(a +
b*x)^4)))/((b*c - a*d)^2*g^5)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 684 vs. 2(287) = 574.

Time = 2.43 (sec) , antiderivative size = 685, normalized size of antiderivative = 2.29

method	result
parts	$\frac{i^2A^2\left(-\frac{d^2}{2b^3(bx+a)^2}-\frac{a^2d^2-2acdb+c^2b^2}{4b^3(bx+a)^4}+\frac{2d(da-bc)}{3b^3(bx+a)^3}\right)}{g^5}-\frac{i^2B^2(da-bc)^3e^3\left(\frac{d^5\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{2\ln\left(\frac{be}{d}+\frac{(da-}{d(dx}\right.\right.}{9\left(\frac{be}{d}+\frac{(da-bc}{d(dx+}\right.}}{(da-bc)^5}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{i^2d^2e^3A^2b}{4(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^3e^2A^2}{3(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{2i^2d^2e^3ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{}{16\left(\frac{be}{d}\right.}\right.}{(da-bc)^3g^5}$
default	$-\frac{e(da-bc)\left(\frac{i^2d^2e^3A^2b}{4(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{i^2d^3e^2A^2}{3(da-bc)^3g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}-\frac{2i^2d^2e^3ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{}{16\left(\frac{be}{d}\right.}\right.}{(da-bc)^3g^5}$
norman	Expression too large to display
orering	Expression too large to display
parallelrisch	Expression too large to display
risch	Expression too large to display

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x,method=_RE
TURNVERBOSE)
```

output

```
i^2*A^2/g^5*(-1/2*d^2/b^3/(b*x+a)^2-1/4*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/(b
*x+a)^4+2/3*d*(a*d-b*c)/b^3/(b*x+a)^3)-i^2*B^2/g^5/d^4*(a*d-b*c)^3*e^3*(d^
5/(a*d-b*c)^5*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d
/(d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-d^4/(a*d-b*c)^5*b*e*(-1/4/(b*e
/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/8/(b*e/d+(
a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/32/(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^4))-2*i^2*A*B/g^5/d^4*(a*d-b*c)^3*e^3*(d^5/(a*d-b*c)^5*(-
1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-d^4/(a*d-b*c)^5*b*e*(-1/4/(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 837 vs. $2(287) = 574$.

Time = 0.10 (sec) , antiderivative size = 837, normalized size of antiderivative = 2.80

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="fricas")
```

output

```
1/864*(12*((12*A*B + 7*B^2)*b^4*c*d^3 - (12*A*B + 7*B^2)*a*b^3*d^4)*i^2*x^
3 - 6*((72*A^2 + 12*A*B - 5*B^2)*b^4*c^2*d^2 - 16*(9*A^2 + 6*A*B + 2*B^2)*
a*b^3*c*d^3 + (72*A^2 + 84*A*B + 37*B^2)*a^2*b^2*d^4)*i^2*x^2 - 4*((144*A^
2 + 60*A*B + 11*B^2)*b^4*c^3*d - 24*(9*A^2 + 6*A*B + 2*B^2)*a*b^3*c^2*d^2
+ (72*A^2 + 84*A*B + 37*B^2)*a^3*b*d^4)*i^2*x - (27*(8*A^2 + 4*A*B + B^2)*
b^4*c^4 - 32*(9*A^2 + 6*A*B + 2*B^2)*a*b^3*c^3*d + (72*A^2 + 84*A*B + 37*B
^2)*a^4*d^4)*i^2 + 72*(B^2*b^4*d^4*i^2*x^4 + 4*B^2*a*b^3*d^4*i^2*x^3 - 6*(
B^2*b^4*c^2*d^2 - 2*B^2*a*b^3*c*d^3)*i^2*x^2 - 4*(2*B^2*b^4*c^3*d - 3*B^2*
a*b^3*c^2*d^2)*i^2*x - (3*B^2*b^4*c^4 - 4*B^2*a*b^3*c^3*d)*i^2)*log((b*e*x
 + a*e)/(d*x + c))^2 + 12*((12*A*B + 7*B^2)*b^4*d^4*i^2*x^4 + 4*(3*B^2*b^4
*c*d^3 + 4*(3*A*B + B^2)*a*b^3*d^4)*i^2*x^3 - 6*((12*A*B + B^2)*b^4*c^2*d^
2 - 8*(3*A*B + B^2)*a*b^3*c*d^3)*i^2*x^2 - 4*((24*A*B + 5*B^2)*b^4*c^3*d -
 12*(3*A*B + B^2)*a*b^3*c^2*d^2)*i^2*x - (9*(4*A*B + B^2)*b^4*c^4 - 16*(3*
A*B + B^2)*a*b^3*c^3*d)*i^2)*log((b*e*x + a*e)/(d*x + c)))/((b^9*c^2 - 2*a
*b^8*c*d + a^2*b^7*d^2)*g^5*x^4 + 4*(a*b^8*c^2 - 2*a^2*b^7*c*d + a^3*b^6*d
^2)*g^5*x^3 + 6*(a^2*b^7*c^2 - 2*a^3*b^6*c*d + a^4*b^5*d^2)*g^5*x^2 + 4*(a
^3*b^6*c^2 - 2*a^4*b^5*c*d + a^5*b^4*d^2)*g^5*x + (a^4*b^5*c^2 - 2*a^5*b^4
*c*d + a^6*b^3*d^2)*g^5)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2055 vs. $2(277) = 554$.

Time $= 54.50$ (sec) , antiderivative size $= 2055$, normalized size of antiderivative $= 6.87$

$$\int \frac{(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^5}\, dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**5,x)
```

output

```
-B*d**4*i**2*(12*A + 7*B)*log(x + (12*A*B*a*d**5*i**2 + 12*A*B*b*c*d**4*i*
*2 + 7*B**2*a*d**5*i**2 + 7*B**2*b*c*d**4*i**2 - B*a**3*d**7*i**2*(12*A +
7*B)/(a*d - b*c)**2 + 3*B*a**2*b*c*d**6*i**2*(12*A + 7*B)/(a*d - b*c)**2 -
 3*B*a*b**2*c**2*d**5*i**2*(12*A + 7*B)/(a*d - b*c)**2 + B*b**3*c**3*d**4*
i**2*(12*A + 7*B)/(a*d - b*c)**2)/(24*A*B*b*d**5*i**2 + 14*B**2*b*d**5*i**
2))/(72*b**3*g**5*(a*d - b*c)**2) + B*d**4*i**2*(12*A + 7*B)*log(x + (12*A
*B*a*d**5*i**2 + 12*A*B*b*c*d**4*i**2 + 7*B**2*a*d**5*i**2 + 7*B**2*b*c*d*
*4*i**2 + B*a**3*d**7*i**2*(12*A + 7*B)/(a*d - b*c)**2 - 3*B*a**2*b*c*d**6
*i**2*(12*A + 7*B)/(a*d - b*c)**2 + 3*B*a*b**2*c**2*d**5*i**2*(12*A + 7*B)
/(a*d - b*c)**2 - B*b**3*c**3*d**4*i**2*(12*A + 7*B)/(a*d - b*c)**2)/(24*A
*B*b*d**5*i**2 + 14*B**2*b*d**5*i**2))/(72*b**3*g**5*(a*d - b*c)**2) + (4*
B**2*a*c**3*d*i**2 + 12*B**2*a*c**2*d**2*i**2*x + 12*B**2*a*c*d**3*i**2*x*
*2 + 4*B**2*a*d**4*i**2*x**3 - 3*B**2*b*c**4*i**2 - 8*B**2*b*c**3*d*i**2*x
 - 6*B**2*b*c**2*d**2*i**2*x**2 + B**2*b*d**4*i**2*x**4)*log(e*(a + b*x)/(
c + d*x))**2/(12*a**6*d**2*g**5 - 24*a**5*b*c*d*g**5 + 48*a**5*b*d**2*g**5
*x + 12*a**4*b**2*c**2*g**5 - 96*a**4*b**2*c*d*g**5*x + 72*a**4*b**2*d**2*
g**5*x**2 + 48*a**3*b**3*c**2*g**5*x - 144*a**3*b**3*c*d*g**5*x**2 + 48*a*
*3*b**3*d**2*g**5*x**3 + 72*a**2*b**4*c**2*g**5*x**2 - 96*a**2*b**4*c*d*g*
*5*x**3 + 12*a**2*b**4*d**2*g**5*x**4 + 48*a*b**5*c**2*g**5*x**3 - 24*a*b*
*5*c*d*g**5*x**4 + 12*b**6*c**2*g**5*x**4) + (-12*A*B*a**3*d**3*i**2 - ...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 8031 vs. $2(287) = 574$.

Time $= 0.61$ (sec) , antiderivative size $= 8031$, normalized size of antiderivative $= 26.86$

$$\int \frac{(ci + dix)^2 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^5}\, dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="maxima")
```

output

```
-1/6*(4*b*x + a)*B^2*c*d*i^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^6*g
^5*x^4 + 4*a*b^5*g^5*x^3 + 6*a^2*b^4*g^5*x^2 + 4*a^3*b^3*g^5*x + a^4*b^2*g
^5) - 1/12*(6*b^2*x^2 + 4*a*b*x + a^2)*B^2*d^2*i^2*log(b*e*x/(d*x + c) + a
*e/(d*x + c))^2/(b^7*g^5*x^4 + 4*a*b^6*g^5*x^3 + 6*a^2*b^5*g^5*x^2 + 4*a^3
*b^4*g^5*x + a^4*b^3*g^5) + 1/288*(12*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*
b^2*c^2*d - 23*a^2*b*c*d^2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2
+ 4*(b^3*c^2*d - 5*a*b^2*c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*
d + 3*a^2*b^6*c*d^2 - a^3*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*
d + 3*a^3*b^5*c*d^2 - a^4*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^
2*d + 3*a^4*b^4*c*d^2 - a^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*
c^2*d + 3*a^5*b^3*c*d^2 - a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^
2*d + 3*a^6*b^2*c*d^2 - a^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 -
4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12
*d^4*log(d*x + c)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^
2*c*d^3 + a^4*b*d^4)*g^5))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - (9*b^4*c
^4 - 64*a*b^3*c^3*d + 216*a^2*b^2*c^2*d^2 - 576*a^3*b*c*d^3 + 415*a^4*d^4
- 300*(b^4*c*d^3 - a*b^3*d^4)*x^3 + 6*(13*b^4*c^2*d^2 - 176*a*b^3*c*d^3 +
163*a^2*b^2*d^4)*x^2 + 72*(b^4*d^4*x^4 + 4*a*b^3*d^4*x^3 + 6*a^2*b^2*d^4*x
^2 + 4*a^3*b*d^4*x + a^4*d^4)*log(b*x + a)^2 + 72*(b^4*d^4*x^4 + 4*a*b^3*d
^4*x^3 + 6*a^2*b^2*d^4*x^2 + 4*a^3*b*d^4*x + a^4*d^4)*log(d*x + c)^2 - ...
```

Giac [A] (verification not implemented)

Time = 0.40 (sec) , antiderivative size = 479, normalized size of antiderivative = 1.60

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{864}\left(\frac{72\left(3\,B^2be^5i^2-\frac{4\,(bex+ae)B^2de^4i^2}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2}{\frac{(bex+ae)^4bcg^5}{(dx+c)^4}-\frac{(bex+ae)^4adg^5}{(dx+c)^4}}+\frac{12\left(36\,ABbe^5i^2+9\,B^2be^5i^2-\frac{48\,(bex+ae)ABde^4i^2}{dx+c}\right.}{\frac{(bex+ae)^4bcg^5}{(dx+c)^4}-\frac{(bex+a}{(dx}\right.$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="giac")
```

output

```
-1/864*(72*(3*B^2*b*e^5*i^2 - 4*(b*e*x + a*e)*B^2*d*e^4*i^2/(d*x + c))*log
((b*e*x + a*e)/(d*x + c))^2/((b*e*x + a*e)^4*b*c*g^5/(d*x + c)^4 - (b*e*x
+ a*e)^4*a*d*g^5/(d*x + c)^4) + 12*(36*A*B*b*e^5*i^2 + 9*B^2*b*e^5*i^2 - 4
8*(b*e*x + a*e)*A*B*d*e^4*i^2/(d*x + c) - 16*(b*e*x + a*e)*B^2*d*e^4*i^2/(
d*x + c))*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^4*b*c*g^5/(d*x + c)^
4 - (b*e*x + a*e)^4*a*d*g^5/(d*x + c)^4) + (216*A^2*b*e^5*i^2 + 108*A*B*b*
e^5*i^2 + 27*B^2*b*e^5*i^2 - 288*(b*e*x + a*e)*A^2*d*e^4*i^2/(d*x + c) - 1
92*(b*e*x + a*e)*A*B*d*e^4*i^2/(d*x + c) - 64*(b*e*x + a*e)*B^2*d*e^4*i^2/
(d*x + c))/((b*e*x + a*e)^4*b*c*g^5/(d*x + c)^4 - (b*e*x + a*e)^4*a*d*g^5/
(d*x + c)^4))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b
*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 32.74 (sec) , antiderivative size = 1940, normalized size of antiderivative = 6.49

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^5,x)
```

output

```
- log((e*(a + b*x))/(c + d*x))^2*((x*(b*((B^2*c*d*i^2)/(6*b^3*g^5) + (B^2*
a*d^2*i^2)/(12*b^4*g^5)) + (B^2*c*d*i^2)/(2*b^2*g^5) + (B^2*a*d^2*i^2)/(4*
b^3*g^5)) + a*((B^2*c*d*i^2)/(6*b^3*g^5) + (B^2*a*d^2*i^2)/(12*b^4*g^5)) +
 (B^2*c^2*i^2)/(4*b^2*g^5) + (B^2*d^2*i^2*x^2)/(2*b^2*g^5))/(4*a^3*x + a^4
/b + b^3*x^4 + 6*a^2*b*x^2 + 4*a*b^2*x^3) - (B^2*d^4*i^2)/(12*b^3*g^5*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d))) - ((72*A^2*a^3*d^3*i^2 - 216*A^2*b^3*c^3*i^2
 + 37*B^2*a^3*d^3*i^2 - 27*B^2*b^3*c^3*i^2 + 84*A*B*a^3*d^3*i^2 - 108*A*B*
b^3*c^3*i^2 + 72*A^2*a*b^2*c^2*d*i^2 + 72*A^2*a^2*b*c*d^2*i^2 + 37*B^2*a*b
^2*c^2*d*i^2 + 37*B^2*a^2*b*c*d^2*i^2 + 84*A*B*a*b^2*c^2*d*i^2 + 84*A*B*a^
2*b*c*d^2*i^2)/(12*(a*d - b*c)) + (x^3*(7*B^2*b^3*d^3*i^2 + 12*A*B*b^3*d^3
*i^2))/(a*d - b*c) + (x*(72*A^2*a^2*b*d^3*i^2 + 37*B^2*a^2*b*d^3*i^2 - 144
*A^2*b^3*c^2*d*i^2 - 11*B^2*b^3*c^2*d*i^2 + 72*A^2*a*b^2*c*d^2*i^2 + 37*B^
2*a*b^2*c*d^2*i^2 + 84*A*B*a^2*b*d^3*i^2 - 60*A*B*b^3*c^2*d*i^2 + 84*A*B*a
*b^2*c*d^2*i^2))/(3*(a*d - b*c)) + (x^2*(72*A^2*a*b^2*d^3*i^2 + 37*B^2*a*b
^2*d^3*i^2 - 72*A^2*b^3*c*d^2*i^2 + 5*B^2*b^3*c*d^2*i^2 + 84*A*B*a*b^2*d^3
*i^2 - 12*A*B*b^3*c*d^2*i^2))/(2*(a*d - b*c)))/(72*a^4*b^3*g^5 + 72*b^7*g^
5*x^4 + 288*a^3*b^4*g^5*x + 288*a*b^6*g^5*x^3 + 432*a^2*b^5*g^5*x^2) - (lo
g((e*(a + b*x))/(c + d*x))*(x^2*((A*B*d*i^2)/(b^2*g^5) + (B^2*d^4*i^2*(b*(
b*((4*a^2*d^2 + b^2*c^2 - 5*a*b*c*d)/(12*b*d^3) + (a*(a*d - b*c))/(4*b*d^2
)) + (4*a^2*d^2 + b^2*c^2 - 5*a*b*c*d)/(6*d^3) + (a*(a*d - b*c))/(2*d^2...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 2107, normalized size of antiderivative = 7.05

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x)
```

output

```
( - 144*log(a + b*x)*a**6*b*d**4 - 576*log(a + b*x)*a**5*b**2*d**4*x - 48*
log(a + b*x)*a**5*b**2*d**4 - 36*log(a + b*x)*a**4*b**3*c*d**3 - 864*log(a
 + b*x)*a**4*b**3*d**4*x**2 - 192*log(a + b*x)*a**4*b**3*d**4*x - 144*log(
a + b*x)*a**3*b**4*c*d**3*x - 576*log(a + b*x)*a**3*b**4*d**4*x**3 - 288*l
og(a + b*x)*a**3*b**4*d**4*x**2 - 216*log(a + b*x)*a**2*b**5*c*d**3*x**2 -
 144*log(a + b*x)*a**2*b**5*d**4*x**4 - 192*log(a + b*x)*a**2*b**5*d**4*x*
*3 - 144*log(a + b*x)*a*b**6*c*d**3*x**3 - 48*log(a + b*x)*a*b**6*d**4*x**
4 - 36*log(a + b*x)*b**7*c*d**3*x**4 + 144*log(c + d*x)*a**6*b*d**4 + 576*
log(c + d*x)*a**5*b**2*d**4*x + 48*log(c + d*x)*a**5*b**2*d**4 + 36*log(c
+ d*x)*a**4*b**3*c*d**3 + 864*log(c + d*x)*a**4*b**3*d**4*x**2 + 192*log(c
 + d*x)*a**4*b**3*d**4*x + 144*log(c + d*x)*a**3*b**4*c*d**3*x + 576*log(c
 + d*x)*a**3*b**4*d**4*x**3 + 288*log(c + d*x)*a**3*b**4*d**4*x**2 + 216*l
og(c + d*x)*a**2*b**5*c*d**3*x**2 + 144*log(c + d*x)*a**2*b**5*d**4*x**4 +
 192*log(c + d*x)*a**2*b**5*d**4*x**3 + 144*log(c + d*x)*a*b**6*c*d**3*x**
3 + 48*log(c + d*x)*a*b**6*d**4*x**4 + 36*log(c + d*x)*b**7*c*d**3*x**4 -
288*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**5*c**3*d - 864*log((a*e + b*e*
x)/(c + d*x))**2*a**2*b**5*c**2*d**2*x - 864*log((a*e + b*e*x)/(c + d*x))*
*2*a**2*b**5*c*d**3*x**2 - 288*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**5*d
**4*x**3 + 216*log((a*e + b*e*x)/(c + d*x))**2*a*b**6*c**4 + 576*log((a*e
+ b*e*x)/(c + d*x))**2*a*b**6*c**3*d*x + 432*log((a*e + b*e*x)/(c + d*x...
```

3.73 $\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx$

Optimal result 909
Mathematica [C] (verified) 910
Rubi [A] (verified) 911
Maple [B] (verified) 912
Fricas [B] (verification not implemented) 913
Sympy [F(-1)] 914
Maxima [B] (verification not implemented) 915
Giac [A] (verification not implemented) 916
Mupad [B] (verification not implemented) 916
Reduce [B] (verification not implemented) 917

Optimal result

Integrand size = 42, antiderivative size = 463

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx &= -\frac{2B^2d^2i^2(c+dx)^3}{27(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bB^2di^2(c+dx)^4}{16(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{2b^2B^2i^2(c+dx)^5}{125(bc-ad)^3g^6(a+bx)^5}\\ &-\frac{2Bd^2i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bBdi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{2b^2Bi^2(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{25(bc-ad)^3g^6(a+bx)^5}\\ &-\frac{d^2i^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bdi^2(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{b^2i^2(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5(bc-ad)^3g^6(a+bx)^5}\end{aligned}$$

output

```
-2/27*B^2*d^2*i^2*(d*x+c)^3/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/16*b*B^2*d*i^2*(d
*x+c)^4/(-a*d+b*c)^3/g^6/(b*x+a)^4-2/125*b^2*B^2*i^2*(d*x+c)^5/(-a*d+b*c)^
3/g^6/(b*x+a)^5-2/9*B*d^2*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+
b*c)^3/g^6/(b*x+a)^3+1/4*b*B*d*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(
-a*d+b*c)^3/g^6/(b*x+a)^4-2/25*b^2*B*i^2*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+
c)))/(-a*d+b*c)^3/g^6/(b*x+a)^5-1/3*d^2*i^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d
*x+c)))^2/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/2*b*d*i^2*(d*x+c)^4*(A+B*ln(e*(b*x+
a)/(d*x+c)))^2/(-a*d+b*c)^3/g^6/(b*x+a)^4-1/5*b^2*i^2*(d*x+c)^5*(A+B*ln(e*
(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g^6/(b*x+a)^5
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 3.20 (sec) , antiderivative size = 2010, normalized size of antiderivative = 4.34

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^6,x]
```

output

```
-1/54000*(i^2*(10800*(b*c - a*d)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 27000*d*(b*c - a*d)^4*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 -
 18000*d^2*(-(b*c) + a*d)^3*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2 + 1000*B*d^2*(a + b*x)^2*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 - 18
*A*d*(b*c - a*d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2*(
b*c - a*d)*(a + b*x)^2 + 66*B*d^2*(b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a +
b*x)^3*Log[a + b*x] + 66*B*d^3*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*(a + b*
x)^3*Log[a + b*x]^2 + 12*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)] - 18
*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*c
- a*d)*(a + b*x)^2*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^3*(a + b*x)^3*Log
[a + b*x]*Log[(e*(a + b*x))/(c + d*x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*x]
 - 66*B*d^3*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*(a + b*x)^3*Log[(d*(a + b*
x))/(-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x))/
(c + d*x)]*Log[c + d*x] - 18*B*d^3*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*(
a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*(a + b*x
)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*(a + b*x)^3*PolyLo
g[2, (b*(c + d*x))/(b*c - a*d)]) + 375*B*d*(a + b*x)*(36*A*(b*c - a*d)^4 +
 9*B*(b*c - a*d)^4 + 48*A*d*(-(b*c) + a*d)^3*(a + b*x) + 28*B*d*(-(b*c) +
a*d)^3*(a + b*x) + 72*A*d^2*(b*c - a*d)^2*(a + b*x)^2 + 78*B*d^2*(b*c - a*
d)^2*(a + b*x)^2 + 144*A*d^3*(-(b*c) + a*d)*(a + b*x)^3 + 300*B*d^3*(-(...
```

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 336, normalized size of antiderivative = 0.73, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^6}\,dx$$

$$\downarrow 2962$$

$$\frac{i^2\int \frac{(c+dx)^6\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^6}d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{i^2\int\left(\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^6}{(a+bx)^6}-\frac{2bd\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^5}{(a+bx)^5}+\frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b^2(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{5(a+bx)^5}-\frac{2b^2B(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{25(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}-\frac{2Bd^2(c+dx)^3\left(B\log\right.}{9(a+}\right.}{g^6}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^6,x]
```

output
```
(i^2*((-2*B^2*d^2*(c + d*x)^3)/(27*(a + b*x)^3) + (b*B^2*d*(c + d*x)^4)/(1
6*(a + b*x)^4) - (2*b^2*B^2*(c + d*x)^5)/(125*(a + b*x)^5) - (2*B*d^2*(c +
 d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(9*(a + b*x)^3) + (b*B*d*(c
+ d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*(a + b*x)^4) - (2*b^2*B*
(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(25*(a + b*x)^5) - (d^2*
(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*(a + b*x)^3) + (b*d
*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*x)^4) - (b^
2*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(5*(a + b*x)^5)))/((
b*c - a*d)^3*g^6)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 967 vs. $2(445) = 890$.

Time = 2.51 (sec) , antiderivative size = 968, normalized size of antiderivative = 2.09

method	result	size
parts	Expression too large to display	968
derivativedivides	Expression too large to display	1082
default	Expression too large to display	1082
orering	Expression too large to display	1819
norman	Expression too large to display	1977
parallelrisch	Expression too large to display	2248
risch	Expression too large to display	5135

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x,method=_RE
TURNVERBOSE)
```

output
```
i^2*A^2/g^6*(-1/5*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/(b*x+a)^5+1/2*d*(a*d-b*c
)/b^3/(b*x+a)^4-1/3*d^2/b^3/(b*x+a)^3)-i^2*B^2/g^6/d^4*(a*d-b*c)^3*e^3*(d^
6/(a*d-b*c)^6*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d
/(d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*
x+c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-2*d^5/(a*d-b*c)^6*b*e*(-1/4/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/8/(b*e/d
+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/32/(b*e/d+(a*d
-b*c)*e/d/(d*x+c))^4)+d^4/(a*d-b*c)^6*b^2*e^2*(-1/5/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/25/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/125/(b*e/d+(a*d-b*c)*e/d/(d*x+c))
^5))-2*i^2*A*B/g^6/d^4*(a*d-b*c)^3*e^3*(d^6/(a*d-b*c)^6*(-1/3/(b*e/d+(a*d-
b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^3)-2*d^5/(a*d-b*c)^6*b*e*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4
*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4)+d^4
/(a*d-b*c)^6*b^2*e^2*(-1/5/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5*ln(b*e/d+(a*d-b
*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1323 vs. $2(445) = 890$.

Time = 0.11 (sec) , antiderivative size = 1323, normalized size of antiderivative = 2.86

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="fricas")
```

output
```
-1/54000*(60*((60*A*B + 47*B^2)*b^5*c*d^4 - (60*A*B + 47*B^2)*a*b^4*d^5)*i
^2*x^4 - 30*((60*A*B - 13*B^2)*b^5*c^2*d^3 - 50*(12*A*B + 7*B^2)*a*b^4*c*d
^4 + 3*(180*A*B + 121*B^2)*a^2*b^3*d^5)*i^2*x^3 + 10*(2*(900*A^2 + 60*A*B
- 43*B^2)*b^5*c^3*d^2 - 75*(72*A^2 + 12*A*B - 5*B^2)*a*b^4*c^2*d^3 + 600*(
9*A^2 + 6*A*B + 2*B^2)*a^2*b^3*c*d^4 - (1800*A^2 + 2820*A*B + 1489*B^2)*a^
3*b^2*d^5)*i^2*x^2 + 5*(27*(200*A^2 + 60*A*B + 7*B^2)*b^5*c^4*d - 100*(144
*A^2 + 60*A*B + 11*B^2)*a*b^4*c^3*d^2 + 1200*(9*A^2 + 6*A*B + 2*B^2)*a^2*b
^3*c^2*d^3 - (1800*A^2 + 2820*A*B + 1489*B^2)*a^4*b*d^5)*i^2*x + (432*(25*
A^2 + 10*A*B + 2*B^2)*b^5*c^5 - 3375*(8*A^2 + 4*A*B + B^2)*a*b^4*c^4*d + 2
000*(9*A^2 + 6*A*B + 2*B^2)*a^2*b^3*c^3*d^2 - (1800*A^2 + 2820*A*B + 1489*
B^2)*a^5*d^5)*i^2 + 1800*(B^2*b^5*d^5*i^2*x^5 + 5*B^2*a*b^4*d^5*i^2*x^4 +
10*B^2*a^2*b^3*d^5*i^2*x^3 + 10*(B^2*b^5*c^3*d^2 - 3*B^2*a*b^4*c^2*d^3 + 3
*B^2*a^2*b^3*c*d^4)*i^2*x^2 + 5*(3*B^2*b^5*c^4*d - 8*B^2*a*b^4*c^3*d^2 + 6
*B^2*a^2*b^3*c^2*d^3)*i^2*x + (6*B^2*b^5*c^5 - 15*B^2*a*b^4*c^4*d + 10*B^2
*a^2*b^3*c^3*d^2)*i^2)*log((b*e*x + a*e)/(d*x + c))^2 + 60*((60*A*B + 47*B
^2)*b^5*d^5*i^2*x^5 + 5*(12*B^2*b^5*c*d^4 + 5*(12*A*B + 7*B^2)*a*b^4*d^5)*
i^2*x^4 - 10*(3*B^2*b^5*c^2*d^3 - 30*B^2*a*b^4*c*d^4 - 20*(3*A*B + B^2)*a^
2*b^3*d^5)*i^2*x^3 + 10*(2*(30*A*B + B^2)*b^5*c^3*d^2 - 15*(12*A*B + B^2)*
a*b^4*c^2*d^3 + 60*(3*A*B + B^2)*a^2*b^3*c*d^4)*i^2*x^2 + 5*(9*(20*A*B + 3
*B^2)*b^5*c^4*d - 20*(24*A*B + 5*B^2)*a*b^4*c^3*d^2 + 120*(3*A*B + B^2)...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**6,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 10880 vs. $2(445) = 890$.

Time $= 0.90$ (sec) , antiderivative size $= 10880$, normalized size of antiderivative $= 23.50$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="maxima")
```

output

```
-1/10*(5*b*x + a)*B^2*c*d*i^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^7*
g^6*x^5 + 5*a*b^6*g^6*x^4 + 10*a^2*b^5*g^6*x^3 + 10*a^3*b^4*g^6*x^2 + 5*a^
4*b^3*g^6*x + a^5*b^2*g^6) - 1/30*(10*b^2*x^2 + 5*a*b*x + a^2)*B^2*d^2*i^2
*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^8*g^6*x^5 + 5*a*b^7*g^6*x^4 + 1
0*a^2*b^6*g^6*x^3 + 10*a^3*b^5*g^6*x^2 + 5*a^4*b^4*g^6*x + a^5*b^3*g^6) -
1/9000*(60*((60*b^4*d^4*x^4 + 12*b^4*c^4 - 63*a*b^3*c^3*d + 137*a^2*b^2*c^
2*d^2 - 163*a^3*b*c*d^3 + 137*a^4*d^4 - 30*(b^4*c*d^3 - 9*a*b^3*d^4)*x^3 +
 10*(2*b^4*c^2*d^2 - 13*a*b^3*c*d^3 + 47*a^2*b^2*d^4)*x^2 - 5*(3*b^4*c^3*d
 - 17*a*b^3*c^2*d^2 + 43*a^2*b^2*c*d^3 - 77*a^3*b*d^4)*x)/((b^10*c^4 - 4*a
*b^9*c^3*d + 6*a^2*b^8*c^2*d^2 - 4*a^3*b^7*c*d^3 + a^4*b^6*d^4)*g^6*x^5 +
5*(a*b^9*c^4 - 4*a^2*b^8*c^3*d + 6*a^3*b^7*c^2*d^2 - 4*a^4*b^6*c*d^3 + a^5
*b^5*d^4)*g^6*x^4 + 10*(a^2*b^8*c^4 - 4*a^3*b^7*c^3*d + 6*a^4*b^6*c^2*d^2
- 4*a^5*b^5*c*d^3 + a^6*b^4*d^4)*g^6*x^3 + 10*(a^3*b^7*c^4 - 4*a^4*b^6*c^3
*d + 6*a^5*b^5*c^2*d^2 - 4*a^6*b^4*c*d^3 + a^7*b^3*d^4)*g^6*x^2 + 5*(a^4*b
^6*c^4 - 4*a^5*b^5*c^3*d + 6*a^6*b^4*c^2*d^2 - 4*a^7*b^3*c*d^3 + a^8*b^2*d
^4)*g^6*x + (a^5*b^5*c^4 - 4*a^6*b^4*c^3*d + 6*a^7*b^3*c^2*d^2 - 4*a^8*b^2
*c*d^3 + a^9*b*d^4)*g^6) + 60*d^5*log(b*x + a)/((b^6*c^5 - 5*a*b^5*c^4*d +
 10*a^2*b^4*c^3*d^2 - 10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5*b*d^5)*g^
6) - 60*d^5*log(d*x + c)/((b^6*c^5 - 5*a*b^5*c^4*d + 10*a^2*b^4*c^3*d^2 -
10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5*b*d^5)*g^6))*log(b*e*x/(d*x ...
```

Giac [A] (verification not implemented)

Time = 0.43 (sec) , antiderivative size = 780, normalized size of antiderivative = 1.68

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="giac")
```

output
```
-1/54000*(1800*(6*B^2*b^2*e^6*i^2 - 15*(b*e*x + a*e)*B^2*b*d*e^5*i^2/(d*x
 + c) + 10*(b*e*x + a*e)^2*B^2*d^2*e^4*i^2/(d*x + c)^2)*log((b*e*x + a*e)/(
d*x + c))^2/((b*e*x + a*e)^5*b^2*c^2*g^6/(d*x + c)^5 - 2*(b*e*x + a*e)^5*a
*b*c*d*g^6/(d*x + c)^5 + (b*e*x + a*e)^5*a^2*d^2*g^6/(d*x + c)^5) + 60*(36
0*A*B*b^2*e^6*i^2 + 72*B^2*b^2*e^6*i^2 - 900*(b*e*x + a*e)*A*B*b*d*e^5*i^2
/(d*x + c) - 225*(b*e*x + a*e)*B^2*b*d*e^5*i^2/(d*x + c) + 600*(b*e*x + a*
e)^2*A*B*d^2*e^4*i^2/(d*x + c)^2 + 200*(b*e*x + a*e)^2*B^2*d^2*e^4*i^2/(d*
x + c)^2)*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^5*b^2*c^2*g^6/(d*x +
 c)^5 - 2*(b*e*x + a*e)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*e*x + a*e)^5*a^2*d^
2*g^6/(d*x + c)^5) + (10800*A^2*b^2*e^6*i^2 + 4320*A*B*b^2*e^6*i^2 + 864*B
^2*b^2*e^6*i^2 - 27000*(b*e*x + a*e)*A^2*b*d*e^5*i^2/(d*x + c) - 13500*(b*
e*x + a*e)*A*B*b*d*e^5*i^2/(d*x + c) - 3375*(b*e*x + a*e)*B^2*b*d*e^5*i^2/
(d*x + c) + 18000*(b*e*x + a*e)^2*A^2*d^2*e^4*i^2/(d*x + c)^2 + 12000*(b*e
*x + a*e)^2*A*B*d^2*e^4*i^2/(d*x + c)^2 + 4000*(b*e*x + a*e)^2*B^2*d^2*e^4
*i^2/(d*x + c)^2)/((b*e*x + a*e)^5*b^2*c^2*g^6/(d*x + c)^5 - 2*(b*e*x + a*
e)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*e*x + a*e)^5*a^2*d^2*g^6/(d*x + c)^5))*(
b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 35.88 (sec) , antiderivative size = 3434, normalized size of antiderivative = 7.42

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^6,x)
```

output

```
((1800*A^2*a^4*d^4*i^2 + 10800*A^2*b^4*c^4*i^2 + 1489*B^2*a^4*d^4*i^2 + 86
4*B^2*b^4*c^4*i^2 + 2820*A*B*a^4*d^4*i^2 + 4320*A*B*b^4*c^4*i^2 - 16200*A^
2*a*b^3*c^3*d*i^2 + 1800*A^2*a^3*b*c*d^3*i^2 - 2511*B^2*a*b^3*c^3*d*i^2 +
1489*B^2*a^3*b*c*d^3*i^2 + 1800*A^2*a^2*b^2*c^2*d^2*i^2 + 1489*B^2*a^2*b^2
*c^2*d^2*i^2 + 2820*A*B*a^2*b^2*c^2*d^2*i^2 - 9180*A*B*a*b^3*c^3*d*i^2 + 2
820*A*B*a^3*b*c*d^3*i^2)/(60*(a*d - b*c)) + (x^3*(363*B^2*a*b^3*d^4*i^2 +
13*B^2*b^4*c*d^3*i^2 + 540*A*B*a*b^3*d^4*i^2 - 60*A*B*b^4*c*d^3*i^2))/(2*(
a*d - b*c)) + (x*(1800*A^2*a^3*b*d^4*i^2 + 1489*B^2*a^3*b*d^4*i^2 + 5400*A
^2*b^4*c^3*d*i^2 + 189*B^2*b^4*c^3*d*i^2 - 9000*A^2*a*b^3*c^2*d^2*i^2 + 18
00*A^2*a^2*b^2*c*d^3*i^2 - 911*B^2*a*b^3*c^2*d^2*i^2 + 1489*B^2*a^2*b^2*c*
d^3*i^2 + 2820*A*B*a^3*b*d^4*i^2 + 1620*A*B*b^4*c^3*d*i^2 - 4380*A*B*a*b^3
*c^2*d^2*i^2 + 2820*A*B*a^2*b^2*c*d^3*i^2))/(12*(a*d - b*c)) + (x^2*(1800*
A^2*a^2*b^2*d^4*i^2 + 1489*B^2*a^2*b^2*d^4*i^2 + 1800*A^2*b^4*c^2*d^2*i^2
- 86*B^2*b^4*c^2*d^2*i^2 - 3600*A^2*a*b^3*c*d^3*i^2 + 289*B^2*a*b^3*c*d^3*
i^2 + 2820*A*B*a^2*b^2*d^4*i^2 + 120*A*B*b^4*c^2*d^2*i^2 - 780*A*B*a*b^3*c
*d^3*i^2))/(6*(a*d - b*c)) + (d*x^4*(47*B^2*b^4*d^3*i^2 + 60*A*B*b^4*d^3*i
^2))/(a*d - b*c))/(x*(4500*a^4*b^5*c*g^6 - 4500*a^5*b^4*d*g^6) - x^4*(4500
*a^2*b^7*d*g^6 - 4500*a*b^8*c*g^6) + x^5*(900*b^9*c*g^6 - 900*a*b^8*d*g^6)
 + x^2*(9000*a^3*b^6*c*g^6 - 9000*a^4*b^5*d*g^6) + x^3*(9000*a^2*b^7*c*g^6
 - 9000*a^3*b^6*d*g^6) + 900*a^5*b^4*c*g^6 - 900*a^6*b^3*d*g^6) - log((...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 3022, normalized size of antiderivative = 6.53

$$\int \frac{(ci+dix)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x)
```

output

```
( - 3600*log(a + b*x)*a**7*b*d**5 - 18000*log(a + b*x)*a**6*b**2*d**5*x -
2100*log(a + b*x)*a**6*b**2*d**5 - 720*log(a + b*x)*a**5*b**3*c*d**4 - 360
00*log(a + b*x)*a**5*b**3*d**5*x**2 - 10500*log(a + b*x)*a**5*b**3*d**5*x
- 3600*log(a + b*x)*a**4*b**4*c*d**4*x - 36000*log(a + b*x)*a**4*b**4*d**5
*x**3 - 21000*log(a + b*x)*a**4*b**4*d**5*x**2 - 7200*log(a + b*x)*a**3*b*
*5*c*d**4*x**2 - 18000*log(a + b*x)*a**3*b**5*d**5*x**4 - 21000*log(a + b*
x)*a**3*b**5*d**5*x**3 - 7200*log(a + b*x)*a**2*b**6*c*d**4*x**3 - 3600*lo
g(a + b*x)*a**2*b**6*d**5*x**5 - 10500*log(a + b*x)*a**2*b**6*d**5*x**4 -
3600*log(a + b*x)*a*b**7*c*d**4*x**4 - 2100*log(a + b*x)*a*b**7*d**5*x**5
- 720*log(a + b*x)*b**8*c*d**4*x**5 + 3600*log(c + d*x)*a**7*b*d**5 + 1800
0*log(c + d*x)*a**6*b**2*d**5*x + 2100*log(c + d*x)*a**6*b**2*d**5 + 720*l
og(c + d*x)*a**5*b**3*c*d**4 + 36000*log(c + d*x)*a**5*b**3*d**5*x**2 + 10
500*log(c + d*x)*a**5*b**3*d**5*x + 3600*log(c + d*x)*a**4*b**4*c*d**4*x +
 36000*log(c + d*x)*a**4*b**4*d**5*x**3 + 21000*log(c + d*x)*a**4*b**4*d**
5*x**2 + 7200*log(c + d*x)*a**3*b**5*c*d**4*x**2 + 18000*log(c + d*x)*a**3
*b**5*d**5*x**4 + 21000*log(c + d*x)*a**3*b**5*d**5*x**3 + 7200*log(c + d*
x)*a**2*b**6*c*d**4*x**3 + 3600*log(c + d*x)*a**2*b**6*d**5*x**5 + 10500*l
og(c + d*x)*a**2*b**6*d**5*x**4 + 3600*log(c + d*x)*a*b**7*c*d**4*x**4 + 2
100*log(c + d*x)*a*b**7*d**5*x**5 + 720*log(c + d*x)*b**8*c*d**4*x**5 - 18
000*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**5*c**3*d**2 - 54000*log((a*...
```

3.74 $\int (ag+bgx)^3(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 919
Mathematica [B] (verified) 920
Rubi [A] (verified) 921
Maple [F] 938
Fricas [F] 939
Sympy [F(-1)] 939
Maxima [B] (verification not implemented) 940
Giac [F] 941
Mupad [F(-1)] 941
Reduce [F] 942

Optimal result

Integrand size = 42, antiderivative size = 1089

$$\int (ag+bgx)^3(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

output

```
5/84*B^2*(-a*d+b*c)^6*g^3*i^3*x/b^3/d^3+1/140*B^2*(-a*d+b*c)^3*g^3*i^3*(b*
x+a)^4/b^4-29/840*B^2*(-a*d+b*c)^5*g^3*i^3*(d*x+c)^2/b^2/d^4+47/1260*B^2*(
-a*d+b*c)^4*g^3*i^3*(d*x+c)^3/b/d^4-13/420*B^2*(-a*d+b*c)^3*g^3*i^3*(d*x+c
)^4/d^4+1/105*b*B^2*(-a*d+b*c)^2*g^3*i^3*(d*x+c)^5/d^4-1/210*B^2*(-a*d+b*c
)^7*g^3*i^3*ln((b*x+a)/(d*x+c))/b^4/d^4-1/210*B*(-a*d+b*c)^4*g^3*i^3*(b*x+
a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/d-3/140*B*(-a*d+b*c)^3*g^3*i^3*(b*x+a
)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4-1/35*B*(-a*d+b*c)^2*g^3*i^3*(b*x+a)^4*
(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^3+2/21*B*(-a*d+b*c)^4*g^3*i^3*(d*x+c
)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/b/d^4-3/14*B*(-a*d+b*c)^3*g^3*i^3*(d*x+c)^
4*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4+6/35*b*B*(-a*d+b*c)^2*g^3*i^3*(d*x+c)^5*
(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4-1/21*b^2*B*(-a*d+b*c)*g^3*i^3*(d*x+c)^6*(A
+B*ln(e*(b*x+a)/(d*x+c)))/d^4+1/140*(-a*d+b*c)^3*g^3*i^3*(b*x+a)^4*(A+B*ln
(e*(b*x+a)/(d*x+c)))^2/b^4+1/35*(-a*d+b*c)^2*g^3*i^3*(b*x+a)^4*(d*x+c)*(A+
B*ln(e*(b*x+a)/(d*x+c)))^2/b^3+1/14*(-a*d+b*c)*g^3*i^3*(b*x+a)^4*(d*x+c)^2
*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^2+1/7*g^3*i^3*(b*x+a)^4*(d*x+c)^3*(A+B*ln
(e*(b*x+a)/(d*x+c)))^2/b+1/420*B*(-a*d+b*c)^5*g^3*i^3*(b*x+a)^2*(3*A+B+3*B
*ln(e*(b*x+a)/(d*x+c)))/b^4/d^2-1/420*B*(-a*d+b*c)^6*g^3*i^3*(b*x+a)*(6*A+
5*B+6*B*ln(e*(b*x+a)/(d*x+c)))/b^4/d^3-1/420*B*(-a*d+b*c)^7*g^3*i^3*ln((-a
*d+b*c)/b/(d*x+c))*(6*A+11*B+6*B*ln(e*(b*x+a)/(d*x+c)))/b^4/d^4-11/420*B^2
*(-a*d+b*c)^7*g^3*i^3*ln(d*x+c)/b^4/d^4-1/70*B^2*(-a*d+b*c)^7*g^3*i^3*p...
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2330 vs. $2(1089) = 2178$.

Time = 3.36 (sec) , antiderivative size = 2330, normalized size of antiderivative = 2.14

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(\frac{e(a + bx)}{c + dx} \right) \right)^2 dx = \text{Result too large to show}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2,x]
```

output

```
(g^3*i^3*(35*(b*c - a*d)^3*(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]
)^2 + 84*d*(b*c - a*d)^2*(a + b*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^
2 + 70*d^2*(b*c - a*d)*(a + b*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 20*d^3*(a + b*x)^7*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (35*B*(b*c -
 a*d)^4*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a
 + b*x))/(c + d*x)] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a +
b*x))/(c + d*x)]) + 2*d^3*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])
 - 6*B*(b*c - a*d)^3*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[(e*(a + b*x
))/(c + d*x)])*Log[c + d*x] + B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x - d^2*(a
+ b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*(b*d*x + (-(b
*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*((2*Log[(d*(a + b*x))/(-(b*c)
 + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c -
a*d)])))/(3*d^4) + (7*B*(b*c - a*d)^3*(24*A*b*d*(b*c - a*d)^3*x + 24*B*d*(
b*c - a*d)^3*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 12*d^2*(b*c - a*d)^2
*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 8*d^3*(b*c - a*d)*(a +
 b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*d^4*(a + b*x)^4*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)]) - 24*B*(b*c - a*d)^4*Log[c + d*x] - 24*(b*c -
a*d)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + 4*B*(b*c - a*d)
^2*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x])
+ B*(b*c - a*d)*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)...
```

Rubi [A] (verified)

Time = 3.51 (sec) , antiderivative size = 1398, normalized size of antiderivative = 1.28, number of steps used = 23, number of rules used = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.524$, Rules used = {2962, 2783, 2782, 27, 2123, 2009, 2783, 2782, 27, 87, 49, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^3i^3(bc-ad)^7\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^8}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2B\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} + \frac{3\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} + \frac{(a+bx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right.\right.}{7b(c+dx)^4\left(b-\frac{d(a+b}{c+d}\right.}$$

$$\downarrow 2782$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2B\left(-B\int -\frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{60d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx} + \frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right.\right.}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 27$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2B\left(\frac{B\int \frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{60d^4} + \frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} +$$

$$\downarrow 2123$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2B\left(\frac{B\int \left(-\frac{10db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6} + \frac{26db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{19d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3 b} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2 b^2} + \frac{c+dx}{(a+bx)b^3} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)b^3} \right) d}{60d^4}$$

$$\downarrow 2009$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{3 \int \frac{(a+bx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} - \frac{2B \left(\frac{b^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{6d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3b \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{4d^4 \left(b-\frac{d(a+bx)}{c+dx}\right.} \right.$$

$$\downarrow 2783$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{3 \left(-\frac{B \int \frac{(a+bx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{(a+bx)^4 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{6b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} \right)}{7b} - \right.$$

$$\downarrow 2782$$

$$(bc -$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B \left(\frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) b^3}{6d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) b^2}{5d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B \log\left(\frac{e(a-}{4d^4 \left(b-\frac{d(a+b}{c+d}\right.} \right.} \right.$$

$$\downarrow 27$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(3 \left(\frac{B \left(- \frac{B \int \frac{(a+bx)^3 \left(5b - \frac{d(a+bx)}{c+dx}\right)}{(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{20b^2} + \frac{(a+bx)^4 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{20b^2 (c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5b(c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} \right)}{3b} + \frac{\int \frac{(a+bx)^3 \left(A+B \log\left($$

$$\downarrow 87$$

$$(bc -$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B \left(\frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) b^3}{6d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right) b^2}{5d^4 \left(b - \frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B \log\left(\frac{e(a+b$$

$$\downarrow 49$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2009$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2783$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2773$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 49$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2009$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2781$$

$$(bc -$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b - \frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a\cdots}{c\cdots}\right.\right.}{4d^4\left(b-\frac{d(a+b\cdots}{c+d\cdots}\right.}\right.}{}\right.$$

$$\downarrow 2784$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.\right.$$

$$\downarrow 2784$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-\right.\right.\right.}{4d^4\left(b-\frac{d(a+b}{c+d}\right.\right.\right.}$$

$$\left.\left.\left.\right.\right.\right.$$

$$\downarrow 2784$$

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{4d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \right.$$

2754

$$(bc -$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b - \frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a-}{c+}\right.\right.}{4d^4\left(b-\frac{d(a+b}{c+d}\right.}\right.}{}\right.$$

$$\downarrow 2838$$

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{4d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \right.$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
,x]
```

output
```
(b*c - a*d)^7*g^3*i^3*(((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(7*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^7) - (2*B*((b^3*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)]))/(6*d^4*(b - (d*(a + b*x))/(c + d*x))^6) - (3*
b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*d^4*(b - (d*(a + b*x))/(c + d
*x))^5) + (3*b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*d^4*(b - (d*(a + b
*x))/(c + d*x))^4) - (A + B*Log[(e*(a + b*x))/(c + d*x)])/(3*d^4*(b - (d*(
a + b*x))/(c + d*x))^3) + (B*((-2*b^2)/(b - (d*(a + b*x))/(c + d*x))^5 + (
13*b)/(2*(b - (d*(a + b*x))/(c + d*x))^4) - 19/(3*(b - (d*(a + b*x))/(c +
d*x))^3) + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b
*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c
 + d*x)]/b^3))/(60*d^4)))/(7*b) + (3*(((a + b*x)^4*(A + B*Log[(e*(a + b*x)
)/(c + d*x)])^2)/(6*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^6) - (B*((
(a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(5*b*(c + d*x)^4*(b - (d
*(a + b*x))/(c + d*x))^5) + ((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x
)]))/(20*b^2*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) - (B*((a + b*x)^
4/((c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) + b^3/(3*d^4*(b - (d*(a +
b*x))/(c + d*x))^3) - (3*b^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3
*b)/(d^4*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]
/d^4))/(20*b^2)))/(3*b) + (((a + b*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2)/(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*(((a + b...
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 87

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_] :> Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p
+ 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p
+ 1)))/(f*(p + 1)*(c*f - d*e))  Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && ( !LtQ[n, -1] || Intege
rQ[p] ||  !(IntegerQ[n] ||  !(EqQ[e, 0] ||  !(EqQ[c, 0] || LtQ[p, n]))))
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))  Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))  Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])  u, x] - Simp[b*n  Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^3(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="fricas")
```

output
```
integral(A^2*b^3*d^3*g^3*i^3*x^6 + A^2*a^3*c^3*g^3*i^3 + 3*(A^2*b^3*c*d^2
+ A^2*a*b^2*d^3)*g^3*i^3*x^5 + 3*(A^2*b^3*c^2*d + 3*A^2*a*b^2*c*d^2 + A^2*
a^2*b*d^3)*g^3*i^3*x^4 + (A^2*b^3*c^3 + 9*A^2*a*b^2*c^2*d + 9*A^2*a^2*b*c*
d^2 + A^2*a^3*d^3)*g^3*i^3*x^3 + 3*(A^2*a*b^2*c^3 + 3*A^2*a^2*b*c^2*d + A^
2*a^3*c*d^2)*g^3*i^3*x^2 + 3*(A^2*a^2*b*c^3 + A^2*a^3*c^2*d)*g^3*i^3*x + (
B^2*b^3*d^3*g^3*i^3*x^6 + B^2*a^3*c^3*g^3*i^3 + 3*(B^2*b^3*c*d^2 + B^2*a*b
^2*d^3)*g^3*i^3*x^5 + 3*(B^2*b^3*c^2*d + 3*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3
)*g^3*i^3*x^4 + (B^2*b^3*c^3 + 9*B^2*a*b^2*c^2*d + 9*B^2*a^2*b*c*d^2 + B^2
*a^3*d^3)*g^3*i^3*x^3 + 3*(B^2*a*b^2*c^3 + 3*B^2*a^2*b*c^2*d + B^2*a^3*c*d
^2)*g^3*i^3*x^2 + 3*(B^2*a^2*b*c^3 + B^2*a^3*c^2*d)*g^3*i^3*x)*log((b*e*x
+ a*e)/(d*x + c))^2 + 2*(A*B*b^3*d^3*g^3*i^3*x^6 + A*B*a^3*c^3*g^3*i^3 + 3
*(A*B*b^3*c*d^2 + A*B*a*b^2*d^3)*g^3*i^3*x^5 + 3*(A*B*b^3*c^2*d + 3*A*B*a*
b^2*c*d^2 + A*B*a^2*b*d^3)*g^3*i^3*x^4 + (A*B*b^3*c^3 + 9*A*B*a*b^2*c^2*d
+ 9*A*B*a^2*b*c*d^2 + A*B*a^3*d^3)*g^3*i^3*x^3 + 3*(A*B*a*b^2*c^3 + 3*A*B*
a^2*b*c^2*d + A*B*a^3*c*d^2)*g^3*i^3*x^2 + 3*(A*B*a^2*b*c^3 + A*B*a^3*c^2*
d)*g^3*i^3*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 6921 vs. $2(1042) = 2084$.

Time $= 0.25$ (sec) , antiderivative size $= 6921$, normalized size of antiderivative $= 6.36$

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="maxima")
```

output
```
1/7*A^2*b^3*d^3*g^3*i^3*x^7 + 1/2*A^2*b^3*c*d^2*g^3*i^3*x^6 + 1/2*A^2*a*b^
2*d^3*g^3*i^3*x^6 + 3/5*A^2*b^3*c^2*d*g^3*i^3*x^5 + 9/5*A^2*a*b^2*c*d^2*g^
3*i^3*x^5 + 3/5*A^2*a^2*b*d^3*g^3*i^3*x^5 + 1/4*A^2*b^3*c^3*g^3*i^3*x^4 +
9/4*A^2*a*b^2*c^2*d*g^3*i^3*x^4 + 9/4*A^2*a^2*b*c*d^2*g^3*i^3*x^4 + 1/4*A^
2*a^3*d^3*g^3*i^3*x^4 + A^2*a*b^2*c^3*g^3*i^3*x^3 + 3*A^2*a^2*b*c^2*d*g^3*
i^3*x^3 + A^2*a^3*c*d^2*g^3*i^3*x^3 + 3/2*A^2*a^2*b*c^3*g^3*i^3*x^2 + 3/2*
A^2*a^3*c^2*d*g^3*i^3*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*
log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a^3*c^3*g^3*i^3 + 3*(x^2*log(b*e*x/
(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 -
 (b*c - a*d)*x/(b*d))*A*B*a^2*b*c^3*g^3*i^3 + (2*x^3*log(b*e*x/(d*x + c) +
 a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*
c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a*b^2*c^3*g^3
*i^3 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b*x +
a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*
c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*b^3*c^3*g
^3*i^3 + 3*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^
2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^3*c^2*d*g^3*i^3 + 3*
(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c
^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/
(b^2*d^2))*A*B*a^2*b*c^2*d*g^3*i^3 + 3/4*(6*x^4*log(b*e*x/(d*x + c) + a...
```

Giac [F]

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$=\int (bgx+ag)^3(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)^3*(d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) +
A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$=\int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2
,x)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
(g**3*i*(36*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*
d*x**2),x)*a**7*b**2*d**8 - 252*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a**6*b**3*c*d**7 + 756*int((log((a*e + b*e*
x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**5*b**4*c**2*d**6 -
 1260*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2
),x)*a**4*b**5*c**3*d**5 + 1260*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a**3*b**6*c**4*d**4 - 756*int((log((a*e + b
*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**7*c**5*d**
3 + 252*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x*
*2),x)*a*b**8*c**6*d**2 - 36*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a
*d*x + b*c*x + b*d*x**2),x)*b**9*c**7*d + 36*log(a + b*x)*a**8*d**7 - 252*
log(a + b*x)*a**7*b*c*d**6 + 756*log(a + b*x)*a**6*b**2*c**2*d**5 - 1260*l
og(a + b*x)*a**5*b**3*c**3*d**4 + 1260*log(a + b*x)*a**4*b**4*c**4*d**3 -
756*log(a + b*x)*a**3*b**5*c**5*d**2 + 252*log(a + b*x)*a**2*b**6*c**6*d -
 36*log(a + b*x)*a*b**7*c**7 - 18*log((a*e + b*e*x)/(c + d*x))**2*a**6*b**
2*c*d**6 + 108*log((a*e + b*e*x)/(c + d*x))**2*a**5*b**3*c**2*d**5 - 270*l
og((a*e + b*e*x)/(c + d*x))**2*a**4*b**4*c**3*d**4 - 270*log((a*e + b*e*x)
/(c + d*x))**2*a**3*b**5*c**4*d**3 - 2520*log((a*e + b*e*x)/(c + d*x))**2*
a**3*b**5*c**3*d**4*x - 3780*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**5*c**
2*d**5*x**2 - 2520*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**5*c*d**6*x**...
```

3.75 $\int (ag+bgx)^2(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 944
Mathematica [A] (verified) 945
Rubi [A] (verified) 946
Maple [F] 960
Fricas [F] 960
Sympy [F(-1)] 961
Maxima [B] (verification not implemented) 961
Giac [F] 962
Mupad [F(-1)] 963
Reduce [F] 963

Optimal result

Integrand size = 42, antiderivative size = 908

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= -\frac{7B^2(bc-ad)^5g^2i^3x}{180b^3d^2} - \frac{7B^2(bc-ad)^4g^2i^3(c+dx)^2}{360b^2d^3} \\
&\quad - \frac{B^2(bc-ad)^3g^2i^3(c+dx)^3}{60bd^3} + \frac{B^2(bc-ad)^2g^2i^3(c+dx)^4}{60d^3} \\
&\quad + \frac{B^2(bc-ad)^6g^2i^3\log\left(\frac{a+bx}{c+dx}\right)}{36b^4d^3} - \frac{B(bc-ad)^4g^2i^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^4d} \\
&\quad - \frac{B(bc-ad)^3g^2i^3(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30b^4} \\
&\quad - \frac{B(bc-ad)^4g^2i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10b^2d^3} \\
&\quad + \frac{B(bc-ad)^3g^2i^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{45bd^3} \\
&\quad + \frac{7B(bc-ad)^2g^2i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60d^3} \\
&\quad - \frac{bB(bc-ad)g^2i^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{15d^3} \\
&\quad + \frac{(bc-ad)^3g^2i^3(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{60b^4} \\
&\quad + \frac{(bc-ad)^2g^2i^3(a+bx)^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{20b^3} \\
&\quad + \frac{(bc-ad)g^2i^3(a+bx)^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{10b^2} \\
&\quad + \frac{g^2i^3(a+bx)^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{6b} \\
&\quad + \frac{B(bc-ad)^5g^2i^3(a+bx)\left(2A+B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^4d^2} \\
&\quad + \frac{B(bc-ad)^6g^2i^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(2A+3B+2B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{60b^4d^3} \\
&\quad + \frac{11B^2(bc-ad)^6g^2i^3\log(c+dx)}{180b^4d^3} + \frac{B^2(bc-ad)^6g^2i^3\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{30b^4d^3}
\end{aligned}
$$

output

```
-7/180*B^2*(-a*d+b*c)^5*g^2*i^3*x/b^3/d^2-7/360*B^2*(-a*d+b*c)^4*g^2*i^3*(
d*x+c)^2/b^2/d^3-1/60*B^2*(-a*d+b*c)^3*g^2*i^3*(d*x+c)^3/b/d^3+1/60*B^2*(-
a*d+b*c)^2*g^2*i^3*(d*x+c)^4/d^3+1/36*B^2*(-a*d+b*c)^6*g^2*i^3*ln((b*x+a)/
(d*x+c))/b^4/d^3-1/60*B*(-a*d+b*c)^4*g^2*i^3*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(
d*x+c)))/b^4/d-1/30*B*(-a*d+b*c)^3*g^2*i^3*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*
x+c)))/b^4-1/10*B*(-a*d+b*c)^4*g^2*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)
))/b^2/d^3+1/45*B*(-a*d+b*c)^3*g^2*i^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)
))/b/d^3+7/60*B*(-a*d+b*c)^2*g^2*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))
/d^3-1/15*b*B*(-a*d+b*c)*g^2*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3
+1/60*(-a*d+b*c)^3*g^2*i^3*(b*x+a)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^4+1/2
0*(-a*d+b*c)^2*g^2*i^3*(b*x+a)^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^3
+1/10*(-a*d+b*c)*g^2*i^3*(b*x+a)^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2
/b^2+1/6*g^2*i^3*(b*x+a)^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b+1/60*
B*(-a*d+b*c)^5*g^2*i^3*(b*x+a)*(2*A+B+2*B*ln(e*(b*x+a)/(d*x+c)))/b^4/d^2+1
/60*B*(-a*d+b*c)^6*g^2*i^3*ln((-a*d+b*c)/b/(d*x+c))*(2*A+3*B+2*B*ln(e*(b*x
+a)/(d*x+c)))/b^4/d^3+11/180*B^2*(-a*d+b*c)^6*g^2*i^3*ln(d*x+c)/b^4/d^3+1/
30*B^2*(-a*d+b*c)^6*g^2*i^3*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/d^3
```

Mathematica [A] (verified)

Time = 1.38 (sec) , antiderivative size = 1555, normalized size of antiderivative = 1.71

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2,x]
```

output

```
(g^2*i^3*(15*(b*c - a*d)^2*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]
)^2 - 24*b*(b*c - a*d)*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 10*b^2*(c + d*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (5*B*(b*c -
a*d)^3*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*(b*d*x + (b*c - a*d)*L
og[a + b*x]) - B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b
*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x)
)/(c + d*x)] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c +
 d*x)]) + 2*b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*(b*c
- a*d)^3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B*(b*c - a*
d)^3*Log[c + d*x] - 3*B*(b*c - a*d)^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[
(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]))
)/b^4 + (2*B*(b*c - a*d)^2*(24*A*b*d*(b*c - a*d)^3*x - 12*B*(b*c - a*d)^3*
(b*d*x + (b*c - a*d)*Log[a + b*x]) - 4*B*(b*c - a*d)^2*(2*b*d*(b*c - a*d)*
x + b^2*(c + d*x)^2 + 2*(b*c - a*d)^2*Log[a + b*x]) - B*(b*c - a*d)*(6*b*d
*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(
b*c - a*d)^3*Log[a + b*x]) + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[(e*(a + b*
x))/(c + d*x)] + 12*b^2*(b*c - a*d)^2*(c + d*x)^2*(A + B*Log[(e*(a + b*x))
/(c + d*x)]) + 8*b^3*(b*c - a*d)*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c +
 d*x)]) + 6*b^4*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 24*(b*c
 - a*d)^4*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 24*B*(b*c...
```

Rubi [A] (verified)

Time = 3.04 (sec) , antiderivative size = 1213, normalized size of antiderivative = 1.34, number of steps used = 21, number of rules used = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$, Rules used = {2962, 2783, 2782, 27, 1195, 2009, 2783, 2782, 27, 1195, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$g^2i^3(bc-ad)^6\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{B\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{2b} + \frac{(a+bx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+\right.}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 2782$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{B\left(-B\int \frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx} + \frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\log\left(\frac{e(a+}{c+d}\right.}{3b}$$

$$\downarrow 27$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{B\left(-\frac{B\int \frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{30d^3} + \frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right.}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right.}}{3b}$$

$$\downarrow 1195$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{B\left(-\frac{B\int \left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2} + \frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{9d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{6bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{c+dx}{b^3(a+bx)} \right) d\frac{a+bx}{c+dx}}{30d^3} + \frac{b^2\left(B\log\right.}{5d^3\left(\right.}}{3b}$$

$$\downarrow 2009$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{\int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{2b} - \frac{B\left(\frac{b^2\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \right.$$

$$\downarrow 2783$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{-\frac{2B \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{2 \int \frac{(a+bx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{5b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^5}}{2b} - \frac{B\left(\right.}{}$$

$$\downarrow 2782$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{2B\left(-B \int \frac{(c+dx)\left(b^2 - \frac{4d(a+bx)b}{c+dx} + \frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{b^2\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right)}{5b} + \right.$$

$$\downarrow 27$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{2B\left(-\frac{B\int \frac{(c+dx)\left(b^2-\frac{4d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right)}{5b} + \right.$$

$$\left. \frac{}{2b} \right.$$

$$\downarrow 1195$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.}{} \right.$$

$$\downarrow 2009$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{2\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} - \frac{2B\left(\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} \right.}{} \right.}{5b} \right.$$

$$\left. \frac{}{2b} \right.$$

$$\downarrow 2783$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{B \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

$$\downarrow 2773$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{B \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

$$\downarrow 49$$

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

↓ 2009

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

$$\left. \right)$$

$$\downarrow 2781$$

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

↓ 2784

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

↓ 2784

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

↓ 2754

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

↓ 2838

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{B\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
,x]
```

output
```
(b*c - a*d)^6*g^2*i^3*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(6*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^6) - (B*((b^2*(A + B*Log[
(e*(a + b*x))/(c + d*x)]))/(5*d^3*(b - (d*(a + b*x))/(c + d*x))^5) - (b*(A
 + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^4
) + (A + B*Log[(e*(a + b*x))/(c + d*x)])/(3*d^3*(b - (d*(a + b*x))/(c + d*
x))^3) - (B*((3*b)/(2*(b - (d*(a + b*x))/(c + d*x))^4) - 3/(b - (d*(a + b*
x))/(c + d*x))^3 + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (
d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + 
b*x))/(c + d*x)]/b^3))/(30*d^3)))/(3*b) + (((a + b*x)^3*(A + B*Log[(e*(a + 
 b*x))/(c + d*x)])^2)/(5*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^5) - 
(2*B*((b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(4*d^3*(b - (d*(a + b*x))
/(c + d*x))^4) - (2*b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*d^3*(b - (d
*(a + b*x))/(c + d*x))^3) + (A + B*Log[(e*(a + b*x))/(c + d*x)])/(2*d^3*(b
 - (d*(a + b*x))/(c + d*x))^2) - (B*(b/(b - (d*(a + b*x))/(c + d*x))^3 - 5
/(2*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b*(b - (d*(a + b*x))/(c + d*x)))
 + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(
12*d^3)))/(5*b) + (2*(((a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)
/(4*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*(((a + b*x)^3*(A + 
 B*Log[(e*(a + b*x))/(c + d*x)]))/(3*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + 
 d*x))^3) - (B*(b^2/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*b)/(d^...
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2 (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2 (dix+ci)^3 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="fricas")
```

output
```
integral(A^2*b^2*d^3*g^2*i^3*x^5 + A^2*a^2*c^3*g^2*i^3 + (3*A^2*b^2*c*d^2
+ 2*A^2*a*b*d^3)*g^2*i^3*x^4 + (3*A^2*b^2*c^2*d + 6*A^2*a*b*c*d^2 + A^2*a^
2*d^3)*g^2*i^3*x^3 + (A^2*b^2*c^3 + 6*A^2*a*b*c^2*d + 3*A^2*a^2*c*d^2)*g^2
*i^3*x^2 + (2*A^2*a*b*c^3 + 3*A^2*a^2*c^2*d)*g^2*i^3*x + (B^2*b^2*d^3*g^2*
i^3*x^5 + B^2*a^2*c^3*g^2*i^3 + (3*B^2*b^2*c*d^2 + 2*B^2*a*b*d^3)*g^2*i^3*
x^4 + (3*B^2*b^2*c^2*d + 6*B^2*a*b*c*d^2 + B^2*a^2*d^3)*g^2*i^3*x^3 + (B^2
*b^2*c^3 + 6*B^2*a*b*c^2*d + 3*B^2*a^2*c*d^2)*g^2*i^3*x^2 + (2*B^2*a*b*c^3
 + 3*B^2*a^2*c^2*d)*g^2*i^3*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^2
*d^3*g^2*i^3*x^5 + A*B*a^2*c^3*g^2*i^3 + (3*A*B*b^2*c*d^2 + 2*A*B*a*b*d^3)
*g^2*i^3*x^4 + (3*A*B*b^2*c^2*d + 6*A*B*a*b*c*d^2 + A*B*a^2*d^3)*g^2*i^3*x
^3 + (A*B*b^2*c^3 + 6*A*B*a*b*c^2*d + 3*A*B*a^2*c*d^2)*g^2*i^3*x^2 + (2*A*
B*a*b*c^3 + 3*A*B*a^2*c^2*d)*g^2*i^3*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5196 vs. $2(869) = 1738$.

Time $= 0.20$ (sec) , antiderivative size $= 5196$, normalized size of antiderivative $= 5.72$

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="maxima")
```

output
```
1/6*A^2*b^2*d^3*g^2*i^3*x^6 + 3/5*A^2*b^2*c*d^2*g^2*i^3*x^5 + 2/5*A^2*a*b*
d^3*g^2*i^3*x^5 + 3/4*A^2*b^2*c^2*d*g^2*i^3*x^4 + 3/2*A^2*a*b*c*d^2*g^2*i^
3*x^4 + 1/4*A^2*a^2*d^3*g^2*i^3*x^4 + 1/3*A^2*b^2*c^3*g^2*i^3*x^3 + 2*A^2*
a*b*c^2*d*g^2*i^3*x^3 + A^2*a^2*c*d^2*g^2*i^3*x^3 + A^2*a*b*c^3*g^2*i^3*x^
2 + 3/2*A^2*a^2*c^2*d*g^2*i^3*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x +
c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a^2*c^3*g^2*i^3 + 2*(x^2*lo
g(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x +
c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a*b*c^3*g^2*i^3 + 1/3*(2*x^3*log(b*e*x/(
d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^
3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*b^2
*c^3*g^2*i^3 + 3*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x +
 a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*a^2*c^2*d*g^2*i^
3 + 2*(2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3
 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^
2)*x)/(b^2*d^2))*A*B*a*b*c^2*d*g^2*i^3 + 1/4*(6*x^4*log(b*e*x/(d*x + c) +
a*e/(d*x + c)) - 6*a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3
*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3
*d^3)*x)/(b^3*d^3))*A*B*b^2*c^2*d*g^2*i^3 + (2*x^3*log(b*e*x/(d*x + c) + a
*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*
d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a^2*c*d^2*g^...
```

Giac [F]

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)^2(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)^2*(d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) +
A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2
,x)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g**2*i*(12*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*
d*x**2),x)*a**6*b**2*d**7 - 72*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c +
 a*d*x + b*c*x + b*d*x**2),x)*a**5*b**3*c*d**6 + 180*int((log((a*e + b*e*x
)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**4*c**2*d**5 -
240*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),
x)*a**3*b**5*c**3*d**4 + 180*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a
*d*x + b*c*x + b*d*x**2),x)*a**2*b**6*c**4*d**3 - 72*int((log((a*e + b*e*x
)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**7*c**5*d**2 + 12*
int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b
**8*c**6*d + 12*log(a + b*x)*a**7*d**6 - 72*log(a + b*x)*a**6*b*c*d**5 - 4
*log(a + b*x)*a**6*b*d**6 + 180*log(a + b*x)*a**5*b**2*c**2*d**4 + 24*log(
a + b*x)*a**5*b**2*c*d**5 - 240*log(a + b*x)*a**4*b**3*c**3*d**3 - 60*log(
a + b*x)*a**4*b**3*c**2*d**4 + 180*log(a + b*x)*a**3*b**4*c**4*d**2 + 80*l
og(a + b*x)*a**3*b**4*c**3*d**3 - 72*log(a + b*x)*a**2*b**5*c**5*d - 60*lo
g(a + b*x)*a**2*b**5*c**4*d**2 + 12*log(a + b*x)*a*b**6*c**6 + 24*log(a +
b*x)*a*b**6*c**5*d - 4*log(a + b*x)*b**7*c**6 - 6*log((a*e + b*e*x)/(c + d
*x))**2*a**5*b**2*c*d**5 + 30*log((a*e + b*e*x)/(c + d*x))**2*a**4*b**3*c*
*2*d**4 - 60*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**4*c**3*d**3 - 30*log(
(a*e + b*e*x)/(c + d*x))**2*a**2*b**5*c**4*d**2 - 360*log((a*e + b*e*x)/(c
 + d*x))**2*a**2*b**5*c**3*d**3*x - 540*log((a*e + b*e*x)/(c + d*x))**2...
```

3.76 $\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result 966
Mathematica [A] (verified) 967
Rubi [A] (verified) 968
Maple [F] 982
Fricas [F] 982
Sympy [F(-1)] 983
Maxima [B] (verification not implemented) 983
Giac [F] 984
Mupad [F(-1)] 985
Reduce [F] 985

Optimal result

Integrand size = 40, antiderivative size = 730

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{B^2(bc-ad)^4gi^3x}{60b^3d} + \frac{B^2(bc-ad)^3gi^3(c+dx)^2}{30b^2d^2} + \frac{B^2(bc-ad)^2gi^3(c+dx)^3}{30bd^2} \\
&\quad - \frac{B^2(bc-ad)^5gi^3\log\left(\frac{a+bx}{c+dx}\right)}{12b^4d^2} - \frac{B(bc-ad)^4gi^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10b^4d} \\
&\quad - \frac{B(bc-ad)^3gi^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10b^4} \\
&\quad + \frac{3B(bc-ad)^3gi^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{20b^2d^2} \\
&\quad + \frac{B(bc-ad)^2gi^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{30bd^2} \\
&\quad - \frac{B(bc-ad)gi^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10d^2} \\
&\quad + \frac{(bc-ad)^3gi^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{20b^4} \\
&\quad + \frac{(bc-ad)^2gi^3(a+bx)^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{10b^3} \\
&\quad + \frac{3(bc-ad)gi^3(a+bx)^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{20b^2} \\
&\quad + \frac{gi^3(a+bx)^2(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b} \\
&\quad - \frac{B(bc-ad)^5gi^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{10b^4d^2} \\
&\quad - \frac{11B^2(bc-ad)^5gi^3\log(c+dx)}{60b^4d^2} - \frac{B^2(bc-ad)^5gi^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{10b^4d^2}
\end{aligned}
$$

output

```
1/60*B^2*(-a*d+b*c)^4*g*i^3*x/b^3/d+1/30*B^2*(-a*d+b*c)^3*g*i^3*(d*x+c)^2/
b^2/d^2+1/30*B^2*(-a*d+b*c)^2*g*i^3*(d*x+c)^3/b/d^2-1/12*B^2*(-a*d+b*c)^5*
g*i^3*ln((b*x+a)/(d*x+c))/b^4/d^2-1/10*B*(-a*d+b*c)^4*g*i^3*(b*x+a)*(A+B*l
n(e*(b*x+a)/(d*x+c)))/b^4/d-1/10*B*(-a*d+b*c)^3*g*i^3*(b*x+a)^2*(A+B*ln(e*
(b*x+a)/(d*x+c)))/b^4+3/20*B*(-a*d+b*c)^3*g*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a
)/(d*x+c)))/b^2/d^2+1/30*B*(-a*d+b*c)^2*g*i^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/
(d*x+c)))/b/d^2-1/10*B*(-a*d+b*c)*g*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c
)))/d^2+1/20*(-a*d+b*c)^3*g*i^3*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^
4+1/10*(-a*d+b*c)^2*g*i^3*(b*x+a)^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/
b^3+3/20*(-a*d+b*c)*g*i^3*(b*x+a)^2*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^
2/b^2+1/5*g*i^3*(b*x+a)^2*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b-1/10*B
*(-a*d+b*c)^5*g*i^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B+B*ln(e*(b*x+a)/(d*x+c)))
/b^4/d^2-11/60*B^2*(-a*d+b*c)^5*g*i^3*ln(d*x+c)/b^4/d^2-1/10*B^2*(-a*d+b*c
)^5*g*i^3*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/d^2
```

Mathematica [A] (verified)

Time = 0.76 (sec) , antiderivative size = 901, normalized size of antiderivative = 1.23

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$

$$= \frac{gi^3\left(-5(bc-ad)(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+4b(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+\frac{5B(bc-ad)^2\left(6A\right.}{}\right.}{}$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2,x]
```

output

```
(g*i^3*(-5*(b*c - a*d)*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
+ 4*b*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + (5*B*(b*c - a*d
)^2*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*(b*d*x + (b*c - a*d)*Log[
a + b*x]) - B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c
 - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/(
c + d*x)] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)]) + 2*b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*(b*c - a
*d)^3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B*(b*c - a*d)^
3*Log[c + d*x] - 3*B*(b*c - a*d)^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*
(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(
3*b^4) - (B*(b*c - a*d)*(24*A*b*d*(b*c - a*d)^3*x - 12*B*(b*c - a*d)^3*(b*
d*x + (b*c - a*d)*Log[a + b*x]) - 4*B*(b*c - a*d)^2*(2*b*d*(b*c - a*d)*x +
 b^2*(c + d*x)^2 + 2*(b*c - a*d)^2*Log[a + b*x]) - B*(b*c - a*d)*(6*b*d*(b
*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c
 - a*d)^3*Log[a + b*x]) + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[(e*(a + b*x))
/(c + d*x)] + 12*b^2*(b*c - a*d)^2*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c
 + d*x)]) + 8*b^3*(b*c - a*d)*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)]) + 6*b^4*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 24*(b*c -
a*d)^4*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 24*B*(b*c - a*d
)^4*Log[c + d*x] - 12*B*(b*c - a*d)^4*(Log[a + b*x]*(Log[a + b*x] - 2*L...
```

Rubi [A] (verified)

Time = 2.24 (sec) , antiderivative size = 959, normalized size of antiderivative = 1.31, number of steps used = 20, number of rules used = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.475$, Rules used = {2962, 2783, 2782, 27, 86, 2009, 2783, 2782, 27, 86, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2962$$

$$gi^3(bc-ad)^5\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi^3(bc-$$

$$ad)^5\left(-\frac{2B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{3\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)\right.}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right.}$$

$$\downarrow 2782$$

$$gi^3(bc-$$

$$ad)^5\left(-\frac{2B\left(-B\int-\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{12d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}+\frac{3\int\frac{(a+bx)\left(A+B\log\right.}{(c+dx)\left(b-\frac{d}{5b}\right.}$$

$$\downarrow 27$$

$$gi^3(bc-$$

$$ad)^5\left(-\frac{2B\left(\frac{B\int\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}+\frac{3\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}}{5b}$$

$$\downarrow 86$$

$$gi^3(bc-$$

$$ad)^5\left(-\frac{2B\left(\frac{B\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(\right.}{}\right.}{5b}$$

$$\downarrow 2009$$

$$ad)^5\left(\frac{3\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}-\frac{gi^3(bc-\quad 2B\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d}{c}\right.\right.}{b^3}\right.\right.}{5b}\right.$$

$$\downarrow 2783$$

$$ad)^5\left(\frac{3\left(-\frac{B\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}-\frac{gi^3(bc-\quad 2B}{}\right.$$

$$\downarrow 2782$$

$$ad)^5\left(\frac{3\left(-\frac{B\left(-B\int-\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{6d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d}{2b}\right.}{5b}\right.$$

$$\downarrow 27$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{B\left(\frac{B\int\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}-\right.}{5b}\right.$$

$$\downarrow 86$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{B\left(\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}-\right.}{5b}\right.$$

$$\downarrow 2009$$

$$gi^3(bc-ad)^5\left(\frac{3\left(\frac{\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}-\frac{B\left(-\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{\cdots}{b(\cdots}\right.}{6d^2\cdots}\right.}{2b}\right.}{5b}\right.$$

$$\Big\downarrow \ 2783$$

$$gi^3(bc-ad)^5\left(\frac{3\left(\frac{-\frac{2B\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}}{2b}-\frac{B\left(-\frac{B\log\left(\cdots\right.}{2d^2\left(b\cdots\right.}\right.}{\cdots}\right.}{\cdots}\right.$$

$$\Big\downarrow \ 2773$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\right.\right.}{} \right.}{5b} \right.$$

$$\downarrow 49$$

$$(bc-ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\right.\right.\right.}{5b}\right.\right.\right.$$

↓ 2009

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B \left(-\frac{A+B \log \left(\frac{e(a+bx)}{c+dx}\right)}{3d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log \left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log \left(b-\right.\right.}{5b} \right.$$

$$\downarrow 2781$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B \left(-\frac{A+B \log \left(\frac{e(a+bx)}{c+dx}\right)}{3d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log \left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log \left(b-\right.\right.}{5b} \right.$$

↓ 2784

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\right.\right.}{} \right.}{5b} \right.$$

$$\downarrow 2754$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\right.\right.}{} \right.}{5b} \right.$$

↓ 2838

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2B\left(-\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\right.\right.}{} \right.}{5b} \right.$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x
]
```

output

```
(b*c - a*d)^5*g*i^3*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/
(5*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*((b*(A + B*Log[(e
*(a + b*x))/(c + d*x)]))/(4*d^2*(b - (d*(a + b*x))/(c + d*x))^4) - (A + B*
Log[(e*(a + b*x))/(c + d*x)])/(3*d^2*(b - (d*(a + b*x))/(c + d*x))^3) + (B
*(-(b - (d*(a + b*x))/(c + d*x))^(-3) + 1/(2*b*(b - (d*(a + b*x))/(c + d*x
))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b
^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(12*d^2)))/(5*b) + (3*(((a + b
*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*b*(c + d*x)^2*(b - (d*(a
+ b*x))/(c + d*x))^4) - (B*((b*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(3*d^
2*(b - (d*(a + b*x))/(c + d*x))^3) - (A + B*Log[(e*(a + b*x))/(c + d*x)])/
(2*d^2*(b - (d*(a + b*x))/(c + d*x))^2) + (B*(-(b - (d*(a + b*x))/(c + d*x
))^(-2) + 1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b
^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(6*d^2)))/(2*b) + (((a + b*x)^
2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*b*(c + d*x)^2*(b - (d*(a + b*
x))/(c + d*x))^3) - (2*B*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(b/(d^2*(b - (d*
(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^2))/(2*b)))/(3
*b) + (((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*b*(c + d*x)
^2*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(((a + b*x)*(A + B*Log[(e*(a + b*
x))/(c + d*x)]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((A +...
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 86

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)^3\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$=\int (bgx+ag)(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="fricas")
```

output
```
integral(A^2*b*d^3*g*i^3*x^4 + A^2*a*c^3*g*i^3 + (3*A^2*b*c*d^2 + A^2*a*d^
3)*g*i^3*x^3 + 3*(A^2*b*c^2*d + A^2*a*c*d^2)*g*i^3*x^2 + (A^2*b*c^3 + 3*A^
2*a*c^2*d)*g*i^3*x + (B^2*b*d^3*g*i^3*x^4 + B^2*a*c^3*g*i^3 + (3*B^2*b*c*d
^2 + B^2*a*d^3)*g*i^3*x^3 + 3*(B^2*b*c^2*d + B^2*a*c*d^2)*g*i^3*x^2 + (B^2
*b*c^3 + 3*B^2*a*c^2*d)*g*i^3*x)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b
*d^3*g*i^3*x^4 + A*B*a*c^3*g*i^3 + (3*A*B*b*c*d^2 + A*B*a*d^3)*g*i^3*x^3 +
 3*(A*B*b*c^2*d + A*B*a*c*d^2)*g*i^3*x^2 + (A*B*b*c^3 + 3*A*B*a*c^2*d)*g*i
^3*x)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3218 vs. $2(697) = 1394$.

Time $= 0.18$ (sec) , antiderivative size $= 3218$, normalized size of antiderivative $= 4.41$

$$\int (ag+bgx)(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="maxima")
```

output

```
1/5*A^2*b*d^3*g*i^3*x^5 + 3/4*A^2*b*c*d^2*g*i^3*x^4 + 1/4*A^2*a*d^3*g*i^3*
x^4 + A^2*b*c^2*d*g*i^3*x^3 + A^2*a*c*d^2*g*i^3*x^3 + 1/2*A^2*b*c^3*g*i^3*
x^2 + 3/2*A^2*a*c^2*d*g*i^3*x^2 + 2*(x*log(b*e*x/(d*x + c) + a*e/(d*x + c)
) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A*B*a*c^3*g*i^3 + (x^2*log(b*e*x/
(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 -
 (b*c - a*d)*x/(b*d))*A*B*b*c^3*g*i^3 + 3*(x^2*log(b*e*x/(d*x + c) + a*e/(
d*x + c)) - a^2*log(b*x + a)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b
*d))*A*B*a*c^2*d*g*i^3 + (2*x^3*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a
^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 -
2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*b*c^2*d*g*i^3 + (2*x^3*log(b*e*x/(
d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^
3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2))*A*B*a*c
*d^2*g*i^3 + 1/4*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b
*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*
(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*b*c*
d^2*g*i^3 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*a^4*log(b
*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*
(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))*A*B*a*d^
3*g*i^3 + 1/30*(12*x^5*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 12*a^5*log(b
*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 ...
```

Giac [F]

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (bgx+ag)(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)*(d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x
)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2,
x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(g*i*(6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x*
*2),x)*a**5*b**2*d**6 - 30*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d
*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5 + 60*int((log((a*e + b*e*x)/(c
+ d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**4*c**2*d**4 - 60*in
t((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**
2*b**5*c**3*d**3 + 30*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x +
b*c*x + b*d*x**2),x)*a*b**6*c**4*d**2 - 6*int((log((a*e + b*e*x)/(c + d*x)
)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**7*c**5*d + 6*log(a + b*x)*a**6
*d**5 - 30*log(a + b*x)*a**5*b*c*d**4 - 5*log(a + b*x)*a**5*b*d**5 + 60*lo
g(a + b*x)*a**4*b**2*c**2*d**3 + 25*log(a + b*x)*a**4*b**2*c*d**4 - 60*log
(a + b*x)*a**3*b**3*c**3*d**2 - 50*log(a + b*x)*a**3*b**3*c**2*d**3 + 30*l
og(a + b*x)*a**2*b**4*c**4*d + 50*log(a + b*x)*a**2*b**4*c**3*d**2 - 6*log
(a + b*x)*a*b**5*c**5 - 25*log(a + b*x)*a*b**5*c**4*d + 5*log(a + b*x)*b**
6*c**5 - 3*log((a*e + b*e*x)/(c + d*x))**2*a**4*b**2*c*d**4 + 12*log((a*e
+ b*e*x)/(c + d*x))**2*a**3*b**3*c**2*d**3 - 18*log((a*e + b*e*x)/(c + d*x
))**2*a**2*b**4*c**3*d**2 - 3*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c**4*
d - 60*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c**3*d**2*x - 90*log((a*e +
b*e*x)/(c + d*x))**2*a*b**5*c**2*d**3*x**2 - 60*log((a*e + b*e*x)/(c + d*x
))**2*a*b**5*c*d**4*x**3 - 15*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*d**5*
x**4 - 30*log((a*e + b*e*x)/(c + d*x))**2*b**6*c**3*d**2*x**2 - 60*log(...
```

3.77 $\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$

Optimal result . . . 987
Mathematica [A] (verified) . . . 988
Rubi [A] (verified) . . . 989
Maple [F] . . . 997
Fricas [F] . . . 998
Sympy [F(-1)] . . . 998
Maxima [B] (verification not implemented) . . . 999
Giac [F] . . . 1000
Mupad [F(-1)] . . . 1000
Reduce [F] . . . 1000

Optimal result

Integrand size = 32, antiderivative size = 420

$$
\begin{aligned}
&\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx \\
&= \frac{5B^2(bc-ad)^3i^3x}{12b^3} + \frac{B^2(bc-ad)^2i^3(c+dx)^2}{12b^2d} + \frac{5B^2(bc-ad)^4i^3\log\left(\frac{a+bx}{c+dx}\right)}{12b^4d} \\
&\quad - \frac{B(bc-ad)^3i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^4} \\
&\quad - \frac{B(bc-ad)^2i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{4b^2d} \\
&\quad - \frac{B(bc-ad)i^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{6bd} \\
&\quad + \frac{i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4d} + \frac{11B^2(bc-ad)^4i^3\log(c+dx)}{12b^4d} \\
&\quad + \frac{B(bc-ad)^4i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{2b^4d} \\
&\quad - \frac{B^2(bc-ad)^4i^3\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{2b^4d}
\end{aligned}
$$

output
```
5/12*B^2*(-a*d+b*c)^3*i^3*x/b^3+1/12*B^2*(-a*d+b*c)^2*i^3*(d*x+c)^2/b^2/d+
5/12*B^2*(-a*d+b*c)^4*i^3*ln((b*x+a)/(d*x+c))/b^4/d-1/2*B*(-a*d+b*c)^3*i^3
*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4-1/4*B*(-a*d+b*c)^2*i^3*(d*x+c)^2*
(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/d-1/6*B*(-a*d+b*c)*i^3*(d*x+c)^3*(A+B*ln(e
*(b*x+a)/(d*x+c)))/b/d+1/4*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d+1
1/12*B^2*(-a*d+b*c)^4*i^3*ln(d*x+c)/b^4/d+1/2*B*(-a*d+b*c)^4*i^3*(A+B*ln(e
*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/d-1/2*B^2*(-a*d+b*c)^4*i^
3*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/d
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 389, normalized size of antiderivative = 0.93

$$\int (ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \frac{i^3\left((c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 - \frac{B(bc-ad)\left(6Abd(bc-ad)^2x-3B(bc-ad)^2(bdx+(bc-ad)\log(a+bx))-B(bc-ad)(2bd(bc-\right.\right.}{}$$

input
```
Integrate[(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(i^3*((c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - (B*(b*c - a*d)*
(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*(b*d*x + (b*c - a*d)*Log[a +
b*x]) - B*(b*c - a*d)*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c - a*
d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/(c +
d*x)] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
 + 2*b^3*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 6*(b*c - a*d)^
3*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 6*B*(b*c - a*d)^3*Lo
g[c + d*x] - 3*B*(b*c - a*d)^3*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c +
 d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(3*b^
4)))/(4*d)
```

Rubi [A] (verified)

Time = 1.39 (sec) , antiderivative size = 515, normalized size of antiderivative = 1.23, number of steps used = 16, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.469$, Rules used = {2952, 2756, 2789, 2756, 54, 2009, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2 dx$$

$$\downarrow 2952$$

$$i^3(bc-ad)^4 \int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}$$

$$\downarrow 2756$$

$$i^3(bc-ad)^4 \left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{B\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2d}\right)$$

$$\downarrow 2789$$

$$ad)^4 \left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{B\left(\frac{d\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b}\right)}{2d}\right) i^3(bc-$$

$$\downarrow 2756$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d}{b}\right)}{2d}\right)i^3(bc-$$

$$\downarrow 54$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{B\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^3(a+bx)}\right)}{3d}\right)}{b}\right)}{2d}\right)i^3(bc-$$

$$\downarrow 2009$$

$$
\begin{aligned}
&ad)^4 \left(\frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{i^3(bc- \right. \\
&\qquad \left. B\left(\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b} + \frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right.}{b^3} \right.}{b} \right.}{2d} \right.
\end{aligned}
$$

$$\downarrow 2789$$

$$
\begin{aligned}
&ad)^4 \left(\frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{i^3(bc- \right. \\
&\qquad \left. B\left(\frac{d\int \frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2} d\frac{a+bx}{c+dx}}{b} + \frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} \right.}{b} \right.}{2d} \right.
\end{aligned}
$$

$$\downarrow 2756$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-\qquad B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+b}{c+d}}{b}\right.\right.\right.$$

$$\downarrow 54$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-\qquad B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)}{(a+\right.\right.\right.$$

$$\downarrow 2009$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-}{B\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}\right.}{2d}\right.}{b}\right.}{b}\right.$$

$$\downarrow 2789$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-}{B\left(\frac{\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\right.}{b}\right.}{b}\right.$$

$$\downarrow 2751$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{i^3(bc-}{\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}}{b}\right.$$

$$\downarrow 16$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{i^3(bc-}{\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}+}{b}\right.$$

$$\downarrow 2779$$

$$i^3(bc-$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{\frac{\frac{B\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b}}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e}{\cdots}\right.\right.}{b(c+dx)\left(b-\cdots\right.}\right.}{\cdots}\right.}{\cdots}\right.$$

$$\Big\downarrow \; 2838$$

$$i^3(bc-$$

$$ad)^4\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{\frac{B\operatorname{PolyLog}\left(2,\frac{b(\cdots}{d(\cdots}\right.}{b}}{\cdots}\right.}{\cdots}\right.$$

input
```
Int[(c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2,x]
```

output
```
(b*c - a*d)^4*i^3*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(4*d*(b - (d*(a
+ b*x))/(c + d*x))^4) - (B*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])/(3*d*
(b - (d*(a + b*x))/(c + d*x))^3) - (B*(1/(2*b*(b - (d*(a + b*x))/(c + d*x)
)^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^
3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(3*d)))/b + ((d*((A + B*Log[(e*
(a + b*x))/(c + d*x)])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(1/(b*(b
 - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(
a + b*x))/(c + d*x)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a +
b*x))/(c + d*x)]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b
- (d*(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c +
d*x)])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*
x))/(d*(a + b*x))])/b)/b)/b)/b))/(2*d))
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
 - Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2952
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [F]

$$\int (dix + ci)^3 \left(A + B \ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2 dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2,x)
```

Fricas [F]

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix+ci)^3 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="fricas")
```

output
```
integral(A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2*c^3*i^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log((b*e*x + a*e)/(d*x + c)), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1789 vs. $2(399) = 798$.

Time = 0.14 (sec) , antiderivative size = 1789, normalized size of antiderivative = 4.26

$$\int (ci + dix)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="maxim
a")
```

output

```
1/4*A^2*d^3*i^3*x^4 + A^2*c*d^2*i^3*x^3 + 3/2*A^2*c^2*d*i^3*x^2 + 2*(x*log
(b*e*x/(d*x + c) + a*e/(d*x + c)) + a*log(b*x + a)/b - c*log(d*x + c)/d)*A
*B*c^3*i^3 + 3*(x^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - a^2*log(b*x + a
)/b^2 + c^2*log(d*x + c)/d^2 - (b*c - a*d)*x/(b*d))*A*B*c^2*d*i^3 + (2*x^3
*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 2*a^3*log(b*x + a)/b^3 - 2*c^3*log
(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d
^2))*A*B*c*d^2*i^3 + 1/12*(6*x^4*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 6*
a^4*log(b*x + a)/b^4 + 6*c^4*log(d*x + c)/d^4 - (2*(b^3*c*d^2 - a*b^2*d^3)
*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3))
*A*B*d^3*i^3 + A^2*c^3*i^3*x - 1/12*(26*a*b^2*c^3*d*i^3 - 21*a^2*b*c^2*d^2
*i^3 + 6*a^3*c*d^3*i^3 + (6*i^3*log(e) - 11*i^3)*b^3*c^4)*B^2*log(d*x + c)
/(b^3*d) - 1/2*(b^4*c^4*i^3 - 4*a*b^3*c^3*d*i^3 + 6*a^2*b^2*c^2*d^2*i^3 -
4*a^3*b*c*d^3*i^3 + a^4*d^4*i^3)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*
d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^4*d) + 1/12*(3*B^2*b^4
*d^4*i^3*x^4*log(e)^2 + 2*(a*b^3*d^4*i^3*log(e) + (6*i^3*log(e)^2 - i^3*lo
g(e))*b^4*c*d^3)*B^2*x^3 + ((18*i^3*log(e)^2 - 9*i^3*log(e) + i^3)*b^4*c^2
*d^2 + 2*(6*i^3*log(e) - i^3)*a*b^3*c*d^3 - (3*i^3*log(e) - i^3)*a^2*b^2*d
^4)*B^2*x^2 + ((12*i^3*log(e)^2 - 18*i^3*log(e) + 7*i^3)*b^4*c^3*d + (36*i
^3*log(e) - 19*i^3)*a*b^3*c^2*d^2 - (24*i^3*log(e) - 17*i^3)*a^2*b^2*c*d^3
 + (6*i^3*log(e) - 5*i^3)*a^3*b*d^4)*B^2*x + 3*(B^2*b^4*d^4*i^3*x^4 + 4...
```

Giac [F]

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (dix+ci)^3 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x, algorithm="giac"
)
```

output
```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx$$
$$= \int (c\,i+d\,i\,x)^3 \left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2,x)
```

output
```
int((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2, x)
```

Reduce [F]

$$\int (ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2,x)
```

output

```
(i*(6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2
),x)*a**4*b**2*d**5 - 24*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x
 + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4 + 36*int((log((a*e + b*e*x)/(c +
d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**4*c**2*d**3 - 24*int(
(log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**
5*c**3*d**2 + 6*int((log((a*e + b*e*x)/(c + d*x))*x)/(a*c + a*d*x + b*c*x
+ b*d*x**2),x)*b**6*c**4*d + 6*log(c + d*x)*a**5*d**4 - 24*log(c + d*x)*a*
*4*b*c*d**3 - 11*log(c + d*x)*a**4*b*d**4 + 36*log(c + d*x)*a**3*b**2*c**2
*d**2 + 44*log(c + d*x)*a**3*b**2*c*d**3 - 24*log(c + d*x)*a**2*b**3*c**3*
d - 66*log(c + d*x)*a**2*b**3*c**2*d**2 + 6*log(c + d*x)*a*b**4*c**4 + 44*
log(c + d*x)*a*b**4*c**3*d - 11*log(c + d*x)*b**5*c**4 - 3*log((a*e + b*e*
x)/(c + d*x))**2*a**3*b**2*c*d**3 + 9*log((a*e + b*e*x)/(c + d*x))**2*a**2
*b**3*c**2*d**2 - 9*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c**3*d - 12*log
((a*e + b*e*x)/(c + d*x))**2*b**5*c**3*d*x - 18*log((a*e + b*e*x)/(c + d*x
))**2*b**5*c**2*d**2*x**2 - 12*log((a*e + b*e*x)/(c + d*x))**2*b**5*c*d**3
*x**3 - 3*log((a*e + b*e*x)/(c + d*x))**2*b**5*d**4*x**4 + 6*log((a*e + b*
e*x)/(c + d*x))*a**5*d**4 - 24*log((a*e + b*e*x)/(c + d*x))*a**4*b*c*d**3
- 11*log((a*e + b*e*x)/(c + d*x))*a**4*b*d**4 + 36*log((a*e + b*e*x)/(c +
d*x))*a**3*b**2*c**2*d**2 + 38*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*c*d*
*3 - 6*log((a*e + b*e*x)/(c + d*x))*a**3*b**2*d**4*x - 24*log((a*e + b*...
```

3.78 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$

Optimal result 1003
Mathematica [B] (verified) 1004
Rubi [A] (verified) 1004
Maple [F] 1021
Fricas [F] 1022
Sympy [F] 1022
Maxima [F] 1023
Giac [F] 1024
Mupad [F(-1)] 1025
Reduce [F] 1025

Optimal result

Integrand size = 42, antiderivative size = 712

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx \\
&= \frac{B^2d(bc-ad)^2i^3x}{3b^3g} + \frac{B^2(bc-ad)^3i^3\log\left(\frac{a+bx}{c+dx}\right)}{3b^4g} \\
&\quad - \frac{5Bd(bc-ad)^2i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^4g} \\
&\quad - \frac{B(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3b^2g} \\
&\quad + \frac{2B(bc-ad)^3i^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g} \\
&\quad + \frac{d(bc-ad)^2i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^4g} \\
&\quad + \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2b^2g} \\
&\quad + \frac{i^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3bg} + \frac{2B^2(bc-ad)^3i^3\log(c+dx)}{b^4g} \\
&\quad + \frac{5B(bc-ad)^3i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3b^4g} \\
&\quad - \frac{(bc-ad)^3i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{2B^2(bc-ad)^3i^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g} - \frac{5B^2(bc-ad)^3i^3\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3b^4g} \\
&\quad + \frac{2B(bc-ad)^3i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{2B^2(bc-ad)^3i^3\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g}
\end{aligned}
$$

output
```
1/3*B^2*d*(-a*d+b*c)^2*i^3*x/b^3/g+1/3*B^2*(-a*d+b*c)^3*i^3*ln((b*x+a)/(d*
x+c))/b^4/g-5/3*B*d*(-a*d+b*c)^2*i^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b
^4/g-1/3*B*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^2/g+2*B*
(-a*d+b*c)^3*i^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/
g+d*(-a*d+b*c)^2*i^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^4/g+1/2*(-a*d
+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^2/g+1/3*i^3*(d*x+c)^3*
(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b/g+2*B^2*(-a*d+b*c)^3*i^3*ln(d*x+c)/b^4/g+5
/3*B*(-a*d+b*c)^3*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a)
)/b^4/g-(-a*d+b*c)^3*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1-b*(d*x+c)/d/(b
*x+a))/b^4/g+2*B^2*(-a*d+b*c)^3*i^3*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/g-5
/3*B^2*(-a*d+b*c)^3*i^3*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g+2*B*(-a*d+b*c
)^3*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g+2
*B^2*(-a*d+b*c)^3*i^3*polylog(3,b*(d*x+c)/d/(b*x+a))/b^4/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5044 vs. $2(712) = 1424$.

Time = 6.87 (sec) , antiderivative size = 5044, normalized size of antiderivative = 7.08

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \text{Result too large to show}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + 
b*g*x),x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time = 3.15 (sec) , antiderivative size = 857, normalized size of antiderivative = 1.20, number of steps used = 17, number of rules used = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {2962, 2789, 2756, 2789, 2756, 54, 2009, 2789, 2751, 16, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)^3\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{3d}\right)}{b}+\frac{d\int\frac{\left(A+B\log\left(\frac{e}{}\right.\right.}{\left(b-\frac{d(a+}{c+}\right.}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a}{c}}{b}\right)}{3d}\right)}{b}\right)}{g}$$

↓ 54



↓ 2009

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx}{c+dx}\right.}{b^2}\right.}{2d}\right.}{b}\right.}{3d}\right.}{b}\right.}{g}$$

$\downarrow$ 2789

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{d\int\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(\frac{e(a+bx)}{c+dx}\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.}{3d}\right.}{b}\right.$$

↓ 2751

$$i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{B\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{3d}\right)}{b}\right)$$

↓ 16

$$i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{3d}\right)}{b}$$

↓ 2755

$$\frac{i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{B\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{3d}\right)}{b}$$

↓ 2754

$$(bc-ad)^3 i^3 \left(\frac{d \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\left(\frac{d\left(\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)} \right)}{2d} \right)}{b} + \frac{d\left(\frac{(a+bx)\left(A+\right.}{b(c+dx)} \right.}{3d} \right.}{b} \right.$$

↓ 2779

$$(bc-ad)^3 i^3 \left(d \left(d \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\left(d\left(\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)} \right)}{2d} \right) \right)}{b} + \frac{d\left(\frac{(a+bx)\left(A+\right.}{b(c+dx)} \right.}{b} \right.$$

↓ 2821

$$\frac{\left(d\left(d\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2B\left(d\left(\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{d\left(\frac{(a+bx)\left(A+\right.\right.\right.\right.}{b(c+dx)}\right.\right.\right.\right.}{b}\right)}{(bc-ad)^3i^3}$$

↓ 2838

$$(bc-ad)^3 i^3 \left(d \left(d \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2B\left(d\left(\frac{A+B\log\left(\frac{e(a+bx)}{c+dx}\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{B\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)} \right)}{2d} \right) \right)}{b} + \frac{d\left(\frac{(a+bx)\left(A+\right.}{b(c+dx)} \right.}{b} \right.$$

↓ 7143



input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
,x]
```

output

```
((b*c - a*d)^3*i^3*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(3*d*(b - (
d*(a + b*x))/(c + d*x))^3) - (2*B*((d*((A + B*Log[(e*(a + b*x))/(c + d*x)]
)/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*(1/(b*(b - (d*(a + b*x))/(c +
 d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/
b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(b
*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*(a + b*x))/(c +
d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c
+ d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b
)/b)/b))/(3*d)))/b + ((d*((A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(2*d*(b -
 (d*(a + b*x))/(c + d*x))^2) - (B*((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))
/(c + d*x)]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*Log[b - (d*
(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[(e*(a + b*x))/(c + d*x)]
)*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*PolyLog[2, (b*(c + d*x))/(
d*(a + b*x))])/b)/b))/d))/b + ((d*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c
+ d*x)])^2)/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (2*B*(-(((A + B*
Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (
B*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d))/b))/b + (-(((A + B*Log[(e*(
a + b*x))/(c + d*x)])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*((
A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))
] + B*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b)/b)/b)/b))/g
```

Defintions of rubi rules used

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

rule 7143
```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*d^
2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log((b*e*x + a*e)/(d*x + c)))
/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i^3\left(\int \frac{A^2c^3}{a+bx}\,dx + \int \frac{A^2d^3x^3}{a+bx}\,dx + \int \frac{B^2c^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a+bx}\,dx + \int \frac{2ABc^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{a+bx}\,dx + \int \frac{3A^2cd^2x^2}{a+bx}\,dx + \int \frac{3A}{a}\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g),x)
```

output

```
i**3*(Integral(A**2*c**3/(a + b*x), x) + Integral(A**2*d**3*x**3/(a + b*x)
, x) + Integral(B**2*c**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a + b*x
), x) + Integral(2*A*B*c**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x)
, x) + Integral(3*A**2*c*d**2*x**2/(a + b*x), x) + Integral(3*A**2*c**2*d*
x/(a + b*x), x) + Integral(B**2*d**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d
*x))**2/(a + b*x), x) + Integral(2*A*B*d**3*x**3*log(a*e/(c + d*x) + b*e*x
/(c + d*x))/(a + b*x), x) + Integral(3*B**2*c*d**2*x**2*log(a*e/(c + d*x)
+ b*e*x/(c + d*x))**2/(a + b*x), x) + Integral(3*B**2*c**2*d*x*log(a*e/(c
+ d*x) + b*e*x/(c + d*x))**2/(a + b*x), x) + Integral(6*A*B*c*d**2*x**2*lo
g(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x) + Integral(6*A*B*c**2*d*x
*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a + b*x), x))/g
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="maxima")
```

output

```
3*A^2*c^2*d*i^3*(x/(b*g) - a*log(b*x + a)/(b^2*g)) - 1/6*A^2*d^3*i^3*(6*a^
3*log(b*x + a)/(b^4*g) - (2*b^2*x^3 - 3*a*b*x^2 + 6*a^2*x)/(b^3*g)) + 3/2*
A^2*c*d^2*i^3*(2*a^2*log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A^2
*c^3*i^3*log(b*g*x + a*g)/(b*g) + 1/6*(2*B^2*b^3*d^3*i^3*x^3 + 3*(3*b^3*c*
d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 6*(3*b^3*c^2*d*i^3 - 3*a*b^2*c*d^2*i^3
+ a^2*b*d^3*i^3)*B^2*x + 6*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c*d^
2*i^3 - a^3*d^3*i^3)*B^2*log(b*x + a))*log(d*x + c)^2/(b^4*g) - integrate(
-1/3*(3*B^2*b^4*c^4*i^3*log(e)^2 + 6*A*B*b^4*c^4*i^3*log(e) + 3*(B^2*b^4*d
^4*i^3*log(e)^2 + 2*A*B*b^4*d^4*i^3*log(e))*x^4 + 12*(B^2*b^4*c*d^3*i^3*lo
g(e)^2 + 2*A*B*b^4*c*d^3*i^3*log(e))*x^3 + 18*(B^2*b^4*c^2*d^2*i^3*log(e)^
2 + 2*A*B*b^4*c^2*d^2*i^3*log(e))*x^2 + 3*(B^2*b^4*d^4*i^3*x^4 + 4*B^2*b^4
*c*d^3*i^3*x^3 + 6*B^2*b^4*c^2*d^2*i^3*x^2 + 4*B^2*b^4*c^3*d*i^3*x + B^2*b
^4*c^4*i^3)*log(b*x + a)^2 + 12*(B^2*b^4*c^3*d*i^3*log(e)^2 + 2*A*B*b^4*c^
3*d*i^3*log(e))*x + 6*(B^2*b^4*c^4*i^3*log(e) + A*B*b^4*c^4*i^3 + (B^2*b^4
*d^4*i^3*log(e) + A*B*b^4*d^4*i^3)*x^4 + 4*(B^2*b^4*c*d^3*i^3*log(e) + A*B
*b^4*c*d^3*i^3)*x^3 + 6*(B^2*b^4*c^2*d^2*i^3*log(e) + A*B*b^4*c^2*d^2*i^3)
*x^2 + 4*(B^2*b^4*c^3*d*i^3*log(e) + A*B*b^4*c^3*d*i^3)*x)*log(b*x + a) -
(6*B^2*b^4*c^4*i^3*log(e) + 6*A*B*b^4*c^4*i^3 + 2*(3*A*B*b^4*d^4*i^3 + (3*
i^3*log(e) + i^3)*B^2*b^4*d^4)*x^4 + (24*A*B*b^4*c*d^3*i^3 - (a*b^3*d^4*i^
3 - 3*(8*i^3*log(e) + 3*i^3)*b^4*c*d^3)*B^2)*x^3 + 3*(12*A*B*b^4*c^2*d^...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x, algo
rithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i\left(-6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{bx+a}dx\right)b^6c^3 - 12\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{bx+a}dx\right)a\,b^5c^3 - 6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^3}{bx+a}dx\right)b^6d^3 - 18\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^2}{bx+a}dx\right)b^6c\,d^2 - 18\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x}{bx+a}dx\right)b^6c^2d - 12\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^3}{bx+a}dx\right)a\,b^5d^3 - 36\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^2}{bx+a}dx\right)a\,b^5c\,d^2 - 36\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x}{bx+a}dx\right)a\,b^5c^2d + 6\log(a+bx)a^5d^3 - 18\log(a+bx)a^4bcd^2 + 18\log(a+bx)a^3b^2c^2d - 6\log(a+bx)a^2b^3c^3 - 6a^4bd^3x + 18a^3b^2cd^2x + 3a^3b^2d^3x^2 - 18a^2b^3c^2dx - 9a^2b^3cd^2x^2 - 2a^2b^3d^3x^3\right)}{6b^4g}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g),x)
```

output
```
(i*( - 6*int(log((a*e + b*e*x)/(c + d*x))**2/(a + b*x),x)*b**6*c**3 - 12*i
nt(log((a*e + b*e*x)/(c + d*x))/(a + b*x),x)*a*b**5*c**3 - 6*int((log((a*e
 + b*e*x)/(c + d*x))**2*x**3)/(a + b*x),x)*b**6*d**3 - 18*int((log((a*e +
b*e*x)/(c + d*x))**2*x**2)/(a + b*x),x)*b**6*c*d**2 - 18*int((log((a*e + b
*e*x)/(c + d*x))**2*x)/(a + b*x),x)*b**6*c**2*d - 12*int((log((a*e + b*e*x
)/(c + d*x))*x**3)/(a + b*x),x)*a*b**5*d**3 - 36*int((log((a*e + b*e*x)/(c
 + d*x))*x**2)/(a + b*x),x)*a*b**5*c*d**2 - 36*int((log((a*e + b*e*x)/(c +
 d*x))*x)/(a + b*x),x)*a*b**5*c**2*d + 6*log(a + b*x)*a**5*d**3 - 18*log(a
 + b*x)*a**4*b*c*d**2 + 18*log(a + b*x)*a**3*b**2*c**2*d - 6*log(a + b*x)*
a**2*b**3*c**3 - 6*a**4*b*d**3*x + 18*a**3*b**2*c*d**2*x + 3*a**3*b**2*d**
3*x**2 - 18*a**2*b**3*c**2*d*x - 9*a**2*b**3*c*d**2*x**2 - 2*a**2*b**3*d**
3*x**3))/(6*b**4*g)
```

3.79 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result 1027
Mathematica [B] (verified) 1028
Rubi [A] (verified) 1028
Maple [F] 1030
Fricas [F] 1031
Sympy [F(-1)] 1031
Maxima [F] 1031
Giac [F] 1032
Mupad [F(-1)] 1033
Reduce [F] 1033

Optimal result

Integrand size = 42, antiderivative size = 692

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2(bc-ad)^2i^3(c+dx)}{b^3g^2(a+bx)} - \frac{Bd^2(bc-ad)i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g^2} \\
&\quad - \frac{2B(bc-ad)^2i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^2(a+bx)} \\
&\quad + \frac{4Bd(bc-ad)^2i^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g^2} \\
&\quad + \frac{2d^2(bc-ad)i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^4g^2} \\
&\quad - \frac{(bc-ad)^2i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3g^2(a+bx)} \\
&\quad + \frac{di^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2b^2g^2} + \frac{B^2d(bc-ad)^2i^3\log(c+dx)}{b^4g^2} \\
&\quad + \frac{Bd(bc-ad)^2i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad - \frac{3d(bc-ad)^2i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{4B^2d(bc-ad)^2i^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g^2} - \frac{B^2d(bc-ad)^2i^3\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{6Bd(bc-ad)^2i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{6B^2d(bc-ad)^2i^3\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2}
\end{aligned}
$$

output

```
-2*B^2*(-a*d+b*c)^2*i^3*(d*x+c)/b^3/g^2/(b*x+a)-B*d^2*(-a*d+b*c)*i^3*(b*x+
a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g^2-2*B*(-a*d+b*c)^2*i^3*(d*x+c)*(A+B*l
n(e*(b*x+a)/(d*x+c)))/b^3/g^2/(b*x+a)+4*B*d*(-a*d+b*c)^2*i^3*ln((-a*d+b*c)
/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g^2+2*d^2*(-a*d+b*c)*i^3*(b*x+
a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/b^4/g^2-(-a*d+b*c)^2*i^3*(d*x+c)*(A+B*ln(
e*(b*x+a)/(d*x+c)))^2/b^3/g^2/(b*x+a)+1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a
)/(d*x+c)))^2/b^2/g^2+B^2*d*(-a*d+b*c)^2*i^3*ln(d*x+c)/b^4/g^2+B*d*(-a*d+b
*c)^2*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^2-3*
d*(-a*d+b*c)^2*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1-b*(d*x+c)/d/(b*x+a))
/b^4/g^2+4*B^2*d*(-a*d+b*c)^2*i^3*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/g^2-B
^2*d*(-a*d+b*c)^2*i^3*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^2+6*B*d*(-a*d+b
*c)^2*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g
^2+6*B^2*d*(-a*d+b*c)^2*i^3*polylog(3,b*(d*x+c)/d/(b*x+a))/b^4/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5266 vs. $2(692) = 1384$.

Time = 7.58 (sec) , antiderivative size = 5266, normalized size of antiderivative = 7.61

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^2,x]
```

output

```
Result too large to show
```

Rubi [A] (verified)

Time = 0.97 (sec) , antiderivative size = 577, normalized size of antiderivative = 0.83, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)^2\int \frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2795$$

$$\frac{i^3(bc-ad)^2\int\left(\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3(a+bx)^2}+\frac{3d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d^2\left(A+B\log\left(\frac{e(a}{b^2\left(b-\frac{d(a+b}{c+dx}\right.\right.\right.

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(bgx+ag)^2}dx$$

input

```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output

```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*d^
2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log((b*e*x + a*e)/(d*x + c)))
/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="maxima")
```

output

```
-3*A^2*(a^2/(b^4*g^2*x + a*b^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*
g^2))*c*d^2*i^3 + 1/2*(2*a^3/(b^5*g^2*x + a*b^4*g^2) + 6*a^2*log(b*x + a)/
(b^4*g^2) + (b*x^2 - 4*a*x)/(b^3*g^2))*A^2*d^3*i^3 + 3*A^2*c^2*d*i^3*(a/(b
^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - 2*A*B*c^3*i^3*(log(b*e*x
/(d*x + c) + a*e/(d*x + c))/(b^2*g^2*x + a*b*g^2) + 1/(b^2*g^2*x + a*b*g^2
) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2) - d*log(d*x + c)/((b^2*c - a*b*d)
*g^2)) - A^2*c^3*i^3/(b^2*g^2*x + a*b*g^2) + 1/2*(B^2*b^3*d^3*i^3*x^3 + 3*
(2*b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 2*(3*a*b^2*c*d^2*i^3 - 2*a^2*b
*d^3*i^3)*B^2*x - 2*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c*d^2*i^3 -
 a^3*d^3*i^3)*B^2 + 6*((b^3*c^2*d*i^3 - 2*a*b^2*c*d^2*i^3 + a^2*b*d^3*i^3)
*B^2*x + (a*b^2*c^2*d*i^3 - 2*a^2*b*c*d^2*i^3 + a^3*d^3*i^3)*B^2)*log(b*x
+ a))*log(d*x + c)^2/(b^5*g^2*x + a*b^4*g^2) - integrate(-(B^2*b^4*c^4*i^3
*log(e)^2 + (B^2*b^4*d^4*i^3*log(e)^2 + 2*A*B*b^4*d^4*i^3*log(e))*x^4 + 4*
(B^2*b^4*c*d^3*i^3*log(e)^2 + 2*A*B*b^4*c*d^3*i^3*log(e))*x^3 + 6*(B^2*b^4
*c^2*d^2*i^3*log(e)^2 + 2*A*B*b^4*c^2*d^2*i^3*log(e))*x^2 + (B^2*b^4*d^4*i
^3*x^4 + 4*B^2*b^4*c*d^3*i^3*x^3 + 6*B^2*b^4*c^2*d^2*i^3*x^2 + 4*B^2*b^4*c
^3*d*i^3*x + B^2*b^4*c^4*i^3)*log(b*x + a)^2 + 2*(2*B^2*b^4*c^3*d*i^3*log(
e)^2 + 3*A*B*b^4*c^3*d*i^3*log(e))*x + 2*(B^2*b^4*c^4*i^3*log(e) + (B^2*b^
4*d^4*i^3*log(e) + A*B*b^4*d^4*i^3)*x^4 + 4*(B^2*b^4*c*d^3*i^3*log(e) + A*
B*b^4*c*d^3*i^3)*x^3 + 6*(B^2*b^4*c^2*d^2*i^3*log(e) + A*B*b^4*c^2*d^2*...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x, al
gorithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^2,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2,x)
```

output

```
(i*( - 2*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**2 + 2*a*b*x + b**2
*x**2),x)*a**3*b**6*d**4 + 2*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a
**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c*d**3 - 2*int((log((a*e + b*e*x)/
(c + d*x))**2*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*d**4*x + 2*i
nt((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*
a*b**8*c*d**3*x - 6*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2*a
*b*x + b**2*x**2),x)*a**3*b**6*c*d**3 + 6*int((log((a*e + b*e*x)/(c + d*x)
)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c**2*d**2 - 6*int((lo
g((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b
**7*c*d**3*x + 6*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**2 + 2*a*b*
x + b**2*x**2),x)*a*b**8*c**2*d**2*x - 6*int((log((a*e + b*e*x)/(c + d*x))
**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**6*c**2*d**2 + 6*int((log((a
*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c**
3*d - 6*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a**2 + 2*a*b*x + b**2*x**
2),x)*a**2*b**7*c**2*d**2*x + 6*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(a
**2 + 2*a*b*x + b**2*x**2),x)*a*b**8*c**3*d*x - 4*int((log((a*e + b*e*x)/(
c + d*x))*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**4*b**5*d**4 + 4*int((lo
g((a*e + b*e*x)/(c + d*x))*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**6
*c*d**3 - 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(a**2 + 2*a*b*x + b**2
*x**2),x)*a**3*b**6*d**4*x + 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/...
```

3.80 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result 1036
Mathematica [B] (verified) 1037
Rubi [A] (verified) 1037
Maple [F] 1039
Fricas [F] 1040
Sympy [F] 1040
Maxima [F] 1041
Giac [F] 1042
Mupad [F(-1)] 1043
Reduce [F] 1043

Optimal result

Integrand size = 42, antiderivative size = 604

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx \\
&= -\frac{4B^2d(bc-ad)i^3(c+dx)}{b^3g^3(a+bx)} - \frac{B^2(bc-ad)i^3(c+dx)^2}{4b^2g^3(a+bx)^2} \\
&\quad - \frac{4Bd(bc-ad)i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^3g^3(a+bx)} \\
&\quad - \frac{B(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2b^2g^3(a+bx)^2} \\
&\quad + \frac{2Bd^2(bc-ad)i^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{b^4g^3} \\
&\quad + \frac{d^3i^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^4g^3} \\
&\quad - \frac{2d(bc-ad)i^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^3g^3(a+bx)} \\
&\quad - \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2b^2g^3(a+bx)^2} \\
&\quad - \frac{3d^2(bc-ad)i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{2B^2d^2(bc-ad)i^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g^3} \\
&\quad + \frac{6Bd^2(bc-ad)i^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{6B^2d^2(bc-ad)i^3\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3}
\end{aligned}
$$

output
```
-4*B^2*d*(-a*d+b*c)*i^3*(d*x+c)/b^3/g^3/(b*x+a)-1/4*B^2*(-a*d+b*c)*i^3*(d*
x+c)^2/b^2/g^3/(b*x+a)^2-4*B*d*(-a*d+b*c)*i^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d
*x+c)))/b^3/g^3/(b*x+a)-1/2*B*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(
d*x+c)))/b^2/g^3/(b*x+a)^2+2*B*d^2*(-a*d+b*c)*i^3*ln((-a*d+b*c)/b/(d*x+c))
*(A+B*ln(e*(b*x+a)/(d*x+c)))/b^4/g^3+d^3*i^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*
x+c)))^2/b^4/g^3-2*d*(-a*d+b*c)*i^3*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/
b^3/g^3/(b*x+a)-1/2*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2
/b^2/g^3/(b*x+a)^2-3*d^2*(-a*d+b*c)*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2*ln(1
-b*(d*x+c)/d/(b*x+a))/b^4/g^3+2*B^2*d^2*(-a*d+b*c)*i^3*polylog(2,d*(b*x+a)
/b/(d*x+c))/b^4/g^3+6*B*d^2*(-a*d+b*c)*i^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*pol
ylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^3+6*B^2*d^2*(-a*d+b*c)*i^3*polylog(3,b*(
d*x+c)/d/(b*x+a))/b^4/g^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5989 vs. $2(604) = 1208$.

Time $= 7.63$ (sec) , antiderivative size $= 5989$, normalized size of antiderivative $= 9.92$

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Result too large to show}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + 
b*g*x)^3,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time $= 0.82$ (sec) , antiderivative size $= 486$, normalized size of antiderivative $= 0.80$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used $= \{2962, 2795, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3(bc-ad)\int \frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2795$$

$$\frac{i^3(bc-ad)\int \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d^3}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d}{b^3(a+bx)^2}+\frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b^2(a+}\right.}{g^3}$$

$$\downarrow 2009$$

$$i^3(bc-ad)\left(\frac{d^3(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{6Bd^2\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{b^4}+\frac{2Bd^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+}{c+}\right.\right.$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^3,x]
```

output

```
((b*c - a*d)*i^3*((-4*B^2*d*(c + d*x))/(b^3*(a + b*x)) - (B^2*(c + d*x)^2)
/(4*b^2*(a + b*x)^2) - (4*B*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
]))/(b^3*(a + b*x)) - (B*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))
/(2*b^2*(a + b*x)^2) - (2*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^2)/(b^3*(a + b*x)) - ((c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)
/(2*b^2*(a + b*x)^2) + (d^3*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^2)/(b^4*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (2*B*d^2*(A + B*Log[(e
*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/b^4 - (3*d^2
*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x)
)])/b^4 + (2*B^2*d^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/b^4 + (6*B*d
^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (b*(c + d*x))/(d*(a + b
*x))])/b^4 + (6*B^2*d^2*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))])/b^4))/g^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(bgx+ag)^3}dx$$

input

```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

output

```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*d^
2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log((b*e*x + a*e)/(d*x + c)))
/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx$$
$$= \frac{i^3\left(\int \frac{A^2c^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{A^2d^3x^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{B^2c^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2ABc^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+d}\right.}{a^3+3a^2bx+3ab^2x^2+b^3}\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3,x)
```

output

```
i**3*(Integral(A**2*c**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x) + Integral(A**2*d**3*x**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**
3), x) + Integral(B**2*c**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(a**3
+ 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*c**3*log(a*
e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x
**3), x) + Integral(3*A**2*c*d**2*x**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2
+ b**3*x**3), x) + Integral(3*A**2*c**2*d*x/(a**3 + 3*a**2*b*x + 3*a*b**2*
x**2 + b**3*x**3), x) + Integral(B**2*d**3*x**3*log(a*e/(c + d*x) + b*e*x/
(c + d*x))**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integr
al(2*A*B*d**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x
 + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*B**2*c*d**2*x**2*log(a*e/(c
 + d*x) + b*e*x/(c + d*x))**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x*
*3), x) + Integral(3*B**2*c**2*d*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2
/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(6*A*B*c*d*
*2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2
*x**2 + b**3*x**3), x) + Integral(6*A*B*c**2*d*x*log(a*e/(c + d*x) + b*e*x
/(c + d*x))/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x))/g**3
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="maxima")
```

output

```
-3/2*A*B*c^2*d*i^3*(2*(2*b*x + a)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^
4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) + (3*a*b*c - a^2*d + 2*(2*b^2*c -
 a*b*d)*x)/((b^5*c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a
^2*b^3*c - a^3*b^2*d)*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 -
2*a*b^3*c*d + a^2*b^2*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c
^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3)) - 1/2*A^2*d^3*i^3*((6*a^2*b*x + 5*a^
3)/(b^6*g^3*x^2 + 2*a*b^5*g^3*x + a^2*b^4*g^3) - 2*x/(b^3*g^3) + 6*a*log(b
*x + a)/(b^4*g^3)) + 3/2*A^2*c*d^2*i^3*((4*a*b*x + 3*a^2)/(b^5*g^3*x^2 + 2
*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^3*g^3)) + 1/2*A*B*c^3*i^3*
((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2
*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x
+ c))/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) + 2*d^2*log(b*x + a)/((b^3
*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c)/((b^3*c^2 - 2*a*
b^2*c*d + a^2*b*d^2)*g^3)) - 3/2*(2*b*x + a)*A^2*c^2*d*i^3/(b^4*g^3*x^2 +
2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*A^2*c^3*i^3/(b^3*g^3*x^2 + 2*a*b^2*g^3*
x + a^2*b*g^3) + 1/2*(2*B^2*b^3*d^3*i^3*x^3 + 4*B^2*a*b^2*d^3*i^3*x^2 - 2*
(3*b^3*c^2*d*i^3 - 6*a*b^2*c*d^2*i^3 + 2*a^2*b*d^3*i^3)*B^2*x - (b^3*c^3*i
^3 + 3*a*b^2*c^2*d*i^3 - 9*a^2*b*c*d^2*i^3 + 5*a^3*d^3*i^3)*B^2 + 6*((b^3*
c*d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 2*(a*b^2*c*d^2*i^3 - a^2*b*d^3*i^3)*B
^2*x + (a^2*b*c*d^2*i^3 - a^3*d^3*i^3)*B^2)*log(b*x + a))*log(d*x + c)^...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x, al
gorithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(b*g*x + a*
g)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^3,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3,x)
```

output

```
(i*( - 4*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b*x + 3
*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*d**5 + 8*int((log((a*e + b*e*x)/(c
+ d*x))**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b
**7*c*d**4 - 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b
*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*d**5*x - 4*int((log((a*e + b*
e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x
)*a**3*b**8*c**2*d**3 + 16*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**
3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**8*c*d**4*x - 4*int(
(log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2
+ b**3*x**3),x)*a**3*b**8*d**5*x**2 - 8*int((log((a*e + b*e*x)/(c + d*x))*
*2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**9*c**2
*d**3*x + 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**9*c*d**4*x**2 - 4*int((log((a*e +
b*e*x)/(c + d*x))**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3)
,x)*a*b**10*c**2*d**3*x**2 - 12*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)
/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c*d**4 + 24*
int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x
**2 + b**3*x**3),x)*a**4*b**7*c**2*d**3 - 24*int((log((a*e + b*e*x)/(c + d
*x))**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7
*c*d**4*x - 12*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(a**3 + 3*a**...
```

3.81 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx$

Optimal result 1045
Mathematica [C] (verified) 1046
Rubi [A] (verified) 1047
Maple [B] (verified) 1048
Fricas [B] (verification not implemented) 1050
Sympy [F(-1)] 1050
Maxima [B] (verification not implemented) 1051
Giac [A] (verification not implemented) 1052
Mupad [B] (verification not implemented) 1052
Reduce [B] (verification not implemented) 1053

Optimal result

Integrand size = 42, antiderivative size = 147

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = -\frac{B^2i^3(c+dx)^4}{32(bc-ad)g^5(a+bx)^4} - \frac{Bi^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{8(bc-ad)g^5(a+bx)^4} - \frac{i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4(bc-ad)g^5(a+bx)^4}$$

output

```
-1/32*B^2*i^3*(d*x+c)^4/(-a*d+b*c)/g^5/(b*x+a)^4-1/8*B*i^3*(d*x+c)^4*(A+B*
ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)/g^5/(b*x+a)^4-1/4*i^3*(d*x+c)^4*(A+B*ln(
e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)/g^5/(b*x+a)^4
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.30 (sec) , antiderivative size = 2401, normalized size of antiderivative = 16.33

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^5,x]
```

output

```
-1/4*((b*c - a*d)^3*i^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(b^4*g^5*(
a + b*x)^4) - (d*(b*c - a*d)^2*i^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)
/(b^4*g^5*(a + b*x)^3) - (3*d^2*(b*c - a*d)*i^3*(A + B*Log[(e*(a + b*x))/(
c + d*x)])^2)/(2*b^4*g^5*(a + b*x)^2) - (d^3*i^3*(A + B*Log[(e*(a + b*x))/
(c + d*x)])^2)/(b^4*g^5*(a + b*x)) + (B*(b*c - a*d)^4*i^3*(-1/4*A/((b*c -
a*d)*(a + b*x)^4) - B/(16*(b*c - a*d)*(a + b*x)^4) + (A*d)/(3*(b*c - a*d)^
2*(a + b*x)^3) + (7*B*d)/(36*(b*c - a*d)^2*(a + b*x)^3) - (A*d^2)/(2*(b*c
- a*d)^3*(a + b*x)^2) - (13*B*d^2)/(24*(b*c - a*d)^3*(a + b*x)^2) + (A*d^3
)/((b*c - a*d)^4*(a + b*x)) + (25*B*d^3)/(12*(b*c - a*d)^4*(a + b*x)) + (A
*d^4*Log[a + b*x])/(b*c - a*d)^5 + (25*B*d^4*Log[a + b*x])/(12*(b*c - a*d)
^5) - (B*d^4*Log[a + b*x]^2)/(2*(b*c - a*d)^5) - (B*Log[(e*(a + b*x))/(c +
 d*x)])/(4*(b*c - a*d)*(a + b*x)^4) + (B*d*Log[(e*(a + b*x))/(c + d*x)])/(
3*(b*c - a*d)^2*(a + b*x)^3) - (B*d^2*Log[(e*(a + b*x))/(c + d*x)])/(2*(b*
c - a*d)^3*(a + b*x)^2) + (B*d^3*Log[(e*(a + b*x))/(c + d*x)])/((b*c - a*d
)^4*(a + b*x)) + (B*d^4*Log[a + b*x]*Log[(e*(a + b*x))/(c + d*x)])/(b*c -
a*d)^5 - (A*d^4*Log[c + d*x])/(b*c - a*d)^5 - (25*B*d^4*Log[c + d*x])/(12*
(b*c - a*d)^5) + (B*d^4*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/(b
*c - a*d)^5 - (B*d^4*Log[(e*(a + b*x))/(c + d*x)]*Log[c + d*x])/(b*c - a*d
)^5 - (B*d^4*Log[c + d*x]^2)/(2*(b*c - a*d)^5) + (B*d^4*Log[a + b*x]*Log[(
b*(c + d*x))/(b*c - a*d)])/(b*c - a*d)^5 + (B*d^4*PolyLog[2, -((d*(a + ...
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 119, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^5}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3\int \frac{(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^5}\,d\frac{a+bx}{c+dx}}{g^5(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{i^3\left(\frac{1}{2}B\int \frac{(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(a+bx)^5}\,d\frac{a+bx}{c+dx}-\frac{(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}\right)}{g^5(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^3\left(\frac{1}{2}B\left(-\frac{(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{4(a+bx)^4}-\frac{B(c+dx)^4}{16(a+bx)^4}\right)-\frac{(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}\right)}{g^5(bc-ad)}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^5,x]
```

output

```
(i^3*(-1/4*((c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x)^
4 + (B*(-1/16*(B*(c + d*x)^4)/(a + b*x)^4 - ((c + d*x)^4*(A + B*Log[(e*(a
+ b*x))/(c + d*x)]))/(4*(a + b*x)^4)))/2))/((b*c - a*d)*g^5)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 366 vs. $2(141) = 282$.

Time = 2.36 (sec) , antiderivative size = 367, normalized size of antiderivative = 2.50

method	result
derivativedivides	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A^2}{4(da-bc)^2g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{2i^3d^2e^3AB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{1}{16\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}\right)}{(da-bc)^2g^5}+\frac{i^3d^2e^3B^2\left(-\right.}{}\right.}{d^2}$
default	$-\frac{e(da-bc)\left(-\frac{i^3d^2e^3A^2}{4(da-bc)^2g^5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}+\frac{2i^3d^2e^3AB\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\frac{1}{16\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}\right)}{(da-bc)^2g^5}+\frac{i^3d^2e^3B^2\left(-\right.}{}\right.}{d^2}$
parts	$\frac{i^3A^2\left(\frac{3d^2(da-bc)}{2b^4(bx+a)^2}-\frac{-a^3d^3+3a^2bcd^2-3ab^2c^2d+b^3c^3}{4b^4(bx+a)^4}-\frac{d^3}{b^4(bx+a)}-\frac{d\left(a^2d^2-2acdb+c^2b^2\right)}{b^4(bx+a)^3}\right)}{g^5}-\frac{i^3B^2e^4\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c}\right.\right.}{4\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c}\right.\right.}$
risch	$\frac{3i^3A^2d^3a}{2g^5b^4(bx+a)^2}-\frac{3i^3A^2d^2c}{2g^5b^3(bx+a)^2}+\frac{i^3A^2a^3d^3}{4g^5b^4(bx+a)^4}-\frac{3i^3A^2a^2cd^2}{4g^5b^3(bx+a)^4}+\frac{3i^3A^2ac^2d}{4g^5b^2(bx+a)^4}-\frac{i^3A^2c^3}{4g^5b(bx+a)^4}-\frac{i^3A}{g^5b^4(}$
norman	$\frac{B^2cd^3i^3x^3\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{(da-bc)g}+\frac{B^2c^3di^3x\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{g(da-bc)}+\frac{\left(8i^3A^2c^3+4i^3c^3BA+i^3c^3B^2\right)x}{8ga}+\frac{3\left(8A^2ac^2di^3+8A^2bc^3i^3+4ABac^2\right.}{}$
parallelrisch	$\frac{8A^2x^4a^6cd^4i^3-8A^2x^4a^2b^4c^5i^3+B^2x^4a^6cd^4i^3-B^2x^4a^2b^4c^5i^3+32A^2x^3a^6c^2d^3i^3-32A^2x^3a^3b^3c^5i^3+4B^2x^3a^6c^2d^3i^3}{}$
orering	Expression too large to display

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x,method=_RE
TURNVERBOSE)
```

output
```
-1/d^2*e*(a*d-b*c)*(-1/4*i^3*d^2*e^3/(a*d-b*c)^2/g^5*A^2/(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^4+2*i^3*d^2*e^3/(a*d-b*c)^2/g^5*A*B*(-1/4/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*
x+c))^4)+i^3*d^2*e^3/(a*d-b*c)^2/g^5*B^2*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c
))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/8/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4
*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/32/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 559 vs. $2(141) = 282$.

Time = 0.10 (sec) , antiderivative size = 559, normalized size of antiderivative = 3.80

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx =$$

$$-\frac{4\left((8A^2+4AB+B^2)b^4cd^3-(8A^2+4AB+B^2)ab^3d^4\right)i^3x^3+6\left((8A^2+4AB+B^2)b^4c^2d^2-(8A^2\right.}{}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="fricas")
```

output
```
-1/32*(4*((8*A^2 + 4*A*B + B^2)*b^4*c*d^3 - (8*A^2 + 4*A*B + B^2)*a*b^3*d^
4)*i^3*x^3 + 6*((8*A^2 + 4*A*B + B^2)*b^4*c^2*d^2 - (8*A^2 + 4*A*B + B^2)*
a^2*b^2*d^4)*i^3*x^2 + 4*((8*A^2 + 4*A*B + B^2)*b^4*c^3*d - (8*A^2 + 4*A*B
 + B^2)*a^3*b*d^4)*i^3*x + ((8*A^2 + 4*A*B + B^2)*b^4*c^4 - (8*A^2 + 4*A*B
 + B^2)*a^4*d^4)*i^3 + 8*(B^2*b^4*d^4*i^3*x^4 + 4*B^2*b^4*c*d^3*i^3*x^3 +
6*B^2*b^4*c^2*d^2*i^3*x^2 + 4*B^2*b^4*c^3*d*i^3*x + B^2*b^4*c^4*i^3)*log((
b*e*x + a*e)/(d*x + c))^2 + 4*((4*A*B + B^2)*b^4*d^4*i^3*x^4 + 4*(4*A*B +
B^2)*b^4*c*d^3*i^3*x^3 + 6*(4*A*B + B^2)*b^4*c^2*d^2*i^3*x^2 + 4*(4*A*B +
B^2)*b^4*c^3*d*i^3*x + (4*A*B + B^2)*b^4*c^4*i^3)*log((b*e*x + a*e)/(d*x +
 c)))/((b^9*c - a*b^8*d)*g^5*x^4 + 4*(a*b^8*c - a^2*b^7*d)*g^5*x^3 + 6*(a^
2*b^7*c - a^3*b^6*d)*g^5*x^2 + 4*(a^3*b^6*c - a^4*b^5*d)*g^5*x + (a^4*b^5*
c - a^5*b^4*d)*g^5)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**5,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 11688 vs. $2(141) = 282$.

Time = 0.84 (sec) , antiderivative size = 11688, normalized size of antiderivative = 79.51

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="maxima")
```

output

```
-1/4*(4*b*x + a)*B^2*c^2*d*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^6
*g^5*x^4 + 4*a*b^5*g^5*x^3 + 6*a^2*b^4*g^5*x^2 + 4*a^3*b^3*g^5*x + a^4*b^2
*g^5) - 1/4*(6*b^2*x^2 + 4*a*b*x + a^2)*B^2*c*d^2*i^3*log(b*e*x/(d*x + c)
+ a*e/(d*x + c))^2/(b^7*g^5*x^4 + 4*a*b^6*g^5*x^3 + 6*a^2*b^5*g^5*x^2 + 4*
a^3*b^4*g^5*x + a^4*b^3*g^5) - 1/4*(4*b^3*x^3 + 6*a*b^2*x^2 + 4*a^2*b*x +
a^3)*B^2*d^3*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^8*g^5*x^4 + 4*a
*b^7*g^5*x^3 + 6*a^2*b^6*g^5*x^2 + 4*a^3*b^5*g^5*x + a^4*b^4*g^5) + 1/288*
(12*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*b*c*d^2 + 25*a^
3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*a*b^2*c*d^2 + 1
3*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2 - a^3*b^5*d^3)
*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2 - a^4*b^4*d^3)
*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d^2 - a^5*b^3*d^
3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c*d^2 - a^6*b^2*
d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d^2 - a^7*b*d^3)
*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2
- 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/((b^5*c^4 - 4*a*
b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5))*log(b*e
*x/(d*x + c) + a*e/(d*x + c)) - (9*b^4*c^4 - 64*a*b^3*c^3*d + 216*a^2*b^2*
c^2*d^2 - 576*a^3*b*c*d^3 + 415*a^4*d^4 - 300*(b^4*c*d^3 - a*b^3*d^4)*x^3
+ 6*(13*b^4*c^2*d^2 - 176*a*b^3*c*d^3 + 163*a^2*b^2*d^4)*x^2 + 72*(b^4*...
```

Giac [A] (verification not implemented)

Time = 0.45 (sec) , antiderivative size = 218, normalized size of antiderivative = 1.48

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx =$$
$$-\frac{1}{32}\left(\frac{8\,(dx+c)^4B^2e^5i^3\log\left(\frac{bex+ae}{dx+c}\right)^2}{(bex+ae)^4g^5}+\frac{4\,(4\,ABe^5i^3+B^2e^5i^3)(dx+c)^4\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^4g^5}+\frac{(8\,A^2e^5i^3+4\,A\right.$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x, al
gorithm="giac")
```

output
```
-1/32*(8*(d*x + c)^4*B^2*e^5*i^3*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x +
a*e)^4*g^5) + 4*(4*A*B*e^5*i^3 + B^2*e^5*i^3)*(d*x + c)^4*log((b*e*x + a*e
)/(d*x + c))/((b*e*x + a*e)^4*g^5) + (8*A^2*e^5*i^3 + 4*A*B*e^5*i^3 + B^2*
e^5*i^3)*(d*x + c)^4/((b*e*x + a*e)^4*g^5))*(b*c/((b*c*e - a*d*e)*(b*c - a
*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 31.53 (sec) , antiderivative size = 1565, normalized size of antiderivative = 10.65

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^5,x)
```

output

```
-(24*A^2*a^4*d^4*i^3 - 24*A^2*b^4*c^4*i^3 + 3*B^2*a^4*d^4*i^3 - 3*B^2*b^4*
c^4*i^3 + 12*A*B*a^4*d^4*i^3 - 12*A*B*b^4*c^4*i^3 - 24*B^2*b^4*c^4*i^3*log
((e*(a + b*x))/(c + d*x))^2 + B^2*a^4*d^4*i^3*atan((a*d*1i + b*c*1i + b*d*
x*2i)/(a*d - b*c))*24i + 12*B^2*a^4*d^4*i^3*log((e*(a + b*x))/(c + d*x)) -
 12*B^2*b^4*c^4*i^3*log((e*(a + b*x))/(c + d*x)) - 24*B^2*b^4*d^4*i^3*x^4*
log((e*(a + b*x))/(c + d*x))^2 + 96*A^2*a^3*b*d^4*i^3*x + 12*B^2*a^3*b*d^4
*i^3*x - 96*A^2*b^4*c^3*d*i^3*x - 12*B^2*b^4*c^3*d*i^3*x + B^2*b^4*d^4*i^3
*x^4*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*24i + A*B*a^4*d^4*i^3*
atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*96i + 96*A^2*a*b^3*d^4*i^3*
x^3 + 12*B^2*a*b^3*d^4*i^3*x^3 - 96*A^2*b^4*c*d^3*i^3*x^3 - 12*B^2*b^4*c*d
^3*i^3*x^3 + 48*A*B*a^4*d^4*i^3*log((e*(a + b*x))/(c + d*x)) - 48*A*B*b^4*
c^4*i^3*log((e*(a + b*x))/(c + d*x)) + 144*A^2*a^2*b^2*d^4*i^3*x^2 + 18*B^
2*a^2*b^2*d^4*i^3*x^2 - 144*A^2*b^4*c^2*d^2*i^3*x^2 - 18*B^2*b^4*c^2*d^2*i
^3*x^2 + 48*A*B*a^3*b*d^4*i^3*x - 48*A*B*b^4*c^3*d*i^3*x + 48*B^2*a*b^3*d^
4*i^3*x^3*log((e*(a + b*x))/(c + d*x)) - 96*B^2*b^4*c^3*d*i^3*x*log((e*(a
+ b*x))/(c + d*x))^2 - 48*B^2*b^4*c*d^3*i^3*x^3*log((e*(a + b*x))/(c + d*x
)) + A*B*b^4*d^4*i^3*x^4*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*96
i + B^2*a^3*b*d^4*i^3*x*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*96i
 + 48*A*B*a*b^3*d^4*i^3*x^3 - 48*A*B*b^4*c*d^3*i^3*x^3 + 72*B^2*a^2*b^2*d^
4*i^3*x^2*log((e*(a + b*x))/(c + d*x)) - 72*B^2*b^4*c^2*d^2*i^3*x^2*log...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 1432, normalized size of antiderivative = 9.74

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^5,x)
```

output

```
(i*( - 16*log(a + b*x)*a**5*b*c*d**3 - 64*log(a + b*x)*a**4*b**2*c*d**3*x
- 4*log(a + b*x)*a**4*b**2*c*d**3 - 96*log(a + b*x)*a**3*b**3*c*d**3*x**2
- 16*log(a + b*x)*a**3*b**3*c*d**3*x - 64*log(a + b*x)*a**2*b**4*c*d**3*x*
*3 - 24*log(a + b*x)*a**2*b**4*c*d**3*x**2 - 16*log(a + b*x)*a*b**5*c*d**3
*x**4 - 16*log(a + b*x)*a*b**5*c*d**3*x**3 - 4*log(a + b*x)*b**6*c*d**3*x*
*4 + 16*log(c + d*x)*a**5*b*c*d**3 + 64*log(c + d*x)*a**4*b**2*c*d**3*x +
4*log(c + d*x)*a**4*b**2*c*d**3 + 96*log(c + d*x)*a**3*b**3*c*d**3*x**2 +
16*log(c + d*x)*a**3*b**3*c*d**3*x + 64*log(c + d*x)*a**2*b**4*c*d**3*x**3
 + 24*log(c + d*x)*a**2*b**4*c*d**3*x**2 + 16*log(c + d*x)*a*b**5*c*d**3*x
**4 + 16*log(c + d*x)*a*b**5*c*d**3*x**3 + 4*log(c + d*x)*b**6*c*d**3*x**4
 - 8*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c**4 - 32*log((a*e + b*e*x)/(c
 + d*x))**2*a*b**5*c**3*d*x - 48*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c*
*2*d**2*x**2 - 32*log((a*e + b*e*x)/(c + d*x))**2*a*b**5*c*d**3*x**3 - 8*l
og((a*e + b*e*x)/(c + d*x))**2*a*b**5*d**4*x**4 + 16*log((a*e + b*e*x)/(c
+ d*x))*a**5*b*c*d**3 + 64*log((a*e + b*e*x)/(c + d*x))*a**4*b**2*c*d**3*x
 + 4*log((a*e + b*e*x)/(c + d*x))*a**4*b**2*c*d**3 + 96*log((a*e + b*e*x)/
(c + d*x))*a**3*b**3*c*d**3*x**2 + 16*log((a*e + b*e*x)/(c + d*x))*a**3*b*
*3*c*d**3*x - 16*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c**4 - 64*log((a*e
 + b*e*x)/(c + d*x))*a**2*b**4*c**3*d*x - 96*log((a*e + b*e*x)/(c + d*x))*
a**2*b**4*c**2*d**2*x**2 + 24*log((a*e + b*e*x)/(c + d*x))*a**2*b**4*c*...
```

3.82 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx$

Optimal result 1055
Mathematica [C] (verified) 1056
Rubi [A] (verified) 1057
Maple [B] (verified) 1059
Fricas [B] (verification not implemented) 1060
Sympy [F(-1)] 1061
Maxima [B] (verification not implemented) 1062
Giac [A] (verification not implemented) 1063
Mupad [B] (verification not implemented) 1063
Reduce [B] (verification not implemented) 1064

Optimal result

Integrand size = 42, antiderivative size = 299

$$\begin{aligned}\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx &= \frac{B^2di^3(c+dx)^4}{32(bc-ad)^2g^6(a+bx)^4}\\ &\quad-\frac{2bB^2i^3(c+dx)^5}{125(bc-ad)^2g^6(a+bx)^5}\\ &\quad+\frac{Bdi^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{8(bc-ad)^2g^6(a+bx)^4}\\ &\quad-\frac{2bBi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{25(bc-ad)^2g^6(a+bx)^5}\\ &\quad+\frac{di^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4(bc-ad)^2g^6(a+bx)^4}\\ &\quad-\frac{bi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5(bc-ad)^2g^6(a+bx)^5}\end{aligned}$$

output

```
1/32*B^2*d*i^3*(d*x+c)^4/(-a*d+b*c)^2/g^6/(b*x+a)^4-2/125*b*B^2*i^3*(d*x+c
)^5/(-a*d+b*c)^2/g^6/(b*x+a)^5+1/8*B*d*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*
x+c)))/(-a*d+b*c)^2/g^6/(b*x+a)^4-2/25*b*B*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)
/(d*x+c)))/(-a*d+b*c)^2/g^6/(b*x+a)^5+1/4*d*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a
)/(d*x+c)))^2/(-a*d+b*c)^2/g^6/(b*x+a)^4-1/5*b*i^3*(d*x+c)^5*(A+B*ln(e*(b*
x+a)/(d*x+c)))^2/(-a*d+b*c)^2/g^6/(b*x+a)^5
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 5.02 (sec) , antiderivative size = 2456, normalized size of antiderivative = 8.21

$$\int \frac{(ci+dix)^3 \left(A+B \log \left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^6,x]
```

output

```
-1/36000*(i^3*(7200*(b*c - a*d)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 +
 27000*d*(b*c - a*d)^4*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 -
36000*d^2*(-(b*c) + a*d)^3*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]
)^2 + 18000*d^3*(b*c - a*d)^2*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2 + 2000*B*d^2*(a + b*x)^2*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3 -
18*A*d*(b*c - a*d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*(a + b*x) + 36*A*d^2
*(b*c - a*d)*(a + b*x)^2 + 66*B*d^2*(b*c - a*d)*(a + b*x)^2 + 36*A*d^3*(a
+ b*x)^3*Log[a + b*x] + 66*B*d^3*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*(a +
b*x)^3*Log[a + b*x]^2 + 12*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)] -
18*B*d*(b*c - a*d)^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^2*(b*
c - a*d)*(a + b*x)^2*Log[(e*(a + b*x))/(c + d*x)] + 36*B*d^3*(a + b*x)^3*L
og[a + b*x]*Log[(e*(a + b*x))/(c + d*x)] - 36*A*d^3*(a + b*x)^3*Log[c + d*
x] - 66*B*d^3*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*(a + b*x)^3*Log[(d*(a +
b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[(e*(a + b*x)
)/(c + d*x)]*Log[c + d*x] - 18*B*d^3*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3
*(a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*(a + b
*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*(a + b*x)^3*Poly
Log[2, (b*(c + d*x))/(b*c - a*d)]) + 375*B*d*(a + b*x)*(36*A*(b*c - a*d)^4
 + 9*B*(b*c - a*d)^4 + 48*A*d*(-(b*c) + a*d)^3*(a + b*x) + 28*B*d*(-(b*c)
+ a*d)^3*(a + b*x) + 72*A*d^2*(b*c - a*d)^2*(a + b*x)^2 + 78*B*d^2*(b*c...
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 220, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^6}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3 \int \frac{(c+dx)^6 \left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^6} d\frac{a+bx}{c+dx}}{g^6(bc-ad)^2}$$

$$\downarrow 2795$$

$$\frac{i^3\int\left(\frac{b(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^6}-\frac{d(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^5}\right)d\frac{a+bx}{c+dx}}{g^6(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^3\left(-\frac{b(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{5(a+bx)^5}-\frac{2bB(c+dx)^5\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{25(a+bx)^5}+\frac{d(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}+\frac{Bd(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{8(a+bx)^4}\right.}{g^6(bc-ad)^2}$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^6,x]
```

output
```
(i^3*((B^2*d*(c + d*x)^4)/(32*(a + b*x)^4) - (2*b*B^2*(c + d*x)^5)/(125*(a
 + b*x)^5) + (B*d*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(8*(a
+ b*x)^4) - (2*b*B*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(25*(
a + b*x)^5) + (d*(c + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*(a
 + b*x)^4) - (b*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(5*(a
+ b*x)^5)))/((b*c - a*d)^2*g^6)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 721 vs. 2(287) = 574.

Time = 2.50 (sec) , antiderivative size = 722, normalized size of antiderivative = 2.41

method	result
derivativedivides	$-\dfrac{e(da-bc)\left(\dfrac{i^3d^2e^4A^2b}{5(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\dfrac{i^3d^3e^3A^2}{4(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\dfrac{2i^3d^2e^4ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{25\left(\frac{be}{d}\right.\right.}{(da-bc)^3g^6}$
default	$-\dfrac{e(da-bc)\left(\dfrac{i^3d^2e^4A^2b}{5(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\dfrac{i^3d^3e^3A^2}{4(da-bc)^3g^6\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^4}-\dfrac{2i^3d^2e^4ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{5\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^5}-\frac{25\left(\frac{be}{d}\right.\right.}{(da-bc)^3g^6}$
parts	$\dfrac{i^3A^2\left(-\frac{-a^3d^3+3a^2bcd^2-3ab^2c^2d+b^3c^3}{5b^4(bx+a)^5}-\frac{d^3}{2b^4(bx+a)^2}-\frac{3d\left(a^2d^2-2acdb+c^2b^2\right)}{4b^4(bx+a)^4}+\frac{d^2(da-bc)}{b^4(bx+a)^3}\right)}{g^6}-\dfrac{i^3B^2(da-bc)^4e^4\left(\frac{d^6}{}\right.}{}$
norman	Expression too large to display
orering	Expression too large to display
parallelrisch	Expression too large to display
risch	Expression too large to display

input

```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x,method=_RE
TURNVERBOSE)
```

output

```
-1/d^2*e*(a*d-b*c)*(1/5*i^3*d^2*e^4/(a*d-b*c)^3/g^6*A^2*b/(b*e/d+(a*d-b*c)
*e/d/(d*x+c))^5-1/4*i^3*d^3*e^3/(a*d-b*c)^3/g^6*A^2/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^4-2*i^3*d^2*e^4/(a*d-b*c)^3/g^6*A*B*b*(-1/5/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b*c)*e/d/(d*x+c
))^5)+2*i^3*d^3*e^3/(a*d-b*c)^3/g^6*A*B*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4)-
i^3*d^2*e^4/(a*d-b*c)^3/g^6*B^2*b*(-1/5/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5*ln
(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/25/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-2/125/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5)+i^3*d^3*
e^3/(a*d-b*c)^3/g^6*B^2*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*
d-b*c)*e/d/(d*x+c))^2-1/8/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*
c)*e/d/(d*x+c))-1/32/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1045 vs. $2(287) = 574$.

Time = 0.10 (sec) , antiderivative size = 1045, normalized size of antiderivative = 3.49

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="fricas")
```

output

```
1/4000*(20*((20*A*B + 9*B^2)*b^5*c*d^4 - (20*A*B + 9*B^2)*a*b^4*d^5)*i^3*x
^4 - 10*((200*A^2 + 20*A*B - 11*B^2)*b^5*c^2*d^3 - 50*(8*A^2 + 4*A*B + B^2
)*a*b^4*c*d^4 + (200*A^2 + 180*A*B + 61*B^2)*a^2*b^3*d^5)*i^3*x^3 - 10*(2*
(200*A^2 + 60*A*B + 7*B^2)*b^5*c^3*d^2 - 75*(8*A^2 + 4*A*B + B^2)*a*b^4*c^
2*d^3 + (200*A^2 + 180*A*B + 61*B^2)*a^3*b^2*d^5)*i^3*x^2 - 5*((600*A^2 +
220*A*B + 39*B^2)*b^5*c^4*d - 100*(8*A^2 + 4*A*B + B^2)*a*b^4*c^3*d^2 + (2
00*A^2 + 180*A*B + 61*B^2)*a^4*b*d^5)*i^3*x - (32*(25*A^2 + 10*A*B + 2*B^2
)*b^5*c^5 - 125*(8*A^2 + 4*A*B + B^2)*a*b^4*c^4*d + (200*A^2 + 180*A*B + 6
1*B^2)*a^5*d^5)*i^3 + 200*(B^2*b^5*d^5*i^3*x^5 + 5*B^2*a*b^4*d^5*i^3*x^4 -
 10*(B^2*b^5*c^2*d^3 - 2*B^2*a*b^4*c*d^4)*i^3*x^3 - 10*(2*B^2*b^5*c^3*d^2
- 3*B^2*a*b^4*c^2*d^3)*i^3*x^2 - 5*(3*B^2*b^5*c^4*d - 4*B^2*a*b^4*c^3*d^2)
*i^3*x - (4*B^2*b^5*c^5 - 5*B^2*a*b^4*c^4*d)*i^3)*log((b*e*x + a*e)/(d*x +
 c))^2 + 20*((20*A*B + 9*B^2)*b^5*d^5*i^3*x^5 + 5*(4*B^2*b^5*c*d^4 + 5*(4*
A*B + B^2)*a*b^4*d^5)*i^3*x^4 - 10*((20*A*B + B^2)*b^5*c^2*d^3 - 10*(4*A*B
 + B^2)*a*b^4*c*d^4)*i^3*x^3 - 10*(2*(20*A*B + 3*B^2)*b^5*c^3*d^2 - 15*(4*
A*B + B^2)*a*b^4*c^2*d^3)*i^3*x^2 - 5*((60*A*B + 11*B^2)*b^5*c^4*d - 20*(4
*A*B + B^2)*a*b^4*c^3*d^2)*i^3*x - (16*(5*A*B + B^2)*b^5*c^5 - 25*(4*A*B +
 B^2)*a*b^4*c^4*d)*i^3)*log((b*e*x + a*e)/(d*x + c)))/((b^11*c^2 - 2*a*b^1
0*c*d + a^2*b^9*d^2)*g^6*x^5 + 5*(a*b^10*c^2 - 2*a^2*b^9*c*d + a^3*b^8*d^2
)*g^6*x^4 + 10*(a^2*b^9*c^2 - 2*a^3*b^8*c*d + a^4*b^7*d^2)*g^6*x^3 + 10...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**6,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 15765 vs. $2(287) = 574$.

Time = 1.26 (sec) , antiderivative size = 15765, normalized size of antiderivative = 52.73

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="maxima")
```

output
```
-3/20*(5*b*x + a)*B^2*c^2*d*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^
7*g^6*x^5 + 5*a*b^6*g^6*x^4 + 10*a^2*b^5*g^6*x^3 + 10*a^3*b^4*g^6*x^2 + 5*
a^4*b^3*g^6*x + a^5*b^2*g^6) - 1/10*(10*b^2*x^2 + 5*a*b*x + a^2)*B^2*c*d^2
*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^8*g^6*x^5 + 5*a*b^7*g^6*x^4
 + 10*a^2*b^6*g^6*x^3 + 10*a^3*b^5*g^6*x^2 + 5*a^4*b^4*g^6*x + a^5*b^3*g^6
) - 1/20*(10*b^3*x^3 + 10*a*b^2*x^2 + 5*a^2*b*x + a^3)*B^2*d^3*i^3*log(b*e
*x/(d*x + c) + a*e/(d*x + c))^2/(b^9*g^6*x^5 + 5*a*b^8*g^6*x^4 + 10*a^2*b^
7*g^6*x^3 + 10*a^3*b^6*g^6*x^2 + 5*a^4*b^5*g^6*x + a^5*b^4*g^6) - 1/9000*(
60*((60*b^4*d^4*x^4 + 12*b^4*c^4 - 63*a*b^3*c^3*d + 137*a^2*b^2*c^2*d^2 -
163*a^3*b*c*d^3 + 137*a^4*d^4 - 30*(b^4*c*d^3 - 9*a*b^3*d^4)*x^3 + 10*(2*b
^4*c^2*d^2 - 13*a*b^3*c*d^3 + 47*a^2*b^2*d^4)*x^2 - 5*(3*b^4*c^3*d - 17*a*
b^3*c^2*d^2 + 43*a^2*b^2*c*d^3 - 77*a^3*b*d^4)*x)/((b^10*c^4 - 4*a*b^9*c^3
*d + 6*a^2*b^8*c^2*d^2 - 4*a^3*b^7*c*d^3 + a^4*b^6*d^4)*g^6*x^5 + 5*(a*b^9
*c^4 - 4*a^2*b^8*c^3*d + 6*a^3*b^7*c^2*d^2 - 4*a^4*b^6*c*d^3 + a^5*b^5*d^4
)*g^6*x^4 + 10*(a^2*b^8*c^4 - 4*a^3*b^7*c^3*d + 6*a^4*b^6*c^2*d^2 - 4*a^5*
b^5*c*d^3 + a^6*b^4*d^4)*g^6*x^3 + 10*(a^3*b^7*c^4 - 4*a^4*b^6*c^3*d + 6*a
^5*b^5*c^2*d^2 - 4*a^6*b^4*c*d^3 + a^7*b^3*d^4)*g^6*x^2 + 5*(a^4*b^6*c^4 -
 4*a^5*b^5*c^3*d + 6*a^6*b^4*c^2*d^2 - 4*a^7*b^3*c*d^3 + a^8*b^2*d^4)*g^6*
x + (a^5*b^5*c^4 - 4*a^6*b^4*c^3*d + 6*a^7*b^3*c^2*d^2 - 4*a^8*b^2*c*d^3 +
 a^9*b*d^4)*g^6) + 60*d^5*log(b*x + a)/((b^6*c^5 - 5*a*b^5*c^4*d + 10*a...
```

Giac [A] (verification not implemented)

Time = 0.43 (sec) , antiderivative size = 479, normalized size of antiderivative = 1.60

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx =$$

$$-\frac{1}{4000}\left(\frac{200\left(4\,B^2be^6i^3-\frac{5\,(bex+ae)B^2de^5i^3}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2}{\frac{(bex+ae)^5bcg^6}{(dx+c)^5}-\frac{(bex+ae)^5adg^6}{(dx+c)^5}}+\frac{20\left(80\,ABbe^6i^3+16\,B^2be^6i^3-\frac{100\,(bex+ae)A}{dx+c}\right.}{\frac{(bex+ae)^5bcg^6}{(dx+c)^5}-\frac{(b}{}}\right.$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x, al
gorithm="giac")
```

output
```
-1/4000*(200*(4*B^2*b*e^6*i^3 - 5*(b*e*x + a*e)*B^2*d*e^5*i^3/(d*x + c))*l
og((b*e*x + a*e)/(d*x + c))^2/((b*e*x + a*e)^5*b*c*g^6/(d*x + c)^5 - (b*e*
x + a*e)^5*a*d*g^6/(d*x + c)^5) + 20*(80*A*B*b*e^6*i^3 + 16*B^2*b*e^6*i^3
- 100*(b*e*x + a*e)*A*B*d*e^5*i^3/(d*x + c) - 25*(b*e*x + a*e)*B^2*d*e^5*i
^3/(d*x + c))*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^5*b*c*g^6/(d*x +
 c)^5 - (b*e*x + a*e)^5*a*d*g^6/(d*x + c)^5) + (800*A^2*b*e^6*i^3 + 320*A*
B*b*e^6*i^3 + 64*B^2*b*e^6*i^3 - 1000*(b*e*x + a*e)*A^2*d*e^5*i^3/(d*x + c
) - 500*(b*e*x + a*e)*A*B*d*e^5*i^3/(d*x + c) - 125*(b*e*x + a*e)*B^2*d*e^
5*i^3/(d*x + c))/((b*e*x + a*e)^5*b*c*g^6/(d*x + c)^5 - (b*e*x + a*e)^5*a*
d*g^6/(d*x + c)^5))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d
*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 35.59 (sec) , antiderivative size = 3720, normalized size of antiderivative = 12.44

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^6,x)
```

output

```
- log((e*(a + b*x))/(c + d*x))^2*((x*(a*(b*((B^2*a*d^3*i^3)/(20*b^5*g^6) +
 (B^2*c*d^2*i^3)/(10*b^4*g^6)) + (3*B^2*a*d^3*i^3)/(20*b^4*g^6) + (3*B^2*c
*d^2*i^3)/(10*b^3*g^6)) + b*(a*((B^2*a*d^3*i^3)/(20*b^5*g^6) + (B^2*c*d^2*
i^3)/(10*b^4*g^6)) + (3*B^2*c^2*d*i^3)/(20*b^3*g^6)) + (3*B^2*c^2*d*i^3)/(
5*b^2*g^6)) + x^2*(b*(b*((B^2*a*d^3*i^3)/(20*b^5*g^6) + (B^2*c*d^2*i^3)/(1
0*b^4*g^6)) + (3*B^2*a*d^3*i^3)/(20*b^4*g^6) + (3*B^2*c*d^2*i^3)/(10*b^3*g
^6)) + (3*B^2*a*d^3*i^3)/(10*b^3*g^6) + (3*B^2*c*d^2*i^3)/(5*b^2*g^6)) + a
*(a*((B^2*a*d^3*i^3)/(20*b^5*g^6) + (B^2*c*d^2*i^3)/(10*b^4*g^6)) + (3*B^2
*c^2*d*i^3)/(20*b^3*g^6)) + (B^2*c^3*i^3)/(5*b^2*g^6) + (B^2*d^3*i^3*x^3)/
(2*b^2*g^6))/(5*a^4*x + a^5/b + b^4*x^5 + 10*a^3*b*x^2 + 5*a*b^3*x^4 + 10*
a^2*b^2*x^3) - (B^2*d^5*i^3)/(20*b^4*g^6*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)))
 - ((200*A^2*a^4*d^4*i^3 - 800*A^2*b^4*c^4*i^3 + 61*B^2*a^4*d^4*i^3 - 64*B
^2*b^4*c^4*i^3 + 180*A*B*a^4*d^4*i^3 - 320*A*B*b^4*c^4*i^3 + 200*A^2*a*b^3
*c^3*d*i^3 + 200*A^2*a^3*b*c*d^3*i^3 + 61*B^2*a*b^3*c^3*d*i^3 + 61*B^2*a^3
*b*c*d^3*i^3 + 200*A^2*a^2*b^2*c^2*d^2*i^3 + 61*B^2*a^2*b^2*c^2*d^2*i^3 +
180*A*B*a^2*b^2*c^2*d^2*i^3 + 180*A*B*a*b^3*c^3*d*i^3 + 180*A*B*a^3*b*c*d^
3*i^3)/(20*(a*d - b*c)) + (x^4*(9*B^2*b^4*d^4*i^3 + 20*A*B*b^4*d^4*i^3))/(
a*d - b*c) + (x^3*(200*A^2*a*b^3*d^4*i^3 + 61*B^2*a*b^3*d^4*i^3 - 200*A^2*
b^4*c*d^3*i^3 + 11*B^2*b^4*c*d^3*i^3 + 180*A*B*a*b^3*d^4*i^3 - 20*A*B*b^4*
c*d^3*i^3))/(2*(a*d - b*c)) + (x*(200*A^2*a^3*b*d^4*i^3 + 61*B^2*a^3*b*...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 2741, normalized size of antiderivative = 9.17

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^6,x)
```

output

```
(i*( - 400*log(a + b*x)*a**7*b*d**5 - 2000*log(a + b*x)*a**6*b**2*d**5*x -
 100*log(a + b*x)*a**6*b**2*d**5 - 80*log(a + b*x)*a**5*b**3*c*d**4 - 4000
*log(a + b*x)*a**5*b**3*d**5*x**2 - 500*log(a + b*x)*a**5*b**3*d**5*x - 40
0*log(a + b*x)*a**4*b**4*c*d**4*x - 4000*log(a + b*x)*a**4*b**4*d**5*x**3
 - 1000*log(a + b*x)*a**4*b**4*d**5*x**2 - 800*log(a + b*x)*a**3*b**5*c*d**
4*x**2 - 2000*log(a + b*x)*a**3*b**5*d**5*x**4 - 1000*log(a + b*x)*a**3*b*
*5*d**5*x**3 - 800*log(a + b*x)*a**2*b**6*c*d**4*x**3 - 400*log(a + b*x)*a
**2*b**6*d**5*x**5 - 500*log(a + b*x)*a**2*b**6*d**5*x**4 - 400*log(a + b*
x)*a*b**7*c*d**4*x**4 - 100*log(a + b*x)*a*b**7*d**5*x**5 - 80*log(a + b*x
)*b**8*c*d**4*x**5 + 400*log(c + d*x)*a**7*b*d**5 + 2000*log(c + d*x)*a**6
*b**2*d**5*x + 100*log(c + d*x)*a**6*b**2*d**5 + 80*log(c + d*x)*a**5*b**3
*c*d**4 + 4000*log(c + d*x)*a**5*b**3*d**5*x**2 + 500*log(c + d*x)*a**5*b*
*3*d**5*x + 400*log(c + d*x)*a**4*b**4*c*d**4*x + 4000*log(c + d*x)*a**4*b
**4*d**5*x**3 + 1000*log(c + d*x)*a**4*b**4*d**5*x**2 + 800*log(c + d*x)*a
**3*b**5*c*d**4*x**2 + 2000*log(c + d*x)*a**3*b**5*d**5*x**4 + 1000*log(c
+ d*x)*a**3*b**5*d**5*x**3 + 800*log(c + d*x)*a**2*b**6*c*d**4*x**3 + 400*
log(c + d*x)*a**2*b**6*d**5*x**5 + 500*log(c + d*x)*a**2*b**6*d**5*x**4 +
400*log(c + d*x)*a*b**7*c*d**4*x**4 + 100*log(c + d*x)*a*b**7*d**5*x**5 +
80*log(c + d*x)*b**8*c*d**4*x**5 - 1000*log((a*e + b*e*x)/(c + d*x))**2*a*
*2*b**6*c**4*d - 4000*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**6*c**3*d*...
```

3.83 $\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx$

Optimal result 1067
Mathematica [C] (verified) 1068
Rubi [A] (verified) 1069
Maple [B] (verified) 1070
Fricas [B] (verification not implemented) 1072
Sympy [F(-1)] 1073
Maxima [B] (verification not implemented) 1073
Giac [A] (verification not implemented) 1074
Mupad [B] (verification not implemented) 1075
Reduce [B] (verification not implemented) 1076

Optimal result

Integrand size = 42, antiderivative size = 463

$$\begin{aligned}\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx &= -\frac{B^2d^2i^3(c+dx)^4}{32(bc-ad)^3g^7(a+bx)^4}\\ &+\frac{4bB^2di^3(c+dx)^5}{125(bc-ad)^3g^7(a+bx)^5}\\ &-\frac{b^2B^2i^3(c+dx)^6}{108(bc-ad)^3g^7(a+bx)^6}\\ &-\frac{Bd^2i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{8(bc-ad)^3g^7(a+bx)^4}\\ &+\frac{4bBdi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{25(bc-ad)^3g^7(a+bx)^5}\\ &-\frac{b^2Bi^3(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{18(bc-ad)^3g^7(a+bx)^6}\\ &-\frac{d^2i^3(c+dx)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{4(bc-ad)^3g^7(a+bx)^4}\\ &+\frac{2bdi^3(c+dx)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{5(bc-ad)^3g^7(a+bx)^5}\\ &-\frac{b^2i^3(c+dx)^6\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{6(bc-ad)^3g^7(a+bx)^6}\end{aligned}$$

output

```
-1/32*B^2*d^2*i^3*(d*x+c)^4/(-a*d+b*c)^3/g^7/(b*x+a)^4+4/125*b*B^2*d*i^3*(
d*x+c)^5/(-a*d+b*c)^3/g^7/(b*x+a)^5-1/108*b^2*B^2*i^3*(d*x+c)^6/(-a*d+b*c)
^3/g^7/(b*x+a)^6-1/8*B*d^2*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d
+b*c)^3/g^7/(b*x+a)^4+4/25*b*B*d*i^3*(d*x+c)^5*(A+B*ln(e*(b*x+a)/(d*x+c)))
/(-a*d+b*c)^3/g^7/(b*x+a)^5-1/18*b^2*B*i^3*(d*x+c)^6*(A+B*ln(e*(b*x+a)/(d*
x+c)))/(-a*d+b*c)^3/g^7/(b*x+a)^6-1/4*d^2*i^3*(d*x+c)^4*(A+B*ln(e*(b*x+a)/
(d*x+c)))^2/(-a*d+b*c)^3/g^7/(b*x+a)^4+2/5*b*d*i^3*(d*x+c)^5*(A+B*ln(e*(b*
x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g^7/(b*x+a)^5-1/6*b^2*i^3*(d*x+c)^6*(A+B*ln(
e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g^7/(b*x+a)^6
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 5.83 (sec) , antiderivative size = 2606, normalized size of antiderivative = 5.63

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g +
b*g*x)^7,x]
```

output

```
(i^3*(-6000*A*B*(b*c - a*d)^6 - 1000*B^2*(b*c - a*d)^6 + 25920*a*A*B*d*(-(
b*c) + a*d)^5 + 5184*a*B^2*d*(-(b*c) + a*d)^5 - 25920*A*b*B*d*(b*c - a*d)^
5*x - 5184*b*B^2*d*(b*c - a*d)^5*x + 32400*a*A*B*d^2*(b*c - a*d)^4*(a + b*
x) + 14580*a*B^2*d^2*(b*c - a*d)^4*(a + b*x) + 7200*A*B*d*(b*c - a*d)^5*(a
 + b*x) + 2640*B^2*d*(b*c - a*d)^5*(a + b*x) + 32400*A*b*B*d^2*(b*c - a*d)
^4*x*(a + b*x) + 14580*b*B^2*d^2*(b*c - a*d)^4*x*(a + b*x) - 49500*A*B*d^2
*(b*c - a*d)^4*(a + b*x)^2 - 15675*B^2*d^2*(b*c - a*d)^4*(a + b*x)^2 + 432
00*a*A*B*d^3*(-(b*c) + a*d)^3*(a + b*x)^2 + 33840*a*B^2*d^3*(-(b*c) + a*d)
^3*(a + b*x)^2 - 43200*A*b*B*d^3*(b*c - a*d)^3*x*(a + b*x)^2 - 33840*b*B^2
*d^3*(b*c - a*d)^3*x*(a + b*x)^2 + 64800*a*A*B*d^4*(b*c - a*d)^2*(a + b*x)
^3 + 83160*a*B^2*d^4*(b*c - a*d)^2*(a + b*x)^3 + 42000*A*B*d^3*(b*c - a*d)
^3*(a + b*x)^3 + 34900*B^2*d^3*(b*c - a*d)^3*(a + b*x)^3 + 64800*A*b*B*d^4
*(b*c - a*d)^2*x*(a + b*x)^3 + 83160*b*B^2*d^4*(b*c - a*d)^2*x*(a + b*x)^3
 - 63000*A*B*d^4*(b*c - a*d)^2*(a + b*x)^4 - 83850*B^2*d^4*(b*c - a*d)^2*(
a + b*x)^4 + 129600*a*A*B*d^5*(-(b*c) + a*d)*(a + b*x)^4 + 295920*a*B^2*d^
5*(-(b*c) + a*d)*(a + b*x)^4 - 129600*A*b*B*d^5*(b*c - a*d)*x*(a + b*x)^4
- 295920*b*B^2*d^5*(b*c - a*d)*x*(a + b*x)^4 + 126000*A*B*d^5*(b*c - a*d)*
(a + b*x)^5 + 293700*B^2*d^5*(b*c - a*d)*(a + b*x)^5 - 129600*a*A*B*d^6*(a
 + b*x)^5*Log[a + b*x] - 295920*a*B^2*d^6*(a + b*x)^5*Log[a + b*x] - 12960
0*A*b*B*d^6*x*(a + b*x)^5*Log[a + b*x] - 295920*b*B^2*d^6*x*(a + b*x)^5...
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 336, normalized size of antiderivative = 0.73, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^7}\,dx$$

$$\downarrow 2962$$

$$\frac{i^3\int \frac{(c+dx)^7\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^7}\,d\frac{a+bx}{c+dx}}{g^7(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{i^3\int\left(\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^7}{(a+bx)^7}-\frac{2bd\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^6}{(a+bx)^6}+\frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^5}{(a+bx)^5}\right)d\frac{a+bx}{c+dx}}{g^7(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i^3\left(-\frac{b^2(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{6(a+bx)^6}-\frac{b^2B(c+dx)^6\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{18(a+bx)^6}-\frac{d^2(c+dx)^4\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{4(a+bx)^4}-\frac{Bd^2(c+dx)^4\left(B\log(\right.}{8(a+bx}\right.}{g^7(}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a*g + b*g*x)
^7,x]
```

output
```
(i^3*(-1/32*(B^2*d^2*(c + d*x)^4)/(a + b*x)^4 + (4*b*B^2*d*(c + d*x)^5)/(1
25*(a + b*x)^5) - (b^2*B^2*(c + d*x)^6)/(108*(a + b*x)^6) - (B*d^2*(c + d*
x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(8*(a + b*x)^4) + (4*b*B*d*(c +
 d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(25*(a + b*x)^5) - (b^2*B*(c
 + d*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(18*(a + b*x)^6) - (d^2*(c
 + d*x)^4*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(4*(a + b*x)^4) + (2*b*d
*(c + d*x)^5*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(5*(a + b*x)^5) - (b^
2*(c + d*x)^6*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(6*(a + b*x)^6)))/((
b*c - a*d)^3*g^7)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1018 vs. $2(445) = 890$.

Time = 3.20 (sec) , antiderivative size = 1019, normalized size of antiderivative = 2.20

method	result	size
parts	Expression too large to display	1019
derivativedivides	Expression too large to display	1082
default	Expression too large to display	1082
orering	Expression too large to display	2152
norman	Expression too large to display	2555
parallelrisch	Expression too large to display	2803
risch	Expression too large to display	6548

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^7,x,method=_RE
TURNVERBOSE)
```

output
```
i^3*A^2/g^7*(-3/5*d*(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^4/(b*x+a)^5-1/6*(-a^3*d^
3+3*a^2*b*c*d^2-3*a*b^2*c^2*d+b^3*c^3)/b^4/(b*x+a)^6+3/4*d^2*(a*d-b*c)/b^4
/(b*x+a)^4-1/3*d^3/b^4/(b*x+a)^3)-i^3*B^2/g^7/d^5*(a*d-b*c)^4*e^4*(d^7/(a*
d-b*c)^7*(-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^2-1/8/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))
-1/32/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^4)-2*d^6/(a*d-b*c)^7*b*e*(-1/5/(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/25/(b*e/d+(a*
d-b*c)*e/d/(d*x+c))^5*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/125/(b*e/d+(a*d-b*
c)*e/d/(d*x+c))^5)+d^5/(a*d-b*c)^7*b^2*e^2*(-1/6/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^6*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/18/(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^6*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/108/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^6)
)-2*i^3*A*B/g^7/d^5*(a*d-b*c)^4*e^4*(d^7/(a*d-b*c)^7*(-1/4/(b*e/d+(a*d-b*c
)*e/d/(d*x+c))^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/16/(b*e/d+(a*d-b*c)*e/d
/(d*x+c))^4)-2*d^6/(a*d-b*c)^7*b*e*(-1/5/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/25/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^5)+d^5/(
a*d-b*c)^7*b^2*e^2*(-1/6/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^6*ln(b*e/d+(a*d-b*c
)*e/d/(d*x+c))-1/36/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^6))
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1610 vs. $2(445) = 890$.

Time $= 0.12$ (sec) , antiderivative size $= 1610$, normalized size of antiderivative $= 3.48$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^7,x, al
gorithm="fricas")
```

output

```
-1/108000*(60*((60*A*B + 37*B^2)*b^6*c*d^5 - (60*A*B + 37*B^2)*a*b^5*d^6)*
i^3*x^5 - 30*((60*A*B - 23*B^2)*b^6*c^2*d^4 - 36*(20*A*B + 9*B^2)*a*b^5*c*
d^5 + (660*A*B + 347*B^2)*a^2*b^4*d^6)*i^3*x^4 + 20*((1800*A^2 + 60*A*B -
53*B^2)*b^6*c^3*d^3 - 27*(200*A^2 + 20*A*B - 11*B^2)*a*b^5*c^2*d^4 + 675*(
8*A^2 + 4*A*B + B^2)*a^2*b^4*c*d^5 - (1800*A^2 + 2220*A*B + 919*B^2)*a^3*b
^3*d^6)*i^3*x^3 + 15*((5400*A^2 + 1140*A*B + 73*B^2)*b^6*c^4*d^2 - 72*(200
*A^2 + 60*A*B + 7*B^2)*a*b^5*c^3*d^3 + 1350*(8*A^2 + 4*A*B + B^2)*a^2*b^4*
c^2*d^4 - (1800*A^2 + 2220*A*B + 919*B^2)*a^4*b^2*d^6)*i^3*x^2 + 6*(8*(135
0*A^2 + 390*A*B + 53*B^2)*b^6*c^5*d - 45*(600*A^2 + 220*A*B + 39*B^2)*a*b^
5*c^4*d^2 + 2250*(8*A^2 + 4*A*B + B^2)*a^2*b^4*c^3*d^3 - (1800*A^2 + 2220*
A*B + 919*B^2)*a^5*b*d^6)*i^3*x + (1000*(18*A^2 + 6*A*B + B^2)*b^6*c^6 - 1
728*(25*A^2 + 10*A*B + 2*B^2)*a*b^5*c^5*d + 3375*(8*A^2 + 4*A*B + B^2)*a^2
*b^4*c^4*d^2 - (1800*A^2 + 2220*A*B + 919*B^2)*a^6*d^6)*i^3 + 1800*(B^2*b^
6*d^6*i^3*x^6 + 6*B^2*a*b^5*d^6*i^3*x^5 + 15*B^2*a^2*b^4*d^6*i^3*x^4 + 20*
(B^2*b^6*c^3*d^3 - 3*B^2*a*b^5*c^2*d^4 + 3*B^2*a^2*b^4*c*d^5)*i^3*x^3 + 15
*(3*B^2*b^6*c^4*d^2 - 8*B^2*a*b^5*c^3*d^3 + 6*B^2*a^2*b^4*c^2*d^4)*i^3*x^2
 + 6*(6*B^2*b^6*c^5*d - 15*B^2*a*b^5*c^4*d^2 + 10*B^2*a^2*b^4*c^3*d^3)*i^3
*x + (10*B^2*b^6*c^6 - 24*B^2*a*b^5*c^5*d + 15*B^2*a^2*b^4*c^4*d^2)*i^3)*l
og((b*e*x + a*e)/(d*x + c))^2 + 60*((60*A*B + 37*B^2)*b^6*d^6*i^3*x^6 + 6*
(10*B^2*b^6*c*d^5 + 3*(20*A*B + 9*B^2)*a*b^5*d^6)*i^3*x^5 - 15*(2*B^2*b...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**7,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 20330 vs. $2(445) = 890$.

Time = 1.83 (sec) , antiderivative size = 20330, normalized size of antiderivative = 43.91

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^7,x, al
gorithm="maxima")
```

output

```
-1/10*(6*b*x + a)*B^2*c^2*d*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^
8*g^7*x^6 + 6*a*b^7*g^7*x^5 + 15*a^2*b^6*g^7*x^4 + 20*a^3*b^5*g^7*x^3 + 15
*a^4*b^4*g^7*x^2 + 6*a^5*b^3*g^7*x + a^6*b^2*g^7) - 1/20*(15*b^2*x^2 + 6*a
*b*x + a^2)*B^2*c*d^2*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(b^9*g^7*
x^6 + 6*a*b^8*g^7*x^5 + 15*a^2*b^7*g^7*x^4 + 20*a^3*b^6*g^7*x^3 + 15*a^4*b
^5*g^7*x^2 + 6*a^5*b^4*g^7*x + a^6*b^3*g^7) - 1/60*(20*b^3*x^3 + 15*a*b^2*
x^2 + 6*a^2*b*x + a^3)*B^2*d^3*i^3*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/
(b^10*g^7*x^6 + 6*a*b^9*g^7*x^5 + 15*a^2*b^8*g^7*x^4 + 20*a^3*b^7*g^7*x^3
+ 15*a^4*b^6*g^7*x^2 + 6*a^5*b^5*g^7*x + a^6*b^4*g^7) + 1/10800*(60*((60*b
^5*d^5*x^5 - 10*b^5*c^5 + 62*a*b^4*c^4*d - 163*a^2*b^3*c^3*d^2 + 237*a^3*b
^2*c^2*d^3 - 213*a^4*b*c*d^4 + 147*a^5*d^5 - 30*(b^5*c*d^4 - 11*a*b^4*d^5)
*x^4 + 20*(b^5*c^2*d^3 - 8*a*b^4*c*d^4 + 37*a^2*b^3*d^5)*x^3 - 15*(b^5*c^3
*d^2 - 7*a*b^4*c^2*d^3 + 23*a^2*b^3*c*d^4 - 57*a^3*b^2*d^5)*x^2 + 6*(2*b^5
*c^4*d - 13*a*b^4*c^3*d^2 + 37*a^2*b^3*c^2*d^3 - 63*a^3*b^2*c*d^4 + 87*a^4
*b*d^5)*x)/((b^12*c^5 - 5*a*b^11*c^4*d + 10*a^2*b^10*c^3*d^2 - 10*a^3*b^9*
c^2*d^3 + 5*a^4*b^8*c*d^4 - a^5*b^7*d^5)*g^7*x^6 + 6*(a*b^11*c^5 - 5*a^2*b
^10*c^4*d + 10*a^3*b^9*c^3*d^2 - 10*a^4*b^8*c^2*d^3 + 5*a^5*b^7*c*d^4 - a^
6*b^6*d^5)*g^7*x^5 + 15*(a^2*b^10*c^5 - 5*a^3*b^9*c^4*d + 10*a^4*b^8*c^3*d
^2 - 10*a^5*b^7*c^2*d^3 + 5*a^6*b^6*c*d^4 - a^7*b^5*d^5)*g^7*x^4 + 20*(a^3
*b^9*c^5 - 5*a^4*b^8*c^4*d + 10*a^5*b^7*c^3*d^2 - 10*a^6*b^6*c^2*d^3 + ...
```

Giac [A] (verification not implemented)

Time = 0.50 (sec) , antiderivative size = 780, normalized size of antiderivative = 1.68

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^7,x, al
gorithm="giac")
```

output

```
-1/108000*(1800*(10*B^2*b^2*e^7*i^3 - 24*(b*e*x + a*e)*B^2*b*d*e^6*i^3/(d*
x + c) + 15*(b*e*x + a*e)^2*B^2*d^2*e^5*i^3/(d*x + c)^2)*log((b*e*x + a*e)
/(d*x + c))^2/((b*e*x + a*e)^6*b^2*c^2*g^7/(d*x + c)^6 - 2*(b*e*x + a*e)^6
*a*b*c*d*g^7/(d*x + c)^6 + (b*e*x + a*e)^6*a^2*d^2*g^7/(d*x + c)^6) + 60*(
600*A*B*b^2*e^7*i^3 + 100*B^2*b^2*e^7*i^3 - 1440*(b*e*x + a*e)*A*B*b*d*e^6
*i^3/(d*x + c) - 288*(b*e*x + a*e)*B^2*b*d*e^6*i^3/(d*x + c) + 900*(b*e*x
+ a*e)^2*A*B*d^2*e^5*i^3/(d*x + c)^2 + 225*(b*e*x + a*e)^2*B^2*d^2*e^5*i^3
/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/((b*e*x + a*e)^6*b^2*c^2*g^7/(d
*x + c)^6 - 2*(b*e*x + a*e)^6*a*b*c*d*g^7/(d*x + c)^6 + (b*e*x + a*e)^6*a^
2*d^2*g^7/(d*x + c)^6) + (18000*A^2*b^2*e^7*i^3 + 6000*A*B*b^2*e^7*i^3 + 1
000*B^2*b^2*e^7*i^3 - 43200*(b*e*x + a*e)*A^2*b*d*e^6*i^3/(d*x + c) - 1728
0*(b*e*x + a*e)*A*B*b*d*e^6*i^3/(d*x + c) - 3456*(b*e*x + a*e)*B^2*b*d*e^6
*i^3/(d*x + c) + 27000*(b*e*x + a*e)^2*A^2*d^2*e^5*i^3/(d*x + c)^2 + 13500
*(b*e*x + a*e)^2*A*B*d^2*e^5*i^3/(d*x + c)^2 + 3375*(b*e*x + a*e)^2*B^2*d^
2*e^5*i^3/(d*x + c)^2)/((b*e*x + a*e)^6*b^2*c^2*g^7/(d*x + c)^6 - 2*(b*e*x
 + a*e)^6*a*b*c*d*g^7/(d*x + c)^6 + (b*e*x + a*e)^6*a^2*d^2*g^7/(d*x + c)^
6))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d))
)
```

Mupad [B] (verification not implemented)

Time = 36.44 (sec) , antiderivative size = 6275, normalized size of antiderivative = 13.55

$$\int \frac{(ci+dix)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(a*g + b*g*x)
^7,x)
```

output

```
((1800*A^2*a^5*d^5*i^3 + 18000*A^2*b^5*c^5*i^3 + 919*B^2*a^5*d^5*i^3 + 100
0*B^2*b^5*c^5*i^3 + 2220*A*B*a^5*d^5*i^3 + 6000*A*B*b^5*c^5*i^3 - 25200*A^
2*a*b^4*c^4*d*i^3 + 1800*A^2*a^4*b*c*d^4*i^3 - 2456*B^2*a*b^4*c^4*d*i^3 +
919*B^2*a^4*b*c*d^4*i^3 + 1800*A^2*a^2*b^3*c^3*d^2*i^3 + 1800*A^2*a^3*b^2*
c^2*d^3*i^3 + 919*B^2*a^2*b^3*c^3*d^2*i^3 + 919*B^2*a^3*b^2*c^2*d^3*i^3 +
2220*A*B*a^2*b^3*c^3*d^2*i^3 + 2220*A*B*a^3*b^2*c^2*d^3*i^3 - 11280*A*B*a*
b^4*c^4*d*i^3 + 2220*A*B*a^4*b*c*d^4*i^3)/(60*(a*d - b*c)) + (x^4*(347*B^2
*a*b^4*d^5*i^3 + 23*B^2*b^5*c*d^4*i^3 + 660*A*B*a*b^4*d^5*i^3 - 60*A*B*b^5
*c*d^4*i^3))/(2*(a*d - b*c)) + (x^2*(1800*A^2*a^3*b^2*d^5*i^3 + 919*B^2*a^
3*b^2*d^5*i^3 + 5400*A^2*b^5*c^3*d^2*i^3 + 73*B^2*b^5*c^3*d^2*i^3 - 9000*A
^2*a*b^4*c^2*d^3*i^3 + 1800*A^2*a^2*b^3*c*d^4*i^3 - 431*B^2*a*b^4*c^2*d^3*
i^3 + 919*B^2*a^2*b^3*c*d^4*i^3 + 2220*A*B*a^3*b^2*d^5*i^3 + 1140*A*B*b^5*
c^3*d^2*i^3 - 3180*A*B*a*b^4*c^2*d^3*i^3 + 2220*A*B*a^2*b^3*c*d^4*i^3))/(4
*(a*d - b*c)) + (x^3*(1800*A^2*a^2*b^3*d^5*i^3 + 919*B^2*a^2*b^3*d^5*i^3 +
 1800*A^2*b^5*c^2*d^3*i^3 - 53*B^2*b^5*c^2*d^3*i^3 - 3600*A^2*a*b^4*c*d^4*
i^3 + 244*B^2*a*b^4*c*d^4*i^3 + 2220*A*B*a^2*b^3*d^5*i^3 + 60*A*B*b^5*c^2*
d^3*i^3 - 480*A*B*a*b^4*c*d^4*i^3))/(3*(a*d - b*c)) + (x*(1800*A^2*a^4*b*d
^5*i^3 + 919*B^2*a^4*b*d^5*i^3 + 10800*A^2*b^5*c^4*d*i^3 + 424*B^2*b^5*c^4
*d*i^3 - 16200*A^2*a*b^4*c^3*d^2*i^3 + 1800*A^2*a^3*b^2*c*d^4*i^3 - 1331*B
^2*a*b^4*c^3*d^2*i^3 + 919*B^2*a^3*b^2*c*d^4*i^3 + 2220*A*B*a^4*b*d^5*i...
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 3828, normalized size of antiderivative = 8.27

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^7}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^7,x)
```

output

```
(i*( - 3600*log(a + b*x)*a**8*b*d**6 - 21600*log(a + b*x)*a**7*b**2*d**6*x
 - 1620*log(a + b*x)*a**7*b**2*d**6 - 600*log(a + b*x)*a**6*b**3*c*d**5 -
54000*log(a + b*x)*a**6*b**3*d**6*x**2 - 9720*log(a + b*x)*a**6*b**3*d**6*
x - 3600*log(a + b*x)*a**5*b**4*c*d**5*x - 72000*log(a + b*x)*a**5*b**4*d*
*6*x**3 - 24300*log(a + b*x)*a**5*b**4*d**6*x**2 - 9000*log(a + b*x)*a**4*
b**5*c*d**5*x**2 - 54000*log(a + b*x)*a**4*b**5*d**6*x**4 - 32400*log(a +
b*x)*a**4*b**5*d**6*x**3 - 12000*log(a + b*x)*a**3*b**6*c*d**5*x**3 - 2160
0*log(a + b*x)*a**3*b**6*d**6*x**5 - 24300*log(a + b*x)*a**3*b**6*d**6*x**
4 - 9000*log(a + b*x)*a**2*b**7*c*d**5*x**4 - 3600*log(a + b*x)*a**2*b**7*
d**6*x**6 - 9720*log(a + b*x)*a**2*b**7*d**6*x**5 - 3600*log(a + b*x)*a*b*
*8*c*d**5*x**5 - 1620*log(a + b*x)*a*b**8*d**6*x**6 - 600*log(a + b*x)*b**
9*c*d**5*x**6 + 3600*log(c + d*x)*a**8*b*d**6 + 21600*log(c + d*x)*a**7*b*
*2*d**6*x + 1620*log(c + d*x)*a**7*b**2*d**6 + 600*log(c + d*x)*a**6*b**3*
c*d**5 + 54000*log(c + d*x)*a**6*b**3*d**6*x**2 + 9720*log(c + d*x)*a**6*b
**3*d**6*x + 3600*log(c + d*x)*a**5*b**4*c*d**5*x + 72000*log(c + d*x)*a**
5*b**4*d**6*x**3 + 24300*log(c + d*x)*a**5*b**4*d**6*x**2 + 9000*log(c + d
*x)*a**4*b**5*c*d**5*x**2 + 54000*log(c + d*x)*a**4*b**5*d**6*x**4 + 32400
*log(c + d*x)*a**4*b**5*d**6*x**3 + 12000*log(c + d*x)*a**3*b**6*c*d**5*x*
*3 + 21600*log(c + d*x)*a**3*b**6*d**6*x**5 + 24300*log(c + d*x)*a**3*b**6
*d**6*x**4 + 9000*log(c + d*x)*a**2*b**7*c*d**5*x**4 + 3600*log(c + d*x...
```

3.84 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$

Optimal result 1079
Mathematica [A] (verified) 1080
Rubi [A] (verified) 1081
Maple [F] 1083
Fricas [F] 1084
Sympy [F] 1084
Maxima [F] 1085
Giac [F] 1086
Mupad [F(-1)] 1087
Reduce [F] 1087

Optimal result

Integrand size = 42, antiderivative size = 718

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx \\
&= \frac{bB^2(bc-ad)^2g^3x}{3d^3i} + \frac{B^2(bc-ad)^3g^3\log\left(\frac{a+bx}{c+dx}\right)}{3d^4i} \\
&\quad + \frac{7B(bc-ad)^2g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d^3i} \\
&\quad - \frac{b^2B(bc-ad)g^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{3d^4i} \\
&\quad + \frac{6B(bc-ad)^3g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^4i} \\
&\quad + \frac{3(bc-ad)^2g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i} \\
&\quad - \frac{3b^2(bc-ad)g^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2d^4i} \\
&\quad + \frac{b^3g^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3d^4i} \\
&\quad + \frac{(bc-ad)^3g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^4i} - \frac{2B^2(bc-ad)^3g^3\log(c+dx)}{d^4i} \\
&\quad - \frac{7B(bc-ad)^3g^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3d^4i} \\
&\quad + \frac{6B^2(bc-ad)^3g^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{2B(bc-ad)^3g^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{7B^2(bc-ad)^3g^3\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3d^4i} - \frac{2B^2(bc-ad)^3g^3\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i}
\end{aligned}
$$

output

```
1/3*b*B^2*(-a*d+b*c)^2*g^3*x/d^3/i+1/3*B^2*(-a*d+b*c)^3*g^3*ln((b*x+a)/(d*
x+c))/d^4/i+7/3*B*(-a*d+b*c)^2*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3
/i-1/3*b^2*B*(-a*d+b*c)*g^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4/i+6*
B*(-a*d+b*c)^3*g^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^
4/i+3*(-a*d+b*c)^2*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i-3/2*b^2
*(-a*d+b*c)*g^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i+1/3*b^3*g^3*
(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i+(-a*d+b*c)^3*g^3*ln((-a*d+b*
c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i-2*B^2*(-a*d+b*c)^3*g^3*l
n(d*x+c)/d^4/i-7/3*B*(-a*d+b*c)^3*g^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(
d*x+c)/d/(b*x+a))/d^4/i+6*B^2*(-a*d+b*c)^3*g^3*polylog(2,d*(b*x+a)/b/(d*x+
c))/d^4/i+2*B*(-a*d+b*c)^3*g^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*
x+a)/b/(d*x+c))/d^4/i+7/3*B^2*(-a*d+b*c)^3*g^3*polylog(2,b*(d*x+c)/d/(b*x+
a))/d^4/i-2*B^2*(-a*d+b*c)^3*g^3*polylog(3,d*(b*x+a)/b/(d*x+c))/d^4/i
```

Mathematica [A] (verified)

Time = 1.81 (sec) , antiderivative size = 1020, normalized size of antiderivative = 1.42

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \text{Too large to display}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i +
d*i*x),x]
```

output

```
(g^3*(6*b*d*(b*c - a*d)^2*x*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 3*d^2
*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 2*d^3
*(a + b*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 6*A^2*(b*c - a*d)^3*
Log[c + d*x] + 12*A*B*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)]*Log[(b*c
 - a*d)/(b*c + b*d*x)] + 6*B^2*(b*c - a*d)^3*Log[(e*(a + b*x))/(c + d*x)]^2
*Log[(b*c - a*d)/(b*c + b*d*x)] - 6*A*B*(b*c - a*d)^3*(Log[(b*c - a*d)/(b*
c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(b*c +
b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 6*B*(b*c - a*d)^2*(2
*a*d*Log[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*b*c*(A + B*Log[
(e*(a + b*x))/(c + d*x)])*Log[c + d*x] - a*B*d*(Log[a + b*x]*(Log[a + b*x]
 - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c)
+ a*d)]) + b*B*c*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log
[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + 3*B*(b*c - a*d)^2*
(2*A*b*d*x + 2*B*d*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 2*B*(b*c - a*d
)*Log[c + d*x] - 2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c
+ d*x] + B*(b*c - a*d)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x
])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + 2*B*(b*c - a
*d)*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c - a*d)*(a + b*x)*Log[(e*(a + b*x))
/(c + d*x)] - d^2*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*B*(
b*c - a*d)^2*Log[c + d*x] - 2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c...
```

Rubi [A] (verified)

Time = 1.14 (sec) , antiderivative size = 629, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3 \left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2962$$

$$\frac{g^3(bc-ad)^3 \int \frac{(a+bx)^3 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)^3\int\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a-}{c-}}{i}$$

$$\downarrow 2009$$

$$\frac{g^3(bc-ad)^3\left(\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{b^2B\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{2B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\right.\right.}{d^4}$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
,x]
```

output

```
((b*c - a*d)^3*g^3*((b*B^2)/(3*d^4*(b - (d*(a + b*x))/(c + d*x))) + (B^2*L
og[(a + b*x)/(c + d*x)])/(3*d^4) - (b^2*B*(A + B*Log[(e*(a + b*x))/(c + d*
x)]))/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (7*B*(a + b*x)*(A + B*Log[
(e*(a + b*x))/(c + d*x)]))/(3*d^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)))
 + (b^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*d^4*(b - (d*(a + b*x))/
(c + d*x))^3) - (3*b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*d^4*(b -
 (d*(a + b*x))/(c + d*x))^2) + (3*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c +
d*x)])^2)/(d^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (2*B^2*Log[b - (
d*(a + b*x))/(c + d*x)])/d^4 + (6*B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*L
og[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 + ((A + B*Log[(e*(a + b*x))/(c +
d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 - (7*B*(A + B*Log[(e*(a
 + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/(3*d^4) + (6*B^
2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 + (2*B*(A + B*Log[(e*(a + b
*x))/(c + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 + (7*B^2*Pol
yLog[2, (b*(c + d*x))/(d*(a + b*x))])/(3*d^4) - (2*B^2*PolyLog[3, (d*(a +
b*x))/(b*(c + d*x))])/d^4))/i
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{dix+ci}dx$$

input

```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output

```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algo
rithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*b^
2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log((b*e*x + a*e)/(d*x + c)))
/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{g^3\left(\int \frac{A^2a^3}{c+dx}\,dx + \int \frac{A^2b^3x^3}{c+dx}\,dx + \int \frac{B^2a^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c+dx}\,dx + \int \frac{2ABa^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{3A^2ab^2x^2}{c+dx}\,dx + \int \frac{3}{}\right.}{}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i),x)
```

output

```
g**3*(Integral(A**2*a**3/(c + d*x), x) + Integral(A**2*b**3*x**3/(c + d*x)
, x) + Integral(B**2*a**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x
), x) + Integral(2*A*B*a**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x)
, x) + Integral(3*A**2*a*b**2*x**2/(c + d*x), x) + Integral(3*A**2*a**2*b*
x/(c + d*x), x) + Integral(B**2*b**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d
*x))**2/(c + d*x), x) + Integral(2*A*B*b**3*x**3*log(a*e/(c + d*x) + b*e*x
/(c + d*x))/(c + d*x), x) + Integral(3*B**2*a*b**2*x**2*log(a*e/(c + d*x)
+ b*e*x/(c + d*x))**2/(c + d*x), x) + Integral(3*B**2*a**2*b*x*log(a*e/(c
+ d*x) + b*e*x/(c + d*x))**2/(c + d*x), x) + Integral(6*A*B*a*b**2*x**2*lo
g(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Integral(6*A*B*a**2*b*x
*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algo
rithm="maxima")
```

output

```
3*A^2*a^2*b*g^3*(x/(d*i) - c*log(d*x + c)/(d^2*i)) - 1/6*A^2*b^3*g^3*(6*c^
3*log(d*x + c)/(d^4*i) - (2*d^2*x^3 - 3*c*d*x^2 + 6*c^2*x)/(d^3*i)) + 3/2*
A^2*a*b^2*g^3*(2*c^2*log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A^2
*a^3*g^3*log(d*i*x + c*i)/(d*i) - 1/6*(2*(b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3
+ 3*a^2*b*c*d^2*g^3 - a^3*d^3*g^3)*B^2*log(d*x + c)^3 - (2*B^2*b^3*d^3*g^3
*x^3 - 3*(b^3*c*d^2*g^3 - 3*a*b^2*d^3*g^3)*B^2*x^2 + 6*(b^3*c^2*d*g^3 - 3*
a*b^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B^2*x)*log(d*x + c)^2)/(d^4*i) - integr
ate(-1/3*(3*B^2*a^3*d^2*g^3*log(e)^2 + 6*A*B*a^3*d^2*g^3*log(e) + 3*(B^2*b
^3*d^2*g^3*log(e)^2 + 2*A*B*b^3*d^2*g^3*log(e))*x^3 + 9*(B^2*a*b^2*d^2*g^3
*log(e)^2 + 2*A*B*a*b^2*d^2*g^3*log(e))*x^2 + 3*(B^2*b^3*d^2*g^3*x^3 + 3*B
^2*a*b^2*d^2*g^3*x^2 + 3*B^2*a^2*b*d^2*g^3*x + B^2*a^3*d^2*g^3)*log(b*x +
a)^2 + 9*(B^2*a^2*b*d^2*g^3*log(e)^2 + 2*A*B*a^2*b*d^2*g^3*log(e))*x + 6*(
B^2*a^3*d^2*g^3*log(e) + A*B*a^3*d^2*g^3 + (B^2*b^3*d^2*g^3*log(e) + A*B*b
^3*d^2*g^3)*x^3 + 3*(B^2*a*b^2*d^2*g^3*log(e) + A*B*a*b^2*d^2*g^3)*x^2 + 3
*(B^2*a^2*b*d^2*g^3*log(e) + A*B*a^2*b*d^2*g^3)*x)*log(b*x + a) - (6*B^2*a
^3*d^2*g^3*log(e) + 6*A*B*a^3*d^2*g^3 + 2*(3*A*B*b^3*d^2*g^3 + (3*g^3*log(
e) + g^3)*B^2*b^3*d^2)*x^3 + 3*(6*A*B*a*b^2*d^2*g^3 - (b^3*c*d*g^3 - 3*(2*
g^3*log(e) + g^3)*a*b^2*d^2)*B^2)*x^2 + 6*(3*A*B*a^2*b*d^2*g^3 + (b^3*c^2*
g^3 - 3*a*b^2*c*d*g^3 + 3*(g^3*log(e) + g^3)*a^2*b*d^2)*B^2)*x + 6*(B^2*b^
3*d^2*g^3*x^3 + 3*B^2*a*b^2*d^2*g^3*x^2 + 3*B^2*a^2*b*d^2*g^3*x + B^2*a...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algo
rithm="giac")
```

output

```
integrate((b*g*x + a*g)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*
i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{g^3 i\left(-6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{dx+c}dx\right)a^3b^2d^4 - 12\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)a^4b\,d^4 - 6\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2 x^3}{dx+c}dx\right)b^5d^4 - 18\left(\int$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output
```
(g**3*i*( - 6*int(log((a*e + b*e*x)/(c + d*x))**2/(c + d*x),x)*a**3*b**2*d
**4 - 12*int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a**4*b*d**4 - 6*int
((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c + d*x),x)*b**5*d**4 - 18*int((l
og((a*e + b*e*x)/(c + d*x))**2*x**2)/(c + d*x),x)*a*b**4*d**4 - 18*int((lo
g((a*e + b*e*x)/(c + d*x))**2*x)/(c + d*x),x)*a**2*b**3*d**4 - 12*int((log
((a*e + b*e*x)/(c + d*x))*x**3)/(c + d*x),x)*a*b**4*d**4 - 36*int((log((a*
e + b*e*x)/(c + d*x))*x**2)/(c + d*x),x)*a**2*b**3*d**4 - 36*int((log((a*e
 + b*e*x)/(c + d*x))*x)/(c + d*x),x)*a**3*b**2*d**4 - 6*log(c + d*x)*a**5*
d**3 + 18*log(c + d*x)*a**4*b*c*d**2 - 18*log(c + d*x)*a**3*b**2*c**2*d +
6*log(c + d*x)*a**2*b**3*c**3 - 18*a**4*b*d**3*x + 18*a**3*b**2*c*d**2*x -
 9*a**3*b**2*d**3*x**2 - 6*a**2*b**3*c**2*d*x + 3*a**2*b**3*c*d**2*x**2 -
2*a**2*b**3*d**3*x**3))/(6*d**4)
```

3.85 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$

Optimal result 1089
Mathematica [A] (verified) 1090
Rubi [A] (verified) 1091
Maple [F] 1093
Fricas [F] 1093
Sympy [F] 1093
Maxima [F] 1094
Giac [F] 1095
Mupad [F(-1)] 1095
Reduce [F] 1095

Optimal result

Integrand size = 42, antiderivative size = 536

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx \\
&= -\frac{B(bc-ad)g^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^2i} \\
&\quad -\frac{4B(bc-ad)^2g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^3i} \\
&\quad -\frac{2(bc-ad)g^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i} \\
&\quad +\frac{b^2g^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2d^3i} \\
&\quad -\frac{(bc-ad)^2g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i}+\frac{B^2(bc-ad)^2g^2\log(c+dx)}{d^3i} \\
&\quad +\frac{B(bc-ad)^2g^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{d^3i} \\
&\quad -\frac{4B^2(bc-ad)^2g^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i} \\
&\quad -\frac{2B(bc-ad)^2g^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i} \\
&\quad -\frac{B^2(bc-ad)^2g^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{d^3i}+\frac{2B^2(bc-ad)^2g^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i}
\end{aligned}$$

output

```
-B*(-a*d+b*c)*g^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2/i-4*B*(-a*d+b*c)
^2*g^2*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3/i-2*(-a*d+
b*c)*g^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i+1/2*b^2*g^2*(d*x+c)^2
*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i-(-a*d+b*c)^2*g^2*ln((-a*d+b*c)/b/(d*x
+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i+B^2*(-a*d+b*c)^2*g^2*ln(d*x+c)/d^
3/i+B*(-a*d+b*c)^2*g^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a
))/d^3/i-4*B^2*(-a*d+b*c)^2*g^2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i-2*B*(
-a*d+b*c)^2*g^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))
/d^3/i-B^2*(-a*d+b*c)^2*g^2*polylog(2,b*(d*x+c)/d/(b*x+a))/d^3/i+2*B^2*(-a
*d+b*c)^2*g^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^3/i
```

Mathematica [A] (verified)

Time = 1.49 (sec) , antiderivative size = 727, normalized size of antiderivative = 1.36

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{g^2\left(-2bd(bc-ad)x\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+d^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+2A^2(bc-ad)^2\log(\right.}{}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i +
d*i*x),x]
```

output
```
(g^2*(-2*b*d*(b*c - a*d)*x*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + d^2*(a
 + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 2*A^2*(b*c - a*d)^2*Log
[c + d*x] - 4*A*B*(b*c - a*d)^2*Log[(e*(a + b*x))/(c + d*x)]*Log[(b*c - a*
d)/(b*c + b*d*x)] - 2*B^2*(b*c - a*d)^2*Log[(e*(a + b*x))/(c + d*x)]^2*Log
[(b*c - a*d)/(b*c + b*d*x)] + 2*A*B*(b*c - a*d)^2*(Log[(b*c - a*d)/(b*c +
b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(b*c + b*d*
x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) - 2*B*(b*c - a*d)*(2*a*d*L
og[a + b*x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*b*c*(A + B*Log[(e*(a
 + b*x))/(c + d*x)])*Log[c + d*x] - a*B*d*(Log[a + b*x]*(Log[a + b*x] - 2*L
og[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)
]) + b*B*c*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d
*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - B*(b*c - a*d)*(2*A*b*d*x
 + 2*B*d*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)] - 2*B*(b*c - a*d)*Log[c +
d*x] - 2*(b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c + d*x] + B
*(b*c - a*d)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c +
 d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - 4*B^2*(b*c - a*d)^2*(L
og[(e*(a + b*x))/(c + d*x)]*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))] - Poly
Log[3, (d*(a + b*x))/(b*(c + d*x))])))/(2*d^3*i)
```

Rubi [A] (verified)

Time = 0.80 (sec) , antiderivative size = 470, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2962$$

$$\frac{g^2(bc-ad)^2\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g^2(bc-ad)^2\int\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2009$$

$$g^2(bc-ad)^2\left(\frac{b^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2B\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}-\frac{4B\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}\right.$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
,x]
```

output
```
((b*c - a*d)^2*g^2*(-((B*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(
d^2*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)))) + (b^2*(A + B*Log[(e*(a + b*
x))/(c + d*x)])^2)/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*(a + b*x)*
(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d^2*(c + d*x)*(b - (d*(a + b*x))/
(c + d*x))) - (B^2*Log[b - (d*(a + b*x))/(c + d*x)])/d^3 - (4*B*(A + B*Log
[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 - ((A
 + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])
/d^3 + (B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a
 + b*x))])/d^3 - (4*B^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 - (2*
B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*
x))])/d^3 - (B^2*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/d^3 + (2*B^2*Pol
yLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^3))/i
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{dix+ci}dx$$

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algo
rithm="fricas")
```

output
```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)
))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}dx$$
$$= \frac{g^2\left(\int \frac{A^2a^2}{c+dx}\,dx + \int \frac{A^2b^2x^2}{c+dx}\,dx + \int \frac{B^2a^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c+dx}\,dx + \int \frac{2ABa^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{2A^2abx}{c+dx}\,dx + \int \frac{B^2}{}\right.}{}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i),x)
```

output

```
g**2*(Integral(A**2*a**2/(c + d*x), x) + Integral(A**2*b**2*x**2/(c + d*x)
, x) + Integral(B**2*a**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x
), x) + Integral(2*A*B*a**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x)
, x) + Integral(2*A**2*a*b*x/(c + d*x), x) + Integral(B**2*b**2*x**2*log(a
*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x), x) + Integral(2*A*B*b**2*x**
2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Integral(2*B**2*a*b
*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x), x) + Integral(4*A*B*
a*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algo
rithm="maxima")
```

output

```
2*A^2*a*b*g^2*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + 1/2*A^2*b^2*g^2*(2*c^2*
log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A^2*a^2*g^2*log(d*i*x + 
c*i)/(d*i) + 1/6*(2*(b^2*c^2*g^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*B^2*log(d*
x + c)^3 + 3*(B^2*b^2*d^2*g^2*x^2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B^2*x)
*log(d*x + c)^2)/(d^3*i) - integrate(-(B^2*a^2*d*g^2*log(e)^2 + 2*A*B*a^2*
d*g^2*log(e) + (B^2*b^2*d*g^2*log(e)^2 + 2*A*B*b^2*d*g^2*log(e))*x^2 + (B^
2*b^2*d*g^2*x^2 + 2*B^2*a*b*d*g^2*x + B^2*a^2*d*g^2)*log(b*x + a)^2 + 2*(B
^2*a*b*d*g^2*log(e)^2 + 2*A*B*a*b*d*g^2*log(e))*x + 2*(B^2*a^2*d*g^2*log(e
) + A*B*a^2*d*g^2 + (B^2*b^2*d*g^2*log(e) + A*B*b^2*d*g^2)*x^2 + 2*(B^2*a*
b*d*g^2*log(e) + A*B*a*b*d*g^2)*x)*log(b*x + a) - (2*B^2*a^2*d*g^2*log(e)
+ 2*A*B*a^2*d*g^2 + (2*A*B*b^2*d*g^2 + (2*g^2*log(e) + g^2)*B^2*b^2*d)*x^2
 + 2*(2*A*B*a*b*d*g^2 - (b^2*c*g^2 - 2*(g^2*log(e) + g^2)*a*b*d)*B^2)*x + 
2*(B^2*b^2*d*g^2*x^2 + 2*B^2*a*b*d*g^2*x + B^2*a^2*d*g^2)*log(b*x + a))*lo
g(d*x + c))/(d^2*i*x + c*d*i), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x),x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{g^2 i\left(-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{dx+c}dx\right)a^2b^2d^3-4\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)a^3b\,d^3-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2x^2}{dx+c}dx\right)b^4d^3-4\left(\int \frac{\log(}{}\right.\right.}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output
```
(g**2*i*( - 2*int(log((a*e + b*e*x)/(c + d*x))**2/(c + d*x),x)*a**2*b**2*d
**3 - 4*int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a**3*b*d**3 - 2*int(
(log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c + d*x),x)*b**4*d**3 - 4*int((log
((a*e + b*e*x)/(c + d*x))**2*x)/(c + d*x),x)*a*b**3*d**3 - 4*int((log((a*e
 + b*e*x)/(c + d*x))*x**2)/(c + d*x),x)*a*b**3*d**3 - 8*int((log((a*e + b*
e*x)/(c + d*x))*x)/(c + d*x),x)*a**2*b**2*d**3 - 2*log(c + d*x)*a**4*d**2
+ 4*log(c + d*x)*a**3*b*c*d - 2*log(c + d*x)*a**2*b**2*c**2 - 4*a**3*b*d**
2*x + 2*a**2*b**2*c*d*x - a**2*b**2*d**2*x**2))/(2*d**3)
```

3.86 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$

Optimal result . . . 1097
Mathematica [B] (verified) . . . 1098
Rubi [A] (verified) . . . 1099
Maple [F] . . . 1101
Fricas [F] . . . 1101
Sympy [F] . . . 1102
Maxima [F] . . . 1102
Giac [F] . . . 1103
Mupad [F(-1)] . . . 1103
Reduce [F] . . . 1103

Optimal result

Integrand size = 40, antiderivative size = 283

$$\begin{aligned}
&\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx \\
&= \frac{2B(bc-ad)g\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^2i} \\
&\quad + \frac{g(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{di} \\
&\quad + \frac{(bc-ad)g\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i} \\
&\quad + \frac{2B^2(bc-ad)g\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i} \\
&\quad + \frac{2B(bc-ad)g\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i} \\
&\quad - \frac{2B^2(bc-ad)g\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i}
\end{aligned}$$

output

```
2*B*(-a*d+b*c)*g*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2/
i+g*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d/i+(-a*d+b*c)*g*ln((-a*d+b*c)/b
/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i+2*B^2*(-a*d+b*c)*g*polylog(2
,d*(b*x+a)/b/(d*x+c))/d^2/i+2*B*(-a*d+b*c)*g*(A+B*ln(e*(b*x+a)/(d*x+c)))*p
olylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i-2*B^2*(-a*d+b*c)*g*polylog(3,d*(b*x+a)
/b/(d*x+c))/d^2/i
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1227 vs. $2(283) = 566$.

Time $= 1.17$ (sec) , antiderivative size $= 1227$, normalized size of antiderivative $= 4.34$

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \text{Too large to display}$$

input

```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*
i*x),x]
```

output

```
(g*(3*A^2*b*d*x - 3*A^2*(b*c - a*d)*Log[c + d*x] - 3*a*A*B*d*(Log[c/d + x]
^2 + 2*(Log[a/b + x] - Log[c/d + x] - Log[(e*(a + b*x))/(c + d*x)])*Log[c
+ d*x] - 2*(Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a
 + b*x))/(-(b*c) + a*d)])) - 3*A*B*(-2*d*(a + b*x)*(-1 + Log[a/b + x]) + 2
*b*(c + d*x)*(-1 + Log[c/d + x]) - b*c*Log[c/d + x]^2 + 2*b*(Log[a/b + x]
- Log[c/d + x] - Log[(e*(a + b*x))/(c + d*x)])*(d*x - c*Log[c + d*x]) + 2*
b*c*(Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x)
)/(-(b*c) + a*d)])) + a*B^2*d*(Log[c/d + x]^3 + 3*Log[c/d + x]^2*(-Log[a/b
 + x] + Log[(d*(a + b*x))/(-(b*c) + a*d)]) + 3*(-Log[a/b + x] + Log[c/d +
x] + Log[(e*(a + b*x))/(c + d*x)])^2*Log[c + d*x] + 3*Log[a/b + x]^2*Log[(
b*(c + d*x))/(b*c - a*d)] + 6*Log[a/b + x]*PolyLog[2, (d*(a + b*x))/(-(b*c
) + a*d)] + 3*(Log[a/b + x] - Log[c/d + x] - Log[(e*(a + b*x))/(c + d*x)])
*(Log[c/d + x]^2 - 2*(Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLo
g[2, (d*(a + b*x))/(-(b*c) + a*d)])) + 6*Log[c/d + x]*PolyLog[2, (b*(c + d
*x))/(b*c - a*d)] - 6*PolyLog[3, (d*(a + b*x))/(-(b*c) + a*d)] - 6*PolyLog
[3, (b*(c + d*x))/(b*c - a*d)]) + B^2*(3*d*(2*b*x - 2*(a + b*x)*Log[a/b +
x] + (a + b*x)*Log[a/b + x]^2) - b*c*Log[c/d + x]^3 + 3*b*(2*d*x - 2*(c +
d*x)*Log[c/d + x] + (c + d*x)*Log[c/d + x]^2) + 3*b*(-Log[a/b + x] + Log[c
/d + x] + Log[(e*(a + b*x))/(c + d*x)])^2*(d*x - c*Log[c + d*x]) - 6*(a*d
+ 2*b*d*x - b*d*x*Log[c/d + x] - b*c*Log[c + d*x] + Log[a/b + x]*(-(d*(...
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 260, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2962$$

$$\frac{g(bc-ad)\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g(bc-ad)\int\left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}\right)d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2009$$

$$\frac{g(bc-ad)\left(\frac{2B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^2}+\frac{2B\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^2}+\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^2}\right.}{i}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x),x
]
```

output
```
((b*c - a*d)*g*(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d*(c +
 d*x)*(b - (d*(a + b*x))/(c + d*x))) + (2*B*(A + B*Log[(e*(a + b*x))/(c +
d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 + ((A + B*Log[(e*(a + b*x
))/(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 + (2*B^2*PolyLo
g[2, (d*(a + b*x))/(b*(c + d*x))])/d^2 + (2*B*(A + B*Log[(e*(a + b*x))/(c
+ d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^2 - (2*B^2*PolyLog[3,
(d*(a + b*x))/(b*(c + d*x))])/d^2))/i
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{dix+ci}dx$$

input

```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output

```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}dx$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algori
thm="fricas")
```

output

```
integral((A^2*b*g*x + A^2*a*g + (B^2*b*g*x + B^2*a*g)*log((b*e*x + a*e)/(d
*x + c))^2 + 2*(A*B*b*g*x + A*B*a*g)*log((b*e*x + a*e)/(d*x + c)))/(d*i*x
+ c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$

$$= \frac{g\left(\int \frac{A^2a}{c+dx}\,dx + \int \frac{A^2bx}{c+dx}\,dx + \int \frac{B^2a\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c+dx}\,dx + \int \frac{2ABa\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx + \int \frac{B^2bx\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c+dx}\,d\right.}{i}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i),x)
```

output
```
g*(Integral(A**2*a/(c + d*x), x) + Integral(A**2*b*x/(c + d*x), x) + Integ
ral(B**2*a*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x), x) + Integra
l(2*A*B*a*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x) + Integral(B*
*2*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c + d*x), x) + Integral(2*
A*B*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algori
thm="maxima")
```

output
```
A^2*b*g*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + A^2*a*g*log(d*i*x + c*i)/(d*i
) + 1/3*(3*B^2*b*d*g*x*log(d*x + c)^2 - (b*c*g - a*d*g)*B^2*log(d*x + c)^3
)/(d^2*i) - integrate(-(B^2*a*g*log(e)^2 + 2*A*B*a*g*log(e) + (B^2*b*g*x +
 B^2*a*g)*log(b*x + a)^2 + (B^2*b*g*log(e)^2 + 2*A*B*b*g*log(e))*x + 2*(B^
2*a*g*log(e) + A*B*a*g + (B^2*b*g*log(e) + A*B*b*g)*x)*log(b*x + a) - 2*(B
^2*a*g*log(e) + A*B*a*g + ((g*log(e) + g)*B^2*b + A*B*b*g)*x + (B^2*b*g*x
+ B^2*a*g)*log(b*x + a))*log(d*x + c))/(d*i*x + c*i), x)
```

Giac [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x),x)
```

output
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{gi\left(-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{dx+c}dx\right)a\,b^2d^2 - 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)a^2b\,d^2 - \left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2 x}{dx+c}dx\right)b^3d^2 - 2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right.}{dx+c}\right.\right.}{d^2}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output
```
(g*i*( - int(log((a*e + b*e*x)/(c + d*x))**2/(c + d*x),x)*a*b**2*d**2 - 2*
int(log((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a**2*b*d**2 - int((log((a*e
+ b*e*x)/(c + d*x))**2*x)/(c + d*x),x)*b**3*d**2 - 2*int((log((a*e + b*e*x
)/(c + d*x))*x)/(c + d*x),x)*a*b**2*d**2 - log(c + d*x)*a**3*d + log(c + d
*x)*a**2*b*c - a**2*b*d*x))/d**2
```

3.87 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$

Optimal result . . . 1105
Mathematica [A] (verified) . . . 1106
Rubi [A] (verified) . . . 1106
Maple [B] (verified) . . . 1108
Fricas [F] . . . 1110
Sympy [F] . . . 1110
Maxima [F] . . . 1111
Giac [F] . . . 1111
Mupad [F(-1)] . . . 1111
Reduce [F] . . . 1112

Optimal result

Integrand size = 32, antiderivative size = 127

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = -\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{di} - \frac{2B\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{di} + \frac{2B^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{di}$$

output

```
-ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d/i-2*B*(A+B*ln(e*
(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))/d/i+2*B^2*polylog(3,d*(b*
x+a)/b/(d*x+c))/d/i
```

Mathematica [A] (verified)

Time = 1.00 (sec) , antiderivative size = 252, normalized size of antiderivative = 1.98

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx$$
$$=\frac{A^2\log(c+dx)+2AB\log\left(\frac{d(a+bx)}{-bc+ad}\right)\log\left(\frac{bc-ad}{bc+bdx}\right)-2AB\log\left(\frac{e(a+bx)}{c+dx}\right)\log\left(\frac{bc-ad}{bc+bdx}\right)-B^2\log^2\left(\frac{e(a+bx)}{c+dx}\right)\log$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x),x]
```

output
```
(A^2*Log[c + d*x] + 2*A*B*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[(b*c - a*d
)/(b*c + b*d*x)] - 2*A*B*Log[(e*(a + b*x))/(c + d*x)]*Log[(b*c - a*d)/(b*c
 + b*d*x)] - B^2*Log[(e*(a + b*x))/(c + d*x)]^2*Log[(b*c - a*d)/(b*c + b*d
*x)] + A*B*Log[(b*c - a*d)/(b*c + b*d*x)]^2 - 2*B^2*Log[(e*(a + b*x))/(c +
 d*x)]*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))] - 2*A*B*PolyLog[2, (b*(c +
d*x))/(b*c - a*d)] + 2*B^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/(d*i)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 120, normalized size of antiderivative = 0.94, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2952, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{ci+dix}\,dx$$
$$\downarrow 2952$$
$$\frac{\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{b-\frac{d(a+bx)}{c+dx}}\,d\frac{a+bx}{c+dx}}{i}$$
$$\downarrow 2754$$

$$\frac{\frac{2B\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d} - \frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d}}{i}$$

$$\downarrow 2821$$

$$\frac{\frac{2B\left(B\int \frac{(c+dx)\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx} - \mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)\right)}{d} - \frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d}}{i}$$

$$\downarrow 7143$$

$$\frac{\frac{2B\left(B\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right) - \mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)\right)}{d} - \frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d}}{i}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x),x]
```

output
```
(-(((A + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d
*x))])/d) + (2*B*(-((A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (d*(a
+ b*x))/(b*(c + d*x))]) + B*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))]))/d)/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 337 vs. $2(127) = 254$.

Time = 3.11 (sec) , antiderivative size = 338, normalized size of antiderivative = 2.66

method	result
parts	$\frac{A^2\ln(dx+c)}{id} - \frac{B^2\left(\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(1-\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be}\right)+2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\text{polylog}\left(2,\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right.\right.\right.}{id}$
risch	$\frac{A^2\ln(dx+c)}{id} - \frac{B^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(1-\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be}\right)}{di} - \frac{2B^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\text{polylog}\left(2,\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right.\right.}{di}$
derivativedivides	$e(da-bc)\left(\frac{dA^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ie(da-bc)}+\frac{dB^2\left(\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(1-\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be}\right)+2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}{ie(da-bc)}\right.$
default	$e(da-bc)\left(\frac{dA^2\ln\left(be-\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)d\right)}{ie(da-bc)}+\frac{dB^2\left(\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(1-\frac{d\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{be}\right)+2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}{ie(da-bc)}\right.$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
A^2/i*ln(d*x+c)/d-B^2/i/d*(ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(1-1/b/e*d*
(b*e/d+(a*d-b*c)*e/d/(d*x+c)))+2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*polylog(2
,1/b/e*d*(b*e/d+(a*d-b*c)*e/d/(d*x+c)))-2*polylog(3,1/b/e*d*(b*e/d+(a*d-b*
c)*e/d/(d*x+c))))+2*A*B/i*(-dilog(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d-b*e)/b
/e)/d-ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(-((b*e/d+(a*d-b*c)*e/d/(d*x+c))*d
-b*e)/b/e)/d)
```

Fricas [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algorithm="fricas"
)
```

output
```
integral((B^2*log((b*e*x + a*e)/(d*x + c))^2 + 2*A*B*log((b*e*x + a*e)/(d*
x + c)) + A^2)/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \frac{\int \frac{A^2}{c+dx}\,dx + \int \frac{B^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c+dx}\,dx + \int \frac{2AB\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)}{c+dx}\,dx}{i}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i),x)
```

output
```
(Integral(A**2/(c + d*x), x) + Integral(B**2*log(a*e/(c + d*x) + b*e*x/(c
+ d*x))**2/(c + d*x), x) + Integral(2*A*B*log(a*e/(c + d*x) + b*e*x/(c + d
*x))/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algorithm="maxima"
)
```

output
```
1/3*B^2*log(d*x + c)^3/(d*i) + A^2*log(d*i*x + c*i)/(d*i) - integrate(-(B^
2*log(b*x + a)^2 + B^2*log(e)^2 + 2*A*B*log(e) + 2*(B^2*log(e) + A*B)*log(
b*x + a) - 2*(B^2*log(b*x + a) + B^2*log(e) + A*B)*log(d*x + c))/(d*i*x +
c*i), x)
```

Giac [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x, algorithm="giac")
```

output
```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/(c*i + d*i*x),x)
```

output
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{ci+dix}\,dx = \frac{i\left(-\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)^2}{dx+c}dx\right)b^2d-2\left(\int \frac{\log\left(\frac{bex+ae}{dx+c}\right)}{dx+c}dx\right)abd-\log(dx+c)\,a^2\right)}{d}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i),x)
```

output
```
(i*( - int(log((a*e + b*e*x)/(c + d*x))**2/(c + d*x),x)*b**2*d - 2*int(log
((a*e + b*e*x)/(c + d*x))/(c + d*x),x)*a*b*d - log(c + d*x)*a**2))/d
```

3.88 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$

Optimal result 1113
Mathematica [A] (verified) 1113
Rubi [A] (warning: unable to verify) 1114
Maple [B] (verified) 1115
Fricas [B] (verification not implemented) 1116
Sympy [B] (verification not implemented) 1117
Maxima [B] (verification not implemented) 1118
Giac [B] (verification not implemented) 1119
Mupad [B] (verification not implemented) 1119
Reduce [B] (verification not implemented) 1120

Optimal result

Integrand size = 42, antiderivative size = 44

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)gi}$$

output
```
1/3*(A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)/g/i
```

Mathematica [A] (verified)

Time = 0.40 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.80

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = \frac{3A^2\log\left(\frac{e(a+bx)}{c+dx}\right)+3AB\log^2\left(\frac{e(a+bx)}{c+dx}\right)+B^2\log^3\left(\frac{e(a+bx)}{c+dx}\right)}{3bcgi-3adgi}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i
*x)),x]
```

output
```
(3*A^2*Log[(e*(a + b*x))/(c + d*x)] + 3*A*B*Log[(e*(a + b*x))/(c + d*x)]^2
 + B^2*Log[(e*(a + b*x))/(c + d*x)]^3)/(3*b*c*g*i - 3*a*d*g*i)
```

Rubi [A] (warning: unable to verify)

Time = 0.36 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.84, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx}}{gi(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(a+bx)^2}{(c+dx)^2} d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{Bgi(bc-ad)}$$

$$\downarrow 15$$

$$\frac{(a+bx)^3}{3Bgi(c+dx)^3(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i*x)),x
]
```

output
```
(a + b*x)^3/(3*B*(b*c - a*d)*g*i*(c + d*x)^3)
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 105 vs. $2(42) = 84$.

Time = 1.50 (sec) , antiderivative size = 106, normalized size of antiderivative = 2.41

method	result	size
parallelrisch	$-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^3b^2d^2+3AB\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^2d^2+3A^2\ln\left(\frac{e(bx+a)}{dx+c}\right)b^2d^2}{3b^2d^2gi(da-bc)}$	106
norman	$-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^3}{3gi(da-bc)}-\frac{A^2\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi(da-bc)}-\frac{AB\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi(da-bc)}$	113
parts	$\frac{A^2\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^3}{3gi(da-bc)}-\frac{AB\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi(da-bc)}$	123
risch	$\frac{A^2\ln(dx+c)}{gi(da-bc)}-\frac{A^2\ln(bx+a)}{gi(da-bc)}-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^3}{3gi(da-bc)}-\frac{AB\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi(da-bc)}$	130
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^2g}+\frac{d^2AB\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{ei(da-bc)^2g}+\frac{d^2B^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3ei(da-bc)^2g}\right)}{d^2}$	182
default	$-\frac{e(da-bc)\left(\frac{d^2A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^2g}+\frac{d^2AB\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{ei(da-bc)^2g}+\frac{d^2B^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3ei(da-bc)^2g}\right)}{d^2}$	182

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output
```
-1/3*(B^2*ln(e*(b*x+a)/(d*x+c))^3*b^2*d^2+3*A*B*ln(e*(b*x+a)/(d*x+c))^2*b^2*d^2+3*A^2*ln(e*(b*x+a)/(d*x+c))*b^2*d^2)/b^2/d^2/g/i/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 87 vs. $2(42) = 84$.

Time = 0.07 (sec) , antiderivative size = 87, normalized size of antiderivative = 1.98

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = \frac{B^2\log\left(\frac{bex+ae}{dx+c}\right)^3+3\,AB\log\left(\frac{bex+ae}{dx+c}\right)^2+3\,A^2\log\left(\frac{bex+ae}{dx+c}\right)}{3\,(bc-ad)gi}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i),x, algorithm="fricas")
```

output
```
1/3*(B^2*log((b*e*x + a*e)/(d*x + c))^3 + 3*A*B*log((b*e*x + a*e)/(d*x + c
))^2 + 3*A^2*log((b*e*x + a*e)/(d*x + c)))/((b*c - a*d)*g*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 206 vs. $2(31) = 62$.

Time = 0.35 (sec) , antiderivative size = 206, normalized size of antiderivative = 4.68

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = A^2\left(\frac{\log\left(x + \frac{-\frac{a^2d^2}{ad-bc} + \frac{2abcd}{ad-bc} + ad - \frac{b^2c^2}{ad-bc} + bc}{2bd}\right)}{gi\,(ad-bc)} - \frac{\log\left(x + \frac{\frac{a^2d^2}{ad-bc} - \frac{2abcd}{ad-bc} + ad + \frac{b^2c^2}{ad-bc} + bc}{2bd}\right)}{gi\,(ad-bc)}\right) - \frac{AB\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{adgi - bcgi} - \frac{B^2\log\left(\frac{e(a+bx)}{c+dx}\right)^3}{3adgi - 3bcgi}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
A**2*(log(x + (-a**2*d**2/(a*d - b*c) + 2*a*b*c*d/(a*d - b*c) + a*d - b**2
*c**2/(a*d - b*c) + b*c)/(2*b*d))/(g*i*(a*d - b*c)) - log(x + (a**2*d**2/(
a*d - b*c) - 2*a*b*c*d/(a*d - b*c) + a*d + b**2*c**2/(a*d - b*c) + b*c)/(2
*b*d))/(g*i*(a*d - b*c))) - A*B*log(e*(a + b*x)/(c + d*x))**2/(a*d*g*i - b
*c*g*i) - B**2*log(e*(a + b*x)/(c + d*x))**3/(3*a*d*g*i - 3*b*c*g*i)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 397 vs. $2(42) = 84$.

Time $= 0.06$ (sec) , antiderivative size $= 397$, normalized size of antiderivative $= 9.02$

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$

$$= B^2\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)^2$$

$$+ 2AB\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)$$

$$- \frac{1}{3}B^2\left(\frac{3\left(\log(bx+a)^2 - 2\log(bx+a)\log(dx+c) + \log(dx+c)^2\right)\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)}{bcgi - adgi} - \frac{\log(bx+a)^3}{}\right.$$

$$+ A^2\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)$$

$$- \frac{\left(\log(bx+a)^2 - 2\log(bx+a)\log(dx+c) + \log(dx+c)^2\right)AB}{bcgi - adgi}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i),x, algori
thm="maxima")
```

output

```
B^2*(log(b*x + a)/((b*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))*log(
b*e*x/(d*x + c) + a*e/(d*x + c))^2 + 2*A*B*(log(b*x + a)/((b*c - a*d)*g*i)
 - log(d*x + c)/((b*c - a*d)*g*i))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) -
1/3*B^2*(3*(log(b*x + a)^2 - 2*log(b*x + a)*log(d*x + c) + log(d*x + c)^2)
*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b*c*g*i - a*d*g*i) - (log(b*x + a)^
3 - 3*log(b*x + a)^2*log(d*x + c) + 3*log(b*x + a)*log(d*x + c)^2 - log(d*
x + c)^3)/(b*c*g*i - a*d*g*i)) + A^2*(log(b*x + a)/((b*c - a*d)*g*i) - log
(d*x + c)/((b*c - a*d)*g*i)) - (log(b*x + a)^2 - 2*log(b*x + a)*log(d*x +
c) + log(d*x + c)^2)*A*B/(b*c*g*i - a*d*g*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 132 vs. $2(42) = 84$.

Time $= 0.15$ (sec) , antiderivative size $= 132$, normalized size of antiderivative $= 3.00$

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{\left(B^2 e\log\left(\frac{bex+ae}{dx+c}\right)^3 + 3\,ABe\log\left(\frac{bex+ae}{dx+c}\right)^2 + 3\,A^2 e\log\left(\frac{bex+ae}{dx+c}\right)\right)\left(\frac{bc}{(bce-ade)(bc-ad)} - \frac{ad}{(bce-ade)(bc-ad)}\right)}{3\,gi}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i),x, algori
thm="giac")
```

output
```
1/3*(B^2*e*log((b*e*x + a*e)/(d*x + c))^3 + 3*A*B*e*log((b*e*x + a*e)/(d*x
 + c))^2 + 3*A^2*e*log((b*e*x + a*e)/(d*x + c)))*(b*c/((b*c*e - a*d*e)*(b*
c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))/(g*i)
```

Mupad [B] (verification not implemented)

Time $= 27.62$ (sec) , antiderivative size $= 96$, normalized size of antiderivative $= 2.18$

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= -\frac{-6\mathrm{i}\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,A^2 + 3\,A\,B\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2 + B^2\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^3}{3\,g\,i\,\left(a\,d-b\,c\right)}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)*(c*i + d*i*x)),x
)
```

output
```
-(B^2*log((e*(a + b*x))/(c + d*x))^3 - A^2*atan((a*d*1i + b*c*1i + b*d*x*2
i)/(a*d - b*c))*6i + 3*A*B*log((e*(a + b*x))/(c + d*x))^2)/(3*g*i*(a*d - b
*c))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.93

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$=\frac{i\left(3\log(bx+a)\,a^2-3\log(dx+c)\,a^2+\log\left(\frac{bex+ae}{dx+c}\right)^3 b^2+3\log\left(\frac{bex+ae}{dx+c}\right)^2 ab\right)}{3g\,(ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(i*(3*log(a + b*x)*a**2 - 3*log(c + d*x)*a**2 + log((a*e + b*e*x)/(c + d*x
))**3*b**2 + 3*log((a*e + b*e*x)/(c + d*x))**2*a*b))/(3*g*(a*d - b*c))
```

3.89 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$

Optimal result . . . 1121
Mathematica [A] (verified) . . . 1122
Rubi [A] (verified) . . . 1122
Maple [B] (verified) . . . 1124
Fricas [A] (verification not implemented) . . . 1125
Sympy [B] (verification not implemented) . . . 1125
Maxima [B] (verification not implemented) . . . 1127
Giac [F] . . . 1128
Mupad [B] (verification not implemented) . . . 1129
Reduce [B] (verification not implemented) . . . 1130

Optimal result

Integrand size = 42, antiderivative size = 183

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = -\frac{2bB^2(c+dx)}{(bc-ad)^2g^2i(a+bx)} - \frac{2bB(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^2g^2i(a+bx)} - \frac{b(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^2g^2i(a+bx)} - \frac{d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^2g^2i}$$

output

```
-2*b*B^2*(d*x+c)/(-a*d+b*c)^2/g^2/i/(b*x+a)-2*b*B*(d*x+c)*(A+B*ln(e*(b*x+a
)/(d*x+c)))/(-a*d+b*c)^2/g^2/i/(b*x+a)-b*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)
))^2/(-a*d+b*c)^2/g^2/i/(b*x+a)-1/3*d*(A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*
d+b*c)^2/g^2/i
```

Mathematica [A] (verified)

Time = 0.70 (sec) , antiderivative size = 186, normalized size of antiderivative = 1.02

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{3(A^2+2AB+2B^2)\,d(a+bx)\log(a+bx)+6B(A+B)(bc-ad)\log\left(\frac{e(a+bx)}{c+dx}\right)+3B(aAd+Abdx+}{3(bc}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d
*i*x)),x]
```

output
```
-1/3*(3*(A^2 + 2*A*B + 2*B^2)*d*(a + b*x)*Log[a + b*x] + 6*B*(A + B)*(b*c
- a*d)*Log[(e*(a + b*x))/(c + d*x)] + 3*B*(a*A*d + A*b*d*x + b*B*(c + d*x)
)*Log[(e*(a + b*x))/(c + d*x)]^2 + B^2*d*(a + b*x)*Log[(e*(a + b*x))/(c +
d*x)]^3 + 3*(A^2 + 2*A*B + 2*B^2)*(b*c - a*d - d*(a + b*x)*Log[c + d*x]))/
((b*c - a*d)^2*g^2*i*(a + b*x))
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$
$$\downarrow 2962$$
$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2}\,d\frac{a+bx}{c+dx}}{g^2i(bc-ad)^2}$$
$$\downarrow 2795$$

$$\frac{\int \left(\frac{b(c+dx)^2 \left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2} - \frac{d(c+dx)\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} \right) d\frac{a+bx}{c+dx}}{g^2 i (bc-ad)^2}$$

$$\downarrow \text{2009}$$

$$\frac{-\frac{d\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^3}{3B} - \frac{b(c+dx)\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx} - \frac{2bB(c+dx)\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx} - \frac{2bB^2(c+dx)}{a+bx}}{g^2 i (bc-ad)^2}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d*i*x))
,x]
```

output
```
((-2*b*B^2*(c + d*x))/(a + b*x) - (2*b*B*(c + d*x)*(A + B*Log[(e*(a + b*x)
)/(c + d*x)]))/(a + b*x) - (b*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2)/(a + b*x) - (d*(A + B*Log[(e*(a + b*x))/(c + d*x)])^3)/(3*B))/((b*c
- a*d)^2*g^2*i)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 399 vs. 2(181) = 362.

Time = 1.80 (sec) , antiderivative size = 400, normalized size of antiderivative = 2.19

method	result
norman	$-\frac{\left(A^2ad+2ABbc+2B^2bc\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{B(Ada+Bbc)\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{B^2ad\ln\left(\frac{e(bx+a)}{dx+c}\right)^3}{3gi\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{b\left(A^2d+2ABd+2B^2d\right)x\ln($ $\frac{g(bx+a)}{g(bx+a)}$
parts	$\frac{A^2\left(\frac{d\ln(dx+c)}{(da-bc)^2}+\frac{1}{(bx+a)(da-bc)}-\frac{d\ln(bx+a)}{(da-bc)^2}\right)}{g^2i}-\frac{B^2\left(\frac{d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3(da-bc)^2}-\frac{dbe\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{2\ln\left(\frac{be}{d}+\frac{(da}{d(}\right.\right.}{g^2id}$
parallelrisch	$-\frac{3AB\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a^4c^2d+3A^2xa^3bc^2d-6ABxa^2b^2c^3+6AB\ln\left(\frac{e(bx+a)}{dx+c}\right)a^3bc^3+6B^2xa^3bc^2d+3ABx\ln\left(\frac{e(bx+a}{dx+c}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A^2b}{i(da-bc)^3g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^3A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^3g^2}-\frac{2d^2ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)}{i(da-bc)^3g^2}+}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2A^2b}{i(da-bc)^3g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^3A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^3g^2}-\frac{2d^2ABb\left(-\frac{\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}-\frac{1}{\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}}\right)}{i(da-bc)^3g^2}+}{}$
risch	$\frac{A^2d\ln(dx+c)}{g^2i(da-bc)^2}+\frac{A^2}{g^2i(bx+a)(da-bc)}-\frac{A^2d\ln(bx+a)}{g^2i(da-bc)^2}-\frac{B^2d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3g^2i(da-bc)^2}-\frac{B^2be\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{g^2i(da-bc)^2\left(\frac{be}{d}+\frac{ea}{dx+c}-\frac{e}{d(}\right.}$

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x,method=_RETU
RNVERBOSE)
```

output
```
(-(A^2*a*d+2*A*B*b*c+2*B^2*b*c)/g/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+
a)/(d*x+c))-B*(A*a*d+B*b*c)/g/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+a)/(
d*x+c))^2-1/3*B^2*a*d/g/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+a)/(d*x+c)
)^3-1/g/i*b*(A^2*d+2*A*B*d+2*B^2*d)/(a^2*d^2-2*a*b*c*d+b^2*c^2)*x*ln(e*(b*
x+a)/(d*x+c))-(A^2+2*A*B+2*B^2)*b/g/i/a/(a*d-b*c)*x-1/3*b*B^2*d/g/i/(a^2*d
^2-2*a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/(d*x+c))^3-B*b*d*(A+B)/g/i/(a^2*d^2-2
*a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/(d*x+c))^2)/g/(b*x+a)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 231, normalized size of antiderivative = 1.26

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{(B^2bdx + B^2ad)\log\left(\frac{bex+ae}{dx+c}\right)^3 + 3\,(A^2 + 2\,AB + 2\,B^2)bc - 3\,(A^2 + 2\,AB + 2\,B^2)ad + 3\,(B^2bc + ABa}{3\,((b^3c^2 - 2\,ab^2cd + a^2bd^2)g^2ix}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x, algo
rithm="fricas")
```

output
```
-1/3*((B^2*b*d*x + B^2*a*d)*log((b*e*x + a*e)/(d*x + c))^3 + 3*(A^2 + 2*A*
B + 2*B^2)*b*c - 3*(A^2 + 2*A*B + 2*B^2)*a*d + 3*(B^2*b*c + A*B*a*d + (A*B
 + B^2)*b*d*x)*log((b*e*x + a*e)/(d*x + c))^2 + 3*(A^2*a*d + (A^2 + 2*A*B
+ 2*B^2)*b*d*x + 2*(A*B + B^2)*b*c)*log((b*e*x + a*e)/(d*x + c)))/((b^3*c^
2 - 2*a*b^2*c*d + a^2*b*d^2)*g^2*i*x + (a*b^2*c^2 - 2*a^2*b*c*d + a^3*d^2)
*g^2*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 541 vs. $2(158) = 316$.

Time = 0.72 (sec) , antiderivative size = 541, normalized size of antiderivative = 2.96

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$

$$= -\frac{B^2 d\log\left(\frac{e(a+bx)}{c+dx}\right)^3}{3a^2d^2g^2i-6abcdg^2i+3b^2c^2g^2i} + \frac{(2AB+2B^2)\log\left(\frac{e(a+bx)}{c+dx}\right)}{a^2dg^2i-abcg^2i+abdg^2ix-b^2cg^2ix}$$

$$+\left(A^2+2AB+2B^2\right)\left(\frac{d\log\left(x+\frac{-\frac{a^3d^4}{(ad-bc)^2}+\frac{3a^2bcd^3}{(ad-bc)^2}-\frac{3ab^2c^2d^2}{(ad-bc)^2}+ad^2+\frac{b^3c^3d}{(ad-bc)^2}+bcd}{2bd^2}\right)}{g^2i\left(ad-bc\right)^2}\right.$$

$$\left.-\frac{d\log\left(x+\frac{\frac{a^3d^4}{(ad-bc)^2}-\frac{3a^2bcd^3}{(ad-bc)^2}+\frac{3ab^2c^2d^2}{(ad-bc)^2}+ad^2-\frac{b^3c^3d}{(ad-bc)^2}+bcd}{2bd^2}\right)}{g^2i\left(ad-bc\right)^2}\right.$$

$$\left.+\frac{1}{a^2dg^2i-abcg^2i+x\left(abdg^2i-b^2cg^2i\right)}\right)$$

$$+\frac{(-ABad-ABbdx-B^2bc-B^2bdx)\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{a^3d^2g^2i-2a^2bcdg^2i+a^2bd^2g^2ix+ab^2c^2g^2i-2ab^2cdg^2ix+b^3c^2g^2ix}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2/(d*i*x+c*i),x)
```

output

```
-B**2*d*log(e*(a + b*x)/(c + d*x))**3/(3*a**2*d**2*g**2*i - 6*a*b*c*d*g**2
*i + 3*b**2*c**2*g**2*i) + (2*A*B + 2*B**2)*log(e*(a + b*x)/(c + d*x))/(a*
*2*d*g**2*i - a*b*c*g**2*i + a*b*d*g**2*i*x - b**2*c*g**2*i*x) + (A**2 + 2
*A*B + 2*B**2)*(d*log(x + (-a**3*d**4/(a*d - b*c)**2 + 3*a**2*b*c*d**3/(a*
d - b*c)**2 - 3*a*b**2*c**2*d**2/(a*d - b*c)**2 + a*d**2 + b**3*c**3*d/(a*
d - b*c)**2 + b*c*d)/(2*b*d**2))/(g**2*i*(a*d - b*c)**2) - d*log(x + (a**3
*d**4/(a*d - b*c)**2 - 3*a**2*b*c*d**3/(a*d - b*c)**2 + 3*a*b**2*c**2*d**2
/(a*d - b*c)**2 + a*d**2 - b**3*c**3*d/(a*d - b*c)**2 + b*c*d)/(2*b*d**2))
/(g**2*i*(a*d - b*c)**2) + 1/(a**2*d*g**2*i - a*b*c*g**2*i + x*(a*b*d*g**2
*i - b**2*c*g**2*i))) + (-A*B*a*d - A*B*b*d*x - B**2*b*c - B**2*b*d*x)*log
(e*(a + b*x)/(c + d*x))**2/(a**3*d**2*g**2*i - 2*a**2*b*c*d*g**2*i + a**2*
b*d**2*g**2*i*x + a*b**2*c**2*g**2*i - 2*a*b**2*c*d*g**2*i*x + b**3*c**2*g
**2*i*x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1008 vs. $2(181) = 362$.

Time $= 0.10$ (sec) , antiderivative size $= 1008$, normalized size of antiderivative $= 5.51$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^2(ci + dix)}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x, algo
rithm="maxima")
```

output

```
-B^2*(1/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)
/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*
b*c*d + a^2*d^2)*g^2*i))*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2 - 2*A*B*(1
/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/((b^2*
c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d +
 a^2*d^2)*g^2*i))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) + 1/3*B^2*(3*((b*d*
x + a*d)*log(b*x + a)^2 + (b*d*x + a*d)*log(d*x + c)^2 - 2*b*c + 2*a*d - 2
*(b*d*x + a*d)*log(b*x + a) + 2*(b*d*x + a*d - (b*d*x + a*d)*log(b*x + a))
*log(d*x + c))*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(a*b^2*c^2*g^2*i - 2*a
^2*b*c*d*g^2*i + a^3*d^2*g^2*i + (b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*
b*d^2*g^2*i)*x) - ((b*d*x + a*d)*log(b*x + a)^3 - (b*d*x + a*d)*log(d*x +
c)^3 - 3*(b*d*x + a*d)*log(b*x + a)^2 - 3*(b*d*x + a*d - (b*d*x + a*d)*log
(b*x + a))*log(d*x + c)^2 + 6*b*c - 6*a*d + 6*(b*d*x + a*d)*log(b*x + a) -
 3*(2*b*d*x + (b*d*x + a*d)*log(b*x + a)^2 + 2*a*d - 2*(b*d*x + a*d)*log(b
*x + a))*log(d*x + c))/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*i + a^3*d^2*g^2*
i + (b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*x)) - A^2*(1/((b
^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/((b^2*c^2
- 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2
*d^2)*g^2*i)) + ((b*d*x + a*d)*log(b*x + a)^2 + (b*d*x + a*d)*log(d*x + c)
^2 - 2*b*c + 2*a*d - 2*(b*d*x + a*d)*log(b*x + a) + 2*(b*d*x + a*d - (b...
```

Giac [F]

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2(dix+ci)}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x, algo
rithm="giac")
```

output

```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)^2/((b*g*x + a*g)^2*(d*i*x + c
*i)), x)
```

Mupad [B] (verification not implemented)

Time = 28.04 (sec) , antiderivative size = 419, normalized size of antiderivative = 2.29

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$
$$= \frac{A^2+2AB+2B^2}{(ad-bc)\,(ag^2i+bg^2ix)} - \ln\left(\frac{e(a+bx)}{c+dx}\right)^2\left(\frac{Bd(A+B)}{g^2i\,(a^2d^2-2abcd+b^2c^2)} - \frac{B^2(ad-bc)}{bdg^2i\,\left(\frac{x}{d}+\frac{a}{bd}\right)\,(a^2d^2-2abcd+b^2c^2)}\right)$$
$$- \frac{B^2d\ln\left(\frac{e(a+bx)}{c+dx}\right)^3}{3g^2i\,(a^2d^2-2abcd+b^2c^2)} + \frac{2B\,\ln\left(\frac{e(a+bx)}{c+dx}\right)\,(ad-bc)\,(A+B)}{bdg^2i\,\left(\frac{x}{d}+\frac{a}{bd}\right)\,(a^2d^2-2abcd+b^2c^2)}$$
$$+ \frac{d\,\mathrm{atan}\left(\frac{d\left(2bdx+\frac{a^2d^2g^2i-b^2c^2g^2i}{g^2i(ad-bc)}\right)(A^2+2AB+2B^2)\,1\mathrm{i}}{(ad-bc)(dA^2+2dAB+2dB^2)}\right)\,(A^2+2AB+2B^2)\,2\mathrm{i}}{g^2i(ad-bc)^2}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^2*(c*i + d*i*x))
,x)
```

output
```
(A^2 + 2*B^2 + 2*A*B)/((a*d - b*c)*(a*g^2*i + b*g^2*i*x)) - log((e*(a + b*
x))/(c + d*x))^2*((B*d*(A + B))/(g^2*i*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) -
(B^2*(a*d - b*c))/(b*d*g^2*i*(x/d + a/(b*d))*(a^2*d^2 + b^2*c^2 - 2*a*b*c*
d))) - (B^2*d*log((e*(a + b*x))/(c + d*x))^3)/(3*g^2*i*(a^2*d^2 + b^2*c^2
- 2*a*b*c*d)) + (d*atan((d*(2*b*d*x + (a^2*d^2*g^2*i - b^2*c^2*g^2*i)/(g^2
*i*(a*d - b*c)))*(A^2 + 2*B^2 + 2*A*B)*1i)/((a*d - b*c)*(A^2*d + 2*B^2*d +
 2*A*B*d)))*(A^2 + 2*B^2 + 2*A*B)*2i)/(g^2*i*(a*d - b*c)^2) + (2*B*log((e*
(a + b*x))/(c + d*x))*(a*d - b*c)*(A + B))/(b*d*g^2*i*(x/d + a/(b*d))*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 537, normalized size of antiderivative = 2.93

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$
$$=\frac{i\Big(3\log(bx+a)\,a^4d-3\log(dx+c)\,a^4d-6b^4cx+3\log(bx+a)\,a^3bdx+6\log(bx+a)\,ab^3cx-3\log(dx+$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x)
```

output
```
(i*(3*log(a + b*x)*a**4*d + 3*log(a + b*x)*a**3*b*d*x + 6*log(a + b*x)*a**
2*b**2*c + 6*log(a + b*x)*a*b**3*c*x + 6*log(a + b*x)*a*b**3*c + 6*log(a +
 b*x)*b**4*c*x - 3*log(c + d*x)*a**4*d - 3*log(c + d*x)*a**3*b*d*x - 6*log
(c + d*x)*a**2*b**2*c - 6*log(c + d*x)*a*b**3*c*x - 6*log(c + d*x)*a*b**3*
c - 6*log(c + d*x)*b**4*c*x + log((a*e + b*e*x)/(c + d*x))**3*a**2*b**2*d
 + log((a*e + b*e*x)/(c + d*x))**3*a*b**3*d*x + 3*log((a*e + b*e*x)/(c + d*
x))**2*a**3*b*d + 3*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*d*x + 3*log(
(a*e + b*e*x)/(c + d*x))**2*a*b**3*c + 3*log((a*e + b*e*x)/(c + d*x))**2*a
*b**3*d*x + 6*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*d*x - 6*log((a*e + b*
e*x)/(c + d*x))*a*b**3*c*x + 6*log((a*e + b*e*x)/(c + d*x))*a*b**3*d*x - 6
*log((a*e + b*e*x)/(c + d*x))*b**4*c*x + 3*a**3*b*d*x - 3*a**2*b**2*c*x +
6*a**2*b**2*d*x - 6*a*b**3*c*x + 6*a*b**3*d*x - 6*b**4*c*x))/(3*a*g**2*(a*
*3*d**2 - 2*a**2*b*c*d + a**2*b*d**2*x + a*b**2*c**2 - 2*a*b**2*c*d*x + b*
*3*c**2*x))
```

3.90 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$

Optimal result 1131
Mathematica [A] (verified) 1132
Rubi [A] (verified) 1133
Maple [B] (verified) 1134
Fricas [A] (verification not implemented) 1136
Sympy [B] (verification not implemented) 1137
Maxima [B] (verification not implemented) 1138
Giac [A] (verification not implemented) 1139
Mupad [B] (verification not implemented) 1139
Reduce [B] (verification not implemented) 1140

Optimal result

Integrand size = 42, antiderivative size = 343

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = {}& \frac{4bB^2d(c+dx)}{(bc-ad)^3g^3i(a+bx)} - \frac{b^2B^2(c+dx)^2}{4(bc-ad)^3g^3i(a+bx)^2} \\ & + \frac{4bBd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^3i(a+bx)} \\ & - \frac{b^2B(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3g^3i(a+bx)^2} \\ & + \frac{2bd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^3g^3i(a+bx)} \\ & - \frac{b^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^3g^3i(a+bx)^2} \\ & + \frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^3g^3i}\end{aligned}$$

output
```
4*b*B^2*d*(d*x+c)/(-a*d+b*c)^3/g^3/i/(b*x+a)-1/4*b^2*B^2*(d*x+c)^2/(-a*d+b
*c)^3/g^3/i/(b*x+a)^2+4*b*B*d*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*
c)^3/g^3/i/(b*x+a)-1/2*b^2*B*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b
*c)^3/g^3/i/(b*x+a)^2+2*b*d*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*
c)^3/g^3/i/(b*x+a)-1/2*b^2*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b
*c)^3/g^3/i/(b*x+a)^2+1/3*d^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^3
/g^3/i
```

Mathematica [A] (verified)

Time = 1.08 (sec) , antiderivative size = 318, normalized size of antiderivative = 0.93

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$$
$$= \frac{-3(2A^2+2AB+B^2)\,(bc-ad)^2+6(2A^2+6AB+7B^2)\,d(bc-ad)(a+bx)+6(2A^2+6AB+7B^2)\,d^2$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d
*i*x)),x]
```

output
```
(-3*(2*A^2 + 2*A*B + B^2)*(b*c - a*d)^2 + 6*(2*A^2 + 6*A*B + 7*B^2)*d*(b*c
 - a*d)*(a + b*x) + 6*(2*A^2 + 6*A*B + 7*B^2)*d^2*(a + b*x)^2*Log[a + b*x]
 - 6*B*(b*c - a*d)*(-6*a*A*d - 7*a*B*d + b*B*(c - 6*d*x) + 2*A*b*(c - 2*d*
x))*Log[(e*(a + b*x))/(c + d*x)] - 6*B*(-2*a^2*A*d^2 - 4*a*b*d*(A*d*x + B*
(c + d*x)) + b^2*(-2*A*d^2*x^2 + B*(c^2 - 2*c*d*x - 3*d^2*x^2)))*Log[(e*(a
 + b*x))/(c + d*x)]^2 + 4*B^2*d^2*(a + b*x)^2*Log[(e*(a + b*x))/(c + d*x)]
^3 - 6*(2*A^2 + 6*A*B + 7*B^2)*d^2*(a + b*x)^2*Log[c + d*x])/(12*(b*c - a*
d)^3*g^3*i*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 248, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3} d\frac{a+bx}{c+dx}}{g^3 i(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{\int \left(\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^3}{(a+bx)^3} - \frac{2bd\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^2}{(a+bx)^2} + \frac{d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)}{a+bx}\right) d\frac{a+bx}{c+dx}}{g^3 i(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2} - \frac{b^2B(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2} + \frac{d^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^3}{3B} + \frac{2bd(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}}{g^3 i(bc-ad)^3}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d*i*x))
,x]
```

output

```
((4*b*B^2*d*(c + d*x))/(a + b*x) - (b^2*B^2*(c + d*x)^2)/(4*(a + b*x)^2) +
 (4*b*B*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - (b^2
*B*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) + (2*
b*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x) - (b^2*(c
+ d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*x)^2) + (d^2*(A
 + B*Log[(e*(a + b*x))/(c + d*x)])^3)/(3*B))/((b*c - a*d)^3*g^3*i)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 766 vs. $2(335) = 670$.

Time = 2.23 (sec) , antiderivative size = 767, normalized size of antiderivative = 2.24

method	result
parts	$\frac{A^2\left(\frac{d^2\ln(dx+c)}{(da-bc)^3}+\frac{1}{2(da-bc)(bx+a)^2}+\frac{d}{(da-bc)^2(bx+a)}-\frac{d^2\ln(bx+a)}{(da-bc)^3}\right)}{g^3 i}-\frac{B^2\left(\frac{d^3\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3(da-bc)^3}-\frac{2d^2be\left(-\frac{\ln\left(\frac{be}{d}+\frac{(}{}\right.}{\frac{be}{d}+\frac{(}{}}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2eA^2b^2}{2i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2d^3A^2b}{i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^4A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^4g^3}+\frac{2d^2eAB\,b^2\left(\right.}{}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{d^2eA^2b^2}{2i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}+\frac{2d^3A^2b}{i(da-bc)^4g^3\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}+\frac{d^4A^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei(da-bc)^4g^3}+\frac{2d^2eAB\,b^2\left(\right.}{}\right.}{}$
norman	$\frac{6A^2a\,b^2d-2A^2b^3c+14ABa\,b^2d-2AB\,b^3c+15B^2a\,b^2d-B^2b^3c}{4gi\,b^2\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{\left(2A^2a^2d^2+8ABabcd-2AB\,b^2c^2+8B^2abcd-B^2b^2c^2\right)\ln\left(\frac{e(bx+a}{dx+c}\right.}{2ig\left(a^3d^3-3a^2bc\,d^2+3a\,b^2c^2d-b^3c^3\right)}$
risch	$\frac{A^2d^2\ln(dx+c)}{g^3i(da-bc)^3}+\frac{A^2}{2g^3i(da-bc)(bx+a)^2}+\frac{A^2d}{g^3i(da-bc)^2(bx+a)}-\frac{A^2d^2\ln(bx+a)}{g^3i(da-bc)^3}-\frac{B^2d^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^3}{3g^3i(da-bc)^3}-$
parallelrisch	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x,method=_RETU
RNVERBOSE)
```

output

```
A^2/g^3/i*(d^2/(a*d-b*c)^3*ln(d*x+c)+1/2/(a*d-b*c)/(b*x+a)^2+d/(a*d-b*c)^2
/(b*x+a)-d^2/(a*d-b*c)^3*ln(b*x+a))-B^2/g^3/i/d*(1/3*d^3/(a*d-b*c)^3*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))^3-2*d^2/(a*d-b*c)^3*b*e*(-1/(b*e/d+(a*d-b*c)*e/
d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c
))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))+d/(a*d
-b*c)^3*b^2*e^2*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))-2*A*B/g^3/i/d*(1/2*d^3/(a*d-
b*c)^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*d^2/(a*d-b*c)^3*b*e*(-1/(b*e/d+
(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*
e/d/(d*x+c)))+d/(a*d-b*c)^3*b^2*e^2*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 540, normalized size of antiderivative = 1.57

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx =$$

$$-\frac{3\,(2\,A^2+2\,AB+B^2)b^2c^2-24\,(A^2+2\,AB+2\,B^2)abcd+3\,(6\,A^2+14\,AB+15\,B^2)a^2d^2-4\,(B^2b^2d^2}{}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x, algo
rithm="fricas")
```

output

```
-1/12*(3*(2*A^2 + 2*A*B + B^2)*b^2*c^2 - 24*(A^2 + 2*A*B + 2*B^2)*a*b*c*d
+ 3*(6*A^2 + 14*A*B + 15*B^2)*a^2*d^2 - 4*(B^2*b^2*d^2*x^2 + 2*B^2*a*b*d^2
*x + B^2*a^2*d^2)*log((b*e*x + a*e)/(d*x + c))^3 - 6*((2*A*B + 3*B^2)*b^2*
d^2*x^2 - B^2*b^2*c^2 + 4*B^2*a*b*c*d + 2*A*B*a^2*d^2 + 2*(B^2*b^2*c*d + 2
*(A*B + B^2)*a*b*d^2)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 6*((2*A^2 + 6*A*
B + 7*B^2)*b^2*c*d - (2*A^2 + 6*A*B + 7*B^2)*a*b*d^2)*x - 6*((2*A^2 + 6*A*
B + 7*B^2)*b^2*d^2*x^2 + 2*A^2*a^2*d^2 - (2*A*B + B^2)*b^2*c^2 + 8*(A*B +
B^2)*a*b*c*d + 2*((2*A*B + 3*B^2)*b^2*c*d + 2*(A^2 + 2*A*B + 2*B^2)*a*b*d^
2)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*
c*d^2 - a^3*b^2*d^3)*g^3*i*x^2 + 2*(a*b^4*c^3 - 3*a^2*b^3*c^2*d + 3*a^3*b^
2*c*d^2 - a^4*b*d^3)*g^3*i*x + (a^2*b^3*c^3 - 3*a^3*b^2*c^2*d + 3*a^4*b*c*
d^2 - a^5*d^3)*g^3*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1488 vs. $2(303) = 606$.

Time = 4.17 (sec) , antiderivative size = 1488, normalized size of antiderivative = 4.34

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3/(d*i*x+c*i),x)
```

output

```
-B**2*d**2*log(e*(a + b*x)/(c + d*x))**3/(3*a**3*d**3*g**3*i - 9*a**2*b*c*
d**2*g**3*i + 9*a*b**2*c**2*d*g**3*i - 3*b**3*c**3*g**3*i) + d**2*(2*A**2
+ 6*A*B + 7*B**2)*log(x + (2*A**2*a*d**3 + 2*A**2*b*c*d**2 + 6*A*B*a*d**3
+ 6*A*B*b*c*d**2 + 7*B**2*a*d**3 + 7*B**2*b*c*d**2 - a**4*d**6*(2*A**2 + 6
*A*B + 7*B**2)/(a*d - b*c)**3 + 4*a**3*b*c*d**5*(2*A**2 + 6*A*B + 7*B**2)/
(a*d - b*c)**3 - 6*a**2*b**2*c**2*d**4*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*
c)**3 + 4*a*b**3*c**3*d**3*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*c)**3 - b**4
*c**4*d**2*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*c)**3)/(4*A**2*b*d**3 + 12*A
*B*b*d**3 + 14*B**2*b*d**3))/(2*g**3*i*(a*d - b*c)**3) - d**2*(2*A**2 + 6*
A*B + 7*B**2)*log(x + (2*A**2*a*d**3 + 2*A**2*b*c*d**2 + 6*A*B*a*d**3 + 6*
A*B*b*c*d**2 + 7*B**2*a*d**3 + 7*B**2*b*c*d**2 + a**4*d**6*(2*A**2 + 6*A*B
 + 7*B**2)/(a*d - b*c)**3 - 4*a**3*b*c*d**5*(2*A**2 + 6*A*B + 7*B**2)/(a*d
 - b*c)**3 + 6*a**2*b**2*c**2*d**4*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*c)**
3 - 4*a*b**3*c**3*d**3*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*c)**3 + b**4*c**
4*d**2*(2*A**2 + 6*A*B + 7*B**2)/(a*d - b*c)**3)/(4*A**2*b*d**3 + 12*A*B*b
*d**3 + 14*B**2*b*d**3))/(2*g**3*i*(a*d - b*c)**3) + (6*A*B*a*d - 2*A*B*b*
c + 4*A*B*b*d*x + 7*B**2*a*d - B**2*b*c + 6*B**2*b*d*x)*log(e*(a + b*x)/(c
 + d*x))/(2*a**4*d**2*g**3*i - 4*a**3*b*c*d*g**3*i + 4*a**3*b*d**2*g**3*i*
x + 2*a**2*b**2*c**2*g**3*i - 8*a**2*b**2*c*d*g**3*i*x + 2*a**2*b**2*d**2*
g**3*i*x**2 + 4*a*b**3*c**2*g**3*i*x - 4*a*b**3*c*d*g**3*i*x**2 + 2*b**...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2115 vs. $2(335) = 670$.

Time $= 0.19$ (sec) , antiderivative size $= 2115$, normalized size of antiderivative $= 6.17$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x, algo
rithm="maxima")
```

output
```
1/2*B^2*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^
3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (a^2*b^2*c^2
 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*
c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((b^3*c^3 - 3
*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(b*e*x/(d*x + c) + a*e/
(d*x + c))^2 + A*B*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*
b^2*d^2)*g^3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (
a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3
 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((
b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(b*e*x/(d*x
+ c) + a*e/(d*x + c)) - 1/12*B^2*(6*(b^2*c^2 - 8*a*b*c*d + 7*a^2*d^2 + 2*(
b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*a
*b*d^2*x + a^2*d^2)*log(d*x + c)^2 - 6*(b^2*c*d - a*b*d^2)*x - 6*(b^2*d^2*
x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a) + 2*(3*b^2*d^2*x^2 + 6*a*b*d^2*x
 + 3*a^2*d^2 - 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a))*log(d
*x + c))*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(a^2*b^3*c^3*g^3*i - 3*a^3*b
^2*c^2*d*g^3*i + 3*a^4*b*c*d^2*g^3*i - a^5*d^3*g^3*i + (b^5*c^3*g^3*i - 3*
a*b^4*c^2*d*g^3*i + 3*a^2*b^3*c*d^2*g^3*i - a^3*b^2*d^3*g^3*i)*x^2 + 2*(a*
b^4*c^3*g^3*i - 3*a^2*b^3*c^2*d*g^3*i + 3*a^3*b^2*c*d^2*g^3*i - a^4*b*d^3*
g^3*i)*x) + (3*b^2*c^2 - 48*a*b*c*d + 45*a^2*d^2 - 4*(b^2*d^2*x^2 + 2*a...
```

Giac [A] (verification not implemented)

Time = 57.21 (sec) , antiderivative size = 211, normalized size of antiderivative = 0.62

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2B^2e^3\log\left(\frac{bex+ae}{dx+c}\right)^2}{(bex+ae)^2g^3i}+\frac{2\,(2\,ABe^3+B^2e^3)(dx+c)^2\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)^2g^3i}+\frac{(2\,A^2e^3+2\,ABe^3+B$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x, algo
rithm="giac")
```

output
```
-1/4*(2*(d*x + c)^2*B^2*e^3*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x + a*e)^
2*g^3*i) + 2*(2*A*B*e^3 + B^2*e^3)*(d*x + c)^2*log((b*e*x + a*e)/(d*x + c)
)/((b*e*x + a*e)^2*g^3*i) + (2*A^2*e^3 + 2*A*B*e^3 + B^2*e^3)*(d*x + c)^2/
((b*e*x + a*e)^2*g^3*i))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e
- a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 29.85 (sec) , antiderivative size = 981, normalized size of antiderivative = 2.86

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^3*(c*i + d*i*x))
,x)
```

output

```
log((e*(a + b*x))/(c + d*x))^2*(((B^2*d^2*((2*a^2*d^2 + b^2*c^2 - 3*a*b*c*
d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^2)))/(g^3*i*(a^3*d^3 - b^3*c^3 + 3*a
*b^2*c^2*d - 3*a^2*b*c*d^2)) + (B^2*x*(a*d - b*c))/(g^3*i*(a^3*d^3 - b^3*c
^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)))/((b*x^2)/d + a^2/(b*d) + (2*a*x)/d)
 - (B*d^2*(2*A + 3*B))/(2*g^3*i*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*
b*c*d^2))) - ((6*A^2*a*d - 2*A^2*b*c + 15*B^2*a*d - B^2*b*c + 14*A*B*a*d -
 2*A*B*b*c)/(2*(a*d - b*c)) + (x*(2*A^2*b*d + 7*B^2*b*d + 6*A*B*b*d))/(a*d
 - b*c))/(x^2*(2*b^3*c*g^3*i - 2*a*b^2*d*g^3*i) + x*(4*a*b^2*c*g^3*i - 4*a
^2*b*d*g^3*i) - 2*a^3*d*g^3*i + 2*a^2*b*c*g^3*i) + (log((e*(a + b*x))/(c +
 d*x))*((B*d^2*((2*a^2*d^2 + b^2*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*
c))/(2*b*d^2))*(2*A + 3*B))/(g^3*i*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*
a^2*b*c*d^2)) - B^2/(b*d*g^3*i*(a*d - b*c)) + (B*x*(2*A + 3*B)*(a*d - b*c)
)/(g^3*i*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))))/((b*x^2)/d
 + a^2/(b*d) + (2*a*x)/d) - (B^2*d^2*log((e*(a + b*x))/(c + d*x))^3)/(3*g^
3*i*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (d^2*atan((d^2*
(A^2 + (7*B^2)/2 + 3*A*B)*(2*a^3*d^3*g^3*i + 2*b^3*c^3*g^3*i - 2*a*b^2*c^2
*d*g^3*i - 2*a^2*b*c*d^2*g^3*i)*1i)/(g^3*i*(a*d - b*c)^3*(2*A^2*d^2 + 7*B^
2*d^2 + 6*A*B*d^2)) + (b*d^3*x*(a^2*d^2*g^3*i + b^2*c^2*g^3*i - 2*a*b*c*d*
g^3*i)*(A^2 + (7*B^2)/2 + 3*A*B)*4i)/(g^3*i*(a*d - b*c)^3*(2*A^2*d^2 + 7*B
^2*d^2 + 6*A*B*d^2)))*(A^2 + (7*B^2)/2 + 3*A*B)*2i)/(g^3*i*(a*d - b*c)^...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1426, normalized size of antiderivative = 4.16

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x)
```

output

```
(i*(12*log(a + b*x)*a**5*d**2 + 24*log(a + b*x)*a**4*b*d**2*x + 24*log(a +
 b*x)*a**4*b*d**2 + 12*log(a + b*x)*a**3*b**2*c*d + 12*log(a + b*x)*a**3*b
**2*d**2*x**2 + 48*log(a + b*x)*a**3*b**2*d**2*x + 24*log(a + b*x)*a**3*b*
*2*d**2 + 24*log(a + b*x)*a**2*b**3*c*d*x + 18*log(a + b*x)*a**2*b**3*c*d
+ 24*log(a + b*x)*a**2*b**3*d**2*x**2 + 48*log(a + b*x)*a**2*b**3*d**2*x +
 12*log(a + b*x)*a*b**4*c*d*x**2 + 36*log(a + b*x)*a*b**4*c*d*x + 24*log(a
 + b*x)*a*b**4*d**2*x**2 + 18*log(a + b*x)*b**5*c*d*x**2 - 12*log(c + d*x)
*a**5*d**2 - 24*log(c + d*x)*a**4*b*d**2*x - 24*log(c + d*x)*a**4*b*d**2 -
 12*log(c + d*x)*a**3*b**2*c*d - 12*log(c + d*x)*a**3*b**2*d**2*x**2 - 48*
log(c + d*x)*a**3*b**2*d**2*x - 24*log(c + d*x)*a**3*b**2*d**2 - 24*log(c
+ d*x)*a**2*b**3*c*d*x - 18*log(c + d*x)*a**2*b**3*c*d - 24*log(c + d*x)*a
**2*b**3*d**2*x**2 - 48*log(c + d*x)*a**2*b**3*d**2*x - 12*log(c + d*x)*a*
b**4*c*d*x**2 - 36*log(c + d*x)*a*b**4*c*d*x - 24*log(c + d*x)*a*b**4*d**2
*x**2 - 18*log(c + d*x)*b**5*c*d*x**2 + 4*log((a*e + b*e*x)/(c + d*x))**3*
a**3*b**2*d**2 + 8*log((a*e + b*e*x)/(c + d*x))**3*a**2*b**3*d**2*x + 4*lo
g((a*e + b*e*x)/(c + d*x))**3*a*b**4*d**2*x**2 + 12*log((a*e + b*e*x)/(c +
 d*x))**2*a**4*b*d**2 + 24*log((a*e + b*e*x)/(c + d*x))**2*a**3*b**2*d**2*
x + 24*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**3*c*d + 12*log((a*e + b*e*x
)/(c + d*x))**2*a**2*b**3*d**2*x**2 + 24*log((a*e + b*e*x)/(c + d*x))**2*a
**2*b**3*d**2*x - 6*log((a*e + b*e*x)/(c + d*x))**2*a*b**4*c**2 + 12*lo...
```

3.91 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$

Optimal result 1143
Mathematica [A] (verified) 1144
Rubi [A] (verified) 1144
Maple [B] (verified) 1146
Fricas [A] (verification not implemented) 1147
Sympy [B] (verification not implemented) 1148
Maxima [B] (verification not implemented) 1149
Giac [A] (verification not implemented) 1150
Mupad [B] (verification not implemented) 1151
Reduce [B] (verification not implemented) 1152

Optimal result

Integrand size = 42, antiderivative size = 507

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = &-\frac{6bB^2d^2(c+dx)}{(bc-ad)^4g^4i(a+bx)}+\frac{3b^2B^2d(c+dx)^2}{4(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{2b^3B^2(c+dx)^3}{27(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{6bBd^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^4i(a+bx)}\\ &+\frac{3b^2Bd(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{2b^3B(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{3bd^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^4g^4i(a+bx)}\\ &+\frac{3b^2d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{b^3(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{d^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^4g^4i}\end{aligned}$$

output

```
-6*b*B^2*d^2*(d*x+c)/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/4*b^2*B^2*d*(d*x+c)^2/(-
a*d+b*c)^4/g^4/i/(b*x+a)^2-2/27*b^3*B^2*(d*x+c)^3/(-a*d+b*c)^4/g^4/i/(b*x+
a)^3-6*b*B*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i/(b*x
+a)+3/2*b^2*B*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/i/(
b*x+a)^2-2/9*b^3*B*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^4/
i/(b*x+a)^3-3*b*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^4
/i/(b*x+a)+3/2*b^2*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/
g^4/i/(b*x+a)^2-1/3*b^3*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)
^4/g^4/i/(b*x+a)^3-1/3*d^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^4/g^
4/i
```

Mathematica [A] (verified)

Time = 1.44 (sec) , antiderivative size = 442, normalized size of antiderivative = 0.87

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx =$$

$$-\frac{4(9A^2+6AB+2B^2)\,(bc-ad)^3-3(18A^2+30AB+19B^2)\,d(bc-ad)^2(a+bx)-6(18A^2+66AB+$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d
*i*x)),x]
```

output
```
-1/108*(4*(9*A^2 + 6*A*B + 2*B^2)*(b*c - a*d)^3 - 3*(18*A^2 + 30*A*B + 19*
B^2)*d*(b*c - a*d)^2*(a + b*x) - 6*(18*A^2 + 66*A*B + 85*B^2)*d^2*(-(b*c)
+ a*d)*(a + b*x)^2 + 6*(18*A^2 + 66*A*B + 85*B^2)*d^3*(a + b*x)^3*Log[a +
b*x] + 6*B*(b*c - a*d)*(4*(3*A + B)*(b*c - a*d)^2 + 3*(6*A + 5*B)*d*(-(b*c
) + a*d)*(a + b*x) + 6*(6*A + 11*B)*d^2*(a + b*x)^2)*Log[(e*(a + b*x))/(c
+ d*x)] + 18*B*(6*a^3*A*d^3 + 18*a^2*b*d^2*(A*d*x + B*(c + d*x)) + 9*a*b^2
*d*(2*A*d^2*x^2 + B*(-c^2 + 2*c*d*x + 3*d^2*x^2)) + b^3*(6*A*d^3*x^3 + B*(
2*c^3 - 3*c^2*d*x + 6*c*d^2*x^2 + 11*d^3*x^3)))*Log[(e*(a + b*x))/(c + d*x
)]^2 + 36*B^2*d^3*(a + b*x)^3*Log[(e*(a + b*x))/(c + d*x)]^3 - 6*(18*A^2 +
 66*A*B + 85*B^2)*d^3*(a + b*x)^3*Log[c + d*x])/((b*c - a*d)^4*g^4*i*(a +
b*x)^3)
```

Rubi [A] (verified)

Time = 0.65 (sec) , antiderivative size = 364, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4i(bc-ad)^4}$$

$$\downarrow 2795$$

$$\frac{\int\left(\frac{b^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^4}{(a+bx)^4}-\frac{3b^2d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^3}{(a+bx)^3}+\frac{3bd^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2(c+dx)^2}{(a+bx)^2}-\frac{d^3\left(A+B\log\left(\frac{e(a+}{a+b}\right.\right.}{g^4i(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}-\frac{2b^3B(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{9(a+bx)^3}+\frac{3b^2d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}+\frac{3b^2Bd(c+dx)^2\left(B\log\right.}{2(a+bx}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d*i*x))
,x]
```

output

```
((-6*b*B^2*d^2*(c + d*x))/(a + b*x) + (3*b^2*B^2*d*(c + d*x)^2)/(4*(a + b*
x)^2) - (2*b^3*B^2*(c + d*x)^3)/(27*(a + b*x)^3) - (6*b*B*d^2*(c + d*x)*(A
 + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) + (3*b^2*B*d*(c + d*x)^2*(A
+ B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) - (2*b^3*B*(c + d*x)^3*
(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(9*(a + b*x)^3) - (3*b*d^2*(c + d*x)
*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x) + (3*b^2*d*(c + d*x)^2*
(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*x)^2) - (b^3*(c + d*x)^3
*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(3*(a + b*x)^3) - (d^3*(A + B*Log
[(e*(a + b*x))/(c + d*x)])^3)/(3*B))/((b*c - a*d)^4*g^4*i)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1075 vs. $2(493) = 986$.

Time = 2.64 (sec) , antiderivative size = 1076, normalized size of antiderivative = 2.12

method	result	size
parts	Expression too large to display	1076
derivativedivides	Expression too large to display	1244
default	Expression too large to display	1244
risch	Expression too large to display	1422
norman	Expression too large to display	1693
parallelrisch	Expression too large to display	1967

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x,method=_RETU
RNVERBOSE)
```

output

```
A^2/g^4/i*(d^3/(a*d-b*c)^4*ln(d*x+c)+1/3/(a*d-b*c)/(b*x+a)^3+1/2*d/(a*d-b*
c)^2/(b*x+a)^2+d^2/(a*d-b*c)^3/(b*x+a)-d^3/(a*d-b*c)^4*ln(b*x+a))-B^2/g^4/
i/d*(1/3*d^4/(a*d-b*c)^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3-3*d^3/(a*d-b*c)
^4*b*e*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2
-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/(b*e/d+
(a*d-b*c)*e/d/(d*x+c)))+3*d^2/(a*d-b*c)^4*b^2*e^2*(-1/2/(b*e/d+(a*d-b*c)*e
/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^2)-d/(a*d-b*c)^4*b^3*e^3*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d
-b*c)*e/d/(d*x+c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))-2*A*B/g^4/i/d*(1
/2*d^4/(a*d-b*c)^4*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-3*d^3/(a*d-b*c)^4*b*e
*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/
d+(a*d-b*c)*e/d/(d*x+c)))+3*d^2/(a*d-b*c)^4*b^2*e^2*(-1/2/(b*e/d+(a*d-b*c)
*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^2)-d/(a*d-b*c)^4*b^3*e^3*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(
b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 940, normalized size of antiderivative = 1.85

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x, algo
rithm="fricas")
```

output

```
-1/108*(4*(9*A^2 + 6*A*B + 2*B^2)*b^3*c^3 - 81*(2*A^2 + 2*A*B + B^2)*a*b^2
*c^2*d + 324*(A^2 + 2*A*B + 2*B^2)*a^2*b*c*d^2 - (198*A^2 + 510*A*B + 575*
B^2)*a^3*d^3 + 36*(B^2*b^3*d^3*x^3 + 3*B^2*a*b^2*d^3*x^2 + 3*B^2*a^2*b*d^3
*x + B^2*a^3*d^3)*log((b*e*x + a*e)/(d*x + c))^3 + 6*((18*A^2 + 66*A*B + 8
5*B^2)*b^3*c*d^2 - (18*A^2 + 66*A*B + 85*B^2)*a*b^2*d^3)*x^2 + 18*((6*A*B
+ 11*B^2)*b^3*d^3*x^3 + 2*B^2*b^3*c^3 - 9*B^2*a*b^2*c^2*d + 18*B^2*a^2*b*c
*d^2 + 6*A*B*a^3*d^3 + 3*(2*B^2*b^3*c*d^2 + 3*(2*A*B + 3*B^2)*a*b^2*d^3)*x
^2 - 3*(B^2*b^3*c^2*d - 6*B^2*a*b^2*c*d^2 - 6*(A*B + B^2)*a^2*b*d^3)*x)*lo
g((b*e*x + a*e)/(d*x + c))^2 - 3*((18*A^2 + 30*A*B + 19*B^2)*b^3*c^2*d - 5
4*(2*A^2 + 6*A*B + 7*B^2)*a*b^2*c*d^2 + (90*A^2 + 294*A*B + 359*B^2)*a^2*b
*d^3)*x + 6*((18*A^2 + 66*A*B + 85*B^2)*b^3*d^3*x^3 + 18*A^2*a^3*d^3 + 4*(
3*A*B + B^2)*b^3*c^3 - 27*(2*A*B + B^2)*a*b^2*c^2*d + 108*(A*B + B^2)*a^2*
b*c*d^2 + 3*(2*(6*A*B + 11*B^2)*b^3*c*d^2 + 9*(2*A^2 + 6*A*B + 7*B^2)*a*b^
2*d^3)*x^2 - 3*((6*A*B + 5*B^2)*b^3*c^2*d - 18*(2*A*B + 3*B^2)*a*b^2*c*d^2
 - 18*(A^2 + 2*A*B + 2*B^2)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x + c)))/((
b^7*c^4 - 4*a*b^6*c^3*d + 6*a^2*b^5*c^2*d^2 - 4*a^3*b^4*c*d^3 + a^4*b^3*d^
4)*g^4*i*x^3 + 3*(a*b^6*c^4 - 4*a^2*b^5*c^3*d + 6*a^3*b^4*c^2*d^2 - 4*a^4*
b^3*c*d^3 + a^5*b^2*d^4)*g^4*i*x^2 + 3*(a^2*b^5*c^4 - 4*a^3*b^4*c^3*d + 6*
a^4*b^3*c^2*d^2 - 4*a^5*b^2*c*d^3 + a^6*b*d^4)*g^4*i*x + (a^3*b^4*c^4 - 4*
a^4*b^3*c^3*d + 6*a^5*b^2*c^2*d^2 - 4*a^6*b*c*d^3 + a^7*d^4)*g^4*i)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2388 vs. $2(459) = 918$.

Time $= 19.09$ (sec) , antiderivative size $= 2388$, normalized size of antiderivative $= 4.71$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**4/(d*i*x+c*i),x)
```

output

```
-B**2*d**3*log(e*(a + b*x)/(c + d*x))**3/(3*a**4*d**4*g**4*i - 12*a**3*b*c
*d**3*g**4*i + 18*a**2*b**2*c**2*d**2*g**4*i - 12*a*b**3*c**3*d*g**4*i + 3
*b**4*c**4*g**4*i) + d**3*(18*A**2 + 66*A*B + 85*B**2)*log(x + (18*A**2*a*
d**4 + 18*A**2*b*c*d**3 + 66*A*B*a*d**4 + 66*A*B*b*c*d**3 + 85*B**2*a*d**4
 + 85*B**2*b*c*d**3 - a**5*d**8*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**
4 + 5*a**4*b*c*d**7*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4 - 10*a**3*
b**2*c**2*d**6*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4 + 10*a**2*b**3*
c**3*d**5*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4 - 5*a*b**4*c**4*d**4
*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4 + b**5*c**5*d**3*(18*A**2 + 6
6*A*B + 85*B**2)/(a*d - b*c)**4)/(36*A**2*b*d**4 + 132*A*B*b*d**4 + 170*B*
*2*b*d**4))/(18*g**4*i*(a*d - b*c)**4) - d**3*(18*A**2 + 66*A*B + 85*B**2)
*log(x + (18*A**2*a*d**4 + 18*A**2*b*c*d**3 + 66*A*B*a*d**4 + 66*A*B*b*c*d
**3 + 85*B**2*a*d**4 + 85*B**2*b*c*d**3 + a**5*d**8*(18*A**2 + 66*A*B + 85
*B**2)/(a*d - b*c)**4 - 5*a**4*b*c*d**7*(18*A**2 + 66*A*B + 85*B**2)/(a*d
- b*c)**4 + 10*a**3*b**2*c**2*d**6*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c
)**4 - 10*a**2*b**3*c**3*d**5*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4
+ 5*a*b**4*c**4*d**4*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4 - b**5*c*
*5*d**3*(18*A**2 + 66*A*B + 85*B**2)/(a*d - b*c)**4)/(36*A**2*b*d**4 + 132
*A*B*b*d**4 + 170*B**2*b*d**4))/(18*g**4*i*(a*d - b*c)**4) + (66*A*B*a**2*
d**2 - 42*A*B*a*b*c*d + 90*A*B*a*b*d**2*x + 12*A*B*b**2*c**2 - 18*A*B*b...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3434 vs. $2(493) = 986$.

Time $= 0.33$ (sec) , antiderivative size $= 3434$, normalized size of antiderivative $= 6.77$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x, algo
rithm="maxima")
```

output

```
-1/6*B^2*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d
 - 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3
)*g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3*b^3*c*d^2 - a^4*b^2*d
^3)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3*a^4*b^2*c*d^2 - a^5*b
*d^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3)*
g^4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2
 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(d*x + c)/((b^4*c^4 - 4*a*b^3
*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i))*log(b*e*x/(d
*x + c) + a*e/(d*x + c))^2 - 1/3*A*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c
*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3
*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d +
 3*a^3*b^3*c*d^2 - a^4*b^2*d^3)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2
*d + 3*a^4*b^2*c*d^2 - a^5*b*d^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d
 + 3*a^5*b*c*d^2 - a^6*d^3)*g^4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^
3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(
d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a
^4*d^4)*g^4*i))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 1/108*B^2*(6*(4*b^3
*c^3 - 27*a*b^2*c^2*d + 108*a^2*b*c*d^2 - 85*a^3*d^3 + 66*(b^3*c*d^2 - a*b
^2*d^3)*x^2 - 18*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)
*log(b*x + a)^2 - 18*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a...
```

Giac [A] (verification not implemented)

Time = 72.17 (sec) , antiderivative size = 451, normalized size of antiderivative = 0.89

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx =$$

$$-\frac{1}{108}\left(\frac{18\left(2\,B^2be^4-\frac{3\,(bex+ae)B^2de^3}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2}{\frac{(bex+ae)^3bcg^4i}{(dx+c)^3}-\frac{(bex+ae)^3adg^4i}{(dx+c)^3}}+\frac{6\left(12\,ABbe^4+4\,B^2be^4-\frac{18\,(bex+ae)ABde^3}{dx+c}-\frac{9\,(bex+}{d}\right.\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x, algo
rithm="giac")
```

output

```
-1/108*(18*(2*B^2*b*e^4 - 3*(b*e*x + a*e)*B^2*d*e^3/(d*x + c))*log((b*e*x
+ a*e)/(d*x + c))^2/((b*e*x + a*e)^3*b*c*g^4*i/(d*x + c)^3 - (b*e*x + a*e)
^3*a*d*g^4*i/(d*x + c)^3) + 6*(12*A*B*b*e^4 + 4*B^2*b*e^4 - 18*(b*e*x + a*
e)*A*B*d*e^3/(d*x + c) - 9*(b*e*x + a*e)*B^2*d*e^3/(d*x + c))*log((b*e*x +
 a*e)/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4*i/(d*x + c)^3 - (b*e*x + a*e)^3*
a*d*g^4*i/(d*x + c)^3) + (36*A^2*b*e^4 + 24*A*B*b*e^4 + 8*B^2*b*e^4 - 54*(
b*e*x + a*e)*A^2*d*e^3/(d*x + c) - 54*(b*e*x + a*e)*A*B*d*e^3/(d*x + c) -
27*(b*e*x + a*e)*B^2*d*e^3/(d*x + c))/((b*e*x + a*e)^3*b*c*g^4*i/(d*x + c)
^3 - (b*e*x + a*e)^3*a*d*g^4*i/(d*x + c)^3))*(b*c/((b*c*e - a*d*e)*(b*c -
a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 33.83 (sec) , antiderivative size = 1882, normalized size of antiderivative = 3.71

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^4*(c*i + d*i*x))
,x)
```

output

```
log((e*(a + b*x))/(c + d*x))^2*(((B^2*d^3*(a*((3*a^2*d^2 + b^2*c^2 - 4*a*b
*c*d)/(6*b*d^3) + (a*(a*d - b*c))/(3*b*d^2)) + (3*a^3*d^3 - b^3*c^3 + 4*a*
b^2*c^2*d - 6*a^2*b*c*d^2)/(3*b*d^4)))/(g^4*i*(a^4*d^4 + b^4*c^4 + 6*a^2*b
^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3)) - (B^2*d^3*x^2*((b^2*c - a*b*
d)/(3*d^2) - (2*b*(a*d - b*c))/(3*d^2)))/(g^4*i*(a^4*d^4 + b^4*c^4 + 6*a^2
*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3)) + (B^2*d^3*x*(b*((3*a^2*d^2
 + b^2*c^2 - 4*a*b*c*d)/(6*b*d^3) + (a*(a*d - b*c))/(3*b*d^2)) + (3*a^2*d^
2 + b^2*c^2 - 4*a*b*c*d)/(3*d^3) + (2*a*(a*d - b*c))/(3*d^2)))/(g^4*i*(a^4
*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3*b*c*d^3)))/((3*
a^2*x)/d + a^3/(b*d) + (b^2*x^3)/d + (3*a*b*x^2)/d) - (d^3*(11*B^2 + 6*A*B
))/(6*g^4*i*(a^4*d^4 + b^4*c^4 + 6*a^2*b^2*c^2*d^2 - 4*a*b^3*c^3*d - 4*a^3
*b*c*d^3))) + ((198*A^2*a^2*d^2 + 36*A^2*b^2*c^2 + 575*B^2*a^2*d^2 + 8*B^2
*b^2*c^2 + 510*A*B*a^2*d^2 + 24*A*B*b^2*c^2 - 126*A^2*a*b*c*d - 73*B^2*a*b
*c*d - 138*A*B*a*b*c*d)/(6*(a*d - b*c)) + (x*(90*A^2*a*b*d^2 + 359*B^2*a*b
*d^2 - 18*A^2*b^2*c*d - 19*B^2*b^2*c*d + 294*A*B*a*b*d^2 - 30*A*B*b^2*c*d)
)/(2*(a*d - b*c)) + (d*x^2*(18*A^2*b^2*d + 85*B^2*b^2*d + 66*A*B*b^2*d))/(
a*d - b*c))/(x*(54*a^4*b*d^2*g^4*i + 54*a^2*b^3*c^2*g^4*i - 108*a^3*b^2*c*
d*g^4*i) + x^2*(54*a*b^4*c^2*g^4*i + 54*a^3*b^2*d^2*g^4*i - 108*a^2*b^3*c*
d*g^4*i) + x^3*(18*b^5*c^2*g^4*i + 18*a^2*b^3*d^2*g^4*i - 36*a*b^4*c*d*g^4
*i) + 18*a^5*d^2*g^4*i + 18*a^3*b^2*c^2*g^4*i - 36*a^4*b*c*d*g^4*i) - (...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 2371, normalized size of antiderivative = 4.68

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x)
```

output

```
(i*(108*log(a + b*x)*a**6*d**3 + 324*log(a + b*x)*a**5*b*d**3*x + 324*log(
a + b*x)*a**5*b*d**3 + 72*log(a + b*x)*a**4*b**2*c*d**2 + 324*log(a + b*x)
*a**4*b**2*d**3*x**2 + 972*log(a + b*x)*a**4*b**2*d**3*x + 378*log(a + b*x
)*a**4*b**2*d**3 + 216*log(a + b*x)*a**3*b**3*c*d**2*x + 132*log(a + b*x)*
a**3*b**3*c*d**2 + 108*log(a + b*x)*a**3*b**3*d**3*x**3 + 972*log(a + b*x)
*a**3*b**3*d**3*x**2 + 1134*log(a + b*x)*a**3*b**3*d**3*x + 216*log(a + b*
x)*a**2*b**4*c*d**2*x**2 + 396*log(a + b*x)*a**2*b**4*c*d**2*x + 324*log(a
 + b*x)*a**2*b**4*d**3*x**3 + 1134*log(a + b*x)*a**2*b**4*d**3*x**2 + 72*l
og(a + b*x)*a*b**5*c*d**2*x**3 + 396*log(a + b*x)*a*b**5*c*d**2*x**2 + 378
*log(a + b*x)*a*b**5*d**3*x**3 + 132*log(a + b*x)*b**6*c*d**2*x**3 - 108*l
og(c + d*x)*a**6*d**3 - 324*log(c + d*x)*a**5*b*d**3*x - 324*log(c + d*x)*
a**5*b*d**3 - 72*log(c + d*x)*a**4*b**2*c*d**2 - 324*log(c + d*x)*a**4*b**
2*d**3*x**2 - 972*log(c + d*x)*a**4*b**2*d**3*x - 378*log(c + d*x)*a**4*b*
*2*d**3 - 216*log(c + d*x)*a**3*b**3*c*d**2*x - 132*log(c + d*x)*a**3*b**3
*c*d**2 - 108*log(c + d*x)*a**3*b**3*d**3*x**3 - 972*log(c + d*x)*a**3*b**
3*d**3*x**2 - 1134*log(c + d*x)*a**3*b**3*d**3*x - 216*log(c + d*x)*a**2*b
**4*c*d**2*x**2 - 396*log(c + d*x)*a**2*b**4*c*d**2*x - 324*log(c + d*x)*a
**2*b**4*d**3*x**3 - 1134*log(c + d*x)*a**2*b**4*d**3*x**2 - 72*log(c + d*
x)*a*b**5*c*d**2*x**3 - 396*log(c + d*x)*a*b**5*c*d**2*x**2 - 378*log(c +
d*x)*a*b**5*d**3*x**3 - 132*log(c + d*x)*b**6*c*d**2*x**3 + 36*log((a*e...
```

3.92 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result 1155
Mathematica [B] (verified) 1156
Rubi [A] (verified) 1157
Maple [F] 1159
Fricas [F] 1159
Sympy [F(-1)] 1159
Maxima [F] 1160
Giac [F] 1161
Mupad [F(-1)] 1161
Reduce [F] 1161

Optimal result

Integrand size = 42, antiderivative size = 722

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx \\
&= \frac{2AB(bc-ad)^2g^3(a+bx)}{d^3i^2(c+dx)} - \frac{2B^2(bc-ad)^2g^3(a+bx)}{d^3i^2(c+dx)} \\
&\quad + \frac{2B^2(bc-ad)^2g^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^3i^2(c+dx)} \\
&\quad - \frac{bB(bc-ad)g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^3i^2} \\
&\quad - \frac{6bB(bc-ad)^2g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^4i^2} \\
&\quad - \frac{3b(bc-ad)g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^2} \\
&\quad - \frac{(bc-ad)^2g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^2(c+dx)} \\
&\quad + \frac{b^3g^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2d^4i^2} \\
&\quad - \frac{3b(bc-ad)^2g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^4i^2} \\
&\quad + \frac{bB^2(bc-ad)^2g^3\log(c+dx)}{d^4i^2} \\
&\quad + \frac{bB(bc-ad)^2g^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{d^4i^2} \\
&\quad - \frac{6bB^2(bc-ad)^2g^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2} \\
&\quad - \frac{6bB(bc-ad)^2g^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2} \\
&\quad - \frac{bB^2(bc-ad)^2g^3\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{d^4i^2} + \frac{6bB^2(bc-ad)^2g^3\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2}
\end{aligned}
$$

output

```
2*A*B*(-a*d+b*c)^2*g^3*(b*x+a)/d^3/i^2/(d*x+c)-2*B^2*(-a*d+b*c)^2*g^3*(b*x
+a)/d^3/i^2/(d*x+c)+2*B^2*(-a*d+b*c)^2*g^3*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d
^3/i^2/(d*x+c)-b*B*(-a*d+b*c)*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^3/
i^2-6*b*B*(-a*d+b*c)^2*g^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x
+c)))/d^4/i^2-3*b*(-a*d+b*c)*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3
/i^2-(-a*d+b*c)^2*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i^2/(d*x+c
)+1/2*b^3*g^3*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i^2-3*b*(-a*d+b*
c)^2*g^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i^2+b*
B^2*(-a*d+b*c)^2*g^3*ln(d*x+c)/d^4/i^2+b*B*(-a*d+b*c)^2*g^3*(A+B*ln(e*(b*x
+a)/(d*x+c)))*ln(1-b*(d*x+c)/d/(b*x+a))/d^4/i^2-6*b*B^2*(-a*d+b*c)^2*g^3*p
olylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^2-6*b*B*(-a*d+b*c)^2*g^3*(A+B*ln(e*(b*
x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^2-b*B^2*(-a*d+b*c)^2*g
^3*polylog(2,b*(d*x+c)/d/(b*x+a))/d^4/i^2+6*b*B^2*(-a*d+b*c)^2*g^3*polylog
(3,d*(b*x+a)/b/(d*x+c))/d^4/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5199 vs. $2(722) = 1444$.

Time = 8.08 (sec) , antiderivative size = 5199, normalized size of antiderivative = 7.20

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i +
d*i*x)^2,x]
```

output

```
Result too large to show
```

Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 592, normalized size of antiderivative = 0.82, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{g^3(bc-ad)^2\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)^2\int \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3}\right)d\frac{a}{c}}{i^2}$$

$$\downarrow 2009$$

$$g^3(bc-ad)^2\left(\frac{b^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{6bB\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^4}-\frac{3b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^4}\right.$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
^2,x]
```

output

```
((b*c - a*d)^2*g^3*((2*A*B*(a + b*x))/(d^3*(c + d*x)) - (2*B^2*(a + b*x))/
(d^3*(c + d*x)) + (2*B^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d^3*(c +
 d*x)) - (b*B*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(d^3*(c + d*
x)*(b - (d*(a + b*x))/(c + d*x))) - ((a + b*x)*(A + B*Log[(e*(a + b*x))/(c
 + d*x)])^2)/(d^3*(c + d*x)) + (b^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) - (3*b*(a + b*x)*(A + B*Log[(e*(
a + b*x))/(c + d*x)])^2)/(d^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (
b*B^2*Log[b - (d*(a + b*x))/(c + d*x)])/d^4 - (6*b*B*(A + B*Log[(e*(a + b*
x))/(c + d*x)])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 - (3*b*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 +
(b*B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (b*(c + d*x))/(d*(a + b*
x))])/d^4 - (6*b*B^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 - (6*b*B
*(A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x
))])/d^4 - (b*B^2*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/d^4 + (6*b*B^2*
PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^4))/i^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}dx = \int \frac{(bgx+ag)^3 \left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*b^
2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log((b*e*x + a*e)/(d*x + c)))
/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output
```
1/2*(2*c^3/(d^5*i^2*x + c*d^4*i^2) + 6*c^2*log(d*x + c)/(d^4*i^2) + (d*x^2
 - 4*c*x)/(d^3*i^2))*A^2*b^3*g^3 - 3*A^2*a*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2
) - x/(d^2*i^2) + 2*c*log(d*x + c)/(d^3*i^2))*g^3 + 3*A^2*a^2*b*g^3*(c/(d^
3*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2)) - 2*A*B*a^3*g^3*(log(b*e*x/
(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2) - 1/(d^2*i^2*x + c*d*i^2)
 - b*log(b*x + a)/((b*c*d - a*d^2)*i^2) + b*log(d*x + c)/((b*c*d - a*d^2)*
i^2)) - A^2*a^3*g^3/(d^2*i^2*x + c*d*i^2) + 1/2*(2*((b^3*c^2*d*g^3 - 2*a*b
^2*c*d^2*g^3 + a^2*b*d^3*g^3)*B^2*x + (b^3*c^3*g^3 - 2*a*b^2*c^2*d*g^3 + a
^2*b*c*d^2*g^3)*B^2)*log(d*x + c)^3 + (B^2*b^3*d^3*g^3*x^3 - 3*(b^3*c*d^2*
g^3 - 2*a*b^2*d^3*g^3)*B^2*x^2 - 2*(2*b^3*c^2*d*g^3 - 3*a*b^2*c*d^2*g^3)*B
^2*x + 2*(b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2*g^3 - a^3*d^3*g^
3)*B^2)*log(d*x + c)^2)/(d^5*i^2*x + c*d^4*i^2) - integrate(-(B^2*a^3*d^3*
g^3*log(e)^2 + (B^2*b^3*d^3*g^3*log(e)^2 + 2*A*B*b^3*d^3*g^3*log(e))*x^3 +
 3*(B^2*a*b^2*d^3*g^3*log(e)^2 + 2*A*B*a*b^2*d^3*g^3*log(e))*x^2 + (B^2*b^
3*d^3*g^3*x^3 + 3*B^2*a*b^2*d^3*g^3*x^2 + 3*B^2*a^2*b*d^3*g^3*x + B^2*a^3*
d^3*g^3)*log(b*x + a)^2 + 3*(B^2*a^2*b*d^3*g^3*log(e)^2 + 2*A*B*a^2*b*d^3*
g^3*log(e))*x + 2*(B^2*a^3*d^3*g^3*log(e) + (B^2*b^3*d^3*g^3*log(e) + A*B*
b^3*d^3*g^3)*x^3 + 3*(B^2*a*b^2*d^3*g^3*log(e) + A*B*a*b^2*d^3*g^3)*x^2 +
3*(B^2*a^2*b*d^3*g^3*log(e) + A*B*a^2*b*d^3*g^3)*x)*log(b*x + a) - ((2*A*B
*b^3*d^3*g^3 + (2*g^3*log(e) + g^3)*B^2*b^3*d^3)*x^3 + 2*(b^3*c^3*g^3 -...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*
i)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^2,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output

```
(g**3*( - 2*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**2 + 2*c*d*x + d
**2*x**2),x)*a*b**5*c**2*d**5 - 2*int((log((a*e + b*e*x)/(c + d*x))**2*x**
3)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**5*c*d**6*x + 2*int((log((a*e + b*e
*x)/(c + d*x))**2*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**6*c**3*d**4 + 2
*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x
)*b**6*c**2*d**5*x - 6*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**2 +
2*c*d*x + d**2*x**2),x)*a**2*b**4*c**2*d**5 - 6*int((log((a*e + b*e*x)/(c
+ d*x))**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c*d**6*x + 6*in
t((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a
*b**5*c**3*d**4 + 6*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**2 + 2*c
*d*x + d**2*x**2),x)*a*b**5*c**2*d**5*x - 6*int((log((a*e + b*e*x)/(c + d*
x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**3*c**2*d**5 - 6*int((log
((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**3*
c*d**6*x + 6*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**
2*x**2),x)*a**2*b**4*c**3*d**4 + 6*int((log((a*e + b*e*x)/(c + d*x))**2*x)
/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c**2*d**5*x - 4*int((log((a*e +
 b*e*x)/(c + d*x))*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c**2*d*
*5 - 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**2 + 2*c*d*x + d**2*x**2
),x)*a**2*b**4*c*d**6*x + 4*int((log((a*e + b*e*x)/(c + d*x))*x**3)/(c**2
+ 2*c*d*x + d**2*x**2),x)*a*b**5*c**3*d**4 + 4*int((log((a*e + b*e*x)/(...
```

3.93 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result 1164
Mathematica [B] (verified) 1165
Rubi [A] (verified) 1166
Maple [F] 1168
Fricas [F] 1168
Sympy [F(-1)] 1168
Maxima [F] 1169
Giac [F] 1169
Mupad [F(-1)] 1170
Reduce [F] 1170

Optimal result

Integrand size = 42, antiderivative size = 469

$$
\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx \\
&= -\frac{2AB(bc-ad)g^2(a+bx)}{d^2i^2(c+dx)} + \frac{2B^2(bc-ad)g^2(a+bx)}{d^2i^2(c+dx)} \\
&\quad - \frac{2B^2(bc-ad)g^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^2i^2(c+dx)} \\
&\quad + \frac{2bB(bc-ad)g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^3i^2} \\
&\quad + \frac{bg^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i^2} \\
&\quad + \frac{(bc-ad)g^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i^2(c+dx)} \\
&\quad + \frac{2b(bc-ad)g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^2} \\
&\quad + \frac{2bB^2(bc-ad)g^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2} \\
&\quad + \frac{4bB(bc-ad)g^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2} \\
&\quad - \frac{4bB^2(bc-ad)g^2\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2}
\end{aligned}
$$

output

```
-2*A*B*(-a*d+b*c)*g^2*(b*x+a)/d^2/i^2/(d*x+c)+2*B^2*(-a*d+b*c)*g^2*(b*x+a)
/d^2/i^2/(d*x+c)-2*B^2*(-a*d+b*c)*g^2*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d^2/i^
2/(d*x+c)+2*b*B*(-a*d+b*c)*g^2*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/
(d*x+c)))/d^3/i^2+b*g^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i^2+(-a*
d+b*c)*g^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i^2/(d*x+c)+2*b*(-a*d
+b*c)*g^2*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i^2+2
*b*B^2*(-a*d+b*c)*g^2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^2+4*b*B*(-a*d+b
*c)*g^2*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^2
-4*b*B^2*(-a*d+b*c)*g^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^3/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2622 vs. $2(469) = 938$.

Time = 6.49 (sec) , antiderivative size = 2622, normalized size of antiderivative = 5.59

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i +
d*i*x)^2,x]
```

output

```
(g^2*(3*A^2*b^2*d*x - (3*A^2*(b*c - a*d)^2)/(c + d*x) + 6*A^2*b*(-(b*c) +
a*d)*Log[c + d*x] + (6*a^2*A*B*d^2*(b*c - a*d + b*(c + d*x)*Log[a/b + x] +
 (-(b*c) + a*d)*Log[(e*(a + b*x))/(c + d*x)] - b*c*Log[(b*(c + d*x))/(b*c
- a*d)] - b*d*x*Log[(b*(c + d*x))/(b*c - a*d)]))/((b*c - a*d)*(c + d*x)) +
 6*a*A*b*B*d*(-Log[c/d + x]^2 + 2*Log[c/d + x]*Log[c + d*x] + 2*(-(c/(c +
d*x)) + (b*c*Log[a + b*x])/(-(b*c) + a*d) + (b*c*Log[c + d*x])/(b*c - a*d)
 - Log[a/b + x]*Log[c + d*x] + Log[(e*(a + b*x))/(c + d*x)]*(c/(c + d*x) +
 Log[c + d*x]) + Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)]) + 2*PolyLog[
2, (d*(a + b*x))/(-(b*c) + a*d)]) + 6*A*b^2*B*(d*(a/b + x)*(-1 + Log[a/b +
 x]) - (c^2*Log[a/b + x])/(c + d*x) - (c + d*x)*(-1 + Log[c/d + x]) + c*Lo
g[c/d + x]^2 + (c^2*(1 + Log[c/d + x]))/(c + d*x) + (b*c^2*(Log[a + b*x] -
 Log[c + d*x]))/(b*c - a*d) + (-Log[a/b + x] + Log[c/d + x] + Log[(e*(a +
b*x))/(c + d*x)])*(d*x - c^2/(c + d*x) - 2*c*Log[c + d*x]) - 2*c*(Log[a/b
+ x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x))/(-(b*c) + a
*d)])) - (3*a^2*B^2*d^2*(2*b*c - 2*a*d + 2*b*(c + d*x)*Log[a + b*x] - 2*(b
*c - a*d)*Log[(e*(a + b*x))/(c + d*x)] - 2*b*(c + d*x)*Log[a + b*x]*Log[(e
*(a + b*x))/(c + d*x)] + (b*c - a*d)*Log[(e*(a + b*x))/(c + d*x)]^2 - 2*b*
(c + d*x)*Log[c + d*x] - 2*b*(c + d*x)*Log[(e*(a + b*x))/(c + d*x)]*Log[(b
*c - a*d)/(b*c + b*d*x)] + b*(c + d*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log
[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d...
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 380, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{g^2(bc-ad)\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g^2(bc-ad)\int\left(\frac{2b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2}+\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)^2}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2009$$

$$g^2(bc-ad)\left(\frac{4bB\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}+\frac{2bB\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}+\frac{2b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\right.}{d^3}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
^2,x]
```

output
```
((b*c - a*d)*g^2*((-2*A*B*(a + b*x))/(d^2*(c + d*x)) + (2*B^2*(a + b*x))/(
d^2*(c + d*x)) - (2*B^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d^2*(c +
d*x)) + ((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d^2*(c + d*x))
 + (b*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d^2*(c + d*x)*(b
- (d*(a + b*x))/(c + d*x))) + (2*b*B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*
Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 + (2*b*(A + B*Log[(e*(a + b*x))/
(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 + (2*b*B^2*PolyLog
[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 + (4*b*B*(A + B*Log[(e*(a + b*x))/(c
 + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 - (4*b*B^2*PolyLog[
3, (d*(a + b*x))/(b*(c + d*x))])/d^3))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output
```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)
))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output
```
-A^2*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2) - x/(d^2*i^2) + 2*c*log(d*x + c)/(d^
3*i^2))*g^2 + 2*A^2*a*b*g^2*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2
*i^2)) - 2*A*B*a^2*g^2*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x +
c*d*i^2) - 1/(d^2*i^2*x + c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^2)
+ b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - A^2*a^2*g^2/(d^2*i^2*x + c*d*i^2
) - 1/3*(2*((b^2*c*d*g^2 - a*b*d^2*g^2)*B^2*x + (b^2*c^2*g^2 - a*b*c*d*g^2
)*B^2)*log(d*x + c)^3 - 3*(B^2*b^2*d^2*g^2*x^2 + B^2*b^2*c*d*g^2*x - (b^2*
c^2*g^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*B^2)*log(d*x + c)^2)/(d^4*i^2*x + c
*d^3*i^2) - integrate(-(B^2*a^2*d^2*g^2*log(e)^2 + (B^2*b^2*d^2*g^2*log(e)
^2 + 2*A*B*b^2*d^2*g^2*log(e))*x^2 + (B^2*b^2*d^2*g^2*x^2 + 2*B^2*a*b*d^2*
g^2*x + B^2*a^2*d^2*g^2)*log(b*x + a)^2 + 2*(B^2*a*b*d^2*g^2*log(e)^2 + 2*
A*B*a*b*d^2*g^2*log(e))*x + 2*(B^2*a^2*d^2*g^2*log(e) + (B^2*b^2*d^2*g^2*l
og(e) + A*B*b^2*d^2*g^2)*x^2 + 2*(B^2*a*b*d^2*g^2*log(e) + A*B*a*b*d^2*g^2
)*x)*log(b*x + a) + 2*((b^2*c^2*g^2 - 2*a*b*c*d*g^2 - (g^2*log(e) - g^2)*a
^2*d^2)*B^2 - (A*B*b^2*d^2*g^2 + (g^2*log(e) + g^2)*B^2*b^2*d^2)*x^2 - (2*
A*B*a*b*d^2*g^2 + (2*a*b*d^2*g^2*log(e) + b^2*c*d*g^2)*B^2)*x - (B^2*b^2*d
^2*g^2*x^2 + 2*B^2*a*b*d^2*g^2*x + B^2*a^2*d^2*g^2)*log(b*x + a))*log(d*x
+ c))/(d^4*i^2*x^2 + 2*c*d^3*i^2*x + c^2*d^2*i^2), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*
i)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^2,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output

```
(g**2*( - int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**2 + 2*c*d*x + d**
2*x**2),x)*a*b**4*c**2*d**4 - int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(
c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c*d**5*x + int((log((a*e + b*e*x)/(c
 + d*x))**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c**3*d**3 + int((lo
g((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c
**2*d**4*x - 2*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d
**2*x**2),x)*a**2*b**3*c**2*d**4 - 2*int((log((a*e + b*e*x)/(c + d*x))**2*
x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c*d**5*x + 2*int((log((a*e +
b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c**3*d**3 +
 2*int((log((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)
*a*b**4*c**2*d**4*x - 2*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*
c*d*x + d**2*x**2),x)*a**2*b**3*c**2*d**4 - 2*int((log((a*e + b*e*x)/(c +
d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c*d**5*x + 2*int((lo
g((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c*
*3*d**3 + 2*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**2 + 2*c*d*x + d**2
*x**2),x)*a*b**4*c**2*d**4*x - 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**
2 + 2*c*d*x + d**2*x**2),x)*a**3*b**2*c**2*d**4 - 4*int((log((a*e + b*e*x)
/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**2*c*d**5*x + 4*int(
(log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3
*c**3*d**3 + 4*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d...
```

3.94 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result . . . 1172
Mathematica [B] (verified) . . . 1173
Rubi [A] (verified) . . . 1174
Maple [F] . . . 1175
Fricas [F] . . . 1176
Sympy [F(-1)] . . . 1176
Maxima [F] . . . 1176
Giac [F] . . . 1177
Mupad [F(-1)] . . . 1177
Reduce [F] . . . 1178

Optimal result

Integrand size = 40, antiderivative size = 261

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{2ABg(a+bx)}{di^2(c+dx)} - \frac{2B^2g(a+bx)}{di^2(c+dx)} + \frac{2B^2g(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{di^2(c+dx)}$$
$$- \frac{g(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{di^2(c+dx)} - \frac{bg\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i^2}$$
$$- \frac{2bBg\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2} + \frac{2bB^2g\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2}$$

output

```
2*A*B*g*(b*x+a)/d/i^2/(d*x+c)-2*B^2*g*(b*x+a)/d/i^2/(d*x+c)+2*B^2*g*(b*x+a
)*ln(e*(b*x+a)/(d*x+c))/d/i^2/(d*x+c)-g*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c))
)^2/d/i^2/(d*x+c)-b*g*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))
^2/d^2/i^2-2*b*B*g*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+
c))/d^2/i^2+2*b*B^2*g*polylog(3,d*(b*x+a)/b/(d*x+c))/d^2/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1412 vs. $2(261) = 522$.

Time = 1.83 (sec) , antiderivative size = 1412, normalized size of antiderivative = 5.41

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*
i*x)^2,x]
```

output

```
(g*((3*A^2*(b*c - a*d))/(c + d*x) + 3*A^2*b*Log[c + d*x] + (6*a*A*B*d*(b*c
 - a*d + b*(c + d*x)*Log[a/b + x] + (-(b*c) + a*d)*Log[(e*(a + b*x))/(c +
d*x)] - b*c*Log[(b*(c + d*x))/(b*c - a*d)] - b*d*x*Log[(b*(c + d*x))/(b*c
- a*d)]))/((b*c - a*d)*(c + d*x)) + 3*A*b*B*(-Log[c/d + x]^2 + 2*Log[c/d +
 x]*Log[c + d*x] + 2*(-(c/(c + d*x)) + (b*c*Log[a + b*x])/(-(b*c) + a*d) +
 (b*c*Log[c + d*x])/(b*c - a*d) - Log[a/b + x]*Log[c + d*x] + Log[(e*(a +
b*x))/(c + d*x)]*(c/(c + d*x) + Log[c + d*x]) + Log[a/b + x]*Log[(b*(c + d
*x))/(b*c - a*d)]) + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) - (3*a*B^
2*d*(2*b*c - 2*a*d + 2*b*(c + d*x)*Log[a + b*x] - 2*(b*c - a*d)*Log[(e*(a
+ b*x))/(c + d*x)] - 2*b*(c + d*x)*Log[a + b*x]*Log[(e*(a + b*x))/(c + d*x
)] + (b*c - a*d)*Log[(e*(a + b*x))/(c + d*x)]^2 - 2*b*(c + d*x)*Log[c + d*
x] - 2*b*(c + d*x)*Log[(e*(a + b*x))/(c + d*x)]*Log[(b*c - a*d)/(b*c + b*d
*x)] + b*(c + d*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c
- a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + b*(c + d*x)*(Log[
(b*c - a*d)/(b*c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c
 - a*d)/(b*c + b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/((b*c
 - a*d)*(c + d*x)) + (b*B^2*((b*c - a*d)*(c + d*x)*Log[c/d + x]^3 + 3*c*(b
*c - a*d)*(2 + 2*Log[c/d + x] + Log[c/d + x]^2) + 3*(b*c - a*d)*(-Log[a/b
+ x] + Log[c/d + x] + Log[(e*(a + b*x))/(c + d*x)])^2*(c + (c + d*x)*Log[c
 + d*x]) + 3*c*Log[a/b + x]*(-(d*(a + b*x)*Log[a/b + x]) + 2*b*(c + d*x...
```

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 239, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g\int\left(-\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d}-\frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2009$$

$$\frac{g\left(-\frac{2bB\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^2}-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d^2}-\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d(c+dx)}+\frac{2A}{d}\right.}{i^2}$$

input

```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)^2
,x]
```

output

```
(g*((2*A*B*(a + b*x))/(d*(c + d*x)) - (2*B^2*(a + b*x))/(d*(c + d*x)) + (2
*B^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d*(c + d*x)) - ((a + b*x)*(A
 + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d*(c + d*x)) - (b*(A + B*Log[(e*(a
+ b*x))/(c + d*x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 - (2*b*B*(
A + B*Log[(e*(a + b*x))/(c + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))
])/d^2 + (2*b*B^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^2))/i^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(dix+ci)^2}dx$$

input

```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output

```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output
```
integral((A^2*b*g*x + A^2*a*g + (B^2*b*g*x + B^2*a*g)*log((b*e*x + a*e)/(d
*x + c))^2 + 2*(A*B*b*g*x + A*B*a*g)*log((b*e*x + a*e)/(d*x + c)))/(d^2*i^
2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output
```
A^2*b*g*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2)) - 2*A*B*a*g*(
log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2) - 1/(d^2*i^2*x
+ c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^2) + b*log(d*x + c)/((b*c*d
 - a*d^2)*i^2)) - A^2*a*g/(d^2*i^2*x + c*d*i^2) + 1/3*(3*(b*c*g - a*d*g)*B
^2*log(d*x + c)^2 + (B^2*b*d*g*x + B^2*b*c*g)*log(d*x + c)^3)/(d^3*i^2*x +
 c*d^2*i^2) - integrate(-(B^2*a*d*g*log(e)^2 + (B^2*b*d*g*x + B^2*a*d*g)*l
og(b*x + a)^2 + (B^2*b*d*g*log(e)^2 + 2*A*B*b*d*g*log(e))*x + 2*(B^2*a*d*g
*log(e) + (B^2*b*d*g*log(e) + A*B*b*d*g)*x)*log(b*x + a) - 2*(((g*log(e) -
 g)*a*d + b*c*g)*B^2 + (B^2*b*d*g*log(e) + A*B*b*d*g)*x + (B^2*b*d*g*x + B
^2*a*d*g)*log(b*x + a))*log(d*x + c))/(d^3*i^2*x^2 + 2*c*d^2*i^2*x + c^2*d
*i^2), x)
```

Giac [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output
```
integrate((b*g*x + a*g)*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*i)
^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)^2
,x)
```

output
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output
```
(g*( - int((log((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2
),x)*a*b**3*c**2*d**3 - int((log((a*e + b*e*x)/(c + d*x))**2*x)/(c**2 + 2*
c*d*x + d**2*x**2),x)*a*b**3*c*d**4*x + int((log((a*e + b*e*x)/(c + d*x))*
*2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**3*d**2 + int((log((a*e + b*e
*x)/(c + d*x))**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**2*d**3*x - 2*
int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*
b**2*c**2*d**3 - 2*int((log((a*e + b*e*x)/(c + d*x))*x)/(c**2 + 2*c*d*x +
d**2*x**2),x)*a**2*b**2*c*d**4*x + 2*int((log((a*e + b*e*x)/(c + d*x))*x)/
(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c**3*d**2 + 2*int((log((a*e + b*e*x
)/(c + d*x))*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c**2*d**3*x + 2*log
(a + b*x)*a**3*b*c*d**2 + 2*log(a + b*x)*a**3*b*d**3*x - 2*log(a + b*x)*a*
*2*b**2*c*d**2 - 2*log(a + b*x)*a**2*b**2*d**3*x - log(c + d*x)*a**3*b*c**
2*d - log(c + d*x)*a**3*b*c*d**2*x - 2*log(c + d*x)*a**3*b*c*d**2 - 2*log(
c + d*x)*a**3*b*d**3*x + log(c + d*x)*a**2*b**2*c**3 + log(c + d*x)*a**2*b
**2*c**2*d*x + 2*log(c + d*x)*a**2*b**2*c*d**2 + 2*log(c + d*x)*a**2*b**2*
d**3*x + log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*c*d**2 + log((a*e + b*e
*x)/(c + d*x))**2*a*b**3*c*d**2*x - 2*log((a*e + b*e*x)/(c + d*x))*a**3*b*
d**3*x + 2*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d**2*x + 2*log((a*e +
b*e*x)/(c + d*x))*a**2*b**2*d**3*x - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3
*c*d**2*x - a**4*d**3*x + 2*a**3*b*c*d**2*x + 2*a**3*b*d**3*x - a**2*b*...
```

3.95 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result 1179
Mathematica [C] (verified) 1180
Rubi [A] (verified) 1180
Maple [A] (verified) 1182
Fricas [A] (verification not implemented) 1183
Sympy [B] (verification not implemented) 1183
Maxima [B] (verification not implemented) 1184
Giac [A] (verification not implemented) 1185
Mupad [B] (verification not implemented) 1186
Reduce [B] (verification not implemented) 1186

Optimal result

Integrand size = 32, antiderivative size = 152

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = -\frac{2AB(a+bx)}{(bc-ad)i^2(c+dx)} + \frac{2B^2(a+bx)}{(bc-ad)i^2(c+dx)} - \frac{2B^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)i^2(c+dx)} + \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)i^2(c+dx)}$$

output

```
-2*A*B*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)+2*B^2*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)
-2*B^2*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)/i^2/(d*x+c)+(b*x+a)*(A+B*l
n(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)/i^2/(d*x+c)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.45 (sec) , antiderivative size = 315, normalized size of antiderivative = 2.07

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{-\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 + \frac{B\left(2(bc-ad)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+2b(c+dx)\log(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)-2b(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\right.}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x)^2,x]
```

output
```
(-(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + (B*(2*(b*c - a*d)*(A + B*Log[(e
*(a + b*x))/(c + d*x)]) + 2*b*(c + d*x)*Log[a + b*x]*(A + B*Log[(e*(a + b*
x))/(c + d*x)]) - 2*b*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[c
 + d*x] - 2*B*(b*c - a*d + b*(c + d*x)*Log[a + b*x] - b*(c + d*x)*Log[c +
d*x]) - b*B*(c + d*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b
*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + b*B*(c + d*x)*
((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*Pol
yLog[2, (b*(c + d*x))/(b*c - a*d)])))/(b*c - a*d))/(d*i^2*(c + d*x))
```

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 111, normalized size of antiderivative = 0.73, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {2952, 2733, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^2}\,dx$$
$$\downarrow 2952$$

$$\frac{\int \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2733$$

$$\frac{\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx}-2B\int\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2009$$

$$\frac{\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx}-2B\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx}-\frac{B(a+bx)}{c+dx}\right)}{i^2(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x)^2,x]
```

output
```
(((a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c + d*x) - 2*B*((A*(a
 + b*x))/(c + d*x) - (B*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[(e*(a + b*
x))/(c + d*x)])/(c + d*x)))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2952
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [A] (verified)

Time = 1.20 (sec) , antiderivative size = 182, normalized size of antiderivative = 1.20

method	result
norman	$\frac{\left(A^2-2AB+2B^2\right)x}{ic}-\frac{B^2a\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{i(da-bc)}-\frac{B^2bx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{(da-bc)i}-\frac{2aB(A-B)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{i(da-bc)}-\frac{2Bb(A-B)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{i(da-bc)}$ $i(dx+c)$
parts	$-\frac{A^2}{i^2(dx+c)d}-\frac{B^2\left(\frac{\ln\left(\frac{e(bx+a)}{dx+c}\right)^2e(bx+a)}{dx+c}-\frac{2\ln\left(\frac{e(bx+a)}{dx+c}\right)e(bx+a)}{dx+c}+\frac{2e(bx+a)}{dx+c}\right)}{i^2e(da-bc)}-\frac{2AB\left(\frac{\ln\left(\frac{e(bx+a)}{dx+c}\right)e(bx+a)}{dx+c}-\frac{e(}{}\right.}{i^2e(da-bc)}$
parallelrisch	$-\frac{2B^2abd^3-2B^2b^2cd^2+A^2abd^3-A^2b^2cd^2-2ABabd^3+2ABb^2cd^2+B^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^2d^3-2B^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)b^2$ $i^2(dx+c)bd^3(da-$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^2e^2i^2}+\frac{2d^2AB\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)}{(da-bc)^2e^2i^2}+\frac{d^2B^2\left(\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c}\right.\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{d^2A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^2e^2i^2}+\frac{2d^2AB\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}-\frac{be}{d}\right)}{(da-bc)^2e^2i^2}+\frac{d^2B^2\left(\left(\frac{be}{d}+\frac{(da-bc)}{d(dx+c}\right.\right.}{d^2}$
risch	$-\frac{A^2}{i^2(dx+c)d}-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^2bx}{i^2(da-bc)(dx+c)}-\frac{B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^2a}{i^2(da-bc)(dx+c)}+\frac{2B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)bx}{i^2(da-bc)(dx+c)}+\frac{2B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)a}{i^2(da-bc)(dx+c)}-\frac{}{i^2(d}$
orering	$-\frac{(dx+c)\left(8b^2dx^2+15xabd+b^2cx+7a^2d+abc\right)\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(a^2d^2-2acdb+c^2b^2)(dix+ci)^2}-\frac{(bx+a)(dx+c)^2(7bdx+6da+bc)\left(\frac{2\left(A+B\ln\right.\right.}{}\right.$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x,method=_RETURNVERBOSE)
```

output
```
((A^2-2*A*B+2*B^2)/i/c*x-B^2*a/i/(a*d-b*c)*ln(e*(b*x+a)/(d*x+c))^2-B^2*b/(
a*d-b*c)/i*x*ln(e*(b*x+a)/(d*x+c))^2-2*a*B*(A-B)/i/(a*d-b*c)*ln(e*(b*x+a)/
(d*x+c))-2*B*b*(A-B)/i/(a*d-b*c)*x*ln(e*(b*x+a)/(d*x+c)))/i/(d*x+c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.02

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = -\frac{(A^2-2\,AB+2\,B^2)bc-(A^2-2\,AB+2\,B^2)ad-(B^2bdx+B^2ad)\log\left(\frac{bex+ae}{dx+c}\right)^2-2\left((AB-B^2)bdx\right.}{(bcd^2-ad^3)i^2x+(bc^2d-acd^2)i^2}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algorithm="fricas")
```

output
```
-((A^2 - 2*A*B + 2*B^2)*b*c - (A^2 - 2*A*B + 2*B^2)*a*d - (B^2*b*d*x + B^2*a*d)*log((b*e*x + a*e)/(d*x + c))^2 - 2*((A*B - B^2)*b*d*x + (A*B - B^2)*a*d)*log((b*e*x + a*e)/(d*x + c)))/((b*c*d^2 - a*d^3)*i^2*x + (b*c^2*d - a*c*d^2)*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 432 vs. 2(128) = 256.

Time = 1.15 (sec) , antiderivative size = 432, normalized size of antiderivative = 2.84

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{2Bb(A-B)\log\left(x+\frac{2ABabd+2ABb^2c-2B^2abd-2B^2b^2c-\frac{2Ba^2bd^2(A-B)}{ad-bc}+\frac{4Bab^2cd(A-B)}{ad-bc}-\frac{2Bb^3c^2(A-B)}{ad-bc}}{4ABb^2d-4B^2b^2d}\right)}{di^2\,(ad-bc)}$$
$$- \frac{2Bb(A-B)\log\left(x+\frac{2ABabd+2ABb^2c-2B^2abd-2B^2b^2c+\frac{2Ba^2bd^2(A-B)}{ad-bc}-\frac{4Bab^2cd(A-B)}{ad-bc}+\frac{2Bb^3c^2(A-B)}{ad-bc}}{4ABb^2d-4B^2b^2d}\right)}{di^2\,(ad-bc)}$$
$$+ \frac{(-2AB+2B^2)\log\left(\frac{e(a+bx)}{c+dx}\right)}{cdi^2+d^2i^2x}$$
$$+ \frac{(-B^2a-B^2bx)\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{acdi^2+ad^2i^2x-bc^2i^2-bcdi^2x} + \frac{-A^2+2AB-2B^2}{cdi^2+d^2i^2x}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**2,x)
```

output
```
2*B*b*(A - B)*log(x + (2*A*B*a*b*d + 2*A*B*b**2*c - 2*B**2*a*b*d - 2*B**2*
b**2*c - 2*B*a**2*b*d**2*(A - B)/(a*d - b*c) + 4*B*a*b**2*c*d*(A - B)/(a*d
 - b*c) - 2*B*b**3*c**2*(A - B)/(a*d - b*c))/(4*A*B*b**2*d - 4*B**2*b**2*d
))/(d*i**2*(a*d - b*c)) - 2*B*b*(A - B)*log(x + (2*A*B*a*b*d + 2*A*B*b**2*
c - 2*B**2*a*b*d - 2*B**2*b**2*c + 2*B*a**2*b*d**2*(A - B)/(a*d - b*c) - 4
*B*a*b**2*c*d*(A - B)/(a*d - b*c) + 2*B*b**3*c**2*(A - B)/(a*d - b*c))/(4*
A*B*b**2*d - 4*B**2*b**2*d))/(d*i**2*(a*d - b*c)) + (-2*A*B + 2*B**2)*log(
e*(a + b*x)/(c + d*x))/(c*d*i**2 + d**2*i**2*x) + (-B**2*a - B**2*b*x)*log
(e*(a + b*x)/(c + d*x))**2/(a*c*d*i**2 + a*d**2*i**2*x - b*c**2*i**2 - b*c
*d*i**2*x) + (-A**2 + 2*A*B - 2*B**2)/(c*d*i**2 + d**2*i**2*x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 416 vs. $2(152) = 304$.

Time $= 0.06$ (sec) , antiderivative size $= 416$, normalized size of antiderivative $= 2.74$

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$

$$= \left(2\left(\frac{1}{d^2i^2x + cdi^2} + \frac{b\log(bx+a)}{(bcd-ad^2)i^2} - \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right)\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right) - \frac{(bdx+bc)\log(bx+a)^2}{}\right.$$

$$- 2AB\left(\frac{\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)}{d^2i^2x + cdi^2} - \frac{1}{d^2i^2x + cdi^2} - \frac{b\log(bx+a)}{(bcd-ad^2)i^2} + \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right)$$

$$- \frac{B^2\log\left(\frac{bex}{dx+c} + \frac{ae}{dx+c}\right)^2}{d^2i^2x + cdi^2} - \frac{A^2}{d^2i^2x + cdi^2}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algorithm="maxim
a")
```

output
```
(2*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2) - b*log
(d*x + c)/((b*c*d - a*d^2)*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - ((
b*d*x + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*a*d
 + 2*(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*x +
 a))*log(d*x + c))/(b*c^2*d*i^2 - a*c*d^2*i^2 + (b*c*d^2*i^2 - a*d^3*i^2)*
x))*B^2 - 2*A*B*(log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^2*i^2*x + c*d*i^2
) - 1/(d^2*i^2*x + c*d*i^2) - b*log(b*x + a)/((b*c*d - a*d^2)*i^2) + b*log
(d*x + c)/((b*c*d - a*d^2)*i^2)) - B^2*log(b*e*x/(d*x + c) + a*e/(d*x + c)
)^2/(d^2*i^2*x + c*d*i^2) - A^2/(d^2*i^2*x + c*d*i^2)
```

Giac [A] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 173, normalized size of antiderivative = 1.14

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \left(\frac{(bex+ae)B^2\log\left(\frac{bex+ae}{dx+c}\right)^2}{(dx+c)i^2} + \frac{2\,(bex+ae)(AB-B^2)\log\left(\frac{bex+ae}{dx+c}\right)}{(dx+c)i^2} + \frac{(bex+ae)(A^2-2\,AB+2\,B^2)}{(dx+c)i^2}\right)$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x, algorithm="giac"
)
```

output
```
((b*e*x + a*e)*B^2*log((b*e*x + a*e)/(d*x + c))^2/((d*x + c)*i^2) + 2*(b*e
*x + a*e)*(A*B - B^2)*log((b*e*x + a*e)/(d*x + c))/((d*x + c)*i^2) + (b*e*
x + a*e)*(A^2 - 2*A*B + 2*B^2)/((d*x + c)*i^2))*(b*c/((b*c*e - a*d*e)*(b*c
 - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.36 (sec) , antiderivative size = 222, normalized size of antiderivative = 1.46

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx = \frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,\left(\frac{2\,B^2}{b\,d^2\,i^2}-\frac{2\,A\,B}{b\,d^2\,i^2}\right)}{\frac{x}{b}+\frac{c}{b\,d}} - \ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2\left(\frac{B^2}{d^2\,i^2\,\left(x+\frac{c}{d}\right)}+\frac{B^2\,b}{d\,i^2\,(a\,d-b\,c)}\right) - \frac{A^2-2\,A\,B+2\,B^2}{x\,d^2\,i^2+c\,d\,i^2} + \frac{B\,b\,\mathrm{atan}\left(\frac{\left(2\,b\,d\,x+\frac{a\,d^2\,i^2+b\,c\,d\,i^2}{d\,i^2}\right)\,1\mathrm{i}}{a\,d-b\,c}\right)\,(A-B)\,4\mathrm{i}}{d\,i^2\,(a\,d-b\,c)}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/(c*i + d*i*x)^2,x)
```

output
```
(log((e*(a + b*x))/(c + d*x))*((2*B^2)/(b*d^2*i^2) - (2*A*B)/(b*d^2*i^2)))
/(x/b + c/(b*d)) - log((e*(a + b*x))/(c + d*x))^2*(B^2/(d^2*i^2*(x + c/d))
 + (B^2*b)/(d*i^2*(a*d - b*c))) - (A^2 + 2*B^2 - 2*A*B)/(d^2*i^2*x + c*d*i
^2) + (B*b*atan(((2*b*d*x + (a*d^2*i^2 + b*c*d*i^2)/(d*i^2))*1i)/(a*d - b*
c))*(A - B)*4i)/(d*i^2*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 332, normalized size of antiderivative = 2.18

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{2\log(bx+a)\,a^2bc+2\log(bx+a)\,a^2bdx-2\log(bx+a)\,ab^2c-2\log(bx+a)\,ab^2dx-2\log(dx+c)\,a^2bc}$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^2,x)
```

output

```
(2*log(a + b*x)*a**2*b*c + 2*log(a + b*x)*a**2*b*d*x - 2*log(a + b*x)*a*b*
*2*c - 2*log(a + b*x)*a*b**2*d*x - 2*log(c + d*x)*a**2*b*c - 2*log(c + d*x
)*a**2*b*d*x + 2*log(c + d*x)*a*b**2*c + 2*log(c + d*x)*a*b**2*d*x + log((
a*e + b*e*x)/(c + d*x))**2*a*b**2*c + log((a*e + b*e*x)/(c + d*x))**2*b**3
*c*x - 2*log((a*e + b*e*x)/(c + d*x))*a**2*b*d*x + 2*log((a*e + b*e*x)/(c
+ d*x))*a*b**2*c*x + 2*log((a*e + b*e*x)/(c + d*x))*a*b**2*d*x - 2*log((a*
e + b*e*x)/(c + d*x))*b**3*c*x - a**3*d*x + a**2*b*c*x + 2*a**2*b*d*x - 2*
a*b**2*c*x - 2*a*b**2*d*x + 2*b**3*c*x)/(c*(a*c*d + a*d**2*x - b*c**2 - b*
c*d*x))
```

3.96 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$

Optimal result 1188
Mathematica [A] (verified) 1189
Rubi [A] (warning: unable to verify) 1189
Maple [A] (verified) 1192
Fricas [A] (verification not implemented) 1193
Sympy [B] (verification not implemented) 1193
Maxima [B] (verification not implemented) 1195
Giac [A] (verification not implemented) 1196
Mupad [B] (verification not implemented) 1197
Reduce [B] (verification not implemented) 1198

Optimal result

Integrand size = 42, antiderivative size = 214

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx &= \frac{2ABd(a+bx)}{(bc-ad)^2gi^2(c+dx)} - \frac{2B^2d(a+bx)}{(bc-ad)^2gi^2(c+dx)} \\ &\quad + \frac{2B^2d(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^2gi^2(c+dx)} \\ &\quad - \frac{d(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^2gi^2(c+dx)} \\ &\quad + \frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^2gi^2}\end{aligned}$$

output

```
2*A*B*d*(b*x+a)/(-a*d+b*c)^2/g/i^2/(d*x+c)-2*B^2*d*(b*x+a)/(-a*d+b*c)^2/g/
i^2/(d*x+c)+2*B^2*d*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^2/g/i^2/(d*x+
c)-d*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^2/g/i^2/(d*x+c)+1/3*
b*(A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^2/g/i^2
```

Mathematica [A] (verified)

Time = 0.62 (sec) , antiderivative size = 187, normalized size of antiderivative = 0.87

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$= \frac{3b(A^2 - 2AB + 2B^2)(c+dx)\log(a+bx) + 6(A-B)B(bc-ad)\log\left(\frac{e(a+bx)}{c+dx}\right) + 3B(-Bd(a+bx) + A$$

$$3(bc -$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i
*x)^2),x]
```

output

```
(3*b*(A^2 - 2*A*B + 2*B^2)*(c + d*x)*Log[a + b*x] + 6*(A - B)*B*(b*c - a*d
)*Log[(e*(a + b*x))/(c + d*x)] + 3*B*(-(B*d*(a + b*x)) + A*b*(c + d*x))*Lo
g[(e*(a + b*x))/(c + d*x)]^2 + b*B^2*(c + d*x)*Log[(e*(a + b*x))/(c + d*x)
]^3 - 3*(A^2 - 2*A*B + 2*B^2)*(-(b*c) + a*d + b*(c + d*x)*Log[c + d*x]))/(
3*(b*c - a*d)^2*g*i^2*(c + d*x))
```

Rubi [A] (warning: unable to verify)

Time = 0.53 (sec) , antiderivative size = 140, normalized size of antiderivative = 0.65, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2962, 2788, 2733, 2009, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right) + A\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(b - \frac{d(a+bx)}{c+dx}\right)\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}\,d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\int \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2733$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\int \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d\frac{a+bx}{c+dx}\right)}{gi^2(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right.\right.}{gi^2(bc-ad)^2}$$

$$\downarrow 2739$$

$$\frac{b\int \frac{(a+bx)^2}{(c+dx)^2}d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{B} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right)\right)$$
$$gi^2(bc-ad)^2$$

$$\downarrow 15$$

$$\frac{\frac{b(a+bx)^3}{3B(c+dx)^3} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right)\right)}{gi^2(bc-ad)^2}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i*x)^2)
,x]
```

output
```
((b*(a + b*x)^3)/(3*B*(c + d*x)^3) - d*(((a + b*x)*(A + B*Log[(e*(a + b*x)
)/(c + d*x)])^2)/(c + d*x) - 2*B*((A*(a + b*x))/(c + d*x) - (B*(a + b*x))/
(c + d*x) + (B*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(c + d*x))))/((b*c
- a*d)^2*g*i^2)
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2739

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2788

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.78 (sec) , antiderivative size = 398, normalized size of antiderivative = 1.86

method	result
norman	$\frac{\left(A^2bc-2ABad+2B^2ad\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{B(Abc-Bad)\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{d\left(A^2b-2ABb+2B^2b\right)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{\left(A^2-2AB+2B^2\right)}{gic(da-bc)}$
parallelrisch	$\frac{-3A^2ab^2d^4+3A^2b^3cd^3-6B^2ab^2d^4+6B^2b^3cd^3-3B^2x\ln\left(\frac{e(bx+a)}{dx+c}\right)^2b^3d^4+B^2\ln\left(\frac{e(bx+a)}{dx+c}\right)^3b^3cd^3+3A^2x\ln\left(\frac{e(bx+c}{dx+c}\right.$
parts	$\frac{A^2\left(-\frac{1}{(da-bc)(dx+c)}-\frac{b\ln(dx+c)}{(da-bc)^2}+\frac{b\ln(bx+a)}{(da-bc)^2}\right)}{gi^2}-\frac{B^2\left(\frac{d\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2-2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}\right.\right.\right.}{da-bc}}{gi^2(da-bc)}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2A^2b\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^3g}+\frac{d^3A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^3g}-\frac{d^2ABb\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{ei^2(da-bc)^3g}+\frac{2d^3AB\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}{e^2}\right.}$
default	$-\frac{e(da-bc)\left(-\frac{d^2A^2b\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{ei^2(da-bc)^3g}+\frac{d^3A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^3g}-\frac{d^2ABb\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{ei^2(da-bc)^3g}+\frac{2d^3AB\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\right.}{e^2}\right.}$
risch	$-\frac{A^2}{gi^2(da-bc)(dx+c)}-\frac{A^2b\ln(dx+c)}{gi^2(da-bc)^2}+\frac{A^2b\ln(bx+a)}{gi^2(da-bc)^2}-\frac{B^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2b}{gi^2(da-bc)^2}-\frac{B^2d\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2a}{gi^2(da-bc)^2(dx+c)}$

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x,method=_RETU
RNVERBOSE)
```

output
```
((A^2*b*c-2*A*B*a*d+2*B^2*a*d)/g/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+a
)/(d*x+c))+B*(A*b*c-B*a*d)/g/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+a)/(d
*x+c))^2+1/g/i*d*(A^2*b-2*A*B*b+2*B^2*b)/(a^2*d^2-2*a*b*c*d+b^2*c^2)*x*ln(
e*(b*x+a)/(d*x+c))+(A^2-2*A*B+2*B^2)*d/g/i/c/(a*d-b*c)*x+b*d*B*(A-B)/g/i/(
a^2*d^2-2*a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/(d*x+c))^2+1/3*B^2*b*c/g/i/(a^2*
d^2-2*a*b*c*d+b^2*c^2)*ln(e*(b*x+a)/(d*x+c))^3+1/3*b*B^2*d/g/i/(a^2*d^2-2*
a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/(d*x+c))^3)/i/(d*x+c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 236, normalized size of antiderivative = 1.10

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$= \frac{(B^2bdx + B^2bc)\log\left(\frac{bex+ae}{dx+c}\right)^3 + 3\,(A^2 - 2\,AB + 2\,B^2)bc - 3\,(A^2 - 2\,AB + 2\,B^2)ad + 3\,(ABbc - B^2ad -}{3\,((b^2c^2d - 2\,abcd^2 + a^2d^3)gi^2x +}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algo
rithm="fricas")
```

output
```
1/3*((B^2*b*d*x + B^2*b*c)*log((b*e*x + a*e)/(d*x + c))^3 + 3*(A^2 - 2*A*B
 + 2*B^2)*b*c - 3*(A^2 - 2*A*B + 2*B^2)*a*d + 3*(A*B*b*c - B^2*a*d + (A*B
 - B^2)*b*d*x)*log((b*e*x + a*e)/(d*x + c))^2 + 3*(A^2*b*c + (A^2 - 2*A*B +
 2*B^2)*b*d*x - 2*(A*B - B^2)*a*d)*log((b*e*x + a*e)/(d*x + c)))/((b^2*c^2
*d - 2*a*b*c*d^2 + a^2*d^3)*g*i^2*x + (b^2*c^3 - 2*a*b*c^2*d + a^2*c*d^2)*
g*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 539 vs. 2(185) = 370.

Time = 0.72 (sec) , antiderivative size = 539, normalized size of antiderivative = 2.52

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$= \frac{B^2 b\log\left(\frac{e(a+bx)}{c+dx}\right)^3}{3a^2d^2gi^2-6abcdgi^2+3b^2c^2gi^2} + \frac{(-2AB+2B^2)\log\left(\frac{e(a+bx)}{c+dx}\right)}{acdgi^2+ad^2gi^2x-bc^2gi^2-bcdgi^2x}$$

$$+\left(A^2-2AB+2B^2\right)\left(-\frac{b\log\left(x+\frac{-\frac{a^3bd^3}{(ad-bc)^2}+\frac{3a^2b^2cd^2}{(ad-bc)^2}-\frac{3ab^3c^2d}{(ad-bc)^2}+abd+\frac{b^4c^3}{(ad-bc)^2}+b^2c}{2b^2d}\right)}{gi^2(ad-bc)^2}\right.$$

$$+\frac{b\log\left(x+\frac{\frac{a^3bd^3}{(ad-bc)^2}-\frac{3a^2b^2cd^2}{(ad-bc)^2}+\frac{3ab^3c^2d}{(ad-bc)^2}+abd-\frac{b^4c^3}{(ad-bc)^2}+b^2c}{2b^2d}\right)}{gi^2(ad-bc)^2}$$

$$\left.-\frac{1}{acdgi^2-bc^2gi^2+x\left(ad^2gi^2-bcdgi^2\right)}\right)$$

$$+\frac{(ABbc+ABbdx-B^2ad-B^2bdx)\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{a^2cd^2gi^2+a^2d^3gi^2x-2abc^2dgi^2-2abcd^2gi^2x+b^2c^3gi^2+b^2c^2dgi^2x}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)/(d*i*x+c*i)**2,x)
```

output

```
B**2*b*log(e*(a + b*x)/(c + d*x))**3/(3*a**2*d**2*g*i**2 - 6*a*b*c*d*g*i**
2 + 3*b**2*c**2*g*i**2) + (-2*A*B + 2*B**2)*log(e*(a + b*x)/(c + d*x))/(a*
c*d*g*i**2 + a*d**2*g*i**2*x - b*c**2*g*i**2 - b*c*d*g*i**2*x) + (A**2 - 2
*A*B + 2*B**2)*(-b*log(x + (-a**3*b*d**3/(a*d - b*c)**2 + 3*a**2*b**2*c*d*
*2/(a*d - b*c)**2 - 3*a*b**3*c**2*d/(a*d - b*c)**2 + a*b*d + b**4*c**3/(a*
d - b*c)**2 + b**2*c)/(2*b**2*d))/(g*i**2*(a*d - b*c)**2) + b*log(x + (a**
3*b*d**3/(a*d - b*c)**2 - 3*a**2*b**2*c*d**2/(a*d - b*c)**2 + 3*a*b**3*c**
2*d/(a*d - b*c)**2 + a*b*d - b**4*c**3/(a*d - b*c)**2 + b**2*c)/(2*b**2*d)
)/(g*i**2*(a*d - b*c)**2) - 1/(a*c*d*g*i**2 - b*c**2*g*i**2 + x*(a*d**2*g*
i**2 - b*c*d*g*i**2))) + (A*B*b*c + A*B*b*d*x - B**2*a*d - B**2*b*d*x)*log
(e*(a + b*x)/(c + d*x))**2/(a**2*c*d**2*g*i**2 + a**2*d**3*g*i**2*x - 2*a*
b*c**2*d*g*i**2 - 2*a*b*c*d**2*g*i**2*x + b**2*c**3*g*i**2 + b**2*c**2*d*g
*i**2*x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1004 vs. $2(212) = 424$.

Time $= 0.11$ (sec) , antiderivative size $= 1004$, normalized size of antiderivative $= 4.69$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algo
rithm="maxima")
```

output

```
B^2*(1/((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/
((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b
*c*d + a^2*d^2)*g*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2 + 2*A*B*(1/
((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((b^2*c
^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d +
a^2*d^2)*g*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 1/3*B^2*(3*((b*d*x
 + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*a*d + 2*
(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*x + a))*
log(d*x + c))*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^2*c^3*g*i^2 - 2*a*b*
c^2*d*g*i^2 + a^2*c*d^2*g*i^2 + (b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2
*d^3*g*i^2)*x) - ((b*d*x + b*c)*log(b*x + a)^3 - (b*d*x + b*c)*log(d*x + c
)^3 + 3*(b*d*x + b*c)*log(b*x + a)^2 + 3*(b*d*x + b*c + (b*d*x + b*c)*log(
b*x + a))*log(d*x + c)^2 + 6*b*c - 6*a*d + 6*(b*d*x + b*c)*log(b*x + a) -
3*(2*b*d*x + (b*d*x + b*c)*log(b*x + a)^2 + 2*b*c + 2*(b*d*x + b*c)*log(b*
x + a))*log(d*x + c))/(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 + a^2*c*d^2*g*i^2
 + (b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x)) + A^2*(1/((b*
c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((b^2*c^2 -
 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*
d^2)*g*i^2)) - ((b*d*x + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^
2 + 2*b*c - 2*a*d + 2*(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*...
```

Giac [A] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 339, normalized size of antiderivative = 1.58

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{1}{3}\left(\frac{B^2be\log\left(\frac{bex+ae}{dx+c}\right)^3}{bcgi^2-adgi^2} + \frac{3\,A^2be\log\left(\frac{bex+ae}{dx+c}\right)}{bcgi^2-adgi^2} + 3\left(\frac{ABbe}{bcgi^2-adgi^2} - \frac{(bex+ae)B^2d}{(bcgi^2-adgi^2)(dx+c)}\right)\log\left(\frac{bex+}{dx+}\right.\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x, algo
rithm="giac")
```

output

```
1/3*(B^2*b*e*log((b*e*x + a*e)/(d*x + c))^3/(b*c*g*i^2 - a*d*g*i^2) + 3*A^
2*b*e*log((b*e*x + a*e)/(d*x + c))/(b*c*g*i^2 - a*d*g*i^2) + 3*(A*B*b*e/(b
*c*g*i^2 - a*d*g*i^2) - (b*e*x + a*e)*B^2*d/((b*c*g*i^2 - a*d*g*i^2)*(d*x
+ c)))*log((b*e*x + a*e)/(d*x + c))^2 - 6*(A*B*d - B^2*d)*(b*e*x + a*e)*lo
g((b*e*x + a*e)/(d*x + c))/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)) - 3*(A^2*d
- 2*A*B*d + 2*B^2*d)*(b*e*x + a*e)/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)))*(b
*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.06 (sec) , antiderivative size = 423, normalized size of antiderivative = 1.98

$$
\begin{aligned}
&\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx \\
&= \ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2\left(\frac{B\,b\,(A-B)}{g\,i^2\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)}\right. \\
&\qquad \left. -\frac{B^2\,(a\,d-b\,c)}{b\,d\,g\,i^2\,\left(\frac{x}{b}+\frac{c}{b\,d}\right)\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)}\right)-\frac{A^2-2\,A\,B+2\,B^2}{(a\,d-b\,c)\,(c\,g\,i^2+d\,g\,i^2\,x)} \\
&\quad +\frac{B^2\,b\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^3}{3\,g\,i^2\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)}-\frac{2\,B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\,(A-B)\,(a\,d-b\,c)}{b\,d\,g\,i^2\,\left(\frac{x}{b}+\frac{c}{b\,d}\right)\,\left(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2\right)} \\
&\quad -\frac{b\,\mathrm{atan}\left(\frac{b\left(2\,b\,d\,x+\frac{a^2\,d^2\,g\,i^2-b^2\,c^2\,g\,i^2}{g\,i^2\,(a\,d-b\,c)}\right)\,\left(A^2-2\,A\,B+2\,B^2\right)\,1\mathrm{i}}{(a\,d-b\,c)\,\left(b\,A^2-2\,b\,A\,B+2\,b\,B^2\right)}\right)\,\left(A^2-2\,A\,B+2\,B^2\right)\,2\mathrm{i}}{g\,i^2\,(a\,d-b\,c)^2}
\end{aligned}
$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)*(c*i + d*i*x)^2)
,x)
```

output
```
log((e*(a + b*x))/(c + d*x))^2*((B*b*(A - B))/(g*i^2*(a^2*d^2 + b^2*c^2 -
2*a*b*c*d)) - (B^2*(a*d - b*c))/(b*d*g*i^2*(x/b + c/(b*d))*(a^2*d^2 + b^2*
c^2 - 2*a*b*c*d))) - (A^2 + 2*B^2 - 2*A*B)/((a*d - b*c)*(c*g*i^2 + d*g*i^2
*x)) + (B^2*b*log((e*(a + b*x))/(c + d*x))^3)/(3*g*i^2*(a^2*d^2 + b^2*c^2
- 2*a*b*c*d)) - (b*atan((b*(2*b*d*x + (a^2*d^2*g*i^2 - b^2*c^2*g*i^2)/(g*i
^2*(a*d - b*c)))*(A^2 + 2*B^2 - 2*A*B)*1i)/((a*d - b*c)*(A^2*b + 2*B^2*b -
 2*A*B*b)))*(A^2 + 2*B^2 - 2*A*B)*2i)/(g*i^2*(a*d - b*c)^2) - (2*B*log((e*
(a + b*x))/(c + d*x))*(A - B)*(a*d - b*c))/(b*d*g*i^2*(x/b + c/(b*d))*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 565, normalized size of antiderivative = 2.64

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{-3\log\left(\frac{bex+ae}{dx+c}\right)^2 a\,b^2cdx + 6\log(bx+a)\,a^2b\,d^2x - 6\log(bx+a)\,a\,b^2cd - 6\log(bx+a)\,a\,b^2d^2x - 6\log(dx$$

input
```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x)
```

output
```
( - 3*log(a + b*x)*a**2*b*c**2 - 3*log(a + b*x)*a**2*b*c*d*x + 6*log(a + b
*x)*a**2*b*c*d + 6*log(a + b*x)*a**2*b*d**2*x - 6*log(a + b*x)*a*b**2*c*d
- 6*log(a + b*x)*a*b**2*d**2*x + 3*log(c + d*x)*a**2*b*c**2 + 3*log(c + d*
x)*a**2*b*c*d*x - 6*log(c + d*x)*a**2*b*c*d - 6*log(c + d*x)*a**2*b*d**2*x
 + 6*log(c + d*x)*a*b**2*c*d + 6*log(c + d*x)*a*b**2*d**2*x - log((a*e + b
*e*x)/(c + d*x))**3*b**3*c**2 - log((a*e + b*e*x)/(c + d*x))**3*b**3*c*d*x
 - 3*log((a*e + b*e*x)/(c + d*x))**2*a*b**2*c**2 - 3*log((a*e + b*e*x)/(c
+ d*x))**2*a*b**2*c*d*x + 3*log((a*e + b*e*x)/(c + d*x))**2*a*b**2*c*d + 3
*log((a*e + b*e*x)/(c + d*x))**2*b**3*c*d*x - 6*log((a*e + b*e*x)/(c + d*x
))*a**2*b*d**2*x + 6*log((a*e + b*e*x)/(c + d*x))*a*b**2*c*d*x + 6*log((a*
e + b*e*x)/(c + d*x))*a*b**2*d**2*x - 6*log((a*e + b*e*x)/(c + d*x))*b**3*
c*d*x - 3*a**3*d**2*x + 3*a**2*b*c*d*x + 6*a**2*b*d**2*x - 6*a*b**2*c*d*x
- 6*a*b**2*d**2*x + 6*b**3*c*d*x)/(3*c*g*(a**2*c*d**2 + a**2*d**3*x - 2*a*
b*c**2*d - 2*a*b*c*d**2*x + b**2*c**3 + b**2*c**2*d*x))
```

3.97 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$

Optimal result 1199
Mathematica [A] (verified) 1200
Rubi [A] (verified) 1201
Maple [B] (verified) 1202
Fricas [A] (verification not implemented) 1204
Sympy [B] (verification not implemented) 1204
Maxima [B] (verification not implemented) 1205
Giac [A] (verification not implemented) 1206
Mupad [B] (verification not implemented) 1207
Reduce [B] (verification not implemented) 1208

Optimal result

Integrand size = 42, antiderivative size = 365

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = &-\frac{2ABd^2(a+bx)}{(bc-ad)^3g^2i^2(c+dx)}+\frac{2B^2d^2(a+bx)}{(bc-ad)^3g^2i^2(c+dx)}\\ &-\frac{2b^2B^2(c+dx)}{(bc-ad)^3g^2i^2(a+bx)}\\ &-\frac{2B^2d^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^3g^2i^2(c+dx)}\\ &-\frac{2b^2B(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^3g^2i^2(a+bx)}\\ &+\frac{d^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^3g^2i^2(c+dx)}\\ &-\frac{b^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^3g^2i^2(a+bx)}\\ &-\frac{2bd\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^3g^2i^2}\end{aligned}$$

output

```
-2*A*B*d^2*(b*x+a)/(-a*d+b*c)^3/g^2/i^2/(d*x+c)+2*B^2*d^2*(b*x+a)/(-a*d+b*
c)^3/g^2/i^2/(d*x+c)-2*b^2*B^2*(d*x+c)/(-a*d+b*c)^3/g^2/i^2/(b*x+a)-2*B^2*
d^2*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^3/g^2/i^2/(d*x+c)-2*b^2*B*(d*
x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g^2/i^2/(b*x+a)+d^2*(b*x+a)*
(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g^2/i^2/(d*x+c)-b^2*(d*x+c)*(A+
B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g^2/i^2/(b*x+a)-2/3*b*d*(A+B*ln(e*
(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^3/g^2/i^2
```

Mathematica [A] (verified)

Time = 0.91 (sec) , antiderivative size = 307, normalized size of antiderivative = 0.84

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx =$$

$$-\frac{-3(A^2-2AB+2B^2)\,d(-bc+ad)(a+bx)+3b(A^2+2AB+2B^2)\,(bc-ad)(c+dx)+6b(A^2+2B^2$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d
*i*x)^2),x]
```

output

```
-1/3*(-3*(A^2 - 2*A*B + 2*B^2)*d*(-(b*c) + a*d)*(a + b*x) + 3*b*(A^2 + 2*A
*B + 2*B^2)*(b*c - a*d)*(c + d*x) + 6*b*(A^2 + 2*B^2)*d*(a + b*x)*(c + d*x
)*Log[a + b*x] + 6*B*(b*c - a*d)*(A*b*c + b*B*c + a*A*d - a*B*d + 2*A*b*d*
x)*Log[(e*(a + b*x))/(c + d*x)] + 3*B*(-(a^2*B*d^2) + 2*a*b*d*(-(B*d*x) +
A*(c + d*x)) + b^2*(2*A*d*x*(c + d*x) + B*c*(c + 2*d*x)))*Log[(e*(a + b*x)
)/(c + d*x)]^2 + 2*b*B^2*d*(a + b*x)*(c + d*x)*Log[(e*(a + b*x))/(c + d*x)
]^3 - 6*b*(A^2 + 2*B^2)*d*(a + b*x)*(c + d*x)*Log[c + d*x])/((b*c - a*d)^3
*g^2*i^2*(a + b*x)*(c + d*x))
```

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 254, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2} d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{\int \left(d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+\frac{b^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2}-\frac{2bd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}\right) d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}-\frac{2b^2B(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx}-\frac{2ABd^2(a+bx)}{c+dx}-\frac{2bd\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{c+dx}}{g^2i^2(bc-ad)^3}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d*i*x)^
2),x]
```

output

```
((-2*A*B*d^2*(a + b*x))/(c + d*x) + (2*B^2*d^2*(a + b*x))/(c + d*x) - (2*b
^2*B^2*(c + d*x))/(a + b*x) - (2*B^2*d^2*(a + b*x)*Log[(e*(a + b*x))/(c +
d*x)])/(c + d*x) - (2*b^2*B*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])
)/(a + b*x) + (d^2*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c +
d*x) - (b^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x) -
(2*b*d*(A + B*Log[(e*(a + b*x))/(c + d*x)])^3)/(3*B))/((b*c - a*d)^3*g^2*i
^2)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 765 vs. $2(363) = 726$.

Time = 2.00 (sec) , antiderivative size = 766, normalized size of antiderivative = 2.10

method	result
parts	$\frac{A^2\left(-\frac{d}{(da-bc)^2(dx+c)}-\frac{2db\ln(dx+c)}{(da-bc)^3}-\frac{b}{(da-bc)^2(bx+a)}+\frac{2db\ln(bx+a)}{(da-bc)^3}\right)}{g^2i^2}-\frac{B^2\left(\frac{d^2\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\right.}{}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2A^2b^2}{i^2(da-bc)^4g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{2d^3A^2b\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^2(da-bc)^4g^2}+\frac{d^4A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^4g^2}+\frac{2d^2ABb^2\left(-\frac{\ln\left(\frac{be}{d}+\right.}{\frac{be}{d}+}\right.}{}$
default	$-\frac{e(da-bc)\left(-\frac{d^2A^2b^2}{i^2(da-bc)^4g^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}-\frac{2d^3A^2b\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^2(da-bc)^4g^2}+\frac{d^4A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^2(da-bc)^4g^2}+\frac{2d^2ABb^2\left(-\frac{\ln\left(\frac{be}{d}+\right.}{\frac{be}{d}+}\right.}{}$
norman	$\frac{\left(2A^2abcd-2AB\,a^2d^2+2AB\,b^2c^2+2B^2a^2d^2+2B^2b^2c^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)}{gi\left(a^3d^3-3a^2bc\,d^2+3a\,b^2c^2d-b^3c^3\right)}+\frac{B\left(2Aabcd-B\,a^2d^2+B\,b^2c^2\right)\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{gi\left(a^3d^3-3a^2bc\,d^2+3a\,b^2c^2d-b^3c^3\right)}+\frac{\left(2A^2ab\,d\right.}{}$
parallelrisch	Expression too large to display
risch	Expression too large to display

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,method=_RE
TURNVERBOSE)
```

output

```
1/g^2*A^2/i^2*(-d/(a*d-b*c)^2/(d*x+c)-2*d/(a*d-b*c)^3*b*ln(d*x+c)-b/(a*d-b
*c)^2/(b*x+a)+2*d/(a*d-b*c)^3*b*ln(b*x+a))-B^2/g^2/i^2/(a*d-b*c)/e*(d^2/(a
*d-b*c)^2*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2
-2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+2*(a*d-b*
c)*e/d/(d*x+c)+2*b*e/d)-2/3/(a*d-b*c)^2*b*d*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+
c))^3+1/(a*d-b*c)^2*b^2*e^2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*
d-b*c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e
/d/(d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))-2*A*B/g^2/i^2/(a*d-b*c)/e*(d
^2/(a*d-b*c)^2*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+
c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)-1/(a*d-b*c)^2*b*d*e*ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^2+1/(a*d-b*c)^2*b^2*e^2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 515, normalized size of antiderivative = 1.41

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$$
$$= \frac{12\,ABabcd - 3\,(A^2 + 2\,AB + 2\,B^2)b^2c^2 + 3\,(A^2 - 2\,AB + 2\,B^2)a^2d^2 - 2\,(B^2b^2d^2x^2 + B^2abcd + (B^2b^2c$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output
```
1/3*(12*A*B*a*b*c*d - 3*(A^2 + 2*A*B + 2*B^2)*b^2*c^2 + 3*(A^2 - 2*A*B + 2
*B^2)*a^2*d^2 - 2*(B^2*b^2*d^2*x^2 + B^2*a*b*c*d + (B^2*b^2*c*d + B^2*a*b*
d^2)*x)*log((b*e*x + a*e)/(d*x + c))^3 - 3*(2*A*B*b^2*d^2*x^2 + B^2*b^2*c^
2 + 2*A*B*a*b*c*d - B^2*a^2*d^2 + 2*((A*B + B^2)*b^2*c*d + (A*B - B^2)*a*b
*d^2)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 6*((A^2 + 2*B^2)*b^2*c*d - (A^2
+ 2*B^2)*a*b*d^2)*x - 6*((A^2 + 2*B^2)*b^2*d^2*x^2 + A^2*a*b*c*d + (A*B +
B^2)*b^2*c^2 - (A*B - B^2)*a^2*d^2 + ((A^2 + 2*A*B + 2*B^2)*b^2*c*d + (A^2
 - 2*A*B + 2*B^2)*a*b*d^2)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^4*c^3*d -
3*a*b^3*c^2*d^2 + 3*a^2*b^2*c*d^3 - a^3*b*d^4)*g^2*i^2*x^2 + (b^4*c^4 - 2*
a*b^3*c^3*d + 2*a^3*b*c*d^3 - a^4*d^4)*g^2*i^2*x + (a*b^3*c^4 - 3*a^2*b^2*
c^3*d + 3*a^3*b*c^2*d^2 - a^4*c*d^3)*g^2*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1404 vs. $2(335) = 670$.

Time = 3.06 (sec) , antiderivative size = 1404, normalized size of antiderivative = 3.85

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2/(d*i*x+c*i)**2,x)
```

output

```
2*B**2*b*d*log(e*(a + b*x)/(c + d*x))**3/(3*a**3*d**3*g**2*i**2 - 9*a**2*b
*c*d**2*g**2*i**2 + 9*a*b**2*c**2*d*g**2*i**2 - 3*b**3*c**3*g**2*i**2) - 2
*b*d*(A**2 + 2*B**2)*log(x + (2*A**2*a*b*d**2 + 2*A**2*b**2*c*d + 4*B**2*a
*b*d**2 + 4*B**2*b**2*c*d - 2*a**4*b*d**5*(A**2 + 2*B**2)/(a*d - b*c)**3 +
 8*a**3*b**2*c*d**4*(A**2 + 2*B**2)/(a*d - b*c)**3 - 12*a**2*b**3*c**2*d**
3*(A**2 + 2*B**2)/(a*d - b*c)**3 + 8*a*b**4*c**3*d**2*(A**2 + 2*B**2)/(a*d
 - b*c)**3 - 2*b**5*c**4*d*(A**2 + 2*B**2)/(a*d - b*c)**3)/(4*A**2*b**2*d*
*2 + 8*B**2*b**2*d**2))/(g**2*i**2*(a*d - b*c)**3) + 2*b*d*(A**2 + 2*B**2)
*log(x + (2*A**2*a*b*d**2 + 2*A**2*b**2*c*d + 4*B**2*a*b*d**2 + 4*B**2*b**
2*c*d + 2*a**4*b*d**5*(A**2 + 2*B**2)/(a*d - b*c)**3 - 8*a**3*b**2*c*d**4*
(A**2 + 2*B**2)/(a*d - b*c)**3 + 12*a**2*b**3*c**2*d**3*(A**2 + 2*B**2)/(a
*d - b*c)**3 - 8*a*b**4*c**3*d**2*(A**2 + 2*B**2)/(a*d - b*c)**3 + 2*b**5*
c**4*d*(A**2 + 2*B**2)/(a*d - b*c)**3)/(4*A**2*b**2*d**2 + 8*B**2*b**2*d**
2))/(g**2*i**2*(a*d - b*c)**3) + (-2*A*B*a*d - 2*A*B*b*c - 4*A*B*b*d*x + 2
*B**2*a*d - 2*B**2*b*c)*log(e*(a + b*x)/(c + d*x))/(a**3*c*d**2*g**2*i**2
+ a**3*d**3*g**2*i**2*x - 2*a**2*b*c**2*d*g**2*i**2 - a**2*b*c*d**2*g**2*i
**2*x + a**2*b*d**3*g**2*i**2*x**2 + a*b**2*c**3*g**2*i**2 - a*b**2*c**2*d
*g**2*i**2*x - 2*a*b**2*c*d**2*g**2*i**2*x**2 + b**3*c**3*g**2*i**2*x + b*
*3*c**2*d*g**2*i**2*x**2) + (2*A*B*a*b*c*d + 2*A*B*a*b*d**2*x + 2*A*B*b**2
*c*d*x + 2*A*B*b**2*d**2*x**2 - B**2*a**2*d**2 - 2*B**2*a*b*d**2*x + B*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1995 vs. $2(363) = 726$.

Time $= 0.17$ (sec) , antiderivative size $= 1995$, normalized size of antiderivative $= 5.47$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^2(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output

```
-B^2*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i
^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d^2 + a^3*d^3)*g^2*i^2*x + (a*b^
2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2) + 2*b*d*log(b*x + a)/((b^3*c^3
 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2) - 2*b*d*log(d*x + c)/
((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2))*log(b*e*x/(
d*x + c) + a*e/(d*x + c))^2 - 2*A*B*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2
*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d
^2 + a^3*d^3)*g^2*i^2*x + (a*b^2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2)
 + 2*b*d*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)
*g^2*i^2) - 2*b*d*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 -
 a^3*d^3)*g^2*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 2/3*B^2*(3*(b^2
*c^2 - 2*a*b*c*d + a^2*d^2 - (b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*
x)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(
b*x + a)*log(d*x + c) - (b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*x)*lo
g(d*x + c)^2)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(a*b^3*c^4*g^2*i^2 - 3*
a^2*b^2*c^3*d*g^2*i^2 + 3*a^3*b*c^2*d^2*g^2*i^2 - a^4*c*d^3*g^2*i^2 + (b^4
*c^3*d*g^2*i^2 - 3*a*b^3*c^2*d^2*g^2*i^2 + 3*a^2*b^2*c*d^3*g^2*i^2 - a^3*b
*d^4*g^2*i^2)*x^2 + (b^4*c^4*g^2*i^2 - 2*a*b^3*c^3*d*g^2*i^2 + 2*a^3*b*c*d
^3*g^2*i^2 - a^4*d^4*g^2*i^2)*x) + (3*b^2*c^2 - 3*a^2*d^2 + (b^2*d^2*x^2 +
 a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(b*x + a)^3 + 3*(b^2*d^2*x^2 + a*b...
```

Giac [A] (verification not implemented)

Time = 57.73 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.56

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx =$$
$$-\left(\frac{(dx+c)B^2e^2\log\left(\frac{bex+ae}{dx+c}\right)^2}{(bex+ae)g^2i^2} + \frac{2\,(ABe^2+B^2e^2)(dx+c)\log\left(\frac{bex+ae}{dx+c}\right)}{(bex+ae)g^2i^2} + \frac{(A^2e^2+2\,ABe^2+2\,B^2e^2)(d\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output
```
-((d*x + c)*B^2*e^2*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x + a*e)*g^2*i^2)
 + 2*(A*B*e^2 + B^2*e^2)*(d*x + c)*log((b*e*x + a*e)/(d*x + c))/((b*e*x +
a*e)*g^2*i^2) + (A^2*e^2 + 2*A*B*e^2 + 2*B^2*e^2)*(d*x + c)/((b*e*x + a*e)
*g^2*i^2))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
- a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 28.81 (sec) , antiderivative size = 731, normalized size of antiderivative = 2.00

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \frac{2B^2bd\ln\left(\frac{e(a+bx)}{c+dx}\right)^3}{3g^2i^2(ad-bc)^3}$$
$$-\frac{\frac{A^2ad+A^2bc+2B^2ad+2B^2bc-2ABad+2ABbc}{ad-bc}+\frac{2x\left(bdA^2+2bdB^2\right)}{ad-bc}}{x\left(a^2d^2g^2i^2-b^2c^2g^2i^2\right)+x^2\left(abd^2g^2i^2-b^2cdg^2i^2\right)-abc^2g^2i^2+a^2cdg^2i^2}$$
$$-\frac{\ln\left(\frac{e(a+bx)}{c+dx}\right)\left(\frac{2\left(B^2bc-B^2ad+ABad+ABbc\right)}{g^2i^2\left(a^2bd^3-2ab^2cd^2+b^3c^2d\right)}+\frac{4ABx}{g^2i^2\left(a^2d^2-2abcd+b^2c^2\right)}\right)}{x^2+\frac{x(ad+bc)}{bd}+\frac{ac}{bd}}$$
$$-\ln\left(\frac{e(a+bx)}{c+dx}\right)^2\left(\frac{\frac{B^2(ad+bc)}{g^2i^2\left(a^2bd^3-2ab^2cd^2+b^3c^2d\right)}+\frac{2B^2x}{g^2i^2\left(a^2d^2-2abcd+b^2c^2\right)}}{x^2+\frac{x(ad+bc)}{bd}+\frac{ac}{bd}}-\frac{2ABbd}{g^2i^2(ad-bc)^3}\right)$$
$$-\frac{bd\operatorname{atan}\left(\frac{bd\left(A^2+2B^2\right)\left(\frac{a^3d^3g^2i^2-a^2bcd^2g^2i^2-ab^2c^2dg^2i^2+b^3c^3g^2i^2}{a^2d^2g^2i^2-2abcdg^2i^2+b^2c^2g^2i^2}+2bdx\right)\left(a^2d^2g^2i^2-2abcdg^2i^2+b^2c^2g^2i^2\right)2\mathrm{i}}{g^2i^2(ad-bc)^3\left(2bdA^2+4bdB^2\right)}\right)(A^2-}{g^2i^2(ad-bc)^3}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^2*(c*i + d*i*x)^
2),x)
```

output

```
(2*B^2*b*d*log((e*(a + b*x))/(c + d*x))^3)/(3*g^2*i^2*(a*d - b*c)^3) - ((A
^2*a*d + A^2*b*c + 2*B^2*a*d + 2*B^2*b*c - 2*A*B*a*d + 2*A*B*b*c)/(a*d - b
*c) + (2*x*(A^2*b*d + 2*B^2*b*d))/(a*d - b*c))/(x*(a^2*d^2*g^2*i^2 - b^2*c
^2*g^2*i^2) + x^2*(a*b*d^2*g^2*i^2 - b^2*c*d*g^2*i^2) - a*b*c^2*g^2*i^2 +
a^2*c*d*g^2*i^2) - (log((e*(a + b*x))/(c + d*x))*((2*(B^2*b*c - B^2*a*d +
A*B*a*d + A*B*b*c))/(g^2*i^2*(a^2*b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) + (4
*A*B*x)/(g^2*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))))/(x^2 + (x*(a*d + b*c))
/(b*d) + (a*c)/(b*d)) - (b*d*atan((b*d*(A^2 + 2*B^2)*((a^3*d^3*g^2*i^2 + b
^3*c^3*g^2*i^2 - a*b^2*c^2*d*g^2*i^2 - a^2*b*c*d^2*g^2*i^2)/(a^2*d^2*g^2*i
^2 + b^2*c^2*g^2*i^2 - 2*a*b*c*d*g^2*i^2) + 2*b*d*x)*(a^2*d^2*g^2*i^2 + b^
2*c^2*g^2*i^2 - 2*a*b*c*d*g^2*i^2)*2i)/(g^2*i^2*(a*d - b*c)^3*(2*A^2*b*d +
 4*B^2*b*d)))*(A^2 + 2*B^2)*4i)/(g^2*i^2*(a*d - b*c)^3) - log((e*(a + b*x)
)/(c + d*x))^2*(((B^2*(a*d + b*c))/(g^2*i^2*(a^2*b*d^3 + b^3*c^2*d - 2*a*b
^2*c*d^2)) + (2*B^2*x)/(g^2*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)))/(x^2 + (
x*(a*d + b*c))/(b*d) + (a*c)/(b*d)) - (2*A*B*b*d)/(g^2*i^2*(a*d - b*c)^3))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1957, normalized size of antiderivative = 5.36

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x)
```

output

```
( - 6*log(a + b*x)*a**4*b*c*d**2 - 6*log(a + b*x)*a**4*b*d**3*x - 6*log(a
+ b*x)*a**3*b**2*c**2*d - 12*log(a + b*x)*a**3*b**2*c*d**2*x + 12*log(a +
b*x)*a**3*b**2*c*d**2 - 6*log(a + b*x)*a**3*b**2*d**3*x**2 + 12*log(a + b*
x)*a**3*b**2*d**3*x - 6*log(a + b*x)*a**2*b**3*c**2*d*x - 12*log(a + b*x)*
a**2*b**3*c**2*d - 6*log(a + b*x)*a**2*b**3*c*d**2*x**2 - 12*log(a + b*x)*
a**2*b**3*c*d**2 + 12*log(a + b*x)*a**2*b**3*d**3*x**2 - 12*log(a + b*x)*a
**2*b**3*d**3*x - 12*log(a + b*x)*a*b**4*c**2*d*x - 12*log(a + b*x)*a*b**4
*c**2*d - 12*log(a + b*x)*a*b**4*c*d**2*x**2 - 24*log(a + b*x)*a*b**4*c*d*
*2*x - 12*log(a + b*x)*a*b**4*d**3*x**2 - 12*log(a + b*x)*b**5*c**2*d*x -
12*log(a + b*x)*b**5*c*d**2*x**2 + 6*log(c + d*x)*a**4*b*c*d**2 + 6*log(c
+ d*x)*a**4*b*d**3*x + 6*log(c + d*x)*a**3*b**2*c**2*d + 12*log(c + d*x)*a
**3*b**2*c*d**2*x - 12*log(c + d*x)*a**3*b**2*c*d**2 + 6*log(c + d*x)*a**3
*b**2*d**3*x**2 - 12*log(c + d*x)*a**3*b**2*d**3*x + 6*log(c + d*x)*a**2*b
**3*c**2*d*x + 12*log(c + d*x)*a**2*b**3*c**2*d + 6*log(c + d*x)*a**2*b**3
*c*d**2*x**2 + 12*log(c + d*x)*a**2*b**3*c*d**2 - 12*log(c + d*x)*a**2*b**
3*d**3*x**2 + 12*log(c + d*x)*a**2*b**3*d**3*x + 12*log(c + d*x)*a*b**4*c*
*2*d*x + 12*log(c + d*x)*a*b**4*c**2*d + 12*log(c + d*x)*a*b**4*c*d**2*x**
2 + 24*log(c + d*x)*a*b**4*c*d**2*x + 12*log(c + d*x)*a*b**4*d**3*x**2 + 1
2*log(c + d*x)*b**5*c**2*d*x + 12*log(c + d*x)*b**5*c*d**2*x**2 - 2*log((a
*e + b*e*x)/(c + d*x))**3*a**2*b**3*c*d**2 - 2*log((a*e + b*e*x)/(c + d...
```

3.98 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$

Optimal result 1211
Mathematica [A] (verified) 1212
Rubi [A] (verified) 1212
Maple [B] (verified) 1214
Fricas [A] (verification not implemented) 1215
Sympy [B] (verification not implemented) 1216
Maxima [B] (verification not implemented) 1217
Giac [A] (verification not implemented) 1218
Mupad [B] (verification not implemented) 1219
Reduce [B] (verification not implemented) 1220

Optimal result

Integrand size = 42, antiderivative size = 523

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx &= \frac{2ABd^3(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} - \frac{2B^2d^3(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{6b^2B^2d(c+dx)}{(bc-ad)^4g^3i^2(a+bx)} - \frac{b^3B^2(c+dx)^2}{4(bc-ad)^4g^3i^2(a+bx)^2} \\ &+ \frac{2B^2d^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{6b^2Bd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^3i^2(a+bx)} \\ &- \frac{b^3B(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^3i^2(a+bx)^2} \\ &- \frac{d^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{3b^2d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^4g^3i^2(a+bx)} \\ &- \frac{b^3(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^4g^3i^2(a+bx)^2} \\ &+ \frac{bd^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{B(bc-ad)^4g^3i^2}\end{aligned}$$

output

```
2*A*B*d^3*(b*x+a)/(-a*d+b*c)^4/g^3/i^2/(d*x+c)-2*B^2*d^3*(b*x+a)/(-a*d+b*c
)^4/g^3/i^2/(d*x+c)+6*b^2*B^2*d*(d*x+c)/(-a*d+b*c)^4/g^3/i^2/(b*x+a)-1/4*b
^3*B^2*(d*x+c)^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2+2*B^2*d^3*(b*x+a)*ln(e*(b*
x+a)/(d*x+c))/(-a*d+b*c)^4/g^3/i^2/(d*x+c)+6*b^2*B*d*(d*x+c)*(A+B*ln(e*(b*
x+a)/(d*x+c)))/(-a*d+b*c)^4/g^3/i^2/(b*x+a)-1/2*b^3*B*(d*x+c)^2*(A+B*ln(e*
(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2-d^3*(b*x+a)*(A+B*ln(e*(b*
x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^3/i^2/(d*x+c)+3*b^2*d*(d*x+c)*(A+B*ln(e*(b
*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)-1/2*b^3*(d*x+c)^2*(A+B*ln(e
*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2+b*d^2*(A+B*ln(e*(b*x+a
)/(d*x+c)))^3/B/(-a*d+b*c)^4/g^3/i^2
```

Mathematica [A] (verified)

Time = 1.28 (sec) , antiderivative size = 466, normalized size of antiderivative = 0.89

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$$
$$=\frac{4(A^2-2AB+2B^2)\,d^2(bc-ad)(a+bx)^2-b(2A^2+2AB+B^2)\,(bc-ad)^2(c+dx)+2b(4A^2+10AB-$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d
*i*x)^2),x]
```

output
```
(4*(A^2 - 2*A*B + 2*B^2)*d^2*(b*c - a*d)*(a + b*x)^2 - b*(2*A^2 + 2*A*B +
B^2)*(b*c - a*d)^2*(c + d*x) + 2*b*(4*A^2 + 10*A*B + 11*B^2)*d*(b*c - a*d)
*(a + b*x)*(c + d*x) + 6*b*(2*A^2 + 2*A*B + 5*B^2)*d^2*(a + b*x)^2*(c + d*
x)*Log[a + b*x] + 2*B*(b*c - a*d)*(4*(A - B)*d^2*(a + b*x)^2 - b*(2*A + B)
*(b*c - a*d)*(c + d*x) + 2*b*(4*A + 5*B)*d*(a + b*x)*(c + d*x))*Log[(e*(a
+ b*x))/(c + d*x)] - 2*B*(2*a^3*B*d^3 - 6*a^2*b*d^2*(-(B*d*x) + A*(c + d*x
)) - 6*a*b^2*d*(2*A*d*x*(c + d*x) + B*c*(c + 2*d*x)) + b^3*(-6*A*d^2*x^2*(
c + d*x) + B*(c^3 - 3*c^2*d*x - 9*c*d^2*x^2 - 3*d^3*x^3)))*Log[(e*(a + b*x
))/(c + d*x)]^2 + 4*b*B^2*d^2*(a + b*x)^2*(c + d*x)*Log[(e*(a + b*x))/(c +
 d*x)]^3 - 6*b*(2*A^2 + 2*A*B + 5*B^2)*d^2*(a + b*x)^2*(c + d*x)*Log[c + d
*x])/(4*(b*c - a*d)^4*g^3*i^2*(a + b*x)^2*(c + d*x))
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 364, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2795$$

$$\frac{\int\left(-\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2d^3+\frac{3b(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2d^2}{a+bx}-\frac{3b^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2d}{(a+bx)^2}+\frac{b^3(c+dx)^3\left(A+B\right.}{(a+b}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}-\frac{b^3B(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}+\frac{6b^2Bd(c+dx)\left(B\log\left(\frac{e}{}\right.\right.}{a+bx}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d*i*x)^
2),x]
```

output

```
((2*A*B*d^3*(a + b*x))/(c + d*x) - (2*B^2*d^3*(a + b*x))/(c + d*x) + (6*b^
2*B^2*d*(c + d*x))/(a + b*x) - (b^3*B^2*(c + d*x)^2)/(4*(a + b*x)^2) + (2*
B^2*d^3*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(c + d*x) + (6*b^2*B*d*(c
+ d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - (b^3*B*(c + d*x)^
2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(a + b*x)^2) - (d^3*(a + b*x)*(
A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c + d*x) + (3*b^2*d*(c + d*x)*(A +
 B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x) - (b^3*(c + d*x)^2*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)])^2)/(2*(a + b*x)^2) + (b*d^2*(A + B*Log[(e*(a +
 b*x))/(c + d*x)])^3)/B)/((b*c - a*d)^4*g^3*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1079 vs. $2(517) = 1034$.

Time = 3.48 (sec) , antiderivative size = 1080, normalized size of antiderivative = 2.07

method	result	size
parts	Expression too large to display	1080
derivativedivides	Expression too large to display	1228
default	Expression too large to display	1228
risch	Expression too large to display	1736
parallelrisch	Expression too large to display	1748
norman	Expression too large to display	1849

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,method=_RE
TURNVERBOSE)
```

output

```
A^2/g^3/i^2*(-d^2/(a*d-b*c)^3/(d*x+c)-3*d^2/(a*d-b*c)^4*b*ln(d*x+c)-1/2*b/
(a*d-b*c)^2/(b*x+a)^2+3*d^2/(a*d-b*c)^4*b*ln(b*x+a)-2*b/(a*d-b*c)^3*d/(b*x
+a))-B^2/g^3/i^2/(a*d-b*c)/e*(d^3/(a*d-b*c)^3*((b*e/d+(a*d-b*c)*e/d/(d*x+c
))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))+2*(a*d-b*c)*e/d/(d*x+c)+2*b*e/d)-1/(a*d-b*c)^3*
b*d^2*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3+3/(a*d-b*c)^3*b^2*d*e^2*(-1/(b*e
/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-
b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(
d*x+c)))-1/(a*d-b*c)^3*b^3*e^3*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*
e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+
(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))-2*A*B/g^3/i^2
/(a*d-b*c)/e*(d^3/(a*d-b*c)^3*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d
-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)-3/2/(a*d-b*c)^3*b*d^2*e*ln
(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2+3/(a*d-b*c)^3*b^2*d*e^2*(-1/(b*e/d+(a*d-b*
c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*
x+c)))-1/(a*d-b*c)^3*b^3*e^3*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/
d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2))
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 1005, normalized size of antiderivative = 1.92

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output

```
-1/4*((2*A^2 + 2*A*B + B^2)*b^3*c^3 - 12*(A^2 + 2*A*B + 2*B^2)*a*b^2*c^2*d
 + 3*(2*A^2 + 10*A*B + 5*B^2)*a^2*b*c*d^2 + 4*(A^2 - 2*A*B + 2*B^2)*a^3*d^
3 - 4*(B^2*b^3*d^3*x^3 + B^2*a^2*b*c*d^2 + (B^2*b^3*c*d^2 + 2*B^2*a*b^2*d^
3)*x^2 + (2*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x + c
))^3 - 6*((2*A^2 + 2*A*B + 5*B^2)*b^3*c*d^2 - (2*A^2 + 2*A*B + 5*B^2)*a*b^
2*d^3)*x^2 - 2*(3*(2*A*B + B^2)*b^3*d^3*x^3 - B^2*b^3*c^3 + 6*B^2*a*b^2*c^
2*d + 6*A*B*a^2*b*c*d^2 - 2*B^2*a^3*d^3 + 3*(4*A*B*a*b^2*d^3 + (2*A*B + 3*
B^2)*b^3*c*d^2)*x^2 + 3*(B^2*b^3*c^2*d + 4*(A*B + B^2)*a*b^2*c*d^2 + 2*(A*
B - B^2)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x + c))^2 - 3*((2*A^2 + 6*A*B
+ 7*B^2)*b^3*c^2*d + 2*(2*A^2 - 2*A*B + 3*B^2)*a*b^2*c*d^2 - (6*A^2 + 2*A*
B + 13*B^2)*a^2*b*d^3)*x - 2*(3*(2*A^2 + 2*A*B + 5*B^2)*b^3*d^3*x^3 + 6*A^
2*a^2*b*c*d^2 - (2*A*B + B^2)*b^3*c^3 + 12*(A*B + B^2)*a*b^2*c^2*d - 4*(A*
B - B^2)*a^3*d^3 + 3*((2*A^2 + 6*A*B + 7*B^2)*b^3*c*d^2 + 4*(A^2 + 2*B^2)*
a*b^2*d^3)*x^2 + 3*((2*A*B + 3*B^2)*b^3*c^2*d + 4*(A^2 + 2*A*B + 2*B^2)*a*
b^2*c*d^2 + 2*(A^2 - 2*A*B + 2*B^2)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x +
 c)))/((b^6*c^4*d - 4*a*b^5*c^3*d^2 + 6*a^2*b^4*c^2*d^3 - 4*a^3*b^3*c*d^4
+ a^4*b^2*d^5)*g^3*i^2*x^3 + (b^6*c^5 - 2*a*b^5*c^4*d - 2*a^2*b^4*c^3*d^2
+ 8*a^3*b^3*c^2*d^3 - 7*a^4*b^2*c*d^4 + 2*a^5*b*d^5)*g^3*i^2*x^2 + (2*a*b^
5*c^5 - 7*a^2*b^4*c^4*d + 8*a^3*b^3*c^3*d^2 - 2*a^4*b^2*c^2*d^3 - 2*a^5*b*
c*d^4 + a^6*d^5)*g^3*i^2*x + (a^2*b^4*c^5 - 4*a^3*b^3*c^4*d + 6*a^4*b^2...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2683 vs. $2(483) = 966$.

Time $= 27.33$ (sec) , antiderivative size $= 2683$, normalized size of antiderivative $= 5.13$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3/(d*i*x+c*i)**2,x)
```

output

```
B**2*b*d**2*log(e*(a + b*x)/(c + d*x))**3/(a**4*d**4*g**3*i**2 - 4*a**3*b*
c*d**3*g**3*i**2 + 6*a**2*b**2*c**2*d**2*g**3*i**2 - 4*a*b**3*c**3*d*g**3*
i**2 + b**4*c**4*g**3*i**2) - 3*b*d**2*(2*A**2 + 2*A*B + 5*B**2)*log(x + (
6*A**2*a*b*d**3 + 6*A**2*b**2*c*d**2 + 6*A*B*a*b*d**3 + 6*A*B*b**2*c*d**2
+ 15*B**2*a*b*d**3 + 15*B**2*b**2*c*d**2 - 3*a**5*b*d**7*(2*A**2 + 2*A*B +
 5*B**2)/(a*d - b*c)**4 + 15*a**4*b**2*c*d**6*(2*A**2 + 2*A*B + 5*B**2)/(a
*d - b*c)**4 - 30*a**3*b**3*c**2*d**5*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c
)**4 + 30*a**2*b**4*c**3*d**4*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4 - 1
5*a*b**5*c**4*d**3*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4 + 3*b**6*c**5*
d**2*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4)/(12*A**2*b**2*d**3 + 12*A*B
*b**2*d**3 + 30*B**2*b**2*d**3))/(2*g**3*i**2*(a*d - b*c)**4) + 3*b*d**2*(
2*A**2 + 2*A*B + 5*B**2)*log(x + (6*A**2*a*b*d**3 + 6*A**2*b**2*c*d**2 + 6
*A*B*a*b*d**3 + 6*A*B*b**2*c*d**2 + 15*B**2*a*b*d**3 + 15*B**2*b**2*c*d**2
 + 3*a**5*b*d**7*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4 - 15*a**4*b**2*c
*d**6*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4 + 30*a**3*b**3*c**2*d**5*(2
*A**2 + 2*A*B + 5*B**2)/(a*d - b*c)**4 - 30*a**2*b**4*c**3*d**4*(2*A**2 +
2*A*B + 5*B**2)/(a*d - b*c)**4 + 15*a*b**5*c**4*d**3*(2*A**2 + 2*A*B + 5*B
**2)/(a*d - b*c)**4 - 3*b**6*c**5*d**2*(2*A**2 + 2*A*B + 5*B**2)/(a*d - b*
c)**4)/(12*A**2*b**2*d**3 + 12*A*B*b**2*d**3 + 30*B**2*b**2*d**3))/(2*g**3
*i**2*(a*d - b*c)**4) + (-4*A*B*a**2*d**2 - 10*A*B*a*b*c*d - 18*A*B*a*b...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4187 vs. $2(517) = 1034$.

Time $= 0.39$ (sec) , antiderivative size $= 4187$, normalized size of antiderivative $= 8.01$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output

```
1/2*B^2*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3
*a*b*d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4
)*g^3*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d
^3 - 2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2
*c^2*d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3
*d + 3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^
4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2)
- 6*b*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a
^3*b*c*d^3 + a^4*d^4)*g^3*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2 + A
*B*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3*a*b*
d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4)*g^3
*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d^3 -
2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2*c^2*
d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3*d +
3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^4 - 4
*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2) - 6*b
*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*
c*d^3 + a^4*d^4)*g^3*i^2))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 1/4*B^2*
(2*(b^3*c^3 - 12*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3 - 6*(b^3*c*d^2 -
 a*b^2*d^3)*x^2 + 6*(b^3*d^3*x^3 + a^2*b*c*d^2 + (b^3*c*d^2 + 2*a*b^2*d...
```

Giac [A] (verification not implemented)

Time = 71.57 (sec) , antiderivative size = 460, normalized size of antiderivative = 0.88

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\left(B^2be^3 - \frac{2\,(bex+ae)B^2de^2}{dx+c}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2}{\frac{(bex+ae)^2bcg^3i^2}{(dx+c)^2} - \frac{(bex+ae)^2adg^3i^2}{(dx+c)^2}} + \frac{2\left(2\,ABbe^3 + B^2be^3 - \frac{4\,(bex+ae)ABde^2}{dx+c} - \frac{4\,(bex+ae)B^2de^2}{dx+c}\right)}{\frac{(bex+ae)^2bcg^3i^2}{(dx+c)^2} - \frac{(bex+ae)^2adg^3i^2}{(dx+c)^2}}\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output

```
-1/4*(2*(B^2*b*e^3 - 2*(b*e*x + a*e)*B^2*d*e^2/(d*x + c))*log((b*e*x + a*e
)/(d*x + c))^2/((b*e*x + a*e)^2*b*c*g^3*i^2/(d*x + c)^2 - (b*e*x + a*e)^2*
a*d*g^3*i^2/(d*x + c)^2) + 2*(2*A*B*b*e^3 + B^2*b*e^3 - 4*(b*e*x + a*e)*A*
B*d*e^2/(d*x + c) - 4*(b*e*x + a*e)*B^2*d*e^2/(d*x + c))*log((b*e*x + a*e)
/(d*x + c))/((b*e*x + a*e)^2*b*c*g^3*i^2/(d*x + c)^2 - (b*e*x + a*e)^2*a*d
*g^3*i^2/(d*x + c)^2) + (2*A^2*b*e^3 + 2*A*B*b*e^3 + B^2*b*e^3 - 4*(b*e*x
+ a*e)*A^2*d*e^2/(d*x + c) - 8*(b*e*x + a*e)*A*B*d*e^2/(d*x + c) - 8*(b*e*
x + a*e)*B^2*d*e^2/(d*x + c))/((b*e*x + a*e)^2*b*c*g^3*i^2/(d*x + c)^2 - (
b*e*x + a*e)^2*a*d*g^3*i^2/(d*x + c)^2))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)
) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 32.86 (sec) , antiderivative size = 1497, normalized size of antiderivative = 2.86

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^3*(c*i + d*i*x)^
2),x)
```

output

```
(B^2*b*d^2*log((e*(a + b*x))/(c + d*x))^3)/(g^3*i^2*(a*d - b*c)^2*(a^2*d^2
 + b^2*c^2 - 2*a*b*c*d)) - ((4*A^2*a^2*d^2 - 2*A^2*b^2*c^2 + 8*B^2*a^2*d^2
 - B^2*b^2*c^2 - 8*A*B*a^2*d^2 - 2*A*B*b^2*c^2 + 10*A^2*a*b*c*d + 23*B^2*a
*b*c*d + 22*A*B*a*b*c*d)/(2*(a*d - b*c)) + (3*x^2*(2*A^2*b^2*d^2 + 5*B^2*b
^2*d^2 + 2*A*B*b^2*d^2))/(a*d - b*c) + (3*x*(6*A^2*a*b*d^2 + 13*B^2*a*b*d^
2 + 2*A^2*b^2*c*d + 7*B^2*b^2*c*d + 2*A*B*a*b*d^2 + 6*A*B*b^2*c*d))/(2*(a*
d - b*c)))/(x*(2*a^4*d^3*g^3*i^2 + 4*a*b^3*c^3*g^3*i^2 - 6*a^2*b^2*c^2*d*g
^3*i^2) + x^2*(2*b^4*c^3*g^3*i^2 + 4*a^3*b*d^3*g^3*i^2 - 6*a^2*b^2*c*d^2*g
^3*i^2) + x^3*(2*a^2*b^2*d^3*g^3*i^2 + 2*b^4*c^2*d*g^3*i^2 - 4*a*b^3*c*d^2
*g^3*i^2) + 2*a^2*b^2*c^3*g^3*i^2 + 2*a^4*c*d^2*g^3*i^2 - 4*a^3*b*c^2*d*g^
3*i^2) - (log((e*(a + b*x))/(c + d*x))*((B^2*b*c - 4*B^2*a*d + 4*A*B*a*d +
 2*A*B*b*c)/(2*g^3*i^2*(a^2*b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) - x*((3*(B
^2 - 2*A*B))/(2*g^3*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (3*B*(2*A + B)*
(a*d + b*c))/(g^3*i^2*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) + (3*B
*a*c*(2*A + B))/(g^3*i^2*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (3
*B*b*d*x^2*(2*A + B))/(g^3*i^2*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)
)))/(b*x^3 + (a^2*c)/(b*d) + (x^2*(b^2*c + 2*a*b*d))/(b*d) + (x*(a^2*d + 2
*a*b*c))/(b*d)) - (b*d^2*atan((b*d^2*(2*A^2 + 5*B^2 + 2*A*B)*(2*a^4*d^4*g^
3*i^2 - 2*b^4*c^4*g^3*i^2 + 4*a*b^3*c^3*d*g^3*i^2 - 4*a^3*b*c*d^3*g^3*i^2)
*3i)/(2*g^3*i^2*(a*d - b*c)^4*(6*A^2*b*d^2 + 15*B^2*b*d^2 + 6*A*B*b*d^2...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 3290, normalized size of antiderivative = 6.29

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x)
```

output

```
( - 24*log(a + b*x)*a**5*b*c*d**3 - 24*log(a + b*x)*a**5*b*d**4*x - 12*log
(a + b*x)*a**4*b**2*c**2*d**2 - 60*log(a + b*x)*a**4*b**2*c*d**3*x - 48*lo
g(a + b*x)*a**4*b**2*d**4*x**2 - 24*log(a + b*x)*a**3*b**3*c**2*d**2*x - 3
6*log(a + b*x)*a**3*b**3*c**2*d**2 - 48*log(a + b*x)*a**3*b**3*c*d**3*x**2
 - 36*log(a + b*x)*a**3*b**3*c*d**3*x - 48*log(a + b*x)*a**3*b**3*c*d**3 -
 24*log(a + b*x)*a**3*b**3*d**4*x**3 - 48*log(a + b*x)*a**3*b**3*d**4*x -
12*log(a + b*x)*a**2*b**4*c**2*d**2*x**2 - 72*log(a + b*x)*a**2*b**4*c**2*
d**2*x - 42*log(a + b*x)*a**2*b**4*c**2*d**2 - 12*log(a + b*x)*a**2*b**4*c
*d**3*x**3 - 72*log(a + b*x)*a**2*b**4*c*d**3*x**2 - 138*log(a + b*x)*a**2
*b**4*c*d**3*x - 96*log(a + b*x)*a**2*b**4*d**4*x**2 - 36*log(a + b*x)*a*b
**5*c**2*d**2*x**2 - 84*log(a + b*x)*a*b**5*c**2*d**2*x - 36*log(a + b*x)*
a*b**5*c*d**3*x**3 - 132*log(a + b*x)*a*b**5*c*d**3*x**2 - 48*log(a + b*x)
*a*b**5*d**4*x**3 - 42*log(a + b*x)*b**6*c**2*d**2*x**2 - 42*log(a + b*x)*
b**6*c*d**3*x**3 + 24*log(c + d*x)*a**5*b*c*d**3 + 24*log(c + d*x)*a**5*b*
d**4*x + 12*log(c + d*x)*a**4*b**2*c**2*d**2 + 60*log(c + d*x)*a**4*b**2*c
*d**3*x + 48*log(c + d*x)*a**4*b**2*d**4*x**2 + 24*log(c + d*x)*a**3*b**3*
c**2*d**2*x + 36*log(c + d*x)*a**3*b**3*c**2*d**2 + 48*log(c + d*x)*a**3*b
**3*c*d**3*x**2 + 36*log(c + d*x)*a**3*b**3*c*d**3*x + 48*log(c + d*x)*a**
3*b**3*c*d**3 + 24*log(c + d*x)*a**3*b**3*d**4*x**3 + 48*log(c + d*x)*a**3
*b**3*d**4*x + 12*log(c + d*x)*a**2*b**4*c**2*d**2*x**2 + 72*log(c + d*...
```

3.99 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$

Optimal result 1223
Mathematica [A] (verified) 1224
Rubi [A] (verified) 1225
Maple [B] (verified) 1227
Fricas [B] (verification not implemented) 1228
Sympy [F(-1)] 1229
Maxima [B] (verification not implemented) 1230
Giac [A] (verification not implemented) 1231
Mupad [B] (verification not implemented) 1231
Reduce [B] (verification not implemented) 1232

Optimal result

Integrand size = 42, antiderivative size = 682

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = &-\frac{2ABd^4(a+bx)}{(bc-ad)^5g^4i^2(c+dx)}+\frac{2B^2d^4(a+bx)}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{12b^2B^2d^2(c+dx)}{(bc-ad)^5g^4i^2(a+bx)}+\frac{b^3B^2d(c+dx)^2}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{2b^4B^2(c+dx)^3}{27(bc-ad)^5g^4i^2(a+bx)^3}\\ &-\frac{2B^2d^4(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{12b^2Bd^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2(a+bx)}\\ &+\frac{2b^3Bd(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{2b^4B(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^5g^4i^2(a+bx)^3}\\ &+\frac{d^4(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{6b^2d^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^5g^4i^2(a+bx)}\\ &+\frac{2b^3d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{b^4(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^5g^4i^2(a+bx)^3}\\ &-\frac{4bd^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^5g^4i^2}\end{aligned}$$

output

```
-2*A*B*d^4*(b*x+a)/(-a*d+b*c)^5/g^4/i^2/(d*x+c)+2*B^2*d^4*(b*x+a)/(-a*d+b*
c)^5/g^4/i^2/(d*x+c)-12*b^2*B^2*d^2*(d*x+c)/(-a*d+b*c)^5/g^4/i^2/(b*x+a)+b
^3*B^2*d*(d*x+c)^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-2/27*b^4*B^2*(d*x+c)^3/(
-a*d+b*c)^5/g^4/i^2/(b*x+a)^3-2*B^2*d^4*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*
d+b*c)^5/g^4/i^2/(d*x+c)-12*b^2*B*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/
(-a*d+b*c)^5/g^4/i^2/(b*x+a)+2*b^3*B*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c)
))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-2/9*b^4*B*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d
*x+c)))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3+d^4*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+
c)))^2/(-a*d+b*c)^5/g^4/i^2/(d*x+c)-6*b^2*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d
*x+c)))^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)+2*b^3*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)
/(d*x+c)))^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-1/3*b^4*(d*x+c)^3*(A+B*ln(e*(b
*x+a)/(d*x+c)))^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3-4/3*b*d^3*(A+B*ln(e*(b*x+
a)/(d*x+c)))^3/B/(-a*d+b*c)^5/g^4/i^2
```

Mathematica [A] (verified)

Time = 1.85 (sec) , antiderivative size = 613, normalized size of antiderivative = 0.90

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx =$$

$$-\frac{-27(A^2-2AB+2B^2)\,d^3(-bc+ad)(a+bx)^3+b(9A^2+6AB+2B^2)\,(bc-ad)^3(c+dx)-3b(9A^2-$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d
*i*x)^2),x]
```

output

```
-1/27*(-27*(A^2 - 2*A*B + 2*B^2)*d^3*(-(b*c) + a*d)*(a + b*x)^3 + b*(9*A^2
 + 6*A*B + 2*B^2)*(b*c - a*d)^3*(c + d*x) - 3*b*(9*A^2 + 12*A*B + 7*B^2)*d
*(b*c - a*d)^2*(a + b*x)*(c + d*x) + 3*b*(27*A^2 + 78*A*B + 92*B^2)*d^2*(b
*c - a*d)*(a + b*x)^2*(c + d*x) + 6*b*(18*A^2 + 30*A*B + 55*B^2)*d^3*(a +
b*x)^3*(c + d*x)*Log[a + b*x] + 6*B*(b*c - a*d)*(9*(A - B)*d^3*(a + b*x)^3
 + b*(3*A + B)*(b*c - a*d)^2*(c + d*x) - 3*b*(3*A + 2*B)*d*(b*c - a*d)*(a
+ b*x)*(c + d*x) + 3*b*(9*A + 13*B)*d^2*(a + b*x)^2*(c + d*x))*Log[(e*(a +
 b*x))/(c + d*x)] + 9*B*(-3*a^4*B*d^4 + 12*a^3*b*d^3*(-(B*d*x) + A*(c + d*
x)) + 18*a^2*b^2*d^2*(2*A*d*x*(c + d*x) + B*c*(c + 2*d*x)) + 6*a*b^3*d*(6*
A*d^2*x^2*(c + d*x) + B*(-c^3 + 3*c^2*d*x + 9*c*d^2*x^2 + 3*d^3*x^3)) + b^
4*(12*A*d^3*x^3*(c + d*x) + B*(c^4 - 2*c^3*d*x + 6*c^2*d^2*x^2 + 22*c*d^3*
x^3 + 10*d^4*x^4)))*Log[(e*(a + b*x))/(c + d*x)]^2 + 36*b*B^2*d^3*(a + b*x
)^3*(c + d*x)*Log[(e*(a + b*x))/(c + d*x)]^3 - 6*b*(18*A^2 + 30*A*B + 55*B
^2)*d^3*(a + b*x)^3*(c + d*x)*Log[c + d*x])/((b*c - a*d)^5*g^4*i^2*(a + b*
x)^3*(c + d*x))
```

Rubi [A] (verified)

Time = 0.72 (sec) , antiderivative size = 475, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4} d\frac{a+bx}{c+dx}}{g^4 i^2 (bc-ad)^5}$$

$$\downarrow 2795$$

$$\int \left(\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d^4 - \frac{4b(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d^3}{a+bx} + \frac{6b^2(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d^2}{(a+bx)^2} - \frac{4b^3(c+dx)^3\left(A+B\right.}{(a+b}$$

$$g^4 i^2 (bc-ad)^5$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3}-\frac{2b^4B(c+dx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{9(a+bx)^3}+\frac{2b^3d(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(a+bx)^2}+\frac{2b^3Bd(c+dx)^2\left(B\log\right.}{(a+bx)}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d*i*x)^
2),x]
```

output
```
((-2*A*B*d^4*(a + b*x))/(c + d*x) + (2*B^2*d^4*(a + b*x))/(c + d*x) - (12*
b^2*B^2*d^2*(c + d*x))/(a + b*x) + (b^3*B^2*d*(c + d*x)^2)/(a + b*x)^2 - (
2*b^4*B^2*(c + d*x)^3)/(27*(a + b*x)^3) - (2*B^2*d^4*(a + b*x)*Log[(e*(a +
 b*x))/(c + d*x)])/(c + d*x) - (12*b^2*B*d^2*(c + d*x)*(A + B*Log[(e*(a +
b*x))/(c + d*x)]))/(a + b*x) + (2*b^3*B*d*(c + d*x)^2*(A + B*Log[(e*(a + b
*x))/(c + d*x)]))/(a + b*x)^2 - (2*b^4*B*(c + d*x)^3*(A + B*Log[(e*(a + b*
x))/(c + d*x)]))/(9*(a + b*x)^3) + (d^4*(a + b*x)*(A + B*Log[(e*(a + b*x))
/(c + d*x)])^2)/(c + d*x) - (6*b^2*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/
(c + d*x)])^2)/(a + b*x) + (2*b^3*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(
c + d*x)])^2)/(a + b*x)^2 - (b^4*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c +
 d*x)])^2)/(3*(a + b*x)^3) - (4*b*d^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^3)/(3*B))/((b*c - a*d)^5*g^4*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1385 vs. $2(674) = 1348$.

Time $= 3.59$ (sec) , antiderivative size $= 1386$, normalized size of antiderivative $= 2.03$

method	result	size
parts	Expression too large to display	1386
derivativedivides	Expression too large to display	1588
default	Expression too large to display	1588
risch	Expression too large to display	2173
parallelrisch	Expression too large to display	2680
norman	Expression too large to display	2748

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,method=_RE
TURNVERBOSE)
```

output

```
A^2/g^4/i^2*(-d^3/(a*d-b*c)^4/(d*x+c)-4*d^3/(a*d-b*c)^5*b*ln(d*x+c)-1/3*b/
(a*d-b*c)^2/(b*x+a)^3+4*d^3/(a*d-b*c)^5*b*ln(b*x+a)-3*b/(a*d-b*c)^4*d^2/(b
*x+a)-b/(a*d-b*c)^3*d/(b*x+a)^2)-B^2/g^4/i^2/(a*d-b*c)/e*(d^4/(a*d-b*c)^4*
((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*(b*e/d+
(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+2*(a*d-b*c)*e/d/(d*
x+c)+2*b*e/d)-4/3/(a*d-b*c)^4*b*d^3*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3+6/
(a*d-b*c)^4*b^2*d^2*e^2*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*
c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))-4/(a*d-b*c)^4*b^3*d*e^3*(-1/2/(b*
e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^2)+1/(a*d-b*c)^4*b^4*e^4*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+
c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^
3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/27/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))-2
*A*B/g^4/i^2/(a*d-b*c)/e*(d^4/(a*d-b*c)^4*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)-2/(a*d-b*c)^4*
b*d^3*e*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2+6/(a*d-b*c)^4*b^2*d^2*e^2*(-1/(b
*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-
b*c)*e/d/(d*x+c)))-4/(a*d-b*c)^4*b^3*d*e^3*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c)...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1534 vs. $2(674) = 1348$.

Time = 0.12 (sec) , antiderivative size = 1534, normalized size of antiderivative = 2.25

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output

```
-1/27*((9*A^2 + 6*A*B + 2*B^2)*b^4*c^4 - 27*(2*A^2 + 2*A*B + B^2)*a*b^3*c^
3*d + 162*(A^2 + 2*A*B + 2*B^2)*a^2*b^2*c^2*d^2 - 5*(18*A^2 + 66*A*B + 49*
B^2)*a^3*b*c*d^3 - 27*(A^2 - 2*A*B + 2*B^2)*a^4*d^4 + 6*((18*A^2 + 30*A*B
+ 55*B^2)*b^4*c*d^3 - (18*A^2 + 30*A*B + 55*B^2)*a*b^3*d^4)*x^3 + 36*(B^2*
b^4*d^4*x^4 + B^2*a^3*b*c*d^3 + (B^2*b^4*c*d^3 + 3*B^2*a*b^3*d^4)*x^3 + 3*
(B^2*a*b^3*c*d^3 + B^2*a^2*b^2*d^4)*x^2 + (3*B^2*a^2*b^2*c*d^3 + B^2*a^3*b
*d^4)*x)*log((b*e*x + a*e)/(d*x + c))^3 + 3*((18*A^2 + 66*A*B + 85*B^2)*b^
4*c^2*d^2 + 8*(9*A^2 + 6*A*B + 20*B^2)*a*b^3*c*d^3 - (90*A^2 + 114*A*B + 2
45*B^2)*a^2*b^2*d^4)*x^2 + 9*(2*(6*A*B + 5*B^2)*b^4*d^4*x^4 + B^2*b^4*c^4
- 6*B^2*a*b^3*c^3*d + 18*B^2*a^2*b^2*c^2*d^2 + 12*A*B*a^3*b*c*d^3 - 3*B^2*
a^4*d^4 + 2*((6*A*B + 11*B^2)*b^4*c*d^3 + 9*(2*A*B + B^2)*a*b^3*d^4)*x^3 +
 6*(B^2*b^4*c^2*d^2 + 6*A*B*a^2*b^2*d^4 + 3*(2*A*B + 3*B^2)*a*b^3*c*d^3)*x
^2 - 2*(B^2*b^4*c^3*d - 9*B^2*a*b^3*c^2*d^2 - 18*(A*B + B^2)*a^2*b^2*c*d^3
 - 6*(A*B - B^2)*a^3*b*d^4)*x)*log((b*e*x + a*e)/(d*x + c))^2 - ((18*A^2 +
 30*A*B + 19*B^2)*b^4*c^3*d - 81*(2*A^2 + 6*A*B + 7*B^2)*a*b^3*c^2*d^2 - 3
*(18*A^2 - 114*A*B - 29*B^2)*a^2*b^2*c*d^3 + (198*A^2 + 114*A*B + 461*B^2)
*a^3*b*d^4)*x + 6*((18*A^2 + 30*A*B + 55*B^2)*b^4*d^4*x^4 + 18*A^2*a^3*b*c
*d^3 + (3*A*B + B^2)*b^4*c^4 - 9*(2*A*B + B^2)*a*b^3*c^3*d + 54*(A*B + B^2
)*a^2*b^2*c^2*d^2 - 9*(A*B - B^2)*a^4*d^4 + ((18*A^2 + 66*A*B + 85*B^2)*b^
4*c*d^3 + 27*(2*A^2 + 2*A*B + 5*B^2)*a*b^3*d^4)*x^3 + 3*((6*A*B + 11*B^...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**4/(d*i*x+c*i)**2,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 6160 vs. $2(674) = 1348$.

Time $= 0.57$ (sec) , antiderivative size $= 6160$, normalized size of antiderivative $= 9.03$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output

```
-1/3*B^2*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^2*c^2*d + 13*a^2*b*c*d^2 + 3*a
^3*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2*(b^3*c^2*d - 8*a*b^2*c*d^2 -
11*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3
*b^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7*c^5 - a*b^6*c^4*d - 6*a^2*b^5
*c^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*
x^3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d
^3 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2*x^2 + (3*a^2*b^5*c^5 - 11*a^3*b^
4*c^4*d + 14*a^4*b^3*c^3*d^2 - 6*a^5*b^2*c^2*d^3 - a^6*b*c*d^4 + a^7*d^5)*
g^4*i^2*x + (a^3*b^4*c^5 - 4*a^4*b^3*c^4*d + 6*a^5*b^2*c^3*d^2 - 4*a^6*b*c
^2*d^3 + a^7*c*d^4)*g^4*i^2) + 12*b*d^3*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c
^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*
g^4*i^2) - 12*b*d^3*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^
3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^4*i^2))*log(b*e*x/
(d*x + c) + a*e/(d*x + c))^2 - 2/3*A*B*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^
2*c^2*d + 13*a^2*b*c*d^2 + 3*a^3*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2
*(b^3*c^2*d - 8*a*b^2*c*d^2 - 11*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d
^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3*b^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7
*c^5 - a*b^6*c^4*d - 6*a^2*b^5*c^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c
*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*x^3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3
*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d^3 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2...
```

Giac [A] (verification not implemented)

Time = 86.56 (sec) , antiderivative size = 754, normalized size of antiderivative = 1.11

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output
```
-1/54*(18*(B^2*b^2*e^4 - 3*(b*e*x + a*e)*B^2*b*d*e^3/(d*x + c) + 3*(b*e*x
 + a*e)^2*B^2*d^2*e^2/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))^2/((b*e*x +
 a*e)^3*b^2*c^2*g^4*i^2/(d*x + c)^3 - 2*(b*e*x + a*e)^3*a*b*c*d*g^4*i^2/(d
*x + c)^3 + (b*e*x + a*e)^3*a^2*d^2*g^4*i^2/(d*x + c)^3) + 6*(6*A*B*b^2*e^
4 + 2*B^2*b^2*e^4 - 18*(b*e*x + a*e)*A*B*b*d*e^3/(d*x + c) - 9*(b*e*x + a*
e)*B^2*b*d*e^3/(d*x + c) + 18*(b*e*x + a*e)^2*A*B*d^2*e^2/(d*x + c)^2 + 18
*(b*e*x + a*e)^2*B^2*d^2*e^2/(d*x + c)^2)*log((b*e*x + a*e)/(d*x + c))/((b
*e*x + a*e)^3*b^2*c^2*g^4*i^2/(d*x + c)^3 - 2*(b*e*x + a*e)^3*a*b*c*d*g^4*
i^2/(d*x + c)^3 + (b*e*x + a*e)^3*a^2*d^2*g^4*i^2/(d*x + c)^3) + (18*A^2*b
^2*e^4 + 12*A*B*b^2*e^4 + 4*B^2*b^2*e^4 - 54*(b*e*x + a*e)*A^2*b*d*e^3/(d*
x + c) - 54*(b*e*x + a*e)*A*B*b*d*e^3/(d*x + c) - 27*(b*e*x + a*e)*B^2*b*d
*e^3/(d*x + c) + 54*(b*e*x + a*e)^2*A^2*d^2*e^2/(d*x + c)^2 + 108*(b*e*x +
 a*e)^2*A*B*d^2*e^2/(d*x + c)^2 + 108*(b*e*x + a*e)^2*B^2*d^2*e^2/(d*x + c
)^2)/((b*e*x + a*e)^3*b^2*c^2*g^4*i^2/(d*x + c)^3 - 2*(b*e*x + a*e)^3*a*b*
c*d*g^4*i^2/(d*x + c)^3 + (b*e*x + a*e)^3*a^2*d^2*g^4*i^2/(d*x + c)^3))*(b
*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))^2
```

Mupad [B] (verification not implemented)

Time = 35.65 (sec) , antiderivative size = 2701, normalized size of antiderivative = 3.96

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^4*(c*i + d*i*x)^
2),x)
```

output

```
(log((e*(a + b*x))/(c + d*x))*(x^2*((4*B^2*b*d)/(g^4*i^2*(a*d - b*c)^3) -
(4*b*d^3*(b*d*((2*a^2*d^2 + b^2*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c
))/(2*b*d^2)) + ((a*d + b*c)*(a*d - b*c))/d^2)*(5*B^2 + 6*A*B))/(3*g^4*i^2
*(a*d - b*c)^2*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))) + x*(
(8*(2*B^2 - 3*A*B))/(9*g^4*i^2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (4*B^2*(
a*d + b*c))/(g^4*i^2*(a*d - b*c)^3) - (4*b*d^3*(((2*a^2*d^2 + b^2*c^2 - 3*
a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^2))*(a*d + b*c) + (a*c*(a*d -
b*c))/d^2)*(5*B^2 + 6*A*B))/(3*g^4*i^2*(a*d - b*c)^2*(a^3*d^3 - b^3*c^3 +
3*a*b^2*c^2*d - 3*a^2*b*c*d^2))) - (2*(B^2*b*c - 9*B^2*a*d + 9*A*B*a*d + 3
*A*B*b*c))/(9*g^4*i^2*(a^2*b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) + (4*B^2*a*
c)/(g^4*i^2*(a*d - b*c)^3) - (4*b^2*d^2*x^3*(5*B^2 + 6*A*B))/(3*g^4*i^2*(a
*d - b*c)*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) - (4*a*b*c*
d^3*((2*a^2*d^2 + b^2*c^2 - 3*a*b*c*d)/(2*b*d^3) + (a*(a*d - b*c))/(2*b*d^
2))*(5*B^2 + 6*A*B))/(3*g^4*i^2*(a*d - b*c)^2*(a^3*d^3 - b^3*c^3 + 3*a*b^2
*c^2*d - 3*a^2*b*c*d^2))))/(b^2*x^4 + (a^3*c)/(b*d) + (x*(a^3*d + 3*a^2*b*
c))/(b*d) + (x^3*(b^3*c + 3*a*b^2*d))/(b*d) + (x^2*(3*a*b^2*c + 3*a^2*b*d)
)/(b*d)) - ((27*A^2*a^3*d^3 + 9*A^2*b^3*c^3 + 54*B^2*a^3*d^3 + 2*B^2*b^3*c
^3 - 54*A*B*a^3*d^3 + 6*A*B*b^3*c^3 - 45*A^2*a*b^2*c^2*d + 117*A^2*a^2*b*c
*d^2 - 25*B^2*a*b^2*c^2*d + 299*B^2*a^2*b*c*d^2 - 48*A*B*a*b^2*c^2*d + 276
*A*B*a^2*b*c*d^2)/(3*(a*d - b*c)) + (2*x^3*(18*A^2*b^3*d^3 + 55*B^2*b^3...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 5157, normalized size of antiderivative = 7.56

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x)
```

output

```
( - 324*log(a + b*x)*a**6*b*c*d**4 - 324*log(a + b*x)*a**6*b*d**5*x - 108*
log(a + b*x)*a**5*b**2*c**2*d**3 - 1080*log(a + b*x)*a**5*b**2*c*d**4*x -
324*log(a + b*x)*a**5*b**2*c*d**4 - 972*log(a + b*x)*a**5*b**2*d**5*x**2 -
 324*log(a + b*x)*a**5*b**2*d**5*x - 324*log(a + b*x)*a**4*b**3*c**2*d**3*
x - 396*log(a + b*x)*a**4*b**3*c**2*d**3 - 1296*log(a + b*x)*a**4*b**3*c*d
**4*x**2 - 1368*log(a + b*x)*a**4*b**3*c*d**4*x - 810*log(a + b*x)*a**4*b*
*3*c*d**4 - 972*log(a + b*x)*a**4*b**3*d**5*x**3 - 972*log(a + b*x)*a**4*b
**3*d**5*x**2 - 810*log(a + b*x)*a**4*b**3*d**5*x - 324*log(a + b*x)*a**3*
b**4*c**2*d**3*x**2 - 1188*log(a + b*x)*a**3*b**4*c**2*d**3*x - 510*log(a
+ b*x)*a**3*b**4*c**2*d**3 - 648*log(a + b*x)*a**3*b**4*c*d**4*x**3 - 2160
*log(a + b*x)*a**3*b**4*c*d**4*x**2 - 2940*log(a + b*x)*a**3*b**4*c*d**4*x
 - 324*log(a + b*x)*a**3*b**4*d**5*x**4 - 972*log(a + b*x)*a**3*b**4*d**5*
x**3 - 2430*log(a + b*x)*a**3*b**4*d**5*x**2 - 108*log(a + b*x)*a**2*b**5*
c**2*d**3*x**3 - 1188*log(a + b*x)*a**2*b**5*c**2*d**3*x**2 - 1530*log(a +
 b*x)*a**2*b**5*c**2*d**3*x - 108*log(a + b*x)*a**2*b**5*c*d**4*x**4 - 151
2*log(a + b*x)*a**2*b**5*c*d**4*x**3 - 3960*log(a + b*x)*a**2*b**5*c*d**4*
x**2 - 324*log(a + b*x)*a**2*b**5*d**5*x**4 - 2430*log(a + b*x)*a**2*b**5*
d**5*x**3 - 396*log(a + b*x)*a*b**6*c**2*d**3*x**3 - 1530*log(a + b*x)*a*b
**6*c**2*d**3*x**2 - 396*log(a + b*x)*a*b**6*c*d**4*x**4 - 2340*log(a + b*
x)*a*b**6*c*d**4*x**3 - 810*log(a + b*x)*a*b**6*d**5*x**4 - 510*log(a +...
```

3.100 $\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result 1235
Mathematica [B] (verified) 1236
Rubi [A] (verified) 1236
Maple [F] 1238
Fricas [F] 1239
Sympy [F] 1239
Maxima [F] 1240
Giac [F] 1241
Mupad [F(-1)] 1242
Reduce [F] 1242

Optimal result

Integrand size = 42, antiderivative size = 635

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx \\
&= \frac{B^2(bc-ad)g^3(a+bx)^2}{4d^2i^3(c+dx)^2} - \frac{4AbB(bc-ad)g^3(a+bx)}{d^3i^3(c+dx)} \\
&\quad + \frac{4bB^2(bc-ad)g^3(a+bx)}{d^3i^3(c+dx)} - \frac{4bB^2(bc-ad)g^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^3i^3(c+dx)} \\
&\quad - \frac{B(bc-ad)g^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{2b^2B(bc-ad)g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{d^4i^3} \\
&\quad + \frac{b^2g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^3} \\
&\quad + \frac{(bc-ad)g^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{2b(bc-ad)g^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^3(c+dx)} \\
&\quad + \frac{3b^2(bc-ad)g^3\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^4i^3} \\
&\quad + \frac{2b^2B^2(bc-ad)g^3\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3} \\
&\quad + \frac{6b^2B(bc-ad)g^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3} \\
&\quad - \frac{6b^2B^2(bc-ad)g^3\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3}
\end{aligned}
$$

output
```
1/4*B^2*(-a*d+b*c)*g^3*(b*x+a)^2/d^2/i^3/(d*x+c)^2-4*A*b*B*(-a*d+b*c)*g^3*
(b*x+a)/d^3/i^3/(d*x+c)+4*b*B^2*(-a*d+b*c)*g^3*(b*x+a)/d^3/i^3/(d*x+c)-4*b
*B^2*(-a*d+b*c)*g^3*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/d^3/i^3/(d*x+c)-1/2*B*(-
a*d+b*c)*g^3*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^2/i^3/(d*x+c)^2+2*b^2
*B*(-a*d+b*c)*g^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))/d^4
/i^3+b^2*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i^3+1/2*(-a*d+b*c)*
g^3*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i^3/(d*x+c)^2+2*b*(-a*d+b*
c)*g^3*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i^3/(d*x+c)+3*b^2*(-a*d+b
*c)*g^3*ln((-a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^4/i^3+2*b
^2*B^2*(-a*d+b*c)*g^3*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^3+6*b^2*B*(-a*d
+b*c)*g^3*(A+B*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i
^3-6*b^2*B^2*(-a*d+b*c)*g^3*polylog(3,d*(b*x+a)/b/(d*x+c))/d^4/i^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5929 vs. $2(635) = 1270$.

Time $= 8.40$ (sec) , antiderivative size $= 5929$, normalized size of antiderivative $= 9.34$

$$\int \frac{(ag+bgx)^3 \left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{Result too large to show}$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + 
d*i*x)^3,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time $= 0.78$ (sec) , antiderivative size $= 504$, normalized size of antiderivative $= 0.79$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used $= \{2962, 2795, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g^3(bc-ad)\int \frac{(a+bx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)\int \left(\frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^3}{d^3\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^2}{d^3\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b}{d^3}+\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2(c+dx)}\right.}{i^3}$$

$$\downarrow 2009$$

$$g^3(bc-ad)\left(\frac{6b^2B\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^4}+\frac{3b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d^4}+\frac{2b^2B\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{d^4}\right.$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
^3,x]
```

output

```
((b*c - a*d)*g^3*((B^2*(a + b*x)^2)/(4*d^2*(c + d*x)^2) - (4*A*b*B*(a + b*
x))/(d^3*(c + d*x)) + (4*b*B^2*(a + b*x))/(d^3*(c + d*x)) - (4*b*B^2*(a +
b*x)*Log[(e*(a + b*x))/(c + d*x)])/(d^3*(c + d*x)) - (B*(a + b*x)^2*(A + B
*Log[(e*(a + b*x))/(c + d*x)]))/(2*d^2*(c + d*x)^2) + ((a + b*x)^2*(A + B*
Log[(e*(a + b*x))/(c + d*x)])^2)/(2*d^2*(c + d*x)^2) + (2*b*(a + b*x)*(A +
 B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d^3*(c + d*x)) + (b^2*(a + b*x)*(A +
B*Log[(e*(a + b*x))/(c + d*x)])^2)/(d^3*(c + d*x)*(b - (d*(a + b*x))/(c +
d*x))) + (2*b^2*B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Log[1 - (d*(a + b*x
))/(b*(c + d*x))])/d^4 + (3*b^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2*Log
[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 + (2*b^2*B^2*PolyLog[2, (d*(a + b*x
))/(b*(c + d*x))])/d^4 + (6*b^2*B*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Pol
yLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 - (6*b^2*B^2*PolyLog[3, (d*(a +
b*x))/(b*(c + d*x))])/d^4))/i^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3 \left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(dix+ci)^3}dx$$

input

```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
int((b*g*x+a*g)^3*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*b^
2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log((b*e*x + a*e)/(d*x + c)))
/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= g^3\left(\int \frac{A^2a^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{A^2b^3x^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{B^2a^3\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2ABa^3\log\left(\frac{ae}{c+dx}+\frac{be}{c+}\right.}{c^3+3c^2dx+3cd^2x^2+d^}\right.$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**3,x)
```

output

```
g**3*(Integral(A**2*a**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),
x) + Integral(A**2*b**3*x**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**
3), x) + Integral(B**2*a**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c**3
+ 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*a**3*log(a*
e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x
**3), x) + Integral(3*A**2*a*b**2*x**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2
+ d**3*x**3), x) + Integral(3*A**2*a**2*b*x/(c**3 + 3*c**2*d*x + 3*c*d**2*
x**2 + d**3*x**3), x) + Integral(B**2*b**3*x**3*log(a*e/(c + d*x) + b*e*x/
(c + d*x))**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integr
al(2*A*B*b**3*x**3*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*B**2*a*b**2*x**2*log(a*e/(c
 + d*x) + b*e*x/(c + d*x))**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x*
*3), x) + Integral(3*B**2*a**2*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2
/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(6*A*B*a*b*
*2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2
*x**2 + d**3*x**3), x) + Integral(6*A*B*a**2*b*x*log(a*e/(c + d*x) + b*e*x
/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output

```
-3/2*A*B*a^2*b*g^3*(2*(2*d*x + c)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^
4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (b*c^2 - 3*a*c*d + 2*(b*c*d - 2
*a*d^2)*x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b
*c^3*d^2 - a*c^2*d^3)*i^3) - 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^
2 - 2*a*b*c*d^3 + a^2*d^4)*i^3) + 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c
^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*i^3)) - 1/2*A^2*b^3*g^3*((6*c^2*d*x + 5*c^
3)/(d^6*i^3*x^2 + 2*c*d^5*i^3*x + c^2*d^4*i^3) - 2*x/(d^3*i^3) + 6*c*log(d
*x + c)/(d^4*i^3)) + 1/2*A*B*a^3*g^3*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 -
a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3
) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^3*i^3*x^2 + 2*c*d^2*i^3*x +
c^2*d*i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)
- 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) + 3/2*A^2*
a*b^2*g^3*((4*c*d*x + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) +
 2*log(d*x + c)/(d^3*i^3)) - 3/2*(2*d*x + c)*A^2*a^2*b*g^3/(d^4*i^3*x^2 +
2*c*d^3*i^3*x + c^2*d^2*i^3) - 1/2*A^2*a^3*g^3/(d^3*i^3*x^2 + 2*c*d^2*i^3*
x + c^2*d*i^3) - 1/2*(2*((b^3*c*d^2*g^3 - a*b^2*d^3*g^3)*B^2*x^2 + 2*(b^3*
c^2*d*g^3 - a*b^2*c*d^2*g^3)*B^2*x + (b^3*c^3*g^3 - a*b^2*c^2*d*g^3)*B^2)*
log(d*x + c)^3 - (2*B^2*b^3*d^3*g^3*x^3 + 4*B^2*b^3*c*d^2*g^3*x^2 - 2*(2*b
^3*c^2*d*g^3 - 6*a*b^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B^2*x - (5*b^3*c^3*g^3
 - 9*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2*g^3 + a^3*d^3*g^3)*B^2)*log(d*x + ...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output

```
integrate((b*g*x + a*g)^3*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*
i)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^3,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
(g**3*i*(4*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x +
 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**5*c**4*d**6 + 8*int((log((a*e + b*e
*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)
*a**2*b**5*c**3*d**7*x + 4*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**
3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**5*c**2*d**8*x**2 -
8*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2
*x**2 + d**3*x**3),x)*a*b**6*c**5*d**5 - 16*int((log((a*e + b*e*x)/(c + d*
x))**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**6*c**
4*d**6*x - 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**6*c**3*d**7*x**2 + 4*int((log((a*e +
 b*e*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3
),x)*b**7*c**6*d**4 + 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**3)/(c**3 +
 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**7*c**5*d**5*x + 4*int((log(
(a*e + b*e*x)/(c + d*x))**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**
3*x**3),x)*b**7*c**4*d**6*x**2 + 12*int((log((a*e + b*e*x)/(c + d*x))**2*x
**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**4*c**4*d**
6 + 24*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c
*d**2*x**2 + d**3*x**3),x)*a**3*b**4*c**3*d**7*x + 12*int((log((a*e + b*e*
x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*
a**3*b**4*c**2*d**8*x**2 - 24*int((log((a*e + b*e*x)/(c + d*x))**2*x**2...
```

3.101 $\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result . . . 1244
Mathematica [B] (verified) . . . 1245
Rubi [A] (verified) . . . 1246
Maple [F] . . . 1248
Fricas [F] . . . 1248
Sympy [F] . . . 1249
Maxima [F] . . . 1249
Giac [F] . . . 1250
Mupad [F(-1)] . . . 1251
Reduce [F] . . . 1251

Optimal result

Integrand size = 42, antiderivative size = 410

$$
\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx \\
&= -\frac{B^2g^2(a+bx)^2}{4di^3(c+dx)^2} + \frac{2AbBg^2(a+bx)}{d^2i^3(c+dx)} - \frac{2bB^2g^2(a+bx)}{d^2i^3(c+dx)} \\
&\quad + \frac{2bB^2g^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{d^2i^3(c+dx)} + \frac{Bg^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2di^3(c+dx)^2} \\
&\quad - \frac{g^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2di^3(c+dx)^2} - \frac{bg^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2i^3(c+dx)} \\
&\quad - \frac{b^2g^2\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^3i^3} \\
&\quad - \frac{2b^2Bg^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3} \\
&\quad + \frac{2b^2B^2g^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3}
\end{aligned}
$$

output

```
-1/4*B^2*g^2*(b*x+a)^2/d/i^3/(d*x+c)^2+2*A*b*B*g^2*(b*x+a)/d^2/i^3/(d*x+c)
-2*b*B^2*g^2*(b*x+a)/d^2/i^3/(d*x+c)+2*b*B^2*g^2*(b*x+a)*ln(e*(b*x+a)/(d*x
+c))/d^2/i^3/(d*x+c)+1/2*B*g^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/d/i^3
/(d*x+c)^2-1/2*g^2*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d/i^3/(d*x+c)^2
-b*g^2*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^2/i^3/(d*x+c)-b^2*g^2*ln((-
a*d+b*c)/b/(d*x+c))*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/d^3/i^3-2*b^2*B*g^2*(A+B
*ln(e*(b*x+a)/(d*x+c)))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^3+2*b^2*B^2*g
^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^3/i^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 3840 vs. $2(410) = 820$.

Time $= 7.26$ (sec) , antiderivative size $= 3840$, normalized size of antiderivative $= 9.37$

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i +
d*i*x)^3,x]
```

output

```
-1/2*(A^2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2)/(d^3*i^3*(c + d*x)^2) - (2*
(-(A^2*b^2*c*g^2) + a*A^2*b*d*g^2))/(d^3*i^3*(c + d*x)) + (A^2*b^2*g^2*Log
[c + d*x])/(d^3*i^3) + (2*a^2*A*B*g^2*(((c/d + x)*(2*Log[c/d + x] + 4*Log[
c/d + x]^2))/(8*(c + d*x)^3*Log[c/d + x]) + ((d*(a/b + x))/((-c + (a*d)/b)
^3*(1 - (d*(a/b + x))/(-c + (a*d)/b))) - ((d^2*(a/b + x)^2)/((-c + (a*d)/b
)^4*(1 - (d*(a/b + x))/(-c + (a*d)/b))^2) + (2*d*(a/b + x))/((-c + (a*d)/b
)^3*(1 - (d*(a/b + x))/(-c + (a*d)/b))))*Log[a/b + x] - Log[1 - (d*(a/b +
x))/(-c + (a*d)/b)]/(-c + (a*d)/b)^2)/(2*d) - (-Log[a/b + x] + Log[c/d + x
] + Log[(a*e)/(c + d*x) + (b*e*x)/(c + d*x)])/(2*d*(c + d*x)^2)))/i^3 + (4
*a*A*b*B*g^2*((1 + Log[c/d + x])/(d^2*(c + d*x)) - (c*(1 + 2*Log[c/d + x])
)/(4*d^2*(c + d*x)^2) + (-(Log[a/b + x]/(d*(c + d*x))) + ((b*Log[a + b*x])
/(b*c - a*d) - (b*Log[c + d*x])/(b*c - a*d))/d)/d - (c*(-Log[a/b + x] + (b
*(c + d*x)*(b*c - a*d + b*(c + d*x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x
]))/(b*c - a*d)^2))/(2*d^2*(c + d*x)^2) - ((c + 2*d*x)*(-Log[a/b + x] + Lo
g[c/d + x] + Log[(a*e)/(c + d*x) + (b*e*x)/(c + d*x)]))/(2*d^2*(c + d*x)^2
)))/i^3 + (2*A*b^2*B*g^2*(-1/2*Log[c/d + x]^2/d^3 - (2*c*(1 + Log[c/d + x]
))/(d^3*(c + d*x)) + (c^2*(1 + 2*Log[c/d + x]))/(4*d^3*(c + d*x)^2) - (2*c
*(-(Log[a/b + x]/(d*(c + d*x))) + ((b*Log[a + b*x])/(b*c - a*d) - (b*Log[c
 + d*x])/(b*c - a*d))/d))/d^2 + (c^2*(-Log[a/b + x] + (b*(c + d*x)*(b*c -
a*d + b*(c + d*x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]))/(b*c - a*d)...
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 358, normalized size of antiderivative = 0.87, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g^2\int \frac{(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2795$$

$$\frac{g^2\int\left(-\frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d(c+dx)}-\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{d^2}\right)d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2009$$

$$g^2\left(-\frac{2b^2B\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{d^3}-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d^3}-\frac{b(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{d^2(c+dx)}+$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)
^3,x]
```

output

```
(g^2*(-1/4*(B^2*(a + b*x)^2)/(d*(c + d*x)^2) + (2*A*b*B*(a + b*x))/(d^2*(c
 + d*x)) - (2*b*B^2*(a + b*x))/(d^2*(c + d*x)) + (2*b*B^2*(a + b*x)*Log[(e
*(a + b*x))/(c + d*x)])/(d^2*(c + d*x)) + (B*(a + b*x)^2*(A + B*Log[(e*(a
 + b*x))/(c + d*x)]))/(2*d*(c + d*x)^2) - ((a + b*x)^2*(A + B*Log[(e*(a + b
*x))/(c + d*x)])^2)/(2*d*(c + d*x)^2) - (b*(a + b*x)*(A + B*Log[(e*(a + b*
x))/(c + d*x)])^2)/(d^2*(c + d*x)) - (b^2*(A + B*Log[(e*(a + b*x))/(c + d*
x)])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 - (2*b^2*B*(A + B*Log[(e*
(a + b*x))/(c + d*x)])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 + (2*b
^2*B^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^3))/i^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(\frac{e(bx+a)}{dx+c}\right)\right)^2}{(dix+ci)^3}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output

```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log((b*e*x + a*e)/(d*x + c))^2 + 2*(A*
B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log((b*e*x + a*e)/(d*x + c)
))/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= g^2\left(\int \frac{A^2a^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{A^2b^2x^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{B^2a^2\log\left(\frac{ae}{c+dx}+\frac{bex}{c+dx}\right)^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2ABa^2\log\left(\frac{ae}{c+dx}+\frac{be}{c+}\right.\right.$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**3,x)
```

output
```
g**2*(Integral(A**2*a**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),
x) + Integral(A**2*b**2*x**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**
3), x) + Integral(B**2*a**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))**2/(c**3
+ 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*a**2*log(a*
e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x
**3), x) + Integral(2*A**2*a*b*x/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3
*x**3), x) + Integral(B**2*b**2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))*
*2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*b*
*2*x**2*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*c*d**2
*x**2 + d**3*x**3), x) + Integral(2*B**2*a*b*x*log(a*e/(c + d*x) + b*e*x/(
c + d*x))**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integra
l(4*A*B*a*b*x*log(a*e/(c + d*x) + b*e*x/(c + d*x))/(c**3 + 3*c**2*d*x + 3*
c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output

```
-A*B*a*b*g^2*(2*(2*d*x + c)*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^4*i^3*
x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2
)*x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d
^2 - a*c^2*d^3)*i^3) - 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*
a*b*c*d^3 + a^2*d^4)*i^3) + 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2
 - 2*a*b*c*d^3 + a^2*d^4)*i^3)) + 1/2*A*B*a^2*g^2*((2*b*d*x + 3*b*c - a*d)
/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a
*c^2*d^2)*i^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(d^3*i^3*x^2 + 2*c
*d^2*i^3*x + c^2*d*i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a
^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3
)) + 1/2*A^2*b^2*g^2*((4*c*d*x + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2
*d^3*i^3) + 2*log(d*x + c)/(d^3*i^3)) - (2*d*x + c)*A^2*a*b*g^2/(d^4*i^3*x
^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - 1/2*A^2*a^2*g^2/(d^3*i^3*x^2 + 2*c*d^2
*i^3*x + c^2*d*i^3) + 1/6*(2*(B^2*b^2*d^2*g^2*x^2 + 2*B^2*b^2*c*d*g^2*x +
B^2*b^2*c^2*g^2)*log(d*x + c)^3 + 3*(4*(b^2*c*d*g^2 - a*b*d^2*g^2)*B^2*x +
 (3*b^2*c^2*g^2 - 2*a*b*c*d*g^2 - a^2*d^2*g^2)*B^2)*log(d*x + c)^2)/(d^5*i
^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) - integrate(-(2*B^2*a*b*d^2*g^2*x*lo
g(e)^2 + B^2*a^2*d^2*g^2*log(e)^2 + (B^2*b^2*d^2*g^2*log(e)^2 + 2*A*B*b^2*
d^2*g^2*log(e))*x^2 + (B^2*b^2*d^2*g^2*x^2 + 2*B^2*a*b*d^2*g^2*x + B^2*a^2
*d^2*g^2)*log(b*x + a)^2 + 2*(2*B^2*a*b*d^2*g^2*x*log(e) + B^2*a^2*d^2*...
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(B*log((b*x + a)*e/(d*x + c)) + A)^2/(d*i*x + c*
i)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\right)^2}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^3,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
(g**2*i*(4*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x +
 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**4*d**5 + 8*int((log((a*e + b*e
*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)
*a**2*b**4*c**3*d**6*x + 4*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**
3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**2*d**7*x**2 -
8*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2
*x**2 + d**3*x**3),x)*a*b**5*c**5*d**4 - 16*int((log((a*e + b*e*x)/(c + d*
x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**
4*d**5*x - 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**3*d**6*x**2 + 4*int((log((a*e +
 b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3
),x)*b**6*c**6*d**3 + 8*int((log((a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 +
 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**5*d**4*x + 4*int((log(
(a*e + b*e*x)/(c + d*x))**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**
3*x**3),x)*b**6*c**4*d**5*x**2 + 8*int((log((a*e + b*e*x)/(c + d*x))*x**2)
/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**4*d**5 +
16*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x
**2 + d**3*x**3),x)*a**3*b**3*c**3*d**6*x + 8*int((log((a*e + b*e*x)/(c +
d*x))*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c
**2*d**7*x**2 - 16*int((log((a*e + b*e*x)/(c + d*x))*x**2)/(c**3 + 3*c*...
```

3.102 $\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result 1253
Mathematica [C] (verified) 1254
Rubi [A] (verified) 1255
Maple [B] (verified) 1256
Fricas [B] (verification not implemented) 1258
Sympy [B] (verification not implemented) 1258
Maxima [B] (verification not implemented) 1260
Giac [A] (verification not implemented) 1261
Mupad [B] (verification not implemented) 1261
Reduce [B] (verification not implemented) 1262

Optimal result

Integrand size = 40, antiderivative size = 141

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \frac{B^2g(a+bx)^2}{4(bc-ad)i^3(c+dx)^2} - \frac{Bg(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)i^3(c+dx)^2} + \frac{g(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)i^3(c+dx)^2}$$

output

```
1/4*B^2*g*(b*x+a)^2/(-a*d+b*c)/i^3/(d*x+c)^2-1/2*B*g*(b*x+a)^2*(A+B*ln(e*(
b*x+a)/(d*x+c)))/(-a*d+b*c)/i^3/(d*x+c)^2+1/2*g*(b*x+a)^2*(A+B*ln(e*(b*x+a
)/(d*x+c)))^2/(-a*d+b*c)/i^3/(d*x+c)^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.91 (sec) , antiderivative size = 767, normalized size of antiderivative = 5.44

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{g\left(2(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2-4b(bc-ad)(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+4bB(c+dx)\left(2\right.\right.}{}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*
i*x)^3,x]
```

output
```
(g*(2*(b*c - a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 - 4*b*(b*c - a*
d)*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + 4*b*B*(c + d*x)*(2*(
b*c - a*d)*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 2*b*(c + d*x)*Log[a + b*
x]*(A + B*Log[(e*(a + b*x))/(c + d*x)]) - 2*b*(c + d*x)*(A + B*Log[(e*(a +
 b*x))/(c + d*x)])*Log[c + d*x] - 2*B*(b*c - a*d + b*(c + d*x)*Log[a + b*x
] - b*(c + d*x)*Log[c + d*x]) - b*B*(c + d*x)*(Log[a + b*x]*(Log[a + b*x]
 - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) +
 a*d)]) + b*B*(c + d*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*
x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - B*(2*(b*c -
 a*d)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*b*(b*c - a*d)*(c + d*x)*(
A + B*Log[(e*(a + b*x))/(c + d*x)]) + 4*b^2*(c + d*x)^2*Log[a + b*x]*(A +
B*Log[(e*(a + b*x))/(c + d*x)]) - 4*b^2*(c + d*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)])*Log[c + d*x] - 4*b*B*(c + d*x)*(b*c - a*d + b*(c + d*x)*Log
[a + b*x] - b*(c + d*x)*Log[c + d*x]) - B*((b*c - a*d)^2 + 2*b*(b*c - a*d)
*(c + d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*Log[c + d*
x]) - 2*b^2*B*(c + d*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x)
)/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 2*b^2*B*(c
 + d*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*
x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(4*d^2*(b*c - a*d)*i^3*(c
 + d*x)^2)
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 115, normalized size of antiderivative = 0.82, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.075$, Rules used = {2962, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{c+dx}d\frac{a+bx}{c+dx}}{i^3(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(c+dx)^2}-B\int \frac{(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{c+dx}d\frac{a+bx}{c+dx}\right)}{i^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(c+dx)^2}-B\left(\frac{(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2}-\frac{B(a+bx)^2}{4(c+dx)^2}\right)\right)}{i^3(bc-ad)}$$

input

```
Int[((a*g + b*g*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c*i + d*i*x)^3
,x]
```

output

```
(g*(((a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(c + d*x)^2) -
 B*(-1/4*(B*(a + b*x)^2)/(c + d*x)^2 + ((a + b*x)^2*(A + B*Log[(e*(a + b*x
))/(c + d*x)]))/(2*(c + d*x)^2))))/((b*c - a*d)*i^3)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 343 vs. $2(135) = 270$.

Time = 1.47 (sec) , antiderivative size = 344, normalized size of antiderivative = 2.44

method	result
norman	$\frac{-\frac{2A^2adg+2A^2bcg-2dgaBA-2cbgBA+dga\,B^2+cbg\,B^2}{4i\,d^2}-\frac{\left(2A^2bg-2bgBA+bg\,B^2\right)x}{2id}-\frac{B^2a^2g\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{2i(da-bc)}-\frac{B^2b^2gx^2\ln\left(\frac{e(b}{2(da-bc)}}{i^2(da}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{g\,d^2A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^2e^3i^3}+\frac{2g\,d^2AB\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right)}{(da-bc)^2e^3i^3}+\frac{g\,d^2B^2\left(\right.}{d^2}$
default	$-\frac{e(da-bc)\left(\frac{g\,d^2A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^2e^3i^3}+\frac{2g\,d^2AB\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{4}\right)}{(da-bc)^2e^3i^3}+\frac{g\,d^2B^2\left(\right.}{d^2}$
parallelrisch	$-\frac{2A^2a^2b\,d^4g-2A^2b^3c^2d^2g-2AB\,a^2b\,d^4g+2AB\,b^3c^2d^2g+B^2a^2b\,d^4g-B^2b^3c^2d^2g+2B^2xa\,b^2d^4g+8ABx\ln\left(\frac{e(bx+a)}{dx+c}\right.}{}$
parts	$\frac{g\,A^2\left(-\frac{da-bc}{2d^2(dx+c)^2}-\frac{b}{d^2(dx+c)}\right)}{i^3}-\frac{g\,B^2d\left(a\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-b}{d(dx+}\right.\right.\right.}{}$
orering	Expression too large to display
risch	Expression too large to display

input
```
int((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output
```
(-1/4*(2*A^2*a*d*g+2*A^2*b*c*g-2*A*B*a*d*g-2*A*B*b*c*g+B^2*a*d*g+B^2*b*c*g
)/i/d^2-1/2*(2*A^2*b*g-2*A*B*b*g+B^2*b*g)/i/d*x-1/2*B^2*a^2*g/i/(a*d-b*c)*
ln(e*(b*x+a)/(d*x+c))^2-1/2*B^2*b^2*g/(a*d-b*c)/i*x^2*ln(e*(b*x+a)/(d*x+c)
)^2-1/2*(2*A-B)*g*a^2*B/i/(a*d-b*c)*ln(e*(b*x+a)/(d*x+c))-B^2*a*b*g/i/(a*d
-b*c)*x*ln(e*(b*x+a)/(d*x+c))^2-1/2*b^2/i*g*B*(2*A-B)/(a*d-b*c)*x^2*ln(e*(
b*x+a)/(d*x+c))-g*a*B/i*b*(2*A-B)/(a*d-b*c)*x*ln(e*(b*x+a)/(d*x+c)))/i^2/(
d*x+c)^2
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 295 vs. $2(135) = 270$.

Time = 0.09 (sec) , antiderivative size = 295, normalized size of antiderivative = 2.09

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx =$$

$$-\frac{2\left((2A^2-2AB+B^2)b^2cd-(2A^2-2AB+B^2)abd^2\right)gx-2\left(B^2b^2d^2gx^2+2B^2abd^2gx+B^2a^2d^2g\right)}{4((b$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output
```
-1/4*(2*((2*A^2 - 2*A*B + B^2)*b^2*c*d - (2*A^2 - 2*A*B + B^2)*a*b*d^2)*g*
x - 2*(B^2*b^2*d^2*g*x^2 + 2*B^2*a*b*d^2*g*x + B^2*a^2*d^2*g)*log((b*e*x +
 a*e)/(d*x + c))^2 + ((2*A^2 - 2*A*B + B^2)*b^2*c^2 - (2*A^2 - 2*A*B + B^2
)*a^2*d^2)*g - 2*((2*A*B - B^2)*b^2*d^2*g*x^2 + 2*(2*A*B - B^2)*a*b*d^2*g*
x + (2*A*B - B^2)*a^2*d^2*g)*log((b*e*x + a*e)/(d*x + c)))/((b*c*d^4 - a*d
^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 712 vs. $2(121) = 242$.

Time = 5.17 (sec) , antiderivative size = 712, normalized size of antiderivative = 5.05

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= \frac{Bb^2g(2A-B)\log\left(x+\frac{2ABab^2dg+2ABb^3cg-B^2ab^2dg-B^2b^3cg-\frac{Ba^2b^2d^2g(2A-B)}{ad-bc}+\frac{2Bab^3cdg(2A-B)}{ad-bc}-\frac{Bb^4c^2g(2A-B)}{ad-bc}}{4ABb^3dg-2B^2b^3dg}\right)}{2d^2i^3(ad-bc)}$$

$$- \frac{Bb^2g(2A-B)\log\left(x+\frac{2ABab^2dg+2ABb^3cg-B^2ab^2dg-B^2b^3cg+\frac{Ba^2b^2d^2g(2A-B)}{ad-bc}-\frac{2Bab^3cdg(2A-B)}{ad-bc}+\frac{Bb^4c^2g(2A-B)}{ad-bc}}{4ABb^3dg-2B^2b^3dg}\right)}{2d^2i^3(ad-bc)}$$

$$+ \frac{(-B^2a^2g-2B^2abgx-B^2b^2gx^2)\log\left(\frac{e(a+bx)}{c+dx}\right)^2}{2ac^2di^3+4acd^2i^3x+2ad^3i^3x^2-2bc^3i^3-4bc^2di^3x-2bcd^2i^3x^2}$$

$$+ \frac{-2A^2adg-2A^2bcg+2ABadg+2ABbcg-B^2adg-B^2bcg+x(-4A^2bdg+4ABbdg-2B^2bdg)}{4c^2d^2i^3+8cd^3i^3x+4d^4i^3x^2}$$

$$+ \frac{(-2ABadg-2ABbcg-4ABbdgx+B^2adg+B^2bcg+2B^2bdgx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{2c^2d^2i^3+4cd^3i^3x+2d^4i^3x^2}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**3,x)
```

output
```
B*b**2*g*(2*A - B)*log(x + (2*A*B*a*b**2*d*g + 2*A*B*b**3*c*g - B**2*a*b**
2*d*g - B**2*b**3*c*g - B*a**2*b**2*d**2*g*(2*A - B)/(a*d - b*c) + 2*B*a*b
**3*c*d*g*(2*A - B)/(a*d - b*c) - B*b**4*c**2*g*(2*A - B)/(a*d - b*c))/(4*
A*B*b**3*d*g - 2*B**2*b**3*d*g))/(2*d**2*i**3*(a*d - b*c)) - B*b**2*g*(2*A
 - B)*log(x + (2*A*B*a*b**2*d*g + 2*A*B*b**3*c*g - B**2*a*b**2*d*g - B**2*
b**3*c*g + B*a**2*b**2*d**2*g*(2*A - B)/(a*d - b*c) - 2*B*a*b**3*c*d*g*(2*
A - B)/(a*d - b*c) + B*b**4*c**2*g*(2*A - B)/(a*d - b*c))/(4*A*B*b**3*d*g
 - 2*B**2*b**3*d*g))/(2*d**2*i**3*(a*d - b*c)) + (-B**2*a**2*g - 2*B**2*a*b
*g*x - B**2*b**2*g*x**2)*log(e*(a + b*x)/(c + d*x))**2/(2*a*c**2*d*i**3 +
4*a*c*d**2*i**3*x + 2*a*d**3*i**3*x**2 - 2*b*c**3*i**3 - 4*b*c**2*d*i**3*x
 - 2*b*c*d**2*i**3*x**2) + (-2*A**2*a*d*g - 2*A**2*b*c*g + 2*A*B*a*d*g + 2
*A*B*b*c*g - B**2*a*d*g - B**2*b*c*g + x*(-4*A**2*b*d*g + 4*A*B*b*d*g - 2*
B**2*b*d*g))/(4*c**2*d**2*i**3 + 8*c*d**3*i**3*x + 4*d**4*i**3*x**2) + (-2
*A*B*a*d*g - 2*A*B*b*c*g - 4*A*B*b*d*g*x + B**2*a*d*g + B**2*b*c*g + 2*B**
2*b*d*g*x)*log(e*(a + b*x)/(c + d*x))/(2*c**2*d**2*i**3 + 4*c*d**3*i**3*x
+ 2*d**4*i**3*x**2)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1966 vs. $2(135) = 270$.

Time = 0.16 (sec) , antiderivative size = 1966, normalized size of antiderivative = 13.94

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
-1/2*(2*d*x + c)*B^2*b*g*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2/(d^4*i^3*x
^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) + 1/4*(2*((2*b*d*x + 3*b*c - a*d)/((b*c*
d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^
2)*i^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2
*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3))*log(b*e*x/(d*
x + c) + a*e/(d*x + c)) - (7*b^2*c^2 - 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^
2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x +
 b^2*c^2)*log(d*x + c)^2 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^
2*c*d*x + b^2*c^2)*log(b*x + a) - 2*(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c
^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d*x + c))/(
b^2*c^4*d*i^3 - 2*a*b*c^3*d^2*i^3 + a^2*c^2*d^3*i^3 + (b^2*c^2*d^3*i^3 - 2
*a*b*c*d^4*i^3 + a^2*d^5*i^3)*x^2 + 2*(b^2*c^3*d^2*i^3 - 2*a*b*c^2*d^3*i^3
 + a^2*c*d^4*i^3)*x))*B^2*a*g + 1/4*(2*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*
d^2)*x)/((b*c*d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^
3*d^2 - a*c^2*d^3)*i^3) + 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 -
 2*a*b*c*d^3 + a^2*d^4)*i^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*
d^2 - 2*a*b*c*d^3 + a^2*d^4)*i^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) -
(b^2*c^3 - 8*a*b*c^2*d + 7*a^2*c*d^2 + 2*(b^2*c^3 - 2*a*b*c^2*d + (b^2*c*d
^2 - 2*a*b*d^3)*x^2 + 2*(b^2*c^2*d - 2*a*b*c*d^2)*x)*log(b*x + a)^2 + 2*(b
^2*c^3 - 2*a*b*c^2*d + (b^2*c*d^2 - 2*a*b*d^3)*x^2 + 2*(b^2*c^2*d - 2*a...
```

Giac [A] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 198, normalized size of antiderivative = 1.40

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=\frac{1}{4}\left(\frac{2\,(bex+ae)^2B^2g\log\left(\frac{bex+ae}{dx+c}\right)^2}{(dx+c)^2ei^3}+\frac{2\,(2\,ABg-B^2g)(bex+ae)^2\log\left(\frac{bex+ae}{dx+c}\right)}{(dx+c)^2ei^3}+\frac{(2\,A^2g-2\,ABg+B^2g}{(dx+c)^2ei^3}\right.$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output
```
1/4*(2*(b*e*x + a*e)^2*B^2*g*log((b*e*x + a*e)/(d*x + c))^2/((d*x + c)^2*e
*i^3) + 2*(2*A*B*g - B^2*g)*(b*e*x + a*e)^2*log((b*e*x + a*e)/(d*x + c))/(
(d*x + c)^2*e*i^3) + (2*A^2*g - 2*A*B*g + B^2*g)*(b*e*x + a*e)^2/((d*x + c
)^2*e*i^3))*(b*c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c
 - a*d)))
```

Mupad [B] (verification not implemented)

Time = 28.15 (sec) , antiderivative size = 474, normalized size of antiderivative = 3.36

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx =$$
$$-\frac{x\,(2\,b\,d\,g\,A^2-2\,b\,d\,g\,A\,B+b\,d\,g\,B^2)+A^2\,a\,d\,g+A^2\,b\,c\,g+\frac{B^2\,a\,d\,g}{2}+\frac{B^2\,b\,c\,g}{2}-A\,B\,a\,d\,g-A\,B\,b\,c\,g}{2\,c^2\,d^2\,i^3+4\,c\,d^3\,i^3\,x+2\,d^4\,i^3\,x^2}$$
$$-\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)^2\left(\frac{\frac{B^2\,a\,g}{2\,d^2\,i^3}+\frac{B^2\,b\,c\,g}{2\,d^3\,i^3}+\frac{B^2\,b\,g\,x}{d^2\,i^3}}{2\,c\,x+d\,x^2+\frac{c^2}{d}}+\frac{B^2\,b^2\,g}{2\,d^2\,i^3\,(a\,d-b\,c)}\right)$$
$$-\frac{\ln\left(\frac{e\,(a+b\,x)}{c+d\,x}\right)\left(\frac{A\,B\,c\,g}{d^3\,i^3}-x\left(\frac{B^2\,g}{d^2\,i^3}-\frac{2\,A\,B\,g}{d^2\,i^3}\right)+\frac{B\,g\,(A\,a\,d-B\,a\,d+B\,b\,c)}{b\,d^3\,i^3}+\frac{B^2\,b^2\,g\left(\frac{a^2\,d^2-3\,a\,b\,c\,d+2\,b^2\,c^2}{2\,b^3\,d}-\frac{c\,(a\,d-b\,c)}{2\,b^2\,d}\right)}{d^2\,i^3\,(a\,d-b\,c)}\right)}{\frac{d\,x^2}{b}+\frac{c^2}{b\,d}+\frac{2\,c\,x}{b}}$$
$$+\frac{B\,b^2\,g\,\mathrm{atan}\left(\frac{\left(\frac{2\,a\,d^3\,i^3+2\,b\,c\,d^2\,i^3}{2\,d^2\,i^3}+2\,b\,d\,x\right)\,1\mathrm{i}}{a\,d-b\,c}\right)\,(2\,A-B)\,1\mathrm{i}}{d^2\,i^3\,(a\,d-b\,c)}$$

input
```
int(((a*g + b*g*x)*(A + B*log((e*(a + b*x))/(c + d*x)))^2)/(c*i + d*i*x)^3
,x)
```

output
```
(B*b^2*g*atan((((2*a*d^3*i^3 + 2*b*c*d^2*i^3)/(2*d^2*i^3) + 2*b*d*x)*1i)/(
a*d - b*c))*(2*A - B)*1i)/(d^2*i^3*(a*d - b*c)) - log((e*(a + b*x))/(c + d
*x))^2*(((B^2*a*g)/(2*d^2*i^3) + (B^2*b*c*g)/(2*d^3*i^3) + (B^2*b*g*x)/(d^
2*i^3))/(2*c*x + d*x^2 + c^2/d) + (B^2*b^2*g)/(2*d^2*i^3*(a*d - b*c))) - (
log((e*(a + b*x))/(c + d*x))*((A*B*c*g)/(d^3*i^3) - x*((B^2*g)/(d^2*i^3) -
 (2*A*B*g)/(d^2*i^3)) + (B*g*(A*a*d - B*a*d + B*b*c))/(b*d^3*i^3) + (B^2*b
^2*g*((a^2*d^2 + 2*b^2*c^2 - 3*a*b*c*d)/(2*b^3*d) - (c*(a*d - b*c))/(2*b^2
*d)))/(d^2*i^3*(a*d - b*c))))/((d*x^2)/b + c^2/(b*d) + (2*c*x)/b) - (x*(2*
A^2*b*d*g + B^2*b*d*g - 2*A*B*b*d*g) + A^2*a*d*g + A^2*b*c*g + (B^2*a*d*g)
/2 + (B^2*b*c*g)/2 - A*B*a*d*g - A*B*b*c*g)/(2*c^2*d^2*i^3 + 2*d^4*i^3*x^2
 + 4*c*d^3*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 695, normalized size of antiderivative = 4.93

$$\int \frac{(ag+bgx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{gi\left(4\log\left(\frac{bex+ae}{dx+c}\right)a^2b^2c^2-2a^4cd+2a^3b\,c^2+2a^3b\,d^2x^2-4\log(bx+a)\,a^2b^2d^2x^2+2\log(bx+a)\,a\,b^3d^2x^2-\right.}{}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
(g*i*( - 4*log(a + b*x)*a**2*b**2*c**2 - 8*log(a + b*x)*a**2*b**2*c*d*x -
4*log(a + b*x)*a**2*b**2*d**2*x**2 + 2*log(a + b*x)*a*b**3*c**2 + 4*log(a
+ b*x)*a*b**3*c*d*x + 2*log(a + b*x)*a*b**3*d**2*x**2 + 4*log(c + d*x)*a**
2*b**2*c**2 + 8*log(c + d*x)*a**2*b**2*c*d*x + 4*log(c + d*x)*a**2*b**2*d*
*2*x**2 - 2*log(c + d*x)*a*b**3*c**2 - 4*log(c + d*x)*a*b**3*c*d*x - 2*log
(c + d*x)*a*b**3*d**2*x**2 - 2*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*c
*d - 4*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c*d*x - 2*log((a*e + b*e*x)/
(c + d*x))**2*b**4*c*d*x**2 - 4*log((a*e + b*e*x)/(c + d*x))*a**3*b*c*d +
4*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c**2 + 2*log((a*e + b*e*x)/(c + d
*x))*a**2*b**2*c*d + 4*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*d**2*x**2 -
2*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2 - 4*log((a*e + b*e*x)/(c + d*x)
)*a*b**3*c*d*x**2 - 2*log((a*e + b*e*x)/(c + d*x))*a*b**3*d**2*x**2 + 2*lo
g((a*e + b*e*x)/(c + d*x))*b**4*c*d*x**2 - 2*a**4*c*d + 2*a**3*b*c**2 + 2*
a**3*b*c*d + 2*a**3*b*d**2*x**2 - 2*a**2*b**2*c**2 - 2*a**2*b**2*c*d*x**2
- a**2*b**2*c*d - 2*a**2*b**2*d**2*x**2 + a*b**3*c**2 + 2*a*b**3*c*d*x**2
+ a*b**3*d**2*x**2 - b**4*c*d*x**2))/(4*c*d*(a*c**2*d + 2*a*c*d**2*x + a*d
**3*x**2 - b*c**3 - 2*b*c**2*d*x - b*c*d**2*x**2))
```

3.103 $\int \frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result 1264
Mathematica [C] (verified) 1265
Rubi [A] (verified) 1266
Maple [A] (verified) 1267
Fricas [A] (verification not implemented) 1269
Sympy [B] (verification not implemented) 1269
Maxima [B] (verification not implemented) 1270
Giac [A] (verification not implemented) 1271
Mupad [B] (verification not implemented) 1272
Reduce [B] (verification not implemented) 1273

Optimal result

Integrand size = 32, antiderivative size = 296

$$\begin{aligned}\int \frac{\left(A+B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx &= -\frac{B^2 d(a+bx)^2}{4(bc-ad)^2 i^3 (c+dx)^2} - \frac{2AbB(a+bx)}{(bc-ad)^2 i^3 (c+dx)} \\ &+ \frac{2bB^2(a+bx)}{(bc-ad)^2 i^3 (c+dx)} - \frac{2bB^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^2 i^3 (c+dx)} \\ &+ \frac{Bd(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^2 i^3 (c+dx)^2} \\ &- \frac{d(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^2 i^3 (c+dx)^2} \\ &+ \frac{b(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^2 i^3 (c+dx)}\end{aligned}$$

output
```
-1/4*B^2*d*(b*x+a)^2/(-a*d+b*c)^2/i^3/(d*x+c)^2-2*A*b*B*(b*x+a)/(-a*d+b*c)
^2/i^3/(d*x+c)+2*b*B^2*(b*x+a)/(-a*d+b*c)^2/i^3/(d*x+c)-2*b*B^2*(b*x+a)*ln
(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^2/i^3/(d*x+c)+1/2*B*d*(b*x+a)^2*(A+B*ln(e*(
b*x+a)/(d*x+c)))/(-a*d+b*c)^2/i^3/(d*x+c)^2-1/2*d*(b*x+a)^2*(A+B*ln(e*(b*x
+a)/(d*x+c)))^2/(-a*d+b*c)^2/i^3/(d*x+c)^2+b*(b*x+a)*(A+B*ln(e*(b*x+a)/(d*
x+c)))^2/(-a*d+b*c)^2/i^3/(d*x+c)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.43 (sec) , antiderivative size = 444, normalized size of antiderivative = 1.50

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{-2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2+\frac{B\left(2(bc-ad)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+4b(bc-ad)(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)+4b^2(c+dx)^2\log(a+bx\right.}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x)^3,x]
```

output
```
(-2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2 + (B*(2*(b*c - a*d)^2*(A + B*Lo
g[(e*(a + b*x))/(c + d*x)]) + 4*b*(b*c - a*d)*(c + d*x)*(A + B*Log[(e*(a +
 b*x))/(c + d*x)]) + 4*b^2*(c + d*x)^2*Log[a + b*x]*(A + B*Log[(e*(a + b*x
))/(c + d*x)]) - 4*b^2*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])*Lo
g[c + d*x] - 4*b*B*(c + d*x)*(b*c - a*d + b*(c + d*x)*Log[a + b*x] - b*(c
+ d*x)*Log[c + d*x]) - B*((b*c - a*d)^2 + 2*b*(b*c - a*d)*(c + d*x) + 2*b^
2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*Log[c + d*x]) - 2*b^2*B*(c
+ d*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) -
 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 2*b^2*B*(c + d*x)^2*((2*Log
[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2,
 (b*(c + d*x))/(b*c - a*d)])))/(b*c - a*d)^2)/(4*d*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 219, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.094$, Rules used = {2952, 2767, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2952$$

$$\frac{\int \left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d\frac{a+bx}{c+dx}}{i^3(bc-ad)^2}$$

$$\downarrow 2767$$

$$\frac{\int \left(b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2-\frac{d(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{c+dx}\right) d\frac{a+bx}{c+dx}}{i^3(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{\frac{Bd(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2}+\frac{b(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx}-\frac{d(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(c+dx)^2}-\frac{2AbB(a+bx)}{c+dx}-\frac{2bB^2(a+bx)\log}{c+}}{i^3(bc-ad)^2}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/(c*i + d*i*x)^3,x]
```

output

```
(-1/4*(B^2*d*(a + b*x)^2)/(c + d*x)^2 - (2*A*b*B*(a + b*x))/(c + d*x) + (2
*b*B^2*(a + b*x))/(c + d*x) - (2*b*B^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*
x)])/(c + d*x) + (B*d*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2
*(c + d*x)^2) - (d*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*
(c + d*x)^2) + (b*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c + d
*x))/((b*c - a*d)^2*i^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2767

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_)^(r_.))^(
q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, (d + e*x
^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n, p, q, r}, x]
&& IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0] && IntegerQ[r]))
```

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(
m + 1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
 - c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

Maple [A] (verified)

Time = 1.48 (sec) , antiderivative size = 483, normalized size of antiderivative = 1.63

method	result
norman	$\frac{Bb(2Abc-Bad-2Bbc)x\ln\left(\frac{e(bx+a)}{dx+c}\right)}{i\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{B^2b^2cx\ln\left(\frac{e(bx+a)}{dx+c}\right)^2}{i\left(a^2d^2-2acdb+c^2b^2\right)}+\frac{\left(2A^2ad-2A^2bc-2ABad+4ABbc+B^2ad-4B^2bc\right)x}{2ci(da-bc)}-\frac{Ba(2Ada$
parts	$-\frac{A^2}{2i^3(dx+c)^2d}-\frac{B^2d\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2}-\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}+\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{4}\right.}{i^3(da}$
parallelrisch	$-\frac{-4A^2ab^2cd^4-2ABa^2bd^5-6ABb^3c^2d^3-8B^2ab^2cd^4+2A^2a^2bd^5+2A^2b^3c^2d^3+B^2a^2bd^5+7B^2b^3c^2d^3-2B^2x^2\ln($
derivativedivides	$-\frac{e(da-bc)\left(-\frac{d^2A^2b\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^3e^2i^3}+\frac{d^3A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^3e^3i^3}-\frac{2d^2ABb\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}\right.}{(da-bc)^3e^2i^3}\right.}{$
default	$-\frac{e(da-bc)\left(-\frac{d^2A^2b\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{(da-bc)^3e^2i^3}+\frac{d^3A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2(da-bc)^3e^3i^3}-\frac{2d^2ABb\left(\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)-\frac{(da-bc)e}{d(dx+c)}\right.}{(da-bc)^3e^2i^3}\right.}{$
orering	$-\frac{(dx+c)\left(-90b^3d^2x^3-148ab^2d^2x^2-122b^3cdx^2-39a^2bd^2x-218ab^2cdx-13b^3c^2x+19a^3d^2-96a^2bcd-13ab^2c^2\right)\left(A-\right.}{8(a^3d^3-3a^2bcd^2+3ab^2c^2d-b^3c^3)(dix+ci)^3}$
risch	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x,method=_RETURNVERBOSE)
```

output
```
(B/i*b*(2*A*b*c-B*a*d-2*B*b*c)/(a^2*d^2-2*a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/
(d*x+c))+B^2*b^2*c/i/(a^2*d^2-2*a*b*c*d+b^2*c^2)*x*ln(e*(b*x+a)/(d*x+c))^2
+1/2*(2*A^2*a*d-2*A^2*b*c-2*A*B*a*d+4*A*B*b*c+B^2*a*d-4*B^2*b*c)/c/i/(a*d-
b*c)*x-1/2*B*a*(2*A*a*d-4*A*b*c-B*a*d+4*B*b*c)/i/(a^2*d^2-2*a*b*c*d+b^2*c^
2)*ln(e*(b*x+a)/(d*x+c))-1/2*B^2*a*(a*d-2*b*c)/i/(a^2*d^2-2*a*b*c*d+b^2*c^
2)*ln(e*(b*x+a)/(d*x+c))^2+1/4*(2*A^2*a*d-2*A^2*b*c-2*A*B*a*d+6*A*B*b*c+B^
2*a*d-7*B^2*b*c)/c^2*d/i/(a*d-b*c)*x^2+1/2*b^2*d*B^2/i/(a^2*d^2-2*a*b*c*d+
b^2*c^2)*x^2*ln(e*(b*x+a)/(d*x+c))^2+1/2*d*B/i*b^2*(2*A-3*B)/(a^2*d^2-2*a*
b*c*d+b^2*c^2)*x^2*ln(e*(b*x+a)/(d*x+c)))/i^2/(d*x+c)^2
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 373, normalized size of antiderivative = 1.26

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx =$$
$$-\frac{(2\,A^2 - 6\,AB + 7\,B^2)b^2c^2 - 4\,(A^2 - 2\,AB + 2\,B^2)abcd + (2\,A^2 - 2\,AB + B^2)a^2d^2 - 2\,(B^2b^2d^2x^2 + 2$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algorithm="frica
s")
```

output
```
-1/4*((2*A^2 - 6*A*B + 7*B^2)*b^2*c^2 - 4*(A^2 - 2*A*B + 2*B^2)*a*b*c*d +
(2*A^2 - 2*A*B + B^2)*a^2*d^2 - 2*(B^2*b^2*d^2*x^2 + 2*B^2*b^2*c*d*x + 2*B
^2*a*b*c*d - B^2*a^2*d^2)*log((b*e*x + a*e)/(d*x + c))^2 - 2*((2*A*B - 3*B
^2)*b^2*c*d - (2*A*B - 3*B^2)*a*b*d^2)*x - 2*((2*A*B - 3*B^2)*b^2*d^2*x^2
+ 4*(A*B - B^2)*a*b*c*d - (2*A*B - B^2)*a^2*d^2 - 2*(B^2*a*b*d^2 - 2*(A*B
- B^2)*b^2*c*d)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^2*c^2*d^3 - 2*a*b*c*d
^4 + a^2*d^5)*i^3*x^2 + 2*(b^2*c^3*d^2 - 2*a*b*c^2*d^3 + a^2*c*d^4)*i^3*x
+ (b^2*c^4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 892 vs. 2(269) = 538.

Time = 2.28 (sec) , antiderivative size = 892, normalized size of antiderivative = 3.01

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(d*i*x+c*i)**3,x)
```

output

```
-B*b**2*(2*A - 3*B)*log(x + (2*A*B*a*b**2*d + 2*A*B*b**3*c - 3*B**2*a*b**2
*d - 3*B**2*b**3*c - B*a**3*b**2*d**3*(2*A - 3*B)/(a*d - b*c)**2 + 3*B*a**
2*b**3*c*d**2*(2*A - 3*B)/(a*d - b*c)**2 - 3*B*a*b**4*c**2*d*(2*A - 3*B)/(
a*d - b*c)**2 + B*b**5*c**3*(2*A - 3*B)/(a*d - b*c)**2)/(4*A*B*b**3*d - 6*
B**2*b**3*d))/(2*d*i**3*(a*d - b*c)**2) + B*b**2*(2*A - 3*B)*log(x + (2*A*
B*a*b**2*d + 2*A*B*b**3*c - 3*B**2*a*b**2*d - 3*B**2*b**3*c + B*a**3*b**2*
d**3*(2*A - 3*B)/(a*d - b*c)**2 - 3*B*a**2*b**3*c*d**2*(2*A - 3*B)/(a*d -
b*c)**2 + 3*B*a*b**4*c**2*d*(2*A - 3*B)/(a*d - b*c)**2 - B*b**5*c**3*(2*A
- 3*B)/(a*d - b*c)**2)/(4*A*B*b**3*d - 6*B**2*b**3*d))/(2*d*i**3*(a*d - b*
c)**2) + (-B**2*a**2*d + 2*B**2*a*b*c + 2*B**2*b**2*c*x + B**2*b**2*d*x**2
)*log(e*(a + b*x)/(c + d*x))**2/(2*a**2*c**2*d**2*i**3 + 4*a**2*c*d**3*i**
3*x + 2*a**2*d**4*i**3*x**2 - 4*a*b*c**3*d*i**3 - 8*a*b*c**2*d**2*i**3*x -
 4*a*b*c*d**3*i**3*x**2 + 2*b**2*c**4*i**3 + 4*b**2*c**3*d*i**3*x + 2*b**2
*c**2*d**2*i**3*x**2) + (-2*A*B*a*d + 2*A*B*b*c + B**2*a*d - 3*B**2*b*c -
2*B**2*b*d*x)*log(e*(a + b*x)/(c + d*x))/(2*a*c**2*d**2*i**3 + 4*a*c*d**3*
i**3*x + 2*a*d**4*i**3*x**2 - 2*b*c**3*d*i**3 - 4*b*c**2*d**2*i**3*x - 2*b
*c*d**3*i**3*x**2) + (-2*A**2*a*d + 2*A**2*b*c + 2*A*B*a*d - 6*A*B*b*c - B
**2*a*d + 7*B**2*b*c + x*(-4*A*B*b*d + 6*B**2*b*d))/(4*a*c**2*d**2*i**3 -
4*b*c**3*d*i**3 + x**2*(4*a*d**4*i**3 - 4*b*c*d**3*i**3) + x*(8*a*c*d**3*i
**3 - 8*b*c**2*d**2*i**3))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 848 vs. $2(290) = 580$.

Time = 0.09 (sec) , antiderivative size = 848, normalized size of antiderivative = 2.86

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algorithm="maxim
a")
```

output

```
1/4*(2*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2
- a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*log(b*x + a)/((b^2*c
^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a*
b*c*d^2 + a^2*d^3)*i^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - (7*b^2*c^2
 - 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x +
 a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(d*x + c)^2 + 6*(b^2*c*
d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a) - 2*
(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x +
b^2*c^2)*log(b*x + a))*log(d*x + c))/(b^2*c^4*d*i^3 - 2*a*b*c^3*d^2*i^3 +
a^2*c^2*d^3*i^3 + (b^2*c^2*d^3*i^3 - 2*a*b*c*d^4*i^3 + a^2*d^5*i^3)*x^2 +
2*(b^2*c^3*d^2*i^3 - 2*a*b*c^2*d^3*i^3 + a^2*c*d^4*i^3)*x))*B^2 + 1/2*A*B*
((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d
^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) - 2*log(b*e*x/(d*x + c) + a*e/(d*x
+ c))/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) + 2*b^2*log(b*x + a)/((b^2
*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*
a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*B^2*log(b*e*x/(d*x + c) + a*e/(d*x + c))^
2/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A^2/(d^3*i^3*x^2 + 2*c*d
^2*i^3*x + c^2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 371, normalized size of antiderivative = 1.25

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}\left(2\left(\frac{2\,(bex+ae)B^2b}{(bci^3-adi^3)(dx+c)} - \frac{(bex+ae)^2B^2d}{(bcei^3-adei^3)(dx+c)^2}\right)\log\left(\frac{bex+ae}{dx+c}\right)^2 - 2\left(\frac{(2\,ABd-B^2d)(bex+\right.\right.$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x, algorithm="giac"
)
```

output

```
1/4*(2*(2*(b*e*x + a*e)*B^2*b/((b*c*i^3 - a*d*i^3)*(d*x + c)) - (b*e*x + a
*e)^2*B^2*d/((b*c*e*i^3 - a*d*e*i^3)*(d*x + c)^2))*log((b*e*x + a*e)/(d*x
+ c))^2 - 2*((2*A*B*d - B^2*d)*(b*e*x + a*e)^2/((b*c*e*i^3 - a*d*e*i^3)*(d
*x + c)^2) - 4*(A*B*b - B^2*b)*(b*e*x + a*e)/((b*c*i^3 - a*d*i^3)*(d*x + c
)))*log((b*e*x + a*e)/(d*x + c)) - (2*A^2*d - 2*A*B*d + B^2*d)*(b*e*x + a*
e)^2/((b*c*e*i^3 - a*d*e*i^3)*(d*x + c)^2) + 4*(A^2*b - 2*A*B*b + 2*B^2*b)
*(b*e*x + a*e)/((b*c*i^3 - a*d*i^3)*(d*x + c)))*(b*c/((b*c*e - a*d*e)*(b*c
 - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 27.98 (sec) , antiderivative size = 507, normalized size of antiderivative = 1.71

$$
\begin{aligned}
&\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx \\
&= -\frac{\frac{2A^2ad-2A^2bc+B^2ad-7B^2bc-2ABad+6ABbc}{2(ad-bc)} - \frac{x\left(3B^2bd-2ABbd\right)}{ad-bc}}{2c^2di^3+4cd^2i^3x+2d^3i^3x^2} \\
&\quad - \ln\left(\frac{e(a+bx)}{c+dx}\right)^2\left(\frac{B^2}{2d^2i^3\left(2cx+dx^2+\frac{c^2}{d}\right)} - \frac{B^2b^2}{2di^3\left(a^2d^2-2abcd+b^2c^2\right)}\right) \\
&\quad - \frac{\ln\left(\frac{e(a+bx)}{c+dx}\right)\left(\frac{AB}{bd^2i^3}+\frac{B^2x(ad-bc)}{di^3\left(a^2d^2-2abcd+b^2c^2\right)} - \frac{B^2b^2\left(\frac{a^2d^2-3abcd+2b^2c^2}{2b^3d}-\frac{c(ad-bc)}{2b^2d}\right)}{di^3\left(a^2d^2-2abcd+b^2c^2\right)}\right)}{\frac{dx^2}{b}+\frac{c^2}{bd}+\frac{2cx}{b}} \\
&\quad + \frac{Bb^2\operatorname{atan}\left(\frac{Bb^2\left(2bdx+\frac{a^2d^3i^3-b^2c^2di^3}{di^3(ad-bc)}\right)(2A-3B)\,1\mathrm{i}}{(ad-bc)\left(3B^2b^2-2ABb^2\right)}\right)(2A-3B)\,1\mathrm{i}}{di^3(ad-bc)^2}
\end{aligned}
$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/(c*i + d*i*x)^3,x)
```

output

```
(B*b^2*atan((B*b^2*(2*b*d*x + (a^2*d^3*i^3 - b^2*c^2*d*i^3)/(d*i^3*(a*d -
b*c)))*(2*A - 3*B)*1i)/((a*d - b*c)*(3*B^2*b^2 - 2*A*B*b^2)))*(2*A - 3*B)*
1i)/(d*i^3*(a*d - b*c)^2) - log((e*(a + b*x))/(c + d*x))^2*(B^2/(2*d^2*i^3
*(2*c*x + d*x^2 + c^2/d)) - (B^2*b^2)/(2*d*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*
c*d))) - (log((e*(a + b*x))/(c + d*x))*((A*B)/(b*d^2*i^3) + (B^2*x*(a*d -
b*c))/(d*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (B^2*b^2*((a^2*d^2 + 2*b^2
*c^2 - 3*a*b*c*d)/(2*b^3*d) - (c*(a*d - b*c))/(2*b^2*d)))/(d*i^3*(a^2*d^2
+ b^2*c^2 - 2*a*b*c*d))))/((d*x^2)/b + c^2/(b*d) + (2*c*x)/b) - ((2*A^2*a*
d - 2*A^2*b*c + B^2*a*d - 7*B^2*b*c - 2*A*B*a*d + 6*A*B*b*c)/(2*(a*d - b*c
)) - (x*(3*B^2*b*d - 2*A*B*b*d))/(a*d - b*c))/(2*c^2*d*i^3 + 2*d^3*i^3*x^2
 + 4*c*d^2*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 886, normalized size of antiderivative = 2.99

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(d*i*x+c*i)^3,x)
```

output

```
(i*(4*log(a + b*x)*a*b**3*c**3 + 8*log(a + b*x)*a*b**3*c**2*d*x - 2*log(a
+ b*x)*a*b**3*c**2*d + 4*log(a + b*x)*a*b**3*c*d**2*x**2 - 4*log(a + b*x)*
a*b**3*c*d**2*x - 2*log(a + b*x)*a*b**3*d**3*x**2 - 4*log(a + b*x)*b**4*c*
*3 - 8*log(a + b*x)*b**4*c**2*d*x - 4*log(a + b*x)*b**4*c*d**2*x**2 - 4*lo
g(c + d*x)*a*b**3*c**3 - 8*log(c + d*x)*a*b**3*c**2*d*x + 2*log(c + d*x)*a
*b**3*c**2*d - 4*log(c + d*x)*a*b**3*c*d**2*x**2 + 4*log(c + d*x)*a*b**3*c
*d**2*x + 2*log(c + d*x)*a*b**3*d**3*x**2 + 4*log(c + d*x)*b**4*c**3 + 8*l
og(c + d*x)*b**4*c**2*d*x + 4*log(c + d*x)*b**4*c*d**2*x**2 - 2*log((a*e +
 b*e*x)/(c + d*x))**2*a**2*b**2*c*d**2 + 4*log((a*e + b*e*x)/(c + d*x))**2
*a*b**3*c**2*d + 4*log((a*e + b*e*x)/(c + d*x))**2*b**4*c**2*d*x + 2*log((
a*e + b*e*x)/(c + d*x))**2*b**4*c*d**2*x**2 - 4*log((a*e + b*e*x)/(c + d*x
))*a**3*b*c*d**2 + 8*log((a*e + b*e*x)/(c + d*x))*a**2*b**2*c**2*d + 2*log
((a*e + b*e*x)/(c + d*x))*a**2*b**2*c*d**2 - 4*log((a*e + b*e*x)/(c + d*x)
)*a*b**3*c**3 - 6*log((a*e + b*e*x)/(c + d*x))*a*b**3*c**2*d + 2*log((a*e
+ b*e*x)/(c + d*x))*a*b**3*d**3*x**2 + 4*log((a*e + b*e*x)/(c + d*x))*b**4
*c**3 - 2*log((a*e + b*e*x)/(c + d*x))*b**4*c*d**2*x**2 - 2*a**4*c*d**2 +
4*a**3*b*c**2*d + 2*a**3*b*c*d**2 - 2*a**2*b**2*c**3 - 6*a**2*b**2*c**2*d
- a**2*b**2*c*d**2 + 2*a**2*b**2*d**3*x**2 + 4*a*b**3*c**3 + 5*a*b**3*c**2
*d - 2*a*b**3*c*d**2*x**2 - 3*a*b**3*d**3*x**2 - 4*b**4*c**3 + 3*b**4*c*d*
*2*x**2))/(4*c*d*(a**2*c**2*d**2 + 2*a**2*c*d**3*x + a**2*d**4*x**2 - 2...
```

3.104 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$

Optimal result 1275
Mathematica [A] (verified) 1276
Rubi [A] (warning: unable to verify) 1277
Maple [B] (verified) 1280
Fricas [A] (verification not implemented) 1281
Sympy [B] (verification not implemented) 1282
Maxima [B] (verification not implemented) 1283
Giac [A] (verification not implemented) 1284
Mupad [B] (verification not implemented) 1284
Reduce [B] (verification not implemented) 1285

Optimal result

Integrand size = 42, antiderivative size = 375

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx &= \frac{B^2d^2(a+bx)^2}{4(bc-ad)^3gi^3(c+dx)^2}+\frac{4AbBd(a+bx)}{(bc-ad)^3gi^3(c+dx)}\\ &-\frac{4bB^2d(a+bx)}{(bc-ad)^3gi^3(c+dx)}+\frac{4bB^2d(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^3gi^3(c+dx)}\\ &-\frac{Bd^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^3gi^3(c+dx)^2}\\ &+\frac{d^2(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^3gi^3(c+dx)^2}\\ &-\frac{2bd(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^3gi^3(c+dx)}\\ &+\frac{b^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^3gi^3}\end{aligned}$$

output
```
1/4*B^2*d^2*(b*x+a)^2/(-a*d+b*c)^3/g/i^3/(d*x+c)^2+4*A*b*B*d*(b*x+a)/(-a*d
+b*c)^3/g/i^3/(d*x+c)-4*b*B^2*d*(b*x+a)/(-a*d+b*c)^3/g/i^3/(d*x+c)+4*b*B^2
*d*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^3/g/i^3/(d*x+c)-1/2*B*d^2*(b*x
+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^3/g/i^3/(d*x+c)^2+1/2*d^2*(b*
x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g/i^3/(d*x+c)^2-2*b*d*(b
*x+a)*(A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^3/g/i^3/(d*x+c)+1/3*b^2*(A+
B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^3/g/i^3
```

Mathematica [A] (verified)

Time = 0.83 (sec) , antiderivative size = 290, normalized size of antiderivative = 0.77

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{\frac{3(2A^2-2AB+B^2)(bc-ad)^2}{(c+dx)^2}+\frac{6b(2A^2-6AB+7B^2)(bc-ad)}{c+dx}+6b^2(2A^2-6AB+7B^2)\log(a+bx)+\frac{6B(bc-ad)(B(-7bc+a}{}}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i
*x)^3),x]
```

output
```
((3*(2*A^2 - 2*A*B + B^2)*(b*c - a*d)^2)/(c + d*x)^2 + (6*b*(2*A^2 - 6*A*B
 + 7*B^2)*(b*c - a*d))/(c + d*x) + 6*b^2*(2*A^2 - 6*A*B + 7*B^2)*Log[a + b
*x] + (6*B*(b*c - a*d)*(B*(-7*b*c + a*d - 6*b*d*x) + A*(6*b*c - 2*a*d + 4*
b*d*x))*Log[(e*(a + b*x))/(c + d*x)])/(c + d*x)^2 + (6*B*(2*A*b^2*(c + d*x
)^2 + B*d*(a + b*x)*(-4*b*c + a*d - 3*b*d*x))*Log[(e*(a + b*x))/(c + d*x)]
^2)/(c + d*x)^2 + 4*b^2*B^2*Log[(e*(a + b*x))/(c + d*x)]^3 - 6*b^2*(2*A^2
 - 6*A*B + 7*B^2)*Log[c + d*x])/(12*(b*c - a*d)^3*g*i^3)
```

Rubi [A] (warning: unable to verify)

Time = 0.86 (sec) , antiderivative size = 351, normalized size of antiderivative = 0.94, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {2962, 2788, 2767, 2009, 2788, 2733, 2009, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx} - d\int \left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2767$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx} - d\int \left(b\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 - \frac{d(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{c+dx}\right) d\frac{a+}{c+}}{gi^3(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx} - d\left(\frac{Bd(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2} + \frac{b(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - \frac{d(a-}{}\right.}{gi^3(bc-ad)^3}$$

$$\downarrow 2788$$

$$\frac{b\left(b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx} - d\int \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 d\frac{a+bx}{c+dx}\right) - d\left(\frac{Bd(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2} + \right.}{gi^3}$$

$$\downarrow 2733$$

$$b\left(b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\int\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)d\frac{a+bx}{c+dx}\right)\right) - d$$

$$\downarrow 2009$$

$$b\left(b\int \frac{(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+b}{c+d}\right.\right.\right.$$

$$\downarrow 2739$$

$$b\left(\frac{b\int \frac{(a+bx)^2}{(c+dx)^2}d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{B} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right)\right)\right.$$

$$\downarrow 15$$

$$b\left(\frac{b(a+bx)^3}{3B(c+dx)^3} - d\left(\frac{(a+bx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{c+dx} - 2B\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{c+dx} - \frac{B(a+bx)}{c+dx}\right)\right)\right) - d\left(\frac{Bd(a+bx)^2\left(}{2}\right.$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)*(c*i + d*i*x)^3)
,x]
```

output

```
(-(d*(-1/4*(B^2*d*(a + b*x)^2)/(c + d*x)^2 - (2*A*b*B*(a + b*x))/(c + d*x)
 + (2*b*B^2*(a + b*x))/(c + d*x) - (2*b*B^2*(a + b*x)*Log[(e*(a + b*x))/(c
 + d*x)])/(c + d*x) + (B*d*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(2*(c + d*x)^2) - (d*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2
)/(2*(c + d*x)^2) + (b*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(
c + d*x))) + b*((b*(a + b*x)^3)/(3*B*(c + d*x)^3) - d*(((a + b*x)*(A + B*L
og[(e*(a + b*x))/(c + d*x)])^2)/(c + d*x) - 2*B*((A*(a + b*x))/(c + d*x) -
 (B*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(c +
 d*x)))))/((b*c - a*d)^3*g*i^3)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2767
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_)^(r_.))^(
q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, (d + e*x
^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n, p, q, r}, x]
&& IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0] && IntegerQ[r]))
```

rule 2788
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 768 vs. 2(367) = 734.

Time = 2.09 (sec) , antiderivative size = 769, normalized size of antiderivative = 2.05

method	result
parts	$\frac{A^2\left(-\frac{1}{2(da-bc)(dx+c)^2}+\frac{b^2\ln(dx+c)}{(da-bc)^3}+\frac{b}{(da-bc)^2(dx+c)}-\frac{b^2\ln(bx+a)}{(da-bc)^3}\right)}{g\,i^3}-\frac{B^2d\left(\frac{d\left(\frac{\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{2}\right.}{}\right.}{}$
derivativedivides	$-\frac{e(da-bc)\left(\frac{d^2A^2b^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}-\frac{2d^3A^2b\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^4g}+\frac{d^4A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^4g}+\frac{d^2AB\,b^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}\right.}{}$
default	$-\frac{e(da-bc)\left(\frac{d^2A^2b^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}-\frac{2d^3A^2b\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e^2i^3(da-bc)^4g}+\frac{d^4A^2\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)^2}{2e^3i^3(da-bc)^4g}+\frac{d^2AB\,b^2\ln\left(\frac{be}{d}+\frac{(da-bc)e}{d(dx+c)}\right)}{e\,i^3(da-bc)^4g}\right.}{}$
norman	$-\frac{2A^2a\,d^3-6A^2bc\,d^2-2ABa\,d^3+14ABbc\,d^2+B^2a\,d^3-15B^2bc\,d^2}{4ig\,d^2\left(a^2d^2-2acdb+c^2b^2\right)}-\frac{\left(2A^2b^2c^2+2AB\,a^2d^2-8ABabcd-B^2a^2d^2+8B^2abcd\right)\ln\left(\frac{e(b}{da}\right.}{}$
parallelrisch	Expression too large to display
risch	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x,method=_RETU
RNVERBOSE)
```

output

```
1/g*A^2/i^3*(-1/2/(a*d-b*c)/(d*x+c)^2+b^2/(a*d-b*c)^3*ln(d*x+c)+b/(a*d-b*c
)^2/(d*x+c)-b^2/(a*d-b*c)^3*ln(b*x+a))-B^2/g/i^3*d/(a*d-b*c)^2/e^2*(d/(a*d
-b*c)*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))
^2-1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+1/4
*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2/(a*d-b*c)*b*e*((b*e/d+(a*d-b*c)*e/d/(d
*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))+2*(a*d-b*c)*e/d/(d*x+c)+2*b*e/d)+1/3/d/(a*d
-b*c)*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3)-2*A*B/g/i^3*d/(a*d-b*c)^2
/e^2*(d/(a*d-b*c)*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-2/(a*d-b*c)*b*e*((b*e/d+
(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+
c)-b*e/d)+1/2/d/(a*d-b*c)*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 545, normalized size of antiderivative = 1.45

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{3\,(6\,A^2 - 14\,AB + 15\,B^2)b^2c^2 - 24\,(A^2 - 2\,AB + 2\,B^2)abcd + 3\,(2\,A^2 - 2\,AB + B^2)a^2d^2 + 4\,(B^2b^2d^2x^2}{}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algo
rithm="fricas")
```

output

```
1/12*(3*(6*A^2 - 14*A*B + 15*B^2)*b^2*c^2 - 24*(A^2 - 2*A*B + 2*B^2)*a*b*c
*d + 3*(2*A^2 - 2*A*B + B^2)*a^2*d^2 + 4*(B^2*b^2*d^2*x^2 + 2*B^2*b^2*c*d*
x + B^2*b^2*c^2)*log((b*e*x + a*e)/(d*x + c))^3 + 6*((2*A*B - 3*B^2)*b^2*d
^2*x^2 + 2*A*B*b^2*c^2 - 4*B^2*a*b*c*d + B^2*a^2*d^2 - 2*(B^2*a*b*d^2 - 2*
(A*B - B^2)*b^2*c*d)*x)*log((b*e*x + a*e)/(d*x + c))^2 + 6*((2*A^2 - 6*A*B
 + 7*B^2)*b^2*c*d - (2*A^2 - 6*A*B + 7*B^2)*a*b*d^2)*x + 6*((2*A^2 - 6*A*B
 + 7*B^2)*b^2*d^2*x^2 + 2*A^2*b^2*c^2 - 8*(A*B - B^2)*a*b*c*d + (2*A*B - B
^2)*a^2*d^2 + 2*(2*(A^2 - 2*A*B + 2*B^2)*b^2*c*d - (2*A*B - 3*B^2)*a*b*d^2
)*x)*log((b*e*x + a*e)/(d*x + c)))/((b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^2
*b*c*d^4 - a^3*d^5)*g*i^3*x^2 + 2*(b^3*c^4*d - 3*a*b^2*c^3*d^2 + 3*a^2*b*c
^2*d^3 - a^3*c*d^4)*g*i^3*x + (b^3*c^5 - 3*a*b^2*c^4*d + 3*a^2*b*c^3*d^2 -
 a^3*c^2*d^3)*g*i^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1488 vs. $2(333) = 666$.

Time = 4.17 (sec) , antiderivative size = 1488, normalized size of antiderivative = 3.97

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)/(d*i*x+c*i)**3,x)
```

output

```
-B**2*b**2*log(e*(a + b*x)/(c + d*x))**3/(3*a**3*d**3*g*i**3 - 9*a**2*b*c*
d**2*g*i**3 + 9*a*b**2*c**2*d*g*i**3 - 3*b**3*c**3*g*i**3) + b**2*(2*A**2
 - 6*A*B + 7*B**2)*log(x + (2*A**2*a*b**2*d + 2*A**2*b**3*c - 6*A*B*a*b**2*
d - 6*A*B*b**3*c + 7*B**2*a*b**2*d + 7*B**2*b**3*c - a**4*b**2*d**4*(2*A**
2 - 6*A*B + 7*B**2)/(a*d - b*c)**3 + 4*a**3*b**3*c*d**3*(2*A**2 - 6*A*B + 
7*B**2)/(a*d - b*c)**3 - 6*a**2*b**4*c**2*d**2*(2*A**2 - 6*A*B + 7*B**2)/(
a*d - b*c)**3 + 4*a*b**5*c**3*d*(2*A**2 - 6*A*B + 7*B**2)/(a*d - b*c)**3 - 
 b**6*c**4*(2*A**2 - 6*A*B + 7*B**2)/(a*d - b*c)**3)/(4*A**2*b**3*d - 12*A
*B*b**3*d + 14*B**2*b**3*d))/(2*g*i**3*(a*d - b*c)**3) - b**2*(2*A**2 - 6*
A*B + 7*B**2)*log(x + (2*A**2*a*b**2*d + 2*A**2*b**3*c - 6*A*B*a*b**2*d - 
6*A*B*b**3*c + 7*B**2*a*b**2*d + 7*B**2*b**3*c + a**4*b**2*d**4*(2*A**2 - 
6*A*B + 7*B**2)/(a*d - b*c)**3 - 4*a**3*b**3*c*d**3*(2*A**2 - 6*A*B + 7*B*
*2)/(a*d - b*c)**3 + 6*a**2*b**4*c**2*d**2*(2*A**2 - 6*A*B + 7*B**2)/(a*d
 - b*c)**3 - 4*a*b**5*c**3*d*(2*A**2 - 6*A*B + 7*B**2)/(a*d - b*c)**3 + b**
6*c**4*(2*A**2 - 6*A*B + 7*B**2)/(a*d - b*c)**3)/(4*A**2*b**3*d - 12*A*B*b
**3*d + 14*B**2*b**3*d))/(2*g*i**3*(a*d - b*c)**3) + (-2*A*B*a*d + 6*A*B*b
*c + 4*A*B*b*d*x + B**2*a*d - 7*B**2*b*c - 6*B**2*b*d*x)*log(e*(a + b*x)/(
c + d*x))/(2*a**2*c**2*d**2*g*i**3 + 4*a**2*c*d**3*g*i**3*x + 2*a**2*d**4*
g*i**3*x**2 - 4*a*b*c**3*d*g*i**3 - 8*a*b*c**2*d**2*g*i**3*x - 4*a*b*c*d**
3*g*i**3*x**2 + 2*b**2*c**4*g*i**3 + 4*b**2*c**3*d*g*i**3*x + 2*b**2*c*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2116 vs. $2(367) = 734$.

Time $= 0.29$ (sec) , antiderivative size $= 2116$, normalized size of antiderivative $= 5.64$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algo
rithm="maxima")
```

output

```
1/2*B^2*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g*
i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (b^2*c^4 - 2
*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*
c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((b^3*c^3 - 3
*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(b*e*x/(d*x + c) + a*e/
(d*x + c))^2 + A*B*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 +
a^2*d^4)*g*i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (
b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3
 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((
b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(b*e*x/(d*x
+ c) + a*e/(d*x + c)) - 1/12*B^2*(6*(7*b^2*c^2 - 8*a*b*c*d + a^2*d^2 + 2*(
b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*b
^2*c*d*x + b^2*c^2)*log(d*x + c)^2 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*
x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a) - 2*(3*b^2*d^2*x^2 + 6*b^2*c*d*x
 + 3*b^2*c^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d
*x + c))*log(b*e*x/(d*x + c) + a*e/(d*x + c))/(b^3*c^5*g*i^3 - 3*a*b^2*c^4
*d*g*i^3 + 3*a^2*b*c^3*d^2*g*i^3 - a^3*c^2*d^3*g*i^3 + (b^3*c^3*d^2*g*i^3
- 3*a*b^2*c^2*d^3*g*i^3 + 3*a^2*b*c*d^4*g*i^3 - a^3*d^5*g*i^3)*x^2 + 2*(b^
3*c^4*d*g*i^3 - 3*a*b^2*c^3*d^2*g*i^3 + 3*a^2*b*c^2*d^3*g*i^3 - a^3*c*d^4*
g*i^3)*x) - (45*b^2*c^2 - 48*a*b*c*d + 3*a^2*d^2 + 4*(b^2*d^2*x^2 + 2*b...
```

Giac [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 672, normalized size of antiderivative = 1.79

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$$
$$=\frac{1}{12}\left(\frac{4\,B^2b^2e\log\left(\frac{bex+ae}{dx+c}\right)^3}{b^2c^2gi^3-2\,abcdgi^3+a^2d^2gi^3}+\frac{12\,A^2b^2e\log\left(\frac{bex+ae}{dx+c}\right)}{b^2c^2gi^3-2\,abcdgi^3+a^2d^2gi^3}+6\left(\frac{2\,ABb^2e}{b^2c^2gi^3-2\,abcdgi^3+a^2d^2gi^3}\right.\right.$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x, algo
rithm="giac")
```

output
```
1/12*(4*B^2*b^2*e*log((b*e*x + a*e)/(d*x + c))^3/(b^2*c^2*g*i^3 - 2*a*b*c*
d*g*i^3 + a^2*d^2*g*i^3) + 12*A^2*b^2*e*log((b*e*x + a*e)/(d*x + c))/(b^2*
c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3) + 6*(2*A*B*b^2*e/(b^2*c^2*g*i
^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3) - 4*(b*e*x + a*e)*B^2*b*d/((b^2*c^2*
g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)) + (b*e*x + a*e)^2*B^2*
d^2/((b^2*c^2*e*g*i^3 - 2*a*b*c*d*e*g*i^3 + a^2*d^2*e*g*i^3)*(d*x + c)^2))
*log((b*e*x + a*e)/(d*x + c))^2 + 6*((2*A*B*d^2 - B^2*d^2)*(b*e*x + a*e)^2
/((b^2*c^2*e*g*i^3 - 2*a*b*c*d*e*g*i^3 + a^2*d^2*e*g*i^3)*(d*x + c)^2) - 8
*(A*B*b*d - B^2*b*d)*(b*e*x + a*e)/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2
*d^2*g*i^3)*(d*x + c)))*log((b*e*x + a*e)/(d*x + c)) + 3*(2*A^2*d^2 - 2*A*
B*d^2 + B^2*d^2)*(b*e*x + a*e)^2/((b^2*c^2*e*g*i^3 - 2*a*b*c*d*e*g*i^3 + a
^2*d^2*e*g*i^3)*(d*x + c)^2) - 24*(A^2*b*d - 2*A*B*b*d + 2*B^2*b*d)*(b*e*x
 + a*e)/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)))*(b*
c/((b*c*e - a*d*e)*(b*c - a*d)) - a*d/((b*c*e - a*d*e)*(b*c - a*d)))
```

Mupad [B] (verification not implemented)

Time = 30.06 (sec) , antiderivative size = 984, normalized size of antiderivative = 2.62

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)*(c*i + d*i*x)^3)
,x)
```

output

```
(b^2*atan((b^2*(A^2 + (7*B^2)/2 - 3*A*B)*(2*a^3*d^3*g*i^3 + 2*b^3*c^3*g*i^
3 - 2*a*b^2*c^2*d*g*i^3 - 2*a^2*b*c*d^2*g*i^3)*1i)/(g*i^3*(a*d - b*c)^3*(2
*A^2*b^2 + 7*B^2*b^2 - 6*A*B*b^2)) + (b^3*d*x*(a^2*d^2*g*i^3 + b^2*c^2*g*i
^3 - 2*a*b*c*d*g*i^3)*(A^2 + (7*B^2)/2 - 3*A*B)*4i)/(g*i^3*(a*d - b*c)^3*(
2*A^2*b^2 + 7*B^2*b^2 - 6*A*B*b^2)))*(A^2 + (7*B^2)/2 - 3*A*B)*2i)/(g*i^3*
(a*d - b*c)^3) - ((2*A^2*a*d - 6*A^2*b*c + B^2*a*d - 15*B^2*b*c - 2*A*B*a*
d + 14*A*B*b*c)/(2*(a*d - b*c)) - (x*(2*A^2*b*d + 7*B^2*b*d - 6*A*B*b*d))/
(a*d - b*c))/(x^2*(2*a*d^3*g*i^3 - 2*b*c*d^2*g*i^3) + x*(4*a*c*d^2*g*i^3 -
 4*b*c^2*d*g*i^3) - 2*b*c^3*g*i^3 + 2*a*c^2*d*g*i^3) - (log((e*(a + b*x))/
(c + d*x))*(B^2/(b*d*g*i^3*(a*d - b*c)) + (B*b^2*((a^2*d^2 + 2*b^2*c^2 - 3
*a*b*c*d)/(2*b^3*d) - (c*(a*d - b*c))/(2*b^2*d))*(2*A - 3*B))/(g*i^3*(a^3*
d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) - (B*x*(2*A - 3*B)*(a*d -
b*c))/(g*i^3*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))))/((d*x^
2)/b + c^2/(b*d) + (2*c*x)/b) - log((e*(a + b*x))/(c + d*x))^2*(((B^2*b^2*
((a^2*d^2 + 2*b^2*c^2 - 3*a*b*c*d)/(2*b^3*d) - (c*(a*d - b*c))/(2*b^2*d)))
/(g*i^3*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) - (B^2*x*(a*d
 - b*c))/(g*i^3*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)))/((d*
x^2)/b + c^2/(b*d) + (2*c*x)/b) + (B*b^2*(2*A - 3*B))/(2*g*i^3*(a^3*d^3 -
b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))) - (B^2*b^2*log((e*(a + b*x))/(c
 + d*x))^3)/(3*g*i^3*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 1457, normalized size of antiderivative = 3.89

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**2*b**2*c**3 - 24*log(a + b*x)*a**2*b**2*c**2*d*x
 + 12*log(a + b*x)*a**2*b**2*c**2*d - 12*log(a + b*x)*a**2*b**2*c*d**2*x**
2 + 24*log(a + b*x)*a**2*b**2*c*d**2*x + 12*log(a + b*x)*a**2*b**2*d**3*x*
*2 + 24*log(a + b*x)*a*b**3*c**3 + 48*log(a + b*x)*a*b**3*c**2*d*x - 18*lo
g(a + b*x)*a*b**3*c**2*d + 24*log(a + b*x)*a*b**3*c*d**2*x**2 - 36*log(a +
 b*x)*a*b**3*c*d**2*x - 18*log(a + b*x)*a*b**3*d**3*x**2 - 24*log(a + b*x)
*b**4*c**3 - 48*log(a + b*x)*b**4*c**2*d*x - 24*log(a + b*x)*b**4*c*d**2*x
**2 + 12*log(c + d*x)*a**2*b**2*c**3 + 24*log(c + d*x)*a**2*b**2*c**2*d*x
- 12*log(c + d*x)*a**2*b**2*c**2*d + 12*log(c + d*x)*a**2*b**2*c*d**2*x**2
 - 24*log(c + d*x)*a**2*b**2*c*d**2*x - 12*log(c + d*x)*a**2*b**2*d**3*x**
2 - 24*log(c + d*x)*a*b**3*c**3 - 48*log(c + d*x)*a*b**3*c**2*d*x + 18*log
(c + d*x)*a*b**3*c**2*d - 24*log(c + d*x)*a*b**3*c*d**2*x**2 + 36*log(c +
d*x)*a*b**3*c*d**2*x + 18*log(c + d*x)*a*b**3*d**3*x**2 + 24*log(c + d*x)*
b**4*c**3 + 48*log(c + d*x)*b**4*c**2*d*x + 24*log(c + d*x)*b**4*c*d**2*x*
*2 - 4*log((a*e + b*e*x)/(c + d*x))**3*b**4*c**3 - 8*log((a*e + b*e*x)/(c
+ d*x))**3*b**4*c**2*d*x - 4*log((a*e + b*e*x)/(c + d*x))**3*b**4*c*d**2*x
**2 - 6*log((a*e + b*e*x)/(c + d*x))**2*a**2*b**2*c*d**2 - 12*log((a*e + b
*e*x)/(c + d*x))**2*a*b**3*c**3 - 24*log((a*e + b*e*x)/(c + d*x))**2*a*b**
3*c**2*d*x + 24*log((a*e + b*e*x)/(c + d*x))**2*a*b**3*c**2*d - 12*log((a*
e + b*e*x)/(c + d*x))**2*a*b**3*c*d**2*x**2 + 12*log((a*e + b*e*x)/(c +...
```

3.105 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$

Optimal result 1288
Mathematica [A] (verified) 1289
Rubi [A] (verified) 1289
Maple [B] (verified) 1291
Fricas [A] (verification not implemented) 1292
Sympy [B] (verification not implemented) 1293
Maxima [B] (verification not implemented) 1294
Giac [F] 1295
Mupad [B] (verification not implemented) 1296
Reduce [B] (verification not implemented) 1297

Optimal result

Integrand size = 42, antiderivative size = 525

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = &-\frac{B^2d^3(a+bx)^2}{4(bc-ad)^4g^2i^3(c+dx)^2}-\frac{6AbBd^2(a+bx)}{(bc-ad)^4g^2i^3(c+dx)}\\&+\frac{6bB^2d^2(a+bx)}{(bc-ad)^4g^2i^3(c+dx)}-\frac{2b^3B^2(c+dx)}{(bc-ad)^4g^2i^3(a+bx)}\\&-\frac{6bB^2d^2(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^4g^2i^3(c+dx)}\\&+\frac{Bd^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^4g^2i^3(c+dx)^2}\\&-\frac{2b^3B(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^4g^2i^3(a+bx)}\\&-\frac{d^3(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^4g^2i^3(c+dx)^2}\\&+\frac{3bd^2(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^4g^2i^3(c+dx)}\\&-\frac{b^3(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^4g^2i^3(a+bx)}\\&-\frac{b^2d\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{B(bc-ad)^4g^2i^3}\end{aligned}$$

output

```
-1/4*B^2*d^3*(b*x+a)^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2-6*A*b*B*d^2*(b*x+a)/
(-a*d+b*c)^4/g^2/i^3/(d*x+c)+6*b*B^2*d^2*(b*x+a)/(-a*d+b*c)^4/g^2/i^3/(d*x
+c)-2*b^3*B^2*(d*x+c)/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-6*b*B^2*d^2*(b*x+a)*ln(
e*(b*x+a)/(d*x+c))/(-a*d+b*c)^4/g^2/i^3/(d*x+c)+1/2*B*d^3*(b*x+a)^2*(A+B*l
n(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2-2*b^3*B*(d*x+c)*(A+B*
ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-1/2*d^3*(b*x+a)^2*(A+B
*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2+3*b*d^2*(b*x+a)*(
A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)-b^3*(d*x+c)*(A+B
*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-b^2*d*(A+B*ln(e*(b*
x+a)/(d*x+c)))^3/B/(-a*d+b*c)^4/g^2/i^3
```

Mathematica [A] (verified)

Time = 1.17 (sec) , antiderivative size = 453, normalized size of antiderivative = 0.86

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx =$$

$$-\frac{(2A^2-2AB+B^2)\,d(bc-ad)^2(a+bx)+2b(4A^2-10AB+11B^2)\,d(bc-ad)(a+bx)(c+dx)+4b^2}{}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d
*i*x)^3),x]
```

output
```
-1/4*((2*A^2 - 2*A*B + B^2)*d*(b*c - a*d)^2*(a + b*x) + 2*b*(4*A^2 - 10*A*
B + 11*B^2)*d*(b*c - a*d)*(a + b*x)*(c + d*x) + 4*b^2*(A^2 + 2*A*B + 2*B^2
)*(b*c - a*d)*(c + d*x)^2 + 6*b^2*(2*A^2 - 2*A*B + 5*B^2)*d*(a + b*x)*(c +
 d*x)^2*Log[a + b*x] + 2*B*(b*c - a*d)*((2*A - B)*d*(b*c - a*d)*(a + b*x)
+ 2*b*(4*A - 5*B)*d*(a + b*x)*(c + d*x) + 4*b^2*(A + B)*(c + d*x)^2)*Log[(
e*(a + b*x))/(c + d*x)] + 2*B*(a^3*B*d^3 - 3*a^2*b*B*d^2*(2*c + d*x) + 3*a
*b^2*d*(2*A*(c + d*x)^2 - B*d*x*(4*c + 3*d*x)) + b^3*(6*A*d*x*(c + d*x)^2
+ B*(2*c^3 + 6*c^2*d*x - 3*d^3*x^3)))*Log[(e*(a + b*x))/(c + d*x)]^2 + 4*b
^2*B^2*d*(a + b*x)*(c + d*x)^2*Log[(e*(a + b*x))/(c + d*x)]^3 - 6*b^2*(2*A
^2 - 2*A*B + 5*B^2)*d*(a + b*x)*(c + d*x)^2*Log[c + d*x])/((b*c - a*d)^4*g
^2*i^3*(a + b*x)*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 366, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2795$$

$$\frac{\int\left(\frac{(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^3}{(a+bx)^2}-\frac{3d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b^2}{a+bx}+3d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2b-\frac{d^3(a+bx)\left(A+B\log\right.}{c+dx}\right.}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2009$$

$$-\frac{b^3(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}-\frac{2b^3B(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{a+bx}-\frac{b^2d\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^3}{B}-\frac{d^3(a+bx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(c+dx)^2}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^2*(c*i + d*i*x)^
3),x]
```

output

```
(-1/4*(B^2*d^3*(a + b*x)^2)/(c + d*x)^2 - (6*A*b*B*d^2*(a + b*x))/(c + d*x
) + (6*b*B^2*d^2*(a + b*x))/(c + d*x) - (2*b^3*B^2*(c + d*x))/(a + b*x) -
(6*b*B^2*d^2*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/(c + d*x) + (B*d^3*(a
 + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(c + d*x)^2) - (2*b^3*B
*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(a + b*x) - (d^3*(a + b*x
)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(2*(c + d*x)^2) + (3*b*d^2*(a
+ b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(c + d*x) - (b^3*(c + d*x)*
(A + B*Log[(e*(a + b*x))/(c + d*x)])^2)/(a + b*x) - (b^2*d*(A + B*Log[(e*(
a + b*x))/(c + d*x)])^3)/B)/((b*c - a*d)^4*g^2*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1079 vs. $2(519) = 1038$.

Time = 3.41 (sec) , antiderivative size = 1080, normalized size of antiderivative = 2.06

method	result	size
parts	Expression too large to display	1080
derivativedivides	Expression too large to display	1233
default	Expression too large to display	1233
parallelrisch	Expression too large to display	1762
norman	Expression too large to display	1852
risch	Expression too large to display	2114

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,method=_RE
TURNVERBOSE)
```

output

```
1/g^2*A^2/i^3*(-1/2*d/(a*d-b*c)^2/(d*x+c)^2+3*d/(a*d-b*c)^4*b^2*ln(d*x+c)+
2*d/(a*d-b*c)^3*b/(d*x+c)+b^2/(a*d-b*c)^3/(b*x+a)-3*d/(a*d-b*c)^4*b^2*ln(b
*x+a))-B^2/g^2/i^3*d/(a*d-b*c)^2/e^2*(d^2/(a*d-b*c)^2*(1/2*(b*e/d+(a*d-b*c
)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2*(b*e/d+(a*d-b*c)*e/
d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+1/4*(b*e/d+(a*d-b*c)*e/d/(d*x
+c))^2)-3/(a*d-b*c)^2*b*d*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^2-2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/
(d*x+c))+2*(a*d-b*c)*e/d/(d*x+c)+2*b*e/d)+1/(a*d-b*c)^2*b^2*e^2*ln(b*e/d+(
a*d-b*c)*e/d/(d*x+c))^3-1/d/(a*d-b*c)^2*b^3*e^3*(-1/(b*e/d+(a*d-b*c)*e/d/(
d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*
ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))-2*A*B/g^
2/i^3*d/(a*d-b*c)^2/e^2*(d^2/(a*d-b*c)^2*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c)
)^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-3
*d/(a*d-b*c)^2*b*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)+3/2/(a*d-b*c)^2*b^2*e^2*ln(b*e/d+(a*d
-b*c)*e/d/(d*x+c))^2-1/d/(a*d-b*c)^2*b^3*e^3*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x
+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))))
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 1008, normalized size of antiderivative = 1.92

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output

```
-1/4*(4*(A^2 + 2*A*B + 2*B^2)*b^3*c^3 + 3*(2*A^2 - 10*A*B + 5*B^2)*a*b^2*c
^2*d - 12*(A^2 - 2*A*B + 2*B^2)*a^2*b*c*d^2 + (2*A^2 - 2*A*B + B^2)*a^3*d^
3 + 4*(B^2*b^3*d^3*x^3 + B^2*a*b^2*c^2*d + (2*B^2*b^3*c*d^2 + B^2*a*b^2*d^
3)*x^2 + (B^2*b^3*c^2*d + 2*B^2*a*b^2*c*d^2)*x)*log((b*e*x + a*e)/(d*x + c
))^3 + 6*((2*A^2 - 2*A*B + 5*B^2)*b^3*c*d^2 - (2*A^2 - 2*A*B + 5*B^2)*a*b^
2*d^3)*x^2 + 2*(3*(2*A*B - B^2)*b^3*d^3*x^3 + 2*B^2*b^3*c^3 + 6*A*B*a*b^2*
c^2*d - 6*B^2*a^2*b*c*d^2 + B^2*a^3*d^3 + 3*(4*A*B*b^3*c*d^2 + (2*A*B - 3*
B^2)*a*b^2*d^3)*x^2 - 3*(B^2*a^2*b*d^3 - 2*(A*B + B^2)*b^3*c^2*d - 4*(A*B
- B^2)*a*b^2*c*d^2)*x)*log((b*e*x + a*e)/(d*x + c))^2 + 3*((6*A^2 - 2*A*B
+ 13*B^2)*b^3*c^2*d - 2*(2*A^2 + 2*A*B + 3*B^2)*a*b^2*c*d^2 - (2*A^2 - 6*A
*B + 7*B^2)*a^2*b*d^3)*x + 2*(3*(2*A^2 - 2*A*B + 5*B^2)*b^3*d^3*x^3 + 6*A^
2*a*b^2*c^2*d + 4*(A*B + B^2)*b^3*c^3 - 12*(A*B - B^2)*a^2*b*c*d^2 + (2*A*
B - B^2)*a^3*d^3 + 3*(4*(A^2 + 2*B^2)*b^3*c*d^2 + (2*A^2 - 6*A*B + 7*B^2)*
a*b^2*d^3)*x^2 + 3*(2*(A^2 + 2*A*B + 2*B^2)*b^3*c^2*d + 4*(A^2 - 2*A*B + 2
*B^2)*a*b^2*c*d^2 - (2*A*B - 3*B^2)*a^2*b*d^3)*x)*log((b*e*x + a*e)/(d*x +
 c)))/((b^5*c^4*d^2 - 4*a*b^4*c^3*d^3 + 6*a^2*b^3*c^2*d^4 - 4*a^3*b^2*c*d^
5 + a^4*b*d^6)*g^2*i^3*x^3 + (2*b^5*c^5*d - 7*a*b^4*c^4*d^2 + 8*a^2*b^3*c^
3*d^3 - 2*a^3*b^2*c^2*d^4 - 2*a^4*b*c*d^5 + a^5*d^6)*g^2*i^3*x^2 + (b^5*c^
6 - 2*a*b^4*c^5*d - 2*a^2*b^3*c^4*d^2 + 8*a^3*b^2*c^3*d^3 - 7*a^4*b*c^2*d^
4 + 2*a^5*c*d^5)*g^2*i^3*x + (a*b^4*c^6 - 4*a^2*b^3*c^5*d + 6*a^3*b^2*c...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2683 vs. $2(484) = 968$.

Time $= 27.49$ (sec) , antiderivative size $= 2683$, normalized size of antiderivative $= 5.11$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**2/(d*i*x+c*i)**3,x)
```

output

```
-B**2*b**2*d*log(e*(a + b*x)/(c + d*x))**3/(a**4*d**4*g**2*i**3 - 4*a**3*b
*c*d**3*g**2*i**3 + 6*a**2*b**2*c**2*d**2*g**2*i**3 - 4*a*b**3*c**3*d*g**2
*i**3 + b**4*c**4*g**2*i**3) + 3*b**2*d*(2*A**2 - 2*A*B + 5*B**2)*log(x +
(6*A**2*a*b**2*d**2 + 6*A**2*b**3*c*d - 6*A*B*a*b**2*d**2 - 6*A*B*b**3*c*d
 + 15*B**2*a*b**2*d**2 + 15*B**2*b**3*c*d - 3*a**5*b**2*d**6*(2*A**2 - 2*A
*B + 5*B**2)/(a*d - b*c)**4 + 15*a**4*b**3*c*d**5*(2*A**2 - 2*A*B + 5*B**2
)/(a*d - b*c)**4 - 30*a**3*b**4*c**2*d**4*(2*A**2 - 2*A*B + 5*B**2)/(a*d -
 b*c)**4 + 30*a**2*b**5*c**3*d**3*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4
 - 15*a*b**6*c**4*d**2*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4 + 3*b**7*c
**5*d*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4)/(12*A**2*b**3*d**2 - 12*A*
B*b**3*d**2 + 30*B**2*b**3*d**2))/(2*g**2*i**3*(a*d - b*c)**4) - 3*b**2*d*
(2*A**2 - 2*A*B + 5*B**2)*log(x + (6*A**2*a*b**2*d**2 + 6*A**2*b**3*c*d -
6*A*B*a*b**2*d**2 - 6*A*B*b**3*c*d + 15*B**2*a*b**2*d**2 + 15*B**2*b**3*c*
d + 3*a**5*b**2*d**6*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4 - 15*a**4*b*
*3*c*d**5*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4 + 30*a**3*b**4*c**2*d**
4*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b*c)**4 - 30*a**2*b**5*c**3*d**3*(2*A**
2 - 2*A*B + 5*B**2)/(a*d - b*c)**4 + 15*a*b**6*c**4*d**2*(2*A**2 - 2*A*B +
 5*B**2)/(a*d - b*c)**4 - 3*b**7*c**5*d*(2*A**2 - 2*A*B + 5*B**2)/(a*d - b
*c)**4)/(12*A**2*b**3*d**2 - 12*A*B*b**3*d**2 + 30*B**2*b**3*d**2))/(2*g**
2*i**3*(a*d - b*c)**4) + (-2*A*B*a**2*d**2 + 10*A*B*a*b*c*d + 6*A*B*a*b...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4188 vs. $2(519) = 1038$.

Time $= 0.56$ (sec) , antiderivative size $= 4188$, normalized size of antiderivative $= 7.98$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag + bgx)^2(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output

```
-1/2*B^2*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d
+ a*b*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^
5)*g^2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*
b*c*d^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^
2 + 5*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*
d + 3*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c
^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3)
 - 6*b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*
a^3*b*c*d^3 + a^4*d^4)*g^2*i^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c))^2 -
A*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d + a*b
*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5)*g^
2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*b*c*d
^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^2 + 5
*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*d + 3
*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c^4 -
4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3) - 6*
b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b
*c*d^3 + a^4*d^4)*g^2*i^3))*log(b*e*x/(d*x + c) + a*e/(d*x + c)) - 1/4*B^2
*(2*(4*b^3*c^3 - 15*a*b^2*c^2*d + 12*a^2*b*c*d^2 - a^3*d^3 - 6*(b^3*c*d^2
- a*b^2*d^3)*x^2 - 6*(b^3*d^3*x^3 + a*b^2*c^2*d + (2*b^3*c*d^2 + a*b^2*...
```

Giac [F]

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^2(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output

```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)^2/((b*g*x + a*g)^2*(d*i*x + c
*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 32.62 (sec) , antiderivative size = 1505, normalized size of antiderivative = 2.87

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^2*(c*i + d*i*x)^
3),x)
```

output

```
((4*A^2*b^2*c^2 - 2*A^2*a^2*d^2 - B^2*a^2*d^2 + 8*B^2*b^2*c^2 + 2*A*B*a^2*
d^2 + 8*A*B*b^2*c^2 + 10*A^2*a*b*c*d + 23*B^2*a*b*c*d - 22*A*B*a*b*c*d)/(2
*(a*d - b*c)) + (3*x^2*(2*A^2*b^2*d^2 + 5*B^2*b^2*d^2 - 2*A*B*b^2*d^2))/(a
*d - b*c) + (3*x*(2*A^2*a*b*d^2 + 7*B^2*a*b*d^2 + 6*A^2*b^2*c*d + 13*B^2*b
^2*c*d - 6*A*B*a*b*d^2 - 2*A*B*b^2*c*d))/(2*(a*d - b*c)))/(x*(2*b^3*c^4*g^
2*i^3 + 4*a^3*c*d^3*g^2*i^3 - 6*a^2*b*c^2*d^2*g^2*i^3) + x^2*(2*a^3*d^4*g^
2*i^3 + 4*b^3*c^3*d*g^2*i^3 - 6*a*b^2*c^2*d^2*g^2*i^3) + x^3*(2*b^3*c^2*d^
2*g^2*i^3 + 2*a^2*b*d^4*g^2*i^3 - 4*a*b^2*c*d^3*g^2*i^3) + 2*a^3*c^2*d^2*g
^2*i^3 + 2*a*b^2*c^4*g^2*i^3 - 4*a^2*b*c^3*d*g^2*i^3) - log((e*(a + b*x))/
(c + d*x))^2*((x*((3*B^2)/(2*g^2*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (3
*B^2*(a*d + b*c))/(g^2*i^3*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) +
 (B^2*(a*d + 2*b*c))/(2*g^2*i^3*(a^2*b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) -
 (3*B^2*a*c)/(g^2*i^3*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (3*B^
2*b*d*x^2)/(g^2*i^3*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)))/(d*x^3 +
 (a*c^2)/(b*d) + (x^2*(a*d^2 + 2*b*c*d))/(b*d) + (x*(b*c^2 + 2*a*c*d))/(b*
d)) + (3*B*b^2*d*(2*A - B))/(2*g^2*i^3*(a*d - b*c)^2*(a^2*d^2 + b^2*c^2 -
2*a*b*c*d))) - (log((e*(a + b*x))/(c + d*x))*(x*((3*(B^2 + 2*A*B))/(2*g^2*
i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (3*B*(2*A - B)*(a*d + b*c))/(g^2*i^
3*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) + (4*B^2*b*c - B^2*a*d + 2
*A*B*a*d + 4*A*B*b*c)/(2*g^2*i^3*(a^2*b*d^3 + b^3*c^2*d - 2*a*b^2*c*d^2...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 3298, normalized size of antiderivative = 6.28

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**4*b**2*c**2*d**2 - 24*log(a + b*x)*a**4*b**2*c*d
**3*x - 12*log(a + b*x)*a**4*b**2*d**4*x**2 - 24*log(a + b*x)*a**3*b**3*c*
*3*d - 60*log(a + b*x)*a**3*b**3*c**2*d**2*x + 36*log(a + b*x)*a**3*b**3*c
**2*d**2 - 48*log(a + b*x)*a**3*b**3*c*d**3*x**2 + 72*log(a + b*x)*a**3*b*
*3*c*d**3*x - 12*log(a + b*x)*a**3*b**3*d**4*x**3 + 36*log(a + b*x)*a**3*b
**3*d**4*x**2 - 24*log(a + b*x)*a**2*b**4*c**3*d*x - 48*log(a + b*x)*a**2*
b**4*c**2*d**2*x**2 + 36*log(a + b*x)*a**2*b**4*c**2*d**2*x - 42*log(a + b
*x)*a**2*b**4*c**2*d**2 - 24*log(a + b*x)*a**2*b**4*c*d**3*x**3 + 72*log(a
 + b*x)*a**2*b**4*c*d**3*x**2 - 84*log(a + b*x)*a**2*b**4*c*d**3*x + 36*lo
g(a + b*x)*a**2*b**4*d**4*x**3 - 42*log(a + b*x)*a**2*b**4*d**4*x**2 - 48*
log(a + b*x)*a*b**5*c**3*d - 138*log(a + b*x)*a*b**5*c**2*d**2*x - 132*log
(a + b*x)*a*b**5*c*d**3*x**2 - 42*log(a + b*x)*a*b**5*d**4*x**3 - 48*log(a
 + b*x)*b**6*c**3*d*x - 96*log(a + b*x)*b**6*c**2*d**2*x**2 - 48*log(a + b
*x)*b**6*c*d**3*x**3 + 12*log(c + d*x)*a**4*b**2*c**2*d**2 + 24*log(c + d*
x)*a**4*b**2*c*d**3*x + 12*log(c + d*x)*a**4*b**2*d**4*x**2 + 24*log(c + d
*x)*a**3*b**3*c**3*d + 60*log(c + d*x)*a**3*b**3*c**2*d**2*x - 36*log(c + 
d*x)*a**3*b**3*c**2*d**2 + 48*log(c + d*x)*a**3*b**3*c*d**3*x**2 - 72*log(
c + d*x)*a**3*b**3*c*d**3*x + 12*log(c + d*x)*a**3*b**3*d**4*x**3 - 36*log
(c + d*x)*a**3*b**3*d**4*x**2 + 24*log(c + d*x)*a**2*b**4*c**3*d*x + 48*lo
g(c + d*x)*a**2*b**4*c**2*d**2*x**2 - 36*log(c + d*x)*a**2*b**4*c**2*d*...
```

3.106 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$

Optimal result 1299
Mathematica [A] (verified) 1300
Rubi [A] (verified) 1301
Maple [B] (verified) 1303
Fricas [B] (verification not implemented) 1304
Sympy [B] (verification not implemented) 1305
Maxima [B] (verification not implemented) 1306
Giac [F] 1307
Mupad [B] (verification not implemented) 1308
Reduce [B] (verification not implemented) 1309

Optimal result

Integrand size = 42, antiderivative size = 685

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = {} & \frac{B^2d^4(a+bx)^2}{4(bc-ad)^5g^3i^3(c+dx)^2}+\frac{8AbBd^3(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}\\ & -\frac{8bB^2d^3(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}+\frac{8b^3B^2d(c+dx)}{(bc-ad)^5g^3i^3(a+bx)}\\ & -\frac{b^4B^2(c+dx)^2}{4(bc-ad)^5g^3i^3(a+bx)^2}\\ & +\frac{8bB^2d^3(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^5g^3i^3(c+dx)}\\ & -\frac{Bd^4(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ & +\frac{8b^3Bd(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^5g^3i^3(a+bx)}\\ & -\frac{b^4B(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ & +\frac{d^4(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ & -\frac{4bd^3(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^5g^3i^3(c+dx)}\\ & +\frac{4b^3d(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^5g^3i^3(a+bx)}\\ & -\frac{b^4(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ & +\frac{2b^2d^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{B(bc-ad)^5g^3i^3}\end{aligned}$$

output

```
1/4*B^2*d^4*(b*x+a)^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+8*A*b*B*d^3*(b*x+a)/(
-a*d+b*c)^5/g^3/i^3/(d*x+c)-8*b*B^2*d^3*(b*x+a)/(-a*d+b*c)^5/g^3/i^3/(d*x+
c)+8*b^3*B^2*d*(d*x+c)/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/4*b^4*B^2*(d*x+c)^2/
(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+8*b*B^2*d^3*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(
-a*d+b*c)^5/g^3/i^3/(d*x+c)-1/2*B*d^4*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c))
)/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+8*b^3*B*d*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+
c)))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*b^4*B*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d
*x+c)))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+1/2*d^4*(b*x+a)^2*(A+B*ln(e*(b*x+a)
/(d*x+c)))^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2-4*b*d^3*(b*x+a)*(A+B*ln(e*(b*x
+a)/(d*x+c)))^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)+4*b^3*d*(d*x+c)*(A+B*ln(e*(b*
x+a)/(d*x+c)))^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*b^4*(d*x+c)^2*(A+B*ln(e*
(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+2*b^2*d^2*(A+B*ln(e*(b*
x+a)/(d*x+c)))^3/B/(-a*d+b*c)^5/g^3/i^3
```

Mathematica [A] (verified)

Time = 1.56 (sec) , antiderivative size = 611, normalized size of antiderivative = 0.89

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$$

$$=\frac{(2A^2-2AB+B^2)\,d^2(bc-ad)^2(a+bx)^2+2b(6A^2-14AB+15B^2)\,d^2(bc-ad)(a+bx)^2(c+dx)-b^2$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d
*i*x)^3),x]
```

output

```
((2*A^2 - 2*A*B + B^2)*d^2*(b*c - a*d)^2*(a + b*x)^2 + 2*b*(6*A^2 - 14*A*B
 + 15*B^2)*d^2*(b*c - a*d)*(a + b*x)^2*(c + d*x) - b^2*(2*A^2 + 2*A*B + B^
2)*(b*c - a*d)^2*(c + d*x)^2 + 2*b^2*(6*A^2 + 14*A*B + 15*B^2)*d*(b*c - a*
d)*(a + b*x)*(c + d*x)^2 + 12*b^2*(2*A^2 + 5*B^2)*d^2*(a + b*x)^2*(c + d*x
)^2*Log[a + b*x] + 2*B*(b*c - a*d)*((2*A - B)*d^2*(b*c - a*d)*(a + b*x)^2
+ 2*b*(6*A - 7*B)*d^2*(a + b*x)^2*(c + d*x) - b^2*(2*A + B)*(b*c - a*d)*(c
 + d*x)^2 + 2*b^2*(6*A + 7*B)*d*(a + b*x)*(c + d*x)^2)*Log[(e*(a + b*x))/(
c + d*x)] - 2*B*(-(a^4*B*d^4) + 4*a^3*b*B*d^3*(2*c + d*x) - 6*a^2*b^2*d^2*
(2*A*(c + d*x)^2 - B*d*x*(4*c + 3*d*x)) + b^4*(-12*A*d^2*x^2*(c + d*x)^2 +
 B*c*(c^3 - 4*c^2*d*x - 18*c*d^2*x^2 - 12*d^3*x^3)) - 4*a*b^3*d*(6*A*d*x*(
c + d*x)^2 + B*(2*c^3 + 6*c^2*d*x - 3*d^3*x^3)))*Log[(e*(a + b*x))/(c + d*
x)]^2 + 8*b^2*B^2*d^2*(a + b*x)^2*(c + d*x)^2*Log[(e*(a + b*x))/(c + d*x)]
^3 - 12*b^2*(2*A^2 + 5*B^2)*d^2*(a + b*x)^2*(c + d*x)^2*Log[c + d*x])/(4*(
b*c - a*d)^5*g^3*i^3*(a + b*x)^2*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 478, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^3}\,d\frac{a+bx}{c+dx}}{g^3i^3(bc-ad)^5}$$

$$\downarrow 2795$$

$$\frac{\int \left(\frac{(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^4}{(a+bx)^3}-\frac{4d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^3}{(a+bx)^2}+\frac{6d^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^2}{a+bx}-4d^3\left(A+B\log\right.\right.}{g^3i^3(bc-ad)^5}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2}-\frac{b^4B(c+dx)^2\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{2(a+bx)^2}+\frac{4b^3d(c+dx)\left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{a+bx}+\frac{8b^3Bd(c+dx)\left(B\log\left(\frac{e}{}\right.\right.}{a+bx}$$

input
```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^3*(c*i + d*i*x)^
3),x]
```

output
```
((B^2*d^4*(a + b*x)^2)/(4*(c + d*x)^2) + (8*A*b*B*d^3*(a + b*x))/(c + d*x)
 - (8*b*B^2*d^3*(a + b*x))/(c + d*x) + (8*b^3*B^2*d*(c + d*x))/(a + b*x) -
 (b^4*B^2*(c + d*x)^2)/(4*(a + b*x)^2) + (8*b*B^2*d^3*(a + b*x)*Log[(e*(a
+ b*x))/(c + d*x)])/(c + d*x) - (B*d^4*(a + b*x)^2*(A + B*Log[(e*(a + b*x)
)/(c + d*x)]))/(2*(c + d*x)^2) + (8*b^3*B*d*(c + d*x)*(A + B*Log[(e*(a + b
*x))/(c + d*x)]))/(a + b*x) - (b^4*B*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/
(c + d*x)]))/(2*(a + b*x)^2) + (d^4*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(
c + d*x)])^2)/(2*(c + d*x)^2) - (4*b*d^3*(a + b*x)*(A + B*Log[(e*(a + b*x)
)/(c + d*x)])^2)/(c + d*x) + (4*b^3*d*(c + d*x)*(A + B*Log[(e*(a + b*x))/(
c + d*x)])^2)/(a + b*x) - (b^4*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d
*x)])^2)/(2*(a + b*x)^2) + (2*b^2*d^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^3)/B)/((b*c - a*d)^5*g^3*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1395 vs. $2(673) = 1346$.

Time = 3.04 (sec) , antiderivative size = 1396, normalized size of antiderivative = 2.04

method	result	size
parts	Expression too large to display	1396
derivativedivides	Expression too large to display	1589
default	Expression too large to display	1589
risch	Expression too large to display	2582
parallelrisch	Expression too large to display	2630
norman	Expression too large to display	2758

input

```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,method=_RE
TURNVERBOSE)
```

output

```
A^2/g^3/i^3*(-1/2*d^2/(a*d-b*c)^3/(d*x+c)^2+6*d^2/(a*d-b*c)^5*b^2*ln(d*x+c
)+3*d^2/(a*d-b*c)^4*b/(d*x+c)+1/2*b^2/(a*d-b*c)^3/(b*x+a)^2-6*d^2/(a*d-b*c
)^5*b^2*ln(b*x+a)+3*b^2/(a*d-b*c)^4*d/(b*x+a))-B^2/g^3/i^3*d/(a*d-b*c)^2/e
^2*(d^3/(a*d-b*c)^3*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c
)*e/d/(d*x+c))^2-1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/
d/(d*x+c))+1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-4*d^2/(a*d-b*c)^3*b*e*((b*
e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2*(b*e/d+(a*d
-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+2*(a*d-b*c)*e/d/(d*x+c)
+2*b*e/d)+2*d/(a*d-b*c)^3*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3-4/(a*d
-b*c)^3*b^3*e^3*(-1/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(
d*x+c))^2-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-
2/(b*e/d+(a*d-b*c)*e/d/(d*x+c)))+1/d/(a*d-b*c)^3*b^4*e^4*(-1/2/(b*e/d+(a*d
-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c
)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/
(d*x+c))^2))-2*A*B/g^3/i^3*d/(a*d-b*c)^2/e^2*(d^3/(a*d-b*c)^3*(1/2*(b*e/d+
(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/4*(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^2)-4*d^2/(a*d-b*c)^3*b*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*l
n(b*e/d+(a*d-b*c)*e/d/(d*x+c))-(a*d-b*c)*e/d/(d*x+c)-b*e/d)+3*d/(a*d-b*c)^
3*b^2*e^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-4/(a*d-b*c)^3*b^3*e^3*(-1/(b*e
/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-1/(b*e/d+(a*d...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1517 vs. $2(673) = 1346$.

Time $= 0.12$ (sec) , antiderivative size $= 1517$, normalized size of antiderivative $= 2.21$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output

```
-1/4*(60*A*B*a^2*b^2*c^2*d^2 + (2*A^2 + 2*A*B + B^2)*b^4*c^4 - 16*(A^2 + 2
*A*B + 2*B^2)*a*b^3*c^3*d + 16*(A^2 - 2*A*B + 2*B^2)*a^3*b*c*d^3 - (2*A^2
 - 2*A*B + B^2)*a^4*d^4 - 12*((2*A^2 + 5*B^2)*b^4*c*d^3 - (2*A^2 + 5*B^2)*a
*b^3*d^4)*x^3 - 8*(B^2*b^4*d^4*x^4 + B^2*a^2*b^2*c^2*d^2 + 2*(B^2*b^4*c*d^
3 + B^2*a*b^3*d^4)*x^3 + (B^2*b^4*c^2*d^2 + 4*B^2*a*b^3*c*d^3 + B^2*a^2*b^
2*d^4)*x^2 + 2*(B^2*a*b^3*c^2*d^2 + B^2*a^2*b^2*c*d^3)*x)*log((b*e*x + a*e
)/(d*x + c))^3 + 6*(8*A*B*a*b^3*c*d^3 - (6*A^2 + 4*A*B + 15*B^2)*b^4*c^2*d
^2 + (6*A^2 - 4*A*B + 15*B^2)*a^2*b^2*d^4)*x^2 - 2*(12*A*B*b^4*d^4*x^4 - B
^2*b^4*c^4 + 8*B^2*a*b^3*c^3*d + 12*A*B*a^2*b^2*c^2*d^2 - 8*B^2*a^3*b*c*d^
3 + B^2*a^4*d^4 + 12*((2*A*B + B^2)*b^4*c*d^3 + (2*A*B - B^2)*a*b^3*d^4)*x
^3 + 6*(8*A*B*a*b^3*c*d^3 + (2*A*B + 3*B^2)*b^4*c^2*d^2 + (2*A*B - 3*B^2)*
a^2*b^2*d^4)*x^2 + 4*(B^2*b^4*c^3*d - B^2*a^3*b*d^4 + 6*(A*B + B^2)*a*b^3*
c^2*d^2 + 6*(A*B - B^2)*a^2*b^2*c*d^3)*x)*log((b*e*x + a*e)/(d*x + c))^2 -
 4*((2*A^2 + 6*A*B + 7*B^2)*b^4*c^3*d + 6*(2*A^2 - A*B + 4*B^2)*a*b^3*c^2*
d^2 - 6*(2*A^2 + A*B + 4*B^2)*a^2*b^2*c*d^3 - (2*A^2 - 6*A*B + 7*B^2)*a^3*
b*d^4)*x - 2*(6*(2*A^2 + 5*B^2)*b^4*d^4*x^4 + 12*A^2*a^2*b^2*c^2*d^2 - (2*
A*B + B^2)*b^4*c^4 + 16*(A*B + B^2)*a*b^3*c^3*d - 16*(A*B - B^2)*a^3*b*c*d
^3 + (2*A*B - B^2)*a^4*d^4 + 12*((2*A^2 + 2*A*B + 5*B^2)*b^4*c*d^3 + (2*A^
2 - 2*A*B + 5*B^2)*a*b^3*d^4)*x^3 + 6*((2*A^2 + 6*A*B + 7*B^2)*b^4*c^2*d^2
 + 8*(A^2 + 2*B^2)*a*b^3*c*d^3 + (2*A^2 - 6*A*B + 7*B^2)*a^2*b^2*d^4)*x...
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3720 vs. $2(638) = 1276$.

Time $= 50.01$ (sec) , antiderivative size $= 3720$, normalized size of antiderivative $= 5.43$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**3/(d*i*x+c*i)**3,x)
```

output

```
-2*B**2*b**2*d**2*log(e*(a + b*x)/(c + d*x))**3/(a**5*d**5*g**3*i**3 - 5*a
**4*b*c*d**4*g**3*i**3 + 10*a**3*b**2*c**2*d**3*g**3*i**3 - 10*a**2*b**3*c
**3*d**2*g**3*i**3 + 5*a*b**4*c**4*d*g**3*i**3 - b**5*c**5*g**3*i**3) + 3*
b**2*d**2*(2*A**2 + 5*B**2)*log(x + (6*A**2*a*b**2*d**3 + 6*A**2*b**3*c*d*
*2 + 15*B**2*a*b**2*d**3 + 15*B**2*b**3*c*d**2 - 3*a**6*b**2*d**8*(2*A**2
+ 5*B**2)/(a*d - b*c)**5 + 18*a**5*b**3*c*d**7*(2*A**2 + 5*B**2)/(a*d - b*
c)**5 - 45*a**4*b**4*c**2*d**6*(2*A**2 + 5*B**2)/(a*d - b*c)**5 + 60*a**3*
b**5*c**3*d**5*(2*A**2 + 5*B**2)/(a*d - b*c)**5 - 45*a**2*b**6*c**4*d**4*(
2*A**2 + 5*B**2)/(a*d - b*c)**5 + 18*a*b**7*c**5*d**3*(2*A**2 + 5*B**2)/(a
*d - b*c)**5 - 3*b**8*c**6*d**2*(2*A**2 + 5*B**2)/(a*d - b*c)**5)/(12*A**2
*b**3*d**3 + 30*B**2*b**3*d**3))/(g**3*i**3*(a*d - b*c)**5) - 3*b**2*d**2*
(2*A**2 + 5*B**2)*log(x + (6*A**2*a*b**2*d**3 + 6*A**2*b**3*c*d**2 + 15*B*
*2*a*b**2*d**3 + 15*B**2*b**3*c*d**2 + 3*a**6*b**2*d**8*(2*A**2 + 5*B**2)/
(a*d - b*c)**5 - 18*a**5*b**3*c*d**7*(2*A**2 + 5*B**2)/(a*d - b*c)**5 + 45
*a**4*b**4*c**2*d**6*(2*A**2 + 5*B**2)/(a*d - b*c)**5 - 60*a**3*b**5*c**3*
d**5*(2*A**2 + 5*B**2)/(a*d - b*c)**5 + 45*a**2*b**6*c**4*d**4*(2*A**2 + 5
*B**2)/(a*d - b*c)**5 - 18*a*b**7*c**5*d**3*(2*A**2 + 5*B**2)/(a*d - b*c)*
*5 + 3*b**8*c**6*d**2*(2*A**2 + 5*B**2)/(a*d - b*c)**5)/(12*A**2*b**3*d**3
 + 30*B**2*b**3*d**3))/(g**3*i**3*(a*d - b*c)**5) + (-2*A*B*a**3*d**3 + 14
*A*B*a**2*b*c*d**2 + 8*A*B*a**2*b*d**3*x + 14*A*B*a*b**2*c**2*d + 56*A*...
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5583 vs. $2(673) = 1346$.

Time $= 0.42$ (sec) , antiderivative size $= 5583$, normalized size of antiderivative $= 8.15$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output

```
1/2*B^2*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d^2 - a^3*d
^3 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d^2 + a^2*b
*d^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4*a^3*b^3*c
*d^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2 + 2*a^2*b
^4*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^3*i^3*x^3
+ (b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*c^2*d^4 +
a^6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3*b^3*c^4*d^2
+ 2*a^4*b^2*c^3*d^3 - 3*a^5*b*c^2*d^4 + a^6*c*d^5)*g^3*i^3*x + (a^2*b^4*c^
6 - 4*a^3*b^3*c^5*d + 6*a^4*b^2*c^4*d^2 - 4*a^5*b*c^3*d^3 + a^6*c^2*d^4)*g
^3*i^3) + 12*b^2*d^2*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c
^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3) - 12*b^2*d
^2*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^
2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3))*log(b*e*x/(d*x + c) + a*e/(
d*x + c))^2 + A*B*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d
^2 - a^3*d^3 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d
^2 + a^2*b*d^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4
*a^3*b^3*c*d^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2
 + 2*a^2*b^4*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^
3*i^3*x^3 + (b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*
c^2*d^4 + a^6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3...
```

Giac [F]

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^3(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output

```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)^2/((b*g*x + a*g)^3*(d*i*x + c
*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 36.22 (sec) , antiderivative size = 2155, normalized size of antiderivative = 3.15

$$\int \frac{\left(A + B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^3*(c*i + d*i*x)^
3),x)
```

output

```
((2*x*(2*A^2*a^2*b*d^3 + 7*B^2*a^2*b*d^3 + 2*A^2*b^3*c^2*d + 7*B^2*b^3*c^2
*d + 14*A^2*a*b^2*c*d^2 + 31*B^2*a*b^2*c*d^2 - 6*A*B*a^2*b*d^3 + 6*A*B*b^3
*c^2*d))/(a*d - b*c) - (2*A^2*a^3*d^3 + 2*A^2*b^3*c^3 + B^2*a^3*d^3 + B^2*
b^3*c^3 - 2*A*B*a^3*d^3 + 2*A*B*b^3*c^3 - 14*A^2*a*b^2*c^2*d - 14*A^2*a^2*
b*c*d^2 - 31*B^2*a*b^2*c^2*d - 31*B^2*a^2*b*c*d^2 - 30*A*B*a*b^2*c^2*d + 3
0*A*B*a^2*b*c*d^2)/(2*(a*d - b*c)) + (6*x^3*(2*A^2*b^3*d^3 + 5*B^2*b^3*d^3
))/(a*d - b*c) + (3*x^2*(6*A^2*a*b^2*d^3 + 15*B^2*a*b^2*d^3 + 6*A^2*b^3*c*
d^2 + 15*B^2*b^3*c*d^2 - 4*A*B*a*b^2*d^3 + 4*A*B*b^3*c*d^2))/(a*d - b*c))/
(x^4*(2*a^3*b^2*d^5*g^3*i^3 - 2*b^5*c^3*d^2*g^3*i^3 + 6*a*b^4*c^2*d^3*g^3*
i^3 - 6*a^2*b^3*c*d^4*g^3*i^3) - x*(4*a*b^4*c^5*g^3*i^3 - 4*a^5*c*d^4*g^3*
i^3 - 8*a^2*b^3*c^4*d*g^3*i^3 + 8*a^4*b*c^2*d^3*g^3*i^3) + x^3*(4*a^4*b*d^
5*g^3*i^3 - 4*b^5*c^4*d*g^3*i^3 + 8*a*b^4*c^3*d^2*g^3*i^3 - 8*a^3*b^2*c*d^
4*g^3*i^3) + x^2*(2*a^5*d^5*g^3*i^3 - 2*b^5*c^5*g^3*i^3 - 2*a*b^4*c^4*d*g^
3*i^3 + 2*a^4*b*c*d^4*g^3*i^3 + 16*a^2*b^3*c^3*d^2*g^3*i^3 - 16*a^3*b^2*c^
2*d^3*g^3*i^3) - 2*a^2*b^3*c^5*g^3*i^3 + 2*a^5*c^2*d^3*g^3*i^3 + 6*a^3*b^2
*c^4*d*g^3*i^3 - 6*a^4*b*c^3*d^2*g^3*i^3) + log((e*(a + b*x))/(c + d*x))^2
*((x*((3*B^2*(a*d + b*c)^2)/(g^3*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) -
B^2/(g^3*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (6*B^2*a*b*c*d)/(g^3*i^3*(
a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2)) - (B^2*(a*d + b*c))/(2*g^3*i^3*(a^2*b*d
^3 + b^3*c^2*d - 2*a*b^2*c*d^2)) + (6*B^2*b^2*d^2*x^3)/(g^3*i^3*(a^2*d^...
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 4870, normalized size of antiderivative = 7.11

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 24*log(a + b*x)*a**5*b**2*c**2*d**3 - 48*log(a + b*x)*a**5*b**2*c*d
**4*x - 24*log(a + b*x)*a**5*b**2*d**5*x**2 - 24*log(a + b*x)*a**4*b**3*c*
*3*d**2 - 96*log(a + b*x)*a**4*b**3*c**2*d**3*x + 24*log(a + b*x)*a**4*b**
3*c**2*d**3 - 120*log(a + b*x)*a**4*b**3*c*d**4*x**2 + 48*log(a + b*x)*a**
4*b**3*c*d**4*x - 48*log(a + b*x)*a**4*b**3*d**5*x**3 + 24*log(a + b*x)*a*
*4*b**3*d**5*x**2 - 48*log(a + b*x)*a**3*b**4*c**3*d**2*x - 24*log(a + b*x
)*a**3*b**4*c**3*d**2 - 120*log(a + b*x)*a**3*b**4*c**2*d**3*x**2 - 60*log
(a + b*x)*a**3*b**4*c**2*d**3 - 96*log(a + b*x)*a**3*b**4*c*d**4*x**3 + 72
*log(a + b*x)*a**3*b**4*c*d**4*x**2 - 120*log(a + b*x)*a**3*b**4*c*d**4*x
 - 24*log(a + b*x)*a**3*b**4*d**5*x**4 + 48*log(a + b*x)*a**3*b**4*d**5*x**
3 - 60*log(a + b*x)*a**3*b**4*d**5*x**2 - 24*log(a + b*x)*a**2*b**5*c**3*d
**2*x**2 - 48*log(a + b*x)*a**2*b**5*c**3*d**2*x - 60*log(a + b*x)*a**2*b*
*5*c**3*d**2 - 48*log(a + b*x)*a**2*b**5*c**2*d**3*x**3 - 72*log(a + b*x)*
a**2*b**5*c**2*d**3*x**2 - 240*log(a + b*x)*a**2*b**5*c**2*d**3*x - 24*log
(a + b*x)*a**2*b**5*c*d**4*x**4 - 300*log(a + b*x)*a**2*b**5*c*d**4*x**2 +
 24*log(a + b*x)*a**2*b**5*d**5*x**4 - 120*log(a + b*x)*a**2*b**5*d**5*x**
3 - 24*log(a + b*x)*a*b**6*c**3*d**2*x**2 - 120*log(a + b*x)*a*b**6*c**3*d
**2*x - 48*log(a + b*x)*a*b**6*c**2*d**3*x**3 - 300*log(a + b*x)*a*b**6*c*
*2*d**3*x**2 - 24*log(a + b*x)*a*b**6*c*d**4*x**4 - 240*log(a + b*x)*a*b**
6*c*d**4*x**3 - 60*log(a + b*x)*a*b**6*d**5*x**4 - 60*log(a + b*x)*b**7...
```

3.107 $\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$

Optimal result 1311
Mathematica [A] (verified) 1312
Rubi [A] (verified) 1313
Maple [B] (verified) 1315
Fricas [B] (verification not implemented) 1316
Sympy [F(-1)] 1317
Maxima [B] (verification not implemented) 1318
Giac [F] 1319
Mupad [B] (verification not implemented) 1319
Reduce [B] (verification not implemented) 1320

Optimal result

Integrand size = 42, antiderivative size = 851

$$\begin{aligned}\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = &-\frac{B^2d^5(a+bx)^2}{4(bc-ad)^6g^4i^3(c+dx)^2}-\frac{10AbBd^4(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}\\&+\frac{10bB^2d^4(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}-\frac{20b^3B^2d^2(c+dx)}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4B^2d(c+dx)^2}{4(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{2b^5B^2(c+dx)^3}{27(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{10bB^2d^4(a+bx)\log\left(\frac{e(a+bx)}{c+dx}\right)}{(bc-ad)^6g^4i^3(c+dx)}\\&+\frac{Bd^5(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^6g^4i^3(c+dx)^2}\\&-\frac{20b^3Bd^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4Bd(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{2(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{2b^5B(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)}{9(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{d^5(a+bx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^6g^4i^3(c+dx)^2}\\&+\frac{5bd^4(a+bx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^6g^4i^3(c+dx)}\\&-\frac{10b^3d^2(c+dx)\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4d(c+dx)^2\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{2(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{b^5(c+dx)^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{3(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{10b^2d^3\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^3}{3B(bc-ad)^6g^4i^3}\end{aligned}$$

output

```
-1/4*B^2*d^5*(b*x+a)^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2-10*A*b*B*d^4*(b*x+a)
/(-a*d+b*c)^6/g^4/i^3/(d*x+c)+10*b*B^2*d^4*(b*x+a)/(-a*d+b*c)^6/g^4/i^3/(d
*x+c)-20*b^3*B^2*d^2*(d*x+c)/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/4*b^4*B^2*d*(d
*x+c)^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-2/27*b^5*B^2*(d*x+c)^3/(-a*d+b*c)^6
/g^4/i^3/(b*x+a)^3-10*b*B^2*d^4*(b*x+a)*ln(e*(b*x+a)/(d*x+c))/(-a*d+b*c)^6
/g^4/i^3/(d*x+c)+1/2*B*d^5*(b*x+a)^2*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a*d+b*c
)^6/g^4/i^3/(d*x+c)^2-20*b^3*B*d^2*(d*x+c)*(A+B*ln(e*(b*x+a)/(d*x+c)))/(-a
*d+b*c)^6/g^4/i^3/(b*x+a)+5/2*b^4*B*d*(d*x+c)^2*(A+B*ln(e*(b*x+a)/(d*x+c))
)/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-2/9*b^5*B*(d*x+c)^3*(A+B*ln(e*(b*x+a)/(d*
x+c)))/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-1/2*d^5*(b*x+a)^2*(A+B*ln(e*(b*x+a)/
(d*x+c)))^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2+5*b*d^4*(b*x+a)*(A+B*ln(e*(b*x+
a)/(d*x+c)))^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)-10*b^3*d^2*(d*x+c)*(A+B*ln(e*(
b*x+a)/(d*x+c)))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/2*b^4*d*(d*x+c)^2*(A+B*l
n(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-1/3*b^5*(d*x+c)^3*(
A+B*ln(e*(b*x+a)/(d*x+c)))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-10/3*b^2*d^3*(
A+B*ln(e*(b*x+a)/(d*x+c)))^3/B/(-a*d+b*c)^6/g^4/i^3
```

Mathematica [A] (verified)

Time = 2.30 (sec) , antiderivative size = 793, normalized size of antiderivative = 0.93

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx =$$

$$-\frac{27(2A^2-2AB+B^2)\,d^3(bc-ad)^2(a+bx)^3+54b(8A^2-18AB+19B^2)\,d^3(bc-ad)(a+bx)^3(c+dx$$

input

```
Integrate[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d
*i*x)^3),x]
```

output

```
-1/108*(27*(2*A^2 - 2*A*B + B^2)*d^3*(b*c - a*d)^2*(a + b*x)^3 + 54*b*(8*A
^2 - 18*A*B + 19*B^2)*d^3*(b*c - a*d)*(a + b*x)^3*(c + d*x) + 4*b^2*(9*A^2
 + 6*A*B + 2*B^2)*(b*c - a*d)^3*(c + d*x)^2 - 3*b^2*(54*A^2 + 66*A*B + 37*
B^2)*d*(b*c - a*d)^2*(a + b*x)*(c + d*x)^2 + 6*b^2*(108*A^2 + 282*A*B + 31
9*B^2)*d^2*(b*c - a*d)*(a + b*x)^2*(c + d*x)^2 + 60*b^2*(18*A^2 + 12*A*B +
 49*B^2)*d^3*(a + b*x)^3*(c + d*x)^2*Log[a + b*x] + 6*B*(b*c - a*d)*(9*(2*
A - B)*d^3*(b*c - a*d)*(a + b*x)^3 + 18*b*(8*A - 9*B)*d^3*(a + b*x)^3*(c +
 d*x) + 4*b^2*(3*A + B)*(b*c - a*d)^2*(c + d*x)^2 - 3*b^2*(18*A + 11*B)*d*
(b*c - a*d)*(a + b*x)*(c + d*x)^2 + 6*b^2*(36*A + 47*B)*d^2*(a + b*x)^2*(c
 + d*x)^2)*Log[(e*(a + b*x))/(c + d*x)] + 18*B*(3*a^5*B*d^5 - 15*a^4*b*B*d
^4*(2*c + d*x) + 30*a^3*b^2*d^3*(2*A*(c + d*x)^2 - B*d*x*(4*c + 3*d*x)) +
30*a^2*b^3*d^2*(6*A*d*x*(c + d*x)^2 + B*(2*c^3 + 6*c^2*d*x - 3*d^3*x^3)) +
 15*a*b^4*d*(12*A*d^2*x^2*(c + d*x)^2 + B*c*(-c^3 + 4*c^2*d*x + 18*c*d^2*x
^2 + 12*d^3*x^3)) + b^5*(60*A*d^3*x^3*(c + d*x)^2 + B*(2*c^5 - 5*c^4*d*x +
 20*c^3*d^2*x^2 + 110*c^2*d^3*x^3 + 100*c*d^4*x^4 + 20*d^5*x^5)))*Log[(e*(
a + b*x))/(c + d*x)]^2 + 360*b^2*B^2*d^3*(a + b*x)^3*(c + d*x)^2*Log[(e*(a
 + b*x))/(c + d*x)]^3 - 60*b^2*(18*A^2 + 12*A*B + 49*B^2)*d^3*(a + b*x)^3*
(c + d*x)^2*Log[c + d*x])/((b*c - a*d)^6*g^4*i^3*(a + b*x)^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.80 (sec) , antiderivative size = 596, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2962, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$$

$$\downarrow 2962$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4i^3(bc-ad)^6}$$

$$\downarrow 2795$$

$$\int \left(\frac{(c+dx)^4 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^5}{(a+bx)^4} - \frac{5d(c+dx)^3 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^4}{(a+bx)^3} + \frac{10d^2(c+dx)^2 \left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2 b^3}{(a+bx)^2} - \frac{10d^3(c+dx)\left(A+ \right.}{g^4 i^3 (bc-ad)^6}$$

$$\downarrow 2009$$

$$-\frac{b^5(c+dx)^3 \left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{3(a+bx)^3} - \frac{2b^5 B(c+dx)^3 \left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)}{9(a+bx)^3} + \frac{5b^4 d(c+dx)^2 \left(B\log\left(\frac{e(a+bx)}{c+dx}\right)+A\right)^2}{2(a+bx)^2} + \frac{5b^4 Bd(c+dx)^2\left(B\log \right.}{2(a+bx}$$

input

```
Int[(A + B*Log[(e*(a + b*x))/(c + d*x)])^2/((a*g + b*g*x)^4*(c*i + d*i*x)^
3),x]
```

output

```
(-1/4*(B^2*d^5*(a + b*x)^2)/(c + d*x)^2 - (10*A*b*B*d^4*(a + b*x))/(c + d*
x) + (10*b*B^2*d^4*(a + b*x))/(c + d*x) - (20*b^3*B^2*d^2*(c + d*x))/(a +
b*x) + (5*b^4*B^2*d*(c + d*x)^2)/(4*(a + b*x)^2) - (2*b^5*B^2*(c + d*x)^3)
/(27*(a + b*x)^3) - (10*b*B^2*d^4*(a + b*x)*Log[(e*(a + b*x))/(c + d*x)])/
(c + d*x) + (B*d^5*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/(2*(c
 + d*x)^2) - (20*b^3*B*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x)]))
/(a + b*x) + (5*b^4*B*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)]))/
(2*(a + b*x)^2) - (2*b^5*B*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x)]
))/(9*(a + b*x)^3) - (d^5*(a + b*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)])
^2)/(2*(c + d*x)^2) + (5*b*d^4*(a + b*x)*(A + B*Log[(e*(a + b*x))/(c + d*x
)])^2)/(c + d*x) - (10*b^3*d^2*(c + d*x)*(A + B*Log[(e*(a + b*x))/(c + d*x
)])^2)/(a + b*x) + (5*b^4*d*(c + d*x)^2*(A + B*Log[(e*(a + b*x))/(c + d*x)
])^2)/(2*(a + b*x)^2) - (b^5*(c + d*x)^3*(A + B*Log[(e*(a + b*x))/(c + d*x
)])^2)/(3*(a + b*x)^3) - (10*b^2*d^3*(A + B*Log[(e*(a + b*x))/(c + d*x)])^
3)/(3*B))/((b*c - a*d)^6*g^4*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2962
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Sy
mbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A +
 B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /;
 FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGt
Q[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && I
ntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1707 vs. $2(831) = 1662$.

Time = 8.22 (sec) , antiderivative size = 1708, normalized size of antiderivative = 2.01

method	result	size
parts	Expression too large to display	1708
derivativedivides	Expression too large to display	1951
default	Expression too large to display	1951
risch	Expression too large to display	3021
parallelrisch	Expression too large to display	3971
norman	Expression too large to display	4027

input
```
int((A+B*ln(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,method=_RE
TURNVERBOSE)
```

output

```
A^2/g^4/i^3*(-1/2*d^3/(a*d-b*c)^4/(d*x+c)^2+10*d^3/(a*d-b*c)^6*b^2*ln(d*x+
c)+4*d^3/(a*d-b*c)^5*b/(d*x+c)+1/3*b^2/(a*d-b*c)^3/(b*x+a)^3-10*d^3/(a*d-b
*c)^6*b^2*ln(b*x+a)+6*b^2/(a*d-b*c)^5*d^2/(b*x+a)+3/2*b^2/(a*d-b*c)^4*d/(b
*x+a)^2)-B^2/g^4/i^3*d/(a*d-b*c)^2/e^2*(d^4/(a*d-b*c)^4*(1/2*(b*e/d+(a*d-b
*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-1/2*(b*e/d+(a*d-b*c)*
e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))+1/4*(b*e/d+(a*d-b*c)*e/d/(d
*x+c))^2)-5/(a*d-b*c)^4*b*d^3*e*((b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a
*d-b*c)*e/d/(d*x+c))^2-2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*
e/d/(d*x+c))+2*(a*d-b*c)*e/d/(d*x+c)+2*b*e/d)+10/3*d^2/(a*d-b*c)^4*b^2*e^2
*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3-10*d/(a*d-b*c)^4*b^3*e^3*(-1/(b*e/d+(a*
d-b*c)*e/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2-2/(b*e/d+(a*d-b*c)*e
/d/(d*x+c))*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/(b*e/d+(a*d-b*c)*e/d/(d*x+c)
))+5/(a*d-b*c)^4*b^4*e^4*(-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a
*d-b*c)*e/d/(d*x+c))^2-1/2/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b
*c)*e/d/(d*x+c))-1/4/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-1/d/(a*d-b*c)^4*b^5*
e^5*(-1/3/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))^
2-2/9/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3*ln(b*e/d+(a*d-b*c)*e/d/(d*x+c))-2/27
/(b*e/d+(a*d-b*c)*e/d/(d*x+c))^3))-2*A*B/g^4/i^3*d/(a*d-b*c)^2/e^2*(d^4/(a
*d-b*c)^4*(1/2*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2*ln(b*e/d+(a*d-b*c)*e/d/(d*x
+c))-1/4*(b*e/d+(a*d-b*c)*e/d/(d*x+c))^2)-5*d^3/(a*d-b*c)^4*b*e*((b*e/d...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2257 vs. $2(831) = 1662$.

Time $= 0.16$ (sec) , antiderivative size $= 2257$, normalized size of antiderivative $= 2.65$

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output

```
-1/108*(4*(9*A^2 + 6*A*B + 2*B^2)*b^5*c^5 - 135*(2*A^2 + 2*A*B + B^2)*a*b^
4*c^4*d + 1080*(A^2 + 2*A*B + 2*B^2)*a^2*b^3*c^3*d^2 - 20*(18*A^2 + 147*A*
B + 49*B^2)*a^3*b^2*c^2*d^3 - 540*(A^2 - 2*A*B + 2*B^2)*a^4*b*c*d^4 + 27*(
2*A^2 - 2*A*B + B^2)*a^5*d^5 + 60*((18*A^2 + 12*A*B + 49*B^2)*b^5*c*d^4 -
(18*A^2 + 12*A*B + 49*B^2)*a*b^4*d^5)*x^4 + 30*(3*(18*A^2 + 24*A*B + 53*B^
2)*b^5*c^2*d^3 + 2*(18*A^2 - 24*A*B + 37*B^2)*a*b^4*c*d^4 - (90*A^2 + 24*A
*B + 233*B^2)*a^2*b^3*d^5)*x^3 + 360*(B^2*b^5*d^5*x^5 + B^2*a^3*b^2*c^2*d^
3 + (2*B^2*b^5*c*d^4 + 3*B^2*a*b^4*d^5)*x^4 + (B^2*b^5*c^2*d^3 + 6*B^2*a*b
^4*c*d^4 + 3*B^2*a^2*b^3*d^5)*x^3 + (3*B^2*a*b^4*c^2*d^3 + 6*B^2*a^2*b^3*c
*d^4 + B^2*a^3*b^2*d^5)*x^2 + (3*B^2*a^2*b^3*c^2*d^3 + 2*B^2*a^3*b^2*c*d^4
)*x)*log((b*e*x + a*e)/(d*x + c))^3 + 10*(2*(18*A^2 + 66*A*B + 85*B^2)*b^5
*c^3*d^2 + 3*(126*A^2 + 84*A*B + 307*B^2)*a*b^4*c^2*d^3 - 12*(18*A^2 + 39*
A*B + 49*B^2)*a^2*b^3*c*d^4 - (198*A^2 - 84*A*B + 503*B^2)*a^3*b^2*d^5)*x^
2 + 18*(20*(3*A*B + B^2)*b^5*d^5*x^5 + 2*B^2*b^5*c^5 - 15*B^2*a*b^4*c^4*d
+ 60*B^2*a^2*b^3*c^3*d^2 + 60*A*B*a^3*b^2*c^2*d^3 - 30*B^2*a^4*b*c*d^4 + 3
*B^2*a^5*d^5 + 20*(9*A*B*a*b^4*d^5 + (6*A*B + 5*B^2)*b^5*c*d^4)*x^4 + 10*(
(6*A*B + 11*B^2)*b^5*c^2*d^3 + 18*(2*A*B + B^2)*a*b^4*c*d^4 + 9*(2*A*B - B
^2)*a^2*b^3*d^5)*x^3 + 10*(2*B^2*b^5*c^3*d^2 + 36*A*B*a^2*b^3*c*d^4 + 9*(2
*A*B + 3*B^2)*a*b^4*c^2*d^3 + 3*(2*A*B - 3*B^2)*a^3*b^2*d^5)*x^2 - 5*(B^2*
b^5*c^4*d - 12*B^2*a*b^4*c^3*d^2 + 3*B^2*a^4*b*d^5 - 36*(A*B + B^2)*a^2...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*(b*x+a)/(d*x+c)))**2/(b*g*x+a*g)**4/(d*i*x+c*i)**3,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 9282 vs. $2(831) = 1662$.

Time = 0.90 (sec) , antiderivative size = 9282, normalized size of antiderivative = 10.91

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output

```
-1/6*B^2*((60*b^4*d^4*x^4 + 2*b^4*c^4 - 13*a*b^3*c^3*d + 47*a^2*b^2*c^2*d^
2 + 27*a^3*b*c*d^3 - 3*a^4*d^4 + 30*(3*b^4*c*d^3 + 5*a*b^3*d^4)*x^3 + 10*(
2*b^4*c^2*d^2 + 23*a*b^3*c*d^3 + 11*a^2*b^2*d^4)*x^2 - 5*(b^4*c^3*d - 11*a
*b^3*c^2*d^2 - 35*a^2*b^2*c*d^3 - 3*a^3*b*d^4)*x)/((b^8*c^5*d^2 - 5*a*b^7*
c^4*d^3 + 10*a^2*b^6*c^3*d^4 - 10*a^3*b^5*c^2*d^5 + 5*a^4*b^4*c*d^6 - a^5*
b^3*d^7)*g^4*i^3*x^5 + (2*b^8*c^6*d - 7*a*b^7*c^5*d^2 + 5*a^2*b^6*c^4*d^3
+ 10*a^3*b^5*c^3*d^4 - 20*a^4*b^4*c^2*d^5 + 13*a^5*b^3*c*d^6 - 3*a^6*b^2*d
^7)*g^4*i^3*x^4 + (b^8*c^7 + a*b^7*c^6*d - 17*a^2*b^6*c^5*d^2 + 35*a^3*b^5
*c^4*d^3 - 25*a^4*b^4*c^3*d^4 - a^5*b^3*c^2*d^5 + 9*a^6*b^2*c*d^6 - 3*a^7*
b*d^7)*g^4*i^3*x^3 + (3*a*b^7*c^7 - 9*a^2*b^6*c^6*d + a^3*b^5*c^5*d^2 + 25
*a^4*b^4*c^4*d^3 - 35*a^5*b^3*c^3*d^4 + 17*a^6*b^2*c^2*d^5 - a^7*b*c*d^6 -
 a^8*d^7)*g^4*i^3*x^2 + (3*a^2*b^6*c^7 - 13*a^3*b^5*c^6*d + 20*a^4*b^4*c^5
*d^2 - 10*a^5*b^3*c^4*d^3 - 5*a^6*b^2*c^3*d^4 + 7*a^7*b*c^2*d^5 - 2*a^8*c*
d^6)*g^4*i^3*x + (a^3*b^5*c^7 - 5*a^4*b^4*c^6*d + 10*a^5*b^3*c^5*d^2 - 10*
a^6*b^2*c^4*d^3 + 5*a^7*b*c^3*d^4 - a^8*c^2*d^5)*g^4*i^3) + 60*b^2*d^3*log
(b*x + a)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*
d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3) - 60*b^2*d^3*
log(d*x + c)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c
^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3))*log(b*e*x
/(d*x + c) + a*e/(d*x + c))^2 - 1/3*A*B*((60*b^4*d^4*x^4 + 2*b^4*c^4 - ...
```

Giac [F]

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)e}{dx+c}\right)+A\right)^2}{(bgx+ag)^4(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output
```
integrate((B*log((b*x + a)*e/(d*x + c)) + A)^2/((b*g*x + a*g)^4*(d*i*x + c
*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 40.90 (sec) , antiderivative size = 3550, normalized size of antiderivative = 4.17

$$\int \frac{\left(A+B\log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log((e*(a + b*x))/(c + d*x)))^2/((a*g + b*g*x)^4*(c*i + d*i*x)^
3),x)
```

output

```
((36*A^2*b^4*c^4 - 54*A^2*a^4*d^4 - 27*B^2*a^4*d^4 + 8*B^2*b^4*c^4 + 54*A*
B*a^4*d^4 + 24*A*B*b^4*c^4 + 846*A^2*a^2*b^2*c^2*d^2 + 2033*B^2*a^2*b^2*c^
2*d^2 - 234*A^2*a*b^3*c^3*d + 486*A^2*a^3*b*c*d^3 - 127*B^2*a*b^3*c^3*d +
1053*B^2*a^3*b*c*d^3 - 246*A*B*a*b^3*c^3*d - 1026*A*B*a^3*b*c*d^3 + 1914*A
*B*a^2*b^2*c^2*d^2)/(6*(a*d - b*c)) + (10*x^4*(18*A^2*b^4*d^4 + 49*B^2*b^4
*d^4 + 12*A*B*b^4*d^4))/(a*d - b*c) + (5*x*(54*A^2*a^3*b*d^4 + 189*B^2*a^3
*b*d^4 - 18*A^2*b^4*c^3*d - 19*B^2*b^4*c^3*d + 198*A^2*a*b^3*c^2*d^2 + 630
*A^2*a^2*b^2*c*d^3 + 737*B^2*a*b^3*c^2*d^2 + 1445*B^2*a^2*b^2*c*d^3 - 162*
A*B*a^3*b*d^4 - 30*A*B*b^4*c^3*d + 618*A*B*a*b^3*c^2*d^2 + 150*A*B*a^2*b^2
*c*d^3))/(6*(a*d - b*c)) + (5*x^2*(198*A^2*a^2*b^2*d^4 + 503*B^2*a^2*b^2*d
^4 + 36*A^2*b^4*c^2*d^2 + 170*B^2*b^4*c^2*d^2 - 84*A*B*a^2*b^2*d^4 + 132*A
*B*b^4*c^2*d^2 + 414*A^2*a*b^3*c*d^3 + 1091*B^2*a*b^3*c*d^3 + 384*A*B*a*b^
3*c*d^3))/(3*(a*d - b*c)) + (5*x^3*(90*A^2*a*b^3*d^4 + 233*B^2*a*b^3*d^4 +
 54*A^2*b^4*c*d^3 + 159*B^2*b^4*c*d^3 + 24*A*B*a*b^3*d^4 + 72*A*B*b^4*c*d^
3))/(a*d - b*c))/(x^5*(18*a^4*b^3*d^6*g^4*i^3 + 18*b^7*c^4*d^2*g^4*i^3 - 7
2*a*b^6*c^3*d^3*g^4*i^3 - 72*a^3*b^4*c*d^5*g^4*i^3 + 108*a^2*b^5*c^2*d^4*g
^4*i^3) + x*(54*a^2*b^5*c^6*g^4*i^3 + 36*a^7*c*d^5*g^4*i^3 - 180*a^3*b^4*c
^5*d*g^4*i^3 - 90*a^6*b*c^2*d^4*g^4*i^3 + 180*a^4*b^3*c^4*d^2*g^4*i^3) + x
^2*(18*a^7*d^6*g^4*i^3 + 54*a*b^6*c^6*g^4*i^3 + 36*a^6*b*c*d^5*g^4*i^3 - 1
08*a^2*b^5*c^5*d*g^4*i^3 - 90*a^3*b^4*c^4*d^2*g^4*i^3 + 360*a^4*b^3*c^3...
```

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 7204, normalized size of antiderivative = 8.47

$$\int \frac{\left(A + B \log\left(\frac{e(a+bx)}{c+dx}\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)/(d*x+c)))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 3240*log(a + b*x)*a**6*b**2*c**2*d**4 - 6480*log(a + b*x)*a**6*b**2
*c*d**5*x - 3240*log(a + b*x)*a**6*b**2*d**6*x**2 - 2160*log(a + b*x)*a**5
*b**3*c**3*d**3 - 14040*log(a + b*x)*a**5*b**3*c**2*d**4*x - 21600*log(a +
 b*x)*a**5*b**3*c*d**5*x**2 - 9720*log(a + b*x)*a**5*b**3*d**6*x**3 - 6480
*log(a + b*x)*a**4*b**4*c**3*d**3*x - 3600*log(a + b*x)*a**4*b**4*c**3*d**
3 - 22680*log(a + b*x)*a**4*b**4*c**2*d**4*x**2 - 7200*log(a + b*x)*a**4*b
**4*c**2*d**4*x - 8100*log(a + b*x)*a**4*b**4*c**2*d**4 - 25920*log(a + b*
x)*a**4*b**4*c*d**5*x**3 - 3600*log(a + b*x)*a**4*b**4*c*d**5*x**2 - 16200
*log(a + b*x)*a**4*b**4*c*d**5*x - 9720*log(a + b*x)*a**4*b**4*d**6*x**4 -
 8100*log(a + b*x)*a**4*b**4*d**6*x**2 - 6480*log(a + b*x)*a**3*b**5*c**3*
d**3*x**2 - 10800*log(a + b*x)*a**3*b**5*c**3*d**3*x - 6600*log(a + b*x)*a
**3*b**5*c**3*d**3 - 16200*log(a + b*x)*a**3*b**5*c**2*d**4*x**3 - 21600*l
og(a + b*x)*a**3*b**5*c**2*d**4*x**2 - 37500*log(a + b*x)*a**3*b**5*c**2*d
**4*x - 12960*log(a + b*x)*a**3*b**5*c*d**5*x**4 - 10800*log(a + b*x)*a**3
*b**5*c*d**5*x**3 - 55200*log(a + b*x)*a**3*b**5*c*d**5*x**2 - 3240*log(a
+ b*x)*a**3*b**5*d**6*x**5 - 24300*log(a + b*x)*a**3*b**5*d**6*x**3 - 2160
*log(a + b*x)*a**2*b**6*c**3*d**3*x**3 - 10800*log(a + b*x)*a**2*b**6*c**3
*d**3*x**2 - 19800*log(a + b*x)*a**2*b**6*c**3*d**3*x - 4320*log(a + b*x)*
a**2*b**6*c**2*d**4*x**4 - 21600*log(a + b*x)*a**2*b**6*c**2*d**4*x**3 - 6
3900*log(a + b*x)*a**2*b**6*c**2*d**4*x**2 - 2160*log(a + b*x)*a**2*b**...
```

3.108 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1322
Mathematica [A] (verified) 1323
Rubi [A] (verified) 1323
Maple [B] (verified) 1326
Fricas [B] (verification not implemented) 1327
Sympy [F(-1)] 1327
Maxima [B] (verification not implemented) 1328
Giac [B] (verification not implemented) 1329
Mupad [B] (verification not implemented) 1330
Reduce [B] (verification not implemented) 1331

Optimal result

Integrand size = 41, antiderivative size = 223

$$\begin{aligned}
&\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= -\frac{B(bc-ad)^4g^3inx}{20bd^3}+\frac{B(bc-ad)^3g^3in(a+bx)^2}{40b^2d^2} \\
&\quad -\frac{B(bc-ad)^2g^3in(a+bx)^3}{60b^2d}+\frac{g^3i(a+bx)^4(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5b} \\
&\quad +\frac{(bc-ad)g^3i(a+bx)^4\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{20b^2} \\
&\quad +\frac{B(bc-ad)^5g^3in\log(c+dx)}{20b^2d^4}
\end{aligned}$$

output

```
-1/20*B*(-a*d+b*c)^4*g^3*i*n*x/b/d^3+1/40*B*(-a*d+b*c)^3*g^3*i*n*(b*x+a)^2
/b^2/d^2-1/60*B*(-a*d+b*c)^2*g^3*i*n*(b*x+a)^3/b^2/d+1/5*g^3*i*(b*x+a)^4*(
d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b+1/20*(-a*d+b*c)*g^3*i*(b*x+a)^4*(
A-B*n+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2+1/20*B*(-a*d+b*c)^5*g^3*i*n*ln(d*x+
c)/b^2/d^4
```

Mathematica [A] (verified)

Time = 0.28 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.21

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^3 i\Big(30(bc-ad)(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+24d(a+bx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)-\frac{5B(bc-ad)^2n(}{}$$

input
```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]),x]
```

output
```
(g^3*i*(30*(b*c - a*d)*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
+ 24*d*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (5*B*(b*c - a*
d)^2*n*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*(
a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]))/d^4 + (2*B*(b*c - a*d)*n*(12*b
*d*(b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c - a*d)*(
a + b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x]))/d^4))/(12
0*b^2)
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 197, normalized size of antiderivative = 0.88, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2959, 27, 2947, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$
$$\downarrow \text{2959}$$
$$\frac{i(bc-ad)\int g^3(a+bx)^3\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{5b}+$$
$$\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b}$$

$$\downarrow 27$$

$$\frac{g^3 i(bc-ad)\int (a+bx)^3\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b}$$

$$\downarrow 2947$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{4b}-\frac{Bn(bc-ad)\int\frac{(a+bx)^3}{c+dx}dx}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b}$$

$$\downarrow 49$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{4b}-\frac{Bn(bc-ad)\int\left(\frac{(ad-bc)^3}{d^3(c+dx)}+\frac{b(bc-ad)^2}{d^3}+\frac{b(a+bx)^2}{d}-\frac{b(bc-ad)(a+bx)}{d^2}\right)dx}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b}$$

$$\downarrow 2009$$

$$\frac{g^3 i(bc-ad)\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{4b}-\frac{Bn(bc-ad)\left(-\frac{(bc-ad)^3\log(c+dx)}{d^4}+\frac{bx(bc-ad)^2}{d^3}-\frac{(a+bx)^2(bc-ad)}{2d^2}+\frac{(a+bx)^3}{3d}\right)}{4b}\right)}{5b}+\frac{g^3 i(a+bx)^4(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b}$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x
]
```

output
```
(g^3*i*(a + b*x)^4*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*b)
 + ((b*c - a*d)*g^3*i*(((a + b*x)^4*(A - B*n + B*Log[e*((a + b*x)/(c + d*x
))^n]))/(4*b) - (B*(b*c - a*d)*n*((b*(b*c - a*d)^2*x)/d^3 - ((b*c - a*d)*(
a + b*x)^2)/(2*d^2) + (a + b*x)^3/(3*d) - ((b*c - a*d)^3*Log[c + d*x])/d^4
))/(4*b)))/(5*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

rule 2959
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Simp[(f
 + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 2
))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B*n + B
*Log[e*((a + b*x)/(c + d*x))^n]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h,
i, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c
*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1194 vs. 2(211) = 422.

Time = 11.74 (sec) , antiderivative size = 1195, normalized size of antiderivative = 5.36

method	result	size
parallelrisch	Expression too large to display	1195

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RE
TURNVERBOSE)
```

output
```
1/120*(24*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*b^5*d^5*g^3*i*n-20*B*x^3*a*b^4*c
*d^4*g^3*i*n^2+120*A*x^3*a*b^4*c*d^4*g^3*i*n+60*B*x^2*ln(e*((b*x+a)/(d*x+c
))^n)*a^3*b^2*d^5*g^3*i*n+30*B*x*a^3*b^2*c*d^4*g^3*i*n^2-60*B*x*a^2*b^3*c^
2*d^3*g^3*i*n^2+30*B*x*a*b^4*c^3*d^2*g^3*i*n^2+30*B*ln(e*((b*x+a)/(d*x+c))
^n)*a*b^4*c^4*d*g^3*i*n-60*B*ln(b*x+a)*a^3*b^2*c^2*d^3*g^3*i*n^2+60*B*ln(b
*x+a)*a^2*b^3*c^3*d^2*g^3*i*n^2-30*B*ln(b*x+a)*a*b^4*c^4*d*g^3*i*n^2+30*B*
ln(b*x+a)*a^4*b*c*d^4*g^3*i*n^2-15*B*x^2*a^2*b^3*c*d^4*g^3*i*n^2-15*B*x^2*
a*b^4*c^2*d^3*g^3*i*n^2+180*A*x^2*a^2*b^3*c*d^4*g^3*i*n+90*B*x^4*ln(e*((b*
x+a)/(d*x+c))^n)*a*b^4*d^5*g^3*i*n+6*B*x^4*a*b^4*d^5*g^3*i*n^2-6*B*x^4*b^5
*c*d^4*g^3*i*n^2+90*A*x^4*a*b^4*d^5*g^3*i*n+30*A*x^4*b^5*c*d^4*g^3*i*n+22*
B*x^3*a^2*b^3*d^5*g^3*i*n^2-2*B*x^3*b^5*c^2*d^3*g^3*i*n^2+120*A*x^3*a^2*b^
3*d^5*g^3*i*n+27*B*x^2*a^3*b^2*d^5*g^3*i*n^2+3*B*x^2*b^5*c^3*d^2*g^3*i*n^2
+60*A*x^2*a^3*b^2*d^5*g^3*i*n+6*B*x*a^4*b*d^5*g^3*i*n^2-6*B*x*b^5*c^4*d*g^
3*i*n^2+120*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c*d^4*g^3*i*n+180*B*x^2*
ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^3*c*d^4*g^3*i*n+120*B*x*ln(e*((b*x+a)/(d*x
+c))^n)*a^3*b^2*c*d^4*g^3*i*n+120*A*x*a^3*b^2*c*d^4*g^3*i*n+60*B*ln(e*((b*
x+a)/(d*x+c))^n)*a^3*b^2*c^2*d^3*g^3*i*n-60*B*ln(e*((b*x+a)/(d*x+c))^n)*a^
2*b^3*c^3*d^2*g^3*i*n+30*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c*d^4*g^3*i*n
+120*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^3*d^5*g^3*i*n-6*B*ln(b*x+a)*a^5
*d^5*g^3*i*n^2+24*A*x^5*b^5*d^5*g^3*i*n-6*B*ln(e*((b*x+a)/(d*x+c))^n)*b...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 720 vs. 2(213) = 426.

Time = 0.17 (sec) , antiderivative size = 720, normalized size of antiderivative = 3.23

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$=\frac{24\,Ab^5d^5g^3ix^5+6\,(5\,Ba^4bcd^4-Ba^5d^5)g^3in\log\left(bx+a\right)+6\,(Bb^5c^5-5\,Bab^4c^4d+10\,Ba^2b^3c^3d^2-10\,B}{}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="fricas")
```

output
```
1/120*(24*A*b^5*d^5*g^3*i*x^5 + 6*(5*B*a^4*b*c*d^4 - B*a^5*d^5)*g^3*i*n*lo
g(b*x + a) + 6*(B*b^5*c^5 - 5*B*a*b^4*c^4*d + 10*B*a^2*b^3*c^3*d^2 - 10*B*
a^3*b^2*c^2*d^3)*g^3*i*n*log(d*x + c) - 6*((B*b^5*c*d^4 - B*a*b^4*d^5)*g^3
*i*n - 5*(A*b^5*c*d^4 + 3*A*a*b^4*d^5)*g^3*i)*x^4 - 2*((B*b^5*c^2*d^3 + 10
*B*a*b^4*c*d^4 - 11*B*a^2*b^3*d^5)*g^3*i*n - 60*(A*a*b^4*c*d^4 + A*a^2*b^3
*d^5)*g^3*i)*x^3 + 3*((B*b^5*c^3*d^2 - 5*B*a*b^4*c^2*d^3 - 5*B*a^2*b^3*c*d
^4 + 9*B*a^3*b^2*d^5)*g^3*i*n + 20*(3*A*a^2*b^3*c*d^4 + A*a^3*b^2*d^5)*g^3
*i)*x^2 + 6*(20*A*a^3*b^2*c*d^4*g^3*i - (B*b^5*c^4*d - 5*B*a*b^4*c^3*d^2 +
 10*B*a^2*b^3*c^2*d^3 - 5*B*a^3*b^2*c*d^4 - B*a^4*b*d^5)*g^3*i*n)*x + 6*(4
*B*b^5*d^5*g^3*i*x^5 + 20*B*a^3*b^2*c*d^4*g^3*i*x + 5*(B*b^5*c*d^4 + 3*B*a
*b^4*d^5)*g^3*i*x^4 + 20*(B*a*b^4*c*d^4 + B*a^2*b^3*d^5)*g^3*i*x^3 + 10*(3
*B*a^2*b^3*c*d^4 + B*a^3*b^2*d^5)*g^3*i*x^2)*log(e) + 6*(4*B*b^5*d^5*g^3*i
*n*x^5 + 20*B*a^3*b^2*c*d^4*g^3*i*n*x + 5*(B*b^5*c*d^4 + 3*B*a*b^4*d^5)*g^
3*i*n*x^4 + 20*(B*a*b^4*c*d^4 + B*a^2*b^3*d^5)*g^3*i*n*x^3 + 10*(3*B*a^2*b
^3*c*d^4 + B*a^3*b^2*d^5)*g^3*i*n*x^2)*log((b*x + a)/(d*x + c)))/(b^2*d^4)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx=\text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1118 vs. 2(213) = 426.

Time = 0.07 (sec) , antiderivative size = 1118, normalized size of antiderivative = 5.01

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="maxima")
```

output
```
1/5*B*b^3*d*g^3*i*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A*b^3*d
*g^3*i*x^5 + 1/4*B*b^3*c*g^3*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 3/4*B*a*b^2*d*g^3*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*b
^3*c*g^3*i*x^4 + 3/4*A*a*b^2*d*g^3*i*x^4 + B*a*b^2*c*g^3*i*x^3*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n) + B*a^2*b*d*g^3*i*x^3*log(e*(b*x/(d*x + c) + a
/(d*x + c))^n) + A*a*b^2*c*g^3*i*x^3 + A*a^2*b*d*g^3*i*x^3 + 3/2*B*a^2*b*c
*g^3*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*B*a^3*d*g^3*i*x^2*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A*a^2*b*c*g^3*i*x^2 + 1/2*A*a
^3*d*g^3*i*x^2 + 1/60*B*b^3*d*g^3*i*n*(12*a^5*log(b*x + a)/b^5 - 12*c^5*lo
g(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2*d^2 - a^2*b^2
*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12*(b^4*c^4 - a^4*d^4)*x)/(b^4
*d^4)) - 1/24*B*b^3*c*g^3*i*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)
/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*
(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/8*B*a*b^2*d*g^3*i*n*(6*a^4*log(b*x +
 a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3
*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) + 1/2*B*a*b^
2*c*g^3*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d -
 a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) + 1/2*B*a^2*b*d*g^3*i*
n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*
x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 3/2*B*a^2*b*c*g^3*i*n*(a^2*...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3945 vs. $2(213) = 426$.

Time $= 0.99$ (sec) , antiderivative size $= 3945$, normalized size of antiderivative $= 17.69$

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="giac")
```

output

```
-1/120*(6*(B*b^9*c^6*g^3*i*n - 6*B*a*b^8*c^5*d*g^3*i*n - 5*(b*x + a)*B*b^8
*c^6*d*g^3*i*n/(d*x + c) + 15*B*a^2*b^7*c^4*d^2*g^3*i*n + 30*(b*x + a)*B*a
*b^7*c^5*d^2*g^3*i*n/(d*x + c) + 10*(b*x + a)^2*B*b^7*c^6*d^2*g^3*i*n/(d*x
 + c)^2 - 20*B*a^3*b^6*c^3*d^3*g^3*i*n - 75*(b*x + a)*B*a^2*b^6*c^4*d^3*g^
3*i*n/(d*x + c) - 60*(b*x + a)^2*B*a*b^6*c^5*d^3*g^3*i*n/(d*x + c)^2 - 10*
(b*x + a)^3*B*b^6*c^6*d^3*g^3*i*n/(d*x + c)^3 + 15*B*a^4*b^5*c^2*d^4*g^3*i
*n + 100*(b*x + a)*B*a^3*b^5*c^3*d^4*g^3*i*n/(d*x + c) + 150*(b*x + a)^2*B
*a^2*b^5*c^4*d^4*g^3*i*n/(d*x + c)^2 + 60*(b*x + a)^3*B*a*b^5*c^5*d^4*g^3*
i*n/(d*x + c)^3 - 6*B*a^5*b^4*c*d^5*g^3*i*n - 75*(b*x + a)*B*a^4*b^4*c^2*d
^5*g^3*i*n/(d*x + c) - 200*(b*x + a)^2*B*a^3*b^4*c^3*d^5*g^3*i*n/(d*x + c)
^2 - 150*(b*x + a)^3*B*a^2*b^4*c^4*d^5*g^3*i*n/(d*x + c)^3 + B*a^6*b^3*d^6
*g^3*i*n + 30*(b*x + a)*B*a^5*b^3*c*d^6*g^3*i*n/(d*x + c) + 150*(b*x + a)^
2*B*a^4*b^3*c^2*d^6*g^3*i*n/(d*x + c)^2 + 200*(b*x + a)^3*B*a^3*b^3*c^3*d^
6*g^3*i*n/(d*x + c)^3 - 5*(b*x + a)*B*a^6*b^2*d^7*g^3*i*n/(d*x + c) - 60*(
b*x + a)^2*B*a^5*b^2*c*d^7*g^3*i*n/(d*x + c)^2 - 150*(b*x + a)^3*B*a^4*b^2
*c^2*d^7*g^3*i*n/(d*x + c)^3 + 10*(b*x + a)^2*B*a^6*b*d^8*g^3*i*n/(d*x + c
)^2 + 60*(b*x + a)^3*B*a^5*b*c*d^8*g^3*i*n/(d*x + c)^3 - 10*(b*x + a)^3*B*
a^6*d^9*g^3*i*n/(d*x + c)^3)*log((b*x + a)/(d*x + c))/(b^5*d^4 - 5*(b*x + 
a)*b^4*d^5/(d*x + c) + 10*(b*x + a)^2*b^3*d^6/(d*x + c)^2 - 10*(b*x + a)^3
*b^2*d^7/(d*x + c)^3 + 5*(b*x + a)^4*b*d^8/(d*x + c)^4 - (b*x + a)^5*d^...
```

Mupad [B] (verification not implemented)

Time = 27.08 (sec) , antiderivative size = 1237, normalized size of antiderivative = 5.55

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x
)
```

output

```
x*((a*c*(((20*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d*n - B
*b*c*n))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(20*b*d) - (b*g^3*i*(24*
A*a^2*d^2 + 4*A*b^2*c^2 + 3*B*a^2*d^2*n - B*b^2*c^2*n + 32*A*a*b*c*d - 2*B
*a*b*c*d*n))/(4*d) + A*a*b^2*c*g^3*i))/(b*d) - ((20*a*d + 20*b*c)*(((20*a*
d + 20*b*c)*(((20*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d*n
 - B*b*c*n))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(20*b*d) - (b*g^3*i*
(24*A*a^2*d^2 + 4*A*b^2*c^2 + 3*B*a^2*d^2*n - B*b^2*c^2*n + 32*A*a*b*c*d -
 2*B*a*b*c*d*n))/(4*d) + A*a*b^2*c*g^3*i))/(20*b*d) - (a*c*((b^2*g^3*i*(20
*A*a*d + 10*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c)
)/20))/(b*d) + (a*g^3*i*(4*A*a^2*d^2 + 4*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c
^2*n + 12*A*a*b*c*d))/d))/(20*b*d) + (a^2*g^3*i*(2*A*a^2*d^2 + 12*A*b^2*c^
2 + B*a^2*d^2*n - 3*B*b^2*c^2*n + 16*A*a*b*c*d + 2*B*a*b*c*d*n))/(2*b*d))
+ x^2*(((20*a*d + 20*b*c)*(((20*a*d + 20*b*c)*((b^2*g^3*i*(20*A*a*d + 10*A
*b*c + B*a*d*n - B*b*c*n))/5 - (A*b^2*g^3*i*(20*a*d + 20*b*c))/20))/(20*b*
d) - (b*g^3*i*(24*A*a^2*d^2 + 4*A*b^2*c^2 + 3*B*a^2*d^2*n - B*b^2*c^2*n +
32*A*a*b*c*d - 2*B*a*b*c*d*n))/(4*d) + A*a*b^2*c*g^3*i))/(40*b*d) - (a*c*(
(b^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*b^2*g^3*i*(20
*a*d + 20*b*c))/20))/(2*b*d) + (a*g^3*i*(4*A*a^2*d^2 + 4*A*b^2*c^2 + B*a^2
*d^2*n - B*b^2*c^2*n + 12*A*a*b*c*d))/(2*d)) - x^3*(((20*a*d + 20*b*c)*((b
^2*g^3*i*(20*A*a*d + 10*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*b^2*g^3*i*(2...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 801, normalized size of antiderivative = 3.59

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**3*i*( - 6*log(a + b*x)*a**5*d**5*n + 30*log(a + b*x)*a**4*b*c*d**4*n -
 60*log(a + b*x)*a**3*b**2*c**2*d**3*n + 60*log(a + b*x)*a**2*b**3*c**3*d*
*2*n - 30*log(a + b*x)*a*b**4*c**4*d*n + 6*log(a + b*x)*b**5*c**5*n + 60*l
og(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**2*c**2*d**3 + 120*log(((a + b*x)
**n*e)/(c + d*x)**n)*a**3*b**2*c*d**4*x + 60*log(((a + b*x)**n*e)/(c + d*x
)**n)*a**3*b**2*d**5*x**2 - 60*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**
3*c**3*d**2 + 180*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c*d**4*x**2
 + 120*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*d**5*x**3 + 30*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a*b**4*c**4*d + 120*log(((a + b*x)**n*e)/(c +
d*x)**n)*a*b**4*c*d**4*x**3 + 90*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4
*d**5*x**4 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c**5 + 30*log(((a +
 b*x)**n*e)/(c + d*x)**n)*b**5*c*d**4*x**4 + 24*log(((a + b*x)**n*e)/(c +
d*x)**n)*b**5*d**5*x**5 + 120*a**4*b*c*d**4*x + 6*a**4*b*d**5*n*x + 60*a**
4*b*d**5*x**2 + 30*a**3*b**2*c*d**4*n*x + 180*a**3*b**2*c*d**4*x**2 + 27*a
**3*b**2*d**5*n*x**2 + 120*a**3*b**2*d**5*x**3 - 60*a**2*b**3*c**2*d**3*n*
x - 15*a**2*b**3*c*d**4*n*x**2 + 120*a**2*b**3*c*d**4*x**3 + 22*a**2*b**3*
d**5*n*x**3 + 90*a**2*b**3*d**5*x**4 + 30*a*b**4*c**3*d**2*n*x - 15*a*b**4
*c**2*d**3*n*x**2 - 20*a*b**4*c*d**4*n*x**3 + 30*a*b**4*c*d**4*x**4 + 6*a*
b**4*d**5*n*x**4 + 24*a*b**4*d**5*x**5 - 6*b**5*c**4*d*n*x + 3*b**5*c**3*d
**2*n*x**2 - 2*b**5*c**2*d**3*n*x**3 - 6*b**5*c*d**4*n*x**4))/(120*b*d*...
```

3.109 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1332
Mathematica [A] (verified) 1333
Rubi [A] (verified) 1333
Maple [B] (verified) 1335
Fricas [B] (verification not implemented) 1336
Sympy [F(-1)] 1337
Maxima [B] (verification not implemented) 1337
Giac [B] (verification not implemented) 1338
Mupad [B] (verification not implemented) 1340
Reduce [B] (verification not implemented) 1341

Optimal result

Integrand size = 41, antiderivative size = 190

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= \frac{B(bc-ad)^3g^2inx}{12bd^2} - \frac{B(bc-ad)^2g^2in(a+bx)^2}{24b^2d} \\
&\quad + \frac{g^2i(a+bx)^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4b} \\
&\quad + \frac{(bc-ad)g^2i(a+bx)^3\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{12b^2} \\
&\quad - \frac{B(bc-ad)^4g^2in\log(c+dx)}{12b^2d^3}
\end{aligned}$$

output

```
1/12*B*(-a*d+b*c)^3*g^2*i*n*x/b/d^2-1/24*B*(-a*d+b*c)^2*g^2*i*n*(b*x+a)^2/
b^2/d+1/4*g^2*i*(b*x+a)^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b+1/12*(
-a*d+b*c)*g^2*i*(b*x+a)^3*(A-B*n+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2-1/12*B*(
-a*d+b*c)^4*g^2*i*n*ln(d*x+c)/b^2/d^3
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 225, normalized size of antiderivative = 1.18

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^2 i\Big(8(bc-ad)(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+6d(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+\frac{4B(bc-ad)^2n(2bd}{24b}$$

input
```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]),x]
```

output
```
(g^2*i*(8*(b*c - a*d)*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) +
 6*d*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + (4*B*(b*c - a*d)
^2*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]
))/d^3 - (B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a
 + b*x)^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]))/d^3))/(24*b
^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 173, normalized size of antiderivative = 0.91, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2959, 27, 2947, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$
$$\downarrow \text{2959}$$
$$\frac{i(bc-ad)\int g^2(a+bx)^2\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{4b}+$$
$$\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b}$$

$$\downarrow 27$$

$$\frac{g^2 i(bc-ad)\int (a+bx)^2\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b}$$

$$\downarrow 2947$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{3b}-\frac{Bn(bc-ad)\int\frac{(a+bx)^2}{c+dx}dx}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b}$$

$$\downarrow 49$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{3b}-\frac{Bn(bc-ad)\int\left(\frac{(ad-bc)^2}{d^2(c+dx)}-\frac{b(bc-ad)}{d^2}+\frac{b(a+bx)}{d}\right)dx}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b}$$

$$\downarrow 2009$$

$$\frac{g^2 i(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{3b}-\frac{Bn(bc-ad)\left(\frac{(bc-ad)^2\log(c+dx)}{d^3}-\frac{bx(bc-ad)}{d^2}+\frac{(a+bx)^2}{2d}\right)}{3b}\right)}{4b}+\frac{g^2 i(a+bx)^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b}$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x
]
```

output

```
(g^2*i*(a + b*x)^3*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*b)
 + ((b*c - a*d)*g^2*i*(((a + b*x)^3*(A - B*n + B*Log[e*((a + b*x)/(c + d*x
))^n]))/(3*b) - (B*(b*c - a*d)*n*(-((b*(b*c - a*d)*x)/d^2) + (a + b*x)^2/(
2*d) + ((b*c - a*d)^2*Log[c + d*x])/d^3))/(3*b)))/(4*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

rule 2959
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Simp[(f
 + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 2
))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B*n + B
*Log[e*((a + b*x)/(c + d*x))^n]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h,
i, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c
*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 875 vs. $2(180) = 360$.

Time = 4.98 (sec) , antiderivative size = 876, normalized size of antiderivative = 4.61

method	result
parallelrisch	$\frac{6Bx^4\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4d^4g^2in+8B\ln(bx+a)ab^3c^3dg^2in^2+12B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2b^2c^2d^2g^2in-2Bb^4c^4g^2in^2-2Ba^4d^4g^2i$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RE
TURNVERBOSE)
```

output
```
1/24*(6*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^4*g^2*i*n+8*B*ln(b*x+a)*a*b^
3*c^3*d*g^2*i*n^2+12*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^2*c^2*d^2*g^2*i*n-2
*B*b^4*c^4*g^2*i*n^2-2*B*a^4*d^4*g^2*i*n^2+24*B*x*ln(e*((b*x+a)/(d*x+c))^n
)*a^2*b^2*c*d^3*g^2*i*n+24*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*c*d^3*g^2
*i*n+2*B*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c^4*g^2*i*n-2*B*ln(b*x+a)*b^4*c^4*g
^2*i*n^2-2*B*ln(b*x+a)*a^4*d^4*g^2*i*n^2+6*A*x^4*b^4*d^4*g^2*i*n-48*A*a^2*
b^2*c^2*d^2*g^2*i*n+2*B*x^3*a*b^3*d^4*g^2*i*n^2-2*B*x^3*b^4*c*d^3*g^2*i*n^
2-8*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*c^3*d*g^2*i*n+16*B*x^3*ln(e*((b*x+a)
/(d*x+c))^n)*a*b^3*d^4*g^2*i*n+8*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c*d^3
*g^2*i*n+12*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^2*d^4*g^2*i*n-4*B*x^2*a*
b^3*c*d^3*g^2*i*n^2+24*A*x^2*a*b^3*c*d^3*g^2*i*n+4*B*x*a^2*b^2*c*d^3*g^2*i
*n^2-8*B*x*a*b^3*c^2*d^2*g^2*i*n^2+24*A*x*a^2*b^2*c*d^3*g^2*i*n+8*B*ln(b*x
+a)*a^3*b*c*d^3*g^2*i*n^2-12*B*ln(b*x+a)*a^2*b^2*c^2*d^2*g^2*i*n^2-11*B*a^
3*b*c*d^3*g^2*i*n^2+8*B*a^2*b^2*c^2*d^2*g^2*i*n^2+7*B*a*b^3*c^3*d*g^2*i*n^
2-36*A*a^3*b*c*d^3*g^2*i*n+16*A*x^3*a*b^3*d^4*g^2*i*n+8*A*x^3*b^4*c*d^3*g^
2*i*n+5*B*x^2*a^2*b^2*d^4*g^2*i*n^2-B*x^2*b^4*c^2*d^2*g^2*i*n^2+12*A*x^2*a
^2*b^2*d^4*g^2*i*n+2*B*x*a^3*b*d^4*g^2*i*n^2+2*B*x*b^4*c^3*d*g^2*i*n^2)/b^
2/d^3/n
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 529 vs. $2(182) = 364$.

Time $= 0.11$ (sec) , antiderivative size $= 529$, normalized size of antiderivative $= 2.78$

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \frac{6\,Ab^4d^4g^2ix^4+2\left(4\,Ba^3bcd^3-Ba^4d^4\right)g^2in\log\left(bx+a\right)-2\left(Bb^4c^4-4\,Bab^3c^3d+6\,Ba^2b^2c^2d^2\right)g^2in\log($$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="fricas")
```

output
```
1/24*(6*A*b^4*d^4*g^2*i*x^4 + 2*(4*B*a^3*b*c*d^3 - B*a^4*d^4)*g^2*i*n*log(
b*x + a) - 2*(B*b^4*c^4 - 4*B*a*b^3*c^3*d + 6*B*a^2*b^2*c^2*d^2)*g^2*i*n*l
og(d*x + c) - 2*((B*b^4*c*d^3 - B*a*b^3*d^4)*g^2*i*n - 4*(A*b^4*c*d^3 + 2*
A*a*b^3*d^4)*g^2*i)*x^3 - ((B*b^4*c^2*d^2 + 4*B*a*b^3*c*d^3 - 5*B*a^2*b^2*
d^4)*g^2*i*n - 12*(2*A*a*b^3*c*d^3 + A*a^2*b^2*d^4)*g^2*i)*x^2 + 2*(12*A*a
^2*b^2*c*d^3*g^2*i + (B*b^4*c^3*d - 4*B*a*b^3*c^2*d^2 + 2*B*a^2*b^2*c*d^3
+ B*a^3*b*d^4)*g^2*i*n)*x + 2*(3*B*b^4*d^4*g^2*i*x^4 + 12*B*a^2*b^2*c*d^3*
g^2*i*x + 4*(B*b^4*c*d^3 + 2*B*a*b^3*d^4)*g^2*i*x^3 + 6*(2*B*a*b^3*c*d^3 +
 B*a^2*b^2*d^4)*g^2*i*x^2)*log(e) + 2*(3*B*b^4*d^4*g^2*i*n*x^4 + 12*B*a^2*
b^2*c*d^3*g^2*i*n*x + 4*(B*b^4*c*d^3 + 2*B*a*b^3*d^4)*g^2*i*n*x^3 + 6*(2*B
*a*b^3*c*d^3 + B*a^2*b^2*d^4)*g^2*i*n*x^2)*log((b*x + a)/(d*x + c)))/(b^2*
d^3)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 740 vs. $2(182) = 364$.

Time = 0.06 (sec) , antiderivative size = 740, normalized size of antiderivative = 3.89

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="maxima")
```

output

```
1/4*B*b^2*d*g^2*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*b^2*d
*g^2*i*x^4 + 1/3*B*b^2*c*g^2*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 2/3*B*a*b*d*g^2*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A*b^2
*c*g^2*i*x^3 + 2/3*A*a*b*d*g^2*i*x^3 + B*a*b*c*g^2*i*x^2*log(e*(b*x/(d*x +
 c) + a/(d*x + c))^n) + 1/2*B*a^2*d*g^2*i*x^2*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) + A*a*b*c*g^2*i*x^2 + 1/2*A*a^2*d*g^2*i*x^2 - 1/24*B*b^2*d*g^2*
i*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b
^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^
3*d^3)) + 1/6*B*b^2*c*g^2*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) + 1/
3*B*a*b*d*g^2*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2
*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - B*a*b*c*g^2*i*
n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) - 1/
2*B*a^2*d*g^2*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*
d)*x/(b*d)) + B*a^2*c*g^2*i*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + B*a^
2*c*g^2*i*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*a^2*c*g^2*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2571 vs. $2(182) = 364$.

Time $= 0.85$ (sec) , antiderivative size $= 2571$, normalized size of antiderivative $= 13.53$

$$\int (ag + bgx)^2 (ci + dix) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) \, dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="giac")
```

output

```
1/24*(2*(B*b^7*c^5*g^2*i*n - 5*B*a*b^6*c^4*d*g^2*i*n - 4*(b*x + a)*B*b^6*c
^5*d*g^2*i*n/(d*x + c) + 10*B*a^2*b^5*c^3*d^2*g^2*i*n + 20*(b*x + a)*B*a*b
^5*c^4*d^2*g^2*i*n/(d*x + c) + 6*(b*x + a)^2*B*b^5*c^5*d^2*g^2*i*n/(d*x +
c)^2 - 10*B*a^3*b^4*c^2*d^3*g^2*i*n - 40*(b*x + a)*B*a^2*b^4*c^3*d^3*g^2*i
*n/(d*x + c) - 30*(b*x + a)^2*B*a*b^4*c^4*d^3*g^2*i*n/(d*x + c)^2 + 5*B*a^
4*b^3*c*d^4*g^2*i*n + 40*(b*x + a)*B*a^3*b^3*c^2*d^4*g^2*i*n/(d*x + c) + 6
0*(b*x + a)^2*B*a^2*b^3*c^3*d^4*g^2*i*n/(d*x + c)^2 - B*a^5*b^2*d^5*g^2*i*
n - 20*(b*x + a)*B*a^4*b^2*c*d^5*g^2*i*n/(d*x + c) - 60*(b*x + a)^2*B*a^3*
b^2*c^2*d^5*g^2*i*n/(d*x + c)^2 + 4*(b*x + a)*B*a^5*b*d^6*g^2*i*n/(d*x + c
) + 30*(b*x + a)^2*B*a^4*b*c*d^6*g^2*i*n/(d*x + c)^2 - 6*(b*x + a)^2*B*a^5
*d^7*g^2*i*n/(d*x + c)^2)*log((b*x + a)/(d*x + c))/(b^4*d^3 - 4*(b*x + a)*
b^3*d^4/(d*x + c) + 6*(b*x + a)^2*b^2*d^5/(d*x + c)^2 - 4*(b*x + a)^3*b*d^
6/(d*x + c)^3 + (b*x + a)^4*d^7/(d*x + c)^4) + (B*b^8*c^5*g^2*i*n - 5*B*a*
b^7*c^4*d*g^2*i*n - 2*(b*x + a)*B*b^7*c^5*d*g^2*i*n/(d*x + c) + 10*B*a^2*b
^6*c^3*d^2*g^2*i*n + 10*(b*x + a)*B*a*b^6*c^4*d^2*g^2*i*n/(d*x + c) - (b*x
 + a)^2*B*b^6*c^5*d^2*g^2*i*n/(d*x + c)^2 - 10*B*a^3*b^5*c^2*d^3*g^2*i*n -
 20*(b*x + a)*B*a^2*b^5*c^3*d^3*g^2*i*n/(d*x + c) + 5*(b*x + a)^2*B*a*b^5*
c^4*d^3*g^2*i*n/(d*x + c)^2 + 2*(b*x + a)^3*B*b^5*c^5*d^3*g^2*i*n/(d*x + c
)^3 + 5*B*a^4*b^4*c*d^4*g^2*i*n + 20*(b*x + a)*B*a^3*b^4*c^2*d^4*g^2*i*n/(
d*x + c) - 10*(b*x + a)^2*B*a^2*b^4*c^3*d^4*g^2*i*n/(d*x + c)^2 - 10*(b...
```

Mupad [B] (verification not implemented)

Time = 26.14 (sec) , antiderivative size = 663, normalized size of antiderivative = 3.49

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$

$$= \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(Ba^2cg^2ix+\frac{Bag^2ix^2(ad+2bc)}{2}+\frac{Bbg^2ix^3(2ad+bc)}{3}+\frac{Bb^2dg^2ix^4}{4}\right)$$
$$+x^3\left(\frac{bg^2i(12Aad+8Abc+Badn-Bbcn)}{12}-\frac{Abg^2i(12ad+12bc)}{36}\right)$$
$$+x\left(\frac{(12ad+12bc)\left(\frac{bg^2i(12Aad+8Abc+Badn-Bbcn)}{4}-\frac{Abg^2i(12ad+12bc)}{12}\right)}{12bd}-\frac{g^2i(9Aa^2d^2+3Ab^2c^2+2}{12bd}\right.$$
$$\left.-\frac{ac\left(\frac{bg^2i(12Aad+8Abc+Badn-Bbcn)}{4}-\frac{Abg^2i(12ad+12bc)}{12}\right)}{bd}+\frac{ag^2i(2Aa^2d^2+6Ab^2c^2+Ba^2d^2n-2Bb^2c^2n+12Aabcd+Babcdn)}{2bd}\right)$$
$$-x^2\left(\frac{(12ad+12bc)\left(\frac{bg^2i(12Aad+8Abc+Badn-Bbcn)}{4}-\frac{Abg^2i(12ad+12bc)}{12}\right)}{24bd}\right.$$
$$\left.-\frac{g^2i(9Aa^2d^2+3Ab^2c^2+2Ba^2d^2n-Bb^2c^2n+18Aabcd-Babcdn)}{6d}+\frac{Aabcg^2i}{2}\right)-\frac{\ln(a+bx)\,(Ba^4dg^2in-4Ba^3bcg^2in)}{12b^2}$$
$$-\frac{\ln(c+dx)\,(6Bina^2c^2d^2g^2-4Binabc^3dg^2+Binb^2c^4g^2)}{12d^3}+\frac{Ab^2dg^2ix^4}{4}$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x
)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*(B*a^2*c*g^2*i*x + (B*a*g^2*i*x^2*(a*d + 2*
b*c))/2 + (B*b*g^2*i*x^3*(2*a*d + b*c))/3 + (B*b^2*d*g^2*i*x^4)/4) + x^3*(
(b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d*n - B*b*c*n))/12 - (A*b*g^2*i*(12*a*d
 + 12*b*c))/36) + x*(((12*a*d + 12*b*c)*(((12*a*d + 12*b*c)*((b*g^2*i*(12*
A*a*d + 8*A*b*c + B*a*d*n - B*b*c*n))/4 - (A*b*g^2*i*(12*a*d + 12*b*c))/12
))/(12*b*d) - (g^2*i*(9*A*a^2*d^2 + 3*A*b^2*c^2 + 2*B*a^2*d^2*n - B*b^2*c^
2*n + 18*A*a*b*c*d - B*a*b*c*d*n))/(3*d) + A*a*b*c*g^2*i))/(12*b*d) - (a*c
*((b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d*n - B*b*c*n))/4 - (A*b*g^2*i*(12*a*
d + 12*b*c))/12))/(b*d) + (a*g^2*i*(2*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2*
n - 2*B*b^2*c^2*n + 12*A*a*b*c*d + B*a*b*c*d*n))/(2*b*d)) - x^2*(((12*a*d
+ 12*b*c)*((b*g^2*i*(12*A*a*d + 8*A*b*c + B*a*d*n - B*b*c*n))/4 - (A*b*g^2
*i*(12*a*d + 12*b*c))/12))/(24*b*d) - (g^2*i*(9*A*a^2*d^2 + 3*A*b^2*c^2 +
2*B*a^2*d^2*n - B*b^2*c^2*n + 18*A*a*b*c*d - B*a*b*c*d*n))/(6*d) + (A*a*b*
c*g^2*i)/2) - (log(a + b*x)*(B*a^4*d*g^2*i*n - 4*B*a^3*b*c*g^2*i*n))/(12*b
^2) - (log(c + d*x)*(B*b^2*c^4*g^2*i*n + 6*B*a^2*c^2*d^2*g^2*i*n - 4*B*a*b
*c^3*d*g^2*i*n))/(12*d^3) + (A*b^2*d*g^2*i*x^4)/4
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 573, normalized size of antiderivative = 3.02

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$=\frac{g^2 i\left(12\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^2b^2c^2d^2-8\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a\,b^3c^3d+6\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b^4d^4x^4+12a^3b\,d^4x^2+16a^2b^2d$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**2*i*( - 2*log(a + b*x)*a**4*d**4*n + 8*log(a + b*x)*a**3*b*c*d**3*n -
12*log(a + b*x)*a**2*b**2*c**2*d**2*n + 8*log(a + b*x)*a*b**3*c**3*d*n - 2
*log(a + b*x)*b**4*c**4*n + 12*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**
2*c**2*d**2 + 24*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*d**3*x + 1
2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d**4*x**2 - 8*log(((a + b*x
)**n*e)/(c + d*x)**n)*a*b**3*c**3*d + 24*log(((a + b*x)**n*e)/(c + d*x)**n
)*a*b**3*c*d**3*x**2 + 16*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**4*x
**3 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c**4 + 8*log(((a + b*x)**n
*e)/(c + d*x)**n)*b**4*c*d**3*x**3 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*
b**4*d**4*x**4 + 24*a**3*b*c*d**3*x + 2*a**3*b*d**4*n*x + 12*a**3*b*d**4*x
**2 + 4*a**2*b**2*c*d**3*n*x + 24*a**2*b**2*c*d**3*x**2 + 5*a**2*b**2*d**4
*n*x**2 + 16*a**2*b**2*d**4*x**3 - 8*a*b**3*c**2*d**2*n*x - 4*a*b**3*c*d**
3*n*x**2 + 8*a*b**3*c*d**3*x**3 + 2*a*b**3*d**4*n*x**3 + 6*a*b**3*d**4*x**
4 + 2*b**4*c**3*d*n*x - b**4*c**2*d**2*n*x**2 - 2*b**4*c*d**3*n*x**3))/(24
*b*d**3)
```

3.110 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1343
Mathematica [A] (verified) 1343
Rubi [A] (verified) 1344
Maple [B] (verified) 1346
Fricas [B] (verification not implemented) 1347
Sympy [B] (verification not implemented) 1348
Maxima [B] (verification not implemented) 1349
Giac [B] (verification not implemented) 1350
Mupad [B] (verification not implemented) 1351
Reduce [B] (verification not implemented) 1352

Optimal result

Integrand size = 39, antiderivative size = 149

$$\begin{aligned}&\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\&=-\frac{B(bc-ad)^2ginx}{6bd}+\frac{gi(a+bx)^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b}\\&\quad+\frac{(bc-ad)gi(a+bx)^2\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6b^2}+\frac{B(bc-ad)^3gin\log(c+dx)}{6b^2d^2}\end{aligned}$$

output

```
-1/6*B*(-a*d+b*c)^2*g*i*n*x/b/d+1/3*g*i*(b*x+a)^2*(d*x+c)*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))/b+1/6*(-a*d+b*c)*g*i*(b*x+a)^2*(A-B*n+B*ln(e*((b*x+a)/(d*x
+c))^n))/b^2+1/6*B*(-a*d+b*c)^3*g*i*n*ln(d*x+c)/b^2/d^2
```

Mathematica [A] (verified)

Time = 0.31 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.27

$$\begin{aligned}&\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\&=\frac{gi\left(-a^2Bd^2(3bc+ad)n\log(a+bx)+b\left(dx(a^2Bd^2n-b^2Bcn(c+dx)+Ab^2dx(3c+2dx)+abd(6Ac+3\right.\right.}\end{aligned}$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n
]),x]
```

output
```
(g*i*(-(a^2*B*d^2*(3*b*c + a*d)*n*Log[a + b*x]) + b*(d*x*(a^2*B*d^2*n - b^
2*B*c*n*(c + d*x) + A*b^2*d*x*(3*c + 2*d*x) + a*b*d*(6*A*c + 3*A*d*x + B*d
*n*x)) + B*d^2*(6*a^2*c + 3*a*b*x*(2*c + d*x) + b^2*x^2*(3*c + 2*d*x))*Log
[e*((a + b*x)/(c + d*x))^n] + B*c*(b^2*c^2 - 3*a*b*c*d + 6*a^2*d^2)*n*Log[
c + d*x])))/(6*b^2*d^2)
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 145, normalized size of antiderivative = 0.97, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.128$, Rules used = {2959, 27, 2947, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$

$$\downarrow 2959$$

$$\frac{i(bc-ad)\int g(a+bx)\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b}$$

$$\downarrow 27$$

$$\frac{gi(bc-ad)\int (a+bx)\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b}$$

$$\downarrow 2947$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{2b}-\frac{Bn(bc-ad)\int\frac{a+bx}{c+dx}dx}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b}$$

$$\downarrow 49$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{2b}-\frac{Bn(bc-ad)\int\left(\frac{b}{d}+\frac{ad-bc}{d(c+dx)}\right)dx}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b}$$

$$\downarrow 2009$$

$$\frac{gi(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{2b}-\frac{Bn(bc-ad)\left(\frac{bx}{d}-\frac{(bc-ad)\log(c+dx)}{d^2}\right)}{2b}\right)}{3b}+\frac{gi(a+bx)^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b}$$

input
```
Int[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
(g*i*(a + b*x)^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*b) +
 ((b*c - a*d)*g*i*(((a + b*x)^2*(A - B*n + B*Log[e*((a + b*x)/(c + d*x))^n
]))/(2*b) - (B*(b*c - a*d)*n*((b*x)/d - ((b*c - a*d)*Log[c + d*x])/d^2))/(
2*b)))/(3*b)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

rule 2959
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Simp[(f
 + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 2
))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B*n + B
*Log[e*((a + b*x)/(c + d*x))^n]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h,
i, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c
*i, 0] && IGtQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 506 vs. 2(141) = 282.

Time = 1.87 (sec) , antiderivative size = 507, normalized size of antiderivative = 3.40

method	result
parallelrisch	$\frac{2Bx^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3d^3gin+6Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab^2cd^2gin-B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3c^3gin+2Ax^3b^3d^3gin-B\ln(bx+a)a^3d^3$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RETU
RNVERBOSE)
```

output
```
1/6*(2*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^3*g*i*n+6*B*x*ln(e*((b*x+a)/(
d*x+c))^n)*a*b^2*c*d^2*g*i*n-B*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c^3*g*i*n+2*A
*x^3*b^3*d^3*g*i*n-B*ln(b*x+a)*a^3*d^3*g*i*n^2+B*ln(b*x+a)*b^3*c^3*g*i*n^2
+B*b^3*c^3*g*i*n^2-B*a^3*d^3*g*i*n^2+3*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*c
^2*d*g*i*n+3*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*d^3*g*i*n+3*B*x^2*ln(e*
((b*x+a)/(d*x+c))^n)*b^3*c*d^2*g*i*n+6*A*x*a*b^2*c*d^2*g*i*n+3*B*ln(b*x+a)
*a^2*b*c*d^2*g*i*n^2-3*B*ln(b*x+a)*a*b^2*c^2*d*g*i*n^2-2*B*a^2*b*c*d^2*g*i
*n^2+2*B*a*b^2*c^2*d*g*i*n^2-9*A*a^2*b*c*d^2*g*i*n-9*A*a*b^2*c^2*d*g*i*n+B
*x^2*a*b^2*d^3*g*i*n^2-B*x^2*b^3*c*d^2*g*i*n^2+3*A*x^2*a*b^2*d^3*g*i*n+3*A
*x^2*b^3*c*d^2*g*i*n+B*x*a^2*b*d^3*g*i*n^2-B*x*b^3*c^2*d*g*i*n^2)/n/b^2/d^
2
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 309 vs. $2(143) = 286$.

Time $= 0.10$ (sec) , antiderivative size $= 309$, normalized size of antiderivative $= 2.07$

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \frac{2\,Ab^3d^3gix^3 + (3\,Ba^2bcd^2 - Ba^3d^3)gin\log(bx+a) + (Bb^3c^3 - 3\,Bab^2c^2d)gin\log(dx+c) - ((Bb^3cd^2 -}{}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algo
rithm="fricas")
```

output
```
1/6*(2*A*b^3*d^3*g*i*x^3 + (3*B*a^2*b*c*d^2 - B*a^3*d^3)*g*i*n*log(b*x + a
) + (B*b^3*c^3 - 3*B*a*b^2*c^2*d)*g*i*n*log(d*x + c) - ((B*b^3*c*d^2 - B*a
*b^2*d^3)*g*i*n - 3*(A*b^3*c*d^2 + A*a*b^2*d^3)*g*i)*x^2 + (6*A*a*b^2*c*d^
2*g*i - (B*b^3*c^2*d - B*a^2*b*d^3)*g*i*n)*x + (2*B*b^3*d^3*g*i*x^3 + 6*B*
a*b^2*c*d^2*g*i*x + 3*(B*b^3*c*d^2 + B*a*b^2*d^3)*g*i*x^2)*log(e) + (2*B*b
^3*d^3*g*i*n*x^3 + 6*B*a*b^2*c*d^2*g*i*n*x + 3*(B*b^3*c*d^2 + B*a*b^2*d^3)
*g*i*n*x^2)*log((b*x + a)/(d*x + c)))/(b^2*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 643 vs. $2(134) = 268$.

Time = 137.27 (sec) , antiderivative size = 643, normalized size of antiderivative = 4.32

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Piecewise((a*c*g*i*x*(A + B*log(e*(a/c)**n)), Eq(b, 0) & Eq(d, 0)), (a*g*(
A*c*i*x + A*d*i*x**2/2 + B*c**2*i*log(e*(a/(c + d*x))**n)/(2*d) + B*c*i*n*
x/2 + B*c*i*x*log(e*(a/(c + d*x))**n) + B*d*i*n*x**2/4 + B*d*i*x**2*log(e*
(a/(c + d*x))**n)/2), Eq(b, 0)), (c*i*(A*a*g*x + A*b*g*x**2/2 + B*a**2*g*l
og(e*(a/c + b*x/c)**n)/(2*b) - B*a*g*n*x/2 + B*a*g*x*log(e*(a/c + b*x/c)**
n) - B*b*g*n*x**2/4 + B*b*g*x**2*log(e*(a/c + b*x/c)**n)/2), Eq(d, 0)), (A
*a*c*g*i*x + A*a*d*g*i*x**2/2 + A*b*c*g*i*x**2/2 + A*b*d*g*i*x**3/3 - B*a*
*3*d*g*i*n*log(c/d + x)/(6*b**2) - B*a**3*d*g*i*log(e*(a/(c + d*x) + b*x/(
c + d*x))**n)/(6*b**2) + B*a**2*c*g*i*n*log(c/d + x)/(2*b) + B*a**2*c*g*i*
log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(2*b) + B*a**2*d*g*i*n*x/(6*b) - B
*a*c**2*g*i*n*log(c/d + x)/(2*d) + B*a*c*g*i*x*log(e*(a/(c + d*x) + b*x/(c
 + d*x))**n) + B*a*d*g*i*n*x**2/6 + B*a*d*g*i*x**2*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n)/2 + B*b*c**3*g*i*n*log(c/d + x)/(6*d**2) - B*b*c**2*g*i*n
*x/(6*d) - B*b*c*g*i*n*x**2/6 + B*b*c*g*i*x**2*log(e*(a/(c + d*x) + b*x/(c
 + d*x))**n)/2 + B*b*d*g*i*x**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/3,
 True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 393 vs. 2(143) = 286.

Time = 0.05 (sec) , antiderivative size = 393, normalized size of antiderivative = 2.64

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= \frac{1}{3}Bbdgix^3\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+\frac{1}{3}Abdgix^3 \\
&\quad+\frac{1}{2}Bbcgix^2\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right) \\
&\quad+\frac{1}{2}Badgix^2\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+\frac{1}{2}Abcgix^2+\frac{1}{2}Aadgix^2 \\
&\quad+\frac{1}{6}Bbdgin\left(\frac{2\,a^3\log(bx+a)}{b^3}-\frac{2\,c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2\,(b^2c^2-a^2d^2)x}{b^2d^2}\right) \\
&\quad-\frac{1}{2}Bbcgin\left(\frac{a^2\log(bx+a)}{b^2}-\frac{c^2\log(dx+c)}{d^2}+\frac{(bc-ad)x}{bd}\right) \\
&\quad-\frac{1}{2}Badgin\left(\frac{a^2\log(bx+a)}{b^2}-\frac{c^2\log(dx+c)}{d^2}+\frac{(bc-ad)x}{bd}\right) \\
&\quad+Bacgin\left(\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right) \\
&\quad+Bacgix\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+Aacgix
\end{aligned}
$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algo
rithm="maxima")
```

output

```
1/3*B*b*d*g*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A*b*d*g*i*x
^3 + 1/2*B*b*c*g*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*B*a*d*
g*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A*b*c*g*i*x^2 + 1/2*A
*a*d*g*i*x^2 + 1/6*B*b*d*g*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c
)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 1
/2*B*b*c*g*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*
x/(b*d)) - 1/2*B*a*d*g*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 +
(b*c - a*d)*x/(b*d)) + B*a*c*g*i*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) +
 B*a*c*g*i*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*a*c*g*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1276 vs. $2(143) = 286$.

Time = 0.49 (sec) , antiderivative size = 1276, normalized size of antiderivative = 8.56

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algo
rithm="giac")
```

output

```
-1/6*((B*b^5*c^4*g*i*n - 4*B*a*b^4*c^3*d*g*i*n - 3*(b*x + a)*B*b^4*c^4*d*g
*i*n/(d*x + c) + 6*B*a^2*b^3*c^2*d^2*g*i*n + 12*(b*x + a)*B*a*b^3*c^3*d^2*
g*i*n/(d*x + c) - 4*B*a^3*b^2*c*d^3*g*i*n - 18*(b*x + a)*B*a^2*b^2*c^2*d^3
*g*i*n/(d*x + c) + B*a^4*b*d^4*g*i*n + 12*(b*x + a)*B*a^3*b*c*d^4*g*i*n/(d
*x + c) - 3*(b*x + a)*B*a^4*d^5*g*i*n/(d*x + c))*log((b*x + a)/(d*x + c))/
(b^3*d^2 - 3*(b*x + a)*b^2*d^3/(d*x + c) + 3*(b*x + a)^2*b*d^4/(d*x + c)^2
 - (b*x + a)^3*d^5/(d*x + c)^3) + ((b*x + a)*B*b^5*c^4*d*g*i*n/(d*x + c) -
 4*(b*x + a)*B*a*b^4*c^3*d^2*g*i*n/(d*x + c) - (b*x + a)^2*B*b^4*c^4*d^2*g
*i*n/(d*x + c)^2 + 6*(b*x + a)*B*a^2*b^3*c^2*d^3*g*i*n/(d*x + c) + 4*(b*x
+ a)^2*B*a*b^3*c^3*d^3*g*i*n/(d*x + c)^2 - 4*(b*x + a)*B*a^3*b^2*c*d^4*g*i
*n/(d*x + c) - 6*(b*x + a)^2*B*a^2*b^2*c^2*d^4*g*i*n/(d*x + c)^2 + (b*x +
a)*B*a^4*b*d^5*g*i*n/(d*x + c) + 4*(b*x + a)^2*B*a^3*b*c*d^5*g*i*n/(d*x +
c)^2 - (b*x + a)^2*B*a^4*d^6*g*i*n/(d*x + c)^2 + B*b^6*c^4*g*i*log(e) - 4*
B*a*b^5*c^3*d*g*i*log(e) - 3*(b*x + a)*B*b^5*c^4*d*g*i*log(e)/(d*x + c) +
6*B*a^2*b^4*c^2*d^2*g*i*log(e) + 12*(b*x + a)*B*a*b^4*c^3*d^2*g*i*log(e)/(
d*x + c) - 4*B*a^3*b^3*c*d^3*g*i*log(e) - 18*(b*x + a)*B*a^2*b^3*c^2*d^3*g
*i*log(e)/(d*x + c) + B*a^4*b^2*d^4*g*i*log(e) + 12*(b*x + a)*B*a^3*b^2*c*
d^4*g*i*log(e)/(d*x + c) - 3*(b*x + a)*B*a^4*b*d^5*g*i*log(e)/(d*x + c) +
A*b^6*c^4*g*i - 4*A*a*b^5*c^3*d*g*i - 3*(b*x + a)*A*b^5*c^4*d*g*i/(d*x + c
) + 6*A*a^2*b^4*c^2*d^2*g*i + 12*(b*x + a)*A*a*b^4*c^3*d^2*g*i/(d*x + c...
```

Mupad [B] (verification not implemented)

Time = 25.84 (sec) , antiderivative size = 295, normalized size of antiderivative = 1.98

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{B\,b\,d\,g\,i\,x^3}{3}+\frac{B\,g\,i\,(a\,d+b\,c)\,x^2}{2}+B\,a\,c\,g\,i\,x\right) \\
&\quad - x\left(\frac{\left(\frac{g\,i\,(6\,A\,a\,d+6\,A\,b\,c+B\,a\,d\,n-B\,b\,c\,n)}{3}-\frac{A\,g\,i\,(6\,a\,d+6\,b\,c)}{6}\right)(6\,a\,d+6\,b\,c)}{6\,b\,d}+A\,a\,c\,g\,i\right. \\
&\qquad\qquad \left.-\frac{g\,i\,(2\,A\,a^2\,d^2+2\,A\,b^2\,c^2+B\,a^2\,d^2\,n-B\,b^2\,c^2\,n+8\,A\,a\,b\,c\,d)}{2\,b\,d}\right) \\
&\quad + x^2\left(\frac{g\,i\,(6\,A\,a\,d+6\,A\,b\,c+B\,a\,d\,n-B\,b\,c\,n)}{6}-\frac{A\,g\,i\,(6\,a\,d+6\,b\,c)}{12}\right) \\
&\quad - \frac{\ln(a+bx)\,(B\,a^3\,d\,g\,i\,n-3\,B\,a^2\,b\,c\,g\,i\,n)}{6\,b^2} \\
&\quad + \frac{\ln(c+dx)\,(B\,b\,c^3\,g\,i\,n-3\,B\,a\,c^2\,d\,g\,i\,n)}{6\,d^2}+\frac{A\,b\,d\,g\,i\,x^3}{3}
\end{aligned}$$

input

```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*((B*g*i*x^2*(a*d + b*c))/2 + (B*b*d*g*i*x^3
)/3 + B*a*c*g*i*x) - x*((((g*i*(6*A*a*d + 6*A*b*c + B*a*d*n - B*b*c*n))/3
- (A*g*i*(6*a*d + 6*b*c))/6)*(6*a*d + 6*b*c))/(6*b*d) + A*a*c*g*i - (g*i*(
2*A*a^2*d^2 + 2*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c^2*n + 8*A*a*b*c*d))/(2*b
*d)) + x^2*((g*i*(6*A*a*d + 6*A*b*c + B*a*d*n - B*b*c*n))/6 - (A*g*i*(6*a*
d + 6*b*c))/12) - (log(a + b*x)*(B*a^3*d*g*i*n - 3*B*a^2*b*c*g*i*n))/(6*b^
2) + (log(c + d*x)*(B*b*c^3*g*i*n - 3*B*a*c^2*d*g*i*n))/(6*d^2) + (A*b*d*g
*i*x^3)/3
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 346, normalized size of antiderivative = 2.32

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$

$$=\frac{gi\Big(-\log(bx+a)\,a^3d^3n+3\log(bx+a)\,a^2bc\,d^2n-3\log(bx+a)\,a\,b^2c^2dn+\log(bx+a)\,b^3c^3n+3\log\Big(\frac{(bx}{(dx}$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g*i*( - log(a + b*x)*a**3*d**3*n + 3*log(a + b*x)*a**2*b*c*d**2*n - 3*log
(a + b*x)*a*b**2*c**2*d*n + log(a + b*x)*b**3*c**3*n + 3*log(((a + b*x)**n
*e)/(c + d*x)**n)*a*b**2*c**2*d + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b
**2*c*d**2*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**3*x**2 - log
(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**3 + 3*log(((a + b*x)**n*e)/(c + d*
x)**n)*b**3*c*d**2*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*d**3*x
**3 + 6*a**2*b*c*d**2*x + a**2*b*d**3*n*x + 3*a**2*b*d**3*x**2 + 3*a*b**2*
c*d**2*x**2 + a*b**2*d**3*n*x**2 + 2*a*b**2*d**3*x**3 - b**3*c**2*d*n*x -
b**3*c*d**2*n*x**2))/(6*b*d**2)
```

3.111 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1353
Mathematica [A] (verified) 1353
Rubi [A] (verified) 1354
Maple [B] (verified) 1355
Fricas [B] (verification not implemented) 1356
Sympy [B] (verification not implemented) 1356
Maxima [A] (verification not implemented) 1357
Giac [B] (verification not implemented) 1358
Mupad [B] (verification not implemented) 1359
Reduce [B] (verification not implemented) 1359

Optimal result

Integrand size = 31, antiderivative size = 86

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= -\frac{B(bc-ad)inx}{2b} - \frac{B(bc-ad)^2in\log(a+bx)}{2b^2d} + \frac{i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d}$$

output
```
-1/2*B*(-a*d+b*c)*i*n*x/b-1/2*B*(-a*d+b*c)^2*i*n*ln(b*x+a)/b^2/d+1/2*i*(d*
x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 74, normalized size of antiderivative = 0.86

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \frac{i\left(-\frac{B(bc-ad)n(bdx+(bc-ad)\log(a+bx))}{b^2} + (c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\right)}{2d}$$

input
```
Integrate[(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
(i*(-((B*(b*c - a*d)*n*(b*d*x + (b*c - a*d)*Log[a + b*x]))/b^2) + (c + d*x
)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(2*d)
```

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$, Rules used = {2947, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$

$$\downarrow 2947$$

$$\frac{i(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d}-\frac{Bn(bc-ad)\int\frac{i^2(c+dx)}{a+bx}dx}{2di}$$

$$\downarrow 27$$

$$\frac{i(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d}-\frac{Bin(bc-ad)\int\frac{c+dx}{a+bx}dx}{2d}$$

$$\downarrow 49$$

$$\frac{i(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d}-\frac{Bin(bc-ad)\int\left(\frac{d}{b}+\frac{bc-ad}{b(a+bx)}\right)dx}{2d}$$

$$\downarrow 2009$$

$$\frac{i(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d}-\frac{Bin(bc-ad)\left(\frac{(bc-ad)\log(a+bx)}{b^2}+\frac{dx}{b}\right)}{2d}$$

input
```
Int[(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
-1/2*(B*(b*c - a*d)*i*n*((d*x)/b + ((b*c - a*d)*Log[a + b*x])/b^2))/d + (i
*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 249 vs. $2(80) = 160$.

Time = 0.80 (sec) , antiderivative size = 250, normalized size of antiderivative = 2.91

method	result
parallelrisch	$\frac{B x^2 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) b^2 d^2 i n + A x^2 b^2 d^2 i n - B \ln(bx+a) a^2 d^2 i n^2 + 2B \ln(bx+a) abcdi n^2 - B \ln(bx+a) b^2 c^2 i n^2 + 2Bx \ln\left(e\left(\frac{bx+}{dx+}\right.\right.$ 2

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RETURNVERBOSE)
```

output
```
1/2*(B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^2*d^2*i*n+A*x^2*b^2*d^2*i*n-B*ln(b*
x+a)*a^2*d^2*i*n^2+2*B*ln(b*x+a)*a*b*c*d*i*n^2-B*ln(b*x+a)*b^2*c^2*i*n^2+2
*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*d*i*n+B*x*a*b*d^2*i*n^2-B*x*b^2*c*d*i
*n^2+2*A*x*b^2*c*d*i*n+B*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c^2*i*n-B*a^2*d^2*i
*n^2+B*b^2*c^2*i*n^2-3*A*a*b*c*d*i*n-2*A*b^2*c^2*i*n)/n/b^2/d
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 162 vs. 2(80) = 160.

Time = 0.09 (sec) , antiderivative size = 162, normalized size of antiderivative = 1.88

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{Ab^2d^2ix^2-Bb^2c^2in\log(dx+c)+(2\,Babcd-Ba^2d^2)in\log(bx+a)+(2\,Ab^2cdi-(Bb^2cd-Babd^2)in}{2\,b^2d}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="frica
s")
```

output
```
1/2*(A*b^2*d^2*i*x^2 - B*b^2*c^2*i*n*log(d*x + c) + (2*B*a*b*c*d - B*a^2*d
^2)*i*n*log(b*x + a) + (2*A*b^2*c*d*i - (B*b^2*c*d - B*a*b*d^2)*i*n)*x + (
B*b^2*d^2*i*x^2 + 2*B*b^2*c*d*i*x)*log(e) + (B*b^2*d^2*i*n*x^2 + 2*B*b^2*c
*d*i*n*x)*log((b*x + a)/(d*x + c)))/(b^2*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 382 vs. 2(73) = 146.

Time = 21.46 (sec) , antiderivative size = 382, normalized size of antiderivative = 4.44

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\begin{cases} cix\left(A+B\log\left(e\left(\frac{a}{c}\right)^n\right)\right) \\ Acix+\frac{Adix^2}{2}+\frac{Bc^2i\log\left(e\left(\frac{a}{c+dx}\right)^n\right)}{2d}+\frac{Bcinx}{2}+Bcix\log\left(e\left(\frac{a}{c+dx}\right)^n\right)+\frac{Bdinx^2}{4}+\frac{Bdix^2\log\left(e\left(\frac{a}{c+dx}\right)^n\right)}{2} \\ ci\left(Ax+\frac{Ba\log\left(e\left(\frac{a}{c}+\frac{bx}{c}\right)^n\right)}{b}-Bnx+Bx\log\left(e\left(\frac{a}{c}+\frac{bx}{c}\right)^n\right)\right) \\ Acix+\frac{Adix^2}{2}-\frac{Ba^2din\log\left(\frac{c}{d}+x\right)}{2b^2}-\frac{Ba^2di\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{2b^2}+\frac{Bacin\log\left(\frac{c}{d}+x\right)}{b}+\frac{Baci\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{b}+\frac{Ba} \end{cases}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Piecewise((c*i*x*(A + B*log(e*(a/c)**n)), Eq(b, 0) & Eq(d, 0)), (A*c*i*x +
 A*d*i*x**2/2 + B*c**2*i*log(e*(a/(c + d*x))**n)/(2*d) + B*c*i*n*x/2 + B*c
*i*x*log(e*(a/(c + d*x))**n) + B*d*i*n*x**2/4 + B*d*i*x**2*log(e*(a/(c + d
*x))**n)/2, Eq(b, 0)), (c*i*(A*x + B*a*log(e*(a/c + b*x/c)**n)/b - B*n*x +
 B*x*log(e*(a/c + b*x/c)**n)), Eq(d, 0)), (A*c*i*x + A*d*i*x**2/2 - B*a**2
*d*i*n*log(c/d + x)/(2*b**2) - B*a**2*d*i*log(e*(a/(c + d*x) + b*x/(c + d*
x))**n)/(2*b**2) + B*a*c*i*n*log(c/d + x)/b + B*a*c*i*log(e*(a/(c + d*x) +
 b*x/(c + d*x))**n)/b + B*a*d*i*n*x/(2*b) - B*c**2*i*n*log(c/d + x)/(2*d)
- B*c*i*n*x/2 + B*c*i*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n) + B*d*i*x*
*2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/2, True))
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 156, normalized size of antiderivative = 1.81

$$
\begin{aligned}
&\int (ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= \frac{1}{2}\,Bdix^2\log\left(e\left(\frac{bx}{dx+c} + \frac{a}{dx+c}\right)^n\right) + \frac{1}{2}\,Adix^2 \\
&\quad - \frac{1}{2}\,Bdin\left(\frac{a^2\log\left(bx+a\right)}{b^2} - \frac{c^2\log\left(dx+c\right)}{d^2} + \frac{(bc-ad)x}{bd}\right) \\
&\quad + Bcin\left(\frac{a\log\left(bx+a\right)}{b} - \frac{c\log\left(dx+c\right)}{d}\right) \\
&\quad + Bcix\log\left(e\left(\frac{bx}{dx+c} + \frac{a}{dx+c}\right)^n\right) + Acix
\end{aligned}
$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="maxim
a")
```

output
```
1/2*B*d*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A*d*i*x^2 - 1/2
*B*d*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d
)) + B*c*i*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + B*c*i*x*log(e*(b*x/(d
*x + c) + a/(d*x + c))^n) + A*c*i*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 580 vs. 2(80) = 160.

Time = 0.24 (sec) , antiderivative size = 580, normalized size of antiderivative = 6.74

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$

$$=\frac{1}{2}\left(\frac{\left(Bb^3c^3in-3\,Bab^2c^2din+3\,Ba^2bcd^2in-Ba^3d^3in\right)\log\left(\frac{bx+a}{dx+c}\right)}{b^2d-\frac{2\,(bx+a)bd^2}{dx+c}+\frac{(bx+a)^2d^3}{(dx+c)^2}}-\frac{Bb^4c^3in-3\,Bab^3c^2din-\frac{(bx+a)Bb^3}{dx+c}}{dx+c}\right.$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="giac"
)
```

output

```
1/2*((B*b^3*c^3*i*n - 3*B*a*b^2*c^2*d*i*n + 3*B*a^2*b*c*d^2*i*n - B*a^3*d^
3*i*n)*log((b*x + a)/(d*x + c))/(b^2*d - 2*(b*x + a)*b*d^2/(d*x + c) + (b*
x + a)^2*d^3/(d*x + c)^2) - (B*b^4*c^3*i*n - 3*B*a*b^3*c^2*d*i*n - (b*x +
a)*B*b^3*c^3*d*i*n/(d*x + c) + 3*B*a^2*b^2*c*d^2*i*n + 3*(b*x + a)*B*a*b^2
*c^2*d^2*i*n/(d*x + c) - B*a^3*b*d^3*i*n - 3*(b*x + a)*B*a^2*b*c*d^3*i*n/(
d*x + c) + (b*x + a)*B*a^3*d^4*i*n/(d*x + c) - B*b^4*c^3*i*log(e) + 3*B*a*
b^3*c^2*d*i*log(e) - 3*B*a^2*b^2*c*d^2*i*log(e) + B*a^3*b*d^3*i*log(e) - A
*b^4*c^3*i + 3*A*a*b^3*c^2*d*i - 3*A*a^2*b^2*c*d^2*i + A*a^3*b*d^3*i)/(b^3
*d - 2*(b*x + a)*b^2*d^2/(d*x + c) + (b*x + a)^2*b*d^3/(d*x + c)^2) + (B*b
^3*c^3*i*n - 3*B*a*b^2*c^2*d*i*n + 3*B*a^2*b*c*d^2*i*n - B*a^3*d^3*i*n)*lo
g(-b + (b*x + a)*d/(d*x + c))/(b^2*d) - (B*b^3*c^3*i*n - 3*B*a*b^2*c^2*d*i
*n + 3*B*a^2*b*c*d^2*i*n - B*a^3*d^3*i*n)*log((b*x + a)/(d*x + c))/(b^2*d)
)*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 25.64 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.56

$$\begin{aligned}
&\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= x\left(\frac{i\,(2\,A\,a\,d+4\,A\,b\,c+B\,a\,d\,n-B\,b\,c\,n)}{2\,b}-\frac{A\,i\,(2\,a\,d+2\,b\,c)}{2\,b}\right) \\
&\quad+\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\left(\frac{B\,d\,i\,x^2}{2}+B\,c\,i\,x\right) \\
&\quad-\frac{\ln(a+b\,x)\,(B\,a^2\,d\,i\,n-2\,B\,a\,b\,c\,i\,n)}{2\,b^2}+\frac{A\,d\,i\,x^2}{2}-\frac{B\,c^2\,i\,n\,\ln(c+d\,x)}{2\,d}
\end{aligned}$$

input
```
int((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)
```

output
```
x*((i*(2*A*a*d + 4*A*b*c + B*a*d*n - B*b*c*n))/(2*b) - (A*i*(2*a*d + 2*b*c
))/(2*b)) + log(e*((a + b*x)/(c + d*x))^n)*((B*d*i*x^2)/2 + B*c*i*x) - (lo
g(a + b*x)*(B*a^2*d*i*n - 2*B*a*b*c*i*n))/(2*b^2) + (A*d*i*x^2)/2 - (B*c^2
*i*n*log(c + d*x))/(2*d)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 194, normalized size of antiderivative = 2.26

$$\begin{aligned}
&\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&=\frac{i\left(-\log(dx+c)\,a^2d^2n+2\log(dx+c)\,abcdn-\log(dx+c)\,b^2c^2n-\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^2d^2+2\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)\right.}{2bd}
\end{aligned}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
(i*( - log(c + d*x)*a**2*d**2*n + 2*log(c + d*x)*a*b*c*d*n - log(c + d*x)*
b**2*c**2*n - log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*d**2 + 2*log(((a + b
*x)**n*e)/(c + d*x)**n)*a*b*c*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**
2*c*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*d**2*x**2 + 2*a*b*c*d*x
+ a*b*d**2*n*x + a*b*d**2*x**2 - b**2*c*d*n*x))/(2*b*d)
```

3.112 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 1360
Mathematica [A] (verified) . . . 1361
Rubi [A] (verified) . . . 1361
Maple [F] . . . 1364
Fricas [F] . . . 1365
Sympy [F] . . . 1365
Maxima [A] (verification not implemented) . . . 1366
Giac [F] . . . 1366
Mupad [F(-1)] . . . 1367
Reduce [F] . . . 1367

Optimal result

Integrand size = 41, antiderivative size = 141

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx \\
&= \frac{i(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{bg} \\
&\quad - \frac{(bc-ad)i\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2g} \\
&\quad + \frac{B(bc-ad)in\,\mathrm{PolyLog}\left(2,1+\frac{bc-ad}{d(a+bx)}\right)}{b^2g}
\end{aligned}$$

output

```
i*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g-(-a*d+b*c)*i*ln(-(-a*d+b*c)/
d/(b*x+a))*(A-B*n+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g+B*(-a*d+b*c)*i*n*poly
log(2,1+(-a*d+b*c)/d/(b*x+a))/b^2/g
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.22

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i\Big(B(-bc+ad)n\log^2(a+bx)+2\big(Abdx+Bd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+B(-bc+ad)n\log(c+dx)\big)+2}{2b}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*
g*x),x]
```

output
```
(i*(B*(-(b*c) + a*d)*n*Log[a + b*x]^2 + 2*(A*b*d*x + B*d*(a + b*x)*Log[e*(
(a + b*x)/(c + d*x))^n] + B*(-(b*c) + a*d)*n*Log[c + d*x]) + 2*(b*c - a*d)
*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n] + B*n*Log[(b*(c + d*x)
)/(b*c - a*d)]) + 2*B*(b*c - a*d)*n*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d
)]))/(2*b^2*g)
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.95, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.195$, Rules used = {2959, 27, 2941, 2858, 27, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ag+bgx}\,dx$$
$$\downarrow 2959$$
$$\frac{i(bc-ad)\int \frac{A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{g(a+bx)}dx}{b} + \frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$
$$\downarrow 27$$

$$\frac{i(bc-ad)\int \frac{A-Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{a+bx}dx}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 2941$$

$$\frac{i(bc-ad)\left(\frac{Bn(bc-ad)\int \frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)}dx}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 2858$$

$$\frac{i(bc-ad)\left(\frac{Bn(bc-ad)\int \frac{b\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)\left(b\left(c-\frac{ad}{b}\right)+d(a+bx)\right)}d(a+bx)}{b^2}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 27$$

$$\frac{i(bc-ad)\left(\frac{Bn(bc-ad)\int \frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(bc-ad+d(a+bx))}d(a+bx)}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 2778$$

$$\frac{i(bc-ad)\left(-\frac{Bn(bc-ad)\int \frac{(a+bx)\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{bc-ad+d(a+bx)}d\frac{1}{a+bx}}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 2005$$

$$\frac{i(bc-ad)\left(-\frac{Bn(bc-ad)\int\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)}{d+\frac{bc-ad}{a+bx}}d\frac{1}{a+bx}}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

$$\downarrow 2752$$

$$\frac{i(bc-ad)\left(\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{bc-ad}{d(a+bx)}+1\right)}{b}-\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A-Bn\right)}{b}\right)}{bg}+\frac{i(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bg}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x),x
]
```

output
```
(i*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b*g) + ((b*c - a*d)*
i*(-((Log[-((b*c - a*d)/(d*(a + b*x)))]*(A - B*n + B*Log[e*((a + b*x)/(c +
 d*x))^n]))/b) + (B*n*PolyLog[2, 1 + (b*c - a*d)/(d*(a + b*x))])/b))/(b*g)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2005
```
Int[(Fx_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[x^(m
 + n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2778
```
Int[((a_.) + Log[(c_.)*(x_)^(n_)]*(b_.))/((x_)*((d_) + (e_.)*(x_)^(r_.))),
x_Symbol] :> Simp[1/n   Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x],
 x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]
```

rule 2858
```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_
.)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] :> Simp[1/e   Subst[In
t[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d +
e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f -
d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

rule 2941
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))/((f_.) + (g_.)*(x_)), x_Symbol] :> Simp[(-Log[-(b*c - a*d)/(d*(a + b*
x))])*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/g), x] + Simp[B*n*((b*c - a*d
)/g)   Int[Log[-(b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)), x], x] /;
 FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f -
 a*g, 0]
```

rule 2959
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_)), x_Symbol] :> Simp[(f
 + g*x)^(m + 1)*(h + i*x)*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 2
))), x] + Simp[i*((b*c - a*d)/(b*d*(m + 2)))   Int[(f + g*x)^m*(A - B*n + B
*Log[e*((a + b*x)/(c + d*x))^n]), x], x] /; FreeQ[{a, b, c, d, e, f, g, h,
i, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c
*i, 0] && IGtQ[m, -2]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, algo
rithm="fricas")
```

output
```
integral((A*d*i*x + A*c*i + (B*d*i*x + B*c*i)*log(e*((b*x + a)/(d*x + c))^
n))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \frac{i\left(\int \frac{Ac}{a+bx}\,dx + \int \frac{Adx}{a+bx}\,dx + \int \frac{Bc\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx + \int \frac{Bdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx\right)}{g}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g),x)
```

output
```
i*(Integral(A*c/(a + b*x), x) + Integral(A*d*x/(a + b*x), x) + Integral(B*
c*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + Integral(B*d*x*l
og(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x))/g
```

Maxima [A] (verification not implemented)

Time = 0.35 (sec) , antiderivative size = 276, normalized size of antiderivative = 1.96

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= Adi\left(\frac{x}{bg}-\frac{a\log(bx+a)}{b^2g}\right)-\frac{Bcin\log(dx+c)}{bg}+\frac{Aci\log(bgx+ag)}{bg}$$
$$+\frac{(bcin-adin)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{b^2g}$$
$$+\frac{2\,Bbdix\log(e)-(bcin-adin)B\log(bx+a)^2+2\,(bci\log(e)+(in-i\log(e))ad)B\log(bx+a)+2(}{}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, algo
rithm="maxima")
```

output
```
A*d*i*(x/(b*g) - a*log(b*x + a)/(b^2*g)) - B*c*i*n*log(d*x + c)/(b*g) + A*
c*i*log(b*g*x + a*g)/(b*g) + (b*c*i*n - a*d*i*n)*(log(b*x + a)*log((b*d*x
+ a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^2*g) + 1
/2*(2*B*b*d*i*x*log(e) - (b*c*i*n - a*d*i*n)*B*log(b*x + a)^2 + 2*(b*c*i*l
og(e) + (i*n - i*log(e))*a*d)*B*log(b*x + a) + 2*(B*b*d*i*x + (b*c*i - a*d
*i)*B*log(b*x + a))*log((b*x + a)^n) - 2*(B*b*d*i*x + (b*c*i - a*d*i)*B*lo
g(b*x + a))*log((d*x + c)^n))/(b^2*g)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx=\int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, algo
rithm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x + a*
g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x),x
)
```

output
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x),
x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \frac{i\left(\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right) b^3c + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{bx+a}dx\right) b^3d - \log(bx+a)\,a^2d + \log(bx+a)\,abc + abdx\right)}{b^2g}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output
```
(i*(int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*b**3*c + int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*b**3*d - log(a + b*x)*a**2*
d + log(a + b*x)*a*b*c + a*b*d*x))/(b**2*g)
```

3.113 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 1368
Mathematica [A] (verified) . . . 1369
Rubi [A] (verified) . . . 1369
Maple [F] . . . 1371
Fricas [F] . . . 1372
Sympy [F(-1)] . . . 1372
Maxima [F] . . . 1372
Giac [F] . . . 1373
Mupad [F(-1)] . . . 1373
Reduce [F] . . . 1374

Optimal result

Integrand size = 41, antiderivative size = 150

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = -\frac{Bin(c+dx)}{bg^2(a+bx)} - \frac{i(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{bg^2(a+bx)} - \frac{di\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} + \frac{Bdin\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2}$$

output

```
-B*i*n*(d*x+c)/b/g^2/(b*x+a)-i*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g
^2/(b*x+a)-d*i*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b
^2/g^2+B*d*i*n*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/g^2
```

Mathematica [A] (verified)

Time = 0.19 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.26

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i\left(-\frac{(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2(a+bx)}+\frac{d\log(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2}-\frac{Bn\left(\frac{bc-ad}{a+bx}+d\log(a+bx)-d\log(c+dx)\right)}{b^2}-\frac{Bdn\left(\log^2(a\right.}{g^2}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*
g*x)^2,x]
```

output
```
(i*(-(((b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^2*(a + b*x))
) + (d*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/b^2 - (B*n*((b
*c - a*d)/(a + b*x) + d*Log[a + b*x] - d*Log[c + d*x]))/b^2 - (B*d*n*(Log[
a + b*x]^2 - 2*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] - 2*PolyLog[2,
-((d*(a + b*x))/(b*c - a*d))]))/(2*b^2)))/g^2
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 142, normalized size of antiderivative = 0.95, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2961, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^2}\,dx$$
$$\downarrow \text{2961}$$
$$\frac{i\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^2}$$
$$\downarrow \text{2780}$$

$$\frac{i\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2741$$

$$\frac{i\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2779$$

$$\frac{i\left(\frac{d\left(\frac{Bn\int \frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}\right)+\frac{-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2838$$

$$\frac{i\left(\frac{d\left(\frac{Bn\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}\right)}{b}+\frac{-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}}{b}\right)}{g^2}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^2
,x]
```

output
```
(i*((-((B*n*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c
+ d*x))^n]))/(a + b*x))/b + (d*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*
Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x))/(
d*(a + b*x))])/b))/b))/g^2
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^2}dx$$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x, al
gorithm="fricas")
```

output
```
integral((A*d*i*x + A*c*i + (B*d*i*x + B*c*i)*log(e*((b*x + a)/(d*x + c))^
n))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x, al
gorithm="maxima")
```

output
```
-B*c*i*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^2) -
 d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) + B*d*i*((((b*x + a)*log(b*x + a) +
 a)*log((b*x + a)^n) - ((b*x + a)*log(b*x + a) + a)*log((d*x + c)^n))/(b^3
*g^2*x + a*b^2*g^2) + integrate((b^2*d*x^2*log(e) + b^2*c*x*log(e) - a*b*c
*n + a^2*d*n - (a*b*c*n - a^2*d*n + (b^2*c*n - a*b*d*n)*x)*log(b*x + a))/(
b^4*d*g^2*x^3 + a^2*b^2*c*g^2 + (b^4*c*g^2 + 2*a*b^3*d*g^2)*x^2 + (2*a*b^3
*c*g^2 + a^2*b^2*d*g^2)*x), x)) + A*d*i*(a/(b^3*g^2*x + a*b^2*g^2) + log(b
*x + a)/(b^2*g^2)) - B*c*i*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^2*g^2
*x + a*b*g^2) - A*c*i/(b^2*g^2*x + a*b*g^2)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x, al
gorithm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x + a*
g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(ci+dix)\left(A+B\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)^2
,x)
```

output
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$$

$$= \frac{i\left(\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{b^2x^2+2abx+a^2}dx\right)a^3b^3d^2 - \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{b^2x^2+2abx+a^2}dx\right)a^2b^4cd + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{b^2x^2+2abx+a^2}dx\right)a^2b^4d^2x - \left(\int \frac{\log\left(\frac{(b}{b^2x^2+}\right.\right.}{}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output
```
(i*(int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2
),x)*a**3*b**3*d**2 - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2
*a*b*x + b**2*x**2),x)*a**2*b**4*c*d + int((log(((a + b*x)**n*e)/(c + d*x)
**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**4*d**2*x - int((log(((a +
b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**5*c*d*x +
 log(a + b*x)*a**4*d**2 - log(a + b*x)*a**3*b*c*d + log(a + b*x)*a**3*b*d*
*2*x - log(a + b*x)*a**2*b**2*c*d*x + log(a + b*x)*a*b**3*c**2*n + log(a +
 b*x)*b**4*c**2*n*x - log(c + d*x)*a*b**3*c**2*n - log(c + d*x)*b**4*c**2*
n*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*d*x - log(((a + b*x)**n*
e)/(c + d*x)**n)*b**4*c**2*x - a**3*b*d**2*x + 2*a**2*b**2*c*d*x - a*b**3*
c**2*x + a*b**3*c*d*n*x - b**4*c**2*n*x))/(a*b**2*g**2*(a**2*d - a*b*c + a
*b*d*x - b**2*c*x))
```

3.114 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 1375
Mathematica [B] (verified) . . . 1375
Rubi [A] (verified) . . . 1376
Maple [B] (verified) . . . 1377
Fricas [B] (verification not implemented) . . . 1378
Sympy [F(-1)] . . . 1378
Maxima [B] (verification not implemented) . . . 1379
Giac [A] (verification not implemented) . . . 1380
Mupad [B] (verification not implemented) . . . 1380
Reduce [B] (verification not implemented) . . . 1381

Optimal result

Integrand size = 41, antiderivative size = 89

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = -\frac{Bin(c+dx)^2}{4(bc-ad)g^3(a+bx)^2} - \frac{i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)g^3(a+bx)^2}$$

output

```
-1/4*B*i*n*(d*x+c)^2/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*i*(d*x+c)^2*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/(-a*d+b*c)/g^3/(b*x+a)^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 216 vs. 2(89) = 178.

Time = 0.20 (sec) , antiderivative size = 216, normalized size of antiderivative = 2.43

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \frac{i\left(-\frac{(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2(a+bx)^2} - \frac{d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2(a+bx)} - \frac{Bdn\left(\frac{1}{a+bx}+\frac{d\log(a+bx)}{bc-ad}-\frac{d\log(c+dx)}{bc-ad}\right)}{b^2} - \frac{Bn\left(\frac{bc-ad}{(a+bx)^2}-\frac{2d}{a+bx}-\frac{2}{}\right.\right.}{g^3}$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*
g*x)^3,x]
```

output
```
(i*(-1/2*((b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^2*(a + b*
x)^2) - (d*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^2*(a + b*x)) - (B*d*
n*((a + b*x)^(-1) + (d*Log[a + b*x])/(b*c - a*d) - (d*Log[c + d*x])/(b*c -
 a*d)))/b^2 - (B*n*((b*c - a*d)/(a + b*x)^2 - (2*d)/(a + b*x) - (2*d^2*Log
[a + b*x])/(b*c - a*d) + (2*d^2*Log[c + d*x])/(b*c - a*d)))/(4*b^2)))/g^3
```

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.85, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used = {2961, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}\right)}{g^3(bc-ad)}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^3
,x]
```

output
```
(i*(-1/4*(B*n*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(2*(a + b*x)^2)))/((b*c - a*d)*g^3)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 236 vs. $2(85) = 170$.

Time = 4.73 (sec) , antiderivative size = 237, normalized size of antiderivative = 2.66

method	result
parallelrisch	$-\frac{-4Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4cd^2in+Ba^2b^2d^3in^2-Bb^4c^2din^2+2Aa^2b^2d^3in-2Ab^4c^2din-2B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4c^2din-2Bx}{4g^3(bx+a)^2b^4dn(da-bc)}$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,method=_RE
TURNVERBOSE)
```

output
```
-1/4*(-4*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c*d^2*i*n+B*a^2*b^2*d^3*i*n^2-B
*b^4*c^2*d*i*n^2+2*A*a^2*b^2*d^3*i*n-2*A*b^4*c^2*d*i*n-2*B*ln(e*((b*x+a)/(
d*x+c))^n)*b^4*c^2*d*i*n-2*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*i*n+2*B
*x*a*b^3*d^3*i*n^2-2*B*x*b^4*c*d^2*i*n^2+4*A*x*a*b^3*d^3*i*n-4*A*x*b^4*c*d
^2*i*n)/g^3/(b*x+a)^2/b^4/d/n/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 250 vs. $2(85) = 170$.

Time = 0.09 (sec) , antiderivative size = 250, normalized size of antiderivative = 2.81

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx =$$
$$-\frac{(Bb^2c^2-Ba^2d^2)in+2\left(Ab^2c^2-Aa^2d^2\right)i+2\left((Bb^2cd-Babd^2)in+2\left(Ab^2cd-Aabd^2\right)i\right)x+2\left(2\left(Bb\right.\right.}{4\left(\left(b^5c-ab^4d\right)g^3x^2+2\left(ab^4c-a^2\right.\right.}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x, al
gorithm="fricas")
```

output
```
-1/4*((B*b^2*c^2 - B*a^2*d^2)*i*n + 2*(A*b^2*c^2 - A*a^2*d^2)*i + 2*((B*b^
2*c*d - B*a*b*d^2)*i*n + 2*(A*b^2*c*d - A*a*b*d^2)*i)*x + 2*(2*(B*b^2*c*d
 - B*a*b*d^2)*i*x + (B*b^2*c^2 - B*a^2*d^2)*i)*log(e) + 2*(B*b^2*d^2*i*n*x^
2 + 2*B*b^2*c*d*i*n*x + B*b^2*c^2*i*n)*log((b*x + a)/(d*x + c)))/((b^5*c -
 a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d
)*g^3)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 582 vs. $2(85) = 170$.

Time = 0.06 (sec) , antiderivative size = 582, normalized size of antiderivative = 6.54

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}Bdin\left(\frac{3\,abc-a^2d+2\,(2\,b^2c-abd)x}{(b^5c-ab^4d)g^3x^2+2\,(ab^4c-a^2b^3d)g^3x+(a^2b^3c-a^3b^2d)g^3}+\frac{2\,(2\,bcd-ad^2)\log(bx+a)}{(b^4c^2-2\,ab^3cd+a^2b^2d^2)g^3}-\right.$$
$$+\frac{1}{4}Bcin\left(\frac{2\,bdx-bc+3\,ad}{(b^4c-ab^3d)g^3x^2+2\,(ab^3c-a^2b^2d)g^3x+(a^2b^2c-a^3bd)g^3}+\frac{2\,d^2\log(bx+a)}{(b^3c^2-2\,ab^2cd+a^2bd^2)g^3}-\right.$$
$$-\frac{(2\,bx+a)Bdi\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{2\,(b^4g^3x^2+2\,ab^3g^3x+a^2b^2g^3)}-\frac{(2\,bx+a)Adi}{2\,(b^4g^3x^2+2\,ab^3g^3x+a^2b^2g^3)}$$
$$-\frac{Bci\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{2\,(b^3g^3x^2+2\,ab^2g^3x+a^2bg^3)}-\frac{Aci}{2\,(b^3g^3x^2+2\,ab^2g^3x+a^2bg^3)}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x, al
gorithm="maxima")
```

output
```
-1/4*B*d*i*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c - a*b^4*d)
*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3) +
2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^
3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^
2)*g^3)) + 1/4*B*c*i*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^2
 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) + 2*d^2*log(
b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c)/((
b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - 1/2*(2*b*x + a)*B*d*i*log(e*(b*
x/(d*x + c) + a/(d*x + c))^n)/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3)
- 1/2*(2*b*x + a)*A*d*i/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*
B*c*i*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^3*g^3*x^2 + 2*a*b^2*g^3*x
+ a^2*b*g^3) - 1/2*A*c*i/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3)
```

Giac [A] (verification not implemented)

Time = 0.63 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.12

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2 Bin\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)^2 g^3}+\frac{(Bin+2\,Bi\log(e)+2\,Ai)(dx+c)^2}{(bx+a)^2 g^3}\right)\left(\frac{bc}{(bc-ad)^2}-\frac{ad}{(bc-ad)^2}\right)$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x, al
gorithm="giac")
```

output
```
-1/4*(2*(d*x + c)^2*B*i*n*log((b*x + a)/(d*x + c))/((b*x + a)^2*g^3) + (B*
i*n + 2*B*i*log(e) + 2*A*i)*(d*x + c)^2/((b*x + a)^2*g^3))*(b*c/(b*c - a*d
)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.43 (sec) , antiderivative size = 204, normalized size of antiderivative = 2.29

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$
$$= -\frac{x\,(2\,A\,b\,d\,i+B\,b\,d\,i\,n)+A\,a\,d\,i+A\,b\,c\,i+\frac{B\,a\,d\,i\,n}{2}+\frac{B\,b\,c\,i\,n}{2}}{2\,a^2\,b^2\,g^3+4\,a\,b^3\,g^3\,x+2\,b^4\,g^3\,x^2}$$
$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{B\,c\,i}{2\,b}+\frac{B\,a\,d\,i}{2\,b^2}+\frac{B\,d\,i\,x}{b}\right)}{a^2\,g^3+2\,a\,b\,g^3\,x+b^2\,g^3\,x^2}-\frac{B\,d^2\,i\,n\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,1\mathrm{i}}{b^2\,g^3\,(a\,d-b\,c)}$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)^3
,x)
```

output
```
- (x*(2*A*b*d*i + B*b*d*i*n) + A*a*d*i + A*b*c*i + (B*a*d*i*n)/2 + (B*b*c*
i*n)/2)/(2*a^2*b^2*g^3 + 2*b^4*g^3*x^2 + 4*a*b^3*g^3*x) - (log(e*((a + b*x
)/(c + d*x))^n)*((B*c*i)/(2*b) + (B*a*d*i)/(2*b^2) + (B*d*i*x)/b))/(a^2*g^
3 + b^2*g^3*x^2 + 2*a*b*g^3*x) - (B*d^2*i*n*atan((b*c*2i + b*d*x*2i)/(a*d
- b*c) + 1i)*1i)/(b^2*g^3*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 353, normalized size of antiderivative = 3.97

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$

$$= \frac{i\Big(2\log(bx+a)\,a^2bcdn+4\log(bx+a)\,ab^2cdnx+2\log(bx+a)\,b^3cdn\,x^2-2\log(dx+c)\,a^2bcdn-4\log($$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

output
```
(i*(2*log(a + b*x)*a**2*b*c*d*n + 4*log(a + b*x)*a*b**2*c*d*n*x + 2*log(a
+ b*x)*b**3*c*d*n*x**2 - 2*log(c + d*x)*a**2*b*c*d*n - 4*log(c + d*x)*a*b*
*2*c*d*n*x - 2*log(c + d*x)*b**3*c*d*n*x**2 - 2*log(((a + b*x)**n*e)/(c +
d*x)**n)*a**2*b*c*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c**2 + 2
*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**2*x**2 - 2*log(((a + b*x)**n
*e)/(c + d*x)**n)*b**3*c*d*x**2 - 2*a**3*c*d + 2*a**2*b*c**2 - a**2*b*c*d*
n + 2*a**2*b*d**2*x**2 + a*b**2*c**2*n - 2*a*b**2*c*d*x**2 + a*b**2*d**2*n
*x**2 - b**3*c*d*n*x**2))/(4*a*b*g**3*(a**3*d - a**2*b*c + 2*a**2*b*d*x -
2*a*b**2*c*x + a*b**2*d*x**2 - b**3*c*x**2))
```

3.115 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 1382
Mathematica [A] (verified) . . . 1383
Rubi [A] (verified) . . . 1383
Maple [B] (verified) . . . 1385
Fricas [B] (verification not implemented) . . . 1386
Sympy [F(-1)] . . . 1387
Maxima [B] (verification not implemented) . . . 1387
Giac [A] (verification not implemented) . . . 1388
Mupad [B] (verification not implemented) . . . 1389
Reduce [B] (verification not implemented) . . . 1390

Optimal result

Integrand size = 41, antiderivative size = 181

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \frac{Bdin(c+dx)^2}{4(bc-ad)^2g^4(a+bx)^2} - \frac{bBin(c+dx)^3}{9(bc-ad)^2g^4(a+bx)^3} + \frac{di(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^2g^4(a+bx)^2} - \frac{bi(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^2g^4(a+bx)^3}$$

output

```
1/4*B*d*i*n*(d*x+c)^2/(-a*d+b*c)^2/g^4/(b*x+a)^2-1/9*b*B*i*n*(d*x+c)^3/(-a
*d+b*c)^2/g^4/(b*x+a)^3+1/2*d*i*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/
(-a*d+b*c)^2/g^4/(b*x+a)^2-1/3*b*i*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n
))/(-a*d+b*c)^2/g^4/(b*x+a)^3
```

Mathematica [A] (verified)

Time = 0.48 (sec) , antiderivative size = 196, normalized size of antiderivative = 1.08

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$

$$-\frac{i\left(\frac{12Abc}{(a+bx)^3}-\frac{12aAd}{(a+bx)^3}+\frac{4bBcn}{(a+bx)^3}-\frac{4aBdn}{(a+bx)^3}+\frac{18Ad}{(a+bx)^2}+\frac{3Bdn}{(a+bx)^2}-\frac{6Bd^2n}{(bc-ad)(a+bx)}-\frac{6Bd^3n\log(a+bx)}{(bc-ad)^2}+\frac{6B(2bc+ad+3}{(}\right.}{36b^2g^4}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*
g*x)^4,x]
```

output

```
-1/36*(i*((12*A*b*c)/(a + b*x)^3 - (12*a*A*d)/(a + b*x)^3 + (4*b*B*c*n)/(a
 + b*x)^3 - (4*a*B*d*n)/(a + b*x)^3 + (18*A*d)/(a + b*x)^2 + (3*B*d*n)/(a
+ b*x)^2 - (6*B*d^2*n)/((b*c - a*d)*(a + b*x)) - (6*B*d^3*n*Log[a + b*x])/
(b*c - a*d)^2 + (6*B*(2*b*c + a*d + 3*b*d*x)*Log[e*((a + b*x)/(c + d*x))^n
])/(a + b*x)^3 + (6*B*d^3*n*Log[c + d*x])/(b*c - a*d)^2))/(b^2*g^4)
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 143, normalized size of antiderivative = 0.79, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2961, 2772, 27, 53, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^4}\,dx$$

$$\downarrow \text{2961}$$

$$\frac{i\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow \text{2772}$$

$$\frac{i\left(-Bn\int -\frac{(c+dx)^4\left(2b-\frac{3d(a+bx)}{c+dx}\right)}{6(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 27$$

$$\frac{i\left(\frac{1}{6}Bn\int \frac{(c+dx)^4\left(2b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 53$$

$$\frac{i\left(\frac{1}{6}Bn\int \left(\frac{2b(c+dx)^4}{(a+bx)^4}-\frac{3d(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right)}{g^4(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{1}{6}Bn\left(\frac{3d(c+dx)^2}{2(a+bx)^2}-\frac{2b(c+dx)^3}{3(a+bx)^3}\right)\right)}{g^4(bc-ad)^2}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^4
,x]
```

output

```
(i*((B*n*((3*d*(c + d*x)^2)/(2*(a + b*x)^2) - (2*b*(c + d*x)^3)/(3*(a + b*
x)^3)))/6 + (d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a +
 b*x)^2) - (b*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a +
b*x)^3)))/((b*c - a*d)^2*g^4)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 53
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
|| LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 454 vs. 2(173) = 346.

Time = 10.16 (sec) , antiderivative size = 455, normalized size of antiderivative = 2.51

method	result
parallelrisch	$-\frac{5Ba^3b^3d^4in^2+4Bb^6c^3din^2+6Aa^3b^3d^4in+12Ab^6c^3din-36Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab^5cd^3in-18Bxab^5cd^3in^2-36Axab^5c$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,method=_RE
TURNVERBOSE)
```

output
```
-1/36*(5*B*a^3*b^3*d^4*i*n^2+4*B*b^6*c^3*d*i*n^2+6*A*a^3*b^3*d^4*i*n+12*A*
b^6*c^3*d*i*n-36*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c*d^3*i*n-18*B*x*a*b^
5*c*d^3*i*n^2-36*A*x*a*b^5*c*d^3*i*n-18*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*
c^2*d^2*i*n-9*B*a*b^5*c^2*d^2*i*n^2-18*A*a*b^5*c^2*d^2*i*n-6*B*x^3*ln(e*((
b*x+a)/(d*x+c))^n)*b^6*d^4*i*n+6*B*x^2*a*b^5*d^4*i*n^2-6*B*x^2*b^6*c*d^3*i
*n^2+15*B*x*a^2*b^4*d^4*i*n^2+3*B*x*b^6*c^2*d^2*i*n^2+18*A*x*a^2*b^4*d^4*i
*n+18*A*x*b^6*c^2*d^2*i*n+12*B*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^3*d*i*n-18*
B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*d^4*i*n+18*B*x*ln(e*((b*x+a)/(d*x+c)
)^n)*b^6*c^2*d^2*i*n)/g^4/(b*x+a)^3/n/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^5/d
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 478 vs. $2(173) = 346$.

Time = 0.10 (sec) , antiderivative size = 478, normalized size of antiderivative = 2.64

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{6\left(Bb^3cd^2-Bab^2d^3\right)inx^2-\left(4\,Bb^3c^3-9\,Bab^2c^2d+5\,Ba^3d^3\right)in-6\left(2\,Ab^3c^3-3\,Aab^2c^2d+Aa^3d^3\right)i-3$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x, al
gorithm="fricas")
```

output
```
1/36*(6*(B*b^3*c*d^2 - B*a*b^2*d^3)*i*n*x^2 - (4*B*b^3*c^3 - 9*B*a*b^2*c^2
*d + 5*B*a^3*d^3)*i*n - 6*(2*A*b^3*c^3 - 3*A*a*b^2*c^2*d + A*a^3*d^3)*i -
3*((B*b^3*c^2*d - 6*B*a*b^2*c*d^2 + 5*B*a^2*b*d^3)*i*n + 6*(A*b^3*c^2*d -
2*A*a*b^2*c*d^2 + A*a^2*b*d^3)*i)*x - 6*(3*(B*b^3*c^2*d - 2*B*a*b^2*c*d^2
+ B*a^2*b*d^3)*i*x + (2*B*b^3*c^3 - 3*B*a*b^2*c^2*d + B*a^3*d^3)*i)*log(e)
 + 6*(B*b^3*d^3*i*n*x^3 + 3*B*a*b^2*d^3*i*n*x^2 - 3*(B*b^3*c^2*d - 2*B*a*b
^2*c*d^2)*i*n*x - (2*B*b^3*c^3 - 3*B*a*b^2*c^2*d)*i*n)*log((b*x + a)/(d*x
+ c)))/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^4*x^3 + 3*(a*b^6*c^2 - 2*a
^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c^2 - 2*a^3*b^4*c*d + a^4*b
^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a^5*b^2*d^2)*g^4)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 945 vs. $2(173) = 346$.

Time = 0.09 (sec) , antiderivative size = 945, normalized size of antiderivative = 5.22

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x, al
gorithm="maxima")
```

output

```
-1/18*B*c*i*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^
2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*(
a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3*
b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*g
^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3
*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*
d^2 - a^3*b*d^3)*g^4)) - 1/36*B*d*i*n*((5*a*b^2*c^2 - 22*a^2*b*c*d + 5*a^3
*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c^2 - 16*a*b^2*c*d + 5*a^2
*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^4*x^3 + 3*(a*b^6*c^2 -
 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c^2 - 2*a^3*b^4*c*d + a
^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a^5*b^2*d^2)*g^4) - 6*(
3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^
2 - a^3*b^2*d^3)*g^4) + 6*(3*b*c*d^2 - a*d^3)*log(d*x + c)/((b^5*c^3 - 3*a
*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4)) - 1/6*(3*b*x + a)*B*d*i*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^5*g^4*x^3 + 3*a*b^4*g^4*x^2 + 3*
a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/6*(3*b*x + a)*A*d*i/(b^5*g^4*x^3 + 3*a*b^
4*g^4*x^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/3*B*c*i*log(e*(b*x/(d*x + c
) + a/(d*x + c))^n)/(b^4*g^4*x^3 + 3*a*b^3*g^4*x^2 + 3*a^2*b^2*g^4*x + a^3
*b*g^4) - 1/3*A*c*i/(b^4*g^4*x^3 + 3*a*b^3*g^4*x^2 + 3*a^2*b^2*g^4*x + a^3
*b*g^4)
```

Giac [A] (verification not implemented)

Time = 0.88 (sec) , antiderivative size = 234, normalized size of antiderivative = 1.29

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$

$$-\frac{1}{36}\left(\frac{6\left(2\,Bbin-\frac{3\,(bx+a)Bdin}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^3bcg^4}{(dx+c)^3}-\frac{(bx+a)^3adg^4}{(dx+c)^3}}+\frac{4\,Bbin-\frac{9\,(bx+a)Bdin}{dx+c}+12\,Bbi\log(e)-\frac{18\,(bx+a)Bdi\log(e)}{dx+c}+}{\frac{(bx+a)^3bcg^4}{(dx+c)^3}-\frac{(bx+a)^3adg^4}{(dx+c)^3}}\right.$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x, al
gorithm="giac")
```

output
```
-1/36*(6*(2*B*b*i*n - 3*(b*x + a)*B*d*i*n/(d*x + c))*log((b*x + a)/(d*x +
c))/((b*x + a)^3*b*c*g^4/(d*x + c)^3 - (b*x + a)^3*a*d*g^4/(d*x + c)^3) +
(4*B*b*i*n - 9*(b*x + a)*B*d*i*n/(d*x + c) + 12*B*b*i*log(e) - 18*(b*x + a
)*B*d*i*log(e)/(d*x + c) + 12*A*b*i - 18*(b*x + a)*A*d*i/(d*x + c))/((b*x
+ a)^3*b*c*g^4/(d*x + c)^3 - (b*x + a)^3*a*d*g^4/(d*x + c)^3))*(b*c/(b*c -
 a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.50 (sec) , antiderivative size = 374, normalized size of antiderivative = 2.07

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{\frac{6Aa^2d^2i-12Ab^2c^2i+5Ba^2d^2in-4Bb^2c^2in+6Aabcdi+5Babcdin}{6(ad-bc)}+\frac{x\left(6Aabd^2i-6Ab^2cdi-Bb^2cdin+5Babd^2in\right)}{2(ad-bc)}+}{6a^3b^2g^4+18a^2b^3g^4x+18ab^4g^4x^2+6b^5g^4x^3}$$
$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{Bci}{3b}+\frac{Badi}{6b^2}+\frac{Bdix}{2b}\right)}{a^3g^4+3a^2bg^4x+3ab^2g^4x^2+b^3g^4x^3}$$
$$-\frac{Bd^3in\,\mathrm{atanh}\left(\frac{6b^4c^2g^4-6a^2b^2d^2g^4}{6b^2g^4(ad-bc)^2}-\frac{2bdx}{ad-bc}\right)}{3b^2g^4(ad-bc)^2}$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)^4
,x)
```

output
```
- ((6*A*a^2*d^2*i - 12*A*b^2*c^2*i + 5*B*a^2*d^2*i*n - 4*B*b^2*c^2*i*n + 6
*A*a*b*c*d*i + 5*B*a*b*c*d*i*n)/(6*(a*d - b*c)) + (x*(6*A*a*b*d^2*i - 6*A*
b^2*c*d*i - B*b^2*c*d*i*n + 5*B*a*b*d^2*i*n))/(2*(a*d - b*c)) + (B*b^2*d^2
*i*n*x^2)/(a*d - b*c))/(6*a^3*b^2*g^4 + 6*b^5*g^4*x^3 + 18*a^2*b^3*g^4*x +
 18*a*b^4*g^4*x^2) - (log(e*((a + b*x)/(c + d*x))^n)*((B*c*i)/(3*b) + (B*a
*d*i)/(6*b^2) + (B*d*i*x)/(2*b)))/(a^3*g^4 + b^3*g^4*x^3 + 3*a*b^2*g^4*x^2
 + 3*a^2*b*g^4*x) - (B*d^3*i*n*atanh((6*b^4*c^2*g^4 - 6*a^2*b^2*d^2*g^4)/(
6*b^2*g^4*(a*d - b*c)^2) - (2*b*d*x)/(a*d - b*c)))/(3*b^2*g^4*(a*d - b*c)^
2)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 937, normalized size of antiderivative = 5.18

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x)
```

output

```
(i*(12*log(a + b*x)*a**4*b**2*c*d**2*n - 6*log(a + b*x)*a**3*b**3*c**2*d*n
 + 36*log(a + b*x)*a**3*b**3*c*d**2*n*x - 18*log(a + b*x)*a**2*b**4*c**2*d
*n*x + 36*log(a + b*x)*a**2*b**4*c*d**2*n*x**2 - 18*log(a + b*x)*a*b**5*c*
*2*d*n*x**2 + 12*log(a + b*x)*a*b**5*c*d**2*n*x**3 - 6*log(a + b*x)*b**6*c
**2*d*n*x**3 - 12*log(c + d*x)*a**4*b**2*c*d**2*n + 6*log(c + d*x)*a**3*b*
*3*c**2*d*n - 36*log(c + d*x)*a**3*b**3*c*d**2*n*x + 18*log(c + d*x)*a**2*
b**4*c**2*d*n*x - 36*log(c + d*x)*a**2*b**4*c*d**2*n*x**2 + 18*log(c + d*x
)*a*b**5*c**2*d*n*x**2 - 12*log(c + d*x)*a*b**5*c*d**2*n*x**3 + 6*log(c +
d*x)*b**6*c**2*d*n*x**3 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*b**2*
c*d**2 + 24*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**3*c**2*d + 18*log((
(a + b*x)**n*e)/(c + d*x)**n)*a**3*b**3*d**3*x**2 - 12*log(((a + b*x)**n*e
)/(c + d*x)**n)*a**2*b**4*c**3 - 36*log(((a + b*x)**n*e)/(c + d*x)**n)*a**
2*b**4*c*d**2*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*d**3*x
**3 + 18*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**5*c**2*d*x**2 - 12*log(((
a + b*x)**n*e)/(c + d*x)**n)*a*b**5*c*d**2*x**3 + 6*log(((a + b*x)**n*e)/(
c + d*x)**n)*b**6*c**2*d*x**3 - 6*a**6*d**3 - 3*a**5*b*d**3*n - 18*a**5*b*
d**3*x + 18*a**4*b**2*c**2*d - 2*a**4*b**2*c*d**2*n + 36*a**4*b**2*c*d**2*
x - 9*a**4*b**2*d**3*n*x - 12*a**3*b**3*c**3 + 9*a**3*b**3*c**2*d*n - 18*a
**3*b**3*c**2*d*x + 12*a**3*b**3*c*d**2*n*x - 4*a**2*b**4*c**3*n - 3*a**2*
b**4*c**2*d*n*x + 2*a**2*b**4*d**3*n*x**3 - 2*a*b**5*c*d**2*n*x**3))/(3...
```

3.116 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$

Optimal result . . . 1391
Mathematica [A] (verified) . . . 1392
Rubi [A] (verified) . . . 1392
Maple [B] (verified) . . . 1394
Fricas [B] (verification not implemented) . . . 1395
Sympy [F(-1)] . . . 1396
Maxima [B] (verification not implemented) . . . 1396
Giac [A] (verification not implemented) . . . 1397
Mupad [B] (verification not implemented) . . . 1398
Reduce [B] (verification not implemented) . . . 1399

Optimal result

Integrand size = 41, antiderivative size = 281

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx &= -\frac{Bd^2in(c+dx)^2}{4(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bBdin(c+dx)^3}{9(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2Bin(c+dx)^4}{16(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{d^2i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bdi(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2i(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4(bc-ad)^3g^5(a+bx)^4}\end{aligned}$$

output

```
-1/4*B*d^2*i*n*(d*x+c)^2/(-a*d+b*c)^3/g^5/(b*x+a)^2+2/9*b*B*d*i*n*(d*x+c)^
3/(-a*d+b*c)^3/g^5/(b*x+a)^3-1/16*b^2*B*i*n*(d*x+c)^4/(-a*d+b*c)^3/g^5/(b*
x+a)^4-1/2*d^2*i*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^
5/(b*x+a)^2+2/3*b*d*i*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)
^3/g^5/(b*x+a)^3-1/4*b^2*i*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d
+b*c)^3/g^5/(b*x+a)^4
```

Mathematica [A] (verified)

Time = 0.58 (sec) , antiderivative size = 220, normalized size of antiderivative = 0.78

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{i\left(\frac{36Abc}{(a+bx)^4}-\frac{36aAd}{(a+bx)^4}+\frac{9bBcn}{(a+bx)^4}-\frac{9aBdn}{(a+bx)^4}+\frac{48Ad}{(a+bx)^3}+\frac{4Bdn}{(a+bx)^3}-\frac{6Bd^2n}{(bc-ad)(a+bx)^2}+\frac{12Bd^3n}{(bc-ad)^2(a+bx)}+\frac{12Bd^4n\log(a-}{(bc-ad)^3}\right.}{144b^2g^5}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*
g*x)^5,x]
```

output

```
-1/144*(i*((36*A*b*c)/(a + b*x)^4 - (36*a*A*d)/(a + b*x)^4 + (9*b*B*c*n)/(
a + b*x)^4 - (9*a*B*d*n)/(a + b*x)^4 + (48*A*d)/(a + b*x)^3 + (4*B*d*n)/(a
 + b*x)^3 - (6*B*d^2*n)/((b*c - a*d)*(a + b*x)^2) + (12*B*d^3*n)/((b*c - a
*d)^2*(a + b*x)) + (12*B*d^4*n*Log[a + b*x])/(b*c - a*d)^3 + (12*B*(3*b*c
 + a*d + 4*b*d*x)*Log[e*((a + b*x)/(c + d*x))^n])/(a + b*x)^4 - (12*B*d^4*n
*Log[c + d*x])/(b*c - a*d)^3))/(b^2*g^5)
```

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 211, normalized size of antiderivative = 0.75, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2961, 2772, 27, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^5}\,dx$$

$$\downarrow \text{2961}$$

$$\frac{i\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^5}\,d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{i\left(-Bn\int -\frac{(c+dx)^5\left(3b^2-\frac{8d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{i\left(\frac{1}{12}Bn\int \frac{(c+dx)^5\left(3b^2-\frac{8d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 1140$$

$$\frac{i\left(\frac{1}{12}Bn\int \left(\frac{3b^2(c+dx)^5}{(a+bx)^5}-\frac{8bd(c+dx)^4}{(a+bx)^4}+\frac{6d^2(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}\right.}{g^5(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b^2(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{2bd(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{1}{12}Bn\left(-\frac{3b^2(c\right.}{g^5(bc-ad)^3}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^5
,x]
```

output

```
(i*((B*n*((-3*d^2*(c + d*x)^2)/(a + b*x)^2 + (8*b*d*(c + d*x)^3)/(3*(a + b
*x)^3) - (3*b^2*(c + d*x)^4)/(4*(a + b*x)^4)))/12 - (d^2*(c + d*x)^2*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + (2*b*d*(c + d*x)^3*(A
 + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3) - (b^2*(c + d*x)^4*(
A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*(a + b*x)^4)))/((b*c - a*d)^3*g^
5)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1140
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 985 vs. 2(269) = 538.

Time = 29.72 (sec) , antiderivative size = 986, normalized size of antiderivative = 3.51

method	result
parallelrisch	$\frac{48Bx^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^7bcd^4in-144Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^7bc^3d^2in+48Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^6b^2c^4din-9Bx^4a^2b^6c^5in^2-36$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x,method=_RE
TURNVERBOSE)
```

output
```
1/144*(48*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b*c*d^4*i*n-144*B*x*ln(e*((b
*x+a)/(d*x+c))^n)*a^7*b*c^3*d^2*i*n+48*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b
^2*c^4*d*i*n-9*B*x^4*a^2*b^6*c^5*i*n^2-36*A*x^4*a^2*b^6*c^5*i*n-36*B*x^3*a
^3*b^5*c^5*i*n^2-144*A*x^3*a^3*b^5*c^5*i*n+36*B*x^2*a^8*c*d^4*i*n^2-54*B*x
^2*a^4*b^4*c^5*i*n^2+72*A*x^2*a^8*c*d^4*i*n-216*A*x^2*a^4*b^4*c^5*i*n+72*B
*x*a^8*c^2*d^3*i*n^2-36*B*x*a^5*b^3*c^5*i*n^2+144*A*x*a^8*c^2*d^3*i*n-144*
A*x*a^5*b^3*c^5*i*n+72*B*ln(e*((b*x+a)/(d*x+c))^n)*a^8*c^3*d^2*i*n+36*B*ln
(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^5*i*n+128*B*x^3*a^4*b^4*c^4*d*i*n^2+48*A
*x^3*a^7*b*c*d^4*i*n-288*A*x^3*a^5*b^3*c^3*d^2*i*n+384*A*x^3*a^4*b^4*c^4*d
*i*n+72*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^8*c*d^4*i*n+48*B*x^2*a^7*b*c^2*d
^3*i*n^2-222*B*x^2*a^6*b^2*c^3*d^2*i*n^2+192*B*x^2*a^5*b^3*c^4*d*i*n^2-432
*A*x^2*a^6*b^2*c^3*d^2*i*n+576*A*x^2*a^5*b^3*c^4*d*i*n+144*B*x*ln(e*((b*x+
a)/(d*x+c))^n)*a^8*c^2*d^3*i*n-168*B*x*a^7*b*c^3*d^2*i*n^2+132*B*x*a^6*b^2
*c^4*d*i*n^2-432*A*x*a^7*b*c^3*d^2*i*n+432*A*x*a^6*b^2*c^4*d*i*n-96*B*ln(e
*((b*x+a)/(d*x+c))^n)*a^7*b*c^4*d*i*n+12*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a
^6*b^2*c*d^4*i*n+13*B*x^4*a^6*b^2*c*d^4*i*n^2-36*B*x^4*a^4*b^4*c^3*d^2*i*n
^2+32*B*x^4*a^3*b^5*c^4*d*i*n^2+12*A*x^4*a^6*b^2*c*d^4*i*n-72*A*x^4*a^4*b^
4*c^3*d^2*i*n+96*A*x^4*a^3*b^5*c^4*d*i*n+40*B*x^3*a^7*b*c*d^4*i*n^2+12*B*x
^3*a^6*b^2*c^2*d^3*i*n^2-144*B*x^3*a^5*b^3*c^3*d^2*i*n^2)/g^5/(b*x+a)^4/n/
(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)/a^6/c
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 773 vs. $2(269) = 538$.

Time $= 0.11$ (sec) , antiderivative size $= 773$, normalized size of antiderivative $= 2.75$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag + bgx)^5}\,dx =$$

$$-\frac{12\left(Bb^4cd^3 - Bab^3d^4\right)inx^3 - 6\left(Bb^4c^2d^2 - 8\,Bab^3cd^3 + 7\,Ba^2b^2d^4\right)inx^2 + \left(9\,Bb^4c^4 - 32\,Bab^3c^3d + 36\right.}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x, al
gorithm="fricas")
```

output

```
-1/144*(12*(B*b^4*c*d^3 - B*a*b^3*d^4)*i*n*x^3 - 6*(B*b^4*c^2*d^2 - 8*B*a*
b^3*c*d^3 + 7*B*a^2*b^2*d^4)*i*n*x^2 + (9*B*b^4*c^4 - 32*B*a*b^3*c^3*d + 3
6*B*a^2*b^2*c^2*d^2 - 13*B*a^4*d^4)*i*n + 12*(3*A*b^4*c^4 - 8*A*a*b^3*c^3*
d + 6*A*a^2*b^2*c^2*d^2 - A*a^4*d^4)*i + 4*((B*b^4*c^3*d - 6*B*a*b^3*c^2*d
^2 + 18*B*a^2*b^2*c*d^3 - 13*B*a^3*b*d^4)*i*n + 12*(A*b^4*c^3*d - 3*A*a*b^
3*c^2*d^2 + 3*A*a^2*b^2*c*d^3 - A*a^3*b*d^4)*i)*x + 12*(4*(B*b^4*c^3*d - 3
*B*a*b^3*c^2*d^2 + 3*B*a^2*b^2*c*d^3 - B*a^3*b*d^4)*i*x + (3*B*b^4*c^4 - 8
*B*a*b^3*c^3*d + 6*B*a^2*b^2*c^2*d^2 - B*a^4*d^4)*i)*log(e) + 12*(B*b^4*d^
4*i*n*x^4 + 4*B*a*b^3*d^4*i*n*x^3 + 6*B*a^2*b^2*d^4*i*n*x^2 + 4*(B*b^4*c^3
*d - 3*B*a*b^3*c^2*d^2 + 3*B*a^2*b^2*c*d^3)*i*n*x + (3*B*b^4*c^4 - 8*B*a*b
^3*c^3*d + 6*B*a^2*b^2*c^2*d^2)*i*n)*log((b*x + a)/(d*x + c)))/((b^9*c^3 -
 3*a*b^8*c^2*d + 3*a^2*b^7*c*d^2 - a^3*b^6*d^3)*g^5*x^4 + 4*(a*b^8*c^3 - 3
*a^2*b^7*c^2*d + 3*a^3*b^6*c*d^2 - a^4*b^5*d^3)*g^5*x^3 + 6*(a^2*b^7*c^3 -
 3*a^3*b^6*c^2*d + 3*a^4*b^5*c*d^2 - a^5*b^4*d^3)*g^5*x^2 + 4*(a^3*b^6*c^3
 - 3*a^4*b^5*c^2*d + 3*a^5*b^4*c*d^2 - a^6*b^3*d^3)*g^5*x + (a^4*b^5*c^3 -
 3*a^5*b^4*c^2*d + 3*a^6*b^3*c*d^2 - a^7*b^2*d^3)*g^5)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**5,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1398 vs. $2(269) = 538$.

Time $= 0.10$ (sec) , antiderivative size $= 1398$, normalized size of antiderivative $= 4.98$

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x, al
gorithm="maxima")
```

output
```
1/48*B*c*i*n*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*b*c*d^
2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*a*b^2*
c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2 - a^3
*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2 - a^4
*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d^2 - a
^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c*d^2 -
 a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d^2 - a
^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3
*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/((b^5*c
^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5)
) - 1/144*B*d*i*n*((7*a*b^3*c^3 - 33*a^2*b^2*c^2*d + 75*a^3*b*c*d^2 - 13*a
^4*d^3 + 12*(4*b^4*c*d^2 - a*b^3*d^3)*x^3 - 6*(4*b^4*c^2*d - 29*a*b^3*c*d^
2 + 7*a^2*b^2*d^3)*x^2 + 4*(4*b^4*c^3 - 21*a*b^3*c^2*d + 57*a^2*b^2*c*d^2
- 13*a^3*b*d^3)*x)/((b^9*c^3 - 3*a*b^8*c^2*d + 3*a^2*b^7*c*d^2 - a^3*b^6*d
^3)*g^5*x^4 + 4*(a*b^8*c^3 - 3*a^2*b^7*c^2*d + 3*a^3*b^6*c*d^2 - a^4*b^5*d
^3)*g^5*x^3 + 6*(a^2*b^7*c^3 - 3*a^3*b^6*c^2*d + 3*a^4*b^5*c*d^2 - a^5*b^4
*d^3)*g^5*x^2 + 4*(a^3*b^6*c^3 - 3*a^4*b^5*c^2*d + 3*a^5*b^4*c*d^2 - a^6*b
^3*d^3)*g^5*x + (a^4*b^5*c^3 - 3*a^5*b^4*c^2*d + 3*a^6*b^3*c*d^2 - a^7*b^2
*d^3)*g^5) + 12*(4*b*c*d^3 - a*d^4)*log(b*x + a)/((b^6*c^4 - 4*a*b^5*c^3*d
 + 6*a^2*b^4*c^2*d^2 - 4*a^3*b^3*c*d^3 + a^4*b^2*d^4)*g^5) - 12*(4*b*c*...
```

Giac [A] (verification not implemented)

Time = 1.17 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.40

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{144}\left(\frac{12\left(3\,Bb^2in-\frac{8\,(bx+a)Bbdin}{dx+c}+\frac{6\,(bx+a)^2Bd^2in}{(dx+c)^2}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^4b^2c^2g^5}{(dx+c)^4}-\frac{2\,(bx+a)^4abcdg^5}{(dx+c)^4}+\frac{(bx+a)^4a^2d^2g^5}{(dx+c)^4}}+\frac{9\,Bb^2in-\frac{32\,(bx+a)Bbdin}{dx+c}+\frac{36\,(bx+a)^2Bd^2i}{(dx+c)^2}}{}\right.$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x, al
gorithm="giac")
```

output

```
-1/144*(12*(3*B*b^2*i*n - 8*(b*x + a)*B*b*d*i*n/(d*x + c) + 6*(b*x + a)^2*
B*d^2*i*n/(d*x + c)^2)*log((b*x + a)/(d*x + c))/((b*x + a)^4*b^2*c^2*g^5/(
d*x + c)^4 - 2*(b*x + a)^4*a*b*c*d*g^5/(d*x + c)^4 + (b*x + a)^4*a^2*d^2*g
^5/(d*x + c)^4) + (9*B*b^2*i*n - 32*(b*x + a)*B*b*d*i*n/(d*x + c) + 36*(b*
x + a)^2*B*d^2*i*n/(d*x + c)^2 + 36*B*b^2*i*log(e) - 96*(b*x + a)*B*b*d*i*
log(e)/(d*x + c) + 72*(b*x + a)^2*B*d^2*i*log(e)/(d*x + c)^2 + 36*A*b^2*i
- 96*(b*x + a)*A*b*d*i/(d*x + c) + 72*(b*x + a)^2*A*d^2*i/(d*x + c)^2)/((b
*x + a)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*x + a)^4*a*b*c*d*g^5/(d*x + c)^4
+ (b*x + a)^4*a^2*d^2*g^5/(d*x + c)^4))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*
d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.91 (sec) , antiderivative size = 610, normalized size of antiderivative = 2.17

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$$

$$= \frac{B\,d^4\,i\,n\,\operatorname{atanh}\left(\frac{12\,a^3\,b^2\,d^3\,g^5-12\,a^2\,b^3\,c\,d^2\,g^5-12\,a\,b^4\,c^2\,d\,g^5+12\,b^5\,c^3\,g^5}{12\,b^2\,g^5\,(a\,d-b\,c)^3}+\frac{2\,b\,d\,x\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}{(a\,d-b\,c)^3}\right)}{6\,b^2\,g^5\,(a\,d-b\,c)^3}$$

$$- \frac{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\left(\frac{B\,c\,i}{4\,b}+\frac{B\,a\,d\,i}{12\,b^2}+\frac{B\,d\,i\,x}{3\,b}\right)}{a^4\,g^5+4\,a^3\,b\,g^5\,x+6\,a^2\,b^2\,g^5\,x^2+4\,a\,b^3\,g^5\,x^3+b^4\,g^5\,x^4}$$

$$- \frac{\frac{12\,A\,a^3\,d^3\,i+36\,A\,b^3\,c^3\,i+13\,B\,a^3\,d^3\,i\,n+9\,B\,b^3\,c^3\,i\,n-60\,A\,a\,b^2\,c^2\,d\,i+12\,A\,a^2\,b\,c\,d^2\,i-23\,B\,a\,b^2\,c^2\,d\,i\,n+13\,B\,a^2\,b\,c\,d^2\,i\,n}{12\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}+\frac{x\,(12\,A\,a^2\,b\,d^3}{}}{12\,a^4\,b^2\,g^5+48\,a^3\,b^3\,g^5\,x+72\,a^2\,b^4\,g^5\,x^2+48\,a\,b^5\,g^5\,x^3+12\,b^6\,g^5\,x^4}$$

input

```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)^5
,x)
```

output

```
(B*d^4*i*n*atanh((12*b^5*c^3*g^5 + 12*a^3*b^2*d^3*g^5 - 12*a*b^4*c^2*d*g^5
 - 12*a^2*b^3*c*d^2*g^5)/(12*b^2*g^5*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2 +
b^2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(6*b^2*g^5*(a*d - b*c)^3) - (log(e*(
(a + b*x)/(c + d*x))^n)*((B*c*i)/(4*b) + (B*a*d*i)/(12*b^2) + (B*d*i*x)/(3
*b)))/(a^4*g^5 + b^4*g^5*x^4 + 4*a*b^3*g^5*x^3 + 6*a^2*b^2*g^5*x^2 + 4*a^3
*b*g^5*x) - ((12*A*a^3*d^3*i + 36*A*b^3*c^3*i + 13*B*a^3*d^3*i*n + 9*B*b^3
*c^3*i*n - 60*A*a*b^2*c^2*d*i + 12*A*a^2*b*c*d^2*i - 23*B*a*b^2*c^2*d*i*n
+ 13*B*a^2*b*c*d^2*i*n)/(12*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (x*(12*A*a^
2*b*d^3*i + 12*A*b^3*c^2*d*i - 24*A*a*b^2*c*d^2*i + 13*B*a^2*b*d^3*i*n + B
*b^3*c^2*d*i*n - 5*B*a*b^2*c*d^2*i*n))/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))
 - (d*x^2*(B*b^3*c*d*i*n - 7*B*a*b^2*d^2*i*n))/(2*(a^2*d^2 + b^2*c^2 - 2*a
*b*c*d)) + (B*b^3*d^3*i*n*x^3)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(12*a^4*b^
2*g^5 + 12*b^6*g^5*x^4 + 48*a^3*b^3*g^5*x + 48*a*b^5*g^5*x^3 + 72*a^2*b^4*
g^5*x^2)
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 994, normalized size of antiderivative = 3.54

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x)
```

output

```
(i*(12*log(a + b*x)*a**5*b*d**4*n + 48*log(a + b*x)*a**4*b**2*d**4*n*x + 7
2*log(a + b*x)*a**3*b**3*d**4*n*x**2 + 48*log(a + b*x)*a**2*b**4*d**4*n*x*
*3 + 12*log(a + b*x)*a*b**5*d**4*n*x**4 - 12*log(c + d*x)*a**5*b*d**4*n -
48*log(c + d*x)*a**4*b**2*d**4*n*x - 72*log(c + d*x)*a**3*b**3*d**4*n*x**2
 - 48*log(c + d*x)*a**2*b**4*d**4*n*x**3 - 12*log(c + d*x)*a*b**5*d**4*n*x
**4 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)*a**5*b*d**4 - 48*log(((a + b*x
)**n*e)/(c + d*x)**n)*a**4*b**2*d**4*x + 72*log(((a + b*x)**n*e)/(c + d*x)
**n)*a**3*b**3*c**2*d**2 + 144*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**
3*c*d**3*x - 96*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c**3*d - 144*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c**2*d**2*x + 36*log(((a + b*
x)**n*e)/(c + d*x)**n)*a*b**5*c**4 + 48*log(((a + b*x)**n*e)/(c + d*x)**n)
*a*b**5*c**3*d*x - 12*a**6*d**4 - 10*a**5*b*d**4*n - 48*a**5*b*d**4*x + 72
*a**4*b**2*c**2*d**2 - 3*a**4*b**2*c*d**3*n + 144*a**4*b**2*c*d**3*x - 40*
a**4*b**2*d**4*n*x - 96*a**3*b**3*c**3*d + 36*a**3*b**3*c**2*d**2*n - 144*
a**3*b**3*c**2*d**2*x + 60*a**3*b**3*c*d**3*n*x - 24*a**3*b**3*d**4*n*x**2
 + 36*a**2*b**4*c**4 - 32*a**2*b**4*c**3*d*n + 48*a**2*b**4*c**3*d*x - 24*
a**2*b**4*c**2*d**2*n*x + 30*a**2*b**4*c*d**3*n*x**2 + 9*a*b**5*c**4*n + 4
*a*b**5*c**3*d*n*x - 6*a*b**5*c**2*d**2*n*x**2 + 3*a*b**5*d**4*n*x**4 - 3*
b**6*c*d**3*n*x**4))/(144*a*b**2*g**5*(a**7*d**3 - 3*a**6*b*c*d**2 + 4*a**
6*b*d**3*x + 3*a**5*b**2*c**2*d - 12*a**5*b**2*c*d**2*x + 6*a**5*b**2*d...
```

3.117 $\int (ag+bgx)^3(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\, dx$

Optimal result 1401
Mathematica [A] (verified) 1402
Rubi [A] (verified) 1403
Maple [B] (verified) 1405
Fricas [B] (verification not implemented) 1406
Sympy [F(-1)] 1407
Maxima [B] (verification not implemented) 1408
Giac [B] (verification not implemented) 1409
Mupad [B] (verification not implemented) 1410
Reduce [B] (verification not implemented) 1411

Optimal result

Integrand size = 43, antiderivative size = 442

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\, dx \\
&= \frac{B(bc-ad)^5 g^3 i^2 n x}{60 b^2 d^3} + \frac{B(bc-ad)^4 g^3 i^2 n (c+dx)^2}{120 b d^4} - \frac{19 B(bc-ad)^3 g^3 i^2 n (c+dx)^3}{180 d^4} \\
&\quad + \frac{13 b B(bc-ad)^2 g^3 i^2 n (c+dx)^4}{120 d^4} - \frac{b^2 B(bc-ad) g^3 i^2 n (c+dx)^5}{30 d^4} \\
&\quad - \frac{(bc-ad)^3 g^3 i^2 (c+dx)^3 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3 d^4} \\
&\quad + \frac{3 b (bc-ad)^2 g^3 i^2 (c+dx)^4 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4 d^4} \\
&\quad - \frac{3 b^2 (bc-ad) g^3 i^2 (c+dx)^5 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5 d^4} \\
&\quad + \frac{b^3 g^3 i^2 (c+dx)^6 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6 d^4} \\
&\quad + \frac{B(bc-ad)^6 g^3 i^2 n \log\left(\frac{a+bx}{c+dx}\right)}{60 b^3 d^4} + \frac{B(bc-ad)^6 g^3 i^2 n \log(c+dx)}{60 b^3 d^4}
\end{aligned}
$$

output
```
1/60*B*(-a*d+b*c)^5*g^3*i^2*n*x/b^2/d^3+1/120*B*(-a*d+b*c)^4*g^3*i^2*n*(d*
x+c)^2/b/d^4-19/180*B*(-a*d+b*c)^3*g^3*i^2*n*(d*x+c)^3/d^4+13/120*b*B*(-a*
d+b*c)^2*g^3*i^2*n*(d*x+c)^4/d^4-1/30*b^2*B*(-a*d+b*c)*g^3*i^2*n*(d*x+c)^5
/d^4-1/3*(-a*d+b*c)^3*g^3*i^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^
4+3/4*b*(-a*d+b*c)^2*g^3*i^2*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4
-3/5*b^2*(-a*d+b*c)*g^3*i^2*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+
1/6*b^3*g^3*i^2*(d*x+c)^6*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+1/60*B*(-a*d
+b*c)^6*g^3*i^2*n*ln((b*x+a)/(d*x+c))/b^3/d^4+1/60*B*(-a*d+b*c)^6*g^3*i^2*
n*ln(d*x+c)/b^3/d^4
```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 441, normalized size of antiderivative = 1.00

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^3i^2\left(90d^4(bc-ad)^2(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+144d^5(bc-ad)(a+bx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.\right.}{}$$

input
```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]),x]
```

output
```
(g^3*i^2*(90*d^4*(b*c - a*d)^2*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]) + 144*d^5*(b*c - a*d)*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]) + 60*d^6*(a + b*x)^6*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 15*B*
(b*c - a*d)^3*n*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2
+ 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + 12*B*(b*c - a*d)^2*n
*(12*b*d*(b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c -
a*d)*(a + b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x]) - B*
(b*c - a*d)*n*(60*b*d*(b*c - a*d)^4*x + 30*d^2*(-(b*c) + a*d)^3*(a + b*x)^
2 + 20*d^3*(b*c - a*d)^2*(a + b*x)^3 + 15*d^4*(-(b*c) + a*d)*(a + b*x)^4 +
 12*d^5*(a + b*x)^5 - 60*(b*c - a*d)^5*Log[c + d*x])))/(360*b^3*d^4)
```

Rubi [A] (verified)

Time = 0.65 (sec) , antiderivative size = 388, normalized size of antiderivative = 0.88, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2782, 27, 2123, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$

$$\downarrow 2961$$

$$g^3i^2(bc-ad)^6\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^3i^2(bc-ad)^6\left(-Bn\int-\frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{60d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}+\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\right.$$

$$\downarrow 27$$

$$g^3i^2(bc-ad)^6\left(\frac{Bn\int\frac{(c+dx)\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{15d^2(a+bx)^2b}{(c+dx)^2}-\frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{60d^4}+\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{3b^2\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.}{5d^4\left(b-\frac{d}{}\right.}$$

$$\downarrow 2123$$

$$g^3i^2(bc-ad)^6\left(\frac{Bn\int\left(-\frac{10db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}+\frac{26db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{19d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3b}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2b^2}+\frac{c+dx}{(a+bx)b^3}+\frac{d}{\left(b-\frac{d(a+b}{c+d}\right.\right.\right.\right.}{60d^4}\right.$$

$$\downarrow 2009$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{b^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{6d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^6} - \frac{3b^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{5d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} + \frac{3b \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{4d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{B \log\left(e \left(\right.\right.\right.}{3d^4 \left(b -}$$

input

```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
,x]
```

output

```
(b*c - a*d)^6*g^3*i^2*((b^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(6*d^4
*(b - (d*(a + b*x))/(c + d*x))^6) - (3*b^2*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]))/(5*d^4*(b - (d*(a + b*x))/(c + d*x))^5) + (3*b*(A + B*Log[e*((a +
 b*x)/(c + d*x))^n]))/(4*d^4*(b - (d*(a + b*x))/(c + d*x))^4) - (A + B*Log
[e*((a + b*x)/(c + d*x))^n])/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) + (B*
n*((-2*b^2)/(b - (d*(a + b*x))/(c + d*x))^5 + (13*b)/(2*(b - (d*(a + b*x))
/(c + d*x))^4) - 19/(3*(b - (d*(a + b*x))/(c + d*x))^3) + 1/(2*b*(b - (d*(
a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a +
 b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(60*d^4))
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1760 vs. $2(420) = 840$.

Time = 26.82 (sec) , antiderivative size = 1761, normalized size of antiderivative = 3.98

method	result	size
parallelrisch	Expression too large to display	1761

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_
RETURNVERBOSE)
```

output

```
1/360*(540*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c*d^5*g^3*i^2*n+720*B*x^3
*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c*d^5*g^3*i^2*n+360*B*x^3*ln(e*((b*x+a)
/(d*x+c))^n)*a*b^5*c^2*d^4*g^3*i^2*n+360*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a
^3*b^3*c*d^5*g^3*i^2*n+540*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c^2*d^4
*g^3*i^2*n+360*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^3*c^2*d^4*g^3*i^2*n+60*
B*x^6*ln(e*((b*x+a)/(d*x+c))^n)*b^6*d^6*g^3*i^2*n+216*B*x^5*ln(e*((b*x+a)/
(d*x+c))^n)*a*b^5*d^6*g^3*i^2*n+144*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c*
d^5*g^3*i^2*n+270*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*d^6*g^3*i^2*n+36
*B*x*a^4*b^2*c*d^5*g^3*i^2*n^2+30*B*x*a^3*b^3*c^2*d^4*g^3*i^2*n^2-90*B*x*a
^2*b^4*c^3*d^3*g^3*i^2*n^2+36*B*x*a*b^5*c^4*d^2*g^3*i^2*n^2+360*A*x*a^3*b^
3*c^2*d^4*g^3*i^2*n+120*B*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^3*c^3*d^3*g^3*i^
2*n-90*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c^4*d^2*g^3*i^2*n+36*B*ln(e*((b
*x+a)/(d*x+c))^n)*a*b^5*c^5*d*g^3*i^2*n-36*B*ln(b*x+a)*a^5*b*c*d^5*g^3*i^2
*n^2+90*B*ln(b*x+a)*a^4*b^2*c^2*d^4*g^3*i^2*n^2-33*B*a^5*b*c*d^5*g^3*i^2*n
^2-168*B*a^4*b^2*c^2*d^4*g^3*i^2*n^2+150*B*a^3*b^3*c^3*d^3*g^3*i^2*n^2+72*
B*a^2*b^4*c^4*d^2*g^3*i^2*n^2-33*B*a*b^5*c^5*d*g^3*i^2*n^2-720*A*a^4*b^2*c
^2*d^4*g^3*i^2*n-900*A*a^3*b^3*c^3*d^3*g^3*i^2*n-36*B*ln(b*x+a)*a*b^5*c^5*
d*g^3*i^2*n^2+360*A*x^2*a^3*b^3*c*d^5*g^3*i^2*n+540*A*x^2*a^2*b^4*c^2*d^4*
g^3*i^2*n-120*B*ln(b*x+a)*a^3*b^3*c^3*d^3*g^3*i^2*n^2+90*B*ln(b*x+a)*a^2*b
^4*c^4*d^2*g^3*i^2*n^2+90*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^2*d^4*g...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1074 vs. $2(420) = 840$.

Time $= 0.29$ (sec) , antiderivative size $= 1074$, normalized size of antiderivative $= 2.43$

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="fricas")
```

output

```
1/360*(60*A*b^6*d^6*g^3*i^2*x^6 + 6*(15*B*a^4*b^2*c^2*d^4 - 6*B*a^5*b*c*d^
5 + B*a^6*d^6)*g^3*i^2*n*log(b*x + a) + 6*(B*b^6*c^6 - 6*B*a*b^5*c^5*d + 1
5*B*a^2*b^4*c^4*d^2 - 20*B*a^3*b^3*c^3*d^3)*g^3*i^2*n*log(d*x + c) - 12*((
B*b^6*c*d^5 - B*a*b^5*d^6)*g^3*i^2*n - 6*(2*A*b^6*c*d^5 + 3*A*a*b^5*d^6)*g
^3*i^2)*x^5 - 3*((7*B*b^6*c^2*d^4 + 6*B*a*b^5*c*d^5 - 13*B*a^2*b^4*d^6)*g^
3*i^2*n - 30*(A*b^6*c^2*d^4 + 6*A*a*b^5*c*d^5 + 3*A*a^2*b^4*d^6)*g^3*i^2)*
x^4 - 2*((B*b^6*c^3*d^3 + 39*B*a*b^5*c^2*d^4 - 21*B*a^2*b^4*c*d^5 - 19*B*a
^3*b^3*d^6)*g^3*i^2*n - 60*(3*A*a*b^5*c^2*d^4 + 6*A*a^2*b^4*c*d^5 + A*a^3*
b^3*d^6)*g^3*i^2)*x^3 + 3*((B*b^6*c^4*d^2 - 6*B*a*b^5*c^3*d^3 - 30*B*a^2*b
^4*c^2*d^4 + 34*B*a^3*b^3*c*d^5 + B*a^4*b^2*d^6)*g^3*i^2*n + 60*(3*A*a^2*b
^4*c^2*d^4 + 2*A*a^3*b^3*c*d^5)*g^3*i^2)*x^2 + 6*(60*A*a^3*b^3*c^2*d^4*g^3
*i^2 - (B*b^6*c^5*d - 6*B*a*b^5*c^4*d^2 + 15*B*a^2*b^4*c^3*d^3 - 5*B*a^3*b
^3*c^2*d^4 - 6*B*a^4*b^2*c*d^5 + B*a^5*b*d^6)*g^3*i^2*n)*x + 6*(10*B*b^6*d
^6*g^3*i^2*x^6 + 60*B*a^3*b^3*c^2*d^4*g^3*i^2*x + 12*(2*B*b^6*c*d^5 + 3*B*
a*b^5*d^6)*g^3*i^2*x^5 + 15*(B*b^6*c^2*d^4 + 6*B*a*b^5*c*d^5 + 3*B*a^2*b^4
*d^6)*g^3*i^2*x^4 + 20*(3*B*a*b^5*c^2*d^4 + 6*B*a^2*b^4*c*d^5 + B*a^3*b^3*
d^6)*g^3*i^2*x^3 + 30*(3*B*a^2*b^4*c^2*d^4 + 2*B*a^3*b^3*c*d^5)*g^3*i^2*x^
2)*log(e) + 6*(10*B*b^6*d^6*g^3*i^2*n*x^6 + 60*B*a^3*b^3*c^2*d^4*g^3*i^2*n
*x + 12*(2*B*b^6*c*d^5 + 3*B*a*b^5*d^6)*g^3*i^2*n*x^5 + 15*(B*b^6*c^2*d^4
+ 6*B*a*b^5*c*d^5 + 3*B*a^2*b^4*d^6)*g^3*i^2*n*x^4 + 20*(3*B*a*b^5*c^2*...
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1978 vs. $2(420) = 840$.

Time = 0.10 (sec) , antiderivative size = 1978, normalized size of antiderivative = 4.48

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="maxima")
```

output
```
1/6*B*b^3*d^2*g^3*i^2*x^6*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/6*A*b
^3*d^2*g^3*i^2*x^6 + 2/5*B*b^3*c*d*g^3*i^2*x^5*log(e*(b*x/(d*x + c) + a/(d
*x + c))^n) + 3/5*B*a*b^2*d^2*g^3*i^2*x^5*log(e*(b*x/(d*x + c) + a/(d*x +
c))^n) + 2/5*A*b^3*c*d*g^3*i^2*x^5 + 3/5*A*a*b^2*d^2*g^3*i^2*x^5 + 1/4*B*b
^3*c^2*g^3*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*B*a*b^2*c*
d*g^3*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/4*B*a^2*b*d^2*g^3
*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*b^3*c^2*g^3*i^2*x^
4 + 3/2*A*a*b^2*c*d*g^3*i^2*x^4 + 3/4*A*a^2*b*d^2*g^3*i^2*x^4 + B*a*b^2*c^
2*g^3*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*B*a^2*b*c*d*g^3*i
^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*B*a^3*d^2*g^3*i^2*x^3*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*a*b^2*c^2*g^3*i^2*x^3 + 2*A*a^2
*b*c*d*g^3*i^2*x^3 + 1/3*A*a^3*d^2*g^3*i^2*x^3 + 3/2*B*a^2*b*c^2*g^3*i^2*x
^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + B*a^3*c*d*g^3*i^2*x^2*log(e*(b
*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A*a^2*b*c^2*g^3*i^2*x^2 + A*a^3*c*d*g
^3*i^2*x^2 - 1/360*B*b^3*d^2*g^3*i^2*n*(60*a^6*log(b*x + a)/b^6 - 60*c^6*l
og(d*x + c)/d^6 + (12*(b^5*c*d^4 - a*b^4*d^5)*x^5 - 15*(b^5*c^2*d^3 - a^2*
b^3*d^5)*x^4 + 20*(b^5*c^3*d^2 - a^3*b^2*d^5)*x^3 - 30*(b^5*c^4*d - a^4*b*
d^5)*x^2 + 60*(b^5*c^5 - a^5*d^5)*x)/(b^5*d^5)) + 1/30*B*b^3*c*d*g^3*i^2*n
*(12*a^5*log(b*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^
3*d^4)*x^4 - 4*(b^4*c^2*d^2 - a^2*b^2*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5133 vs. $2(420) = 840$.

Time = 1.63 (sec) , antiderivative size = 5133, normalized size of antiderivative = 11.61

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="giac")
```

output
```
-1/360*(6*(B*b^10*c^7*g^3*i^2*n - 7*B*a*b^9*c^6*d*g^3*i^2*n - 6*(b*x + a)*
B*b^9*c^7*d*g^3*i^2*n/(d*x + c) + 21*B*a^2*b^8*c^5*d^2*g^3*i^2*n + 42*(b*x
 + a)*B*a*b^8*c^6*d^2*g^3*i^2*n/(d*x + c) + 15*(b*x + a)^2*B*b^8*c^7*d^2*g
^3*i^2*n/(d*x + c)^2 - 35*B*a^3*b^7*c^4*d^3*g^3*i^2*n - 126*(b*x + a)*B*a^
2*b^7*c^5*d^3*g^3*i^2*n/(d*x + c) - 105*(b*x + a)^2*B*a*b^7*c^6*d^3*g^3*i^
2*n/(d*x + c)^2 - 20*(b*x + a)^3*B*b^7*c^7*d^3*g^3*i^2*n/(d*x + c)^3 + 35*
B*a^4*b^6*c^3*d^4*g^3*i^2*n + 210*(b*x + a)*B*a^3*b^6*c^4*d^4*g^3*i^2*n/(d
*x + c) + 315*(b*x + a)^2*B*a^2*b^6*c^5*d^4*g^3*i^2*n/(d*x + c)^2 + 140*(b
*x + a)^3*B*a*b^6*c^6*d^4*g^3*i^2*n/(d*x + c)^3 - 21*B*a^5*b^5*c^2*d^5*g^3
*i^2*n - 210*(b*x + a)*B*a^4*b^5*c^3*d^5*g^3*i^2*n/(d*x + c) - 525*(b*x +
a)^2*B*a^3*b^5*c^4*d^5*g^3*i^2*n/(d*x + c)^2 - 420*(b*x + a)^3*B*a^2*b^5*c
^5*d^5*g^3*i^2*n/(d*x + c)^3 + 7*B*a^6*b^4*c*d^6*g^3*i^2*n + 126*(b*x + a)
*B*a^5*b^4*c^2*d^6*g^3*i^2*n/(d*x + c) + 525*(b*x + a)^2*B*a^4*b^4*c^3*d^6
*g^3*i^2*n/(d*x + c)^2 + 700*(b*x + a)^3*B*a^3*b^4*c^4*d^6*g^3*i^2*n/(d*x
+ c)^3 - B*a^7*b^3*d^7*g^3*i^2*n - 42*(b*x + a)*B*a^6*b^3*c*d^7*g^3*i^2*n/
(d*x + c) - 315*(b*x + a)^2*B*a^5*b^3*c^2*d^7*g^3*i^2*n/(d*x + c)^2 - 700*
(b*x + a)^3*B*a^4*b^3*c^3*d^7*g^3*i^2*n/(d*x + c)^3 + 6*(b*x + a)*B*a^7*b^
2*d^8*g^3*i^2*n/(d*x + c) + 105*(b*x + a)^2*B*a^6*b^2*c*d^8*g^3*i^2*n/(d*x
 + c)^2 + 420*(b*x + a)^3*B*a^5*b^2*c^2*d^8*g^3*i^2*n/(d*x + c)^3 - 15*(b*
x + a)^2*B*a^7*b*d^9*g^3*i^2*n/(d*x + c)^2 - 140*(b*x + a)^3*B*a^6*b*c*...
```

Mupad [B] (verification not implemented)

Time = 27.56 (sec) , antiderivative size = 2555, normalized size of antiderivative = 5.78

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
,x)
```

output

```
x^2*((a*c*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d*n - B*b*c*n))/6 -
 (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d) - (b*
g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*d^2*n - 2*B*b^2*c^2*n + 60*
A*a*b*c*d - B*a*b*c*d*n))/5 + A*a*b^2*c*d*g^3*i^2))/(2*b*d) - ((60*a*d + 6
0*b*c)*((g^3*i^2*(16*A*a^3*d^3 + 4*A*b^3*c^3 + 3*B*a^3*d^3*n - B*b^3*c^3*n
 + 48*A*a*b^2*c^2*d + 72*A*a^2*b*c*d^2 - 5*B*a*b^2*c^2*d*n + 3*B*a^2*b*c*d
^2*n))/(4*d) + ((60*a*d + 60*b*c)*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c +
 B*a*d*n - B*b*c*n))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a*d +
 60*b*c))/(60*b*d) - (b*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2*d^2
*n - 2*B*b^2*c^2*n + 60*A*a*b*c*d - B*a*b*c*d*n))/5 + A*a*b^2*c*d*g^3*i^2)
)/(60*b*d) - (a*c*((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b*c + B*a*d*n - B*b*c*n
))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60))/(b*d)))/(120*b*d) + (a*g^3
*i^2*(3*A*a^3*d^3 + 12*A*b^3*c^3 + B*a^3*d^3*n - 3*B*b^3*c^3*n + 54*A*a*b^
2*c^2*d + 36*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d*n + 5*B*a^2*b*c*d^2*n))/(6*b*
d)) + x^3*((g^3*i^2*(16*A*a^3*d^3 + 4*A*b^3*c^3 + 3*B*a^3*d^3*n - B*b^3*c^
3*n + 48*A*a*b^2*c^2*d + 72*A*a^2*b*c*d^2 - 5*B*a*b^2*c^2*d*n + 3*B*a^2*b*
c*d^2*n))/(12*d) + ((60*a*d + 60*b*c)*((((b^2*d*g^3*i^2*(24*A*a*d + 18*A*b
*c + B*a*d*n - B*b*c*n))/6 - (A*b^2*d*g^3*i^2*(60*a*d + 60*b*c))/60)*(60*a
*d + 60*b*c))/(60*b*d) - (b*g^3*i^2*(30*A*a^2*d^2 + 15*A*b^2*c^2 + 3*B*a^2
*d^2*n - 2*B*b^2*c^2*n + 60*A*a*b*c*d - B*a*b*c*d*n))/5 + A*a*b^2*c*d*g...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 1093, normalized size of antiderivative = 2.47

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**3*( - 6*log(c + d*x)*a**6*d**6*n + 36*log(c + d*x)*a**5*b*c*d**5*n - 9
0*log(c + d*x)*a**4*b**2*c**2*d**4*n + 120*log(c + d*x)*a**3*b**3*c**3*d**
3*n - 90*log(c + d*x)*a**2*b**4*c**4*d**2*n + 36*log(c + d*x)*a*b**5*c**5*
d*n - 6*log(c + d*x)*b**6*c**6*n - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*
*6*d**6 + 36*log(((a + b*x)**n*e)/(c + d*x)**n)*a**5*b*c*d**5 - 90*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**4*b**2*c**2*d**4 - 360*log(((a + b*x)**n*e)
/(c + d*x)**n)*a**3*b**3*c**2*d**4*x - 360*log(((a + b*x)**n*e)/(c + d*x)*
*n)*a**3*b**3*c*d**5*x**2 - 120*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*
*3*d**6*x**3 - 540*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c**2*d**4*
x**2 - 720*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c*d**5*x**3 - 270*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*d**6*x**4 - 360*log(((a + b*x
)**n*e)/(c + d*x)**n)*a*b**5*c**2*d**4*x**3 - 540*log(((a + b*x)**n*e)/(c
+ d*x)**n)*a*b**5*c*d**5*x**4 - 216*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b
**5*d**6*x**5 - 90*log(((a + b*x)**n*e)/(c + d*x)**n)*b**6*c**2*d**4*x**4
- 144*log(((a + b*x)**n*e)/(c + d*x)**n)*b**6*c*d**5*x**5 - 60*log(((a + b
*x)**n*e)/(c + d*x)**n)*b**6*d**6*x**6 + 6*a**5*b*d**6*n*x - 360*a**4*b**2
*c**2*d**4*x - 36*a**4*b**2*c*d**5*n*x - 360*a**4*b**2*c*d**5*x**2 - 3*a**
4*b**2*d**6*n*x**2 - 120*a**4*b**2*d**6*x**3 - 30*a**3*b**3*c**2*d**4*n*x
- 540*a**3*b**3*c**2*d**4*x**2 - 102*a**3*b**3*c*d**5*n*x**2 - 720*a**3*b*
*3*c*d**5*x**3 - 38*a**3*b**3*d**6*n*x**3 - 270*a**3*b**3*d**6*x**4 + 9...
```

3.118 $\int (ag+bgx)^2(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$

Optimal result 1412
Mathematica [A] (verified) 1413
Rubi [A] (verified) 1413
Maple [B] (verified) 1416
Fricas [B] (verification not implemented) 1417
Sympy [F(-1)] 1418
Maxima [B] (verification not implemented) 1418
Giac [B] (verification not implemented) 1419
Mupad [B] (verification not implemented) 1420
Reduce [B] (verification not implemented) 1421

Optimal result

Integrand size = 43, antiderivative size = 352

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= -\frac{B(bc-ad)^4 g^2 i^2 n x}{30b^2d^2} - \frac{B(bc-ad)^3 g^2 i^2 n (c+dx)^2}{60bd^3} + \frac{B(bc-ad)^2 g^2 i^2 n (c+dx)^3}{10d^3} \\
&\quad - \frac{bB(bc-ad) g^2 i^2 n (c+dx)^4}{20d^3} + \frac{(bc-ad)^2 g^2 i^2 (c+dx)^3 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3d^3} \\
&\quad - \frac{b(bc-ad) g^2 i^2 (c+dx)^4 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^3} \\
&\quad + \frac{b^2 g^2 i^2 (c+dx)^5 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5d^3} \\
&\quad - \frac{B(bc-ad)^5 g^2 i^2 n \log\left(\frac{a+bx}{c+dx}\right)}{30b^3d^3} - \frac{B(bc-ad)^5 g^2 i^2 n \log(c+dx)}{30b^3d^3}
\end{aligned}$$

output

```
-1/30*B*(-a*d+b*c)^4*g^2*i^2*n*x/b^2/d^2-1/60*B*(-a*d+b*c)^3*g^2*i^2*n*(d*
x+c)^2/b/d^3+1/10*B*(-a*d+b*c)^2*g^2*i^2*n*(d*x+c)^3/d^3-1/20*b*B*(-a*d+b*
c)*g^2*i^2*n*(d*x+c)^4/d^3+1/3*(-a*d+b*c)^2*g^2*i^2*(d*x+c)^3*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/d^3-1/2*b*(-a*d+b*c)*g^2*i^2*(d*x+c)^4*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))/d^3+1/5*b^2*g^2*i^2*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))
^n))/d^3-1/30*B*(-a*d+b*c)^5*g^2*i^2*n*ln((b*x+a)/(d*x+c))/b^3/d^3-1/30*B*
(-a*d+b*c)^5*g^2*i^2*n*ln(d*x+c)/b^3/d^3
```

Mathematica [A] (verified)

Time = 0.30 (sec) , antiderivative size = 374, normalized size of antiderivative = 1.06

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^2i^2\left(20d^3(bc-ad)^2(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+30d^4(bc-ad)(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\right.}{}$$

input
```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]),x]
```

output
```
(g^2*i^2*(20*d^3*(b*c - a*d)^2*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]) + 30*d^4*(b*c - a*d)*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]) + 12*d^5*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 10*B*(
b*c - a*d)^3*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Lo
g[c + d*x]) - 5*B*(b*c - a*d)^2*n*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) +
 a*d)*(a + b*x)^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + B*
(b*c - a*d)*n*(12*b*d*(b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 +
4*d^3*(b*c - a*d)*(a + b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c
 + d*x])))/(60*b^3*d^3)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 311, normalized size of antiderivative = 0.88, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2782, 27, 1195, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$
$$\downarrow \text{2961}$$
$$g^2i^2(bc-ad)^5\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^2i^2(bc-ad)^5\left(-Bn\int\frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}+\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{b\left(B\log\left(e\left(\frac{a+b}{c+d}\right.\right.\right.\right.$$

$$\downarrow 27$$

$$g^2i^2(bc-ad)^5\left(-\frac{Bn\int\frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{30d^3}+\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right.$$

$$\downarrow 1195$$

$$g^2i^2(bc-ad)^5\left(-\frac{Bn\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{9d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{6bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{30d^3}+\right.$$

$$\downarrow 2009$$

$$g^2i^2(bc-ad)^5\left(\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\right.\right.$$

input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
,x]
```

output
```
(b*c - a*d)^5*g^2*i^2*((b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*d^3
*(b - (d*(a + b*x))/(c + d*x))^5) - (b*(A + B*Log[e*((a + b*x)/(c + d*x))^
n]))/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^4) + (A + B*Log[e*((a + b*x)/(c
 + d*x))^n])/(3*d^3*(b - (d*(a + b*x))/(c + d*x))^3) - (B*n*((3*b)/(2*(b -
 (d*(a + b*x))/(c + d*x))^4) - 3/(b - (d*(a + b*x))/(c + d*x))^3 + 1/(2*b*(
b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) +
Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(30*
d^3))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1273 vs. 2(334) = 668.

Time = 11.69 (sec) , antiderivative size = 1274, normalized size of antiderivative = 3.62

method	result	size
parallelrisch	Expression too large to display	1274

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_
RETURNVERBOSE)
```

output
```
1/60*(12*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*b^5*d^5*g^2*i^2*n+30*B*x^4*ln(e*(
(b*x+a)/(d*x+c))^n)*a*b^4*d^5*g^2*i^2*n+30*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)
*b^5*c*d^4*g^2*i^2*n+20*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^3*d^5*g^2*i^
2*n+20*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^2*d^3*g^2*i^2*n+80*A*x^3*a*b^
4*c*d^4*g^2*i^2*n+15*B*x^2*a^2*b^3*c*d^4*g^2*i^2*n^2-15*B*x^2*a*b^4*c^2*d^
3*g^2*i^2*n^2+60*A*x^2*a^2*b^3*c*d^4*g^2*i^2*n+B*x^2*a^3*b^2*d^5*g^2*i^2*n
^2-B*x^2*b^5*c^3*d^2*g^2*i^2*n^2-2*B*x*a^4*b*d^5*g^2*i^2*n^2+2*B*x*b^5*c^4
*d*g^2*i^2*n^2+80*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c*d^4*g^2*i^2*n+10
*B*x*a^3*b^2*c*d^4*g^2*i^2*n^2-10*B*x*a*b^4*c^3*d^2*g^2*i^2*n^2+60*A*x*a^2
*b^3*c^2*d^3*g^2*i^2*n+2*B*a^5*d^5*g^2*i^2*n^2-2*B*b^5*c^5*g^2*i^2*n^2-25*
B*a^3*b^2*c^2*d^3*g^2*i^2*n^2+25*B*a^2*b^3*c^3*d^2*g^2*i^2*n^2+9*B*a*b^4*c
^4*d*g^2*i^2*n^2-120*A*a^3*b^2*c^2*d^3*g^2*i^2*n-120*A*a^2*b^3*c^3*d^2*g^2
*i^2*n+60*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^3*c*d^4*g^2*i^2*n+60*B*x^2
*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c^2*d^3*g^2*i^2*n+60*B*x*ln(e*((b*x+a)/(d
*x+c))^n)*a^2*b^3*c^2*d^3*g^2*i^2*n+20*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^3
*c^3*d^2*g^2*i^2*n-10*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c^4*d*g^2*i^2*n+10
*B*ln(b*x+a)*a*b^4*c^4*d*g^2*i^2*n^2-10*B*ln(b*x+a)*a^4*b*c*d^4*g^2*i^2*n^
2+20*B*ln(b*x+a)*a^3*b^2*c^2*d^3*g^2*i^2*n^2-20*B*ln(b*x+a)*a^2*b^3*c^3*d^
2*g^2*i^2*n^2+60*A*x^2*a*b^4*c^2*d^3*g^2*i^2*n+3*B*x^4*a*b^4*d^5*g^2*i^2*n
^2-3*B*x^4*b^5*c*d^4*g^2*i^2*n^2+30*A*x^4*a*b^4*d^5*g^2*i^2*n+30*A*x^4*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 774 vs. $2(334) = 668$.

Time $= 0.18$ (sec) , antiderivative size $= 774$, normalized size of antiderivative $= 2.20$

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{12\,Ab^5d^5g^2i^2x^5+2\left(10\,Ba^3b^2c^2d^3-5\,Ba^4bcd^4+Ba^5d^5\right)g^2i^2n\log\left(bx+a\right)-2\left(Bb^5c^5-5\,Bab^4c^4d+10\right.}{}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="fricas")
```

output
```
1/60*(12*A*b^5*d^5*g^2*i^2*x^5 + 2*(10*B*a^3*b^2*c^2*d^3 - 5*B*a^4*b*c*d^4
 + B*a^5*d^5)*g^2*i^2*n*log(b*x + a) - 2*(B*b^5*c^5 - 5*B*a*b^4*c^4*d + 10
*B*a^2*b^3*c^3*d^2)*g^2*i^2*n*log(d*x + c) - 3*((B*b^5*c*d^4 - B*a*b^4*d^5
)*g^2*i^2*n - 10*(A*b^5*c*d^4 + A*a*b^4*d^5)*g^2*i^2)*x^4 - 2*(3*(B*b^5*c^
2*d^3 - B*a^2*b^3*d^5)*g^2*i^2*n - 10*(A*b^5*c^2*d^3 + 4*A*a*b^4*c*d^4 + A
*a^2*b^3*d^5)*g^2*i^2)*x^3 - ((B*b^5*c^3*d^2 + 15*B*a*b^4*c^2*d^3 - 15*B*a
^2*b^3*c*d^4 - B*a^3*b^2*d^5)*g^2*i^2*n - 60*(A*a*b^4*c^2*d^3 + A*a^2*b^3*
c*d^4)*g^2*i^2)*x^2 + 2*(30*A*a^2*b^3*c^2*d^3*g^2*i^2 + (B*b^5*c^4*d - 5*B
*a*b^4*c^3*d^2 + 5*B*a^3*b^2*c*d^4 - B*a^4*b*d^5)*g^2*i^2*n)*x + 2*(6*B*b^
5*d^5*g^2*i^2*x^5 + 30*B*a^2*b^3*c^2*d^3*g^2*i^2*x + 15*(B*b^5*c*d^4 + B*a
*b^4*d^5)*g^2*i^2*x^4 + 10*(B*b^5*c^2*d^3 + 4*B*a*b^4*c*d^4 + B*a^2*b^3*d^
5)*g^2*i^2*x^3 + 30*(B*a*b^4*c^2*d^3 + B*a^2*b^3*c*d^4)*g^2*i^2*x^2)*log(e
) + 2*(6*B*b^5*d^5*g^2*i^2*n*x^5 + 30*B*a^2*b^3*c^2*d^3*g^2*i^2*n*x + 15*(
B*b^5*c*d^4 + B*a*b^4*d^5)*g^2*i^2*n*x^4 + 10*(B*b^5*c^2*d^3 + 4*B*a*b^4*c
*d^4 + B*a^2*b^3*d^5)*g^2*i^2*n*x^3 + 30*(B*a*b^4*c^2*d^3 + B*a^2*b^3*c*d^
4)*g^2*i^2*n*x^2)*log((b*x + a)/(d*x + c)))/(b^3*d^3)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1336 vs. $2(334) = 668$.

Time = 0.07 (sec) , antiderivative size = 1336, normalized size of antiderivative = 3.80

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="maxima")
```

output

```
1/5*B*b^2*d^2*g^2*i^2*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A*b
^2*d^2*g^2*i^2*x^5 + 1/2*B*b^2*c*d*g^2*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d
*x + c))^n) + 1/2*B*a*b*d^2*g^2*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c)
)^n) + 1/2*A*b^2*c*d*g^2*i^2*x^4 + 1/2*A*a*b*d^2*g^2*i^2*x^4 + 1/3*B*b^2*c
^2*g^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 4/3*B*a*b*c*d*g^2*
i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*B*a^2*d^2*g^2*i^2*x^3
*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A*b^2*c^2*g^2*i^2*x^3 + 4/3*
A*a*b*c*d*g^2*i^2*x^3 + 1/3*A*a^2*d^2*g^2*i^2*x^3 + B*a*b*c^2*g^2*i^2*x^2*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + B*a^2*c*d*g^2*i^2*x^2*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n) + A*a*b*c^2*g^2*i^2*x^2 + A*a^2*c*d*g^2*i^2*x^
2 + 1/60*B*b^2*d^2*g^2*i^2*n*(12*a^5*log(b*x + a)/b^5 - 12*c^5*log(d*x + c
)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2*d^2 - a^2*b^2*d^4)*x^3
 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12*(b^4*c^4 - a^4*d^4)*x)/(b^4*d^4)) -
1/12*B*b^2*c*d*g^2*i^2*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4
+ (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*
c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/12*B*a*b*d^2*g^2*i^2*n*(6*a^4*log(b*x + a
)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c
^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) + 1/6*B*b^2*c^
2*g^2*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d -
 a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) + 2/3*B*a*b*c*d*g^2...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3352 vs. $2(334) = 668$.

Time $= 1.13$ (sec) , antiderivative size $= 3352$, normalized size of antiderivative $= 9.52$

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="giac")
```

output

```
1/60*(2*(B*b^8*c^6*g^2*i^2*n - 6*B*a*b^7*c^5*d*g^2*i^2*n - 5*(b*x + a)*B*b
^7*c^6*d*g^2*i^2*n/(d*x + c) + 15*B*a^2*b^6*c^4*d^2*g^2*i^2*n + 30*(b*x +
a)*B*a*b^6*c^5*d^2*g^2*i^2*n/(d*x + c) + 10*(b*x + a)^2*B*b^6*c^6*d^2*g^2*
i^2*n/(d*x + c)^2 - 20*B*a^3*b^5*c^3*d^3*g^2*i^2*n - 75*(b*x + a)*B*a^2*b^
5*c^4*d^3*g^2*i^2*n/(d*x + c) - 60*(b*x + a)^2*B*a*b^5*c^5*d^3*g^2*i^2*n/(
d*x + c)^2 + 15*B*a^4*b^4*c^2*d^4*g^2*i^2*n + 100*(b*x + a)*B*a^3*b^4*c^3*
d^4*g^2*i^2*n/(d*x + c) + 150*(b*x + a)^2*B*a^2*b^4*c^4*d^4*g^2*i^2*n/(d*x
 + c)^2 - 6*B*a^5*b^3*c*d^5*g^2*i^2*n - 75*(b*x + a)*B*a^4*b^3*c^2*d^5*g^2
*i^2*n/(d*x + c) - 200*(b*x + a)^2*B*a^3*b^3*c^3*d^5*g^2*i^2*n/(d*x + c)^2
 + B*a^6*b^2*d^6*g^2*i^2*n + 30*(b*x + a)*B*a^5*b^2*c*d^6*g^2*i^2*n/(d*x +
 c) + 150*(b*x + a)^2*B*a^4*b^2*c^2*d^6*g^2*i^2*n/(d*x + c)^2 - 5*(b*x + a
)*B*a^6*b*d^7*g^2*i^2*n/(d*x + c) - 60*(b*x + a)^2*B*a^5*b*c*d^7*g^2*i^2*n
/(d*x + c)^2 + 10*(b*x + a)^2*B*a^6*d^8*g^2*i^2*n/(d*x + c)^2)*log((b*x +
a)/(d*x + c))/(b^5*d^3 - 5*(b*x + a)*b^4*d^4/(d*x + c) + 10*(b*x + a)^2*b^
3*d^5/(d*x + c)^2 - 10*(b*x + a)^3*b^2*d^6/(d*x + c)^3 + 5*(b*x + a)^4*b*d
^7/(d*x + c)^4 - (b*x + a)^5*d^8/(d*x + c)^5) + (2*(b*x + a)*B*b^9*c^6*d*g
^2*i^2*n/(d*x + c) - 12*(b*x + a)*B*a*b^8*c^5*d^2*g^2*i^2*n/(d*x + c) - 9*
(b*x + a)^2*B*b^8*c^6*d^2*g^2*i^2*n/(d*x + c)^2 + 30*(b*x + a)*B*a^2*b^7*c
^4*d^3*g^2*i^2*n/(d*x + c) + 54*(b*x + a)^2*B*a*b^7*c^5*d^3*g^2*i^2*n/(d*x
 + c)^2 + 9*(b*x + a)^3*B*b^7*c^6*d^3*g^2*i^2*n/(d*x + c)^3 - 40*(b*x +...
```

Mupad [B] (verification not implemented)

Time = 26.55 (sec) , antiderivative size = 1328, normalized size of antiderivative = 3.77

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
,x)
```

output

```
x^2*(((30*a*d + 30*b*c)*((((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d*n - B
*b*c*n))/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))/30)*(30*a*d + 30*b*c))/(30*
b*d) - (g^2*i^2*(6*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c^2*n + 1
8*A*a*b*c*d))/2 + A*a*b*c*d*g^2*i^2))/(60*b*d) - (a*c*((b*d*g^2*i^2*(15*A*
a*d + 15*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))
/30))/(2*b*d) + (g^2*i^2*(3*A*a^3*d^3 + 3*A*b^3*c^3 + B*a^3*d^3*n - B*b^3*
c^3*n + 27*A*a*b^2*c^2*d + 27*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d*n + 3*B*a^2*
b*c*d^2*n))/(6*b*d)) + log(e*((a + b*x)/(c + d*x))^n)*((B*g^2*i^2*x^3*(a^2
*d^2 + b^2*c^2 + 4*a*b*c*d))/3 + B*a^2*c^2*g^2*i^2*x + (B*b^2*d^2*g^2*i^2*
x^5)/5 + B*a*c*g^2*i^2*x^2*(a*d + b*c) + (B*b*d*g^2*i^2*x^4*(a*d + b*c))/2
) - x^3*((((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*
b*d*g^2*i^2*(30*a*d + 30*b*c))/30)*(30*a*d + 30*b*c))/(90*b*d) - (g^2*i^2*
(6*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c^2*n + 18*A*a*b*c*d))/6
+ (A*a*b*c*d*g^2*i^2)/3) + x*((a*c*((((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c +
B*a*d*n - B*b*c*n))/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))/30)*(30*a*d + 30
*b*c))/(30*b*d) - (g^2*i^2*(6*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2*n - B*b^
2*c^2*n + 18*A*a*b*c*d))/2 + A*a*b*c*d*g^2*i^2))/(b*d) - ((30*a*d + 30*b*c
)*(((30*a*d + 30*b*c)*((((b*d*g^2*i^2*(15*A*a*d + 15*A*b*c + B*a*d*n - B*b
*c*n))/5 - (A*b*d*g^2*i^2*(30*a*d + 30*b*c))/30)*(30*a*d + 30*b*c))/(30*b*
d) - (g^2*i^2*(6*A*a^2*d^2 + 6*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c^2*n + ...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 796, normalized size of antiderivative = 2.26

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**2*( - 2*log(c + d*x)*a**5*d**5*n + 10*log(c + d*x)*a**4*b*c*d**4*n - 2
0*log(c + d*x)*a**3*b**2*c**2*d**3*n + 20*log(c + d*x)*a**2*b**3*c**3*d**2
*n - 10*log(c + d*x)*a*b**4*c**4*d*n + 2*log(c + d*x)*b**5*c**5*n - 2*log(
((a + b*x)**n*e)/(c + d*x)**n)*a**5*d**5 + 10*log(((a + b*x)**n*e)/(c + d*
x)**n)*a**4*b*c*d**4 - 20*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**2*c**
2*d**3 - 60*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c**2*d**3*x - 60*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c*d**4*x**2 - 20*log(((a + b*
x)**n*e)/(c + d*x)**n)*a**2*b**3*d**5*x**3 - 60*log(((a + b*x)**n*e)/(c +
d*x)**n)*a*b**4*c**2*d**3*x**2 - 80*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b
**4*c*d**4*x**3 - 30*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*d**5*x**4 -
 20*log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c**2*d**3*x**3 - 30*log(((a +
b*x)**n*e)/(c + d*x)**n)*b**5*c*d**4*x**4 - 12*log(((a + b*x)**n*e)/(c + d
*x)**n)*b**5*d**5*x**5 + 2*a**4*b*d**5*n*x - 60*a**3*b**2*c**2*d**3*x - 10
*a**3*b**2*c*d**4*n*x - 60*a**3*b**2*c*d**4*x**2 - a**3*b**2*d**5*n*x**2 -
 20*a**3*b**2*d**5*x**3 - 60*a**2*b**3*c**2*d**3*x**2 - 15*a**2*b**3*c*d**
4*n*x**2 - 80*a**2*b**3*c*d**4*x**3 - 6*a**2*b**3*d**5*n*x**3 - 30*a**2*b*
*3*d**5*x**4 + 10*a*b**4*c**3*d**2*n*x + 15*a*b**4*c**2*d**3*n*x**2 - 20*a
*b**4*c**2*d**3*x**3 - 30*a*b**4*c*d**4*x**4 - 3*a*b**4*d**5*n*x**4 - 12*a
*b**4*d**5*x**5 - 2*b**5*c**4*d*n*x + b**5*c**3*d**2*n*x**2 + 6*b**5*c**2*
d**3*n*x**3 + 3*b**5*c*d**4*n*x**4))/(60*b**2*d**3)
```

3.119 $\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$

Optimal result 1423
Mathematica [A] (verified) 1424
Rubi [A] (verified) 1424
Maple [B] (verified) 1426
Fricas [B] (verification not implemented) 1427
Sympy [F(-1)] 1428
Maxima [B] (verification not implemented) 1428
Giac [B] (verification not implemented) 1429
Mupad [B] (verification not implemented) 1431
Reduce [B] (verification not implemented) 1432

Optimal result

Integrand size = 41, antiderivative size = 250

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= \frac{B(bc-ad)^3 gi^2 nx}{12b^2 d} + \frac{B(bc-ad)^2 gi^2 n(c+dx)^2}{24bd^2} - \frac{B(bc-ad)gi^2 n(c+dx)^3}{12d^2} \\
&\quad - \frac{(bc-ad)gi^2(c+dx)^3\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3d^2} \\
&\quad + \frac{bgi^2(c+dx)^4\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2} \\
&\quad + \frac{B(bc-ad)^4 gi^2 n\log\left(\frac{a+bx}{c+dx}\right)}{12b^3 d^2} + \frac{B(bc-ad)^4 gi^2 n\log(c+dx)}{12b^3 d^2}
\end{aligned}$$

output

```
1/12*B*(-a*d+b*c)^3*g*i^2*n*x/b^2/d+1/24*B*(-a*d+b*c)^2*g*i^2*n*(d*x+c)^2/
b/d^2-1/12*B*(-a*d+b*c)*g*i^2*n*(d*x+c)^3/d^2-1/3*(-a*d+b*c)*g*i^2*(d*x+c)
^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^2+1/4*b*g*i^2*(d*x+c)^4*(A+B*ln(e*((b
*x+a)/(d*x+c))^n))/d^2+1/12*B*(-a*d+b*c)^4*g*i^2*n*ln((b*x+a)/(d*x+c))/b^3
/d^2+1/12*B*(-a*d+b*c)^4*g*i^2*n*ln(d*x+c)/b^3/d^2
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 224, normalized size of antiderivative = 0.90

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{gi^2\left(\frac{4B(bc-ad)^2n\left(2bd(bc-ad)x+b^2(c+dx)^2+2(bc-ad)^2\log(a+bx)\right)}{b^3}-\frac{B(bc-ad)n\left(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc\right.}{b^3}}{24d^{\cdot}}$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]),x]
```

output
```
(g*i^2*((4*B*(b*c - a*d)^2*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b
*c - a*d)^2*Log[a + b*x]))/b^3 - (B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x +
 3*b^2*(b*c - a*d)*(c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a
 + b*x]))/b^3 - 8*(b*c - a*d)*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]) + 6*b*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(24*d^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 234, normalized size of antiderivative = 0.94, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2961, 2782, 27, 86, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$
$$\downarrow 2961$$
$$gi^2(bc-ad)^4\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$
$$\downarrow 2782$$

$$gi^2(bc-ad)^4\left(-Bn\int -\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{12d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)$$

$$\downarrow 27$$

$$gi^2(bc-ad)^4\left(\frac{Bn\int\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)$$

$$\downarrow 86$$

$$gi^2(bc-ad)^4\left(\frac{Bn\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+}{c+}\right.\right.$$

$$\downarrow 2009$$

$$gi^2(bc-ad)^4\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^3}+\frac{1}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\right.}{12d^2}\right.$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x
]
```

output

```
(b*c - a*d)^4*g*i^2*((b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*d^2*(b
 - (d*(a + b*x))/(c + d*x))^4) - (A + B*Log[e*((a + b*x)/(c + d*x))^n])/(3*
d^2*(b - (d*(a + b*x))/(c + d*x))^3) + (B*n*(-(b - (d*(a + b*x))/(c + d*x)
)^(-3) + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x
))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c +
 d*x)]/b^3))/(12*d^2))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Free
Q[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 836 vs. $2(236) = 472$.

Time = 4.97 (sec) , antiderivative size = 837, normalized size of antiderivative = 3.35

method	result
parallelrisch	$\frac{8Bx\,a^2b^2cd^3gi^2n^2-4Bxab^3c^2d^2gi^2n^2+24Axab^3c^2d^2gi^2n-8B\ln(bx+a)a^3bcd^3gi^2n^2-2Bxa^3bd^4gi^2n^2+24Bx^2\ln\left(e\left(\frac{b}{d}\right.\right.$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RE
TURNVERBOSE)
```

output
```
1/24*(8*B*x*a^2*b^2*c*d^3*g*i^2*n^2-4*B*x*a*b^3*c^2*d^2*g*i^2*n^2+24*A*x*a
*b^3*c^2*d^2*g*i^2*n-8*B*ln(b*x+a)*a^3*b*c*d^3*g*i^2*n^2-2*B*x*a^3*b*d^4*g
*i^2*n^2+24*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*c*d^3*g*i^2*n+24*B*x*ln(
e*((b*x+a)/(d*x+c))^n)*a*b^3*c^2*d^2*g*i^2*n-2*B*ln(e*((b*x+a)/(d*x+c))^n)
*b^4*c^4*g*i^2*n+6*A*x^4*b^4*d^4*g*i^2*n+2*B*ln(b*x+a)*b^4*c^4*g*i^2*n^2+2
*B*ln(b*x+a)*a^4*d^4*g*i^2*n^2+12*B*ln(b*x+a)*a^2*b^2*c^2*d^2*g*i^2*n^2-8*
B*ln(b*x+a)*a*b^3*c^3*d*g*i^2*n^2+8*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*c^3*
d*g*i^2*n+8*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*d^4*g*i^2*n+16*B*x^3*ln(
e*((b*x+a)/(d*x+c))^n)*b^4*c*d^3*g*i^2*n+12*B*x^2*ln(e*((b*x+a)/(d*x+c))^n
)*b^4*c^2*d^2*g*i^2*n+4*B*x^2*a*b^3*c*d^3*g*i^2*n^2+24*A*x^2*a*b^3*c*d^3*g
*i^2*n+2*B*b^4*c^4*g*i^2*n^2+2*B*a^4*d^4*g*i^2*n^2-7*B*a^3*b*c*d^3*g*i^2*n
^2-8*B*a^2*b^2*c^2*d^2*g*i^2*n^2+11*B*a*b^3*c^3*d*g*i^2*n^2-48*A*a^2*b^2*c
^2*d^2*g*i^2*n-36*A*a*b^3*c^3*d*g*i^2*n-2*B*x*b^4*c^3*d*g*i^2*n^2+6*B*x^4*
ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^4*g*i^2*n+2*B*x^3*a*b^3*d^4*g*i^2*n^2-2*B*
x^3*b^4*c*d^3*g*i^2*n^2+8*A*x^3*a*b^3*d^4*g*i^2*n+16*A*x^3*b^4*c*d^3*g*i^2
*n+B*x^2*a^2*b^2*d^4*g*i^2*n^2-5*B*x^2*b^4*c^2*d^2*g*i^2*n^2+12*A*x^2*b^4*
c^2*d^2*g*i^2*n)/b^3/d^2/n
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 530 vs. $2(236) = 472$.

Time $= 0.12$ (sec) , antiderivative size $= 530$, normalized size of antiderivative $= 2.12$

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \frac{6\,Ab^4d^4gi^2x^4+2\left(6\,Ba^2b^2c^2d^2-4\,Ba^3bcd^3+Ba^4d^4\right)gi^2n\log\left(bx+a\right)+2\left(Bb^4c^4-4\,Bab^3c^3d\right)gi^2n\log\left(\right.}{}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="fricas")
```

output
```
1/24*(6*A*b^4*d^4*g*i^2*x^4 + 2*(6*B*a^2*b^2*c^2*d^2 - 4*B*a^3*b*c*d^3 + B
*a^4*d^4)*g*i^2*n*log(b*x + a) + 2*(B*b^4*c^4 - 4*B*a*b^3*c^3*d)*g*i^2*n*l
og(d*x + c) - 2*((B*b^4*c*d^3 - B*a*b^3*d^4)*g*i^2*n - 4*(2*A*b^4*c*d^3 +
A*a*b^3*d^4)*g*i^2)*x^3 - ((5*B*b^4*c^2*d^2 - 4*B*a*b^3*c*d^3 - B*a^2*b^2*
d^4)*g*i^2*n - 12*(A*b^4*c^2*d^2 + 2*A*a*b^3*c*d^3)*g*i^2)*x^2 + 2*(12*A*a
*b^3*c^2*d^2*g*i^2 - (B*b^4*c^3*d + 2*B*a*b^3*c^2*d^2 - 4*B*a^2*b^2*c*d^3
+ B*a^3*b*d^4)*g*i^2*n)*x + 2*(3*B*b^4*d^4*g*i^2*x^4 + 12*B*a*b^3*c^2*d^2*
g*i^2*x + 4*(2*B*b^4*c*d^3 + B*a*b^3*d^4)*g*i^2*x^3 + 6*(B*b^4*c^2*d^2 + 2
*B*a*b^3*c*d^3)*g*i^2*x^2)*log(e) + 2*(3*B*b^4*d^4*g*i^2*n*x^4 + 12*B*a*b^
3*c^2*d^2*g*i^2*n*x + 4*(2*B*b^4*c*d^3 + B*a*b^3*d^4)*g*i^2*n*x^3 + 6*(B*b
^4*c^2*d^2 + 2*B*a*b^3*c*d^3)*g*i^2*n*x^2)*log((b*x + a)/(d*x + c)))/(b^3*
d^2)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 740 vs. $2(236) = 472$.

Time = 0.07 (sec) , antiderivative size = 740, normalized size of antiderivative = 2.96

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="maxima")
```

output

```
1/4*B*b*d^2*g*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*b*d^2
*g*i^2*x^4 + 2/3*B*b*c*d*g*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 1/3*B*a*d^2*g*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2/3*A*b*c
*d*g*i^2*x^3 + 1/3*A*a*d^2*g*i^2*x^3 + 1/2*B*b*c^2*g*i^2*x^2*log(e*(b*x/(d
*x + c) + a/(d*x + c))^n) + B*a*c*d*g*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) + 1/2*A*b*c^2*g*i^2*x^2 + A*a*c*d*g*i^2*x^2 - 1/24*B*b*d^2*g*i^
2*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b
^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^
3*d^3)) + 1/3*B*b*c*d*g*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) + 1/
6*B*a*d^2*g*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2
*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 1/2*B*b*c^2*g*
i^2*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d))
- B*a*c*d*g*i^2*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*
d)*x/(b*d)) + B*a*c^2*g*i^2*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + B*a*
c^2*g*i^2*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*a*c^2*g*i^2*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1997 vs. $2(236) = 472$.

Time $= 0.85$ (sec) , antiderivative size $= 1997$, normalized size of antiderivative $= 7.99$

$$\int (ag + bgx)(ci + dix)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) \, dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="giac")
```

output

```
-1/24*(2*(B*b^6*c^5*g*i^2*n - 5*B*a*b^5*c^4*d*g*i^2*n - 4*(b*x + a)*B*b^5*
c^5*d*g*i^2*n/(d*x + c) + 10*B*a^2*b^4*c^3*d^2*g*i^2*n + 20*(b*x + a)*B*a*
b^4*c^4*d^2*g*i^2*n/(d*x + c) - 10*B*a^3*b^3*c^2*d^3*g*i^2*n - 40*(b*x + a
)*B*a^2*b^3*c^3*d^3*g*i^2*n/(d*x + c) + 5*B*a^4*b^2*c*d^4*g*i^2*n + 40*(b*
x + a)*B*a^3*b^2*c^2*d^4*g*i^2*n/(d*x + c) - B*a^5*b*d^5*g*i^2*n - 20*(b*x
 + a)*B*a^4*b*c*d^5*g*i^2*n/(d*x + c) + 4*(b*x + a)*B*a^5*d^6*g*i^2*n/(d*x
 + c))*log((b*x + a)/(d*x + c))/(b^4*d^2 - 4*(b*x + a)*b^3*d^3/(d*x + c) +
 6*(b*x + a)^2*b^2*d^4/(d*x + c)^2 - 4*(b*x + a)^3*b*d^5/(d*x + c)^3 + (b*
x + a)^4*d^6/(d*x + c)^4) - (B*b^8*c^5*g*i^2*n - 5*B*a*b^7*c^4*d*g*i^2*n -
 6*(b*x + a)*B*b^7*c^5*d*g*i^2*n/(d*x + c) + 10*B*a^2*b^6*c^3*d^2*g*i^2*n
+ 30*(b*x + a)*B*a*b^6*c^4*d^2*g*i^2*n/(d*x + c) + 7*(b*x + a)^2*B*b^6*c^5
*d^2*g*i^2*n/(d*x + c)^2 - 10*B*a^3*b^5*c^2*d^3*g*i^2*n - 60*(b*x + a)*B*a
^2*b^5*c^3*d^3*g*i^2*n/(d*x + c) - 35*(b*x + a)^2*B*a*b^5*c^4*d^3*g*i^2*n/
(d*x + c)^2 - 2*(b*x + a)^3*B*b^5*c^5*d^3*g*i^2*n/(d*x + c)^3 + 5*B*a^4*b^
4*c*d^4*g*i^2*n + 60*(b*x + a)*B*a^3*b^4*c^2*d^4*g*i^2*n/(d*x + c) + 70*(b
*x + a)^2*B*a^2*b^4*c^3*d^4*g*i^2*n/(d*x + c)^2 + 10*(b*x + a)^3*B*a*b^4*c
^4*d^4*g*i^2*n/(d*x + c)^3 - B*a^5*b^3*d^5*g*i^2*n - 30*(b*x + a)*B*a^4*b^
3*c*d^5*g*i^2*n/(d*x + c) - 70*(b*x + a)^2*B*a^3*b^3*c^2*d^5*g*i^2*n/(d*x
+ c)^2 - 20*(b*x + a)^3*B*a^2*b^3*c^3*d^5*g*i^2*n/(d*x + c)^3 + 6*(b*x + a
)*B*a^5*b^2*d^6*g*i^2*n/(d*x + c) + 35*(b*x + a)^2*B*a^4*b^2*c*d^6*g*i^...
```

Mupad [B] (verification not implemented)

Time = 26.09 (sec) , antiderivative size = 661, normalized size of antiderivative = 2.64

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$

$$= \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(Bac^2gi^2x+\frac{Bcgi^2x^2(2ad+bc)}{2}+\frac{Bdgi^2x^3(ad+2bc)}{3}+\frac{Bbd^2gi^2x^4}{4}\right)$$

$$+x^3\left(\frac{dgi^2(8Aad+12Abc+Badn-Bbcn)}{12}-\frac{Adgi^2(12ad+12bc)}{36}\right)$$

$$+x\left(\frac{(12ad+12bc)\left(\frac{\left(\frac{dgi^2(8Aad+12Abc+Badn-Bbcn)}{4}-\frac{Adgi^2(12ad+12bc)}{12}\right)(12ad+12bc)}{12bd}-\frac{gi^2(3Aa^2d^2+9Ab^2c^2+B}{12bd}\right.\right.$$

$$\left.\left.-\frac{ac\left(\frac{dgi^2(8Aad+12Abc+Badn-Bbcn)}{4}-\frac{Adgi^2(12ad+12bc)}{12}\right)}{bd}+\frac{cgi^2(6Aa^2d^2+2Ab^2c^2+2Ba^2d^2n-Bb^2c^2n+12Aabcd-Babcdn)}{2bd}\right)\right.$$

$$-x^2\left(\frac{\left(\frac{dgi^2(8Aad+12Abc+Badn-Bbcn)}{4}-\frac{Adgi^2(12ad+12bc)}{12}\right)(12ad+12bc)}{24bd}\right.$$

$$\left.-\frac{gi^2(3Aa^2d^2+9Ab^2c^2+Ba^2d^2n-2Bb^2c^2n+18Aabcd+Babcdn)}{6b}+\frac{Aacdgi^2}{2}\right)+\frac{\ln(c+dx)\,(Bbc^4gi^2n-4Bac^3dgi^2n)}{12d^2}$$

$$+\frac{\ln(a+bx)\,(Bgna^4d^2i^2-4Bgna^3bcdi^2+6Bgna^2b^2c^2i^2)}{12b^3}+\frac{Abd^2gi^2x^4}{4}$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x
)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*(B*a*c^2*g*i^2*x + (B*c*g*i^2*x^2*(2*a*d +
b*c))/2 + (B*d*g*i^2*x^3*(a*d + 2*b*c))/3 + (B*b*d^2*g*i^2*x^4)/4) + x^3*(
(d*g*i^2*(8*A*a*d + 12*A*b*c + B*a*d*n - B*b*c*n))/12 - (A*d*g*i^2*(12*a*d
 + 12*b*c))/36) + x*(((12*a*d + 12*b*c)*((((d*g*i^2*(8*A*a*d + 12*A*b*c +
B*a*d*n - B*b*c*n))/4 - (A*d*g*i^2*(12*a*d + 12*b*c))/12)*(12*a*d + 12*b*c
))/(12*b*d) - (g*i^2*(3*A*a^2*d^2 + 9*A*b^2*c^2 + B*a^2*d^2*n - 2*B*b^2*c^
2*n + 18*A*a*b*c*d + B*a*b*c*d*n))/(3*b) + A*a*c*d*g*i^2))/(12*b*d) - (a*c
*((d*g*i^2*(8*A*a*d + 12*A*b*c + B*a*d*n - B*b*c*n))/4 - (A*d*g*i^2*(12*a*
d + 12*b*c))/12))/(b*d) + (c*g*i^2*(6*A*a^2*d^2 + 2*A*b^2*c^2 + 2*B*a^2*d^
2*n - B*b^2*c^2*n + 12*A*a*b*c*d - B*a*b*c*d*n))/(2*b*d)) - x^2*((((d*g*i^
2*(8*A*a*d + 12*A*b*c + B*a*d*n - B*b*c*n))/4 - (A*d*g*i^2*(12*a*d + 12*b*
c))/12)*(12*a*d + 12*b*c))/(24*b*d) - (g*i^2*(3*A*a^2*d^2 + 9*A*b^2*c^2 +
B*a^2*d^2*n - 2*B*b^2*c^2*n + 18*A*a*b*c*d + B*a*b*c*d*n))/(6*b) + (A*a*c*
d*g*i^2)/2) + (log(c + d*x)*(B*b*c^4*g*i^2*n - 4*B*a*c^3*d*g*i^2*n))/(12*d
^2) + (log(a + b*x)*(B*a^4*d^2*g*i^2*n + 6*B*a^2*b^2*c^2*g*i^2*n - 4*B*a^3
*b*c*d*g*i^2*n))/(12*b^3) + (A*b*d^2*g*i^2*x^4)/4
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 577, normalized size of antiderivative = 2.31

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$

$$=\frac{g\left(-24\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)ab^3c^2d^2x+8\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^3bcd^3-12\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^2b^2c^2d^2-12\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g*( - 2*log(c + d*x)*a**4*d**4*n + 8*log(c + d*x)*a**3*b*c*d**3*n - 12*lo
g(c + d*x)*a**2*b**2*c**2*d**2*n + 8*log(c + d*x)*a*b**3*c**3*d*n - 2*log(
c + d*x)*b**4*c**4*n - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*d**4 + 8*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d**3 - 12*log(((a + b*x)**n*e)
/(c + d*x)**n)*a**2*b**2*c**2*d**2 - 24*log(((a + b*x)**n*e)/(c + d*x)**n)
*a*b**3*c**2*d**2*x - 24*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*d**3*
x**2 - 8*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**4*x**3 - 12*log(((a
+ b*x)**n*e)/(c + d*x)**n)*b**4*c**2*d**2*x**2 - 16*log(((a + b*x)**n*e)/(
c + d*x)**n)*b**4*c*d**3*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*
d**4*x**4 + 2*a**3*b*d**4*n*x - 24*a**2*b**2*c**2*d**2*x - 8*a**2*b**2*c*d
**3*n*x - 24*a**2*b**2*c*d**3*x**2 - a**2*b**2*d**4*n*x**2 - 8*a**2*b**2*d
**4*x**3 + 4*a*b**3*c**2*d**2*n*x - 12*a*b**3*c**2*d**2*x**2 - 4*a*b**3*c*
d**3*n*x**2 - 16*a*b**3*c*d**3*x**3 - 2*a*b**3*d**4*n*x**3 - 6*a*b**3*d**4
*x**4 + 2*b**4*c**3*d*n*x + 5*b**4*c**2*d**2*n*x**2 + 2*b**4*c*d**3*n*x**3
))/(24*b**2*d**2)
```

3.120 $\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1434
Mathematica [A] (verified) 1434
Rubi [A] (verified) 1435
Maple [B] (verified) 1436
Fricas [B] (verification not implemented) 1437
Sympy [B] (verification not implemented) 1438
Maxima [B] (verification not implemented) 1439
Giac [B] (verification not implemented) 1440
Mupad [B] (verification not implemented) 1441
Reduce [B] (verification not implemented) 1442

Optimal result

Integrand size = 33, antiderivative size = 124

$$\begin{aligned}&\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\ &= -\frac{B(bc-ad)^2i^2nx}{3b^2} - \frac{B(bc-ad)i^2n(c+dx)^2}{6bd}\\ &\quad - \frac{B(bc-ad)^3i^2n\log(a+bx)}{3b^3d} + \frac{i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3d}\end{aligned}$$

output

```
-1/3*B*(-a*d+b*c)^2*i^2*n*x/b^2-1/6*B*(-a*d+b*c)*i^2*n*(d*x+c)^2/b/d-1/3*B
*(-a*d+b*c)^3*i^2*n*ln(b*x+a)/b^3/d+1/3*i^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(
d*x+c))^n))/d
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 101, normalized size of antiderivative = 0.81

$$\begin{aligned}&\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\ &= \frac{i^2\left(-\frac{B(bc-ad)n\left(2bd(bc-ad)x+b^2(c+dx)^2+2(bc-ad)^2\log(a+bx)\right)}{2b^3} + (c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\right)}{3d}\end{aligned}$$

input
```
Integrate[(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
(i^2*(-1/2*(B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*
c - a*d)^2*Log[a + b*x]))/b^3 + (c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])))/(3*d)
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 109, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2947, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^2 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right) dx$$

$$\downarrow 2947$$

$$\frac{i^2(c+dx)^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d} - \frac{Bn(bc-ad)\int \frac{i^3(c+dx)^2}{a+bx}dx}{3di}$$

$$\downarrow 27$$

$$\frac{i^2(c+dx)^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d} - \frac{Bi^2n(bc-ad)\int \frac{(c+dx)^2}{a+bx}dx}{3d}$$

$$\downarrow 49$$

$$\frac{i^2(c+dx)^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d} - \frac{Bi^2n(bc-ad)\int \left(\frac{(bc-ad)^2}{b^2(a+bx)}+\frac{d(bc-ad)}{b^2}+\frac{d(c+dx)}{b}\right)dx}{3d}$$

$$\downarrow 2009$$

$$\frac{i^2(c+dx)^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d} - \frac{Bi^2n(bc-ad)\left(\frac{(bc-ad)^2\log(a+bx)}{b^3}+\frac{dx(bc-ad)}{b^2}+\frac{(c+dx)^2}{2b}\right)}{3d}$$

input
```
Int[(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
-1/3*(B*(b*c - a*d)*i^2*n*((d*(b*c - a*d)*x)/b^2 + (c + d*x)^2/(2*b) + ((b
*c - a*d)^2*Log[a + b*x])/b^3))/d + (i^2*(c + d*x)^3*(A + B*Log[e*((a + b*
x)/(c + d*x))^n]))/(3*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 462 vs. $2(116) = 232$.

Time = 2.01 (sec) , antiderivative size = 463, normalized size of antiderivative = 3.73

method	result
parallelrisch	$\frac{6Bx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3cd^2i^2n-4Bxb^3c^2di^2n^2+6Axb^3c^2di^2n+6Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3c^2di^2n+6Bxab^2cd^2i^2n^2-6B\ln(b$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RETURNVERBOSE)
```

output
```
1/6*(6*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c*d^2*i^2*n-4*B*x*b^3*c^2*d*i^2
*n^2+6*A*x*b^3*c^2*d*i^2*n+6*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c^2*d*i^2*n
+6*B*x*a*b^2*c*d^2*i^2*n^2-6*B*ln(b*x+a)*a^2*b*c*d^2*i^2*n^2+6*B*ln(b*x+a)
*a*b^2*c^2*d*i^2*n^2+2*B*a^3*d^3*i^2*n^2+4*B*b^3*c^3*i^2*n^2-6*A*b^3*c^3*i
^2*n+2*A*x^3*b^3*d^3*i^2*n+2*B*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c^3*i^2*n+2*B
*ln(b*x+a)*a^3*d^3*i^2*n^2-2*B*ln(b*x+a)*b^3*c^3*i^2*n^2-5*B*a^2*b*c*d^2*i
^2*n^2-B*a*b^2*c^2*d*i^2*n^2-12*A*a*b^2*c^2*d*i^2*n+2*B*x^3*ln(e*((b*x+a)/
(d*x+c))^n)*b^3*d^3*i^2*n+B*x^2*a*b^2*d^3*i^2*n^2-B*x^2*b^3*c*d^2*i^2*n^2+
6*A*x^2*b^3*c*d^2*i^2*n-2*B*x*a^2*b*d^3*i^2*n^2)/b^3/d/n
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 297 vs. $2(116) = 232$.

Time $= 0.10$ (sec) , antiderivative size $= 297$, normalized size of antiderivative $= 2.40$

$$\int (ci + dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$
$$= \frac{2\,Ab^3d^3i^2x^3 - 2\,Bb^3c^3i^2n\log(dx+c) + 2\,(3\,Bab^2c^2d - 3\,Ba^2bcd^2 + Ba^3d^3)i^2n\log(bx+a) + (6\,Ab^3cd^2i}{}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="fri
cas")
```

output
```
1/6*(2*A*b^3*d^3*i^2*x^3 - 2*B*b^3*c^3*i^2*n*log(d*x + c) + 2*(3*B*a*b^2*c
^2*d - 3*B*a^2*b*c*d^2 + B*a^3*d^3)*i^2*n*log(b*x + a) + (6*A*b^3*c*d^2*i^
2 - (B*b^3*c*d^2 - B*a*b^2*d^3)*i^2*n)*x^2 + 2*(3*A*b^3*c^2*d*i^2 - (2*B*b
^3*c^2*d - 3*B*a*b^2*c*d^2 + B*a^2*b*d^3)*i^2*n)*x + 2*(B*b^3*d^3*i^2*x^3
+ 3*B*b^3*c*d^2*i^2*x^2 + 3*B*b^3*c^2*d*i^2*x)*log(e) + 2*(B*b^3*d^3*i^2*n
*x^3 + 3*B*b^3*c*d^2*i^2*n*x^2 + 3*B*b^3*c^2*d*i^2*n*x)*log((b*x + a)/(d*x
 + c)))/(b^3*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 656 vs. $2(107) = 214$.

Time = 127.48 (sec) , antiderivative size = 656, normalized size of antiderivative = 5.29

$$\int (ci + dix)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Piecewise((c**2*i**2*x*(A + B*log(e*(a/c)**n)), Eq(b, 0) & Eq(d, 0)), (A*c
**2*i**2*x + A*c*d*i**2*x**2 + A*d**2*i**2*x**3/3 + B*c**3*i**2*log(e*(a/(
c + d*x))**n)/(3*d) + B*c**2*i**2*n*x/3 + B*c**2*i**2*x*log(e*(a/(c + d*x)
)**n) + B*c*d*i**2*n*x**2/3 + B*c*d*i**2*x**2*log(e*(a/(c + d*x))**n) + B*
d**2*i**2*n*x**3/9 + B*d**2*i**2*x**3*log(e*(a/(c + d*x))**n)/3, Eq(b, 0))
, (c**2*i**2*(A*x + B*a*log(e*(a/c + b*x/c)**n)/b - B*n*x + B*x*log(e*(a/c
 + b*x/c)**n)), Eq(d, 0)), (A*c**2*i**2*x + A*c*d*i**2*x**2 + A*d**2*i**2*
x**3/3 + B*a**3*d**2*i**2*n*log(c/d + x)/(3*b**3) + B*a**3*d**2*i**2*log(e
*(a/(c + d*x) + b*x/(c + d*x))**n)/(3*b**3) - B*a**2*c*d*i**2*n*log(c/d + 
x)/b**2 - B*a**2*c*d*i**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/b**2 - B
*a**2*d**2*i**2*n*x/(3*b**2) + B*a*c**2*i**2*n*log(c/d + x)/b + B*a*c**2*i
**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/b + B*a*c*d*i**2*n*x/b + B*a*d
**2*i**2*n*x**2/(6*b) - B*c**3*i**2*n*log(c/d + x)/(3*d) - 2*B*c**2*i**2*n
*x/3 + B*c**2*i**2*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n) - B*c*d*i**2*
n*x**2/6 + B*c*d*i**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n) + B*d**
2*i**2*x**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/3, True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 309 vs. $2(116) = 232$.

Time = 0.04 (sec) , antiderivative size = 309, normalized size of antiderivative = 2.49

$$\begin{aligned}
&\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= \frac{1}{3}Bd^2i^2x^3\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+\frac{1}{3}Ad^2i^2x^3 \\
&\quad + Bcdi^2x^2\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+Acdi^2x^2 \\
&\quad + \frac{1}{6}Bd^2i^2n\left(\frac{2\,a^3\log(bx+a)}{b^3}-\frac{2\,c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2\,(b^2c^2-a^2d^2)x}{b^2d^2}\right) \\
&\quad - Bcdi^2n\left(\frac{a^2\log(bx+a)}{b^2}-\frac{c^2\log(dx+c)}{d^2}+\frac{(bc-ad)x}{bd}\right) \\
&\quad + Bc^2i^2n\left(\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right) \\
&\quad + Bc^2i^2x\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+Ac^2i^2x
\end{aligned}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="max
ima")
```

output
```
1/3*B*d^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A*d^2*i^2*x
^3 + B*c*d*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*c*d*i^2*x^2
+ 1/6*B*d^2*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2
*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - B*c*d*i^2*n*(a
^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) + B*c^2*
i^2*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + B*c^2*i^2*x*log(e*(b*x/(d*x
+ c) + a/(d*x + c))^n) + A*c^2*i^2*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 990 vs. $2(116) = 232$.

Time = 0.40 (sec) , antiderivative size = 990, normalized size of antiderivative = 7.98

$$\int (ci + dix)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="gia
c")
```

output
```
1/6*(2*(B*b^4*c^4*i^2*n - 4*B*a*b^3*c^3*d*i^2*n + 6*B*a^2*b^2*c^2*d^2*i^2*
n - 4*B*a^3*b*c*d^3*i^2*n + B*a^4*d^4*i^2*n)*log((b*x + a)/(d*x + c))/(b^3
*d - 3*(b*x + a)*b^2*d^2/(d*x + c) + 3*(b*x + a)^2*b*d^3/(d*x + c)^2 - (b*
x + a)^3*d^4/(d*x + c)^3) - (3*B*b^6*c^4*i^2*n - 12*B*a*b^5*c^3*d*i^2*n -
5*(b*x + a)*B*b^5*c^4*d*i^2*n/(d*x + c) + 18*B*a^2*b^4*c^2*d^2*i^2*n + 20*
(b*x + a)*B*a*b^4*c^3*d^2*i^2*n/(d*x + c) + 2*(b*x + a)^2*B*b^4*c^4*d^2*i^
2*n/(d*x + c)^2 - 12*B*a^3*b^3*c*d^3*i^2*n - 30*(b*x + a)*B*a^2*b^3*c^2*d^
3*i^2*n/(d*x + c) - 8*(b*x + a)^2*B*a*b^3*c^3*d^3*i^2*n/(d*x + c)^2 + 3*B*
a^4*b^2*d^4*i^2*n + 20*(b*x + a)*B*a^3*b^2*c*d^4*i^2*n/(d*x + c) + 12*(b*x
 + a)^2*B*a^2*b^2*c^2*d^4*i^2*n/(d*x + c)^2 - 5*(b*x + a)*B*a^4*b*d^5*i^2*
n/(d*x + c) - 8*(b*x + a)^2*B*a^3*b*c*d^5*i^2*n/(d*x + c)^2 + 2*(b*x + a)^
2*B*a^4*d^6*i^2*n/(d*x + c)^2 - 2*B*b^6*c^4*i^2*log(e) + 8*B*a*b^5*c^3*d*i
^2*log(e) - 12*B*a^2*b^4*c^2*d^2*i^2*log(e) + 8*B*a^3*b^3*c*d^3*i^2*log(e)
 - 2*B*a^4*b^2*d^4*i^2*log(e) - 2*A*b^6*c^4*i^2 + 8*A*a*b^5*c^3*d*i^2 - 12
*A*a^2*b^4*c^2*d^2*i^2 + 8*A*a^3*b^3*c*d^3*i^2 - 2*A*a^4*b^2*d^4*i^2)/(b^5
*d - 3*(b*x + a)*b^4*d^2/(d*x + c) + 3*(b*x + a)^2*b^3*d^3/(d*x + c)^2 - (
b*x + a)^3*b^2*d^4/(d*x + c)^3) + 2*(B*b^4*c^4*i^2*n - 4*B*a*b^3*c^3*d*i^2
*n + 6*B*a^2*b^2*c^2*d^2*i^2*n - 4*B*a^3*b*c*d^3*i^2*n + B*a^4*d^4*i^2*n)*
log(b - (b*x + a)*d/(d*x + c))/(b^3*d) - 2*(B*b^4*c^4*i^2*n - 4*B*a*b^3*c^
3*d*i^2*n + 6*B*a^2*b^2*c^2*d^2*i^2*n - 4*B*a^3*b*c*d^3*i^2*n + B*a^4*d...
```

Mupad [B] (verification not implemented)

Time = 25.77 (sec) , antiderivative size = 303, normalized size of antiderivative = 2.44

$$\begin{aligned}
&\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(Bc^2i^2x+Bcdi^2x^2+\frac{Bd^2i^2x^3}{3}\right) \\
&\quad - x\left(\frac{(3ad+3bc)\left(\frac{di^2(3Aad+9Abc+Badn-Bbcn)}{3b}-\frac{Adi^2(3ad+3bc)}{3b}\right)}{3bd}\right. \\
&\qquad\qquad \left. -\frac{ci^2(3Aad+3Abc+Badn-Bbcn)}{b}+\frac{Aacdi^2}{b}\right) \\
&\quad + x^2\left(\frac{di^2(3Aad+9Abc+Badn-Bbcn)}{6b}-\frac{Adi^2(3ad+3bc)}{6b}\right) \\
&\quad + \frac{\ln(a+bx)\left(Bna^3d^2i^2-3Bna^2bcdi^2+3Bnab^2c^2i^2\right)}{3b^3} \\
&\quad + \frac{Ad^2i^2x^3}{3}-\frac{Bc^3i^2n\ln(c+dx)}{3d}
\end{aligned}$$

input
```
int((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)
```

output
```
log(e*((a + b*x)/(c + d*x))^n)*((B*d^2*i^2*x^3)/3 + B*c^2*i^2*x + B*c*d*i^
2*x^2) - x*(((3*a*d + 3*b*c)*((d*i^2*(3*A*a*d + 9*A*b*c + B*a*d*n - B*b*c*
n))/(3*b) - (A*d*i^2*(3*a*d + 3*b*c))/(3*b)))/(3*b*d) - (c*i^2*(3*A*a*d +
3*A*b*c + B*a*d*n - B*b*c*n))/b + (A*a*c*d*i^2)/b) + x^2*((d*i^2*(3*A*a*d
+ 9*A*b*c + B*a*d*n - B*b*c*n))/(6*b) - (A*d*i^2*(3*a*d + 3*b*c))/(6*b)) +
 (log(a + b*x)*(B*a^3*d^2*i^2*n + 3*B*a*b^2*c^2*i^2*n - 3*B*a^2*b*c*d*i^2*
n))/(3*b^3) + (A*d^2*i^2*x^3)/3 - (B*c^3*i^2*n*log(c + d*x))/(3*d)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 285, normalized size of antiderivative = 2.30

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{-2\log(bx+a)\,a^3d^3n+6\log(bx+a)\,a^2bc\,d^2n-6\log(bx+a)\,ab^2c^2dn+2\log(bx+a)\,b^3c^3n-2\log\left(\frac{(bx+}{(dx}\right.}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
( - 2*log(a + b*x)*a**3*d**3*n + 6*log(a + b*x)*a**2*b*c*d**2*n - 6*log(a
+ b*x)*a*b**2*c**2*d*n + 2*log(a + b*x)*b**3*c**3*n - 2*log(((a + b*x)**n*
e)/(c + d*x)**n)*b**3*c**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**
2*d*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*d**2*x**2 - 2*log(((a
+ b*x)**n*e)/(c + d*x)**n)*b**3*d**3*x**3 + 2*a**2*b*d**3*n*x - 6*a*b**2*c
**2*d*x - 6*a*b**2*c*d**2*n*x - 6*a*b**2*c*d**2*x**2 - a*b**2*d**3*n*x**2
- 2*a*b**2*d**3*x**3 + 4*b**3*c**2*d*n*x + b**3*c*d**2*n*x**2)/(6*b**2*d)
```

3.121 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 1443
Mathematica [A] (verified) . . . 1444
Rubi [A] (verified) . . . 1444
Maple [F] . . . 1449
Fricas [F] . . . 1450
Sympy [F] . . . 1450
Maxima [B] (verification not implemented) . . . 1451
Giac [F] . . . 1452
Mupad [F(-1)] . . . 1452
Reduce [F] . . . 1452

Optimal result

Integrand size = 43, antiderivative size = 289

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx \\
&= -\frac{Bd(bc-ad)i^2nx}{2b^2g} + \frac{d(bc-ad)i^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g} \\
&\quad + \frac{i^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2bg} \\
&\quad - \frac{B(bc-ad)^2i^2n\log\left(\frac{a+bx}{c+dx}\right)}{2b^3g} - \frac{3B(bc-ad)^2i^2n\log(c+dx)}{2b^3g} \\
&\quad - \frac{(bc-ad)^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{B(bc-ad)^2i^2n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g}
\end{aligned}$$

output
```
-1/2*B*d*(-a*d+b*c)*i^2*n*x/b^2/g+d*(-a*d+b*c)*i^2*(b*x+a)*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))/b^3/g+1/2*i^2*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b
/g-1/2*B*(-a*d+b*c)^2*i^2*n*ln((b*x+a)/(d*x+c))/b^3/g-3/2*B*(-a*d+b*c)^2*i
^2*n*ln(d*x+c)/b^3/g-(-a*d+b*c)^2*i^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1
-b*(d*x+c)/d/(b*x+a))/b^3/g+B*(-a*d+b*c)^2*i^2*n*polylog(2,b*(d*x+c)/d/(b*
x+a))/b^3/g
```

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 264, normalized size of antiderivative = 0.91

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^2\Big(2Abd(bc-ad)x - B(bc-ad)n(bdx+(bc-ad)\log(a+bx)) + 2Bd(bc-ad)(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g +
b*g*x),x]
```

output
```
(i^2*(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*n*(b*d*x + (b*c - a*d)*Log[a +
 b*x]) + 2*B*d*(b*c - a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + b^2*
(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*(b*c - a*d)^2*Log[g
*(a + b*x)]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*B*(b*c - a*d)^2*n*L
og[c + d*x] + B*(b*c - a*d)^2*n*(-(Log[g*(a + b*x)]*(Log[g*(a + b*x)] - 2*
Log[(b*(c + d*x))/(b*c - a*d)])) + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*
d)])))/(2*b^3*g)
```

Rubi [A] (verified)

Time = 0.94 (sec) , antiderivative size = 319, normalized size of antiderivative = 1.10, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {2961, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ag+bgx}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2(bc-ad)^2\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int \frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 54$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int \left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{}{}}{b}\right)}{g}$$

$$\downarrow 2009$$

$$i^2(bc-ad)^2\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}\right)}{g}$$

$$\downarrow 2789$$

$$i^2(bc-ad)^2\left(\frac{\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\right.\right.\right.}{b}\right.}{b}\right.}{g}$$

$$\downarrow 2751$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.}{g}$$

$$\downarrow 16$$

$$i^2(bc-ad)^2\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}+d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\right.}{g}$$

$$\downarrow 2779$$

$$i^2(bc-ad)^2\left(\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(}{}\right.\right.}{b}\right.}{g}$$

$$\downarrow 2838$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right.}{b}}{g}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
,x]
```

output
```
((b*c - a*d)^2*i^2*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(2*d*(b - (
d*(a + b*x))/(c + d*x))^2) - (B*n*(1/(b*(b - (d*(a + b*x))/(c + d*x))) + L
og[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(2*d)
))/b + ((d*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b*(c + d*x
)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Log[b - (d*(a + b*x))/(c + d*x)])/
(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x
))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b)/b
)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="fricas")
```

output
```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^2\left(\int \frac{Ac^2}{a+bx}\,dx + \int \frac{Ad^2x^2}{a+bx}\,dx + \int \frac{Bc^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx + \int \frac{2Acdx}{a+bx}\,dx + \int \frac{Bd^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx + \int$$
$$g$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g),x)
```

output
```
i**2*(Integral(A*c**2/(a + b*x), x) + Integral(A*d**2*x**2/(a + b*x), x) +
 Integral(B*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + I
ntegral(2*A*c*d*x/(a + b*x), x) + Integral(B*d**2*x**2*log(e*(a/(c + d*x)
+ b*x/(c + d*x))**n)/(a + b*x), x) + Integral(2*B*c*d*x*log(e*(a/(c + d*x)
 + b*x/(c + d*x))**n)/(a + b*x), x))/g
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 580 vs. $2(280) = 560$.

Time $= 0.38$ (sec) , antiderivative size $= 580$, normalized size of antiderivative $= 2.01$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= 2\,Acdi^2\left(\frac{x}{bg}-\frac{a\log(bx+a)}{b^2g}\right)+\frac{1}{2}\,Ad^2i^2\left(\frac{2\,a^2\log(bx+a)}{b^3g}+\frac{bx^2-2\,ax}{b^2g}\right)$$
$$+\frac{Ac^2i^2\log(bgx+ag)}{bg}-\frac{(3\,bc^2i^2n-2\,acdi^2n)B\log(dx+c)}{2\,b^2g}$$
$$+\frac{(b^2c^2i^2n-2\,abcdi^2n+a^2d^2i^2n)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{b^3g}$$
$$+\frac{Bb^2d^2i^2x^2\log(e)-(b^2c^2i^2n-2\,abcdi^2n+a^2d^2i^2n)B\log(bx+a)^2-((i^2n-4\,i^2\log(e))b^2cd-(i^2n-}{}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="maxima")
```

output
```
2*A*c*d*i^2*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + 1/2*A*d^2*i^2*(2*a^2*log(
b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A*c^2*i^2*log(b*g*x + a*g)/(
b*g) - 1/2*(3*b*c^2*i^2*n - 2*a*c*d*i^2*n)*B*log(d*x + c)/(b^2*g) + (b^2*c
^2*i^2*n - 2*a*b*c*d*i^2*n + a^2*d^2*i^2*n)*(log(b*x + a)*log((b*d*x + a*d
)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^3*g) + 1/2*(B
*b^2*d^2*i^2*x^2*log(e) - (b^2*c^2*i^2*n - 2*a*b*c*d*i^2*n + a^2*d^2*i^2*n
)*B*log(b*x + a)^2 - ((i^2*n - 4*i^2*log(e))*b^2*c*d - (i^2*n - 2*i^2*log(
e))*a*b*d^2)*B*x + (2*b^2*c^2*i^2*log(e) + 4*(i^2*n - i^2*log(e))*a*b*c*d
- (3*i^2*n - 2*i^2*log(e))*a^2*d^2)*B*log(b*x + a) + (B*b^2*d^2*i^2*x^2 +
2*(2*b^2*c*d*i^2 - a*b*d^2*i^2)*B*x + 2*(b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2
*d^2*i^2)*B*log(b*x + a))*log((b*x + a)^n) - (B*b^2*d^2*i^2*x^2 + 2*(2*b^2
*c*d*i^2 - a*b*d^2*i^2)*B*x + 2*(b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2
)*B*log(b*x + a))*log((d*x + c)^n))/(b^3*g)
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="giac")
```

output
```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right)b^4c^2 - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^2}{bx+a}dx\right)b^4d^2 - 4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{bx+a}dx\right)b^4cd - 2\log(bx+a)c}{2b^3g}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output

```
( - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*b**4*c**2 - 2*in
t((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a + b*x),x)*b**4*d**2 - 4*int
((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*b**4*c*d - 2*log(a +
b*x)*a**3*d**2 + 4*log(a + b*x)*a**2*b*c*d - 2*log(a + b*x)*a*b**2*c**2 +
2*a**2*b*d**2*x - 4*a*b**2*c*d*x - a*b**2*d**2*x**2)/(2*b**3*g)
```

3.122 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 1454
Mathematica [A] (verified) . . . 1455
Rubi [A] (verified) . . . 1455
Maple [F] . . . 1457
Fricas [F] . . . 1457
Sympy [F(-1)] . . . 1458
Maxima [B] (verification not implemented) . . . 1458
Giac [F] . . . 1459
Mupad [F(-1)] . . . 1460
Reduce [F] . . . 1460

Optimal result

Integrand size = 43, antiderivative size = 259

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx \\
&= -\frac{B(bc-ad)i^2n(c+dx)}{b^2g^2(a+bx)} + \frac{d^2i^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^2} \\
&\quad - \frac{(bc-ad)i^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2g^2(a+bx)} - \frac{Bd(bc-ad)i^2n\log(c+dx)}{b^3g^2} \\
&\quad - \frac{2d(bc-ad)i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{2Bd(bc-ad)i^2n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2}
\end{aligned}$$

output

```
-B*(-a*d+b*c)*i^2*n*(d*x+c)/b^2/g^2/(b*x+a)+d^2*i^2*(b*x+a)*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))/b^3/g^2-(-a*d+b*c)*i^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/b^2/g^2/(b*x+a)-B*d*(-a*d+b*c)*i^2*n*ln(d*x+c)/b^3/g^2-2*d*(-a*d+b*
c)*i^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^2+2
*B*d*(-a*d+b*c)*i^2*n*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g^2
```

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 233, normalized size of antiderivative = 0.90

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i^2\left(Abd^2x - \frac{B(bc-ad)^2n}{a+bx} + Bd(-bc+ad)n\log(a+bx) + Bd^2(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - \frac{(bc-ad)^2\left(A+B\log\left(e\left(\right.\right.\right.\right.}{a+bx}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^2,x]
```

output
```
(i^2*(A*b*d^2*x - (B*(b*c - a*d)^2*n)/(a + b*x) + B*d*(-(b*c) + a*d)*n*Log[a + b*x] + B*d^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - ((b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + 2*d*(b*c - a*d)*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + B*d*(-(b*c) + a*d)*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(b^3*g^2)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 235, normalized size of antiderivative = 0.91, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^2}\,dx$$
$$\downarrow \text{2961}$$
$$\frac{i^2(bc-ad)\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2793$$

$$\frac{i^2(bc-ad)\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d}{b^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2(a+bx)^2}\right)d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2009$$

$$\frac{i^2(bc-ad)\left(\frac{d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^3(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2d\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^3}-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^2(a+bx)}+\frac{2}{}}{g^2}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^2,x]
```

output
```
((b*c - a*d)*i^2*(-((B*n*(c + d*x))/(b^2*(a + b*x))) - ((c + d*x)*(A + B*L
og[e*((a + b*x)/(c + d*x))^n]))/(b^2*(a + b*x)) + (d^2*(a + b*x)*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n]))/(b^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)
)) + (B*d*n*Log[b - (d*(a + b*x))/(c + d*x)])/b^3 - (2*d*(A + B*Log[e*((a
+ b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b^3 + (2*B*d*n
*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b^3))/g^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^2}dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="fricas")
```

output

```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n))/(b^2*g^2*x^2 + 2*a
*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1190 vs. $2(258) = 516$.

Time = 0.58 (sec) , antiderivative size = 1190, normalized size of antiderivative = 4.59

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="maxima")
```

output

```
-B*c^2*i^2*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^
2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - A*(a^2/(b^4*g^2*x + a*b^3*g^2
) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^2))*d^2*i^2 + 2*A*c*d*i^2*(a/(b^
3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - B*c^2*i^2*log(e*(b*x/(d*x
 + c) + a/(d*x + c))^n)/(b^2*g^2*x + a*b*g^2) - A*c^2*i^2/(b^2*g^2*x + a*b
*g^2) - (b^2*c^2*d*i^2*n + a*b*c*d^2*i^2*n - a^2*d^3*i^2*n)*B*log(d*x + c)
/(b^4*c*g^2 - a*b^3*d*g^2) + ((b^3*c*d^2*i^2*log(e) - a*b^2*d^3*i^2*log(e)
)*B*x^2 + (a*b^2*c*d^2*i^2*log(e) - a^2*b*d^3*i^2*log(e))*B*x - ((b^3*c^2*
d*i^2*n - 2*a*b^2*c*d^2*i^2*n + a^2*b*d^3*i^2*n)*B*x + (a*b^2*c^2*d*i^2*n
- 2*a^2*b*c*d^2*i^2*n + a^3*d^3*i^2*n)*B)*log(b*x + a)^2 + (2*(i^2*n + i^2
*log(e))*a*b^2*c^2*d - 3*(i^2*n + i^2*log(e))*a^2*b*c*d^2 + (i^2*n + i^2*l
og(e))*a^3*d^3)*B + ((2*b^3*c^2*d*i^2*log(e) + (3*i^2*n - 4*i^2*log(e))*a*
b^2*c*d^2 - 2*(i^2*n - i^2*log(e))*a^2*b*d^3)*B*x + (2*a*b^2*c^2*d*i^2*log
(e) + (3*i^2*n - 4*i^2*log(e))*a^2*b*c*d^2 - 2*(i^2*n - i^2*log(e))*a^3*d^
3)*B)*log(b*x + a) + ((b^3*c*d^2*i^2 - a*b^2*d^3*i^2)*B*x^2 + (a*b^2*c*d^2
*i^2 - a^2*b*d^3*i^2)*B*x + (2*a*b^2*c^2*d*i^2 - 3*a^2*b*c*d^2*i^2 + a^3*d
^3*i^2)*B + 2*((b^3*c^2*d*i^2 - 2*a*b^2*c*d^2*i^2 + a^2*b*d^3*i^2)*B*x + (
a*b^2*c^2*d*i^2 - 2*a^2*b*c*d^2*i^2 + a^3*d^3*i^2)*B)*log(b*x + a))*log((b
*x + a)^n) - ((b^3*c*d^2*i^2 - a*b^2*d^3*i^2)*B*x^2 + (a*b^2*c*d^2*i^2 - a
^2*b*d^3*i^2)*B*x + (2*a*b^2*c^2*d*i^2 - 3*a^2*b*c*d^2*i^2 + a^3*d^3*i^...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^2,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output

```
( - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x
**2),x)*a**3*b**4*d**3 + int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a*
*2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*c*d**2 - int((log(((a + b*x)**n*e)/
(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*d**3*x + int
((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)
*a*b**6*c*d**2*x - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*
a*b*x + b**2*x**2),x)*a**3*b**4*c*d**2 + 2*int((log(((a + b*x)**n*e)/(c +
d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*c**2*d - 2*int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**
5*c*d**2*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x
+ b**2*x**2),x)*a*b**6*c**2*d*x + 2*log(a + b*x)*a**5*d**3 - 4*log(a + b*x
)*a**4*b*c*d**2 + 2*log(a + b*x)*a**4*b*d**3*x + 2*log(a + b*x)*a**3*b**2*
c**2*d - 4*log(a + b*x)*a**3*b**2*c*d**2*x + 2*log(a + b*x)*a**2*b**3*c**2
*d*x - log(a + b*x)*a*b**4*c**3*n - log(a + b*x)*b**5*c**3*n*x + log(c + d
*x)*a*b**4*c**3*n + log(c + d*x)*b**5*c**3*n*x - log(((a + b*x)**n*e)/(c +
 d*x)**n)*a*b**4*c**2*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c**3*x
 - 2*a**4*b*d**3*x + 4*a**3*b**2*c*d**2*x - a**3*b**2*d**3*x**2 - 3*a**2*b
**3*c**2*d*x + a**2*b**3*c*d**2*x**2 + a*b**4*c**3*x - a*b**4*c**2*d*n*x +
 b**5*c**3*n*x)/(a*b**3*g**2*(a**2*d - a*b*c + a*b*d*x - b**2*c*x))
```

3.123 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 1462
Mathematica [A] (verified) . . . 1463
Rubi [A] (verified) . . . 1463
Maple [F] . . . 1466
Fricas [F] . . . 1467
Sympy [F] . . . 1467
Maxima [F] . . . 1468
Giac [F] . . . 1468
Mupad [F(-1)] . . . 1469
Reduce [F] . . . 1469

Optimal result

Integrand size = 43, antiderivative size = 242

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx \\
&= -\frac{Bdi^2n(c+dx)}{b^2g^3(a+bx)} - \frac{Bi^2n(c+dx)^2}{4bg^3(a+bx)^2} - \frac{di^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2g^3(a+bx)} \\
&\quad - \frac{i^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2bg^3(a+bx)^2} \\
&\quad - \frac{d^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} + \frac{Bd^2i^2n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3}
\end{aligned}$$

output

```
-B*d*i^2*n*(d*x+c)/b^2/g^3/(b*x+a)-1/4*B*i^2*n*(d*x+c)^2/b/g^3/(b*x+a)^2-d
*i^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^3/(b*x+a)-1/2*i^2*(d*x+
c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g^3/(b*x+a)^2-d^2*i^2*(A+B*ln(e*((b
*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^3+B*d^2*i^2*n*polylog(2
,b*(d*x+c)/d/(b*x+a))/b^3/g^3
```

Mathematica [A] (verified)

Time = 0.39 (sec) , antiderivative size = 258, normalized size of antiderivative = 1.07

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$

$$= \frac{i^2\left(-\frac{B(bc-ad)^2n}{(a+bx)^2}+\frac{6Bd(-bc+ad)n}{a+bx}-6Bd^2n\log(a+bx)-\frac{2(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}+\frac{8d(-bc+ad)\left(A+B\log\left(e\left(\right.\right.\right.\right.}{a+bx}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^3,x]
```

output
```
(i^2*(-((B*(b*c - a*d)^2*n)/(a + b*x)^2) + (6*B*d*(-(b*c) + a*d)*n)/(a + b*x) - 6*B*d^2*n*Log[a + b*x] - (2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 + (8*d*(-(b*c) + a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + 4*d^2*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 6*B*d^2*n*Log[c + d*x] - 2*B*d^2*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(4*b^3*g^3)
```

Rubi [A] (verified)

Time = 0.80 (sec) , antiderivative size = 215, normalized size of antiderivative = 0.89, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {2961, 2780, 2741, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\,d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{d\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2779$$



↓ 2838



input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^3,x]
```

output
```
(i^2*((-1/4*(B*n*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[e*((a
+ b*x)/(c + d*x))^n]))/(2*(a + b*x)^2))/b + (d*((-((B*n*(c + d*x))/(a + b*
x)) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x))/b + (d
*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a +
b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b))/b))/b))/g^3
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^3}dx$$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

output
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="fricas")
```

output
```
integral((A*d^2*i^2*x^2 + 2*A*c*d*i^2*x + A*c^2*i^2 + (B*d^2*i^2*x^2 + 2*B
*c*d*i^2*x + B*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n))/(b^3*g^3*x^3 + 3*a
*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$
$$= \frac{i^2\left(\int \frac{Ac^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Ad^2x^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Bc^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2Acdx}{a^3+3a^2bx+3ab^2x^2+}\right.}{g^3}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3,x
)
```

output
```
i**2*(Integral(A*c**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
+ Integral(A*d**2*x**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
 + Integral(B*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*
b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*c*d*x/(a**3 + 3*a**2*b
*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(B*d**2*x**2*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x) + Integral(2*B*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*
a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x))/g**3
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="maxima")
```

output
```
-1/2*B*c*d*i^2*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c - a*b^
4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3
) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2
)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^
2*d^2)*g^3)) + 1/4*B*c^2*i^2*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)
*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) + 2*
d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x
 + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) + 1/2*A*d^2*i^2*((4*a*b*x
 + 3*a^2)/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^
3*g^3)) + 1/2*B*d^2*i^2*(((4*a*b*x + 3*a^2 + 2*(b^2*x^2 + 2*a*b*x + a^2)*l
og(b*x + a))*log((b*x + a)^n) - (4*a*b*x + 3*a^2 + 2*(b^2*x^2 + 2*a*b*x +
a^2)*log(b*x + a))*log((d*x + c)^n))/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^
3*g^3) + 2*integrate(1/2*(2*b^3*d*x^3*log(e) + 2*b^3*c*x^2*log(e) - 3*a^2*
b*c*n + 3*a^3*d*n - 4*(a*b^2*c*n - a^2*b*d*n)*x - 2*(a^2*b*c*n - a^3*d*n +
 (b^3*c*n - a*b^2*d*n)*x^2 + 2*(a*b^2*c*n - a^2*b*d*n)*x)*log(b*x + a))/(b
^6*d*g^3*x^4 + a^3*b^3*c*g^3 + (b^6*c*g^3 + 3*a*b^5*d*g^3)*x^3 + 3*(a*b^5*
c*g^3 + a^2*b^4*d*g^3)*x^2 + (3*a^2*b^4*c*g^3 + a^3*b^3*d*g^3)*x), x)) - (
2*b*x + a)*B*c*d*i^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^4*g^3*x^2 +
 2*a*b^3*g^3*x + a^2*b^2*g^3) - (2*b*x + a)*A*c*d*i^2/(b^4*g^3*x^2 + 2*a*b
^3*g^3*x + a^2*b^2*g^3) - 1/2*B*c^2*i^2*log(e*(b*x/(d*x + c) + a/(d*x +...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="giac")
```

output
```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^3,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

output

```
( - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3
*a*b**2*x**2 + b**3*x**3),x)*a**6*b**4*d**4 + 8*int((log(((a + b*x)**n*e)/
(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**
5*b**5*c*d**3 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*
a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**5*d**4*x - 4*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**
3*x**3),x)*a**4*b**6*c**2*d**2 + 16*int((log(((a + b*x)**n*e)/(c + d*x)**n
)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*c*d**
3*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x +
 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*d**4*x**2 - 8*int((log(((a + b*x)
**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3)
,x)*a**3*b**7*c**2*d**2*x + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2
)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**7*c*d**3*x**2
 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*
a*b**2*x**2 + b**3*x**3),x)*a**2*b**8*c**2*d**2*x**2 - 4*log(a + b*x)*a**7
*d**4 + 8*log(a + b*x)*a**6*b*c*d**3 - 8*log(a + b*x)*a**6*b*d**4*x - 4*lo
g(a + b*x)*a**5*b**2*c**2*d**2 + 16*log(a + b*x)*a**5*b**2*c*d**3*x - 4*lo
g(a + b*x)*a**5*b**2*d**4*x**2 - 8*log(a + b*x)*a**4*b**3*c**2*d**2*x + 8*
log(a + b*x)*a**4*b**3*c*d**3*x**2 - 4*log(a + b*x)*a**3*b**4*c**2*d**2*x*
*2 + 2*log(a + b*x)*a**2*b**5*c**4*n + 4*log(a + b*x)*a*b**6*c**4*n*x +...
```

3.124 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 1471
Mathematica [B] (verified) . . . 1471
Rubi [A] (verified) . . . 1472
Maple [B] (verified) . . . 1473
Fricas [B] (verification not implemented) . . . 1474
Sympy [F(-1)] . . . 1475
Maxima [B] (verification not implemented) . . . 1475
Giac [A] (verification not implemented) . . . 1476
Mupad [B] (verification not implemented) . . . 1477
Reduce [B] (verification not implemented) . . . 1477

Optimal result

Integrand size = 43, antiderivative size = 93

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = -\frac{Bi^2n(c+dx)^3}{9(bc-ad)g^4(a+bx)^3} - \frac{i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)g^4(a+bx)^3}$$

output

```
-1/9*B*i^2*n*(d*x+c)^3/(-a*d+b*c)/g^4/(b*x+a)^3-1/3*i^2*(d*x+c)^3*(A+B*ln(
e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/g^4/(b*x+a)^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 329 vs. 2(93) = 186.

Time = 0.40 (sec) , antiderivative size = 329, normalized size of antiderivative = 3.54

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = -\frac{i^2\left(3Ab^3c^3-3a^3Ad^3+b^3Bc^3n-a^3Bd^3n+9Ab^3c^2dx-9a^2Abd^3x+3b^3Bc^2dnx-3a^2bBd^3nx+9Ab^3\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^4,x]
```

output
```
-1/9*(i^2*(3*A*b^3*c^3 - 3*a^3*A*d^3 + b^3*B*c^3*n - a^3*B*d^3*n + 9*A*b^3*c^2*d*x - 9*a^2*A*b*d^3*x + 3*b^3*B*c^2*d*n*x - 3*a^2*b*B*d^3*n*x + 9*A*b^3*c*d^2*x^2 - 9*a*A*b^2*d^3*x^2 + 3*b^3*B*c*d^2*n*x^2 - 3*a*b^2*B*d^3*n*x^2 + 3*B*d^3*n*(a + b*x)^3*Log[a + b*x] + 3*B*(b*c - a*d)*(a^2*d^2 + a*b*d*(c + 3*d*x) + b^2*(c^2 + 3*c*d*x + 3*d^2*x^2))*Log[e*((a + b*x)/(c + d*x))^n] - 3*a^3*B*d^3*n*Log[c + d*x] - 9*a^2*b*B*d^3*n*x*Log[c + d*x] - 9*a*b^2*B*d^3*n*x^2*Log[c + d*x] - 3*b^3*B*d^3*n*x^3*Log[c + d*x]))/(b^3*(b*c - a*d)*g^4*(a + b*x)^3)
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.84, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {2961, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^4}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^2\left(-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}-\frac{Bn(c+dx)^3}{9(a+bx)^3}\right)}{g^4(bc-ad)}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^4,x]
```

output
```
(i^2*(-1/9*(B*n*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log[e*((a +
 b*x)/(c + d*x))^n]))/(3*(a + b*x)^3)))/((b*c - a*d)*g^4)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 375 vs. $2(89) = 178$.

Time = 11.94 (sec) , antiderivative size = 376, normalized size of antiderivative = 4.04

method	result
parallelrisch	$-\frac{B a^3 b^2 d^4 i^2 n^2 - B b^5 c^3 d i^2 n^2 + 3A a^3 b^2 d^4 i^2 n - 9A x^2 b^5 c d^3 i^2 n + 9A x^2 a b^4 d^4 i^2 n - 3B x^2 b^5 c d^3 i^2 n^2 + 3B x^2 a b^4 d^4 i^2 n^2 - 3B x$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,method=_
RETURNVERBOSE)
```

output

```
-1/9*(B*a^3*b^2*d^4*i^2*n^2-B*b^5*c^3*d*i^2*n^2+3*A*a^3*b^2*d^4*i^2*n-9*A*
x^2*b^5*c*d^3*i^2*n+9*A*x^2*a*b^4*d^4*i^2*n-3*B*x^2*b^5*c*d^3*i^2*n^2+3*B*
x^2*a*b^4*d^4*i^2*n^2-3*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^5*d^4*i^2*n-9*B*
x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c*d^3*i^2*n-3*A*b^5*c^3*d*i^2*n-9*B*x*ln
(e*((b*x+a)/(d*x+c))^n)*b^5*c^2*d^2*i^2*n-3*B*x*b^5*c^2*d^2*i^2*n^2+9*A*x*
a^2*b^3*d^4*i^2*n-9*A*x*b^5*c^2*d^2*i^2*n-3*B*ln(e*((b*x+a)/(d*x+c))^n)*b^
5*c^3*d*i^2*n+3*B*x*a^2*b^3*d^4*i^2*n^2)/g^4/(b*x+a)^3/b^5/d/n/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 409 vs. $2(89) = 178$.

Time $= 0.09$ (sec) , antiderivative size $= 409$, normalized size of antiderivative $= 4.40$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{(Bb^3c^3-Ba^3d^3)i^2n+3\left(Ab^3c^3-Aa^3d^3\right)i^2+3\left((Bb^3cd^2-Bab^2d^3)i^2n+3\left(Ab^3cd^2-Aab^2d^3\right)i^2\right)x^2+}{}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="fricas")
```

output

```
-1/9*((B*b^3*c^3 - B*a^3*d^3)*i^2*n + 3*(A*b^3*c^3 - A*a^3*d^3)*i^2 + 3*((
B*b^3*c*d^2 - B*a*b^2*d^3)*i^2*n + 3*(A*b^3*c*d^2 - A*a*b^2*d^3)*i^2)*x^2
+ 3*((B*b^3*c^2*d - B*a^2*b*d^3)*i^2*n + 3*(A*b^3*c^2*d - A*a^2*b*d^3)*i^2
)*x + 3*(3*(B*b^3*c*d^2 - B*a*b^2*d^3)*i^2*x^2 + 3*(B*b^3*c^2*d - B*a^2*b*
d^3)*i^2*x + (B*b^3*c^3 - B*a^3*d^3)*i^2)*log(e) + 3*(B*b^3*d^3*i^2*n*x^3
+ 3*B*b^3*c*d^2*i^2*n*x^2 + 3*B*b^3*c^2*d*i^2*n*x + B*b^3*c^3*i^2*n)*log((
b*x + a)/(d*x + c)))/((b^7*c - a*b^6*d)*g^4*x^3 + 3*(a*b^6*c - a^2*b^5*d)*
g^4*x^2 + 3*(a^2*b^5*c - a^3*b^4*d)*g^4*x + (a^3*b^4*c - a^4*b^3*d)*g^4)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1544 vs. $2(89) = 178$.

Time = 0.10 (sec) , antiderivative size = 1544, normalized size of antiderivative = 16.60

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="maxima")
```

output

```
-1/18*B*d^2*i^2*n*((11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4*c^
2 - 3*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2*a^
3*b*d^2)*x)/((b^8*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c^2
 - 2*a^2*b^6*c*d + a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d +
 a^4*b^4*d^2)*g^4*x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) + 6*
(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*c^2
*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2 +
 a^2*d^3)*log(d*x + c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^
3*d^3)*g^4)) - 1/18*B*c^2*i^2*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d +
11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*
d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^
2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*
c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a
^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*c^
2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4)) - 1/18*B*c*d*i^2*n*((5*a*b^2*c^2
 - 22*a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c^2
 - 16*a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^
4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c
^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a
^5*b^2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*a*b...
```

Giac [A] (verification not implemented)

Time = 1.33 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.16

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$
$$-\frac{1}{9}\left(\frac{3\,(dx+c)^3Bi^2n\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)^3g^4}+\frac{(Bi^2n+3\,Bi^2\log(e)+3\,Ai^2)(dx+c)^3}{(bx+a)^3g^4}\right)\left(\frac{bc}{(bc-ad)^2}-\frac{ad}{(bc-ad)^2}\right.$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="giac")
```

output

```
-1/9*(3*(d*x + c)^3*B*i^2*n*log((b*x + a)/(d*x + c))/((b*x + a)^3*g^4) + (
B*i^2*n + 3*B*i^2*log(e) + 3*A*i^2)*(d*x + c)^3/((b*x + a)^3*g^4))*(b*c/(b
*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.83 (sec) , antiderivative size = 421, normalized size of antiderivative = 4.53

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx =$$

$$-\frac{x\left(3\,A\,a\,b\,d^2\,i^2+3\,A\,b^2\,c\,d\,i^2+B\,a\,b\,d^2\,i^2\,n+B\,b^2\,c\,d\,i^2\,n\right)+x^2\left(3\,A\,b^2\,d^2\,i^2+B\,b^2\,d^2\,i^2\,n\right)+A\,a^2\,d^2\,i^2}{3\,a^3\,b^3\,g^4+9\,a^2\,b^4\,g^4\,x+9\,a\,b^5\,g^4\,x^2+3\,b^6\,g^4}$$

$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(a\left(\frac{B\,a\,d^2\,i^2}{3\,b^3}+\frac{B\,c\,d\,i^2}{3\,b^2}\right)+x\left(b\left(\frac{B\,a\,d^2\,i^2}{3\,b^3}+\frac{B\,c\,d\,i^2}{3\,b^2}\right)+\frac{2\,B\,a\,d^2\,i^2}{3\,b^2}+\frac{2\,B\,c\,d\,i^2}{3\,b}\right)+\frac{B\,c^2\,i^2}{3\,b}+\frac{B\,d^2\,i^2\,x^2}{b}\right.}{a^3\,g^4+3\,a^2\,b\,g^4\,x+3\,a\,b^2\,g^4\,x^2+b^3\,g^4\,x^3}$$

$$-\frac{B\,d^3\,i^2\,n\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,2\mathrm{i}}{3\,b^3\,g^4\,(a\,d-b\,c)}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^4,x)
```

output
```
- (x*(3*A*a*b*d^2*i^2 + 3*A*b^2*c*d*i^2 + B*a*b*d^2*i^2*n + B*b^2*c*d*i^2*
n) + x^2*(3*A*b^2*d^2*i^2 + B*b^2*d^2*i^2*n) + A*a^2*d^2*i^2 + A*b^2*c^2*i
^2 + (B*a^2*d^2*i^2*n)/3 + (B*b^2*c^2*i^2*n)/3 + A*a*b*c*d*i^2 + (B*a*b*c*
d*i^2*n)/3)/(3*a^3*b^3*g^4 + 3*b^6*g^4*x^3 + 9*a^2*b^4*g^4*x + 9*a*b^5*g^4
*x^2) - (log(e*((a + b*x)/(c + d*x))^n)*(a*((B*a*d^2*i^2)/(3*b^3) + (B*c*d
*i^2)/(3*b^2)) + x*(b*((B*a*d^2*i^2)/(3*b^3) + (B*c*d*i^2)/(3*b^2)) + (2*B
*a*d^2*i^2)/(3*b^2) + (2*B*c*d*i^2)/(3*b)) + (B*c^2*i^2)/(3*b) + (B*d^2*i^
2*x^2)/b))/(a^3*g^4 + b^3*g^4*x^3 + 3*a*b^2*g^4*x^2 + 3*a^2*b*g^4*x) - (B*
d^3*i^2*n*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*2i)/(3*b^3*g^4*(a*d -
 b*c))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 560, normalized size of antiderivative = 6.02

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$$

$$=\frac{3a^4cd^2-3a^2b^2c^3-3\log(bx+a)\,a^3bcd^2n-3\log(bx+a)\,b^4cd^2nx^3+3\log(dx+c)\,b^4cd^2nx^3+9\log\left(\frac{}{}\right.}{}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x)
```

output
```
( - 3*log(a + b*x)*a**3*b*c*d**2*n - 9*log(a + b*x)*a**2*b**2*c*d**2*n*x -
 9*log(a + b*x)*a*b**3*c*d**2*n*x**2 - 3*log(a + b*x)*b**4*c*d**2*n*x**3 +
 3*log(c + d*x)*a**3*b*c*d**2*n + 9*log(c + d*x)*a**2*b**2*c*d**2*n*x + 9*
log(c + d*x)*a*b**3*c*d**2*n*x**2 + 3*log(c + d*x)*b**4*c*d**2*n*x**3 + 3*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d**2 + 9*log(((a + b*x)**n*e)/
(c + d*x)**n)*a**2*b**2*c*d**2*x - 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*
b**3*c**3 - 9*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*d*x - 3*log((
(a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**3*x**3 + 3*log(((a + b*x)**n*e)/(c
 + d*x)**n)*b**4*c*d**2*x**3 + 3*a**4*c*d**2 + a**3*b*c*d**2*n + 9*a**3*b*
c*d**2*x - 3*a**2*b**2*c**3 - 9*a**2*b**2*c**2*d*x + 3*a**2*b**2*c*d**2*n*
x - 3*a**2*b**2*d**3*x**3 - a*b**3*c**3*n - 3*a*b**3*c**2*d*n*x + 3*a*b**3
*c*d**2*x**3 - a*b**3*d**3*n*x**3 + b**4*c*d**2*n*x**3)/(9*a*b**2*g**4*(a*
*4*d - a**3*b*c + 3*a**3*b*d*x - 3*a**2*b**2*c*x + 3*a**2*b**2*d*x**2 - 3*
a*b**3*c*x**2 + a*b**3*d*x**3 - b**4*c*x**3))
```

3.125 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$

Optimal result 1479
Mathematica [B] (verified) 1480
Rubi [A] (verified) 1481
Maple [B] (verified) 1483
Fricas [B] (verification not implemented) 1484
Sympy [F(-1)] 1484
Maxima [B] (verification not implemented) 1485
Giac [A] (verification not implemented) 1486
Mupad [B] (verification not implemented) 1486
Reduce [B] (verification not implemented) 1487

Optimal result

Integrand size = 43, antiderivative size = 189

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \frac{Bdi^2n(c+dx)^3}{9(bc-ad)^2g^5(a+bx)^3} - \frac{bBi^2n(c+dx)^4}{16(bc-ad)^2g^5(a+bx)^4} + \frac{di^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^2g^5(a+bx)^3} - \frac{bi^2(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4(bc-ad)^2g^5(a+bx)^4}$$

output

```
1/9*B*d*i^2*n*(d*x+c)^3/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/16*b*B*i^2*n*(d*x+c)^
4/(-a*d+b*c)^2/g^5/(b*x+a)^4+1/3*d*i^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/4*b*i^2*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(
d*x+c))^n))/(-a*d+b*c)^2/g^5/(b*x+a)^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 474 vs. $2(189) = 378$.

Time $= 0.46$ (sec) , antiderivative size $= 474$, normalized size of antiderivative $= 2.51$

$$\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx \\
&= -\frac{(bc-ad)^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4b^3g^5(a+bx)^4} \\
&\quad - \frac{2d(bc-ad)i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^3g^5(a+bx)^3} - \frac{d^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^3g^5(a+bx)^2} \\
&\quad - \frac{Bd^2i^2n\left(\frac{1}{(a+bx)^2} - \frac{2d}{(bc-ad)(a+bx)} - \frac{2d^2\log(a+bx)}{(bc-ad)^2} + \frac{2d^2\log(c+dx)}{(bc-ad)^2}\right)}{4b^3g^5} \\
&\quad - \frac{Bdi^2n\left(\frac{2(bc-ad)}{(a+bx)^3} - \frac{3d}{(a+bx)^2} + \frac{6d^2}{(bc-ad)(a+bx)} + \frac{6d^3\log(a+bx)}{(bc-ad)^2} - \frac{6d^3\log(c+dx)}{(bc-ad)^2}\right)}{9b^3g^5} \\
&\quad - \frac{Bi^2n\left(\frac{3(bc-ad)^2}{(a+bx)^4} - \frac{4d(bc-ad)}{(a+bx)^3} + \frac{6d^2}{(a+bx)^2} - \frac{12d^3}{(bc-ad)(a+bx)} - \frac{12d^4\log(a+bx)}{(bc-ad)^2} + \frac{12d^4\log(c+dx)}{(bc-ad)^2}\right)}{48b^3g^5}
\end{aligned}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g +
b*g*x)^5,x]
```

output

```
-1/4*((b*c - a*d)^2*i^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^3*g^5*(
a + b*x)^4) - (2*d*(b*c - a*d)*i^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))
/(3*b^3*g^5*(a + b*x)^3) - (d^2*i^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
)/(2*b^3*g^5*(a + b*x)^2) - (B*d^2*i^2*n*((a + b*x)^(-2) - (2*d)/((b*c - a
*d)*(a + b*x)) - (2*d^2*Log[a + b*x])/(b*c - a*d)^2 + (2*d^2*Log[c + d*x])
/(b*c - a*d)^2))/(4*b^3*g^5) - (B*d*i^2*n*((2*(b*c - a*d))/(a + b*x)^3 - (
3*d)/(a + b*x)^2 + (6*d^2)/((b*c - a*d)*(a + b*x)) + (6*d^3*Log[a + b*x])/
(b*c - a*d)^2 - (6*d^3*Log[c + d*x])/(b*c - a*d)^2))/(9*b^3*g^5) - (B*i^2*
n*((3*(b*c - a*d)^2)/(a + b*x)^4 - (4*d*(b*c - a*d))/(a + b*x)^3 + (6*d^2)
/(a + b*x)^2 - (12*d^3)/((b*c - a*d)*(a + b*x)) - (12*d^4*Log[a + b*x])/(b
*c - a*d)^2 + (12*d^4*Log[c + d*x])/(b*c - a*d)^2))/(48*b^3*g^5)
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 145, normalized size of antiderivative = 0.77, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 53, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^5}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{i^2\left(-Bn\int -\frac{(c+dx)^5\left(3b-\frac{4d(a+bx)}{c+dx}\right)}{12(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 27$$

$$\frac{i^2\left(\frac{1}{12}Bn\int \frac{(c+dx)^5\left(3b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)^5}d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 53$$

$$\frac{i^2\left(\frac{1}{12}Bn\int \left(\frac{3b(c+dx)^5}{(a+bx)^5}-\frac{4d(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}\right)}{g^5(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{1}{12}Bn\left(\frac{4d(c+dx)^3}{3(a+bx)^3}-\frac{3b(c+dx)^4}{4(a+bx)^4}\right)\right)}{g^5(bc-ad)^2}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^5,x]
```

output
```
(i^2*((B*n*((4*d*(c + d*x)^3)/(3*(a + b*x)^3) - (3*b*(c + d*x)^4)/(4*(a +
b*x)^4)))/12 + (d*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(
a + b*x)^3) - (b*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*(a
 + b*x)^4)))/((b*c - a*d)^2*g^5)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 53
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && IGtQ[m, 0] && ( !IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0])
|| LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 854 vs. 2(181) = 362.

Time = 29.83 (sec) , antiderivative size = 855, normalized size of antiderivative = 4.52

method	result
parallelrisch	$\frac{48Ax^3a^7cd^4i^2n+144Ax^3a^3b^4c^5i^2n+48Bx^2a^7c^2d^3i^2n^2+54Bx^2a^4b^3c^5i^2n^2+144Ax^2a^7c^2d^3i^2n+216Ax^2a^4b^3c^5i^2n+48B$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x,method=_
RETURNVERBOSE)
```

output
```
1/144*(48*A*x^3*a^7*c*d^4*i^2*n+144*A*x^3*a^3*b^4*c^5*i^2*n+48*B*x^2*a^7*c
^2*d^3*i^2*n^2+54*B*x^2*a^4*b^3*c^5*i^2*n^2+144*A*x^2*a^7*c^2*d^3*i^2*n+21
6*A*x^2*a^4*b^3*c^5*i^2*n+48*B*x*a^7*c^3*d^2*i^2*n^2+36*B*x*a^5*b^2*c^5*i^
2*n^2+144*A*x*a^7*c^3*d^2*i^2*n+144*A*x*a^5*b^2*c^5*i^2*n+48*B*ln(e*((b*x+
a)/(d*x+c))^n)*a^7*c^4*d*i^2*n-36*B*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c^5*i^
2*n+12*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c*d^4*i^2*n-72*B*x^2*ln(e*((b
*x+a)/(d*x+c))^n)*a^6*b*c^3*d^2*i^2*n-96*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6
*b*c^4*d*i^2*n+9*B*x^4*a^2*b^5*c^5*i^2*n^2+36*A*x^4*a^2*b^5*c^5*i^2*n+16*B
*x^3*a^7*c*d^4*i^2*n^2+36*B*x^3*a^3*b^4*c^5*i^2*n^2+7*B*x^4*a^6*b*c*d^4*i^
2*n^2-16*B*x^4*a^3*b^4*c^4*d*i^2*n^2+12*A*x^4*a^6*b*c*d^4*i^2*n-48*A*x^4*a
^3*b^4*c^4*d*i^2*n+48*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^7*c*d^4*i^2*n+12*B
*x^3*a^6*b*c^2*d^3*i^2*n^2-64*B*x^3*a^4*b^3*c^4*d*i^2*n^2-192*A*x^3*a^4*b^
3*c^4*d*i^2*n+144*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^7*c^2*d^3*i^2*n-6*B*x^
2*a^6*b*c^3*d^2*i^2*n^2-96*B*x^2*a^5*b^2*c^4*d*i^2*n^2-72*A*x^2*a^6*b*c^3*
d^2*i^2*n-288*A*x^2*a^5*b^2*c^4*d*i^2*n+144*B*x*ln(e*((b*x+a)/(d*x+c))^n)*
a^7*c^3*d^2*i^2*n-84*B*x*a^6*b*c^4*d*i^2*n^2-288*A*x*a^6*b*c^4*d*i^2*n)/g^
5/(b*x+a)^4/n/(a^2*d^2-2*a*b*c*d+b^2*c^2)/a^6/c
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 710 vs. $2(181) = 362$.

Time = 0.11 (sec) , antiderivative size = 710, normalized size of antiderivative = 3.76

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx$$
$$= \frac{12\left(Bb^4cd^3-Bab^3d^4\right)i^2nx^3-\left(9\,Bb^4c^4-16\,Bab^3c^3d+7\,Ba^4d^4\right)i^2n-12\left(3\,Ab^4c^4-4\,Aab^3c^3d+Aa^4d^4\right.}{}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x,
algorithm="fricas")
```

output
```
1/144*(12*(B*b^4*c*d^3 - B*a*b^3*d^4)*i^2*n*x^3 - (9*B*b^4*c^4 - 16*B*a*b^
3*c^3*d + 7*B*a^4*d^4)*i^2*n - 12*(3*A*b^4*c^4 - 4*A*a*b^3*c^3*d + A*a^4*d
^4)*i^2 - 6*((B*b^4*c^2*d^2 - 8*B*a*b^3*c*d^3 + 7*B*a^2*b^2*d^4)*i^2*n + 1
2*(A*b^4*c^2*d^2 - 2*A*a*b^3*c*d^3 + A*a^2*b^2*d^4)*i^2)*x^2 - 4*((5*B*b^4
*c^3*d - 12*B*a*b^3*c^2*d^2 + 7*B*a^3*b*d^4)*i^2*n + 12*(2*A*b^4*c^3*d - 3
*A*a*b^3*c^2*d^2 + A*a^3*b*d^4)*i^2)*x - 12*(6*(B*b^4*c^2*d^2 - 2*B*a*b^3*
c*d^3 + B*a^2*b^2*d^4)*i^2*x^2 + 4*(2*B*b^4*c^3*d - 3*B*a*b^3*c^2*d^2 + B*
a^3*b*d^4)*i^2*x + (3*B*b^4*c^4 - 4*B*a*b^3*c^3*d + B*a^4*d^4)*i^2)*log(e)
 + 12*(B*b^4*d^4*i^2*n*x^4 + 4*B*a*b^3*d^4*i^2*n*x^3 - 6*(B*b^4*c^2*d^2 -
2*B*a*b^3*c*d^3)*i^2*n*x^2 - 4*(2*B*b^4*c^3*d - 3*B*a*b^3*c^2*d^2)*i^2*n*x
 - (3*B*b^4*c^4 - 4*B*a*b^3*c^3*d)*i^2*n)*log((b*x + a)/(d*x + c)))/((b^9*
c^2 - 2*a*b^8*c*d + a^2*b^7*d^2)*g^5*x^4 + 4*(a*b^8*c^2 - 2*a^2*b^7*c*d +
a^3*b^6*d^2)*g^5*x^3 + 6*(a^2*b^7*c^2 - 2*a^3*b^6*c*d + a^4*b^5*d^2)*g^5*x
^2 + 4*(a^3*b^6*c^2 - 2*a^4*b^5*c*d + a^5*b^4*d^2)*g^5*x + (a^4*b^5*c^2 -
2*a^5*b^4*c*d + a^6*b^3*d^2)*g^5)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**5,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2247 vs. 2(181) = 362.

Time = 0.14 (sec) , antiderivative size = 2247, normalized size of antiderivative = 11.89

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x,
algorithm="maxima")
```

output
```
1/48*B*c^2*i^2*n*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*b*
c*d^2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*a*
b^2*c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2 -
 a^3*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2 -
 a^4*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d^2
 - a^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c*d
^2 - a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d^2
 - a^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2
*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/((b
^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*
g^5)) - 1/144*B*d^2*i^2*n*((13*a^2*b^3*c^3 - 75*a^3*b^2*c^2*d + 33*a^4*b*c
*d^2 - 7*a^5*d^3 - 12*(6*b^5*c^2*d - 4*a*b^4*c*d^2 + a^2*b^3*d^3)*x^3 + 6*
(6*b^5*c^3 - 46*a*b^4*c^2*d + 29*a^2*b^3*c*d^2 - 7*a^3*b^2*d^3)*x^2 + 4*(1
0*a*b^4*c^3 - 63*a^2*b^3*c^2*d + 33*a^3*b^2*c*d^2 - 7*a^4*b*d^3)*x)/((b^10
*c^3 - 3*a*b^9*c^2*d + 3*a^2*b^8*c*d^2 - a^3*b^7*d^3)*g^5*x^4 + 4*(a*b^9*c
^3 - 3*a^2*b^8*c^2*d + 3*a^3*b^7*c*d^2 - a^4*b^6*d^3)*g^5*x^3 + 6*(a^2*b^8
*c^3 - 3*a^3*b^7*c^2*d + 3*a^4*b^6*c*d^2 - a^5*b^5*d^3)*g^5*x^2 + 4*(a^3*b
^7*c^3 - 3*a^4*b^6*c^2*d + 3*a^5*b^5*c*d^2 - a^6*b^4*d^3)*g^5*x + (a^4*b^6
*c^3 - 3*a^5*b^5*c^2*d + 3*a^6*b^4*c*d^2 - a^7*b^3*d^3)*g^5) - 12*(6*b^2*c
^2*d^2 - 4*a*b*c*d^3 + a^2*d^4)*log(b*x + a)/((b^7*c^4 - 4*a*b^6*c^3*d ...
```

Giac [A] (verification not implemented)

Time = 1.81 (sec) , antiderivative size = 250, normalized size of antiderivative = 1.32

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{144}\left(\frac{12\left(3\,Bbi^2n-\frac{4\,(bx+a)Bdi^2n}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^4bcg^5}{(dx+c)^4}-\frac{(bx+a)^4adg^5}{(dx+c)^4}}+\frac{9\,Bbi^2n-\frac{16\,(bx+a)Bdi^2n}{dx+c}+36\,Bbi^2\log(e)-\frac{48\,(bx+a)Bd}{dx+c}}{\frac{(bx+a)^4bcg^5}{(dx+c)^4}-\frac{(bx+a)^4adg^5}{(dx+c)^4}}\right.$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x,
algorithm="giac")
```

output
```
-1/144*(12*(3*B*b*i^2*n - 4*(b*x + a)*B*d*i^2*n/(d*x + c))*log((b*x + a)/(
d*x + c))/((b*x + a)^4*b*c*g^5/(d*x + c)^4 - (b*x + a)^4*a*d*g^5/(d*x + c)
^4) + (9*B*b*i^2*n - 16*(b*x + a)*B*d*i^2*n/(d*x + c) + 36*B*b*i^2*log(e)
- 48*(b*x + a)*B*d*i^2*log(e)/(d*x + c) + 36*A*b*i^2 - 48*(b*x + a)*A*d*i^
2/(d*x + c))/((b*x + a)^4*b*c*g^5/(d*x + c)^4 - (b*x + a)^4*a*d*g^5/(d*x +
 c)^4))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.08 (sec) , antiderivative size = 652, normalized size of antiderivative = 3.45

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx =$$

$$-\frac{\frac{12\,Aa^3d^3i^2-36\,Ab^3c^3i^2+7\,Ba^3d^3i^2n-9\,Bb^3c^3i^2n+12\,Aab^2c^2di^2+12\,Aa^2bcd^2i^2+7\,Bab^2c^2di^2n+7\,Ba^2bcd^2i^2n}{12\,(ad-bc)}+\frac{x\,(12\,Aa}{12\,a^4b^3g^5+48\,a^3b}$$

$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(a\left(\frac{Bad^2i^2}{12b^3}+\frac{Bcdi^2}{6b^2}\right)+x\left(b\left(\frac{Bad^2i^2}{12b^3}+\frac{Bcdi^2}{6b^2}\right)+\frac{Bad^2i^2}{4b^2}+\frac{Bcdi^2}{2b}\right)+\frac{Bc^2i^2}{4b}+\frac{Bd^2i^2x^2}{2b}\right)}{a^4g^5+4a^3bg^5x+6a^2b^2g^5x^2+4ab^3g^5x^3+b^4g^5x^4}$$

$$-\frac{Bd^4i^2n\,\operatorname{atanh}\left(\frac{12b^5c^2g^5-12a^2b^3d^2g^5}{12b^3g^5(ad-bc)^2}-\frac{2bdx}{ad-bc}\right)}{6b^3g^5(ad-bc)^2}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^5,x)
```

output

```
- ((12*A*a^3*d^3*i^2 - 36*A*b^3*c^3*i^2 + 7*B*a^3*d^3*i^2*n - 9*B*b^3*c^3*
i^2*n + 12*A*a*b^2*c^2*d*i^2 + 12*A*a^2*b*c*d^2*i^2 + 7*B*a*b^2*c^2*d*i^2*
n + 7*B*a^2*b*c*d^2*i^2*n)/(12*(a*d - b*c)) + (x*(12*A*a^2*b*d^3*i^2 - 24*
A*b^3*c^2*d*i^2 + 12*A*a*b^2*c*d^2*i^2 + 7*B*a^2*b*d^3*i^2*n - 5*B*b^3*c^2
*d*i^2*n + 7*B*a*b^2*c*d^2*i^2*n))/(3*(a*d - b*c)) + (x^2*(12*A*a*b^2*d^3*
i^2 - 12*A*b^3*c*d^2*i^2 + 7*B*a*b^2*d^3*i^2*n - B*b^3*c*d^2*i^2*n))/(2*(a
*d - b*c)) + (B*b^3*d^3*i^2*n*x^3)/(a*d - b*c))/(12*a^4*b^3*g^5 + 12*b^7*g
^5*x^4 + 48*a^3*b^4*g^5*x + 48*a*b^6*g^5*x^3 + 72*a^2*b^5*g^5*x^2) - (log(
e*((a + b*x)/(c + d*x))^n)*(a*((B*a*d^2*i^2)/(12*b^3) + (B*c*d*i^2)/(6*b^2
)) + x*(b*((B*a*d^2*i^2)/(12*b^3) + (B*c*d*i^2)/(6*b^2)) + (B*a*d^2*i^2)/(
4*b^2) + (B*c*d*i^2)/(2*b)) + (B*c^2*i^2)/(4*b) + (B*d^2*i^2*x^2)/(2*b)))/
(a^4*g^5 + b^4*g^5*x^4 + 4*a*b^3*g^5*x^3 + 6*a^2*b^2*g^5*x^2 + 4*a^3*b*g^5
*x) - (B*d^4*i^2*n*atanh((12*b^5*c^2*g^5 - 12*a^2*b^3*d^2*g^5)/(12*b^3*g^5
*(a*d - b*c)^2) - (2*b*d*x)/(a*d - b*c)))/(6*b^3*g^5*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1333, normalized size of antiderivative = 7.05

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^5,x)
```

output

```
( - 24*log(a + b*x)*a**5*b**2*c*d**3*n + 12*log(a + b*x)*a**4*b**3*c**2*d*
*2*n - 96*log(a + b*x)*a**4*b**3*c*d**3*n*x + 48*log(a + b*x)*a**3*b**4*c*
*2*d**2*n*x - 144*log(a + b*x)*a**3*b**4*c*d**3*n*x**2 + 72*log(a + b*x)*a
**2*b**5*c**2*d**2*n*x**2 - 96*log(a + b*x)*a**2*b**5*c*d**3*n*x**3 + 48*l
og(a + b*x)*a*b**6*c**2*d**2*n*x**3 - 24*log(a + b*x)*a*b**6*c*d**3*n*x**4
 + 12*log(a + b*x)*b**7*c**2*d**2*n*x**4 + 24*log(c + d*x)*a**5*b**2*c*d**
3*n - 12*log(c + d*x)*a**4*b**3*c**2*d**2*n + 96*log(c + d*x)*a**4*b**3*c*
d**3*n*x - 48*log(c + d*x)*a**3*b**4*c**2*d**2*n*x + 144*log(c + d*x)*a**3
*b**4*c*d**3*n*x**2 - 72*log(c + d*x)*a**2*b**5*c**2*d**2*n*x**2 + 96*log(
c + d*x)*a**2*b**5*c*d**3*n*x**3 - 48*log(c + d*x)*a*b**6*c**2*d**2*n*x**3
 + 24*log(c + d*x)*a*b**6*c*d**3*n*x**4 - 12*log(c + d*x)*b**7*c**2*d**2*n
*x**4 + 24*log(((a + b*x)**n*e)/(c + d*x)**n)*a**5*b**2*c*d**3 - 12*log(((
a + b*x)**n*e)/(c + d*x)**n)*a**4*b**3*c**2*d**2 + 96*log(((a + b*x)**n*e)
/(c + d*x)**n)*a**4*b**3*c*d**3*x - 48*log(((a + b*x)**n*e)/(c + d*x)**n)*
a**3*b**4*c**3*d - 192*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**4*c**2*d
**2*x - 48*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**4*d**4*x**3 + 36*log
(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**4 + 96*log(((a + b*x)**n*e)/(
c + d*x)**n)*a**2*b**5*c**3*d*x + 96*log(((a + b*x)**n*e)/(c + d*x)**n)*a*
*2*b**5*c*d**3*x**3 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*d**4
*x**4 - 48*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*c**2*d**2*x**3 + 2...
```

3.126 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx$

Optimal result 1489
Mathematica [A] (verified) 1490
Rubi [A] (verified) 1490
Maple [B] (verified) 1492
Fricas [B] (verification not implemented) 1493
Sympy [F(-1)] 1494
Maxima [B] (verification not implemented) 1495
Giac [A] (verification not implemented) 1496
Mupad [B] (verification not implemented) 1496
Reduce [B] (verification not implemented) 1497

Optimal result

Integrand size = 43, antiderivative size = 293

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx &= -\frac{Bd^2i^2n(c+dx)^3}{9(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bBdi^2n(c+dx)^4}{8(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{b^2Bi^2n(c+dx)^5}{25(bc-ad)^3g^6(a+bx)^5}\\ &-\frac{d^2i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^3g^6(a+bx)^3}\\ &+\frac{bdi^2(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3g^6(a+bx)^4}\\ &-\frac{b^2i^2(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5(bc-ad)^3g^6(a+bx)^5}\end{aligned}$$

output

```
-1/9*B*d^2*i^2*n*(d*x+c)^3/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/8*b*B*d*i^2*n*(d*x
+c)^4/(-a*d+b*c)^3/g^6/(b*x+a)^4-1/25*b^2*B*i^2*n*(d*x+c)^5/(-a*d+b*c)^3/g
^6/(b*x+a)^5-1/3*d^2*i^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b
*c)^3/g^6/(b*x+a)^3+1/2*b*d*i^2*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/
(-a*d+b*c)^3/g^6/(b*x+a)^4-1/5*b^2*i^2*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/(-a*d+b*c)^3/g^6/(b*x+a)^5
```

Mathematica [A] (verified)

Time = 1.07 (sec) , antiderivative size = 357, normalized size of antiderivative = 1.22

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx$$

$$= \frac{i^2\left(-\frac{360Ab^2c^2}{(a+bx)^5}+\frac{720aAbcd}{(a+bx)^5}-\frac{360a^2Ad^2}{(a+bx)^5}-\frac{72b^2Bc^2n}{(a+bx)^5}+\frac{144abBcdn}{(a+bx)^5}-\frac{72a^2Bd^2n}{(a+bx)^5}-\frac{900Abcd}{(a+bx)^4}+\frac{900aAd^2}{(a+bx)^4}-\frac{135bBcdn}{(a+bx)^4}+\frac{135}{(a-}\right.}{}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^6,x]
```

output

```
(i^2*((-360*A*b^2*c^2)/(a + b*x)^5 + (720*a*A*b*c*d)/(a + b*x)^5 - (360*a^2*A*d^2)/(a + b*x)^5 - (72*b^2*B*c^2*n)/(a + b*x)^5 + (144*a*b*B*c*d*n)/(a + b*x)^5 - (72*a^2*B*d^2*n)/(a + b*x)^5 - (900*A*b*c*d)/(a + b*x)^4 + (900*a*A*d^2)/(a + b*x)^4 - (135*b*B*c*d*n)/(a + b*x)^4 + (135*a*B*d^2*n)/(a + b*x)^4 - (600*A*d^2)/(a + b*x)^3 - (20*B*d^2*n)/(a + b*x)^3 + (30*B*d^3*n)/((b*c - a*d)*(a + b*x)^2) - (60*B*d^4*n)/((b*c - a*d)^2*(a + b*x)) - (60*B*d^5*n*Log[a + b*x])/(b*c - a*d)^3 - (60*B*(a^2*d^2 + a*b*d*(3*c + 5*d*x) + b^2*(6*c^2 + 15*c*d*x + 10*d^2*x^2))*Log[e*((a + b*x)/(c + d*x))^n])/(a + b*x)^5 + (60*B*d^5*n*Log[c + d*x])/(b*c - a*d)^3))/(1800*b^3*g^6)
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 215, normalized size of antiderivative = 0.73, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^6}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int\frac{(c+dx)^6\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{i^2\left(-Bn\int-\frac{(c+dx)^6\left(6b^2-\frac{15d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+\right.}{3(a+bx)^3}\right.}{g^6(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{i^2\left(\frac{1}{30}Bn\int\frac{(c+dx)^6\left(6b^2-\frac{15d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)^6}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{3(a+bx)^3}\right.}{g^6(bc-ad)^3}$$

$$\downarrow 1140$$

$$\frac{i^2\left(\frac{1}{30}Bn\int\left(\frac{6b^2(c+dx)^6}{(a+bx)^6}-\frac{15bd(c+dx)^5}{(a+bx)^5}+\frac{10d^2(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{3(a+bx)^3}\right.}{g^6(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b^2(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{bd(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^4}+\frac{1}{30}Bn\left(-\frac{6b^2(}{5(a}\right.\right.}{g^6(bc-ad)^3}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^6,x]
```

output

```
(i^2*((B*n*((-10*d^2*(c + d*x)^3)/(3*(a + b*x)^3) + (15*b*d*(c + d*x)^4)/(
4*(a + b*x)^4) - (6*b^2*(c + d*x)^5)/(5*(a + b*x)^5)))/30 - (d^2*(c + d*x)
^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3) + (b*d*(c + d*x
)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^4) - (b^2*(c + d*
x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*(a + b*x)^5)))/((b*c - a*d
)^3*g^6)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1140
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_.), x
_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /;
FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1048 vs. $2(281) = 562$.

Time = 61.25 (sec) , antiderivative size = 1049, normalized size of antiderivative = 3.58

method	result	size
parallelrisch	Expression too large to display	1049

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^6,x,method=_
RETURNVERBOSE)
```

output

```
-1/1800*(1800*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c^2*d^4*i^2*n-1800*B*x
*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*c^2*d^4*i^2*n+2400*B*x*ln(e*((b*x+a)/(d
*x+c))^n)*a*b^8*c^3*d^3*i^2*n-300*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*d^
6*i^2*n-600*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*d^6*i^2*n-300*B*x^3*a*
b^8*c*d^5*i^2*n^2-600*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^3*d^3*i^2*n-60
0*B*x^2*a^2*b^7*c*d^5*i^2*n^2-60*B*x^4*b^9*c*d^5*i^2*n^2+270*B*x^3*a^2*b^7
*d^6*i^2*n^2+30*B*x^3*b^9*c^2*d^4*i^2*n^2+470*B*x^2*a^3*b^6*d^6*i^2*n^2-20
*B*x^2*b^9*c^3*d^3*i^2*n^2+600*A*x^2*a^3*b^6*d^6*i^2*n-600*A*x^2*b^9*c^3*d
^3*i^2*n+235*B*x*a^4*b^5*d^6*i^2*n^2-135*B*x*b^9*c^4*d^2*i^2*n^2+300*A*x*a
^4*b^5*d^6*i^2*n-900*A*x*b^9*c^4*d^2*i^2*n-360*B*ln(e*((b*x+a)/(d*x+c))^n)
*b^9*c^5*d*i^2*n-1800*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*c*d^5*i^2*n+
150*B*x^2*a*b^8*c^2*d^4*i^2*n^2-1800*A*x^2*a^2*b^7*c*d^5*i^2*n+1800*A*x^2*
a*b^8*c^2*d^4*i^2*n-900*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^4*d^2*i^2*n-60
0*B*x*a^2*b^7*c^2*d^4*i^2*n^2+500*B*x*a*b^8*c^3*d^3*i^2*n^2-1800*A*x*a^2*b
^7*c^2*d^4*i^2*n+2400*A*x*a*b^8*c^3*d^3*i^2*n-600*B*ln(e*((b*x+a)/(d*x+c))
^n)*a^2*b^7*c^3*d^3*i^2*n+900*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c^4*d^2*i^
2*n+47*B*a^5*b^4*d^6*i^2*n^2-72*B*b^9*c^5*d*i^2*n^2+60*A*a^5*b^4*d^6*i^2*n
-360*A*b^9*c^5*d*i^2*n-200*B*a^2*b^7*c^3*d^3*i^2*n^2+225*B*a*b^8*c^4*d^2*i
^2*n^2-600*A*a^2*b^7*c^3*d^3*i^2*n+900*A*a*b^8*c^4*d^2*i^2*n-60*B*x^5*ln(e
*((b*x+a)/(d*x+c))^n)*b^9*d^6*i^2*n+60*B*x^4*a*b^8*d^6*i^2*n^2)/g^6/(b*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1087 vs. $2(281) = 562$.

Time $= 0.13$ (sec) , antiderivative size $= 1087$, normalized size of antiderivative $= 3.71$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^6,x,
algorithm="fricas")
```

output

```
-1/1800*(60*(B*b^5*c*d^4 - B*a*b^4*d^5)*i^2*n*x^4 - 30*(B*b^5*c^2*d^3 - 10
*B*a*b^4*c*d^4 + 9*B*a^2*b^3*d^5)*i^2*n*x^3 + (72*B*b^5*c^5 - 225*B*a*b^4*
c^4*d + 200*B*a^2*b^3*c^3*d^2 - 47*B*a^5*d^5)*i^2*n + 60*(6*A*b^5*c^5 - 15
*A*a*b^4*c^4*d + 10*A*a^2*b^3*c^3*d^2 - A*a^5*d^5)*i^2 + 10*((2*B*b^5*c^3*
d^2 - 15*B*a*b^4*c^2*d^3 + 60*B*a^2*b^3*c*d^4 - 47*B*a^3*b^2*d^5)*i^2*n +
60*(A*b^5*c^3*d^2 - 3*A*a*b^4*c^2*d^3 + 3*A*a^2*b^3*c*d^4 - A*a^3*b^2*d^5)
*i^2)*x^2 + 5*((27*B*b^5*c^4*d - 100*B*a*b^4*c^3*d^2 + 120*B*a^2*b^3*c^2*d
^3 - 47*B*a^4*b*d^5)*i^2*n + 60*(3*A*b^5*c^4*d - 8*A*a*b^4*c^3*d^2 + 6*A*a
^2*b^3*c^2*d^3 - A*a^4*b*d^5)*i^2)*x + 60*(10*(B*b^5*c^3*d^2 - 3*B*a*b^4*c
^2*d^3 + 3*B*a^2*b^3*c*d^4 - B*a^3*b^2*d^5)*i^2*x^2 + 5*(3*B*b^5*c^4*d - 8
*B*a*b^4*c^3*d^2 + 6*B*a^2*b^3*c^2*d^3 - B*a^4*b*d^5)*i^2*x + (6*B*b^5*c^5
 - 15*B*a*b^4*c^4*d + 10*B*a^2*b^3*c^3*d^2 - B*a^5*d^5)*i^2)*log(e) + 60*(
B*b^5*d^5*i^2*n*x^5 + 5*B*a*b^4*d^5*i^2*n*x^4 + 10*B*a^2*b^3*d^5*i^2*n*x^3
 + 10*(B*b^5*c^3*d^2 - 3*B*a*b^4*c^2*d^3 + 3*B*a^2*b^3*c*d^4)*i^2*n*x^2 +
5*(3*B*b^5*c^4*d - 8*B*a*b^4*c^3*d^2 + 6*B*a^2*b^3*c^2*d^3)*i^2*n*x + (6*B
*b^5*c^5 - 15*B*a*b^4*c^4*d + 10*B*a^2*b^3*c^3*d^2)*i^2*n)*log((b*x + a)/(
d*x + c)))/((b^11*c^3 - 3*a*b^10*c^2*d + 3*a^2*b^9*c*d^2 - a^3*b^8*d^3)*g^
6*x^5 + 5*(a*b^10*c^3 - 3*a^2*b^9*c^2*d + 3*a^3*b^8*c*d^2 - a^4*b^7*d^3)*g
^6*x^4 + 10*(a^2*b^9*c^3 - 3*a^3*b^8*c^2*d + 3*a^4*b^7*c*d^2 - a^5*b^6*d^3
)*g^6*x^3 + 10*(a^3*b^8*c^3 - 3*a^4*b^7*c^2*d + 3*a^5*b^6*c*d^2 - a^6*b...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**6,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3058 vs. $2(281) = 562$.

Time $= 0.18$ (sec) , antiderivative size $= 3058$, normalized size of antiderivative $= 10.44$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^6,x,
algorithm="maxima")
```

output

```
-1/300*B*c^2*i^2*n*((60*b^4*d^4*x^4 + 12*b^4*c^4 - 63*a*b^3*c^3*d + 137*a^
2*b^2*c^2*d^2 - 163*a^3*b*c*d^3 + 137*a^4*d^4 - 30*(b^4*c*d^3 - 9*a*b^3*d^
4)*x^3 + 10*(2*b^4*c^2*d^2 - 13*a*b^3*c*d^3 + 47*a^2*b^2*d^4)*x^2 - 5*(3*b
^4*c^3*d - 17*a*b^3*c^2*d^2 + 43*a^2*b^2*c*d^3 - 77*a^3*b*d^4)*x)/((b^10*c
^4 - 4*a*b^9*c^3*d + 6*a^2*b^8*c^2*d^2 - 4*a^3*b^7*c*d^3 + a^4*b^6*d^4)*g^
6*x^5 + 5*(a*b^9*c^4 - 4*a^2*b^8*c^3*d + 6*a^3*b^7*c^2*d^2 - 4*a^4*b^6*c*d
^3 + a^5*b^5*d^4)*g^6*x^4 + 10*(a^2*b^8*c^4 - 4*a^3*b^7*c^3*d + 6*a^4*b^6*
c^2*d^2 - 4*a^5*b^5*c*d^3 + a^6*b^4*d^4)*g^6*x^3 + 10*(a^3*b^7*c^4 - 4*a^4
*b^6*c^3*d + 6*a^5*b^5*c^2*d^2 - 4*a^6*b^4*c*d^3 + a^7*b^3*d^4)*g^6*x^2 +
5*(a^4*b^6*c^4 - 4*a^5*b^5*c^3*d + 6*a^6*b^4*c^2*d^2 - 4*a^7*b^3*c*d^3 + a
^8*b^2*d^4)*g^6*x + (a^5*b^5*c^4 - 4*a^6*b^4*c^3*d + 6*a^7*b^3*c^2*d^2 - 4
*a^8*b^2*c*d^3 + a^9*b*d^4)*g^6) + 60*d^5*log(b*x + a)/((b^6*c^5 - 5*a*b^5
*c^4*d + 10*a^2*b^4*c^3*d^2 - 10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5*b
*d^5)*g^6) - 60*d^5*log(d*x + c)/((b^6*c^5 - 5*a*b^5*c^4*d + 10*a^2*b^4*c^
3*d^2 - 10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5*b*d^5)*g^6)) - 1/1800*B
*d^2*i^2*n*((47*a^2*b^4*c^4 - 278*a^3*b^3*c^3*d + 822*a^4*b^2*c^2*d^2 - 27
8*a^5*b*c*d^3 + 47*a^6*d^4 + 60*(10*b^6*c^2*d^2 - 5*a*b^5*c*d^3 + a^2*b^4*
d^4)*x^4 - 30*(10*b^6*c^3*d - 95*a*b^5*c^2*d^2 + 46*a^2*b^4*c*d^3 - 9*a^3*
b^3*d^4)*x^3 + 10*(20*b^6*c^4 - 140*a*b^5*c^3*d + 537*a^2*b^4*c^2*d^2 - 24
8*a^3*b^3*c*d^3 + 47*a^4*b^2*d^4)*x^2 + 5*(35*a*b^5*c^4 - 218*a^2*b^4*c...
```

Giac [A] (verification not implemented)

Time = 2.42 (sec) , antiderivative size = 418, normalized size of antiderivative = 1.43

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx =$$

$$-\frac{1}{1800}\left(\frac{60\left(6\,Bb^2i^2n-\frac{15\,(bx+a)Bbdi^2n}{dx+c}+\frac{10\,(bx+a)^2Bd^2i^2n}{(dx+c)^2}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^5b^2c^2g^6}{(dx+c)^5}-\frac{2\,(bx+a)^5abcdg^6}{(dx+c)^5}+\frac{(bx+a)^5a^2d^2g^6}{(dx+c)^5}}+\frac{72\,Bb^2i^2n-\frac{225\,(bx+a)Bbdi^2n}{dx+c}+\frac{200}{}\right.$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^6,x,
algorithm="giac")
```

output
```
-1/1800*(60*(6*B*b^2*i^2*n - 15*(b*x + a)*B*b*d*i^2*n/(d*x + c) + 10*(b*x
+ a)^2*B*d^2*i^2*n/(d*x + c)^2)*log((b*x + a)/(d*x + c))/((b*x + a)^5*b^2*
c^2*g^6/(d*x + c)^5 - 2*(b*x + a)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*x + a)^5*
a^2*d^2*g^6/(d*x + c)^5) + (72*B*b^2*i^2*n - 225*(b*x + a)*B*b*d*i^2*n/(d*
x + c) + 200*(b*x + a)^2*B*d^2*i^2*n/(d*x + c)^2 + 360*B*b^2*i^2*log(e) -
900*(b*x + a)*B*b*d*i^2*log(e)/(d*x + c) + 600*(b*x + a)^2*B*d^2*i^2*log(e
)/(d*x + c)^2 + 360*A*b^2*i^2 - 900*(b*x + a)*A*b*d*i^2/(d*x + c) + 600*(b
*x + a)^2*A*d^2*i^2/(d*x + c)^2)/((b*x + a)^5*b^2*c^2*g^6/(d*x + c)^5 - 2*
(b*x + a)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*x + a)^5*a^2*d^2*g^6/(d*x + c)^5)
)*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.94 (sec) , antiderivative size = 954, normalized size of antiderivative = 3.26

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx$$

$$=\frac{B\,d^5\,i^2\,n\,\operatorname{atanh}\left(\frac{30\,a^3\,b^3\,d^3\,g^6-30\,a^2\,b^4\,c\,d^2\,g^6-30\,a\,b^5\,c^2\,d\,g^6+30\,b^6\,c^3\,g^6}{30\,b^3\,g^6\,(a\,d-b\,c)^3}+\frac{2\,b\,d\,x\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}{(a\,d-b\,c)^3}\right)}{15\,b^3\,g^6\,(a\,d-b\,c)^3}$$

$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(a\left(\frac{B\,a\,d^2\,i^2}{30\,b^3}+\frac{B\,c\,d\,i^2}{10\,b^2}\right)+x\left(b\left(\frac{B\,a\,d^2\,i^2}{30\,b^3}+\frac{B\,c\,d\,i^2}{10\,b^2}\right)+\frac{2\,B\,a\,d^2\,i^2}{15\,b^2}+\frac{2\,B\,c\,d\,i^2}{5\,b}\right)+\frac{B\,c^2\,i^2}{5\,b}+\frac{B\,d^2\,i^2}{3\,b}\right.}{a^5\,g^6+5\,a^4\,b\,g^6\,x+10\,a^3\,b^2\,g^6\,x^2+10\,a^2\,b^3\,g^6\,x^3+5\,a\,b^4\,g^6\,x^4+b^5\,g^6\,x^5}$$

$$-\frac{60\,A\,a^4\,d^4\,i^2+360\,A\,b^4\,c^4\,i^2+47\,B\,a^4\,d^4\,i^2\,n+72\,B\,b^4\,c^4\,i^2\,n+60\,A\,a^2\,b^2\,c^2\,d^2\,i^2-540\,A\,a\,b^3\,c^3\,d\,i^2+60\,A\,a^3\,b\,c\,d^3\,i^2-153\,B\,a\,b^3\,c^3\,d\,i^2\,n+47}{60\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^6,x)
```

output
```
(B*d^5*i^2*n*atanh((30*b^6*c^3*g^6 + 30*a^3*b^3*d^3*g^6 - 30*a*b^5*c^2*d*g
^6 - 30*a^2*b^4*c*d^2*g^6)/(30*b^3*g^6*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2
+ b^2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(15*b^3*g^6*(a*d - b*c)^3) - (log(
e*((a + b*x)/(c + d*x))^n)*(a*((B*a*d^2*i^2)/(30*b^3) + (B*c*d*i^2)/(10*b^
2)) + x*(b*((B*a*d^2*i^2)/(30*b^3) + (B*c*d*i^2)/(10*b^2)) + (2*B*a*d^2*i^
2)/(15*b^2) + (2*B*c*d*i^2)/(5*b)) + (B*c^2*i^2)/(5*b) + (B*d^2*i^2*x^2)/(
3*b)))/(a^5*g^6 + b^5*g^6*x^5 + 5*a*b^4*g^6*x^4 + 10*a^3*b^2*g^6*x^2 + 10*
a^2*b^3*g^6*x^3 + 5*a^4*b*g^6*x) - ((60*A*a^4*d^4*i^2 + 360*A*b^4*c^4*i^2
+ 47*B*a^4*d^4*i^2*n + 72*B*b^4*c^4*i^2*n + 60*A*a^2*b^2*c^2*d^2*i^2 - 540
*A*a*b^3*c^3*d*i^2 + 60*A*a^3*b*c*d^3*i^2 - 153*B*a*b^3*c^3*d*i^2*n + 47*B
*a^3*b*c*d^3*i^2*n + 47*B*a^2*b^2*c^2*d^2*i^2*n)/(60*(a^2*d^2 + b^2*c^2 -
2*a*b*c*d)) + (x^2*(60*A*a^2*b^2*d^4*i^2 + 60*A*b^4*c^2*d^2*i^2 + 47*B*a^2
*b^2*d^4*i^2*n + 2*B*b^4*c^2*d^2*i^2*n - 120*A*a*b^3*c*d^3*i^2 - 13*B*a*b^
3*c*d^3*i^2*n))/(6*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (x*(60*A*a^3*b*d^4*i
^2 + 180*A*b^4*c^3*d*i^2 - 300*A*a*b^3*c^2*d^2*i^2 + 60*A*a^2*b^2*c*d^3*i^
2 + 47*B*a^3*b*d^4*i^2*n + 27*B*b^4*c^3*d*i^2*n - 73*B*a*b^3*c^2*d^2*i^2*n
 + 47*B*a^2*b^2*c*d^3*i^2*n))/(12*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (d*x^
3*(9*B*a*b^3*d^3*i^2*n - B*b^4*c*d^2*i^2*n))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b
*c*d)) + (B*b^4*d^4*i^2*n*x^4)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(30*a^5*b^
3*g^6 + 30*b^8*g^6*x^5 + 150*a^4*b^4*g^6*x + 150*a*b^7*g^6*x^4 + 300*a^...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1378, normalized size of antiderivative = 4.70

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^6,x)
```

output

```
( - 60*log(a + b*x)*a**6*b*d**5*n - 300*log(a + b*x)*a**5*b**2*d**5*n*x -
600*log(a + b*x)*a**4*b**3*d**5*n*x**2 - 600*log(a + b*x)*a**3*b**4*d**5*n
*x**3 - 300*log(a + b*x)*a**2*b**5*d**5*n*x**4 - 60*log(a + b*x)*a*b**6*d*
*5*n*x**5 + 60*log(c + d*x)*a**6*b*d**5*n + 300*log(c + d*x)*a**5*b**2*d**
5*n*x + 600*log(c + d*x)*a**4*b**3*d**5*n*x**2 + 600*log(c + d*x)*a**3*b**
4*d**5*n*x**3 + 300*log(c + d*x)*a**2*b**5*d**5*n*x**4 + 60*log(c + d*x)*a
*b**6*d**5*n*x**5 + 60*log(((a + b*x)**n*e)/(c + d*x)**n)*a**6*b*d**5 + 30
0*log(((a + b*x)**n*e)/(c + d*x)**n)*a**5*b**2*d**5*x + 600*log(((a + b*x)
**n*e)/(c + d*x)**n)*a**4*b**3*d**5*x**2 - 600*log(((a + b*x)**n*e)/(c + d
*x)**n)*a**3*b**4*c**3*d**2 - 1800*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3
*b**4*c**2*d**3*x - 1800*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**4*c*d*
*4*x**2 + 900*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**4*d + 2400*l
og(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**3*d**2*x + 1800*log(((a + b
*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**2*d**3*x**2 - 360*log(((a + b*x)**n*e
)/(c + d*x)**n)*a*b**6*c**5 - 900*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**
6*c**4*d*x - 600*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*c**3*d**2*x**2
+ 60*a**7*d**5 + 35*a**6*b*d**5*n + 300*a**6*b*d**5*x + 12*a**5*b**2*c*d**
4*n + 175*a**5*b**2*d**5*n*x + 600*a**5*b**2*d**5*x**2 - 600*a**4*b**3*c**
3*d**2 - 1800*a**4*b**3*c**2*d**3*x + 60*a**4*b**3*c*d**4*n*x - 1800*a**4*
b**3*c*d**4*x**2 + 350*a**4*b**3*d**5*n*x**2 + 900*a**3*b**4*c**4*d - 2...
```

3.127 $\int (ag+bgx)^3(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result 1499
Mathematica [A] (verified) 1500
Rubi [A] (verified) 1501
Maple [B] (verified) 1503
Fricas [B] (verification not implemented) 1504
Sympy [F(-1)] 1505
Maxima [B] (verification not implemented) 1506
Giac [B] (verification not implemented) 1507
Mupad [B] (verification not implemented) 1508
Reduce [B] (verification not implemented) 1509

Optimal result

Integrand size = 43, antiderivative size = 477

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= \frac{B(bc-ad)^6g^3i^3nx}{140b^3d^3}+\frac{B(bc-ad)^5g^3i^3n(c+dx)^2}{280b^2d^4}+\frac{B(bc-ad)^4g^3i^3n(c+dx)^3}{420bd^4} \\
&\quad -\frac{17B(bc-ad)^3g^3i^3n(c+dx)^4}{280d^4}+\frac{bB(bc-ad)^2g^3i^3n(c+dx)^5}{14d^4} \\
&\quad -\frac{b^2B(bc-ad)g^3i^3n(c+dx)^6}{42d^4}-\frac{(bc-ad)^3g^3i^3(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^4} \\
&\quad +\frac{3b(bc-ad)^2g^3i^3(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5d^4} \\
&\quad -\frac{b^2(bc-ad)g^3i^3(c+dx)^6\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^4} \\
&\quad +\frac{b^3g^3i^3(c+dx)^7\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{7d^4} \\
&\quad +\frac{B(bc-ad)^7g^3i^3n\log\left(\frac{a+bx}{c+dx}\right)}{140b^4d^4}+\frac{B(bc-ad)^7g^3i^3n\log(c+dx)}{140b^4d^4}
\end{aligned}
$$

output

```
1/140*B*(-a*d+b*c)^6*g^3*i^3*n*x/b^3/d^3+1/280*B*(-a*d+b*c)^5*g^3*i^3*n*(d
*x+c)^2/b^2/d^4+1/420*B*(-a*d+b*c)^4*g^3*i^3*n*(d*x+c)^3/b/d^4-17/280*B*(-
a*d+b*c)^3*g^3*i^3*n*(d*x+c)^4/d^4+1/14*b*B*(-a*d+b*c)^2*g^3*i^3*n*(d*x+c)
^5/d^4-1/42*b^2*B*(-a*d+b*c)*g^3*i^3*n*(d*x+c)^6/d^4-1/4*(-a*d+b*c)^3*g^3*
i^3*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+3/5*b*(-a*d+b*c)^2*g^3*i
^3*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4-1/2*b^2*(-a*d+b*c)*g^3*i^
3*(d*x+c)^6*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+1/7*b^3*g^3*i^3*(d*x+c)^7*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+1/140*B*(-a*d+b*c)^7*g^3*i^3*n*ln((b*x
+a)/(d*x+c))/b^4/d^4+1/140*B*(-a*d+b*c)^7*g^3*i^3*n*ln(d*x+c)/b^4/d^4
```

Mathematica [A] (verified)

Time = 0.66 (sec) , antiderivative size = 631, normalized size of antiderivative = 1.32

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^3i^3\left(210d^4(bc-ad)^3(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+504d^5(bc-ad)^2(a+bx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{}\right.\right.\right.}{}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]),x]
```

output

```
(g^3*i^3*(210*d^4*(b*c - a*d)^3*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]) + 504*d^5*(b*c - a*d)^2*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c +
d*x))^n]) + 420*d^6*(b*c - a*d)*(a + b*x)^6*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]) + 120*d^7*(a + b*x)^7*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 35
*B*(b*c - a*d)^4*n*(6*b*d*(b*c - a*d)^2*x + 3*d^2*(-(b*c) + a*d)*(a + b*x)
^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c + d*x]) + 42*B*(b*c - a*d)^
3*n*(12*b*d*(b*c - a*d)^3*x - 6*d^2*(b*c - a*d)^2*(a + b*x)^2 + 4*d^3*(b*c
 - a*d)*(a + b*x)^3 - 3*d^4*(a + b*x)^4 - 12*(b*c - a*d)^4*Log[c + d*x]) -
 7*B*(b*c - a*d)^2*n*(60*b*d*(b*c - a*d)^4*x + 30*d^2*(-(b*c) + a*d)^3*(a
+ b*x)^2 + 20*d^3*(b*c - a*d)^2*(a + b*x)^3 + 15*d^4*(-(b*c) + a*d)*(a + b
*x)^4 + 12*d^5*(a + b*x)^5 - 60*(b*c - a*d)^5*Log[c + d*x]) + 2*B*(b*c - a
*d)*n*(60*b*d*(b*c - a*d)^5*x - 30*d^2*(b*c - a*d)^4*(a + b*x)^2 + 20*d^3*
(b*c - a*d)^3*(a + b*x)^3 - 15*d^4*(b*c - a*d)^2*(a + b*x)^4 + 12*d^5*(b*c
 - a*d)*(a + b*x)^5 - 10*d^6*(a + b*x)^6 - 60*(b*c - a*d)^6*Log[c + d*x]))
)/(840*b^4*d^4)
```

Rubi [A] (verified)

Time = 0.70 (sec) , antiderivative size = 414, normalized size of antiderivative = 0.87, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}}$ = 0.116, Rules used = {2961, 2782, 27, 2123, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$

$$\Big\downarrow \text{2961}$$

$$g^3i^3(bc-ad)^7\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^8}d\frac{a+bx}{c+dx}$$

$$\Big\downarrow \text{2782}$$

$$g^3i^3(bc-ad)^7\left(-Bn\int -\frac{(c+dx)\left(b^3-\frac{7d(a+bx)b^2}{c+dx}+\frac{21d^2(a+bx)^2b}{(c+dx)^2}-\frac{35d^3(a+bx)^3}{(c+dx)^3}\right)}{140d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}+\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{7d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7}\right.$$

$$\Big\downarrow \text{27}$$

$$g^3i^3(bc-ad)^7\left(\frac{Bn\int \frac{(c+dx)\left(b^3-\frac{7d(a+bx)b^2}{c+dx}+\frac{21d^2(a+bx)^2b}{(c+dx)^2}-\frac{35d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}}{140d^4}+\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{7d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7}-\frac{b^2\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{2d^4\left(b-\frac{d(}{}\right.}\right.$$

$$\Big\downarrow \text{2123}$$

$$g^3i^3(bc-ad)^7\left(\frac{Bn\int\left(-\frac{20db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^7}+\frac{50db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{34d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4b}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3b^2}+\frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2b^3}+\frac{}{(a}\right.}{140d^4}\right.$$

$$\Big\downarrow \text{2009}$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{b^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{7d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^7} - \frac{b^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{2d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^6} + \frac{3b \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{5d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} - \frac{B \log\left(e \left(\frac{a}{c-} \right.\right.}{4d^4 \left(b - \right.}$$

input

```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
,x]
```

output

```
(b*c - a*d)^7*g^3*i^3*((b^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(7*d^4
*(b - (d*(a + b*x))/(c + d*x))^7) - (b^2*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^6) + (3*b*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(5*d^4*(b - (d*(a + b*x))/(c + d*x))^5) - (A + B*Log[e
*((a + b*x)/(c + d*x))^n])/(4*d^4*(b - (d*(a + b*x))/(c + d*x))^4) + (B*n*
((-10*b^2)/(3*(b - (d*(a + b*x))/(c + d*x))^6) + (10*b)/(b - (d*(a + b*x))
/(c + d*x))^5 - 17/(2*(b - (d*(a + b*x))/(c + d*x))^4) + 1/(3*b*(b - (d*(a
 + b*x))/(c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^
3*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^4 - Log[b -
(d*(a + b*x))/(c + d*x)]/b^4))/(140*d^4))
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2178 vs. $2(453) = 906$.

Time = 54.63 (sec) , antiderivative size = 2179, normalized size of antiderivative = 4.57

method	result	size
parallelrisch	Expression too large to display	2179

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_
RETURNVERBOSE)
```

output

```
1/840*(120*B*x^7*ln(e*((b*x+a)/(d*x+c))^n)*b^7*d^7*g^3*i^3*n-6*B*a^7*d^7*g
^3*i^3*n^2+6*B*b^7*c^7*g^3*i^3*n^2+840*A*x*a^3*b^4*c^3*d^4*g^3*i^3*n+210*B
*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^4*c^4*d^3*g^3*i^3*n-126*B*ln(e*((b*x+a)/(
d*x+c))^n)*a^2*b^5*c^5*d^2*g^3*i^3*n+1260*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*
a^2*b^5*c^3*d^4*g^3*i^3*n+840*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^4*c^3*d^
4*g^3*i^3*n+1512*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c*d^6*g^3*i^3*n+189
0*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^5*c*d^6*g^3*i^3*n+1890*B*x^4*ln(e*
((b*x+a)/(d*x+c))^n)*a*b^6*c^2*d^5*g^3*i^3*n+840*B*x^3*ln(e*((b*x+a)/(d*x+
c))^n)*a^3*b^4*c*d^6*g^3*i^3*n+2520*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^
5*c^2*d^5*g^3*i^3*n+840*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c^3*d^4*g^3*
i^3*n+1260*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^4*c^2*d^5*g^3*i^3*n+21*B*
x^2*a^4*b^3*c*d^6*g^3*i^3*n^2-210*B*ln(b*x+a)*a^3*b^4*c^4*d^3*g^3*i^3*n^2+
126*B*ln(b*x+a)*a^2*b^5*c^5*d^2*g^3*i^3*n^2-42*B*ln(b*x+a)*a*b^6*c^6*d*g^3
*i^3*n^2+420*B*x^6*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*d^7*g^3*i^3*n-42*B*x*a^
5*b^2*c*d^6*g^3*i^3*n^2+126*B*x*a^4*b^3*c^2*d^5*g^3*i^3*n^2-126*B*x*a^2*b^
5*c^4*d^3*g^3*i^3*n^2+42*B*x*a*b^6*c^5*d^2*g^3*i^3*n^2+252*B*x^2*a^3*b^4*c
^2*d^5*g^3*i^3*n^2-252*B*x^2*a^2*b^5*c^3*d^4*g^3*i^3*n^2-21*B*x^2*a*b^6*c^
4*d^3*g^3*i^3*n^2+1260*A*x^2*a^3*b^4*c^2*d^5*g^3*i^3*n+42*B*ln(e*((b*x+a)/
(d*x+c))^n)*a*b^6*c^6*d*g^3*i^3*n+42*B*ln(b*x+a)*a^6*b*c*d^6*g^3*i^3*n^2-1
26*B*ln(b*x+a)*a^5*b^2*c^2*d^5*g^3*i^3*n^2+210*B*ln(b*x+a)*a^4*b^3*c^3*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1336 vs. $2(453) = 906$.

Time $= 0.59$ (sec) , antiderivative size $= 1336$, normalized size of antiderivative $= 2.80$

$$\int (ag + bgx)^3 (ci + dix)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="fricas")
```

output

```
1/840*(120*A*b^7*d^7*g^3*i^3*x^7 + 6*(35*B*a^4*b^3*c^3*d^4 - 21*B*a^5*b^2*
c^2*d^5 + 7*B*a^6*b*c*d^6 - B*a^7*d^7)*g^3*i^3*n*log(b*x + a) + 6*(B*b^7*c
^7 - 7*B*a*b^6*c^6*d + 21*B*a^2*b^5*c^5*d^2 - 35*B*a^3*b^4*c^4*d^3)*g^3*i^
3*n*log(d*x + c) - 20*((B*b^7*c*d^6 - B*a*b^6*d^7)*g^3*i^3*n - 21*(A*b^7*c
*d^6 + A*a*b^6*d^7)*g^3*i^3)*x^6 - 12*(5*(B*b^7*c^2*d^5 - B*a^2*b^5*d^7)*g
^3*i^3*n - 42*(A*b^7*c^2*d^5 + 3*A*a*b^6*c*d^6 + A*a^2*b^5*d^7)*g^3*i^3)*x
^5 - 3*((17*B*b^7*c^3*d^4 + 49*B*a*b^6*c^2*d^5 - 49*B*a^2*b^5*c*d^6 - 17*B
*a^3*b^4*d^7)*g^3*i^3*n - 70*(A*b^7*c^3*d^4 + 9*A*a*b^6*c^2*d^5 + 9*A*a^2*
b^5*c*d^6 + A*a^3*b^4*d^7)*g^3*i^3)*x^4 - 2*((B*b^7*c^4*d^3 + 98*B*a*b^6*c
^3*d^4 - 98*B*a^3*b^4*c*d^6 - B*a^4*b^3*d^7)*g^3*i^3*n - 420*(A*a*b^6*c^3*
d^4 + 3*A*a^2*b^5*c^2*d^5 + A*a^3*b^4*c*d^6)*g^3*i^3)*x^3 + 3*((B*b^7*c^5*
d^2 - 7*B*a*b^6*c^4*d^3 - 84*B*a^2*b^5*c^3*d^4 + 84*B*a^3*b^4*c^2*d^5 + 7*
B*a^4*b^3*c*d^6 - B*a^5*b^2*d^7)*g^3*i^3*n + 420*(A*a^2*b^5*c^3*d^4 + A*a^
3*b^4*c^2*d^5)*g^3*i^3)*x^2 + 6*(140*A*a^3*b^4*c^3*d^4*g^3*i^3 - (B*b^7*c^
6*d - 7*B*a*b^6*c^5*d^2 + 21*B*a^2*b^5*c^4*d^3 - 21*B*a^4*b^3*c^2*d^5 + 7*
B*a^5*b^2*c*d^6 - B*a^6*b*d^7)*g^3*i^3*n)*x + 6*(20*B*b^7*d^7*g^3*i^3*x^7
+ 140*B*a^3*b^4*c^3*d^4*g^3*i^3*x + 70*(B*b^7*c*d^6 + B*a*b^6*d^7)*g^3*i^3
*x^6 + 84*(B*b^7*c^2*d^5 + 3*B*a*b^6*c*d^6 + B*a^2*b^5*d^7)*g^3*i^3*x^5 +
35*(B*b^7*c^3*d^4 + 9*B*a*b^6*c^2*d^5 + 9*B*a^2*b^5*c*d^6 + B*a^3*b^4*d^7)
*g^3*i^3*x^4 + 140*(B*a*b^6*c^3*d^4 + 3*B*a^2*b^5*c^2*d^5 + B*a^3*b^4*c...
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2901 vs. $2(453) = 906$.

Time $= 0.13$ (sec) , antiderivative size $= 2901$, normalized size of antiderivative $= 6.08$

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="maxima")
```

output

```
1/7*B*b^3*d^3*g^3*i^3*x^7*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/7*A*b
^3*d^3*g^3*i^3*x^7 + 1/2*B*b^3*c*d^2*g^3*i^3*x^6*log(e*(b*x/(d*x + c) + a/
(d*x + c))^n) + 1/2*B*a*b^2*d^3*g^3*i^3*x^6*log(e*(b*x/(d*x + c) + a/(d*x
+ c))^n) + 1/2*A*b^3*c*d^2*g^3*i^3*x^6 + 1/2*A*a*b^2*d^3*g^3*i^3*x^6 + 3/5
*B*b^3*c^2*d*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 9/5*B*a*
b^2*c*d^2*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/5*B*a^2*b
*d^3*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/5*A*b^3*c^2*d*
g^3*i^3*x^5 + 9/5*A*a*b^2*c*d^2*g^3*i^3*x^5 + 3/5*A*a^2*b*d^3*g^3*i^3*x^5
+ 1/4*B*b^3*c^3*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 9/4*B
*a*b^2*c^2*d*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 9/4*B*a^
2*b*c*d^2*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*B*a^3*d
^3*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*b^3*c^3*g^3*
i^3*x^4 + 9/4*A*a*b^2*c^2*d*g^3*i^3*x^4 + 9/4*A*a^2*b*c*d^2*g^3*i^3*x^4 +
1/4*A*a^3*d^3*g^3*i^3*x^4 + B*a*b^2*c^3*g^3*i^3*x^3*log(e*(b*x/(d*x + c) +
 a/(d*x + c))^n) + 3*B*a^2*b*c^2*d*g^3*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d
*x + c))^n) + B*a^3*c*d^2*g^3*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^
n) + A*a*b^2*c^3*g^3*i^3*x^3 + 3*A*a^2*b*c^2*d*g^3*i^3*x^3 + A*a^3*c*d^2*g
^3*i^3*x^3 + 3/2*B*a^2*b*c^3*g^3*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c
))^n) + 3/2*B*a^3*c^2*d*g^3*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
 + 3/2*A*a^2*b*c^3*g^3*i^3*x^2 + 3/2*A*a^3*c^2*d*g^3*i^3*x^2 + 1/420*B*...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5934 vs. $2(453) = 906$.

Time = 2.35 (sec) , antiderivative size = 5934, normalized size of antiderivative = 12.44

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="giac")
```

output
```
-1/840*(6*(B*b^11*c^8*g^3*i^3*n - 8*B*a*b^10*c^7*d*g^3*i^3*n - 7*(b*x + a)
*B*b^10*c^8*d*g^3*i^3*n/(d*x + c) + 28*B*a^2*b^9*c^6*d^2*g^3*i^3*n + 56*(b
*x + a)*B*a*b^9*c^7*d^2*g^3*i^3*n/(d*x + c) + 21*(b*x + a)^2*B*b^9*c^8*d^2
*g^3*i^3*n/(d*x + c)^2 - 56*B*a^3*b^8*c^5*d^3*g^3*i^3*n - 196*(b*x + a)*B*
a^2*b^8*c^6*d^3*g^3*i^3*n/(d*x + c) - 168*(b*x + a)^2*B*a*b^8*c^7*d^3*g^3*
i^3*n/(d*x + c)^2 - 35*(b*x + a)^3*B*b^8*c^8*d^3*g^3*i^3*n/(d*x + c)^3 + 7
0*B*a^4*b^7*c^4*d^4*g^3*i^3*n + 392*(b*x + a)*B*a^3*b^7*c^5*d^4*g^3*i^3*n/
(d*x + c) + 588*(b*x + a)^2*B*a^2*b^7*c^6*d^4*g^3*i^3*n/(d*x + c)^2 + 280*
(b*x + a)^3*B*a*b^7*c^7*d^4*g^3*i^3*n/(d*x + c)^3 - 56*B*a^5*b^6*c^3*d^5*g
^3*i^3*n - 490*(b*x + a)*B*a^4*b^6*c^4*d^5*g^3*i^3*n/(d*x + c) - 1176*(b*x
 + a)^2*B*a^3*b^6*c^5*d^5*g^3*i^3*n/(d*x + c)^2 - 980*(b*x + a)^3*B*a^2*b^
6*c^6*d^5*g^3*i^3*n/(d*x + c)^3 + 28*B*a^6*b^5*c^2*d^6*g^3*i^3*n + 392*(b*
x + a)*B*a^5*b^5*c^3*d^6*g^3*i^3*n/(d*x + c) + 1470*(b*x + a)^2*B*a^4*b^5*
c^4*d^6*g^3*i^3*n/(d*x + c)^2 + 1960*(b*x + a)^3*B*a^3*b^5*c^5*d^6*g^3*i^3
*n/(d*x + c)^3 - 8*B*a^7*b^4*c*d^7*g^3*i^3*n - 196*(b*x + a)*B*a^6*b^4*c^2
*d^7*g^3*i^3*n/(d*x + c) - 1176*(b*x + a)^2*B*a^5*b^4*c^3*d^7*g^3*i^3*n/(d
*x + c)^2 - 2450*(b*x + a)^3*B*a^4*b^4*c^4*d^7*g^3*i^3*n/(d*x + c)^3 + B*a
^8*b^3*d^8*g^3*i^3*n + 56*(b*x + a)*B*a^7*b^3*c*d^8*g^3*i^3*n/(d*x + c) +
588*(b*x + a)^2*B*a^6*b^3*c^2*d^8*g^3*i^3*n/(d*x + c)^2 + 1960*(b*x + a)^3
*B*a^5*b^3*c^3*d^8*g^3*i^3*n/(d*x + c)^3 - 7*(b*x + a)*B*a^8*b^2*d^9*g^...
```

Mupad [B] (verification not implemented)

Time = 28.09 (sec) , antiderivative size = 4476, normalized size of antiderivative = 9.38

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
,x)
```

output

```
x^4*((g^3*i^3*(20*A*a^3*d^3 + 20*A*b^3*c^3 + 3*B*a^3*d^3*n - 3*B*b^3*c^3*n
 + 120*A*a*b^2*c^2*d + 120*A*a^2*b*c*d^2 - 6*B*a*b^2*c^2*d*n + 6*B*a^2*b*c
*d^2*n))/20 + ((140*a*d + 140*b*c)*((((b^2*d^2*g^3*i^3*(28*A*a*d + 28*A*b*
c + B*a*d*n - B*b*c*n))/7 - (A*b^2*d^2*g^3*i^3*(140*a*d + 140*b*c))/140)*(
140*a*d + 140*b*c))/(140*b*d) - (b*d*g^3*i^3*(12*A*a^2*d^2 + 12*A*b^2*c^2
+ B*a^2*d^2*n - B*b^2*c^2*n + 32*A*a*b*c*d))/2 + A*a*b^2*c*d^2*g^3*i^3))/(
560*b*d) - (a*c*((b^2*d^2*g^3*i^3*(28*A*a*d + 28*A*b*c + B*a*d*n - B*b*c*n
))/7 - (A*b^2*d^2*g^3*i^3*(140*a*d + 140*b*c))/140))/(4*b*d)) + x^3*((g^3*
i^3*(4*A*a^4*d^4 + 4*A*b^4*c^4 + B*a^4*d^4*n - B*b^4*c^4*n + 144*A*a^2*b^2
*c^2*d^2 + 64*A*a*b^3*c^3*d + 64*A*a^3*b*c*d^3 - 8*B*a*b^3*c^3*d*n + 8*B*a
^3*b*c*d^3*n))/(12*b*d) - ((140*a*d + 140*b*c)*((g^3*i^3*(20*A*a^3*d^3 + 2
0*A*b^3*c^3 + 3*B*a^3*d^3*n - 3*B*b^3*c^3*n + 120*A*a*b^2*c^2*d + 120*A*a^
2*b*c*d^2 - 6*B*a*b^2*c^2*d*n + 6*B*a^2*b*c*d^2*n))/5 + ((140*a*d + 140*b*
c)*((((b^2*d^2*g^3*i^3*(28*A*a*d + 28*A*b*c + B*a*d*n - B*b*c*n))/7 - (A*b
^2*d^2*g^3*i^3*(140*a*d + 140*b*c))/140)*(140*a*d + 140*b*c))/(140*b*d) -
(b*d*g^3*i^3*(12*A*a^2*d^2 + 12*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c^2*n + 32
*A*a*b*c*d))/2 + A*a*b^2*c*d^2*g^3*i^3))/(140*b*d) - (a*c*((b^2*d^2*g^3*i^
3*(28*A*a*d + 28*A*b*c + B*a*d*n - B*b*c*n))/7 - (A*b^2*d^2*g^3*i^3*(140*a
*d + 140*b*c))/140))/(b*d)))/(420*b*d) + (a*c*((((b^2*d^2*g^3*i^3*(28*A*a*
d + 28*A*b*c + B*a*d*n - B*b*c*n))/7 - (A*b^2*d^2*g^3*i^3*(140*a*d + 14...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1419, normalized size of antiderivative = 2.97

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**3*i*(6*log(a + b*x)*a**7*d**7*n - 42*log(a + b*x)*a**6*b*c*d**6*n + 12
6*log(a + b*x)*a**5*b**2*c**2*d**5*n - 210*log(a + b*x)*a**4*b**3*c**3*d**
4*n + 210*log(a + b*x)*a**3*b**4*c**4*d**3*n - 126*log(a + b*x)*a**2*b**5*
c**5*d**2*n + 42*log(a + b*x)*a*b**6*c**6*d*n - 6*log(a + b*x)*b**7*c**7*n
 - 210*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**4*c**4*d**3 - 840*log(((
a + b*x)**n*e)/(c + d*x)**n)*a**3*b**4*c**3*d**4*x - 1260*log(((a + b*x)**
n*e)/(c + d*x)**n)*a**3*b**4*c**2*d**5*x**2 - 840*log(((a + b*x)**n*e)/(c
+ d*x)**n)*a**3*b**4*c*d**6*x**3 - 210*log(((a + b*x)**n*e)/(c + d*x)**n)*
a**3*b**4*d**7*x**4 + 126*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**
5*d**2 - 1260*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**3*d**4*x**2
- 2520*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c**2*d**5*x**3 - 1890*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**5*c*d**6*x**4 - 504*log(((a + b
*x)**n*e)/(c + d*x)**n)*a**2*b**5*d**7*x**5 - 42*log(((a + b*x)**n*e)/(c +
 d*x)**n)*a*b**6*c**6*d - 840*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*c*
*3*d**4*x**3 - 1890*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*c**2*d**5*x*
*4 - 1512*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*c*d**6*x**5 - 420*log(
((a + b*x)**n*e)/(c + d*x)**n)*a*b**6*d**7*x**6 + 6*log(((a + b*x)**n*e)/(
c + d*x)**n)*b**7*c**7 - 210*log(((a + b*x)**n*e)/(c + d*x)**n)*b**7*c**3*
d**4*x**4 - 504*log(((a + b*x)**n*e)/(c + d*x)**n)*b**7*c**2*d**5*x**5 - 4
20*log(((a + b*x)**n*e)/(c + d*x)**n)*b**7*c*d**6*x**6 - 120*log(((a + ...
```

3.128 $\int (ag+bgx)^2(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result . . . 1510
Mathematica [A] (verified) . . . 1511
Rubi [A] (verified) . . . 1512
Maple [B] (verified) . . . 1514
Fricas [B] (verification not implemented) . . . 1515
Sympy [F(-1)] . . . 1516
Maxima [B] (verification not implemented) . . . 1517
Giac [B] (verification not implemented) . . . 1518
Mupad [B] (verification not implemented) . . . 1519
Reduce [B] (verification not implemented) . . . 1520

Optimal result

Integrand size = 43, antiderivative size = 387

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx \\
&= -\frac{B(bc-ad)^5g^2i^3nx}{60b^3d^2} - \frac{B(bc-ad)^4g^2i^3n(c+dx)^2}{120b^2d^3} \\
&\quad - \frac{B(bc-ad)^3g^2i^3n(c+dx)^3}{180bd^3} + \frac{7B(bc-ad)^2g^2i^3n(c+dx)^4}{120d^3} \\
&\quad - \frac{bB(bc-ad)g^2i^3n(c+dx)^5}{30d^3} + \frac{(bc-ad)^2g^2i^3(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^3} \\
&\quad - \frac{2b(bc-ad)g^2i^3(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5d^3} \\
&\quad + \frac{b^2g^2i^3(c+dx)^6\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6d^3} \\
&\quad - \frac{B(bc-ad)^6g^2i^3n\log\left(\frac{a+bx}{c+dx}\right)}{60b^4d^3} - \frac{B(bc-ad)^6g^2i^3n\log(c+dx)}{60b^4d^3}
\end{aligned}$$

output
```
-1/60*B*(-a*d+b*c)^5*g^2*i^3*n*x/b^3/d^2-1/120*B*(-a*d+b*c)^4*g^2*i^3*n*(d
*x+c)^2/b^2/d^3-1/180*B*(-a*d+b*c)^3*g^2*i^3*n*(d*x+c)^3/b/d^3+7/120*B*(-a
*d+b*c)^2*g^2*i^3*n*(d*x+c)^4/d^3-1/30*b*B*(-a*d+b*c)*g^2*i^3*n*(d*x+c)^5/
d^3+1/4*(-a*d+b*c)^2*g^2*i^3*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3
-2/5*b*(-a*d+b*c)*g^2*i^3*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3+1/
6*b^2*g^2*i^3*(d*x+c)^6*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3-1/60*B*(-a*d+b
*c)^6*g^2*i^3*n*ln((b*x+a)/(d*x+c))/b^4/d^3-1/60*B*(-a*d+b*c)^6*g^2*i^3*n*
ln(d*x+c)/b^4/d^3
```

Mathematica [A] (verified)

Time = 0.38 (sec) , antiderivative size = 441, normalized size of antiderivative = 1.14

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{g^2i^3\left(-15B(bc-ad)^3n(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx\right.}{}$$

input
```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]),x]
```

output
```
(g^2*i^3*(-15*B*(b*c - a*d)^3*n*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)
*(c + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]) + 12*B*(b
*c - a*d)^2*n*(12*b*d*(b*c - a*d)^3*x + 6*b^2*(b*c - a*d)^2*(c + d*x)^2 +
4*b^3*(b*c - a*d)*(c + d*x)^3 + 3*b^4*(c + d*x)^4 + 12*(b*c - a*d)^4*Log[a
 + b*x]) - B*(b*c - a*d)*n*(60*b*d*(b*c - a*d)^4*x + 30*b^2*(b*c - a*d)^3*
(c + d*x)^2 + 20*b^3*(b*c - a*d)^2*(c + d*x)^3 + 15*b^4*(b*c - a*d)*(c + d
*x)^4 + 12*b^5*(c + d*x)^5 + 60*(b*c - a*d)^5*Log[a + b*x]) + 90*b^4*(b*c
- a*d)^2*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 144*b^5*(b*c
 - a*d)*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 60*b^6*(c + d
*x)^6*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(360*b^4*d^3)
```

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 337, normalized size of antiderivative = 0.87, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2782, 27, 1195, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\,dx$$

$$\downarrow 2961$$

$$g^2i^3(bc-ad)^6\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2782$$

$$g^2i^3(bc-ad)^6\left(-Bn\int\frac{(c+dx)\left(b^2-\frac{6d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{60d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}+\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{2b\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.$$

$$\downarrow 27$$

$$g^2i^3(bc-ad)^6\left(-\frac{Bn\int\frac{(c+dx)\left(b^2-\frac{6d(a+bx)b}{c+dx}+\frac{15d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}}{60d^3}+\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}-\frac{2b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}$$

$$\downarrow 1195$$

$$g^2i^3(bc-ad)^6\left(-\frac{Bn\int\left(\frac{d}{b^4\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{14d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{10bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6}+\frac{b}{}\right.}{60d^3}\right.$$

$$\downarrow 2009$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{b^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{6d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^6} - \frac{2b \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{5d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} + \frac{B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{4d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{Bn \left(\frac{\log\left(\frac{a+bx}{c+dx} \right)}{b^4} -$$

input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
,x]
```

output
```
(b*c - a*d)^6*g^2*i^3*((b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(6*d^3
*(b - (d*(a + b*x))/(c + d*x))^6) - (2*b*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(5*d^3*(b - (d*(a + b*x))/(c + d*x))^5) + (A + B*Log[e*((a + b*x)/(
c + d*x))^n])/(4*d^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*((2*b)/(b - (
d*(a + b*x))/(c + d*x))^5 - 7/(2*(b - (d*(a + b*x))/(c + d*x))^4) + 1/(3*b
*(b - (d*(a + b*x))/(c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b*x))/(c + d*x))
^2) + 1/(b^3*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^4
 - Log[b - (d*(a + b*x))/(c + d*x)]/b^4))/(60*d^3))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1720 vs. $2(367) = 734$.

Time = 26.81 (sec) , antiderivative size = 1721, normalized size of antiderivative = 4.45

method	result	size
parallelrisch	Expression too large to display	1721

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_
RETURNVERBOSE)
```

output

```
1/360*(540*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c^2*d^4*g^2*i^3*n+360*B
*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c^3*d^3*g^2*i^3*n+360*B*x*ln(e*((b*x+
a)/(d*x+c))^n)*a^2*b^4*c^3*d^3*g^2*i^3*n+540*B*x^4*ln(e*((b*x+a)/(d*x+c))^
n)*a*b^5*c*d^5*g^2*i^3*n+360*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c*d^5
*g^2*i^3*n+720*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c^2*d^4*g^2*i^3*n-90*
B*ln(b*x+a)*a^2*b^4*c^4*d^2*g^2*i^3*n^2+360*A*x^2*a*b^5*c^3*d^3*g^2*i^3*n+
78*B*x^3*a^2*b^4*c*d^5*g^2*i^3*n^2-42*B*x^3*a*b^5*c^2*d^4*g^2*i^3*n^2+360*
A*x^3*a^2*b^4*c*d^5*g^2*i^3*n+720*A*x^3*a*b^5*c^2*d^4*g^2*i^3*n+270*A*x^4*
b^6*c^2*d^4*g^2*i^3*n+60*A*x^6*b^6*d^6*g^2*i^3*n+6*B*ln(e*((b*x+a)/(d*x+c)
)^n)*b^6*c^6*g^2*i^3*n-6*B*ln(b*x+a)*b^6*c^6*g^2*i^3*n^2-6*B*ln(b*x+a)*a^6
*d^6*g^2*i^3*n^2-36*B*x*a*b^5*c^4*d^2*g^2*i^3*n^2+360*A*x*a^2*b^4*c^3*d^3*
g^2*i^3*n+90*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*c^4*d^2*g^2*i^3*n-36*B*ln
(e*((b*x+a)/(d*x+c))^n)*a*b^5*c^5*d*g^2*i^3*n+36*B*ln(b*x+a)*a*b^5*c^5*d*g
^2*i^3*n^2+36*B*ln(b*x+a)*a^5*b*c*d^5*g^2*i^3*n^2-90*B*ln(b*x+a)*a^4*b^2*c
^2*d^4*g^2*i^3*n^2+120*B*ln(b*x+a)*a^3*b^3*c^3*d^3*g^2*i^3*n^2+18*B*x^2*a^
3*b^3*c*d^5*g^2*i^3*n^2+90*B*x^2*a^2*b^4*c^2*d^4*g^2*i^3*n^2-102*B*x^2*a*b
^5*c^3*d^3*g^2*i^3*n^2+540*A*x^2*a^2*b^4*c^2*d^4*g^2*i^3*n+216*B*x^5*ln(e*
((b*x+a)/(d*x+c))^n)*b^6*c*d^5*g^2*i^3*n+90*B*x^4*ln(e*((b*x+a)/(d*x+c))^n
)*a^2*b^4*d^6*g^2*i^3*n+270*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^2*d^4*g^
2*i^3*n+18*B*x^4*a*b^5*c*d^5*g^2*i^3*n^2+540*A*x^4*a*b^5*c*d^5*g^2*i^3*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1075 vs. $2(367) = 734$.

Time $= 0.37$ (sec) , antiderivative size $= 1075$, normalized size of antiderivative $= 2.78$

$$\int (ag + bgx)^2 (ci + dix)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="fricas")
```

output

```
1/360*(60*A*b^6*d^6*g^2*i^3*x^6 + 6*(20*B*a^3*b^3*c^3*d^3 - 15*B*a^4*b^2*c
^2*d^4 + 6*B*a^5*b*c*d^5 - B*a^6*d^6)*g^2*i^3*n*log(b*x + a) - 6*(B*b^6*c^
6 - 6*B*a*b^5*c^5*d + 15*B*a^2*b^4*c^4*d^2)*g^2*i^3*n*log(d*x + c) - 12*((
B*b^6*c*d^5 - B*a*b^5*d^6)*g^2*i^3*n - 6*(3*A*b^6*c*d^5 + 2*A*a*b^5*d^6)*g
^2*i^3)*x^5 - 3*((13*B*b^6*c^2*d^4 - 6*B*a*b^5*c*d^5 - 7*B*a^2*b^4*d^6)*g^
2*i^3*n - 30*(3*A*b^6*c^2*d^4 + 6*A*a*b^5*c*d^5 + A*a^2*b^4*d^6)*g^2*i^3)*
x^4 - 2*((19*B*b^6*c^3*d^3 + 21*B*a*b^5*c^2*d^4 - 39*B*a^2*b^4*c*d^5 - B*a
^3*b^3*d^6)*g^2*i^3*n - 60*(A*b^6*c^3*d^3 + 6*A*a*b^5*c^2*d^4 + 3*A*a^2*b^
4*c*d^5)*g^2*i^3)*x^3 - 3*((B*b^6*c^4*d^2 + 34*B*a*b^5*c^3*d^3 - 30*B*a^2*
b^4*c^2*d^4 - 6*B*a^3*b^3*c*d^5 + B*a^4*b^2*d^6)*g^2*i^3*n - 60*(2*A*a*b^5
*c^3*d^3 + 3*A*a^2*b^4*c^2*d^4)*g^2*i^3)*x^2 + 6*(60*A*a^2*b^4*c^3*d^3*g^2
*i^3 + (B*b^6*c^5*d - 6*B*a*b^5*c^4*d^2 - 5*B*a^2*b^4*c^3*d^3 + 15*B*a^3*b
^3*c^2*d^4 - 6*B*a^4*b^2*c*d^5 + B*a^5*b*d^6)*g^2*i^3*n)*x + 6*(10*B*b^6*d
^6*g^2*i^3*x^6 + 60*B*a^2*b^4*c^3*d^3*g^2*i^3*x + 12*(3*B*b^6*c*d^5 + 2*B*
a*b^5*d^6)*g^2*i^3*x^5 + 15*(3*B*b^6*c^2*d^4 + 6*B*a*b^5*c*d^5 + B*a^2*b^4
*d^6)*g^2*i^3*x^4 + 20*(B*b^6*c^3*d^3 + 6*B*a*b^5*c^2*d^4 + 3*B*a^2*b^4*c*
d^5)*g^2*i^3*x^3 + 30*(2*B*a*b^5*c^3*d^3 + 3*B*a^2*b^4*c^2*d^4)*g^2*i^3*x^
2)*log(e) + 6*(10*B*b^6*d^6*g^2*i^3*n*x^6 + 60*B*a^2*b^4*c^3*d^3*g^2*i^3*n
*x + 12*(3*B*b^6*c*d^5 + 2*B*a*b^5*d^6)*g^2*i^3*n*x^5 + 15*(3*B*b^6*c^2*d^
4 + 6*B*a*b^5*c*d^5 + B*a^2*b^4*d^6)*g^2*i^3*n*x^4 + 20*(B*b^6*c^3*d^3 ...
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1978 vs. 2(367) = 734.

Time = 0.09 (sec) , antiderivative size = 1978, normalized size of antiderivative = 5.11

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="maxima")
```

output

```
1/6*B*b^2*d^3*g^2*i^3*x^6*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/6*A*b
^2*d^3*g^2*i^3*x^6 + 3/5*B*b^2*c*d^2*g^2*i^3*x^5*log(e*(b*x/(d*x + c) + a/
(d*x + c))^n) + 2/5*B*a*b*d^3*g^2*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x +
c))^n) + 3/5*A*b^2*c*d^2*g^2*i^3*x^5 + 2/5*A*a*b*d^3*g^2*i^3*x^5 + 3/4*B*b
^2*c^2*d*g^2*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*B*a*b*c*
d^2*g^2*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*B*a^2*d^3*g^2
*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/4*A*b^2*c^2*d*g^2*i^3*
x^4 + 3/2*A*a*b*c*d^2*g^2*i^3*x^4 + 1/4*A*a^2*d^3*g^2*i^3*x^4 + 1/3*B*b^2*
c^3*g^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*B*a*b*c^2*d*g^2
*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + B*a^2*c*d^2*g^2*i^3*x^3*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A*b^2*c^3*g^2*i^3*x^3 + 2*A*a
*b*c^2*d*g^2*i^3*x^3 + A*a^2*c*d^2*g^2*i^3*x^3 + B*a*b*c^3*g^2*i^3*x^2*log
(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*B*a^2*c^2*d*g^2*i^3*x^2*log(e*(b
*x/(d*x + c) + a/(d*x + c))^n) + A*a*b*c^3*g^2*i^3*x^2 + 3/2*A*a^2*c^2*d*g
^2*i^3*x^2 - 1/360*B*b^2*d^3*g^2*i^3*n*(60*a^6*log(b*x + a)/b^6 - 60*c^6*l
og(d*x + c)/d^6 + (12*(b^5*c*d^4 - a*b^4*d^5)*x^5 - 15*(b^5*c^2*d^3 - a^2*
b^3*d^5)*x^4 + 20*(b^5*c^3*d^2 - a^3*b^2*d^5)*x^3 - 30*(b^5*c^4*d - a^4*b*
d^5)*x^2 + 60*(b^5*c^5 - a^5*d^5)*x)/(b^5*d^5)) + 1/20*B*b^2*c*d^2*g^2*i^3
*n*(12*a^5*log(b*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*
b^3*d^4)*x^4 - 4*(b^4*c^2*d^2 - a^2*b^2*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4300 vs. $2(367) = 734$.

Time = 1.64 (sec) , antiderivative size = 4300, normalized size of antiderivative = 11.11

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x,
algorithm="giac")
```

output
```
1/360*(6*(B*b^9*c^7*g^2*i^3*n - 7*B*a*b^8*c^6*d*g^2*i^3*n - 6*(b*x + a)*B*
b^8*c^7*d*g^2*i^3*n/(d*x + c) + 21*B*a^2*b^7*c^5*d^2*g^2*i^3*n + 42*(b*x +
 a)*B*a*b^7*c^6*d^2*g^2*i^3*n/(d*x + c) + 15*(b*x + a)^2*B*b^7*c^7*d^2*g^2
*i^3*n/(d*x + c)^2 - 35*B*a^3*b^6*c^4*d^3*g^2*i^3*n - 126*(b*x + a)*B*a^2*
b^6*c^5*d^3*g^2*i^3*n/(d*x + c) - 105*(b*x + a)^2*B*a*b^6*c^6*d^3*g^2*i^3*
n/(d*x + c)^2 + 35*B*a^4*b^5*c^3*d^4*g^2*i^3*n + 210*(b*x + a)*B*a^3*b^5*c
^4*d^4*g^2*i^3*n/(d*x + c) + 315*(b*x + a)^2*B*a^2*b^5*c^5*d^4*g^2*i^3*n/(
d*x + c)^2 - 21*B*a^5*b^4*c^2*d^5*g^2*i^3*n - 210*(b*x + a)*B*a^4*b^4*c^3*
d^5*g^2*i^3*n/(d*x + c) - 525*(b*x + a)^2*B*a^3*b^4*c^4*d^5*g^2*i^3*n/(d*x
 + c)^2 + 7*B*a^6*b^3*c*d^6*g^2*i^3*n + 126*(b*x + a)*B*a^5*b^3*c^2*d^6*g^
2*i^3*n/(d*x + c) + 525*(b*x + a)^2*B*a^4*b^3*c^3*d^6*g^2*i^3*n/(d*x + c)^
2 - B*a^7*b^2*d^7*g^2*i^3*n - 42*(b*x + a)*B*a^6*b^2*c*d^7*g^2*i^3*n/(d*x
 + c) - 315*(b*x + a)^2*B*a^5*b^2*c^2*d^7*g^2*i^3*n/(d*x + c)^2 + 6*(b*x +
 a)*B*a^7*b*d^8*g^2*i^3*n/(d*x + c) + 105*(b*x + a)^2*B*a^6*b*c*d^8*g^2*i^3
*n/(d*x + c)^2 - 15*(b*x + a)^2*B*a^7*d^9*g^2*i^3*n/(d*x + c)^2)*log((b*x
 + a)/(d*x + c))/(b^6*d^3 - 6*(b*x + a)*b^5*d^4/(d*x + c) + 15*(b*x + a)^2*
b^4*d^5/(d*x + c)^2 - 20*(b*x + a)^3*b^3*d^6/(d*x + c)^3 + 15*(b*x + a)^4*
b^2*d^7/(d*x + c)^4 - 6*(b*x + a)^5*b*d^8/(d*x + c)^5 + (b*x + a)^6*d^9/(d
*x + c)^6) - (2*B*b^12*c^7*g^2*i^3*n - 14*B*a*b^11*c^6*d*g^2*i^3*n - 18*(b
*x + a)*B*b^11*c^7*d*g^2*i^3*n/(d*x + c) + 42*B*a^2*b^10*c^5*d^2*g^2*i^...
```

Mupad [B] (verification not implemented)

Time = 27.72 (sec) , antiderivative size = 2547, normalized size of antiderivative = 6.58

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
,x)
```

output

```
x^2*((a*c*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d*n - B*b*c*n))/6 -
 (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d + 60*b*c))/(60*b*d) - (d*
g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*d^2*n - 3*B*b^2*c^2*n + 60*
A*a*b*c*d + B*a*b*c*d*n))/5 + A*a*b*c*d^2*g^2*i^3))/(2*b*d) - ((60*a*d + 6
0*b*c)*((g^2*i^3*(4*A*a^3*d^3 + 16*A*b^3*c^3 + B*a^3*d^3*n - 3*B*b^3*c^3*n
 + 72*A*a*b^2*c^2*d + 48*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d*n + 5*B*a^2*b*c*d
^2*n))/(4*b) + ((60*a*d + 60*b*c)*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c +
 B*a*d*n - B*b*c*n))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a*d +
 60*b*c))/(60*b*d) - (d*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2*d^2
*n - 3*B*b^2*c^2*n + 60*A*a*b*c*d + B*a*b*c*d*n))/5 + A*a*b*c*d^2*g^2*i^3)
)/(60*b*d) - (a*c*((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b*c + B*a*d*n - B*b*c*n
))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60))/(b*d)))/(120*b*d) + (c*g^2
*i^3*(12*A*a^3*d^3 + 3*A*b^3*c^3 + 3*B*a^3*d^3*n - B*b^3*c^3*n + 36*A*a*b^
2*c^2*d + 54*A*a^2*b*c*d^2 - 5*B*a*b^2*c^2*d*n + 3*B*a^2*b*c*d^2*n))/(6*b*
d)) + x^3*((g^2*i^3*(4*A*a^3*d^3 + 16*A*b^3*c^3 + B*a^3*d^3*n - 3*B*b^3*c^
3*n + 72*A*a*b^2*c^2*d + 48*A*a^2*b*c*d^2 - 3*B*a*b^2*c^2*d*n + 5*B*a^2*b*
c*d^2*n))/(12*b) + ((60*a*d + 60*b*c)*((((b*d^2*g^2*i^3*(18*A*a*d + 24*A*b
*c + B*a*d*n - B*b*c*n))/6 - (A*b*d^2*g^2*i^3*(60*a*d + 60*b*c))/60)*(60*a
*d + 60*b*c))/(60*b*d) - (d*g^2*i^3*(15*A*a^2*d^2 + 30*A*b^2*c^2 + 2*B*a^2
*d^2*n - 3*B*b^2*c^2*n + 60*A*a*b*c*d + B*a*b*c*d*n))/5 + A*a*b*c*d^2*g...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 1097, normalized size of antiderivative = 2.83

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g**2*i*(6*log(a + b*x)*a**6*d**6*n - 36*log(a + b*x)*a**5*b*c*d**5*n + 90
*log(a + b*x)*a**4*b**2*c**2*d**4*n - 120*log(a + b*x)*a**3*b**3*c**3*d**3
*n + 90*log(a + b*x)*a**2*b**4*c**4*d**2*n - 36*log(a + b*x)*a*b**5*c**5*d
*n + 6*log(a + b*x)*b**6*c**6*n - 90*log(((a + b*x)**n*e)/(c + d*x)**n)*a*
*2*b**4*c**4*d**2 - 360*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c**3*
d**3*x - 540*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c**2*d**4*x**2 -
 360*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*c*d**5*x**3 - 90*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**2*b**4*d**6*x**4 + 36*log(((a + b*x)**n*e)/
(c + d*x)**n)*a*b**5*c**5*d - 360*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**
5*c**3*d**3*x**2 - 720*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**5*c**2*d**4
*x**3 - 540*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**5*c*d**5*x**4 - 144*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*a*b**5*d**6*x**5 - 6*log(((a + b*x)**n*e)
/(c + d*x)**n)*b**6*c**6 - 120*log(((a + b*x)**n*e)/(c + d*x)**n)*b**6*c**
3*d**3*x**3 - 270*log(((a + b*x)**n*e)/(c + d*x)**n)*b**6*c**2*d**4*x**4 -
 216*log(((a + b*x)**n*e)/(c + d*x)**n)*b**6*c*d**5*x**5 - 60*log(((a + b*
x)**n*e)/(c + d*x)**n)*b**6*d**6*x**6 - 6*a**5*b*d**6*n*x + 36*a**4*b**2*c
*d**5*n*x + 3*a**4*b**2*d**6*n*x**2 - 360*a**3*b**3*c**3*d**3*x - 90*a**3*
b**3*c**2*d**4*n*x - 540*a**3*b**3*c**2*d**4*x**2 - 18*a**3*b**3*c*d**5*n*
x**2 - 360*a**3*b**3*c*d**5*x**3 - 2*a**3*b**3*d**6*n*x**3 - 90*a**3*b**3*
d**6*x**4 + 30*a**2*b**4*c**3*d**3*n*x - 360*a**2*b**4*c**3*d**3*x**2 -...
```

3.129 $\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$

Optimal result 1521
Mathematica [A] (verified) 1522
Rubi [A] (verified) 1522
Maple [B] (verified) 1524
Fricas [B] (verification not implemented) 1525
Sympy [F(-1)] 1526
Maxima [B] (verification not implemented) 1526
Giac [B] (verification not implemented) 1527
Mupad [B] (verification not implemented) 1528
Reduce [B] (verification not implemented) 1529

Optimal result

Integrand size = 41, antiderivative size = 283

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= \frac{B(bc-ad)^4 gi^3 nx}{20b^3 d} + \frac{B(bc-ad)^3 gi^3 n(c+dx)^2}{40b^2 d^2} + \frac{B(bc-ad)^2 gi^3 n(c+dx)^3}{60bd^2} \\
&\quad - \frac{B(bc-ad)gi^3 n(c+dx)^4}{20d^2} - \frac{(bc-ad)gi^3(c+dx)^4\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2} \\
&\quad + \frac{bgi^3(c+dx)^5\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5d^2} \\
&\quad + \frac{B(bc-ad)^5 gi^3 n\log\left(\frac{a+bx}{c+dx}\right)}{20b^4 d^2} + \frac{B(bc-ad)^5 gi^3 n\log(c+dx)}{20b^4 d^2}
\end{aligned}$$

output

```
1/20*B*(-a*d+b*c)^4*g*i^3*n*x/b^3/d+1/40*B*(-a*d+b*c)^3*g*i^3*n*(d*x+c)^2/
b^2/d^2+1/60*B*(-a*d+b*c)^2*g*i^3*n*(d*x+c)^3/b/d^2-1/20*B*(-a*d+b*c)*g*i^
3*n*(d*x+c)^4/d^2-1/4*(-a*d+b*c)*g*i^3*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/d^2+1/5*b*g*i^3*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^2+1/20*
B*(-a*d+b*c)^5*g*i^3*n*ln((b*x+a)/(d*x+c))/b^4/d^2+1/20*B*(-a*d+b*c)^5*g*i
^3*n*ln(d*x+c)/b^4/d^2
```

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 269, normalized size of antiderivative = 0.95

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx$$
$$=\frac{gi^3\left(\frac{5B(bc-ad)^2n(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx))}{b^4}-\frac{2B(bc-ad)n(12bd(bc-ad)^3x+6b^2(bc-ad)^2}{}\right.}{}$$

input
```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]),x]
```

output
```
(g*i^3*((5*B*(b*c - a*d)^2*n*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c
 + d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]))/b^4 - (2*B*
(b*c - a*d)*n*(12*b*d*(b*c - a*d)^3*x + 6*b^2*(b*c - a*d)^2*(c + d*x)^2 +
4*b^3*(b*c - a*d)*(c + d*x)^3 + 3*b^4*(c + d*x)^4 + 12*(b*c - a*d)^4*Log[a
 + b*x]))/b^4 - 30*(b*c - a*d)*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]) + 24*b*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(120*d
^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 260, normalized size of antiderivative = 0.92, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used = {2961, 2782, 27, 86, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$
$$\downarrow 2961$$
$$gi^3(bc-ad)^5\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$
$$\downarrow 2782$$

$$gi^3(bc-ad)^5\left(-Bn\int -\frac{(c+dx)\left(b-\frac{5d(a+bx)}{c+dx}\right)}{20d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)$$

$$\downarrow 27$$

$$gi^3(bc-ad)^5\left(\frac{Bn\int\frac{(c+dx)\left(b-\frac{5d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{20d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}\right)$$

$$\downarrow 86$$

$$gi^3(bc-ad)^5\left(\frac{Bn\int\left(\frac{d}{b^4\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{4d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{c+dx}{b^4(a+bx)}\right)d\frac{a+bx}{c+dx}}{20d^2}-\right.$$

$$\downarrow 2009$$

$$gi^3(bc-ad)^5\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^4}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^4}+\frac{1}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right.}{}\right.$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x
]
```

output

```
(b*c - a*d)^5*g*i^3*((b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*d^2*(b
- (d*(a + b*x))/(c + d*x))^5) - (A + B*Log[e*((a + b*x)/(c + d*x))^n])/(4*
d^2*(b - (d*(a + b*x))/(c + d*x))^4) + (B*n*(-(b - (d*(a + b*x))/(c + d*x)
)^(-4) + 1/(3*b*(b - (d*(a + b*x))/(c + d*x))^3) + 1/(2*b^2*(b - (d*(a + b
*x))/(c + d*x))^2) + 1/(b^3*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)
/(c + d*x)]/b^4 - Log[b - (d*(a + b*x))/(c + d*x)]/b^4))/(20*d^2))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1118 vs. $2(267) = 534$.

Time = 11.69 (sec) , antiderivative size = 1119, normalized size of antiderivative = 3.95

method	result	size
parallelrisch	Expression too large to display	1119

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RE
TURNVERBOSE)
```

output
```
1/120*(15*B*x^2*a^2*b^3*c*d^4*g*i^3*n^2+15*B*x^2*a*b^4*c^2*d^3*g*i^3*n^2+1
80*A*x^2*a*b^4*c^2*d^3*g*i^3*n-30*B*x*a^3*b^2*c*d^4*g*i^3*n^2+60*B*x*a^2*b
^3*c^2*d^3*g*i^3*n^2-30*B*x*a*b^4*c^3*d^2*g*i^3*n^2+120*A*x*a*b^4*c^3*d^2*
g*i^3*n+30*B*ln(b*x+a)*a^4*b*c*d^4*g*i^3*n^2-60*B*ln(b*x+a)*a^3*b^2*c^2*d^
3*g*i^3*n^2+60*B*ln(b*x+a)*a^2*b^3*c^3*d^2*g*i^3*n^2-30*B*ln(b*x+a)*a*b^4*
c^4*d*g*i^3*n^2+30*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c^4*d*g*i^3*n+180*B*x
^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*c^2*d^3*g*i^3*n+120*B*x*ln(e*((b*x+a)/(
d*x+c))^n)*a*b^4*c^3*d^2*g*i^3*n+120*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4
*c*d^4*g*i^3*n+24*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*b^5*d^5*g*i^3*n+30*B*x^4
*ln(e*((b*x+a)/(d*x+c))^n)*a*b^4*d^5*g*i^3*n+90*B*x^4*ln(e*((b*x+a)/(d*x+c
))^n)*b^5*c*d^4*g*i^3*n+120*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^2*d^3*g*
i^3*n+20*B*x^3*a*b^4*c*d^4*g*i^3*n^2+120*A*x^3*a*b^4*c*d^4*g*i^3*n+60*B*x^
2*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^3*d^2*g*i^3*n+6*B*b^5*c^5*g*i^3*n^2+6*B*
x^4*a*b^4*d^5*g*i^3*n^2-6*B*x^4*b^5*c*d^4*g*i^3*n^2+30*A*x^4*a*b^4*d^5*g*i
^3*n+90*A*x^4*b^5*c*d^4*g*i^3*n+2*B*x^3*a^2*b^3*d^5*g*i^3*n^2-22*B*x^3*b^5
*c^2*d^3*g*i^3*n^2+120*A*x^3*b^5*c^2*d^3*g*i^3*n-3*B*x^2*a^3*b^2*d^5*g*i^3
*n^2-27*B*x^2*b^5*c^3*d^2*g*i^3*n^2+60*A*x^2*b^5*c^3*d^2*g*i^3*n+6*B*x*a^4
*b*d^5*g*i^3*n^2-6*B*x*b^5*c^4*d*g*i^3*n^2-6*B*ln(e*((b*x+a)/(d*x+c))^n)*b
^5*c^5*g*i^3*n+24*A*x^5*b^5*d^5*g*i^3*n+6*B*ln(b*x+a)*b^5*c^5*g*i^3*n^2-6*
B*ln(b*x+a)*a^5*d^5*g*i^3*n^2-6*B*a^5*d^5*g*i^3*n^2+27*B*a^4*b*c*d^4*g*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 721 vs. $2(267) = 534$.

Time $= 0.16$ (sec) , antiderivative size $= 721$, normalized size of antiderivative $= 2.55$

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \frac{24\,Ab^5d^5gi^3x^5+6\,(10\,Ba^2b^3c^3d^2-10\,Ba^3b^2c^2d^3+5\,Ba^4bcd^4-Ba^5d^5)gi^3n\log(bx+a)+6\,(Bb^5c^5-5}{}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="fricas")
```

output

```
1/120*(24*A*b^5*d^5*g*i^3*x^5 + 6*(10*B*a^2*b^3*c^3*d^2 - 10*B*a^3*b^2*c^2
*d^3 + 5*B*a^4*b*c*d^4 - B*a^5*d^5)*g*i^3*n*log(b*x + a) + 6*(B*b^5*c^5 -
5*B*a*b^4*c^4*d)*g*i^3*n*log(d*x + c) - 6*((B*b^5*c*d^4 - B*a*b^4*d^5)*g*i
^3*n - 5*(3*A*b^5*c*d^4 + A*a*b^4*d^5)*g*i^3)*x^4 - 2*((11*B*b^5*c^2*d^3 -
 10*B*a*b^4*c*d^4 - B*a^2*b^3*d^5)*g*i^3*n - 60*(A*b^5*c^2*d^3 + A*a*b^4*c
*d^4)*g*i^3)*x^3 - 3*((9*B*b^5*c^3*d^2 - 5*B*a*b^4*c^2*d^3 - 5*B*a^2*b^3*c
*d^4 + B*a^3*b^2*d^5)*g*i^3*n - 20*(A*b^5*c^3*d^2 + 3*A*a*b^4*c^2*d^3)*g*i
^3)*x^2 + 6*(20*A*a*b^4*c^3*d^2*g*i^3 - (B*b^5*c^4*d + 5*B*a*b^4*c^3*d^2 -
 10*B*a^2*b^3*c^2*d^3 + 5*B*a^3*b^2*c*d^4 - B*a^4*b*d^5)*g*i^3*n)*x + 6*(4
*B*b^5*d^5*g*i^3*x^5 + 20*B*a*b^4*c^3*d^2*g*i^3*x + 5*(3*B*b^5*c*d^4 + B*a
*b^4*d^5)*g*i^3*x^4 + 20*(B*b^5*c^2*d^3 + B*a*b^4*c*d^4)*g*i^3*x^3 + 10*(B
*b^5*c^3*d^2 + 3*B*a*b^4*c^2*d^3)*g*i^3*x^2)*log(e) + 6*(4*B*b^5*d^5*g*i^3
*n*x^5 + 20*B*a*b^4*c^3*d^2*g*i^3*n*x + 5*(3*B*b^5*c*d^4 + B*a*b^4*d^5)*g*
i^3*n*x^4 + 20*(B*b^5*c^2*d^3 + B*a*b^4*c*d^4)*g*i^3*n*x^3 + 10*(B*b^5*c^3
*d^2 + 3*B*a*b^4*c^2*d^3)*g*i^3*n*x^2)*log((b*x + a)/(d*x + c)))/(b^4*d^2)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1118 vs. $2(267) = 534$.

Time = 0.07 (sec) , antiderivative size = 1118, normalized size of antiderivative = 3.95

$$\int (ag+bgx)(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="maxima")
```

output

```
1/5*B*b*d^3*g*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A*b*d^3
*g*i^3*x^5 + 3/4*B*b*c*d^2*g*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
) + 1/4*B*a*d^3*g*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/4*A*b
*c*d^2*g*i^3*x^4 + 1/4*A*a*d^3*g*i^3*x^4 + B*b*c^2*d*g*i^3*x^3*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n) + B*a*c*d^2*g*i^3*x^3*log(e*(b*x/(d*x + c) + a
/(d*x + c))^n) + A*b*c^2*d*g*i^3*x^3 + A*a*c*d^2*g*i^3*x^3 + 1/2*B*b*c^3*g
*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*B*a*c^2*d*g*i^3*x^2*
log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A*b*c^3*g*i^3*x^2 + 3/2*A*a*c
^2*d*g*i^3*x^2 + 1/60*B*b*d^3*g*i^3*n*(12*a^5*log(b*x + a)/b^5 - 12*c^5*lo
g(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2*d^2 - a^2*b^2
*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12*(b^4*c^4 - a^4*d^4)*x)/(b^4
*d^4)) - 1/8*B*b*c*d^2*g*i^3*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c
)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6
*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/24*B*a*d^3*g*i^3*n*(6*a^4*log(b*x +
 a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3
*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) + 1/2*B*b*c^
2*d*g*i^3*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d -
 a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) + 1/2*B*a*c*d^2*g*i^3*
n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*
x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 1/2*B*b*c^3*g*i^3*n*(a^2*lo...
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2584 vs. $2(267) = 534$.

Time $= 1.02$ (sec) , antiderivative size $= 2584$, normalized size of antiderivative $= 9.13$

$$\int (ag + bgx)(ci + dix)^3 \left(A + B \log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, al
gorithm="giac")
```

output

```
-1/120*(6*(B*b^7*c^6*g*i^3*n - 6*B*a*b^6*c^5*d*g*i^3*n - 5*(b*x + a)*B*b^6
*c^6*d*g*i^3*n/(d*x + c) + 15*B*a^2*b^5*c^4*d^2*g*i^3*n + 30*(b*x + a)*B*a
*b^5*c^5*d^2*g*i^3*n/(d*x + c) - 20*B*a^3*b^4*c^3*d^3*g*i^3*n - 75*(b*x +
a)*B*a^2*b^4*c^4*d^3*g*i^3*n/(d*x + c) + 15*B*a^4*b^3*c^2*d^4*g*i^3*n + 10
0*(b*x + a)*B*a^3*b^3*c^3*d^4*g*i^3*n/(d*x + c) - 6*B*a^5*b^2*c*d^5*g*i^3*
n - 75*(b*x + a)*B*a^4*b^2*c^2*d^5*g*i^3*n/(d*x + c) + B*a^6*b*d^6*g*i^3*n
 + 30*(b*x + a)*B*a^5*b*c*d^6*g*i^3*n/(d*x + c) - 5*(b*x + a)*B*a^6*d^7*g*
i^3*n/(d*x + c))*log((b*x + a)/(d*x + c))/(b^5*d^2 - 5*(b*x + a)*b^4*d^3/(
d*x + c) + 10*(b*x + a)^2*b^3*d^4/(d*x + c)^2 - 10*(b*x + a)^3*b^2*d^5/(d*
x + c)^3 + 5*(b*x + a)^4*b*d^6/(d*x + c)^4 - (b*x + a)^5*d^7/(d*x + c)^5)
- (5*B*b^10*c^6*g*i^3*n - 30*B*a*b^9*c^5*d*g*i^3*n - 31*(b*x + a)*B*b^9*c^
6*d*g*i^3*n/(d*x + c) + 75*B*a^2*b^8*c^4*d^2*g*i^3*n + 186*(b*x + a)*B*a*b
^8*c^5*d^2*g*i^3*n/(d*x + c) + 47*(b*x + a)^2*B*b^8*c^6*d^2*g*i^3*n/(d*x +
 c)^2 - 100*B*a^3*b^7*c^3*d^3*g*i^3*n - 465*(b*x + a)*B*a^2*b^7*c^4*d^3*g*
i^3*n/(d*x + c) - 282*(b*x + a)^2*B*a*b^7*c^5*d^3*g*i^3*n/(d*x + c)^2 - 27
*(b*x + a)^3*B*b^7*c^6*d^3*g*i^3*n/(d*x + c)^3 + 75*B*a^4*b^6*c^2*d^4*g*i^
3*n + 620*(b*x + a)*B*a^3*b^6*c^3*d^4*g*i^3*n/(d*x + c) + 705*(b*x + a)^2*
B*a^2*b^6*c^4*d^4*g*i^3*n/(d*x + c)^2 + 162*(b*x + a)^3*B*a*b^6*c^5*d^4*g*
i^3*n/(d*x + c)^3 + 6*(b*x + a)^4*B*b^6*c^6*d^4*g*i^3*n/(d*x + c)^4 - 30*B
*a^5*b^5*c*d^5*g*i^3*n - 465*(b*x + a)*B*a^4*b^5*c^2*d^5*g*i^3*n/(d*x +...
```

Mupad [B] (verification not implemented)

Time = 27.04 (sec) , antiderivative size = 1234, normalized size of antiderivative = 4.36

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x
)
```

output

```
x*((a*c*(((20*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d*n - B
*b*c*n))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(20*b*d) - (d*g*i^3*(4*A
*a^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2*n - 3*B*b^2*c^2*n + 32*A*a*b*c*d + 2*B
*a*b*c*d*n))/(4*b) + A*a*c*d^2*g*i^3))/(b*d) - ((20*a*d + 20*b*c)*(((20*a*
d + 20*b*c)*((20*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d*n
 - B*b*c*n))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(20*b*d) - (d*g*i^3*
(4*A*a^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2*n - 3*B*b^2*c^2*n + 32*A*a*b*c*d +
 2*B*a*b*c*d*n))/(4*b) + A*a*c*d^2*g*i^3))/(20*b*d) - (a*c*((d^2*g*i^3*(10
*A*a*d + 20*A*b*c + B*a*d*n - B*b*c*n))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c)
)/20))/(b*d) + (c*g*i^3*(4*A*a^2*d^2 + 4*A*b^2*c^2 + B*a^2*d^2*n - B*b^2*c
^2*n + 12*A*a*b*c*d))/b))/(20*b*d) + (c^2*g*i^3*(12*A*a^2*d^2 + 2*A*b^2*c^
2 + 3*B*a^2*d^2*n - B*b^2*c^2*n + 16*A*a*b*c*d - 2*B*a*b*c*d*n))/(2*b*d))
- x^3*(((20*a*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d*n - B*b
*c*n))/5 - (A*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(60*b*d) - (d*g*i^3*(4*A*a
^2*d^2 + 24*A*b^2*c^2 + B*a^2*d^2*n - 3*B*b^2*c^2*n + 32*A*a*b*c*d + 2*B*a
*b*c*d*n))/(12*b) + (A*a*c*d^2*g*i^3)/3) + x^2*(((20*a*d + 20*b*c)*(((20*a
*d + 20*b*c)*((d^2*g*i^3*(10*A*a*d + 20*A*b*c + B*a*d*n - B*b*c*n))/5 - (A
*d^2*g*i^3*(20*a*d + 20*b*c))/20))/(20*b*d) - (d*g*i^3*(4*A*a^2*d^2 + 24*A
*b^2*c^2 + B*a^2*d^2*n - 3*B*b^2*c^2*n + 32*A*a*b*c*d + 2*B*a*b*c*d*n))/(4
*b) + A*a*c*d^2*g*i^3))/(40*b*d) - (a*c*((d^2*g*i^3*(10*A*a*d + 20*A*b*...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 743, normalized size of antiderivative = 2.63

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(g*i*(6*log(a + b*x)*a**5*d**5*n - 30*log(a + b*x)*a**4*b*c*d**4*n + 60*lo
g(a + b*x)*a**3*b**2*c**2*d**3*n - 60*log(a + b*x)*a**2*b**3*c**3*d**2*n +
 30*log(a + b*x)*a*b**4*c**4*d*n - 6*log(a + b*x)*b**5*c**5*n - 30*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a*b**4*c**4*d - 120*log(((a + b*x)**n*e)/(c +
d*x)**n)*a*b**4*c**3*d**2*x - 180*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**
4*c**2*d**3*x**2 - 120*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*c*d**4*x*
*3 - 30*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*d**5*x**4 + 6*log(((a +
b*x)**n*e)/(c + d*x)**n)*b**5*c**5 - 60*log(((a + b*x)**n*e)/(c + d*x)**n)
*b**5*c**3*d**2*x**2 - 120*log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c**2*d*
*3*x**3 - 90*log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c*d**4*x**4 - 24*log(
((a + b*x)**n*e)/(c + d*x)**n)*b**5*d**5*x**5 - 6*a**4*b*d**5*n*x + 30*a**
3*b**2*c*d**4*n*x + 3*a**3*b**2*d**5*n*x**2 - 120*a**2*b**3*c**3*d**2*x -
60*a**2*b**3*c**2*d**3*n*x - 180*a**2*b**3*c**2*d**3*x**2 - 15*a**2*b**3*c
*d**4*n*x**2 - 120*a**2*b**3*c*d**4*x**3 - 2*a**2*b**3*d**5*n*x**3 - 30*a*
*2*b**3*d**5*x**4 + 30*a*b**4*c**3*d**2*n*x - 60*a*b**4*c**3*d**2*x**2 - 1
5*a*b**4*c**2*d**3*n*x**2 - 120*a*b**4*c**2*d**3*x**3 - 20*a*b**4*c*d**4*n
*x**3 - 90*a*b**4*c*d**4*x**4 - 6*a*b**4*d**5*n*x**4 - 24*a*b**4*d**5*x**5
 + 6*b**5*c**4*d*n*x + 27*b**5*c**3*d**2*n*x**2 + 22*b**5*c**2*d**3*n*x**3
 + 6*b**5*c*d**4*n*x**4))/(120*b**3*d**2)
```

3.130 $\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$

Optimal result . . . 1531
Mathematica [A] (verified) . . . 1531
Rubi [A] (verified) . . . 1532
Maple [B] (verified) . . . 1533
Fricas [B] (verification not implemented) . . . 1534
Sympy [F(-1)] . . . 1535
Maxima [B] (verification not implemented) . . . 1535
Giac [B] (verification not implemented) . . . 1537
Mupad [B] (verification not implemented) . . . 1538
Reduce [B] (verification not implemented) . . . 1539

Optimal result

Integrand size = 33, antiderivative size = 156

$$\begin{aligned}&\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\ &= -\frac{B(bc-ad)^3 i^3 nx}{4b^3} - \frac{B(bc-ad)^2 i^3 n(c+dx)^2}{8b^2 d} - \frac{B(bc-ad) i^3 n(c+dx)^3}{12bd}\\ &\quad - \frac{B(bc-ad)^4 i^3 n\log(a+bx)}{4b^4 d} + \frac{i^3(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d}\end{aligned}$$

output

```
-1/4*B*(-a*d+b*c)^3*i^3*n*x/b^3-1/8*B*(-a*d+b*c)^2*i^3*n*(d*x+c)^2/b^2/d-1
/12*B*(-a*d+b*c)*i^3*n*(d*x+c)^3/b/d-1/4*B*(-a*d+b*c)^4*i^3*n*ln(b*x+a)/b^
4/d+1/4*i^3*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 124, normalized size of antiderivative = 0.79

$$\begin{aligned}&\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\ &= \frac{i^3\left(-\frac{B(bc-ad)n\left(6bd(bc-ad)^2x+3b^2(bc-ad)(c+dx)^2+2b^3(c+dx)^3+6(bc-ad)^3\log(a+bx)\right)}{6b^4} + (c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\right.}{4d}\end{aligned}$$

input
```
Integrate[(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
(i^3*(-1/6*(B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c
+ d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]))/b^4 + (c + d
*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(4*d)
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 133, normalized size of antiderivative = 0.85, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2947, 27, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right) dx$$

$$\downarrow 2947$$

$$\frac{i^3(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d} - \frac{Bn(bc-ad)\int \frac{i^4(c+dx)^3}{a+bx}dx}{4di}$$

$$\downarrow 27$$

$$\frac{i^3(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d} - \frac{Bi^3n(bc-ad)\int \frac{(c+dx)^3}{a+bx}dx}{4d}$$

$$\downarrow 49$$

$$\frac{i^3(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d} - \frac{Bi^3n(bc-ad)\int \left(\frac{(bc-ad)^3}{b^3(a+bx)}+\frac{d(bc-ad)^2}{b^3}+\frac{d(c+dx)(bc-ad)}{b^2}+\frac{d(c+dx)^2}{b}\right)dx}{4d}$$

$$\downarrow 2009$$

$$\frac{i^3(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d} - \frac{Bi^3n(bc-ad)\left(\frac{(bc-ad)^3\log(a+bx)}{b^4}+\frac{dx(bc-ad)^2}{b^3}+\frac{(c+dx)^2(bc-ad)}{2b^2}+\frac{(c+dx)^3}{3b}\right)}{4d}$$

input
```
Int[(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
-1/4*(B*(b*c - a*d)*i^3*n*((d*(b*c - a*d)^2*x)/b^3 + ((b*c - a*d)*(c + d*x
)^2)/(2*b^2) + (c + d*x)^3/(3*b) + ((b*c - a*d)^3*Log[a + b*x])/b^4))/d +
(i^3*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*d)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 651 vs. $2(146) = 292$.

Time = 4.89 (sec) , antiderivative size = 652, normalized size of antiderivative = 4.18

method	result
parallelrisch	$\frac{24Bx^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4cd^3i^3n+6Bx^4\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4d^4i^3n+2Bx^3ab^3d^4i^3n^2-2Bx^3b^4cd^3i^3n^2+24Ax^3b^4cd^3i^3n-3B$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,method=_RETURNVERBOSE)
```

output
```
1/24*(24*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c*d^3*i^3*n+6*B*x^4*ln(e*((b*
x+a)/(d*x+c))^n)*b^4*d^4*i^3*n+2*B*x^3*a*b^3*d^4*i^3*n^2-2*B*x^3*b^4*c*d^3
*i^3*n^2+24*A*x^3*b^4*c*d^3*i^3*n-3*B*x^2*a^2*b^2*d^4*i^3*n^2-9*B*x^2*b^4*
c^2*d^2*i^3*n^2+36*A*x^2*b^4*c^2*d^2*i^3*n+6*B*x*a^3*b*d^4*i^3*n^2-18*B*x*
b^4*c^3*d*i^3*n^2+24*A*x*b^4*c^3*d*i^3*n-36*B*ln(b*x+a)*a^2*b^2*c^2*d^2*i^
3*n^2+24*B*ln(b*x+a)*a*b^3*c^3*d*i^3*n^2-6*B*a^4*d^4*i^3*n^2+18*B*b^4*c^4*
i^3*n^2-24*A*b^4*c^4*i^3*n+21*B*a^3*b*c*d^3*i^3*n^2-24*B*a^2*b^2*c^2*d^2*i
^3*n^2-9*B*a*b^3*c^3*d*i^3*n^2-60*A*a*b^3*c^3*d*i^3*n+6*A*x^4*b^4*d^4*i^3*
n+6*B*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c^4*i^3*n-6*B*ln(b*x+a)*a^4*d^4*i^3*n^
2-6*B*ln(b*x+a)*b^4*c^4*i^3*n^2+36*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c^2
*d^2*i^3*n+12*B*x^2*a*b^3*c*d^3*i^3*n^2+24*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b
^4*c^3*d*i^3*n-24*B*x*a^2*b^2*c*d^3*i^3*n^2+36*B*x*a*b^3*c^2*d^2*i^3*n^2+2
4*B*ln(b*x+a)*a^3*b*c*d^3*i^3*n^2)/b^4/d/n
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 429 vs. $2(146) = 292$.

Time $= 0.11$ (sec) , antiderivative size $= 429$, normalized size of antiderivative $= 2.75$

$$\int (ci + dix)^3 \left(A + B \log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx$$
$$= \frac{6\,Ab^4d^4i^3x^4 - 6\,Bb^4c^4i^3n\log(dx + c) + 6\,(4\,Bab^3c^3d - 6\,Ba^2b^2c^2d^2 + 4\,Ba^3bcd^3 - Ba^4d^4)i^3n\log(bx +$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="fri
cas")
```

output
```
1/24*(6*A*b^4*d^4*i^3*x^4 - 6*B*b^4*c^4*i^3*n*log(d*x + c) + 6*(4*B*a*b^3*
c^3*d - 6*B*a^2*b^2*c^2*d^2 + 4*B*a^3*b*c*d^3 - B*a^4*d^4)*i^3*n*log(b*x +
 a) + 2*(12*A*b^4*c*d^3*i^3 - (B*b^4*c*d^3 - B*a*b^3*d^4)*i^3*n)*x^3 + 3*(
12*A*b^4*c^2*d^2*i^3 - (3*B*b^4*c^2*d^2 - 4*B*a*b^3*c*d^3 + B*a^2*b^2*d^4)
*i^3*n)*x^2 + 6*(4*A*b^4*c^3*d*i^3 - (3*B*b^4*c^3*d - 6*B*a*b^3*c^2*d^2 +
4*B*a^2*b^2*c*d^3 - B*a^3*b*d^4)*i^3*n)*x + 6*(B*b^4*d^4*i^3*x^4 + 4*B*b^4
*c*d^3*i^3*x^3 + 6*B*b^4*c^2*d^2*i^3*x^2 + 4*B*b^4*c^3*d*i^3*x)*log(e) + 6
*(B*b^4*d^4*i^3*n*x^4 + 4*B*b^4*c*d^3*i^3*n*x^3 + 6*B*b^4*c^2*d^2*i^3*n*x^
2 + 4*B*b^4*c^3*d*i^3*n*x)*log((b*x + a)/(d*x + c)))/(b^4*d)
```

Sympy [F(-1)]

Timed out.

$$\int (ci + dix)^3 \left(A + B \log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 479 vs. $2(146) = 292$.

Time = 0.06 (sec) , antiderivative size = 479, normalized size of antiderivative = 3.07

$$\begin{aligned}
&\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= \frac{1}{4}Bd^3i^3x^4\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+\frac{1}{4}Ad^3i^3x^4 \\
&\quad + Bcd^2i^3x^3\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+Acd^2i^3x^3 \\
&\quad + \frac{3}{2}Bc^2di^3x^2\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+\frac{3}{2}Ac^2di^3x^2 \\
&\quad - \frac{1}{24}Bd^3i^3n\left(\frac{6\,a^4\log(bx+a)}{b^4}-\frac{6\,c^4\log(dx+c)}{d^4}+\frac{2\,(b^3cd^2-ab^2d^3)x^3-3\,(b^3c^2d-a^2bd^3)x^2+6\,(b^3c^3\right. \\
&\quad + \frac{1}{2}Bcd^2i^3n\left(\frac{2\,a^3\log(bx+a)}{b^3}-\frac{2\,c^3\log(dx+c)}{d^3}-\frac{(b^2cd-abd^2)x^2-2\,(b^2c^2-a^2d^2)x}{b^2d^2}\right) \\
&\quad - \frac{3}{2}Bc^2di^3n\left(\frac{a^2\log(bx+a)}{b^2}-\frac{c^2\log(dx+c)}{d^2}+\frac{(bc-ad)x}{bd}\right) \\
&\quad + Bc^3i^3n\left(\frac{a\log(bx+a)}{b}-\frac{c\log(dx+c)}{d}\right) \\
&\quad + Bc^3i^3x\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)+Ac^3i^3x
\end{aligned}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="max
ima")
```

output

```
1/4*B*d^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A*d^3*i^3*x
^4 + B*c*d^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*c*d^2*i^3*
x^3 + 3/2*B*c^2*d*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A*c
^2*d*i^3*x^2 - 1/24*B*d^3*i^3*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x +
c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 +
6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) + 1/2*B*c*d^2*i^3*n*(2*a^3*log(b*x + a
)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a
^2*d^2)*x)/(b^2*d^2)) - 3/2*B*c^2*d*i^3*n*(a^2*log(b*x + a)/b^2 - c^2*log(
d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) + B*c^3*i^3*n*(a*log(b*x + a)/b - c*lo
g(d*x + c)/d) + B*c^3*i^3*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*c^3
*i^3*x
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1402 vs. $2(146) = 292$.

Time = 0.60 (sec) , antiderivative size = 1402, normalized size of antiderivative = 8.99

$$\int (ci + dix)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="gia
c")
```

output
```
1/24*(6*(B*b^5*c^5*i^3*n - 5*B*a*b^4*c^4*d*i^3*n + 10*B*a^2*b^3*c^3*d^2*i^
3*n - 10*B*a^3*b^2*c^2*d^3*i^3*n + 5*B*a^4*b*c*d^4*i^3*n - B*a^5*d^5*i^3*n
)*log((b*x + a)/(d*x + c))/(b^4*d - 4*(b*x + a)*b^3*d^2/(d*x + c) + 6*(b*x
 + a)^2*b^2*d^3/(d*x + c)^2 - 4*(b*x + a)^3*b*d^4/(d*x + c)^3 + (b*x + a)^
4*d^5/(d*x + c)^4) - (11*B*b^8*c^5*i^3*n - 55*B*a*b^7*c^4*d*i^3*n - 26*(b*
x + a)*B*b^7*c^5*d*i^3*n/(d*x + c) + 110*B*a^2*b^6*c^3*d^2*i^3*n + 130*(b*
x + a)*B*a*b^6*c^4*d^2*i^3*n/(d*x + c) + 21*(b*x + a)^2*B*b^6*c^5*d^2*i^3*
n/(d*x + c)^2 - 110*B*a^3*b^5*c^2*d^3*i^3*n - 260*(b*x + a)*B*a^2*b^5*c^3*
d^3*i^3*n/(d*x + c) - 105*(b*x + a)^2*B*a*b^5*c^4*d^3*i^3*n/(d*x + c)^2 -
6*(b*x + a)^3*B*b^5*c^5*d^3*i^3*n/(d*x + c)^3 + 55*B*a^4*b^4*c*d^4*i^3*n +
 260*(b*x + a)*B*a^3*b^4*c^2*d^4*i^3*n/(d*x + c) + 210*(b*x + a)^2*B*a^2*b
^4*c^3*d^4*i^3*n/(d*x + c)^2 + 30*(b*x + a)^3*B*a*b^4*c^4*d^4*i^3*n/(d*x +
 c)^3 - 11*B*a^5*b^3*d^5*i^3*n - 130*(b*x + a)*B*a^4*b^3*c*d^5*i^3*n/(d*x
+ c) - 210*(b*x + a)^2*B*a^3*b^3*c^2*d^5*i^3*n/(d*x + c)^2 - 60*(b*x + a)^
3*B*a^2*b^3*c^3*d^5*i^3*n/(d*x + c)^3 + 26*(b*x + a)*B*a^5*b^2*d^6*i^3*n/(
d*x + c) + 105*(b*x + a)^2*B*a^4*b^2*c*d^6*i^3*n/(d*x + c)^2 + 60*(b*x + a
)^3*B*a^3*b^2*c^2*d^6*i^3*n/(d*x + c)^3 - 21*(b*x + a)^2*B*a^5*b*d^7*i^3*n
/(d*x + c)^2 - 30*(b*x + a)^3*B*a^4*b*c*d^7*i^3*n/(d*x + c)^3 + 6*(b*x + a
)^3*B*a^5*d^8*i^3*n/(d*x + c)^3 - 6*B*b^8*c^5*i^3*log(e) + 30*B*a*b^7*c^4*
d*i^3*log(e) - 60*B*a^2*b^6*c^3*d^2*i^3*log(e) + 60*B*a^3*b^5*c^2*d^3*i...
```

Mupad [B] (verification not implemented)

Time = 26.27 (sec) , antiderivative size = 588, normalized size of antiderivative = 3.77

$$
\begin{aligned}
&\int (ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)dx \\
&= x^3\left(\frac{d^2i^3(4Aad+16Abc+Badn-Bbcn)}{12b}-\frac{Ad^2i^3(4ad+4bc)}{12b}\right) \\
&\quad -x^2\left(\frac{\left(\frac{d^2i^3(4Aad+16Abc+Badn-Bbcn)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)(4ad+4bc)}{8bd}\right. \\
&\qquad \left.-\frac{cdi^3(4Aad+6Abc+Badn-Bbcn)}{2b}+\frac{Aacd^2i^3}{2b}\right) \\
&\quad +\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(Bc^3i^3x+\frac{3Bc^2di^3x^2}{2}+Bcd^2i^3x^3+\frac{Bd^3i^3x^4}{4}\right) \\
&\quad +x\left(\frac{(4ad+4bc)\left(\frac{\left(\frac{d^2i^3(4Aad+16Abc+Badn-Bbcn)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)(4ad+4bc)}{4bd}-\frac{cdi^3(4Aad+6Abc+Badn-Bbc}{b}\right.}{4bd}\right. \\
&\qquad \left.\left.+\frac{c^2i^3(12Aad+8Abc+3Badn-3Bbcn)}{2b}-\frac{ac\left(\frac{d^2i^3(4Aad+16Abc+Badn-Bbcn)}{4b}-\frac{Ad^2i^3(4ad+4bc)}{4b}\right)}{bd}\right) \\
&\quad -\frac{\ln(a+bx)\left(Bna^4d^3i^3-4Bna^3bcd^2i^3+6Bna^2b^2c^2di^3-4Bnab^3c^3i^3\right)}{4b^4} \\
&\quad +\frac{Ad^3i^3x^4}{4}-\frac{Bc^4i^3n\ln(c+dx)}{4d}
\end{aligned}
$$

input

```
int((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)
```

output

```
x^3*((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d*n - B*b*c*n))/(12*b) - (A*d^2*i^
3*(4*a*d + 4*b*c))/(12*b)) - x^2*((((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d*n
 - B*b*c*n))/(4*b) - (A*d^2*i^3*(4*a*d + 4*b*c))/(4*b))*(4*a*d + 4*b*c))/(
8*b*d) - (c*d*i^3*(4*A*a*d + 6*A*b*c + B*a*d*n - B*b*c*n))/(2*b) + (A*a*c*
d^2*i^3)/(2*b)) + log(e*((a + b*x)/(c + d*x))^n)*((B*d^3*i^3*x^4)/4 + B*c^
3*i^3*x + (3*B*c^2*d*i^3*x^2)/2 + B*c*d^2*i^3*x^3) + x*(((4*a*d + 4*b*c)*(
(((d^2*i^3*(4*A*a*d + 16*A*b*c + B*a*d*n - B*b*c*n))/(4*b) - (A*d^2*i^3*(4
*a*d + 4*b*c))/(4*b))*(4*a*d + 4*b*c))/(4*b*d) - (c*d*i^3*(4*A*a*d + 6*A*b
*c + B*a*d*n - B*b*c*n))/b + (A*a*c*d^2*i^3)/b))/(4*b*d) + (c^2*i^3*(12*A*
a*d + 8*A*b*c + 3*B*a*d*n - 3*B*b*c*n))/(2*b) - (a*c*((d^2*i^3*(4*A*a*d +
16*A*b*c + B*a*d*n - B*b*c*n))/(4*b) - (A*d^2*i^3*(4*a*d + 4*b*c))/(4*b)))
/(b*d)) - (log(a + b*x)*(B*a^4*d^3*i^3*n - 4*B*a*b^3*c^3*i^3*n - 4*B*a^3*b
*c*d^2*i^3*n + 6*B*a^2*b^2*c^2*d*i^3*n))/(4*b^4) + (A*d^3*i^3*x^4)/4 - (B*
c^4*i^3*n*log(c + d*x))/(4*d)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 507, normalized size of antiderivative = 3.25

$$\int (ci+dix)^3 \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$

$$= \frac{i\left(-24\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) a^3 bc\, d^3 + 36\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) a^2 b^2 c^2 d^2 - 24\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) a\, b^3 c^3 d - 24\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) b^4$$

input

```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(i*(6*log(c + d*x)*a**4*d**4*n - 24*log(c + d*x)*a**3*b*c*d**3*n + 36*log(
c + d*x)*a**2*b**2*c**2*d**2*n - 24*log(c + d*x)*a*b**3*c**3*d*n + 6*log(c
 + d*x)*b**4*c**4*n + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*d**4 - 24*
log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d**3 + 36*log(((a + b*x)**n*e)
/(c + d*x)**n)*a**2*b**2*c**2*d**2 - 24*log(((a + b*x)**n*e)/(c + d*x)**n)
*a*b**3*c**3*d - 24*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c**3*d*x - 36*
log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c**2*d**2*x**2 - 24*log(((a + b*x)
**n*e)/(c + d*x)**n)*b**4*c*d**3*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**
n)*b**4*d**4*x**4 - 6*a**3*b*d**4*n*x + 24*a**2*b**2*c*d**3*n*x + 3*a**2*b
**2*d**4*n*x**2 - 24*a*b**3*c**3*d*x - 36*a*b**3*c**2*d**2*n*x - 36*a*b**3
*c**2*d**2*x**2 - 12*a*b**3*c*d**3*n*x**2 - 24*a*b**3*c*d**3*x**3 - 2*a*b*
*3*d**4*n*x**3 - 6*a*b**3*d**4*x**4 + 18*b**4*c**3*d*n*x + 9*b**4*c**2*d**
2*n*x**2 + 2*b**4*c*d**3*n*x**3))/(24*b**3*d)
```

3.131 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$

Optimal result . . . 1541
Mathematica [A] (verified) . . . 1542
Rubi [A] (verified) . . . 1543
Maple [F] . . . 1549
Fricas [F] . . . 1549
Sympy [F] . . . 1550
Maxima [B] (verification not implemented) . . . 1550
Giac [F] . . . 1551
Mupad [F(-1)] . . . 1552
Reduce [F] . . . 1552

Optimal result

Integrand size = 43, antiderivative size = 373

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx \\
&= -\frac{5Bd(bc-ad)^2i^3nx}{6b^3g} - \frac{B(bc-ad)i^3n(c+dx)^2}{6b^2g} \\
&\quad + \frac{d(bc-ad)^2i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^4g} \\
&\quad + \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g} \\
&\quad + \frac{i^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3bg} \\
&\quad - \frac{5B(bc-ad)^3i^3n\log\left(\frac{a+bx}{c+dx}\right)}{6b^4g} - \frac{11B(bc-ad)^3i^3n\log(c+dx)}{6b^4g} \\
&\quad - \frac{(bc-ad)^3i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{B(bc-ad)^3i^3n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g}
\end{aligned}
$$

output

```
-5/6*B*d*(-a*d+b*c)^2*i^3*n*x/b^3/g-1/6*B*(-a*d+b*c)*i^3*n*(d*x+c)^2/b^2/g
+d*(-a*d+b*c)^2*i^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/g+1/2*(-a*
d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g+1/3*i^3*(d*x+c)
^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g-5/6*B*(-a*d+b*c)^3*i^3*n*ln((b*x+a)
/(d*x+c))/b^4/g-11/6*B*(-a*d+b*c)^3*i^3*n*ln(d*x+c)/b^4/g-(-a*d+b*c)^3*i^3
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g+B*(-a*d+b
*c)^3*i^3*n*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g
```

Mathematica [A] (verified)

Time = 0.33 (sec) , antiderivative size = 368, normalized size of antiderivative = 0.99

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i^3\Big(6Abd(bc-ad)^2x-3B(bc-ad)^2n(bdx+(bc-ad)\log(a+bx))-B(bc-ad)n(2bd(bc-ad)x+b^2($$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g +
b*g*x),x]
```

output

```
(i^3*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*n*(b*d*x + (b*c - a*d)*L
og[a + b*x]) - B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*
(b*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*
x)/(c + d*x))^n] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]) + 2*b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) +
 6*(b*c - a*d)^3*Log[g*(a + b*x)]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) -
 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 3*B*(b*c - a*d)^3*n*(Log[g*(a + b*x)]*
(Log[g*(a + b*x)] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a
 + b*x))/(-(b*c) + a*d)])))/(6*b^4*g)
```

Rubi [A] (verified)

Time = 1.38 (sec) , antiderivative size = 478, normalized size of antiderivative = 1.28, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.326$, Rules used = {2961, 2789, 2756, 54, 2009, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ag+bgx}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)^3\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\int \frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 54$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B}{(a+bx)\left(b}}{g}$$

$$\downarrow 2009$$

$$i^3(bc-ad)^3\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^3}+\frac{1}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{}{2b\left(}\right.}{3d}\right)}{b}}{g}$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log\left(b-\right.}{}\right.}{}\right)}{g}$$

$$\downarrow 2756$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.}{g}$$

$$\downarrow 54$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+b}{c+d}}{b}\right)}{b}$$

$$\downarrow 2009$$

$$i^3(bc-ad)^3\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}\right)}{b}+\frac{}{g}$$

$$\downarrow 2789$$

$$i^3(bc-ad)^3\left(\frac{\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d}{}\right.}{b^2}\right.}{2}\right.}{b}\right.}{g}$$

$$\downarrow 2751$$

$$i^3(bc-ad)^3\left(\frac{\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.}{b}\right.}{}$$

$$\downarrow 16$$

$$i^3(bc-ad)^3\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\right.}{b}\right.}{}$$

$$\downarrow 2779$$

$$i^3(bc-ad)^3\left(\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(}{}\right.\right.}{bd}}{b}\right)$$

$$\downarrow 2838$$

$$i^3(bc-ad)^3\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)(}{b}}{b}\right)$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
,x]
```

output
```
((b*c - a*d)^3*i^3*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(3*d*(b - (
d*(a + b*x))/(c + d*x))^3) - (B*n*(1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2)
 + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 -
Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(3*d)))/b + ((d*((A + B*Log[e*((a +
 b*x)/(c + d*x))^n])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*(1/(b*(b
 - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(
a + b*x))/(c + d*x)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[e*((a +
b*x)/(c + d*x))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Lo
g[b - (d*(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c
 + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b
*(c + d*x))/(d*(a + b*x))])/b)/b)/b)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log(e*
((b*x + a)/(d*x + c))^n))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$

$$= \frac{i^3\left(\int \frac{Ac^3}{a+bx}\,dx+\int \frac{Ad^3x^3}{a+bx}\,dx+\int \frac{Bc^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx+\int \frac{3Acd^2x^2}{a+bx}\,dx+\int \frac{3Ac^2dx}{a+bx}\,dx+\int \frac{Bd^3x^3\log\left(e\left(\frac{a}{c+dx}\right.\right.\right.}{a+bx}}{g}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g),x)
```

output
```
i**3*(Integral(A*c**3/(a + b*x), x) + Integral(A*d**3*x**3/(a + b*x), x) +
 Integral(B*c**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + I
ntegral(3*A*c*d**2*x**2/(a + b*x), x) + Integral(3*A*c**2*d*x/(a + b*x), x
) + Integral(B*d**3*x**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x)
, x) + Integral(3*B*c*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a
 + b*x), x) + Integral(3*B*c**2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n
)/(a + b*x), x))/g
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 935 vs. $2(360) = 720$.

Time $= 0.38$ (sec) , antiderivative size $= 935$, normalized size of antiderivative $= 2.51$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="maxima")
```

output

```
3*A*c^2*d*i^3*(x/(b*g) - a*log(b*x + a)/(b^2*g)) - 1/6*A*d^3*i^3*(6*a^3*lo
g(b*x + a)/(b^4*g) - (2*b^2*x^3 - 3*a*b*x^2 + 6*a^2*x)/(b^3*g)) + 3/2*A*c*
d^2*i^3*(2*a^2*log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A*c^3*i^3
*log(b*g*x + a*g)/(b*g) - 1/6*(11*b^2*c^3*i^3*n - 15*a*b*c^2*d*i^3*n + 6*a
^2*c*d^2*i^3*n)*B*log(d*x + c)/(b^3*g) + (b^3*c^3*i^3*n - 3*a*b^2*c^2*d*i^
3*n + 3*a^2*b*c*d^2*i^3*n - a^3*d^3*i^3*n)*(log(b*x + a)*log((b*d*x + a*d)
/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(b^4*g) + 1/6*(2*
B*b^3*d^3*i^3*x^3*log(e) - ((i^3*n - 9*i^3*log(e))*b^3*c*d^2 - (i^3*n - 3*
i^3*log(e))*a*b^2*d^3)*B*x^2 - 3*(b^3*c^3*i^3*n - 3*a*b^2*c^2*d*i^3*n + 3*
a^2*b*c*d^2*i^3*n - a^3*d^3*i^3*n)*B*log(b*x + a)^2 - ((7*i^3*n - 18*i^3*l
og(e))*b^3*c^2*d - 6*(2*i^3*n - 3*i^3*log(e))*a*b^2*c*d^2 + (5*i^3*n - 6*i
^3*log(e))*a^2*b*d^3)*B*x + (6*b^3*c^3*i^3*log(e) + 18*(i^3*n - i^3*log(e)
)*a*b^2*c^2*d - 9*(3*i^3*n - 2*i^3*log(e))*a^2*b*c*d^2 + (11*i^3*n - 6*i^3
*log(e))*a^3*d^3)*B*log(b*x + a) + (2*B*b^3*d^3*i^3*x^3 + 3*(3*b^3*c*d^2*i
^3 - a*b^2*d^3*i^3)*B*x^2 + 6*(3*b^3*c^2*d*i^3 - 3*a*b^2*c*d^2*i^3 + a^2*b
*d^3*i^3)*B*x + 6*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c*d^2*i^3 - a
^3*d^3*i^3)*B*log(b*x + a))*log((b*x + a)^n) - (2*B*b^3*d^3*i^3*x^3 + 3*(3
*b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B*x^2 + 6*(3*b^3*c^2*d*i^3 - 3*a*b^2*c*d^2
*i^3 + a^2*b*d^3*i^3)*B*x + 6*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c
*d^2*i^3 - a^3*d^3*i^3)*B*log(b*x + a))*log((d*x + c)^n))/(b^4*g)
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x, al
gorithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ag+bgx}\,dx$$
$$= \frac{i\left(-6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right)b^5c^3 - 6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^3}{bx+a}dx\right)b^5d^3 - 18\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^2}{bx+a}dx\right)b^5c\,d^2 - 18\left(\int \frac{\log}{}\right.\right.\right.}{}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g),x)
```

output
```
(i*( - 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*b**5*c**3 - 6
*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a + b*x),x)*b**5*d**3 - 18
*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a + b*x),x)*b**5*c*d**2 -
18*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*b**5*c**2*d + 6
*log(a + b*x)*a**4*d**3 - 18*log(a + b*x)*a**3*b*c*d**2 + 18*log(a + b*x)*
a**2*b**2*c**2*d - 6*log(a + b*x)*a*b**3*c**3 - 6*a**3*b*d**3*x + 18*a**2*
b**2*c*d**2*x + 3*a**2*b**2*d**3*x**2 - 18*a*b**3*c**2*d*x - 9*a*b**3*c*d*
*2*x**2 - 2*a*b**3*d**3*x**3))/(6*b**4*g)
```

3.132 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$

Optimal result . . . 1553
Mathematica [A] (verified) . . . 1554
Rubi [A] (verified) . . . 1555
Maple [F] . . . 1556
Fricas [F] . . . 1557
Sympy [F(-1)] . . . 1557
Maxima [B] (verification not implemented) . . . 1558
Giac [F] . . . 1559
Mupad [F(-1)] . . . 1559
Reduce [F] . . . 1559

Optimal result

Integrand size = 43, antiderivative size = 390

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx \\
&= -\frac{Bd^2(bc-ad)i^3nx}{2b^3g^2} - \frac{B(bc-ad)^2i^3n(c+dx)}{b^3g^2(a+bx)} \\
&\quad + \frac{2d^2(bc-ad)i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^4g^2} \\
&\quad - \frac{(bc-ad)^2i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^2(a+bx)} \\
&\quad + \frac{di^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g^2} \\
&\quad - \frac{Bd(bc-ad)^2i^3n\log\left(\frac{a+bx}{c+dx}\right)}{2b^4g^2} - \frac{5Bd(bc-ad)^2i^3n\log(c+dx)}{2b^4g^2} \\
&\quad - \frac{3d(bc-ad)^2i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{3Bd(bc-ad)^2i^3n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2}
\end{aligned}
$$

output
```
-1/2*B*d^2*(-a*d+b*c)*i^3*n*x/b^3/g^2-B*(-a*d+b*c)^2*i^3*n*(d*x+c)/b^3/g^2
/(b*x+a)+2*d^2*(-a*d+b*c)*i^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/
g^2-(-a*d+b*c)^2*i^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/g^2/(b*x+
a)+1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^2-1/2*B*d*(-a
*d+b*c)^2*i^3*n*ln((b*x+a)/(d*x+c))/b^4/g^2-5/2*B*d*(-a*d+b*c)^2*i^3*n*ln(
d*x+c)/b^4/g^2-3*d*(-a*d+b*c)^2*i^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b
*(d*x+c)/d/(b*x+a))/b^4/g^2+3*B*d*(-a*d+b*c)^2*i^3*n*polylog(2,b*(d*x+c)/d
/(b*x+a))/b^4/g^2
```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.01

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx$$
$$= \frac{i^3\left(2Abd^2(3bc-2ad)x - bBd^2(bc-ad)nx - \frac{2B(bc-ad)^3n}{a+bx} - a^2Bd^3n\log(a+bx) - 2Bd(bc-ad)^2n\log(a\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g +
b*g*x)^2,x]
```

output
```
(i^3*(2*A*b*d^2*(3*b*c - 2*a*d)*x - b*B*d^2*(b*c - a*d)*n*x - (2*B*(b*c -
a*d)^3*n)/(a + b*x) - a^2*B*d^3*n*Log[a + b*x] - 2*B*d*(b*c - a*d)^2*n*Log
[a + b*x] + 2*B*d^2*(3*b*c - 2*a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^
n] + b^2*d^3*x^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (2*(b*c - a*d)^3
*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + 6*d*(b*c - a*d)^2*Log
[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + b^2*B*c^2*d*n*Log[c + d
*x] + 2*B*d*(b*c - a*d)^2*n*Log[c + d*x] - 2*B*d*(-(b*c) + a*d)*(-3*b*c +
2*a*d)*n*Log[c + d*x] - 3*B*d*(b*c - a*d)^2*n*(Log[a + b*x]*(Log[a + b*x]
- 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) +
 a*d)])))/(2*b^4*g^2)
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 343, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)^2\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2793$$

$$\frac{i^3(bc-ad)^2\int\left(\frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d^2}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{(c+dx)^2\left(A+B\log}{b^3(a+b}\right.}{g^2}$$

$$\downarrow 2009$$

$$\frac{i^3(bc-ad)^2\left(\frac{2d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{3d\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4}-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^3(a+bx)}+\right.}{}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^2,x]
```

output
```
((b*c - a*d)^2*i^3*(-((B*n*(c + d*x))/(b^3*(a + b*x))) - (B*d*n)/(2*b^3*(b
 - (d*(a + b*x))/(c + d*x))) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]))/(b^3*(a + b*x)) + (d*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*b^
2*(b - (d*(a + b*x))/(c + d*x))^2) + (2*d^2*(a + b*x)*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(b^4*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (B*d*n
*Log[(a + b*x)/(c + d*x)])/(2*b^4) + (5*B*d*n*Log[b - (d*(a + b*x))/(c + d
*x)])/(2*b^4) - (3*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c
 + d*x))/(d*(a + b*x))])/b^4 + (3*B*d*n*PolyLog[2, (b*(c + d*x))/(d*(a + b*
x))])/b^4))/g^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^2}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log(e*
((b*x + a)/(d*x + c))^n))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1785 vs. $2(381) = 762$.

Time $= 0.38$ (sec) , antiderivative size $= 1785$, normalized size of antiderivative $= 4.58$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="maxima")
```

output

```
-B*c^3*i^3*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^
2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - 3*A*(a^2/(b^4*g^2*x + a*b^3*g
^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^2))*c*d^2*i^3 + 1/2*(2*a^3/(b^
5*g^2*x + a*b^4*g^2) + 6*a^2*log(b*x + a)/(b^4*g^2) + (b*x^2 - 4*a*x)/(b^3
*g^2))*A*d^3*i^3 + 3*A*c^2*d*i^3*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)
/(b^2*g^2)) - B*c^3*i^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^2*g^2*x
+ a*b*g^2) - A*c^3*i^3/(b^2*g^2*x + a*b*g^2) - 1/2*(5*b^3*c^3*d*i^3*n - 3*
a*b^2*c^2*d^2*i^3*n - 2*a^2*b*c*d^3*i^3*n + 2*a^3*d^4*i^3*n)*B*log(d*x + c
)/(b^5*c*g^2 - a*b^4*d*g^2) + 1/2*((b^4*c*d^3*i^3*log(e) - a*b^3*d^4*i^3*l
og(e))*B*x^3 - ((i^3*n - 6*i^3*log(e))*b^4*c^2*d^2 - (2*i^3*n - 9*i^3*log(
e))*a*b^3*c*d^3 + (i^3*n - 3*i^3*log(e))*a^2*b^2*d^4)*B*x^2 - ((i^3*n - 6*
i^3*log(e))*a*b^3*c^2*d^2 - 2*(i^3*n - 5*i^3*log(e))*a^2*b^2*c*d^3 + (i^3*
n - 4*i^3*log(e))*a^3*b*d^4)*B*x - 3*((b^4*c^3*d*i^3*n - 3*a*b^3*c^2*d^2*i
^3*n + 3*a^2*b^2*c*d^3*i^3*n - a^3*b*d^4*i^3*n)*B*x + (a*b^3*c^3*d*i^3*n -
 3*a^2*b^2*c^2*d^2*i^3*n + 3*a^3*b*c*d^3*i^3*n - a^4*d^4*i^3*n)*B)*log(b*x
 + a)^2 + 2*(3*(i^3*n + i^3*log(e))*a*b^3*c^3*d - 6*(i^3*n + i^3*log(e))*a
^2*b^2*c^2*d^2 + 4*(i^3*n + i^3*log(e))*a^3*b*c*d^3 - (i^3*n + i^3*log(e))
*a^4*d^4)*B + ((6*b^4*c^3*d*i^3*log(e) + 6*(2*i^3*n - 3*i^3*log(e))*a*b^3*
c^2*d^2 - (17*i^3*n - 18*i^3*log(e))*a^2*b^2*c*d^3 + (7*i^3*n - 6*i^3*log(
e))*a^3*b*d^4)*B*x + (6*a*b^3*c^3*d*i^3*log(e) + 6*(2*i^3*n - 3*i^3*log...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x,
algorithm="giac")
```

output
```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^2,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2,x)
```

output

```
(i*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a**3*b**5*d**4 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x*
*3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**3 - 2*int((log(((a + b*
x)**n*e)/(c + d*x)**n)*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*d**
4*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**2 + 2*a*b*x + b*
*2*x**2),x)*a*b**7*c*d**3*x - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x*
*2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c*d**3 + 6*int((log(((a + b*
x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**
2*d**2 - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x +
 b**2*x**2),x)*a**2*b**6*c*d**3*x + 6*int((log(((a + b*x)**n*e)/(c + d*x)*
*n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c**2*d**2*x - 6*int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**
5*c**2*d**2 + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x
 + b**2*x**2),x)*a**2*b**6*c**3*d - 6*int((log(((a + b*x)**n*e)/(c + d*x)*
*n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c**2*d**2*x + 6*int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c
**3*d*x - 6*log(a + b*x)*a**6*d**4 + 18*log(a + b*x)*a**5*b*c*d**3 - 6*log
(a + b*x)*a**5*b*d**4*x - 18*log(a + b*x)*a**4*b**2*c**2*d**2 + 18*log(a +
 b*x)*a**4*b**2*c*d**3*x + 6*log(a + b*x)*a**3*b**3*c**3*d - 18*log(a + b*
x)*a**3*b**3*c**2*d**2*x + 6*log(a + b*x)*a**2*b**4*c**3*d*x - 2*log(a ...
```

3.133 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$

Optimal result . . . 1561
Mathematica [A] (verified) . . . 1562
Rubi [A] (verified) . . . 1563
Maple [F] . . . 1564
Fricas [F] . . . 1565
Sympy [F] . . . 1565
Maxima [B] (verification not implemented) . . . 1566
Giac [F] . . . 1567
Mupad [F(-1)] . . . 1567
Reduce [F] . . . 1567

Optimal result

Integrand size = 43, antiderivative size = 361

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx \\
&= -\frac{2Bd(bc-ad)i^3n(c+dx)}{b^3g^3(a+bx)} - \frac{B(bc-ad)i^3n(c+dx)^2}{4b^2g^3(a+bx)^2} \\
&\quad + \frac{d^3i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^4g^3} \\
&\quad - \frac{2d(bc-ad)i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^3(a+bx)} \\
&\quad - \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g^3(a+bx)^2} - \frac{Bd^2(bc-ad)i^3n\log(c+dx)}{b^4g^3} \\
&\quad - \frac{3d^2(bc-ad)i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{3Bd^2(bc-ad)i^3n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3}
\end{aligned}
$$

output

```
-2*B*d*(-a*d+b*c)*i^3*n*(d*x+c)/b^3/g^3/(b*x+a)-1/4*B*(-a*d+b*c)*i^3*n*(d*
x+c)^2/b^2/g^3/(b*x+a)^2+d^3*i^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b
^4/g^3-2*d*(-a*d+b*c)*i^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/g^3/
(b*x+a)-1/2*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g
^3/(b*x+a)^2-B*d^2*(-a*d+b*c)*i^3*n*ln(d*x+c)/b^4/g^3-3*d^2*(-a*d+b*c)*i^3
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^3+3*B*d^2
*(-a*d+b*c)*i^3*n*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^3
```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 331, normalized size of antiderivative = 0.92

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$

$$= \frac{i^3\left(4Abd^3x - \frac{B(bc-ad)^3n}{(a+bx)^2} - \frac{10Bd(bc-ad)^2n}{a+bx} + 10Bd^2(-bc+ad)n\log(a+bx) + 4Bd^3(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + 
b*g*x)^3,x]
```

output

```
(i^3*(4*A*b*d^3*x - (B*(b*c - a*d)^3*n)/(a + b*x)^2 - (10*B*d*(b*c - a*d)^
2*n)/(a + b*x) + 10*B*d^2*(-(b*c) + a*d)*n*Log[a + b*x] + 4*B*d^3*(a + b*x
)*Log[e*((a + b*x)/(c + d*x))^n] - (2*(b*c - a*d)^3*(A + B*Log[e*((a + b*x
)/(c + d*x))^n]))/(a + b*x)^2 - (12*d*(b*c - a*d)^2*(A + B*Log[e*((a + b*x
)/(c + d*x))^n]))/(a + b*x) + 12*d^2*(b*c - a*d)*Log[a + b*x]*(A + B*Log[e
*((a + b*x)/(c + d*x))^n]) + 6*B*d^2*(b*c - a*d)*n*Log[c + d*x] + 6*B*d^2*
(-(b*c) + a*d)*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - 
a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(4*b^4*g^3)
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 309, normalized size of antiderivative = 0.86, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2793$$

$$\frac{i^3(bc-ad)\int \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d^3}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d}{b^3(a+bx)^2}+\frac{(c+dx)^3\left(A}{}\right.}{g^3}$$

$$\downarrow 2009$$

$$\frac{i^3(bc-ad)\left(\frac{d^3(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{3d^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4}-\frac{2d(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^3(a+bx)}-\right.}{g^3}$$

input
```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^3,x]
```

output
```
((b*c - a*d)*i^3*((-2*B*d*n*(c + d*x))/(b^3*(a + b*x)) - (B*n*(c + d*x)^2)
/(4*b^2*(a + b*x)^2) - (2*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n
]))/(b^3*(a + b*x)) - ((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))
/(2*b^2*(a + b*x)^2) + (d^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n
]))/(b^4*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*d^2*n*Log[b - (d*(a
 + b*x))/(c + d*x)])/b^4 - (3*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*L
og[1 - (b*(c + d*x))/(d*(a + b*x))])/b^4 + (3*B*d^2*n*PolyLog[2, (b*(c + d
*x))/(d*(a + b*x))])/b^4))/g^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^3}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log(e*
((b*x + a)/(d*x + c))^n))/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x +
 a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx$$
$$= \frac{i^3\left(\int \frac{Ac^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Ad^3x^3}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{Bc^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{3Acd^2x^2}{a^3+3a^2bx+3ab^2x^2+}\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3,x
)
```

output
```
i**3*(Integral(A*c**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
+ Integral(A*d**3*x**3/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x)
 + Integral(B*c**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*
b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*A*c*d**2*x**2/(a**3 + 3*
a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*A*c**2*d*x/(a**3 + 
3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(B*d**3*x**3*log(e*(
a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3
*x**3), x) + Integral(3*B*c*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))*
*n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(3*B*c**
2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**
2*x**2 + b**3*x**3), x))/g**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2746 vs. $2(356) = 712$.

Time $= 0.43$ (sec) , antiderivative size $= 2746$, normalized size of antiderivative $= 7.61$

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="maxima")
```

output

```
-3/4*B*c^2*d*i^3*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c - a*
b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g
^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d
^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*
b^2*d^2)*g^3)) + 1/4*B*c^3*i^3*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*
d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) +
2*d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d
*x + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - 1/2*A*d^3*i^3*((6*a^2
*b*x + 5*a^3)/(b^6*g^3*x^2 + 2*a*b^5*g^3*x + a^2*b^4*g^3) - 2*x/(b^3*g^3)
+ 6*a*log(b*x + a)/(b^4*g^3)) + 3/2*A*c*d^2*i^3*((4*a*b*x + 3*a^2)/(b^5*g^
3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^3*g^3)) - 3/2*(2*
b*x + a)*B*c^2*d*i^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^4*g^3*x^2 +
 2*a*b^3*g^3*x + a^2*b^2*g^3) - 3/2*(2*b*x + a)*A*c^2*d*i^3/(b^4*g^3*x^2 +
 2*a*b^3*g^3*x + a^2*b^2*g^3) - 1/2*B*c^3*i^3*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n)/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) - 1/2*A*c^3*i^3/(b^3*
g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) - 1/2*(2*b^3*c^3*d^2*i^3*n + 8*a*b^2*
c^2*d^3*i^3*n - 13*a^2*b*c*d^4*i^3*n + 5*a^3*d^5*i^3*n)*B*log(d*x + c)/(b^
6*c^2*g^3 - 2*a*b^5*c*d*g^3 + a^2*b^4*d^2*g^3) + 1/4*(4*(b^5*c^2*d^3*i^3*l
og(e) - 2*a*b^4*c*d^4*i^3*log(e) + a^2*b^3*d^5*i^3*log(e))*B*x^3 + 8*(a*b^
4*c^2*d^3*i^3*log(e) - 2*a^2*b^3*c*d^4*i^3*log(e) + a^3*b^2*d^5*i^3*log...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x,
algorithm="giac")
```

output
```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^3,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3,x)
```

output

```
(i*( - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3),x)*a**6*b**5*d**5 + 8*int((log(((a + b*x)**n*
e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*
a**5*b**6*c*d**4 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 +
 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*d**5*x - 4*int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 +
b**3*x**3),x)*a**4*b**7*c**2*d**3 + 16*int((log(((a + b*x)**n*e)/(c + d*x)
**n)*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*c*
d**4*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*
x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*d**5*x**2 - 8*int((log(((a + b
*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x*
*3),x)*a**3*b**8*c**2*d**3*x + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x
**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**8*c*d**4*x
**2 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**3 + 3*a**2*b*x +
 3*a*b**2*x**2 + b**3*x**3),x)*a**2*b**9*c**2*d**3*x**2 - 12*int((log(((a
+ b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3
*x**3),x)*a**6*b**5*c*d**4 + 24*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x*
*2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c**2*d**3
 - 24*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3
*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c*d**4*x - 12*int((log(((a + b*x...
```

3.134 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$

Optimal result . . . 1569
Mathematica [A] (verified) . . . 1570
Rubi [A] (verified) . . . 1570
Maple [F] . . . 1575
Fricas [F] . . . 1576
Sympy [F] . . . 1576
Maxima [F] . . . 1577
Giac [F] . . . 1578
Mupad [F(-1)] . . . 1579
Reduce [F] . . . 1579

Optimal result

Integrand size = 43, antiderivative size = 326

$$\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx \\
&= -\frac{Bd^2i^3n(c+dx)}{b^3g^4(a+bx)} - \frac{Bdi^3n(c+dx)^2}{4b^2g^4(a+bx)^2} - \frac{Bi^3n(c+dx)^3}{9bg^4(a+bx)^3} \\
&\quad - \frac{d^2i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^4(a+bx)} \\
&\quad - \frac{di^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g^4(a+bx)^2} - \frac{i^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3bg^4(a+bx)^3} \\
&\quad - \frac{d^3i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4} + \frac{Bd^3i^3n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4}
\end{aligned}$$

output

```
-B*d^2*i^3*n*(d*x+c)/b^3/g^4/(b*x+a)-1/4*B*d*i^3*n*(d*x+c)^2/b^2/g^4/(b*x+
a)^2-1/9*B*i^3*n*(d*x+c)^3/b/g^4/(b*x+a)^3-d^2*i^3*(d*x+c)*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))/b^3/g^4/(b*x+a)-1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d
*x+c))^n))/b^2/g^4/(b*x+a)^2-1/3*i^3*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))
^n))/b/g^4/(b*x+a)^3-d^3*i^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c
)/d/(b*x+a))/b^4/g^4+B*d^3*i^3*n*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^4
```

Mathematica [A] (verified)

Time = 0.53 (sec) , antiderivative size = 326, normalized size of antiderivative = 1.00

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{i^3\left(-\frac{4B(bc-ad)^3n}{(a+bx)^3}-\frac{21Bd(bc-ad)^2n}{(a+bx)^2}+\frac{66Bd^2(-bc+ad)n}{a+bx}-66Bd^3n\log(a+bx)-\frac{12(bc-ad)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}-\right.}{}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)^4,x]
```

output
```
(i^3*((-4*B*(b*c - a*d)^3*n)/(a + b*x)^3 - (21*B*d*(b*c - a*d)^2*n)/(a + b*x)^2 + (66*B*d^2*(-(b*c) + a*d)*n)/(a + b*x) - 66*B*d^3*n*Log[a + b*x] - (12*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^3 - (54*d*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 + (108*d^2*(-(b*c) + a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + 36*d^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 66*B*d^3*n*Log[c + d*x] - 18*B*d^3*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/(36*b^4*g^4)
```

Rubi [A] (verified)

Time = 1.09 (sec) , antiderivative size = 286, normalized size of antiderivative = 0.88, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.209$, Rules used = {2961, 2780, 2741, 2780, 2741, 2780, 2741, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ag+bgx)^4}\,dx$$
$$\downarrow \text{2961}$$

$$\frac{i^3 \int \frac{(c+dx)^4 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3 \left(\frac{\int \frac{(c+dx)^4 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4} d\frac{a+bx}{c+dx}}{b} + \frac{d \int \frac{(c+dx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} \right)}{g^4}$$

$$\downarrow 2741$$

$$\frac{i^3 \left(\frac{d \int \frac{(c+dx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} - \frac{Bn(c+dx)^3}{9(a+bx)^3}}{b} \right)}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3 \left(\frac{d \left(\frac{\int \frac{(c+dx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3} d\frac{a+bx}{c+dx}}{b} + \frac{d \int \frac{(c+dx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} \right)}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} - \frac{Bn(c+dx)^3}{9(a+bx)^3}}{b} \right)}{g^4}$$

$$\downarrow 2741$$

$$\frac{i^3 \left(\frac{d \left(\frac{d \int \frac{(c+dx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{b} + \frac{-\frac{(c+dx)^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} - \frac{Bn(c+dx)^2}{4(a+bx)^2}}{b} \right)}{b} + \frac{-\frac{(c+dx)^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} - \frac{Bn(c+}{9(a+b}}{b} \right)}{g^4}$$

$$\downarrow 2780$$

$$i^3\left(\frac{d\left(\frac{d\left(\frac{\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}}{b}\right)}{b}\right)}{g^4}$$

$$\downarrow 2741$$

$$i^3\left(\frac{d\left(\frac{d\left(\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}}{b}\right)}{b}+\frac{-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}}{b}\right)}{b}\right)}{g^4}$$

$$\downarrow 2779$$



$\downarrow$ 2838



input
```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*g + b*g*x)
^4,x]
```

output
```
(i^3*((-1/9*(B*n*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3))/b + (d*((-1/4*(B*n*(c + d*x)^2)/(a
  + b*x)^2 - ((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b
 *x)^2))/b + (d*((-((B*n*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[e*((
 a + b*x)/(c + d*x))^n]))/(a + b*x))/b + (d*(-(((A + B*Log[e*((a + b*x)/(c
 + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*
 (c + d*x))/(d*(a + b*x))])/b))/b))/b))/b))/g^4
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
 Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(bgx+ag)^4}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^4}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="fricas")
```

output
```
integral((A*d^3*i^3*x^3 + 3*A*c*d^2*i^3*x^2 + 3*A*c^2*d*i^3*x + A*c^3*i^3
+ (B*d^3*i^3*x^3 + 3*B*c*d^2*i^3*x^2 + 3*B*c^2*d*i^3*x + B*c^3*i^3)*log(e*
((b*x + a)/(d*x + c))^n))/(b^4*g^4*x^4 + 4*a*b^3*g^4*x^3 + 6*a^2*b^2*g^4*x
^2 + 4*a^3*b*g^4*x + a^4*g^4), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx$$
$$= \frac{i^3\left(\int \frac{Ac^3}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{Ad^3x^3}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{Bc^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4,x
)
```

output

```
i**3*(Integral(A*c**3/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**
3 + b**4*x**4), x) + Integral(A*d**3*x**3/(a**4 + 4*a**3*b*x + 6*a**2*b**2
*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B*c**3*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x*
*3 + b**4*x**4), x) + Integral(3*A*c*d**2*x**2/(a**4 + 4*a**3*b*x + 6*a**2
*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*A*c**2*d*x/(a**4
+ 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integra
l(B*d**3*x**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x +
 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*B*c*d**2*x
**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*b*
*2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(3*B*c**2*d*x*log(e*(a/
(c + d*x) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a
*b**3*x**3 + b**4*x**4), x))/g**4
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^4}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="maxima")
```

output

```
-1/6*B*c*d^2*i^3*n*((11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4*c
^2 - 3*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2*a
^3*b*d^2)*x)/((b^8*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c^2
 - 2*a^2*b^6*c*d + a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d +
 a^4*b^4*d^2)*g^4*x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) + 6
*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*c^
2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2 +
 a^2*d^3)*log(d*x + c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b
^3*d^3)*g^4)) - 1/18*B*c^3*i^3*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d +
 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4
*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a
^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2
*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*
a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*c
^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4)) - 1/12*B*c^2*d*i^3*n*((5*a*b^2*c
^2 - 22*a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c
^2 - 16*a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)
*g^4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^
5*c^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d
+ a^5*b^2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(bgx+ag)^4}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x,
algorithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(b*g*x +
a*g)^4, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^4}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^4,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^4, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ag+bgx)^4}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4,x)
```

output

```
(i*( - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**4 + 4*a**3*b*x
 + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**8*b**5*d**6 + 108*i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b
**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**7*b**6*c*d**5 - 108*int((log((
(a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2
+ 4*a*b**3*x**3 + b**4*x**4),x)*a**7*b**6*d**6*x - 108*int((log(((a + b*x)
**n*e)/(c + d*x)**n)*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**
3*x**3 + b**4*x**4),x)*a**6*b**7*c**2*d**4 + 324*int((log(((a + b*x)**n*e)
/(c + d*x)**n)*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3
 + b**4*x**4),x)*a**6*b**7*c*d**5*x - 108*int((log(((a + b*x)**n*e)/(c + d
*x)**n)*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4
*x**4),x)*a**6*b**7*d**6*x**2 + 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),
x)*a**5*b**8*c**3*d**3 - 324*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)
/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**
5*b**8*c**2*d**4*x + 324*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a*
*4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**5*b*
*8*c*d**5*x**2 - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**4 +
4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**5*b**8*d*
*6*x**3 + 108*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**4 + 4*a...
```

3.135 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$

Optimal result . . . 1581
Mathematica [A] (verified) . . . 1582
Rubi [A] (verified) . . . 1582
Maple [F] . . . 1585
Fricas [F] . . . 1585
Sympy [F] . . . 1586
Maxima [B] (verification not implemented) . . . 1586
Giac [F(-1)] . . . 1587
Mupad [F(-1)] . . . 1588
Reduce [F] . . . 1588

Optimal result

Integrand size = 43, antiderivative size = 269

$$\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx \\
&= \frac{g^3(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3di} \\
&\quad - \frac{(bc-ad)g^3(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6d^2i} \\
&\quad + \frac{(bc-ad)^2g^3(a+bx)\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6d^3i} \\
&\quad + \frac{(bc-ad)^3g^3\left(6A+11Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{6d^4i} \\
&\quad + \frac{B(bc-ad)^3g^3n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i}
\end{aligned}$$

output

```
1/3*g^3*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i-1/6*(-a*d+b*c)*g^3*(
b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))/d^2/i+1/6*(-a*d+b*c)^2*g^
3*(b*x+a)*(6*A+5*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^n))/d^3/i+1/6*(-a*d+b*c)^3
*g^3*(6*A+11*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d
^4/i+B*(-a*d+b*c)^3*g^3*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i
```

Mathematica [A] (verified)

Time = 0.34 (sec) , antiderivative size = 370, normalized size of antiderivative = 1.38

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$=\frac{g^3\Big(6Abd(bc-ad)^2x+6Bd(bc-ad)^2(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3d^2(-bc+ad)(a+bx)^2\left(A+B\log\left(e\left(\frac{}{}\right.\right.\right.}{}$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x),x]
```

output
```
(g^3*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] + B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) - 6*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[i*(c + d*x)] + 3*B*(b*c - a*d)^3*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[i*(c + d*x)])*Log[i*(c + d*x)] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(6*d^4*i)
```

Rubi [A] (verified)

Time = 0.76 (sec) , antiderivative size = 315, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.140$, Rules used = {2961, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow 2961$$

$$\frac{g^3(bc-ad)^3\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\int\frac{(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}}{3d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+6A+5Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{6A+11}{}}{2d}}{3d}\right)}{i}$$

$$\downarrow 2754$$

$$\frac{g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+6A+5Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{6Bn\int\frac{(c}{}}{}}{3d}\right)}{i}$$

$$\downarrow 2838$$

$$g^3(bc-ad)^3\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+6A+5Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(1-\right.}{}}{3d}\right.$$

$$\Big)\Big/i$$

input
```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
,x]
```

output
```
((b*c - a*d)^3*g^3*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(
3*d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a + b*x)^2*(3*A + B*
n + 3*B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x
))/(c + d*x))^2) - (((a + b*x)*(6*A + 5*B*n + 6*B*Log[e*((a + b*x)/(c + d*
x))^n]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((6*A + 11*B*n +
 6*B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])
/d) - (6*B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d))/(3*d)))
/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))  Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{dix+ci}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log(e*
((b*x + a)/(d*x + c))^n))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^3\left(\int \frac{Aa^3}{c+dx}\,dx+\int \frac{Ab^3x^3}{c+dx}\,dx+\int \frac{Ba^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx+\int \frac{3Aab^2x^2}{c+dx}\,dx+\int \frac{3Aa^2bx}{c+dx}\,dx+\int \frac{Bb^3x^3\log\left(e\left(\frac{a}{c+dx}\right.\right.\right.}{i}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i),x)
```

output
```
g**3*(Integral(A*a**3/(c + d*x), x) + Integral(A*b**3*x**3/(c + d*x), x) +
 Integral(B*a**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + I
ntegral(3*A*a*b**2*x**2/(c + d*x), x) + Integral(3*A*a**2*b*x/(c + d*x), x
) + Integral(B*b**3*x**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x)
, x) + Integral(3*B*a*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c
 + d*x), x) + Integral(3*B*a**2*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n
)/(c + d*x), x))/i
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1003 vs. $2(260) = 520$.

Time $= 0.36$ (sec) , antiderivative size $= 1003$, normalized size of antiderivative $= 3.73$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="maxima")
```

output

```
3*A*a^2*b*g^3*(x/(d*i) - c*log(d*x + c)/(d^2*i)) - 1/6*A*b^3*g^3*(6*c^3*lo
g(d*x + c)/(d^4*i) - (2*d^2*x^3 - 3*c*d*x^2 + 6*c^2*x)/(d^3*i)) + 3/2*A*a*
b^2*g^3*(2*c^2*log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A*a^3*g^3
*log(d*i*x + c*i)/(d*i) - (b^3*c^3*g^3*n - 3*a*b^2*c^2*d*g^3*n + 3*a^2*b*c
*d^2*g^3*n - a^3*d^3*g^3*n)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) +
1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^4*i) + 1/6*(6*a^3*d^3*g^3*log
(e) - (11*g^3*n + 6*g^3*log(e))*b^3*c^3 + 9*(3*g^3*n + 2*g^3*log(e))*a*b^2
*c^2*d - 18*(g^3*n + g^3*log(e))*a^2*b*c*d^2)*B*log(d*x + c)/(d^4*i) + 1/6
*(2*B*b^3*d^3*g^3*x^3*log(e) - ((g^3*n + 3*g^3*log(e))*b^3*c*d^2 - (g^3*n
+ 9*g^3*log(e))*a*b^2*d^3)*B*x^2 + 6*(b^3*c^3*g^3*n - 3*a*b^2*c^2*d*g^3*n
+ 3*a^2*b*c*d^2*g^3*n - a^3*d^3*g^3*n)*B*log(b*x + a)*log(d*x + c) - 3*(b^
3*c^3*g^3*n - 3*a*b^2*c^2*d*g^3*n + 3*a^2*b*c*d^2*g^3*n - a^3*d^3*g^3*n)*B
*log(d*x + c)^2 + ((5*g^3*n + 6*g^3*log(e))*b^3*c^2*d - 6*(2*g^3*n + 3*g^3
*log(e))*a*b^2*c*d^2 + (7*g^3*n + 18*g^3*log(e))*a^2*b*d^3)*B*x + (6*a*b^2
*c^2*d*g^3*n - 15*a^2*b*c*d^2*g^3*n + 11*a^3*d^3*g^3*n)*B*log(b*x + a) + (
2*B*b^3*d^3*g^3*x^3 - 3*(b^3*c*d^2*g^3 - 3*a*b^2*d^3*g^3)*B*x^2 + 6*(b^3*c
^2*d*g^3 - 3*a*b^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B*x - 6*(b^3*c^3*g^3 - 3*a
*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2*g^3 - a^3*d^3*g^3)*B*log(d*x + c))*log((b*x
 + a)^n) - (2*B*b^3*d^3*g^3*x^3 - 3*(b^3*c*d^2*g^3 - 3*a*b^2*d^3*g^3)*B*x^
2 + 6*(b^3*c^2*d*g^3 - 3*a*b^2*c*d^2*g^3 + 3*a^2*b*d^3*g^3)*B*x - 6*(b^...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^3 i\left(-6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right)a^3 b\,d^4 - 6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^3}{dx+c}dx\right)b^4 d^4 - 18\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^2}{dx+c}dx\right)a\,b^3 d^4 - 18\Big($$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
(g**3*i*( - 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a**3*b*d
**4 - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c + d*x),x)*b**4*d*
*4 - 18*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c + d*x),x)*a*b**3*
d**4 - 18*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c + d*x),x)*a**2*b**
2*d**4 - 6*log(c + d*x)*a**4*d**3 + 18*log(c + d*x)*a**3*b*c*d**2 - 18*log
(c + d*x)*a**2*b**2*c**2*d + 6*log(c + d*x)*a*b**3*c**3 - 18*a**3*b*d**3*x
 + 18*a**2*b**2*c*d**2*x - 9*a**2*b**2*d**3*x**2 - 6*a*b**3*c**2*d*x + 3*a
*b**3*c*d**2*x**2 - 2*a*b**3*d**3*x**3))/(6*d**4)
```

3.136 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$

Optimal result . . . 1589
Mathematica [A] (verified) . . . 1590
Rubi [A] (verified) . . . 1590
Maple [F] . . . 1593
Fricas [F] . . . 1593
Sympy [F] . . . 1593
Maxima [B] (verification not implemented) . . . 1594
Giac [B] (verification not implemented) . . . 1595
Mupad [F(-1)] . . . 1596
Reduce [F] . . . 1597

Optimal result

Integrand size = 43, antiderivative size = 211

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx \\
&= \frac{g^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2di} \\
&\quad - \frac{(bc-ad)g^2(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^2i} \\
&\quad - \frac{(bc-ad)^2g^2\left(2A+3Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{2d^3i} \\
&\quad - \frac{B(bc-ad)^2g^2n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i}
\end{aligned}$$

output

```
1/2*g^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i-1/2*(-a*d+b*c)*g^2*(
b*x+a)*(2*A+B*n+2*B*ln(e*((b*x+a)/(d*x+c))^n))/d^2/i-1/2*(-a*d+b*c)^2*g^2*
(2*A+3*B*n+2*B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^3/i-B
*(-a*d+b*c)^2*g^2*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i
```

Mathematica [A] (verified)

Time = 0.21 (sec) , antiderivative size = 266, normalized size of antiderivative = 1.26

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$=\frac{g^2\Big(-2Abd(bc-ad)x+2Bd(-bc+ad)(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+d^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x),x]
```

output
```
(g^2*(-2*A*b*d*(b*c - a*d)*x + 2*B*d*(-(b*c) + a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + d^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*B*(b*c - a*d)^2*n*Log[c + d*x] - B*(b*c - a*d)*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[i*(c + d*x)] - B*(b*c - a*d)^2*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[i*(c + d*x)])*Log[i*(c + d*x)] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(2*d^3*i)
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 238, normalized size of antiderivative = 1.13, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow \text{2961}$$
$$\frac{g^2(bc-ad)^2\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{i}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{2A+3Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}}{2d}\right)}{i}$$

$$\downarrow 2754$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a}{b(c-}\right.}{2d}\right)}{i}$$

$$\downarrow 2838$$

$$\frac{g^2(bc-ad)^2\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+3Bn\right)}{d}}{2d}\right)}{i}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
,x]
```

output
```
((b*c - a*d)^2*g^2*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(
2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)*(2*A + B*n
+ 2*B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c
+ d*x))) - (-(((2*A + 3*B*n + 2*B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 -
(d*(a + b*x))/(b*(c + d*x))])/d) - (2*B*n*PolyLog[2, (d*(a + b*x))/(b*(c +
 d*x))])/d)/d)/(2*d)))/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{dix+ci}dx$$

input
```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="fricas")
```

output
```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= \frac{g^2\left(\int \frac{Aa^2}{c+dx}\,dx + \int \frac{Ab^2x^2}{c+dx}\,dx + \int \frac{Ba^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx + \int \frac{2Aabx}{c+dx}\,dx + \int \frac{Bb^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx + \int}{i}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i),x)
```

output

```
g**2*(Integral(A*a**2/(c + d*x), x) + Integral(A*b**2*x**2/(c + d*x), x) +
 Integral(B*a**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + I
ntegral(2*A*a*b*x/(c + d*x), x) + Integral(B*b**2*x**2*log(e*(a/(c + d*x)
+ b*x/(c + d*x))**n)/(c + d*x), x) + Integral(2*B*a*b*x*log(e*(a/(c + d*x)
 + b*x/(c + d*x))**n)/(c + d*x), x))/i
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 627 vs. $2(204) = 408$.

Time $= 0.35$ (sec) , antiderivative size $= 627$, normalized size of antiderivative $= 2.97$

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = 2\,Aabg^2\left(\frac{x}{di}-\frac{c\log(dx+c)}{d^2i}\right)$$
$$+\frac{1}{2}\,Ab^2g^2\left(\frac{2\,c^2\log(dx+c)}{d^3i}+\frac{dx^2-2\,cx}{d^2i}\right)+\frac{Aa^2g^2\log(dix+ci)}{di}$$
$$+\frac{(b^2c^2g^2n-2\,abcdg^2n+a^2d^2g^2n)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{d^3i}$$
$$+\frac{(2\,a^2d^2g^2\log(e)+(3\,g^2n+2\,g^2\log(e))b^2c^2-4\,(g^2n+g^2\log(e))abcd)B\log(dx+c)}{2\,d^3i}$$
$$+\frac{Bb^2d^2g^2x^2\log(e)-2\,(b^2c^2g^2n-2\,abcdg^2n+a^2d^2g^2n)B\log(bx+a)\log(dx+c)+(b^2c^2g^2n-2\,abcd}{}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="maxima")
```

output

```
2*A*a*b*g^2*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + 1/2*A*b^2*g^2*(2*c^2*log(
d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A*a^2*g^2*log(d*i*x + c*i)/(
d*i) + (b^2*c^2*g^2*n - 2*a*b*c*d*g^2*n + a^2*d^2*g^2*n)*(log(b*x + a)*log
((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^
3*i) + 1/2*(2*a^2*d^2*g^2*log(e) + (3*g^2*n + 2*g^2*log(e))*b^2*c^2 - 4*(g
^2*n + g^2*log(e))*a*b*c*d)*B*log(d*x + c)/(d^3*i) + 1/2*(B*b^2*d^2*g^2*x^
2*log(e) - 2*(b^2*c^2*g^2*n - 2*a*b*c*d*g^2*n + a^2*d^2*g^2*n)*B*log(b*x +
 a)*log(d*x + c) + (b^2*c^2*g^2*n - 2*a*b*c*d*g^2*n + a^2*d^2*g^2*n)*B*log
(d*x + c)^2 - ((g^2*n + 2*g^2*log(e))*b^2*c*d - (g^2*n + 4*g^2*log(e))*a*b
*d^2)*B*x - (2*a*b*c*d*g^2*n - 3*a^2*d^2*g^2*n)*B*log(b*x + a) + (B*b^2*d^
2*g^2*x^2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B*x + 2*(b^2*c^2*g^2 - 2*a*b*c
*d*g^2 + a^2*d^2*g^2)*B*log(d*x + c))*log((b*x + a)^n) - (B*b^2*d^2*g^2*x^
2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B*x + 2*(b^2*c^2*g^2 - 2*a*b*c*d*g^2 +
 a^2*d^2*g^2)*B*log(d*x + c))*log((d*x + c)^n))/(d^3*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2499 vs. $2(204) = 408$.

Time = 131.85 (sec) , antiderivative size = 2499, normalized size of antiderivative = 11.84

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, al
gorithm="giac")
```

output

```
1/24*(2*(B*b^7*c^5*g^2*n - 5*B*a*b^6*c^4*d*g^2*n - 4*(b*x + a)*B*b^6*c^5*d
*g^2*n/(d*x + c) + 10*B*a^2*b^5*c^3*d^2*g^2*n + 20*(b*x + a)*B*a*b^5*c^4*d
^2*g^2*n/(d*x + c) + 6*(b*x + a)^2*B*b^5*c^5*d^2*g^2*n/(d*x + c)^2 - 10*B*
a^3*b^4*c^2*d^3*g^2*n - 40*(b*x + a)*B*a^2*b^4*c^3*d^3*g^2*n/(d*x + c) - 3
0*(b*x + a)^2*B*a*b^4*c^4*d^3*g^2*n/(d*x + c)^2 + 5*B*a^4*b^3*c*d^4*g^2*n
+ 40*(b*x + a)*B*a^3*b^3*c^2*d^4*g^2*n/(d*x + c) + 60*(b*x + a)^2*B*a^2*b^
3*c^3*d^4*g^2*n/(d*x + c)^2 - B*a^5*b^2*d^5*g^2*n - 20*(b*x + a)*B*a^4*b^2
*c*d^5*g^2*n/(d*x + c) - 60*(b*x + a)^2*B*a^3*b^2*c^2*d^5*g^2*n/(d*x + c)^
2 + 4*(b*x + a)*B*a^5*b*d^6*g^2*n/(d*x + c) + 30*(b*x + a)^2*B*a^4*b*c*d^6
*g^2*n/(d*x + c)^2 - 6*(b*x + a)^2*B*a^5*d^7*g^2*n/(d*x + c)^2)*log((b*x +
 a)/(d*x + c))/(b^4*d^3*i - 4*(b*x + a)*b^3*d^4*i/(d*x + c) + 6*(b*x + a)^
2*b^2*d^5*i/(d*x + c)^2 - 4*(b*x + a)^3*b*d^6*i/(d*x + c)^3 + (b*x + a)^4*
d^7*i/(d*x + c)^4) + (B*b^8*c^5*g^2*n - 5*B*a*b^7*c^4*d*g^2*n - 2*(b*x + a
)*B*b^7*c^5*d*g^2*n/(d*x + c) + 10*B*a^2*b^6*c^3*d^2*g^2*n + 10*(b*x + a)*
B*a*b^6*c^4*d^2*g^2*n/(d*x + c) - (b*x + a)^2*B*b^6*c^5*d^2*g^2*n/(d*x + c
)^2 - 10*B*a^3*b^5*c^2*d^3*g^2*n - 20*(b*x + a)*B*a^2*b^5*c^3*d^3*g^2*n/(d
*x + c) + 5*(b*x + a)^2*B*a*b^5*c^4*d^3*g^2*n/(d*x + c)^2 + 2*(b*x + a)^3*
B*b^5*c^5*d^3*g^2*n/(d*x + c)^3 + 5*B*a^4*b^4*c*d^4*g^2*n + 20*(b*x + a)*B
*a^3*b^4*c^2*d^4*g^2*n/(d*x + c) - 10*(b*x + a)^2*B*a^2*b^4*c^3*d^4*g^2*n/
(d*x + c)^2 - 10*(b*x + a)^3*B*a*b^4*c^4*d^4*g^2*n/(d*x + c)^3 - B*a^5*...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{c\,i+d\,i\,x}\,dx$$

input

```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
,x)
```

output

```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$

$$= \frac{g^2 i\left(-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right)a^2 b\,d^3 - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x^2}{dx+c}dx\right)b^3 d^3 - 4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{dx+c}dx\right)a\,b^2 d^3 - 2\log(\right.}{2d^3}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
(g**2*i*( - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a**2*b*d
**3 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c + d*x),x)*b**3*d*
*3 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c + d*x),x)*a*b**2*d**3
 - 2*log(c + d*x)*a**3*d**2 + 4*log(c + d*x)*a**2*b*c*d - 2*log(c + d*x)*a
*b**2*c**2 - 4*a**2*b*d**2*x + 2*a*b**2*c*d*x - a*b**2*d**2*x**2))/(2*d**3
)
```

3.137 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$

Optimal result . . . 1598
Mathematica [A] (verified) . . . 1599
Rubi [A] (verified) . . . 1599
Maple [F] . . . 1601
Fricas [F] . . . 1602
Sympy [F] . . . 1602
Maxima [B] (verification not implemented) . . . 1603
Giac [B] (verification not implemented) . . . 1603
Mupad [F(-1)] . . . 1604
Reduce [F] . . . 1605

Optimal result

Integrand size = 41, antiderivative size = 134

$$\begin{aligned}
&\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx \\
&= \frac{g(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{di} \\
&\quad + \frac{(bc-ad)g\left(A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^2 i} \\
&\quad + \frac{B(bc-ad)gn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2 i}
\end{aligned}$$

output

```
g*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i+(-a*d+b*c)*g*(A+B*n+B*ln(e*(
(b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^2/i+B*(-a*d+b*c)*g*n*polyl
og(2,d*(b*x+a)/b/(d*x+c))/d^2/i
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.27

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= \frac{g\left(2Abdx+2Bd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-2B(bc-ad)n\log(c+dx)-2(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.\right.}{2d^2}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*
i*x),x]
```

output
```
(g*(2*A*b*d*x + 2*B*d*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - 2*B*(b*c
- a*d)*n*Log[c + d*x] - 2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n
])*Log[c + d*x] + B*(b*c - a*d)*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] -
Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(2
*d^2*i)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 154, normalized size of antiderivative = 1.15, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.098$, Rules used = {2961, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{ci+dix}\,dx$$
$$\downarrow 2961$$
$$\frac{g(bc-ad)\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i}$$
$$\downarrow 2784$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{i}$$

$$\downarrow 2754$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A+Bn\right)}{d}}{d}\right)}{i}$$

$$\downarrow 2838$$

$$\frac{g(bc-ad)\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A+Bn\right)}{d}-\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d}}{d}\right)}{i}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x),x
]
```

output
```
((b*c - a*d)*g*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c +
 d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((A + B*n + B*Log[e*((a + b*x)/(
c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*n*PolyLog[2, (
d*(a + b*x))/(b*(c + d*x))])/d)/d))/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n])/(e*(q + 1))), x] - Simp[f/(e*(q + 1))  Int[(f*x)^(m - 1)*(d + e*x)^(q + 1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)\right)}{dix+ci}dx$$

input
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algo
rithm="fricas")
```

output
```
integral((A*b*g*x + A*a*g + (B*b*g*x + B*a*g)*log(e*((b*x + a)/(d*x + c))^
n))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \frac{g\left(\int \frac{Aa}{c+dx}\,dx + \int \frac{Abx}{c+dx}\,dx + \int \frac{Ba\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx + \int \frac{Bbx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx\right)}{i}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i),x)
```

output
```
g*(Integral(A*a/(c + d*x), x) + Integral(A*b*x/(c + d*x), x) + Integral(B*
a*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + Integral(B*b*x*l
og(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x))/i
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 306 vs. 2(133) = 266.

Time = 0.35 (sec) , antiderivative size = 306, normalized size of antiderivative = 2.28

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= Abg\left(\frac{x}{di}-\frac{c\log(dx+c)}{d^2i}\right)+\frac{Aag\log(dix+ci)}{di}$$
$$-\frac{(bcgn-adgn)\left(\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)\right)B}{d^2i}$$
$$+\frac{(adg\log(e)-(gn+g\log(e))bc)B\log(dx+c)}{d^2i}$$
$$+\frac{2\,Badgn\log(bx+a)+2\,Bbdgx\log(e)+2\,(bcgn-adgn)B\log(bx+a)\log(dx+c)-(bcgn-adgn)}{}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algo
rithm="maxima")
```

output
```
A*b*g*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + A*a*g*log(d*i*x + c*i)/(d*i) -
(b*c*g*n - a*d*g*n)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dil
og(-(b*d*x + a*d)/(b*c - a*d)))*B/(d^2*i) + (a*d*g*log(e) - (g*n + g*log(e
))*b*c)*B*log(d*x + c)/(d^2*i) + 1/2*(2*B*a*d*g*n*log(b*x + a) + 2*B*b*d*g
*x*log(e) + 2*(b*c*g*n - a*d*g*n)*B*log(b*x + a)*log(d*x + c) - (b*c*g*n -
 a*d*g*n)*B*log(d*x + c)^2 + 2*(B*b*d*g*x - (b*c*g - a*d*g)*B*log(d*x + c)
)*log((b*x + a)^n) - 2*(B*b*d*g*x - (b*c*g - a*d*g)*B*log(d*x + c))*log((d
*x + c)^n))/(d^2*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1242 vs. 2(133) = 266.

Time = 80.68 (sec) , antiderivative size = 1242, normalized size of antiderivative = 9.27

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algo
rithm="giac")
```

output
```
-1/6*((B*b^5*c^4*g*n - 4*B*a*b^4*c^3*d*g*n - 3*(b*x + a)*B*b^4*c^4*d*g*n/(
d*x + c) + 6*B*a^2*b^3*c^2*d^2*g*n + 12*(b*x + a)*B*a*b^3*c^3*d^2*g*n/(d*x
 + c) - 4*B*a^3*b^2*c*d^3*g*n - 18*(b*x + a)*B*a^2*b^2*c^2*d^3*g*n/(d*x + 
c) + B*a^4*b*d^4*g*n + 12*(b*x + a)*B*a^3*b*c*d^4*g*n/(d*x + c) - 3*(b*x + 
 a)*B*a^4*d^5*g*n/(d*x + c))*log((b*x + a)/(d*x + c))/(b^3*d^2*i - 3*(b*x
 + a)*b^2*d^3*i/(d*x + c) + 3*(b*x + a)^2*b*d^4*i/(d*x + c)^2 - (b*x + a)^3
*d^5*i/(d*x + c)^3) + ((b*x + a)*B*b^5*c^4*d*g*n/(d*x + c) - 4*(b*x + a)*B
*a*b^4*c^3*d^2*g*n/(d*x + c) - (b*x + a)^2*B*b^4*c^4*d^2*g*n/(d*x + c)^2 +
 6*(b*x + a)*B*a^2*b^3*c^2*d^3*g*n/(d*x + c) + 4*(b*x + a)^2*B*a*b^3*c^3*d
^3*g*n/(d*x + c)^2 - 4*(b*x + a)*B*a^3*b^2*c*d^4*g*n/(d*x + c) - 6*(b*x + 
a)^2*B*a^2*b^2*c^2*d^4*g*n/(d*x + c)^2 + (b*x + a)*B*a^4*b*d^5*g*n/(d*x + 
c) + 4*(b*x + a)^2*B*a^3*b*c*d^5*g*n/(d*x + c)^2 - (b*x + a)^2*B*a^4*d^6*g
*n/(d*x + c)^2 + B*b^6*c^4*g*log(e) - 4*B*a*b^5*c^3*d*g*log(e) - 3*(b*x + 
a)*B*b^5*c^4*d*g*log(e)/(d*x + c) + 6*B*a^2*b^4*c^2*d^2*g*log(e) + 12*(b*x
 + a)*B*a*b^4*c^3*d^2*g*log(e)/(d*x + c) - 4*B*a^3*b^3*c*d^3*g*log(e) - 18
*(b*x + a)*B*a^2*b^3*c^2*d^3*g*log(e)/(d*x + c) + B*a^4*b^2*d^4*g*log(e) + 
 12*(b*x + a)*B*a^3*b^2*c*d^4*g*log(e)/(d*x + c) - 3*(b*x + a)*B*a^4*b*d^5
*g*log(e)/(d*x + c) + A*b^6*c^4*g - 4*A*a*b^5*c^3*d*g - 3*(b*x + a)*A*b^5*
c^4*d*g/(d*x + c) + 6*A*a^2*b^4*c^2*d^2*g + 12*(b*x + a)*A*a*b^4*c^3*d^2*g
/(d*x + c) - 4*A*a^3*b^3*c*d^3*g - 18*(b*x + a)*A*a^2*b^3*c^2*d^3*g/(d*...
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x),x
)
```

output
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x),
x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{ci+dix}\,dx$$
$$= \frac{gi\left(-\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right) ab\,d^2 - \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{dx+c}dx\right) b^2d^2 - \log(dx+c)\,a^2d + \log(dx+c)\,abc - abdx\right)}{d^2}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output
```
(g*i*( - int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a*b*d**2 - in
t((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c + d*x),x)*b**2*d**2 - log(c +
d*x)*a**2*d + log(c + d*x)*a*b*c - a*b*d*x))/d**2
```

3.138 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci+dix}\,dx$

Optimal result . . . 1606
Mathematica [A] (verified) . . . 1606
Rubi [A] (verified) . . . 1607
Maple [F] . . . 1609
Fricas [F] . . . 1609
Sympy [F] . . . 1610
Maxima [F] . . . 1610
Giac [B] (verification not implemented) . . . 1610
Mupad [F(-1)] . . . 1611
Reduce [F] . . . 1612

Optimal result

Integrand size = 33, antiderivative size = 85

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci+dix}\,dx = -\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{di} - \frac{Bn\,\mathrm{PolyLog}\left(2,1-\frac{bc-ad}{b(c+dx)}\right)}{di}$$

output
```
-(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d/i-B*n*polylog(
2,1-(-a*d+b*c)/b/(d*x+c))/d/i
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 101, normalized size of antiderivative = 1.19

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci+dix}\,dx = \frac{\log(i(c+dx))\left(2A-2Bn\log\left(\frac{d(a+bx)}{-bc+ad}\right)+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+Bn\log(i(c+dx))\right)-2Bn\,\mathrm{PolyLog}\left(2,\right.}{2di}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x),x]
```

output

```
(Log[i*(c + d*x)]*(2*A - 2*B*n*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*B*Log
[e*((a + b*x)/(c + d*x))^n] + B*n*Log[i*(c + d*x)]) - 2*B*n*PolyLog[2, (b*
(c + d*x))/(b*c - a*d)])/(2*d*i)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2943, 2858, 27, 25, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{ci + dix}\, dx$$

$$\downarrow 2943$$

$$\frac{Bn(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)}dx}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 2858$$

$$\frac{Bn(bc-ad)\int \frac{d\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)\left(\left(a-\frac{bc}{d}\right)d+b(c+dx)\right)}d(c+dx)}{d^2 i} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 27$$

$$\frac{Bn(bc-ad)\int -\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(bc-ad-b(c+dx))}d(c+dx)}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 25$$

$$-\frac{Bn(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(bc-ad-b(c+dx))}d(c+dx)}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 2778$$

$$\frac{Bn(bc-ad)\int \frac{(c+dx)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{bc-ad-b(c+dx)}d\frac{1}{c+dx}}{di} - \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 2005$$

$$\frac{Bn(bc-ad)\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)}{\frac{bc-ad}{c+dx}-b}d\frac{1}{c+dx}}{di}-\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}$$

$$\downarrow 2752$$

$$-\frac{\log\left(\frac{bc-ad}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{di}-\frac{Bn\,\text{PolyLog}\left(2,1-\frac{bc-ad}{b(c+dx)}\right)}{di}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x),x]
```

output
```
-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(b*c - a*d)/(b*(c + d*x))])/
(d*i)) - (B*n*PolyLog[2, 1 - (b*c - a*d)/(b*(c + d*x))])/(d*i)
```

Defintions of rubi rules used

rule 25
```
Int[-(Fx_), x_Symbol] :> Simp[Identity[-1]   Int[Fx, x], x]
```

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2005
```
Int[(Fx_)*(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_.), x_Symbol] :> Int[x^(m
+ n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2778
```
Int[((a_.) + Log[(c_.)*(x_)^(n_)]*(b_.))/((x_)*((d_) + (e_.)*(x_)^(r_.))),
x_Symbol] :> Simp[1/n   Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x],
 x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]
```

rule 2858

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_
.)*(x_))^(q_.)*((h_.) + (i_.)*(x_))^(r_.), x_Symbol] :> Simp[1/e   Subst[In
t[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d +
e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f -
d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

rule 2943

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))/((f_.) + (g_.)*(x_)), x_Symbol] :> Simp[(-Log[(b*c - a*d)/(b*(c + d*x
))])*((A + B*Log[e*((a + b*x)/(c + d*x))^n])/g), x] + Simp[B*n*((b*c - a*d)
/g)   Int[Log[(b*c - a*d)/(b*(c + d*x))]/((a + b*x)*(c + d*x)), x], x] /; F
reeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[d*f - c
*g, 0]
```

Maple [F]

$$\int \frac{A + B \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{dix + ci} dx$$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix} dx = \int \frac{B \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A}{dix + ci} dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algorithm="frica
s")
```

output

```
integral((B*log(e*((b*x + a)/(d*x + c))^n) + A)/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix}\,dx = \frac{\int \frac{A}{c+dx}\,dx + \int \frac{B \log\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx}{i}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i),x)
```

output
```
(Integral(A/(c + d*x), x) + Integral(B*log(e*(a/(c + d*x) + b*x/(c + d*x))
**n)/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix}\,dx = \int \frac{B \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A}{dix + ci}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algorithm="maxim
a")
```

output
```
-1/2*B*((2*n*log(b*x + a)*log(d*x + c) - n*log(d*x + c)^2 - 2*log(d*x + c)
*log((b*x + a)^n) + 2*log(d*x + c)*log((d*x + c)^n))/(d*i) - 2*integrate((
n*log(b*x + a) + log(e))/(d*i*x + c*i), x)) + A*log(d*i*x + c*i)/(d*i)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 566 vs. $2(84) = 168$.

Time $= 53.92$ (sec) , antiderivative size $= 566$, normalized size of antiderivative $= 6.66$

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix}\,dx$$

$$= \frac{1}{2}\left(\frac{\left(Bb^3c^3n - 3\,Bab^2c^2dn + 3\,Ba^2bcd^2n - Ba^3d^3n\right)\log\left(\frac{bx+a}{dx+c}\right)}{b^2di - \frac{2\,(bx+a)bd^2i}{dx+c} + \frac{(bx+a)^2d^3i}{(dx+c)^2}} - \frac{Bb^4c^3n - 3\,Bab^3c^2dn - \frac{(bx+a)Bb^3c^3dn}{dx+c}}{}\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x, algorithm="giac"
)
```

output
```
1/2*((B*b^3*c^3*n - 3*B*a*b^2*c^2*d*n + 3*B*a^2*b*c*d^2*n - B*a^3*d^3*n)*l
og((b*x + a)/(d*x + c))/(b^2*d*i - 2*(b*x + a)*b*d^2*i/(d*x + c) + (b*x +
a)^2*d^3*i/(d*x + c)^2) - (B*b^4*c^3*n - 3*B*a*b^3*c^2*d*n - (b*x + a)*B*b
^3*c^3*d*n/(d*x + c) + 3*B*a^2*b^2*c*d^2*n + 3*(b*x + a)*B*a*b^2*c^2*d^2*n
/(d*x + c) - B*a^3*b*d^3*n - 3*(b*x + a)*B*a^2*b*c*d^3*n/(d*x + c) + (b*x
+ a)*B*a^3*d^4*n/(d*x + c) - B*b^4*c^3*log(e) + 3*B*a*b^3*c^2*d*log(e) - 3
*B*a^2*b^2*c*d^2*log(e) + B*a^3*b*d^3*log(e) - A*b^4*c^3 + 3*A*a*b^3*c^2*d
 - 3*A*a^2*b^2*c*d^2 + A*a^3*b*d^3)/(b^3*d*i - 2*(b*x + a)*b^2*d^2*i/(d*x
+ c) + (b*x + a)^2*b*d^3*i/(d*x + c)^2) + (B*b^3*c^3*n - 3*B*a*b^2*c^2*d*n
 + 3*B*a^2*b*c*d^2*n - B*a^3*d^3*n)*log(-b + (b*x + a)*d/(d*x + c))/(b^2*d
*i) - (B*b^3*c^3*n - 3*B*a*b^2*c^2*d*n + 3*B*a^2*b*c*d^2*n - B*a^3*d^3*n)*
log((b*x + a)/(d*x + c))/(b^2*d*i))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2
)^2
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix}\,dx = \int \frac{A + B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{c\,i + d\,i\,x}\,dx$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(c*i + d*i*x),x)
```

output
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ci + dix}\, dx = -\frac{i\left(\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c} dx\right) bd + \log(dx+c)\, a\right)}{d}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i),x)
```

output

```
( - i*(int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*b*d + log(c + d
*x)*a))/d
```

3.139 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx$

Optimal result . . . 1613
Mathematica [C] (verified) . . . 1613
Rubi [A] (verified) . . . 1614
Maple [A] (verified) . . . 1615
Fricas [A] (verification not implemented) . . . 1616
Sympy [F] . . . 1616
Maxima [B] (verification not implemented) . . . 1616
Giac [A] (verification not implemented) . . . 1617
Mupad [B] (verification not implemented) . . . 1618
Reduce [B] (verification not implemented) . . . 1618

Optimal result

Integrand size = 43, antiderivative size = 50

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2B(bc-ad)gin}$$

output
```
1/2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/B/(-a*d+b*c)/g/i/n
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.12 (sec) , antiderivative size = 219, normalized size of antiderivative = 4.38

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{2A\log(a+bx) - Bn\log^2(a+bx) + 2B\log(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - 2A\log(c+dx) + 2Bn\log\left(\frac{d(a+bx)}{-bc+ad}\right.}{}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i
*x)),x]
```

output
```
(2*A*Log[a + b*x] - B*n*Log[a + b*x]^2 + 2*B*Log[a + b*x]*Log[e*((a + b*x)
/(c + d*x))^n] - 2*A*Log[c + d*x] + 2*B*n*Log[(d*(a + b*x))/(-(b*c) + a*d)
]*Log[c + d*x] - 2*B*Log[e*((a + b*x)/(c + d*x))^n]*Log[c + d*x] - B*n*Log
[c + d*x]^2 + 2*B*n*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 2*B*n*Po
lyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 2*B*n*PolyLog[2, (b*(c + d*x))/(b
*c - a*d)])/(2*(b*c - a*d)*g*i)
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.047$, Rules used = {2961, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx} d\frac{a+bx}{c+dx}}{gi(bc-ad)}$$

$$\downarrow 2738$$

$$\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2Bgin(bc-ad)}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i*x)),x
]
```

output
```
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(2*B*(b*c - a*d)*g*i*n)
```

Defintions of rubi rules used

rule 2738

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] :> Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.73 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.68

method	result	size
parallelrisch	$-\frac{B a^2 c^2 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2+2A\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2c^2}{2ig\,a^2c^2n(da-bc)}$	84
default	$\frac{A\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2}{2gin(da-bc)}$	88
parts	$\frac{A\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2}{2gin(da-bc)}$	88

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i),x,method=_RETURNVERBOSE)
```

output

```
-1/2*(B*a^2*c^2*ln(e*((b*x+a)/(d*x+c))^n)^2+2*A*ln(e*((b*x+a)/(d*x+c))^n)*a^2*c^2)/i/g/a^2/c^2/n/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 74, normalized size of antiderivative = 1.48

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)(ci + dix)}\,dx = \frac{Bn \log\left(\frac{bx+a}{dx+c}\right)^2 + 2\,B \log(e) \log\left(\frac{bx+a}{dx+c}\right) + 2\,A \log\left(\frac{bx+a}{dx+c}\right)}{2\,(bc - ad)gi}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i),x, algo
rithm="fricas")
```

output
```
1/2*(B*n*log((b*x + a)/(d*x + c))^2 + 2*B*log(e)*log((b*x + a)/(d*x + c))
+ 2*A*log((b*x + a)/(d*x + c)))/((b*c - a*d)*g*i)
```

Sympy [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)(ci + dix)}\,dx = \frac{\int \frac{A}{ac+adx+bcx+bdx^2}\,dx + \int \frac{B \log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{ac+adx+bcx+bdx^2}\,dx}{gi}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(Integral(A/(a*c + a*d*x + b*c*x + b*d*x**2), x) + Integral(B*log(e*(a/(c
+ d*x) + b*x/(c + d*x))**n)/(a*c + a*d*x + b*c*x + b*d*x**2), x))/(g*i)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 175 vs. $2(48) = 96$.

Time = 0.04 (sec) , antiderivative size = 175, normalized size of antiderivative = 3.50

$$\begin{aligned}
&\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx \\
&= B\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right) \\
&\quad - \frac{\left(\log(bx+a)^2 - 2\log(bx+a)\log(dx+c) + \log(dx+c)^2\right)Bn}{2(bcgi-adgi)} \\
&\quad + A\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)
\end{aligned}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i),x, algo
rithm="maxima")
```

output
```
B*(log(b*x + a)/((b*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))*log(e*
(b*x/(d*x + c) + a/(d*x + c))^n) - 1/2*(log(b*x + a)^2 - 2*log(b*x + a)*lo
g(d*x + c) + log(d*x + c)^2)*B*n/(b*c*g*i - a*d*g*i) + A*(log(b*x + a)/((b
*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))
```

Giac [A] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 92, normalized size of antiderivative = 1.84

$$\begin{aligned}
&\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx \\
&= \frac{\left(Bn\log\left(\frac{bx+a}{dx+c}\right)^2 + 2B\log(e)\log\left(\frac{bx+a}{dx+c}\right) + 2A\log\left(\frac{bx+a}{dx+c}\right)\right)\left(\frac{bc}{(bc-ad)^2} - \frac{ad}{(bc-ad)^2}\right)}{2gi}
\end{aligned}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i),x, algo
rithm="giac")
```

output
```
1/2*(B*n*log((b*x + a)/(d*x + c))^2 + 2*B*log(e)*log((b*x + a)/(d*x + c))
+ 2*A*log((b*x + a)/(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)/(g
*i)
```

Mupad [B] (verification not implemented)

Time = 26.80 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.52

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx = -\frac{B\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2 - An\,\mathrm{atan}\left(\frac{bc\,2\mathrm{i}+bdx\,2\mathrm{i}}{ad-bc}+1\mathrm{i}\right)\,4\mathrm{i}}{2gin\,(ad-bc)}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)*(c*i + d*i*x)),x
)
```

output
```
-(B*log(e*((a + b*x)/(c + d*x))^n)^2 - A*n*atan((b*c*2i + b*d*x*2i)/(a*d -
 b*c) + 1i)*4i)/(2*g*i*n*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.26

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)}\,dx = \frac{i\left(2\log(bx+a)\,an - 2\log(dx+c)\,an + \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b\right)}{2gn\,(ad-bc)}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(i*(2*log(a + b*x)*a*n - 2*log(c + d*x)*a*n + log(((a + b*x)**n*e)/(c + d*
x)**n)**2*b))/(2*g*n*(a*d - b*c))
```

3.140 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx$

Optimal result 1619
Mathematica [C] (verified) 1620
Rubi [A] (verified) 1620
Maple [A] (verified) 1622
Fricas [A] (verification not implemented) 1623
Sympy [F(-1)] 1623
Maxima [B] (verification not implemented) 1624
Giac [F] 1624
Mupad [B] (verification not implemented) 1625
Reduce [B] (verification not implemented) 1625

Optimal result

Integrand size = 43, antiderivative size = 181

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx = -\frac{bBn(c+dx)}{(bc-ad)^2g^2i(a+bx)} - \frac{b(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^2g^2i(a+bx)} - \frac{d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^2g^2i} + \frac{Bdn\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^2g^2i}$$

output

```
-b*B*n*(d*x+c)/(-a*d+b*c)^2/g^2/i/(b*x+a)-b*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*
x+c))^n))/(-a*d+b*c)^2/g^2/i/(b*x+a)-d*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(
(b*x+a)/(d*x+c))/(-a*d+b*c)^2/g^2/i+1/2*B*d*n*ln((b*x+a)/(d*x+c))^2/(-a*d+
b*c)^2/g^2/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.30 (sec) , antiderivative size = 304, normalized size of antiderivative = 1.68

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$

$$-\frac{2(bc-ad)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) + 2d(a+bx)\log(a+bx)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) - 2d(a+bx)\left(A$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d
*i*x)),x]
```

output
```
-1/2*(2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d*(a + b*x)
*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*d*(a + b*x)*(A +
B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 2*B*n*(b*c - a*d + d*(a +
 b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*d*n*(a + b*x)*(Log[a +
b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(
a + b*x))/(-(b*c) + a*d)]) + B*d*n*(a + b*x)*((2*Log[(d*(a + b*x))/(-(b*c)
 + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c -
a*d)]))/((b*c - a*d)^2*g^2*i*(a + b*x))
```

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.74, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 25, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^2(ci+dix)}\,dx$$

$$\downarrow \text{2961}$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i(bc-ad)^2}$$

$$\downarrow 2772$$

$$\frac{-Bn\int -\frac{(c+dx)^2\left(b+\frac{d(a+bx)\log\left(\frac{a+bx}{c+dx}\right)}{c+dx}\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{g^2i(bc-ad)^2}$$

$$\downarrow 25$$

$$\frac{Bn\int \frac{(c+dx)^2\left(b+\frac{d(a+bx)\log\left(\frac{a+bx}{c+dx}\right)}{c+dx}\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{g^2i(bc-ad)^2}$$

$$\downarrow 2010$$

$$\frac{Bn\int \left(\frac{b(c+dx)^2}{(a+bx)^2}+\frac{d\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{g^2i(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{-\frac{b(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+Bn\left(\frac{1}{2}d\log^2\left(\frac{a+bx}{c+dx}\right)-\frac{b(c+dx)}{a+bx}\right)}{g^2i(bc-ad)^2}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d*i*x))
,x]
```

output
```
(-((b*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)) - d*(A
+ B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] + B*n*(-((b*(
c + d*x))/(a + b*x)) + (d*Log[(a + b*x)/(c + d*x)]^2)/2))/((b*c - a*d)^2*g
^2*i)
```

Defintions of rubi rules used

rule 25
```
Int[-(Fx_), x_Symbol] :> Simp[Identity[-1]   Int[Fx, x], x]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 5.07 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.49

method	result
parallelrisch	$-\frac{2Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)b^{4}d^{3}n+2B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)b^{4}c\,d^{2}n-2Ba\,b^{3}d^{3}n^{2}+2B\,b^{4}c\,d^{2}n^{2}-2Aa\,b^{3}d^{3}n+2A\,b^{4}c\,d^{2}n+Bx\ln\left(e\left(\frac{bx+}{dx+}\right.\right.}{2i\,g^{2}(bx+a)n(a^{2}d^{2}-2acdb+c^{2}b^{2})}$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i),x,method=_RE
TURNVERBOSE)
```

output
```
-1/2*(2*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*n+2*B*ln(e*((b*x+a)/(d*x+c))
^n)*b^4*c*d^2*n-2*B*a*b^3*d^3*n^2+2*B*b^4*c*d^2*n^2-2*A*a*b^3*d^3*n+2*A*b^
4*c*d^2*n+B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^4*d^3+2*A*x*ln(e*((b*x+a)/(d*x
+c))^n)*b^4*d^3+B*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^3*d^3+2*A*ln(e*((b*x+a)/
(d*x+c))^n)*a*b^3*d^3)/i/g^2/(b*x+a)/n/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/d^2
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 194, normalized size of antiderivative = 1.07

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{2\,Abc - 2\,Aad + (Bbdnx + Badn)\log\left(\frac{bx+a}{dx+c}\right)^2 + 2\,(Bbc - Bad)n + 2\left(Bbc - Bad + (Bbdx + Bad)\lo}{2\left((b^3c^2 - 2\,ab^2cd + a^2bd^2)g^2ix + (ab^2c^2 - 2\,a^2bcd}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i),x, al
gorithm="fricas")
```

output
```
-1/2*(2*A*b*c - 2*A*a*d + (B*b*d*n*x + B*a*d*n)*log((b*x + a)/(d*x + c))^2
 + 2*(B*b*c - B*a*d)*n + 2*(B*b*c - B*a*d + (B*b*d*x + B*a*d)*log((b*x + a
)/(d*x + c)))*log(e) + 2*(B*b*c*n + A*a*d + (B*b*d*n + A*b*d)*x)*log((b*x
+ a)/(d*x + c)))/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^2*i*x + (a*b^2*c^2
 - 2*a^2*b*c*d + a^3*d^2)*g^2*i)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2/(d*i*x+c*i),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 427 vs. $2(179) = 358$.

Time $= 0.06$ (sec) , antiderivative size $= 427$, normalized size of antiderivative $= 2.36$

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-B\left(\frac{1}{(b^2c-abd)g^2ix+(abc-a^2d)g^2i}+\frac{d\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}-\frac{d\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}\right)\log\left($$
$$+\frac{((bdx+ad)\log(bx+a)^2+(bdx+ad)\log(dx+c)^2-2\,bc+2\,ad-2\,(bdx+ad)\log(bx+a)+2\,(bdx}{2\,(ab^2c^2g^2i-2\,a^2bcdg^2i+a^3d^2g^2i+(b^3c^2g^2i-2\,ab^2cdg^2i+a^}$$
$$-A\left(\frac{1}{(b^2c-abd)g^2ix+(abc-a^2d)g^2i}+\frac{d\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}-\frac{d\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)g^2i}\right)$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i),x, al
gorithm="maxima")
```

output
```
-B*(1/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/(
(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*
c*d + a^2*d^2)*g^2*i))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*((b*d*
x + a*d)*log(b*x + a)^2 + (b*d*x + a*d)*log(d*x + c)^2 - 2*b*c + 2*a*d - 2
*(b*d*x + a*d)*log(b*x + a) + 2*(b*d*x + a*d - (b*d*x + a*d)*log(b*x + a))
*log(d*x + c))*B*n/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*i + a^3*d^2*g^2*i +
(b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*x) - A*(1/((b^2*c -
a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/((b^2*c^2 - 2*a*b
*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g
^2*i))
```

Giac [F]

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx = \int \frac{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}{(bgx+ag)^2(dix+ci)}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i),x, al
gorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/((b*g*x + a*g)^2*(d*i*x +
 c*i)), x)
```

Mupad [B] (verification not implemented)

Time = 27.18 (sec) , antiderivative size = 239, normalized size of antiderivative = 1.32

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx = \frac{A}{g^2\,i\,(a\,d-b\,c)\,(a+b\,x)} + \frac{B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{g^2\,i\,(a\,d-b\,c)\,(a+b\,x)} + \frac{B\,n}{g^2\,i\,(a\,d-b\,c)\,(a+b\,x)} - \frac{B\,d\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)^2}{2\,g^2\,i\,n\,(a\,d-b\,c)^2} + \frac{A\,d\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g^2\,i\,(a\,d-b\,c)^2} + \frac{B\,d\,n\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g^2\,i\,(a\,d-b\,c)^2}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^2*(c*i + d*i*x))
,x)
```

output
```
A/(g^2*i*(a*d - b*c)*(a + b*x)) + (B*log(e*((a + b*x)/(c + d*x))^n))/(g^2*
i*(a*d - b*c)*(a + b*x)) + (A*d*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b
*c))*2i)/(g^2*i*(a*d - b*c)^2) + (B*n)/(g^2*i*(a*d - b*c)*(a + b*x)) + (B*
d*n*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g^2*i*(a*d - b*c)^
2) - (B*d*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g^2*i*n*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 334, normalized size of antiderivative = 1.85

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)}\,dx$$

$$= \frac{i\left(2\log(bx+a)\,a^3dn + 2\log(bx+a)\,a^2bdnx + 2\log(bx+a)\,ab^2cn^2 + 2\log(bx+a)\,b^3cn^2x - 2\log(dx+$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i),x)
```

output
```
(i*(2*log(a + b*x)*a**3*d*n + 2*log(a + b*x)*a**2*b*d*n*x + 2*log(a + b*x)
*a*b**2*c*n**2 + 2*log(a + b*x)*b**3*c*n**2*x - 2*log(c + d*x)*a**3*d*n -
2*log(c + d*x)*a**2*b*d*n*x - 2*log(c + d*x)*a*b**2*c*n**2 - 2*log(c + d*x
)*b**3*c*n**2*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b*d + log(((a
 + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*d*x + 2*log(((a + b*x)**n*e)/(c + d*
x)**n)*a*b**2*d*n*x - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*n*x + 2*
a**2*b*d*n*x - 2*a*b**2*c*n*x + 2*a*b**2*d*n**2*x - 2*b**3*c*n**2*x))/(2*a
*g**2*n*(a**3*d**2 - 2*a**2*b*c*d + a**2*b*d**2*x + a*b**2*c**2 - 2*a*b**2
*c*d*x + b**3*c**2*x))
```

3.141 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx$

Optimal result 1627
Mathematica [C] (verified) 1628
Rubi [A] (verified) 1628
Maple [B] (verified) 1630
Fricas [A] (verification not implemented) 1631
Sympy [F(-1)] 1632
Maxima [B] (verification not implemented) 1632
Giac [A] (verification not implemented) 1633
Mupad [B] (verification not implemented) 1634
Reduce [B] (verification not implemented) 1635

Optimal result

Integrand size = 43, antiderivative size = 266

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx &= -\frac{Bn(c+dx)^2\left(b-\frac{4d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^3g^3i(a+bx)^2}\\ &+\frac{2bd(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3g^3i(a+bx)}\\ &-\frac{b^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3g^3i(a+bx)^2}\\ &+\frac{d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^3g^3i}\\ &-\frac{Bd^2n\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^3g^3i}\end{aligned}$$

output

```
-1/4*B*n*(d*x+c)^2*(b-4*d*(b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^3/i/(b*x+a)^2+
2*b*d*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^3/i/(b*x+a)-1
/2*b^2*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^3/i/(b*x+a
)^2+d^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c)^3/g
^3/i-1/2*B*d^2*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^3/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.38 (sec) , antiderivative size = 434, normalized size of antiderivative = 1.63

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx$$
$$= \frac{-2(bc-ad)^2\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) + 4d(bc-ad)(a+bx)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) + 4d^2(a+bx)^2\log$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d
*i*x)),x]
```

output
```
(-2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d*(b*c - a*d)
*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d^2*(a + b*x)^2*Log[
a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 4*d^2*(a + b*x)^2*(A + B
*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 4*B*d*n*(a + b*x)*(b*c - a
*d + d*(a + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*n*((b*c - a*
d)^2 + 2*d*(-(b*c) + a*d)*(a + b*x) - 2*d^2*(a + b*x)^2*Log[a + b*x] + 2*d
^2*(a + b*x)^2*Log[c + d*x]) - 2*B*d^2*n*(a + b*x)^2*(Log[a + b*x]*(Log[a
+ b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-
(b*c) + a*d)]) + 2*B*d^2*n*(a + b*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d
)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])
)/(4*(b*c - a*d)^3*g^3*i*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 204, normalized size of antiderivative = 0.77, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^3(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3i(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-Bn\int -\frac{(c+dx)^3\left(b^2-\frac{4d(a+bx)b}{c+dx}-\frac{2d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^2}\right)}{2(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e}{g^3i(bc-ad)^3}$$

$$\downarrow 27$$

$$\frac{\frac{1}{2}Bn\int \frac{(c+dx)^3\left(b^2-\frac{4d(a+bx)b}{c+dx}-\frac{2d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^2}\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(}{g^3i(bc-ad)^3}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{2}Bn\int \left(\frac{b(c+dx)^3\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)^3}-\frac{2d^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log}{g^3i(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+\frac{2bd(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+\frac{1}{2}Bn}{g^3i(bc-ad)^3}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d*i*x))
,x]
```

output
```
((2*b*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (b^2
*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + d^2
*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] + (B*n*(-
1/2*((c + d*x)^2*(b - (4*d*(a + b*x))/(c + d*x))^2)/(a + b*x)^2 - d^2*Log[
(a + b*x)/(c + d*x)]^2))/2)/((b*c - a*d)^3*g^3*i)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 632 vs. $2(260) = 520$.

Time = 13.37 (sec) , antiderivative size = 633, normalized size of antiderivative = 2.38

method	result
parallelrisch	$-\frac{2Bx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2a^4b^2c^2d^2+7Bx^2a^4b^2c^2d^2n^2-8Bx^2a^3b^3c^3dn^2+4Ax^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^4b^2c^2d^2+6Ax^2a^4b^2c^2d^2n$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i),x,method=_RE
TURNVERBOSE)
```

output
```
-1/4*(2*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b^2*c^2*d^2+7*B*x^2*a^4*b^2*
c^2*d^2*n^2-8*B*x^2*a^3*b^3*c^3*d*n^2+4*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^
4*b^2*c^2*d^2+6*A*x^2*a^4*b^2*c^2*d^2*n-8*A*x^2*a^3*b^3*c^3*d*n+4*B*x*ln(e
*((b*x+a)/(d*x+c))^n)^2*a^5*b*c^2*d^2+8*B*x*a^5*b*c^2*d^2*n^2+2*B*ln(e*((b
*x+a)/(d*x+c))^n)^2*a^6*c^2*d^2+4*A*ln(e*((b*x+a)/(d*x+c))^n)*a^6*c^2*d^2-
10*B*x*a^4*b^2*c^3*d*n^2+8*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b*c^2*d^2+8*A
*x*a^5*b*c^2*d^2*n-12*A*x*a^4*b^2*c^3*d*n+8*B*ln(e*((b*x+a)/(d*x+c))^n)*a^
5*b*c^3*d*n+6*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^2*c^2*d^2*n+8*B*x*ln(e
*((b*x+a)/(d*x+c))^n)*a^5*b*c^2*d^2*n+4*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^4*
b^2*c^3*d*n+B*x^2*a^2*b^4*c^4*n^2+2*A*x^2*a^2*b^4*c^4*n+2*B*x*a^3*b^3*c^4*
n^2+4*A*x*a^3*b^3*c^4*n-2*B*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^2*c^4*n)/i/g^3
/(b*x+a)^2/(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)/a^4/c^2/n
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 483, normalized size of antiderivative = 1.82

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx =$$
$$-\frac{2\,Ab^2c^2 - 8\,Aabcd + 6\,Aa^2d^2 - 2\,(Bb^2d^2nx^2 + 2\,Babd^2nx + Ba^2d^2n)\log\left(\frac{bx+a}{dx+c}\right)^2 + (Bb^2c^2 - 8\,Babcd$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i),x, al
gorithm="fricas")
```

output
```
-1/4*(2*A*b^2*c^2 - 8*A*a*b*c*d + 6*A*a^2*d^2 - 2*(B*b^2*d^2*n*x^2 + 2*B*a
*b*d^2*n*x + B*a^2*d^2*n)*log((b*x + a)/(d*x + c))^2 + (B*b^2*c^2 - 8*B*a*
b*c*d + 7*B*a^2*d^2)*n - 2*(2*A*b^2*c*d - 2*A*a*b*d^2 + 3*(B*b^2*c*d - B*a
*b*d^2)*n)*x + 2*(B*b^2*c^2 - 4*B*a*b*c*d + 3*B*a^2*d^2 - 2*(B*b^2*c*d - B
*a*b*d^2)*x - 2*(B*b^2*d^2*x^2 + 2*B*a*b*d^2*x + B*a^2*d^2)*log((b*x + a)/
(d*x + c)))*log(e) - 2*(2*A*a^2*d^2 + (3*B*b^2*d^2*n + 2*A*b^2*d^2)*x^2 -
(B*b^2*c^2 - 4*B*a*b*c*d)*n + 2*(2*A*a*b*d^2 + (B*b^2*c*d + 2*B*a*b*d^2)*n
)*x)*log((b*x + a)/(d*x + c)))/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2
 - a^3*b^2*d^3)*g^3*i*x^2 + 2*(a*b^4*c^3 - 3*a^2*b^3*c^2*d + 3*a^3*b^2*c*d
^2 - a^4*b*d^3)*g^3*i*x + (a^2*b^3*c^3 - 3*a^3*b^2*c^2*d + 3*a^4*b*c*d^2 -
 a^5*d^3)*g^3*i)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3/(d*i*x+c*i),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 888 vs. $2(260) = 520$.

Time = 0.08 (sec) , antiderivative size = 888, normalized size of antiderivative = 3.34

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i),x, al
gorithm="maxima")
```

output

```
1/2*B*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3*
i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (a^2*b^2*c^2 -
 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^
2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((b^3*c^3 - 3*a
*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) - 1/4*(b^2*c^2 - 8*a*b*c*d + 7*a^2*d^2 + 2*(b^2*d^2*x^2 + 2*a*b
*d^2*x + a^2*d^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)
*log(d*x + c)^2 - 6*(b^2*c*d - a*b*d^2)*x - 6*(b^2*d^2*x^2 + 2*a*b*d^2*x +
 a^2*d^2)*log(b*x + a) + 2*(3*b^2*d^2*x^2 + 6*a*b*d^2*x + 3*a^2*d^2 - 2*(b
^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a))*log(d*x + c))*B*n/(a^2*b
^3*c^3*g^3*i - 3*a^3*b^2*c^2*d*g^3*i + 3*a^4*b*c*d^2*g^3*i - a^5*d^3*g^3*i
 + (b^5*c^3*g^3*i - 3*a*b^4*c^2*d*g^3*i + 3*a^2*b^3*c*d^2*g^3*i - a^3*b^2*
d^3*g^3*i)*x^2 + 2*(a*b^4*c^3*g^3*i - 3*a^2*b^3*c^2*d*g^3*i + 3*a^3*b^2*c*
d^2*g^3*i - a^4*b*d^3*g^3*i)*x) + 1/2*A*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2
 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a
^3*b*d^2)*g^3*i*x + (a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*l
og(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) -
2*d^2*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^
3*i))
```

Giac [A] (verification not implemented)

Time = 101.19 (sec) , antiderivative size = 104, normalized size of antiderivative = 0.39

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx =$$
$$-\frac{1}{4}\left(\frac{bc}{(bc-ad)^2} - \frac{ad}{(bc-ad)^2}\right)^2\left(\frac{2\,(dx+c)^2 Bn\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)^2 g^3 i} + \frac{(Bn + 2\,B\log(e) + 2\,A)(dx+c)^2}{(bx+a)^2 g^3 i}\right)$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i),x, al
gorithm="giac")
```

output

```
-1/4*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)^2*(2*(d*x + c)^2*B*n*log((b*x
 + a)/(d*x + c))/((b*x + a)^2*g^3*i) + (B*n + 2*B*log(e) + 2*A)*(d*x + c)^
2/((b*x + a)^2*g^3*i))
```

Mupad [B] (verification not implemented)

Time = 27.50 (sec) , antiderivative size = 573, normalized size of antiderivative = 2.15

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)}\,dx$$
$$= \frac{B\,d^2\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{g^3\,i\,n\,(a\,d-b\,c)\,(2\,a\,d-b\,c)}{2\,d^2}+\frac{a\,g^3\,i\,n\,(a\,d-b\,c)}{2\,d}+\frac{b\,g^3\,i\,n\,x\,(a\,d-b\,c)}{d}\right)}{g^3\,i\,n\,(a\,d-b\,c)\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)\,(i\,a^2\,g^3+2\,i\,a\,b\,g^3\,x+i\,b^2\,g^3\,x^2)}$$
$$- \frac{B\,d^2\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2}{2\,g^3\,i\,n\,(a\,d-b\,c)\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}$$
$$- \frac{\frac{6\,A\,a\,d-2\,A\,b\,c+7\,B\,a\,d\,n-B\,b\,c\,n}{2\,(a\,d-b\,c)}+\frac{d\,x\,(2\,A\,b+3\,B\,b\,n)}{a\,d-b\,c}}{x^2\,(2\,b^3\,c\,g^3\,i-2\,a\,b^2\,d\,g^3\,i)+x\,(4\,a\,b^2\,c\,g^3\,i-4\,a^2\,b\,d\,g^3\,i)-2\,a^3\,d\,g^3\,i+2\,a^2\,b\,c\,g^3\,i}$$
$$+ \frac{d^2\,\mathrm{atan}\left(\frac{d^2\left(A+\frac{3\,B\,n}{2}\right)(2\,i\,a^3\,d^3\,g^3-2\,i\,a^2\,b\,c\,d^2\,g^3-2\,i\,a\,b^2\,c^2\,d\,g^3+2\,i\,b^3\,c^3\,g^3)\,1\mathrm{i}}{g^3\,i\,(2\,A\,d^2+3\,B\,d^2\,n)\,(a\,d-b\,c)^3}+\frac{b\,d^3\,x\left(A+\frac{3\,B\,n}{2}\right)(i\,a^2\,d^2\,g^3-2\,i\,a\,b\,c\,d\,g^3+i\,b^2\,c^2\,g}{g^3\,i\,(2\,A\,d^2+3\,B\,d^2\,n)\,(a\,d-b\,c)^3}\right.}{g^3\,i\,(a\,d-b\,c)^3}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^3*(c*i + d*i*x))
,x)
```

output
```
(d^2*atan((d^2*(A + (3*B*n)/2)*(2*a^3*d^3*g^3*i + 2*b^3*c^3*g^3*i - 2*a*b^
2*c^2*d*g^3*i - 2*a^2*b*c*d^2*g^3*i)*1i)/(g^3*i*(2*A*d^2 + 3*B*d^2*n)*(a*d
 - b*c)^3) + (b*d^3*x*(A + (3*B*n)/2)*(a^2*d^2*g^3*i + b^2*c^2*g^3*i - 2*a
*b*c*d*g^3*i)*4i)/(g^3*i*(2*A*d^2 + 3*B*d^2*n)*(a*d - b*c)^3))*(A + (3*B*n
)/2)*2i)/(g^3*i*(a*d - b*c)^3) - ((6*A*a*d - 2*A*b*c + 7*B*a*d*n - B*b*c*n
)/(2*(a*d - b*c)) + (d*x*(2*A*b + 3*B*b*n))/(a*d - b*c))/(x^2*(2*b^3*c*g^3
*i - 2*a*b^2*d*g^3*i) + x*(4*a*b^2*c*g^3*i - 4*a^2*b*d*g^3*i) - 2*a^3*d*g^
3*i + 2*a^2*b*c*g^3*i) - (B*d^2*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g^3*i
*n*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B*d^2*log(e*((a + b*x)/
(c + d*x))^n)*((g^3*i*n*(a*d - b*c)*(2*a*d - b*c))/(2*d^2) + (a*g^3*i*n*(a
*d - b*c))/(2*d) + (b*g^3*i*n*x*(a*d - b*c))/d))/(g^3*i*n*(a*d - b*c)*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d)*(a^2*g^3*i + b^2*g^3*i*x^2 + 2*a*b*g^3*i*x))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 747, normalized size of antiderivative = 2.81

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i),x)
```

output

```
(i*(4*log(a + b*x)*a**4*d**2*n + 6*log(a + b*x)*a**3*b*d**2*n**2 + 8*log(a
 + b*x)*a**3*b*d**2*n*x + 12*log(a + b*x)*a**2*b**2*d**2*n**2*x + 4*log(a
+ b*x)*a**2*b**2*d**2*n*x**2 + 6*log(a + b*x)*a*b**3*d**2*n**2*x**2 - 4*lo
g(c + d*x)*a**4*d**2*n - 6*log(c + d*x)*a**3*b*d**2*n**2 - 8*log(c + d*x)*
a**3*b*d**2*n*x - 12*log(c + d*x)*a**2*b**2*d**2*n**2*x - 4*log(c + d*x)*a
**2*b**2*d**2*n*x**2 - 6*log(c + d*x)*a*b**3*d**2*n**2*x**2 + 2*log(((a +
b*x)**n*e)/(c + d*x)**n)**2*a**3*b*d**2 + 4*log(((a + b*x)**n*e)/(c + d*x)
**n)**2*a**2*b**2*d**2*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*
d**2*x**2 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*d**2*n + 8*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*d*n - 4*log(((a + b*x)**n*e)/(c +
d*x)**n)*a**2*b**2*d**2*n*x - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*
c**2*n + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*d*n*x - 4*a**4*d**2
*n + 6*a**3*b*c*d*n - 4*a**3*b*d**2*n**2 - 2*a**2*b**2*c**2*n + 5*a**2*b**
2*c*d*n**2 + 2*a**2*b**2*d**2*n*x**2 - a*b**3*c**2*n**2 - 2*a*b**3*c*d*n*x
**2 + 3*a*b**3*d**2*n**2*x**2 - 3*b**4*c*d*n**2*x**2))/(4*a*g**3*n*(a**5*d
**3 - 3*a**4*b*c*d**2 + 2*a**4*b*d**3*x + 3*a**3*b**2*c**2*d - 6*a**3*b**2
*c*d**2*x + a**3*b**2*d**3*x**2 - a**2*b**3*c**3 + 6*a**2*b**3*c**2*d*x -
3*a**2*b**3*c*d**2*x**2 - 2*a*b**4*c**3*x + 3*a*b**4*c**2*d*x**2 - b**5*c*
*3*x**2))
```

3.142 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx$

Optimal result . . . 1636
Mathematica [C] (verified) . . . 1637
Rubi [A] (verified) . . . 1638
Maple [B] (verified) . . . 1640
Fricas [B] (verification not implemented) . . . 1641
Sympy [F(-1)] . . . 1642
Maxima [B] (verification not implemented) . . . 1643
Giac [A] (verification not implemented) . . . 1644
Mupad [B] (verification not implemented) . . . 1644
Reduce [B] (verification not implemented) . . . 1645

Optimal result

Integrand size = 43, antiderivative size = 389

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx &= -\frac{3bBd^2n(c+dx)}{(bc-ad)^4g^4i(a+bx)}+\frac{3b^2Bdn(c+dx)^2}{4(bc-ad)^4g^4i(a+bx)^2}\\ &\quad-\frac{b^3Bn(c+dx)^3}{9(bc-ad)^4g^4i(a+bx)^3}\\ &\quad-\frac{3bd^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^4i(a+bx)}\\ &\quad+\frac{3b^2d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^4i(a+bx)^2}\\ &\quad-\frac{b^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^4g^4i(a+bx)^3}\\ &\quad-\frac{d^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^4g^4i}\\ &\quad+\frac{Bd^3n\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^4i}\end{aligned}$$

output

```
-3*b*B*d^2*n*(d*x+c)/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/4*b^2*B*d*n*(d*x+c)^2/(-
a*d+b*c)^4/g^4/i/(b*x+a)^2-1/9*b^3*B*n*(d*x+c)^3/(-a*d+b*c)^4/g^4/i/(b*x+a
)^3-3*b*d^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^4/i/(b*
x+a)+3/2*b^2*d*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^4/
i/(b*x+a)^2-1/3*b^3*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4
/g^4/i/(b*x+a)^3-d^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(
-a*d+b*c)^4/g^4/i+1/2*B*d^3*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^4/i
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.71 (sec) , antiderivative size = 518, normalized size of antiderivative = 1.33

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx$$

$$= \frac{-\frac{12A(bc-ad)^3}{(a+bx)^3} - \frac{4B(bc-ad)^3n}{(a+bx)^3} + \frac{18Ad(bc-ad)^2}{(a+bx)^2} + \frac{15Bd(bc-ad)^2n}{(a+bx)^2} + \frac{36Ad^2(-bc+ad)}{a+bx} + \frac{66Bd^2(-bc+ad)n}{a+bx} - 36Ad^3\log(a+$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d
*i*x)),x]
```

output

```
((-12*A*(b*c - a*d)^3)/(a + b*x)^3 - (4*B*(b*c - a*d)^3*n)/(a + b*x)^3 + (
18*A*d*(b*c - a*d)^2)/(a + b*x)^2 + (15*B*d*(b*c - a*d)^2*n)/(a + b*x)^2 +
 (36*A*d^2*(-(b*c) + a*d))/(a + b*x) + (66*B*d^2*(-(b*c) + a*d)*n)/(a + b*
x) - 36*A*d^3*Log[a + b*x] - 66*B*d^3*n*Log[a + b*x] + 18*B*d^3*n*Log[a +
b*x]^2 - (12*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n])/(a + b*x)^3 +
 (18*B*d*(b*c - a*d)^2*Log[e*((a + b*x)/(c + d*x))^n])/(a + b*x)^2 + (36*B
*d^2*(-(b*c) + a*d)*Log[e*((a + b*x)/(c + d*x))^n])/(a + b*x) - 36*B*d^3*L
og[a + b*x]*Log[e*((a + b*x)/(c + d*x))^n] + 36*A*d^3*Log[c + d*x] + 66*B*
d^3*n*Log[c + d*x] - 36*B*d^3*n*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c +
d*x] + 36*B*d^3*Log[e*((a + b*x)/(c + d*x))^n]*Log[c + d*x] + 18*B*d^3*n*L
og[c + d*x]^2 - 36*B*d^3*n*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] - 3
6*B*d^3*n*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] - 36*B*d^3*n*PolyLog[2,
 (b*(c + d*x))/(b*c - a*d)])/(36*(b*c - a*d)^4*g^4*i)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 275, normalized size of antiderivative = 0.71, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^4(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4 i(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-Bn\int -\frac{(c+dx)^4\left(2b^3-\frac{9d(a+bx)b^2}{c+dx}+\frac{18d^2(a+bx)^2b}{(c+dx)^2}+\frac{6d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^3}\right)}{6(a+bx)^4}\,d\frac{a+bx}{c+dx} - \frac{b^3(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} + \frac{3b^2d(c+dx)^2}{}}{g^4 i(bc-ad)^4}$$

$$\downarrow 27$$

$$\frac{\frac{1}{6}Bn\int \frac{(c+dx)^4\left(2b^3-\frac{9d(a+bx)b^2}{c+dx}+\frac{18d^2(a+bx)^2b}{(c+dx)^2}+\frac{6d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)}{(c+dx)^3}\right)}{(a+bx)^4}\,d\frac{a+bx}{c+dx} - \frac{b^3(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} + \frac{3b^2d(c+dx)^2}{}}{g^4 i(bc-ad)^4}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{6}Bn\int \left(\frac{b\left(2b^2-\frac{9d(a+bx)b}{c+dx}+\frac{18d^2(a+bx)^2}{(c+dx)^2}\right)(c+dx)^4}{(a+bx)^4}+\frac{6d^3\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx} - \frac{b^3(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} + \frac{3b^2d(c+}{}}{g^4 i(bc-ad)}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3} + \frac{3b^2d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} - \left(d^3\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\right) - }{g^4 i(bc-ad)^4}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d*i*x))
,x]
```

output
```
((-3*b*d^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (
3*b^2*d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2
) - (b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^
3) - d^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] +
 (B*n*((-18*b*d^2*(c + d*x))/(a + b*x) + (9*b^2*d*(c + d*x)^2)/(2*(a + b*x
)^2) - (2*b^3*(c + d*x)^3)/(3*(a + b*x)^3) + 3*d^3*Log[(a + b*x)/(c + d*x)
]^2))/6)/((b*c - a*d)^4*g^4*i)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1089 vs. $2(379) = 758$.

Time = 27.76 (sec) , antiderivative size = 1090, normalized size of antiderivative = 2.80

method	result	size
parallelrisch	Expression too large to display	1090

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i),x,method=_RE
TURNVERBOSE)
```

output

```
-1/36*(18*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a^8*c^2*d^3+36*A*ln(e*((b*x+a)/(d*
x+c))^n)*a^8*c^2*d^3+108*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^2*d^3+1
62*A*x^2*a^6*b^2*c^2*d^3*n-288*A*x^2*a^5*b^3*c^3*d^2*n+162*A*x^2*a^4*b^4*c
^4*d*n+54*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^7*b*c^2*d^3+108*B*x*a^7*b*c^2*
d^3*n^2-162*B*x*a^6*b^2*c^3*d^2*n^2+66*B*x*a^5*b^3*c^4*d*n^2+108*A*x*ln(e*
((b*x+a)/(d*x+c))^n)*a^7*b*c^2*d^3+108*A*x*a^7*b*c^2*d^3*n-216*A*x*a^6*b^2
*c^3*d^2*n+144*A*x*a^5*b^3*c^4*d*n+108*B*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b*c
^3*d^2*n-54*B*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^4*d*n+18*B*x^3*ln(e*((b*
x+a)/(d*x+c))^n)^2*a^5*b^3*c^2*d^3+85*B*x^3*a^5*b^3*c^2*d^3*n^2-108*B*x^3*
a^4*b^4*c^3*d^2*n^2+27*B*x^3*a^3*b^5*c^4*d*n^2+36*A*x^3*ln(e*((b*x+a)/(d*x
+c))^n)*a^5*b^3*c^2*d^3+66*A*x^3*a^5*b^3*c^2*d^3*n-108*A*x^3*a^4*b^4*c^3*d
^2*n+54*A*x^3*a^3*b^5*c^4*d*n+54*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^6*b^2
*c^2*d^3+189*B*x^2*a^6*b^2*c^2*d^3*n^2-258*B*x^2*a^5*b^3*c^3*d^2*n^2+81*B*
x^2*a^4*b^4*c^4*d*n^2+66*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b^3*c^2*d^3*n
+162*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^2*d^3*n+36*B*x^2*ln(e*((b*x
+a)/(d*x+c))^n)*a^5*b^3*c^3*d^2*n+108*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b*
c^2*d^3*n+108*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^3*d^2*n-18*B*x*ln(e*
((b*x+a)/(d*x+c))^n)*a^5*b^3*c^4*d*n-4*B*x^3*a^2*b^6*c^5*n^2-12*A*x^3*a^2*
b^6*c^5*n-12*B*x^2*a^3*b^5*c^5*n^2-36*A*x^2*a^3*b^5*c^5*n-12*B*x*a^4*b^4*c
^5*n^2-36*A*x*a^4*b^4*c^5*n+12*B*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b^3*c^5*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 859 vs. $2(379) = 758$.

Time = 0.10 (sec) , antiderivative size = 859, normalized size of antiderivative = 2.21

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i),x, al
gorithm="fricas")
```

output

```
-1/36*(12*A*b^3*c^3 - 54*A*a*b^2*c^2*d + 108*A*a^2*b*c*d^2 - 66*A*a^3*d^3
+ 6*(6*A*b^3*c*d^2 - 6*A*a*b^2*d^3 + 11*(B*b^3*c*d^2 - B*a*b^2*d^3)*n)*x^2
 + 18*(B*b^3*d^3*n*x^3 + 3*B*a*b^2*d^3*n*x^2 + 3*B*a^2*b*d^3*n*x + B*a^3*d
^3*n)*log((b*x + a)/(d*x + c))^2 + (4*B*b^3*c^3 - 27*B*a*b^2*c^2*d + 108*B
*a^2*b*c*d^2 - 85*B*a^3*d^3)*n - 3*(6*A*b^3*c^2*d - 36*A*a*b^2*c*d^2 + 30*
A*a^2*b*d^3 + (5*B*b^3*c^2*d - 54*B*a*b^2*c*d^2 + 49*B*a^2*b*d^3)*n)*x + 6
*(2*B*b^3*c^3 - 9*B*a*b^2*c^2*d + 18*B*a^2*b*c*d^2 - 11*B*a^3*d^3 + 6*(B*b
^3*c*d^2 - B*a*b^2*d^3)*x^2 - 3*(B*b^3*c^2*d - 6*B*a*b^2*c*d^2 + 5*B*a^2*b
*d^3)*x + 6*(B*b^3*d^3*x^3 + 3*B*a*b^2*d^3*x^2 + 3*B*a^2*b*d^3*x + B*a^3*d
^3)*log((b*x + a)/(d*x + c)))*log(e) + 6*(6*A*a^3*d^3 + (11*B*b^3*d^3*n +
6*A*b^3*d^3)*x^3 + 3*(6*A*a*b^2*d^3 + (2*B*b^3*c*d^2 + 9*B*a*b^2*d^3)*n)*x
^2 + (2*B*b^3*c^3 - 9*B*a*b^2*c^2*d + 18*B*a^2*b*c*d^2)*n + 3*(6*A*a^2*b*d
^3 - (B*b^3*c^2*d - 6*B*a*b^2*c*d^2 - 6*B*a^2*b*d^3)*n)*x)*log((b*x + a)/(
d*x + c)))/((b^7*c^4 - 4*a*b^6*c^3*d + 6*a^2*b^5*c^2*d^2 - 4*a^3*b^4*c*d^3
 + a^4*b^3*d^4)*g^4*i*x^3 + 3*(a*b^6*c^4 - 4*a^2*b^5*c^3*d + 6*a^3*b^4*c^2
*d^2 - 4*a^4*b^3*c*d^3 + a^5*b^2*d^4)*g^4*i*x^2 + 3*(a^2*b^5*c^4 - 4*a^3*b
^4*c^3*d + 6*a^4*b^3*c^2*d^2 - 4*a^5*b^2*c*d^3 + a^6*b*d^4)*g^4*i*x + (a^3
*b^4*c^4 - 4*a^4*b^3*c^3*d + 6*a^5*b^2*c^2*d^2 - 4*a^6*b*c*d^3 + a^7*d^4)*
g^4*i)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4/(d*i*x+c*i),x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1472 vs. $2(379) = 758$.

Time $= 0.13$ (sec) , antiderivative size $= 1472$, normalized size of antiderivative $= 3.78$

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4(ci + dix)}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i),x, al
gorithm="maxima")
```

output

```
-1/6*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d -
 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*
g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3*b^3*c*d^2 - a^4*b^2*d^3
)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3*a^4*b^2*c*d^2 - a^5*b*d
^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3)*g^
4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 -
4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c
^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i))*log(e*(b*x/(d*
x + c) + a/(d*x + c))^n) - 1/36*(4*b^3*c^3 - 27*a*b^2*c^2*d + 108*a^2*b*c*
d^2 - 85*a^3*d^3 + 66*(b^3*c*d^2 - a*b^2*d^3)*x^2 - 18*(b^3*d^3*x^3 + 3*a*
b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a)^2 - 18*(b^3*d^3*x^3 +
3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(d*x + c)^2 - 3*(5*b^3*c^2*d
 - 54*a*b^2*c*d^2 + 49*a^2*b*d^3)*x + 66*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 +
3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a) - 6*(11*b^3*d^3*x^3 + 33*a*b^2*d^3*x
^2 + 33*a^2*b*d^3*x + 11*a^3*d^3 - 6*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3*a^
2*b*d^3*x + a^3*d^3)*log(b*x + a))*log(d*x + c))*B*n/(a^3*b^4*c^4*g^4*i -
4*a^4*b^3*c^3*d*g^4*i + 6*a^5*b^2*c^2*d^2*g^4*i - 4*a^6*b*c*d^3*g^4*i + a^
7*d^4*g^4*i + (b^7*c^4*g^4*i - 4*a*b^6*c^3*d*g^4*i + 6*a^2*b^5*c^2*d^2*g^4
*i - 4*a^3*b^4*c*d^3*g^4*i + a^4*b^3*d^4*g^4*i)*x^3 + 3*(a*b^6*c^4*g^4*i -
 4*a^2*b^5*c^3*d*g^4*i + 6*a^3*b^4*c^2*d^2*g^4*i - 4*a^4*b^3*c*d^3*g^4*...
```

Giac [A] (verification not implemented)

Time = 138.57 (sec) , antiderivative size = 232, normalized size of antiderivative = 0.60

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx =$$
$$-\frac{1}{36}\left(\frac{6\left(2\,Bbn-\frac{3\,(bx+a)Bdn}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^3bcg^4i}{(dx+c)^3}-\frac{(bx+a)^3adg^4i}{(dx+c)^3}}+\frac{4\,Bbn-\frac{9\,(bx+a)Bdn}{dx+c}+12\,Bb\log(e)-\frac{18\,(bx+a)Bd\log(e)}{dx+c}+12\,A}{\frac{(bx+a)^3bcg^4i}{(dx+c)^3}-\frac{(bx+a)^3adg^4i}{(dx+c)^3}}\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i),x, al
gorithm="giac")
```

output
```
-1/36*(6*(2*B*b*n - 3*(b*x + a)*B*d*n/(d*x + c))*log((b*x + a)/(d*x + c))/
((b*x + a)^3*b*c*g^4*i/(d*x + c)^3 - (b*x + a)^3*a*d*g^4*i/(d*x + c)^3) +
(4*B*b*n - 9*(b*x + a)*B*d*n/(d*x + c) + 12*B*b*log(e) - 18*(b*x + a)*B*d*
log(e)/(d*x + c) + 12*A*b - 18*(b*x + a)*A*d/(d*x + c))/((b*x + a)^3*b*c*g
^4*i/(d*x + c)^3 - (b*x + a)^3*a*d*g^4*i/(d*x + c)^3))*(b*c/(b*c - a*d)^2
- a*d/(b*c - a*d)^2)^2
```

Mupad [B] (verification not implemented)

Time = 28.44 (sec) , antiderivative size = 986, normalized size of antiderivative = 2.53

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^4*(c*i + d*i*x))
,x)
```

output

```
((66*A*a^2*d^2 + 12*A*b^2*c^2 + 85*B*a^2*d^2*n + 4*B*b^2*c^2*n - 42*A*a*b*
c*d - 23*B*a*b*c*d*n)/(6*(a*d - b*c)) + (x*(30*A*a*b*d^2 - 6*A*b^2*c*d + 4
9*B*a*b*d^2*n - 5*B*b^2*c*d*n))/(2*(a*d - b*c)) + (d*x^2*(6*A*b^2*d + 11*B
*b^2*d*n))/(a*d - b*c))/(x*(18*a^4*b*d^2*g^4*i + 18*a^2*b^3*c^2*g^4*i - 36
*a^3*b^2*c*d*g^4*i) + x^2*(18*a*b^4*c^2*g^4*i + 18*a^3*b^2*d^2*g^4*i - 36*
a^2*b^3*c*d*g^4*i) + x^3*(6*b^5*c^2*g^4*i + 6*a^2*b^3*d^2*g^4*i - 12*a*b^4
*c*d*g^4*i) + 6*a^5*d^2*g^4*i + 6*a^3*b^2*c^2*g^4*i - 12*a^4*b*c*d*g^4*i)
+ (d^3*atan((d^3*((a^4*d^4*g^4*i - b^4*c^4*g^4*i + 2*a*b^3*c^3*d*g^4*i - 2
*a^3*b*c*d^3*g^4*i)/(a^3*d^3*g^4*i - b^3*c^3*g^4*i + 3*a*b^2*c^2*d*g^4*i -
 3*a^2*b*c*d^2*g^4*i) + 2*b*d*x)*(A + (11*B*n)/6)*(a^3*d^3*g^4*i - b^3*c^3
*g^4*i + 3*a*b^2*c^2*d*g^4*i - 3*a^2*b*c*d^2*g^4*i)*6i)/(g^4*i*(6*A*d^3 +
11*B*d^3*n)*(a*d - b*c)^4))*(A + (11*B*n)/6)*2i)/(g^4*i*(a*d - b*c)^4) - (
B*d^3*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g^4*i*n*(a*d - b*c)*(a^3*d^3 -
b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (B*d^3*log(e*((a + b*x)/(c + d
*x))^n)*(x*(b*((g^4*i*n*(a*d - b*c)*(3*a*d - b*c))/(6*d^2) + (a*g^4*i*n*(a
*d - b*c))/(3*d)) + (2*a*b*g^4*i*n*(a*d - b*c))/(3*d) + (b*g^4*i*n*(a*d -
b*c)*(3*a*d - b*c))/(3*d^2)) + a*((g^4*i*n*(a*d - b*c)*(3*a*d - b*c))/(6*d
^2) + (a*g^4*i*n*(a*d - b*c))/(3*d)) + (g^4*i*n*(a*d - b*c)*(3*a^2*d^2 + b
^2*c^2 - 3*a*b*c*d))/(3*d^3) + (b^2*g^4*i*n*x^2*(a*d - b*c))/d))/(g^4*i*n*
(a*d - b*c)*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)*(a^3*g^...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1414, normalized size of antiderivative = 3.63

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4(ci + dix)}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i),x)
```

output

```
(i*(36*log(a + b*x)*a**5*d**3*n + 54*log(a + b*x)*a**4*b*d**3*n**2 + 108*l
og(a + b*x)*a**4*b*d**3*n*x + 12*log(a + b*x)*a**3*b**2*c*d**2*n**2 + 162*
log(a + b*x)*a**3*b**2*d**3*n**2*x + 108*log(a + b*x)*a**3*b**2*d**3*n*x**
2 + 36*log(a + b*x)*a**2*b**3*c*d**2*n**2*x + 162*log(a + b*x)*a**2*b**3*d
**3*n**2*x**2 + 36*log(a + b*x)*a**2*b**3*d**3*n*x**3 + 36*log(a + b*x)*a*
b**4*c*d**2*n**2*x**2 + 54*log(a + b*x)*a*b**4*d**3*n**2*x**3 + 12*log(a +
 b*x)*b**5*c*d**2*n**2*x**3 - 36*log(c + d*x)*a**5*d**3*n - 54*log(c + d*x
)*a**4*b*d**3*n**2 - 108*log(c + d*x)*a**4*b*d**3*n*x - 12*log(c + d*x)*a*
*3*b**2*c*d**2*n**2 - 162*log(c + d*x)*a**3*b**2*d**3*n**2*x - 108*log(c +
 d*x)*a**3*b**2*d**3*n*x**2 - 36*log(c + d*x)*a**2*b**3*c*d**2*n**2*x - 16
2*log(c + d*x)*a**2*b**3*d**3*n**2*x**2 - 36*log(c + d*x)*a**2*b**3*d**3*n
*x**3 - 36*log(c + d*x)*a*b**4*c*d**2*n**2*x**2 - 54*log(c + d*x)*a*b**4*d
**3*n**2*x**3 - 12*log(c + d*x)*b**5*c*d**2*n**2*x**3 + 18*log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*a**4*b*d**3 + 54*log(((a + b*x)**n*e)/(c + d*x)**n)
**2*a**3*b**2*d**3*x + 54*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3*
d**3*x**2 + 18*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*d**3*x**3 - 54
*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*b*d**3*n + 96*log(((a + b*x)**n*e
)/(c + d*x)**n)*a**3*b**2*c*d**2*n - 54*log(((a + b*x)**n*e)/(c + d*x)**n)
*a**3*b**2*d**3*n*x - 54*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c**2
*d*n + 72*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c*d**2*n*x + 12*...
```

3.143 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 1647
Mathematica [A] (verified) . . . 1648
Rubi [A] (verified) . . . 1649
Maple [F] . . . 1651
Fricas [F] . . . 1652
Sympy [F(-1)] . . . 1652
Maxima [B] (verification not implemented) . . . 1652
Giac [F(-1)] . . . 1653
Mupad [F(-1)] . . . 1654
Reduce [F] . . . 1654

Optimal result

Integrand size = 43, antiderivative size = 359

$$\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx \\
&= \frac{3B(bc-ad)^2g^3n(a+bx)}{d^3i^2(c+dx)} - \frac{(bc-ad)^2g^3(6A+5Bn)(a+bx)}{2d^3i^2(c+dx)} \\
&\quad - \frac{3B(bc-ad)^2g^3(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^3i^2(c+dx)} + \frac{g^3(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2di^2(c+dx)} \\
&\quad - \frac{(bc-ad)g^3(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^2i^2(c+dx)} \\
&\quad - \frac{b(bc-ad)^2g^3\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{2d^4i^2} \\
&\quad - \frac{3bB(bc-ad)^2g^3n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2}
\end{aligned}$$

output
```
3*B*(-a*d+b*c)^2*g^3*n*(b*x+a)/d^3/i^2/(d*x+c)-1/2*(-a*d+b*c)^2*g^3*(5*B*n
+6*A)*(b*x+a)/d^3/i^2/(d*x+c)-3*B*(-a*d+b*c)^2*g^3*(b*x+a)*ln(e*((b*x+a)/(
d*x+c))^n)/d^3/i^2/(d*x+c)+1/2*g^3*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n
))/d/i^2/(d*x+c)-1/2*(-a*d+b*c)*g^3*(b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(
d*x+c))^n))/d^2/i^2/(d*x+c)-1/2*b*(-a*d+b*c)^2*g^3*(6*A+5*B*n+6*B*ln(e*((b
*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^4/i^2-3*b*B*(-a*d+b*c)^2*g^3
*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^2
```

Mathematica [A] (verified)

Time = 0.46 (sec) , antiderivative size = 375, normalized size of antiderivative = 1.04

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g^3\Bigg(-2Ab^2d(2bc-3ad)x-2bBd(2bc-3ad)(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+b^3d^2x^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i +
d*i*x)^2,x]
```

output
```
(g^3*(-2*A*b^2*d*(2*b*c - 3*a*d)*x - 2*b*B*d*(2*b*c - 3*a*d)*(a + b*x)*Log
[e*((a + b*x)/(c + d*x))^n] + b^3*d^2*x^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]) + (2*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x
) + 2*b*B*(2*b*c - 3*a*d)*(b*c - a*d)*n*Log[c + d*x] + 6*b*(b*c - a*d)^2*(
A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 2*B*(b*c - a*d)^2*n*(
(b*c - a*d)/(c + d*x) + b*Log[a + b*x] - b*Log[c + d*x]) + b*B*n*(-(a^2*d^
2*Log[a + b*x]) + b*(d*(-(b*c) + a*d)*x + b*c^2*Log[c + d*x])) - 3*b*B*(b*
c - a*d)^2*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c +
 d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(2*d^4*i^2)
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 322, normalized size of antiderivative = 0.90, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2784, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{g^3(bc-ad)^2\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int \frac{(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{i^2}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int \frac{(a+bx)\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}}{2d}\right)}{i^2}$$

$$\downarrow 2793$$

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d}-\frac{b\left(6A+5Bn+6\right.}{d\left(\frac{d(}{}\right.}\right.}{2d}\right)}{i^2}$$

$$\downarrow 2009$$

$$\frac{g^3(bc-ad)^2\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+6A+5Bn\right.}{d^2}}{2}\right)}{i^2}$$

input
```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
^2,x]
```

output
```
((b*c - a*d)^2*g^3*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(
2*d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)^2*(3*A + B*
n + 3*B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)^2*(b - (d*(a + b*x))
/(c + d*x))) - ((6*B*n*(a + b*x))/(d*(c + d*x)) - ((6*A + 5*B*n)*(a + b*x)
)/(d*(c + d*x)) - (6*B*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d*(c + d
*x)) - (b*(6*A + 5*B*n + 6*B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a
 + b*x))/(b*(c + d*x))])/d^2 - (6*b*B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d
*x))])/d^2)/d)/(2*d)))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log(e*
((b*x + a)/(d*x + c))^n))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1892 vs. $2(350) = 700$.

Time $= 0.37$ (sec) , antiderivative size $= 1892$, normalized size of antiderivative $= 5.27$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output

```
B*a^3*g^3*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2
) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) + 1/2*(2*c^3/(d^5*i^2*x + c*d^4*
i^2) + 6*c^2*log(d*x + c)/(d^4*i^2) + (d*x^2 - 4*c*x)/(d^3*i^2))*A*b^3*g^3
 - 3*A*a*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2) - x/(d^2*i^2) + 2*c*log(d*x + c)
/(d^3*i^2))*g^3 + 3*A*a^2*b*g^3*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*x + c)/
(d^2*i^2)) - B*a^3*g^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(d^2*i^2*x +
 c*d*i^2) - A*a^3*g^3/(d^2*i^2*x + c*d*i^2) - 1/2*(6*a^3*b*d^3*g^3*log(e)
- (7*g^3*n + 6*g^3*log(e))*b^4*c^3 + (17*g^3*n + 18*g^3*log(e))*a*b^3*c^2*
d - 6*(2*g^3*n + 3*g^3*log(e))*a^2*b^2*c*d^2)*B*log(d*x + c)/(b*c*d^4*i^2
- a*d^5*i^2) + 1/2*((b^4*c*d^3*g^3*log(e) - a*b^3*d^4*g^3*log(e))*B*x^3 -
((g^3*n + 3*g^3*log(e))*b^4*c^2*d^2 - (2*g^3*n + 9*g^3*log(e))*a*b^3*c*d^3
 + (g^3*n + 6*g^3*log(e))*a^2*b^2*d^4)*B*x^2 - ((g^3*n + 4*g^3*log(e))*b^4
*c^3*d - 2*(g^3*n + 5*g^3*log(e))*a*b^3*c^2*d^2 + (g^3*n + 6*g^3*log(e))*a
^2*b^2*c*d^3)*B*x - 6*((b^4*c^3*d*g^3*n - 3*a*b^3*c^2*d^2*g^3*n + 3*a^2*b^
2*c*d^3*g^3*n - a^3*b*d^4*g^3*n)*B*x + (b^4*c^4*g^3*n - 3*a*b^3*c^3*d*g^3*
n + 3*a^2*b^2*c^2*d^2*g^3*n - a^3*b*c*d^3*g^3*n)*B)*log(b*x + a)*log(d*x +
 c) + 3*((b^4*c^3*d*g^3*n - 3*a*b^3*c^2*d^2*g^3*n + 3*a^2*b^2*c*d^3*g^3*n
- a^3*b*d^4*g^3*n)*B*x + (b^4*c^4*g^3*n - 3*a*b^3*c^3*d*g^3*n + 3*a^2*b^2*
c^2*d^2*g^3*n - a^3*b*c*d^3*g^3*n)*B)*log(d*x + c)^2 - 2*((g^3*n - g^3*log
(e))*b^4*c^4 - 4*(g^3*n - g^3*log(e))*a*b^3*c^3*d + 6*(g^3*n - g^3*log(...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^2,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output

```
(g**3*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**2 + 2*c*d*x
+ d**2*x**2),x)*a*b**4*c**2*d**5 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**
n)*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c*d**6*x + 2*int((log(((a
+ b*x)**n*e)/(c + d*x)**n)*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c**3
*d**4 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**2 + 2*c*d*x +
d**2*x**2),x)*b**5*c**2*d**5*x - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c**2*d**5 - 6*int((log(((
a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b*
*3*c*d**6*x + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*
d*x + d**2*x**2),x)*a*b**4*c**3*d**4 + 6*int((log(((a + b*x)**n*e)/(c + d*
x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c**2*d**5*x - 6*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*
b**2*c**2*d**5 - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*
d*x + d**2*x**2),x)*a**3*b**2*c*d**6*x + 6*int((log(((a + b*x)**n*e)/(c +
d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c**3*d**4 + 6*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*
b**3*c**2*d**5*x + 2*log(a + b*x)*a**4*b*c*d**4*n + 2*log(a + b*x)*a**4*b*
d**5*n*x - 6*log(c + d*x)*a**4*b*c**2*d**3 - 2*log(c + d*x)*a**4*b*c*d**4*
n - 6*log(c + d*x)*a**4*b*c*d**4*x - 2*log(c + d*x)*a**4*b*d**5*n*x + 18*l
og(c + d*x)*a**3*b**2*c**3*d**2 + 18*log(c + d*x)*a**3*b**2*c**2*d**3*x...
```

3.144 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 1656
Mathematica [A] (verified) . . . 1657
Rubi [A] (verified) . . . 1657
Maple [F] . . . 1659
Fricas [F] . . . 1660
Sympy [F(-1)] . . . 1660
Maxima [B] (verification not implemented) . . . 1660
Giac [F(-1)] . . . 1661
Mupad [F(-1)] . . . 1662
Reduce [F] . . . 1662

Optimal result

Integrand size = 43, antiderivative size = 275

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx \\
&= -\frac{2B(bc-ad)g^2n(a+bx)}{d^2i^2(c+dx)} + \frac{(bc-ad)g^2(2A+Bn)(a+bx)}{d^2i^2(c+dx)} \\
&\quad + \frac{2B(bc-ad)g^2(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^2i^2(c+dx)} + \frac{g^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{di^2(c+dx)} \\
&\quad + \frac{b(bc-ad)g^2\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i^2} \\
&\quad + \frac{2bB(bc-ad)g^2n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2}
\end{aligned}$$

output

```
-2*B*(-a*d+b*c)*g^2*n*(b*x+a)/d^2/i^2/(d*x+c)+(-a*d+b*c)*g^2*(B*n+2*A)*(b*
x+a)/d^2/i^2/(d*x+c)+2*B*(-a*d+b*c)*g^2*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/
d^2/i^2/(d*x+c)+g^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i^2/(d*x+c
)+b*(-a*d+b*c)*g^2*(2*A+B*n+2*B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b
/(d*x+c))/d^3/i^2+2*b*B*(-a*d+b*c)*g^2*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^
3/i^2
```

Mathematica [A] (verified)

Time = 0.26 (sec) , antiderivative size = 252, normalized size of antiderivative = 0.92

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g^2\left(Ab^2dx+\frac{B(bc-ad)^2n}{c+dx}+bB(bc-ad)n\log(a+bx)+bBd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-\frac{(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.\right.}{c+dx}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i +
d*i*x)^2,x]
```

output
```
(g^2*(A*b^2*d*x + (B*(b*c - a*d)^2*n)/(c + d*x) + b*B*(b*c - a*d)*n*Log[a
+ b*x] + b*B*d*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - ((b*c - a*d)^2*(
A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) - 2*b*B*(b*c - a*d)*n*Log
[c + d*x] - 2*b*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c +
 d*x] + b*B*(b*c - a*d)*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c +
d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(d^3*i^2)
```

Rubi [A] (verified)

Time = 0.55 (sec) , antiderivative size = 242, normalized size of antiderivative = 0.88, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {2961, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^2}\,dx$$
$$\downarrow \text{2961}$$
$$\frac{g^2(bc-ad)\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2784$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}\right)}{i^2}$$

$$\downarrow 2793$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d}-\frac{b\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{d}\right)}{i^2}$$

$$\downarrow 2009$$

$$\frac{g^2(bc-ad)\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+Bn\right)}{d^2}-\frac{(a+bx)(2A+Bn)}{d(c+dx)}-\frac{2bBn\,\mathrm{PolyLog}\left(2,\frac{d(a-}{b(c+}\right.}{d}\right)}{i^2}$$

input
```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
^2,x]
```

output
```
((b*c - a*d)*g^2*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*
(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))) - ((2*B*n*(a + b*x))/(d*(c + d*
x)) - ((2*A + B*n)*(a + b*x))/(d*(c + d*x)) - (2*B*(a + b*x)*Log[e*((a + b
*x)/(c + d*x))^n])/(d*(c + d*x)) - (b*(2*A + B*n + 2*B*Log[e*((a + b*x)/(c
 + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 - (2*b*B*n*PolyLog[
2, (d*(a + b*x))/(b*(c + d*x))])/d^2)/d))/i^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(dix+ci)^2}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output
```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n))/(d^2*i^2*x^2 + 2*c
*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1273 vs. $2(274) = 548$.

Time $= 0.35$ (sec) , antiderivative size $= 1273$, normalized size of antiderivative $= 4.63$

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output

```
B*a^2*g^2*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2
) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - A*b^2*(c^2/(d^4*i^2*x + c*d^3*
i^2) - x/(d^2*i^2) + 2*c*log(d*x + c)/(d^3*i^2))*g^2 + 2*A*a*b*g^2*(c/(d^3
*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2)) - B*a^2*g^2*log(e*(b*x/(d*x
+ c) + a/(d*x + c))^n)/(d^2*i^2*x + c*d*i^2) - A*a^2*g^2/(d^2*i^2*x + c*d*
i^2) - (2*a^2*b*d^2*g^2*log(e) + 2*(g^2*n + g^2*log(e))*b^3*c^2 - (3*g^2*n
 + 4*g^2*log(e))*a*b^2*c*d)*B*log(d*x + c)/(b*c*d^3*i^2 - a*d^4*i^2) + ((b
^3*c*d^2*g^2*log(e) - a*b^2*d^3*g^2*log(e))*B*x^2 + (b^3*c^2*d*g^2*log(e)
- a*b^2*c*d^2*g^2*log(e))*B*x + 2*((b^3*c^2*d*g^2*n - 2*a*b^2*c*d^2*g^2*n
+ a^2*b*d^3*g^2*n)*B*x + (b^3*c^3*g^2*n - 2*a*b^2*c^2*d*g^2*n + a^2*b*c*d^
2*g^2*n)*B)*log(b*x + a)*log(d*x + c) - ((b^3*c^2*d*g^2*n - 2*a*b^2*c*d^2*
g^2*n + a^2*b*d^3*g^2*n)*B*x + (b^3*c^3*g^2*n - 2*a*b^2*c^2*d*g^2*n + a^2*
b*c*d^2*g^2*n)*B)*log(d*x + c)^2 + ((g^2*n - g^2*log(e))*b^3*c^3 - 3*(g^2*
n - g^2*log(e))*a*b^2*c^2*d + 2*(g^2*n - g^2*log(e))*a^2*b*c*d^2)*B + ((b^
3*c^2*d*g^2*n - a*b^2*c*d^2*g^2*n - a^2*b*d^3*g^2*n)*B*x + (b^3*c^3*g^2*n
- a*b^2*c^2*d*g^2*n - a^2*b*c*d^2*g^2*n)*B)*log(b*x + a) + ((b^3*c*d^2*g^2
 - a*b^2*d^3*g^2)*B*x^2 + (b^3*c^2*d*g^2 - a*b^2*c*d^2*g^2)*B*x - (b^3*c^3
*g^2 - 3*a*b^2*c^2*d*g^2 + 2*a^2*b*c*d^2*g^2)*B - 2*((b^3*c^2*d*g^2 - 2*a*
b^2*c*d^2*g^2 + a^2*b*d^3*g^2)*B*x + (b^3*c^3*g^2 - 2*a*b^2*c^2*d*g^2 + a^
2*b*c*d^2*g^2)*B)*log(d*x + c))*log((b*x + a)^n) - ((b^3*c*d^2*g^2 - a*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^2,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output

```
(g**2*( - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x +
d**2*x**2),x)*a*b**3*c**2*d**4 - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x
**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c*d**5*x + int((log(((a + b*x)
**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**3*d**3
+ int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**
2),x)*b**4*c**2*d**4*x - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**
2 + 2*c*d*x + d**2*x**2),x)*a**2*b**2*c**2*d**4 - 2*int((log(((a + b*x)**n
*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**2*c*d**5*x +
2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),
x)*a*b**3*c**3*d**3 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 +
 2*c*d*x + d**2*x**2),x)*a*b**3*c**2*d**4*x + log(a + b*x)*a**3*b*c*d**3*n
 + log(a + b*x)*a**3*b*d**4*n*x - 2*log(c + d*x)*a**3*b*c**2*d**2 - log(c
+ d*x)*a**3*b*c*d**3*n - 2*log(c + d*x)*a**3*b*c*d**3*x - log(c + d*x)*a**
3*b*d**4*n*x + 4*log(c + d*x)*a**2*b**2*c**3*d + 4*log(c + d*x)*a**2*b**2*
c**2*d**2*x - 2*log(c + d*x)*a*b**3*c**4 - 2*log(c + d*x)*a*b**3*c**3*d*x
- log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*d**4*x + log(((a + b*x)**n*e)/
(c + d*x)**n)*a**2*b**2*c*d**3*x - a**4*d**4*x + 3*a**3*b*c*d**3*x + a**3*
b*d**4*n*x - 4*a**2*b**2*c**2*d**2*x - a**2*b**2*c*d**3*n*x - a**2*b**2*c*
d**3*x**2 + 2*a*b**3*c**3*d*x + a*b**3*c**2*d**2*x**2))/(c*d**3*(a*c*d + a
*d**2*x - b*c**2 - b*c*d*x))
```

3.145 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$

Optimal result . . . 1664
Mathematica [A] (verified) . . . 1665
Rubi [A] (verified) . . . 1665
Maple [F] . . . 1667
Fricas [F] . . . 1667
Sympy [F(-1)] . . . 1667
Maxima [F] . . . 1668
Giac [B] (verification not implemented) . . . 1668
Mupad [F(-1)] . . . 1669
Reduce [F] . . . 1670

Optimal result

Integrand size = 41, antiderivative size = 168

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = -\frac{Ag(a+bx)}{di^2(c+dx)} + \frac{Bgn(a+bx)}{di^2(c+dx)} - \frac{Bg(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{di^2(c+dx)} - \frac{bg\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^2i^2} - \frac{bBgn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2}$$

output

```
-A*g*(b*x+a)/d/i^2/(d*x+c)+B*g*n*(b*x+a)/d/i^2/(d*x+c)-B*g*(b*x+a)*ln(e*((
b*x+a)/(d*x+c))^n)/d/i^2/(d*x+c)-b*g*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-
a*d+b*c)/b/(d*x+c))/d^2/i^2-b*B*g*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i^2
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.09

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$$
$$= \frac{g\left(\frac{2(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{c+dx} + 2b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log(c+dx) - 2Bn\left(\frac{bc-ad}{c+dx} + b\log(a+bx) - b\l\right.}{2d^2i^2}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*
i*x)^2,x]
```

output
```
(g*((2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + 2*b
*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 2*B*n*((b*c - a*d)/
(c + d*x) + b*Log[a + b*x] - b*Log[c + d*x]) - b*B*n*((2*Log[(d*(a + b*x))
/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))
/(b*c - a*d)])))/(2*d^2*i^2)
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 154, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.073$, Rules used = {2961, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^2}\,dx$$
$$\downarrow 2961$$
$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^2}$$
$$\downarrow 2793$$

$$\frac{g\int\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d}-\frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow \text{2009}$$

$$\frac{g\left(-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^2}-\frac{A(a+bx)}{d(c+dx)}-\frac{bBn\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2}-\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d(c+dx)}+\frac{Bn(a+bx)}{d(c+dx)}\right)}{i^2}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)^2
,x]
```

output
```
(g*(-((A*(a + b*x))/(d*(c + d*x))) + (B*n*(a + b*x))/(d*(c + d*x)) - (B*(a
 + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d*(c + d*x)) - (b*(A + B*Log[e*((
a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 - (b*B*n
*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^2))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^2}dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output
```
integral((A*b*g*x + A*a*g + (B*b*g*x + B*a*g)*log(e*((b*x + a)/(d*x + c))^
n))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output
```
B*a*g*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2) -
b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - 1/2*B*b*g*((2*(d*n*x + c*n)*log(b*
x + a)*log(d*x + c) - (d*n*x + c*n)*log(d*x + c)^2 - 2*((d*x + c)*log(d*x
+ c) + c)*log((b*x + a)^n) + 2*((d*x + c)*log(d*x + c) + c)*log((d*x + c)^
n))/(d^3*i^2*x + c*d^2*i^2) - 2*integrate((b*d^2*x^2*log(e) + a*d^2*x*log(
e) - b*c^2*n + a*c*d*n + (b*d^2*n*x^2 + a*c*d*n + (b*c*d*n + a*d^2*n)*x)*l
og(b*x + a))/(b*d^4*i^2*x^3 + a*c^2*d^2*i^2 + (2*b*c*d^3*i^2 + a*d^4*i^2)*
x^2 + (b*c^2*d^2*i^2 + 2*a*c*d^3*i^2)*x), x)) + A*b*g*(c/(d^3*i^2*x + c*d^
2*i^2) + log(d*x + c)/(d^2*i^2)) - B*a*g*log(e*(b*x/(d*x + c) + a/(d*x + c
))^n)/(d^2*i^2*x + c*d*i^2) - A*a*g/(d^2*i^2*x + c*d*i^2)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 906 vs. $2(167) = 334$.

Time = 142.58 (sec) , antiderivative size = 906, normalized size of antiderivative = 5.39

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output

```
-1/2*((B*b^4*c^3*g*n - 3*B*a*b^3*c^2*d*g*n - 2*(b*x + a)*B*b^3*c^3*d*g*n/(
d*x + c) + 3*B*a^2*b^2*c*d^2*g*n + 6*(b*x + a)*B*a*b^2*c^2*d^2*g*n/(d*x +
c) - B*a^3*b*d^3*g*n - 6*(b*x + a)*B*a^2*b*c*d^3*g*n/(d*x + c) + 2*(b*x +
a)*B*a^3*d^4*g*n/(d*x + c))*log((b*x + a)/(d*x + c))/(b^2*d^2*i^2 - 2*(b*x
 + a)*b*d^3*i^2/(d*x + c) + (b*x + a)^2*d^4*i^2/(d*x + c)^2) + (B*b^4*c^3*
g*n - 3*B*a*b^3*c^2*d*g*n - (b*x + a)*B*b^3*c^3*d*g*n/(d*x + c) + 3*B*a^2*
b^2*c*d^2*g*n + 3*(b*x + a)*B*a*b^2*c^2*d^2*g*n/(d*x + c) - B*a^3*b*d^3*g*
n - 3*(b*x + a)*B*a^2*b*c*d^3*g*n/(d*x + c) + (b*x + a)*B*a^3*d^4*g*n/(d*x
 + c) + B*b^4*c^3*g*log(e) - 3*B*a*b^3*c^2*d*g*log(e) - 2*(b*x + a)*B*b^3*
c^3*d*g*log(e)/(d*x + c) + 3*B*a^2*b^2*c*d^2*g*log(e) + 6*(b*x + a)*B*a*b^
2*c^2*d^2*g*log(e)/(d*x + c) - B*a^3*b*d^3*g*log(e) - 6*(b*x + a)*B*a^2*b*
c*d^3*g*log(e)/(d*x + c) + 2*(b*x + a)*B*a^3*d^4*g*log(e)/(d*x + c) + A*b^
4*c^3*g - 3*A*a*b^3*c^2*d*g - 2*(b*x + a)*A*b^3*c^3*d*g/(d*x + c) + 3*A*a^
2*b^2*c*d^2*g + 6*(b*x + a)*A*a*b^2*c^2*d^2*g/(d*x + c) - A*a^3*b*d^3*g -
6*(b*x + a)*A*a^2*b*c*d^3*g/(d*x + c) + 2*(b*x + a)*A*a^3*d^4*g/(d*x + c))
/(b^2*d^2*i^2 - 2*(b*x + a)*b*d^3*i^2/(d*x + c) + (b*x + a)^2*d^4*i^2/(d*x
 + c)^2) + (B*b^3*c^3*g*n - 3*B*a*b^2*c^2*d*g*n + 3*B*a^2*b*c*d^2*g*n - B*
a^3*d^3*g*n)*log(-b + (b*x + a)*d/(d*x + c))/(b*d^2*i^2) - (B*b^3*c^3*g*n
- 3*B*a*b^2*c^2*d*g*n + 3*B*a^2*b*c*d^2*g*n - B*a^3*d^3*g*n)*log((b*x + a)
/(d*x + c))/(b*d^2*i^2))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)^2
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^2}\,dx$$

input

```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)^2
,x)
```

output

```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)^2
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^2}\,dx$$

$$= \frac{g\left(-\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{d^2x^2+2cdx+c^2}dx\right) a\,b^2c^2d^3 - \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{d^2x^2+2cdx+c^2}dx\right) a\,b^2c\,d^4x + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{d^2x^2+2cdx+c^2}dx\right) b^3c^3d^2 + \left(\int \frac{1}{}\right.\right.$$

input

```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output

```
(g*( - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x
**2),x)*a*b**2*c**2*d**3 - int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**
2 + 2*c*d*x + d**2*x**2),x)*a*b**2*c*d**4*x + int((log(((a + b*x)**n*e)/(c
 + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**3*c**3*d**2 + int((log((
(a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**3*c**2
*d**3*x + log(a + b*x)*a**2*b*c*d**2*n + log(a + b*x)*a**2*b*d**3*n*x - lo
g(c + d*x)*a**2*b*c**2*d - log(c + d*x)*a**2*b*c*d**2*n - log(c + d*x)*a**
2*b*c*d**2*x - log(c + d*x)*a**2*b*d**3*n*x + log(c + d*x)*a*b**2*c**3 + l
og(c + d*x)*a*b**2*c**2*d*x - log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d*
*3*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c*d**2*x - a**3*d**3*x +
2*a**2*b*c*d**2*x + a**2*b*d**3*n*x - a*b**2*c**2*d*x - a*b**2*c*d**2*n*x)
)/(c*d**2*(a*c*d + a*d**2*x - b*c**2 - b*c*d*x))
```

3.146 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$

Optimal result 1671
Mathematica [A] (verified) 1671
Rubi [A] (verified) 1672
Maple [A] (verified) 1673
Fricas [A] (verification not implemented) 1674
Sympy [B] (verification not implemented) 1674
Maxima [A] (verification not implemented) 1675
Giac [A] (verification not implemented) 1675
Mupad [B] (verification not implemented) 1676
Reduce [B] (verification not implemented) 1676

Optimal result

Integrand size = 33, antiderivative size = 102

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx = \frac{A(a+bx)}{(bc-ad)i^2(c+dx)} - \frac{Bn(a+bx)}{(bc-ad)i^2(c+dx)} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)i^2(c+dx)}$$

output
```
A*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)-B*n*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)+B*(b*x
+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)/i^2/(d*x+c)
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 114, normalized size of antiderivative = 1.12

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx = -\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{di(ci+dix)} + \frac{B(bc-ad)n\left(\frac{1}{(bc-ad)(c+dx)} + \frac{b\log(a+bx)}{(bc-ad)^2} - \frac{b\log(c+dx)}{(bc-ad)^2}\right)}{di^2}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x)^2,x]
```

output
```
-((A + B*Log[e*((a + b*x)/(c + d*x))^n])/(d*i*(c*i + d*i*x))) + (B*(b*c -
a*d)*n*(1/((b*c - a*d)*(c + d*x)) + (b*Log[a + b*x])/(b*c - a*d)^2 - (b*Lo
g[c + d*x])/(b*c - a*d)^2))/(d*i^2)
```

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 77, normalized size of antiderivative = 0.75, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2951, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ci+dix)^2}\,dx$$

$$\downarrow 2951$$

$$\frac{\int \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2009$$

$$\frac{\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx} - \frac{Bn(a+bx)}{c+dx}}{i^2(bc-ad)}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x)^2,x]
```

output
```
((A*(a + b*x))/(c + d*x) - (B*n*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[e*
((a + b*x)/(c + d*x))^n])/(c + d*x))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2951

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [A] (verified)

Time = 2.28 (sec) , antiderivative size = 81, normalized size of antiderivative = 0.79

method	result	size
default	$-\frac{A}{i^2(dx+c)d}-\frac{B\left(\frac{(bx+a)\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{dx+c}-\frac{n(bx+a)}{dx+c}\right)}{i^2(da-bc)}$	81
parts	$-\frac{A}{i^2(dx+c)d}-\frac{B\left(\frac{(bx+a)\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{dx+c}-\frac{n(bx+a)}{dx+c}\right)}{i^2(da-bc)}$	81
parallelrisch	$-\frac{-Bab\,d^3n^2+B\,b^2c\,d^2n^2+Aab\,d^3n-A\,b^2c\,d^2n+Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^2d^3n+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab\,d^3n}{i^2(dx+c)b\,d^3n(da-bc)}$	129

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x,method=_RETURNVERBOSE)
```

output

```
-1/i^2*A/(d*x+c)/d-1/i^2*B/(a*d-b*c)*((b*x+a)/(d*x+c)*ln(e*((b*x+a)/(d*x+c
))^n)-n*(b*x+a)/(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.03

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$$
$$= -\frac{Abc - Aad - (Bbc - Bad)n + (Bbc - Bad)\log(e) - (Bbdnx + Badn)\log\left(\frac{bx+a}{dx+c}\right)}{(bcd^2 - ad^3)i^2x + (bc^2d - acd^2)i^2}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, algorithm="fri
cas")
```

output
```
-(A*b*c - A*a*d - (B*b*c - B*a*d)*n + (B*b*c - B*a*d)*log(e) - (B*b*d*n*x
+ B*a*d*n)*log((b*x + a)/(d*x + c)))/((b*c*d^2 - a*d^3)*i^2*x + (b*c^2*d -
 a*c*d^2)*i^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 444 vs. 2(82) = 164.

Time = 39.03 (sec) , antiderivative size = 444, normalized size of antiderivative = 4.35

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$$
$$= \begin{cases} -\frac{A}{cdi^2+d^2i^2x} - \frac{B\log\left(e\left(\frac{bc}{cd+d^2x}+\frac{bx}{c+dx}\right)^n\right)}{cdi^2+d^2i^2x} \\ \frac{Ax+\frac{Ba\log\left(e\left(\frac{a}{c}+\frac{bx}{c}\right)^n\right)}{b} - Bnx + Bx\log\left(e\left(\frac{a}{c}+\frac{bx}{c}\right)^n\right)}{c^2i^2} \\ -\frac{Aad}{acd^2i^2+ad^3i^2x-bc^2di^2-bcd^2i^2x} + \frac{Abc}{acd^2i^2+ad^3i^2x-bc^2di^2-bcd^2i^2x} + \frac{Badn}{acd^2i^2+ad^3i^2x-bc^2di^2-bcd^2i^2x} - \frac{Bad\log\left(e\left(\frac{a}{c+dx}+\frac{b}{c+}\right.\right.}{acd^2i^2+ad^3i^2x-bc^2di^2-} \end{cases}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**2,x)
```

output
```
Piecewise((-A/(c*d*i**2 + d**2*i**2*x) - B*log(e*(b*c/(c*d + d**2*x) + b*x
/(c + d*x))**n)/(c*d*i**2 + d**2*i**2*x), Eq(a, b*c/d)), ((A*x + B*a*log(e
*(a/c + b*x/c)**n)/b - B*n*x + B*x*log(e*(a/c + b*x/c)**n))/(c**2*i**2), E
q(d, 0)), (-A*a*d/(a*c*d**2*i**2 + a*d**3*i**2*x - b*c**2*d*i**2 - b*c*d**
2*i**2*x) + A*b*c/(a*c*d**2*i**2 + a*d**3*i**2*x - b*c**2*d*i**2 - b*c*d**
2*i**2*x) + B*a*d*n/(a*c*d**2*i**2 + a*d**3*i**2*x - b*c**2*d*i**2 - b*c*d
**2*i**2*x) - B*a*d*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a*c*d**2*i**2
 + a*d**3*i**2*x - b*c**2*d*i**2 - b*c*d**2*i**2*x) - B*b*c*n/(a*c*d**2*i*
*2 + a*d**3*i**2*x - b*c**2*d*i**2 - b*c*d**2*i**2*x) - B*b*d*x*log(e*(a/(
c + d*x) + b*x/(c + d*x))**n)/(a*c*d**2*i**2 + a*d**3*i**2*x - b*c**2*d*i*
*2 - b*c*d**2*i**2*x), True))
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.33

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx = Bn\left(\frac{1}{d^2i^2x + cdi^2} + \frac{b\log(bx+a)}{(bcd-ad^2)i^2} - \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right) - \frac{B\log\left(e\left(\frac{bx}{dx+c} + \frac{a}{dx+c}\right)^n\right)}{d^2i^2x + cdi^2} - \frac{A}{d^2i^2x + cdi^2}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, algorithm="max
ima")
```

output
```
B*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2) - b*lo
g(d*x + c)/((b*c*d - a*d^2)*i^2)) - B*log(e*(b*x/(d*x + c) + a/(d*x + c))^
n)/(d^2*i^2*x + c*d*i^2) - A/(d^2*i^2*x + c*d*i^2)
```

Giac [A] (verification not implemented)

Time = 0.36 (sec) , antiderivative size = 91, normalized size of antiderivative = 0.89

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx = \left(\frac{(bx+a)Bn\log\left(\frac{bx+a}{dx+c}\right)}{(dx+c)i^2} - \frac{(Bn - B\log(e) - A)(bx+a)}{(dx+c)i^2}\right)\left(\frac{bc}{(bc-ad)^2} - \frac{ad}{(bc-ad)^2}\right)$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x, algorithm="gia
c")
```

output
```
((b*x + a)*B*n*log((b*x + a)/(d*x + c))/((d*x + c)*i^2) - (B*n - B*log(e)
- A)*(b*x + a)/((d*x + c)*i^2))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 25.80 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.11

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx = -\frac{A-B\,n}{x\,d^2\,i^2+c\,d\,i^2} - \frac{B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{d\,\left(c\,i^2+d\,i^2\,x\right)} + \frac{B\,b\,n\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,2\mathrm{i}}{d\,i^2\,\left(a\,d-b\,c\right)}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(c*i + d*i*x)^2,x)
```

output
```
(B*b*n*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*2i)/(d*i^2*(a*d - b*c))
- (B*log(e*((a + b*x)/(c + d*x))^n))/(d*(c*i^2 + d*i^2*x)) - (A - B*n)/(d^
2*i^2*x + c*d*i^2)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 154, normalized size of antiderivative = 1.51

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^2}\,dx$$
$$= \frac{\log(bx+a)\,abcn+\log(bx+a)\,abdnx-\log(dx+c)\,abcn-\log(dx+c)\,abdnx-\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)abdx+\mathrm{lo}}{c\left(a\,d^2x-bcdx+acd-b\,c^2\right)}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^2,x)
```

output

```
(log(a + b*x)*a*b*c*n + log(a + b*x)*a*b*d*n*x - log(c + d*x)*a*b*c*n - lo
g(c + d*x)*a*b*d*n*x - log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*x + log(((
a + b*x)**n*e)/(c + d*x)**n)*b**2*c*x - a**2*d*x + a*b*c*x + a*b*d*n*x - b
**2*c*n*x)/(c*(a*c*d + a*d**2*x - b*c**2 - b*c*d*x))
```

3.147 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$

Optimal result 1678
Mathematica [C] (verified) 1678
Rubi [A] (verified) 1679
Maple [A] (verified) 1681
Fricas [A] (verification not implemented) 1681
Sympy [F(-1)] 1682
Maxima [B] (verification not implemented) 1682
Giac [A] (verification not implemented) 1683
Mupad [B] (verification not implemented) 1684
Reduce [B] (verification not implemented) 1684

Optimal result

Integrand size = 43, antiderivative size = 166

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx = -\frac{Ad(a+bx)}{(bc-ad)^2gi^2(c+dx)} + \frac{Bdn(a+bx)}{(bc-ad)^2gi^2(c+dx)} - \frac{Bd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^2gi^2(c+dx)} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2B(bc-ad)^2gi^2n}$$

output

```
-A*d*(b*x+a)/(-a*d+b*c)^2/g/i^2/(d*x+c)+B*d*n*(b*x+a)/(-a*d+b*c)^2/g/i^2/(
d*x+c)-B*d*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^2/g/i^2/(d*x+c)+1/
2*b*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/B/(-a*d+b*c)^2/g/i^2/n
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.29 (sec) , antiderivative size = 304, normalized size of antiderivative = 1.83

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{2(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+2b(c+dx)\log(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)-2b(c+dx)\left(A+\right.}{}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i
*x)^2),x]
```

output
```
(2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*b*(c + d*x)*Log[
a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*b*(c + d*x)*(A + B*Log
[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 2*B*n*(b*c - a*d + b*(c + d*x)
*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]) - b*B*n*(c + d*x)*(Log[a + b*x]*
(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b
*x))/(-(b*c) + a*d)]) + b*B*n*(c + d*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*
d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]
))/(2*(b*c - a*d)^2*g*i^2*(c + d*x))
```

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 119, normalized size of antiderivative = 0.72, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {2961, 2788, 2009, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx} d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx} d\frac{a+bx}{c+dx} - d\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx} d\frac{a+bx}{c+dx} - d\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx} - \frac{Bn(a+bx)}{c+dx}\right)}{gi^2(bc-ad)^2}$$

$$\downarrow 2738$$

$$\frac{\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2Bn}-d\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx}-\frac{Bn(a+bx)}{c+dx}\right)}{gi^2(bc-ad)^2}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i*x)^2)
,x]
```

output
```
((b*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*B*n) - d*((A*(a + b*x))/(
c + d*x) - (B*n*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[e*((a + b*x)/(c +
d*x))^n])/(c + d*x)))/((b*c - a*d)^2*g*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2738
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] :> Simp[(a + b*Lo
g[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

rule 2788
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 5.11 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.62

method	result
parallelrisch	$\frac{Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^3d^4+2Ax\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3d^4+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^3cd^3+2A\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3cd^3+2Ba\,b^2d^4n^2-2B}{2i^2g(dx+c)(a^2d^2-2acdb+c^2b^2)b^2d^3}$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^2,x,method=_RE
TURNVERBOSE)
```

output
```
1/2*(B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*d^4+2*A*x*ln(e*((b*x+a)/(d*x+c))^
n)*b^3*d^4+B*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*c*d^3+2*A*ln(e*((b*x+a)/(d*x+
c))^n)*b^3*c*d^3+2*B*a*b^2*d^4*n^2-2*B*b^3*c*d^3*n^2-2*A*a*b^2*d^4*n+2*A*b
^3*c*d^3*n-2*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^4*n-2*B*ln(e*((b*x+a)/(d*
x+c))^n)*a*b^2*d^4*n)/i^2/g/(d*x+c)/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^2/d^3/n
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 196, normalized size of antiderivative = 1.18

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$=\frac{2\,Abc-2\,Aad+(Bbdnx+Bbcn)\log\left(\frac{bx+a}{dx+c}\right)^2-2\,(Bbc-Bad)n+2\left(Bbc-Bad+(Bbdx+Bbc)\log\right.}{2\left((b^2c^2d-2\,abcd^2+a^2d^3)gi^2x+(b^2c^3-2\,abc^2d+\right.}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, al
gorithm="fricas")
```

output
```
1/2*(2*A*b*c - 2*A*a*d + (B*b*d*n*x + B*b*c*n)*log((b*x + a)/(d*x + c))^2
- 2*(B*b*c - B*a*d)*n + 2*(B*b*c - B*a*d + (B*b*d*x + B*b*c)*log((b*x + a)
/(d*x + c)))*log(e) - 2*(B*a*d*n - A*b*c + (B*b*d*n - A*b*d)*x)*log((b*x +
 a)/(d*x + c)))/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*g*i^2*x + (b^2*c^3 -
2*a*b*c^2*d + a^2*c*d^2)*g*i^2)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 424 vs. 2(164) = 328.

Time = 0.06 (sec) , antiderivative size = 424, normalized size of antiderivative = 2.55

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= B\left(\frac{1}{(bcd-ad^2)gi^2x+(bc^2-acd)gi^2}+\frac{b\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}-\frac{b\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}\right)\log\left(e\left($$
$$-\frac{((bdx+bc)\log(bx+a)^2+(bdx+bc)\log(dx+c)^2+2\,bc-2\,ad+2\,(bdx+bc)\log(bx+a)-2\,(bdx}{2\,(b^2c^3gi^2-2\,abc^2dgi^2+a^2cd^2gi^2+(b^2c^2dgi^2-2\,abcd^2gi^2+a^2}$$
$$+A\left(\frac{1}{(bcd-ad^2)gi^2x+(bc^2-acd)gi^2}+\frac{b\log(bx+a)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}-\frac{b\log(dx+c)}{(b^2c^2-2\,abcd+a^2d^2)gi^2}\right)$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, al
gorithm="maxima")
```

output

```
B*(1/((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((
b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c
*d + a^2*d^2)*g*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/2*((b*d*x
 + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*a*d + 2*
(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*x + a))*
log(d*x + c))*B*n/(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 + a^2*c*d^2*g*i^2 + (
b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x) + A*(1/((b*c*d - a
*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((b^2*c^2 - 2*a*b*
c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g*
i^2))
```

Giac [A] (verification not implemented)

Time = 0.86 (sec) , antiderivative size = 208, normalized size of antiderivative = 1.25

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{1}{2}\left(\frac{Bbn\log\left(\frac{bx+a}{dx+c}\right)^2}{bcgi^2 - adgi^2} - \frac{2\,(bx+a)Bdn\log\left(\frac{bx+a}{dx+c}\right)}{(bcgi^2 - adgi^2)(dx+c)} + \frac{2\,(Bb\log(e) + Ab)\log\left(\frac{bx+a}{dx+c}\right)}{bcgi^2 - adgi^2} + \frac{2\,(Bdn - Bd\log(e)}{(bcgi^2 - adgi^2}\right.$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^2,x, al
gorithm="giac")
```

output

```
1/2*(B*b*n*log((b*x + a)/(d*x + c))^2/(b*c*g*i^2 - a*d*g*i^2) - 2*(b*x + a
)*B*d*n*log((b*x + a)/(d*x + c))/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)) + 2*(
B*b*log(e) + A*b)*log((b*x + a)/(d*x + c))/(b*c*g*i^2 - a*d*g*i^2) + 2*(B*
d*n - B*d*log(e) - A*d)*(b*x + a)/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)))*(b*
c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 25.83 (sec) , antiderivative size = 241, normalized size of antiderivative = 1.45

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx = \frac{B\,n}{g\,i^2\,(a\,d-b\,c)\,(c+d\,x)} - \frac{A}{g\,i^2\,(a\,d-b\,c)\,(c+d\,x)} - \frac{B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{g\,i^2\,(a\,d-b\,c)\,(c+d\,x)} + \frac{B\,b\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)^2}{2\,g\,i^2\,n\,(a\,d-b\,c)^2} - \frac{A\,b\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g\,i^2\,(a\,d-b\,c)^2} + \frac{B\,b\,n\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g\,i^2\,(a\,d-b\,c)^2}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)*(c*i + d*i*x)^2)
,x)
```

output
```
(B*n)/(g*i^2*(a*d - b*c)*(c + d*x)) - A/(g*i^2*(a*d - b*c)*(c + d*x)) - (B
*log(e*((a + b*x)/(c + d*x))^n))/(g*i^2*(a*d - b*c)*(c + d*x)) - (A*b*atan
((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g*i^2*(a*d - b*c)^2) + (B*
b*n*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g*i^2*(a*d - b*c)^
2) + (B*b*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g*i^2*n*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 338, normalized size of antiderivative = 2.04

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{-2\log(bx+a)\,ab\,c^2n + 2\log(bx+a)\,abcd\,n^2 - 2\log(bx+a)\,abcdnx + 2\log(bx+a)\,ab\,d^2n^2x + 2\log(dx$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^2,x)
```

output

```
( - 2*log(a + b*x)*a*b*c**2*n + 2*log(a + b*x)*a*b*c*d*n**2 - 2*log(a + b*
x)*a*b*c*d*n*x + 2*log(a + b*x)*a*b*d**2*n**2*x + 2*log(c + d*x)*a*b*c**2*
n - 2*log(c + d*x)*a*b*c*d*n**2 + 2*log(c + d*x)*a*b*c*d*n*x - 2*log(c + d
*x)*a*b*d**2*n**2*x - log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**2*c**2 - lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*b**2*c*d*x - 2*log(((a + b*x)**n*e)/(c
 + d*x)**n)*a*b*d**2*n*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*d*n
*x - 2*a**2*d**2*n*x + 2*a*b*c*d*n*x + 2*a*b*d**2*n**2*x - 2*b**2*c*d*n**2
*x)/(2*c*g*n*(a**2*c*d**2 + a**2*d**3*x - 2*a*b*c**2*d - 2*a*b*c*d**2*x +
b**2*c**3 + b**2*c**2*d*x))
```

3.148 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$

Optimal result . . . 1686
Mathematica [C] (verified) . . . 1687
Rubi [A] (verified) . . . 1687
Maple [B] (verified) . . . 1689
Fricas [A] (verification not implemented) . . . 1690
Sympy [F(-1)] . . . 1690
Maxima [B] (verification not implemented) . . . 1691
Giac [A] (verification not implemented) . . . 1691
Mupad [B] (verification not implemented) . . . 1692
Reduce [B] (verification not implemented) . . . 1693

Optimal result

Integrand size = 43, antiderivative size = 273

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx &= -\frac{Bd^2n(a+bx)}{(bc-ad)^3g^2i^2(c+dx)} - \frac{b^2Bn(c+dx)}{(bc-ad)^3g^2i^2(a+bx)} \\ &\quad + \frac{d^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3g^2i^2(c+dx)} \\ &\quad - \frac{b^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3g^2i^2(a+bx)} \\ &\quad - \frac{2bd\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^3g^2i^2} \\ &\quad + \frac{bBdn\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^3g^2i^2}\end{aligned}$$

output

```
-B*d^2*n*(b*x+a)/(-a*d+b*c)^3/g^2/i^2/(d*x+c)-b^2*B*n*(d*x+c)/(-a*d+b*c)^3
/g^2/i^2/(b*x+a)+d^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/
g^2/i^2/(d*x+c)-b^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g
^2/i^2/(b*x+a)-2*b*d*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(
-a*d+b*c)^3/g^2/i^2+b*B*d*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g^2/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.44 (sec) , antiderivative size = 342, normalized size of antiderivative = 1.25

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx$$
$$= \frac{-\frac{b^2Bcn}{a+bx}+\frac{abBdn}{a+bx}+\frac{bBcdn}{c+dx}-\frac{aBd^2n}{c+dx}-\frac{b(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx}+\frac{d(-bc+ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{c+dx}-2bd\log(a-$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d
*i*x)^2),x]
```

output
```
(-((b^2*B*c*n)/(a + b*x)) + (a*b*B*d*n)/(a + b*x) + (b*B*c*d*n)/(c + d*x)
- (a*B*d^2*n)/(c + d*x) - (b*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(a + b*x) + (d*(-(b*c) + a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
))/(c + d*x) - 2*b*d*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) +
 2*b*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + b*B*d*n*(Log[
a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2,
(d*(a + b*x))/(-(b*c) + a*d)]) - b*B*d*n*((2*Log[(d*(a + b*x))/(-(b*c) + a
*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)
]))/((b*c - a*d)^3*g^2*i^2)
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 192, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{(ag+bgx)^2(ci+dix)^2}\,dx$$
$$\downarrow \text{2961}$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-Bn\int\left(d^2-\frac{2b(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d}{a+bx}-\frac{b^2(c+dx)^2}{(a+bx)^2}\right)d\frac{a+bx}{c+dx}-\frac{b^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{c+dx}-2bd\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\left(}{g^2i^2(bc-ad)^3}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d*i*x)^
2),x]
```

output
```
((d^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) - (b^2*(
c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - 2*b*d*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] - B*n*((d^2*(a + 
b*x))/(c + d*x) + (b^2*(c + d*x))/(a + b*x) - b*d*Log[(a + b*x)/(c + d*x)]
^2))/((b*c - a*d)^3*g^2*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a + 
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 670 vs. $2(273) = 546$.

Time = 9.76 (sec) , antiderivative size = 671, normalized size of antiderivative = 2.46

method	result
parallelrisch	$\frac{2Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^3b^2c^4dn+Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2a^3b^2c^4d+Bx\,a^4b\,c^3d^2n^2+Bx\,a^3b^2c^4d\,n^2+2Ax\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^4b\,c^3d^2-$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,method=_
RETURNVERBOSE)
```

output

```
(2*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^2*c^4*d*n+B*x*ln(e*((b*x+a)/(d*x+c)
)^n)^2*a^3*b^2*c^4*d+B*x*a^4*b*c^3*d^2*n^2+B*x*a^3*b^2*c^4*d*n^2+2*A*x*ln(
e*((b*x+a)/(d*x+c))^n)*a^4*b*c^3*d^2+2*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b
^2*c^4*d-A*x*a^4*b*c^3*d^2*n+A*x*a^3*b^2*c^4*d*n-B*ln(e*((b*x+a)/(d*x+c))^
n)*a^5*c^3*d^2*n+B*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^2*c^5*n+2*A*ln(e*((b*x+
a)/(d*x+c))^n)*a^4*b*c^4*d-2*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b*c^3*d^2*n
-B*x*a^5*c^2*d^3*n^2-B*x*a^2*b^3*c^5*n^2+A*x*a^5*c^2*d^3*n-A*x*a^2*b^3*c^5
*n+B*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b*c^4*d+B*x^2*ln(e*((b*x+a)/(d*x+c))^
n)^2*a^3*b^2*c^3*d^2-B*x^2*a^4*b*c^2*d^3*n^2+2*B*x^2*a^3*b^2*c^3*d^2*n^2-B
*x^2*a^2*b^3*c^4*d*n^2+2*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^2*c^3*d^2+A
*x^2*a^4*b*c^2*d^3*n-A*x^2*a^2*b^3*c^4*d*n+B*x*ln(e*((b*x+a)/(d*x+c))^n)^2
*a^4*b*c^3*d^2)/i^2/g^2/(d*x+c)/(b*x+a)/(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2*c^2
*d-b^3*c^3)/a^3/c^3/n
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 450, normalized size of antiderivative = 1.65

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx =$$

$$-\frac{Ab^2c^2 - Aa^2d^2 + (Bb^2d^2nx^2 + Babcdn + (Bb^2cd + Babd^2)nx)\log\left(\frac{bx+a}{dx+c}\right)^2 + (Bb^2c^2 - 2\,Babcd + Ba$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output
```
-(A*b^2*c^2 - A*a^2*d^2 + (B*b^2*d^2*n*x^2 + B*a*b*c*d*n + (B*b^2*c*d + B*
a*b*d^2)*n*x)*log((b*x + a)/(d*x + c))^2 + (B*b^2*c^2 - 2*B*a*b*c*d + B*a^
2*d^2)*n + 2*(A*b^2*c*d - A*a*b*d^2)*x + (B*b^2*c^2 - B*a^2*d^2 + 2*(B*b^2
*c*d - B*a*b*d^2)*x + 2*(B*b^2*d^2*x^2 + B*a*b*c*d + (B*b^2*c*d + B*a*b*d^
2)*x)*log((b*x + a)/(d*x + c)))*log(e) + (2*A*b^2*d^2*x^2 + 2*A*a*b*c*d +
(B*b^2*c^2 - B*a^2*d^2)*n + 2*(A*b^2*c*d + A*a*b*d^2 + (B*b^2*c*d - B*a*b*
d^2)*n)*x)*log((b*x + a)/(d*x + c)))/((b^4*c^3*d - 3*a*b^3*c^2*d^2 + 3*a^2
*b^2*c*d^3 - a^3*b*d^4)*g^2*i^2*x^2 + (b^4*c^4 - 2*a*b^3*c^3*d + 2*a^3*b*c
*d^3 - a^4*d^4)*g^2*i^2*x + (a*b^3*c^4 - 3*a^2*b^2*c^3*d + 3*a^3*b*c^2*d^2
 - a^4*c*d^3)*g^2*i^2)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 862 vs. 2(273) = 546.

Time = 0.08 (sec) , antiderivative size = 862, normalized size of antiderivative = 3.16

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output
```
-B*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i^2
*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d^2 + a^3*d^3)*g^2*i^2*x + (a*b^2*
c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2) + 2*b*d*log(b*x + a)/((b^3*c^3 -
 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2) - 2*b*d*log(d*x + c)/((
b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2))*log(e*(b*x/(d
*x + c) + a/(d*x + c))^n) - (b^2*c^2 - 2*a*b*c*d + a^2*d^2 - (b^2*d^2*x^2
+ a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + a*b*c
*d + (b^2*c*d + a*b*d^2)*x)*log(b*x + a)*log(d*x + c) - (b^2*d^2*x^2 + a*b
*c*d + (b^2*c*d + a*b*d^2)*x)*log(d*x + c)^2)*B*n/(a*b^3*c^4*g^2*i^2 - 3*a
^2*b^2*c^3*d*g^2*i^2 + 3*a^3*b*c^2*d^2*g^2*i^2 - a^4*c*d^3*g^2*i^2 + (b^4*
c^3*d*g^2*i^2 - 3*a*b^3*c^2*d^2*g^2*i^2 + 3*a^2*b^2*c*d^3*g^2*i^2 - a^3*b*
d^4*g^2*i^2)*x^2 + (b^4*c^4*g^2*i^2 - 2*a*b^3*c^3*d*g^2*i^2 + 2*a^3*b*c*d^
3*g^2*i^2 - a^4*d^4*g^2*i^2)*x) - A*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2
*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d
^2 + a^3*d^3)*g^2*i^2*x + (a*b^2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2)
 + 2*b*d*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)
*g^2*i^2) - 2*b*d*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 -
 a^3*d^3)*g^2*i^2))
```

Giac [A] (verification not implemented)

Time = 103.27 (sec) , antiderivative size = 96, normalized size of antiderivative = 0.35

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx =$$
$$-\left(\frac{bc}{(bc-ad)^2} - \frac{ad}{(bc-ad)^2}\right)^2\left(\frac{(dx+c)Bn\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)g^2i^2} + \frac{(Bn + B\log(e) + A)(dx+c)}{(bx+a)g^2i^2}\right)$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output
```
-(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)^2*((d*x + c)*B*n*log((b*x + a)/(d
*x + c))/((b*x + a)*g^2*i^2) + (B*n + B*log(e) + A)*(d*x + c)/((b*x + a)*g
^2*i^2))
```

Mupad [B] (verification not implemented)

Time = 26.37 (sec) , antiderivative size = 432, normalized size of antiderivative = 1.58

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^2}\,dx = \frac{B\,b\,d\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)^2}{g^2\,i^2\,n\,(a\,d-b\,c)^3} - \frac{A\,b\,c}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{A\,a\,d}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} + \frac{B\,a\,d\,n}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,b\,c\,n}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{2\,A\,b\,d\,x}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,a\,d\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{B\,b\,c\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{2\,B\,b\,d\,x\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)}{g^2\,i^2\,(a\,d-b\,c)^2\,(a+b\,x)\,(c+d\,x)} - \frac{A\,b\,d\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,4\mathrm{i}}{g^2\,i^2\,(a\,d-b\,c)^3}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^2*(c*i + d*i*x)^
2),x)
```

output

```
(B*b*d*log(e*((a + b*x)/(c + d*x))^n)^2)/(g^2*i^2*n*(a*d - b*c)^3) - (A*a*
d)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (A*b*c)/(g^2*i^2*(a*d - b
*c)^2*(a + b*x)*(c + d*x)) - (A*b*d*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d
 - b*c))*4i)/(g^2*i^2*(a*d - b*c)^3) + (B*a*d*n)/(g^2*i^2*(a*d - b*c)^2*(a
 + b*x)*(c + d*x)) - (B*b*c*n)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x))
 - (2*A*b*d*x)/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (B*a*d*log(e*
((a + b*x)/(c + d*x))^n))/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c + d*x)) - (B
*b*c*log(e*((a + b*x)/(c + d*x))^n))/(g^2*i^2*(a*d - b*c)^2*(a + b*x)*(c +
 d*x)) - (2*B*b*d*x*log(e*((a + b*x)/(c + d*x))^n))/(g^2*i^2*(a*d - b*c)^2
*(a + b*x)*(c + d*x))
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 961, normalized size of antiderivative = 3.52

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^2(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x)
```

output

```
( - 2*log(a + b*x)*a**3*b*c*d**2*n - 2*log(a + b*x)*a**3*b*d**3*n*x - 2*lo
g(a + b*x)*a**2*b**2*c**2*d*n - 4*log(a + b*x)*a**2*b**2*c*d**2*n*x - 2*lo
g(a + b*x)*a**2*b**2*d**3*n*x**2 - 2*log(a + b*x)*a*b**3*c**2*d*n*x - 2*lo
g(a + b*x)*a*b**3*c*d**2*n*x**2 + 2*log(c + d*x)*a**3*b*c*d**2*n + 2*log(c
 + d*x)*a**3*b*d**3*n*x + 2*log(c + d*x)*a**2*b**2*c**2*d*n + 4*log(c + d*
x)*a**2*b**2*c*d**2*n*x + 2*log(c + d*x)*a**2*b**2*d**3*n*x**2 + 2*log(c +
 d*x)*a*b**3*c**2*d*n*x + 2*log(c + d*x)*a*b**3*c*d**2*n*x**2 - log(((a +
b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**2 - log(((a + b*x)**n*e)/(c + d
*x)**n)**2*a**2*b**2*d**3*x - log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3
*c**2*d - 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c*d**2*x - log(((
a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*d**3*x**2 - log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*b**4*c**2*d*x - log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*
c*d**2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*d**3*n + log(((a +
 b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*d**2*n + 2*log(((a + b*x)**n*e)/(c +
 d*x)**n)*a**2*b**2*d**3*n*x - log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c
**2*d*n - log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c**3*n - 2*log(((a + b*x
)**n*e)/(c + d*x)**n)*b**4*c**2*d*n*x + a**4*d**3*n - a**3*b*c*d**2*n - a*
*3*b*d**3*n**2 + a**2*b**2*c**2*d*n + a**2*b**2*c*d**2*n**2 - 2*a**2*b**2*
d**3*n*x**2 - a*b**3*c**3*n + a*b**3*c**2*d*n**2 + 2*a*b**3*c*d**2*n*x**2
- b**4*c**3*n**2)/(g**2*n*(a**5*c*d**4 + a**5*d**5*x - 2*a**4*b*c**2*d*...
```

3.149 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$

Optimal result . . . 1695
Mathematica [C] (verified) . . . 1696
Rubi [A] (verified) . . . 1697
Maple [B] (verified) . . . 1699
Fricas [B] (verification not implemented) . . . 1700
Sympy [F(-1)] . . . 1701
Maxima [B] (verification not implemented) . . . 1702
Giac [A] (verification not implemented) . . . 1703
Mupad [B] (verification not implemented) . . . 1703
Reduce [B] (verification not implemented) . . . 1704

Optimal result

Integrand size = 43, antiderivative size = 361

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx &= \frac{Bd^3n(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} - \frac{bBn(c+dx)^2\left(b-\frac{6d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^4g^3i^2(a+bx)^2}\\ &\quad - \frac{d^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^3i^2(c+dx)}\\ &\quad + \frac{3b^2d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^3i^2(a+bx)}\\ &\quad - \frac{b^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^3i^2(a+bx)^2}\\ &\quad + \frac{3bd^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^4g^3i^2}\\ &\quad - \frac{3bBd^2n\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^3i^2}\end{aligned}$$

output

```
B*d^3*n*(b*x+a)/(-a*d+b*c)^4/g^3/i^2/(d*x+c)-1/4*b*B*n*(d*x+c)^2*(b-6*d*(b
*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2-d^3*(b*x+a)*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^3/i^2/(d*x+c)+3*b^2*d*(d*x+c)*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^3/i^2/(b*x+a)-1/2*b^3*(d*x+c)^2*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2+3*b*d^2*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c)^4/g^3/i^2-3/2*b*B*d^
2*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^3/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.69 (sec) , antiderivative size = 478, normalized size of antiderivative = 1.32

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$= \frac{-\frac{bB(bc-ad)^2n}{(a+bx)^2} + \frac{8b^2Bcdn}{a+bx} - \frac{8abBd^2n}{a+bx} + \frac{2bBd(bc-ad)n}{a+bx} - \frac{4bBcd^2n}{c+dx} + \frac{4aBd^3n}{c+dx} + 6bBd^2n\log(a+bx) - \frac{2b(bc-ad)^2\left(A+B}{(a+}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d
*i*x)^2),x]
```

output

```
(-((b*B*(b*c - a*d)^2*n)/(a + b*x)^2) + (8*b^2*B*c*d*n)/(a + b*x) - (8*a*b
*B*d^2*n)/(a + b*x) + (2*b*B*d*(b*c - a*d)*n)/(a + b*x) - (4*b*B*c*d^2*n)/
(c + d*x) + (4*a*B*d^3*n)/(c + d*x) + 6*b*B*d^2*n*Log[a + b*x] - (2*b*(b*c
 - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 + (8*b*d*(b*
c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (4*d^2*(b*c -
 a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + 12*b*d^2*Log[a +
 b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 6*b*B*d^2*n*Log[c + d*x] -
12*b*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 6*b*B*d^2*n
*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyL
og[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 6*b*B*d^2*n*((2*Log[(d*(a + b*x))/(
-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(
b*c - a*d)]))/(4*(b*c - a*d)^4*g^3*i^2)
```

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 267, normalized size of antiderivative = 0.74, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-Bn\int -\frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}-\frac{6d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)b}{(c+dx)^2}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{2(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B}{}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 27$$

$$\frac{\frac{1}{2}Bn\int \frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}-\frac{6d^2(a+bx)^2\log\left(\frac{a+bx}{c+dx}\right)b}{(c+dx)^2}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\right.}{a}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2010$$

$$\frac{\frac{1}{2}Bn\int\left(\frac{(c+dx)^3\left(b^3-\frac{6d(a+bx)b^2}{c+dx}+\frac{2d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)^3}-\frac{6bd^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+}{}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{3b^2d(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{d^3(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{c+dx}+3bd^2\log\left(\frac{a+bx}{c+dx}\right)}{g^3i^2(bc-ad)^4}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d*i*x)^
2),x]
```

output
```
(-((d^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)) + (3*
b^2*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (b^3*(
c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + 3*b*d
^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] + (B*n*
((2*d^3*(a + b*x))/(c + d*x) + (6*b^2*d*(c + d*x))/(a + b*x) - (b^3*(c + d
*x)^2)/(2*(a + b*x)^2) - 3*b*d^2*Log[(a + b*x)/(c + d*x)]^2))/2)/((b*c - a
*d)^4*g^3*i^2)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 976 vs. $2(355) = 710$.

Time = 30.93 (sec) , antiderivative size = 977, normalized size of antiderivative = 2.71

method	result
parallelrisch	$\frac{6Bx^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^7d^6n+12Bx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2ab^6d^6+6Bx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^7cd^5-6Bx^2ab^6d^6n^2+6Bx^2b^7cd^5n^2$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,method=_
RETURNVERBOSE)
```

output

```
1/4*(6*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^7*d^6*n+12*B*x^2*ln(e*((b*x+a)/(d
*x+c))^n)^2*a*b^6*d^6+6*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^7*c*d^5-6*B*x^
2*a*b^6*d^6*n^2+6*B*x^2*b^7*c*d^5*n^2+24*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a
*b^6*d^6+12*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c*d^5-12*A*x^2*a*b^6*d^6*n
+12*A*x^2*b^7*c*d^5*n+6*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^5*d^6-3*B*x*
a^2*b^5*d^6*n^2+9*B*x*b^7*c^2*d^4*n^2+12*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2
*b^5*d^6-18*A*x*a^2*b^5*d^6*n+6*A*x*b^7*c^2*d^4*n+6*B*ln(e*((b*x+a)/(d*x+c
))^n)^2*a^2*b^5*c*d^5-4*B*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^4*d^6*n-2*B*ln(e
*((b*x+a)/(d*x+c))^n)*b^7*c^3*d^3*n+18*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^7
*c*d^5*n+12*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^6*c*d^5-12*B*x*ln(e*((b*x+
a)/(d*x+c))^n)*a^2*b^5*d^6*n+6*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c^2*d^4*n
-6*B*x*a*b^6*c*d^5*n^2+24*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c*d^5+12*A*x
*a*b^6*c*d^5*n+12*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c^2*d^4*n+24*B*x*ln(e*
((b*x+a)/(d*x+c))^n)*a*b^6*c*d^5*n+6*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^7
*d^6+12*A*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^7*d^6+4*B*a^3*b^4*d^6*n^2-B*b^7*
c^3*d^3*n^2-4*A*a^3*b^4*d^6*n-2*A*b^7*c^3*d^3*n-6*A*a^2*b^5*c*d^5*n+12*A*a
*b^6*c^2*d^4*n+12*A*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^5*c*d^5-15*B*a^2*b^5*c
*d^5*n^2+12*B*a*b^6*c^2*d^4*n^2)/i^2/g^3/(d*x+c)/(b*x+a)^2/(a^3*d^3-3*a^2*
b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)/n/(a*d-b*c)/b^4/d^3
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 946 vs. $2(355) = 710$.

Time = 0.11 (sec) , antiderivative size = 946, normalized size of antiderivative = 2.62

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output

```
-1/4*(2*A*b^3*c^3 - 12*A*a*b^2*c^2*d + 6*A*a^2*b*c*d^2 + 4*A*a^3*d^3 - 6*(
2*A*b^3*c*d^2 - 2*A*a*b^2*d^3 + (B*b^3*c*d^2 - B*a*b^2*d^3)*n)*x^2 - 6*(B*
b^3*d^3*n*x^3 + B*a^2*b*c*d^2*n + (B*b^3*c*d^2 + 2*B*a*b^2*d^3)*n*x^2 + (2
*B*a*b^2*c*d^2 + B*a^2*b*d^3)*n*x)*log((b*x + a)/(d*x + c))^2 + (B*b^3*c^3
 - 12*B*a*b^2*c^2*d + 15*B*a^2*b*c*d^2 - 4*B*a^3*d^3)*n - 3*(2*A*b^3*c^2*d
 + 4*A*a*b^2*c*d^2 - 6*A*a^2*b*d^3 + (3*B*b^3*c^2*d - 2*B*a*b^2*c*d^2 - B*
a^2*b*d^3)*n)*x + 2*(B*b^3*c^3 - 6*B*a*b^2*c^2*d + 3*B*a^2*b*c*d^2 + 2*B*a
^3*d^3 - 6*(B*b^3*c*d^2 - B*a*b^2*d^3)*x^2 - 3*(B*b^3*c^2*d + 2*B*a*b^2*c*
d^2 - 3*B*a^2*b*d^3)*x - 6*(B*b^3*d^3*x^3 + B*a^2*b*c*d^2 + (B*b^3*c*d^2 +
 2*B*a*b^2*d^3)*x^2 + (2*B*a*b^2*c*d^2 + B*a^2*b*d^3)*x)*log((b*x + a)/(d*
x + c)))*log(e) - 2*(6*A*a^2*b*c*d^2 + 3*(B*b^3*d^3*n + 2*A*b^3*d^3)*x^3 +
 3*(3*B*b^3*c*d^2*n + 2*A*b^3*c*d^2 + 4*A*a*b^2*d^3)*x^2 - (B*b^3*c^3 - 6*
B*a*b^2*c^2*d + 2*B*a^3*d^3)*n + 3*(4*A*a*b^2*c*d^2 + 2*A*a^2*b*d^3 + (B*b
^3*c^2*d + 4*B*a*b^2*c*d^2 - 2*B*a^2*b*d^3)*n)*x)*log((b*x + a)/(d*x + c))
)/((b^6*c^4*d - 4*a*b^5*c^3*d^2 + 6*a^2*b^4*c^2*d^3 - 4*a^3*b^3*c*d^4 + a^
4*b^2*d^5)*g^3*i^2*x^3 + (b^6*c^5 - 2*a*b^5*c^4*d - 2*a^2*b^4*c^3*d^2 + 8*
a^3*b^3*c^2*d^3 - 7*a^4*b^2*c*d^4 + 2*a^5*b*d^5)*g^3*i^2*x^2 + (2*a*b^5*c^
5 - 7*a^2*b^4*c^4*d + 8*a^3*b^3*c^3*d^2 - 2*a^4*b^2*c^2*d^3 - 2*a^5*b*c*d^
4 + a^6*d^5)*g^3*i^2*x + (a^2*b^4*c^5 - 4*a^3*b^3*c^4*d + 6*a^4*b^2*c^3*d^
2 - 4*a^5*b*c^2*d^3 + a^6*c*d^4)*g^3*i^2)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3/(d*i*x+c*i)**2,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1724 vs. $2(355) = 710$.

Time = 0.15 (sec) , antiderivative size = 1724, normalized size of antiderivative = 4.78

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output
```
1/2*B*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3*a
*b*d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4)*
g^3*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d^3
 - 2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2*c
^2*d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3*d
 + 3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^4
- 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2) -
6*b*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3
*b*c*d^3 + a^4*d^4)*g^3*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/4
*(b^3*c^3 - 12*a*b^2*c^2*d + 15*a^2*b*c*d^2 - 4*a^3*d^3 - 6*(b^3*c*d^2 - a
*b^2*d^3)*x^2 + 6*(b^3*d^3*x^3 + a^2*b*c*d^2 + (b^3*c*d^2 + 2*a*b^2*d^3)*x
^2 + (2*a*b^2*c*d^2 + a^2*b*d^3)*x)*log(b*x + a)^2 + 6*(b^3*d^3*x^3 + a^2*
b*c*d^2 + (b^3*c*d^2 + 2*a*b^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*b*d^3)*x)*l
og(d*x + c)^2 - 3*(3*b^3*c^2*d - 2*a*b^2*c*d^2 - a^2*b*d^3)*x - 6*(b^3*d^3
*x^3 + a^2*b*c*d^2 + (b^3*c*d^2 + 2*a*b^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*
b*d^3)*x)*log(b*x + a) + 6*(b^3*d^3*x^3 + a^2*b*c*d^2 + (b^3*c*d^2 + 2*a*b
^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*b*d^3)*x - 2*(b^3*d^3*x^3 + a^2*b*c*d^2
 + (b^3*c*d^2 + 2*a*b^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*b*d^3)*x)*log(b*x
+ a))*log(d*x + c))*B*n/(a^2*b^4*c^5*g^3*i^2 - 4*a^3*b^3*c^4*d*g^3*i^2 + 6
*a^4*b^2*c^3*d^2*g^3*i^2 - 4*a^5*b*c^2*d^3*g^3*i^2 + a^6*c*d^4*g^3*i^2 ...
```

Giac [A] (verification not implemented)

Time = 134.38 (sec) , antiderivative size = 238, normalized size of antiderivative = 0.66

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\left(Bbn-\frac{2\,(bx+a)Bdn}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^2bcg^3i^2}{(dx+c)^2}-\frac{(bx+a)^2adg^3i^2}{(dx+c)^2}}+\frac{Bbn-\frac{4\,(bx+a)Bdn}{dx+c}+2\,Bb\log\left(e\right)-\frac{4\,(bx+a)Bd\log(e)}{dx+c}+2\,Ab-\frac{4\,(b}{\frac{(bx+a)^2bcg^3i^2}{(dx+c)^2}-\frac{(bx+a)^2adg^3i^2}{(dx+c)^2}}\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output
```
-1/4*(2*(B*b*n - 2*(b*x + a)*B*d*n/(d*x + c))*log((b*x + a)/(d*x + c))/((b
*x + a)^2*b*c*g^3*i^2/(d*x + c)^2 - (b*x + a)^2*a*d*g^3*i^2/(d*x + c)^2) +
 (B*b*n - 4*(b*x + a)*B*d*n/(d*x + c) + 2*B*b*log(e) - 4*(b*x + a)*B*d*log
(e)/(d*x + c) + 2*A*b - 4*(b*x + a)*A*d/(d*x + c))/((b*x + a)^2*b*c*g^3*i^
2/(d*x + c)^2 - (b*x + a)^2*a*d*g^3*i^2/(d*x + c)^2))*(b*c/(b*c - a*d)^2 -
 a*d/(b*c - a*d)^2)^2
```

Mupad [B] (verification not implemented)

Time = 28.21 (sec) , antiderivative size = 1016, normalized size of antiderivative = 2.81

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^3*(c*i + d*i*x)^
2),x)
```

output

```
(3*B*b*d^2*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g^3*i^2*n*(a*d - b*c)^4) -
 ((4*A*a^2*d^2 - 2*A*b^2*c^2 - 4*B*a^2*d^2*n - B*b^2*c^2*n + 10*A*a*b*c*d
+ 11*B*a*b*c*d*n)/(2*(a*d - b*c)) + (3*x^2*(2*A*b^2*d^2 + B*b^2*d^2*n))/(a
*d - b*c) + (3*x*(6*A*a*b*d^2 + 2*A*b^2*c*d + B*a*b*d^2*n + 3*B*b^2*c*d*n)
)/(2*(a*d - b*c)))/(x*(2*a^4*d^3*g^3*i^2 + 4*a*b^3*c^3*g^3*i^2 - 6*a^2*b^2
*c^2*d*g^3*i^2) + x^2*(2*b^4*c^3*g^3*i^2 + 4*a^3*b*d^3*g^3*i^2 - 6*a^2*b^2
*c*d^2*g^3*i^2) + x^3*(2*a^2*b^2*d^3*g^3*i^2 + 2*b^4*c^2*d*g^3*i^2 - 4*a*b
^3*c*d^2*g^3*i^2) + 2*a^2*b^2*c^3*g^3*i^2 + 2*a^4*c*d^2*g^3*i^2 - 4*a^3*b*
c^2*d*g^3*i^2) - (b*d^2*atan((b*d^2*(2*A + B*n)*((a^4*d^4*g^3*i^2 - b^4*c^
4*g^3*i^2 + 2*a*b^3*c^3*d*g^3*i^2 - 2*a^3*b*c*d^3*g^3*i^2)/(a^3*d^3*g^3*i^
2 - b^3*c^3*g^3*i^2 + 3*a*b^2*c^2*d*g^3*i^2 - 3*a^2*b*c*d^2*g^3*i^2) + 2*b
*d*x)*(a^3*d^3*g^3*i^2 - b^3*c^3*g^3*i^2 + 3*a*b^2*c^2*d*g^3*i^2 - 3*a^2*b
*c*d^2*g^3*i^2)*3i)/(g^3*i^2*(6*A*b*d^2 + 3*B*b*d^2*n)*(a*d - b*c)^4))*(2*
A + B*n)*3i)/(g^3*i^2*(a*d - b*c)^4) - log(e*((a + b*x)/(c + d*x))^n)*(((B
*(2*a*d + b*c))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (3*B*b*d*x)/(2*(a^2*
d^2 + b^2*c^2 - 2*a*b*c*d)))/(x*(a^2*d*g^3*i^2 + 2*a*b*c*g^3*i^2) + x^2*(b
^2*c*g^3*i^2 + 2*a*b*d*g^3*i^2) + a^2*c*g^3*i^2 + b^2*d*g^3*i^2*x^3) + (3*
B*b*d^2*(b*g^3*i^2*n*x^2*(a*d - b*c) + (a*c*g^3*i^2*n*(a*d - b*c))/d + (g^
3*i^2*n*x*(a*d + b*c)*(a*d - b*c))/d))/(g^3*i^2*n*(a*d - b*c)^4*(x*(a^2*d*
g^3*i^2 + 2*a*b*c*g^3*i^2) + x^2*(b^2*c*g^3*i^2 + 2*a*b*d*g^3*i^2) + a^...
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 1921, normalized size of antiderivative = 5.32

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x)
```

output

```
( - 24*log(a + b*x)*a**4*b*c*d**3*n - 24*log(a + b*x)*a**4*b*d**4*n*x - 12
*log(a + b*x)*a**3*b**2*c**2*d**2*n - 60*log(a + b*x)*a**3*b**2*c*d**3*n*x
 - 48*log(a + b*x)*a**3*b**2*d**4*n*x**2 - 18*log(a + b*x)*a**2*b**3*c**2*
d**2*n**2 - 24*log(a + b*x)*a**2*b**3*c**2*d**2*n*x - 18*log(a + b*x)*a**2
*b**3*c*d**3*n**2*x - 48*log(a + b*x)*a**2*b**3*c*d**3*n*x**2 - 24*log(a +
 b*x)*a**2*b**3*d**4*n*x**3 - 36*log(a + b*x)*a*b**4*c**2*d**2*n**2*x - 12
*log(a + b*x)*a*b**4*c**2*d**2*n*x**2 - 36*log(a + b*x)*a*b**4*c*d**3*n**2
*x**2 - 12*log(a + b*x)*a*b**4*c*d**3*n*x**3 - 18*log(a + b*x)*b**5*c**2*d
**2*n**2*x**2 - 18*log(a + b*x)*b**5*c*d**3*n**2*x**3 + 24*log(c + d*x)*a*
*4*b*c*d**3*n + 24*log(c + d*x)*a**4*b*d**4*n*x + 12*log(c + d*x)*a**3*b**
2*c**2*d**2*n + 60*log(c + d*x)*a**3*b**2*c*d**3*n*x + 48*log(c + d*x)*a**
3*b**2*d**4*n*x**2 + 18*log(c + d*x)*a**2*b**3*c**2*d**2*n**2 + 24*log(c +
 d*x)*a**2*b**3*c**2*d**2*n*x + 18*log(c + d*x)*a**2*b**3*c*d**3*n**2*x +
48*log(c + d*x)*a**2*b**3*c*d**3*n*x**2 + 24*log(c + d*x)*a**2*b**3*d**4*n
*x**3 + 36*log(c + d*x)*a*b**4*c**2*d**2*n**2*x + 12*log(c + d*x)*a*b**4*c
**2*d**2*n*x**2 + 36*log(c + d*x)*a*b**4*c*d**3*n**2*x**2 + 12*log(c + d*x
)*a*b**4*c*d**3*n*x**3 + 18*log(c + d*x)*b**5*c**2*d**2*n**2*x**2 + 18*log
(c + d*x)*b**5*c*d**3*n**2*x**3 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)**2
*a**3*b**2*c*d**3 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**2*d**
4*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3*c**2*d**2 - 30*...
```

3.150 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx$

Optimal result 1706
Mathematica [C] (verified) 1707
Rubi [A] (verified) 1708
Maple [B] (verified) 1710
Fricas [B] (verification not implemented) 1711
Sympy [F(-1)] 1712
Maxima [B] (verification not implemented) 1712
Giac [A] (verification not implemented) 1713
Mupad [B] (verification not implemented) 1714
Reduce [B] (verification not implemented) 1715

Optimal result

Integrand size = 43, antiderivative size = 477

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx &= -\frac{Bd^4n(a+bx)}{(bc-ad)^5g^4i^2(c+dx)} - \frac{6b^2Bd^2n(c+dx)}{(bc-ad)^5g^4i^2(a+bx)} \\ &+ \frac{b^3Bdn(c+dx)^2}{(bc-ad)^5g^4i^2(a+bx)^2} - \frac{b^4Bn(c+dx)^3}{9(bc-ad)^5g^4i^2(a+bx)^3} \\ &+ \frac{d^4(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^4i^2(c+dx)} \\ &- \frac{6b^2d^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^4i^2(a+bx)} \\ &+ \frac{2b^3d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^4i^2(a+bx)^2} \\ &- \frac{b^4(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^5g^4i^2(a+bx)^3} \\ &- \frac{4bd^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^4i^2} \\ &+ \frac{2bBd^3n\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^4i^2}\end{aligned}$$

output

```
-B*d^4*n*(b*x+a)/(-a*d+b*c)^5/g^4/i^2/(d*x+c)-6*b^2*B*d^2*n*(d*x+c)/(-a*d+
b*c)^5/g^4/i^2/(b*x+a)+b^3*B*d*n*(d*x+c)^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-
1/9*b^4*B*n*(d*x+c)^3/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3+d^4*(b*x+a)*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(d*x+c)-6*b^2*d^2*(d*x+c)*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)+2*b^3*d*(d*x+c)^2
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-1/3*b^4*(d
*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3-4*b
*d^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c)^5/g^4/
i^2+2*b*B*d^3*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^5/g^4/i^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.31 (sec) , antiderivative size = 549, normalized size of antiderivative = 1.15

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx =$$

$$-\frac{\frac{bB(bc-ad)^3n}{(a+bx)^3} - \frac{6bBd(bc-ad)^2n}{(a+bx)^2} + \frac{27b^2Bcd^2n}{a+bx} - \frac{27abBd^3n}{a+bx} + \frac{12bBd^2(bc-ad)n}{a+bx} - \frac{9bBcd^3n}{c+dx} + \frac{9aBd^4n}{c+dx} + 30bBd^3n\log(a$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d
*i*x)^2),x]
```

output

```
-1/9*((b*B*(b*c - a*d)^3*n)/(a + b*x)^3 - (6*b*B*d*(b*c - a*d)^2*n)/(a + b
*x)^2 + (27*b^2*B*c*d^2*n)/(a + b*x) - (27*a*b*B*d^3*n)/(a + b*x) + (12*b*
B*d^2*(b*c - a*d)*n)/(a + b*x) - (9*b*B*c*d^3*n)/(c + d*x) + (9*a*B*d^4*n)
/(c + d*x) + 30*b*B*d^3*n*Log[a + b*x] + (3*b*(b*c - a*d)^3*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n]))/(a + b*x)^3 - (9*b*d*(b*c - a*d)^2*(A + B*Log[e*
((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 + (27*b*d^2*(b*c - a*d)*(A + B*Log[
e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (9*d^3*(-(b*c) + a*d)*(A + B*Log[
e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + 36*b*d^3*Log[a + b*x]*(A + B*Log[
e*((a + b*x)/(c + d*x))^n]) - 30*b*B*d^3*n*Log[c + d*x] - 36*b*d^3*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 18*b*B*d^3*n*(Log[a + b*x]*
(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b
*x))/(-(b*c) + a*d)]) + 18*b*B*d^3*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)]
 - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/
((b*c - a*d)^5*g^4*i^2)
```

Rubi [A] (verified)

Time = 0.50 (sec) , antiderivative size = 329, normalized size of antiderivative = 0.69, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^4(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4} d\frac{a+bx}{c+dx}}{g^4 i^2 (bc-ad)^5}$$

$$\downarrow 2772$$

$$\frac{-Bn\int\left(d^4 - \frac{4b(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d^3}{a+bx} - \frac{6b^2(c+dx)^2d^2}{(a+bx)^2} + \frac{2b^3(c+dx)^3d}{(a+bx)^3} - \frac{b^4(c+dx)^4}{3(a+bx)^4}\right) d\frac{a+bx}{c+dx} - \frac{b^4(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{2b^3d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(a+bx)^2}-\frac{6b^2d^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+\frac{d^4(a+bx)\left(B\log\right.}{c}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d*i*x)^
2),x]
```

output
```
((d^4*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) - (6*b^2
*d^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (2*b^3*
d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 - (b^4*(
c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3) - 4*b*d
^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] - B*n*(
(d^4*(a + b*x))/(c + d*x) + (6*b^2*d^2*(c + d*x))/(a + b*x) - (b^3*d*(c +
d*x)^2)/(a + b*x)^2 + (b^4*(c + d*x)^3)/(9*(a + b*x)^3) - 2*b*d^3*Log[(a +
 b*x)/(c + d*x)]^2))/((b*c - a*d)^5*g^4*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1909 vs. 2(473) = 946.

Time = 49.06 (sec) , antiderivative size = 1910, normalized size of antiderivative = 4.00

method	result	size
parallelrisch	Expression too large to display	1910

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,method=_
RETURNVERBOSE)
```

output
```
1/9*(-54*A*x^4*a^4*b^5*c^4*d^3*n+18*A*x^4*a^3*b^6*c^5*d^2*n-3*A*x^4*a^2*b^
7*c^6*d*n+54*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*a^6*b^3*c^3*d^4+18*B*x^3*ln
(e*((b*x+a)/(d*x+c))^n)^2*a^5*b^4*c^4*d^3-27*B*x^3*a^7*b^2*c^2*d^5*n^2+126
*B*x^3*a^6*b^3*c^3*d^4*n^2-77*B*x^3*a^5*b^4*c^4*d^3*n^2-27*B*x^3*a^4*b^5*c
^5*d^2*n^2+6*B*x^3*a^3*b^6*c^6*d*n^2+54*B*x*a^7*b^2*c^4*d^3*n^2+108*A*x*ln
(e*((b*x+a)/(d*x+c))^n)*a^7*b^2*c^4*d^3-9*A*x*a^8*b*c^3*d^4*n+54*A*x*a^7*b
^2*c^4*d^3*n-90*A*x*a^6*b^3*c^5*d^2*n+45*A*x*a^5*b^4*c^6*d*n+108*A*x^3*ln(
e*((b*x+a)/(d*x+c))^n)*a^6*b^3*c^3*d^4+36*A*x^3*ln(e*((b*x+a)/(d*x+c))^n)*
a^5*b^4*c^4*d^3+27*A*x^3*a^7*b^2*c^2*d^5*n+63*A*x^3*a^6*b^3*c^3*d^4*n-96*A
*x^3*a^5*b^4*c^4*d^3*n+9*A*x^3*a^3*b^6*c^6*d*n+54*B*x^2*ln(e*((b*x+a)/(d*x
+c))^n)^2*a^7*b^2*c^3*d^4+54*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^6*b^3*c^4
*d^3-27*B*x^2*a^8*b*c^2*d^5*n^2+81*B*x^2*a^7*b^2*c^3*d^4*n^2+27*B*x^2*a^6*
b^3*c^4*d^3*n^2-102*B*x^2*a^5*b^4*c^5*d^2*n^2+24*B*x^2*a^4*b^5*c^6*d*n^2+1
08*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b^2*c^3*d^4+108*A*x^2*ln(e*((b*x+a)
/(d*x+c))^n)*a^6*b^3*c^4*d^3+27*A*x^2*a^8*b*c^2*d^5*n+27*A*x^2*a^7*b^2*c^3
*d^4*n-90*A*x^2*a^5*b^4*c^5*d^2*n+45*A*x^2*a^4*b^5*c^6*d*n+18*B*x*ln(e*((b
*x+a)/(d*x+c))^n)^2*a^8*b*c^3*d^4-72*B*x*a^6*b^3*c^5*d^2*n^2+21*B*x*a^5*b^
4*c^6*d*n^2+36*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a^8*b*c^3*d^4+162*B*x^2*ln(e*
((b*x+a)/(d*x+c))^n)*a^6*b^3*c^4*d^3*n+18*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*
a^5*b^4*c^5*d^2*n-36*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^8*b*c^3*d^4*n+108*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1458 vs. $2(473) = 946$.

Time $= 0.14$ (sec) , antiderivative size $= 1458$, normalized size of antiderivative $= 3.06$

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output

```
-1/9*(3*A*b^4*c^4 - 18*A*a*b^3*c^3*d + 54*A*a^2*b^2*c^2*d^2 - 30*A*a^3*b*c
*d^3 - 9*A*a^4*d^4 + 6*(6*A*b^4*c*d^3 - 6*A*a*b^3*d^4 + 5*(B*b^4*c*d^3 - B
*a*b^3*d^4)*n)*x^3 + 3*(6*A*b^4*c^2*d^2 + 24*A*a*b^3*c*d^3 - 30*A*a^2*b^2*
d^4 + (11*B*b^4*c^2*d^2 + 8*B*a*b^3*c*d^3 - 19*B*a^2*b^2*d^4)*n)*x^2 + 18*
(B*b^4*d^4*n*x^4 + B*a^3*b*c*d^3*n + (B*b^4*c*d^3 + 3*B*a*b^3*d^4)*n*x^3 +
 3*(B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*n*x^2 + (3*B*a^2*b^2*c*d^3 + B*a^3*b*d^
4)*n*x)*log((b*x + a)/(d*x + c))^2 + (B*b^4*c^4 - 9*B*a*b^3*c^3*d + 54*B*a
^2*b^2*c^2*d^2 - 55*B*a^3*b*c*d^3 + 9*B*a^4*d^4)*n - (6*A*b^4*c^3*d - 54*A
*a*b^3*c^2*d^2 - 18*A*a^2*b^2*c*d^3 + 66*A*a^3*b*d^4 + (5*B*b^4*c^3*d - 81
*B*a*b^3*c^2*d^2 + 57*B*a^2*b^2*c*d^3 + 19*B*a^3*b*d^4)*n)*x + 3*(B*b^4*c^
4 - 6*B*a*b^3*c^3*d + 18*B*a^2*b^2*c^2*d^2 - 10*B*a^3*b*c*d^3 - 3*B*a^4*d^
4 + 12*(B*b^4*c*d^3 - B*a*b^3*d^4)*x^3 + 6*(B*b^4*c^2*d^2 + 4*B*a*b^3*c*d^
3 - 5*B*a^2*b^2*d^4)*x^2 - 2*(B*b^4*c^3*d - 9*B*a*b^3*c^2*d^2 - 3*B*a^2*b^
2*c*d^3 + 11*B*a^3*b*d^4)*x + 12*(B*b^4*d^4*x^4 + B*a^3*b*c*d^3 + (B*b^4*c
*d^3 + 3*B*a*b^3*d^4)*x^3 + 3*(B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*x^2 + (3*B*a
^2*b^2*c*d^3 + B*a^3*b*d^4)*x)*log((b*x + a)/(d*x + c)))*log(e) + 3*(12*A*
a^3*b*c*d^3 + 2*(5*B*b^4*d^4*n + 6*A*b^4*d^4)*x^4 + 2*(6*A*b^4*c*d^3 + 18*
A*a*b^3*d^4 + (11*B*b^4*c*d^3 + 9*B*a*b^3*d^4)*n)*x^3 + 6*(6*A*a*b^3*c*d^3
 + 6*A*a^2*b^2*d^4 + (B*b^4*c^2*d^2 + 9*B*a*b^3*c*d^3)*n)*x^2 + (B*b^4*c^4
 - 6*B*a*b^3*c^3*d + 18*B*a^2*b^2*c^2*d^2 - 3*B*a^4*d^4)*n + 2*(18*A*a^...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2563 vs. $2(473) = 946$.

Time = 0.22 (sec) , antiderivative size = 2563, normalized size of antiderivative = 5.37

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output

```
-1/3*B*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^2*c^2*d + 13*a^2*b*c*d^2 + 3*a^3
*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2*(b^3*c^2*d - 8*a*b^2*c*d^2 - 11
*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3*b
^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7*c^5 - a*b^6*c^4*d - 6*a^2*b^5*c
^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*x^
3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d^3
 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2*x^2 + (3*a^2*b^5*c^5 - 11*a^3*b^4*
c^4*d + 14*a^4*b^3*c^3*d^2 - 6*a^5*b^2*c^2*d^3 - a^6*b*c*d^4 + a^7*d^5)*g^
4*i^2*x + (a^3*b^4*c^5 - 4*a^4*b^3*c^4*d + 6*a^5*b^2*c^3*d^2 - 4*a^6*b*c^2
*d^3 + a^7*c*d^4)*g^4*i^2) + 12*b*d^3*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4
*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^
4*i^2) - 12*b*d^3*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*
d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^4*i^2))*log(e*(b*x/(
d*x + c) + a/(d*x + c))^n) - 1/9*(b^4*c^4 - 9*a*b^3*c^3*d + 54*a^2*b^2*c^2
*d^2 - 55*a^3*b*c*d^3 + 9*a^4*d^4 + 30*(b^4*c*d^3 - a*b^3*d^4)*x^3 + 3*(11
*b^4*c^2*d^2 + 8*a*b^3*c*d^3 - 19*a^2*b^2*d^4)*x^2 - 18*(b^4*d^4*x^4 + a^3
*b*c*d^3 + (b^4*c*d^3 + 3*a*b^3*d^4)*x^3 + 3*(a*b^3*c*d^3 + a^2*b^2*d^4)*x
^2 + (3*a^2*b^2*c*d^3 + a^3*b*d^4)*x)*log(b*x + a)^2 - 18*(b^4*d^4*x^4 + a
^3*b*c*d^3 + (b^4*c*d^3 + 3*a*b^3*d^4)*x^3 + 3*(a*b^3*c*d^3 + a^2*b^2*d^4)
*x^2 + (3*a^2*b^2*c*d^3 + a^3*b*d^4)*x)*log(d*x + c)^2 - (5*b^4*c^3*d -...
```

Giac [A] (verification not implemented)

Time = 173.65 (sec) , antiderivative size = 401, normalized size of antiderivative = 0.84

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^2}\,dx =$$

$$-\frac{1}{18}\left(\frac{6\left(Bb^2n - \frac{3\,(bx+a)Bbdn}{dx+c} + \frac{3\,(bx+a)^2Bd^2n}{(dx+c)^2}\right)\log\left(\frac{bx+a}{dx+c}\right)}{\frac{(bx+a)^3b^2c^2g^4i^2}{(dx+c)^3} - \frac{2\,(bx+a)^3abcdg^4i^2}{(dx+c)^3} + \frac{(bx+a)^3a^2d^2g^4i^2}{(dx+c)^3}} + \frac{2\,Bb^2n - \frac{9\,(bx+a)Bbdn}{dx+c} + \frac{18\,(bx+a)^2Bd^2n}{(dx+c)^2} + 6\,Bb}{\frac{(bx+}{(}}\right.$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output

```
-1/18*(6*(B*b^2*n - 3*(b*x + a)*B*b*d*n/(d*x + c) + 3*(b*x + a)^2*B*d^2*n/
(d*x + c)^2)*log((b*x + a)/(d*x + c))/((b*x + a)^3*b^2*c^2*g^4*i^2/(d*x +
c)^3 - 2*(b*x + a)^3*a*b*c*d*g^4*i^2/(d*x + c)^3 + (b*x + a)^3*a^2*d^2*g^4
*i^2/(d*x + c)^3) + (2*B*b^2*n - 9*(b*x + a)*B*b*d*n/(d*x + c) + 18*(b*x +
 a)^2*B*d^2*n/(d*x + c)^2 + 6*B*b^2*log(e) - 18*(b*x + a)*B*b*d*log(e)/(d*
x + c) + 18*(b*x + a)^2*B*d^2*log(e)/(d*x + c)^2 + 6*A*b^2 - 18*(b*x + a)*
A*b*d/(d*x + c) + 18*(b*x + a)^2*A*d^2/(d*x + c)^2)/((b*x + a)^3*b^2*c^2*g
^4*i^2/(d*x + c)^3 - 2*(b*x + a)^3*a*b*c*d*g^4*i^2/(d*x + c)^3 + (b*x + a)
^3*a^2*d^2*g^4*i^2/(d*x + c)^3))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)^2
```

Mupad [B] (verification not implemented)

Time = 31.14 (sec) , antiderivative size = 1665, normalized size of antiderivative = 3.49

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4 (ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^4*(c*i + d*i*x)^
2),x)
```

output

```
(2*B*b*d^3*log(e*((a + b*x)/(c + d*x))^n)^2)/(g^4*i^2*n*(a*d - b*c)^3*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d)) - log(e*((a + b*x)/(c + d*x))^n)*(((B*(3*a*d
+ b*c))/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (4*B*b*d*x)/(3*(a^2*d^2 + b^
2*c^2 - 2*a*b*c*d)))/(x^3*(b^3*c*g^4*i^2 + 3*a*b^2*d*g^4*i^2) + x^2*(3*a*b
^2*c*g^4*i^2 + 3*a^2*b*d*g^4*i^2) + x*(a^3*d*g^4*i^2 + 3*a^2*b*c*g^4*i^2)
+ a^3*c*g^4*i^2 + b^3*d*g^4*i^2*x^4) + (4*B*b*d^3*(x*((a*d + b*c)*((a*g^4*
i^2*n*(a*d - b*c))/(2*d) + (g^4*i^2*n*(a*d - b*c)*(2*a*d - b*c))/(2*d^2))
+ (a*b*c*g^4*i^2*n*(a*d - b*c))/d) + x^2*(b*d*((a*g^4*i^2*n*(a*d - b*c))/(
2*d) + (g^4*i^2*n*(a*d - b*c)*(2*a*d - b*c))/(2*d^2)) + (b*g^4*i^2*n*(a*d
+ b*c)*(a*d - b*c))/d) + a*c*((a*g^4*i^2*n*(a*d - b*c))/(2*d) + (g^4*i^2*n
*(a*d - b*c)*(2*a*d - b*c))/(2*d^2)) + b^2*g^4*i^2*n*x^3*(a*d - b*c)))/(g^
4*i^2*n*(a*d - b*c)^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(x^3*(b^3*c*g^4*i^2
+ 3*a*b^2*d*g^4*i^2) + x^2*(3*a*b^2*c*g^4*i^2 + 3*a^2*b*d*g^4*i^2) + x*(a^
3*d*g^4*i^2 + 3*a^2*b*c*g^4*i^2) + a^3*c*g^4*i^2 + b^3*d*g^4*i^2*x^4))) -
(b*d^3*atan((b*d^3*((a^5*d^5*g^4*i^2 + b^5*c^5*g^4*i^2 - 3*a*b^4*c^4*d*g^4
*i^2 - 3*a^4*b*c*d^4*g^4*i^2 + 2*a^2*b^3*c^3*d^2*g^4*i^2 + 2*a^3*b^2*c^2*d
^3*g^4*i^2)/(a^4*d^4*g^4*i^2 + b^4*c^4*g^4*i^2 - 4*a*b^3*c^3*d*g^4*i^2 - 4
*a^3*b*c*d^3*g^4*i^2 + 6*a^2*b^2*c^2*d^2*g^4*i^2) + 2*b*d*x)*(6*A + 5*B*n)
*(a^4*d^4*g^4*i^2 + b^4*c^4*g^4*i^2 - 4*a*b^3*c^3*d*g^4*i^2 - 4*a^3*b*c*d^
3*g^4*i^2 + 6*a^2*b^2*c^2*d^2*g^4*i^2)*2i)/(g^4*i^2*(12*A*b*d^3 + 10*B*...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 3127, normalized size of antiderivative = 6.56

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4(ci + dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x)
```

output

```
( - 108*log(a + b*x)*a**5*b*c*d**4*n - 108*log(a + b*x)*a**5*b*d**5*n*x -
36*log(a + b*x)*a**4*b**2*c**2*d**3*n - 54*log(a + b*x)*a**4*b**2*c*d**4*n
**2 - 360*log(a + b*x)*a**4*b**2*c*d**4*n*x - 54*log(a + b*x)*a**4*b**2*d*
*5*n**2*x - 324*log(a + b*x)*a**4*b**2*d**5*n*x**2 - 66*log(a + b*x)*a**3*
b**3*c**2*d**3*n**2 - 108*log(a + b*x)*a**3*b**3*c**2*d**3*n*x - 228*log(a
 + b*x)*a**3*b**3*c*d**4*n**2*x - 432*log(a + b*x)*a**3*b**3*c*d**4*n*x**2
 - 162*log(a + b*x)*a**3*b**3*d**5*n**2*x**2 - 324*log(a + b*x)*a**3*b**3*
d**5*n*x**3 - 198*log(a + b*x)*a**2*b**4*c**2*d**3*n**2*x - 108*log(a + b*
x)*a**2*b**4*c**2*d**3*n*x**2 - 360*log(a + b*x)*a**2*b**4*c*d**4*n**2*x**
2 - 216*log(a + b*x)*a**2*b**4*c*d**4*n*x**3 - 162*log(a + b*x)*a**2*b**4*
d**5*n**2*x**3 - 108*log(a + b*x)*a**2*b**4*d**5*n*x**4 - 198*log(a + b*x)
*a*b**5*c**2*d**3*n**2*x**2 - 36*log(a + b*x)*a*b**5*c**2*d**3*n*x**3 - 25
2*log(a + b*x)*a*b**5*c*d**4*n**2*x**3 - 36*log(a + b*x)*a*b**5*c*d**4*n*x
**4 - 54*log(a + b*x)*a*b**5*d**5*n**2*x**4 - 66*log(a + b*x)*b**6*c**2*d*
*3*n**2*x**3 - 66*log(a + b*x)*b**6*c*d**4*n**2*x**4 + 108*log(c + d*x)*a*
*5*b*c*d**4*n + 108*log(c + d*x)*a**5*b*d**5*n*x + 36*log(c + d*x)*a**4*b*
*2*c**2*d**3*n + 54*log(c + d*x)*a**4*b**2*c*d**4*n**2 + 360*log(c + d*x)*
a**4*b**2*c*d**4*n*x + 54*log(c + d*x)*a**4*b**2*d**5*n**2*x + 324*log(c +
 d*x)*a**4*b**2*d**5*n*x**2 + 66*log(c + d*x)*a**3*b**3*c**2*d**3*n**2 + 1
08*log(c + d*x)*a**3*b**3*c**2*d**3*n*x + 228*log(c + d*x)*a**3*b**3*c*...
```

3.151 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 1717
Mathematica [A] (verified) . . . 1718
Rubi [A] (verified) . . . 1719
Maple [F] . . . 1721
Fricas [F] . . . 1721
Sympy [F] . . . 1721
Maxima [B] (verification not implemented) . . . 1722
Giac [F] . . . 1723
Mupad [F(-1)] . . . 1724
Reduce [F] . . . 1724

Optimal result

Integrand size = 43, antiderivative size = 382

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx \\
&= -\frac{3B(bc-ad)g^3n(a+bx)^2}{4d^2i^3(c+dx)^2} - \frac{3bB(bc-ad)g^3n(a+bx)}{d^3i^3(c+dx)} \\
&\quad + \frac{b(bc-ad)g^3(3A+Bn)(a+bx)}{d^3i^3(c+dx)} + \frac{3bB(bc-ad)g^3(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^3i^3(c+dx)} \\
&\quad + \frac{g^3(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{di^3(c+dx)^2} \\
&\quad + \frac{(bc-ad)g^3(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{b^2(bc-ad)g^3\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i^3} \\
&\quad + \frac{3b^2B(bc-ad)g^3n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3}
\end{aligned}
$$

output

```
-3/4*B*(-a*d+b*c)*g^3*n*(b*x+a)^2/d^2/i^3/(d*x+c)^2-3*b*B*(-a*d+b*c)*g^3*n
*(b*x+a)/d^3/i^3/(d*x+c)+b*(-a*d+b*c)*g^3*(B*n+3*A)*(b*x+a)/d^3/i^3/(d*x+c
)+3*b*B*(-a*d+b*c)*g^3*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/d^3/i^3/(d*x+c)+g
^3*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i^3/(d*x+c)^2+1/2*(-a*d+b*c
)*g^3*(b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))/d^2/i^3/(d*x+c)^2+
b^2*(-a*d+b*c)*g^3*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b
/(d*x+c))/d^4/i^3+3*b^2*B*(-a*d+b*c)*g^3*n*polylog(2,d*(b*x+a)/b/(d*x+c))/
d^4/i^3
```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 334, normalized size of antiderivative = 0.87

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^3\left(4Ab^3dx - \frac{B(bc-ad)^3n}{(c+dx)^2} + \frac{10bB(bc-ad)^2n}{c+dx} + 10b^2B(bc-ad)n\log(a+bx) + 4b^2Bd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i +
d*i*x)^3,x]
```

output

```
(g^3*(4*A*b^3*d*x - (B*(b*c - a*d)^3*n)/(c + d*x)^2 + (10*b*B*(b*c - a*d)^
2*n)/(c + d*x) + 10*b^2*B*(b*c - a*d)*n*Log[a + b*x] + 4*b^2*B*d*(a + b*x)
*Log[e*((a + b*x)/(c + d*x))^n] + (2*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(c + d*x)^2 - (12*b*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(c + d*x) - 14*b^2*B*(b*c - a*d)*n*Log[c + d*x] - 12*b^2*
(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 6*b^2*B*
(b*c - a*d)*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c
+ d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(4*d^4*i^3)
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 321, normalized size of antiderivative = 0.84, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {2961, 2784, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{g^3(bc-ad)\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2784$$

$$\frac{g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int \frac{(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{d}\right)}{i^3}$$

$$\downarrow 2793$$

$$\frac{g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\left(-\frac{\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{d^2}-\frac{(a+bx)\left(3A+Bn+3\right.}{d(c}\right.}{d}\right)}{i^3}$$

$$\downarrow 2009$$

$$\frac{g^3(bc-ad)\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{d^3}-\frac{b(a+bx)(3A+Bn)}{d^2(c+dx)}-\frac{(a+bx)^2\left(3B\log\left(e\left(\right.\right.\right.}{2d(c}}{i^3}$$

input
```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
^3,x]
```

output
```
((b*c - a*d)*g^3*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*
(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))) - ((3*B*n*(a + b*x)^2)/(4*d*(c
+ d*x)^2) + (3*b*B*n*(a + b*x))/(d^2*(c + d*x)) - (b*(3*A + B*n)*(a + b*x)
)/(d^2*(c + d*x)) - (3*b*B*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d^2*
(c + d*x)) - ((a + b*x)^2*(3*A + B*n + 3*B*Log[e*((a + b*x)/(c + d*x))^n])
)/(2*d*(c + d*x)^2) - (b^2*(3*A + B*n + 3*B*Log[e*((a + b*x)/(c + d*x))^n]
)*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 - (3*b^2*B*n*PolyLog[2, (d*(a
+ b*x))/(b*(c + d*x))])/d^3)/d))/i^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2793
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(dix+ci)^3}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output
```
integral((A*b^3*g^3*x^3 + 3*A*a*b^2*g^3*x^2 + 3*A*a^2*b*g^3*x + A*a^3*g^3
+ (B*b^3*g^3*x^3 + 3*B*a*b^2*g^3*x^2 + 3*B*a^2*b*g^3*x + B*a^3*g^3)*log(e*
((b*x + a)/(d*x + c))^n))/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x +
 c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^3\left(\int \frac{Aa^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{Ab^3x^3}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{Ba^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{3Aab^2x^2}{c^3+3c^2dx+3cd^2x^2+}\right.}{}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**3,x
)
```

output
```
g**3*(Integral(A*a**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
+ Integral(A*b**3*x**3/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
 + Integral(B*a**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*
d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*A*a*b**2*x**2/(c**3 + 3*
c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*A*a**2*b*x/(c**3 +
3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(B*b**3*x**3*log(e*(
a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3
*x**3), x) + Integral(3*B*a*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))*
*n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(3*B*a**
2*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**
2*x**2 + d**3*x**3), x))/i**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2894 vs. $2(377) = 754$.

Time $= 0.43$ (sec) , antiderivative size $= 2894$, normalized size of antiderivative $= 7.58$

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
3/4*B*a^2*b*g^3*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 - a
*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^
3) + 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^
4)*i^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a
^2*d^4)*i^3)) + 1/4*B*a^3*g^3*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4
)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2
*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*
x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*A*b^3*g^3*((6*c^2*
d*x + 5*c^3)/(d^6*i^3*x^2 + 2*c*d^5*i^3*x + c^2*d^4*i^3) - 2*x/(d^3*i^3) +
 6*c*log(d*x + c)/(d^4*i^3)) + 3/2*A*a*b^2*g^3*((4*c*d*x + 3*c^2)/(d^5*i^3
*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) + 2*log(d*x + c)/(d^3*i^3)) - 3/2*(2*d
*x + c)*B*a^2*b*g^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(d^4*i^3*x^2 +
2*c*d^3*i^3*x + c^2*d^2*i^3) - 3/2*(2*d*x + c)*A*a^2*b*g^3/(d^4*i^3*x^2 +
2*c*d^3*i^3*x + c^2*d^2*i^3) - 1/2*B*a^3*g^3*log(e*(b*x/(d*x + c) + a/(d*x
 + c))^n)/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A*a^3*g^3/(d^3*i
^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) + 1/2*(6*a^3*b^2*d^3*g^3*log(e) - (7*g
^3*n + 6*g^3*log(e))*b^5*c^3 + (19*g^3*n + 18*g^3*log(e))*a*b^4*c^2*d - 2*
(7*g^3*n + 9*g^3*log(e))*a^2*b^3*c*d^2)*B*log(d*x + c)/(b^2*c^2*d^4*i^3 -
2*a*b*c*d^5*i^3 + a^2*d^6*i^3) + 1/4*(4*(b^5*c^2*d^3*g^3*log(e) - 2*a*b^4*
c*d^4*g^3*log(e) + a^2*b^3*d^5*g^3*log(e))*B*x^3 + 8*(b^5*c^3*d^2*g^3*l...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output

```
integrate((b*g*x + a*g)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(d*i*x +
c*i)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^3,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output

```
(g**3*i*(4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**2*d*
x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**4*d**6 + 8*int((log(((a + b
*x)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x*
*3),x)*a**2*b**4*c**3*d**7*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x
**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**2*d**
8*x**2 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**2*d*
x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**5*d**5 - 16*int((log(((a + b*x
)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3
),x)*a*b**5*c**4*d**6*x - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/
(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**3*d**7*x**2 +
 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**2*d*x + 3*c*
d**2*x**2 + d**3*x**3),x)*b**6*c**6*d**4 + 8*int((log(((a + b*x)**n*e)/(c
+ d*x)**n)*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c
**5*d**5*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**4*d**6*x**2 + 12*int((log(((
a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d*
*3*x**3),x)*a**3*b**3*c**4*d**6 + 24*int((log(((a + b*x)**n*e)/(c + d*x)**
n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**3
*d**7*x + 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*
d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**2*d**8*x**2 - 24*int((...
```

3.152 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 1726
Mathematica [A] (verified) . . . 1727
Rubi [A] (verified) . . . 1727
Maple [F] . . . 1729
Fricas [F] . . . 1729
Sympy [F] . . . 1730
Maxima [F] . . . 1730
Giac [F] . . . 1731
Mupad [F(-1)] . . . 1732
Reduce [F] . . . 1732

Optimal result

Integrand size = 43, antiderivative size = 263

$$\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx \\
&= \frac{Bg^2n(a+bx)^2}{4di^3(c+dx)^2} - \frac{Abg^2(a+bx)}{d^2i^3(c+dx)} + \frac{bBg^2n(a+bx)}{d^2i^3(c+dx)} \\
&\quad - \frac{bBg^2(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^2i^3(c+dx)} - \frac{g^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2di^3(c+dx)^2} \\
&\quad - \frac{b^2g^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i^3} - \frac{b^2Bg^2n\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3}
\end{aligned}$$

output

```
1/4*B*g^2*n*(b*x+a)^2/d/i^3/(d*x+c)^2-A*b*g^2*(b*x+a)/d^2/i^3/(d*x+c)+b*B*
g^2*n*(b*x+a)/d^2/i^3/(d*x+c)-b*B*g^2*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/d^
2/i^3/(d*x+c)-1/2*g^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i^3/(d*x
+c)^2-b^2*g^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^3
/i^3-b^2*B*g^2*n*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^3
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 259, normalized size of antiderivative = 0.98

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^2\left(\frac{B(bc-ad)^2n}{(c+dx)^2} - \frac{6bB(bc-ad)n}{c+dx} - 6b^2Bn\log(a+bx) - \frac{2(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2} + \frac{8b(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)\right.\right.\right.}{c+dx}$$

input
```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)^3,x]
```

output
```
(g^2*((B*(b*c - a*d)^2*n)/(c + d*x)^2 - (6*b*B*(b*c - a*d)*n)/(c + d*x) - 6*b^2*B*n*Log[a + b*x] - (2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)^2 + (8*b*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + 6*b^2*B*n*Log[c + d*x] + 4*b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 2*b^2*B*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4*d^3*i^3)
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 229, normalized size of antiderivative = 0.87, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2793, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^3}\,dx$$
$$\downarrow 2961$$
$$\frac{g^2\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\,d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2793$$

$$\frac{g^2\int\left(-\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{d^2}-\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d(c+dx)}\right)d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2009$$

$$\frac{g^2\left(-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^3}-\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2}-\frac{Ab(a+bx)}{d^2(c+dx)}-\frac{b^2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3}-\frac{bB(}{}\right.}{i^3}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)
^3,x]
```

output

```
(g^2*((B*n*(a + b*x)^2)/(4*d*(c + d*x)^2) - (A*b*(a + b*x))/(d^2*(c + d*x)
) + (b*B*n*(a + b*x))/(d^2*(c + d*x)) - (b*B*(a + b*x)*Log[e*((a + b*x)/(c
 + d*x))^n])/(d^2*(c + d*x)) - ((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]))/(2*d*(c + d*x)^2) - (b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*
Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 - (b^2*B*n*PolyLog[2, (d*(a + b*
x))/(b*(c + d*x))])/d^3))/i^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2793

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[a + b*Log[c*x^n],
 (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e,
 f, m, n, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[m] && Integer
Q[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{(dix+ci)^3}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
integral((A*b^2*g^2*x^2 + 2*A*a*b*g^2*x + A*a^2*g^2 + (B*b^2*g^2*x^2 + 2*B
*a*b*g^2*x + B*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n))/(d^3*i^3*x^3 + 3*c
*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{g^2\left(\int \frac{Aa^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{Ab^2x^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{Ba^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx+\int \frac{2Aabx}{c^3+3c^2dx+3cd^2x^2+}\right.}{i^3}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**3,x
)
```

output
```
g**2*(Integral(A*a**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
+ Integral(A*b**2*x**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x)
 + Integral(B*a**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*
d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*a*b*x/(c**3 + 3*c**2*d
*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(B*b**2*x**2*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),
x) + Integral(2*B*a*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*
c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
1/2*B*a*b*g^2*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 - a*d
^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3)
 + 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)
*i^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2
*d^4)*i^3)) + 1/4*B*a^2*g^2*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*
i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b
^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x
 + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) + 1/2*A*b^2*g^2*((4*c*d*x
 + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) + 2*log(d*x + c)/(d^3
*i^3)) - 1/2*B*b^2*g^2*((2*(d^2*n*x^2 + 2*c*d*n*x + c^2*n)*log(b*x + a)*lo
g(d*x + c) - (d^2*n*x^2 + 2*c*d*n*x + c^2*n)*log(d*x + c)^2 - (4*c*d*x + 3
*c^2 + 2*(d^2*x^2 + 2*c*d*x + c^2)*log(d*x + c))*log((b*x + a)^n) + (4*c*d
*x + 3*c^2 + 2*(d^2*x^2 + 2*c*d*x + c^2)*log(d*x + c))*log((d*x + c)^n))/(
d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) - 2*integrate(1/2*(2*b*d^3*x^3*
log(e) + 2*a*d^3*x^2*log(e) - 3*b*c^3*n + 3*a*c^2*d*n - 4*(b*c^2*d*n - a*c
*d^2*n)*x + 2*(b*d^3*n*x^3 + a*c^2*d*n + (2*b*c*d^2*n + a*d^3*n)*x^2 + (b*
c^2*d*n + 2*a*c*d^2*n)*x)*log(b*x + a))/(b*d^6*i^3*x^4 + a*c^3*d^3*i^3 + (
3*b*c*d^5*i^3 + a*d^6*i^3)*x^3 + 3*(b*c^2*d^4*i^3 + a*c*d^5*i^3)*x^2 + (b*
c^3*d^3*i^3 + 3*a*c^2*d^4*i^3)*x), x)) - (2*d*x + c)*B*a*b*g^2*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n)/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3)...
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)/(d*i*x +
c*i)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^3,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output

```
(g**2*i*(4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*
x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**3*c**4*d**5 + 8*int((log(((a + b
*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x*
*3),x)*a**2*b**3*c**3*d**6*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x
**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**3*c**2*d**
7*x**2 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*
x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**4*c**5*d**4 - 16*int((log(((a + b*x
)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3
),x)*a*b**4*c**4*d**5*x - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/
(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**4*c**3*d**6*x**2 +
 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*
d**2*x**2 + d**3*x**3),x)*b**5*c**6*d**3 + 8*int((log(((a + b*x)**n*e)/(c
+ d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**5*c
**5*d**4*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**5*c**4*d**5*x**2 - 2*log(a + b*x)
*a**4*b*c**2*d**4*n - 4*log(a + b*x)*a**4*b*c*d**5*n*x - 2*log(a + b*x)*a*
*4*b*d**6*n*x**2 + 2*log(c + d*x)*a**4*b*c**2*d**4*n + 4*log(c + d*x)*a**4
*b*c*d**5*n*x + 2*log(c + d*x)*a**4*b*d**6*n*x**2 + 4*log(c + d*x)*a**3*b*
*2*c**4*d**2 + 8*log(c + d*x)*a**3*b**2*c**3*d**3*x + 4*log(c + d*x)*a**3*
b**2*c**2*d**4*x**2 - 8*log(c + d*x)*a**2*b**3*c**5*d - 16*log(c + d*x)...
```

3.153 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$

Optimal result . . . 1734
Mathematica [B] (verified) . . . 1734
Rubi [A] (verified) . . . 1735
Maple [B] (verified) . . . 1736
Fricas [B] (verification not implemented) . . . 1737
Sympy [F(-1)] . . . 1737
Maxima [B] (verification not implemented) . . . 1738
Giac [A] (verification not implemented) . . . 1739
Mupad [B] (verification not implemented) . . . 1739
Reduce [B] (verification not implemented) . . . 1740

Optimal result

Integrand size = 41, antiderivative size = 89

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = -\frac{Bgn(a+bx)^2}{4(bc-ad)i^3(c+dx)^2} + \frac{g(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)i^3(c+dx)^2}$$

output

```
-1/4*B*g*n*(b*x+a)^2/(-a*d+b*c)/i^3/(d*x+c)^2+1/2*g*(b*x+a)^2*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/(-a*d+b*c)/i^3/(d*x+c)^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 215 vs. 2(89) = 178.

Time = 0.18 (sec) , antiderivative size = 215, normalized size of antiderivative = 2.42

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \frac{g\left(\frac{(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^2(c+dx)^2} - \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d^2(c+dx)} + \frac{bBn\left(\frac{1}{c+dx}+\frac{b\log(a+bx)}{bc-ad}-\frac{b\log(c+dx)}{bc-ad}\right)}{d^2} - \frac{Bn\left(\frac{bc-ad}{(c+dx)^2}+\frac{2b}{c+dx}+\frac{2b^2}{b}\right.}{4d}\right.}{i^3}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*
i*x)^3,x]
```

output
```
(g*(((b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d^2*(c + d*x)^
2) - (b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d^2*(c + d*x)) + (b*B*n*(
(c + d*x)^(-1) + (b*Log[a + b*x])/(b*c - a*d) - (b*Log[c + d*x])/(b*c - a*
d)))/d^2 - (B*n*((b*c - a*d)/(c + d*x)^2 + (2*b)/(c + d*x) + (2*b^2*Log[a
+ b*x])/(b*c - a*d) - (2*b^2*Log[c + d*x])/(b*c - a*d)))/(4*d^2)))/i^3
```

Rubi [A] (verified)

Time $= 0.27$ (sec) , antiderivative size $= 76$, normalized size of antiderivative $= 0.85$, number of steps used $= 3$, number of rules used $= 2$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.049$, Rules used $= \{2961, 2741\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{c+dx}d\frac{a+bx}{c+dx}}{i^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}-\frac{Bn(a+bx)^2}{4(c+dx)^2}\right)}{i^3(bc-ad)}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c*i + d*i*x)^3
,x]
```

output
```
(g*(-1/4*(B*n*(a + b*x)^2)/(c + d*x)^2 + ((a + b*x)^2*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(2*(c + d*x)^2)))/((b*c - a*d)*i^3)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 236 vs. $2(85) = 170$.

Time = 4.89 (sec) , antiderivative size = 237, normalized size of antiderivative = 2.66

method	result
parallelrisch	$-\frac{4Bx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab^2d^4gn-Ba^2bd^4gn^2+Bb^3c^2d^2gn^2+2Aa^2bd^4gn-2Ab^3c^2d^2gn+2B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2bd^4gn+2B}{4i^3(dx+c)^2bd^4n(da-bc)}$

input
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,method=_RE
TURNVERBOSE)
```

output
```
-1/4*(4*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*d^4*g*n-B*a^2*b*d^4*g*n^2+B*b^
3*c^2*d^2*g*n^2+2*A*a^2*b*d^4*g*n-2*A*b^3*c^2*d^2*g*n+2*B*ln(e*((b*x+a)/(d
*x+c))^n)*a^2*b*d^4*g*n+2*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^4*g*n-2*B*
x*a*b^2*d^4*g*n^2+2*B*x*b^3*c*d^3*g*n^2+4*A*x*a*b^2*d^4*g*n-4*A*x*b^3*c*d^
3*g*n)/i^3/(d*x+c)^2/b/d^4/n/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 250 vs. $2(85) = 170$.

Time = 0.11 (sec) , antiderivative size = 250, normalized size of antiderivative = 2.81

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{(Bb^2c^2-Ba^2d^2)gn-2\left(Ab^2c^2-Aa^2d^2\right)g+2\left((Bb^2cd-Babd^2)gn-2\left(Ab^2cd-Aabd^2\right)g\right)x-2\left(2\left(Bb^2\right.\right.}{4\left(\left(bcd^4-ad^5\right)i^3x^2+2\left(bc^2d^3-a\right.\right.}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output
```
1/4*((B*b^2*c^2 - B*a^2*d^2)*g*n - 2*(A*b^2*c^2 - A*a^2*d^2)*g + 2*((B*b^2
*c*d - B*a*b*d^2)*g*n - 2*(A*b^2*c*d - A*a*b*d^2)*g)*x - 2*(2*(B*b^2*c*d -
 B*a*b*d^2)*g*x + (B*b^2*c^2 - B*a^2*d^2)*g)*log(e) + 2*(B*b^2*d^2*g*n*x^2
 + 2*B*a*b*d^2*g*n*x + B*a^2*d^2*g*n)*log((b*x + a)/(d*x + c)))/((b*c*d^4
- a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)
*i^3)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 578 vs. $2(85) = 170$.

Time $= 0.05$ (sec) , antiderivative size $= 578$, normalized size of antiderivative $= 6.49$

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}Bbgn\left(\frac{bc^2-3acd+2(bcd-2ad^2)x}{(bcd^4-ad^5)i^3x^2+2(bc^2d^3-acd^4)i^3x+(bc^3d^2-ac^2d^3)i^3}+\frac{2(b^2c-2abd)\log(bx+a)}{(b^2c^2d^2-2abcd^3+a^2d^4)i^3}-\frac{2}{(b\right.$$
$$+\frac{1}{4}Bagn\left(\frac{2bdx+3bc-ad}{(bcd^3-ad^4)i^3x^2+2(bc^2d^2-acd^3)i^3x+(bc^3d-ac^2d^2)i^3}+\frac{2b^2\log(bx+a)}{(b^2c^2d-2abcd^2+a^2d^3)i^3}-\frac{}{(b\right.$$
$$-\frac{(2dx+c)Bbg\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{2(d^4i^3x^2+2cd^3i^3x+c^2d^2i^3)}-\frac{(2dx+c)Abg}{2(d^4i^3x^2+2cd^3i^3x+c^2d^2i^3)}$$
$$-\frac{Bag\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{2(d^3i^3x^2+2cd^2i^3x+c^2di^3)}-\frac{Aag}{2(d^3i^3x^2+2cd^2i^3x+c^2di^3)}$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output
```
1/4*B*b*g*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 - a*d^5)*
i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3) + 2
*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*i^3
) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4
)*i^3)) + 1/4*B*a*g*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2
+ 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*log(b
*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b
^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*(2*d*x + c)*B*b*g*log(e*(b*x
/(d*x + c) + a/(d*x + c))^n)/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) -
 1/2*(2*d*x + c)*A*b*g/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - 1/2*B
*a*g*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(d^3*i^3*x^2 + 2*c*d^2*i^3*x +
 c^2*d*i^3) - 1/2*A*a*g/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.63 (sec) , antiderivative size = 101, normalized size of antiderivative = 1.13

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$=\frac{1}{4}\left(\frac{2\,(bx+a)^2 Bgn\log\left(\frac{bx+a}{dx+c}\right)}{(dx+c)^2 i^3}-\frac{(Bgn-2\,Bg\log(e)-2\,Ag)(bx+a)^2}{(dx+c)^2 i^3}\right)\left(\frac{bc}{(bc-ad)^2}-\frac{ad}{(bc-ad)^2}\right)$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output
```
1/4*(2*(b*x + a)^2*B*g*n*log((b*x + a)/(d*x + c))/((d*x + c)^2*i^3) - (B*g
*n - 2*B*g*log(e) - 2*A*g)*(b*x + a)^2/((d*x + c)^2*i^3))*(b*c/(b*c - a*d)
^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.33 (sec) , antiderivative size = 205, normalized size of antiderivative = 2.30

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$
$$=-\frac{x\,(2\,Abdg-Bbdgn)+Aadg+Abcg-\frac{Badgn}{2}-\frac{Bbcgn}{2}}{2\,c^2 d^2 i^3+4\,cd^3 i^3 x+2\,d^4 i^3 x^2}$$
$$-\frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{Bag}{2d}+\frac{Bbcg}{2d^2}+\frac{Bbgx}{d}\right)}{c^2 i^3+2\,cdi^3 x+d^2 i^3 x^2}+\frac{B\,b^2\,g\,n\,\mathrm{atan}\left(\frac{bc\,2\mathrm{i}+bdx\,2\mathrm{i}}{ad-bc}+1\mathrm{i}\right)\,1\mathrm{i}}{d^2 i^3\,(ad-bc)}$$

input
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)^3
,x)
```

output
```
(B*b^2*g*n*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*1i)/(d^2*i^3*(a*d -
b*c)) - (log(e*((a + b*x)/(c + d*x))^n)*((B*a*g)/(2*d) + (B*b*c*g)/(2*d^2)
 + (B*b*g*x)/d))/(c^2*i^3 + d^2*i^3*x^2 + 2*c*d*i^3*x) - (x*(2*A*b*d*g - B
*b*d*g*n) + A*a*d*g + A*b*c*g - (B*a*d*g*n)/2 - (B*b*c*g*n)/2)/(2*c^2*d^2*
i^3 + 2*d^4*i^3*x^2 + 4*c*d^3*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 357, normalized size of antiderivative = 4.01

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(ci+dix)^3}\,dx$$

$$= \frac{gi\Big(-2\log(bx+a)\,ab^2c^2n-4\log(bx+a)\,ab^2cdnx-2\log(bx+a)\,ab^2d^2n\,x^2+2\log(dx+c)\,ab^2c^2n+4}{}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output
```
(g*i*( - 2*log(a + b*x)*a*b**2*c**2*n - 4*log(a + b*x)*a*b**2*c*d*n*x - 2*
log(a + b*x)*a*b**2*d**2*n*x**2 + 2*log(c + d*x)*a*b**2*c**2*n + 4*log(c +
 d*x)*a*b**2*c*d*n*x + 2*log(c + d*x)*a*b**2*d**2*n*x**2 - 2*log(((a + b*x
)**n*e)/(c + d*x)**n)*a**2*b*c*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*
b**2*c**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**2*x**2 - 2*log(
((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*d*x**2 - 2*a**3*c*d + 2*a**2*b*c**2
+ a**2*b*c*d*n + 2*a**2*b*d**2*x**2 - a*b**2*c**2*n - 2*a*b**2*c*d*x**2 -
a*b**2*d**2*n*x**2 + b**3*c*d*n*x**2))/(4*c*d*(a*c**2*d + 2*a*c*d**2*x + a
*d**3*x**2 - b*c**3 - 2*b*c**2*d*x - b*c*d**2*x**2))
```

3.154 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$

Optimal result 1741
Mathematica [A] (verified) 1741
Rubi [A] (verified) 1742
Maple [A] (verified) 1744
Fricas [A] (verification not implemented) 1744
Sympy [F(-1)] 1745
Maxima [A] (verification not implemented) 1745
Giac [A] (verification not implemented) 1746
Mupad [B] (verification not implemented) 1746
Reduce [B] (verification not implemented) 1747

Optimal result

Integrand size = 33, antiderivative size = 151

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx = \frac{Bn}{4di^3(c+dx)^2}+\frac{bBn}{2d(bc-ad)i^3(c+dx)}+\frac{b^2Bn\log(a+bx)}{2d(bc-ad)^2i^3} - \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2di^3(c+dx)^2}-\frac{b^2Bn\log(c+dx)}{2d(bc-ad)^2i^3}$$

output

```
1/4*B*n/d/i^3/(d*x+c)^2+1/2*b*B*n/d/(-a*d+b*c)/i^3/(d*x+c)+1/2*b^2*B*n*ln(
b*x+a)/d/(-a*d+b*c)^2/i^3-1/2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d/i^3/(d*x+c
)^2-1/2*b^2*B*n*ln(d*x+c)/d/(-a*d+b*c)^2/i^3
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 115, normalized size of antiderivative = 0.76

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx = \frac{-2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+\frac{Bn((bc-ad)(3bc-ad+2bdx)+2b^2(c+dx)^2\log(a+bx)-2b^2(c+dx)^2\log(c+dx))}{(bc-ad)^2}}{4di^3(c+dx)^2}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x)^3,x]
```

output
```
(-2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + (B*n*((b*c - a*d)*(3*b*c - a*
d + 2*b*d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*Log[c +
d*x]))/(b*c - a*d)^2)/(4*d*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 142, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$, Rules used = {2947, 27, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ci+dix)^3}\,dx$$

$$\downarrow 2947$$

$$\frac{Bn(bc-ad)\int \frac{1}{i^2(a+bx)(c+dx)^3}\,dx}{2di} - \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 27$$

$$\frac{Bn(bc-ad)\int \frac{1}{(a+bx)(c+dx)^3}\,dx}{2di^3} - \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 54$$

$$\frac{Bn(bc-ad)\int \left(\frac{b^3}{(bc-ad)^3(a+bx)} - \frac{db^2}{(bc-ad)^3(c+dx)} - \frac{db}{(bc-ad)^2(c+dx)^2} - \frac{d}{(bc-ad)(c+dx)^3}\right)dx}{2di^3} - \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{2di^3(c+dx)^2}$$

$$\downarrow 2009$$

$$\frac{Bn(bc-ad)\left(\frac{b^2\log(a+bx)}{(bc-ad)^3}-\frac{b^2\log(c+dx)}{(bc-ad)^3}+\frac{b}{(c+dx)(bc-ad)^2}+\frac{1}{2(c+dx)^2(bc-ad)}\right)}{2di^3}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2di^3(c+dx)^2}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(c*i + d*i*x)^3,x]
```

output
```
-1/2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(d*i^3*(c + d*x)^2) + (B*(b*c
- a*d)*n*(1/(2*(b*c - a*d)*(c + d*x)^2) + b/((b*c - a*d)^2*(c + d*x)) + (b
^2*Log[a + b*x])/(b*c - a*d)^3 - (b^2*Log[c + d*x])/(b*c - a*d)^3))/(2*d*i
^3)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2947
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(f + g*x)^(m + 1)*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])/(g*(m + 1))), x] - Simp[B*n*((b*c - a*d)
/(g*(m + 1)))   Int[(f + g*x)^(m + 1)/((a + b*x)*(c + d*x)), x], x] /; Free
Q[{a, b, c, d, e, f, g, A, B, m, n}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
&& NeQ[m, -2]
```

Maple [A] (verified)

Time = 4.75 (sec) , antiderivative size = 272, normalized size of antiderivative = 1.80

method	result
parallelrisch	$-\frac{-B\,a^2b\,d^5n^2-3B\,b^3c^2d^3n^2+2A\,a^2b\,d^5n+2A\,b^3c^2d^3n+4Ba\,b^2c\,d^4n^2-4Aa\,b^2c\,d^4n-2B\,x^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3d^5n+2Bxa\,b}{4i^3(dx+c)^2n(a^2d^2-2acd}$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x,method=_RETURNVERBOSE)
```

output
```
-1/4*(-B*a^2*b*d^5*n^2-3*B*b^3*c^2*d^3*n^2+2*A*a^2*b*d^5*n+2*A*b^3*c^2*d^3
*n+4*B*a*b^2*c*d^4*n^2-4*A*a*b^2*c*d^4*n-2*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)
*b^3*d^5*n+2*B*x*a*b^2*d^5*n^2-2*B*x*b^3*c*d^4*n^2+2*B*ln(e*((b*x+a)/(d*x+
c))^n)*a^2*b*d^5*n-4*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c*d^4*n-4*B*ln(e*((
b*x+a)/(d*x+c))^n)*a*b^2*c*d^4*n)/i^3/(d*x+c)^2/n/(a^2*d^2-2*a*b*c*d+b^2*c
^2)/b/d^4
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 266, normalized size of antiderivative = 1.76

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx =$$
$$-\frac{2\,Ab^2c^2-4\,Aabcd+2\,Aa^2d^2-2\,(Bb^2cd-Babd^2)nx-(3\,Bb^2c^2-4\,Babcd+Ba^2d^2)n+2\,(Bb^2c^2-}{4\,((b^2c^2d^3-2\,abcd^4+a^2d^5)i^3x^2+2\,(b^2c^3d^2-2\,abc^2d^3+}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, algorithm="fri
cas")
```

output
```
-1/4*(2*A*b^2*c^2 - 4*A*a*b*c*d + 2*A*a^2*d^2 - 2*(B*b^2*c*d - B*a*b*d^2)*
n*x - (3*B*b^2*c^2 - 4*B*a*b*c*d + B*a^2*d^2)*n + 2*(B*b^2*c^2 - 2*B*a*b*c
*d + B*a^2*d^2)*log(e) - 2*(B*b^2*d^2*n*x^2 + 2*B*b^2*c*d*n*x + (2*B*a*b*c
*d - B*a^2*d^2)*n)*log((b*x + a)/(d*x + c)))/((b^2*c^2*d^3 - 2*a*b*c*d^4 +
 a^2*d^5)*i^3*x^2 + 2*(b^2*c^3*d^2 - 2*a*b*c^2*d^3 + a^2*c*d^4)*i^3*x + (b
^2*c^4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*i^3)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(d*i*x+c*i)**3,x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 259, normalized size of antiderivative = 1.72

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}Bn\left(\frac{2\,bdx+3\,bc-ad}{(bcd^3-ad^4)i^3x^2+2\,(bc^2d^2-acd^3)i^3x+(bc^3d-ac^2d^2)i^3}+\frac{2\,b^2\log(bx+a)}{(b^2c^2d-2\,abcd^2+a^2d^3)i^3}-\frac{2}{(b^2c^2d}\right.$$
$$\left.-\frac{B\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{2\,(d^3i^3x^2+2\,cd^2i^3x+c^2di^3)}-\frac{A}{2\,(d^3i^3x^2+2\,cd^2i^3x+c^2di^3)}\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, algorithm="max
ima")
```

output
```
1/4*B*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d^2
 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*log(b*x + a)/((b^2*
c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2*a
*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*B*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(
d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A/(d^3*i^3*x^2 + 2*c*d^2*i^
3*x + c^2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.57 (sec) , antiderivative size = 207, normalized size of antiderivative = 1.37

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$$
$$= \frac{1}{4}\left(2\left(\frac{2\,(bx+a)Bbn}{(bci^3-adi^3)(dx+c)} - \frac{(bx+a)^2 Bdn}{(bci^3-adi^3)(dx+c)^2}\right)\log\left(\frac{bx+a}{dx+c}\right) + \frac{(Bdn - 2\,Bd\log(e) - 2\,Ad)(b$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x, algorithm="gia
c")
```

output
```
1/4*(2*(2*(b*x + a)*B*b*n/((b*c*i^3 - a*d*i^3)*(d*x + c)) - (b*x + a)^2*B*
d*n/((b*c*i^3 - a*d*i^3)*(d*x + c)^2))*log((b*x + a)/(d*x + c)) + (B*d*n -
 2*B*d*log(e) - 2*A*d)*(b*x + a)^2/((b*c*i^3 - a*d*i^3)*(d*x + c)^2) - 4*(
B*b*n - B*b*log(e) - A*b)*(b*x + a)/((b*c*i^3 - a*d*i^3)*(d*x + c)))*(b*c/
(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 26.21 (sec) , antiderivative size = 221, normalized size of antiderivative = 1.46

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx = \frac{B\,b^2\,n\,\operatorname{atanh}\left(\frac{2\,a^2\,d^3\,i^3 - 2\,b^2\,c^2\,d\,i^3}{2\,d\,i^3\,(a\,d-b\,c)^2} + \frac{2\,b\,d\,x}{a\,d-b\,c}\right)}{d\,i^3\,(a\,d-b\,c)^2}$$
$$- \frac{B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2\,d\,\left(c^2\,i^3 + 2\,c\,d\,i^3\,x + d^2\,i^3\,x^2\right)}$$
$$- \frac{\frac{2\,A\,a\,d - 2\,A\,b\,c - B\,a\,d\,n + 3\,B\,b\,c\,n}{2\,(a\,d-b\,c)} + \frac{B\,b\,d\,n\,x}{a\,d-b\,c}}{2\,c^2\,d\,i^3 + 4\,c\,d^2\,i^3\,x + 2\,d^3\,i^3\,x^2}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(c*i + d*i*x)^3,x)
```

output
```
(B*b^2*n*atanh((2*a^2*d^3*i^3 - 2*b^2*c^2*d*i^3)/(2*d*i^3*(a*d - b*c)^2) +
 (2*b*d*x)/(a*d - b*c)))/(d*i^3*(a*d - b*c)^2) - (B*log(e*((a + b*x)/(c +
d*x))^n))/(2*d*(c^2*i^3 + d^2*i^3*x^2 + 2*c*d*i^3*x)) - ((2*A*a*d - 2*A*b*
c - B*a*d*n + 3*B*b*c*n)/(2*(a*d - b*c)) + (B*b*d*n*x)/(a*d - b*c))/(2*c^2
*d*i^3 + 2*d^3*i^3*x^2 + 4*c*d^2*i^3*x)
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 606, normalized size of antiderivative = 4.01

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ci+dix)^3}\,dx$$

$$= \frac{i\Big(4\log(dx+c)\,a^2bc\,d^3nx - 8\log(dx+c)\,a\,b^2c^2d^2nx - 4\log(dx+c)\,a\,b^2c\,d^3n\,x^2 - 4\log(bx+a)\,a^2bc\,d^3n$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(d*i*x+c*i)^3,x)
```

output
```
(i*( - 2*log(a + b*x)*a**2*b*c**2*d**2*n - 4*log(a + b*x)*a**2*b*c*d**3*n*
x - 2*log(a + b*x)*a**2*b*d**4*n*x**2 + 4*log(a + b*x)*a*b**2*c**3*d*n + 8
*log(a + b*x)*a*b**2*c**2*d**2*n*x + 4*log(a + b*x)*a*b**2*c*d**3*n*x**2 +
 2*log(c + d*x)*a**2*b*c**2*d**2*n + 4*log(c + d*x)*a**2*b*c*d**3*n*x + 2*
log(c + d*x)*a**2*b*d**4*n*x**2 - 4*log(c + d*x)*a*b**2*c**3*d*n - 8*log(c
 + d*x)*a*b**2*c**2*d**2*n*x - 4*log(c + d*x)*a*b**2*c*d**3*n*x**2 + 4*log
(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*d**3*x + 2*log(((a + b*x)**n*e)/(
c + d*x)**n)*a**2*b*d**4*x**2 - 8*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**
2*c**2*d**2*x - 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c*d**3*x**2 +
4*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**3*d*x + 2*log(((a + b*x)**n*e
)/(c + d*x)**n)*b**3*c**2*d**2*x**2 - 2*a**3*c**2*d**2 + 4*a**2*b*c**3*d +
 a**2*b*c**2*d**2*n - 2*a*b**2*c**4 - 3*a*b**2*c**3*d*n + a*b**2*c*d**3*n*
x**2 + 2*b**3*c**4*n - b**3*c**2*d**2*n*x**2))/(4*c**2*d*(a**2*c**2*d**2 +
 2*a**2*c*d**3*x + a**2*d**4*x**2 - 2*a*b*c**3*d - 4*a*b*c**2*d**2*x - 2*a
*b*c*d**3*x**2 + b**2*c**4 + 2*b**2*c**3*d*x + b**2*c**2*d**2*x**2))
```

3.155 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$

Optimal result . . . 1748
Mathematica [C] (verified) . . . 1749
Rubi [A] (verified) . . . 1749
Maple [B] (verified) . . . 1751
Fricas [A] (verification not implemented) . . . 1752
Sympy [F(-1)] . . . 1752
Maxima [B] (verification not implemented) . . . 1753
Giac [A] (verification not implemented) . . . 1754
Mupad [B] (verification not implemented) . . . 1754
Reduce [B] (verification not implemented) . . . 1755

Optimal result

Integrand size = 43, antiderivative size = 254

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx &= -\frac{Bn\left(4b-\frac{d(a+bx)}{c+dx}\right)^2}{4(bc-ad)^3gi^3}\\ &+\frac{d^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3gi^3(c+dx)^2}\\ &-\frac{2bd(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3gi^3(c+dx)}\\ &+\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^3gi^3}\\ &-\frac{b^2Bn\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^3gi^3}\end{aligned}$$

output

```
-1/4*B*n*(4*b-d*(b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g/i^3+1/2*d^2*(b*x+a)^2*(A
+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g/i^3/(d*x+c)^2-2*b*d*(b*x+a)*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g/i^3/(d*x+c)+b^2*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c)^3/g/i^3-1/2*b^2*B*n*ln(
(b*x+a)/(d*x+c))^2/(-a*d+b*c)^3/g/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.38 (sec) , antiderivative size = 434, normalized size of antiderivative = 1.71

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{2(bc-ad)^2\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) + 4b(bc-ad)(c+dx)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) + 4b^2(c+dx)^2\log(a$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i
*x)^3),x]
```

output
```
(2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*b*(b*c - a*d)*
(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*b^2*(c + d*x)^2*Log[a
 + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 4*b^2*(c + d*x)^2*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 4*b*B*n*(c + d*x)*(b*c - a*
d + b*(c + d*x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]) - B*n*((b*c - a*d
)^2 + 2*b*(b*c - a*d)*(c + d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(
c + d*x)^2*Log[c + d*x]) - 2*b^2*B*n*(c + d*x)^2*(Log[a + b*x]*(Log[a + b*
x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c
) + a*d)]) + 2*b^2*B*n*(c + d*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] -
 Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/(4
*(b*c - a*d)^3*g*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 192, normalized size of antiderivative = 0.76, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx}d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2772$$

$$\frac{-Bn\int\left(\frac{b^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)}{a+bx}-\frac{1}{2}d\left(4b-\frac{d(a+bx)}{c+dx}\right)\right)d\frac{a+bx}{c+dx}+b^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+\frac{d^2(a+bx)^2\left(B\right.}{2}}{gi^3(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{b^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+\frac{d^2(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}-\frac{2bd(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{c+dx}-Bn\left(\frac{1}{2}\right.}{gi^3(bc-ad)^3}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)*(c*i + d*i*x)^3)
,x]
```

output
```
((d^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(c + d*x)^2)
- (2*b*d*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + b^2
*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] - B*n*((4
*b - (d*(a + b*x))/(c + d*x))^2/4 + (b^2*Log[(a + b*x)/(c + d*x)]^2)/2))/(
(b*c - a*d)^3*g*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 632 vs. 2(248) = 496.

Time = 13.38 (sec) , antiderivative size = 633, normalized size of antiderivative = 2.49

method	result
parallelrisch	$-\frac{2Bx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2a^2b^2c^4d^2-8Bx^2a^3bc^3d^3n^2+7Bx^2a^2b^2c^4d^2n^2+4Ax^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2b^2c^4d^2+8Ax^2a^3bc^3d^3n-$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^3,x,method=_RE
TURNVERBOSE)
```

output

```
-1/4*(2*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^4*d^2-8*B*x^2*a^3*b*c^
3*d^3*n^2+7*B*x^2*a^2*b^2*c^4*d^2*n^2+4*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^
2*b^2*c^4*d^2+8*A*x^2*a^3*b*c^3*d^3*n-6*A*x^2*a^2*b^2*c^4*d^2*n-8*B*x*ln(e
*((b*x+a)/(d*x+c))^n)*a^2*b^2*c^5*d*n-4*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*
b*c^4*d^2*n+2*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^6+4*A*ln(e*((b*x+a)/
(d*x+c))^n)*a^2*b^2*c^6+4*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^5*d-10
*B*x*a^3*b*c^4*d^2*n^2+8*B*x*a^2*b^2*c^5*d*n^2+8*A*x*ln(e*((b*x+a)/(d*x+c)
)^n)*a^2*b^2*c^5*d+12*A*x*a^3*b*c^4*d^2*n-8*A*x*a^2*b^2*c^5*d*n-8*B*ln(e*(
(b*x+a)/(d*x+c))^n)*a^3*b*c^5*d*n-6*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^
2*c^4*d^2*n+B*x^2*a^4*c^2*d^4*n^2-2*A*x^2*a^4*c^2*d^4*n+2*B*x*a^4*c^3*d^3*
n^2-4*A*x*a^4*c^3*d^3*n+2*B*ln(e*((b*x+a)/(d*x+c))^n)*a^4*c^4*d^2*n)/i^3/g
/(d*x+c)^2/(a^3*d^3-3*a^2*b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)/a^2/c^4/n
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 487, normalized size of antiderivative = 1.92

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$= \frac{6\,Ab^2c^2 - 8\,Aabcd + 2\,Aa^2d^2 + 2\,(Bb^2d^2nx^2 + 2\,Bb^2cdnx + Bb^2c^2n)\log\left(\frac{bx+a}{dx+c}\right)^2 - (7\,Bb^2c^2 - 8\,Babcd +$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, al
gorithm="fricas")
```

output
```
1/4*(6*A*b^2*c^2 - 8*A*a*b*c*d + 2*A*a^2*d^2 + 2*(B*b^2*d^2*n*x^2 + 2*B*b^
2*c*d*n*x + B*b^2*c^2*n)*log((b*x + a)/(d*x + c))^2 - (7*B*b^2*c^2 - 8*B*a
*b*c*d + B*a^2*d^2)*n + 2*(2*A*b^2*c*d - 2*A*a*b*d^2 - 3*(B*b^2*c*d - B*a*
b*d^2)*n)*x + 2*(3*B*b^2*c^2 - 4*B*a*b*c*d + B*a^2*d^2 + 2*(B*b^2*c*d - B*
a*b*d^2)*x + 2*(B*b^2*d^2*x^2 + 2*B*b^2*c*d*x + B*b^2*c^2)*log((b*x + a)/(
d*x + c)))*log(e) + 2*(2*A*b^2*c^2 - (3*B*b^2*d^2*n - 2*A*b^2*d^2)*x^2 - (
4*B*a*b*c*d - B*a^2*d^2)*n + 2*(2*A*b^2*c*d - (2*B*b^2*c*d + B*a*b*d^2)*n)
*x)*log((b*x + a)/(d*x + c)))/((b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*a^2*b*c*
d^4 - a^3*d^5)*g*i^3*x^2 + 2*(b^3*c^4*d - 3*a*b^2*c^3*d^2 + 3*a^2*b*c^2*d^
3 - a^3*c*d^4)*g*i^3*x + (b^3*c^5 - 3*a*b^2*c^4*d + 3*a^2*b*c^3*d^2 - a^3*
c^2*d^3)*g*i^3)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)/(d*i*x+c*i)**3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 888 vs. $2(248) = 496$.

Time = 0.09 (sec) , antiderivative size = 888, normalized size of antiderivative = 3.50

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, al
gorithm="maxima")
```

output
```
1/2*B*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g*i^
3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (b^2*c^4 - 2*a
*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^
2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((b^3*c^3 - 3*a
*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) - 1/4*(7*b^2*c^2 - 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^2 + 2*b^2
*c*d*x + b^2*c^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)
*log(d*x + c)^2 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^2*c*d*x +
 b^2*c^2)*log(b*x + a) - 2*(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2 + 2*(b
^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d*x + c))*B*n/(b^3*c
^5*g*i^3 - 3*a*b^2*c^4*d*g*i^3 + 3*a^2*b*c^3*d^2*g*i^3 - a^3*c^2*d^3*g*i^3
 + (b^3*c^3*d^2*g*i^3 - 3*a*b^2*c^2*d^3*g*i^3 + 3*a^2*b*c*d^4*g*i^3 - a^3*
d^5*g*i^3)*x^2 + 2*(b^3*c^4*d*g*i^3 - 3*a*b^2*c^3*d^2*g*i^3 + 3*a^2*b*c^2*
d^3*g*i^3 - a^3*c*d^4*g*i^3)*x) + 1/2*A*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2
*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g*i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a
^2*c*d^3)*g*i^3*x + (b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*l
og(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) -
2*b^2*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*
i^3))
```

Giac [A] (verification not implemented)

Time = 1.30 (sec) , antiderivative size = 418, normalized size of antiderivative = 1.65

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$=\frac{1}{4}\left(\frac{2\,Bb^2n\log\left(\frac{bx+a}{dx+c}\right)^2}{b^2c^2gi^3-2\,abcdgi^3+a^2d^2gi^3}-2\left(\frac{4\,(bx+a)Bbdn}{(b^2c^2gi^3-2\,abcdgi^3+a^2d^2gi^3)(dx+c)}-\frac{(bx+a)}{(b^2c^2gi^3-2\,abcdgi^3+\right.\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^3,x, al
gorithm="giac")
```

output
```
1/4*(2*B*b^2*n*log((b*x + a)/(d*x + c))^2/(b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3
 + a^2*d^2*g*i^3) - 2*(4*(b*x + a)*B*b*d*n/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i
^3 + a^2*d^2*g*i^3)*(d*x + c)) - (b*x + a)^2*B*d^2*n/((b^2*c^2*g*i^3 - 2*a
*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)^2))*log((b*x + a)/(d*x + c)) + 4*(
B*b^2*log(e) + A*b^2)*log((b*x + a)/(d*x + c))/(b^2*c^2*g*i^3 - 2*a*b*c*d*
g*i^3 + a^2*d^2*g*i^3) - (B*d^2*n - 2*B*d^2*log(e) - 2*A*d^2)*(b*x + a)^2/
((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)^2) + 8*(B*b*d
*n - B*b*d*log(e) - A*b*d)*(b*x + a)/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a
^2*d^2*g*i^3)*(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.88 (sec) , antiderivative size = 573, normalized size of antiderivative = 2.26

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx$$
$$=\frac{B\,b^2\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{c\,g\,i^3\,n\,(a\,d-b\,c)}{2\,b}-\frac{g\,i^3\,n\,(a\,d-b\,c)\,(a\,d-2\,b\,c)}{2\,b^2}+\frac{d\,g\,i^3\,n\,x\,(a\,d-b\,c)}{b}\right)}{g\,i^3\,n\,(a\,d-b\,c)\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)\,(g\,c^2\,i^3+2\,g\,c\,d\,i^3\,x+g\,d^2\,i^3\,x^2)}$$
$$-\frac{B\,b^2\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2}{2\,g\,i^3\,n\,(a\,d-b\,c)\,(a^2\,d^2-2\,a\,b\,c\,d+b^2\,c^2)}$$
$$-\frac{\frac{2\,A\,a\,d-6\,A\,b\,c-B\,a\,d\,n+7\,B\,b\,c\,n}{2\,(a\,d-b\,c)}-\frac{b\,x\,(2\,A\,d-3\,B\,d\,n)}{a\,d-b\,c}}{x^2\,(2\,a\,d^3\,g\,i^3-2\,b\,c\,d^2\,g\,i^3)+x\,(4\,a\,c\,d^2\,g\,i^3-4\,b\,c^2\,d\,g\,i^3)-2\,b\,c^3\,g\,i^3+2\,a\,c^2\,d\,g\,i^3}$$
$$+\frac{b^2\,\mathrm{atan}\left(\frac{b^2\left(A-\frac{3\,B\,n}{2}\right)(2\,g\,a^3\,d^3\,i^3-2\,g\,a^2\,b\,c\,d^2\,i^3-2\,g\,a\,b^2\,c^2\,d\,i^3+2\,g\,b^3\,c^3\,i^3)\,1\mathrm{i}}{g\,i^3\,(2\,A\,b^2-3\,B\,b^2\,n)\,(a\,d-b\,c)^3}+\frac{b^3\,d\,x\left(A-\frac{3\,B\,n}{2}\right)(g\,a^2\,d^2\,i^3-2\,g\,a\,b\,c\,d\,i^3+g\,b^2\,c^2\,i}{g\,i^3\,(2\,A\,b^2-3\,B\,b^2\,n)\,(a\,d-b\,c)^3}\right.}{g\,i^3\,(a\,d-b\,c)^3}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)*(c*i + d*i*x)^3)
,x)
```

output
```
(b^2*atan((b^2*(A - (3*B*n)/2)*(2*a^3*d^3*g*i^3 + 2*b^3*c^3*g*i^3 - 2*a*b^
2*c^2*d*g*i^3 - 2*a^2*b*c*d^2*g*i^3)*1i)/(g*i^3*(2*A*b^2 - 3*B*b^2*n)*(a*d
 - b*c)^3) + (b^3*d*x*(A - (3*B*n)/2)*(a^2*d^2*g*i^3 + b^2*c^2*g*i^3 - 2*a
*b*c*d*g*i^3)*4i)/(g*i^3*(2*A*b^2 - 3*B*b^2*n)*(a*d - b*c)^3))*(A - (3*B*n
)/2)*2i)/(g*i^3*(a*d - b*c)^3) - ((2*A*a*d - 6*A*b*c - B*a*d*n + 7*B*b*c*n
)/(2*(a*d - b*c)) - (b*x*(2*A*d - 3*B*d*n))/(a*d - b*c))/(x^2*(2*a*d^3*g*i
^3 - 2*b*c*d^2*g*i^3) + x*(4*a*c*d^2*g*i^3 - 4*b*c^2*d*g*i^3) - 2*b*c^3*g*
i^3 + 2*a*c^2*d*g*i^3) - (B*b^2*log(e*((a + b*x)/(c + d*x))^n)^2)/(2*g*i^3
*n*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B*b^2*log(e*((a + b*x)/
(c + d*x))^n)*((c*g*i^3*n*(a*d - b*c))/(2*b) - (g*i^3*n*(a*d - b*c)*(a*d -
 2*b*c))/(2*b^2) + (d*g*i^3*n*x*(a*d - b*c))/b))/(g*i^3*n*(a*d - b*c)*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d)*(c^2*g*i^3 + d^2*g*i^3*x^2 + 2*c*d*g*i^3*x))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 742, normalized size of antiderivative = 2.92

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 4*log(a + b*x)*a*b**2*c**3*n - 8*log(a + b*x)*a*b**2*c**2*d*n*x - 4
*log(a + b*x)*a*b**2*c*d**2*n*x**2 + 6*log(a + b*x)*b**3*c**3*n**2 + 12*lo
g(a + b*x)*b**3*c**2*d*n**2*x + 6*log(a + b*x)*b**3*c*d**2*n**2*x**2 + 4*l
og(c + d*x)*a*b**2*c**3*n + 8*log(c + d*x)*a*b**2*c**2*d*n*x + 4*log(c + d
*x)*a*b**2*c*d**2*n*x**2 - 6*log(c + d*x)*b**3*c**3*n**2 - 12*log(c + d*x)
*b**3*c**2*d*n**2*x - 6*log(c + d*x)*b**3*c*d**2*n**2*x**2 - 2*log(((a + b
*x)**n*e)/(c + d*x)**n)**2*b**3*c**3 - 4*log(((a + b*x)**n*e)/(c + d*x)**n
)**2*b**3*c**2*d*x - 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*d**2*x
**2 - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*d**2*n + 8*log(((a + b
*x)**n*e)/(c + d*x)**n)*a*b**2*c**2*d*n + 4*log(((a + b*x)**n*e)/(c + d*x)
**n)*a*b**2*c*d**2*n*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**3*n
- 4*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**2*d*n*x - 2*a**3*c*d**2*n +
 6*a**2*b*c**2*d*n + a**2*b*c*d**2*n**2 - 2*a**2*b*d**3*n*x**2 - 4*a*b**2*
c**3*n - 5*a*b**2*c**2*d*n**2 + 2*a*b**2*c*d**2*n*x**2 + 3*a*b**2*d**3*n**
2*x**2 + 4*b**3*c**3*n**2 - 3*b**3*c*d**2*n**2*x**2))/(4*c*g*n*(a**3*c**2*
d**3 + 2*a**3*c*d**4*x + a**3*d**5*x**2 - 3*a**2*b*c**3*d**2 - 6*a**2*b*c*
*2*d**3*x - 3*a**2*b*c*d**4*x**2 + 3*a*b**2*c**4*d + 6*a*b**2*c**3*d**2*x
+ 3*a*b**2*c**2*d**3*x**2 - b**3*c**5 - 2*b**3*c**4*d*x - b**3*c**3*d**2*x
**2))
```

3.156 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$

Optimal result 1757
Mathematica [C] (verified) 1758
Rubi [A] (verified) 1759
Maple [B] (verified) 1760
Fricas [B] (verification not implemented) 1761
Sympy [F(-1)] 1762
Maxima [B] (verification not implemented) 1763
Giac [F] 1764
Mupad [B] (verification not implemented) 1764
Reduce [B] (verification not implemented) 1765

Optimal result

Integrand size = 43, antiderivative size = 381

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx &= \frac{Bd^3n(a+bx)^2}{4(bc-ad)^4g^2i^3(c+dx)^2}-\frac{3bBd^2n(a+bx)}{(bc-ad)^4g^2i^3(c+dx)}\\ &-\frac{b^3Bn(c+dx)}{(bc-ad)^4g^2i^3(a+bx)}\\ &-\frac{d^3(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^2i^3(c+dx)^2}\\ &+\frac{3bd^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^2i^3(c+dx)}\\ &-\frac{b^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^2i^3(a+bx)}\\ &-\frac{3b^2d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^4g^2i^3}\\ &+\frac{3b^2Bdn\log^2\left(\frac{a+bx}{c+dx}\right)}{2(bc-ad)^4g^2i^3}\end{aligned}$$

output

```
1/4*B*d^3*n*(b*x+a)^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2-3*b*B*d^2*n*(b*x+a)/(
-a*d+b*c)^4/g^2/i^3/(d*x+c)-b^3*B*n*(d*x+c)/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-1
/2*d^3*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^2/i^3/(d*x
+c)^2+3*b*d^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^2/i^3
/(d*x+c)-b^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^2/i^3/
(b*x+a)-3*b^2*d*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+
b*c)^4/g^2/i^3+3/2*b^2*B*d*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^4/g^2/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.69 (sec) , antiderivative size = 477, normalized size of antiderivative = 1.25

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$= \frac{-\frac{4b^3Bcn}{a+bx} + \frac{4ab^2Bdn}{a+bx} + \frac{Bd(bc-ad)^2n}{(c+dx)^2} + \frac{8b^2Bcdn}{c+dx} - \frac{8abBd^2n}{c+dx} + \frac{2bBd(bc-ad)n}{c+dx} + 6b^2Bdn\log(a+bx) - \frac{4b^2(bc-ad)\left(A+B\right.}{a}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d
*i*x)^3),x]
```

output

```
((-4*b^3*B*c*n)/(a + b*x) + (4*a*b^2*B*d*n)/(a + b*x) + (B*d*(b*c - a*d)^2
*n)/(c + d*x)^2 + (8*b^2*B*c*d*n)/(c + d*x) - (8*a*b*B*d^2*n)/(c + d*x) +
(2*b*B*d*(b*c - a*d)*n)/(c + d*x) + 6*b^2*B*d*n*Log[a + b*x] - (4*b^2*(b*c
 - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (2*d*(b*c - a*
d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)^2 - (8*b*d*(b*c - a
*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) - 12*b^2*d*Log[a + b
*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 6*b^2*B*d*n*Log[c + d*x] + 12
*b^2*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 6*b^2*B*d*n*(
Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog
[2, (d*(a + b*x))/(-(b*c) + a*d)]) - 6*b^2*B*d*n*((2*Log[(d*(a + b*x))/(-(
b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*
c - a*d)]))/(4*(b*c - a*d)^4*g^2*i^3)
```

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 266, normalized size of antiderivative = 0.70, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2772$$

$$\frac{-Bn\int\left(-\frac{(c+dx)^2b^3}{(a+bx)^2}-\frac{3d(c+dx)\log\left(\frac{a+bx}{c+dx}\right)b^2}{a+bx}+3d^2b-\frac{d^3(a+bx)}{2(c+dx)}\right)d\frac{a+bx}{c+dx}-\frac{b^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-3b^2d\log\left(\frac{a}{c}\right.}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-3b^2d\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-\frac{d^3(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}+\frac{3bd^2}{}}{g^2i^3(bc-ad)^4}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^2*(c*i + d*i*x)^
3),x]
```

output

```
(-1/2*(d^3*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)^2
 + (3*b*d^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) -
(b^3*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - 3*b^2*d
*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] - B*n*(-1
/4*(d^3*(a + b*x)^2)/(c + d*x)^2 + (3*b*d^2*(a + b*x))/(c + d*x) + (b^3*(c
 + d*x))/(a + b*x) - (3*b^2*d*Log[(a + b*x)/(c + d*x)]^2)/2))/((b*c - a*d)
^4*g^2*i^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 976 vs. $2(375) = 750$.

Time = 30.64 (sec) , antiderivative size = 977, normalized size of antiderivative = 2.56

method	result
parallelrisch	$-\frac{6Bx^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^6d^7+12Ax^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^6d^7-12Axab^5cd^6n-12B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2b^4cd^6n-Ba^3b^3d^7n^2+4$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,method=_
RETURNVERBOSE)
```

output

```
-1/4*(6*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^6*d^7+12*A*x^3*ln(e*((b*x+a)/(
d*x+c))^n)*b^6*d^7-12*A*x*a*b^5*c*d^6*n-12*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2
*b^4*c*d^6*n-B*a^3*b^3*d^7*n^2+4*B*b^6*c^3*d^4*n^2+2*A*a^3*b^3*d^7*n+4*A*b
^6*c^3*d^4*n-18*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*d^7*n+12*B*x*ln(e*((
b*x+a)/(d*x+c))^n)^2*a*b^5*c*d^6-6*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*d
^7*n+12*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^2*d^5*n-6*B*x*a*b^5*c*d^6*n^2+
24*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c*d^6+12*B*a^2*b^4*c*d^6*n^2-15*B*a
*b^5*c^2*d^5*n^2-12*A*a^2*b^4*c*d^6*n+6*A*a*b^5*c^2*d^5*n-24*B*x*ln(e*((b*
x+a)/(d*x+c))^n)*a*b^5*c*d^6*n-6*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^6*d^7*n
+6*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*d^7+12*B*x^2*ln(e*((b*x+a)/(d*x
+c))^n)^2*b^6*c*d^6+6*B*x^2*a*b^5*d^7*n^2-6*B*x^2*b^6*c*d^6*n^2+12*A*x^2*l
n(e*((b*x+a)/(d*x+c))^n)*a*b^5*d^7+24*A*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^6*
c*d^6-12*A*x^2*a*b^5*d^7*n+12*A*x^2*b^6*c*d^6*n+6*B*x*ln(e*((b*x+a)/(d*x+c
))^n)^2*b^6*c^2*d^5+9*B*x*a^2*b^4*d^7*n^2-3*B*x*b^6*c^2*d^5*n^2+12*A*x*ln(
e*((b*x+a)/(d*x+c))^n)*b^6*c^2*d^5-6*A*x*a^2*b^4*d^7*n+18*A*x*b^6*c^2*d^5*
n+6*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*c^2*d^5+2*B*ln(e*((b*x+a)/(d*x+c))
^n)*a^3*b^3*d^7*n+4*B*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^3*d^4*n+12*A*ln(e*((
b*x+a)/(d*x+c))^n)*a*b^5*c^2*d^5)/i^3/g^2/(d*x+c)^2/(b*x+a)/(a^3*d^3-3*a^2
*b*c*d^2+3*a*b^2*c^2*d-b^3*c^3)/n/(a*d-b*c)/b^3/d^4
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 949 vs. $2(375) = 750$.

Time = 0.12 (sec) , antiderivative size = 949, normalized size of antiderivative = 2.49

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^2(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
-1/4*(4*A*b^3*c^3 + 6*A*a*b^2*c^2*d - 12*A*a^2*b*c*d^2 + 2*A*a^3*d^3 + 6*(
2*A*b^3*c*d^2 - 2*A*a*b^2*d^3 - (B*b^3*c*d^2 - B*a*b^2*d^3)*n)*x^2 + 6*(B*
b^3*d^3*n*x^3 + B*a*b^2*c^2*d*n + (2*B*b^3*c*d^2 + B*a*b^2*d^3)*n*x^2 + (B
*b^3*c^2*d + 2*B*a*b^2*c*d^2)*n*x)*log((b*x + a)/(d*x + c))^2 + (4*B*b^3*c
^3 - 15*B*a*b^2*c^2*d + 12*B*a^2*b*c*d^2 - B*a^3*d^3)*n + 3*(6*A*b^3*c^2*d
 - 4*A*a*b^2*c*d^2 - 2*A*a^2*b*d^3 - (B*b^3*c^2*d + 2*B*a*b^2*c*d^2 - 3*B*
a^2*b*d^3)*n)*x + 2*(2*B*b^3*c^3 + 3*B*a*b^2*c^2*d - 6*B*a^2*b*c*d^2 + B*a
^3*d^3 + 6*(B*b^3*c*d^2 - B*a*b^2*d^3)*x^2 + 3*(3*B*b^3*c^2*d - 2*B*a*b^2*
c*d^2 - B*a^2*b*d^3)*x + 6*(B*b^3*d^3*x^3 + B*a*b^2*c^2*d + (2*B*b^3*c*d^2
 + B*a*b^2*d^3)*x^2 + (B*b^3*c^2*d + 2*B*a*b^2*c*d^2)*x)*log((b*x + a)/(d*
x + c)))*log(e) + 2*(6*A*a*b^2*c^2*d - 3*(B*b^3*d^3*n - 2*A*b^3*d^3)*x^3 -
 3*(3*B*a*b^2*d^3*n - 4*A*b^3*c*d^2 - 2*A*a*b^2*d^3)*x^2 + (2*B*b^3*c^3 -
6*B*a^2*b*c*d^2 + B*a^3*d^3)*n + 3*(2*A*b^3*c^2*d + 4*A*a*b^2*c*d^2 + (2*B
*b^3*c^2*d - 4*B*a*b^2*c*d^2 - B*a^2*b*d^3)*n)*x)*log((b*x + a)/(d*x + c))
)/((b^5*c^4*d^2 - 4*a*b^4*c^3*d^3 + 6*a^2*b^3*c^2*d^4 - 4*a^3*b^2*c*d^5 +
a^4*b*d^6)*g^2*i^3*x^3 + (2*b^5*c^5*d - 7*a*b^4*c^4*d^2 + 8*a^2*b^3*c^3*d^
3 - 2*a^3*b^2*c^2*d^4 - 2*a^4*b*c*d^5 + a^5*d^6)*g^2*i^3*x^2 + (b^5*c^6 -
2*a*b^4*c^5*d - 2*a^2*b^3*c^4*d^2 + 8*a^3*b^2*c^3*d^3 - 7*a^4*b*c^2*d^4 +
2*a^5*c*d^5)*g^2*i^3*x + (a*b^4*c^6 - 4*a^2*b^3*c^5*d + 6*a^3*b^2*c^4*d^2
- 4*a^4*b*c^3*d^3 + a^5*c^2*d^4)*g^2*i^3)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**2/(d*i*x+c*i)**3,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1724 vs. $2(375) = 750$.

Time $= 0.14$ (sec) , antiderivative size $= 1724$, normalized size of antiderivative $= 4.52$

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
-1/2*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d +
a*b*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5)
*g^2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*b*
c*d^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^2
+ 5*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*d
+ 3*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c^4
 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3) -
 6*b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^
3*b*c*d^3 + a^4*d^4)*g^2*i^3))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/
4*(4*b^3*c^3 - 15*a*b^2*c^2*d + 12*a^2*b*c*d^2 - a^3*d^3 - 6*(b^3*c*d^2 -
a*b^2*d^3)*x^2 - 6*(b^3*d^3*x^3 + a*b^2*c^2*d + (2*b^3*c*d^2 + a*b^2*d^3)*
x^2 + (b^3*c^2*d + 2*a*b^2*c*d^2)*x)*log(b*x + a)^2 - 6*(b^3*d^3*x^3 + a*b
^2*c^2*d + (2*b^3*c*d^2 + a*b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2*c*d^2)*x)*
log(d*x + c)^2 - 3*(b^3*c^2*d + 2*a*b^2*c*d^2 - 3*a^2*b*d^3)*x - 6*(b^3*d^
3*x^3 + a*b^2*c^2*d + (2*b^3*c*d^2 + a*b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2
*c*d^2)*x)*log(b*x + a) + 6*(b^3*d^3*x^3 + a*b^2*c^2*d + (2*b^3*c*d^2 + a*
b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2*c*d^2)*x + 2*(b^3*d^3*x^3 + a*b^2*c^2*
d + (2*b^3*c*d^2 + a*b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2*c*d^2)*x)*log(b*x
 + a))*log(d*x + c))*B*n/(a*b^4*c^6*g^2*i^3 - 4*a^2*b^3*c^5*d*g^2*i^3 + 6*
a^3*b^2*c^4*d^2*g^2*i^3 - 4*a^4*b*c^3*d^3*g^2*i^3 + a^5*c^2*d^4*g^2*i^3...
```

Giac [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \int \frac{B \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A}{(bgx+ag)^2(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/((b*g*x + a*g)^2*(d*i*x +
 c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 28.64 (sec) , antiderivative size = 1018, normalized size of antiderivative = 2.67

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^2*(c*i + d*i*x)^
3),x)
```

output

```
((4*A*b^2*c^2 - 2*A*a^2*d^2 + B*a^2*d^2*n + 4*B*b^2*c^2*n + 10*A*a*b*c*d -
 11*B*a*b*c*d*n)/(2*(a*d - b*c)) + (3*x^2*(2*A*b^2*d^2 - B*b^2*d^2*n))/(a*
d - b*c) + (3*x*(2*A*a*b*d^2 + 6*A*b^2*c*d - 3*B*a*b*d^2*n - B*b^2*c*d*n))
/(2*(a*d - b*c)))/(x*(2*b^3*c^4*g^2*i^3 + 4*a^3*c*d^3*g^2*i^3 - 6*a^2*b*c^
2*d^2*g^2*i^3) + x^2*(2*a^3*d^4*g^2*i^3 + 4*b^3*c^3*d*g^2*i^3 - 6*a*b^2*c^
2*d^2*g^2*i^3) + x^3*(2*b^3*c^2*d^2*g^2*i^3 + 2*a^2*b*d^4*g^2*i^3 - 4*a*b^
2*c*d^3*g^2*i^3) + 2*a^3*c^2*d^2*g^2*i^3 + 2*a*b^2*c^4*g^2*i^3 - 4*a^2*b*c
^3*d*g^2*i^3) - log(e*((a + b*x)/(c + d*x))^n)*(((B*(a*d + 2*b*c))/(2*(a^2
*d^2 + b^2*c^2 - 2*a*b*c*d)) + (3*B*b*d*x)/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c
*d)))/(x*(b*c^2*g^2*i^3 + 2*a*c*d*g^2*i^3) + x^2*(a*d^2*g^2*i^3 + 2*b*c*d*
g^2*i^3) + a*c^2*g^2*i^3 + b*d^2*g^2*i^3*x^3) - (3*B*b^2*d*(d*g^2*i^3*n*x^
2*(a*d - b*c) + (a*c*g^2*i^3*n*(a*d - b*c))/b + (g^2*i^3*n*x*(a*d + b*c)*(
a*d - b*c))/b))/(g^2*i^3*n*(a*d - b*c)^4*(x*(b*c^2*g^2*i^3 + 2*a*c*d*g^2*i
^3) + x^2*(a*d^2*g^2*i^3 + 2*b*c*d*g^2*i^3) + a*c^2*g^2*i^3 + b*d^2*g^2*i^
3*x^3))) + (b^2*d*atan((b^2*d*(2*A - B*n)*((a^4*d^4*g^2*i^3 - b^4*c^4*g^2*
i^3 + 2*a*b^3*c^3*d*g^2*i^3 - 2*a^3*b*c*d^3*g^2*i^3)/(a^3*d^3*g^2*i^3 - b^
3*c^3*g^2*i^3 + 3*a*b^2*c^2*d*g^2*i^3 - 3*a^2*b*c*d^2*g^2*i^3) + 2*b*d*x)*
(a^3*d^3*g^2*i^3 - b^3*c^3*g^2*i^3 + 3*a*b^2*c^2*d*g^2*i^3 - 3*a^2*b*c*d^2
*g^2*i^3)*3i)/(g^2*i^3*(6*A*b^2*d - 3*B*b^2*d*n)*(a*d - b*c)^4))*(2*A - B*
n)*3i)/(g^2*i^3*(a*d - b*c)^4) - (3*B*b^2*d*log(e*((a + b*x)/(c + d*x))...
```

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 1928, normalized size of antiderivative = 5.06

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**3*b**2*c**2*d**2*n - 24*log(a + b*x)*a**3*b**2*c
*d**3*n*x - 12*log(a + b*x)*a**3*b**2*d**4*n*x**2 - 24*log(a + b*x)*a**2*b
**3*c**3*d*n + 18*log(a + b*x)*a**2*b**3*c**2*d**2*n**2 - 60*log(a + b*x)*
a**2*b**3*c**2*d**2*n*x + 36*log(a + b*x)*a**2*b**3*c*d**3*n**2*x - 48*log
(a + b*x)*a**2*b**3*c*d**3*n*x**2 + 18*log(a + b*x)*a**2*b**3*d**4*n**2*x*
*2 - 12*log(a + b*x)*a**2*b**3*d**4*n*x**3 - 24*log(a + b*x)*a*b**4*c**3*d
*n*x + 18*log(a + b*x)*a*b**4*c**2*d**2*n**2*x - 48*log(a + b*x)*a*b**4*c*
*2*d**2*n*x**2 + 36*log(a + b*x)*a*b**4*c*d**3*n**2*x**2 - 24*log(a + b*x)
*a*b**4*c*d**3*n*x**3 + 18*log(a + b*x)*a*b**4*d**4*n**2*x**3 + 12*log(c +
 d*x)*a**3*b**2*c**2*d**2*n + 24*log(c + d*x)*a**3*b**2*c*d**3*n*x + 12*lo
g(c + d*x)*a**3*b**2*d**4*n*x**2 + 24*log(c + d*x)*a**2*b**3*c**3*d*n - 18
*log(c + d*x)*a**2*b**3*c**2*d**2*n**2 + 60*log(c + d*x)*a**2*b**3*c**2*d*
*2*n*x - 36*log(c + d*x)*a**2*b**3*c*d**3*n**2*x + 48*log(c + d*x)*a**2*b*
*3*c*d**3*n*x**2 - 18*log(c + d*x)*a**2*b**3*d**4*n**2*x**2 + 12*log(c + d
*x)*a**2*b**3*d**4*n*x**3 + 24*log(c + d*x)*a*b**4*c**3*d*n*x - 18*log(c +
 d*x)*a*b**4*c**2*d**2*n**2*x + 48*log(c + d*x)*a*b**4*c**2*d**2*n*x**2 -
36*log(c + d*x)*a*b**4*c*d**3*n**2*x**2 + 24*log(c + d*x)*a*b**4*c*d**3*n*
x**3 - 18*log(c + d*x)*a*b**4*d**4*n**2*x**3 - 6*log(((a + b*x)**n*e)/(c +
 d*x)**n)**2*a**2*b**3*c**2*d**2 - 12*log(((a + b*x)**n*e)/(c + d*x)**n)**
2*a**2*b**3*c*d**3*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**...
```

3.157 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx$

Optimal result . . . 1767
Mathematica [C] (verified) . . . 1768
Rubi [A] (verified) . . . 1769
Maple [B] (verified) . . . 1771
Fricas [B] (verification not implemented) . . . 1772
Sympy [F(-1)] . . . 1773
Maxima [B] (verification not implemented) . . . 1773
Giac [F] . . . 1774
Mupad [B] (verification not implemented) . . . 1775
Reduce [B] (verification not implemented) . . . 1776

Optimal result

Integrand size = 43, antiderivative size = 483

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx &= -\frac{Bd^4n(a+bx)^2}{4(bc-ad)^5g^3i^3(c+dx)^2}+\frac{4bBd^3n(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}\\ &+\frac{4b^3Bdn(c+dx)}{(bc-ad)^5g^3i^3(a+bx)}-\frac{b^4Bn(c+dx)^2}{4(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{d^4(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ &-\frac{4bd^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^3i^3(c+dx)}\\ &+\frac{4b^3d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{6b^2d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^3i^3}\\ &-\frac{3b^2Bd^2n\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^5g^3i^3}\end{aligned}$$

output

```
-1/4*B*d^4*n*(b*x+a)^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+4*b*B*d^3*n*(b*x+a)/
(-a*d+b*c)^5/g^3/i^3/(d*x+c)+4*b^3*B*d*n*(d*x+c)/(-a*d+b*c)^5/g^3/i^3/(b*x
+a)-1/4*b^4*B*n*(d*x+c)^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+1/2*d^4*(b*x+a)^2
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2-4*b*d^3*(b
*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(d*x+c)+4*b^3*d
*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*
b^4*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)
^2+6*b^2*d^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c
)^5/g^3/i^3-3*b^2*B*d^2*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^5/g^3/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.20 (sec) , antiderivative size = 561, normalized size of antiderivative = 1.16

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx =$$

$$-\frac{\frac{b^2B(bc-ad)^2n}{(a+bx)^2} - \frac{12b^3Bcdn}{a+bx} + \frac{12ab^2Bd^2n}{a+bx} - \frac{2b^2Bd(bc-ad)n}{a+bx} + \frac{Bd^2(bc-ad)^2n}{(c+dx)^2} + \frac{12b^2Bcd^2n}{c+dx} - \frac{12abBd^3n}{c+dx} + \frac{2bBd^2(bc-ad)n}{c+dx}}{}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d
*i*x)^3),x]
```

output

```
-1/4*((b^2*B*(b*c - a*d)^2*n)/(a + b*x)^2 - (12*b^3*B*c*d*n)/(a + b*x) + (
12*a*b^2*B*d^2*n)/(a + b*x) - (2*b^2*B*d*(b*c - a*d)*n)/(a + b*x) + (B*d^2
*(b*c - a*d)^2*n)/(c + d*x)^2 + (12*b^2*B*c*d^2*n)/(c + d*x) - (12*a*b*B*d
^3*n)/(c + d*x) + (2*b*B*d^2*(b*c - a*d)*n)/(c + d*x) + (2*b^2*(b*c - a*d)
^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 - (12*b^2*d*(b*c -
a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (2*d^2*(b*c - a*d
)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)^2 - (12*b*d^2*(b*c -
 a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) - 24*b^2*d^2*Log[a
 + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 24*b^2*d^2*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n])*Log[c + d*x] + 12*b^2*B*d^2*n*(Log[a + b*x]*(Log[
a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/
(-(b*c) + a*d)]) - 12*b^2*B*d^2*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] -
Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b
*c - a*d)^5*g^3*i^3)
```

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 335, normalized size of antiderivative = 0.69, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2772, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^3(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3} d\frac{a+bx}{c+dx}}{g^3 i^3 (bc-ad)^5}$$

$$\downarrow 2772$$

$$-Bn\int \left(\frac{6b^2(c+dx)\log\left(\frac{a+bx}{c+dx}\right)d^2}{a+bx} + \frac{1}{2}\left(-\frac{(c+dx)^3 b^4}{(a+bx)^3} + \frac{8d(c+dx)^2 b^3}{(a+bx)^2} - 8d^3 b + \frac{d^4(a+bx)}{c+dx}\right)\right) d\frac{a+bx}{c+dx} - \frac{b^4(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{2(a+bx)^2}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}+\frac{4b^3d(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+6b^2d^2\log\left(\frac{a+bx}{c+dx}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^3*(c*i + d*i*x)^
3),x]
```

output
```
((d^4*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(c + d*x)^2)
- (4*b*d^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) + (
4*b^3*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (b^4
*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + 6*b
^2*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c + d*x)] - B
*n*((d^4*(a + b*x)^2)/(4*(c + d*x)^2) - (4*b*d^3*(a + b*x))/(c + d*x) - (4
*b^3*d*(c + d*x))/(a + b*x) + (b^4*(c + d*x)^2)/(4*(a + b*x)^2) + 3*b^2*d^
2*Log[(a + b*x)/(c + d*x)]^2))/((b*c - a*d)^5*g^3*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1449 vs. $2(475) = 950$.

Time = 58.84 (sec) , antiderivative size = 1450, normalized size of antiderivative = 3.00

method	result	size
parallelrisch	Expression too large to display	1450

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,method=_
RETURNVERBOSE)
```

output
```
-1/4*(-B*a^4*b^4*d^8*n^2-B*b^8*c^4*d^4*n^2+2*A*a^4*b^4*d^8*n-2*A*b^8*c^4*d
^4*n+36*A*x^2*b^8*c^2*d^6*n+12*B*x*a^3*b^5*d^8*n^2+12*B*x*b^8*c^3*d^5*n^2-
8*A*x*a^3*b^5*d^8*n+8*A*x*b^8*c^3*d^5*n+12*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a
^2*b^6*c^2*d^6+2*B*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^4*d^8*n-2*B*ln(e*((b*x+
a)/(d*x+c))^n)*b^8*c^4*d^4*n+24*A*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^6*c^2*d^
6+12*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)^2*b^8*d^8+24*A*x^4*ln(e*((b*x+a)/(d*x
+c))^n)*b^8*d^8-24*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^7*d^8*n+24*B*x^3*ln
(e*((b*x+a)/(d*x+c))^n)*b^8*c*d^7*n+48*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a
*b^7*c*d^7-36*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^6*d^8*n+36*B*x^2*ln(e*
((b*x+a)/(d*x+c))^n)*b^8*c^2*d^6*n-24*B*x^2*a*b^7*c*d^7*n^2+96*A*x^2*ln(e*
((b*x+a)/(d*x+c))^n)*a*b^7*c*d^7+24*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^
6*c*d^7+24*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^7*c^2*d^6-8*B*x*ln(e*((b*x+
a)/(d*x+c))^n)*a^3*b^5*d^8*n+8*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^8*c^3*d^5*n
-12*B*x*a^2*b^6*c*d^7*n^2-12*B*x*a*b^7*c^2*d^6*n^2+48*A*x*ln(e*((b*x+a)/(d
*x+c))^n)*a^2*b^6*c*d^7+48*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^7*c^2*d^6-48*
A*x*a^2*b^6*c*d^7*n+48*A*x*a*b^7*c^2*d^6*n-16*B*ln(e*((b*x+a)/(d*x+c))^n)*
a^3*b^5*c*d^7*n+16*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^7*c^3*d^5*n+16*B*a^3*b^
5*c*d^7*n^2-30*B*a^2*b^6*c^2*d^6*n^2+16*B*a*b^7*c^3*d^5*n^2-16*A*a^3*b^5*c
*d^7*n+16*A*a*b^7*c^3*d^5*n+24*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^7*d^8
+24*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^8*c*d^7+48*A*x^3*ln(e*((b*x+a)/...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1416 vs. $2(475) = 950$.

Time $= 0.14$ (sec) , antiderivative size $= 1416$, normalized size of antiderivative $= 2.93$

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
-1/4*(2*A*b^4*c^4 - 16*A*a*b^3*c^3*d + 16*A*a^3*b*c*d^3 - 2*A*a^4*d^4 - 24
*(A*b^4*c*d^3 - A*a*b^3*d^4)*x^3 - 12*(3*A*b^4*c^2*d^2 - 3*A*a^2*b^2*d^4 +
 (B*b^4*c^2*d^2 - 2*B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*n)*x^2 - 12*(B*b^4*d^4*
n*x^4 + B*a^2*b^2*c^2*d^2*n + 2*(B*b^4*c*d^3 + B*a*b^3*d^4)*n*x^3 + (B*b^4
*c^2*d^2 + 4*B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*n*x^2 + 2*(B*a*b^3*c^2*d^2 + B
*a^2*b^2*c*d^3)*n*x)*log((b*x + a)/(d*x + c))^2 + (B*b^4*c^4 - 16*B*a*b^3*
c^3*d + 30*B*a^2*b^2*c^2*d^2 - 16*B*a^3*b*c*d^3 + B*a^4*d^4)*n - 4*(2*A*b^
4*c^3*d + 12*A*a*b^3*c^2*d^2 - 12*A*a^2*b^2*c*d^3 - 2*A*a^3*b*d^4 + 3*(B*b
^4*c^3*d - B*a*b^3*c^2*d^2 - B*a^2*b^2*c*d^3 + B*a^3*b*d^4)*n)*x + 2*(B*b^
4*c^4 - 8*B*a*b^3*c^3*d + 8*B*a^3*b*c*d^3 - B*a^4*d^4 - 12*(B*b^4*c*d^3 -
B*a*b^3*d^4)*x^3 - 18*(B*b^4*c^2*d^2 - B*a^2*b^2*d^4)*x^2 - 4*(B*b^4*c^3*d
 + 6*B*a*b^3*c^2*d^2 - 6*B*a^2*b^2*c*d^3 - B*a^3*b*d^4)*x - 12*(B*b^4*d^4*
x^4 + B*a^2*b^2*c^2*d^2 + 2*(B*b^4*c*d^3 + B*a*b^3*d^4)*x^3 + (B*b^4*c^2*d
^2 + 4*B*a*b^3*c*d^3 + B*a^2*b^2*d^4)*x^2 + 2*(B*a*b^3*c^2*d^2 + B*a^2*b^2
*c*d^3)*x)*log((b*x + a)/(d*x + c)))*log(e) - 2*(12*A*b^4*d^4*x^4 + 12*A*a
^2*b^2*c^2*d^2 + 12*(2*A*b^4*c*d^3 + 2*A*a*b^3*d^4 + (B*b^4*c*d^3 - B*a*b^
3*d^4)*n)*x^3 + 6*(2*A*b^4*c^2*d^2 + 8*A*a*b^3*c*d^3 + 2*A*a^2*b^2*d^4 + 3
*(B*b^4*c^2*d^2 - B*a^2*b^2*d^4)*n)*x^2 - (B*b^4*c^4 - 8*B*a*b^3*c^3*d + 8
*B*a^3*b*c*d^3 - B*a^4*d^4)*n + 4*(6*A*a*b^3*c^2*d^2 + 6*A*a^2*b^2*c*d^3 +
 (B*b^4*c^3*d + 6*B*a*b^3*c^2*d^2 - 6*B*a^2*b^2*c*d^3 - B*a^3*b*d^4)*n)...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)^3}\, dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**3/(d*i*x+c*i)**3,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2383 vs. $2(475) = 950$.

Time = 0.16 (sec) , antiderivative size = 2383, normalized size of antiderivative = 4.93

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^3(ci + dix)^3}\, dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
1/2*B*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d^2 - a^3*d^3
 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d^2 + a^2*b*d
^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4*a^3*b^3*c*d
^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2 + 2*a^2*b^4
*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^3*i^3*x^3 +
(b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*c^2*d^4 + a^
6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3*b^3*c^4*d^2 +
2*a^4*b^2*c^3*d^3 - 3*a^5*b*c^2*d^4 + a^6*c*d^5)*g^3*i^3*x + (a^2*b^4*c^6
- 4*a^3*b^3*c^5*d + 6*a^4*b^2*c^4*d^2 - 4*a^5*b*c^3*d^3 + a^6*c^2*d^4)*g^3
*i^3) + 12*b^2*d^2*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3
*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3) - 12*b^2*d^2
*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*
c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3))*log(e*(b*x/(d*x + c) + a/(d*x
 + c))^n) - 1/4*(b^4*c^4 - 16*a*b^3*c^3*d + 30*a^2*b^2*c^2*d^2 - 16*a^3*b*
c*d^3 + a^4*d^4 - 12*(b^4*c^2*d^2 - 2*a*b^3*c*d^3 + a^2*b^2*d^4)*x^2 + 12*
(b^4*d^4*x^4 + a^2*b^2*c^2*d^2 + 2*(b^4*c*d^3 + a*b^3*d^4)*x^3 + (b^4*c^2*
d^2 + 4*a*b^3*c*d^3 + a^2*b^2*d^4)*x^2 + 2*(a*b^3*c^2*d^2 + a^2*b^2*c*d^3)
*x)*log(b*x + a)^2 - 24*(b^4*d^4*x^4 + a^2*b^2*c^2*d^2 + 2*(b^4*c*d^3 + a*
b^3*d^4)*x^3 + (b^4*c^2*d^2 + 4*a*b^3*c*d^3 + a^2*b^2*d^4)*x^2 + 2*(a*b^3*
c^2*d^2 + a^2*b^2*c*d^3)*x)*log(b*x + a)*log(d*x + c) + 12*(b^4*d^4*x^4...
```

Giac [F]

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \int \frac{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A}{(bgx+ag)^3(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/((b*g*x + a*g)^3*(d*i*x +
 c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 28.74 (sec) , antiderivative size = 1341, normalized size of antiderivative = 2.78

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^3*(c*i + d*i*x)^
3),x)
```

output

```
((2*x*(2*A*a^2*b*d^3 + 2*A*b^3*c^2*d + 14*A*a*b^2*c*d^2 - 3*B*a^2*b*d^3*n
+ 3*B*b^3*c^2*d*n))/(a*d - b*c) - (2*A*a^3*d^3 + 2*A*b^3*c^3 - B*a^3*d^3*n
 + B*b^3*c^3*n - 14*A*a*b^2*c^2*d - 14*A*a^2*b*c*d^2 - 15*B*a*b^2*c^2*d*n
+ 15*B*a^2*b*c*d^2*n)/(2*(a*d - b*c)) + (6*x^2*(3*A*a*b^2*d^3 + 3*A*b^3*c*
d^2 - B*a*b^2*d^3*n + B*b^3*c*d^2*n))/(a*d - b*c) + (12*A*b^3*d^3*x^3)/(a*
d - b*c))/(x^4*(2*a^3*b^2*d^5*g^3*i^3 - 2*b^5*c^3*d^2*g^3*i^3 + 6*a*b^4*c^
2*d^3*g^3*i^3 - 6*a^2*b^3*c*d^4*g^3*i^3) - x*(4*a*b^4*c^5*g^3*i^3 - 4*a^5*
c*d^4*g^3*i^3 - 8*a^2*b^3*c^4*d*g^3*i^3 + 8*a^4*b*c^2*d^3*g^3*i^3) + x^3*(
4*a^4*b*d^5*g^3*i^3 - 4*b^5*c^4*d*g^3*i^3 + 8*a*b^4*c^3*d^2*g^3*i^3 - 8*a^
3*b^2*c*d^4*g^3*i^3) + x^2*(2*a^5*d^5*g^3*i^3 - 2*b^5*c^5*g^3*i^3 - 2*a*b^
4*c^4*d*g^3*i^3 + 2*a^4*b*c*d^4*g^3*i^3 + 16*a^2*b^3*c^3*d^2*g^3*i^3 - 16*
a^3*b^2*c^2*d^3*g^3*i^3) - 2*a^2*b^3*c^5*g^3*i^3 + 2*a^5*c^2*d^3*g^3*i^3 +
 6*a^3*b^2*c^4*d*g^3*i^3 - 6*a^4*b*c^3*d^2*g^3*i^3) + (log(e*((a + b*x)/(c
 + d*x))^n)*(x*((3*B*b*d*(a*d + b*c)^2)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2
- (B*b*d)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d) + (6*B*a*b^2*c*d^2)/(a^2*d^2 + b
^2*c^2 - 2*a*b*c*d)^2) - (B*(a*d + b*c))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d
)) + (6*B*b^3*d^3*x^3)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2 + (9*B*b^2*d^2*x^
2*(a*d + b*c))/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2 + (3*B*a*b*c*d*(a*d + b*c
))/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2))/(x*(2*a*b*c^2*g^3*i^3 + 2*a^2*c*d*g
^3*i^3) + x^3*(2*a*b*d^2*g^3*i^3 + 2*b^2*c*d*g^3*i^3) + x^2*(a^2*d^2*g^...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 2958, normalized size of antiderivative = 6.12

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 24*log(a + b*x)*a**4*b**2*c**2*d**3*n - 48*log(a + b*x)*a**4*b**2*c
*d**4*n*x - 24*log(a + b*x)*a**4*b**2*d**5*n*x**2 - 24*log(a + b*x)*a**3*b
**3*c**3*d**2*n + 12*log(a + b*x)*a**3*b**3*c**2*d**3*n**2 - 96*log(a + b*
x)*a**3*b**3*c**2*d**3*n*x + 24*log(a + b*x)*a**3*b**3*c*d**4*n**2*x - 120
*log(a + b*x)*a**3*b**3*c*d**4*n*x**2 + 12*log(a + b*x)*a**3*b**3*d**5*n**
2*x**2 - 48*log(a + b*x)*a**3*b**3*d**5*n*x**3 - 12*log(a + b*x)*a**2*b**4
*c**3*d**2*n**2 - 48*log(a + b*x)*a**2*b**4*c**3*d**2*n*x - 120*log(a + b*
x)*a**2*b**4*c**2*d**3*n*x**2 + 36*log(a + b*x)*a**2*b**4*c*d**4*n**2*x**2
 - 96*log(a + b*x)*a**2*b**4*c*d**4*n*x**3 + 24*log(a + b*x)*a**2*b**4*d**
5*n**2*x**3 - 24*log(a + b*x)*a**2*b**4*d**5*n*x**4 - 24*log(a + b*x)*a*b*
*5*c**3*d**2*n**2*x - 24*log(a + b*x)*a*b**5*c**3*d**2*n*x**2 - 36*log(a +
 b*x)*a*b**5*c**2*d**3*n**2*x**2 - 48*log(a + b*x)*a*b**5*c**2*d**3*n*x**3
 - 24*log(a + b*x)*a*b**5*c*d**4*n*x**4 + 12*log(a + b*x)*a*b**5*d**5*n**2
*x**4 - 12*log(a + b*x)*b**6*c**3*d**2*n**2*x**2 - 24*log(a + b*x)*b**6*c*
*2*d**3*n**2*x**3 - 12*log(a + b*x)*b**6*c*d**4*n**2*x**4 + 24*log(c + d*x
)*a**4*b**2*c**2*d**3*n + 48*log(c + d*x)*a**4*b**2*c*d**4*n*x + 24*log(c
+ d*x)*a**4*b**2*d**5*n*x**2 + 24*log(c + d*x)*a**3*b**3*c**3*d**2*n - 12*
log(c + d*x)*a**3*b**3*c**2*d**3*n**2 + 96*log(c + d*x)*a**3*b**3*c**2*d**
3*n*x - 24*log(c + d*x)*a**3*b**3*c*d**4*n**2*x + 120*log(c + d*x)*a**3*b*
*3*c*d**4*n*x**2 - 12*log(c + d*x)*a**3*b**3*d**5*n**2*x**2 + 48*log(c ...
```

3.158 $\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx$

Optimal result 1778
Mathematica [C] (verified) 1779
Rubi [A] (verified) 1780
Maple [B] (verified) 1782
Fricas [B] (verification not implemented) 1783
Sympy [F(-1)] 1784
Maxima [B] (verification not implemented) 1785
Giac [F] 1786
Mupad [B] (verification not implemented) 1786
Reduce [B] (verification not implemented) 1787

Optimal result

Integrand size = 43, antiderivative size = 587

$$\begin{aligned}\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = &\frac{Bd^5n(a+bx)^2}{4(bc-ad)^6g^4i^3(c+dx)^2}-\frac{5bBd^4n(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}\\ &-\frac{10b^3Bd^2n(c+dx)}{(bc-ad)^6g^4i^3(a+bx)}+\frac{5b^4Bdn(c+dx)^2}{4(bc-ad)^6g^4i^3(a+bx)^2}\\ &-\frac{b^5Bn(c+dx)^3}{9(bc-ad)^6g^4i^3(a+bx)^3}\\ &-\frac{d^5(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^6g^4i^3(c+dx)^2}\\ &+\frac{5bd^4(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^6g^4i^3(c+dx)}\\ &-\frac{10b^3d^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^6g^4i^3(a+bx)}\\ &+\frac{5b^4d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^6g^4i^3(a+bx)^2}\\ &-\frac{b^5(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3(bc-ad)^6g^4i^3(a+bx)^3}\\ &-\frac{10b^2d^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^6g^4i^3}\\ &+\frac{5b^2Bd^3n\log^2\left(\frac{a+bx}{c+dx}\right)}{(bc-ad)^6g^4i^3}\end{aligned}$$

output

```
1/4*B*d^5*n*(b*x+a)^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2-5*b*B*d^4*n*(b*x+a)/(
-a*d+b*c)^6/g^4/i^3/(d*x+c)-10*b^3*B*d^2*n*(d*x+c)/(-a*d+b*c)^6/g^4/i^3/(b
*x+a)+5/4*b^4*B*d*n*(d*x+c)^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-1/9*b^5*B*n*(
d*x+c)^3/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-1/2*d^5*(b*x+a)^2*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2+5*b*d^4*(b*x+a)*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(d*x+c)-10*b^3*d^2*(d*x+c)*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/2*b^4*d*(d*x+c)^
2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-1/3*b^5*(
d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-10
*b^2*d^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((b*x+a)/(d*x+c))/(-a*d+b*c)^6/
g^4/i^3+5*b^2*B*d^3*n*ln((b*x+a)/(d*x+c))^2/(-a*d+b*c)^6/g^4/i^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.63 (sec) , antiderivative size = 671, normalized size of antiderivative = 1.14

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx =$$

$$-\frac{\frac{4b^2B(bc-ad)^3n}{(a+bx)^3} - \frac{33b^2Bd(bc-ad)^2n}{(a+bx)^2} + \frac{216b^3Bcd^2n}{a+bx} - \frac{216ab^2Bd^3n}{a+bx} + \frac{66b^2Bd^2(bc-ad)n}{a+bx} - \frac{9Bd^3(bc-ad)^2n}{(c+dx)^2} - \frac{144b^2Bcd^3n}{c+dx} +$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d
*i*x)^3),x]
```

output

```
-1/36*((4*b^2*B*(b*c - a*d)^3*n)/(a + b*x)^3 - (33*b^2*B*d*(b*c - a*d)^2*n
)/(a + b*x)^2 + (216*b^3*B*c*d^2*n)/(a + b*x) - (216*a*b^2*B*d^3*n)/(a + b
*x) + (66*b^2*B*d^2*(b*c - a*d)*n)/(a + b*x) - (9*B*d^3*(b*c - a*d)^2*n)/(
c + d*x)^2 - (144*b^2*B*c*d^3*n)/(c + d*x) + (144*a*b*B*d^4*n)/(c + d*x) -
 (18*b*B*d^3*(b*c - a*d)*n)/(c + d*x) + 120*b^2*B*d^3*n*Log[a + b*x] + (12
*b^2*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^3 - (
54*b^2*d*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2
 + (216*b^2*d^2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b
*x) + (18*d^3*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d
*x)^2 + (144*b*d^3*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c
+ d*x) + 360*b^2*d^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) -
 120*b^2*B*d^3*n*Log[c + d*x] - 360*b^2*d^3*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])*Log[c + d*x] - 180*b^2*B*d^3*n*(Log[a + b*x]*(Log[a + b*x] - 2*Lo
g[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]
) + 180*b^2*B*d^3*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*
Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]))/((b*c - a*d)^6*g^
4*i^3)
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 407, normalized size of antiderivative = 0.69, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.116$, Rules used = {2961, 2772, 27, 2010, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A}{(ag+bgx)^4(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4i^3(bc-ad)^6}$$

$$\downarrow 2772$$

$$-Bn\int -\frac{(c+dx)^4\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}+\frac{60d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)b^2}{(c+dx)^3}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)}{6(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(B\log\left(\right.\right.}{3(a+}$$

$$\downarrow 27$$

$$\frac{1}{6}Bn\int \frac{(c+dx)^4\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}+\frac{60d^3(a+bx)^3\log\left(\frac{a+bx}{c+dx}\right)b^2}{(c+dx)^3}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(B\log\left(e\right.\right.}{3(a+bx)}$$

$$\downarrow 2010$$

$$\frac{1}{6}Bn\int \left(\frac{\left(2b^5-\frac{15d(a+bx)b^4}{c+dx}+\frac{60d^2(a+bx)^2b^3}{(c+dx)^2}-\frac{30d^4(a+bx)^4b}{(c+dx)^4}+\frac{3d^5(a+bx)^5}{(c+dx)^5}\right)(c+dx)^4}{(a+bx)^4}+\frac{60b^2d^3\log\left(\frac{a+bx}{c+dx}\right)(c+dx)}{a+bx}\right)d\frac{a+bx}{c+dx}-\frac{b^5(c+dx)^3\left(\right.}{}$$

$$\downarrow 2009$$

$$-\frac{b^5(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}+\frac{5b^4d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{10b^3d^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-10b^2d^3\log\left(\right.$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/((a*g + b*g*x)^4*(c*i + d*i*x)^
3),x]
```

output
```
(-1/2*(d^5*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x)^2
 + (5*b*d^4*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(c + d*x) -
(10*b^3*d^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) +
(5*b^4*d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^
2) - (b^5*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)
^3) - 10*b^2*d^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[(a + b*x)/(c +
 d*x)] + (B*n*((3*d^5*(a + b*x)^2)/(2*(c + d*x)^2) - (30*b*d^4*(a + b*x))/
(c + d*x) - (60*b^3*d^2*(c + d*x))/(a + b*x) + (15*b^4*d*(c + d*x)^2)/(2*(
a + b*x)^2) - (2*b^5*(c + d*x)^3)/(3*(a + b*x)^3) + 30*b^2*d^3*Log[(a + b*
x)/(c + d*x)]^2))/6)/((b*c - a*d)^6*g^4*i^3)
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2010
```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x]
, x] /; FreeQ[{c, m}, x] && SumQ[u] &&  !LinearQ[u, x] &&  !MatchQ[u, (a_)
+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

rule 2772
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_
.))^(q_.), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a +
 b*Log[c*x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]]
/; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] &&  !(EqQ[q
, 1] && EqQ[m, -1])
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2148 vs. 2(575) = 1150.

Time = 211.34 (sec) , antiderivative size = 2149, normalized size of antiderivative = 3.66

method	result	size
parallelrisch	Expression too large to display	2149

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,method=_
RETURNVERBOSE)
```

output

```
-1/36*(-720*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^7*c*d^8*n-540*B*x^2*ln(e*(
(b*x+a)/(d*x+c))^n)*a^3*b^7*d^9*n+120*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^10
*c^3*d^6*n-780*B*x^2*a^2*b^8*c*d^8*n^2+420*B*x^2*a*b^9*c^2*d^7*n^2+2160*A*
x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^8*c*d^8+1080*A*x^2*ln(e*((b*x+a)/(d*x+
c))^n)*a*b^9*c^2*d^7-720*A*x^2*a^2*b^8*c*d^8*n+1260*A*x^2*a*b^9*c^2*d^7*n+
360*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b^7*c*d^8+540*B*x*ln(e*((b*x+a)/(d
*x+c))^n)^2*a^2*b^8*c^2*d^7-90*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^6*d^9*n
-30*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^10*c^4*d^5*n-260*B*x*a^3*b^7*c*d^8*n^2
-390*B*x*a^2*b^8*c^2*d^7*n^2+540*B*x*a*b^9*c^3*d^6*n^2+720*A*x*ln(e*((b*x+
a)/(d*x+c))^n)*a^3*b^7*c*d^8+1080*A*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^8*c^
2*d^7-960*A*x*a^3*b^7*c*d^8*n+720*A*x*a^2*b^8*c^2*d^7*n+360*A*x*a*b^9*c^3*
d^6*n-180*B*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^6*c*d^8*n+360*B*ln(e*((b*x+a)/
(d*x+c))^n)*a^2*b^8*c^3*d^6*n-90*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^9*c^4*d^5
*n+120*B*x^5*ln(e*((b*x+a)/(d*x+c))^n)*b^10*d^9*n+540*B*x^4*ln(e*((b*x+a)/
(d*x+c))^n)^2*a*b^9*d^9+360*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)^2*b^10*c*d^8-1
20*B*x^4*a*b^9*d^9*n^2+120*B*x^4*b^10*c*d^8*n^2+1080*A*x^4*ln(e*((b*x+a)/(
d*x+c))^n)*a*b^9*d^9+720*A*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^10*c*d^8-360*A*
x^4*a*b^9*d^9*n+360*A*x^4*b^10*c*d^8*n+540*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)
^2*a^2*b^8*d^9+180*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^10*c^2*d^7-120*B*x^
3*a^2*b^8*d^9*n^2+360*B*x^3*b^10*c^2*d^7*n^2+1080*A*x^3*ln(e*((b*x+a)/(...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2181 vs. $2(575) = 1150$.

Time $= 0.18$ (sec) , antiderivative size $= 2181$, normalized size of antiderivative $= 3.72$

$$\int \frac{A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
-1/36*(12*A*b^5*c^5 - 90*A*a*b^4*c^4*d + 360*A*a^2*b^3*c^3*d^2 - 120*A*a^3
*b^2*c^2*d^3 - 180*A*a^4*b*c*d^4 + 18*A*a^5*d^5 + 120*(3*A*b^5*c*d^4 - 3*A
*a*b^4*d^5 + (B*b^5*c*d^4 - B*a*b^4*d^5)*n)*x^4 + 60*(9*A*b^5*c^2*d^3 + 6*
A*a*b^4*c*d^4 - 15*A*a^2*b^3*d^5 + 2*(3*B*b^5*c^2*d^3 - 2*B*a*b^4*c*d^4 -
B*a^2*b^3*d^5)*n)*x^3 + 20*(6*A*b^5*c^3*d^2 + 63*A*a*b^4*c^2*d^3 - 36*A*a^
2*b^3*c*d^4 - 33*A*a^3*b^2*d^5 + (11*B*b^5*c^3*d^2 + 21*B*a*b^4*c^2*d^3 -
39*B*a^2*b^3*c*d^4 + 7*B*a^3*b^2*d^5)*n)*x^2 + 180*(B*b^5*d^5*n*x^5 + B*a^
3*b^2*c^2*d^3*n + (2*B*b^5*c*d^4 + 3*B*a*b^4*d^5)*n*x^4 + (B*b^5*c^2*d^3 +
 6*B*a*b^4*c*d^4 + 3*B*a^2*b^3*d^5)*n*x^3 + (3*B*a*b^4*c^2*d^3 + 6*B*a^2*b
^3*c*d^4 + B*a^3*b^2*d^5)*n*x^2 + (3*B*a^2*b^3*c^2*d^3 + 2*B*a^3*b^2*c*d^4
)*n*x)*log((b*x + a)/(d*x + c))^2 + (4*B*b^5*c^5 - 45*B*a*b^4*c^4*d + 360*
B*a^2*b^3*c^3*d^2 - 490*B*a^3*b^2*c^2*d^3 + 180*B*a^4*b*c*d^4 - 9*B*a^5*d^
5)*n - 5*(6*A*b^5*c^4*d - 72*A*a*b^4*c^3*d^2 - 144*A*a^2*b^3*c^2*d^3 + 192
*A*a^3*b^2*c*d^4 + 18*A*a^4*b*d^5 + (5*B*b^5*c^4*d - 108*B*a*b^4*c^3*d^2 +
 78*B*a^2*b^3*c^2*d^3 + 52*B*a^3*b^2*c*d^4 - 27*B*a^4*b*d^5)*n)*x + 6*(2*B
*b^5*c^5 - 15*B*a*b^4*c^4*d + 60*B*a^2*b^3*c^3*d^2 - 20*B*a^3*b^2*c^2*d^3
- 30*B*a^4*b*c*d^4 + 3*B*a^5*d^5 + 60*(B*b^5*c*d^4 - B*a*b^4*d^5)*x^4 + 30
*(3*B*b^5*c^2*d^3 + 2*B*a*b^4*c*d^4 - 5*B*a^2*b^3*d^5)*x^3 + 10*(2*B*b^5*c
^3*d^2 + 21*B*a*b^4*c^2*d^3 - 12*B*a^2*b^3*c*d^4 - 11*B*a^3*b^2*d^5)*x^2 -
 5*(B*b^5*c^4*d - 12*B*a*b^4*c^3*d^2 - 24*B*a^2*b^3*c^2*d^3 + 32*B*a^3*...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4(ci + dix)^3}\, dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))/(b*g*x+a*g)**4/(d*i*x+c*i)**3,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3819 vs. $2(575) = 1150$.

Time = 0.33 (sec) , antiderivative size = 3819, normalized size of antiderivative = 6.51

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
-1/6*B*((60*b^4*d^4*x^4 + 2*b^4*c^4 - 13*a*b^3*c^3*d + 47*a^2*b^2*c^2*d^2
+ 27*a^3*b*c*d^3 - 3*a^4*d^4 + 30*(3*b^4*c*d^3 + 5*a*b^3*d^4)*x^3 + 10*(2*
b^4*c^2*d^2 + 23*a*b^3*c*d^3 + 11*a^2*b^2*d^4)*x^2 - 5*(b^4*c^3*d - 11*a*b
^3*c^2*d^2 - 35*a^2*b^2*c*d^3 - 3*a^3*b*d^4)*x)/((b^8*c^5*d^2 - 5*a*b^7*c^
4*d^3 + 10*a^2*b^6*c^3*d^4 - 10*a^3*b^5*c^2*d^5 + 5*a^4*b^4*c*d^6 - a^5*b^
3*d^7)*g^4*i^3*x^5 + (2*b^8*c^6*d - 7*a*b^7*c^5*d^2 + 5*a^2*b^6*c^4*d^3 +
10*a^3*b^5*c^3*d^4 - 20*a^4*b^4*c^2*d^5 + 13*a^5*b^3*c*d^6 - 3*a^6*b^2*d^7
)*g^4*i^3*x^4 + (b^8*c^7 + a*b^7*c^6*d - 17*a^2*b^6*c^5*d^2 + 35*a^3*b^5*c
^4*d^3 - 25*a^4*b^4*c^3*d^4 - a^5*b^3*c^2*d^5 + 9*a^6*b^2*c*d^6 - 3*a^7*b*
d^7)*g^4*i^3*x^3 + (3*a*b^7*c^7 - 9*a^2*b^6*c^6*d + a^3*b^5*c^5*d^2 + 25*a
^4*b^4*c^4*d^3 - 35*a^5*b^3*c^3*d^4 + 17*a^6*b^2*c^2*d^5 - a^7*b*c*d^6 - a
^8*d^7)*g^4*i^3*x^2 + (3*a^2*b^6*c^7 - 13*a^3*b^5*c^6*d + 20*a^4*b^4*c^5*d
^2 - 10*a^5*b^3*c^4*d^3 - 5*a^6*b^2*c^3*d^4 + 7*a^7*b*c^2*d^5 - 2*a^8*c*d^
6)*g^4*i^3*x + (a^3*b^5*c^7 - 5*a^4*b^4*c^6*d + 10*a^5*b^3*c^5*d^2 - 10*a^
6*b^2*c^4*d^3 + 5*a^7*b*c^3*d^4 - a^8*c^2*d^5)*g^4*i^3) + 60*b^2*d^3*log(b
*x + a)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*d^
3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3) - 60*b^2*d^3*lo
g(d*x + c)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3
*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3))*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n) - 1/36*(4*b^5*c^5 - 45*a*b^4*c^4*d + 360*a^...
```

Giac [F]

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \int \frac{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}{(bgx+ag)^4(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/((b*g*x + a*g)^4*(d*i*x +
 c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 31.38 (sec) , antiderivative size = 2400, normalized size of antiderivative = 4.09

$$\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/((a*g + b*g*x)^4*(c*i + d*i*x)^
3),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*((x*((5*B*(2*a*b*d^2 + b^2*c*d)*(a*d + b*c)
)/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) - (5*B*b*d)/(6*(a^2*d^2 + b^2*c^2
- 2*a*b*c*d)) + (5*B*a*b^2*c*d^2)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) + x^2
*((5*B*b*d*(2*a*b*d^2 + b^2*c*d))/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) +
(5*B*b^2*d^2*(a*d + b*c))/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) - (B*(3*a*d +
 2*b*c))/(6*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (5*B*a*c*(2*a*b*d^2 + b^2*c
*d))/(3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2) + (5*B*b^3*d^3*x^3)/(a^2*d^2 +
b^2*c^2 - 2*a*b*c*d)^2)/(x*(2*a^3*c*d*g^4*i^3 + 3*a^2*b*c^2*g^4*i^3) + x^2
*(a^3*d^2*g^4*i^3 + 3*a*b^2*c^2*g^4*i^3 + 6*a^2*b*c*d*g^4*i^3) + x^3*(b^3*
c^2*g^4*i^3 + 3*a^2*b*d^2*g^4*i^3 + 6*a*b^2*c*d*g^4*i^3) + x^4*(2*b^3*c*d*
g^4*i^3 + 3*a*b^2*d^2*g^4*i^3) + a^3*c^2*g^4*i^3 + b^3*d^2*g^4*i^3*x^5) +
(10*B*b^2*d^3*(x^2*((g^4*i^3*n*(a*d + b*c)^2*(a*d - b*c))/d + 2*a*b*c*g^4*
i^3*n*(a*d - b*c)) + b^2*d*g^4*i^3*n*x^4*(a*d - b*c) + (a^2*c^2*g^4*i^3*n*
(a*d - b*c))/d + 2*b*g^4*i^3*n*x^3*(a*d + b*c)*(a*d - b*c) + (2*a*c*g^4*i^
3*n*x*(a*d + b*c)*(a*d - b*c))/d))/(g^4*i^3*n*(a*d - b*c)^6*(x*(2*a^3*c*d*
g^4*i^3 + 3*a^2*b*c^2*g^4*i^3) + x^2*(a^3*d^2*g^4*i^3 + 3*a*b^2*c^2*g^4*i^
3 + 6*a^2*b*c*d*g^4*i^3) + x^3*(b^3*c^2*g^4*i^3 + 3*a^2*b*d^2*g^4*i^3 + 6*
a*b^2*c*d*g^4*i^3) + x^4*(2*b^3*c*d*g^4*i^3 + 3*a*b^2*d^2*g^4*i^3) + a^3*c
^2*g^4*i^3 + b^3*d^2*g^4*i^3*x^5))) + ((12*A*b^4*c^4 - 18*A*a^4*d^4 + 9*B*
a^4*d^4*n + 4*B*b^4*c^4*n + 282*A*a^2*b^2*c^2*d^2 - 78*A*a*b^3*c^3*d + ...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 4291, normalized size of antiderivative = 7.31

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(ag + bgx)^4(ci + dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 1080*log(a + b*x)*a**5*b**2*c**2*d**4*n - 2160*log(a + b*x)*a**5*b*
*2*c*d**5*n*x - 1080*log(a + b*x)*a**5*b**2*d**6*n*x**2 - 720*log(a + b*x)
*a**4*b**3*c**3*d**3*n - 4680*log(a + b*x)*a**4*b**3*c**2*d**4*n*x - 7200*
log(a + b*x)*a**4*b**3*c*d**5*n*x**2 - 3240*log(a + b*x)*a**4*b**3*d**6*n*
x**3 - 600*log(a + b*x)*a**3*b**4*c**3*d**3*n**2 - 2160*log(a + b*x)*a**3*
b**4*c**3*d**3*n*x - 1200*log(a + b*x)*a**3*b**4*c**2*d**4*n**2*x - 7560*l
og(a + b*x)*a**3*b**4*c**2*d**4*n*x**2 - 600*log(a + b*x)*a**3*b**4*c*d**5
*n**2*x**2 - 8640*log(a + b*x)*a**3*b**4*c*d**5*n*x**3 - 3240*log(a + b*x)
*a**3*b**4*d**6*n*x**4 - 1800*log(a + b*x)*a**2*b**5*c**3*d**3*n**2*x - 21
60*log(a + b*x)*a**2*b**5*c**3*d**3*n*x**2 - 3600*log(a + b*x)*a**2*b**5*c
**2*d**4*n**2*x**2 - 5400*log(a + b*x)*a**2*b**5*c**2*d**4*n*x**3 - 1800*l
og(a + b*x)*a**2*b**5*c*d**5*n**2*x**3 - 4320*log(a + b*x)*a**2*b**5*c*d**
5*n*x**4 - 1080*log(a + b*x)*a**2*b**5*d**6*n*x**5 - 1800*log(a + b*x)*a*b
**6*c**3*d**3*n**2*x**2 - 720*log(a + b*x)*a*b**6*c**3*d**3*n*x**3 - 3600*
log(a + b*x)*a*b**6*c**2*d**4*n**2*x**3 - 1440*log(a + b*x)*a*b**6*c**2*d*
*4*n*x**4 - 1800*log(a + b*x)*a*b**6*c*d**5*n**2*x**4 - 720*log(a + b*x)*a
*b**6*c*d**5*n*x**5 - 600*log(a + b*x)*b**7*c**3*d**3*n**2*x**3 - 1200*log
(a + b*x)*b**7*c**2*d**4*n**2*x**4 - 600*log(a + b*x)*b**7*c*d**5*n**2*x**
5 + 1080*log(c + d*x)*a**5*b**2*c**2*d**4*n + 2160*log(c + d*x)*a**5*b**2*
c*d**5*n*x + 1080*log(c + d*x)*a**5*b**2*d**6*n*x**2 + 720*log(c + d*x)...
```

3.159 $\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 1789
Mathematica [A] (verified) . . . 1790
Rubi [A] (verified) . . . 1791
Maple [F] . . . 1797
Fricas [F] . . . 1797
Sympy [F(-1)] . . . 1798
Maxima [B] (verification not implemented) . . . 1798
Giac [F(-1)] . . . 1799
Mupad [F(-1)] . . . 1800
Reduce [F] . . . 1800

Optimal result

Integrand size = 43, antiderivative size = 584

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= \frac{3B^2(bc-ad)^4g^3in^2x}{10bd^3} - \frac{3B^2(bc-ad)^3g^3in^2(c+dx)^2}{20d^4} \\
&\quad + \frac{bB^2(bc-ad)^2g^3in^2(c+dx)^3}{30d^4} - \frac{B(bc-ad)^2g^3in(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{30b^2d} \\
&\quad - \frac{B(bc-ad)g^3in(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{10b^2} \\
&\quad + \frac{(bc-ad)g^3i(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{20b^2} \\
&\quad + \frac{g^3i(a+bx)^4(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b} \\
&\quad + \frac{B(bc-ad)^3g^3in(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{60b^2d^2} \\
&\quad - \frac{B(bc-ad)^4g^3in(a+bx)\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{60b^2d^3} \\
&\quad - \frac{B(bc-ad)^5g^3in\left(6A+11Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{60b^2d^4} \\
&\quad - \frac{B^2(bc-ad)^5g^3in^2\log(c+dx)}{10b^2d^4} - \frac{B^2(bc-ad)^5g^3in^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{10b^2d^4}
\end{aligned}
$$

output

```
3/10*B^2*(-a*d+b*c)^4*g^3*i*n^2*x/b/d^3-3/20*B^2*(-a*d+b*c)^3*g^3*i*n^2*(d
*x+c)^2/d^4+1/30*b*B^2*(-a*d+b*c)^2*g^3*i*n^2*(d*x+c)^3/d^4-1/30*B*(-a*d+b
*c)^2*g^3*i*n*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/d-1/10*B*(-a*d
+b*c)*g^3*i*n*(b*x+a)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2+1/20*(-a*d+b*c
)*g^3*i*(b*x+a)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2+1/5*g^3*i*(b*x+a)^
4*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b+1/60*B*(-a*d+b*c)^3*g^3*i*n*
(b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/d^2-1/60*B*(-a*d+b*c
)^4*g^3*i*n*(b*x+a)*(6*A+5*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/d^3-1/60
*B*(-a*d+b*c)^5*g^3*i*n*(6*A+11*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*
d+b*c)/b/(d*x+c))/b^2/d^4-1/10*B^2*(-a*d+b*c)^5*g^3*i*n^2*ln(d*x+c)/b^2/d^
4-1/10*B^2*(-a*d+b*c)^5*g^3*i*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^2/d^4
```

Mathematica [A] (verified)

Time = 0.87 (sec) , antiderivative size = 949, normalized size of antiderivative = 1.62

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2,x]
```

output

```
(g^3*i*(5*(b*c - a*d)*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
 + 4*d*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (5*B*(b*c -
a*d)^2*n*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((
a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*Log[e*
((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(2*b*d*(b*c - a*d
)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a*d)^2*
n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*n*((2*Log[(d*(
a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(
c + d*x))/(b*c - a*d)])))/(3*d^4) + (B*(b*c - a*d)*n*(24*A*b*d*(b*c - a*d)
^3*x + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - 12*
d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 8*d
^3*(b*c - a*d)*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 6*d^4*
(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 24*B*(b*c - a*d)^4*n*
Log[c + d*x] - 24*(b*c - a*d)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log
[c + d*x] + 4*B*(b*c - a*d)^2*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2
*(b*c - a*d)^2*Log[c + d*x]) + B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x + 3*
d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d)^3*Log[c
 + d*x]) + 12*B*(b*c - a*d)^3*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) +...
```

Rubi [A] (verified)

Time = 1.52 (sec) , antiderivative size = 646, normalized size of antiderivative = 1.11, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.256$, Rules used = {2961, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2961$$

$$g^3i(bc-ad)^5\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3 i(bc-ad)^5\left(-\frac{2Bn\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a+bx)^4\left(B\log\left(e\left(\frac{}{}\right.\right.\right.}{5b(c+dx)^4\left(b-\right.}$$

$$\downarrow 2773$$

$$g^3 i(bc-ad)^5\left(-\frac{2Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\int\frac{(a+bx)^3}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}\right)}{5b}+\frac{\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+b}{c+d}}{5b}$$

$$\downarrow 49$$

$$g^3 i(bc-ad)^5\left(-\frac{2Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\int\left(\frac{b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{3b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{1}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a}{c}}{4b}\right)}{5b}$$

$$\downarrow 2009$$

$$g^3 i(bc-ad)^5\left(\frac{\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}-\frac{2Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\left(\frac{b^3}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2}{2d^4\left(b-\frac{d(a+b}{c+d}\right.\right.\right.}{5b}$$

$$\downarrow 2781$$

$$g^3 i(bc-$$

$$ad)^5\left(\frac{\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}}{5b}-\frac{2Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\right.$$

$$\downarrow 2784$$

$$g^3 i(bc-$$

$$ad)^5\left(\frac{\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\int\frac{(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{2b}}{5b}-\frac{2Bn}{}$$

$$\downarrow 2784$$

$$g^3 i(bc-$$

$$ad)^5\left(\frac{\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{\frac{(a+bx)^2\left(3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(6A+5Bn+\right.}{(c+dx)\left(b-\right.}}{3d}\right)}{2b}}{5b}\right.$$

$$\downarrow 2784$$

$$g^3 i(bc-$$

$$ad)^5 \left(\frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn \left(\frac{(a+bx)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{(a+bx)^2 \left(3B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{\frac{(a+bx)\left(6B \log\left(e\left(\frac{a}{c}\right.\right.\right.}{d(c+dx)\left(b-\right.}}{3} \right)}{2b} \right)}{5b}$$

$$\downarrow 2754$$

$$g^3 i(bc-$$

$$ad)^5 \left(\frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn \left(\frac{(a+bx)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{(a+bx)^2 \left(3B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3A+Bn\right)}{2d(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{\frac{(a+bx)\left(6B \log\left(e\left(\frac{a}{c}\right.\right.\right.}{d(c+dx)\left(b-\right.}}{3} \right)}{2b} \right)}{5b}$$

$$\downarrow 2838$$

$$g^3 i(bc-ad)^5 \left(-\frac{2Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{Bn\left(\frac{b^3}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3b}{d^4\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^4}\right)}{4b}\right)}{5b}\right)$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
,x]
```

output
```
(b*c - a*d)^5*g^3*i*(((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
)/(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*n*(((a + b*x)^4
*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*b*(c + d*x)^4*(b - (d*(a + b*x
))/(c + d*x))^4) - (B*n*(b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3*
b^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (d*(a + b*x
))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^4))/(4*b)))/(5*b) + ((
(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(4*b*(c + d*x)^4*(b
- (d*(a + b*x))/(c + d*x))^4) - (B*n*(((a + b*x)^3*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(3*d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a
+ b*x)^2*(3*A + B*n + 3*B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)^
2*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)*(6*A + 5*B*n + 6*B*Log[e*
((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (
-(((6*A + 11*B*n + 6*B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x
))/(b*(c + d*x))])/d) - (6*B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)
/d)/(2*d))/(3*d)))/(2*b))/(5*b))
```

Defintions of rubi rules used

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^3(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="fricas")
```

output
```
integral(A^2*b^3*d*g^3*i*x^4 + A^2*a^3*c*g^3*i + (A^2*b^3*c + 3*A^2*a*b^2*
d)*g^3*i*x^3 + 3*(A^2*a*b^2*c + A^2*a^2*b*d)*g^3*i*x^2 + (3*A^2*a^2*b*c +
A^2*a^3*d)*g^3*i*x + (B^2*b^3*d*g^3*i*x^4 + B^2*a^3*c*g^3*i + (B^2*b^3*c +
 3*B^2*a*b^2*d)*g^3*i*x^3 + 3*(B^2*a*b^2*c + B^2*a^2*b*d)*g^3*i*x^2 + (3*B
^2*a^2*b*c + B^2*a^3*d)*g^3*i*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B
*b^3*d*g^3*i*x^4 + A*B*a^3*c*g^3*i + (A*B*b^3*c + 3*A*B*a*b^2*d)*g^3*i*x^3
 + 3*(A*B*a*b^2*c + A*B*a^2*b*d)*g^3*i*x^2 + (3*A*B*a^2*b*c + A*B*a^3*d)*g
^3*i*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3764 vs. $2(559) = 1118$.

Time = 0.64 (sec) , antiderivative size = 3764, normalized size of antiderivative = 6.45

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="maxima")
```

output

```
2/5*A*B*b^3*d*g^3*i*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A^2*b
^3*d*g^3*i*x^5 + 1/2*A*B*b^3*c*g^3*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c
))^n) + 3/2*A*B*a*b^2*d*g^3*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) +
 1/4*A^2*b^3*c*g^3*i*x^4 + 3/4*A^2*a*b^2*d*g^3*i*x^4 + 2*A*B*a*b^2*c*g^3*i
*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*A*B*a^2*b*d*g^3*i*x^3*log(
e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*a*b^2*c*g^3*i*x^3 + A^2*a^2*b*d*g
^3*i*x^3 + 3*A*B*a^2*b*c*g^3*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ A*B*a^3*d*g^3*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A^2*a^2
*b*c*g^3*i*x^2 + 1/2*A^2*a^3*d*g^3*i*x^2 + 1/30*A*B*b^3*d*g^3*i*n*(12*a^5*
log(b*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^
4 - 4*(b^4*c^2*d^2 - a^2*b^2*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12
*(b^4*c^4 - a^4*d^4)*x)/(b^4*d^4)) - 1/12*A*B*b^3*c*g^3*i*n*(6*a^4*log(b*x
 + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b
^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/4*A*B*
a*b^2*d*g^3*i*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3
*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3
*d^3)*x)/(b^3*d^3)) + A*B*a*b^2*c*g^3*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*
log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^
2*d^2)) + A*B*a^2*b*d*g^3*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) -...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
,x)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**3*i*( - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*
c*x + b*d*x**2),x)*a**5*b**2*d**6*n + 30*int((log(((a + b*x)**n*e)/(c + d*
x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5*n - 60*int(
(log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)
*a**3*b**4*c**2*d**4*n + 60*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*
c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**5*c**3*d**3*n - 30*int((log(((a +
 b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**6*c*
*4*d**2*n + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*
c*x + b*d*x**2),x)*b**7*c**5*d*n - 6*log(a + b*x)*a**6*d**5*n + 30*log(a +
 b*x)*a**5*b*c*d**4*n - 5*log(a + b*x)*a**5*b*d**5*n**2 - 60*log(a + b*x)*
a**4*b**2*c**2*d**3*n + 25*log(a + b*x)*a**4*b**2*c*d**4*n**2 + 60*log(a +
 b*x)*a**3*b**3*c**3*d**2*n - 50*log(a + b*x)*a**3*b**3*c**2*d**3*n**2 - 3
0*log(a + b*x)*a**2*b**4*c**4*d*n + 50*log(a + b*x)*a**2*b**4*c**3*d**2*n*
*2 + 6*log(a + b*x)*a*b**5*c**5*n - 25*log(a + b*x)*a*b**5*c**4*d*n**2 + 5
*log(a + b*x)*b**6*c**5*n**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**
4*b**2*c*d**4 + 18*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**3*c**2*d*
*3 + 60*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**3*c*d**4*x + 30*log(
((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**3*d**5*x**2 - 12*log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*a**2*b**4*c**3*d**2 + 90*log(((a + b*x)**n*e)/(c +
d*x)**n)**2*a**2*b**4*c*d**4*x**2 + 60*log(((a + b*x)**n*e)/(c + d*x)**...
```

3.160 $\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 1802
Mathematica [A] (verified) . . . 1803
Rubi [A] (verified) . . . 1804
Maple [F] . . . 1810
Fricas [F] . . . 1810
Sympy [F] . . . 1811
Maxima [B] (verification not implemented) . . . 1812
Giac [F(-1)] . . . 1813
Mupad [F(-1)] . . . 1814
Reduce [F] . . . 1814

Optimal result

Integrand size = 43, antiderivative size = 487

$$\begin{aligned}
&\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= -\frac{B^2(bc-ad)^3g^2in^2x}{3bd^2} + \frac{B^2(bc-ad)^2g^2in^2(c+dx)^2}{12d^3} \\
&\quad - \frac{B(bc-ad)^2g^2in(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{12b^2d} \\
&\quad - \frac{B(bc-ad)g^2in(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6b^2} \\
&\quad + \frac{(bc-ad)g^2i(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{12b^2} \\
&\quad + \frac{g^2i(a+bx)^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{4b} \\
&\quad + \frac{B(bc-ad)^3g^2in(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{12b^2d^2} \\
&\quad + \frac{B(bc-ad)^4g^2in\left(2A+3Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{12b^2d^3} \\
&\quad + \frac{B^2(bc-ad)^4g^2in^2\log(c+dx)}{6b^2d^3} + \frac{B^2(bc-ad)^4g^2in^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{6b^2d^3}
\end{aligned}$$

output

```
-1/3*B^2*(-a*d+b*c)^3*g^2*i*n^2*x/b/d^2+1/12*B^2*(-a*d+b*c)^2*g^2*i*n^2*(d
*x+c)^2/d^3-1/12*B*(-a*d+b*c)^2*g^2*i*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+
c))^n))/b^2/d-1/6*B*(-a*d+b*c)*g^2*i*n*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/b^2+1/12*(-a*d+b*c)*g^2*i*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
^2/b^2+1/4*g^2*i*(b*x+a)^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b+1/1
2*B*(-a*d+b*c)^3*g^2*i*n*(b*x+a)*(2*A+B*n+2*B*ln(e*((b*x+a)/(d*x+c))^n))/b
^2/d^2+1/12*B*(-a*d+b*c)^4*g^2*i*n*(2*A+3*B*n+2*B*ln(e*((b*x+a)/(d*x+c))^n
))*ln((-a*d+b*c)/b/(d*x+c))/b^2/d^3+1/6*B^2*(-a*d+b*c)^4*g^2*i*n^2*ln(d*x+
c)/b^2/d^3+1/6*B^2*(-a*d+b*c)^4*g^2*i*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b
^2/d^3
```

Mathematica [A] (verified)

Time = 0.67 (sec) , antiderivative size = 716, normalized size of antiderivative = 1.47

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$

$$= \frac{g^2 i\Big(4(bc-ad)(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+3d(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+\frac{4B(bc-ad)^2n\left(}{}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2,x]
```

output

```
(g^2*i*(4*(b*c - a*d)*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
 + 3*d*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (4*B*(b*c -
a*d)^2*n*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c - a*d)*(a + b*x)*Log[e*((a +
b*x)/(c + d*x))^n] - d^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
) - 2*B*(b*c - a*d)^2*n*Log[c + d*x] - 2*(b*c - a*d)^2*(A + B*Log[e*((a +
b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(b*d*x + (-(b*c) + a*d)
*Log[c + d*x]) + B*(b*c - a*d)^2*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] -
 Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/d
^3 - (B*(b*c - a*d)*n*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a +
b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A
+ B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*Log[e*((a +
 b*x)/(c + d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 6*(b*c - a*d)^3*
(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(2*b
*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(
b*c - a*d)^2*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*n
*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*Po
lyLog[2, (b*(c + d*x))/(b*c - a*d)])))/d^3))/(12*b^2)
```

Rubi [A] (verified)

Time = 1.29 (sec) , antiderivative size = 541, normalized size of antiderivative = 1.11, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.233$, Rules used = {2961, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2961$$

$$g^2i(bc-ad)^4\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i(bc-ad)^4\left(-\frac{Bn\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}+\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.}{4b(c+dx)^3\left(b-\right.}\right.$$

$$\downarrow 2773$$

$$g^2 i(bc-ad)^4\left(-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\int\frac{(a+bx)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}\right)}{2b}+\frac{\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}$$

$$\downarrow 49$$

$$g^2 i(bc-ad)^4\left(-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\int\left(\frac{b^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{1}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a+bx}{c+dx}}{3b}\right)}{2b}+\frac{\int\frac{(a+bx}{(}$$

$$\downarrow 2009$$

$$g^2 i(bc-ad)^4\left(\frac{\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b}-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{b^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right.\right.}\right.}{3b}\right.}{2b}$$

$$\downarrow 2781$$

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}}{4b}-Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\right.$$

$$\downarrow 2784$$

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\int\frac{(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{3b}}{4b}-Bn\left(\right.$$

$$\downarrow 2784$$

$$g^2 i(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\frac{(a+bx)\left(2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+2A+Bn\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{2A+3Bn+2B\log\left(e\right.}{b-\frac{d(a+b}{c+d}}}{2d}\right)}{3b}}{4b}\right.$$

$$\downarrow 2754$$



input
```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
,x]
```

output
```
(b*c - a*d)^4*g^2*i*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
)/(4*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*(((a + b*x)^3*(
A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*b*(c + d*x)^3*(b - (d*(a + b*x))
/(c + d*x))^3) - (B*n*(b^2/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*b)
/(d^3*(b - (d*(a + b*x))/(c + d*x))) - Log[b - (d*(a + b*x))/(c + d*x)]/d^
3))/(3*b)))/(2*b) + (((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
)/(3*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*n*(((a + b*x)^2
*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x
))/(c + d*x))^2) - (((a + b*x)*(2*A + B*n + 2*B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((2*A + 3*B*n + 2*
B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d)
 - (2*B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d)))/(3*b))/(4
*b))
```

Defintions of rubi rules used

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci) \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^2(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="fricas")
```

output
```
integral(A^2*b^2*d*g^2*i*x^3 + A^2*a^2*c*g^2*i + (A^2*b^2*c + 2*A^2*a*b*d)
*g^2*i*x^2 + (2*A^2*a*b*c + A^2*a^2*d)*g^2*i*x + (B^2*b^2*d*g^2*i*x^3 + B^
2*a^2*c*g^2*i + (B^2*b^2*c + 2*B^2*a*b*d)*g^2*i*x^2 + (2*B^2*a*b*c + B^2*a
^2*d)*g^2*i*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b^2*d*g^2*i*x^3 +
 A*B*a^2*c*g^2*i + (A*B*b^2*c + 2*A*B*a*b*d)*g^2*i*x^2 + (2*A*B*a*b*c + A*
B*a^2*d)*g^2*i*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= g^2 i\left(\int A^2a^2c\,dx+\int A^2a^2dx\,dx+\int A^2b^2cx^2\,dx+\int A^2b^2dx^3\,dx\right.$$
$$+\int B^2a^2c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2ABa^2c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx+\int 2A^2abcx\,dx+\int 2A^2abdx^2\,dx$$
$$+\int B^2a^2dx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int B^2b^2cx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int B^2b^2dx^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2ABa^2dx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2ABb^2cx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2ABb^2dx^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2B^2abcx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2B^2abdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 4ABabcx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$\left.+\int 4ABabdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx\right)$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x
)
```

output

```
g**2*i*(Integral(A**2*a**2*c, x) + Integral(A**2*a**2*d*x, x) + Integral(A
**2*b**2*c*x**2, x) + Integral(A**2*b**2*d*x**3, x) + Integral(B**2*a**2*c
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*a**2*c*lo
g(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Integral(2*A**2*a*b*c*x, x) +
Integral(2*A**2*a*b*d*x**2, x) + Integral(B**2*a**2*d*x*log(e*(a/(c + d*x)
 + b*x/(c + d*x))**n)**2, x) + Integral(B**2*b**2*c*x**2*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n)**2, x) + Integral(B**2*b**2*d*x**3*log(e*(a/(c + d*
x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*a**2*d*x*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n), x) + Integral(2*A*B*b**2*c*x**2*log(e*(a/(c + d*x)
 + b*x/(c + d*x))**n), x) + Integral(2*A*B*b**2*d*x**3*log(e*(a/(c + d*x)
+ b*x/(c + d*x))**n), x) + Integral(2*B**2*a*b*c*x*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n)**2, x) + Integral(2*B**2*a*b*d*x**2*log(e*(a/(c + d*x) +
b*x/(c + d*x))**n)**2, x) + Integral(4*A*B*a*b*c*x*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n), x) + Integral(4*A*B*a*b*d*x**2*log(e*(a/(c + d*x) + b*x/
(c + d*x))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2691 vs. $2(466) = 932$.

Time $= 0.60$ (sec) , antiderivative size $= 2691$, normalized size of antiderivative $= 5.53$

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="maxima")
```

output

```
1/2*A*B*b^2*d*g^2*i*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A^2*b
^2*d*g^2*i*x^4 + 2/3*A*B*b^2*c*g^2*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c
))^n) + 4/3*A*B*a*b*d*g^2*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1
/3*A^2*b^2*c*g^2*i*x^3 + 2/3*A^2*a*b*d*g^2*i*x^3 + 2*A*B*a*b*c*g^2*i*x^2*l
og(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*B*a^2*d*g^2*i*x^2*log(e*(b*x/(d*
x + c) + a/(d*x + c))^n) + A^2*a*b*c*g^2*i*x^2 + 1/2*A^2*a^2*d*g^2*i*x^2 -
 1/12*A*B*b^2*d*g^2*i*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 +
 (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c
^3 - a^3*d^3)*x)/(b^3*d^3)) + 1/3*A*B*b^2*c*g^2*i*n*(2*a^3*log(b*x + a)/b^
3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d
^2)*x)/(b^2*d^2)) + 2/3*A*B*a*b*d*g^2*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*
log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^
2*d^2)) - 2*A*B*a*b*c*g^2*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2
 + (b*c - a*d)*x/(b*d)) - A*B*a^2*d*g^2*i*n*(a^2*log(b*x + a)/b^2 - c^2*lo
g(d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) + 2*A*B*a^2*c*g^2*i*n*(a*log(b*x + a
)/b - c*log(d*x + c)/d) + 2*A*B*a^2*c*g^2*i*x*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) + A^2*a^2*c*g^2*i*x - 1/12*(2*a^3*c*d^3*g^2*i*n^2 + (g^2*i*n^2
+ 2*g^2*i*n*log(e))*b^3*c^4 - 2*(g^2*i*n^2 + 4*g^2*i*n*log(e))*a*b^2*c^3*d
 - (g^2*i*n^2 - 12*g^2*i*n*log(e))*a^2*b*c^2*d^2)*B^2*log(d*x + c)/(b*d^3)
 - 1/6*(b^4*c^4*g^2*i*n^2 - 4*a*b^3*c^3*d*g^2*i*n^2 + 6*a^2*b^2*c^2*d^2...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
,x)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**2*i*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*
c*x + b*d*x**2),x)*a**4*b**2*d**5*n + 8*int((log(((a + b*x)**n*e)/(c + d*x
)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4*n - 12*int((
log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*
a**2*b**4*c**2*d**3*n + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a*b**5*c**3*d**2*n - 2*int((log(((a + b*x)*
*n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**6*c**4*d*n -
 2*log(a + b*x)*a**5*d**4*n + 8*log(a + b*x)*a**4*b*c*d**3*n - log(a + b*x
)*a**4*b*d**4*n**2 - 12*log(a + b*x)*a**3*b**2*c**2*d**2*n + 4*log(a + b*x
)*a**3*b**2*c*d**3*n**2 + 8*log(a + b*x)*a**2*b**3*c**3*d*n - 6*log(a + b*
x)*a**2*b**3*c**2*d**2*n**2 - 2*log(a + b*x)*a*b**4*c**4*n + 4*log(a + b*x
)*a*b**4*c**3*d*n**2 - log(a + b*x)*b**5*c**4*n**2 + log(((a + b*x)**n*e)/
(c + d*x)**n)**2*a**3*b**2*c*d**3 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**
2*a**2*b**3*c**2*d**2 + 12*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3
*c*d**3*x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3*d**4*x**2 -
log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c**3*d + 12*log(((a + b*x)**n
*e)/(c + d*x)**n)**2*a*b**4*c*d**3*x**2 + 8*log(((a + b*x)**n*e)/(c + d*x)
**n)**2*a*b**4*d**4*x**3 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*c*
d**3*x**3 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*d**4*x**4 + 12*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**2*c**2*d**2 + 2*log(((a + b*x)...
```

3.161 $\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 1816
Mathematica [B] (verified) . . . 1817
Rubi [A] (verified) . . . 1818
Maple [F] . . . 1823
Fricas [F] . . . 1823
Sympy [F] . . . 1824
Maxima [B] (verification not implemented) . . . 1825
Giac [F] . . . 1826
Mupad [F(-1)] . . . 1826
Reduce [F] . . . 1827

Optimal result

Integrand size = 41, antiderivative size = 372

$$\begin{aligned}
&\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= \frac{B^2(bc-ad)^2 gin^2 x}{3bd} - \frac{B(bc-ad)^2 gin(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^2 d} \\
&\quad - \frac{B(bc-ad)gin(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^2} \\
&\quad + \frac{(bc-ad)gi(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{6b^2} \\
&\quad + \frac{gi(a+bx)^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3b} \\
&\quad - \frac{B(bc-ad)^3 gin\left(A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{3b^2 d^2} \\
&\quad - \frac{B^2(bc-ad)^3 gin^2\log(c+dx)}{3b^2 d^2} - \frac{B^2(bc-ad)^3 gin^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{3b^2 d^2}
\end{aligned}$$

output

```
1/3*B^2*(-a*d+b*c)^2*g*i*n^2*x/b/d-1/3*B*(-a*d+b*c)^2*g*i*n*(b*x+a)*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))/b^2/d-1/3*B*(-a*d+b*c)*g*i*n*(b*x+a)^2*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))/b^2+1/6*(-a*d+b*c)*g*i*(b*x+a)^2*(A+B*ln(e*((b*x+a)
/(d*x+c))^n))^2/b^2+1/3*g*i*(b*x+a)^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))^2/b-1/3*B*(-a*d+b*c)^3*g*i*n*(A+B*n+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-
a*d+b*c)/b/(d*x+c))/b^2/d^2-1/3*B^2*(-a*d+b*c)^3*g*i*n^2*ln(d*x+c)/b^2/d^2
-1/3*B^2*(-a*d+b*c)^3*g*i*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^2/d^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 937 vs. $2(372) = 744$.

Time $= 0.84$ (sec) , antiderivative size $= 937$, normalized size of antiderivative $= 2.52$

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n
])^2,x]
```

output

```
(g*i*(-6*A*b^2*B*c*d*(b*c - a*d)*n*x + 6*a*A*b*B*d^2*(-(b*c) + a*d)*n*x +
4*A*b*B*d*(b*c - a*d)*(b*c + a*d)*n*x - 6*b*B^2*c*d*(b*c - a*d)*n*(a + b*x
)*Log[e*((a + b*x)/(c + d*x))^n] + 6*a*B^2*d^2*(-(b*c) + a*d)*n*(a + b*x)*
Log[e*((a + b*x)/(c + d*x))^n] + 4*B^2*d*(b*c - a*d)*(b*c + a*d)*n*(a + b*
x)*Log[e*((a + b*x)/(c + d*x))^n] - 2*b^2*B*d^2*(b*c - a*d)*n*x^2*(A + B*L
og[e*((a + b*x)/(c + d*x))^n]) + 6*a^2*b*B*c*d^2*n*Log[a + b*x]*(A + B*Log
[e*((a + b*x)/(c + d*x))^n]) - 2*a^3*B*d^3*n*Log[a + b*x]*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n]) + 6*a*b^2*c*d^2*x*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^2 + 3*b^2*d^2*(b*c + a*d)*x^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2 + 2*b^3*d^3*x^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 6*b*B^2*c*(b
*c - a*d)^2*n^2*Log[c + d*x] + 6*a*B^2*d*(b*c - a*d)^2*n^2*Log[c + d*x] -
4*B^2*(b*c - a*d)^2*(b*c + a*d)*n^2*Log[c + d*x] + 2*b^3*B*c^3*n*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 6*a*b^2*B*c^2*d*n*(A + B*Log[
e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 2*B^2*(b*c - a*d)*n^2*(a^2*d^2*
Log[a + b*x] - b*(d*(-(b*c) + a*d)*x + b*c^2*Log[c + d*x])) - 3*a^2*b*B^2*
c*d^2*n^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)])
- 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + a^3*B^2*d^3*n^2*(Log[a + b
*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a
 + b*x))/(-(b*c) + a*d)]) - b^3*B^2*c^3*n^2*((2*Log[(d*(a + b*x))/(-(b*c)
+ a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c ...
```

Rubi [A] (verified)

Time = 0.96 (sec) , antiderivative size = 426, normalized size of antiderivative = 1.15, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.220$, Rules used = {2961, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2961$$

$$gi(bc-ad)^3\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi(bc-ad)^3\left(-\frac{2Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{3b(c+dx)^2\left(b-\frac{d}{}\right.}$$

$$\downarrow 2773$$

$$gi(bc-ad)^3\left(-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{\frac{a+bx}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}\right.$$

$$\downarrow 49$$

$$gi(bc-ad)^3\left(-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\left(\frac{b}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{1}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}$$

$$\downarrow 2009$$

$$gi(bc-ad)^3\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right.\right.}{2b}\right.$$

$$\downarrow 2781$$

$$gi(bc-ad)^3\left(\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn}{}\right.}{3b}$$

$$\downarrow 2784$$

$$gi(bc-ad)^3\left(\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{b}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(\right.\right.}{2b(c+}$$

$$\downarrow 2754$$

$$gi(bc-ad)^3\left(\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\right.}{d}}{b}\right)}{3b}$$

$$\downarrow 2838$$

$$gi(bc-ad)^3\left(-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right)}{2b}\right)}{3b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right.$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x
]
```

output

```
(b*c - a*d)^3*g*i*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/
(3*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*n*(((a + b*x)^2*(
A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*b*(c + d*x)^2*(b - (d*(a + b*x))
/(c + d*x))^2) - (B*n*(b/(d^2*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*
(a + b*x))/(c + d*x)]/d^2))/(2*b)))/(3*b) + (((a + b*x)^2*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2)/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2
) - (B*n*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)*
(b - (d*(a + b*x))/(c + d*x))) - (-(((A + B*n + B*Log[e*((a + b*x)/(c + d*
x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*n*PolyLog[2, (d*(a +
 b*x))/(b*(c + d*x))])/d)/d))/b)/(3*b))
```

Defintions of rubi rules used

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2783

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)\right)^{2}dx$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)\right)^{2}dx$$
$$=\int (bgx+ag)(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)+A\right)^{2}dx$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, al
gorithm="fricas")
```

output

```
integral(A^2*b*d*g*i*x^2 + A^2*a*c*g*i + (A^2*b*c + A^2*a*d)*g*i*x + (B^2*
b*d*g*i*x^2 + B^2*a*c*g*i + (B^2*b*c + B^2*a*d)*g*i*x)*log(e*((b*x + a)/(d
*x + c))^n)^2 + 2*(A*B*b*d*g*i*x^2 + A*B*a*c*g*i + (A*B*b*c + A*B*a*d)*g*i
*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= gi\left(\int A^2ac\,dx + \int A^2adx\,dx + \int A^2bcx\,dx + \int A^2bdx^2\,dx \right.$$
$$+ \int B^2ac\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int 2ABac\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx$$
$$+ \int B^2adx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int B^2bcx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int B^2bdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int 2ABadx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx$$
$$+ \int 2ABbcx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx$$
$$\left. + \int 2ABbdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx\right)$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x)
```

output
```
g*i*(Integral(A**2*a*c, x) + Integral(A**2*a*d*x, x) + Integral(A**2*b*c*x
, x) + Integral(A**2*b*d*x**2, x) + Integral(B**2*a*c*log(e*(a/(c + d*x) +
 b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*a*c*log(e*(a/(c + d*x) + b*x/(
c + d*x))**n), x) + Integral(B**2*a*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x)
)**n)**2, x) + Integral(B**2*b*c*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)
**2, x) + Integral(B**2*b*d*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**
2, x) + Integral(2*A*B*a*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) +
 Integral(2*A*B*b*c*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Integr
al(2*A*B*b*d*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1542 vs. $2(355) = 710$.

Time = 0.57 (sec) , antiderivative size = 1542, normalized size of antiderivative = 4.15

$$\int (ag + bgx)(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, al
gorithm="maxima")
```

output

```
2/3*A*B*b*d*g*i*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A^2*b*d*g
*i*x^3 + A*B*b*c*g*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*B*a*d*
g*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A^2*b*c*g*i*x^2 + 1/2
*A^2*a*d*g*i*x^2 + 1/3*A*B*b*d*g*i*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d
*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2
)) - A*B*b*c*g*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a
*d)*x/(b*d)) - A*B*a*d*g*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2
+ (b*c - a*d)*x/(b*d)) + 2*A*B*a*c*g*i*n*(a*log(b*x + a)/b - c*log(d*x + c
)/d) + 2*A*B*a*c*g*i*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*a*c*g*
i*x - 1/3*(a^2*c*d^2*g*i*n^2 - b^2*c^3*g*i*n*log(e) - (g*i*n^2 - 3*g*i*n*l
og(e))*a*b*c^2*d)*B^2*log(d*x + c)/(b*d^2) + 1/3*(b^3*c^3*g*i*n^2 - 3*a*b^
2*c^2*d*g*i*n^2 + 3*a^2*b*c*d^2*g*i*n^2 - a^3*d^3*g*i*n^2)*(log(b*x + a)*l
og((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2
/(b^2*d^2) + 1/6*(2*B^2*b^3*d^3*g*i*x^3*log(e)^2 - ((2*g*i*n*log(e) - 3*g*
i*log(e)^2)*b^3*c*d^2 - (2*g*i*n*log(e) + 3*g*i*log(e)^2)*a*b^2*d^3)*B^2*x
^2 - (3*a^2*b*c*d^2*g*i*n^2 - a^3*d^3*g*i*n^2)*B^2*log(b*x + a)^2 - 2*(b^3
*c^3*g*i*n^2 - 3*a*b^2*c^2*d*g*i*n^2)*B^2*log(b*x + a)*log(d*x + c) + (b^3
*c^3*g*i*n^2 - 3*a*b^2*c^2*d*g*i*n^2)*B^2*log(d*x + c)^2 + 2*((g*i*n^2 - g
*i*n*log(e))*b^3*c^2*d - (2*g*i*n^2 - 3*g*i*log(e)^2)*a*b^2*c*d^2 + (g*i*n
^2 + g*i*n*log(e))*a^2*b*d^3)*B^2*x - 2*(a*b^2*c^2*d*g*i*n^2 + a^3*d^3*...
```

Giac [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)*(d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) +
A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2,x
)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2,
x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
int((b*g*x+a*g)*(d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g*i*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x
 + b*d*x**2),x)*a**3*b**2*d**4*n + 6*int((log(((a + b*x)**n*e)/(c + d*x)**
n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**3*c*d**3*n - 6*int((log(
((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b*
*4*c**2*d**2*n + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x
 + b*c*x + b*d*x**2),x)*b**5*c**3*d*n - 2*log(a + b*x)*a**4*d**3*n + 6*log
(a + b*x)*a**3*b*c*d**2*n - 6*log(a + b*x)*a**2*b**2*c**2*d*n + 2*log(a +
b*x)*a*b**3*c**3*n + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**
2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c**2*d + 6*log(((a + b*x)
**n*e)/(c + d*x)**n)**2*a*b**3*c*d**2*x + 3*log(((a + b*x)**n*e)/(c + d*x)
**n)**2*a*b**3*d**3*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*c*
d**2*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*d**3*x**3 + 6*log
(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c**2*d + 2*log(((a + b*x)**n*e)/
(c + d*x)**n)*a**2*b**2*c*d**2*n + 12*log(((a + b*x)**n*e)/(c + d*x)**n)*a
**2*b**2*c*d**2*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d**3*n*
x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d**3*x**2 - 2*log(((a +
 b*x)**n*e)/(c + d*x)**n)*a*b**3*c**3 - 2*log(((a + b*x)**n*e)/(c + d*x)**
n)*a*b**3*c**2*d*n + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*d**2*x*
*2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**3*n*x**2 + 4*log(((a +
 b*x)**n*e)/(c + d*x)**n)*a*b**3*d**3*x**3 - 2*log(((a + b*x)**n*e)/(c ...
```

3.162 $\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 1828
Mathematica [A] (verified) . . . 1829
Rubi [A] (verified) . . . 1829
Maple [F] . . . 1833
Fricas [F] . . . 1833
Sympy [F] . . . 1834
Maxima [B] (verification not implemented) . . . 1834
Giac [F] . . . 1835
Mupad [F(-1)] . . . 1836
Reduce [F] . . . 1836

Optimal result

Integrand size = 33, antiderivative size = 220

$$\begin{aligned}
&\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= -\frac{B(bc-ad)in(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2} \\
&\quad + \frac{i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2d} + \frac{B^2(bc-ad)^2in^2\log(c+dx)}{b^2d} \\
&\quad + \frac{B(bc-ad)^2in\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2d} \\
&\quad - \frac{B^2(bc-ad)^2in^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2d}
\end{aligned}$$

output

```
-B*(-a*d+b*c)*i*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2+1/2*i*(d*x+c
)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d+B^2*(-a*d+b*c)^2*i*n^2*ln(d*x+c)/b
^2/d+B*(-a*d+b*c)^2*i*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(
b*x+a))/b^2/d-B^2*(-a*d+b*c)^2*i*n^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/d
```

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 216, normalized size of antiderivative = 0.98

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$

$$= \frac{i\left((c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+\frac{B(bc-ad)n\left(B(bc-ad)n\log^2(a+bx)-2\left(Abdx+Bd(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+B(-bc+ad}{2d}\right.}{2d}$$

input
```
Integrate[(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
(i*((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (B*(b*c - a*d)*
n*(B*(b*c - a*d)*n*Log[a + b*x]^2 - 2*(A*b*d*x + B*d*(a + b*x)*Log[e*((a +
 b*x)/(c + d*x))^n] + B*(-(b*c) + a*d)*n*Log[c + d*x]) - 2*(b*c - a*d)*Log
[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n] + B*n*Log[(b*(c + d*x))/(b
*c - a*d)]) + 2*B*(-(b*c) + a*d)*n*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)
]))/b^2))/(2*d)
```

Rubi [A] (verified)

Time = 0.68 (sec) , antiderivative size = 239, normalized size of antiderivative = 1.09, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$, Rules used = {2951, 2756, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2951$$

$$i(bc-ad)^2\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}$$

$$\downarrow 2756$$

$$i(bc-ad)^2\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{d}\right)$$

$$\downarrow 2789$$

$$ad)^2\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\right.}{d}$$
$$\left.Bn\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)\right)$$

$$\downarrow 2751$$

$$ad)^2\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\right.}{d}$$
$$\left.Bn\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)\right)$$

$$\downarrow 16$$

$$ad)^2\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{i(bc-\right.}{d}$$
$$\left.Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(}{bd}\right.\right.}{b}\right)\right)$$

$$\downarrow 2779$$



input
```
Int[(c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
(b*c - a*d)^2*i*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(2*d*(b - (d*(a
+ b*x))/(c + d*x))^2) - (B*n*((d*((a + b*x)*(A + B*Log[e*((a + b*x)/(c +
d*x))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Log[b - (d*(
a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c + d*x))^n
])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x)
)/(d*(a + b*x))])/b)/b))/d)
```

Defintions of rubi rules used

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 2751

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2951

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [F]

$$\int (dix + ci)\left(A + B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (dix + ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="fri
cas")
```

output

```
integral(A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log(e*((b*x + a)/(d*x
 + c))^n)^2 + 2*(A*B*d*i*x + A*B*c*i)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= i\left(\int A^2 c\,dx + \int A^2 dx\,dx + \int B^2 c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx\right.$$
$$+ \int 2ABc\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx$$
$$+ \int B^2 dx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$\left.+ \int 2ABdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right) dx\right)$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x)
```

output
```
i*(Integral(A**2*c, x) + Integral(A**2*d*x, x) + Integral(B**2*c*log(e*(a/
(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*c*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n), x) + Integral(B**2*d*x*log(e*(a/(c + d*x) + b*x/(c
 + d*x))**n)**2, x) + Integral(2*A*B*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x
))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 825 vs. $2(217) = 434$.

Time = 0.54 (sec) , antiderivative size = 825, normalized size of antiderivative = 3.75

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="max
ima")
```

output

```
A*B*d*i*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A^2*d*i*x^2 - A*B
*d*i*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d))
 + 2*A*B*c*i*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + 2*A*B*c*i*x*log(e*(
b*x/(d*x + c) + a/(d*x + c))^n) + A^2*c*i*x - (a*c*d*i*n^2 - (i*n^2 - i*n*
log(e))*b*c^2)*B^2*log(d*x + c)/(b*d) - (b^2*c^2*i*n^2 - 2*a*b*c*d*i*n^2 +
 a^2*d^2*i*n^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-
(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^2*d) + 1/2*(2*B^2*b^2*c^2*i*n^2*log(b*x
 + a)*log(d*x + c) - B^2*b^2*c^2*i*n^2*log(d*x + c)^2 + B^2*b^2*d^2*i*x^2*
log(e)^2 - (2*a*b*c*d*i*n^2 - a^2*d^2*i*n^2)*B^2*log(b*x + a)^2 + 2*(a*b*d
^2*i*n*log(e) - (i*n*log(e) - i*log(e)^2)*b^2*c*d)*B^2*x - 2*((i*n^2 - 2*i
*n*log(e))*a*b*c*d - (i*n^2 - i*n*log(e))*a^2*d^2)*B^2*log(b*x + a) + (B^2
*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x)*log((b*x + a)^n)^2 + (B^2*b^2*d^2*i*x^
2 + 2*B^2*b^2*c*d*i*x)*log((d*x + c)^n)^2 + 2*(B^2*b^2*d^2*i*x^2*log(e) -
B^2*b^2*c^2*i*n*log(d*x + c) + (a*b*d^2*i*n - (i*n - 2*i*log(e))*b^2*c*d)*
B^2*x + (2*a*b*c*d*i*n - a^2*d^2*i*n)*B^2*log(b*x + a))*log((b*x + a)^n) -
 2*(B^2*b^2*d^2*i*x^2*log(e) - B^2*b^2*c^2*i*n*log(d*x + c) + (a*b*d^2*i*n
 - (i*n - 2*i*log(e))*b^2*c*d)*B^2*x + (2*a*b*c*d*i*n - a^2*d^2*i*n)*B^2*l
og(b*x + a) + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i*x)*log((b*x + a)^n))*lo
g((d*x + c)^n))/(b^2*d)
```

Giac [F]

$$\int (ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (dix + ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="gia
c")
```

output

```
integrate((d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int (c\,i+d\,i\,x)\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2,x)
```

output
```
int((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2, x)
```

Reduce [F]

$$\int (ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
(i*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x +
 b*d*x**2),x)*a**2*b**2*d**3*n + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**3*c*d**2*n - 2*int((log(((a +
 b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**4*c**2
*d*n - 2*log(c + d*x)*a**3*d**2*n + 4*log(c + d*x)*a**2*b*c*d*n + 2*log(c
 + d*x)*a**2*b*d**2*n**2 - 2*log(c + d*x)*a*b**2*c**2*n - 4*log(c + d*x)*a*
b**2*c*d*n**2 + 2*log(c + d*x)*b**3*c**2*n**2 + log(((a + b*x)**n*e)/(c +
d*x)**n)**2*a*b**2*c*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*d*
x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*d**2*x**2 - 2*log(((a + b*x
)**n*e)/(c + d*x)**n)*a**3*d**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**
2*b*c*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d**2*n - 2*log(((a +
 b*x)**n*e)/(c + d*x)**n)*a*b**2*c*d*n + 4*log(((a + b*x)**n*e)/(c + d*x)*
*n)*a*b**2*c*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**2*n*x +
2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**2*x**2 - 2*log(((a + b*x)**
n*e)/(c + d*x)**n)*b**3*c*d*n*x + 2*a**2*b*c*d*x + 2*a**2*b*d**2*n*x + a**
2*b*d**2*x**2 - 2*a*b**2*c*d*n*x))/(2*b*d)
```

3.163 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$

Optimal result . . . 1837
Mathematica [B] (verified) . . . 1838
Rubi [A] (verified) . . . 1839
Maple [F] . . . 1844
Fricas [F] . . . 1844
Sympy [F] . . . 1844
Maxima [F] . . . 1845
Giac [F] . . . 1846
Mupad [F(-1)] . . . 1846
Reduce [F] . . . 1846

Optimal result

Integrand size = 43, antiderivative size = 306

$$
\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx \\
&= \frac{di(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2g} \\
&\quad + \frac{2B(bc-ad)in\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^2g} \\
&\quad - \frac{(bc-ad)i\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g} \\
&\quad + \frac{2B^2(bc-ad)in^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^2g} \\
&\quad + \frac{2B(bc-ad)in\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g} \\
&\quad + \frac{2B^2(bc-ad)in^2\,\mathrm{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g}
\end{aligned}
$$

output

```
d*i*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2/g+2*B*(-a*d+b*c)*i*n*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^2/g-(-a*d+b*c)*i*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^2/g+2*B^2*(-a
*d+b*c)*i*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^2/g+2*B*(-a*d+b*c)*i*n*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^2/g+2*B^2*(-a
*d+b*c)*i*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^2/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1372 vs. $2(306) = 612$.

Time $= 1.11$ (sec) , antiderivative size $= 1372$, normalized size of antiderivative $= 4.48$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag + bgx}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g +
b*g*x),x]
```

output

```
(i*(3*b*d*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c +
 d*x)])^2 + 3*(b*c - a*d)*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^
n] - B*n*Log[(a + b*x)/(c + d*x)])^2 - 3*B*n*(A + B*Log[e*((a + b*x)/(c +
d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])*(a*d*Log[a/b + x]^2 - 2*a*d*Log[a
/b + x]*(1 + Log[a + b*x]) + 2*(-(b*c) + a*d + Log[c/d + x]*(b*c + a*d*Log
[a + b*x] - a*d*Log[(d*(a + b*x))/(-(b*c) + a*d)]) + (-(b*d*x) + a*d*Log[a
 + b*x])*Log[(a + b*x)/(c + d*x)]) - 2*a*d*PolyLog[2, (b*(c + d*x))/(b*c -
 a*d)]) + 3*b*B*c*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b
*x)/(c + d*x)])*(Log[a/b + x]^2 - 2*Log[a + b*x]*(Log[a/b + x] - Log[c/d +
 x] - Log[(a + b*x)/(c + d*x)]) - 2*(Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c
) + a*d)] + PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - B^2*n^2*(a*d*Log[a/b
 + x]^3 - 3*d*(2*b*x - 2*(a + b*x)*Log[a/b + x] + (a + b*x)*Log[a/b + x]^2
) - 3*b*(2*d*x - 2*(c + d*x)*Log[c/d + x] + (c + d*x)*Log[c/d + x]^2) - 3*
d*(b*x - a*Log[a + b*x])*(-Log[a/b + x] + Log[c/d + x] + Log[(a + b*x)/(c
+ d*x)])^2 + 6*(a*d + 2*b*d*x - b*d*x*Log[c/d + x] - b*c*Log[c + d*x] + Lo
g[a/b + x]*(-(d*(a + b*x)) + d*(a + b*x)*Log[c/d + x] + (b*c - a*d)*Log[(b
*(c + d*x))/(b*c - a*d)]) + (b*c - a*d)*PolyLog[2, (d*(a + b*x))/(-(b*c) +
 a*d)]) - 3*(Log[a/b + x] - Log[c/d + x] - Log[(a + b*x)/(c + d*x)])*(-2*b
*c + 2*a*d - 2*d*(a + b*x)*Log[a/b + x] + a*d*Log[a/b + x]^2 + 2*Log[c/d +
 x]*(b*(c + d*x) - a*d*Log[(d*(a + b*x))/(-(b*c) + a*d)]) - 2*a*d*PolyL...
```

Rubi [A] (verified)

Time = 1.15 (sec) , antiderivative size = 288, normalized size of antiderivative = 0.94, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {2961, 2789, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow 2961$$

$$\frac{i(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i(bc-ad)\left(\frac{d\int\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2755$$

$$\frac{i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2Bn\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2754$$

$$\frac{i(bc-ad)\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2Bn\left(\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1\right.}{b}\right.}{b}\right.}{b}\right.}{g}$$

$$\downarrow 2779$$

$$i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2Bn\left(\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d}\right)}{b}\right)}{b}+\frac{2}{-}\right)$$

$$g$$

$$\downarrow 2821$$

$$i(bc-ad)\left(\frac{\frac{2Bn\left(\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int\frac{(c+dx)\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+\right.}{b}}{b}\right)$$

$$g$$

$$\downarrow 2838$$

$$i(bc-ad)\left(\frac{\frac{2Bn\left(\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int\frac{(c+dx)\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+\right.}{b}}{b}\right)$$

$$g$$

$$\downarrow 7143$$

$$i(bc-ad)\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2Bn\left(-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d}-\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d}\right)}{b}\right)}{b}+\frac{2Bn\left(\mathrm{PolyLo}\right.}{g}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)
,x]
```

output
```
((b*c - a*d)*i*((d*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(
b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (2*B*n*(-(((A + B*Log[e*((a +
 b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*n*PolyL
og[2, (d*(a + b*x))/(b*(c + d*x))])/d))/b))/b + (-(((A + B*Log[e*((a + b*x
)/(c + d*x))^n])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*n*((A +
 B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))]
 + B*n*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b)/b))/g
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))  Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d  Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d  Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x, al
gorithm="fricas")
```

output
```
integral((A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log(e*((b*x + a)/(d*
x + c))^n)^2 + 2*(A*B*d*i*x + A*B*c*i)*log(e*((b*x + a)/(d*x + c))^n))/(b*
g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}dx$$
$$= \frac{i\left(\int \frac{A^2c}{a+bx}\,dx + \int \frac{A^2dx}{a+bx}\,dx + \int \frac{B^2c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a+bx}\,dx + \int \frac{2ABc\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx + \int \frac{B^2dx\log\left(e\left(\frac{a}{c+dx}\right.\right.\right.}{a+bx}$$
$$g$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g),x)
```

output
```
i*(Integral(A**2*c/(a + b*x), x) + Integral(A**2*d*x/(a + b*x), x) + Integ
ral(B**2*c*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + Inte
gral(2*A*B*c*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + Integ
ral(B**2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + In
tegral(2*A*B*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x))/g
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x, al
gorithm="maxima")
```

output
```
A^2*d*i*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + A^2*c*i*log(b*g*x + a*g)/(b*g
) + (B^2*b*d*i*x + (b*c*i - a*d*i)*B^2*log(b*x + a))*log((d*x + c)^n)^2/(b
^2*g) - integrate(-(B^2*b^2*c^2*i*log(e)^2 + 2*A*B*b^2*c^2*i*log(e) + (B^2
*b^2*d^2*i*log(e)^2 + 2*A*B*b^2*d^2*i*log(e))*x^2 + (B^2*b^2*d^2*i*x^2 + 2
*B^2*b^2*c*d*i*x + B^2*b^2*c^2*i)*log((b*x + a)^n)^2 + 2*(B^2*b^2*c*d*i*lo
g(e)^2 + 2*A*B*b^2*c*d*i*log(e))*x + 2*(B^2*b^2*c^2*i*log(e) + A*B*b^2*c^2
*i + (B^2*b^2*d^2*i*log(e) + A*B*b^2*d^2*i)*x^2 + 2*(B^2*b^2*c*d*i*log(e)
+ A*B*b^2*c*d*i)*x)*log((b*x + a)^n) - 2*(B^2*b^2*c^2*i*log(e) + A*B*b^2*c
^2*i + ((i*n + i*log(e))*B^2*b^2*d^2 + A*B*b^2*d^2*i)*x^2 + (2*A*B*b^2*c*d
*i + (a*b*d^2*i*n + 2*b^2*c*d*i*log(e))*B^2)*x + ((b^2*c*d*i*n - a*b*d^2*i
*n)*B^2*x + (a*b*c*d*i*n - a^2*d^2*i*n)*B^2)*log(b*x + a) + (B^2*b^2*d^2*i
*x^2 + 2*B^2*b^2*c*d*i*x + B^2*b^2*c^2*i)*log((b*x + a)^n))*log((d*x + c)^
n))/(b^3*d*g*x^2 + a*b^2*c*g + (b^3*c*g + a*b^2*d*g)*x), x)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x, al
gorithm="giac")
```

output
```
integrate((d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(b*g*x +
a*g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
,x)
```

output
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
, x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i\left(\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{bx+a}dx\right) b^4c + 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right) a\,b^3c + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x}{bx+a}dx\right) b^4d + 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{bx+a}\right.\right.}{b^2g}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output
```
(i*(int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a + b*x),x)*b**4*c + 2*int(
log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*a*b**3*c + int((log(((a +
b*x)**n*e)/(c + d*x)**n)**2*x)/(a + b*x),x)*b**4*d + 2*int((log(((a + b*x)
**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*a*b**3*d - log(a + b*x)*a**3*d + log(
a + b*x)*a**2*b*c + a**2*b*d*x))/(b**2*g)
```

3.164 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result . . . 1848
Mathematica [B] (verified) . . . 1849
Rubi [A] (verified) . . . 1850
Maple [F] . . . 1853
Fricas [F] . . . 1853
Sympy [F(-1)] . . . 1854
Maxima [F] . . . 1854
Giac [F] . . . 1855
Mupad [F(-1)] . . . 1856
Reduce [F] . . . 1856

Optimal result

Integrand size = 43, antiderivative size = 261

$$\begin{aligned}
&\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2in^2(c+dx)}{bg^2(a+bx)} - \frac{2Bin(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{bg^2(a+bx)} \\
&\quad - \frac{i(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{bg^2(a+bx)} - \frac{di\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} \\
&\quad + \frac{2Bdin\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2} \\
&\quad + \frac{2B^2din^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^2g^2}
\end{aligned}$$

output

```
-2*B^2*i*n^2*(d*x+c)/b/g^2/(b*x+a)-2*B*i*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x
+c))^n))/b/g^2/(b*x+a)-i*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b/g^2/(
b*x+a)-d*i*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^2
/g^2+2*B*d*i*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+
a))/b^2/g^2+2*B^2*d*i*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^2/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1564 vs. $2(261) = 522$.

Time = 2.00 (sec) , antiderivative size = 1564, normalized size of antiderivative = 5.99

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g +
b*g*x)^2,x]
```

output

```
(i*((-3*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b
*x)/(c + d*x)])^2)/(a + b*x) + 3*d*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 + (6*b*B*c*n*(-A - B*Log[e*(
(a + b*x)/(c + d*x))^n] + B*n*Log[(a + b*x)/(c + d*x)])*(-(d*(a + b*x)*Log
[c/d + x]) + d*(a + b*x)*Log[(d*(a + b*x))/(-(b*c) + a*d)] + (b*c - a*d)*(
1 + Log[(a + b*x)/(c + d*x)])))/((b*c - a*d)*(a + b*x)) + (3*b*B^2*c*n^2*(
-2*b*c + 2*a*d - 2*d*(a + b*x)*Log[a + b*x] - 2*(b*c - a*d)*Log[(a + b*x)/
(c + d*x)] - 2*d*(a + b*x)*Log[a + b*x]*Log[(a + b*x)/(c + d*x)] - (b*c -
a*d)*Log[(a + b*x)/(c + d*x)]^2 + 2*d*(a + b*x)*Log[c + d*x] - 2*d*(a + b*
x)*Log[(a + b*x)/(c + d*x)]*Log[(b*c - a*d)/(b*c + b*d*x)] + d*(a + b*x)*(
Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog
[2, (d*(a + b*x))/(-(b*c) + a*d)]) + d*(a + b*x)*(Log[(b*c - a*d)/(b*c + b
*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(b*c + b*d*x
)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/((b*c - a*d)*(a + b*x)) +
 3*B*d*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*
x)])*(Log[a/b + x]^2 - 2*Log[a/b + x]*Log[a + b*x] - 2*Log[c/d + x]*Log[(d
*(a + b*x))/(-(b*c) + a*d)] + 2*Log[a + b*x]*((a*d)/(b*c - a*d) + Log[c/d
+ x] + Log[(a + b*x)/(c + d*x)]) + 2*a*((a + b*x)^(-1) + Log[(a + b*x)/(c
+ d*x)]/(a + b*x) + (d*Log[c + d*x])/(-(b*c) + a*d)) - 2*PolyLog[2, (b*(c
+ d*x))/(b*c - a*d)]) + (B^2*d*n^2*((b*c - a*d)*(a + b*x)*Log[a/b + x]^...
```

Rubi [A] (verified)

Time = 0.95 (sec) , antiderivative size = 234, normalized size of antiderivative = 0.90, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {2961, 2780, 2742, 2741, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{i\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2780$$

$$\frac{i\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2742$$

$$\frac{i\left(\frac{2Bn\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^2}$$

$$\downarrow 2741$$

$$\frac{i\left(\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{2Bn\left(-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}\right)-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}}{b}\right)}{g^2}$$

$$\downarrow 2779$$



↓ 2821



↓ 7143



input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)
^2,x]
```

output
```
(i*((-(((c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x)) + 2
*B*n*(-((B*n*(c + d*x))/(a + b*x)) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n]))/(a + b*x)))/b + (d*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*B*n*((A + B*Log[e*((a +
b*x)/(c + d*x))^n])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] + B*n*PolyLog[
3, (b*(c + d*x))/(d*(a + b*x))]))/b))/b))/g^2
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^2}dx$$

input

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x,
algorithm="fricas")
```

output

```
integral((A^2*d*i*x + A^2*c*i + (B^2*d*i*x + B^2*c*i)*log(e*((b*x + a)/(d*
x + c))^n)^2 + 2*(A*B*d*i*x + A*B*c*i)*log(e*((b*x + a)/(d*x + c))^n))/(b^
2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**2,x
)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x,
algorithm="maxima")
```

output

```
-2*A*B*c*i*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d)*g^
2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) + A^2*d*i*(a/(b^3*g^2*x + a*b^2
*g^2) + log(b*x + a)/(b^2*g^2)) - 2*A*B*c*i*log(e*(b*x/(d*x + c) + a/(d*x
+ c))^n)/(b^2*g^2*x + a*b*g^2) - A^2*c*i/(b^2*g^2*x + a*b*g^2) - ((b*c*i -
 a*d*i)*B^2 - (B^2*b*d*i*x + B^2*a*d*i)*log(b*x + a))*log((d*x + c)^n)^2/(
b^3*g^2*x + a*b^2*g^2) - integrate(-(B^2*b^2*c^2*i*log(e)^2 + (B^2*b^2*d^2
*i*log(e)^2 + 2*A*B*b^2*d^2*i*log(e))*x^2 + (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2
*c*d*i*x + B^2*b^2*c^2*i)*log((b*x + a)^n)^2 + 2*(B^2*b^2*c*d*i*log(e)^2 +
 A*B*b^2*c*d*i*log(e))*x + 2*(B^2*b^2*c^2*i*log(e) + (B^2*b^2*d^2*i*log(e)
 + A*B*b^2*d^2*i)*x^2 + (2*B^2*b^2*c*d*i*log(e) + A*B*b^2*c*d*i)*x)*log((b
*x + a)^n) + 2*((a*b*c*d*i*n - a^2*d^2*i*n - b^2*c^2*i*log(e))*B^2 - (B^2*
b^2*d^2*i*log(e) + A*B*b^2*d^2*i)*x^2 - (A*B*b^2*c*d*i + (a*b*d^2*i*n - (i
*n - 2*i*log(e))*b^2*c*d)*B^2)*x - (B^2*b^2*d^2*i*n*x^2 + 2*B^2*a*b*d^2*i*
n*x + B^2*a^2*d^2*i*n)*log(b*x + a) - (B^2*b^2*d^2*i*x^2 + 2*B^2*b^2*c*d*i
*x + B^2*b^2*c^2*i)*log((b*x + a)^n))*log((d*x + c)^n))/(b^4*d*g^2*x^3 + a
^2*b^2*c*g^2 + (b^4*c*g^2 + 2*a*b^3*d*g^2)*x^2 + (2*a*b^3*c*g^2 + a^2*b^2*
d*g^2)*x), x)
```

Giac [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x,
algorithm="giac")
```

output

```
integrate((d*i*x + c*i)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(b*g*x +
a*g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
^2,x)
```

output
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output

```
(i*(int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x
**2),x)*a**3*b**4*d**2 - int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a*
*2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*c*d + int((log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**5*d**2*x - int((l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*
b**6*c*d*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x
 + b**2*x**2),x)*a**4*b**3*d**2 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**4*c*d + 2*int((log(((a + b*x)*
*n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**4*d**2*x -
2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),
x)*a**2*b**5*c*d*x + log(a + b*x)*a**5*d**2 - log(a + b*x)*a**4*b*c*d + lo
g(a + b*x)*a**4*b*d**2*x - log(a + b*x)*a**3*b**2*c*d*x + 2*log(a + b*x)*a
**2*b**3*c**2*n + 2*log(a + b*x)*a*b**4*c**2*n**2 + 2*log(a + b*x)*a*b**4*
c**2*n*x + 2*log(a + b*x)*b**5*c**2*n**2*x - 2*log(c + d*x)*a**2*b**3*c**2
*n - 2*log(c + d*x)*a*b**4*c**2*n**2 - 2*log(c + d*x)*a*b**4*c**2*n*x - 2*
log(c + d*x)*b**5*c**2*n**2*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b*
*4*c**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c*d*x + 2*log(((a +
 b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c*d*x - 2*log(((a + b*x)**n*e)/(c + d*
x)**n)*a*b**4*c**2*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*c*d*n*x
 - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**5*c**2*n*x - a**4*b*d**2*x +...
```

3.165 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result . . . 1858
Mathematica [C] (verified) . . . 1859
Rubi [A] (verified) . . . 1860
Maple [B] (verified) . . . 1861
Fricas [B] (verification not implemented) . . . 1862
Sympy [F] . . . 1863
Maxima [B] (verification not implemented) . . . 1864
Giac [A] (verification not implemented) . . . 1865
Mupad [B] (verification not implemented) . . . 1865
Reduce [B] (verification not implemented) . . . 1866

Optimal result

Integrand size = 43, antiderivative size = 151

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = -\frac{B^2in^2(c+dx)^2}{4(bc-ad)g^3(a+bx)^2} - \frac{Bin(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)g^3(a+bx)^2} - \frac{i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)g^3(a+bx)^2}$$

output

```
-1/4*B^2*i*n^2*(d*x+c)^2/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*B*i*n*(d*x+c)^2*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/g^3/(b*x+a)^2-1/2*i*(d*x+c)^2*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/g^3/(b*x+a)^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.94 (sec) , antiderivative size = 801, normalized size of antiderivative = 5.30

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx =$$

$$-\frac{i\Big(2(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2-4d(-bc+ad)(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+4Bdn(a+$$

input
```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)^3,x]
```

output
```
-1/4*(i*(2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - 4*d*(-(b*c) + a*d)*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 4*B*d*n*(a + b*x)*(2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d*(a + b*x)*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*d*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + 2*B*n*(b*c - a*d + d*(a + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) - B*d*n*(a + b*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + B*d*n*(a + b*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + B*n*(2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d*(-(b*c) + a*d)*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 4*d^2*(a + b*x)^2*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 4*B*d*n*(a + b*x)*(b*c - a*d + d*(a + b*x)*Log[a + b*x] - d*(a + b*x)*Log[c + d*x]) + B*n*((b*c - a*d)^2 + 2*d*(-(b*c) + a*d)*(a + b*x) - 2*d^2*(a + b*x)^2*Log[a + b*x] + 2*d^2*(a + b*x)^2*Log[c + d*x]) + 2*B*d^2*n*(a + b*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) - 2*B*d^2*n*(a + b*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(b^2*(b*c - a*d)*g^3*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 122, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{g^3(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{i\left(Bn\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx} - \frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}\right)}{g^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i\left(Bn\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} - \frac{Bn(c+dx)^2}{4(a+bx)^2}\right) - \frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}\right)}{g^3(bc-ad)}$$

input

```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)
^3,x]
```

output

```
(i*(-1/2*((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x)^
2 + B*n*(-1/4*(B*n*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[e*((
a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2))))/((b*c - a*d)*g^3)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Free
Q[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 529 vs. 2(145) = 290.

Time = 4.81 (sec) , antiderivative size = 530, normalized size of antiderivative = 3.51

method	result
parallelrisch	$-\frac{2AB\,a^2b^2d^3in^2-2AB\,b^4c^2din^2+2B^2xab^3d^3in^3-2B^2xb^4cd^2in^3-2B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^4c^2din-2B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b$

input

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x,method=_
RETURNVERBOSE)
```

output

```
-1/4*(2*A*B*a^2*b^2*d^3*i*n^2-2*A*B*b^4*c^2*d*i*n^2+2*B^2*x*a*b^3*d^3*i*n^
3-2*B^2*x*b^4*c*d^2*i*n^3-2*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^4*c^2*d*i*n-
2*B^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c^2*d*i*n^2-8*A*B*x*ln(e*((b*x+a)/(d*x
+c))^n)*b^4*c*d^2*i*n-4*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*i*n-4*B^
2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^4*c*d^2*i*n-4*B^2*x*ln(e*((b*x+a)/(d*x+c
))^n)*b^4*c*d^2*i*n^2+4*A*B*x*a*b^3*d^3*i*n^2-4*A*B*x*b^4*c*d^2*i*n^2-4*A*
B*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c^2*d*i*n+B^2*a^2*b^2*d^3*i*n^3-B^2*b^4*c^
2*d*i*n^3+2*A^2*a^2*b^2*d^3*i*n-2*A^2*b^4*c^2*d*i*n+4*A^2*x*a*b^3*d^3*i*n-
4*A^2*x*b^4*c*d^2*i*n-2*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^4*d^3*i*n-2*
B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*i*n^2)/g^3/(b*x+a)^2/b^4/d/n/(a*
d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 600 vs. $2(145) = 290$.

Time $= 0.10$ (sec) , antiderivative size $= 600$, normalized size of antiderivative $= 3.97$

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx =$$

$$-\frac{(B^2b^2c^2-B^2a^2d^2)in^2+2\left(ABb^2c^2-ABa^2d^2\right)in+2\left(2\left(B^2b^2cd-B^2abd^2\right)ix+\left(B^2b^2c^2-B^2a^2d^2\right)i\right)$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x,
algorithm="fricas")
```

output

```
-1/4*((B^2*b^2*c^2 - B^2*a^2*d^2)*i*n^2 + 2*(A*B*b^2*c^2 - A*B*a^2*d^2)*i*
n + 2*(2*(B^2*b^2*c*d - B^2*a*b*d^2)*i*x + (B^2*b^2*c^2 - B^2*a^2*d^2)*i)*
log(e)^2 + 2*(B^2*b^2*d^2*i*n^2*x^2 + 2*B^2*b^2*c*d*i*n^2*x + B^2*b^2*c^2*
i*n^2)*log((b*x + a)/(d*x + c))^2 + 2*(A^2*b^2*c^2 - A^2*a^2*d^2)*i + 2*((
B^2*b^2*c*d - B^2*a*b*d^2)*i*n^2 + 2*(A*B*b^2*c*d - A*B*a*b*d^2)*i*n + 2*(
A^2*b^2*c*d - A^2*a*b*d^2)*i)*x + 2*((B^2*b^2*c^2 - B^2*a^2*d^2)*i*n + 2*(
A*B*b^2*c^2 - A*B*a^2*d^2)*i + 2*((B^2*b^2*c*d - B^2*a*b*d^2)*i*n + 2*(A*B
*b^2*c*d - A*B*a*b*d^2)*i)*x + 2*(B^2*b^2*d^2*i*n*x^2 + 2*B^2*b^2*c*d*i*n*
x + B^2*b^2*c^2*i*n)*log((b*x + a)/(d*x + c)))*log(e) + 2*(B^2*b^2*c^2*i*n
^2 + 2*A*B*b^2*c^2*i*n + (B^2*b^2*d^2*i*n^2 + 2*A*B*b^2*d^2*i*n)*x^2 + 2*(
B^2*b^2*c*d*i*n^2 + 2*A*B*b^2*c*d*i*n)*x)*log((b*x + a)/(d*x + c)))/((b^5*
c - a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^
2*d)*g^3)
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$$

$$= \frac{i\left(\int \frac{A^2c}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{A^2dx}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{B^2c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2ABc\log\left(e\left(\frac{a}{c+dx}+\right.\right.\right.}{a^3+3a^2bx+3ab^2x}}{g^3}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**3,x
)
```

output

```
i*(Integral(A**2*c/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + I
ntegral(A**2*d*x/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Int
egral(B**2*c*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a**3 + 3*a**2*b*x
 + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*c*log(e*(a/(c + d*x) +
b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + I
ntegral(B**2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a**3 + 3*a**2
*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*d*x*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x))/g**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2017 vs. $2(145) = 290$.

Time $= 0.14$ (sec) , antiderivative size $= 2017$, normalized size of antiderivative $= 13.36$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^3}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x,
algorithm="maxima")
```

output

```
-1/2*A*B*d*i*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c - a*b^4*
d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3)
+ 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*
g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*
d^2)*g^3)) + 1/2*A*B*c*i*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3
*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) + 2*d^2*
log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c
)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - 1/2*(2*b*x + a)*B^2*d*i*log
(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b
^2*g^3) + 1/4*(2*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)*g^3*x^2 + 2
*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) + 2*d^2*log(b*x
+ a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x + c)/((b^3*
c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
) - (b^2*c^2 - 8*a*b*c*d + 7*a^2*d^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*
d^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(d*x + c)
^2 - 6*(b^2*c*d - a*b*d^2)*x - 6*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log
(b*x + a) + 2*(3*b^2*d^2*x^2 + 6*a*b*d^2*x + 3*a^2*d^2 - 2*(b^2*d^2*x^2 +
2*a*b*d^2*x + a^2*d^2)*log(b*x + a))*log(d*x + c))*n^2/(a^2*b^3*c^2*g^3 -
2*a^3*b^2*c*d*g^3 + a^4*b*d^2*g^3 + (b^5*c^2*g^3 - 2*a*b^4*c*d*g^3 + a^2*b
^3*d^2*g^3)*x^2 + 2*(a*b^4*c^2*g^3 - 2*a^2*b^3*c*d*g^3 + a^3*b^2*d^2*g^...
```

Giac [A] (verification not implemented)

Time = 1.51 (sec) , antiderivative size = 195, normalized size of antiderivative = 1.29

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx =$$
$$-\frac{1}{4}\left(\frac{2\,(dx+c)^2B^2in^2\log\left(\frac{bx+a}{dx+c}\right)^2}{(bx+a)^2g^3}+\frac{2\,(B^2in^2+2\,B^2in\log(e)+2\,ABin)(dx+c)^2\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)^2g^3}+\frac{(B^2in$$

input
```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x,
algorithm="giac")
```

output
```
-1/4*(2*(d*x + c)^2*B^2*i*n^2*log((b*x + a)/(d*x + c))^2/((b*x + a)^2*g^3)
 + 2*(B^2*i*n^2 + 2*B^2*i*n*log(e) + 2*A*B*i*n)*(d*x + c)^2*log((b*x + a)/
(d*x + c))/((b*x + a)^2*g^3) + (B^2*i*n^2 + 2*B^2*i*n*log(e) + 2*B^2*i*log
(e)^2 + 2*A*B*i*n + 4*A*B*i*log(e) + 2*A^2*i)*(d*x + c)^2/((b*x + a)^2*g^3
))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.52 (sec) , antiderivative size = 561, normalized size of antiderivative = 3.72

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$$
$$= -\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2\left(\frac{\frac{B^2ci}{2b}+\frac{B^2dix}{b}+\frac{B^2adi}{2b^2}}{a^2g^3+2abg^3x+b^2g^3x^2}-\frac{B^2d^2i}{2b^2g^3\,(ad-bc)}\right)$$
$$-\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{ABadi+ABbci-B^2adin+B^2bcin+2ABbdix}{a^2b^2g^3+2ab^3g^3x+b^4g^3x^2}\right.$$
$$\left.+\frac{B^2d^2i\left(\frac{ab^2g^3n(ad-bc)}{2d}+\frac{b^3g^3nx(ad-bc)}{d}+\frac{b^2g^3n(ad-bc)(2ad-bc)}{2d^2}\right)}{b^2g^3\,(ad-bc)\,(a^2b^2g^3+2ab^3g^3x+b^4g^3x^2)}\right)$$
$$-\frac{x\,(2bdiA^2+2bdiABn+bdiB^2n^2)+A^2adi+A^2bci+\frac{B^2adin^2}{2}+\frac{B^2bcin^2}{2}+ABadin+AB}{2a^2b^2g^3+4ab^3g^3x+2b^4g^3x^2}$$
$$-\frac{Bd^2in\,\mathrm{atan}\left(\frac{B\,d^2\,i\,n\,(2A+Bn)\left(\frac{cb^3g^3+adb^2g^3}{b^2g^3}+2bdx\right)1\mathrm{i}}{(ad-bc)\,(iB^2d^2n^2+2AiBd^2n)}\right)(2A+Bn)\,1\mathrm{i}}{b^2g^3\,(ad-bc)}$$

input
```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
^3,x)
```

output
```
- log(e*((a + b*x)/(c + d*x))^n)^2*(((B^2*c*i)/(2*b) + (B^2*d*i*x)/b + (B^
2*a*d*i)/(2*b^2))/(a^2*g^3 + b^2*g^3*x^2 + 2*a*b*g^3*x) - (B^2*d^2*i)/(2*b
^2*g^3*(a*d - b*c))) - log(e*((a + b*x)/(c + d*x))^n)*((A*B*a*d*i + A*B*b*
c*i - B^2*a*d*i*n + B^2*b*c*i*n + 2*A*B*b*d*i*x)/(a^2*b^2*g^3 + b^4*g^3*x^
2 + 2*a*b^3*g^3*x) + (B^2*d^2*i*((a*b^2*g^3*n*(a*d - b*c))/(2*d) + (b^3*g^
3*n*x*(a*d - b*c))/d + (b^2*g^3*n*(a*d - b*c)*(2*a*d - b*c))/(2*d^2)))/(b^
2*g^3*(a*d - b*c)*(a^2*b^2*g^3 + b^4*g^3*x^2 + 2*a*b^3*g^3*x))) - (x*(2*A^
2*b*d*i + B^2*b*d*i*n^2 + 2*A*B*b*d*i*n) + A^2*a*d*i + A^2*b*c*i + (B^2*a*
d*i*n^2)/2 + (B^2*b*c*i*n^2)/2 + A*B*a*d*i*n + A*B*b*c*i*n)/(2*a^2*b^2*g^3
 + 2*b^4*g^3*x^2 + 4*a*b^3*g^3*x) - (B*d^2*i*n*atan((B*d^2*i*n*(2*A + B*n)
*((b^3*c*g^3 + a*b^2*d*g^3)/(b^2*g^3) + 2*b*d*x)*1i)/((a*d - b*c)*(B^2*d^2
*i*n^2 + 2*A*B*d^2*i*n)))*(2*A + B*n)*1i)/(b^2*g^3*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 750, normalized size of antiderivative = 4.97

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

output

```
(i*(4*log(a + b*x)*a**3*b*c*d*n + 2*log(a + b*x)*a**2*b**2*c*d*n**2 + 8*lo
g(a + b*x)*a**2*b**2*c*d*n*x + 4*log(a + b*x)*a*b**3*c*d*n**2*x + 4*log(a
+ b*x)*a*b**3*c*d*n*x**2 + 2*log(a + b*x)*b**4*c*d*n**2*x**2 - 4*log(c + d
*x)*a**3*b*c*d*n - 2*log(c + d*x)*a**2*b**2*c*d*n**2 - 8*log(c + d*x)*a**2
*b**2*c*d*n*x - 4*log(c + d*x)*a*b**3*c*d*n**2*x - 4*log(c + d*x)*a*b**3*c
*d*n*x**2 - 2*log(c + d*x)*b**4*c*d*n**2*x**2 + 2*log(((a + b*x)**n*e)/(c
+ d*x)**n)**2*a*b**3*c**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3
*c*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*d**2*x**2 - 4*log(
((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d + 4*log(((a + b*x)**n*e)/(c + d*
x)**n)*a**2*b**2*c**2 - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*d
*n + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d**2*x**2 + 2*log(((a
+ b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*n - 4*log(((a + b*x)**n*e)/(c + d*x
)**n)*a*b**3*c*d*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**2*n
*x**2 - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c*d*n*x**2 - 2*a**4*c*d
+ 2*a**3*b*c**2 - 2*a**3*b*c*d*n + 2*a**3*b*d**2*x**2 + 2*a**2*b**2*c**2*n
 - a**2*b**2*c*d*n**2 - 2*a**2*b**2*c*d*x**2 + 2*a**2*b**2*d**2*n*x**2 + a
*b**3*c**2*n**2 - 2*a*b**3*c*d*n*x**2 + a*b**3*d**2*n**2*x**2 - b**4*c*d*n
**2*x**2))/(4*a*b*g**3*(a**3*d - a**2*b*c + 2*a**2*b*d*x - 2*a*b**2*c*x +
a*b**2*d*x**2 - b**3*c*x**2))
```

3.166 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$

Optimal result . . . 1868
Mathematica [C] (verified) . . . 1869
Rubi [A] (verified) . . . 1870
Maple [B] (verified) . . . 1872
Fricas [B] (verification not implemented) . . . 1873
Sympy [F] . . . 1874
Maxima [B] (verification not implemented) . . . 1875
Giac [A] (verification not implemented) . . . 1876
Mupad [B] (verification not implemented) . . . 1877
Reduce [B] (verification not implemented) . . . 1878

Optimal result

Integrand size = 43, antiderivative size = 307

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx &= \frac{B^2din^2(c+dx)^2}{4(bc-ad)^2g^4(a+bx)^2}\\ &\quad-\frac{2bB^2in^2(c+dx)^3}{27(bc-ad)^2g^4(a+bx)^3}\\ &\quad+\frac{Bdin(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^2g^4(a+bx)^2}\\ &\quad-\frac{2bBin(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^2g^4(a+bx)^3}\\ &\quad+\frac{di(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^2g^4(a+bx)^2}\\ &\quad-\frac{bi(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^2g^4(a+bx)^3}\end{aligned}$$

output

```
1/4*B^2*d*i*n^2*(d*x+c)^2/(-a*d+b*c)^2/g^4/(b*x+a)^2-2/27*b*B^2*i*n^2*(d*x
+c)^3/(-a*d+b*c)^2/g^4/(b*x+a)^3+1/2*B*d*i*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/
(d*x+c))^n))/(-a*d+b*c)^2/g^4/(b*x+a)^2-2/9*b*B*i*n*(d*x+c)^3*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/(-a*d+b*c)^2/g^4/(b*x+a)^3+1/2*d*i*(d*x+c)^2*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g^4/(b*x+a)^2-1/3*b*i*(d*x+c)^3*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g^4/(b*x+a)^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.14 (sec) , antiderivative size = 1082, normalized size of antiderivative = 3.52

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g +
b*g*x)^4,x]
```

output

```
-1/108*(i*(36*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 54*
d*(b*c - a*d)^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 2*B*n
*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3*n - 18*A*d*(b*c - a*d)^2*(a + b*x
) - 15*B*d*(b*c - a*d)^2*n*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a + b*x)^2 +
66*B*d^2*(b*c - a*d)*n*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a + b*x] + 6
6*B*d^3*n*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*n*(a + b*x)^3*Log[a + b*x]^2
 + 12*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n] - 18*B*d*(b*c - a*d)^
2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^2*(b*c - a*d)*(a + b*x
)^2*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log
[e*((a + b*x)/(c + d*x))^n] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3
*n*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*n*(a + b*x)^3*Log[(d*(a + b*x))/(-(
b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[e*((a + b*x)/(c + d*x
))^n]*Log[c + d*x] - 18*B*d^3*n*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*n*(a
 + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*n*(a + b*
x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*n*(a + b*x)^3*Pol
yLog[2, (b*(c + d*x))/(b*c - a*d)]) + 27*B*d*n*(a + b*x)*(2*(b*c - a*d)^2*
(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d*(-(b*c) + a*d)*(a + b*x)*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n]) - 4*d^2*(a + b*x)^2*Log[a + b*x]*(A + B
*Log[e*((a + b*x)/(c + d*x))^n]) + 4*d^2*(a + b*x)^2*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])*Log[c + d*x] - 4*B*d*n*(a + b*x)*(b*c - a*d + d*(a + ...
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 238, normalized size of antiderivative = 0.78, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4}\,dx$$

$$\downarrow \text{2961}$$

$$\frac{i\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow \text{2795}$$

$$\frac{i\int\left(\frac{b(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}-\frac{d(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}}{g^4(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i\left(-\frac{b(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}-\frac{2bBn(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{9(a+bx)^3}+\frac{d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}+\frac{Bdn(c+dx)^2\left(\right.}{g^4(bc-ad)^2}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)
^4,x]
```

output
```
(i*((B^2*d*n^2*(c + d*x)^2)/(4*(a + b*x)^2) - (2*b*B^2*n^2*(c + d*x)^3)/(2
7*(a + b*x)^3) + (B*d*n*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
)/(2*(a + b*x)^2) - (2*b*B*n*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(9*(a + b*x)^3) + (d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2)/(2*(a + b*x)^2) - (b*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^2)/(3*(a + b*x)^3)))/((b*c - a*d)^2*g^4)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1098 vs. $2(295) = 590$.

Time = 10.21 (sec) , antiderivative size = 1099, normalized size of antiderivative = 3.58

method	result	size
parallelrisch	Expression too large to display	1099

input

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x,method=_
RETURNVERBOSE)
```

output

```
-1/108*(18*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^2*d^2*i*n^2+8*B^2*b^6*c^3
*d*i*n^3+18*A^2*a^3*b^3*d^4*i*n+36*A^2*b^6*c^3*d*i*n-54*B^2*x*a*b^5*c*d^3*
i*n^3+90*A*B*x*a^2*b^4*d^4*i*n^2+18*A*B*x*b^6*c^2*d^2*i*n^2-54*B^2*ln(e*((
b*x+a)/(d*x+c))^n)^2*a*b^5*c^2*d^2*i*n-54*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a*
b^5*c^2*d^2*i*n^2-108*A^2*x*a*b^5*c*d^3*i*n+72*A*B*ln(e*((b*x+a)/(d*x+c))^
n)*b^6*c^3*d*i*n-27*B^2*a*b^5*c^2*d^2*i*n^3+30*A*B*a^3*b^3*d^4*i*n^2+24*A*
B*b^6*c^3*d*i*n^2-54*A^2*a*b^5*c^2*d^2*i*n-36*A*B*x^3*ln(e*((b*x+a)/(d*x+c
))^n)*b^6*d^4*i*n-54*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*d^4*i*n-54*
B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*d^4*i*n^2-36*B^2*x^2*ln(e*((b*x+a)
/(d*x+c))^n)*b^6*c*d^3*i*n^2+36*A*B*x^2*a*b^5*d^4*i*n^2-36*A*B*x^2*b^6*c*d
^3*i*n^2+54*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^6*c^2*d^2*i*n-54*A*B*a*b^5
*c^2*d^2*i*n^2+19*B^2*a^3*b^3*d^4*i*n^3-108*A*B*x^2*ln(e*((b*x+a)/(d*x+c))
^n)*a*b^5*d^4*i*n-108*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*c*d^3*i*n-10
8*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c*d^3*i*n^2+108*A*B*x*ln(e*((b*x+a
)/(d*x+c))^n)*b^6*c^2*d^2*i*n-108*A*B*x*a*b^5*c*d^3*i*n^2-108*A*B*ln(e*((b
*x+a)/(d*x+c))^n)*a*b^5*c^2*d^2*i*n-18*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2
*b^6*d^4*i*n-30*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^6*d^4*i*n^2+30*B^2*x^2
*a*b^5*d^4*i*n^3-30*B^2*x^2*b^6*c*d^3*i*n^3+57*B^2*x*a^2*b^4*d^4*i*n^3-3*B
^2*x*b^6*c^2*d^2*i*n^3+36*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^6*c^3*d*i*n+24
*B^2*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^3*d*i*n^2+54*A^2*x*a^2*b^4*d^4*i*n...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1167 vs. $2(295) = 590$.

Time $= 0.12$ (sec) , antiderivative size $= 1167$, normalized size of antiderivative $= 3.80$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x,
algorithm="fricas")
```

output

```
-1/108*((8*B^2*b^3*c^3 - 27*B^2*a*b^2*c^2*d + 19*B^2*a^3*d^3)*i*n^2 + 6*(4
*A*B*b^3*c^3 - 9*A*B*a*b^2*c^2*d + 5*A*B*a^3*d^3)*i*n - 6*(5*(B^2*b^3*c*d^
2 - B^2*a*b^2*d^3)*i*n^2 + 6*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*i*n)*x^2 + 18
*(3*(B^2*b^3*c^2*d - 2*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3)*i*x + (2*B^2*b^3*c
^3 - 3*B^2*a*b^2*c^2*d + B^2*a^3*d^3)*i)*log(e)^2 - 18*(B^2*b^3*d^3*i*n^2*
x^3 + 3*B^2*a*b^2*d^3*i*n^2*x^2 - 3*(B^2*b^3*c^2*d - 2*B^2*a*b^2*c*d^2)*i*
n^2*x - (2*B^2*b^3*c^3 - 3*B^2*a*b^2*c^2*d)*i*n^2)*log((b*x + a)/(d*x + c)
)^2 + 18*(2*A^2*b^3*c^3 - 3*A^2*a*b^2*c^2*d + A^2*a^3*d^3)*i - 3*((B^2*b^3
*c^2*d + 18*B^2*a*b^2*c*d^2 - 19*B^2*a^2*b*d^3)*i*n^2 - 6*(A*B*b^3*c^2*d -
 6*A*B*a*b^2*c*d^2 + 5*A*B*a^2*b*d^3)*i*n - 18*(A^2*b^3*c^2*d - 2*A^2*a*b^
2*c*d^2 + A^2*a^2*b*d^3)*i)*x - 6*(6*(B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*i*n*x
^2 - (4*B^2*b^3*c^3 - 9*B^2*a*b^2*c^2*d + 5*B^2*a^3*d^3)*i*n - 6*(2*A*B*b^
3*c^3 - 3*A*B*a*b^2*c^2*d + A*B*a^3*d^3)*i - 3*((B^2*b^3*c^2*d - 6*B^2*a*b
^2*c*d^2 + 5*B^2*a^2*b*d^3)*i*n + 6*(A*B*b^3*c^2*d - 2*A*B*a*b^2*c*d^2 + A
*B*a^2*b*d^3)*i)*x + 6*(B^2*b^3*d^3*i*n*x^3 + 3*B^2*a*b^2*d^3*i*n*x^2 - 3*
(B^2*b^3*c^2*d - 2*B^2*a*b^2*c*d^2)*i*n*x - (2*B^2*b^3*c^3 - 3*B^2*a*b^2*c
^2*d)*i*n)*log((b*x + a)/(d*x + c)))*log(e) + 6*((4*B^2*b^3*c^3 - 9*B^2*a*
b^2*c^2*d)*i*n^2 - (5*B^2*b^3*d^3*i*n^2 + 6*A*B*b^3*d^3*i*n)*x^3 + 6*(2*A*
B*b^3*c^3 - 3*A*B*a*b^2*c^2*d)*i*n - 3*(6*A*B*a*b^2*d^3*i*n + (2*B^2*b^3*c
*d^2 + 3*B^2*a*b^2*d^3)*i*n^2)*x^2 + 3*((B^2*b^3*c^2*d - 6*B^2*a*b^2*c*...
```

Sympy [F]

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$$

$$= \frac{i\left(\int \frac{A^2c}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{A^2dx}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{B^2c\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx -}{g}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**4,x
)
```

output

```
i*(Integral(A**2*c/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 +
 b**4*x**4), x) + Integral(A**2*d*x/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2
+ 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B**2*c*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n)**2/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3
+ b**4*x**4), x) + Integral(2*A*B*c*log(e*(a/(c + d*x) + b*x/(c + d*x))**n
)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) +
 Integral(B**2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a**4 + 4*a*
*3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(2*A*
B*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*
b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x))/g**4
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3312 vs. $2(295) = 590$.

Time $= 0.23$ (sec) , antiderivative size $= 3312$, normalized size of antiderivative $= 10.79$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x,
algorithm="maxima")
```

output

```
-1/9*A*B*c*i*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b
^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*
(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3
*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*
g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^
3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c
*d^2 - a^3*b*d^3)*g^4)) - 1/18*A*B*d*i*n*((5*a*b^2*c^2 - 22*a^2*b*c*d + 5*
a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c^2 - 16*a*b^2*c*d + 5*
a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)*g^4*x^3 + 3*(a*b^6*c^
2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^5*c^2 - 2*a^3*b^4*c*d
+ a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d + a^5*b^2*d^2)*g^4) -
6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b^3*c
*d^2 - a^3*b^2*d^3)*g^4) + 6*(3*b*c*d^2 - a*d^3)*log(d*x + c)/((b^5*c^3 -
3*a*b^4*c^2*d + 3*a^2*b^3*c*d^2 - a^3*b^2*d^3)*g^4)) - 1/6*(3*b*x + a)*B^2
*d*i*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2/(b^5*g^4*x^3 + 3*a*b^4*g^4*x
^2 + 3*a^2*b^3*g^4*x + a^3*b^2*g^4) - 1/54*(6*n*((6*b^2*d^2*x^2 + 2*b^2*c^
2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^
5*c*d + a^2*b^4*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)
*g^4*x^2 + 3*(a^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*
c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - ...
```

Giac [A] (verification not implemented)

Time = 2.15 (sec) , antiderivative size = 501, normalized size of antiderivative = 1.63

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx =$$

$$-\frac{1}{108}\left(\frac{18\left(2\,B^2bin^2-\frac{3\,(bx+a)B^2din^2}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)^2}{\frac{(bx+a)^3bcg^4}{(dx+c)^3}-\frac{(bx+a)^3adg^4}{(dx+c)^3}}+\frac{6\left(4\,B^2bin^2-\frac{9\,(bx+a)B^2din^2}{dx+c}+12\,B^2bin\log(e)-\frac{18}{\frac{(bx+a)^3bcg}{(dx+c)^3}}\right.\right.$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x,
algorithm="giac")
```

output

```
-1/108*(18*(2*B^2*b*i*n^2 - 3*(b*x + a)*B^2*d*i*n^2/(d*x + c))*log((b*x +
a)/(d*x + c))^2/((b*x + a)^3*b*c*g^4/(d*x + c)^3 - (b*x + a)^3*a*d*g^4/(d*
x + c)^3) + 6*(4*B^2*b*i*n^2 - 9*(b*x + a)*B^2*d*i*n^2/(d*x + c) + 12*B^2*
b*i*n*log(e) - 18*(b*x + a)*B^2*d*i*n*log(e)/(d*x + c) + 12*A*B*b*i*n - 18
*(b*x + a)*A*B*d*i*n/(d*x + c))*log((b*x + a)/(d*x + c))/((b*x + a)^3*b*c*
g^4/(d*x + c)^3 - (b*x + a)^3*a*d*g^4/(d*x + c)^3) + (8*B^2*b*i*n^2 - 27*(
b*x + a)*B^2*d*i*n^2/(d*x + c) + 24*B^2*b*i*n*log(e) - 54*(b*x + a)*B^2*d*
i*n*log(e)/(d*x + c) + 36*B^2*b*i*log(e)^2 - 54*(b*x + a)*B^2*d*i*log(e)^2
/(d*x + c) + 24*A*B*b*i*n - 54*(b*x + a)*A*B*d*i*n/(d*x + c) + 72*A*B*b*i*
log(e) - 108*(b*x + a)*A*B*d*i*log(e)/(d*x + c) + 36*A^2*b*i - 54*(b*x + a
)*A^2*d*i/(d*x + c))/((b*x + a)^3*b*c*g^4/(d*x + c)^3 - (b*x + a)^3*a*d*g^
4/(d*x + c)^3))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 28.89 (sec) , antiderivative size = 993, normalized size of antiderivative = 3.23

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
^4,x)
```

output

```
- ((18*A^2*a^2*d^2*i - 36*A^2*b^2*c^2*i + 19*B^2*a^2*d^2*i*n^2 - 8*B^2*b^2
*c^2*i*n^2 + 30*A*B*a^2*d^2*i*n - 24*A*B*b^2*c^2*i*n + 18*A^2*a*b*c*d*i +
19*B^2*a*b*c*d*i*n^2 + 30*A*B*a*b*c*d*i*n)/(6*(a*d - b*c)) + (x*(18*A^2*a*
b*d^2*i - 18*A^2*b^2*c*d*i + 19*B^2*a*b*d^2*i*n^2 + B^2*b^2*c*d*i*n^2 + 30
*A*B*a*b*d^2*i*n - 6*A*B*b^2*c*d*i*n))/(2*(a*d - b*c)) + (x^2*(5*B^2*b^2*d
^2*i*n^2 + 6*A*B*b^2*d^2*i*n))/(a*d - b*c))/(18*a^3*b^2*g^4 + 18*b^5*g^4*x
^3 + 54*a^2*b^3*g^4*x + 54*a*b^4*g^4*x^2) - log(e*((a + b*x)/(c + d*x))^n)
^2*(((B^2*c*i)/(3*b) + (B^2*d*i*x)/(2*b) + (B^2*a*d*i)/(6*b^2))/(a^3*g^4 +
 b^3*g^4*x^3 + 3*a*b^2*g^4*x^2 + 3*a^2*b*g^4*x) - (B^2*d^3*i)/(6*b^2*g^4*(
a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) - log(e*((a + b*x)/(c + d*x))^n)*((A*B*a*
d*i + 2*A*B*b*c*i - B^2*a*d*i*n + B^2*b*c*i*n + 3*A*B*b*d*i*x)/(3*a^3*b^2*
g^4 + 3*b^5*g^4*x^3 + 9*a^2*b^3*g^4*x + 9*a*b^4*g^4*x^2) + (B^2*d^3*i*(x*(
b*((a*b^2*g^4*n*(a*d - b*c))/d + (b^2*g^4*n*(a*d - b*c)*(3*a*d - b*c))/(2*
d^2)) + (2*a*b^3*g^4*n*(a*d - b*c))/d + (b^3*g^4*n*(a*d - b*c)*(3*a*d - b*
c))/d^2) + a*((a*b^2*g^4*n*(a*d - b*c))/d + (b^2*g^4*n*(a*d - b*c)*(3*a*d
- b*c))/(2*d^2)) + (3*b^4*g^4*n*x^2*(a*d - b*c))/d + (b^2*g^4*n*(a*d - b*c
)*(3*a^2*d^2 + b^2*c^2 - 3*a*b*c*d))/d^3))/(3*b^2*g^4*(a^2*d^2 + b^2*c^2 -
 2*a*b*c*d)*(3*a^3*b^2*g^4 + 3*b^5*g^4*x^3 + 9*a^2*b^3*g^4*x + 9*a*b^4*g^4
*x^2))) - (B*d^3*i*n*atan((B*d^3*i*n*(6*A + 5*B*n)*(2*b*d*x - (b^4*c^2*g^4
 - a^2*b^2*d^2*g^4)/(b^2*g^4*(a*d - b*c)))*1i)/((a*d - b*c)*(5*B^2*d^3*...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 1624, normalized size of antiderivative = 5.29

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x)
```

output

```
(i*(36*log(a + b*x)*a**5*b*d**3*n + 18*log(a + b*x)*a**4*b**2*d**3*n**2 +
108*log(a + b*x)*a**4*b**2*d**3*n*x + 12*log(a + b*x)*a**3*b**3*c*d**2*n**
2 + 54*log(a + b*x)*a**3*b**3*d**3*n**2*x + 108*log(a + b*x)*a**3*b**3*d**
3*n*x**2 + 36*log(a + b*x)*a**2*b**4*c*d**2*n**2*x + 54*log(a + b*x)*a**2*
b**4*d**3*n**2*x**2 + 36*log(a + b*x)*a**2*b**4*d**3*n*x**3 + 36*log(a + b
*x)*a*b**5*c*d**2*n**2*x**2 + 18*log(a + b*x)*a*b**5*d**3*n**2*x**3 + 12*l
og(a + b*x)*b**6*c*d**2*n**2*x**3 - 36*log(c + d*x)*a**5*b*d**3*n - 18*log
(c + d*x)*a**4*b**2*d**3*n**2 - 108*log(c + d*x)*a**4*b**2*d**3*n*x - 12*l
og(c + d*x)*a**3*b**3*c*d**2*n**2 - 54*log(c + d*x)*a**3*b**3*d**3*n**2*x
- 108*log(c + d*x)*a**3*b**3*d**3*n*x**2 - 36*log(c + d*x)*a**2*b**4*c*d**
2*n**2*x - 54*log(c + d*x)*a**2*b**4*d**3*n**2*x**2 - 36*log(c + d*x)*a**2
*b**4*d**3*n*x**3 - 36*log(c + d*x)*a*b**5*c*d**2*n**2*x**2 - 18*log(c + d
*x)*a*b**5*d**3*n**2*x**3 - 12*log(c + d*x)*b**6*c*d**2*n**2*x**3 + 54*log
(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**4*c**2*d + 108*log(((a + b*x)**
n*e)/(c + d*x)**n)**2*a**2*b**4*c*d**2*x + 54*log(((a + b*x)**n*e)/(c + d*
x)**n)**2*a**2*b**4*d**3*x**2 - 36*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a
*b**5*c**3 - 54*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5*c**2*d*x + 18
*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5*d**3*x**3 - 36*log(((a + b*x
)**n*e)/(c + d*x)**n)*a**5*b*d**3 - 18*log(((a + b*x)**n*e)/(c + d*x)**n)*
a**4*b**2*d**3*n - 108*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*b**2*d**...
```

3.167 $\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$

Optimal result . . . 1880
Mathematica [C] (verified) . . . 1881
Rubi [A] (verified) . . . 1882
Maple [B] (verified) . . . 1884
Fricas [B] (verification not implemented) . . . 1885
Sympy [F(-1)] . . . 1886
Maxima [B] (verification not implemented) . . . 1887
Giac [A] (verification not implemented) . . . 1888
Mupad [B] (verification not implemented) . . . 1889
Reduce [B] (verification not implemented) . . . 1890

Optimal result

Integrand size = 43, antiderivative size = 475

$$\begin{aligned}\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx &= -\frac{B^2d^2in^2(c+dx)^2}{4(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{4bB^2din^2(c+dx)^3}{27(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2B^2in^2(c+dx)^4}{32(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{Bd^2in(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{4bBdin(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2Bin(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{8(bc-ad)^3g^5(a+bx)^4}\\ &-\frac{d^2i(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^3g^5(a+bx)^2}\\ &+\frac{2bdi(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^3g^5(a+bx)^3}\\ &-\frac{b^2i(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{4(bc-ad)^3g^5(a+bx)^4}\end{aligned}$$

output

```
-1/4*B^2*d^2*i*n^2*(d*x+c)^2/(-a*d+b*c)^3/g^5/(b*x+a)^2+4/27*b*B^2*d*i*n^2
*(d*x+c)^3/(-a*d+b*c)^3/g^5/(b*x+a)^3-1/32*b^2*B^2*i*n^2*(d*x+c)^4/(-a*d+b
*c)^3/g^5/(b*x+a)^4-1/2*B*d^2*i*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)/(-a*d+b*c)^3/g^5/(b*x+a)^2+4/9*b*B*d*i*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d
*x+c))^n))/(-a*d+b*c)^3/g^5/(b*x+a)^3-1/8*b^2*B*i*n*(d*x+c)^4*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^5/(b*x+a)^4-1/2*d^2*i*(d*x+c)^2*(A+B*ln
(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^5/(b*x+a)^2+2/3*b*d*i*(d*x+c)^3*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^5/(b*x+a)^3-1/4*b^2*i*(d*
x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^5/(b*x+a)^4
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.31 (sec) , antiderivative size = 1319, normalized size of antiderivative = 2.78

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g +
b*g*x)^5,x]
```

output

```
-1/864*(i*(216*(b*c - a*d)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - 28
8*d*(-(b*c) + a*d)^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 +
16*B*d*n*(a + b*x)*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3*n - 18*A*d*(b*c
 - a*d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*n*(a + b*x) + 36*A*d^2*(b*c - a
*d)*(a + b*x)^2 + 66*B*d^2*(b*c - a*d)*n*(a + b*x)^2 + 36*A*d^3*(a + b*x)^
3*Log[a + b*x] + 66*B*d^3*n*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*n*(a + b*x
)^3*Log[a + b*x]^2 + 12*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n] - 1
8*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^2*(b
*c - a*d)*(a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^3*(a + b*x)^
3*Log[a + b*x]*Log[e*((a + b*x)/(c + d*x))^n] - 36*A*d^3*(a + b*x)^3*Log[c
 + d*x] - 66*B*d^3*n*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*n*(a + b*x)^3*Log
[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[e*(
(a + b*x)/(c + d*x))^n]*Log[c + d*x] - 18*B*d^3*n*(a + b*x)^3*Log[c + d*x]
^2 + 36*B*d^3*n*(a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] +
36*B*d^3*n*(a + b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3
*n*(a + b*x)^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 3*B*n*(36*A*(b*c -
 a*d)^4 + 9*B*(b*c - a*d)^4*n + 48*A*d*(-(b*c) + a*d)^3*(a + b*x) + 28*B*d
*(-(b*c) + a*d)^3*n*(a + b*x) + 72*A*d^2*(b*c - a*d)^2*(a + b*x)^2 + 78*B*
d^2*(b*c - a*d)^2*n*(a + b*x)^2 + 144*A*d^3*(-(b*c) + a*d)*(a + b*x)^3 + 3
00*B*d^3*(-(b*c) + a*d)*n*(a + b*x)^3 - 144*A*d^4*(a + b*x)^4*Log[a + b...
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 364, normalized size of antiderivative = 0.77, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^5}\,dx$$

$$\downarrow 2961$$

$$\frac{i\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{i\int\left(\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^5}{(a+bx)^5}-\frac{2bd\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^4}{(a+bx)^4}+\frac{d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^3}{(a+bx)^3}\right)d\frac{a+bx}{c+dx}}{g^5(bc-ad)^3}$$

$$\downarrow \text{2009}$$

$$\frac{i\left(-\frac{b^2(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4(a+bx)^4}-\frac{b^2Bn(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{8(a+bx)^4}-\frac{d^2(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}-\frac{Bd^2n(c+dx}{}\right.}{}$$

input
```
Int[((c*i + d*i*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)
^5,x]
```

output
```
(i*(-1/4*(B^2*d^2*n^2*(c + d*x)^2)/(a + b*x)^2 + (4*b*B^2*d*n^2*(c + d*x)^
3)/(27*(a + b*x)^3) - (b^2*B^2*n^2*(c + d*x)^4)/(32*(a + b*x)^4) - (B*d^2*
n*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + (4
*b*B*d*n*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(9*(a + b*x)^
3) - (b^2*B*n*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(8*(a +
b*x)^4) - (d^2*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a
 + b*x)^2) + (2*b*d*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/
(3*(a + b*x)^3) - (b^2*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2)/(4*(a + b*x)^4)))/((b*c - a*d)^3*g^5)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2219 vs. $2(457) = 914$.

Time = 29.84 (sec) , antiderivative size = 2220, normalized size of antiderivative = 4.67

method	result	size
parallelrisch	Expression too large to display	2220

input

```
int((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x,method=_
RETURNVERBOSE)
```

output

```
1/864*(72*B^2*x^4*ln(e*((b*x+a)/(d*x+c))^n)^2*a^6*b^2*c*d^4*i*n+156*B^2*x^
4*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c*d^4*i*n^2+156*A*B*x^4*a^6*b^2*c*d^4*
i*n^2+864*A^2*x*a^8*c^2*d^3*i*n-864*A^2*x*a^5*b^3*c^5*i*n+144*A*B*x^4*ln(e
*((b*x+a)/(d*x+c))^n)*a^6*b^2*c*d^4*i*n+576*A*B*x^3*ln(e*((b*x+a)/(d*x+c))
^n)*a^7*b*c*d^4*i*n-1728*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b*c^3*d^2*i*n
+576*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^4*d*i*n+115*B^2*x^4*a^6*b^2
*c*d^4*i*n^3-216*B^2*x^4*a^4*b^4*c^3*d^2*i*n^3+128*B^2*x^4*a^3*b^5*c^4*d*i
*n^3-108*A*B*x^4*a^2*b^6*c^5*i*n^2+304*B^2*x^3*a^7*b*c*d^4*i*n^3-27*B^2*x^
4*a^2*b^6*c^5*i*n^3-108*B^2*x^3*a^3*b^5*c^5*i*n^3-216*A^2*x^4*a^2*b^6*c^5*
i*n+1536*A*B*x^3*a^4*b^4*c^4*d*i*n^2+576*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)
*a^7*b*c^2*d^3*i*n^2-72*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^3*d^2*
i*n^2+864*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^8*c*d^4*i*n+576*A*B*x^2*a^7*
b*c^2*d^3*i*n^2-2664*A*B*x^2*a^6*b^2*c^3*d^2*i*n^2+2304*A*B*x^2*a^5*b^3*c^
4*d*i*n^2+216*B^2*x^2*a^8*c*d^4*i*n^3-162*B^2*x^2*a^4*b^4*c^5*i*n^3-864*A^
2*x^3*a^3*b^5*c^5*i*n+432*B^2*x*a^8*c^2*d^3*i*n^3-108*B^2*x*a^5*b^3*c^5*i*
n^3+432*A^2*x^2*a^8*c*d^4*i*n-1296*A^2*x^2*a^4*b^4*c^5*i*n+432*B^2*ln(e*((
b*x+a)/(d*x+c))^n)^2*a^8*c^3*d^2*i*n+216*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a
^6*b^2*c^5*i*n+432*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^8*c^3*d^2*i*n^2+108*B^2
*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^5*i*n^2+432*A*B*ln(e*((b*x+a)/(d*x+c)
)^n)*a^6*b^2*c^5*i*n-864*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^7*b*c^3*d^...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1868 vs. $2(457) = 914$.

Time $= 0.15$ (sec) , antiderivative size $= 1868$, normalized size of antiderivative $= 3.93$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x,
algorithm="fricas")
```

output

```
-1/864*((27*B^2*b^4*c^4 - 128*B^2*a*b^3*c^3*d + 216*B^2*a^2*b^2*c^2*d^2 -
115*B^2*a^4*d^4)*i*n^2 + 12*(13*(B^2*b^4*c*d^3 - B^2*a*b^3*d^4)*i*n^2 + 12
*(A*B*b^4*c*d^3 - A*B*a*b^3*d^4)*i*n)*x^3 + 12*(9*A*B*b^4*c^4 - 32*A*B*a*b
^3*c^3*d + 36*A*B*a^2*b^2*c^2*d^2 - 13*A*B*a^4*d^4)*i*n - 6*((B^2*b^4*c^2*
d^2 - 80*B^2*a*b^3*c*d^3 + 79*B^2*a^2*b^2*d^4)*i*n^2 + 12*(A*B*b^4*c^2*d^2
 - 8*A*B*a*b^3*c*d^3 + 7*A*B*a^2*b^2*d^4)*i*n)*x^2 + 72*(4*(B^2*b^4*c^3*d
- 3*B^2*a*b^3*c^2*d^2 + 3*B^2*a^2*b^2*c*d^3 - B^2*a^3*b*d^4)*i*x + (3*B^2*
b^4*c^4 - 8*B^2*a*b^3*c^3*d + 6*B^2*a^2*b^2*c^2*d^2 - B^2*a^4*d^4)*i)*log(
e)^2 + 72*(B^2*b^4*d^4*i*n^2*x^4 + 4*B^2*a*b^3*d^4*i*n^2*x^3 + 6*B^2*a^2*b
^2*d^4*i*n^2*x^2 + 4*(B^2*b^4*c^3*d - 3*B^2*a*b^3*c^2*d^2 + 3*B^2*a^2*b^2*
c*d^3)*i*n^2*x + (3*B^2*b^4*c^4 - 8*B^2*a*b^3*c^3*d + 6*B^2*a^2*b^2*c^2*d^
2)*i*n^2)*log((b*x + a)/(d*x + c))^2 + 72*(3*A^2*b^4*c^4 - 8*A^2*a*b^3*c^3
*d + 6*A^2*a^2*b^2*c^2*d^2 - A^2*a^4*d^4)*i - 4*((5*B^2*b^4*c^3*d - 12*B^2
*a*b^3*c^2*d^2 - 108*B^2*a^2*b^2*c*d^3 + 115*B^2*a^3*b*d^4)*i*n^2 - 12*(A*
B*b^4*c^3*d - 6*A*B*a*b^3*c^2*d^2 + 18*A*B*a^2*b^2*c*d^3 - 13*A*B*a^3*b*d^
4)*i*n - 72*(A^2*b^4*c^3*d - 3*A^2*a*b^3*c^2*d^2 + 3*A^2*a^2*b^2*c*d^3 - A
^2*a^3*b*d^4)*i)*x + 12*(12*(B^2*b^4*c*d^3 - B^2*a*b^3*d^4)*i*n*x^3 - 6*(B
^2*b^4*c^2*d^2 - 8*B^2*a*b^3*c*d^3 + 7*B^2*a^2*b^2*d^4)*i*n*x^2 + (9*B^2*b
^4*c^4 - 32*B^2*a*b^3*c^3*d + 36*B^2*a^2*b^2*c^2*d^2 - 13*B^2*a^4*d^4)*i*n
 + 12*(3*A*B*b^4*c^4 - 8*A*B*a*b^3*c^3*d + 6*A*B*a^2*b^2*c^2*d^2 - A*B*...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**5,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4838 vs. $2(457) = 914$.

Time $= 0.36$ (sec) , antiderivative size $= 4838$, normalized size of antiderivative $= 10.19$

$$\int \frac{(ci + dix)\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x,
algorithm="maxima")
```

output

```
1/24*A*B*c*i*n*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*b*c*
d^2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*a*b^
2*c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2 - a
^3*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2 - a
^4*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d^2 -
 a^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c*d^2
 - a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d^2 -
 a^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b
^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/((b^5
*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^
5)) - 1/72*A*B*d*i*n*((7*a*b^3*c^3 - 33*a^2*b^2*c^2*d + 75*a^3*b*c*d^2 - 1
3*a^4*d^3 + 12*(4*b^4*c*d^2 - a*b^3*d^3)*x^3 - 6*(4*b^4*c^2*d - 29*a*b^3*c
*d^2 + 7*a^2*b^2*d^3)*x^2 + 4*(4*b^4*c^3 - 21*a*b^3*c^2*d + 57*a^2*b^2*c*d
^2 - 13*a^3*b*d^3)*x)/((b^9*c^3 - 3*a*b^8*c^2*d + 3*a^2*b^7*c*d^2 - a^3*b^
6*d^3)*g^5*x^4 + 4*(a*b^8*c^3 - 3*a^2*b^7*c^2*d + 3*a^3*b^6*c*d^2 - a^4*b^
5*d^3)*g^5*x^3 + 6*(a^2*b^7*c^3 - 3*a^3*b^6*c^2*d + 3*a^4*b^5*c*d^2 - a^5*
b^4*d^3)*g^5*x^2 + 4*(a^3*b^6*c^3 - 3*a^4*b^5*c^2*d + 3*a^5*b^4*c*d^2 - a^
6*b^3*d^3)*g^5*x + (a^4*b^5*c^3 - 3*a^5*b^4*c^2*d + 3*a^6*b^3*c*d^2 - a^7*
b^2*d^3)*g^5) + 12*(4*b*c*d^3 - a*d^4)*log(b*x + a)/((b^6*c^4 - 4*a*b^5*c^
3*d + 6*a^2*b^4*c^2*d^2 - 4*a^3*b^3*c*d^3 + a^4*b^2*d^4)*g^5) - 12*(4*b...
```

Giac [A] (verification not implemented)

Time = 2.84 (sec) , antiderivative size = 871, normalized size of antiderivative = 1.83

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x,
algorithm="giac")
```

output

```
-1/864*(72*(3*B^2*b^2*i*n^2 - 8*(b*x + a)*B^2*b*d*i*n^2/(d*x + c) + 6*(b*x
 + a)^2*B^2*d^2*i*n^2/(d*x + c)^2)*log((b*x + a)/(d*x + c))^2/((b*x + a)^4
*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*x + a)^4*a*b*c*d*g^5/(d*x + c)^4 + (b*x +
a)^4*a^2*d^2*g^5/(d*x + c)^4) + 12*(9*B^2*b^2*i*n^2 - 32*(b*x + a)*B^2*b*d
*i*n^2/(d*x + c) + 36*(b*x + a)^2*B^2*d^2*i*n^2/(d*x + c)^2 + 36*B^2*b^2*i
*n*log(e) - 96*(b*x + a)*B^2*b*d*i*n*log(e)/(d*x + c) + 72*(b*x + a)^2*B^2
*d^2*i*n*log(e)/(d*x + c)^2 + 36*A*B*b^2*i*n - 96*(b*x + a)*A*B*b*d*i*n/(d
*x + c) + 72*(b*x + a)^2*A*B*d^2*i*n/(d*x + c)^2)*log((b*x + a)/(d*x + c))
/((b*x + a)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*x + a)^4*a*b*c*d*g^5/(d*x + c
)^4 + (b*x + a)^4*a^2*d^2*g^5/(d*x + c)^4) + (27*B^2*b^2*i*n^2 - 128*(b*x
+ a)*B^2*b*d*i*n^2/(d*x + c) + 216*(b*x + a)^2*B^2*d^2*i*n^2/(d*x + c)^2 +
 108*B^2*b^2*i*n*log(e) - 384*(b*x + a)*B^2*b*d*i*n*log(e)/(d*x + c) + 432
*(b*x + a)^2*B^2*d^2*i*n*log(e)/(d*x + c)^2 + 216*B^2*b^2*i*log(e)^2 - 576
*(b*x + a)*B^2*b*d*i*log(e)^2/(d*x + c) + 432*(b*x + a)^2*B^2*d^2*i*log(e)
^2/(d*x + c)^2 + 108*A*B*b^2*i*n - 384*(b*x + a)*A*B*b*d*i*n/(d*x + c) + 4
32*(b*x + a)^2*A*B*d^2*i*n/(d*x + c)^2 + 432*A*B*b^2*i*log(e) - 1152*(b*x
+ a)*A*B*b*d*i*log(e)/(d*x + c) + 864*(b*x + a)^2*A*B*d^2*i*log(e)/(d*x +
c)^2 + 216*A^2*b^2*i - 576*(b*x + a)*A^2*b*d*i/(d*x + c) + 432*(b*x + a)^2
*A^2*d^2*i/(d*x + c)^2)/((b*x + a)^4*b^2*c^2*g^5/(d*x + c)^4 - 2*(b*x + a)
^4*a*b*c*d*g^5/(d*x + c)^4 + (b*x + a)^4*a^2*d^2*g^5/(d*x + c)^4))*(b*c...
```

Mupad [B] (verification not implemented)

Time = 31.16 (sec) , antiderivative size = 1794, normalized size of antiderivative = 3.78

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*x)
^5,x)
```

output

```
((72*A^2*a^3*d^3*i + 216*A^2*b^3*c^3*i + 115*B^2*a^3*d^3*i*n^2 + 27*B^2*b^
3*c^3*i*n^2 + 156*A*B*a^3*d^3*i*n + 108*A*B*b^3*c^3*i*n - 360*A^2*a*b^2*c^
2*d*i + 72*A^2*a^2*b*c*d^2*i - 101*B^2*a*b^2*c^2*d*i*n^2 + 115*B^2*a^2*b*c
*d^2*i*n^2 - 276*A*B*a*b^2*c^2*d*i*n + 156*A*B*a^2*b*c*d^2*i*n)/(12*(a*d -
 b*c)) + (x^2*(79*B^2*a*b^2*d^3*i*n^2 - B^2*b^3*c*d^2*i*n^2 + 84*A*B*a*b^2
*d^3*i*n - 12*A*B*b^3*c*d^2*i*n))/(2*(a*d - b*c)) + (x*(72*A^2*a^2*b*d^3*i
 + 72*A^2*b^3*c^2*d*i + 115*B^2*a^2*b*d^3*i*n^2 - 5*B^2*b^3*c^2*d*i*n^2 -
144*A^2*a*b^2*c*d^2*i + 7*B^2*a*b^2*c*d^2*i*n^2 + 156*A*B*a^2*b*d^3*i*n +
12*A*B*b^3*c^2*d*i*n - 60*A*B*a*b^2*c*d^2*i*n))/(3*(a*d - b*c)) + (d*x^3*(
13*B^2*b^3*d^2*i*n^2 + 12*A*B*b^3*d^2*i*n))/(a*d - b*c))/(x*(288*a^3*b^4*c
*g^5 - 288*a^4*b^3*d*g^5) - x^3*(288*a^2*b^5*d*g^5 - 288*a*b^6*c*g^5) + x^
4*(72*b^7*c*g^5 - 72*a*b^6*d*g^5) + x^2*(432*a^2*b^5*c*g^5 - 432*a^3*b^4*d
*g^5) + 72*a^4*b^3*c*g^5 - 72*a^5*b^2*d*g^5) - log(e*((a + b*x)/(c + d*x))
^n)^2*(((B^2*c*i)/(4*b) + (B^2*d*i*x)/(3*b) + (B^2*a*d*i)/(12*b^2))/(a^4*g
^5 + b^4*g^5*x^4 + 4*a*b^3*g^5*x^3 + 6*a^2*b^2*g^5*x^2 + 4*a^3*b*g^5*x) -
(B^2*d^4*i)/(12*b^2*g^5*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2
))) - log(e*((a + b*x)/(c + d*x))^n)*((A*B*a*d*i + 3*A*B*b*c*i - B^2*a*d*i
*n + B^2*b*c*i*n + 4*A*B*b*d*i*x)/(6*a^4*b^2*g^5 + 6*b^6*g^5*x^4 + 24*a^3*
b^3*g^5*x + 24*a*b^5*g^5*x^3 + 36*a^2*b^4*g^5*x^2) + (B^2*d^4*i*(x^2*(b*(b
*((3*a*b^2*g^5*n*(a*d - b*c))/(2*d) + (b^2*g^5*n*(a*d - b*c)*(4*a*d - b...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 2426, normalized size of antiderivative = 5.11

$$\int \frac{(ci+dix)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x)
```

output

```
(i*(144*log(a + b*x)*a**6*b*d**4*n + 120*log(a + b*x)*a**5*b**2*d**4*n**2
+ 576*log(a + b*x)*a**5*b**2*d**4*n*x + 36*log(a + b*x)*a**4*b**3*c*d**3*n
**2 + 480*log(a + b*x)*a**4*b**3*d**4*n**2*x + 864*log(a + b*x)*a**4*b**3*
d**4*n*x**2 + 144*log(a + b*x)*a**3*b**4*c*d**3*n**2*x + 720*log(a + b*x)*
a**3*b**4*d**4*n**2*x**2 + 576*log(a + b*x)*a**3*b**4*d**4*n*x**3 + 216*lo
g(a + b*x)*a**2*b**5*c*d**3*n**2*x**2 + 480*log(a + b*x)*a**2*b**5*d**4*n*
*2*x**3 + 144*log(a + b*x)*a**2*b**5*d**4*n*x**4 + 144*log(a + b*x)*a*b**6
*c*d**3*n**2*x**3 + 120*log(a + b*x)*a*b**6*d**4*n**2*x**4 + 36*log(a + b*
x)*b**7*c*d**3*n**2*x**4 - 144*log(c + d*x)*a**6*b*d**4*n - 120*log(c + d*
x)*a**5*b**2*d**4*n**2 - 576*log(c + d*x)*a**5*b**2*d**4*n*x - 36*log(c +
d*x)*a**4*b**3*c*d**3*n**2 - 480*log(c + d*x)*a**4*b**3*d**4*n**2*x - 864*
log(c + d*x)*a**4*b**3*d**4*n*x**2 - 144*log(c + d*x)*a**3*b**4*c*d**3*n**
2*x - 720*log(c + d*x)*a**3*b**4*d**4*n**2*x**2 - 576*log(c + d*x)*a**3*b*
*4*d**4*n*x**3 - 216*log(c + d*x)*a**2*b**5*c*d**3*n**2*x**2 - 480*log(c +
 d*x)*a**2*b**5*d**4*n**2*x**3 - 144*log(c + d*x)*a**2*b**5*d**4*n*x**4 -
144*log(c + d*x)*a*b**6*c*d**3*n**2*x**3 - 120*log(c + d*x)*a*b**6*d**4*n*
*2*x**4 - 36*log(c + d*x)*b**7*c*d**3*n**2*x**4 + 432*log(((a + b*x)**n*e)
/(c + d*x)**n)**2*a**3*b**4*c**2*d**2 + 864*log(((a + b*x)**n*e)/(c + d*x)
**n)**2*a**3*b**4*c*d**3*x + 432*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**
3*b**4*d**4*x**2 - 576*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**5*...
```

3.168 $\int (ag+bgx)^3(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 1892
Mathematica [B] (verified) 1893
Rubi [A] (verified) 1894
Maple [F] 1904
Fricas [F] 1904
Sympy [F(-1)] 1905
Maxima [B] (verification not implemented) 1906
Giac [F(-1)] 1907
Mupad [F(-1)] 1907
Reduce [F] 1907

Optimal result

Integrand size = 45, antiderivative size = 766

$$
\begin{aligned}
&\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx \\
&= \frac{3B^2(bc-ad)^5g^3i^2n^2x}{20b^2d^3} + \frac{B^2(bc-ad)^2g^3i^2n^2(a+bx)^4}{60b^3} \\
&\quad - \frac{3B^2(bc-ad)^4g^3i^2n^2(c+dx)^2}{40bd^4} + \frac{B^2(bc-ad)^3g^3i^2n^2(c+dx)^3}{60d^4} \\
&\quad - \frac{B(bc-ad)^3g^3i^2n(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{90b^3d} \\
&\quad - \frac{B(bc-ad)^2g^3i^2n(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{20b^3} \\
&\quad - \frac{B(bc-ad)g^3i^2n(a+bx)^4(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{15b^2} \\
&\quad + \frac{(bc-ad)^2g^3i^2(a+bx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{60b^3} \\
&\quad + \frac{(bc-ad)g^3i^2(a+bx)^4(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{15b^2} \\
&\quad + \frac{g^3i^2(a+bx)^4(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{6b} \\
&\quad + \frac{B(bc-ad)^4g^3i^2n(a+bx)^2\left(3A+Bn+3B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{180b^3d^2} \\
&\quad - \frac{B(bc-ad)^5g^3i^2n(a+bx)\left(6A+5Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{180b^3d^3} \\
&\quad - \frac{B(bc-ad)^6g^3i^2n\left(6A+11Bn+6B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{180b^3d^4} \\
&\quad - \frac{B^2(bc-ad)^6g^3i^2n^2\log(c+dx)}{20b^3d^4} - \frac{B^2(bc-ad)^6g^3i^2n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{30b^3d^4}
\end{aligned}
$$

output

```
3/20*B^2*(-a*d+b*c)^5*g^3*i^2*n^2*x/b^2/d^3+1/60*B^2*(-a*d+b*c)^2*g^3*i^2*
n^2*(b*x+a)^4/b^3-3/40*B^2*(-a*d+b*c)^4*g^3*i^2*n^2*(d*x+c)^2/b/d^4+1/60*B
^2*(-a*d+b*c)^3*g^3*i^2*n^2*(d*x+c)^3/d^4-1/90*B*(-a*d+b*c)^3*g^3*i^2*n*(b
*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/d-1/20*B*(-a*d+b*c)^2*g^3*i^2*
n*(b*x+a)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3-1/15*B*(-a*d+b*c)*g^3*i^2*
n*(b*x+a)^4*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2+1/60*(-a*d+b*c)^2*
g^3*i^2*(b*x+a)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^3+1/15*(-a*d+b*c)*g^
3*i^2*(b*x+a)^4*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2+1/6*g^3*i^2*
(b*x+a)^4*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b+1/180*B*(-a*d+b*c)
^4*g^3*i^2*n*(b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/d^2-1/1
80*B*(-a*d+b*c)^5*g^3*i^2*n*(b*x+a)*(6*A+5*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^
n))/b^3/d^3-1/180*B*(-a*d+b*c)^6*g^3*i^2*n*(6*A+11*B*n+6*B*ln(e*((b*x+a)/(
d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^3/d^4-1/20*B^2*(-a*d+b*c)^6*g^3*i^2
*n^2*ln(d*x+c)/b^3/d^4-1/30*B^2*(-a*d+b*c)^6*g^3*i^2*n^2*polylog(2,d*(b*x+
a)/b/(d*x+c))/b^3/d^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1634 vs. $2(766) = 1532$.

Time = 1.58 (sec) , antiderivative size = 1634, normalized size of antiderivative = 2.13

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2,x]
```

output

```
(g^3*i^2*(15*(b*c - a*d)^2*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2 + 24*d*(b*c - a*d)*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^2 + 10*d^2*(a + b*x)^6*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (5*B*(
b*c - a*d)^3*n*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)*Lo
g[e*((a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log
[e*((a + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 6*(b*c - a*d)^3*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(2*b*d*(b*c
 - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c - a
*d)^2*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*n*((2*Lo
g[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2
, (b*(c + d*x))/(b*c - a*d)])))/d^4 + (2*B*(b*c - a*d)^2*n*(24*A*b*d*(b*c
- a*d)^3*x + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n]
 - 12*d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
 + 8*d^3*(b*c - a*d)*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) -
6*d^4*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 24*B*(b*c - a*d
)^4*n*Log[c + d*x] - 24*(b*c - a*d)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n
])*Log[c + d*x] + 4*B*(b*c - a*d)^2*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)
^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*
x + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2 + 2*d^3*(a + b*x)^3 - 6*(b*c - a*d...
```

Rubi [A] (verified)

Time = 2.37 (sec) , antiderivative size = 1003, normalized size of antiderivative = 1.31, number of steps used = 18, number of rules used = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.378$, Rules used = {2961, 2783, 2782, 27, 87, 49, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2dx$$

$$\downarrow 2961$$

$$g^3i^2(bc-ad)^6\int\frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{Bn \int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a}{c}\right.\right.\right.}{6b(c+dx)^4 \left(b-\right.}$$

$$\downarrow 2782$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-Bn \int \frac{(a+bx)^3 \left(5b-\frac{d(a+bx)}{c+dx}\right)}{20b^2 (c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{20b^2 (c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right)}{3b} -$$

$$\downarrow 27$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-\frac{Bn \int \frac{(a+bx)^3 \left(5b-\frac{d(a+bx)}{c+dx}\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{20b^2} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{20b^2 (c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right)}{3b} + \frac{\int (a}{}$$

$$\downarrow 87$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-\frac{Bn \left(\int \frac{(a+bx)^3}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{(a+bx)^4}{(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right)}{20b^2} + \frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{20b^2 (c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4 \left(B \log\left(e\right.\right.\right.}{5b(c+dx)^4 \left(b-\right.} \right)}{3b}$$

$$\downarrow 49$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(-\frac{Bn\left(-\frac{Bn\left(\int \left(\frac{b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{3b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{3b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{1}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx} + \frac{(a+bx)^4}{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right)}{20b^2} + \right.}{3b}$$

$$\downarrow 2009$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} - \frac{Bn\left(\frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \right.}{3b}$$

$$\downarrow 2783$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{-\frac{2Bn\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \right.}{3b}$$

$$\downarrow 2773$$

$$g^3 i^2 (bc - ad)^6 \left(\frac{2Bn \left(\frac{(a+bx)^4 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{4b(c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{Bn \int \frac{(a+bx)^3}{(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} d\frac{a+bx}{c+dx}}{4b} \right)}{5b} + \frac{\int \frac{(a+bx)^3 \left(A + B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right)^2}{(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^4}{5b(} \right)$$

$$\Big\downarrow 49$$

$$g^3 i^2 (bc - ad)^6 \left(\frac{2Bn \left(\frac{(a+bx)^4 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{4b(c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{Bn \int \left(\frac{b^3}{d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{3b^2}{d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^3} + \frac{3b}{d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^2} - \frac{1}{d^3 \left(b - \frac{d(a+bx)}{c+dx} \right)} \right) d\frac{a+bx}{c+dx}}{4b} \right)}{5b} + \right.$$

$$\Big\downarrow 2009$$

$$g^3 i^2 (bc - ad)^6 \left(\frac{\int \frac{(a+bx)^3 \left(A + B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right)^2}{(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx} \right)^5} d\frac{a+bx}{c+dx}}{5b} - \frac{2Bn \left(\frac{(a+bx)^4 \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{4b(c+dx)^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^4} - \frac{Bn \left(\frac{b^3}{3d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^3} - \frac{3b^2}{2d^4 \left(b - \frac{d(a+bx)}{c+dx} \right)^2} + \frac{}{d^4 \left(b - \right.} \right.} \right.}{4b}$$

$$\Big\downarrow 2781$$

$$g^3 i^2 (bc -$$

$$ad)^6 \left(\frac{\frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn \int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2b}}{5b} - \frac{2Bn \left(\frac{(a+bx)^4 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn \left(\frac{b^3}{3d^4 \left(b-\frac{d(a}{c-}\right.\right.\right.}{3b}$$

$$\downarrow 2784$$

$$(bc -$$

$$ad)^6 g^3 i^2 \left(\frac{\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{6b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn \left(\frac{\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{20b^2(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{5b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right.}{} \right.$$

$$\downarrow 2784$$

$$(bc-ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right.$$

$$\downarrow 2784$$

$$(bc-ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right.$$

$$\downarrow 2754$$

$$(bc-ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right. \right.$$

↓ 2838

$$(bc-ad)^6 g^3 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{6b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{20b^2(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)(a+bx)^4}{5b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} \right. \right.$$

input

```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2,x]
```

output

```
(b*c - a*d)^6*g^3*i^2*(((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2)/(6*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^6) - (B*n*(((a + b*x)^4
*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*b*(c + d*x)^4*(b - (d*(a + b*x
))/(c + d*x))^5) + ((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2
0*b^2*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*((a + b*x)^4/((c
 + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) + b^3/(3*d^4*(b - (d*(a + b*x))
/(c + d*x))^3) - (3*b^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3*b)/(
d^4*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^4)
)/(20*b^2)))/(3*b) + (((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2)/(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*n*(((a + b*x)^
4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*b*(c + d*x)^4*(b - (d*(a + b*
x))/(c + d*x))^4) - (B*n*(b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3
*b^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (d*(a + b*
x))/(c + d*x))) + Log[b - (d*(a + b*x))/(c + d*x)]/d^4))/(4*b)))/(5*b) + (
((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(4*b*(c + d*x)^4*(b
 - (d*(a + b*x))/(c + d*x))^4) - (B*n*(((a + b*x)^3*(A + B*Log[e*((a + b*x
)/(c + d*x))^n]))/(3*d*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (((a
 + b*x)^2*(3*A + B*n + 3*B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)
^2*(b - (d*(a + b*x))/(c + d*x))^2) - (((a + b*x)*(6*A + 5*B*n + 6*B*Log[e
*((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))))...
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 87

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_] :> Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p
+ 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p
+ 1)))/(f*(p + 1)*(c*f - d*e))   Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && ( !LtQ[n, -1] || Intege
rQ[p] ||  !(IntegerQ[n] ||  !(EqQ[e, 0] ||  !(EqQ[c, 0] || LtQ[p, n]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3 (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^3 (dix+ci)^2 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="fricas")
```

output
```
integral(A^2*b^3*d^2*g^3*i^2*x^5 + A^2*a^3*c^2*g^3*i^2 + (2*A^2*b^3*c*d +
3*A^2*a*b^2*d^2)*g^3*i^2*x^4 + (A^2*b^3*c^2 + 6*A^2*a*b^2*c*d + 3*A^2*a^2*
b*d^2)*g^3*i^2*x^3 + (3*A^2*a*b^2*c^2 + 6*A^2*a^2*b*c*d + A^2*a^3*d^2)*g^3
*i^2*x^2 + (3*A^2*a^2*b*c^2 + 2*A^2*a^3*c*d)*g^3*i^2*x + (B^2*b^3*d^2*g^3*
i^2*x^5 + B^2*a^3*c^2*g^3*i^2 + (2*B^2*b^3*c*d + 3*B^2*a*b^2*d^2)*g^3*i^2*
x^4 + (B^2*b^3*c^2 + 6*B^2*a*b^2*c*d + 3*B^2*a^2*b*d^2)*g^3*i^2*x^3 + (3*B
^2*a*b^2*c^2 + 6*B^2*a^2*b*c*d + B^2*a^3*d^2)*g^3*i^2*x^2 + (3*B^2*a^2*b*c
^2 + 2*B^2*a^3*c*d)*g^3*i^2*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b
^3*d^2*g^3*i^2*x^5 + A*B*a^3*c^2*g^3*i^2 + (2*A*B*b^3*c*d + 3*A*B*a*b^2*d^
2)*g^3*i^2*x^4 + (A*B*b^3*c^2 + 6*A*B*a*b^2*c*d + 3*A*B*a^2*b*d^2)*g^3*i^2
*x^3 + (3*A*B*a*b^2*c^2 + 6*A*B*a^2*b*c*d + A*B*a^3*d^2)*g^3*i^2*x^2 + (3*
A*B*a^2*b*c^2 + 2*A*B*a^3*c*d)*g^3*i^2*x)*log(e*((b*x + a)/(d*x + c))^n),
x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**
2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5952 vs. $2(735) = 1470$.

Time = 0.65 (sec) , antiderivative size = 5952, normalized size of antiderivative = 7.77

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="maxima")
```

output
```
1/3*A*B*b^3*d^2*g^3*i^2*x^6*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/6*A
^2*b^3*d^2*g^3*i^2*x^6 + 4/5*A*B*b^3*c*d*g^3*i^2*x^5*log(e*(b*x/(d*x + c)
+ a/(d*x + c))^n) + 6/5*A*B*a*b^2*d^2*g^3*i^2*x^5*log(e*(b*x/(d*x + c) + a
/(d*x + c))^n) + 2/5*A^2*b^3*c*d*g^3*i^2*x^5 + 3/5*A^2*a*b^2*d^2*g^3*i^2*x
^5 + 1/2*A*B*b^3*c^2*g^3*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) +
3*A*B*a*b^2*c*d*g^3*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A
*B*a^2*b*d^2*g^3*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A^2*
b^3*c^2*g^3*i^2*x^4 + 3/2*A^2*a*b^2*c*d*g^3*i^2*x^4 + 3/4*A^2*a^2*b*d^2*g^
3*i^2*x^4 + 2*A*B*a*b^2*c^2*g^3*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c)
)^n) + 4*A*B*a^2*b*c*d*g^3*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 2/3*A*B*a^3*d^2*g^3*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2
*a*b^2*c^2*g^3*i^2*x^3 + 2*A^2*a^2*b*c*d*g^3*i^2*x^3 + 1/3*A^2*a^3*d^2*g^3
*i^2*x^3 + 3*A*B*a^2*b*c^2*g^3*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))
^n) + 2*A*B*a^3*c*d*g^3*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3
/2*A^2*a^2*b*c^2*g^3*i^2*x^2 + A^2*a^3*c*d*g^3*i^2*x^2 - 1/180*A*B*b^3*d^2
*g^3*i^2*n*(60*a^6*log(b*x + a)/b^6 - 60*c^6*log(d*x + c)/d^6 + (12*(b^5*c
*d^4 - a*b^4*d^5)*x^5 - 15*(b^5*c^2*d^3 - a^2*b^3*d^5)*x^4 + 20*(b^5*c^3*d
^2 - a^3*b^2*d^5)*x^3 - 30*(b^5*c^4*d - a^4*b*d^5)*x^2 + 60*(b^5*c^5 - a^5
*d^5)*x)/(b^5*d^5)) + 1/15*A*B*b^3*c*d*g^3*i^2*n*(12*a^5*log(b*x + a)/b^5
- 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c^2...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2,x)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2, x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**3*( - 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c
*x + b*d*x**2),x)*a**6*b**2*d**7*n + 72*int((log(((a + b*x)**n*e)/(c + d*x
)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**5*b**3*c*d**6*n - 180*int(
(log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)
*a**4*b**4*c**2*d**5*n + 240*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a
*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**5*c**3*d**4*n - 180*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b*
*6*c**4*d**3*n + 72*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*
x + b*c*x + b*d*x**2),x)*a*b**7*c**5*d**2*n - 12*int((log(((a + b*x)**n*e)
/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**8*c**6*d*n - 12*l
og(c + d*x)*a**7*d**6*n + 72*log(c + d*x)*a**6*b*c*d**5*n - 4*log(c + d*x)
*a**6*b*d**6*n**2 - 180*log(c + d*x)*a**5*b**2*c**2*d**4*n + 24*log(c + d*
x)*a**5*b**2*c*d**5*n**2 + 240*log(c + d*x)*a**4*b**3*c**3*d**3*n - 60*log
(c + d*x)*a**4*b**3*c**2*d**4*n**2 - 180*log(c + d*x)*a**3*b**4*c**4*d**2*
n + 80*log(c + d*x)*a**3*b**4*c**3*d**3*n**2 + 72*log(c + d*x)*a**2*b**5*c
**5*d*n - 60*log(c + d*x)*a**2*b**5*c**4*d**2*n**2 - 12*log(c + d*x)*a*b**
6*c**6*n + 24*log(c + d*x)*a*b**6*c**5*d*n**2 - 4*log(c + d*x)*b**7*c**6*n
**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**5*b**2*c*d**5 - 30*log(((
a + b*x)**n*e)/(c + d*x)**n)**2*a**4*b**3*c**2*d**4 - 60*log(((a + b*x)**n
*e)/(c + d*x)**n)**2*a**3*b**4*c**3*d**3 - 360*log(((a + b*x)**n*e)/(c ...
```

3.169 $\int (ag+bgx)^2(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 1910
Mathematica [A] (verified) 1911
Rubi [A] (verified) 1912
Maple [F] 1923
Fricas [F] 1923
Sympy [F(-1)] 1924
Maxima [B] (verification not implemented) 1924
Giac [F(-1)] 1925
Mupad [F(-1)] 1926
Reduce [F] 1926

Optimal result

Integrand size = 45, antiderivative size = 819

$$
\begin{aligned}
&\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx \\
&= -\frac{B^2(bc-ad)^4g^2i^2n^2x}{10b^2d^2} - \frac{B^2(bc-ad)^3g^2i^2n^2(c+dx)^2}{20bd^3} \\
&\quad + \frac{B^2(bc-ad)^2g^2i^2n^2(c+dx)^3}{30d^3} \\
&\quad - \frac{B(bc-ad)^3g^2i^2n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{30b^3d} \\
&\quad - \frac{B(bc-ad)^2g^2i^2n(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{15b^3} \\
&\quad - \frac{B(bc-ad)^3g^2i^2n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{5bd^3} \\
&\quad + \frac{4B(bc-ad)^2g^2i^2n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{15d^3} \\
&\quad - \frac{bB(bc-ad)g^2i^2n(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{10d^3} \\
&\quad + \frac{(bc-ad)^2g^2i^2(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{30b^3} \\
&\quad + \frac{(bc-ad)g^2i^2(a+bx)^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{10b^2} \\
&\quad + \frac{g^2i^2(a+bx)^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b} \\
&\quad + \frac{B(bc-ad)^4g^2i^2n(a+bx)\left(2A+Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{30b^3d^2} \\
&\quad + \frac{B(bc-ad)^5g^2i^2n\left(2A+3Bn+2B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{30b^3d^3} \\
&\quad + \frac{B^2(bc-ad)^5g^2i^2n^2\log\left(\frac{a+bx}{c+dx}\right)}{30b^3d^3} + \frac{B^2(bc-ad)^5g^2i^2n^2\log(c+dx)}{10b^3d^3} \\
&\quad + \frac{B^2(bc-ad)^5g^2i^2n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{15b^3d^3}
\end{aligned}
$$

output

```
-1/10*B^2*(-a*d+b*c)^4*g^2*i^2*n^2*x/b^2/d^2-1/20*B^2*(-a*d+b*c)^3*g^2*i^2
*n^2*(d*x+c)^2/b/d^3+1/30*B^2*(-a*d+b*c)^2*g^2*i^2*n^2*(d*x+c)^3/d^3-1/30*
B*(-a*d+b*c)^3*g^2*i^2*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/d-1
/15*B*(-a*d+b*c)^2*g^2*i^2*n*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3
-1/5*B*(-a*d+b*c)^3*g^2*i^2*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/
d^3+4/15*B*(-a*d+b*c)^2*g^2*i^2*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)/d^3-1/10*b*B*(-a*d+b*c)*g^2*i^2*n*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))/d^3+1/30*(-a*d+b*c)^2*g^2*i^2*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)^2/b^3+1/10*(-a*d+b*c)*g^2*i^2*(b*x+a)^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+
c))^n))^2/b^2+1/5*g^2*i^2*(b*x+a)^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))^2/b+1/30*B*(-a*d+b*c)^4*g^2*i^2*n*(b*x+a)*(2*A+B*n+2*B*ln(e*((b*x+a)/(
d*x+c))^n))/b^3/d^2+1/30*B*(-a*d+b*c)^5*g^2*i^2*n*(2*A+3*B*n+2*B*ln(e*((b*
x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^3/d^3+1/30*B^2*(-a*d+b*c)^5*g
^2*i^2*n^2*ln((b*x+a)/(d*x+c))/b^3/d^3+1/10*B^2*(-a*d+b*c)^5*g^2*i^2*n^2*l
n(d*x+c)/b^3/d^3+1/15*B^2*(-a*d+b*c)^5*g^2*i^2*n^2*polylog(2,d*(b*x+a)/b/(
d*x+c))/b^3/d^3
```

Mathematica [A] (verified)

Time = 1.08 (sec) , antiderivative size = 1254, normalized size of antiderivative = 1.53

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2,x]
```

output

```
(g^2*i^2*(20*d^3*(b*c - a*d)^2*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^2 + 30*d^4*(b*c - a*d)*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^2 + 12*d^5*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 +
20*B*(b*c - a*d)^3*n*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c - a*d)*(a + b*x)*
Log[e*((a + b*x)/(c + d*x))^n] - d^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]) - 2*B*(b*c - a*d)^2*n*Log[c + d*x] - 2*(b*c - a*d)^2*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(b*d*x + (-
(b*c) + a*d)*Log[c + d*x]) + B*(b*c - a*d)^2*n*((2*Log[(d*(a + b*x))/(-(b*
c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c
- a*d)])) - 10*B*(b*c - a*d)^2*n*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a
*d)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a +
 b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*
Log[e*((a + b*x)/(c + d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 6*(b*
c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c -
a*d)*n*(2*b*d*(b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*
x]) + 3*B*(b*c - a*d)^2*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c
 - a*d)^3*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c +
d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) + B*(b*c - a*d)*n*(24*A*b
*d*(b*c - a*d)^3*x + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[e*((a + b*x)/(c +
d*x))^n] - 12*d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c ...
```

Rubi [A] (verified)

Time = 2.23 (sec) , antiderivative size = 891, normalized size of antiderivative = 1.09, number of steps used = 16, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2961, 2783, 2782, 27, 1195, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2dx$$

$$\downarrow \text{2961}$$

$$g^2i^2(bc-ad)^5\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2Bn \int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{2 \int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^3 \left(B \log\left(e\right.\right.}{5b(c+dx)^3 \left(b\right.}$$

$$\downarrow 2782$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2Bn \left(-Bn \int \frac{(c+dx)\left(b^2 - \frac{4d(a+bx)b}{c+dx} + \frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \right.}{5b}$$

$$\downarrow 27$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2Bn \left(-\frac{Bn \int \frac{(c+dx)\left(b^2 - \frac{4d(a+bx)b}{c+dx} + \frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log}{2d^3} \right.}{5b}$$

$$\downarrow 1195$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(-\frac{2Bn \left(-\frac{Bn \int \left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{5d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{3bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{c+dx}{b^2(a+bx)} \right) d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right.}{5b}$$

$$\downarrow 2009$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} - \frac{2Bn \left(\frac{b^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(e \left(\frac{a}{c}\right.\right.\right.}{2d^3 \left(b-\right.}$$

$$\downarrow 2783$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(-\frac{Bn \int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2b} + \frac{\int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{4b} + \frac{(a+bx)^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} \right)}{5b}$$

$$\downarrow 2773$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2 \left(-\frac{Bn \left(\frac{(a+bx)^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{Bn \int \frac{(a+bx)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{3b} \right)}{2b} + \frac{\int \frac{(a+bx)^2 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{4b} + \frac{(a+b}{} \right)}{5b}$$

$$\downarrow 49$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2\left(-\frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{Bn\int\left(\frac{b^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{1}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)d\frac{a+bx}{c+dx}}{3b}\right)}{2b} + \frac{\int \frac{(a+bx)^2\left(A+B\right.}{(c+dx)^2\left(\right.}}{5b} \right.$$

$$\downarrow 2009$$

$$g^2 i^2 (bc -$$

$$ad)^5 \left(\frac{2\left(\frac{\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{4b} - \frac{Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{Bn\left(\frac{b^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\log\left(b\right.\right.}{3b}\right.}{2b}}{5b} \right.$$


2781
$g^2 i^2 (bc -$
$ad)^5$
2
$\frac{\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}}{4b}-$
$Bn\left(\frac{(a+bx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{}{2d^3\left(b-\right.\right.}\right.$
$5b$
2784

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

↓ 2784

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.\right.$$

↓ 2754

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

↓ 2838

$$(bc-ad)^5 g^2 i^2 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2} \right.$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2,x]
```

output
```
(b*c - a*d)^5*g^2*i^2*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2)/(5*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*n*((b^2*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*d^3*(b - (d*(a + b*x))/(c + d*x))^4)
 - (2*b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*d^3*(b - (d*(a + b*x))/
(c + d*x))^3) + (A + B*Log[e*((a + b*x)/(c + d*x))^n])/(2*d^3*(b - (d*(a +
 b*x))/(c + d*x))^2) - (B*n*(b/(b - (d*(a + b*x))/(c + d*x))^3 - 5/(2*(b -
 (d*(a + b*x))/(c + d*x))^2) + 1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(
a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(12*d^3))
)/(5*b) + (2*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(4*b*
(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*(((a + b*x)^3*(A + B*L
og[e*((a + b*x)/(c + d*x))^n]))/(3*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d
*x))^3) - (B*n*(b^2/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*b)/(d^3*(
b - (d*(a + b*x))/(c + d*x))) - Log[b - (d*(a + b*x))/(c + d*x)]/d^3))/(3*
b)))/(2*b) + (((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(3*b*
(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*n*(((a + b*x)^2*(A + B
*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)^2*(b - (d*(a + b*x))/(c +
 d*x))^2) - (((a + b*x)*(2*A + B*n + 2*B*Log[e*((a + b*x)/(c + d*x))^n]))/
(d*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((2*A + 3*B*n + 2*B*Log[e
*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (2*B
*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d)/d)/(2*d)))/(3*b))/(4*b))...
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2 (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^2 (dix+ci)^2 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="fricas")
```

output
```
integral(A^2*b^2*d^2*g^2*i^2*x^4 + A^2*a^2*c^2*g^2*i^2 + 2*(A^2*b^2*c*d +
A^2*a*b*d^2)*g^2*i^2*x^3 + (A^2*b^2*c^2 + 4*A^2*a*b*c*d + A^2*a^2*d^2)*g^2
*i^2*x^2 + 2*(A^2*a*b*c^2 + A^2*a^2*c*d)*g^2*i^2*x + (B^2*b^2*d^2*g^2*i^2*
x^4 + B^2*a^2*c^2*g^2*i^2 + 2*(B^2*b^2*c*d + B^2*a*b*d^2)*g^2*i^2*x^3 + (B
^2*b^2*c^2 + 4*B^2*a*b*c*d + B^2*a^2*d^2)*g^2*i^2*x^2 + 2*(B^2*a*b*c^2 + B
^2*a^2*c*d)*g^2*i^2*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b^2*d^2*g
^2*i^2*x^4 + A*B*a^2*c^2*g^2*i^2 + 2*(A*B*b^2*c*d + A*B*a*b*d^2)*g^2*i^2*x
^3 + (A*B*b^2*c^2 + 4*A*B*a*b*c*d + A*B*a^2*d^2)*g^2*i^2*x^2 + 2*(A*B*a*b*
c^2 + A*B*a^2*c*d)*g^2*i^2*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**
2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4247 vs. $2(786) = 1572$.

Time $= 0.64$ (sec) , antiderivative size $= 4247$, normalized size of antiderivative $= 5.19$

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="maxima")
```

output

```
2/5*A*B*b^2*d^2*g^2*i^2*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A
^2*b^2*d^2*g^2*i^2*x^5 + A*B*b^2*c*d*g^2*i^2*x^4*log(e*(b*x/(d*x + c) + a/
(d*x + c))^n) + A*B*a*b*d^2*g^2*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c)
)^n) + 1/2*A^2*b^2*c*d*g^2*i^2*x^4 + 1/2*A^2*a*b*d^2*g^2*i^2*x^4 + 2/3*A*B
*b^2*c^2*g^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 8/3*A*B*a*b*
c*d*g^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2/3*A*B*a^2*d^2*g
^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A^2*b^2*c^2*g^2*i^
2*x^3 + 4/3*A^2*a*b*c*d*g^2*i^2*x^3 + 1/3*A^2*a^2*d^2*g^2*i^2*x^3 + 2*A*B*
a*b*c^2*g^2*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*A*B*a^2*c*d
*g^2*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*a*b*c^2*g^2*i^2*
x^2 + A^2*a^2*c*d*g^2*i^2*x^2 + 1/30*A*B*b^2*d^2*g^2*i^2*n*(12*a^5*log(b*x
 + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(
b^4*c^2*d^2 - a^2*b^2*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12*(b^4*c
^4 - a^4*d^4)*x)/(b^4*d^4)) - 1/6*A*B*b^2*c*d*g^2*i^2*n*(6*a^4*log(b*x + a
)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c
^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/6*A*B*a*b*
d^2*g^2*i^2*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c
*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d
^3)*x)/(b^3*d^3)) + 1/3*A*B*b^2*c^2*g^2*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*
c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2,x)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2, x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**2*( - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*
x + b*d*x**2),x)*a**5*b**2*d**6*n + 20*int((log(((a + b*x)**n*e)/(c + d*x)
**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5*n - 40*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a
**3*b**4*c**2*d**4*n + 40*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c
+ a*d*x + b*c*x + b*d*x**2),x)*a**2*b**5*c**3*d**3*n - 20*int((log(((a + b
*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**6*c**4
*d**2*n + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*
x + b*d*x**2),x)*b**7*c**5*d*n - 4*log(c + d*x)*a**6*d**5*n + 20*log(c + d
*x)*a**5*b*c*d**4*n - 40*log(c + d*x)*a**4*b**2*c**2*d**3*n + 40*log(c + d
*x)*a**3*b**3*c**3*d**2*n - 20*log(c + d*x)*a**2*b**4*c**4*d*n + 4*log(c +
 d*x)*a*b**5*c**5*n + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**4*b**2*c*
d**4 - 8*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**3*c**2*d**3 - 8*log
(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**4*c**3*d**2 - 60*log(((a + b*x)
**n*e)/(c + d*x)**n)**2*a**2*b**4*c**2*d**3*x - 60*log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*a**2*b**4*c*d**4*x**2 - 20*log(((a + b*x)**n*e)/(c + d*x)**
n)**2*a**2*b**4*d**5*x**3 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5
*c**4*d - 60*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5*c**2*d**3*x**2 -
 80*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5*c*d**4*x**3 - 30*log(((a
+ b*x)**n*e)/(c + d*x)**n)**2*a*b**5*d**5*x**4 - 20*log(((a + b*x)**n*e...
```

3.170 $\int (ag+bgx)(ci+dix)^2 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 1929
Mathematica [A] (verified) 1930
Rubi [A] (verified) 1931
Maple [F] 1938
Fricas [F] 1938
Sympy [F] 1940
Maxima [B] (verification not implemented) 1941
Giac [F(-1)] 1942
Mupad [F(-1)] 1943
Reduce [F] 1943

Optimal result

Integrand size = 43, antiderivative size = 635

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx \\
&= \frac{B^2(bc-ad)^3gi^2n^2x}{12b^2d} + \frac{B^2(bc-ad)^2gi^2n^2(c+dx)^2}{12bd^2} \\
&\quad - \frac{B(bc-ad)^3gi^2n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6b^3d} \\
&\quad - \frac{B(bc-ad)^2gi^2n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6b^3} \\
&\quad + \frac{B(bc-ad)^2gi^2n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4bd^2} \\
&\quad - \frac{B(bc-ad)gi^2n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6d^2} \\
&\quad + \frac{(bc-ad)^2gi^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{12b^3} \\
&\quad + \frac{(bc-ad)gi^2(a+bx)^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{6b^2} \\
&\quad + \frac{gi^2(a+bx)^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{4b} \\
&\quad - \frac{B(bc-ad)^4gi^2n\left(A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{6b^3d^2} \\
&\quad - \frac{B^2(bc-ad)^4gi^2n^2\log\left(\frac{a+bx}{c+dx}\right)}{12b^3d^2} - \frac{B^2(bc-ad)^4gi^2n^2\log(c+dx)}{4b^3d^2} \\
&\quad - \frac{B^2(bc-ad)^4gi^2n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{6b^3d^2}
\end{aligned}
$$

output

```
1/12*B^2*(-a*d+b*c)^3*g*i^2*n^2*x/b^2/d+1/12*B^2*(-a*d+b*c)^2*g*i^2*n^2*(d
*x+c)^2/b/d^2-1/6*B*(-a*d+b*c)^3*g*i^2*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/b^3/d-1/6*B*(-a*d+b*c)^2*g*i^2*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+
c))^n))/b^3+1/4*B*(-a*d+b*c)^2*g*i^2*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))/b/d^2-1/6*B*(-a*d+b*c)*g*i^2*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c)
)^n))/d^2+1/12*(-a*d+b*c)^2*g*i^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)^2/b^3+1/6*(-a*d+b*c)*g*i^2*(b*x+a)^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))
^n))^2/b^2+1/4*g*i^2*(b*x+a)^2*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2
/b-1/6*B*(-a*d+b*c)^4*g*i^2*n*(A+B*n+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d
+b*c)/b/(d*x+c))/b^3/d^2-1/12*B^2*(-a*d+b*c)^4*g*i^2*n^2*ln((b*x+a)/(d*x+c
))/b^3/d^2-1/4*B^2*(-a*d+b*c)^4*g*i^2*n^2*ln(d*x+c)/b^3/d^2-1/6*B^2*(-a*d+
b*c)^4*g*i^2*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^3/d^2
```

Mathematica [A] (verified)

Time = 0.67 (sec) , antiderivative size = 713, normalized size of antiderivative = 1.12

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx$$

$$=\frac{gi^2\left(-4(bc-ad)(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+3b(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+\frac{4B(bc-ad)^2r}{}\right.}{}$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2,x]
```

output

```
(g*i^2*(-4*(b*c - a*d)*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2 + 3*b*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (4*B*(b*c -
 a*d)^2*n*(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*n*(b*d*x + (b*c - a*d)*Lo
g[a + b*x]) + 2*B*d*(b*c - a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] +
 b^2*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*(b*c - a*d)^2*
Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*B*(b*c - a*d)^2*n*
Log[c + d*x] - B*(b*c - a*d)^2*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c
 + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/b^3
 - (B*(b*c - a*d)*n*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*n*(b*d*x
+ (b*c - a*d)*Log[a + b*x]) - B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(
c + d*x)^2 + 2*(b*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)
*Log[e*((a + b*x)/(c + d*x))^n] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log
[e*((a + b*x)/(c + d*x))^n]) + 2*b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]) + 6*(b*c - a*d)^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c +
d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 3*B*(b*c - a*d)^3*n*(Log[a
+ b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d
*(a + b*x))/(-(b*c) + a*d)])))/b^3))/(12*d^2)
```

Rubi [A] (verified)

Time = 1.55 (sec) , antiderivative size = 702, normalized size of antiderivative = 1.11, number of steps used = 15, number of rules used = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.326$, Rules used = {2961, 2783, 2782, 27, 86, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2961$$

$$gi^2(bc-ad)^4\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.}{4b(c+dx)^2\left(b-\frac{d(}{c}\right.}$$

$$\downarrow 2782$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{Bn\left(-Bn\int-\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{6d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\right.}{(c+dx)}\right.$$

$$\downarrow 27$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{Bn\left(\frac{Bn\int\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{(c+dx)\left(b-\frac{d(a+bx}{c+dx}\right.}$$

$$\downarrow 86$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{Bn\left(\frac{Bn\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.}{3d^2\left(b-\frac{d(a+}{c+}\right.}$$

$$\downarrow 2009$$

$$ad)^4\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}-\frac{gi^2(bc-\left(Bn\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\right.\right.\right.}{2b}\right.$$

$$\downarrow 2783$$

$$ad)^4\left(\frac{-\frac{2Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}}{2b}-\right.$$

$$\downarrow 2773$$

$$ad)^4\left(\frac{-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{a+bx}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}+\frac{(a+bx)^2\left(\right.}{3b(c+}}{2b}\right.$$

$$\downarrow 49$$

$$ad)^4\left(\frac{gi^2(bc-}{2b}\right.$$

$$\left.-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\left(\frac{b}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{1}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{2b}\right)}{3b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}$$

$$\downarrow 2009$$

$$ad)^4\left(\frac{gi^2(bc-}{2b}\right.$$

$$\left.\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{b}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{d^2}\right)}{2b}\right)}{3b}+\frac{(a+b}{}$$

$$\downarrow 2781$$

$$ad)^4\left(\frac{gi^2(bc-}{2b}\right.$$

$$\left.\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{b}{d^2\left(b-\frac{d(a+b}{c+d}\right.\right.\right.}{3b}$$

$$\downarrow 2784$$

$$gi^2(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\int\frac{A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{d}\right)}{b}}{3b}-\frac{2Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.}{2b(c+dx)^2\left(b-\frac{d}{c}\right.}$$

$$\downarrow 2754$$

$$gi^2(bc-$$

$$ad)^4\left(\frac{\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.\right.}{d}}{b}}{3b}$$

$$\downarrow 2838$$

$$gi^2(bc-$$

$$ad)^4\left(-\frac{Bn\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{1}{\left(b-\frac{d(a+bx)}{c+dx}\right.}\right.}{6d^2}\right.}{2b}$$

input
```
Int[(a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
,x]
```

output
```
(b*c - a*d)^4*g*i^2*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
)/(4*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*((b*(A + B*Log[
e*((a + b*x)/(c + d*x))^n]))/(3*d^2*(b - (d*(a + b*x))/(c + d*x))^3) - (A
+ B*Log[e*((a + b*x)/(c + d*x))^n])/(2*d^2*(b - (d*(a + b*x))/(c + d*x))^2
) + (B*n*(-(b - (d*(a + b*x))/(c + d*x))^(-2) + 1/(b*(b - (d*(a + b*x))/(c
 + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)
]/b^2))/(6*d^2)))/(2*b) + (((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2)/(3*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*n*(((a +
b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*b*(c + d*x)^2*(b - (d*(a
 + b*x))/(c + d*x))^2) - (B*n*(b/(d^2*(b - (d*(a + b*x))/(c + d*x))) + Log
[b - (d*(a + b*x))/(c + d*x)]/d^2))/(2*b)))/(3*b) + (((a + b*x)^2*(A + B*L
og[e*((a + b*x)/(c + d*x))^n])^2)/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c +
 d*x))^2) - (B*n*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c
 + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (-(((A + B*n + B*Log[e*((a + b*x)
/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d) - (B*n*PolyLog[2,
 (d*(a + b*x))/(b*(c + d*x))])/d)/d))/b)/(3*b))/(2*b))
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 86
```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int (bgx+ag)(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="fricas")
```

output
```
integral(A^2*b*d^2*g*i^2*x^3 + A^2*a*c^2*g*i^2 + (2*A^2*b*c*d + A^2*a*d^2)
*g*i^2*x^2 + (A^2*b*c^2 + 2*A^2*a*c*d)*g*i^2*x + (B^2*b*d^2*g*i^2*x^3 + B^
2*a*c^2*g*i^2 + (2*B^2*b*c*d + B^2*a*d^2)*g*i^2*x^2 + (B^2*b*c^2 + 2*B^2*a
*c*d)*g*i^2*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b*d^2*g*i^2*x^3 +
 A*B*a*c^2*g*i^2 + (2*A*B*b*c*d + A*B*a*d^2)*g*i^2*x^2 + (A*B*b*c^2 + 2*A*
B*a*c*d)*g*i^2*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= gi^2\left(\int A^2ac^2\,dx+\int A^2ad^2x^2\,dx+\int A^2bc^2x\,dx+\int A^2bd^2x^3\,dx\right.$$
$$+\int B^2ac^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2ABac^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx+\int 2A^2acdx\,dx+\int 2A^2bcdx^2\,dx$$
$$+\int B^2ad^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int B^2bc^2x\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int B^2bd^2x^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2ABad^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2ABbc^2x\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2ABbd^2x^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2B^2acdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2B^2bcdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 4ABacdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$\left.+\int 4ABbcdx^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx\right)$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x
)
```

output

```
g*i**2*(Integral(A**2*a*c**2, x) + Integral(A**2*a*d**2*x**2, x) + Integra
l(A**2*b*c**2*x, x) + Integral(A**2*b*d**2*x**3, x) + Integral(B**2*a*c**2
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*a*c**2*lo
g(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Integral(2*A**2*a*c*d*x, x) +
Integral(2*A**2*b*c*d*x**2, x) + Integral(B**2*a*d**2*x**2*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)**2, x) + Integral(B**2*b*c**2*x*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n)**2, x) + Integral(B**2*b*d**2*x**3*log(e*(a/(c + d*
x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*a*d**2*x**2*log(e*(a/(c +
d*x) + b*x/(c + d*x))**n), x) + Integral(2*A*B*b*c**2*x*log(e*(a/(c + d*x)
 + b*x/(c + d*x))**n), x) + Integral(2*A*B*b*d**2*x**3*log(e*(a/(c + d*x)
+ b*x/(c + d*x))**n), x) + Integral(2*B**2*a*c*d*x*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n)**2, x) + Integral(2*B**2*b*c*d*x**2*log(e*(a/(c + d*x) +
b*x/(c + d*x))**n)**2, x) + Integral(4*A*B*a*c*d*x*log(e*(a/(c + d*x) + b*
x/(c + d*x))**n), x) + Integral(4*A*B*b*c*d*x**2*log(e*(a/(c + d*x) + b*x/
(c + d*x))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2662 vs. $2(608) = 1216$.

Time $= 0.61$ (sec) , antiderivative size $= 2662$, normalized size of antiderivative $= 4.19$

$$\int (ag + bgx)(ci + dix)^2 \left(A + B \log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="maxima")
```

output

```
1/2*A*B*b*d^2*g*i^2*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A^2*b
*d^2*g*i^2*x^4 + 4/3*A*B*b*c*d*g*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c
))^n) + 2/3*A*B*a*d^2*g*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2
/3*A^2*b*c*d*g*i^2*x^3 + 1/3*A^2*a*d^2*g*i^2*x^3 + A*B*b*c^2*g*i^2*x^2*log
(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*A*B*a*c*d*g*i^2*x^2*log(e*(b*x/(d*
x + c) + a/(d*x + c))^n) + 1/2*A^2*b*c^2*g*i^2*x^2 + A^2*a*c*d*g*i^2*x^2 -
 1/12*A*B*b*d^2*g*i^2*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 +
 (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c
^3 - a^3*d^3)*x)/(b^3*d^3)) + 2/3*A*B*b*c*d*g*i^2*n*(2*a^3*log(b*x + a)/b^
3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d
^2)*x)/(b^2*d^2)) + 1/3*A*B*a*d^2*g*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*
log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^
2*d^2)) - A*B*b*c^2*g*i^2*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 +
 (b*c - a*d)*x/(b*d)) - 2*A*B*a*c*d*g*i^2*n*(a^2*log(b*x + a)/b^2 - c^2*lo
g(d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) + 2*A*B*a*c^2*g*i^2*n*(a*log(b*x + a
)/b - c*log(d*x + c)/d) + 2*A*B*a*c^2*g*i^2*x*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) + A^2*a*c^2*g*i^2*x - 1/12*(7*a^2*b*c^2*d^2*g*i^2*n^2 - 2*a^3*c
*d^3*g*i^2*n^2 + (g*i^2*n^2 - 2*g*i^2*n*log(e))*b^3*c^4 - 2*(3*g*i^2*n^2 -
 4*g*i^2*n*log(e))*a*b^2*c^3*d)*B^2*log(d*x + c)/(b^2*d^2) + 1/6*(b^4*c^4*
g*i^2*n^2 - 4*a*b^3*c^3*d*g*i^2*n^2 + 6*a^2*b^2*c^2*d^2*g*i^2*n^2 - 4*a...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
,x)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x +
 b*d*x**2),x)*a**4*b**2*d**5*n + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4*n - 12*int((log((
(a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*
b**4*c**2*d**3*n + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d
*x + b*c*x + b*d*x**2),x)*a*b**5*c**3*d**2*n - 2*int((log(((a + b*x)**n*e)
/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**6*c**4*d*n - 2*lo
g(c + d*x)*a**5*d**4*n + 8*log(c + d*x)*a**4*b*c*d**3*n + log(c + d*x)*a**
4*b*d**4*n**2 - 12*log(c + d*x)*a**3*b**2*c**2*d**2*n - 4*log(c + d*x)*a**
3*b**2*c*d**3*n**2 + 8*log(c + d*x)*a**2*b**3*c**3*d*n + 6*log(c + d*x)*a*
*2*b**3*c**2*d**2*n**2 - 2*log(c + d*x)*a*b**4*c**4*n - 4*log(c + d*x)*a*b
**4*c**3*d*n**2 + log(c + d*x)*b**5*c**4*n**2 + log(((a + b*x)**n*e)/(c +
d*x)**n)**2*a**3*b**2*c*d**3 - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**
2*b**3*c**2*d**2 - log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c**3*d - 1
2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c**2*d**2*x - 12*log(((a +
b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c*d**3*x**2 - 4*log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*a*b**4*d**4*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*
b**5*c**2*d**2*x**2 - 8*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*c*d**3*
x**3 - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*d**4*x**4 - 2*log(((a
+ b*x)**n*e)/(c + d*x)**n)*a**5*d**4 + 8*log(((a + b*x)**n*e)/(c + d*x)...
```

3.171 $\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 1945
Mathematica [A] (verified) . . . 1946
Rubi [A] (verified) . . . 1947
Maple [F] . . . 1953
Fricas [F] . . . 1954
Sympy [F] . . . 1954
Maxima [B] (verification not implemented) . . . 1955
Giac [F] . . . 1956
Mupad [F(-1)] . . . 1957
Reduce [F] . . . 1957

Optimal result

Integrand size = 35, antiderivative size = 361

$$\begin{aligned}
&\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= \frac{B^2(bc-ad)^2i^2n^2x}{3b^2} - \frac{2B(bc-ad)^2i^2n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^3} \\
&\quad - \frac{B(bc-ad)i^2n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3bd} \\
&\quad + \frac{i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d} \\
&\quad + \frac{B^2(bc-ad)^3i^2n^2\log\left(\frac{a+bx}{c+dx}\right)}{3b^3d} + \frac{B^2(bc-ad)^3i^2n^2\log(c+dx)}{b^3d} \\
&\quad + \frac{2B(bc-ad)^3i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3b^3d} \\
&\quad - \frac{2B^2(bc-ad)^3i^2n^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3b^3d}
\end{aligned}$$

output
```
1/3*B^2*(-a*d+b*c)^2*i^2*n^2*x/b^2-2/3*B*(-a*d+b*c)^2*i^2*n*(b*x+a)*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))/b^3-1/3*B*(-a*d+b*c)*i^2*n*(d*x+c)^2*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))/b/d+1/3*i^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
^2/d+1/3*B^2*(-a*d+b*c)^3*i^2*n^2*ln((b*x+a)/(d*x+c))/b^3/d+B^2*(-a*d+b*c)
^3*i^2*n^2*ln(d*x+c)/b^3/d+2/3*B*(-a*d+b*c)^3*i^2*n*(A+B*ln(e*((b*x+a)/(d*
x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/d-2/3*B^2*(-a*d+b*c)^3*i^2*n^2*pol
ylog(2,b*(d*x+c)/d/(b*x+a))/b^3/d
```

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 303, normalized size of antiderivative = 0.84

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \frac{i^2\left((c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 - \frac{B(bc-ad)n\left(2Abd(bc-ad)x-B(bc-ad)n(bdx+(bc-ad)\log(a+bx))+2Bd(bc-ad)(a+b\right.}{}\right.}{}$$

input
```
Integrate[(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
(i^2*((c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (B*(b*c - a*d
)*n*(2*A*b*d*(b*c - a*d)*x - B*(b*c - a*d)*n*(b*d*x + (b*c - a*d)*Log[a +
b*x]) + 2*B*d*(b*c - a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + b^2*(
c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*(b*c - a*d)^2*Log[a
+ b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*B*(b*c - a*d)^2*n*Log[c
+ d*x] - B*(b*c - a*d)^2*n*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x
))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])))/b^3))/(3*
d)
```

Rubi [A] (verified)

Time = 1.03 (sec) , antiderivative size = 376, normalized size of antiderivative = 1.04, number of steps used = 12, number of rules used = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.314$, Rules used = {2951, 2756, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^2 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2951$$

$$i^2(bc-ad)^3 \int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}$$

$$\downarrow 2756$$

$$i^2(bc-ad)^3 \left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{3d}\right)$$

$$\downarrow 2789$$

$$i^2(bc- ad)^3 \left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn\left(\frac{d\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2} d\frac{a+bx}{c+dx}}{b}\right)}{3d}\right)$$

$$\downarrow 2756$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}dx}{b}\right)}{3d}+\frac{i^2(bc-$$

$$\downarrow 54$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}\right)}{3d}+\frac{i^2(bc-$$

$$\downarrow 2009$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{i^2(bc-}{3d}\right.$$

$$2Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\right.\right.\right.}{b}\right.$$

$$\downarrow 2789$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{i^2(bc-}{3d}\right.$$

$$2Bn\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.}{2d\left(b-\right.}\right.$$

$$\downarrow 2751$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}}{b}}{i^2(bc-}\right.$$

$$\downarrow 16$$

$$ad)^3\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a}{c+}\right.\right.}{bd}}{b}}{3}\right.$$

$$\downarrow 2779$$



↓ 2838

input
```
Int[(c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
(b*c - a*d)^3*i^2*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(3*d*(b - (d*(
a + b*x))/(c + d*x))^3) - (2*B*n*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n
])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*(1/(b*(b - (d*(a + b*x))/(
c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x
)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Log[b - (d*(a + b*x)
)/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1
 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x))/(d*(a
+ b*x))])/b)/b)/b))/(3*d))
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2951
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [F]

$$\int (dix+ci)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int (dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="fricas")
```

output
```
integral(A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= i^2\left(\int A^2c^2\,dx+\int A^2d^2x^2\,dx+\int B^2c^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx\right.$$
$$+\int 2ABc^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx+\int 2A^2cdx\,dx$$
$$+\int B^2d^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+\int 2ABd^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+\int 2B^2cdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$\left.+\int 4ABcdx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx\right)$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x)
```

output

```
i**2*(Integral(A**2*c**2, x) + Integral(A**2*d**2*x**2, x) + Integral(B**2
*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*c**2
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Integral(2*A**2*c*d*x, x) +
 Integral(B**2*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) +
Integral(2*A*B*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Int
egral(2*B**2*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integr
al(4*A*B*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1473 vs. $2(346) = 692$.

Time $= 0.55$ (sec) , antiderivative size $= 1473$, normalized size of antiderivative $= 4.08$

$$\int (ci + dix)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right)^2 dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="m
axima")
```

output

```
2/3*A*B*d^2*i^2*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*A^2*d^2*i
^2*x^3 + 2*A*B*c*d*i^2*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*c*
d*i^2*x^2 + 1/3*A*B*d^2*i^2*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 2*
A*B*c*d*i^2*n*(a^2*log(b*x + a)/b^2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x
/(b*d)) + 2*A*B*c^2*i^2*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + 2*A*B*c^
2*i^2*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*c^2*i^2*x - 1/3*(5*a*
b*c^2*d*i^2*n^2 - 2*a^2*c*d^2*i^2*n^2 - (3*i^2*n^2 - 2*i^2*n*log(e))*b^2*c
^3)*B^2*log(d*x + c)/(b^2*d) - 2/3*(b^3*c^3*i^2*n^2 - 3*a*b^2*c^2*d*i^2*n^
2 + 3*a^2*b*c*d^2*i^2*n^2 - a^3*d^3*i^2*n^2)*(log(b*x + a)*log((b*d*x + a*
d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*B^2/(b^3*d) + 1/3
*(B^2*b^3*d^3*i^2*x^3*log(e)^2 + 2*B^2*b^3*c^3*i^2*n^2*log(b*x + a)*log(d*
x + c) - B^2*b^3*c^3*i^2*n^2*log(d*x + c)^2 + (a*b^2*d^3*i^2*n*log(e) - (i
^2*n*log(e) - 3*i^2*log(e)^2)*b^3*c*d^2)*B^2*x^2 - (3*a*b^2*c^2*d*i^2*n^2
- 3*a^2*b*c*d^2*i^2*n^2 + a^3*d^3*i^2*n^2)*B^2*log(b*x + a)^2 + ((i^2*n^2
- 4*i^2*n*log(e) + 3*i^2*log(e)^2)*b^3*c^2*d - 2*(i^2*n^2 - 3*i^2*n*log(e)
)*a*b^2*c*d^2 + (i^2*n^2 - 2*i^2*n*log(e))*a^2*b*d^3)*B^2*x - (2*(2*i^2*n^
2 - 3*i^2*n*log(e))*a*b^2*c^2*d - (7*i^2*n^2 - 6*i^2*n*log(e))*a^2*b*c*d^2
 + (3*i^2*n^2 - 2*i^2*n*log(e))*a^3*d^3)*B^2*log(b*x + a) + (B^2*b^3*d^3*i
^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*x)*log((b*x + a)...
```

Giac [F]

$$\int (ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (dix+ci)^2 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="g
iac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int (c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2,x)
```

output
```
int((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2, x)
```

Reduce [F]

$$\int (ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*
d*x**2),x)*a**3*b**2*d**4*n + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)
/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**3*c*d**3*n - 6*int((log(((a +
 b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**4*c*
*2*d**2*n + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*
c*x + b*d*x**2),x)*b**5*c**3*d*n - 2*log(a + b*x)*a**4*d**3*n + 6*log(a +
b*x)*a**3*b*c*d**2*n + 3*log(a + b*x)*a**3*b*d**3*n**2 - 6*log(a + b*x)*a*
*2*b**2*c**2*d*n - 9*log(a + b*x)*a**2*b**2*c*d**2*n**2 + 2*log(a + b*x)*a
*b**3*c**3*n + 9*log(a + b*x)*a*b**3*c**2*d*n**2 - 3*log(a + b*x)*b**4*c**
3*n**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**2 - 2*log(((
a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c**2*d - 3*log(((a + b*x)**n*e)/(c
+ d*x)**n)**2*b**4*c**2*d*x - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4
*c*d**2*x**2 - log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*d**3*x**3 + 2*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*d**2*n + 2*log(((a + b*x)**n*
e)/(c + d*x)**n)*a**2*b**2*d**3*n*x - 2*log(((a + b*x)**n*e)/(c + d*x)**n)
*a*b**3*c**3 - 5*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*d*n - 6*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*d*x - 6*log(((a + b*x)**n*e)/
(c + d*x)**n)*a*b**3*c*d**2*n*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b
**3*c*d**2*x**2 - log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**3*n*x**2 -
2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d**3*x**3 + 3*log(((a + b*x...
```

3.172 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$

Optimal result 1960
Mathematica [B] (verified) 1961
Rubi [A] (verified) 1962
Maple [F] 1970
Fricas [F] 1970
Sympy [F] 1971
Maxima [F] 1971
Giac [F] 1972
Mupad [F(-1)] 1973
Reduce [F] 1973

Optimal result

Integrand size = 45, antiderivative size = 572

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx \\
&= -\frac{Bd(bc-ad)i^2n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g} \\
&\quad + \frac{d(bc-ad)i^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3g} \\
&\quad + \frac{i^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2bg} \\
&\quad + \frac{2B(bc-ad)^2i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^3g} \\
&\quad + \frac{B^2(bc-ad)^2i^2n^2\log(c+dx)}{b^3g} \\
&\quad + \frac{B(bc-ad)^2i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad - \frac{(bc-ad)^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B^2(bc-ad)^2i^2n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^3g} - \frac{B^2(bc-ad)^2i^2n^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B(bc-ad)^2i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g} \\
&\quad + \frac{2B^2(bc-ad)^2i^2n^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g}
\end{aligned}
$$

output

```
-B*d*(-a*d+b*c)*i^2*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/g+d*(-a*
d+b*c)*i^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^3/g+1/2*i^2*(d*x+c)
^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b/g+2*B*(-a*d+b*c)^2*i^2*n*(A+B*ln(e*
((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^3/g+B^2*(-a*d+b*c)^2*i^2*
n^2*ln(d*x+c)/b^3/g+B*(-a*d+b*c)^2*i^2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*l
n(1-b*(d*x+c)/d/(b*x+a))/b^3/g-(-a*d+b*c)^2*i^2*(A+B*ln(e*((b*x+a)/(d*x+c)
)^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g+2*B^2*(-a*d+b*c)^2*i^2*n^2*polylog
(2,d*(b*x+a)/b/(d*x+c))/b^3/g-B^2*(-a*d+b*c)^2*i^2*n^2*polylog(2,b*(d*x+c)
/d/(b*x+a))/b^3/g+2*B*(-a*d+b*c)^2*i^2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*p
olylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g+2*B^2*(-a*d+b*c)^2*i^2*n^2*polylog(3,b
*(d*x+c)/d/(b*x+a))/b^3/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2852 vs. $2(572) = 1144$.

Time = 3.97 (sec) , antiderivative size = 2852, normalized size of antiderivative = 4.99

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x),x]
```

output

```
(i^2*(12*b*d*(2*b*c - a*d)*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*L
og[(a + b*x)/(c + d*x)])^2 + 6*b^2*d^2*x^2*(A + B*Log[e*((a + b*x)/(c + d*
x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 + 12*(b*c - a*d)^2*Log[a + b*x]*(
A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 - 2
4*b*B*c*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d
*x)])*(a*d*Log[a/b + x]^2 - 2*a*d*Log[a/b + x]*(1 + Log[a + b*x]) + 2*(-(b
*c) + a*d + Log[c/d + x]*(b*c + a*d*Log[a + b*x] - a*d*Log[(d*(a + b*x))/(
-(b*c) + a*d)]) + (-(b*d*x) + a*d*Log[a + b*x])*Log[(a + b*x)/(c + d*x)])
- 2*a*d*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 12*b^2*B*c^2*n*(A + B*Log
[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])*(Log[a/b + x]^
2 - 2*Log[a + b*x]*(Log[a/b + x] - Log[c/d + x] - Log[(a + b*x)/(c + d*x)]
) - 2*(Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + PolyLog[2, (b*(c +
 d*x))/(b*c - a*d)])) + 6*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*
Log[(a + b*x)/(c + d*x)])*(-4*a*d^2*(a + b*x)*(-1 + Log[a/b + x]) + 2*a^2*
d^2*Log[a/b + x]^2 + 4*a*b*d*(c + d*x)*(-1 + Log[c/d + x]) + d^2*(b*x*(2*a
 - b*x) + 2*b^2*x^2*Log[a/b + x] - 2*a^2*Log[a + b*x]) - 2*d^2*(b*x*(-2*a
+ b*x) + 2*a^2*Log[a + b*x])*(Log[a/b + x] - Log[c/d + x] - Log[(a + b*x)/
(c + d*x)]) + b^2*(d*x*(-2*c + d*x) - 2*d^2*x^2*Log[c/d + x] + 2*c^2*Log[c
 + d*x]) - 4*a^2*d^2*(Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Pol
yLog[2, (b*(c + d*x))/(b*c - a*d)])) - 8*b*B^2*c*n^2*(a*d*Log[a/b + x]^...
```

Rubi [A] (verified)

Time = 2.13 (sec) , antiderivative size = 529, normalized size of antiderivative = 0.92, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {2961, 2789, 2756, 2789, 2751, 16, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2(bc-ad)^2\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\int\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2789$$

$$\frac{i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{d}\right)}{b}+\frac{d\int\frac{\left(A+B\log\right.}{\left(b-\right.}}{g}$$

$$\downarrow 2751$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}}{b}\right)}{d}\right)}{b}\right)}{g}$$

$$\downarrow 16$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{bd}\right)}{b}\right)}{d}\right)}{b}\right)}{g}$$

↓ 2755

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+bx}{c+dx}\right.\right.}{bd}\right.}{d}\right.}{b}\right.}{g}$$

↓ 2754

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+bx}{c+dx}\right.\right.}{bd}\right.}{d}\right.}{b}\right.}{}$$

↓ 2779

$$i^2(bc-ad)^2 \left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)\left(B\right.}{b(c+d}\right.}{}\right.}{d}\right.}{b}\right.$$

$\Big\downarrow$ 2821

$$i^2(bc-ad)^2 \left(\frac{\frac{2Bn\left(\frac{\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int\frac{(c+dx)\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}\right)-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right.\right.}{b}}{b}\right.$$

$\Big\downarrow$ 2838

$$i^2(bc-ad)^2\left(\frac{\frac{2Bn\left(\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int\frac{(c+dx)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}\right)$$

$$\downarrow 7143$$

$$i^2(bc-ad)^2\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{Bn\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.\right.}{b(c+dx)\left(b-\frac{d(a+b}{c+d}\right.}\right.}{d}\right.}{b}\right)$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x),x]
```

output
```
((b*c - a*d)^2*i^2*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(2*d*(b -
 (d*(a + b*x))/(c + d*x))^2) - (B*n*((d*(((a + b*x)*(A + B*Log[e*((a + b*x
)/(c + d*x))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Log[b
 - (d*(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c +
d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c
 + d*x))/(d*(a + b*x))])/b)/b))/d))/b + ((d*(((a + b*x)*(A + B*Log[e*((a +
 b*x)/(c + d*x))^n])^2)/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (2*B
*n*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c
+ d*x))])/d) - (B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d))/b))/b + (
-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (b*(c + d*x))/(d*(a +
b*x))])/b) + (2*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (b*
(c + d*x))/(d*(a + b*x))] + B*n*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/
b)/b)/b))/g
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{bgx+ag}dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="fricas")
```

output

```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log(e*((b*x + a)/(d*x + c
))^n))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$$

$$= \frac{i^2\left(\int \frac{A^2c^2}{a+bx}\,dx+\int \frac{A^2d^2x^2}{a+bx}\,dx+\int \frac{B^2c^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a+bx}\,dx+\int \frac{2ABc^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx+\int \frac{2A^2cdx}{a+bx}\,dx\right.}{}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g),x
)
```

output
```
i**2*(Integral(A**2*c**2/(a + b*x), x) + Integral(A**2*d**2*x**2/(a + b*x)
, x) + Integral(B**2*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + 
b*x), x) + Integral(2*A*B*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a
 + b*x), x) + Integral(2*A**2*c*d*x/(a + b*x), x) + Integral(B**2*d**2*x**2
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + Integral(2*A*B
*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + Integra
l(2*B**2*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + 
Integral(4*A*B*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x)
)/g
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="maxima")
```

output

```
2*A^2*c*d*i^2*(x/(b*g) - a*log(b*x + a)/(b^2*g)) + 1/2*A^2*d^2*i^2*(2*a^2*
log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A^2*c^2*i^2*log(b*g*x +
a*g)/(b*g) + 1/2*(B^2*b^2*d^2*i^2*x^2 + 2*(2*b^2*c*d*i^2 - a*b*d^2*i^2)*B^
2*x + 2*(b^2*c^2*i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*B^2*log(b*x + a))*log(
(d*x + c)^n)^2/(b^3*g) - integrate(-(B^2*b^3*c^3*i^2*log(e)^2 + 2*A*B*b^3*
c^3*i^2*log(e) + (B^2*b^3*d^3*i^2*log(e)^2 + 2*A*B*b^3*d^3*i^2*log(e))*x^3
 + 3*(B^2*b^3*c*d^2*i^2*log(e)^2 + 2*A*B*b^3*c*d^2*i^2*log(e))*x^2 + (B^2*
b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*x + B^2*b^
3*c^3*i^2)*log((b*x + a)^n)^2 + 3*(B^2*b^3*c^2*d*i^2*log(e)^2 + 2*A*B*b^3*
c^2*d*i^2*log(e))*x + 2*(B^2*b^3*c^3*i^2*log(e) + A*B*b^3*c^3*i^2 + (B^2*b
^3*d^3*i^2*log(e) + A*B*b^3*d^3*i^2)*x^3 + 3*(B^2*b^3*c*d^2*i^2*log(e) + A
*B*b^3*c*d^2*i^2)*x^2 + 3*(B^2*b^3*c^2*d*i^2*log(e) + A*B*b^3*c^2*d*i^2)*x
)*log((b*x + a)^n) - (2*B^2*b^3*c^3*i^2*log(e) + 2*A*B*b^3*c^3*i^2 + (2*A*
B*b^3*d^3*i^2 + (i^2*n + 2*i^2*log(e))*B^2*b^3*d^3)*x^3 + (6*A*B*b^3*c*d^2
*i^2 - (a*b^2*d^3*i^2*n - 2*(2*i^2*n + 3*i^2*log(e))*b^3*c*d^2)*B^2)*x^2 +
 2*(3*A*B*b^3*c^2*d*i^2 + (2*a*b^2*c*d^2*i^2*n - a^2*b*d^3*i^2*n + 3*b^3*c
^2*d*i^2*log(e))*B^2)*x + 2*((b^3*c^2*d*i^2*n - 2*a*b^2*c*d^2*i^2*n + a^2*
b*d^3*i^2*n)*B^2*x + (a*b^2*c^2*d*i^2*n - 2*a^2*b*c*d^2*i^2*n + a^3*d^3*i^
2*n)*B^2)*log(b*x + a) + 2*(B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*c*d^2*i^2*x^2
+ 3*B^2*b^3*c^2*d*i^2*x + B^2*b^3*c^3*i^2)*log((b*x + a)^n))*log((d*x +...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="giac")
```

output

```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(b*g*x
+ a*g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x),x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x), x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{bx+a}dx\right)b^5c^2 - 4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right)a\,b^4c^2 - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x^2}{bx+a}dx\right)b^5d^2 - 4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right)a\,b^4d^2 - 8\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)x}{bx+a}dx\right)b^5cd - 2\log(a+bx)a^4d^2 + 4\log(a+bx)a^3b^2cd - 2\log(a+bx)a^2b^2c^2 + 2a^3b^2d^2x - 4a^2b^2cdx - a^2b^2d^2x^2}{2b^3g}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output
```
( - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a + b*x),x)*b**5*c**2 - 4
*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*a*b**4*c**2 - 2*int((
log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a + b*x),x)*b**5*d**2 - 4*int
((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a + b*x),x)*b**5*c*d - 4*int((
log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a + b*x),x)*a*b**4*d**2 - 8*int(
(log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*a*b**4*c*d - 2*log(a +
 b*x)*a**4*d**2 + 4*log(a + b*x)*a**3*b*c*d - 2*log(a + b*x)*a**2*b**2*c**
2 + 2*a**3*b*d**2*x - 4*a**2*b**2*c*d*x - a**2*b**2*d**2*x**2)/(2*b**3*g)
```

3.173 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result 1975
Mathematica [B] (verified) 1976
Rubi [A] (verified) 1977
Maple [F] 1978
Fricas [F] 1979
Sympy [F(-1)] 1979
Maxima [F] 1980
Giac [F] 1980
Mupad [F(-1)] 1981
Reduce [F] 1981

Optimal result

Integrand size = 45, antiderivative size = 472

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2(bc-ad)i^2n^2(c+dx)}{b^2g^2(a+bx)} - \frac{2B(bc-ad)i^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2g^2(a+bx)} \\
&\quad + \frac{d^2i^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3g^2} \\
&\quad - \frac{(bc-ad)i^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2g^2(a+bx)} \\
&\quad + \frac{2Bd(bc-ad)i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^3g^2} \\
&\quad - \frac{2d(bc-ad)i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{2B^2d(bc-ad)i^2n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^3g^2} \\
&\quad + \frac{4Bd(bc-ad)i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2} \\
&\quad + \frac{4B^2d(bc-ad)i^2n^2\,\mathrm{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^2}
\end{aligned}
$$

output

```
-2*B^2*(-a*d+b*c)*i^2*n^2*(d*x+c)/b^2/g^2/(b*x+a)-2*B*(-a*d+b*c)*i^2*n*(d*
x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^2/(b*x+a)+d^2*i^2*(b*x+a)*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))^2/b^3/g^2-(-a*d+b*c)*i^2*(d*x+c)*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))^2/b^2/g^2/(b*x+a)+2*B*d*(-a*d+b*c)*i^2*n*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^3/g^2-2*d*(-a*d+b*c)*i^2*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^2+2*B^2*d*(-a
*d+b*c)*i^2*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^3/g^2+4*B*d*(-a*d+b*c)*i^
2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g^2
+4*B^2*d*(-a*d+b*c)*i^2*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^3/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2885 vs. $2(472) = 944$.

Time = 5.59 (sec) , antiderivative size = 2885, normalized size of antiderivative = 6.11

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^2,x]
```

output

```
(i^2*(3*b*d^2*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/
(c + d*x)])^2 - (3*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B
*n*Log[(a + b*x)/(c + d*x)])^2)/(a + b*x) + 6*d*(b*c - a*d)*Log[a + b*x]*(
A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 + (
6*b^2*B*c^2*n*(-A - B*Log[e*((a + b*x)/(c + d*x))^n] + B*n*Log[(a + b*x)/(
c + d*x)])*(-(d*(a + b*x)*Log[c/d + x]) + d*(a + b*x)*Log[(d*(a + b*x))/(-
(b*c) + a*d)] + (b*c - a*d)*(1 + Log[(a + b*x)/(c + d*x)])))/((b*c - a*d)*
(a + b*x)) + (3*b^2*B^2*c^2*n^2*(-2*b*c + 2*a*d - 2*d*(a + b*x)*Log[a + b*
x] - 2*(b*c - a*d)*Log[(a + b*x)/(c + d*x)] - 2*d*(a + b*x)*Log[a + b*x]*L
og[(a + b*x)/(c + d*x)] - (b*c - a*d)*Log[(a + b*x)/(c + d*x)]^2 + 2*d*(a
+ b*x)*Log[c + d*x] - 2*d*(a + b*x)*Log[(a + b*x)/(c + d*x)]*Log[(b*c - a*
d)/(b*c + b*d*x)] + d*(a + b*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c
+ d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + d*(a
 + b*x)*(Log[(b*c - a*d)/(b*c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d
)] + Log[(b*c - a*d)/(b*c + b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a
*d)])))/((b*c - a*d)*(a + b*x)) + 6*b*B*c*d*n*(A + B*Log[e*((a + b*x)/(c +
 d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])*(Log[a/b + x]^2 - 2*Log[a/b + x]
*Log[a + b*x] - 2*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*Log[a
 + b*x]*((a*d)/(b*c - a*d) + Log[c/d + x] + Log[(a + b*x)/(c + d*x)]) + 2*
a*((a + b*x)^(-1) + Log[(a + b*x)/(c + d*x)]/(a + b*x) + (d*Log[c + d*x...
```

Rubi [A] (verified)

Time = 0.75 (sec) , antiderivative size = 396, normalized size of antiderivative = 0.84, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2(bc-ad)\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2795$$

$$\frac{i^2(bc-ad)\int\left(\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2(a+bx)^2}+\frac{2d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}\right)d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2009$$

$$i^2(bc-ad)\left(\frac{d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b^3(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{4Bdn\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^3}+\frac{2Bdn\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\right.}{b^3}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x)^2,x]
```

output
```
((b*c - a*d)*i^2*((-2*B^2*n^2*(c + d*x))/(b^2*(a + b*x)) - (2*B*n*(c + d*x
)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^2*(a + b*x)) - ((c + d*x)*(A
 + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(b^2*(a + b*x)) + (d^2*(a + b*x)*(A
  + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(b^3*(c + d*x)*(b - (d*(a + b*x))/
(c + d*x))) + (2*B*d*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(
a + b*x))/(b*(c + d*x))])/b^3 - (2*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b^3 + (2*B^2*d*n^2*PolyLog[2, (d
*(a + b*x))/(b*(c + d*x))])/b^3 + (4*B*d*n*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b^3 + (4*B^2*d*n^2*PolyLo
g[3, (b*(c + d*x))/(d*(a + b*x))])/b^3))/g^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^2}dx$$

input
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output
```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="fricas")
```

output
```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log(e*((b*x + a)/(d*x + c
))^n))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="maxima")
```

output

```
-2*A*B*c^2*i^2*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d
)*g^2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - A^2*(a^2/(b^4*g^2*x + a*b
^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^2))*d^2*i^2 + 2*A^2*c*d*i^
2*(a/(b^3*g^2*x + a*b^2*g^2) + log(b*x + a)/(b^2*g^2)) - 2*A*B*c^2*i^2*log
(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^2*g^2*x + a*b*g^2) - A^2*c^2*i^2/(b
^2*g^2*x + a*b*g^2) + (B^2*b^2*d^2*i^2*x^2 + B^2*a*b*d^2*i^2*x - (b^2*c^2*
i^2 - 2*a*b*c*d*i^2 + a^2*d^2*i^2)*B^2 + 2*((b^2*c*d*i^2 - a*b*d^2*i^2)*B^
2*x + (a*b*c*d*i^2 - a^2*d^2*i^2)*B^2)*log(b*x + a))*log((d*x + c)^n)^2/(b
^4*g^2*x + a*b^3*g^2) - integrate(-(B^2*b^3*c^3*i^2*log(e)^2 + (B^2*b^3*d^
3*i^2*log(e)^2 + 2*A*B*b^3*d^3*i^2*log(e))*x^3 + 3*(B^2*b^3*c*d^2*i^2*log(
e)^2 + 2*A*B*b^3*c*d^2*i^2*log(e))*x^2 + (B^2*b^3*d^3*i^2*x^3 + 3*B^2*b^3*
c*d^2*i^2*x^2 + 3*B^2*b^3*c^2*d*i^2*x + B^2*b^3*c^3*i^2)*log((b*x + a)^n)^
2 + (3*B^2*b^3*c^2*d*i^2*log(e)^2 + 4*A*B*b^3*c^2*d*i^2*log(e))*x + 2*(B^2
*b^3*c^3*i^2*log(e) + (B^2*b^3*d^3*i^2*log(e) + A*B*b^3*d^3*i^2)*x^3 + 3*(
B^2*b^3*c*d^2*i^2*log(e) + A*B*b^3*c*d^2*i^2)*x^2 + (3*B^2*b^3*c^2*d*i^2*l
og(e) + 2*A*B*b^3*c^2*d*i^2)*x)*log((b*x + a)^n) - 2*((A*B*b^3*d^3*i^2 + (
i^2*n + i^2*log(e))*B^2*b^3*d^3)*x^3 - (a*b^2*c^2*d*i^2*n - 2*a^2*b*c*d^2*
i^2*n + a^3*d^3*i^2*n - b^3*c^3*i^2*log(e))*B^2 + (3*A*B*b^3*c*d^2*i^2 + (
2*a*b^2*d^3*i^2*n + 3*b^3*c*d^2*i^2*log(e))*B^2)*x^2 + (2*A*B*b^3*c^2*d*i^
2 + (2*a*b^2*c*d^2*i^2*n - (i^2*n - 3*i^2*log(e))*b^3*c^2*d)*B^2)*x + 2...
```

Giac [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="giac")
```

output
```
integrate((d*i*x + c*i)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(b*g*x
+ a*g)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^2,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output

```
( - int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b**
2*x**2),x)*a**3*b**5*d**3 + int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**
2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*d**2 - int((log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*d**
3*x + int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a*b**7*c*d**2*x - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**
2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c*d**2 + 2*int((log(((a + b
*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c*
*2*d - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a**2*b**6*c*d**2*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n
)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**7*c**2*d*x - 2*int((log(((a +
 b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**4*b**4*
d**3 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a**3*b**5*c*d**2 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*
x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*d**3*x + 2*int((log(((a +
b*x)**n*e)/(c + d*x)**n)*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**6*c
*d**2*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b
**2*x**2),x)*a**4*b**4*c*d**2 + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*
x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c**2*d - 4*int((log(((a + b*x
)**n*e)/(c + d*x)**n)*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**5*c*d*...
```

3.174 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result . . . 1983
Mathematica [B] (verified) . . . 1984
Rubi [A] (verified) . . . 1985
Maple [F] . . . 1990
Fricas [F] . . . 1990
Sympy [F] . . . 1991
Maxima [F] . . . 1992
Giac [F(-1)] . . . 1992
Mupad [F(-1)] . . . 1993
Reduce [F] . . . 1993

Optimal result

Integrand size = 45, antiderivative size = 417

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx \\
&= -\frac{2B^2di^2n^2(c+dx)}{b^2g^3(a+bx)} - \frac{B^2i^2n^2(c+dx)^2}{4bg^3(a+bx)^2} - \frac{2Bdi^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^2g^3(a+bx)} \\
&\quad - \frac{Bi^2n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2bg^3(a+bx)^2} \\
&\quad - \frac{di^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^2g^3(a+bx)} - \frac{i^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2bg^3(a+bx)^2} \\
&\quad - \frac{d^2i^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} \\
&\quad + \frac{2Bd^2i^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3} \\
&\quad + \frac{2B^2d^2i^2n^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^3g^3}
\end{aligned}
$$

output

```
-2*B^2*d*i^2*n^2*(d*x+c)/b^2/g^3/(b*x+a)-1/4*B^2*i^2*n^2*(d*x+c)^2/b/g^3/(
b*x+a)^2-2*B*d*i^2*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^3/(b*x+
a)-1/2*B*i^2*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g^3/(b*x+a)^2-d
*i^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2/g^3/(b*x+a)-1/2*i^2*(d*
x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b/g^3/(b*x+a)^2-d^2*i^2*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^3/g^3+2*B*d^2*i^2*n*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^3/g^3+2*B^
2*d^2*i^2*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^3/g^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 4535 vs. $2(417) = 834$.

Time $= 7.32$ (sec) , antiderivative size $= 4535$, normalized size of antiderivative $= 10.88$

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^3,x]
```

output

```
(d^2*i^2*Log[a + b*x]*(A + B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a +
b*x)/(c + d*x)]))^2)/(b^3*g^3) + (2*(-(A^2*b*c*d*i^2) + a*A^2*d^2*i^2 - 2*
A*b*B*c*d*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]
) + 2*a*A*B*d^2*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c +
 d*x)]) - b*B^2*c*d*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/
(c + d*x)])^2 + a*B^2*d^2*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a +
 b*x)/(c + d*x)])^2))/(b^3*g^3*(a + b*x)) + (-(A^2*b^2*c^2*i^2) + 2*a*A^2*
b*c*d*i^2 - a^2*A^2*d^2*i^2 - 2*A*b^2*B*c^2*i^2*(Log[e*((a + b*x)/(c + d*x
))^n] - n*Log[(a + b*x)/(c + d*x)]) + 4*a*A*b*B*c*d*i^2*(Log[e*((a + b*x)/
(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - 2*a^2*A*B*d^2*i^2*(Log[e*((a
 + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - b^2*B^2*c^2*i^2*(Log
[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2 + 2*a*b*B^2*c*
d*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2 - a^
2*B^2*d^2*i^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]
)^2)/(2*b^3*g^3*(a + b*x)^2) + (2*B*c^2*i^2*n*(A + B*(Log[e*((a + b*x)/(c
+ d*x))^n] - n*Log[(a + b*x)/(c + d*x)]))*(-1/8*((a/b + x)*(2*Log[a/b + x]
 + 4*Log[a/b + x]^2))/((a + b*x)^3*Log[a/b + x]) - ((b*(c/d + x))/((-a + (
b*c)/d)^3*(1 - (b*(c/d + x))/(-a + (b*c)/d))) - ((b^2*(c/d + x)^2)/((-a +
(b*c)/d)^4*(1 - (b*(c/d + x))/(-a + (b*c)/d))^2) + (2*b*(c/d + x))/((-a +
(b*c)/d)^3*(1 - (b*(c/d + x))/(-a + (b*c)/d))))*Log[c/d + x] - Log[1 - ...
```

Rubi [A] (verified)

Time = 1.49 (sec) , antiderivative size = 353, normalized size of antiderivative = 0.85, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {2961, 2780, 2742, 2741, 2780, 2742, 2741, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2 \int \frac{(c+dx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2742$$

$$\frac{i^2\left(\frac{Bn\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^3}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{Bn\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}\right)-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}}{b}\right)}{g^3}$$

$$\downarrow 2780$$

$$\frac{i^2\left(\frac{d\left(\frac{\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{Bn\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+}{4(a+b}\right.\right.}{b}}{g^3}$$

$$\downarrow 2742$$

$$i^2\left(\frac{d\left(\frac{2Bn\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{Bn\left(-\frac{(c+}{}\right.}{g^3}$$

$$\downarrow 2741$$

$$i^2\left(\frac{d\left(\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{2Bn\left(-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}\right)-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}}{b}\right)}{b}+\frac{Bn}{}\right.}{g^3}$$

$$\downarrow 2779$$

$$i^2\left(\frac{d\left(\frac{d\left(\frac{2Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b}\right)}{b}+\frac{2Bn\left(-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.}{a+bx}\right.}{b}\right)$$

$$\downarrow 2821$$



↓ 7143



input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^3,x]
```

output
```
(i^2*((-1/2*((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*
x)^2 + B*n*(-1/4*(B*n*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[e
*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2)))/b + (d*((-(((c + d*x)*(A + B
*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x)) + 2*B*n*(-((B*n*(c + d*x))/
(a + b*x)) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x))
)/b + (d*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (b*(c + d*x)
)/(d*(a + b*x))])/b) + (2*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Poly
Log[2, (b*(c + d*x))/(d*(a + b*x))] + B*n*PolyLog[3, (b*(c + d*x))/(d*(a +
 b*x))]))/b))/b))/b))/g^3
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^3}dx$$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

output

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="fricas")
```

output
```
integral((A^2*d^2*i^2*x^2 + 2*A^2*c*d*i^2*x + A^2*c^2*i^2 + (B^2*d^2*i^2*x
^2 + 2*B^2*c*d*i^2*x + B^2*c^2*i^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*d^2*i^2*x^2 + 2*A*B*c*d*i^2*x + A*B*c^2*i^2)*log(e*((b*x + a)/(d*x + c
))^n))/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$$

$$= \frac{i^2\left(\int \frac{A^2c^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{A^2d^2x^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{B^2c^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a^3+3a^2bx+3ab^2x^2+b^3x^3}\,dx + \int \frac{2ABc^2\log\left(e\left(\frac{a}{c+d}\right.\right.\right.}{a^3+3a^2bx+3ab}$$

input
```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
3,x)
```

output
```
i**2*(Integral(A**2*c**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x) + Integral(A**2*d**2*x**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**
3), x) + Integral(B**2*c**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a*
*3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*A*B*c**2*log
(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 +
b**3*x**3), x) + Integral(2*A**2*c*d*x/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2
+ b**3*x**3), x) + Integral(B**2*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d
*x))**n)**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral
(2*A*B*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3 + 3*a**2*b*
x + 3*a*b**2*x**2 + b**3*x**3), x) + Integral(2*B**2*c*d*x*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)**2/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3
), x) + Integral(4*A*B*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a**3
 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3), x))/g**3
```

Maxima [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="maxima")
```

output
```
-A*B*c*d*i^2*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c - a*b^4*
d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)*g^3)
+ 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*
g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*
d^2)*g^3)) + 1/2*A*B*c^2*i^2*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*b^3*d)
*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3) + 2*
d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*log(d*x
 + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) + 1/2*A^2*d^2*i^2*((4*a*b
*x + 3*a^2)/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(
b^3*g^3)) - 2*(2*b*x + a)*A*B*c*d*i^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^
n)/(b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - (2*b*x + a)*A^2*c*d*i^2/(
b^4*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - A*B*c^2*i^2*log(e*(b*x/(d*x +
 c) + a/(d*x + c))^n)/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) - 1/2*A^2*
c^2*i^2/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) - 1/2*(4*(b^2*c*d*i^2 -
a*b*d^2*i^2)*B^2*x + (b^2*c^2*i^2 + 2*a*b*c*d*i^2 - 3*a^2*d^2*i^2)*B^2 - 2
*(B^2*b^2*d^2*i^2*x^2 + 2*B^2*a*b*d^2*i^2*x + B^2*a^2*d^2*i^2)*log(b*x + a
))*log((d*x + c)^n)^2/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) - integr
ate(-(3*B^2*b^3*c^2*d*i^2*x*log(e)^2 + B^2*b^3*c^3*i^2*log(e)^2 + (B^2*b^3
*d^3*i^2*log(e)^2 + 2*A*B*b^3*d^3*i^2*log(e))*x^3 + (3*B^2*b^3*c*d^2*i^2*l
og(e)^2 + 2*A*B*b^3*c*d^2*i^2*log(e))*x^2 + (B^2*b^3*d^3*i^2*x^3 + 3*B^...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^3,x)
```

output
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

output

```
( - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x
+ 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**5*d**4 + 8*int((log(((a + b*x)**n*
e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x)*a**4*b**6*c*d**3 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(
a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**6*d**4*x - 4*int
((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**
2*x**2 + b**3*x**3),x)*a**3*b**7*c**2*d**2 + 16*int((log(((a + b*x)**n*e)/
(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*
a**3*b**7*c*d**3*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a
**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**7*d**4*x**2 - 8*i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b
**2*x**2 + b**3*x**3),x)*a**2*b**8*c**2*d**2*x + 8*int((log(((a + b*x)**n*
e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x)*a**2*b**8*c*d**3*x**2 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x*
*2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a*b**9*c**2*d**2*x*
*2 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x +
3*a*b**2*x**2 + b**3*x**3),x)*a**6*b**4*d**4 + 16*int((log(((a + b*x)**n*e
)/(c + d*x)**n)*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a
**5*b**5*c*d**3 - 16*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a**3 +
 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**5*d**4*x - 8*int((l...
```

3.175 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$

Optimal result . . . 1995
Mathematica [C] (verified) . . . 1996
Rubi [A] (verified) . . . 1997
Maple [B] (verified) . . . 1998
Fricas [B] (verification not implemented) . . . 1999
Sympy [F] . . . 2000
Maxima [B] (verification not implemented) . . . 2001
Giac [A] (verification not implemented) . . . 2002
Mupad [B] (verification not implemented) . . . 2003
Reduce [B] (verification not implemented) . . . 2004

Optimal result

Integrand size = 45, antiderivative size = 157

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = -\frac{2B^2i^2n^2(c+dx)^3}{27(bc-ad)g^4(a+bx)^3} - \frac{2Bi^2n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)g^4(a+bx)^3} - \frac{i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)g^4(a+bx)^3}$$

output

```
-2/27*B^2*i^2*n^2*(d*x+c)^3/(-a*d+b*c)/g^4/(b*x+a)^3-2/9*B*i^2*n*(d*x+c)^3
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/g^4/(b*x+a)^3-1/3*i^2*(d*x+c)^
3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/g^4/(b*x+a)^3
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 2.43 (sec) , antiderivative size = 1418, normalized size of antiderivative = 9.03

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^4,x]
```

output

```
-1/54*(i^2*(18*(b*c - a*d)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 54
*d*(b*c - a*d)^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - 54*d
^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + B
*n*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3*n - 18*A*d*(b*c - a*d)^2*(a + b
*x) - 15*B*d*(b*c - a*d)^2*n*(a + b*x) + 36*A*d^2*(b*c - a*d)*(a + b*x)^2
+ 66*B*d^2*(b*c - a*d)*n*(a + b*x)^2 + 36*A*d^3*(a + b*x)^3*Log[a + b*x] +
 66*B*d^3*n*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*n*(a + b*x)^3*Log[a + b*x]
^2 + 12*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n] - 18*B*d*(b*c - a*d
)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^2*(b*c - a*d)*(a + b
*x)^2*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^3*(a + b*x)^3*Log[a + b*x]*L
og[e*((a + b*x)/(c + d*x))^n] - 36*A*d^3*(a + b*x)^3*Log[c + d*x] - 66*B*d
^3*n*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*n*(a + b*x)^3*Log[(d*(a + b*x))/(
-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Log[e*((a + b*x)/(c + d
*x))^n]*Log[c + d*x] - 18*B*d^3*n*(a + b*x)^3*Log[c + d*x]^2 + 36*B*d^3*n*
(a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)] + 36*B*d^3*n*(a +
b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*B*d^3*n*(a + b*x)^3*P
olyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 54*B*d^2*n*(a + b*x)^2*(2*(b*c - a
*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*d*(a + b*x)*Log[a + b*x]*(A
 + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*d*(a + b*x)*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])*Log[c + d*x] + 2*B*n*(b*c - a*d + d*(a + b*x)*Log[a +...
```

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 127, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{g^4(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{i^2\left(\frac{2}{3}Bn\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}\right)}{g^4(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{i^2\left(\frac{2}{3}Bn\left(-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}-\frac{Bn(c+dx)^3}{9(a+bx)^3}\right)-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}\right)}{g^4(bc-ad)}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^4,x]
```

output

```
(i^2*(-1/3*((c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x
)^3 + (2*B*n*(-1/9*(B*n*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Log
[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3)))/3))/((b*c - a*d)*g^4)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 824 vs. 2(151) = 302.

Time = 10.30 (sec) , antiderivative size = 825, normalized size of antiderivative = 5.25

method	result
parallelrisch	$-\frac{18ABx^2ab^4d^4i^2n^2-54ABx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^5cd^3i^2n-54ABx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^5c^2d^2i^2n-9B^2x^3\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^5d^4$

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x,method
=_RETURNVERBOSE)
```

output

```
-1/27*(18*A*B*x^2*a*b^4*d^4*i^2*n^2-54*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b
^5*c*d^3*i^2*n-54*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^2*d^2*i^2*n-9*B^2*
x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^5*d^4*i^2*n-6*B^2*x^3*ln(e*((b*x+a)/(d*x
+c))^n)*b^5*d^4*i^2*n^2+6*B^2*x^2*a*b^4*d^4*i^2*n^3-6*B^2*x^2*b^5*c*d^3*i^
2*n^3+6*B^2*x*a^2*b^3*d^4*i^2*n^3-6*B^2*x*b^5*c^2*d^2*i^2*n^3+27*A^2*x^2*a
*b^4*d^4*i^2*n-27*A^2*x^2*b^5*c*d^3*i^2*n+6*A*B*a^3*b^2*d^4*i^2*n^2-6*A*B*
b^5*c^3*d*i^2*n^2-18*A*B*x^2*b^5*c*d^3*i^2*n^2-27*B^2*x*ln(e*((b*x+a)/(d*x
+c))^n)^2*b^5*c^2*d^2*i^2*n-18*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^2*d^2
*i^2*n^2+18*A*B*x*a^2*b^3*d^4*i^2*n^2-18*A*B*x*b^5*c^2*d^2*i^2*n^2-18*A*B*
ln(e*((b*x+a)/(d*x+c))^n)*b^5*c^3*d*i^2*n-18*A*B*x^3*ln(e*((b*x+a)/(d*x+c)
)^n)*b^5*d^4*i^2*n-27*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^5*c*d^3*i^2*n-
18*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^5*c*d^3*i^2*n^2+2*B^2*a^3*b^2*d^4*i
^2*n^3-2*B^2*b^5*c^3*d*i^2*n^3+9*A^2*a^3*b^2*d^4*i^2*n-9*A^2*b^5*c^3*d*i^2
*n-9*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^5*c^3*d*i^2*n-6*B^2*ln(e*((b*x+a)/(
d*x+c))^n)*b^5*c^3*d*i^2*n^2+27*A^2*x*a^2*b^3*d^4*i^2*n-27*A^2*x*b^5*c^2*d
^2*i^2*n)/g^4/(b*x+a)^3/b^5/d/n/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 975 vs. $2(151) = 302$.

Time = 0.10 (sec) , antiderivative size = 975, normalized size of antiderivative = 6.21

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x
, algorithm="fricas")
```

output

```
-1/27*(2*(B^2*b^3*c^3 - B^2*a^3*d^3)*i^2*n^2 + 6*(A*B*b^3*c^3 - A*B*a^3*d^
3)*i^2*n + 9*(A^2*b^3*c^3 - A^2*a^3*d^3)*i^2 + 3*(2*(B^2*b^3*c*d^2 - B^2*a
*b^2*d^3)*i^2*n^2 + 6*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*i^2*n + 9*(A^2*b^3*c
*d^2 - A^2*a*b^2*d^3)*i^2)*x^2 + 9*(3*(B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*i^2*
x^2 + 3*(B^2*b^3*c^2*d - B^2*a^2*b*d^3)*i^2*x + (B^2*b^3*c^3 - B^2*a^3*d^3
)*i^2)*log(e)^2 + 9*(B^2*b^3*d^3*i^2*n^2*x^3 + 3*B^2*b^3*c*d^2*i^2*n^2*x^2
 + 3*B^2*b^3*c^2*d*i^2*n^2*x + B^2*b^3*c^3*i^2*n^2)*log((b*x + a)/(d*x + c
))^2 + 3*(2*(B^2*b^3*c^2*d - B^2*a^2*b*d^3)*i^2*n^2 + 6*(A*B*b^3*c^2*d - A
*B*a^2*b*d^3)*i^2*n + 9*(A^2*b^3*c^2*d - A^2*a^2*b*d^3)*i^2)*x + 6*((B^2*b
^3*c^3 - B^2*a^3*d^3)*i^2*n + 3*(A*B*b^3*c^3 - A*B*a^3*d^3)*i^2 + 3*((B^2*
b^3*c*d^2 - B^2*a*b^2*d^3)*i^2*n + 3*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*i^2)*
x^2 + 3*((B^2*b^3*c^2*d - B^2*a^2*b*d^3)*i^2*n + 3*(A*B*b^3*c^2*d - A*B*a^
2*b*d^3)*i^2)*x + 3*(B^2*b^3*d^3*i^2*n*x^3 + 3*B^2*b^3*c*d^2*i^2*n*x^2 + 3
*B^2*b^3*c^2*d*i^2*n*x + B^2*b^3*c^3*i^2*n)*log((b*x + a)/(d*x + c)))*log(
e) + 6*(B^2*b^3*c^3*i^2*n^2 + 3*A*B*b^3*c^3*i^2*n + (B^2*b^3*d^3*i^2*n^2 +
 3*A*B*b^3*d^3*i^2*n)*x^3 + 3*(B^2*b^3*c*d^2*i^2*n^2 + 3*A*B*b^3*c*d^2*i^2
*n)*x^2 + 3*(B^2*b^3*c^2*d*i^2*n^2 + 3*A*B*b^3*c^2*d*i^2*n)*x)*log((b*x +
a)/(d*x + c)))/((b^7*c - a*b^6*d)*g^4*x^3 + 3*(a*b^6*c - a^2*b^5*d)*g^4*x^
2 + 3*(a^2*b^5*c - a^3*b^4*d)*g^4*x + (a^3*b^4*c - a^4*b^3*d)*g^4)
```

Sympy [F]

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$$

$$= i^2\left(\int \frac{A^2c^2}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{A^2d^2x^2}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx + \int \frac{B^2c^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a^4+4a^3bx+6a^2b^2x^2+4ab^3x^3+b^4x^4}\,dx\right.$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
4,x)
```

output

```
i**2*(Integral(A**2*c**2/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*
x**3 + b**4*x**4), x) + Integral(A**2*d**2*x**2/(a**4 + 4*a**3*b*x + 6*a**
2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B**2*c**2*log(e*(a
/(c + d*x) + b*x/(c + d*x))**n)**2/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 +
 4*a*b**3*x**3 + b**4*x**4), x) + Integral(2*A*B*c**2*log(e*(a/(c + d*x) +
 b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3
+ b**4*x**4), x) + Integral(2*A**2*c*d*x/(a**4 + 4*a**3*b*x + 6*a**2*b**2*
x**2 + 4*a*b**3*x**3 + b**4*x**4), x) + Integral(B**2*d**2*x**2*log(e*(a/(
c + d*x) + b*x/(c + d*x))**n)**2/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4
*a*b**3*x**3 + b**4*x**4), x) + Integral(2*A*B*d**2*x**2*log(e*(a/(c + d*x
) + b*x/(c + d*x))**n)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x*
*3 + b**4*x**4), x) + Integral(2*B**2*c*d*x*log(e*(a/(c + d*x) + b*x/(c +
d*x))**n)**2/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*
x**4), x) + Integral(4*A*B*c*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(
a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4), x))/g**
4
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5588 vs. $2(151) = 302$.

Time $= 0.36$ (sec) , antiderivative size $= 5588$, normalized size of antiderivative $= 35.59$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x
, algorithm="maxima")
```

output

```
-1/9*A*B*d^2*i^2*n*((11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4*c
^2 - 3*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2*a
^3*b*d^2)*x)/((b^8*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c^2
 - 2*a^2*b^6*c*d + a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d +
 a^4*b^4*d^2)*g^4*x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) + 6
*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*c^
2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2 +
 a^2*d^3)*log(d*x + c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b
^3*d^3)*g^4)) - 1/9*A*B*c^2*i^2*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d
+ 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*b^
4*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3*(
a^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*b^
2*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d + 3
*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^3*
c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4)) - 1/9*A*B*c*d*i^2*n*((5*a*b^2*c
^2 - 22*a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b^3*c
^2 - 16*a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*d^2)
*g^4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^2*b^
5*c^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*c*d
+ a^5*b^2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 - 3*...
```

Giac [A] (verification not implemented)

Time = 3.37 (sec) , antiderivative size = 216, normalized size of antiderivative = 1.38

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx =$$

$$-\frac{1}{27}\left(\frac{9\,(dx+c)^3B^2i^2n^2\log\left(\frac{bx+a}{dx+c}\right)^2}{(bx+a)^3g^4}+\frac{6\,(B^2i^2n^2+3\,B^2i^2n\log(e)+3\,ABi^2n)(dx+c)^3\log\left(\frac{bx+a}{dx+c}\right)}{(bx+a)^3g^4}+\frac{(}{}\right.$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x
, algorithm="giac")
```

output
```
-1/27*(9*(d*x + c)^3*B^2*i^2*n^2*log((b*x + a)/(d*x + c))^2/((b*x + a)^3*g
^4) + 6*(B^2*i^2*n^2 + 3*B^2*i^2*n*log(e) + 3*A*B*i^2*n)*(d*x + c)^3*log((
b*x + a)/(d*x + c))/((b*x + a)^3*g^4) + (2*B^2*i^2*n^2 + 6*B^2*i^2*n*log(e
) + 9*B^2*i^2*log(e)^2 + 6*A*B*i^2*n + 18*A*B*i^2*log(e) + 9*A^2*i^2)*(d*x
 + c)^3/((b*x + a)^3*g^4))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 29.03 (sec) , antiderivative size = 1195, normalized size of antiderivative = 7.61

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^4,x)
```

output
```
- (x*(9*A^2*a*b*d^2*i^2 + 9*A^2*b^2*c*d*i^2 + 2*B^2*a*b*d^2*i^2*n^2 + 2*B^
2*b^2*c*d*i^2*n^2 + 6*A*B*a*b*d^2*i^2*n + 6*A*B*b^2*c*d*i^2*n) + x^2*(9*A^
2*b^2*d^2*i^2 + 2*B^2*b^2*d^2*i^2*n^2 + 6*A*B*b^2*d^2*i^2*n) + 3*A^2*a^2*d
^2*i^2 + 3*A^2*b^2*c^2*i^2 + (2*B^2*a^2*d^2*i^2*n^2)/3 + (2*B^2*b^2*c^2*i^
2*n^2)/3 + 3*A^2*a*b*c*d*i^2 + 2*A*B*a^2*d^2*i^2*n + 2*A*B*b^2*c^2*i^2*n +
 (2*B^2*a*b*c*d*i^2*n^2)/3 + 2*A*B*a*b*c*d*i^2*n)/(9*a^3*b^3*g^4 + 9*b^6*g
^4*x^3 + 27*a^2*b^4*g^4*x + 27*a*b^5*g^4*x^2) - log(e*((a + b*x)/(c + d*x)
)^n)*((a*(2*A*B*a*d^2*i^2 - B^2*a*d^2*i^2*n + B^2*b*c*d*i^2*n + 2*A*B*b*c*
d*i^2) + x*(b*(2*A*B*a*d^2*i^2 - B^2*a*d^2*i^2*n + B^2*b*c*d*i^2*n + 2*A*B
*b*c*d*i^2) + 4*A*B*a*b*d^2*i^2 + 4*A*B*b^2*c*d*i^2 - 2*B^2*a*b*d^2*i^2*n
+ 2*B^2*b^2*c*d*i^2*n) + 2*A*B*b^2*c^2*i^2 - 2*B^2*a^2*d^2*i^2*n + 6*A*B*b
^2*d^2*i^2*x^2 + 2*B^2*a*b*c*d*i^2*n)/(3*a^3*b^3*g^4 + 3*b^6*g^4*x^3 + 9*a
^2*b^4*g^4*x + 9*a*b^5*g^4*x^2) + (2*B^2*d^3*i^2*(x*(b*((a*b^3*g^4*n*(a*d
- b*c))/d + (b^3*g^4*n*(a*d - b*c)*(3*a*d - b*c))/(2*d^2)) + (2*a*b^4*g^4*
n*(a*d - b*c))/d + (b^4*g^4*n*(a*d - b*c)*(3*a*d - b*c))/d^2) + a*((a*b^3*
g^4*n*(a*d - b*c))/d + (b^3*g^4*n*(a*d - b*c)*(3*a*d - b*c))/(2*d^2)) + (3
*b^5*g^4*n*x^2*(a*d - b*c))/d + (b^3*g^4*n*(a*d - b*c)*(3*a^2*d^2 + b^2*c^
2 - 3*a*b*c*d))/d^3))/(3*b^3*g^4*(a*d - b*c)*(3*a^3*b^3*g^4 + 3*b^6*g^4*x^
3 + 9*a^2*b^4*g^4*x + 9*a*b^5*g^4*x^2))) - log(e*((a + b*x)/(c + d*x))^n)^
2*((a*((B^2*c*d*i^2)/(3*b^2) + (B^2*a*d^2*i^2)/(3*b^3)) + x*(b*((B^2*c*...
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 1161, normalized size of antiderivative = 7.39

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x)
```

output

```
( - 18*log(a + b*x)*a**4*b*c*d**2*n - 6*log(a + b*x)*a**3*b**2*c*d**2*n**2
 - 54*log(a + b*x)*a**3*b**2*c*d**2*n*x - 18*log(a + b*x)*a**2*b**3*c*d**2
*n**2*x - 54*log(a + b*x)*a**2*b**3*c*d**2*n*x**2 - 18*log(a + b*x)*a*b**4
*c*d**2*n**2*x**2 - 18*log(a + b*x)*a*b**4*c*d**2*n*x**3 - 6*log(a + b*x)*
b**5*c*d**2*n**2*x**3 + 18*log(c + d*x)*a**4*b*c*d**2*n + 6*log(c + d*x)*a
**3*b**2*c*d**2*n**2 + 54*log(c + d*x)*a**3*b**2*c*d**2*n*x + 18*log(c + d
*x)*a**2*b**3*c*d**2*n**2*x + 54*log(c + d*x)*a**2*b**3*c*d**2*n*x**2 + 18
*log(c + d*x)*a*b**4*c*d**2*n**2*x**2 + 18*log(c + d*x)*a*b**4*c*d**2*n*x*
*3 + 6*log(c + d*x)*b**5*c*d**2*n**2*x**3 - 9*log(((a + b*x)**n*e)/(c + d*
x)**n)**2*a*b**4*c**3 - 27*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c*
*2*d*x - 27*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*c*d**2*x**2 - 9*l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*d**3*x**3 + 18*log(((a + b*x)*
*n*e)/(c + d*x)**n)*a**4*b*c*d**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a
**3*b**2*c*d**2*n + 54*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**2*c*d**2
*x - 18*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*c**3 - 54*log(((a + b
*x)**n*e)/(c + d*x)**n)*a**2*b**3*c**2*d*x + 18*log(((a + b*x)**n*e)/(c +
d*x)**n)*a**2*b**3*c*d**2*n*x - 18*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2
*b**3*d**3*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*c**3*n - 18*
log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**4*c**2*d*n*x + 18*log(((a + b*x)**
n*e)/(c + d*x)**n)*a*b**4*c*d**2*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x...
```

3.176 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx$

Optimal result 2005
Mathematica [C] (verified) 2006
Rubi [A] (verified) 2007
Maple [B] (verified) 2009
Fricas [B] (verification not implemented) 2010
Sympy [F(-1)] 2011
Maxima [B] (verification not implemented) 2012
Giac [A] (verification not implemented) 2013
Mupad [B] (verification not implemented) 2013
Reduce [B] (verification not implemented) 2014

Optimal result

Integrand size = 45, antiderivative size = 319

$$\begin{aligned}\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx &= \frac{2B^2di^2n^2(c+dx)^3}{27(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bB^2i^2n^2(c+dx)^4}{32(bc-ad)^2g^5(a+bx)^4}\\ &\quad+\frac{2Bdi^2n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bBi^2n(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{8(bc-ad)^2g^5(a+bx)^4}\\ &\quad+\frac{di^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^2g^5(a+bx)^3}\\ &\quad-\frac{bi^2(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{4(bc-ad)^2g^5(a+bx)^4}\end{aligned}$$

output

```
2/27*B^2*d*i^2*n^2*(d*x+c)^3/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/32*b*B^2*i^2*n^2
*(d*x+c)^4/(-a*d+b*c)^2/g^5/(b*x+a)^4+2/9*B*d*i^2*n*(d*x+c)^3*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/8*b*B*i^2*n*(d*x+c)^4*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^2/g^5/(b*x+a)^4+1/3*d*i^2*(d*x+c)^
3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g^5/(b*x+a)^3-1/4*b*i^2*(
d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g^5/(b*x+a)^4
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 3.69 (sec) , antiderivative size = 1787, normalized size of antiderivative = 5.60

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^5,x]
```

output

```
-1/864*(i^2*(216*(b*c - a*d)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 -
576*d*(-(b*c) + a*d)^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
+ 432*d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2 + 32*B*d*n*(a + b*x)*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d)^3*n - 18*A*d
*(b*c - a*d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*n*(a + b*x) + 36*A*d^2*(b*
c - a*d)*(a + b*x)^2 + 66*B*d^2*(b*c - a*d)*n*(a + b*x)^2 + 36*A*d^3*(a +
b*x)^3*Log[a + b*x] + 66*B*d^3*n*(a + b*x)^3*Log[a + b*x] - 18*B*d^3*n*(a
+ b*x)^3*Log[a + b*x]^2 + 12*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n
] - 18*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d
^2*(b*c - a*d)*(a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n] + 36*B*d^3*(a +
b*x)^3*Log[a + b*x]*Log[e*((a + b*x)/(c + d*x))^n] - 36*A*d^3*(a + b*x)^3*
Log[c + d*x] - 66*B*d^3*n*(a + b*x)^3*Log[c + d*x] + 36*B*d^3*n*(a + b*x)^
3*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*(a + b*x)^3*Lo
g[e*((a + b*x)/(c + d*x))^n]*Log[c + d*x] - 18*B*d^3*n*(a + b*x)^3*Log[c +
 d*x]^2 + 36*B*d^3*n*(a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d
)] + 36*B*d^3*n*(a + b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 36*
B*d^3*n*(a + b*x)^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 3*B*n*(36*A*(
b*c - a*d)^4 + 9*B*(b*c - a*d)^4*n + 48*A*d*(-(b*c) + a*d)^3*(a + b*x) + 2
8*B*d*(-(b*c) + a*d)^3*n*(a + b*x) + 72*A*d^2*(b*c - a*d)^2*(a + b*x)^2 +
78*B*d^2*(b*c - a*d)^2*n*(a + b*x)^2 + 144*A*d^3*(-(b*c) + a*d)*(a + b*...
```

Rubi [A] (verified)

Time $= 0.53$ (sec) , antiderivative size $= 240$, normalized size of antiderivative $= 0.75$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used $= \{2961, 2795, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^5}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2\int \frac{(c+dx)^5\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^5}d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2795$$

$$\frac{i^2\int\left(\frac{b(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^5}-\frac{d(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}}{g^5(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{i^2\left(-\frac{b(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4(a+bx)^4}-\frac{bBn(c+dx)^4\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{8(a+bx)^4}+\frac{d(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}+\frac{2Bdn(c+dx)^3}{}\right.}{g^5(bc-ad)^2}$$

input
```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^5,x]
```

output
```
(i^2*((2*B^2*d*n^2*(c + d*x)^3)/(27*(a + b*x)^3) - (b*B^2*n^2*(c + d*x)^4)
/(32*(a + b*x)^4) + (2*B*d*n*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(9*(a + b*x)^3) - (b*B*n*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]))/(8*(a + b*x)^4) + (d*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^2)/(3*(a + b*x)^3) - (b*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])^2)/(4*(a + b*x)^4)))/((b*c - a*d)^2*g^5)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1883 vs. $2(307) = 614$.

Time = 29.84 (sec) , antiderivative size = 1884, normalized size of antiderivative = 5.91

method	result	size
parallelrisch	Expression too large to display	1884

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x,method
=_RETURNVERBOSE)
```

output

```
1/864*(864*A^2*x^3*a^3*b^4*c^5*i^2*n+192*B^2*x*a^7*c^3*d^2*i^2*n^3+108*B^2
*x*a^5*b^2*c^5*i^2*n^3+27*B^2*x^4*a^2*b^5*c^5*i^2*n^3+64*B^2*x^3*a^7*c*d^4
*i^2*n^3+108*B^2*x^3*a^3*b^4*c^5*i^2*n^3+216*A^2*x^4*a^2*b^5*c^5*i^2*n+192
*B^2*x^2*a^7*c^2*d^3*i^2*n^3+162*B^2*x^2*a^4*b^3*c^5*i^2*n^3+288*A^2*x^3*a
^7*c*d^4*i^2*n+576*A*B*x*a^7*c^3*d^2*i^2*n^2+432*A*B*x*a^5*b^2*c^5*i^2*n^2
-1728*A^2*x*a^6*b*c^4*d*i^2*n+576*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^7*c^4*d*
i^2*n-432*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c^5*i^2*n+576*A*B*x^2*a^7*c^
2*d^3*i^2*n^2+648*A*B*x^2*a^4*b^3*c^5*i^2*n^2+864*B^2*x*ln(e*((b*x+a)/(d*x
+c))^n)^2*a^7*c^3*d^2*i^2*n+576*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^7*c^3*d^
2*i^2*n^2-300*B^2*x*a^6*b*c^4*d*i^2*n^3-432*A^2*x^2*a^6*b*c^3*d^2*i^2*n-17
28*A^2*x^2*a^5*b^2*c^4*d*i^2*n+864*A^2*x^2*a^7*c^2*d^3*i^2*n+1296*A^2*x^2*
a^4*b^3*c^5*i^2*n+288*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^7*c^4*d*i^2*n-216*
B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^6*b*c^5*i^2*n+192*B^2*ln(e*((b*x+a)/(d*x
+c))^n)*a^7*c^4*d*i^2*n^2-108*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c^5*i^2*
n^2+864*A^2*x*a^7*c^3*d^2*i^2*n+864*A^2*x*a^5*b^2*c^5*i^2*n+144*A*B*x^4*ln
(e*((b*x+a)/(d*x+c))^n)*a^6*b*c*d^4*i^2*n-864*A*B*x^2*ln(e*((b*x+a)/(d*x+c
))^n)*a^6*b*c^3*d^2*i^2*n-1152*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c^4*d
*i^2*n-1152*A*B*x^2*a^5*b^2*c^4*d*i^2*n^2-576*B^2*x*ln(e*((b*x+a)/(d*x+c))
^n)^2*a^6*b*c^4*d*i^2*n-240*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b*c^4*d*i^
2*n^2+1728*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^7*c^3*d^2*i^2*n-1008*A*B*x...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1729 vs. $2(307) = 614$.

Time = 0.14 (sec) , antiderivative size = 1729, normalized size of antiderivative = 5.42

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x
, algorithm="fricas")
```

output

```
-1/864*((27*B^2*b^4*c^4 - 64*B^2*a*b^3*c^3*d + 37*B^2*a^4*d^4)*i^2*n^2 + 1
2*(9*A*B*b^4*c^4 - 16*A*B*a*b^3*c^3*d + 7*A*B*a^4*d^4)*i^2*n - 12*(7*(B^2*
b^4*c*d^3 - B^2*a*b^3*d^4)*i^2*n^2 + 12*(A*B*b^4*c*d^3 - A*B*a*b^3*d^4)*i^
2*n)*x^3 + 72*(3*A^2*b^4*c^4 - 4*A^2*a*b^3*c^3*d + A^2*a^4*d^4)*i^2 - 6*((
5*B^2*b^4*c^2*d^2 + 32*B^2*a*b^3*c*d^3 - 37*B^2*a^2*b^2*d^4)*i^2*n^2 - 12*
(A*B*b^4*c^2*d^2 - 8*A*B*a*b^3*c*d^3 + 7*A*B*a^2*b^2*d^4)*i^2*n - 72*(A^2*
b^4*c^2*d^2 - 2*A^2*a*b^3*c*d^3 + A^2*a^2*b^2*d^4)*i^2)*x^2 + 72*(6*(B^2*b
^4*c^2*d^2 - 2*B^2*a*b^3*c*d^3 + B^2*a^2*b^2*d^4)*i^2*x^2 + 4*(2*B^2*b^4*c
^3*d - 3*B^2*a*b^3*c^2*d^2 + B^2*a^3*b*d^4)*i^2*x + (3*B^2*b^4*c^4 - 4*B^2
*a*b^3*c^3*d + B^2*a^4*d^4)*i^2)*log(e)^2 - 72*(B^2*b^4*d^4*i^2*n^2*x^4 +
4*B^2*a*b^3*d^4*i^2*n^2*x^3 - 6*(B^2*b^4*c^2*d^2 - 2*B^2*a*b^3*c*d^3)*i^2*
n^2*x^2 - 4*(2*B^2*b^4*c^3*d - 3*B^2*a*b^3*c^2*d^2)*i^2*n^2*x - (3*B^2*b^4
*c^4 - 4*B^2*a*b^3*c^3*d)*i^2*n^2)*log((b*x + a)/(d*x + c))^2 + 4*((11*B^2
*b^4*c^3*d - 48*B^2*a*b^3*c^2*d^2 + 37*B^2*a^3*b*d^4)*i^2*n^2 + 12*(5*A*B*
b^4*c^3*d - 12*A*B*a*b^3*c^2*d^2 + 7*A*B*a^3*b*d^4)*i^2*n + 72*(2*A^2*b^4*
c^3*d - 3*A^2*a*b^3*c^2*d^2 + A^2*a^3*b*d^4)*i^2)*x - 12*(12*(B^2*b^4*c*d^
3 - B^2*a*b^3*d^4)*i^2*n*x^3 - (9*B^2*b^4*c^4 - 16*B^2*a*b^3*c^3*d + 7*B^2
*a^4*d^4)*i^2*n - 12*(3*A*B*b^4*c^4 - 4*A*B*a*b^3*c^3*d + A*B*a^4*d^4)*i^2
 - 6*((B^2*b^4*c^2*d^2 - 8*B^2*a*b^3*c*d^3 + 7*B^2*a^2*b^2*d^4)*i^2*n + 12
*(A*B*b^4*c^2*d^2 - 2*A*B*a*b^3*c*d^3 + A*B*a^2*b^2*d^4)*i^2)*x^2 - 4*(...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
5,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 8087 vs. $2(307) = 614$.

Time $= 0.56$ (sec) , antiderivative size $= 8087$, normalized size of antiderivative $= 25.35$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x
, algorithm="maxima")
```

output

```
1/24*A*B*c^2*i^2*n*((12*b^3*d^3*x^3 - 3*b^3*c^3 + 13*a*b^2*c^2*d - 23*a^2*
b*c*d^2 + 25*a^3*d^3 - 6*(b^3*c*d^2 - 7*a*b^2*d^3)*x^2 + 4*(b^3*c^2*d - 5*
a*b^2*c*d^2 + 13*a^2*b*d^3)*x)/((b^8*c^3 - 3*a*b^7*c^2*d + 3*a^2*b^6*c*d^2
 - a^3*b^5*d^3)*g^5*x^4 + 4*(a*b^7*c^3 - 3*a^2*b^6*c^2*d + 3*a^3*b^5*c*d^2
 - a^4*b^4*d^3)*g^5*x^3 + 6*(a^2*b^6*c^3 - 3*a^3*b^5*c^2*d + 3*a^4*b^4*c*d
^2 - a^5*b^3*d^3)*g^5*x^2 + 4*(a^3*b^5*c^3 - 3*a^4*b^4*c^2*d + 3*a^5*b^3*c
*d^2 - a^6*b^2*d^3)*g^5*x + (a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a^6*b^2*c*d
^2 - a^7*b*d^3)*g^5) + 12*d^4*log(b*x + a)/((b^5*c^4 - 4*a*b^4*c^3*d + 6*a
^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4)*g^5) - 12*d^4*log(d*x + c)/(
(b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4
)*g^5)) - 1/72*A*B*d^2*i^2*n*((13*a^2*b^3*c^3 - 75*a^3*b^2*c^2*d + 33*a^4*
b*c*d^2 - 7*a^5*d^3 - 12*(6*b^5*c^2*d - 4*a*b^4*c*d^2 + a^2*b^3*d^3)*x^3 +
 6*(6*b^5*c^3 - 46*a*b^4*c^2*d + 29*a^2*b^3*c*d^2 - 7*a^3*b^2*d^3)*x^2 + 4
*(10*a*b^4*c^3 - 63*a^2*b^3*c^2*d + 33*a^3*b^2*c*d^2 - 7*a^4*b*d^3)*x)/((b
^10*c^3 - 3*a*b^9*c^2*d + 3*a^2*b^8*c*d^2 - a^3*b^7*d^3)*g^5*x^4 + 4*(a*b^
9*c^3 - 3*a^2*b^8*c^2*d + 3*a^3*b^7*c*d^2 - a^4*b^6*d^3)*g^5*x^3 + 6*(a^2*
b^8*c^3 - 3*a^3*b^7*c^2*d + 3*a^4*b^6*c*d^2 - a^5*b^5*d^3)*g^5*x^2 + 4*(a^
3*b^7*c^3 - 3*a^4*b^6*c^2*d + 3*a^5*b^5*c*d^2 - a^6*b^4*d^3)*g^5*x + (a^4*
b^6*c^3 - 3*a^5*b^5*c^2*d + 3*a^6*b^4*c*d^2 - a^7*b^3*d^3)*g^5) - 12*(6*b^
2*c^2*d^2 - 4*a*b*c*d^3 + a^2*d^4)*log(b*x + a)/((b^7*c^4 - 4*a*b^6*c^3...
```

Giac [A] (verification not implemented)

Time = 4.49 (sec) , antiderivative size = 541, normalized size of antiderivative = 1.70

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx =$$

$$-\frac{1}{864}\left(\frac{72\left(3\,B^2bi^2n^2-\frac{4\,(bx+a)B^2di^2n^2}{dx+c}\right)\log\left(\frac{bx+a}{dx+c}\right)^2}{\frac{(bx+a)^4bcg^5}{(dx+c)^4}-\frac{(bx+a)^4adg^5}{(dx+c)^4}}+\frac{12\left(9\,B^2bi^2n^2-\frac{16\,(bx+a)B^2di^2n^2}{dx+c}+36\,B^2bi^2n\log\left(\right.\right.\right.$$

input
```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x
, algorithm="giac")
```

output
```
-1/864*(72*(3*B^2*b*i^2*n^2 - 4*(b*x + a)*B^2*d*i^2*n^2/(d*x + c))*log((b*
x + a)/(d*x + c))^2/((b*x + a)^4*b*c*g^5/(d*x + c)^4 - (b*x + a)^4*a*d*g^5
/(d*x + c)^4) + 12*(9*B^2*b*i^2*n^2 - 16*(b*x + a)*B^2*d*i^2*n^2/(d*x + c)
 + 36*B^2*b*i^2*n*log(e) - 48*(b*x + a)*B^2*d*i^2*n*log(e)/(d*x + c) + 36*
A*B*b*i^2*n - 48*(b*x + a)*A*B*d*i^2*n/(d*x + c))*log((b*x + a)/(d*x + c))
/((b*x + a)^4*b*c*g^5/(d*x + c)^4 - (b*x + a)^4*a*d*g^5/(d*x + c)^4) + (27
*B^2*b*i^2*n^2 - 64*(b*x + a)*B^2*d*i^2*n^2/(d*x + c) + 108*B^2*b*i^2*n*lo
g(e) - 192*(b*x + a)*B^2*d*i^2*n*log(e)/(d*x + c) + 216*B^2*b*i^2*log(e)^2
 - 288*(b*x + a)*B^2*d*i^2*log(e)^2/(d*x + c) + 108*A*B*b*i^2*n - 192*(b*x
 + a)*A*B*d*i^2*n/(d*x + c) + 432*A*B*b*i^2*log(e) - 576*(b*x + a)*A*B*d*i
^2*log(e)/(d*x + c) + 216*A^2*b*i^2 - 288*(b*x + a)*A^2*d*i^2/(d*x + c))/(
(b*x + a)^4*b*c*g^5/(d*x + c)^4 - (b*x + a)^4*a*d*g^5/(d*x + c)^4))*(b*c/(
b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 30.38 (sec) , antiderivative size = 1934, normalized size of antiderivative = 6.06

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input
```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^5,x)
```

output

```
- log(e*((a + b*x)/(c + d*x))^n)*((a*(A*B*a*d^2*i^2 - (B^2*a*d^2*i^2*n)/2
+ (B^2*b*c*d*i^2*n)/2 + 2*A*B*b*c*d*i^2) + x*(b*(A*B*a*d^2*i^2 - (B^2*a*d^
2*i^2*n)/2 + (B^2*b*c*d*i^2*n)/2 + 2*A*B*b*c*d*i^2) + 3*A*B*a*b*d^2*i^2 +
6*A*B*b^2*c*d*i^2 - (3*B^2*a*b*d^2*i^2*n)/2 + (3*B^2*b^2*c*d*i^2*n)/2) + 3
*A*B*b^2*c^2*i^2 - B^2*a^2*d^2*i^2*n + (B^2*b^2*c^2*i^2*n)/2 + 6*A*B*b^2*d
^2*i^2*x^2 + (B^2*a*b*c*d*i^2*n)/2)/(6*a^4*b^3*g^5 + 6*b^7*g^5*x^4 + 24*a^
3*b^4*g^5*x + 24*a*b^6*g^5*x^3 + 36*a^2*b^5*g^5*x^2) + (B^2*d^4*i^2*(x^2*(
b*(b*((3*a*b^3*g^5*n*(a*d - b*c))/(2*d) + (b^3*g^5*n*(a*d - b*c)*(4*a*d -
b*c))/(2*d^2)) + (3*a*b^4*g^5*n*(a*d - b*c))/d + (b^4*g^5*n*(a*d - b*c)*(4
*a*d - b*c))/d^2) + (9*a*b^5*g^5*n*(a*d - b*c))/(2*d) + (3*b^5*g^5*n*(a*d
- b*c)*(4*a*d - b*c))/(2*d^2)) + a*(a*((3*a*b^3*g^5*n*(a*d - b*c))/(2*d) +
 (b^3*g^5*n*(a*d - b*c)*(4*a*d - b*c))/(2*d^2)) + (b^3*g^5*n*(a*d - b*c)*(
6*a^2*d^2 + b^2*c^2 - 4*a*b*c*d))/(2*d^3)) + x*(a*(b*((3*a*b^3*g^5*n*(a*d
- b*c))/(2*d) + (b^3*g^5*n*(a*d - b*c)*(4*a*d - b*c))/(2*d^2)) + (3*a*b^4*
g^5*n*(a*d - b*c))/d + (b^4*g^5*n*(a*d - b*c)*(4*a*d - b*c))/d^2) + b*(a*(
(3*a*b^3*g^5*n*(a*d - b*c))/(2*d) + (b^3*g^5*n*(a*d - b*c)*(4*a*d - b*c))/
(2*d^2)) + (b^3*g^5*n*(a*d - b*c)*(6*a^2*d^2 + b^2*c^2 - 4*a*b*c*d))/(2*d^
3)) + (3*b^4*g^5*n*(a*d - b*c)*(6*a^2*d^2 + b^2*c^2 - 4*a*b*c*d))/(2*d^3))
 + (3*b^3*g^5*n*(a*d - b*c)*(4*a^3*d^3 - b^3*c^3 + 4*a*b^2*c^2*d - 6*a^2*b
*c*d^2))/(2*d^4) + (6*b^6*g^5*n*x^3*(a*d - b*c))/d))/(6*b^3*g^5*(a^2*d^...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 2302, normalized size of antiderivative = 7.22

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^5}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^5,x)
```

output

```
( - 144*log(a + b*x)*a**6*b*d**4*n - 48*log(a + b*x)*a**5*b**2*d**4*n**2 -
 576*log(a + b*x)*a**5*b**2*d**4*n*x - 36*log(a + b*x)*a**4*b**3*c*d**3*n*
*2 - 192*log(a + b*x)*a**4*b**3*d**4*n**2*x - 864*log(a + b*x)*a**4*b**3*d
**4*n*x**2 - 144*log(a + b*x)*a**3*b**4*c*d**3*n**2*x - 288*log(a + b*x)*a
**3*b**4*d**4*n**2*x**2 - 576*log(a + b*x)*a**3*b**4*d**4*n*x**3 - 216*log
(a + b*x)*a**2*b**5*c*d**3*n**2*x**2 - 192*log(a + b*x)*a**2*b**5*d**4*n**
2*x**3 - 144*log(a + b*x)*a**2*b**5*d**4*n*x**4 - 144*log(a + b*x)*a*b**6*
c*d**3*n**2*x**3 - 48*log(a + b*x)*a*b**6*d**4*n**2*x**4 - 36*log(a + b*x)
*b**7*c*d**3*n**2*x**4 + 144*log(c + d*x)*a**6*b*d**4*n + 48*log(c + d*x)*
a**5*b**2*d**4*n**2 + 576*log(c + d*x)*a**5*b**2*d**4*n*x + 36*log(c + d*x
)*a**4*b**3*c*d**3*n**2 + 192*log(c + d*x)*a**4*b**3*d**4*n**2*x + 864*log
(c + d*x)*a**4*b**3*d**4*n*x**2 + 144*log(c + d*x)*a**3*b**4*c*d**3*n**2*x
 + 288*log(c + d*x)*a**3*b**4*d**4*n**2*x**2 + 576*log(c + d*x)*a**3*b**4*
d**4*n*x**3 + 216*log(c + d*x)*a**2*b**5*c*d**3*n**2*x**2 + 192*log(c + d*
x)*a**2*b**5*d**4*n**2*x**3 + 144*log(c + d*x)*a**2*b**5*d**4*n*x**4 + 144
*log(c + d*x)*a*b**6*c*d**3*n**2*x**3 + 48*log(c + d*x)*a*b**6*d**4*n**2*x
**4 + 36*log(c + d*x)*b**7*c*d**3*n**2*x**4 - 288*log(((a + b*x)**n*e)/(c
+ d*x)**n)**2*a**2*b**5*c**3*d - 864*log(((a + b*x)**n*e)/(c + d*x)**n)**2
*a**2*b**5*c**2*d**2*x - 864*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b*
*5*c*d**3*x**2 - 288*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**5*d*...
```

3.177 $\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx$

Optimal result . . . 2016
Mathematica [C] (verified) . . . 2017
Rubi [A] (verified) . . . 2018
Maple [B] (verified) . . . 2020
Fricas [B] (verification not implemented) . . . 2021
Sympy [F(-1)] . . . 2022
Maxima [B] (verification not implemented) . . . 2023
Giac [A] (verification not implemented) . . . 2024
Mupad [B] (verification not implemented) . . . 2025
Reduce [B] (verification not implemented) . . . 2026

Optimal result

Integrand size = 45, antiderivative size = 493

$$
\begin{aligned}
&\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx \\
&= -\frac{2B^2d^2i^2n^2(c+dx)^3}{27(bc-ad)^3g^6(a+bx)^3} + \frac{bB^2di^2n^2(c+dx)^4}{16(bc-ad)^3g^6(a+bx)^4} \\
&\quad - \frac{2b^2B^2i^2n^2(c+dx)^5}{125(bc-ad)^3g^6(a+bx)^5} - \frac{2Bd^2i^2n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^3g^6(a+bx)^3} \\
&\quad + \frac{bBdi^2n(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4(bc-ad)^3g^6(a+bx)^4} \\
&\quad - \frac{2b^2Bi^2n(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{25(bc-ad)^3g^6(a+bx)^5} \\
&\quad - \frac{d^2i^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^3g^6(a+bx)^3} \\
&\quad + \frac{bdi^2(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^3g^6(a+bx)^4} - \frac{b^2i^2(c+dx)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5(bc-ad)^3g^6(a+bx)^5}
\end{aligned}
$$

output

```
-2/27*B^2*d^2*i^2*n^2*(d*x+c)^3/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/16*b*B^2*d*i^
2*n^2*(d*x+c)^4/(-a*d+b*c)^3/g^6/(b*x+a)^4-2/125*b^2*B^2*i^2*n^2*(d*x+c)^5
/(-a*d+b*c)^3/g^6/(b*x+a)^5-2/9*B*d^2*i^2*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(
d*x+c))^n))/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/4*b*B*d*i^2*n*(d*x+c)^4*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^6/(b*x+a)^4-2/25*b^2*B*i^2*n*(d*x+c)
^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^6/(b*x+a)^5-1/3*d^2*i^2*
(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^6/(b*x+a)^3+1/2
*b*d*i^2*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^6/(b*x
+a)^4-1/5*b^2*i^2*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3
/g^6/(b*x+a)^5
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 3.46 (sec) , antiderivative size = 2112, normalized size of antiderivative = 4.28

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^6,x]
```

output

```
-1/54000*(i^2*(10800*(b*c - a*d)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2 + 27000*d*(b*c - a*d)^4*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2 - 18000*d^2*(-(b*c) + a*d)^3*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])^2 + 1000*B*d^2*n*(a + b*x)^2*(12*A*(b*c - a*d)^3 + 4*B*(b*c - a*d
)^3*n - 18*A*d*(b*c - a*d)^2*(a + b*x) - 15*B*d*(b*c - a*d)^2*n*(a + b*x)
+ 36*A*d^2*(b*c - a*d)*(a + b*x)^2 + 66*B*d^2*(b*c - a*d)*n*(a + b*x)^2 +
36*A*d^3*(a + b*x)^3*Log[a + b*x] + 66*B*d^3*n*(a + b*x)^3*Log[a + b*x] -
18*B*d^3*n*(a + b*x)^3*Log[a + b*x]^2 + 12*B*(b*c - a*d)^3*Log[e*((a + b*x
)/(c + d*x))^n] - 18*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x
))^n] + 36*B*d^2*(b*c - a*d)*(a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n] +
36*B*d^3*(a + b*x)^3*Log[a + b*x]*Log[e*((a + b*x)/(c + d*x))^n] - 36*A*d^
3*(a + b*x)^3*Log[c + d*x] - 66*B*d^3*n*(a + b*x)^3*Log[c + d*x] + 36*B*d^
3*n*(a + b*x)^3*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 36*B*d^3*
(a + b*x)^3*Log[e*((a + b*x)/(c + d*x))^n]*Log[c + d*x] - 18*B*d^3*n*(a +
b*x)^3*Log[c + d*x]^2 + 36*B*d^3*n*(a + b*x)^3*Log[a + b*x]*Log[(b*(c + d*
x))/(b*c - a*d)] + 36*B*d^3*n*(a + b*x)^3*PolyLog[2, (d*(a + b*x))/(-(b*c)
 + a*d)] + 36*B*d^3*n*(a + b*x)^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) +
 375*B*d*n*(a + b*x)*(36*A*(b*c - a*d)^4 + 9*B*(b*c - a*d)^4*n + 48*A*d*(-
(b*c) + a*d)^3*(a + b*x) + 28*B*d*(-(b*c) + a*d)^3*n*(a + b*x) + 72*A*d^2*
(b*c - a*d)^2*(a + b*x)^2 + 78*B*d^2*(b*c - a*d)^2*n*(a + b*x)^2 + 144*...
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 366, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^2 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^6}\,dx$$

$$\downarrow 2961$$

$$\frac{i^2 \int \frac{(c+dx)^6 \left(b-\frac{d(a+bx)}{c+dx}\right)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^6} d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{i^2\int\left(\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^6}{(a+bx)^6}-\frac{2bd\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^5}{(a+bx)^5}+\frac{d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^4}{(a+bx)^4}\right)d\frac{a+bx}{c+dx}}{g^6(bc-ad)^3}$$

$$\downarrow \text{2009}$$

$$\frac{i^2\left(-\frac{b^2(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{5(a+bx)^5}-\frac{2b^2Bn(c+dx)^5\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{25(a+bx)^5}-\frac{d^2(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}-\frac{2Bd^2n(c-}{}\right.}$$

input

```
Int[((c*i + d*i*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^6,x]
```

output

```
(i^2*((-2*B^2*d^2*n^2*(c + d*x)^3)/(27*(a + b*x)^3) + (b*B^2*d*n^2*(c + d*
x)^4)/(16*(a + b*x)^4) - (2*b^2*B^2*n^2*(c + d*x)^5)/(125*(a + b*x)^5) - (
2*B*d^2*n*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(9*(a + b*x)
^3) + (b*B*d*n*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*(a +
 b*x)^4) - (2*b^2*B*n*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/
(25*(a + b*x)^5) - (d^2*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2)/(3*(a + b*x)^3) + (b*d*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2)/(2*(a + b*x)^4) - (b^2*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2)/(5*(a + b*x)^5)))/((b*c - a*d)^3*g^6)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2527 vs. $2(475) = 950$.

Time = 61.60 (sec) , antiderivative size = 2528, normalized size of antiderivative = 5.13

method	result	size
parallelrisch	Expression too large to display	2528

input

```
int((d*i*x+c*i)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^6,x,method
=_RETURNVERBOSE)
```

output

```
-1/54000*(-4000*B^2*a^2*b^7*c^3*d^3*i^2*n^3+9000*A*B*x^2*a*b^8*c^2*d^4*i^2
*n^2-54000*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^7*c^2*d^4*i^2*n+72000*B
^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^8*c^3*d^3*i^2*n-36000*B^2*x*ln(e*((b*
x+a)/(d*x+c))^n)*a^2*b^7*c^2*d^4*i^2*n^2+1489*B^2*a^5*b^4*d^6*i^2*n^3-864*
B^2*b^9*c^5*d*i^2*n^3+1800*A^2*a^5*b^4*d^6*i^2*n-10800*A^2*b^9*c^5*d*i^2*n
+13500*A*B*a*b^8*c^4*d^2*i^2*n^2+30000*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b
^8*c^3*d^3*i^2*n^2-54000*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^4*d^2*i^2*n
-36000*A*B*x*a^2*b^7*c^2*d^4*i^2*n^2+30000*A*B*x*a*b^8*c^3*d^3*i^2*n^2-180
00*A*B*x^4*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*d^6*i^2*n-18000*B^2*x^3*ln(e*((
b*x+a)/(d*x+c))^n)*a*b^8*c*d^5*i^2*n^2-36000*A*B*x^3*ln(e*((b*x+a)/(d*x+c)
)^n)*a^2*b^7*d^6*i^2*n-18000*A*B*x^3*a*b^8*c*d^5*i^2*n^2-54000*B^2*x^2*ln(
e*((b*x+a)/(d*x+c))^n)^2*a^2*b^7*c*d^5*i^2*n+54000*B^2*x^2*ln(e*((b*x+a)/(
d*x+c))^n)^2*a*b^8*c^2*d^4*i^2*n-36000*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a
^2*b^7*c*d^5*i^2*n^2+9000*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c^2*d^4*
i^2*n^2-36000*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^3*d^3*i^2*n-36000*A*
B*x^2*a^2*b^7*c*d^5*i^2*n^2-36000*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*c^
3*d^3*i^2*n+54000*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c^4*d^2*i^2*n+9000*A
^2*x*a^4*b^5*d^6*i^2*n-27000*A^2*x*b^9*c^4*d^2*i^2*n-12000*A*B*a^2*b^7*c^3
*d^3*i^2*n^2+3375*B^2*a*b^8*c^4*d^2*i^2*n^3+2820*A*B*a^5*b^4*d^6*i^2*n^2-4
320*A*B*b^9*c^5*d*i^2*n^2-18000*A^2*a^2*b^7*c^3*d^3*i^2*n+27000*A^2*a*b...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2633 vs. $2(475) = 950$.

Time $= 0.19$ (sec) , antiderivative size $= 2633$, normalized size of antiderivative $= 5.34$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^6,x
, algorithm="fricas")
```

output

```
-1/54000*((864*B^2*b^5*c^5 - 3375*B^2*a*b^4*c^4*d + 4000*B^2*a^2*b^3*c^3*d
^2 - 1489*B^2*a^5*d^5)*i^2*n^2 + 60*(47*(B^2*b^5*c*d^4 - B^2*a*b^4*d^5)*i^
2*n^2 + 60*(A*B*b^5*c*d^4 - A*B*a*b^4*d^5)*i^2*n)*x^4 + 60*(72*A*B*b^5*c^5
 - 225*A*B*a*b^4*c^4*d + 200*A*B*a^2*b^3*c^3*d^2 - 47*A*B*a^5*d^5)*i^2*n +
 30*((13*B^2*b^5*c^2*d^3 + 350*B^2*a*b^4*c*d^4 - 363*B^2*a^2*b^3*d^5)*i^2*
n^2 - 60*(A*B*b^5*c^2*d^3 - 10*A*B*a*b^4*c*d^4 + 9*A*B*a^2*b^3*d^5)*i^2*n)
*x^3 + 1800*(6*A^2*b^5*c^5 - 15*A^2*a*b^4*c^4*d + 10*A^2*a^2*b^3*c^3*d^2 -
 A^2*a^5*d^5)*i^2 - 10*((86*B^2*b^5*c^3*d^2 - 375*B^2*a*b^4*c^2*d^3 - 1200
*B^2*a^2*b^3*c*d^4 + 1489*B^2*a^3*b^2*d^5)*i^2*n^2 - 60*(2*A*B*b^5*c^3*d^2
 - 15*A*B*a*b^4*c^2*d^3 + 60*A*B*a^2*b^3*c*d^4 - 47*A*B*a^3*b^2*d^5)*i^2*n
 - 1800*(A^2*b^5*c^3*d^2 - 3*A^2*a*b^4*c^2*d^3 + 3*A^2*a^2*b^3*c*d^4 - A^2
*a^3*b^2*d^5)*i^2)*x^2 + 1800*(10*(B^2*b^5*c^3*d^2 - 3*B^2*a*b^4*c^2*d^3 +
 3*B^2*a^2*b^3*c*d^4 - B^2*a^3*b^2*d^5)*i^2*x^2 + 5*(3*B^2*b^5*c^4*d - 8*B
^2*a*b^4*c^3*d^2 + 6*B^2*a^2*b^3*c^2*d^3 - B^2*a^4*b*d^5)*i^2*x + (6*B^2*b
^5*c^5 - 15*B^2*a*b^4*c^4*d + 10*B^2*a^2*b^3*c^3*d^2 - B^2*a^5*d^5)*i^2)*l
og(e)^2 + 1800*(B^2*b^5*d^5*i^2*n^2*x^5 + 5*B^2*a*b^4*d^5*i^2*n^2*x^4 + 10
*B^2*a^2*b^3*d^5*i^2*n^2*x^3 + 10*(B^2*b^5*c^3*d^2 - 3*B^2*a*b^4*c^2*d^3 +
 3*B^2*a^2*b^3*c*d^4)*i^2*n^2*x^2 + 5*(3*B^2*b^5*c^4*d - 8*B^2*a*b^4*c^3*d
^2 + 6*B^2*a^2*b^3*c^2*d^3)*i^2*n^2*x + (6*B^2*b^5*c^5 - 15*B^2*a*b^4*c^4*
d + 10*B^2*a^2*b^3*c^3*d^2)*i^2*n^2)*log((b*x + a)/(d*x + c))^2 + 5*((1...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
6,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 10936 vs. $2(475) = 950$.

Time $= 0.77$ (sec) , antiderivative size $= 10936$, normalized size of antiderivative $= 22.18$

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^6,x
, algorithm="maxima")
```

output

```
-1/150*A*B*c^2*i^2*n*((60*b^4*d^4*x^4 + 12*b^4*c^4 - 63*a*b^3*c^3*d + 137*
a^2*b^2*c^2*d^2 - 163*a^3*b*c*d^3 + 137*a^4*d^4 - 30*(b^4*c*d^3 - 9*a*b^3*
d^4)*x^3 + 10*(2*b^4*c^2*d^2 - 13*a*b^3*c*d^3 + 47*a^2*b^2*d^4)*x^2 - 5*(3
*b^4*c^3*d - 17*a*b^3*c^2*d^2 + 43*a^2*b^2*c*d^3 - 77*a^3*b*d^4)*x)/((b^10
*c^4 - 4*a*b^9*c^3*d + 6*a^2*b^8*c^2*d^2 - 4*a^3*b^7*c*d^3 + a^4*b^6*d^4)*
g^6*x^5 + 5*(a*b^9*c^4 - 4*a^2*b^8*c^3*d + 6*a^3*b^7*c^2*d^2 - 4*a^4*b^6*c
*d^3 + a^5*b^5*d^4)*g^6*x^4 + 10*(a^2*b^8*c^4 - 4*a^3*b^7*c^3*d + 6*a^4*b^
6*c^2*d^2 - 4*a^5*b^5*c*d^3 + a^6*b^4*d^4)*g^6*x^3 + 10*(a^3*b^7*c^4 - 4*a
^4*b^6*c^3*d + 6*a^5*b^5*c^2*d^2 - 4*a^6*b^4*c*d^3 + a^7*b^3*d^4)*g^6*x^2
+ 5*(a^4*b^6*c^4 - 4*a^5*b^5*c^3*d + 6*a^6*b^4*c^2*d^2 - 4*a^7*b^3*c*d^3 +
 a^8*b^2*d^4)*g^6*x + (a^5*b^5*c^4 - 4*a^6*b^4*c^3*d + 6*a^7*b^3*c^2*d^2 -
 4*a^8*b^2*c*d^3 + a^9*b*d^4)*g^6) + 60*d^5*log(b*x + a)/((b^6*c^5 - 5*a*b
^5*c^4*d + 10*a^2*b^4*c^3*d^2 - 10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5
*b*d^5)*g^6) - 60*d^5*log(d*x + c)/((b^6*c^5 - 5*a*b^5*c^4*d + 10*a^2*b^4*
c^3*d^2 - 10*a^3*b^3*c^2*d^3 + 5*a^4*b^2*c*d^4 - a^5*b*d^5)*g^6)) - 1/900*
A*B*d^2*i^2*n*((47*a^2*b^4*c^4 - 278*a^3*b^3*c^3*d + 822*a^4*b^2*c^2*d^2 -
 278*a^5*b*c*d^3 + 47*a^6*d^4 + 60*(10*b^6*c^2*d^2 - 5*a*b^5*c*d^3 + a^2*b
^4*d^4)*x^4 - 30*(10*b^6*c^3*d - 95*a*b^5*c^2*d^2 + 46*a^2*b^4*c*d^3 - 9*a
^3*b^3*d^4)*x^3 + 10*(20*b^6*c^4 - 140*a*b^5*c^3*d + 537*a^2*b^4*c^2*d^2 -
 248*a^3*b^3*c*d^3 + 47*a^4*b^2*d^4)*x^2 + 5*(35*a*b^5*c^4 - 218*a^2*b^...
```

Giac [A] (verification not implemented)

Time = 5.97 (sec) , antiderivative size = 931, normalized size of antiderivative = 1.89

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^6,x
, algorithm="giac")
```

output

```
-1/54000*(1800*(6*B^2*b^2*i^2*n^2 - 15*(b*x + a)*B^2*b*d*i^2*n^2/(d*x + c)
 + 10*(b*x + a)^2*B^2*d^2*i^2*n^2/(d*x + c)^2)*log((b*x + a)/(d*x + c))^2/
((b*x + a)^5*b^2*c^2*g^6/(d*x + c)^5 - 2*(b*x + a)^5*a*b*c*d*g^6/(d*x + c)
^5 + (b*x + a)^5*a^2*d^2*g^6/(d*x + c)^5) + 60*(72*B^2*b^2*i^2*n^2 - 225*(
b*x + a)*B^2*b*d*i^2*n^2/(d*x + c) + 200*(b*x + a)^2*B^2*d^2*i^2*n^2/(d*x
+ c)^2 + 360*B^2*b^2*i^2*n*log(e) - 900*(b*x + a)*B^2*b*d*i^2*n*log(e)/(d*
x + c) + 600*(b*x + a)^2*B^2*d^2*i^2*n*log(e)/(d*x + c)^2 + 360*A*B*b^2*i^
2*n - 900*(b*x + a)*A*B*b*d*i^2*n/(d*x + c) + 600*(b*x + a)^2*A*B*d^2*i^2*
n/(d*x + c)^2)*log((b*x + a)/(d*x + c))/((b*x + a)^5*b^2*c^2*g^6/(d*x + c)
^5 - 2*(b*x + a)^5*a*b*c*d*g^6/(d*x + c)^5 + (b*x + a)^5*a^2*d^2*g^6/(d*x
+ c)^5) + (864*B^2*b^2*i^2*n^2 - 3375*(b*x + a)*B^2*b*d*i^2*n^2/(d*x + c)
+ 4000*(b*x + a)^2*B^2*d^2*i^2*n^2/(d*x + c)^2 + 4320*B^2*b^2*i^2*n*log(e)
 - 13500*(b*x + a)*B^2*b*d*i^2*n*log(e)/(d*x + c) + 12000*(b*x + a)^2*B^2*
d^2*i^2*n*log(e)/(d*x + c)^2 + 10800*B^2*b^2*i^2*log(e)^2 - 27000*(b*x + a
)*B^2*b*d*i^2*log(e)^2/(d*x + c) + 18000*(b*x + a)^2*B^2*d^2*i^2*log(e)^2/
(d*x + c)^2 + 4320*A*B*b^2*i^2*n - 13500*(b*x + a)*A*B*b*d*i^2*n/(d*x + c)
 + 12000*(b*x + a)^2*A*B*d^2*i^2*n/(d*x + c)^2 + 21600*A*B*b^2*i^2*log(e)
- 54000*(b*x + a)*A*B*b*d*i^2*log(e)/(d*x + c) + 36000*(b*x + a)^2*A*B*d^2
*i^2*log(e)/(d*x + c)^2 + 10800*A^2*b^2*i^2 - 27000*(b*x + a)*A^2*b*d*i^2/
(d*x + c) + 18000*(b*x + a)^2*A^2*d^2*i^2/(d*x + c)^2)/((b*x + a)^5*b^2...
```

Mupad [B] (verification not implemented)

Time = 32.53 (sec) , antiderivative size = 3296, normalized size of antiderivative = 6.69

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int(((c*i + d*i*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^6,x)
```

output

```
((1800*A^2*a^4*d^4*i^2 + 10800*A^2*b^4*c^4*i^2 + 1489*B^2*a^4*d^4*i^2*n^2
+ 864*B^2*b^4*c^4*i^2*n^2 - 16200*A^2*a*b^3*c^3*d*i^2 + 1800*A^2*a^3*b*c*d
^3*i^2 + 2820*A*B*a^4*d^4*i^2*n + 4320*A*B*b^4*c^4*i^2*n + 1800*A^2*a^2*b^
2*c^2*d^2*i^2 + 1489*B^2*a^2*b^2*c^2*d^2*i^2*n^2 - 2511*B^2*a*b^3*c^3*d*i^
2*n^2 + 1489*B^2*a^3*b*c*d^3*i^2*n^2 + 2820*A*B*a^2*b^2*c^2*d^2*i^2*n - 91
80*A*B*a*b^3*c^3*d*i^2*n + 2820*A*B*a^3*b*c*d^3*i^2*n)/(60*(a*d - b*c)) +
(x*(1800*A^2*a^3*b*d^4*i^2 + 5400*A^2*b^4*c^3*d*i^2 - 9000*A^2*a*b^3*c^2*d
^2*i^2 + 1800*A^2*a^2*b^2*c*d^3*i^2 + 1489*B^2*a^3*b*d^4*i^2*n^2 + 189*B^2
*b^4*c^3*d*i^2*n^2 + 1620*A*B*b^4*c^3*d*i^2*n - 911*B^2*a*b^3*c^2*d^2*i^2*
n^2 + 1489*B^2*a^2*b^2*c*d^3*i^2*n^2 + 2820*A*B*a^3*b*d^4*i^2*n - 4380*A*B
*a*b^3*c^2*d^2*i^2*n + 2820*A*B*a^2*b^2*c*d^3*i^2*n))/(12*(a*d - b*c)) + (
x^2*(1800*A^2*a^2*b^2*d^4*i^2 + 1800*A^2*b^4*c^2*d^2*i^2 - 3600*A^2*a*b^3*
c*d^3*i^2 + 1489*B^2*a^2*b^2*d^4*i^2*n^2 - 86*B^2*b^4*c^2*d^2*i^2*n^2 + 28
20*A*B*a^2*b^2*d^4*i^2*n + 120*A*B*b^4*c^2*d^2*i^2*n + 289*B^2*a*b^3*c*d^3
*i^2*n^2 - 780*A*B*a*b^3*c*d^3*i^2*n))/(6*(a*d - b*c)) + (x^3*(363*B^2*a*b
^3*d^4*i^2*n^2 + 13*B^2*b^4*c*d^3*i^2*n^2 - 60*A*B*b^4*c*d^3*i^2*n + 540*A
*B*a*b^3*d^4*i^2*n))/(2*(a*d - b*c)) + (d*x^4*(47*B^2*b^4*d^3*i^2*n^2 + 60
*A*B*b^4*d^3*i^2*n))/(a*d - b*c))/(x*(4500*a^4*b^5*c*g^6 - 4500*a^5*b^4*d*
g^6) - x^4*(4500*a^2*b^7*d*g^6 - 4500*a*b^8*c*g^6) + x^5*(900*b^9*c*g^6 -
900*a*b^8*d*g^6) + x^2*(9000*a^3*b^6*c*g^6 - 9000*a^4*b^5*d*g^6) + x^3*...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 3287, normalized size of antiderivative = 6.67

$$\int \frac{(ci+dix)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^6}\,dx = \text{Too large to display}$$

input

```
int((d*i*x+c*i)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^6,x)
```

output

```
( - 3600*log(a + b*x)*a**7*b*d**5*n - 2100*log(a + b*x)*a**6*b**2*d**5*n**
2 - 18000*log(a + b*x)*a**6*b**2*d**5*n*x - 720*log(a + b*x)*a**5*b**3*c*d
**4*n**2 - 10500*log(a + b*x)*a**5*b**3*d**5*n**2*x - 36000*log(a + b*x)*a
**5*b**3*d**5*n*x**2 - 3600*log(a + b*x)*a**4*b**4*c*d**4*n**2*x - 21000*l
og(a + b*x)*a**4*b**4*d**5*n**2*x**2 - 36000*log(a + b*x)*a**4*b**4*d**5*n
*x**3 - 7200*log(a + b*x)*a**3*b**5*c*d**4*n**2*x**2 - 21000*log(a + b*x)*
a**3*b**5*d**5*n**2*x**3 - 18000*log(a + b*x)*a**3*b**5*d**5*n*x**4 - 7200
*log(a + b*x)*a**2*b**6*c*d**4*n**2*x**3 - 10500*log(a + b*x)*a**2*b**6*d*
*5*n**2*x**4 - 3600*log(a + b*x)*a**2*b**6*d**5*n*x**5 - 3600*log(a + b*x)
*a*b**7*c*d**4*n**2*x**4 - 2100*log(a + b*x)*a*b**7*d**5*n**2*x**5 - 720*l
og(a + b*x)*b**8*c*d**4*n**2*x**5 + 3600*log(c + d*x)*a**7*b*d**5*n + 2100
*log(c + d*x)*a**6*b**2*d**5*n**2 + 18000*log(c + d*x)*a**6*b**2*d**5*n*x
+ 720*log(c + d*x)*a**5*b**3*c*d**4*n**2 + 10500*log(c + d*x)*a**5*b**3*d*
*5*n**2*x + 36000*log(c + d*x)*a**5*b**3*d**5*n*x**2 + 3600*log(c + d*x)*a
**4*b**4*c*d**4*n**2*x + 21000*log(c + d*x)*a**4*b**4*d**5*n**2*x**2 + 360
00*log(c + d*x)*a**4*b**4*d**5*n*x**3 + 7200*log(c + d*x)*a**3*b**5*c*d**4
*n**2*x**2 + 21000*log(c + d*x)*a**3*b**5*d**5*n**2*x**3 + 18000*log(c + d
*x)*a**3*b**5*d**5*n*x**4 + 7200*log(c + d*x)*a**2*b**6*c*d**4*n**2*x**3 +
 10500*log(c + d*x)*a**2*b**6*d**5*n**2*x**4 + 3600*log(c + d*x)*a**2*b**6
*d**5*n*x**5 + 3600*log(c + d*x)*a*b**7*c*d**4*n**2*x**4 + 2100*log(c +...
```

3.178 $\int (ag+bgx)^3(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 2027
Mathematica [B] (verified) 2028
Rubi [A] (verified) 2029
Maple [F] 2045
Fricas [F] 2046
Sympy [F(-1)] 2046
Maxima [B] (verification not implemented) 2047
Giac [F(-1)] 2048
Mupad [F(-1)] 2048
Reduce [F] 2048

Optimal result

Integrand size = 45, antiderivative size = 1172

$$\int (ag+bgx)^3(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

output

```
5/84*B^2*(-a*d+b*c)^6*g^3*i^3*n^2*x/b^3/d^3+1/140*B^2*(-a*d+b*c)^3*g^3*i^3
*n^2*(b*x+a)^4/b^4-29/840*B^2*(-a*d+b*c)^5*g^3*i^3*n^2*(d*x+c)^2/b^2/d^4+4
7/1260*B^2*(-a*d+b*c)^4*g^3*i^3*n^2*(d*x+c)^3/b/d^4-13/420*B^2*(-a*d+b*c)^
3*g^3*i^3*n^2*(d*x+c)^4/d^4+1/105*b*B^2*(-a*d+b*c)^2*g^3*i^3*n^2*(d*x+c)^5
/d^4-1/210*B*(-a*d+b*c)^4*g^3*i^3*n*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))/b^4/d-3/140*B*(-a*d+b*c)^3*g^3*i^3*n*(b*x+a)^4*(A+B*ln(e*((b*x+a)/(d*x
+c))^n))/b^4-1/35*B*(-a*d+b*c)^2*g^3*i^3*n*(b*x+a)^4*(d*x+c)*(A+B*ln(e*((b
*x+a)/(d*x+c))^n))/b^3+2/21*B*(-a*d+b*c)^4*g^3*i^3*n*(d*x+c)^3*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))/b/d^4-3/14*B*(-a*d+b*c)^3*g^3*i^3*n*(d*x+c)^4*(A+B*ln
(e*((b*x+a)/(d*x+c))^n))/d^4+6/35*b*B*(-a*d+b*c)^2*g^3*i^3*n*(d*x+c)^5*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))/d^4-1/21*b^2*B*(-a*d+b*c)*g^3*i^3*n*(d*x+c)^6
*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4+1/140*(-a*d+b*c)^3*g^3*i^3*(b*x+a)^4*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^4+1/35*(-a*d+b*c)^2*g^3*i^3*(b*x+a)^4*
(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^3+1/14*(-a*d+b*c)*g^3*i^3*(b*x
+a)^4*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2+1/7*g^3*i^3*(b*x+a)^
4*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b+1/420*B*(-a*d+b*c)^5*g^3*i
^3*n*(b*x+a)^2*(3*A+B*n+3*B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/d^2-1/420*B*(-a
*d+b*c)^6*g^3*i^3*n*(b*x+a)*(6*A+5*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/
d^3-1/420*B*(-a*d+b*c)^7*g^3*i^3*n*(6*A+11*B*n+6*B*ln(e*((b*x+a)/(d*x+c))^
n))*ln((-a*d+b*c)/b/(d*x+c))/b^4/d^4-1/210*B^2*(-a*d+b*c)^7*g^3*i^3*n^2...
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2448 vs. $2(1172) = 2344$.

Time = 3.51 (sec) , antiderivative size = 2448, normalized size of antiderivative = 2.09

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Result too large to show}$$

input

```
Integrate[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2,x]
```

output

```
(g^3*i^3*(35*(b*c - a*d)^3*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2 + 84*d*(b*c - a*d)^2*(a + b*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2 + 70*d^2*(b*c - a*d)*(a + b*x)^6*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2 + 20*d^3*(a + b*x)^7*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (35*
B*(b*c - a*d)^4*n*(6*A*b*d*(b*c - a*d)^2*x + 6*B*d*(b*c - a*d)^2*(a + b*x)
*Log[e*((a + b*x)/(c + d*x))^n] + 3*d^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*
Log[e*((a + b*x)/(c + d*x))^n]) + 2*d^3*(a + b*x)^3*(A + B*Log[e*((a + b*x
)/(c + d*x))^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 6*(b*c - a*d)^3*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*(2*b*d*(
b*c - a*d)*x - d^2*(a + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + 3*B*(b*c
- a*d)^2*n*(b*d*x + (-(b*c) + a*d)*Log[c + d*x]) + 3*B*(b*c - a*d)^3*n*((2
*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLo
g[2, (b*(c + d*x))/(b*c - a*d)])))/(3*d^4) + (7*B*(b*c - a*d)^3*n*(24*A*b*
d*(b*c - a*d)^3*x + 24*B*d*(b*c - a*d)^3*(a + b*x)*Log[e*((a + b*x)/(c + d
*x))^n] - 12*d^2*(b*c - a*d)^2*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]) + 8*d^3*(b*c - a*d)*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]) - 6*d^4*(a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 24*B*(b*
c - a*d)^4*n*Log[c + d*x] - 24*(b*c - a*d)^4*(A + B*Log[e*((a + b*x)/(c +
d*x))^n])*Log[c + d*x] + 4*B*(b*c - a*d)^2*n*(2*b*d*(b*c - a*d)*x - d^2*(a
 + b*x)^2 - 2*(b*c - a*d)^2*Log[c + d*x]) + B*(b*c - a*d)*n*(6*b*d*(b*c...
```

Rubi [A] (verified)

Time = 3.66 (sec) , antiderivative size = 1455, normalized size of antiderivative = 1.24, number of steps used = 23, number of rules used = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.489$, Rules used = {2961, 2783, 2782, 27, 2123, 2009, 2783, 2782, 27, 87, 49, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^3(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2961$$

$$g^3i^3(bc-ad)^7\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^8}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2Bn \int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} + \frac{3 \int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} + \frac{(a+bx)^4 \left(B \log\left(e\right.\right.}{7b(c+dx)^4 \left(b\right.} \right.$$

$$\downarrow 2782$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2Bn \left(-Bn \int -\frac{(c+dx)\left(b^3 - \frac{6d(a+bx)b^2}{c+dx} + \frac{15d^2(a+bx)^2 b}{(c+dx)^2} - \frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{60d^4(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx} + \frac{b^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2\left(B \log\left(e\right.\right.}{5d^4\left(b-\right.} \right.}{7b}$$

$$\downarrow 27$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2Bn \left(\frac{Bn \int \frac{(c+dx)\left(b^3 - \frac{6d(a+bx)b^2}{c+dx} + \frac{15d^2(a+bx)^2 b}{(c+dx)^2} - \frac{20d^3(a+bx)^3}{(c+dx)^3}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{60d^4} + \frac{b^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right.\right.}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)} \right.}{7b}$$

$$\downarrow 2123$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(-\frac{2Bn \left(\frac{Bn \int \left(-\frac{10db^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^6} + \frac{26db}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{19d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3 b} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2 b^2} + \frac{c+dx}{(a+bx)b^3} + \frac{d}{\left(b-\frac{d(a+bx)}{c+dx}\right)b^3} \right.}{60d^4} \right.}{7b}$$

$$\downarrow 2009$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{3 \int \frac{(a+bx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} d\frac{a+bx}{c+dx}}{7b} - \frac{2Bn \left(\frac{b^3 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{6d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3b^2 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3b\left(B \log\left(\right.\right.}{4d^4 \left(\right.}$$

$$\downarrow 2783$$

$$g^3 i^3 (bc -$$

$$ad)^7 \left(\frac{3 \left(- \frac{Bn \int \frac{(a+bx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^3 \left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{(a+bx)^4 \left(B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{6b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} \right)}{7b}$$

$$\downarrow 2782$$

$$(bc -$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn \left(\frac{\left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) b^3}{6d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) b^2}{5d^4 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.}{4} \right.$$

$$\downarrow 27$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}$$

$$\downarrow 87$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}$$

$$\downarrow 49$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.}{4} \right.$$

$$\downarrow 2009$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.}{4} \right.$$

$$\downarrow 2783$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.}{4} \right.$$

$$\downarrow 2773$$

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.}{4} \right.$$

$$\downarrow 49$$

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - 2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.\right.\right.$$

↓ 2009

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}\right.$$

↓ 2781

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}$$

↓ 2784

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4} \right.$$

$$\left. \left. \right. \right)$$

↓ 2784

$$(bc-$$

$$ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4} \right.$$

↓ 2784

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}\right.$$

↓ 2754

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}\right.$$

$$\downarrow 2838$$

$$(bc-ad)^7 g^3 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^4}{7b(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^7} - \frac{2Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^3}{6d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{3\left(A+\right.\right.}{4}\right.$$

input
```
Int[(a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2,x]
```

output
```
(b*c - a*d)^7*g^3*i^3*(((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2)/(7*b*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^7) - (2*B*n*((b^3*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]))/(6*d^4*(b - (d*(a + b*x))/(c + d*x))^6)
 - (3*b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*d^4*(b - (d*(a + b*x)
)/(c + d*x))^5) + (3*b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*d^4*(b -
 (d*(a + b*x))/(c + d*x))^4) - (A + B*Log[e*((a + b*x)/(c + d*x))^n])/(3*d
^4*(b - (d*(a + b*x))/(c + d*x))^3) + (B*n*((-2*b^2)/(b - (d*(a + b*x))/(c
 + d*x))^5 + (13*b)/(2*(b - (d*(a + b*x))/(c + d*x))^4) - 19/(3*(b - (d*(a
 + b*x))/(c + d*x))^3) + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b^2*
(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[b - (d
*(a + b*x))/(c + d*x)]/b^3))/(60*d^4)))/(7*b) + (3*(((a + b*x)^4*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n])^2)/(6*b*(c + d*x)^4*(b - (d*(a + b*x))/(c +
d*x))^6) - (B*n*(((a + b*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(5*b
*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^5) + ((a + b*x)^4*(A + B*Log[e*
((a + b*x)/(c + d*x))^n]))/(20*b^2*(c + d*x)^4*(b - (d*(a + b*x))/(c + d*x
))^4) - (B*n*((a + b*x)^4/((c + d*x)^4*(b - (d*(a + b*x))/(c + d*x))^4) +
b^3/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3*b^2)/(2*d^4*(b - (d*(a +
b*x))/(c + d*x))^2) + (3*b)/(d^4*(b - (d*(a + b*x))/(c + d*x))) + Log[b -
(d*(a + b*x))/(c + d*x)]/d^4))/(20*b^2)))/(3*b) + (((a + b*x)^4*(A + B*Log
[e*((a + b*x)/(c + d*x))^n])^2)/(5*b*(c + d*x)^4*(b - (d*(a + b*x))/(c ...
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 87

```
Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p
_.), x_] :> Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p
+ 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p
+ 1)))/(f*(p + 1)*(c*f - d*e))  Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x]
/; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && ( !LtQ[n, -1] || Intege
rQ[p] ||  !(IntegerQ[n] ||  !(EqQ[e, 0] ||  !(EqQ[c, 0] || LtQ[p, n]))))
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2123

```
Int[(Px_)*((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol]
:> Int[ExpandIntegrand[Px*(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c
, d, m, n}, x] && PolyQ[Px, x] && (IntegersQ[m, n] || IGtQ[m, -2])
```

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))  Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))  Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])  u, x] - Simp[b*n  Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^3 (dix+ci)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^3(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="fricas")
```

output
```
integral(A^2*b^3*d^3*g^3*i^3*x^6 + A^2*a^3*c^3*g^3*i^3 + 3*(A^2*b^3*c*d^2
+ A^2*a*b^2*d^3)*g^3*i^3*x^5 + 3*(A^2*b^3*c^2*d + 3*A^2*a*b^2*c*d^2 + A^2*
a^2*b*d^3)*g^3*i^3*x^4 + (A^2*b^3*c^3 + 9*A^2*a*b^2*c^2*d + 9*A^2*a^2*b*c*
d^2 + A^2*a^3*d^3)*g^3*i^3*x^3 + 3*(A^2*a*b^2*c^3 + 3*A^2*a^2*b*c^2*d + A^
2*a^3*c*d^2)*g^3*i^3*x^2 + 3*(A^2*a^2*b*c^3 + A^2*a^3*c^2*d)*g^3*i^3*x + (
B^2*b^3*d^3*g^3*i^3*x^6 + B^2*a^3*c^3*g^3*i^3 + 3*(B^2*b^3*c*d^2 + B^2*a*b
^2*d^3)*g^3*i^3*x^5 + 3*(B^2*b^3*c^2*d + 3*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3
)*g^3*i^3*x^4 + (B^2*b^3*c^3 + 9*B^2*a*b^2*c^2*d + 9*B^2*a^2*b*c*d^2 + B^2
*a^3*d^3)*g^3*i^3*x^3 + 3*(B^2*a*b^2*c^3 + 3*B^2*a^2*b*c^2*d + B^2*a^3*c*d
^2)*g^3*i^3*x^2 + 3*(B^2*a^2*b*c^3 + B^2*a^3*c^2*d)*g^3*i^3*x)*log(e*((b*x
 + a)/(d*x + c))^n)^2 + 2*(A*B*b^3*d^3*g^3*i^3*x^6 + A*B*a^3*c^3*g^3*i^3 +
 3*(A*B*b^3*c*d^2 + A*B*a*b^2*d^3)*g^3*i^3*x^5 + 3*(A*B*b^3*c^2*d + 3*A*B*
a*b^2*c*d^2 + A*B*a^2*b*d^3)*g^3*i^3*x^4 + (A*B*b^3*c^3 + 9*A*B*a*b^2*c^2*
d + 9*A*B*a^2*b*c*d^2 + A*B*a^3*d^3)*g^3*i^3*x^3 + 3*(A*B*a*b^2*c^3 + 3*A*
B*a^2*b*c^2*d + A*B*a^3*c*d^2)*g^3*i^3*x^2 + 3*(A*B*a^2*b*c^3 + A*B*a^3*c^
2*d)*g^3*i^3*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**
2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 7845 vs. $2(1125) = 2250$.

Time = 0.71 (sec) , antiderivative size = 7845, normalized size of antiderivative = 6.69

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="maxima")
```

output
```
2/7*A*B*b^3*d^3*g^3*i^3*x^7*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/7*A
^2*b^3*d^3*g^3*i^3*x^7 + A*B*b^3*c*d^2*g^3*i^3*x^6*log(e*(b*x/(d*x + c) +
a/(d*x + c))^n) + A*B*a*b^2*d^3*g^3*i^3*x^6*log(e*(b*x/(d*x + c) + a/(d*x
+ c))^n) + 1/2*A^2*b^3*c*d^2*g^3*i^3*x^6 + 1/2*A^2*a*b^2*d^3*g^3*i^3*x^6 +
 6/5*A*B*b^3*c^2*d*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 18
/5*A*B*a*b^2*c*d^2*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 6/
5*A*B*a^2*b*d^3*g^3*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/5*A
^2*b^3*c^2*d*g^3*i^3*x^5 + 9/5*A^2*a*b^2*c*d^2*g^3*i^3*x^5 + 3/5*A^2*a^2*b
*d^3*g^3*i^3*x^5 + 1/2*A*B*b^3*c^3*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d
*x + c))^n) + 9/2*A*B*a*b^2*c^2*d*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*
x + c))^n) + 9/2*A*B*a^2*b*c*d^2*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x
 + c))^n) + 1/2*A*B*a^3*d^3*g^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c)
)^n) + 1/4*A^2*b^3*c^3*g^3*i^3*x^4 + 9/4*A^2*a*b^2*c^2*d*g^3*i^3*x^4 + 9/4
*A^2*a^2*b*c*d^2*g^3*i^3*x^4 + 1/4*A^2*a^3*d^3*g^3*i^3*x^4 + 2*A*B*a*b^2*c
^3*g^3*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 6*A*B*a^2*b*c^2*d*
g^3*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*A*B*a^3*c*d^2*g^3*i
^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*a*b^2*c^3*g^3*i^3*x^3
+ 3*A^2*a^2*b*c^2*d*g^3*i^3*x^3 + A^2*a^3*c*d^2*g^3*i^3*x^3 + 3*A*B*a^2*b*
c^3*g^3*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3*A*B*a^3*c^2*d*g
^3*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/2*A^2*a^2*b*c^3*g...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^3\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2,x)
```

output
```
int((a*g + b*g*x)^3*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2, x)
```

Reduce [F]

$$\int (ag+bgx)^3(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**3*i*(36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*
x + b*d*x**2),x)*a**7*b**2*d**8*n - 252*int((log(((a + b*x)**n*e)/(c + d*x
)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**6*b**3*c*d**7*n + 756*int(
(log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)
*a**5*b**4*c**2*d**6*n - 1260*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(
a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**5*c**3*d**5*n + 1260*int((log((
(a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*
b**6*c**4*d**4*n - 756*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a
*d*x + b*c*x + b*d*x**2),x)*a**2*b**7*c**5*d**3*n + 252*int((log(((a + b*x
)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**8*c**6*d
**2*n - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x
 + b*d*x**2),x)*b**9*c**7*d*n + 36*log(a + b*x)*a**8*d**7*n - 252*log(a +
b*x)*a**7*b*c*d**6*n + 756*log(a + b*x)*a**6*b**2*c**2*d**5*n - 1260*log(a
 + b*x)*a**5*b**3*c**3*d**4*n + 1260*log(a + b*x)*a**4*b**4*c**4*d**3*n -
756*log(a + b*x)*a**3*b**5*c**5*d**2*n + 252*log(a + b*x)*a**2*b**6*c**6*d
*n - 36*log(a + b*x)*a*b**7*c**7*n - 18*log(((a + b*x)**n*e)/(c + d*x)**n)
**2*a**6*b**2*c*d**6 + 108*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**5*b**3
*c**2*d**5 - 270*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**4*b**4*c**3*d**4
 - 270*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**5*c**4*d**3 - 2520*lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**5*c**3*d**4*x - 3780*log(((...
```

3.179 $\int (ag+bgx)^2(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 2050
Mathematica [A] (verified) 2051
Rubi [A] (verified) 2052
Maple [F] 2066
Fricas [F] 2066
Sympy [F(-1)] 2067
Maxima [B] (verification not implemented) 2068
Giac [F(-1)] 2069
Mupad [F(-1)] 2069
Reduce [F] 2069

Optimal result

Integrand size = 45, antiderivative size = 976

$$\int (ag+bgx)^2(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

output

```
-7/180*B^2*(-a*d+b*c)^5*g^2*i^3*n^2*x/b^3/d^2-7/360*B^2*(-a*d+b*c)^4*g^2*i
^3*n^2*(d*x+c)^2/b^2/d^3-1/60*B^2*(-a*d+b*c)^3*g^2*i^3*n^2*(d*x+c)^3/b/d^3
+1/60*B^2*(-a*d+b*c)^2*g^2*i^3*n^2*(d*x+c)^4/d^3-1/60*B*(-a*d+b*c)^4*g^2*i
^3*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/d-1/30*B*(-a*d+b*c)^3*g
^2*i^3*n*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4-1/10*B*(-a*d+b*c)^4
*g^2*i^3*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/d^3+1/45*B*(-a*d+
b*c)^3*g^2*i^3*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/d^3+7/60*B*(-
a*d+b*c)^2*g^2*i^3*n*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3-1/15*b*
B*(-a*d+b*c)*g^2*i^3*n*(d*x+c)^5*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3+1/60*
(-a*d+b*c)^3*g^2*i^3*(b*x+a)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^4+1/20*
(-a*d+b*c)^2*g^2*i^3*(b*x+a)^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b
^3+1/10*(-a*d+b*c)*g^2*i^3*(b*x+a)^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))
^n))^2/b^2+1/6*g^2*i^3*(b*x+a)^3*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
^2/b+1/60*B*(-a*d+b*c)^5*g^2*i^3*n*(b*x+a)*(2*A+B*n+2*B*ln(e*((b*x+a)/(d*x
+c))^n))/b^4/d^2+1/60*B*(-a*d+b*c)^6*g^2*i^3*n*(2*A+3*B*n+2*B*ln(e*((b*x+a
)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^4/d^3+1/36*B^2*(-a*d+b*c)^6*g^2*
i^3*n^2*ln((b*x+a)/(d*x+c))/b^4/d^3+11/180*B^2*(-a*d+b*c)^6*g^2*i^3*n^2*ln
(d*x+c)/b^4/d^3+1/30*B^2*(-a*d+b*c)^6*g^2*i^3*n^2*polylog(2,d*(b*x+a)/b/(d
*x+c))/b^4/d^3
```

Mathematica [A] (verified)

Time = 1.52 (sec) , antiderivative size = 1627, normalized size of antiderivative = 1.67

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2,x]
```

output

```
(g^2*i^3*(15*(b*c - a*d)^2*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^
n])^2 - 24*b*(b*c - a*d)*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^2 + 10*b^2*(c + d*x)^6*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (5*B*(
b*c - a*d)^3*n*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*n*(b*d*x + (b*
c - a*d)*Log[a + b*x]) - B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d
*x)^2 + 2*(b*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[
e*((a + b*x)/(c + d*x))^n] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[e*((
a + b*x)/(c + d*x))^n]) + 2*b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]) + 6*(b*c - a*d)^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]) - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 3*B*(b*c - a*d)^3*n*(Log[a + b*x
]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a +
 b*x))/(-(b*c) + a*d)])))/b^4 + (2*B*(b*c - a*d)^2*n*(24*A*b*d*(b*c - a*d)
^3*x - 12*B*(b*c - a*d)^3*n*(b*d*x + (b*c - a*d)*Log[a + b*x]) - 4*B*(b*c
- a*d)^2*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c - a*d)^2*Log[a
+ b*x]) - B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c +
d*x)^2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]) + 24*B*d*(b*c -
 a*d)^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 12*b^2*(b*c - a*d)^2*(c
 + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 8*b^3*(b*c - a*d)*(c +
d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 6*b^4*(c + d*x)^4*(A + B*L
og[e*((a + b*x)/(c + d*x))^n]) + 24*(b*c - a*d)^4*Log[a + b*x]*(A + B*L...
```

Rubi [A] (verified)

Time = 3.28 (sec) , antiderivative size = 1266, normalized size of antiderivative = 1.30, number of steps used = 21, number of rules used = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {2961, 2783, 2782, 27, 1195, 2009, 2783, 2782, 27, 1195, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^2(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2dx$$

$$\downarrow \text{2961}$$

$$g^2i^3(bc-ad)^6\int\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^7}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{Bn \int \frac{(a+bx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{3b} + \frac{\int \frac{(a+bx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{2b} + \frac{(a+bx)^3 \left(B \log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{6b(c+dx)^3 \left(b-\right.}$$

$$\downarrow 2782$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-Bn \int \frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{30d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B}{3}\right.}{3b}$$

$$\downarrow 27$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-\frac{Bn \int \frac{(c+dx)\left(b^2-\frac{5d(a+bx)b}{c+dx}+\frac{10d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{30d^3} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B \log\left(\right.}{3d^3\left(\right.}\right.}{3b}$$

$$\downarrow 1195$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(-\frac{Bn \left(-\frac{Bn \int \left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2} + \frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{9d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{6bd}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} + \frac{c+dx}{b^3(a+bx)} \right) d\frac{a+bx}{c+dx}}{30d^3} + \frac{b^2\left(B\right.}{5}\right.}{3b}$$

$$\downarrow 2009$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{\int \frac{(a+bx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^6} d\frac{a+bx}{c+dx}}{2b} - \frac{Bn\left(\frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^3\left(b-\frac{d(a+b}{c+d}\right.\right.}{}$$

$$\downarrow 2783$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{-\frac{2Bn\int \frac{(a+bx)^2\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{2\int \frac{(a+bx)^2\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}}{5b} + \frac{(a+bx)^3\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{5b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5}}{2b} -$$

$$\downarrow 2782$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{-\frac{2Bn\left(-Bn\int \frac{(c+dx)\left(b^2-\frac{4d(a+bx)b}{c+dx}+\frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{12d^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx} + \frac{b^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}}{5b}}{2b}$$

$$\downarrow 27$$

$$g^2 i^3 (bc -$$

$$ad)^6 \left(\frac{2Bn \left(- \frac{Bn \int \frac{(c+dx)\left(b^2 - \frac{4d(a+bx)b}{c+dx} + \frac{6d^2(a+bx)^2}{(c+dx)^2}\right)}{(a+bx)\left(b - \frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{12d^3} + \frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^4} - \frac{2b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^3} + \frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^2} \right.}{5b} \right.$$

$$\left. \left. \right. \right)$$

$$\Big\downarrow 1195$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log}{3d^3\left(b-\right.} \right.$$

$$\Big\downarrow 2009$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b - \frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log}{3d^3\left(b-\right.} \right.$$

$$\downarrow 2783$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.} \right.$$

$$\downarrow 2773$$

$$(bc -$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3 \left(b - \frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.} \right.$$

$$\downarrow 49$$

$$(bc-$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.} \right. \right.$$

$$\left. \left. \right) \right)$$

↓ 2009

$$(bc-$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.} \right. \right.$$

$$\left. \left. \right) \right)$$

$$\downarrow 2781$$

$$(bc-$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3(b-} \right.$$

$$\left. \right)$$

↓ 2784

$$(bc-$$

$$ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.}\right.}{} \right.$$

$$\left. \right)$$

↓ 2784

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(\right.\right.$$

↓ 2754

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(\right.\right.$$

↓ 2838

$$(bc-ad)^6 g^2 i^3 \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (a+bx)^3}{6b(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^6} - \frac{Bn\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b^2}{5d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)b}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{A+B\log(}{3d^3\left(b-\right.}\right.\right.$$

input

```
Int[(a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2,x]
```

output
```
(b*c - a*d)^6*g^2*i^3*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
^2)/(6*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^6) - (B*n*((b^2*(A + B*
Log[e*((a + b*x)/(c + d*x))^n]))/(5*d^3*(b - (d*(a + b*x))/(c + d*x))^5) -
 (b*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d^3*(b - (d*(a + b*x))/(c +
 d*x))^4) + (A + B*Log[e*((a + b*x)/(c + d*x))^n])/(3*d^3*(b - (d*(a + b*x
))/(c + d*x))^3) - (B*n*((3*b)/(2*(b - (d*(a + b*x))/(c + d*x))^4) - 3/(b
 - (d*(a + b*x))/(c + d*x))^3 + 1/(2*b*(b - (d*(a + b*x))/(c + d*x))^2) + 1
/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^3 - Log[
b - (d*(a + b*x))/(c + d*x)]/b^3))/(30*d^3)))/(3*b) + (((a + b*x)^3*(A + B
*Log[e*((a + b*x)/(c + d*x))^n])^2)/(5*b*(c + d*x)^3*(b - (d*(a + b*x))/(c
 + d*x))^5) - (2*B*n*((b^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(4*d^3*
(b - (d*(a + b*x))/(c + d*x))^4) - (2*b*(A + B*Log[e*((a + b*x)/(c + d*x))
^n]))/(3*d^3*(b - (d*(a + b*x))/(c + d*x))^3) + (A + B*Log[e*((a + b*x)/(c
 + d*x))^n])/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*(b/(b - (d*(a
 + b*x))/(c + d*x))^3 - 5/(2*(b - (d*(a + b*x))/(c + d*x))^2) + 1/(b*(b - (
d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a +
b*x))/(c + d*x)]/b^2))/(12*d^3)))/(5*b) + (2*(((a + b*x)^3*(A + B*Log[e*((
a + b*x)/(c + d*x))^n])^2)/(4*b*(c + d*x)^3*(b - (d*(a + b*x))/(c + d*x))^
4) - (B*n*(((a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*b*(c +
d*x)^3*(b - (d*(a + b*x))/(c + d*x))^3) - (B*n*(b^2/(2*d^3*(b - (d*(a +...
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49
```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 1195
```
Int[((d_.) + (e_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_))^(n_.)*((a_.) + (b_.)*(x
_) + (c_.)*(x_)^2)^(p_.), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(f +
 g*x)^n*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n}, x
] && IGtQ[p, 0]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)^2 (dix+ci)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)^2 (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (bgx+ag)^2 (dix+ci)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="fricas")
```

output
```
integral(A^2*b^2*d^3*g^2*i^3*x^5 + A^2*a^2*c^3*g^2*i^3 + (3*A^2*b^2*c*d^2
+ 2*A^2*a*b*d^3)*g^2*i^3*x^4 + (3*A^2*b^2*c^2*d + 6*A^2*a*b*c*d^2 + A^2*a^
2*d^3)*g^2*i^3*x^3 + (A^2*b^2*c^3 + 6*A^2*a*b*c^2*d + 3*A^2*a^2*c*d^2)*g^2
*i^3*x^2 + (2*A^2*a*b*c^3 + 3*A^2*a^2*c^2*d)*g^2*i^3*x + (B^2*b^2*d^3*g^2*
i^3*x^5 + B^2*a^2*c^3*g^2*i^3 + (3*B^2*b^2*c*d^2 + 2*B^2*a*b*d^3)*g^2*i^3*
x^4 + (3*B^2*b^2*c^2*d + 6*B^2*a*b*c*d^2 + B^2*a^2*d^3)*g^2*i^3*x^3 + (B^2
*b^2*c^3 + 6*B^2*a*b*c^2*d + 3*B^2*a^2*c*d^2)*g^2*i^3*x^2 + (2*B^2*a*b*c^3
 + 3*B^2*a^2*c^2*d)*g^2*i^3*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b
^2*d^3*g^2*i^3*x^5 + A*B*a^2*c^3*g^2*i^3 + (3*A*B*b^2*c*d^2 + 2*A*B*a*b*d^
3)*g^2*i^3*x^4 + (3*A*B*b^2*c^2*d + 6*A*B*a*b*c*d^2 + A*B*a^2*d^3)*g^2*i^3
*x^3 + (A*B*b^2*c^3 + 6*A*B*a*b*c^2*d + 3*A*B*a^2*c*d^2)*g^2*i^3*x^2 + (2*
A*B*a*b*c^3 + 3*A*B*a^2*c^2*d)*g^2*i^3*x)*log(e*((b*x + a)/(d*x + c))^n),
x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**
2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5931 vs. $2(937) = 1874$.

Time = 0.66 (sec) , antiderivative size = 5931, normalized size of antiderivative = 6.08

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="maxima")
```

output
```
1/3*A*B*b^2*d^3*g^2*i^3*x^6*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/6*A
^2*b^2*d^3*g^2*i^3*x^6 + 6/5*A*B*b^2*c*d^2*g^2*i^3*x^5*log(e*(b*x/(d*x + c
) + a/(d*x + c))^n) + 4/5*A*B*a*b*d^3*g^2*i^3*x^5*log(e*(b*x/(d*x + c) + a
/(d*x + c))^n) + 3/5*A^2*b^2*c*d^2*g^2*i^3*x^5 + 2/5*A^2*a*b*d^3*g^2*i^3*x
^5 + 3/2*A*B*b^2*c^2*d*g^2*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 3*A*B*a*b*c*d^2*g^2*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2
*A*B*a^2*d^3*g^2*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3/4*A^2*
b^2*c^2*d*g^2*i^3*x^4 + 3/2*A^2*a*b*c*d^2*g^2*i^3*x^4 + 1/4*A^2*a^2*d^3*g^
2*i^3*x^4 + 2/3*A*B*b^2*c^3*g^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c)
)^n) + 4*A*B*a*b*c^2*d*g^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
+ 2*A*B*a^2*c*d^2*g^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3
*A^2*b^2*c^3*g^2*i^3*x^3 + 2*A^2*a*b*c^2*d*g^2*i^3*x^3 + A^2*a^2*c*d^2*g^2
*i^3*x^3 + 2*A*B*a*b*c^3*g^2*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
) + 3*A*B*a^2*c^2*d*g^2*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A
^2*a*b*c^3*g^2*i^3*x^2 + 3/2*A^2*a^2*c^2*d*g^2*i^3*x^2 - 1/180*A*B*b^2*d^3
*g^2*i^3*n*(60*a^6*log(b*x + a)/b^6 - 60*c^6*log(d*x + c)/d^6 + (12*(b^5*c
*d^4 - a*b^4*d^5)*x^5 - 15*(b^5*c^2*d^3 - a^2*b^3*d^5)*x^4 + 20*(b^5*c^3*d
^2 - a^3*b^2*d^5)*x^3 - 30*(b^5*c^4*d - a^4*b*d^5)*x^2 + 60*(b^5*c^5 - a^5
*d^5)*x)/(b^5*d^5)) + 1/10*A*B*b^2*c*d^2*g^2*i^3*n*(12*a^5*log(b*x + a)/b^
5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^4 - 4*(b^4*c...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2,x)
```

output
```
int((a*g + b*g*x)^2*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))
^2, x)
```

Reduce [F]

$$\int (ag+bgx)^2(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g**2*i*(12*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*
x + b*d*x**2),x)*a**6*b**2*d**7*n - 72*int((log(((a + b*x)**n*e)/(c + d*x)
**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**5*b**3*c*d**6*n + 180*int((
log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*
a**4*b**4*c**2*d**5*n - 240*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*
c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**5*c**3*d**4*n + 180*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b**
6*c**4*d**3*n - 72*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x
 + b*c*x + b*d*x**2),x)*a*b**7*c**5*d**2*n + 12*int((log(((a + b*x)**n*e)/
(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**8*c**6*d*n + 12*lo
g(a + b*x)*a**7*d**6*n - 72*log(a + b*x)*a**6*b*c*d**5*n - 4*log(a + b*x)*
a**6*b*d**6*n**2 + 180*log(a + b*x)*a**5*b**2*c**2*d**4*n + 24*log(a + b*x
)*a**5*b**2*c*d**5*n**2 - 240*log(a + b*x)*a**4*b**3*c**3*d**3*n - 60*log(
a + b*x)*a**4*b**3*c**2*d**4*n**2 + 180*log(a + b*x)*a**3*b**4*c**4*d**2*n
 + 80*log(a + b*x)*a**3*b**4*c**3*d**3*n**2 - 72*log(a + b*x)*a**2*b**5*c*
*5*d*n - 60*log(a + b*x)*a**2*b**5*c**4*d**2*n**2 + 12*log(a + b*x)*a*b**6
*c**6*n + 24*log(a + b*x)*a*b**6*c**5*d*n**2 - 4*log(a + b*x)*b**7*c**6*n*
*2 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**5*b**2*c*d**5 + 30*log(((a
 + b*x)**n*e)/(c + d*x)**n)**2*a**4*b**3*c**2*d**4 - 60*log(((a + b*x)**n*
e)/(c + d*x)**n)**2*a**3*b**4*c**3*d**3 - 30*log(((a + b*x)**n*e)/(c + ...
```

3.180 $\int (ag+bgx)(ci+dix)^3 \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result 2072
Mathematica [A] (verified) 2073
Rubi [A] (verified) 2074
Maple [F] 2088
Fricas [F] 2088
Sympy [F(-1)] 2089
Maxima [B] (verification not implemented) 2089
Giac [F(-1)] 2090
Mupad [F(-1)] 2091
Reduce [F] 2091

Optimal result

Integrand size = 43, antiderivative size = 786

$$
\begin{aligned}
&\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx \\
&= \frac{B^2(bc-ad)^4gi^3n^2x}{60b^3d} + \frac{B^2(bc-ad)^3gi^3n^2(c+dx)^2}{30b^2d^2} + \frac{B^2(bc-ad)^2gi^3n^2(c+dx)^3}{30bd^2} \\
&\quad - \frac{B(bc-ad)^4gi^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{10b^4d} \\
&\quad - \frac{B(bc-ad)^3gi^3n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{10b^4} \\
&\quad + \frac{3B(bc-ad)^3gi^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{20b^2d^2} \\
&\quad + \frac{B(bc-ad)^2gi^3n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{30bd^2} \\
&\quad - \frac{B(bc-ad)gi^3n(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{10d^2} \\
&\quad + \frac{(bc-ad)^3gi^3(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{20b^4} \\
&\quad + \frac{(bc-ad)^2gi^3(a+bx)^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{10b^3} \\
&\quad + \frac{3(bc-ad)gi^3(a+bx)^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{20b^2} \\
&\quad + \frac{gi^3(a+bx)^2(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b} \\
&\quad - \frac{B(bc-ad)^5gi^3n\left(A+Bn+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{10b^4d^2} \\
&\quad - \frac{B^2(bc-ad)^5gi^3n^2\log\left(\frac{a+bx}{c+dx}\right)}{12b^4d^2} - \frac{11B^2(bc-ad)^5gi^3n^2\log(c+dx)}{60b^4d^2} \\
&\quad - \frac{B^2(bc-ad)^5gi^3n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{10b^4d^2}
\end{aligned}
$$

output

```
1/60*B^2*(-a*d+b*c)^4*g*i^3*n^2*x/b^3/d+1/30*B^2*(-a*d+b*c)^3*g*i^3*n^2*(d
*x+c)^2/b^2/d^2+1/30*B^2*(-a*d+b*c)^2*g*i^3*n^2*(d*x+c)^3/b/d^2-1/10*B*(-a
*d+b*c)^4*g*i^3*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/d-1/10*B*(-a
*d+b*c)^3*g*i^3*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4+3/20*B*(-a
*d+b*c)^3*g*i^3*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/d^2+1/30*B
*(-a*d+b*c)^2*g*i^3*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/d^2-1/10
*B*(-a*d+b*c)*g*i^3*n*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^2+1/20*(
-a*d+b*c)^3*g*i^3*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^4+1/10*(-a
*d+b*c)^2*g*i^3*(b*x+a)^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^3+3/
20*(-a*d+b*c)*g*i^3*(b*x+a)^2*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/
b^2+1/5*g*i^3*(b*x+a)^2*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b-1/10
*B*(-a*d+b*c)^5*g*i^3*n*(A+B*n+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/
b/(d*x+c))/b^4/d^2-1/12*B^2*(-a*d+b*c)^5*g*i^3*n^2*ln((b*x+a)/(d*x+c))/b^4
/d^2-11/60*B^2*(-a*d+b*c)^5*g*i^3*n^2*ln(d*x+c)/b^4/d^2-1/10*B^2*(-a*d+b*c
)^5*g*i^3*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/d^2
```

Mathematica [A] (verified)

Time = 0.86 (sec) , antiderivative size = 945, normalized size of antiderivative = 1.20

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
Integrate[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])^2,x]
```

output

```
(g*i^3*(-5*(b*c - a*d)*(c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2 + 4*b*(c + d*x)^5*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (5*B*(b*c -
 a*d)^2*n*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*n*(b*d*x + (b*c - a
*d)*Log[a + b*x]) - B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2
 + 2*(b*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a
 + b*x)/(c + d*x))^n] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]) + 2*b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^
n]) + 6*(b*c - a*d)^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
 - 6*B*(b*c - a*d)^3*n*Log[c + d*x] - 3*B*(b*c - a*d)^3*n*(Log[a + b*x]*(Lo
g[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x)
)/(-(b*c) + a*d)])))/(3*b^4) - (B*(b*c - a*d)*n*(24*A*b*d*(b*c - a*d)^3*x
 - 12*B*(b*c - a*d)^3*n*(b*d*x + (b*c - a*d)*Log[a + b*x]) - 4*B*(b*c - a*d
)^2*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(b*c - a*d)^2*Log[a + b*x
]) - B*(b*c - a*d)*n*(6*b*d*(b*c - a*d)^2*x + 3*b^2*(b*c - a*d)*(c + d*x)^
2 + 2*b^3*(c + d*x)^3 + 6*(b*c - a*d)^3*Log[a + b*x]) + 24*B*d*(b*c - a*d)
^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] + 12*b^2*(b*c - a*d)^2*(c + d*
x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 8*b^3*(b*c - a*d)*(c + d*x)^
3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 6*b^4*(c + d*x)^4*(A + B*Log[e*
((a + b*x)/(c + d*x))^n]) + 24*(b*c - a*d)^4*Log[a + b*x]*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n]) - 24*B*(b*c - a*d)^4*n*Log[c + d*x] - 12*B*(b*c ...
```

Rubi [A] (verified)

Time = 2.31 (sec) , antiderivative size = 1002, normalized size of antiderivative = 1.27, number of steps used = 20, number of rules used = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.442$, Rules used = {2961, 2783, 2782, 27, 86, 2009, 2783, 2782, 27, 86, 2009, 2783, 2773, 49, 2009, 2781, 2784, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow \text{2961}$$

$$gi^3(bc-ad)^5\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^6}d\frac{a+bx}{c+dx}$$

$$\downarrow 2783$$

$$gi^3(bc-ad)^5\left(-\frac{2Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{3\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.}{5b(c+dx)^2\left(b-\right.}\right.$$

$$\downarrow 2782$$

$$gi^3(bc-ad)^5\left(-\frac{2Bn\left(-Bn\int-\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{12d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}+\frac{3\int\frac{(a+bx)\left(\right.}{(c-}\right.$$

$$\downarrow 27$$

$$gi^3(bc-ad)^5\left(-\frac{2Bn\left(\frac{Bn\int\frac{(c+dx)\left(b-\frac{4d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}+\frac{3\int\frac{(a+bx)\left(A+B\log\left(e\right.\right.}{(c+dx)\left(b-\frac{d(a}{c+}\right.}{5b}$$

$$\downarrow 86$$

$$gi^3(bc-ad)^5\left(-\frac{2Bn\left(\frac{Bn\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{c+dx}{b^3(a+bx)}\right)d\frac{a+bx}{c+dx}}{12d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right.}{5b}$$

$$\downarrow 2009$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^5}d\frac{a+bx}{c+dx}}{5b}-\frac{2Bn\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}\right.}{5b}\right.\right.$$

$$\downarrow 2783$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{Bn\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}+\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}\right)}{5b}\right.$$

$$\downarrow 2782$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{Bn\left(-Bn\int-\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{6d^2(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^4}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}}{2b}\right.\right.$$

$$\downarrow 27$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{Bn\left(\frac{Bn\int\frac{(c+dx)\left(b-\frac{3d(a+bx)}{c+dx}\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}+\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\,c}{2b}\right)}{5b}$$

$$\downarrow 86$$

$$gi^3(bc-$$

$$ad)^5\left(\frac{3\left(-\frac{Bn\left(\frac{Bn\int\left(\frac{\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2d}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{c+dx}{b^2(a+bx)}}\right)d\frac{a+bx}{c+dx}}{6d^2}-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)}{2b}\right)}{5b}$$

$$\downarrow 2009$$

$$gi^3(bc-$$

$$ad)^5\left(3\left(\frac{\int\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{2b}-\frac{Bn\left(-\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}\right.}{2b}\right.\right.$$

$$\left.\left.\right)\right)$$

$$5b$$

$$\downarrow 2783$$

$$(bc-$$

$$ad)^5gi^3\left(\frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5}-\frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4}+\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}\right.\right.}{5}\right.$$

$$\left.\right)$$

$$\downarrow 2773$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn \left(-\frac{A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn \left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3} \right.}{5} \right.$$

$$\downarrow 49$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn \left(-\frac{A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn \left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3} \right.}{} \right.$$

↓ 2009

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn\left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3}\right.}{5}\right.$$

$$\downarrow 2781$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn\left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3}\right.}{5}\right.$$

$$\downarrow 2784$$

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn\left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3}\right.}{5}\right.$$

↓ 2754

$$(bc-$$

$$ad)^5 gi^3 \left(\frac{(a+bx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn\left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3}\right.}{5}\right.$$

$$\downarrow 2838$$

$$(bc - ad)^5 g i^3 \left(\frac{(a+bx)^2 \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{5b(c+dx)^2\left(b - \frac{d(a+bx)}{c+dx}\right)^5} - \frac{2Bn\left(-\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^4} + \frac{Bn\left(\frac{\log\left(\frac{a+}{c+}\right.}{b^3}\right.}{}\right.}{5}\right.$$

input

```
Int[(a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
,x]
```

output

```
(b*c - a*d)^5*g*i^3*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2
)/(5*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^5) - (2*B*n*((b*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n]))/(4*d^2*(b - (d*(a + b*x))/(c + d*x))^4) - (
A + B*Log[e*((a + b*x)/(c + d*x))^n])/(3*d^2*(b - (d*(a + b*x))/(c + d*x))
^3) + (B*n*(-(b - (d*(a + b*x))/(c + d*x))^(-3) + 1/(2*b*(b - (d*(a + b*x)
)/(c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c
 + d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(12*d^2)))/(5*b) + (
3*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(4*b*(c + d*x)^2
*(b - (d*(a + b*x))/(c + d*x))^4) - (B*n*((b*(A + B*Log[e*((a + b*x)/(c +
d*x))^n]))/(3*d^2*(b - (d*(a + b*x))/(c + d*x))^3) - (A + B*Log[e*((a + b*
x)/(c + d*x))^n])/(2*d^2*(b - (d*(a + b*x))/(c + d*x))^2) + (B*n*(-(b - (d
*(a + b*x))/(c + d*x))^(-2) + 1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(a
 + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(6*d^2)))/
(2*b) + (((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(3*b*(c +
d*x)^2*(b - (d*(a + b*x))/(c + d*x))^3) - (2*B*n*(((a + b*x)^2*(A + B*Log[
e*((a + b*x)/(c + d*x))^n]))/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x)
)^2) - (B*n*(b/(d^2*(b - (d*(a + b*x))/(c + d*x))) + Log[b - (d*(a + b*x))
/(c + d*x)]/d^2))/(2*b)))/(3*b) + (((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])^2)/(2*b*(c + d*x)^2*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*(
((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(d*(c + d*x)*(b - (d...
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 86

```
Int[((a_.) + (b_.)*(x_))*((c_) + (d_.)*(x_))^(n_.)*((e_.) + (f_.)*(x_))^(p_
.), x_] :> Int[ExpandIntegrand[(a + b*x)*(c + d*x)^n*(e + f*x)^p, x], x] /;
 FreeQ[{a, b, c, d, e, f, n}, x] && ((ILtQ[n, 0] && ILtQ[p, 0]) || EqQ[p, 1
] || (IGtQ[p, 0] && ( !IntegerQ[n] || LeQ[9*p + 5*(n + 2), 0] || GeQ[n + p
+ 1, 0] || (GeQ[n + p + 2, 0] && RationalQ[a, b, c, d, e, f]))))
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2773
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_)^(r_.))^(q_), x_Symbol] :> Simp[(f*x)^(m + 1)*(d + e*x^r)^(q + 1)*((a +
 b*Log[c*x^n])/(d*f*(m + 1))), x] - Simp[b*(n/(d*(m + 1)))   Int[(f*x)^m*(d
 + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m, n, q, r}, x] && Eq
Q[m + r*(q + 1) + 1, 0] && NeQ[m, -1]
```

rule 2781
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + Simp[b*n*(p/(d*(q + 1)))   Int[(f*x)
^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b, c,
d, e, f, m, n, q}, x] && EqQ[m + q + 2, 0] && IGtQ[p, 0] && LtQ[q, -1]
```

rule 2782
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_))^(q
_), x_Symbol] :> With[{u = IntHide[x^m*(d + e*x)^q, x]}, Simp[(a + b*Log[c*
x^n])   u, x] - Simp[b*n   Int[SimplifyIntegrand[u/x, x], x], x]] /; FreeQ[
{a, b, c, d, e, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[m, 0]
```

rule 2783
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_))^(q_), x_Symbol] :> Simp[(-(f*x)^(m + 1))*(d + e*x)^(q + 1)*((a
+ b*Log[c*x^n])^p/(d*f*(q + 1))), x] + (Simp[(m + q + 2)/(d*(q + 1))   Int[
(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^p, x], x] + Simp[b*n*(p/(d*(q
+ 1)))   Int[(f*x)^m*(d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p - 1), x], x])
/; FreeQ[{a, b, c, d, e, f, n}, x] && ILtQ[m + q + 2, 0] && IGtQ[p, 0] && L
tQ[q, -1] && GtQ[m, 0]
```

rule 2784
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((f_.)*(x_))^(m_.)*((d_) + (e_.)*
(x_))^(q_.), x_Symbol] :> Simp[(f*x)^m*(d + e*x)^(q + 1)*((a + b*Log[c*x^n]
)/(e*(q + 1))), x] - Simp[f/(e*(q + 1))   Int[(f*x)^(m - 1)*(d + e*x)^(q +
1)*(a*m + b*n + b*m*Log[c*x^n]), x], x] /; FreeQ[{a, b, c, d, e, f, m, n},
x] && ILtQ[q, -1] && GtQ[m, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int (bgx+ag)\,(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int (bgx+ag)(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="fricas")
```

output
```
integral(A^2*b*d^3*g*i^3*x^4 + A^2*a*c^3*g*i^3 + (3*A^2*b*c*d^2 + A^2*a*d^
3)*g*i^3*x^3 + 3*(A^2*b*c^2*d + A^2*a*c*d^2)*g*i^3*x^2 + (A^2*b*c^3 + 3*A^
2*a*c^2*d)*g*i^3*x + (B^2*b*d^3*g*i^3*x^4 + B^2*a*c^3*g*i^3 + (3*B^2*b*c*d
^2 + B^2*a*d^3)*g*i^3*x^3 + 3*(B^2*b*c^2*d + B^2*a*c*d^2)*g*i^3*x^2 + (B^2
*b*c^3 + 3*B^2*a*c^2*d)*g*i^3*x)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B
*b*d^3*g*i^3*x^4 + A*B*a*c^3*g*i^3 + (3*A*B*b*c*d^2 + A*B*a*d^3)*g*i^3*x^3
 + 3*(A*B*b*c^2*d + A*B*a*c*d^2)*g*i^3*x^2 + (A*B*b*c^3 + 3*A*B*a*c^2*d)*g
*i^3*x)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3724 vs. $2(753) = 1506$.

Time $= 0.62$ (sec) , antiderivative size $= 3724$, normalized size of antiderivative $= 4.74$

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="maxima")
```

output

```
2/5*A*B*b*d^3*g*i^3*x^5*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/5*A^2*b
*d^3*g*i^3*x^5 + 3/2*A*B*b*c*d^2*g*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x +
 c))^n) + 1/2*A*B*a*d^3*g*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) +
 3/4*A^2*b*c*d^2*g*i^3*x^4 + 1/4*A^2*a*d^3*g*i^3*x^4 + 2*A*B*b*c^2*d*g*i^3
*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 2*A*B*a*c*d^2*g*i^3*x^3*log(
e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*b*c^2*d*g*i^3*x^3 + A^2*a*c*d^2*g
*i^3*x^3 + A*B*b*c^3*g*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 3*
A*B*a*c^2*d*g*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/2*A^2*b*c
^3*g*i^3*x^2 + 3/2*A^2*a*c^2*d*g*i^3*x^2 + 1/30*A*B*b*d^3*g*i^3*n*(12*a^5*
log(b*x + a)/b^5 - 12*c^5*log(d*x + c)/d^5 - (3*(b^4*c*d^3 - a*b^3*d^4)*x^
4 - 4*(b^4*c^2*d^2 - a^2*b^2*d^4)*x^3 + 6*(b^4*c^3*d - a^3*b*d^4)*x^2 - 12
*(b^4*c^4 - a^4*d^4)*x)/(b^4*d^4)) - 1/4*A*B*b*c*d^2*g*i^3*n*(6*a^4*log(b*
x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(
b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) - 1/12*A*
B*a*d^3*g*i^3*n*(6*a^4*log(b*x + a)/b^4 - 6*c^4*log(d*x + c)/d^4 + (2*(b^3
*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2*b*d^3)*x^2 + 6*(b^3*c^3 - a^3
*d^3)*x)/(b^3*d^3)) + A*B*b*c^2*d*g*i^3*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*
log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^
2*d^2)) + A*B*a*c*d^2*g*i^3*n*(2*a^3*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)
/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) -...
```

Giac [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x,
algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (a\,g+b\,g\,x)\,(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
,x)
```

output
```
int((a*g + b*g*x)*(c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2
, x)
```

Reduce [F]

$$\int (ag+bgx)(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)*(d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(g*i*(6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x +
b*d*x**2),x)*a**5*b**2*d**6*n - 30*int((log(((a + b*x)**n*e)/(c + d*x)**n)
*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**4*b**3*c*d**5*n + 60*int((log((
(a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*
b**4*c**2*d**4*n - 60*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*
d*x + b*c*x + b*d*x**2),x)*a**2*b**5*c**3*d**3*n + 30*int((log(((a + b*x)*
*n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a*b**6*c**4*d**
2*n - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x +
b*d*x**2),x)*b**7*c**5*d*n + 6*log(a + b*x)*a**6*d**5*n - 30*log(a + b*x)*
a**5*b*c*d**4*n - 5*log(a + b*x)*a**5*b*d**5*n**2 + 60*log(a + b*x)*a**4*b
**2*c**2*d**3*n + 25*log(a + b*x)*a**4*b**2*c*d**4*n**2 - 60*log(a + b*x)*
a**3*b**3*c**3*d**2*n - 50*log(a + b*x)*a**3*b**3*c**2*d**3*n**2 + 30*log(
a + b*x)*a**2*b**4*c**4*d*n + 50*log(a + b*x)*a**2*b**4*c**3*d**2*n**2 - 6
*log(a + b*x)*a*b**5*c**5*n - 25*log(a + b*x)*a*b**5*c**4*d*n**2 + 5*log(a
 + b*x)*b**6*c**5*n**2 - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**4*b**2
*c*d**4 + 12*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**3*c**2*d**3 - 1
8*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**4*c**3*d**2 - 3*log(((a +
b*x)**n*e)/(c + d*x)**n)**2*a*b**5*c**4*d - 60*log(((a + b*x)**n*e)/(c + d
*x)**n)**2*a*b**5*c**3*d**2*x - 90*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a
*b**5*c**2*d**3*x**2 - 60*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**5*...
```

3.181 $\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$

Optimal result . . . 2093
Mathematica [A] (verified) . . . 2094
Rubi [A] (verified) . . . 2095
Maple [F] . . . 2103
Fricas [F] . . . 2104
Sympy [F] . . . 2105
Maxima [B] (verification not implemented) . . . 2106
Giac [F] . . . 2107
Mupad [F(-1)] . . . 2107
Reduce [F] . . . 2107

Optimal result

Integrand size = 35, antiderivative size = 454

$$
\begin{aligned}
&\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= \frac{5B^2(bc-ad)^3i^3n^2x}{12b^3} + \frac{B^2(bc-ad)^2i^3n^2(c+dx)^2}{12b^2d} \\
&\quad - \frac{B(bc-ad)^3i^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^4} \\
&\quad - \frac{B(bc-ad)^2i^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{4b^2d} \\
&\quad - \frac{B(bc-ad)i^3n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{6bd} \\
&\quad + \frac{i^3(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{4d} \\
&\quad + \frac{5B^2(bc-ad)^4i^3n^2\log\left(\frac{a+bx}{c+dx}\right)}{12b^4d} + \frac{11B^2(bc-ad)^4i^3n^2\log(c+dx)}{12b^4d} \\
&\quad + \frac{B(bc-ad)^4i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{2b^4d} \\
&\quad - \frac{B^2(bc-ad)^4i^3n^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{2b^4d}
\end{aligned}
$$

output

```
5/12*B^2*(-a*d+b*c)^3*i^3*n^2*x/b^3+1/12*B^2*(-a*d+b*c)^2*i^3*n^2*(d*x+c)^
2/b^2/d-1/2*B*(-a*d+b*c)^3*i^3*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b
^4-1/4*B*(-a*d+b*c)^2*i^3*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/
d-1/6*B*(-a*d+b*c)*i^3*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/d+1/4
*i^3*(d*x+c)^4*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d+5/12*B^2*(-a*d+b*c)^4*i
^3*n^2*ln((b*x+a)/(d*x+c))/b^4/d+11/12*B^2*(-a*d+b*c)^4*i^3*n^2*ln(d*x+c)/
b^4/d+1/2*B*(-a*d+b*c)^4*i^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x
+c)/d/(b*x+a))/b^4/d-1/2*B^2*(-a*d+b*c)^4*i^3*n^2*polylog(2,b*(d*x+c)/d/(b
*x+a))/b^4/d
```

Mathematica [A] (verified)

Time = 0.25 (sec) , antiderivative size = 409, normalized size of antiderivative = 0.90

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$

$$= \frac{i^3\left((c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 - \frac{B(bc-ad)n\left(6Abd(bc-ad)^2x-3B(bc-ad)^2n(bdx+(bc-ad)\log(a+bx))-B(bc-ad)n(2\right.}{}\right.}{}$$

input

```
Integrate[(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output

```
(i^3*((c + d*x)^4*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - (B*(b*c - a*d
)*n*(6*A*b*d*(b*c - a*d)^2*x - 3*B*(b*c - a*d)^2*n*(b*d*x + (b*c - a*d)*Lo
g[a + b*x]) - B*(b*c - a*d)*n*(2*b*d*(b*c - a*d)*x + b^2*(c + d*x)^2 + 2*(
b*c - a*d)^2*Log[a + b*x]) + 6*B*d*(b*c - a*d)^2*(a + b*x)*Log[e*((a + b*x
)/(c + d*x))^n] + 3*b^2*(b*c - a*d)*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n]) + 2*b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) +
6*(b*c - a*d)^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 6*B*
(b*c - a*d)^3*n*Log[c + d*x] - 3*B*(b*c - a*d)^3*n*(Log[a + b*x]*(Log[a +
b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b
*c) + a*d)])))/(3*b^4)))/(4*d)
```

Rubi [A] (verified)

Time = 1.44 (sec) , antiderivative size = 535, normalized size of antiderivative = 1.18, number of steps used = 16, number of rules used = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {2951, 2756, 2789, 2756, 54, 2009, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ci+dix)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$

$$\downarrow 2951$$

$$i^3(bc-ad)^4 \int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^5} d\frac{a+bx}{c+dx}$$

$$\downarrow 2756$$

$$i^3(bc-ad)^4 \left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{2d}\right)$$

$$\downarrow 2789$$

$$ad)^4 \left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn\left(\frac{d\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3} d\frac{a+bx}{c+dx}}{b}\right)}{2d}\right)$$

$$i^3(bc-$$

$$\downarrow 2756$$

$$i^3(bc - ad)^4 \left(\frac{\left(B \log \left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A\right)^2}{4d\left(b - \frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{Bn\int \frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d} \right)}{b} + \frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{(a+bx)\left(b-\frac{d(a+bx}{c+dx}\right.}}{b}\right.}{2d}\right.$$

$\downarrow$ 54

$$i^3(bc - ad)^4 \left(\frac{\left(B \log \left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A\right)^2}{4d\left(b - \frac{d(a+bx)}{c+dx}\right)^4} - \frac{Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{Bn\int\left(\frac{d}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2} + \frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^3} + \frac{}{b^3}\right.}{3d}\right.}{b}\right.}{2d}\right.$$

$\downarrow$ 2009

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-}{2d}\right.$$

$$Bn\left(\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^3}-\frac{\log}{}\right.\right.\right.$$

$$\left.\left.\left.\right)\right)\right)\right)$$

$$\downarrow 2789$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-}{2d}\right.$$

$$Bn\left(\frac{\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.\right.$$

$$\left.\left.\left.\left.\right)\right)\right)\right)$$

$$\downarrow 2756$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\right.$$

$$Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)\right.\right.}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}}{b}$$

$$i^3(bc-$$

$$\downarrow 54$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\right.$$

$$Bn\left(\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\left(\frac{d}{b^2\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{d}{b\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{c+dx}{b^2(a+bx)}\right)d\frac{a+bx}{c+dx}}{2d}\right)}{b}+$$

$$i^3(bc-$$

$$\downarrow 2009$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-\; Bn\left(\frac{\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log(b-}{}\right.}{}\right.}{b}}{b}\right.}{}\right.$$

$\downarrow$ 2789

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{i^3(bc-\; Bn\left(\frac{\frac{\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}}{b}+\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.}{2d\left(b-\frac{d(a+}{c+d}\right.}\right.}{b}}{}\right.}{}\right.$$

$\downarrow$ 2751

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\right.$$

$$Bn\left(\frac{i^3(bc-}{\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}}\right.$$

$$\downarrow 16$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\right.$$

$$Bn\left(\frac{i^3(bc-}{\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{Bn\log\left(b-\frac{d(a+}{c+d}\right.\right.}{b}}{b}\right.$$

$$\downarrow 2779$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-Bn\left(\frac{i^3(bc-\frac{\frac{Bn\int\frac{(c+dx)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{b}-\frac{\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b}}{b}+\frac{d\left(\frac{(a+bx)(}{b(c}\right.\right.\right.\right.$$

$$\downarrow 2838$$

$$ad)^4\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{4d\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-Bn\left(\frac{i^3(bc-\frac{d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{Bn\,\mathrm{Pol}}{}\right.\right.\right.\right.$$

input
```
Int[(c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
(b*c - a*d)^4*i^3*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(4*d*(b - (d*(
a + b*x))/(c + d*x))^4) - (B*n*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n])
/(3*d*(b - (d*(a + b*x))/(c + d*x))^3) - (B*n*(1/(2*b*(b - (d*(a + b*x))/(
c + d*x))^2) + 1/(b^2*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c +
d*x)]/b^3 - Log[b - (d*(a + b*x))/(c + d*x)]/b^3))/(3*d)))/b + ((d*((A + B
*Log[e*((a + b*x)/(c + d*x))^n])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (
B*n*(1/(b*(b - (d*(a + b*x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 -
Log[b - (d*(a + b*x))/(c + d*x)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*
Log[e*((a + b*x)/(c + d*x))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)
)) + (B*n*Log[b - (d*(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*(
(a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*P
olyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b)/b)/b)/b))/(2*d))
```

Defintions of rubi rules used

rule 16
```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54
```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2756
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
 - Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2951
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [F]

$$\int (dix+ci)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2 dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [F]

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (dix+ci)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="fricas")
```

output
```
integral(A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n), x)
```

Sympy [F]

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= i^3\left(\int A^2c^3\,dx + \int A^2d^3x^3\,dx + \int B^2c^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx\right.$$
$$+ \int 2ABc^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx + \int 3A^2cd^2x^2\,dx + \int 3A^2c^2dx\,dx$$
$$+ \int B^2d^3x^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int 2ABd^3x^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$+ \int 3B^2cd^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int 3B^2c^2dx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2 dx$$
$$+ \int 6ABcd^2x^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx$$
$$\left.+ \int 6ABc^2dx\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)dx\right)$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2,x)
```

output
```
i**3*(Integral(A**2*c**3, x) + Integral(A**2*d**3*x**3, x) + Integral(B**2
*c**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*c**3
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n), x) + Integral(3*A**2*c*d**2*x**2
, x) + Integral(3*A**2*c**2*d*x, x) + Integral(B**2*d**3*x**3*log(e*(a/(c
+ d*x) + b*x/(c + d*x))**n)**2, x) + Integral(2*A*B*d**3*x**3*log(e*(a/(c
+ d*x) + b*x/(c + d*x))**n), x) + Integral(3*B**2*c*d**2*x**2*log(e*(a/(c
+ d*x) + b*x/(c + d*x))**n)**2, x) + Integral(3*B**2*c**2*d*x*log(e*(a/(c
+ d*x) + b*x/(c + d*x))**n)**2, x) + Integral(6*A*B*c*d**2*x**2*log(e*(a/(
c + d*x) + b*x/(c + d*x))**n), x) + Integral(6*A*B*c**2*d*x*log(e*(a/(c +
d*x) + b*x/(c + d*x))**n), x))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2129 vs. $2(433) = 866$.

Time $= 0.57$ (sec) , antiderivative size $= 2129$, normalized size of antiderivative $= 4.69$

$$\int (ci + dix)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right)^2 dx = \text{Too large to display}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="m
axima")
```

output

```
1/2*A*B*d^3*i^3*x^4*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/4*A^2*d^3*i
^3*x^4 + 2*A*B*c*d^2*i^3*x^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A^2*
c*d^2*i^3*x^3 + 3*A*B*c^2*d*i^3*x^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
 + 3/2*A^2*c^2*d*i^3*x^2 - 1/12*A*B*d^3*i^3*n*(6*a^4*log(b*x + a)/b^4 - 6*
c^4*log(d*x + c)/d^4 + (2*(b^3*c*d^2 - a*b^2*d^3)*x^3 - 3*(b^3*c^2*d - a^2
*b*d^3)*x^2 + 6*(b^3*c^3 - a^3*d^3)*x)/(b^3*d^3)) + A*B*c*d^2*i^3*n*(2*a^3
*log(b*x + a)/b^3 - 2*c^3*log(d*x + c)/d^3 - ((b^2*c*d - a*b*d^2)*x^2 - 2*
(b^2*c^2 - a^2*d^2)*x)/(b^2*d^2)) - 3*A*B*c^2*d*i^3*n*(a^2*log(b*x + a)/b^
2 - c^2*log(d*x + c)/d^2 + (b*c - a*d)*x/(b*d)) + 2*A*B*c^3*i^3*n*(a*log(b
*x + a)/b - c*log(d*x + c)/d) + 2*A*B*c^3*i^3*x*log(e*(b*x/(d*x + c) + a/(
d*x + c))^n) + A^2*c^3*i^3*x - 1/12*(26*a*b^2*c^3*d*i^3*n^2 - 21*a^2*b*c^2
*d^2*i^3*n^2 + 6*a^3*c*d^3*i^3*n^2 - (11*i^3*n^2 - 6*i^3*n*log(e))*b^3*c^4
)*B^2*log(d*x + c)/(b^3*d) - 1/2*(b^4*c^4*i^3*n^2 - 4*a*b^3*c^3*d*i^3*n^2
+ 6*a^2*b^2*c^2*d^2*i^3*n^2 - 4*a^3*b*c*d^3*i^3*n^2 + a^4*d^4*i^3*n^2)*(lo
g(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c
- a*d)))*B^2/(b^4*d) + 1/12*(3*B^2*b^4*d^4*i^3*x^4*log(e)^2 + 6*B^2*b^4*c^
4*i^3*n^2*log(b*x + a)*log(d*x + c) - 3*B^2*b^4*c^4*i^3*n^2*log(d*x + c)^2
 + 2*(a*b^3*d^4*i^3*n*log(e) - (i^3*n*log(e) - 6*i^3*log(e)^2)*b^4*c*d^3)*
B^2*x^3 + ((i^3*n^2 - 9*i^3*n*log(e) + 18*i^3*log(e)^2)*b^4*c^2*d^2 - 2*(i
^3*n^2 - 6*i^3*n*log(e))*a*b^3*c*d^3 + (i^3*n^2 - 3*i^3*n*log(e))*a^2*b...
```

Giac [F]

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (dix+ci)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x, algorithm="giac")
```

output
```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int (c\,i+d\,i\,x)^3 \left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2 dx$$

input
```
int((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2,x)
```

output
```
int((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2, x)
```

Reduce [F]

$$\int (ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
(i*(6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*
d*x**2),x)*a**4*b**2*d**5*n - 24*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x
)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**3*b**3*c*d**4*n + 36*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*a**2*b*
*4*c**2*d**3*n - 24*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a*c + a*d*
x + b*c*x + b*d*x**2),x)*a*b**5*c**3*d**2*n + 6*int((log(((a + b*x)**n*e)/
(c + d*x)**n)*x)/(a*c + a*d*x + b*c*x + b*d*x**2),x)*b**6*c**4*d*n + 6*log
(c + d*x)*a**5*d**4*n - 24*log(c + d*x)*a**4*b*c*d**3*n - 11*log(c + d*x)*
a**4*b*d**4*n**2 + 36*log(c + d*x)*a**3*b**2*c**2*d**2*n + 44*log(c + d*x)
*a**3*b**2*c*d**3*n**2 - 24*log(c + d*x)*a**2*b**3*c**3*d*n - 66*log(c + d
*x)*a**2*b**3*c**2*d**2*n**2 + 6*log(c + d*x)*a*b**4*c**4*n + 44*log(c + d
*x)*a*b**4*c**3*d*n**2 - 11*log(c + d*x)*b**5*c**4*n**2 - 3*log(((a + b*x)
**n*e)/(c + d*x)**n)**2*a**3*b**2*c*d**3 + 9*log(((a + b*x)**n*e)/(c + d*x
)**n)**2*a**2*b**3*c**2*d**2 - 9*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b
**4*c**3*d - 12*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*c**3*d*x - 18*l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*b**5*c**2*d**2*x**2 - 12*log(((a + b*
x)**n*e)/(c + d*x)**n)**2*b**5*c*d**3*x**3 - 3*log(((a + b*x)**n*e)/(c + d
*x)**n)**2*b**5*d**4*x**4 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**5*d**4
 - 24*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*b*c*d**3 - 11*log(((a + b*x)
**n*e)/(c + d*x)**n)*a**4*b*d**4*n + 36*log(((a + b*x)**n*e)/(c + d*x)*...
```

3.182 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$

Optimal result 2110
Mathematica [B] (verified) 2111
Rubi [A] (verified) 2112
Maple [F] 2128
Fricas [F] 2129
Sympy [F] 2129
Maxima [F] 2130
Giac [F] 2131
Mupad [F(-1)] 2132
Reduce [F] 2132

Optimal result

Integrand size = 45, antiderivative size = 762

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx \\
&= \frac{B^2d(bc-ad)^2i^3n^2x}{3b^3g} - \frac{5Bd(bc-ad)^2i^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^4g} \\
&\quad - \frac{B(bc-ad)i^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3b^2g} \\
&\quad + \frac{d(bc-ad)^2i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^4g} \\
&\quad + \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2b^2g} \\
&\quad + \frac{i^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3bg} \\
&\quad + \frac{2B(bc-ad)^3i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^4g} \\
&\quad + \frac{B^2(bc-ad)^3i^3n^2\log\left(\frac{a+bx}{c+dx}\right)}{3b^4g} + \frac{2B^2(bc-ad)^3i^3n^2\log(c+dx)}{b^4g} \\
&\quad + \frac{5B(bc-ad)^3i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3b^4g} \\
&\quad - \frac{(bc-ad)^3i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{2B^2(bc-ad)^3i^3n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g} - \frac{5B^2(bc-ad)^3i^3n^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3b^4g} \\
&\quad + \frac{2B(bc-ad)^3i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g} \\
&\quad + \frac{2B^2(bc-ad)^3i^3n^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g}
\end{aligned}
$$

output

```
1/3*B^2*d*(-a*d+b*c)^2*i^3*n^2*x/b^3/g-5/3*B*d*(-a*d+b*c)^2*i^3*n*(b*x+a)*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/g-1/3*B*(-a*d+b*c)*i^3*n*(d*x+c)^2*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g+d*(-a*d+b*c)^2*i^3*(b*x+a)*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))^2/b^4/g+1/2*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*((b*x+a
)/(d*x+c))^n))^2/b^2/g+1/3*i^3*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2
/b/g+2*B*(-a*d+b*c)^3*i^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/
b/(d*x+c))/b^4/g+1/3*B^2*(-a*d+b*c)^3*i^3*n^2*ln((b*x+a)/(d*x+c))/b^4/g+2*
B^2*(-a*d+b*c)^3*i^3*n^2*ln(d*x+c)/b^4/g+5/3*B*(-a*d+b*c)^3*i^3*n*(A+B*ln(
e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g-(-a*d+b*c)^3*i^3*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g+2*B^2*(-a
*d+b*c)^3*i^3*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/g-5/3*B^2*(-a*d+b*c)^
3*i^3*n^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g+2*B*(-a*d+b*c)^3*i^3*n*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g+2*B^2*(-a
*d+b*c)^3*i^3*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^4/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 4969 vs. $2(762) = 1524$.

Time $= 9.45$ (sec) , antiderivative size $= 4969$, normalized size of antiderivative $= 6.52$

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \text{Result too large to show}$$

input

```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x),x]
```

output

```
(i^3*(36*b*d*(3*b^2*c^2 - 3*a*b*c*d + a^2*d^2)*x*(A + B*Log[e*((a + b*x)/(
c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 + 18*b^2*d^2*(3*b*c - a*d)*
x^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^
2 + 12*b^3*d^3*x^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*
x)/(c + d*x)])^2 + 36*(b*c - a*d)^3*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(
c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])^2 - 108*b^2*B*c^2*n*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])*(a*d*Log[a/b
 + x]^2 - 2*a*d*Log[a/b + x]*(1 + Log[a + b*x]) + 2*(-(b*c) + a*d + Log[c/d
 + x]*(b*c + a*d*Log[a + b*x] - a*d*Log[(d*(a + b*x))/(-(b*c) + a*d)]) + (
-(b*d*x) + a*d*Log[a + b*x])*Log[(a + b*x)/(c + d*x)]) - 2*a*d*PolyLog[2,
(b*(c + d*x))/(b*c - a*d)]) - 12*B*n*(-A - B*Log[e*((a + b*x)/(c + d*x))^n
] + B*n*Log[(a + b*x)/(c + d*x)])*(6*a^2*b*c*d^2 - 6*a^3*d^3 + 2*b^3*c^2*d
*x + 3*a*b^2*c*d^2*x - 5*a^2*b*d^3*x - b^3*c*d^2*x^2 + a*b^2*d^3*x^2 - 3*a
^3*d^3*Log[a/b + x]^2 - 6*a^2*b*c*d^2*Log[c/d + x] + 5*a^3*d^3*Log[a + b*x
] - 6*a^3*d^3*Log[c/d + x]*Log[a + b*x] + 6*a^3*d^3*Log[a/b + x]*(1 + Log[
a + b*x]) + 6*a^3*d^3*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 6*a
^2*b*d^3*x*Log[(a + b*x)/(c + d*x)] - 3*a*b^2*d^3*x^2*Log[(a + b*x)/(c + d
*x)] + 2*b^3*d^3*x^3*Log[(a + b*x)/(c + d*x)] - 6*a^3*d^3*Log[a + b*x]*Log
[(a + b*x)/(c + d*x)] - 2*b^3*c^3*Log[c + d*x] - 3*a*b^2*c^2*d*Log[c + d*x
] + 6*a^3*d^3*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 36*b^3*B*c^3*n*(...
```

Rubi [A] (verified)

Time = 3.30 (sec) , antiderivative size = 901, normalized size of antiderivative = 1.18, number of steps used = 17, number of rules used = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.356$, Rules used = {2961, 2789, 2756, 2789, 2756, 54, 2009, 2789, 2751, 16, 2755, 2754, 2779, 2821, 2838, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ag+bgx}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)^3 \int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{g}$$

$$\downarrow 2789$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\int\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\left(b-\frac{d(a+bx)}{c+dx}\right)^4}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2756$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{3d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}\right)}{g}$$

$$\downarrow 2789$$

$$\frac{i^3(bc-ad)^3\left(\frac{d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}\right)}{3d}\right)}{b}+\frac{d\int\frac{\left(A+B\log\right.}{\left(b\right.}}{g}$$

$$\downarrow 2756$$



$$\frac{i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\int\frac{c+dx}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{2d}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}}{b}\right)}{3d}\right)}{b}}{g}$$

↓ 54



2009



2789

$$i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\int\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{3d}+d\left(\frac{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}{2d\left(b-\frac{d(a+b}{c+dx}\right)^2}\right.\right.\right.$$

$$\left.\left.\left.\frac{}{b}\right)\right)\right)$$

↓ 2751

$$i^3(bc-ad)^3\left(d\left(\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(\frac{d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bn\int\frac{1}{b-\frac{d(a+bx)}{c+dx}}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}}{b}}{3d}\right.\right.$$

$$\left.\left.\frac{}{b}\right)\right)$$

↓ 16



↓ 2755

$$(bc-ad)^3 i^3 \left(d \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn\left(d\left(\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)} \right)}{2d} \right) \right)}{b} + \frac{d\left(\frac{(a+bx}{b} \right.}{3d} \right.$$

↓ 2754

$$(bc-ad)^3 i^3 \left(d \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn\left(d\left(\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)} \right)}{2d} \right) \right)}{b} + \frac{d\left(\frac{(a+bx}{b} \right.}{3d} \right.}{b} \right.$$

↓ 2779

$$(bc-ad)^3 i^3 \left(\frac{d \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn \left(\frac{d \left(\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d} \right)}{b} + \frac{d\left(\frac{(a+bx}{b}\right.}{} \right.}{} \right.}{} \right.$$

$\downarrow$ 2821

$$\frac{(bc-ad)^3 i^3 \left(\frac{d\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3} - \frac{2Bn\left(\frac{d\left(\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2} - \frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2} - \frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2} + \frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b} + \frac{d\left(\frac{(a+bx\cdots}{b\cdots}\cdots\right.}{\cdots}\cdots\right.}{\cdots}\cdots\right.}{\cdots}\cdots\right.}{\cdots}$$

↓ 2838

$$\frac{\left(d\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{2Bn\left(d\left(\frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2d\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{Bn\left(\frac{\log\left(\frac{a+bx}{c+dx}\right)}{b^2}-\frac{\log\left(b-\frac{d(a+bx)}{c+dx}\right)}{b^2}+\frac{1}{b\left(b-\frac{d(a+bx)}{c+dx}\right)}\right)}{2d}\right)}{b}+\frac{d\left(\frac{(a+bx}{b}\right.}{b}\right)}{b}\right)}{(bc-ad)^3i^3}$$

↓ 7143



input
```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*x),x]
```

output

```
((b*c - a*d)^3*i^3*((d*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(3*d*(b -
 (d*(a + b*x))/(c + d*x))^3) - (2*B*n*((d*((A + B*Log[e*((a + b*x)/(c + d*
x))^n])/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*(1/(b*(b - (d*(a + b*
x))/(c + d*x))) + Log[(a + b*x)/(c + d*x)]/b^2 - Log[b - (d*(a + b*x))/(c
 + d*x)]/b^2))/(2*d)))/b + ((d*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (B*n*Log[b - (d*(a +
 b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*
Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*n*PolyLog[2, (b*(c + d*x))/(
d*(a + b*x))])/b)/b)/b))/(3*d)))/b + ((d*((A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2/(2*d*(b - (d*(a + b*x))/(c + d*x))^2) - (B*n*((d*(((a + b*x)*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n]))/(b*(c + d*x)*(b - (d*(a + b*x))/(c + d
*x))) + (B*n*Log[b - (d*(a + b*x))/(c + d*x)])/(b*d)))/b + (-(((A + B*Log[
e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (B*
n*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b)/b))/d))/b + ((d*(((a + b*x)*
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(b*(c + d*x)*(b - (d*(a + b*x))/
(c + d*x))) - (2*B*n*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d
*(a + b*x))/(b*(c + d*x))])/d) - (B*n*PolyLog[2, (d*(a + b*x))/(b*(c + d*x
))])/d))/b))/b + (-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (b*(
c + d*x))/(d*(a + b*x))])/b) + (2*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^
n])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] + B*n*PolyLog[3, (b*(c + d*...
```

Defintions of rubi rules used

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 54

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
 ILtQ[m, 0] && IntegerQ[n] &&  !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2751

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_) + (e_.)*(x_)^(r_.))^(q_), x
_Symbol] :> Simp[x*(d + e*x^r)^(q + 1)*((a + b*Log[c*x^n])/d), x] - Simp[b*
(n/d)   Int[(d + e*x^r)^(q + 1), x], x] /; FreeQ[{a, b, c, d, e, n, q, r},
x] && EqQ[r*(q + 1) + 1, 0]
```

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2755

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_))^2, x_Sy
mbol] :> Simp[x*((a + b*Log[c*x^n])^p/(d*(d + e*x))), x] - Simp[b*n*(p/d)
 Int[(a + b*Log[c*x^n])^(p - 1)/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e,
n, p}, x] && GtQ[p, 0]
```

rule 2756

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.),
x_Symbol] :> Simp[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/(e*(q + 1))), x]
- Simp[b*n*(p/(e*(q + 1)))   Int[((d + e*x)^(q + 1)*(a + b*Log[c*x^n])^(p -
 1))/x, x], x] /; FreeQ[{a, b, c, d, e, n, p, q}, x] && GtQ[p, 0] && NeQ[q,
 -1] && (EqQ[p, 1] || (IntegersQ[2*p, 2*q] &&  !IGtQ[q, 0]) || (EqQ[p, 2] &
& NeQ[q, 1]))
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2789

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_))/
(x_), x_Symbol] :> Simp[1/d   Int[(d + e*x)^(q + 1)*((a + b*Log[c*x^n])^p/x
), x], x] - Simp[e/d   Int[(d + e*x)^q*(a + b*Log[c*x^n])^p, x], x] /; Free
Q[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && LtQ[q, -1] && IntegerQ[2*q]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143
```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{bgx+ag}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*
d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log(e*((b*x + a)/(d*x + c))
^n))/(b*g*x + a*g), x)
```

Sympy [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i^3\left(\int \frac{A^2c^3}{a+bx}\,dx + \int \frac{A^2d^3x^3}{a+bx}\,dx + \int \frac{B^2c^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{a+bx}\,dx + \int \frac{2ABc^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{a+bx}\,dx + \int \frac{3A^2cd^2x^2}{a+bx}\,dx\right.}{}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g),x
)
```

output

```
i**3*(Integral(A**2*c**3/(a + b*x), x) + Integral(A**2*d**3*x**3/(a + b*x)
, x) + Integral(B**2*c**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a +
b*x), x) + Integral(2*A*B*c**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a
+ b*x), x) + Integral(3*A**2*c*d**2*x**2/(a + b*x), x) + Integral(3*A**2*c
**2*d*x/(a + b*x), x) + Integral(B**2*d**3*x**3*log(e*(a/(c + d*x) + b*x/(
c + d*x))**n)**2/(a + b*x), x) + Integral(2*A*B*d**3*x**3*log(e*(a/(c + d*
x) + b*x/(c + d*x))**n)/(a + b*x), x) + Integral(3*B**2*c*d**2*x**2*log(e*
(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + Integral(3*B**2*c**2*
d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a + b*x), x) + Integral(6*
A*B*c*d**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x) + In
tegral(6*A*B*c**2*d*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a + b*x), x
))/g
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="maxima")
```

output

```
3*A^2*c^2*d*i^3*(x/(b*g) - a*log(b*x + a)/(b^2*g)) - 1/6*A^2*d^3*i^3*(6*a^
3*log(b*x + a)/(b^4*g) - (2*b^2*x^3 - 3*a*b*x^2 + 6*a^2*x)/(b^3*g)) + 3/2*
A^2*c*d^2*i^3*(2*a^2*log(b*x + a)/(b^3*g) + (b*x^2 - 2*a*x)/(b^2*g)) + A^2
*c^3*i^3*log(b*g*x + a*g)/(b*g) + 1/6*(2*B^2*b^3*d^3*i^3*x^3 + 3*(3*b^3*c*
d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 6*(3*b^3*c^2*d*i^3 - 3*a*b^2*c*d^2*i^3
+ a^2*b*d^3*i^3)*B^2*x + 6*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3*a^2*b*c*d^
2*i^3 - a^3*d^3*i^3)*B^2*log(b*x + a))*log((d*x + c)^n)^2/(b^4*g) - integr
ate(-1/3*(3*B^2*b^4*c^4*i^3*log(e)^2 + 6*A*B*b^4*c^4*i^3*log(e) + 3*(B^2*b
^4*d^4*i^3*log(e)^2 + 2*A*B*b^4*d^4*i^3*log(e))*x^4 + 12*(B^2*b^4*c*d^3*i^
3*log(e)^2 + 2*A*B*b^4*c*d^3*i^3*log(e))*x^3 + 18*(B^2*b^4*c^2*d^2*i^3*log
(e)^2 + 2*A*B*b^4*c^2*d^2*i^3*log(e))*x^2 + 3*(B^2*b^4*d^4*i^3*x^4 + 4*B^2
*b^4*c*d^3*i^3*x^3 + 6*B^2*b^4*c^2*d^2*i^3*x^2 + 4*B^2*b^4*c^3*d*i^3*x + B
^2*b^4*c^4*i^3)*log((b*x + a)^n)^2 + 12*(B^2*b^4*c^3*d*i^3*log(e)^2 + 2*A*
B*b^4*c^3*d*i^3*log(e))*x + 6*(B^2*b^4*c^4*i^3*log(e) + A*B*b^4*c^4*i^3 +
(B^2*b^4*d^4*i^3*log(e) + A*B*b^4*d^4*i^3)*x^4 + 4*(B^2*b^4*c*d^3*i^3*log(
e) + A*B*b^4*c*d^3*i^3)*x^3 + 6*(B^2*b^4*c^2*d^2*i^3*log(e) + A*B*b^4*c^2*
d^2*i^3)*x^2 + 4*(B^2*b^4*c^3*d*i^3*log(e) + A*B*b^4*c^3*d*i^3)*x)*log((b*
x + a)^n) - (6*B^2*b^4*c^4*i^3*log(e) + 6*A*B*b^4*c^4*i^3 + 2*(3*A*B*b^4*d
^4*i^3 + (i^3*n + 3*i^3*log(e))*B^2*b^4*d^4)*x^4 + (24*A*B*b^4*c*d^3*i^3 -
 (a*b^3*d^4*i^3*n - 3*(3*i^3*n + 8*i^3*log(e))*b^4*c*d^3)*B^2)*x^3 + 3*...
```

Giac [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{bgx+ag}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x,
algorithm="giac")
```

output

```
integrate((d*i*x + c*i)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(b*g*x
+ a*g), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{a\,g+b\,g\,x}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x),x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x), x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ag+bgx}\,dx$$
$$= \frac{i\left(-6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{bx+a}dx\right)b^6c^3 - 12\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bx+a}dx\right)a\,b^5c^3 - 6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x^3}{bx+a}dx\right)b^6d^3 - 18\left(\int \text{lo}\right.\right.}{}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g),x)
```

output
```
(i*( - 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a + b*x),x)*b**6*c**3
 - 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a + b*x),x)*a*b**5*c**3 - 6*i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a + b*x),x)*b**6*d**3 - 1
8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a + b*x),x)*b**6*c*d**
2 - 18*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a + b*x),x)*b**6*c**
2*d - 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a + b*x),x)*a*b**5
*d**3 - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a + b*x),x)*a*b*
*5*c*d**2 - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(a + b*x),x)*a*b
**5*c**2*d + 6*log(a + b*x)*a**5*d**3 - 18*log(a + b*x)*a**4*b*c*d**2 + 18
*log(a + b*x)*a**3*b**2*c**2*d - 6*log(a + b*x)*a**2*b**3*c**3 - 6*a**4*b*
d**3*x + 18*a**3*b**2*c*d**2*x + 3*a**3*b**2*d**3*x**2 - 18*a**2*b**3*c**2
*d*x - 9*a**2*b**3*c*d**2*x**2 - 2*a**2*b**3*d**3*x**3))/(6*b**4*g)
```

3.183 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx$

Optimal result 2134
Mathematica [B] (verified) 2135
Rubi [A] (verified) 2136
Maple [F] 2138
Fricas [F] 2138
Sympy [F(-1)] 2138
Maxima [F] 2139
Giac [F(-1)] 2140
Mupad [F(-1)] 2140
Reduce [F] 2140

Optimal result

Integrand size = 45, antiderivative size = 739

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx \\
&= -\frac{2B^2(bc-ad)^2i^3n^2(c+dx)}{b^3g^2(a+bx)} - \frac{Bd^2(bc-ad)i^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^4g^2} \\
&\quad - \frac{2B(bc-ad)^2i^3n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^2(a+bx)} \\
&\quad + \frac{2d^2(bc-ad)i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^4g^2} \\
&\quad - \frac{(bc-ad)^2i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3g^2(a+bx)} \\
&\quad + \frac{di^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2b^2g^2} \\
&\quad + \frac{4Bd(bc-ad)^2i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^4g^2} \\
&\quad + \frac{B^2d(bc-ad)^2i^3n^2\log(c+dx)}{b^4g^2} \\
&\quad + \frac{Bd(bc-ad)^2i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad - \frac{3d(bc-ad)^2i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{4B^2d(bc-ad)^2i^3n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g^2} \\
&\quad - \frac{B^2d(bc-ad)^2i^3n^2\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{6Bd(bc-ad)^2i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2} \\
&\quad + \frac{6B^2d(bc-ad)^2i^3n^2\,\mathrm{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^2}
\end{aligned}
$$

output
```
-2*B^2*(-a*d+b*c)^2*i^3*n^2*(d*x+c)/b^3/g^2/(b*x+a)-B*d^2*(-a*d+b*c)*i^3*n
*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^4/g^2-2*B*(-a*d+b*c)^2*i^3*n*(d
*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/g^2/(b*x+a)+2*d^2*(-a*d+b*c)*i^3
*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^4/g^2-(-a*d+b*c)^2*i^3*(d*x+c
)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^3/g^2/(b*x+a)+1/2*d*i^3*(d*x+c)^2*(A
+B*ln(e*((b*x+a)/(d*x+c))^n))^2/b^2/g^2+4*B*d*(-a*d+b*c)^2*i^3*n*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^4/g^2+B^2*d*(-a*d+b*c)^2
*i^3*n^2*ln(d*x+c)/b^4/g^2+B*d*(-a*d+b*c)^2*i^3*n*(A+B*ln(e*((b*x+a)/(d*x+
c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^2-3*d*(-a*d+b*c)^2*i^3*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^2+4*B^2*d*(-a*d+b*c
)^2*i^3*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/g^2-B^2*d*(-a*d+b*c)^2*i^3*
n^2*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^2+6*B*d*(-a*d+b*c)^2*i^3*n*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^2+6*B^2*d*(
-a*d+b*c)^2*i^3*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/b^4/g^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5917 vs. $2(739) = 1478$.

Time = 7.54 (sec) , antiderivative size = 5917, normalized size of antiderivative = 8.01

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Result too large to show}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^2,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time = 1.01 (sec) , antiderivative size = 624, normalized size of antiderivative = 0.84, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)^2\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{g^2}$$

$$\downarrow 2795$$

$$\frac{i^3(bc-ad)^2\int\left(\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3(a+bx)^2}+\frac{3d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{d^2\left(A+B\right.}{b^2(}\right.}{g^2}$$

$$\downarrow 2009$$

$$i^3(bc-ad)^2\left(\frac{2d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{Bd^2n(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{6Bdn\,\text{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+b}{c+}\right.\right.\right.}{b^4}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^2,x]
```

output

```
((b*c - a*d)^2*i^3*((-2*B^2*n^2*(c + d*x))/(b^3*(a + b*x)) - (2*B*n*(c + d
*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^3*(a + b*x)) - (B*d^2*n*(a
 + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(b^4*(c + d*x)*(b - (d*(a +
 b*x))/(c + d*x))) - ((c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/
(b^3*(a + b*x)) + (d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*b^2*(b -
 (d*(a + b*x))/(c + d*x))^2) + (2*d^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])^2)/(b^4*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - (B^2*d*n^2
*Log[b - (d*(a + b*x))/(c + d*x)])/b^4 + (4*B*d*n*(A + B*Log[e*((a + b*x)/
(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/b^4 + (B*d*n*(A + B*L
og[e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b^4 -
 (3*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (b*(c + d*x))/(d*(a
 + b*x))])/b^4 + (4*B^2*d*n^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/b^4
 - (B^2*d*n^2*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b^4 + (6*B*d*n*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))]
)/b^4 + (6*B^2*d*n^2*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))])/b^4))/g^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^2}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}dx = \int \frac{(dix+ci)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*
d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log(e*((b*x + a)/(d*x + c))
^n))/(b^2*g^2*x^2 + 2*a*b*g^2*x + a^2*g^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="maxima")
```

output
```
-2*A*B*c^3*i^3*n*(1/(b^2*g^2*x + a*b*g^2) + d*log(b*x + a)/((b^2*c - a*b*d
)*g^2) - d*log(d*x + c)/((b^2*c - a*b*d)*g^2)) - 3*A^2*(a^2/(b^4*g^2*x + a
*b^3*g^2) - x/(b^2*g^2) + 2*a*log(b*x + a)/(b^3*g^2))*c*d^2*i^3 + 1/2*(2*a
^3/(b^5*g^2*x + a*b^4*g^2) + 6*a^2*log(b*x + a)/(b^4*g^2) + (b*x^2 - 4*a*x
)/(b^3*g^2))*A^2*d^3*i^3 + 3*A^2*c^2*d*i^3*(a/(b^3*g^2*x + a*b^2*g^2) + lo
g(b*x + a)/(b^2*g^2)) - 2*A*B*c^3*i^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^
n)/(b^2*g^2*x + a*b*g^2) - A^2*c^3*i^3/(b^2*g^2*x + a*b*g^2) + 1/2*(B^2*b^
3*d^3*i^3*x^3 + 3*(2*b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 2*(3*a*b^2*c
*d^2*i^3 - 2*a^2*b*d^3*i^3)*B^2*x - 2*(b^3*c^3*i^3 - 3*a*b^2*c^2*d*i^3 + 3
*a^2*b*c*d^2*i^3 - a^3*d^3*i^3)*B^2 + 6*((b^3*c^2*d*i^3 - 2*a*b^2*c*d^2*i^
3 + a^2*b*d^3*i^3)*B^2*x + (a*b^2*c^2*d*i^3 - 2*a^2*b*c*d^2*i^3 + a^3*d^3*
i^3)*B^2)*log(b*x + a))*log((d*x + c)^n)^2/(b^5*g^2*x + a*b^4*g^2) - integ
rate(-(B^2*b^4*c^4*i^3*log(e)^2 + (B^2*b^4*d^4*i^3*log(e)^2 + 2*A*B*b^4*d^
4*i^3*log(e))*x^4 + 4*(B^2*b^4*c*d^3*i^3*log(e)^2 + 2*A*B*b^4*c*d^3*i^3*lo
g(e))*x^3 + 6*(B^2*b^4*c^2*d^2*i^3*log(e)^2 + 2*A*B*b^4*c^2*d^2*i^3*log(e)
)*x^2 + (B^2*b^4*d^4*i^3*x^4 + 4*B^2*b^4*c*d^3*i^3*x^3 + 6*B^2*b^4*c^2*d^2
*i^3*x^2 + 4*B^2*b^4*c^3*d*i^3*x + B^2*b^4*c^4*i^3)*log((b*x + a)^n)^2 + 2
*(2*B^2*b^4*c^3*d*i^3*log(e)^2 + 3*A*B*b^4*c^3*d*i^3*log(e))*x + 2*(B^2*b^
4*c^4*i^3*log(e) + (B^2*b^4*d^4*i^3*log(e) + A*B*b^4*d^4*i^3)*x^4 + 4*(B^2
*b^4*c*d^3*i^3*log(e) + A*B*b^4*c*d^3*i^3)*x^3 + 6*(B^2*b^4*c^2*d^2*i^3...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^2}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^2,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^2, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2,x)
```

output

```
(i*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**2 + 2*a*b*x
+ b**2*x**2),x)*a**3*b**6*d**4 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)
**2*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c*d**3 - 2*int((log(((
a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2
*b**7*d**4*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**2 +
2*a*b*x + b**2*x**2),x)*a*b**8*c*d**3*x - 6*int((log(((a + b*x)**n*e)/(c +
 d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**3*b**6*c*d**3 + 6*in
t((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2
),x)*a**2*b**7*c**2*d**2 - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x*
*2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c*d**3*x + 6*int((log(((a +
b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*b**8*c
**2*d**2*x - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b
*x + b**2*x**2),x)*a**3*b**6*c**2*d**2 + 6*int((log(((a + b*x)**n*e)/(c +
d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**2*b**7*c**3*d - 6*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**2 + 2*a*b*x + b**2*x**2),x)*a*
*2*b**7*c**2*d**2*x + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(a**
2 + 2*a*b*x + b**2*x**2),x)*a*b**8*c**3*d*x - 4*int((log(((a + b*x)**n*e)/
(c + d*x)**n)*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)*a**4*b**5*d**4 + 4*int
((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a**2 + 2*a*b*x + b**2*x**2),x)
*a**3*b**6*c*d**3 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(a*...
```

3.184 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx$

Optimal result 2143
Mathematica [B] (verified) 2144
Rubi [A] (verified) 2144
Maple [F] 2146
Fricas [F] 2146
Sympy [F(-1)] 2147
Maxima [F] 2147
Giac [F(-1)] 2148
Mupad [F(-1)] 2149
Reduce [F] 2149

Optimal result

Integrand size = 45, antiderivative size = 644

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx \\
&= -\frac{4B^2d(bc-ad)i^3n^2(c+dx)}{b^3g^3(a+bx)} - \frac{B^2(bc-ad)i^3n^2(c+dx)^2}{4b^2g^3(a+bx)^2} \\
&\quad - \frac{4Bd(bc-ad)i^3n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^3(a+bx)} \\
&\quad - \frac{B(bc-ad)i^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g^3(a+bx)^2} \\
&\quad + \frac{d^3i^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^4g^3} \\
&\quad - \frac{2d(bc-ad)i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3g^3(a+bx)} \\
&\quad - \frac{(bc-ad)i^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2b^2g^3(a+bx)^2} \\
&\quad + \frac{2Bd^2(bc-ad)i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{b^4g^3} \\
&\quad - \frac{3d^2(bc-ad)i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{2B^2d^2(bc-ad)i^3n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{b^4g^3} \\
&\quad + \frac{6Bd^2(bc-ad)i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3} \\
&\quad + \frac{6B^2d^2(bc-ad)i^3n^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^3}
\end{aligned}
$$

output
```
-4*B^2*d*(-a*d+b*c)*i^3*n^2*(d*x+c)/b^3/g^3/(b*x+a)-1/4*B^2*(-a*d+b*c)*i^3
*n^2*(d*x+c)^2/b^2/g^3/(b*x+a)^2-4*B*d*(-a*d+b*c)*i^3*n*(d*x+c)*(A+B*ln(e*
((b*x+a)/(d*x+c))^n))/b^3/g^3/(b*x+a)-1/2*B*(-a*d+b*c)*i^3*n*(d*x+c)^2*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^3/(b*x+a)^2+d^3*i^3*(b*x+a)*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))^2/b^4/g^3-2*d*(-a*d+b*c)*i^3*(d*x+c)*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))^2/b^3/g^3/(b*x+a)-1/2*(-a*d+b*c)*i^3*(d*x+c)^2*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))^2/b^2/g^3/(b*x+a)^2+2*B*d^2*(-a*d+b*c)*i^3*n*(A+B*ln(
e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/b^4/g^3-3*d^2*(-a*d+b*c)*
i^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^3+2*
B^2*d^2*(-a*d+b*c)*i^3*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/b^4/g^3+6*B*d^2*
(-a*d+b*c)*i^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,b*(d*x+c)/d/(b*
x+a))/b^4/g^3+6*B^2*d^2*(-a*d+b*c)*i^3*n^2*polylog(3,b*(d*x+c)/d/(b*x+a))/
b^4/g^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 6938 vs. $2(644) = 1288$.

Time = 7.54 (sec) , antiderivative size = 6938, normalized size of antiderivative = 10.77

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Result too large to show}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^3,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time = 0.85 (sec) , antiderivative size = 526, normalized size of antiderivative = 0.82, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3(bc-ad)\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{g^3}$$

$$\downarrow 2795$$

$$\frac{i^3(bc-ad)\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^3}{b^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^2}{b^3(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d}{b^3(a+bx)^2}+\frac{(c+dx)^3}{}\right.}{g^3}$$

$$\downarrow 2009$$

$$\frac{i^3(bc-ad)\left(\frac{d^3(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{b^4(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}+\frac{6Bd^2n\,\mathrm{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{b^4}+\frac{2Bd^2n\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\right.}{b^4}}$$

input

```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^3,x]
```

output

```
((b*c - a*d)*i^3*((-4*B^2*d*n^2*(c + d*x))/(b^3*(a + b*x)) - (B^2*n^2*(c +
 d*x)^2)/(4*b^2*(a + b*x)^2) - (4*B*d*n*(c + d*x)*(A + B*Log[e*((a + b*x)/
(c + d*x))^n]))/(b^3*(a + b*x)) - (B*n*(c + d*x)^2*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(2*b^2*(a + b*x)^2) - (2*d*(c + d*x)*(A + B*Log[e*((a + b
*x)/(c + d*x))^n])^2)/(b^3*(a + b*x)) - ((c + d*x)^2*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])^2)/(2*b^2*(a + b*x)^2) + (d^3*(a + b*x)*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2)/(b^4*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) +
(2*B*d^2*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b
*(c + d*x))])/b^4 - (3*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1
- (b*(c + d*x))/(d*(a + b*x))])/b^4 + (2*B^2*d^2*n^2*PolyLog[2, (d*(a + b*
x))/(b*(c + d*x))])/b^4 + (6*B*d^2*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/b^4 + (6*B^2*d^2*n^2*PolyLog[3,
 (b*(c + d*x))/(d*(a + b*x))])/b^4))/g^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dix+ci)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^3}dx$$

input
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

output
```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^3}dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="fricas")
```

output
```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*
d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log(e*((b*x + a)/(d*x + c))
^n))/(b^3*g^3*x^3 + 3*a*b^2*g^3*x^2 + 3*a^2*b*g^3*x + a^3*g^3), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**
3,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^3}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="maxima")
```

output

```
-3/2*A*B*c^2*d*i^3*n*((3*a*b*c - a^2*d + 2*(2*b^2*c - a*b*d)*x)/((b^5*c -
a*b^4*d)*g^3*x^2 + 2*(a*b^4*c - a^2*b^3*d)*g^3*x + (a^2*b^3*c - a^3*b^2*d)
*g^3) + 2*(2*b*c*d - a*d^2)*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2
*d^2)*g^3) - 2*(2*b*c*d - a*d^2)*log(d*x + c)/((b^4*c^2 - 2*a*b^3*c*d + a^
2*b^2*d^2)*g^3)) + 1/2*A*B*c^3*i^3*n*((2*b*d*x - b*c + 3*a*d)/((b^4*c - a*
b^3*d)*g^3*x^2 + 2*(a*b^3*c - a^2*b^2*d)*g^3*x + (a^2*b^2*c - a^3*b*d)*g^3
) + 2*d^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3) - 2*d^2*l
og(d*x + c)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^3)) - 1/2*A^2*d^3*i^3*(
(6*a^2*b*x + 5*a^3)/(b^6*g^3*x^2 + 2*a*b^5*g^3*x + a^2*b^4*g^3) - 2*x/(b^3
*g^3) + 6*a*log(b*x + a)/(b^4*g^3)) + 3/2*A^2*c*d^2*i^3*((4*a*b*x + 3*a^2)
/(b^5*g^3*x^2 + 2*a*b^4*g^3*x + a^2*b^3*g^3) + 2*log(b*x + a)/(b^3*g^3)) -
 3*(2*b*x + a)*A*B*c^2*d*i^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(b^4*g
^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - 3/2*(2*b*x + a)*A^2*c^2*d*i^3/(b^4
*g^3*x^2 + 2*a*b^3*g^3*x + a^2*b^2*g^3) - A*B*c^3*i^3*log(e*(b*x/(d*x + c)
 + a/(d*x + c))^n)/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) - 1/2*A^2*c^3
*i^3/(b^3*g^3*x^2 + 2*a*b^2*g^3*x + a^2*b*g^3) + 1/2*(2*B^2*b^3*d^3*i^3*x^
3 + 4*B^2*a*b^2*d^3*i^3*x^2 - 2*(3*b^3*c^2*d*i^3 - 6*a*b^2*c*d^2*i^3 + 2*a
^2*b*d^3*i^3)*B^2*x - (b^3*c^3*i^3 + 3*a*b^2*c^2*d*i^3 - 9*a^2*b*c*d^2*i^3
 + 5*a^3*d^3*i^3)*B^2 + 6*((b^3*c*d^2*i^3 - a*b^2*d^3*i^3)*B^2*x^2 + 2*(a*
b^2*c*d^2*i^3 - a^2*b*d^3*i^3)*B^2*x + (a^2*b*c*d^2*i^3 - a^3*d^3*i^3)*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^3}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^3,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^3, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3,x)
```

output

```
(i*( - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b
*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*d**5 + 8*int((log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**
3),x)*a**4*b**7*c*d**4 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3
)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**7*d**5*x - 4*
int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*
b**2*x**2 + b**3*x**3),x)*a**3*b**8*c**2*d**3 + 16*int((log(((a + b*x)**n*
e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),
x)*a**3*b**8*c*d**4*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)
/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**3*b**8*d**5*x**2 -
8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b*x + 3*
a*b**2*x**2 + b**3*x**3),x)*a**2*b**9*c**2*d**3*x + 8*int((log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**
3),x)*a**2*b**9*c*d**4*x**2 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2
*x**3)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a*b**10*c**2*d**
3*x**2 - 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**
2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**5*b**6*c*d**4 + 24*int((log(((a +
 b*x)**n*e)/(c + d*x)**n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b*
*3*x**3),x)*a**4*b**7*c**2*d**3 - 24*int((log(((a + b*x)**n*e)/(c + d*x)**
n)**2*x**2)/(a**3 + 3*a**2*b*x + 3*a*b**2*x**2 + b**3*x**3),x)*a**4*b**...
```

3.185 $\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx$

Optimal result . . . 2151
Mathematica [B] (verified) . . . 2152
Rubi [A] (verified) . . . 2152
Maple [F] . . . 2160
Fricas [F] . . . 2160
Sympy [F(-1)] . . . 2161
Maxima [F] . . . 2161
Giac [F(-1)] . . . 2162
Mupad [F(-1)] . . . 2163
Reduce [F] . . . 2163

Optimal result

Integrand size = 45, antiderivative size = 561

$$
\begin{aligned}
&\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx \\
&= -\frac{2B^2d^2i^3n^2(c+dx)}{b^3g^4(a+bx)} - \frac{B^2di^3n^2(c+dx)^2}{4b^2g^4(a+bx)^2} - \frac{2B^2i^3n^2(c+dx)^3}{27bg^4(a+bx)^3} \\
&\quad - \frac{2Bd^2i^3n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{b^3g^4(a+bx)} \\
&\quad - \frac{Bdi^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2b^2g^4(a+bx)^2} \\
&\quad - \frac{2Bi^3n(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9bg^4(a+bx)^3} - \frac{d^2i^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b^3g^4(a+bx)} \\
&\quad - \frac{di^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2b^2g^4(a+bx)^2} - \frac{i^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3bg^4(a+bx)^3} \\
&\quad - \frac{d^3i^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4} \\
&\quad + \frac{2Bd^3i^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4} \\
&\quad + \frac{2B^2d^3i^3n^2\operatorname{PolyLog}\left(3,\frac{b(c+dx)}{d(a+bx)}\right)}{b^4g^4}
\end{aligned}
$$

output
```
-2*B^2*d^2*i^3*n^2*(d*x+c)/b^3/g^4/(b*x+a)-1/4*B^2*d*i^3*n^2*(d*x+c)^2/b^2
/g^4/(b*x+a)^2-2/27*B^2*i^3*n^2*(d*x+c)^3/b/g^4/(b*x+a)^3-2*B*d^2*i^3*n*(d
*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^3/g^4/(b*x+a)-1/2*B*d*i^3*n*(d*x+c
)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b^2/g^4/(b*x+a)^2-2/9*B*i^3*n*(d*x+c)^
3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/b/g^4/(b*x+a)^3-d^2*i^3*(d*x+c)*(A+B*ln(
e*((b*x+a)/(d*x+c))^n))^2/b^3/g^4/(b*x+a)-1/2*d*i^3*(d*x+c)^2*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))^2/b^2/g^4/(b*x+a)^2-1/3*i^3*(d*x+c)^3*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))^2/b/g^4/(b*x+a)^3-d^3*i^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^
2*ln(1-b*(d*x+c)/d/(b*x+a))/b^4/g^4+2*B*d^3*i^3*n*(A+B*ln(e*((b*x+a)/(d*x+
c))^n))*polylog(2,b*(d*x+c)/d/(b*x+a))/b^4/g^4+2*B^2*d^3*i^3*n^2*polylog(3
,b*(d*x+c)/d/(b*x+a))/b^4/g^4
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 8570 vs. $2(561) = 1122$.

Time = 8.50 (sec) , antiderivative size = 8570, normalized size of antiderivative = 15.28

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Result too large to show}$$

input
```
Integrate[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g
+ b*g*x)^4,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time = 1.95 (sec) , antiderivative size = 473, normalized size of antiderivative = 0.84, number of steps used = 14, number of rules used = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.289$, Rules used = {2961, 2780, 2742, 2741, 2780, 2742, 2741, 2780, 2742, 2741, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ci+dix)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4}\,dx$$

$$\downarrow 2961$$

$$\frac{i^3\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3\left(\frac{\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^4}$$

$$\downarrow 2742$$

$$\frac{i^3\left(\frac{\frac{2}{3}Bn\int \frac{(c+dx)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^4}d\frac{a+bx}{c+dx}-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}}{b}+\frac{d\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{g^4}$$

$$\downarrow 2741$$

$$\frac{i^3\left(\frac{d\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{\frac{2}{3}Bn\left(-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}-\frac{Bn(c+dx)^3}{9(a+bx)^3}\right)-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3}}{b}\right)}{g^4}$$

$$\downarrow 2780$$

$$\frac{i^3\left(\frac{d\left(\frac{\int \frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}+\frac{d\int \frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\frac{2}{3}Bn\left(-\frac{(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3(a+bx)^3}-\frac{Bn(}{b}\right.\right.}{g^4}$$

$$\downarrow 2742$$

$$i^3\left(\frac{d\left(\frac{Bn\int\frac{(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^3}d\frac{a+bx}{c+dx}}{b}-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}+\frac{d\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{\frac{2}{3}Bn\left(-\right.}{g^4}$$

$$\downarrow 2741$$

$$i^3\left(\frac{d\left(\frac{d\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{Bn\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+dx)^2}{4(a+bx)^2}\right)}{b}-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2}\right)}{b}+\frac{}{g^4}$$

$$\downarrow 2780$$

$$i^3\left(\frac{d\left(\frac{\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}d\frac{a+bx}{c+dx}}{b}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{Bn\left(-\frac{(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2}-\frac{Bn(c+d}{4(a+bx}\right.}{g^4}$$

↓ 2742

$$i^3\left(d\left(\frac{d\left(\frac{2Bn\int\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)^2}d\frac{a+bx}{c+dx}-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}+\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}\right)}{b}+\frac{Bn\left(-\frac{(c+\right.}{}\right.\right.\right.$$

↓ 2741

$$i^3\left(d\left(\frac{d\left(\frac{d\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{b}+\frac{2Bn\left(-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}-\frac{Bn(c+dx)}{a+bx}\right)-\frac{(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}}{b}\right)}{b}+\frac{Bn\left(\right.}{}\right.\right.\right.$$

↓ 2779



2821



↓ 7143



input
```
Int[((c*i + d*i*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a*g + b*g*
x)^4,x]
```

output
```
(i^3*((-1/3*((c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*
x)^3 + (2*B*n*(-1/9*(B*n*(c + d*x)^3)/(a + b*x)^3 - ((c + d*x)^3*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n]))/(3*(a + b*x)^3)))/3)/b + (d*((-1/2*((c + d*
x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x)^2 + B*n*(-1/4*(B*
n*(c + d*x)^2)/(a + b*x)^2 - ((c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x
))^n]))/(2*(a + b*x)^2)))/b + (d*((-(((c + d*x)*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])^2)/(a + b*x)) + 2*B*n*(-((B*n*(c + d*x))/(a + b*x)) - ((c + d
*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)))/b + (d*(-(((A + B*
Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b)
 + (2*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (b*(c + d*x))
/(d*(a + b*x))] + B*n*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b))/b))/b)
)/b))/g^4
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2780

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.))/((d_) + (e_.)*
(x_)^(r_.)), x_Symbol] :> Simp[1/d   Int[x^m*(a + b*Log[c*x^n])^p, x], x] -
 Simp[e/d   Int[(x^(m + r)*(a + b*Log[c*x^n])^p)/(d + e*x^r), x], x] /; Fre
eQ[{a, b, c, d, e, m, n, r}, x] && IGtQ[p, 0] && IGtQ[r, 0] && ILtQ[m, -1]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{(dix+ci)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(bgx+ag)^4}dx$$

input

```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x)
```

output

```
int((d*i*x+c*i)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x)
```

Fricas [F]

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^4}\,dx$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x
, algorithm="fricas")
```

output

```
integral((A^2*d^3*i^3*x^3 + 3*A^2*c*d^2*i^3*x^2 + 3*A^2*c^2*d*i^3*x + A^2*
c^3*i^3 + (B^2*d^3*i^3*x^3 + 3*B^2*c*d^2*i^3*x^2 + 3*B^2*c^2*d*i^3*x + B^2
*c^3*i^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*d^3*i^3*x^3 + 3*A*B*c*
d^2*i^3*x^2 + 3*A*B*c^2*d*i^3*x + A*B*c^3*i^3)*log(e*((b*x + a)/(d*x + c))
^n))/(b^4*g^4*x^4 + 4*a*b^3*g^4*x^3 + 6*a^2*b^2*g^4*x^2 + 4*a^3*b*g^4*x +
a^4*g^4), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Timed out}$$

input
```
integrate((d*i*x+c*i)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**4,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \int \frac{(dix+ci)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^4}\,dx$$

input
```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x, algorithm="maxima")
```

output

```
-1/3*A*B*c*d^2*i^3*n*((11*a^2*b^2*c^2 - 7*a^3*b*c*d + 2*a^4*d^2 + 6*(3*b^4
*c^2 - 3*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 3*(9*a*b^3*c^2 - 7*a^2*b^2*c*d + 2
*a^3*b*d^2)*x)/((b^8*c^2 - 2*a*b^7*c*d + a^2*b^6*d^2)*g^4*x^3 + 3*(a*b^7*c
^2 - 2*a^2*b^6*c*d + a^3*b^5*d^2)*g^4*x^2 + 3*(a^2*b^6*c^2 - 2*a^3*b^5*c*d
 + a^4*b^4*d^2)*g^4*x + (a^3*b^5*c^2 - 2*a^4*b^4*c*d + a^5*b^3*d^2)*g^4) +
 6*(3*b^2*c^2*d - 3*a*b*c*d^2 + a^2*d^3)*log(b*x + a)/((b^6*c^3 - 3*a*b^5*
c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4) - 6*(3*b^2*c^2*d - 3*a*b*c*d^2
 + a^2*d^3)*log(d*x + c)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3
*b^3*d^3)*g^4)) - 1/9*A*B*c^3*i^3*n*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*
d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^2 - 2*a*b^5*c*d + a^2*
b^4*d^2)*g^4*x^3 + 3*(a*b^5*c^2 - 2*a^2*b^4*c*d + a^3*b^3*d^2)*g^4*x^2 + 3
*(a^2*b^4*c^2 - 2*a^3*b^3*c*d + a^4*b^2*d^2)*g^4*x + (a^3*b^3*c^2 - 2*a^4*
b^2*c*d + a^5*b*d^2)*g^4) + 6*d^3*log(b*x + a)/((b^4*c^3 - 3*a*b^3*c^2*d +
 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4) - 6*d^3*log(d*x + c)/((b^4*c^3 - 3*a*b^
3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3)*g^4)) - 1/6*A*B*c^2*d*i^3*n*((5*a*b
^2*c^2 - 22*a^2*b*c*d + 5*a^3*d^2 - 6*(3*b^3*c*d - a*b^2*d^2)*x^2 + 3*(3*b
^3*c^2 - 16*a*b^2*c*d + 5*a^2*b*d^2)*x)/((b^7*c^2 - 2*a*b^6*c*d + a^2*b^5*
d^2)*g^4*x^3 + 3*(a*b^6*c^2 - 2*a^2*b^5*c*d + a^3*b^4*d^2)*g^4*x^2 + 3*(a^
2*b^5*c^2 - 2*a^3*b^4*c*d + a^4*b^3*d^2)*g^4*x + (a^3*b^4*c^2 - 2*a^4*b^3*
c*d + a^5*b^2*d^2)*g^4) - 6*(3*b*c*d^2 - a*d^3)*log(b*x + a)/((b^5*c^3 ...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{Timed out}$$

input

```
integrate((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \int \frac{(c\,i+d\,i\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^4}\,dx$$

input
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^4,x)
```

output
```
int(((c*i + d*i*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^4, x)
```

Reduce [F]

$$\int \frac{(ci+dix)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4}\,dx = \text{too large to display}$$

input
```
int((d*i*x+c*i)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4,x)
```

output

```
(i*( - 108*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3
*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**7*b**6*d**6 + 3
24*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6
*a**2*b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**6*b**7*c*d**5 - 324*int
((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*
b**2*x**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**6*b**7*d**6*x - 324*int((log(
((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x
**2 + 4*a*b**3*x**3 + b**4*x**4),x)*a**5*b**8*c**2*d**4 + 972*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2
 + 4*a*b**3*x**3 + b**4*x**4),x)*a**5*b**8*c*d**5*x - 324*int((log(((a + b
*x)**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4
*a*b**3*x**3 + b**4*x**4),x)*a**5*b**8*d**6*x**2 + 108*int((log(((a + b*x)
**n*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*
b**3*x**3 + b**4*x**4),x)*a**4*b**9*c**3*d**3 - 972*int((log(((a + b*x)**n
*e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**
3*x**3 + b**4*x**4),x)*a**4*b**9*c**2*d**4*x + 972*int((log(((a + b*x)**n*
e)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3
*x**3 + b**4*x**4),x)*a**4*b**9*c*d**5*x**2 - 108*int((log(((a + b*x)**n*e
)/(c + d*x)**n)**2*x**3)/(a**4 + 4*a**3*b*x + 6*a**2*b**2*x**2 + 4*a*b**3*
x**3 + b**4*x**4),x)*a**4*b**9*d**6*x**3 + 324*int((log(((a + b*x)**n*e...
```

3.186 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$

Optimal result 2166
Mathematica [A] (verified) 2167
Rubi [A] (verified) 2168
Maple [F] 2170
Fricas [F] 2170
Sympy [F] 2171
Maxima [F] 2172
Giac [F] 2172
Mupad [F(-1)] 2173
Reduce [F] 2173

Optimal result

Integrand size = 45, antiderivative size = 768

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx \\
&= \frac{bB^2(bc-ad)^2g^3n^2x}{3d^3i} + \frac{7B(bc-ad)^2g^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3d^3i} \\
&\quad - \frac{b^2B(bc-ad)g^3n(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{3d^4i} \\
&\quad + \frac{3(bc-ad)^2g^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^3i} \\
&\quad - \frac{3b^2(bc-ad)g^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2d^4i} \\
&\quad + \frac{b^3g^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3d^4i} \\
&\quad + \frac{6B(bc-ad)^3g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{(bc-ad)^3g^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{B^2(bc-ad)^3g^3n^2\log\left(\frac{a+bx}{c+dx}\right)}{3d^4i} - \frac{2B^2(bc-ad)^3g^3n^2\log(c+dx)}{d^4i} \\
&\quad - \frac{7B(bc-ad)^3g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{3d^4i} \\
&\quad + \frac{6B^2(bc-ad)^3g^3n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{2B(bc-ad)^3g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i} \\
&\quad + \frac{7B^2(bc-ad)^3g^3n^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{3d^4i} \\
&\quad - \frac{2B^2(bc-ad)^3g^3n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i}
\end{aligned}
$$

output

```
1/3*b*B^2*(-a*d+b*c)^2*g^3*n^2*x/d^3/i+7/3*B*(-a*d+b*c)^2*g^3*n*(b*x+a)*(A
+B*ln(e*((b*x+a)/(d*x+c))^n))/d^3/i-1/3*b^2*B*(-a*d+b*c)*g^3*n*(d*x+c)^2*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^4/i+3*(-a*d+b*c)^2*g^3*(b*x+a)*(A+B*ln(e*
((b*x+a)/(d*x+c))^n))^2/d^3/i-3/2*b^2*(-a*d+b*c)*g^3*(d*x+c)^2*(A+B*ln(e*(
(b*x+a)/(d*x+c))^n))^2/d^4/i+1/3*b^3*g^3*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x
+c))^n))^2/d^4/i+6*B*(-a*d+b*c)^3*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln
((-a*d+b*c)/b/(d*x+c))/d^4/i+(-a*d+b*c)^3*g^3*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))^2*ln((-a*d+b*c)/b/(d*x+c))/d^4/i+1/3*B^2*(-a*d+b*c)^3*g^3*n^2*ln((b*x+
a)/(d*x+c))/d^4/i-2*B^2*(-a*d+b*c)^3*g^3*n^2*ln(d*x+c)/d^4/i-7/3*B*(-a*d+b
*c)^3*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/d^4/
i+6*B^2*(-a*d+b*c)^3*g^3*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i+2*B*(-a*
d+b*c)^3*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,d*(b*x+a)/b/(d*x+
c))/d^4/i+7/3*B^2*(-a*d+b*c)^3*g^3*n^2*polylog(2,b*(d*x+c)/d/(b*x+a))/d^4/
i-2*B^2*(-a*d+b*c)^3*g^3*n^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^4/i
```

Mathematica [A] (verified)

Time = 1.73 (sec) , antiderivative size = 1072, normalized size of antiderivative = 1.40

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \text{Too large to display}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x),x]
```

output

```
(g^3*(6*b*d*(b*c - a*d)^2*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 3*d
^2*(-(b*c) + a*d)*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 2
*d^3*(a + b*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - 6*A^2*(b*c - a
*d)^3*Log[c + d*x] + 12*A*B*(b*c - a*d)^3*Log[e*((a + b*x)/(c + d*x))^n]*L
og[(b*c - a*d)/(b*c + b*d*x)] + 6*B^2*(b*c - a*d)^3*Log[e*((a + b*x)/(c +
d*x))^n]^2*Log[(b*c - a*d)/(b*c + b*d*x)] - 6*A*B*(b*c - a*d)^3*n*(Log[(b*
c - a*d)/(b*c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c -
a*d)/(b*c + b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) + 6*B*(b*c
 - a*d)^2*n*(2*a*d*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2
*b*c*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - a*B*d*n*(Log[a
+ b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d
*(a + b*x))/(-(b*c) + a*d)]) + b*B*c*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d
)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])
) + 3*B*(b*c - a*d)^2*n*(2*A*b*d*x + 2*B*d*(a + b*x)*Log[e*((a + b*x)/(c +
 d*x))^n] - 2*B*(b*c - a*d)*n*Log[c + d*x] - 2*(b*c - a*d)*(A + B*Log[e*((
a + b*x)/(c + d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*((2*Log[(d*(a + b*x
))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x
))/(b*c - a*d)])) + 2*B*(b*c - a*d)*n*(2*A*b*d*(b*c - a*d)*x + 2*B*d*(b*c
- a*d)*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - d^2*(a + b*x)^2*(A + B*L
og[e*((a + b*x)/(c + d*x))^n]) - 2*B*(b*c - a*d)^2*n*Log[c + d*x] - 2*(...
```

Rubi [A] (verified)

Time = 1.19 (sec) , antiderivative size = 679, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2961$$

$$\frac{g^3(bc-ad)^3 \int \frac{(a+bx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3 \left(b-\frac{d(a+bx)}{c+dx}\right)^4} d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)^3\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4}-\frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}+\frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^n}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}\right.}{i}$$

$$\downarrow 2009$$

$$g^3(bc-ad)^3\left(\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{b^2Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{3d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+b}{b(c+d}\right.\right.$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x),x]
```

output

```
((b*c - a*d)^3*g^3*((b*B^2*n^2)/(3*d^4*(b - (d*(a + b*x))/(c + d*x))) - (b
^2*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3*d^4*(b - (d*(a + b*x))/(
c + d*x))^2) + (7*B*n*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(3
*d^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (b^3*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])^2)/(3*d^4*(b - (d*(a + b*x))/(c + d*x))^3) - (3*b^2*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))
^2) + (3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^3*(c + d*x
)*(b - (d*(a + b*x))/(c + d*x))) + (B^2*n^2*Log[(a + b*x)/(c + d*x)])/(3*d
^4) + (2*B^2*n^2*Log[b - (d*(a + b*x))/(c + d*x)])/d^4 + (6*B*n*(A + B*Log
[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 + (
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x
))])/d^4 - (7*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (b*(c + d
*x))/(d*(a + b*x))])/(3*d^4) + (6*B^2*n^2*PolyLog[2, (d*(a + b*x))/(b*(c +
 d*x))])/d^4 + (2*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (d
*(a + b*x))/(b*(c + d*x))])/d^4 + (7*B^2*n^2*PolyLog[2, (b*(c + d*x))/(d*(
a + b*x))])/(3*d^4) - (2*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/
d^4))/i
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{dix+ci}dx$$

input

```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}dx$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*
b^2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log(e*((b*x + a)/(d*x + c))
^n))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$

$$= g^3\left(\int \frac{A^2a^3}{c+dx}\,dx + \int \frac{A^2b^3x^3}{c+dx}\,dx + \int \frac{B^2a^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c+dx}\,dx + \int \frac{2ABa^3\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx + \int \frac{3A^2ab^2x^2}{c+dx}\,d\right.$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i),x
)
```

output
```
g**3*(Integral(A**2*a**3/(c + d*x), x) + Integral(A**2*b**3*x**3/(c + d*x)
, x) + Integral(B**2*a**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c +
d*x), x) + Integral(2*A*B*a**3*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c
+ d*x), x) + Integral(3*A**2*a*b**2*x**2/(c + d*x), x) + Integral(3*A**2*a
**2*b*x/(c + d*x), x) + Integral(B**2*b**3*x**3*log(e*(a/(c + d*x) + b*x/(
c + d*x))**n)**2/(c + d*x), x) + Integral(2*A*B*b**3*x**3*log(e*(a/(c + d*
x) + b*x/(c + d*x))**n)/(c + d*x), x) + Integral(3*B**2*a*b**2*x**2*log(e*
(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + Integral(3*B**2*a**2*
b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + Integral(6*
A*B*a*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + In
tegral(6*A*B*a**2*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x
))/i
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="maxima")
```

output
```
3*A^2*a^2*b*g^3*(x/(d*i) - c*log(d*x + c)/(d^2*i)) - 1/6*A^2*b^3*g^3*(6*c^
3*log(d*x + c)/(d^4*i) - (2*d^2*x^3 - 3*c*d*x^2 + 6*c^2*x)/(d^3*i)) + 3/2*
A^2*a*b^2*g^3*(2*c^2*log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A^2
*a^3*g^3*log(d*i*x + c*i)/(d*i) + 1/6*(2*B^2*b^3*d^3*g^3*x^3 - 3*(b^3*c*d^
2*g^3 - 3*a*b^2*d^3*g^3)*B^2*x^2 + 6*(b^3*c^2*d*g^3 - 3*a*b^2*c*d^2*g^3 +
3*a^2*b*d^3*g^3)*B^2*x - 6*(b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^
2*g^3 - a^3*d^3*g^3)*B^2*log(d*x + c))*log((d*x + c)^n)^2/(d^4*i) - integr
ate(-1/3*(3*B^2*a^3*d^3*g^3*log(e)^2 + 6*A*B*a^3*d^3*g^3*log(e) + 3*(B^2*b
^3*d^3*g^3*log(e)^2 + 2*A*B*b^3*d^3*g^3*log(e))*x^3 + 9*(B^2*a*b^2*d^3*g^3
*log(e)^2 + 2*A*B*a*b^2*d^3*g^3*log(e))*x^2 + 3*(B^2*b^3*d^3*g^3*x^3 + 3*B
^2*a*b^2*d^3*g^3*x^2 + 3*B^2*a^2*b*d^3*g^3*x + B^2*a^3*d^3*g^3)*log((b*x +
 a)^n)^2 + 9*(B^2*a^2*b*d^3*g^3*log(e)^2 + 2*A*B*a^2*b*d^3*g^3*log(e))*x +
 6*(B^2*a^3*d^3*g^3*log(e) + A*B*a^3*d^3*g^3 + (B^2*b^3*d^3*g^3*log(e) + A
*B*b^3*d^3*g^3)*x^3 + 3*(B^2*a*b^2*d^3*g^3*log(e) + A*B*a*b^2*d^3*g^3)*x^2
 + 3*(B^2*a^2*b*d^3*g^3*log(e) + A*B*a^2*b*d^3*g^3)*x)*log((b*x + a)^n) -
(6*B^2*a^3*d^3*g^3*log(e) + 6*A*B*a^3*d^3*g^3 + 2*(3*A*B*b^3*d^3*g^3 + (g^
3*n + 3*g^3*log(e))*B^2*b^3*d^3)*x^3 - 6*(b^3*c^3*g^3*n - 3*a*b^2*c^2*d*g^
3*n + 3*a^2*b*c*d^2*g^3*n - a^3*d^3*g^3*n)*B^2*log(d*x + c) + 3*(6*A*B*a*b
^2*d^3*g^3 - (b^3*c*d^2*g^3*n - 3*(g^3*n + 2*g^3*log(e))*a*b^2*d^3)*B^2)*x
^2 + 6*(3*A*B*a^2*b*d^3*g^3 + (b^3*c^2*d*g^3*n - 3*a*b^2*c*d^2*g^3*n + ...
```

Giac [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^3*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x
+ c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$=\int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x),x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$=\frac{g^3 i\left(-6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{dx+c}dx\right)a^3b^2d^4-12\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right)a^4b\,d^4-6\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x^3}{dx+c}dx\right)b^5d^4-18\right.}{}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
(g**3*i*( - 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(c + d*x),x)*a**3*
b**2*d**4 - 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a**4*b*
d**4 - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c + d*x),x)*b**
5*d**4 - 18*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c + d*x),x)*
a*b**4*d**4 - 18*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c + d*x),x
)*a**2*b**3*d**4 - 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c + d
*x),x)*a*b**4*d**4 - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c +
 d*x),x)*a**2*b**3*d**4 - 36*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c
 + d*x),x)*a**3*b**2*d**4 - 6*log(c + d*x)*a**5*d**3 + 18*log(c + d*x)*a**
4*b*c*d**2 - 18*log(c + d*x)*a**3*b**2*c**2*d + 6*log(c + d*x)*a**2*b**3*c
**3 - 18*a**4*b*d**3*x + 18*a**3*b**2*c*d**2*x - 9*a**3*b**2*d**3*x**2 - 6
*a**2*b**3*c**2*d*x + 3*a**2*b**3*c*d**2*x**2 - 2*a**2*b**3*d**3*x**3))/(6
*d**4)
```

3.187 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$

Optimal result 2176
Mathematica [A] (verified) 2177
Rubi [A] (verified) 2178
Maple [F] 2180
Fricas [F] 2180
Sympy [F] 2181
Maxima [F] 2181
Giac [F] 2182
Mupad [F(-1)] 2183
Reduce [F] 2183

Optimal result

Integrand size = 45, antiderivative size = 573

$$
\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx \\
&= -\frac{B(bc-ad)g^2n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d^2i} \\
&\quad -\frac{2(bc-ad)g^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2i} \\
&\quad +\frac{b^2g^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2d^3i} \\
&\quad -\frac{4B(bc-ad)^2g^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i} \\
&\quad -\frac{(bc-ad)^2g^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i} \\
&\quad +\frac{B^2(bc-ad)^2g^2n^2\log(c+dx)}{d^3i} \\
&\quad +\frac{B(bc-ad)^2g^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{d^3i} \\
&\quad -\frac{4B^2(bc-ad)^2g^2n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i} \\
&\quad -\frac{2B(bc-ad)^2g^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i} \\
&\quad -\frac{B^2(bc-ad)^2g^2n^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{d^3i}+\frac{2B^2(bc-ad)^2g^2n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i}
\end{aligned}
$$

output

```
-B*(-a*d+b*c)*g^2*n*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d^2/i-2*(-a*d+
b*c)*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^2/i+1/2*b^2*g^2*(d*x+
c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^3/i-4*B*(-a*d+b*c)^2*g^2*n*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^3/i-(-a*d+b*c)^2*g^2*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln((-a*d+b*c)/b/(d*x+c))/d^3/i+B^2*(-a*d
+b*c)^2*g^2*n^2*ln(d*x+c)/d^3/i+B*(-a*d+b*c)^2*g^2*n*(A+B*ln(e*((b*x+a)/(d
*x+c))^n))*ln(1-b*(d*x+c)/d/(b*x+a))/d^3/i-4*B^2*(-a*d+b*c)^2*g^2*n^2*poly
log(2,d*(b*x+a)/b/(d*x+c))/d^3/i-2*B*(-a*d+b*c)^2*g^2*n*(A+B*ln(e*((b*x+a)
/(d*x+c))^n))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i-B^2*(-a*d+b*c)^2*g^2*n^
2*polylog(2,b*(d*x+c)/d/(b*x+a))/d^3/i+2*B^2*(-a*d+b*c)^2*g^2*n^2*polylog(
3,d*(b*x+a)/b/(d*x+c))/d^3/i
```

Mathematica [A] (verified)

Time = 1.38 (sec) , antiderivative size = 763, normalized size of antiderivative = 1.33

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$=\frac{g^2\Big(-2bd(bc-ad)x\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+d^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+2A^2(bc-ad)^2\log$$

input

```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x),x]
```

output

```
(g^2*(-2*b*d*(b*c - a*d)*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + d^2*
(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 2*A^2*(b*c - a*d)^2
*Log[c + d*x] - 4*A*B*(b*c - a*d)^2*Log[e*((a + b*x)/(c + d*x))^n]*Log[(b*
c - a*d)/(b*c + b*d*x)] - 2*B^2*(b*c - a*d)^2*Log[e*((a + b*x)/(c + d*x))^
n]^2*Log[(b*c - a*d)/(b*c + b*d*x)] + 2*A*B*(b*c - a*d)^2*n*(Log[(b*c - a*
d)/(b*c + b*d*x)]*(2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(
b*c + b*d*x)]) - 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]) - 2*B*(b*c - a*d
)*n*(2*a*d*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*b*c*(A
+ B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - a*B*d*n*(Log[a + b*x]*(
Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*
x))/(-(b*c) + a*d)]) + b*B*c*n*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log
[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])) - B*(b
*c - a*d)*n*(2*A*b*d*x + 2*B*d*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] -
2*B*(b*c - a*d)*n*Log[c + d*x] - 2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c
+ d*x))^n])*Log[c + d*x] + B*(b*c - a*d)*n*((2*Log[(d*(a + b*x))/(-(b*c) +
 a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*
d)])) + 4*B^2*(b*c - a*d)^2*n*(-(Log[e*((a + b*x)/(c + d*x))^n]*PolyLog[2,
 (d*(a + b*x))/(b*(c + d*x))]) + n*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))]
)))/(2*d^3*i)
```

Rubi [A] (verified)

Time = 0.87 (sec) , antiderivative size = 507, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2961$$

$$\frac{g^2(bc-ad)^2\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g^2(bc-ad)^2\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{2b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3}\right)d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2009$$

$$g^2(bc-ad)^2\left(\frac{b^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^3}-\frac{4Bn\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+b}{c+d}\right.\right.\right.\right.}{d^3}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x),x]
```

output

```
((b*c - a*d)^2*g^2*(-((B*n*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
))/(d^2*(c + d*x)*(b - (d*(a + b*x))/(c + d*x)))) + (b^2*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2)/(2*d^3*(b - (d*(a + b*x))/(c + d*x))^2) - (2*(a +
 b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^2*(c + d*x)*(b - (d*(a
 + b*x))/(c + d*x))) - (B^2*n^2*Log[b - (d*(a + b*x))/(c + d*x)])/d^3 - (4*
B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d
*x))])/d^3 - ((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x
))/(b*(c + d*x))])/d^3 + (B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1
 - (b*(c + d*x))/(d*(a + b*x))])/d^3 - (4*B^2*n^2*PolyLog[2, (d*(a + b*x))
/(b*(c + d*x))])/d^3 - (2*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyL
og[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 - (B^2*n^2*PolyLog[2, (b*(c + d*x)
)/(d*(a + b*x))])/d^3 + (2*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))]
)/d^3))/i
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{dix+ci}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="fricas")
```

output
```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log(e*((b*x + a)/(d*x + c
))^n))/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{g^2\left(\int \frac{A^2a^2}{c+dx}\,dx + \int \frac{A^2b^2x^2}{c+dx}\,dx + \int \frac{B^2a^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c+dx}\,dx + \int \frac{2ABa^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx + \int \frac{2A^2abx}{c+dx}\,dx\right.}{}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i),x
)
```

output
```
g**2*(Integral(A**2*a**2/(c + d*x), x) + Integral(A**2*b**2*x**2/(c + d*x)
, x) + Integral(B**2*a**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + 
d*x), x) + Integral(2*A*B*a**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c
 + d*x), x) + Integral(2*A**2*a*b*x/(c + d*x), x) + Integral(B**2*b**2*x**2
*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + Integral(2*A*B
*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + Integra
l(2*B**2*a*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + 
Integral(4*A*B*a*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x)
)/i
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="maxima")
```

output

```
2*A^2*a*b*g^2*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + 1/2*A^2*b^2*g^2*(2*c^2*
log(d*x + c)/(d^3*i) + (d*x^2 - 2*c*x)/(d^2*i)) + A^2*a^2*g^2*log(d*i*x +
c*i)/(d*i) + 1/2*(B^2*b^2*d^2*g^2*x^2 - 2*(b^2*c*d*g^2 - 2*a*b*d^2*g^2)*B^
2*x + 2*(b^2*c^2*g^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*B^2*log(d*x + c))*log(
(d*x + c)^n)^2/(d^3*i) - integrate(-(B^2*a^2*d^2*g^2*log(e)^2 + 2*A*B*a^2*
d^2*g^2*log(e) + (B^2*b^2*d^2*g^2*log(e)^2 + 2*A*B*b^2*d^2*g^2*log(e))*x^2
 + (B^2*b^2*d^2*g^2*x^2 + 2*B^2*a*b*d^2*g^2*x + B^2*a^2*d^2*g^2)*log((b*x
+ a)^n)^2 + 2*(B^2*a*b*d^2*g^2*log(e)^2 + 2*A*B*a*b*d^2*g^2*log(e))*x + 2*
(B^2*a^2*d^2*g^2*log(e) + A*B*a^2*d^2*g^2 + (B^2*b^2*d^2*g^2*log(e) + A*B*
b^2*d^2*g^2)*x^2 + 2*(B^2*a*b*d^2*g^2*log(e) + A*B*a*b*d^2*g^2)*x)*log((b*
x + a)^n) - (2*B^2*a^2*d^2*g^2*log(e) + 2*A*B*a^2*d^2*g^2 + 2*(b^2*c^2*g^2
*n - 2*a*b*c*d*g^2*n + a^2*d^2*g^2*n)*B^2*log(d*x + c) + (2*A*B*b^2*d^2*g^
2 + (g^2*n + 2*g^2*log(e))*B^2*b^2*d^2)*x^2 + 2*(2*A*B*a*b*d^2*g^2 - (b^2*
c*d*g^2*n - 2*(g^2*n + g^2*log(e))*a*b*d^2)*B^2)*x + 2*(B^2*b^2*d^2*g^2*x^
2 + 2*B^2*a*b*d^2*g^2*x + B^2*a^2*d^2*g^2)*log((b*x + a)^n))*log((d*x + c)
^n))/(d^3*i*x + c*d^2*i), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x,
algorithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x
+ c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$=\int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x),x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$=\frac{g^2i\left(-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{dx+c}dx\right)a^2b^2d^3-4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right)a^3b\,d^3-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x^2}{dx+c}dx\right)b^4d^3-4\left(\int\right.\right.}{}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output
```
(g**2*i*( - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(c + d*x),x)*a**2*
b**2*d**3 - 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a**3*b*d
**3 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c + d*x),x)*b**4
*d**3 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c + d*x),x)*a*b**
3*d**3 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c + d*x),x)*a*b*
*3*d**3 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c + d*x),x)*a**2*b
**2*d**3 - 2*log(c + d*x)*a**4*d**2 + 4*log(c + d*x)*a**3*b*c*d - 2*log(c
+ d*x)*a**2*b**2*c**2 - 4*a**3*b*d**2*x + 2*a**2*b**2*c*d*x - a**2*b**2*d*
*2*x**2))/(2*d**3)
```

3.188 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$

Optimal result . . . 2184
Mathematica [B] (verified) . . . 2185
Rubi [A] (verified) . . . 2186
Maple [F] . . . 2188
Fricas [F] . . . 2188
Sympy [F] . . . 2189
Maxima [F] . . . 2189
Giac [F] . . . 2190
Mupad [F(-1)] . . . 2190
Reduce [F] . . . 2190

Optimal result

Integrand size = 43, antiderivative size = 303

$$
\begin{aligned}
&\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx \\
&= \frac{g(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{di} \\
&\quad + \frac{2B(bc-ad)gn\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^2i} \\
&\quad + \frac{(bc-ad)g\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^2i} \\
&\quad + \frac{2B^2(bc-ad)gn^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i} \\
&\quad + \frac{2B(bc-ad)gn\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i} \\
&\quad - \frac{2B^2(bc-ad)gn^2\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i}
\end{aligned}
$$

output
```
g*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d/i+2*B*(-a*d+b*c)*g*n*(A+B*ln
(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/(d*x+c))/d^2/i+(-a*d+b*c)*g*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))^2*ln((-a*d+b*c)/b/(d*x+c))/d^2/i+2*B^2*(-a*d+b*
c)*g*n^2*polylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i+2*B*(-a*d+b*c)*g*n*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i-2*B^2*(-a*d+b*
c)*g*n^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^2/i
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1385 vs. $2(303) = 606$.

Time $= 1.00$ (sec) , antiderivative size $= 1385$, normalized size of antiderivative $= 4.57$

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \text{Too large to display}$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i +
d*i*x),x]
```

output

```
(g*(3*b*d*x*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c +
 d*x)])^2 - 3*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[
(a + b*x)/(c + d*x)])^2*Log[c + d*x] - 3*a*B*d*n*(A + B*Log[e*((a + b*x)/(
c + d*x))^n] - B*n*Log[(a + b*x)/(c + d*x)])*(Log[c/d + x]^2 + 2*(Log[a/b
+ x] - Log[c/d + x] - Log[(a + b*x)/(c + d*x)])*Log[c + d*x] - 2*(Log[a/b
+ x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x))/(-(b*c) + a
*d)])) - 3*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(
c + d*x)])*(-2*d*(a + b*x)*(-1 + Log[a/b + x]) + 2*b*(c + d*x)*(-1 + Log[c
/d + x]) - b*c*Log[c/d + x]^2 + 2*b*(Log[a/b + x] - Log[c/d + x] - Log[(a
+ b*x)/(c + d*x)])*(d*x - c*Log[c + d*x]) + 2*b*c*(Log[a/b + x]*Log[(b*(c
+ d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)])) + a*B^2*
d*n^2*(Log[c/d + x]^3 + 3*Log[c/d + x]^2*(-Log[a/b + x] + Log[(d*(a + b*x)
)/(-(b*c) + a*d)]) + 3*(-Log[a/b + x] + Log[c/d + x] + Log[(a + b*x)/(c +
d*x)])^2*Log[c + d*x] + 3*Log[a/b + x]^2*Log[(b*(c + d*x))/(b*c - a*d)] +
6*Log[a/b + x]*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)] + 3*(Log[a/b + x]
- Log[c/d + x] - Log[(a + b*x)/(c + d*x)])*(Log[c/d + x]^2 - 2*(Log[a/b +
x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d
)])) + 6*Log[c/d + x]*PolyLog[2, (b*(c + d*x))/(b*c - a*d)] - 6*PolyLog[3,
 (d*(a + b*x))/(-(b*c) + a*d)] - 6*PolyLog[3, (b*(c + d*x))/(b*c - a*d)])
+ B^2*n^2*(3*d*(2*b*x - 2*(a + b*x)*Log[a/b + x] + (a + b*x)*Log[a/b + ...
```

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 280, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ci+dix}\,dx$$

$$\downarrow 2961$$

$$\frac{g(bc-ad)\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2795$$

$$\frac{g(bc-ad)\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)^2}\right)d\frac{a+bx}{c+dx}}{i}$$

$$\downarrow 2009$$

$$\frac{g(bc-ad)\left(\frac{2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^2}+\frac{2Bn\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^2}+\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\right.}{i}$$

input
```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*x)
,x]
```

output
```
((b*c - a*d)*g*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d*(c
 + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (2*B*n*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 + ((A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^2 + (2*B^
2*n^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^2 + (2*B*n*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^2 - (2
*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^2))/i
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{dix+ci}dx$$

input

```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}dx$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, al
gorithm="fricas")
```

output

```
integral((A^2*b*g*x + A^2*a*g + (B^2*b*g*x + B^2*a*g)*log(e*((b*x + a)/(d*
x + c))^n)^2 + 2*(A*B*b*g*x + A*B*a*g)*log(e*((b*x + a)/(d*x + c))^n))/(d*
i*x + c*i), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$

$$= \frac{g\left(\int \frac{A^2a}{c+dx}\,dx+\int \frac{A^2bx}{c+dx}\,dx+\int \frac{B^2a\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c+dx}\,dx+\int \frac{2ABa\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c+dx}\,dx+\int \frac{B^2bx\log\left(e\left(\frac{a}{c+dx}\right.\right.\right.}{c+dx}$$

$$\frac{}{i}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i),x)
```

output
```
g*(Integral(A**2*a/(c + d*x), x) + Integral(A**2*b*x/(c + d*x), x) + Integ
ral(B**2*a*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + Inte
gral(2*A*B*a*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x) + Integ
ral(B**2*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c + d*x), x) + In
tegral(2*A*B*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, al
gorithm="maxima")
```

output
```
A^2*b*g*(x/(d*i) - c*log(d*x + c)/(d^2*i)) + A^2*a*g*log(d*i*x + c*i)/(d*i
) + (B^2*b*d*g*x - (b*c*g - a*d*g)*B^2*log(d*x + c))*log((d*x + c)^n)^2/(d
^2*i) - integrate(-(B^2*a*d*g*log(e)^2 + 2*A*B*a*d*g*log(e) + (B^2*b*d*g*x
 + B^2*a*d*g)*log((b*x + a)^n)^2 + (B^2*b*d*g*log(e)^2 + 2*A*B*b*d*g*log(e
))*x + 2*(B^2*a*d*g*log(e) + A*B*a*d*g + (B^2*b*d*g*log(e) + A*B*b*d*g)*x)
*log((b*x + a)^n) - 2*(B^2*a*d*g*log(e) + A*B*a*d*g - (b*c*g*n - a*d*g*n)*
B^2*log(d*x + c) + ((g*n + g*log(e))*B^2*b*d + A*B*b*d*g)*x + (B^2*b*d*g*x
 + B^2*a*d*g)*log((b*x + a)^n))*log((d*x + c)^n))/(d^2*i*x + c*d*i), x)
```

Giac [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, al
gorithm="giac")
```

output
```
integrate((b*g*x + a*g)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x +
c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*x)
,x)
```

output
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*x)
, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{gi\left(-\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{dx+c}dx\right) a\,b^2d^2 - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right) a^2b\,d^2 - \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 x}{dx+c}dx\right) b^3d^2 - 2\left(\int \frac{\log(}{}\right.\right.}{d^2}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output
```
(g*i*( - int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(c + d*x),x)*a*b**2*d**
2 - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a**2*b*d**2 - in
t((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c + d*x),x)*b**3*d**2 - 2*int
((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c + d*x),x)*a*b**2*d**2 - log(c +
 d*x)*a**3*d + log(c + d*x)*a**2*b*c - a**2*b*d*x))/d**2
```

3.189 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$

Optimal result . . . 2192
Mathematica [A] (verified) . . . 2193
Rubi [A] (verified) . . . 2193
Maple [F] . . . 2195
Fricas [F] . . . 2195
Sympy [F] . . . 2196
Maxima [F] . . . 2196
Giac [F] . . . 2197
Mupad [F(-1)] . . . 2197
Reduce [F] . . . 2197

Optimal result

Integrand size = 35, antiderivative size = 137

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = -\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{di} - \frac{2Bn\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{di} + \frac{2B^2n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{di}$$

output

```
-(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln((-a*d+b*c)/b/(d*x+c))/d/i-2*B*n*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,d*(b*x+a)/b/(d*x+c))/d/i+2*B^2*n^2*p
olylog(3,d*(b*x+a)/b/(d*x+c))/d/i
```

Mathematica [A] (verified)

Time = 0.87 (sec) , antiderivative size = 268, normalized size of antiderivative = 1.96

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx$$
$$= \frac{A^2\log(c+dx)+2ABn\log\left(\frac{d(a+bx)}{-bc+ad}\right)\log\left(\frac{bc-ad}{bc+bdx}\right)-2AB\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\log\left(\frac{bc-ad}{bc+bdx}\right)-B^2\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{di}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x),x]
```

output
```
(A^2*Log[c + d*x] + 2*A*B*n*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[(b*c - a
*d)/(b*c + b*d*x)] - 2*A*B*Log[e*((a + b*x)/(c + d*x))^n]*Log[(b*c - a*d)/
(b*c + b*d*x)] - B^2*Log[e*((a + b*x)/(c + d*x))^n]^2*Log[(b*c - a*d)/(b*c
 + b*d*x)] + A*B*n*Log[(b*c - a*d)/(b*c + b*d*x)]^2 - 2*B^2*n*Log[e*((a +
b*x)/(c + d*x))^n]*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))] - 2*A*B*n*PolyL
og[2, (b*(c + d*x))/(b*c - a*d)] + 2*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(
c + d*x))])/(d*i)
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 128, normalized size of antiderivative = 0.93, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$, Rules used = {2951, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{ci+dix}\,dx$$
$$\downarrow 2951$$
$$\frac{\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{b-\frac{d(a+bx)}{c+dx}}\,d\frac{a+bx}{c+dx}}{i}$$
$$\downarrow 2754$$

$$\frac{\frac{2Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d}}{i}$$

$$\downarrow 2821$$

$$\frac{\frac{2Bn\left(Bn\int\frac{(c+dx)\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\right)}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d}}{i}$$

$$\downarrow 7143$$

$$\frac{\frac{2Bn\left(Bn\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)-\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\right)}{d}-\frac{\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d}}{i}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x),x]
```

output
```
(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c +
 d*x))])/d) + (2*B*n*(-((A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2,
(d*(a + b*x))/(b*(c + d*x))]) + B*n*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))
]))/d)/i
```

Defintions of rubi rules used

rule 2754
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symb
ol] :> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2951

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m  Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{dix+ci}dx$$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

Fricas [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, algorithm="fri
cas")
```

output

```
integral((B^2*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*A*B*log(e*((b*x + a)/(d
*x + c))^n) + A^2)/(d*i*x + c*i), x)
```

Sympy [F]

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci + dix}\, dx$$
$$= \frac{\int \frac{A^2}{c+dx}\, dx + \int \frac{B^2 \log\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)^2}{c+dx}\, dx + \int \frac{2AB \log\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)}{c+dx}\, dx}{i}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i),x)
```

output
```
(Integral(A**2/(c + d*x), x) + Integral(B**2*log(e*(a/(c + d*x) + b*x/(c +
 d*x))**n)**2/(c + d*x), x) + Integral(2*A*B*log(e*(a/(c + d*x) + b*x/(c +
 d*x))**n)/(c + d*x), x))/i
```

Maxima [F]

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci + dix}\, dx = \int \frac{\left(B \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^2}{dix + ci}\, dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, algorithm="max
ima")
```

output
```
B^2*log(d*x + c)*log((d*x + c)^n)^2/(d*i) + A^2*log(d*i*x + c*i)/(d*i) - i
ntegrate(-(B^2*log((b*x + a)^n)^2 + B^2*log(e)^2 + 2*A*B*log(e) + 2*(B^2*l
og(e) + A*B)*log((b*x + a)^n) - 2*(B^2*n*log(d*x + c) + B^2*log((b*x + a)^
n) + B^2*log(e) + A*B)*log((d*x + c)^n))/(d*i*x + c*i), x)
```

Giac [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{dix+ci}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x, algorithm="gia
c")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x + c*i), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \int \frac{\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{c\,i+d\,i\,x}\,dx$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/(c*i + d*i*x),x)
```

output
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/(c*i + d*i*x), x)
```

Reduce [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{ci+dix}\,dx = \frac{i\left(-\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{dx+c}dx\right)b^2d-2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{dx+c}dx\right)abd-\log(dx+c)\,a^2\right)}{d}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i),x)
```

output

```
(i*( - int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(c + d*x),x)*b**2*d - 2*i
nt(log(((a + b*x)**n*e)/(c + d*x)**n)/(c + d*x),x)*a*b*d - log(c + d*x)*a*
*2))/d
```

3.190 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$

Optimal result . . . 2199
Mathematica [A] (verified) . . . 2199
Rubi [A] (warning: unable to verify) . . . 2200
Maple [B] (verified) . . . 2201
Fricas [B] (verification not implemented) . . . 2202
Sympy [F] . . . 2202
Maxima [B] (verification not implemented) . . . 2203
Giac [B] (verification not implemented) . . . 2204
Mupad [B] (verification not implemented) . . . 2204
Reduce [B] (verification not implemented) . . . 2205

Optimal result

Integrand size = 45, antiderivative size = 50

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)gin}$$

output
```
1/3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)/g/i/n
```

Mathematica [A] (verified)

Time = 0.29 (sec) , antiderivative size = 90, normalized size of antiderivative = 1.80

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = \frac{3A^2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+3AB\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+B^2\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3bcgin-3adgin}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d
*i*x)),x]
```

output
```
(3*A^2*Log[e*((a + b*x)/(c + d*x))^n] + 3*A*B*Log[e*((a + b*x)/(c + d*x))^
n]^2 + B^2*Log[e*((a + b*x)/(c + d*x))^n]^3)/(3*b*c*g*i*n - 3*a*d*g*i*n)
```

Rubi [A] (warning: unable to verify)

Time = 0.37 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.80, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx} d\frac{a+bx}{c+dx}}{gi(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(a+bx)^2}{(c+dx)^2} d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bgin(bc-ad)}$$

$$\downarrow 15$$

$$\frac{(a+bx)^3}{3Bgin(c+dx)^3(bc-ad)}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d*i*x))
,x]
```

output
```
(a + b*x)^3/(3*B*(b*c - a*d)*g*i*n*(c + d*x)^3)
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 117 vs. $2(48) = 96$.

Time = 1.75 (sec) , antiderivative size = 118, normalized size of antiderivative = 2.36

method	result	size
parallelrisch	$-\frac{B^2a^2c^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^3+3AB\,a^2c^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2+3A^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a^2c^2}{3ig\,a^2c^2n(da-bc)}$	118
default	$\frac{A^2\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^3}{3gin(da-bc)}-\frac{AB\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2}{gin(da-bc)}$	135
parts	$\frac{A^2\left(\frac{\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)}{da-bc}\right)}{gi}-\frac{B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^3}{3gin(da-bc)}-\frac{AB\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2}{gin(da-bc)}$	135

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i),x,method=_RE
TURNVERBOSE)
```

output

```
-1/3*(B^2*a^2*c^2*ln(e*((b*x+a)/(d*x+c))^n)^3+3*A*B*a^2*c^2*ln(e*((b*x+a)/
(d*x+c))^n)^2+3*A^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*c^2)/i/g/a^2/c^2/n/(a*d-
b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 149 vs. $2(48) = 96$.

Time = 0.08 (sec) , antiderivative size = 149, normalized size of antiderivative = 2.98

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{B^2n^2\log\left(\frac{bx+a}{dx+c}\right)^3 + 3\,B^2\log(e)^2\log\left(\frac{bx+a}{dx+c}\right) + 3\,ABn\log\left(\frac{bx+a}{dx+c}\right)^2 + 3\,A^2\log\left(\frac{bx+a}{dx+c}\right) + 3\left(B^2n\log\left(\frac{bx+a}{dx+c}\right)^2 +$$
$$3\,(bc-ad)gi$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i),x, al
gorithm="fricas")
```

output
```
1/3*(B^2*n^2*log((b*x + a)/(d*x + c))^3 + 3*B^2*log(e)^2*log((b*x + a)/(d*
x + c)) + 3*A*B*n*log((b*x + a)/(d*x + c))^2 + 3*A^2*log((b*x + a)/(d*x +
c)) + 3*(B^2*n*log((b*x + a)/(d*x + c))^2 + 2*A*B*log((b*x + a)/(d*x + c))
)*log(e))/((b*c - a*d)*g*i)
```

Sympy [F]

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{\int \frac{A^2}{ac+adx+bcx+bdx^2}\,dx + \int \frac{B^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{ac+adx+bcx+bdx^2}\,dx + \int \frac{2AB\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{ac+adx+bcx+bdx^2}\,dx}{gi}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(Integral(A**2/(a*c + a*d*x + b*c*x + b*d*x**2), x) + Integral(B**2*log(e*
(a/(c + d*x) + b*x/(c + d*x))**n)**2/(a*c + a*d*x + b*c*x + b*d*x**2), x)
+ Integral(2*A*B*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(a*c + a*d*x + b*
c*x + b*d*x**2), x))/(g*i)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 407 vs. $2(48) = 96$.

Time $= 0.06$ (sec) , antiderivative size $= 407$, normalized size of antiderivative $= 8.14$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$

$$= B^2\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(e\left(\frac{bx}{dx+c} + \frac{a}{dx+c}\right)^n\right)^2$$

$$+ 2AB\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)\log\left(e\left(\frac{bx}{dx+c} + \frac{a}{dx+c}\right)^n\right)$$

$$+ \frac{1}{3}\left(\frac{\left(\log(bx+a)^3 - 3\log(bx+a)^2\log(dx+c) + 3\log(bx+a)\log(dx+c)^2 - \log(dx+c)^3\right)n^2}{bcgi - adgi} - \frac{3}{}\right.$$

$$\left. - \frac{\left(\log(bx+a)^2 - 2\log(bx+a)\log(dx+c) + \log(dx+c)^2\right)ABn}{bcgi - adgi}\right.$$

$$+ A^2\left(\frac{\log(bx+a)}{(bc-ad)gi} - \frac{\log(dx+c)}{(bc-ad)gi}\right)$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i),x, al
gorithm="maxima")
```

output

```
B^2*(log(b*x + a)/((b*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))*log(
e*(b*x/(d*x + c) + a/(d*x + c))^n)^2 + 2*A*B*(log(b*x + a)/((b*c - a*d)*g*
i) - log(d*x + c)/((b*c - a*d)*g*i))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
) + 1/3*((log(b*x + a)^3 - 3*log(b*x + a)^2*log(d*x + c) + 3*log(b*x + a)*
log(d*x + c)^2 - log(d*x + c)^3)*n^2/(b*c*g*i - a*d*g*i) - 3*(log(b*x + a)
^2 - 2*log(b*x + a)*log(d*x + c) + log(d*x + c)^2)*n*log(e*(b*x/(d*x + c)
+ a/(d*x + c))^n)/(b*c*g*i - a*d*g*i))*B^2 - (log(b*x + a)^2 - 2*log(b*x +
 a)*log(d*x + c) + log(d*x + c)^2)*A*B*n/(b*c*g*i - a*d*g*i) + A^2*(log(b*
x + a)/((b*c - a*d)*g*i) - log(d*x + c)/((b*c - a*d)*g*i))
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 167 vs. $2(48) = 96$.

Time $= 0.40$ (sec) , antiderivative size $= 167$, normalized size of antiderivative $= 3.34$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{\left(B^2n^2\log\left(\frac{bx+a}{dx+c}\right)^3 + 3\,B^2n\log(e)\log\left(\frac{bx+a}{dx+c}\right)^2 + 3\,B^2\log(e)^2\log\left(\frac{bx+a}{dx+c}\right) + 3\,ABn\log\left(\frac{bx+a}{dx+c}\right)^2 + 6\,AB\log\right.}{3\,gi}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i),x, al
gorithm="giac")
```

output
```
1/3*(B^2*n^2*log((b*x + a)/(d*x + c))^3 + 3*B^2*n*log(e)*log((b*x + a)/(d*
x + c))^2 + 3*B^2*log(e)^2*log((b*x + a)/(d*x + c)) + 3*A*B*n*log((b*x + a
)/(d*x + c))^2 + 6*A*B*log(e)*log((b*x + a)/(d*x + c)) + 3*A^2*log((b*x +
a)/(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)/(g*i)
```

Mupad [B] (verification not implemented)

Time $= 27.09$ (sec) , antiderivative size $= 122$, normalized size of antiderivative $= 2.44$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx = -\frac{\frac{B^2\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^3}{3} + A\,B\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2}{g\,i\,n\,(a\,d-b\,c)} + \frac{A^2\,\mathrm{atan}\left(\frac{a\,d\,1\mathrm{i}+b\,c\,1\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}\right)\,2\mathrm{i}}{g\,i\,(a\,d-b\,c)}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)*(c*i + d*i*x))
,x)
```

output
```
(A^2*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(g*i*(a*d - b*c))
- ((B^2*log(e*((a + b*x)/(c + d*x))^n)^3)/3 + A*B*log(e*((a + b*x)/(c + d*
x))^n)^2)/(g*i*n*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 94, normalized size of antiderivative = 1.88

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)}\,dx$$
$$= \frac{i\left(3\log(bx+a)\,a^2n-3\log(dx+c)\,a^2n+\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^3b^2+3\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2ab\right)}{3gn\,(ad-bc)}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i),x)
```

output
```
(i*(3*log(a + b*x)*a**2*n - 3*log(c + d*x)*a**2*n + log(((a + b*x)**n*e)/(
c + d*x)**n)**3*b**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b))/(3*g*
n*(a*d - b*c))
```

3.191 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$

Optimal result . . . 2206
Mathematica [B] (verified) . . . 2207
Rubi [A] (verified) . . . 2208
Maple [B] (verified) . . . 2210
Fricas [B] (verification not implemented) . . . 2210
Sympy [F(-1)] . . . 2211
Maxima [B] (verification not implemented) . . . 2211
Giac [F] . . . 2212
Mupad [B] (verification not implemented) . . . 2213
Reduce [B] (verification not implemented) . . . 2213

Optimal result

Integrand size = 45, antiderivative size = 199

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = -\frac{2bB^2n^2(c+dx)}{(bc-ad)^2g^2i(a+bx)} - \frac{2bBn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^2g^2i(a+bx)} - \frac{b(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^2g^2i(a+bx)} - \frac{d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^2g^2in}$$

output

```
-2*b*B^2*n^2*(d*x+c)/(-a*d+b*c)^2/g^2/i/(b*x+a)-2*b*B*n*(d*x+c)*(A+B*ln(e*
((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^2/g^2/i/(b*x+a)-b*(d*x+c)*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g^2/i/(b*x+a)-1/3*d*(A+B*ln(e*((b*x+a)/(d*
x+c))^n))^3/B/(-a*d+b*c)^2/g^2/i/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 793 vs. $2(199) = 398$.

Time $= 0.76$ (sec) , antiderivative size $= 793$, normalized size of antiderivative $= 3.98$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$

$$= -\frac{B^2dn^2\log^3\left(\frac{a+bx}{c+dx}\right)}{3(bc-ad)^2g^2i} + \frac{2Bn\log\left(\frac{a+bx}{c+dx}\right)\left(A+Bn+B\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)\right)}{(-bc+ad)g^2i(a+bx)}$$

$$+\frac{\log^2\left(\frac{a+bx}{c+dx}\right)\left(-aABdn-bB^2cn^2-AbBdnx-bB^2dn^2x-aB^2dn\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)-bB\right.}{(-bc+ad)^2g^2i(a+bx)}$$

$$+\frac{-A^2-2ABn-2B^2n^2-2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)-2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right.}{(bc-ad)g^2i(a+bx)}$$

$$-\frac{d\log(a+bx)\left(A^2+2ABn+2B^2n^2+2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)+2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-\right.\right.}{(bc-ad)^2g^2i}$$

$$+\frac{d\left(A^2+2ABn+2B^2n^2+2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)+2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right.\right.}{(bc-ad)^2g^2i}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i +
 d*i*x)),x]
```

output

```
-1/3*(B^2*d*n^2*Log[(a + b*x)/(c + d*x)]^3)/((b*c - a*d)^2*g^2*i) + (2*B*n
*Log[(a + b*x)/(c + d*x)]*(A + B*n + B*(Log[e*((a + b*x)/(c + d*x))^n] - n
*Log[(a + b*x)/(c + d*x)])))/((-(b*c) + a*d)*g^2*i*(a + b*x)) + (Log[(a +
b*x)/(c + d*x)]^2*(-(a*A*B*d*n) - b*B^2*c*n^2 - A*b*B*d*n*x - b*B^2*d*n^2*
x - a*B^2*d*n*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]
) - b*B^2*d*n*x*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x
)])))/((-(b*c) + a*d)^2*g^2*i*(a + b*x)) + (-A^2 - 2*A*B*n - 2*B^2*n^2 - 2
*A*B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - 2*B^2
*n*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - B^2*(Lo
g[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2)/((b*c - a*d)
*g^2*i*(a + b*x)) - (d*Log[a + b*x]*(A^2 + 2*A*B*n + 2*B^2*n^2 + 2*A*B*(Lo
g[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + 2*B^2*n*(Log[
e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + B^2*(Log[e*((a
+ b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2))/((b*c - a*d)^2*g^2*
i) + (d*(A^2 + 2*A*B*n + 2*B^2*n^2 + 2*A*B*(Log[e*((a + b*x)/(c + d*x))^n]
 - n*Log[(a + b*x)/(c + d*x)]) + 2*B^2*n*(Log[e*((a + b*x)/(c + d*x))^n] -
 n*Log[(a + b*x)/(c + d*x)]) + B^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log
[(a + b*x)/(c + d*x)])^2)*Log[c + d*x])/((b*c - a*d)^2*g^2*i)
```

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 152, normalized size of antiderivative = 0.76, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}\,d\frac{a+bx}{c+dx}}{g^2 i(bc-ad)^2}$$

$$\downarrow 2795$$

$$\frac{\int \left(\frac{b(c+dx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2} - \frac{d(c+dx)\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx} \right) d\frac{a+bx}{c+dx}}{g^2 i (bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{-\frac{d\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{3Bn} - \frac{b(c+dx)\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx} - \frac{2bBn(c+dx)\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx} - \frac{2bB^2n^2(c+dx)}{a+bx}}{g^2 i (bc-ad)^2}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i + d*i*x
)),x]
```

output
```
((-2*b*B^2*n^2*(c + d*x))/(a + b*x) - (2*b*B*n*(c + d*x)*(A + B*Log[e*((a
+ b*x)/(c + d*x))^n]))/(a + b*x) - (b*(c + d*x)*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])^2)/(a + b*x) - (d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(
3*B*n))/((b*c - a*d)^2*g^2*i)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 508 vs. 2(197) = 394.

Time = 5.10 (sec) , antiderivative size = 509, normalized size of antiderivative = 2.56

method	result
parallelrisch	$-\frac{-6ABa\,b^3d^3n^2+6AB\,b^4c\,d^2n^2+3B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^4d^3n+6B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^4d^3n^2+3ABx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^4d^3$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x,method=_
RETURNVERBOSE)
```

output
```
-1/3*(-6*A*B*a*b^3*d^3*n^2+6*A*B*b^4*c*d^2*n^2+3*B^2*x*ln(e*((b*x+a)/(d*x+
c))^n)^2*b^4*d^3*n+6*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*n^2+3*A*B*x*l
n(e*((b*x+a)/(d*x+c))^n)^2*b^4*d^3+3*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^4*c
*d^2*n+6*B^2*ln(e*((b*x+a)/(d*x+c))^n)*b^4*c*d^2*n^2+3*A*B*ln(e*((b*x+a)/(
d*x+c))^n)^2*a*b^3*d^3+6*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^4*d^3*n+6*A*B*l
n(e*((b*x+a)/(d*x+c))^n)*b^4*c*d^2*n-6*B^2*a*b^3*d^3*n^3+6*B^2*b^4*c*d^2*n
^3-3*A^2*a*b^3*d^3*n+3*A^2*b^4*c*d^2*n+B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*b
^4*d^3+B^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a*b^3*d^3+3*A^2*x*ln(e*((b*x+a)/(d*
x+c))^n)*b^4*d^3+3*A^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^3*d^3)/i/g^2/(b*x+a)/
n/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b^3/d^2
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 428 vs. 2(197) = 394.

Time = 0.09 (sec) , antiderivative size = 428, normalized size of antiderivative = 2.15

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx =$$
$$-\frac{3\,A^2bc-3\,A^2ad+\left(B^2bdn^2x+B^2adn^2\right)\log\left(\frac{bx+a}{dx+c}\right)^3+6\left(B^2bc-B^2ad\right)n^2+3\left(B^2bc-B^2ad+\left(B^2bd\right.\right.}{}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x,
algorithm="fricas")
```

output
```
-1/3*(3*A^2*b*c - 3*A^2*a*d + (B^2*b*d*n^2*x + B^2*a*d*n^2)*log((b*x + a)/
(d*x + c))^3 + 6*(B^2*b*c - B^2*a*d)*n^2 + 3*(B^2*b*c - B^2*a*d + (B^2*b*d
*x + B^2*a*d)*log((b*x + a)/(d*x + c)))*log(e)^2 + 3*(B^2*b*c*n^2 + A*B*a*
d*n + (B^2*b*d*n^2 + A*B*b*d*n)*x)*log((b*x + a)/(d*x + c))^2 + 6*(A*B*b*c
 - A*B*a*d)*n + 3*(2*A*B*b*c - 2*A*B*a*d + (B^2*b*d*n*x + B^2*a*d*n)*log((
b*x + a)/(d*x + c))^2 + 2*(B^2*b*c - B^2*a*d)*n + 2*(B^2*b*c*n + A*B*a*d +
 (B^2*b*d*n + A*B*b*d)*x)*log((b*x + a)/(d*x + c)))*log(e) + 3*(2*B^2*b*c*
n^2 + 2*A*B*b*c*n + A^2*a*d + (2*B^2*b*d*n^2 + 2*A*B*b*d*n + A^2*b*d)*x)*l
og((b*x + a)/(d*x + c)))/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g^2*i*x + (a
*b^2*c^2 - 2*a^2*b*c*d + a^3*d^2)*g^2*i)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**2/(d*i*x+c*i),x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1018 vs. $2(197) = 394$.

Time = 0.10 (sec) , antiderivative size = 1018, normalized size of antiderivative = 5.12

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x,
algorithm="maxima")
```

output

```
-B^2*(1/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)
/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*
b*c*d + a^2*d^2)*g^2*i))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2 - 2*A*B*
(1/((b^2*c - a*b*d)*g^2*i*x + (a*b*c - a^2*d)*g^2*i) + d*log(b*x + a)/((b^
2*c^2 - 2*a*b*c*d + a^2*d^2)*g^2*i) - d*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d
 + a^2*d^2)*g^2*i))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/3*(((b*d*x
+ a*d)*log(b*x + a)^3 - (b*d*x + a*d)*log(d*x + c)^3 - 3*(b*d*x + a*d)*log
(b*x + a)^2 - 3*(b*d*x + a*d - (b*d*x + a*d)*log(b*x + a))*log(d*x + c)^2
+ 6*b*c - 6*a*d + 6*(b*d*x + a*d)*log(b*x + a) - 3*(2*b*d*x + (b*d*x + a*d
)*log(b*x + a)^2 + 2*a*d - 2*(b*d*x + a*d)*log(b*x + a))*log(d*x + c))*n^2
/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*i + a^3*d^2*g^2*i + (b^3*c^2*g^2*i - 2
*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*x) - 3*((b*d*x + a*d)*log(b*x + a)^2 +
 (b*d*x + a*d)*log(d*x + c)^2 - 2*b*c + 2*a*d - 2*(b*d*x + a*d)*log(b*x +
a) + 2*(b*d*x + a*d - (b*d*x + a*d)*log(b*x + a))*log(d*x + c))*n*log(e*(b
*x/(d*x + c) + a/(d*x + c))^n)/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*i + a^3*
d^2*g^2*i + (b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*x))*B^2
+ ((b*d*x + a*d)*log(b*x + a)^2 + (b*d*x + a*d)*log(d*x + c)^2 - 2*b*c + 2
*a*d - 2*(b*d*x + a*d)*log(b*x + a) + 2*(b*d*x + a*d - (b*d*x + a*d)*log(b
*x + a))*log(d*x + c))*A*B*n/(a*b^2*c^2*g^2*i - 2*a^2*b*c*d*g^2*i + a^3*d^
2*g^2*i + (b^3*c^2*g^2*i - 2*a*b^2*c*d*g^2*i + a^2*b*d^2*g^2*i)*x) - A^...
```

Giac [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2(dix+ci)}\,dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x,
algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/((b*g*x + a*g)^2*(d*i*x
 + c*i)), x)
```

Mupad [B] (verification not implemented)

Time = 27.16 (sec) , antiderivative size = 361, normalized size of antiderivative = 1.81

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx$$
$$= \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2\left(\frac{B^2}{(ad-bc)\,(ag^2i+bg^2ix)}-\frac{Bd(A+Bn)}{g^2in(ad-bc)^2}\right)$$
$$+\frac{A^2+2ABn+2B^2n^2}{(ad-bc)\,(ag^2i+bg^2ix)}+\frac{2B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\,(A+Bn)}{(ad-bc)\,(ag^2i+bg^2ix)}-\frac{B^2d\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^3}{3g^2in(ad-bc)^2}$$
$$+\frac{d\,\mathrm{atan}\left(\frac{d\left(2bdx+\frac{a^2d^2g^2i-b^2c^2g^2i}{g^2i(ad-bc)}\right)(A^2+2ABn+2B^2n^2)\,1\mathrm{i}}{(ad-bc)(dA^2+2dABn+2dB^2n^2)}\right)(A^2+2ABn+2B^2n^2)\,2\mathrm{i}}{g^2i(ad-bc)^2}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^2*(c*i + d*i*x
)),x)
```

output
```
log(e*((a + b*x)/(c + d*x))^n)^2*(B^2/((a*d - b*c)*(a*g^2*i + b*g^2*i*x))
 - (B*d*(A + B*n))/(g^2*i*n*(a*d - b*c)^2)) + (A^2 + 2*B^2*n^2 + 2*A*B*n)/(
(a*d - b*c)*(a*g^2*i + b*g^2*i*x)) + (2*B*log(e*((a + b*x)/(c + d*x))^n)*(
A + B*n))/((a*d - b*c)*(a*g^2*i + b*g^2*i*x)) + (d*atan((d*(2*b*d*x + (a^2
*d^2*g^2*i - b^2*c^2*g^2*i)/(g^2*i*(a*d - b*c)))*(A^2 + 2*B^2*n^2 + 2*A*B*
n)*1i)/((a*d - b*c)*(A^2*d + 2*B^2*d*n^2 + 2*A*B*d*n)))*(A^2 + 2*B^2*n^2 +
 2*A*B*n)*2i)/(g^2*i*(a*d - b*c)^2) - (B^2*d*log(e*((a + b*x)/(c + d*x))^n
)^3)/(3*g^2*i*n*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 612, normalized size of antiderivative = 3.08

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i),x)
```

output

```
(i*(3*log(a + b*x)*a**4*d*n + 3*log(a + b*x)*a**3*b*d*n*x + 6*log(a + b*x)
*a**2*b**2*c*n**2 + 6*log(a + b*x)*a*b**3*c*n**3 + 6*log(a + b*x)*a*b**3*c
*n**2*x + 6*log(a + b*x)*b**4*c*n**3*x - 3*log(c + d*x)*a**4*d*n - 3*log(c
 + d*x)*a**3*b*d*n*x - 6*log(c + d*x)*a**2*b**2*c*n**2 - 6*log(c + d*x)*a*
b**3*c*n**3 - 6*log(c + d*x)*a*b**3*c*n**2*x - 6*log(c + d*x)*b**4*c*n**3*
x + log(((a + b*x)**n*e)/(c + d*x)**n)**3*a**2*b**2*d + log(((a + b*x)**n*
e)/(c + d*x)**n)**3*a*b**3*d*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a
**3*b*d + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*d*x + 3*log(((
a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c*n + 3*log(((a + b*x)**n*e)/(c + d
*x)**n)**2*a*b**3*d*n*x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d
*n*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*n*x + 6*log(((a + b*x
)**n*e)/(c + d*x)**n)*a*b**3*d*n**2*x - 6*log(((a + b*x)**n*e)/(c + d*x)**
n)*b**4*c*n**2*x + 3*a**3*b*d*n*x - 3*a**2*b**2*c*n*x + 6*a**2*b**2*d*n**2
*x - 6*a*b**3*c*n**2*x + 6*a*b**3*d*n**3*x - 6*b**4*c*n**3*x))/(3*a*g**2*n
*(a**3*d**2 - 2*a**2*b*c*d + a**2*b*d**2*x + a*b**2*c**2 - 2*a*b**2*c*d*x
+ b**3*c**2*x))
```

3.192 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$

Optimal result . . . 2215
Mathematica [B] (verified) . . . 2216
Rubi [A] (verified) . . . 2217
Maple [B] (verified) . . . 2219
Fricas [B] (verification not implemented) . . . 2220
Sympy [F(-1)] . . . 2221
Maxima [B] (verification not implemented) . . . 2222
Giac [F(-1)] . . . 2223
Mupad [B] (verification not implemented) . . . 2223
Reduce [B] (verification not implemented) . . . 2224

Optimal result

Integrand size = 45, antiderivative size = 369

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = {}& \frac{4bB^2dn^2(c+dx)}{(bc-ad)^3g^3i(a+bx)} - \frac{b^2B^2n^2(c+dx)^2}{4(bc-ad)^3g^3i(a+bx)^2} \\ &+ \frac{4bBdn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3g^3i(a+bx)} \\ &- \frac{b^2Bn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3g^3i(a+bx)^2} \\ &+ \frac{2bd(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^3g^3i(a+bx)} \\ &- \frac{b^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^3g^3i(a+bx)^2} \\ &+ \frac{d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^3g^3in}\end{aligned}$$

output

```
4*b*B^2*d*n^2*(d*x+c)/(-a*d+b*c)^3/g^3/i/(b*x+a)-1/4*b^2*B^2*n^2*(d*x+c)^2
/(-a*d+b*c)^3/g^3/i/(b*x+a)^2+4*b*B*d*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c)
)^n))/(-a*d+b*c)^3/g^3/i/(b*x+a)-1/2*b^2*B*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/
(d*x+c))^n))/(-a*d+b*c)^3/g^3/i/(b*x+a)^2+2*b*d*(d*x+c)*(A+B*ln(e*((b*x+a)
/(d*x+c))^n))^2/(-a*d+b*c)^3/g^3/i/(b*x+a)-1/2*b^2*(d*x+c)^2*(A+B*ln(e*((b
*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^3/i/(b*x+a)^2+1/3*d^2*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))^3/B/(-a*d+b*c)^3/g^3/i/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 975 vs. $2(369) = 738$.

Time $= 1.23$ (sec) , antiderivative size $= 975$, normalized size of antiderivative $= 2.64$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^3(ci + dix)}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i +
 d*i*x)),x]
```

output

```
(4*B^2*d^2*n^2*(a + b*x)^2*Log[(a + b*x)/(c + d*x)]^3 + 6*B*n*Log[(a + b*x
)/(c + d*x)]^2*(2*a^2*A*d^2 - b^2*B*c^2*n + 4*a*b*B*c*d*n + 4*a*A*b*d^2*x
+ 2*b^2*B*c*d*n*x + 4*a*b*B*d^2*n*x + 2*A*b^2*d^2*x^2 + 3*b^2*B*d^2*n*x^2
+ 2*B*d^2*(a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n] - 2*B*d^2*n*(a + b*x)
^2*Log[(a + b*x)/(c + d*x)]) - 6*B*(b*c - a*d)*n*Log[(a + b*x)/(c + d*x)]*
(2*A*b*c - 6*a*A*d + b*B*c*n - 7*a*B*d*n - 4*A*b*d*x - 6*b*B*d*n*x + 2*B*(
-3*a*d + b*(c - 2*d*x))*Log[e*((a + b*x)/(c + d*x))^n] + 2*B*n*(-(b*c) + 3
*a*d + 2*b*d*x)*Log[(a + b*x)/(c + d*x)]) - 3*(b*c - a*d)^2*(2*A^2 + 2*A*B
*n + B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(2*A + B*n)*
Log[(a + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[
e*((a + b*x)/(c + d*x))^n]*(2*A + B*n - 2*B*n*Log[(a + b*x)/(c + d*x)])) +
 6*d*(b*c - a*d)*(a + b*x)*(2*A^2 + 6*A*B*n + 7*B^2*n^2 + 2*B^2*Log[e*((a
+ b*x)/(c + d*x))^n]^2 - 2*B*n*(2*A + 3*B*n)*Log[(a + b*x)/(c + d*x)] + 2*
B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(2
*A + 3*B*n - 2*B*n*Log[(a + b*x)/(c + d*x)])) + 6*d^2*(a + b*x)^2*Log[a +
b*x]*(2*A^2 + 6*A*B*n + 7*B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2
 - 2*B*n*(2*A + 3*B*n)*Log[(a + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/
(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(2*A + 3*B*n - 2*B*n*Log
[(a + b*x)/(c + d*x)])) - 6*d^2*(a + b*x)^2*(2*A^2 + 6*A*B*n + 7*B^2*n^2 +
 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(2*A + 3*B*n)*Log[(a + ...
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 274, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}\,d\frac{a+bx}{c+dx}}{g^3 i(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{\int \left(\frac{b^2 \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (c+dx)^3}{(a+bx)^3} - \frac{2bd \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (c+dx)^2}{(a+bx)^2} + \frac{d^2 \left(A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 (c+dx)}{a+bx} \right) d\frac{a+bx}{c+dx}}{g^3 i (bc-ad)^3}$$

$$\downarrow \text{2009}$$

$$\frac{-\frac{b^2 (c+dx)^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2} - \frac{b^2 Bn (c+dx)^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} + \frac{d^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{3Bn} + \frac{2bd(c+dx) \left(B \log \left(e \left(\frac{a}{c}\right.\right.\right.\right.}{a+bx}}{g^3 i (bc-ad)^3}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i + d*i*x
)),x]
```

output
```
((4*b*B^2*d*n^2*(c + d*x))/(a + b*x) - (b^2*B^2*n^2*(c + d*x)^2)/(4*(a + b
*x)^2) + (4*b*B*d*n*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a +
 b*x) - (b^2*B*n*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a
 + b*x)^2) + (2*b*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a
 + b*x) - (b^2*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a
 + b*x)^2) + (d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(3*B*n))/((b*c
 - a*d)^3*g^3*i)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1235 vs. $2(361) = 722$.

Time = 13.40 (sec) , antiderivative size = 1236, normalized size of antiderivative = 3.35

method	result	size
parallelrisch	Expression too large to display	1236

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x,method=_
RETURNVERBOSE)
```

output

```
-1/12*(4*B^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^6*c^2*d^2+12*A^2*ln(e*((b*x+a)/
(d*x+c))^n)*a^6*c^2*d^2+36*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^2*c^3*d*n
^2+24*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^5*b*c^2*d^2+48*A*B*x*a^5*b*c^2*d
^2*n^2-60*A*B*x*a^4*b^2*c^3*d*n^2+48*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b*c
^3*d*n+4*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^4*b^2*c^2*d^2+45*B^2*x^2*a^
4*b^2*c^2*d^2*n^3-48*B^2*x^2*a^3*b^3*c^3*d*n^3+6*A*B*x^2*a^2*b^4*c^4*n^2+8
*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*a^5*b*c^2*d^2+48*B^2*x*a^5*b*c^2*d^2*n^
3-54*B^2*x*a^4*b^2*c^3*d*n^3-36*A^2*x*a^4*b^2*c^3*d*n-12*A*B*ln(e*((b*x+a)
/(d*x+c))^n)*a^4*b^2*c^4*n+12*A^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^2*c^
2*d^2+18*A^2*x^2*a^4*b^2*c^2*d^2*n-24*A^2*x^2*a^3*b^3*c^3*d*n+12*A*B*x*a^3
*b^3*c^4*n^2+24*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^5*b*c^3*d*n+48*B^2*ln(e*
((b*x+a)/(d*x+c))^n)*a^5*b*c^3*d*n^2+24*A^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^
5*b*c^2*d^2+24*A^2*x*a^5*b*c^2*d^2*n+18*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^
2*a^4*b^2*c^2*d^2*n+42*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^2*c^2*d^2*n
^2+12*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b^2*c^2*d^2+42*A*B*x^2*a^4*b
^2*c^2*d^2*n^2-48*A*B*x^2*a^3*b^3*c^3*d*n^2+24*B^2*x*ln(e*((b*x+a)/(d*x+c)
)^n)^2*a^5*b*c^2*d^2*n+12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b^2*c^3*d*
n+48*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b*c^2*d^2*n^2+3*B^2*x^2*a^2*b^4*c
^4*n^3+6*B^2*x*a^3*b^3*c^4*n^3+6*A^2*x^2*a^2*b^4*c^4*n-6*B^2*ln(e*((b*x+a)
/(d*x+c))^n)^2*a^4*b^2*c^4*n+36*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1068 vs. $2(361) = 722$.

Time $= 0.10$ (sec) , antiderivative size $= 1068$, normalized size of antiderivative $= 2.89$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x,
algorithm="fricas")
```

output

```
-1/12*(6*A^2*b^2*c^2 - 24*A^2*a*b*c*d + 18*A^2*a^2*d^2 - 4*(B^2*b^2*d^2*n^
2*x^2 + 2*B^2*a*b*d^2*n^2*x + B^2*a^2*d^2*n^2)*log((b*x + a)/(d*x + c))^3
+ 3*(B^2*b^2*c^2 - 16*B^2*a*b*c*d + 15*B^2*a^2*d^2)*n^2 + 6*(B^2*b^2*c^2 -
 4*B^2*a*b*c*d + 3*B^2*a^2*d^2 - 2*(B^2*b^2*c*d - B^2*a*b*d^2)*x - 2*(B^2*
b^2*d^2*x^2 + 2*B^2*a*b*d^2*x + B^2*a^2*d^2)*log((b*x + a)/(d*x + c)))*log
(e)^2 - 6*(2*A*B*a^2*d^2*n - (B^2*b^2*c^2 - 4*B^2*a*b*c*d)*n^2 + (3*B^2*b^
2*d^2*n^2 + 2*A*B*b^2*d^2*n)*x^2 + 2*(2*A*B*a*b*d^2*n + (B^2*b^2*c*d + 2*B
^2*a*b*d^2)*n^2)*x)*log((b*x + a)/(d*x + c))^2 + 6*(A*B*b^2*c^2 - 8*A*B*a*
b*c*d + 7*A*B*a^2*d^2)*n - 6*(2*A^2*b^2*c*d - 2*A^2*a*b*d^2 + 7*(B^2*b^2*c
*d - B^2*a*b*d^2)*n^2 + 6*(A*B*b^2*c*d - A*B*a*b*d^2)*n)*x + 6*(2*A*B*b^2*
c^2 - 8*A*B*a*b*c*d + 6*A*B*a^2*d^2 - 2*(B^2*b^2*d^2*n*x^2 + 2*B^2*a*b*d^2
*n*x + B^2*a^2*d^2*n)*log((b*x + a)/(d*x + c))^2 + (B^2*b^2*c^2 - 8*B^2*a*
b*c*d + 7*B^2*a^2*d^2)*n - 2*(2*A*B*b^2*c*d - 2*A*B*a*b*d^2 + 3*(B^2*b^2*c
*d - B^2*a*b*d^2)*n)*x - 2*(2*A*B*a^2*d^2 + (3*B^2*b^2*d^2*n + 2*A*B*b^2*d
^2)*x^2 - (B^2*b^2*c^2 - 4*B^2*a*b*c*d)*n + 2*(2*A*B*a*b*d^2 + (B^2*b^2*c*
d + 2*B^2*a*b*d^2)*n)*x)*log((b*x + a)/(d*x + c)))*log(e) - 6*(2*A^2*a^2*d
^2 - (B^2*b^2*c^2 - 8*B^2*a*b*c*d)*n^2 + (7*B^2*b^2*d^2*n^2 + 6*A*B*b^2*d^
2*n + 2*A^2*b^2*d^2)*x^2 - 2*(A*B*b^2*c^2 - 4*A*B*a*b*c*d)*n + 2*(2*A^2*a*
b*d^2 + (3*B^2*b^2*c*d + 4*B^2*a*b*d^2)*n^2 + 2*(A*B*b^2*c*d + 2*A*B*a*b*d
^2)*n)*x)*log((b*x + a)/(d*x + c)))/((b^5*c^3 - 3*a*b^4*c^2*d + 3*a^2*b...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**3/(d*i*x+c*i),x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2126 vs. $2(361) = 722$.

Time = 0.19 (sec) , antiderivative size = 2126, normalized size of antiderivative = 5.76

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x,
algorithm="maxima")
```

output

```
1/2*B^2*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g^
3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x + (a^2*b^2*c^2
 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*
c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/((b^3*c^3 - 3
*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(e*(b*x/(d*x + c) + a/(
d*x + c))^n)^2 + A*B*((2*b*d*x - b*c + 3*a*d)/((b^4*c^2 - 2*a*b^3*c*d + a^
2*b^2*d^2)*g^3*i*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*g^3*i*x +
 (a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2)*g^3*i) + 2*d^2*log(b*x + a)/((b^3*c
^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i) - 2*d^2*log(d*x + c)/
((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^3*i))*log(e*(b*x/(d
*x + c) + a/(d*x + c))^n) - 1/12*((3*b^2*c^2 - 48*a*b*c*d + 45*a^2*d^2 - 4
*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a)^3 + 4*(b^2*d^2*x^2 + 2
*a*b*d^2*x + a^2*d^2)*log(d*x + c)^3 + 18*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2
*d^2)*log(b*x + a)^2 + 6*(3*b^2*d^2*x^2 + 6*a*b*d^2*x + 3*a^2*d^2 - 2*(b^2
*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a))*log(d*x + c)^2 - 42*(b^2*c
*d - a*b*d^2)*x - 42*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b*x + a) +
6*(7*b^2*d^2*x^2 + 14*a*b*d^2*x + 7*a^2*d^2 + 2*(b^2*d^2*x^2 + 2*a*b*d^2*x
 + a^2*d^2)*log(b*x + a)^2 - 6*(b^2*d^2*x^2 + 2*a*b*d^2*x + a^2*d^2)*log(b
*x + a))*log(d*x + c))*n^2/(a^2*b^3*c^3*g^3*i - 3*a^3*b^2*c^2*d*g^3*i + 3*
a^4*b*c*d^2*g^3*i - a^5*d^3*g^3*i + (b^5*c^3*g^3*i - 3*a*b^4*c^2*d*g^3*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x,
algorithm="giac")
```

output
```
Timed out
```

Mupad [B] (verification not implemented)

Time = 29.93 (sec) , antiderivative size = 1011, normalized size of antiderivative = 2.74

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^3*(c*i + d*i*x
)),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*((B^2*n)/(x^2*(b^3*c*g^3*i - a*b^2*d*g^3*i)
 + x*(2*a*b^2*c*g^3*i - 2*a^2*b*d*g^3*i) - a^3*d*g^3*i + a^2*b*c*g^3*i) -
(d^2*(3*B^2*n + 2*A*B)*((a*g^3*i*n*(a*d - b*c)^2)/(2*d) + (g^3*i*n*(a*d -
b*c)^2*(2*a*d - b*c))/(2*d^2) + (b*g^3*i*n*x*(a*d - b*c)^2)/d))/(g^3*i*n*(
a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(x^2*(b^3*c*g^3*i - a*b^2*d*g^3
*i) + x*(2*a*b^2*c*g^3*i - 2*a^2*b*d*g^3*i) - a^3*d*g^3*i + a^2*b*c*g^3*i)
)) - log(e*((a + b*x)/(c + d*x))^n)^2*((d^2*(3*B^2*n + 2*A*B))/(2*g^3*i*n*
(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (B^2*d^2*((g^3*i*n*(a*d - b
*c)*(2*a*d - b*c))/(2*d^2) + (a*g^3*i*n*(a*d - b*c))/(2*d) + (b*g^3*i*n*x*
(a*d - b*c))/d))/(g^3*i*n*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(a^2
*g^3*i + b^2*g^3*i*x^2 + 2*a*b*g^3*i*x))) - ((6*A^2*a*d - 2*A^2*b*c + 15*B
^2*a*d*n^2 - B^2*b*c*n^2 + 14*A*B*a*d*n - 2*A*B*b*c*n)/(2*(a*d - b*c)) + (
x*(2*A^2*b*d + 7*B^2*b*d*n^2 + 6*A*B*b*d*n))/(a*d - b*c))/(x^2*(2*b^3*c*g^
3*i - 2*a*b^2*d*g^3*i) + x*(4*a*b^2*c*g^3*i - 4*a^2*b*d*g^3*i) - 2*a^3*d*g
^3*i + 2*a^2*b*c*g^3*i) + (d^2*atan((d^2*((a^3*d^3*g^3*i + b^3*c^3*g^3*i -
 a*b^2*c^2*d*g^3*i - a^2*b*c*d^2*g^3*i)/(a^2*d^2*g^3*i + b^2*c^2*g^3*i - 2
*a*b*c*d*g^3*i) + 2*b*d*x)*(A^2 + (7*B^2*n^2)/2 + 3*A*B*n)*(a^2*d^2*g^3*i
+ b^2*c^2*g^3*i - 2*a*b*c*d*g^3*i)*2i)/(g^3*i*(a*d - b*c)^3*(2*A^2*d^2 + 7
*B^2*d^2*n^2 + 6*A*B*d^2*n)))*(A^2 + (7*B^2*n^2)/2 + 3*A*B*n)*2i)/(g^3*i*(
a*d - b*c)^3) - (B^2*d^2*log(e*((a + b*x)/(c + d*x))^n)^3)/(3*g^3*i*n*(...
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 1609, normalized size of antiderivative = 4.36

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^3(ci + dix)}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i),x)
```

output

```
(i*(12*log(a + b*x)*a**5*d**2*n + 24*log(a + b*x)*a**4*b*d**2*n**2 + 24*lo
g(a + b*x)*a**4*b*d**2*n*x + 12*log(a + b*x)*a**3*b**2*c*d*n**2 + 24*log(a
 + b*x)*a**3*b**2*d**2*n**3 + 48*log(a + b*x)*a**3*b**2*d**2*n**2*x + 12*l
og(a + b*x)*a**3*b**2*d**2*n*x**2 + 18*log(a + b*x)*a**2*b**3*c*d*n**3 + 2
4*log(a + b*x)*a**2*b**3*c*d*n**2*x + 48*log(a + b*x)*a**2*b**3*d**2*n**3*
x + 24*log(a + b*x)*a**2*b**3*d**2*n**2*x**2 + 36*log(a + b*x)*a*b**4*c*d*
n**3*x + 12*log(a + b*x)*a*b**4*c*d*n**2*x**2 + 24*log(a + b*x)*a*b**4*d**
2*n**3*x**2 + 18*log(a + b*x)*b**5*c*d*n**3*x**2 - 12*log(c + d*x)*a**5*d*
*2*n - 24*log(c + d*x)*a**4*b*d**2*n**2 - 24*log(c + d*x)*a**4*b*d**2*n*x
- 12*log(c + d*x)*a**3*b**2*c*d*n**2 - 24*log(c + d*x)*a**3*b**2*d**2*n**3
 - 48*log(c + d*x)*a**3*b**2*d**2*n**2*x - 12*log(c + d*x)*a**3*b**2*d**2*
n*x**2 - 18*log(c + d*x)*a**2*b**3*c*d*n**3 - 24*log(c + d*x)*a**2*b**3*c*
d*n**2*x - 48*log(c + d*x)*a**2*b**3*d**2*n**3*x - 24*log(c + d*x)*a**2*b*
*3*d**2*n**2*x**2 - 36*log(c + d*x)*a*b**4*c*d*n**3*x - 12*log(c + d*x)*a*
b**4*c*d*n**2*x**2 - 24*log(c + d*x)*a*b**4*d**2*n**3*x**2 - 18*log(c + d*
x)*b**5*c*d*n**3*x**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)**3*a**3*b**2*
d**2 + 8*log(((a + b*x)**n*e)/(c + d*x)**n)**3*a**2*b**3*d**2*x + 4*log(((
a + b*x)**n*e)/(c + d*x)**n)**3*a*b**4*d**2*x**2 + 12*log(((a + b*x)**n*e)
/(c + d*x)**n)**2*a**4*b*d**2 + 24*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a
**3*b**2*d**2*x + 24*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3*c*...
```

3.193 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$

Optimal result . . . 2226
Mathematica [B] (verified) . . . 2227
Rubi [A] (verified) . . . 2228
Maple [B] (verified) . . . 2230
Fricas [B] (verification not implemented) . . . 2231
Sympy [F(-1)] . . . 2232
Maxima [B] (verification not implemented) . . . 2233
Giac [F(-1)] . . . 2234
Mupad [B] (verification not implemented) . . . 2234
Reduce [B] (verification not implemented) . . . 2235

Optimal result

Integrand size = 45, antiderivative size = 543

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = &-\frac{6bB^2d^2n^2(c+dx)}{(bc-ad)^4g^4i(a+bx)}+\frac{3b^2B^2dn^2(c+dx)^2}{4(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{2b^3B^2n^2(c+dx)^3}{27(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{6bBd^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^4i(a+bx)}\\ &+\frac{3b^2Bdn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{2b^3Bn(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{3bd^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^4g^4i(a+bx)}\\ &+\frac{3b^2d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^4g^4i(a+bx)^2}\\ &-\frac{b^3(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^4g^4i(a+bx)^3}\\ &-\frac{d^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^4g^4in}\end{aligned}$$

output

```
-6*b*B^2*d^2*n^2*(d*x+c)/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/4*b^2*B^2*d*n^2*(d*x
+c)^2/(-a*d+b*c)^4/g^4/i/(b*x+a)^2-2/27*b^3*B^2*n^2*(d*x+c)^3/(-a*d+b*c)^4
/g^4/i/(b*x+a)^3-6*b*B*d^2*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d
+b*c)^4/g^4/i/(b*x+a)+3/2*b^2*B*d*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^
n))/(-a*d+b*c)^4/g^4/i/(b*x+a)^2-2/9*b^3*B*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/
(d*x+c))^n))/(-a*d+b*c)^4/g^4/i/(b*x+a)^3-3*b*d^2*(d*x+c)*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))^2/(-a*d+b*c)^4/g^4/i/(b*x+a)+3/2*b^2*d*(d*x+c)^2*(A+B*ln(e
*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^4/g^4/i/(b*x+a)^2-1/3*b^3*(d*x+c)^3*(A
+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^4/g^4/i/(b*x+a)^3-1/3*d^3*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)^4/g^4/i/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1295 vs. $2(543) = 1086$.

Time $= 1.73$ (sec) , antiderivative size $= 1295$, normalized size of antiderivative $= 2.38$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^4(ci + dix)}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i +
 d*i*x)),x]
```

output

```
-1/108*(36*B^2*d^3*n^2*(a + b*x)^3*Log[(a + b*x)/(c + d*x)]^3 + 18*B*n*Log
[(a + b*x)/(c + d*x)]^2*(6*a^3*A*d^3 + 2*b^3*B*c^3*n - 9*a*b^2*B*c^2*d*n +
 18*a^2*b*B*c*d^2*n + 18*a^2*A*b*d^3*x - 3*b^3*B*c^2*d*n*x + 18*a*b^2*B*c*
d^2*n*x + 18*a^2*b*B*d^3*n*x + 18*a*A*b^2*d^3*x^2 + 6*b^3*B*c*d^2*n*x^2 +
27*a*b^2*B*d^3*n*x^2 + 6*A*b^3*d^3*x^3 + 11*b^3*B*d^3*n*x^3 + 6*B*d^3*(a +
 b*x)^3*Log[e*((a + b*x)/(c + d*x))^n] - 6*B*d^3*n*(a + b*x)^3*Log[(a + b*
x)/(c + d*x)]) - 3*d*(b*c - a*d)^2*(a + b*x)*(18*A^2 + 30*A*B*n + 19*B^2*n
^2 + 18*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(6*A + 5*B*n)*Log[(a
 + b*x)/(c + d*x)] + 18*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*((a
 + b*x)/(c + d*x))^n]*(6*A + 5*B*n - 6*B*n*Log[(a + b*x)/(c + d*x)])) + 6*d
^2*(b*c - a*d)*(a + b*x)^2*(18*A^2 + 66*A*B*n + 85*B^2*n^2 + 18*B^2*Log[e*
((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(6*A + 11*B*n)*Log[(a + b*x)/(c + d*x)]
 + 18*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*((a + b*x)/(c + d*x))
^n]*(6*A + 11*B*n - 6*B*n*Log[(a + b*x)/(c + d*x)])) + 6*d^3*(a + b*x)^3*L
og[a + b*x]*(18*A^2 + 66*A*B*n + 85*B^2*n^2 + 18*B^2*Log[e*((a + b*x)/(c +
 d*x))^n]^2 - 6*B*n*(6*A + 11*B*n)*Log[(a + b*x)/(c + d*x)] + 18*B^2*n^2*L
og[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*((a + b*x)/(c + d*x))^n]*(6*A + 11*B
*n - 6*B*n*Log[(a + b*x)/(c + d*x)])) + 4*(b*c - a*d)^3*(9*A^2 + 6*A*B*n +
 2*B^2*n^2 + 9*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(3*A + B*n)*Lo
g[(a + b*x)/(c + d*x)] + 9*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log...
```

Rubi [A] (verified)

Time = 0.69 (sec) , antiderivative size = 400, normalized size of antiderivative = 0.74, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4(ci+dix)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4 i(bc-ad)^4}$$

$$\downarrow 2795$$

$$\int \left(\frac{b^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^4}{(a+bx)^4} - \frac{3b^2d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^3}{(a+bx)^3} + \frac{3bd^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2(c+dx)^2}{(a+bx)^2} - \frac{d^3\left(A+B\l}{g^4i(bc-ad)^4}$$

$$\downarrow 2009$$

$$-\frac{b^3(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3} - \frac{2b^3Bn(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{9(a+bx)^3} + \frac{3b^2d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2} + \frac{3b^2Bdn(c+}{}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i + d*i*x
)),x]
```

output
```
((-6*b*B^2*d^2*n^2*(c + d*x))/(a + b*x) + (3*b^2*B^2*d*n^2*(c + d*x)^2)/(4
*(a + b*x)^2) - (2*b^3*B^2*n^2*(c + d*x)^3)/(27*(a + b*x)^3) - (6*b*B*d^2*
n*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (3*b^2*B*d
*n*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) - (
2*b^3*B*n*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(9*(a + b*x)
^3) - (3*b*d^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*
x) + (3*b^2*d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a
+ b*x)^2) - (b^3*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(3*
(a + b*x)^3) - (d^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(3*B*n))/((b
*c - a*d)^4*g^4*i)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2215 vs. 2(529) = 1058.

Time = 28.33 (sec) , antiderivative size = 2216, normalized size of antiderivative = 4.08

method	result	size
parallelrisch	Expression too large to display	2216

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x,method=_
RETURNVERBOSE)
```

output

```
-1/108*(-54*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^5*b^3*c^4*d*n+36*B^2*ln(e*
((b*x+a)/(d*x+c))^n)^3*a^8*c^2*d^3+108*A^2*ln(e*((b*x+a)/(d*x+c))^n)*a^8*c
^2*d^3+36*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^3*a^5*b^3*c^2*d^3+575*B^2*x^3*
a^5*b^3*c^2*d^3*n^3-648*B^2*x^3*a^4*b^4*c^3*d^2*n^3+81*B^2*x^3*a^3*b^5*c^4
*d*n^3-24*A*B*x^3*a^2*b^6*c^5*n^2+108*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^3*
a^6*b^2*c^2*d^3+1215*B^2*x^2*a^6*b^2*c^2*d^3*n^3-1434*B^2*x^2*a^5*b^3*c^3*
d^2*n^3+243*B^2*x^2*a^4*b^4*c^4*d*n^3+108*A^2*x^3*ln(e*((b*x+a)/(d*x+c))^n
)*a^5*b^3*c^2*d^3+198*A^2*x^3*a^5*b^3*c^2*d^3*n-324*A^2*x^3*a^4*b^4*c^3*d^
2*n+162*A^2*x^3*a^3*b^5*c^4*d*n-72*A*B*x^2*a^3*b^5*c^5*n^2+108*B^2*x*ln(e*
((b*x+a)/(d*x+c))^n)^3*a^7*b*c^2*d^3+648*B^2*x*a^7*b*c^2*d^3*n^3-810*B^2*x
*a^6*b^2*c^3*d^2*n^3+186*B^2*x*a^5*b^3*c^4*d*n^3+324*A^2*x^2*ln(e*((b*x+a)
/(d*x+c))^n)*a^6*b^2*c^2*d^3+486*A^2*x^2*a^6*b^2*c^2*d^3*n-864*A^2*x^2*a^5
*b^3*c^3*d^2*n+486*A^2*x^2*a^4*b^4*c^4*d*n-72*A*B*x*a^4*b^4*c^5*n^2+324*B^
2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^7*b*c^3*d^2*n-162*B^2*ln(e*((b*x+a)/(d*x+c
))^n)^2*a^6*b^2*c^4*d*n+648*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^7*b*c^3*d^2*n^
2-162*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^6*b^2*c^4*d*n^2+324*A^2*x*ln(e*((b*x
+a)/(d*x+c))^n)*a^7*b*c^2*d^3+324*A^2*x*a^7*b*c^2*d^3*n-648*A^2*x*a^6*b^2*
c^3*d^2*n+432*A^2*x*a^5*b^3*c^4*d*n+72*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b
^3*c^5*n-90*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^5*b^3*c^4*d*n^2+324*A*B*x*ln
(e*((b*x+a)/(d*x+c))^n)^2*a^7*b*c^2*d^3+648*A*B*x*a^7*b*c^2*d^3*n^2-972...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1910 vs. $2(529) = 1058$.

Time $= 0.12$ (sec) , antiderivative size $= 1910$, normalized size of antiderivative $= 3.52$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x,
algorithm="fricas")
```

output

```
-1/108*(36*A^2*b^3*c^3 - 162*A^2*a*b^2*c^2*d + 324*A^2*a^2*b*c*d^2 - 198*A
^2*a^3*d^3 + 36*(B^2*b^3*d^3*n^2*x^3 + 3*B^2*a*b^2*d^3*n^2*x^2 + 3*B^2*a^2
*b*d^3*n^2*x + B^2*a^3*d^3*n^2)*log((b*x + a)/(d*x + c))^3 + (8*B^2*b^3*c^
3 - 81*B^2*a*b^2*c^2*d + 648*B^2*a^2*b*c*d^2 - 575*B^2*a^3*d^3)*n^2 + 6*(1
8*A^2*b^3*c*d^2 - 18*A^2*a*b^2*d^3 + 85*(B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*n^
2 + 66*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*n)*x^2 + 18*(2*B^2*b^3*c^3 - 9*B^2*
a*b^2*c^2*d + 18*B^2*a^2*b*c*d^2 - 11*B^2*a^3*d^3 + 6*(B^2*b^3*c*d^2 - B^2
*a*b^2*d^3)*x^2 - 3*(B^2*b^3*c^2*d - 6*B^2*a*b^2*c*d^2 + 5*B^2*a^2*b*d^3)*
x + 6*(B^2*b^3*d^3*x^3 + 3*B^2*a*b^2*d^3*x^2 + 3*B^2*a^2*b*d^3*x + B^2*a^3
*d^3)*log((b*x + a)/(d*x + c)))*log(e)^2 + 18*(6*A*B*a^3*d^3*n + (11*B^2*b
^3*d^3*n^2 + 6*A*B*b^3*d^3*n)*x^3 + (2*B^2*b^3*c^3 - 9*B^2*a*b^2*c^2*d + 1
8*B^2*a^2*b*c*d^2)*n^2 + 3*(6*A*B*a*b^2*d^3*n + (2*B^2*b^3*c*d^2 + 9*B^2*a
*b^2*d^3)*n^2)*x^2 + 3*(6*A*B*a^2*b*d^3*n - (B^2*b^3*c^2*d - 6*B^2*a*b^2*c
*d^2 - 6*B^2*a^2*b*d^3)*n^2)*x)*log((b*x + a)/(d*x + c))^2 + 6*(4*A*B*b^3*
c^3 - 27*A*B*a*b^2*c^2*d + 108*A*B*a^2*b*c*d^2 - 85*A*B*a^3*d^3)*n - 3*(18
*A^2*b^3*c^2*d - 108*A^2*a*b^2*c*d^2 + 90*A^2*a^2*b*d^3 + (19*B^2*b^3*c^2*
d - 378*B^2*a*b^2*c*d^2 + 359*B^2*a^2*b*d^3)*n^2 + 6*(5*A*B*b^3*c^2*d - 54
*A*B*a*b^2*c*d^2 + 49*A*B*a^2*b*d^3)*n)*x + 6*(12*A*B*b^3*c^3 - 54*A*B*a*b
^2*c^2*d + 108*A*B*a^2*b*c*d^2 - 66*A*B*a^3*d^3 + 6*(6*A*B*b^3*c*d^2 - 6*A
*B*a*b^2*d^3 + 11*(B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*n)*x^2 + 18*(B^2*b^3*...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**4/(d*i*x+c*i),x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3445 vs. $2(529) = 1058$.

Time = 0.31 (sec) , antiderivative size = 3445, normalized size of antiderivative = 6.34

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x,
algorithm="maxima")
```

output

```
-1/6*B^2*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d
 - 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3
)*g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3*b^3*c*d^2 - a^4*b^2*d
^3)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3*a^4*b^2*c*d^2 - a^5*b
*d^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3)*
g^4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2
- 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*log(d*x + c)/((b^4*c^4 - 4*a*b^3
*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i))*log(e*(b*x/(
d*x + c) + a/(d*x + c))^n)^2 - 1/3*A*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b
*c*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/((b^6*c^3 - 3*a*b^5*c^2*d +
 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*g^4*i*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d
 + 3*a^3*b^3*c*d^2 - a^4*b^2*d^3)*g^4*i*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c
^2*d + 3*a^4*b^2*c*d^2 - a^5*b*d^3)*g^4*i*x + (a^3*b^3*c^3 - 3*a^4*b^2*c^2
*d + 3*a^5*b*c*d^2 - a^6*d^3)*g^4*i) + 6*d^3*log(b*x + a)/((b^4*c^4 - 4*a*
b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^4*i) - 6*d^3*lo
g(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 +
 a^4*d^4)*g^4*i))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/108*((8*b^3*c
^3 - 81*a*b^2*c^2*d + 648*a^2*b*c*d^2 - 575*a^3*d^3 + 36*(b^3*d^3*x^3 + 3*
a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(b*x + a)^3 - 36*(b^3*d^3*x^3
+ 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x + a^3*d^3)*log(d*x + c)^3 + 510*(b^3*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x,
algorithm="giac")
```

output
```
Timed out
```

Mupad [B] (verification not implemented)

Time = 31.81 (sec) , antiderivative size = 1921, normalized size of antiderivative = 3.54

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^4*(c*i + d*i*x
)),x)
```

output

```
((198*A^2*a^2*d^2 + 36*A^2*b^2*c^2 + 575*B^2*a^2*d^2*n^2 + 8*B^2*b^2*c^2*n
^2 - 126*A^2*a*b*c*d + 510*A*B*a^2*d^2*n + 24*A*B*b^2*c^2*n - 73*B^2*a*b*c
*d*n^2 - 138*A*B*a*b*c*d*n)/(6*(a*d - b*c)) + (x^2*(18*A^2*b^2*d^2 + 85*B^
2*b^2*d^2*n^2 + 66*A*B*b^2*d^2*n))/(a*d - b*c) + (x*(90*A^2*a*b*d^2 - 18*A
^2*b^2*c*d + 359*B^2*a*b*d^2*n^2 - 19*B^2*b^2*c*d*n^2 + 294*A*B*a*b*d^2*n
- 30*A*B*b^2*c*d*n))/(2*(a*d - b*c)))/(x*(54*a^4*b*d^2*g^4*i + 54*a^2*b^3*
c^2*g^4*i - 108*a^3*b^2*c*d*g^4*i) + x^2*(54*a*b^4*c^2*g^4*i + 54*a^3*b^2*
d^2*g^4*i - 108*a^2*b^3*c*d*g^4*i) + x^3*(18*b^5*c^2*g^4*i + 18*a^2*b^3*d^
2*g^4*i - 36*a*b^4*c*d*g^4*i) + 18*a^5*d^2*g^4*i + 18*a^3*b^2*c^2*g^4*i -
36*a^4*b*c*d*g^4*i) - log(e*((a + b*x)/(c + d*x))^n)^2*((d^3*(11*B^2*n + 6
*A*B))/(6*g^4*i*n*(a*d - b*c)*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b
*c*d^2)) - (B^2*d^3*(x*(b*((g^4*i*n*(a*d - b*c)*(3*a*d - b*c))/(6*d^2) + (
a*g^4*i*n*(a*d - b*c))/(3*d)) + (2*a*b*g^4*i*n*(a*d - b*c))/(3*d) + (b*g^4
*i*n*(a*d - b*c)*(3*a*d - b*c))/(3*d^2)) + a*((g^4*i*n*(a*d - b*c)*(3*a*d
- b*c))/(6*d^2) + (a*g^4*i*n*(a*d - b*c))/(3*d)) + (g^4*i*n*(a*d - b*c)*(3
*a^2*d^2 + b^2*c^2 - 3*a*b*c*d))/(3*d^3) + (b^2*g^4*i*n*x^2*(a*d - b*c))/d
))/(g^4*i*n*(a*d - b*c)*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2
)*(a^3*g^4*i + b^3*g^4*i*x^3 + 3*a^2*b*g^4*i*x + 3*a*b^2*g^4*i*x^2))) - lo
g(e*((a + b*x)/(c + d*x))^n)*((6*B^2*a*d*n - 3*B^2*b*c*n + 3*B^2*b*d*n*x)/
(x*(9*a^4*b*d^2*g^4*i + 9*a^2*b^3*c^2*g^4*i - 18*a^3*b^2*c*d*g^4*i) + x...
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 2656, normalized size of antiderivative = 4.89

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^4(ci + dix)}\, dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i),x)
```

output

```
(i*(108*log(a + b*x)*a**6*d**3*n + 324*log(a + b*x)*a**5*b*d**3*n**2 + 324
*log(a + b*x)*a**5*b*d**3*n*x + 72*log(a + b*x)*a**4*b**2*c*d**2*n**2 + 37
8*log(a + b*x)*a**4*b**2*d**3*n**3 + 972*log(a + b*x)*a**4*b**2*d**3*n**2*
x + 324*log(a + b*x)*a**4*b**2*d**3*n*x**2 + 132*log(a + b*x)*a**3*b**3*c*
d**2*n**3 + 216*log(a + b*x)*a**3*b**3*c*d**2*n**2*x + 1134*log(a + b*x)*a
**3*b**3*d**3*n**3*x + 972*log(a + b*x)*a**3*b**3*d**3*n**2*x**2 + 108*log
(a + b*x)*a**3*b**3*d**3*n*x**3 + 396*log(a + b*x)*a**2*b**4*c*d**2*n**3*x
 + 216*log(a + b*x)*a**2*b**4*c*d**2*n**2*x**2 + 1134*log(a + b*x)*a**2*b*
*4*d**3*n**3*x**2 + 324*log(a + b*x)*a**2*b**4*d**3*n**2*x**3 + 396*log(a
+ b*x)*a*b**5*c*d**2*n**3*x**2 + 72*log(a + b*x)*a*b**5*c*d**2*n**2*x**3 +
 378*log(a + b*x)*a*b**5*d**3*n**3*x**3 + 132*log(a + b*x)*b**6*c*d**2*n**
3*x**3 - 108*log(c + d*x)*a**6*d**3*n - 324*log(c + d*x)*a**5*b*d**3*n**2
- 324*log(c + d*x)*a**5*b*d**3*n*x - 72*log(c + d*x)*a**4*b**2*c*d**2*n**2
 - 378*log(c + d*x)*a**4*b**2*d**3*n**3 - 972*log(c + d*x)*a**4*b**2*d**3*
n**2*x - 324*log(c + d*x)*a**4*b**2*d**3*n*x**2 - 132*log(c + d*x)*a**3*b*
*3*c*d**2*n**3 - 216*log(c + d*x)*a**3*b**3*c*d**2*n**2*x - 1134*log(c + d
*x)*a**3*b**3*d**3*n**3*x - 972*log(c + d*x)*a**3*b**3*d**3*n**2*x**2 - 10
8*log(c + d*x)*a**3*b**3*d**3*n*x**3 - 396*log(c + d*x)*a**2*b**4*c*d**2*n
**3*x - 216*log(c + d*x)*a**2*b**4*c*d**2*n**2*x**2 - 1134*log(c + d*x)*a*
*2*b**4*d**3*n**3*x**2 - 324*log(c + d*x)*a**2*b**4*d**3*n**2*x**3 - 39...
```

3.194 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result . . . 2238
Mathematica [B] (verified) . . . 2239
Rubi [A] (verified) . . . 2240
Maple [F] . . . 2242
Fricas [F] . . . 2242
Sympy [F(-1)] . . . 2242
Maxima [F] . . . 2243
Giac [F(-1)] . . . 2244
Mupad [F(-1)] . . . 2244
Reduce [F] . . . 2244

Optimal result

Integrand size = 45, antiderivative size = 770

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx \\
&= \frac{2AB(bc-ad)^2g^3n(a+bx)}{d^3i^2(c+dx)} - \frac{2B^2(bc-ad)^2g^3n^2(a+bx)}{d^3i^2(c+dx)} \\
&\quad + \frac{2B^2(bc-ad)^2g^3n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^3i^2(c+dx)} \\
&\quad - \frac{bB(bc-ad)g^3n(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{d^3i^2} \\
&\quad - \frac{3b(bc-ad)g^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^3i^2} \\
&\quad - \frac{(bc-ad)^2g^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^3i^2(c+dx)} \\
&\quad + \frac{b^3g^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2d^4i^2} \\
&\quad - \frac{6bB(bc-ad)^2g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i^2} \\
&\quad - \frac{3b(bc-ad)^2g^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i^2} \\
&\quad + \frac{bB^2(bc-ad)^2g^3n^2\log(c+dx)}{d^4i^2} \\
&\quad + \frac{bB(bc-ad)^2g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{b(c+dx)}{d(a+bx)}\right)}{d^4i^2} \\
&\quad - \frac{6bB^2(bc-ad)^2g^3n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2} \\
&\quad - \frac{6bB(bc-ad)^2g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2} \\
&\quad - \frac{bB^2(bc-ad)^2g^3n^2\operatorname{PolyLog}\left(2,\frac{b(c+dx)}{d(a+bx)}\right)}{d^4i^2} \\
&\quad + \frac{6bB^2(bc-ad)^2g^3n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^2}
\end{aligned}
$$

output

```
2*A*B*(-a*d+b*c)^2*g^3*n*(b*x+a)/d^3/i^2/(d*x+c)-2*B^2*(-a*d+b*c)^2*g^3*n^
2*(b*x+a)/d^3/i^2/(d*x+c)+2*B^2*(-a*d+b*c)^2*g^3*n*(b*x+a)*ln(e*((b*x+a)/(
d*x+c))^n)/d^3/i^2/(d*x+c)-b*B*(-a*d+b*c)*g^3*n*(b*x+a)*(A+B*ln(e*((b*x+a)
/(d*x+c))^n))/d^3/i^2-3*b*(-a*d+b*c)*g^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))^2/d^3/i^2-(-a*d+b*c)^2*g^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^
2/d^3/i^2/(d*x+c)+1/2*b^3*g^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/
d^4/i^2-6*b*B*(-a*d+b*c)^2*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+
b*c)/b/(d*x+c))/d^4/i^2-3*b*(-a*d+b*c)^2*g^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n
))^2*ln((-a*d+b*c)/b/(d*x+c))/d^4/i^2+b*B^2*(-a*d+b*c)^2*g^3*n^2*ln(d*x+c)
/d^4/i^2+b*B*(-a*d+b*c)^2*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(1-b*(d*
x+c)/d/(b*x+a))/d^4/i^2-6*b*B^2*(-a*d+b*c)^2*g^3*n^2*polylog(2,d*(b*x+a)/b
/(d*x+c))/d^4/i^2-6*b*B*(-a*d+b*c)^2*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^2-b*B^2*(-a*d+b*c)^2*g^3*n^2*polylog
(2,b*(d*x+c)/d/(b*x+a))/d^4/i^2+6*b*B^2*(-a*d+b*c)^2*g^3*n^2*polylog(3,d*(
b*x+a)/b/(d*x+c))/d^4/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 5850 vs. $2(770) = 1540$.

Time $= 7.73$ (sec) , antiderivative size $= 5850$, normalized size of antiderivative $= 7.60$

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x)^2,x]
```

output

```
Result too large to show
```

Rubi [A] (verified)

Time = 0.99 (sec) , antiderivative size = 640, normalized size of antiderivative = 0.83, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{g^3(bc-ad)^2\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)^2\int \left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^3}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3}-\frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^2}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}+\frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b}{d^3\left(b-\frac{d(a+bx)}{c+dx}\right)}-\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.^n}{d^3}\right.}{i^2}$$

$$\downarrow 2009$$

$$g^3(bc-ad)^2\left(\frac{b^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2d^4\left(b-\frac{d(a+bx)}{c+dx}\right)^2}-\frac{6bBn\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^4}-\frac{3b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)\right.\right.}{d^4}\right.$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x)^2,x]
```

output
```
((b*c - a*d)^2*g^3*((2*A*B*n*(a + b*x))/(d^3*(c + d*x)) - (2*B^2*n^2*(a +
b*x))/(d^3*(c + d*x)) + (2*B^2*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])
/(d^3*(c + d*x)) - (b*B*n*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])
)/(d^3*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) - ((a + b*x)*(A + B*Log[e*
((a + b*x)/(c + d*x))^n])^2)/(d^3*(c + d*x)) + (b^3*(A + B*Log[e*((a + b*x
)/(c + d*x))^n])^2)/(2*d^4*(b - (d*(a + b*x))/(c + d*x))^2) - (3*b*(a + b*
x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^3*(c + d*x)*(b - (d*(a + b
*x))/(c + d*x))) - (b*B^2*n^2*Log[b - (d*(a + b*x))/(c + d*x)])/d^4 - (6*b
*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c +
d*x))])/d^4 - (3*b*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a
+ b*x))/(b*(c + d*x))])/d^4 + (b*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/d^4 - (6*b*B^2*n^2*PolyLog[2, (d*(
a + b*x))/(b*(c + d*x))])/d^4 - (6*b*B*n*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 - (b*B^2*n^2*PolyLog[2,
 (b*(c + d*x))/(d*(a + b*x))])/d^4 + (6*b*B^2*n^2*PolyLog[3, (d*(a + b*x))
/(b*(c + d*x))])/d^4))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}dx = \int \frac{(bgx+ag)^3 \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x
, algorithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*
b^2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log(e*((b*x + a)/(d*x + c))
^n))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**
2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x
, algorithm="maxima")
```

output
```
2*A*B*a^3*g^3*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)
*i^2) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) + 1/2*(2*c^3/(d^5*i^2*x + c*
d^4*i^2) + 6*c^2*log(d*x + c)/(d^4*i^2) + (d*x^2 - 4*c*x)/(d^3*i^2))*A^2*b
^3*g^3 - 3*A^2*a*b^2*(c^2/(d^4*i^2*x + c*d^3*i^2) - x/(d^2*i^2) + 2*c*log(
d*x + c)/(d^3*i^2))*g^3 + 3*A^2*a^2*b*g^3*(c/(d^3*i^2*x + c*d^2*i^2) + log
(d*x + c)/(d^2*i^2)) - 2*A*B*a^3*g^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
)/(d^2*i^2*x + c*d*i^2) - A^2*a^3*g^3/(d^2*i^2*x + c*d*i^2) + 1/2*(B^2*b^3
*d^3*g^3*x^3 - 3*(b^3*c*d^2*g^3 - 2*a*b^2*d^3*g^3)*B^2*x^2 - 2*(2*b^3*c^2*
d*g^3 - 3*a*b^2*c*d^2*g^3)*B^2*x + 2*(b^3*c^3*g^3 - 3*a*b^2*c^2*d*g^3 + 3*
a^2*b*c*d^2*g^3 - a^3*d^3*g^3)*B^2 + 6*((b^3*c^2*d*g^3 - 2*a*b^2*c*d^2*g^3
 + a^2*b*d^3*g^3)*B^2*x + (b^3*c^3*g^3 - 2*a*b^2*c^2*d*g^3 + a^2*b*c*d^2*g
^3)*B^2)*log(d*x + c))*log((d*x + c)^n)^2/(d^5*i^2*x + c*d^4*i^2) - integr
ate(-(B^2*a^3*d^3*g^3*log(e)^2 + (B^2*b^3*d^3*g^3*log(e)^2 + 2*A*B*b^3*d^3
*g^3*log(e))*x^3 + 3*(B^2*a*b^2*d^3*g^3*log(e)^2 + 2*A*B*a*b^2*d^3*g^3*log
(e))*x^2 + (B^2*b^3*d^3*g^3*x^3 + 3*B^2*a*b^2*d^3*g^3*x^2 + 3*B^2*a^2*b*d^
3*g^3*x + B^2*a^3*d^3*g^3)*log((b*x + a)^n)^2 + 3*(B^2*a^2*b*d^3*g^3*log(e
)^2 + 2*A*B*a^2*b*d^3*g^3*log(e))*x + 2*(B^2*a^3*d^3*g^3*log(e) + (B^2*b^3
*d^3*g^3*log(e) + A*B*b^3*d^3*g^3)*x^3 + 3*(B^2*a*b^2*d^3*g^3*log(e) + A*B
*a*b^2*d^3*g^3)*x^2 + 3*(B^2*a^2*b*d^3*g^3*log(e) + A*B*a^2*b*d^3*g^3)*x)*
log((b*x + a)^n) - ((2*A*B*b^3*d^3*g^3 + (g^3*n + 2*g^3*log(e))*B^2*b^3...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^2,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output

```
(g**3*( - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**2 + 2*c*d
*x + d**2*x**2),x)*a*b**5*c**2*d**5 - 2*int((log(((a + b*x)**n*e)/(c + d*x
)**n)**2*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**5*c*d**6*x + 2*int((lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*
b**6*c**3*d**4 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**2
+ 2*c*d*x + d**2*x**2),x)*b**6*c**2*d**5*x - 6*int((log(((a + b*x)**n*e)/(
c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c**2*d**5
- 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*x + d**
2*x**2),x)*a**2*b**4*c*d**6*x + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)*
*2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**5*c**3*d**4 + 6*int((log(((a
 + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**
5*c**2*d**5*x - 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 + 2*
c*d*x + d**2*x**2),x)*a**3*b**3*c**2*d**5 - 6*int((log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**3*c*d**6*x + 6*i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),
x)*a**2*b**4*c**3*d**4 + 6*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(
c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c**2*d**5*x - 4*int((log(((a + b*
x)**n*e)/(c + d*x)**n)*x**3)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**4*c**
2*d**5 - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(c**2 + 2*c*d*x +
 d**2*x**2),x)*a**2*b**4*c*d**6*x + 4*int((log(((a + b*x)**n*e)/(c + d*...
```

3.195 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result . . . 2246
Mathematica [B] (verified) . . . 2247
Rubi [A] (verified) . . . 2248
Maple [F] . . . 2250
Fricas [F] . . . 2250
Sympy [F(-1)] . . . 2251
Maxima [F] . . . 2251
Giac [F] . . . 2252
Mupad [F(-1)] . . . 2253
Reduce [F] . . . 2253

Optimal result

Integrand size = 45, antiderivative size = 500

$$
\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx \\
&= -\frac{2AB(bc-ad)g^2n(a+bx)}{d^2i^2(c+dx)} + \frac{2B^2(bc-ad)g^2n^2(a+bx)}{d^2i^2(c+dx)} \\
&\quad - \frac{2B^2(bc-ad)g^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^2i^2(c+dx)} + \frac{bg^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2i^2} \\
&\quad + \frac{(bc-ad)g^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2i^2(c+dx)} \\
&\quad + \frac{2bB(bc-ad)g^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i^2} \\
&\quad + \frac{2b(bc-ad)g^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i^2} \\
&\quad + \frac{2bB^2(bc-ad)g^2n^2\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2} \\
&\quad + \frac{4bB(bc-ad)g^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2} \\
&\quad - \frac{4bB^2(bc-ad)g^2n^2\,\mathrm{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^2}
\end{aligned}
$$

output

```
-2*A*B*(-a*d+b*c)*g^2*n*(b*x+a)/d^2/i^2/(d*x+c)+2*B^2*(-a*d+b*c)*g^2*n^2*(
b*x+a)/d^2/i^2/(d*x+c)-2*B^2*(-a*d+b*c)*g^2*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c
))^n)/d^2/i^2/(d*x+c)+b*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^2/
i^2+(-a*d+b*c)*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^2/i^2/(d*x+
c)+2*b*B*(-a*d+b*c)*g^2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a*d+b*c)/b/
(d*x+c))/d^3/i^2+2*b*(-a*d+b*c)*g^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln((
-a*d+b*c)/b/(d*x+c))/d^3/i^2+2*b*B^2*(-a*d+b*c)*g^2*n^2*polylog(2,d*(b*x+a
)/b/(d*x+c))/d^3/i^2+4*b*B*(-a*d+b*c)*g^2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)*polylog(2,d*(b*x+a)/b/(d*x+c))/d^3/i^2-4*b*B^2*(-a*d+b*c)*g^2*n^2*polylo
g(3,d*(b*x+a)/b/(d*x+c))/d^3/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 3522 vs. $2(500) = 1000$.

Time $= 7.26$ (sec) , antiderivative size $= 3522$, normalized size of antiderivative $= 7.04$

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x)^2,x]
```

output

```
(b^2*g^2*x*(A + B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d
*x)]))^2)/(d^2*i^2) + (-(A^2*b^2*c^2*g^2) + 2*a*A^2*b*c*d*g^2 - a^2*A^2*d^
2*g^2 - 2*A*b^2*B*c^2*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x
)/(c + d*x)]) + 4*a*A*b*B*c*d*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[
(a + b*x)/(c + d*x)]) - 2*a^2*A*B*d^2*g^2*(Log[e*((a + b*x)/(c + d*x))^n]
 - n*Log[(a + b*x)/(c + d*x)]) - b^2*B^2*c^2*g^2*(Log[e*((a + b*x)/(c + d*x
))^n] - n*Log[(a + b*x)/(c + d*x)])^2 + 2*a*b*B^2*c*d*g^2*(Log[e*((a + b*x
)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2 - a^2*B^2*d^2*g^2*(Log[e*(
(a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2)/(d^3*i^2*(c + d*x
)) - (2*b*(b*c - a*d)*g^2*(A + B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(
a + b*x)/(c + d*x)]))^2*Log[c + d*x])/(d^3*i^2) + (2*a^2*B*g^2*n*(A + B*(L
og[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]))*(((c/d + x)*(
Log[c/d + x] + Log[c/d + x]^2))/((c + d*x)^2*Log[c/d + x]) + ((d*(a/b + x)
*Log[a/b + x])/((-c + (a*d)/b)^2*(1 - (d*(a/b + x))/(-c + (a*d)/b))) + Log
[1 - (d*(a/b + x))/(-c + (a*d)/b)]/(-c + (a*d)/b))/d - (-Log[a/b + x] + Lo
g[c/d + x] + Log[a/(c + d*x) + (b*x)/(c + d*x)])/(d*(c + d*x))))/i^2 + (2*
b^2*B*g^2*n*(A + B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c +
d*x)]))*(((a/b + x)*(-1 + Log[a/b + x]))/d^2 - ((c/d + x)*(-1 + Log[c/d +
x]))/d^2 + (c*Log[c/d + x]^2)/d^3 + (c^2*(1 + Log[c/d + x]))/(d^3*(c + d*x
)) + (c^2*(-(Log[a/b + x]/(d*(c + d*x))) + ((b*Log[a + b*x])/(b*c - a*d...
```

Rubi [A] (verified)

Time = 0.68 (sec) , antiderivative size = 411, normalized size of antiderivative = 0.82, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{g^2(bc-ad)\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g^2(bc-ad)\int\left(\frac{2b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2}+\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)^2}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow \text{2009}$$

$$\frac{g^2(bc-ad)\left(\frac{4bBn\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^3}+\frac{2bBn\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^3}+\frac{2b\log\left(1-\frac{d(a+bx}{b(c+dx}\right.\right.}{}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x)^2,x]
```

output

```
((b*c - a*d)*g^2*((-2*A*B*n*(a + b*x))/(d^2*(c + d*x)) + (2*B^2*n^2*(a + b
*x))/(d^2*(c + d*x)) - (2*B^2*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/
(d^2*(c + d*x)) + ((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^
2*(c + d*x)) + (b*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^2
*(c + d*x)*(b - (d*(a + b*x))/(c + d*x))) + (2*b*B*n*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 + (2*b*(A + B*
Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^
3 + (2*b*B^2*n^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^3 + (4*b*B*n*(
A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x
))])/d^3 - (4*b*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^3))/i^2
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(dix+ci)^2}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x
, algorithm="fricas")
```

output

```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log(e*((b*x + a)/(d*x + c
))^n))/(d^2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**2,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x, algorithm="maxima")
```

output

```
2*A*B*a^2*g^2*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)
*i^2) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) - A^2*b^2*(c^2/(d^4*i^2*x +
c*d^3*i^2) - x/(d^2*i^2) + 2*c*log(d*x + c)/(d^3*i^2))*g^2 + 2*A^2*a*b*g^2
*(c/(d^3*i^2*x + c*d^2*i^2) + log(d*x + c)/(d^2*i^2)) - 2*A*B*a^2*g^2*log(
e*(b*x/(d*x + c) + a/(d*x + c))^n)/(d^2*i^2*x + c*d*i^2) - A^2*a^2*g^2/(d^
2*i^2*x + c*d*i^2) + (B^2*b^2*d^2*g^2*x^2 + B^2*b^2*c*d*g^2*x - (b^2*c^2*g
^2 - 2*a*b*c*d*g^2 + a^2*d^2*g^2)*B^2 - 2*((b^2*c*d*g^2 - a*b*d^2*g^2)*B^2
*x + (b^2*c^2*g^2 - a*b*c*d*g^2)*B^2)*log(d*x + c))*log((d*x + c)^n)^2/(d^
4*i^2*x + c*d^3*i^2) - integrate(-(B^2*a^2*d^2*g^2*log(e)^2 + (B^2*b^2*d^2
*g^2*log(e)^2 + 2*A*B*b^2*d^2*g^2*log(e))*x^2 + (B^2*b^2*d^2*g^2*x^2 + 2*B
^2*a*b*d^2*g^2*x + B^2*a^2*d^2*g^2)*log((b*x + a)^n)^2 + 2*(B^2*a*b*d^2*g^
2*log(e)^2 + 2*A*B*a*b*d^2*g^2*log(e))*x + 2*(B^2*a^2*d^2*g^2*log(e) + (B^
2*b^2*d^2*g^2*log(e) + A*B*b^2*d^2*g^2)*x^2 + 2*(B^2*a*b*d^2*g^2*log(e) +
A*B*a*b*d^2*g^2)*x)*log((b*x + a)^n) + 2*((b^2*c^2*g^2*n - 2*a*b*c*d*g^2*n
 + (g^2*n - g^2*log(e))*a^2*d^2)*B^2 - (A*B*b^2*d^2*g^2 + (g^2*n + g^2*log
(e))*B^2*b^2*d^2)*x^2 - (2*A*B*a*b*d^2*g^2 + (b^2*c*d*g^2*n + 2*a*b*d^2*g^
2*log(e))*B^2)*x + 2*((b^2*c*d*g^2*n - a*b*d^2*g^2*n)*B^2*x + (b^2*c^2*g^2
*n - a*b*c*d*g^2*n)*B^2)*log(d*x + c) - (B^2*b^2*d^2*g^2*x^2 + 2*B^2*a*b*d
^2*g^2*x + B^2*a^2*d^2*g^2)*log((b*x + a)^n))*log((d*x + c)^n))/(d^4*i^2*x
^2 + 2*c*d^3*i^2*x + c^2*d^2*i^2), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x
, algorithm="giac")
```

output

```
integrate((b*g*x + a*g)^2*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x
+ c*i)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$
$$=\int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^2,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output

```
(g**2*( - int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*x
 + d**2*x**2),x)*a*b**4*c**2*d**4 - int((log(((a + b*x)**n*e)/(c + d*x)**n
)**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c*d**5*x + int((log(((a
+ b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**5*c
**3*d**3 + int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**2 + 2*c*d*
x + d**2*x**2),x)*b**5*c**2*d**4*x - 2*int((log(((a + b*x)**n*e)/(c + d*x)
**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c**2*d**4 - 2*int((lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**
2*b**3*c*d**5*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 +
2*c*d*x + d**2*x**2),x)*a*b**4*c**3*d**3 + 2*int((log(((a + b*x)**n*e)/(c
+ d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c**2*d**4*x - 2*in
t((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x
)*a**2*b**3*c**2*d**4 - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c
**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**3*c*d**5*x + 2*int((log(((a + b*x)**
n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**4*c**3*d**3
+ 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**2 + 2*c*d*x + d**2*x
**2),x)*a*b**4*c**2*d**4*x - 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/
(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**2*c**2*d**4 - 4*int((log(((a + b*x
)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**3*b**2*c*d**5*
x + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2...
```

3.196 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result . . . 2255
Mathematica [B] (verified) . . . 2256
Rubi [A] (verified) . . . 2257
Maple [F] . . . 2258
Fricas [F] . . . 2258
Sympy [F(-1)] . . . 2259
Maxima [F] . . . 2259
Giac [F] . . . 2260
Mupad [F(-1)] . . . 2260
Reduce [F] . . . 2261

Optimal result

Integrand size = 43, antiderivative size = 282

$$\begin{aligned}
&\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx \\
&= \frac{2ABgn(a+bx)}{di^2(c+dx)} - \frac{2B^2gn^2(a+bx)}{di^2(c+dx)} + \frac{2B^2gn(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{di^2(c+dx)} \\
&\quad - \frac{g(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{di^2(c+dx)} - \frac{bg\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^2i^2} \\
&\quad - \frac{2bBgn\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2} \\
&\quad + \frac{2bB^2gn^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^2i^2}
\end{aligned}$$

output

```
2*A*B*g*n*(b*x+a)/d/i^2/(d*x+c)-2*B^2*g*n^2*(b*x+a)/d/i^2/(d*x+c)+2*B^2*g*
n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/d/i^2/(d*x+c)-g*(b*x+a)*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))^2/d/i^2/(d*x+c)-b*g*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln
((-a*d+b*c)/b/(d*x+c))/d^2/i^2-2*b*B*g*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*p
olylog(2,d*(b*x+a)/b/(d*x+c))/d^2/i^2+2*b*B^2*g*n^2*polylog(3,d*(b*x+a)/b/
(d*x+c))/d^2/i^2
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1570 vs. $2(282) = 564$.

Time = 1.84 (sec) , antiderivative size = 1570, normalized size of antiderivative = 5.57

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i +
d*i*x)^2,x]
```

output

```
(g*((3*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*
x)/(c + d*x)])^2)/(c + d*x) + 3*b*(A + B*Log[e*((a + b*x)/(c + d*x))^n] -
B*n*Log[(a + b*x)/(c + d*x)])^2*Log[c + d*x] + (6*a*B*d*n*(-A - B*Log[e*((
a + b*x)/(c + d*x))^n] + B*n*Log[(a + b*x)/(c + d*x)])*(b*c - a*d + b*(c +
 d*x)*Log[a/b + x] + (-(b*c) + a*d)*Log[(a + b*x)/(c + d*x)] - b*c*Log[(b*
(c + d*x))/(b*c - a*d)] - b*d*x*Log[(b*(c + d*x))/(b*c - a*d)]))/((-(b*c)
+ a*d)*(c + d*x)) + 3*b*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Lo
g[(a + b*x)/(c + d*x)])*(-Log[c/d + x]^2 + 2*Log[c/d + x]*Log[c + d*x] + 2
*(-(c/(c + d*x)) + (b*c*Log[a + b*x])/(-(b*c) + a*d) + (b*c*Log[c + d*x])/
(b*c - a*d) - Log[a/b + x]*Log[c + d*x] + Log[(a + b*x)/(c + d*x)]*(c/(c +
 d*x) + Log[c + d*x]) + Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)]) + 2*P
olyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) - (3*a*B^2*d*n^2*(2*b*c - 2*a*d +
 2*b*(c + d*x)*Log[a + b*x] - 2*(b*c - a*d)*Log[(a + b*x)/(c + d*x)] - 2*b
*(c + d*x)*Log[a + b*x]*Log[(a + b*x)/(c + d*x)] + (b*c - a*d)*Log[(a + b*
x)/(c + d*x)]^2 - 2*b*(c + d*x)*Log[c + d*x] - 2*b*(c + d*x)*Log[(a + b*x)
/(c + d*x)]*Log[(b*c - a*d)/(b*c + b*d*x)] + b*(c + d*x)*(Log[a + b*x]*(Lo
g[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x)
)/(-(b*c) + a*d)]) + b*(c + d*x)*(Log[(b*c - a*d)/(b*c + b*d*x)]*(2*Log[(d
*(a + b*x))/(-(b*c) + a*d)] + Log[(b*c - a*d)/(b*c + b*d*x)]) - 2*PolyLog[
2, (b*(c + d*x))/(b*c - a*d)])))/((b*c - a*d)*(c + d*x)) + (b*B^2*n^2*(...
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 260, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2795$$

$$\frac{g\int\left(-\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d}-\frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d\left(\frac{d(a+bx)}{c+dx}-b\right)}\right)d\frac{a+bx}{c+dx}}{i^2}$$

$$\downarrow 2009$$

$$\frac{g\left(-\frac{2bBn\,\text{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^2}-\frac{b\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d^2}-\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right.}{d(c+dx)}\right.}{i^2}$$

input

```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*x)
^2,x]
```

output

```
(g*((2*A*B*n*(a + b*x))/(d*(c + d*x)) - (2*B^2*n^2*(a + b*x))/(d*(c + d*x)
) + (2*B^2*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d*(c + d*x)) - ((a
 + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d*(c + d*x)) - (b*(A +
B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/
d^2 - (2*b*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (d*(a + b
*x))/(b*(c + d*x))])/d^2 + (2*b*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d
*x))])/d^2))/i^2
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(dix+ci)^2}dx$$

input
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output
```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output
```
integral((A^2*b*g*x + A^2*a*g + (B^2*b*g*x + B^2*a*g)*log(e*((b*x + a)/(d*
x + c))^n)^2 + 2*(A*B*b*g*x + A*B*a*g)*log(e*((b*x + a)/(d*x + c))^n))/(d^
2*i^2*x^2 + 2*c*d*i^2*x + c^2*i^2), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output
```
2*A*B*a*g*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2
) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) + A^2*b*g*(c/(d^3*i^2*x + c*d^2*
i^2) + log(d*x + c)/(d^2*i^2)) - 2*A*B*a*g*log(e*(b*x/(d*x + c) + a/(d*x +
 c))^n)/(d^2*i^2*x + c*d*i^2) - A^2*a*g/(d^2*i^2*x + c*d*i^2) + ((b*c*g -
a*d*g)*B^2 + (B^2*b*d*g*x + B^2*b*c*g)*log(d*x + c))*log((d*x + c)^n)^2/(d
^3*i^2*x + c*d^2*i^2) - integrate(-(B^2*a*d*g*log(e)^2 + (B^2*b*d*g*x + B^
2*a*d*g)*log((b*x + a)^n)^2 + (B^2*b*d*g*log(e)^2 + 2*A*B*b*d*g*log(e))*x
+ 2*(B^2*a*d*g*log(e) + (B^2*b*d*g*log(e) + A*B*b*d*g)*x)*log((b*x + a)^n)
 - 2*((b*c*g*n - (g*n - g*log(e))*a*d)*B^2 + (B^2*b*d*g*log(e) + A*B*b*d*g
)*x + (B^2*b*d*g*n*x + B^2*b*c*g*n)*log(d*x + c) + (B^2*b*d*g*x + B^2*a*d*
g)*log((b*x + a)^n))*log((d*x + c)^n))/(d^3*i^2*x^2 + 2*c*d^2*i^2*x + c^2*
d*i^2), x)
```

Giac [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(bgx+ag)\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^2}\,dx$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output
```
integrate((b*g*x + a*g)*(B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/(d*i*x +
c*i)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \int \frac{(a\,g+b\,g\,x)\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^2}\,dx$$

input
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*x)
^2,x)
```

output
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*x)
^2, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output
```
(g*( - int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**
2*x**2),x)*a*b**3*c**2*d**3 - int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x
)/(c**2 + 2*c*d*x + d**2*x**2),x)*a*b**3*c*d**4*x + int((log(((a + b*x)**n
*e)/(c + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*b**4*c**3*d**2 + i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x)/(c**2 + 2*c*d*x + d**2*x**2),
x)*b**4*c**2*d**3*x - 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 +
 2*c*d*x + d**2*x**2),x)*a**2*b**2*c**2*d**3 - 2*int((log(((a + b*x)**n*e)
/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*a**2*b**2*c*d**4*x + 2*i
nt((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*c*d*x + d**2*x**2),x)*
a*b**3*c**3*d**2 + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(c**2 + 2*
c*d*x + d**2*x**2),x)*a*b**3*c**2*d**3*x + 2*log(a + b*x)*a**3*b*c*d**2*n
+ 2*log(a + b*x)*a**3*b*d**3*n*x - 2*log(a + b*x)*a**2*b**2*c*d**2*n**2 -
2*log(a + b*x)*a**2*b**2*d**3*n**2*x - log(c + d*x)*a**3*b*c**2*d - 2*log(
c + d*x)*a**3*b*c*d**2*n - log(c + d*x)*a**3*b*c*d**2*x - 2*log(c + d*x)*a
**3*b*d**3*n*x + log(c + d*x)*a**2*b**2*c**3 + log(c + d*x)*a**2*b**2*c**2
*d*x + 2*log(c + d*x)*a**2*b**2*c*d**2*n**2 + 2*log(c + d*x)*a**2*b**2*d**
3*n**2*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**2 + log(((
a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c*d**2*x - 2*log(((a + b*x)**n*e)/(
c + d*x)**n)*a**3*b*d**3*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**
2*c*d**2*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d**3*n*x - ...
```

3.197 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$

Optimal result . . . 2262
Mathematica [C] (verified) . . . 2263
Rubi [A] (verified) . . . 2263
Maple [A] (verified) . . . 2265
Fricas [A] (verification not implemented) . . . 2265
Sympy [F] . . . 2266
Maxima [B] (verification not implemented) . . . 2266
Giac [A] (verification not implemented) . . . 2267
Mupad [B] (verification not implemented) . . . 2268
Reduce [B] (verification not implemented) . . . 2268

Optimal result

Integrand size = 35, antiderivative size = 163

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = -\frac{2ABn(a+bx)}{(bc-ad)i^2(c+dx)} + \frac{2B^2n^2(a+bx)}{(bc-ad)i^2(c+dx)} - \frac{2B^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)i^2(c+dx)} + \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)i^2(c+dx)}$$

output

```
-2*A*B*n*(b*x+a)/(-a*d+b*c)/i^2/(d*x+c)+2*B^2*n^2*(b*x+a)/(-a*d+b*c)/i^2/(
d*x+c)-2*B^2*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)/i^2/(d*x+c)+(b
*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/i^2/(d*x+c)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.43 (sec) , antiderivative size = 331, normalized size of antiderivative = 2.03

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$

$$=\frac{-\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+\frac{Bn\left(2(bc-ad)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+2b(c+dx)\log(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)-2b(c+dx)\left(A+\right.\right.}{}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x)^2,x]
```

output
```
(-(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (B*n*(2*(b*c - a*d)*(A + B*Lo
g[e*((a + b*x)/(c + d*x))^n]) + 2*b*(c + d*x)*Log[a + b*x]*(A + B*Log[e*((
a + b*x)/(c + d*x))^n]) - 2*b*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))
^n])*Log[c + d*x] - 2*B*n*(b*c - a*d + b*(c + d*x)*Log[a + b*x] - b*(c + d
*x)*Log[c + d*x]) - b*B*n*(c + d*x)*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b
*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) +
b*B*n*(c + d*x)*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[
c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(b*c - a*d))/(d*i^2*
(c + d*x))
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 119, normalized size of antiderivative = 0.73, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2951, 2733, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^2}\,dx$$

$$\downarrow 2951$$

$$\frac{\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2733$$

$$\frac{\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\int\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2009$$

$$\frac{\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx}-\frac{Bn(a+bx)}{c+dx}\right)}{i^2(bc-ad)}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x)^2,x]
```

output
```
(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*x) - 2*B*n*((
A*(a + b*x))/(c + d*x) - (B*n*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[e*((
a + b*x)/(c + d*x))^n])/(c + d*x)))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2951
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [A] (verified)

Time = 2.22 (sec) , antiderivative size = 294, normalized size of antiderivative = 1.80

method	result
parallelrisch	$-\frac{-2ABab\,d^3n^2+2AB\,b^2c\,d^2n^2-2B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab\,d^3n^2+B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2b^2d^3n-2B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^2d^3n^2+}{i^2(}$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x,method=_RETURNVERBOS
E)
```

output
```
-(-2*A*B*a*b*d^3*n^2+2*A*B*b^2*c*d^2*n^2-2*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a
*b*d^3*n^2+B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^2*d^3*n-2*B^2*x*ln(e*((b*x+
a)/(d*x+c))^n)*b^2*d^3*n^2+2*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^2*d^3*n+2*A
*B*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d^3*n+2*B^2*a*b*d^3*n^3-2*B^2*b^2*c*d^2*n
^3+A^2*a*b*d^3*n-A^2*b^2*c*d^2*n+B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*d^3*n
)/i^2/(d*x+c)/b/d^3/n/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 263, normalized size of antiderivative = 1.61

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx =$$
$$-\frac{A^2bc-A^2ad+2\left(B^2bc-B^2ad\right)n^2+\left(B^2bc-B^2ad\right)\log\left(e\right)^2-\left(B^2bdn^2x+B^2adn^2\right)\log\left(\frac{bx+a}{dx+c}\right)^2-2\,(}{}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x, algorithm="f
ricas")
```

output
```
-(A^2*b*c - A^2*a*d + 2*(B^2*b*c - B^2*a*d)*n^2 + (B^2*b*c - B^2*a*d)*log(
e)^2 - (B^2*b*d*n^2*x + B^2*a*d*n^2)*log((b*x + a)/(d*x + c))^2 - 2*(A*B*b
*c - A*B*a*d)*n + 2*(A*B*b*c - A*B*a*d - (B^2*b*c - B^2*a*d)*n - (B^2*b*d*
n*x + B^2*a*d*n)*log((b*x + a)/(d*x + c)))*log(e) + 2*(B^2*a*d*n^2 - A*B*a
*d*n + (B^2*b*d*n^2 - A*B*b*d*n)*x)*log((b*x + a)/(d*x + c)))/((b*c*d^2 -
a*d^3)*i^2*x + (b*c^2*d - a*c*d^2)*i^2)
```

Sympy [F]

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{\int \frac{A^2}{c^2+2cdx+d^2x^2}\,dx + \int \frac{B^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c^2+2cdx+d^2x^2}\,dx + \int \frac{2AB\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c^2+2cdx+d^2x^2}\,dx}{i^2}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**2,x)
```

output
```
(Integral(A**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(B**2*log(e*(a/(
c + d*x) + b*x/(c + d*x))**n)**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integr
al(2*A*B*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**2 + 2*c*d*x + d**2*x*
*2), x))/i**2
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 428 vs. $2(163) = 326$.

Time $= 0.05$ (sec) , antiderivative size $= 428$, normalized size of antiderivative $= 2.63$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= 2\,ABn\left(\frac{1}{d^2i^2x+cdi^2} + \frac{b\log(bx+a)}{(bcd-ad^2)i^2} - \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right)$$
$$+\left(2\,n\left(\frac{1}{d^2i^2x+cdi^2} + \frac{b\log(bx+a)}{(bcd-ad^2)i^2} - \frac{b\log(dx+c)}{(bcd-ad^2)i^2}\right)\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right) - \frac{((bdx+bc)\log$$
$$-\frac{B^2\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)^2}{d^2i^2x+cdi^2} - \frac{2\,AB\log\left(e\left(\frac{bx}{dx+c}+\frac{a}{dx+c}\right)^n\right)}{d^2i^2x+cdi^2} - \frac{A^2}{d^2i^2x+cdi^2}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x, algorithm="m
axima")
```

output
```
2*A*B*n*(1/(d^2*i^2*x + c*d*i^2) + b*log(b*x + a)/((b*c*d - a*d^2)*i^2) -
b*log(d*x + c)/((b*c*d - a*d^2)*i^2)) + (2*n*(1/(d^2*i^2*x + c*d*i^2) + b*
log(b*x + a)/((b*c*d - a*d^2)*i^2) - b*log(d*x + c)/((b*c*d - a*d^2)*i^2))
*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - ((b*d*x + b*c)*log(b*x + a)^2 +
(b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*a*d + 2*(b*d*x + b*c)*log(b*x + a
) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*x + a))*log(d*x + c))*n^2/(b*c^2*
d*i^2 - a*c*d^2*i^2 + (b*c*d^2*i^2 - a*d^3*i^2)*x))*B^2 - B^2*log(e*(b*x/(
d*x + c) + a/(d*x + c))^n)^2/(d^2*i^2*x + c*d*i^2) - 2*A*B*log(e*(b*x/(d*x
 + c) + a/(d*x + c))^n)/(d^2*i^2*x + c*d*i^2) - A^2/(d^2*i^2*x + c*d*i^2)
```

Giac [A] (verification not implemented)

Time = 0.81 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.07

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \left(\frac{(bx+a)B^2n^2\log\left(\frac{bx+a}{dx+c}\right)^2}{(dx+c)i^2} - \frac{2\left(B^2n^2 - B^2n\log(e) - ABn\right)(bx+a)\log\left(\frac{bx+a}{dx+c}\right)}{(dx+c)i^2} + \frac{\left(2\,B^2n^2 - 2\,B^2n\log\right.\right.$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x, algorithm="g
iac")
```

output
```
((b*x + a)*B^2*n^2*log((b*x + a)/(d*x + c))^2/((d*x + c)*i^2) - 2*(B^2*n^2
 - B^2*n*log(e) - A*B*n)*(b*x + a)*log((b*x + a)/(d*x + c))/((d*x + c)*i^2
) + (2*B^2*n^2 - 2*B^2*n*log(e) + B^2*log(e)^2 - 2*A*B*n + 2*A*B*log(e) +
A^2)*(b*x + a)/((d*x + c)*i^2))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.82 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.45

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx = \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{2B^2n}{xd^2i^2+cdi^2}-\frac{2AB}{xd^2i^2+cdi^2}\right) - \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2\left(\frac{B^2}{d\left(ci^2+di^2x\right)} + \frac{B^2b}{di^2\left(ad-bc\right)}\right) - \frac{A^2-2ABn+2B^2n^2}{xd^2i^2+cdi^2} + \frac{Bbn\operatorname{atan}\left(\frac{\left(2bdx+\frac{ad^2i^2+bcdi^2}{di^2}\right)1\mathrm{i}}{ad-bc}\right)(A-Bn)\,4\mathrm{i}}{di^2\left(ad-bc\right)}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/(c*i + d*i*x)^2,x)
```

output
```
log(e*((a + b*x)/(c + d*x))^n)*((2*B^2*n)/(d^2*i^2*x + c*d*i^2) - (2*A*B)/
(d^2*i^2*x + c*d*i^2)) - log(e*((a + b*x)/(c + d*x))^n)^2*(B^2/(d*(c*i^2 +
 d*i^2*x)) + (B^2*b)/(d*i^2*(a*d - b*c))) - (A^2 + 2*B^2*n^2 - 2*A*B*n)/(d
^2*i^2*x + c*d*i^2) + (B*b*n*atan(((2*b*d*x + (a*d^2*i^2 + b*c*d*i^2)/(d*i
^2))*1i)/(a*d - b*c))*(A - B*n)*4i)/(d*i^2*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 370, normalized size of antiderivative = 2.27

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^2}\,dx$$
$$= \frac{2\log(bx+a)\,a^2bcn+2\log(bx+a)\,a^2bdnx-2\log(bx+a)\,ab^2cn^2-2\log(bx+a)\,ab^2dn^2x-2\log(dx+$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^2,x)
```

output

```
(2*log(a + b*x)*a**2*b*c*n + 2*log(a + b*x)*a**2*b*d*n*x - 2*log(a + b*x)*
a*b**2*c*n**2 - 2*log(a + b*x)*a*b**2*d*n**2*x - 2*log(c + d*x)*a**2*b*c*n
 - 2*log(c + d*x)*a**2*b*d*n*x + 2*log(c + d*x)*a*b**2*c*n**2 + 2*log(c +
d*x)*a*b**2*d*n**2*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c + lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*x - 2*log(((a + b*x)**n*e)/(c +
 d*x)**n)*a**2*b*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c*x + 2
*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d*n*x - 2*log(((a + b*x)**n*e)/
(c + d*x)**n)*b**3*c*n*x - a**3*d*x + a**2*b*c*x + 2*a**2*b*d*n*x - 2*a*b*
*2*c*n*x - 2*a*b**2*d*n**2*x + 2*b**3*c*n**2*x)/(c*(a*c*d + a*d**2*x - b*c
**2 - b*c*d*x))
```

3.198 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$

Optimal result . . . 2270
Mathematica [B] (verified) . . . 2271
Rubi [A] (warning: unable to verify) . . . 2272
Maple [B] (verified) . . . 2275
Fricas [A] (verification not implemented) . . . 2275
Sympy [F(-1)] . . . 2276
Maxima [B] (verification not implemented) . . . 2276
Giac [A] (verification not implemented) . . . 2277
Mupad [B] (verification not implemented) . . . 2278
Reduce [B] (verification not implemented) . . . 2279

Optimal result

Integrand size = 45, antiderivative size = 231

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx &= \frac{2ABdn(a+bx)}{(bc-ad)^2gi^2(c+dx)} - \frac{2B^2dn^2(a+bx)}{(bc-ad)^2gi^2(c+dx)} \\ &+ \frac{2B^2dn(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^2gi^2(c+dx)} \\ &- \frac{d(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^2gi^2(c+dx)} \\ &+ \frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^2gi^2n}\end{aligned}$$

output

```
2*A*B*d*n*(b*x+a)/(-a*d+b*c)^2/g/i^2/(d*x+c)-2*B^2*d*n^2*(b*x+a)/(-a*d+b*c
)^2/g/i^2/(d*x+c)+2*B^2*d*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^2
/g/i^2/(d*x+c)-d*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/g/
i^2/(d*x+c)+1/3*b*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)^2/g/i^2/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 789 vs. $2(231) = 462$.

Time $= 0.76$ (sec) , antiderivative size $= 789$, normalized size of antiderivative $= 3.42$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$= \frac{bB^2n^2\log^3\left(\frac{a+bx}{c+dx}\right)}{3(bc-ad)^2gi^2} - \frac{2Bn\log\left(\frac{a+bx}{c+dx}\right)\left(-A+Bn-B\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)\right)}{(bc-ad)gi^2(c+dx)}$$

$$+\frac{\log^2\left(\frac{a+bx}{c+dx}\right)\left(AbBcn - aB^2dn^2 + AbBdnx - bB^2dn^2x + bB^2cn\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right) + bB^2\right.}{(bc-ad)^2gi^2(c+dx)}$$

$$+\frac{A^2 - 2ABn + 2B^2n^2 + 2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right) - 2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right)}{(bc-ad)gi^2(c+dx)}$$

$$+\frac{b\log(a+bx)\left(A^2 - 2ABn + 2B^2n^2 + 2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right) - 2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-\right.\right.}{(bc-ad)^2gi^2}$$

$$-\frac{b\left(A^2 - 2ABn + 2B^2n^2 + 2AB\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right) - 2B^2n\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)-n\log\left(\frac{a+bx}{c+dx}\right)\right.\right.}{(bc-ad)^2gi^2}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d
*i*x)^2),x]
```

output

```
(b*B^2*n^2*Log[(a + b*x)/(c + d*x)]^3)/(3*(b*c - a*d)^2*g*i^2) - (2*B*n*Lo
g[(a + b*x)/(c + d*x)]*(-A + B*n - B*(Log[e*((a + b*x)/(c + d*x))^n] - n*L
og[(a + b*x)/(c + d*x)])))/((b*c - a*d)*g*i^2*(c + d*x)) + (Log[(a + b*x)/
(c + d*x)]^2*(A*b*B*c*n - a*B^2*d*n^2 + A*b*B*d*n*x - b*B^2*d*n^2*x + b*B^
2*c*n*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + b*B^
2*d*n*x*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])))/((
b*c - a*d)^2*g*i^2*(c + d*x)) + (A^2 - 2*A*B*n + 2*B^2*n^2 + 2*A*B*(Log[e*
((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - 2*B^2*n*(Log[e*((
a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + B^2*(Log[e*((a + b*
x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2)/((b*c - a*d)*g*i^2*(c +
d*x)) + (b*Log[a + b*x]*(A^2 - 2*A*B*n + 2*B^2*n^2 + 2*A*B*(Log[e*((a + b*
x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - 2*B^2*n*(Log[e*((a + b*x)
/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + B^2*(Log[e*((a + b*x)/(c +
d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2))/((b*c - a*d)^2*g*i^2) - (b*(A^2
 - 2*A*B*n + 2*B^2*n^2 + 2*A*B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a
+ b*x)/(c + d*x)]) - 2*B^2*n*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a +
b*x)/(c + d*x)]) + B^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(
c + d*x)])^2)*Log[c + d*x])/((b*c - a*d)^2*g*i^2)
```

Rubi [A] (warning: unable to verify)

Time = 0.54 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.65, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2961, 2788, 2733, 2009, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}\,d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{gi^2(bc-ad)^2}$$

$$\downarrow 2733$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx} - 2Bn\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d\frac{a+bx}{c+dx}\right)}{gi^2(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx} - d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx} - 2Bn\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx} - \right.\right.}{gi^2(bc-ad)^2}$$

$$\downarrow 2739$$

$$\frac{b\int \frac{(a+bx)^2}{(c+dx)^2}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn} - d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx} - 2Bn\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx} - \frac{Bn(a+}{c+dx}\right.\right.$$

$$\downarrow 15$$

$$\frac{\frac{b(a+bx)^3}{3Bn(c+dx)^3} - d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx} - 2Bn\left(\frac{A(a+bx)}{c+dx} + \frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx} - \frac{Bn(a+bx)}{c+dx}\right)\right)}{gi^2(bc-ad)^2}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d*i*x)^
2),x]
```

output

```
((b*(a + b*x)^3)/(3*B*n*(c + d*x)^3) - d*(((a + b*x)*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])^2)/(c + d*x) - 2*B*n*((A*(a + b*x))/(c + d*x) - (B*n*(a
+ b*x))/(c + d*x) + (B*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(c + d*x)
)))/((b*c - a*d)^2*g*i^2)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2788
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 508 vs. 2(229) = 458.

Time = 4.60 (sec) , antiderivative size = 509, normalized size of antiderivative = 2.20

method	result
parallelrisch	$\frac{-6ABx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3d^4n-6AB\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab^2d^4n-6B^2ab^2d^4n^3+6B^2b^3cd^3n^3-3A^2ab^2d^4n+3A^2b^3cd^3n+B^2xl}$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x,method=_
RETURNVERBOSE)
```

output
```
1/3*(-6*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^4*n-6*A*B*ln(e*((b*x+a)/(d*x
+c))^n)*a*b^2*d^4*n-6*B^2*a*b^2*d^4*n^3+6*B^2*b^3*c*d^3*n^3-3*A^2*a*b^2*d^
4*n+3*A^2*b^3*c*d^3*n+B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*b^3*d^4+B^2*ln(e*(
(b*x+a)/(d*x+c))^n)^3*b^3*c*d^3+3*A^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^4+
3*A^2*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c*d^3+6*A*B*a*b^2*d^4*n^2-6*A*B*b^3*c*
d^3*n^2-3*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*d^4*n+6*B^2*x*ln(e*((b*x+a
)/(d*x+c))^n)*b^3*d^4*n^2+3*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*d^4-3*B^
2*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^2*d^4*n+6*B^2*ln(e*((b*x+a)/(d*x+c))^n)*
a*b^2*d^4*n^2+3*A*B*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*c*d^3)/i^2/g/(d*x+c)/(
a^2*d^2-2*a*b*c*d+b^2*c^2)/b^2/d^3/n
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 432, normalized size of antiderivative = 1.87

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{3\,A^2bc-3\,A^2ad+\left(B^2bdn^2x+B^2bcn^2\right)\log\left(\frac{bx+a}{dx+c}\right)^3+6\left(B^2bc-B^2ad\right)n^2+3\left(B^2bc-B^2ad+\left(B^2bdx+\right.\right.}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x,
algorithm="fricas")
```

output
```
1/3*(3*A^2*b*c - 3*A^2*a*d + (B^2*b*d*n^2*x + B^2*b*c*n^2)*log((b*x + a)/(
d*x + c))^3 + 6*(B^2*b*c - B^2*a*d)*n^2 + 3*(B^2*b*c - B^2*a*d + (B^2*b*d*
x + B^2*b*c)*log((b*x + a)/(d*x + c)))*log(e)^2 - 3*(B^2*a*d*n^2 - A*B*b*c
*n + (B^2*b*d*n^2 - A*B*b*d*n)*x)*log((b*x + a)/(d*x + c))^2 - 6*(A*B*b*c
- A*B*a*d)*n + 3*(2*A*B*b*c - 2*A*B*a*d + (B^2*b*d*n*x + B^2*b*c*n)*log((b
*x + a)/(d*x + c))^2 - 2*(B^2*b*c - B^2*a*d)*n - 2*(B^2*a*d*n - A*B*b*c +
(B^2*b*d*n - A*B*b*d)*x)*log((b*x + a)/(d*x + c)))*log(e) + 3*(2*B^2*a*d*n
^2 - 2*A*B*a*d*n + A^2*b*c + (2*B^2*b*d*n^2 - 2*A*B*b*d*n + A^2*b*d)*x)*lo
g((b*x + a)/(d*x + c)))/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*g*i^2*x + (b^
2*c^3 - 2*a*b*c^2*d + a^2*c*d^2)*g*i^2)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)/(d*i*x+c*i)**2,x
)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1014 vs. $2(229) = 458$.

Time = 0.10 (sec) , antiderivative size = 1014, normalized size of antiderivative = 4.39

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x,
algorithm="maxima")
```

output

```
B^2*(1/((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/
((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b
*c*d + a^2*d^2)*g*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2 + 2*A*B*(
1/((b*c*d - a*d^2)*g*i^2*x + (b*c^2 - a*c*d)*g*i^2) + b*log(b*x + a)/((b^2
*c^2 - 2*a*b*c*d + a^2*d^2)*g*i^2) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d
+ a^2*d^2)*g*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + 1/3*(((b*d*x +
 b*c)*log(b*x + a)^3 - (b*d*x + b*c)*log(d*x + c)^3 + 3*(b*d*x + b*c)*log(
b*x + a)^2 + 3*(b*d*x + b*c + (b*d*x + b*c)*log(b*x + a))*log(d*x + c)^2 +
 6*b*c - 6*a*d + 6*(b*d*x + b*c)*log(b*x + a) - 3*(2*b*d*x + (b*d*x + b*c)
*log(b*x + a)^2 + 2*b*c + 2*(b*d*x + b*c)*log(b*x + a))*log(d*x + c))*n^2/
(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 + a^2*c*d^2*g*i^2 + (b^2*c^2*d*g*i^2 -
2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x) - 3*((b*d*x + b*c)*log(b*x + a)^2 +
(b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*a*d + 2*(b*d*x + b*c)*log(b*x + a
) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*x + a))*log(d*x + c))*n*log(e*(b*
x/(d*x + c) + a/(d*x + c))^n)/(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 + a^2*c*d
^2*g*i^2 + (b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x))*B^2 -
 ((b*d*x + b*c)*log(b*x + a)^2 + (b*d*x + b*c)*log(d*x + c)^2 + 2*b*c - 2*
a*d + 2*(b*d*x + b*c)*log(b*x + a) - 2*(b*d*x + b*c + (b*d*x + b*c)*log(b*
x + a))*log(d*x + c))*A*B*n/(b^2*c^3*g*i^2 - 2*a*b*c^2*d*g*i^2 + a^2*c*d^2
*g*i^2 + (b^2*c^2*d*g*i^2 - 2*a*b*c*d^2*g*i^2 + a^2*d^3*g*i^2)*x) + A^2...
```

Giac [A] (verification not implemented)

Time = 0.69 (sec) , antiderivative size = 368, normalized size of antiderivative = 1.59

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{1}{3}\left(\frac{B^2bn^2\log\left(\frac{bx+a}{dx+c}\right)^3}{bcgi^2 - adgi^2} - 3\left(\frac{(bx+a)B^2dn^2}{(bcgi^2 - adgi^2)(dx+c)} - \frac{B^2bn\log(e) + ABbn}{bcgi^2 - adgi^2}\right)\log\left(\frac{bx+a}{dx+c}\right)^2 + \frac{3\left(B^2b\right.}{}\right.$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x,
algorithm="giac")
```

output

```
1/3*(B^2*b*n^2*log((b*x + a)/(d*x + c))^3/(b*c*g*i^2 - a*d*g*i^2) - 3*((b*
x + a)*B^2*d*n^2/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)) - (B^2*b*n*log(e) + A
*B*b*n)/(b*c*g*i^2 - a*d*g*i^2))*log((b*x + a)/(d*x + c))^2 + 3*(B^2*b*log
(e)^2 + 2*A*B*b*log(e) + A^2*b)*log((b*x + a)/(d*x + c))/(b*c*g*i^2 - a*d*
g*i^2) + 6*(B^2*d*n^2 - B^2*d*n*log(e) - A*B*d*n)*(b*x + a)*log((b*x + a)/
(d*x + c))/((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)) - 3*(2*B^2*d*n^2 - 2*B^2*d*
n*log(e) + B^2*d*log(e)^2 - 2*A*B*d*n + 2*A*B*d*log(e) + A^2*d)*(b*x + a)/
((b*c*g*i^2 - a*d*g*i^2)*(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^
2)
```

Mupad [B] (verification not implemented)

Time = 27.23 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.58

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx$$
$$= \frac{B^2\,b\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^3}{3\,g\,i^2\,n\,(a\,d-b\,c)^2} - \frac{A^2-2\,A\,B\,n+2\,B^2\,n^2}{(a\,d-b\,c)\,(c\,g\,i^2+d\,g\,i^2\,x)} - \frac{2\,B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\,(A-B\,n)}{(a\,d-b\,c)\,(c\,g\,i^2+d\,g\,i^2\,x)}$$
$$- \ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)^2\left(\frac{B^2}{(a\,d-b\,c)\,(c\,g\,i^2+d\,g\,i^2\,x)} - \frac{B\,b\,(A-B\,n)}{g\,i^2\,n\,(a\,d-b\,c)^2}\right)$$
$$- \frac{b\,\mathrm{atan}\left(\frac{b\left(2\,b\,d\,x+\frac{a^2\,d^2\,g\,i^2-b^2\,c^2\,g\,i^2}{g\,i^2\,(a\,d-b\,c)}\right)\,\left(A^2-2\,A\,B\,n+2\,B^2\,n^2\right)\,1\mathrm{i}}{(a\,d-b\,c)\,(b\,A^2-2\,b\,A\,B\,n+2\,b\,B^2\,n^2)}\right)\,\left(A^2-2\,A\,B\,n+2\,B^2\,n^2\right)\,2\mathrm{i}}{g\,i^2\,(a\,d-b\,c)^2}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)*(c*i + d*i*x)^
2),x)
```

output

```
(B^2*b*log(e*((a + b*x)/(c + d*x))^n)^3)/(3*g*i^2*n*(a*d - b*c)^2) - (A^2
+ 2*B^2*n^2 - 2*A*B*n)/((a*d - b*c)*(c*g*i^2 + d*g*i^2*x)) - (2*B*log(e*((
a + b*x)/(c + d*x))^n)*(A - B*n))/((a*d - b*c)*(c*g*i^2 + d*g*i^2*x)) - (b
*atan((b*(2*b*d*x + (a^2*d^2*g*i^2 - b^2*c^2*g*i^2)/(g*i^2*(a*d - b*c)))*(
A^2 + 2*B^2*n^2 - 2*A*B*n)*1i)/((a*d - b*c)*(A^2*b + 2*B^2*b*n^2 - 2*A*B*b
*n)))*(A^2 + 2*B^2*n^2 - 2*A*B*n)*2i)/(g*i^2*(a*d - b*c)^2) - log(e*((a +
b*x)/(c + d*x))^n)^2*(B^2/((a*d - b*c)*(c*g*i^2 + d*g*i^2*x)) - (B*b*(A -
B*n))/(g*i^2*n*(a*d - b*c)^2))
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 640, normalized size of antiderivative = 2.77

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^2,x)
```

output

```
( - 3*log(a + b*x)*a**2*b*c**2*n + 6*log(a + b*x)*a**2*b*c*d*n**2 - 3*log(
a + b*x)*a**2*b*c*d*n*x + 6*log(a + b*x)*a**2*b*d**2*n**2*x - 6*log(a + b*
x)*a*b**2*c*d*n**3 - 6*log(a + b*x)*a*b**2*d**2*n**3*x + 3*log(c + d*x)*a*
*2*b*c**2*n - 6*log(c + d*x)*a**2*b*c*d*n**2 + 3*log(c + d*x)*a**2*b*c*d*n
*x - 6*log(c + d*x)*a**2*b*d**2*n**2*x + 6*log(c + d*x)*a*b**2*c*d*n**3 +
6*log(c + d*x)*a*b**2*d**2*n**3*x - log(((a + b*x)**n*e)/(c + d*x)**n)**3*
b**3*c**2 - log(((a + b*x)**n*e)/(c + d*x)**n)**3*b**3*c*d*x - 3*log(((a +
 b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c**2 + 3*log(((a + b*x)**n*e)/(c + d*x
)**n)**2*a*b**2*c*d*n - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c*d
*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*d*n*x - 6*log(((a + b*
x)**n*e)/(c + d*x)**n)*a**2*b*d**2*n*x + 6*log(((a + b*x)**n*e)/(c + d*x)*
*n)*a*b**2*c*d*n*x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d**2*n**2
*x - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*d*n**2*x - 3*a**3*d**2*n*
x + 3*a**2*b*c*d*n*x + 6*a**2*b*d**2*n**2*x - 6*a*b**2*c*d*n**2*x - 6*a*b*
*2*d**2*n**3*x + 6*b**3*c*d*n**3*x)/(3*c*g*n*(a**2*c*d**2 + a**2*d**3*x -
2*a*b*c**2*d - 2*a*b*c*d**2*x + b**2*c**3 + b**2*c**2*d*x))
```

3.199 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$

Optimal result . . . 2280
Mathematica [B] (verified) . . . 2281
Rubi [A] (verified) . . . 2282
Maple [B] (verified) . . . 2284
Fricas [B] (verification not implemented) . . . 2285
Sympy [F(-1)] . . . 2286
Maxima [B] (verification not implemented) . . . 2287
Giac [F(-1)] . . . 2288
Mupad [F(-1)] . . . 2288
Reduce [B] (verification not implemented) . . . 2288

Optimal result

Integrand size = 45, antiderivative size = 392

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx &= -\frac{2ABd^2n(a+bx)}{(bc-ad)^3g^2i^2(c+dx)}+\frac{2B^2d^2n^2(a+bx)}{(bc-ad)^3g^2i^2(c+dx)}\\ &\quad-\frac{2b^2B^2n^2(c+dx)}{(bc-ad)^3g^2i^2(a+bx)}\\ &\quad-\frac{2B^2d^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^3g^2i^2(c+dx)}\\ &\quad-\frac{2b^2Bn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^3g^2i^2(a+bx)}\\ &\quad+\frac{d^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^3g^2i^2(c+dx)}\\ &\quad-\frac{b^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^3g^2i^2(a+bx)}\\ &\quad-\frac{2bd\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^3g^2i^2n}\end{aligned}$$

output

```
-2*A*B*d^2*n*(b*x+a)/(-a*d+b*c)^3/g^2/i^2/(d*x+c)+2*B^2*d^2*n^2*(b*x+a)/(-
a*d+b*c)^3/g^2/i^2/(d*x+c)-2*b^2*B^2*n^2*(d*x+c)/(-a*d+b*c)^3/g^2/i^2/(b*x
+a)-2*B^2*d^2*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^3/g^2/i^2/(d*
x+c)-2*b^2*B*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g^2/i^
2/(b*x+a)+d^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^2/i
^2/(d*x+c)-b^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^3/g^2/
i^2/(b*x+a)-2/3*b*d*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)^3/g^2/i
^2/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 870 vs. $2(392) = 784$.

Time $= 1.12$ (sec) , antiderivative size $= 870$, normalized size of antiderivative $= 2.22$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx =$$

$$-\frac{2bB^2dn^2(a+bx)(c+dx)\log^3\left(\frac{a+bx}{c+dx}\right) + 3Bn\log^2\left(\frac{a+bx}{c+dx}\right)\left(2aAbcd + b^2Bc^2n - a^2Bd^2n + 2Ab^2cdx + 2\right.}{}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i +
 d*i*x)^2),x]
```

output

```
-1/3*(2*b*B^2*d*n^2*(a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^3 + 3*B*n
*Log[(a + b*x)/(c + d*x)]^2*(2*a*A*b*c*d + b^2*B*c^2*n - a^2*B*d^2*n + 2*A
*b^2*c*d*x + 2*a*A*b*d^2*x + 2*b^2*B*c*d*n*x - 2*a*b*B*d^2*n*x + 2*A*b^2*d
^2*x^2 + 2*b*B*d*(a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n] - 2*b*
B*d*n*(a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]) + 6*B*(b*c - a*d)*n*Lo
g[(a + b*x)/(c + d*x)]*(A*b*c + a*A*d + b*B*c*n - a*B*d*n + 2*A*b*d*x + B*
(a*d + b*(c + 2*d*x))*Log[e*((a + b*x)/(c + d*x))^n] - B*n*(b*c + a*d + 2*
b*d*x)*Log[(a + b*x)/(c + d*x)]) + 6*b*d*(a + b*x)*(c + d*x)*Log[a + b*x]*
(A^2 + 2*B^2*n^2 + 2*A*B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)
/(c + d*x)]) + B^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c +
d*x)])^2) + 3*b*(b*c - a*d)*(c + d*x)*(A^2 + 2*A*B*n + 2*B^2*n^2 + B^2*Log
[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(A + B*n)*Log[(a + b*x)/(c + d*x)] +
 B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(
A + B*n - B*n*Log[(a + b*x)/(c + d*x)])) + 3*d*(b*c - a*d)*(a + b*x)*(A^2
- 2*A*B*n + 2*B^2*n^2 + B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 + 2*B*n*(-A +
 B*n)*Log[(a + b*x)/(c + d*x)] + B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 - 2*B*
Log[e*((a + b*x)/(c + d*x))^n]*(-A + B*n + B*n*Log[(a + b*x)/(c + d*x)]))
- 6*b*d*(a + b*x)*(c + d*x)*(A^2 + 2*B^2*n^2 + 2*A*B*(Log[e*((a + b*x)/(c
+ d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + B^2*(Log[e*((a + b*x)/(c + d*x)
)^n] - n*Log[(a + b*x)/(c + d*x)])^2)*Log[c + d*x])/((b*c - a*d)^3*g^2*...
```

Rubi [A] (verified)

Time = 0.59 (sec) , antiderivative size = 281, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}\,d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2795$$

$$\frac{\int \left(d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2+\frac{b^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}-\frac{2bd(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}\right)d\frac{a+bx}{c+dx}}{g^2i^2(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{-\frac{b^2(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx}-\frac{2b^2Bn(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx}+\frac{d^2(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-\frac{2ABd^2n(a+bx)}{c+dx}}{g^2i^2(bc-ad)^3}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i + d*i*x
)^2),x]
```

output
```
((-2*A*B*d^2*n*(a + b*x))/(c + d*x) + (2*B^2*d^2*n^2*(a + b*x))/(c + d*x)
- (2*b^2*B^2*n^2*(c + d*x))/(a + b*x) - (2*B^2*d^2*n*(a + b*x)*Log[e*((a +
 b*x)/(c + d*x))^n])/(c + d*x) - (2*b^2*B*n*(c + d*x)*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(a + b*x) + (d^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c
+ d*x))^n])^2)/(c + d*x) - (b^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x
))^n])^2)/(a + b*x) - (2*b*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(3*
B*n))/((b*c - a*d)^3*g^2*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1306 vs. $2(390) = 780$.

Time = 9.77 (sec) , antiderivative size = 1307, normalized size of antiderivative = 3.33

method	result	size
parallelrisch	Expression too large to display	1307

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x,method
=_RETURNVERBOSE)
```

output

```
1/3*(-12*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b*c^3*d^2*n+12*A*B*x*ln(e*((b
*x+a)/(d*x+c))^n)*a^3*b^2*c^4*d*n+12*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^3
*b^2*c^3*d^2*n^2+6*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b^2*c^3*d^2-6*A
*B*x^2*a^4*b*c^2*d^3*n^2+12*A*B*x^2*a^3*b^2*c^3*d^2*n^2-6*A*B*x^2*a^2*b^3*
c^4*d*n^2-6*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b*c^3*d^2*n+6*B^2*x*ln(e
*((b*x+a)/(d*x+c))^n)^2*a^3*b^2*c^4*d*n+12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)
*a^4*b*c^3*d^2*n^2+12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b^2*c^4*d*n^2+6*
A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b*c^3*d^2+6*A*B*x*ln(e*((b*x+a)/(d*x
+c))^n)^2*a^3*b^2*c^4*d+6*A*B*x*a^4*b*c^3*d^2*n^2+6*A*B*x*a^3*b^2*c^4*d*n^
2+6*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^5*c^3*d^2*n^2+6*B^2*ln(e*((b*x+a)/(d*x
+c))^n)*a^3*b^2*c^5*n^2+3*A^2*x*a^5*c^2*d^3*n-3*A^2*x*a^2*b^3*c^5*n+6*A^2*
ln(e*((b*x+a)/(d*x+c))^n)*a^4*b*c^4*d+6*B^2*x*a^5*c^2*d^3*n^3-6*B^2*x*a^2*
b^3*c^5*n^3+2*B^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^4*b*c^4*d-3*B^2*ln(e*((b*x
+a)/(d*x+c))^n)^2*a^5*c^3*d^2*n+3*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b^2*
c^5*n+2*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^3*b^2*c^3*d^2+6*B^2*x^2*a^4*
b*c^2*d^3*n^3-6*B^2*x^2*a^2*b^3*c^4*d*n^3+2*B^2*x*ln(e*((b*x+a)/(d*x+c))^n
)^3*a^4*b*c^3*d^2+2*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*a^3*b^2*c^4*d-6*B^2*
x*a^4*b*c^3*d^2*n^3+6*B^2*x*a^3*b^2*c^4*d*n^3+6*A^2*x^2*ln(e*((b*x+a)/(d*x
+c))^n)*a^3*b^2*c^3*d^2+3*A^2*x^2*a^4*b*c^2*d^3*n-3*A^2*x^2*a^2*b^3*c^4*d*
n-6*A*B*x*a^5*c^2*d^3*n^2-6*A*B*x*a^2*b^3*c^5*n^2+6*A^2*x*ln(e*((b*x+a)...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 983 vs. $2(390) = 780$.

Time = 0.11 (sec) , antiderivative size = 983, normalized size of antiderivative = 2.51

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x
, algorithm="fricas")
```

output

```
-1/3*(3*A^2*b^2*c^2 - 3*A^2*a^2*d^2 + 2*(B^2*b^2*d^2*n^2*x^2 + B^2*a*b*c*d
*n^2 + (B^2*b^2*c*d + B^2*a*b*d^2)*n^2*x)*log((b*x + a)/(d*x + c))^3 + 6*(
B^2*b^2*c^2 - B^2*a^2*d^2)*n^2 + 3*(B^2*b^2*c^2 - B^2*a^2*d^2 + 2*(B^2*b^2
*c*d - B^2*a*b*d^2)*x + 2*(B^2*b^2*d^2*x^2 + B^2*a*b*c*d + (B^2*b^2*c*d +
B^2*a*b*d^2)*x)*log((b*x + a)/(d*x + c)))*log(e)^2 + 3*(2*A*B*b^2*d^2*n*x^
2 + 2*A*B*a*b*c*d*n + (B^2*b^2*c^2 - B^2*a^2*d^2)*n^2 + 2*((B^2*b^2*c*d -
B^2*a*b*d^2)*n^2 + (A*B*b^2*c*d + A*B*a*b*d^2)*n)*x)*log((b*x + a)/(d*x +
c))^2 + 6*(A*B*b^2*c^2 - 2*A*B*a*b*c*d + A*B*a^2*d^2)*n + 6*(A^2*b^2*c*d -
 A^2*a*b*d^2 + 2*(B^2*b^2*c*d - B^2*a*b*d^2)*n^2)*x + 6*(A*B*b^2*c^2 - A*B
*a^2*d^2 + (B^2*b^2*d^2*n*x^2 + B^2*a*b*c*d*n + (B^2*b^2*c*d + B^2*a*b*d^2
)*n*x)*log((b*x + a)/(d*x + c))^2 + (B^2*b^2*c^2 - 2*B^2*a*b*c*d + B^2*a^2
*d^2)*n + 2*(A*B*b^2*c*d - A*B*a*b*d^2)*x + (2*A*B*b^2*d^2*x^2 + 2*A*B*a*b
*c*d + (B^2*b^2*c^2 - B^2*a^2*d^2)*n + 2*(A*B*b^2*c*d + A*B*a*b*d^2 + (B^2
*b^2*c*d - B^2*a*b*d^2)*n)*x)*log((b*x + a)/(d*x + c)))*log(e) + 6*(A^2*a*
b*c*d + (B^2*b^2*c^2 + B^2*a^2*d^2)*n^2 + (2*B^2*b^2*d^2*n^2 + A^2*b^2*d^2
)*x^2 + (A*B*b^2*c^2 - A*B*a^2*d^2)*n + (A^2*b^2*c*d + A^2*a*b*d^2 + 2*(B^
2*b^2*c*d + B^2*a*b*d^2)*n^2 + 2*(A*B*b^2*c*d - A*B*a*b*d^2)*n)*x)*log((b*
x + a)/(d*x + c)))/((b^4*c^3*d - 3*a*b^3*c^2*d^2 + 3*a^2*b^2*c*d^3 - a^3*b
*d^4)*g^2*i^2*x^2 + (b^4*c^4 - 2*a*b^3*c^3*d + 2*a^3*b*c*d^3 - a^4*d^4)*g^
2*i^2*x + (a*b^3*c^4 - 3*a^2*b^2*c^3*d + 3*a^3*b*c^2*d^2 - a^4*c*d^3)*g...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**2/(d*i*x+c*i)**
2,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2006 vs. $2(390) = 780$.

Time $= 0.16$ (sec) , antiderivative size $= 2006$, normalized size of antiderivative $= 5.12$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x
, algorithm="maxima")
```

output

```
-B^2*((2*b*d*x + b*c + a*d)/((b^3*c^2*d - 2*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i
^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c*d^2 + a^3*d^3)*g^2*i^2*x + (a*b^
2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^2) + 2*b*d*log(b*x + a)/((b^3*c^3
 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2) - 2*b*d*log(d*x + c)/
((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g^2*i^2))*log(e*(b*x/
(d*x + c) + a/(d*x + c))^n)^2 - 2*A*B*((2*b*d*x + b*c + a*d)/((b^3*c^2*d -
 2*a*b^2*c*d^2 + a^2*b*d^3)*g^2*i^2*x^2 + (b^3*c^3 - a*b^2*c^2*d - a^2*b*c
*d^2 + a^3*d^3)*g^2*i^2*x + (a*b^2*c^3 - 2*a^2*b*c^2*d + a^3*c*d^2)*g^2*i^
2) + 2*b*d*log(b*x + a)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^
3)*g^2*i^2) - 2*b*d*log(d*x + c)/((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2
 - a^3*d^3)*g^2*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 2/3*((3*b^2
*c^2 - 3*a^2*d^2 + (b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(b*x
 + a)^3 + 3*(b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(b*x + a)*l
og(d*x + c)^2 - (b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b*d^2)*x)*log(d*x +
c)^3 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + a*b*c*d + (b^2*c*d + a*b
*d^2)*x)*log(b*x + a) - 3*(2*b^2*d^2*x^2 + 2*a*b*c*d + (b^2*d^2*x^2 + a*b*
c*d + (b^2*c*d + a*b*d^2)*x)*log(b*x + a)^2 + 2*(b^2*c*d + a*b*d^2)*x)*log
(d*x + c))*n^2/(a*b^3*c^4*g^2*i^2 - 3*a^2*b^2*c^3*d*g^2*i^2 + 3*a^3*b*c^2*
d^2*g^2*i^2 - a^4*c*d^3*g^2*i^2 + (b^4*c^3*d*g^2*i^2 - 3*a*b^3*c^2*d^2*g^2
*i^2 + 3*a^2*b^2*c*d^3*g^2*i^2 - a^3*b*d^4*g^2*i^2)*x^2 + (b^4*c^4*g^2*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \int \frac{\left(A+B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^2\,(c\,i+d\,i\,x)^2}\,dx$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^2*(c*i + d*i*x
)^2),x)
```

output
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^2*(c*i + d*i*x
)^2), x)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 2172, normalized size of antiderivative = 5.54

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^2,x)
```

output

```
( - 6*log(a + b*x)*a**4*b*c*d**2*n - 6*log(a + b*x)*a**4*b*d**3*n*x - 6*lo
g(a + b*x)*a**3*b**2*c**2*d*n + 12*log(a + b*x)*a**3*b**2*c*d**2*n**2 - 12
*log(a + b*x)*a**3*b**2*c*d**2*n*x + 12*log(a + b*x)*a**3*b**2*d**3*n**2*x
 - 6*log(a + b*x)*a**3*b**2*d**3*n*x**2 - 12*log(a + b*x)*a**2*b**3*c**2*d
*n**2 - 6*log(a + b*x)*a**2*b**3*c**2*d*n*x - 12*log(a + b*x)*a**2*b**3*c*
d**2*n**3 - 6*log(a + b*x)*a**2*b**3*c*d**2*n*x**2 - 12*log(a + b*x)*a**2*
b**3*d**3*n**3*x + 12*log(a + b*x)*a**2*b**3*d**3*n**2*x**2 - 12*log(a + b
*x)*a*b**4*c**2*d*n**3 - 12*log(a + b*x)*a*b**4*c**2*d*n**2*x - 24*log(a +
 b*x)*a*b**4*c*d**2*n**3*x - 12*log(a + b*x)*a*b**4*c*d**2*n**2*x**2 - 12*
log(a + b*x)*a*b**4*d**3*n**3*x**2 - 12*log(a + b*x)*b**5*c**2*d*n**3*x -
12*log(a + b*x)*b**5*c*d**2*n**3*x**2 + 6*log(c + d*x)*a**4*b*c*d**2*n + 6
*log(c + d*x)*a**4*b*d**3*n*x + 6*log(c + d*x)*a**3*b**2*c**2*d*n - 12*log
(c + d*x)*a**3*b**2*c*d**2*n**2 + 12*log(c + d*x)*a**3*b**2*c*d**2*n*x - 1
2*log(c + d*x)*a**3*b**2*d**3*n**2*x + 6*log(c + d*x)*a**3*b**2*d**3*n*x**
2 + 12*log(c + d*x)*a**2*b**3*c**2*d*n**2 + 6*log(c + d*x)*a**2*b**3*c**2*
d*n*x + 12*log(c + d*x)*a**2*b**3*c*d**2*n**3 + 6*log(c + d*x)*a**2*b**3*c
*d**2*n*x**2 + 12*log(c + d*x)*a**2*b**3*d**3*n**3*x - 12*log(c + d*x)*a**
2*b**3*d**3*n**2*x**2 + 12*log(c + d*x)*a*b**4*c**2*d*n**3 + 12*log(c + d*
x)*a*b**4*c**2*d*n**2*x + 24*log(c + d*x)*a*b**4*c*d**2*n**3*x + 12*log(c
+ d*x)*a*b**4*c*d**2*n**2*x**2 + 12*log(c + d*x)*a*b**4*d**3*n**3*x**2 ...
```

3.200 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$

Optimal result . . . 2290
Mathematica [B] (verified) . . . 2291
Rubi [A] (verified) . . . 2292
Maple [B] (verified) . . . 2294
Fricas [B] (verification not implemented) . . . 2295
Sympy [F(-1)] . . . 2296
Maxima [B] (verification not implemented) . . . 2297
Giac [F(-1)] . . . 2298
Mupad [B] (verification not implemented) . . . 2298
Reduce [B] (verification not implemented) . . . 2299

Optimal result

Integrand size = 45, antiderivative size = 560

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx &= \frac{2ABd^3n(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} - \frac{2B^2d^3n^2(a+bx)}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{6b^2B^2dn^2(c+dx)}{(bc-ad)^4g^3i^2(a+bx)} - \frac{b^3B^2n^2(c+dx)^2}{4(bc-ad)^4g^3i^2(a+bx)^2} \\ &+ \frac{2B^2d^3n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{6b^2Bdn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^3i^2(a+bx)} \\ &- \frac{b^3Bn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^3i^2(a+bx)^2} \\ &- \frac{d^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^4g^3i^2(c+dx)} \\ &+ \frac{3b^2d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^4g^3i^2(a+bx)} \\ &- \frac{b^3(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^4g^3i^2(a+bx)^2} \\ &+ \frac{bd^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{B(bc-ad)^4g^3i^2n}\end{aligned}$$

output

```
2*A*B*d^3*n*(b*x+a)/(-a*d+b*c)^4/g^3/i^2/(d*x+c)-2*B^2*d^3*n^2*(b*x+a)/(-a
*d+b*c)^4/g^3/i^2/(d*x+c)+6*b^2*B^2*d*n^2*(d*x+c)/(-a*d+b*c)^4/g^3/i^2/(b*
x+a)-1/4*b^3*B^2*n^2*(d*x+c)^2/(-a*d+b*c)^4/g^3/i^2/(b*x+a)^2+2*B^2*d^3*n*
(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^4/g^3/i^2/(d*x+c)+6*b^2*B*d*n
*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^3/i^2/(b*x+a)-1/2*
b^3*B*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^3/i^2/(b*
x+a)^2-d^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^4/g^3/i^2/
(d*x+c)+3*b^2*d*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^4/g^3
/i^2/(b*x+a)-1/2*b^3*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c
)^4/g^3/i^2/(b*x+a)^2+b*d^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)
^4/g^3/i^2/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1340 vs. $2(560) = 1120$.

Time $= 1.66$ (sec) , antiderivative size $= 1340$, normalized size of antiderivative $= 2.39$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^3(ci + dix)^2}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i +
 d*i*x)^2),x]
```

output

```
(4*b*B^2*d^2*n^2*(a + b*x)^2*(c + d*x)*Log[(a + b*x)/(c + d*x)]^3 + 2*B*n*
Log[(a + b*x)/(c + d*x)]^2*(6*a^2*A*b*c*d^2 - b^3*B*c^3*n + 6*a*b^2*B*c^2*
d*n - 2*a^3*B*d^3*n + 12*a*A*b^2*c*d^2*x + 6*a^2*A*b*d^3*x + 3*b^3*B*c^2*d
*n*x + 12*a*b^2*B*c*d^2*n*x - 6*a^2*b*B*d^3*n*x + 6*A*b^3*c*d^2*x^2 + 12*a
*A*b^2*d^3*x^2 + 9*b^3*B*c*d^2*n*x^2 + 6*A*b^3*d^3*x^3 + 3*b^3*B*d^3*n*x^3
 + 6*b*B*d^2*(a + b*x)^2*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n] - 6*b*B*
d^2*n*(a + b*x)^2*(c + d*x)*Log[(a + b*x)/(c + d*x)]) + 2*b*d*(b*c - a*d)*
(a + b*x)*(c + d*x)*(4*A^2 + 10*A*B*n + 11*B^2*n^2 + 4*B^2*Log[e*((a + b*x
)/(c + d*x))^n]^2 - 2*B*n*(4*A + 5*B*n)*Log[(a + b*x)/(c + d*x)] + 4*B^2*n
^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(4*A +
5*B*n - 4*B*n*Log[(a + b*x)/(c + d*x)])) - b*(b*c - a*d)^2*(c + d*x)*(2*A^
2 + 2*A*B*n + B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(2*
A + B*n)*Log[(a + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 +
 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(2*A + B*n - 2*B*n*Log[(a + b*x)/(c +
d*x)])) + 6*b*d^2*(a + b*x)^2*(c + d*x)*Log[a + b*x]*(2*A^2 + 2*A*B*n + 5*
B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(2*A + B*n)*Log[(
a + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[e*((a
 + b*x)/(c + d*x))^n]*(2*A + B*n - 2*B*n*Log[(a + b*x)/(c + d*x)])) + 2*B*
(b*c - a*d)*n*Log[(a + b*x)/(c + d*x)]*(2*b*d*(a + b*x)*(c + d*x)*(4*A + 5
*B*n + 4*B*Log[e*((a + b*x)/(c + d*x))^n] - 4*B*n*Log[(a + b*x)/(c + d*...
```

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 401, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}\,d\frac{a+bx}{c+dx}}{g^3i^2(bc-ad)^4}$$

$$\downarrow 2795$$

$$\int \left(-\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^3 + \frac{3b(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^2}{a+bx} - \frac{3b^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d}{(a+bx)^2} + \frac{b^3(c+dx}{}$$

$$\frac{}{g^3 i^2 (bc-ad)^4}$$

$$\downarrow 2009$$

$$-\frac{b^3(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2} - \frac{b^3Bn(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} + \frac{3b^2d(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx} + \frac{6b^2Bdn(c+dx}{}$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i + d*i*x
)^2),x]
```

output
```
((2*A*B*d^3*n*(a + b*x))/(c + d*x) - (2*B^2*d^3*n^2*(a + b*x))/(c + d*x) +
 (6*b^2*B^2*d*n^2*(c + d*x))/(a + b*x) - (b^3*B^2*n^2*(c + d*x)^2)/(4*(a +
 b*x)^2) + (2*B^2*d^3*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(c + d*x
) + (6*b^2*B*d*n*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*
x) - (b^3*B*n*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a +
b*x)^2) - (d^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*
x) + (3*b^2*d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x
) - (b^3*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a + b*x
)^2) + (b*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(B*n))/((b*c - a*d
)^4*g^3*i^2)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1985 vs. $2(554) = 1108$.

Time = 30.55 (sec) , antiderivative size = 1986, normalized size of antiderivative = 3.55

method	result	size
parallelrisch	Expression too large to display	1986

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x,method
=_RETURNVERBOSE)
```

output

```
1/4*(36*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c*d^5*n+48*A*B*x*ln(e*((b*x+
a)/(d*x+c))^n)*a*b^6*c*d^5*n+4*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^3*b^7*d^6
+12*A^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^7*d^6-8*B^2*a^3*b^4*d^6*n^3-B^2*b^
7*c^3*d^3*n^3-4*A^2*a^3*b^4*d^6*n-2*A^2*b^7*c^3*d^3*n-30*A*B*a^2*b^5*c*d^5
*n^2+12*A*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^7*d^6*n+18*B^2*x^2*ln(e*((b*x+
a)/(d*x+c))^n)^2*b^7*c*d^5*n+48*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*d^
6*n^2+24*A*B*a*b^6*c^2*d^4*n^2+18*A*B*x*b^7*c^2*d^4*n^2+12*B^2*ln(e*((b*x+
a)/(d*x+c))^n)^2*a*b^6*c^2*d^4*n+24*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c^
2*d^4*n^2+24*A^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^6*c*d^5+12*A^2*x*a*b^6*c*
d^5*n+12*A*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^5*c*d^5-8*A*B*ln(e*((b*x+a)
/(d*x+c))^n)*a^3*b^4*d^6*n-4*A*B*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c^3*d^3*n+4
2*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c*d^5*n^2+24*A*B*x^2*ln(e*((b*x+a)
/(d*x+c))^n)^2*a*b^6*d^6+12*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^7*c*d^5-
12*A*B*x^2*a*b^6*d^6*n^2+12*A*B*x^2*b^7*c*d^5*n^2+8*B^2*x*ln(e*((b*x+a)/(d
*x+c))^n)^3*a*b^6*c*d^5-12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^5*d^6*n
+6*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^7*c^2*d^4*n+24*B^2*x*ln(e*((b*x+a)/
(d*x+c))^n)*a^2*b^5*d^6*n^2+18*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^7*c^2*d^4
*n^2+18*B^2*x*a*b^6*c*d^5*n^3+12*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^5
*d^6-6*A*B*x*a^2*b^5*d^6*n^2-15*B^2*a^2*b^5*c*d^5*n^3+24*B^2*a*b^6*c^2*d^4
*n^3+8*A*B*a^3*b^4*d^6*n^2-2*A*B*b^7*c^3*d^3*n^2-6*A^2*a^2*b^5*c*d^5*n+...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2052 vs. $2(554) = 1108$.

Time $= 0.13$ (sec) , antiderivative size $= 2052$, normalized size of antiderivative $= 3.66$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x
, algorithm="fricas")
```

output

```
-1/4*(2*A^2*b^3*c^3 - 12*A^2*a*b^2*c^2*d + 6*A^2*a^2*b*c*d^2 + 4*A^2*a^3*d
^3 - 4*(B^2*b^3*d^3*n^2*x^3 + B^2*a^2*b*c*d^2*n^2 + (B^2*b^3*c*d^2 + 2*B^2
*a*b^2*d^3)*n^2*x^2 + (2*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3)*n^2*x)*log((b*x
+ a)/(d*x + c))^3 + (B^2*b^3*c^3 - 24*B^2*a*b^2*c^2*d + 15*B^2*a^2*b*c*d^2
 + 8*B^2*a^3*d^3)*n^2 - 6*(2*A^2*b^3*c*d^2 - 2*A^2*a*b^2*d^3 + 5*(B^2*b^3*
c*d^2 - B^2*a*b^2*d^3)*n^2 + 2*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*n)*x^2 + 2*
(B^2*b^3*c^3 - 6*B^2*a*b^2*c^2*d + 3*B^2*a^2*b*c*d^2 + 2*B^2*a^3*d^3 - 6*(
B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*x^2 - 3*(B^2*b^3*c^2*d + 2*B^2*a*b^2*c*d^2
- 3*B^2*a^2*b*d^3)*x - 6*(B^2*b^3*d^3*x^3 + B^2*a^2*b*c*d^2 + (B^2*b^3*c*d
^2 + 2*B^2*a*b^2*d^3)*x^2 + (2*B^2*a*b^2*c*d^2 + B^2*a^2*b*d^3)*x)*log((b*
x + a)/(d*x + c)))*log(e)^2 - 2*(6*A*B*a^2*b*c*d^2*n + 3*(B^2*b^3*d^3*n^2
+ 2*A*B*b^3*d^3*n)*x^3 - (B^2*b^3*c^3 - 6*B^2*a*b^2*c^2*d + 2*B^2*a^3*d^3)
*n^2 + 3*(3*B^2*b^3*c*d^2*n^2 + 2*(A*B*b^3*c*d^2 + 2*A*B*a*b^2*d^3)*n)*x^2
 + 3*((B^2*b^3*c^2*d + 4*B^2*a*b^2*c*d^2 - 2*B^2*a^2*b*d^3)*n^2 + 2*(2*A*B
*a*b^2*c*d^2 + A*B*a^2*b*d^3)*n)*x)*log((b*x + a)/(d*x + c))^2 + 2*(A*B*b^
3*c^3 - 12*A*B*a*b^2*c^2*d + 15*A*B*a^2*b*c*d^2 - 4*A*B*a^3*d^3)*n - 3*(2*
A^2*b^3*c^2*d + 4*A^2*a*b^2*c*d^2 - 6*A^2*a^2*b*d^3 + (7*B^2*b^3*c^2*d + 6
*B^2*a*b^2*c*d^2 - 13*B^2*a^2*b*d^3)*n^2 + 2*(3*A*B*b^3*c^2*d - 2*A*B*a*b^
2*c*d^2 - A*B*a^2*b*d^3)*n)*x + 2*(2*A*B*b^3*c^3 - 12*A*B*a*b^2*c^2*d + 6*
A*B*a^2*b*c*d^2 + 4*A*B*a^3*d^3 - 6*(2*A*B*b^3*c*d^2 - 2*A*B*a*b^2*d^3 ...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**3/(d*i*x+c*i)**
2,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4198 vs. $2(554) = 1108$.

Time = 0.34 (sec) , antiderivative size = 4198, normalized size of antiderivative = 7.50

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x
, algorithm="maxima")
```

output

```
1/2*B^2*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3
*a*b*d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4
)*g^3*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d
^3 - 2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2
*c^2*d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3
*d + 3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^
4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2)
- 6*b*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a
^3*b*c*d^3 + a^4*d^4)*g^3*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2 +
 A*B*((6*b^2*d^2*x^2 - b^2*c^2 + 5*a*b*c*d + 2*a^2*d^2 + 3*(b^2*c*d + 3*a*
b*d^2)*x)/((b^5*c^3*d - 3*a*b^4*c^2*d^2 + 3*a^2*b^3*c*d^3 - a^3*b^2*d^4)*g
^3*i^2*x^3 + (b^5*c^4 - a*b^4*c^3*d - 3*a^2*b^3*c^2*d^2 + 5*a^3*b^2*c*d^3
- 2*a^4*b*d^4)*g^3*i^2*x^2 + (2*a*b^4*c^4 - 5*a^2*b^3*c^3*d + 3*a^3*b^2*c^
2*d^2 + a^4*b*c*d^3 - a^5*d^4)*g^3*i^2*x + (a^2*b^3*c^4 - 3*a^3*b^2*c^3*d
+ 3*a^4*b*c^2*d^2 - a^5*c*d^3)*g^3*i^2) + 6*b*d^2*log(b*x + a)/((b^4*c^4 -
 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^3*i^2) - 6
*b*d^2*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*
b*c*d^3 + a^4*d^4)*g^3*i^2))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/4*
((b^3*c^3 - 24*a*b^2*c^2*d + 15*a^2*b*c*d^2 + 8*a^3*d^3 - 4*(b^3*d^3*x^3 +
 a^2*b*c*d^2 + (b^3*c*d^2 + 2*a*b^2*d^3)*x^2 + (2*a*b^2*c*d^2 + a^2*b*d...
```

Giac [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x
, algorithm="giac")
```

output
```
Timed out
```

Mupad [B] (verification not implemented)

Time = 31.67 (sec) , antiderivative size = 1784, normalized size of antiderivative = 3.19

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^3*(c*i + d*i*x
)^2),x)
```

output

```
(B^2*b*d^2*log(e*((a + b*x)/(c + d*x))^n)^3)/(g^3*i^2*n*(a*d - b*c)^4) - l
og(e*((a + b*x)/(c + d*x))^n)^2*(((B^2*(2*a*d + b*c))/(2*(a^2*d^2 + b^2*c^
2 - 2*a*b*c*d)) + (3*B^2*b*d*x)/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)))/(x*(a
^2*d*g^3*i^2 + 2*a*b*c*g^3*i^2) + x^2*(b^2*c*g^3*i^2 + 2*a*b*d*g^3*i^2) +
a^2*c*g^3*i^2 + b^2*d*g^3*i^2*x^3) - (3*B*b*d^2*(2*A + B*n))/(2*g^3*i^2*n*
(a*d - b*c)^4) + (3*B^2*b*d^2*(b*g^3*i^2*n*x^2*(a*d - b*c) + (a*c*g^3*i^2*
n*(a*d - b*c))/d + (g^3*i^2*n*x*(a*d + b*c)*(a*d - b*c))/d))/(g^3*i^2*n*(a
*d - b*c)^4*(x*(a^2*d*g^3*i^2 + 2*a*b*c*g^3*i^2) + x^2*(b^2*c*g^3*i^2 + 2*
a*b*d*g^3*i^2) + a^2*c*g^3*i^2 + b^2*d*g^3*i^2*x^3))) - ((4*A^2*a^2*d^2 -
2*A^2*b^2*c^2 + 8*B^2*a^2*d^2*n^2 - B^2*b^2*c^2*n^2 + 10*A^2*a*b*c*d - 8*A
*B*a^2*d^2*n - 2*A*B*b^2*c^2*n + 23*B^2*a*b*c*d*n^2 + 22*A*B*a*b*c*d*n)/(2
*(a*d - b*c)) + (3*x^2*(2*A^2*b^2*d^2 + 5*B^2*b^2*d^2*n^2 + 2*A*B*b^2*d^2*
n))/(a*d - b*c) + (3*x*(6*A^2*a*b*d^2 + 2*A^2*b^2*c*d + 13*B^2*a*b*d^2*n^2
 + 7*B^2*b^2*c*d*n^2 + 2*A*B*a*b*d^2*n + 6*A*B*b^2*c*d*n))/(2*(a*d - b*c))
)/(x*(2*a^4*d^3*g^3*i^2 + 4*a*b^3*c^3*g^3*i^2 - 6*a^2*b^2*c^2*d*g^3*i^2) +
 x^2*(2*b^4*c^3*g^3*i^2 + 4*a^3*b*d^3*g^3*i^2 - 6*a^2*b^2*c*d^2*g^3*i^2) +
 x^3*(2*a^2*b^2*d^3*g^3*i^2 + 2*b^4*c^2*d*g^3*i^2 - 4*a*b^3*c*d^2*g^3*i^2)
 + 2*a^2*b^2*c^3*g^3*i^2 + 2*a^4*c*d^2*g^3*i^2 - 4*a^3*b*c^2*d*g^3*i^2) -
(b*d^2*atan((b*d^2*(2*A^2 + 5*B^2*n^2 + 2*A*B*n)*(2*a^4*d^4*g^3*i^2 - 2*b^
4*c^4*g^3*i^2 + 4*a*b^3*c^3*d*g^3*i^2 - 4*a^3*b*c*d^3*g^3*i^2)*3i)/(2*g...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 3630, normalized size of antiderivative = 6.48

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^2,x)
```

output

```
( - 24*log(a + b*x)*a**5*b*c*d**3*n - 24*log(a + b*x)*a**5*b*d**4*n*x - 12
*log(a + b*x)*a**4*b**2*c**2*d**2*n - 60*log(a + b*x)*a**4*b**2*c*d**3*n*x
 - 48*log(a + b*x)*a**4*b**2*d**4*n*x**2 - 36*log(a + b*x)*a**3*b**3*c**2*
d**2*n**2 - 24*log(a + b*x)*a**3*b**3*c**2*d**2*n*x - 48*log(a + b*x)*a**3
*b**3*c*d**3*n**3 - 36*log(a + b*x)*a**3*b**3*c*d**3*n**2*x - 48*log(a + b
*x)*a**3*b**3*c*d**3*n*x**2 - 48*log(a + b*x)*a**3*b**3*d**4*n**3*x - 24*l
og(a + b*x)*a**3*b**3*d**4*n*x**3 - 42*log(a + b*x)*a**2*b**4*c**2*d**2*n*
*3 - 72*log(a + b*x)*a**2*b**4*c**2*d**2*n**2*x - 12*log(a + b*x)*a**2*b**
4*c**2*d**2*n*x**2 - 138*log(a + b*x)*a**2*b**4*c*d**3*n**3*x - 72*log(a +
 b*x)*a**2*b**4*c*d**3*n**2*x**2 - 12*log(a + b*x)*a**2*b**4*c*d**3*n*x**3
 - 96*log(a + b*x)*a**2*b**4*d**4*n**3*x**2 - 84*log(a + b*x)*a*b**5*c**2*
d**2*n**3*x - 36*log(a + b*x)*a*b**5*c**2*d**2*n**2*x**2 - 132*log(a + b*x
)*a*b**5*c*d**3*n**3*x**2 - 36*log(a + b*x)*a*b**5*c*d**3*n**2*x**3 - 48*l
og(a + b*x)*a*b**5*d**4*n**3*x**3 - 42*log(a + b*x)*b**6*c**2*d**2*n**3*x*
*2 - 42*log(a + b*x)*b**6*c*d**3*n**3*x**3 + 24*log(c + d*x)*a**5*b*c*d**3
*n + 24*log(c + d*x)*a**5*b*d**4*n*x + 12*log(c + d*x)*a**4*b**2*c**2*d**2
*n + 60*log(c + d*x)*a**4*b**2*c*d**3*n*x + 48*log(c + d*x)*a**4*b**2*d**4
*n*x**2 + 36*log(c + d*x)*a**3*b**3*c**2*d**2*n**2 + 24*log(c + d*x)*a**3*
b**3*c**2*d**2*n*x + 48*log(c + d*x)*a**3*b**3*c*d**3*n**3 + 36*log(c + d*
x)*a**3*b**3*c*d**3*n**2*x + 48*log(c + d*x)*a**3*b**3*c*d**3*n*x**2 + ...
```

3.201 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$

Optimal result 2302
Mathematica [B] (verified) 2303
Rubi [A] (verified) 2304
Maple [B] (verified) 2306
Fricas [B] (verification not implemented) 2307
Sympy [F(-1)] 2308
Maxima [B] (verification not implemented) 2308
Giac [F(-1)] 2309
Mupad [B] (verification not implemented) 2310
Reduce [B] (verification not implemented) 2311

Optimal result

Integrand size = 45, antiderivative size = 729

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx &= -\frac{2ABd^4n(a+bx)}{(bc-ad)^5g^4i^2(c+dx)}+\frac{2B^2d^4n^2(a+bx)}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{12b^2B^2d^2n^2(c+dx)}{(bc-ad)^5g^4i^2(a+bx)}+\frac{b^3B^2dn^2(c+dx)^2}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{2b^4B^2n^2(c+dx)^3}{27(bc-ad)^5g^4i^2(a+bx)^3}\\ &-\frac{2B^2d^4n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{12b^2Bd^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^4i^2(a+bx)}\\ &+\frac{2b^3Bdn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{2b^4Bn(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^5g^4i^2(a+bx)^3}\\ &+\frac{d^4(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^5g^4i^2(c+dx)}\\ &-\frac{6b^2d^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^5g^4i^2(a+bx)}\\ &+\frac{2b^3d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^5g^4i^2(a+bx)^2}\\ &-\frac{b^4(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^5g^4i^2(a+bx)^3}\\ &-\frac{4bd^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^5g^4i^2n}\end{aligned}$$

output

```
-2*A*B*d^4*n*(b*x+a)/(-a*d+b*c)^5/g^4/i^2/(d*x+c)+2*B^2*d^4*n^2*(b*x+a)/(-
a*d+b*c)^5/g^4/i^2/(d*x+c)-12*b^2*B^2*d^2*n^2*(d*x+c)/(-a*d+b*c)^5/g^4/i^2
/(b*x+a)+b^3*B^2*d*n^2*(d*x+c)^2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-2/27*b^4*B
^2*n^2*(d*x+c)^3/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3-2*B^2*d^4*n*(b*x+a)*ln(e*(
(b*x+a)/(d*x+c))^n)/(-a*d+b*c)^5/g^4/i^2/(d*x+c)-12*b^2*B*d^2*n*(d*x+c)*(A
+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)+2*b^3*B*d*n*(d*
x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^2-2/9*
b^4*B*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^4/i^2/(b*
x+a)^3+d^4*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^5/g^4/i^2/
(d*x+c)-6*b^2*d^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^5/g
^4/i^2/(b*x+a)+2*b^3*d*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b
*c)^5/g^4/i^2/(b*x+a)^2-1/3*b^4*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^
2/(-a*d+b*c)^5/g^4/i^2/(b*x+a)^3-4/3*b*d^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
^3/B/(-a*d+b*c)^5/g^4/i^2/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1695 vs. $2(729) = 1458$.

Time = 2.57 (sec) , antiderivative size = 1695, normalized size of antiderivative = 2.33

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i +
 d*i*x)^2),x]
```

output

```
-1/27*(36*b*B^2*d^3*n^2*(a + b*x)^3*(c + d*x)*Log[(a + b*x)/(c + d*x)]^3 +
 9*B*n*Log[(a + b*x)/(c + d*x)]^2*(12*a^3*A*b*c*d^3 + b^4*B*c^4*n - 6*a*b^
3*B*c^3*d*n + 18*a^2*b^2*B*c^2*d^2*n - 3*a^4*B*d^4*n + 36*a^2*A*b^2*c*d^3*
x + 12*a^3*A*b*d^4*x - 2*b^4*B*c^3*d*n*x + 18*a*b^3*B*c^2*d^2*n*x + 36*a^2
*b^2*B*c*d^3*n*x - 12*a^3*b*B*d^4*n*x + 36*a*A*b^3*c*d^3*x^2 + 36*a^2*A*b^
2*d^4*x^2 + 6*b^4*B*c^2*d^2*n*x^2 + 54*a*b^3*B*c*d^3*n*x^2 + 12*A*b^4*c*d^
3*x^3 + 36*a*A*b^3*d^4*x^3 + 22*b^4*B*c*d^3*n*x^3 + 18*a*b^3*B*d^4*n*x^3 +
 12*A*b^4*d^4*x^4 + 10*b^4*B*d^4*n*x^4 + 12*b*B*d^3*(a + b*x)^3*(c + d*x)*
Log[e*((a + b*x)/(c + d*x))^n] - 12*b*B*d^3*n*(a + b*x)^3*(c + d*x)*Log[(a
 + b*x)/(c + d*x)]) + 3*b*d^2*(b*c - a*d)*(a + b*x)^2*(c + d*x)*(27*A^2 +
78*A*B*n + 92*B^2*n^2 + 27*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(9
*A + 13*B*n)*Log[(a + b*x)/(c + d*x)] + 27*B^2*n^2*Log[(a + b*x)/(c + d*x)
]^2 + 6*B*Log[e*((a + b*x)/(c + d*x))^n]*(9*A + 13*B*n - 9*B*n*Log[(a + b*
x)/(c + d*x)])) + 6*b*d^3*(a + b*x)^3*(c + d*x)*Log[a + b*x]*(18*A^2 + 30*
A*B*n + 55*B^2*n^2 + 18*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(6*A
+ 5*B*n)*Log[(a + b*x)/(c + d*x)] + 18*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2
+ 6*B*Log[e*((a + b*x)/(c + d*x))^n]*(6*A + 5*B*n - 6*B*n*Log[(a + b*x)/(c
 + d*x)])) + b*(b*c - a*d)^3*(c + d*x)*(9*A^2 + 6*A*B*n + 2*B^2*n^2 + 9*B^
2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(3*A + B*n)*Log[(a + b*x)/(c +
d*x)] + 9*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*((a + b*x)/(c ...
```

Rubi [A] (verified)

Time = 0.76 (sec) , antiderivative size = 522, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4i^2(bc-ad)^5}$$

$$\downarrow 2795$$

$$\int \frac{\left(\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^4 - \frac{4b(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^3}{a+bx} + \frac{6b^2(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d^2}{(a+bx)^2} - \frac{4b^3(c+dx}{}\right.}{g^4 i^2 (bc-ad)^5}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3} - \frac{2b^4Bn(c+dx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{9(a+bx)^3} + \frac{2b^3d(c+dx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(a+bx)^2} + \frac{2b^3Bdn(c+}{}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i + d*i*x
)^2),x]
```

output

```
((-2*A*B*d^4*n*(a + b*x))/(c + d*x) + (2*B^2*d^4*n^2*(a + b*x))/(c + d*x)
- (12*b^2*B^2*d^2*n^2*(c + d*x))/(a + b*x) + (b^3*B^2*d*n^2*(c + d*x)^2)/(
a + b*x)^2 - (2*b^4*B^2*n^2*(c + d*x)^3)/(27*(a + b*x)^3) - (2*B^2*d^4*n*(
a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(c + d*x) - (12*b^2*B*d^2*n*(c +
d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (2*b^3*B*d*n*(c +
 d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x)^2 - (2*b^4*B*n*(
c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(9*(a + b*x)^3) + (d^4*
(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*x) - (6*b^2*d^2
*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x) + (2*b^3*d*
(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x)^2 - (b^4*(
c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(3*(a + b*x)^3) - (4*
b*d^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(3*B*n))/((b*c - a*d)^5*g^
4*i^2)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 3055 vs. $2(721) = 1442$.

Time = 48.60 (sec) , antiderivative size = 3056, normalized size of antiderivative = 4.19

method	result	size
parallelrisch	Expression too large to display	3056

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x,method
=_RETURNVERBOSE)
```

output

```
1/27*(36*B^2*x^4*ln(e*((b*x+a)/(d*x+c))^n)^3*b^9*d^7+108*A^2*x^4*ln(e*((b*
x+a)/(d*x+c))^n)*b^9*d^7+180*A*B*x^3*b^9*c*d^6*n^2+108*B^2*x^2*ln(e*((b*x+
a)/(d*x+c))^n)^3*a*b^8*c*d^6+54*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^9*c^
2*d^5*n+648*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*d^7*n^2+198*B^2*x^2*
ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^2*d^5*n^2+480*B^2*x^2*a*b^8*c*d^6*n^3+324*
A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^7*d^7-342*A*B*x^2*a^2*b^7*d^7*n^
2+198*A*B*x^2*b^9*c^2*d^5*n^2+108*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*a^2*b^
7*c*d^6-108*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b^6*d^7*n-18*B^2*x*ln(e*
((b*x+a)/(d*x+c))^n)^2*b^9*c^3*d^4*n+216*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a
^3*b^6*d^7*n^2-30*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^9*c^3*d^4*n^2-87*B^2*x
*a^2*b^7*c*d^6*n^3+567*B^2*x*a*b^8*c^2*d^5*n^3+324*A^2*x^2*ln(e*((b*x+a)/(
d*x+c))^n)*a*b^8*c*d^6+216*A^2*x^2*a*b^8*c*d^6*n+108*A*B*x*ln(e*((b*x+a)/(
d*x+c))^n)^2*a^3*b^6*d^7-114*A*B*x*a^3*b^6*d^7*n^2-30*A*B*x*b^9*c^3*d^4*n^
2-54*B^2*a^4*b^5*d^7*n^3+2*B^2*b^9*c^4*d^3*n^3-27*A^2*a^4*b^5*d^7*n+9*A^2*
b^9*c^4*d^3*n+972*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c*d^6*n+648*A*B*
x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*c*d^6*n-330*A*B*a^3*b^6*c*d^6*n^2+324*
A*B*a^2*b^7*c^2*d^5*n^2-54*A*B*a*b^8*c^3*d^4*n^2+162*B^2*x*ln(e*((b*x+a)/(
d*x+c))^n)^2*a*b^8*c^2*d^5*n+648*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^7*c
*d^6*n^2+486*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^8*c^2*d^5*n^2+324*A*B*x*l
n(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^7*c*d^6-216*A*B*x*ln(e*((b*x+a)/(d*x+c...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3183 vs. $2(721) = 1442$.

Time $= 0.17$ (sec) , antiderivative size $= 3183$, normalized size of antiderivative $= 4.37$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x
, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**4/(d*i*x+c*i)**
2,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 6171 vs. $2(721) = 1442$.

Time = 0.49 (sec) , antiderivative size = 6171, normalized size of antiderivative = 8.47

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x
, algorithm="maxima")
```

output

```
-1/3*B^2*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*b^2*c^2*d + 13*a^2*b*c*d^2 + 3*a
^3*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 - 2*(b^3*c^2*d - 8*a*b^2*c*d^2 -
11*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3*d^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3
*b^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b^7*c^5 - a*b^6*c^4*d - 6*a^2*b^5
*c^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3*c*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*
x^3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a^3*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d
^3 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i^2*x^2 + (3*a^2*b^5*c^5 - 11*a^3*b^
4*c^4*d + 14*a^4*b^3*c^3*d^2 - 6*a^5*b^2*c^2*d^3 - a^6*b*c*d^4 + a^7*d^5)*
g^4*i^2*x + (a^3*b^4*c^5 - 4*a^4*b^3*c^4*d + 6*a^5*b^2*c^3*d^2 - 4*a^6*b*c
^2*d^3 + a^7*c*d^4)*g^4*i^2) + 12*b*d^3*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c
^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*
g^4*i^2) - 12*b*d^3*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^
3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^4*i^2))*log(e*(b*x
/(d*x + c) + a/(d*x + c))^n)^2 - 2/3*A*B*((12*b^3*d^3*x^3 + b^3*c^3 - 5*a*
b^2*c^2*d + 13*a^2*b*c*d^2 + 3*a^3*d^3 + 6*(b^3*c*d^2 + 5*a*b^2*d^3)*x^2 -
 2*(b^3*c^2*d - 8*a*b^2*c*d^2 - 11*a^2*b*d^3)*x)/((b^7*c^4*d - 4*a*b^6*c^3
*d^2 + 6*a^2*b^5*c^2*d^3 - 4*a^3*b^4*c*d^4 + a^4*b^3*d^5)*g^4*i^2*x^4 + (b
^7*c^5 - a*b^6*c^4*d - 6*a^2*b^5*c^3*d^2 + 14*a^3*b^4*c^2*d^3 - 11*a^4*b^3
*c*d^4 + 3*a^5*b^2*d^5)*g^4*i^2*x^3 + 3*(a*b^6*c^5 - 3*a^2*b^5*c^4*d + 2*a
^3*b^4*c^3*d^2 + 2*a^4*b^3*c^2*d^3 - 3*a^5*b^2*c*d^4 + a^6*b*d^5)*g^4*i...
```

Giac [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Timed out}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [B] (verification not implemented)

Time = 32.83 (sec) , antiderivative size = 3157, normalized size of antiderivative = 4.33

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^4*(c*i + d*i*x
)^2),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*((x*(8*A*B*b^2*c*d - 8*A*B*a*b*d^2 + 12*B^2
*b*d*n*(a*d + b*c) + (16*B^2*a*b*d^2*n)/3 - (16*B^2*b^2*c*d*n)/3) - 6*A*B*
a^2*d^2 + 2*A*B*b^2*c^2 + 6*B^2*a^2*d^2*n + (2*B^2*b^2*c^2*n)/3 + 12*B^2*b
^2*d^2*n*x^2 + 4*A*B*a*b*c*d + (16*B^2*a*b*c*d*n)/3)/(x*(3*a^6*d^4*g^4*i^2
 - 9*a^2*b^4*c^4*g^4*i^2 + 24*a^3*b^3*c^3*d*g^4*i^2 - 18*a^4*b^2*c^2*d^2*g
^4*i^2) - x^2*(9*a*b^5*c^4*g^4*i^2 - 9*a^5*b*d^4*g^4*i^2 - 18*a^2*b^4*c^3*
d*g^4*i^2 + 18*a^4*b^2*c*d^3*g^4*i^2) - x^3*(3*b^6*c^4*g^4*i^2 - 9*a^4*b^2
*d^4*g^4*i^2 + 24*a^3*b^3*c*d^3*g^4*i^2 - 18*a^2*b^4*c^2*d^2*g^4*i^2) + x^
4*(3*a^3*b^3*d^4*g^4*i^2 - 3*b^6*c^3*d*g^4*i^2 + 9*a*b^5*c^2*d^2*g^4*i^2 -
 9*a^2*b^4*c*d^3*g^4*i^2) - 3*a^3*b^3*c^4*g^4*i^2 + 3*a^6*c*d^3*g^4*i^2 +
9*a^4*b^2*c^3*d*g^4*i^2 - 9*a^5*b*c^2*d^2*g^4*i^2) - (4*d^3*(6*A*B*b + 5*B
^2*b*n)*(x*((a*d + b*c)*((3*a*g^4*i^2*n*(a*d - b*c)^4)/(2*d) + (3*g^4*i^2*
n*(a*d - b*c)^4*(2*a*d - b*c))/(2*d^2)) + (3*a*b*c*g^4*i^2*n*(a*d - b*c)^4
)/d) + x^2*(b*d*((3*a*g^4*i^2*n*(a*d - b*c)^4)/(2*d) + (3*g^4*i^2*n*(a*d -
 b*c)^4*(2*a*d - b*c))/(2*d^2)) + (3*b*g^4*i^2*n*(a*d + b*c)*(a*d - b*c)^4
)/d) + a*c*((3*a*g^4*i^2*n*(a*d - b*c)^4)/(2*d) + (3*g^4*i^2*n*(a*d - b*c)
^4*(2*a*d - b*c))/(2*d^2)) + 3*b^2*g^4*i^2*n*x^3*(a*d - b*c)^4))/(3*g^4*i^
2*n*(a*d - b*c)^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(x*(3*a^6*d^4*g^4*i^2 -
9*a^2*b^4*c^4*g^4*i^2 + 24*a^3*b^3*c^3*d*g^4*i^2 - 18*a^4*b^2*c^2*d^2*g^4*
i^2) - x^2*(9*a*b^5*c^4*g^4*i^2 - 9*a^5*b*d^4*g^4*i^2 - 18*a^2*b^4*c^3*...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 5699, normalized size of antiderivative = 7.82

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^2}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^2,x)
```

output

```
( - 324*log(a + b*x)*a**6*b*c*d**4*n - 324*log(a + b*x)*a**6*b*d**5*n*x -
108*log(a + b*x)*a**5*b**2*c**2*d**3*n - 324*log(a + b*x)*a**5*b**2*c*d**4
*n**2 - 1080*log(a + b*x)*a**5*b**2*c*d**4*n*x - 324*log(a + b*x)*a**5*b**
2*d**5*n**2*x - 972*log(a + b*x)*a**5*b**2*d**5*n*x**2 - 396*log(a + b*x)*
a**4*b**3*c**2*d**3*n**2 - 324*log(a + b*x)*a**4*b**3*c**2*d**3*n*x - 810*
log(a + b*x)*a**4*b**3*c*d**4*n**3 - 1368*log(a + b*x)*a**4*b**3*c*d**4*n*
*2*x - 1296*log(a + b*x)*a**4*b**3*c*d**4*n*x**2 - 810*log(a + b*x)*a**4*b
**3*d**5*n**3*x - 972*log(a + b*x)*a**4*b**3*d**5*n**2*x**2 - 972*log(a +
b*x)*a**4*b**3*d**5*n*x**3 - 510*log(a + b*x)*a**3*b**4*c**2*d**3*n**3 - 1
188*log(a + b*x)*a**3*b**4*c**2*d**3*n**2*x - 324*log(a + b*x)*a**3*b**4*c
**2*d**3*n*x**2 - 2940*log(a + b*x)*a**3*b**4*c*d**4*n**3*x - 2160*log(a +
 b*x)*a**3*b**4*c*d**4*n**2*x**2 - 648*log(a + b*x)*a**3*b**4*c*d**4*n*x**
3 - 2430*log(a + b*x)*a**3*b**4*d**5*n**3*x**2 - 972*log(a + b*x)*a**3*b**
4*d**5*n**2*x**3 - 324*log(a + b*x)*a**3*b**4*d**5*n*x**4 - 1530*log(a + b
*x)*a**2*b**5*c**2*d**3*n**3*x - 1188*log(a + b*x)*a**2*b**5*c**2*d**3*n**
2*x**2 - 108*log(a + b*x)*a**2*b**5*c**2*d**3*n*x**3 - 3960*log(a + b*x)*a
**2*b**5*c*d**4*n**3*x**2 - 1512*log(a + b*x)*a**2*b**5*c*d**4*n**2*x**3 -
 108*log(a + b*x)*a**2*b**5*c*d**4*n*x**4 - 2430*log(a + b*x)*a**2*b**5*d*
*5*n**3*x**3 - 324*log(a + b*x)*a**2*b**5*d**5*n**2*x**4 - 1530*log(a + b*
x)*a*b**6*c**2*d**3*n**3*x**2 - 396*log(a + b*x)*a*b**6*c**2*d**3*n**2*...
```

3.202 $\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result 2313
Mathematica [B] (verified) 2314
Rubi [A] (verified) 2314
Maple [F] 2316
Fricas [F] 2316
Sympy [F(-1)] 2317
Maxima [F] 2317
Giac [F(-1)] 2318
Mupad [F(-1)] 2319
Reduce [F] 2319

Optimal result

Integrand size = 45, antiderivative size = 676

$$
\begin{aligned}
&\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx \\
&= \frac{B^2(bc-ad)g^3n^2(a+bx)^2}{4d^2i^3(c+dx)^2} - \frac{4AbB(bc-ad)g^3n(a+bx)}{d^3i^3(c+dx)} \\
&\quad + \frac{4bB^2(bc-ad)g^3n^2(a+bx)}{d^3i^3(c+dx)} - \frac{4bB^2(bc-ad)g^3n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^3i^3(c+dx)} \\
&\quad - \frac{B(bc-ad)g^3n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{b^2g^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^3i^3} \\
&\quad + \frac{(bc-ad)g^3(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2d^2i^3(c+dx)^2} \\
&\quad + \frac{2b(bc-ad)g^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^3i^3(c+dx)} \\
&\quad + \frac{2b^2B(bc-ad)g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i^3} \\
&\quad + \frac{3b^2(bc-ad)g^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^4i^3} \\
&\quad + \frac{2b^2B^2(bc-ad)g^3n^2\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3} \\
&\quad + \frac{6b^2B(bc-ad)g^3n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3} \\
&\quad - \frac{6b^2B^2(bc-ad)g^3n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^4i^3}
\end{aligned}
$$

output
```
1/4*B^2*(-a*d+b*c)*g^3*n^2*(b*x+a)^2/d^2/i^3/(d*x+c)^2-4*A*b*B*(-a*d+b*c)*
g^3*n*(b*x+a)/d^3/i^3/(d*x+c)+4*b*B^2*(-a*d+b*c)*g^3*n^2*(b*x+a)/d^3/i^3/(
d*x+c)-4*b*B^2*(-a*d+b*c)*g^3*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/d^3/i^3/
(d*x+c)-1/2*B*(-a*d+b*c)*g^3*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/d
^2/i^3/(d*x+c)^2+b^2*g^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^3/i^3
+1/2*(-a*d+b*c)*g^3*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^2/i^3/(d
*x+c)^2+2*b*(-a*d+b*c)*g^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/d^3/i
^3/(d*x+c)+2*b^2*B*(-a*d+b*c)*g^3*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln((-a
*d+b*c)/b/(d*x+c))/d^4/i^3+3*b^2*(-a*d+b*c)*g^3*(A+B*ln(e*((b*x+a)/(d*x+c)
)^n))^2*ln((-a*d+b*c)/b/(d*x+c))/d^4/i^3+2*b^2*B^2*(-a*d+b*c)*g^3*n^2*poly
log(2,d*(b*x+a)/b/(d*x+c))/d^4/i^3+6*b^2*B*(-a*d+b*c)*g^3*n*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))*polylog(2,d*(b*x+a)/b/(d*x+c))/d^4/i^3-6*b^2*B^2*(-a*d+b
*c)*g^3*n^2*polylog(3,d*(b*x+a)/b/(d*x+c))/d^4/i^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 6878 vs. $2(676) = 1352$.

Time $= 7.79$ (sec) , antiderivative size $= 6878$, normalized size of antiderivative $= 10.17$

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Result too large to show}$$

input
```
Integrate[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x)^3,x]
```

output
```
Result too large to show
```

Rubi [A] (verified)

Time $= 0.79$ (sec) , antiderivative size $= 545$, normalized size of antiderivative $= 0.81$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used $= \{2961, 2795, 2009\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^3\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{g^3(bc-ad)\int \frac{(a+bx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^2}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2795$$

$$\frac{g^3(bc-ad)\int\left(\frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^3}{d^3\left(\frac{d(a+bx)}{c+dx}-b\right)^2}+\frac{3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b^2}{d^3\left(\frac{d(a+bx)}{c+dx}-b\right)}+\frac{2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2b}{d^3}+\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a}{c+}\right.\right.\right.}{i^3}$$

$$\downarrow 2009$$

$$g^3(bc-ad)\left(\frac{6b^2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^4}+\frac{3b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d^4}+\frac{2b^2Bn\log\left(1-\frac{d}{b(}\right.\right.$$

input

```
Int[((a*g + b*g*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x)^3,x]
```

output

```
((b*c - a*d)*g^3*((B^2*n^2*(a + b*x)^2)/(4*d^2*(c + d*x)^2) - (4*A*b*B*n*(
a + b*x))/(d^3*(c + d*x)) + (4*b*B^2*n^2*(a + b*x))/(d^3*(c + d*x)) - (4*b
*B^2*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d^3*(c + d*x)) - (B*n*(a
 + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d^2*(c + d*x)^2) + ((
a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*d^2*(c + d*x)^2) +
 (2*b*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^3*(c + d*x))
+ (b^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^3*(c + d*x)*
(b - (d*(a + b*x))/(c + d*x))) + (2*b^2*B*n*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 + (3*b^2*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^4 + (2*
b^2*B^2*n^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/d^4 + (6*b^2*B*n*(A +
 B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))]
)/d^4 - (6*b^2*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/d^4))/i^3
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^3 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(dix+ci)^3}dx$$

input
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output
```
int((b*g*x+a*g)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="fricas")
```

output
```
integral((A^2*b^3*g^3*x^3 + 3*A^2*a*b^2*g^3*x^2 + 3*A^2*a^2*b*g^3*x + A^2*
a^3*g^3 + (B^2*b^3*g^3*x^3 + 3*B^2*a*b^2*g^3*x^2 + 3*B^2*a^2*b*g^3*x + B^2
*a^3*g^3)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(A*B*b^3*g^3*x^3 + 3*A*B*a*
b^2*g^3*x^2 + 3*A*B*a^2*b*g^3*x + A*B*a^3*g^3)*log(e*((b*x + a)/(d*x + c))
^n))/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**
3,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^3\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="maxima")
```

output

```
3/2*A*B*a^2*b*g^3*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 -
 a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*
i^3) + 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*
d^4)*i^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 +
 a^2*d^4)*i^3)) + 1/2*A*B*a^3*g^3*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a
*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3)
 + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*lo
g(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*A^2*b^3*g^3*((
6*c^2*d*x + 5*c^3)/(d^6*i^3*x^2 + 2*c*d^5*i^3*x + c^2*d^4*i^3) - 2*x/(d^3*
i^3) + 6*c*log(d*x + c)/(d^4*i^3)) + 3/2*A^2*a*b^2*g^3*((4*c*d*x + 3*c^2)/
(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) + 2*log(d*x + c)/(d^3*i^3)) -
3*(2*d*x + c)*A*B*a^2*b*g^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/(d^4*i^
3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - 3/2*(2*d*x + c)*A^2*a^2*b*g^3/(d^4*
i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - A*B*a^3*g^3*log(e*(b*x/(d*x + c)
+ a/(d*x + c))^n)/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A^2*a^3*
g^3/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) + 1/2*(2*B^2*b^3*d^3*g^3*x^3
 + 4*B^2*b^3*c*d^2*g^3*x^2 - 2*(2*b^3*c^2*d*g^3 - 6*a*b^2*c*d^2*g^3 + 3*a^
2*b*d^3*g^3)*B^2*x - (5*b^3*c^3*g^3 - 9*a*b^2*c^2*d*g^3 + 3*a^2*b*c*d^2*g^
3 + a^3*d^3*g^3)*B^2 - 6*((b^3*c*d^2*g^3 - a*b^2*d^3*g^3)*B^2*x^2 + 2*(b^3
*c^2*d*g^3 - a*b^2*c*d^2*g^3)*B^2*x + (b^3*c^3*g^3 - a*b^2*c^2*d*g^3)*B...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=\int \frac{(a\,g+b\,g\,x)^3\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^3,x)
```

output
```
int(((a*g + b*g*x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output

```
(g**3*i*(4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**3 + 3*c**2
*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**5*c**4*d**6 + 8*int((log(((a
+ b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d
**3*x**3),x)*a**2*b**5*c**3*d**7*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)
**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**5
*c**2*d**8*x**2 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**3
 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**6*c**5*d**5 - 16*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x
**2 + d**3*x**3),x)*a*b**6*c**4*d**6*x - 8*int((log(((a + b*x)**n*e)/(c +
d*x)**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**
6*c**3*d**7*x**2 + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**
3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**7*c**6*d**4 + 8*int((log
(((a + b*x)**n*e)/(c + d*x)**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**
2 + d**3*x**3),x)*b**7*c**5*d**5*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)
**n)**2*x**3)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**7*c**4
*d**6*x**2 + 12*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3
*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**4*c**4*d**6 + 24*int((lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x*
*2 + d**3*x**3),x)*a**3*b**4*c**3*d**7*x + 12*int((log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)...
```

3.203 $\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result . . . 2321
Mathematica [B] (verified) . . . 2322
Rubi [A] (verified) . . . 2323
Maple [F] . . . 2325
Fricas [F] . . . 2325
Sympy [F] . . . 2326
Maxima [F] . . . 2326
Giac [F(-1)] . . . 2327
Mupad [F(-1)] . . . 2328
Reduce [F] . . . 2328

Optimal result

Integrand size = 45, antiderivative size = 441

$$
\begin{aligned}
&\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx \\
&= -\frac{B^2g^2n^2(a+bx)^2}{4di^3(c+dx)^2} + \frac{2AbBg^2n(a+bx)}{d^2i^3(c+dx)} - \frac{2bB^2g^2n^2(a+bx)}{d^2i^3(c+dx)} \\
&\quad + \frac{2bB^2g^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{d^2i^3(c+dx)} + \frac{Bg^2n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2di^3(c+dx)^2} \\
&\quad - \frac{g^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2di^3(c+dx)^2} - \frac{bg^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2i^3(c+dx)} \\
&\quad - \frac{b^2g^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(\frac{bc-ad}{b(c+dx)}\right)}{d^3i^3} \\
&\quad - \frac{2b^2Bg^2n\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3} \\
&\quad + \frac{2b^2B^2g^2n^2\operatorname{PolyLog}\left(3,\frac{d(a+bx)}{b(c+dx)}\right)}{d^3i^3}
\end{aligned}
$$

output

```
-1/4*B^2*g^2*n^2*(b*x+a)^2/d/i^3/(d*x+c)^2+2*A*b*B*g^2*n*(b*x+a)/d^2/i^3/(
d*x+c)-2*b*B^2*g^2*n^2*(b*x+a)/d^2/i^3/(d*x+c)+2*b*B^2*g^2*n*(b*x+a)*ln(e*
((b*x+a)/(d*x+c))^n)/d^2/i^3/(d*x+c)+1/2*B*g^2*n*(b*x+a)^2*(A+B*ln(e*((b*x
+a)/(d*x+c))^n))/d/i^3/(d*x+c)^2-1/2*g^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x
+c))^n))^2/d/i^3/(d*x+c)^2-b*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2
/d^2/i^3/(d*x+c)-b^2*g^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2*ln((-a*d+b*c)/b
/(d*x+c))/d^3/i^3-2*b^2*B*g^2*n*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*polylog(2,
d*(b*x+a)/b/(d*x+c))/d^3/i^3+2*b^2*B^2*g^2*n^2*polylog(3,d*(b*x+a)/b/(d*x+
c))/d^3/i^3
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 4493 vs. $2(441) = 882$.

Time $= 7.21$ (sec) , antiderivative size $= 4493$, normalized size of antiderivative $= 10.19$

$$\int \frac{(ag+bgx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Result too large to show}$$

input

```
Integrate[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i
+ d*i*x)^3,x]
```

output

```
(-2*(-(A^2*b^2*c*g^2) + a*A^2*b*d*g^2 - 2*A*b^2*B*c*g^2*(Log[e*((a + b*x)/
(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) + 2*a*A*b*B*d*g^2*(Log[e*((a +
 b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]) - b^2*B^2*c*g^2*(Log[e*(
(a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2 + a*b*B^2*d*g^2*(L
og[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2))/(d^3*i^3*(
c + d*x)) + (-(A^2*b^2*c^2*g^2) + 2*a*A^2*b*c*d*g^2 - a^2*A^2*d^2*g^2 - 2*
A*b^2*B*c^2*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x
)]) + 4*a*A*b*B*c*d*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/
(c + d*x)]) - 2*a^2*A*B*d^2*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a
 + b*x)/(c + d*x)]) - b^2*B^2*c^2*g^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*
Log[(a + b*x)/(c + d*x)])^2 + 2*a*b*B^2*c*d*g^2*(Log[e*((a + b*x)/(c + d*x
))^n] - n*Log[(a + b*x)/(c + d*x)])^2 - a^2*B^2*d^2*g^2*(Log[e*((a + b*x)/
(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2)/(2*d^3*i^3*(c + d*x)^2) + (
b^2*g^2*(A + B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)
]))^2*Log[c + d*x])/(d^3*i^3) + (2*a^2*B*g^2*n*(A + B*(Log[e*((a + b*x)/(c
 + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]))*(((c/d + x)*(2*Log[c/d + x] + 4
*Log[c/d + x]^2))/(8*(c + d*x)^3*Log[c/d + x]) + ((d*(a/b + x))/((-c + (a*
d)/b)^3*(1 - (d*(a/b + x))/(-c + (a*d)/b))) - ((d^2*(a/b + x)^2)/((-c + (a
*d)/b)^4*(1 - (d*(a/b + x))/(-c + (a*d)/b))^2) + (2*d*(a/b + x))/((-c + (a
*d)/b)^3*(1 - (d*(a/b + x))/(-c + (a*d)/b))))*Log[a/b + x] - Log[1 - (d...
```

Rubi [A] (verified)

Time = 0.65 (sec) , antiderivative size = 389, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{g^2\int \frac{(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2795$$

$$\frac{g^2\int\left(-\frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d(c+dx)}-\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2\left(\frac{d(a+bx)}{c+dx}-b\right)}-\frac{b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{d^2}\right)d\frac{a+bx}{c+dx}}{i^3}$$

$$\downarrow 2009$$

$$g^2\left(-\frac{2b^2Bn\,\mathrm{PolyLog}\left(2,\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{d^3}-\frac{b^2\log\left(1-\frac{d(a+bx)}{b(c+dx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{d^3}-\frac{b(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{d^2(c+dx)}$$

input

```
Int[((a*g + b*g*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*
x)^3,x]
```

output

```
(g^2*(-1/4*(B^2*n^2*(a + b*x)^2)/(d*(c + d*x)^2) + (2*A*b*B*n*(a + b*x))/(
d^2*(c + d*x)) - (2*b*B^2*n^2*(a + b*x))/(d^2*(c + d*x)) + (2*b*B^2*n*(a +
 b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(d^2*(c + d*x)) + (B*n*(a + b*x)^2*(
A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*d*(c + d*x)^2) - ((a + b*x)^2*(A
 + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*d*(c + d*x)^2) - (b*(a + b*x)*(
A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(d^2*(c + d*x)) - (b^2*(A + B*Log
[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - (d*(a + b*x))/(b*(c + d*x))])/d^3 -
 (2*b^2*B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, (d*(a + b*x)
)/(b*(c + d*x))])/d^3 + (2*b^2*B^2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*
x))])/d^3))/i^3
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bgx+ag)^2 \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}{(dix+ci)^3}dx$$

input

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output

```
int((b*g*x+a*g)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

Fricas [F]

$$\int \frac{(ag+bgx)^2 \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="fricas")
```

output

```
integral((A^2*b^2*g^2*x^2 + 2*A^2*a*b*g^2*x + A^2*a^2*g^2 + (B^2*b^2*g^2*x
^2 + 2*B^2*a*b*g^2*x + B^2*a^2*g^2)*log(e*((b*x + a)/(d*x + c))^n)^2 + 2*(
A*B*b^2*g^2*x^2 + 2*A*B*a*b*g^2*x + A*B*a^2*g^2)*log(e*((b*x + a)/(d*x + c
))^n))/(d^3*i^3*x^3 + 3*c*d^2*i^3*x^2 + 3*c^2*d*i^3*x + c^3*i^3), x)
```

Sympy [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= g^2\left(\int \frac{A^2a^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{A^2b^2x^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{B^2a^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2ABa^2\log\left(e\left(\frac{}{c+}\right.\right.\right.$$

input
```
integrate((b*g*x+a*g)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**
3,x)
```

output
```
g**2*(Integral(A**2*a**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),
x) + Integral(A**2*b**2*x**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**
3), x) + Integral(B**2*a**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c*
*3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*a**2*log
(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 +
d**3*x**3), x) + Integral(2*A**2*a*b*x/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2
+ d**3*x**3), x) + Integral(B**2*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d
*x))**n)**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral
(2*A*B*b**2*x**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*
x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*B**2*a*b*x*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3
), x) + Integral(4*A*B*a*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)/(c**3
 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \int \frac{(bgx+ag)^2\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(dix+ci)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="maxima")
```

output

```
A*B*a*b*g^2*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 - a*d^5
)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3) +
 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*i
^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d
^4)*i^3)) + 1/2*A*B*a^2*g^2*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*
i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b
^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x
 + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) + 1/2*A^2*b^2*g^2*((4*c*d*
x + 3*c^2)/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) + 2*log(d*x + c)/(d
^3*i^3)) - 2*(2*d*x + c)*A*B*a*b*g^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n
)/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - (2*d*x + c)*A^2*a*b*g^2/(d
^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^2*i^3) - A*B*a^2*g^2*log(e*(b*x/(d*x +
c) + a/(d*x + c))^n)/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A^2*a
^2*g^2/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) + 1/2*(4*(b^2*c*d*g^2 - a
*b*d^2*g^2)*B^2*x + (3*b^2*c^2*g^2 - 2*a*b*c*d*g^2 - a^2*d^2*g^2)*B^2 + 2*
(B^2*b^2*d^2*g^2*x^2 + 2*B^2*b^2*c*d*g^2*x + B^2*b^2*c^2*g^2)*log(d*x + c)
)*log((d*x + c)^n)^2/(d^5*i^3*x^2 + 2*c*d^4*i^3*x + c^2*d^3*i^3) - integra
te(-(2*B^2*a*b*d^2*g^2*x*log(e)^2 + B^2*a^2*d^2*g^2*log(e)^2 + (B^2*b^2*d^
2*g^2*log(e)^2 + 2*A*B*b^2*d^2*g^2*log(e))*x^2 + (B^2*b^2*d^2*g^2*x^2 + 2*
B^2*a*b*d^2*g^2*x + B^2*a^2*d^2*g^2)*log((b*x + a)^n)^2 + 2*(2*B^2*a*b*...
```

Giac [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x
, algorithm="giac")
```

output

```
Timed out
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=\int \frac{(a\,g+b\,g\,x)^2\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^3}\,dx$$

input
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^3,x)
```

output
```
int(((a*g + b*g*x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^3, x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{too large to display}$$

input
```
int((b*g*x+a*g)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output

```
(g**2*i*(4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3*c**2
*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4*c**4*d**5 + 8*int((log(((a
+ b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d
**3*x**3),x)*a**2*b**4*c**3*d**6*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)
**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**2*b**4
*c**2*d**7*x**2 - 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3
 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**5*c**5*d**4 - 16*int((l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x
**2 + d**3*x**3),x)*a*b**5*c**4*d**5*x - 8*int((log(((a + b*x)**n*e)/(c +
d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a*b**
5*c**3*d**6*x**2 + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**
3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**6*d**3 + 8*int((log
(((a + b*x)**n*e)/(c + d*x)**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**
2 + d**3*x**3),x)*b**6*c**5*d**4*x + 4*int((log(((a + b*x)**n*e)/(c + d*x)
**n)**2*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*b**6*c**4
*d**5*x**2 + 8*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**
2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*c**4*d**5 + 16*int((log(((
a + b*x)**n*e)/(c + d*x)**n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d*
*3*x**3),x)*a**3*b**3*c**3*d**6*x + 8*int((log(((a + b*x)**n*e)/(c + d*x)*
*n)*x**2)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),x)*a**3*b**3*...
```

3.204 $\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result . . . 2330
Mathematica [C] (verified) . . . 2331
Rubi [A] (verified) . . . 2332
Maple [B] (verified) . . . 2333
Fricas [B] (verification not implemented) . . . 2334
Sympy [F] . . . 2335
Maxima [B] (verification not implemented) . . . 2336
Giac [A] (verification not implemented) . . . 2337
Mupad [B] (verification not implemented) . . . 2337
Reduce [B] (verification not implemented) . . . 2338

Optimal result

Integrand size = 43, antiderivative size = 151

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \frac{B^2gn^2(a+bx)^2}{4(bc-ad)i^3(c+dx)^2} - \frac{Bgn(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)i^3(c+dx)^2} + \frac{g(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)i^3(c+dx)^2}$$

output

```
1/4*B^2*g*n^2*(b*x+a)^2/(-a*d+b*c)/i^3/(d*x+c)^2-1/2*B*g*n*(b*x+a)^2*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/i^3/(d*x+c)^2+1/2*g*(b*x+a)^2*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/i^3/(d*x+c)^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 1.15 (sec) , antiderivative size = 803, normalized size of antiderivative = 5.32

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{g\Big(2(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 - 4b(bc-ad)(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 + 4bBn(c+dx)$$

input
```
Integrate[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i +
d*i*x)^3,x]
```

output
```
(g*(2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 - 4*b*(b*c -
a*d)*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + 4*b*B*n*(c + d*x
)*(2*(b*c - a*d)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 2*b*(c + d*x)*Lo
g[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 2*b*(c + d*x)*(A + B*L
og[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 2*B*n*(b*c - a*d + b*(c + d*
x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]) - b*B*n*(c + d*x)*(Log[a + b*x
]*(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a +
 b*x))/(-(b*c) + a*d)]) + b*B*n*(c + d*x)*((2*Log[(d*(a + b*x))/(-(b*c) +
a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d
)])) - B*n*(2*(b*c - a*d)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*b*(
b*c - a*d)*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*b^2*(c + d
*x)^2*Log[a + b*x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - 4*b^2*(c + d*x
)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[c + d*x] - 4*b*B*n*(c + d*x
)*(b*c - a*d + b*(c + d*x)*Log[a + b*x] - b*(c + d*x)*Log[c + d*x]) - B*n*
((b*c - a*d)^2 + 2*b*(b*c - a*d)*(c + d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x
] - 2*b^2*(c + d*x)^2*Log[c + d*x]) - 2*b^2*B*n*(c + d*x)^2*(Log[a + b*x]*
(Log[a + b*x] - 2*Log[(b*(c + d*x))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b
*x))/(-(b*c) + a*d)]) + 2*b^2*B*n*(c + d*x)^2*((2*Log[(d*(a + b*x))/(-(b*c
) + a*d)] - Log[c + d*x])*Log[c + d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c -
 a*d)])))/(4*d^2*(b*c - a*d)*i^3*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 123, normalized size of antiderivative = 0.81, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.070$, Rules used = {2961, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{g\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{c+dx}d\frac{a+bx}{c+dx}}{i^3(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(c+dx)^2}-Bn\int \frac{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{c+dx}d\frac{a+bx}{c+dx}\right)}{i^3(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{g\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(c+dx)^2}-Bn\left(\frac{(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}-\frac{Bn(a+bx)^2}{4(c+dx)^2}\right)\right)}{i^3(bc-ad)}$$

input

```
Int[((a*g + b*g*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c*i + d*i*x)
^3,x]
```

output

```
(g*(((a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(c + d*x)^2)
 - B*n*(-1/4*(B*n*(a + b*x)^2)/(c + d*x)^2 + ((a + b*x)^2*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n]))/(2*(c + d*x)^2))))/((b*c - a*d)*i^3)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 529 vs. 2(145) = 290.

Time = 4.75 (sec) , antiderivative size = 530, normalized size of antiderivative = 3.51

method	result
parallelrisch	$-\frac{8ABx\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)ab^2d^4gn+4ABx^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)b^3d^4gn+4B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2ab^2d^4gn-4B^2x\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)a$

input

```
int((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x,method=_
RETURNVERBOSE)
```

output

```
-1/4*(8*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*d^4*g*n+4*A*B*x^2*ln(e*((b*x
+a)/(d*x+c))^n)*b^3*d^4*g*n+4*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^2*d^4*
g*n-4*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*d^4*g*n^2-4*A*B*x*a*b^2*d^4*g*
n^2+4*A*B*x*b^3*c*d^3*g*n^2+4*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b*d^4*g*n+
2*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^3*d^4*g*n-2*B^2*x^2*ln(e*((b*x+a)/
(d*x+c))^n)*b^3*d^4*g*n^2+2*B^2*x*a*b^2*d^4*g*n^3-2*B^2*x*b^3*c*d^3*g*n^3+
2*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b*d^4*g*n-2*B^2*ln(e*((b*x+a)/(d*x+c
))^n)*a^2*b*d^4*g*n^2+4*A^2*x*a*b^2*d^4*g*n-4*A^2*x*b^3*c*d^3*g*n-2*A*B*a^
2*b*d^4*g*n^2+2*A*B*b^3*c^2*d^2*g*n^2+B^2*a^2*b*d^4*g*n^3-B^2*b^3*c^2*d^2*
g*n^3+2*A^2*a^2*b*d^4*g*n-2*A^2*b^3*c^2*d^2*g*n)/i^3/(d*x+c)^2/b/d^4/n/(a*
d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 600 vs. $2(145) = 290$.

Time $= 0.10$ (sec) , antiderivative size $= 600$, normalized size of antiderivative $= 3.97$

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx =$$

$$-\frac{(B^2b^2c^2-B^2a^2d^2)gn^2-2\left(ABb^2c^2-ABa^2d^2\right)gn+2\left(2\left(B^2b^2cd-B^2abd^2\right)gx+\left(B^2b^2c^2-B^2a^2d^2\right)g\right.}{}$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
-1/4*((B^2*b^2*c^2 - B^2*a^2*d^2)*g*n^2 - 2*(A*B*b^2*c^2 - A*B*a^2*d^2)*g*
n + 2*(2*(B^2*b^2*c*d - B^2*a*b*d^2)*g*x + (B^2*b^2*c^2 - B^2*a^2*d^2)*g)*
log(e)^2 - 2*(B^2*b^2*d^2*g*n^2*x^2 + 2*B^2*a*b*d^2*g*n^2*x + B^2*a^2*d^2*
g*n^2)*log((b*x + a)/(d*x + c))^2 + 2*(A^2*b^2*c^2 - A^2*a^2*d^2)*g + 2*((
B^2*b^2*c*d - B^2*a*b*d^2)*g*n^2 - 2*(A*B*b^2*c*d - A*B*a*b*d^2)*g*n + 2*(
A^2*b^2*c*d - A^2*a*b*d^2)*g)*x - 2*((B^2*b^2*c^2 - B^2*a^2*d^2)*g*n - 2*(
A*B*b^2*c^2 - A*B*a^2*d^2)*g + 2*((B^2*b^2*c*d - B^2*a*b*d^2)*g*n - 2*(A*B
*b^2*c*d - A*B*a*b*d^2)*g)*x + 2*(B^2*b^2*d^2*g*n*x^2 + 2*B^2*a*b*d^2*g*n*
x + B^2*a^2*d^2*g*n)*log((b*x + a)/(d*x + c)))*log(e) + 2*(B^2*a^2*d^2*g*n
^2 - 2*A*B*a^2*d^2*g*n + (B^2*b^2*d^2*g*n^2 - 2*A*B*b^2*d^2*g*n)*x^2 + 2*(
B^2*a*b*d^2*g*n^2 - 2*A*B*a*b*d^2*g*n)*x)*log((b*x + a)/(d*x + c)))/((b*c*
d^4 - a*d^5)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*
d^3)*i^3)
```

Sympy [F]

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= \frac{g\left(\int \frac{A^2a}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{A^2bx}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{B^2a\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2ABa\log\left(e\left(\frac{a}{c+dx}\right.\right.\right.}{c^3+3c^2dx+3cd^2x}$$

$$\frac{}{i^3}$$

input

```
integrate((b*g*x+a*g)*(A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**3,x
)
```

output

```
g*(Integral(A**2*a/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + I
ntegral(A**2*b*x/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Int
egral(B**2*a*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c**3 + 3*c**2*d*x
 + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*a*log(e*(a/(c + d*x) +
b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + I
ntegral(B**2*b*x*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c**3 + 3*c**2
*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*b*x*log(e*(a/(c + d
*x) + b*x/(c + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3),
x))/i**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1995 vs. $2(145) = 290$.

Time $= 0.13$ (sec) , antiderivative size $= 1995$, normalized size of antiderivative $= 13.21$

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
1/2*A*B*b*g*n*((b*c^2 - 3*a*c*d + 2*(b*c*d - 2*a*d^2)*x)/((b*c*d^4 - a*d^5
)*i^3*x^2 + 2*(b*c^2*d^3 - a*c*d^4)*i^3*x + (b*c^3*d^2 - a*c^2*d^3)*i^3) +
 2*(b^2*c - 2*a*b*d)*log(b*x + a)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*i
^3) - 2*(b^2*c - 2*a*b*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d
^4)*i^3)) + 1/2*A*B*a*g*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*
x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*l
og(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)
/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3)) - 1/2*(2*d*x + c)*B^2*b*g*log(
e*(b*x/(d*x + c) + a/(d*x + c))^n)^2/(d^4*i^3*x^2 + 2*c*d^3*i^3*x + c^2*d^
2*i^3) + 1/4*(2*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*
(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*log(b*x +
 a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c
^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)
 - (7*b^2*c^2 - 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c
^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(d*x + c)^
2 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(
b*x + a) - 2*(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2 + 2*(b^2*d^2*x^2 + 2
*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d*x + c))*n^2/(b^2*c^4*d*i^3 - 2*a
*b*c^3*d^2*i^3 + a^2*c^2*d^3*i^3 + (b^2*c^2*d^3*i^3 - 2*a*b*c*d^4*i^3 + a^
2*d^5*i^3)*x^2 + 2*(b^2*c^3*d^2*i^3 - 2*a*b*c^2*d^3*i^3 + a^2*c*d^4*i^3...
```

Giac [A] (verification not implemented)

Time = 1.62 (sec) , antiderivative size = 195, normalized size of antiderivative = 1.29

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=\frac{1}{4}\left(\frac{2\,(bx+a)^2B^2gn^2\log\left(\frac{bx+a}{dx+c}\right)^2}{(dx+c)^2i^3}-\frac{2\,(B^2gn^2-2\,B^2gn\log(e)-2\,ABgn)(bx+a)^2\log\left(\frac{bx+a}{dx+c}\right)}{(dx+c)^2i^3}+\frac{(B^2gn\right.$$

input
```
integrate((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output
```
1/4*(2*(b*x + a)^2*B^2*g*n^2*log((b*x + a)/(d*x + c))^2/((d*x + c)^2*i^3)
- 2*(B^2*g*n^2 - 2*B^2*g*n*log(e) - 2*A*B*g*n)*(b*x + a)^2*log((b*x + a)/(
d*x + c))/((d*x + c)^2*i^3) + (B^2*g*n^2 - 2*B^2*g*n*log(e) + 2*B^2*g*log(
e)^2 - 2*A*B*g*n + 4*A*B*g*log(e) + 2*A^2*g)*(b*x + a)^2/((d*x + c)^2*i^3)
)*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 29.01 (sec) , antiderivative size = 565, normalized size of antiderivative = 3.74

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=-\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2\left(\frac{\frac{B^2ag}{2d}+\frac{B^2bgx}{d}+\frac{B^2bcg}{2d^2}}{c^2i^3+2cdi^3x+d^2i^3x^2}+\frac{B^2b^2g}{2d^2i^3\,(ad-bc)}\right)$$
$$-\frac{x\,(2bdgA^2-2bdgABn+bdgB^2n^2)+A^2adg+A^2bcg+\frac{B^2adgn^2}{2}+\frac{B^2bcgn^2}{2}-ABadgn-A}{2c^2d^2i^3+4cd^3i^3x+2d^4i^3x^2}$$
$$-\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{ABadg+ABbcg-B^2adgn+B^2bcgn+2ABbdgx}{c^2d^2i^3+2cd^3i^3x+d^4i^3x^2}\right.$$
$$\left.-\frac{B^2b^2g\left(\frac{cd^2i^3n(ad-bc)}{2b}+\frac{d^3i^3nx(ad-bc)}{b}-\frac{d^2i^3n(ad-bc)(ad-2bc)}{2b^2}\right)}{d^2i^3\,(ad-bc)\,(c^2d^2i^3+2cd^3i^3x+d^4i^3x^2)}\right)$$
$$-\frac{Bb^2gn\operatorname{atan}\left(\frac{Bb^2gn(2A-Bn)\left(\frac{ad^3i^3+bcd^2i^3}{d^2i^3}+2bdx\right)1\mathrm{i}}{(ad-bc)(B^2b^2gn^2-2ABb^2gn)}\right)(2A-Bn)\,1\mathrm{i}}{d^2i^3\,(ad-bc)}$$

input
```
int(((a*g + b*g*x)*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*x)
^3,x)
```

output
```
- log(e*((a + b*x)/(c + d*x))^n)^2*(((B^2*a*g)/(2*d) + (B^2*b*g*x)/d + (B^
2*b*c*g)/(2*d^2))/(c^2*i^3 + d^2*i^3*x^2 + 2*c*d*i^3*x) + (B^2*b^2*g)/(2*d
^2*i^3*(a*d - b*c))) - (x*(2*A^2*b*d*g + B^2*b*d*g*n^2 - 2*A*B*b*d*g*n) +
A^2*a*d*g + A^2*b*c*g + (B^2*a*d*g*n^2)/2 + (B^2*b*c*g*n^2)/2 - A*B*a*d*g*
n - A*B*b*c*g*n)/(2*c^2*d^2*i^3 + 2*d^4*i^3*x^2 + 4*c*d^3*i^3*x) - log(e*(
(a + b*x)/(c + d*x))^n)*((A*B*a*d*g + A*B*b*c*g - B^2*a*d*g*n + B^2*b*c*g*
n + 2*A*B*b*d*g*x)/(c^2*d^2*i^3 + d^4*i^3*x^2 + 2*c*d^3*i^3*x) - (B^2*b^2*
g*((c*d^2*i^3*n*(a*d - b*c))/(2*b) + (d^3*i^3*n*x*(a*d - b*c))/b - (d^2*i^
3*n*(a*d - b*c)*(a*d - 2*b*c))/(2*b^2)))/(d^2*i^3*(a*d - b*c)*(c^2*d^2*i^3
 + d^4*i^3*x^2 + 2*c*d^3*i^3*x))) - (B*b^2*g*n*atan((B*b^2*g*n*(2*A - B*n)
*((a*d^3*i^3 + b*c*d^2*i^3)/(d^2*i^3) + 2*b*d*x)*1i)/((a*d - b*c)*(B^2*b^2
*g*n^2 - 2*A*B*b^2*g*n)))*(2*A - B*n)*1i)/(d^2*i^3*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 761, normalized size of antiderivative = 5.04

$$\int \frac{(ag+bgx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((b*g*x+a*g)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output

```
(g*i*( - 4*log(a + b*x)*a**2*b**2*c**2*n - 8*log(a + b*x)*a**2*b**2*c*d*n*
x - 4*log(a + b*x)*a**2*b**2*d**2*n*x**2 + 2*log(a + b*x)*a*b**3*c**2*n**2
 + 4*log(a + b*x)*a*b**3*c*d*n**2*x + 2*log(a + b*x)*a*b**3*d**2*n**2*x**2
 + 4*log(c + d*x)*a**2*b**2*c**2*n + 8*log(c + d*x)*a**2*b**2*c*d*n*x + 4*
log(c + d*x)*a**2*b**2*d**2*n*x**2 - 2*log(c + d*x)*a*b**3*c**2*n**2 - 4*l
og(c + d*x)*a*b**3*c*d*n**2*x - 2*log(c + d*x)*a*b**3*d**2*n**2*x**2 - 2*l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d - 4*log(((a + b*x)**n*e
)/(c + d*x)**n)**2*a*b**3*c*d*x - 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*
b**4*c*d*x**2 - 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d + 4*log(((
a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c**2 + 2*log(((a + b*x)**n*e)/(c +
d*x)**n)*a**2*b**2*c*d*n + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*
d**2*x**2 - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*n - 4*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*d*x**2 - 2*log(((a + b*x)**n*e)/(c +
d*x)**n)*a*b**3*d**2*n*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c*
d*n*x**2 - 2*a**4*c*d + 2*a**3*b*c**2 + 2*a**3*b*c*d*n + 2*a**3*b*d**2*x**
2 - 2*a**2*b**2*c**2*n - a**2*b**2*c*d*n**2 - 2*a**2*b**2*c*d*x**2 - 2*a**
2*b**2*d**2*n*x**2 + a*b**3*c**2*n**2 + 2*a*b**3*c*d*n*x**2 + a*b**3*d**2*
n**2*x**2 - b**4*c*d*n**2*x**2))/(4*c*d*(a*c**2*d + 2*a*c*d**2*x + a*d**3*
x**2 - b*c**3 - 2*b*c**2*d*x - b*c*d**2*x**2))
```

3.205 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$

Optimal result . . . 2340
Mathematica [C] (verified) . . . 2341
Rubi [A] (verified) . . . 2342
Maple [B] (verified) . . . 2343
Fricas [B] (verification not implemented) . . . 2344
Sympy [F] . . . 2345
Maxima [B] (verification not implemented) . . . 2346
Giac [A] (verification not implemented) . . . 2347
Mupad [B] (verification not implemented) . . . 2348
Reduce [B] (verification not implemented) . . . 2349

Optimal result

Integrand size = 35, antiderivative size = 317

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = &-\frac{B^2dn^2(a+bx)^2}{4(bc-ad)^2i^3(c+dx)^2}\\ &-\frac{2AbBn(a+bx)}{(bc-ad)^2i^3(c+dx)}+\frac{2bB^2n^2(a+bx)}{(bc-ad)^2i^3(c+dx)}\\ &-\frac{2bB^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^2i^3(c+dx)}\\ &+\frac{Bdn(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^2i^3(c+dx)^2}\\ &-\frac{d(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^2i^3(c+dx)^2}\\ &+\frac{b(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^2i^3(c+dx)}\end{aligned}$$

output
```
-1/4*B^2*d*n^2*(b*x+a)^2/(-a*d+b*c)^2/i^3/(d*x+c)^2-2*A*b*B*n*(b*x+a)/(-a*
d+b*c)^2/i^3/(d*x+c)+2*b*B^2*n^2*(b*x+a)/(-a*d+b*c)^2/i^3/(d*x+c)-2*b*B^2*
n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^2/i^3/(d*x+c)+1/2*B*d*n*(b*
x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^2/i^3/(d*x+c)^2-1/2*d*(b
*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/i^3/(d*x+c)^2+b*(b*
x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^2/i^3/(d*x+c)
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3 in optimal.

Time = 0.46 (sec) , antiderivative size = 464, normalized size of antiderivative = 1.46

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$

$$= \frac{-2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 + \frac{Bn\left(2(bc-ad)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+4b(bc-ad)(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)+4b^2(c+dx)^2\,\mathrm{lo}\right.}{}$$

input
```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x)^3,x]
```

output
```
(-2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2 + (B*n*(2*(b*c - a*d)^2*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]) + 4*b*(b*c - a*d)*(c + d*x)*(A + B*Log[e
*((a + b*x)/(c + d*x))^n]) + 4*b^2*(c + d*x)^2*Log[a + b*x]*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n]) - 4*b^2*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c +
d*x))^n])*Log[c + d*x] - 4*b*B*n*(c + d*x)*(b*c - a*d + b*(c + d*x)*Log[a
+ b*x] - b*(c + d*x)*Log[c + d*x]) - B*n*((b*c - a*d)^2 + 2*b*(b*c - a*d)*
(c + d*x) + 2*b^2*(c + d*x)^2*Log[a + b*x] - 2*b^2*(c + d*x)^2*Log[c + d*x
]) - 2*b^2*B*n*(c + d*x)^2*(Log[a + b*x]*(Log[a + b*x] - 2*Log[(b*(c + d*x
))/(b*c - a*d)]) - 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]) + 2*b^2*B*n
*(c + d*x)^2*((2*Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[c + d*x])*Log[c +
 d*x] + 2*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])))/(b*c - a*d)^2)/(4*d*i^3
*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 240, normalized size of antiderivative = 0.76, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2951, 2767, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ci+dix)^3}\,dx$$

$$\downarrow 2951$$

$$\frac{\int \left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{i^3(bc-ad)^2}$$

$$\downarrow 2767$$

$$\frac{\int \left(b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2-\frac{d(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{c+dx}\right) d\frac{a+bx}{c+dx}}{i^3(bc-ad)^2}$$

$$\downarrow 2009$$

$$\frac{Bdn(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}+\frac{b(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-\frac{d(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(c+dx)^2}-\frac{2AbBn(a+bx)}{c+dx}-\frac{2bI}{}$$

$$i^3(bc-ad)^2$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(c*i + d*i*x)^3,x]
```

output

```
(-1/4*(B^2*d*n^2*(a + b*x)^2)/(c + d*x)^2 - (2*A*b*B*n*(a + b*x))/(c + d*x
) + (2*b*B^2*n^2*(a + b*x))/(c + d*x) - (2*b*B^2*n*(a + b*x)*Log[e*((a + b
*x)/(c + d*x))^n])/(c + d*x) + (B*d*n*(a + b*x)^2*(A + B*Log[e*((a + b*x)/
(c + d*x))^n]))/(2*(c + d*x)^2) - (d*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^2)/(2*(c + d*x)^2) + (b*(a + b*x)*(A + B*Log[e*((a + b*x)/(c
 + d*x))^n])^2)/(c + d*x))/((b*c - a*d)^2*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2767
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_)^(r_.))^(
q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, (d + e*x
^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n, p, q, r}, x]
&& IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0] && IntegerQ[r]))
```

rule 2951
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 671 vs. $2(311) = 622$.

Time = 4.81 (sec) , antiderivative size = 672, normalized size of antiderivative = 2.12

method	result
parallelrisch	$-\frac{B^2a^2bd^5n^3+7B^2b^3c^2d^3n^3+2A^2a^2bd^5n+2A^2b^3c^2d^3n-4ABxb^3cd^4n^2-4B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2ab^2cd^4n+8B^2\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)$

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x,method=_RETURNVERBOS
E)
```

output

```
-1/4*(B^2*a^2*b*d^5*n^3+7*B^2*b^3*c^2*d^3*n^3+2*A^2*a^2*b*d^5*n+2*A^2*b^3*
c^2*d^3*n-4*A*B*x*b^3*c*d^4*n^2-4*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^2*c*
d^4*n+8*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*c*d^4*n^2+4*A*B*ln(e*((b*x+a)/
(d*x+c))^n)*a^2*b*d^5*n-8*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*b^3*c*d^4*n-8*A*
B*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*c*d^4*n+8*A*B*a*b^2*c*d^4*n^2-4*A*B*x^2*
ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^5*n-4*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^
3*c*d^4*n+4*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^2*d^5*n^2+8*B^2*x*ln(e*((b
*x+a)/(d*x+c))^n)*b^3*c*d^4*n^2+4*A*B*x*a*b^2*d^5*n^2-2*B^2*x^2*ln(e*((b*x
+a)/(d*x+c))^n)^2*b^3*d^5*n+6*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^3*d^5*n^
2-6*B^2*x*a*b^2*d^5*n^3+6*B^2*x*b^3*c*d^4*n^3+2*B^2*ln(e*((b*x+a)/(d*x+c))
^n)^2*a^2*b*d^5*n-2*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b*d^5*n^2-8*B^2*a*b^
2*c*d^4*n^3-2*A*B*a^2*b*d^5*n^2-6*A*B*b^3*c^2*d^3*n^2-4*A^2*a*b^2*c*d^4*n)
/i^3/(d*x+c)^2/n/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b/d^4
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 654 vs. $2(311) = 622$.

Time $= 0.11$ (sec) , antiderivative size $= 654$, normalized size of antiderivative $= 2.06$

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx =$$

$$-\frac{2\,A^2b^2c^2 - 4\,A^2abcd + 2\,A^2a^2d^2 + (7\,B^2b^2c^2 - 8\,B^2abcd + B^2a^2d^2)n^2 + 2\,(B^2b^2c^2 - 2\,B^2abcd + B^2a^2$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x, algorithm="f
ricas")
```

output

```
-1/4*(2*A^2*b^2*c^2 - 4*A^2*a*b*c*d + 2*A^2*a^2*d^2 + (7*B^2*b^2*c^2 - 8*B
^2*a*b*c*d + B^2*a^2*d^2)*n^2 + 2*(B^2*b^2*c^2 - 2*B^2*a*b*c*d + B^2*a^2*d
^2)*log(e)^2 - 2*(B^2*b^2*d^2*n^2*x^2 + 2*B^2*b^2*c*d*n^2*x + (2*B^2*a*b*c
*d - B^2*a^2*d^2)*n^2)*log((b*x + a)/(d*x + c))^2 - 2*(3*A*B*b^2*c^2 - 4*A
*B*a*b*c*d + A*B*a^2*d^2)*n + 2*(3*(B^2*b^2*c*d - B^2*a*b*d^2)*n^2 - 2*(A*
B*b^2*c*d - A*B*a*b*d^2)*n)*x + 2*(2*A*B*b^2*c^2 - 4*A*B*a*b*c*d + 2*A*B*a
^2*d^2 - 2*(B^2*b^2*c*d - B^2*a*b*d^2)*n*x - (3*B^2*b^2*c^2 - 4*B^2*a*b*c*
d + B^2*a^2*d^2)*n - 2*(B^2*b^2*d^2*n*x^2 + 2*B^2*b^2*c*d*n*x + (2*B^2*a*b
*c*d - B^2*a^2*d^2)*n)*log((b*x + a)/(d*x + c)))*log(e) + 2*((4*B^2*a*b*c*
d - B^2*a^2*d^2)*n^2 + (3*B^2*b^2*d^2*n^2 - 2*A*B*b^2*d^2*n)*x^2 - 2*(2*A*
B*a*b*c*d - A*B*a^2*d^2)*n - 2*(2*A*B*b^2*c*d*n - (2*B^2*b^2*c*d + B^2*a*b
*d^2)*n^2)*x)*log((b*x + a)/(d*x + c)))/((b^2*c^2*d^3 - 2*a*b*c*d^4 + a^2*
d^5)*i^3*x^2 + 2*(b^2*c^3*d^2 - 2*a*b*c^2*d^3 + a^2*c*d^4)*i^3*x + (b^2*c^
4*d - 2*a*b*c^3*d^2 + a^2*c^2*d^3)*i^3)
```

Sympy [F]

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$= \frac{\int \frac{A^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{B^2\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)^2}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx + \int \frac{2AB\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\,dx}{i^3}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(d*i*x+c*i)**3,x)
```

output

```
(Integral(A**2/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x) + Integ
ral(B**2*log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2/(c**3 + 3*c**2*d*x + 3
*c*d**2*x**2 + d**3*x**3), x) + Integral(2*A*B*log(e*(a/(c + d*x) + b*x/(c
 + d*x))**n)/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3), x))/i**3
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 861 vs. 2(311) = 622.

Time = 0.08 (sec) , antiderivative size = 861, normalized size of antiderivative = 2.72

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x, algorithm="m
axima")
```

output

```
1/2*A*B*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3 - a*d^4)*i^3*x^2 + 2*(b*c^2*d
^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i^3) + 2*b^2*log(b*x + a)/((b^
2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2*log(d*x + c)/((b^2*c^2*d - 2
*a*b*c*d^2 + a^2*d^3)*i^3)) + 1/4*(2*n*((2*b*d*x + 3*b*c - a*d)/((b*c*d^3
- a*d^4)*i^3*x^2 + 2*(b*c^2*d^2 - a*c*d^3)*i^3*x + (b*c^3*d - a*c^2*d^2)*i
^3) + 2*b^2*log(b*x + a)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3) - 2*b^2
*log(d*x + c)/((b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*i^3))*log(e*(b*x/(d*x +
 c) + a/(d*x + c))^n) - (7*b^2*c^2 - 8*a*b*c*d + a^2*d^2 + 2*(b^2*d^2*x^2
+ 2*b^2*c*d*x + b^2*c^2)*log(b*x + a)^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b
^2*c^2)*log(d*x + c)^2 + 6*(b^2*c*d - a*b*d^2)*x + 6*(b^2*d^2*x^2 + 2*b^2*
c*d*x + b^2*c^2)*log(b*x + a) - 2*(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2
 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d*x + c))*n^2
/(b^2*c^4*d*i^3 - 2*a*b*c^3*d^2*i^3 + a^2*c^2*d^3*i^3 + (b^2*c^2*d^3*i^3 -
 2*a*b*c*d^4*i^3 + a^2*d^5*i^3)*x^2 + 2*(b^2*c^3*d^2*i^3 - 2*a*b*c^2*d^3*i
^3 + a^2*c*d^4*i^3)*x))*B^2 - 1/2*B^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^
n)^2/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - A*B*log(e*(b*x/(d*x + c)
+ a/(d*x + c))^n)/(d^3*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3) - 1/2*A^2/(d^3
*i^3*x^2 + 2*c*d^2*i^3*x + c^2*d*i^3)
```

Giac [A] (verification not implemented)

Time = 0.82 (sec) , antiderivative size = 407, normalized size of antiderivative = 1.28

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx$$
$$=\frac{1}{4}\left(2\left(\frac{2\,(bx+a)B^2bn^2}{(bci^3-adi^3)(dx+c)}-\frac{(bx+a)^2B^2dn^2}{(bci^3-adi^3)(dx+c)^2}\right)\log\left(\frac{bx+a}{dx+c}\right)^2+2\left(\frac{(B^2dn^2-2\,B^2dn\log(e)-$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x, algorithm="g
iac")
```

output
```
1/4*(2*(2*(b*x + a)*B^2*b*n^2/((b*c*i^3 - a*d*i^3)*(d*x + c)) - (b*x + a)^
2*B^2*d*n^2/((b*c*i^3 - a*d*i^3)*(d*x + c)^2))*log((b*x + a)/(d*x + c))^2
+ 2*((B^2*d*n^2 - 2*B^2*d*n*log(e) - 2*A*B*d*n)*(b*x + a)^2/((b*c*i^3 - a*
d*i^3)*(d*x + c)^2) - 4*(B^2*b*n^2 - B^2*b*n*log(e) - A*B*b*n)*(b*x + a)/(
(b*c*i^3 - a*d*i^3)*(d*x + c)))*log((b*x + a)/(d*x + c)) - (B^2*d*n^2 - 2*
B^2*d*n*log(e) + 2*B^2*d*log(e)^2 - 2*A*B*d*n + 4*A*B*d*log(e) + 2*A^2*d)*
(b*x + a)^2/((b*c*i^3 - a*d*i^3)*(d*x + c)^2) + 4*(2*B^2*b*n^2 - 2*B^2*b*n
*log(e) + B^2*b*log(e)^2 - 2*A*B*b*n + 2*A*B*b*log(e) + A^2*b)*(b*x + a)/(
(b*c*i^3 - a*d*i^3)*(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 27.73 (sec) , antiderivative size = 505, normalized size of antiderivative = 1.59

$$
\begin{aligned}
&\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx \\
&= -\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2\left(\frac{B^2}{2d\left(c^2i^3+2cdi^3x+d^2i^3x^2\right)}\right. \\
&\qquad\left. -\frac{B^2b^2}{2di^3\left(a^2d^2-2abcd+b^2c^2\right)}\right) \\
&\quad -\frac{\frac{2A^2ad-2A^2bc+B^2adn^2-7B^2bcn^2-2ABadn+6ABbcn}{2(ad-bc)}-\frac{bx\left(3B^2dn^2-2ABdn\right)}{ad-bc}}{2c^2di^3+4cd^2i^3x+2d^3i^3x^2} \\
&\quad -\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\left(\frac{AB}{c^2di^3+2cd^2i^3x+d^3i^3x^2}\right. \\
&\qquad\left. +\frac{B^2b^2\left(\frac{d^2i^3nx(ad-bc)}{b}-\frac{di^3n(ad-bc)(ad-2bc)}{2b^2}+\frac{cdi^3n(ad-bc)}{2b}\right)}{di^3\left(a^2d^2-2abcd+b^2c^2\right)\left(c^2di^3+2cd^2i^3x+d^3i^3x^2\right)}\right) \\
&\quad -\frac{Bb^2n\operatorname{atan}\left(\frac{\left(2bdx+\frac{2a^2d^3i^3-2b^2c^2di^3}{2di^3(ad-bc)}\right)1i}{ad-bc}\right)(2A-3Bn)\,1i}{di^3(ad-bc)^2}
\end{aligned}
$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/(c*i + d*i*x)^3,x)
```

output
```
- log(e*((a + b*x)/(c + d*x))^n)^2*(B^2/(2*d*(c^2*i^3 + d^2*i^3*x^2 + 2*c*
d*i^3*x)) - (B^2*b^2)/(2*d*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))) - ((2*A^2
*a*d - 2*A^2*b*c + B^2*a*d*n^2 - 7*B^2*b*c*n^2 - 2*A*B*a*d*n + 6*A*B*b*c*n
)/(2*(a*d - b*c)) - (b*x*(3*B^2*d*n^2 - 2*A*B*d*n))/(a*d - b*c))/(2*c^2*d*
i^3 + 2*d^3*i^3*x^2 + 4*c*d^2*i^3*x) - log(e*((a + b*x)/(c + d*x))^n)*((A*
B)/(c^2*d*i^3 + d^3*i^3*x^2 + 2*c*d^2*i^3*x) + (B^2*b^2*((d^2*i^3*n*x*(a*d
 - b*c))/b - (d*i^3*n*(a*d - b*c)*(a*d - 2*b*c))/(2*b^2) + (c*d*i^3*n*(a*d
 - b*c))/(2*b)))/(d*i^3*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(c^2*d*i^3 + d^3*i
^3*x^2 + 2*c*d^2*i^3*x))) - (B*b^2*n*atan(((2*b*d*x + (2*a^2*d^3*i^3 - 2*b
^2*c^2*d*i^3)/(2*d*i^3*(a*d - b*c)))*1i)/(a*d - b*c))*(2*A - 3*B*n)*1i)/(d
*i^3*(a*d - b*c)^2)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 977, normalized size of antiderivative = 3.08

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(d*i*x+c*i)^3,x)
```

output

```
(i*(4*log(a + b*x)*a*b**3*c**3*n - 2*log(a + b*x)*a*b**3*c**2*d*n**2 + 8*l
og(a + b*x)*a*b**3*c**2*d*n*x - 4*log(a + b*x)*a*b**3*c*d**2*n**2*x + 4*lo
g(a + b*x)*a*b**3*c*d**2*n*x**2 - 2*log(a + b*x)*a*b**3*d**3*n**2*x**2 - 4
*log(a + b*x)*b**4*c**3*n**2 - 8*log(a + b*x)*b**4*c**2*d*n**2*x - 4*log(a
 + b*x)*b**4*c*d**2*n**2*x**2 - 4*log(c + d*x)*a*b**3*c**3*n + 2*log(c + d
*x)*a*b**3*c**2*d*n**2 - 8*log(c + d*x)*a*b**3*c**2*d*n*x + 4*log(c + d*x)
*a*b**3*c*d**2*n**2*x - 4*log(c + d*x)*a*b**3*c*d**2*n*x**2 + 2*log(c + d*
x)*a*b**3*d**3*n**2*x**2 + 4*log(c + d*x)*b**4*c**3*n**2 + 8*log(c + d*x)*
b**4*c**2*d*n**2*x + 4*log(c + d*x)*b**4*c*d**2*n**2*x**2 - 2*log(((a + b*
x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**2 + 4*log(((a + b*x)**n*e)/(c + d
*x)**n)**2*a*b**3*c**2*d + 4*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*c*
*2*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*c*d**2*x**2 - 4*log(
((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*d**2 + 8*log(((a + b*x)**n*e)/(c +
 d*x)**n)*a**2*b**2*c**2*d + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**
2*c*d**2*n - 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c**3 - 6*log(((a
+ b*x)**n*e)/(c + d*x)**n)*a*b**3*c**2*d*n + 2*log(((a + b*x)**n*e)/(c + d
*x)**n)*a*b**3*d**3*n*x**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c**
3*n - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c*d**2*n*x**2 - 2*a**4*c*d
**2 + 4*a**3*b*c**2*d + 2*a**3*b*c*d**2*n - 2*a**2*b**2*c**3 - 6*a**2*b**2
*c**2*d*n - a**2*b**2*c*d**2*n**2 + 2*a**2*b**2*d**3*n*x**2 + 4*a*b**3*...
```

3.206 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$

Optimal result . . . 2350
Mathematica [B] (verified) . . . 2351
Rubi [A] (warning: unable to verify) . . . 2352
Maple [B] (verified) . . . 2355
Fricas [B] (verification not implemented) . . . 2356
Sympy [F(-1)] . . . 2357
Maxima [B] (verification not implemented) . . . 2358
Giac [A] (verification not implemented) . . . 2359
Mupad [B] (verification not implemented) . . . 2359
Reduce [B] (verification not implemented) . . . 2360

Optimal result

Integrand size = 45, antiderivative size = 402

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)(ci+dix)^3}\,dx &= \frac{B^2d^2n^2(a+bx)^2}{4(bc-ad)^3gi^3(c+dx)^2}+\frac{4AbBdn(a+bx)}{(bc-ad)^3gi^3(c+dx)}\\ &-\frac{4bB^2dn^2(a+bx)}{(bc-ad)^3gi^3(c+dx)}\\ &+\frac{4bB^2dn(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^3gi^3(c+dx)}\\ &-\frac{Bd^2n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^3gi^3(c+dx)^2}\\ &+\frac{d^2(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^3gi^3(c+dx)^2}\\ &-\frac{2bd(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^3gi^3(c+dx)}\\ &+\frac{b^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^3gi^3n}\end{aligned}$$

output

```
1/4*B^2*d^2*n^2*(b*x+a)^2/(-a*d+b*c)^3/g/i^3/(d*x+c)^2+4*A*b*B*d*n*(b*x+a)
/(-a*d+b*c)^3/g/i^3/(d*x+c)-4*b*B^2*d*n^2*(b*x+a)/(-a*d+b*c)^3/g/i^3/(d*x+
c)+4*b*B^2*d*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^3/g/i^3/(d*x+c
)-1/2*B*d^2*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^3/g/i^3
/(d*x+c)^2+1/2*d^2*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^
3/g/i^3/(d*x+c)^2-2*b*d*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*
c)^3/g/i^3/(d*x+c)+1/3*b^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)^
3/g/i^3/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 971 vs. $2(402) = 804$.

Time $= 0.95$ (sec) , antiderivative size $= 971$, normalized size of antiderivative $= 2.42$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d
*i*x)^3),x]
```

output

```
(4*b^2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^3 - (6*B*n*Log[(a + b*x)/(c + d*x)
]^2*(-2*A*b^2*c^2 + 4*a*b*B*c*d*n - a^2*B*d^2*n - 4*A*b^2*c*d*x + 4*b^2*B*
c*d*n*x + 2*a*b*B*d^2*n*x - 2*A*b^2*d^2*x^2 + 3*b^2*B*d^2*n*x^2 - 2*b^2*B*
(c + d*x)^2*Log[e*((a + b*x)/(c + d*x))^n] + 2*b^2*B*n*(c + d*x)^2*Log[(a
 + b*x)/(c + d*x)]))/(c + d*x)^2 - (6*B*(b*c - a*d)*n*Log[(a + b*x)/(c + d*
x)]*(-6*A*b*c + 2*a*A*d + 7*b*B*c*n - a*B*d*n - 4*A*b*d*x + 6*b*B*d*n*x +
2*B*(-3*b*c + a*d - 2*b*d*x)*Log[e*((a + b*x)/(c + d*x))^n] + 2*B*n*(3*b*c
 - a*d + 2*b*d*x)*Log[(a + b*x)/(c + d*x)]))/(c + d*x)^2 + (3*(b*c - a*d)^
2*(2*A^2 - 2*A*B*n + B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 + 2*
B*n*(-2*A + B*n)*Log[(a + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d
*x)]^2 - 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(-2*A + B*n + 2*B*n*Log[(a + b
*x)/(c + d*x)])))/(c + d*x)^2 + (6*b*(b*c - a*d)*(2*A^2 - 6*A*B*n + 7*B^2*
n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 + 2*B*n*(-2*A + 3*B*n)*Log[(a
 + b*x)/(c + d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 - 2*B*Log[e*((a
+ b*x)/(c + d*x))^n]*(-2*A + 3*B*n + 2*B*n*Log[(a + b*x)/(c + d*x)])))/(c
+ d*x) + 6*b^2*Log[a + b*x]*(2*A^2 - 6*A*B*n + 7*B^2*n^2 + 2*B^2*Log[e*((a
 + b*x)/(c + d*x))^n]^2 + 2*B*n*(-2*A + 3*B*n)*Log[(a + b*x)/(c + d*x)] +
2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 - 2*B*Log[e*((a + b*x)/(c + d*x))^n]*
(-2*A + 3*B*n + 2*B*n*Log[(a + b*x)/(c + d*x)])) - 6*b^2*(2*A^2 - 6*A*B*n
+ 7*B^2*n^2 + 2*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 + 2*B*n*(-2*A + 3*...
```

Rubi [A] (warning: unable to verify)

Time = 0.96 (sec) , antiderivative size = 383, normalized size of antiderivative = 0.95, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2961, 2788, 2767, 2009, 2788, 2733, 2009, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}\,d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2788$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\int\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{gi^3(bc-ad)^3}$$

$$\downarrow 2767$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\int\left(b\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2-\frac{d(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{c+dx}\right.}{gi^3(bc-ad)^3}$$

$$\downarrow 2009$$

$$\frac{b\int \frac{(c+dx)\left(b-\frac{d(a+bx)}{c+dx}\right)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\left(\frac{Bdn(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(c+dx)^2}+\frac{b(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{c+dx}\right.}{gi^3(bc-}$$

$$\downarrow 2788$$

$$\frac{b\left(b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\int\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}\right)-d\left(\frac{Bdn(a+bx)^2\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right.}{2(c+dx)^2}\right.}$$

$$\downarrow 2733$$

$$\frac{b\left(b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\int\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d\frac{a+b}{c+d}\right.\right.}$$

$$\downarrow 2009$$

$$\frac{b\left(b\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}d\frac{a+bx}{c+dx}-d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx}\right.\right.\right.}$$

$$\downarrow 2739$$

$$\frac{b\left(\frac{b\int\frac{(a+bx)^2}{(c+dx)^2}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}-d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx}-\frac{Bn(}{c}\right.\right.\right.}$$

$$\downarrow 15$$

$$b\left(\frac{b(a+bx)^3}{3Bn(c+dx)^3}-d\left(\frac{(a+bx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{c+dx}-2Bn\left(\frac{A(a+bx)}{c+dx}+\frac{B(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{c+dx}-\frac{Bn(a+bx)}{c+dx}\right)\right)\right)-d\left(\frac{Ba}{}\right.$$

input
```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)*(c*i + d*i*x)^
3),x]
```

output
```
(-(d*(-1/4*(B^2*d*n^2*(a + b*x)^2)/(c + d*x)^2 - (2*A*b*B*n*(a + b*x))/(c
+ d*x) + (2*b*B^2*n^2*(a + b*x))/(c + d*x) - (2*b*B^2*n*(a + b*x)*Log[e*((
a + b*x)/(c + d*x))^n])/(c + d*x) + (B*d*n*(a + b*x)^2*(A + B*Log[e*((a +
b*x)/(c + d*x))^n]))/(2*(c + d*x)^2) - (d*(a + b*x)^2*(A + B*Log[e*((a + b
*x)/(c + d*x))^n])^2)/(2*(c + d*x)^2) + (b*(a + b*x)*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])^2)/(c + d*x))) + b*((b*(a + b*x)^3)/(3*B*n*(c + d*x)^3)
- d*(((a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*x) - 2*B*
n*((A*(a + b*x))/(c + d*x) - (B*n*(a + b*x))/(c + d*x) + (B*(a + b*x)*Log[
e*((a + b*x)/(c + d*x))^n])/(c + d*x)))))/((b*c - a*d)^3*g*i^3)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2733
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] :> Simp[x*(a + b
*Log[c*x^n])^p, x] - Simp[b*n*p   Int[(a + b*Log[c*x^n])^(p - 1), x], x] /;
 FreeQ[{a, b, c, n}, x] && GtQ[p, 0] && IntegerQ[2*p]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2767

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_)^(r_.))^(
q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, (d + e*x
^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n, p, q, r}, x]
&& IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0] && IntegerQ[r]))
```

rule 2788

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_) + (e_.)*(x_))^(q_.))
/(x_), x_Symbol] :> Simp[d   Int[(d + e*x)^(q - 1)*((a + b*Log[c*x^n])^p/x)
, x], x] + Simp[e   Int[(d + e*x)^(q - 1)*(a + b*Log[c*x^n])^p, x], x] /; F
reeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0] && GtQ[q, 0] && IntegerQ[2*q]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1235 vs. $2(394) = 788$.

Time = 13.41 (sec) , antiderivative size = 1236, normalized size of antiderivative = 3.07

method	result	size
parallelrisch	Expression too large to display	1236

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x,method=_
RETURNVERBOSE)
```

output

```
-1/12*(4*B^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^2*b^2*c^6+12*A^2*ln(e*((b*x+a)/
(d*x+c))^n)*a^2*b^2*c^6-18*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^4
*d^2*n+42*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^2*c^4*d^2*n^2+12*A*B*x^2
*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^4*d^2-48*A*B*x^2*a^3*b*c^3*d^3*n^2+
42*A*B*x^2*a^2*b^2*c^4*d^2*n^2-12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b*
c^4*d^2*n-24*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^5*d*n+36*B^2*x*ln
(e*((b*x+a)/(d*x+c))^n)*a^3*b*c^4*d^2*n^2+48*B^2*x*ln(e*((b*x+a)/(d*x+c))^
n)*a^2*b^2*c^5*d*n^2+24*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^2*c^5*d-60
*A*B*x*a^3*b*c^4*d^2*n^2+48*A*B*x*a^2*b^2*c^5*d*n^2-48*A*B*ln(e*((b*x+a)/(
d*x+c))^n)*a^3*b*c^5*d*n+8*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*a^2*b^2*c^5*d
+54*B^2*x*a^3*b*c^4*d^2*n^3-48*B^2*x*a^2*b^2*c^5*d*n^3+12*A^2*x^2*ln(e*((b
*x+a)/(d*x+c))^n)*a^2*b^2*c^4*d^2+24*A^2*x^2*a^3*b*c^3*d^3*n-18*A^2*x^2*a^
2*b^2*c^4*d^2*n+12*A*B*x*a^4*c^3*d^3*n^2+4*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^
n)^3*a^2*b^2*c^4*d^2+48*B^2*x^2*a^3*b*c^3*d^3*n^3-45*B^2*x^2*a^2*b^2*c^4*d
^2*n^3+6*A*B*x^2*a^4*c^2*d^4*n^2-24*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^3*b*
c^5*d*n+48*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^3*b*c^5*d*n^2+24*A^2*x*ln(e*((b
*x+a)/(d*x+c))^n)*a^2*b^2*c^5*d+36*A^2*x*a^3*b*c^4*d^2*n-24*A^2*x*a^2*b^2*
c^5*d*n+12*A*B*ln(e*((b*x+a)/(d*x+c))^n)*a^4*c^4*d^2*n-36*A*B*x^2*ln(e*((b
*x+a)/(d*x+c))^n)*a^2*b^2*c^4*d^2*n-24*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^3
*b*c^4*d^2*n-48*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^2*c^5*d*n-3*B^2*x...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1076 vs. $2(394) = 788$.

Time = 0.11 (sec) , antiderivative size = 1076, normalized size of antiderivative = 2.68

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x,
algorithm="fricas")
```

output

```
1/12*(18*A^2*b^2*c^2 - 24*A^2*a*b*c*d + 6*A^2*a^2*d^2 + 4*(B^2*b^2*d^2*n^2
*x^2 + 2*B^2*b^2*c*d*n^2*x + B^2*b^2*c^2*n^2)*log((b*x + a)/(d*x + c))^3 +
 3*(15*B^2*b^2*c^2 - 16*B^2*a*b*c*d + B^2*a^2*d^2)*n^2 + 6*(3*B^2*b^2*c^2
- 4*B^2*a*b*c*d + B^2*a^2*d^2 + 2*(B^2*b^2*c*d - B^2*a*b*d^2)*x + 2*(B^2*b
^2*d^2*x^2 + 2*B^2*b^2*c*d*x + B^2*b^2*c^2)*log((b*x + a)/(d*x + c)))*log(
e)^2 + 6*(2*A*B*b^2*c^2*n - (4*B^2*a*b*c*d - B^2*a^2*d^2)*n^2 - (3*B^2*b^2
*d^2*n^2 - 2*A*B*b^2*d^2*n)*x^2 + 2*(2*A*B*b^2*c*d*n - (2*B^2*b^2*c*d + B^
2*a*b*d^2)*n^2)*x)*log((b*x + a)/(d*x + c))^2 - 6*(7*A*B*b^2*c^2 - 8*A*B*a
*b*c*d + A*B*a^2*d^2)*n + 6*(2*A^2*b^2*c*d - 2*A^2*a*b*d^2 + 7*(B^2*b^2*c*
d - B^2*a*b*d^2)*n^2 - 6*(A*B*b^2*c*d - A*B*a*b*d^2)*n)*x + 6*(6*A*B*b^2*c
^2 - 8*A*B*a*b*c*d + 2*A*B*a^2*d^2 + 2*(B^2*b^2*d^2*n*x^2 + 2*B^2*b^2*c*d*
n*x + B^2*b^2*c^2*n)*log((b*x + a)/(d*x + c))^2 - (7*B^2*b^2*c^2 - 8*B^2*a
*b*c*d + B^2*a^2*d^2)*n + 2*(2*A*B*b^2*c*d - 2*A*B*a*b*d^2 - 3*(B^2*b^2*c*
d - B^2*a*b*d^2)*n)*x + 2*(2*A*B*b^2*c^2 - (3*B^2*b^2*d^2*n - 2*A*B*b^2*d^
2)*x^2 - (4*B^2*a*b*c*d - B^2*a^2*d^2)*n + 2*(2*A*B*b^2*c*d - (2*B^2*b^2*c
*d + B^2*a*b*d^2)*n)*x)*log((b*x + a)/(d*x + c)))*log(e) + 6*(2*A^2*b^2*c^
2 + (8*B^2*a*b*c*d - B^2*a^2*d^2)*n^2 + (7*B^2*b^2*d^2*n^2 - 6*A*B*b^2*d^2
*n + 2*A^2*b^2*d^2)*x^2 - 2*(4*A*B*a*b*c*d - A*B*a^2*d^2)*n + 2*(2*A^2*b^2
*c*d + (4*B^2*b^2*c*d + 3*B^2*a*b*d^2)*n^2 - 2*(2*A*B*b^2*c*d + A*B*a*b*d^
2)*n)*x)*log((b*x + a)/(d*x + c)))/((b^3*c^3*d^2 - 3*a*b^2*c^2*d^3 + 3*...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)/(d*i*x+c*i)**3,x
)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2126 vs. $2(394) = 788$.

Time $= 0.18$ (sec) , antiderivative size $= 2126$, normalized size of antiderivative $= 5.29$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x,
algorithm="maxima")
```

output

```
1/2*B^2*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g*
i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x + (b^2*c^4 - 2
*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c^3 - 3*a*b^2*
c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/((b^3*c^3 - 3
*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(e*(b*x/(d*x + c) + a/(
d*x + c))^n)^2 + A*B*((2*b*d*x + 3*b*c - a*d)/((b^2*c^2*d^2 - 2*a*b*c*d^3
+ a^2*d^4)*g*i^3*x^2 + 2*(b^2*c^3*d - 2*a*b*c^2*d^2 + a^2*c*d^3)*g*i^3*x +
 (b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2)*g*i^3) + 2*b^2*log(b*x + a)/((b^3*c
^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3) - 2*b^2*log(d*x + c)/
((b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*g*i^3))*log(e*(b*x/(d
*x + c) + a/(d*x + c))^n) + 1/12*((45*b^2*c^2 - 48*a*b*c*d + 3*a^2*d^2 + 4
*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a)^3 - 4*(b^2*d^2*x^2 + 2
*b^2*c*d*x + b^2*c^2)*log(d*x + c)^3 + 18*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2
*c^2)*log(b*x + a)^2 + 6*(3*b^2*d^2*x^2 + 6*b^2*c*d*x + 3*b^2*c^2 + 2*(b^2
*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a))*log(d*x + c)^2 + 42*(b^2*c
*d - a*b*d^2)*x + 42*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b*x + a) -
6*(7*b^2*d^2*x^2 + 14*b^2*c*d*x + 7*b^2*c^2 + 2*(b^2*d^2*x^2 + 2*b^2*c*d*x
 + b^2*c^2)*log(b*x + a)^2 + 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*log(b
*x + a))*log(d*x + c))*n^2/(b^3*c^5*g*i^3 - 3*a*b^2*c^4*d*g*i^3 + 3*a^2*b*
c^3*d^2*g*i^3 - a^3*c^2*d^3*g*i^3 + (b^3*c^3*d^2*g*i^3 - 3*a*b^2*c^2*d^...
```

Giac [A] (verification not implemented)

Time = 0.90 (sec) , antiderivative size = 747, normalized size of antiderivative = 1.86

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x,
algorithm="giac")
```

output
```
1/12*(4*B^2*b^2*n^2*log((b*x + a)/(d*x + c))^3/(b^2*c^2*g*i^3 - 2*a*b*c*d*
g*i^3 + a^2*d^2*g*i^3) - 6*(4*(b*x + a)*B^2*b*d*n^2/((b^2*c^2*g*i^3 - 2*a*
b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)) - (b*x + a)^2*B^2*d^2*n^2/((b^2*c^
2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)^2) - 2*(B^2*b^2*n*log
(e) + A*B*b^2*n)/(b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3))*log((b
*x + a)/(d*x + c))^2 - 6*((B^2*d^2*n^2 - 2*B^2*d^2*n*log(e) - 2*A*B*d^2*n)
*(b*x + a)^2/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)^
2) - 8*(B^2*b*d*n^2 - B^2*b*d*n*log(e) - A*B*b*d*n)*(b*x + a)/((b^2*c^2*g*
i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)))*log((b*x + a)/(d*x + c)
) + 12*(B^2*b^2*log(e)^2 + 2*A*B*b^2*log(e) + A^2*b^2)*log((b*x + a)/(d*x
+ c))/(b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3) + 3*(B^2*d^2*n^2 -
 2*B^2*d^2*n*log(e) + 2*B^2*d^2*log(e)^2 - 2*A*B*d^2*n + 4*A*B*d^2*log(e)
+ 2*A^2*d^2)*(b*x + a)^2/((b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3 + a^2*d^2*g*i^3
)*(d*x + c)^2) - 24*(2*B^2*b*d*n^2 - 2*B^2*b*d*n*log(e) + B^2*b*d*log(e)^2
 - 2*A*B*b*d*n + 2*A*B*b*d*log(e) + A^2*b*d)*(b*x + a)/((b^2*c^2*g*i^3 - 2
*a*b*c*d*g*i^3 + a^2*d^2*g*i^3)*(d*x + c)))*(b*c/(b*c - a*d)^2 - a*d/(b*c
- a*d)^2)
```

Mupad [B] (verification not implemented)

Time = 29.96 (sec) , antiderivative size = 1007, normalized size of antiderivative = 2.50

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\, dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)*(c*i + d*i*x)^
3),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)^2*((b^2*(3*B^2*n - 2*A*B))/(2*g*i^3*n*(a*d
- b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (B^2*b^2*((c*g*i^3*n*(a*d - b*c)
)/(2*b) - (g*i^3*n*(a*d - b*c)*(a*d - 2*b*c))/(2*b^2) + (d*g*i^3*n*x*(a*d
- b*c))/b))/(g*i^3*n*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(c^2*g*i^
3 + d^2*g*i^3*x^2 + 2*c*d*g*i^3*x))) - ((2*A^2*a*d - 6*A^2*b*c + B^2*a*d*n
^2 - 15*B^2*b*c*n^2 - 2*A*B*a*d*n + 14*A*B*b*c*n)/(2*(a*d - b*c)) - (x*(2*
A^2*b*d + 7*B^2*b*d*n^2 - 6*A*B*b*d*n))/(a*d - b*c))/(x^2*(2*a*d^3*g*i^3 -
 2*b*c*d^2*g*i^3) + x*(4*a*c*d^2*g*i^3 - 4*b*c^2*d*g*i^3) - 2*b*c^3*g*i^3
+ 2*a*c^2*d*g*i^3) - log(e*((a + b*x)/(c + d*x))^n)*((B^2*n)/(x^2*(a*d^3*g
*i^3 - b*c*d^2*g*i^3) + x*(2*a*c*d^2*g*i^3 - 2*b*c^2*d*g*i^3) - b*c^3*g*i^
3 + a*c^2*d*g*i^3) + (b^2*(3*B^2*n - 2*A*B)*((c*g*i^3*n*(a*d - b*c)^2)/(2*
b) - (g*i^3*n*(a*d - b*c)^2*(a*d - 2*b*c))/(2*b^2) + (d*g*i^3*n*x*(a*d - b
*c)^2)/b))/(g*i^3*n*(a*d - b*c)*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)*(x^2*(a*d^
3*g*i^3 - b*c*d^2*g*i^3) + x*(2*a*c*d^2*g*i^3 - 2*b*c^2*d*g*i^3) - b*c^3*g
*i^3 + a*c^2*d*g*i^3))) + (b^2*atan((b^2*((a^3*d^3*g*i^3 + b^3*c^3*g*i^3 -
 a*b^2*c^2*d*g*i^3 - a^2*b*c*d^2*g*i^3)/(a^2*d^2*g*i^3 + b^2*c^2*g*i^3 - 2
*a*b*c*d*g*i^3) + 2*b*d*x)*(A^2 + (7*B^2*n^2)/2 - 3*A*B*n)*(a^2*d^2*g*i^3
+ b^2*c^2*g*i^3 - 2*a*b*c*d*g*i^3)*2i)/(g*i^3*(a*d - b*c)^3*(2*A^2*b^2 + 7
*B^2*b^2*n^2 - 6*A*B*b^2*n)))*(A^2 + (7*B^2*n^2)/2 - 3*A*B*n)*2i)/(g*i^3*(
a*d - b*c)^3) - (B^2*b^2*log(e*((a + b*x)/(c + d*x))^n)^3)/(3*g*i^3*n*(...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 1640, normalized size of antiderivative = 4.08

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)(ci + dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**2*b**2*c**3*n + 12*log(a + b*x)*a**2*b**2*c**2*d
*n**2 - 24*log(a + b*x)*a**2*b**2*c**2*d*n*x + 24*log(a + b*x)*a**2*b**2*c
*d**2*n**2*x - 12*log(a + b*x)*a**2*b**2*c*d**2*n*x**2 + 12*log(a + b*x)*a
**2*b**2*d**3*n**2*x**2 + 24*log(a + b*x)*a*b**3*c**3*n**2 - 18*log(a + b*
x)*a*b**3*c**2*d*n**3 + 48*log(a + b*x)*a*b**3*c**2*d*n**2*x - 36*log(a +
b*x)*a*b**3*c*d**2*n**3*x + 24*log(a + b*x)*a*b**3*c*d**2*n**2*x**2 - 18*l
og(a + b*x)*a*b**3*d**3*n**3*x**2 - 24*log(a + b*x)*b**4*c**3*n**3 - 48*lo
g(a + b*x)*b**4*c**2*d*n**3*x - 24*log(a + b*x)*b**4*c*d**2*n**3*x**2 + 12
*log(c + d*x)*a**2*b**2*c**3*n - 12*log(c + d*x)*a**2*b**2*c**2*d*n**2 + 2
4*log(c + d*x)*a**2*b**2*c**2*d*n*x - 24*log(c + d*x)*a**2*b**2*c*d**2*n**
2*x + 12*log(c + d*x)*a**2*b**2*c*d**2*n*x**2 - 12*log(c + d*x)*a**2*b**2*
d**3*n**2*x**2 - 24*log(c + d*x)*a*b**3*c**3*n**2 + 18*log(c + d*x)*a*b**3
*c**2*d*n**3 - 48*log(c + d*x)*a*b**3*c**2*d*n**2*x + 36*log(c + d*x)*a*b*
*3*c*d**2*n**3*x - 24*log(c + d*x)*a*b**3*c*d**2*n**2*x**2 + 18*log(c + d*
x)*a*b**3*d**3*n**3*x**2 + 24*log(c + d*x)*b**4*c**3*n**3 + 48*log(c + d*x
)*b**4*c**2*d*n**3*x + 24*log(c + d*x)*b**4*c*d**2*n**3*x**2 - 4*log(((a +
 b*x)**n*e)/(c + d*x)**n)**3*b**4*c**3 - 8*log(((a + b*x)**n*e)/(c + d*x)*
*n)**3*b**4*c**2*d*x - 4*log(((a + b*x)**n*e)/(c + d*x)**n)**3*b**4*c*d**2
*x**2 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**2*c*d**2*n - 12*lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**3*c**3 + 24*log(((a + b*x)**n*...
```

3.207 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$

Optimal result . . . 2362
Mathematica [B] (verified) . . . 2363
Rubi [A] (verified) . . . 2364
Maple [B] (verified) . . . 2366
Fricas [B] (verification not implemented) . . . 2367
Sympy [F(-1)] . . . 2368
Maxima [B] (verification not implemented) . . . 2369
Giac [F] . . . 2370
Mupad [B] (verification not implemented) . . . 2370
Reduce [B] (verification not implemented) . . . 2371

Optimal result

Integrand size = 45, antiderivative size = 562

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = &-\frac{B^2d^3n^2(a+bx)^2}{4(bc-ad)^4g^2i^3(c+dx)^2}-\frac{6AbBd^2n(a+bx)}{(bc-ad)^4g^2i^3(c+dx)}\\ &+\frac{6bB^2d^2n^2(a+bx)}{(bc-ad)^4g^2i^3(c+dx)}-\frac{2b^3B^2n^2(c+dx)}{(bc-ad)^4g^2i^3(a+bx)}\\ &-\frac{6bB^2d^2n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^4g^2i^3(c+dx)}\\ &+\frac{Bd^3n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^4g^2i^3(c+dx)^2}\\ &-\frac{2b^3Bn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^4g^2i^3(a+bx)}\\ &-\frac{d^3(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^4g^2i^3(c+dx)^2}\\ &+\frac{3bd^2(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^4g^2i^3(c+dx)}\\ &-\frac{b^3(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^4g^2i^3(a+bx)}\\ &-\frac{b^2d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{B(bc-ad)^4g^2i^3n}\end{aligned}$$

output

```
-1/4*B^2*d^3*n^2*(b*x+a)^2/(-a*d+b*c)^4/g^2/i^3/(d*x+c)^2-6*A*b*B*d^2*n*(b
*x+a)/(-a*d+b*c)^4/g^2/i^3/(d*x+c)+6*b*B^2*d^2*n^2*(b*x+a)/(-a*d+b*c)^4/g^
2/i^3/(d*x+c)-2*b^3*B^2*n^2*(d*x+c)/(-a*d+b*c)^4/g^2/i^3/(b*x+a)-6*b*B^2*d
^2*n*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^4/g^2/i^3/(d*x+c)+1/2*B*
d^3*n*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^2/i^3/(d*x+
c)^2-2*b^3*B*n*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^4/g^2/i^
3/(b*x+a)-1/2*d^3*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^4
/g^2/i^3/(d*x+c)^2+3*b*d^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d
+b*c)^4/g^2/i^3/(d*x+c)-b^3*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*
d+b*c)^4/g^2/i^3/(b*x+a)-b^2*d*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b
*c)^4/g^2/i^3/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1334 vs. $2(562) = 1124$.

Time $= 1.63$ (sec) , antiderivative size $= 1334$, normalized size of antiderivative $= 2.37$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^2(ci + dix)^3}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i +
 d*i*x)^3),x]
```

output

```
-1/4*(4*b^2*B^2*d*n^2*(a + b*x)*(c + d*x)^2*Log[(a + b*x)/(c + d*x)]^3 + 2
*B*n*Log[(a + b*x)/(c + d*x)]^2*(6*a*A*b^2*c^2*d + 2*b^3*B*c^3*n - 6*a^2*b
*B*c*d^2*n + a^3*B*d^3*n + 6*A*b^3*c^2*d*x + 12*a*A*b^2*c*d^2*x + 6*b^3*B*
c^2*d*n*x - 12*a*b^2*B*c*d^2*n*x - 3*a^2*b*B*d^3*n*x + 12*A*b^3*c*d^2*x^2
+ 6*a*A*b^2*d^3*x^2 - 9*a*b^2*B*d^3*n*x^2 + 6*A*b^3*d^3*x^3 - 3*b^3*B*d^3*
n*x^3 + 6*b^2*B*d*(a + b*x)*(c + d*x)^2*Log[e*((a + b*x)/(c + d*x))^n] - 6
*b^2*B*d*n*(a + b*x)*(c + d*x)^2*Log[(a + b*x)/(c + d*x)]) + 4*b^2*(b*c -
a*d)*(c + d*x)^2*(A^2 + 2*A*B*n + 2*B^2*n^2 + B^2*Log[e*((a + b*x)/(c + d*
x))^n]^2 - 2*B*n*(A + B*n)*Log[(a + b*x)/(c + d*x)] + B^2*n^2*Log[(a + b*x
)/(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d*x))^n]*(A + B*n - B*n*Log[(a
+ b*x)/(c + d*x)])) + 2*B*(b*c - a*d)*n*Log[(a + b*x)/(c + d*x)]*(2*b*d*(a
 + b*x)*(c + d*x)*(4*A - 5*B*n + 4*B*Log[e*((a + b*x)/(c + d*x))^n] - 4*B*
n*Log[(a + b*x)/(c + d*x)]) + d*(b*c - a*d)*(a + b*x)*(2*A - B*n + 2*B*Log
[e*((a + b*x)/(c + d*x))^n] - 2*B*n*Log[(a + b*x)/(c + d*x)]) + 4*b^2*(c +
 d*x)^2*(A + B*n + B*Log[e*((a + b*x)/(c + d*x))^n] - B*n*Log[(a + b*x)/(c
 + d*x)])) + d*(b*c - a*d)^2*(a + b*x)*(2*A^2 - 2*A*B*n + B^2*n^2 + 2*B^2*
Log[e*((a + b*x)/(c + d*x))^n]^2 + 2*B*n*(-2*A + B*n)*Log[(a + b*x)/(c + d
*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 - 2*B*Log[e*((a + b*x)/(c + d*
x))^n]*(-2*A + B*n + 2*B*n*Log[(a + b*x)/(c + d*x)])) + 6*b^2*d*(a + b*x)*
(c + d*x)^2*Log[a + b*x]*(2*A^2 - 2*A*B*n + 5*B^2*n^2 + 2*B^2*Log[e*((a...
```

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 403, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^2\left(b-\frac{d(a+bx)}{c+dx}\right)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^2}\,d\frac{a+bx}{c+dx}}{g^2i^3(bc-ad)^4}$$

$$\downarrow 2795$$

$$\int \left(\frac{(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^3}{(a+bx)^2} - \frac{3d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^2}{a+bx} + 3d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b - \frac{d^3(a+bx)(}{g^2 i^3 (bc-ad)^4}$$

$$\downarrow 2009$$

$$-\frac{b^3(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx} - \frac{2b^3Bn(c+dx)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{a+bx} - \frac{b^2d\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{Bn} - \frac{d^3(a+bx)^2\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{2(c+dx)^2}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^2*(c*i + d*i*x
)^3),x]
```

output

```
(-1/4*(B^2*d^3*n^2*(a + b*x)^2)/(c + d*x)^2 - (6*A*b*B*d^2*n*(a + b*x))/(c
 + d*x) + (6*b*B^2*d^2*n^2*(a + b*x))/(c + d*x) - (2*b^3*B^2*n^2*(c + d*x)
)/(a + b*x) - (6*b*B^2*d^2*n*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(c
+ d*x) + (B*d^3*n*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(
c + d*x)^2) - (2*b^3*B*n*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))
/(a + b*x) - (d^3*(a + b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2
*(c + d*x)^2) + (3*b*d^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^
2)/(c + d*x) - (b^3*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a
 + b*x) - (b^2*d*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(B*n))/((b*c -
a*d)^4*g^2*i^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 1999 vs. $2(556) = 1112$.

Time = 30.48 (sec) , antiderivative size = 2000, normalized size of antiderivative = 3.56

method	result	size
parallelrisch	Expression too large to display	2000

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x,method
=_RETURNVERBOSE)
```

output

```
-1/4*(B^2*a^3*b^3*d^7*n^3+8*B^2*b^6*c^3*d^4*n^3+2*A^2*a^3*b^3*d^7*n+4*A^2*
b^6*c^3*d^4*n+4*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^3*b^6*d^7+12*A^2*x^3*ln(
e*((b*x+a)/(d*x+c))^n)*b^6*d^7-6*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^4
*d^7*n+12*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^6*c^2*d^5*n+18*B^2*x*ln(e*((
b*x+a)/(d*x+c))^n)*a^2*b^4*d^7*n^2+24*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*b^6*
c^2*d^5*n^2-18*B^2*x*a*b^5*c*d^6*n^3+12*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*
b^6*c^2*d^5+18*A*B*x*a^2*b^4*d^7*n^2-6*A*B*x*b^6*c^2*d^5*n^2-12*B^2*ln(e*(
(b*x+a)/(d*x+c))^n)^2*a^2*b^4*c*d^6*n+24*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2
*b^4*c*d^6*n^2+24*A^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*c*d^6-12*A^2*x*a*b
^5*c*d^6*n+12*A*B*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*c^2*d^5+4*A*B*ln(e*((b
*x+a)/(d*x+c))^n)*a^3*b^3*d^7*n+8*A*B*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c^3*d^
4*n-12*A*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^6*d^7*n-18*B^2*x^2*ln(e*((b*x+a
)/(d*x+c))^n)^2*a*b^5*d^7*n+42*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*d^7
*n^2+48*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*b^6*c*d^6*n^2+12*A*B*x^2*ln(e*((
b*x+a)/(d*x+c))^n)^2*a*b^5*d^7+24*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^6*
c*d^6+12*A*B*x^2*a*b^5*d^7*n^2-12*A*B*x^2*b^6*c*d^6*n^2+8*B^2*x*ln(e*((b*x
+a)/(d*x+c))^n)^3*a*b^5*c*d^6-36*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^5*d
^7*n-24*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^5*c*d^6*n+48*B^2*x*ln(e*((b*
x+a)/(d*x+c))^n)*a*b^5*c*d^6*n^2+24*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b^
5*c*d^6-12*A*B*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^4*d^7*n+24*A*B*x*ln(e*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2057 vs. $2(556) = 1112$.

Time $= 0.13$ (sec) , antiderivative size $= 2057$, normalized size of antiderivative $= 3.66$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x
, algorithm="fricas")
```

output

```
-1/4*(4*A^2*b^3*c^3 + 6*A^2*a*b^2*c^2*d - 12*A^2*a^2*b*c*d^2 + 2*A^2*a^3*d
^3 + 4*(B^2*b^3*d^3*n^2*x^3 + B^2*a*b^2*c^2*d*n^2 + (2*B^2*b^3*c*d^2 + B^2
*a*b^2*d^3)*n^2*x^2 + (B^2*b^3*c^2*d + 2*B^2*a*b^2*c*d^2)*n^2*x)*log((b*x
+ a)/(d*x + c))^3 + (8*B^2*b^3*c^3 + 15*B^2*a*b^2*c^2*d - 24*B^2*a^2*b*c*d
^2 + B^2*a^3*d^3)*n^2 + 6*(2*A^2*b^3*c*d^2 - 2*A^2*a*b^2*d^3 + 5*(B^2*b^3*
c*d^2 - B^2*a*b^2*d^3)*n^2 - 2*(A*B*b^3*c*d^2 - A*B*a*b^2*d^3)*n)*x^2 + 2*
(2*B^2*b^3*c^3 + 3*B^2*a*b^2*c^2*d - 6*B^2*a^2*b*c*d^2 + B^2*a^3*d^3 + 6*(
B^2*b^3*c*d^2 - B^2*a*b^2*d^3)*x^2 + 3*(3*B^2*b^3*c^2*d - 2*B^2*a*b^2*c*d^
2 - B^2*a^2*b*d^3)*x + 6*(B^2*b^3*d^3*x^3 + B^2*a*b^2*c^2*d + (2*B^2*b^3*c
*d^2 + B^2*a*b^2*d^3)*x^2 + (B^2*b^3*c^2*d + 2*B^2*a*b^2*c*d^2)*x)*log((b*
x + a)/(d*x + c)))*log(e)^2 + 2*(6*A*B*a*b^2*c^2*d*n - 3*(B^2*b^3*d^3*n^2
- 2*A*B*b^3*d^3*n)*x^3 + (2*B^2*b^3*c^3 - 6*B^2*a^2*b*c*d^2 + B^2*a^3*d^3)
*n^2 - 3*(3*B^2*a*b^2*d^3*n^2 - 2*(2*A*B*b^3*c*d^2 + A*B*a*b^2*d^3)*n)*x^2
 + 3*((2*B^2*b^3*c^2*d - 4*B^2*a*b^2*c*d^2 - B^2*a^2*b*d^3)*n^2 + 2*(A*B*b
^3*c^2*d + 2*A*B*a*b^2*c*d^2)*n)*x)*log((b*x + a)/(d*x + c))^2 + 2*(4*A*B*
b^3*c^3 - 15*A*B*a*b^2*c^2*d + 12*A*B*a^2*b*c*d^2 - A*B*a^3*d^3)*n + 3*(6*
A^2*b^3*c^2*d - 4*A^2*a*b^2*c*d^2 - 2*A^2*a^2*b*d^3 + (13*B^2*b^3*c^2*d -
6*B^2*a*b^2*c*d^2 - 7*B^2*a^2*b*d^3)*n^2 - 2*(A*B*b^3*c^2*d + 2*A*B*a*b^2*
c*d^2 - 3*A*B*a^2*b*d^3)*n)*x + 2*(4*A*B*b^3*c^3 + 6*A*B*a*b^2*c^2*d - 12*
A*B*a^2*b*c*d^2 + 2*A*B*a^3*d^3 + 6*(2*A*B*b^3*c*d^2 - 2*A*B*a*b^2*d^3 ...
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Timed out}$$

input

```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**2/(d*i*x+c*i)**
3,x)
```

output

```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4199 vs. $2(556) = 1112$.

Time = 0.34 (sec) , antiderivative size = 4199, normalized size of antiderivative = 7.47

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x
, algorithm="maxima")
```

output

```
-1/2*B^2*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d
+ a*b*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^
5)*g^2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*
b*c*d^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^
2 + 5*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*
d + 3*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c
^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3)
 - 6*b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*
a^3*b*c*d^3 + a^4*d^4)*g^2*i^3))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)^2
- A*B*((6*b^2*d^2*x^2 + 2*b^2*c^2 + 5*a*b*c*d - a^2*d^2 + 3*(3*b^2*c*d + a
*b*d^2)*x)/((b^4*c^3*d^2 - 3*a*b^3*c^2*d^3 + 3*a^2*b^2*c*d^4 - a^3*b*d^5)*
g^2*i^3*x^3 + (2*b^4*c^4*d - 5*a*b^3*c^3*d^2 + 3*a^2*b^2*c^2*d^3 + a^3*b*c
*d^4 - a^4*d^5)*g^2*i^3*x^2 + (b^4*c^5 - a*b^3*c^4*d - 3*a^2*b^2*c^3*d^2 +
 5*a^3*b*c^2*d^3 - 2*a^4*c*d^4)*g^2*i^3*x + (a*b^3*c^5 - 3*a^2*b^2*c^4*d +
 3*a^3*b*c^3*d^2 - a^4*c^2*d^3)*g^2*i^3) + 6*b^2*d*log(b*x + a)/((b^4*c^4
- 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*g^2*i^3) -
6*b^2*d*log(d*x + c)/((b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3
*b*c*d^3 + a^4*d^4)*g^2*i^3))*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) - 1/4
*((8*b^3*c^3 + 15*a*b^2*c^2*d - 24*a^2*b*c*d^2 + a^3*d^3 + 4*(b^3*d^3*x^3
+ a*b^2*c^2*d + (2*b^3*c*d^2 + a*b^2*d^3)*x^2 + (b^3*c^2*d + 2*a*b^2*c*...
```

Giac [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^2(dix+ci)^3}\,dx$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x
, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/((b*g*x + a*g)^2*(d*i*x
 + c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 31.76 (sec) , antiderivative size = 1785, normalized size of antiderivative = 3.18

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^2(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^2*(c*i + d*i*x
)^3),x)
```

output

```
((4*A^2*b^2*c^2 - 2*A^2*a^2*d^2 - B^2*a^2*d^2*n^2 + 8*B^2*b^2*c^2*n^2 + 10
*A^2*a*b*c*d + 2*A*B*a^2*d^2*n + 8*A*B*b^2*c^2*n + 23*B^2*a*b*c*d*n^2 - 22
*A*B*a*b*c*d*n)/(2*(a*d - b*c)) + (3*x^2*(2*A^2*b^2*d^2 + 5*B^2*b^2*d^2*n^
2 - 2*A*B*b^2*d^2*n))/(a*d - b*c) + (3*x*(2*A^2*a*b*d^2 + 6*A^2*b^2*c*d +
7*B^2*a*b*d^2*n^2 + 13*B^2*b^2*c*d*n^2 - 6*A*B*a*b*d^2*n - 2*A*B*b^2*c*d*n
))/(2*(a*d - b*c)))/(x*(2*b^3*c^4*g^2*i^3 + 4*a^3*c*d^3*g^2*i^3 - 6*a^2*b*
c^2*d^2*g^2*i^3) + x^2*(2*a^3*d^4*g^2*i^3 + 4*b^3*c^3*d*g^2*i^3 - 6*a*b^2*
c^2*d^2*g^2*i^3) + x^3*(2*b^3*c^2*d^2*g^2*i^3 + 2*a^2*b*d^4*g^2*i^3 - 4*a*
b^2*c*d^3*g^2*i^3) + 2*a^3*c^2*d^2*g^2*i^3 + 2*a*b^2*c^4*g^2*i^3 - 4*a^2*b
*c^3*d*g^2*i^3) - log(e*((a + b*x)/(c + d*x))^n)^2*(((B^2*(a*d + 2*b*c))/(
2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (3*B^2*b*d*x)/(2*(a^2*d^2 + b^2*c^2 -
 2*a*b*c*d)))/(x*(b*c^2*g^2*i^3 + 2*a*c*d*g^2*i^3) + x^2*(a*d^2*g^2*i^3 +
2*b*c*d*g^2*i^3) + a*c^2*g^2*i^3 + b*d^2*g^2*i^3*x^3) + (3*B*b^2*d*(2*A -
B*n))/(2*g^2*i^3*n*(a*d - b*c)^4) - (3*B^2*b^2*d*(d*g^2*i^3*n*x^2*(a*d - b
*c) + (a*c*g^2*i^3*n*(a*d - b*c))/b + (g^2*i^3*n*x*(a*d + b*c)*(a*d - b*c)
)/b))/(g^2*i^3*n*(a*d - b*c)^4*(x*(b*c^2*g^2*i^3 + 2*a*c*d*g^2*i^3) + x^2*
(a*d^2*g^2*i^3 + 2*b*c*d*g^2*i^3) + a*c^2*g^2*i^3 + b*d^2*g^2*i^3*x^3))) -
 log(e*((a + b*x)/(c + d*x))^n)*((x*((3*B^2*b*d*n)/2 + 3*A*B*b*d) - (B^2*a
*d*n)/2 + 2*B^2*b*c*n + A*B*a*d + 2*A*B*b*c)/(x*(b^3*c^4*g^2*i^3 + 2*a^3*c
*d^3*g^2*i^3 - 3*a^2*b*c^2*d^2*g^2*i^3) + x^2*(a^3*d^4*g^2*i^3 + 2*b^3*...
```

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 3638, normalized size of antiderivative = 6.47

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag + bgx)^2(ci + dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^2/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 12*log(a + b*x)*a**4*b**2*c**2*d**2*n - 24*log(a + b*x)*a**4*b**2*c
*d**3*n*x - 12*log(a + b*x)*a**4*b**2*d**4*n*x**2 - 24*log(a + b*x)*a**3*b
**3*c**3*d*n + 36*log(a + b*x)*a**3*b**3*c**2*d**2*n**2 - 60*log(a + b*x)*
a**3*b**3*c**2*d**2*n*x + 72*log(a + b*x)*a**3*b**3*c*d**3*n**2*x - 48*log
(a + b*x)*a**3*b**3*c*d**3*n*x**2 + 36*log(a + b*x)*a**3*b**3*d**4*n**2*x*
*2 - 12*log(a + b*x)*a**3*b**3*d**4*n*x**3 - 24*log(a + b*x)*a**2*b**4*c**
3*d*n*x - 42*log(a + b*x)*a**2*b**4*c**2*d**2*n**3 + 36*log(a + b*x)*a**2*
b**4*c**2*d**2*n**2*x - 48*log(a + b*x)*a**2*b**4*c**2*d**2*n*x**2 - 84*lo
g(a + b*x)*a**2*b**4*c*d**3*n**3*x + 72*log(a + b*x)*a**2*b**4*c*d**3*n**2
*x**2 - 24*log(a + b*x)*a**2*b**4*c*d**3*n*x**3 - 42*log(a + b*x)*a**2*b**
4*d**4*n**3*x**2 + 36*log(a + b*x)*a**2*b**4*d**4*n**2*x**3 - 48*log(a + b
*x)*a*b**5*c**3*d*n**3 - 138*log(a + b*x)*a*b**5*c**2*d**2*n**3*x - 132*lo
g(a + b*x)*a*b**5*c*d**3*n**3*x**2 - 42*log(a + b*x)*a*b**5*d**4*n**3*x**3
 - 48*log(a + b*x)*b**6*c**3*d*n**3*x - 96*log(a + b*x)*b**6*c**2*d**2*n**
3*x**2 - 48*log(a + b*x)*b**6*c*d**3*n**3*x**3 + 12*log(c + d*x)*a**4*b**2
*c**2*d**2*n + 24*log(c + d*x)*a**4*b**2*c*d**3*n*x + 12*log(c + d*x)*a**4
*b**2*d**4*n*x**2 + 24*log(c + d*x)*a**3*b**3*c**3*d*n - 36*log(c + d*x)*a
**3*b**3*c**2*d**2*n**2 + 60*log(c + d*x)*a**3*b**3*c**2*d**2*n*x - 72*log
(c + d*x)*a**3*b**3*c*d**3*n**2*x + 48*log(c + d*x)*a**3*b**3*c*d**3*n*x**
2 - 36*log(c + d*x)*a**3*b**3*d**4*n**2*x**2 + 12*log(c + d*x)*a**3*b**...
```

3.208 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$

Optimal result 2374
Mathematica [B] (verified) 2375
Rubi [A] (verified) 2376
Maple [B] (verified) 2378
Fricas [B] (verification not implemented) 2379
Sympy [F(-1)] 2380
Maxima [B] (verification not implemented) 2380
Giac [F] 2381
Mupad [B] (verification not implemented) 2382
Reduce [B] (verification not implemented) 2383

Optimal result

Integrand size = 45, antiderivative size = 732

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx &= \frac{B^2d^4n^2(a+bx)^2}{4(bc-ad)^5g^3i^3(c+dx)^2}+\frac{8AbBd^3n(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}\\ &-\frac{8bB^2d^3n^2(a+bx)}{(bc-ad)^5g^3i^3(c+dx)}+\frac{8b^3B^2dn^2(c+dx)}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4B^2n^2(c+dx)^2}{4(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{8bB^2d^3n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^5g^3i^3(c+dx)}\\ &-\frac{Bd^4n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ &+\frac{8b^3Bdn(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4Bn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{d^4(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^5g^3i^3(c+dx)^2}\\ &-\frac{4bd^3(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^5g^3i^3(c+dx)}\\ &+\frac{4b^3d(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^5g^3i^3(a+bx)}\\ &-\frac{b^4(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^5g^3i^3(a+bx)^2}\\ &+\frac{2b^2d^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{B(bc-ad)^5g^3i^3n}\end{aligned}$$

output

```
1/4*B^2*d^4*n^2*(b*x+a)^2/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+8*A*b*B*d^3*n*(b*
x+a)/(-a*d+b*c)^5/g^3/i^3/(d*x+c)-8*b*B^2*d^3*n^2*(b*x+a)/(-a*d+b*c)^5/g^3
/i^3/(d*x+c)+8*b^3*B^2*d*n^2*(d*x+c)/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/4*b^4*
B^2*n^2*(d*x+c)^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+8*b*B^2*d^3*n*(b*x+a)*ln(
e*((b*x+a)/(d*x+c))^n)/(-a*d+b*c)^5/g^3/i^3/(d*x+c)-1/2*B*d^4*n*(b*x+a)^2*
(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(d*x+c)^2+8*b^3*B*d*n
*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*
b^4*B*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^5/g^3/i^3/(b*
x+a)^2+1/2*d^4*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^5/g^
3/i^3/(d*x+c)^2-4*b*d^3*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*
c)^5/g^3/i^3/(d*x+c)+4*b^3*d*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a
*d+b*c)^5/g^3/i^3/(b*x+a)-1/2*b^4*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)^2/(-a*d+b*c)^5/g^3/i^3/(b*x+a)^2+2*b^2*d^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n
))^3/B/(-a*d+b*c)^5/g^3/i^3/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1653 vs. $2(732) = 1464$.

Time = 2.14 (sec) , antiderivative size = 1653, normalized size of antiderivative = 2.26

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i +
 d*i*x)^3),x]
```

output

```
(8*b^2*B^2*d^2*n^2*(a + b*x)^2*(c + d*x)^2*Log[(a + b*x)/(c + d*x)]^3 + 2*
B*n*Log[(a + b*x)/(c + d*x)]^2*(12*a^2*A*b^2*c^2*d^2 - b^4*B*c^4*n + 8*a*b
^3*B*c^3*d*n - 8*a^3*b*B*c*d^3*n + a^4*B*d^4*n + 24*a*A*b^3*c^2*d^2*x + 24
*a^2*A*b^2*c*d^3*x + 4*b^4*B*c^3*d*n*x + 24*a*b^3*B*c^2*d^2*n*x - 24*a^2*b
^2*B*c*d^3*n*x - 4*a^3*b*B*d^4*n*x + 12*A*b^4*c^2*d^2*x^2 + 48*a*A*b^3*c*d
^3*x^2 + 12*a^2*A*b^2*d^4*x^2 + 18*b^4*B*c^2*d^2*n*x^2 - 18*a^2*b^2*B*d^4*
n*x^2 + 24*A*b^4*c*d^3*x^3 + 24*a*A*b^3*d^4*x^3 + 12*b^4*B*c*d^3*n*x^3 - 1
2*a*b^3*B*d^4*n*x^3 + 12*A*b^4*d^4*x^4 + 12*b^2*B*d^2*(a + b*x)^2*(c + d*x
)^2*Log[e*((a + b*x)/(c + d*x))^n] - 12*b^2*B*d^2*n*(a + b*x)^2*(c + d*x)^
2*Log[(a + b*x)/(c + d*x)]) + 12*b^2*d^2*(a + b*x)^2*(c + d*x)^2*Log[a + b
*x]*(2*A^2 + 5*B^2*n^2 + 4*A*B*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a
+ b*x)/(c + d*x)]) + 2*B^2*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*
x)/(c + d*x)])^2) + 2*b^2*d*(b*c - a*d)*(a + b*x)*(c + d*x)^2*(6*A^2 + 14*
A*B*n + 15*B^2*n^2 + 6*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(6*A +
 7*B*n)*Log[(a + b*x)/(c + d*x)] + 6*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 +
2*B*Log[e*((a + b*x)/(c + d*x))^n]*(6*A + 7*B*n - 6*B*n*Log[(a + b*x)/(c +
 d*x)])) - b^2*(b*c - a*d)^2*(c + d*x)^2*(2*A^2 + 2*A*B*n + B^2*n^2 + 2*B^
2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 2*B*n*(2*A + B*n)*Log[(a + b*x)/(c +
d*x)] + 2*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 2*B*Log[e*((a + b*x)/(c + d
*x))^n]*(2*A + B*n - 2*B*n*Log[(a + b*x)/(c + d*x)])) + 2*B*(b*c - a*d)...
```

Rubi [A] (verified)

Time = 0.74 (sec) , antiderivative size = 525, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3\left(b-\frac{d(a+bx)}{c+dx}\right)^4\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^3}\,d\frac{a+bx}{c+dx}}{g^3i^3(bc-ad)^5}$$

$$\downarrow 2795$$

$$\int \left(\frac{(c+dx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^4}{(a+bx)^3} - \frac{4d(c+dx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^3}{(a+bx)^2} + \frac{6d^2(c+dx)\left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^2}{a+bx} - 4d^3\left(A + \right.$$

$$\frac{}{g^3 i^3 (bc-ad)^5}$$

$$\downarrow 2009$$

$$-\frac{b^4(c+dx)^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2} - \frac{b^4 Bn(c+dx)^2\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{2(a+bx)^2} + \frac{4b^3 d(c+dx)\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{a+bx} + \frac{8b^3 Bdn(c+dx}{}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^3*(c*i + d*i*x
)^3),x]
```

output

```
((B^2*d^4*n^2*(a + b*x)^2)/(4*(c + d*x)^2) + (8*A*b*B*d^3*n*(a + b*x))/(c
 + d*x) - (8*b*B^2*d^3*n^2*(a + b*x))/(c + d*x) + (8*b^3*B^2*d*n^2*(c + d*x
))/(a + b*x) - (b^4*B^2*n^2*(c + d*x)^2)/(4*(a + b*x)^2) + (8*b*B^2*d^3*n*
(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(c + d*x) - (B*d^4*n*(a + b*x)^2
*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(c + d*x)^2) + (8*b^3*B*d*n*(c
 + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) - (b^4*B*n*(c +
d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) + (d^4*(a +
 b*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(c + d*x)^2) - (4*b*d
^3*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*x) + (4*b^3*
d*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x) - (b^4*(c
+ d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a + b*x)^2) + (2*b^
2*d^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(B*n))/((b*c - a*d)^5*g^3*
i^3)
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2992 vs. 2(720) = 1440.

Time = 58.61 (sec) , antiderivative size = 2993, normalized size of antiderivative = 4.09

method	result	size
parallelrisch	Expression too large to display	2993

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x,method
=_RETURNVERBOSE)
```

output

```
-1/4*(B^2*a^4*b^4*d^8*n^3-B^2*b^8*c^4*d^4*n^3+2*A^2*a^4*b^4*d^8*n-2*A^2*b^
8*c^4*d^4*n-16*A^2*a^3*b^5*c*d^7*n+16*A^2*a*b^7*c^3*d^5*n+8*B^2*x^4*ln(e*(
(b*x+a)/(d*x+c))^n)^3*b^8*d^8+24*A^2*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^8*d^8
+60*B^2*x^4*ln(e*((b*x+a)/(d*x+c))^n)*b^8*d^8*n^2+24*A*B*x^4*ln(e*((b*x+a)
/(d*x+c))^n)^2*b^8*d^8+16*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^3*a*b^7*d^8+16
*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^3*b^8*c*d^7-60*B^2*x^3*a*b^7*d^8*n^3+60
*B^2*x^3*b^8*c*d^7*n^3+8*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^2*b^6*d^8+8
*B^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)^3*b^8*c^2*d^6-90*B^2*x^2*a^2*b^6*d^8*n^
3+90*B^2*x^2*b^8*c^2*d^6*n^3+48*A^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^7*d^
8+48*A^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*b^8*c*d^7-24*A^2*x^3*a*b^7*d^8*n+24
*A^2*x^3*b^8*c*d^7*n-28*B^2*x*a^3*b^5*d^8*n^3+28*B^2*x*b^8*c^3*d^5*n^3+24*
A^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^6*d^8+24*A^2*x^2*ln(e*((b*x+a)/(d*
x+c))^n)*b^8*c^2*d^6-36*A^2*x^2*a^2*b^6*d^8*n+36*A^2*x^2*b^8*c^2*d^6*n+8*B
^2*ln(e*((b*x+a)/(d*x+c))^n)^3*a^2*b^6*c^2*d^6+2*B^2*ln(e*((b*x+a)/(d*x+c)
)^n)^2*a^4*b^4*d^8*n-2*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*b^8*c^4*d^4*n-2*B^2
*ln(e*((b*x+a)/(d*x+c))^n)*a^4*b^4*d^8*n^2-2*B^2*ln(e*((b*x+a)/(d*x+c))^n)
*b^8*c^4*d^4*n^2-8*A^2*x*a^3*b^5*d^8*n+8*A^2*x*b^8*c^3*d^5*n+24*A^2*ln(e*(
(b*x+a)/(d*x+c))^n)*a^2*b^6*c^2*d^6+24*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2
*b^8*c*d^7*n+120*B^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^7*d^8*n^2+120*B^2*x
^3*ln(e*((b*x+a)/(d*x+c))^n)*b^8*c*d^7*n^2+48*A*B*x^3*ln(e*((b*x+a)/(d*...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3062 vs. $2(720) = 1440$.

Time $= 0.17$ (sec) , antiderivative size $= 3062$, normalized size of antiderivative $= 4.18$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x
, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**3/(d*i*x+c*i)**
3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 5594 vs. $2(720) = 1440$.

Time = 0.39 (sec) , antiderivative size = 5594, normalized size of antiderivative = 7.64

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x
, algorithm="maxima")
```

output

```
1/2*B^2*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c*d^2 - a^3*d
^3 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c*d^2 + a^2*b
*d^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 - 4*a^3*b^3*c
*d^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d^2 + 2*a^2*b
^4*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*g^3*i^3*x^3
+ (b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^2*c^2*d^4 +
a^6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a^3*b^3*c^4*d^2
+ 2*a^4*b^2*c^3*d^3 - 3*a^5*b*c^2*d^4 + a^6*c*d^5)*g^3*i^3*x + (a^2*b^4*c^
6 - 4*a^3*b^3*c^5*d + 6*a^4*b^2*c^4*d^2 - 4*a^5*b*c^3*d^3 + a^6*c^2*d^4)*g
^3*i^3) + 12*b^2*d^2*log(b*x + a)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c
^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3) - 12*b^2*d
^2*log(d*x + c)/((b^5*c^5 - 5*a*b^4*c^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^
2*c^2*d^3 + 5*a^4*b*c*d^4 - a^5*d^5)*g^3*i^3))*log(e*(b*x/(d*x + c) + a/(d
*x + c))^n)^2 + A*B*((12*b^3*d^3*x^3 - b^3*c^3 + 7*a*b^2*c^2*d + 7*a^2*b*c
*d^2 - a^3*d^3 + 18*(b^3*c*d^2 + a*b^2*d^3)*x^2 + 4*(b^3*c^2*d + 7*a*b^2*c
*d^2 + a^2*b*d^3)*x)/((b^6*c^4*d^2 - 4*a*b^5*c^3*d^3 + 6*a^2*b^4*c^2*d^4 -
 4*a^3*b^3*c*d^5 + a^4*b^2*d^6)*g^3*i^3*x^4 + 2*(b^6*c^5*d - 3*a*b^5*c^4*d
^2 + 2*a^2*b^4*c^3*d^3 + 2*a^3*b^3*c^2*d^4 - 3*a^4*b^2*c*d^5 + a^5*b*d^6)*
g^3*i^3*x^3 + (b^6*c^6 - 9*a^2*b^4*c^4*d^2 + 16*a^3*b^3*c^3*d^3 - 9*a^4*b^
2*c^2*d^4 + a^6*d^6)*g^3*i^3*x^2 + 2*(a*b^5*c^6 - 3*a^2*b^4*c^5*d + 2*a...
```

Giac [F]

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^3(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x
, algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/((b*g*x + a*g)^3*(d*i*x
 + c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 33.75 (sec) , antiderivative size = 2419, normalized size of antiderivative = 3.30

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^3*(c*i + d*i*x
)^3),x)
```

output

```
((3*x^2*(6*A^2*a*b^2*d^3 + 6*A^2*b^3*c*d^2 + 15*B^2*a*b^2*d^3*n^2 + 15*B^2
*b^3*c*d^2*n^2 - 4*A*B*a*b^2*d^3*n + 4*A*B*b^3*c*d^2*n))/(a*d - b*c) - (2*
A^2*a^3*d^3 + 2*A^2*b^3*c^3 + B^2*a^3*d^3*n^2 + B^2*b^3*c^3*n^2 - 14*A^2*a
*b^2*c^2*d - 14*A^2*a^2*b*c*d^2 - 2*A*B*a^3*d^3*n + 2*A*B*b^3*c^3*n - 31*B
^2*a*b^2*c^2*d*n^2 - 31*B^2*a^2*b*c*d^2*n^2 - 30*A*B*a*b^2*c^2*d*n + 30*A*
B*a^2*b*c*d^2*n)/(2*(a*d - b*c)) + (2*x*(2*A^2*a^2*b*d^3 + 2*A^2*b^3*c^2*d
 + 14*A^2*a*b^2*c*d^2 + 7*B^2*a^2*b*d^3*n^2 + 7*B^2*b^3*c^2*d*n^2 + 31*B^2
*a*b^2*c*d^2*n^2 - 6*A*B*a^2*b*d^3*n + 6*A*B*b^3*c^2*d*n))/(a*d - b*c) + (
6*x^3*(2*A^2*b^3*d^3 + 5*B^2*b^3*d^3*n^2))/(a*d - b*c))/(x^4*(2*a^3*b^2*d^
5*g^3*i^3 - 2*b^5*c^3*d^2*g^3*i^3 + 6*a*b^4*c^2*d^3*g^3*i^3 - 6*a^2*b^3*c*
d^4*g^3*i^3) - x*(4*a*b^4*c^5*g^3*i^3 - 4*a^5*c*d^4*g^3*i^3 - 8*a^2*b^3*c^
4*d*g^3*i^3 + 8*a^4*b*c^2*d^3*g^3*i^3) + x^3*(4*a^4*b*d^5*g^3*i^3 - 4*b^5*
c^4*d*g^3*i^3 + 8*a*b^4*c^3*d^2*g^3*i^3 - 8*a^3*b^2*c*d^4*g^3*i^3) + x^2*(
2*a^5*d^5*g^3*i^3 - 2*b^5*c^5*g^3*i^3 - 2*a*b^4*c^4*d*g^3*i^3 + 2*a^4*b*c*
d^4*g^3*i^3 + 16*a^2*b^3*c^3*d^2*g^3*i^3 - 16*a^3*b^2*c^2*d^3*g^3*i^3) - 2
*a^2*b^3*c^5*g^3*i^3 + 2*a^5*c^2*d^3*g^3*i^3 + 6*a^3*b^2*c^4*d*g^3*i^3 - 6
*a^4*b*c^3*d^2*g^3*i^3) + log(e*((a + b*x)/(c + d*x))^n)^2*((x*((3*B^2*b*d
*(a*d + b*c)^2)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^2 - (B^2*b*d)/(a^2*d^2 + b
^2*c^2 - 2*a*b*c*d) + (6*B^2*a*b^2*c*d^2)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)^
2) - (B^2*(a*d + b*c))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (6*B^2*b^3...
```

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 5363, normalized size of antiderivative = 7.33

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^3(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^3/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 24*log(a + b*x)*a**5*b**2*c**2*d**3*n - 48*log(a + b*x)*a**5*b**2*c
*d**4*n*x - 24*log(a + b*x)*a**5*b**2*d**5*n*x**2 - 24*log(a + b*x)*a**4*b
**3*c**3*d**2*n + 24*log(a + b*x)*a**4*b**3*c**2*d**3*n**2 - 96*log(a + b*
x)*a**4*b**3*c**2*d**3*n*x + 48*log(a + b*x)*a**4*b**3*c*d**4*n**2*x - 120
*log(a + b*x)*a**4*b**3*c*d**4*n*x**2 + 24*log(a + b*x)*a**4*b**3*d**5*n**
2*x**2 - 48*log(a + b*x)*a**4*b**3*d**5*n*x**3 - 24*log(a + b*x)*a**3*b**4
*c**3*d**2*n**2 - 48*log(a + b*x)*a**3*b**4*c**3*d**2*n*x - 60*log(a + b*x
)*a**3*b**4*c**2*d**3*n**3 - 120*log(a + b*x)*a**3*b**4*c**2*d**3*n*x**2 -
 120*log(a + b*x)*a**3*b**4*c*d**4*n**3*x + 72*log(a + b*x)*a**3*b**4*c*d*
*4*n**2*x**2 - 96*log(a + b*x)*a**3*b**4*c*d**4*n*x**3 - 60*log(a + b*x)*a
**3*b**4*d**5*n**3*x**2 + 48*log(a + b*x)*a**3*b**4*d**5*n**2*x**3 - 24*lo
g(a + b*x)*a**3*b**4*d**5*n*x**4 - 60*log(a + b*x)*a**2*b**5*c**3*d**2*n**
3 - 48*log(a + b*x)*a**2*b**5*c**3*d**2*n**2*x - 24*log(a + b*x)*a**2*b**5
*c**3*d**2*n*x**2 - 240*log(a + b*x)*a**2*b**5*c**2*d**3*n**3*x - 72*log(a
 + b*x)*a**2*b**5*c**2*d**3*n**2*x**2 - 48*log(a + b*x)*a**2*b**5*c**2*d**
3*n*x**3 - 300*log(a + b*x)*a**2*b**5*c*d**4*n**3*x**2 - 24*log(a + b*x)*a
**2*b**5*c*d**4*n*x**4 - 120*log(a + b*x)*a**2*b**5*d**5*n**3*x**3 + 24*lo
g(a + b*x)*a**2*b**5*d**5*n**2*x**4 - 120*log(a + b*x)*a*b**6*c**3*d**2*n*
*3*x - 24*log(a + b*x)*a*b**6*c**3*d**2*n**2*x**2 - 300*log(a + b*x)*a*b**
6*c**2*d**3*n**3*x**2 - 48*log(a + b*x)*a*b**6*c**2*d**3*n**2*x**3 - 24...
```

3.209 $\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$

Optimal result 2385
Mathematica [B] (verified) 2386
Rubi [A] (verified) 2387
Maple [B] (verified) 2389
Fricas [B] (verification not implemented) 2390
Sympy [F(-1)] 2391
Maxima [B] (verification not implemented) 2391
Giac [F] 2392
Mupad [B] (verification not implemented) 2393
Reduce [B] (verification not implemented) 2394

Optimal result

Integrand size = 45, antiderivative size = 908

$$\begin{aligned}\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = &-\frac{B^2d^5n^2(a+bx)^2}{4(bc-ad)^6g^4i^3(c+dx)^2}-\frac{10AbBd^4n(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}\\&+\frac{10bB^2d^4n^2(a+bx)}{(bc-ad)^6g^4i^3(c+dx)}-\frac{20b^3B^2d^2n^2(c+dx)}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4B^2dn^2(c+dx)^2}{4(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{2b^5B^2n^2(c+dx)^3}{27(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{10bB^2d^4n(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)^6g^4i^3(c+dx)}\\&+\frac{Bd^5n(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^6g^4i^3(c+dx)^2}\\&-\frac{20b^3Bd^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4Bdn(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{2(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{2b^5Bn(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{9(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{d^5(a+bx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^6g^4i^3(c+dx)^2}\\&+\frac{5bd^4(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^6g^4i^3(c+dx)}\\&-\frac{10b^3d^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)^6g^4i^3(a+bx)}\\&+\frac{5b^4d(c+dx)^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{2(bc-ad)^6g^4i^3(a+bx)^2}\\&-\frac{b^5(c+dx)^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{3(bc-ad)^6g^4i^3(a+bx)^3}\\&-\frac{10b^2d^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{3B(bc-ad)^6g^4i^3n}\end{aligned}$$

output

```
-1/4*B^2*d^5*n^2*(b*x+a)^2/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2-10*A*b*B*d^4*n*(
b*x+a)/(-a*d+b*c)^6/g^4/i^3/(d*x+c)+10*b*B^2*d^4*n^2*(b*x+a)/(-a*d+b*c)^6/
g^4/i^3/(d*x+c)-20*b^3*B^2*d^2*n^2*(d*x+c)/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/
4*b^4*B^2*d*n^2*(d*x+c)^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-2/27*b^5*B^2*n^2*
(d*x+c)^3/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-10*b*B^2*d^4*n*(b*x+a)*ln(e*((b*x
+a)/(d*x+c))^n)/(-a*d+b*c)^6/g^4/i^3/(d*x+c)+1/2*B*d^5*n*(b*x+a)^2*(A+B*ln
(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(d*x+c)^2-20*b^3*B*d^2*n*(d*
x+c)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/2*b^4*
B*d*n*(d*x+c)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^4/i^3/(b*x+
a)^2-2/9*b^5*B*n*(d*x+c)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)^6/g^
4/i^3/(b*x+a)^3-1/2*d^5*(b*x+a)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+
b*c)^6/g^4/i^3/(d*x+c)^2+5*b*d^4*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2
/(-a*d+b*c)^6/g^4/i^3/(d*x+c)-10*b^3*d^2*(d*x+c)*(A+B*ln(e*((b*x+a)/(d*x+c
))^n))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)+5/2*b^4*d*(d*x+c)^2*(A+B*ln(e*((b*x+
a)/(d*x+c))^n))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^2-1/3*b^5*(d*x+c)^3*(A+B*ln
(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)^6/g^4/i^3/(b*x+a)^3-10/3*b^2*d^3*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))^3/B/(-a*d+b*c)^6/g^4/i^3/n
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2138 vs. $2(908) = 1816$.

Time = 3.52 (sec) , antiderivative size = 2138, normalized size of antiderivative = 2.35

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Result too large to show}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i +
 d*i*x)^3),x]
```

output

```
-1/108*(360*b^2*B^2*d^3*n^2*(a + b*x)^3*(c + d*x)^2*Log[(a + b*x)/(c + d*x
)]^3 + 18*B*n*Log[(a + b*x)/(c + d*x)]^2*(60*a^3*A*b^2*c^2*d^3 + 2*b^5*B*c
^5*n - 15*a*b^4*B*c^4*d*n + 60*a^2*b^3*B*c^3*d^2*n - 30*a^4*b*B*c*d^4*n +
3*a^5*B*d^5*n + 180*a^2*A*b^3*c^2*d^3*x + 120*a^3*A*b^2*c*d^4*x - 5*b^5*B*
c^4*d*n*x + 60*a*b^4*B*c^3*d^2*n*x + 180*a^2*b^3*B*c^2*d^3*n*x - 120*a^3*b
^2*B*c*d^4*n*x - 15*a^4*b*B*d^5*n*x + 180*a*A*b^4*c^2*d^3*x^2 + 360*a^2*A*
b^3*c*d^4*x^2 + 60*a^3*A*b^2*d^5*x^2 + 20*b^5*B*c^3*d^2*n*x^2 + 270*a*b^4*
B*c^2*d^3*n*x^2 - 90*a^3*b^2*B*d^5*n*x^2 + 60*A*b^5*c^2*d^3*x^3 + 360*a*A*
b^4*c*d^4*x^3 + 180*a^2*A*b^3*d^5*x^3 + 110*b^5*B*c^2*d^3*n*x^3 + 180*a*b^
4*B*c*d^4*n*x^3 - 90*a^2*b^3*B*d^5*n*x^3 + 120*A*b^5*c*d^4*x^4 + 180*a*A*b
^4*d^5*x^4 + 100*b^5*B*c*d^4*n*x^4 + 60*A*b^5*d^5*x^5 + 20*b^5*B*d^5*n*x^5
 + 60*b^2*B*d^3*(a + b*x)^3*(c + d*x)^2*Log[e*((a + b*x)/(c + d*x))^n] - 6
0*b^2*B*d^3*n*(a + b*x)^3*(c + d*x)^2*Log[(a + b*x)/(c + d*x)]) + 6*b^2*d^
2*(b*c - a*d)*(a + b*x)^2*(c + d*x)^2*(108*A^2 + 282*A*B*n + 319*B^2*n^2 +
 108*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(36*A + 47*B*n)*Log[(a +
 b*x)/(c + d*x)] + 108*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*((a
+ b*x)/(c + d*x))^n]*(36*A + 47*B*n - 36*B*n*Log[(a + b*x)/(c + d*x)])) -
3*b^2*d*(b*c - a*d)^2*(a + b*x)*(c + d*x)^2*(54*A^2 + 66*A*B*n + 37*B^2*n^
2 + 54*B^2*Log[e*((a + b*x)/(c + d*x))^n]^2 - 6*B*n*(18*A + 11*B*n)*Log[(a
 + b*x)/(c + d*x)] + 54*B^2*n^2*Log[(a + b*x)/(c + d*x)]^2 + 6*B*Log[e*...
```

Rubi [A] (verified)

Time = 0.85 (sec) , antiderivative size = 653, normalized size of antiderivative = 0.72, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {2961, 2795, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4\left(b-\frac{d(a+bx)}{c+dx}\right)^5\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)^4}\,d\frac{a+bx}{c+dx}}{g^4i^3(bc-ad)^6}$$

$$\downarrow 2795$$

$$\int \left(\frac{(c+dx)^4 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^5}{(a+bx)^4} - \frac{5d(c+dx)^3 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^4}{(a+bx)^3} + \frac{10d^2(c+dx)^2 \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 b^3}{(a+bx)^2} - \frac{10d^3(c+}{} \right.$$

$$\left. g^4 i^3 (bc-ad) \right)$$

$$\downarrow 2009$$

$$-\frac{b^5(c+dx)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{3(a+bx)^3} - \frac{2b^5 Bn(c+dx)^3 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{9(a+bx)^3} + \frac{5b^4 d(c+dx)^2 \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2(a+bx)^2} + \frac{5b^4 Bdn(c+}{}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/((a*g + b*g*x)^4*(c*i + d*i*x
)^3),x]
```

output

```
(-1/4*(B^2*d^5*n^2*(a + b*x)^2)/(c + d*x)^2 - (10*A*b*B*d^4*n*(a + b*x))/(
c + d*x) + (10*b*B^2*d^4*n^2*(a + b*x))/(c + d*x) - (20*b^3*B^2*d^2*n^2*(c
 + d*x))/(a + b*x) + (5*b^4*B^2*d*n^2*(c + d*x)^2)/(4*(a + b*x)^2) - (2*b^
5*B^2*n^2*(c + d*x)^3)/(27*(a + b*x)^3) - (10*b*B^2*d^4*n*(a + b*x)*Log[e*
((a + b*x)/(c + d*x))^n])/(c + d*x) + (B*d^5*n*(a + b*x)^2*(A + B*Log[e*((
a + b*x)/(c + d*x))^n]))/(2*(c + d*x)^2) - (20*b^3*B*d^2*n*(c + d*x)*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]))/(a + b*x) + (5*b^4*B*d*n*(c + d*x)^2*(A
 + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*(a + b*x)^2) - (2*b^5*B*n*(c + d*
x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(9*(a + b*x)^3) - (d^5*(a + b
*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(c + d*x)^2) + (5*b*d^4
*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(c + d*x) - (10*b^3*d
^2*(c + d*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(a + b*x) + (5*b^4*
d*(c + d*x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(2*(a + b*x)^2) -
(b^5*(c + d*x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2)/(3*(a + b*x)^3)
 - (10*b^2*d^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3)/(3*B*n))/((b*c -
a*d)^6*g^4*i^3)
```

Defintions of rubi rules used

rule 2009
```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2795
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.)*((d_) +
(e_.)*(x_)^(r_.))^(q_.), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[
c*x^n])^p, (f*x)^m*(d + e*x^r)^q, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b
, c, d, e, f, m, n, p, q, r}, x] && IntegerQ[q] && (GtQ[q, 0] || (IGtQ[p, 0
] && IntegerQ[m] && IntegerQ[r]))
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 4485 vs. 2(888) = 1776.

Time = 210.38 (sec) , antiderivative size = 4486, normalized size of antiderivative = 4.94

method	result	size
parallelrisch	Expression too large to display	4486

input
```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x,method
=_RETURNVERBOSE)
```

output

```
-1/108*(27*B^2*a^5*b^5*d^9*n^3+8*B^2*b^10*c^5*d^4*n^3+54*A^2*a^5*b^5*d^9*n
+36*A^2*b^10*c^5*d^4*n+6480*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^8*c^2*d^
7*n^2+1080*A*B*x^3*ln(e*((b*x+a)/(d*x+c))^n)^2*b^10*c^2*d^7+1320*B^2*x^2*l
n(e*((b*x+a)/(d*x+c))^n)*b^10*c^3*d^6*n^2-5880*B^2*x^2*a^2*b^8*c*d^8*n^3+9
210*B^2*x^2*a*b^9*c^2*d^7*n^3+6480*A^2*x^3*ln(e*((b*x+a)/(d*x+c))^n)*a*b^9
*c*d^8+1080*A^2*x^3*a*b^9*c*d^8*n+1080*A*B*x^2*ln(e*((b*x+a)/(d*x+c))^n)^2
*a^3*b^7*d^9+840*A*B*x^2*a^3*b^7*d^9*n^2+1320*A*B*x^2*b^10*c^3*d^6*n^2+720
*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^3*a^3*b^7*c*d^8+1080*B^2*x*ln(e*((b*x+a)/
(d*x+c))^n)^3*a^2*b^8*c^2*d^7-270*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b^
6*d^9*n-90*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)^2*b^10*c^4*d^5*n+810*B^2*x*ln(e
*((b*x+a)/(d*x+c))^n)*a^4*b^6*d^9*n^2-150*B^2*x*ln(e*((b*x+a)/(d*x+c))^n)*
b^10*c^4*d^5*n^2-6280*B^2*x*a^3*b^7*c*d^8*n^3+3540*B^2*x*a^2*b^8*c^2*d^7*n
^3+3780*B^2*x*a*b^9*c^3*d^6*n^3+6480*A^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2
*b^8*c*d^8+3240*A^2*x^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^9*c^2*d^7-2160*A^2*x
^2*a^2*b^8*c*d^8*n+3780*A^2*x^2*a*b^9*c^2*d^7*n+810*A*B*x*a^4*b^6*d^9*n^2-
150*A*B*x*b^10*c^4*d^5*n^2-540*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^4*b^6*c*d
^8*n+1080*B^2*ln(e*((b*x+a)/(d*x+c))^n)^2*a^2*b^8*c^3*d^6*n-270*B^2*ln(e*(
(b*x+a)/(d*x+c))^n)^2*a*b^9*c^4*d^5*n+1080*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a
^4*b^6*c*d^8*n^2+2160*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a^2*b^8*c^3*d^6*n^2-27
0*B^2*ln(e*((b*x+a)/(d*x+c))^n)*a*b^9*c^4*d^5*n^2+2160*A^2*x*ln(e*((b*x...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4725 vs. $2(888) = 1776$.

Time $= 0.25$ (sec) , antiderivative size $= 4725$, normalized size of antiderivative $= 5.20$

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x
, algorithm="fricas")
```

output

```
Too large to include
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*((b*x+a)/(d*x+c))**n))**2/(b*g*x+a*g)**4/(d*i*x+c*i)**
3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 9293 vs. $2(888) = 1776$.

Time = 0.81 (sec) , antiderivative size = 9293, normalized size of antiderivative = 10.23

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x
, algorithm="maxima")
```

output

```
-1/6*B^2*((60*b^4*d^4*x^4 + 2*b^4*c^4 - 13*a*b^3*c^3*d + 47*a^2*b^2*c^2*d^
2 + 27*a^3*b*c*d^3 - 3*a^4*d^4 + 30*(3*b^4*c*d^3 + 5*a*b^3*d^4)*x^3 + 10*(
2*b^4*c^2*d^2 + 23*a*b^3*c*d^3 + 11*a^2*b^2*d^4)*x^2 - 5*(b^4*c^3*d - 11*a
*b^3*c^2*d^2 - 35*a^2*b^2*c*d^3 - 3*a^3*b*d^4)*x)/((b^8*c^5*d^2 - 5*a*b^7*
c^4*d^3 + 10*a^2*b^6*c^3*d^4 - 10*a^3*b^5*c^2*d^5 + 5*a^4*b^4*c*d^6 - a^5*
b^3*d^7)*g^4*i^3*x^5 + (2*b^8*c^6*d - 7*a*b^7*c^5*d^2 + 5*a^2*b^6*c^4*d^3
+ 10*a^3*b^5*c^3*d^4 - 20*a^4*b^4*c^2*d^5 + 13*a^5*b^3*c*d^6 - 3*a^6*b^2*d
^7)*g^4*i^3*x^4 + (b^8*c^7 + a*b^7*c^6*d - 17*a^2*b^6*c^5*d^2 + 35*a^3*b^5
*c^4*d^3 - 25*a^4*b^4*c^3*d^4 - a^5*b^3*c^2*d^5 + 9*a^6*b^2*c*d^6 - 3*a^7*
b*d^7)*g^4*i^3*x^3 + (3*a*b^7*c^7 - 9*a^2*b^6*c^6*d + a^3*b^5*c^5*d^2 + 25
*a^4*b^4*c^4*d^3 - 35*a^5*b^3*c^3*d^4 + 17*a^6*b^2*c^2*d^5 - a^7*b*c*d^6 -
 a^8*d^7)*g^4*i^3*x^2 + (3*a^2*b^6*c^7 - 13*a^3*b^5*c^6*d + 20*a^4*b^4*c^5
*d^2 - 10*a^5*b^3*c^4*d^3 - 5*a^6*b^2*c^3*d^4 + 7*a^7*b*c^2*d^5 - 2*a^8*c*
d^6)*g^4*i^3*x + (a^3*b^5*c^7 - 5*a^4*b^4*c^6*d + 10*a^5*b^3*c^5*d^2 - 10*
a^6*b^2*c^4*d^3 + 5*a^7*b*c^3*d^4 - a^8*c^2*d^5)*g^4*i^3) + 60*b^2*d^3*log
(b*x + a)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c^3*
d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3) - 60*b^2*d^3*
log(d*x + c)/((b^6*c^6 - 6*a*b^5*c^5*d + 15*a^2*b^4*c^4*d^2 - 20*a^3*b^3*c
^3*d^3 + 15*a^4*b^2*c^2*d^4 - 6*a^5*b*c*d^5 + a^6*d^6)*g^4*i^3))*log(e*(b*
x/(d*x + c) + a/(d*x + c))^n)^2 - 1/3*A*B*((60*b^4*d^4*x^4 + 2*b^4*c^4 ...
```

Giac [F]

$$\int \frac{\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \int \frac{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}{(bgx+ag)^4(dix+ci)^3}\,dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x
, algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2/((b*g*x + a*g)^4*(d*i*x
 + c*i)^3), x)
```

Mupad [B] (verification not implemented)

Time = 35.04 (sec) , antiderivative size = 4649, normalized size of antiderivative = 5.12

$$\int \frac{\left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))^2/((a*g + b*g*x)^4*(c*i + d*i*x
)^3),x)
```

output

```
log(e*((a + b*x)/(c + d*x))^n)*((x*((a*d + b*c)*(20*A*B*a*b*d^2 + 10*A*B*b
^2*c*d - (70*B^2*a*b*d^2*n)/3 + (10*B^2*b^2*c*d*n)/3) + a*c*(30*A*B*b^2*d^
2 - 20*B^2*b^2*d^2*n) + (5*B^2*a^2*b*d^3*n)/6 + (5*B^2*b^3*c^2*d*n)/6 - 5*
A*B*a^2*b*d^3 - 5*A*B*b^3*c^2*d + 10*A*B*a*b^2*c*d^2 - (5*B^2*a*b^2*c*d^2*
n)/3) + x^2*((a*d + b*c)*(30*A*B*b^2*d^2 - 20*B^2*b^2*d^2*n) + b*d*(20*A*B
*a*b*d^2 + 10*A*B*b^2*c*d - (70*B^2*a*b*d^2*n)/3 + (10*B^2*b^2*c*d*n)/3))
+ a*c*(20*A*B*a*b*d^2 + 10*A*B*b^2*c*d - (70*B^2*a*b*d^2*n)/3 + (10*B^2*b^
2*c*d*n)/3) - 3*A*B*a^3*d^3 - 2*A*B*b^3*c^3 + b*d*x^3*(30*A*B*b^2*d^2 - 20
*B^2*b^2*d^2*n) + (3*B^2*a^3*d^3*n)/2 - (2*B^2*b^3*c^3*n)/3 + A*B*a*b^2*c^
2*d + 4*A*B*a^2*b*c*d^2 + (17*B^2*a*b^2*c^2*d*n)/6 - (11*B^2*a^2*b*c*d^2*n
)/3)/(x^5*(3*a^4*b^3*d^6*g^4*i^3 + 3*b^7*c^4*d^2*g^4*i^3 - 12*a*b^6*c^3*d^
3*g^4*i^3 - 12*a^3*b^4*c*d^5*g^4*i^3 + 18*a^2*b^5*c^2*d^4*g^4*i^3) + x*(9*
a^2*b^5*c^6*g^4*i^3 + 6*a^7*c*d^5*g^4*i^3 - 30*a^3*b^4*c^5*d*g^4*i^3 - 15*
a^6*b*c^2*d^4*g^4*i^3 + 30*a^4*b^3*c^4*d^2*g^4*i^3) + x^2*(3*a^7*d^6*g^4*i
^3 + 9*a*b^6*c^6*g^4*i^3 + 6*a^6*b*c*d^5*g^4*i^3 - 18*a^2*b^5*c^5*d*g^4*i^
3 - 15*a^3*b^4*c^4*d^2*g^4*i^3 + 60*a^4*b^3*c^3*d^3*g^4*i^3 - 45*a^5*b^2*c
^2*d^4*g^4*i^3) + x^3*(3*b^7*c^6*g^4*i^3 + 9*a^6*b*d^6*g^4*i^3 + 6*a*b^6*c
^5*d*g^4*i^3 - 18*a^5*b^2*c*d^5*g^4*i^3 - 45*a^2*b^5*c^4*d^2*g^4*i^3 + 60*
a^3*b^4*c^3*d^3*g^4*i^3 - 15*a^4*b^3*c^2*d^4*g^4*i^3) + x^4*(9*a^5*b^2*d^6
*g^4*i^3 + 6*b^7*c^5*d*g^4*i^3 - 15*a*b^6*c^4*d^2*g^4*i^3 - 30*a^4*b^3*...
```

Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 7917, normalized size of antiderivative = 8.72

$$\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(ag+bgx)^4(ci+dix)^3}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))^2/(b*g*x+a*g)^4/(d*i*x+c*i)^3,x)
```

output

```
(i*( - 3240*log(a + b*x)*a**6*b**2*c**2*d**4*n - 6480*log(a + b*x)*a**6*b*
*2*c*d**5*n*x - 3240*log(a + b*x)*a**6*b**2*d**6*n*x**2 - 2160*log(a + b*x
)*a**5*b**3*c**3*d**3*n - 14040*log(a + b*x)*a**5*b**3*c**2*d**4*n*x - 216
00*log(a + b*x)*a**5*b**3*c*d**5*n*x**2 - 9720*log(a + b*x)*a**5*b**3*d**6
*n*x**3 - 3600*log(a + b*x)*a**4*b**4*c**3*d**3*n**2 - 6480*log(a + b*x)*a
**4*b**4*c**3*d**3*n*x - 8100*log(a + b*x)*a**4*b**4*c**2*d**4*n**3 - 7200
*log(a + b*x)*a**4*b**4*c**2*d**4*n**2*x - 22680*log(a + b*x)*a**4*b**4*c*
*2*d**4*n*x**2 - 16200*log(a + b*x)*a**4*b**4*c*d**5*n**3*x - 3600*log(a +
 b*x)*a**4*b**4*c*d**5*n**2*x**2 - 25920*log(a + b*x)*a**4*b**4*c*d**5*n*x
**3 - 8100*log(a + b*x)*a**4*b**4*d**6*n**3*x**2 - 9720*log(a + b*x)*a**4*
b**4*d**6*n*x**4 - 6600*log(a + b*x)*a**3*b**5*c**3*d**3*n**3 - 10800*log(
a + b*x)*a**3*b**5*c**3*d**3*n**2*x - 6480*log(a + b*x)*a**3*b**5*c**3*d**
3*n*x**2 - 37500*log(a + b*x)*a**3*b**5*c**2*d**4*n**3*x - 21600*log(a + b
*x)*a**3*b**5*c**2*d**4*n**2*x**2 - 16200*log(a + b*x)*a**3*b**5*c**2*d**4
*n*x**3 - 55200*log(a + b*x)*a**3*b**5*c*d**5*n**3*x**2 - 10800*log(a + b*
x)*a**3*b**5*c*d**5*n**2*x**3 - 12960*log(a + b*x)*a**3*b**5*c*d**5*n*x**4
 - 24300*log(a + b*x)*a**3*b**5*d**6*n**3*x**3 - 3240*log(a + b*x)*a**3*b*
*5*d**6*n*x**5 - 19800*log(a + b*x)*a**2*b**6*c**3*d**3*n**3*x - 10800*log
(a + b*x)*a**2*b**6*c**3*d**3*n**2*x**2 - 2160*log(a + b*x)*a**2*b**6*c**3
*d**3*n*x**3 - 63900*log(a + b*x)*a**2*b**6*c**2*d**4*n**3*x**2 - 21600...
```

3.210 $\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^1$

Optimal result . . . 2395
Mathematica [F] . . . 2395
Rubi [A] (verified) . . . 2396
Maple [F] . . . 2397
Fricas [F] . . . 2398
Sympy [F(-1)] . . . 2398
Maxima [F] . . . 2398
Giac [F] . . . 2399
Mupad [F(-1)] . . . 2399
Reduce [F] . . . 2400

Optimal result

Integrand size = 49, antiderivative size = 189

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$

$$= \frac{e^{-\frac{A(1+m)}{Bn}} (a+bx)(g(a+bx))^m \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{1+m}{n}} (i(c+dx))^{-m} \Gamma\left(1+p, -\frac{(1+m)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right) (A+}{(bc-ad)i^2(1+m)(c+dx)}$$

output

```
(b*x+a)*(g*(b*x+a))^m*GAMMA(p+1,-(1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n
)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p/(-a*d+b*c)/exp(A*(1+m)/B/n)/i^2/(1+m)/
((e*((b*x+a)/(d*x+c))^n)^((1+m)/n))/(d*x+c)/((i*(d*x+c))^m)/((-(1+m)*(A+B*
ln(e*((b*x+a)/(d*x+c))^n))/B/n)^p)
```

Mathematica [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$

$$= \int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$

input
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^p,x]
```

output
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^p, x]
```

Rubi [A] (verified)

Time = 0.56 (sec) , antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2747, 2612}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^m (ci+dix)^{-m-2} \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m (i(c+dx))^{-m} \left(\frac{a+bx}{c+dx}\right)^{-m} \int \left(\frac{a+bx}{c+dx}\right)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}} \int \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\log\left(e\left(\frac{a+}{c+}\right.\right.}{i^2 n(c+dx)(bc-ad)}$$

$$\downarrow 2612$$

$$\frac{(a+bx)e^{-\frac{A(m+1)}{Bn}} (g(a+bx))^m (i(c+dx))^{-m} \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}} \left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p \left(-\frac{(m+1)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.\right.}{Bn}}{i^2(m+1)(c+dx)(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^p,x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*Gamma[1 + p, -(((1 + m)*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(B*n))]*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^p)/((b*c -
 a*d)*E^((A*(1 + m))/(B*n))*i^2*(1 + m)*(e*((a + b*x)/(c + d*x))^n)^((1 +
m)/n)*(c + d*x)*(i*(c + d*x))^m*(-(((1 + m)*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]))/(B*n)))^p)
```

Defintions of rubi rules used

rule 2612
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]))*Gamma[m + 1,
 ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int (bgx+ag)^m (dix+ci)^{-2-m} \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^p dx$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p,x)
```

output
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p,x)
```

Fricas [F]

$$\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^m(dix+ci)^{-m-2}\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="fricas")
```

output
```
integral((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)*(B*log(e*((b*x + a)/(d*x +
 c))^n) + A)^p, x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**p,x)
```

output
```
Timed out
```

Maxima [F]

$$\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^m(dix+ci)^{-m-2}\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)*(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^p, x)
```

Giac [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^m (dix+ci)^{-m-2} \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)*(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^p, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int \frac{(a\,g+b\,g\,x)^m \left(A + B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^p}{(c\,i+d\,i\,x)^{m+2}}\,dx$$

input
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^p)/(c*i + d*i*
x)^(m + 2),x)
```

output
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^p)/(c*i + d*i*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= -\left(\int \frac{(bgx+ag)^m \left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) b+a\right)^p}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right)$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^p,x)
```

output
```
 - int(((a*g + b*g*x)**m*(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p)/((
c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x + (c*i + d*i*x)**m*d**2*x*
*2),x)
```

3.211 $\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p$

Optimal result . . . 2401
Mathematica [F] . . . 2401
Rubi [A] (verified) . . . 2402
Maple [F] . . . 2403
Fricas [F] . . . 2404
Sympy [F(-1)] . . . 2404
Maxima [F] . . . 2404
Giac [F] . . . 2405
Mupad [F(-1)] . . . 2405
Reduce [F] . . . 2406

Optimal result

Integrand size = 49, antiderivative size = 190

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx =$$

$$-\frac{e^{\frac{A(1+m)}{Bn}}(a+bx)(g(a+bx))^{-2-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1+m}{n}}(i(c+dx))^{2+m}\Gamma\left(1+p,\frac{(1+m)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right)(A}{(bc-ad)i^2(1+m)(c+dx)}$$

output

```
-exp(A*(1+m)/B/n)*(b*x+a)*(g*(b*x+a))^(-2-m)*(e*((b*x+a)/(d*x+c))^n)^((1+m
)/n)*(i*(d*x+c))^(2+m)*GAMMA(p+1,(1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n
)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p/(-a*d+b*c)/i^2/(1+m)/(d*x+c)/(((1+m)*(
A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n)^p)
```

Mathematica [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$

input
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^p,x]
```

output
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^p, x]
```

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2747, 2612}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^{-m-2}(ci+dix)^m \left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\int \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\log\left(\right.}{i^2n(c+dx)(bc-ad)}$$

$$\downarrow 2612$$

$$-\frac{(a+bx)e^{\frac{A(m+1)}{Bn}}(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p\left(\frac{(m+1)\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.\right.}{Bn}}{i^2(m+1)(c+dx)(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^p,x]
```

output
```
-((E^((A*(1 + m))/(B*n))*(a + b*x)*(g*(a + b*x))^(-2 - m)*(e*((a + b*x)/(c
 + d*x))^n)^((1 + m)/n)*(i*(c + d*x))^(2 + m)*Gamma[1 + p, ((1 + m)*(A + B
*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n)]*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p)/((b*c - a*d)*i^2*(1 + m)*(c + d*x)*(((1 + m)*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(B*n))^p))
```

Defintions of rubi rules used

rule 2612
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]))*Gamma[m + 1,
 ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int (bgx+ag)^{-2-m}\,(dix+ci)^{m}\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)\right)^{p}dx$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p,x)
```

output
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^p,x)
```

Fricas [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^{-m-2}(dix+ci)^m \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="fricas")
```

output
```
integral((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m*(B*log(e*((b*x + a)/(d*x +
 c))^n) + A)^p, x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**p,x)
```

output
```
Timed out
```

Maxima [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^{-m-2}(dix+ci)^m \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m*(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^p, x)
```

Giac [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int (bgx+ag)^{-m-2}(dix+ci)^m\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^p,x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m*(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^p, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \int \frac{(ci+dix)^m\left(A+B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p}{(ag+bgx)^{m+2}} dx$$

input
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^p)/(a*g + b*g*
x)^(m + 2),x)
```

output
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^p)/(a*g + b*g*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p dx$$
$$= \frac{\int \frac{(dix+ci)^m\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)^p}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n))^p,x)
```

output
```
int(((c*i + d*i*x)**m*(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p)/((a*g
 + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x + (a*g + b*g*x)**m*b**2*x**2)
,x)/g**2
```

3.212 $\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3$

Optimal result . . . 2407
Mathematica [A] (verified) . . . 2408
Rubi [A] (verified) . . . 2408
Maple [F] . . . 2410
Fricas [B] (verification not implemented) . . . 2411
Sympy [F(-2)] . . . 2412
Maxima [F] . . . 2412
Giac [F] . . . 2413
Mupad [F(-1)] . . . 2413
Reduce [F] . . . 2414

Optimal result

Integrand size = 49, antiderivative size = 292

$$\begin{aligned}
&\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx \\
&= -\frac{6B^3 n^3 (a+bx)(g(a+bx))^m (i(c+dx))^{-m}}{(bc-ad)i^2(1+m)^4(c+dx)} \\
&\quad + \frac{6B^2 n^2 (a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)^3(c+dx)} \\
&\quad - \frac{3Bn(a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)i^2(1+m)^2(c+dx)} \\
&\quad + \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{(bc-ad)i^2(1+m)(c+dx)}
\end{aligned}$$

output

```
-6*B^3*n^3*(b*x+a)*(g*(b*x+a))^m/(-a*d+b*c)/i^2/(1+m)^4/(d*x+c)/((i*(d*x+c
))^m)+6*B^2*n^2*(b*x+a)*(g*(b*x+a))^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*
d+b*c)/i^2/(1+m)^3/(d*x+c)/((i*(d*x+c))^m)-3*B*n*(b*x+a)*(g*(b*x+a))^m*(A+
B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/i^2/(1+m)^2/(d*x+c)/((i*(d*x+c))
^m)+(b*x+a)*(g*(b*x+a))^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3/(-a*d+b*c)/i^2
/(1+m)/(d*x+c)/((i*(d*x+c))^m)
```

Mathematica [A] (verified)

Time = 7.72 (sec) , antiderivative size = 206, normalized size of antiderivative = 0.71

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-1-m} \left(A^3(1+m)^3 - 3A^2B(1+m)^2n + 6AB^2(1+m)n^2 - 6B^3n^3 + 3B$$

input
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^3,x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*(i*(c + d*x))^(-1 - m)*(A^3*(1 + m)^3 - 3*A^2*B
*(1 + m)^2*n + 6*A*B^2*(1 + m)*n^2 - 6*B^3*n^3 + 3*B*(1 + m)*(A^2*(1 + m)^
2 - 2*A*B*(1 + m)*n + 2*B^2*n^2)*Log[e*((a + b*x)/(c + d*x))^n] + 3*B^2*(1
 + m)^2*(A + A*m - B*n)*Log[e*((a + b*x)/(c + d*x))^n]^2 + B^3*(1 + m)^3*L
og[e*((a + b*x)/(c + d*x))^n]^3))/((b*c - a*d)*i*(1 + m)^4)
```

Rubi [A] (verified)

Time = 0.61 (sec) , antiderivative size = 237, normalized size of antiderivative = 0.81, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {2963, 2742, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^m (ci+dix)^{-m-2} \left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + A\right)^3 dx$$
$$\downarrow 2963$$
$$\frac{(g(a+bx))^m (i(c+dx))^{-m} \left(\frac{a+bx}{c+dx}\right)^{-m} \int \left(\frac{a+bx}{c+dx}\right)^m \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$
$$\downarrow 2742$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{m+1}-\frac{3Bn\int\left(\frac{a+bx}{c+dx}\right)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+b}{c+d}}{m+1}\right.}{i^2(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{m+1}-\frac{3Bn\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{m+1}-\frac{2B}{m+1}\right.}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{m+1}-\frac{3Bn\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{m+1}-\frac{2B}{}\right.}{i^2(bc-ad)}$$

input

```
Int[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^3,x]
```

output

```
((g*(a + b*x))^m*((((a + b*x)/(c + d*x))^(1 + m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^3)/(1 + m) - (3*B*n*((((a + b*x)/(c + d*x))^(1 + m)*(A + B*L
og[e*((a + b*x)/(c + d*x))^n])^2)/(1 + m) - (2*B*n*(-((B*n*((a + b*x)/(c +
 d*x))^(1 + m))/(1 + m)^2) + (((a + b*x)/(c + d*x))^(1 + m)*(A + B*Log[e*(
(a + b*x)/(c + d*x))^n]))/(1 + m)))/(1 + m)))/(1 + m)))/((b*c - a*d)*i^2*(
(a + b*x)/(c + d*x))^m*(i*(c + d*x))^m)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int (bgx+ag)^m (dix+ci)^{-2-m} \left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^3 dx$$

input

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2680 vs. $2(292) = 584$.

Time = 0.19 (sec) , antiderivative size = 2680, normalized size of antiderivative = 9.18

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="fricas")
```

output

```
(A^3*a*c*m^3 - 6*B^3*a*c*n^3 + 3*A^3*a*c*m^2 + 3*A^3*a*c*m + A^3*a*c + (B^
3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m + B^3*a*c + (B^3*b*d*m^3 + 3*B^3*b
*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*x^2 + (B^3*b*c + B^3*a*d + (B^3*b*c + B^3*
a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(B^3*b*c + B^3*a*d)*m)*x)*log(e)^
3 + ((B^3*b*d*m^3 + 3*B^3*b*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*n^3*x^2 + (B^3*
b*c + B^3*a*d + (B^3*b*c + B^3*a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(B
^3*b*c + B^3*a*d)*m)*n^3*x + (B^3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m +
B^3*a*c)*n^3)*log((b*x + a)/(d*x + c))^3 + 6*(A*B^2*a*c*m + A*B^2*a*c)*n^2
 + (A^3*b*d*m^3 - 6*B^3*b*d*n^3 + 3*A^3*b*d*m^2 + 3*A^3*b*d*m + A^3*b*d +
6*(A*B^2*b*d*m + A*B^2*b*d)*n^2 - 3*(A^2*B*b*d*m^2 + 2*A^2*B*b*d*m + A^2*B
*b*d)*n)*x^2 + 3*(A*B^2*a*c*m^3 + 3*A*B^2*a*c*m^2 + 3*A*B^2*a*c*m + A*B^2*
a*c + (A*B^2*b*d*m^3 + 3*A*B^2*b*d*m^2 + 3*A*B^2*b*d*m + A*B^2*b*d - (B^3*
b*d*m^2 + 2*B^3*b*d*m + B^3*b*d)*n)*x^2 - (B^3*a*c*m^2 + 2*B^3*a*c*m + B^3
*a*c)*n + (A*B^2*b*c + A*B^2*a*d + (A*B^2*b*c + A*B^2*a*d)*m^3 + 3*(A*B^2*
b*c + A*B^2*a*d)*m^2 + 3*(A*B^2*b*c + A*B^2*a*d)*m - (B^3*b*c + B^3*a*d +
(B^3*b*c + B^3*a*d)*m^2 + 2*(B^3*b*c + B^3*a*d)*m)*n)*x + ((B^3*b*d*m^3 +
3*B^3*b*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*n*x^2 + (B^3*b*c + B^3*a*d + (B^3*b
*c + B^3*a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(B^3*b*c + B^3*a*d)*m)*n
*x + (B^3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m + B^3*a*c)*n)*log((b*x + a
)/(d*x + c)))*log(e)^2 - 3*((B^3*a*c*m^2 + 2*B^3*a*c*m + B^3*a*c)*n^3 -...
```

Sympy [F(-2)]

Exception generated.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**3,x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^3 (bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^3*(b*g*x + a*g)^m*(d*i*x
+ c*i)^(-m - 2), x)
```

Giac [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3 (bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^3*(b*g*x + a*g)^m*(d*i*x
+ c*i)^(-m - 2), x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \int \frac{(a\,g+b\,g\,x)^m \left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^3}{(c\,i+d\,i\,x)^{m+2}}\, dx$$

input
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^3)/(c*i + d*i*
x)^(m + 2),x)
```

output
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^3)/(c*i + d*i*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= -\left(\int \frac{(bgx+ag)^m}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) a^3$$
$$- \left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) b^3$$
$$- 3\left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) a\,b^2$$
$$- 3\left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) a^2 b$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output
```
 - int((a*g + b*g*x)**m/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x
+ (c*i + d*i*x)**m*d**2*x**2),x)*a**3 - int(((a*g + b*g*x)**m*log(((a + b*
x)**n*e)/(c + d*x)**n)**3)/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d
*x + (c*i + d*i*x)**m*d**2*x**2),x)*b**3 - 3*int(((a*g + b*g*x)**m*log(((a
 + b*x)**n*e)/(c + d*x)**n)**2)/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**
m*c*d*x + (c*i + d*i*x)**m*d**2*x**2),x)*a*b**2 - 3*int(((a*g + b*g*x)**m*
log(((a + b*x)**n*e)/(c + d*x)**n))/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*
x)**m*c*d*x + (c*i + d*i*x)**m*d**2*x**2),x)*a**2*b
```

3.213 $\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2$

Optimal result . . . 2415
Mathematica [A] (verified) . . . 2416
Rubi [A] (verified) . . . 2416
Maple [B] (verified) . . . 2418
Fricas [B] (verification not implemented) . . . 2419
Sympy [F(-2)] . . . 2420
Maxima [F] . . . 2421
Giac [F] . . . 2421
Mupad [F(-1)] . . . 2422
Reduce [F] . . . 2422

Optimal result

Integrand size = 49, antiderivative size = 210

$$\begin{aligned}
&\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= \frac{2B^2 n^2 (a+bx)(g(a+bx))^m (i(c+dx))^{-m}}{(bc-ad)i^2(1+m)^3(c+dx)} \\
&\quad - \frac{2Bn(a+bx)(g(a+bx))^m (i(c+dx))^{-m}\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)^2(c+dx)} \\
&\quad + \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m}\left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)i^2(1+m)(c+dx)}
\end{aligned}$$

output

```
2*B^2*n^2*(b*x+a)*(g*(b*x+a))^m/(-a*d+b*c)/i^2/(1+m)^3/(d*x+c)/((i*(d*x+c)
)^m)-2*B*n*(b*x+a)*(g*(b*x+a))^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c
)/i^2/(1+m)^2/(d*x+c)/((i*(d*x+c))^m)+(b*x+a)*(g*(b*x+a))^m*(A+B*ln(e*((b*
x+a)/(d*x+c))^n))^2/(-a*d+b*c)/i^2/(1+m)/(d*x+c)/((i*(d*x+c))^m)
```

Mathematica [A] (verified)

Time = 3.13 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.64

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-1-m}\left(A^2(1+m)^2 - 2AB(1+m)n + 2B^2n^2 + 2B(1+m)(A+Am-\right.}{(bc-ad)i(1+m)^3}$$

input
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^2,x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*(i*(c + d*x))^(-1 - m)*(A^2*(1 + m)^2 - 2*A*B*(
1 + m)*n + 2*B^2*n^2 + 2*B*(1 + m)*(A + A*m - B*n)*Log[e*((a + b*x)/(c + d
*x))^n] + B^2*(1 + m)^2*Log[e*((a + b*x)/(c + d*x))^n]^2))/((b*c - a*d)*i*
(1 + m)^3)
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 180, normalized size of antiderivative = 0.86, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^m (ci+dix)^{-m-2}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$
$$\downarrow 2963$$
$$\frac{(g(a+bx))^m (i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\int \left(\frac{a+bx}{c+dx}\right)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$
$$\downarrow 2742$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{m+1}-\frac{2Bn\int\left(\frac{a+bx}{c+dx}\right)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d\frac{a+bx}{c+dx}}{m+1}\right.}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{m+1}-\frac{2Bn\left(\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{m+1}-\frac{Bn\left(\right.\right.}{m+1}\right.}{i^2(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^2,x]
```

output
```
((g*(a + b*x))^m*((((a + b*x)/(c + d*x))^(1 + m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^2)/(1 + m) - (2*B*n*(-((B*n*((a + b*x)/(c + d*x))^(1 + m))/(
1 + m)^2) + (((a + b*x)/(c + d*x))^(1 + m)*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]))/(1 + m)))/(1 + m)))/((b*c - a*d)*i^2*((a + b*x)/(c + d*x))^m*(i*(
c + d*x))^m)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2628 vs. 2(210) = 420.

Time = 148.28 (sec) , antiderivative size = 2629, normalized size of antiderivative = 12.52

method	result	size
parallelrisch	Expression too large to display	2629

input

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x,m
ethod=_RETURNVERBOSE)
```

output

```
-(2*A*B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d
^2*m^2*n+2*A*B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n
)*b^2*c*d*m^2*n+A^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*c*d*n+2*B^2*x*(
g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*d^2*n^3+2*B^2*x*(g*(b*x+a))^m*(i*(d*x+
c))^(-2-m)*b^2*c*d*n^3+2*B^2*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*c*d*n^3+
A^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*d^2*n+4*A*B*x*(g*(b*x+a))^m*(i*
(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d^2*m*n+4*A*B*x*(g*(b*x+a))^
m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*d*m*n+2*A*B*(g*(b*x+a
))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*c*d*m^2*n+4*A*B*(g*(
b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*c*d*m*n+B^2*x*(
g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*d^2*m^2*n+
B^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*b^2*c*d
*m^2*n+4*A*B*x^2*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n
)*b^2*d^2*m*n+2*B^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+
c))^n)^2*a*b*d^2*m*n+2*B^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a
)/(d*x+c))^n)^2*b^2*c*d*m*n-2*B^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*
((b*x+a)/(d*x+c))^n)*a*b*d^2*m*n^2-2*B^2*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m
)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*d*m*n^2+B^2*(g*(b*x+a))^m*(i*(d*x+c))^(-
2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*c*d*m^2*n-2*A*B*x*(g*(b*x+a))^m*(i*(d
*x+c))^(-2-m)*a*b*d^2*m*n^2-2*A*B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 991 vs. $2(210) = 420$.

Time = 0.13 (sec) , antiderivative size = 991, normalized size of antiderivative = 4.72

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="fricas")
```

output

```
(A^2*a*c*m^2 + 2*B^2*a*c*n^2 + 2*A^2*a*c*m + A^2*a*c + (A^2*b*d*m^2 + 2*B^
2*b*d*n^2 + 2*A^2*b*d*m + A^2*b*d - 2*(A*B*b*d*m + A*B*b*d)*n)*x^2 + (B^2*
a*c*m^2 + 2*B^2*a*c*m + B^2*a*c + (B^2*b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*x^
2 + (B^2*b*c + B^2*a*d + (B^2*b*c + B^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*m
)*x)*log(e)^2 + ((B^2*b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*n^2*x^2 + (B^2*b*c
+ B^2*a*d + (B^2*b*c + B^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*m)*n^2*x + (B^
2*a*c*m^2 + 2*B^2*a*c*m + B^2*a*c)*n^2)*log((b*x + a)/(d*x + c))^2 - 2*(A*
B*a*c*m + A*B*a*c)*n + (A^2*b*c + A^2*a*d + (A^2*b*c + A^2*a*d)*m^2 + 2*(B
^2*b*c + B^2*a*d)*n^2 + 2*(A^2*b*c + A^2*a*d)*m - 2*(A*B*b*c + A*B*a*d + (
A*B*b*c + A*B*a*d)*m)*n)*x + 2*(A*B*a*c*m^2 + 2*A*B*a*c*m + A*B*a*c + (A*B
*b*d*m^2 + 2*A*B*b*d*m + A*B*b*d - (B^2*b*d*m + B^2*b*d)*n)*x^2 - (B^2*a*c
*m + B^2*a*c)*n + (A*B*b*c + A*B*a*d + (A*B*b*c + A*B*a*d)*m^2 + 2*(A*B*b*
c + A*B*a*d)*m - (B^2*b*c + B^2*a*d + (B^2*b*c + B^2*a*d)*m)*n)*x + ((B^2*
b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*n*x^2 + (B^2*b*c + B^2*a*d + (B^2*b*c + B
^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*m)*n*x + (B^2*a*c*m^2 + 2*B^2*a*c*m +
B^2*a*c)*n)*log((b*x + a)/(d*x + c)))*log(e) - 2*((B^2*a*c*m + B^2*a*c)*n^
2 + ((B^2*b*d*m + B^2*b*d)*n^2 - (A*B*b*d*m^2 + 2*A*B*b*d*m + A*B*b*d)*n)*
x^2 - (A*B*a*c*m^2 + 2*A*B*a*c*m + A*B*a*c)*n + ((B^2*b*c + B^2*a*d + (B^2
*b*c + B^2*a*d)*m)*n^2 - (A*B*b*c + A*B*a*d + (A*B*b*c + A*B*a*d)*m^2 + 2*
(A*B*b*c + A*B*a*d)*m)*n)*x)*log((b*x + a)/(d*x + c)))*(b*g*x + a*g)^m*...
```

Sympy [F(-2)]

Exception generated.

$$\int (ag + bgx)^m (ci + dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a + bx}{c + dx}\right)^n\right)\right)^2 dx$$

$$= \text{Exception raised: HeuristicGCDFailed}$$

input

```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**2,x)
```

output

```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^2 (bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2*(b*g*x + a*g)^m*(d*i*x
+ c*i)^(-m - 2), x)
```

Giac [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)^2 (bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2*(b*g*x + a*g)^m*(d*i*x
+ c*i)^(-m - 2), x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int \frac{(a\,g+b\,g\,x)^m \left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(c\,i+d\,i\,x)^{m+2}}\,dx$$

input
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^(m + 2),x)
```

output
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(c*i + d*i*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= -\left(\int \frac{(bgx+ag)^m}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2}dx\right) a^2$$
$$-\left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2}dx\right) b^2$$
$$-2\left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2}dx\right) ab$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
 - int((a*g + b*g*x)**m/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x
+ (c*i + d*i*x)**m*d**2*x**2),x)*a**2 - int(((a*g + b*g*x)**m*log(((a + b*
x)**n*e)/(c + d*x)**n)**2)/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d
*x + (c*i + d*i*x)**m*d**2*x**2),x)*b**2 - 2*int(((a*g + b*g*x)**m*log(((a
 + b*x)**n*e)/(c + d*x)**n))/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c
*d*x + (c*i + d*i*x)**m*d**2*x**2),x)*a*b
```

3.214 $\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)$

Optimal result . . . 2424
Mathematica [A] (verified) . . . 2424
Rubi [A] (verified) . . . 2425
Maple [B] (verified) . . . 2426
Fricas [B] (verification not implemented) . . . 2427
Sympy [F(-2)] . . . 2428
Maxima [F] . . . 2428
Giac [F] . . . 2429
Mupad [F(-1)] . . . 2429
Reduce [F] . . . 2430

Optimal result

Integrand size = 47, antiderivative size = 128

$$\begin{aligned}
&\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= -\frac{Bn(a+bx)(g(a+bx))^m (i(c+dx))^{-m}}{(bc-ad)i^2(1+m)^2(c+dx)} \\
&\quad + \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)(c+dx)}
\end{aligned}$$

output

```
-B*n*(b*x+a)*(g*(b*x+a))^m/(-a*d+b*c)/i^2/(1+m)^2/(d*x+c)/((i*(d*x+c))^m)+
(b*x+a)*(g*(b*x+a))^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/i^2/(1+m)
/(d*x+c)/((i*(d*x+c))^m)
```

Mathematica [A] (verified)

Time = 1.06 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.61

$$\begin{aligned}
&\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= \frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-1-m} \left(A + Am - Bn + B(1+m) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i(1+m)^2}
\end{aligned}$$

input
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]),x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*(i*(c + d*x))^(-1 - m)*(A + A*m - B*n + B*(1 +
m)*Log[e*((a + b*x)/(c + d*x))^n]))/((b*c - a*d)*i*(1 + m)^2)
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 123, normalized size of antiderivative = 0.96, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {2963, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^m (ci+dix)^{-m-2} \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m (i(c+dx))^{-m} \left(\frac{a+bx}{c+dx} \right)^{-m} \int \left(\frac{a+bx}{c+dx} \right)^m \left(A + B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right) d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^m (i(c+dx))^{-m} \left(\frac{a+bx}{c+dx} \right)^{-m} \left(\frac{\left(\frac{a+bx}{c+dx} \right)^{m+1} \left(B \log\left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{m+1} - \frac{Bn \left(\frac{a+bx}{c+dx} \right)^{m+1}}{(m+1)^2} \right)}{i^2(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]),x]
```

output
```
((g*(a + b*x))^m*(-((B*n*((a + b*x)/(c + d*x))^(1 + m))/(1 + m)^2) + (((a
+ b*x)/(c + d*x))^(1 + m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(1 + m))
)/((b*c - a*d)*i^2*((a + b*x)/(c + d*x))^m*(i*(c + d*x))^m)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 825 vs. $2(128) = 256$.

Time = 36.54 (sec) , antiderivative size = 826, normalized size of antiderivative = 6.45

method	result
parallelrisch	$-\frac{-Bx(g(bx+a))^m(i(dx+c))^{-2-m}b^2cdn^2+Ax(g(bx+a))^m(i(dx+c))^{-2-m}abd^2n+Ax(g(bx+a))^m(i(dx+c))^{-2-m}b^2cdn-$

input

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,met
hod=_RETURNVERBOSE)
```

output

```
-(-B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*c*d*n^2+A*x*(g*(b*x+a))^m*(i*(
d*x+c))^(-2-m)*a*b*d^2*n+A*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*c*d*n-B*
(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*c*d*n^2+A*(g*(b*x+a))^m*(i*(d*x+c))^(
-2-m)*a*b*c*d*n+B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c)
)^n)*a*b*d^2*m*n+B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c
))^n)*b^2*c*d*m*n+B*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c)
)^n)*a*b*c*d*m*n+A*x^2*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*d^2*m*n-B*x^2*
(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*d^2*n^2+A*x^2*(g*(b*x+a))^m*(i*(d*x+c
))^(-2-m)*b^2*d^2*n+B*x^2*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(
d*x+c))^n)*b^2*d^2*m*n+A*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*d^2*m*n+A*
x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*b^2*c*d*m*n+B*x*(g*(b*x+a))^m*(i*(d*x+c
))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d^2*n+B*x*(g*(b*x+a))^m*(i*(d*x+c)
)^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*d*n+A*(g*(b*x+a))^m*(i*(d*x+c))^(
-2-m)*a*b*c*d*m*n+B*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c)
)^n)*a*b*c*d*n+B*x^2*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*ln(e*((b*x+a)/(d*x+c
))^n)*b^2*d^2*n-B*x*(g*(b*x+a))^m*(i*(d*x+c))^(-2-m)*a*b*d^2*n^2)/n/(a*d*m
-b*c*m+a*d-b*c)/(1+m)/b/d
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 274 vs. $2(128) = 256$.

Time = 0.11 (sec) , antiderivative size = 274, normalized size of antiderivative = 2.14

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$

$$= \frac{(Aacm - Bacn + Aac + (Abdm - Bbdn + Abd)x^2 + (Abc + Aad + (Abc + Aad)m - (Bbc + Bad)n)x}{}$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="fricas")
```

output
```
(A*a*c*m - B*a*c*n + A*a*c + (A*b*d*m - B*b*d*n + A*b*d)*x^2 + (A*b*c + A*
a*d + (A*b*c + A*a*d)*m - (B*b*c + B*a*d)*n)*x + (B*a*c*m + B*a*c + (B*b*d
*m + B*b*d)*x^2 + (B*b*c + B*a*d + (B*b*c + B*a*d)*m)*x)*log(e) + ((B*b*d*
m + B*b*d)*n*x^2 + (B*b*c + B*a*d + (B*b*c + B*a*d)*m)*n*x + (B*a*c*m + B*
a*c)*n)*log((b*x + a)/(d*x + c)))*(b*g*x + a*g)^m*e^(-(m + 2)*log(b*g*x +
a*g) + (m + 2)*log((b*x + a)/(d*x + c)) - (m + 2)*log(i/g))/((b*c - a*d)*m
^2 + b*c - a*d + 2*(b*c - a*d)*m)
```

Sympy [F(-2)]

Exception generated.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$
$$= \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)*(A+B*ln(e*((b*x+a)/(d*x+c))**
n)),x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)(bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(b*g*x + a*g)^m*(d*i*x +
c*i)^(-m - 2), x)
```

Giac [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A\right)(bgx+ag)^m (dix+ci)^{-m-2}\, dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(b*g*x + a*g)^m*(d*i*x +
c*i)^(-m - 2), x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$$
$$= \int \frac{(a\,g+b\,g\,x)^m \left(A + B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(c\,i+d\,i\,x)^{m+2}}\, dx$$

input
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^(m + 2),x)
```

output
```
int(((a*g + b*g*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(c*i + d*i*x)
^(m + 2), x)
```

Reduce [F]

$$\begin{aligned}
&\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= -\left(\int \frac{(bgx+ag)^m}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) a \\
&\quad - \left(\int \frac{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{(dix+ci)^m c^2 + 2(dix+ci)^m cdx + (dix+ci)^m d^2x^2} dx\right) b
\end{aligned}$$

input

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
 - (int((a*g + b*g*x)**m/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x
 + (c*i + d*i*x)**m*d**2*x**2),x)*a + int(((a*g + b*g*x)**m*log(((a + b*x)
**n*e)/(c + d*x)**n))/((c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x +
(c*i + d*i*x)**m*d**2*x**2),x)*b)
```

3.215 $\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2431
Mathematica [F] . . . 2431
Rubi [A] (verified) . . . 2432
Maple [F] . . . 2433
Fricas [A] (verification not implemented) . . . 2434
Sympy [F(-2)] . . . 2434
Maxima [F] . . . 2435
Giac [F] . . . 2435
Mupad [F(-1)] . . . 2435
Reduce [F] . . . 2436

Optimal result

Integrand size = 49, antiderivative size = 125

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$
$$= \frac{e^{-\frac{A(1+m)}{Bn}}(a+bx)(g(a+bx))^m\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{1+m}{n}}(i(c+dx))^{-m}\,\text{ExpIntegralEi}\left(\frac{(1+m)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right)}{B(bc-ad)i^2n(c+dx)}$$

output
```
(b*x+a)*(g*(b*x+a))^m*Ei((1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n)/B/(-a*
d+b*c)/exp(A*(1+m)/B/n)/i^2/n/((e*((b*x+a)/(d*x+c))^n)^((1+m)/n))/(d*x+c)/
((i*(d*x+c))^m)
```

Mathematica [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

input
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n]),x]
```

output
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n]), x]
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^m (ci+dix)^{-m-2}}{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m (i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{i^2 n(c+dx)(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)e^{-\frac{A(m+1)}{Bn}}(g(a+bx))^m (i(c+dx))^{-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\text{ExpIntegralEi}\left(\frac{(m+1)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right)}{Bi^2 n(c+dx)(bc-ad)}$$

input
```
Int[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)/(c +
d*x))^n]),x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*ExpIntegralEi[((1 + m)*(A + B*Log[e*((a + b*x)/
(c + d*x))^n]))/(B*n)])/(B*(b*c - a*d)*E^((A*(1 + m))/(B*n))*i^2*n*(e*((a
+ b*x)/(c + d*x))^n)^((1 + m)/n)*(c + d*x)*(i*(c + d*x))^m)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))  Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))  Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^m (dix+ci)^{-2-m}}{A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}dx$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 98, normalized size of antiderivative = 0.78

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\mathrm{Ei}\left(\frac{(Bm+B)n\log\left(\frac{bx+a}{dx+c}\right)+Am+(Bm+B)\log(e)+A}{Bn}\right)e^{\left(-\frac{(Bm+2B)n\log\left(\frac{i}{g}\right)+Am+(Bm+B)\log(e)+A}{Bn}\right)}}{(Bbc-Bad)g^2n}$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="fricas")
```

output
```
Ei(((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)/(B*
n))*e^(-((B*m + 2*B)*n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n))/((B*b
*c - B*a*d)*g^2*n)
```

Sympy [F(-2)]

Exception generated.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))**
n)),x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bgx+ag)^m(dix+ci)^{-m-2}}{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}\,dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bgx+ag)^m(dix+ci)^{-m-2}}{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}\,dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(a\,g+b\,g\,x)^m}{(c\,i+d\,i\,x)^{m+2}\,\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}\,dx$$

input
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))),x)
```

output
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx =$$

$$-\left(\int \frac{(bgx+ag)^m}{(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) b\,c^2 + 2\,(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) bcdx + (dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) b\,d\right.$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
 - int((a*g + b*g*x)**m/((c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**
n)*b*c**2 + 2*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d*x
+ (c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*b*d**2*x**2 + (c*i +
 d*i*x)**m*a*c**2 + 2*(c*i + d*i*x)**m*a*c*d*x + (c*i + d*i*x)**m*a*d**2*x
**2),x)
```

3.216 $\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$

Optimal result . . . 2437
Mathematica [F] . . . 2438
Rubi [A] (verified) . . . 2438
Maple [F] . . . 2440
Fricas [A] (verification not implemented) . . . 2440
Sympy [F(-2)] . . . 2441
Maxima [F] . . . 2441
Giac [F] . . . 2442
Mupad [F(-1)] . . . 2442
Reduce [F] . . . 2443

Optimal result

Integrand size = 49, antiderivative size = 206

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$$

$$= \frac{e^{-\frac{A(1+m)}{Bn}}(1+m)(a+bx)(g(a+bx))^m \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{1+m}{n}} (i(c+dx))^{-m}\,\text{ExpIntegralEi}\left(\frac{(1+m)\left(A+B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.}{Bn}$$

$$B^2(bc-ad)i^2n^2(c+dx)$$

$$-\frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m}}{B(bc-ad)i^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}$$

output

```
(1+m)*(b*x+a)*(g*(b*x+a))^m*Ei((1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n)/
B^2/(-a*d+b*c)/exp(A*(1+m)/B/n)/i^2/n^2/((e*((b*x+a)/(d*x+c))^n)^((1+m)/n)
)/(d*x+c)/((i*(d*x+c))^m)-(b*x+a)*(g*(b*x+a))^m/B/(-a*d+b*c)/i^2/n/(d*x+c)
/((i*(d*x+c))^m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))
```

Mathematica [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$$

input
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^2,x]
```

output
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^2, x]
```

Rubi [A] (verified)

Time = 0.61 (sec) , antiderivative size = 201, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {2963, 2743, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-m-2}}{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}}{Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}\right)}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\int\frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{Bn^2}-\frac{}{Bn\left(}\right)}{i^2(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)e^{-\frac{A(m+1)}{Bn}}\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\text{ExpIntegralEi}\left(\frac{(m+1)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.\right.}{Bn}}{B^2n^2}}{i^2(bc-ad)}$$

input
```
Int[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
((g*(a + b*x))^m*(((1 + m)*((a + b*x)/(c + d*x))^(1 + m)*ExpIntegralEi[((1 + m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n)])/(B^2*E^((A*(1 + m))/(B*n))*n^2*(e*((a + b*x)/(c + d*x))^n)^((1 + m)/n)) - ((a + b*x)/(c + d*x))^(1 + m)/(B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/((b*c - a*d)*i^2*((a + b*x)/(c + d*x))^m*(i*(c + d*x))^m)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2743
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^(p + 1)/(b*d*n*(p + 1))), x] - Simp[(m + 1)/(b*n*(p + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p + 1), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && LtQ[p, -1]
```

rule 2747

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^m\,(dix+ci)^{-2-m}}{\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}\,dx$$

input

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 293, normalized size of antiderivative = 1.42

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx =$$

$$-\frac{(Bbdg^2nx^2+Bacg^2n+(Bbc+Bad)g^2nx)(bgx+ag)^m e^{\left(-(m+2)\log(bgx+ag)+(m+2)\log\left(\frac{bx+a}{dx+c}\right)-(m+2)\log\left(\frac{i}{g}\right)\right.}}{(B^3bc-B^3ad)g^2n^3\log(}$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="fricas")
```

output
```
-((B*b*d*g^2*n*x^2 + B*a*c*g^2*n + (B*b*c + B*a*d)*g^2*n*x)*(b*g*x + a*g)^
m*e^(-(m + 2)*log(b*g*x + a*g) + (m + 2)*log((b*x + a)/(d*x + c)) - (m + 2
)*log(i/g)) - ((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(
e) + A)*Ei(((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e)
+ A)/(B*n))*e^(-((B*m + 2*B)*n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n
)))/((B^3*b*c - B^3*a*d)*g^2*n^3*log((b*x + a)/(d*x + c)) + (B^3*b*c - B^3
*a*d)*g^2*n^2*log(e) + (A*B^2*b*c - A*B^2*a*d)*g^2*n^2)
```

Sympy [F(-2)]

Exception generated.

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**2,x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(bgx+ag)^m (dix+ci)^{-m-2}}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="maxima")
```

output
```
-g^m*(m + 1)*integrate(-(b*x + a)^m/((B^2*d^2*i^(m + 2)*n*x^2 + 2*B^2*c*d*
i^(m + 2)*n*x + B^2*c^2*i^(m + 2)*n)*(d*x + c)^m*log((b*x + a)^n) - (B^2*d
^2*i^(m + 2)*n*x^2 + 2*B^2*c*d*i^(m + 2)*n*x + B^2*c^2*i^(m + 2)*n)*(d*x +
 c)^m*log((d*x + c)^n) + (B^2*c^2*i^(m + 2)*n*log(e) + A*B*c^2*i^(m + 2)*n
 + (B^2*d^2*i^(m + 2)*n*log(e) + A*B*d^2*i^(m + 2)*n)*x^2 + 2*(B^2*c*d*i^(
m + 2)*n*log(e) + A*B*c*d*i^(m + 2)*n)*x)*(d*x + c)^m), x) - (b*g^m*x + a*
g^m)*(b*x + a)^m/(((b*c*d*i^(m + 2)*n - a*d^2*i^(m + 2)*n)*B^2*x + (b*c^2*
i^(m + 2)*n - a*c*d*i^(m + 2)*n)*B^2)*(d*x + c)^m*log((b*x + a)^n) - ((b*c
*d*i^(m + 2)*n - a*d^2*i^(m + 2)*n)*B^2*x + (b*c^2*i^(m + 2)*n - a*c*d*i^(
m + 2)*n)*B^2)*(d*x + c)^m*log((d*x + c)^n) + ((b*c^2*i^(m + 2)*n - a*c*d*
i^(m + 2)*n)*A*B + (b*c^2*i^(m + 2)*n*log(e) - a*c*d*i^(m + 2)*n*log(e))*B
^2 + ((b*c*d*i^(m + 2)*n - a*d^2*i^(m + 2)*n)*A*B + (b*c*d*i^(m + 2)*n*log
(e) - a*d^2*i^(m + 2)*n*log(e))*B^2)*x)*(d*x + c)^m)
```

Giac [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(bgx+ag)^m(dix+ci)^{-m-2}}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(a\,g+b\,g\,x)^m}{(c\,i+d\,i\,x)^{m+2}\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}\,dx$$

input
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^2),x)
```

output
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^2), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx =$$

$$-\left(\int \frac{}{(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b^2c^2 + 2\,(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b^2cdx + (dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right.\right.$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
 - int((a*g + b*g*x)**m/((c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**
n)**2*b**2*c**2 + 2*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2
*b**2*c*d*x + (c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**2*
d**2*x**2 + 2*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c**2
 + 4*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*d*x + 2*(c*
i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d**2*x**2 + (c*i + d*
i*x)**m*a**2*c**2 + 2*(c*i + d*i*x)**m*a**2*c*d*x + (c*i + d*i*x)**m*a**2*
d**2*x**2),x)
```

3.217 $\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$

Optimal result . . . 2444
Mathematica [F] . . . 2445
Rubi [A] (verified) . . . 2445
Maple [F] . . . 2447
Fricas [B] (verification not implemented) . . . 2448
Sympy [F(-1)] . . . 2449
Maxima [F] . . . 2449
Giac [F] . . . 2450
Mupad [F(-1)] . . . 2451
Reduce [F] . . . 2451

Optimal result

Integrand size = 49, antiderivative size = 295

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$$

$$= \frac{e^{-\frac{A(1+m)}{Bn}}(1+m)^2(a+bx)(g(a+bx))^m\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{1+m}{n}}(i(c+dx))^{-m}\,\text{ExpIntegralEi}\left(\frac{(1+m)\left(A+B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.}{Bn}}{2B^3(bc-ad)i^2n^3(c+dx)}$$

$$-\frac{(a+bx)(g(a+bx))^m(i(c+dx))^{-m}}{2B(bc-ad)i^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}$$

$$-\frac{(1+m)(a+bx)(g(a+bx))^m(i(c+dx))^{-m}}{2B^2(bc-ad)i^2n^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}$$

output

```
1/2*(1+m)^2*(b*x+a)*(g*(b*x+a))^m*Ei((1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))
/B/n)/B^3/(-a*d+b*c)/exp(A*(1+m)/B/n)/i^2/n^3/((e*((b*x+a)/(d*x+c))^n)^((1
+m)/n))/(d*x+c)/((i*(d*x+c))^m)-1/2*(b*x+a)*(g*(b*x+a))^m/B/(-a*d+b*c)/i^2
/n/(d*x+c)/((i*(d*x+c))^m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2-1/2*(1+m)*(b*
x+a)*(g*(b*x+a))^m/B^2/(-a*d+b*c)/i^2/n^2/(d*x+c)/((i*(d*x+c))^m)/(A+B*ln(
e*((b*x+a)/(d*x+c))^n))
```

Mathematica [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$$

input
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^3,x]
```

output
```
Integrate[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^3, x]
```

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 266, normalized size of antiderivative = 0.90, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.102$, Rules used = {2963, 2743, 2743, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-m-2}}{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}d\frac{a+bx}{c+dx}}{2Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}}{2Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}\right)}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\left(\frac{(m+1)\int\frac{\left(\frac{a+bx}{c+dx}\right)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}}{Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}\right)}{2Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{m+1}}{2Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}\right)}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\left(\frac{(m+1)\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\int\frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{Bn^2}-\frac{}{Bn}\right)}{2Bn}\right)}{i^2(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(g(a+bx))^m(i(c+dx))^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\left(\frac{(m+1)\left(\frac{(m+1)e^{-\frac{A(m+1)}{Bn}}\left(\frac{a+bx}{c+dx}\right)^{m+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\text{ExpIntegralEi}\left(\frac{(m+1)\left(A+B\log\left(e\left(\frac{}{}\right.\right.\right.\right.}{B^2n^2}\right.}{Bn}\right)}{2Bn}\right)}{i^2(bc-ad)}$$

input

```
Int[((a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m))/(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3,x]
```

output

```
((g*(a + b*x))^m*(-1/2*((a + b*x)/(c + d*x))^(1 + m)/(B*n*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2) + ((1 + m)*(((1 + m)*((a + b*x)/(c + d*x))^(1 +
m)*ExpIntegralEi[((1 + m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n)])/
(B^2*E^((A*(1 + m))/(B*n))*n^2*(e*((a + b*x)/(c + d*x))^n)^((1 + m)/n)) -
((a + b*x)/(c + d*x))^(1 + m)/(B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))
))/(2*B*n)))/((b*c - a*d)*i^2*((a + b*x)/(c + d*x))^m*(i*(c + d*x))^m)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2743
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^(p + 1)/(b*d*n*(p + 1))), x] -
Simp[(m + 1)/(b*n*(p + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p + 1), x], x]
 /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && LtQ[p, -1]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^m (dix+ci)^{-2-m}}{\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^3}dx$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 818 vs. $2(289) = 578$.

Time = 0.12 (sec) , antiderivative size = 818, normalized size of antiderivative = 2.77

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="fricas")
```

output

```
-1/2*((B^2*a*c*g^2*n^2 + (B^2*b*d*g^2*n^2 + (A*B*b*d*g^2*m + A*B*b*d*g^2)*
n)*x^2 + (A*B*a*c*g^2*m + A*B*a*c*g^2)*n + ((B^2*b*c + B^2*a*d)*g^2*n^2 +
((A*B*b*c + A*B*a*d)*g^2*m + (A*B*b*c + A*B*a*d)*g^2)*n)*x + ((B^2*b*d*g^2
*m + B^2*b*d*g^2)*n*x^2 + ((B^2*b*c + B^2*a*d)*g^2*m + (B^2*b*c + B^2*a*d)
*g^2)*n*x + (B^2*a*c*g^2*m + B^2*a*c*g^2)*n)*log(e) + ((B^2*b*d*g^2*m + B^
2*b*d*g^2)*n^2*x^2 + ((B^2*b*c + B^2*a*d)*g^2*m + (B^2*b*c + B^2*a*d)*g^2)
*n^2*x + (B^2*a*c*g^2*m + B^2*a*c*g^2)*n^2)*log((b*x + a)/(d*x + c)))*(b*g
*x + a*g)^m*e^(-(m + 2)*log(b*g*x + a*g) + (m + 2)*log((b*x + a)/(d*x + c)
) - (m + 2)*log(i/g)) - ((B^2*m^2 + 2*B^2*m + B^2)*n^2*log((b*x + a)/(d*x
+ c))^2 + A^2*m^2 + 2*A^2*m + (B^2*m^2 + 2*B^2*m + B^2)*log(e)^2 + 2*(A*B*
m^2 + 2*A*B*m + A*B)*n*log((b*x + a)/(d*x + c)) + A^2 + 2*(A*B*m^2 + 2*A*B
*m + (B^2*m^2 + 2*B^2*m + B^2)*n*log((b*x + a)/(d*x + c)) + A*B)*log(e))*E
i(((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)/(B*n
))*e^(-((B*m + 2*B)*n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n)))/((B^5
*b*c - B^5*a*d)*g^2*n^5*log((b*x + a)/(d*x + c))^2 + (B^5*b*c - B^5*a*d)*g
^2*n^3*log(e)^2 + 2*(A*B^4*b*c - A*B^4*a*d)*g^2*n^4*log((b*x + a)/(d*x + c
)) + (A^2*B^3*b*c - A^2*B^3*a*d)*g^2*n^3 + 2*((B^5*b*c - B^5*a*d)*g^2*n^4*
log((b*x + a)/(d*x + c)) + (A*B^4*b*c - A*B^4*a*d)*g^2*n^3)*log(e))
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)/(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**3,x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(bgx+ag)^m(dix+ci)^{-m-2}}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="maxima")
```

output

```
-(m^2 + 2*m + 1)*g^m*integrate(-1/2*(b*x + a)^m/((B^3*d^2*i^(m + 2)*n^2*x^
2 + 2*B^3*c*d*i^(m + 2)*n^2*x + B^3*c^2*i^(m + 2)*n^2)*(d*x + c)^m*log((b*
x + a)^n) - (B^3*d^2*i^(m + 2)*n^2*x^2 + 2*B^3*c*d*i^(m + 2)*n^2*x + B^3*c
^2*i^(m + 2)*n^2)*(d*x + c)^m*log((d*x + c)^n) + (B^3*c^2*i^(m + 2)*n^2*lo
g(e) + A*B^2*c^2*i^(m + 2)*n^2 + (B^3*d^2*i^(m + 2)*n^2*log(e) + A*B^2*d^2
*i^(m + 2)*n^2)*x^2 + 2*(B^3*c*d*i^(m + 2)*n^2*log(e) + A*B^2*c*d*i^(m + 2
)*n^2)*x)*(d*x + c)^m), x) - 1/2*((B*b*g^m*(m + 1)*x + B*a*g^m*(m + 1))*(b
*x + a)^m*log((b*x + a)^n) - (B*b*g^m*(m + 1)*x + B*a*g^m*(m + 1))*(b*x +
a)^m*log((d*x + c)^n) + (A*a*g^m*(m + 1) + (g^m*(m + 1)*log(e) + g^m*n)*B*
a + (A*b*g^m*(m + 1) + (g^m*(m + 1)*log(e) + g^m*n)*B*b)*x)*(b*x + a)^m)/(
((b*c*d*i^(m + 2)*n^2 - a*d^2*i^(m + 2)*n^2)*B^4*x + (b*c^2*i^(m + 2)*n^2
- a*c*d*i^(m + 2)*n^2)*B^4)*(d*x + c)^m*log((b*x + a)^n)^2 + ((b*c*d*i^(m
+ 2)*n^2 - a*d^2*i^(m + 2)*n^2)*B^4*x + (b*c^2*i^(m + 2)*n^2 - a*c*d*i^(m
+ 2)*n^2)*B^4)*(d*x + c)^m*log((d*x + c)^n)^2 + 2*((b*c^2*i^(m + 2)*n^2 -
a*c*d*i^(m + 2)*n^2)*A*B^3 + (b*c^2*i^(m + 2)*n^2*log(e) - a*c*d*i^(m + 2)
*n^2*log(e))*B^4 + ((b*c*d*i^(m + 2)*n^2 - a*d^2*i^(m + 2)*n^2)*A*B^3 + (b
*c*d*i^(m + 2)*n^2*log(e) - a*d^2*i^(m + 2)*n^2*log(e))*B^4)*x)*(d*x + c)^
m*log((b*x + a)^n) + ((b*c^2*i^(m + 2)*n^2 - a*c*d*i^(m + 2)*n^2)*A^2*B^2
+ 2*(b*c^2*i^(m + 2)*n^2*log(e) - a*c*d*i^(m + 2)*n^2*log(e))*A*B^3 + (b*c
^2*i^(m + 2)*n^2*log(e)^2 - a*c*d*i^(m + 2)*n^2*log(e)^2)*B^4 + ((b*c*d...
```

Giac [F]

$$\int \frac{(ag+bgx)^m (ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(bgx+ag)^m (dix+ci)^{-m-2}}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="giac")
```

output

```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(a\,g+b\,g\,x)^m}{(c\,i+d\,i\,x)^{m+2}\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^3}\,dx$$

input
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^3),x)
```

output
```
int((a*g + b*g*x)^m/((c*i + d*i*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^3), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^m(ci+dix)^{-2-m}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx =$$

$$-\left(\int \frac{}{(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3 b^3c^2 + 2\,(dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3 b^3cdx + (dix+ci)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right.\right.$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)/(A+B*log(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output
```
 - int((a*g + b*g*x)**m/((c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**
n)**3*b**3*c**2 + 2*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**3
*b**3*c*d*x + (c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**3*b**3*
d**2*x**2 + 3*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**
2*c**2 + 6*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c
*d*x + 3*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*d**
2*x**2 + 3*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c**2
 + 6*(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*d*x + 3*
(c*i + d*i*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d**2*x**2 + (c*
i + d*i*x)**m*a**3*c**2 + 2*(c*i + d*i*x)**m*a**3*c*d*x + (c*i + d*i*x)**m
*a**3*d**2*x**2),x)
```

3.218 $\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3$

Optimal result . . . 2452
Mathematica [A] (verified) . . . 2453
Rubi [A] (verified) . . . 2453
Maple [F] . . . 2455
Fricas [B] (verification not implemented) . . . 2456
Sympy [F(-1)] . . . 2457
Maxima [F] . . . 2457
Giac [F] . . . 2457
Mupad [F(-1)] . . . 2458
Reduce [F] . . . 2458

Optimal result

Integrand size = 49, antiderivative size = 309

$$\begin{aligned}
&\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx \\
&= -\frac{6B^3n^3(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{(bc-ad)i^2(1+m)^4(c+dx)} \\
&\quad -\frac{6B^2n^2(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)^3(c+dx)} \\
&\quad -\frac{3Bn(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)i^2(1+m)^2(c+dx)} \\
&\quad -\frac{(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{(bc-ad)i^2(1+m)(c+dx)}
\end{aligned}$$

output

```
-6*B^3*n^3*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)/(-a*d+b*c)/i^2/(1+
m)^4/(d*x+c)-6*B^2*n^2*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(A+B*l
n(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/i^2/(1+m)^3/(d*x+c)-3*B*n*(b*x+a)*(g*
(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+
b*c)/i^2/(1+m)^2/(d*x+c)-(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(A+B
*ln(e*((b*x+a)/(d*x+c))^n))^3/(-a*d+b*c)/i^2/(1+m)/(d*x+c)
```

Mathematica [A] (verified)

Time = 7.97 (sec) , antiderivative size = 206, normalized size of antiderivative = 0.67

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx =$$
$$-\frac{(g(a+bx))^{-1-m}(c+dx)(i(c+dx))^m\left(A^3(1+m)^3+3A^2B(1+m)^2n+6AB^2(1+m)n^2+6B^3n^3+\right.}{}$$

input
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^3,x]
```

output
```
-(((g*(a + b*x))^(-1 - m)*(c + d*x)*(i*(c + d*x))^m*(A^3*(1 + m)^3 + 3*A^2
*B*(1 + m)^2*n + 6*A*B^2*(1 + m)*n^2 + 6*B^3*n^3 + 3*B*(1 + m)*(A^2*(1 + m
)^2 + 2*A*B*(1 + m)*n + 2*B^2*n^2)*Log[e*((a + b*x)/(c + d*x))^n] + 3*B^2*
(1 + m)^2*(A + A*m + B*n)*Log[e*((a + b*x)/(c + d*x))^n]^2 + B^3*(1 + m)^3
*Log[e*((a + b*x)/(c + d*x))^n]^3))/((b*c - a*d)*g*(1 + m)^4))
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 252, normalized size of antiderivative = 0.82, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {2963, 2742, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^{-m-2}(ci+dix)^m\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3\,dx$$
$$\downarrow 2963$$
$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int\left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$
$$\downarrow 2742$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(\frac{3Bn\int\left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)\right)^{2}d\frac{a+bx}{c+dx}}{m+1}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a}{c}\right.\right.\right.\right.}{m+1}}{i^2(bc-ad)}$$

$$\downarrow 2742$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(\frac{3Bn\left(\frac{2Bn\int\left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)\right)d\frac{a+bx}{c+dx}}{m+1}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a+b}{c+d}\right.\right.\right.\right.}{m+1}\right)}{m+1}}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(\frac{3Bn\left(\frac{2Bn\left(-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)+A\right)}{m+1}-\frac{Bn\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{(m+1)^2}\right)}{m+1}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m}}{m+1}\right)}{m+1}}{i^2(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^3,x]
```

output
```
((g*(a + b*x))^(-2 - m)*((a + b*x)/(c + d*x))^(2 + m)*(i*(c + d*x))^(2 + m
)*(-((((a + b*x)/(c + d*x))^(-1 - m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^3)/(1 + m)) + (3*B*n*(-((((a + b*x)/(c + d*x))^(-1 - m)*(A + B*Log[e*((a
 + b*x)/(c + d*x))^n])^2)/(1 + m)) + (2*B*n*(-((B*n*((a + b*x)/(c + d*x))^
(-1 - m))/(1 + m)^2) - (((a + b*x)/(c + d*x))^(-1 - m)*(A + B*Log[e*((a +
b*x)/(c + d*x))^n]))/(1 + m)))/(1 + m)))/(1 + m)))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int (bgx+ag)^{-2-m}\,(dix+ci)^{m}\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^{n}\right)\right)^{3}dx$$

input

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 2669 vs. 2(309) = 618.

Time = 0.22 (sec) , antiderivative size = 2669, normalized size of antiderivative = 8.64

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="fricas")
```

output

```
-(A^3*a*c*m^3 + 6*B^3*a*c*n^3 + 3*A^3*a*c*m^2 + 3*A^3*a*c*m + A^3*a*c + (B
^3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m + B^3*a*c + (B^3*b*d*m^3 + 3*B^3*
b*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*x^2 + (B^3*b*c + B^3*a*d + (B^3*b*c + B^3
*a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(B^3*b*c + B^3*a*d)*m)*x)*log(e)
^3 + ((B^3*b*d*m^3 + 3*B^3*b*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*n^3*x^2 + (B^3
*b*c + B^3*a*d + (B^3*b*c + B^3*a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(
B^3*b*c + B^3*a*d)*m)*n^3*x + (B^3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m +
 B^3*a*c)*n^3)*log((b*x + a)/(d*x + c))^3 + 6*(A*B^2*a*c*m + A*B^2*a*c)*n^
2 + (A^3*b*d*m^3 + 6*B^3*b*d*n^3 + 3*A^3*b*d*m^2 + 3*A^3*b*d*m + A^3*b*d +
 6*(A*B^2*b*d*m + A*B^2*b*d)*n^2 + 3*(A^2*B*b*d*m^2 + 2*A^2*B*b*d*m + A^2*
B*b*d)*n)*x^2 + 3*(A*B^2*a*c*m^3 + 3*A*B^2*a*c*m^2 + 3*A*B^2*a*c*m + A*B^2
*a*c + (A*B^2*b*d*m^3 + 3*A*B^2*b*d*m^2 + 3*A*B^2*b*d*m + A*B^2*b*d + (B^3
*b*d*m^2 + 2*B^3*b*d*m + B^3*b*d)*n)*x^2 + (B^3*a*c*m^2 + 2*B^3*a*c*m + B^
3*a*c)*n + (A*B^2*b*c + A*B^2*a*d + (A*B^2*b*c + A*B^2*a*d)*m^3 + 3*(A*B^2
*b*c + A*B^2*a*d)*m^2 + 3*(A*B^2*b*c + A*B^2*a*d)*m + (B^3*b*c + B^3*a*d +
 (B^3*b*c + B^3*a*d)*m^2 + 2*(B^3*b*c + B^3*a*d)*m)*n)*x + ((B^3*b*d*m^3 +
 3*B^3*b*d*m^2 + 3*B^3*b*d*m + B^3*b*d)*n*x^2 + (B^3*b*c + B^3*a*d + (B^3*
b*c + B^3*a*d)*m^3 + 3*(B^3*b*c + B^3*a*d)*m^2 + 3*(B^3*b*c + B^3*a*d)*m)*
n*x + (B^3*a*c*m^3 + 3*B^3*a*c*m^2 + 3*B^3*a*c*m + B^3*a*c)*n)*log((b*x +
a)/(d*x + c)))*log(e)^2 + 3*((B^3*a*c*m^2 + 2*B^3*a*c*m + B^3*a*c)*n^3 ...
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**3,x)
```

output
```
Timed out
```

Maxima [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3 (bgx+ag)^{-m-2}(dix+ci)^m\, dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^3*(b*g*x + a*g)^(-m - 2)*
(d*i*x + c*i)^m, x)
```

Giac [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3 (bgx+ag)^{-m-2}(dix+ci)^m\, dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^3*(b*g*x + a*g)^(-m - 2)*
(d*i*x + c*i)^m, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$$
$$=\int \frac{(c\,i+d\,i\,x)^m\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^3}{(a\,g+b\,g\,x)^{m+2}}\,dx$$

input
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^3)/(a*g + b*g*
x)^(m + 2),x)
```

output
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^3)/(a*g + b*g*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\,dx$$
$$=\frac{\left(\int \frac{(dix+ci)^m}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx\right)a^3+\left(\int \frac{(dix+ci)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx\right)b^3+3\left(\right.}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output

```
(int((c*i + d*i*x)**m/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x +
(a*g + b*g*x)**m*b**2*x**2),x)*a**3 + int(((c*i + d*i*x)**m*log(((a + b*x)
**n*e)/(c + d*x)**n)**3)/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x
 + (a*g + b*g*x)**m*b**2*x**2),x)*b**3 + 3*int(((c*i + d*i*x)**m*log(((a +
 b*x)**n*e)/(c + d*x)**n)**2)/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*
a*b*x + (a*g + b*g*x)**m*b**2*x**2),x)*a*b**2 + 3*int(((c*i + d*i*x)**m*lo
g(((a + b*x)**n*e)/(c + d*x)**n))/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)
**m*a*b*x + (a*g + b*g*x)**m*b**2*x**2),x)*a**2*b)/g**2
```

3.219 $\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2$

Optimal result . . . 2460
Mathematica [A] (verified) . . . 2461
Rubi [A] (verified) . . . 2461
Maple [B] (verified) . . . 2463
Fricas [B] (verification not implemented) . . . 2464
Sympy [F(-2)] . . . 2465
Maxima [F] . . . 2466
Giac [F] . . . 2466
Mupad [F(-1)] . . . 2467
Reduce [F] . . . 2467

Optimal result

Integrand size = 49, antiderivative size = 223

$$\begin{aligned}
&\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx \\
&= -\frac{2B^2n^2(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{(bc-ad)i^2(1+m)^3(c+dx)} \\
&\quad -\frac{2Bn(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)^2(c+dx)} \\
&\quad -\frac{(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)i^2(1+m)(c+dx)}
\end{aligned}$$

output

```
-2*B^2*n^2*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)/(-a*d+b*c)/i^2/(1+
m)^3/(d*x+c)-2*B*n*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(A+B*ln(e*
((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/i^2/(1+m)^2/(d*x+c)-(b*x+a)*(g*(b*x+a))^(
-2-m)*(i*(d*x+c))^(2+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2/(-a*d+b*c)/i^2/(
1+m)/(d*x+c)
```

Mathematica [A] (verified)

Time = 3.00 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.60

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx =$$
$$-\frac{(g(a+bx))^{-1-m}(c+dx)(i(c+dx))^m\left(A^2(1+m)^2+2AB(1+m)n+2B^2n^2+2B(1+m)(A+Am\right.}{(bc-ad)g(1+m)^3}$$

input
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(
c + d*x))^n])^2,x]
```

output
```
-(((g*(a + b*x))^(-1 - m)*(c + d*x)*(i*(c + d*x))^m*(A^2*(1 + m)^2 + 2*A*B
*(1 + m)*n + 2*B^2*n^2 + 2*B*(1 + m)*(A + A*m + B*n)*Log[e*((a + b*x)/(c +
 d*x))^n] + B^2*(1 + m)^2*Log[e*((a + b*x)/(c + d*x))^n]^2))/((b*c - a*d)*
g*(1 + m)^3))
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 192, normalized size of antiderivative = 0.86, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2742, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^{-m-2}(ci+dix)^m\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2 dx$$
$$\downarrow \text{2963}$$
$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int\left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$
$$\downarrow \text{2742}$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(\frac{2Bn\int\left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)\right)d\frac{a+bx}{c+dx}}{m+1}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)+A\right)}{m+1}\right.}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(\frac{2Bn\left(-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)+A\right)}{m+1}-\frac{Bn\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{(m+1)^2}\right)}{m+1}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{}\right.}{i^2(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(c + d*
x))^n])^2,x]
```

output
```
((g*(a + b*x))^(-2 - m)*((a + b*x)/(c + d*x))^(2 + m)*(i*(c + d*x))^(2 + m
)*(-((((a + b*x)/(c + d*x))^(-1 - m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]
)^2)/(1 + m)) + (2*B*n*(-((B*n*((a + b*x)/(c + d*x))^(-1 - m))/(1 + m)^2)
- (((a + b*x)/(c + d*x))^(-1 - m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/
(1 + m)))/(1 + m)))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2741
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2742
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((d_.)*(x_))^(m_.), x_Symbo
l] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^p/(d*(m + 1))), x] - Simp[b*n*
(p/(m + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p - 1), x], x] /; FreeQ[{a, b
, c, d, m, n}, x] && NeQ[m, -1] && GtQ[p, 0]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 2618 vs. $2(223) = 446$.

Time = 148.90 (sec) , antiderivative size = 2619, normalized size of antiderivative = 11.74

method	result	size
parallelrisch	Expression too large to display	2619

input

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x,m
ethod=_RETURNVERBOSE)
```

output

```
(2*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*
d*n+2*A*B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*a*b*c*d*m*n^2+2*A*B*(i*(d*x+c))
^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*c*d*n+2*A*B*x^2*(i*(d*
x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*d^2*m^2*n+B^2*x*(
i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*d^2*m^2*n+
2*B^2*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*c*d
*m*n+2*B^2*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*
c*d*m*n^2+2*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^
n)*a*b*d^2*n+2*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*c*d*m*n^2+B^2*(i
*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)^2*a*b*c*d*m^2*n+2
*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*a*b*d^2*m*n^2+2*A^2*(i*(d*x+c))^m*
(g*(b*x+a))^(-2-m)*a*b*c*d*m*n+2*A*B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*a*b*
c*d*n^2+4*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)
*b^2*c*d*m*n+4*A*B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))
^n)*a*b*c*d*m*n+2*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*
x+c))^n)*a*b*d^2*m^2*n+2*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x
+a)/(d*x+c))^n)*b^2*c*d*m^2*n+4*A*B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(
e*((b*x+a)/(d*x+c))^n)*a*b*d^2*m*n+A^2*x^2*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m
)*b^2*d^2*m^2*n+2*A*B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+
c))^n)*a*b*c*d*m^2*n+B^2*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+...
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 983 vs. $2(223) = 446$.

Time = 0.13 (sec) , antiderivative size = 983, normalized size of antiderivative = 4.41

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx = \text{Too large to display}$$

input

```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="fricas")
```

output

```
-(A^2*a*c*m^2 + 2*B^2*a*c*n^2 + 2*A^2*a*c*m + A^2*a*c + (A^2*b*d*m^2 + 2*B
^2*b*d*n^2 + 2*A^2*b*d*m + A^2*b*d + 2*(A*B*b*d*m + A*B*b*d)*n)*x^2 + (B^2
*a*c*m^2 + 2*B^2*a*c*m + B^2*a*c + (B^2*b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*x
^2 + (B^2*b*c + B^2*a*d + (B^2*b*c + B^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*
m)*x)*log(e)^2 + ((B^2*b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*n^2*x^2 + (B^2*b*c
 + B^2*a*d + (B^2*b*c + B^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*m)*n^2*x + (B
^2*a*c*m^2 + 2*B^2*a*c*m + B^2*a*c)*n^2)*log((b*x + a)/(d*x + c))^2 + 2*(A
*B*a*c*m + A*B*a*c)*n + (A^2*b*c + A^2*a*d + (A^2*b*c + A^2*a*d)*m^2 + 2*(
B^2*b*c + B^2*a*d)*n^2 + 2*(A^2*b*c + A^2*a*d)*m + 2*(A*B*b*c + A*B*a*d +
(A*B*b*c + A*B*a*d)*m)*n)*x + 2*(A*B*a*c*m^2 + 2*A*B*a*c*m + A*B*a*c + (A*
B*b*d*m^2 + 2*A*B*b*d*m + A*B*b*d + (B^2*b*d*m + B^2*b*d)*n)*x^2 + (B^2*a*
c*m + B^2*a*c)*n + (A*B*b*c + A*B*a*d + (A*B*b*c + A*B*a*d)*m^2 + 2*(A*B*b
*c + A*B*a*d)*m + (B^2*b*c + B^2*a*d + (B^2*b*c + B^2*a*d)*m)*n)*x + ((B^2
*b*d*m^2 + 2*B^2*b*d*m + B^2*b*d)*n*x^2 + (B^2*b*c + B^2*a*d + (B^2*b*c +
B^2*a*d)*m^2 + 2*(B^2*b*c + B^2*a*d)*m)*n*x + (B^2*a*c*m^2 + 2*B^2*a*c*m +
 B^2*a*c)*n)*log((b*x + a)/(d*x + c)))*log(e) + 2*((B^2*a*c*m + B^2*a*c)*n
^2 + ((B^2*b*d*m + B^2*b*d)*n^2 + (A*B*b*d*m^2 + 2*A*B*b*d*m + A*B*b*d)*n)
*x^2 + (A*B*a*c*m^2 + 2*A*B*a*c*m + A*B*a*c)*n + ((B^2*b*c + B^2*a*d + (B^
2*b*c + B^2*a*d)*m)*n^2 + (A*B*b*c + A*B*a*d + (A*B*b*c + A*B*a*d)*m^2 + 2
*(A*B*b*c + A*B*a*d)*m)*n)*x)*log((b*x + a)/(d*x + c)))*(b*g*x + a*g)^(...
```

Sympy [F(-2)]

Exception generated.

$$\int (ag + bgx)^{-2-m}(ci + dix)^m \left(A + B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$

= Exception raised: HeuristicGCDFailed

input

```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m*(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**2,x)
```

output

```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 (bgx+ag)^{-m-2}(dix+ci)^m\, dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2*(b*g*x + a*g)^(-m - 2)*
(d*i*x + c*i)^m, x)
```

Giac [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2 (bgx+ag)^{-m-2}(dix+ci)^m\, dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)^2*(b*g*x + a*g)^(-m - 2)*
(d*i*x + c*i)^m, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\int \frac{(c\,i+d\,i\,x)^m\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}{(a\,g+b\,g\,x)^{m+2}}\,dx$$

input
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^(m + 2),x)
```

output
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n))^2)/(a*g + b*g*
x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2 dx$$
$$=\frac{\left(\int \frac{(dix+ci)^m}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx\right)a^2+\left(\int \frac{(dix+ci)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx\right)b^2+2\left(\right.}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
(int((c*i + d*i*x)**m/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x +
(a*g + b*g*x)**m*b**2*x**2),x)*a**2 + int(((c*i + d*i*x)**m*log(((a + b*x)
**n*e)/(c + d*x)**n)**2)/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x
 + (a*g + b*g*x)**m*b**2*x**2),x)*b**2 + 2*int(((c*i + d*i*x)**m*log(((a +
 b*x)**n*e)/(c + d*x)**n))/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b
*x + (a*g + b*g*x)**m*b**2*x**2),x)*a*b)/g**2
```

3.220 $\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)$

Optimal result . . . 2468
Mathematica [A] (verified) . . . 2468
Rubi [A] (verified) . . . 2469
Maple [B] (verified) . . . 2470
Fricas [A] (verification not implemented) . . . 2471
Sympy [F(-2)] . . . 2472
Maxima [F] . . . 2472
Giac [F] . . . 2472
Mupad [F(-1)] . . . 2473
Reduce [F] . . . 2473

Optimal result

Integrand size = 47, antiderivative size = 137

$$\begin{aligned}&\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx\\ &=-\frac{Bn(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{(bc-ad)i^2(1+m)^2(c+dx)}\\ &\quad-\frac{(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)i^2(1+m)(c+dx)}\end{aligned}$$

output

```
-B*n*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)/(-a*d+b*c)/i^2/(1+m)^2/(
d*x+c)-(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(A+B*ln(e*((b*x+a)/(d*
x+c))^n))/(-a*d+b*c)/i^2/(1+m)/(d*x+c)
```

Mathematica [A] (verified)

Time = 1.00 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.57

$$\begin{aligned}&\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx=\\ &\quad-\frac{(g(a+bx))^{-1-m}(c+dx)(i(c+dx))^m\left(A+Am+Bn+B(1+m)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)g(1+m)^2}\end{aligned}$$

input
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(
c + d*x))^n]),x]
```

output
```
-(((g*(a + b*x))^(-1 - m)*(c + d*x)*(i*(c + d*x))^m*(A + A*m + B*n + B*(1
+ m)*Log[e*((a + b*x)/(c + d*x))^n]))/((b*c - a*d)*g*(1 + m)^2))
```

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 132, normalized size of antiderivative = 0.96, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$, Rules used = {2963, 2741}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^{-m-2}(ci+dix)^m \left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2741$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{m+1}-\frac{Bn\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{(m+1)^2}\right)}{i^2(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[e*((a + b*x)/(c + d*
x))^n]),x]
```

output
```
((g*(a + b*x))^(-2 - m)*((a + b*x)/(c + d*x))^(2 + m)*(i*(c + d*x))^(2 + m
)*(-((B*n*((a + b*x)/(c + d*x))^(-1 - m))/(1 + m)^2) - (((a + b*x)/(c + d*
x))^(-1 - m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(1 + m)))/((b*c - a*d
)*i^2)
```

Defintions of rubi rules used

rule 2741

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*((d_.)*(x_))^(m_.), x_Symbol] :>
Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])/(d*(m + 1))), x] - Simp[b*n*((d*x)^(
m + 1)/(d*(m + 1)^2)), x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 811 vs. $2(137) = 274$.

Time = 37.20 (sec) , antiderivative size = 812, normalized size of antiderivative = 5.93

method	result
parallelrisch	$\frac{Ax(i(dx+c))^m(g(bx+a))^{-2-m}b^2cdn+B(i(dx+c))^m(g(bx+a))^{-2-m}abcdn^2+A(i(dx+c))^m(g(bx+a))^{-2-m}abcdn+Ax^2(i($

input

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x,met
hod=_RETURNVERBOSE)
```

output

```
(A*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*c*d*n+B*(i*(d*x+c))^m*(g*(b*x+a)
)^(-2-m)*a*b*c*d*n^2+A*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*a*b*c*d*n+A*x^2*(i
*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*d^2*m*n+B*x^2*(i*(d*x+c))^m*(g*(b*x+a))
^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*d^2*n+B*x*(i*(d*x+c))^m*(g*(b*x+a))^
(-2-m)*a*b*d^2*n^2+B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*c*d*n^2+A*x*(i
*(d*x+c))^m*(g*(b*x+a))^(-2-m)*a*b*d^2*n+B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2
-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d^2*m*n+A*(i*(d*x+c))^m*(g*(b*x+a))^(-2-
m)*a*b*c*d*m*n+B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n
)*a*b*c*d*n+B*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)
*b^2*c*d*m*n+B*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*
a*b*c*d*m*n+B*x^2*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*d^2*n^2+A*x^2*(i*(d
*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*d^2*n+B*x^2*(i*(d*x+c))^m*(g*(b*x+a))^(-2-
m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*d^2*m*n+A*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2
-m)*a*b*d^2*m*n+A*x*(i*(d*x+c))^m*(g*(b*x+a))^(-2-m)*b^2*c*d*m*n+B*x*(i*(d
*x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*a*b*d^2*n+B*x*(i*(d*
x+c))^m*(g*(b*x+a))^(-2-m)*ln(e*((b*x+a)/(d*x+c))^n)*b^2*c*d*n)/(a*d-b*c)/
n/d/b/(1+m)^2
```

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.96

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx =$$

$$-\frac{(Aacm+Bacn+Aac+(Abdm+Bbdn+Abd)x^2+(Abc+Aad+(Abc+Aad)m+(Bbc+Bad)n$$

input

```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="fricas")
```

output

```
-(A*a*c*m + B*a*c*n + A*a*c + (A*b*d*m + B*b*d*n + A*b*d)*x^2 + (A*b*c + A
*a*d + (A*b*c + A*a*d)*m + (B*b*c + B*a*d)*n)*x + (B*a*c*m + B*a*c + (B*b*
d*m + B*b*d)*x^2 + (B*b*c + B*a*d + (B*b*c + B*a*d)*m)*x)*log(e) + ((B*b*d
*m + B*b*d)*n*x^2 + (B*b*c + B*a*d + (B*b*c + B*a*d)*m)*n*x + (B*a*c*m + B
*a*c)*n)*log((b*x + a)/(d*x + c)))*(b*g*x + a*g)^(-m - 2)*e^(m*log(b*g*x +
 a*g) - m*log((b*x + a)/(d*x + c)) + m*log(i/g))/((b*c - a*d)*m^2 + b*c -
a*d + 2*(b*c - a*d)*m)
```

Sympy [F(-2)]

Exception generated.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m*(A+B*ln(e*((b*x+a)/(d*x+c))**
n)),x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)(bgx+ag)^{-m-2}(dix+ci)^m\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="maxima")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(b*g*x + a*g)^(-m - 2)*(d
*i*x + c*i)^m, x)
```

Giac [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$= \int \left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)(bgx+ag)^{-m-2}(dix+ci)^m\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="giac")
```

output
```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(b*g*x + a*g)^(-m - 2)*(d
*i*x + c*i)^m, x)
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$=\int \frac{(c\,i+d\,i\,x)^m\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)}{(a\,g+b\,g\,x)^{m+2}}\,dx$$

input
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^(m + 2),x)
```

output
```
int(((c*i + d*i*x)^m*(A + B*log(e*((a + b*x)/(c + d*x))^n)))/(a*g + b*g*x)
^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\,dx$$
$$=\frac{\left(\int \frac{(dix+ci)^m}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}\,dx\right)a+\left(\int \frac{(dix+ci)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}\,dx\right)b}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output

```
(int((c*i + d*i*x)**m/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x +
(a*g + b*g*x)**m*b**2*x**2),x)*a + int(((c*i + d*i*x)**m*log(((a + b*x)**n
*e)/(c + d*x)**n))/((a*g + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x + (a*
g + b*g*x)**m*b**2*x**2),x)*b)/g**2
```

3.221 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2475
Mathematica [F] . . . 2475
Rubi [A] (verified) . . . 2476
Maple [F] . . . 2477
Fricas [A] (verification not implemented) . . . 2478
Sympy [F(-2)] . . . 2478
Maxima [F] . . . 2479
Giac [F] . . . 2479
Mupad [F(-1)] . . . 2479
Reduce [F] . . . 2480

Optimal result

Integrand size = 49, antiderivative size = 128

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$
$$= \frac{e^{\frac{A(1+m)}{Bn}}(a+bx)(g(a+bx))^{-2-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1+m}{n}}(i(c+dx))^{2+m}\,\text{ExpIntegralEi}\left(-\frac{(1+m)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right.}{B(bc-ad)i^2n(c+dx)}$$

output
```
exp(A*(1+m)/B/n)*(b*x+a)*(g*(b*x+a))^(-2-m)*(e*((b*x+a)/(d*x+c))^n)^((1+m)
/n)*(i*(d*x+c))^(2+m)*Ei(-(1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n)/B/(-a
*d+b*c)/i^2/n/(d*x+c)
```

Mathematica [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

input
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n]),x]
```

output
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n]), x]
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$, Rules used = {2963, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^{-m-2}(ci+dix)^m}{B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{i^2n(c+dx)(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)e^{\frac{A(m+1)}{Bn}}(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\text{ExpIntegralEi}\left(-\frac{(m+1)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn}\right)}{Bi^2n(c+dx)(bc-ad)}$$

input
```
Int[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)/(c +
d*x))^n]),x]
```

output
```
(E^((A*(1 + m))/(B*n))*(a + b*x)*(g*(a + b*x))^(-2 - m)*(e*((a + b*x)/(c +
 d*x))^n)^((1 + m)/n)*(i*(c + d*x))^(2 + m)*ExpIntegralEi[-(((1 + m)*(A +
B*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n))])/(B*(b*c - a*d)*i^2*n*(c + d*x)
)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^{-2-m}(dix+ci)^m}{A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}dx$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.73

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\mathrm{Ei}\left(-\frac{(Bm+B)n\log\left(\frac{bx+a}{dx+c}\right)+Am+(Bm+B)\log(e)+A}{Bn}\right)e^{\left(\frac{Bmn\log\left(\frac{i}{g}\right)+Am+(Bm+B)\log(e)+A}{Bn}\right)}}{(Bbc-Bad)g^2n}$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="fricas")
```

output
```
Ei(-((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)/(B
*n))*e^((B*m*n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n))/((B*b*c - B*a
*d)*g^2*n)
```

Sympy [F(-2)]

Exception generated.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m/(A+B*ln(e*((b*x+a)/(d*x+c))**
n)),x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A), x)
```

Giac [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A}\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
),x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(ci+dix)^m}{(ag+bgx)^{m+2}\left(A+B\,\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}\,dx$$

input
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))),x)
```

output
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$
$$= \frac{\int \frac{(dix+ci)^m}{(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^2b+2(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a\,b^2x+(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b^3x^2+(bgx+ag)^m a^3+2(bgx+ag)^m a^2bx+(bgx}}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)
```

output
```
int((c*i + d*i*x)**m/((a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*
a**2*b + 2*(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*x +
(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*x**2 + (a*g + b*g
*x)**m*a**3 + 2*(a*g + b*g*x)**m*a**2*b*x + (a*g + b*g*x)**m*a*b**2*x**2),
x)/g**2
```

3.222 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$

Optimal result . . . 2481
Mathematica [F] . . . 2482
Rubi [A] (verified) . . . 2482
Maple [F] . . . 2484
Fricas [A] (verification not implemented) . . . 2484
Sympy [F(-2)] . . . 2485
Maxima [F] . . . 2485
Giac [F] . . . 2486
Mupad [F(-1)] . . . 2486
Reduce [F] . . . 2487

Optimal result

Integrand size = 49, antiderivative size = 214

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = -\frac{e^{\frac{A(1+m)}{Bn}}(1+m)(a+bx)(g(a+bx))^{-2-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1+m}{n}}(i(c+dx))^{2+m}\,\text{ExpIntegralEi}\left(-\frac{(1+m)\left(A+B\log\right.}{B^2(bc-ad)i^2n^2(c+dx)}$$
$$-\frac{(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{B(bc-ad)i^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}$$

output

```
-exp(A*(1+m)/B/n)*(1+m)*(b*x+a)*(g*(b*x+a))^(-2-m)*(e*((b*x+a)/(d*x+c))^n)
^((1+m)/n)*(i*(d*x+c))^(2+m)*Ei(-(1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/B/n
)/B^2/(-a*d+b*c)/i^2/n^2/(d*x+c)-(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2
+m)/B/(-a*d+b*c)/i^2/n/(d*x+c)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))
```

Mathematica [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$$

input
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^2,x]
```

output
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^2, x]
```

Rubi [A] (verified)

Time = 0.65 (sec) , antiderivative size = 209, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {2963, 2743, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^{-m-2}(ci+dix)^m}{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\int \frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}\right)}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)^{\frac{m+1}{n}}\int\frac{\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)^{-\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)}{Bn^2}\right.}{i^2(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)e^{\frac{A(m+1)}{Bn}}\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^{n}\right)^{\frac{m+1}{n}}\text{ExpIntegralEi}\left(-\frac{(m+1)\left(A+B\log\right.}{B^2n^2}\right.}{i^2(bc-ad)}$$

input
```
Int[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2,x]
```

output
```
((g*(a + b*x))^(-2 - m)*((a + b*x)/(c + d*x))^(2 + m)*(i*(c + d*x))^(2 + m)*(-((E^((A*(1 + m))/(B*n))*(1 + m)*(e*((a + b*x)/(c + d*x))^n)^((1 + m)/n)*((a + b*x)/(c + d*x))^(-1 - m)*ExpIntegralEi[-(((1 + m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n))])/(B^2*n^2)) - ((a + b*x)/(c + d*x))^(-1 - m)/(B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; FreeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2743
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^(p + 1)/(b*d*n*(p + 1))), x] - Simp[(m + 1)/(b*n*(p + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p + 1), x], x] /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && LtQ[p, -1]
```

rule 2747

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^{-2-m}\,(dix+ci)^m}{\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^2}\,dx$$

input

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output

```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2,x)
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 284, normalized size of antiderivative = 1.33

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx =$$

$$-\frac{(Bbdg^2nx^2+Bacg^2n+(Bbc+Bad)g^2nx)(bgx+ag)^{-m-2}e^{\left(m\log(bgx+ag)-m\log\left(\frac{bx+a}{dx+c}\right)+m\log\left(\frac{i}{g}\right)\right)}+((Br}{(B^3bc-B^3ad)g^2n^3\log\left(\frac{bx+a}{dx+c}\right)}$$

input

```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="fricas")
```

output
```
-((B*b*d*g^2*n*x^2 + B*a*c*g^2*n + (B*b*c + B*a*d)*g^2*n*x)*(b*g*x + a*g)^
(-m - 2)*e^(m*log(b*g*x + a*g) - m*log((b*x + a)/(d*x + c)) + m*log(i/g))
+ ((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)*Ei(-
((B*m + B)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)/(B*n))
*e^((B*m*n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n)))/((B^3*b*c - B^3*
a*d)*g^2*n^3*log((b*x + a)/(d*x + c)) + (B^3*b*c - B^3*a*d)*g^2*n^2*log(e)
 + (A*B^2*b*c - A*B^2*a*d)*g^2*n^2)
```

Sympy [F(-2)]

Exception generated.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \text{Exception raised: HeuristicGCDFailed}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m/(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**2,x)
```

output
```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="maxima")
```

output
```
i^m*(m + 1)*integrate(-(d*x + c)^m/((B^2*b^2*g^(m + 2)*n*x^2 + 2*B^2*a*b*g
^(m + 2)*n*x + B^2*a^2*g^(m + 2)*n)*(b*x + a)^m*log((b*x + a)^n) - (B^2*b^
2*g^(m + 2)*n*x^2 + 2*B^2*a*b*g^(m + 2)*n*x + B^2*a^2*g^(m + 2)*n)*(b*x +
a)^m*log((d*x + c)^n) + (B^2*a^2*g^(m + 2)*n*log(e) + A*B*a^2*g^(m + 2)*n
+ (B^2*b^2*g^(m + 2)*n*log(e) + A*B*b^2*g^(m + 2)*n)*x^2 + 2*(B^2*a*b*g^(m
 + 2)*n*log(e) + A*B*a*b*g^(m + 2)*n)*x)*(b*x + a)^m), x) - (d*i^m*x + c*i
^m)*(d*x + c)^m/(((b^2*c*g^(m + 2)*n - a*b*d*g^(m + 2)*n)*B^2*x + (a*b*c*g
^(m + 2)*n - a^2*d*g^(m + 2)*n)*B^2)*(b*x + a)^m*log((b*x + a)^n) - ((b^2*
c*g^(m + 2)*n - a*b*d*g^(m + 2)*n)*B^2*x + (a*b*c*g^(m + 2)*n - a^2*d*g^(m
 + 2)*n)*B^2)*(b*x + a)^m*log((d*x + c)^n) + ((a*b*c*g^(m + 2)*n - a^2*d*g
^(m + 2)*n)*A*B + (a*b*c*g^(m + 2)*n*log(e) - a^2*d*g^(m + 2)*n*log(e))*B^
2 + ((b^2*c*g^(m + 2)*n - a*b*d*g^(m + 2)*n)*A*B + (b^2*c*g^(m + 2)*n*log(
e) - a*b*d*g^(m + 2)*n*log(e))*B^2)*x)*(b*x + a)^m)
```

Giac [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^2}\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^2,x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^2, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx = \int \frac{(c\,i+d\,i\,x)^m}{(a\,g+b\,g\,x)^{m+2}\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^2}\,dx$$

input
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^2),x)
```

output
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^2), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}\,dx$$
$$= \frac{\int \frac{(dix+ci)^m}{(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 a^2b^2+2(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 a\, b^3x+(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b^4x^2+2(bgx+ag)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) a^3b+4}}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n))^2,x)
```

output
```
int((c*i + d*i*x)**m/((a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*
*2*a**2*b**2 + 2*(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*
b**3*x + (a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**4*x**2
+ 2*(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b + 4*(a*g +
b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*x + 2*(a*g + b*g*x)
**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*x**2 + (a*g + b*g*x)**m*a**4
 + 2*(a*g + b*g*x)**m*a**3*b*x + (a*g + b*g*x)**m*a**2*b**2*x**2),x)/g**2
```

3.223 $\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$

Optimal result . . . 2488
Mathematica [F] . . . 2489
Rubi [A] (verified) . . . 2489
Maple [F] . . . 2492
Fricas [B] (verification not implemented) . . . 2492
Sympy [F(-1)] . . . 2493
Maxima [F] . . . 2494
Giac [F] . . . 2494
Mupad [F(-1)] . . . 2495
Reduce [F] . . . 2495

Optimal result

Integrand size = 49, antiderivative size = 306

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$$

$$= \frac{e^{\frac{A(1+m)}{Bn}}(1+m)^2(a+bx)(g(a+bx))^{-2-m}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1+m}{n}}(i(c+dx))^{2+m}\,\text{ExpIntegralEi}\left(-\frac{(1+m)\left(A+B\log\left(\right.\right.\right.}{Bn}}{2B^3(bc-ad)i^2n^3(c+dx)}$$

$$-\frac{(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{2B(bc-ad)i^2n(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}$$

$$+\frac{(1+m)(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}}{2B^2(bc-ad)i^2n^2(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}$$

output

```
1/2*exp(A*(1+m)/B/n)*(1+m)^2*(b*x+a)*(g*(b*x+a))^(-2-m)*(e*((b*x+a)/(d*x+c
))^n)^((1+m)/n)*(i*(d*x+c))^(2+m)*Ei(-(1+m)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)
)/B/n)/B^3/(-a*d+b*c)/i^2/n^3/(d*x+c)-1/2*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d
*x+c))^(2+m)/B/(-a*d+b*c)/i^2/n/(d*x+c)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^2+
1/2*(1+m)*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)/B^2/(-a*d+b*c)/i^2/
n^2/(d*x+c)/(A+B*ln(e*((b*x+a)/(d*x+c))^n))
```

Mathematica [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$$

input
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^3,x]
```

output
```
Integrate[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)
/(c + d*x))^n])^3, x]
```

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 276, normalized size of antiderivative = 0.90, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.102$, Rules used = {2963, 2743, 2743, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(ag+bgx)^{-m-2}(ci+dix)^m}{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}\,dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\int \frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}d\frac{a+bx}{c+dx}}{2Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{2Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}\right)}{i^2(bc-ad)}$$

$$\downarrow 2743$$

$$(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\left(-\frac{(m+1)\int\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-2}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{Bn}-\frac{\left(\frac{a+bx}{c+dx}\right)^{-m-1}}{Bn\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}\right)}{2Bn}-\right.$$

$$i^2(bc-ad)$$

$$\downarrow 2747$$

$$(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\left(-\frac{(m+1)\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\int\frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}}{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\log\left(e\left(\frac{a+\right.\right.\right.\right.}{Bn^2}\right)}{2Bn}-\right.$$

$$i^2(bc-ad)$$

$$\downarrow 2609$$

$$(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\left(-\frac{(m+1)\left(-\frac{(m+1)e^{\frac{A(m+1)}{Bn}}\left(\frac{a+bx}{c+dx}\right)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\operatorname{ExpIntegralEi}\left(-\frac{(m+1)\left(\right.\right.\right.\right.}{B^2n^2}\right)}{2Bn}-\right.$$

$$i^2(bc-ad)$$

input

```
Int[((a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m)/(A + B*Log[e*((a + b*x)/(c + d*x))^n])^3,x]
```

output
```
((g*(a + b*x))^(-2 - m)*((a + b*x)/(c + d*x))^(2 + m)*(i*(c + d*x))^(2 + m
)*(-1/2*((a + b*x)/(c + d*x))^(-1 - m)/(B*n*(A + B*Log[e*((a + b*x)/(c + d
*x))^n])^2) - ((1 + m)*(-((E^((A*(1 + m))/(B*n))*(1 + m)*(e*((a + b*x)/(c
+ d*x))^n)^((1 + m)/n)*((a + b*x)/(c + d*x))^(-1 - m)*ExpIntegralEi[-(((1
+ m)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n))])/(B^2*n^2)) - ((a + b
*x)/(c + d*x))^(-1 - m)/(B*n*(A + B*Log[e*((a + b*x)/(c + d*x))^n])))/(2*
B*n)))/((b*c - a*d)*i^2)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2743
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)*((a + b*Log[c*x^n])^(p + 1)/(b*d*n*(p + 1))), x] -
Simp[(m + 1)/(b*n*(p + 1))   Int[(d*x)^m*(a + b*Log[c*x^n])^(p + 1), x], x]
 /; FreeQ[{a, b, c, d, m, n}, x] && NeQ[m, -1] && LtQ[p, -1]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

Maple [F]

$$\int \frac{(bgx+ag)^{-2-m}\,(dix+ci)^m}{\left(A+B\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)^3}dx$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*ln(e*((b*x+a)/(d*x+c))^n))^3,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 815 vs. $2(299) = 598$.

Time $= 0.12$ (sec) , antiderivative size $= 815$, normalized size of antiderivative $= 2.66$

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \text{Too large to display}$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="fricas")
```

output

```
-1/2*((B^2*a*c*g^2*n^2 + (B^2*b*d*g^2*n^2 - (A*B*b*d*g^2*m + A*B*b*d*g^2)*
n)*x^2 - (A*B*a*c*g^2*m + A*B*a*c*g^2)*n + ((B^2*b*c + B^2*a*d)*g^2*n^2 -
((A*B*b*c + A*B*a*d)*g^2*m + (A*B*b*c + A*B*a*d)*g^2)*n)*x - ((B^2*b*d*g^2
*m + B^2*b*d*g^2)*n*x^2 + ((B^2*b*c + B^2*a*d)*g^2*m + (B^2*b*c + B^2*a*d)
*g^2)*n*x + (B^2*a*c*g^2*m + B^2*a*c*g^2)*n)*log(e) - ((B^2*b*d*g^2*m + B^
2*b*d*g^2)*n^2*x^2 + ((B^2*b*c + B^2*a*d)*g^2*m + (B^2*b*c + B^2*a*d)*g^2)
*n^2*x + (B^2*a*c*g^2*m + B^2*a*c*g^2)*n^2)*log((b*x + a)/(d*x + c)))*(b*g
*x + a*g)^(-m - 2)*e^(m*log(b*g*x + a*g) - m*log((b*x + a)/(d*x + c)) + m*
log(i/g)) - ((B^2*m^2 + 2*B^2*m + B^2)*n^2*log((b*x + a)/(d*x + c))^2 + A^
2*m^2 + 2*A^2*m + (B^2*m^2 + 2*B^2*m + B^2)*log(e)^2 + 2*(A*B*m^2 + 2*A*B*
m + A*B)*n*log((b*x + a)/(d*x + c)) + A^2 + 2*(A*B*m^2 + 2*A*B*m + (B^2*m^
2 + 2*B^2*m + B^2)*n*log((b*x + a)/(d*x + c)) + A*B)*log(e))*Ei(-((B*m + B
)*n*log((b*x + a)/(d*x + c)) + A*m + (B*m + B)*log(e) + A)/(B*n))*e^((B*m*
n*log(i/g) + A*m + (B*m + B)*log(e) + A)/(B*n)))/((B^5*b*c - B^5*a*d)*g^2*
n^5*log((b*x + a)/(d*x + c))^2 + (B^5*b*c - B^5*a*d)*g^2*n^3*log(e)^2 + 2*
(A*B^4*b*c - A*B^4*a*d)*g^2*n^4*log((b*x + a)/(d*x + c)) + (A^2*B^3*b*c -
A^2*B^3*a*d)*g^2*n^3 + 2*((B^5*b*c - B^5*a*d)*g^2*n^4*log((b*x + a)/(d*x +
 c)) + (A*B^4*b*c - A*B^4*a*d)*g^2*n^3)*log(e))
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \text{Timed out}$$

input

```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m/(A+B*ln(e*((b*x+a)/(d*x+c))**
n))**3,x)
```

output

```
Timed out
```

Maxima [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3}\,dx$$

input

```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="maxima")
```

output

```
-(m^2 + 2*m + 1)*i^m*integrate(-1/2*(d*x + c)^m/((B^3*b^2*g^(m + 2)*n^2*x^
2 + 2*B^3*a*b*g^(m + 2)*n^2*x + B^3*a^2*g^(m + 2)*n^2)*(b*x + a)^m*log((b*
x + a)^n) - (B^3*b^2*g^(m + 2)*n^2*x^2 + 2*B^3*a*b*g^(m + 2)*n^2*x + B^3*a
^2*g^(m + 2)*n^2)*(b*x + a)^m*log((d*x + c)^n) + (B^3*a^2*g^(m + 2)*n^2*lo
g(e) + A*B^2*a^2*g^(m + 2)*n^2 + (B^3*b^2*g^(m + 2)*n^2*log(e) + A*B^2*b^2
*g^(m + 2)*n^2)*x^2 + 2*(B^3*a*b*g^(m + 2)*n^2*log(e) + A*B^2*a*b*g^(m + 2
)*n^2)*x)*(b*x + a)^m), x) + 1/2*((B*d*i^m*(m + 1)*x + B*c*i^m*(m + 1))*(d
*x + c)^m*log((b*x + a)^n) - (B*d*i^m*(m + 1)*x + B*c*i^m*(m + 1))*(d*x +
c)^m*log((d*x + c)^n) + (A*c*i^m*(m + 1) + (i^m*(m + 1)*log(e) - i^m*n)*B*
c + (A*d*i^m*(m + 1) + (i^m*(m + 1)*log(e) - i^m*n)*B*d)*x)*(d*x + c)^m)/(
((b^2*c*g^(m + 2)*n^2 - a*b*d*g^(m + 2)*n^2)*B^4*x + (a*b*c*g^(m + 2)*n^2
- a^2*d*g^(m + 2)*n^2)*B^4)*(b*x + a)^m*log((b*x + a)^n)^2 + ((b^2*c*g^(m
+ 2)*n^2 - a*b*d*g^(m + 2)*n^2)*B^4*x + (a*b*c*g^(m + 2)*n^2 - a^2*d*g^(m
+ 2)*n^2)*B^4)*(b*x + a)^m*log((d*x + c)^n)^2 + 2*((a*b*c*g^(m + 2)*n^2 -
a^2*d*g^(m + 2)*n^2)*A*B^3 + (a*b*c*g^(m + 2)*n^2*log(e) - a^2*d*g^(m + 2)
*n^2*log(e))*B^4 + ((b^2*c*g^(m + 2)*n^2 - a*b*d*g^(m + 2)*n^2)*A*B^3 + (b
^2*c*g^(m + 2)*n^2*log(e) - a*b*d*g^(m + 2)*n^2*log(e))*B^4)*x)*(b*x + a)^
m*log((b*x + a)^n) + ((a*b*c*g^(m + 2)*n^2 - a^2*d*g^(m + 2)*n^2)*A^2*B^2
+ 2*(a*b*c*g^(m + 2)*n^2*log(e) - a^2*d*g^(m + 2)*n^2*log(e))*A*B^3 + (a*b
*c*g^(m + 2)*n^2*log(e)^2 - a^2*d*g^(m + 2)*n^2*log(e)^2)*B^4 + ((b^2*c...
```

Giac [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(bgx+ag)^{-m-2}(dix+ci)^m}{\left(B\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)+A\right)^3}\,dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n)
)^3,x, algorithm="giac")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m/(B*log(e*((b*x + a)/(d*x
+ c))^n) + A)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx = \int \frac{(c\,i+d\,i\,x)^m}{(a\,g+b\,g\,x)^{m+2}\left(A+B\,\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\right)^3}\,dx$$

input
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^3),x)
```

output
```
int((c*i + d*i*x)^m/((a*g + b*g*x)^(m + 2)*(A + B*log(e*((a + b*x)/(c + d*
x))^n))^3), x)
```

Reduce [F]

$$\int \frac{(ag+bgx)^{-2-m}(ci+dix)^m}{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}\,dx$$
$$= \frac{\int}{(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3 a^2b^3+2(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3 a\,b^4x+(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^3 b^5x^2+3(bgx+ag)^m\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 a^3b^2+}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m/(A+B*log(e*((b*x+a)/(d*x+c))^n))^3,x)
```

output

```
int((c*i + d*i*x)**m/((a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*
*3*a**2*b**3 + 2*(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**3*a*
b**4*x + (a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**3*b**5*x**2
+ 3*(a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**3*b**2 + 6*(
a*g + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b**3*x + 3*(a*g
 + b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**4*x**2 + 3*(a*g +
b*g*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*b + 6*(a*g + b*g*x)**m*l
og(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b**2*x + 3*(a*g + b*g*x)**m*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**2*b**3*x**2 + (a*g + b*g*x)**m*a**5 + 2*(a*
g + b*g*x)**m*a**4*b*x + (a*g + b*g*x)**m*a**3*b**2*x**2),x)/g**2
```

3.224 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2497
Mathematica [A] (verified) . . . 2497
Rubi [A] (verified) . . . 2498
Maple [A] (verified) . . . 2499
Fricas [A] (verification not implemented) . . . 2500
Sympy [F(-1)] . . . 2500
Maxima [F] . . . 2500
Giac [A] (verification not implemented) . . . 2501
Mupad [F(-1)] . . . 2501
Reduce [B] (verification not implemented) . . . 2501

Optimal result

Integrand size = 35, antiderivative size = 41

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \frac{\log^{1+p}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n(1+p)}$$

output
```
ln(e*((b*x+a)/(d*x+c))^n)^(p+1)/(-a*d+b*c)/n/(p+1)
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \frac{\log^{1+p}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bcn-adn)(1+p)}$$

input
```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]^p/((a + b*x)*(c + d*x)),x]
```

output
```
Log[e*((a + b*x)/(c + d*x))^n]^(1 + p)/((b*c*n - a*d*n)*(1 + p))
```

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{a+bx} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

$$\downarrow 15$$

$$\frac{\log^{p+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(p+1)(bc-ad)}$$

input
```
Int[Log[e*((a + b*x)/(c + d*x))^n]^p/((a + b*x)*(c + d*x)),x]
```

output
```
Log[e*((a + b*x)/(c + d*x))^n]^(1 + p)/((b*c - a*d)*n*(1 + p))
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 8.25 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.05

method	result	size
derivativedivides	$-\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^{p+1}}{n(da-bc)(p+1)}$	43
default	$-\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^{p+1}}{n(da-bc)(p+1)}$	43
parallelrisch	$-\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^p}{n(adp-bcp+da-bc)}$	63

input
```
int(ln(e*((b*x+a)/(d*x+c))^n)^p/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE)
```

output
```
-1/n/(a*d-b*c)*ln(e*((b*x+a)/(d*x+c))^n)^(p+1)/(p+1)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.59

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \frac{\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)^p}{(bc-ad)np+(bc-ad)n}$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(b*x+a)/(d*x+c),x, algorithm="fricas")
```

output
```
(n*log((b*x + a)/(d*x + c)) + log(e))*(n*log((b*x + a)/(d*x + c)) + log(e))^p/((b*c - a*d)*n*p + (b*c - a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate(ln(e*((b*x+a)/(d*x+c))**n)**p/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^p}{(bx+a)(dx+c)}\,dx$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
integrate(log(e*((b*x + a)/(d*x + c))^n)^p/((b*x + a)*(d*x + c)), x)
```

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \frac{\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)^{p+1}}{(bcn-adn)(p+1)}$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(b*x+a)/(d*x+c),x, algorithm="giac"
)
```

output
```
(n*log((b*x + a)/(d*x + c)) + log(e))^(p + 1)/((b*c*n - a*d*n)*(p + 1))
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)^p}{(a+b\,x)\,(c+d\,x)}\,dx$$

input
```
int(log(e*((a + b*x)/(c + d*x))^n)^p/((a + b*x)*(c + d*x)),x)
```

output
```
int(log(e*((a + b*x)/(c + d*x))^n)^p/((a + b*x)*(c + d*x)), x)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 64, normalized size of antiderivative = 1.56

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}\,dx = -\frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^p \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{n\,(adp-bcp+ad-bc)}$$

input
```
int(log(e*((b*x+a)/(d*x+c))^n)^p/(b*x+a)/(d*x+c),x)
```

output
```
( - log(((a + b*x)**n*e)/(c + d*x)**n)**p*log(((a + b*x)**n*e)/(c + d*x)**
n))/(n*(a*d*p + a*d - b*c*p - b*c))
```

3.225 $\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx$

Optimal result . . . 2502
Mathematica [A] (verified) . . . 2502
Rubi [A] (verified) . . . 2503
Maple [A] (verified) . . . 2504
Fricas [A] (verification not implemented) . . . 2505
Sympy [F(-1)] . . . 2505
Maxima [F] . . . 2506
Giac [A] (verification not implemented) . . . 2506
Mupad [F(-1)] . . . 2506
Reduce [B] (verification not implemented) . . . 2507

Optimal result

Integrand size = 42, antiderivative size = 41

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \frac{\log^{1+p}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)n(1+p)}$$

output
```
ln(e*((b*x+a)/(d*x+c))^n)^(p+1)/(-a*d+b*c)/n/(p+1)
```

Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \frac{\log^{1+p}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bcn-adn)(1+p)}$$

input
```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]^p/(a*c + (b*c + a*d)*x + b*d*x^2)
,x]
```

output
```
Log[e*((a + b*x)/(c + d*x))^n]^(1 + p)/((b*c*n - a*d*n)*(1 + p))
```

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2974, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(ad+bc)+ac+bdx^2}\,dx$$

$$\downarrow 2974$$

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{a+bx}d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

$$\downarrow 15$$

$$\frac{\log^{p+1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(p+1)(bc-ad)}$$

input
```
Int[Log[e*((a + b*x)/(c + d*x))^n]^p/(a*c + (b*c + a*d)*x + b*d*x^2),x]
```

output
```
Log[e*((a + b*x)/(c + d*x))^n]^(1 + p)/((b*c - a*d)*n*(1 + p))
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2974
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_) + (h_.)*(x_)^2)^(m_.), x_Symbol] :> Simp[h^
m/(b^m*d^m)   Int[(a + b*x)^m*(c + d*x)^m*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, A, B, n, p}, x] && EqQ[b*
d*f - a*c*h, 0] && EqQ[b*d*g - h*(b*c + a*d), 0] && IntegerQ[m]
```

Maple [A] (verified)

Time = 11.12 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.54

method	result	size
parallelrisch	$-\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^p}{n(adp-bcp+da-bc)}$	63

input
```
int(ln(e*((b*x+a)/(d*x+c))^n)^p/(a*c+(a*d+b*c)*x+b*d*x^2),x,method=_RETURN
VERBOSE)
```

output
```
-ln(e*((b*x+a)/(d*x+c))^n)*ln(e*((b*x+a)/(d*x+c))^n)^p/n/(a*d*p-b*c*p+a*d-
b*c)
```

Fricas [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.59

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \frac{\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)^p}{(bc-ad)np+(bc-ad)n}$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(a*c+(a*d+b*c)*x+b*d*x^2),x, algori
thm="fricas")
```

output
```
(n*log((b*x + a)/(d*x + c)) + log(e))*(n*log((b*x + a)/(d*x + c)) + log(e)
)^p/((b*c - a*d)*n*p + (b*c - a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \text{Timed out}$$

input
```
integrate(ln(e*((b*x+a)/(d*x+c))**n)**p/(a*c+(a*d+b*c)*x+b*d*x**2),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^p}{bdx^2+ac+(bc+ad)x}\,dx$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(a*c+(a*d+b*c)*x+b*d*x^2),x, algorithm="maxima")
```

output
```
integrate(log(e*((b*x + a)/(d*x + c))^n)^p/(b*d*x^2 + a*c + (b*c + a*d)*x), x)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \frac{\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)^{p+1}}{(bcn-adn)(p+1)}$$

input
```
integrate(log(e*((b*x+a)/(d*x+c))^n)^p/(a*c+(a*d+b*c)*x+b*d*x^2),x, algorithm="giac")
```

output
```
(n*log((b*x + a)/(d*x + c)) + log(e))^(p + 1)/((b*c*n - a*d*n)*(p + 1))
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^p}{b\,d\,x^2+(a\,d+b\,c)\,x+a\,c}\,dx$$

input
```
int(log(e*((a + b*x)/(c + d*x))^n)^p/(a*c + x*(a*d + b*c) + b*d*x^2),x)
```

output
```
int(log(e*((a + b*x)/(c + d*x))^n)^p/(a*c + x*(a*d + b*c) + b*d*x^2), x)
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 64, normalized size of antiderivative = 1.56

$$\int \frac{\log^p\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ac+(bc+ad)x+bdx^2}\,dx = -\frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^p \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{n\left(adp-bcp+ad-bc\right)}$$

input
```
int(log(e*((b*x+a)/(d*x+c))^n)^p/(a*c+(a*d+b*c)*x+b*d*x^2),x)
```

output
```
( - log(((a + b*x)**n*e)/(c + d*x)**n)**p*log(((a + b*x)**n*e)/(c + d*x)**
n))/(n*(a*d*p + a*d - b*c*p - b*c))
```

3.226 $\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p dx$

Optimal result 2508
Mathematica [F] 2508
Rubi [A] (warning: unable to verify) 2509
Maple [F] 2511
Fricas [F] 2511
Sympy [F(-1)] 2511
Maxima [F] 2512
Giac [F(-2)] 2512
Mupad [F(-1)] 2513
Reduce [F] 2513

Optimal result

Integrand size = 50, antiderivative size = 193

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p dx$$

$$= \frac{e^{-\frac{A(1+m)}{Bn}} (a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(e(a+bx)^n (c+dx)^{-n}\right)^{-\frac{1+m}{n}} \Gamma\left(1+p, -\frac{(1+m)(A+B\log(e(a+bx)^n}{Bn}\right.}{(bc-ad)i^2(1+m)(c+}$$

output

```
(b*x+a)*(g*(b*x+a))^m*GAMMA(p+1,-(1+m)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B
/n)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(-a*d+b*c)/exp(A*(1+m)/B/n)/i^2/(1
+m)/(d*x+c)/((i*(d*x+c))^m)/((e*(b*x+a)^n/((d*x+c)^n))^((1+m)/n))/((-(1+m)
*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/n)^p)
```

Mathematica [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p dx$$
$$= \int (ag+bgx)^m (ci+dix)^{-2-m} \left(A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p dx$$

input

```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[(e*(a + b*x)^n
)/(c + d*x)^n])^p,x]
```

output
```
Integrate[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[(e*(a + b*x)^n
)/(c + d*x)^n])^p, x]
```

Rubi [A] (warning: unable to verify)

Time = 0.76 (sec) , antiderivative size = 189, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {2973, 2963, 2747, 2612}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^m (ci+dix)^{-m-2} \left(B \log\left(e(a+bx)^n (c+dx)^{-n}\right)+A\right)^p dx$$

$$\downarrow 2973$$

$$\int (ag+bgx)^m (ci+dix)^{-m-2} \left(B \log\left(e(a+bx)^n (c+dx)^{-n}\right)+A\right)^p dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^m (i(c+dx))^{-m} \left(\frac{a+bx}{c+dx}\right)^{-m} \int \left(\frac{a+bx}{c+dx}\right)^m \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^m (i(c+dx))^{-m} \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}} \int \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}} \left(A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\log\left(e\left(\frac{a+}{c+}\right.\right.}{i^2 n(c+dx)(bc-ad)}$$

$$\downarrow 2612$$

$$\frac{(a+bx)e^{-\frac{A(m+1)}{Bn}} (g(a+bx))^m (i(c+dx))^{-m} \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}} \left(B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p \left(-\frac{(m+1)\left(B \log\left(e\left(\frac{a+bx}{c+dx}\right.\right.\right.\right.}{Bn}}{i^2(m+1)(c+dx)(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^m*(c*i + d*i*x)^(-2 - m)*(A + B*Log[(e*(a + b*x)^n)/(c +
 d*x)^n])^p,x]
```

output
```
((a + b*x)*(g*(a + b*x))^m*Gamma[1 + p, -(((1 + m)*(A + B*Log[e*((a + b*x)
/(c + d*x))^n]))/(B*n))]*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^p)/((b*c -
 a*d)*E^((A*(1 + m))/(B*n))*i^2*(1 + m)*(e*((a + b*x)/(c + d*x))^n)^((1 +
m)/n)*(c + d*x)*(i*(c + d*x))^m*(-(((1 + m)*(A + B*Log[e*((a + b*x)/(c + d
*x))^n]))/(B*n)))^p)
```

Defintions of rubi rules used

rule 2612
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]))*Gamma[m + 1,
 ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [F]

$$\int (bgx+ag)^m (dix+ci)^{-2-m} \left(A+B\ln\left(e(bx+a)^n (dx+c)^{-n}\right)\right)^p dx$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p,x
)
```

output
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p,x
)
```

Fricas [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p \, dx$$
$$= \int (bgx+ag)^m (dix+ci)^{-m-2} \left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="fricas")
```

output
```
integral((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)*(B*log((b*x + a)^n*e/(d*x
+ c)^n) + A)^p, x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e(a+bx)^n (c+dx)^{-n}\right)\right)^p \, dx = \text{Timed out}$$

input
```
integrate((b*g*x+a*g)**m*(d*i*x+c*i)**(-2-m)*(A+B*ln(e*(b*x+a)**n/((d*x+c)
**n)))**p,x)
```

output
```
Timed out
```

Maxima [F]

$$\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$$
$$=\int (bgx+ag)^m(dix+ci)^{-m-2}\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^m*(d*i*x + c*i)^(-m - 2)*(B*log((b*x + a)^n*e/(d*x
 + c)^n) + A)^p, x)
```

Giac [F(-2)]

Exception generated.

$$\int (ag+bgx)^m(ci+dix)^{-2-m}\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$$
$$=\text{Exception raised: RuntimeError}$$

input
```
integrate((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="giac")
```

output
```
Exception raised: RuntimeError >> an error occurred running a Giac command
:INPUT:sage2OUTPUT:Unable to divide, perhaps due to rounding error%%%{1,[0
,0,5,5,0,2,2,3,3,0,0,0,2]%%%}+%%%{-2,[0,0,5,4,1,3,1,3,3,0,0,0,2]%%%}+%%%{1
,[0,0,5,3,2,
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$
$$= \int \frac{(a\,g+b\,g\,x)^m \left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^p}{(c\,i+d\,i\,x)^{m+2}}\,dx$$

input
```
int(((a*g + b*g*x)^m*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p)/(c*i + d*
i*x)^(m + 2),x)
```

output
```
int(((a*g + b*g*x)^m*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p)/(c*i + d*
i*x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^m (ci+dix)^{-2-m} \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$
$$= -\left(\int \frac{(bgx+ag)^m \left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) b+a\right)^p}{(dix+ci)^m c^2+2\,(dix+ci)^m\,cdx+(dix+ci)^m\,d^2x^2}dx\right)$$

input
```
int((b*g*x+a*g)^m*(d*i*x+c*i)^(-2-m)*(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p,
x)
```

output
```
 - int(((a*g + b*g*x)**m*(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p)/((
c*i + d*i*x)**m*c**2 + 2*(c*i + d*i*x)**m*c*d*x + (c*i + d*i*x)**m*d**2*x*
*2),x)
```

3.227 $\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$

Optimal result . . . 2514
Mathematica [F] . . . 2514
Rubi [A] (warning: unable to verify) . . . 2515
Maple [F] . . . 2517
Fricas [F] . . . 2517
Sympy [F(-1)] . . . 2517
Maxima [F] . . . 2518
Giac [F(-2)] . . . 2518
Mupad [F(-1)] . . . 2519
Reduce [F] . . . 2519

Optimal result

Integrand size = 50, antiderivative size = 194

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx =$$

$$-\frac{e^{\frac{A(1+m)}{Bn}}(a+bx)(g(a+bx))^{-2-m}(i(c+dx))^{2+m}\left(e(a+bx)^n(c+dx)^{-n}\right)^{\frac{1+m}{n}}\Gamma\left(1+p,\frac{(1+m)(A+B\log(e(a+b}{Bn}}{(bc-ad)i^2(1+m)(c}$$

output

```
-exp(A*(1+m)/B/n)*(b*x+a)*(g*(b*x+a))^(-2-m)*(i*(d*x+c))^(2+m)*(e*(b*x+a)^
n/((d*x+c)^n))^((1+m)/n)*GAMMA(p+1,(1+m)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))
/B/n)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(-a*d+b*c)/i^2/(1+m)/(d*x+c)/(((
1+m)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/n)^p)
```

Mathematica [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$
$$= \int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$

input

```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[(e*(a + b*x)^n
)/(c + d*x)^n])^p,x]
```

output
```
Integrate[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[(e*(a + b*x)^n
)/(c + d*x)^n])^p, x]
```

Rubi [A] (warning: unable to verify)

Time = 0.80 (sec) , antiderivative size = 190, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$, Rules used = {2973, 2963, 2747, 2612}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (ag+bgx)^{-m-2}(ci+dix)^m \left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^p dx$$

$$\downarrow 2973$$

$$\int (ag+bgx)^{-m-2}(ci+dix)^m \left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^p dx$$

$$\downarrow 2963$$

$$\frac{(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(\frac{a+bx}{c+dx}\right)^{m+2}\int \left(\frac{a+bx}{c+dx}\right)^{-m-2}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\frac{a+bx}{c+dx}}{i^2(bc-ad)}$$

$$\downarrow 2747$$

$$\frac{(a+bx)(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\int \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\log\left(\right.}{i^2n(c+dx)(bc-ad)}$$

$$\downarrow 2612$$

$$-\frac{(a+bx)e^{\frac{A(m+1)}{Bn}}(g(a+bx))^{-m-2}(i(c+dx))^{m+2}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^p\left(\frac{(m+1)\left(B\log\left(e\left(\frac{a+}{c+}\right.\right.\right.\right.}{Bn}}{i^2(m+1)(c+dx)(bc-ad)}$$

input
```
Int[(a*g + b*g*x)^(-2 - m)*(c*i + d*i*x)^m*(A + B*Log[(e*(a + b*x)^n)/(c +
 d*x)^n])^p,x]
```

output
```
-((E^((A*(1 + m))/(B*n))*(a + b*x)*(g*(a + b*x))^(-2 - m)*(e*((a + b*x)/(c
 + d*x))^n)^((1 + m)/n)*(i*(c + d*x))^(2 + m)*Gamma[1 + p, ((1 + m)*(A + B
*Log[e*((a + b*x)/(c + d*x))^n]))/(B*n)]*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p)/((b*c - a*d)*i^2*(1 + m)*(c + d*x)*(((1 + m)*(A + B*Log[e*((a + b
*x)/(c + d*x))^n]))/(B*n))^p))
```

Defintions of rubi rules used

rule 2612
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> Simp[(-F^(g*(e - c*(f/d))))*((c + d*x)^FracPart[m]/(d*((-f)*g*(Log[F]/d)
)^(IntPart[m] + 1)*((-f)*g*Log[F]*((c + d*x)/d))^FracPart[m]))*Gamma[m + 1,
 ((-f)*g*(Log[F]/d))*(c + d*x)], x] /; FreeQ[{F, c, d, e, f, g, m}, x] &&
!IntegerQ[m]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [F]

$$\int (bgx+ag)^{-2-m}(dix+ci)^m\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^p dx$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p,x
)
```

output
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p,x
)
```

Fricas [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$$
$$=\int (bgx+ag)^{-m-2}(dix+ci)^m\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="fricas")
```

output
```
integral((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m*(B*log((b*x + a)^n*e/(d*x
+ c)^n) + A)^p, x)
```

Sympy [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx=\text{Timed out}$$

input
```
integrate((b*g*x+a*g)**(-2-m)*(d*i*x+c*i)**m*(A+B*ln(e*(b*x+a)**n/((d*x+c)
**n)))**p,x)
```

output
```
Timed out
```

Maxima [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$
$$= \int (bgx+ag)^{-m-2}(dix+ci)^m \left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p dx$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="maxima")
```

output
```
integrate((b*g*x + a*g)^(-m - 2)*(d*i*x + c*i)^m*(B*log((b*x + a)^n*e/(d*x
 + c)^n) + A)^p, x)
```

Giac [F(-2)]

Exception generated.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m \left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p dx$$
$$= \text{Exception raised: RuntimeError}$$

input
```
integrate((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*(b*x+a)^n/((d*x+c)^n
)))^p,x, algorithm="giac")
```

output
```
Exception raised: RuntimeError >> an error occurred running a Giac command
:INPUT:sage2OUTPUT:Unable to divide, perhaps due to rounding error%%%{1,[0
,0,5,5,0,2,2,3,3,0,0,0,2]%%%}+%%%{-2,[0,0,5,4,1,3,1,3,3,0,0,0,2]%%%}+%%%{1
,[0,0,5,3,2,
```

Mupad [F(-1)]

Timed out.

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$$
$$=\int \frac{(c\,i+d\,i\,x)^m\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^p}{(a\,g+b\,g\,x)^{m+2}}\,dx$$

input
```
int(((c*i + d*i*x)^m*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p)/(a*g + b*
g*x)^(m + 2),x)
```

output
```
int(((c*i + d*i*x)^m*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p)/(a*g + b*
g*x)^(m + 2), x)
```

Reduce [F]

$$\int (ag+bgx)^{-2-m}(ci+dix)^m\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p\,dx$$
$$=\frac{\int \frac{(dix+ci)^m\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)^p}{(bgx+ag)^m a^2+2(bgx+ag)^m abx+(bgx+ag)^m b^2x^2}dx}{g^2}$$

input
```
int((b*g*x+a*g)^(-2-m)*(d*i*x+c*i)^m*(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p,
x)
```

output
```
int(((c*i + d*i*x)**m*(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p)/((a*g
 + b*g*x)**m*a**2 + 2*(a*g + b*g*x)**m*a*b*x + (a*g + b*g*x)**m*b**2*x**2)
,x)/g**2
```

3.228 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2520
Mathematica [A] (verified) . . . 2520
Rubi [A] (warning: unable to verify) . . . 2521
Maple [A] (verified) . . . 2522
Fricas [B] (verification not implemented) . . . 2523
Sympy [F(-1)] . . . 2524
Maxima [B] (verification not implemented) . . . 2524
Giac [F] . . . 2525
Mupad [B] (verification not implemented) . . . 2526
Reduce [B] (verification not implemented) . . . 2526

Optimal result

Integrand size = 40, antiderivative size = 45

$$\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{4B(bc-ad)n}$$

output
```
1/4*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^4/B/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.96

$$\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{4(bBcn-aBdn)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/((a + b*x)*(c + d*x))
,x]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^4/(4*(b*B*c*n - a*B*d*n))
```

Rubi [A] (warning: unable to verify)

Time = 0.46 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.76, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^3}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^3}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{a+bx}\,d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(a+bx)^3}{(c+dx)^3}\,d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 15$$

$$\frac{(a+bx)^4}{4Bn(c+dx)^4(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/((a + b*x)*(c + d*x)),x]
```

output
```
(a + b*x)^4/(4*B*(b*c - a*d)*n*(c + d*x)^4)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 39.29 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

method	result
derivativedivides	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^4}{4n(da-bc)B}$
default	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^4}{4n(da-bc)B}$
parallelrisch	$-\frac{B^3\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^4b^2d^2+4AB^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^3b^2d^2+6A^2B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2b^2d^2+4}{4nb^2d^2(da-bc)}$
parts	$\frac{A^3\ln(dx+c)}{da-bc}-\frac{A^3\ln(bx+a)}{da-bc}-\frac{B^3\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^4}{4n(da-bc)}-\frac{AB^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^3}{n(da-bc)}-\frac{3A^2B\ln\left(e(b}{2}$
risch	Expression too large to display

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/(b*x+a)/(d*x+c),x,method=_RETURNVE
RBOSE)
```

output
```
-1/4/n/(a*d-b*c)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^4/B
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 375 vs. $2(43) = 86$.

Time $= 0.10$ (sec) , antiderivative size $= 375$, normalized size of antiderivative $= 8.33$

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(a+bx)(c+dx)}\,dx$$
$$= \frac{B^3n^3\log(bx+a)^4 + B^3n^3\log(dx+c)^4 + 4\left(B^3n^2\log(e) + AB^2n^2\right)\log(bx+a)^3 - 4\left(B^3n^3\log(bx+a)\right.}{}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(b*x+a)/(d*x+c),x, algorith
m="fricas")
```

output
```
1/4*(B^3*n^3*log(b*x + a)^4 + B^3*n^3*log(d*x + c)^4 + 4*(B^3*n^2*log(e) +
 A*B^2*n^2)*log(b*x + a)^3 - 4*(B^3*n^3*log(b*x + a) + B^3*n^2*log(e) + A*
B^2*n^2)*log(d*x + c)^3 + 6*(B^3*n*log(e)^2 + 2*A*B^2*n*log(e) + A^2*B*n)*
log(b*x + a)^2 + 6*(B^3*n^3*log(b*x + a)^2 + B^3*n*log(e)^2 + 2*A*B^2*n*lo
g(e) + A^2*B*n + 2*(B^3*n^2*log(e) + A*B^2*n^2)*log(b*x + a))*log(d*x + c)
^2 + 4*(B^3*log(e)^3 + 3*A*B^2*log(e)^2 + 3*A^2*B*log(e) + A^3)*log(b*x +
a) - 4*(B^3*n^3*log(b*x + a)^3 + B^3*log(e)^3 + 3*A*B^2*log(e)^2 + 3*A^2*B
*log(e) + A^3 + 3*(B^3*n^2*log(e) + A*B^2*n^2)*log(b*x + a)^2 + 3*(B^3*n*l
og(e)^2 + 2*A*B^2*n*log(e) + A^2*B*n)*log(b*x + a))*log(d*x + c))/(b*c - a
*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^3}{(a + bx)(c + dx)}\, dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**3/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 766 vs. $2(43) = 86$.

Time = 0.10 (sec) , antiderivative size = 766, normalized size of antiderivative = 17.02

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^3}{(a + bx)(c + dx)}\, dx = \text{Too large to display}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output

```
B^3*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log((b*x + a)^n*
e/(d*x + c)^n)^3 + 3*A*B^2*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c -
 a*d))*log((b*x + a)^n*e/(d*x + c)^n)^2 + 3*A^2*B*(log(b*x + a)/(b*c - a*d
) - log(d*x + c)/(b*c - a*d))*log((b*x + a)^n*e/(d*x + c)^n) - 1/4*B^3*(6*
(e*n*log(b*x + a)^2 - 2*e*n*log(b*x + a)*log(d*x + c) + e*n*log(d*x + c)^2
)*log((b*x + a)^n*e/(d*x + c)^n)^2/((b*c - a*d)*e) - (4*(e^2*n^2*log(b*x +
 a)^3 - 3*e^2*n^2*log(b*x + a)^2*log(d*x + c) + 3*e^2*n^2*log(b*x + a)*log
(d*x + c)^2 - e^2*n^2*log(d*x + c)^3)*log((b*x + a)^n*e/(d*x + c)^n)/((b*c
 - a*d)*e) - (e^3*n^3*log(b*x + a)^4 - 4*e^3*n^3*log(b*x + a)^3*log(d*x +
c) + 6*e^3*n^3*log(b*x + a)^2*log(d*x + c)^2 - 4*e^3*n^3*log(b*x + a)*log(
d*x + c)^3 + e^3*n^3*log(d*x + c)^4)/((b*c - a*d)*e^2))/e) + A^3*(log(b*x
+ a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d)) - A*B^2*(3*(e*n*log(b*x + a)^
2 - 2*e*n*log(b*x + a)*log(d*x + c) + e*n*log(d*x + c)^2)*log((b*x + a)^n*
e/(d*x + c)^n)/((b*c - a*d)*e) - (e^2*n^2*log(b*x + a)^3 - 3*e^2*n^2*log(b
*x + a)^2*log(d*x + c) + 3*e^2*n^2*log(b*x + a)*log(d*x + c)^2 - e^2*n^2*l
og(d*x + c)^3)/((b*c - a*d)*e^2)) - 3/2*(e*n*log(b*x + a)^2 - 2*e*n*log(b*
x + a)*log(d*x + c) + e*n*log(d*x + c)^2)*A^2*B/((b*c - a*d)*e)
```

Giac [F]

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(a+bx)(c+dx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A\right)^3}{(bx+a)(dx+c)}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(b*x+a)/(d*x+c),x, algorith
m="giac")
```

output

```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^3/((b*x + a)*(d*x + c)),
x)
```

Mupad [B] (verification not implemented)

Time = 28.67 (sec) , antiderivative size = 141, normalized size of antiderivative = 3.13

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(a+bx)(c+dx)}\,dx$$
$$= -\frac{\frac{3A^2B\ln\left(\frac{e(a+bx)^n}{(c+dx)^n}\right)^2}{2} + AB^2\ln\left(\frac{e(a+bx)^n}{(c+dx)^n}\right)^3 + \frac{B^3\ln\left(\frac{e(a+bx)^n}{(c+dx)^n}\right)^4}{4}}{n\,(ad-bc)}$$
$$+ \frac{A^3\,\mathrm{atan}\left(\frac{ad\,1i+bc\,1i+bdx\,2i}{ad-bc}\right)\,2i}{ad-bc}$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3/((a + b*x)*(c + d*x)),x)
```

output
```
(A^3*atan((a*d*1i + b*c*1i + b*d*x*2i)/(a*d - b*c))*2i)/(a*d - b*c) - ((B^
3*log((e*(a + b*x)^n)/(c + d*x)^n)^4)/4 + (3*A^2*B*log((e*(a + b*x)^n)/(c
 + d*x)^n)^2)/2 + A*B^2*log((e*(a + b*x)^n)/(c + d*x)^n)^3)/(n*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 120, normalized size of antiderivative = 2.67

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-4\log(bx+a)\,a^3n + 4\log(dx+c)\,a^3n - \log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^4 b^3 - 4\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^3 a\,b^2 - 6\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2 a^2b}{4n\,(ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(b*x+a)/(d*x+c),x)
```

output
```
( - 4*log(a + b*x)*a**3*n + 4*log(c + d*x)*a**3*n - log(((a + b*x)**n*e)/(
c + d*x)**n)**4*b**3 - 4*log(((a + b*x)**n*e)/(c + d*x)**n)**3*a*b**2 - 6*
log(((a + b*x)**n*e)/(c + d*x)**n)**2*a**2*b)/(4*n*(a*d - b*c))
```

3.229 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2527
Mathematica [A] (verified) . . . 2527
Rubi [A] (warning: unable to verify) . . . 2528
Maple [A] (verified) . . . 2529
Fricas [B] (verification not implemented) . . . 2530
Sympy [F(-1)] . . . 2530
Maxima [B] (verification not implemented) . . . 2531
Giac [F] . . . 2532
Mupad [B] (verification not implemented) . . . 2532
Reduce [B] (verification not implemented) . . . 2533

Optimal result

Integrand size = 40, antiderivative size = 45

$$\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{3B(bc-ad)n}$$

output
```
1/3*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/B/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.96

$$\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{3(bBcn-aBdn)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/((a + b*x)*(c + d*x))
,x]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/(3*(b*B*c*n - a*B*d*n))
```

Rubi [A] (warning: unable to verify)

Time = 0.46 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.76, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^2}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^2}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{a+bx}\,d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(a+bx)^2}{(c+dx)^2}\,d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 15$$

$$\frac{(a+bx)^3}{3Bn(c+dx)^3(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/((a + b*x)*(c + d*x)),x]
```

output
```
(a + b*x)^3/(3*B*(b*c - a*d)*n*(c + d*x)^3)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 6.62 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

method	result	siz
derivativedivides	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^3}{3n(da-bc)B}$	44
default	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^3}{3n(da-bc)B}$	44
parallelrisch	$-\frac{B^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^3b^2d^2+3AB\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2b^2d^2+3A^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)b^2d^2}{3n\,b^2d^2(da-bc)}$	11
parts	$\frac{A^2\ln(dx+c)}{da-bc}-\frac{A^2\ln(bx+a)}{da-bc}-\frac{B^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^3}{3n(da-bc)}-\frac{AB\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2}{n(da-bc)}$	12
risch	Expression too large to display	11

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/(b*x+a)/(d*x+c),x,method=_RETURNVE
RBOSE)
```

output
```
-1/3/n/(a*d-b*c)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/B
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 188 vs. $2(43) = 86$.

Time $= 0.09$ (sec) , antiderivative size $= 188$, normalized size of antiderivative $= 4.18$

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(a+bx)(c+dx)}\,dx$$
$$= \frac{B^2n^2\log(bx+a)^3 - B^2n^2\log(dx+c)^3 + 3\left(B^2n\log(e) + ABn\right)\log(bx+a)^2 + 3\left(B^2n^2\log(bx+a) +\right.}{}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(b*x+a)/(d*x+c),x, algorith
m="fricas")
```

output
```
1/3*(B^2*n^2*log(b*x + a)^3 - B^2*n^2*log(d*x + c)^3 + 3*(B^2*n*log(e) + A
*B*n)*log(b*x + a)^2 + 3*(B^2*n^2*log(b*x + a) + B^2*n*log(e) + A*B*n)*log
(d*x + c)^2 + 3*(B^2*log(e)^2 + 2*A*B*log(e) + A^2)*log(b*x + a) - 3*(B^2*
n^2*log(b*x + a)^2 + B^2*log(e)^2 + 2*A*B*log(e) + A^2 + 2*(B^2*n*log(e) +
 A*B*n)*log(b*x + a))*log(d*x + c))/(b*c - a*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**2/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 387 vs. $2(43) = 86$.

Time $= 0.06$ (sec) , antiderivative size $= 387$, normalized size of antiderivative $= 8.60$

$$\int \frac{\left(A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(a+bx)(c+dx)}\,dx$$
$$= B^2\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2$$
$$+ 2AB\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)$$
$$+ A^2\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)$$
$$-\frac{1}{3}B^2\left(\frac{3\left(en\log(bx+a)^2 - 2en\log(bx+a)\log(dx+c) + en\log(dx+c)^2\right)\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{(bc-ad)e} - \frac{e^2n^2\log}{}\right.$$
$$\left. - \frac{\left(en\log(bx+a)^2 - 2en\log(bx+a)\log(dx+c) + en\log(dx+c)^2\right)AB}{(bc-ad)e}\right.$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
B^2*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log((b*x + a)^n*e/(d*x + c)^n)^2 + 2*A*B*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log((b*x + a)^n*e/(d*x + c)^n) + A^2*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d)) - 1/3*B^2*(3*(e*n*log(b*x + a)^2 - 2*e*n*log(b*x + a)*log(d*x + c) + e*n*log(d*x + c)^2)*log((b*x + a)^n*e/(d*x + c)^n)/((b*c - a*d)*e) - (e^2*n^2*log(b*x + a)^3 - 3*e^2*n^2*log(b*x + a)^2*log(d*x + c) + 3*e^2*n^2*log(b*x + a)*log(d*x + c)^2 - e^2*n^2*log(d*x + c)^3)/((b*c - a*d)*e^2)) - (e*n*log(b*x + a)^2 - 2*e*n*log(b*x + a)*log(d*x + c) + e*n*log(d*x + c)^2)*A*B/((b*c - a*d)*e)
```

Giac [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(a+bx)(c+dx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}{(bx+a)(dx+c)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(b*x+a)/(d*x+c),x, algorithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^2/((b*x + a)*(d*x + c)), x)
```

Mupad [B] (verification not implemented)

Time = 27.15 (sec) , antiderivative size = 100, normalized size of antiderivative = 2.22

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(a+bx)(c+dx)}\,dx$$
$$= -\frac{-6\mathrm{i}\,n\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,A^2+3\,A\,B\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)^2+B^2\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)^3}{3\,n\,(a\,d-b\,c)}$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2/((a + b*x)*(c + d*x)),x)
```

output
```
-(B^2*log((e*(a + b*x)^n)/(c + d*x)^n)^3 + 3*A*B*log((e*(a + b*x)^n)/(c + d*x)^n)^2 - A^2*n*atan((b*c*2i + b*d*x*2i)/(a*d - b*c) + 1i)*6i)/(3*n*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 91, normalized size of antiderivative = 2.02

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^2}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-3\log(bx+a)\,a^2n+3\log(dx+c)\,a^2n-\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^3b^2-3\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2ab}{3n\,(ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(b*x+a)/(d*x+c),x)
```

output
```
( - 3*log(a + b*x)*a**2*n + 3*log(c + d*x)*a**2*n - log(((a + b*x)**n*e)/(
c + d*x)**n)**3*b**2 - 3*log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b)/(3*n*(
a*d - b*c))
```

3.230 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx$

Optimal result 2534
Mathematica [A] (verified) 2534
Rubi [A] (warning: unable to verify) 2535
Maple [A] (verified) 2536
Fricas [A] (verification not implemented) 2537
Sympy [F(-1)] 2537
Maxima [B] (verification not implemented) 2537
Giac [F] 2538
Mupad [B] (verification not implemented) 2539
Reduce [B] (verification not implemented) 2539

Optimal result

Integrand size = 38, antiderivative size = 45

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{2B(bc-ad)n}$$

output
```
1/2*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/B/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.96

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx = \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{2(bBcn-aBdn)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/((a + b*x)*(c + d*x)),x
]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/(2*(b*B*c*n - a*B*d*n))
```

Rubi [A] (warning: unable to verify)

Time = 0.40 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {2973, 2961, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log\left(e(a+bx)^n(c+dx)^{-n}\right)+A}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{B \log\left(e(a+bx)^n(c+dx)^{-n}\right)+A}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a+bx}\,d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2738$$

$$\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{2Bn(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/((a + b*x)*(c + d*x)),x]
```

output
```
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^2/(2*B*(b*c - a*d)*n)
```

Defintions of rubi rules used

rule 2738
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] :> Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 4.46 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.38

method	result	size
derivativedivides	$-\frac{\frac{B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2}{2}+\ln\left(e(bx+a)^n(dx+c)^{-n}\right)A}{n(da-bc)}$	62
default	$-\frac{\frac{B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2}{2}+\ln\left(e(bx+a)^n(dx+c)^{-n}\right)A}{n(da-bc)}$	62
parts	$\frac{A\ln(dx+c)}{da-bc}-\frac{\ln(bx+a)A}{da-bc}-\frac{B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2}{2n(da-bc)}$	76
parallelrisch	$-\frac{B\,a^2c^2\ln\left(e(bx+a)^n(dx+c)^{-n}\right)^2+2A\ln\left(e(bx+a)^n(dx+c)^{-n}\right)a^2c^2}{2a^2c^2n(da-bc)}$	80
risch	Expression too large to display	1153

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/(b*x+a)/(d*x+c),x,method=_RETURNVERB
OSE)
```

output

```
-1/n/(a*d-b*c)*(1/2*B*ln(e*(b*x+a)^n/((d*x+c)^n))^2+ln(e*(b*x+a)^n/((d*x+c
)^n))*A)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.60

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{Bn\log(bx+a)^2 + Bn\log(dx+c)^2 + 2\left(B\log(e)+A\right)\log(bx+a) - 2\left(Bn\log(bx+a) + B\log(e) + \right.}{2(bc-ad)}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(b*x+a)/(d*x+c),x, algorithm=
"fricas")
```

output
```
1/2*(B*n*log(b*x + a)^2 + B*n*log(d*x + c)^2 + 2*(B*log(e) + A)*log(b*x +
a) - 2*(B*n*log(b*x + a) + B*log(e) + A)*log(d*x + c))/(b*c - a*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 151 vs. $2(43) = 86$.

Time = 0.04 (sec) , antiderivative size = 151, normalized size of antiderivative = 3.36

$$\begin{aligned}
&\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx \\
&= B\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) \\
&\quad + A\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right) \\
&\quad - \frac{\left(en\log(bx+a)^2 - 2\,en\log(bx+a)\log(dx+c) + en\log(dx+c)^2\right)B}{2(bc-ad)e}
\end{aligned}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(b*x+a)/(d*x+c),x, algorithm=
"maxima")
```

output
```
B*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log((b*x + a)^n*e/
(d*x + c)^n) + A*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d)) - 1
/2*(e*n*log(b*x + a)^2 - 2*e*n*log(b*x + a)*log(d*x + c) + e*n*log(d*x + c
)^2)*B/((b*c - a*d)*e)
```

Giac [F]

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{(bx+a)(dx+c)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(b*x+a)/(d*x+c),x, algorithm=
"giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)/((b*x + a)*(d*x + c)), x)
```

Mupad [B] (verification not implemented)

Time = 26.30 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.58

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx = -\frac{B\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)^2 - A\,n\,\mathrm{atan}\left(\frac{b\,c\,2\mathrm{i}+b\,d\,x\,2\mathrm{i}}{a\,d-b\,c}+1\mathrm{i}\right)\,4\mathrm{i}}{2\,n\,\left(a\,d-b\,c\right)}$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/((a + b*x)*(c + d*x)),x)
```

output
```
-(B*log((e*(a + b*x)^n)/(c + d*x)^n)^2 - A*n*atan((b*c*2i + b*d*x*2i)/(a*d
 - b*c) + 1i)*4i)/(2*n*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.33

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-2\log(bx+a)\,an + 2\log(dx+c)\,an - \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b}{2n\,(ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(b*x+a)/(d*x+c),x)
```

output
```
( - 2*log(a + b*x)*a*n + 2*log(c + d*x)*a*n - log(((a + b*x)**n*e)/(c + d*
x)**n)**2*b)/(2*n*(a*d - b*c))
```

3.231 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$

Optimal result . . . 2540
Mathematica [A] (verified) . . . 2540
Rubi [A] (warning: unable to verify) . . . 2541
Maple [A] (verified) . . . 2542
Fricas [A] (verification not implemented) . . . 2543
Sympy [F(-1)] . . . 2543
Maxima [A] (verification not implemented) . . . 2544
Giac [A] (verification not implemented) . . . 2544
Mupad [B] (verification not implemented) . . . 2545
Reduce [B] (verification not implemented) . . . 2545

Optimal result

Integrand size = 40, antiderivative size = 41

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{B(bc-ad)n}$$

output
```
ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.95

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{bBcn-aBdn}$$

input
```
Integrate[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]))
,x]
```

output
```
Log[A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]]/(b*B*c*n - a*B*d*n)
```

Rubi [A] (warning: unable to verify)

Time = 0.48 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{\frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}}{bc-ad}d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{c+dx}{a+bx}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 14$$

$$\frac{\log\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{Bn(bc-ad)}$$

input
```
Int[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])),x]
```

output
```
Log[A + B*Log[e*((a + b*x)/(c + d*x))^n]]/(B*(b*c - a*d)*n)
```

Defintions of rubi rules used

rule 14
```
Int[(a_.)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 24.73 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.05

method	result
derivativedivides	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
default	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
parallelrisch	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
risch	$-\frac{\ln\left(\ln((bx+a)^n)+\frac{-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}(i(bx+a)^n)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+a)^n\right)+iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(dx+c)\right.\right.}{\left.\left.}\right)}{}$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x,method=_RETURNVE
RBOSE)
```

output
```
-1/n/(a*d-b*c)*ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.10

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-Bn\log\left(bx+a\right)+Bn\log\left(dx+c\right)-B\log\left(e\right)-A\right)}{(Bbc-Bad)n}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorith
m="fricas")
```

output
```
log(-B*n*log(b*x + a) + B*n*log(d*x + c) - B*log(e) - A)/((B*b*c - B*a*d)*
n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n))),x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.20

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-\frac{B\log((bx+a)^n)-B\log((dx+c)^n)+B\log(e)+A}{B}\right)}{(bcn-adn)B}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorithm="maxima")
```

output
```
log(-(B*log((b*x + a)^n) - B*log((d*x + c)^n) + B*log(e) + A)/B)/((b*c*n - a*d*n)*B)
```

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(Bn\log\left(bx+a\right)-Bn\log\left(dx+c\right)+B\log\left(e\right)+A\right)}{Bbcn-Badn}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorithm="giac")
```

output
```
log(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)/(B*b*c*n - B*a*d*n)
```

Mupad [B] (verification not implemented)

Time = 25.79 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\ln\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)}{B\,a\,d\,n-B\,b\,c\,n}$$

input
```
int(1/((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))*(a + b*x)*(c + d*x)),x)
```

output
```
-log(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(B*a*d*n - B*b*c*n)
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.02

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\log\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bn\,(ad-bc)}$$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x)
```

output
```
( - log(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a))/(b*n*(a*d - b*c))
```

3.232 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}\,dx$

Optimal result . . . 2546
Mathematica [A] (verified) . . . 2546
Rubi [A] (warning: unable to verify) . . . 2547
Maple [A] (verified) . . . 2548
Fricas [A] (verification not implemented) . . . 2549
Sympy [F(-1)] . . . 2549
Maxima [A] (verification not implemented) . . . 2550
Giac [B] (verification not implemented) . . . 2550
Mupad [B] (verification not implemented) . . . 2551
Reduce [B] (verification not implemented) . . . 2551

Optimal result

Integrand size = 40, antiderivative size = 43

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = -\frac{1}{B(bc-ad)n\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}$$

output
```
-1/B/(-a*d+b*c)/n/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 41, normalized size of antiderivative = 0.95

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = -\frac{1}{(bBcn-aBdn)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}$$

input
```
Integrate[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^
2),x]
```

output
```
-(1/((b*B*c*n - a*B*d*n)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])))
```

Rubi [A] (warning: unable to verify)

Time = 0.48 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.70, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}\,dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(c+dx)^2}{(a+bx)^2}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 15$$

$$-\frac{c+dx}{Bn(a+bx)(bc-ad)}$$

input
```
Int[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2),x]
```

output
```
-((c + d*x)/(B*(b*c - a*d)*n*(a + b*x)))
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 72.10 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00

method	result
derivativedivides	$\frac{1}{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)Bn(da-bc)}$
default	$\frac{1}{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)Bn(da-bc)}$
parallelrisch	$\frac{1}{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)Bn(da-bc)}$
risch	$\frac{}{Bn(da-bc)\left(2A+2B\ln(e)-2B\ln((dx+c)^n)+2B\ln((bx+a)^n)-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}(i(bx+a)^n)\mathrm{csgn}\left(i(dx+c)\right.\right.$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2,x,method=_RETURN
VERBOSE)
```

output
```
1/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/n/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 86, normalized size of antiderivative = 2.00

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx =$$
$$-\frac{1}{(B^2bc-B^2ad)n^2\log(bx+a)-(B^2bc-B^2ad)n^2\log(dx+c)+(B^2bc-B^2ad)n\log(e)+(ABbc-A$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, algori
thm="fricas")
```

output
```
-1/((B^2*b*c - B^2*a*d)*n^2*log(b*x + a) - (B^2*b*c - B^2*a*d)*n^2*log(d*x
 + c) + (B^2*b*c - B^2*a*d)*n*log(e) + (A*B*b*c - A*B*a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**2,x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.88

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = -\frac{1}{(bcn-adn)B^2\log\left((bx+a)^n\right)-(bcn-adn)B^2\log\left((dx+c)^n\right)+(bcn-adn)AB+(bcn\log(e)-ad}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, algori
thm="maxima")
```

output
```
-1/((b*c*n - a*d*n)*B^2*log((b*x + a)^n) - (b*c*n - a*d*n)*B^2*log((d*x +
c)^n) + (b*c*n - a*d*n)*A*B + (b*c*n*log(e) - a*d*n*log(e))*B^2)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 99 vs. 2(43) = 86.

Time = 0.11 (sec) , antiderivative size = 99, normalized size of antiderivative = 2.30

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = -\frac{1}{B^2bcn^2\log(bx+a)-B^2adn^2\log(bx+a)-B^2bcn^2\log(dx+c)+B^2adn^2\log(dx+c)+B^2bcn\log(}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, algori
thm="giac")
```

output
```
-1/(B^2*b*c*n^2*log(b*x + a) - B^2*a*d*n^2*log(b*x + a) - B^2*b*c*n^2*log(
d*x + c) + B^2*a*d*n^2*log(d*x + c) + B^2*b*c*n*log(e) - B^2*a*d*n*log(e)
+ A*B*b*c*n - A*B*a*d*n)
```

Mupad [B] (verification not implemented)

Time = 25.79 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.98

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \frac{1}{B\,n\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)\,(a\,d-b\,c)}$$

input
```
int(1/((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2*(a + b*x)*(c + d*x)),x)
```

output
```
1/(B*n*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))*(a*d - b*c))
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 88, normalized size of antiderivative = 2.05

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = -\frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{an\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)abd-\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b^2c+a^2d-abc\right)}$$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x)
```

output
```
( - log(((a + b*x)**n*e)/(c + d*x)**n))/(a*n*(log(((a + b*x)**n*e)/(c + d*
x)**n)*a*b*d - log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c + a**2*d - a*b*c)
)
```

3.233 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}\,dx$

Optimal result . . . 2552
Mathematica [A] (verified) . . . 2552
Rubi [A] (warning: unable to verify) . . . 2553
Maple [A] (verified) . . . 2554
Fricas [B] (verification not implemented) . . . 2555
Sympy [F(-1)] . . . 2555
Maxima [B] (verification not implemented) . . . 2556
Giac [B] (verification not implemented) . . . 2556
Mupad [B] (verification not implemented) . . . 2557
Reduce [B] (verification not implemented) . . . 2557

Optimal result

Integrand size = 40, antiderivative size = 45

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx = -\frac{1}{2B(bc-ad)n\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}$$

output
```
-1/2/B/(-a*d+b*c)/n/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.96

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx = -\frac{1}{2(bBcn-aBdn)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}$$

input
```
Integrate[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^
3),x]
```

output
```
-1/2*1/((b*B*c*n - a*B*d*n)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2)
```

Rubi [A] (warning: unable to verify)

Time = 0.50 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.76, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^3}\,dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^3}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{\frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}d\frac{a+bx}{c+dx}}{bc-ad}}{}$$

$$\downarrow 2739$$

$$\frac{\int \frac{(c+dx)^3}{(a+bx)^3}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 15$$

$$-\frac{(c+dx)^2}{2Bn(a+bx)^2(bc-ad)}$$

input
```
Int[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3),x]
```

output
```
-1/2*(c + d*x)^2/(B*(b*c - a*d)*n*(a + b*x)^2)
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 181.95 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

method	result
derivativedivides	$\frac{1}{2\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^2 Bn(da-bc)}$
default	$\frac{1}{2\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^2 Bn(da-bc)}$
parallelrisch	$\frac{1}{2\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^2 Bn(da-bc)}$
risch	$\frac{}{Bn(da-bc)\left(2A+2B\ln(e)-2B\ln((dx+c)^n)+2B\ln((bx+a)^n)-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}(i(bx+a)^n)\mathrm{csgn}\left(i(dx+c\right.\right.$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3,x,method=_RETURN
VERBOSE)
```

output
```
1/2/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/B/n/(a*d-b*c)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 238 vs. $2(43) = 86$.

Time $= 0.08$ (sec) , antiderivative size $= 238$, normalized size of antiderivative $= 5.29$

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx =$$

$$-\frac{}{2\left((B^3bc-B^3ad)n^3\log(bx+a)^2+(B^3bc-B^3ad)n^3\log(dx+c)^2+(B^3bc-B^3ad)n\log(e)^2+2(A$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3,x, algori
thm="fricas")
```

output
```
-1/2/((B^3*b*c - B^3*a*d)*n^3*log(b*x + a)^2 + (B^3*b*c - B^3*a*d)*n^3*log
(d*x + c)^2 + (B^3*b*c - B^3*a*d)*n*log(e)^2 + 2*(A*B^2*b*c - A*B^2*a*d)*n
*log(e) + (A^2*B*b*c - A^2*B*a*d)*n + 2*((B^3*b*c - B^3*a*d)*n^2*log(e) +
(A*B^2*b*c - A*B^2*a*d)*n^2)*log(b*x + a) - 2*((B^3*b*c - B^3*a*d)*n^3*log
(b*x + a) + (B^3*b*c - B^3*a*d)*n^2*log(e) + (A*B^2*b*c - A*B^2*a*d)*n^2)*
log(d*x + c))
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**3,x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 220 vs. $2(43) = 86$.

Time = 0.23 (sec) , antiderivative size = 220, normalized size of antiderivative = 4.89

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx =$$

$$-\frac{}{2\left((bcn-adn)B^3\log\left((bx+a)^n\right)^2+(bcn-adn)B^3\log\left((dx+c)^n\right)^2+(bcn-adn)A^2B+2\,(bcn\log($$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3,x, algori
thm="maxima")
```

output
```
-1/2/((b*c*n - a*d*n)*B^3*log((b*x + a)^n)^2 + (b*c*n - a*d*n)*B^3*log((d*
x + c)^n)^2 + (b*c*n - a*d*n)*A^2*B + 2*(b*c*n*log(e) - a*d*n*log(e))*A*B^
2 + (b*c*n*log(e)^2 - a*d*n*log(e)^2)*B^3 + 2*((b*c*n - a*d*n)*A*B^2 + (b*
c*n*log(e) - a*d*n*log(e))*B^3)*log((b*x + a)^n) - 2*((b*c*n - a*d*n)*B^3*
log((b*x + a)^n) + (b*c*n - a*d*n)*A*B^2 + (b*c*n*log(e) - a*d*n*log(e))*B
^3)*log((d*x + c)^n))
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 321 vs. $2(43) = 86$.

Time = 0.13 (sec) , antiderivative size = 321, normalized size of antiderivative = 7.13

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx =$$

$$-\frac{}{2\left(B^3bcn^3\log\left(bx+a\right)^2-B^3adn^3\log\left(bx+a\right)^2-2\,B^3bcn^3\log\left(bx+a\right)\log\left(dx+c\right)+2\,B^3adn^3\log\left(b\right.\right.}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3,x, algori
thm="giac")
```

output
```
-1/2/(B^3*b*c*n^3*log(b*x + a)^2 - B^3*a*d*n^3*log(b*x + a)^2 - 2*B^3*b*c*
n^3*log(b*x + a)*log(d*x + c) + 2*B^3*a*d*n^3*log(b*x + a)*log(d*x + c) +
B^3*b*c*n^3*log(d*x + c)^2 - B^3*a*d*n^3*log(d*x + c)^2 + 2*B^3*b*c*n^2*lo
g(b*x + a)*log(e) - 2*B^3*a*d*n^2*log(b*x + a)*log(e) - 2*B^3*b*c*n^2*log(
d*x + c)*log(e) + 2*B^3*a*d*n^2*log(d*x + c)*log(e) + 2*A*B^2*b*c*n^2*log(
b*x + a) - 2*A*B^2*a*d*n^2*log(b*x + a) - 2*A*B^2*b*c*n^2*log(d*x + c) + 2
*A*B^2*a*d*n^2*log(d*x + c) + B^3*b*c*n*log(e)^2 - B^3*a*d*n*log(e)^2 + 2*
A*B^2*b*c*n*log(e) - 2*A*B^2*a*d*n*log(e) + A^2*B*b*c*n - A^2*B*a*d*n)
```

Mupad [B] (verification not implemented)

Time = 25.73 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.60

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx = \frac{1}{2\,B\,n\,(a\,d-b\,c)\left(A^2+2\,A\,B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)+B^2\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)^2\right)}$$

input
```
int(1/((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3*(a + b*x)*(c + d*x)),x)
```

output
```
1/(2*B*n*(a*d - b*c)*(B^2*log((e*(a + b*x)^n)/(c + d*x)^n)^2 + A^2 + 2*A*B
*log((e*(a + b*x)^n)/(c + d*x)^n)))
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 129, normalized size of antiderivative = 2.87

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}\,dx = \frac{1}{2bn\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 a\,b^2d-\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)^2 b^3c+2\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a^2bd-2\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)a\,b^2c+a^3d-a\right.}$$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3,x)
```

output

```
1/(2*b*n*(log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*d - log(((a + b*x)*
**n*e)/(c + d*x)**n)**2*b**3*c + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*
b*d - 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c + a**3*d - a**2*b*c))
```

3.234 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2559
Mathematica [A] (verified) . . . 2559
Rubi [A] (warning: unable to verify) . . . 2560
Maple [A] (verified) . . . 2561
Fricas [A] (verification not implemented) . . . 2562
Sympy [F(-1)] . . . 2562
Maxima [F] . . . 2563
Giac [A] (verification not implemented) . . . 2563
Mupad [F(-1)] . . . 2564
Reduce [B] (verification not implemented) . . . 2564

Optimal result

Integrand size = 40, antiderivative size = 49

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^{1+p}}{B(bc-ad)n(1+p)}$$

output
```
(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^(p+1)/B/(-a*d+b*c)/n/(p+1)
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 47, normalized size of antiderivative = 0.96

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^{1+p}}{(bBcn-aBdn)(1+p)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/((a + b*x)*(c + d*x))
,x]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^(1 + p)/((b*B*c*n - a*B*d*n)*(1 +
 p))
```

Rubi [A] (warning: unable to verify)

Time = 0.53 (sec) , antiderivative size = 48, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B \log (e(a+bx)^n (c+dx)^{-n}) + A)^p}{(a+bx)(c+dx)}\, dx$$

$$\downarrow 2973$$

$$\int \frac{(B \log (e(a+bx)^n (c+dx)^{-n}) + A)^p}{(a+bx)(c+dx)} dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p}{a+bx} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 15$$

$$\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^{p+1}}{Bn(p+1)(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/((a + b*x)*(c + d*x)),x]
```

output
```
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^(1 + p)/(B*(b*c - a*d)*n*(1 + p))
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 272.59 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.04

method	result	s
derivativedivides	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^{p+1}}{n(da-bc)B(p+1)}$	5
default	$-\frac{\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^{p+1}}{n(da-bc)B(p+1)}$	5
parallelrisch	$-\frac{B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^p a^2c^2+A\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)^p a^2c^2}{(adp-bcp+da-bc)B\,a^2c^2n}$	1

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*x+a)/(d*x+c),x,method=_RETURNVE
RBOSE)
```

output
```
-1/n/(a*d-b*c)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^(p+1)/B/(p+1)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.65

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx$$
$$= \frac{(Bn\log(bx+a) - Bn\log(dx+c) + B\log(e) + A)(Bn\log(bx+a) - Bn\log(dx+c) + B\log(e) + A}{(Bbc - Bad)np + (Bbc - Bad)n}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*x+a)/(d*x+c),x, algorithm="fricas")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)*(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)^p/((B*b*c - B*a*d)*n*p + (B*b*c - B*a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**p/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p}{(bx+a)(dx+c)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^p/((b*x + a)*(d*x + c)), x)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.00

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \frac{(Bn\log(bx+a)-Bn\log(dx+c)+B\log(e)+A)^{p+1}}{(Bbcn-Badn)(p+1)}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*x+a)/(d*x+c),x, algorithm="giac")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)^(p + 1)/((B*b*c*n - B*a*d*n)*(p + 1))
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^p}{(a+b\,x)\,(c+d\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/((a + b*x)*(c + d*x)),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/((a + b*x)*(c + d*x)), x)
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.53

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}\,dx = -\frac{\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)^p\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bn\,(adp-bcp+ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*x+a)/(d*x+c),x)
```

output
```
( - (log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p*(log(((a + b*x)**n*e)/(c
 + d*x)**n)*b + a))/(b*n*(a*d*p + a*d - b*c*p - b*c))
```

3.235 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{(af+bfx)(cg+dgx)}\,dx$

Optimal result . . . 2565
Mathematica [A] (verified) . . . 2565
Rubi [A] (warning: unable to verify) . . . 2566
Maple [A] (verified) . . . 2567
Fricas [A] (verification not implemented) . . . 2568
Sympy [F(-1)] . . . 2568
Maxima [F] . . . 2569
Giac [A] (verification not implemented) . . . 2569
Mupad [F(-1)] . . . 2570
Reduce [B] (verification not implemented) . . . 2570

Optimal result

Integrand size = 46, antiderivative size = 55

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^p}{(af+bfx)(cg+dgx)}\,dx = \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^{1+p}}{B(bc-ad)fgn(1+p)}$$

output
```
(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^(p+1)/B/(-a*d+b*c)/f/g/n/(p+1)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.93

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^p}{(af+bfx)(cg+dgx)}\,dx = \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^{1+p}}{(bBcfgn-aBdfgn)(1+p)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/((a*f + b*f*x)*(c*g +
 d*g*x)),x]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^(1 + p)/((b*B*c*f*g*n - a*B*d*f*g
*n)*(1 + p))
```

Rubi [A] (warning: unable to verify)

Time = 0.62 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2973, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B \log (e(a+bx)^n (c+dx)^{-n}) + A)^p}{(af+bfx)(cg+dgx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B \log (e(a+bx)^n (c+dx)^{-n}) + A)^p}{(af+bfx)(cg+dgx)}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p}{a+bx} d\frac{a+bx}{c+dx}}{fg(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bfgn(bc-ad)}$$

$$\downarrow 15$$

$$\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^{p+1}}{Bfgn(p+1)(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/((a*f + b*f*x)*(c*g + d*g*x
)),x]
```

output
```
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^(1 + p)/(B*(b*c - a*d)*f*g*n*(1 + p
))
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 0.03 (sec) , antiderivative size = 57, normalized size of antiderivative = 1.04

$$-\frac{\left(A+B\ln\left(e(bx+a)^{n}\left(dx+c\right)^{-n}\right)\right)^{p+1}}{fgn\left(da-bc\right)B\left(p+1\right)}$$

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*f*x+a*f)/(d*g*x+c*g),x)
```

output
```
-1/f/g/n/(a*d-b*c)*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^(p+1)/B/(p+1)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.55

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx$$
$$= \frac{(Bn\log(bx+a)-Bn\log(dx+c)+B\log(e)+A)(Bn\log(bx+a)-Bn\log(dx+c)+B\log(e)+A)}{(Bbc-Bad)fgnp+(Bbc-Bad)fgn}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*f*x+a*f)/(d*g*x+c*g),x,
algorithm="fricas")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)*(B*n*log(b*x + a) - B
*n*log(d*x + c) + B*log(e) + A)^p/((B*b*c - B*a*d)*f*g*n*p + (B*b*c - B*a*
d)*f*g*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**p/(b*f*x+a*f)/(d*g*x+c*g),x
)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p}{(bfx+af)(dgx+cg)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*f*x+a*f)/(d*g*x+c*g),x,
algorithm="maxima")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^p/((b*f*x + a*f)*(d*g*x +
 c*g)), x)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.96

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx = \frac{(Bn\log(bx+a)-Bn\log(dx+c)+B\log(e)+A)^{p+1}}{(Bbcfgn-Badfgn)(p+1)}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*f*x+a*f)/(d*g*x+c*g),x,
algorithm="giac")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)^(p + 1)/((B*b*c*f*g*n
 - B*a*d*f*g*n)*(p + 1))
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^p}{(a\,f+b\,f\,x)\,(c\,g+d\,g\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/((a*f + b*f*x)*(c*g + d*g*x
)),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/((a*f + b*f*x)*(c*g + d*g*x
)), x)
```

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 81, normalized size of antiderivative = 1.47

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(af+bfx)(cg+dgx)}\,dx = -\frac{\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)^p\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bfgn\,(adp-bcp+ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(b*f*x+a*f)/(d*g*x+c*g),x)
```

output
```
( - (log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p*(log(((a + b*x)**n*e)/(c
 + d*x)**n)*b + a))/(b*f*g*n*(a*d*p + a*d - b*c*p - b*c))
```

3.236 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^p}{acf+(bc+ad)fx+bdfx^2}\,dx$

Optimal result . . . 2571
Mathematica [A] (verified) . . . 2571
Rubi [A] (warning: unable to verify) . . . 2572
Maple [F] . . . 2573
Fricas [A] (verification not implemented) . . . 2574
Sympy [F(-1)] . . . 2574
Maxima [F] . . . 2575
Giac [A] (verification not implemented) . . . 2575
Mupad [F(-1)] . . . 2576
Reduce [B] (verification not implemented) . . . 2576

Optimal result

Integrand size = 50, antiderivative size = 52

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^{1+p}}{B(bc-ad)fn(1+p)}$$

output
```
(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^(p+1)/B/(-a*d+b*c)/f/n/(p+1)
```

Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.96

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^{1+p}}{f(bBcn-aBdn)(1+p)}$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/(a*c*f + (b*c + a*d)*
f*x + b*d*f*x^2),x]
```

output
```
(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^(1 + p)/(f*(b*B*c*n - a*B*d*n)*(1
 + p))
```

Rubi [A] (warning: unable to verify)

Time = 0.56 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.98, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2974, 2961, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^p}{fx(ad+bc) + acf + bdfx^2}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B \log(e(a+bx)^n(c+dx)^{-n}) + A)^p}{fx(ad+bc) + acf + bdfx^2}dx$$

$$\downarrow 2974$$

$$\frac{\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{(a+bx)(c+dx)}dx}{f}$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p}{a+bx}d\frac{a+bx}{c+dx}}{f(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^p d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bfn(bc-ad)}$$

$$\downarrow 15$$

$$\frac{\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^{p+1}}{Bfn(p+1)(bc-ad)}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^p/(a*c*f + (b*c + a*d)*f*x + b*d*f*x^2),x]
```

output
```
(A + B*Log[e*((a + b*x)/(c + d*x))^n])^(1 + p)/(B*(b*c - a*d)*f*n*(1 + p))
```

Defintions of rubi rules used

rule 15
```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 2974
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_) + (h_.)*(x_)^2)^(m_.), x_Symbol] :> Simp[h^
m/(b^m*d^m)   Int[(a + b*x)^m*(c + d*x)^m*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, A, B, n, p}, x] && EqQ[b*
d*f - a*c*h, 0] && EqQ[b*d*g - h*(b*c + a*d), 0] && IntegerQ[m]
```

Maple [F]

$$\int \frac{\left(A + B \ln\left(e(bx+a)^n (dx+c)^{-n}\right)\right)^p}{acf + (da+bc) fx + bdf\, x^2} dx$$

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2),x)
```

output
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2),x)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 83, normalized size of antiderivative = 1.60

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf + (bc+ad)fx + bdfx^2}\,dx$$
$$= \frac{(Bn\log(bx+a) - Bn\log(dx+c) + B\log(e) + A)(Bn\log(bx+a) - Bn\log(dx+c) + B\log(e) + A)}{(Bbc - Bad)fnp + (Bbc - Bad)fn}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*
x^2),x, algorithm="fricas")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)*(B*n*log(b*x + a) - B
*n*log(d*x + c) + B*log(e) + A)^p/((B*b*c - B*a*d)*f*n*p + (B*b*c - B*a*d)
*f*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf + (bc+ad)fx + bdfx^2}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**p/(a*c*f+(a*d+b*c)*f*x+b*d*
f*x**2),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^p}{bdfx^2+acf+(bc+ad)fx}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*
x^2),x, algorithm="maxima")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^p/(b*d*f*x^2 + a*c*f + (b
*c + a*d)*f*x), x)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.98

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = \frac{(Bn\log(bx+a)-Bn\log(dx+c)+B\log(e)+A)^{p+1}}{(Bbcfn-Badfn)(p+1)}$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*
x^2),x, algorithm="giac")
```

output
```
(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)^(p + 1)/((B*b*c*f*n -
 B*a*d*f*n)*(p + 1))
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^p}{b\,d\,f\,x^2+f\,\left(a\,d+b\,c\right)\,x+a\,c\,f}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/(a*c*f + f*x*(a*d + b*c) +
b*d*f*x^2),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^p/(a*c*f + f*x*(a*d + b*c) +
b*d*f*x^2), x)
```

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 78, normalized size of antiderivative = 1.50

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^p}{acf+(bc+ad)fx+bdfx^2}\,dx = -\frac{\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)^p\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bfn\,(adp-bcp+ad-bc)}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^p/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2),x
)
```

output
```
( - (log(((a + b*x)**n*e)/(c + d*x)**n)*b + a)**p*(log(((a + b*x)**n*e)/(c
 + d*x)**n)*b + a))/(b*f*n*(a*d*p + a*d - b*c*p - b*c))
```

3.237 $\int \frac{1}{(a+bx)(c+dx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$

Optimal result . . . 2577
Mathematica [A] (verified) . . . 2577
Rubi [A] (warning: unable to verify) . . . 2578
Maple [A] (verified) . . . 2579
Fricas [A] (verification not implemented) . . . 2580
Sympy [F(-1)] . . . 2580
Maxima [A] (verification not implemented) . . . 2581
Giac [A] (verification not implemented) . . . 2581
Mupad [B] (verification not implemented) . . . 2582
Reduce [B] (verification not implemented) . . . 2582

Optimal result

Integrand size = 40, antiderivative size = 41

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{B(bc-ad)n}$$

output
```
ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.95

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{bBcn-aBdn}$$

input
```
Integrate[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]))
,x]
```

output
```
Log[A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]]/(b*B*c*n - a*B*d*n)
```

Rubi [A] (warning: unable to verify)

Time = 0.49 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2961, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(a+bx)(c+dx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{\frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}}{bc-ad}d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{c+dx}{a+bx}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bn(bc-ad)}$$

$$\downarrow 14$$

$$\frac{\log\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{Bn(bc-ad)}$$

input
```
Int[1/((a + b*x)*(c + d*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])),x]
```

output
```
Log[A + B*Log[e*((a + b*x)/(c + d*x))^n]]/(B*(b*c - a*d)*n)
```

Defintions of rubi rules used

rule 14
```
Int[(a_.)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 24.60 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.05

method	result
derivativedivides	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
default	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
parallelrisch	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{n(da-bc)B}$
risch	$-\frac{\ln\left(\ln((bx+a)^n)+\frac{-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}(i(bx+a)^n)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+a)^n\right)+iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(dx+c)\right.\right.}{\left.\left.}\right.}$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x,method=_RETURNVE
RBOSE)
```

output
```
-1/n/(a*d-b*c)*ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.10

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-Bn\log\left(bx+a\right)+Bn\log\left(dx+c\right)-B\log\left(e\right)-A\right)}{(Bbc-Bad)n}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorith
m="fricas")
```

output
```
log(-B*n*log(b*x + a) + B*n*log(d*x + c) - B*log(e) - A)/((B*b*c - B*a*d)*
n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n))),x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.20

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-\frac{B\log((bx+a)^n)-B\log((dx+c)^n)+B\log(e)+A}{B}\right)}{(bcn-adn)B}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorithm="maxima")
```

output
```
log(-(B*log((b*x + a)^n) - B*log((d*x + c)^n) + B*log(e) + A)/B)/((b*c*n - a*d*n)*B)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(Bn\log\left(bx+a\right)-Bn\log\left(dx+c\right)+B\log\left(e\right)+A\right)}{Bbcn-Badn}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorithm="giac")
```

output
```
log(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)/(B*b*c*n - B*a*d*n)
```

Mupad [B] (verification not implemented)

Time = 0.00 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.98

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\ln\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)}{B\,a\,d\,n-B\,b\,c\,n}$$

input
```
int(1/((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))*(a + b*x)*(c + d*x)),x)
```

output
```
-log(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(B*a*d*n - B*b*c*n)
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.02

$$\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\log\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bn\,(ad-bc)}$$

input
```
int(1/(b*x+a)/(d*x+c)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x)
```

output
```
( - log(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a))/(b*n*(a*d - b*c))
```

3.238 $\int \frac{1}{(af+bfx)(cg+dgx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$

Optimal result . . . 2583
Mathematica [A] (verified) . . . 2583
Rubi [A] (warning: unable to verify) . . . 2584
Maple [A] (verified) . . . 2585
Fricas [A] (verification not implemented) . . . 2586
Sympy [F(-1)] . . . 2586
Maxima [A] (verification not implemented) . . . 2587
Giac [A] (verification not implemented) . . . 2587
Mupad [B] (verification not implemented) . . . 2588
Reduce [B] (verification not implemented) . . . 2588

Optimal result

Integrand size = 46, antiderivative size = 47

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{B(bc-ad)fgn}$$

output
```
ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/(-a*d+b*c)/f/g/n
```

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.91

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{bBcfgn-aBdfgn}$$

input
```
Integrate[1/((a*f + b*f*x)*(c*g + d*g*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d
*x)^n])),x]
```

output
```
Log[A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]]/(b*B*c*f*g*n - a*B*d*f*g*n)
```

Rubi [A] (warning: unable to verify)

Time = 0.56 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$, Rules used = {2973, 2961, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{\frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}}{fg(bc-ad)}d\frac{a+bx}{c+dx}}{fg(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \frac{c+dx}{a+bx}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bfgn(bc-ad)}$$

$$\downarrow 14$$

$$\frac{\log\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{Bfgn(bc-ad)}$$

input
```
Int[1/((a*f + b*f*x)*(c*g + d*g*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]
)),x]
```

output
```
Log[A + B*Log[e*((a + b*x)/(c + d*x))^n]]/(B*(b*c - a*d)*f*g*n)
```

Defintions of rubi rules used

rule 14
```
Int[(a_.)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [A] (verified)

Time = 77.31 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.04

method	result
default	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{fgn(da-bc)B}$
parallelrisch	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{fgn(da-bc)B}$
risch	$-\frac{\ln\left(\ln((bx+a)^n)+\frac{-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(bx+a)^n\right)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+a)^n\right)+iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+$

input
```
int(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x,method=_
RETURNVERBOSE)
```

output
```
-1/f/g/n/(a*d-b*c)*ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.09

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-Bn\log\left(bx+a\right)+Bn\log\left(dx+c\right)-B\log\left(e\right)-A\right)}{(Bbc-Bad)fgn}$$

input
```
integrate(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algorithm="fricas")
```

output
```
log(-B*n*log(b*x + a) + B*n*log(d*x + c) - B*log(e) - A)/((B*b*c - B*a*d)*f*g*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n))),x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.13

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-\frac{B\log((bx+a)^n)-B\log((dx+c)^n)+B\log(e)+A}{B}\right)}{(bcfgn-adfgn)B}$$

input
```
integrate(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x,
algorithm="maxima")
```

output
```
log(-(B*log((b*x + a)^n) - B*log((d*x + c)^n) + B*log(e) + A)/B)/((b*c*f*g
*n - a*d*f*g*n)*B)
```

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.96

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(Bn\log\left(bx+a\right)-Bn\log\left(dx+c\right)+B\log\left(e\right)+A\right)}{Bbcfgn-Badfgn}$$

input
```
integrate(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x,
algorithm="giac")
```

output
```
log(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)/(B*b*c*f*g*n - B*a
*d*f*g*n)
```

Mupad [B] (verification not implemented)

Time = 26.41 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.94

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\ln\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)}{B\,a\,d\,f\,g\,n-B\,b\,c\,f\,g\,n}$$

input
```
int(1/((a*f + b*f*x)*(c*g + d*g*x)*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n)
)),x)
```

output
```
-log(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(B*a*d*f*g*n - B*b*c*f*g*n)
```

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.02

$$\int \frac{1}{(af+bfx)(cg+dgx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\log\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bfgn\,(ad-bc)}$$

input
```
int(1/(b*f*x+a*f)/(d*g*x+c*g)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x)
```

output
```
( - log(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a))/(b*f*g*n*(a*d - b*c))
```

3.239 $\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$

Optimal result . . . 2589
Mathematica [A] (verified) . . . 2589
Rubi [A] (warning: unable to verify) . . . 2590
Maple [A] (verified) . . . 2592
Fricas [A] (verification not implemented) . . . 2592
Sympy [F(-1)] . . . 2593
Maxima [A] (verification not implemented) . . . 2593
Giac [A] (verification not implemented) . . . 2593
Mupad [B] (verification not implemented) . . . 2594
Reduce [B] (verification not implemented) . . . 2594

Optimal result

Integrand size = 50, antiderivative size = 44

$$\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{B(bc-ad)fn}$$

output
```
ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/(-a*d+b*c)/f/n
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.95

$$\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \frac{\log\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}{f(bBcn-aBdn)}$$

input
```
Integrate[1/((a*c*f + (b*c + a*d)*f*x + b*d*f*x^2)*(A + B*Log[(e*(a + b*x)
^n)/(c + d*x)^n])),x]
```

output
```
Log[A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n]]/(f*(b*B*c*n - a*B*d*n))
```

Rubi [A] (warning: unable to verify)

Time = 0.53 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.98, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2974, 2961, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(fx(ad+bc)+acf+bdfx^2)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2973$$

$$\int \frac{1}{(fx(ad+bc)+acf+bdfx^2)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

$$\downarrow 2974$$

$$\frac{\int \frac{1}{(a+bx)(c+dx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}dx}{f}$$

$$\downarrow 2961$$

$$\frac{\int \frac{c+dx}{(a+bx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}d\frac{a+bx}{c+dx}}{f(bc-ad)}$$

$$\downarrow 2739$$

$$\frac{\int \frac{c+dx}{a+bx}d\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{Bfn(bc-ad)}$$

$$\downarrow 14$$

$$\frac{\log\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{Bfn(bc-ad)}$$

input
```
Int[1/((a*c*f + (b*c + a*d)*f*x + b*d*f*x^2)*(A + B*Log[(e*(a + b*x)^n)/(c
 + d*x)^n])),x]
```

output
```
Log[A + B*Log[e*((a + b*x)/(c + d*x))^n]]/(B*(b*c - a*d)*f*n)
```

Defintions of rubi rules used

rule 14
```
Int[(a_.)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 2974
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_) + (h_.)*(x_)^2)^(m_.), x_Symbol] :> Simp[h^
m/(b^m*d^m)   Int[(a + b*x)^m*(c + d*x)^m*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, A, B, n, p}, x] && EqQ[b*
d*f - a*c*h, 0] && EqQ[b*d*g - h*(b*c + a*d), 0] && IntegerQ[m]
```

Maple [A] (verified)

Time = 62.27 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.05

method	result
parallelrisch	$-\frac{\ln\left(A+B\ln\left(e(bx+a)^n(dx+c)^{-n}\right)\right)}{Bfn(da-bc)}$
risch	$-\frac{\ln\left(\ln((bx+a)^n)+\frac{-iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(bx+a)^n\right)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+a)^n\right)+iB\pi\ \mathrm{csgn}\left(i(dx+c)^{-n}\right)\mathrm{csgn}\left(i(dx+c)^{-n}(bx+$

input
```
int(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x,
method=_RETURNVERBOSE)
```

output
```
-ln(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/B/f/n/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.09

$$\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx$$
$$=\frac{\log\left(-Bn\log(bx+a)+Bn\log(dx+c)-B\log(e)-A\right)}{(Bbc-Bad)fn}$$

input
```
integrate(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2)/(A+B*log(e*(b*x+a)^n/((d*x+c)^
n))),x, algorithm="fricas")
```

output
```
log(-B*n*log(b*x + a) + B*n*log(d*x + c) - B*log(e) - A)/((B*b*c - B*a*d)*
f*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(acf + (bc + ad)fx + bdfx^2)\left(A + B\log\left(e(a + bx)^n(c + dx)^{-n}\right)\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x**2)/(A+B*ln(e*(b*x+a)**n/((d*x+c)
**n))),x)
```

output
```
Timed out
```

Maxima [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.16

$$\int \frac{1}{(acf + (bc + ad)fx + bdfx^2)\left(A + B\log\left(e(a + bx)^n(c + dx)^{-n}\right)\right)}\,dx = \frac{\log\left(-\frac{B\log((bx+a)^n) - B\log((dx+c)^n) + B\log(e) + A}{B}\right)}{(bcfn - adfn)B}$$

input
```
integrate(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2)/(A+B*log(e*(b*x+a)^n/((d*x+c)^
n))),x, algorithm="maxima")
```

output
```
log(-(B*log((b*x + a)^n) - B*log((d*x + c)^n) + B*log(e) + A)/B)/((b*c*f*n
 - a*d*f*n)*B)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.98

$$\int \frac{1}{(acf + (bc + ad)fx + bdfx^2)\left(A + B\log\left(e(a + bx)^n(c + dx)^{-n}\right)\right)}\,dx = \frac{\log\left(Bn\log(bx + a) - Bn\log(dx + c) + B\log(e) + A\right)}{Bbcfn - Badfn}$$

input
```
integrate(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2)/(A+B*log(e*(b*x+a)^n/((d*x+c)^
n))),x, algorithm="giac")
```

output
```
log(B*n*log(b*x + a) - B*n*log(d*x + c) + B*log(e) + A)/(B*b*c*f*n - B*a*d
*f*n)
```

Mupad [B] (verification not implemented)

Time = 26.28 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.95

$$\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\ln\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)}{B\,a\,d\,f\,n-B\,b\,c\,f\,n}$$

input
```
int(1/((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))*(a*c*f + f*x*(a*d + b*c) +
 b*d*f*x^2)),x)
```

output
```
-log(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(B*a*d*f*n - B*b*c*f*n)
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.02

$$\int \frac{1}{(acf+(bc+ad)fx+bdfx^2)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = -\frac{\log\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)b+a\right)}{bfn\,(ad-bc)}$$

input
```
int(1/(a*c*f+(a*d+b*c)*f*x+b*d*f*x^2)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x
)
```

output
```
( - log(log(((a + b*x)**n*e)/(c + d*x)**n)*b + a))/(b*f*n*(a*d - b*c))
```

3.240 $\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log(e(a+bx)^n(c+dx)^{-n})}\,dx$

Optimal result . . . 2595
Mathematica [F] . . . 2595
Rubi [A] (warning: unable to verify) . . . 2596
Maple [F] . . . 2598
Fricas [F] . . . 2598
Sympy [F(-1)] . . . 2598
Maxima [F] . . . 2599
Giac [F] . . . 2599
Mupad [F(-1)] . . . 2599
Reduce [F] . . . 2600

Optimal result

Integrand size = 40, antiderivative size = 88

$$\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx = \frac{(a+bx)^{1+m}(c+dx)^{-1-m}\left(e(a+bx)^n(c+dx)^{-n}\right)^{-\frac{1+m}{n}}\operatorname{ExpIntegralEi}\left(\frac{(1+m)\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{n}\right)}{(bc-ad)n}$$

output

```
(b*x+a)^(1+m)*(d*x+c)^(-1-m)*Ei((1+m)*ln(e*(b*x+a)^n/((d*x+c)^n))/n)/(-a*d
+b*c)/n/((e*(b*x+a)^n/((d*x+c)^n))^((1+m)/n))
```

Mathematica [F]

$$\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx = \int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx$$

input

```
Integrate[((a + b*x)^m*(c + d*x)^(-2 - m))/Log[(e*(a + b*x)^n)/(c + d*x)^n
],x]
```

output
```
Integrate[((a + b*x)^m*(c + d*x)^(-2 - m))/Log[(e*(a + b*x)^n)/(c + d*x)^n
], x]
```

Rubi [A] (warning: unable to verify)

Time = 0.58 (sec) , antiderivative size = 86, normalized size of antiderivative = 0.98, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2973, 2963, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a+bx)^m (c+dx)^{-m-2}}{\log\left(e(a+bx)^n (c+dx)^{-n}\right)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(a+bx)^m (c+dx)^{-m-2}}{\log\left(e(a+bx)^n (c+dx)^{-n}\right)}dx$$

$$\downarrow 2963$$

$$\frac{(a+bx)^m (c+dx)^{-m}\left(\frac{a+bx}{c+dx}\right)^{-m}\int \frac{\left(\frac{a+bx}{c+dx}\right)^m}{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(a+bx)^{m+1}(c+dx)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{m+1}{n}}(c+dx)}{a+bx}d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)^{m+1}(c+dx)^{-m-1}\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-\frac{m+1}{n}}\text{ExpIntegralEi}\left(\frac{(m+1)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(bc-ad)}$$

input
```
Int[((a + b*x)^m*(c + d*x)^(-2 - m))/Log[(e*(a + b*x)^n)/(c + d*x)^n],x]
```

output
```
((a + b*x)^(1 + m)*(c + d*x)^(-1 - m)*ExpIntegralEi[((1 + m)*Log[e*((a + b
*x)/(c + d*x))^n])/n])/((b*c - a*d)*n*(e*((a + b*x)/(c + d*x))^n)^((1 + m)
/n))
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2963
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[d^2*((g*((a + b*x)/b))^m/(i^2*(b*c - a*d)*(i*((c + d*x)/d))^m*((a
 + b*x)/(c + d*x))^m))   Subst[Int[x^m*(A + B*Log[e*x^n])^p, x], x, (a + b*
x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x
] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && EqQ[m +
 q + 2, 0]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [F]

$$\int \frac{(bx+a)^m (dx+c)^{-2-m}}{\ln\left(e\,(bx+a)^n (dx+c)^{-n}\right)} dx$$

input
```
int((b*x+a)^m*(d*x+c)^(-2-m)/ln(e*(b*x+a)^n/((d*x+c)^n)),x)
```

output
```
int((b*x+a)^m*(d*x+c)^(-2-m)/ln(e*(b*x+a)^n/((d*x+c)^n)),x)
```

Fricas [F]

$$\int \frac{(a+bx)^m (c+dx)^{-2-m}}{\log\left(e(a+bx)^n (c+dx)^{-n}\right)} dx = \int \frac{(bx+a)^m (dx+c)^{-m-2}}{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)} dx$$

input
```
integrate((b*x+a)^m*(d*x+c)^(-2-m)/log(e*(b*x+a)^n/((d*x+c)^n)),x, algorit
hm="fricas")
```

output
```
integral((b*x + a)^m*(d*x + c)^(-m - 2)/log((b*x + a)^n*e/(d*x + c)^n), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(a+bx)^m (c+dx)^{-2-m}}{\log\left(e(a+bx)^n (c+dx)^{-n}\right)} dx = \text{Timed out}$$

input
```
integrate((b*x+a)**m*(d*x+c)**(-2-m)/ln(e*(b*x+a)**n/((d*x+c)**n)),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx = \int \frac{(bx+a)^m(dx+c)^{-m-2}}{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}\,dx$$

input
```
integrate((b*x+a)^m*(d*x+c)^(-2-m)/log(e*(b*x+a)^n/((d*x+c)^n)),x, algorithm="maxima")
```

output
```
integrate((b*x + a)^m*(d*x + c)^(-m - 2)/log((b*x + a)^n*e/(d*x + c)^n), x)
```

Giac [F]

$$\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx = \int \frac{(bx+a)^m(dx+c)^{-m-2}}{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}\,dx$$

input
```
integrate((b*x+a)^m*(d*x+c)^(-2-m)/log(e*(b*x+a)^n/((d*x+c)^n)),x, algorithm="giac")
```

output
```
integrate((b*x + a)^m*(d*x + c)^(-m - 2)/log((b*x + a)^n*e/(d*x + c)^n), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(a+bx)^m(c+dx)^{-2-m}}{\log\left(e(a+bx)^n(c+dx)^{-n}\right)}\,dx = \int \frac{(a+b\,x)^m}{\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\,(c+d\,x)^{m+2}}\,dx$$

input
```
int((a + b*x)^m/(log((e*(a + b*x)^n)/(c + d*x)^n)*(c + d*x)^(m + 2)),x)
```

output
```
int((a + b*x)^m/(log((e*(a + b*x)^n)/(c + d*x)^n)*(c + d*x)^(m + 2)), x)
```

Reduce [F]

$$\int \frac{(a+bx)^m (c+dx)^{-2-m}}{\log\left(e(a+bx)^n (c+dx)^{-n}\right)}\,dx$$
$$= \int \frac{(bx+a)^m}{(dx+c)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) c^2 + 2(dx+c)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) cdx + (dx+c)^m \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) d^2x^2}\,dx$$

input
```
int((b*x+a)^m*(d*x+c)^(-2-m)/log(e*(b*x+a)^n/((d*x+c)^n)),x)
```

output
```
int((a + b*x)**m/((c + d*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*c**2 + 2
*(c + d*x)**m*log(((a + b*x)**n*e)/(c + d*x)**n)*c*d*x + (c + d*x)**m*log(
((a + b*x)**n*e)/(c + d*x)**n)*d**2*x**2),x)
```

3.241 $\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2601
Mathematica [A] (verified) . . . 2601
Rubi [A] (verified) . . . 2602
Maple [F] . . . 2603
Fricas [A] (verification not implemented) . . . 2604
Sympy [F(-1)] . . . 2604
Maxima [F] . . . 2604
Giac [F] . . . 2605
Mupad [F(-1)] . . . 2605
Reduce [F] . . . 2605

Optimal result

Integrand size = 35, antiderivative size = 75

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^4 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-4/n} \text{ExpIntegralEi}\left(\frac{4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^4}$$

output

```
(b*x+a)^4*Ei(4*ln(e*((b*x+a)/(d*x+c))^n)/n)/(-a*d+b*c)/n/((e*((b*x+a)/(d*x
+c))^n)^(4/n))/(d*x+c)^4
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^4 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-4/n} \text{ExpIntegralEi}\left(\frac{4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^4}$$

input
```
Integrate[(a + b*x)^3/((c + d*x)^5*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^4*ExpIntegralEi[(4*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(4/n)*(c + d*x)^4)
```

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(a+bx)^3}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(a+bx)^4 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-4/n} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{4/n}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(c+dx)^4(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)^4 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-4/n} \text{ExpIntegralEi}\left(\frac{4\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(c+dx)^4(bc-ad)}$$

input
```
Int[(a + b*x)^3/((c + d*x)^5*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^4*ExpIntegralEi[(4*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(4/n)*(c + d*x)^4)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bx+a)^3}{(dx+c)^5 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int((b*x+a)^3/(d*x+c)^5/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int((b*x+a)^3/(d*x+c)^5/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.47

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\text{log\_integral}\left(\frac{(b^4x^4+4ab^3x^3+6a^2b^2x^2+4a^3bx+a^4)e^{\frac{4}{n}}}{d^4x^4+4cd^3x^3+6c^2d^2x^2+4c^3dx+c^4}\right)}{(bc-ad)e^{\frac{4}{n}}n}$$

input
```
integrate((b*x+a)^3/(d*x+c)^5/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
log_integral((b^4*x^4 + 4*a*b^3*x^3 + 6*a^2*b^2*x^2 + 4*a^3*b*x + a^4)*e^(4/n)/(d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4))/((b*c - a*d)*e^(4/n)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate((b*x+a)**3/(d*x+c)**5/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bx+a)^3}{(dx+c)^5 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)^3/(d*x+c)^5/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate((b*x + a)^3/((d*x + c)^5*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bx+a)^3}{(dx+c)^5 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)^3/(d*x+c)^5/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="gia
c")
```

output
```
integrate((b*x + a)^3/((d*x + c)^5*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(a+b\,x)^3}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(c+d\,x)^5}\,dx$$

input
```
int((a + b*x)^3/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^5),x)
```

output
```
int((a + b*x)^3/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^5), x)
```

Reduce [F]

$$\int \frac{(a+bx)^3}{(c+dx)^5 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{too large to display}$$

input
```
int((b*x+a)^3/(d*x+c)^5/log(e*((b*x+a)/(d*x+c))^n),x)
```

output

```
(4*int(x**3/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**5 + 5*log(((a + b*x)*
*n*e)/(c + d*x)**n)*a*c**4*d*x + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c
**3*d**2*x**2 + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2*d**3*x**3 + 5
*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*d**4*x**4 + log(((a + b*x)**n*e)/(
c + d*x)**n)*a*d**5*x**5 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**5*x + 5
*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**4*d*x**2 + 10*log(((a + b*x)**n*e
)/(c + d*x)**n)*b*c**3*d**2*x**3 + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*b
*c**2*d**3*x**4 + 5*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d**4*x**5 + log
(((a + b*x)**n*e)/(c + d*x)**n)*b*d**5*x**6),x)*a**2*b**3*d**5*n - 8*int(x
**3/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**5 + 5*log(((a + b*x)**n*e)/(c
 + d*x)**n)*a*c**4*d*x + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3*d**2
*x**2 + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2*d**3*x**3 + 5*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a*c*d**4*x**4 + log(((a + b*x)**n*e)/(c + d*x)
**n)*a*d**5*x**5 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**5*x + 5*log(((a
 + b*x)**n*e)/(c + d*x)**n)*b*c**4*d*x**2 + 10*log(((a + b*x)**n*e)/(c + d
*x)**n)*b*c**3*d**2*x**3 + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*d*
*3*x**4 + 5*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d**4*x**5 + log(((a + b
*x)**n*e)/(c + d*x)**n)*b*d**5*x**6),x)*a*b**4*c*d**4*n + 4*int(x**3/(log(
((a + b*x)**n*e)/(c + d*x)**n)*a*c**5 + 5*log(((a + b*x)**n*e)/(c + d*x)**
n)*a*c**4*d*x + 10*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3*d**2*x**2 ...
```

3.242 $\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2607
Mathematica [A] (verified) . . . 2607
Rubi [A] (verified) . . . 2608
Maple [F] . . . 2609
Fricas [A] (verification not implemented) . . . 2610
Sympy [F(-1)] . . . 2610
Maxima [F] . . . 2610
Giac [F] . . . 2611
Mupad [F(-1)] . . . 2611
Reduce [F] . . . 2611

Optimal result

Integrand size = 35, antiderivative size = 75

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-3/n} \text{ExpIntegralEi}\left(\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^3}$$

output

```
(b*x+a)^3*Ei(3*ln(e*((b*x+a)/(d*x+c))^n)/n)/(-a*d+b*c)/n/((e*((b*x+a)/(d*x
+c))^n)^(3/n))/(d*x+c)^3
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-3/n} \text{ExpIntegralEi}\left(\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^3}$$

input
```
Integrate[(a + b*x)^2/((c + d*x)^4*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^3*ExpIntegralEi[(3*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(3/n)*(c + d*x)^3)
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(a+bx)^2}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(a+bx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-3/n} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{3/n}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(c+dx)^3(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-3/n} \text{ExpIntegralEi}\left(\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(c+dx)^3(bc-ad)}$$

input
```
Int[(a + b*x)^2/((c + d*x)^4*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^3*ExpIntegralEi[(3*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(3/n)*(c + d*x)^3)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(bx+a)^2}{(dx+c)^4 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int((b*x+a)^2/(d*x+c)^4/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int((b*x+a)^2/(d*x+c)^4/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 88, normalized size of antiderivative = 1.17

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\text{log\_integral}\left(\frac{(b^3x^3+3\,ab^2x^2+3\,a^2bx+a^3)e^{\frac{3}{n}}}{d^3x^3+3\,cd^2x^2+3\,c^2dx+c^3}\right)}{(bc-ad)e^{\frac{3}{n}}n}$$

input
```
integrate((b*x+a)^2/(d*x+c)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
log_integral((b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3)*e^(3/n)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/((b*c - a*d)*e^(3/n)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate((b*x+a)**2/(d*x+c)**4/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bx+a)^2}{(dx+c)^4 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)^2/(d*x+c)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate((b*x + a)^2/((d*x + c)^4*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(bx+a)^2}{(dx+c)^4 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)^2/(d*x+c)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="gia
c")
```

output
```
integrate((b*x + a)^2/((d*x + c)^4*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(a+b\,x)^2}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(c+d\,x)^4}\,dx$$

input
```
int((a + b*x)^2/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^4),x)
```

output
```
int((a + b*x)^2/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^4), x)
```

Reduce [F]

$$\int \frac{(a+bx)^2}{(c+dx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{too large to display}$$

input
```
int((b*x+a)^2/(d*x+c)^4/log(e*((b*x+a)/(d*x+c))^n),x)
```

output

```
(3*int(x**2/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**4 + 4*log(((a + b*x)*
*n*e)/(c + d*x)**n)*a*c**3*d*x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*
*2*d**2*x**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*d**3*x**3 + log(((
a + b*x)**n*e)/(c + d*x)**n)*a*d**4*x**4 + log(((a + b*x)**n*e)/(c + d*x)*
*n)*b*c**4*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**3*d*x**2 + 6*log(
((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*d**2*x**3 + 4*log(((a + b*x)**n*e)/(
c + d*x)**n)*b*c*d**3*x**4 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d**4*x**
5),x)*a**2*b**2*d**4*n - 6*int(x**2/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*
c**4 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3*d*x + 6*log(((a + b*x)*
*n*e)/(c + d*x)**n)*a*c**2*d**2*x**2 + 4*log(((a + b*x)**n*e)/(c + d*x)**n
)*a*c*d**3*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d**4*x**4 + log(((a
 + b*x)**n*e)/(c + d*x)**n)*b*c**4*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n
)*b*c**3*d*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*d**2*x**3 +
4*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d**3*x**4 + log(((a + b*x)**n*e)/
(c + d*x)**n)*b*d**4*x**5),x)*a*b**3*c*d**3*n + 3*int(x**2/(log(((a + b*x)
**n*e)/(c + d*x)**n)*a*c**4 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3*
d*x + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2*d**2*x**2 + 4*log(((a +
b*x)**n*e)/(c + d*x)**n)*a*c*d**3*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n
)*a*d**4*x**4 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**4*x + 4*log(((a +
b*x)**n*e)/(c + d*x)**n)*b*c**3*d*x**2 + 6*log(((a + b*x)**n*e)/(c + d*...
```

3.243 $\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2613
Mathematica [A] (verified) . . . 2613
Rubi [A] (verified) . . . 2614
Maple [F] . . . 2615
Fricas [A] (verification not implemented) . . . 2615
Sympy [F(-1)] . . . 2616
Maxima [F] . . . 2616
Giac [F] . . . 2617
Mupad [F(-1)] . . . 2617
Reduce [F] . . . 2617

Optimal result

Integrand size = 33, antiderivative size = 75

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^2 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-2/n} \operatorname{ExpIntegralEi}\left(\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^2}$$

output

```
(b*x+a)^2*Ei(2*ln(e*((b*x+a)/(d*x+c))^n)/n)/(-a*d+b*c)/n/((e*((b*x+a)/(d*x
+c))^n)^(2/n))/(d*x+c)^2
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)^2 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-2/n} \operatorname{ExpIntegralEi}\left(\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)^2}$$

input
```
Integrate[(a + b*x)/((c + d*x)^3*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^2*ExpIntegralEi[(2*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(2/n)*(c + d*x)^2)
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2961, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{\frac{a+bx}{c+dx}}{(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(a+bx)^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-2/n}\int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{2/n}(c+dx)}{a+bx}\,d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(c+dx)^2(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-2/n}\text{ExpIntegralEi}\left(\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(c+dx)^2(bc-ad)}$$

input
```
Int[(a + b*x)/((c + d*x)^3*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)^2*ExpIntegralEi[(2*Log[e*((a + b*x)/(c + d*x))^n])/n])/((b*c -
a*d)*n*(e*((a + b*x)/(c + d*x))^n)^(2/n)*(c + d*x)^2)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))  Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{bx+a}{(dx+c)^3 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}dx$$

input
```
int((b*x+a)/(d*x+c)^3/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int((b*x+a)/(d*x+c)^3/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.88

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\text{log\_integral}\left(\frac{(b^2x^2+2\,abx+a^2)e^{\frac{2}{n}}}{d^2x^2+2\,cdx+c^2}\right)}{(bc-ad)e^{\frac{2}{n}}n}$$

input
```
integrate((b*x+a)/(d*x+c)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
log_integral((b^2*x^2 + 2*a*b*x + a^2)*e^(2/n)/(d^2*x^2 + 2*c*d*x + c^2))/((b*c - a*d)*e^(2/n)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate((b*x+a)/(d*x+c)**3/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{bx+a}{(dx+c)^3 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)/(d*x+c)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate((b*x + a)/((d*x + c)^3*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{bx+a}{(dx+c)^3 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((b*x+a)/(d*x+c)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac"
)
```

output
```
integrate((b*x + a)/((d*x + c)^3*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{a+b\,x}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(c+d\,x)^3}\,dx$$

input
```
int((a + b*x)/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^3),x)
```

output
```
int((a + b*x)/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^3), x)
```

Reduce [F]

$$\int \frac{a+bx}{(c+dx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{too large to display}$$

input
```
int((b*x+a)/(d*x+c)^3/log(e*((b*x+a)/(d*x+c))^n),x)
```

output

```
(2*int(x/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3 + 3*log(((a + b*x)**n*
e)/(c + d*x)**n)*a*c**2*d*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*d**
2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d**3*x**3 + log(((a + b*x)**
n*e)/(c + d*x)**n)*b*c**3*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*
d*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d**2*x**3 + log(((a + b*
x)**n*e)/(c + d*x)**n)*b*d**3*x**4),x)*a**2*b*d**3*n - 4*int(x/(log(((a +
b*x)**n*e)/(c + d*x)**n)*a*c**3 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c
**2*d*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*d**2*x**2 + log(((a + b
*x)**n*e)/(c + d*x)**n)*a*d**3*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*b
*c**3*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*d*x**2 + 3*log(((a +
 b*x)**n*e)/(c + d*x)**n)*b*c*d**2*x**3 + log(((a + b*x)**n*e)/(c + d*x)**
n)*b*d**3*x**4),x)*a*b**2*c*d**2*n + 2*int(x/(log(((a + b*x)**n*e)/(c + d*
x)**n)*a*c**3 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2*d*x + 3*log(((
a + b*x)**n*e)/(c + d*x)**n)*a*c*d**2*x**2 + log(((a + b*x)**n*e)/(c + d*x
)**n)*a*d**3*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**3*x + 3*log(((
a + b*x)**n*e)/(c + d*x)**n)*b*c**2*d*x**2 + 3*log(((a + b*x)**n*e)/(c + d
*x)**n)*b*c*d**2*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d**3*x**4),x)
*b**3*c**2*d*n + int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**3 + 3*log(
((a + b*x)**n*e)/(c + d*x)**n)*a*c**2*d*x + 3*log(((a + b*x)**n*e)/(c + d*
x)**n)*a*c*d**2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d**3*x**3 +...
```

3.244 $\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2619
Mathematica [A] (verified) . . . 2619
Rubi [A] (verified) . . . 2620
Maple [F] . . . 2621
Fricas [A] (verification not implemented) . . . 2621
Sympy [F(-1)] . . . 2622
Maxima [F] . . . 2622
Giac [F] . . . 2622
Mupad [F(-1)] . . . 2623
Reduce [F] . . . 2623

Optimal result

Integrand size = 28, antiderivative size = 72

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-1/n} \operatorname{ExpIntegralEi}\left(\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)}$$

output
```
(b*x+a)*Ei(ln(e*((b*x+a)/(d*x+c))^n)/n)/(-a*d+b*c)/n/((e*((b*x+a)/(d*x+c))
^n)^(1/n))/(d*x+c)
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.00

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{(a+bx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-1/n} \operatorname{ExpIntegralEi}\left(\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(c+dx)}$$

input
```
Integrate[1/((c + d*x)^2*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)*ExpIntegralEi[Log[e*((a + b*x)/(c + d*x))^n]/n])/((b*c - a*d)*n
*(e*((a + b*x)/(c + d*x))^n)^n^(-1)*(c + d*x))
```

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {2951, 2737, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2951$$

$$\frac{\int \frac{1}{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2737$$

$$\frac{(a+bx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-1/n} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1}{n}}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(c+dx)(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(a+bx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-1/n} \text{ExpIntegralEi}\left(\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(c+dx)(bc-ad)}$$

input
```
Int[1/((c + d*x)^2*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((a + b*x)*ExpIntegralEi[Log[e*((a + b*x)/(c + d*x))^n]/n])/((b*c - a*d)*n
*(e*((a + b*x)/(c + d*x))^n)^n^(-1)*(c + d*x))
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d)))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2737
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_), x_Symbol] :> Simp[x/(n*(c*x
^n)^(1/n))   Subst[Int[E^(x/n)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ
[{a, b, c, n, p}, x]
```

rule 2951
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/d)^m   Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (a +
b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c
- a*d, 0] && IntegersQ[m, p] && EqQ[d*f - c*g, 0] && (GtQ[p, 0] || LtQ[m, -
1])
```

Maple [F]

$$\int \frac{1}{(dx+c)^2 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int(1/(d*x+c)^2/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int(1/(d*x+c)^2/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.56

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \frac{\log\_\text{integral}\left(\frac{(bx+a)e^{\left(\frac{1}{n}\right)}}{dx+c}\right)}{(bc-ad)e^{\left(\frac{1}{n}\right)}n}$$

input
```
integrate(1/(d*x+c)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
log_integral((b*x + a)*e^(1/n)/(d*x + c))/((b*c - a*d)*e^(1/n)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(d*x+c)**2/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{(dx+c)^2 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate(1/(d*x+c)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate(1/((d*x + c)^2*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{(dx+c)^2 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate(1/(d*x+c)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac")
```

output
```
integrate(1/((d*x + c)^2*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(c+d\,x)^2}\,dx$$

input
```
int(1/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^2),x)
```

output
```
int(1/(log(e*((a + b*x)/(c + d*x))^n)*(c + d*x)^2), x)
```

Reduce [F]

$$\int \frac{1}{(c+dx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Too large to display}$$

input
```
int(1/(d*x+c)^2/log(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
(int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2 + 2*log(((a + b*x)**n*e)
/(c + d*x)**n)*a*c*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d**2*x**2 +
log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*x + 2*log(((a + b*x)**n*e)/(c +
d*x)**n)*b*c*d*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d**2*x**3),x)*a
**2*d**2*n - 2*int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2 + 2*log(((
a + b*x)**n*e)/(c + d*x)**n)*a*c*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)*
a*d**2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*x + 2*log(((a + b*
x)**n*e)/(c + d*x)**n)*b*c*d*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d
**2*x**3),x)*a*b*c*d*n + int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c**2
+ 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*c*d*x + log(((a + b*x)**n*e)/(c +
 d*x)**n)*a*d**2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c**2*x + 2*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*b*c*d*x**2 + log(((a + b*x)**n*e)/(c + d*
x)**n)*b*d**2*x**3),x)*b**2*c**2*n - log(log(((a + b*x)**n*e)/(c + d*x)**n
))*b)/(d*n*(a*d - b*c))
```

3.245 $\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2624
Mathematica [A] (verified) . . . 2624
Rubi [A] (verified) . . . 2625
Maple [A] (verified) . . . 2626
Fricas [A] (verification not implemented) . . . 2627
Sympy [B] (verification not implemented) . . . 2627
Maxima [A] (verification not implemented) . . . 2628
Giac [B] (verification not implemented) . . . 2628
Mupad [B] (verification not implemented) . . . 2629
Reduce [B] (verification not implemented) . . . 2629

Optimal result

Integrand size = 35, antiderivative size = 33

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\log\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)n}$$

output
```
ln(ln(e*((b*x+a)/(d*x+c))^n))/(-a*d+b*c)/n
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.03

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = -\frac{\log\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(-bc+ad)n}$$

input
```
Integrate[1/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
-(Log[Log[e*((a + b*x)/(c + d*x))^n]]/((-(b*c) + a*d)*n))
```

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2739, 14}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{c+dx}{(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2739$$

$$\frac{\int \frac{c+dx}{a+bx}\,d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(bc-ad)}$$

$$\downarrow 14$$

$$\frac{\log\left(\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{n(bc-ad)}$$

input
```
Int[1/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
Log[Log[e*((a + b*x)/(c + d*x))^n]]/((b*c - a*d)*n)
```

Defintions of rubi rules used

rule 14
```
Int[(a_.)/(x_), x_Symbol] :> Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 2739
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] :> Simp[1/(
b*n)   Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}
, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [A] (verified)

Time = 1.47 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.06

method	result	size
derivativedivides	$-\frac{\ln\left(\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{n(da-bc)}$	35
default	$-\frac{\ln\left(\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{n(da-bc)}$	35
parallelrisch	$-\frac{\ln\left(\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)\right)}{n(da-bc)}$	35

input
```
int(1/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n),x,method=_RETURNVERBOSE)
```

output
```
-1/n/(a*d-b*c)*ln(ln(e*((b*x+a)/(d*x+c))^n))
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.03

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\log\left(n\log\left(\frac{bx+a}{dx+c}\right)+\log(e)\right)}{(bc-ad)n}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
log(n*log((b*x + a)/(d*x + c)) + log(e))/((b*c - a*d)*n)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 146 vs. 2(24) = 48.

Time = 93.17 (sec) , antiderivative size = 146, normalized size of antiderivative = 4.42

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$
$$= \begin{cases} -\frac{1}{(bc+bdx)\log(e)} & \text{for } a = \frac{bc}{d} \wedge n = 0 \\ -\frac{1}{bc\log\left(e\left(\frac{bc}{cd+d^2x}+\frac{bx}{c+dx}\right)^n\right)+bdx\log\left(e\left(\frac{bc}{cd+d^2x}+\frac{bx}{c+dx}\right)^n\right)} & \text{for } a = \frac{bc}{d} \\ \frac{-\frac{\log\left(\frac{a}{b}+x\right)}{ad-bc}+\frac{\log\left(\frac{c}{d}+x\right)}{ad-bc}}{\log(e)} & \text{for } n = 0 \\ -\frac{\log\left(\log\left(e\left(\frac{a}{c+dx}+\frac{bx}{c+dx}\right)^n\right)\right)}{adn-bcn} & \text{otherwise} \end{cases}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Piecewise((-1/((b*c + b*d*x)*log(e)), Eq(n, 0) & Eq(a, b*c/d)), (-1/(b*c*log(e*(b*c/(c*d + d**2*x) + b*x/(c + d*x))**n) + b*d*x*log(e*(b*c/(c*d + d**2*x) + b*x/(c + d*x))**n)), Eq(a, b*c/d)), ((-log(a/b + x)/(a*d - b*c) + log(c/d + x)/(a*d - b*c))/log(e), Eq(n, 0)), (-log(log(e*(a/(c + d*x) + b*x/(c + d*x))**n))/(a*d*n - b*c*n), True))
```

Maxima [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.12

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\log\left(-\log\left((bx+a)^n\right)+\log\left((dx+c)^n\right)-\log(e)\right)}{bcn-adn}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxim
a")
```

output
```
log(-log((b*x + a)^n) + log((d*x + c)^n) - log(e))/(b*c*n - a*d*n)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 88 vs. 2(33) = 66.

Time = 0.13 (sec) , antiderivative size = 88, normalized size of antiderivative = 2.67

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(\frac{bc}{(bc-ad)^2}-\frac{ad}{(bc-ad)^2}\right)\log\left(\frac{1}{4}\left(\pi(\operatorname{sgn}(bx+a)\operatorname{sgn}(dx+c)-1)n+\pi(\operatorname{sgn}(e)-1)\right)^2+\left(n\log\left(\frac{|bx+a|}{|dx+c|}\right)+\log\right.\right.}{2n}$$

input
```
integrate(1/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac"
)
```

output
```
1/2*(b*c/(b*c - a*d)^2 - a*d/(b*c - a*d)^2)*log(1/4*(pi*(sgn(b*x + a)*sgn(
d*x + c) - 1)*n + pi*(sgn(e) - 1))^2 + (n*log(abs(b*x + a)/abs(d*x + c)) +
 log(abs(e)))^2)/n
```

Mupad [B] (verification not implemented)

Time = 27.72 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = -\frac{\ln\left(\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a\,d\,n-b\,c\,n}$$

input
```
int(1/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)*(c + d*x)),x)
```

output
```
-log(log(e*((a + b*x)/(c + d*x))^n))/(a*d*n - b*c*n)
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.06

$$\int \frac{1}{(a+bx)(c+dx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = -\frac{\log\left(\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)\right)}{n\,(ad-bc)}$$

input
```
int(1/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
( - log(log(((a + b*x)**n*e)/(c + d*x)**n)))/(n*(a*d - b*c))
```

3.246 $\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2630
Mathematica [A] (verified) . . . 2630
Rubi [A] (verified) . . . 2631
Maple [F] . . . 2632
Fricas [A] (verification not implemented) . . . 2632
Sympy [F(-1)] . . . 2633
Maxima [F] . . . 2633
Giac [F] . . . 2633
Mupad [F(-1)] . . . 2634
Reduce [F] . . . 2634

Optimal result

Integrand size = 28, antiderivative size = 71

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1}{n}} (c+dx)\,\text{ExpIntegralEi}\left(-\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)}$$

output
```
(e*((b*x+a)/(d*x+c))^n)^(1/n)*(d*x+c)*Ei(-ln(e*((b*x+a)/(d*x+c))^n)/n)/(-a
*d+b*c)/n/(b*x+a)
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1}{n}} (c+dx)\,\text{ExpIntegralEi}\left(-\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)}$$

input
```
Integrate[1/((a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^n^(-1)*(c + d*x)*ExpIntegralEi[-(Log[e*((a +
b*x)/(c + d*x))^n]/n)])/((b*c - a*d)*n*(a + b*x))
```

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$, Rules used = {2949, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2949$$

$$\frac{\int \frac{(c+dx)^2}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(c+dx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1}{n}} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-1/n}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(a+bx)(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(c+dx)\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{\frac{1}{n}} \text{ExpIntegralEi}\left(-\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(a+bx)(bc-ad)}$$

input
```
Int[1/((a + b*x)^2*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^n^(-1)*(c + d*x)*ExpIntegralEi[-(Log[e*((a +
b*x)/(c + d*x))^n]/n)])/((b*c - a*d)*n*(a + b*x))
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2949
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> Simp[(b*c - a*d)^(m +
1)*(g/b)^m   Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + 2)), x], x,
 (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && Ne
Q[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[b*f - a*g, 0] && (GtQ[p, 0] || Lt
Q[m, -1])
```

Maple [F]

$$\int \frac{1}{(bx+a)^2 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int(1/(b*x+a)^2/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int(1/(b*x+a)^2/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.56

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \frac{e^{\left(\frac{1}{n}\right)} \log\_\text{integral}\left(\frac{dx+c}{(bx+a)e^{\left(\frac{1}{n}\right)}}\right)}{(bc-ad)n}$$

input
```
integrate(1/(b*x+a)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
e^(1/n)*log_integral((d*x + c)/((b*x + a)*e^(1/n)))/((b*c - a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(b*x+a)**2/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{(bx+a)^2 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate(1/(b*x+a)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate(1/((b*x + a)^2*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{(bx+a)^2 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate(1/(b*x+a)^2/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac")
```

output
```
integrate(1/((b*x + a)^2*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{1}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(a+b\,x)^2}\,dx$$

input
```
int(1/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^2),x)
```

output
```
int(1/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^2), x)
```

Reduce [F]

$$\int \frac{1}{(a+bx)^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Too large to display}$$

input
```
int(1/(b*x+a)^2/log(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
( - int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*c + log(((a + b*x)**n*e
)/(c + d*x)**n)*a**2*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*x +
2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*x**2 + log(((a + b*x)**n*e)/(c
+ d*x)**n)*b**2*c*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*d*x**3),x
)*a**2*d**2*n + 2*int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*c + log((
(a + b*x)**n*e)/(c + d*x)**n)*a**2*d*x + 2*log(((a + b*x)**n*e)/(c + d*x)*
*n)*a*b*c*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*x**2 + log(((a +
b*x)**n*e)/(c + d*x)**n)*b**2*c*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*
b**2*d*x**3),x)*a*b*c*d*n - int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**2
*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*d*x + 2*log(((a + b*x)**n*e)/
(c + d*x)**n)*a*b*c*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*x**2 +
log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*x**2 + log(((a + b*x)**n*e)/(c +
 d*x)**n)*b**2*d*x**3),x)*b**2*c**2*n - log(log(((a + b*x)**n*e)/(c + d*x)
**n))*d)/(b*n*(a*d - b*c))
```

3.247 $\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2635
Mathematica [A] (verified) . . . 2635
Rubi [A] (verified) . . . 2636
Maple [F] . . . 2637
Fricas [A] (verification not implemented) . . . 2637
Sympy [F(-1)] . . . 2638
Maxima [F] . . . 2638
Giac [F] . . . 2639
Mupad [F(-1)] . . . 2639
Reduce [F] . . . 2639

Optimal result

Integrand size = 33, antiderivative size = 75

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{2/n}(c+dx)^2\,\text{ExpIntegralEi}\left(-\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)^2}$$

output
```
(e*((b*x+a)/(d*x+c))^n)^(2/n)*(d*x+c)^2*Ei(-2*ln(e*((b*x+a)/(d*x+c))^n)/n)
/(-a*d+b*c)/n/(b*x+a)^2
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{2/n}(c+dx)^2\,\text{ExpIntegralEi}\left(-\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)^2}$$

input
```
Integrate[(c + d*x)/((a + b*x)^3*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^(2/n)*(c + d*x)^2*ExpIntegralEi[(-2*Log[e*((a
 + b*x)/(c + d*x))^n])/n])/((b*c - a*d)*n*(a + b*x)^2)
```

Rubi [A] (verified)

Time = 0.29 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2961, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^3}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(c+dx)^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{2/n} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-2/n}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(a+bx)^2(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(c+dx)^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{2/n} \text{ExpIntegralEi}\left(-\frac{2\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(a+bx)^2(bc-ad)}$$

input
```
Int[(c + d*x)/((a + b*x)^3*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^(2/n)*(c + d*x)^2*ExpIntegralEi[(-2*Log[e*((a
 + b*x)/(c + d*x))^n])/n])/((b*c - a*d)*n*(a + b*x)^2)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))  Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q  Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Fre
eQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{dx+c}{(bx+a)^3 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int((d*x+c)/(b*x+a)^3/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int((d*x+c)/(b*x+a)^3/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.88

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \frac{e^{\frac{2}{n}} \operatorname{log\_integral}\left(\frac{d^2x^2+2\,cdx+c^2}{(b^2x^2+2\,abx+a^2)e^{\frac{2}{n}}}\right)}{(bc-ad)n}$$

input
```
integrate((d*x+c)/(b*x+a)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
e^(2/n)*log_integral((d^2*x^2 + 2*c*d*x + c^2)/((b^2*x^2 + 2*a*b*x + a^2)*e^(2/n)))/((b*c - a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate((d*x+c)/(b*x+a)**3/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{dx+c}{(bx+a)^3 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((d*x+c)/(b*x+a)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate((d*x + c)/((b*x + a)^3*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{dx+c}{(bx+a)^3 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((d*x+c)/(b*x+a)^3/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac"
)
```

output
```
integrate((d*x + c)/((b*x + a)^3*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{c+d\,x}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(a+b\,x)^3}\,dx$$

input
```
int((c + d*x)/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^3),x)
```

output
```
int((c + d*x)/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^3), x)
```

Reduce [F]

$$\int \frac{c+dx}{(a+bx)^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{too large to display}$$

input
```
int((d*x+c)/(b*x+a)^3/log(e*((b*x+a)/(d*x+c))^n),x)
```

output

```
( - 2*int(x/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*c + log(((a + b*x)**n
*e)/(c + d*x)**n)*a**3*d*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c
*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d*x**2 + 3*log(((a + b*x)
**n*e)/(c + d*x)**n)*a*b**2*c*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*
a*b**2*d*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*x**3 + log(((a +
 b*x)**n*e)/(c + d*x)**n)*b**3*d*x**4),x)*a**2*b*d**3*n + 4*int(x/(log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**3*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a*
*3*d*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*x + 3*log(((a + b*x
)**n*e)/(c + d*x)**n)*a**2*b*d*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)
*a*b**2*c*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d*x**3 + log(
((a + b*x)**n*e)/(c + d*x)**n)*b**3*c*x**3 + log(((a + b*x)**n*e)/(c + d*x
)**n)*b**3*d*x**4),x)*a*b**2*c*d**2*n - 2*int(x/(log(((a + b*x)**n*e)/(c +
 d*x)**n)*a**3*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*d*x + 3*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*x + 3*log(((a + b*x)**n*e)/(c + d*x)*
*n)*a**2*b*d*x**2 + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c*x**2 + 3
*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d*x**3 + log(((a + b*x)**n*e)/(
c + d*x)**n)*b**3*c*x**3 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*d*x**4)
,x)*b**3*c**2*d*n - int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*c + log
(((a + b*x)**n*e)/(c + d*x)**n)*a**3*d*x + 3*log(((a + b*x)**n*e)/(c + d*x
)**n)*a**2*b*c*x + 3*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d*x**2 +...
```

3.248 $\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$

Optimal result . . . 2641
Mathematica [A] (verified) . . . 2641
Rubi [A] (verified) . . . 2642
Maple [F] . . . 2643
Fricas [A] (verification not implemented) . . . 2644
Sympy [F(-1)] . . . 2644
Maxima [F] . . . 2644
Giac [F] . . . 2645
Mupad [F(-1)] . . . 2645
Reduce [F] . . . 2645

Optimal result

Integrand size = 35, antiderivative size = 75

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{3/n}(c+dx)^3\,\text{ExpIntegralEi}\left(-\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)^3}$$

output

```
(e*((b*x+a)/(d*x+c))^n)^(3/n)*(d*x+c)^3*Ei(-3*ln(e*((b*x+a)/(d*x+c))^n)/n)
/(-a*d+b*c)/n/(b*x+a)^3
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{3/n}(c+dx)^3\,\text{ExpIntegralEi}\left(-\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{(bc-ad)n(a+bx)^3}$$

input
```
Integrate[(c + d*x)^2/((a + b*x)^4*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^(3/n)*(c + d*x)^3*ExpIntegralEi[(-3*Log[e*((a
 + b*x)/(c + d*x))^n])/n])/((b*c - a*d)*n*(a + b*x)^3)
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$, Rules used = {2961, 2747, 2609}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx$$

$$\downarrow 2961$$

$$\frac{\int \frac{(c+dx)^4}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} d\frac{a+bx}{c+dx}}{bc-ad}$$

$$\downarrow 2747$$

$$\frac{(c+dx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{3/n} \int \frac{\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{-3/n}(c+dx)}{a+bx} d\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n(a+bx)^3(bc-ad)}$$

$$\downarrow 2609$$

$$\frac{(c+dx)^3 \left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^{3/n} \text{ExpIntegralEi}\left(-\frac{3\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{n}\right)}{n(a+bx)^3(bc-ad)}$$

input
```
Int[(c + d*x)^2/((a + b*x)^4*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output
```
((e*((a + b*x)/(c + d*x))^n)^(3/n)*(c + d*x)^3*ExpIntegralEi[(-3*Log[e*((a
 + b*x)/(c + d*x))^n])/n])/((b*c - a*d)*n*(a + b*x)^3)
```

Defintions of rubi rules used

rule 2609
```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))/((c_.) + (d_.)*(x_)), x_Symbol] :> Si
mp[(F^(g*(e - c*(f/d))))/d)*ExpIntegralEi[f*g*(c + d*x)*(Log[F]/d)], x] /; F
reeQ[{F, c, d, e, f, g}, x] &&  !TrueQ[$UseGamma]
```

rule 2747
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_)*((d_.)*(x_))^(m_.), x_Symbol
] :> Simp[(d*x)^(m + 1)/(d*n*(c*x^n)^((m + 1)/n))   Subst[Int[E^(((m + 1)/n
)*x)*(a + b*x)^p, x], x, Log[c*x^n]], x] /; FreeQ[{a, b, c, d, m, n, p}, x]
```

rule 2961
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q   Subst[Int[x^m*((A + B*L
og[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; Free
Q[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && NeQ[b*c - a*d, 0] && EqQ[
b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]
```

Maple [F]

$$\int \frac{(dx+c)^2}{(bx+a)^4 \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input
```
int((d*x+c)^2/(b*x+a)^4/ln(e*((b*x+a)/(d*x+c))^n),x)
```

output
```
int((d*x+c)^2/(b*x+a)^4/ln(e*((b*x+a)/(d*x+c))^n),x)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 88, normalized size of antiderivative = 1.17

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \frac{e^{\frac{3}{n}}\,\text{log\_integral}\left(\frac{d^3x^3+3\,cd^2x^2+3\,c^2dx+c^3}{(b^3x^3+3\,ab^2x^2+3\,a^2bx+a^3)e^{\frac{3}{n}}}\right)}{(bc-ad)n}$$

input
```
integrate((d*x+c)^2/(b*x+a)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")
```

output
```
e^(3/n)*log_integral((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)/((b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3)*e^(3/n)))/((b*c - a*d)*n)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{Timed out}$$

input
```
integrate((d*x+c)**2/(b*x+a)**4/ln(e*((b*x+a)/(d*x+c))**n),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(dx+c)^2}{(bx+a)^4 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((d*x+c)^2/(b*x+a)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")
```

output
```
integrate((d*x + c)^2/((b*x + a)^4*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Giac [F]

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(dx+c)^2}{(bx+a)^4 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}\,dx$$

input
```
integrate((d*x+c)^2/(b*x+a)^4/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac")
```

output
```
integrate((d*x + c)^2/((b*x + a)^4*log(e*((b*x + a)/(d*x + c))^n)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \int \frac{(c+d\,x)^2}{\ln\left(e\left(\frac{a+b\,x}{c+d\,x}\right)^n\right)\,(a+b\,x)^4}\,dx$$

input
```
int((c + d*x)^2/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^4),x)
```

output
```
int((c + d*x)^2/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)^4), x)
```

Reduce [F]

$$\int \frac{(c+dx)^2}{(a+bx)^4 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}\,dx = \text{too large to display}$$

input
```
int((d*x+c)^2/(b*x+a)^4/log(e*((b*x+a)/(d*x+c))^n),x)
```

output

```
( - 3*int(x**2/(log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*c + log(((a + b*x)
**n*e)/(c + d*x)**n)*a**4*d*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*
b*c*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*d*x**2 + 6*log(((a + b
*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x
)**n)*a**2*b**2*d*x**3 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*x**
3 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d*x**4 + log(((a + b*x)**n
*e)/(c + d*x)**n)*b**4*c*x**4 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*d*
x**5),x)*a**2*b**2*d**4*n + 6*int(x**2/(log(((a + b*x)**n*e)/(c + d*x)**n)
*a**4*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*d*x + 4*log(((a + b*x)**
n*e)/(c + d*x)**n)*a**3*b*c*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*
b*d*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*c*x**2 + 6*log((
(a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d*x**3 + 4*log(((a + b*x)**n*e)/(c
 + d*x)**n)*a*b**3*c*x**3 + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*d*
x**4 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**4*c*x**4 + log(((a + b*x)**n*
e)/(c + d*x)**n)*b**4*d*x**5),x)*a*b**3*c*d**3*n - 3*int(x**2/(log(((a + b
*x)**n*e)/(c + d*x)**n)*a**4*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a**4*d
*x + 4*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*b*c*x + 4*log(((a + b*x)**n
*e)/(c + d*x)**n)*a**3*b*d*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**
2*b**2*c*x**2 + 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b**2*d*x**3 + 4*
log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**3*c*x**3 + 4*log(((a + b*x)**n*...
```

3.249 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{(f+gx)(ah+bhx)}\,dx$

Optimal result . . . 2647
Mathematica [F] . . . 2648
Rubi [A] (warning: unable to verify) . . . 2648
Maple [F] . . . 2651
Fricas [F] . . . 2651
Sympy [F(-1)] . . . 2652
Maxima [F] . . . 2652
Giac [F] . . . 2653
Mupad [F(-1)] . . . 2653
Reduce [F] . . . 2654

Optimal result

Integrand size = 43, antiderivative size = 361

$$
\begin{aligned}
&\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{(f+gx)(ah+bhx)}\,dx \\
&= -\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{4Bn\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{12B^2n^2\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{24B^3n^3\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{24B^4n^4\operatorname{PolyLog}\left(5,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}
\end{aligned}
$$

output
```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^4*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b
*x+a))/(-a*g+b*f)/h+4*B*n*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3*polylog(2,(-
a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+12*B^2*n^2*(A+B*ln(e*(b*
x+a)^n/((d*x+c)^n)))^2*polylog(3,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-
a*g+b*f)/h+24*B^3*n^3*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))*polylog(4,(-a*g+b*
f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+24*B^4*n^4*polylog(5,(-a*g+b*f
)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h
```

Mathematica [F]

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^4}{(f+gx)(ah+bhx)}\,dx = \int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^4}{(f+gx)(ah+bhx)}\,dx$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^4/((f + g*x)*(a*h + b*h
*x)),x]
```

output
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^4/((f + g*x)*(a*h + b*h
*x)), x]
```

Rubi [A] (warning: unable to verify)

Time = 1.21 (sec) , antiderivative size = 312, normalized size of antiderivative = 0.86, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.186$, Rules used = {2973, 2967, 27, 2779, 2821, 2830, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A)^4}{(f+gx)(ah+bhx)}\,dx$$
$$\downarrow \text{2973}$$
$$\int \frac{(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A)^4}{(f+gx)(ah+bhx)}dx$$

$$\downarrow 2967$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^4}{(bc-ad)h(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}$$

$$\downarrow 27$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^4}{(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{h}$$

$$\downarrow 2779$$

$$\frac{4Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{bf-ag} - \frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^4}{bf-ag}}{h}$$

$$\downarrow 2821$$

$$\frac{4Bn\left(\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3-3Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{bf-ag} - \frac{\log($$

$$\downarrow 2830$$

$$\frac{4Bn\left(\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3-3Bn\left(2Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\text{Poly}\right.\right.}{bf-ag}$$

$$\downarrow 2830$$

$$\frac{4Bn\left(\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3-3Bn\left(2Bn\left(Bn\int \frac{(c+dx)\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c\right.\right.\right.}{bf-ag}$$

$$\downarrow 7143$$

$$\frac{4Bn\left(\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3-3Bn\left(2Bn\left(-\left(\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\right)-Bn\operatorname{PolyLo}\right.\right.}{bf-ag}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^4/((f + g*x)*(a*h + b*h*x)),x
]
```

output
```
(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^4*Log[1 - ((b*f - a*g)*(c + d*x
))/((d*f - c*g)*(a + b*x))])/(b*f - a*g)) + (4*B*n*((A + B*Log[e*((a + b*x
)/(c + d*x))^n])^3*PolyLog[2, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*
x))] - 3*B*n*(-((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*PolyLog[3, ((b*f
 - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]) + 2*B*n*(-((A + B*Log[e*((a +
 b*x)/(c + d*x))^n])*PolyLog[4, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b
*x))]) - B*n*PolyLog[5, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]))
))/(b*f - a*g))/h
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2830
```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*PolyLog[k_, (e_.)*(x_)^(q_
.)])/(x_), x_Symbol] :> Simp[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^p/q)
, x] - Simp[b*n*(p/q)   Int[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^(p -
1)/x), x], x] /; FreeQ[{a, b, c, e, k, n, q}, x] && GtQ[p, 0]
```

rule 2967

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)   Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*(b*h - a*i
- (d*h - c*i)*x)^q*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a
+ b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && IntegersQ[m, q] && IGtQ[p, 0]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A+B\ln\left(e(bx+a)^n\left(dx+c\right)^{-n}\right)\right)^4}{\left(gx+f\right)\left(bhx+ah\right)}dx$$

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x)
```

output

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x)
```

Fricas [F]

$$\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^4}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^4}{(bhx+ah)(gx+f)}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x, algo
rithm="fricas")
```

output
```
integral((B^4*log((b*x + a)^n*e/(d*x + c)^n)^4 + 4*A*B^3*log((b*x + a)^n*e
/(d*x + c)^n)^3 + 6*A^2*B^2*log((b*x + a)^n*e/(d*x + c)^n)^2 + 4*A^3*B*log
((b*x + a)^n*e/(d*x + c)^n) + A^4)/(b*g*h*x^2 + a*f*h + (b*f + a*g)*h*x),
x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^4}{(f + gx)(ah + bhx)}\, dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**4/(g*x+f)/(b*h*x+a*h),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^4}{(f + gx)(ah + bhx)}\, dx = \int \frac{\left(B \log \left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A\right)^4}{(bhx + ah)(gx + f)}\, dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x, algo
rithm="maxima")
```

output
```
A^4*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) + integr
ate((B^4*log((b*x + a)^n)^4 + B^4*log((d*x + c)^n)^4 + B^4*log(e)^4 + 4*A*
B^3*log(e)^3 + 6*A^2*B^2*log(e)^2 + 4*A^3*B*log(e) + 4*(B^4*log(e) + A*B^3
)*log((b*x + a)^n)^3 - 4*(B^4*log((b*x + a)^n) + B^4*log(e) + A*B^3)*log((
d*x + c)^n)^3 + 6*(B^4*log(e)^2 + 2*A*B^3*log(e) + A^2*B^2)*log((b*x + a)^
n)^2 + 6*(B^4*log((b*x + a)^n)^2 + B^4*log(e)^2 + 2*A*B^3*log(e) + A^2*B^2
 + 2*(B^4*log(e) + A*B^3)*log((b*x + a)^n))*log((d*x + c)^n)^2 + 4*(B^4*lo
g(e)^3 + 3*A*B^3*log(e)^2 + 3*A^2*B^2*log(e) + A^3*B)*log((b*x + a)^n) - 4
*(B^4*log((b*x + a)^n)^3 + B^4*log(e)^3 + 3*A*B^3*log(e)^2 + 3*A^2*B^2*log
(e) + A^3*B + 3*(B^4*log(e) + A*B^3)*log((b*x + a)^n)^2 + 3*(B^4*log(e)^2
+ 2*A*B^3*log(e) + A^2*B^2)*log((b*x + a)^n))*log((d*x + c)^n))/(b*g*h*x^2
 + a*f*h + (b*f*h + a*g*h)*x), x)
```

Giac [F]

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^4}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^4}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x, algo
rithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^4/((b*h*x + a*h)*(g*x + f
)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^4}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^4}{(f+g\,x)\,(a\,h+b\,h\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^4/((f + g*x)*(a*h + b*h*x)),x
)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^4/((f + g*x)*(a*h + b*h*x)),
x)
```

Reduce [F]

$$\int \frac{(A + B \log (e(a+bx)^n (c+dx)^{-n}))^4}{(f+gx)(ah+bhx)}\,dx = \text{too large to display}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^4/(g*x+f)/(b*h*x+a*h),x)
```

output
```
(5*int(log(((a + b*x)**n*e)/(c + d*x)**n)**4/(a*c*f + a*c*g*x + a*d*f*x +
a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**4*
c*d*g**2*n - 5*int(log(((a + b*x)**n*e)/(c + d*x)**n)**4/(a*c*f + a*c*g*x
+ a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x
)*a**2*b**4*d**2*f*g*n - 5*int(log(((a + b*x)**n*e)/(c + d*x)**n)**4/(a*c*
f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b
*d*g*x**3),x)*a*b**5*c**2*g**2*n + 5*int(log(((a + b*x)**n*e)/(c + d*x)**n
)**4/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*
f*x**2 + b*d*g*x**3),x)*a*b**5*d**2*f**2*n + 5*int(log(((a + b*x)**n*e)/(c
 + d*x)**n)**4/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x
**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**6*c**2*f*g*n - 5*int(log(((a + b*x)**
n*e)/(c + d*x)**n)**4/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x +
b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**6*c*d*f**2*n + 20*int(log(((a
+ b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*
c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**3*c*d*g**2*n - 20
*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*
d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**3*d*
*2*f*g*n - 20*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x +
 a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)
*a**2*b**4*c**2*g**2*n + 20*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(...
```

3.250 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(f+gx)(ah+bhx)}\,dx$

Optimal result . . . 2655
Mathematica [F] . . . 2656
Rubi [A] (warning: unable to verify) . . . 2656
Maple [F] . . . 2659
Fricas [F] . . . 2659
Sympy [F(-1)] . . . 2660
Maxima [F] . . . 2660
Giac [F] . . . 2661
Mupad [F(-1)] . . . 2661
Reduce [F] . . . 2661

Optimal result

Integrand size = 43, antiderivative size = 282

$$\begin{aligned}
&\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{(f+gx)(ah+bhx)}\,dx \\
&= -\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{3Bn\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{6B^2n^2\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{6B^3n^3\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}
\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b
*x+a))/(-a*g+b*f)/h+3*B*n*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2*polylog(2,(-
a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+6*B^2*n^2*(A+B*ln(e*(b*x
+a)^n/((d*x+c)^n)))*polylog(3,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g
+b*f)/h+6*B^3*n^3*polylog(4,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b
*f)/h
```

Mathematica [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/((f + g*x)*(a*h + b*h
*x)),x]
```

output
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/((f + g*x)*(a*h + b*h
*x)), x]
```

Rubi [A] (warning: unable to verify)

Time = 1.09 (sec) , antiderivative size = 248, normalized size of antiderivative = 0.88, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.163$, Rules used = {2973, 2967, 27, 2779, 2821, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B\log(e(a+bx)^n(c+dx)^{-n})+A)^3}{(f+gx)(ah+bhx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B\log(e(a+bx)^n(c+dx)^{-n})+A)^3}{(f+gx)(ah+bhx)}dx$$

$$\downarrow 2967$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{(bc-ad)h(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}$$

$$\downarrow 27$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{h}$$

$$\downarrow 2779$$

$$\frac{3Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{bf-ag} - \frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^3}{bf-ag}}{h}$$

$$\downarrow 2821$$

$$\frac{3Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}\right)}{bf-ag} - \frac{\log(1}{h}$$

$$\downarrow 2830$$

$$\frac{3Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\left(Bn\int\frac{(c+dx)\,\text{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}-\text{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\right.\right.}{bf-ag}}{h}$$

$$\downarrow 7143$$

$$\frac{3Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\left(-\left(\text{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)\right)-Bn\,\text{PolyLog}\left(4,\right.\right.\right.}{bf-ag}}{h}$$

input

```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/((f + g*x)*(a*h + b*h*x)),x
]
```

output

```
(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^3*Log[1 - ((b*f - a*g)*(c + d*x
))/((d*f - c*g)*(a + b*x))])/(b*f - a*g)) + (3*B*n*((A + B*Log[e*((a + b*x
)/(c + d*x))^n])^2*PolyLog[2, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*
x))] - 2*B*n*(-((A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[3, ((b*f -
a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]) - B*n*PolyLog[4, ((b*f - a*g)*(c
 + d*x))/((d*f - c*g)*(a + b*x))])))/(b*f - a*g))/h
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2830

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*PolyLog[k_, (e_.)*(x_)^(q_
.)])/(x_), x_Symbol] :> Simp[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^p/q)
, x] - Simp[b*n*(p/q)   Int[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^(p -
1)/x), x], x] /; FreeQ[{a, b, c, e, k, n, q}, x] && GtQ[p, 0]
```

rule 2967

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)   Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*(b*h - a*i
- (d*h - c*i)*x)^q*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a
+ b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && IntegersQ[m, q] && IGtQ[p, 0]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A+B\ln\left(e(bx+a)^n\left(dx+c\right)^{-n}\right)\right)^3}{\left(gx+f\right)\left(bhx+ah\right)}dx$$

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x)
```

output

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x)
```

Fricas [F]

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^3}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{(bhx+ah)(gx+f)}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x, algo
rithm="fricas")
```

output

```
integral((B^3*log((b*x + a)^n*e/(d*x + c)^n)^3 + 3*A*B^2*log((b*x + a)^n*e
/(d*x + c)^n)^2 + 3*A^2*B*log((b*x + a)^n*e/(d*x + c)^n) + A^3)/(b*g*h*x^2
 + a*f*h + (b*f + a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**3/(g*x+f)/(b*h*x+a*h),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x, algo
rithm="maxima")
```

output
```
A^3*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) - integr
ate(-(B^3*log((b*x + a)^n)^3 - B^3*log((d*x + c)^n)^3 + B^3*log(e)^3 + 3*A
*B^2*log(e)^2 + 3*A^2*B*log(e) + 3*(B^3*log(e) + A*B^2)*log((b*x + a)^n)^2
 + 3*(B^3*log((b*x + a)^n) + B^3*log(e) + A*B^2)*log((d*x + c)^n)^2 + 3*(B
^3*log(e)^2 + 2*A*B^2*log(e) + A^2*B)*log((b*x + a)^n) - 3*(B^3*log((b*x +
 a)^n)^2 + B^3*log(e)^2 + 2*A*B^2*log(e) + A^2*B + 2*(B^3*log(e) + A*B^2)*
log((b*x + a)^n))*log((d*x + c)^n))/(b*g*h*x^2 + a*f*h + (b*f*h + a*g*h)*x
), x)
```

Giac [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x, algo
rithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^3/((b*h*x + a*h)*(g*x + f
)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^3}{(f+g\,x)\,(a\,h+b\,h\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3/((f + g*x)*(a*h + b*h*x)),x
)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3/((f + g*x)*(a*h + b*h*x)),
x)
```

Reduce [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{(f+gx)(ah+bhx)}\,dx = \text{too large to display}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(g*x+f)/(b*h*x+a*h),x)
```

output

```
(4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x +
a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**3*
c*d*g**2*n - 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x
+ a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x
)*a**2*b**3*d**2*f*g*n - 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*
f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b
*d*g*x**3),x)*a*b**4*c**2*g**2*n + 4*int(log(((a + b*x)**n*e)/(c + d*x)**n
)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*
f*x**2 + b*d*g*x**3),x)*a*b**4*d**2*f**2*n + 4*int(log(((a + b*x)**n*e)/(c
 + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x
**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**5*c**2*f*g*n - 4*int(log(((a + b*x)**
n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x +
b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**5*c*d*f**2*n + 12*int(log(((a
+ b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*
c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**2*c*d*g**2*n - 12
*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*
d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**2*d*
*2*f*g*n - 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x +
 a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)
*a**2*b**3*c**2*g**2*n + 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(...
```

3.251 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(f+gx)(ah+bhx)}\,dx$

Optimal result . . . 2663
Mathematica [B] (verified) . . . 2664
Rubi [A] (warning: unable to verify) . . . 2665
Maple [F] . . . 2667
Fricas [F] . . . 2667
Sympy [F(-1)] . . . 2668
Maxima [F] . . . 2668
Giac [F] . . . 2669
Mupad [F(-1)] . . . 2669
Reduce [F] . . . 2669

Optimal result

Integrand size = 43, antiderivative size = 203

$$\begin{aligned}
&\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{(f+gx)(ah+bhx)}\,dx \\
&= -\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{2Bn\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{2B^2n^2\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}
\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b
*x+a))/(-a*g+b*f)/h+2*B*n*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))*polylog(2,(-a*
g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+2*B^2*n^2*polylog(3,(-a*g+
b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1415 vs. $2(203) = 406$.

Time = 1.44 (sec) , antiderivative size = 1415, normalized size of antiderivative = 6.97

$$\int \frac{(A + B \log (e(a+bx)^n (c+dx)^{-n}))^2}{(f+gx)(ah+bhx)}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/((f + g*x)*(a*h + b*h
*x)),x]
```

output

```
(3*Log[a + b*x]*(A + B*(-(n*Log[a + b*x]) + n*Log[c + d*x] + Log[(e*(a + b
*x)^n)/(c + d*x)^n]))^2 - 3*(A + B*(-(n*Log[a + b*x]) + n*Log[c + d*x] + L
og[(e*(a + b*x)^n)/(c + d*x)^n]))^2*Log[f + g*x] + 3*B*n*(A + B*(-(n*Log[a
 + b*x]) + n*Log[c + d*x] + Log[(e*(a + b*x)^n)/(c + d*x)^n]))*(Log[a + b*
x]^2 - 2*(Log[a + b*x]*Log[(b*(f + g*x))/(b*f - a*g)] + PolyLog[2, (g*(a +
 b*x))/(-(b*f) + a*g)])) - 6*A*B*n*(Log[c + d*x]*(Log[(d*(a + b*x))/(-(b*c
) + a*d)] - Log[(d*(f + g*x))/(d*f - c*g)]) + PolyLog[2, (b*(c + d*x))/(b*
c - a*d)] - PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g)]) + 6*B^2*n*(n*Log[a +
 b*x] - n*Log[c + d*x] - Log[(e*(a + b*x)^n)/(c + d*x)^n])*(Log[c + d*x]*(
Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[(d*(f + g*x))/(d*f - c*g)]) + Poly
Log[2, (b*(c + d*x))/(b*c - a*d)] - PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g
)]) + B^2*n^2*(Log[a + b*x]^2*(Log[a + b*x] - 3*Log[(b*(f + g*x))/(b*f - a
*g)]) - 6*Log[a + b*x]*PolyLog[2, (g*(a + b*x))/(-(b*f) + a*g)] + 6*PolyLo
g[3, (g*(a + b*x))/(-(b*f) + a*g)]) + 3*B^2*n^2*(Log[(d*(a + b*x))/(-(b*c)
 + a*d)]*Log[c + d*x]^2 - Log[c + d*x]^2*Log[(d*(f + g*x))/(d*f - c*g)] +
2*Log[c + d*x]*PolyLog[2, (b*(c + d*x))/(b*c - a*d)] - 2*Log[c + d*x]*Poly
Log[2, (g*(c + d*x))/(-(d*f) + c*g)] - 2*PolyLog[3, (b*(c + d*x))/(b*c - a
*d)] + 2*PolyLog[3, (g*(c + d*x))/(-(d*f) + c*g)]) - 6*B^2*n^2*((Log[a + b
*x]^2*(Log[c + d*x] - Log[(b*(c + d*x))/(b*c - a*d)]))/2 - Log[a + b*x]*Lo
g[c + d*x]*Log[(b*(f + g*x))/(b*f - a*g)] - (Log[(g*(c + d*x))/(-(d*f) ...
```

Rubi [A] (warning: unable to verify)

Time = 0.94 (sec) , antiderivative size = 183, normalized size of antiderivative = 0.90, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.140$, Rules used = {2973, 2967, 27, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e(a+bx)^n (c+dx)^{-n}\right)+A\right)^2}{(f+gx)(ah+bhx)}\,dx$$

$$\downarrow 2973$$

$$\int \frac{\left(B \log\left(e(a+bx)^n (c+dx)^{-n}\right)+A\right)^2}{(f+gx)(ah+bhx)}\,dx$$

$$\downarrow 2967$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(bc-ad)h(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}\,d\frac{a+bx}{c+dx}$$

$$\downarrow 27$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}\,d\frac{a+bx}{c+dx}}{h}$$

$$\downarrow 2779$$

$$\frac{2Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}\,d\frac{a+bx}{c+dx}}{bf-ag} - \frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{bf-ag}}{h}$$

$$\downarrow 2821$$

$$\frac{2Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int \frac{(c+dx)\,\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}\,d\frac{a+bx}{c+dx}\right)}{bf-ag} - \frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log}{bf-ag}}{h}$$

$$\downarrow 7143$$

$$\frac{\frac{2Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+Bn\,\text{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\right)}{bf-ag} - \frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2}{bf-ag}}{h}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/((f + g*x)*(a*h + b*h*x)),x
]
```

output
```
(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - ((b*f - a*g)*(c + d*x
))/((d*f - c*g)*(a + b*x))])/(b*f - a*g)) + (2*B*n*((A + B*Log[e*((a + b*x
)/(c + d*x))^n])*PolyLog[2, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x)
)] + B*n*PolyLog[3, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]))/(b*
f - a*g))/h
```

Defintions of rubi rules used

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)   Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2967

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)   Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*(b*h - a*i
- (d*h - c*i)*x)^q*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a
+ b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && IntegersQ[m, q] && IGtQ[p, 0]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A + B \ln\left(e(bx+a)^n (dx+c)^{-n}\right)\right)^2}{(gx+f)(bhx+ah)} dx$$

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x)
```

output

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x)
```

Fricas [F]

$$\int \frac{(A + B\log(e(a+bx)^n (c+dx)^{-n}))^2}{(f+gx)(ah+bhx)} dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A\right)^2}{(bhx+ah)(gx+f)} dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x, algo
rithm="fricas")
```

output
```
integral((B^2*log((b*x + a)^n*e/(d*x + c)^n)^2 + 2*A*B*log((b*x + a)^n*e/(
d*x + c)^n) + A^2)/(b*g*h*x^2 + a*f*h + (b*f + a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^2}{(f + gx)(ah + bhx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**2/(g*x+f)/(b*h*x+a*h),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A + B \log (e(a + bx)^n (c + dx)^{-n}))^2}{(f + gx)(ah + bhx)}\,dx = \int \frac{\left(B \log \left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A\right)^2}{(bhx + ah)(gx + f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x, algo
rithm="maxima")
```

output
```
A^2*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) + integr
ate((B^2*log((b*x + a)^n)^2 + B^2*log((d*x + c)^n)^2 + B^2*log(e)^2 + 2*A*
B*log(e) + 2*(B^2*log(e) + A*B)*log((b*x + a)^n) - 2*(B^2*log((b*x + a)^n)
 + B^2*log(e) + A*B)*log((d*x + c)^n))/(b*g*h*x^2 + a*f*h + (b*f*h + a*g*h
)*x), x)
```

Giac [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x, algo
rithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^2/((b*h*x + a*h)*(g*x + f
)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(f+gx)(ah+bhx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^2}{(f+g\,x)\,(a\,h+b\,h\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2/((f + g*x)*(a*h + b*h*x)),x
)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2/((f + g*x)*(a*h + b*h*x)),
x)
```

Reduce [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{(f+gx)(ah+bhx)}\,dx = \text{Too large to display}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(g*x+f)/(b*h*x+a*h),x)
```

output

```
(3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x +
a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**2*
c*d*g**2*n - 3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x
+ a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x
)*a**2*b**2*d**2*f*g*n - 3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*
f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b
*d*g*x**3),x)*a*b**3*c**2*g**2*n + 3*int(log(((a + b*x)**n*e)/(c + d*x)**n
)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*
f*x**2 + b*d*g*x**3),x)*a*b**3*d**2*f**2*n + 3*int(log(((a + b*x)**n*e)/(c
 + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x
**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**4*c**2*f*g*n - 3*int(log(((a + b*x)**
n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x +
b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**4*c*d*f**2*n + 6*int(log(((a +
 b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*
x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b*c*d*g**2*n - 6*int(log
(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 +
b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b*d**2*f*g*n - 6*i
nt(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x
**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**2*c**2*g*
*2*n + 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*...
```

3.252 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx$

Optimal result . . . 2671
Mathematica [B] (verified) . . . 2672
Rubi [A] (warning: unable to verify) . . . 2672
Maple [C] (warning: unable to verify) . . . 2674
Fricas [F] . . . 2675
Sympy [F(-1)] . . . 2676
Maxima [F] . . . 2676
Giac [F] . . . 2676
Mupad [F(-1)] . . . 2677
Reduce [F] . . . 2677

Optimal result

Integrand size = 41, antiderivative size = 123

$$\begin{aligned}&\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx\\&=-\frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}\\&\quad+\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x
+a))/(-a*g+b*f)/h+B*n*polylog(2,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a
*g+b*f)/h
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 304 vs. $2(123) = 246$.

Time $= 0.46$ (sec) , antiderivative size $= 304$, normalized size of antiderivative $= 2.47$

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx =$$

$$-\frac{-2A\log(a+bx) + Bn\log^2(a+bx) - 2Bn\log(a+bx)\log(c+dx) + 2Bn\log\left(\frac{d(a+bx)}{-bc+ad}\right)\log(c+dx) -$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/((f + g*x)*(a*h + b*h*x
)),x]
```

output
```
-1/2*(-2*A*Log[a + b*x] + B*n*Log[a + b*x]^2 - 2*B*n*Log[a + b*x]*Log[c +
d*x] + 2*B*n*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 2*B*Log[a +
b*x]*Log[(e*(a + b*x)^n)/(c + d*x)^n] + 2*A*Log[f + g*x] - 2*B*n*Log[a + b
*x]*Log[f + g*x] + 2*B*n*Log[c + d*x]*Log[f + g*x] + 2*B*Log[(e*(a + b*x)^
n)/(c + d*x)^n]*Log[f + g*x] + 2*B*n*Log[a + b*x]*Log[(b*(f + g*x))/(b*f -
 a*g)] - 2*B*n*Log[c + d*x]*Log[(d*(f + g*x))/(d*f - c*g)] + 2*B*n*PolyLog
[2, (g*(a + b*x))/(-(b*f) + a*g)] + 2*B*n*PolyLog[2, (b*(c + d*x))/(b*c -
a*d)] - 2*B*n*PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g)])/((b*f - a*g)*h)
```

Rubi [A] (warning: unable to verify)

Time $= 0.63$ (sec) , antiderivative size $= 120$, normalized size of antiderivative $= 0.98$, number of steps used $= 6$, number of rules used $= 5$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.122$, Rules used $= \{2973, 2967, 27, 2779, 2838\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e(a+bx)^n(c+dx)^{-n}\right) + A}{(f+gx)(ah+bhx)}\,dx$$

$$\downarrow \text{2973}$$

$$\int \frac{B\log\left(e(a+bx)^n(c+dx)^{-n}\right) + A}{(f+gx)(ah+bhx)}dx$$

$$\downarrow 2967$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(bc-ad)h(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}$$

$$\downarrow 27$$

$$\frac{\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}}{h}$$

$$\downarrow 2779$$

$$\frac{Bn\int \frac{(c+dx)\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{bf-ag}-\frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bf-ag}}{h}$$

$$\downarrow 2838$$

$$\frac{\frac{Bn\,\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{bf-ag}-\frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{bf-ag}}{h}$$

input

```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/((f + g*x)*(a*h + b*h*x)),x]
```

output

```
(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - ((b*f - a*g)*(c + d*x))
/((d*f - c*g)*(a + b*x))])/(b*f - a*g)) + (B*n*PolyLog[2, ((b*f - a*g)*(c
+ d*x))/((d*f - c*g)*(a + b*x))])/(b*f - a*g))/h
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2967
```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)   Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*(b*h - a*i
- (d*h - c*i)*x)^q*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a
+ b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] &&
NeQ[b*c - a*d, 0] && IntegersQ[m, q] && IGtQ[p, 0]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 27.07 (sec) , antiderivative size = 1447, normalized size of antiderivative = 11.76

method	result	size
risch	Expression too large to display	1447

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/(g*x+f)/(b*h*x+a*h),x,method=_RETURN
VERBOSE)
```

output

```
-1/h*B*ln((b*x+a)^n)/(a*g-b*f)*ln(b*x+a)-1/h*B*n/(a*g-b*f)*dilog((b*(g*x+f
)+a*g-b*f)/(a*g-b*f))+1/2/h*B*n/(a*g-b*f)*ln(b*x+a)^2+1/h*B*n/(a*g-b*f)*ln
(g*x+f)*ln((d*(g*x+f)+c*g-d*f)/(c*g-d*f))-1/h*B*n/(a*g-b*f)*ln(b*x+a)*ln((
-d*a+b*c+d*(b*x+a))/(-a*d+b*c))+1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*csgn(I/((
d*x+c)^n))*csgn(I/((d*x+c)^n)*(b*x+a)^n)^2+1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*P
i*csgn(I*(b*x+a)^n)*csgn(I/((d*x+c)^n)*(b*x+a)^n)^2+1/2*I/h/(a*g-b*f)*ln(g
*x+f)*B*Pi*csgn(I/((d*x+c)^n)*(b*x+a)^n)*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^2
+1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^2*csgn(I
*e)-1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I/((d*x+c)^n))*csgn(I/((d*x+c)^n
)*(b*x+a)^n)^2-1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I*(b*x+a)^n)*csgn(I/(
(d*x+c)^n)*(b*x+a)^n)^2-1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I/((d*x+c)^n
)*(b*x+a)^n)*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^2-1/2*I/h/(a*g-b*f)*ln(b*x+a)
*B*Pi*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^2*csgn(I*e)-1/2*I/h/(a*g-b*f)*ln(g*x
+f)*B*Pi*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^3+1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*P
i*csgn(I/((d*x+c)^n)*(b*x+a)^n)^3+1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I*
e*(b*x+a)^n/((d*x+c)^n))^3-1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*csgn(I/((d*x+c
)^n)*(b*x+a)^n)^3-1/h*B*n/(a*g-b*f)*ln(g*x+f)*ln((b*(g*x+f)+a*g-b*f)/(a*g-
b*f))+1/h/(a*g-b*f)*ln(g*x+f)*A-1/h/(a*g-b*f)*ln(b*x+a)*A+1/h*B/(a*g-b*f)*
ln(g*x+f)*ln((b*x+a)^n)-1/h*B/(a*g-b*f)*ln(g*x+f)*ln((d*x+c)^n)+1/h*B*ln((
d*x+c)^n)/(a*g-b*f)*ln(b*x+a)+1/h*B*n/(a*g-b*f)*dilog((d*(g*x+f)+c*g-d*...
```

Fricas [F]

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx = \int \frac{B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{(bhx+ah)(gx+f)}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(g*x+f)/(b*h*x+a*h),x, algori
thm="fricas")
```

output

```
integral((B*log((b*x + a)^n*e/(d*x + c)^n) + A)/(b*g*h*x^2 + a*f*h + (b*f
+ a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))/(g*x+f)/(b*h*x+a*h),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx = \int \frac{B \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(g*x+f)/(b*h*x+a*h),x, algori
thm="maxima")
```

output
```
A*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) - B*integr
ate(-(log((b*x + a)^n) - log((d*x + c)^n) + log(e))/(b*g*h*x^2 + a*f*h + (
b*f*h + a*g*h)*x), x)
```

Giac [F]

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx = \int \frac{B \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{(bhx+ah)(gx+f)}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(g*x+f)/(b*h*x+a*h),x, algori
thm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)/((b*h*x + a*h)*(g*x + f))
, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx = \int \frac{A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)}{(f+g\,x)\,(a\,h+b\,h\,x)}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/((f + g*x)*(a*h + b*h*x)),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/((f + g*x)*(a*h + b*h*x)), x)
```

Reduce [F]

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{(f+gx)(ah+bhx)}\,dx$$
$$= \frac{2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bdg\,x^3+adg\,x^2+bcg\,x^2+bdf\,x^2+acgx+adfx+bcfx+acf}dx\right)a^2bcd\,g^2n - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bdg\,x^3+adg\,x^2+bcg\,x^2+bdf\,x^2+acgx+adfx+bcf}\right.}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(g*x+f)/(b*h*x+a*h),x)
```

output

```
(2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d
*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b*c*d*g*
*2*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x
 + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b*
d**2*f*g*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a
*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a
*b**2*c**2*g**2*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*
g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**
3),x)*a*b**2*d**2*f**2*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f
 + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*
d*g*x**3),x)*b**3*c**2*f*g*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a
*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2
+ b*d*g*x**3),x)*b**3*c*d*f**2*n - 2*log(a + b*x)*a**2*d*g*n + 2*log(a + b
*x)*a*b*c*g*n + 2*log(f + g*x)*a**2*d*g*n - 2*log(f + g*x)*a*b*c*g*n - log
(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b*d*g + log(((a + b*x)**n*e)/(c + d*x
)**n)**2*b**2*d*f)/(2*g*h*n*(a**2*d*g - a*b*c*g - a*b*d*f + b**2*c*f))
```

3.253 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))}\,dx$

Optimal result . . . 2679
Mathematica [N/A] . . . 2679
Rubi [N/A] . . . 2680
Maple [N/A] . . . 2681
Fricas [N/A] . . . 2681
Sympy [F(-1)] . . . 2682
Maxima [N/A] . . . 2682
Giac [N/A] . . . 2683
Mupad [N/A] . . . 2683
Reduce [N/A] . . . 2684

Optimal result

Integrand size = 43, antiderivative size = 43

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Subst}\left(\text{Int}\left(\frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)},x\right),e\left(\frac{a+bx}{c+dx}\right)^n,e(a+bx)^n(c+dx)^{-n}\right)$$

output

```
Defer(Subst)(Defer(Int)(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*((b*x+a)/(d*x+c))^
n)),x),e*((b*x+a)/(d*x+c))^n,e*(b*x+a)^n/((d*x+c)^n))
```

Mathematica [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx$$

input
```
Integrate[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^
n])),x]
```

output
```
Integrate[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^
n])), x]
```

Rubi [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2973, 2969}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}\,dx$$
$$\downarrow 2973$$
$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$
$$\downarrow 2969$$
$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)}dx$$

input
```
Int[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])),x
]
```

output
```
$Aborted
```

Defintions of rubi rules used

rule 2969

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Unintegrable[(f + g*x)^m*(h + i*x)^q*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p, x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [N/A]

Not integrable

Time = 0.65 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00

$$\int \frac{1}{(gx+f)(bhx+ah)\left(A+B\ln\left(e\left(bx+a\right)^{n}\left(dx+c\right)^{-n}\right)\right)}dx$$

input

```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x)
```

output

```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n))),x)
```

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 76, normalized size of antiderivative = 1.77

$$\begin{aligned}&\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^{n}(c+dx)^{-n}\right)\right)}\,dx\\&=\int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^{n}e}{(dx+c)^{n}}\right)+A\right)}\,dx\end{aligned}$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algo
rithm="fricas")
```

output
```
integral(1/(A*b*g*h*x^2 + A*a*f*h + (A*b*f + A*a*g)*h*x + (B*b*g*h*x^2 + B
*a*f*h + (B*b*f + B*a*g)*h*x)*log((b*x + a)^n*e/(d*x + c)^n)), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Timed out}$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n))),x)
```

output
```
Timed out
```

Maxima [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)}\,dx$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algo
rithm="maxima")
```

output
```
integrate(1/((b*h*x + a*h)*(g*x + f)*(B*log((b*x + a)^n*e/(d*x + c)^n) + A
)), x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)}\,dx$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x, algo
rithm="giac")
```

output
```
integrate(1/((b*h*x + a*h)*(g*x + f)*(B*log((b*x + a)^n*e/(d*x + c)^n) + A
)), x)
```

Mupad [N/A]

Not integrable

Time = 28.12 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \int \frac{1}{(f+g\,x)\,(a\,h+b\,h\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)}\,dx$$

input
```
int(1/((f + g*x)*(a*h + b*h*x)*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))),x
)
```

output
```
int(1/((f + g*x)*(a*h + b*h*x)*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))),
x)
```

Reduce [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 1185, normalized size of antiderivative = 27.56

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)}\,dx = \text{Too large to display}$$

input

```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n))),x)
```

output

```
(int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*f + log(((a + b*x)**n*e)/
(c + d*x)**n)*a*b*c*g*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*f*x + l
og(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*g*x**2 + log(((a + b*x)**n*e)/(c +
 d*x)**n)*b**2*c*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*g*x**2 +
log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*d*f*x**2 + log(((a + b*x)**n*e)/(c
 + d*x)**n)*b**2*d*g*x**3 + a**2*c*f + a**2*c*g*x + a**2*d*f*x + a**2*d*g*
x**2 + a*b*c*f*x + a*b*c*g*x**2 + a*b*d*f*x**2 + a*b*d*g*x**3),x)*a*b*c*d*
g*n - int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*f + log(((a + b*x)**
n*e)/(c + d*x)**n)*a*b*c*g*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*f*
x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*g*x**2 + log(((a + b*x)**n*e)
/(c + d*x)**n)*b**2*c*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*g*x*
*2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*d*f*x**2 + log(((a + b*x)**n*
e)/(c + d*x)**n)*b**2*d*g*x**3 + a**2*c*f + a**2*c*g*x + a**2*d*f*x + a**2
*d*g*x**2 + a*b*c*f*x + a*b*c*g*x**2 + a*b*d*f*x**2 + a*b*d*g*x**3),x)*a*b
*d**2*f*n - int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*f + log(((a +
b*x)**n*e)/(c + d*x)**n)*a*b*c*g*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*
b*d*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*d*g*x**2 + log(((a + b*x)
**n*e)/(c + d*x)**n)*b**2*c*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*
c*g*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*d*f*x**2 + log(((a + b*
x)**n*e)/(c + d*x)**n)*b**2*d*g*x**3 + a**2*c*f + a**2*c*g*x + a**2*d*f...
```

3.254 $\int \frac{1}{(f+gx)(ah+bhx)(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}\,dx$

Optimal result . . . 2685
Mathematica [N/A] . . . 2685
Rubi [N/A] . . . 2686
Maple [N/A] . . . 2687
Fricas [N/A] . . . 2687
Sympy [F(-1)] . . . 2688
Maxima [N/A] . . . 2688
Giac [N/A] . . . 2689
Mupad [N/A] . . . 2690
Reduce [N/A] . . . 2690

Optimal result

Integrand size = 43, antiderivative size = 43

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \text{Subst}\left(\text{Int}\left(\frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2},x\right),e\left(\frac{a+bx}{c+dx}\right)^n,e(a+bx)^n(c+dx)^{-n}\right)$$

output
```
Defer(Subst)(Defer(Int)(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*((b*x+a)/(d*x+c))^
n))^2,x),e*((b*x+a)/(d*x+c))^n,e*(b*x+a)^n/((d*x+c)^n))
```

Mathematica [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx$$

input
```
Integrate[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^
n])^2),x]
```

output
```
Integrate[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^
n])^2), x]
```

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2973, 2969}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}\,dx$$
$$\downarrow 2973$$
$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}dx$$
$$\downarrow 2969$$
$$\int \frac{1}{(f+gx)(ah+bhx)\left(B\log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}dx$$

input
```
Int[1/((f + g*x)*(a*h + b*h*x)*(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2)
,x]
```

output
```
$Aborted
```

Defintions of rubi rules used

rule 2969

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Unintegrable[(f + g*x)^m*(h + i*x)^q*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n])^p, x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, m, n, p, q}, x]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

Maple [N/A]

Not integrable

Time = 0.04 (sec) , antiderivative size = 43, normalized size of antiderivative = 1.00

$$\int \frac{1}{(gx+f)(bhx+ah)\left(A+B\ln\left(e\left(bx+a\right)^{n}\left(dx+c\right)^{-n}\right)\right)^{2}}dx$$

input

```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2,x)
```

output

```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2,x)
```

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 145, normalized size of antiderivative = 3.37

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^{n}(c+dx)^{-n}\right)\right)^{2}}\,dx$$
$$=\int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^{n}e}{(dx+c)^{n}}\right)+A\right)^{2}}\,dx$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, al
gorithm="fricas")
```

output
```
integral(1/(A^2*b*g*h*x^2 + A^2*a*f*h + (A^2*b*f + A^2*a*g)*h*x + (B^2*b*g
*h*x^2 + B^2*a*f*h + (B^2*b*f + B^2*a*g)*h*x)*log((b*x + a)^n*e/(d*x + c)^
n)^2 + 2*(A*B*b*g*h*x^2 + A*B*a*f*h + (A*B*b*f + A*B*a*g)*h*x)*log((b*x +
a)^n*e/(d*x + c)^n)), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \text{Timed out}$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**2,x)
```

output
```
Timed out
```

Maxima [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 506, normalized size of antiderivative = 11.77

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}\,dx$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, al
gorithm="maxima")
```

output
```
(d*f - c*g)*integrate(1/((b*c*f^2*h*n - a*d*f^2*h*n)*A*B + (b*c*f^2*h*n*lo
g(e) - a*d*f^2*h*n*log(e))*B^2 + ((b*c*g^2*h*n - a*d*g^2*h*n)*A*B + (b*c*g
^2*h*n*log(e) - a*d*g^2*h*n*log(e))*B^2)*x^2 + 2*((b*c*f*g*h*n - a*d*f*g*h
*n)*A*B + (b*c*f*g*h*n*log(e) - a*d*f*g*h*n*log(e))*B^2)*x + ((b*c*g^2*h*n
 - a*d*g^2*h*n)*B^2*x^2 + 2*(b*c*f*g*h*n - a*d*f*g*h*n)*B^2*x + (b*c*f^2*h
*n - a*d*f^2*h*n)*B^2)*log((b*x + a)^n) - ((b*c*g^2*h*n - a*d*g^2*h*n)*B^2
*x^2 + 2*(b*c*f*g*h*n - a*d*f*g*h*n)*B^2*x + (b*c*f^2*h*n - a*d*f^2*h*n)*B
^2)*log((d*x + c)^n)), x) - (d*x + c)/((b*c*f*h*n - a*d*f*h*n)*A*B + (b*c*
f*h*n*log(e) - a*d*f*h*n*log(e))*B^2 + ((b*c*g*h*n - a*d*g*h*n)*A*B + (b*c
*g*h*n*log(e) - a*d*g*h*n*log(e))*B^2)*x + ((b*c*g*h*n - a*d*g*h*n)*B^2*x
+ (b*c*f*h*n - a*d*f*h*n)*B^2)*log((b*x + a)^n) - ((b*c*g*h*n - a*d*g*h*n)
*B^2*x + (b*c*f*h*n - a*d*f*h*n)*B^2)*log((d*x + c)^n))
```

Giac [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx$$
$$= \int \frac{1}{(bhx+ah)(gx+f)\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}\,dx$$

input
```
integrate(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x, al
gorithm="giac")
```

output
```
integrate(1/((b*h*x + a*h)*(g*x + f)*(B*log((b*x + a)^n*e/(d*x + c)^n) + A
)^2), x)
```

Mupad [N/A]

Not integrable

Time = 26.95 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.05

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx$$
$$=\int \frac{1}{(f+g\,x)\,(a\,h+b\,h\,x)\,\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^2}\,dx$$

input
```
int(1/((f + g*x)*(a*h + b*h*x)*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2)
,x)
```

output
```
int(1/((f + g*x)*(a*h + b*h*x)*(A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2)
, x)
```

Reduce [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 4555, normalized size of antiderivative = 105.93

$$\int \frac{1}{(f+gx)(ah+bhx)\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}\,dx = \text{Too large to display}$$

input
```
int(1/(g*x+f)/(b*h*x+a*h)/(A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2,x)
```

output

```
(int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c*f + log(((a + b*x)*
*n*e)/(c + d*x)**n)**2*a*b**2*c*g*x + log(((a + b*x)**n*e)/(c + d*x)**n)**
2*a*b**2*d*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*d*g*x**2 + l
og(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*f*x + log(((a + b*x)**n*e)/(c
 + d*x)**n)**2*b**3*c*g*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*d
*f*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*d*g*x**3 + 2*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*f + 2*log(((a + b*x)**n*e)/(c + d*x)**
n)*a**2*b*c*g*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d*f*x + 2*lo
g(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*d*g*x**2 + 2*log(((a + b*x)**n*e)/
(c + d*x)**n)*a*b**2*c*f*x + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c
*g*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*d*f*x**2 + 2*log(((a
 + b*x)**n*e)/(c + d*x)**n)*a*b**2*d*g*x**3 + a**3*c*f + a**3*c*g*x + a**3
*d*f*x + a**3*d*g*x**2 + a**2*b*c*f*x + a**2*b*c*g*x**2 + a**2*b*d*f*x**2
 + a**2*b*d*g*x**3),x)*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c*d*g*n -
 int(1/(log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*c*f + log(((a + b*x)**
n*e)/(c + d*x)**n)**2*a*b**2*c*g*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2
*a*b**2*d*f*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b**2*d*g*x**2 + lo
g(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*c*f*x + log(((a + b*x)**n*e)/(c +
 d*x)**n)**2*b**3*c*g*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*d*
f*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b**3*d*g*x**3 + 2*log(((...
```

3.255 $\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx$

Optimal result . . . 2692
Mathematica [B] (verified) . . . 2692
Rubi [A] (verified) . . . 2693
Maple [A] (verified) . . . 2695
Fricas [A] (verification not implemented) . . . 2695
Sympy [F(-1)] . . . 2696
Maxima [B] (verification not implemented) . . . 2696
Giac [F] . . . 2697
Mupad [F(-1)] . . . 2697
Reduce [F] . . . 2698

Optimal result

Integrand size = 40, antiderivative size = 33

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = -\frac{\text{PolyLog}\left(2,1-\frac{c+dx}{a+bx}\right)}{(bc-ad)h}$$

output
```
-polylog(2,1-(d*x+c)/(b*x+a))/(-a*d+b*c)/h
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 298 vs. 2(33) = 66.

Time = 0.24 (sec) , antiderivative size = 298, normalized size of antiderivative = 9.03

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx$$
$$= \frac{-\log^2\left(\frac{-bc+ad}{d(a+bx)}\right)+2\log\left(\frac{(b-d)(a+bx)}{bc-ad}\right)\log(a-c+bx-dx)-2\log\left(\frac{-bc+ad}{d(a+bx)}\right)\log\left(\frac{b(c+dx)}{bc-ad}\right)-2\log(a-c$$

input
```
Integrate[Log[(c + d*x)/(a + b*x)]/((a + b*x)*((a - c)*h + (b - d)*h*x)),x
]
```

output

```
(-Log[(-(b*c) + a*d)/(d*(a + b*x))]^2 + 2*Log[((b - d)*(a + b*x))/(b*c - a
*d)]*Log[a - c + b*x - d*x] - 2*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[(b*(
c + d*x))/(b*c - a*d)] - 2*Log[a - c + b*x - d*x]*Log[((b - d)*(c + d*x))/
(b*c - a*d)] + 2*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[(c + d*x)/(a + b*x)
] + 2*Log[a - c + b*x - d*x]*Log[(c + d*x)/(a + b*x)] + 2*PolyLog[2, (d*(a
 + b*x))/(-(b*c) + a*d)] + 2*PolyLog[2, -((b*(a - c + b*x - d*x))/(b*c - a
*d))] - 2*PolyLog[2, -((d*(-a + c - b*x + d*x))/(-(b*c) + a*d))])/((2*b*c
- 2*a*d)*h)
```

Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2965, 25, 27, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)(h(a-c)+hx(b-d))}\,dx$$

$$\downarrow 2965$$

$$\int -\frac{\log\left(\frac{c+dx}{a+bx}\right)}{h\left(-\frac{(c+dx)(bc-ad)}{a+bx}-ad+bc\right)}\,d\frac{c+dx}{a+bx}$$

$$\downarrow 25$$

$$-\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{h\left(bc-ad-\frac{(bc-ad)(c+dx)}{a+bx}\right)}\,d\frac{c+dx}{a+bx}$$

$$\downarrow 27$$

$$-\frac{\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{bc-ad-\frac{(bc-ad)(c+dx)}{a+bx}}\,d\frac{c+dx}{a+bx}}{h}$$

$$\downarrow 2752$$

$$-\frac{\text{PolyLog}\left(2,1-\frac{c+dx}{a+bx}\right)}{h(bc-ad)}$$

input
```
Int[Log[(c + d*x)/(a + b*x)]/((a + b*x)*((a - c)*h + (b - d)*h*x)),x]
```

output
```
-(PolyLog[2, 1 - (c + d*x)/(a + b*x)]/((b*c - a*d)*h))
```

Defintions of rubi rules used

rule 25
```
Int[-(Fx_), x_Symbol] :> Simp[Identity[-1]   Int[Fx, x], x]
```

rule 27
```
Int[(a_)*(Fx_), x_Symbol] :> Simp[a   Int[Fx, x], x] /; FreeQ[a, x] &&  !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2965
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(q + 1)*(i/d)^q   Subst[Int[(b*f - a*g - (d*f - c*g)*
x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*
x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] && NeQ[b*c - a*d,
 0] && IntegersQ[m, q] && IGtQ[p, 0] && EqQ[d*h - c*i, 0]
```

Maple [A] (verified)

Time = 3.01 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.27

method	result
derivativedivides	$\frac{\text{dilog}\left(-\frac{da-bc}{b(bx+a)}+\frac{d}{b}\right)}{h(da-bc)}$
default	$\frac{\text{dilog}\left(-\frac{da-bc}{b(bx+a)}+\frac{d}{b}\right)}{h(da-bc)}$
risch	$\frac{\text{dilog}\left(-\frac{da-bc}{b(bx+a)}+\frac{d}{b}\right)}{h(da-bc)}$
parts	$-\frac{\ln\left(\frac{dx+c}{bx+a}\right)\ln(bx-dx+a-c)b}{h(da-bc)(b-d)}+\frac{\ln\left(\frac{dx+c}{bx+a}\right)\ln(bx-dx+a-c)d}{h(da-bc)(b-d)}+\frac{\ln\left(\frac{dx+c}{bx+a}\right)\ln(bx+a)}{h(da-bc)}-\frac{\text{dilog}\left(\frac{-da+bc+d(bx+a)}{-da+bc}\right)}{da-bc}$

input
```
int(ln((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x,method=_RETURNVERBOS
E)
```

output
```
dilog(-1/b*(a*d-b*c)/(b*x+a)+d/b)/h/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.97

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = -\frac{\text{Li}_2\left(-\frac{dx+c}{bx+a}+1\right)}{(bc-ad)h}$$

input
```
integrate(log((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x, algorithm="f
ricas")
```

output
```
-dilog(-(d*x + c)/(b*x + a) + 1)/((b*c - a*d)*h)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = \text{Timed out}$$

input
```
integrate(ln((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 357 vs. $2(32) = 64$.

Time = 0.05 (sec) , antiderivative size = 357, normalized size of antiderivative = 10.82

$$\begin{aligned}
&\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx \\
&= \left(\frac{\log(-(b-d)x-a+c)}{(bc-ad)h} - \frac{\log(bx+a)}{(bc-ad)h}\right)\log\left(\frac{dx+c}{bx+a}\right) \\
&\quad + \frac{2\log(-(b-d)x-a+c)\log(bx+a) - \log(bx+a)^2}{2(bch-adh)} \\
&\quad + \frac{\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)}{bch-adh} \\
&\quad - \frac{\log(bx+a)\log\left(-\frac{a(b-d)+(b^2-bd)x}{bc-ad}+1\right) + \mathrm{Li}_2\left(\frac{a(b-d)+(b^2-bd)x}{bc-ad}\right)}{bch-adh} \\
&\quad - \frac{\log(-(b-d)x-a+c)\log\left(\frac{ad-cd+(bd-d^2)x}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{ad-cd+(bd-d^2)x}{bc-ad}\right)}{bch-adh}
\end{aligned}$$

input
```
integrate(log((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x, algorithm="m
axima")
```

output
```
(log(-(b - d)*x - a + c)/((b*c - a*d)*h) - log(b*x + a)/((b*c - a*d)*h))*l
og((d*x + c)/(b*x + a)) + 1/2*(2*log(-(b - d)*x - a + c)*log(b*x + a) - lo
g(b*x + a)^2)/(b*c*h - a*d*h) + (log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d
) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b*c*h - a*d*h) - (log(b*x + a
)*log(-(a*(b - d) + (b^2 - b*d)*x)/(b*c - a*d) + 1) + dilog((a*(b - d) + (
b^2 - b*d)*x)/(b*c - a*d)))/(b*c*h - a*d*h) - (log(-(b - d)*x - a + c)*log
((a*d - c*d + (b*d - d^2)*x)/(b*c - a*d) + 1) + dilog(-(a*d - c*d + (b*d -
 d^2)*x)/(b*c - a*d)))/(b*c*h - a*d*h)
```

Giac [F]

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = \int \frac{\log\left(\frac{dx+c}{bx+a}\right)}{((b-d)hx+(a-c)h)(bx+a)}\,dx$$

input
```
integrate(log((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x, algorithm="g
iac")
```

output
```
integrate(log((d*x + c)/(b*x + a))/(((b - d)*h*x + (a - c)*h)*(b*x + a)),
x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = \int \frac{\ln\left(\frac{c+d\,x}{a+b\,x}\right)}{(h\,(a-c)+h\,x\,(b-d))\,(a+b\,x)}\,dx$$

input
```
int(log((c + d*x)/(a + b*x))/((h*(a - c) + h*x*(b - d))*(a + b*x)),x)
```

output
```
int(log((c + d*x)/(a + b*x))/((h*(a - c) + h*x*(b - d))*(a + b*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(\frac{c+dx}{a+bx}\right)}{(a+bx)((a-c)h+(b-d)hx)}\,dx = \text{Too large to display}$$

input
```
int(log((d*x+c)/(b*x+a))/(b*x+a)/((a-c)*h+(b-d)*h*x),x)
```

output
```
( - 2*int(log((c + d*x)/(a + b*x))/(a**2*b*c + a**2*b*d*x - a**2*c*d - a**
2*d**2*x + 2*a*b**2*c*x + 2*a*b**2*d*x**2 - a*b*c**2 - 4*a*b*c*d*x - 3*a*b
*d**2*x**2 + a*c**2*d + 2*a*c*d**2*x + a*d**3*x**2 + b**3*c*x**2 + b**3*d*
x**3 - b**2*c**2*x - 3*b**2*c*d*x**2 - 2*b**2*d**2*x**3 + b*c**2*d*x + 2*b
*c*d**2*x**2 + b*d**3*x**3),x)*a**2*b*d**2 + 2*int(log((c + d*x)/(a + b*x)
)/(a**2*b*c + a**2*b*d*x - a**2*c*d - a**2*d**2*x + 2*a*b**2*c*x + 2*a*b**
2*d*x**2 - a*b*c**2 - 4*a*b*c*d*x - 3*a*b*d**2*x**2 + a*c**2*d + 2*a*c*d**
2*x + a*d**3*x**2 + b**3*c*x**2 + b**3*d*x**3 - b**2*c**2*x - 3*b**2*c*d*x
**2 - 2*b**2*d**2*x**3 + b*c**2*d*x + 2*b*c*d**2*x**2 + b*d**3*x**3),x)*a*
*2*d**3 + 4*int(log((c + d*x)/(a + b*x))/(a**2*b*c + a**2*b*d*x - a**2*c*d
 - a**2*d**2*x + 2*a*b**2*c*x + 2*a*b**2*d*x**2 - a*b*c**2 - 4*a*b*c*d*x -
 3*a*b*d**2*x**2 + a*c**2*d + 2*a*c*d**2*x + a*d**3*x**2 + b**3*c*x**2 + b
**3*d*x**3 - b**2*c**2*x - 3*b**2*c*d*x**2 - 2*b**2*d**2*x**3 + b*c**2*d*x
 + 2*b*c*d**2*x**2 + b*d**3*x**3),x)*a*b**2*c*d - 4*int(log((c + d*x)/(a +
 b*x))/(a**2*b*c + a**2*b*d*x - a**2*c*d - a**2*d**2*x + 2*a*b**2*c*x + 2*
a*b**2*d*x**2 - a*b*c**2 - 4*a*b*c*d*x - 3*a*b*d**2*x**2 + a*c**2*d + 2*a*
c*d**2*x + a*d**3*x**2 + b**3*c*x**2 + b**3*d*x**3 - b**2*c**2*x - 3*b**2*
c*d*x**2 - 2*b**2*d**2*x**3 + b*c**2*d*x + 2*b*c*d**2*x**2 + b*d**3*x**3),
x)*a*b*c*d**2 - 2*int(log((c + d*x)/(a + b*x))/(a**2*b*c + a**2*b*d*x - a*
*2*c*d - a**2*d**2*x + 2*a*b**2*c*x + 2*a*b**2*d*x**2 - a*b*c**2 - 4*a*...
```

3.256 $\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2699
Mathematica [B] (verified) . . . 2699
Rubi [A] (verified) . . . 2700
Maple [A] (verified) . . . 2701
Fricas [A] (verification not implemented) . . . 2702
Sympy [F(-1)] . . . 2702
Maxima [B] (verification not implemented) . . . 2702
Giac [F] . . . 2703
Mupad [F(-1)] . . . 2704
Reduce [F] . . . 2704

Optimal result

Integrand size = 38, antiderivative size = 27

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\text{PolyLog}\left(2, \frac{g(c+dx)}{a+bx}\right)}{bc-ad}$$

output
```
polylog(2,g*(d*x+c)/(b*x+a))/(-a*d+b*c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 375 vs. 2(27) = 54.

Time = 0.38 (sec) , antiderivative size = 375, normalized size of antiderivative = 13.89

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-\log^2\left(\frac{a}{b}+x\right)+2\log\left(\frac{a}{b}+x\right)\log(a+bx)-2\log\left(\frac{a-cg}{b-dg}+x\right)\log(a+bx)+2\log\left(\frac{a-cg}{b-dg}+x\right)\log\left(\frac{(b-dg)}{(bc-}\right.$$

input
```
Integrate[Log[(a - c*g + (b - d*g)*x)/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output
```
(-Log[a/b + x]^2 + 2*Log[a/b + x]*Log[a + b*x] - 2*Log[(a - c*g)/(b - d*g)
 + x]*Log[a + b*x] + 2*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(a + b*
x))/((b*c - a*d)*g)] - 2*Log[a/b + x]*Log[c + d*x] + 2*Log[(a - c*g)/(b -
d*g) + x]*Log[c + d*x] + 2*Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] - 2
*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(c + d*x))/(b*c - a*d)] + 2*L
og[a + b*x]*Log[(a - c*g + b*x - d*g*x)/(a + b*x)] - 2*Log[c + d*x]*Log[(a
 - c*g + b*x - d*g*x)/(a + b*x)] + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*
d)] + 2*PolyLog[2, -((b*(a - c*g + b*x - d*g*x))/((b*c - a*d)*g))] - 2*Pol
yLog[2, -((d*(-a + c*g - b*x + d*g*x))/(-(b*c) + a*d))])/(2*b*c - 2*a*d)
```

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.41, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {2965, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2965$$

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{-\frac{(bc-ad)(a+x(b-dg)-cg)}{a+bx} - ad + bc} d\frac{a+x(b-dg)-cg}{a+bx}$$

$$\downarrow 2752$$

$$\frac{\text{PolyLog}\left(2, 1-\frac{a-cg+(b-dg)x}{a+bx}\right)}{bc-ad}$$

input
```
Int[Log[(a - c*g + (b - d*g)*x)/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output
```
PolyLog[2, 1 - (a - c*g + (b - d*g)*x)/(a + b*x)]/(b*c - a*d)
```

Defintions of rubi rules used

rule 2752

```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2965

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(q + 1)*(i/d)^q  Subst[Int[(b*f - a*g - (d*f - c*g)*
x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*
x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] && NeQ[b*c - a*d,
 0] && IntegersQ[m, q] && IGtQ[p, 0] && EqQ[d*h - c*i, 0]
```

Maple [A] (verified)

Time = 3.07 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.70

method	result
derivativedivides	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
default	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
risch	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
parts	$\frac{\ln\left(\frac{a-cg+(-dg+b)x}{bx+a}\right)\ln(dx+c)}{da-bc}-\frac{\ln\left(\frac{a-cg+(-dg+b)x}{bx+a}\right)\ln(bx+a)}{da-bc}-g\left(-\frac{\left(\frac{\operatorname{dilog}\left(\frac{(-dg+b)(bx+a)+adg-bcg}{adg-bcg}\right)}{-dg+b}+\frac{\ln(bx+$

input

```
int(ln((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE
)
```

output

```
-dilog((a*d*g-b*c*g)/b/(b*x+a)+(-d*g+b)/b)/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.41

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\mathrm{Li}_2\left(\frac{cg+(dg-b)x-a}{bx+a}+1\right)}{bc-ad}$$

input
```
integrate(log((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="fricas")
```

output
```
dilog((c*g + (d*g - b)*x - a)/(b*x + a) + 1)/(b*c - a*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate(ln((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 344 vs. 2(26) = 52.

Time = 0.05 (sec) , antiderivative size = 344, normalized size of antiderivative = 12.74

$$\begin{aligned}
&\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx \\
&= \left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)\log\left(-\frac{cg+(dg-b)x-a}{bx+a}\right) \\
&\quad + \frac{\log(bx+a)^2 - 2\log(bx+a)\log(dx+c)}{2(bc-ad)} \\
&\quad - \frac{\log(bx+a)\log\left(\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}+1\right) + \mathrm{Li}_2\left(-\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}\right)}{bc-ad} \\
&\quad + \frac{\log(dx+c)\log\left(\frac{cdg-bc+(d^2g-bd)x}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{cdg-bc+(d^2g-bd)x}{bc-ad}\right)}{bc-ad} \\
&\quad + \frac{\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)}{bc-ad}
\end{aligned}$$

input
```
integrate(log((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log(-(c*g + (d*g - b)*x - a)/(b*x + a)) + 1/2*(log(b*x + a)^2 - 2*log(b*x + a)*log(d*x + c))/(b*c - a*d) - (log(b*x + a)*log(((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g) + 1) + dilog(-((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g)))/(b*c - a*d) + (log(d*x + c)*log((c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d) + 1) + dilog(-(c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d)))/(b*c - a*d) + (log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b*c - a*d)
```

Giac [F]

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\log\left(-\frac{cg+(dg-b)x-a}{bx+a}\right)}{(bx+a)(dx+c)}\,dx$$

input
```
integrate(log((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="giac")
```

output
```
integrate(log(-(c*g + (d*g - b)*x - a)/(b*x + a))/((b*x + a)*(d*x + c)), x
)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\ln\left(\frac{a-c\,g+x\,(b-d\,g)}{a+b\,x}\right)}{(a+b\,x)\,(c+d\,x)}\,dx$$

input
```
int(log((a - c*g + x*(b - d*g))/(a + b*x))/((a + b*x)*(c + d*x)),x)
```

output
```
int(log((a - c*g + x*(b - d*g))/(a + b*x))/((a + b*x)*(c + d*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(\frac{a-cg+(b-dg)x}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{2\left(\int \frac{\log\left(\frac{-dgx+bx-cg+a}{bx+a}\right)}{-b\,d^2g\,x^3-a\,d^2g\,x^2+b^2d\,x^3-2bcdg\,x^2+2abd\,x^2-2acdgx+b^2c\,x^2-b\,c^2gx+a^2dx+2abcx-a\,c^2g+a^2c}dx\right)a^2d^2g-4\left(\int \frac{}{-b\,d^2g\,x^3-}\right.}{}$$

input
```
int(log((a-c*g+(-d*g+b)*x)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output

```
(2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b*c
*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2 +
 b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a**2*d**2*g
 - 4*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a*b*c*d*g
 + 2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*b**2*c**2
*g - log((a + b*x - c*g - d*g*x)/(a + b*x))**2*b + log((a + b*x - c*g - d*
g*x)/(a + b*x))**2*d*g)/(2*d*g*(a*d - b*c))
```

3.257 $\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2706
Mathematica [B] (verified) . . . 2706
Rubi [A] (verified) . . . 2707
Maple [A] (verified) . . . 2708
Fricas [A] (verification not implemented) . . . 2709
Sympy [F(-1)] . . . 2709
Maxima [B] (verification not implemented) . . . 2710
Giac [F] . . . 2711
Mupad [F(-1)] . . . 2711
Reduce [F] . . . 2711

Optimal result

Integrand size = 33, antiderivative size = 27

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\text{PolyLog}\left(2,\frac{g(c+dx)}{a+bx}\right)}{bc-ad}$$

output
```
polylog(2,g*(d*x+c)/(b*x+a))/(-a*d+b*c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 375 vs. 2(27) = 54.

Time = 0.35 (sec) , antiderivative size = 375, normalized size of antiderivative = 13.89

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-\log^2\left(\frac{a}{b}+x\right)+2\log\left(\frac{a}{b}+x\right)\log(a+bx)-2\log\left(\frac{a-cg}{b-dg}+x\right)\log(a+bx)+2\log\left(\frac{a-cg}{b-dg}+x\right)\log\left(\frac{(b-dg)}{(bc-}\right.$$

input
```
Integrate[Log[1 - (g*(c + d*x))/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output

```
(-Log[a/b + x]^2 + 2*Log[a/b + x]*Log[a + b*x] - 2*Log[(a - c*g)/(b - d*g)
 + x]*Log[a + b*x] + 2*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(a + b*
x))/((b*c - a*d)*g)] - 2*Log[a/b + x]*Log[c + d*x] + 2*Log[(a - c*g)/(b -
d*g) + x]*Log[c + d*x] + 2*Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] - 2
*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(c + d*x))/(b*c - a*d)] + 2*L
og[a + b*x]*Log[(a - c*g + b*x - d*g*x)/(a + b*x)] - 2*Log[c + d*x]*Log[(a
 - c*g + b*x - d*g*x)/(a + b*x)] + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*
d)] + 2*PolyLog[2, -((b*(a - c*g + b*x - d*g*x))/((b*c - a*d)*g))] - 2*Pol
yLog[2, -((d*(-a + c*g - b*x + d*g*x))/(-(b*c) + a*d))])/(2*b*c - 2*a*d)
```

Rubi [A] (verified)

Time $= 0.35$ (sec) , antiderivative size $= 38$, normalized size of antiderivative $= 1.41$, number of steps used $= 4$, number of rules used $= 3$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used $= \{2997, 2965, 2752\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2997$$

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{(a+bx)(c+dx)}dx$$

$$\downarrow 2965$$

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{-\frac{(bc-ad)(a+x(b-dg)-cg)}{a+bx}-ad+bc}d\frac{a+x(b-dg)-cg}{a+bx}$$

$$\downarrow 2752$$

$$\frac{\text{PolyLog}\left(2,1-\frac{a-cg+(b-dg)x}{a+bx}\right)}{bc-ad}$$

input

```
Int[Log[1 - (g*(c + d*x))/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output
```
PolyLog[2, 1 - (a - c*g + (b - d*g)*x)/(a + b*x)]/(b*c - a*d)
```

Defintions of rubi rules used

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2965
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(q + 1)*(i/d)^q  Subst[Int[(b*f - a*g - (d*f - c*g)*
x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*
x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] && NeQ[b*c - a*d,
 0] && IntegersQ[m, q] && IGtQ[p, 0] && EqQ[d*h - c*i, 0]
```

rule 2997
```
Int[Log[(e_.)*((f_.)*((g_) + (v_.)/(w_)))^(r_.)]^(s_.)*(u_.), x_Symbol] :>
Int[u*Log[e*(f*(ExpandToSum[v + g*w, x]/ExpandToSum[w, x]))^r]^s, x] /; Fre
eQ[{e, f, g, r, s}, x] && LinearQ[w, x] && (FreeQ[v, x] || LinearQ[v, x]) &
& AlgebraicFunctionQ[u, x]
```

Maple [A] (verified)

Time = 2.79 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.70

method	result
derivativedivides	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
default	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
risch	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
parts	$\frac{\ln\left(1-\frac{g(dx+c)}{bx+a}\right)\ln(dx+c)}{da-bc}-\frac{\ln\left(1-\frac{g(dx+c)}{bx+a}\right)\ln(bx+a)}{da-bc}-\frac{g\left(-\frac{\left(\frac{\operatorname{dilog}\left(\frac{(-dg+b)(bx+a)+adg-bcg}{adg-bcg}\right)}{-dg+b}+\frac{\ln(bx+a)\ln\left(\frac{(-dg+b)(bx+a)+adg-bcg}{adg-bcg}\right)}{-dg+b}\right)(da-bc)}{g}\right.$

input
```
int(ln(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE)
```

output
```
-dilog((a*d*g-b*c*g)/b/(b*x+a)+(-d*g+b)/b)/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.41

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\mathrm{Li}_2\left(\frac{cg+(dg-b)x-a}{bx+a}+1\right)}{bc-ad}$$

input
```
integrate(log(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="fricas")
```

output
```
dilog((c*g + (d*g - b)*x - a)/(b*x + a) + 1)/(b*c - a*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate(ln(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 336 vs. $2(26) = 52$.

Time = 0.05 (sec) , antiderivative size = 336, normalized size of antiderivative = 12.44

$$\begin{aligned}
&\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx \\
&= \left(\frac{\log(bx+a)}{bc-ad}-\frac{\log(dx+c)}{bc-ad}\right)\log\left(-\frac{(dx+c)g}{bx+a}+1\right) \\
&\quad+\frac{\log(bx+a)^2-2\log(bx+a)\log(dx+c)}{2(bc-ad)} \\
&\quad-\frac{\log(bx+a)\log\left(\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}+1\right)+\mathrm{Li}_2\left(-\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}\right)}{bc-ad} \\
&\quad+\frac{\log(dx+c)\log\left(\frac{cdg-bc+(d^2g-bd)x}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{cdg-bc+(d^2g-bd)x}{bc-ad}\right)}{bc-ad} \\
&\quad+\frac{\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right)+\mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)}{bc-ad}
\end{aligned}$$

input
```
integrate(log(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log(-(d*x + c)*g/(b*
x + a) + 1) + 1/2*(log(b*x + a)^2 - 2*log(b*x + a)*log(d*x + c))/(b*c - a*
d) - (log(b*x + a)*log(((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g) + 1
) + dilog(-((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g)))/(b*c - a*d) +
 (log(d*x + c)*log((c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d) + 1) + dilo
g(-(c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d)))/(b*c - a*d) + (log(b*x +
a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))
/(b*c - a*d)
```

Giac [F]

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\log\left(-\frac{(dx+c)g}{bx+a}+1\right)}{(bx+a)(dx+c)}\,dx$$

input
```
integrate(log(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="giac")
```

output
```
integrate(log(-(d*x + c)*g/(b*x + a) + 1)/((b*x + a)*(d*x + c)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\ln\left(1-\frac{g\,(c+d\,x)}{a+b\,x}\right)}{(a+b\,x)\,(c+d\,x)}\,dx$$

input
```
int(log(1 - (g*(c + d*x))/(a + b*x))/((a + b*x)*(c + d*x)),x)
```

output
```
int(log(1 - (g*(c + d*x))/(a + b*x))/((a + b*x)*(c + d*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(1-\frac{g(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{2\left(\int \frac{\log\left(\frac{-dgx+bx-cg+a}{bx+a}\right)}{-b\,d^2g\,x^3-a\,d^2g\,x^2+b^2d\,x^3-2bcdg\,x^2+2abd\,x^2-2acdgx+b^2c\,x^2-b\,c^2gx+a^2dx+2abcx-a\,c^2g+a^2c}dx\right)a^2d^2g-4\left(\int \frac{}{-b\,d^2g\,x^3-}\right.}{}$$

input
```
int(log(1-g*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output

```
(2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b*c
*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2 +
 b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a**2*d**2*g
 - 4*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a*b*c*d*g
 + 2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*b**2*c**2
*g - log((a + b*x - c*g - d*g*x)/(a + b*x))**2*b + log((a + b*x - c*g - d*
g*x)/(a + b*x))**2*d*g)/(2*d*g*(a*d - b*c))
```

3.258 $\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$

Optimal result . . . 2713
Mathematica [B] (verified) . . . 2713
Rubi [A] (verified) . . . 2714
Maple [A] (verified) . . . 2715
Fricas [A] (verification not implemented) . . . 2716
Sympy [F(-1)] . . . 2716
Maxima [B] (verification not implemented) . . . 2717
Giac [F] . . . 2718
Mupad [F(-1)] . . . 2718
Reduce [F] . . . 2718

Optimal result

Integrand size = 38, antiderivative size = 27

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\text{PolyLog}\left(2, \frac{g(c+dx)}{a+bx}\right)}{bc-ad}$$

output
```
polylog(2,g*(d*x+c)/(b*x+a))/(-a*d+b*c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 375 vs. 2(27) = 54.

Time = 0.10 (sec) , antiderivative size = 375, normalized size of antiderivative = 13.89

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{-\log^2\left(\frac{a}{b}+x\right) + 2\log\left(\frac{a}{b}+x\right)\log(a+bx) - 2\log\left(\frac{a-cg}{b-dg}+x\right)\log(a+bx) + 2\log\left(\frac{a-cg}{b-dg}+x\right)\log\left(\frac{(b-dg)}{(bc-}\right.$$

input
```
Integrate[Log[(a - c*g + b*x - d*g*x)/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output

```
(-Log[a/b + x]^2 + 2*Log[a/b + x]*Log[a + b*x] - 2*Log[(a - c*g)/(b - d*g)
 + x]*Log[a + b*x] + 2*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(a + b*
x))/((b*c - a*d)*g)] - 2*Log[a/b + x]*Log[c + d*x] + 2*Log[(a - c*g)/(b -
d*g) + x]*Log[c + d*x] + 2*Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] - 2
*Log[(a - c*g)/(b - d*g) + x]*Log[((b - d*g)*(c + d*x))/(b*c - a*d)] + 2*L
og[a + b*x]*Log[(a - c*g + b*x - d*g*x)/(a + b*x)] - 2*Log[c + d*x]*Log[(a
 - c*g + b*x - d*g*x)/(a + b*x)] + 2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*
d)] + 2*PolyLog[2, -((b*(a - c*g + b*x - d*g*x))/((b*c - a*d)*g))] - 2*Pol
yLog[2, -((d*(-a + c*g - b*x + d*g*x))/(-(b*c) + a*d))])/(2*b*c - 2*a*d)
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.41, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {2971, 2965, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{a+bx-cg-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$

$$\downarrow 2971$$

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{(a+bx)(c+dx)}dx$$

$$\downarrow 2965$$

$$\int \frac{\log\left(\frac{a+x(b-dg)-cg}{a+bx}\right)}{-\frac{(bc-ad)(a+x(b-dg)-cg)}{a+bx}-ad+bc}d\frac{a+x(b-dg)-cg}{a+bx}$$

$$\downarrow 2752$$

$$\frac{\text{PolyLog}\left(2,1-\frac{a-cg+(b-dg)x}{a+bx}\right)}{bc-ad}$$

input

```
Int[Log[(a - c*g + b*x - d*g*x)/(a + b*x)]/((a + b*x)*(c + d*x)),x]
```

output
```
PolyLog[2, 1 - (a - c*g + (b - d*g)*x)/(a + b*x)]/(b*c - a*d)
```

Defintions of rubi rules used

rule 2752
```
Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] :> Simp[(-e^(-1))*PolyLo
g[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]
```

rule 2965
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.)*((h_.) + (i_.)*(x_))^(q_.), x_Symbol
] :> Simp[(b*c - a*d)^(q + 1)*(i/d)^q  Subst[Int[(b*f - a*g - (d*f - c*g)*
x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*
x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] && NeQ[b*c - a*d,
 0] && IntegersQ[m, q] && IGtQ[p, 0] && EqQ[d*h - c*i, 0]
```

rule 2971
```
Int[((A_.) + Log[(e_.)*((u_)/(v_))^(n_.)]*(B_.))^(p_.)*(w_)^(m_.)*(y_)^(q_.
), x_Symbol] :> Int[ExpandToSum[w, x]^m*ExpandToSum[y, x]^q*(A + B*Log[e*(E
xpandToSum[u, x]/ExpandToSum[v, x])^n])^p, x] /; FreeQ[{e, A, B, m, n, p, q
}, x] && LinearQ[{u, v, w, y}, x] &&  !LinearMatchQ[{u, v, w, y}, x]
```

Maple [A] (verified)

Time = 2.69 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.70

method	result
derivativedivides	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
default	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
risch	$-\frac{\operatorname{dilog}\left(\frac{adg-bcg}{b(bx+a)}+\frac{-dg+b}{b}\right)}{da-bc}$
parts	$\frac{\ln\left(\frac{-xdg+bx-cg+a}{bx+a}\right)\ln(dx+c)}{da-bc}-\frac{\ln\left(\frac{-xdg+bx-cg+a}{bx+a}\right)\ln(bx+a)}{da-bc}-g\left(-\frac{\left(\frac{\operatorname{dilog}\left(\frac{(-dg+b)(bx+a)+adg-bcg}{adg-bcg}\right)}{-dg+b}+\frac{\ln(bx+a}{g(da-}\right.\right.$

input
```
int(ln((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE
)
```

output
```
-dilog((a*d*g-b*c*g)/b/(b*x+a)+(-d*g+b)/b)/(a*d-b*c)
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.41

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \frac{\mathrm{Li}_2\left(\frac{cg+(dg-b)x-a}{bx+a}+1\right)}{bc-ad}$$

input
```
integrate(log((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="fr
icas")
```

output
```
dilog((c*g + (d*g - b)*x - a)/(b*x + a) + 1)/(b*c - a*d)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \text{Timed out}$$

input
```
integrate(ln((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output
```
Timed out
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 343 vs. $2(26) = 52$.

Time = 0.05 (sec) , antiderivative size = 343, normalized size of antiderivative = 12.70

$$\begin{aligned}
&\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx \\
&= \left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right)\log\left(-\frac{dgx+cg-bx-a}{bx+a}\right) \\
&\quad + \frac{\log(bx+a)^2 - 2\log(bx+a)\log(dx+c)}{2(bc-ad)} \\
&\quad - \frac{\log(bx+a)\log\left(\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}+1\right) + \mathrm{Li}_2\left(-\frac{(dg-b)a+(bdg-b^2)x}{bcg-adg}\right)}{bc-ad} \\
&\quad + \frac{\log(dx+c)\log\left(\frac{cdg-bc+(d^2g-bd)x}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{cdg-bc+(d^2g-bd)x}{bc-ad}\right)}{bc-ad} \\
&\quad + \frac{\log(bx+a)\log\left(\frac{bdx+ad}{bc-ad}+1\right) + \mathrm{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right)}{bc-ad}
\end{aligned}$$

input
```
integrate(log((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="maxima")
```

output
```
(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d))*log(-(d*g*x + c*g - b*x - a)/(b*x + a)) + 1/2*(log(b*x + a)^2 - 2*log(b*x + a)*log(d*x + c))/(b*c - a*d) - (log(b*x + a)*log(((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g) + 1) + dilog(-((d*g - b)*a + (b*d*g - b^2)*x)/(b*c*g - a*d*g)))/(b*c - a*d) + (log(d*x + c)*log((c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d) + 1) + dilog(-(c*d*g - b*c + (d^2*g - b*d)*x)/(b*c - a*d)))/(b*c - a*d) + (log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b*c - a*d)
```

Giac [F]

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\log\left(-\frac{dgx+cg-bx-a}{bx+a}\right)}{(bx+a)(dx+c)}\,dx$$

input
```
integrate(log((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="giac")
```

output
```
integrate(log(-(d*g*x + c*g - b*x - a)/(b*x + a))/((b*x + a)*(d*x + c)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx = \int \frac{\ln\left(\frac{a-c\,g+b\,x-d\,g\,x}{a+b\,x}\right)}{(a+b\,x)\,(c+d\,x)}\,dx$$

input
```
int(log((a - c*g + b*x - d*g*x)/(a + b*x))/((a + b*x)*(c + d*x)),x)
```

output
```
int(log((a - c*g + b*x - d*g*x)/(a + b*x))/((a + b*x)*(c + d*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(\frac{a-cg+bx-dgx}{a+bx}\right)}{(a+bx)(c+dx)}\,dx$$
$$= \frac{2\left(\int \frac{\log\left(\frac{-dgx+bx-cg+a}{bx+a}\right)}{-b\,d^2g\,x^3-a\,d^2g\,x^2+b^2d\,x^3-2bcdg\,x^2+2abd\,x^2-2acdgx+b^2c\,x^2-b\,c^2gx+a^2dx+2abcx-a\,c^2g+a^2c}dx\right)a^2d^2g - 4\left(\int \frac{}{-b\,d^2g\,x^3-}\right.}{}$$

input
```
int(log((-d*g*x+b*x-c*g+a)/(b*x+a))/(b*x+a)/(d*x+c),x)
```

output

```
(2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b*c
*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2 +
 b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a**2*d**2*g
 - 4*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*a*b*c*d*g
 + 2*int(log((a + b*x - c*g - d*g*x)/(a + b*x))/(a**2*c + a**2*d*x + 2*a*b
*c*x + 2*a*b*d*x**2 - a*c**2*g - 2*a*c*d*g*x - a*d**2*g*x**2 + b**2*c*x**2
 + b**2*d*x**3 - b*c**2*g*x - 2*b*c*d*g*x**2 - b*d**2*g*x**3),x)*b**2*c**2
*g - log((a + b*x - c*g - d*g*x)/(a + b*x))**2*b + log((a + b*x - c*g - d*
g*x)/(a + b*x))**2*d*g)/(2*d*g*(a*d - b*c))
```

3.259 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{afh+bghx^2+h(bfx+agx)}\,dx$

Optimal result . . . 2720
Mathematica [F] . . . 2721
Rubi [A] (warning: unable to verify) . . . 2721
Maple [F] . . . 2724
Fricas [F] . . . 2724
Sympy [F(-1)] . . . 2725
Maxima [F] . . . 2725
Giac [F] . . . 2726
Mupad [F(-1)] . . . 2726
Reduce [F] . . . 2726

Optimal result

Integrand size = 51, antiderivative size = 282

$$\begin{aligned}
&\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3}{afh+bghx^2+h(bfx+agx)}\,dx \\
&= -\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^3\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{3Bn\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{6B^2n^2\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad+\frac{6B^3n^3\operatorname{PolyLog}\left(4,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}
\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b
*x+a))/(-a*g+b*f)/h+3*B*n*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2*polylog(2,(-
a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+6*B^2*n^2*(A+B*ln(e*(b*x
+a)^n/((d*x+c)^n)))*polylog(3,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g
+b*f)/h+6*B^3*n^3*polylog(4,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b
*f)/h
```

Mathematica [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/(a*f*h + b*g*h*x^2 +
h*(b*f*x + a*g*x)),x]
```

output
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/(a*f*h + b*g*h*x^2 +
h*(b*f*x + a*g*x)), x]
```

Rubi [A] (warning: unable to verify)

Time = 1.16 (sec) , antiderivative size = 279, normalized size of antiderivative = 0.99, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.137$, Rules used = {2973, 2976, 2026, 2779, 2821, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(B\log(e(a+bx)^n(c+dx)^{-n})+A)^3}{h(agx+bfx)+afh+bghx^2}\,dx$$

$$\downarrow 2973$$

$$\int \frac{(B\log(e(a+bx)^n(c+dx)^{-n})+A)^3}{h(agx+bfx)+afh+bghx^2}dx$$

$$\downarrow 2976$$

$$(bc-ad)\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{\frac{(bc-ad)(bf-ag)h(a+bx)}{c+dx}-\frac{(bc-ad)(df-cg)h(a+bx)^2}{(c+dx)^2}}d\frac{a+bx}{c+dx}$$

$$\downarrow 2026$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^3}{(a+bx)\left((bc-ad)(bf-ag)h-\frac{(bc-ad)(df-cg)h(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}$$

$$\downarrow 2779$$

$$(bc-ad)\left(\frac{3Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{h(bc-ad)(bf-ag)}-\frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+\right.}{h(bc-ad)(bf-ag)}$$

$$\downarrow 2821$$

$$(bc-ad)\left(\frac{3Bn\left(\mathrm{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\int\frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\mathrm{PolyLog}\left(2,\frac{(b}{(}\right.}{a+bx}}{h(bc-ad)(bf-ag)}$$

$$\downarrow 2830$$

$$(bc-ad)\left(\frac{3Bn\left(\mathrm{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\left(Bn\int\frac{(c+dx)\,\mathrm{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+}{c+}\right.\right.}{h(bc-ad)(bf-ag)}$$

$$\downarrow 7143$$

$$(bc-ad)\left(\frac{3Bn\left(\mathrm{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)^2-2Bn\left(-\left(\mathrm{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\right.\right.\right.\right.}{h(bc-ad)(bf-ag)}$$

input

```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^3/(a*f*h + b*g*h*x^2 + h*(b*f
*x + a*g*x)),x]
```

output

```
(b*c - a*d)*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^3*Log[1 - ((b*f - a
*g)*(c + d*x))/((d*f - c*g)*(a + b*x))])/((b*c - a*d)*(b*f - a*g)*h)) + (3
*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*PolyLog[2, ((b*f - a*g)*(c
+ d*x))/((d*f - c*g)*(a + b*x))] - 2*B*n*(-((A + B*Log[e*((a + b*x)/(c + d
*x))^n])*PolyLog[3, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]) - B*
n*PolyLog[4, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))])))/((b*c - a
*d)*(b*f - a*g)*h))
```

Defintions of rubi rules used

rule 2026

```
Int[(Fx_.)*(Px_)^(p_.), x_Symbol] :> With[{r = Expon[Px, x, Min]}, Int[x^(p
*r)*ExpandToSum[Px/x^r, x]^p*Fx, x] /; IGtQ[r, 0]] /; PolyQ[Px, x] && Integ
erQ[p] &&  !MonomialQ[Px, x] && (ILtQ[p, 0] ||  !PolyQ[u, x])
```

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))  Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2830

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*PolyLog[k_, (e_.)*(x_)^(q_
.)])/(x_), x_Symbol] :> Simp[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^p/q)
, x] - Simp[b*n*(p/q)  Int[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^(p -
1)/x), x], x] /; FreeQ[{a, b, c, e, k, n, q}, x] && GtQ[p, 0]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 2976

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] :> With[{f = Coeff[P2x, x, 0], g = Coef
f[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d)  Subst[Int[(b^2*f -
a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^
2*h)*x^2)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/
(c + d*x)], x]] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] &
& NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A+B\ln\left(e(bx+a)^n\left(dx+c\right)^{-n}\right)\right)^3}{afh+bghx^2+h\left(agx+bfx\right)}dx$$

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),
x)
```

output

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),
x)
```

Fricas [F]

$$\int \frac{(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{bghx^2+afh+(bfx+agx)h}\,dx$$

input

```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="fricas")
```

output

```
integral((B^3*log((b*x + a)^n*e/(d*x + c)^n)^3 + 3*A*B^2*log((b*x + a)^n*e
/(d*x + c)^n)^2 + 3*A^2*B*log((b*x + a)^n*e/(d*x + c)^n) + A^3)/(b*g*h*x^2
 + a*f*h + (b*f + a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**3/(a*f*h+b*g*h*x**2+h*(a*g*
x+b*f*x)),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{bghx^2+afh+(bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="maxima")
```

output
```
A^3*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) - integr
ate(-(B^3*log((b*x + a)^n)^3 - B^3*log((d*x + c)^n)^3 + B^3*log(e)^3 + 3*A
*B^2*log(e)^2 + 3*A^2*B*log(e) + 3*(B^3*log(e) + A*B^2)*log((b*x + a)^n)^2
 + 3*(B^3*log((b*x + a)^n) + B^3*log(e) + A*B^2)*log((d*x + c)^n)^2 + 3*(B
^3*log(e)^2 + 2*A*B^2*log(e) + A^2*B)*log((b*x + a)^n) - 3*(B^3*log((b*x +
 a)^n)^2 + B^3*log(e)^2 + 2*A*B^2*log(e) + A^2*B + 2*(B^3*log(e) + A*B^2)*
log((b*x + a)^n))*log((d*x + c)^n))/(b*g*h*x^2 + a*f*h + (b*f*h + a*g*h)*x
), x)
```

Giac [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^3}{bghx^2+afh+(bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^3/(b*g*h*x^2 + a*f*h + (b
*f*x + a*g*x)*h), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^3}{h\,(a\,g\,x+b\,f\,x)+a\,f\,h+b\,g\,h\,x^2}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3/(h*(a*g*x + b*f*x) + a*f*h
+ b*g*h*x^2),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^3/(h*(a*g*x + b*f*x) + a*f*h
+ b*g*h*x^2), x)
```

Reduce [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^3}{afh+bghx^2+h(bfx+agx)}\,dx = \text{too large to display}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^3/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x))
,x)
```

output

```
(4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x +
a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**3*
c*d*g**2*n - 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x
+ a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x
)*a**2*b**3*d**2*f*g*n - 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)**3/(a*c*
f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b
*d*g*x**3),x)*a*b**4*c**2*g**2*n + 4*int(log(((a + b*x)**n*e)/(c + d*x)**n
)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*
f*x**2 + b*d*g*x**3),x)*a*b**4*d**2*f**2*n + 4*int(log(((a + b*x)**n*e)/(c
 + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x
**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**5*c**2*f*g*n - 4*int(log(((a + b*x)**
n*e)/(c + d*x)**n)**3/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x +
b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**5*c*d*f**2*n + 12*int(log(((a
+ b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*
c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**2*c*d*g**2*n - 12
*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*
d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b**2*d*
*2*f*g*n - 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x +
 a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)
*a**2*b**3*c**2*g**2*n + 12*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(...
```

3.260 $\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{afh+bghx^2+h(bfx+agx)}\,dx$

Optimal result . . . 2728
Mathematica [B] (verified) . . . 2729
Rubi [A] (warning: unable to verify) . . . 2730
Maple [F] . . . 2732
Fricas [F] . . . 2733
Sympy [F(-1)] . . . 2733
Maxima [F] . . . 2733
Giac [F] . . . 2734
Mupad [F(-1)] . . . 2734
Reduce [F] . . . 2735

Optimal result

Integrand size = 51, antiderivative size = 203

$$\begin{aligned}
&\int \frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2}{afh+bghx^2+h(bfx+agx)}\,dx \\
&= -\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)^2\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{2Bn\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\operatorname{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h} \\
&\quad + \frac{2B^2n^2\operatorname{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}
\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b
*x+a))/(-a*g+b*f)/h+2*B*n*(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))*polylog(2,(-a*
g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h+2*B^2*n^2*polylog(3,(-a*g+
b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a*g+b*f)/h
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1415 vs. $2(203) = 406$.

Time = 1.09 (sec) , antiderivative size = 1415, normalized size of antiderivative = 6.97

$$\int \frac{(A + B \log (e(a+bx)^n (c+dx)^{-n}))^2}{afh + bghx^2 + h(bfx + agx)}\, dx = \text{Too large to display}$$

input

```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/(a*f*h + b*g*h*x^2 +
h*(b*f*x + a*g*x)),x]
```

output

```
(3*Log[a + b*x]*(A + B*(-(n*Log[a + b*x]) + n*Log[c + d*x] + Log[(e*(a + b
*x)^n)/(c + d*x)^n]))^2 - 3*(A + B*(-(n*Log[a + b*x]) + n*Log[c + d*x] + L
og[(e*(a + b*x)^n)/(c + d*x)^n]))^2*Log[f + g*x] + 3*B*n*(A + B*(-(n*Log[a
 + b*x]) + n*Log[c + d*x] + Log[(e*(a + b*x)^n)/(c + d*x)^n]))*(Log[a + b*
x]^2 - 2*(Log[a + b*x]*Log[(b*(f + g*x))/(b*f - a*g)] + PolyLog[2, (g*(a +
 b*x))/(-(b*f) + a*g)])) - 6*A*B*n*(Log[c + d*x]*(Log[(d*(a + b*x))/(-(b*c
) + a*d)] - Log[(d*(f + g*x))/(d*f - c*g)]) + PolyLog[2, (b*(c + d*x))/(b*
c - a*d)] - PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g)]) + 6*B^2*n*(n*Log[a +
 b*x] - n*Log[c + d*x] - Log[(e*(a + b*x)^n)/(c + d*x)^n])*(Log[c + d*x]*(
Log[(d*(a + b*x))/(-(b*c) + a*d)] - Log[(d*(f + g*x))/(d*f - c*g)]) + Poly
Log[2, (b*(c + d*x))/(b*c - a*d)] - PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g
)]) + B^2*n^2*(Log[a + b*x]^2*(Log[a + b*x] - 3*Log[(b*(f + g*x))/(b*f - a
*g)]) - 6*Log[a + b*x]*PolyLog[2, (g*(a + b*x))/(-(b*f) + a*g)] + 6*PolyLo
g[3, (g*(a + b*x))/(-(b*f) + a*g)]) + 3*B^2*n^2*(Log[(d*(a + b*x))/(-(b*c)
 + a*d)]*Log[c + d*x]^2 - Log[c + d*x]^2*Log[(d*(f + g*x))/(d*f - c*g)] +
2*Log[c + d*x]*PolyLog[2, (b*(c + d*x))/(b*c - a*d)] - 2*Log[c + d*x]*Poly
Log[2, (g*(c + d*x))/(-(d*f) + c*g)] - 2*PolyLog[3, (b*(c + d*x))/(b*c - a
*d)] + 2*PolyLog[3, (g*(c + d*x))/(-(d*f) + c*g)]) - 6*B^2*n^2*((Log[a + b
*x]^2*(Log[c + d*x] - Log[(b*(c + d*x))/(b*c - a*d)]))/2 - Log[a + b*x]*Lo
g[c + d*x]*Log[(b*(f + g*x))/(b*f - a*g)] - (Log[(g*(c + d*x))/(-(d*f) ...
```

Rubi [A] (warning: unable to verify)

Time = 0.99 (sec) , antiderivative size = 214, normalized size of antiderivative = 1.05, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {2973, 2976, 2026, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(B \log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}{h(agx+bfx)+afh+bghx^2}\,dx$$

$$\downarrow 2973$$

$$\int \frac{\left(B \log\left(e(a+bx)^n(c+dx)^{-n}\right)+A\right)^2}{h(agx+bfx)+afh+bghx^2}\,dx$$

$$\downarrow 2976$$

$$(bc-ad)\int \frac{\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{\frac{(bc-ad)(bf-ag)h(a+bx)}{c+dx}-\frac{(bc-ad)(df-cg)h(a+bx)^2}{(c+dx)^2}}\,d\frac{a+bx}{c+dx}$$

$$\downarrow 2026$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)^2}{(a+bx)\left((bc-ad)(bf-ag)h-\frac{(bc-ad)(df-cg)h(a+bx)}{c+dx}\right)}\,d\frac{a+bx}{c+dx}$$

$$\downarrow 2779$$

$$(bc-ad)\left(\frac{2Bn\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}\,d\frac{a+bx}{c+dx}}{h(bc-ad)(bf-ag)}-\frac{\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+\right.}{h(bc-ad)(bf-ag)}$$

$$\downarrow 2821$$

$$(bc-ad)\left(\frac{2Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)-Bn\int \frac{(c+dx)\,\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}\,d\frac{a+bx}{c+dx}\right)}{h(bc-ad)(bf-ag)}-$$

$$\downarrow 7143$$

$$(bc - ad)\left(\frac{2Bn\left(\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)+Bn\,\text{PolyLog}\left(3,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)\right)}{h(bc-ad)(bf-ag)} - \frac{\log\left(1-\right.}{}$$

input
```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])^2/(a*f*h + b*g*h*x^2 + h*(b*f
*x + a*g*x)),x]
```

output
```
(b*c - a*d)*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])^2*Log[1 - ((b*f - a
*g)*(c + d*x))/((d*f - c*g)*(a + b*x))])/((b*c - a*d)*(b*f - a*g)*h)) + (2
*B*n*((A + B*Log[e*((a + b*x)/(c + d*x))^n])*PolyLog[2, ((b*f - a*g)*(c +
d*x))/((d*f - c*g)*(a + b*x))] + B*n*PolyLog[3, ((b*f - a*g)*(c + d*x))/((
d*f - c*g)*(a + b*x))]))/((b*c - a*d)*(b*f - a*g)*h))
```

Defintions of rubi rules used

rule 2026
```
Int[(Fx_.)*(Px_)^(p_.), x_Symbol] :> With[{r = Expon[Px, x, Min]}, Int[x^(p
*r)*ExpandToSum[Px/x^r, x]^p*Fx, x] /; IGtQ[r, 0]] /; PolyQ[Px, x] && Integ
erQ[p] &&  !MonomialQ[Px, x] && (ILtQ[p, 0] ||  !PolyQ[u, x])
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))  Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821
```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b
_.))^(p_.))/(x_), x_Symbol] :> Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c
*x^n])^p/m), x] + Simp[b*n*(p/m)  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c
*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p,
0] && EqQ[d*e, 1]
```

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 2976

```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] :> With[{f = Coeff[P2x, x, 0], g = Coef
f[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d)^(2*m + 1)*(f*g - 2*c*
f*h + b*d*f^2/(b*c - a*d)^2)*(a + b*x)^(p + 1)*((A + B*Log[e*(a + b*x)^n/(c
 + d*x)^n])^p/(b*(b*c - a*d)^(2*(m + 1))*(p + 1))), x] - Simp[B*n*p*((b*c -
 a*d)^(2*m + 1)*(f*g - 2*c*f*h + b*d*f^2/(b*c - a*d)^2)/(b*(p + 1))), Int[(a
 + b*x)^(p + 1)*((A + B*Log[e*(a + b*x)^n/(c + d*x)^n])^(p - 1)/(c + d*x)^(2
*(m + 1))), x], x] - Simp[B*n*p*((b*c - a*d)^(2*m + 1)*(f*g - 2*c*f*h + b*d*
f^2/(b*c - a*d)^2)/(b*(p + 1))), Int[(a + b*x)^(p + 1)*((A + B*Log[e*(a + b*
x)^n/(c + d*x)^n])^(p - 1)/(c + d*x)^(2*(m + 1))), x], x] + Simp[(b*c - a*d)
^(2*m + 1)*(f*g - 2*c*f*h + b*d*f^2/(b*c - a*d)^2)*(a + b*x)^(p + 1)*((A + B
*Log[e*(a + b*x)^n/(c + d*x)^n])^p/(b*(b*c - a*d)^(2*(m + 1))*(p + 1))), x]
 /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d
, 0] && IntegerQ[m] && IGtQ[p, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\left(A + B \ln\left(e(bx+a)^n (dx+c)^{-n}\right)\right)^2}{afh + bgh\,x^2 + h\,(agx + bfx)}\,dx$$

input

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),
x)
```

output

```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),
x)
```

Fricas [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}{bghx^2+afh+(bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="fricas")
```

output
```
integral((B^2*log((b*x + a)^n*e/(d*x + c)^n)^2 + 2*A*B*log((b*x + a)^n*e/(
d*x + c)^n) + A^2)/(b*g*h*x^2 + a*f*h + (b*f + a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))**2/(a*f*h+b*g*h*x**2+h*(a*g*
x+b*f*x)),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}{bghx^2+afh+(bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="maxima")
```

output
```
A^2*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) + integr
ate((B^2*log((b*x + a)^n)^2 + B^2*log((d*x + c)^n)^2 + B^2*log(e)^2 + 2*A*
B*log(e) + 2*(B^2*log(e) + A*B)*log((b*x + a)^n) - 2*(B^2*log((b*x + a)^n)
 + B^2*log(e) + A*B)*log((d*x + c)^n))/(b*g*h*x^2 + a*f*h + (b*f*h + a*g*h
)*x), x)
```

Giac [F]

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)+A\right)^2}{bghx^2+afh+(bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b
*f*x)),x, algorithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)^2/(b*g*h*x^2 + a*f*h + (b
*f*x + a*g*x)*h), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{(A+B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{\left(A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)\right)^2}{h\,(a\,g\,x+b\,f\,x)+a\,f\,h+b\,g\,h\,x^2}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2/(h*(a*g*x + b*f*x) + a*f*h
+ b*g*h*x^2),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))^2/(h*(a*g*x + b*f*x) + a*f*h
+ b*g*h*x^2), x)
```

Reduce [F]

$$\int \frac{(A + B\log(e(a+bx)^n(c+dx)^{-n}))^2}{afh + bghx^2 + h(bfx + agx)}\,dx = \text{Too large to display}$$

input

```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))^2/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x))
,x)
```

output

```
(3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x +
a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**2*
c*d*g**2*n - 3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x
+ a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x
)*a**2*b**2*d**2*f*g*n - 3*int(log(((a + b*x)**n*e)/(c + d*x)**n)**2/(a*c*
f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b
*d*g*x**3),x)*a*b**3*c**2*g**2*n + 3*int(log(((a + b*x)**n*e)/(c + d*x)**n
)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*
f*x**2 + b*d*g*x**3),x)*a*b**3*d**2*f**2*n + 3*int(log(((a + b*x)**n*e)/(c
 + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x
**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**4*c**2*f*g*n - 3*int(log(((a + b*x)**
n*e)/(c + d*x)**n)**2/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x +
b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*b**4*c*d*f**2*n + 6*int(log(((a +
 b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*
x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b*c*d*g**2*n - 6*int(log
(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 +
b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**3*b*d**2*f*g*n - 6*i
nt(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d*g*x
**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b**2*c**2*g*
*2*n + 6*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*...
```

3.261 $\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx$

Optimal result 2736
Mathematica [B] (verified) 2737
Rubi [A] (warning: unable to verify) 2737
Maple [C] (warning: unable to verify) 2739
Fricas [F] 2740
Sympy [F(-1)] 2741
Maxima [F] 2741
Giac [F] 2741
Mupad [F(-1)] 2742
Reduce [F] 2742

Optimal result

Integrand size = 49, antiderivative size = 123

$$\begin{aligned}&\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx\\&=-\frac{\left(A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)\right)\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}\\&\quad+\frac{Bn\,\mathrm{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{(bf-ag)h}\end{aligned}$$

output

```
-(A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))*ln(1-(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x
+a))/(-a*g+b*f)/h+B*n*polylog(2,(-a*g+b*f)*(d*x+c)/(-c*g+d*f)/(b*x+a))/(-a
*g+b*f)/h
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 303 vs. $2(123) = 246$.

Time $= 0.34$ (sec) , antiderivative size $= 303$, normalized size of antiderivative $= 2.46$

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh + bghx^2 + h(bfx + agx)}\,dx =$$
$$-\frac{-2A\log(a+bx) + Bn\log^2(a+bx) - 2Bn\log(a+bx)\log(c+dx) + 2Bn\log\left(\frac{d(a+bx)}{-bc+ad}\right)\log(c+dx) -$$

input
```
Integrate[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/(a*f*h + b*g*h*x^2 + h*
(b*f*x + a*g*x)),x]
```

output
```
-((-2*A*Log[a + b*x] + B*n*Log[a + b*x]^2 - 2*B*n*Log[a + b*x]*Log[c + d*x
] + 2*B*n*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[c + d*x] - 2*B*Log[a + b*x
]*Log[(e*(a + b*x)^n)/(c + d*x)^n] + 2*A*Log[f + g*x] - 2*B*n*Log[a + b*x]
*Log[f + g*x] + 2*B*n*Log[c + d*x]*Log[f + g*x] + 2*B*Log[(e*(a + b*x)^n)/
(c + d*x)^n]*Log[f + g*x] + 2*B*n*Log[a + b*x]*Log[(b*(f + g*x))/(b*f - a*
g)] - 2*B*n*Log[c + d*x]*Log[(d*(f + g*x))/(d*f - c*g)] + 2*B*n*PolyLog[2,
 (g*(a + b*x))/(-(b*f) + a*g)] + 2*B*n*PolyLog[2, (b*(c + d*x))/(b*c - a*d
)] - 2*B*n*PolyLog[2, (g*(c + d*x))/(-(d*f) + c*g)])/((2*b*f - 2*a*g)*h))
```

Rubi [A] (warning: unable to verify)

Time $= 0.67$ (sec) , antiderivative size $= 151$, normalized size of antiderivative $= 1.23$, number of steps used $= 6$, number of rules used $= 5$, $\frac{\text{number of rules}}{\text{integrand size}} = 0.102$, Rules used $= \{2973, 2976, 2026, 2779, 2838\}$

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B\log\left(e(a+bx)^n(c+dx)^{-n}\right) + A}{h(agx + bfx) + afh + bghx^2}\,dx$$
$$\downarrow \text{2973}$$
$$\int \frac{B\log\left(e(a+bx)^n(c+dx)^{-n}\right) + A}{h(agx + bfx) + afh + bghx^2}dx$$

$$\downarrow 2976$$

$$(bc-ad)\int \frac{A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\frac{(bc-ad)(bf-ag)h(a+bx)}{c+dx}-\frac{(bc-ad)(df-cg)h(a+bx)^2}{(c+dx)^2}}d\frac{a+bx}{c+dx}$$

$$\downarrow 2026$$

$$(bc-ad)\int \frac{(c+dx)\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(a+bx)\left((bc-ad)(bf-ag)h-\frac{(bc-ad)(df-cg)h(a+bx)}{c+dx}\right)}d\frac{a+bx}{c+dx}$$

$$\downarrow 2779$$

$$ad)\left(\frac{Bn\int \frac{(c+dx)\log\left(1-\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{a+bx}d\frac{a+bx}{c+dx}}{h(bc-ad)(bf-ag)}-\frac{(bc-\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{h(bc-ad)(bf-ag)}\right)$$

$$\downarrow 2838$$

$$ad)\left(\frac{Bn\,\text{PolyLog}\left(2,\frac{(bf-ag)(c+dx)}{(df-cg)(a+bx)}\right)}{h(bc-ad)(bf-ag)}-\frac{(bc-\log\left(1-\frac{(c+dx)(bf-ag)}{(a+bx)(df-cg)}\right)\left(B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)+A\right)}{h(bc-ad)(bf-ag)}\right)$$

input

```
Int[(A + B*Log[(e*(a + b*x)^n)/(c + d*x)^n])/(a*f*h + b*g*h*x^2 + h*(b*f*x
 + a*g*x)),x]
```

output

```
(b*c - a*d)*(-(((A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[1 - ((b*f - a*g
)*(c + d*x))/((d*f - c*g)*(a + b*x))])/((b*c - a*d)*(b*f - a*g)*h)) + (B*n
*PolyLog[2, ((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))])/((b*c - a*d)
*(b*f - a*g)*h))
```

Defintions of rubi rules used

rule 2026
```
Int[(Fx_.)*(Px_)^(p_.), x_Symbol] :> With[{r = Expon[Px, x, Min]}, Int[x^(p
*r)*ExpandToSum[Px/x^r, x]^p*Fx, x] /; IGtQ[r, 0]] /; PolyQ[Px, x] && Integ
erQ[p] &&  !MonomialQ[Px, x] && (ILtQ[p, 0] ||  !PolyQ[u, x])
```

rule 2779
```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r
_.))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r))
, x] + Simp[b*n*(p/(d*r))   Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p -
 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2838
```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2973
```
Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)]*(B_.))^(p_.)*(w_.), x_Symbol]
 :> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] &&  !Intege
rQ[n]
```

rule 2976
```
Int[((A_.) + Log[(e_.)*(((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_)))^(n_.)]*(
B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] :> With[{f = Coeff[P2x, x, 0], g = Coef
f[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d)   Subst[Int[(b^2*f -
a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^
2*h)*x^2)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/
(c + d*x)], x]] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] &
& NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 32.82 (sec) , antiderivative size = 1447, normalized size of antiderivative = 11.76

method	result	size
risch	Expression too large to display	1447

input
```
int((A+B*ln(e*(b*x+a)^n/((d*x+c)^n)))/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),x,
method=_RETURNVERBOSE)
```

output
```
1/h/(a*g-b*f)*ln(g*x+f)*A-1/h/(a*g-b*f)*ln(b*x+a)*A-1/h*B*n/(a*g-b*f)*ln(g
*x+f)*ln((b*(g*x+f)+a*g-b*f)/(a*g-b*f))+1/h*B*n/(a*g-b*f)*ln(g*x+f)*ln((d*
(g*x+f)+c*g-d*f)/(c*g-d*f))-1/h*B*ln((b*x+a)^n)/(a*g-b*f)*ln(b*x+a)-1/h*B*
n/(a*g-b*f)*dilog((b*(g*x+f)+a*g-b*f)/(a*g-b*f))+1/2/h*B*n/(a*g-b*f)*ln(b*
x+a)^2+1/h*B/(a*g-b*f)*ln(g*x+f)*ln((b*x+a)^n)-1/h*B*n/(a*g-b*f)*ln(b*x+a)
*ln((-d*a+b*c+d*(b*x+a))/(-a*d+b*c))+1/h/(a*g-b*f)*ln(g*x+f)*B*ln(e)-1/h/(
a*g-b*f)*ln(b*x+a)*B*ln(e)-1/h*B/(a*g-b*f)*ln(g*x+f)*ln((d*x+c)^n)+1/h*B*l
n((d*x+c)^n)/(a*g-b*f)*ln(b*x+a)+1/h*B*n/(a*g-b*f)*dilog((d*(g*x+f)+c*g-d*
f)/(c*g-d*f))-1/h*B*n/(a*g-b*f)*dilog((-d*a+b*c+d*(b*x+a))/(-a*d+b*c))-1/2
*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*csgn(I/((d*x+c)^n)*(b*x+a)^n)*csgn(I*e*(b*x+
a)^n/((d*x+c)^n))*csgn(I*e)+1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I/((d*x+
c)^n))*csgn(I*(b*x+a)^n)*csgn(I/((d*x+c)^n)*(b*x+a)^n)-1/2*I/h/(a*g-b*f)*l
n(g*x+f)*B*Pi*csgn(I/((d*x+c)^n))*csgn(I*(b*x+a)^n)*csgn(I/((d*x+c)^n)*(b*
x+a)^n)+1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I/((d*x+c)^n)*(b*x+a)^n)*csg
n(I*e*(b*x+a)^n/((d*x+c)^n))*csgn(I*e)+1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*cs
gn(I/((d*x+c)^n))*csgn(I/((d*x+c)^n)*(b*x+a)^n)^2+1/2*I/h/(a*g-b*f)*ln(g*x
+f)*B*Pi*csgn(I*(b*x+a)^n)*csgn(I/((d*x+c)^n)*(b*x+a)^n)^2+1/2*I/h/(a*g-b*
f)*ln(g*x+f)*B*Pi*csgn(I/((d*x+c)^n)*(b*x+a)^n)*csgn(I*e*(b*x+a)^n/((d*x+c
)^n))^2+1/2*I/h/(a*g-b*f)*ln(g*x+f)*B*Pi*csgn(I*e*(b*x+a)^n/((d*x+c)^n))^2
*csgn(I*e)-1/2*I/h/(a*g-b*f)*ln(b*x+a)*B*Pi*csgn(I/((d*x+c)^n))*csgn(I/...
```

Fricas [F]

$$\int \frac{A + B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh + bghx^2 + h(bfx+agx)}\,dx = \int \frac{B\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{bghx^2 + afh + (bfx+agx)h}\,dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f
*x)),x, algorithm="fricas")
```

output
```
integral((B*log((b*x + a)^n*e/(d*x + c)^n) + A)/(b*g*h*x^2 + a*f*h + (b*f
+ a*g)*h*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{afh + bghx^2 + h(bfx + agx)}\, dx = \text{Timed out}$$

input
```
integrate((A+B*ln(e*(b*x+a)**n/((d*x+c)**n)))/(a*f*h+b*g*h*x**2+h*(a*g*x+b
*f*x)),x)
```

output
```
Timed out
```

Maxima [F]

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{afh + bghx^2 + h(bfx + agx)}\, dx = \int \frac{B \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{bghx^2 + afh + (bfx + agx)h}\, dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f
*x)),x, algorithm="maxima")
```

output
```
A*(log(b*x + a)/((b*f - a*g)*h) - log(g*x + f)/((b*f - a*g)*h)) - B*integr
ate(-(log((b*x + a)^n) - log((d*x + c)^n) + log(e))/(b*g*h*x^2 + a*f*h + (
b*f*h + a*g*h)*x), x)
```

Giac [F]

$$\int \frac{A + B \log\left(e(a+bx)^n (c+dx)^{-n}\right)}{afh + bghx^2 + h(bfx + agx)}\, dx = \int \frac{B \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) + A}{bghx^2 + afh + (bfx + agx)h}\, dx$$

input
```
integrate((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f
*x)),x, algorithm="giac")
```

output
```
integrate((B*log((b*x + a)^n*e/(d*x + c)^n) + A)/(b*g*h*x^2 + a*f*h + (b*f
*x + a*g*x)*h), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx = \int \frac{A+B\,\ln\left(\frac{e\,(a+b\,x)^n}{(c+d\,x)^n}\right)}{h\,(a\,g\,x+b\,f\,x)+a\,f\,h+b\,g\,h\,x^2}\,dx$$

input
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(h*(a*g*x + b*f*x) + a*f*h +
b*g*h*x^2),x)
```

output
```
int((A + B*log((e*(a + b*x)^n)/(c + d*x)^n))/(h*(a*g*x + b*f*x) + a*f*h +
b*g*h*x^2), x)
```

Reduce [F]

$$\int \frac{A+B\log\left(e(a+bx)^n(c+dx)^{-n}\right)}{afh+bghx^2+h(bfx+agx)}\,dx$$
$$= \frac{2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bdg\,x^3+adg\,x^2+bcg\,x^2+bdf\,x^2+acgx+adfx+bcfx+acf}dx\right)a^2bcd\,g^2n - 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{bdg\,x^3+adg\,x^2+bcg\,x^2+bdf\,x^2+acgx+adfx+bcf}\right.}{}$$

input
```
int((A+B*log(e*(b*x+a)^n/((d*x+c)^n)))/(a*f*h+b*g*h*x^2+h*(a*g*x+b*f*x)),x
)
```

output

```
(2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x + a*d
*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b*c*d*g*
*2*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*d*f*x
 + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a**2*b*
d**2*f*g*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a
*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**3),x)*a
*b**2*c**2*g**2*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*
g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*d*g*x**
3),x)*a*b**2*d**2*f**2*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f
 + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2 + b*
d*g*x**3),x)*b**3*c**2*f*g*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a
*c*f + a*c*g*x + a*d*f*x + a*d*g*x**2 + b*c*f*x + b*c*g*x**2 + b*d*f*x**2
+ b*d*g*x**3),x)*b**3*c*d*f**2*n - 2*log(a + b*x)*a**2*d*g*n + 2*log(a + b
*x)*a*b*c*g*n + 2*log(f + g*x)*a**2*d*g*n - 2*log(f + g*x)*a*b*c*g*n - log
(((a + b*x)**n*e)/(c + d*x)**n)**2*a*b*d*g + log(((a + b*x)**n*e)/(c + d*x
)**n)**2*b**2*d*f)/(2*g*h*n*(a**2*d*g - a*b*c*g - a*b*d*f + b**2*c*f))
```

CHAPTER 4

Appendix

4.1 Listing of Grading functions 2744
4.2 Links to plain text integration problems used in this report for each CAS . 2762

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7,2022. add second output which gives reason for the grade *)
(*                       Small rewrite of logic in main function to make it*)
(*                       match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```
(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*          GradeAntiderivative[result,optimal] returns*)
(*  "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(*  "C" if result involves higher level functions than necessary*)
(*  "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(*  "A" if result can be considered optimal*)


GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leaf
    expnResult  = ExpnType[result];
    expnOptimal = ExpnType[optimal];
    leafCountResult = LeafCount[result];
    leafCountOptimal = LeafCount[optimal];

    (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
    If[expnResult<=expnOptimal,
        If[Not[FreeQ[result,Complex]], (*result contains complex*)
            If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
                If[leafCountResult<=2*leafCountOptimal,
                    finalresult={"A",""}
                    ,(*ELSE*)
                    finalresult={"B","Both result and optimal contain complex but leaf count
                  ]
            ,(*ELSE*)
                finalresult={"C","Result contains complex when optimal does not."}
            ]
        ,(*ELSE*)(*result does not contains complex*)
            If[leafCountResult<=2*leafCountOptimal,
               finalresult={"A",""}
            ,(*ELSE*)
               finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
              ]
        ]
    ,(*ELSE*) (*expnResult>expnOptimal*)
        If[FreeQ[result,Integrate] && FreeQ[result,Int],
            finalresult={"C","Result contains higher order function than in optimal. Order "
            ,
```

```
            finalresult={"F","Contains unresolved integral."}
        ]
    ];

    finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)


ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
      Max[ExpnType[expn[[1]]],2]],
    Max[ExpnType[expn[[1]]],ExpnType[expn[[2]]],3]]],
  If[Head[expn]===Plus || Head[expn]===Times,
    Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
  If[ElementaryFunctionQ[Head[expn]],
    Max[3,ExpnType[expn[[1]]]],
  If[SpecialFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
  If[HypergeometricFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
  If[AppellFunctionQ[Head[expn]],
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
  If[Head[expn]===RootSum,
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
  If[Head[expn]===Integrate || Head[expn]===Int,
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
  9]]]]]]]]]


ElementaryFunctionQ[func_] :=
  MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]


SpecialFunctionQ[func_] :=
  MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]


HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]


AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017  Use Maple leaf count instead since buildin
#Nasser 03/23/2017  missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017  corrected the check for complex result
#Nasser 10/27/2017  check for leafsize and do not call ExpnType()
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019  Added debug flag, added 'dilog' to special functions
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022   add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
        leaf_count_optimal,
        ExpnType_result,
        ExpnType_optimal,
        debug:=false;

        leaf_count_result:=leafcount(result);
        #do NOT call ExpnType() if leaf size is too large. Recursion problem
        if leaf_count_result > 500000 then
            return "B","result has leaf size over 500,000. Avoiding possible recursion issue
        fi;

        leaf_count_optimal := leafcount(optimal);
        ExpnType_result  := ExpnType(result);
        ExpnType_optimal := ExpnType(optimal);

        if debug then
            print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
        fi;

# If result and optimal are mathematical expressions,
#  GradeAntiderivative[result,optimal] returns
#   "F" if the result fails to integrate an expression that
#       is integrable
#   "C" if result involves higher level functions than necessary
#   "B" if result is more than twice the size of the optimal
```

```
#       antiderivative
#   "A" if result can be considered optimal

    #This check below actually is not needed, since I only
    #call this grading only for passed integrals. i.e. I check
    #for "F" before calling this. But no harm of keeping it here.
    #just in case.


    if not type(result,freeof('int')) then
        return "F","Result contains unresolved integral";
    fi;


    if ExpnType_result<=ExpnType_optimal then
        if debug then
             print("ExpnType_result<=ExpnType_optimal");
        fi;
        if is_contains_complex(result) then
            if is_contains_complex(optimal) then
                if debug then
                        print("both result and optimal complex");
                fi;
                if leaf_count_result<=2*leaf_count_optimal then
                    return "A"," ";
                else
                   return "B",cat("Both result and optimal contain complex but leaf count of
                                   convert(leaf_count_result,string)," vs. $2 (",
                                   convert(leaf_count_optimal,string)," ) = ",convert(2*leaf
                end if
            else #result contains complex but optimal is not
                if debug then
                        print("result contains complex but optimal is not");
                fi;
                return "C","Result contains complex when optimal does not.";
            fi;
        else # result do not contain complex
             # this assumes optimal do not as well. No check is needed here.
            if debug then
                   print("result do not contain complex, this assumes optimal do not as well
            fi;
```

```
            if leaf_count_result<=2*leaf_count_optimal then
                if debug then
                    print("leaf_count_result<=2*leaf_count_optimal");
                fi;
                return "A"," ";
            else
                if debug then
                    print("leaf_count_result>2*leaf_count_optimal");
                fi;
                return "B",cat("Leaf count of result is larger than twice the leaf count of
                                convert(leaf_count_result,string),"$ vs. $2(",
                                convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
    fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
```

```
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
       1
    else
       max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'`^`') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
         1
      else
         max(2,ExpnType(op(1,expn)))
      end if
    else
         max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
```

```
  end if
end proc:


ElementaryFunctionQ := proc(func)
  member(func,[
        exp,log,ln,
        sin,cos,tan,cot,sec,csc,
        arcsin,arccos,arctan,arccot,arcsec,arccsc,
        sinh,cosh,tanh,coth,sech,csch,
        arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
        erf,erfc,erfi,
        FresnelS,FresnelC,
        Ei,Ei,Li,Si,Ci,Shi,Chi,
        GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
        EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
     op(2,u)
  else
     apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
```

```
#Nasser 3/23/17  Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
   MmaTranslator[Mma][LeafCount](u);
end proc:
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#            Port of original Maple grading function by
#            Albert Rich to use with Sympy/Python
#Dec 27, 2019  Nasser. Added `RootSum`. See problem 177, Timofeev file
#            added 'exp_polar'
from sympy import *

def leaf_count(expr):
   #sympy do not have leaf count function. This is approximation
   return round(1.7*count_ops(expr))

def is_sqrt(expr):
   if isinstance(expr,Pow):
      if expr.args[1] == Rational(1,2):
         return True
      else:
         return False
   else:
      return False

def is_elementary_function(func):
   return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
         asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
         asinh,acosh,atanh,acoth,asech,acsch
      ]

def is_special_function(func):
   return func in [ erf,erfc,erfi,
          fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
          gamma,loggamma,digamma,zeta,polylog,LambertW,
          elliptic_f,elliptic_e,elliptic_pi,exp_polar
       ]
```

```
def is_hypergeometric_function(func):
   return func in [hyper]

def is_appell_function(func):
   return func in [appellf1]

def is_atom(expn):
   try:
      if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
        return True
      else:
        return False

   except AttributeError as error:
      return False

def expnType(expn):
   debug=False
   if debug:
      print("expn=",expn,"type(expn)=",type(expn))

   if is_atom(expn):
     return 1
   elif isinstance(expn,list):
      return max(map(expnType, expn))   #apply(max,map(ExpnType,expn))
   elif  is_sqrt(expn):
      if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
         return 1
      else:
         return max(2,expnType(expn.args[0]))  #max(2,ExpnType(op(1,expn)))
   elif isinstance(expn,Pow):   #type(expn,'`^`')
      if isinstance(expn.args[1],Integer):  #type(op(2,expn),'integer')
         return expnType(expn.args[0])   #ExpnType(op(1,expn))
      elif isinstance(expn.args[1],Rational):  #type(op(2,expn),'rational')
         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
         else:
            return max(2,expnType(expn.args[0]))  #max(2,ExpnType(op(1,expn)))
      else:
         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),Expr
   elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type(expn,'`*`')
```

```
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2)  #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func):  #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0]))  #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1)  #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    #print ("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result  = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result  = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation =""
```

```
    else:
        if expnType_result <= expnType_optimal:
            if result.has(I):
                if optimal.has(I): #both result and optimal complex
                    if leaf_count_result <= 2*leaf_count_optimal:
                        grade = "A"
                        grade_annotation =""
                    else:
                        grade = "B"
                        grade_annotation ="Both result and optimal contain complex but leaf count of result is lar
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation ="Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation =""
                else:
                    grade = "B"
                    grade_annotation ="Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation ="Result contains higher order function than in optimal. Order "+str(ExpnType


    #print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

    return grade, grade_annotation
```

SageMath grading function

```
#Dec 24, 2019. Nasser: Ported original Maple grading function by
#             Albert Rich to use with Sagemath. This is used to
#             grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#             'arctan2','floor','abs','log_integral'
#June 4, 2022  Made default grade_annotation "none" instead of "" due
#             issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.
```

```
from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow:   #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
            'sin','cos','tan','cot','sec','csc',
            'arcsin','arccos','arctan','arccot','arcsec','arccsc',
            'sinh','cosh','tanh','coth','sech','csch',
            'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
        ]
    if debug:
```

```
      if m:
         print ("func ", func , " is elementary_function")
      else:
         print ("func ", func , " is NOT elementary_function")


   return m

def is_special_function(func):
   #debug=False
   if debug:
      print ("type(func)=", type(func))

   m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral'
         'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
         'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
         'elliptic_pi','exp_integral_e','log_integral',
         'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
         'weierstrassPPrime','weierstrassSigma']

   if debug:
      print ("m=",m)
      if m:
         print ("func ", func ," is special_function")
      else:
         print ("func ", func ," is NOT special_function")


   return m


def is_hypergeometric_function(func):
   return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
   return func.name() in ['hypergeometric']   #[appellf1] can't find this in sagemath

def is_atom(expn):

   #debug=False
```

```
    if debug:
        print ("Enter is_atom, expn=",expn)

    if  not hasattr(expn, 'parent'):
        return False


    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
    try:
        if expn.parent() is SR:
            return expn.operator() is None
        if expn.parent() in (ZZ, QQ, AA, QQbar):
            return expn in expn.parent() # Should always return True
        if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
            return expn in expn.parent().base_ring() or expn in expn.parent().gens()

        return False

    except AttributeError as error:
        print("Exception,AttributeError in  is_atom")
        print ("cought exception" , type(error).__name__ )
        return False


def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list:   #isinstance(expn,list):
        return max(map(expnType, expn))   #apply(max,map(ExpnType,expn))
    elif  is_sqrt(expn):
        if  type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0]))  #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow:   #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer:  #isinstance(expn.args[1],Integer)
```

```
        return expnType(expn.operands()[0])   #expnType(expn.args[0])
      elif type(expn.operands()[1])==Rational:  #isinstance(expn.args[1],Rational)
        if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
          return 1
        else:
          return max(2,expnType(expn.operands()[0]))  #max(2,expnType(expn.args[0]))
      else:
        return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expr
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
      m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
      m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
      return max(m1,m2)  #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.operator()):  #is_elementary_function(expn.func)
      return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
      m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
      return max(4,m1)   #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
      m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
      return max(5,m1)   #max(5,m1)
    elif is_appell_function(expn.operator()):
      m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
      return max(6,m1)   #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
          #is checked before calling the grading function that is passed.
          #but kept it here.
      m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
      return max(8,m1)   #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
      return 9

#main function
def grade_antiderivative(result,optimal):


    if debug:
      print ("Enter grade_antiderivative for sagemath")
      print("Enter grade_antiderivative, result=",result)
      print("Enter grade_antiderivative, optimal=",optimal)
      print("type(anti)=",type(result))
      print("type(optimal)=",type(optimal))
```

```
leaf_count_result  = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)


expnType_result  = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
   if result.has(I):
      if optimal.has(I): #both result and optimal complex
         if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation ="none"
         else:
            grade = "B"
            grade_annotation ="Both result and optimal contain complex but leaf count of result is larger
      else: #result contains complex but optimal is not
         grade = "C"
         grade_annotation ="Result contains complex when optimal does not."
   else: # result do not contain complex, this assumes optimal do not as well
      if leaf_count_result <= 2*leaf_count_optimal:
         grade = "A"
         grade_annotation ="none"
      else:
         grade = "B"
         grade_annotation ="Leaf count of result is larger than twice the leaf count of optimal. "+str(lea
else:
   grade = "C"
   grade_annotation ="Result contains higher order function than in optimal. Order "+str(expnType_re


print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation
```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file