

Computer Algebra Independent Integration Tests

Summer 2024

3-Logarithms/174-3.6

Nasser M. Abbasi

May 17, 2024

Compiled on May 17, 2024 at 9:08pm

Contents

1	Introduction	6
1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Time and leaf size Performance	12
1.4	Performance based on number of rules Rubi used	14
1.5	Performance based on number of steps Rubi used	15
1.6	Solved integrals histogram based on leaf size of result	16
1.7	Solved integrals histogram based on CPU time used	17
1.8	Leaf size vs. CPU time used	18
1.9	list of integrals with no known antiderivative	19
1.10	List of integrals solved by CAS but has no known antiderivative	19
1.11	list of integrals solved by CAS but failed verification	19
1.12	Timing	20
1.13	Verification	20
1.14	Important notes about some of the results	21
1.15	Current tree layout of integration tests	24
1.16	Design of the test system	25
2	detailed summary tables of results	26
2.1	List of integrals sorted by grade for each CAS	27
2.2	Detailed conclusion table per each integral for all CAS systems	31
2.3	Detailed conclusion table specific for Rubi results	59
3	Listing of integrals	63
3.1	$\int (f + \frac{g}{x})^3 (A + B \log (e(\frac{a+bx}{c+dx})^n)) dx$	68
3.2	$\int (f + \frac{g}{x})^2 (A + B \log (e(\frac{a+bx}{c+dx})^n)) dx$	75
3.3	$\int (f + \frac{g}{x}) (A + B \log (e(\frac{a+bx}{c+dx})^n)) dx$	81
3.4	$\int \frac{A+B \log(e(\frac{a+bx}{c+dx})^n)}{f+\frac{g}{x}} dx$	87
3.5	$\int \frac{A+B \log(e(\frac{a+bx}{c+dx})^n)}{(f+\frac{g}{x})^2} dx$	93

3.6	$\int \frac{A+B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{\left(f+\frac{g}{x} \right)^3} dx \dots \dots \dots$	100
3.7	$\int (a+bx)^4 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	108
3.8	$\int (a+bx)^3 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	117
3.9	$\int (a+bx)^2 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	125
3.10	$\int (a+bx) \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	133
3.11	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx \dots \dots \dots$	140
3.12	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx \dots \dots \dots$	147
3.13	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx \dots \dots \dots$	153
3.14	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx \dots \dots \dots$	160
3.15	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx \dots \dots \dots$	168
3.16	$\int (a+bx)^4 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	177
3.17	$\int (a+bx)^3 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	188
3.18	$\int (a+bx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	199
3.19	$\int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	209
3.20	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx \dots \dots \dots$	218
3.21	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx \dots \dots \dots$	227
3.22	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx \dots \dots \dots$	236
3.23	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx \dots \dots \dots$	246
3.24	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx \dots \dots \dots$	257
3.25	$\int (g+hx)^4 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	268
3.26	$\int (g+hx)^3 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	277
3.27	$\int (g+hx)^2 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	286
3.28	$\int (g+hx) \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	295
3.29	$\int \log (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	303
3.30	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx \dots \dots \dots$	309
3.31	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx \dots \dots \dots$	317
3.32	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx \dots \dots \dots$	324
3.33	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx \dots \dots \dots$	332
3.34	$\int \frac{\log (e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx \dots \dots \dots$	341
3.35	$\int (g+hx)^3 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	350
3.36	$\int (g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	362
3.37	$\int (g+hx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	374
3.38	$\int \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \dots \dots \dots$	385
3.39	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx \dots \dots \dots$	394
3.40	$\int \frac{\log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx \dots \dots \dots$	414

3.41	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$	426
3.42	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$	439
3.43	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^n}{1-c^2x^2} dx$	453
3.44	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3}{1-c^2x^2} dx$	459
3.45	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2}{1-c^2x^2} dx$	466
3.46	$\int \frac{a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}})}{1-c^2x^2} dx$	472
3.47	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))} dx$	478
3.48	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2} dx$	483
3.49	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3} dx$	488
3.50	$\int \frac{\log(\frac{\sqrt{1-ax}}{\sqrt{1+ax}})}{1-a^2x^2} dx$	494
3.51	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$	500
3.52	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$	511
3.53	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$	521
3.54	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx$	529
3.55	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx$	534
3.56	$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	540
3.57	$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	550
3.58	$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	559
3.59	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	567
3.60	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$	573
3.61	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$	578
3.62	$\int \frac{\log(x) \log^3(\frac{a+bx}{(bc-ad)x})}{x} dx$	584
3.63	$\int \frac{\log(x) \log^2(\frac{a+bx}{(bc-ad)x})}{x} dx$	589
3.64	$\int \frac{\log(x) \log(\frac{a+bx}{(bc-ad)x})}{x} dx$	594
3.65	$\int \frac{\log(x)}{x \log(\frac{a+bx}{(bc-ad)x})} dx$	601
3.66	$\int \frac{\log(x)}{x \log^2(\frac{a+bx}{(bc-ad)x})} dx$	606
3.67	$\int \frac{\log^3(e(\frac{a+bx}{c+dx})^n) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$	611
3.68	$\int \frac{\log^2(e(\frac{a+bx}{c+dx})^n) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$	620

3.69	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx \dots\dots\dots$	627
3.70	$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx \dots\dots\dots$	635
3.71	$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx \dots\dots\dots$	641
3.72	$\int \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx \dots\dots\dots$	647
3.73	$\int \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx \dots\dots\dots$	653
3.74	$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx \dots\dots\dots$	659
3.75	$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx \dots\dots\dots$	665
3.76	$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \dots\dots\dots$	671
3.77	$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \dots\dots\dots$	679
3.78	$\int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \dots\dots\dots$	687
3.79	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \dots\dots\dots$	694
3.80	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx \dots\dots\dots$	700
3.81	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx \dots\dots\dots$	709
3.82	$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \dots\dots\dots$	717
3.83	$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \dots\dots\dots$	725
3.84	$\int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \dots\dots\dots$	734
3.85	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \dots\dots\dots$	744
3.86	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx \dots\dots\dots$	751
3.87	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx \dots\dots\dots$	760
3.88	$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx \dots\dots\dots$	769
3.89	$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx \dots\dots\dots$	775
3.90	$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx \dots\dots\dots$	781
3.91	$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx \dots\dots\dots$	787
3.92	$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx \dots\dots\dots$	794

3.93	$\int \log\left(\frac{c(b+ax)}{x}\right) dx$	801
3.94	$\int \log^2\left(\frac{c(b+ax)}{x}\right) dx$	807
3.95	$\int \log^3\left(\frac{c(b+ax)}{x}\right) dx$	813
3.96	$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx$	820
3.97	$\int \log^2\left(\frac{c(b+ax)^2}{x^2}\right) dx$	825
3.98	$\int \log^3\left(\frac{c(b+ax)^2}{x^2}\right) dx$	832
3.99	$\int \log\left(\frac{cx^2}{(b+ax)^2}\right) dx$	839
3.100	$\int \log^2\left(\frac{cx^2}{(b+ax)^2}\right) dx$	844
3.101	$\int \log^3\left(\frac{cx^2}{(b+ax)^2}\right) dx$	851
3.102	$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx$	857
3.103	$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx$	862
3.104	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx$	868
3.105	$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{-bc+ad}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx$	875
3.106	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx$	881
3.107	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx$	889
3.108	$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx$	897
4	Appendix	905
4.1	Listing of Grading functions	905
4.2	Links to plain text integration problems used in this report for each CAS923	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	7
1.2	Results	8
1.3	Time and leaf size Performance	12
1.4	Performance based on number of rules Rubi used	14
1.5	Performance based on number of steps Rubi used	15
1.6	Solved integrals histogram based on leaf size of result	16
1.7	Solved integrals histogram based on CPU time used	17
1.8	Leaf size vs. CPU time used	18
1.9	list of integrals with no known antiderivative	19
1.10	List of integrals solved by CAS but has no known antiderivative	19
1.11	list of integrals solved by CAS but failed verification	19
1.12	Timing	20
1.13	Verification	20
1.14	Important notes about some of the results	21
1.15	Current tree layout of integration tests	24
1.16	Design of the test system	25

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [108]. This is test number [174].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Mathematica	99.07 (107)	0.93 (1)
Rubi	98.15 (106)	1.85 (2)
Maxima	62.96 (68)	37.04 (40)
Reduce	39.81 (43)	60.19 (65)
Maple	38.89 (42)	61.11 (66)
Fricas	37.96 (41)	62.04 (67)
Giac	33.33 (36)	66.67 (72)
Mupad	32.41 (35)	67.59 (73)
Sympy	18.52 (20)	81.48 (88)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	87.037	0.000	0.000	12.963
Mathematica	73.148	14.815	0.000	12.037
Maxima	37.963	13.889	0.000	48.148
Maple	17.593	8.333	1.852	72.222
Fricas	15.741	11.111	0.000	73.148
Giac	11.111	11.111	0.000	77.778
Sympy	4.630	10.185	0.000	85.185
Mupad	0.000	21.296	0.000	78.704
Reduce	0.000	28.704	0.000	71.296

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Mathematica	1	100.00	0.00	0.00
Rubi	2	100.00	0.00	0.00
Maxima	40	75.00	0.00	25.00
Reduce	65	100.00	0.00	0.00
Maple	66	100.00	0.00	0.00
Fricas	67	95.52	4.48	0.00
Giac	72	95.83	4.17	0.00
Mupad	73	0.00	100.00	0.00
Sympy	88	40.91	52.27	6.82

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Reduce	0.23
Maxima	0.34
Mathematica	0.78
Rubi	1.07
Fricas	1.54
Giac	1.63
Sympy	23.44
Mupad	27.02
Maple	30.87

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	163.75	2.18	65.00	1.98
Fricas	186.63	1.66	59.00	1.29
Maple	222.69	1.96	114.00	1.11
Mupad	275.66	1.69	50.00	1.11
Giac	310.47	2.12	63.50	1.13
Rubi	326.62	0.97	168.50	1.00
Maxima	453.97	2.19	199.00	1.48
Reduce	986.65	7.80	129.00	2.40
Mathematica	1211.81	2.11	164.00	1.00

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{54, 55, 60, 61, 62, 63, 65, 66, 70, 71, 72, 73}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {42, 44, 45, 46, 50, 89}

Mathematica {22, 23, 24, 35, 36, 41, 42, 68}

Maple {75}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	27
2.2	Detailed conclusion table per each integral for all CAS systems	31
2.3	Detailed conclusion table specific for Rubi results	59

2.1 List of integrals sorted by grade for each CAS

Rubi	27
Mma	27
Maple	28
Fricas	28
Maxima	29
Giac	29
Mupad	29
Sympy	30
Reduce	30

Rubi

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 64, 67, 68, 69, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108 }

B grade { }

C grade { }

F normal fail { 74, 75 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 59, 64, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105 }

B grade { 16, 17, 24, 40, 41, 42, 51, 56, 57, 58, 68, 69, 92, 106, 107, 108 }

C grade { }

F normal fail { 67 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 11, 12, 29, 30, 53, 59, 64, 76, 78, 80, 88, 89, 91, 93, 96, 99, 102, 103, 106 }

B grade { 9, 10, 13, 27, 28, 31, 104, 105, 107 }

C grade { 50, 75 }

F normal fail { 1, 2, 3, 4, 5, 6, 7, 8, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 51, 52, 56, 57, 58, 67, 68, 69, 74, 77, 79, 81, 82, 83, 84, 85, 86, 87, 90, 92, 94, 95, 97, 98, 100, 101, 108 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 10, 12, 28, 29, 43, 46, 47, 48, 49, 50, 74, 75, 89, 93, 96, 99, 106 }

B grade { 7, 8, 9, 13, 14, 15, 25, 26, 27, 31, 44, 45 }

C grade { }

F normal fail { 1, 2, 3, 4, 5, 6, 11, 16, 17, 18, 19, 20, 21, 22, 23, 24, 30, 35, 36, 37, 38, 39, 40, 41, 42, 51, 52, 53, 56, 57, 58, 59, 64, 67, 68, 69, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 94, 95, 97, 98, 100, 101, 102, 103, 104, 105, 107, 108 }

F(-1) timedout fail { 32, 33, 34 }

F(-2) exception fail { }

Maxima

A grade { 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 21, 22, 23, 26, 27, 28, 29, 30, 31, 32, 33, 35, 36, 37, 38, 40, 41, 47, 48, 53, 59, 74, 75, 79, 93, 94, 96, 97, 99, 100 }

B grade { 7, 15, 24, 25, 34, 42, 44, 45, 46, 49, 50, 77, 81, 88, 89 }

C grade { }

F normal fail { 1, 2, 3, 4, 5, 6, 20, 39, 43, 51, 52, 56, 57, 58, 67, 68, 69, 76, 78, 80, 90, 91, 92, 95, 98, 101, 102, 103, 104, 105 }

F(-1) timedout fail { }

F(-2) exception fail { 64, 82, 83, 84, 85, 86, 87, 106, 107, 108 }

Giac

A grade { 10, 12, 13, 27, 28, 29, 31, 43, 47, 48, 96, 99 }

B grade { 7, 8, 9, 14, 15, 32, 33, 34, 46, 49, 50, 93 }

C grade { }

F normal fail { 1, 2, 3, 4, 5, 6, 11, 16, 17, 18, 19, 20, 21, 22, 23, 24, 30, 35, 37, 38, 39, 40, 41, 42, 44, 45, 51, 52, 53, 56, 57, 58, 59, 64, 67, 68, 69, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 94, 95, 97, 98, 100, 101, 102, 103, 104, 105, 106, 107, 108 }

F(-1) timedout fail { 25, 26, 36 }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 7, 8, 9, 10, 12, 13, 14, 15, 25, 26, 27, 28, 29, 31, 32, 33, 34, 74, 75, 89, 93, 96, 99 }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 3, 4, 5, 6, 11, 16, 17, 18, 19, 20, 21, 22, 23, 24, 30, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 64, 67, 68, 69, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 94, 95, 97, 98, 100, 101, 102, 103, 104, 105, 106, 107, 108 }

F(-2) exception fail { }

Sympy

A grade { 47, 89, 93, 96, 99 }

B grade { 9, 10, 27, 28, 29, 43, 44, 45, 46, 48, 50 }

C grade { }

F normal fail { 1, 2, 3, 11, 17, 18, 19, 20, 21, 22, 23, 24, 30, 35, 36, 37, 38, 39, 53, 59, 64, 88, 90, 91, 92, 94, 95, 97, 98, 100, 101, 103, 104, 105, 106, 107 }

F(-1) timedout fail { 4, 5, 6, 7, 8, 13, 14, 16, 25, 26, 31, 32, 33, 34, 40, 41, 42, 49, 51, 52, 54, 55, 56, 57, 58, 60, 61, 67, 68, 69, 70, 71, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 102, 108 }

F(-2) exception fail { 12, 15, 72, 73, 74, 75 }

Reduce

A grade { }

B grade { 7, 8, 9, 10, 12, 13, 14, 15, 25, 26, 27, 28, 29, 31, 32, 33, 34, 43, 44, 45, 46, 47, 48, 49, 50, 74, 75, 89, 93, 96, 99 }

C grade { }

F normal fail { 1, 2, 3, 4, 5, 6, 11, 16, 17, 18, 19, 20, 21, 22, 23, 24, 30, 35, 36, 37, 38, 39, 40, 41, 42, 51, 52, 53, 56, 57, 58, 59, 64, 67, 68, 69, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 94, 95, 97, 98, 100, 101, 102, 103, 104, 105, 106, 107, 108 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	404	404	336	0	0	0	0	0	559	0
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	1.38	0.00
time (sec)	N/A	0.748	0.464	0.000	0.000	0.000	0.000	0.000	0.526	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	263	263	217	0	0	0	0	0	296	0
N.S.	1	1.00	0.83	0.00	0.00	0.00	0.00	0.00	1.13	0.00
time (sec)	N/A	0.571	0.221	0.000	0.000	0.000	0.000	0.000	0.299	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	135	0	0	0	0	0	115	0
N.S.	1	1.00	0.94	0.00	0.00	0.00	0.00	0.00	0.80	0.00
time (sec)	N/A	0.391	0.098	0.000	0.000	0.000	0.000	0.000	0.292	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	185	0	0	0	0	0	54	0
N.S.	1	1.00	0.85	0.00	0.00	0.00	0.00	0.00	0.25	0.00
time (sec)	N/A	0.490	0.174	0.000	0.000	0.000	0.000	0.000	0.298	0.000

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	322	322	295	0	0	0	0	0	148	0
N.S.	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	0.46	0.00
time (sec)	N/A	0.714	0.455	0.000	0.000	0.000	0.000	0.000	0.449	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	531	531	470	0	0	0	0	0	279	0
N.S.	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	0.53	0.00
time (sec)	N/A	1.037	1.092	0.000	0.000	0.000	0.000	0.000	59.321	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	201	184	185	0	395	624	0	570	630	886
N.S.	1	0.92	0.92	0.00	1.97	3.10	0.00	2.84	3.13	4.41
time (sec)	N/A	0.361	0.337	0.000	0.046	0.087	0.000	6.533	0.192	27.099

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	172	160	154	0	285	469	0	415	471	501
N.S.	1	0.93	0.90	0.00	1.66	2.73	0.00	2.41	2.74	2.91
time (sec)	N/A	0.332	0.234	0.000	0.042	0.082	0.000	2.208	0.193	26.569

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	B	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	136	127	451	194	325	488	275	331	255
N.S.	1	0.95	0.89	3.15	1.36	2.27	3.41	1.92	2.31	1.78
time (sec)	N/A	0.311	0.147	141.466	0.042	0.110	79.447	0.815	0.203	26.604

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	112	105	305	118	197	325	152	210	128
N.S.	1	0.98	0.92	2.68	1.04	1.73	2.85	1.33	1.84	1.12
time (sec)	N/A	0.279	0.237	25.255	0.039	0.089	19.082	0.280	0.185	26.898

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	110	93	125	164	0	0	0	358	0
N.S.	1	1.03	0.87	1.17	1.53	0.00	0.00	0.00	3.35	0.00
time (sec)	N/A	0.489	0.125	19.494	0.044	0.000	0.000	0.000	0.191	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F(-2)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	91	89	169	99	120	0	113	217	99
N.S.	1	0.96	0.94	1.78	1.04	1.26	0.00	1.19	2.28	1.04
time (sec)	N/A	0.232	0.061	63.414	0.040	0.079	0.000	0.111	0.196	29.622

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	119	116	767	165	323	0	250	725	182
N.S.	1	0.88	0.86	5.68	1.22	2.39	0.00	1.85	5.37	1.35
time (sec)	N/A	0.303	0.251	281.169	0.039	0.088	0.000	0.115	0.197	29.946

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	B	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	164	144	141	0	289	580	0	475	1465	346
N.S.	1	0.88	0.86	0.00	1.76	3.54	0.00	2.90	8.93	2.11
time (sec)	N/A	0.330	0.367	0.000	0.043	0.104	0.000	0.123	0.205	30.140

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F(-2)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	193	169	164	0	459	861	0	756	963	526
N.S.	1	0.88	0.85	0.00	2.38	4.46	0.00	3.92	4.99	2.73
time (sec)	N/A	0.357	0.385	0.000	0.052	0.108	0.000	0.118	0.198	30.988

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	870	843	2508	0	1421	0	0	0	0	0
N.S.	1	0.97	2.88	0.00	1.63	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.521	2.628	0.000	0.095	0.000	0.000	0.000	0.246	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	755	723	1853	0	1071	0	0	0	0	0
N.S.	1	0.96	2.45	0.00	1.42	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.240	1.630	0.000	0.082	0.000	0.000	0.000	0.250	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	640	601	1211	0	769	0	0	0	0	0
N.S.	1	0.94	1.89	0.00	1.20	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.118	1.039	0.000	0.067	0.000	0.000	0.000	0.227	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	510	477	781	0	504	0	0	0	0	0
N.S.	1	0.94	1.53	0.00	0.99	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.924	0.726	0.000	0.061	0.000	0.000	0.000	0.211	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	430	432	460	0	0	0	0	0	366	0
N.S.	1	1.00	1.07	0.00	0.00	0.00	0.00	0.00	0.85	0.00
time (sec)	N/A	1.597	0.219	0.000	0.000	0.000	0.000	0.000	0.219	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	465	407	411	0	392	0	0	0	1063	0
N.S.	1	0.88	0.88	0.00	0.84	0.00	0.00	0.00	2.29	0.00
time (sec)	N/A	0.899	0.648	0.000	0.064	0.000	0.000	0.000	0.237	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	632	545	872	0	755	0	0	0	0	0
N.S.	1	0.86	1.38	0.00	1.19	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.100	1.133	0.000	0.095	0.000	0.000	0.000	0.254	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	764	690	1407	0	1252	0	0	0	0	0
N.S.	1	0.90	1.84	0.00	1.64	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.265	1.654	0.000	0.149	0.000	0.000	0.000	0.284	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	884	814	2003	0	1816	0	0	0	0	0
N.S.	1	0.92	2.27	0.00	2.05	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.449	2.355	0.000	0.192	0.000	0.000	0.000	0.313	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	334	298	275	0	624	945	0	0	1136	1128
N.S.	1	0.89	0.82	0.00	1.87	2.83	0.00	0.00	3.40	3.38
time (sec)	N/A	0.493	0.358	0.000	0.050	0.088	0.000	0.000	0.200	27.103

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	B	F(-1)	F(-1)	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	276	250	231	0	431	679	0	0	808	641
N.S.	1	0.91	0.84	0.00	1.56	2.46	0.00	0.00	2.93	2.32
time (sec)	N/A	0.410	0.293	0.000	0.044	0.090	0.000	0.000	0.203	27.120

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	218	202	209	755	269	441	930	363	524	328
N.S.	1	0.93	0.96	3.46	1.23	2.02	4.27	1.67	2.40	1.50
time (sec)	N/A	0.368	0.247	137.887	0.045	0.079	94.102	41.677	0.184	26.730

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	154	120	438	143	242	502	180	284	153
N.S.	1	0.96	0.75	2.74	0.89	1.51	3.14	1.12	1.78	0.96
time (sec)	N/A	0.338	0.232	24.977	0.044	0.175	23.825	1.908	0.205	26.513

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	57	61	75	72	184	69	100	60
N.S.	1	1.00	0.93	1.00	1.23	1.18	3.02	1.13	1.64	0.98
time (sec)	N/A	0.224	0.068	3.411	0.045	0.076	5.239	0.162	0.203	26.157

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	154	163	186	186	0	0	0	0	0
N.S.	1	1.04	1.10	1.26	1.26	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.514	0.100	43.309	0.042	0.000	0.000	0.000	0.498	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	128	120	93	479	123	280	0	191	454	152
N.S.	1	0.94	0.73	3.74	0.96	2.19	0.00	1.49	3.55	1.19
time (sec)	N/A	0.263	0.165	173.891	0.043	59.583	0.000	0.182	0.205	28.649

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F(-1)	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	202	168	206	0	232	0	0	603	2641	384
N.S.	1	0.83	1.02	0.00	1.15	0.00	0.00	2.99	13.07	1.90
time (sec)	N/A	0.379	0.388	0.000	0.043	0.000	0.000	0.243	0.262	29.614

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F(-1)	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	260	220	254	0	456	0	0	1783	7317	977
N.S.	1	0.85	0.98	0.00	1.75	0.00	0.00	6.86	28.14	3.76
time (sec)	N/A	0.444	0.694	0.000	0.058	0.000	0.000	0.325	0.323	32.987

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F(-1)	F(-1)	B	B	B
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	318	268	480	0	776	0	0	3943	15471	2215
N.S.	1	0.84	1.51	0.00	2.44	0.00	0.00	12.40	48.65	6.97
time (sec)	N/A	0.490	1.327	0.000	0.070	0.000	0.000	0.457	0.374	39.707

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	2240	1802	1386	0	1799	0	0	0	0	0
N.S.	1	0.80	0.62	0.00	0.80	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.221	2.864	0.000	0.105	0.000	0.000	0.000	0.314	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F(-1)	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1645	1286	899	0	1123	0	0	0	0	0
N.S.	1	0.78	0.55	0.00	0.68	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.620	1.711	0.000	0.087	0.000	0.000	0.000	0.285	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1063	828	480	0	623	0	0	0	0	0
N.S.	1	0.78	0.45	0.00	0.59	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	2.045	0.946	0.000	0.069	0.000	0.000	0.000	0.228	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	269	225	389	0	298	0	0	0	980	0
N.S.	1	0.84	1.45	0.00	1.11	0.00	0.00	0.00	3.64	0.00
time (sec)	N/A	0.826	0.219	0.000	0.063	0.000	0.000	0.000	0.232	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1471	2728	1370	0	0	0	0	0	0	0
N.S.	1	1.85	0.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	5.844	0.340	0.000	0.000	0.000	0.000	0.000	0.716	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	832	644	2930	0	745	0	0	0	0	0
N.S.	1	0.77	3.52	0.00	0.90	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.914	0.948	0.000	0.101	0.000	0.000	0.000	0.865	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	A	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1304	1048	12086	0	1857	0	0	0	0	0
N.S.	1	0.80	9.27	0.00	1.42	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	3.067	5.494	0.000	0.270	0.000	0.000	0.000	1.557	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	No	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1957	1656	47127	0	4732	0	0	0	0	0
N.S.	1	0.85	24.08	0.00	2.42	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	4.681	6.523	0.000	0.658	0.000	0.000	0.000	2.419	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	A	B	A	B	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	42	0	0	56	94	38	105	0
N.S.	1	1.00	1.00	0.00	0.00	1.33	2.24	0.90	2.50	0.00
time (sec)	N/A	0.402	0.055	0.000	0.000	0.105	79.891	0.112	0.216	0.000

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	B	F	B	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	37	25	37	0	526	101	65	0	180	0
N.S.	1	0.68	1.00	0.00	14.22	2.73	1.76	0.00	4.86	0.00
time (sec)	N/A	0.359	0.015	0.000	0.084	0.068	4.466	0.000	0.216	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	B	B	F	B	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	37	25	37	0	268	74	65	0	129	0
N.S.	1	0.68	1.00	0.00	7.24	2.00	1.76	0.00	3.49	0.00
time (sec)	N/A	0.351	0.016	0.000	0.057	0.145	3.420	0.000	0.198	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	A	B	B	B	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	37	35	37	0	105	47	61	86	75	0
N.S.	1	0.95	1.00	0.00	2.84	1.27	1.65	2.32	2.03	0.00
time (sec)	N/A	0.327	0.011	0.000	0.039	0.072	3.070	0.117	0.194	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	A	A	A	B	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	34	0	36	30	54	31	54	0
N.S.	1	1.00	1.00	0.00	1.06	0.88	1.59	0.91	1.59	0.00
time (sec)	N/A	0.370	0.242	0.000	0.112	0.066	7.548	0.110	0.196	0.000

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	A	B	A	B	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	34	0	34	29	61	34	96	0
N.S.	1	1.00	1.00	0.00	1.00	0.85	1.79	1.00	2.82	0.00
time (sec)	N/A	0.367	0.015	0.000	0.124	0.061	76.091	0.112	0.202	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	A	F(-1)	B	B	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	37	0	80	59	0	85	661	0
N.S.	1	1.00	1.00	0.00	2.16	1.59	0.00	2.30	17.86	0.00
time (sec)	N/A	0.366	0.016	0.000	0.146	0.075	0.000	0.117	0.221	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	A	B	B	B	F(-1)
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	28	30	151	83	24	65	58	48	0
N.S.	1	0.93	1.00	5.03	2.77	0.80	2.17	1.93	1.60	0.00
time (sec)	N/A	0.298	0.017	0.396	0.148	0.066	2.180	0.114	0.207	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	410	386	958	0	0	0	0	0	0	0
N.S.	1	0.94	2.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.241	3.274	0.000	0.000	0.000	0.000	0.000	4.286	0.000

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	306	302	436	0	0	0	0	0	0	0
N.S.	1	0.99	1.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.941	1.258	0.000	0.000	0.000	0.000	0.000	1.562	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	166	192	204	0	0	0	0	0
N.S.	1	1.00	0.97	1.12	1.19	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	0.533	0.151	92.931	0.050	0.000	0.000	0.000	0.470	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	50	48	50	57	0	50	68	50
N.S.	1	1.00	1.04	1.00	1.04	1.19	0.00	1.04	1.42	1.04
time (sec)	N/A	0.256	0.874	1.078	3.792	0.084	0.000	0.159	0.572	26.767

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	50	48	222	91	0	50	111	50
N.S.	1	1.00	1.04	1.00	4.62	1.90	0.00	1.04	2.31	1.04
time (sec)	N/A	0.259	2.544	0.814	3.018	0.079	0.000	0.132	0.853	26.914

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	328	332	1241	0	0	0	0	0	48	0
N.S.	1	1.01	3.78	0.00	0.00	0.00	0.00	0.00	0.15	0.00
time (sec)	N/A	3.281	1.893	0.000	0.000	0.000	0.000	0.000	0.217	0.000

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	262	274	839	0	0	0	0	0	48	0
N.S.	1	1.05	3.20	0.00	0.00	0.00	0.00	0.00	0.18	0.00
time (sec)	N/A	2.773	0.920	0.000	0.000	0.000	0.000	0.000	0.201	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	194	214	451	0	0	0	0	0	46	0
N.S.	1	1.10	2.32	0.00	0.00	0.00	0.00	0.00	0.24	0.00
time (sec)	N/A	2.070	0.444	0.000	0.000	0.000	0.000	0.000	0.209	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	81	93	78	103	126	0	0	0	821	0
N.S.	1	1.15	0.96	1.27	1.56	0.00	0.00	0.00	10.14	0.00
time (sec)	N/A	0.524	0.073	2.906	0.048	0.000	0.000	0.000	0.204	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	41	39	41	41	0	41	48	41
N.S.	1	1.00	1.05	1.00	1.05	1.05	0.00	1.05	1.23	1.05
time (sec)	N/A	1.068	0.511	1.830	4.121	0.081	0.000	0.143	0.177	26.667

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	41	39	231	41	0	41	576	41
N.S.	1	1.00	1.05	1.00	5.92	1.05	0.00	1.05	14.77	1.05
time (sec)	N/A	0.994	2.639	1.831	3.654	0.074	0.000	0.128	0.203	26.573

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	30	28	272	30	71	30	32	31
N.S.	1	1.00	1.07	1.00	9.71	1.07	2.54	1.07	1.14	1.11
time (sec)	N/A	0.308	0.136	4.546	0.128	0.072	4.189	0.301	0.172	26.912

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	30	28	154	30	66	30	32	31
N.S.	1	1.00	1.07	1.00	5.50	1.07	2.36	1.07	1.14	1.11
time (sec)	N/A	0.300	0.113	1.639	0.120	0.081	6.527	0.210	0.179	26.673

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	95	66	94	0	0	0	0	30	0
N.S.	1	1.16	0.80	1.15	0.00	0.00	0.00	0.00	0.37	0.00
time (sec)	N/A	0.828	0.048	1.359	0.000	0.000	0.000	0.000	0.177	0.000

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	30	28	30	30	32	30	32	31
N.S.	1	1.00	1.07	1.00	1.07	1.07	1.14	1.07	1.14	1.11
time (sec)	N/A	0.312	0.126	1.472	0.094	0.072	23.819	0.174	0.177	26.390

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	30	28	83	30	126	30	32	31
N.S.	1	1.00	1.07	1.00	2.96	1.07	4.50	1.07	1.14	1.11
time (sec)	N/A	0.309	0.375	60.971	0.089	0.078	35.711	0.156	0.175	26.475

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	620	647	0	0	0	0	0	0	47	0
N.S.	1	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	1.845	0.000	0.000	0.000	0.000	0.000	0.000	200.035	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	496	519	25557	0	0	0	0	0	54	0
N.S.	1	1.05	51.53	0.00	0.00	0.00	0.00	0.00	0.11	0.00
time (sec)	N/A	1.504	7.932	0.000	0.000	0.000	0.000	0.000	0.259	0.000

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	371	391	1842	0	0	0	0	0	52	0
N.S.	1	1.05	4.96	0.00	0.00	0.00	0.00	0.00	0.14	0.00
time (sec)	N/A	1.273	1.607	0.000	0.000	0.000	0.000	0.000	0.207	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	47	45	47	54	0	47	109	47
N.S.	1	1.00	1.04	1.00	1.04	1.20	0.00	1.04	2.42	1.04
time (sec)	N/A	1.366	2.086	1.111	1.941	0.085	0.000	0.237	0.184	26.427

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	47	45	181	54	0	47	117	47
N.S.	1	1.00	1.04	1.00	4.02	1.20	0.00	1.04	2.60	1.04
time (sec)	N/A	0.649	1.325	0.121	0.698	0.091	0.000	0.130	0.181	26.444

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	50	48	154	62	0	50	2946	50
N.S.	1	1.00	1.04	1.00	3.21	1.29	0.00	1.04	61.38	1.04
time (sec)	N/A	1.298	0.864	3.027	0.121	0.099	0.000	0.310	0.197	27.354

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-2)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	50	48	155	61	0	50	2946	50
N.S.	1	1.00	1.04	1.00	3.23	1.27	0.00	1.04	61.38	1.04
time (sec)	N/A	1.245	0.656	3.007	0.110	0.098	0.000	0.372	0.215	27.214

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	F	A	A	F(-2)	F	B	B
verified	N/A	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	45	0	44	0	59	50	0	0	48	44
N.S.	1	0.00	0.98	0.00	1.31	1.11	0.00	0.00	1.07	0.98
time (sec)	N/A	0.000	1.570	0.000	0.092	0.089	0.000	0.000	0.186	26.703

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	A	A	F(-2)	F	B	B
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	45	0	45	503	58	49	0	0	48	44
N.S.	1	0.00	1.00	11.18	1.29	1.09	0.00	0.00	1.07	0.98
time (sec)	N/A	0.000	0.090	3.227	0.133	0.092	0.000	0.000	0.192	26.565

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	560	536	461	538	0	0	0	0	0	0
N.S.	1	0.96	0.82	0.96	0.00	0.00	0.00	0.00	0.00	0.00
time (sec)	N/A	1.884	0.463	2.889	0.000	0.000	0.000	0.000	0.322	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	550	523	467	0	1047	0	0	0	35	0
N.S.	1	0.95	0.85	0.00	1.90	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	1.582	0.338	0.000	0.223	0.000	0.000	0.000	0.188	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	403	402	413	440	0	0	0	0	33	0
N.S.	1	1.00	1.02	1.09	0.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	1.204	0.195	2.941	0.000	0.000	0.000	0.000	0.210	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	291	340	421	0	349	0	0	0	32	0
N.S.	1	1.17	1.45	0.00	1.20	0.00	0.00	0.00	0.11	0.00
time (sec)	N/A	1.013	0.171	0.000	0.170	0.000	0.000	0.000	0.185	0.000

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	518	477	487	567	0	0	0	0	34	0
N.S.	1	0.92	0.94	1.09	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	1.627	0.280	2.013	0.000	0.000	0.000	0.000	0.190	0.000

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	B	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	596	555	479	0	969	0	0	0	36	0
N.S.	1	0.93	0.80	0.00	1.63	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	1.647	0.446	0.000	0.225	0.000	0.000	0.000	0.190	0.000

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1046	959	1240	0	0	0	0	0	37	0
N.S.	1	0.92	1.19	0.00	0.00	0.00	0.00	0.00	0.04	0.00
time (sec)	N/A	3.176	1.492	0.000	0.000	0.000	0.000	0.000	0.229	0.000

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	831	766	1105	0	0	0	0	0	37	0
N.S.	1	0.92	1.33	0.00	0.00	0.00	0.00	0.00	0.04	0.00
time (sec)	N/A	2.506	1.598	0.000	0.000	0.000	0.000	0.000	0.289	0.000

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	685	648	539	0	0	0	0	0	35	0
N.S.	1	0.95	0.79	0.00	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	1.907	0.819	0.000	0.000	0.000	0.000	0.000	0.197	0.000

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	401	450	515	0	0	0	0	0	957	0
N.S.	1	1.12	1.28	0.00	0.00	0.00	0.00	0.00	2.39	0.00
time (sec)	N/A	1.545	0.442	0.000	0.000	0.000	0.000	0.000	0.319	0.000

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	800	719	625	0	0	0	0	0	38	0
N.S.	1	0.90	0.78	0.00	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	2.501	1.069	0.000	0.000	0.000	0.000	0.000	0.197	0.000

Problem 87	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	995	883	721	0	0	0	0	0	270	0
N.S.	1	0.89	0.72	0.00	0.00	0.00	0.00	0.00	0.27	0.00
time (sec)	N/A	3.056	1.048	0.000	0.000	0.000	0.000	0.000	0.229	0.000

Problem 88	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	84	69	95	0	0	0	21	0
N.S.	1	1.00	1.83	1.50	2.07	0.00	0.00	0.00	0.46	0.00
time (sec)	N/A	0.658	0.023	6.076	0.040	0.000	0.000	0.000	0.176	0.000

Problem 89	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	A	F	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	20	17	20	19	141	18	14	0	18	18
N.S.	1	0.85	1.00	0.95	7.05	0.90	0.70	0.00	0.90	0.90
time (sec)	N/A	0.405	0.177	2.440	0.043	0.084	0.056	0.000	0.175	26.633

Problem 90	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	82	84	76	0	0	0	0	0	37	0
N.S.	1	1.02	0.93	0.00	0.00	0.00	0.00	0.00	0.45	0.00
time (sec)	N/A	0.806	0.022	0.000	0.000	0.000	0.000	0.000	0.171	0.000

Problem 91	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	149	110	200	0	0	0	0	66	0
N.S.	1	0.99	0.73	1.33	0.00	0.00	0.00	0.00	0.44	0.00
time (sec)	N/A	1.092	0.056	37.807	0.000	0.000	0.000	0.000	0.176	0.000

Problem 92	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	160	157	785	0	0	0	0	0	68	0
N.S.	1	0.98	4.91	0.00	0.00	0.00	0.00	0.00	0.42	0.00
time (sec)	N/A	1.095	0.527	0.000	0.000	0.000	0.000	0.000	0.185	0.000

Problem 93	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	28	26	25	29	20	153	40	25
N.S.	1	1.00	1.12	1.04	1.00	1.16	0.80	6.12	1.60	1.00
time (sec)	N/A	0.310	0.009	1.204	0.028	0.086	0.046	0.118	0.181	0.071

Problem 94	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	68	64	63	0	113	0	0	0	17	0
N.S.	1	0.94	0.93	0.00	1.66	0.00	0.00	0.00	0.25	0.00
time (sec)	N/A	0.542	0.018	0.000	0.041	0.000	0.000	0.000	0.174	0.000

Problem 95	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	98	108	91	0	0	0	0	0	17	0
N.S.	1	1.10	0.93	0.00	0.00	0.00	0.00	0.00	0.17	0.00
time (sec)	N/A	0.848	0.030	0.000	0.000	0.000	0.000	0.000	0.164	0.000

Problem 96	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	29	28	42	26	29	65	28
N.S.	1	1.00	1.00	1.04	1.00	1.50	0.93	1.04	2.32	1.00
time (sec)	N/A	0.260	0.006	0.544	0.032	0.085	0.056	0.116	0.172	26.197

Problem 97	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	69	106	0	118	0	0	0	29	0
N.S.	1	1.03	1.58	0.00	1.76	0.00	0.00	0.00	0.43	0.00
time (sec)	N/A	0.724	0.021	0.000	0.041	0.000	0.000	0.000	0.169	0.000

Problem 98	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	98	0	0	0	0	0	29	0
N.S.	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	0.28	0.00
time (sec)	N/A	0.740	0.033	0.000	0.000	0.000	0.000	0.000	0.189	0.000

Problem 99	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	28	29	28	41	26	29	63	28
N.S.	1	1.00	1.00	1.04	1.00	1.46	0.93	1.04	2.25	1.00
time (sec)	N/A	0.275	0.006	1.342	0.037	0.072	0.061	0.120	0.205	26.174

Problem 100	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	A	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	67	69	96	0	118	0	0	0	28	0
N.S.	1	1.03	1.43	0.00	1.76	0.00	0.00	0.00	0.42	0.00
time (sec)	N/A	0.729	0.036	0.000	0.047	0.000	0.000	0.000	0.176	0.000

Problem 101	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	98	103	98	0	0	0	0	0	28	0
N.S.	1	1.05	1.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00
time (sec)	N/A	0.694	0.034	0.000	0.000	0.000	0.000	0.000	0.195	0.000

Problem 102	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	30	36	0	0	0	0	44	0
N.S.	1	1.00	0.86	1.03	0.00	0.00	0.00	0.00	1.26	0.00
time (sec)	N/A	0.453	0.018	30.412	0.000	0.000	0.000	0.000	0.211	0.000

Problem 103	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	68	156	0	0	0	0	60	0
N.S.	1	1.00	0.80	1.84	0.00	0.00	0.00	0.00	0.71	0.00
time (sec)	N/A	0.725	0.035	10.727	0.000	0.000	0.000	0.000	0.252	0.000

Problem 104	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	139	135	419	0	0	0	0	58	0
N.S.	1	0.99	0.96	2.97	0.00	0.00	0.00	0.00	0.41	0.00
time (sec)	N/A	0.767	0.054	10.790	0.000	0.000	0.000	0.000	0.232	0.000

Problem 105	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	96	423	0	0	0	0	86	0
N.S.	1	1.00	0.88	3.88	0.00	0.00	0.00	0.00	0.79	0.00
time (sec)	N/A	0.785	0.034	62.930	0.000	0.000	0.000	0.000	0.235	0.000

Problem 106	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	F(-2)	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	204	195	1636	338	0	264	0	0	496	0
N.S.	1	0.96	8.02	1.66	0.00	1.29	0.00	0.00	2.43	0.00
time (sec)	N/A	1.008	1.038	18.034	0.000	0.119	0.000	0.000	0.203	0.000

Problem 107	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	322	392	1080	813	0	0	0	0	58	0
N.S.	1	1.22	3.35	2.52	0.00	0.00	0.00	0.00	0.18	0.00
time (sec)	N/A	1.160	0.750	9.981	0.000	0.000	0.000	0.000	0.189	0.000

Problem 108	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F(-2)	F	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	433	454	1855	0	0	0	0	0	91	0
N.S.	1	1.05	4.28	0.00	0.00	0.00	0.00	0.00	0.21	0.00
time (sec)	N/A	1.466	0.874	0.000	0.000	0.000	0.000	0.000	0.207	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [95] had the largest ratio of [.692308000000000034]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	2	2	1.00	32	0.062
2	A	2	2	1.00	32	0.062
3	A	2	2	1.00	30	0.067
4	A	2	2	1.00	32	0.062
5	A	2	2	1.00	32	0.062
6	A	2	2	1.00	32	0.062
7	A	4	4	0.92	29	0.138
8	A	4	4	0.93	29	0.138
9	A	4	4	0.95	29	0.138
10	A	4	4	0.98	27	0.148
11	A	7	6	1.03	29	0.207
12	A	4	4	0.96	29	0.138
13	A	4	4	0.88	29	0.138
14	A	4	4	0.88	29	0.138
15	A	4	4	0.88	29	0.138
16	A	7	7	0.97	31	0.226
17	A	7	7	0.96	31	0.226
18	A	7	7	0.94	31	0.226
19	A	7	7	0.94	29	0.241
20	A	8	7	1.00	31	0.226
21	A	7	7	0.88	31	0.226

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	7	7	0.86	31	0.226
23	A	7	7	0.90	31	0.226
24	A	7	7	0.92	31	0.226
25	A	3	3	0.89	29	0.103
26	A	3	3	0.91	29	0.103
27	A	3	3	0.93	29	0.103
28	A	3	3	0.96	27	0.111
29	A	3	3	1.00	21	0.143
30	A	5	4	1.04	29	0.138
31	A	3	3	0.94	29	0.103
32	A	3	3	0.83	29	0.103
33	A	3	3	0.85	29	0.103
34	A	3	3	0.84	29	0.103
35	A	11	10	0.80	31	0.323
36	A	11	10	0.78	31	0.323
37	A	11	10	0.78	29	0.345
38	A	11	10	0.84	23	0.435
39	A	18	17	1.85	31	0.548
40	A	11	10	0.77	31	0.323
41	A	14	13	0.80	31	0.419
42	A	18	17	0.85	31	0.548
43	A	3	2	1.00	40	0.050
44	A	6	5	0.68	40	0.125
45	A	6	5	0.68	40	0.125
46	A	5	4	0.95	38	0.105
47	A	3	2	1.00	40	0.050
48	A	3	2	1.00	40	0.050
49	A	3	2	1.00	40	0.050
50	A	5	4	0.93	34	0.118
51	A	7	6	0.94	48	0.125
52	A	6	5	0.99	46	0.109
53	A	6	5	1.00	32	0.156
Continued on next page						

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
54	N/A	1	0	1.00	48	0.000
55	N/A	1	0	1.00	48	0.000
56	A	9	8	1.01	39	0.205
57	A	8	7	1.05	39	0.179
58	A	7	6	1.10	37	0.162
59	A	3	3	1.15	25	0.120
60	N/A	1	0	1.00	39	0.000
61	N/A	1	0	1.00	39	0.000
62	N/A	1	0	1.00	28	0.000
63	N/A	1	0	1.00	28	0.000
64	A	7	7	1.16	26	0.269
65	N/A	1	0	1.00	28	0.000
66	N/A	1	0	1.00	28	0.000
67	A	5	4	1.04	45	0.089
68	A	5	4	1.05	45	0.089
69	A	5	4	1.05	43	0.093
70	N/A	2	0	1.00	45	0.000
71	N/A	2	0	1.00	45	0.000
72	N/A	2	0	1.00	48	0.000
73	N/A	2	0	1.00	48	0.000
74	F	0	0	N/A	0.000	N/A
75	F	0	0	N/A	0.000	N/A
76	A	7	6	0.96	32	0.188
77	A	5	5	0.95	32	0.156
78	A	4	4	1.00	30	0.133
79	A	4	3	1.17	29	0.103
80	A	8	7	0.92	32	0.219
81	A	5	5	0.93	32	0.156
82	A	5	5	0.92	34	0.147
83	A	5	5	0.92	34	0.147
84	A	8	7	0.95	32	0.219

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
85	A	4	3	1.12	31	0.097
86	A	10	9	0.90	34	0.265
87	A	7	7	0.89	34	0.206
88	A	8	7	1.00	19	0.368
89	A	4	3	0.85	24	0.125
90	A	3	3	1.02	34	0.088
91	A	3	3	0.99	55	0.055
92	A	3	3	0.98	58	0.052
93	A	5	5	1.00	11	0.455
94	A	7	6	0.94	13	0.462
95	A	10	9	1.10	13	0.692
96	A	2	2	1.00	13	0.154
97	A	9	8	1.03	15	0.533
98	A	6	5	1.00	15	0.333
99	A	2	2	1.00	13	0.154
100	A	9	8	1.03	15	0.533
101	A	6	5	1.05	15	0.333
102	A	1	1	1.00	38	0.026
103	A	2	2	1.00	50	0.040
104	A	5	4	0.99	42	0.095
105	A	2	2	1.00	62	0.032
106	A	5	4	0.96	49	0.082
107	A	4	3	1.22	42	0.071
108	A	5	4	1.05	65	0.062

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int \left(f + \frac{g}{x}\right)^3 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$	68
3.2	$\int \left(f + \frac{g}{x}\right)^2 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$	75
3.3	$\int \left(f + \frac{g}{x}\right) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$	81
3.4	$\int \frac{A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{f + \frac{g}{x}} dx$	87
3.5	$\int \frac{A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^2} dx$	93
3.6	$\int \frac{A+B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx$	100
3.7	$\int (a + bx)^4 \log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	108
3.8	$\int (a + bx)^3 \log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	117
3.9	$\int (a + bx)^2 \log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	125
3.10	$\int (a + bx) \log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	133
3.11	$\int \frac{\log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{a + bx} dx$	140
3.12	$\int \frac{\log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^2} dx$	147
3.13	$\int \frac{\log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^3} dx$	153
3.14	$\int \frac{\log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^4} dx$	160
3.15	$\int \frac{\log \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^5} dx$	168
3.16	$\int (a + bx)^4 \log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	177
3.17	$\int (a + bx)^3 \log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	188
3.18	$\int (a + bx)^2 \log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	199
3.19	$\int (a + bx) \log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right) dx$	209
3.20	$\int \frac{\log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{a + bx} dx$	218
3.21	$\int \frac{\log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^2} dx$	227
3.22	$\int \frac{\log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^3} dx$	236
3.23	$\int \frac{\log^2 \left(e \left(f(a + bx)^p (c + dx)^q\right)^r\right)}{(a + bx)^4} dx$	246

3.24	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$	257
3.25	$\int (g+hx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r) dx$	268
3.26	$\int (g+hx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r) dx$	277
3.27	$\int (g+hx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r) dx$	286
3.28	$\int (g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r) dx$	295
3.29	$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx$	303
3.30	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$	309
3.31	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$	317
3.32	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$	324
3.33	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$	332
3.34	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx$	341
3.35	$\int (g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$	350
3.36	$\int (g+hx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$	362
3.37	$\int (g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$	374
3.38	$\int \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$	385
3.39	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$	394
3.40	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$	414
3.41	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$	426
3.42	$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$	439
3.43	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^n}{1-c^2x^2} dx$	453
3.44	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3}{1-c^2x^2} dx$	459
3.45	$\int \frac{(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2}{1-c^2x^2} dx$	466
3.46	$\int \frac{a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}})}{1-c^2x^2} dx$	472
3.47	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))} dx$	478
3.48	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2} dx$	483
3.49	$\int \frac{1}{(1-c^2x^2)(a+b \log(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3} dx$	488
3.50	$\int \frac{\log(\frac{\sqrt{1-ax}}{\sqrt{1+ax}})}{1-a^2x^2} dx$	494
3.51	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$	500
3.52	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$	511
3.53	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$	521
3.54	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx$	529
3.55	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx$	534

3.56	$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	540
3.57	$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	550
3.58	$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	559
3.59	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$	567
3.60	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$	573
3.61	$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$	578
3.62	$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$	584
3.63	$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$	589
3.64	$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$	594
3.65	$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx$	601
3.66	$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx$	606
3.67	$\int \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$	611
3.68	$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$	620
3.69	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$	627
3.70	$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$	635
3.71	$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$	641
3.72	$\int \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$	647
3.73	$\int \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$	653
3.74	$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$	659
3.75	$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$	665
3.76	$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$	671
3.77	$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$	679
3.78	$\int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$	687
3.79	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$	694
3.80	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx$	700

3.81	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx$	709
3.82	$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$	717
3.83	$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$	725
3.84	$\int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$	734
3.85	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$	744
3.86	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx$	751
3.87	$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx$	760
3.88	$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx$	769
3.89	$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx$	775
3.90	$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx$	781
3.91	$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx$	787
3.92	$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx$	794
3.93	$\int \log\left(\frac{c(b+ax)}{x}\right) dx$	801
3.94	$\int \log^2\left(\frac{c(b+ax)}{x}\right) dx$	807
3.95	$\int \log^3\left(\frac{c(b+ax)}{x}\right) dx$	813
3.96	$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx$	820
3.97	$\int \log^2\left(\frac{c(b+ax)^2}{x^2}\right) dx$	825
3.98	$\int \log^3\left(\frac{c(b+ax)^2}{x^2}\right) dx$	832
3.99	$\int \log\left(\frac{cx^2}{(b+ax)^2}\right) dx$	839
3.100	$\int \log^2\left(\frac{cx^2}{(b+ax)^2}\right) dx$	844
3.101	$\int \log^3\left(\frac{cx^2}{(b+ax)^2}\right) dx$	851
3.102	$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx$	857
3.103	$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx$	862
3.104	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx$	868
3.105	$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx$	875

3.106	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx$	881
3.107	$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx$	889
3.108	$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx$	897

3.1 $\int \left(f + \frac{g}{x}\right)^3 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$

Optimal result	68
Mathematica [A] (verified)	69
Rubi [A] (verified)	70
Maple [F]	72
Fricas [F]	72
Sympy [F]	72
Maxima [F]	73
Giac [F]	73
Mupad [F(-1)]	74
Reduce [F]	74

Optimal result

Integrand size = 32, antiderivative size = 404

$$\begin{aligned}
& \int \left(f + \frac{g}{x}\right)^3 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\
&= -\frac{B(bc-ad)g^3n}{2acx} + Af^3x - \frac{1}{2}B \left(\frac{b^2}{a^2} - \frac{d^2}{c^2}\right) g^3n \log(x) + \frac{b^2Bg^3n \log(a+bx)}{2a^2} \\
&\quad - 3Bf^2gn \log(x) \log\left(1 + \frac{bx}{a}\right) + \frac{Bf^3(a+bx) \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{b} \\
&\quad - \frac{g^3(A + B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right))}{2x^2} + \frac{3(bc-ad)fg^2(a+bx)(A + B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right))}{a(c+dx)\left(a - \frac{c(a+bx)}{c+dx}\right)} \\
&\quad + 3f^2g \log(x) \left(A + B \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) \\
&\quad - \frac{B(bc-ad)f^3n \log(c+dx)}{bd} - \frac{Bd^2g^3n \log(c+dx)}{2c^2} \\
&\quad + 3Bf^2gn \log(x) \log\left(1 + \frac{dx}{c}\right) + \frac{3B(bc-ad)fg^2n \log\left(a - \frac{c(a+bx)}{c+dx}\right)}{ac} \\
&\quad - 3Bf^2gn \operatorname{PolyLog}\left(2, -\frac{bx}{a}\right) + 3Bf^2gn \operatorname{PolyLog}\left(2, -\frac{dx}{c}\right)
\end{aligned}$$

output

```

-1/2*B*(-a*d+b*c)*g^3*n/a/c/x+A*f^3*x-1/2*B*(b^2/a^2-d^2/c^2)*g^3*n*ln(x)+
1/2*b^2*B*g^3*n*ln(b*x+a)/a^2-3*B*f^2*g*n*ln(x)*ln(1+b*x/a)+B*f^3*(b*x+a)*
ln(e*((b*x+a)/(d*x+c))^n)/b-1/2*g^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/x^2+3*
(-a*d+b*c)*f*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/a/(d*x+c)/(a-c*(b
*x+a)/(d*x+c))+3*f^2*g*ln(x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))-B*(-a*d+b*c)*
f^3*n*ln(d*x+c)/b/d-1/2*B*d^2*g^3*n*ln(d*x+c)/c^2+3*B*f^2*g*n*ln(x)*ln(1+d
*x/c)+3*B*(-a*d+b*c)*f*g^2*n*ln(a-c*(b*x+a)/(d*x+c))/a/c-3*B*f^2*g*n*polyl
og(2,-b*x/a)+3*B*f^2*g*n*polylog(2,-d*x/c)

```

Mathematica [A] (verified)

Time = 0.46 (sec) , antiderivative size = 336, normalized size of antiderivative = 0.83

$$\begin{aligned}
& \int \left(f + \frac{g}{x} \right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx = Af^3x + \frac{Bf^3(a + bx) \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right)}{b} \\
& - \frac{g^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right)}{2x^2} - \frac{3fg^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right)}{x} \\
& + 3f^2g \log(x) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) - \frac{B(bc - ad)f^3n \log(c + dx)}{bd} \\
& + \frac{3Bfg^2n((bc - ad) \log(x) - bc \log(a + bx) + ad \log(c + dx))}{ac} \\
& + \frac{Bg^3n((-b^2c^2x + a^2d^2x) \log(x) + b^2c^2x \log(a + bx) + a(-bc^2 + acd - ad^2x \log(c + dx)))}{2a^2c^2x} \\
& - 3Bf^2gn \left(\log(x) \left(\log \left(1 + \frac{bx}{a} \right) - \log \left(1 + \frac{dx}{c} \right) \right) + \text{PolyLog} \left(2, -\frac{bx}{a} \right) \right. \\
& \qquad \qquad \qquad \left. - \text{PolyLog} \left(2, -\frac{dx}{c} \right) \right)
\end{aligned}$$

input

```
Integrate[(f + g/x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output

```

A*f^3*x + (B*f^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b - (g^3*(A + B
*Log[e*((a + b*x)/(c + d*x))^n]))/(2*x^2) - (3*f*g^2*(A + B*Log[e*((a + b*
x)/(c + d*x))^n])/x + 3*f^2*g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n
]) - (B*(b*c - a*d)*f^3*n*Log[c + d*x])/(b*d) + (3*B*f*g^2*n*((b*c - a*d)*
Log[x] - b*c*Log[a + b*x] + a*d*Log[c + d*x]))/(a*c) + (B*g^3*n*((-(b^2*c^
2*x) + a^2*d^2*x)*Log[x] + b^2*c^2*x*Log[a + b*x] + a*(-(b*c^2) + a*c*d -
a*d^2*x*Log[c + d*x])))/(2*a^2*c^2*x) - 3*B*f^2*g*n*(Log[x]*(Log[1 + (b*x)
/a] - Log[1 + (d*x)/c]) + PolyLog[2, -(b*x)/a] - PolyLog[2, -(d*x)/c])

```

Rubi [A] (verified)

Time = 0.75 (sec) , antiderivative size = 404, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(f + \frac{g}{x} \right)^3 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) dx$$

↓ 3008

$$\int \left(f^3 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) + \frac{3f^2g \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{x} + \frac{3fg^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{x^2} + \frac{g^3}{x^3} \right) dx$$

↓ 2009

$$\begin{aligned}
& -\frac{1}{2}Bg^3n \log(x) \left(\frac{b^2}{a^2} - \frac{d^2}{c^2} \right) + \frac{b^2Bg^3n \log(a+bx)}{2a^2} + \\
& 3f^2g \log(x) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) + \frac{3fg^2(a+bx)(bc-ad) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{a(c+dx) \left(a - \frac{c(a+bx)}{c+dx} \right)} - \\
& \frac{g^3 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{2x^2} + \frac{Bf^3(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{b} - \frac{Bf^3n(bc-ad) \log(c+dx)}{bd} + \\
& \frac{3Bfg^2n(bc-ad) \log \left(a - \frac{c(a+bx)}{c+dx} \right)}{ac} - \frac{Bg^3n(bc-ad)}{2acx} - 3Bf^2gn \operatorname{PolyLog} \left(2, -\frac{bx}{a} \right) - \\
& 3Bf^2gn \log(x) \log \left(\frac{bx}{a} + 1 \right) + Af^3x - \frac{Bd^2g^3n \log(c+dx)}{2c^2} + 3Bf^2gn \operatorname{PolyLog} \left(2, -\frac{dx}{c} \right) + \\
& 3Bf^2gn \log(x) \log \left(\frac{dx}{c} + 1 \right)
\end{aligned}$$

input `Int[(f + g/x)^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]`

output `-1/2*(B*(b*c - a*d)*g^3*n)/(a*c*x) + A*f^3*x - (B*(b^2/a^2 - d^2/c^2)*g^3*n*Log[x])/2 + (b^2*B*g^3*n*Log[a + b*x])/(2*a^2) - 3*B*f^2*g*n*Log[x]*Log[1 + (b*x)/a] + (B*f^3*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b - (g^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(2*x^2) + (3*(b*c - a*d)*f*g^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*(c + d*x)*(a - (c*(a + b*x))/(c + d*x))) + 3*f^2*g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (B*(b*c - a*d)*f^3*n*Log[c + d*x])/(b*d) - (B*d^2*g^3*n*Log[c + d*x])/(2*c^2) + 3*B*f^2*g*n*Log[x]*Log[1 + (d*x)/c] + (3*B*(b*c - a*d)*f*g^2*n*Log[a - (c*(a + b*x))/(c + d*x]])/(a*c) - 3*B*f^2*g*n*PolyLog[2, -((b*x)/a)] + 3*B*f^2*g*n*PolyLog[2, -((d*x)/c)]`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3008 `Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^(n_.)*(RGx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunctionQ[RGx, x] && IGtQ[n, 0]`

Maple [F]

$$\int \left(f + \frac{g}{x} \right)^3 \left(A + B \ln \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) \right) dx$$

input `int((f+g/x)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

output `int((f+g/x)^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

Fricas [F]

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^3 dx \end{aligned}$$

input `integrate((f+g/x)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="fricas")`

output `integral((A*f^3*x^3 + 3*A*f^2*g*x^2 + 3*A*f*g^2*x + A*g^3 + (B*f^3*x^3 + 3*B*f^2*g*x^2 + 3*B*f*g^2*x + B*g^3)*log(e*((b*x + a)/(d*x + c))^n))/x^3, x)`

Sympy [F]

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= \int \frac{\left(A + B \log \left(e \left(\frac{a}{c+dx} + \frac{bx}{c+dx} \right)^n \right) \right) (fx + g)^3}{x^3} dx \end{aligned}$$

input `integrate((f+g/x)**3*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)`

output `Integral((A + B*log(e*(a/(c + d*x) + b*x/(c + d*x)))**n)*(f*x + g)**3/x**3, x)`

Maxima [F]

$$\int \left(f + \frac{g}{x} \right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^3 dx$$

input `integrate((f+g/x)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="maxima")`

output `B*f^3*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) - 3*B*f*g^2*n*(b*log(b*x + a)/a - d*log(d*x + c)/c - (b*c - a*d)*log(x)/(a*c)) + 1/2*B*g^3*n*(b^2*log(b*x + a)/a^2 - d^2*log(d*x + c)/c^2 - (b*c - a*d)/(a*c*x) - (b^2*c^2 - a^2*d^2)*log(x)/(a^2*c^2)) + B*f^3*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*f^3*x - 3*B*f^2*g*integrate(-(log((b*x + a)^n) - log((d*x + c)^n) + log(e))/x, x) + 3*A*f^2*g*log(x) - 3*B*f*g^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/x - 3*A*f*g^2/x - 1/2*B*g^3*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/x^2 - 1/2*A*g^3/x^2`

Giac [F]

$$\int \left(f + \frac{g}{x} \right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^3 dx$$

input `integrate((f+g/x)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="giac")`

output `integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(f + g/x)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \left(f + \frac{g}{x}\right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx$$

$$= \int \left(f + \frac{g}{x}\right)^3 \left(A + B \ln \left(e \left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx$$

input `int((f + g/x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)`

output `int((f + g/x)^3*(A + B*log(e*((a + b*x)/(c + d*x))^n)), x)`

Reduce [F]

$$\int \left(f + \frac{g}{x}\right)^3 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx}\right)^n\right)\right) dx$$

$$= \frac{6 \left(\int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) dx}{x} \right) a^2 b c^2 d f^2 g x^2 + 2 \log(dx + c) a^3 c^2 d f^3 n x^2 - 2 \log(dx + c) a^2 b c^3 f^3 n x^2 + 6 \log(dx + c) a^3 c^3 f^3 n x^2}{1}$$

input `int((f+g/x)^3*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)`

output `(6*int(log(((a + b*x)**n*e)/(c + d*x)**n)/x,x)*a**2*b*c**2*d*f**2*g*x**2 + 2*log(c + d*x)*a**3*c**2*d*f**3*n*x**2 - 2*log(c + d*x)*a**2*b*c**3*f**3*n*x**2 + 6*log(c + d*x)*a**2*b*c*d**2*f*g**2*n*x**2 - log(c + d*x)*a**2*b*d**3*g**3*n*x**2 - 6*log(c + d*x)*a*b**2*c**2*d*f*g**2*n*x**2 + log(c + d*x)*b**3*c**2*d*g**3*n*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**3*c**2*d*f**3*x**2 + 2*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c**2*d*f**3*x**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c**2*d*f*g**2*x - log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*b*c**2*d*g**3 - 6*log(((a + b*x)**n*e)/(c + d*x)**n)*a*b**2*c**2*d*f*g**2*x**2 + log(((a + b*x)**n*e)/(c + d*x)**n)*b**3*c**2*d*g**3*x**2 + 6*log(x)*a**3*c**2*d*f**2*g*x**2 - 6*log(x)*a**2*b*c*d**2*f*g**2*n*x**2 + log(x)*a**2*b*d**3*g**3*n*x**2 + 6*log(x)*a*b**2*c**2*d*f*g**2*n*x**2 - log(x)*b**3*c**2*d*g**3*n*x**2 + 2*a**3*c**2*d*f**3*x**3 - 6*a**3*c**2*d*f*g**2*x - a**3*c**2*d*g**3 + a**2*b*c*d**2*g**3*n*x - a*b**2*c**2*d*g**3*n*x)/(2*a**2*c**2*d*x**2)`

3.2 $\int \left(f + \frac{g}{x}\right)^2 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx$

Optimal result	75
Mathematica [A] (verified)	76
Rubi [A] (verified)	76
Maple [F]	78
Fricas [F]	78
Sympy [F]	78
Maxima [F]	79
Giac [F]	79
Mupad [F(-1)]	80
Reduce [F]	80

Optimal result

Integrand size = 32, antiderivative size = 263

$$\begin{aligned} & \int \left(f + \frac{g}{x}\right)^2 \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) dx \\ &= Af^2x - 2Bfgn \log(x) \log \left(1 + \frac{bx}{a}\right) + \frac{Bf^2(a+bx) \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)}{b} \\ & \quad + \frac{(bc-ad)g^2(a+bx) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{a(c+dx) \left(a - \frac{c(a+bx)}{c+dx}\right)} \\ & \quad + 2fg \log(x) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx}\right)^n\right)\right) - \frac{B(bc-ad)f^2n \log(c+dx)}{bd} \\ & \quad + 2Bfgn \log(x) \log \left(1 + \frac{dx}{c}\right) + \frac{B(bc-ad)g^2n \log \left(a - \frac{c(a+bx)}{c+dx}\right)}{ac} \\ & \quad - 2Bfgn \operatorname{PolyLog} \left(2, -\frac{bx}{a}\right) + 2Bfgn \operatorname{PolyLog} \left(2, -\frac{dx}{c}\right) \end{aligned}$$

output

```
A*f^2*x-2*B*f*g*n*ln(x)*ln(1+b*x/a)+B*f^2*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/b+(-a*d+b*c)*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/a/(d*x+c)/(a-c*(b*x+a)/(d*x+c))+2*f*g*ln(x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))-B*(-a*d+b*c)*f^2*n*ln(d*x+c)/b/d+2*B*f*g*n*ln(x)*ln(1+d*x/c)+B*(-a*d+b*c)*g^2*n*ln(a-c*(b*x+a)/(d*x+c))/a/c-2*B*f*g*n*polylog(2,-b*x/a)+2*B*f*g*n*polylog(2,-d*x/c)
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 217, normalized size of antiderivative = 0.83

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= Af^2x + \frac{Bf^2(a + bx) \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right)}{b} - \frac{g^2(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right))}{x} \\ &+ 2fg \log(x) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) - \frac{B(bc - ad)f^2n \log(c + dx)}{bd} \\ &+ \frac{Bg^2n((bc - ad) \log(x) - bc \log(a + bx) + ad \log(c + dx))}{ac} \\ &- 2Bfgn \left(\log(x) \left(\log \left(1 + \frac{bx}{a} \right) - \log \left(1 + \frac{dx}{c} \right) \right) + \text{PolyLog} \left(2, -\frac{bx}{a} \right) \right. \\ &\quad \left. - \text{PolyLog} \left(2, -\frac{dx}{c} \right) \right) \end{aligned}$$

input

```
Integrate[(f + g/x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output

```
A*f^2*x + (B*f^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b - (g^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/x + 2*f*g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (B*(b*c - a*d)*f^2*n*Log[c + d*x])/(b*d) + (B*g^2*n*((b*c - a*d)*Log[x] - b*c*Log[a + b*x] + a*d*Log[c + d*x]))/(a*c) - 2*B*f*g*n*(Log[x]*(Log[1 + (b*x)/a] - Log[1 + (d*x)/c]) + PolyLog[2, -(b*x)/a]) - PolyLog[2, -(d*x)/c]
```

Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(f + \frac{g}{x} \right)^2 \left(B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + A \right) dx$$

↓ 3008

$$\int \left(f^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) + \frac{2fg \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{x} + \frac{g^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{x^2} \right) dx$$

↓ 2009

$$\begin{aligned} & 2fg \log(x) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) + \frac{g^2(a+bx)(bc-ad) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{a(c+dx) \left(a - \frac{c(a+bx)}{c+dx} \right)} + \\ & \frac{Bf^2(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{ac} - \frac{Bf^2n(bc-ad) \log(c+dx)}{bd} + \\ & \frac{Bg^2n(bc-ad) \log \left(a - \frac{c(a+bx)}{c+dx} \right)}{ac} - 2Bfgn \operatorname{PolyLog} \left(2, -\frac{bx}{a} \right) - 2Bfgn \log(x) \log \left(\frac{bx}{a} + 1 \right) + \\ & Af^2x + 2Bfgn \operatorname{PolyLog} \left(2, -\frac{dx}{c} \right) + 2Bfgn \log(x) \log \left(\frac{dx}{c} + 1 \right) \end{aligned}$$

input

```
Int[(f + g/x)^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]
```

output

```
A*f^2*x - 2*B*f*g*n*Log[x]*Log[1 + (b*x)/a] + (B*f^2*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + ((b*c - a*d)*g^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(a*(c + d*x)*(a - (c*(a + b*x))/(c + d*x))) + 2*f*g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (B*(b*c - a*d)*f^2*n*Log[c + d*x])/(b*d) + 2*B*f*g*n*Log[x]*Log[1 + (d*x)/c] + (B*(b*c - a*d)*g^2*n*Log[a - (c*(a + b*x))/(c + d*x)])/(a*c) - 2*B*f*g*n*PolyLog[2, -((b*x)/a)] + 2*B*f*g*n*PolyLog[2, -((d*x)/c)]
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3008

```
Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^n*(RGx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunctionQ[RGx, x] && IGtQ[n, 0]
```

Maple [F]

$$\int \left(f + \frac{g}{x} \right)^2 \left(A + B \ln \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) \right) dx$$

input `int((f+g/x)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

output `int((f+g/x)^2*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

Fricas [F]

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^2 dx \end{aligned}$$

input `integrate((f+g/x)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="fricas")`

output `integral((A*f^2*x^2 + 2*A*f*g*x + A*g^2 + (B*f^2*x^2 + 2*B*f*g*x + B*g^2)*log(e*((b*x + a)/(d*x + c))^n))/x^2, x)`

Sympy [F]

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= \int \frac{\left(A + B \log \left(e \left(\frac{a}{c+dx} + \frac{bx}{c+dx} \right)^n \right) \right) (fx + g)^2}{x^2} dx \end{aligned}$$

input `integrate((f+g/x)**2*(A+B*ln(e*((b*x+a)/(d*x+c))**n)),x)`

output `Integral((A + B*log(e*(a/(c + d*x) + b*x/(c + d*x))**n))*(f*x + g)**2/x**2, x)`

Maxima [F]

$$\int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^2 dx$$

input `integrate((f+g/x)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="maxima")`

output `B*f^2*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) - B*g^2*n*(b*log(b*x + a)/a - d*log(d*x + c)/c - (b*c - a*d)*log(x)/(a*c)) + B*f^2*x*log(e*(b*x/(d*x + c) + a/(d*x + c))^n) + A*f^2*x - 2*B*f*g*integrate(-(log((b*x + a)^n) - log((d*x + c)^n) + log(e))/x, x) + 2*A*f*g*log(x) - B*g^2*log(e*(b*x/(d*x + c) + a/(d*x + c))^n)/x - A*g^2/x`

Giac [F]

$$\int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right)^2 dx$$

input `integrate((f+g/x)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="giac")`

output `integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(f + g/x)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(f + \frac{g}{x} \right)^2 \left(A + B \ln \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

input `int((f + g/x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)`

output `int((f + g/x)^2*(A + B*log(e*((a + b*x)/(c + d*x))^n)), x)`

Reduce [F]

$$\int \left(f + \frac{g}{x} \right)^2 \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \frac{2 \left(\int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) dx}{x} \right) abcd f g x + \log(dx + c) a^2 cd f^2 n x - \log(dx + c) ab c^2 f^2 n x + \log(dx + c) ab d^2 g^2 n x}{1}$$

input `int((f+g/x)^2*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)`

output `(2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/x,x)*a*b*c*d*f*g*x + log(c + d*x)*a**2*c*d*f**2*n*x - log(c + d*x)*a*b*c**2*f**2*n*x + log(c + d*x)*a*b*d**2*g**2*n*x - log(c + d*x)*b**2*c*d*g**2*n*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a**2*c*d*f**2*x + log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*d*f**2*x**2 - log(((a + b*x)**n*e)/(c + d*x)**n)*a*b*c*d*g**2 - log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*d*g**2*x + 2*log(x)*a**2*c*d*f*g*x - log(x)*a*b*d**2*g**2*n*x + log(x)*b**2*c*d*g**2*n*x + a**2*c*d*f**2*x**2 - a**2*c*d*g**2)/(a*c*d*x)`

3.3 $\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right) dx$

Optimal result	81
Mathematica [A] (verified)	82
Rubi [A] (verified)	82
Maple [F]	83
Fricas [F]	84
Sympy [F]	84
Maxima [F]	84
Giac [F]	85
Mupad [F(-1)]	85
Reduce [F]	86

Optimal result

Integrand size = 30, antiderivative size = 143

$$\begin{aligned}
 & \int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right) dx \\
 &= Afx - Bgn \log(x) \log \left(1 + \frac{bx}{a} \right) + \frac{Bf(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{b} \\
 &+ g \log(x) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right) - \frac{B(bc-ad)fn \log(c+dx)}{bd} \\
 &+ Bgn \log(x) \log \left(1 + \frac{dx}{c} \right) - Bgn \operatorname{PolyLog} \left(2, -\frac{bx}{a} \right) + Bgn \operatorname{PolyLog} \left(2, -\frac{dx}{c} \right)
 \end{aligned}$$

output

```

A*f*x-B*g*n*ln(x)*ln(1+b*x/a)+B*f*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/b+g*ln
(x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))-B*(-a*d+b*c)*f*n*ln(d*x+c)/b/d+B*g*n*ln
(x)*ln(1+d*x/c)-B*g*n*polylog(2,-b*x/a)+B*g*n*polylog(2,-d*x/c)

```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 135, normalized size of antiderivative = 0.94

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx \\ &= Afx + \frac{Bf(a + bx) \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right)}{b} + g \log(x) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) \\ & \quad - \frac{B(bc - ad)fn \log(c + dx)}{bd} - Bgn \left(\log(x) \left(\log \left(1 + \frac{bx}{a} \right) - \log \left(1 + \frac{dx}{c} \right) \right) \right) \\ & \quad \quad \quad + \text{PolyLog} \left(2, -\frac{bx}{a} \right) - \text{PolyLog} \left(2, -\frac{dx}{c} \right) \end{aligned}$$

input `Integrate[(f + g/x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]`

output `A*f*x + (B*f*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (B*(b*c - a*d)*f*n*Log[c + d*x])/(b*d) - B*g*n*(Log[x]*(Log[1 + (b*x)/a] - Log[1 + (d*x)/c]) + PolyLog[2, -((b*x)/a)] - PolyLog[2, -((d*x)/c)])`

Rubi [A] (verified)

Time = 0.39 (sec) , antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.067$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \left(f + \frac{g}{x} \right) \left(B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + A \right) dx \\ & \quad \quad \quad \downarrow \text{3008} \\ & \int \left(f \left(B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + A \right) + \frac{g \left(B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + A \right)}{x} \right) dx \\ & \quad \quad \quad \downarrow \text{2009} \end{aligned}$$

$$g \log(x) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right) + \frac{Bf(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{b} - \frac{Bfn(bc-ad) \log(c+dx)}{bd} - Bgn \operatorname{PolyLog} \left(2, -\frac{bx}{a} \right) - Bgn \log(x) \log \left(\frac{bx}{a} + 1 \right) + Afx + Bgn \operatorname{PolyLog} \left(2, -\frac{dx}{c} \right) + Bgn \log(x) \log \left(\frac{dx}{c} + 1 \right)$$

input `Int[(f + g/x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n]),x]`

output `A*f*x - B*g*n*Log[x]*Log[1 + (b*x)/a] + (B*f*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + g*Log[x]*(A + B*Log[e*((a + b*x)/(c + d*x))^n]) - (B*(b*c - a*d)*f*n*Log[c + d*x])/(b*d) + B*g*n*Log[x]*Log[1 + (d*x)/c] - B*g*n*PolyLog[2, -((b*x)/a)] + B*g*n*PolyLog[2, -((d*x)/c)]`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3008 `Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^n]*(RGx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunctionQ[RGx, x] && IGtQ[n, 0]`

Maple [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \ln \left(e \left(\frac{bx+a}{dx+c} \right)^n \right) \right) dx$$

input `int((f+g/x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

output `int((f+g/x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

Fricas [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right) dx$$

input `integrate((f+g/x)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="fricas")`

output `integral((A*f*x + A*g + (B*f*x + B*g)*log(e*((b*x + a)/(d*x + c))^n))/x, x)`

Sympy [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \frac{(A + B \log(e(\frac{a}{c+dx} + \frac{bx}{c+dx})^n))(fx + g)}{x} dx$$

input `integrate((f+g/x)*(A+B*ln(e*((b*x+a)/(d*x+c))^n)),x)`

output `Integral((A + B*log(e*(a/(c + d*x) + b*x/(c + d*x))^n))*(f*x + g)/x, x)`

Maxima [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right) dx$$

input `integrate((f+g/x)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="maxima")`

output

```
B*f*n*(a*log(b*x + a)/b - c*log(d*x + c)/d) + B*f*x*log(e*(b*x/(d*x + c) +
a/(d*x + c))^n) + A*f*x - B*g*integrate(-(log((b*x + a)^n) - log((d*x + c)
)^n) + log(e))/x, x) + A*g*log(x)
```

Giac [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(B \log \left(e \left(\frac{bx + a}{dx + c} \right)^n \right) + A \right) \left(f + \frac{g}{x} \right) dx$$

input

```
integrate((f+g/x)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x, algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)*(f + g/x), x)
```

Mupad [F(-1)]

Timed out.

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \int \left(f + \frac{g}{x} \right) \left(A + B \ln \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

input

```
int((f + g/x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)),x)
```

output

```
int((f + g/x)*(A + B*log(e*((a + b*x)/(c + d*x))^n)), x)
```

Reduce [F]

$$\int \left(f + \frac{g}{x} \right) \left(A + B \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) \right) dx$$

$$= \frac{\left(\int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right)}{x} dx \right) bdg + \log(dx + c) adfn - \log(dx + c) bcf n + \log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) adf + \log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) bdf}{d}$$

input `int((f+g/x)*(A+B*log(e*((b*x+a)/(d*x+c))^n)),x)`

output `(int(log(((a + b*x)**n*e)/(c + d*x)**n)/x,x)*b*d*g + log(c + d*x)*a*d*f*n - log(c + d*x)*b*c*f*n + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d*f + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d*f*x + log(x)*a*d*g + a*d*f*x)/d`

$$3.4 \quad \int \frac{A+B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f+\frac{g}{x}} dx$$

Optimal result	87
Mathematica [A] (verified)	88
Rubi [A] (verified)	88
Maple [F]	90
Fricas [F]	90
Sympy [F(-1)]	90
Maxima [F]	91
Giac [F]	91
Mupad [F(-1)]	91
Reduce [F]	92

Optimal result

Integrand size = 32, antiderivative size = 217

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + \frac{g}{x}} dx = \frac{Ax}{f} + \frac{B(a + bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{bf} - \frac{B(bc - ad)n \log(c + dx)}{bdf} + \frac{Bgn \log \left(\frac{f(a+bx)}{af - bg} \right) \log(g + fx)}{f^2} - \frac{g(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)) \log(g + fx)}{f^2} - \frac{Bgn \log \left(\frac{f(c+dx)}{cf - dg} \right) \log(g + fx)}{f^2} + \frac{Bgn \operatorname{PolyLog} \left(2, -\frac{b(g+fx)}{af - bg} \right)}{f^2} - \frac{Bgn \operatorname{PolyLog} \left(2, -\frac{d(g+fx)}{cf - dg} \right)}{f^2}$$

output

```
A*x/f+B*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/b/f-B*(-a*d+b*c)*n*ln(d*x+c)/b/d
/f+B*g*n*ln(f*(b*x+a)/(a*f-b*g))*ln(f*x+g)/f^2-g*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(f*x+g)/f^2-B*g*n*ln(f*(d*x+c)/(c*f-d*g))*ln(f*x+g)/f^2+B*g*n*polylog(2,-b*(f*x+g)/(a*f-b*g))/f^2-B*g*n*polylog(2,-d*(f*x+g)/(c*f-d*g))/f^2
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 185, normalized size of antiderivative = 0.85

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + \frac{g}{x}} dx$$

$$= \frac{Afx + \frac{Bf(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{b} - \frac{B(bc-ad)fn \log(c+dx)}{bd} - g(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)) \log(g + fx) + Bgn \left(\log \left(\frac{f}{f^2} \right) \right)}{f^2}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x),x]
```

output

```
(A*f*x + (B*f*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b - (B*(b*c - a*d)*f*n*Log[c + d*x])/(b*d) - g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x] + B*g*n*((Log[(f*(a + b*x))/(a*f - b*g)] - Log[(f*(c + d*x))/(c*f - d*g]))*Log[g + f*x] + PolyLog[2, (b*(g + f*x))/(-(a*f) + b*g)] - PolyLog[2, (d*(g + f*x))/(-(c*f) + d*g)]))/f^2
```

Rubi [A] (verified)Time = 0.49 (sec) , antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{f + \frac{g}{x}} dx$$

↓ 3008

$$\int \left(\frac{B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{f} - \frac{g \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f(fx+g)} \right) dx$$

↓ 2009

$$\begin{aligned} & - \frac{g \log(fx+g) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^2} + \frac{B(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{bf} - \\ & \frac{Bn(bc-ad) \log(c+dx)}{bdf} + \frac{Bgn \operatorname{PolyLog} \left(2, -\frac{b(g+fx)}{af-bg} \right)}{f^2} + \frac{Bgn \log(fx+g) \log \left(\frac{f(a+bx)}{af-bg} \right)}{f^2} + \\ & \frac{Ax}{f} - \frac{Bgn \operatorname{PolyLog} \left(2, -\frac{d(g+fx)}{cf-dg} \right)}{f^2} - \frac{Bgn \log(fx+g) \log \left(\frac{f(c+dx)}{cf-dg} \right)}{f^2} \end{aligned}$$

input `Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x),x]`

output `(A*x)/f + (B*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(b*f) - (B*(b*c - a*d)*n*Log[c + d*x])/(b*d*f) + (B*g*n*Log[(f*(a + b*x))/(a*f - b*g)]*Log[g + f*x])/f^2 - (g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x])/f^2 - (B*g*n*Log[(f*(c + d*x))/(c*f - d*g)]*Log[g + f*x])/f^2 + (B*g*n*PolyLog[2, -((b*(g + f*x))/(a*f - b*g))])/f^2 - (B*g*n*PolyLog[2, -((d*(g + f*x))/(c*f - d*g))])/f^2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3008 `Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^n]*(RGx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunctionQ[RGx, x] && IGtQ[n, 0]`

Maple [F]

$$\int \frac{A + B \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{f + \frac{g}{x}} dx$$

input `int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x), x)`

output `int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x), x)`

Fricas [F]

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx = \int \frac{B \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right) + A}{f + \frac{g}{x}} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x), x, algorithm="fricas")`

output `integral((B*x*log(e*((b*x + a)/(d*x + c))^n) + A*x)/(f*x + g), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx = \text{Timed out}$$

input `integrate((A+B*ln(e*((b*x+a)/(d*x+c)**n))/(f+g/x), x)`

output `Timed out`

Maxima [F]

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx = \int \frac{B \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right) + A}{f + \frac{g}{x}} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x),x, algorithm="maxima")`

output `A*(x/f - g*log(f*x + g)/f^2) - B*integrate(-(x*log((b*x + a)^n) - x*log((d*x + c)^n) + x*log(e))/(f*x + g), x)`

Giac [F]

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx = \int \frac{B \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right) + A}{f + \frac{g}{x}} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x),x, algorithm="giac")`

output `integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/(f + g/x), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx = \int \frac{A + B \ln \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + \frac{g}{x}} dx$$

input `int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x),x)`

output `int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x), x)`

Reduce [F]

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + \frac{g}{x}} dx = \frac{\left(\int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) x}{fx+g} dx \right) b f^2 - \log(fx + g) a g + a f x}{f^2}$$

input `int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x),x)`

output `(int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(f*x + g),x)*b*f**2 - log(f*x + g)*a*g + a*f*x)/f**2`

$$3.5 \quad \int \frac{A+B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f+\frac{g}{x} \right)^2} dx$$

Optimal result	94
Mathematica [A] (verified)	95
Rubi [A] (verified)	95
Maple [F]	97
Fricas [F]	97
Sympy [F(-1)]	97
Maxima [F]	98
Giac [F]	98
Mupad [F(-1)]	98
Reduce [F]	99

Optimal result

Integrand size = 32, antiderivative size = 322

$$\begin{aligned}
 \int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^2} dx &= \frac{Ax}{f^2} + \frac{B(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{bf^2} \\
 &- \frac{g^2(a+bx) \left(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right)}{f^2(af-bg)(g+fx)} \\
 &- \frac{B(bc-ad)n \log(c+dx)}{bdf^2} \\
 &+ \frac{2Bgn \log \left(\frac{f(a+bx)}{af-bg} \right) \log(g+fx)}{f^3} \\
 &- \frac{2g \left(A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \right) \log(g+fx)}{f^3} \\
 &- \frac{2Bgn \log \left(\frac{f(c+dx)}{cf-dg} \right) \log(g+fx)}{f^3} \\
 &+ \frac{B(bc-ad)g^2n \log \left(\frac{g+fx}{c+dx} \right)}{f^2(af-bg)(cf-dg)} \\
 &+ \frac{2Bgn \operatorname{PolyLog} \left(2, -\frac{b(g+fx)}{af-bg} \right)}{f^3} \\
 &- \frac{2Bgn \operatorname{PolyLog} \left(2, -\frac{d(g+fx)}{cf-dg} \right)}{f^3}
 \end{aligned}$$

output

```

A*x/f^2+B*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/b/f^2-g^2*(b*x+a)*(A+B*ln(e*((
b*x+a)/(d*x+c))^n))/f^2/(a*f-b*g)/(f*x+g)-B*(-a*d+b*c)*n*ln(d*x+c)/b/d/f^2
+2*B*g*n*ln(f*(b*x+a)/(a*f-b*g))*ln(f*x+g)/f^3-2*g*(A+B*ln(e*((b*x+a)/(d*x
+c))^n))*ln(f*x+g)/f^3-2*B*g*n*ln(f*(d*x+c)/(c*f-d*g))*ln(f*x+g)/f^3+B*(-a
*d+b*c)*g^2*n*ln((f*x+g)/(d*x+c))/f^2/(a*f-b*g)/(c*f-d*g)+2*B*g*n*polylog(
2,-b*(f*x+g)/(a*f-b*g))/f^3-2*B*g*n*polylog(2,-d*(f*x+g)/(c*f-d*g))/f^3

```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 295, normalized size of antiderivative = 0.92

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^2} dx$$

$$= \frac{Afx + \frac{Bf(a+bx) \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{b} - \frac{g^2 \left(A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \right)}{g+fx} - \frac{B(bc-ad)fn \log(c+dx)}{bd} - 2g \left(A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \right) \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f^3}$$

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x)^2,x]
```

output

```
(A*f*x + (B*f*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b - (g^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(g + f*x) - (B*(b*c - a*d)*f*n*Log[c + d*x])/(b*d) - 2*g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x] + (B*g^2*n*(b*(-(c*f) + d*g)*Log[a + b*x] + d*(a*f - b*g)*Log[c + d*x] + (b*c - a*d)*f*Log[g + f*x]))/((a*f - b*g)*(c*f - d*g)) + 2*B*g*n*(Log[(f*(a + b*x))/(a*f - b*g)] - Log[(f*(c + d*x))/(c*f - d*g)])*Log[g + f*x] + PolyLog[2, (b*(g + f*x))/(-(a*f) + b*g)] - PolyLog[2, (d*(g + f*x))/(-(c*f) + d*g)])/f^3
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 322, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) + A}{\left(f + \frac{g}{x} \right)^2} dx$$

↓ 3008

$$\int \left(\frac{g^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^2 (fx+g)^2} - \frac{2g \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^2 (fx+g)} + \frac{B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{f^2} \right) dx$$

↓ 2009

$$\begin{aligned} & \frac{2g \log (fx+g) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^3} - \frac{g^2 (a+bx) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^2 (fx+g) (af-bg)} + \\ & \frac{B(a+bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{bf^2} + \frac{Bg^2 n (bc-ad) \log \left(\frac{fx+g}{c+dx} \right)}{f^2 (af-bg) (cf-dg)} - \frac{Bn (bc-ad) \log (c+dx)}{bdf^2} + \\ & \frac{2Bgn \operatorname{PolyLog} \left(2, -\frac{b(g+fx)}{af-bg} \right)}{f^3} + \frac{2Bgn \log (fx+g) \log \left(\frac{f(a+bx)}{af-bg} \right)}{f^3} + \frac{Ax}{f^2} - \\ & \frac{2Bgn \operatorname{PolyLog} \left(2, -\frac{d(g+fx)}{cf-dg} \right)}{f^3} - \frac{2Bgn \log (fx+g) \log \left(\frac{f(c+dx)}{cf-dg} \right)}{f^3} \end{aligned}$$

input `Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x)^2,x]`

output `(A*x)/f^2 + (B*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/(b*f^2) - (g^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f^2*(a*f - b*g)*(g + f*x)) - (B*(b*c - a*d)*n*Log[c + d*x])/(b*d*f^2) + (2*B*g*n*Log[(f*(a + b*x))/(a*f - b*g])*Log[g + f*x])/f^3 - (2*g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x])/f^3 - (2*B*g*n*Log[(f*(c + d*x))/(c*f - d*g])*Log[g + f*x])/f^3 + (B*(b*c - a*d)*g^2*n*Log[(g + f*x)/(c + d*x])/(f^2*(a*f - b*g)*(c*f - d*g)) + (2*B*g*n*PolyLog[2, -((b*(g + f*x))/(a*f - b*g))])/f^3 - (2*B*g*n*PolyLog[2, -((d*(g + f*x))/(c*f - d*g))])/f^3`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3008 `Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^n]*(RGx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunctionQ[RGx, x] && IGtQ[n, 0]`

Maple [F]

$$\int \frac{A + B \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^2} dx$$

input `int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x)`

output `int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x)`

Fricas [F]

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^2} dx = \int \frac{B \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right) + A}{\left(f + \frac{g}{x} \right)^2} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x, algorithm="fricas")`

output `integral((B*x^2*log(e*((b*x + a)/(d*x + c))^n) + A*x^2)/(f^2*x^2 + 2*f*g*x + g^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^2} dx = \text{Timed out}$$

input `integrate((A+B*ln(e*((b*x+a)/(d*x+c)**n)))/(f+g/x)**2,x)`

output `Timed out`

Maxima [F]

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^2} dx = \int \frac{B \log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right) + A}{\left(f + \frac{g}{x} \right)^2} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x, algorithm="maxima")`

output `-A*(g^2/(f^4*x + f^3*g) - x/f^2 + 2*g*log(f*x + g)/f^3) - B*integrate(-(x^2*log((b*x + a)^n) - x^2*log((d*x + c)^n) + x^2*log(e))/(f^2*x^2 + 2*f*g*x + g^2), x)`

Giac [F]

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^2} dx = \int \frac{B \log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right) + A}{\left(f + \frac{g}{x} \right)^2} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x, algorithm="giac")`

output `integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/(f + g/x)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^2} dx = \int \frac{A + B \ln \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^2} dx$$

input `int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x)^2,x)`

output `int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x)^2, x)`

Reduce [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^2} dx$$

$$= \frac{\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^2}{f^2 x^2 + 2fgx + g^2} dx\right) b f^4 x + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^2}{f^2 x^2 + 2fgx + g^2} dx\right) b f^3 g - 2 \log(fx + g) a f g x - 2 \log(fx + g) a g^2 + a}{f^3 (fx + g)}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^2,x)
```

output

```
(int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(f**2*x**2 + 2*f*g*x + g**2),x)*b*f**4*x + int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(f**2*x**2 + 2*f*g*x + g**2),x)*b*f**3*g - 2*log(f*x + g)*a*f*g*x - 2*log(f*x + g)*a*g**2 + a*f**2*x**2 + 2*a*f*g*x)/(f**3*(f*x + g))
```

$$3.6 \quad \int \frac{A+B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f+\frac{g}{x}\right)^3} dx$$

Optimal result	101
Mathematica [A] (verified)	102
Rubi [A] (verified)	103
Maple [F]	104
Fricas [F]	105
Sympy [F(-1)]	105
Maxima [F]	105
Giac [F]	106
Mupad [F(-1)]	106
Reduce [F]	107

Optimal result

Integrand size = 32, antiderivative size = 531

$$\begin{aligned}
\int \frac{A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^3} dx &= \frac{Ax}{f^3} + \frac{B(bc - ad)g^3n}{2f^3(af - bg)(cf - dg)(g + fx)} \\
&- \frac{b^2Bg^3n \log(a + bx)}{2f^4(af - bg)^2} + \frac{B(a + bx) \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{bf^3} \\
&+ \frac{g^3(A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right))}{2f^4(g + fx)^2} \\
&- \frac{3g^2(a + bx) (A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right))}{f^3(af - bg)(g + fx)} \\
&- \frac{B(bc - ad)n \log(c + dx)}{bdf^3} + \frac{Bd^2g^3n \log(c + dx)}{2f^4(cf - dg)^2} \\
&+ \frac{B(bc - ad)g^3(bc f + adf - 2bdg)n \log(g + fx)}{2f^3(af - bg)^2(cf - dg)^2} \\
&+ \frac{3Bgn \log \left(\frac{f(a+bx)}{af - bg} \right) \log(g + fx)}{f^4} \\
&- \frac{3g(A + B \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)) \log(g + fx)}{f^4} \\
&- \frac{3Bgn \log \left(\frac{f(c+dx)}{cf - dg} \right) \log(g + fx)}{f^4} \\
&+ \frac{3B(bc - ad)g^2n \log \left(\frac{g+fx}{c+dx} \right)}{f^3(af - bg)(cf - dg)} \\
&+ \frac{3Bgn \operatorname{PolyLog} \left(2, -\frac{b(g+fx)}{af - bg} \right)}{f^4} \\
&- \frac{3Bgn \operatorname{PolyLog} \left(2, -\frac{d(g+fx)}{cf - dg} \right)}{f^4}
\end{aligned}$$

output

```
A*x/f^3+1/2*B*(-a*d+b*c)*g^3*n/f^3/(a*f-b*g)/(c*f-d*g)/(f*x+g)-1/2*b^2*B*g^3*n*ln(b*x+a)/f^4/(a*f-b*g)^2+B*(b*x+a)*ln(e*((b*x+a)/(d*x+c))^n)/b/f^3+1/2*g^3*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/f^4/(f*x+g)^2-3*g^2*(b*x+a)*(A+B*ln(e*((b*x+a)/(d*x+c))^n))/f^3/(a*f-b*g)/(f*x+g)-B*(-a*d+b*c)*n*ln(d*x+c)/b/d/f^3+1/2*B*d^2*g^3*n*ln(d*x+c)/f^4/(c*f-d*g)^2+1/2*B*(-a*d+b*c)*g^3*(a*d*f+b*c*f-2*b*d*g)*n*ln(f*x+g)/f^3/(a*f-b*g)^2/(c*f-d*g)^2+3*B*g*n*ln(f*(b*x+a)/(a*f-b*g))*ln(f*x+g)/f^4-3*g*(A+B*ln(e*((b*x+a)/(d*x+c))^n))*ln(f*x+g)/f^4-3*B*g*n*ln(f*(d*x+c)/(c*f-d*g))*ln(f*x+g)/f^4+3*B*(-a*d+b*c)*g^2*n*ln((f*x+g)/(d*x+c))/f^3/(a*f-b*g)/(c*f-d*g)+3*B*g*n*polylog(2,-b*(f*x+g)/(a*f-b*g))/f^4-3*B*g*n*polylog(2,-d*(f*x+g)/(c*f-d*g))/f^4
```

Mathematica [A] (verified)

Time = 1.09 (sec) , antiderivative size = 470, normalized size of antiderivative = 0.89

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx$$

$$2Afx + \frac{2Bf(a+bx)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b} + \frac{g^3\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{(g+fx)^2} - \frac{6g^2\left(A+B\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\right)}{g+fx} - \frac{2B(bc-ad)fn\log(c+dx)}{bd} - 6g$$

=

input

```
Integrate[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x)^3,x]
```

output

```
(2*A*f*x + (2*B*f*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + (g^3*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(g + f*x)^2 - (6*g^2*(A + B*Log[e*((a + b*x)/(c + d*x))^n]))/(g + f*x) - (2*B*(b*c - a*d)*f*n*Log[c + d*x])/(b*d) - 6*g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x] + (6*B*g^2*n*(b*(-c*f) + d*g)*Log[a + b*x] + d*(a*f - b*g)*Log[c + d*x] + (b*c - a*d)*f*Log[g + f*x])/((a*f - b*g)*(c*f - d*g)) + B*(b*c - a*d)*g^3*n*(-((b^2*Log[a + b*x])/((b*c - a*d)*(a*f - b*g)^2)) + ((d^2*Log[c + d*x])/(b*c - a*d) + (f*((a*f - b*g)*(c*f - d*g))/(g + f*x) + (b*c*f + a*d*f - 2*b*d*g)*Log[g + f*x])/((a*f - b*g)^2/(c*f - d*g)^2) + 6*B*g*n*((Log[(f*(a + b*x))/(a*f - b*g)] - Log[(f*(c + d*x))/(c*f - d*g]])*Log[g + f*x] + PolyLog[2, (b*(g + f*x))/(-(a*f) + b*g)] - PolyLog[2, (d*(g + f*x))/(-(c*f) + d*g)]))/(2*f^4)
```

Rubi [A] (verified)

Time = 1.04 (sec) , antiderivative size = 531, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {3008, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{\left(f + \frac{g}{x} \right)^3} dx$$

↓ 3008

$$\int \left(-\frac{g^3 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^3 (fx + g)^3} + \frac{3g^2 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^3 (fx + g)^2} - \frac{3g \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^3 (fx + g)} + \frac{B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A}{f^3} \right) dx$$

↓ 2009

$$\frac{g^3 \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{2f^4 (fx + g)^2} - \frac{3g \log (fx + g) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^4} - \frac{3g^2 (a + bx) \left(B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + A \right)}{f^3 (fx + g) (af - bg)} - \frac{b^2 B g^3 n \log (a + bx)}{2f^4 (af - bg)^2} + \frac{B (a + bx) \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{bf^3} + \frac{B g^3 n (bc - ad)}{2f^3 (fx + g) (af - bg) (cf - dg)} + \frac{B g^3 n (bc - ad) \log (fx + g) (adf + bcf - 2bdg)}{2f^3 (af - bg)^2 (cf - dg)^2} + \frac{3B g^2 n (bc - ad) \log \left(\frac{fx+g}{c+dx} \right)}{f^3 (af - bg) (cf - dg)} - \frac{B n (bc - ad) \log (c + dx)}{bdf^3} + \frac{3B g n \text{PolyLog} \left(2, -\frac{b(g+fx)}{af-bg} \right)}{f^4} + \frac{3B g n \log (fx + g) \log \left(\frac{f(a+bx)}{af-bg} \right)}{f^4} + \frac{Ax}{f^3} + \frac{Bd^2 g^3 n \log (c + dx)}{2f^4 (cf - dg)^2} - \frac{3B g n \text{PolyLog} \left(2, -\frac{d(g+fx)}{cf-dg} \right)}{f^4} - \frac{3B g n \log (fx + g) \log \left(\frac{f(c+dx)}{cf-dg} \right)}{f^4}$$

input

```
Int[(A + B*Log[e*((a + b*x)/(c + d*x))^n])/(f + g/x)^3,x]
```


output

```
(A*x)/f^3 + (B*(b*c - a*d)*g^3*n)/(2*f^3*(a*f - b*g)*(c*f - d*g)*(g + f*x)
) - (b^2*B*g^3*n*Log[a + b*x])/(2*f^4*(a*f - b*g)^2) + (B*(a + b*x)*Log[e*
((a + b*x)/(c + d*x))^n])/(b*f^3) + (g^3*(A + B*Log[e*((a + b*x)/(c + d*x)
)^n]))/(2*f^4*(g + f*x)^2) - (3*g^2*(a + b*x)*(A + B*Log[e*((a + b*x)/(c +
d*x))^n]))/(f^3*(a*f - b*g)*(g + f*x)) - (B*(b*c - a*d)*n*Log[c + d*x])/(
b*d*f^3) + (B*d^2*g^3*n*Log[c + d*x])/(2*f^4*(c*f - d*g)^2) + (B*(b*c - a*
d)*g^3*(b*c*f + a*d*f - 2*b*d*g)*n*Log[g + f*x])/(2*f^3*(a*f - b*g)^2*(c*f
- d*g)^2) + (3*B*g*n*Log[(f*(a + b*x))/(a*f - b*g])*Log[g + f*x])/f^4 - (
3*g*(A + B*Log[e*((a + b*x)/(c + d*x))^n])*Log[g + f*x])/f^4 - (3*B*g*n*Lo
g[(f*(c + d*x))/(c*f - d*g])*Log[g + f*x])/f^4 + (3*B*(b*c - a*d)*g^2*n*Lo
g[(g + f*x)/(c + d*x])/(f^3*(a*f - b*g)*(c*f - d*g)) + (3*B*g*n*PolyLog[2
, -((b*(g + f*x))/(a*f - b*g))])/f^4 - (3*B*g*n*PolyLog[2, -((d*(g + f*x)
)/(c*f - d*g))])/f^4
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3008

```
Int[((a_.) + Log[(c_.)*(RFx_)^(p_.)]*(b_.))^n]*(RGx_), x_Symbol] := With
[{u = ExpandIntegrand[(a + b*Log[c*RFx^p])^n, RGx, x]}, Int[u, x] /; SumQ[u
]] /; FreeQ[{a, b, c, p}, x] && RationalFunctionQ[RFx, x] && RationalFunci
onQ[RGx, x] && IGtQ[n, 0]
```

Maple [F]

$$\int \frac{A + B \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{\left(f + \frac{g}{x} \right)^3} dx$$

input

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x)
```

output

```
int((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x)
```

Fricas [F]

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^3} dx = \int \frac{B \log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right) + A}{\left(f + \frac{g}{x} \right)^3} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x, algorithm="fricas")`

output `integral((B*x^3*log(e*((b*x + a)/(d*x + c))^n) + A*x^3)/(f^3*x^3 + 3*f^2*g*x^2 + 3*f*g^2*x + g^3), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^3} dx = \text{Timed out}$$

input `integrate((A+B*ln(e*((b*x+a)/(d*x+c))^n))/(f+g/x)**3,x)`

output `Timed out`

Maxima [F]

$$\int \frac{A + B \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{\left(f + \frac{g}{x} \right)^3} dx = \int \frac{B \log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right) + A}{\left(f + \frac{g}{x} \right)^3} dx$$

input `integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x, algorithm="maxima")`

output

```
-1/2*A*((6*f*g^2*x + 5*g^3)/(f^6*x^2 + 2*f^5*g*x + f^4*g^2) - 2*x/f^3 + 6*
g*log(f*x + g)/f^4) - B*integrate(-(x^3*log((b*x + a)^n) - x^3*log((d*x +
c)^n) + x^3*log(e))/(f^3*x^3 + 3*f^2*g*x^2 + 3*f*g^2*x + g^3), x)
```

Giac [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx = \int \frac{B \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) + A}{\left(f + \frac{g}{x}\right)^3} dx$$

input

```
integrate((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x, algorithm="giac")
```

output

```
integrate((B*log(e*((b*x + a)/(d*x + c))^n) + A)/(f + g/x)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx = \int \frac{A + B \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx$$

input

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x)^3,x)
```

output

```
int((A + B*log(e*((a + b*x)/(c + d*x))^n))/(f + g/x)^3, x)
```

Reduce [F]

$$\int \frac{A + B \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(f + \frac{g}{x}\right)^3} dx$$

$$= \frac{2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^3}{f^3 x^3 + 3f^2 g x^2 + 3f g^2 x + g^3} dx\right) b f^6 x^2 + 4\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^3}{f^3 x^3 + 3f^2 g x^2 + 3f g^2 x + g^3} dx\right) b f^5 g x + 2\left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^3}{f^3 x^3 + 3f^2 g x^2 + 3f g^2 x + g^3} dx\right)}{2f^4 (f^2 x^2 + 2fgx + g^2)}$$

input

```
int((A+B*log(e*((b*x+a)/(d*x+c))^n))/(f+g/x)^3,x)
```

output

```
(2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(f**3*x**3 + 3*f**2*g*x**2 + 3*f*g**2*x + g**3),x)*b*f**6*x**2 + 4*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(f**3*x**3 + 3*f**2*g*x**2 + 3*f*g**2*x + g**3),x)*b*f**5*g*x + 2*int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(f**3*x**3 + 3*f**2*g*x**2 + 3*f*g**2*x + g**3),x)*b*f**4*g**2 - 6*log(f*x + g)*a*f**2*g*x**2 - 12*log(f*x + g)*a*f*g**2*x - 6*log(f*x + g)*a*g**3 + 2*a*f**3*x**3 + 6*a*f**2*g*x**2 - 3*a*g**3)/(2*f**4*(f**2*x**2 + 2*f*g*x + g**2))
```

3.7 $\int (a + bx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	108
Mathematica [A] (verified)	109
Rubi [A] (verified)	109
Maple [F]	111
Fricas [B] (verification not implemented)	111
Sympy [F(-1)]	112
Maxima [B] (verification not implemented)	112
Giac [B] (verification not implemented)	113
Mupad [B] (verification not implemented)	114
Reduce [B] (verification not implemented)	115

Optimal result

Integrand size = 29, antiderivative size = 201

$$\begin{aligned} & \int (a + bx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= -\frac{(bc - ad)^4 qrx}{5d^4} + \frac{(bc - ad)^3 qr(a + bx)^2}{10bd^3} - \frac{(bc - ad)^2 qr(a + bx)^3}{15bd^2} \\ &+ \frac{(bc - ad)qr(a + bx)^4}{20bd} - \frac{pr(a + bx)^5}{25b} - \frac{qr(a + bx)^5}{25b} \\ &+ \frac{(bc - ad)^5 qr \log(c + dx)}{5bd^5} + \frac{(a + bx)^5 \log (e(f(a + bx)^p(c + dx)^q)^r)}{5b} \end{aligned}$$

output

```
-1/5*(-a*d+b*c)^4*q*r*x/d^4+1/10*(-a*d+b*c)^3*q*r*(b*x+a)^2/b/d^3-1/15*(-a
*d+b*c)^2*q*r*(b*x+a)^3/b/d^2+1/20*(-a*d+b*c)*q*r*(b*x+a)^4/b/d-1/25*p*r*(
b*x+a)^5/b-1/25*q*r*(b*x+a)^5/b+1/5*(-a*d+b*c)^5*q*r*ln(d*x+c)/b/d^5+1/5*(
b*x+a)^5*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
```

Mathematica [A] (verified)

Time = 0.34 (sec) , antiderivative size = 185, normalized size of antiderivative = 0.92

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{r(60bd(bc-ad)^4(p+5q)x - 60b^2(bc-ad)^3(2p+5q)(c+dx)^2 + 40b^3(bc-ad)^2(3p+5q)(c+dx)^3 - 15b^4(bc-ad)(4p+5q)(c+dx)^4 + 12b^5(p+q)(c+dx)^5}{60d^5} + \frac{(a + bx)^5 \log(e(f(a + bx)^p(c + dx)^q)^r)}{5b}$$

input

```
Integrate[(a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]
```

output

```
(-1/60*(r*(60*b*d*(b*c - a*d)^4*(p + 5*q)*x - 60*b^2*(b*c - a*d)^3*(2*p + 5*q)*(c + d*x)^2 + 40*b^3*(b*c - a*d)^2*(3*p + 5*q)*(c + d*x)^3 - 15*b^4*(b*c - a*d)*(4*p + 5*q)*(c + d*x)^4 + 12*b^5*(p + q)*(c + d*x)^5 - 60*(b*c - a*d)^5*q*Log[c + d*x]))/d^5 + (a + b*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(5*b)
```

Rubi [A] (verified)Time = 0.36 (sec) , antiderivative size = 184, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{dqr \int \frac{(a+bx)^5}{c+dx} dx}{5b} - \frac{1}{5}pr \int (a + bx)^4 dx + \frac{(a + bx)^5 \log(e(f(a + bx)^p(c + dx)^q)^r)}{5b}$$

$$\downarrow 17$$

$$-\frac{dqr \int \frac{(a+bx)^5}{c+dx} dx}{5b} + \frac{(a + bx)^5 \log(e(f(a + bx)^p(c + dx)^q)^r)}{5b} - \frac{pr(a + bx)^5}{25b}$$

$$\downarrow 49$$

$$\frac{dqr \int \left(\frac{(ad-bc)^5}{d^5(c+dx)} + \frac{b(bc-ad)^4}{d^5} + \frac{b(a+bx)^4}{d} - \frac{b(bc-ad)(a+bx)^3}{d^2} + \frac{b(bc-ad)^2(a+bx)^2}{d^3} - \frac{b(bc-ad)^3(a+bx)}{d^4} \right) dx}{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r) - \frac{5b}{25b} pr(a+bx)^5} +$$

↓ 2009

$$\frac{dqr \left(-\frac{(bc-ad)^5 \log(c+dx)}{d^6} + \frac{bx(bc-ad)^4}{d^5} - \frac{(a+bx)^2(bc-ad)^3}{2d^4} + \frac{(a+bx)^3(bc-ad)^2}{3d^3} - \frac{(a+bx)^4(bc-ad)}{4d^2} + \frac{(a+bx)^5}{5d} \right)}{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r) - \frac{5b}{25b} pr(a+bx)^5} +$$

input

```
Int[(a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]
```

output

```
-1/25*(p*r*(a + b*x)^5)/b - (d*q*r*((b*(b*c - a*d)^4*x)/d^5 - ((b*c - a*d)^3*(a + b*x)^2)/(2*d^4) + ((b*c - a*d)^2*(a + b*x)^3)/(3*d^3) - ((b*c - a*d)*(a + b*x)^4)/(4*d^2) + (a + b*x)^5/(5*d) - ((b*c - a*d)^5*Log[c + d*x])/d^6))/(5*b) + ((a + b*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(5*b)
```

Defintions of rubi rules used

rule 17

```
Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2981

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1)))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int (bx + a)^4 \ln(e(f(bx + a)^p (dx + c)^q)^r) dx$$

input

```
int((b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
int((b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 624 vs. 2(185) = 370.

Time = 0.09 (sec) , antiderivative size = 624, normalized size of antiderivative = 3.10

$$\int (a + bx)^4 \log(e(f(a + bx)^p (c + dx)^q)^r) dx =$$

$$\frac{12(b^5 d^5 p + b^5 d^5 q) r x^5 + 15(4 a b^4 d^5 p - (b^5 c d^4 - 5 a b^4 d^5) q) r x^4 + 20(6 a^2 b^3 d^5 p + (b^5 c^2 d^3 - 5 a b^4 c d^4 +$$

input

```
integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas"
)
```


output

```
-1/300*(12*(b^5*d^5*p + b^5*d^5*q)*r*x^5 + 15*(4*a*b^4*d^5*p - (b^5*c*d^4
- 5*a*b^4*d^5)*q)*r*x^4 + 20*(6*a^2*b^3*d^5*p + (b^5*c^2*d^3 - 5*a*b^4*c*d
^4 + 10*a^2*b^3*d^5)*q)*r*x^3 + 30*(4*a^3*b^2*d^5*p - (b^5*c^3*d^2 - 5*a*b
^4*c^2*d^3 + 10*a^2*b^3*c*d^4 - 10*a^3*b^2*d^5)*q)*r*x^2 + 60*(a^4*b*d^5*p
+ (b^5*c^4*d - 5*a*b^4*c^3*d^2 + 10*a^2*b^3*c^2*d^3 - 10*a^3*b^2*c*d^4 +
5*a^4*b*d^5)*q)*r*x - 60*(b^5*d^5*p*r*x^5 + 5*a*b^4*d^5*p*r*x^4 + 10*a^2*b
^3*d^5*p*r*x^3 + 10*a^3*b^2*d^5*p*r*x^2 + 5*a^4*b*d^5*p*r*x + a^5*d^5*p*r)
*log(b*x + a) - 60*(b^5*d^5*q*r*x^5 + 5*a*b^4*d^5*q*r*x^4 + 10*a^2*b^3*d^5
*q*r*x^3 + 10*a^3*b^2*d^5*q*r*x^2 + 5*a^4*b*d^5*q*r*x + (b^5*c^5 - 5*a*b^4
*c^4*d + 10*a^2*b^3*c^3*d^2 - 10*a^3*b^2*c^2*d^3 + 5*a^4*b*c*d^4)*q*r)*log
(d*x + c) - 60*(b^5*d^5*x^5 + 5*a*b^4*d^5*x^4 + 10*a^2*b^3*d^5*x^3 + 10*a
^3*b^2*d^5*x^2 + 5*a^4*b*d^5*x)*log(e) - 60*(b^5*d^5*r*x^5 + 5*a*b^4*d^5*r
*x^4 + 10*a^2*b^3*d^5*r*x^3 + 10*a^3*b^2*d^5*r*x^2 + 5*a^4*b*d^5*r*x)*log(f
))/ (b*d^5)
```

Sympy [F(-1)]

Timed out.

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input

```
integrate((b*x+a)**4*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r), x)
```

output

Timed out

Maxima [B] (verification not implemented)Leaf count of result is larger than twice the leaf count of optimal. 395 vs. $2(185) = 370$.

Time = 0.05 (sec) , antiderivative size = 395, normalized size of antiderivative = 1.97

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{5} (b^4 x^5 + 5 a b^3 x^4 + 10 a^2 b^2 x^3 + 10 a^3 b x^2 + 5 a^4 x) \log(((b x + a)^p (d x + c)^q f)^r e)$$

$$+ \frac{\left(\frac{60 a^5 f p \log(b x + a)}{b} - \frac{12 b^4 d^4 f(p+q) x^5 + 15 (a b^3 d^4 f(4 p+5 q) - b^4 c d^3 f q) x^4 + 20 (2 a^2 b^2 d^4 f(3 p+5 q) + b^4 c^2 d^2 f q - 5 a b^3 c d^3 f q) x^3 + 30 (2 a^3 b^2 d^4 f(p+q) x^2 + 5 a^4 b d^4 f(p+q) x) \log(e) - 60 (b^5 d^5 r x^5 + 5 a b^4 d^5 r x^4 + 10 a^2 b^3 d^5 r x^3 + 10 a^3 b^2 d^5 r x^2 + 5 a^4 b d^5 r x) \log(f)}{b^5 d^5} \right)}{b^5 d^5}$$

input `integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output
$$\frac{1}{5}(b^4x^5 + 5ab^3x^4 + 10a^2b^2x^3 + 10a^3bx^2 + 5a^4x)\log((b*x + a)^p*(d*x + c)^q*f)^r*e) + \frac{1}{300}(60a^5f^p*\log(b*x + a)/b - (12*b^4*d^4*f*(p + q)*x^5 + 15*(a*b^3*d^4*f*(4*p + 5*q) - b^4*c*d^3*f*q)*x^4 + 20*(2*a^2*b^2*d^4*f*(3*p + 5*q) + b^4*c^2*d^2*f*q - 5*a*b^3*c*d^3*f*q)*x^3 + 30*(2*a^3*b*d^4*f*(2*p + 5*q) - b^4*c^3*d*f*q + 5*a*b^3*c^2*d^2*f*q - 10*a^2*b^2*c*d^3*f*q)*x^2 + 60*(a^4*d^4*f*(p + 5*q) + b^4*c^4*f*q - 5*a*b^3*c^3*d*f*q + 10*a^2*b^2*c^2*d^2*f*q - 10*a^3*b*c*d^3*f*q)*x)/d^4 + 60*(b^4*c^5*f*q - 5*a*b^3*c^4*d*f*q + 10*a^2*b^2*c^3*d^2*f*q - 10*a^3*b*c^2*d^3*f*q + 5*a^4*c*d^4*f*q)*\log(d*x + c)/d^5)*r/f$$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 570 vs. $2(185) = 370$.

Time = 6.53 (sec) , antiderivative size = 570, normalized size of antiderivative = 2.84

$$\begin{aligned} & \int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \frac{a^5 p r \log(bx + a)}{5b} - \frac{1}{25} (b^4 p r + b^4 q r - 5b^4 r \log(f) - 5b^4 \log(e)) x^5 \\ & \quad - \frac{(4ab^3 d p r - b^4 c q r + 5ab^3 d q r - 20ab^3 d r \log(f) - 20ab^3 d \log(e)) x^4}{20d} \\ & \quad - \frac{(6a^2 b^2 d^2 p r + b^4 c^2 q r - 5ab^3 c d q r + 10a^2 b^2 d^2 q r - 30a^2 b^2 d^2 r \log(f) - 30a^2 b^2 d^2 \log(e)) x^3}{15d^2} \\ & \quad + \frac{1}{5} (b^4 p r x^5 + 5ab^3 p r x^4 + 10a^2 b^2 p r x^3 + 10a^3 b p r x^2 + 5a^4 p r x) \log(bx + a) \\ & \quad + \frac{1}{5} (b^4 q r x^5 + 5ab^3 q r x^4 + 10a^2 b^2 q r x^3 + 10a^3 b q r x^2 + 5a^4 q r x) \log(dx + c) \\ & \quad - \frac{(4a^3 b d^3 p r - b^4 c^3 q r + 5ab^3 c^2 d q r - 10a^2 b^2 c d^2 q r + 10a^3 b d^3 q r - 20a^3 b d^3 r \log(f) - 20a^3 b d^3 \log(e)) x^2}{10d^3} \\ & \quad - \frac{(a^4 d^4 p r + b^4 c^4 q r - 5ab^3 c^3 d q r + 10a^2 b^2 c^2 d^2 q r - 10a^3 b c d^3 q r + 5a^4 d^4 q r - 5a^4 d^4 r \log(f) - 5a^4 d^4 \log(e)) x}{5d^4} \\ & \quad + \frac{(b^4 c^5 q r - 5ab^3 c^4 d q r + 10a^2 b^2 c^3 d^2 q r - 10a^3 b c^2 d^3 q r + 5a^4 c d^4 q r) \log(-dx - c)}{5d^5} \end{aligned}$$

input `integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output

```

1/5*a^5*p*r*log(b*x + a)/b - 1/25*(b^4*p*r + b^4*q*r - 5*b^4*r*log(f) - 5*
b^4*log(e))*x^5 - 1/20*(4*a*b^3*d*p*r - b^4*c*q*r + 5*a*b^3*d*q*r - 20*a*b
^3*d*r*log(f) - 20*a*b^3*d*log(e))*x^4/d - 1/15*(6*a^2*b^2*d^2*p*r + b^4*c
^2*q*r - 5*a*b^3*c*d*q*r + 10*a^2*b^2*d^2*q*r - 30*a^2*b^2*d^2*r*log(f) -
30*a^2*b^2*d^2*log(e))*x^3/d^2 + 1/5*(b^4*p*r*x^5 + 5*a*b^3*p*r*x^4 + 10*a
^2*b^2*p*r*x^3 + 10*a^3*b*p*r*x^2 + 5*a^4*p*r*x)*log(b*x + a) + 1/5*(b^4*q
*r*x^5 + 5*a*b^3*q*r*x^4 + 10*a^2*b^2*q*r*x^3 + 10*a^3*b*q*r*x^2 + 5*a^4*q
*r*x)*log(d*x + c) - 1/10*(4*a^3*b*d^3*p*r - b^4*c^3*q*r + 5*a*b^3*c^2*d*q
*r - 10*a^2*b^2*c*d^2*q*r + 10*a^3*b*d^3*q*r - 20*a^3*b*d^3*r*log(f) - 20*
a^3*b*d^3*log(e))*x^2/d^3 - 1/5*(a^4*d^4*p*r + b^4*c^4*q*r - 5*a*b^3*c^3*d
*q*r + 10*a^2*b^2*c^2*d^2*q*r - 10*a^3*b*c*d^3*q*r + 5*a^4*d^4*q*r - 5*a^4
*d^4*r*log(f) - 5*a^4*d^4*log(e))*x/d^4 + 1/5*(b^4*c^5*q*r - 5*a*b^3*c^4*d
*q*r + 10*a^2*b^2*c^3*d^2*q*r - 10*a^3*b*c^2*d^3*q*r + 5*a^4*c*d^4*q*r)*lo
g(-d*x - c)/d^5

```

Mupad [B] (verification not implemented)

Time = 27.10 (sec) , antiderivative size = 886, normalized size of antiderivative = 4.41

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a + b*x)^4,x)
```

output

```

log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a^4*x + (b^4*x^5)/5 + 2*a^3*b*x^2 +
a*b^3*x^4 + 2*a^2*b^2*x^3) - x^4*((b^3*r*(5*a*d*p + b*c*p + 6*a*d*q))/(20*
d) - (b^3*r*(p + q)*(5*a*d + 5*b*c))/(100*d)) + x^3*((((b^3*r*(5*a*d*p + b
*c*p + 6*a*d*q))/(5*d) - (b^3*r*(p + q)*(5*a*d + 5*b*c))/(25*d))*(5*a*d +
5*b*c))/(15*b*d) - (a*b^2*r*(2*a*d*p + b*c*p + 3*a*d*q))/(3*d) + (a*b^3*c*
r*(p + q))/(15*d)) - x*((a^3*r*(a*d*p + 2*b*c*p + 3*a*d*q))/d - ((5*a*d +
5*b*c)*(((5*a*d + 5*b*c)*(((b^3*r*(5*a*d*p + b*c*p + 6*a*d*q))/(5*d) - (b
^3*r*(p + q)*(5*a*d + 5*b*c))/(25*d))*(5*a*d + 5*b*c))/(5*b*d) - (a*b^2*r*
(2*a*d*p + b*c*p + 3*a*d*q))/d + (a*b^3*c*r*(p + q))/(5*d)))/(5*b*d) - (a*
c*((b^3*r*(5*a*d*p + b*c*p + 6*a*d*q))/(5*d) - (b^3*r*(p + q)*(5*a*d + 5*b
*c))/(25*d)))/(b*d) + (2*a^2*b*r*(a*d*p + b*c*p + 2*a*d*q))/d)/(5*b*d) +
(a*c*(((b^3*r*(5*a*d*p + b*c*p + 6*a*d*q))/(5*d) - (b^3*r*(p + q)*(5*a*d
+ 5*b*c))/(25*d))*(5*a*d + 5*b*c))/(5*b*d) - (a*b^2*r*(2*a*d*p + b*c*p + 3
*a*d*q))/d + (a*b^3*c*r*(p + q))/(5*d)))/(b*d) - x^2*(((5*a*d + 5*b*c)*((
(b^3*r*(5*a*d*p + b*c*p + 6*a*d*q))/(5*d) - (b^3*r*(p + q)*(5*a*d + 5*b*c
))/(25*d))*(5*a*d + 5*b*c))/(5*b*d) - (a*b^2*r*(2*a*d*p + b*c*p + 3*a*d*q)
)/d + (a*b^3*c*r*(p + q))/(5*d)))/(10*b*d) - (a*c*((b^3*r*(5*a*d*p + b*c*p
+ 6*a*d*q))/(5*d) - (b^3*r*(p + q)*(5*a*d + 5*b*c))/(25*d)))/(2*b*d) + (a
^2*b*r*(a*d*p + b*c*p + 2*a*d*q))/d + (log(c + d*x)*((b^4*c^5*q*r)/5 + a^
4*c*d^4*q*r + 2*a^2*b^2*c^3*d^2*q*r - a*b^3*c^4*d*q*r - 2*a^3*b*c^2*d^3...

```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 630, normalized size of antiderivative = 3.13

$$\int (a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-60 \log(dx + c) a^5 d^5 q r + 60 \log(dx + c) b^5 c^5 q r + 300 \log(f^r(dx + c)^{qr} (bx + a)^{pr} e) a^4 b d^5 x + 600 \log(f^r$$

input

```
int((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
( - 60*log(c + d*x)*a**5*d**5*q*r + 300*log(c + d*x)*a**4*b*c*d**4*q*r - 6
00*log(c + d*x)*a**3*b**2*c**2*d**3*q*r + 600*log(c + d*x)*a**2*b**3*c**3*
d**2*q*r - 300*log(c + d*x)*a*b**4*c**4*d*q*r + 60*log(c + d*x)*b**5*c**5*
q*r + 60*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**5*d**5 + 300*log
(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**4*b*d**5*x + 600*log(f**r*(c
+ d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*b**2*d**5*x**2 + 600*log(f**r*(c +
d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**3*d**5*x**3 + 300*log(f**r*(c + d
*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**4*d**5*x**4 + 60*log(f**r*(c + d*x)**(
q*r)*(a + b*x)**(p*r)*e)*b**5*d**5*x**5 - 60*a**4*b*d**5*p*r*x - 300*a**4*
b*d**5*q*r*x + 600*a**3*b**2*c*d**4*q*r*x - 120*a**3*b**2*d**5*p*r*x**2 -
300*a**3*b**2*d**5*q*r*x**2 - 600*a**2*b**3*c**2*d**3*q*r*x + 300*a**2*b**
3*c*d**4*q*r*x**2 - 120*a**2*b**3*d**5*p*r*x**3 - 200*a**2*b**3*d**5*q*r*x
**3 + 300*a*b**4*c**3*d**2*q*r*x - 150*a*b**4*c**2*d**3*q*r*x**2 + 100*a*b
**4*c*d**4*q*r*x**3 - 60*a*b**4*d**5*p*r*x**4 - 75*a*b**4*d**5*q*r*x**4 -
60*b**5*c**4*d*q*r*x + 30*b**5*c**3*d**2*q*r*x**2 - 20*b**5*c**2*d**3*q*r*
x**3 + 15*b**5*c*d**4*q*r*x**4 - 12*b**5*d**5*p*r*x**5 - 12*b**5*d**5*q*r*
x**5)/(300*b*d**5)
```

3.8 $\int (a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	117
Mathematica [A] (verified)	117
Rubi [A] (verified)	118
Maple [F]	119
Fricas [B] (verification not implemented)	120
Sympy [F(-1)]	120
Maxima [A] (verification not implemented)	121
Giac [B] (verification not implemented)	121
Mupad [B] (verification not implemented)	123
Reduce [B] (verification not implemented)	124

Optimal result

Integrand size = 29, antiderivative size = 172

$$\int (a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{(bc - ad)^3 qrx}{4d^3} - \frac{(bc - ad)^2 qr(a + bx)^2}{8bd^2} + \frac{(bc - ad)qr(a + bx)^3}{12bd} - \frac{pr(a + bx)^4}{16b}$$

$$- \frac{qr(a + bx)^4}{16b} - \frac{(bc - ad)^4 qr \log(c + dx)}{4bd^4} + \frac{(a + bx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r)}{4b}$$

output

$$\frac{1}{4}(-a+d+bc)^3 q r x / d^3 - 1/8(-a+d+bc)^2 q r (b x+a)^2 / b / d^2 + 1/12(-a+d+bc) q r (b x+a)^3 / b / d - 1/16 p r (b x+a)^4 / b - 1/16 q r (b x+a)^4 / b - 1/4(-a+d+bc)^4 q r \ln(d x+c) / b / d^4 + 1/4(b x+a)^4 \ln(e(f(b x+a)^p(d x+c)^q)^r) / b$$

Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 154, normalized size of antiderivative = 0.90

$$\int (a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{r(12bd(bc-ad)^3(p+4q)x - 18b^2(bc-ad)^2(p+2q)(c+dx)^2 + 4b^3(bc-ad)(3p+4q)(c+dx)^3 - 3b^4(p+q)(c+dx)^4 - 12(bc-ad)^4 q \log(c+dx))}{12d^4} + (a +$$

4b

input `Integrate[(a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]`

output
$$\frac{((r*(12*b*d*(b*c - a*d)^3*(p + 4*q)*x - 18*b^2*(b*c - a*d)^2*(p + 2*q)*(c + d*x)^2 + 4*b^3*(b*c - a*d)*(3*p + 4*q)*(c + d*x)^3 - 3*b^4*(p + q)*(c + d*x)^4 - 12*(b*c - a*d)^4*q*Log[c + d*x]))/(12*d^4) + (a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]}{4*b}$$

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 160, normalized size of antiderivative = 0.93, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{dqr \int \frac{(a+bx)^4}{c+dx} dx}{4b} - \frac{1}{4}pr \int (a + bx)^3 dx + \frac{(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4b}$$

$$\downarrow 17$$

$$-\frac{dqr \int \frac{(a+bx)^4}{c+dx} dx}{4b} + \frac{(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4b} - \frac{pr(a + bx)^4}{16b}$$

$$\downarrow 49$$

$$-\frac{dqr \int \left(\frac{(ad-bc)^4}{d^4(c+dx)} - \frac{b(bc-ad)^3}{d^4} + \frac{b(a+bx)^3}{d} - \frac{b(bc-ad)(a+bx)^2}{d^2} + \frac{b(bc-ad)^2(a+bx)}{d^3} \right) dx}{4b} + \frac{(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4b} - \frac{pr(a + bx)^4}{16b}$$

$$\downarrow 2009$$

$$-\frac{dqr \left(\frac{(bc-ad)^4 \log(c+dx)}{d^5} - \frac{bx(bc-ad)^3}{d^4} + \frac{(a+bx)^2(bc-ad)^2}{2d^3} - \frac{(a+bx)^3(bc-ad)}{3d^2} + \frac{(a+bx)^4}{4d} \right)}{4b} + \frac{(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4b} - \frac{pr(a + bx)^4}{16b}$$

input `Int[(a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]`

output `-1/16*(p*r*(a + b*x)^4)/b - (d*q*r*(-((b*(b*c - a*d)^3*x)/d^4) + ((b*c - a*d)^2*(a + b*x)^2)/(2*d^3) - ((b*c - a*d)*(a + b*x)^3)/(3*d^2) + (a + b*x)^4/(4*d) + ((b*c - a*d)^4*Log[c + d*x])/d^5))/(4*b) + ((a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(4*b)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

Maple [F]

$$\int (bx + a)^3 \ln(e(f(bx + a)^p(dx + c)^q)^r) dx$$

input `int((b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)`

output `int((b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 469 vs. $2(158) = 316$.

Time = 0.08 (sec) , antiderivative size = 469, normalized size of antiderivative = 2.73

$$\int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx =$$

$$\frac{3(b^4 d^4 p + b^4 d^4 q) r x^4 + 4(3 a b^3 d^4 p - (b^4 c d^3 - 4 a b^3 d^4) q) r x^3 + 6(3 a^2 b^2 d^4 p + (b^4 c^2 d^2 - 4 a b^3 c d^3 + 6 a^2 b^2 c d^4) q) r x^2 + 12(a^3 b d^4 p - (b^4 c^3 d - 4 a^2 b^3 c d^2 + 6 a^2 b^2 c d^3 - 4 a^3 b d^4) q) r x - 12(b^4 d^4 p r x^4 + 4 a b^3 d^4 p r x^3 + 6 a^2 b^2 d^4 p r x^2 + 4 a^3 b d^4 p r x + a^4 d^4 p r) \log(b x + a) - 12(b^4 d^4 q r x^4 + 4 a b^3 d^4 q r x^3 + 6 a^2 b^2 d^4 q r x^2 + 4 a^3 b d^4 q r x - (b^4 c^4 - 4 a b^3 c^3 d + 6 a^2 b^2 c^2 d^2 - 4 a^3 b c d^3) q r) \log(d x + c) - 12(b^4 d^4 r x^4 + 4 a b^3 d^4 r x^3 + 6 a^2 b^2 d^4 r x^2 + 4 a^3 b d^4 r x) \log(e) - 12(b^4 d^4 r x^4 + 4 a b^3 d^4 r x^3 + 6 a^2 b^2 d^4 r x^2 + 4 a^3 b d^4 r x) \log(f)}{(b d^4)}$$

input `integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")`

output `-1/48*(3*(b^4*d^4*p + b^4*d^4*q)*r*x^4 + 4*(3*a*b^3*d^4*p - (b^4*c*d^3 - 4*a*b^3*d^4)*q)*r*x^3 + 6*(3*a^2*b^2*d^4*p + (b^4*c^2*d^2 - 4*a*b^3*c*d^3 + 6*a^2*b^2*d^4)*q)*r*x^2 + 12*(a^3*b*d^4*p - (b^4*c^3*d - 4*a*b^3*c^2*d^2 + 6*a^2*b^2*c*d^3 - 4*a^3*b*d^4)*q)*r*x - 12*(b^4*d^4*p*r*x^4 + 4*a*b^3*d^4*p*r*x^3 + 6*a^2*b^2*d^4*p*r*x^2 + 4*a^3*b*d^4*p*r*x + a^4*d^4*p*r)*log(b*x + a) - 12*(b^4*d^4*q*r*x^4 + 4*a*b^3*d^4*q*r*x^3 + 6*a^2*b^2*d^4*q*r*x^2 + 4*a^3*b*d^4*q*r*x - (b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3)*q*r)*log(d*x + c) - 12*(b^4*d^4*r*x^4 + 4*a*b^3*d^4*r*x^3 + 6*a^2*b^2*d^4*r*x^2 + 4*a^3*b*d^4*r*x)*log(e) - 12*(b^4*d^4*r*x^4 + 4*a*b^3*d^4*r*x^3 + 6*a^2*b^2*d^4*r*x^2 + 4*a^3*b*d^4*r*x)*log(f))/(b*d^4)`

Sympy [F(-1)]

Timed out.

$$\int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input `integrate((b*x+a)**3*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 285, normalized size of antiderivative = 1.66

$$\int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{4} (b^3 x^4 + 4ab^2 x^3 + 6a^2 b x^2 + 4a^3 x) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ \frac{\left(\frac{12a^4 f p \log(bx+a)}{b} - \frac{3b^3 d^3 f(p+q)x^4 + 4(ab^2 d^3 f(3p+4q) - b^3 c d^2 f q)x^3 + 6(3a^2 b d^3 f(p+2q) + b^3 c^2 d f q - 4ab^2 c d^2 f q)x^2 + 12(a^3 d^3 f(p+4q) - b^3 c^3 f q + 4a^2 b c^2 d f q - 4a^3 c^2 d^2 f q)x + 12(a^3 c^3 f q - 4a^2 b c^2 d f q + 6a^2 b^2 c d^2 f q - 4a^3 c^2 d^3 f q)}{d^3} \right)}{48 f}$$

input

```
integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")
```

output

```
1/4*(b^3*x^4 + 4*a*b^2*x^3 + 6*a^2*b*x^2 + 4*a^3*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) + 1/48*(12*a^4*f*p*log(b*x + a)/b - (3*b^3*d^3*f*(p + q)*x^4 + 4*(a*b^2*d^3*f*(3*p + 4*q) - b^3*c*d^2*f*q)*x^3 + 6*(3*a^2*b*d^3*f*(p + 2*q) + b^3*c^2*d*f*q - 4*a*b^2*c*d^2*f*q)*x^2 + 12*(a^3*d^3*f*(p + 4*q) - b^3*c^3*f*q + 4*a*b^2*c^2*d*f*q - 6*a^2*b*c*d^2*f*q)*x)/d^3 - 12*(b^3*c^4*f*q - 4*a*b^2*c^3*d*f*q + 6*a^2*b*c^2*d^2*f*q - 4*a^3*c*d^3*f*q)*log(d*x + c)/d^4)*r/f
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 415 vs. 2(158) = 316.

Time = 2.21 (sec) , antiderivative size = 415, normalized size of antiderivative = 2.41

$$\begin{aligned}
 & \int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
 &= \frac{a^4 p r \log(bx + a)}{4b} - \frac{1}{16} (b^3 p r + b^3 q r - 4b^3 r \log(f) - 4b^3 \log(e)) x^4 \\
 & \quad - \frac{(3ab^2 d p r - b^3 c q r + 4ab^2 d q r - 12ab^2 d r \log(f) - 12ab^2 d \log(e)) x^3}{12d} \\
 & \quad + \frac{1}{4} (b^3 p r x^4 + 4ab^2 p r x^3 + 6a^2 b p r x^2 + 4a^3 p r x) \log(bx + a) \\
 & \quad + \frac{1}{4} (b^3 q r x^4 + 4ab^2 q r x^3 + 6a^2 b q r x^2 + 4a^3 q r x) \log(dx + c) \\
 & \quad - \frac{(3a^2 b d^2 p r + b^3 c^2 q r - 4ab^2 c d q r + 6a^2 b d^2 q r - 12a^2 b d^2 r \log(f) - 12a^2 b d^2 \log(e)) x^2}{8d^2} \\
 & \quad - \frac{(a^3 d^3 p r - b^3 c^3 q r + 4ab^2 c^2 d q r - 6a^2 b c d^2 q r + 4a^3 d^3 q r - 4a^3 d^3 r \log(f) - 4a^3 d^3 \log(e)) x}{4d^3} \\
 & \quad - \frac{(b^3 c^4 q r - 4ab^2 c^3 d q r + 6a^2 b c^2 d^2 q r - 4a^3 c d^3 q r) \log(-dx - c)}{4d^4}
 \end{aligned}$$

input `integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output `1/4*a^4*p*r*log(b*x + a)/b - 1/16*(b^3*p*r + b^3*q*r - 4*b^3*r*log(f) - 4*b^3*log(e))*x^4 - 1/12*(3*a*b^2*d*p*r - b^3*c*q*r + 4*a*b^2*d*q*r - 12*a*b^2*d*r*log(f) - 12*a*b^2*d*log(e))*x^3/d + 1/4*(b^3*p*r*x^4 + 4*a*b^2*p*r*x^3 + 6*a^2*b*p*r*x^2 + 4*a^3*p*r*x)*log(b*x + a) + 1/4*(b^3*q*r*x^4 + 4*a*b^2*q*r*x^3 + 6*a^2*b*q*r*x^2 + 4*a^3*q*r*x)*log(d*x + c) - 1/8*(3*a^2*b*d^2*p*r + b^3*c^2*q*r - 4*a*b^2*c*d*q*r + 6*a^2*b*d^2*q*r - 12*a^2*b*d^2*r*log(f) - 12*a^2*b*d^2*log(e))*x^2/d^2 - 1/4*(a^3*d^3*p*r - b^3*c^3*q*r + 4*a*b^2*c^2*d*q*r - 6*a^2*b*c*d^2*q*r + 4*a^3*d^3*q*r - 4*a^3*d^3*r*log(f) - 4*a^3*d^3*log(e))*x/d^3 - 1/4*(b^3*c^4*q*r - 4*a*b^2*c^3*d*q*r + 6*a^2*b*c^2*d^2*q*r - 4*a^3*c*d^3*q*r)*log(-d*x - c)/d^4`

Mupad [B] (verification not implemented)

Time = 26.57 (sec) , antiderivative size = 501, normalized size of antiderivative = 2.91

$$\begin{aligned}
& \int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= x^2 \left(\frac{\left(\frac{b^2 r(4adp + bcp + 5adq)}{4d} - \frac{b^2 r(p+q)(4ad+4bc)}{16d} \right) (4ad + 4bc)}{8bd} \right. \\
&\quad \left. - \frac{abr(3adp + 2bcp + 5adq)}{4d} + \frac{ab^2 cr(p+q)}{8d} \right) \\
&\quad - x^3 \left(\frac{b^2 r(4adp + bcp + 5adq)}{12d} - \frac{b^2 r(p+q)(4ad+4bc)}{48d} \right) \\
&\quad + \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(a^3 x + \frac{3a^2 b x^2}{2} + a b^2 x^3 + \frac{b^3 x^4}{4} \right) \\
&\quad - x \left(\frac{(4ad + 4bc) \left(\frac{b^2 r(4adp + bcp + 5adq)}{4d} - \frac{b^2 r(p+q)(4ad+4bc)}{16d} \right) (4ad+4bc)}{4bd} - \frac{abr(3adp + 2bcp + 5adq)}{2d} + \frac{ab^2 cr(p+q)}{4d} \right. \\
&\quad \left. + \frac{a^2 r(2adp + 3bcp + 5adq)}{2d} - \frac{ac \left(\frac{b^2 r(4adp + bcp + 5adq)}{4d} - \frac{b^2 r(p+q)(4ad+4bc)}{16d} \right)}{bd} \right) \\
&\quad - \frac{\ln(c + dx) (-4qra^3 cd^3 + 6qra^2 bc^2 d^2 - 4qra b^2 c^3 d + qrb^3 c^4)}{4d^4} \\
&\quad - \frac{b^3 r x^4 (p+q)}{16} + \frac{a^4 p r \ln(a + bx)}{4b}
\end{aligned}$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a + b*x)^3,x)
```

output

```
x^2*(((b^2*r*(4*a*d*p + b*c*p + 5*a*d*q))/(4*d) - (b^2*r*(p + q)*(4*a*d +
4*b*c))/(16*d))*(4*a*d + 4*b*c))/(8*b*d) - (a*b*r*(3*a*d*p + 2*b*c*p + 5*
a*d*q))/(4*d) + (a*b^2*c*r*(p + q))/(8*d) - x^3*((b^2*r*(4*a*d*p + b*c*p
+ 5*a*d*q))/(12*d) - (b^2*r*(p + q)*(4*a*d + 4*b*c))/(48*d)) + log(e*(a
+ b*x)^p*(c + d*x)^q)^r*(a^3*x + (b^3*x^4)/4 + (3*a^2*b*x^2)/2 + a*b^2*x
^3) - x*(((4*a*d + 4*b*c)*(((b^2*r*(4*a*d*p + b*c*p + 5*a*d*q))/(4*d) - (
b^2*r*(p + q)*(4*a*d + 4*b*c))/(16*d))*(4*a*d + 4*b*c))/(4*b*d) - (a*b*r*(
3*a*d*p + 2*b*c*p + 5*a*d*q))/(2*d) + (a*b^2*c*r*(p + q))/(4*d)))/(4*b*d)
+ (a^2*r*(2*a*d*p + 3*b*c*p + 5*a*d*q))/(2*d) - (a*c*((b^2*r*(4*a*d*p + b*
c*p + 5*a*d*q))/(4*d) - (b^2*r*(p + q)*(4*a*d + 4*b*c))/(16*d)))/(b*d) -
(log(c + d*x)*(b^3*c^4*q*r - 4*a^3*c*d^3*q*r - 4*a*b^2*c^3*d*q*r + 6*a^2*b
*c^2*d^2*q*r))/(4*d^4) - (b^3*r*x^4*(p + q))/16 + (a^4*p*r*log(a + b*x))/(
4*b)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 471, normalized size of antiderivative = 2.74

$$\int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-12 \log(dx + c) a^4 d^4 q r + 48 \log(dx + c) a^3 b c d^3 q r - 72 \log(dx + c) a^2 b^2 c^2 d^2 q r + 48 \log(dx + c) a b^3 c^3 d q r}{48 b^4 d^4}$$

input

```
int((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
( - 12*log(c + d*x)*a**4*d**4*q*r + 48*log(c + d*x)*a**3*b*c*d**3*q*r - 72
*log(c + d*x)*a**2*b**2*c**2*d**2*q*r + 48*log(c + d*x)*a*b**3*c**3*d*q*r
- 12*log(c + d*x)*b**4*c**4*q*r + 12*log(f**r*(c + d*x)**(q*r)*(a + b*x)**
(p*r)*e)*a**4*d**4 + 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3
*b*d**4*x + 72*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**2*d**
4*x**2 + 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**3*d**4*x**3
+ 12*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*d**4*x**4 - 12*a*
*3*b*d**4*p*r*x - 48*a**3*b*d**4*q*r*x + 72*a**2*b**2*c*d**3*q*r*x - 18*a*
*2*b**2*d**4*p*r*x**2 - 36*a**2*b**2*d**4*q*r*x**2 - 48*a*b**3*c**2*d**2*q
*r*x + 24*a*b**3*c*d**3*q*r*x**2 - 12*a*b**3*d**4*p*r*x**3 - 16*a*b**3*d**
4*q*r*x**3 + 12*b**4*c**3*d*q*r*x - 6*b**4*c**2*d**2*q*r*x**2 + 4*b**4*c*d
**3*q*r*x**3 - 3*b**4*d**4*p*r*x**4 - 3*b**4*d**4*q*r*x**4)/(48*b*d**4)
```

3.9 $\int (a + bx)^2 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	125
Mathematica [A] (verified)	125
Rubi [A] (verified)	126
Maple [B] (verified)	127
Fricas [B] (verification not implemented)	128
Sympy [B] (verification not implemented)	129
Maxima [A] (verification not implemented)	130
Giac [B] (verification not implemented)	130
Mupad [B] (verification not implemented)	131
Reduce [B] (verification not implemented)	132

Optimal result

Integrand size = 29, antiderivative size = 143

$$\int (a + bx)^2 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= -\frac{(bc - ad)^2 qrx}{3d^2} + \frac{(bc - ad)qr(a + bx)^2}{6bd} - \frac{pr(a + bx)^3}{9b} - \frac{qr(a + bx)^3}{9b}$$

$$+ \frac{(bc - ad)^3 qr \log(c + dx)}{3bd^3} + \frac{(a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r)}{3b}$$

output

```
-1/3*(-a*d+b*c)^2*q*r*x/d^2+1/6*(-a*d+b*c)*q*r*(b*x+a)^2/b/d-1/9*p*r*(b*x+a)^3/b-1/9*q*r*(b*x+a)^3/b+1/3*(-a*d+b*c)^3*q*r*ln(d*x+c)/b/d^3+1/3*(b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
```

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 127, normalized size of antiderivative = 0.89

$$\int (a + bx)^2 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{r(6bd(bc-ad)^2(p+3q)x-3b^2(bc-ad)(2p+3q)(c+dx)^2+2b^3(p+q)(c+dx)^3-6(bc-ad)^3q \log(c+dx))}{6d^3} + (a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r)$$

input

```
Integrate[(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]
```

output

$$\frac{(-1/6*(r*(6*b*d*(b*c - a*d)^2*(p + 3*q)*x - 3*b^2*(b*c - a*d)*(2*p + 3*q)*(c + d*x)^2 + 2*b^3*(p + q)*(c + d*x)^3 - 6*(b*c - a*d)^3*q*Log[c + d*x]))/d^3 + (a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]}{(3*b)}$$

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.95, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{dqr \int \frac{(a+bx)^3}{c+dx} dx}{3b} - \frac{1}{3}pr \int (a + bx)^2 dx + \frac{(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3b}$$

$$\downarrow 17$$

$$-\frac{dqr \int \frac{(a+bx)^3}{c+dx} dx}{3b} + \frac{(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3b} - \frac{pr(a + bx)^3}{9b}$$

$$\downarrow 49$$

$$-\frac{dqr \int \left(\frac{(ad-bc)^3}{d^3(c+dx)} + \frac{b(bc-ad)^2}{d^3} + \frac{b(a+bx)^2}{d} - \frac{b(bc-ad)(a+bx)}{d^2} \right) dx}{3b} + \frac{(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3b} - \frac{pr(a + bx)^3}{9b}$$

$$\downarrow 2009$$

$$-\frac{dqr \left(-\frac{(bc-ad)^3 \log(c+dx)}{d^4} + \frac{bx(bc-ad)^2}{d^3} - \frac{(a+bx)^2(bc-ad)}{2d^2} + \frac{(a+bx)^3}{3d} \right)}{3b} + \frac{(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3b} - \frac{pr(a + bx)^3}{9b}$$

input

$$\text{Int}[(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]$$

output

$$-1/9*(p*r*(a + b*x)^3)/b - (d*q*r*((b*(b*c - a*d)^2*x)/d^3 - ((b*c - a*d)*(a + b*x)^2)/(2*d^2) + (a + b*x)^3/(3*d) - ((b*c - a*d)^3*\text{Log}[c + d*x])/d^4))/(3*b) + ((a + b*x)^3*\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)]/(3*b)$$
Defintions of rubi rules used

rule 17

$$\text{Int}[(c_.)*((a_.) + (b_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[c*((a + b*x)^{(m + 1)})/(b*(m + 1)), x] /; \text{FreeQ}\{a, b, c, m, x\} \ \&\& \ \text{NeQ}[m, -1]$$

rule 49

$$\text{Int}[(a_.) + (b_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$$

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$$

rule 2981

$$\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)}*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}*((g_.) + (h_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}/(c + d*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1]$$
Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 450 vs. $2(131) = 262$.

Time = 141.47 (sec) , antiderivative size = 451, normalized size of antiderivative = 3.15

method	result
parallelrisch	$\frac{6c^3qr b^3 + 6a^3d^3pr + 18a^3d^3qr - 18 \ln(e(f(bx+a)^p(dx+c)^q)^r) a^3d^3 + 12a^2bc d^2pr + 9a^2bc d^2qr - 2x^3b^3d^3pr - 2x^3b^3d^3qr + 18x^2 b^3d^3qr}{(a + b*x)^3 * (c + d*x)^r}$

input

$$\text{int}((b*x+a)^2*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r), x, \text{method}=_RETURNVERBOSE)$$

output

```
1/18*(6*c^3*q*r*b^3+6*a^3*d^3*p*r+18*a^3*d^3*q*r-18*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^3*d^3+12*a^2*b*c*d^2*p*r+9*a^2*b*c*d^2*q*r-2*x^3*b^3*d^3*p*r-2*x^3*b^3*d^3*q*r+18*x^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b^2*d^3+18*x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^2*b*d^3-36*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^2*b*c*d^2+24*ln(b*x+a)*a^3*d^3*p*r+18*ln(d*x+c)*a^3*d^3*q*r+6*ln(d*x+c)*b^3*c^3*q*r+6*x^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^3*d^3-6*x^2*a*b^2*d^3*p*r-9*x^2*a*b^2*d^3*q*r+3*x^2*b^3*c*d^2*q*r-6*x*a^2*b*d^3*p*r-18*x*a^2*b*d^3*q*r-6*x*b^3*c^2*d*q*r-15*a*c^2*d*q*r*b^2+18*x*a*b^2*c*d^2*q*r+36*ln(b*x+a)*a^2*b*c*d^2*p*r+54*ln(d*x+c)*a^2*b*c*d^2*q*r-18*ln(d*x+c)*a*b^2*c^2*d*q*r)/b/d^3
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 325 vs. $2(131) = 262$.

Time = 0.11 (sec) , antiderivative size = 325, normalized size of antiderivative = 2.27

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx =$$

$$\frac{2(b^3d^3p + b^3d^3q)rx^3 + 3(2ab^2d^3p - (b^3cd^2 - 3ab^2d^3)q)rx^2 + 6(a^2bd^3p + (b^3c^2d - 3ab^2cd^2 + 3a^2bd^3)q)rx + 3a^2b^2d^3p + (b^3c^2d - 3ab^2cd^2 + 3a^2bd^3)q}{(b^3d^3p + b^3d^3q)r} \log(bx + a) - \frac{6(b^3d^3p + b^3d^3q)rx^3 + 3a^2b^2d^3p + (b^3c^2d - 3ab^2cd^2 + 3a^2bd^3)q}{(b^3d^3p + b^3d^3q)r} \log(dx + c) - \frac{6(b^3d^3p + b^3d^3q)rx^3 + 3a^2b^2d^3p + (b^3c^2d - 3ab^2cd^2 + 3a^2bd^3)q}{(b^3d^3p + b^3d^3q)r} \log(e) - \frac{6(b^3d^3p + b^3d^3q)rx^3 + 3a^2b^2d^3p + (b^3c^2d - 3ab^2cd^2 + 3a^2bd^3)q}{(b^3d^3p + b^3d^3q)r} \log(f)}{(b^3d^3p + b^3d^3q)r}$$

input

```
integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")
```

output

```
-1/18*(2*(b^3*d^3*p + b^3*d^3*q)*r*x^3 + 3*(2*a*b^2*d^3*p - (b^3*c*d^2 - 3*a*b^2*d^3)*q)*r*x^2 + 6*(a^2*b*d^3*p + (b^3*c^2*d - 3*a*b^2*c*d^2 + 3*a^2*b*d^3)*q)*r*x - 6*(b^3*d^3*p*r*x^3 + 3*a*b^2*d^3*p*r*x^2 + 3*a^2*b*d^3*p*r*x + a^3*d^3*p*r)*log(b*x + a) - 6*(b^3*d^3*q*r*x^3 + 3*a*b^2*d^3*q*r*x^2 + 3*a^2*b*d^3*q*r*x + (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2)*q*r)*log(d*x + c) - 6*(b^3*d^3*x^3 + 3*a*b^2*d^3*x^2 + 3*a^2*b*d^3*x)*log(e) - 6*(b^3*d^3*r*x^3 + 3*a*b^2*d^3*r*x^2 + 3*a^2*b*d^3*r*x)*log(f))/(b*d^3)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 488 vs. $2(124) = 248$.

Time = 79.45 (sec) , antiderivative size = 488, normalized size of antiderivative = 3.41

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \begin{cases} a^2 x \log(e(a^p c^q f)^r) \\ a^2 \left(\frac{c \log(e(a^p f(c + dx)^q)^r)}{d} - qrx + x \log(e(a^p f(c + dx)^q)^r) \right) \\ \frac{a^3 \log(e(c^q f(a + bx)^p)^r)}{3b} - \frac{a^2 prx}{3} + a^2 x \log(e(c^q f(a + bx)^p)^r) - \frac{abprx^2}{3} + abx^2 \log(e(c^q f(a + bx)^p)^r) - \frac{b^2 prx^3}{9} \\ - \frac{a^3 qr \log(\frac{c}{d} + x)}{3b} + \frac{a^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3b} + \frac{a^2 cqr \log(\frac{c}{d} + x)}{d} - \frac{a^2 prx}{3} - a^2 qrx + a^2 x \log(e(f(a + bx)^p(c + dx)^q)^r) \end{cases}$$

input `integrate((b*x+a)**2*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r), x)`

output `Piecewise((a**2*x*log(e*(a**p*c**q*f)**r), Eq(b, 0) & Eq(d, 0)), (a**2*(c*log(e*(a**p*f*(c + d*x)**q)**r)/d - q*r*x + x*log(e*(a**p*f*(c + d*x)**q)**r)), Eq(b, 0)), (a**3*log(e*(c**q*f*(a + b*x)**p)**r)/(3*b) - a**2*p*r*x/3 + a**2*x*log(e*(c**q*f*(a + b*x)**p)**r) - a*b*p*r*x**2/3 + a*b*x**2*log(e*(c**q*f*(a + b*x)**p)**r) - b**2*p*r*x**3/9 + b**2*x**3*log(e*(c**q*f*(a + b*x)**p)**r)/3, Eq(d, 0)), (-a**3*q*r*log(c/d + x)/(3*b) + a**3*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/(3*b) + a**2*c*q*r*log(c/d + x)/d - a**2*p*r*x/3 - a**2*q*r*x + a**2*x*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r) - a*b*c**2*q*r*log(c/d + x)/d**2 + a*b*c*q*r*x/d - a*b*p*r*x**2/3 - a*b*q*r*x**2/2 + a*b*x**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r) + b**2*c**3*q*r*log(c/d + x)/(3*d**3) - b**2*c**2*q*r*x/(3*d**2) + b**2*c*q*r*x**2/(6*d) - b**2*p*r*x**3/9 - b**2*q*r*x**3/9 + b**2*x**3*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/3, True))`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 194, normalized size of antiderivative = 1.36

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{3} (b^2 x^3 + 3 abx^2 + 3 a^2 x) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ \frac{\left(\frac{6 a^3 p \log(bx+a)}{b} - \frac{2 b^2 d^2 f(p+q)x^3 + 3 (abd^2 f(2p+3q) - b^2 cdfq)x^2 + 6 (a^2 d^2 f(p+3q) + b^2 c^2 fq - 3 abcdfq)x}{d^2} + \frac{6 (b^2 c^3 fq - 3 abc^2 dfq + 3}{d^3} \right)}{18 f}$$

input `integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output `1/3*(b^2*x^3 + 3*a*b*x^2 + 3*a^2*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) + 1/18*(6*a^3*f*p*log(b*x + a)/b - (2*b^2*d^2*f*(p + q)*x^3 + 3*(a*b*d^2*f*(2*p + 3*q) - b^2*c*d*f*q)*x^2 + 6*(a^2*d^2*f*(p + 3*q) + b^2*c^2*f*q - 3*a*b*c*d*f*q)*x)/d^2 + 6*(b^2*c^3*f*q - 3*a*b*c^2*d*f*q + 3*a^2*c*d^2*f*q)*log(d*x + c)/d^3)*r/f`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 275 vs. 2(131) = 262.

Time = 0.82 (sec) , antiderivative size = 275, normalized size of antiderivative = 1.92

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{a^3 p r \log(bx + a)}{3 b} - \frac{1}{9} (b^2 p r + b^2 q r - 3 b^2 r \log(f) - 3 b^2 \log(e)) x^3$$

$$- \frac{(2 abdpr - b^2 cqr + 3 abdqr - 6 abdr \log(f) - 6 abd \log(e)) x^2}{6 d}$$

$$+ \frac{1}{3} (b^2 p r x^3 + 3 abp r x^2 + 3 a^2 p r x) \log(bx + a)$$

$$+ \frac{1}{3} (b^2 q r x^3 + 3 abq r x^2 + 3 a^2 q r x) \log(dx + c)$$

$$- \frac{(a^2 d^2 p r + b^2 c^2 q r - 3 abcdq r + 3 a^2 d^2 q r - 3 a^2 d^2 r \log(f) - 3 a^2 d^2 \log(e)) x}{3 d^2}$$

$$+ \frac{(b^2 c^3 q r - 3 abc^2 dqr + 3 a^2 cd^2 q r) \log(-dx - c)}{3 d^3}$$

input `integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output
$$\begin{aligned} & 1/3*a^3*p*r*log(b*x + a)/b - 1/9*(b^2*p*r + b^2*q*r - 3*b^2*r*log(f) - 3*b \\ & ^2*log(e))*x^3 - 1/6*(2*a*b*d*p*r - b^2*c*q*r + 3*a*b*d*q*r - 6*a*b*d*r*lo \\ & g(f) - 6*a*b*d*log(e))*x^2/d + 1/3*(b^2*p*r*x^3 + 3*a*b*p*r*x^2 + 3*a^2*p* \\ & r*x)*log(b*x + a) + 1/3*(b^2*q*r*x^3 + 3*a*b*q*r*x^2 + 3*a^2*q*r*x)*log(d* \\ & x + c) - 1/3*(a^2*d^2*p*r + b^2*c^2*q*r - 3*a*b*c*d*q*r + 3*a^2*d^2*q*r - \\ & 3*a^2*d^2*r*log(f) - 3*a^2*d^2*log(e))*x/d^2 + 1/3*(b^2*c^3*q*r - 3*a*b*c^ \\ & 2*d*q*r + 3*a^2*c*d^2*q*r)*log(-d*x - c)/d^3 \end{aligned}$$

Mupad [B] (verification not implemented)

Time = 26.60 (sec) , antiderivative size = 255, normalized size of antiderivative = 1.78

$$\begin{aligned} & \int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\ & = x \left(\frac{\left(\frac{br(3adp + bcp + 4adq)}{3d} - \frac{br(p+q)(3ad + 3bc)}{9d} \right) (3ad + 3bc)}{3bd} \right. \\ & \quad \left. - \frac{ar(adp + bcp + 2adq)}{d} + \frac{abcr(p+q)}{3d} \right) \\ & - x^2 \left(\frac{br(3adp + bcp + 4adq)}{6d} - \frac{br(p+q)(3ad + 3bc)}{18d} \right) \\ & + \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(a^2x + abx^2 + \frac{b^2x^3}{3} \right) \\ & + \frac{\ln(c + dx)(3qra^2cd^2 - 3qrabc^2d + qrb^2c^3)}{3d^3} \\ & - \frac{b^2rx^3(p+q)}{9} + \frac{a^3pr \ln(a + bx)}{3b} \end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a + b*x)^2,x)`

output

```
x*(((b*r*(3*a*d*p + b*c*p + 4*a*d*q))/(3*d) - (b*r*(p + q)*(3*a*d + 3*b*c)))/(9*d))*(3*a*d + 3*b*c)/(3*b*d) - (a*r*(a*d*p + b*c*p + 2*a*d*q))/d + (a*b*c*r*(p + q))/(3*d) - x^2*((b*r*(3*a*d*p + b*c*p + 4*a*d*q))/(6*d) - (b*r*(p + q)*(3*a*d + 3*b*c))/(18*d)) + log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a^2*x + (b^2*x^3)/3 + a*b*x^2) + (log(c + d*x)*(b^2*c^3*q*r + 3*a^2*c*d^2*q*r - 3*a*b*c^2*d*q*r))/(3*d^3) - (b^2*r*x^3*(p + q))/9 + (a^3*p*r*log(a + b*x))/(3*b)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 331, normalized size of antiderivative = 2.31

$$\int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-6 \log(dx + c) a^3 d^3 qr + 18 \log(dx + c) a^2 bc d^2 qr - 18 \log(dx + c) a b^2 c^2 dqr + 6 \log(dx + c) b^3 c^3 qr + 6 \log(dx + c) a^2 b^2 c^2 dqr - 6 \log(dx + c) a b^3 c^2 dqr - 6 \log(dx + c) a^2 b^3 c^2 dqr + 6 \log(dx + c) a b^2 c^3 dqr + 6 \log(dx + c) a^3 c^3 dqr}{18 b^3 d^3}$$

input

```
int((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
( - 6*log(c + d*x)*a**3*d**3*q*r + 18*log(c + d*x)*a**2*b*c*d**2*q*r - 18*log(c + d*x)*a*b**2*c**2*d*q*r + 6*log(c + d*x)*b**3*c**3*q*r + 6*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*d**3 + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b*d**3*x + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**2*d**3*x**2 + 6*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**3*d**3*x**3 - 6*a**2*b*d**3*p*r*x - 18*a**2*b*d**3*q*r*x + 18*a*b**2*c*d**2*q*r*x - 6*a*b**2*d**3*p*r*x**2 - 9*a*b**2*d**3*q*r*x**2 - 6*b**3*c**2*d*q*r*x + 3*b**3*c*d**2*q*r*x**2 - 2*b**3*d**3*p*r*x**3 - 2*b**3*d**3*q*r*x**3)/(18*b*d**3)
```

3.10 $\int (a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	133
Mathematica [A] (verified)	133
Rubi [A] (verified)	134
Maple [B] (verified)	135
Fricas [A] (verification not implemented)	136
Sympy [B] (verification not implemented)	136
Maxima [A] (verification not implemented)	137
Giac [A] (verification not implemented)	138
Mupad [B] (verification not implemented)	138
Reduce [B] (verification not implemented)	139

Optimal result

Integrand size = 27, antiderivative size = 114

$$\int (a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{(bc - ad)qrx}{2d} - \frac{pr(a + bx)^2}{4b} - \frac{qr(a + bx)^2}{4b}$$

$$- \frac{(bc - ad)^2qr \log(c + dx)}{2bd^2} + \frac{(a + bx)^2 \log (e(f(a + bx)^p(c + dx)^q)^r)}{2b}$$

```
output 1/2*(-a*d+b*c)*q*r*x/d-1/4*p*r*(b*x+a)^2/b-1/4*q*r*(b*x+a)^2/b-1/2*(-a*d+b
*c)^2*q*r*ln(d*x+c)/b/d^2+1/2*(b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
```

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.92

$$\int (a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r) dx = \frac{a^2pr \log(a + bx)}{2b}$$

$$- \frac{2c(bc - 2ad)qr \log(c + dx) + dx(r(-2bcq + 2ad(p + 2q) + bd(p + q)x) - 2d(2a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r))}{4d^2}$$

```
input Integrate[(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]
```

output

$$\frac{(a^2 p r \operatorname{Log}[a + b x]) / (2 b) - (2 c (b c - 2 a d) q r \operatorname{Log}[c + d x] + d x (r (-2 b c q + 2 a d (p + 2 q) + b d (p + q) x) - 2 d (2 a + b x) \operatorname{Log}[e (f (a + b x)^p (c + d x)^q)^r])) / (4 d^2)}$$

Rubi [A] (verified)

Time = 0.28 (sec) , antiderivative size = 112, normalized size of antiderivative = 0.98, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {2981, 17, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + b x) \log (e (f (a + b x)^p (c + d x)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{d q r \int \frac{(a+b x)^2}{c+d x} d x}{2 b} - \frac{1}{2} p r \int (a+b x) d x + \frac{(a+b x)^2 \log (e (f (a+b x)^p (c+d x)^q)^r)}{2 b}$$

$$\downarrow 17$$

$$-\frac{d q r \int \frac{(a+b x)^2}{c+d x} d x}{2 b} + \frac{(a+b x)^2 \log (e (f (a+b x)^p (c+d x)^q)^r)}{2 b} - \frac{p r (a+b x)^2}{4 b}$$

$$\downarrow 49$$

$$-\frac{d q r \int \left(\frac{(a d - b c)^2}{d^2 (c + d x)} - \frac{b (b c - a d)}{d^2} + \frac{b (a + b x)}{d} \right) d x}{2 b} + \frac{(a+b x)^2 \log (e (f (a+b x)^p (c+d x)^q)^r)}{2 b} - \frac{p r (a+b x)^2}{4 b}$$

$$\downarrow 2009$$

$$-\frac{d q r \left(\frac{(b c - a d)^2 \log (c + d x)}{d^3} - \frac{b x (b c - a d)}{d^2} + \frac{(a + b x)^2}{2 d} \right)}{2 b} + \frac{(a+b x)^2 \log (e (f (a+b x)^p (c+d x)^q)^r)}{2 b} - \frac{p r (a+b x)^2}{4 b}$$

input

$$\operatorname{Int}[(a + b x) \operatorname{Log}[e (f (a + b x)^p (c + d x)^q)^r], x]$$

output

$$-1/4*(p*r*(a + b*x)^2)/b - (d*q*r*(-((b*(b*c - a*d)*x)/d^2) + (a + b*x)^2/(2*d) + ((b*c - a*d)^2*Log[c + d*x])/d^3)/(2*b) + ((a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(2*b)$$
Defintions of rubi rules used

rule 17

$$\text{Int}[(c_*)*((a_*) + (b_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Simp}[c*((a + b*x)^{(m + 1})/(b*(m + 1))), x] \text{ /; FreeQ}\{a, b, c, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$$

rule 49

$$\text{Int}[(a_*) + (b_*)*(x_))^{(m_*)}*((c_*) + (d_*)*(x_))^{(n_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ /; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$$

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ /; SumQ}[u]$$

rule 2981

$$\text{Int}[\text{Log}[e_*]*((f_*)*((a_*) + (b_*)*(x_))^{(p_*)}*((c_*) + (d_*)*(x_))^{(q_*)})^{(r_*)}*((g_*) + (h_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(h*(m + 1))), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \text{ Int}[(g + h*x)^{(m + 1)}/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \text{ Int}[(g + h*x)^{(m + 1)}/(c + d*x), x], x]) \text{ /; FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1]$$
Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 304 vs. $2(104) = 208$.

Time = 25.26 (sec) , antiderivative size = 305, normalized size of antiderivative = 2.68

method	result
parallelrisch	$\frac{-x^2 b^2 d^2 p r - x^2 b^2 d^2 q r + 6 \ln(bx+a) a^2 d^2 p r + 6 \ln(bx+a) a b c d p r + 4 \ln(dx+c) a^2 d^2 q r + 10 \ln(dx+c) a b c d q r - 2 \ln(dx+c) b^2 c^2 q r + 2 \dots}{\dots}$

input

$$\text{int}((b*x+a)*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r), x, \text{method}=_RETURNVERBOSE)$$

output

```
1/4*(-x^2*b^2*d^2*p*r-x^2*b^2*d^2*q*r+6*ln(b*x+a)*a^2*d^2*p*r+6*ln(b*x+a)*
a*b*c*d*p*r+4*ln(d*x+c)*a^2*d^2*q*r+10*ln(d*x+c)*a*b*c*d*q*r-2*ln(d*x+c)*b
^2*c^2*q*r+2*x^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^2*d^2-2*x*a*b*d^2*p*r-4
*x*a*b*d^2*q*r+2*x*b^2*c*d*q*r+4*x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b*d^2
+2*a^2*d^2*p*r+4*a^2*q*r*d^2+3*a*b*c*d*p*r+3*a*b*c*d*q*r-2*b^2*c^2*q*r-4*ln
(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^2*d^2-6*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*
a*b*c*d)/b/d^2
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 197, normalized size of antiderivative = 1.73

$$\int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \frac{(b^2 d^2 p + b^2 d^2 q) r x^2 + 2(ab d^2 p - (b^2 c d - 2 a b d^2) q) r x - 2(b^2 d^2 p r x^2 + 2 a b d^2 p r x + a^2 d^2 p r) \log(bx + a) + \dots}{b^2 d^2}$$

input

```
integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")
```

output

```
-1/4*((b^2*d^2*p + b^2*d^2*q)*r*x^2 + 2*(a*b*d^2*p - (b^2*c*d - 2*a*b*d^2)
*q)*r*x - 2*(b^2*d^2*p*r*x^2 + 2*a*b*d^2*p*r*x + a^2*d^2*p*r)*log(b*x + a)
- 2*(b^2*d^2*q*r*x^2 + 2*a*b*d^2*q*r*x - (b^2*c^2 - 2*a*b*c*d)*q*r)*log(d
*x + c) - 2*(b^2*d^2*x^2 + 2*a*b*d^2*x)*log(e) - 2*(b^2*d^2*r*x^2 + 2*a*b*
d^2*r*x)*log(f))/(b*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 325 vs. 2(99) = 198.

Time = 19.08 (sec) , antiderivative size = 325, normalized size of antiderivative = 2.85

$$\int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \begin{cases} ax \log(e(a^p c^q f)^r) \\ a \left(\frac{c \log(e(a^p f(c+dx)^q)^r)}{d} - qrx + x \log(e(a^p f(c+dx)^q)^r) \right) \\ \frac{a^2 \log(e(c^q f(a+bx)^p)^r)}{2b} - \frac{aprx}{2} + ax \log(e(c^q f(a+bx)^p)^r) - \frac{bprx^2}{4} + \frac{bx^2 \log(e(c^q f(a+bx)^p)^r)}{2} \\ - \frac{a^2 qr \log(\frac{c}{a} + x)}{2b} + \frac{a^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} + \frac{acqr \log(\frac{c}{a} + x)}{d} - \frac{aprx}{2} - aqr x + ax \log(e(f(a+bx)^p(c+dx)^q)^r) \end{cases}$$

input `integrate((b*x+a)*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)`

output `Piecewise((a*x*log(e*(a**p*c**q*f)**r), Eq(b, 0) & Eq(d, 0)), (a*(c*log(e*(a**p*f*(c + d*x)**q)**r)/d - q*r*x + x*log(e*(a**p*f*(c + d*x)**q)**r)), Eq(b, 0)), (a**2*log(e*(c**q*f*(a + b*x)**p)**r)/(2*b) - a*p*r*x/2 + a*x*log(e*(c**q*f*(a + b*x)**p)**r) - b*p*r*x**2/4 + b*x**2*log(e*(c**q*f*(a + b*x)**p)**r)/2, Eq(d, 0)), (-a**2*q*r*log(c/d + x)/(2*b) + a**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/(2*b) + a*c*q*r*log(c/d + x)/d - a*p*r*x/2 - a*q*r*x + a*x*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r) - b*c**2*q*r*log(c/d + x)/(2*d**2) + b*c*q*r*x/(2*d) - b*p*r*x**2/4 - b*q*r*x**2/4 + b*x**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/2, True))`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.04

$$\int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{2} (bx^2 + 2ax) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ \frac{\left(\frac{2a^2fp \log(bx+a)}{b} - \frac{bdf(p+q)x^2 + 2(adf(p+2q) - bcfq)x}{d} - \frac{2(bc^2fq - 2acdfq) \log(dx+c)}{d^2} \right) r}{4f}$$

input `integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output `1/2*(b*x^2 + 2*a*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) + 1/4*(2*a^2*f*p*log(b*x + a)/b - (b*d*f*(p + q)*x^2 + 2*(a*d*f*(p + 2*q) - b*c*f*q)*x)/d - 2*(b*c^2*f*q - 2*a*c*d*f*q)*log(d*x + c)/d^2)*r/f`

Giac [A] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.33

$$\begin{aligned}
& \int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \frac{a^2 pr \log(bx + a)}{2b} - \frac{1}{4} (bpr + bqr - 2br \log(f) - 2b \log(e))x^2 \\
&+ \frac{1}{2} (bprx^2 + 2aprx) \log(bx + a) + \frac{1}{2} (bqrx^2 + 2aqrx) \log(dx + c) \\
&- \frac{(adpr - bcqr + 2adqr - 2adr \log(f) - 2ad \log(e))x}{2d} \\
&- \frac{(bc^2qr - 2acdqr) \log(-dx - c)}{2d^2}
\end{aligned}$$

input `integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output `1/2*a^2*p*r*log(b*x + a)/b - 1/4*(b*p*r + b*q*r - 2*b*r*log(f) - 2*b*log(e))*x^2 + 1/2*(b*p*r*x^2 + 2*a*p*r*x)*log(b*x + a) + 1/2*(b*q*r*x^2 + 2*a*q*r*x)*log(d*x + c) - 1/2*(a*d*p*r - b*c*q*r + 2*a*d*q*r - 2*a*d*r*log(f) - 2*a*d*log(e))*x/d - 1/2*(b*c^2*q*r - 2*a*c*d*q*r)*log(-d*x - c)/d^2`

Mupad [B] (verification not implemented)

Time = 26.90 (sec) , antiderivative size = 128, normalized size of antiderivative = 1.12

$$\begin{aligned}
& \int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(\frac{bx^2}{2} + ax \right) \\
&- x \left(\frac{r(2adp + bcp + 3adq)}{2d} - \frac{r(p+q)(2ad + 2bc)}{4d} \right) \\
&- \frac{\ln(c + dx)(bc^2qr - 2acdqr)}{2d^2} - \frac{brx^2(p+q)}{4} + \frac{a^2 pr \ln(a + bx)}{2b}
\end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a + b*x),x)`

output

```
log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(a*x + (b*x^2)/2) - x*((r*(2*a*d*p +
b*c*p + 3*a*d*q))/(2*d) - (r*(p + q)*(2*a*d + 2*b*c))/(4*d)) - (log(c + d*
x)*(b*c^2*q*r - 2*a*c*d*q*r))/(2*d^2) - (b*r*x^2*(p + q))/4 + (a^2*p*r*log
(a + b*x))/(2*b)
```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.84

$$\int (a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-2 \log(dx + c) a^2 d^2 q r + 4 \log(dx + c) a b c d q r - 2 \log(dx + c) b^2 c^2 q r + 2 \log(f^r(dx + c)^{qr} (bx + a)^{pr} e) a^2}{1}$$

input

```
int((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
( - 2*log(c + d*x)*a**2*d**2*q*r + 4*log(c + d*x)*a*b*c*d*q*r - 2*log(c +
d*x)*b**2*c**2*q*r + 2*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*
d**2 + 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b*d**2*x + 2*log(
f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**2*d**2*x**2 - 2*a*b*d**2*p*r*
x - 4*a*b*d**2*q*r*x + 2*b**2*c*d*q*r*x - b**2*d**2*p*r*x**2 - b**2*d**2*q
*r*x**2)/(4*b*d**2)
```

3.11 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$

Optimal result	140
Mathematica [A] (verified)	140
Rubi [A] (verified)	141
Maple [A] (verified)	143
Fricas [F]	144
Sympy [F]	144
Maxima [A] (verification not implemented)	144
Giac [F]	145
Mupad [F(-1)]	145
Reduce [F]	146

Optimal result

Integrand size = 29, antiderivative size = 107

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = -\frac{pr \log^2(a+bx)}{2b} - \frac{qr \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{b} + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} - \frac{qr \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{b}$$

```
output -1/2*p*r*ln(b*x+a)^2/b-q*r*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/b+ln(b*x+a)*
ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-q*r*polylog(2,-d*(b*x+a)/(-a*d+b*c))/b
```

Mathematica [A] (verified)

Time = 0.12 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.87

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \frac{\log(a+bx) \left(pr \log(a+bx) + 2qr \log\left(\frac{b(c+dx)}{bc-ad}\right) - 2 \log(e(f(a+bx)^p(c+dx)^q)^r) \right) + 2qr \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{2b}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x),x]`

output `-1/2*(Log[a + b*x]*(p*r*Log[a + b*x] + 2*q*r*Log[(b*(c + d*x))/(b*c - a*d)] - 2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 2*q*r*PolyLog[2, (d*(a + b*x))/(-b*c + a*d)])/b`

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 110, normalized size of antiderivative = 1.03, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$, Rules used = {2980, 2837, 2738, 2841, 2840, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx \\
 & \quad \downarrow \text{2980} \\
 & -\frac{dqr \int \frac{\log(a+bx)}{c+dx} dx}{b} - pr \int \frac{\log(a+bx)}{a+bx} dx + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} \\
 & \quad \downarrow \text{2837} \\
 & -\frac{dqr \int \frac{\log(a+bx)}{c+dx} dx}{b} - \frac{pr \int \frac{\log(a+bx)}{a+bx} d(a+bx)}{b} + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} \\
 & \quad \downarrow \text{2738} \\
 & -\frac{dqr \int \frac{\log(a+bx)}{c+dx} dx}{b} + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} - \frac{pr \log^2(a+bx)}{2b} \\
 & \quad \downarrow \text{2841} \\
 & -\frac{dqr \left(\frac{\log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{d} - b \int \frac{\log\left(\frac{b(c+dx)}{bc-ad}\right)}{a+bx} dx \right)}{b} + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} - \frac{pr \log^2(a+bx)}{2b} \\
 & \quad \downarrow \text{2840}
 \end{aligned}$$

$$\begin{aligned}
& \frac{dqr \left(\frac{\log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{d} - \int \frac{\log\left(\frac{d(a+bx)}{bc-ad} + 1\right)}{a+bx} d(a+bx)}{b} \right) + \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} - \frac{pr \log^2(a+bx)}{2b}}{b} \\
& \quad \downarrow \text{2838} \\
& \frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} - \frac{dqr \left(\frac{\text{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{d} + \frac{\log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{d} \right)}{b} - \frac{pr \log^2(a+bx)}{2b}
\end{aligned}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(a + b*x),x]`

output `-1/2*(p*r*Log[a + b*x]^2)/b + (Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/b - (d*q*r*((Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)])/d + PolyLog[2, -((d*(a + b*x))/(b*c - a*d)]/d))/b`

Defintions of rubi rules used

rule 2738 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]`

rule 2837 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(q_.)), x_Symbol] := Simp[1/e Subst[Int[(f*(x/d))^q*(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e*f - d*g, 0]`

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

```
rule 2840 Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Simp[1/g Subst[Int[(a + b*Log[1 + c*e*(x/g)])/x, x], x, f + g*
x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c
*(e*f - d*g), 0]
```

```
rule 2841 Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*(a + b*Log[c*(d + e*x
)^n])/g, x] - Simp[b*e*(n/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

```
rule 2980 Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))
^(r_.)]/((g_.) + (h_.)*(x_)), x_Symbol] := Simp[Log[g + h*x]*(Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r)/h), x] + (-Simp[b*p*(r/h) Int[Log[g + h*x]/(a + b
*x), x], x] - Simp[d*q*(r/h) Int[Log[g + h*x]/(c + d*x), x], x]) /; FreeQ
[{a, b, c, d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0]
```

Maple [A] (verified)

Time = 19.49 (sec) , antiderivative size = 125, normalized size of antiderivative = 1.17

method	result	si
parts	$\frac{\ln(bx+a) \ln(e(f(bx+a)^p(dx+c)^q)^r)}{b} - \frac{r \left(\left(\frac{\operatorname{dilog}\left(\frac{-da+bc+d(bx+a)}{d}\right)}{d} + \frac{\ln(bx+a) \ln\left(\frac{-da+bc+d(bx+a)}{d}\right)}{d} \right) b dq + \frac{\ln(bx+a)^2 b p}{2} \right)}{b^2}$	12

```
input int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a), x, method=_RETURNVERBOSE)
```

```
output ln(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-1/b^2*r*((dilog((-d*a+b*c+d*(b
*x+a))/(-a*d+b*c))/d+ln(b*x+a)*ln((-d*a+b*c+d*(b*x+a))/(-a*d+b*c))/d)*b*d*
q+1/2*ln(b*x+a)^2*b*p)
```


Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{bx+a} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a),x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*x + a), x)`

Sympy [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(b*x+a),x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/(a + b*x), x)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.53

$$\begin{aligned} & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx \\ &= - \frac{\left(\frac{2 \left(\log(bx+a) \log\left(\frac{bdx+ad}{bc-ad}+1\right) + \text{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right) \right) f q}{b} - \frac{f p \log(bx+a)^2 + 2 f q \log(bx+a) \log(dx+c)}{b} \right) r}{2 f} \\ & \quad - \frac{(f p \log(bx+a) + f q \log(dx+c)) r \log(bx+a)}{b f} \\ & \quad + \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(bx+a)}{b} \end{aligned}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a),x, algorithm="maxima")`

output

```
-1/2*(2*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x +
a*d)/(b*c - a*d)))*f*q/b - (f*p*log(b*x + a)^2 + 2*f*q*log(b*x + a)*log(d
*x + c))/b)*r/f - (f*p*log(b*x + a) + f*q*log(d*x + c))*r*log(b*x + a)/(b*
f) + log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(b*x + a)/b
```

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{bx+a} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a),x, algorithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*x + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x),x)
```

output

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x), x)
```

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

$$= \frac{-2 \left(\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{bdpx^2+bdqx^2+adpx+adqx+bcpx+bcqx+acp+acq} dx \right) adpqr - 2 \left(\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{bdpx^2+bdqx^2+adpx+adqx+bcpx+bcqx+acp+acq} dx \right)}{adpqr}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a),x)`

output `(- 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*p*q*r - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*q**2*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*p*q*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*q**2*r + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2)/(2*b*r*(p + q))`

3.12 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx$

Optimal result	147
Mathematica [A] (verified)	147
Rubi [A] (verified)	148
Maple [A] (verified)	149
Fricas [A] (verification not implemented)	150
Sympy [F(-2)]	150
Maxima [A] (verification not implemented)	150
Giac [A] (verification not implemented)	151
Mupad [B] (verification not implemented)	151
Reduce [B] (verification not implemented)	152

Optimal result

Integrand size = 29, antiderivative size = 95

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = -\frac{pr}{b(a+bx)} + \frac{dqr \log(a+bx)}{b(bc-ad)} - \frac{dqr \log(c+dx)}{b(bc-ad)} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)}$$

output

```
-p*r/b/(b*x+a)+d*q*r*ln(b*x+a)/b/(-a*d+b*c)-d*q*r*ln(d*x+c)/b/(-a*d+b*c)-1
n(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.94

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \frac{r\left(-\frac{p}{a+bx} + \frac{dq \log(a+bx)}{bc-ad} - \frac{dq \log(c+dx)}{bc-ad}\right)}{b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^2,x]
```

output $(r*(-(p/(a + b*x)) + (d*q*Log[a + b*x])/(b*c - a*d) - (d*q*Log[c + d*x])/(b*c - a*d)))/b - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(b*(a + b*x))$

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 91, normalized size of antiderivative = 0.96, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 47, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx$$

↓ 2981

$$\frac{dqr \int \frac{1}{(a+bx)(c+dx)} dx}{b} + pr \int \frac{1}{(a+bx)^2} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)}$$

↓ 17

$$\frac{dqr \int \frac{1}{(a+bx)(c+dx)} dx}{b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} - \frac{pr}{b(a+bx)}$$

↓ 47

$$\frac{dqr \left(\frac{b \int \frac{1}{a+bx} dx}{bc-ad} - \frac{d \int \frac{1}{c+dx} dx}{bc-ad} \right)}{b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} - \frac{pr}{b(a+bx)}$$

↓ 16

$$-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \frac{dqr \left(\frac{\log(a+bx)}{bc-ad} - \frac{\log(c+dx)}{bc-ad} \right)}{b} - \frac{pr}{b(a+bx)}$$

input $\text{Int}[\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(a + b*x)^2, x]$

output $-((p*r)/(b*(a + b*x))) + (d*q*r*(Log[a + b*x]/(b*c - a*d) - Log[c + d*x]/(b*c - a*d)))/b - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(b*(a + b*x))$

Defintions of rubi rules used

- rule 16 $\text{Int}[(c_)/((a_)+(b_)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] /; \text{FreeQ}[\{a, b, c\}, x]$
- rule 17 $\text{Int}[(c_)*((a_)+(b_)*(x_))^(m_), x_Symbol] \rightarrow \text{Simp}[c*((a + b*x)^(m + 1)/(b*(m + 1))), x] /; \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$
- rule 47 $\text{Int}[1/(((a_)+(b_)*(x_))*((c_)+(d_)*(x_))), x_Symbol] \rightarrow \text{Simp}[b/(b*c - a*d) \ \text{Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \ \text{Int}[1/(c + d*x), x], x] /; \text{FreeQ}[\{a, b, c, d\}, x]$
- rule 2981 $\text{Int}[\text{Log}[(e_)*((f_)*((a_)+(b_)*(x_))^(p_)*((c_)+(d_)*(x_))^(q_))^(r_)]*((g_)+(h_)*(x_))^(m_), x_Symbol] \rightarrow \text{Simp}[(g + h*x)^(m + 1)*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(h*(m + 1))), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^(m + 1)/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m, p, q, r\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1]$

Maple [A] (verified)

Time = 63.41 (sec) , antiderivative size = 169, normalized size of antiderivative = 1.78

method	result
parallelrisch	$-\frac{\ln(bx+a)x b^3 d^2 q r - \ln(dx+c)x b^3 d^2 q r + \ln(bx+a)a b^2 d^2 q r - \ln(dx+c)a b^2 d^2 q r + a b^2 d^2 p r - b^3 c d p r + \ln(e(f(bx+a)^p(dx+c)^q)^r)}{(da-bc)(bx+a)d b^3}$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^2,x,method=_RETURNVERBOSE)`

output
$$-(\ln(b*x+a)*x*b^3*d^2*q*r - \ln(d*x+c)*x*b^3*d^2*q*r + \ln(b*x+a)*a*b^2*d^2*q*r - \ln(d*x+c)*a*b^2*d^2*q*r + a*b^2*d^2*p*r - b^3*c*d*p*r + \ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b^2*d^2 - \ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^3*c*d)/(a*d-b*c)/(b*x+a)/d/b^3$$

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 120, normalized size of antiderivative = 1.26

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \frac{(bc-ad)pr + (bc-ad)r \log(f) - (bdqrx + (adq - (bc-ad)p)r) \log(bx+a) + (bdqrx + bcqr) \log(a)}{ab^2c - a^2bd + (b^3c - ab^2d)x}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^2,x, algorithm="fricas")`

output `-((b*c - a*d)*p*r + (b*c - a*d)*r*log(f) - (b*d*q*r*x + (a*d*q - (b*c - a*d)*p)*r)*log(b*x + a) + (b*d*q*r*x + b*c*q*r)*log(d*x + c) + (b*c - a*d)*log(e))/(a*b^2*c - a^2*b*d + (b^3*c - a*b^2*d)*x)`

Sympy [F(-2)]

Exception generated.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \text{Exception raised: NotImplementedError}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(b*x+a)**2,x)`

output `Exception raised: NotImplementedError >> no valid subset found`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \frac{\left(dfq\left(\frac{\log(bx+a)}{bc-ad} - \frac{\log(dx+c)}{bc-ad}\right) - \frac{bfp}{b^2x+ab}\right)r}{bf} - \frac{\log(((bx+a)^p(dx+c)^qf)^r e)}{(bx+a)b}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^2,x, algorithm="maxima")`

output `(d*f*q*(log(b*x + a)/(b*c - a*d) - log(d*x + c)/(b*c - a*d)) - b*f*p/(b^2*x + a*b))*r/(b*f) - log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((b*x + a)*b)`

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.19

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \frac{dqr \log(bx+a)}{b^2c-abd} - \frac{dqr \log(dx+c)}{b^2c-abd} - \frac{pr \log(bx+a)}{b^2x+ab} - \frac{qr \log(dx+c)}{b^2x+ab} - \frac{pr+r \log(f) + \log(e)}{b^2x+ab}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^2,x, algorithm="giac")`

output `d*q*r*log(b*x + a)/(b^2*c - a*b*d) - d*q*r*log(d*x + c)/(b^2*c - a*b*d) - p*r*log(b*x + a)/(b^2*x + a*b) - q*r*log(d*x + c)/(b^2*x + a*b) - (p*r + r*log(f) + log(e))/(b^2*x + a*b)`

Mupad [B] (verification not implemented)

Time = 29.62 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = -\frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \left(x + \frac{a}{b}\right)}{(a+bx)^2} - \frac{pr}{x b^2 + a b} + \frac{dqr \operatorname{atan}\left(\frac{bc2i+bdx2i}{ad-bc} + 1i\right) 2i}{b(ad-bc)}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x)^2,x)`

output

$$\frac{(dqr \operatorname{atan}\left(\frac{bc + bdx}{ad - bc}\right) + i)^2}{b(ad - bc)} - \frac{(p+r)(a + bx)^{-2} - \log(e(f(a + bx)^p(c + dx)^q)^r)(x + a/b)}{a + bx}$$
Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 217, normalized size of antiderivative = 2.28

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{(a + bx)^2} dx$$

$$= \frac{-\log(bx + a) a^2 dpr - \log(bx + a) a^2 dqr + \log(bx + a) abcpr - \log(bx + a) abdprx - \log(bx + a) abdqr x}{(a + bx)^2}$$

input

$$\operatorname{int}(\log(e(f(bx+a)^p(d*x+c)^q)^r)/(bx+a)^2,x)$$

output

$$\left(-\log(a + bx) a^2 d p r - \log(a + bx) a^2 d q r + \log(a + bx) a b c p r - \log(a + bx) a b d p r x - \log(a + bx) a b d q r x + \log(a + bx) b^2 c p r x + \log(c + dx) a b c q r + \log(c + dx) b^2 c q r x + \log(f^r(c + dx)^{q r})(a + bx)^{p r} e^{a b d x} - \log(f^r(c + dx)^{q r})(a + bx)^{p r} e^{a b d x} - b^2 c p r x \right) / (a b (a^2 d - a b c + a b d x - b^2 c x))$$

3.13 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$

Optimal result	153
Mathematica [A] (verified)	153
Rubi [A] (verified)	154
Maple [B] (verified)	155
Fricas [B] (verification not implemented)	156
Sympy [F(-1)]	157
Maxima [A] (verification not implemented)	157
Giac [A] (verification not implemented)	158
Mupad [B] (verification not implemented)	158
Reduce [B] (verification not implemented)	159

Optimal result

Integrand size = 29, antiderivative size = 135

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = -\frac{pr}{4b(a+bx)^2} - \frac{dqr}{2b(bc-ad)(a+bx)} - \frac{d^2qr \log(a+bx)}{2b(bc-ad)^2} + \frac{d^2qr \log(c+dx)}{2b(bc-ad)^2} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2}$$

```
output -1/4*p*r/b/(b*x+a)^2-1/2*d*q*r/b/(-a*d+b*c)/(b*x+a)-1/2*d^2*q*r*ln(b*x+a)/
b/(-a*d+b*c)^2+1/2*d^2*q*r*ln(d*x+c)/b/(-a*d+b*c)^2-1/2*ln(e*(f*(b*x+a)^p*
(d*x+c)^q)^r)/b/(b*x+a)^2
```

Mathematica [A] (verified)

Time = 0.25 (sec) , antiderivative size = 116, normalized size of antiderivative = 0.86

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \frac{r \left(-\frac{p-\frac{2dq(a+bx)}{-bc+ad}}{2(a+bx)^2} - \frac{d^2q \log(a+bx)}{(bc-ad)^2} + \frac{d^2q \log(c+dx)}{(bc-ad)^2} \right) - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2}}{2b}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^3,x]`

output $(r*(-1/2*(p - (2*d*q*(a + b*x))/(-b*c + a*d))/(a + b*x)^2 - (d^2*q*Log[a + b*x])/(b*c - a*d)^2 + (d^2*q*Log[c + d*x])/(b*c - a*d)^2) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^2)/(2*b)$

Rubi [A] (verified)

Time = 0.30 (sec) , antiderivative size = 119, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$$

$$\downarrow 2981$$

$$\frac{dqr \int \frac{1}{(a+bx)^2(c+dx)} dx}{2b} + \frac{1}{2} pr \int \frac{1}{(a+bx)^3} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2}$$

$$\downarrow 17$$

$$\frac{dqr \int \frac{1}{(a+bx)^2(c+dx)} dx}{2b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} - \frac{pr}{4b(a+bx)^2}$$

$$\downarrow 54$$

$$\frac{dqr \int \left(\frac{d^2}{(bc-ad)^2(c+dx)} - \frac{bd}{(bc-ad)^2(a+bx)} + \frac{b}{(bc-ad)(a+bx)^2} \right) dx}{2b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} - \frac{pr}{4b(a+bx)^2}$$

$$\downarrow 2009$$

$$-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \frac{dqr \left(-\frac{1}{(a+bx)(bc-ad)} - \frac{d \log(a+bx)}{(bc-ad)^2} + \frac{d \log(c+dx)}{(bc-ad)^2} \right)}{2b} - \frac{pr}{4b(a+bx)^2}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(a + b*x)^3,x]`

output `-1/4*(p*r)/(b*(a + b*x)^2) + (d*q*r*(-1/((b*c - a*d)*(a + b*x))) - (d*Log[a + b*x])/(b*c - a*d)^2 + (d*Log[c + d*x])/(b*c - a*d)^2)/(2*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(2*b*(a + b*x)^2)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

rule 54 `Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && !LtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 766 vs. $2(125) = 250$.

Time = 281.17 (sec) , antiderivative size = 767, normalized size of antiderivative = 5.68

method	result
parallelrisc	$-\frac{2 \ln(bx+a)x^2 a^4 b^2 c d^2 p r + 2 \ln(bx+a)x^2 a^4 b^2 c d^2 q r - 4 \ln(bx+a)x^2 a^3 b^3 c^2 d p r - 4 \ln(dx+c)x^2 a^3 b^3 c^2 d q r + 4 \ln(bx+a)x a^5 b c d^2}{(a + b x)^3}$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^3,x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
 & -1/4*(2*\ln(b*x+a)*x^2*a^4*b^2*c*d^2*p*r+2*\ln(b*x+a)*x^2*a^4*b^2*c*d^2*q*r- \\
 & 4*\ln(b*x+a)*x^2*a^3*b^3*c^2*d*p*r-4*\ln(d*x+c)*x^2*a^3*b^3*c^2*d*q*r+4*\ln(b \\
 & *x+a)*x*a^5*b*c*d^2*p*r+4*\ln(b*x+a)*x*a^5*b*c*d^2*q*r-8*\ln(b*x+a)*x*a^4*b^ \\
 & 2*c^2*d*p*r-8*\ln(d*x+c)*x*a^4*b^2*c^2*d*q*r-2*x^2*\ln(e*(f*(b*x+a)^p*(d*x+c \\
 &)^q)^r)*a^2*b^4*c^3-4*x*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^3*b^3*c^3+2*\ln(b \\
 & *x+a)*a^6*c*d^2*p*r+2*\ln(b*x+a)*a^6*c*d^2*q*r+2*\ln(b*x+a)*a^4*b^2*c^3*p*r+ \\
 & 2*\ln(d*x+c)*a^4*b^2*c^3*q*r-x^2*a^2*b^4*c^3*p*r-2*x^2*\ln(e*(f*(b*x+a)^p*(d \\
 & *x+c)^q)^r)*a^4*b^2*c*d^2+4*x^2*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^3*b^3*c^ \\
 & 2*d-2*x*a^3*b^3*c^3*p*r-4*x*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^5*b*c*d^2+8* \\
 & x*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^4*b^2*c^2*d-4*\ln(d*x+c)*a^5*b*c^2*d*q* \\
 & r-x^2*a^4*b^2*c*d^2*p*r+2*x^2*a^4*b^2*c*d^2*q*r+2*x^2*a^3*b^3*c^2*d*p*r-2* \\
 & x^2*a^3*b^3*c^2*d*q*r-2*x*a^5*b*c*d^2*p*r+2*x*a^5*b*c*d^2*q*r+4*x*a^4*b^2* \\
 & c^2*d*p*r-2*x*a^4*b^2*c^2*d*q*r+2*\ln(b*x+a)*x^2*a^2*b^4*c^3*p*r+2*\ln(d*x+c \\
 &)*x^2*a^2*b^4*c^3*q*r+4*\ln(b*x+a)*x*a^3*b^3*c^3*p*r+4*\ln(d*x+c)*x*a^3*b^3* \\
 & c^3*q*r-4*\ln(b*x+a)*a^5*b*c^2*d*p*r)/(a^2*d^2-2*a*b*c*d+b^2*c^2)/b/(b*x+a) \\
 & ^2/a^4/c
 \end{aligned}$$

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 323 vs. $2(125) = 250$.

Time = 0.09 (sec) , antiderivative size = 323, normalized size of antiderivative = 2.39

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \frac{2(b^2cd - abd^2)qrx + 2(b^2c^2 - 2abcd + a^2d^2)r \log(f) + ((b^2c^2 - 2abcd + a^2d^2)p + 2(abcd - a^2d^2)q)r}{4(a^2b^3c^2 - \dots)}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^3,x, algorithm="fricas")`

output

```
-1/4*(2*(b^2*c*d - a*b*d^2)*q*r*x + 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*r*log(f) + ((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*p + 2*(a*b*c*d - a^2*d^2)*q)*r + 2*(b^2*d^2*q*r*x^2 + 2*a*b*d^2*q*r*x + (a^2*d^2*q + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*p)*r)*log(b*x + a) - 2*(b^2*d^2*q*r*x^2 + 2*a*b*d^2*q*r*x - (b^2*c^2 - 2*a*b*c*d)*q*r)*log(d*x + c) + 2*(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*log(e))/(a^2*b^3*c^2 - 2*a^3*b^2*c*d + a^4*b*d^2 + (b^5*c^2 - 2*a*b^4*c*d + a^2*b^3*d^2)*x^2 + 2*(a*b^4*c^2 - 2*a^2*b^3*c*d + a^3*b^2*d^2)*x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \text{Timed out}$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(b*x+a)**3,x)
```

output

Timed out

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 165, normalized size of antiderivative = 1.22

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$$

$$= - \frac{\left(2dfq\left(\frac{d\log(bx+a)}{b^2c^2-2abcd+a^2d^2} - \frac{d\log(dx+c)}{b^2c^2-2abcd+a^2d^2} + \frac{1}{abc-a^2d+(b^2c-abd)x}\right) + \frac{bfp}{b^3x^2+2ab^2x+a^2b}\right)r}{4bf}$$

$$- \frac{\log(((bx+a)^p(dx+c)^qf)^r e)}{2(bx+a)^2b}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^3,x, algorithm="maxima")
```

output

```
-1/4*(2*d*f*q*(d*log(b*x + a)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) - d*log(d*x
+ c)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) + 1/(a*b*c - a^2*d + (b^2*c - a*b*d)*
x)) + b*f*p/(b^3*x^2 + 2*a*b^2*x + a^2*b))*r/(b*f) - 1/2*log(((b*x + a)^p*
(d*x + c)^q*f)^r*e)/((b*x + a)^2*b)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 250, normalized size of antiderivative = 1.85

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = -\frac{d^2qr \log(bx+a)}{2(b^3c^2 - 2ab^2cd + a^2bd^2)} + \frac{d^2qr \log(dx+c)}{2(b^3c^2 - 2ab^2cd + a^2bd^2)} - \frac{pr \log(bx+a)}{2(b^3x^2 + 2ab^2x + a^2b)} - \frac{qr \log(dx+c)}{2(b^3x^2 + 2ab^2x + a^2b)} - \frac{2bdqrx + bcpr - adpr + 2adqr + 2bcr \log(f) - 2adr \log(f) + 2bc \log(e) - 2ad \log(e)}{4(b^4cx^2 - ab^3dx^2 + 2ab^3cx - 2a^2b^2dx + a^2b^2c - a^3bd)}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^3,x, algorithm="giac")
```

output

```
-1/2*d^2*q*r*log(b*x + a)/(b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2) + 1/2*d^2*q*
r*log(d*x + c)/(b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2) - 1/2*p*r*log(b*x + a)/
(b^3*x^2 + 2*a*b^2*x + a^2*b) - 1/2*q*r*log(d*x + c)/(b^3*x^2 + 2*a*b^2*x
+ a^2*b) - 1/4*(2*b*d*q*r*x + b*c*p*r - a*d*p*r + 2*a*d*q*r + 2*b*c*r*log(
f) - 2*a*d*r*log(f) + 2*b*c*log(e) - 2*a*d*log(e))/(b^4*c*x^2 - a*b^3*d*x^
2 + 2*a*b^3*c*x - 2*a^2*b^2*d*x + a^2*b^2*c - a^3*b*d)
```

Mupad [B] (verification not implemented)

Time = 29.95 (sec) , antiderivative size = 182, normalized size of antiderivative = 1.35

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \frac{bcpr-adpr+2adqr}{2(ad-bc)} + \frac{bdqrx}{ad-bc} - \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \left(\frac{x}{2} + \frac{a}{2b}\right)}{(a+bx)^3} + \frac{d^2qr \operatorname{atanh}\left(\frac{2b^3c^2-2a^2bd^2}{2b(ad-bc)^2} - \frac{2bdx}{ad-bc}\right)}{b(ad-bc)^2}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x)^3,x)`

output `((b*c*p*r - a*d*p*r + 2*a*d*q*r)/(2*(a*d - b*c)) + (b*d*q*r*x)/(a*d - b*c)) / (2*a^2*b + 2*b^3*x^2 + 4*a*b^2*x) - (log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(x/2 + a/(2*b)))/(a + b*x)^3 + (d^2*q*r*atanh((2*b^3*c^2 - 2*a^2*b*d^2)/(2*b*(a*d - b*c)^2) - (2*b*d*x)/(a*d - b*c)))/(b*(a*d - b*c)^2)`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 725, normalized size of antiderivative = 5.37

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^3,x)`

output `(- 2*log(a + b*x)*a**4*d**2*p*r - 2*log(a + b*x)*a**4*d**2*q*r + 4*log(a + b*x)*a**3*b*c*d*p*r - 4*log(a + b*x)*a**3*b*d**2*p*r*x - 4*log(a + b*x)*a**3*b*d**2*q*r*x - 2*log(a + b*x)*a**2*b**2*c**2*p*r + 8*log(a + b*x)*a**2*b**2*c*d*p*r*x - 2*log(a + b*x)*a**2*b**2*d**2*p*r*x**2 - 2*log(a + b*x)*a**2*b**2*d**2*q*r*x**2 - 4*log(a + b*x)*a*b**3*c**2*p*r*x + 4*log(a + b*x)*a*b**3*c*d*p*r*x**2 - 2*log(a + b*x)*b**4*c**2*p*r*x**2 + 4*log(c + d*x)*a**3*b*c*d*q*r - 2*log(c + d*x)*a**2*b**2*c**2*q*r + 8*log(c + d*x)*a**2*b**2*c*d*q*r*x - 4*log(c + d*x)*a*b**3*c**2*q*r*x + 4*log(c + d*x)*a*b**3*c*d*q*r*x**2 - 2*log(c + d*x)*b**4*c**2*q*r*x**2 + 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*b*d**2*x - 8*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**2*c*d*x + 2*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**2*d**2*x**2 + 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**3*c**2*x - 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**3*c*d*x**2 + 2*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*c**2*x**2 - a**4*d**2*p*r + a**4*d**2*q*r + 2*a**3*b*c*d*p*r - a**3*b*c*d*q*r - a**2*b**2*c**2*p*r - a**2*b**2*d**2*q*r*x**2 + a*b**3*c*d*q*r*x**2)/(4*a**2*b*(a**4*d**2 - 2*a**3*b*c*d + 2*a**3*b*d**2*x + a**2*b**2*c**2 - 4*a**2*b**2*c*d*x + a**2*b**2*d**2*x**2 + 2*a*b**3*c**2*x - 2*a*b**3*c*d*x**2 + b**4*c**2*x**2))`

3.14 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$

Optimal result	160
Mathematica [A] (verified)	161
Rubi [A] (verified)	161
Maple [F]	163
Fricas [B] (verification not implemented)	163
Sympy [F(-1)]	164
Maxima [A] (verification not implemented)	164
Giac [B] (verification not implemented)	165
Mupad [B] (verification not implemented)	166
Reduce [B] (verification not implemented)	166

Optimal result

Integrand size = 29, antiderivative size = 164

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = -\frac{pr}{9b(a+bx)^3} - \frac{dqr}{6b(bc-ad)(a+bx)^2} + \frac{d^2qr}{3b(bc-ad)^2(a+bx)} + \frac{d^3qr \log(a+bx)}{3b(bc-ad)^3} - \frac{d^3qr \log(c+dx)}{3b(bc-ad)^3} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3}$$

output

```
-1/9*p*r/b/(b*x+a)^3-1/6*d*q*r/b/(-a*d+b*c)/(b*x+a)^2+1/3*d^2*q*r/b/(-a*d+b*c)^2/(b*x+a)+1/3*d^3*q*r*ln(b*x+a)/b/(-a*d+b*c)^3-1/3*d^3*q*r*ln(d*x+c)/b/(-a*d+b*c)^3-1/3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)^3
```

Mathematica [A] (verified)

Time = 0.37 (sec) , antiderivative size = 141, normalized size of antiderivative = 0.86

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$= \frac{r \left(\frac{-2p + \frac{3dq(a+bx)}{-bc+ad} + \frac{6d^2q(a+bx)^2}{(bc-ad)^2}}{6(a+bx)^3} + \frac{d^3q \log(a+bx)}{(bc-ad)^3} - \frac{d^3q \log(c+dx)}{(bc-ad)^3} \right) - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3}}{3b}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^4,x]`

output `(r*((-2*p + (3*d*q*(a + b*x))/(-b*c) + a*d) + (6*d^2*q*(a + b*x)^2)/(b*c - a*d)^2)/(6*(a + b*x)^3) + (d^3*q*Log[a + b*x])/(b*c - a*d)^3 - (d^3*q*Log[c + d*x])/(b*c - a*d)^3 - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^3)/(3*b)`

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 144, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$\downarrow \text{2981}$$

$$\frac{dqr \int \frac{1}{(a+bx)^3(c+dx)} dx}{3b} + \frac{1}{3} pr \int \frac{1}{(a+bx)^4} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3}$$

$$\downarrow \text{17}$$

$$\frac{dqr \int \frac{1}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3}$$

$$\begin{array}{c}
 \downarrow 54 \\
 \frac{dqr \int \left(-\frac{d^3}{(bc-ad)^3(c+dx)} + \frac{bd^2}{(bc-ad)^3(a+bx)} - \frac{bd}{(bc-ad)^2(a+bx)^2} + \frac{b}{(bc-ad)(a+bx)^3} \right) dx}{\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3}} \\
 \downarrow 2009 \\
 \frac{dqr \left(\frac{d^2 \log(a+bx)}{(bc-ad)^3} - \frac{d^2 \log(c+dx)}{(bc-ad)^3} + \frac{d}{(a+bx)(bc-ad)^2} - \frac{1}{2(a+bx)^2(bc-ad)} \right)}{\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3}}
 \end{array}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^4,x]`

output `-1/9*(p*r)/(b*(a + b*x)^3) + (d*q*r*(-1/2*1/((b*c - a*d)*(a + b*x)^2) + d/((b*c - a*d)^2*(a + b*x)) + (d^2*Log[a + b*x])/(b*c - a*d)^3 - (d^2*Log[c + d*x])/(b*c - a*d)^3))/(3*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(3*b*(a + b*x)^3)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

rule 54 `Int[((a_) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1)))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{(bx+a)^4} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 580 vs. 2(152) = 304.

Time = 0.10 (sec) , antiderivative size = 580, normalized size of antiderivative = 3.54

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$= \frac{6(b^3cd^2 - ab^2d^3)qrx^2 - 3(b^3c^2d - 6ab^2cd^2 + 5a^2bd^3)qrx - 6(b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3)r \log(f)}{}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x, algorithm="fricas"
)
```

output

```
1/18*(6*(b^3*c*d^2 - a*b^2*d^3)*q*r*x^2 - 3*(b^3*c^2*d - 6*a*b^2*c*d^2 + 5
*a^2*b*d^3)*q*r*x - 6*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*
r*log(f) - (2*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*p + 3*(a
*b^2*c^2*d - 4*a^2*b*c*d^2 + 3*a^3*d^3)*q)*r + 6*(b^3*d^3*q*r*x^3 + 3*a*b^
2*d^3*q*r*x^2 + 3*a^2*b*d^3*q*r*x + (a^3*d^3*q - (b^3*c^3 - 3*a*b^2*c^2*d
+ 3*a^2*b*c*d^2 - a^3*d^3)*p)*r)*log(b*x + a) - 6*(b^3*d^3*q*r*x^3 + 3*a*b
^2*d^3*q*r*x^2 + 3*a^2*b*d^3*q*r*x + (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*
d^2)*q*r)*log(d*x + c) - 6*(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*
d^3)*log(e))/(a^3*b^4*c^3 - 3*a^4*b^3*c^2*d + 3*a^5*b^2*c*d^2 - a^6*b*d^3
+ (b^7*c^3 - 3*a*b^6*c^2*d + 3*a^2*b^5*c*d^2 - a^3*b^4*d^3)*x^3 + 3*(a*b^6
*c^3 - 3*a^2*b^5*c^2*d + 3*a^3*b^4*c*d^2 - a^4*b^3*d^3)*x^2 + 3*(a^2*b^5*c
^3 - 3*a^3*b^4*c^2*d + 3*a^4*b^3*c*d^2 - a^5*b^2*d^3)*x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \text{Timed out}$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(b*x+a)**4,x)
```

output

Timed out

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 289, normalized size of antiderivative = 1.76

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$= \frac{\left(3 \left(\frac{2d^2 \log(bx+a)}{b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3} - \frac{2d^2 \log(dx+c)}{b^3c^3 - 3ab^2c^2d + 3a^2bcd^2 - a^3d^3} + \frac{2bdx - bc + 3ad}{a^2b^2c^2 - 2a^3bcd + a^4d^2 + (b^4c^2 - 2ab^3cd + a^2b^2d^2)x^2 + 2(ab^3c^2 - 2ab^2cd + a^2b^2d^2)x + (ab^3c^2 - 2ab^2cd + a^2b^2d^2)} \right) \log(((bx+a)^p(dx+c)^q f)^r e)}{18bf} - \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{3(bx+a)^3b}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x, algorithm="maxima")
```

output

```
1/18*(3*(2*d^2*log(b*x + a)/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) - 2*d^2*log(d*x + c)/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) + (2*b*d*x - b*c + 3*a*d)/(a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2 + (b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*x))*d*f*q - 2*b*f*p/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)) *r/(b*f) - 1/3*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((b*x + a)^3*b)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 475 vs. $2(152) = 304$.

Time = 0.12 (sec) , antiderivative size = 475, normalized size of antiderivative = 2.90

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$= \frac{d^3qr \log(bx+a)}{3(b^4c^3 - 3ab^3c^2d + 3a^2b^2cd^2 - a^3bd^3)} - \frac{d^3qr \log(dx+c)}{3(b^4c^3 - 3ab^3c^2d + 3a^2b^2cd^2 - a^3bd^3)}$$

$$- \frac{pr \log(bx+a)}{3(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)} - \frac{qr \log(dx+c)}{3(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)}$$

$$+ \frac{6b^2d^2qrx^2 - 3b^2cdqrx + 15abd^2qrx - 2b^2c^2pr + 4abcdpr - 2a^2d^2pr - 3abcdqr + 9a^2d^2qr - 6b^2c^2r}{18(b^6c^2x^3 - 2ab^5cdx^3 + a^2b^4d^2x^3 + 3ab^5c^2x^2 - 6a^2b^4cdx^2 + 3a^3b^3d^2x^2 + \dots)}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x, algorithm="giac")
```

output

```
1/3*d^3*q*r*log(b*x + a)/(b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3) - 1/3*d^3*q*r*log(d*x + c)/(b^4*c^3 - 3*a*b^3*c^2*d + 3*a^2*b^2*c*d^2 - a^3*b*d^3) - 1/3*p*r*log(b*x + a)/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b) - 1/3*q*r*log(d*x + c)/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b) + 1/18*(6*b^2*d^2*q*r*x^2 - 3*b^2*c*d*q*r*x + 15*a*b*d^2*q*r*x - 2*b^2*c^2*p*r + 4*a*b*c*d*p*r - 2*a^2*d^2*p*r - 3*a*b*c*d*q*r + 9*a^2*d^2*q*r - 6*b^2*c^2*r*log(f) + 12*a*b*c*d*r*log(f) - 6*a^2*d^2*r*log(f) - 6*b^2*c^2*log(e) + 12*a*b*c*d*log(e) - 6*a^2*d^2*log(e))/(b^6*c^2*x^3 - 2*a*b^5*c*d*x^3 + a^2*b^4*d^2*x^3 + 3*a*b^5*c^2*x^2 - 6*a^2*b^4*c*d*x^2 + 3*a^3*b^3*d^2*x^2 + 3*a^2*b^4*c^2*x - 6*a^3*b^3*c*d*x + 3*a^4*b^2*d^2*x + a^3*b^3*c^2 - 2*a^4*b^2*c*d + a^5*b*d^2)
```

Mupad [B] (verification not implemented)

Time = 30.14 (sec) , antiderivative size = 346, normalized size of antiderivative = 2.11

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$= \frac{\frac{x(5abd^2qr - b^2cdqr)}{2(a^2d^2 - 2abcd + b^2c^2)} - \frac{2a^2d^2pr + 2b^2c^2pr - 9a^2d^2qr - 4abcdpr + 3abcdqr}{6(a^2d^2 - 2abcd + b^2c^2)} + \frac{b^2d^2qrx^2}{a^2d^2 - 2abcd + b^2c^2}}{3a^3b + 9a^2b^2x + 9ab^3x^2 + 3b^4x^3}$$

$$- \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \left(\frac{x}{3} + \frac{a}{3b}\right)}{(a+bx)^4}$$

$$- \frac{2d^3qr \operatorname{atanh}\left(\frac{3a^3bd^3 - 3a^2b^2cd^2 - 3ab^3c^2d + 3b^4c^3}{3b(ad-bc)^3} + \frac{2bdx(a^2d^2 - 2abcd + b^2c^2)}{(ad-bc)^3}\right)}{3b(ad-bc)^3}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x)^4,x)`output `((x*(5*a*b*d^2*q*r - b^2*c*d*q*r))/(2*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) - (2*a^2*d^2*p*r + 2*b^2*c^2*p*r - 9*a^2*d^2*q*r - 4*a*b*c*d*p*r + 3*a*b*c*d*q*r)/(6*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d)) + (b^2*d^2*q*r*x^2)/(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(3*a^3*b + 3*b^4*x^3 + 9*a^2*b^2*x + 9*a*b^3*x^2) - (log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(x/3 + a/(3*b)))/(a + b*x)^4 - (2*d^3*q*r*atanh((3*b^4*c^3 + 3*a^3*b*d^3 - 3*a^2*b^2*c*d^2 - 3*a*b^3*c^2*d)/(3*b*(a*d - b*c)^3) + (2*b*d*x*(a^2*d^2 + b^2*c^2 - 2*a*b*c*d))/(a*d - b*c)^3))/(3*b*(a*d - b*c)^3)`**Reduce [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 1465, normalized size of antiderivative = 8.93

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^4,x)`

output

```
( - 6*log(a + b*x)*a**6*d**3*p*r - 6*log(a + b*x)*a**6*d**3*q*r + 18*log(a
+ b*x)*a**5*b*c*d**2*p*r - 18*log(a + b*x)*a**5*b*d**3*p*r*x - 18*log(a +
b*x)*a**5*b*d**3*q*r*x - 18*log(a + b*x)*a**4*b**2*c**2*d*p*r + 54*log(a
+ b*x)*a**4*b**2*c*d**2*p*r*x - 18*log(a + b*x)*a**4*b**2*d**3*p*r*x**2 -
18*log(a + b*x)*a**4*b**2*d**3*q*r*x**2 + 6*log(a + b*x)*a**3*b**3*c**3*p*
r - 54*log(a + b*x)*a**3*b**3*c**2*d*p*r*x + 54*log(a + b*x)*a**3*b**3*c*d
**2*p*r*x**2 - 6*log(a + b*x)*a**3*b**3*d**3*p*r*x**3 - 6*log(a + b*x)*a**
3*b**3*d**3*q*r*x**3 + 18*log(a + b*x)*a**2*b**4*c**3*p*r*x - 54*log(a + b
*x)*a**2*b**4*c**2*d*p*r*x**2 + 18*log(a + b*x)*a**2*b**4*c*d**2*p*r*x**3
+ 18*log(a + b*x)*a*b**5*c**3*p*r*x**2 - 18*log(a + b*x)*a*b**5*c**2*d*p*r
*x**3 + 6*log(a + b*x)*b**6*c**3*p*r*x**3 + 18*log(c + d*x)*a**5*b*c*d**2*
q*r - 18*log(c + d*x)*a**4*b**2*c**2*d*q*r + 54*log(c + d*x)*a**4*b**2*c*d
**2*q*r*x + 6*log(c + d*x)*a**3*b**3*c**3*q*r - 54*log(c + d*x)*a**3*b**3*
c**2*d*q*r*x + 54*log(c + d*x)*a**3*b**3*c*d**2*q*r*x**2 + 18*log(c + d*x)
*a**2*b**4*c**3*q*r*x - 54*log(c + d*x)*a**2*b**4*c**2*d*q*r*x**2 + 18*log
(c + d*x)*a**2*b**4*c*d**2*q*r*x**3 + 18*log(c + d*x)*a*b**5*c**3*q*r*x**2
- 18*log(c + d*x)*a*b**5*c**2*d*q*r*x**3 + 6*log(c + d*x)*b**6*c**3*q*r*x
**3 + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**5*b*d**3*x - 54*
log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**4*b**2*c*d**2*x + 18*log(
f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**4*b**2*d**3*x**2 + 54*log(...
```


3.15 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$

Optimal result	168
Mathematica [A] (verified)	169
Rubi [A] (verified)	169
Maple [F]	171
Fricas [B] (verification not implemented)	171
Sympy [F(-2)]	172
Maxima [B] (verification not implemented)	173
Giac [B] (verification not implemented)	174
Mupad [B] (verification not implemented)	175
Reduce [B] (verification not implemented)	175

Optimal result

Integrand size = 29, antiderivative size = 193

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = -\frac{pr}{16b(a+bx)^4} - \frac{dqr}{12b(bc-ad)(a+bx)^3} + \frac{d^2qr}{8b(bc-ad)^2(a+bx)^2} - \frac{d^3qr}{4b(bc-ad)^3(a+bx)} - \frac{d^4qr \log(a+bx)}{4b(bc-ad)^4} + \frac{d^4qr \log(c+dx)}{4b(bc-ad)^4} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4}$$

output

```
-1/16*p*r/b/(b*x+a)^4-1/12*d*q*r/b/(-a*d+b*c)/(b*x+a)^3+1/8*d^2*q*r/b/(-a*d+b*c)^2/(b*x+a)^2-1/4*d^3*q*r/b/(-a*d+b*c)^3/(b*x+a)-1/4*d^4*q*r*ln(b*x+a)/b/(-a*d+b*c)^4+1/4*d^4*q*r*ln(d*x+c)/b/(-a*d+b*c)^4-1/4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)^4
```

Mathematica [A] (verified)

Time = 0.39 (sec) , antiderivative size = 164, normalized size of antiderivative = 0.85

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

$$= \frac{r \left(\frac{-3p + \frac{4dq(a+bx)}{-bc+ad} + \frac{6d^2q(a+bx)^2}{(bc-ad)^2} - \frac{12d^3q(a+bx)^3}{(bc-ad)^3}}{12(a+bx)^4} - \frac{d^4q \log(a+bx)}{(bc-ad)^4} + \frac{d^4q \log(c+dx)}{(bc-ad)^4} \right) - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4}}{4b}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^5,x]`

output `(r*((-3*p + (4*d*q*(a + b*x))/(-b*c) + a*d) + (6*d^2*q*(a + b*x)^2)/(b*c - a*d)^2 - (12*d^3*q*(a + b*x)^3)/(b*c - a*d)^3)/(12*(a + b*x)^4) - (d^4*q*Log[a + b*x])/b*c - a*d)^4 + (d^4*q*Log[c + d*x])/b*c - a*d)^4 - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^4)/(4*b)`

Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 169, normalized size of antiderivative = 0.88, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2981, 17, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

$$\downarrow \text{2981}$$

$$\frac{dqr \int \frac{1}{(a+bx)^4(c+dx)} dx}{4b} + \frac{1}{4} pr \int \frac{1}{(a+bx)^5} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4}$$

$$\downarrow \text{17}$$

$$\frac{dqr \int \frac{1}{(a+bx)^4(c+dx)} dx}{4b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} - \frac{pr}{16b(a+bx)^4}$$

$$\begin{array}{c}
 \downarrow 54 \\
 \frac{dqr \int \left(\frac{d^4}{(bc-ad)^4(c+dx)} - \frac{bd^3}{(bc-ad)^4(a+bx)} + \frac{bd^2}{(bc-ad)^3(a+bx)^2} - \frac{bd}{(bc-ad)^2(a+bx)^3} + \frac{b}{(bc-ad)(a+bx)^4} \right) dx}{\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} - \frac{pr}{16b(a+bx)^4}} \\
 \downarrow 2009 \\
 \frac{dqr \left(-\frac{d^3 \log(a+bx)}{(bc-ad)^4} + \frac{d^3 \log(c+dx)}{(bc-ad)^4} - \frac{d^2}{(a+bx)(bc-ad)^3} + \frac{d}{2(a+bx)^2(bc-ad)^2} - \frac{1}{3(a+bx)^3(bc-ad)} \right)}{\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} - \frac{pr}{16b(a+bx)^4}}
 \end{array}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(a + b*x)^5,x]`

output `-1/16*(p*r)/(b*(a + b*x)^4) + (d*q*r*(-1/3*1/((b*c - a*d)*(a + b*x)^3) + d/(2*(b*c - a*d)^2*(a + b*x)^2) - d^2/((b*c - a*d)^3*(a + b*x)) - (d^3*Log[a + b*x])/(b*c - a*d)^4 + (d^3*Log[c + d*x])/(b*c - a*d)^4)/(4*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(4*b*(a + b*x)^4)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

rule 54 `Int[((a_) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{(bx+a)^5} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 861 vs. 2(179) = 358.

Time = 0.11 (sec) , antiderivative size = 861, normalized size of antiderivative = 4.46

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{Too large to display}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x, algorithm="fricas"
)
```

output

```
-1/48*(12*(b^4*c*d^3 - a*b^3*d^4)*q*r*x^3 - 6*(b^4*c^2*d^2 - 8*a*b^3*c*d^3
+ 7*a^2*b^2*d^4)*q*r*x^2 + 4*(b^4*c^3*d - 6*a*b^3*c^2*d^2 + 18*a^2*b^2*c*
d^3 - 13*a^3*b*d^4)*q*r*x + 12*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^
2 - 4*a^3*b*c*d^3 + a^4*d^4)*r*log(f) + (3*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^
2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*p + 2*(2*a*b^3*c^3*d - 9*a^2*b^2*
c^2*d^2 + 18*a^3*b*c*d^3 - 11*a^4*d^4)*q)*r + 12*(b^4*d^4*q*r*x^4 + 4*a*b^
3*d^4*q*r*x^3 + 6*a^2*b^2*d^4*q*r*x^2 + 4*a^3*b*d^4*q*r*x + (a^4*d^4*q + (
b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*p)*
r)*log(b*x + a) - 12*(b^4*d^4*q*r*x^4 + 4*a*b^3*d^4*q*r*x^3 + 6*a^2*b^2*d^
4*q*r*x^2 + 4*a^3*b*d^4*q*r*x - (b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^
^2 - 4*a^3*b*c*d^3)*q*r)*log(d*x + c) + 12*(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^
2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4)*log(e))/(a^4*b^5*c^4 - 4*a^5*b^4*
c^3*d + 6*a^6*b^3*c^2*d^2 - 4*a^7*b^2*c*d^3 + a^8*b*d^4 + (b^9*c^4 - 4*a*b^
^8*c^3*d + 6*a^2*b^7*c^2*d^2 - 4*a^3*b^6*c*d^3 + a^4*b^5*d^4)*x^4 + 4*(a*b^
^8*c^4 - 4*a^2*b^7*c^3*d + 6*a^3*b^6*c^2*d^2 - 4*a^4*b^5*c*d^3 + a^5*b^4*d^
^4)*x^3 + 6*(a^2*b^7*c^4 - 4*a^3*b^6*c^3*d + 6*a^4*b^5*c^2*d^2 - 4*a^5*b^4
*c*d^3 + a^6*b^3*d^4)*x^2 + 4*(a^3*b^6*c^4 - 4*a^4*b^5*c^3*d + 6*a^5*b^4*c^
^2*d^2 - 4*a^6*b^3*c*d^3 + a^7*b^2*d^4)*x)
```

Sympy [F(-2)]

Exception generated.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{Exception raised: HeuristicGCDFailed}$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(b*x+a)**5,x)
```

output

```
Exception raised: HeuristicGCDFailed >> no luck
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 459 vs. $2(179) = 358$.

Time = 0.05 (sec) , antiderivative size = 459, normalized size of antiderivative = 2.38

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx =$$

$$\frac{\left(2 \left(\frac{6d^3 \log(bx+a)}{b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3bcd^3 + a^4d^4} - \frac{6d^3 \log(dx+c)}{b^4c^4 - 4ab^3c^3d + 6a^2b^2c^2d^2 - 4a^3bcd^3 + a^4d^4} + \frac{6d^3 \log(dx+c)}{a^3b^3c^3 - 3a^4b^2c^2d + 3a^5bcd^2 - a^6d^3}\right) \log(((bx+a)^p(dx+c)^q f)^r e)}{4(bx+a)^4 b}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x, algorithm="maxima")`

output `-1/48*(2*(6*d^3*log(b*x + a)/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) - 6*d^3*log(d*x + c)/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) + (6*b^2*d^2*x^2 + 2*b^2*c^2 - 7*a*b*c*d + 11*a^2*d^2 - 3*(b^2*c*d - 5*a*b*d^2)*x)/(a^3*b^3*c^3 - 3*a^4*b^2*c^2*d + 3*a^5*b*c*d^2 - a^6*d^3 + (b^6*c^3 - 3*a*b^5*c^2*d + 3*a^2*b^4*c*d^2 - a^3*b^3*d^3)*x^3 + 3*(a*b^5*c^3 - 3*a^2*b^4*c^2*d + 3*a^3*b^3*c*d^2 - a^4*b^2*d^3)*x^2 + 3*(a^2*b^4*c^3 - 3*a^3*b^3*c^2*d + 3*a^4*b^2*c*d^2 - a^5*b*d^3)*x)*d*f*q + 3*b*f*p/(b^5*x^4 + 4*a*b^4*x^3 + 6*a^2*b^3*x^2 + 4*a^3*b^2*x + a^4*b))*r/(b*f) - 1/4*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((b*x + a)^4*b)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 756 vs. $2(179) = 358$.

Time = 0.12 (sec) , antiderivative size = 756, normalized size of antiderivative = 3.92

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

$$= -\frac{d^4qr \log(bx+a)}{4(b^5c^4 - 4ab^4c^3d + 6a^2b^3c^2d^2 - 4a^3b^2cd^3 + a^4bd^4)}$$

$$+ \frac{d^4qr \log(dx+c)}{4(b^5c^4 - 4ab^4c^3d + 6a^2b^3c^2d^2 - 4a^3b^2cd^3 + a^4bd^4)}$$

$$- \frac{pr \log(bx+a)}{4(b^5x^4 + 4ab^4x^3 + 6a^2b^3x^2 + 4a^3b^2x + a^4b)}$$

$$- \frac{qr \log(dx+c)}{4(b^5x^4 + 4ab^4x^3 + 6a^2b^3x^2 + 4a^3b^2x + a^4b)}$$

$$- \frac{12b^3d^3qrx^3 - 6b^3cd^2qrx^2 + 42ab^2d^3qrx^2 + 4b^3c^2dqr x - 20ab^2cd^2qr x + 52a^2bd^3qr x + 3b^3c^3pr - 9a^2b^3c^3}{48(b^8c^3x^4 - 3ab^7c^2dx^4 + 3a^2b^6cd^2x^4 - a^3b^5d^3x^4 + 4ab^7c^3x^3 - 12a^2b^6c^2d^2x^3 + 12a^3b^5cd^2x^3 - 4a^4b^4d^3x^3 + 6a^2b^6c^3x^2 - 18a^3b^5c^2d^2x^2 + 18a^4b^4cd^2x^2 - 6a^5b^3d^3x^2 + 4a^3b^5c^3x - 12a^4b^4c^2dx + 12a^5b^3cd^2x - 4a^6b^2d^3x + a^4b^4c^3 - 3a^5b^3c^2d + 3a^6b^2cd^2 - a^7b^2d^3)}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x, algorithm="giac")`

output

```
-1/4*d^4*q*r*log(b*x + a)/(b^5*c^4 - 4*a*b^4*c^3*d + 6*a^2*b^3*c^2*d^2 - 4
*a^3*b^2*c*d^3 + a^4*b*d^4) + 1/4*d^4*q*r*log(d*x + c)/(b^5*c^4 - 4*a*b^4*
c^3*d + 6*a^2*b^3*c^2*d^2 - 4*a^3*b^2*c*d^3 + a^4*b*d^4) - 1/4*p*r*log(b*x
+ a)/(b^5*x^4 + 4*a*b^4*x^3 + 6*a^2*b^3*x^2 + 4*a^3*b^2*x + a^4*b) - 1/4*
q*r*log(d*x + c)/(b^5*x^4 + 4*a*b^4*x^3 + 6*a^2*b^3*x^2 + 4*a^3*b^2*x + a^
4*b) - 1/48*(12*b^3*d^3*q*r*x^3 - 6*b^3*c*d^2*q*r*x^2 + 42*a*b^2*d^3*q*r*x
^2 + 4*b^3*c^2*d*q*r*x - 20*a*b^2*c*d^2*q*r*x + 52*a^2*b*d^3*q*r*x + 3*b^3
*c^3*p*r - 9*a*b^2*c^2*d*p*r + 9*a^2*b*c*d^2*p*r - 3*a^3*d^3*p*r + 4*a*b^2
*c^2*d*q*r - 14*a^2*b*c*d^2*q*r + 22*a^3*d^3*q*r + 12*b^3*c^3*r*log(f) - 3
6*a*b^2*c^2*d*r*log(f) + 36*a^2*b*c*d^2*r*log(f) - 12*a^3*d^3*r*log(f) + 1
2*b^3*c^3*log(e) - 36*a*b^2*c^2*d*log(e) + 36*a^2*b*c*d^2*log(e) - 12*a^3*
d^3*log(e))/(b^8*c^3*x^4 - 3*a*b^7*c^2*d*x^4 + 3*a^2*b^6*c*d^2*x^4 - a^3*b
^5*d^3*x^4 + 4*a*b^7*c^3*x^3 - 12*a^2*b^6*c^2*d*x^3 + 12*a^3*b^5*c*d^2*x^3
- 4*a^4*b^4*d^3*x^3 + 6*a^2*b^6*c^3*x^2 - 18*a^3*b^5*c^2*d*x^2 + 18*a^4*b
^4*c*d^2*x^2 - 6*a^5*b^3*d^3*x^2 + 4*a^3*b^5*c^3*x - 12*a^4*b^4*c^2*d*x +
12*a^5*b^3*c*d^2*x - 4*a^6*b^2*d^3*x + a^4*b^4*c^3 - 3*a^5*b^3*c^2*d + 3*a
^6*b^2*c*d^2 - a^7*b^2*d^3)
```

Mupad [B] (verification not implemented)

Time = 30.99 (sec) , antiderivative size = 526, normalized size of antiderivative = 2.73

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

$$= \frac{3b^3c^3pr - 3a^3d^3pr + 22a^3d^3qr - 9ab^2c^2dpr + 9a^2bcd^2pr + 4ab^2c^2dqr - 14a^2bcd^2qr}{12(a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3)} + \frac{x(13qra^2bd^3 - 5qrab^2cd^2 + qrb^3c^2d)}{3(a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3)} +$$

$$- \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \left(\frac{x}{4} + \frac{a}{4b}\right)}{(a+bx)^5}$$

$$+ \frac{d^4qr \operatorname{atanh}\left(\frac{-4a^4bd^4 + 8a^3b^2cd^3 - 8ab^4c^3d + 4b^5c^4}{4b(ad-bc)^4} - \frac{2bdx(a^3d^3 - 3a^2bcd^2 + 3ab^2c^2d - b^3c^3)}{(ad-bc)^4}\right)}{2b(ad-bc)^4}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(a + b*x)^5,x)`output `((3*b^3*c^3*p*r - 3*a^3*d^3*p*r + 22*a^3*d^3*q*r - 9*a*b^2*c^2*d*p*r + 9*a^2*b*c*d^2*p*r + 4*a*b^2*c^2*d*q*r - 14*a^2*b*c*d^2*q*r)/(12*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (x*(13*a^2*b*d^3*q*r + b^3*c^2*d*q*r - 5*a*b^2*c*d^2*q*r))/(3*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (d*x^2*(7*a*b^2*d^2*q*r - b^3*c*d*q*r))/(2*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2)) + (b^3*d^3*q*r*x^3)/(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))/(4*a^4*b + 4*b^5*x^4 + 16*a^3*b^2*x + 16*a*b^4*x^3 + 24*a^2*b^3*x^2) - (log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(x/4 + a/(4*b)))/(a + b*x)^5 + (d^4*q*r*atanh((4*b^5*c^4 - 4*a^4*b*d^4 + 8*a^3*b^2*c*d^3 - 8*a*b^4*c^3*d)/(4*b*(a*d - b*c)^4) - (2*b*d*x*(a^3*d^3 - b^3*c^3 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2))/(a*d - b*c)^4))/(2*b*(a*d - b*c)^4)`**Reduce [B] (verification not implemented)**

Time = 0.20 (sec) , antiderivative size = 963, normalized size of antiderivative = 4.99

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(b*x+a)^5,x)`

output

```
( - 12*log(a + b*x)*a**5*d**4*q*r - 48*log(a + b*x)*a**4*b*d**4*q*r*x - 72
*log(a + b*x)*a**3*b**2*d**4*q*r*x**2 - 48*log(a + b*x)*a**2*b**3*d**4*q*r
*x**3 - 12*log(a + b*x)*a*b**4*d**4*q*r*x**4 + 12*log(c + d*x)*a**5*d**4*q
*r + 48*log(c + d*x)*a**4*b*d**4*q*r*x + 72*log(c + d*x)*a**3*b**2*d**4*q*
r*x**2 + 48*log(c + d*x)*a**2*b**3*d**4*q*r*x**3 + 12*log(c + d*x)*a*b**4*
d**4*q*r*x**4 - 12*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**5*d**4
+ 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**4*b*c*d**3 - 72*log
(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*b**2*c**2*d**2 + 48*log(f*
r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**3*c**3*d - 12*log(f**r*(c
+ d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**4*c**4 - 3*a**5*d**4*p*r + 19*a**5*
d**4*q*r + 12*a**4*b*c*d**3*p*r - 33*a**4*b*c*d**3*q*r + 40*a**4*b*d**4*q*
r*x - 18*a**3*b**2*c**2*d**2*p*r + 18*a**3*b**2*c**2*d**2*q*r - 60*a**3*b*
**2*c*d**3*q*r*x + 24*a**3*b**2*d**4*q*r*x**2 + 12*a**2*b**3*c**3*d*p*r - 4
*a**2*b**3*c**3*d*q*r + 24*a**2*b**3*c**2*d**2*q*r*x - 30*a**2*b**3*c*d**3
*q*r*x**2 - 3*a*b**4*c**4*p*r - 4*a*b**4*c**3*d*q*r*x + 6*a*b**4*c**2*d**2
*q*r*x**2 - 3*a*b**4*d**4*q*r*x**4 + 3*b**5*c*d**3*q*r*x**4)/(48*a*b*(a**8
*d**4 - 4*a**7*b*c*d**3 + 4*a**7*b*d**4*x + 6*a**6*b**2*c**2*d**2 - 16*a**
6*b**2*c*d**3*x + 6*a**6*b**2*d**4*x**2 - 4*a**5*b**3*c**3*d + 24*a**5*b**
3*c**2*d**2*x - 24*a**5*b**3*c*d**3*x**2 + 4*a**5*b**3*d**4*x**3 + a**4*b*
**4*c**4 - 16*a**4*b**4*c**3*d*x + 36*a**4*b**4*c**2*d**2*x**2 - 16*a**4...
```

3.16 $\int (a+bx)^4 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	178
Mathematica [B] (verified)	179
Rubi [A] (verified)	180
Maple [F]	184
Fricas [F]	184
Sympy [F(-1)]	184
Maxima [A] (verification not implemented)	185
Giac [F]	185
Mupad [F(-1)]	186
Reduce [F]	186

Optimal result

Integrand size = 31, antiderivative size = 870

$$\begin{aligned}
& \int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \frac{2(bc - ad)^4 pqr^2 x}{25d^4} + \frac{77(bc - ad)^4 q^2 r^2 x}{150d^4} + \frac{2(bc - ad)^4 q(p + q)r^2 x}{5d^4} \\
&\quad - \frac{7(bc - ad)^3 pqr^2 (a + bx)^2}{50bd^3} - \frac{77(bc - ad)^3 q^2 r^2 (a + bx)^2}{300bd^3} \\
&\quad + \frac{16(bc - ad)^2 pqr^2 (a + bx)^3}{225bd^2} + \frac{47(bc - ad)^2 q^2 r^2 (a + bx)^3}{450bd^2} \\
&\quad - \frac{9(bc - ad) pqr^2 (a + bx)^4}{200bd} - \frac{9(bc - ad) q^2 r^2 (a + bx)^4}{200bd} + \frac{2p^2 r^2 (a + bx)^5}{125b} \\
&\quad + \frac{4pqr^2 (a + bx)^5}{125b} + \frac{2q^2 r^2 (a + bx)^5}{125b} - \frac{2(bc - ad)^5 pqr^2 \log(c + dx)}{25bd^5} \\
&\quad - \frac{137(bc - ad)^5 q^2 r^2 \log(c + dx)}{150bd^5} - \frac{2(bc - ad)^5 pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c + dx)}{5bd^5} \\
&\quad - \frac{(bc - ad)^5 q^2 r^2 \log^2(c + dx)}{5bd^5} - \frac{2(bc - ad)^4 qr(a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{5bd^4} \\
&\quad + \frac{(bc - ad)^3 qr(a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r)}{5bd^3} \\
&\quad - \frac{2(bc - ad)^2 qr(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{15bd^2} \\
&\quad + \frac{(bc - ad) qr(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{10bd} \\
&\quad - \frac{2pr(a + bx)^5 \log(e(f(a + bx)^p(c + dx)^q)^r)}{25b} \\
&\quad - \frac{2qr(a + bx)^5 \log(e(f(a + bx)^p(c + dx)^q)^r)}{25b} \\
&\quad + \frac{2(bc - ad)^5 qr \log(c + dx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{5bd^5} \\
&\quad + \frac{(a + bx)^5 \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{5b} - \frac{2(bc - ad)^5 pqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{5bd^5}
\end{aligned}$$

output

```

2/25*(-a*d+b*c)^4*p*q*r^2*x/d^4+2/5*(-a*d+b*c)^4*q*(p+q)*r^2*x/d^4-77/300*
(-a*d+b*c)^3*q^2*r^2*(b*x+a)^2/b/d^3+47/450*(-a*d+b*c)^2*q^2*r^2*(b*x+a)^3
/b/d^2-9/200*(-a*d+b*c)*q^2*r^2*(b*x+a)^4/b/d-137/150*(-a*d+b*c)^5*q^2*r^2
*ln(d*x+c)/b/d^5-1/5*(-a*d+b*c)^5*q^2*r^2*ln(d*x+c)^2/b/d^5-7/50*(-a*d+b*c
)^3*p*q*r^2*(b*x+a)^2/b/d^3+16/225*(-a*d+b*c)^2*p*q*r^2*(b*x+a)^3/b/d^2-9/
200*(-a*d+b*c)*p*q*r^2*(b*x+a)^4/b/d-2/5*(-a*d+b*c)^4*q*r*(b*x+a)*ln(e*(f*
(b*x+a)^p*(d*x+c)^q)^r)/b/d^4+1/5*(-a*d+b*c)^3*q*r*(b*x+a)^2*ln(e*(f*(b*x+
a)^p*(d*x+c)^q)^r)/b/d^3-2/15*(-a*d+b*c)^2*q*r*(b*x+a)^3*ln(e*(f*(b*x+a)^p
*(d*x+c)^q)^r)/b/d^2+1/10*(-a*d+b*c)*q*r*(b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+
c)^q)^r)/b/d-2/5*(-a*d+b*c)^5*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/d^
5-2/25*(-a*d+b*c)^5*p*q*r^2*ln(d*x+c)/b/d^5+2/5*(-a*d+b*c)^5*q*r*ln(d*x+c)
*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d^5+1/5*(b*x+a)^5*ln(e*(f*(b*x+a)^p*(d*
x+c)^q)^r)^2/b-2/5*(-a*d+b*c)^5*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c
)/b/d^5-2/25*p*r*(b*x+a)^5*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-2/25*q*r*(b*x
+a)^5*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b+4/125*p*q*r^2*(b*x+a)^5/b+77/150*(
-a*d+b*c)^4*q^2*r^2*x/d^4+2/125*p^2*r^2*(b*x+a)^5/b+2/125*q^2*r^2*(b*x+a)^
5/b

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2508 vs. $2(870) = 1740$.

Time = 2.63 (sec) , antiderivative size = 2508, normalized size of antiderivative = 2.88

$$\int (a + bx)^4 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Result too large to show}$$

input

```
Integrate[(a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
(2*a^5*p*q*r^2)/b + (2*a*b^3*c^4*p*q*r^2)/(5*d^4) - (2*a^2*b^2*c^3*p*q*r^2
)/d^3 + (4*a^3*b*c^2*p*q*r^2)/d^2 - (4*a^4*c*p*q*r^2)/d + (2*a^4*p^2*r^2*x
)/25 + (197*a^4*p*q*r^2*x)/150 + (12*b^4*c^4*p*q*r^2*x)/(25*d^4) - (11*a*b
^3*c^3*p*q*r^2*x)/(5*d^3) + (59*a^2*b^2*c^2*p*q*r^2*x)/(15*d^2) - (101*a^3
*b*c*p*q*r^2*x)/(30*d) + 2*a^4*q^2*r^2*x + (137*b^4*c^4*q^2*r^2*x)/(150*d^
4) - (25*a*b^3*c^3*q^2*r^2*x)/(6*d^3) + (22*a^2*b^2*c^2*q^2*r^2*x)/(3*d^2)
- (6*a^3*b*c*q^2*r^2*x)/d + (4*a^3*b*p^2*r^2*x^2)/25 + (283*a^3*b*p*q*r^2
*x^2)/300 - (7*b^4*c^3*p*q*r^2*x^2)/(50*d^3) + (19*a*b^3*c^2*p*q*r^2*x^2)/
(30*d^2) - (67*a^2*b^2*c*p*q*r^2*x^2)/(60*d) + a^3*b*q^2*r^2*x^2 - (77*b^4
*c^3*q^2*r^2*x^2)/(300*d^3) + (13*a*b^3*c^2*q^2*r^2*x^2)/(12*d^2) - (5*a^2
*b^2*c*q^2*r^2*x^2)/(3*d) + (4*a^2*b^2*p^2*r^2*x^3)/25 + (257*a^2*b^2*p*q*
r^2*x^3)/450 + (16*b^4*c^2*p*q*r^2*x^3)/(225*d^2) - (29*a*b^3*c*p*q*r^2*x^
3)/(90*d) + (4*a^2*b^2*q^2*r^2*x^3)/9 + (47*b^4*c^2*q^2*r^2*x^3)/(450*d^2)
- (7*a*b^3*c*q^2*r^2*x^3)/(18*d) + (2*a*b^3*p^2*r^2*x^4)/25 + (41*a*b^3*p
*q*r^2*x^4)/200 - (9*b^4*c*p*q*r^2*x^4)/(200*d) + (a*b^3*q^2*r^2*x^4)/8 -
(9*b^4*c*q^2*r^2*x^4)/(200*d) + (2*b^4*p^2*r^2*x^5)/125 + (4*b^4*p*q*r^2*x
^5)/125 + (2*b^4*q^2*r^2*x^5)/125 - (a^5*p^2*r^2*Log[a + b*x]^2)/(5*b) + (
2*a^5*p*q*r^2*Log[c + d*x])/b - (2*b^4*c^5*p*q*r^2*Log[c + d*x])/(25*d^5)
+ (2*a*b^3*c^4*p*q*r^2*Log[c + d*x])/(5*d^4) - (4*a^2*b^2*c^3*p*q*r^2*Log[
c + d*x])/(5*d^3) + (4*a^3*b*c^2*p*q*r^2*Log[c + d*x])/(5*d^2) - (2*a^4...
```

Rubi [A] (verified)

Time = 1.52 (sec) , antiderivative size = 843, normalized size of antiderivative = 0.97, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 49, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2984$$

$$-\frac{2}{5}pr \int (a + bx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r) dx - \frac{2dqr \int \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{5b} +$$

$$\frac{(a + bx)^5 \log^2 (e(f(a + bx)^p(c + dx)^q)^r)}{5b}$$

$$\downarrow 2981$$

$$\begin{aligned}
 & -\frac{2}{5}pr \left(-\frac{dqr \int \frac{(a+bx)^5}{c+dx} dx}{5b} - \frac{1}{5}pr \int (a+bx)^4 dx + \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \right) - \\
 & \quad \frac{2dqr \int \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{5b} + \frac{(a+bx)^5 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \\
 & \quad \downarrow 17 \\
 & -\frac{2}{5}pr \left(-\frac{dqr \int \frac{(a+bx)^5}{c+dx} dx}{5b} + \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{5b} - \frac{pr(a+bx)^5}{25b} \right) - \\
 & \quad \frac{2dqr \int \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{5b} + \frac{(a+bx)^5 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \\
 & \quad \downarrow 49 \\
 & -\frac{2}{5}pr \left(-\frac{dqr \int \left(\frac{(ad-bc)^5}{d^5(c+dx)} + \frac{b(bc-ad)^4}{d^5} + \frac{b(a+bx)^4}{d} - \frac{b(bc-ad)(a+bx)^3}{d^2} + \frac{b(bc-ad)^2(a+bx)^2}{d^3} - \frac{b(bc-ad)^3(a+bx)}{d^4} \right) dx}{5b} + (a+bx)^4 \right) \\
 & \quad \frac{2dqr \int \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{5b} + \frac{(a+bx)^5 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \\
 & \quad \downarrow 2009 \\
 & \quad -\frac{2dqr \int \frac{(a+bx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{5b} - \\
 & \frac{2}{5}pr \left(-\frac{dqr \left(-\frac{(bc-ad)^5 \log(c+dx)}{d^6} + \frac{bx(bc-ad)^4}{d^5} - \frac{(a+bx)^2(bc-ad)^3}{2d^4} + \frac{(a+bx)^3(bc-ad)^2}{3d^3} - \frac{(a+bx)^4(bc-ad)}{4d^2} + \frac{(a+bx)^5}{5d} \right)}{5b} + (a+bx)^4 \right) \\
 & \quad \frac{(a+bx)^5 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \\
 & \quad \downarrow 2994 \\
 & \frac{2dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(ad-bc)^5}{d^5(c+dx)} + \frac{b(bc-ad)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^5} + \frac{b(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{b(bc-ad)^3(a+bx)^3}{d^2} \right)}{5b} \\
 & \quad \frac{2}{5}pr \left(-\frac{dqr \left(-\frac{(bc-ad)^5 \log(c+dx)}{d^6} + \frac{bx(bc-ad)^4}{d^5} - \frac{(a+bx)^2(bc-ad)^3}{2d^4} + \frac{(a+bx)^3(bc-ad)^2}{3d^3} - \frac{(a+bx)^4(bc-ad)}{4d^2} + \frac{(a+bx)^5}{5d} \right)}{5b} + (a+bx)^4 \right) \\
 & \quad \frac{(a+bx)^5 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{5b} \\
 & \quad \downarrow 2009
 \end{aligned}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(a+bx)^5}{5b} - \frac{2}{5}pr \left(-\frac{pr(a+bx)^5}{25b} + \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(a+bx)^5}{5b} - \frac{dqr \left(-\frac{\log(c+dx)(bc-ad)^5}{d^6} + \frac{bx(bc-ad)^4}{d^5} - \frac{(a+bx)^2(bc-ad)^3}{2d^4} \right)}{5b} \right) - \frac{2dqr \left(\frac{qr \log^2(c+dx)(bc-ad)^5}{2d^6} + \frac{137qr \log(c+dx)(bc-ad)^5}{60d^6} + \frac{pr \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)(bc-ad)^5}{d^6} - \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^6} \right)}{5b}$$

input

```
Int[(a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
((a + b*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(5*b) - (2*p*r*(-1/25
*(p*r*(a + b*x)^5)/b - (d*q*r*((b*(b*c - a*d)^4*x)/d^5 - ((b*c - a*d)^3*(a
+ b*x)^2)/(2*d^4) + ((b*c - a*d)^2*(a + b*x)^3)/(3*d^3) - ((b*c - a*d)*(a
+ b*x)^4)/(4*d^2) + (a + b*x)^5/(5*d) - ((b*c - a*d)^5*Log[c + d*x])/d^6)
)/(5*b) + ((a + b*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(5*b))/5 - (
2*d*q*r*((-77*b*(b*c - a*d)^4*q*r*x)/(60*d^5) - (b*(b*c - a*d)^4*(p + q)*r
*x)/d^5 + ((b*c - a*d)^3*p*r*(a + b*x)^2)/(4*d^4) + (77*(b*c - a*d)^3*q*r*
(a + b*x)^2)/(120*d^4) - ((b*c - a*d)^2*p*r*(a + b*x)^3)/(9*d^3) - (47*(b*
c - a*d)^2*q*r*(a + b*x)^3)/(180*d^3) + ((b*c - a*d)*p*r*(a + b*x)^4)/(16*
d^2) + (9*(b*c - a*d)*q*r*(a + b*x)^4)/(80*d^2) - (p*r*(a + b*x)^5)/(25*d)
- (q*r*(a + b*x)^5)/(25*d) + (137*(b*c - a*d)^5*q*r*Log[c + d*x])/60*d^6
) + ((b*c - a*d)^5*p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/d^6
+ ((b*c - a*d)^5*q*r*Log[c + d*x]^2)/(2*d^6) + ((b*c - a*d)^4*(a + b*x)*L
og[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/d^5 - ((b*c - a*d)^3*(a + b*x)^2*Log[
e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(2*d^4) + ((b*c - a*d)^2*(a + b*x)^3*Log
[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(3*d^3) - ((b*c - a*d)*(a + b*x)^4*Log[
e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(4*d^2) + ((a + b*x)^5*Log[e*(f*(a + b*x
)^p*(c + d*x)^q]^r)/(5*d) - ((b*c - a*d)^5*Log[c + d*x]*Log[e*(f*(a + b*x
)^p*(c + d*x)^q]^r])/d^6 + ((b*c - a*d)^5*p*r*PolyLog[2, (b*(c + d*x))/(b*
c - a*d)])/d^6)/(5*b)
```

Definitions of rubi rules used

- rule 17 $\text{Int}[(c_.)*((a_.) + (b_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[c*((a + b*x)^{(m + 1)})/(b*(m + 1)), x] /; \text{FreeQ}\{a, b, c, m\}, x \ \&\& \ \text{NeQ}[m, -1]$
- rule 49 $\text{Int}[(a_.) + (b_.)*(x_))^{(m_.)}*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2981 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)}*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}*((g_.) + (h_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r/(h*(m + 1))), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}/(c + d*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1]$
- rule 2984 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)}*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}]^{(s_.)}*((g_.) + (h_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-\text{Simp}[b*p*r*(s/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(a + b*x), x], x] - \text{Simp}[d*q*r*(s/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r, s\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[s, 0] \ \&\& \ \text{NeQ}[m, -1]$
- rule 2994 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)}*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}]^{(s_.)}*(\text{RFx}_), x_Symbol] \rightarrow \text{With}\{u = \text{ExpandIntegrand}[\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}\{a, b, c, d, e, f, p, q, r, s\}, x \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{IGtQ}[s, 0]$

Maple [F]

$$\int (bx + a)^4 \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input `int((b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int((b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\begin{aligned} & \int (a + bx)^4 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (bx + a)^4 \log(((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral((b^4*x^4 + 4*a*b^3*x^3 + 6*a^2*b^2*x^2 + 4*a^3*b*x + a^4)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F(-1)]

Timed out.

$$\int (a + bx)^4 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input `integrate((b*x+a)**4*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 1421, normalized size of antiderivative = 1.63

$$\int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")
```

output

```
1/5*(b^4*x^5 + 5*a*b^3*x^4 + 10*a^2*b^2*x^3 + 10*a^3*b*x^2 + 5*a^4*x)*log(
((b*x + a)^p*(d*x + c)^q*f)^r*e)^2 + 1/150*(60*a^5*f*p*log(b*x + a)/b - (1
2*b^4*d^4*f*(p + q)*x^5 + 15*(a*b^3*d^4*f*(4*p + 5*q) - b^4*c*d^3*f*q)*x^4
+ 20*(2*a^2*b^2*d^4*f*(3*p + 5*q) + b^4*c^2*d^2*f*q - 5*a*b^3*c*d^3*f*q)*
x^3 + 30*(2*a^3*b*d^4*f*(2*p + 5*q) - b^4*c^3*d*f*q + 5*a*b^3*c^2*d^2*f*q
- 10*a^2*b^2*c*d^3*f*q)*x^2 + 60*(a^4*d^4*f*(p + 5*q) + b^4*c^4*f*q - 5*a*
b^3*c^3*d*f*q + 10*a^2*b^2*c^2*d^2*f*q - 10*a^3*b*c*d^3*f*q)*x)/d^4 + 60*(
b^4*c^5*f*q - 5*a*b^3*c^4*d*f*q + 10*a^2*b^2*c^3*d^2*f*q - 10*a^3*b*c^2*d^
3*f*q + 5*a^4*c*d^4*f*q)*log(d*x + c)/d^5)*r*log(((b*x + a)^p*(d*x + c)^q*
f)^r*e)/f - 1/9000*r^2*(60*((12*p*q + 137*q^2)*b^4*c^5*f^2 - 5*(12*p*q + 1
25*q^2)*a*b^3*c^4*d*f^2 + 20*(6*p*q + 55*q^2)*a^2*b^2*c^3*d^2*f^2 - 60*(2*
p*q + 15*q^2)*a^3*b*c^2*d^3*f^2 + 60*(p*q + 5*q^2)*a^4*c*d^4*f^2)*log(d*x
+ c)/d^5 - 3600*(b^5*c^5*f^2*p*q - 5*a*b^4*c^4*d*f^2*p*q + 10*a^2*b^3*c^3*
d^2*f^2*p*q - 10*a^3*b^2*c^2*d^3*f^2*p*q + 5*a^4*b*c*d^4*f^2*p*q - a^5*d^5
*f^2*p*q)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x
+ a*d)/(b*c - a*d)))/(b*d^5) - (144*(p^2 + 2*p*q + q^2)*b^5*d^5*f^2*x^5 -
1800*a^5*d^5*f^2*p^2*log(b*x + a)^2 - 45*(9*(p*q + q^2)*b^5*c*d^4*f^2 - (
16*p^2 + 41*p*q + 25*q^2)*a*b^4*d^5*f^2)*x^4 + 20*((32*p*q + 47*q^2)*b^5*c
^2*d^3*f^2 - 5*(29*p*q + 35*q^2)*a*b^4*c*d^4*f^2 + (72*p^2 + 257*p*q + 200
*q^2)*a^2*b^3*d^5*f^2)*x^3 - 30*(7*(6*p*q + 11*q^2)*b^5*c^3*d^2*f^2 - 5...
```

Giac [F]

$$\begin{aligned} & \int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (bx + a)^4 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac")`

output `integrate((b*x + a)^4*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\begin{aligned} & \int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (a + bx)^4 dx \end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^4,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^4, x)`

Reduce [F]

$$\int (a + bx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((b*x+a)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
( - 3600*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q
+ a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**6
*d**6*p**2*q*r - 3600*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a
*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*
x**2),x)*a**6*d**6*p*q**2*r + 21600*int(log(f**r*(c + d*x)**(q*r)*(a + b*x
)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p
*x**2 + b*d*q*x**2),x)*a**5*b*c*d**5*p**2*q*r + 21600*int(log(f**r*(c + d*
x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x
+ b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**5*b*c*d**5*p*q**2*r - 54000*in
t(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x +
a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*b**2*c**2*
d**4*p**2*q*r - 54000*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a
*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*
x**2),x)*a**4*b**2*c**2*d**4*p*q**2*r + 72000*int(log(f**r*(c + d*x)**(q*r
)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q
*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b**3*c**3*d**3*p**2*q*r + 72000*int(
log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a
*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b**3*c**3*d
*3*p*q**2*r - 54000*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c
*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q...
```

3.17 $\int (a+bx)^3 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	189
Mathematica [B] (verified)	190
Rubi [A] (verified)	191
Maple [F]	194
Fricas [F]	195
Sympy [F]	195
Maxima [A] (verification not implemented)	196
Giac [F]	196
Mupad [F(-1)]	197
Reduce [F]	197

Optimal result

Integrand size = 31, antiderivative size = 755

$$\begin{aligned}
& \int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= -\frac{(bc - ad)^3 pqr^2 x}{8d^3} - \frac{13(bc - ad)^3 q^2 r^2 x}{24d^3} - \frac{(bc - ad)^3 q(p + q)r^2 x}{2d^3} \\
&+ \frac{3(bc - ad)^2 pqr^2 (a + bx)^2}{16bd^2} + \frac{13(bc - ad)^2 q^2 r^2 (a + bx)^2}{48bd^2} \\
&- \frac{7(bc - ad)pqr^2 (a + bx)^3}{72bd} - \frac{7(bc - ad)q^2 r^2 (a + bx)^3}{72bd} + \frac{p^2 r^2 (a + bx)^4}{32b} \\
&+ \frac{pqr^2 (a + bx)^4}{16b} + \frac{q^2 r^2 (a + bx)^4}{32b} + \frac{(bc - ad)^4 pqr^2 \log(c + dx)}{8bd^4} \\
&+ \frac{25(bc - ad)^4 q^2 r^2 \log(c + dx)}{24bd^4} + \frac{(bc - ad)^4 pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c + dx)}{2bd^4} \\
&+ \frac{(bc - ad)^4 q^2 r^2 \log^2(c + dx)}{4bd^4} + \frac{(bc - ad)^3 qr(a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{2bd^3} \\
&- \frac{(bc - ad)^2 qr(a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4bd^2} \\
&+ \frac{(bc - ad)qr(a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{6bd} \\
&- \frac{pr(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{8b} \\
&- \frac{qr(a + bx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{8b} \\
&- \frac{(bc - ad)^4 qr \log(c + dx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{2bd^4} \\
&+ \frac{(a + bx)^4 \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{4b} + \frac{(bc - ad)^4 pqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{2bd^4}
\end{aligned}$$

output

```

-1/8*(-a*d+b*c)^3*p*q*r^2*x/d^3-13/24*(-a*d+b*c)^3*q^2*r^2*x/d^3-1/2*(-a*d
+b*c)^3*q*(p+q)*r^2*x/d^3+3/16*(-a*d+b*c)^2*p*q*r^2*(b*x+a)^2/b/d^2+13/48*
(-a*d+b*c)^2*q^2*r^2*(b*x+a)^2/b/d^2-7/72*(-a*d+b*c)*p*q*r^2*(b*x+a)^3/b/d
-7/72*(-a*d+b*c)*q^2*r^2*(b*x+a)^3/b/d+1/32*p^2*r^2*(b*x+a)^4/b+1/16*p*q*r
^2*(b*x+a)^4/b+1/32*q^2*r^2*(b*x+a)^4/b+1/8*(-a*d+b*c)^4*p*q*r^2*ln(d*x+c)
/b/d^4+25/24*(-a*d+b*c)^4*q^2*r^2*ln(d*x+c)/b/d^4+1/2*(-a*d+b*c)^4*p*q*r^2
*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b/d^4+1/4*(-a*d+b*c)^4*q^2*r^2*ln(d*x
+c)^2/b/d^4+1/2*(-a*d+b*c)^3*q*r*(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
/d^3-1/4*(-a*d+b*c)^2*q*r*(b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d^2+
1/6*(-a*d+b*c)*q*r*(b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d-1/8*p*r*(
b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-1/8*q*r*(b*x+a)^4*ln(e*(f*(b*x+
a)^p*(d*x+c)^q)^r)/b-1/2*(-a*d+b*c)^4*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x
+c)^q)^r)/b/d^4+1/4*(b*x+a)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b+1/2*(-a*
d+b*c)^4*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/d^4

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1853 vs. $2(755) = 1510$.

Time = 1.63 (sec) , antiderivative size = 1853, normalized size of antiderivative = 2.45

$$\int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
Integrate[(a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```

(2*a^4*p*q*r^2)/b - (a*b^2*c^3*p*q*r^2)/(2*d^3) + (2*a^2*b*c^2*p*q*r^2)/d^
2 - (3*a^3*c*p*q*r^2)/d + (a^3*p^2*r^2*x)/8 + (37*a^3*p*q*r^2*x)/24 - (5*b
^3*c^3*p*q*r^2*x)/(8*d^3) + (9*a*b^2*c^2*p*q*r^2*x)/(4*d^2) - (35*a^2*b*c*
p*q*r^2*x)/(12*d) + 2*a^3*q^2*r^2*x - (25*b^3*c^3*q^2*r^2*x)/(24*d^3) + (1
1*a*b^2*c^2*q^2*r^2*x)/(3*d^2) - (9*a^2*b*c*q^2*r^2*x)/(2*d) + (3*a^2*b*p^
2*r^2*x^2)/16 + (41*a^2*b*p*q*r^2*x^2)/48 + (3*b^3*c^2*p*q*r^2*x^2)/(16*d^
2) - (2*a*b^2*c*p*q*r^2*x^2)/(3*d) + (3*a^2*b*q^2*r^2*x^2)/4 + (13*b^3*c^2
*q^2*r^2*x^2)/(48*d^2) - (5*a*b^2*c*q^2*r^2*x^2)/(6*d) + (a*b^2*p^2*r^2*x^
3)/8 + (25*a*b^2*p*q*r^2*x^3)/72 - (7*b^3*c*p*q*r^2*x^3)/(72*d) + (2*a*b^2
*q^2*r^2*x^3)/9 - (7*b^3*c*q^2*r^2*x^3)/(72*d) + (b^3*p^2*r^2*x^4)/32 + (b
^3*p*q*r^2*x^4)/16 + (b^3*q^2*r^2*x^4)/32 - (a^4*p^2*r^2*Log[a + b*x]^2)/(
4*b) + (2*a^4*p*q*r^2*Log[c + d*x])/b + (b^3*c^4*p*q*r^2*Log[c + d*x])/(8*
d^4) - (a*b^2*c^3*p*q*r^2*Log[c + d*x])/(2*d^3) + (3*a^2*b*c^2*p*q*r^2*Log
[c + d*x])/(4*d^2) - (a^3*c*p*q*r^2*Log[c + d*x])/(2*d) + (25*b^3*c^4*q^2*
r^2*Log[c + d*x])/(24*d^4) - (11*a*b^2*c^3*q^2*r^2*Log[c + d*x])/(3*d^3) +
(9*a^2*b*c^2*q^2*r^2*Log[c + d*x])/(2*d^2) - (2*a^3*c*q^2*r^2*Log[c + d*x
])/d + (b^3*c^4*q^2*r^2*Log[c + d*x]^2)/(4*d^4) - (a*b^2*c^3*q^2*r^2*Log[c
+ d*x]^2)/d^3 + (3*a^2*b*c^2*q^2*r^2*Log[c + d*x]^2)/(2*d^2) - (a^3*c*q^2
*r^2*Log[c + d*x]^2)/d - (2*a^4*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/
b - (a^3*p*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/2 - 2*a^3*q*r*x*Lo...

```

Rubi [A] (verified)

Time = 1.24 (sec) , antiderivative size = 723, normalized size of antiderivative = 0.96, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 49, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + bx)^3 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\
 & \quad \downarrow 2984 \\
 & -\frac{1}{2}pr \int (a + bx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx - \frac{dqr \int \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2b} + \\
 & \quad \frac{(a + bx)^4 \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{4b} \\
 & \quad \downarrow 2981
 \end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2}pr \left(-\frac{dqr \int \frac{(a+bx)^4}{c+dx} dx}{4b} - \frac{1}{4}pr \int (a+bx)^3 dx + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2b} + \frac{(a+bx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \\
& \quad \downarrow 17 \\
& -\frac{1}{2}pr \left(-\frac{dqr \int \frac{(a+bx)^4}{c+dx} dx}{4b} + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} - \frac{pr(a+bx)^4}{16b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2b} + \frac{(a+bx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \\
& \quad \downarrow 49 \\
& -\frac{1}{2}pr \left(-\frac{dqr \int \left(\frac{(ad-bc)^4}{d^4(c+dx)} - \frac{b(bc-ad)^3}{d^4} + \frac{b(a+bx)^3}{d} - \frac{b(bc-ad)(a+bx)^2}{d^2} + \frac{b(bc-ad)^2(a+bx)}{d^3} \right) dx}{4b} + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2b} + \frac{(a+bx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \\
& \quad \downarrow 2009 \\
& -\frac{dqr \int \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2b} - \\
& \frac{1}{2}pr \left(-\frac{dqr \left(\frac{(bc-ad)^4 \log(c+dx)}{d^5} - \frac{bx(bc-ad)^3}{d^4} + \frac{(a+bx)^2(bc-ad)^2}{2d^3} - \frac{(a+bx)^3(bc-ad)}{3d^2} + \frac{(a+bx)^4}{4d} \right)}{4b} + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \right) - \\
& \frac{(a+bx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \\
& \quad \downarrow 2994 \\
& -\frac{dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(ad-bc)^4}{d^4(c+dx)} - \frac{b(bc-ad)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^4} + \frac{b(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{b(bc-ad)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^2} \right) dx}{4b} - \\
& \frac{1}{2}pr \left(-\frac{dqr \left(\frac{(bc-ad)^4 \log(c+dx)}{d^5} - \frac{bx(bc-ad)^3}{d^4} + \frac{(a+bx)^2(bc-ad)^2}{2d^3} - \frac{(a+bx)^3(bc-ad)}{3d^2} + \frac{(a+bx)^4}{4d} \right)}{4b} + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \right) - \\
& \frac{(a+bx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \\
& \quad \downarrow 2009
\end{aligned}$$

$$dqr \left(\frac{(bc-ad)^4 \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^5} - \frac{pr(bc-ad)^4 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{d^5} - \frac{pr(bc-ad)^4 \log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{d^5} - qr \right)$$

$$\frac{1}{2} pr \left(-\frac{dqr \left(\frac{(bc-ad)^4 \log(c+dx)}{d^5} - \frac{bx(bc-ad)^3}{d^4} + \frac{(a+bx)^2(bc-ad)^2}{2d^3} - \frac{(a+bx)^3(bc-ad)}{3d^2} + \frac{(a+bx)^4}{4d} \right)}{4b} + \frac{(a+bx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b} \right)$$

input

```
Int[(a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
((a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(4*b) - (p*r*(-1/16*(p*r*(a + b*x)^4)/b - (d*q*r*(-((b*(b*c - a*d)^3*x)/d^4) + ((b*c - a*d)^2*(a + b*x)^2)/(2*d^3) - ((b*c - a*d)*(a + b*x)^3)/(3*d^2) + (a + b*x)^4/(4*d) + ((b*c - a*d)^4*Log[c + d*x])/d^5))/(4*b) + ((a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(4*b))/2 - (d*q*r*((13*b*(b*c - a*d)^3*q*r*x)/(12*d^4) + (b*(b*c - a*d)^3*(p + q)*r*x)/d^4 - ((b*c - a*d)^2*p*r*(a + b*x)^2)/(4*d^3) - (13*(b*c - a*d)^2*q*r*(a + b*x)^2)/(24*d^3) + ((b*c - a*d)*p*r*(a + b*x)^3)/(9*d^2) + (7*(b*c - a*d)*q*r*(a + b*x)^3)/(36*d^2) - (p*r*(a + b*x)^4)/(16*d) - (q*r*(a + b*x)^4)/(16*d) - (25*(b*c - a*d)^4*q*r*Log[c + d*x])/(12*d^5) - ((b*c - a*d)^4*p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/d^5 - ((b*c - a*d)^4*q*r*Log[c + d*x]^2)/(2*d^5) - ((b*c - a*d)^3*(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/d^4 + ((b*c - a*d)^2*(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(2*d^3) - ((b*c - a*d)*(a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(3*d^2) + ((a + b*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(4*d) + ((b*c - a*d)^4*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/d^5 - ((b*c - a*d)^4*p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/d^5))/(2*b)
```

Defintions of rubi rules used

rule 17

```
Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] :> Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h,
m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c,
d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFx, x] && IGtQ[s, 0]`

Maple [F]

$$\int (bx + a)^3 \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input `int((b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int((b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\begin{aligned} & \int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (bx + a)^3 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral((b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3)*log((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\begin{aligned} & \int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (a + bx)^3 \log (e(f(a + bx)^p(c + dx)^q)^r)^2 dx \end{aligned}$$

input `integrate((b*x+a)**3*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((a + b*x)**3*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 1071, normalized size of antiderivative = 1.42

$$\int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")
```

output

```
1/4*(b^3*x^4 + 4*a*b^2*x^3 + 6*a^2*b*x^2 + 4*a^3*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2 + 1/24*(12*a^4*f*p*log(b*x + a)/b - (3*b^3*d^3*f*(p + q)*x^4 + 4*(a*b^2*d^3*f*(3*p + 4*q) - b^3*c*d^2*f*q)*x^3 + 6*(3*a^2*b*d^3*f*(p + 2*q) + b^3*c^2*d*f*q - 4*a*b^2*c*d^2*f*q)*x^2 + 12*(a^3*d^3*f*(p + 4*q) - b^3*c^3*f*q + 4*a*b^2*c^2*d*f*q - 6*a^2*b*c*d^2*f*q)*x)/d^3 - 12*(b^3*c^4*f*q - 4*a*b^2*c^3*d*f*q + 6*a^2*b*c^2*d^2*f*q - 4*a^3*c*d^3*f*q)*log(d*x + c)/d^4)*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/f + 1/288*r^2*(12*((3*p*q + 25*q^2)*b^3*c^4*f^2 - 4*(3*p*q + 22*q^2)*a*b^2*c^3*d*f^2 + 18*(p*q + 6*q^2)*a^2*b*c^2*d^2*f^2 - 12*(p*q + 4*q^2)*a^3*c*d^3*f^2)*log(d*x + c)/d^4 - 144*(b^4*c^4*f^2*p*q - 4*a*b^3*c^3*d*f^2*p*q + 6*a^2*b^2*c^2*d^2*f^2*p*q - 4*a^3*b*c*d^3*f^2*p*q + a^4*d^4*f^2*p*q)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/b^4*d^4 + (9*(p^2 + 2*p*q + q^2)*b^4*d^4*f^2*x^4 - 72*a^4*d^4*f^2*p^2*log(b*x + a)^2 - 4*(7*(p*q + q^2)*b^4*c*d^3*f^2 - (9*p^2 + 25*p*q + 16*q^2)*a*b^3*d^4*f^2)*x^3 + 6*((9*p*q + 13*q^2)*b^4*c^2*d^2*f^2 - 8*(4*p*q + 5*q^2)*a*b^3*c*d^3*f^2 + (9*p^2 + 41*p*q + 36*q^2)*a^2*b^2*d^4*f^2)*x^2 + 144*(b^4*c^4*f^2*p*q - 4*a*b^3*c^3*d*f^2*p*q + 6*a^2*b^2*c^2*d^2*f^2*p*q - 4*a^3*b*c*d^3*f^2*p*q)*log(b*x + a)*log(d*x + c) + 72*(b^4*c^4*f^2*q^2 - 4*a*b^3*c^3*d*f^2*q^2 + 6*a^2*b^2*c^2*d^2*f^2*q^2 - 4*a^3*b*c*d^3*f^2*q^2)*log(d*x + c)^2 - 12*(5*(3*p*q + 5*q^2)*b^4*c^3*d*f^2 - 2*(27*p*q + 44*q^2)*a*b^3*c^2*d^2*f^2...
```

Giac [F]

$$\begin{aligned} & \int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (bx + a)^3 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac")`

output `integrate((b*x + a)^3*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\begin{aligned} & \int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (a + bx)^3 dx \end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^3,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^3, x)`

Reduce [F]

$$\int (a + bx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((b*x+a)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
( - 144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q +
a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**5*
d**5*p**2*q*r - 144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c
*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**
*2),x)*a**5*d**5*p*q**2*r + 720*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(
p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**
2 + b*d*q*x**2),x)*a**4*b*c*d**4*p**2*q*r + 720*int(log(f**r*(c + d*x)**(q
*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c
*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*b*c*d**4*p*q**2*r - 1440*int(log(f
**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*
x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b**2*c**2*d**3*p*
*2*q*r - 1440*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a
*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)
*a**3*b**2*c**2*d**3*p*q**2*r + 1440*int(log(f**r*(c + d*x)**(q*r)*(a + b
x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*
p*x**2 + b*d*q*x**2),x)*a**2*b**3*c**3*d**2*p**2*q*r + 1440*int(log(f**r*(
c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b
*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b**3*c**3*d**2*p*q**2*
r - 720*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q +
a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a...
```

3.18 $\int (a+bx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	199
Mathematica [A] (verified)	200
Rubi [A] (verified)	201
Maple [F]	204
Fricas [F]	205
Sympy [F]	205
Maxima [A] (verification not implemented)	205
Giac [F]	206
Mupad [F(-1)]	207
Reduce [F]	207

Optimal result

Integrand size = 31, antiderivative size = 640

$$\begin{aligned}
& \int (a+bx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \\
&= \frac{2(bc-ad)^2 pqr^2 x}{9d^2} + \frac{5(bc-ad)^2 q^2 r^2 x}{9d^2} + \frac{2(bc-ad)^2 q(p+q)r^2 x}{3d^2} \\
&\quad - \frac{5(bc-ad)pqr^2(a+bx)^2}{18bd} - \frac{5(bc-ad)q^2 r^2(a+bx)^2}{18bd} + \frac{2p^2 r^2(a+bx)^3}{27b} \\
&\quad + \frac{4pqr^2(a+bx)^3}{27b} + \frac{2q^2 r^2(a+bx)^3}{27b} - \frac{2(bc-ad)^3 pqr^2 \log(c+dx)}{9bd^3} \\
&\quad - \frac{11(bc-ad)^3 q^2 r^2 \log(c+dx)}{9bd^3} - \frac{2(bc-ad)^3 pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{3bd^3} \\
&\quad - \frac{(bc-ad)^3 q^2 r^2 \log^2(c+dx)}{3bd^3} - \frac{2(bc-ad)^2 qr(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3bd^2} \\
&\quad + \frac{(bc-ad)qr(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3bd} \\
&\quad - \frac{2pr(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{9b} \\
&\quad - \frac{2qr(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{9b} \\
&\quad + \frac{2(bc-ad)^3 qr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3bd^3} \\
&\quad + \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} - \frac{2(bc-ad)^3 pqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{3bd^3}
\end{aligned}$$

output

```

2/9*(-a*d+b*c)^2*p*q*r^2*x/d^2+5/9*(-a*d+b*c)^2*q^2*r^2*x/d^2+2/3*(-a*d+b*
c)^2*q*(p+q)*r^2*x/d^2-5/18*(-a*d+b*c)*p*q*r^2*(b*x+a)^2/b/d-5/18*(-a*d+b*
c)*q^2*r^2*(b*x+a)^2/b/d+2/27*p^2*r^2*(b*x+a)^3/b+4/27*p*q*r^2*(b*x+a)^3/b
+2/27*q^2*r^2*(b*x+a)^3/b-2/9*(-a*d+b*c)^3*p*q*r^2*ln(d*x+c)/b/d^3-11/9*(-
a*d+b*c)^3*q^2*r^2*ln(d*x+c)/b/d^3-2/3*(-a*d+b*c)^3*p*q*r^2*ln(-d*(b*x+a)/
(-a*d+b*c))*ln(d*x+c)/b/d^3-1/3*(-a*d+b*c)^3*q^2*r^2*ln(d*x+c)^2/b/d^3-2/3
*(-a*d+b*c)^2*q*r*(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d^2+1/3*(-a*d+
b*c)*q*r*(b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d-2/9*p*r*(b*x+a)^3*ln
(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-2/9*q*r*(b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+
c)^q)^r)/b+2/3*(-a*d+b*c)^3*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/
b/d^3+1/3*(b*x+a)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b-2/3*(-a*d+b*c)^3*p
*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/d^3

```

Mathematica [A] (verified)

Time = 1.04 (sec) , antiderivative size = 1211, normalized size of antiderivative = 1.89

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
Integrate[(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```

((108*a^3*p*q*r^2)/b + (36*a*b*c^2*p*q*r^2)/d^2 - (108*a^2*c*p*q*r^2)/d +
12*a^2*p^2*r^2*x + 102*a^2*p*q*r^2*x + (48*b^2*c^2*p*q*r^2*x)/d^2 - (126*a
*b*c*p*q*r^2*x)/d + 108*a^2*q^2*r^2*x + (66*b^2*c^2*q^2*r^2*x)/d^2 - (162*
a*b*c*q^2*r^2*x)/d + 12*a*b*p^2*r^2*x^2 + 39*a*b*p*q*r^2*x^2 - (15*b^2*c*p
*q*r^2*x^2)/d + 27*a*b*q^2*r^2*x^2 - (15*b^2*c*q^2*r^2*x^2)/d + 4*b^2*p^2*
r^2*x^3 + 8*b^2*p*q*r^2*x^3 + 4*b^2*q^2*r^2*x^3 - (18*a^3*p^2*r^2*Log[a +
b*x]^2)/b + (108*a^3*p*q*r^2*Log[c + d*x])/b - (12*b^2*c^3*p*q*r^2*Log[c +
d*x])/d^3 + (36*a*b*c^2*p*q*r^2*Log[c + d*x])/d^2 - (36*a^2*c*p*q*r^2*Log
[c + d*x])/d - (66*b^2*c^3*q^2*r^2*Log[c + d*x])/d^3 + (162*a*b*c^2*q^2*r^
2*Log[c + d*x])/d^2 - (108*a^2*c*q^2*r^2*Log[c + d*x])/d - (18*b^2*c^3*q^2
*r^2*Log[c + d*x]^2)/d^3 + (54*a*b*c^2*q^2*r^2*Log[c + d*x]^2)/d^2 - (54*a
^2*c*q^2*r^2*Log[c + d*x]^2)/d - (108*a^3*p*r*x*Log[e*(f*(a + b*x)^p*(c + d*
x)^q)^r])/b - 36*a^2*p*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 108*a^2*
q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - (36*b^2*c^2*q*r*x*Log[e*(f*(a
+ b*x)^p*(c + d*x)^q)^r])/d^2 + (108*a*b*c*q*r*x*Log[e*(f*(a + b*x)^p*(c
+ d*x)^q)^r])/d - 36*a*b*p*r*x^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 54
*a*b*q*r*x^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (18*b^2*c*q*r*x^2*Log[
e*(f*(a + b*x)^p*(c + d*x)^q)^r])/d - 12*b^2*p*r*x^3*Log[e*(f*(a + b*x)^p*
(c + d*x)^q)^r] - 12*b^2*q*r*x^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (3
6*b^2*c^3*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/d^3 - ...

```

Rubi [A] (verified)

Time = 1.12 (sec) , antiderivative size = 601, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 49, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (a + bx)^2 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\
 & \quad \downarrow 2984 \\
 & -\frac{2}{3}pr \int (a + bx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx - \frac{2dqr \int \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3b} + \\
 & \quad \frac{(a + bx)^3 \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{3b} \\
 & \quad \downarrow 2981
 \end{aligned}$$

$$\begin{aligned}
& -\frac{2}{3}pr \left(-\frac{dqr \int \frac{(a+bx)^3}{c+dx} dx}{3b} - \frac{1}{3}pr \int (a+bx)^2 dx + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \right) - \\
& \frac{2dqr \int \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3b} + \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \\
& \quad \downarrow 17 \\
& -\frac{2}{3}pr \left(-\frac{dqr \int \frac{(a+bx)^3}{c+dx} dx}{3b} + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} - \frac{pr(a+bx)^3}{9b} \right) - \\
& \frac{2dqr \int \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3b} + \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \\
& \quad \downarrow 49 \\
& -\frac{2}{3}pr \left(-\frac{dqr \int \left(\frac{(ad-bc)^3}{d^3(c+dx)} + \frac{b(bc-ad)^2}{d^3} + \frac{b(a+bx)^2}{d} - \frac{b(bc-ad)(a+bx)}{d^2} \right) dx}{3b} + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \right) - \\
& \frac{2dqr \int \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3b} + \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \\
& \quad \downarrow 2009 \\
& -\frac{2dqr \int \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3b} - \\
& \frac{2}{3}pr \left(-\frac{dqr \left(-\frac{(bc-ad)^3 \log(c+dx)}{d^4} + \frac{bx(bc-ad)^2}{d^3} - \frac{(a+bx)^2(bc-ad)}{2d^2} + \frac{(a+bx)^3}{3d} \right)}{3b} + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \right) - \\
& \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \\
& \quad \downarrow 2994 \\
& -\frac{2dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(ad-bc)^3}{d^3(c+dx)} + \frac{b(bc-ad)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^3} + \frac{b(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{b(bc-ad)^3 \log(c+dx)}{d^4} \right) dx}{3b} - \\
& \frac{2}{3}pr \left(-\frac{dqr \left(-\frac{(bc-ad)^3 \log(c+dx)}{d^4} + \frac{bx(bc-ad)^2}{d^3} - \frac{(a+bx)^2(bc-ad)}{2d^2} + \frac{(a+bx)^3}{3d} \right)}{3b} + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \right) - \\
& \frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \\
& \quad \downarrow 2009
\end{aligned}$$

$$2dqr \left(-\frac{(bc-ad)^3 \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^4} + \frac{pr(bc-ad)^3 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{d^4} + \frac{pr(bc-ad)^3 \log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{d^4} + \dots \right)$$

$$\frac{2}{3} pr \left(-\frac{dqr \left(-\frac{(bc-ad)^3 \log(c+dx)}{d^4} + \frac{bx(bc-ad)^2}{d^3} - \frac{(a+bx)^2(bc-ad)}{2d^2} + \frac{(a+bx)^3}{3d} \right)}{3b} + \frac{(a+bx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b} \right)$$

$$\frac{(a+bx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b}$$

input

```
Int[(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
((a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(3*b) - (2*p*r*(-1/9*(p*r*(a + b*x)^3)/b - (d*q*r*((b*(b*c - a*d)^2*x)/d^3 - ((b*c - a*d)*(a + b*x)^2)/(2*d^2) + (a + b*x)^3/(3*d) - ((b*c - a*d)^3*Log[c + d*x])/d^4))/(3*b) + ((a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(3*b))/3 - (2*d*q*r*((-5*b*(b*c - a*d)^2*q*r*x)/(6*d^3) - (b*(b*c - a*d)^2*(p + q)*r*x)/d^3 + ((b*c - a*d)*p*r*(a + b*x)^2)/(4*d^2) + (5*(b*c - a*d)*q*r*(a + b*x)^2)/(12*d^2) - (p*r*(a + b*x)^3)/(9*d) - (q*r*(a + b*x)^3)/(9*d) + (11*(b*c - a*d)^3*q*r*Log[c + d*x])/(6*d^4) + ((b*c - a*d)^3*p*r*Log[-((d*(a + b*x))/(b*c - a*d))] * Log[c + d*x])/d^4 + ((b*c - a*d)^3*q*r*Log[c + d*x]^2)/(2*d^4) + ((b*c - a*d)^2*(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/d^3 - ((b*c - a*d)*(a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(2*d^2) + ((a + b*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(3*d) - ((b*c - a*d)^3*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/d^4 + ((b*c - a*d)^3*p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/d^4))/(3*b)
```

Defintions of rubi rules used

rule 17

```
Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

rule 49

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c
, d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFx, x] && IGtQ[s, 0]`

Maple [F]

$$\int (bx + a)^2 \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input `int((b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int((b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \int (bx + a)^2 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx$$

input `integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral((b^2*x^2 + 2*a*b*x + a^2)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \int (a + bx)^2 \log (e(f(a + bx)^p(c + dx)^q)^r)^2 dx$$

input `integrate((b*x+a)**2*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((a + b*x)**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 769, normalized size of antiderivative = 1.20

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input `integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")`

output

```

1/3*(b^2*x^3 + 3*a*b*x^2 + 3*a^2*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2
+ 1/9*(6*a^3*f*p*log(b*x + a)/b - (2*b^2*d^2*f*(p + q)*x^3 + 3*(a*b*d^2*f
*(2*p + 3*q) - b^2*c*d*f*q)*x^2 + 6*(a^2*d^2*f*(p + 3*q) + b^2*c^2*f*q - 3
*a*b*c*d*f*q)*x)/d^2 + 6*(b^2*c^3*f*q - 3*a*b*c^2*d*f*q + 3*a^2*c*d^2*f*q)
*log(d*x + c)/d^3)*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/f - 1/54*r^2*(6*
((2*p*q + 11*q^2)*b^2*c^3*f^2 - 3*(2*p*q + 9*q^2)*a*b*c^2*d*f^2 + 6*(p*q +
3*q^2)*a^2*c*d^2*f^2)*log(d*x + c)/d^3 - 36*(b^3*c^3*f^2*p*q - 3*a*b^2*c^
2*d*f^2*p*q + 3*a^2*b*c*d^2*f^2*p*q - a^3*d^3*f^2*p*q)*(log(b*x + a)*log((
b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b*d^3)
- (4*(p^2 + 2*p*q + q^2)*b^3*d^3*f^2*x^3 - 18*a^3*d^3*f^2*p^2*log(b*x + a
)^2 - 3*(5*(p*q + q^2)*b^3*c*d^2*f^2 - (4*p^2 + 13*p*q + 9*q^2)*a*b^2*d^3*
f^2)*x^2 - 36*(b^3*c^3*f^2*p*q - 3*a*b^2*c^2*d*f^2*p*q + 3*a^2*b*c*d^2*f^2
*p*q)*log(b*x + a)*log(d*x + c) - 18*(b^3*c^3*f^2*q^2 - 3*a*b^2*c^2*d*f^2*
q^2 + 3*a^2*b*c*d^2*f^2*q^2)*log(d*x + c)^2 + 6*((8*p*q + 11*q^2)*b^3*c^2*
d*f^2 - 3*(7*p*q + 9*q^2)*a*b^2*c*d^2*f^2 + (2*p^2 + 17*p*q + 18*q^2)*a^2*
b*d^3*f^2)*x - 6*(6*a*b^2*c^2*d*f^2*p*q - 15*a^2*b*c*d^2*f^2*p*q + (2*p^2
+ 11*p*q)*a^3*d^3*f^2)*log(b*x + a))/(b*d^3))/f^2

```

Giac [F]

$$\begin{aligned}
& \int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \int (bx + a)^2 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx
\end{aligned}$$

input

```

integrate((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac"
)

```

output

```

integrate((b*x + a)^2*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)

```

Mupad [F(-1)]

Timed out.

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (a + bx)^2 dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^2,x)`output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x)^2, x)`**Reduce [F]**

$$\int (a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((b*x+a)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
( - 36*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q +
a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*d
**4*p**2*q*r - 36*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p
+ a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2
),x)*a**4*d**4*p*q**2*r + 144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*
r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2
+ b*d*q*x**2),x)*a**3*b*c*d**3*p**2*q*r + 144*int(log(f**r*(c + d*x)**(q*r
)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q
*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b*c*d**3*p*q**2*r - 216*int(log(f**r
*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x +
b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b**2*c**2*d**2*p**2*
q*r - 216*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q
+ a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**
2*b**2*c**2*d**2*p*q**2*r + 144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(
p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**
2 + b*d*q*x**2),x)*a*b**3*c**3*d*p**2*q*r + 144*int(log(f**r*(c + d*x)**(q
*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c
*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*b**3*c**3*d*p*q**2*r - 36*int(log(f**
r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x
+ b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b**4*c**4*p**2*q*r - ...
```

3.19 $\int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	209
Mathematica [A] (verified)	210
Rubi [A] (verified)	211
Maple [F]	214
Fricas [F]	215
Sympy [F]	215
Maxima [A] (verification not implemented)	215
Giac [F]	216
Mupad [F(-1)]	216
Reduce [F]	217

Optimal result

Integrand size = 29, antiderivative size = 510

$$\begin{aligned}
 & \int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \\
 &= -\frac{(bc-ad)pqr^2x}{2d} - \frac{(bc-ad)q^2r^2x}{2d} - \frac{(bc-ad)q(p+q)r^2x}{d} + \frac{p^2r^2(a+bx)^2}{4b} \\
 &+ \frac{pqr^2(a+bx)^2}{2b} + \frac{q^2r^2(a+bx)^2}{4b} + \frac{(bc-ad)^2pqr^2 \log(c+dx)}{2bd^2} \\
 &+ \frac{3(bc-ad)^2q^2r^2 \log(c+dx)}{2bd^2} + \frac{(bc-ad)^2pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{bd^2} \\
 &+ \frac{(bc-ad)^2q^2r^2 \log^2(c+dx)}{2bd^2} + \frac{(bc-ad)qr(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{bd} \\
 &- \frac{pr(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
 &- \frac{qr(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
 &- \frac{(bc-ad)^2qr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{bd^2} \\
 &+ \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} + \frac{(bc-ad)^2pqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{bd^2}
 \end{aligned}$$

output

```

-1/2*(-a*d+b*c)*p*q*r^2*x/d-1/2*(-a*d+b*c)*q^2*r^2*x/d-(-a*d+b*c)*q*(p+q)*
r^2*x/d+1/4*p^2*r^2*(b*x+a)^2/b+1/2*p*q*r^2*(b*x+a)^2/b+1/4*q^2*r^2*(b*x+a
)^2/b+1/2*(-a*d+b*c)^2*p*q*r^2*ln(d*x+c)/b/d^2+3/2*(-a*d+b*c)^2*q^2*r^2*ln
(d*x+c)/b/d^2+(-a*d+b*c)^2*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b/d
^2+1/2*(-a*d+b*c)^2*q^2*r^2*ln(d*x+c)^2/b/d^2+(-a*d+b*c)*q*r*(b*x+a)*ln(e*
(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d-1/2*p*r*(b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)
^q)^r)/b-1/2*q*r*(b*x+a)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b-(-a*d+b*c)^2*
q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d^2+1/2*(b*x+a)^2*ln(e*(f*
(b*x+a)^p*(d*x+c)^q)^r)^2/b+(-a*d+b*c)^2*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d
+b*c))/b/d^2

```

Mathematica [A] (verified)

Time = 0.73 (sec) , antiderivative size = 781, normalized size of antiderivative = 1.53

$$\int (a + bx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-4abcdpqr^2 + 8a^2d^2pqr^2 + 2abd^2p^2r^2x - 6b^2cdpqr^2x + 10abd^2pqr^2x - 6b^2cdq^2r^2x + 8abd^2q^2r^2x + b^2d^2p^2r^2x^2}{b^2d^2}$$

input

```
Integrate[(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
(-4*a*b*c*d*p*q*r^2 + 8*a^2*d^2*p*q*r^2 + 2*a*b*d^2*p^2*r^2*x - 6*b^2*c*d*
p*q*r^2*x + 10*a*b*d^2*p*q*r^2*x - 6*b^2*c*d*q^2*r^2*x + 8*a*b*d^2*q^2*r^2
*x + b^2*d^2*p^2*r^2*x^2 + 2*b^2*d^2*p*q*r^2*x^2 + b^2*d^2*q^2*r^2*x^2 - 2
*a^2*d^2*p^2*r^2*Log[a + b*x]^2 + 2*b^2*c^2*p*q*r^2*Log[c + d*x] - 4*a*b*c
*d*p*q*r^2*Log[c + d*x] + 8*a^2*d^2*p*q*r^2*Log[c + d*x] + 6*b^2*c^2*q^2*r
^2*Log[c + d*x] - 8*a*b*c*d*q^2*r^2*Log[c + d*x] + 2*b^2*c^2*q^2*r^2*Log[c
+ d*x]^2 - 4*a*b*c*d*q^2*r^2*Log[c + d*x]^2 - 8*a^2*d^2*p*r*Log[e*(f*(a +
b*x)^p*(c + d*x)^q)^r] - 4*a*b*d^2*p*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q
)^r] + 4*b^2*c*d*q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 8*a*b*d^2*q*
r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 2*b^2*d^2*p*r*x^2*Log[e*(f*(a +
b*x)^p*(c + d*x)^q)^r] - 2*b^2*d^2*q*r*x^2*Log[e*(f*(a + b*x)^p*(c + d*x)
^q)^r] - 4*b^2*c^2*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] +
8*a*b*c*d*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 4*a*b*d
^2*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2 + 2*b^2*d^2*x^2*Log[e*(f*(a +
b*x)^p*(c + d*x)^q)^r]^2 + 2*p*r*Log[a + b*x]*(2*b*c*(b*c - 2*a*d)*q*r*Log
[c + d*x] - 2*(b*c - a*d)^2*q*r*Log[(b*(c + d*x))/(b*c - a*d)] + a*d*(3*a*
d*(p - q)*r + 2*b*c*q*r + 2*a*d*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])) - 4
*(b*c - a*d)^2*p*q*r^2*PolyLog[2, (d*(a + b*x))/(-b*c + a*d)]/(4*b*d^2)
```

Rubi [A] (verified)

Time = 0.92 (sec) , antiderivative size = 477, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$, Rules used = {2984, 2981, 17, 49, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2984$$

$$-pr \int (a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r) dx - \frac{dqr \int \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{b} +$$

$$\frac{(a + bx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r)}{2b}$$

$$\downarrow 2981$$

$$\begin{aligned}
& -pr \left(-\frac{dqr \int \frac{(a+bx)^2}{c+dx} dx}{2b} - \frac{1}{2} pr \int (a+bx) dx + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{b} + \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
& \quad \downarrow 17 \\
& -pr \left(-\frac{dqr \int \frac{(a+bx)^2}{c+dx} dx}{2b} + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} - \frac{pr(a+bx)^2}{4b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{b} + \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
& \quad \downarrow 49 \\
& -pr \left(-\frac{dqr \int \left(\frac{(ad-bc)^2}{d^2(c+dx)} - \frac{b(bc-ad)}{d^2} + \frac{b(a+bx)}{d} \right) dx}{2b} + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} - \frac{pr(a+bx)^2}{4b} \right) - \\
& \frac{dqr \int \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{b} + \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
& \quad \downarrow 2009 \\
& \frac{dqr \int \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{b} - \\
& pr \left(-\frac{dqr \left(\frac{(bc-ad)^2 \log(c+dx)}{d^3} - \frac{bx(bc-ad)}{d^2} + \frac{(a+bx)^2}{2d} \right)}{2b} + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} - \frac{pr(a+bx)^2}{4b} \right) + \\
& \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
& \quad \downarrow 2994 \\
& \frac{dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(ad-bc)^2}{d^2(c+dx)} - \frac{b(bc-ad) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^2} + \frac{b(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} \right) dx}{b} - \\
& pr \left(-\frac{dqr \left(\frac{(bc-ad)^2 \log(c+dx)}{d^3} - \frac{bx(bc-ad)}{d^2} + \frac{(a+bx)^2}{2d} \right)}{2b} + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} - \frac{pr(a+bx)^2}{4b} \right) + \\
& \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \\
& \quad \downarrow 2009
\end{aligned}$$

$$\begin{aligned}
& dqr \left(\frac{(bc-ad)^2 \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d^3} - \frac{pr(bc-ad)^2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{d^3} - \frac{pr(bc-ad)^2 \log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{d^3} - \dots \right. \\
& \left. pr \left(-\frac{dqr \left(\frac{(bc-ad)^2 \log(c+dx)}{d^3} - \frac{bx(bc-ad)}{d^2} + \frac{(a+bx)^2}{2d} \right)}{2b} + \frac{(a+bx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b} - \frac{pr(a+bx)^2}{4b} \right) + \right. \\
& \left. \frac{(a+bx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b} \right)
\end{aligned}$$

input `Int[(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]`

output `((a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(2*b) - p*r*(-1/4*(p*r*(a + b*x)^2)/b - (d*q*r*(-((b*(b*c - a*d)*x)/d^2) + (a + b*x)^2/(2*d) + ((b*c - a*d)^2*Log[c + d*x])/d^3))/(2*b) + ((a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(2*b)) - (d*q*r*(b*(b*c - a*d)*q*r*x)/(2*d^2) + (b*(b*c - a*d)*(p + q)*r*x)/d^2 - (p*r*(a + b*x)^2)/(4*d) - (q*r*(a + b*x)^2)/(4*d) - (3*(b*c - a*d)^2*q*r*Log[c + d*x])/(2*d^3) - ((b*c - a*d)^2*p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/d^3 - ((b*c - a*d)^2*q*r*Log[c + d*x]^2)/(2*d^3) - ((b*c - a*d)*(a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/d^2 + ((a + b*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(2*d) + ((b*c - a*d)^2*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/d^3 - ((b*c - a*d)^2*p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d])/d^3)/b`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFX_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFX, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c
, d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFX, x] && IGtQ[s, 0]`

Maple [F]

$$\int (bx + a) \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input `int((b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int((b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \int (bx+a) \log (((bx+a)^p(dx+c)^q f)^r e)^2 dx$$

input `integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral((b*x + a)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \int (a+bx) \log (e(f(a+bx)^p(c+dx)^q)^r)^2 dx$$

input `integrate((b*x+a)*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((a + b*x)*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 504, normalized size of antiderivative = 0.99

$$\begin{aligned} & \int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx \\ &= \frac{1}{2} (bx^2 + 2ax) \log (((bx+a)^p(dx+c)^q f)^r e)^2 \\ &+ \frac{\left(\frac{2a^2fp \log(bx+a)}{b} - \frac{bdf(p+q)x^2 + 2(adf(p+2q) - bcfq)x}{d} - \frac{2(bc^2fq - 2acdfq) \log(dx+c)}{d^2} \right) r \log (((bx+a)^p(dx+c)^q f)^r e)}{2f} \\ &+ \frac{r^2 \left(\frac{2((pq+3q^2)bc^2f^2 - 2(pq+2q^2)acdf^2) \log(dx+c)}{d^2} - \frac{4(b^2c^2f^2pq - 2abcdf^2pq + a^2d^2f^2pq) \left(\log(bx+a) \log\left(\frac{bdx+ad}{bc-ad} + 1\right) + \text{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right) \right)}{bd^2} \right)}{bd^2} \end{aligned}$$

input `integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")`

output
$$\begin{aligned} & 1/2*(b*x^2 + 2*a*x)*\log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2 + 1/2*(2*a^2*f* \\ & p*\log(b*x + a)/b - (b*d*f*(p + q)*x^2 + 2*(a*d*f*(p + 2*q) - b*c*f*q)*x)/d \\ & - 2*(b*c^2*f*q - 2*a*c*d*f*q)*\log(d*x + c)/d^2)*r*\log(((b*x + a)^p*(d*x + \\ & c)^q*f)^r*e)/f + 1/4*r^2*(2*((p*q + 3*q^2)*b*c^2*f^2 - 2*(p*q + 2*q^2)*a* \\ & c*d*f^2)*\log(d*x + c)/d^2 - 4*(b^2*c^2*f^2*p*q - 2*a*b*c*d*f^2*p*q + a^2*d \\ & ^2*f^2*p*q)*(\log(b*x + a)*\log((b*d*x + a*d)/(b*c - a*d) + 1) + \operatorname{dilog}(-(b*d \\ & *x + a*d)/(b*c - a*d)))/(b*d^2) - (2*a^2*d^2*f^2*p^2*\log(b*x + a)^2 - (p^2 \\ & + 2*p*q + q^2)*b^2*d^2*f^2*x^2 - 4*(b^2*c^2*f^2*p*q - 2*a*b*c*d*f^2*p*q)* \\ & \log(b*x + a)*\log(d*x + c) - 2*(b^2*c^2*f^2*q^2 - 2*a*b*c*d*f^2*q^2)*\log(d* \\ & x + c)^2 + 2*(3*(p*q + q^2)*b^2*c*d*f^2 - (p^2 + 5*p*q + 4*q^2)*a*b*d^2*f^ \\ & 2)*x - 2*(2*a*b*c*d*f^2*p*q - (p^2 + 3*p*q)*a^2*d^2*f^2)*\log(b*x + a))/(b* \\ & d^2))/f^2 \end{aligned}$$

Giac [F]

$$\int (a+bx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \int (bx + a) \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx$$

input `integrate((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac")`

output `integrate((b*x + a)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\begin{aligned} & \int (a + bx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ & = \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (a + bx) dx \end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(a + b*x), x)`

Reduce [F]

$$\int (a + bx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((b*x+a)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `(- 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*d**3*p**2*q*r - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*d**3*p*q**2*r + 12*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b*c*d**2*p**2*q*r + 12*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b*c*d**2*p*q**2*r - 12*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*b**2*c**2*d*p**2*q*r - 12*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*b**2*c**2*d*p*q**2*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b**3*c**3*p**2*q*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b**3*c**3*p*q**2*r + 2*log(c + d*x)*a**2*d**2*p**2*q*r**2 + 8*log(c + d*x)*a**2*d**2*p*q**2*r**2 + 6*log(c + d*x)*a**2*d**2*q**3*r**2 - 4*log(c + d*x)*a*b*c*d*p**2*q*r**2 - 16*log(c + d*x)*a*b*c*d*p*q**2*r**2 - ...`

$$3.20 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

Optimal result	219
Mathematica [A] (verified)	220
Rubi [A] (verified)	220
Maple [F]	223
Fricas [F]	224
Sympy [F]	224
Maxima [F]	224
Giac [F]	225
Mupad [F(-1)]	225
Reduce [F]	226

Optimal result

Integrand size = 31, antiderivative size = 430

$$\begin{aligned}
 & \int \frac{\log^2 \left(e(f(a+bx)^p(c+dx)^q)^r \right)}{a+bx} dx \\
 &= \frac{\log^3 \left((a+bx)^{pr} \right)}{3bpr} - \frac{q \log^2 \left((a+bx)^{pr} \right) \log \left(\frac{b(c+dx)}{bc-ad} \right)}{bp} \\
 &+ \frac{\log^2 \left((a+bx)^{pr} \right) \log \left((c+dx)^{qr} \right)}{bpr} + \frac{\log \left(-\frac{d(a+bx)}{bc-ad} \right) \log^2 \left((c+dx)^{qr} \right)}{b} \\
 &- \frac{2qr \log \left((a+bx)^{pr} \right) \text{PolyLog} \left(2, -\frac{d(a+bx)}{bc-ad} \right)}{b} \\
 &+ \frac{2qr \log \left((c+dx)^{qr} \right) \text{PolyLog} \left(2, \frac{b(c+dx)}{bc-ad} \right)}{b} - \frac{1}{4} \left(\log \left((a+bx)^{pr} \right) + \log \left((c+dx)^{qr} \right) \right. \\
 &\quad \left. - \log \left(e(f(a+bx)^p(c+dx)^q)^r \right) \right) \left(\frac{8 \log \left(-\frac{d(a+bx)}{bc-ad} \right) \log \left((c+dx)^{qr} \right)}{b} \right. \\
 &\quad \left. + \frac{\left(\log \left((a+bx)^{pr} \right) - \log \left((c+dx)^{qr} \right) + \log \left(e(f(a+bx)^p(c+dx)^q)^r \right) \right)^2}{bpr} \right. \\
 &\quad \left. + \frac{8qr \text{PolyLog} \left(2, \frac{b(c+dx)}{bc-ad} \right)}{b} \right) \\
 &+ \frac{2pqr^2 \text{PolyLog} \left(3, -\frac{d(a+bx)}{bc-ad} \right)}{b} - \frac{2q^2r^2 \text{PolyLog} \left(3, \frac{b(c+dx)}{bc-ad} \right)}{b}
 \end{aligned}$$

output

```

1/3*ln((b*x+a)^(p*r))^3/b/p/r-q*ln((b*x+a)^(p*r))^2*ln(b*(d*x+c)/(-a*d+b*c
))/b/p+ln((b*x+a)^(p*r))^2*ln((d*x+c)^(q*r))/b/p/r+ln(-d*(b*x+a)/(-a*d+b*c
))*ln((d*x+c)^(q*r))^2/b-2*q*r*ln((b*x+a)^(p*r))*polylog(2,-d*(b*x+a)/(-a*
d+b*c))/b+2*q*r*ln((d*x+c)^(q*r))*polylog(2,b*(d*x+c)/(-a*d+b*c))/b-1/4*(1
n((b*x+a)^(p*r))+ln((d*x+c)^(q*r))-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))*(8*ln(
-d*(b*x+a)/(-a*d+b*c))*ln((d*x+c)^(q*r))/b+(ln((b*x+a)^(p*r))-ln((d*x+c)^(
q*r))+ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))^2/b/p/r+8*q*r*polylog(2,b*(d*x+c)/(
-a*d+b*c))/b+2*p*q*r^2*polylog(3,-d*(b*x+a)/(-a*d+b*c))/b-2*q^2*r^2*polyl
og(3,b*(d*x+c)/(-a*d+b*c))/b

```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 460, normalized size of antiderivative = 1.07

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

$$= \frac{p^2 r^2 \log^3(a+bx) + 6pqr^2 \log^2(a+bx) \log(c+dx) - 6pqr^2 \log(a+bx) \log\left(\frac{d(a+bx)}{-bc+ad}\right) \log(c+dx) + 3q^2 r^2}{}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x), x]
```

output

```
(p^2*r^2*Log[a + b*x]^3 + 6*p*q*r^2*Log[a + b*x]^2*Log[c + d*x] - 6*p*q*r^2*Log[a + b*x]*Log[(d*(a + b*x))/(-b*c + a*d)]*Log[c + d*x] + 3*q^2*r^2*Log[a + b*x]*Log[c + d*x]^2 - 3*q^2*r^2*Log[(d*(a + b*x))/(-b*c + a*d)]*Log[c + d*x]^2 - 3*p*q*r^2*Log[a + b*x]^2*Log[(b*(c + d*x))/(b*c - a*d)] - 3*p*r*Log[a + b*x]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 6*q*r*Log[a + b*x]*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 6*q*r*Log[(d*(a + b*x))/(-b*c + a*d)]*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 3*Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2 - 6*p*q*r^2*Log[a + b*x]*PolyLog[2, (d*(a + b*x))/(-b*c + a*d)] + 6*q*r*(-(p*r*Log[a + b*x]) + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])*PolyLog[2, (b*(c + d*x))/(b*c - a*d)] + 6*p*q*r^2*PolyLog[3, (d*(a + b*x))/(-b*c + a*d)] - 6*q^2*r^2*PolyLog[3, (b*(c + d*x))/(b*c - a*d)]/(3*b)
```

Rubi [A] (verified)

Time = 1.60 (sec) , antiderivative size = 432, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2982, 2841, 2840, 2838, 7237, 7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx$$

↓ 2982

$$\begin{aligned}
& \int \frac{(\log((a+bx)^{pr}) + \log((c+dx)^{qr}))^2}{a+bx} dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\int \frac{\log((a+bx)^{pr}) - \log((c+dx)^{qr}) + 1}{a+bx} dx - \right. \\
& \quad \downarrow \text{2841} \\
& \int \frac{(\log((a+bx)^{pr}) + \log((c+dx)^{qr}))^2}{a+bx} dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\int \frac{\log((a+bx)^{pr}) - \log((c+dx)^{qr}) + 1}{a+bx} dx - \right. \\
& \quad \downarrow \text{2840} \\
& \int \frac{(\log((a+bx)^{pr}) + \log((c+dx)^{qr}))^2}{a+bx} dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\int \frac{\log((a+bx)^{pr}) - \log((c+dx)^{qr}) + 1}{a+bx} dx - \right. \\
& \quad \downarrow \text{2838} \\
& \int \frac{(\log((a+bx)^{pr}) + \log((c+dx)^{qr}))^2}{a+bx} dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\int \frac{\log((a+bx)^{pr}) - \log((c+dx)^{qr}) + 1}{a+bx} dx - \right. \\
& \quad \downarrow \text{7237} \\
& \int \frac{(\log((a+bx)^{pr}) + \log((c+dx)^{qr}))^2}{a+bx} dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\frac{(\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}))}{4bpr} \right. \\
& \quad \downarrow \text{7293} \\
& \int \left(\frac{\log^2((a+bx)^{pr})}{a+bx} + \frac{2\log((c+dx)^{qr})\log((a+bx)^{pr})}{a+bx} + \frac{\log^2((c+dx)^{qr})}{a+bx} \right) dx - \\
& (-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\frac{(\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}))}{4bpr} \right. \\
& \quad \downarrow \text{2009}
\end{aligned}$$

$$\begin{aligned}
& -(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr})) \left(\frac{(\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}))}{4bpr} \right. \\
& \frac{2pqr^2 \operatorname{PolyLog}\left(3, -\frac{d(a+bx)}{bc-ad}\right)}{b} - \frac{2qr \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right) \log((a+bx)^{pr})}{b} - \\
& \frac{q \log\left(\frac{b(c+dx)}{bc-ad}\right) \log^2((a+bx)^{pr})}{bp} + \frac{\log^2((a+bx)^{pr}) \log((c+dx)^{qr})}{bpr} - \\
& \frac{2q^2r^2 \operatorname{PolyLog}\left(3, \frac{b(c+dx)}{bc-ad}\right)}{b} + \frac{2qr \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right) \log((c+dx)^{qr})}{b} + \\
& \frac{\log\left(-\frac{d(a+bx)}{bc-ad}\right) \log^2((c+dx)^{qr})}{b} + \frac{\log^3((a+bx)^{pr})}{3bpr}
\end{aligned}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x),x]`

output `Log[(a + b*x)^(p*r)]^3/(3*b*p*r) - (q*Log[(a + b*x)^(p*r)]^2*Log[(b*(c + d*x))/(b*c - a*d)]/(b*p) + (Log[(a + b*x)^(p*r)]^2*Log[(c + d*x)^(q*r)]/(b*p*r) + (Log[-((d*(a + b*x))/(b*c - a*d))]*Log[(c + d*x)^(q*r)]^2)/b - (2*q*r*Log[(a + b*x)^(p*r)]*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))])/b + (2*q*r*Log[(c + d*x)^(q*r)]*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/b - (Log[(a + b*x)^(p*r)] + Log[(c + d*x)^(q*r)] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))*((Log[(a + b*x)^(p*r)] - Log[(c + d*x)^(q*r)] + Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))^2/(4*b*p*r) + 2*((Log[-((d*(a + b*x))/(b*c - a*d))]*Log[(c + d*x)^(q*r)]/b + (q*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/b)) + (2*p*q*r^2*PolyLog[3, -((d*(a + b*x))/(b*c - a*d))])/b - (2*q^2*r^2*PolyLog[3, (b*(c + d*x))/(b*c - a*d)]/b`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 2840

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_
Symbol] := Simp[1/g Subst[Int[(a + b*Log[1 + c*e*(x/g)])/x, x], x, f + g*
x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c
*(e*f - d*g), 0]
```

rule 2841

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_
)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*((a + b*Log[c*(d + e*x
)^n])/g), x] - Simp[b*e*(n/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x
), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]
```

rule 2982

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))
^(r_.)]^2/((g_.) + (h_.)*(x_)), x_Symbol] := Int[(Log[(a + b*x)^(p*r)] + Lo
g[(c + d*x)^(q*r)]^2/(g + h*x), x] + Simp[(Log[e*(f*(a + b*x)^p*(c + d*x)^
q]^r) - Log[(a + b*x)^(p*r)] - Log[(c + d*x)^(q*r)]*(2 Int[Log[(c + d*x)
^(q*r)]/(g + h*x), x] + Int[(Log[(a + b*x)^(p*r)] - Log[(c + d*x)^(q*r)] +
Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(g + h*x), x)), x] /; FreeQ[{a, b, c,
d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0] && EqQ[b*g - a*h, 0]
```

rule 7237

```
Int[(u_)*(y_)^(m_.), x_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Si
mp[q*(y^(m + 1)/(m + 1)), x] /; !FalseQ[q]] /; FreeQ[m, x] && NeQ[m, -1]
```

rule 7293

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Maple [F]

$$\int \frac{\ln(e(f(bx + a)^p(dx + c)^q)^r)^2}{bx + a} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a), x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a), x)
```


Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{bx+a} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a),x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a), x)`

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{a+bx} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(b*x+a), x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(a + b*x), x)`

Maxima [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{bx+a} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a),x, algorithm="maxima")`

output

```
log(b*x + a)*log(((d*x + c)^q)^r)^2/b + integrate(((r^2*log(f)^2 + 2*r*log
(e)*log(f) + log(e)^2)*b*d*x + (r^2*log(f)^2 + 2*r*log(e)*log(f) + log(e)^
2)*b*c + (b*d*x + b*c)*log(((b*x + a)^p)^r)^2 + 2*((r*log(f) + log(e))*b*d
*x + (r*log(f) + log(e))*b*c)*log(((b*x + a)^p)^r) + 2*((r*log(f) + log(e)
)*b*d*x + (r*log(f) + log(e))*b*c - (b*d*q*r*x + a*d*q*r)*log(b*x + a) + (
b*d*x + b*c)*log(((b*x + a)^p)^r))*log(((d*x + c)^q)^r))/(b^2*d*x^2 + a*b*
c + (b^2*c + a*b*d)*x), x)
```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{bx+a} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a),x, algorithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{a+bx} dx$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x),x)
```

output

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x), x)
```

Reduce [F]

$$\int \frac{\log^2 \left(e \left(f(a+bx)^p (c+dx)^q \right)^r \right)}{a+bx} dx$$

$$= \frac{-3 \left(\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)^2}{bdpx^2+bdqx^2+adpx+adqx+bcpx+bcqx+acp+acq} dx \right) adpqr - 3 \left(\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)^2}{bdpx^2+bdqx^2+adpx+adqx+bcpx+bcqx+acp+acq} dx \right)}{adpqr}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a),x)`

output `(- 3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*p*q*r - 3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*q**2*r + 3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*p*q*r + 3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*q**2*r + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**3)/(3*b*r*(p + q))`

$$3.21 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx$$

Optimal result	228
Mathematica [A] (verified)	229
Rubi [A] (verified)	229
Maple [F]	232
Fricas [F]	233
Sympy [F]	233
Maxima [A] (verification not implemented)	233
Giac [F]	234
Mupad [F(-1)]	234
Reduce [F]	235

Optimal result

Integrand size = 31, antiderivative size = 465

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = -\frac{2p^2r^2}{b(a+bx)} + \frac{2dpqr^2 \log(a+bx)}{b(bc-ad)} - \frac{dpqr^2 \log^2(a+bx)}{b(bc-ad)} - \frac{2dpqr^2 \log(c+dx)}{b(bc-ad)} + \frac{2dpqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{b(bc-ad)} + \frac{dq^2r^2 \log^2(c+dx)}{b(bc-ad)} - \frac{2dq^2r^2 \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{b(bc-ad)} - \frac{2pr \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \frac{2dqr \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(bc-ad)} - \frac{2dqr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(bc-ad)} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} - \frac{2dq^2r^2 \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{b(bc-ad)} + \frac{2dpqr^2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{b(bc-ad)}$$

output

```
-2*p^2*r^2/b/(b*x+a)+2*d*p*q*r^2*ln(b*x+a)/b/(-a*d+b*c)-d*p*q*r^2*ln(b*x+a)^2/b/(-a*d+b*c)-2*d*p*q*r^2*ln(d*x+c)/b/(-a*d+b*c)+2*d*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b/(-a*d+b*c)+d*q^2*r^2*ln(d*x+c)^2/b/(-a*d+b*c)-2*d*q^2*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)-2*p*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)+2*d*q*r*ln(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)-2*d*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b/(b*x+a)-2*d*q^2*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/b/(-a*d+b*c)+2*d*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)
```

Mathematica [A] (verified)

Time = 0.65 (sec) , antiderivative size = 411, normalized size of antiderivative = 0.88

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx$$

$$= \frac{-2bcp^2r^2 + 2adp^2r^2 - dpqr^2(a+bx)\log^2(a+bx) - 2adpqr^2\log(c+dx) - 2bdpqr^2x\log(c+dx) + adq^2r^2}{(a+bx)^2}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^2,x]
```

output

```
(-2*b*c*p^2*r^2 + 2*a*d*p^2*r^2 - d*p*q*r^2*(a + b*x)*Log[a + b*x]^2 - 2*a*d*p*q*r^2*Log[c + d*x] - 2*b*d*p*q*r^2*x*Log[c + d*x] + a*d*q^2*r^2*Log[c + d*x]^2 + b*d*q^2*r^2*x*Log[c + d*x]^2 - 2*b*c*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 2*a*d*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 2*a*d*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 2*b*d*q*r*x*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - b*c*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2 + a*d*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2 + 2*d*q*r*(a + b*x)*Log[a + b*x]*(p*r + p*r*Log[c + d*x] - (p + q)*r*Log[(b*(c + d*x))/(b*c - a*d)] + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]) - 2*d*q*(p + q)*r^2*(a + b*x)*PolyLog[2, (d*(a + b*x))/(-b*c) + a*d])/((b*(b*c - a*d)*(a + b*x)))
```

Rubi [A] (verified)

Time = 0.90 (sec) , antiderivative size = 407, normalized size of antiderivative = 0.88, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 47, 16, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx$$

↓ 2984

$$\begin{aligned}
& 2pr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx + \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(c+dx)} dx}{b} - \\
& \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} \\
& \quad \downarrow \text{2981} \\
& 2pr \left(\frac{dqr \int \frac{1}{(a+bx)(c+dx)} dx}{b} + pr \int \frac{1}{(a+bx)^2} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} \right) + \\
& \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} \\
& \quad \downarrow \text{17} \\
& 2pr \left(\frac{dqr \int \frac{1}{(a+bx)(c+dx)} dx}{b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} - \frac{pr}{b(a+bx)} \right) + \\
& \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} \\
& \quad \downarrow \text{47} \\
& 2pr \left(\frac{dqr \left(\frac{b \int \frac{1}{a+bx} dx}{bc-ad} - \frac{d \int \frac{1}{c+dx} dx}{bc-ad} \right)}{b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} - \frac{pr}{b(a+bx)} \right) + \\
& \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} \\
& \quad \downarrow \text{16} \\
& 2pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \frac{dqr \left(\frac{\log(a+bx)}{bc-ad} - \frac{\log(c+dx)}{bc-ad} \right)}{b} - \frac{pr}{b(a+bx)} \right) \\
& \quad \downarrow \text{2994} \\
& \frac{2dqr \int \left(\frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)(a+bx)} - \frac{d \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)(c+dx)} \right) dx}{b} - \\
& \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \\
& 2pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \frac{dqr \left(\frac{\log(a+bx)}{bc-ad} - \frac{\log(c+dx)}{bc-ad} \right)}{b} - \frac{pr}{b(a+bx)} \right)
\end{aligned}$$

↓ 2009

$$2dqr \left(\frac{\log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{bc-ad} - \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{bc-ad} + \frac{pr \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{bc-ad} - \frac{pr \log^2(a+bx)}{2(bc-ad)} + \frac{pr \log^2(c+dx)}{2(bc-ad)} \right) + \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + 2pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{b(a+bx)} + \frac{dqr \left(\frac{\log(a+bx)}{bc-ad} - \frac{\log(c+dx)}{bc-ad} \right)}{b} - \frac{pr}{b(a+bx)} \right)$$

```
input Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2/(a + b*x)^2,x]
```

```
output -(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(b*(a + b*x))) + 2*p*r*(-((p*r)/(b*(a + b*x))) + (d*q*r*(Log[a + b*x]/(b*c - a*d) - Log[c + d*x]/(b*c - a*d)))/b - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r/(b*(a + b*x))) + (2*d*q*r*(-1/2*(p*r*Log[a + b*x]^2)/(b*c - a*d) + (p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/(b*c - a*d) + (q*r*Log[c + d*x]^2)/(2*(b*c - a*d)) - (q*r*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)])/(b*c - a*d) + (Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(b*c - a*d) - (Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(b*c - a*d) - (q*r*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))])/(b*c - a*d) + (p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)])/(b*c - a*d))/b
```

Defintions of rubi rules used

```
rule 16 Int[(c_)/((a_) + (b_)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

```
rule 17 Int[(c_)*((a_) + (b_)*(x_))^(m_), x_Symbol] := Simp[c*((a + b*x)^(m + 1)/(b*(m + 1))), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

```
rule 47 Int[1/(((a_) + (b_)*(x_))*((c_) + (d_)*(x_))), x_Symbol] := Simp[b/(b*c - a*d) Int[1/(a + b*x), x], x] - Simp[d/(b*c - a*d) Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]
```


rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFX_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFX, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c
, d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFX, x] && IGtQ[s, 0]`

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(bx+a)^2} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b^2*x^2 + 2*a*b*x + a^2), x)`

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^2} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(b*x+a)**2,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(a + b*x)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 392, normalized size of antiderivative = 0.84

$$\begin{aligned} & \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx \\ &= \frac{2 \left(\frac{dfq \log(bx+a)}{bc-ad} - \frac{dfq \log(dx+c)}{bc-ad} - \frac{fp}{bx+a} \right) r \log(((bx+a)^p(dx+c)^q f)^r e)}{bf} \\ & \quad + \frac{\left(\frac{2df^2pq \log(dx+c)}{bc-ad} + \frac{2(pq+q^2) \left(\log(bx+a) \log\left(\frac{bdx+ad}{bc-ad} + 1\right) + \text{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right) \right) df^2}{bc-ad} + \frac{2bcf^2p^2 - 2adf^2p^2 + (bdf^2pqx + adf^2pq) \log(bx+a)}{bf^2} \right)}{bf^2} \\ & \quad - \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)b} \end{aligned}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x, algorithm="maxima")`

output `2*(d*f*q*log(b*x + a)/(b*c - a*d) - d*f*q*log(d*x + c)/(b*c - a*d) - f*p/(b*x + a))*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*f) - (2*d*f^2*p*q*log(d*x + c)/(b*c - a*d) + 2*(p*q + q^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*d*f^2/(b*c - a*d) + (2*b*c*f^2*p^2 - 2*a*d*f^2*p^2 + (b*d*f^2*p*q*x + a*d*f^2*p*q)*log(b*x + a)^2 - 2*(b*d*f^2*p*q*x + a*d*f^2*p*q)*log(b*x + a)*log(d*x + c) - (b*d*f^2*q^2*x + a*d*f^2*q^2)*log(d*x + c)^2 - 2*(b*d*f^2*p*q*x + a*d*f^2*p*q)*log(b*x + a))/(a*b*c - a^2*d + (b^2*c - a*b*d)*x))*r^2/(b*f^2) - log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/((b*x + a)*b)`

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^2} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^2,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^2, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2} dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^2,x)`

output

```
( - 2*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**x)/(a**2*c + a**2
*d*x + 2*a*b*c*x + 2*a*b*d*x**2 + b**2*c*x**2 + b**2*d*x**3),x)*a**4*b*d**
3*q*r + 4*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**x)/(a**2*c +
a**2*d*x + 2*a*b*c*x + 2*a*b*d*x**2 + b**2*c*x**2 + b**2*d*x**3),x)*a**3*b
**2*c*d**2*q*r - 2*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**x)/(
a**2*c + a**2*d*x + 2*a*b*c*x + 2*a*b*d*x**2 + b**2*c*x**2 + b**2*d*x**3),
x)*a**3*b**2*d**3*q*r*x - 2*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r
)*e)**x)/(a**2*c + a**2*d*x + 2*a*b*c*x + 2*a*b*d*x**2 + b**2*c*x**2 + b**2
*d*x**3),x)*a**2*b**3*c**2*d*q*r + 4*int((log(f**r*(c + d*x)**(q*r)*(a + b
*x)**(p*r)*e)**x)/(a**2*c + a**2*d*x + 2*a*b*c*x + 2*a*b*d*x**2 + b**2*c*x*
*2 + b**2*d*x**3),x)*a**2*b**3*c*d**2*q*r*x - 2*int((log(f**r*(c + d*x)**(
q*r)*(a + b*x)**(p*r)*e)**x)/(a**2*c + a**2*d*x + 2*a*b*c*x + 2*a*b*d*x**2
+ b**2*c*x**2 + b**2*d*x**3),x)*a*b**4*c**2*d*q*r*x - 2*log(a + b*x)*a**3*
d**2*p*q*r**2 - 2*log(a + b*x)*a**3*d**2*q**2*r**2 - 2*log(a + b*x)*a**2*b
*c*d*p**2*r**2 - 2*log(a + b*x)*a**2*b*d**2*p*q*r**2*x - 2*log(a + b*x)*a
**2*b*d**2*q**2*r**2*x + 2*log(a + b*x)*a*b**2*c**2*p**2*r**2 - 2*log(a + b
*x)*a*b**2*c*d*p**2*r**2*x + 2*log(a + b*x)*b**3*c**2*p**2*r**2*x + 2*log(
c + d*x)*a**2*b*c*d*q**2*r**2 + 2*log(c + d*x)*a*b**2*c**2*p*q*r**2 + 2*lo
g(c + d*x)*a*b**2*c*d*q**2*r**2*x + 2*log(c + d*x)*b**3*c**2*p*q*r**2*x -
log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2*a**2*b*c*d + log(f**r...
```

$$3.22 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$$

Optimal result	237
Mathematica [A] (warning: unable to verify)	238
Rubi [A] (verified)	239
Maple [F]	242
Fricas [F]	243
Sympy [F]	243
Maxima [A] (verification not implemented)	243
Giac [F]	244
Mupad [F(-1)]	244
Reduce [F]	245

Optimal result

Integrand size = 31, antiderivative size = 632

$$\begin{aligned}
\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = & -\frac{p^2 r^2}{4b(a+bx)^2} - \frac{3dpqr^2}{2b(bc-ad)(a+bx)} \\
& - \frac{d^2 pqr^2 \log(a+bx)}{2b(bc-ad)^2} + \frac{d^2 q^2 r^2 \log(a+bx)}{b(bc-ad)^2} \\
& + \frac{d^2 pqr^2 \log^2(a+bx)}{2b(bc-ad)^2} \\
& + \frac{d^2 pqr^2 \log(c+dx)}{2b(bc-ad)^2} - \frac{d^2 q^2 r^2 \log(c+dx)}{b(bc-ad)^2} \\
& - \frac{d^2 pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{b(bc-ad)^2} \\
& - \frac{d^2 q^2 r^2 \log^2(c+dx)}{2b(bc-ad)^2} \\
& + \frac{d^2 q^2 r^2 \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{b(bc-ad)^2} \\
& - \frac{pr \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \\
& - \frac{dqr \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(bc-ad)(a+bx)} \\
& - \frac{d^2 qr \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(bc-ad)^2} \\
& + \frac{d^2 qr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b(bc-ad)^2} \\
& - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \\
& + \frac{d^2 q^2 r^2 \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{b(bc-ad)^2} \\
& - \frac{d^2 pqr^2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{b(bc-ad)^2}
\end{aligned}$$

output

```

-1/4*p^2*r^2/b/(b*x+a)^2-3/2*d*p*q*r^2/b/(-a*d+b*c)/(b*x+a)-1/2*d^2*p*q*r^
2*ln(b*x+a)/b/(-a*d+b*c)^2+d^2*q^2*r^2*ln(b*x+a)/b/(-a*d+b*c)^2+1/2*d^2*p*
q*r^2*ln(b*x+a)^2/b/(-a*d+b*c)^2+1/2*d^2*p*q*r^2*ln(d*x+c)/b/(-a*d+b*c)^2-
d^2*q^2*r^2*ln(d*x+c)/b/(-a*d+b*c)^2-d^2*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))
*ln(d*x+c)/b/(-a*d+b*c)^2-1/2*d^2*q^2*r^2*ln(d*x+c)^2/b/(-a*d+b*c)^2+d^2*q
^2*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)^2-1/2*p*r*ln(e*(f*(
b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)^2-d*q*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
/(-a*d+b*c)/(b*x+a)-d^2*q*r*ln(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-
a*d+b*c)^2+d^2*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)^
2-1/2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b/(b*x+a)^2+d^2*q^2*r^2*polylog(2,
-d*(b*x+a)/(-a*d+b*c))/b/(-a*d+b*c)^2-d^2*p*q*r^2*polylog(2,b*(d*x+c)/(-a*
d+b*c))/b/(-a*d+b*c)^2

```

Mathematica [A] (warning: unable to verify)

Time = 1.13 (sec) , antiderivative size = 872, normalized size of antiderivative = 1.38

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx =$$

$$\frac{b^2c^2p^2r^2 - 2abcdp^2r^2 + a^2d^2p^2r^2 + 6abcdpqr^2 - 6a^2d^2pqr^2 + 6b^2cdpqr^2x - 6abd^2pqr^2x - 2d^2pqr^2(a + bx)}{(a+bx)^3}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^3,x]
```

output

```
-1/4*(b^2*c^2*p^2*r^2 - 2*a*b*c*d*p^2*r^2 + a^2*d^2*p^2*r^2 + 6*a*b*c*d*p*
q*r^2 - 6*a^2*d^2*p*q*r^2 + 6*b^2*c*d*p*q*r^2*x - 6*a*b*d^2*p*q*r^2*x - 2*
d^2*p*q*r^2*(a + b*x)^2*Log[a + b*x]^2 - 2*a^2*d^2*p*q*r^2*Log[c + d*x] +
4*a^2*d^2*q^2*r^2*Log[c + d*x] - 4*a*b*d^2*p*q*r^2*x*Log[c + d*x] + 8*a*b*
d^2*q^2*r^2*x*Log[c + d*x] - 2*b^2*d^2*p*q*r^2*x^2*Log[c + d*x] + 4*b^2*d^
2*q^2*r^2*x^2*Log[c + d*x] + 2*a^2*d^2*q^2*r^2*Log[c + d*x]^2 + 4*a*b*d^2*
q^2*r^2*x*Log[c + d*x]^2 + 2*b^2*d^2*q^2*r^2*x^2*Log[c + d*x]^2 - 2*d^2*q*
r*(a + b*x)^2*Log[a + b*x]*(-(p*r) + 2*q*r - 2*p*r*Log[c + d*x] + 2*(p + q
)*r*Log[(b*(c + d*x))/(b*c - a*d)] - 2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]) + 2*b^2*c^2*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] - 4*a*b*c*d*p*r*Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + 2*a^2*d^2*p*r*Log[e*(f*(a + b*x)^p*(c
+ d*x)^q]^r] + 4*a*b*c*d*q*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] - 4*a^2
*d^2*q*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + 4*b^2*c*d*q*r*x*Log[e*(f*(
a + b*x)^p*(c + d*x)^q]^r] - 4*a*b*d^2*q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x
)^q]^r] - 4*a^2*d^2*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]
- 8*a*b*d^2*q*r*x*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] - 4*b^
2*d^2*q*r*x^2*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + 2*b^2*c^
2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2 - 4*a*b*c*d*Log[e*(f*(a + b*x)^p*
(c + d*x)^q]^r]^2 + 2*a^2*d^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2 - 4*d
^2*q*(p + q)*r^2*(a + b*x)^2*PolyLog[2, (d*(a + b*x))/(-(b*c) + a*d)]/...
```

Rubi [A] (verified)

Time = 1.10 (sec) , antiderivative size = 545, normalized size of antiderivative = 0.86, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 54, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$$

↓ 2984

$$pr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx + \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2}$$

$$\begin{aligned}
& \downarrow 2981 \\
& pr \left(\frac{dqr \int \frac{1}{(a+bx)^2(c+dx)} dx}{2b} + \frac{1}{2} pr \int \frac{1}{(a+bx)^3} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \right) + \\
& \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \\
& \downarrow 17 \\
& pr \left(\frac{dqr \int \frac{1}{(a+bx)^2(c+dx)} dx}{2b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} - \frac{pr}{4b(a+bx)^2} \right) + \\
& \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \\
& \downarrow 54 \\
& pr \left(\frac{dqr \int \left(\frac{d^2}{(bc-ad)^2(c+dx)} - \frac{bd}{(bc-ad)^2(a+bx)} + \frac{b}{(bc-ad)(a+bx)^2} \right) dx}{2b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} - \frac{pr}{4b(a+bx)^2} \right) \\
& \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} \\
& \downarrow 2009 \\
& \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^2(c+dx)} dx}{b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \\
& pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \frac{dqr \left(-\frac{1}{(a+bx)(bc-ad)} - \frac{d \log(a+bx)}{(bc-ad)^2} + \frac{d \log(c+dx)}{(bc-ad)^2} \right)}{2b} - \frac{pr}{4b(a+bx)^2} \right) \\
& \downarrow 2994 \\
& \frac{dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)d^2}{(bc-ad)^2(c+dx)} - \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d}{(bc-ad)^2(a+bx)} + \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)(a+bx)^2} \right) dx}{b} - \\
& \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \\
& pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \frac{dqr \left(-\frac{1}{(a+bx)(bc-ad)} - \frac{d \log(a+bx)}{(bc-ad)^2} + \frac{d \log(c+dx)}{(bc-ad)^2} \right)}{2b} - \frac{pr}{4b(a+bx)^2} \right) \\
& \downarrow 2009
\end{aligned}$$

$$dqr \left(-\frac{d \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)^2} + \frac{d \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)^2} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(bc-ad)} - \frac{dpr \operatorname{PolyLog}(2, (bc-ad))}{(bc-ad)} \right)$$

$$pr \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(a+bx)^2} + \frac{dqr \left(-\frac{1}{(a+bx)(bc-ad)} - \frac{d \log(a+bx)}{(bc-ad)^2} + \frac{d \log(c+dx)}{(bc-ad)^2} \right)}{2b} - \frac{pr}{4b(a+bx)^2} \right)$$

input

```
Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^3,x]
```

output

```
-1/2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(b*(a + b*x)^2) + p*r*(-1/4*(p*r)/(b*(a + b*x)^2) + (d*q*r*(-1/((b*c - a*d)*(a + b*x))) - (d*Log[a + b*x])/(b*c - a*d)^2 + (d*Log[c + d*x])/(b*c - a*d)^2))/(2*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(2*b*(a + b*x)^2) + (d*q*r*(-((p*r)/((b*c - a*d)*(a + b*x))) + (d*q*r*Log[a + b*x])/(b*c - a*d)^2 + (d*p*r*Log[a + b*x]^2)/(2*(b*c - a*d)^2) - (d*q*r*Log[c + d*x])/(b*c - a*d)^2 - (d*p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/(b*c - a*d)^2 - (d*q*r*Log[c + d*x]^2)/(2*(b*c - a*d)^2) + (d*q*r*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)])/(b*c - a*d)^2 - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((b*c - a*d)*(a + b*x)) - (d*Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(b*c - a*d)^2 + (d*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(b*c - a*d)^2 + (d*q*r*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))]/(b*c - a*d)^2 - (d*p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/(b*c - a*d)^2))/b
```

Defintions of rubi rules used

rule 17

```
Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

rule 54

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFX_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFX, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c
, d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFX, x] && IGtQ[s, 0]`

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(bx+a)^3} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^3} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3), x)`

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^3} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(b*x+a)**3,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(a + b*x)**3, x)`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 755, normalized size of antiderivative = 1.19

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x, algorithm="maxima")`

output

```
-1/2*(2*d^2*f*q*log(b*x + a)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) - 2*d^2*f*q*log(d*x + c)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) + (2*b*d*f*q*x - a*d*f*(p - 2*q) + b*c*f*p)/(a^2*b*c - a^3*d + (b^3*c - a*b^2*d)*x^2 + 2*(a*b^2*c - a^2*b*d)*x))*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*f) + 1/4*(4*(p*q + q^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*d^2*f^2/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) + 2*(p*q - 2*q^2)*d^2*f^2*log(d*x + c)/(b^2*c^2 - 2*a*b*c*d + a^2*d^2) - (b^2*c^2*f^2*p^2 - 2*(p^2 - 3*p*q)*a*b*c*d*f^2 + (p^2 - 6*p*q)*a^2*d^2*f^2 - 2*(b^2*d^2*f^2*p*q*x^2 + 2*a*b*d^2*f^2*p*q*x + a^2*d^2*f^2*p*q)*log(b*x + a)^2 + 4*(b^2*d^2*f^2*p*q*x^2 + 2*a*b*d^2*f^2*p*q*x + a^2*d^2*f^2*p*q)*log(b*x + a)*log(d*x + c) + 2*(b^2*d^2*f^2*q^2*x^2 + 2*a*b*d^2*f^2*q^2*x + a^2*d^2*f^2*q^2)*log(d*x + c)^2 + 6*(b^2*c*d*f^2*p*q - a*b*d^2*f^2*p*q)*x + 2*((p*q - 2*q^2)*b^2*d^2*f^2*x^2 + 2*(p*q - 2*q^2)*a*b*d^2*f^2*x + (p*q - 2*q^2)*a^2*d^2*f^2)*log(b*x + a))/(a^2*b^2*c^2 - 2*a^3*b*c*d + a^4*d^2 + (b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*x^2 + 2*(a*b^3*c^2 - 2*a^2*b^2*c*d + a^3*b*d^2)*x))*r^2/(b*f^2) - 1/2*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/((b*x + a)^2*b)
```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \int \frac{\log^2(((bx+a)^p(dx+c)^q f)^r e)}{(bx+a)^3} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x, algorithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx = \int \frac{\ln^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3} dx$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^3,x)
```

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^3, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a + bx)^p(c + dx)^q)^r)}{(a + bx)^3} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^3,x)`

output `(- 4*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**7*b*d**4*q*r + 12*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**6*b**2*c*d**3*q*r - 8*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**6*b**2*d**4*q*r*x - 12*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**5*b**3*c**2*d**2*q*r + 24*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**5*b**3*c*d**3*q*r*x - 4*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**5*b**3*d**4*q*r*x**2 + 4*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d*x + 3*a**2*b*c*x + 3*a**2*b*d*x**2 + 3*a*b**2*c*x**2 + 3*a*b**2*d*x**3 + b**3*c*x**3 + b**3*d*x**4),x)*a**4*b**4*c**3*d*q*r - 24*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**3*c + a**3*d...`

$$3.23 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

Optimal result	247
Mathematica [A] (warning: unable to verify)	248
Rubi [A] (verified)	249
Maple [F]	252
Fricas [F]	253
Sympy [F]	253
Maxima [A] (verification not implemented)	253
Giac [F]	254
Mupad [F(-1)]	255
Reduce [F]	255

Optimal result

Integrand size = 31, antiderivative size = 764

$$\begin{aligned}
\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = & -\frac{2p^2r^2}{27b(a+bx)^3} - \frac{5dpqr^2}{18b(bc-ad)(a+bx)^2} \\
& + \frac{8d^2pqr^2}{9b(bc-ad)^2(a+bx)} \\
& - \frac{d^2q^2r^2}{3b(bc-ad)^2(a+bx)} + \frac{2d^3pqr^2 \log(a+bx)}{9b(bc-ad)^3} \\
& - \frac{d^3q^2r^2 \log(a+bx)}{b(bc-ad)^3} - \frac{d^3pqr^2 \log^2(a+bx)}{3b(bc-ad)^3} \\
& - \frac{2d^3pqr^2 \log(c+dx)}{9b(bc-ad)^3} + \frac{d^3q^2r^2 \log(c+dx)}{b(bc-ad)^3} \\
& + \frac{2d^3pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{3b(bc-ad)^3} \\
& + \frac{d^3q^2r^2 \log^2(c+dx)}{3b(bc-ad)^3} \\
& - \frac{2d^3q^2r^2 \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{3b(bc-ad)^3} \\
& - \frac{2pr \log(e(f(a+bx)^p(c+dx)^q)^r)}{9b(a+bx)^3} \\
& - \frac{dqr \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(bc-ad)(a+bx)^2} \\
& + \frac{2d^2qr \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(bc-ad)^2(a+bx)} \\
& + \frac{2d^3qr \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(bc-ad)^3} \\
& - \frac{2d^3qr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(bc-ad)^3} \\
& - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
& - \frac{2d^3q^2r^2 \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{3b(bc-ad)^3} \\
& + \frac{2d^3pqr^2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{3b(bc-ad)^3}
\end{aligned}$$

output

```

-2/27*p^2*r^2/b/(b*x+a)^3-5/18*d*p*q*r^2/b/(-a*d+b*c)/(b*x+a)^2+8/9*d^2*p*
q*r^2/b/(-a*d+b*c)^2/(b*x+a)-1/3*d^2*q^2*r^2/b/(-a*d+b*c)^2/(b*x+a)+2/9*d^
3*p*q*r^2*ln(b*x+a)/b/(-a*d+b*c)^3-d^3*q^2*r^2*ln(b*x+a)/b/(-a*d+b*c)^3-1/
3*d^3*p*q*r^2*ln(b*x+a)^2/b/(-a*d+b*c)^3-2/9*d^3*p*q*r^2*ln(d*x+c)/b/(-a*d
+b*c)^3+d^3*q^2*r^2*ln(d*x+c)/b/(-a*d+b*c)^3+2/3*d^3*p*q*r^2*ln(-d*(b*x+a)
/(-a*d+b*c))*ln(d*x+c)/b/(-a*d+b*c)^3+1/3*d^3*q^2*r^2*ln(d*x+c)^2/b/(-a*d+
b*c)^3-2/3*d^3*q^2*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)^3-2
/9*p*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)^3-1/3*d*q*r*ln(e*(f*(b*x+
a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)/(b*x+a)^2+2/3*d^2*q*r*ln(e*(f*(b*x+a)^p*(d
*x+c)^q)^r)/b/(-a*d+b*c)^2/(b*x+a)+2/3*d^3*q*r*ln(b*x+a)*ln(e*(f*(b*x+a)^p
*(d*x+c)^q)^r)/b/(-a*d+b*c)^3-2/3*d^3*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x
+c)^q)^r)/b/(-a*d+b*c)^3-1/3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b/(b*x+a)^3
-2/3*d^3*q^2*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/b/(-a*d+b*c)^3+2/3*d^3*p
*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)^3

```

Mathematica [A] (warning: unable to verify)

Time = 1.65 (sec) , antiderivative size = 1407, normalized size of antiderivative = 1.84

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \text{Too large to display}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^4,x]
```

output

```

-1/54*(4*b^3*c^3*p^2*r^2 - 12*a*b^2*c^2*d*p^2*r^2 + 12*a^2*b*c*d^2*p^2*r^2
- 4*a^3*d^3*p^2*r^2 + 15*a*b^2*c^2*d*p*q*r^2 - 78*a^2*b*c*d^2*p*q*r^2 + 6
3*a^3*d^3*p*q*r^2 + 18*a^2*b*c*d^2*q^2*r^2 - 18*a^3*d^3*q^2*r^2 + 15*b^3*c
^2*d*p*q*r^2*x - 126*a*b^2*c*d^2*p*q*r^2*x + 111*a^2*b*d^3*p*q*r^2*x + 36*
a*b^2*c*d^2*q^2*r^2*x - 36*a^2*b*d^3*q^2*r^2*x - 48*b^3*c*d^2*p*q*r^2*x^2
+ 48*a*b^2*d^3*p*q*r^2*x^2 + 18*b^3*c*d^2*q^2*r^2*x^2 - 18*a*b^2*d^3*q^2*r
^2*x^2 + 18*d^3*p*q*r^2*(a + b*x)^3*Log[a + b*x]^2 + 12*a^3*d^3*p*q*r^2*Lo
g[c + d*x] - 54*a^3*d^3*q^2*r^2*Log[c + d*x] + 36*a^2*b*d^3*p*q*r^2*x*Log[
c + d*x] - 162*a^2*b*d^3*q^2*r^2*x*Log[c + d*x] + 36*a*b^2*d^3*p*q*r^2*x^2
*Log[c + d*x] - 162*a*b^2*d^3*q^2*r^2*x^2*Log[c + d*x] + 12*b^3*d^3*p*q*r^
2*x^3*Log[c + d*x] - 54*b^3*d^3*q^2*r^2*x^3*Log[c + d*x] - 18*a^3*d^3*q^2*
r^2*Log[c + d*x]^2 - 54*a^2*b*d^3*q^2*r^2*x*Log[c + d*x]^2 - 54*a*b^2*d^3*
q^2*r^2*x^2*Log[c + d*x]^2 - 18*b^3*d^3*q^2*r^2*x^3*Log[c + d*x]^2 + 12*b^
3*c^3*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 36*a*b^2*c^2*d*p*r*Log[e*
(f*(a + b*x)^p*(c + d*x)^q)^r] + 36*a^2*b*c*d^2*p*r*Log[e*(f*(a + b*x)^p*(
c + d*x)^q)^r] - 12*a^3*d^3*p*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 18*
a*b^2*c^2*d*q*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 72*a^2*b*c*d^2*q*r*
Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 54*a^3*d^3*q*r*Log[e*(f*(a + b*x)^p
*(c + d*x)^q)^r] + 18*b^3*c^2*d*q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]
- 108*a*b^2*c*d^2*q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + 90*a^2*...

```

Rubi [A] (verified)

Time = 1.27 (sec) , antiderivative size = 690, normalized size of antiderivative = 0.90, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 54, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx$$

$$\downarrow 2984$$

$$\frac{2}{3} pr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx + \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3}$$

$$\begin{aligned}
 & \downarrow 2981 \\
 & \frac{2}{3}pr \left(\frac{dqr \int \frac{1}{(a+bx)^3(c+dx)} dx}{3b} + \frac{1}{3}pr \int \frac{1}{(a+bx)^4} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \right) + \\
 & \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
 & \downarrow 17 \\
 & \frac{2}{3}pr \left(\frac{dqr \int \frac{1}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3} \right) + \\
 & \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
 & \downarrow 54 \\
 & \frac{2}{3}pr \left(\frac{dqr \int \left(-\frac{d^3}{(bc-ad)^3(c+dx)} + \frac{bd^2}{(bc-ad)^3(a+bx)} - \frac{bd}{(bc-ad)^2(a+bx)^2} + \frac{b}{(bc-ad)(a+bx)^3} \right) dx}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \right) + \\
 & \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3(c+dx)} dx}{3b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
 & \downarrow 2009 \\
 & \quad \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^3(c+dx)} dx}{3b} + \\
 & \frac{2}{3}pr \left(\frac{dqr \left(\frac{d^2 \log(a+bx)}{(bc-ad)^3} - \frac{d^2 \log(c+dx)}{(bc-ad)^3} + \frac{d}{(a+bx)(bc-ad)^2} - \frac{1}{2(a+bx)^2(bc-ad)} \right)}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3} \right) + \\
 & \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
 & \downarrow 2994 \\
 & \frac{2dqr \int \left(-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)d^3}{(bc-ad)^3(c+dx)} + \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d^2}{(bc-ad)^3(a+bx)} - \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d}{(bc-ad)^2(a+bx)^2} + \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)(a+bx)^3} \right) dx}{3b} + \\
 & \frac{2}{3}pr \left(\frac{dqr \left(\frac{d^2 \log(a+bx)}{(bc-ad)^3} - \frac{d^2 \log(c+dx)}{(bc-ad)^3} + \frac{d}{(a+bx)(bc-ad)^2} - \frac{1}{2(a+bx)^2(bc-ad)} \right)}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3} \right) + \\
 & \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} \\
 & \downarrow 2009
 \end{aligned}$$

$$2dqr \left(\frac{d^2 \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)^3} - \frac{d^2 \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{(bc-ad)^3} + \frac{d^2 pr \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{(bc-ad)^3} - \frac{d^2 pr \log^2(a+bx)}{2(bc-ad)^3} \right)$$

$$\frac{2}{3} pr \left(\frac{dqr \left(\frac{d^2 \log(a+bx)}{(bc-ad)^3} - \frac{d^2 \log(c+dx)}{(bc-ad)^3} + \frac{d}{(a+bx)(bc-ad)^2} - \frac{1}{2(a+bx)^2(bc-ad)} \right)}{3b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3} - \frac{pr}{9b(a+bx)^3} \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3b(a+bx)^3}$$

input

```
Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^4,x]
```

output

```
-1/3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(b*(a + b*x)^3) + (2*p*r*(-1/9
*(p*r)/(b*(a + b*x)^3) + (d*q*r*(-1/2*1/((b*c - a*d)*(a + b*x)^2) + d/((b*
c - a*d)^2*(a + b*x)) + (d^2*Log[a + b*x])/(b*c - a*d)^3 - (d^2*Log[c + d*
x])/(b*c - a*d)^3))/(3*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(3*b*(a +
b*x)^3))/3 + (2*d*q*r*(-1/4*(p*r)/((b*c - a*d)*(a + b*x)^2) + (d*p*r)/((
b*c - a*d)^2*(a + b*x)) - (d*q*r)/(2*(b*c - a*d)^2*(a + b*x)) - (3*d^2*q*r
*Log[a + b*x])/(2*(b*c - a*d)^3) - (d^2*p*r*Log[a + b*x]^2)/(2*(b*c - a*d)
^3) + (3*d^2*q*r*Log[c + d*x])/(2*(b*c - a*d)^3) + (d^2*p*r*Log[-((d*(a +
b*x))/(b*c - a*d))] * Log[c + d*x])/(b*c - a*d)^3 + (d^2*q*r*Log[c + d*x]^2)
/(2*(b*c - a*d)^3) - (d^2*q*r*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)])
/(b*c - a*d)^3 - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(2*(b*c - a*d)*(a +
b*x)^2) + (d*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/((b*c - a*d)^2*(a + b*x
)) + (d^2*Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/((b*c - a*d)^3
- (d^2*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/((b*c - a*d)^3 -
(d^2*q*r*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))])/(b*c - a*d)^3 + (d^2*p
*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/(b*c - a*d)^3)/(3*b)
```

Defintions of rubi rules used

rule 17

```
Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1)
)/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]
```

rule 54

```
Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] &&
ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
(Log[e(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]`

rule 2994 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(RFX_), x_Symbol] := With[{u = ExpandIntegrand[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^s, RFX, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c
, d, e, f, p, q, r, s}, x] && RationalFunctionQ[RFX, x] && IGtQ[s, 0]`

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(bx+a)^4} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^4} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b^4*x^4 + 4*a*b^3*x^3 + 6*a^2*b^2*x^2 + 4*a^3*b*x + a^4), x)`

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^4} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(b*x+a)**4,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(a + b*x)**4, x)`

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 1252, normalized size of antiderivative = 1.64

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x, algorithm="maxima")`

output

```

1/9*(6*d^3*f*q*log(b*x + a)/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) - 6*d^3*f*q*log(d*x + c)/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) + (6*b^2*d^2*f*q*x^2 + a*b*c*d*f*(4*p - 3*q) - a^2*d^2*f*(2*p - 9*q) - 2*b^2*c^2*f*p - 3*(b^2*c*d*f*q - 5*a*b*d^2*f*q)*x)/(a^3*b^2*c^2 - 2*a^4*b*c*d + a^5*d^2 + (b^5*c^2 - 2*a*b^4*c*d + a^2*b^3*d^2)*x^3 + 3*(a*b^4*c^2 - 2*a^2*b^3*c*d + a^3*b^2*d^2)*x^2 + 3*(a^2*b^3*c^2 - 2*a^3*b^2*c*d + a^4*b*d^2)*x))*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*f) - 1/54*(36*(p*q + q^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*d^3*f^2/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) + 6*(2*p*q - 9*q^2)*d^3*f^2*log(d*x + c)/(b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3) + (4*b^3*c^3*f^2*p^2 - 3*(4*p^2 - 5*p*q)*a*b^2*c^2*d*f^2 + 6*(2*p^2 - 13*p*q + 3*q^2)*a^2*b*c*d^2*f^2 - (4*p^2 - 63*p*q + 18*q^2)*a^3*d^3*f^2 - 6*((8*p*q - 3*q^2)*b^3*c*d^2*f^2 - (8*p*q - 3*q^2)*a*b^2*d^3*f^2)*x^2 + 18*(b^3*d^3*f^2*p*q*x^3 + 3*a*b^2*d^3*f^2*p*q*x^2 + 3*a^2*b*d^3*f^2*p*q*x + a^3*d^3*f^2*p*q)*log(b*x + a)^2 - 36*(b^3*d^3*f^2*p*q*x^3 + 3*a*b^2*d^3*f^2*p*q*x^2 + 3*a^2*b*d^3*f^2*p*q*x + a^3*d^3*f^2*p*q)*log(b*x + a)*log(d*x + c) - 18*(b^3*d^3*f^2*q^2*x^3 + 3*a*b^2*d^3*f^2*q^2*x^2 + 3*a^2*b*d^3*f^2*q^2*x + a^3*d^3*f^2*q^2)*log(d*x + c)^2 + 3*(5*b^3*c^2*d*f^2*p*q - 6*(7*p*q - 2*q^2)*a*b^2*c*d^2*f^2 + (37*p*q - 12*q^2)*a^2*b*d^3*f^2)*x - 6*((2*p*q - 9*q^2)*b^3*d^3*f^2*x^3 + 3*(2*p*q - 9*q^2)*...

```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^4} dx$$

input

```

integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x, algorithm="giac"
)

```

output

```

integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a)^4, x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^4} dx$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^4,x)
```

output

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^4, x)
```

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4} dx = \text{too large to display}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^4,x)
```


output

```
( - 18*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**10*b*d**5*q*r + 72*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**9*b**2*c*d**4*q*r - 54*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**9*b**2*d**5*q*r*x - 108*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**8*b**3*c**2*d**3*q*r + 216*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**8*b**3*c*d**4*q*r*x - 54*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**4*c + a**4*d*x + 4*a**3*b*c*x + 4*a**3*b*d*x**2 + 6*a**2*b**2*c*x**2 + 6*a**2*b**2*d*x**3 + 4*a*b**3*c*x**3 + 4*a*b**3*d*x**4 + b**4*c*x**4 + b**4*d*x**5),x)
*a**8*b**3*d**5*q*r*x**2 + 72*int((log(f**...
```

$$3.24 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

Optimal result	258
Mathematica [B] (warning: unable to verify)	259
Rubi [A] (verified)	260
Maple [F]	264
Fricas [F]	264
Sympy [F]	264
Maxima [B] (verification not implemented)	265
Giac [F]	266
Mupad [F(-1)]	266
Reduce [F]	266

Optimal result

Integrand size = 31, antiderivative size = 884

$$\begin{aligned}
\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = & -\frac{p^2 r^2}{32b(a+bx)^4} - \frac{7dpqr^2}{72b(bc-ad)(a+bx)^3} \\
& + \frac{3d^2pqr^2}{16b(bc-ad)^2(a+bx)^2} \\
& - \frac{d^2q^2r^2}{12b(bc-ad)^2(a+bx)^2} - \frac{5d^3pqr^2}{8b(bc-ad)^3(a+bx)} \\
& + \frac{5d^3q^2r^2}{12b(bc-ad)^3(a+bx)} - \frac{d^4pqr^2 \log(a+bx)}{8b(bc-ad)^4} \\
& + \frac{11d^4q^2r^2 \log(a+bx)}{12b(bc-ad)^4} + \frac{d^4pqr^2 \log^2(a+bx)}{4b(bc-ad)^4} \\
& + \frac{d^4pqr^2 \log(c+dx)}{8b(bc-ad)^4} - \frac{11d^4q^2r^2 \log(c+dx)}{12b(bc-ad)^4} \\
& - \frac{d^4pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{2b(bc-ad)^4} \\
& - \frac{d^4q^2r^2 \log^2(c+dx)}{4b(bc-ad)^4} \\
& + \frac{d^4q^2r^2 \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{2b(bc-ad)^4} \\
& - \frac{pr \log(e(f(a+bx)^p(c+dx)^q)^r)}{8b(a+bx)^4} \\
& - \frac{dqr \log(e(f(a+bx)^p(c+dx)^q)^r)}{6b(bc-ad)(a+bx)^3} \\
& + \frac{d^2qr \log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(bc-ad)^2(a+bx)^2} \\
& - \frac{d^3qr \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(bc-ad)^3(a+bx)} \\
& - \frac{d^4qr \log(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(bc-ad)^4} \\
& + \frac{d^4qr \log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b(bc-ad)^4} \\
& - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
& + \frac{d^4q^2r^2 \operatorname{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{2b(bc-ad)^4} \\
& - \frac{d^4pqr^2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{2b(bc-ad)^4}
\end{aligned}$$

output

```

-1/32*p^2*r^2/b/(b*x+a)^4-7/72*d*p*q*r^2/b/(-a*d+b*c)/(b*x+a)^3+3/16*d^2*p
*q*r^2/b/(-a*d+b*c)^2/(b*x+a)^2-1/12*d^2*q^2*r^2/b/(-a*d+b*c)^2/(b*x+a)^2-
5/8*d^3*p*q*r^2/b/(-a*d+b*c)^3/(b*x+a)+5/12*d^3*q^2*r^2/b/(-a*d+b*c)^3/(b*
x+a)-1/8*d^4*p*q*r^2*ln(b*x+a)/b/(-a*d+b*c)^4+11/12*d^4*q^2*r^2*ln(b*x+a)/
b/(-a*d+b*c)^4+1/4*d^4*p*q*r^2*ln(b*x+a)^2/b/(-a*d+b*c)^4+1/8*d^4*p*q*r^2*
ln(d*x+c)/b/(-a*d+b*c)^4-11/12*d^4*q^2*r^2*ln(d*x+c)/b/(-a*d+b*c)^4-1/2*d^
4*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b/(-a*d+b*c)^4-1/4*d^4*q^2*r
^2*ln(d*x+c)^2/b/(-a*d+b*c)^4+1/2*d^4*q^2*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d
+b*c))/b/(-a*d+b*c)^4-1/8*p*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(b*x+a)^4-
1/6*d*q*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)/(b*x+a)^3+1/4*d^2*q
*r*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)^2/(b*x+a)^2-1/2*d^3*q*r*ln
(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)^3/(b*x+a)-1/2*d^4*q*r*ln(b*x+a)
*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)^4+1/2*d^4*q*r*ln(d*x+c)*ln(e
*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/(-a*d+b*c)^4-1/4*ln(e*(f*(b*x+a)^p*(d*x+c)^q
)^r)^2/b/(b*x+a)^4+1/2*d^4*q^2*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/b/(-a*
d+b*c)^4-1/2*d^4*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/(-a*d+b*c)^4

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 2003 vs. 2(884) = 1768.

Time = 2.35 (sec) , antiderivative size = 2003, normalized size of antiderivative = 2.27

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{Result too large to show}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^5,x]
```

output

```
(-9*b^4*c^4*p^2*r^2 + 36*a*b^3*c^3*d*p^2*r^2 - 54*a^2*b^2*c^2*d^2*p^2*r^2
+ 36*a^3*b*c*d^3*p^2*r^2 - 9*a^4*d^4*p^2*r^2 - 28*a*b^3*c^3*d*p*q*r^2 + 13
8*a^2*b^2*c^2*d^2*p*q*r^2 - 372*a^3*b*c*d^3*p*q*r^2 + 262*a^4*d^4*p*q*r^2
- 24*a^2*b^2*c^2*d^2*q^2*r^2 + 168*a^3*b*c*d^3*q^2*r^2 - 144*a^4*d^4*q^2*r
^2 - 28*b^4*c^3*d*p*q*r^2*x + 192*a*b^3*c^2*d^2*p*q*r^2*x - 840*a^2*b^2*c*
d^3*p*q*r^2*x + 676*a^3*b*d^4*p*q*r^2*x - 48*a*b^3*c^2*d^2*q^2*r^2*x + 456
*a^2*b^2*c*d^3*q^2*r^2*x - 408*a^3*b*d^4*q^2*r^2*x + 54*b^4*c^2*d^2*p*q*r^
2*x^2 - 648*a*b^3*c*d^3*p*q*r^2*x^2 + 594*a^2*b^2*d^4*p*q*r^2*x^2 - 24*b^4
*c^2*d^2*q^2*r^2*x^2 + 408*a*b^3*c*d^3*q^2*r^2*x^2 - 384*a^2*b^2*d^4*q^2*r
^2*x^2 - 180*b^4*c*d^3*p*q*r^2*x^3 + 180*a*b^3*d^4*p*q*r^2*x^3 + 120*b^4*c
*d^3*q^2*r^2*x^3 - 120*a*b^3*d^4*q^2*r^2*x^3 + 72*d^4*p*q*r^2*(a + b*x)^4*
Log[a + b*x]^2 + 36*a^4*d^4*p*q*r^2*Log[c + d*x] - 264*a^4*d^4*q^2*r^2*Log
[c + d*x] + 144*a^3*b*d^4*p*q*r^2*x*Log[c + d*x] - 1056*a^3*b*d^4*q^2*r^2*
x*Log[c + d*x] + 216*a^2*b^2*d^4*p*q*r^2*x^2*Log[c + d*x] - 1584*a^2*b^2*d
^4*q^2*r^2*x^2*Log[c + d*x] + 144*a*b^3*d^4*p*q*r^2*x^3*Log[c + d*x] - 105
6*a*b^3*d^4*q^2*r^2*x^3*Log[c + d*x] + 36*b^4*d^4*p*q*r^2*x^4*Log[c + d*x]
- 264*b^4*d^4*q^2*r^2*x^4*Log[c + d*x] - 72*a^4*d^4*q^2*r^2*Log[c + d*x]^
2 - 288*a^3*b*d^4*q^2*r^2*x*Log[c + d*x]^2 - 432*a^2*b^2*d^4*q^2*r^2*x^2*L
og[c + d*x]^2 - 288*a*b^3*d^4*q^2*r^2*x^3*Log[c + d*x]^2 - 72*b^4*d^4*q^2*
r^2*x^4*Log[c + d*x]^2 + 12*d^4*q*r*(a + b*x)^4*Log[a + b*x]*(-3*p*r + ...
```

Rubi [A] (verified)

Time = 1.45 (sec) , antiderivative size = 814, normalized size of antiderivative = 0.92, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$, Rules used = {2984, 2981, 17, 54, 2009, 2994, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx$$

↓ 2984

$$\frac{1}{2^{pr}} \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx + \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4(c+dx)} dx}{2b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4}$$

$$\begin{aligned}
 & \downarrow 2981 \\
 & \frac{1}{2^p r} \left(\frac{dqr \int \frac{1}{(a+bx)^4(c+dx)} dx}{4b} + \frac{1}{4^p r} \int \frac{1}{(a+bx)^5} dx - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \right) + \\
 & \quad \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4(c+dx)} dx}{2b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
 & \downarrow 17 \\
 & \frac{1}{2^p r} \left(\frac{dqr \int \frac{1}{(a+bx)^4(c+dx)} dx}{4b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} - \frac{pr}{16b(a+bx)^4} \right) + \\
 & \quad \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4(c+dx)} dx}{2b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
 & \downarrow 54 \\
 & \frac{1}{2^p r} \left(\frac{dqr \int \left(\frac{d^4}{(bc-ad)^4(c+dx)} - \frac{bd^3}{(bc-ad)^4(a+bx)} + \frac{bd^2}{(bc-ad)^3(a+bx)^2} - \frac{bd}{(bc-ad)^2(a+bx)^3} + \frac{b}{(bc-ad)(a+bx)^4} \right) dx}{4b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \right) + \\
 & \quad \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4(c+dx)} dx}{2b} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
 & \downarrow 2009 \\
 & \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^4(c+dx)} dx}{2b} + \\
 & \frac{1}{2^p r} \left(\frac{dqr \left(-\frac{d^3 \log(a+bx)}{(bc-ad)^4} + \frac{d^3 \log(c+dx)}{(bc-ad)^4} - \frac{d^2}{(a+bx)(bc-ad)^3} + \frac{d}{2(a+bx)^2(bc-ad)^2} - \frac{1}{3(a+bx)^3(bc-ad)} \right)}{4b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \right) + \\
 & \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
 & \downarrow 2994 \\
 & \frac{dqr \int \left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)d^4}{(bc-ad)^4(c+dx)} - \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d^3}{(bc-ad)^4(a+bx)} + \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d^2}{(bc-ad)^3(a+bx)^2} - \frac{b \log(e(f(a+bx)^p(c+dx)^q)^r)d}{(bc-ad)^2(a+bx)^3} \right)}{2b} + \\
 & \frac{1}{2^p r} \left(\frac{dqr \left(-\frac{d^3 \log(a+bx)}{(bc-ad)^4} + \frac{d^3 \log(c+dx)}{(bc-ad)^4} - \frac{d^2}{(a+bx)(bc-ad)^3} + \frac{d}{2(a+bx)^2(bc-ad)^2} - \frac{1}{3(a+bx)^3(bc-ad)} \right)}{4b} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \right) + \\
 & \quad \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} \\
 & \downarrow 2009
 \end{aligned}$$

$$\begin{aligned}
 & -\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4b(a+bx)^4} + \\
 & \frac{1}{2}pr \left(\frac{dq \left(-\frac{\log(a+bx)d^3}{(bc-ad)^4} + \frac{\log(c+dx)d^3}{(bc-ad)^4} - \frac{d^2}{(bc-ad)^3(a+bx)} + \frac{d}{2(bc-ad)^2(a+bx)^2} - \frac{1}{3(bc-ad)(a+bx)^3} \right) r}{4b} - \frac{pr}{16b(a+bx)^4} - \frac{\log}{(bc-ad)^4} \right) \\
 & dqr \left(\frac{pr \log^2(a+bx)d^3}{2(bc-ad)^4} - \frac{qr \log^2(c+dx)d^3}{2(bc-ad)^4} + \frac{11qr \log(a+bx)d^3}{6(bc-ad)^4} - \frac{11qr \log(c+dx)d^3}{6(bc-ad)^4} - \frac{pr \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)d^3}{(bc-ad)^4} + \frac{qr \log(a+bx) \log(c+dx)d^3}{(bc-ad)^4} \right)
 \end{aligned}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(a + b*x)^5,x]`

output

```

-1/4*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(b*(a + b*x)^4) + (p*r*(-1/16*(p*r)/(b*(a + b*x)^4) + (d*q*r*(-1/3*1/((b*c - a*d)*(a + b*x)^3) + d/(2*(b*c - a*d)^2*(a + b*x)^2) - d^2/((b*c - a*d)^3*(a + b*x)) - (d^3*Log[a + b*x])/(b*c - a*d)^4 + (d^3*Log[c + d*x])/(b*c - a*d)^4))/(4*b) - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(4*b*(a + b*x)^4))/2 + (d*q*r*(-1/9*(p*r)/((b*c - a*d)*(a + b*x)^3) + (d*p*r)/(4*(b*c - a*d)^2*(a + b*x)^2) - (d*q*r)/(6*(b*c - a*d)^2*(a + b*x)^2) - (d^2*p*r)/((b*c - a*d)^3*(a + b*x)) + (5*d^2*q*r)/(6*(b*c - a*d)^3*(a + b*x)) + (11*d^3*q*r*Log[a + b*x])/(6*(b*c - a*d)^4) + (d^3*p*r*Log[a + b*x]^2)/(2*(b*c - a*d)^4) - (11*d^3*q*r*Log[c + d*x])/(6*(b*c - a*d)^4) - (d^3*p*r*Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/(b*c - a*d)^4 - (d^3*q*r*Log[c + d*x]^2)/(2*(b*c - a*d)^4) + (d^3*q*r*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)])/(b*c - a*d)^4 - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(3*(b*c - a*d)*(a + b*x)^3) + (d*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(2*(b*c - a*d)^2*(a + b*x)^2) - (d^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(b*c - a*d)^3*(a + b*x) - (d^3*Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(b*c - a*d)^4 + (d^3*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/(b*c - a*d)^4 + (d^3*q*r*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))])/(b*c - a*d)^4 - (d^3*p*r*PolyLog[2, (b*(c + d*x))/(b*c - a*d])/(b*c - a*d)^4))/(2*b)
    
```

Defintions of rubi rules used

- rule 17 $\text{Int}[(c_.)*((a_.) + (b_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[c*((a + b*x)^{(m + 1)})/(b*(m + 1)), x] /; \text{FreeQ}\{a, b, c, m\}, x \ \&\& \ \text{NeQ}[m, -1]$
- rule 54 $\text{Int}[(a_) + (b_.)*(x_))^{(m_)*((c_.) + (d_.)*(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2981 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}]*((g_.) + (h_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(h*(m + 1))), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}]/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}]/(c + d*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[m, -1]$
- rule 2984 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}]^{(s_.)*((g_.) + (h_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-\text{Simp}[b*p*r*(s/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(a + b*x), x], x] - \text{Simp}[d*q*r*(s/(h*(m + 1))) \ \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x), x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r, s\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[s, 0] \ \&\& \ \text{NeQ}[m, -1]$
- rule 2994 $\text{Int}[\text{Log}[e_.)*((f_.)*((a_.) + (b_.)*(x_))^{(p_.)*((c_.) + (d_.)*(x_))^{(q_.)})^{(r_.)}]^{(s_.)*(\text{RFx}_)}, x_Symbol] \rightarrow \text{With}\{u = \text{ExpandIntegrand}[\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}\{a, b, c, d, e, f, p, q, r, s\}, x \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{IGtQ}[s, 0]$

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(bx+a)^5} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^5} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b^5*x^5 + 5*a*b^4*x^4 + 10*a^2*b^3*x^3 + 10*a^3*b^2*x^2 + 5*a^4*b*x + a^5), x)`

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^5} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(b*x+a)**5,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(a + b*x)**5, x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1816 vs. $2(836) = 1672$.

Time = 0.19 (sec) , antiderivative size = 1816, normalized size of antiderivative = 2.05

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x, algorithm="maxima")`

output

```
-1/24*(12*d^4*f*q*log(b*x + a)/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) - 12*d^4*f*q*log(d*x + c)/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) + (12*b^3*d^3*f*q*x^3 - a*b^2*c^2*d*f*(9*p - 4*q) + a^2*b*c*d^2*f*(9*p - 14*q) - a^3*d^3*f*(3*p - 22*q) + 3*b^3*c^3*f*p - 6*(b^3*c*d^2*f*q - 7*a*b^2*d^3*f*q)*x^2 + 4*(b^3*c^2*d*f*q - 5*a*b^2*c*d^2*f*q + 13*a^2*b*d^3*f*q)*x)/(a^4*b^3*c^3 - 3*a^5*b^2*c^2*d + 3*a^6*b*c*d^2 - a^7*d^3 + (b^7*c^3 - 3*a*b^6*c^2*d + 3*a^2*b^5*c*d^2 - a^3*b^4*d^3)*x^4 + 4*(a*b^6*c^3 - 3*a^2*b^5*c^2*d + 3*a^3*b^4*c*d^2 - a^4*b^3*d^3)*x^3 + 6*(a^2*b^5*c^3 - 3*a^3*b^4*c^2*d + 3*a^4*b^3*c*d^2 - a^5*b^2*d^3)*x^2 + 4*(a^3*b^4*c^3 - 3*a^4*b^3*c^2*d + 3*a^5*b^2*c*d^2 - a^6*b*d^3)*x)*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(b*f) + 1/288*(144*(p*q + q^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))*d^4*f^2/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) + 12*(3*p*q - 22*q^2)*d^4*f^2*log(d*x + c)/(b^4*c^4 - 4*a*b^3*c^3*d + 6*a^2*b^2*c^2*d^2 - 4*a^3*b*c*d^3 + a^4*d^4) - (9*b^4*c^4*f^2*p^2 - 4*(9*p^2 - 7*p*q)*a*b^3*c^3*d*f^2 + 6*(9*p^2 - 23*p*q + 4*q^2)*a^2*b^2*c^2*d^2*f^2 - 12*(3*p^2 - 31*p*q + 14*q^2)*a^3*b*c*d^3*f^2 + (9*p^2 - 262*p*q + 144*q^2)*a^4*d^4*f^2 + 60*((3*p*q - 2*q^2)*b^4*c*d^3*f^2 - (3*p*q - 2*q^2)*a*b^3*d^4*f^2)*x^3 - 6*((9*p*q - 4*q^2)*b^4*c^2*d^2*f^2 - 4*(27*p*q - 17*q^2)*a*b^3*c*d^3*f^2 + (99*p*q - 64*q^2)*a^2*b...
```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(bx+a)^5} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(b*x + a)^5, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(a+bx)^5} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^5,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(a + b*x)^5, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)^5} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(b*x+a)^5,x)`

output

```
( - 48*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**5*c + a**5*d*x + 5*a**4*b*c*x + 5*a**4*b*d*x**2 + 10*a**3*b**2*c*x**2 + 10*a**3*b**2*d*x**3 + 10*a**2*b**3*c*x**3 + 10*a**2*b**3*d*x**4 + 5*a*b**4*c*x**4 + 5*a*b**4*d*x**5 + b**5*c*x**5 + b**5*d*x**6),x)*a**10*b*d**6*q*r + 240*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**5*c + a**5*d*x + 5*a**4*b*c*x + 5*a**4*b*d*x**2 + 10*a**3*b**2*c*x**2 + 10*a**3*b**2*d*x**3 + 10*a**2*b**3*c*x**3 + 10*a**2*b**3*d*x**4 + 5*a*b**4*c*x**4 + 5*a*b**4*d*x**5 + b**5*c*x**5 + b**5*d*x**6),x)*a**9*b**2*c*d**5*q*r - 192*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**5*c + a**5*d*x + 5*a**4*b*c*x + 5*a**4*b*d*x**2 + 10*a**3*b**2*c*x**2 + 10*a**3*b**2*d*x**3 + 10*a**2*b**3*c*x**3 + 10*a**2*b**3*d*x**4 + 5*a*b**4*c*x**4 + 5*a*b**4*d*x**5 + b**5*c*x**5 + b**5*d*x**6),x)*a**9*b**2*d**6*q*r*x - 480*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**5*c + a**5*d*x + 5*a**4*b*c*x + 5*a**4*b*d*x**2 + 10*a**3*b**2*c*x**2 + 10*a**3*b**2*d*x**3 + 10*a**2*b**3*c*x**3 + 10*a**2*b**3*d*x**4 + 5*a*b**4*c*x**4 + 5*a*b**4*d*x**5 + b**5*c*x**5 + b**5*d*x**6),x)*a**8*b**3*c**2*d**4*q*r + 960*int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*x)/(a**5*c + a**5*d*x + 5*a**4*b*c*x + 5*a**4*b*d*x**2 + 10*a**3*b**2*c*x**2 + 10*a**3*b**2*d*x**3 + 10*a**2*b**3*c*x**3 + 10*a**2*b**3*d*x**4 + 5*a*b**4*c*x**4 + 5*a*b**4*d*x**5 + b**5*c*x**5 + b**5*d*x**6),x)*a**8*b**3*c*d**5*q*r*x - 288*int((log(f**r*(c + d*x)*...
```

3.25 $\int (g+hx)^4 \log (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	268
Mathematica [A] (verified)	269
Rubi [A] (verified)	269
Maple [F]	271
Fricas [B] (verification not implemented)	271
Sympy [F(-1)]	272
Maxima [B] (verification not implemented)	273
Giac [F(-1)]	274
Mupad [B] (verification not implemented)	274
Reduce [B] (verification not implemented)	275

Optimal result

Integrand size = 29, antiderivative size = 334

$$\int (g+hx)^4 \log (e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= -\frac{(bg-ah)^4 prx}{5b^4} - \frac{(dg-ch)^4 qrx}{5d^4} - \frac{(bg-ah)^3 pr(g+hx)^2}{10b^3h} - \frac{(dg-ch)^3 qr(g+hx)^2}{10d^3h}$$

$$- \frac{(bg-ah)^2 pr(g+hx)^3}{15b^2h} - \frac{(dg-ch)^2 qr(g+hx)^3}{15d^2h} - \frac{(bg-ah)pr(g+hx)^4}{20bh}$$

$$- \frac{(dg-ch)qr(g+hx)^4}{20dh} - \frac{pr(g+hx)^5}{25h} - \frac{qr(g+hx)^5}{25h} - \frac{(bg-ah)^5 pr \log(a+bx)}{5b^5h}$$

$$- \frac{(dg-ch)^5 qr \log(c+dx)}{5d^5h} + \frac{(g+hx)^5 \log (e(f(a+bx)^p(c+dx)^q)^r)}{5h}$$

output

```
-1/5*(-a*h+b*g)^4*p*r*x/b^4-1/5*(-c*h+d*g)^4*q*r*x/d^4-1/10*(-a*h+b*g)^3*
p*r*(h*x+g)^2/b^3/h-1/10*(-c*h+d*g)^3*q*r*(h*x+g)^2/d^3/h-1/15*(-a*h+b*g)^2
*p*r*(h*x+g)^3/b^2/h-1/15*(-c*h+d*g)^2*q*r*(h*x+g)^3/d^2/h-1/20*(-a*h+b*g)
*p*r*(h*x+g)^4/b/h-1/20*(-c*h+d*g)*q*r*(h*x+g)^4/d/h-1/25*p*r*(h*x+g)^5/h-
1/25*q*r*(h*x+g)^5/h-1/5*(-a*h+b*g)^5*p*r*ln(b*x+a)/b^5/h-1/5*(-c*h+d*g)^5
*q*r*ln(d*x+c)/d^5/h+1/5*(h*x+g)^5*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h
```

Mathematica [A] (verified)

Time = 0.36 (sec) , antiderivative size = 275, normalized size of antiderivative = 0.82

$$\int (g + hx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{pr(60bh(bg-ah)^4x + 30b^2(bg-ah)^3(g+hx)^2 + 20b^3(bg-ah)^2(g+hx)^3 + 15b^4(bg-ah)(g+hx)^4 + 12b^5(g+hx)^5 + 60(bg-ah)^5 \log(a+bx))}{60b^5} - qr$$

input `Integrate[(g + h*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]`

output `(-1/60*(p*r*(60*b*h*(b*g - a*h)^4*x + 30*b^2*(b*g - a*h)^3*(g + h*x)^2 + 20*b^3*(b*g - a*h)^2*(g + h*x)^3 + 15*b^4*(b*g - a*h)*(g + h*x)^4 + 12*b^5*(g + h*x)^5 + 60*(b*g - a*h)^5*Log[a + b*x])/b^5 - (q*r*(60*d*h*(d*g - c*h)^4*x + 30*d^2*(d*g - c*h)^3*(g + h*x)^2 + 20*d^3*(d*g - c*h)^2*(g + h*x)^3 + 15*d^4*(d*g - c*h)*(g + h*x)^4 + 12*d^5*(g + h*x)^5 + 60*(d*g - c*h)^5*Log[c + d*x]))/(60*d^5) + (g + h*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(5*h)`

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 298, normalized size of antiderivative = 0.89, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (g + hx)^4 \log (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$\frac{bpr \int \frac{(g+hx)^5}{a+bx} dx}{5h} - \frac{dqr \int \frac{(g+hx)^5}{c+dx} dx}{5h} + \frac{(g + hx)^5 \log (e(f(a + bx)^p(c + dx)^q)^r)}{5h}$$

$$\downarrow 49$$

$$\frac{bpr \int \left(\frac{(bg-ah)^5}{b^5(a+bx)} + \frac{h(bg-ah)^4}{b^5} + \frac{h(g+hx)(bg-ah)^3}{b^4} + \frac{h(g+hx)^2(bg-ah)^2}{b^3} + \frac{h(g+hx)^3(bg-ah)}{b^2} + \frac{h(g+hx)^4}{b} \right) dx}{dqr \int \left(\frac{(dg-ch)^5}{d^5(c+dx)} + \frac{h(dg-ch)^4}{d^5} + \frac{h(g+hx)(dg-ch)^3}{d^4} + \frac{h(g+hx)^2(dg-ch)^2}{d^3} + \frac{h(g+hx)^3(dg-ch)}{d^2} + \frac{h(g+hx)^4}{d} \right) dx} + \frac{5h}{(g+hx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)}$$

↓ 2009

$$\frac{bpr \left(\frac{(bg-ah)^5 \log(a+bx)}{b^6} + \frac{hx(bg-ah)^4}{b^5} + \frac{(g+hx)^2(bg-ah)^3}{2b^4} + \frac{(g+hx)^3(bg-ah)^2}{3b^3} + \frac{(g+hx)^4(bg-ah)}{4b^2} + \frac{(g+hx)^5}{5b} \right)}{(g+hx)^5 \log(e(f(a+bx)^p(c+dx)^q)^r)} - \frac{dqr \left(\frac{(dg-ch)^5 \log(c+dx)}{d^6} + \frac{hx(dg-ch)^4}{d^5} + \frac{(g+hx)^2(dg-ch)^3}{2d^4} + \frac{(g+hx)^3(dg-ch)^2}{3d^3} + \frac{(g+hx)^4(dg-ch)}{4d^2} + \frac{(g+hx)^5}{5d} \right)}{5h}$$

input `Int[(g + h*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]`

output `-1/5*(b*p*r*((h*(b*g - a*h)^4*x)/b^5 + ((b*g - a*h)^3*(g + h*x)^2)/(2*b^4) + ((b*g - a*h)^2*(g + h*x)^3)/(3*b^3) + ((b*g - a*h)*(g + h*x)^4)/(4*b^2) + (g + h*x)^5/(5*b) + ((b*g - a*h)^5*Log[a + b*x])/b^6))/h - (d*q*r*((h*(d*g - c*h)^4*x)/d^5 + ((d*g - c*h)^3*(g + h*x)^2)/(2*d^4) + ((d*g - c*h)^2*(g + h*x)^3)/(3*d^3) + ((d*g - c*h)*(g + h*x)^4)/(4*d^2) + (g + h*x)^5/(5*d) + ((d*g - c*h)^5*Log[c + d*x])/d^6))/(5*h) + ((g + h*x)^5*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(5*h)`

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int (hx + g)^4 \ln(e(f(bx + a)^p (dx + c)^q)^r) dx$$

input

```
int((h*x+g)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
int((h*x+g)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 945 vs. 2(308) = 616.

Time = 0.09 (sec) , antiderivative size = 945, normalized size of antiderivative = 2.83

$$\int (g + hx)^4 \log(e(f(a + bx)^p (c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
integrate((h*x+g)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas"
)
```


output

```

-1/300*(12*(b^5*d^5*h^4*p + b^5*d^5*h^4*q)*r*x^5 + 15*((5*b^5*d^5*g*h^3 -
a*b^4*d^5*h^4)*p + (5*b^5*d^5*g*h^3 - b^5*c*d^4*h^4)*q)*r*x^4 + 20*((10*b^
5*d^5*g^2*h^2 - 5*a*b^4*d^5*g*h^3 + a^2*b^3*d^5*h^4)*p + (10*b^5*d^5*g^2*h
^2 - 5*b^5*c*d^4*g*h^3 + b^5*c^2*d^3*h^4)*q)*r*x^3 + 30*((10*b^5*d^5*g^3*h
- 10*a*b^4*d^5*g^2*h^2 + 5*a^2*b^3*d^5*g*h^3 - a^3*b^2*d^5*h^4)*p + (10*b
^5*d^5*g^3*h - 10*b^5*c*d^4*g^2*h^2 + 5*b^5*c^2*d^3*g*h^3 - b^5*c^3*d^2*h^
4)*q)*r*x^2 + 60*((5*b^5*d^5*g^4 - 10*a*b^4*d^5*g^3*h + 10*a^2*b^3*d^5*g^2
*h^2 - 5*a^3*b^2*d^5*g*h^3 + a^4*b*d^5*h^4)*p + (5*b^5*d^5*g^4 - 10*b^5*c*
d^4*g^3*h + 10*b^5*c^2*d^3*g^2*h^2 - 5*b^5*c^3*d^2*g*h^3 + b^5*c^4*d*h^4)*
q)*r*x - 60*(b^5*d^5*h^4*p*r*x^5 + 5*b^5*d^5*g*h^3*p*r*x^4 + 10*b^5*d^5*g^
2*h^2*p*r*x^3 + 10*b^5*d^5*g^3*h*p*r*x^2 + 5*b^5*d^5*g^4*p*r*x + (5*a*b^4*
d^5*g^4 - 10*a^2*b^3*d^5*g^3*h + 10*a^3*b^2*d^5*g^2*h^2 - 5*a^4*b*d^5*g*h^
3 + a^5*d^5*h^4)*p*r)*log(b*x + a) - 60*(b^5*d^5*h^4*q*r*x^5 + 5*b^5*d^5*g
*h^3*q*r*x^4 + 10*b^5*d^5*g^2*h^2*q*r*x^3 + 10*b^5*d^5*g^3*h*q*r*x^2 + 5*b
^5*d^5*g^4*q*r*x + (5*b^5*c*d^4*g^4 - 10*b^5*c^2*d^3*g^3*h + 10*b^5*c^3*d^
2*g^2*h^2 - 5*b^5*c^4*d*g*h^3 + b^5*c^5*h^4)*q*r)*log(d*x + c) - 60*(b^5*d
^5*h^4*x^5 + 5*b^5*d^5*g*h^3*x^4 + 10*b^5*d^5*g^2*h^2*x^3 + 10*b^5*d^5*g^3
*h*x^2 + 5*b^5*d^5*g^4*x)*log(e) - 60*(b^5*d^5*h^4*r*x^5 + 5*b^5*d^5*g*h^3
*r*x^4 + 10*b^5*d^5*g^2*h^2*r*x^3 + 10*b^5*d^5*g^3*h*r*x^2 + 5*b^5*d^5*g^4
*r*x)*log(f))/(b^5*d^5)

```

Sympy [F(-1)]

Timed out.

$$\int (g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input

```
integrate((h*x+g)**4*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)
```

output

Timed out

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 624 vs. $2(308) = 616$.

Time = 0.05 (sec) , antiderivative size = 624, normalized size of antiderivative = 1.87

$$\int (g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{5} (h^4 x^5 + 5gh^3 x^4 + 10g^2 h^2 x^3 + 10g^3 h x^2 + 5g^4 x) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ r \left(\frac{60(5ab^4fg^4p - 10a^2b^3fg^3hp + 10a^3b^2fg^2h^2p - 5a^4bfg^3p + a^5fh^4p) \log(bx+a)}{b^5} + \frac{60(5cd^4fg^4q - 10c^2d^3fg^3hq + 10c^3d^2fg^2h^2q - 5c^4d^2fg^3h^2q)}{d^5} \right)$$

input `integrate((h*x+g)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output `1/5*(h^4*x^5 + 5*g*h^3*x^4 + 10*g^2*h^2*x^3 + 10*g^3*h*x^2 + 5*g^4*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) + 1/300*r*(60*(5*a*b^4*f*g^4*p - 10*a^2*b^3*f*g^3*h*p + 10*a^3*b^2*f*g^2*h^2*p - 5*a^4*b*f*g*h^3*p + a^5*f*h^4*p)*log(b*x + a)/b^5 + 60*(5*c*d^4*f*g^4*q - 10*c^2*d^3*f*g^3*h*q + 10*c^3*d^2*f*g^2*h^2*q - 5*c^4*d*f*g*h^3*q + c^5*f*h^4*q)*log(d*x + c)/d^5 - (12*b^4*d^4*f*h^4*(p + q)*x^5 - 15*(a*b^3*d^4*f*h^4*p - (5*d^4*f*g*h^3*(p + q) - c*d^3*f*h^4*q)*b^4)*x^4 - 20*(5*a*b^3*d^4*f*g*h^3*p - a^2*b^2*d^4*f*h^4*p - (10*d^4*f*g^2*h^2*(p + q) - 5*c*d^3*f*g*h^3*q + c^2*d^2*f*h^4*q)*b^4)*x^3 - 30*(10*a*b^3*d^4*f*g^2*h^2*p - 5*a^2*b^2*d^4*f*g*h^3*p + a^3*b*d^4*f*h^4*p - (10*d^4*f*g^3*h*(p + q) - 10*c*d^3*f*g^2*h^2*q + 5*c^2*d^2*f*g*h^3*q - c^3*d*f*h^4*q)*b^4)*x^2 - 60*(10*a*b^3*d^4*f*g^3*h*p - 10*a^2*b^2*d^4*f*g^2*h^2*p + 5*a^3*b*d^4*f*g*h^3*p - a^4*d^4*f*h^4*p - (5*d^4*f*g^4*(p + q) - 10*c*d^3*f*g^3*h*q + 10*c^2*d^2*f*g^2*h^2*q - 5*c^3*d*f*g*h^3*q + c^4*f*h^4*q)*b^4)*x)/(b^4*d^4))/f`

Giac [F(-1)]

Timed out.

$$\int (g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input `integrate((h*x+g)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output `Timed out`

Mupad [B] (verification not implemented)

Time = 27.10 (sec) , antiderivative size = 1128, normalized size of antiderivative = 3.38

$$\int (g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g + h*x)^4,x)`

output

```

log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g^4*x + (h^4*x^5)/5 + 2*g^3*h*x^2 +
g*h^3*x^4 + 2*g^2*h^2*x^3) - x^2*(((5*a*d + 5*b*c)*((5*a*d + 5*b*c)*((h^3
*r*(b*c*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d*g*q))/(5*b*d) - (h^4*r*(p + q)*(
5*a*d + 5*b*c))/(25*b*d)))/(5*b*d) - (g*h^2*r*(b*c*h*p + 2*b*d*g*p + a*d*h
*q + 2*b*d*g*q))/(b*d) + (a*c*h^4*r*(p + q))/(5*b*d)))/(10*b*d) - (a*c*((h
^3*r*(b*c*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d*g*q))/(5*b*d) - (h^4*r*(p + q)
*(5*a*d + 5*b*c))/(25*b*d)))/(2*b*d) + (g^2*h*r*(b*c*h*p + b*d*g*p + a*d*h
*q + b*d*g*q))/(b*d) - x^4*((h^3*r*(b*c*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d
*g*q))/(20*b*d) - (h^4*r*(p + q)*(5*a*d + 5*b*c))/(100*b*d)) - x*((a*c*(((
5*a*d + 5*b*c)*((h^3*r*(b*c*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d*g*q))/(5*b*d)
) - (h^4*r*(p + q)*(5*a*d + 5*b*c))/(25*b*d)))/(5*b*d) - (g*h^2*r*(b*c*h*p
+ 2*b*d*g*p + a*d*h*q + 2*b*d*g*q))/(b*d) + (a*c*h^4*r*(p + q))/(5*b*d))
)/(b*d) - ((5*a*d + 5*b*c)*((5*a*d + 5*b*c)*((5*a*d + 5*b*c)*((h^3*r*(b*c
*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d*g*q))/(5*b*d) - (h^4*r*(p + q)*(5*a*d +
5*b*c))/(25*b*d)))/(5*b*d) - (g*h^2*r*(b*c*h*p + 2*b*d*g*p + a*d*h*q + 2*
b*d*g*q))/(b*d) + (a*c*h^4*r*(p + q))/(5*b*d)))/(5*b*d) - (a*c*((h^3*r*(b
c*h*p + 5*b*d*g*p + a*d*h*q + 5*b*d*g*q))/(5*b*d) - (h^4*r*(p + q)*(5*a*d
+ 5*b*c))/(25*b*d)))/(b*d) + (2*g^2*h*r*(b*c*h*p + b*d*g*p + a*d*h*q + b*d
*g*q))/(b*d)))/(5*b*d) + (g^3*r*(2*b*c*h*p + b*d*g*p + 2*a*d*h*q + b*d*g*q
))/(b*d) + x^3*(((5*a*d + 5*b*c)*((h^3*r*(b*c*h*p + 5*b*d*g*p + a*d*h...

```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 1136, normalized size of antiderivative = 3.40

$$\int (g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
int((h*x+g)^4*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
( - 60*log(c + d*x)*a**5*d**5*h**4*q*r + 300*log(c + d*x)*a**4*b*d**5*g*h*
*3*q*r - 600*log(c + d*x)*a**3*b**2*d**5*g**2*h**2*q*r + 600*log(c + d*x)*
a**2*b**3*d**5*g**3*h*q*r - 300*log(c + d*x)*a*b**4*d**5*g**4*q*r + 60*log
(c + d*x)*b**5*c**5*h**4*q*r - 300*log(c + d*x)*b**5*c**4*d*g*h**3*q*r + 6
00*log(c + d*x)*b**5*c**3*d**2*g**2*h**2*q*r - 600*log(c + d*x)*b**5*c**2*
d**3*g**3*h*q*r + 300*log(c + d*x)*b**5*c*d**4*g**4*q*r + 60*log(f**r*(c +
d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**5*d**5*h**4 - 300*log(f**r*(c + d*x)**
(q*r)*(a + b*x)**(p*r)*e)*a**4*b*d**5*g*h**3 + 600*log(f**r*(c + d*x)**(q*
r)*(a + b*x)**(p*r)*e)*a**3*b**2*d**5*g**2*h**2 - 600*log(f**r*(c + d*x)**
(q*r)*(a + b*x)**(p*r)*e)*a**2*b**3*d**5*g**3*h + 300*log(f**r*(c + d*x)**
(q*r)*(a + b*x)**(p*r)*e)*a*b**4*d**5*g**4 + 300*log(f**r*(c + d*x)**(q*r)
*(a + b*x)**(p*r)*e)*b**5*d**5*g**4*x + 600*log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)*b**5*d**5*g**3*h*x**2 + 600*log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)*b**5*d**5*g**2*h**2*x**3 + 300*log(f**r*(c + d*x)**(q*r)*(
a + b*x)**(p*r)*e)*b**5*d**5*g*h**3*x**4 + 60*log(f**r*(c + d*x)**(q*r)*(a
+ b*x)**(p*r)*e)*b**5*d**5*h**4*x**5 - 60*a**4*b*d**5*h**4*p*r*x + 300*a*
*3*b**2*d**5*g*h**3*p*r*x + 30*a**3*b**2*d**5*h**4*p*r*x**2 - 600*a**2*b**
3*d**5*g**2*h**2*p*r*x - 150*a**2*b**3*d**5*g*h**3*p*r*x**2 - 20*a**2*b**3
*d**5*h**4*p*r*x**3 + 600*a*b**4*d**5*g**3*h*p*r*x + 300*a*b**4*d**5*g**2*
h**2*p*r*x**2 + 100*a*b**4*d**5*g*h**3*p*r*x**3 + 15*a*b**4*d**5*h**4*p...
```

3.26 $\int (g+hx)^3 \log (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	277
Mathematica [A] (verified)	278
Rubi [A] (verified)	278
Maple [F]	280
Fricas [B] (verification not implemented)	280
Sympy [F(-1)]	281
Maxima [A] (verification not implemented)	281
Giac [F(-1)]	282
Mupad [B] (verification not implemented)	283
Reduce [B] (verification not implemented)	284

Optimal result

Integrand size = 29, antiderivative size = 276

$$\begin{aligned} & \int (g+hx)^3 \log (e(f(a+bx)^p(c+dx)^q)^r) dx \\ &= -\frac{(bg-ah)^3 prx}{4b^3} - \frac{(dg-ch)^3 qrx}{4d^3} - \frac{(bg-ah)^2 pr(g+hx)^2}{8b^2h} \\ & \quad - \frac{(dg-ch)^2 qr(g+hx)^2}{8d^2h} - \frac{(bg-ah)pr(g+hx)^3}{12bh} - \frac{(dg-ch)qr(g+hx)^3}{12dh} \\ & \quad - \frac{pr(g+hx)^4}{16h} - \frac{qr(g+hx)^4}{16h} - \frac{(bg-ah)^4 pr \log(a+bx)}{4b^4h} \\ & \quad - \frac{(dg-ch)^4 qr \log(c+dx)}{4d^4h} + \frac{(g+hx)^4 \log (e(f(a+bx)^p(c+dx)^q)^r)}{4h} \end{aligned}$$

output

```
-1/4*(-a*h+b*g)^3*p*r*x/b^3-1/4*(-c*h+d*g)^3*q*r*x/d^3-1/8*(-a*h+b*g)^2*p*
r*(h*x+g)^2/b^2/h-1/8*(-c*h+d*g)^2*q*r*(h*x+g)^2/d^2/h-1/12*(-a*h+b*g)*p*r
*(h*x+g)^3/b/h-1/12*(-c*h+d*g)*q*r*(h*x+g)^3/d/h-1/16*p*r*(h*x+g)^4/h-1/16
*q*r*(h*x+g)^4/h-1/4*(-a*h+b*g)^4*p*r*ln(b*x+a)/b^4/h-1/4*(-c*h+d*g)^4*q*r
*ln(d*x+c)/d^4/h+1/4*(h*x+g)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h
```

Mathematica [A] (verified)

Time = 0.29 (sec) , antiderivative size = 231, normalized size of antiderivative = 0.84

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{12} r \left(-\frac{p(12bh(bg-ah)^3x + 6b^2(bg-ah)^2(g+hx)^2 + 4b^3(bg-ah)(g+hx)^3 + 3b^4(g+hx)^4 + 12(bg-ah)^4 \log(a+bx))}{b^4} - \frac{q(12dh(dg-ch)^3x + 6d^2(dg-ch)^2(g+hx)^2 + 4d^3(dg-ch)(g+hx)^3 + 3d^4(dg-ch)^4 \log(c+dx))}{d^4} \right)$$

input

```
Integrate[(g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]
```

output

```
((r*(-((p*(12*b*h*(b*g - a*h)^3*x + 6*b^2*(b*g - a*h)^2*(g + h*x)^2 + 4*b^3*(b*g - a*h)*(g + h*x)^3 + 3*b^4*(g + h*x)^4 + 12*(b*g - a*h)^4*Log[a + b*x]))/b^4) - (q*(12*d*h*(d*g - c*h)^3*x + 6*d^2*(d*g - c*h)^2*(g + h*x)^2 + 4*d^3*(d*g - c*h)*(g + h*x)^3 + 3*d^4*(g + h*x)^4 + 12*(d*g - c*h)^4*Log[c + d*x]))/d^4))/12 + (g + h*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)]/(4*h)
```

Rubi [A] (verified)

Time = 0.41 (sec) , antiderivative size = 250, normalized size of antiderivative = 0.91, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow \text{2981}$$

$$-\frac{bpr \int \frac{(g+hx)^4}{a+bx} dx}{4h} - \frac{dqr \int \frac{(g+hx)^4}{c+dx} dx}{4h} + \frac{(g + hx)^4 \log(e(f(a + bx)^p(c + dx)^q)^r)}{4h}$$

$$\downarrow \text{49}$$

$$\begin{aligned}
& \frac{bpr \int \left(\frac{(bg-ah)^4}{b^4(a+bx)} + \frac{h(bg-ah)^3}{b^4} + \frac{h(g+hx)(bg-ah)^2}{b^3} + \frac{h(g+hx)^2(bg-ah)}{b^2} + \frac{h(g+hx)^3}{b} \right) dx}{4h} - \\
& \frac{dqr \int \left(\frac{(dg-ch)^4}{d^4(c+dx)} + \frac{h(dg-ch)^3}{d^4} + \frac{h(g+hx)(dg-ch)^2}{d^3} + \frac{h(g+hx)^2(dg-ch)}{d^2} + \frac{h(g+hx)^3}{d} \right) dx}{4h} + \\
& \frac{(g+hx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4h} \\
& \quad \downarrow \text{2009} \\
& \frac{bpr \left(\frac{(bg-ah)^4 \log(a+bx)}{b^5} + \frac{hx(bg-ah)^3}{b^4} + \frac{(g+hx)^2(bg-ah)^2}{2b^3} + \frac{(g+hx)^3(bg-ah)}{3b^2} + \frac{(g+hx)^4}{4b} \right)}{4h} + \\
& \frac{(g+hx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{4h} - \\
& \frac{dqr \left(\frac{(dg-ch)^4 \log(c+dx)}{d^5} + \frac{hx(dg-ch)^3}{d^4} + \frac{(g+hx)^2(dg-ch)^2}{2d^3} + \frac{(g+hx)^3(dg-ch)}{3d^2} + \frac{(g+hx)^4}{4d} \right)}{4h}
\end{aligned}$$

input `Int[(g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]`

output `-1/4*(b*p*r*((h*(b*g - a*h)^3*x)/b^4 + ((b*g - a*h)^2*(g + h*x)^2)/(2*b^3) + ((b*g - a*h)*(g + h*x)^3)/(3*b^2) + (g + h*x)^4/(4*b) + ((b*g - a*h)^4*Log[a + b*x])/b^5))/h - (d*q*r*((h*(d*g - c*h)^3*x)/d^4 + ((d*g - c*h)^2*(g + h*x)^2)/(2*d^3) + ((d*g - c*h)*(g + h*x)^3)/(3*d^2) + (g + h*x)^4/(4*d) + ((d*g - c*h)^4*Log[c + d*x])/d^5))/(4*h) + ((g + h*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(4*h)`

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1)))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int (hx + g)^3 \ln(e(f(bx + a)^p (dx + c)^q)^r) dx$$

input

```
int((h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
int((h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 679 vs. $2(254) = 508$.

Time = 0.09 (sec) , antiderivative size = 679, normalized size of antiderivative = 2.46

$$\int (g + hx)^3 \log(e(f(a + bx)^p (c + dx)^q)^r) dx =$$

$$\frac{3(b^4 d^4 h^3 p + b^4 d^4 h^3 q) r x^4 + 4((4 b^4 d^4 g h^2 - a b^3 d^4 h^3) p + (4 b^4 d^4 g h^2 - b^4 c d^3 h^3) q) r x^3 + 6((6 b^4 d^4 g^2 h -$$

input

```
integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas"
)
```

output

```
-1/48*(3*(b^4*d^4*h^3*p + b^4*d^4*h^3*q)*r*x^4 + 4*((4*b^4*d^4*g*h^2 - a*b^3*d^4*h^3)*p + (4*b^4*d^4*g*h^2 - b^4*c*d^3*h^3)*q)*r*x^3 + 6*((6*b^4*d^4*g^2*h - 4*a*b^3*d^4*g*h^2 + a^2*b^2*d^4*h^3)*p + (6*b^4*d^4*g^2*h - 4*b^4*c*d^3*g*h^2 + b^4*c^2*d^2*h^3)*q)*r*x^2 + 12*((4*b^4*d^4*g^3 - 6*a*b^3*d^4*g^2*h + 4*a^2*b^2*d^4*g*h^2 - a^3*b*d^4*h^3)*p + (4*b^4*d^4*g^3 - 6*b^4*c*d^3*g^2*h + 4*b^4*c^2*d^2*g*h^2 - b^4*c^3*d*h^3)*q)*r*x - 12*(b^4*d^4*h^3*p*r*x^4 + 4*b^4*d^4*g*h^2*p*r*x^3 + 6*b^4*d^4*g^2*h*p*r*x^2 + 4*b^4*d^4*g^3*p*r*x + (4*a*b^3*d^4*g^3 - 6*a^2*b^2*d^4*g^2*h + 4*a^3*b*d^4*g*h^2 - a^4*d^4*h^3)*p*r)*log(b*x + a) - 12*(b^4*d^4*h^3*q*r*x^4 + 4*b^4*d^4*g*h^2*q*r*x^3 + 6*b^4*d^4*g^2*h*q*r*x^2 + 4*b^4*d^4*g^3*q*r*x + (4*b^4*c*d^3*g^3 - 6*b^4*c^2*d^2*g^2*h + 4*b^4*c^3*d*g*h^2 - b^4*c^4*h^3)*q*r)*log(d*x + c) - 12*(b^4*d^4*h^3*x^4 + 4*b^4*d^4*g*h^2*x^3 + 6*b^4*d^4*g^2*h*x^2 + 4*b^4*d^4*g^3*x)*log(e) - 12*(b^4*d^4*h^3*r*x^4 + 4*b^4*d^4*g*h^2*r*x^3 + 6*b^4*d^4*g^2*h*r*x^2 + 4*b^4*d^4*g^3*r*x)*log(f))/(b^4*d^4)
```

Sympy [F(-1)]

Timed out.

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input

```
integrate((h*x+g)**3*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)
```

output

Timed out

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 431, normalized size of antiderivative = 1.56

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{4} (h^3 x^4 + 4gh^2 x^3 + 6g^2 h x^2 + 4g^3 x) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ r \left(\frac{12(4ab^3fg^3p - 6a^2b^2fg^2hp + 4a^3bfg^2p - a^4fh^3p) \log(bx+a)}{b^4} + \frac{12(4cd^3fg^3q - 6c^2d^2fg^2hq + 4c^3dfgh^2q - c^4fh^3q) \log(dx+c)}{d^4} - \dots \right)$$

input `integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output
$$\frac{1}{4}(h^3x^4 + 4gh^2x^3 + 6g^2hx^2 + 4g^3x)\log((bx + a)^p(dx + c)^qf)^re + \frac{1}{48}r(12(4ab^3fg^3p - 6a^2b^2fg^2hp + 4a^3bfgh^2p - a^4f^3h^3p)\log(bx + a)/b^4 + 12(4cd^3fg^3q - 6c^2d^2fg^2hq + 4c^3d^2fg^2hq - c^4f^3h^3q)\log(dx + c)/d^4 - (3b^3d^3f^3h^3(p + q)x^4 - 4(ab^2d^3f^3h^3p - (4d^3fg^2h^2(p + q) - cd^2f^3h^3q)b^3)x^3 - 6(4ab^2d^3fg^2hp - a^2bd^3f^3h^3p - (6d^3fg^2h(p + q) - 4cd^2fg^2hq + c^2d^3f^3h^3q)b^3)x^2 - 12(6ab^2d^3fg^2hp - 4a^2bd^3fg^2hp + a^3d^3f^3h^3p - (4d^3fg^3(p + q) - 6cd^2fg^2hq + 4c^2d^3fg^2hq - c^3f^3h^3q)b^3)x)/(b^3d^3))/f$$

Giac [F(-1)]

Timed out.

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input `integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output `Timed out`

Mupad [B] (verification not implemented)

Time = 27.12 (sec) , antiderivative size = 641, normalized size of antiderivative = 2.32

$$\begin{aligned}
& \int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(g^3 x + \frac{3g^2 h x^2}{2} + g h^2 x^3 + \frac{h^3 x^4}{4} \right) \\
&\quad - x \left(\frac{(4ad + 4bc) \left(\frac{h^2 r (bchp + 4bdgp + adh q + 4bdgq)}{4bd} - \frac{h^3 r (p+q)(4ad + 4bc)}{16bd} \right) - \frac{ghr(2bchp + 3bdgp + 2adhq + 3bdgq)}{2bd}}{4bd} \right. \\
&\quad \left. + \frac{g^2 r (3bchp + 2bdgp + 3adhq + 2bdgq)}{2bd} \right. \\
&\quad \left. - \frac{ac \left(\frac{h^2 r (bchp + 4bdgp + adh q + 4bdgq)}{4bd} - \frac{h^3 r (p+q)(4ad + 4bc)}{16bd} \right)}{bd} \right) \\
&\quad - x^3 \left(\frac{h^2 r (bchp + 4bdgp + adh q + 4bdgq)}{12bd} - \frac{h^3 r (p+q)(4ad + 4bc)}{48bd} \right) \\
&\quad + x^2 \left(\frac{(4ad + 4bc) \left(\frac{h^2 r (bchp + 4bdgp + adh q + 4bdgq)}{4bd} - \frac{h^3 r (p+q)(4ad + 4bc)}{16bd} \right)}{8bd} \right. \\
&\quad \left. - \frac{ghr(2bchp + 3bdgp + 2adhq + 3bdgq)}{4bd} + \frac{ach^3 r (p+q)}{8bd} \right) \\
&\quad - \frac{\ln(a + bx) (pra^4 h^3 - 4pra^3 bgh^2 + 6pra^2 b^2 g^2 h - 4pra b^3 g^3)}{4b^4} \\
&\quad - \frac{\ln(c + dx) (qrc^4 h^3 - 4qrc^3 dgh^2 + 6qrc^2 d^2 g^2 h - 4qrcd^3 g^3)}{4d^4} \\
&\quad - \frac{h^3 r x^4 (p+q)}{16}
\end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g + h*x)^3,x)`

output

```

log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g^3*x + (h^3*x^4)/4 + (3*g^2*h*x^2)/
2 + g*h^2*x^3) - x*(((4*a*d + 4*b*c)*((4*a*d + 4*b*c)*((h^2*r*(b*c*h*p +
4*b*d*g*p + a*d*h*q + 4*b*d*g*q))/(4*b*d) - (h^3*r*(p + q)*(4*a*d + 4*b*c)
))/(16*b*d)))/(4*b*d) - (g*h*r*(2*b*c*h*p + 3*b*d*g*p + 2*a*d*h*q + 3*b*d*g
*q))/(2*b*d) + (a*c*h^3*r*(p + q))/(4*b*d))/(4*b*d) + (g^2*r*(3*b*c*h*p +
2*b*d*g*p + 3*a*d*h*q + 2*b*d*g*q))/(2*b*d) - (a*c*((h^2*r*(b*c*h*p + 4*b
*d*g*p + a*d*h*q + 4*b*d*g*q))/(4*b*d) - (h^3*r*(p + q)*(4*a*d + 4*b*c))/(
16*b*d)))/(b*d) - x^3*((h^2*r*(b*c*h*p + 4*b*d*g*p + a*d*h*q + 4*b*d*g*q)
)/(12*b*d) - (h^3*r*(p + q)*(4*a*d + 4*b*c))/(48*b*d)) + x^2*(((4*a*d + 4*
b*c)*((h^2*r*(b*c*h*p + 4*b*d*g*p + a*d*h*q + 4*b*d*g*q))/(4*b*d) - (h^3*r
*(p + q)*(4*a*d + 4*b*c))/(16*b*d)))/(8*b*d) - (g*h*r*(2*b*c*h*p + 3*b*d*g
*p + 2*a*d*h*q + 3*b*d*g*q))/(4*b*d) + (a*c*h^3*r*(p + q))/(8*b*d) - (log
(a + b*x)*(a^4*h^3*p*r - 4*a*b^3*g^3*p*r - 4*a^3*b*g*h^2*p*r + 6*a^2*b^2*g
^2*h*p*r))/(4*b^4) - (log(c + d*x)*(c^4*h^3*q*r - 4*c*d^3*g^3*q*r - 4*c^3*
d*g*h^2*q*r + 6*c^2*d^2*g^2*h*q*r))/(4*d^4) - (h^3*r*x^4*(p + q))/16

```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 808, normalized size of antiderivative = 2.93

$$\int (g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
int((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)
```

output

```
(12*log(c + d*x)*a**4*d**4*h**3*q*r - 48*log(c + d*x)*a**3*b*d**4*g*h**2*q
*r + 72*log(c + d*x)*a**2*b**2*d**4*g**2*h*q*r - 48*log(c + d*x)*a*b**3*d*
**4*g**3*q*r - 12*log(c + d*x)*b**4*c**4*h**3*q*r + 48*log(c + d*x)*b**4*c*
**3*d*g*h**2*q*r - 72*log(c + d*x)*b**4*c**2*d**2*g**2*h*q*r + 48*log(c + d
*x)*b**4*c*d**3*g**3*q*r - 12*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e
)*a**4*d**4*h**3 + 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*b
*d**4*g*h**2 - 72*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b**2*
d**4*g**2*h + 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**3*d**4
*g**3 + 48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*d**4*g**3*x
+ 72*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*d**4*g**2*h*x**2 +
48*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*d**4*g*h**2*x**3 +
12*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**4*d**4*h**3*x**4 + 12*
a**3*b*d**4*h**3*p*r*x - 48*a**2*b**2*d**4*g*h**2*p*r*x - 6*a**2*b**2*d**4
*h**3*p*r*x**2 + 72*a*b**3*d**4*g**2*h*p*r*x + 24*a*b**3*d**4*g*h**2*p*r*x
**2 + 4*a*b**3*d**4*h**3*p*r*x**3 + 12*b**4*c**3*d*h**3*q*r*x - 48*b**4*c*
**2*d**2*g*h**2*q*r*x - 6*b**4*c**2*d**2*h**3*q*r*x**2 + 72*b**4*c*d**3*g**
2*h*q*r*x + 24*b**4*c*d**3*g*h**2*q*r*x**2 + 4*b**4*c*d**3*h**3*q*r*x**3 -
48*b**4*d**4*g**3*p*r*x - 48*b**4*d**4*g**3*q*r*x - 36*b**4*d**4*g**2*h*p
*r*x**2 - 36*b**4*d**4*g**2*h*q*r*x**2 - 16*b**4*d**4*g*h**2*p*r*x**3 - 16
*b**4*d**4*g*h**2*q*r*x**3 - 3*b**4*d**4*h**3*p*r*x**4 - 3*b**4*d**4*h...
```

3.27 $\int (g+hx)^2 \log (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	286
Mathematica [A] (verified)	287
Rubi [A] (verified)	287
Maple [B] (verified)	289
Fricas [B] (verification not implemented)	290
Sympy [B] (verification not implemented)	290
Maxima [A] (verification not implemented)	291
Giac [A] (verification not implemented)	292
Mupad [B] (verification not implemented)	293
Reduce [B] (verification not implemented)	294

Optimal result

Integrand size = 29, antiderivative size = 218

$$\int (g+hx)^2 \log (e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= -\frac{(bg-ah)^2 prx}{3b^2} - \frac{(dg-ch)^2 qrx}{3d^2} - \frac{(bg-ah)pr(g+hx)^2}{6bh}$$

$$- \frac{(dg-ch)qr(g+hx)^2}{6dh} - \frac{pr(g+hx)^3}{9h} - \frac{qr(g+hx)^3}{9h} - \frac{(bg-ah)^3 pr \log(a+bx)}{3b^3h}$$

$$- \frac{(dg-ch)^3 qr \log(c+dx)}{3d^3h} + \frac{(g+hx)^3 \log (e(f(a+bx)^p(c+dx)^q)^r)}{3h}$$

output

```
-1/3*(-a*h+b*g)^2*p*r*x/b^2-1/3*(-c*h+d*g)^2*q*r*x/d^2-1/6*(-a*h+b*g)*p*r*
(h*x+g)^2/b/h-1/6*(-c*h+d*g)*q*r*(h*x+g)^2/d/h-1/9*p*r*(h*x+g)^3/h-1/9*q*r
*(h*x+g)^3/h-1/3*(-a*h+b*g)^3*p*r*ln(b*x+a)/b^3/h-1/3*(-c*h+d*g)^3*q*r*ln(
d*x+c)/d^3/h+1/3*(h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h
```

Mathematica [A] (verified)

Time = 0.25 (sec) , antiderivative size = 209, normalized size of antiderivative = 0.96

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{r(6d^3(bg - ah)^3 p \log(a + bx) + b(6a^2 d^3 h^3 p x - 3abd^3 h p (g^2 + 6ghx + h^2 x^2) + b^2 d(6c^2 h^3 q x - 3cdhq(g^2 + 6ghx + h^2 x^2) + d^2(p + q)(5g^3 + 18g^2 hx + 9g h^3 x^2)))}{6b^3 d^3} + \frac{(g + hx)^3}{3h} \log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]$$

input `Integrate[(g + h*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r], x]`

output `(-1/6*(r*(6*d^3*(b*g - a*h)^3*p*Log[a + b*x] + b*(6*a^2*d^3*h^3*p*x - 3*a*b*d^3*h*p*(g^2 + 6*g*h*x + h^2*x^2) + b^2*d*(6*c^2*h^3*q*x - 3*c*d*h*q*(g^2 + 6*g*h*x + h^2*x^2) + d^2*(p + q)*(5*g^3 + 18*g^2*h*x + 9*g*h^2*x^2 + 2*h^3*x^3)) + 6*b^2*(d*g - c*h)^3*q*Log[c + d*x]))/(b^3*d^3) + (g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(3*h)`

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 202, normalized size of antiderivative = 0.93, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{bpr \int \frac{(g+hx)^3}{a+bx} dx}{3h} - \frac{dqr \int \frac{(g+hx)^3}{c+dx} dx}{3h} + \frac{(g + hx)^3 \log(e(f(a + bx)^p(c + dx)^q)^r)}{3h}$$

$$\downarrow 49$$

$$\begin{aligned}
& \frac{bpr \int \left(\frac{(bg-ah)^3}{b^3(a+bx)} + \frac{h(bg-ah)^2}{b^3} + \frac{h(g+hx)(bg-ah)}{b^2} + \frac{h(g+hx)^2}{b} \right) dx}{dqr \int \left(\frac{(dg-ch)^3}{d^3(c+dx)} + \frac{h(dg-ch)^2}{d^3} + \frac{h(g+hx)(dg-ch)}{d^2} + \frac{h(g+hx)^2}{d} \right) dx} + \\
& \frac{3h}{(g+hx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)} \\
& \quad \downarrow \text{2009} \\
& \frac{bpr \left(\frac{(bg-ah)^3 \log(a+bx)}{b^4} + \frac{hx(bg-ah)^2}{b^3} + \frac{(g+hx)^2(bg-ah)}{2b^2} + \frac{(g+hx)^3}{3b} \right)}{(g+hx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
& \frac{dqr \left(\frac{(dg-ch)^3 \log(c+dx)}{d^4} + \frac{hx(dg-ch)^2}{d^3} + \frac{(g+hx)^2(dg-ch)}{2d^2} + \frac{(g+hx)^3}{3d} \right)}{3h}
\end{aligned}$$

input `Int[(g + h*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]`

output `-1/3*(b*p*r*((h*(b*g - a*h)^2*x)/b^3 + ((b*g - a*h)*(g + h*x)^2)/(2*b^2) + (g + h*x)^3/(3*b) + ((b*g - a*h)^3*Log[a + b*x])/b^4))/h - (d*q*r*((h*(d*g - c*h)^2*x)/d^3 + ((d*g - c*h)*(g + h*x)^2)/(2*d^2) + (g + h*x)^3/(3*d) + ((d*g - c*h)^3*Log[c + d*x])/d^4))/(3*h) + ((g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(3*h)`

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]

```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 754 vs. $2(200) = 400$.

Time = 137.89 (sec) , antiderivative size = 755, normalized size of antiderivative = 3.46

method	result
parallelrisch	$\frac{18xa^2b^3ghpr+18xb^3c^2d^2ghqr-18\ln(bx+a)a^2b^3ghpr-18\ln(dx+c)b^3c^2d^2ghqr-6xa^2b^3h^2pr-6xb^3c^2d^2h^2qr-18\ln(e(f(bx+a)^p(d*x+c)^q)^r)}{1}$

input

```
int((h*x+g)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x,method=_RETURNVERBOSE)
```

output

```

1/18*(18*x*a*b^2*d^3*g*h*p*r+18*x*b^3*c*d^2*g*h*q*r-18*ln(b*x+a)*a^2*b*d^3
*g*h*p*r-18*ln(d*x+c)*b^3*c^2*d*g*h*q*r-6*x*a^2*b*d^3*h^2*p*r-6*x*b^3*c^2*
d*h^2*q*r-18*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b^2*c*d^2*g*h+36*ln(b*x+a)*
a*b^2*d^3*g^2*p*r+18*ln(b*x+a)*b^3*c*d^2*g^2*p*r+18*ln(d*x+c)*a*b^2*d^3*g^
2*q*r-9*a*c*b^2*d^2*g*h*p*r-9*a*c*b^2*d^2*g*h*q*r+6*x^3*ln(e*(f*(b*x+a)^p*
(d*x+c)^q)^r)*b^3*d^3*h^2+18*x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^3*d^3*g^2
-18*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b^2*d^3*g^2-18*ln(e*(f*(b*x+a)^p*(d*
x+c)^q)^r)*b^3*c*d^2*g^2+36*ln(d*x+c)*b^3*c*d^2*g^2*q*r+3*x^2*a*b^2*d^3*h^
2*p*r+3*x^2*b^3*c*d^2*h^2*q*r-9*x^2*b^3*d^3*g*h*p*r-9*x^2*b^3*d^3*g*h*q*r+
18*ln(b*x+a)*a*b^2*c*d^2*g*h*p*r+18*ln(d*x+c)*a*b^2*c*d^2*g*h*q*r+6*a^3*h^
2*p*r*d^3+6*b^3*c^3*h^2*q*r+3*a^2*c*b*d^2*h^2*p*r+3*a*c^2*b^2*d*h^2*q*r-18
*a^2*g*h*p*r*d^3*b-18*b^3*c^2*d*g*h*q*r+18*a*b^2*d^3*g^2*q*r+18*b^3*c*d^2*
g^2*p*r+18*a*b^2*d^3*g^2*p*r+18*b^3*c*d^2*g^2*q*r-2*x^3*b^3*d^3*h^2*p*r-2*
x^3*b^3*d^3*h^2*q*r+18*x^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^3*d^3*g*h-18*
x*b^3*d^3*g^2*p*r-18*x*b^3*d^3*g^2*q*r+6*ln(b*x+a)*a^3*d^3*h^2*p*r+6*ln(d*
x+c)*b^3*c^3*h^2*q*r)/b^3/d^3

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 441 vs. $2(200) = 400$.

Time = 0.08 (sec) , antiderivative size = 441, normalized size of antiderivative = 2.02

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx =$$

$$\frac{2(b^3 d^3 h^2 p + b^3 d^3 h^2 q) r x^3 + 3((3 b^3 d^3 g h - a b^2 d^3 h^2) p + (3 b^3 d^3 g h - b^3 c d^2 h^2) q) r x^2 + 6((3 b^3 d^3 g^2 - 3 a b^2 d^3 g h + a^2 b^2 d^3 h^2) p + (3 b^3 d^3 g^2 - 3 b^3 c d^2 g h + b^3 c^2 d^2 h^2) q) r x - 6(b^3 d^3 h^2 p r x^3 + 3 b^3 d^3 g h p r x^2 + 3 b^3 d^3 g^2 p r x + (3 a b^2 d^3 g^2 - 3 a^2 b d^3 g h + a^3 d^3 h^2) p r) \log(b x + a) - 6(b^3 d^3 h^2 q r x^3 + 3 b^3 d^3 g h q r x^2 + 3 b^3 d^3 g^2 q r x + (3 b^3 c d^2 g^2 - 3 b^3 c^2 d g h + b^3 c^3 h^2) q r) \log(d x + c) - 6(b^3 d^3 h^2 x^3 + 3 b^3 d^3 g h x^2 + 3 b^3 d^3 g^2 x) \log(e) - 6(b^3 d^3 h^2 r x^3 + 3 b^3 d^3 g h r x^2 + 3 b^3 d^3 g^2 r x) \log(f)}{(b^3 d^3)}$$

input `integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")`

output `-1/18*(2*(b^3*d^3*h^2*p + b^3*d^3*h^2*q)*r*x^3 + 3*((3*b^3*d^3*g*h - a*b^2*d^3*h^2)*p + (3*b^3*d^3*g*h - b^3*c*d^2*h^2)*q)*r*x^2 + 6*((3*b^3*d^3*g^2 - 3*a*b^2*d^3*g*h + a^2*b*d^3*h^2)*p + (3*b^3*d^3*g^2 - 3*b^3*c*d^2*g*h + b^3*c^2*d*h^2)*q)*r*x - 6*(b^3*d^3*h^2*p*r*x^3 + 3*b^3*d^3*g*h*p*r*x^2 + 3*b^3*d^3*g^2*p*r*x + (3*a*b^2*d^3*g^2 - 3*a^2*b*d^3*g*h + a^3*d^3*h^2)*p*r)*log(b*x + a) - 6*(b^3*d^3*h^2*q*r*x^3 + 3*b^3*d^3*g*h*q*r*x^2 + 3*b^3*d^3*g^2*q*r*x + (3*b^3*c*d^2*g^2 - 3*b^3*c^2*d*g*h + b^3*c^3*h^2)*q*r)*log(d*x + c) - 6*(b^3*d^3*h^2*x^3 + 3*b^3*d^3*g*h*x^2 + 3*b^3*d^3*g^2*x)*log(e) - 6*(b^3*d^3*h^2*r*x^3 + 3*b^3*d^3*g*h*r*x^2 + 3*b^3*d^3*g^2*r*x)*log(f)/(b^3*d^3)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 930 vs. $2(192) = 384$.

Time = 94.10 (sec) , antiderivative size = 930, normalized size of antiderivative = 4.27

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input `integrate((h*x+g)**2*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)`

output

```
Piecewise(((g**2*x + g*h*x**2 + h**2*x**3/3)*log(e*(a**p*c**q*f)**r), Eq(b
, 0) & Eq(d, 0)), (c**3*h**2*log(e*(a**p*f*(c + d*x)**q)**r)/(3*d**3) - c
**2*g*h*log(e*(a**p*f*(c + d*x)**q)**r)/d**2 - c**2*h**2*q*r*x/(3*d**2) + c
**2*log(e*(a**p*f*(c + d*x)**q)**r)/d + c*g*h*q*r*x/d + c*h**2*q*r*x**2/
(6*d) - g**2*q*r*x + g**2*x*log(e*(a**p*f*(c + d*x)**q)**r) - g*h*q*r*x**2
/2 + g*h*x**2*log(e*(a**p*f*(c + d*x)**q)**r) - h**2*q*r*x**3/9 + h**2*x**
3*log(e*(a**p*f*(c + d*x)**q)**r)/3, Eq(b, 0)), (a**3*h**2*log(e*(c**q*f*(
a + b*x)**p)**r)/(3*b**3) - a**2*g*h*log(e*(c**q*f*(a + b*x)**p)**r)/b**2
- a**2*h**2*p*r*x/(3*b**2) + a*g**2*log(e*(c**q*f*(a + b*x)**p)**r)/b + a*
g*h*p*r*x/b + a*h**2*p*r*x**2/(6*b) - g**2*p*r*x + g**2*x*log(e*(c**q*f*(a
+ b*x)**p)**r) - g*h*p*r*x**2/2 + g*h*x**2*log(e*(c**q*f*(a + b*x)**p)**r
) - h**2*p*r*x**3/9 + h**2*x**3*log(e*(c**q*f*(a + b*x)**p)**r)/3, Eq(d, 0
)), (-a**3*h**2*q*r*log(c/d + x)/(3*b**3) + a**3*h**2*log(e*(f*(a + b*x)**
p*(c + d*x)**q)**r)/(3*b**3) + a**2*g*h*q*r*log(c/d + x)/b**2 - a**2*g*h*log
(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/b**2 - a**2*h**2*p*r*x/(3*b**2) - a
**2*g**2*q*r*log(c/d + x)/b + a*g**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/
b + a*g*h*p*r*x/b + a*h**2*p*r*x**2/(6*b) + c**3*h**2*q*r*log(c/d + x)/(3*
d**3) - c**2*g*h*q*r*log(c/d + x)/d**2 - c**2*h**2*q*r*x/(3*d**2) + c*g**2
*q*r*log(c/d + x)/d + c*g*h*q*r*x/d + c*h**2*q*r*x**2/(6*d) - g**2*p*r*x -
g**2*q*r*x + g**2*x*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r) - g*h*p*r*...
```

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 269, normalized size of antiderivative = 1.23

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{3} (h^2 x^3 + 3ghx^2 + 3g^2 x) \log(((bx + a)^p(dx + c)^q f)^r e)$$

$$+ r \left(\frac{6(3ab^2fg^2p - 3a^2bfghp + a^3fh^2p) \log(bx+a)}{b^3} + \frac{6(3cd^2fg^2q - 3c^2dfghq + c^3fh^2q) \log(dx+c)}{d^3} - \frac{2b^2d^2fh^2(p+q)x^3 - 3(abd^2fh^2p - (3$$

18 f

input

```
integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima"
)
```

output

$$\frac{1}{3}(h^2x^3 + 3g^2hx^2 + 3g^2x)\log((bx + a)^p(dx + c)^qf)^r + \frac{1}{18r}(6(3ab^2f^2g^2p - 3a^2bfg^2hp + a^3f^2h^2p)\log(bx + a) / b^3 + 6(3cd^2f^2g^2q - 3c^2d^2fg^2hq + c^3f^2h^2q)\log(dx + c) / d^3 - (2b^2d^2f^2h^2(p + q)x^3 - 3(ab^2d^2f^2h^2p - (3d^2f^2g^2h(p + q) - cd^2f^2h^2q)b^2)x^2 - 6(3ab^2d^2f^2g^2hp - a^2d^2f^2h^2p - (3d^2f^2g^2(p + q) - 3cd^2fg^2hq + c^2f^2h^2q)b^2)x) / (b^2d^2)) / f$$

Giac [A] (verification not implemented)

Time = 41.68 (sec) , antiderivative size = 363, normalized size of antiderivative = 1.67

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= -\frac{1}{9}(h^2pr + h^2qr - 3h^2r \log(f) - 3h^2 \log(e))x^3$$

$$+ \frac{1}{3}(h^2prx^3 + 3ghprx^2 + 3g^2prx) \log(bx + a)$$

$$+ \frac{1}{3}(h^2qrx^3 + 3ghqrx^2 + 3g^2qrx) \log(dx + c)$$

$$- \frac{(3bdghpr - adh^2pr + 3bdghqr - bch^2qr - 6bdghr \log(f) - 6bdgh \log(e))x^2}{6bd}$$

$$+ \frac{(3ab^2g^2pr - 3a^2bghpr + a^3h^2pr) \log(bx + a)}{3b^3}$$

$$+ \frac{(3cd^2g^2qr - 3c^2dghqr + c^3h^2qr) \log(-dx - c)}{3d^3}$$

$$- \frac{(3b^2d^2g^2pr - 3abd^2ghpr + a^2d^2h^2pr + 3b^2d^2g^2qr - 3b^2cdghqr + b^2c^2h^2qr - 3b^2d^2g^2r \log(f) - 3b^2d^2g^2r \log(e))x}{3b^2d^2}$$

input

```
integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")
```

output

$$-1/9*(h^2p*r + h^2q*r - 3*h^2*r*\log(f) - 3*h^2*\log(e))*x^3 + 1/3*(h^2p*r*x^3 + 3*g^2*h*p*r*x^2 + 3*g^2*p*r*x)*\log(b*x + a) + 1/3*(h^2q*r*x^3 + 3*g^2*h*q*r*x^2 + 3*g^2*q*r*x)*\log(d*x + c) - 1/6*(3*b^2*d*g^2*h*p*r - a*d*h^2*p*r + 3*b^2*d*g^2*h*q*r - b*c*h^2*q*r - 6*b*d*g^2*h*r*\log(f) - 6*b*d*g^2*h*\log(e))*x^2 / (b*d) + 1/3*(3*a*b^2*g^2*p*r - 3*a^2*b*g^2*h*p*r + a^3*h^2*p*r)*\log(b*x + a) / b^3 + 1/3*(3*c*d^2*g^2*q*r - 3*c^2*d^2*g^2*h*q*r + c^3*h^2*q*r)*\log(-d*x - c) / d^3 - 1/3*(3*b^2*d^2*g^2*p*r - 3*a*b^2*d^2*g^2*h*p*r + a^2*d^2*h^2*p*r + 3*b^2*d^2*g^2*q*r - 3*b^2*c*d^2*g^2*h*q*r + b^2*c^2*h^2*q*r - 3*b^2*d^2*g^2*r*\log(f) - 3*b^2*d^2*g^2*r*\log(e))*x / (b^2*d^2)$$

Mupad [B] (verification not implemented)

Time = 26.73 (sec) , antiderivative size = 328, normalized size of antiderivative = 1.50

$$\begin{aligned}
& \int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= x \left(\frac{\left(\frac{hr(bchp + 3bdgp + adhq + 3bdgq)}{3bd} - \frac{h^2 r(p+q)(3ad+3bc)}{9bd} \right) (3ad + 3bc)}{3bd} \right. \\
&\quad \left. - \frac{gr(bchp + bdgp + adhq + bdgq)}{bd} + \frac{ach^2 r(p+q)}{3bd} \right) \\
&\quad - x^2 \left(\frac{hr(bchp + 3bdgp + adhq + 3bdgq)}{6bd} - \frac{h^2 r(p+q)(3ad+3bc)}{18bd} \right) \\
&\quad + \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(g^2 x + ghx^2 + \frac{h^2 x^3}{3} \right) \\
&\quad + \frac{\ln(a + bx) (pra^3 h^2 - 3pra^2 bgh + 3pra b^2 g^2)}{3b^3} \\
&\quad + \frac{\ln(c + dx) (qrc^3 h^2 - 3qrc^2 dgh + 3qrc d^2 g^2)}{3d^3} - \frac{h^2 r x^3 (p + q)}{9}
\end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g + h*x)^2,x)`output `x*(((h*r*(b*c*h*p + 3*b*d*g*p + a*d*h*q + 3*b*d*g*q))/(3*b*d) - (h^2*r*(p + q)*(3*a*d + 3*b*c))/(9*b*d))*(3*a*d + 3*b*c)/(3*b*d) - (g*r*(b*c*h*p + b*d*g*p + a*d*h*q + b*d*g*q))/(b*d) + (a*c*h^2*r*(p + q))/(3*b*d)) - x^2*((h*r*(b*c*h*p + 3*b*d*g*p + a*d*h*q + 3*b*d*g*q))/(6*b*d) - (h^2*r*(p + q)*(3*a*d + 3*b*c))/(18*b*d)) + log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g^2*x + (h^2*x^3)/3 + g*h*x^2) + (log(a + b*x)*(a^3*h^2*p*r + 3*a*b^2*g^2*p*r - 3*a^2*b*g*h*p*r))/(3*b^3) + (log(c + d*x)*(c^3*h^2*q*r + 3*c*d^2*g^2*q*r - 3*c^2*d*g*h*q*r))/(3*d^3) - (h^2*r*x^3*(p + q))/9`

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 524, normalized size of antiderivative = 2.40

$$\int (g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-6 \log(dx + c) a^3 d^3 h^2 q r + 18 \log(dx + c) a^2 b d^3 g h q r - 18 \log(dx + c) a b^2 d^3 g^2 q r + 6 \log(dx + c) b^3 c^3 h^2 q r}{18 b^3 d^3}$$

input `int((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)`output `(- 6*log(c + d*x)*a**3*d**3*h**2*q*r + 18*log(c + d*x)*a**2*b*d**3*g*h*q*r - 18*log(c + d*x)*a*b**2*d**3*g**2*q*r + 6*log(c + d*x)*b**3*c**3*h**2*q*r - 18*log(c + d*x)*b**3*c**2*d*g*h*q*r + 18*log(c + d*x)*b**3*c*d**2*g**2*q*r + 6*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**3*d**3*h**2 - 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b*d**3*g*h + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*b*d**3*g**2 + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*a*b**2*d**3*g**2*x + 18*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**3*d**3*g*h*x**2 + 6*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**3*d**3*h**2*x**3 - 6*a**2*b*d**3*h**2*p*r*x + 18*a*b**2*d**3*g*h*p*r*x + 3*a*b**2*d**3*h**2*p*r*x**2 - 6*b**3*c**2*d*h**2*q*r*x + 18*b**3*c*d**2*g*h*q*r*x + 3*b**3*c*d**2*h**2*q*r*x**2 - 18*b**3*d**3*g**2*p*r*x - 18*b**3*d**3*g**2*q*r*x - 9*b**3*d**3*g*h*p*r*x**2 - 9*b**3*d**3*g*h*q*r*x**2 - 2*b**3*d**3*h**2*p*r*x**3 - 2*b**3*d**3*h**2*q*r*x**3)/(18*b**3*d**3)`

3.28 $\int (g+hx) \log (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	295
Mathematica [A] (verified)	296
Rubi [A] (verified)	296
Maple [B] (verified)	298
Fricas [A] (verification not implemented)	298
Sympy [B] (verification not implemented)	299
Maxima [A] (verification not implemented)	300
Giac [A] (verification not implemented)	300
Mupad [B] (verification not implemented)	301
Reduce [B] (verification not implemented)	301

Optimal result

Integrand size = 27, antiderivative size = 160

$$\int (g+hx) \log (e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= -\frac{(bg-ah)prx}{2b} - \frac{(dg-ch)qrx}{2d} - \frac{pr(g+hx)^2}{4h} - \frac{qr(g+hx)^2}{4h}$$

$$- \frac{(bg-ah)^2pr \log(a+bx)}{2b^2h} - \frac{(dg-ch)^2qr \log(c+dx)}{2d^2h}$$

$$+ \frac{(g+hx)^2 \log (e(f(a+bx)^p(c+dx)^q)^r)}{2h}$$

output

```
-1/2*(-a*h+b*g)*p*r*x/b-1/2*(-c*h+d*g)*q*r*x/d-1/4*p*r*(h*x+g)^2/h-1/4*q*r
*(h*x+g)^2/h-1/2*(-a*h+b*g)^2*p*r*ln(b*x+a)/b^2/h-1/2*(-c*h+d*g)^2*q*r*ln(
d*x+c)/d^2/h+1/2*(h*x+g)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h
```


Mathematica [A] (verified)

Time = 0.23 (sec) , antiderivative size = 120, normalized size of antiderivative = 0.75

$$\int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \frac{2ad^2(-2bg + ah)pr \log(a + bx) + b(2bc(-2dg + ch)qr \log(c + dx) + dx(r(-2adh p - 2bchq + bd(p +$$

$$- 2b^2d^2))}{4b^2d^2}$$

input `Integrate[(g + h*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r], x]`

output `-1/4*(2*a*d^2*(-2*b*g + a*h)*p*r*Log[a + b*x] + b*(2*b*c*(-2*d*g + c*h)*q*r*Log[c + d*x] + d*x*(r*(-2*a*d*h*p - 2*b*c*h*q + b*d*(p + q)*(4*g + h*x)) - 2*b*d*(2*g + h*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)))/(b^2*d^2)`

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 154, normalized size of antiderivative = 0.96, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {2981, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2981$$

$$-\frac{bpr \int \frac{(g+hx)^2}{a+bx} dx}{2h} - \frac{dqr \int \frac{(g+hx)^2}{c+dx} dx}{2h} + \frac{(g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r)}{2h}$$

$$\downarrow 49$$

$$-\frac{bpr \int \left(\frac{(bg-ah)^2}{b^2(a+bx)} + \frac{h(bg-ah)}{b^2} + \frac{h(g+hx)}{b} \right) dx}{2h} - \frac{dqr \int \left(\frac{(dg-ch)^2}{d^2(c+dx)} + \frac{h(dg-ch)}{d^2} + \frac{h(g+hx)}{d} \right) dx}{2h} + \frac{(g + hx)^2 \log(e(f(a + bx)^p(c + dx)^q)^r)}{2h}$$

$$\downarrow 2009$$

$$-\frac{bpr \left(\frac{(bg-ah)^2 \log(a+bx)}{b^3} + \frac{hx(bg-ah)}{b^2} + \frac{(g+hx)^2}{2b} \right) + \frac{(g+hx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2h}}{\frac{2h}{dqr \left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right)}} -$$

input `Int[(g + h*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r],x]`

output `-1/2*(b*p*r*((h*(b*g - a*h)*x)/b^2 + (g + h*x)^2/(2*b) + ((b*g - a*h)^2*Log[a + b*x])/b^3))/h - (d*q*r*((h*(d*g - c*h)*x)/d^2 + (g + h*x)^2/(2*d) + ((d*g - c*h)^2*Log[c + d*x])/d^3))/(2*h) + ((g + h*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/(2*h)`

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_.))^(m_.)*((c_.) + (d_.)*(x_.))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_.))^(p_.)*((c_.) + (d_.)*(x_.))^(q_.))^(r_.)]*((g_.) + (h_.)*(x_.))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 437 vs. $2(146) = 292$.

Time = 24.98 (sec) , antiderivative size = 438, normalized size of antiderivative = 2.74

method	result
parallelrisc	$-\frac{-2 \ln(bx+a)abcdhpr-2x^2 \ln(e(f(bx+a)^p(dx+c)^q)^r)b^2d^2h-4x \ln(e(f(bx+a)^p(dx+c)^q)^r)b^2d^2g+4 \ln(e(f(bx+a)^p(dx+c)^q)^r)}{b^2d^2}$

input `int((h*x+g)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/4*(-2*\ln(b*x+a)*a*b*c*d*h*p*r-2*x^2*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^2 \\ & *d^2*h-4*x*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^2*d^2*g+4*\ln(e*(f*(b*x+a)^p*(\\ & d*x+c)^q)^r)*a*b*d^2*g+4*\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*b^2*c*d*g-4*a*b*d \\ & ^2*g*p*r-4*b^2*c*d*g*q*r+2*a^2*h*p*r*d^2+2*b^2*c^2*h*q*r+a*b*c*d*h*p*r+a*b \\ & *c*d*h*q*r-2*\ln(d*x+c)*a*b*c*d*h*q*r-2*x*a*b*d^2*h*p*r-2*x*b^2*c*d*h*q*r-8 \\ & * \ln(b*x+a)*a*b*d^2*g*p*r-4*\ln(b*x+a)*b^2*c*d*g*p*r-4*\ln(d*x+c)*a*b*d^2*g*q \\ & *r-8*\ln(d*x+c)*b^2*c*d*g*q*r-4*a*b*d^2*g*q*r-4*b^2*c*d*g*p*r+x^2*b^2*d^2*h \\ & *p*r+x^2*b^2*d^2*h*q*r+4*x*b^2*d^2*g*p*r+4*x*b^2*d^2*g*q*r+2*\ln(e*(f*(b*x+ \\ & a)^p*(d*x+c)^q)^r)*a*b*c*d*h+2*\ln(b*x+a)*a^2*d^2*h*p*r+2*\ln(d*x+c)*b^2*c^2 \\ & *h*q*r)/b^2/d^2 \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 242, normalized size of antiderivative = 1.51

$$\int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx = \frac{(b^2d^2hp + b^2d^2hq)rx^2 + 2((2b^2d^2g - abd^2h)p + (2b^2d^2g - b^2cdh)q)rx - 2(b^2d^2hprx^2 + 2b^2d^2gprx + \dots)}{b^2d^2}$$

input `integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")`

output

```
-1/4*((b^2*d^2*h*p + b^2*d^2*h*q)*r*x^2 + 2*((2*b^2*d^2*g - a*b*d^2*h)*p +
(2*b^2*d^2*g - b^2*c*d*h)*q)*r*x - 2*(b^2*d^2*h*p*r*x^2 + 2*b^2*d^2*g*p*r
*x + (2*a*b*d^2*g - a^2*d^2*h)*p*r)*log(b*x + a) - 2*(b^2*d^2*h*q*r*x^2 +
2*b^2*d^2*g*q*r*x + (2*b^2*c*d*g - b^2*c^2*h)*q*r)*log(d*x + c) - 2*(b^2*d
^2*h*x^2 + 2*b^2*d^2*g*x)*log(e) - 2*(b^2*d^2*h*r*x^2 + 2*b^2*d^2*g*r*x)*l
og(f))/(b^2*d^2)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 502 vs. $2(141) = 282$.

Time = 23.82 (sec) , antiderivative size = 502, normalized size of antiderivative = 3.14

$$\int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \begin{cases} \left(gx + \frac{hx^2}{2} \right) \log(e(a^p c^q f)^r) \\ -\frac{c^2 h \log(e(a^p f(c+dx)^q)^r)}{2d^2} + \frac{cg \log(e(a^p f(c+dx)^q)^r)}{d} + \frac{chqrx}{2d} - gqrx + gx \log(e(a^p f(c+dx)^q)^r) - \frac{hqrx^2}{4} + \frac{hx^2 \log}{4} \\ -\frac{a^2 h \log(e(c^q f(a+bx)^p)^r)}{2b^2} + \frac{ag \log(e(c^q f(a+bx)^p)^r)}{b} + \frac{ahprx}{2b} - gprx + gx \log(e(c^q f(a+bx)^p)^r) - \frac{hprx^2}{4} + \frac{hx^2 \log}{4} \\ \frac{a^2 hqr \log(\frac{c}{a} + x)}{2b^2} - \frac{a^2 h \log(e(f(a+bx)^p(c+dx)^q)^r)}{2b^2} - \frac{agqr \log(\frac{c}{a} + x)}{b} + \frac{ag \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{ahprx}{2b} - \frac{c^2 hqr \log(\frac{c}{a} + x)}{2d^2} \end{cases}$$

input

```
integrate((h*x+g)*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)
```

output

```
Piecewise(((g*x + h*x**2/2)*log(e*(a**p*c**q*f)**r), Eq(b, 0) & Eq(d, 0)),
(-c**2*h*log(e*(a**p*f*(c + d*x)**q)**r)/(2*d**2) + c*g*log(e*(a**p*f*(c
+ d*x)**q)**r)/d + c*h*q*r*x/(2*d) - g*q*r*x + g*x*log(e*(a**p*f*(c + d*x)
**q)**r) - h*q*r*x**2/4 + h*x**2*log(e*(a**p*f*(c + d*x)**q)**r)/2, Eq(b,
0)), (-a**2*h*log(e*(c**q*f*(a + b*x)**p)**r)/(2*b**2) + a*g*log(e*(c**q*f
*(a + b*x)**p)**r)/b + a*h*p*r*x/(2*b) - g*p*r*x + g*x*log(e*(c**q*f*(a +
b*x)**p)**r) - h*p*r*x**2/4 + h*x**2*log(e*(c**q*f*(a + b*x)**p)**r)/2, Eq
(d, 0)), (a**2*h*q*r*log(c/d + x)/(2*b**2) - a**2*h*log(e*(f*(a + b*x)**p
*(c + d*x)**q)**r)/(2*b**2) - a*g*q*r*log(c/d + x)/b + a*g*log(e*(f*(a + b
x)**p*(c + d*x)**q)**r)/b + a*h*p*r*x/(2*b) - c**2*h*q*r*log(c/d + x)/(2*d
**2) + c*g*q*r*log(c/d + x)/d + c*h*q*r*x/(2*d) - g*p*r*x - g*q*r*x + g*x
*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r) - h*p*r*x**2/4 - h*q*r*x**2/4 + h
x**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/2, True))
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 143, normalized size of antiderivative = 0.89

$$\int (g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r) dx = \frac{1}{2} (hx^2 + 2gx) \log(((bx+a)^p(dx+c)^q f)^r e) \\ + \frac{r \left(\frac{2(2abfgp - a^2fhp) \log(bx+a)}{b^2} + \frac{2(2cdfgq - c^2fhq) \log(dx+c)}{d^2} - \frac{bdfh(p+q)x^2 - 2(adfhp - (2dfg(p+q) - cfhq)b)x}{bd} \right)}{4f}$$

input `integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`output `1/2*(h*x^2 + 2*g*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) + 1/4*r*(2*(2*a*b*f*g*p - a^2*f*h*p)*log(b*x + a)/b^2 + 2*(2*c*d*f*g*q - c^2*f*h*q)*log(d*x + c)/d^2 - (b*d*f*h*(p + q)*x^2 - 2*(a*d*f*h*p - (2*d*f*g*(p + q) - c*f*h*q)*b)*x)/(b*d))/f`**Giac [A] (verification not implemented)**

Time = 1.91 (sec) , antiderivative size = 180, normalized size of antiderivative = 1.12

$$\int (g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r) dx \\ = -\frac{1}{4} (hpr + hqr - 2hr \log(f) - 2h \log(e))x^2 \\ + \frac{1}{2} (hprx^2 + 2gprx) \log(bx+a) + \frac{1}{2} (hqr x^2 + 2gqrx) \log(dx+c) \\ - \frac{(2bdgpr - adhpr + 2bdgqr - bchqr - 2bdgr \log(f) - 2bdg \log(e))x}{2bd} \\ + \frac{(2abgpr - a^2hpr) \log(-bx-a)}{2b^2} + \frac{(2cdgqr - c^2hqr) \log(dx+c)}{2d^2}$$

input `integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`output `-1/4*(h*p*r + h*q*r - 2*h*r*log(f) - 2*h*log(e))*x^2 + 1/2*(h*p*r*x^2 + 2*g*p*r*x)*log(b*x + a) + 1/2*(h*q*r*x^2 + 2*g*q*r*x)*log(d*x + c) - 1/2*(2*b*d*g*p*r - a*d*h*p*r + 2*b*d*g*q*r - b*c*h*q*r - 2*b*d*g*r*log(f) - 2*b*d*g*log(e))*x/(b*d) + 1/2*(2*a*b*g*p*r - a^2*h*p*r)*log(-b*x - a)/b^2 + 1/2*(2*c*d*g*q*r - c^2*h*q*r)*log(d*x + c)/d^2`

Mupad [B] (verification not implemented)

Time = 26.51 (sec) , antiderivative size = 153, normalized size of antiderivative = 0.96

$$\begin{aligned}
& \int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \ln(e(f(a + bx)^p(c + dx)^q)^r) \left(\frac{hx^2}{2} + gx \right) \\
&\quad - x \left(\frac{r(bchp + 2bdgp + adhq + 2bdgq)}{2bd} - \frac{hr(p + q)(2ad + 2bc)}{4bd} \right) \\
&\quad - \frac{\ln(a + bx)(a^2hpr - 2abgpr)}{2b^2} \\
&\quad - \frac{\ln(c + dx)(c^2hqr - 2cdgqr)}{2d^2} - \frac{hrx^2(p + q)}{4}
\end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g + h*x),x)`

output `log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(g*x + (h*x^2)/2) - x*((r*(b*c*h*p + 2*b*d*g*p + a*d*h*q + 2*b*d*g*q))/(2*b*d) - (h*r*(p + q)*(2*a*d + 2*b*c))/(4*b*d)) - (log(a + b*x)*(a^2*h*p*r - 2*a*b*g*p*r))/(2*b^2) - (log(c + d*x)*(c^2*h*q*r - 2*c*d*g*q*r))/(2*d^2) - (h*r*x^2*(p + q))/4`

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 284, normalized size of antiderivative = 1.78

$$\begin{aligned}
& \int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \frac{2 \log(dx + c) a^2 d^2 h q r - 4 \log(dx + c) a b d^2 g q r - 2 \log(dx + c) b^2 c^2 h q r + 4 \log(dx + c) b^2 c d g q r - 2 \log(f}{
\end{aligned}$$

input `int((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)`

output

```
(2*log(c + d*x)*a**2*d**2*h*q*r - 4*log(c + d*x)*a*b*d**2*g*q*r - 2*log(c
+ d*x)*b**2*c**2*h*q*r + 4*log(c + d*x)*b**2*c*d*g*q*r - 2*log(f**r*(c + d
*x)**(q*r)*(a + b*x)**(p*r)*e)*a**2*d**2*h + 4*log(f**r*(c + d*x)**(q*r)*(
a + b*x)**(p*r)*e)*a*b*d**2*g + 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*
r)*e)*b**2*d**2*g*x + 2*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b**2
*d**2*h*x**2 + 2*a*b*d**2*h*p*r*x + 2*b**2*c*d*h*q*r*x - 4*b**2*d**2*g*p*r
*x - 4*b**2*d**2*g*q*r*x - b**2*d**2*h*p*r*x**2 - b**2*d**2*h*q*r*x**2)/(4
*b**2*d**2)
```

3.29 $\int \log (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	303
Mathematica [A] (verified)	303
Rubi [A] (verified)	304
Maple [A] (verified)	305
Fricas [A] (verification not implemented)	305
Sympy [B] (verification not implemented)	306
Maxima [A] (verification not implemented)	306
Giac [A] (verification not implemented)	307
Mupad [B] (verification not implemented)	307
Reduce [B] (verification not implemented)	308

Optimal result

Integrand size = 21, antiderivative size = 61

$$\int \log (e(f(a + bx)^p(c + dx)^q)^r) dx = -((p + q)rx) + \frac{(bc - ad)qr \log(c + dx)}{bd} + \frac{(a + bx) \log (e(f(a + bx)^p(c + dx)^q)^r)}{b}$$

output

```
-(p+q)*r*x+(-a*d+b*c)*q*r*ln(d*x+c)/b/d+(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.93

$$\int \log (e(f(a + bx)^p(c + dx)^q)^r) dx = \frac{apr \log(a + bx)}{b} + \frac{cqr \log(c + dx)}{d} + x(-((p + q)r) + \log (e(f(a + bx)^p(c + dx)^q)^r))$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r],x]
```

output

```
(a*p*r*Log[a + b*x])/b + (c*q*r*Log[c + d*x])/d + x*(-((p + q)*r) + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])
```


Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2979, 16, 24}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$\downarrow 2979$$

$$\frac{qr(bc-ad) \int \frac{1}{c+dx} dx}{b} - r(p+q) \int 1 dx + \frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b}$$

$$\downarrow 16$$

$$-r(p+q) \int 1 dx + \frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd}$$

$$\downarrow 24$$

$$\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} - (rx(p+q))$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r], x]`

output `-((p + q)*r*x) + ((b*c - a*d)*q*r*Log[c + d*x])/(b*d) + ((a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/b`

Defintions of rubi rules used

rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 2979

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.), x_Symbol] := Simp[(a + b*x)*(Log[e*(f*(a + b*x)^p*(c + d*x)^
q]^r]^s/b), x] + (Simp[q*r*s*((b*c - a*d)/b) Int[Log[e*(f*(a + b*x)^p*(c
+ d*x)^q]^r]^s - 1)/(c + d*x), x], x] - Simp[r*s*(p + q) Int[Log[e*(f*(a
+ b*x)^p*(c + d*x)^q]^r]^s - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p, q
, r, s}, x] && NeQ[b*c - a*d, 0] && NeQ[p + q, 0] && IGtQ[s, 0] && LtQ[s, 4
]
```

Maple [A] (verified)

Time = 3.41 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.00

method	result
default	$x \ln(e(f(bx+a)^p(dx+c)^q)^r) - r \left(px + xq - \frac{cq \ln(dx+c)}{d} - \frac{ap \ln(bx+a)}{b} \right)$
parallelrisc	$\frac{\ln(bx+a)adpq r^2 - \ln(bx+a)bcpr^2 - xbdpq r^2 - xbdq^2 r^2 + x \ln(e(f(bx+a)^p(dx+c)^q)^r)bdqr + adpq r^2 + adq^2 r^2 + bcpr^2 + bcr^2}{qrbd}$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x,method=_RETURNVERBOSE)
```

output

```
x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)-r*(p*x+x*q-c*q/d*ln(d*x+c)-a*p/b*ln(b*x+a))
```

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 72, normalized size of antiderivative = 1.18

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= \frac{bdrx \log(f) + bdx \log(e) - (bdp + bdq)rx + (bdprx + adpr) \log(bx+a) + (bdqrx + bcqr) \log(dx+c)}{bd}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="fricas")
```

output

```
(b*d*r*x*log(f) + b*d*x*log(e) - (b*d*p + b*d*q)*r*x + (b*d*p*r*x + a*d*p*r)*log(b*x + a) + (b*d*q*r*x + b*c*q*r)*log(d*x + c))/(b*d)
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 184 vs. $2(54) = 108$.

Time = 5.24 (sec) , antiderivative size = 184, normalized size of antiderivative = 3.02

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= \begin{cases} x \log(e(a^p c^q f)^r) \\ \frac{c \log(e(a^p f(c+dx)^q)^r)}{d} - qrx + x \log(e(a^p f(c+dx)^q)^r) \\ \frac{a \log(e(c^q f(a+bx)^p)^r)}{b} - prx + x \log(e(c^q f(a+bx)^p)^r) \\ -\frac{aqr \log(c+dx)}{b} + \frac{a \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{cqr \log(c+dx)}{d} - prx - qrx + x \log(e(f(a+bx)^p(c+dx)^q)^r) \end{cases}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r),x)`

output `Piecewise((x*log(e*(a**p*c**q*f)**r), Eq(b, 0) & Eq(d, 0)), (c*log(e*(a**p*f*(c+d*x)**q)**r)/d - q*r*x + x*log(e*(a**p*f*(c+d*x)**q)**r), Eq(b, 0)), (a*log(e*(c**q*f*(a+b*x)**p)**r)/b - p*r*x + x*log(e*(c**q*f*(a+b*x)**p)**r), Eq(d, 0)), (-a*q*r*log(c+d*x)/b + a*log(e*(f*(a+b*x)**p*(c+d*x)**q)**r)/b + c*q*r*log(c+d*x)/d - p*r*x - q*r*x + x*log(e*(f*(a+b*x)**p*(c+d*x)**q)**r), True))`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.23

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx = x \log(((bx+a)^p(dx+c)^q f)^r e)$$

$$- \frac{\left(bfp \left(\frac{x}{b} - \frac{a \log(bx+a)}{b^2} \right) + dfq \left(\frac{x}{d} - \frac{c \log(dx+c)}{d^2} \right) \right) r}{f}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="maxima")`

output `x*log(((b*x + a)^p*(d*x + c)^q*f)^r*e) - (b*f*p*(x/b - a*log(b*x + a)/b^2) + d*f*q*(x/d - c*log(d*x + c)/d^2))*r/f`

Giac [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.13

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx = prx \log(bx+a) + qrx \log(dx+c) \\ + \frac{apr \log(bx+a)}{b} + \frac{cqr \log(-dx-c)}{d} \\ - (pr + qr - r \log(f) - \log(e))x$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x, algorithm="giac")`

output `p*r*x*log(b*x + a) + q*r*x*log(d*x + c) + a*p*r*log(b*x + a)/b + c*q*r*log(-d*x - c)/d - (p*r + q*r - r*log(f) - log(e))*x`

Mupad [B] (verification not implemented)

Time = 26.16 (sec) , antiderivative size = 60, normalized size of antiderivative = 0.98

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx = x \ln(e(f(a+bx)^p(c+dx)^q)^r) - prx \\ - qrx + \frac{apr \ln(a+bx)}{b} + \frac{cqr \ln(c+dx)}{d}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r),x)`

output `x*log(e*(f*(a + b*x)^p*(c + d*x)^q)^r) - p*r*x - q*r*x + (a*p*r*log(a + b*x))/b + (c*q*r*log(c + d*x))/d`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 100, normalized size of antiderivative = 1.64

$$\int \log(e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= \frac{-\log(dx+c)adqr + \log(dx+c)bcqr + \log(f^r(dx+c)^{qr}(bx+a)^{pr}e)ad + \log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{bd}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r),x)`output `(- log(c + d*x)*a*d*q*r + log(c + d*x)*b*c*q*r + log(f**r*(c + d*x)**(q*r)
)*(a + b*x)**(p*r)*e)*a*d + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*
b*d*x - b*d*p*r*x - b*d*q*r*x)/(b*d)`

3.30
$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

Optimal result	309
Mathematica [A] (verified)	310
Rubi [A] (verified)	310
Maple [A] (verified)	312
Fricas [F]	313
Sympy [F]	313
Maxima [A] (verification not implemented)	314
Giac [F]	314
Mupad [F(-1)]	315
Reduce [F]	315

Optimal result

Integrand size = 29, antiderivative size = 148

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = -\frac{pr \log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{h} - \frac{qr \log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{h} + \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) \log(g+hx)}{h} - \frac{pr \operatorname{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{h} - \frac{qr \operatorname{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{h}$$

```
output -p*r*ln(-h*(b*x+a)/(-a*h+b*g))*ln(h*x+g)/h-q*r*ln(-h*(d*x+c)/(-c*h+d*g))*ln(h*x+g)/h+ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*ln(h*x+g)/h-p*r*polylog(2,b*(h*x+g)/(-a*h+b*g))/h-q*r*polylog(2,d*(h*x+g)/(-c*h+d*g))/h
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 163, normalized size of antiderivative = 1.10

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

$$= \frac{-pr \log(a+bx) \log(g+hx) - qr \log(c+dx) \log(g+hx) + \log(e(f(a+bx)^p(c+dx)^q)^r) \log(g+hx) + \dots}{h}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x),x]
```

output

```
(- (p*r*Log[a + b*x]*Log[g + h*x]) - q*r*Log[c + d*x]*Log[g + h*x] + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g + h*x] + p*r*Log[a + b*x]*Log[(b*(g + h*x))/(b*g - a*h)] + q*r*Log[c + d*x]*Log[(d*(g + h*x))/(d*g - c*h)] + p*r*PolyLog[2, (h*(a + b*x))/(- (b*g) + a*h)] + q*r*PolyLog[2, (h*(c + d*x))/(- (d*g) + c*h)] )/h
```

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 154, normalized size of antiderivative = 1.04, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$, Rules used = {2980, 2841, 2840, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

$$\downarrow \text{2980}$$

$$-\frac{bpr \int \frac{\log(g+hx)}{a+bx} dx}{h} - \frac{dqr \int \frac{\log(g+hx)}{c+dx} dx}{h} + \frac{\log(g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{h}$$

$$\downarrow \text{2841}$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \frac{h \int \frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)}{g+hx} dx}{b} \right)}{h} \\
 & \frac{dqr \left(\frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \frac{h \int \frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)}{g+hx} dx}{d} \right)}{h} + \frac{\log(g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{h} \\
 & \quad \downarrow \text{2840} \\
 & \frac{bpr \left(\frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \frac{\int \frac{\log\left(1-\frac{b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx)}{b} \right)}{h} \\
 & \frac{dqr \left(\frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \frac{\int \frac{\log\left(1-\frac{d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx)}{d} \right)}{h} + \\
 & \quad \frac{\log(g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{h} \\
 & \quad \downarrow \text{2838} \\
 & \frac{\log(g+hx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{h} \frac{bpr \left(\frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} + \frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} \right)}{h} \\
 & \frac{dqr \left(\frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} + \frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} \right)}{h}
 \end{aligned}$$

input `Int [Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(g + h*x),x]`

output `(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*Log[g + h*x])/h - (b*p*r*((Log[-((h*(a + b*x))/(b*g - a*h))]*Log[g + h*x])/b + PolyLog[2, (b*(g + h*x))/(b*g - a*h)]/b))/h - (d*q*r*((Log[-((h*(c + d*x))/(d*g - c*h))]*Log[g + h*x])/d + PolyLog[2, (d*(g + h*x))/(d*g - c*h)]/d))/h`

Defintions of rubi rules used

rule 2838 $\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$

rule 2840 $\text{Int}[(a_)+\text{Log}[(c_)*((d_)+(e_)*(x_))]*(b_)]/((f_)+(g_)*(x_)), x_Symbol] \rightarrow \text{Simp}[1/g \ \text{Subst}[\text{Int}[(a+b*\text{Log}[1+c*e*(x/g)])/x, x], x, f+g*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[e*f-d*g, 0] \ \&\& \ \text{EqQ}[g+c*(e*f-d*g), 0]$

rule 2841 $\text{Int}[(a_)+\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_)})]*(b_)]/((f_)+(g_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[e*((f+g*x)/(e*f-d*g))]*(a+b*\text{Log}[c*(d+e*x)^n]/g), x] - \text{Simp}[b*e*(n/g) \ \text{Int}[\text{Log}[(e*(f+g*x))/(e*f-d*g)]/(d+e*x)], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{NeQ}[e*f-d*g, 0]$

rule 2980 $\text{Int}[\text{Log}[(e_)*((f_)*((a_)+(b_)*(x_))^{(p_)*((c_)+(d_)*(x_))^{(q_))^{(r_)}}]/((g_)+(h_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[g+h*x]*(\text{Log}[e*(f*(a+b*x)^p*(c+d*x)^q]^r)/h), x] + (-\text{Simp}[b*p*(r/h) \ \text{Int}[\text{Log}[g+h*x]/(a+b*x), x], x] - \text{Simp}[d*q*(r/h) \ \text{Int}[\text{Log}[g+h*x]/(c+d*x), x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, p, q, r\}, x] \ \&\& \ \text{NeQ}[b*c-a*d, 0]$

Maple [A] (verified)

Time = 43.31 (sec) , antiderivative size = 186, normalized size of antiderivative = 1.26

method	result
parts	$\frac{\ln(e(f(bx+a)^p(dx+c)^q)^r) \ln(hx+g)}{h} - \frac{r \left(\left(\frac{\text{dilog}\left(\frac{(hx+g)b+ah-bg}{b}\right) + \ln(hx+g) \ln\left(\frac{(hx+g)b+ah-bg}{b}\right)}{b} \right) bph + \left(\frac{\text{dilog}\left(\frac{d(hx+g)+ch-dg}{d}\right)}{d} \right) h^2 \right)}{h^2}$

input $\text{int}(\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g), x, \text{method}=_RETURNVERBOSE)$

output

```
ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*ln(h*x+g)/h-1/h^2*r*((dilog(((h*x+g)*b+a*h
-b*g)/(a*h-b*g))/b+ln(h*x+g)*ln(((h*x+g)*b+a*h-b*g)/(a*h-b*g))/b)*b*p*h+(d
ilog((d*(h*x+g)+c*h-d*g)/(c*h-d*g))/d+ln(h*x+g)*ln((d*(h*x+g)+c*h-d*g)/(c*
h-d*g))/d)*d*q*h)
```

Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{hx+g} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g),x, algorithm="fricas")
```

output

```
integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*x + g), x)
```

Sympy [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*x+g),x)
```

output

```
Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/(g + h*x), x)
```

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 186, normalized size of antiderivative = 1.26

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

$$= \frac{\left(\frac{(\log(bx+a)\log(\frac{bhx+ah}{bg-ah}+1)+\text{Li}_2(-\frac{bhx+ah}{bg-ah}))fp}{h} + \frac{(\log(dx+c)\log(\frac{dhx+ch}{dg-ch}+1)+\text{Li}_2(-\frac{dhx+ch}{dg-ch}))fq}{h} \right) r}{f} - \frac{(fp\log(bx+a) + fq\log(dx+c))r\log(hx+g)}{fh} + \frac{\log(((bx+a)^p(dx+c)^q f)^r e)\log(hx+g)}{h}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g),x, algorithm="maxima")`

output `((log(b*x + a)*log((b*h*x + a*h)/(b*g - a*h) + 1) + dilog(-(b*h*x + a*h)/(b*g - a*h)))*f*p/h + (log(d*x + c)*log((d*h*x + c*h)/(d*g - c*h) + 1) + dilog(-(d*h*x + c*h)/(d*g - c*h)))*f*q/h)*r/f - (f*p*log(b*x + a) + f*q*log(d*x + c))*r*log(h*x + g)/(f*h) + log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(h*x + g)/h`

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{hx+g} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g),x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*x + g), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x), x)`

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g),x)`

output

```
(2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g*h*q + a**
2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + a*b*c**2*g*h*
p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a*b*c*d*g*h*p*
x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*x**2 + a*b*d*
**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b*d**2*g*h*q*x
**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h**2*p*x**2 + b
**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2 + b**2*c*d*g*
h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**2*d**2*g**2*q
*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*c*d**2*h**2*q
**2*r - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g*h*
q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + a*b*c*
**2*g*h*p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a*b*c*d
*g*h*p*x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*x**2 +
a*b*d**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b*d**2*
g*h*q*x**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h**2*p*x
**2 + b**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2 + b**2
*c*d*g*h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**2*d**2
*g**2*q*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*d**3*g
*h*q**2*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*
g*h*q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + ...
```

3.31 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$

Optimal result	317
Mathematica [A] (verified)	317
Rubi [A] (verified)	318
Maple [B] (verified)	319
Fricas [B] (verification not implemented)	320
Sympy [F(-1)]	321
Maxima [A] (verification not implemented)	321
Giac [A] (verification not implemented)	322
Mupad [B] (verification not implemented)	322
Reduce [B] (verification not implemented)	323

Optimal result

Integrand size = 29, antiderivative size = 128

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \frac{bpr \log(a+bx)}{h(bg-ah)} + \frac{dqr \log(c+dx)}{h(dg-ch)} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)} - \frac{bpr \log(g+hx)}{h(bg-ah)} - \frac{dqr \log(g+hx)}{h(dg-ch)}$$

output `b*p*r*ln(b*x+a)/h/(-a*h+b*g)+d*q*r*ln(d*x+c)/h/(-c*h+d*g)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h/(h*x+g)-b*p*r*ln(h*x+g)/h/(-a*h+b*g)-d*q*r*ln(h*x+g)/h/(-c*h+d*g)`

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.73

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \frac{-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} + \frac{bpr(\log(a+bx)-\log(g+hx))}{bg-ah} + \frac{dqr(\log(c+dx)-\log(g+hx))}{dg-ch}}{h}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^2,x]`

output $(-\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)) + (b*p*r*(\text{Log}[a + b*x] - \text{Log}[g + h*x]))/(b*g - a*h) + (d*q*r*(\text{Log}[c + d*x] - \text{Log}[g + h*x]))/(d*g - c*h))/h$

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 120, normalized size of antiderivative = 0.94, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 47, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{(g + hx)^2} dx$$

$$\downarrow 2981$$

$$\frac{bpr \int \frac{1}{(a+bx)(g+hx)} dx}{h} + \frac{dqr \int \frac{1}{(c+dx)(g+hx)} dx}{h} - \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{h(g + hx)}$$

$$\downarrow 47$$

$$\frac{bpr \left(\frac{b \int \frac{1}{a+bx} dx}{bg-ah} - \frac{h \int \frac{1}{g+hx} dx}{bg-ah} \right)}{h} + \frac{dqr \left(\frac{d \int \frac{1}{c+dx} dx}{dg-ch} - \frac{h \int \frac{1}{g+hx} dx}{dg-ch} \right)}{h} - \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{h(g + hx)}$$

$$\downarrow 16$$

$$-\frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{h(g + hx)} + \frac{bpr \left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right)}{h} + \frac{dqr \left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right)}{h}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^2,x]`

output
$$-(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(g + h*x))) + (b*p*r*(\text{Log}[a + b*x]/(b*g - a*h) - \text{Log}[g + h*x]/(b*g - a*h)))/h + (d*q*r*(\text{Log}[c + d*x]/(d*g - c*h) - \text{Log}[g + h*x]/(d*g - c*h)))/h$$

Defintions of rubi rules used

rule 16
$$\text{Int}[(c_)/((a_.) + (b_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] \text{ ; FreeQ}\{a, b, c\}, x]$$

rule 47
$$\text{Int}[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] \rightarrow \text{Simp}[b/(b*c - a*d) \text{ Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \text{ Int}[1/(c + d*x), x], x] \text{ ; FreeQ}\{a, b, c, d\}, x]$$

rule 2981
$$\text{Int}[\text{Log}[(e_)*((f_)*((a_.) + (b_.)*(x_))^p)*((c_.) + (d_.)*(x_))^q)^r]/(h*(m + 1)), x] + (-\text{Simp}[b*p*(r/(h*(m + 1))) \text{ Int}[(g + h*x)^m/(a + b*x), x], x] - \text{Simp}[d*q*(r/(h*(m + 1))) \text{ Int}[(g + h*x)^m/(c + d*x), x], x]) \text{ ; FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[m, -1]$$

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 478 vs. $2(128) = 256$.

Time = 173.89 (sec) , antiderivative size = 479, normalized size of antiderivative = 3.74

method	result
parallelrisch	$-\frac{\ln(hx+g)abcdg^2hpr+\ln(hx+g)abcdg^2hqr-\ln(hx+g)abc^2gh^2pr-\ln(bx+a)xa^2cdgh^2pr-\ln(dx+c)abc^2gh^2qr-\ln(dx+c)abcdg^2hpr}{(hx+g)^2}$

input
$$\text{int}(\ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^2,x,\text{method}=_RETURNVERBOSE)$$

output

```

-(ln(h*x+g)*x*a*b*c*d*g^2*h*p*r+ln(h*x+g)*x*a*b*c*d*g^2*h*q*r-ln(h*x+g)*x*
a*b*c^2*g*h^2*p*r-ln(b*x+a)*x*a^2*c*d*g*h^2*p*r-ln(d*x+c)*x*a*b*c^2*g*h^2*
q*r-ln(h*x+g)*x*a^2*c*d*g*h^2*q*r-ln(d*x+c)*a*b*c^2*g^2*h*q*r-ln(h*x+g)*a^
2*c*d*g^2*h*q*r-ln(h*x+g)*a*b*c^2*g^2*h*p*r+ln(h*x+g)*a*b*c*d*g^3*p*r+ln(h
*x+g)*a*b*c*d*g^3*q*r-x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a*b*c*d*g^2*h-ln(b
*x+a)*a^2*c*d*g^2*h*p*r-x*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^2*c^2*h^3+x*ln
(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*a^2*c*d*g*h^2+x*ln(e*(f*(b*x+a)^p*(d*x+c)^q
)^r)*a*b*c^2*g*h^2+ln(b*x+a)*x*a^2*c^2*h^3*p*r+ln(d*x+c)*x*a^2*c^2*h^3*q*r+
ln(b*x+a)*a^2*c^2*g*h^2*p*r+ln(d*x+c)*a^2*c^2*g*h^2*q*r)/(a*c*h^2-a*d*g*h-
b*c*g*h+b*d*g^2)/h/(h*x+g)/a/c/g

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 280 vs. $2(128) = 256$.

Time = 59.58 (sec) , antiderivative size = 280, normalized size of antiderivative = 2.19

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx =$$

$$\frac{(bdg^2 + ach^2 - (bc + ad)gh)r \log(f) - ((bdgh - bch^2)prx + (adgh - ach^2)pr) \log(bx + a) - ((bdgh$$

input

```

integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^2,x, algorithm="fricas"
)

```

output

```

-((b*d*g^2 + a*c*h^2 - (b*c + a*d)*g*h)*r*log(f) - ((b*d*g*h - b*c*h^2)*p*
r*x + (a*d*g*h - a*c*h^2)*p*r)*log(b*x + a) - ((b*d*g*h - a*d*h^2)*q*r*x +
(b*c*g*h - a*c*h^2)*q*r)*log(d*x + c) + (((b*d*g*h - b*c*h^2)*p + (b*d*g*
h - a*d*h^2)*q)*r*x + ((b*d*g^2 - b*c*g*h)*p + (b*d*g^2 - a*d*g*h)*q)*r)*l
og(h*x + g) + (b*d*g^2 + a*c*h^2 - (b*c + a*d)*g*h)*log(e)/(b*d*g^3*h + a
*c*g*h^3 - (b*c + a*d)*g^2*h^2 + (b*d*g^2*h^2 + a*c*h^4 - (b*c + a*d)*g*h^
3)*x)

```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*x+g)**2,x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 123, normalized size of antiderivative = 0.96

$$\begin{aligned} & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx \\ &= \frac{\left(bfp \left(\frac{\log(bx+a)}{bg-ah} - \frac{\log(hx+g)}{bg-ah} \right) + dfq \left(\frac{\log(dx+c)}{dg-ch} - \frac{\log(hx+g)}{dg-ch} \right) \right) r}{fh} \\ & \quad - \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(hx+g)h} \end{aligned}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^2,x, algorithm="maxima")`

output `(b*f*p*(log(b*x + a)/(b*g - a*h) - log(h*x + g)/(b*g - a*h)) + d*f*q*(log(d*x + c)/(d*g - c*h) - log(h*x + g)/(d*g - c*h))*r/(f*h) - log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*x + g)*h)`

Giac [A] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.49

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \frac{b^2 pr \log(|bx+a|)}{b^2 gh - abh^2} + \frac{d^2 qr \log(|-dx-c|)}{d^2 gh - cdh^2} - \frac{pr \log(bx+a)}{h^2 x + gh} - \frac{qr \log(dx+c)}{h^2 x + gh} - \frac{(bdgpr - bchpr + bdgqr - adhqr) \log(hx+g)}{bdg^2 h - bcgh^2 - adgh^2 + ach^3} - \frac{r \log(f) + \log(e)}{h^2 x + gh}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^2,x, algorithm="giac")`

output `b^2*p*r*log(abs(b*x + a))/(b^2*g*h - a*b*h^2) + d^2*q*r*log(abs(-d*x - c))/(d^2*g*h - c*d*h^2) - p*r*log(b*x + a)/(h^2*x + g*h) - q*r*log(d*x + c)/(h^2*x + g*h) - (b*d*g*p*r - b*c*h*p*r + b*d*g*q*r - a*d*h*q*r)*log(h*x + g)/(b*d*g^2*h - b*c*g*h^2 - a*d*g*h^2 + a*c*h^3) - (r*log(f) + log(e))/(h^2*x + g*h)`

Mupad [B] (verification not implemented)

Time = 28.65 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.19

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \frac{\ln(g+hx)(bchpr - g(bdpr + bdqr) + adhqr)}{ach^3 - adgh^2 - bcgh^2 + bdg^2h} - \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)(x + \frac{g}{h})}{(g+hx)^2} - \frac{bpr \ln(a+bx)}{ah^2 - bgh} - \frac{dqr \ln(c+dx)}{ch^2 - dgh}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x)^2,x)`

output

```
(log(g + h*x)*(b*c*h*p*r - g*(b*d*p*r + b*d*q*r) + a*d*h*q*r))/(a*c*h^3 -
a*d*g*h^2 - b*c*g*h^2 + b*d*g^2*h) - (log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)
*(x + g/h))/(g + h*x)^2 - (b*p*r*log(a + b*x))/(a*h^2 - b*g*h) - (d*q*r*lo
g(c + d*x))/(c*h^2 - d*g*h)
```

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 454, normalized size of antiderivative = 3.55

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$$

$$= \frac{-\log(bx+a)acgh^2pr - \log(bx+a)ach^3prx + \log(bx+a)adg^2hpr + \log(bx+a)adgh^2prx - \log(dx$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^2,x)
```

output

```
( - log(a + b*x)*a*c*g*h**2*p*r - log(a + b*x)*a*c*h**3*p*r*x + log(a + b*
x)*a*d*g**2*h*p*r + log(a + b*x)*a*d*g*h**2*p*r*x - log(c + d*x)*a*c*g*h**
2*q*r - log(c + d*x)*a*c*h**3*q*r*x + log(c + d*x)*b*c*g**2*h*q*r + log(c
+ d*x)*b*c*g*h**2*q*r*x + log(g + h*x)*a*d*g**2*h*q*r + log(g + h*x)*a*d*g
*h**2*q*r*x + log(g + h*x)*b*c*g**2*h*p*r + log(g + h*x)*b*c*g*h**2*p*r*x
- log(g + h*x)*b*d*g**3*p*r - log(g + h*x)*b*d*g**3*q*r - log(g + h*x)*b*d
*g**2*h*p*r*x - log(g + h*x)*b*d*g**2*h*q*r*x + log(f**r*(c + d*x)**(q*r)*
(a + b*x)**(p*r)*e)*a*c*h**3*x - log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r
)*e)*a*d*g*h**2*x - log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b*c*g*h*
*2*x + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*b*d*g**2*h*x)/(g*h*(a
*c*g*h**2 + a*c*h**3*x - a*d*g**2*h - a*d*g*h**2*x - b*c*g**2*h - b*c*g*h*
*2*x + b*d*g**3 + b*d*g**2*h*x))
```

3.32
$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$$

Optimal result	324
Mathematica [A] (verified)	325
Rubi [A] (verified)	325
Maple [F]	327
Fricas [F(-1)]	327
Sympy [F(-1)]	327
Maxima [A] (verification not implemented)	328
Giac [B] (verification not implemented)	328
Mupad [B] (verification not implemented)	329
Reduce [B] (verification not implemented)	330

Optimal result

Integrand size = 29, antiderivative size = 202

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \frac{bpr}{2h(bg-ah)(g+hx)} + \frac{dqr}{2h(dg-ch)(g+hx)} + \frac{b^2pr \log(a+bx)}{2h(bg-ah)^2} + \frac{d^2qr \log(c+dx)}{2h(dg-ch)^2} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2} - \frac{b^2pr \log(g+hx)}{2h(bg-ah)^2} - \frac{d^2qr \log(g+hx)}{2h(dg-ch)^2}$$

output

```
1/2*b*p*r/h/(-a*h+b*g)/(h*x+g)+1/2*d*q*r/h/(-c*h+d*g)/(h*x+g)+1/2*b^2*p*r*
ln(b*x+a)/h/(-a*h+b*g)^2+1/2*d^2*q*r*ln(d*x+c)/h/(-c*h+d*g)^2-1/2*ln(e*(f*
(b*x+a)^p*(d*x+c)^q)^r)/h/(h*x+g)^2-1/2*b^2*p*r*ln(h*x+g)/h/(-a*h+b*g)^2-1
/2*d^2*q*r*ln(h*x+g)/h/(-c*h+d*g)^2
```

Mathematica [A] (verified)

Time = 0.39 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.02

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$$

$$= \frac{-\log(e(f(a+bx)^p(c+dx)^q)^r) + \frac{r(g+hx)((bc-ad)(bg-ah)(dg-ch)(bdg(p+q)-h(bcp+adq))-(g+hx)(-b^2(bc-ad)(dg-ch)^2p(10))}{(bc-ad)(bg-ah)^2(dg-ch)}}{2h(g+hx)^2}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^3,x]`

output `(-Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (r*(g + h*x)*((b*c - a*d)*(b*g - a*h)*(d*g - c*h)*(b*d*g*(p + q) - h*(b*c*p + a*d*q)) - (g + h*x)*(-(b^2*(b*c - a*d)*(d*g - c*h)^2*p*(Log[a + b*x] - Log[g + h*x])) + d^2*(-(b*c) + a*d)*(b*g - a*h)^2*q*(Log[c + d*x] - Log[g + h*x]))))/((b*c - a*d)*(b*g - a*h)^2*(d*g - c*h)^2)/(2*h*(g + h*x)^2)`

Rubi [A] (verified)

Time = 0.38 (sec) , antiderivative size = 168, normalized size of antiderivative = 0.83, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$$

$$\downarrow \text{2981}$$

$$\frac{bpr \int \frac{1}{(a+bx)(g+hx)^2} dx}{2h} + \frac{dqr \int \frac{1}{(c+dx)(g+hx)^2} dx}{2h} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

$$\downarrow \text{54}$$

$$\frac{bpr \int \left(\frac{b^2}{(bg-ah)^2(a+bx)} - \frac{hb}{(bg-ah)^2(g+hx)} - \frac{h}{(bg-ah)(g+hx)^2} \right) dx}{2h} +$$

$$\frac{dqr \int \left(\frac{d^2}{(dg-ch)^2(c+dx)} - \frac{hd}{(dg-ch)^2(g+hx)} - \frac{h}{(dg-ch)(g+hx)^2} \right) dx}{2h} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2009

$$-\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2} + \frac{bpr \left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right)}{2h} +$$

$$\frac{dqr \left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right)}{2h}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^3,x]`

output `-1/2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(g + h*x)^2) + (b*p*r*(1/((b*g - a*h)*(g + h*x)) + (b*Log[a + b*x])/(b*g - a*h)^2 - (b*Log[g + h*x])/(b*g - a*h)^2))/(2*h) + (d*q*r*(1/((d*g - c*h)*(g + h*x)) + (d*Log[c + d*x])/(d*g - c*h)^2 - (d*Log[g + h*x])/(d*g - c*h)^2))/(2*h)`

Defintions of rubi rules used

rule 54 `Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981 `Int[Log[(e_)*((f_)*((a_) + (b_)*(x_))^(p_))*((c_) + (d_)*(x_))^(q_))^(r_)]*(g_) + (h_)*(x_))^(m_), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(m + 1))), x] + (-Simp[b*p*r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*r/(h*(m + 1)) Int[(g + h*x)^(m + 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]`

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{(hx+g)^3} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x)`

Fricas [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Timed out}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x, algorithm="fricas")`

output `Timed out`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*x+g)**3,x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 232, normalized size of antiderivative = 1.15

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$$

$$= \frac{\left(bfp \left(\frac{b \log(bx+a)}{b^2g^2-2abgh+a^2h^2} - \frac{b \log(hx+g)}{b^2g^2-2abgh+a^2h^2} + \frac{1}{bg^2-agh+(bgh-ah^2)x} \right) + dfq \left(\frac{d \log(dx+c)}{d^2g^2-2cdgh+c^2h^2} - \frac{d \log(hx+g)}{d^2g^2-2cdgh+c^2h^2} + \frac{1}{d^2g^2-2cdgh+c^2h^2} \right) \right)}{2fh}$$

$$- \frac{\log(((bx+a)^p(dx+c)^qf)^r e)}{2(hx+g)^2h}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x, algorithm="maxima")`

output `1/2*(b*f*p*(b*log(b*x + a)/(b^2*g^2 - 2*a*b*g*h + a^2*h^2) - b*log(h*x + g)/(b^2*g^2 - 2*a*b*g*h + a^2*h^2) + 1/(b*g^2 - a*g*h + (b*g*h - a*h^2)*x)) + d*f*q*(d*log(d*x + c)/(d^2*g^2 - 2*c*d*g*h + c^2*h^2) - d*log(h*x + g)/(d^2*g^2 - 2*c*d*g*h + c^2*h^2) + 1/(d*g^2 - c*g*h + (d*g*h - c*h^2)*x))* r/(f*h) - 1/2*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*x + g)^2*h)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 603 vs. 2(188) = 376.

Time = 0.24 (sec) , antiderivative size = 603, normalized size of antiderivative = 2.99

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \frac{b^3pr \log(|bx+a|)}{2(b^3g^2h - 2ab^2gh^2 + a^2bh^3)}$$

$$+ \frac{d^3qr \log(|dx+c|)}{2(d^3g^2h - 2cd^2gh^2 + c^2dh^3)} - \frac{pr \log(bx+a)}{2(h^3x^2 + 2gh^2x + g^2h)} - \frac{qr \log(dx+c)}{2(h^3x^2 + 2gh^2x + g^2h)}$$

$$- \frac{(b^2d^2g^2pr - 2b^2cdghpr + b^2c^2h^2pr + b^2d^2g^2qr - 2abd^2ghqr + a^2d^2h^2qr) \log(hx+g)}{2(b^2d^2g^4h - 2b^2cdg^3h^2 - 2abd^2g^3h^2 + b^2c^2g^2h^3 + 4abcdg^2h^3 + a^2d^2g^2h^3 - 2abc^2gh^4 - 2a^2cdgh^4 + bdghprx - bch^2prx + bdghqrx - adh^2qrx + bdg^2pr - bcghpr + bdg^2qr - adghqr - bdg^2r \log(f) + bcdg^2h^2)}{2(bdg^2h^3x^2 - bcgh^4x^2 - adgh^4x^2 + ach^5x^2 + 2bdg^3h^2x - 2bcg^2h^2x)}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x, algorithm="giac")`

output

```

1/2*b^3*p*r*log(abs(b*x + a))/(b^3*g^2*h - 2*a*b^2*g*h^2 + a^2*b*h^3) + 1/
2*d^3*q*r*log(abs(d*x + c))/(d^3*g^2*h - 2*c*d^2*g*h^2 + c^2*d*h^3) - 1/2*
p*r*log(b*x + a)/(h^3*x^2 + 2*g*h^2*x + g^2*h) - 1/2*q*r*log(d*x + c)/(h^3
*x^2 + 2*g*h^2*x + g^2*h) - 1/2*(b^2*d^2*g^2*p*r - 2*b^2*c*d*g*h*p*r + b^2
*c^2*h^2*p*r + b^2*d^2*g^2*q*r - 2*a*b*d^2*g*h*q*r + a^2*d^2*h^2*q*r)*log(
h*x + g)/(b^2*d^2*g^4*h - 2*b^2*c*d*g^3*h^2 - 2*a*b*d^2*g^3*h^2 + b^2*c^2*
g^2*h^3 + 4*a*b*c*d*g^2*h^3 + a^2*d^2*g^2*h^3 - 2*a*b*c^2*g*h^4 - 2*a^2*c*
d*g*h^4 + a^2*c^2*h^5) + 1/2*(b*d*g*h*p*r*x - b*c*h^2*p*r*x + b*d*g*h*q*r*
x - a*d*h^2*q*r*x + b*d*g^2*p*r - b*c*g*h*p*r + b*d*g^2*q*r - a*d*g*h*q*r
- b*d*g^2*r*log(f) + b*c*g*h*r*log(f) + a*d*g*h*r*log(f) - a*c*h^2*r*log(f)
) - b*d*g^2*log(e) + b*c*g*h*log(e) + a*d*g*h*log(e) - a*c*h^2*log(e))/(b*
d*g^2*h^3*x^2 - b*c*g*h^4*x^2 - a*d*g*h^4*x^2 + a*c*h^5*x^2 + 2*b*d*g^3*h^
2*x - 2*b*c*g^2*h^3*x - 2*a*d*g^2*h^3*x + 2*a*c*g*h^4*x + b*d*g^4*h - b*c*
g^3*h^2 - a*d*g^3*h^2 + a*c*g^2*h^3)

```

Mupad [B] (verification not implemented)

Time = 29.61 (sec) , antiderivative size = 384, normalized size of antiderivative = 1.90

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \frac{b^2 pr \ln(a+bx)}{2a^2 h^3 - 4abgh^2 + 2b^2 g^2 h}$$

$$- \frac{\ln(g+hx) (h^2 (qr a^2 d^2 + pr b^2 c^2) - h (2cgp r b^2 d + 2agq r b d^2) + b^2 d^2 g^2 pr + b^2 c^2 h^5 - 4a^2 cdgh^4 + 2a^2 d^2 g^2 h^3 - 4abc^2 gh^4 + 8abcdg^2 h^3 - 4abd^2 g^3 h^2 + 2b^2 c^2 g^2 h^3 - 4b^2 cd^2 g^2 h^2)}{2a^2 c^2 h^5 - 4a^2 cdgh^4 + 2a^2 d^2 g^2 h^3 - 4abc^2 gh^4 + 8abcdg^2 h^3 - 4abd^2 g^3 h^2 + 2b^2 c^2 g^2 h^3 - 4b^2 cd^2 g^2 h^2}$$

$$- \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) (\frac{x}{2} + \frac{g}{2h})}{(g+hx)^3}$$

$$- \frac{bchpr - bdgpr + adhqr - bdgqr}{(2xh^2 + 2gh)(ach^2 + bdg^2 - adgh - bcgh)} + \frac{d^2 qr \ln(c+dx)}{2c^2 h^3 - 4cdgh^2 + 2d^2 g^2 h}$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x)^3,x)
```

output

```
(b^2*p*r*log(a + b*x))/(2*a^2*h^3 + 2*b^2*g^2*h - 4*a*b*g*h^2) - (log(g +
h*x)*(h^2*(b^2*c^2*p*r + a^2*d^2*q*r) - h*(2*a*b*d^2*g*q*r + 2*b^2*c*d*g*p
*r) + b^2*d^2*g^2*p*r + b^2*d^2*g^2*q*r))/(2*a^2*c^2*h^5 + 2*b^2*d^2*g^4*h
+ 2*a^2*d^2*g^2*h^3 + 2*b^2*c^2*g^2*h^3 - 4*a*b*c^2*g*h^4 - 4*a^2*c*d*g*h
^4 - 4*a*b*d^2*g^3*h^2 - 4*b^2*c*d*g^3*h^2 + 8*a*b*c*d*g^2*h^3) - (log(e*(
f*(a + b*x)^p*(c + d*x)^q)^r)*(x/2 + g/(2*h)))/(g + h*x)^3 - (b*c*h*p*r -
b*d*g*p*r + a*d*h*q*r - b*d*g*q*r)/((2*g*h + 2*h^2*x)*(a*c*h^2 + b*d*g^2 -
a*d*g*h - b*c*g*h)) + (d^2*q*r*log(c + d*x))/(2*c^2*h^3 + 2*d^2*g^2*h - 4
*c*d*g*h^2)
```

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 2641, normalized size of antiderivative = 13.07

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Too large to display}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^3,x)
```

output

```
( - 2*log(a + b*x)*a**2*c**2*g**2*h**4*p*r - 4*log(a + b*x)*a**2*c**2*g*h*
*5*p*r*x - 2*log(a + b*x)*a**2*c**2*h**6*p*r*x**2 + 4*log(a + b*x)*a**2*c*
*d*g**3*h**3*p*r + 8*log(a + b*x)*a**2*c*d*g**2*h**4*p*r*x + 4*log(a + b*x)
*a**2*c*d*g*h**5*p*r*x**2 - 2*log(a + b*x)*a**2*d**2*g**4*h**2*p*r - 4*log
(a + b*x)*a**2*d**2*g**3*h**3*p*r*x - 2*log(a + b*x)*a**2*d**2*g**2*h**4*p*
r*x**2 + 4*log(a + b*x)*a*b*c**2*g**3*h**3*p*r + 8*log(a + b*x)*a*b*c**2*
g**2*h**4*p*r*x + 4*log(a + b*x)*a*b*c**2*g*h**5*p*r*x**2 - 8*log(a + b*x)
*a*b*c*d*g**4*h**2*p*r - 16*log(a + b*x)*a*b*c*d*g**3*h**3*p*r*x - 8*log(a
+ b*x)*a*b*c*d*g**2*h**4*p*r*x**2 + 4*log(a + b*x)*a*b*d**2*g**5*h*p*r +
8*log(a + b*x)*a*b*d**2*g**4*h**2*p*r*x + 4*log(a + b*x)*a*b*d**2*g**3*h**
3*p*r*x**2 - 2*log(c + d*x)*a**2*c**2*g**2*h**4*q*r - 4*log(c + d*x)*a**2*
c**2*g*h**5*q*r*x - 2*log(c + d*x)*a**2*c**2*h**6*q*r*x**2 + 4*log(c + d*x)
*a**2*c*d*g**3*h**3*q*r + 8*log(c + d*x)*a**2*c*d*g**2*h**4*q*r*x + 4*log
(c + d*x)*a**2*c*d*g*h**5*q*r*x**2 + 4*log(c + d*x)*a*b*c**2*g**3*h**3*q*r
+ 8*log(c + d*x)*a*b*c**2*g**2*h**4*q*r*x + 4*log(c + d*x)*a*b*c**2*g*h**
5*q*r*x**2 - 8*log(c + d*x)*a*b*c*d*g**4*h**2*q*r - 16*log(c + d*x)*a*b*c*
*d*g**3*h**3*q*r*x - 8*log(c + d*x)*a*b*c*d*g**2*h**4*q*r*x**2 - 2*log(c +
d*x)*b**2*c**2*g**4*h**2*q*r - 4*log(c + d*x)*b**2*c**2*g**3*h**3*q*r*x -
2*log(c + d*x)*b**2*c**2*g**2*h**4*q*r*x**2 + 4*log(c + d*x)*b**2*c*d*g**5
*h*q*r + 8*log(c + d*x)*b**2*c*d*g**4*h**2*q*r*x + 4*log(c + d*x)*b**2*...
```

3.33 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$

Optimal result	332
Mathematica [A] (verified)	333
Rubi [A] (verified)	333
Maple [F]	335
Fricas [F(-1)]	335
Sympy [F(-1)]	336
Maxima [A] (verification not implemented)	336
Giac [B] (verification not implemented)	337
Mupad [B] (verification not implemented)	338
Reduce [B] (verification not implemented)	339

Optimal result

Integrand size = 29, antiderivative size = 260

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \frac{bpr}{6h(bg-ah)(g+hx)^2} + \frac{dqr}{6h(dg-ch)(g+hx)^2}$$

$$+ \frac{b^2pr}{3h(bg-ah)^2(g+hx)} + \frac{d^2qr}{3h(dg-ch)^2(g+hx)}$$

$$+ \frac{b^3pr \log(a+bx)}{3h(bg-ah)^3} + \frac{d^3qr \log(c+dx)}{3h(dg-ch)^3}$$

$$- \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

$$- \frac{b^3pr \log(g+hx)}{3h(bg-ah)^3} - \frac{d^3qr \log(g+hx)}{3h(dg-ch)^3}$$

output

```
1/6*b*p*r/h/(-a*h+b*g)/(h*x+g)^2+1/6*d*q*r/h/(-c*h+d*g)/(h*x+g)^2+1/3*b^2*
p*r/h/(-a*h+b*g)^2/(h*x+g)+1/3*d^2*q*r/h/(-c*h+d*g)^2/(h*x+g)+1/3*b^3*p*r*
ln(b*x+a)/h/(-a*h+b*g)^3+1/3*d^3*q*r*ln(d*x+c)/h/(-c*h+d*g)^3-1/3*ln(e*(f*
(b*x+a)^p*(d*x+c)^q)^r)/h/(h*x+g)^3-1/3*b^3*p*r*ln(h*x+g)/h/(-a*h+b*g)^3-1
/3*d^3*q*r*ln(h*x+g)/h/(-c*h+d*g)^3
```

Mathematica [A] (verified)

Time = 0.69 (sec) , antiderivative size = 254, normalized size of antiderivative = 0.98

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

$$= \frac{-2 \log(e(f(a+bx)^p(c+dx)^q)^r) + \frac{r(g+hx)((bg-ah)^2(dg-ch)^2(bdg(p+q)-h(bcp+adq))-(g+hx)((bg-ah)(dg-ch)(4abd^2ghq-6h(g+hx)^3))}{6h(g+hx)^3}}{6h(g+hx)^3}$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^4,x]`

output `(-2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (r*(g + h*x)*((b*g - a*h)^2*(d*g - c*h)^2*(b*d*g*(p + q) - h*(b*c*p + a*d*q)) - (g + h*x)*((b*g - a*h)*(d*g - c*h)*(4*a*b*d^2*g*h*q - 2*a^2*d^2*h^2*q - 2*b^2*(-2*c*d*g*h*p + c^2*h^2*p + d^2*g^2*(p + q))) - 2*(g + h*x)*(b^3*(d*g - c*h)^3*p*(Log[a + b*x] - Log[g + h*x]) + d^3*(b*g - a*h)^3*q*(Log[c + d*x] - Log[g + h*x])))))/((b*g - a*h)^3*(d*g - c*h)^3)/(6*h*(g + h*x)^3)`

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 220, normalized size of antiderivative = 0.85, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

$$\downarrow 2981$$

$$\frac{bpr \int \frac{1}{(a+bx)(g+hx)^3} dx}{3h} + \frac{dqr \int \frac{1}{(c+dx)(g+hx)^3} dx}{3h} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

$$\downarrow 54$$

$$\begin{aligned}
& \frac{bpr \int \left(\frac{b^3}{(bg-ah)^3(a+bx)} - \frac{hb^2}{(bg-ah)^3(g+hx)} - \frac{hb}{(bg-ah)^2(g+hx)^2} - \frac{h}{(bg-ah)(g+hx)^3} \right) dx}{3h} + \\
& \frac{dqr \int \left(\frac{d^3}{(dg-ch)^3(c+dx)} - \frac{hd^2}{(dg-ch)^3(g+hx)} - \frac{hd}{(dg-ch)^2(g+hx)^2} - \frac{h}{(dg-ch)(g+hx)^3} \right) dx}{3h} - \\
& \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} \\
& \quad \downarrow \text{2009} \\
& \frac{bpr \left(\frac{b^2 \log(a+bx)}{(bg-ah)^3} - \frac{b^2 \log(g+hx)}{(bg-ah)^3} + \frac{b}{(g+hx)(bg-ah)^2} + \frac{1}{2(g+hx)^2(bg-ah)} \right)}{\log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
& \frac{dqr \left(\frac{d^2 \log(c+dx)}{(dg-ch)^3} - \frac{d^2 \log(g+hx)}{(dg-ch)^3} + \frac{d}{(g+hx)(dg-ch)^2} + \frac{1}{2(g+hx)^2(dg-ch)} \right)}{3h}
\end{aligned}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^4,x]`

output `-1/3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(g + h*x)^3) + (b*p*r*(1/(2*(b*g - a*h)*(g + h*x)^2) + b/((b*g - a*h)^2*(g + h*x)) + (b^2*Log[a + b*x])/(b*g - a*h)^3 - (b^2*Log[g + h*x])/(b*g - a*h)^3))/(3*h) + (d*q*r*(1/(2*(d*g - c*h)*(g + h*x)^2) + d/((d*g - c*h)^2*(g + h*x)) + (d^2*Log[c + d*x])/(d*g - c*h)^3 - (d^2*Log[g + h*x])/(d*g - c*h)^3))/(3*h)`

Defintions of rubi rules used

rule 54 `Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2981

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m +
1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1)))
Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h
, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]

```

Maple [F]

$$\int \frac{\ln(e(f(bx + a)^p(dx + c)^q)^r)}{(hx + g)^4} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x)
```

Fricas [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{(g + hx)^4} dx = \text{Timed out}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x, algorithm="fricas"
)
```

output

```
Timed out
```


Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*x+g)**4,x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 456, normalized size of antiderivative = 1.75

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

$$= \frac{\left(\left(\frac{2b^2 \log(bx+a)}{b^3g^3-3ab^2g^2h+3a^2bgh^2-a^3h^3} - \frac{2b^2 \log(hx+g)}{b^3g^3-3ab^2g^2h+3a^2bgh^2-a^3h^3} + \frac{2bhx+3bg-ah}{b^2g^4-2abg^3h+a^2g^2h^2+(b^2g^2h^2-2abgh^3+a^2h^4)x^2+2(b^2g^3h-2abg^2h^2+ag^2h^3-ah^4)x+h^4} \right) \right)}{3(hx+g)^3h} - \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{3(hx+g)^3h}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x, algorithm="maxima")`

output `1/6*((2*b^2*log(b*x + a)/(b^3*g^3 - 3*a*b^2*g^2*h + 3*a^2*b*g*h^2 - a^3*h^3) - 2*b^2*log(h*x + g)/(b^3*g^3 - 3*a*b^2*g^2*h + 3*a^2*b*g*h^2 - a^3*h^3) + (2*b*h*x + 3*b*g - a*h)/(b^2*g^4 - 2*a*b*g^3*h + a^2*g^2*h^2 + (b^2*g^2*h^2 - 2*a*b*g*h^3 + a^2*h^4)*x^2 + 2*(b^2*g^3*h - 2*a*b*g^2*h^2 + a^2*g*h^3)*x))*b*f*p + (2*d^2*log(d*x + c)/(d^3*g^3 - 3*c*d^2*g^2*h + 3*c^2*d*g*h^2 - c^3*h^3) - 2*d^2*log(h*x + g)/(d^3*g^3 - 3*c*d^2*g^2*h + 3*c^2*d*g*h^2 - c^3*h^3) + (2*d*h*x + 3*d*g - c*h)/(d^2*g^4 - 2*c*d*g^3*h + c^2*g^2*h^2 + (d^2*g^2*h^2 - 2*c*d*g*h^3 + c^2*h^4)*x^2 + 2*(d^2*g^3*h - 2*c*d*g^2*h^2 + c^2*g*h^3)*x))*d*f*q)*r/(f*h) - 1/3*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*x + g)^3*h)`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1783 vs. $2(242) = 484$.

Time = 0.33 (sec) , antiderivative size = 1783, normalized size of antiderivative = 6.86

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x, algorithm="giac")`

output

```
1/3*b^4*p*r*log(abs(b*x + a))/(b^4*g^3*h - 3*a*b^3*g^2*h^2 + 3*a^2*b^2*g*h^3 - a^3*b*h^4) + 1/3*d^4*q*r*log(abs(d*x + c))/(d^4*g^3*h - 3*c*d^3*g^2*h^2 + 3*c^2*d^2*g*h^3 - c^3*d*h^4) - 1/3*p*r*log(b*x + a)/(h^4*x^3 + 3*g*h^3*x^2 + 3*g^2*h^2*x + g^3*h) - 1/3*q*r*log(d*x + c)/(h^4*x^3 + 3*g*h^3*x^2 + 3*g^2*h^2*x + g^3*h) - 1/3*(b^3*d^3*g^3*p*r - 3*b^3*c*d^2*g^2*h*p*r + 3*b^3*c^2*d*g*h^2*p*r - b^3*c^3*h^3*p*r + b^3*d^3*g^3*q*r - 3*a*b^2*d^3*g^2*h*q*r + 3*a^2*b*d^3*g*h^2*q*r - a^3*d^3*h^3*q*r)*log(h*x + g)/(b^3*d^3*g^6*h - 3*b^3*c*d^2*g^5*h^2 - 3*a*b^2*d^3*g^5*h^2 + 3*b^3*c^2*d*g^4*h^3 + 9*a*b^2*c*d^2*g^4*h^3 + 3*a^2*b*d^3*g^4*h^3 - b^3*c^3*g^3*h^4 - 9*a*b^2*c^2*d*g^3*h^4 - 9*a^2*b*c*d^2*g^3*h^4 - a^3*d^3*g^3*h^4 + 3*a*b^2*c^3*g^2*h^5 + 9*a^2*b*c^2*d*g^2*h^5 + 3*a^3*c*d^2*g^2*h^5 - 3*a^2*b*c^3*g*h^6 - 3*a^3*c^2*d*g*h^6 + a^3*c^3*h^7) + 1/6*(2*b^2*d^2*g^2*h^2*p*r*x^2 - 4*b^2*c*d*g*h^3*p*r*x^2 + 2*b^2*c^2*h^4*p*r*x^2 + 2*b^2*d^2*g^2*h^2*q*r*x^2 - 4*a*b*d^2*g*h^3*q*r*x^2 + 2*a^2*d^2*h^4*q*r*x^2 + 5*b^2*d^2*g^3*h*p*r*x - 10*b^2*c*d*g^2*h^2*p*r*x - a*b*d^2*g^2*h^2*p*r*x + 5*b^2*c^2*g*h^3*p*r*x + 2*a*b*c*d*g*h^3*p*r*x - a*b*c^2*h^4*p*r*x + 5*b^2*d^2*g^3*h*q*r*x - b^2*c*d*g^2*h^2*q*r*x - 10*a*b*d^2*g^2*h^2*q*r*x + 2*a*b*c*d*g*h^3*q*r*x + 5*a^2*d^2*g*h^3*q*r*x - a^2*c*d*h^4*q*r*x + 3*b^2*d^2*g^4*p*r - 6*b^2*c*d*g^3*h*p*r - a*b*d^2*g^3*h*p*r + 3*b^2*c^2*g^2*h^2*p*r + 2*a*b*c*d*g^2*h^2*p*r - a*b*c^2*g*h^3*p*r + 3*b^2*d^2*g^4*q*r - b^2*c*d*g^3*h*q*r - 6*a*b*d^2*g^3*h*q...
```

Mupad [B] (verification not implemented)

Time = 32.99 (sec) , antiderivative size = 977, normalized size of antiderivative = 3.76

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

$$= \frac{3b^2 d^2 g^3 pr + 3b^2 d^2 g^3 qr - abc^2 h^3 pr - a^2 cd h^3 qr + 3b^2 c^2 g h^2 pr + 3a^2 d^2 g h^2 qr - abd^2 g^2 h pr - 6abd^2 g^2 h qr - 6b^2 cd g^2 h pr - b^2 cd g^2 h^2 pr}{2(a^2 c^2 h^4 - 2a^2 cd g h^3 + a^2 d^2 g^2 h^2 - 2abc^2 g h^3 + 4abcd g^2 h^2 - 2abd^2 g^3 h + b^2 c^2 g^2 h^2 - 2b^2 cd g^3 h + b^2 d^2 g^4)} \ln(g+hx) + \frac{3g^2 h + 6g^2}{\ln(g+hx)} \frac{g^2(3chprb^3 d^2 + 3ahqrb^2 d^2)}{3a^3 c^3 h^7 - 9a^3 c^2 dg h^6 + 9a^3 cd^2 g^2 h^5 - 3a^3 d^3 g^3 h^4 - 9a^2 bc^3 g h^6 + 27a^2 bc^2 dg^2 h^5 - 27a^2 bcd^2 g^3 h^4} + \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \left(\frac{x}{3} + \frac{g}{3h}\right)}{(g+hx)^4} - \frac{b^3 pr \ln(a+bx)}{3a^3 h^4 - 9a^2 bg h^3 + 9ab^2 g^2 h^2 - 3b^3 g^3 h} - \frac{d^3 qr \ln(c+dx)}{3c^3 h^4 - 9c^2 dg h^3 + 9cd^2 g^2 h^2 - 3d^3 g^3 h}$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x)^4,x)
```

output

```

((3*b^2*d^2*g^3*p*r + 3*b^2*d^2*g^3*q*r - a*b*c^2*h^3*p*r - a^2*c*d*h^3*q*
r + 3*b^2*c^2*g*h^2*p*r + 3*a^2*d^2*g*h^2*q*r - a*b*d^2*g^2*h*p*r - 6*a*b*
d^2*g^2*h*q*r - 6*b^2*c*d*g^2*h*p*r - b^2*c*d*g^2*h*q*r + 2*a*b*c*d*g*h^2*
p*r + 2*a*b*c*d*g*h^2*q*r)/(2*(a^2*c^2*h^4 + b^2*d^2*g^4 + a^2*d^2*g^2*h^2
+ b^2*c^2*g^2*h^2 - 2*a*b*c^2*g*h^3 - 2*a*b*d^2*g^3*h - 2*a^2*c*d*g*h^3 -
2*b^2*c*d*g^3*h + 4*a*b*c*d*g^2*h^2)) + (x*(b^2*c^2*h^3*p*r + a^2*d^2*h^3
*q*r + b^2*d^2*g^2*h*p*r + b^2*d^2*g^2*h*q*r - 2*a*b*d^2*g*h^2*q*r - 2*b^2
*c*d*g*h^2*p*r))/(a^2*c^2*h^4 + b^2*d^2*g^4 + a^2*d^2*g^2*h^2 + b^2*c^2*g^
2*h^2 - 2*a*b*c^2*g*h^3 - 2*a*b*d^2*g^3*h - 2*a^2*c*d*g*h^3 - 2*b^2*c*d*g^
3*h + 4*a*b*c*d*g^2*h^2))/(3*g^2*h + 3*h^3*x^2 + 6*g*h^2*x) + (log(g + h*x
)*(g^2*(3*a*b^2*d^3*h*q*r + 3*b^3*c*d^2*h*p*r) - g^3*(b^3*d^3*p*r + b^3*d^
3*q*r) - g*(3*a^2*b*d^3*h^2*q*r + 3*b^3*c^2*d*h^2*p*r) + b^3*c^3*h^3*p*r +
a^3*d^3*h^3*q*r))/(3*a^3*c^3*h^7 + 3*b^3*d^3*g^6*h - 3*a^3*d^3*g^3*h^4 -
3*b^3*c^3*g^3*h^4 - 9*a^2*b*c^3*g*h^6 - 9*a^3*c^2*d*g*h^6 + 9*a*b^2*c^3*g^
2*h^5 - 9*a*b^2*d^3*g^5*h^2 + 9*a^2*b*d^3*g^4*h^3 + 9*a^3*c*d^2*g^2*h^5 -
9*b^3*c*d^2*g^5*h^2 + 9*b^3*c^2*d*g^4*h^3 + 27*a*b^2*c*d^2*g^4*h^3 - 27*a*
b^2*c^2*d*g^3*h^4 - 27*a^2*b*c*d^2*g^3*h^4 + 27*a^2*b*c^2*d*g^2*h^5) - (lo
g(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(x/3 + g/(3*h)))/(g + h*x)^4 - (b^3*p*r
*log(a + b*x))/(3*a^3*h^4 - 3*b^3*g^3*h + 9*a*b^2*g^2*h^2 - 9*a^2*b*g*h^3)
- (d^3*q*r*log(c + d*x))/(3*c^3*h^4 - 3*d^3*g^3*h + 9*c*d^2*g^2*h^2 - ...

```

Reduce [B] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 7317, normalized size of antiderivative = 28.14

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Too large to display}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^4,x)
```

output

```
( - 6*log(a + b*x)*a**3*c**3*g**3*h**6*p*r - 18*log(a + b*x)*a**3*c**3*g**
2*h**7*p*r*x - 18*log(a + b*x)*a**3*c**3*g*h**8*p*r*x**2 - 6*log(a + b*x)*
a**3*c**3*h**9*p*r*x**3 + 18*log(a + b*x)*a**3*c**2*d*g**4*h**5*p*r + 54*log(a + b*x)*a**3*c**2*d*g**3*h**6*p*r*x + 54*log(a + b*x)*a**3*c**2*d*g**2*h**7*p*r*x**2 + 18*log(a + b*x)*a**3*c**2*d*g*h**8*p*r*x**3 - 18*log(a + b*x)*a**3*c*d**2*g**5*h**4*p*r - 54*log(a + b*x)*a**3*c*d**2*g**4*h**5*p*r*x - 54*log(a + b*x)*a**3*c*d**2*g**3*h**6*p*r*x**2 - 18*log(a + b*x)*a**3*c*d**2*g**2*h**7*p*r*x**3 + 6*log(a + b*x)*a**3*d**3*g**6*h**3*p*r + 18*log(a + b*x)*a**3*d**3*g**5*h**4*p*r*x + 18*log(a + b*x)*a**3*d**3*g**4*h**5*p*r*x**2 + 6*log(a + b*x)*a**3*d**3*g**3*h**6*p*r*x**3 + 18*log(a + b*x)*a**2*b*c**3*g**4*h**5*p*r + 54*log(a + b*x)*a**2*b*c**3*g**3*h**6*p*r*x + 54*log(a + b*x)*a**2*b*c**3*g**2*h**7*p*r*x**2 + 18*log(a + b*x)*a**2*b*c**3*g*h**8*p*r*x**3 - 54*log(a + b*x)*a**2*b*c**2*d*g**5*h**4*p*r - 162*log(a + b*x)*a**2*b*c**2*d*g**4*h**5*p*r*x - 162*log(a + b*x)*a**2*b*c**2*d*g**3*h**6*p*r*x**2 - 54*log(a + b*x)*a**2*b*c**2*d*g**2*h**7*p*r*x**3 + 54*log(a + b*x)*a**2*b*c*d**2*g**6*h**3*p*r + 162*log(a + b*x)*a**2*b*c*d**2*g**5*h**4*p*r*x + 162*log(a + b*x)*a**2*b*c*d**2*g**4*h**5*p*r*x**2 + 54*log(a + b*x)*a**2*b*c*d**2*g**3*h**6*p*r*x**3 - 18*log(a + b*x)*a**2*b*d**3*g**7*h**2*p*r - 54*log(a + b*x)*a**2*b*d**3*g**6*h**3*p*r*x - 54*log(a + b*x)*a**2*b*d**3*g**5*h**4*p*r*x**2 - 18*log(a + b*x)*a**2*b*d**3*g**4...
```

3.34 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx$

Optimal result	341
Mathematica [A] (verified)	342
Rubi [A] (verified)	343
Maple [F]	344
Fricas [F(-1)]	345
Sympy [F(-1)]	345
Maxima [B] (verification not implemented)	345
Giac [B] (verification not implemented)	346
Mupad [B] (verification not implemented)	347
Reduce [B] (verification not implemented)	348

Optimal result

Integrand size = 29, antiderivative size = 318

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \frac{bpr}{12h(bg-ah)(g+hx)^3} + \frac{dqr}{12h(dg-ch)(g+hx)^3}$$

$$+ \frac{b^2pr}{8h(bg-ah)^2(g+hx)^2}$$

$$+ \frac{d^2qr}{8h(dg-ch)^2(g+hx)^2}$$

$$+ \frac{b^3pr}{4h(bg-ah)^3(g+hx)} + \frac{d^3qr}{4h(dg-ch)^3(g+hx)}$$

$$+ \frac{b^4pr \log(a+bx)}{4h(bg-ah)^4} + \frac{d^4qr \log(c+dx)}{4h(dg-ch)^4}$$

$$- \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4h(g+hx)^4}$$

$$- \frac{b^4pr \log(g+hx)}{4h(bg-ah)^4} - \frac{d^4qr \log(g+hx)}{4h(dg-ch)^4}$$

output

$$\begin{aligned} & 1/12*b*p*r/h/(-a*h+b*g)/(h*x+g)^3+1/12*d*q*r/h/(-c*h+d*g)/(h*x+g)^3+1/8*b^2*p*r/h/(-a*h+b*g)^2/(h*x+g)^2+1/8*d^2*q*r/h/(-c*h+d*g)^2/(h*x+g)^2+1/4*b^3*p*r/h/(-a*h+b*g)^3/(h*x+g)+1/4*d^3*q*r/h/(-c*h+d*g)^3/(h*x+g)+1/4*b^4*p*r*ln(b*x+a)/h/(-a*h+b*g)^4+1/4*d^4*q*r*ln(d*x+c)/h/(-c*h+d*g)^4-1/4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/h/(h*x+g)^4-1/4*b^4*p*r*ln(h*x+g)/h/(-a*h+b*g)^4-1/4*d^4*q*r*ln(h*x+g)/h/(-c*h+d*g)^4 \end{aligned}$$
Mathematica [A] (verified)

Time = 1.33 (sec) , antiderivative size = 480, normalized size of antiderivative = 1.51

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx$$

$$= \frac{-6 \log(e(f(a+bx)^p(c+dx)^q)^r) + \frac{r(g+hx)(2(bg-ah)^3(dg-ch)^3(bdg(p+q)-h(bcp+adq))-(g+hx)((bg-ah)^2(dg-ch)^2(6abd^2g^2p+6abd^2g^2q)-2(bg-ah)(dg-ch)(3bdg^2p+3bdg^2q)-3b^2d^2h^2q-3a^2d^2h^2q-3b^2(-2c*d*g*h*p+c^2*h^2*p+d^2*g^2*(p+q))) + 6*(g+hx)*(-(b*g-a*h)*(-(d*g)+c*h)*(3*a*b^2*d^3*g^2*h*q-3*a^2*b*d^3*g*h^2*q+a^3*d^3*h^3*q-b^3*(-3*c*d^2*g^2*h*p+3*c^2*d*g*h^2*p-c^3*h^3*p+d^3*g^3*(p+q)))) - (g+hx)*(b^4*(d*g-c*h)^4*p*Log[a+b*x]+d^4*(b*g-a*h)^4*q*Log[c+dx]-(-4*a*b^3*d^4*g^3*h*q+6*a^2*b^2*d^4*g^2*h^2*q-4*a^3*b*d^4*g*h^3*q+a^4*d^4*h^4*q+b^4*(-4*c*d^3*g^3*h*p+6*c^2*d^2*g^2*h^2*p-4*c^3*d*g*h^3*p+c^4*h^4*p+d^4*g^4*(p+q))*Log[g+hx]))}{(b*g-a*h)^4*(d*g-c*h)^4}}{(24*h*(g+hx)^4)}$$

input

Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^5,x]

output

$$\begin{aligned} & (-6*\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (r*(g + h*x)*(2*(b*g - a*h)^3*(d*g - c*h)^3*(b*d*g*(p + q) - h*(b*c*p + a*d*q)) - (g + h*x)*((b*g - a*h)^2*(d*g - c*h)^2*(6*a*b*d^2*g*h*q - 3*a^2*d^2*h^2*q - 3*b^2*(-2*c*d*g*h*p + c^2*h^2*p + d^2*g^2*(p + q))) + 6*(g + h*x)*(-(b*g - a*h)*(-(d*g) + c*h)*(3*a*b^2*d^3*g^2*h*q - 3*a^2*b*d^3*g*h^2*q + a^3*d^3*h^3*q - b^3*(-3*c*d^2*g^2*h*p + 3*c^2*d*g*h^2*p - c^3*h^3*p + d^3*g^3*(p + q)))) - (g + h*x)*(b^4*(d*g - c*h)^4*p*Log[a + b*x] + d^4*(b*g - a*h)^4*q*Log[c + d*x] - (-4*a*b^3*d^4*g^3*h*q + 6*a^2*b^2*d^4*g^2*h^2*q - 4*a^3*b*d^4*g*h^3*q + a^4*d^4*h^4*q + b^4*(-4*c*d^3*g^3*h*p + 6*c^2*d^2*g^2*h^2*p - 4*c^3*d*g*h^3*p + c^4*h^4*p + d^4*g^4*(p + q))*Log[g + h*x]))) / ((b*g - a*h)^4*(d*g - c*h)^4)) / (24*h*(g + h*x)^4) \end{aligned}$$

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 268, normalized size of antiderivative = 0.84, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2981, 54, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx$$

$$\downarrow 2981$$

$$\frac{bpr \int \frac{1}{(a+bx)(g+hx)^4} dx}{4h} + \frac{dqr \int \frac{1}{(c+dx)(g+hx)^4} dx}{4h} - \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4h(g+hx)^4}$$

$$\downarrow 54$$

$$\frac{bpr \int \left(\frac{b^4}{(bg-ah)^4(a+bx)} - \frac{hb^3}{(bg-ah)^4(g+hx)} - \frac{hb^2}{(bg-ah)^3(g+hx)^2} - \frac{hb}{(bg-ah)^2(g+hx)^3} - \frac{h}{(bg-ah)(g+hx)^4} \right) dx}{4h} +$$

$$\frac{dqr \int \left(\frac{d^4}{(dg-ch)^4(c+dx)} - \frac{hd^3}{(dg-ch)^4(g+hx)} - \frac{hd^2}{(dg-ch)^3(g+hx)^2} - \frac{hd}{(dg-ch)^2(g+hx)^3} - \frac{h}{(dg-ch)(g+hx)^4} \right) dx}{4h}$$

$$\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4h(g+hx)^4}$$

$$\downarrow 2009$$

$$\frac{bpr \left(\frac{b^3 \log(a+bx)}{(bg-ah)^4} - \frac{b^3 \log(g+hx)}{(bg-ah)^4} + \frac{b^2}{(g+hx)(bg-ah)^3} + \frac{b}{2(g+hx)^2(bg-ah)^2} + \frac{1}{3(g+hx)^3(bg-ah)} \right)}{4h} -$$

$$\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{4h(g+hx)^4} +$$

$$\frac{dqr \left(\frac{d^3 \log(c+dx)}{(dg-ch)^4} - \frac{d^3 \log(g+hx)}{(dg-ch)^4} + \frac{d^2}{(g+hx)(dg-ch)^3} + \frac{d}{2(g+hx)^2(dg-ch)^2} + \frac{1}{3(g+hx)^3(dg-ch)} \right)}{4h}$$

input

```
Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g + h*x)^5,x]
```


output

```
-1/4*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(g + h*x)^4) + (b*p*r*(1/(3*(b*g - a*h)*(g + h*x)^3) + b/(2*(b*g - a*h)^2*(g + h*x)^2) + b^2/((b*g - a*h)^3*(g + h*x))) + (b^3*Log[a + b*x])/(b*g - a*h)^4 - (b^3*Log[g + h*x])/(b*g - a*h)^4)/(4*h) + (d*q*r*(1/(3*(d*g - c*h)*(g + h*x)^3) + d/(2*(d*g - c*h)^2*(g + h*x)^2) + d^2/((d*g - c*h)^3*(g + h*x))) + (d^3*Log[c + d*x])/(d*g - c*h)^4 - (d^3*Log[g + h*x])/(d*g - c*h)^4)/(4*h)
```

Defintions of rubi rules used

rule 54

```
Int[((a_) + (b_)*(x_))^(m_)*((c_) + (d_)*(x_))^(n_), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2981

```
Int[Log[(e_)*((f_)*((a_) + (b_)*(x_))^(p_)*((c_) + (d_)*(x_))^(q_))^(r_)]*((g_) + (h_)*(x_))^(m_), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(h*(m + 1))), x] + (-Simp[b*p*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(h*(m + 1))) Int[(g + h*x)^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r}, x] && NeQ[b*c - a*d, 0] && NeQ[m, -1]
```

Maple [F]

$$\int \frac{\ln(e(f(bx + a)^p(dx + c)^q)^r)}{(hx + g)^5} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x)
```

Fricas [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \text{Timed out}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x, algorithm="fricas")`

output `Timed out`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*x+g)**5,x)`

output `Timed out`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 776 vs. $2(296) = 592$.

Time = 0.07 (sec) , antiderivative size = 776, normalized size of antiderivative = 2.44

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx$$

$$= \left(\left(\frac{6b^3 \log(bx+a)}{b^4g^4-4ab^3g^3h+6a^2b^2g^2h^2-4a^3bgh^3+a^4h^4} - \frac{6b^3 \log(hx+g)}{b^4g^4-4ab^3g^3h+6a^2b^2g^2h^2-4a^3bgh^3+a^4h^4} + \frac{b^3g^6-3ab^2g^5h+3a^2bg^4h^2-a^3g^3h^3+(}{b^3g^6-3ab^2g^5h+3a^2bg^4h^2-a^3g^3h^3+(} \right) \right.$$

$$\left. - \frac{\log(((bx+a)^p(dx+c)^qf)^r e)}{4(hx+g)^4h} \right)$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x, algorithm="maxima")`

output
$$\frac{1}{24} \left(\frac{6b^3 \log(bx+a)}{b^4 g^4 - 4ab^3 g^3 h + 6a^2 b^2 g^2 h^2 - 4a^3 b g h^3 + a^4 h^4} - \frac{6b^3 \log(hx+g)}{b^4 g^4 - 4ab^3 g^3 h + 6a^2 b^2 g^2 h^2 - 4a^3 b g h^3 + a^4 h^4} + \frac{6b^2 h^2 x^2 + 11b^2 g^2 - 7abg h + 2a^2 h^2 + 3(5b^2 g h - abh^2)x}{b^3 g^6 - 3ab^2 g^5 h + 3a^2 b g^4 h^2 - a^3 g^3 h^3 + (b^3 g^3 h^3 - 3ab^2 g^2 h^4 + 3a^2 b g h^5 - a^3 h^6)x^3 + 3(b^3 g^4 h^2 - 3ab^2 g^3 h^3 + 3a^2 b g^2 h^4 - a^3 g h^5)x^2 + 3(b^3 g^5 h - 3ab^2 g^4 h^2 + 3a^2 b g^3 h^3 - a^3 g^2 h^4)x} \right) * b f^p + \frac{6d^3 \log(dx+c)}{d^4 g^4 - 4cd^3 g^3 h + 6c^2 d^2 g^2 h^2 - 4c^3 d g h^3 + c^4 h^4} - \frac{6d^3 \log(hx+g)}{d^4 g^4 - 4cd^3 g^3 h + 6c^2 d^2 g^2 h^2 - 4c^3 d g h^3 + c^4 h^4} + \frac{6d^2 h^2 x^2 + 11d^2 g^2 - 7c d g h + 2c^2 h^2 + 3(5d^2 g h - cdh^2)x}{d^3 g^6 - 3cd^2 g^5 h + 3c^2 d g^4 h^2 - c^3 g^3 h^3 + (d^3 g^3 h^3 - 3cd^2 g^2 h^4 + 3c^2 d g h^5 - c^3 h^6)x^3 + 3(d^3 g^4 h^2 - 3cd^2 g^3 h^3 + 3c^2 d g^2 h^4 - c^3 g h^5)x^2 + 3(d^3 g^5 h - 3cd^2 g^4 h^2 + 3c^2 d g^3 h^3 - c^3 g^2 h^4)x} * d f^q * r / (f h) - \frac{1}{4} \log\left(\frac{(bx+a)^p (dx+c)^q}{(hx+g)^4}\right)$$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 3943 vs. $2(296) = 592$.

Time = 0.46 (sec) , antiderivative size = 3943, normalized size of antiderivative = 12.40

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x, algorithm="giac")`

output

```

1/4*b^5*p*r*log(abs(b*x + a))/(b^5*g^4*h - 4*a*b^4*g^3*h^2 + 6*a^2*b^3*g^2
*h^3 - 4*a^3*b^2*g*h^4 + a^4*b*h^5) + 1/4*d^5*q*r*log(abs(d*x + c))/(d^5*g
^4*h - 4*c*d^4*g^3*h^2 + 6*c^2*d^3*g^2*h^3 - 4*c^3*d^2*g*h^4 + c^4*d*h^5)
- 1/4*p*r*log(b*x + a)/(h^5*x^4 + 4*g*h^4*x^3 + 6*g^2*h^3*x^2 + 4*g^3*h^2*x
+ g^4*h) - 1/4*q*r*log(d*x + c)/(h^5*x^4 + 4*g*h^4*x^3 + 6*g^2*h^3*x^2 +
4*g^3*h^2*x + g^4*h) - 1/4*(b^4*d^4*g^4*p*r - 4*b^4*c*d^3*g^3*h*p*r + 6*b
^4*c^2*d^2*g^2*h^2*p*r - 4*b^4*c^3*d*g*h^3*p*r + b^4*c^4*h^4*p*r + b^4*d^4
*g^4*q*r - 4*a*b^3*d^4*g^3*h*q*r + 6*a^2*b^2*d^4*g^2*h^2*q*r - 4*a^3*b*d^4
*g*h^3*q*r + a^4*d^4*h^4*q*r)*log(h*x + g)/(b^4*d^4*g^8*h - 4*b^4*c*d^3*g^
7*h^2 - 4*a*b^3*d^4*g^7*h^2 + 6*b^4*c^2*d^2*g^6*h^3 + 16*a*b^3*c*d^3*g^6*h
^3 + 6*a^2*b^2*d^4*g^6*h^3 - 4*b^4*c^3*d*g^5*h^4 - 24*a*b^3*c^2*d^2*g^5*h^
4 - 24*a^2*b^2*c*d^3*g^5*h^4 - 4*a^3*b*d^4*g^5*h^4 + b^4*c^4*g^4*h^5 + 16*
a*b^3*c^3*d*g^4*h^5 + 36*a^2*b^2*c^2*d^2*g^4*h^5 + 16*a^3*b*c*d^3*g^4*h^5
+ a^4*d^4*g^4*h^5 - 4*a*b^3*c^4*g^3*h^6 - 24*a^2*b^2*c^3*d*g^3*h^6 - 24*a^
3*b*c^2*d^2*g^3*h^6 - 4*a^4*c*d^3*g^3*h^6 + 6*a^2*b^2*c^4*g^2*h^7 + 16*a^3
*b*c^3*d*g^2*h^7 + 6*a^4*c^2*d^2*g^2*h^7 - 4*a^3*b*c^4*g*h^8 - 4*a^4*c^3*d
*g*h^8 + a^4*c^4*h^9) + 1/24*(6*b^3*d^3*g^3*h^3*p*r*x^3 - 18*b^3*c*d^2*g^2
*h^4*p*r*x^3 + 18*b^3*c^2*d*g*h^5*p*r*x^3 - 6*b^3*c^3*h^6*p*r*x^3 + 6*b^3*
d^3*g^3*h^3*q*r*x^3 - 18*a*b^2*d^3*g^2*h^4*q*r*x^3 + 18*a^2*b*d^3*g*h^5*q*
r*x^3 - 6*a^3*d^3*h^6*q*r*x^3 + 21*b^3*d^3*g^4*h^2*p*r*x^2 - 63*b^3*c*d...

```

Mupad [B] (verification not implemented)

Time = 39.71 (sec) , antiderivative size = 2215, normalized size of antiderivative = 6.97

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \text{Too large to display}$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g + h*x)^5,x)
```

output

```

((11*b^3*d^3*g^5*p*r + 11*b^3*d^3*g^5*q*r - 11*b^3*c^3*g^2*h^3*p*r - 11*a^
3*d^3*g^2*h^3*q*r - 2*a^2*b*c^3*h^5*p*r - 2*a^3*c^2*d*h^5*q*r + 7*a*b^2*c^
3*g*h^4*p*r - 7*a*b^2*d^3*g^4*h*p*r - 33*a*b^2*d^3*g^4*h*q*r + 7*a^3*c*d^2
*g*h^4*q*r - 33*b^3*c*d^2*g^4*h*p*r - 7*b^3*c*d^2*g^4*h*q*r + 2*a^2*b*d^3*
g^3*h^2*p*r + 33*a^2*b*d^3*g^3*h^2*q*r + 33*b^3*c^2*d*g^3*h^2*p*r + 2*b^3*
c^2*d*g^3*h^2*q*r + 21*a*b^2*c*d^2*g^3*h^2*p*r - 21*a*b^2*c^2*d*g^2*h^3*p*
r - 6*a^2*b*c*d^2*g^2*h^3*p*r + 21*a*b^2*c*d^2*g^3*h^2*q*r - 6*a*b^2*c^2*d
*g^2*h^3*q*r - 21*a^2*b*c*d^2*g^2*h^3*q*r + 6*a^2*b*c^2*d*g*h^4*p*r + 6*a^
2*b*c^2*d*g*h^4*q*r)/(6*(a^3*c^3*h^6 + b^3*d^3*g^6 - a^3*d^3*g^3*h^3 - b^3
*c^3*g^3*h^3 - 3*a^2*b*c^3*g*h^5 - 3*a*b^2*d^3*g^5*h - 3*a^3*c^2*d*g*h^5 -
3*b^3*c*d^2*g^5*h + 3*a*b^2*c^3*g^2*h^4 + 3*a^2*b*d^3*g^4*h^2 + 3*a^3*c*d
^2*g^2*h^4 + 3*b^3*c^2*d*g^4*h^2 + 9*a*b^2*c*d^2*g^4*h^2 - 9*a*b^2*c^2*d*g
^3*h^3 - 9*a^2*b*c*d^2*g^3*h^3 + 9*a^2*b*c^2*d*g^2*h^4)) - (x^2*(b^3*c^3*h
^5*p*r + a^3*d^3*h^5*q*r - b^3*d^3*g^3*h^2*p*r - b^3*d^3*g^3*h^2*q*r - 3*a
^2*b*d^3*g*h^4*q*r - 3*b^3*c^2*d*g*h^4*p*r + 3*a*b^2*d^3*g^2*h^3*q*r + 3*b
^3*c*d^2*g^2*h^3*p*r))/(a^3*c^3*h^6 + b^3*d^3*g^6 - a^3*d^3*g^3*h^3 - b^3*
c^3*g^3*h^3 - 3*a^2*b*c^3*g*h^5 - 3*a*b^2*d^3*g^5*h - 3*a^3*c^2*d*g*h^5 -
3*b^3*c*d^2*g^5*h + 3*a*b^2*c^3*g^2*h^4 + 3*a^2*b*d^3*g^4*h^2 + 3*a^3*c*d
^2*g^2*h^4 + 3*b^3*c^2*d*g^4*h^2 + 9*a*b^2*c*d^2*g^4*h^2 - 9*a*b^2*c^2*d*g
^3*h^3 - 9*a^2*b*c*d^2*g^3*h^3 + 9*a^2*b*c^2*d*g^2*h^4) + (x*(a*b^2*c^3*...

```

Reduce [B] (verification not implemented)

Time = 0.37 (sec) , antiderivative size = 15471, normalized size of antiderivative = 48.65

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^5} dx = \text{Too large to display}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*x+g)^5,x)
```

output

```
( - 12*log(a + b*x)*a**4*c**4*g**4*h**8*p*r - 48*log(a + b*x)*a**4*c**4*g*
*3*h**9*p*r*x - 72*log(a + b*x)*a**4*c**4*g**2*h**10*p*r*x**2 - 48*log(a +
b*x)*a**4*c**4*g*h**11*p*r*x**3 - 12*log(a + b*x)*a**4*c**4*h**12*p*r*x**
4 + 48*log(a + b*x)*a**4*c**3*d*g**5*h**7*p*r + 192*log(a + b*x)*a**4*c**3
*d*g**4*h**8*p*r*x + 288*log(a + b*x)*a**4*c**3*d*g**3*h**9*p*r*x**2 + 192
*log(a + b*x)*a**4*c**3*d*g**2*h**10*p*r*x**3 + 48*log(a + b*x)*a**4*c**3*
d*g*h**11*p*r*x**4 - 72*log(a + b*x)*a**4*c**2*d**2*g**6*h**6*p*r - 288*lo
g(a + b*x)*a**4*c**2*d**2*g**5*h**7*p*r*x - 432*log(a + b*x)*a**4*c**2*d**
2*g**4*h**8*p*r*x**2 - 288*log(a + b*x)*a**4*c**2*d**2*g**3*h**9*p*r*x**3
- 72*log(a + b*x)*a**4*c**2*d**2*g**2*h**10*p*r*x**4 + 48*log(a + b*x)*a**
4*c*d**3*g**7*h**5*p*r + 192*log(a + b*x)*a**4*c*d**3*g**6*h**6*p*r*x + 28
8*log(a + b*x)*a**4*c*d**3*g**5*h**7*p*r*x**2 + 192*log(a + b*x)*a**4*c*d*
*3*g**4*h**8*p*r*x**3 + 48*log(a + b*x)*a**4*c*d**3*g**3*h**9*p*r*x**4 - 1
2*log(a + b*x)*a**4*d**4*g**8*h**4*p*r - 48*log(a + b*x)*a**4*d**4*g**7*h*
*5*p*r*x - 72*log(a + b*x)*a**4*d**4*g**6*h**6*p*r*x**2 - 48*log(a + b*x)*
a**4*d**4*g**5*h**7*p*r*x**3 - 12*log(a + b*x)*a**4*d**4*g**4*h**8*p*r*x**
4 + 48*log(a + b*x)*a**3*b*c**4*g**5*h**7*p*r + 192*log(a + b*x)*a**3*b*c*
*4*g**4*h**8*p*r*x + 288*log(a + b*x)*a**3*b*c**4*g**3*h**9*p*r*x**2 + 192
*log(a + b*x)*a**3*b*c**4*g**2*h**10*p*r*x**3 + 48*log(a + b*x)*a**3*b*c**
4*g*h**11*p*r*x**4 - 192*log(a + b*x)*a**3*b*c**3*d*g**6*h**6*p*r - 768...
```

3.35 $\int (g+hx)^3 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	350
Mathematica [A] (warning: unable to verify)	351
Rubi [A] (verified)	352
Maple [F]	357
Fricas [F]	357
Sympy [F]	358
Maxima [A] (verification not implemented)	358
Giac [F]	359
Mupad [F(-1)]	360
Reduce [F]	360

Optimal result

Integrand size = 31, antiderivative size = 2240

$$\int (g+hx)^3 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \text{Too large to display}$$

output

```

3/16*(-a*h+b*g)^2*p*q*r^2*(h*x+g)^2/b^2/h+3/16*(-c*h+d*g)^2*p*q*r^2*(h*x+g)
)^2/d^2/h+7/72*(-a*h+b*g)*p*q*r^2*(h*x+g)^3/b/h+7/72*(-c*h+d*g)*p*q*r^2*(h
*x+g)^3/d/h-2*(-a*h+b*g)^3*p^2*r^2*(b*x+a)*ln(b*x+a)/b^4-1/8*h^3*p^2*r^2*(
b*x+a)^4*ln(b*x+a)/b^4-1/8*p*q*r^2*(h*x+g)^4*ln(b*x+a)/h-1/4*(-a*h+b*g)^4*
p^2*r^2*ln(b*x+a)^2/b^4/h+1/2*(-a*h+b*g)^3*p*r*x*(p*r*ln(b*x+a)+q*r*ln(d*x
+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/b^3+1/2*(-c*h+d*g)^3*q*r*x*(p*r*ln(b*
x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/d^3+1/4*(h*x+g)^4*ln(e
*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/h+5/12*(-a*h+b*g)^2*(-c*h+d*g)*p*q*r^2*x/b^2
/d+5/12*(-a*h+b*g)*(-c*h+d*g)^2*p*q*r^2*x/b/d^2-1/2*(-a*h+b*g)^3*p*q*r^2*(
d*x+c)*ln(d*x+c)/b^3/d-1/4*(-a*h+b*g)^2*p*q*r^2*(h*x+g)^2*ln(d*x+c)/b^2/h-
1/6*(-a*h+b*g)*p*q*r^2*(h*x+g)^3*ln(d*x+c)/b/h-1/2*(-a*h+b*g)^4*p*q*r^2*ln
(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b^4/h-1/2*(-c*h+d*g)^3*p*q*r^2*(b*x+a)*l
n(b*x+a)/b/d^3-1/4*(-c*h+d*g)^2*p*q*r^2*(h*x+g)^2*ln(b*x+a)/d^2/h-1/6*(-c*
h+d*g)*p*q*r^2*(h*x+g)^3*ln(b*x+a)/d/h-1/2*(-c*h+d*g)^4*p*q*r^2*ln(b*x+a)*
ln(b*(d*x+c)/(-a*d+b*c))/d^4/h+5/8*(-a*h+b*g)^3*p*q*r^2*x/b^3+5/8*(-c*h+d*
g)^3*p*q*r^2*x/d^3+3/4*h*(-a*h+b*g)^2*p^2*r^2*(b*x+a)^2/b^4+2/9*h^2*(-a*h+
b*g)*p^2*r^2*(b*x+a)^3/b^4+3/4*h*(-c*h+d*g)^2*q^2*r^2*(d*x+c)^2/d^4+2/9*h^
2*(-c*h+d*g)*q^2*r^2*(d*x+c)^3/d^4-2*(-c*h+d*g)^3*q^2*r^2*(d*x+c)*ln(d*x+c
)/d^4-1/8*h^3*q^2*r^2*(d*x+c)^4*ln(d*x+c)/d^4-1/8*p*q*r^2*(h*x+g)^4*ln(d*x
+c)/h-1/4*(-c*h+d*g)^4*q^2*r^2*ln(d*x+c)^2/d^4/h+1/6*(-a*h+b*g)*(-c*h+d...

```

Mathematica [A] (warning: unable to verify)

Time = 2.86 (sec) , antiderivative size = 1386, normalized size of antiderivative = 0.62

$$\int (g + hx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Too large to display}$$

input

```
Integrate[(g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```


output

```
(72*a*d^4*(-4*b^3*g^3 + 6*a*b^2*g^2*h - 4*a^2*b*g*h^2 + a^3*h^3)*p^2*r^2*Log[a + b*x]^2 + 12*p*r*Log[a + b*x]*(12*b^4*c*(-4*d^3*g^3 + 6*c*d^2*g^2*h - 4*c^2*d*g*h^2 + c^3*h^3)*q*r*Log[c + d*x] - 12*(4*a*b^3*d^4*g^3 - 6*a^2*b^2*d^4*g^2*h + 4*a^3*b*d^4*g*h^2 - a^4*d^4*h^3 + b^4*c*(-4*d^3*g^3 + 6*c*d^2*g^2*h - 4*c^2*d*g*h^2 + c^3*h^3))*q*r*Log[(b*(c + d*x))/(b*c - a*d)] + a*d*((12*b^3*(-4*d^3*g^3 + 6*c*d^2*g^2*h - 4*c^2*d*g*h^2 + c^3*h^3)*q + a^3*d^3*h^3*(25*p + 3*q) - 4*a^2*b*d^2*h^2*(22*d*g*p + 4*d*g*q - c*h*q) + 6*a*b^2*d*h*(-4*c*d*g*h*q + c^2*h^2*q + 6*d^2*g^2*(3*p + q)))*r + 12*d^3*(4*b^3*g^3 - 6*a*b^2*g^2*h + 4*a^2*b*g*h^2 - a^3*h^3)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])) + b*(72*b^3*c*(-4*d^3*g^3 + 6*c*d^2*g^2*h - 4*c^2*d*g*h^2 + c^3*h^3)*q^2*r^2*Log[c + d*x]^2 + 12*q*r*Log[c + d*x]*((12*a^3*c*d^3*h^3*p + 6*a^2*b*c*d^2*h^2*(-8*d*g + c*h)*p + 4*a*b^2*d*(12*d^3*g^3 + 18*c*d^2*g^2*h - 6*c^2*d*g*h^2 + c^3*h^3)*p + b^3*c*(-48*d^3*g^3*(p + q) + 36*c*d^2*g^2*h*(p + 3*q) - 8*c^2*d*g*h^2*(2*p + 11*q) + c^3*h^3*(3*p + 25*q))))*r - 12*b^3*c*(-4*d^3*g^3 + 6*c*d^2*g^2*h - 4*c^2*d*g*h^2 + c^3*h^3)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]) + d*(r^2*(-60*a^3*d^3*h^3*p*(5*p + 3*q)*x + 6*a^2*b*d^2*h^2*p*x*(-20*c*h*q + 16*d*g*(11*p + 8*q) + d*h*(13*p + 9*q)*x) + b^3*x*(-60*c^3*h^3*q*(3*p + 5*q) + 6*c^2*d*h^2*q*(16*g*(8*p + 11*q) + h*(9*p + 13*q)*x) - 4*c*d^2*h*q*(p + q)*(324*g^2 + 60*g*h*x + 7*h^2*x^2) + d^3*(p + q)^2*(576*g^3 + 216*g^2*h*x + 64*g*h^2*x^2 + 9*h^3*x^3)) - 4*...
```

Rubi [A] (verified)

Time = 3.22 (sec) , antiderivative size = 1802, normalized size of antiderivative = 0.80, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {2984, 2993, 49, 2009, 2858, 27, 2772, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (g + hx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$\downarrow 2984$$

$$\frac{bpr \int \frac{(g+hx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx}{2h} - \frac{dqr \int \frac{(g+hx)^4 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{2h} +$$

$$\frac{(g + hx)^4 \log^2 (e(f(a + bx)^p(c + dx)^q)^r)}{4h}$$

$$\downarrow 2993$$

$$\frac{bpr \left(- \left(- \log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right) \int \frac{(g+hx)^4}{a+bx} dx \right) + qr \int \frac{(g+hx)^4 \log(c+dx)}{a+bx}}{dqr \left(- \left(- \log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right) \int \frac{(g+hx)^4}{c+dx} dx \right) + pr \int \frac{(g+hx)^4 \log(a+bx)}{c+dx}}$$

$$\frac{2h}{2h} \frac{(g+hx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4h}$$

↓ 49

$$\frac{bpr \left(- \left(- \log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right) \int \left(\frac{(bg-ah)^4}{b^4(a+bx)} + \frac{h(bg-ah)^3}{b^4} + \frac{h(g+hx)(bg-ah)^2}{b^3} \right) dx \right) + qr \int \frac{(g+hx)^4 \log(c+dx)}{a+bx}}{dqr \left(- \left(- \log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right) \int \left(\frac{(dg-ch)^4}{d^4(c+dx)} + \frac{h(dg-ch)^3}{d^4} + \frac{h(g+hx)(dg-ch)^2}{d^3} \right) dx \right) + pr \int \frac{(g+hx)^4 \log(a+bx)}{c+dx}}$$

$$\frac{2h}{2h} \frac{(g+hx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4h}$$

↓ 2009

$$\frac{bpr \left(qr \int \frac{(g+hx)^4 \log(c+dx)}{a+bx} dx + pr \int \frac{(g+hx)^4 \log(a+bx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^4 \log(a+bx)}{b^5} + \frac{hx(bg-ah)^3}{b^4} + \frac{(g+hx)^2(bg-ah)^2}{2b^3} + \frac{(g+hx)(bg-ah)}{b^2} + \frac{bg-ah}{b} \right) \right)}{dqr \left(pr \int \frac{(g+hx)^4 \log(a+bx)}{c+dx} dx + qr \int \frac{(g+hx)^4 \log(c+dx)}{c+dx} dx - \left(\left(\frac{(dg-ch)^4 \log(c+dx)}{d^5} + \frac{hx(dg-ch)^3}{d^4} + \frac{(g+hx)^2(dg-ch)^2}{2d^3} + \frac{(g+hx)(dg-ch)}{d^2} + \frac{dg-ch}{d} \right) \right)}$$

$$\frac{2h}{2h} \frac{(g+hx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4h}$$

↓ 2858

$$\frac{bpr \left(\frac{pr \int \frac{(b(g-\frac{ah}{b})+h(a+bx))^4 \log(a+bx)}{b^4(a+bx)} d(a+bx)}{b} + qr \int \frac{(g+hx)^4 \log(c+dx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^4 \log(a+bx)}{b^5} + \frac{hx(bg-ah)^3}{b^4} + \frac{(g+hx)^2(bg-ah)^2}{2b^3} + \frac{(g+hx)(bg-ah)}{b^2} + \frac{bg-ah}{b} \right) \right)}{dqr \left(pr \int \frac{(g+hx)^4 \log(a+bx)}{c+dx} dx + \frac{qr \int \frac{(d(g-\frac{ch}{d})+h(c+dx))^4 \log(c+dx)}{d^4(c+dx)} d(c+dx)}{d} - \left(\left(\frac{(dg-ch)^4 \log(c+dx)}{d^5} + \frac{hx(dg-ch)^3}{d^4} + \frac{(g+hx)^2(dg-ch)^2}{2d^3} + \frac{(g+hx)(dg-ch)}{d^2} + \frac{dg-ch}{d} \right) \right)}$$

$$\frac{2h}{2h} \frac{(g+hx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4h}$$

↓ 27

$$\begin{aligned}
 & bpr \left(\frac{pr \int \frac{(bg-ah+h(a+bx))^4 \log(a+bx) d(a+bx)}{b^5} + qr \int \frac{(g+hx)^4 \log(c+dx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^4 \log(a+bx)}{b^5} + \frac{hx(bg-ah)^3}{b^4} + \frac{(g+hx)^2 (bg-ah)^2}{2b^3} \right) (pr \log(a+bx) + qr \log(c+dx)) \right. \right. \\
 & \left. \left. + \frac{2h}{d^5} \left(pr \int \frac{(g+hx)^4 \log(a+bx)}{c+dx} dx + qr \int \frac{(dg-ch+h(c+dx))^4 \log(c+dx) d(c+dx)}{d^5} - \left(\left(\frac{(dg-ch)^4 \log(c+dx)}{d^5} + \frac{hx(dg-ch)^3}{d^4} + \frac{(g+hx)^2 (dg-ch)^2}{2d^3} \right) (pr \log(a+bx) + qr \log(c+dx)) \right) \right) \right. \\
 & \left. \frac{(g+hx)^4 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{4h} \right) \\
 & \quad \downarrow \text{2772} \\
 & \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(g+hx)^4}{4h} - \\
 & bpr \left(- \left(\left(\frac{\log(a+bx)(bg-ah)^4}{b^5} + \frac{hx(bg-ah)^3}{b^4} + \frac{(g+hx)^2 (bg-ah)^2}{2b^3} + \frac{(g+hx)^3 (bg-ah)}{3b^2} + \frac{(g+hx)^4}{4b} \right) (pr \log(a+bx) + qr \log(c+dx)) \right. \right. \\
 & \left. \left. - \left(\left(\frac{\log(c+dx)(dg-ch)^4}{d^5} + \frac{hx(dg-ch)^3}{d^4} + \frac{(g+hx)^2 (dg-ch)^2}{2d^3} + \frac{(g+hx)^3 (dg-ch)}{3d^2} + \frac{(g+hx)^4}{4d} \right) (pr \log(a+bx) + qr \log(c+dx)) \right) \right) \right. \\
 & \quad \downarrow \text{2009} \\
 & \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(g+hx)^4}{4h} - \\
 & dqr \left(\frac{qr \left(\frac{1}{2} \log^2(c+dx)(dg-ch)^4 - 4h(c+dx)(dg-ch)^3 + 4h(c+dx) \log(c+dx)(dg-ch)^3 - \frac{3}{2} h^2(c+dx)^2 (dg-ch)^2 + 3h^2(c+dx)^2 \log(c+dx)(dg-ch)^2 \right)}{d^5} \right. \\
 & \left. bpr \left(\frac{pr \left(\frac{1}{2} \log^2(a+bx)(bg-ah)^4 - 4h(a+bx)(bg-ah)^3 + 4h(a+bx) \log(a+bx)(bg-ah)^3 - \frac{3}{2} h^2(a+bx)^2 (bg-ah)^2 + 3h^2(a+bx)^2 \log(a+bx)(bg-ah)^2 \right)}{b^5} \right) \right) \\
 & \quad \downarrow \text{2865} \\
 & \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(g+hx)^4}{4h} - \\
 & dqr \left(\frac{qr \left(\frac{1}{2} \log^2(c+dx)(dg-ch)^4 - 4h(c+dx)(dg-ch)^3 + 4h(c+dx) \log(c+dx)(dg-ch)^3 - \frac{3}{2} h^2(c+dx)^2 (dg-ch)^2 + 3h^2(c+dx)^2 \log(c+dx)(dg-ch)^2 \right)}{d^5} \right. \\
 & \left. bpr \left(\frac{pr \left(\frac{1}{2} \log^2(a+bx)(bg-ah)^4 - 4h(a+bx)(bg-ah)^3 + 4h(a+bx) \log(a+bx)(bg-ah)^3 - \frac{3}{2} h^2(a+bx)^2 (bg-ah)^2 + 3h^2(a+bx)^2 \log(a+bx)(bg-ah)^2 \right)}{b^5} \right) \right) \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(g+hx)^4}{4h}$$

$$dqr \left(\frac{qr(\frac{1}{2}\log^2(c+dx)(dg-ch)^4 - 4h(c+dx)(dg-ch)^3 + 4h(c+dx)\log(c+dx)(dg-ch)^3 - \frac{3}{2}h^2(c+dx)^2(dg-ch)^2 + 3h^2(c+dx)^2\log(c+dx)(dg-ch)}{d^5} \right)$$

$$bpr \left(\frac{pr(\frac{1}{2}\log^2(a+bx)(bg-ah)^4 - 4h(a+bx)(bg-ah)^3 + 4h(a+bx)\log(a+bx)(bg-ah)^3 - \frac{3}{2}h^2(a+bx)^2(bg-ah)^2 + 3h^2(a+bx)^2\log(a+bx)(bg-ah)}{b^5} \right)$$

input `Int[(g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]`

output

```
((g + h*x)^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(4*h) - (d*q*r*((q*r*
(-4*h*(d*g - c*h)^3*(c + d*x) - (3*h^2*(d*g - c*h)^2*(c + d*x)^2)/2 - (4*h
^3*(d*g - c*h)*(c + d*x)^3)/9 - (h^4*(c + d*x)^4)/16 + 4*h*(d*g - c*h)^3*(
c + d*x)*Log[c + d*x] + 3*h^2*(d*g - c*h)^2*(c + d*x)^2*Log[c + d*x] + (4*
h^3*(d*g - c*h)*(c + d*x)^3*Log[c + d*x])/3 + (h^4*(c + d*x)^4*Log[c + d*x
])/4 + ((d*g - c*h)^4*Log[c + d*x]^2)/2))/d^5 - ((h*(d*g - c*h)^3*x)/d^4 +
((d*g - c*h)^2*(g + h*x)^2)/(2*d^3) + ((d*g - c*h)*(g + h*x)^3)/(3*d^2) +
(g + h*x)^4/(4*d) + ((d*g - c*h)^4*Log[c + d*x])/d^5)*(p*r*Log[a + b*x] +
q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) + p*r*(-1/4*(h*(
b*g - a*h)^3*x)/(b^3*d) - (h*(b*g - a*h)^2*(d*g - c*h)*x)/(3*b^2*d^2) - (h
*(b*g - a*h)*(d*g - c*h)^2*x)/(2*b*d^3) - (h*(d*g - c*h)^3*x)/d^4 - ((b*g
- a*h)^2*(g + h*x)^2)/(8*b^2*d) - ((b*g - a*h)*(d*g - c*h)*(g + h*x)^2)/(6
*b*d^2) - ((d*g - c*h)^2*(g + h*x)^2)/(4*d^3) - ((b*g - a*h)*(g + h*x)^3)/
(12*b*d) - ((d*g - c*h)*(g + h*x)^3)/(9*d^2) - (g + h*x)^4/(16*d) - ((b*g
- a*h)^4*Log[a + b*x])/(4*b^4*d) - ((b*g - a*h)^3*(d*g - c*h)*Log[a + b*x]
)/(3*b^3*d^2) - ((b*g - a*h)^2*(d*g - c*h)^2*Log[a + b*x])/(2*b^2*d^3) + (
h*(d*g - c*h)^3*(a + b*x)*Log[a + b*x])/(b*d^4) + ((d*g - c*h)^2*(g + h*x)
^2*Log[a + b*x])/(2*d^3) + ((d*g - c*h)*(g + h*x)^3*Log[a + b*x])/(3*d^2)
+ ((g + h*x)^4*Log[a + b*x])/(4*d) + ((d*g - c*h)^4*Log[a + b*x]*Log[(b*(c
+ d*x))/(b*c - a*d]])/d^5 + ((d*g - c*h)^4*PolyLog[2, -((d*(a + b*x))/...
```

Definitions of rubi rules used

- rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 49 $\text{Int}[((a_.) + (b_.)(x_))^{(m_.)}*((c_.) + (d_.)(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2772 $\text{Int}[((a_.) + \text{Log}[(c_.)(x_)^{(n_.)}]*(b_.))(x_)^{(m_.)}*((d_.) + (e_.)(x_)^{(r_.)})^{(q_.)}, x_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[x^m*(d + e*x^r)^q, x]\}, \text{Simp}[(a + b*\text{Log}[c*x^n]) u, x] - \text{Simp}[b*n \text{ Int}[\text{SimplifyIntegrand}[u/x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, n, r\}, x] \ \&\& \ \text{IGtQ}[q, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !(\text{EqQ}[q, 1] \ \&\& \ \text{EqQ}[m, -1])$
- rule 2858 $\text{Int}[((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)(x_))^{(n_.)}]*(b_.))^{(p_.)}*((f_.) + (g_.)(x_))^{(q_.)}*((h_.) + (i_.)(x_))^{(r_.)}, x_Symbol] \rightarrow \text{Simp}[1/e \text{ Subst}[\text{Int}[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[r, 0]) \ \&\& \ \text{IntegerQ}[2*r]$
- rule 2865 $\text{Int}[((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)(x_))^{(n_.)}]*(b_.))^{(p_.)}*(\text{RFx}_), x_Symbol] \rightarrow \text{With}[\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{IntegerQ}[p]$

rule 2984

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]

```

rule 2993

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Si
mp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c
+ d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[
{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a
*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[
m, n]]

```

Maple [F]

$$\int (hx + g)^3 \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input

```
int((h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)
```

output

```
int((h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)
```

Fricas [F]

$$\begin{aligned} & \int (g + hx)^3 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (hx + g)^3 \log(((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input

```
integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")
```

output `integral((h^3*x^3 + 3*g*h^2*x^2 + 3*g^2*h*x + g^3)*log((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\begin{aligned} & \int (g + hx)^3 \log^2 (e(f(a + bx)^p (c + dx)^q)^r) dx \\ &= \int (g + hx)^3 \log (e(f(a + bx)^p (c + dx)^q)^r)^2 dx \end{aligned}$$

input `integrate((h*x+g)**3*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((g + h*x)**3*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 1799, normalized size of antiderivative = 0.80

$$\int (g + hx)^3 \log^2 (e(f(a + bx)^p (c + dx)^q)^r) dx = \text{Too large to display}$$

input `integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")`

output

```

1/4*(h^3*x^4 + 4*g*h^2*x^3 + 6*g^2*h*x^2 + 4*g^3*x)*log(((b*x + a)^p*(d*x
+ c)^q*f)^r*e)^2 + 1/24*r*(12*(4*a*b^3*f*g^3*p - 6*a^2*b^2*f*g^2*h*p + 4*a
^3*b*f*g*h^2*p - a^4*f*h^3*p)*log(b*x + a)/b^4 + 12*(4*c*d^3*f*g^3*q - 6*c
^2*d^2*f*g^2*h*q + 4*c^3*d*f*g*h^2*q - c^4*f*h^3*q)*log(d*x + c)/d^4 - (3*
b^3*d^3*f*h^3*(p + q)*x^4 - 4*(a*b^2*d^3*f*h^3*p - (4*d^3*f*g*h^2*(p + q)
- c*d^2*f*h^3*q)*b^3)*x^3 - 6*(4*a*b^2*d^3*f*g*h^2*p - a^2*b*d^3*f*h^3*p -
(6*d^3*f*g^2*h*(p + q) - 4*c*d^2*f*g*h^2*q + c^2*d*f*h^3*q)*b^3)*x^2 - 12
*(6*a*b^2*d^3*f*g^2*h*p - 4*a^2*b*d^3*f*g*h^2*p + a^3*d^3*f*h^3*p - (4*d^3
*f*g^3*(p + q) - 6*c*d^2*f*g^2*h*q + 4*c^2*d*f*g*h^2*q - c^3*f*h^3*q)*b^3)
*x)/(b^3*d^3))*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/f + 1/288*r^2*(12*(12*
a^3*c*d^3*f^2*h^3*p*q - 6*(8*c*d^3*f^2*g*h^2*p*q - c^2*d^2*f^2*h^3*p*q)*a^
2*b + 4*(18*c*d^3*f^2*g^2*h*p*q - 6*c^2*d^2*f^2*g*h^2*p*q + c^3*d*f^2*h^3*
p*q)*a*b^2 - (48*(p*q + q^2)*c*d^3*f^2*g^3 - 36*(p*q + 3*q^2)*c^2*d^2*f^2*
g^2*h + 8*(2*p*q + 11*q^2)*c^3*d*f^2*g*h^2 - (3*p*q + 25*q^2)*c^4*f^2*h^3)
*b^3)*log(d*x + c)/(b^3*d^4) - 144*(4*a*b^3*d^4*f^2*g^3*p*q - 6*a^2*b^2*d^
4*f^2*g^2*h*p*q + 4*a^3*b*d^4*f^2*g*h^2*p*q - a^4*d^4*f^2*h^3*p*q - (4*c*d
^3*f^2*g^3*p*q - 6*c^2*d^2*f^2*g^2*h*p*q + 4*c^3*d*f^2*g*h^2*p*q - c^4*f^2
*h^3*p*q)*b^4)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(
b*d*x + a*d)/(b*c - a*d)))/(b^4*d^4) + (9*(p^2 + 2*p*q + q^2)*b^4*d^4*f^2*
h^3*x^4 - 144*(4*c*d^3*f^2*g^3*p*q - 6*c^2*d^2*f^2*g^2*h*p*q + 4*c^3*d*...

```

Giac [F]

$$\begin{aligned}
& \int (g + hx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\
&= \int (hx + g)^3 \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx
\end{aligned}$$

input

```

integrate((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac"
)

```

output

```

sage0*x

```


Mupad [F(-1)]

Timed out.

$$\int (g + hx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (g + hx)^3 dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x)^3,x)`output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x)^3, x)`**Reduce [F]**

$$\int (g + hx)^3 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((h*x+g)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
(144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*
d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**5*d**
5*h**3*p**2*q*r + 144*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a
*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*
x**2),x)*a**5*d**5*h**3*p*q**2*r - 144*int(log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*
d*p*x**2 + b*d*q*x**2),x)*a**4*b*c*d**4*h**3*p**2*q*r - 144*int(log(f**r*(
c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b
*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*b*c*d**4*h**3*p*q**2*r
- 576*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q +
a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*b
*d**5*g*h**2*p**2*q*r - 576*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)
*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 +
b*d*q*x**2),x)*a**4*b*d**5*g*h**2*p*q**2*r + 576*int(log(f**r*(c + d*x)**(
q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*
c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b**2*c*d**4*g*h**2*p**2*q*r + 576
*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*
x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b**2*c*
d**4*g*h**2*p*q**2*r + 864*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*
e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 ...
```

3.36 $\int (g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	362
Mathematica [A] (warning: unable to verify)	363
Rubi [A] (verified)	364
Maple [F]	369
Fricas [F]	369
Sympy [F]	370
Maxima [A] (verification not implemented)	370
Giac [F(-1)]	371
Mupad [F(-1)]	372
Reduce [F]	372

Optimal result

Integrand size = 31, antiderivative size = 1645

$$\int (g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \text{Too large to display}$$

output

```

-2/3*(-c*h+d*g)^3*p*q*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/d^3/h-2/3*(-a*h
+b*g)^3*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b^3/h+5/18*(-a*h+b*g)*p*q*
r^2*(h*x+g)^2/b/h+5/18*(-c*h+d*g)*p*q*r^2*(h*x+g)^2/d/h+2/9*(-c*h+d*g)^3*p
*q*r^2*ln(d*x+c)/d^3/h+2/3*(-a*h+b*g)^3*p*r*ln(b*x+a)*(p*r*ln(b*x+a)+q*r*ln
n(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/b^3/h+8/9*(-a*h+b*g)^2*p*q*r^2*x
/b^2+8/9*(-c*h+d*g)^2*p*q*r^2*x/d^2+1/2*h*(-a*h+b*g)*p^2*r^2*(b*x+a)^2/b^3
+1/2*h*(-c*h+d*g)*q^2*r^2*(d*x+c)^2/d^3-2*(-c*h+d*g)^2*q^2*r^2*(d*x+c)*ln(
d*x+c)/d^3-2/9*h^2*q^2*r^2*(d*x+c)^3*ln(d*x+c)/d^3-2/9*p*q*r^2*(h*x+g)^3*ln
n(d*x+c)/h-1/3*(-c*h+d*g)^3*q^2*r^2*ln(d*x+c)^2/d^3/h-2*(-a*h+b*g)^2*p^2*r
^2*(b*x+a)*ln(b*x+a)/b^3-2/9*h^2*p^2*r^2*(b*x+a)^3*ln(b*x+a)/b^3-2/9*p*q*r
^2*(h*x+g)^3*ln(b*x+a)/h-1/3*(-a*h+b*g)^3*p^2*r^2*ln(b*x+a)^2/b^3/h+2/3*(-
a*h+b*g)^2*p*r*x*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)
^r))/b^2+2/3*(-c*h+d*g)^2*q*r*x*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+
a)^p*(d*x+c)^q)^r))/d^2+1/3*(h*x+g)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/h+
2/3*(-a*h+b*g)*(-c*h+d*g)*p*q*r^2*x/b/d-2/3*(-c*h+d*g)^3*p*q*r^2*ln(b*x+a)
*ln(b*(d*x+c)/(-a*d+b*c))/d^3/h-2/3*(-a*h+b*g)^3*p*q*r^2*ln(-d*(b*x+a)/(-a
*d+b*c))*ln(d*x+c)/b^3/h-1/3*(-c*h+d*g)*p*q*r^2*(h*x+g)^2*ln(b*x+a)/d/h-2/
3*(-c*h+d*g)^2*p*q*r^2*(b*x+a)*ln(b*x+a)/b/d^2-2/3*(-a*h+b*g)^2*p*q*r^2*(d
*x+c)*ln(d*x+c)/b^2/d-1/3*(-a*h+b*g)*p*q*r^2*(h*x+g)^2*ln(d*x+c)/b/h+1/3*(-
a*h+b*g)*(-c*h+d*g)^2*p*q*r^2*ln(d*x+c)/b/d^2/h+1/3*(-a*h+b*g)^2*(-c*h...

```

Mathematica [A] (warning: unable to verify)

Time = 1.71 (sec) , antiderivative size = 899, normalized size of antiderivative = 0.55

$$\int (g + hx)^2 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{-18ad^3(3b^2g^2 - 3abgh + a^2h^2)p^2r^2 \log^2(a + bx) - 6pr \log(a + bx) (6b^3c(3d^2g^2 - 3cdgh + c^2h^2)qr \log(a + bx) + \dots)}{\dots}$$

input

```
Integrate[(g + h*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

```
(-18*a*d^3*(3*b^2*g^2 - 3*a*b*g*h + a^2*h^2)*p^2*r^2*Log[a + b*x]^2 - 6*p*
r*Log[a + b*x]*(6*b^3*c*(3*d^2*g^2 - 3*c*d*g*h + c^2*h^2)*q*r*Log[c + d*x]
- 6*(b*c - a*d)*(a^2*d^2*h^2 + a*b*d*h*(-3*d*g + c*h) + b^2*(3*d^2*g^2 -
3*c*d*g*h + c^2*h^2))*q*r*Log[(b*(c + d*x))/(b*c - a*d)] + a*d*((6*b^2*(3*
d^2*g^2 - 3*c*d*g*h + c^2*h^2)*q + a^2*d^2*h^2*(11*p + 2*q) - 3*a*b*d*h*(-
(c*h*q) + 3*d*g*(3*p + q)))*r - 6*d^2*(3*b^2*g^2 - 3*a*b*g*h + a^2*h^2)*Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q)^r])) + b*(-18*b^2*c*(3*d^2*g^2 - 3*c*d*g*h
+ c^2*h^2)*q^2*r^2*Log[c + d*x]^2 - 6*q*r*Log[c + d*x]*((6*a^2*c*d^2*h^2*
p - 3*a*b*d*(6*d^2*g^2 + 6*c*d*g*h - c^2*h^2)*p + b^2*c*(18*d^2*g^2*(p + q
) - 9*c*d*g*h*(p + 3*q) + c^2*h^2*(2*p + 11*q)))*r - 6*b^2*c*(3*d^2*g^2 -
3*c*d*g*h + c^2*h^2)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]) + d*(r^2*(6*a^2
*d^2*h^2*p*(11*p + 8*q)*x + b^2*x*(6*c^2*h^2*q*(8*p + 11*q) - 3*c*d*h*q*(p
+ q)*(54*g + 5*h*x) + d^2*(p + q)^2*(108*g^2 + 27*g*h*x + 4*h^2*x^2)) - 3
*a*b*p*(-12*c^2*h^2*q - 12*c*d*h*q*(-3*g + h*x) + d^2*(-36*g^2*q + 54*g*h*
(p + q)*x + 5*h^2*(p + q)*x^2))) - 6*r*(6*a^2*d^2*h^2*p*x + 3*a*b*d^2*p*(6
*g^2 - 6*g*h*x - h^2*x^2) + b^2*x*(6*c^2*h^2*q - 3*c*d*h*q*(6*g + h*x) + d
^2*(p + q)*(18*g^2 + 9*g*h*x + 2*h^2*x^2)))*Log[e*(f*(a + b*x)^p*(c + d*x)
^q)^r] + 18*b^2*d^2*x*(3*g^2 + 3*g*h*x + h^2*x^2)*Log[e*(f*(a + b*x)^p*(c
+ d*x)^q)^r]^2)) + 36*(b*c - a*d)*(a^2*d^2*h^2 + a*b*d*h*(-3*d*g + c*h) +
b^2*(3*d^2*g^2 - 3*c*d*g*h + c^2*h^2))*p*q*r^2*PolyLog[2, (d*(a + b*x))...
```

Rubi [A] (verified)

Time = 2.62 (sec) , antiderivative size = 1286, normalized size of antiderivative = 0.78, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {2984, 2993, 49, 2009, 2858, 27, 2772, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (g + hx)^2 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\
 & \quad \downarrow 2984 \\
 & -\frac{2bpr \int \frac{(g+hx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx}{3h} - \frac{2dqr \int \frac{(g+hx)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{3h} + \\
 & \quad \frac{(g + hx)^3 \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{3h} \\
 & \quad \downarrow 2993
 \end{aligned}$$

$$\frac{2bpr \left(- \left(- \log(e(f(a+bx)^p(c+dx)^q)^r) \right) + pr \log(a+bx) + qr \log(c+dx) \right) \int \frac{(g+hx)^3}{a+bx} dx}{2dqr \left(- \left(- \log(e(f(a+bx)^p(c+dx)^q)^r) \right) + pr \log(a+bx) + qr \log(c+dx) \right) \int \frac{(g+hx)^3}{c+dx} dx} + \frac{qr \int \frac{(g+hx)^3 \log(c+dx)}{a+bx}}{pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx}}$$

$$\frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h}$$

↓ 49

$$\frac{2bpr \left(- \left(- \log(e(f(a+bx)^p(c+dx)^q)^r) \right) + pr \log(a+bx) + qr \log(c+dx) \right) \int \left(\frac{(bg-ah)^3}{b^3(a+bx)} + \frac{h(bg-ah)^2}{b^3} + \frac{h(g+hx)}{b^2} \right) dx}{2dqr \left(- \left(- \log(e(f(a+bx)^p(c+dx)^q)^r) \right) + pr \log(a+bx) + qr \log(c+dx) \right) \int \left(\frac{(dg-ch)^3}{d^3(c+dx)} + \frac{h(dg-ch)^2}{d^3} + \frac{h(g+hx)(d)}{d^2} \right) dx}$$

$$\frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h}$$

↓ 2009

$$\frac{2bpr \left(qr \int \frac{(g+hx)^3 \log(c+dx)}{a+bx} dx + pr \int \frac{(g+hx)^3 \log(a+bx)}{a+bx} dx - \left(\frac{(bg-ah)^3 \log(a+bx)}{b^4} + \frac{hx(bg-ah)^2}{b^3} + \frac{(g+hx)^2(bg-ah)}{2b^2} + \frac{(g+hx)}{b} \right) \right)}{2dqr \left(pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx} dx + qr \int \frac{(g+hx)^3 \log(c+dx)}{c+dx} dx - \left(\frac{(dg-ch)^3 \log(c+dx)}{d^4} + \frac{hx(dg-ch)^2}{d^3} + \frac{(g+hx)^2(dg-ch)}{2d^2} + \frac{(g+hx)}{d} \right) \right)}$$

$$\frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h}$$

↓ 2858

$$\frac{2bpr \left(\frac{pr \int \frac{(b(g-\frac{ah}{b})+h(a+bx))^3 \log(a+bx)}{b^3(a+bx)} d(a+bx)}{b} + qr \int \frac{(g+hx)^3 \log(c+dx)}{a+bx} dx - \left(\frac{(bg-ah)^3 \log(a+bx)}{b^4} + \frac{hx(bg-ah)^2}{b^3} + \frac{(g+hx)^2(bg-ah)}{2b^2} + \frac{(g+hx)}{b} \right) \right)}{2dqr \left(pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx} dx + \frac{qr \int \frac{(d(g-\frac{ch}{d})+h(c+dx))^3 \log(c+dx)}{d^3(c+dx)} d(c+dx)}{d} - \left(\frac{(dg-ch)^3 \log(c+dx)}{d^4} + \frac{hx(dg-ch)^2}{d^3} + \frac{(g+hx)^2(dg-ch)}{2d^2} + \frac{(g+hx)}{d} \right) \right)}$$

$$\frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h}$$

↓ 27

$$\begin{aligned}
 & 2bpr \left(\frac{pr \int \frac{(bg-ah+h(a+bx))^3 \log(a+bx) d(a+bx)}{a+bx} dx}{b^4} + qr \int \frac{(g+hx)^3 \log(c+dx)}{a+bx} dx - \left(\frac{(bg-ah)^3 \log(a+bx)}{b^4} + \frac{hx(bg-ah)^2}{b^3} + \frac{(g+hx)^2 (dg-ch)}{2b^2} \right) \right) \\
 & \hline
 & 2dqr \left(pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx} dx + \frac{qr \int \frac{(dg-ch+h(c+dx))^3 \log(c+dx) d(c+dx)}{c+dx} dx}{d^4} - \left(\frac{(dg-ch)^3 \log(c+dx)}{d^4} + \frac{hx(dg-ch)^2}{d^3} + \frac{(g+hx)^2 (dg-ch)}{2d^2} \right) \right) \\
 & \hline
 & \frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h} \\
 & \quad \downarrow \text{2772} \\
 & 2bpr \left(\frac{pr \left(- \int \left(\frac{1}{3}(a+bx)^2 h^3 + \frac{3}{2}(bg-ah)(a+bx)h^2 + 3(bg-ah)^2 h + \frac{(bg-ah)^3 \log(a+bx)}{a+bx} \right) d(a+bx) + \frac{3}{2}h^2(a+bx)^2(bg-ah) \log(a+bx) + (bg-ah)^3 \log^2(a+bx) \right)}{b^4} \right) \\
 & \hline
 & 2dqr \left(pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx} dx + \frac{qr \left(- \int \left(\frac{1}{3}(c+dx)^2 h^3 + \frac{3}{2}(dg-ch)(c+dx)h^2 + 3(dg-ch)^2 h + \frac{(dg-ch)^3 \log(c+dx)}{c+dx} \right) d(c+dx) + \frac{3}{2}h^2(c+dx)^2(dg-ch) \log(c+dx) + (dg-ch)^3 \log^2(c+dx) \right)}{d^4} \right) \\
 & \hline
 & \frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h} \\
 & \quad \downarrow \text{2009} \\
 & 2bpr \left(qr \int \frac{(g+hx)^3 \log(c+dx)}{a+bx} dx + \frac{pr \left(-\frac{3}{4}h^2(a+bx)^2(bg-ah) + \frac{3}{2}h^2(a+bx)^2(bg-ah) \log(a+bx) - 3h(a+bx)(bg-ah)^2 + \frac{1}{2}(bg-ah)^3 \log^2(a+bx) \right)}{b^4} \right) \\
 & \hline
 & 2dqr \left(pr \int \frac{(g+hx)^3 \log(a+bx)}{c+dx} dx - \left(\frac{(dg-ch)^3 \log(c+dx)}{d^4} + \frac{hx(dg-ch)^2}{d^3} + \frac{(g+hx)^2 (dg-ch)}{2d^2} + \frac{(g+hx)^3}{3d} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r)) \right) \\
 & \hline
 & \frac{(g+hx)^3 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h} \\
 & \quad \downarrow \text{2865} \\
 & \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r) (g+hx)^3}{3h} \\
 & \hline
 & 2dqr \left(\frac{qr \left(\frac{1}{2} \log^2(c+dx)(dg-ch)^3 - 3h(c+dx)(dg-ch)^2 + 3h(c+dx) \log(c+dx)(dg-ch)^2 - \frac{3}{4}h^2(c+dx)^2(dg-ch) + \frac{3}{2}h^2(c+dx)^2 \log(c+dx)(dg-ch) \right)}{d^4} \right) \\
 & \hline
 & 2bpr \left(\frac{pr \left(\frac{1}{2} \log^2(a+bx)(bg-ah)^3 - 3h(a+bx)(bg-ah)^2 + 3h(a+bx) \log(a+bx)(bg-ah)^2 - \frac{3}{4}h^2(a+bx)^2(bg-ah) + \frac{3}{2}h^2(a+bx)^2 \log(a+bx)(bg-ah) \right)}{b^4} \right) \\
 & \hline
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)(g+hx)^3}{3h}$$

$$2dqr \left(\frac{qr(\frac{1}{2}\log^2(c+dx)(dg-ch)^3 - 3h(c+dx)(dg-ch)^2 + 3h(c+dx)\log(c+dx)(dg-ch)^2 - \frac{3}{4}h^2(c+dx)^2(dg-ch) + \frac{3}{2}h^2(c+dx)^2\log(c+dx)(dg-ch)}{d^4} \right)$$

$$2bpr \left(\frac{pr(\frac{1}{2}\log^2(a+bx)(bg-ah)^3 - 3h(a+bx)(bg-ah)^2 + 3h(a+bx)\log(a+bx)(bg-ah)^2 - \frac{3}{4}h^2(a+bx)^2(bg-ah) + \frac{3}{2}h^2(a+bx)^2\log(a+bx)(bg-ah)}{b^4} \right)$$

input `Int[(g + h*x)^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]`

output

```
((g + h*x)^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2)/(3*h) - (2*d*q*r*((q*r*(-3*h*(d*g - c*h)^2*(c + d*x) - (3*h^2*(d*g - c*h)*(c + d*x)^2)/4 - (h^3*(c + d*x)^3)/9 + 3*h*(d*g - c*h)^2*(c + d*x)*Log[c + d*x] + (3*h^2*(d*g - c*h)*(c + d*x)^2*Log[c + d*x])/2 + (h^3*(c + d*x)^3*Log[c + d*x])/3 + ((d*g - c*h)^3*Log[c + d*x]^2)/2))/d^4 - ((h*(d*g - c*h)^2*x)/d^3 + ((d*g - c*h)*(g + h*x)^2)/(2*d^2) + (g + h*x)^3/(3*d) + ((d*g - c*h)^3*Log[c + d*x])/d^4)*(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)) + p*r*(-1/3*(h*(b*g - a*h)^2*x)/(b^2*d) - (h*(b*g - a*h)*(d*g - c*h)*x)/(2*b*d^2) - (h*(d*g - c*h)^2*x)/d^3 - ((b*g - a*h)*(g + h*x)^2)/(6*b*d) - ((d*g - c*h)*(g + h*x)^2)/(4*d^2) - (g + h*x)^3/(9*d) - ((b*g - a*h)^3*Log[a + b*x])/(3*b^3*d) - ((b*g - a*h)^2*(d*g - c*h)*Log[a + b*x])/(2*b^2*d^2) + (h*(d*g - c*h)^2*(a + b*x)*Log[a + b*x])/(b*d^3) + ((d*g - c*h)*(g + h*x)^2*Log[a + b*x])/(2*d^2) + ((g + h*x)^3*Log[a + b*x])/(3*d) + (d*g - c*h)^3*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)]/d^4 + ((d*g - c*h)^3*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))]/d^4))/(3*h) - (2*b*p*r*((p*r*(-3*h*(b*g - a*h)^2*(a + b*x) - (3*h^2*(b*g - a*h)*(a + b*x)^2)/4 - (h^3*(a + b*x)^3)/9 + 3*h*(b*g - a*h)^2*(a + b*x)*Log[a + b*x] + (3*h^2*(b*g - a*h)*(a + b*x)^2*Log[a + b*x])/2 + (h^3*(a + b*x)^3*Log[a + b*x])/3 + (b*g - a*h)^3*Log[a + b*x]^2)/2))/b^4 - ((h*(b*g - a*h)^2*x)/b^3 + ((b*g - a*h)*(g + h*x)^2)/(2*b^2) + (g + h*x)^3/(3*b) + ((b*g - a*h)^3*Log[a + ...
```


Definitions of rubi rules used

- rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 49 $\text{Int}[((a_.) + (b_.)(x_))^{(m_.)} * ((c_.) + (d_.)(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m * (c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2772 $\text{Int}[((a_.) + \text{Log}[(c_.)(x_)^{(n_.)}] * (b_.)) * (x_)^{(m_.)} * ((d_) + (e_.)(x_)^{(r_.)})^{(q_.)}, x_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[x^m * (d + e*x^r)^q, x]\}, \text{Simp}[(a + b * \text{Log}[c*x^n]) u, x] - \text{Simp}[b*n \text{ Int}[\text{SimplifyIntegrand}[u/x, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, n, r\}, x] \ \&\& \ \text{IGtQ}[q, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !(EqQ[q, 1] \ \&\& \ EqQ[m, -1])$
- rule 2858 $\text{Int}[((a_.) + \text{Log}[(c_.)((d_) + (e_.)(x_))^{(n_.)}] * (b_.))^{(p_.)} * ((f_.) + (g_.)(x_))^{(q_.)} * ((h_.) + (i_.)(x_))^{(r_.)}, x_Symbol] \rightarrow \text{Simp}[1/e \text{ Subst}[\text{Int}[(g*(x/e))^q * ((e*h - d*i)/e + i*(x/e))^r * (a + b * \text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[r, 0]) \ \&\& \ \text{IntegerQ}[2*r]$
- rule 2865 $\text{Int}[((a_.) + \text{Log}[(c_.)((d_) + (e_.)(x_))^{(n_.)}] * (b_.))^{(p_.)} * (\text{RFx}_), x_Symbol] \rightarrow \text{With}[\{u = \text{ExpandIntegrand}[(a + b * \text{Log}[c*(d + e*x)^n])^p, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{IntegerQ}[p]$

rule 2984

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)
]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(
s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]
]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(
m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/(c + d*x)), x], x]) /;
FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] &&
IGtQ[s, 0] && NeQ[m, -1]

```

rule 2993

```

Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Si
mp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c
+ d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[
{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a
*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[
m, n]]

```

Maple [F]

$$\int (hx + g)^2 \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input

```
int((h*x+g)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)
```

output

```
int((h*x+g)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)
```

Fricas [F]

$$\begin{aligned} & \int (g + hx)^2 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (hx + g)^2 \log(((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input

```
integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")
```

output `integral((h^2*x^2 + 2*g*h*x + g^2)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\int (g + hx)^2 \log^2 (e(f(a + bx)^p (c + dx)^q)^r) dx$$

$$= \int (g + hx)^2 \log (e(f(a + bx)^p (c + dx)^q)^r)^2 dx$$

input `integrate((h*x+g)**2*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((g + h*x)**2*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 1123, normalized size of antiderivative = 0.68

$$\int (g + hx)^2 \log^2 (e(f(a + bx)^p (c + dx)^q)^r) dx = \text{Too large to display}$$

input `integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")`

output

```

1/3*(h^2*x^3 + 3*g*h*x^2 + 3*g^2*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2
+ 1/9*r*(6*(3*a*b^2*f*g^2*p - 3*a^2*b*f*g*h*p + a^3*f*h^2*p)*log(b*x + a)
/b^3 + 6*(3*c*d^2*f*g^2*q - 3*c^2*d*f*g*h*q + c^3*f*h^2*q)*log(d*x + c)/d^
3 - (2*b^2*d^2*f*h^2*(p + q)*x^3 - 3*(a*b*d^2*f*h^2*p - (3*d^2*f*g*h*(p +
q) - c*d*f*h^2*q)*b^2)*x^2 - 6*(3*a*b*d^2*f*g*h*p - a^2*d^2*f*h^2*p - (3*d
^2*f*g^2*(p + q) - 3*c*d*f*g*h*q + c^2*f*h^2*q)*b^2)*x)/(b^2*d^2))*log(((b
*x + a)^p*(d*x + c)^q*f)^r*e)/f - 1/54*r^2*(6*(6*a^2*c*d^2*f^2*h^2*p*q - 3
*(6*c*d^2*f^2*g*h*p*q - c^2*d*f^2*h^2*p*q)*a*b + (18*(p*q + q^2)*c*d^2*f^2
*g^2 - 9*(p*q + 3*q^2)*c^2*d*f^2*g*h + (2*p*q + 11*q^2)*c^3*f^2*h^2)*b^2)*
log(d*x + c)/(b^2*d^3) + 36*(3*a*b^2*d^3*f^2*g^2*p*q - 3*a^2*b*d^3*f^2*g*h
*p*q + a^3*d^3*f^2*h^2*p*q - (3*c*d^2*f^2*g^2*p*q - 3*c^2*d*f^2*g*h*p*q +
c^3*f^2*h^2*p*q)*b^3)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + d
ilog(-(b*d*x + a*d)/(b*c - a*d)))/(b^3*d^3) - (4*(p^2 + 2*p*q + q^2)*b^3*d
^3*f^2*h^2*x^3 - 36*(3*c*d^2*f^2*g^2*p*q - 3*c^2*d*f^2*g*h*p*q + c^3*f^2*h
^2*p*q)*b^3*log(b*x + a)*log(d*x + c) - 18*(3*c*d^2*f^2*g^2*q^2 - 3*c^2*d*
f^2*g*h*q^2 + c^3*f^2*h^2*q^2)*b^3*log(d*x + c)^2 - 3*(5*(p^2 + p*q)*a*b^2
*d^3*f^2*h^2 - (9*(p^2 + 2*p*q + q^2)*d^3*f^2*g*h - 5*(p*q + q^2)*c*d^2*f^
2*h^2)*b^3)*x^2 - 18*(3*a*b^2*d^3*f^2*g^2*p^2 - 3*a^2*b*d^3*f^2*g*h*p^2 +
a^3*d^3*f^2*h^2*p^2)*log(b*x + a)^2 + 6*((11*p^2 + 8*p*q)*a^2*b*d^3*f^2*h^
2 + 3*(2*c*d^2*f^2*h^2*p*q - 9*(p^2 + p*q)*d^3*f^2*g*h)*a*b^2 + (18*(p^...

```

Giac [F(-1)]

Timed out.

$$\int (g + hx)^2 \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx = \text{Timed out}$$

input

```

integrate((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac"
)

```

output

Timed out

Mupad [F(-1)]

Timed out.

$$\int (g + hx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (g + hx)^2 dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x)^2,x)`output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x)^2, x)`**Reduce [F]**

$$\int (g + hx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((h*x+g)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
( - 36*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q +
a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**4*d
**4*h**2*p**2*q*r - 36*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(
a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q
*x**2),x)*a**4*d**4*h**2*p*q**2*r + 36*int(log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*
d*p*x**2 + b*d*q*x**2),x)*a**3*b*c*d**3*h**2*p**2*q*r + 36*int(log(f**r*(c
+ d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*
c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b*c*d**3*h**2*p*q**2*r
+ 108*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a
*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*b*
d**4*g*h*p**2*q*r + 108*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/
(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*
q*x**2),x)*a**3*b*d**4*g*h*p*q**2*r - 108*int(log(f**r*(c + d*x)**(q*r)*(a
+ b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x +
b*d*p*x**2 + b*d*q*x**2),x)*a**2*b**2*c*d**3*g*h*p**2*q*r - 108*int(log(f
**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*
x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b**2*c*d**3*g*h*p
*q**2*r - 108*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a
*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2)...
```

3.37 $\int (g+hx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx$

Optimal result	374
Mathematica [A] (verified)	375
Rubi [A] (verified)	376
Maple [F]	381
Fricas [F]	381
Sympy [F]	381
Maxima [A] (verification not implemented)	382
Giac [F]	383
Mupad [F(-1)]	383
Reduce [F]	383

Optimal result

Integrand size = 29, antiderivative size = 1063

$$\int (g+hx) \log^2 (e(f(a+bx)^p(c+dx)^q)^r) dx = \text{Too large to display}$$

output

```

3/2*(-a*h+b*g)*p*q*r^2*x/b+3/2*(-c*h+d*g)*p*q*r^2*x/d-2*(-c*h+d*g)*q^2*r^2
*(d*x+c)*ln(d*x+c)/d^2-1/2*h*q^2*r^2*(d*x+c)^2*ln(d*x+c)/d^2-1/2*p*q*r^2*(
h*x+g)^2*ln(d*x+c)/h-1/2*(-c*h+d*g)^2*q^2*r^2*ln(d*x+c)^2/d^2/h-2*(-a*h+b*
g)*p^2*r^2*(b*x+a)*ln(b*x+a)/b^2-1/2*h*p^2*r^2*(b*x+a)^2*ln(b*x+a)/b^2-1/2
*p*q*r^2*(h*x+g)^2*ln(b*x+a)/h-1/2*(-a*h+b*g)^2*p^2*r^2*ln(b*x+a)^2/b^2/h+
1/2*(h*x+g)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/h+(-a*h+b*g)*p*r*x*(p*r*ln
(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/b+(-a*h+b*g)^2*p*r*
ln(b*x+a)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/b^
2/h+(-c*h+d*g)^2*q*r*ln(d*x+c)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a
)^p*(d*x+c)^q)^r))/d^2/h-(-a*h+b*g)*p*q*r^2*(d*x+c)*ln(d*x+c)/b/d-(-c*h+d*
g)^2*p*q*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/d^2/h-(-a*h+b*g)^2*p*q*r^2*p
olylog(2,b*(d*x+c)/(-a*d+b*c))/b^2/h+(-c*h+d*g)*q*r*x*(p*r*ln(b*x+a)+q*r*ln
(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/d+1/2*(-c*h+d*g)^2*p*q*r^2*ln(d*
x+c)/d^2/h+1/2*(-a*h+b*g)^2*p*q*r^2*ln(b*x+a)/b^2/h-(-a*h+b*g)^2*p*q*r^2*ln
(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b^2/h-(-c*h+d*g)*p*q*r^2*(b*x+a)*ln(b*x
+a)/b/d-(-c*h+d*g)^2*p*q*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/d^2/h+1/4*
q^2*r^2*(d*h*x-3*c*h+4*d*g)^2/d^2/h+1/2*p*r*(h*x+g)^2*(p*r*ln(b*x+a)+q*r*ln
(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/h+1/2*q*r*(h*x+g)^2*(p*r*ln(b*x+
a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/h+1/2*p*q*r^2*(h*x+g)^2/
h+1/4*p^2*r^2*(b*h*x-3*a*h+4*b*g)^2/b^2/h

```

Mathematica [A] (verified)

Time = 0.95 (sec) , antiderivative size = 480, normalized size of antiderivative = 0.45

$$\int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{2ad^2(-2bg + ah)p^2r^2 \log^2(a + bx) + 2pr \log(a + bx) \left(2b^2c(-2dg + ch)qr \log(c + dx) - 2(bc - ad)(-2b \right)}{}$$

input

```
Integrate[(g + h*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```


output

```
(2*a*d^2*(-2*b*g + a*h)*p^2*r^2*Log[a + b*x]^2 + 2*p*r*Log[a + b*x]*(2*b^2
*c*(-2*d*g + c*h)*q*r*Log[c + d*x] - 2*(b*c - a*d)*(-2*b*d*g + b*c*h + a*d
*h)*q*r*Log[(b*(c + d*x))/(b*c - a*d)] + a*d*(2*b*(-2*d*g + c*h)*q*r + a*d
*h*(3*p + q)*r + (4*b*d*g - 2*a*d*h)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))
) + b*(2*b*c*(-2*d*g + c*h)*q^2*r^2*Log[c + d*x]^2 + 2*q*r*Log[c + d*x]*(2
*a*d*(2*d*g + c*h)*p*r + b*c*(-4*d*g*(p + q) + c*h*(p + 3*q))*r - 2*b*c*(-
2*d*g + c*h)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) + d*(r^2*(-2*a*p*(-4*d*
g*q + 2*c*h*q + 3*d*h*(p + q)*x) + b*(p + q)*x*(-6*c*h*q + d*(p + q)*(8*g
+ h*x))) - 2*r*(2*a*d*p*(2*g - h*x) + b*x*(-2*c*h*q + d*(p + q)*(4*g + h*x
))) * Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + 2*b*d*x*(2*g + h*x)*Log[e*(f*(a
+ b*x)^p*(c + d*x)^q]^r]^2)) - 4*(b*c - a*d)*(-2*b*d*g + b*c*h + a*d*h)*p
*q*r^2*PolyLog[2, (d*(a + b*x))/(-b*c) + a*d)]/(4*b^2*d^2)
```

Rubi [A] (verified)

Time = 2.05 (sec) , antiderivative size = 828, normalized size of antiderivative = 0.78, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.345$, Rules used = {2984, 2993, 49, 2009, 2858, 27, 2772, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\
 & \qquad \qquad \qquad \downarrow \text{2984} \\
 & \frac{bpr \int \frac{(g+hx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{a+bx} dx}{h} - \frac{dqr \int \frac{(g+hx)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{c+dx} dx}{h} + \\
 & \qquad \qquad \qquad \frac{(g + hx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r)}{2h} \\
 & \qquad \qquad \qquad \downarrow \text{2993} \\
 & \frac{bpr \left(- \left((-\log (e(f(a + bx)^p(c + dx)^q)^r) + pr \log(a + bx) + qr \log(c + dx)) \int \frac{(g+hx)^2}{a+bx} dx \right) + qr \int \frac{(g+hx)^2 \log(c+dx)}{a+bx} dx \right)}{h} \\
 & \frac{dqr \left(- \left((-\log (e(f(a + bx)^p(c + dx)^q)^r) + pr \log(a + bx) + qr \log(c + dx)) \int \frac{(g+hx)^2}{c+dx} dx \right) + pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx \right)}{h} \\
 & \qquad \qquad \qquad \frac{(g + hx)^2 \log^2 (e(f(a + bx)^p(c + dx)^q)^r)}{2h}
 \end{aligned}$$

↓ 49

$$\frac{bpr \left(- \left((-\log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{(bg-ah)^2}{b^2(a+bx)} + \frac{h(bg-ah)}{b^2} + \frac{h(g+hx)}{b} \right) dx \right. \right.}{dqr \left(- \left((-\log (e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{(dg-ch)^2}{d^2(c+dx)} + \frac{h(dg-ch)}{d^2} + \frac{h(g+hx)}{d} \right) dx \right. \right.}$$

$$\frac{(g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{2h}$$

↓ 2009

$$\frac{bpr \left(qr \int \frac{(g+hx)^2 \log(c+dx)}{a+bx} dx + pr \int \frac{(g+hx)^2 \log(a+bx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^2 \log(a+bx)}{b^3} + \frac{hx(bg-ah)}{b^2} + \frac{(g+hx)^2}{2b} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}{dqr \left(pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx + qr \int \frac{(g+hx)^2 \log(c+dx)}{c+dx} dx - \left(\left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}$$

$$\frac{(g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{2h}$$

↓ 2858

$$\frac{bpr \left(\frac{pr \int \frac{(b(g-\frac{ah}{b})+h(a+bx))^2 \log(a+bx)}{b^2(a+bx)} d(a+bx)}{b} + qr \int \frac{(g+hx)^2 \log(c+dx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^2 \log(a+bx)}{b^3} + \frac{hx(bg-ah)}{b^2} + \frac{(g+hx)^2}{2b} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}{dqr \left(pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx + \frac{qr \int \frac{(d(g-\frac{ch}{d})+h(c+dx))^2 \log(c+dx)}{d^2(c+dx)} d(c+dx)}{d} - \left(\left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}$$

$$\frac{(g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{2h}$$

↓ 27

$$\frac{bpr \left(\frac{pr \int \frac{(bg-ah+h(a+bx))^2 \log(a+bx)}{a+bx} d(a+bx)}{b^3} + qr \int \frac{(g+hx)^2 \log(c+dx)}{a+bx} dx - \left(\left(\frac{(bg-ah)^2 \log(a+bx)}{b^3} + \frac{hx(bg-ah)}{b^2} + \frac{(g+hx)^2}{2b} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}{dqr \left(pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx + \frac{qr \int \frac{(dg-ch+h(c+dx))^2 \log(c+dx)}{c+dx} d(c+dx)}{d^3} - \left(\left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right) (-\log (e(f(a+bx)^p(c+dx)^q)^r) \right. \right.}$$

$$\frac{(g+hx)^2 \log^2 (e(f(a+bx)^p(c+dx)^q)^r)}{2h}$$

↓ 2772

$$\begin{aligned}
 & \frac{bpr \left(- \int \left(\frac{\log(a+bx)(bg-ah)^2}{a+bx} + \frac{1}{2}h(4(bg-ah)+h(a+bx)) \right) d(a+bx) + (bg-ah)^2 \log^2(a+bx) + 2h(a+bx)(bg-ah) \log(a+bx) + \frac{1}{2}h^2(a+bx)^2 \log^2(a+bx) \right)}{b^3} \\
 & \frac{dqr \left(pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx + \frac{qr \left(- \int \left(\frac{\log(c+dx)(dg-ch)^2}{c+dx} + \frac{1}{2}h(4(dg-ch)+h(c+dx)) \right) d(c+dx) + (dg-ch)^2 \log^2(c+dx) + 2h(c+dx)(dg-ch) \log(c+dx) + \frac{1}{2}h^2(c+dx)^2 \log^2(c+dx) \right)}{d^3} \right)}{d^3} \\
 & \frac{(g+hx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h} \\
 & \quad \downarrow \text{2009} \\
 & \frac{bpr \left(qr \int \frac{(g+hx)^2 \log(c+dx)}{a+bx} dx + \frac{pr \left(-\frac{1}{4}(4(bg-ah)+h(a+bx))^2 + \frac{1}{2}(bg-ah)^2 \log^2(a+bx) + 2h(a+bx)(bg-ah) \log(a+bx) + \frac{1}{2}h^2(a+bx)^2 \log^2(a+bx) \right)}{b^3} \right)}{b^3} \\
 & \frac{dqr \left(pr \int \frac{(g+hx)^2 \log(a+bx)}{c+dx} dx - \left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right) \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(e(f(a+bx)^p(c+dx)^q)^r) \right) \right)}{d^3} \\
 & \frac{(g+hx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h} \\
 & \quad \downarrow \text{2865} \\
 & \frac{bpr \left(qr \int \left(\frac{\log(c+dx)(bg-ah)^2}{b^2(a+bx)} + \frac{h \log(c+dx)(bg-ah)}{b^2} + \frac{h(g+hx) \log(c+dx)}{b} \right) dx + \frac{pr \left(-\frac{1}{4}(4(bg-ah)+h(a+bx))^2 + \frac{1}{2}(bg-ah)^2 \log^2(a+bx) + 2h(a+bx)(bg-ah) \log(a+bx) + \frac{1}{2}h^2(a+bx)^2 \log^2(a+bx) \right)}{b^3} \right)}{b^3} \\
 & \frac{dqr \left(pr \int \left(\frac{\log(a+bx)(dg-ch)^2}{d^2(c+dx)} + \frac{h \log(a+bx)(dg-ch)}{d^2} + \frac{h(g+hx) \log(a+bx)}{d} \right) dx - \left(\frac{(dg-ch)^2 \log(c+dx)}{d^3} + \frac{hx(dg-ch)}{d^2} + \frac{(g+hx)^2}{2d} \right) \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(e(f(a+bx)^p(c+dx)^q)^r) \right) \right)}{d^3} \\
 & \frac{(g+hx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h} \\
 & \quad \downarrow \text{2009} \\
 & \frac{(g+hx)^2 \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h} \\
 & \frac{dqr \left(\frac{qr \left(\frac{1}{2}h^2 \log(c+dx)(c+dx)^2 + 2h(dg-ch) \log(c+dx)(c+dx) - \frac{1}{4}(4(dg-ch)+h(c+dx))^2 + \frac{1}{2}(dg-ch)^2 \log^2(c+dx) \right)}{d^3} - \left(\frac{\log(c+dx)(dg-ch)^2}{d^3} \right) \right)}{d^3} \\
 & \frac{bpr \left(\frac{pr \left(\frac{1}{2}h^2 \log(a+bx)(a+bx)^2 + 2h(bg-ah) \log(a+bx)(a+bx) - \frac{1}{4}(4(bg-ah)+h(a+bx))^2 + \frac{1}{2}(bg-ah)^2 \log^2(a+bx) \right)}{b^3} - \left(\frac{\log(a+bx)(bg-ah)^2}{b^3} \right) \right)}{b^3}
 \end{aligned}$$

input

```
Int[(g + h*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2,x]
```

output

$$\begin{aligned} & ((g + hx)^2 \text{Log}[e^{(f(a + bx)^p (c + dx)^q)^r}]^2 / (2h) - (dq^r ((q^r (-1/4(4(dg - ch) + h(c + dx))^2 + 2h(dg - ch)(c + dx) \text{Log}[c + dx] + h^2(c + dx)^2 \text{Log}[c + dx]) / 2 + ((dg - ch)^2 \text{Log}[c + dx]^2) / 2)) / d^3 - ((h(dg - ch)x) / d^2 + (g + hx)^2 / (2d) + ((dg - ch)^2 \text{Log}[c + dx]) / d^3) * (p^r \text{Log}[a + bx] + q^r \text{Log}[c + dx] - \text{Log}[e^{(f(a + bx)^p (c + dx)^q)^r}]) + p^r (-1/2(h(bg - ah)x) / (bd) - (h(dg - ch)x) / d^2 - (g + hx)^2 / (4d) - ((bg - ah)^2 \text{Log}[a + bx]) / (2b^2d) + (h(dg - ch)(a + bx) \text{Log}[a + bx]) / (bd^2) + ((g + hx)^2 \text{Log}[a + bx]) / (2d) + ((dg - ch)^2 \text{Log}[a + bx] \text{Log}[(b(c + dx)) / (bc - ad)]) / d^3 + ((dg - ch)^2 \text{PolyLog}[2, -((d(a + bx)) / (bc - ad))]) / d^3)) / h - (b^p r^r ((p^r (-1/4(4(bg - ah) + h(a + bx))^2 + 2h(bg - ah)(a + bx) \text{Log}[a + bx] + h^2(a + bx)^2 \text{Log}[a + bx]) / 2 + ((bg - ah)^2 \text{Log}[a + bx]^2) / 2)) / b^3 - ((h(bg - ah)x) / b^2 + (g + hx)^2 / (2b) + ((bg - ah)^2 \text{Log}[a + bx]) / b^3) * (p^r \text{Log}[a + bx] + q^r \text{Log}[c + dx] - \text{Log}[e^{(f(a + bx)^p (c + dx)^q)^r}]) + q^r (-((h(bg - ah)x) / b^2) - (h(dg - ch)x) / (2bd) - (g + hx)^2 / (4b) - ((dg - ch)^2 \text{Log}[c + dx]) / (2bd^2) + (h(bg - ah)(c + dx) \text{Log}[c + dx]) / (b^2d) + ((g + hx)^2 \text{Log}[c + dx]) / (2b) + ((bg - ah)^2 \text{Log}[-((d(a + bx)) / (bc - ad))] \text{Log}[c + dx]) / b^3 + ((bg - ah)^2 \text{PolyLog}[2, (b(c + dx)) / (bc - ad)]) / b^3)) / h \end{aligned}$$

Defintions of rubi rules used

rule 27

$$\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] \text{ ; FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] \text{ ; FreeQ}[b, x]$$

rule 49

$$\text{Int}[((a_.) + (b_.)(x_))^{(m_.)}((c_.) + (d_.)(x_))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + bx)^m (c + dx)^n, x], x] \text{ ; FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{IGtQ}[m + n + 2, 0]$$

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ ; SumQ}[u]$$

rule 2772

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))*(x_)^(m_.)*((d_) + (e_.)*(x_)^(r_.))^(q_.), x_Symbol] := With[{u = IntHide[x^m*(d + e*x^r)^q, x]}, Simp[(a + b*Log[c*x^n]) u, x] - Simp[b*n Int[SimplifyIntegrand[u/x, x], x]] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[q, 0] && IntegerQ[m] && !(EqQ[q, 1] && EqQ[m, -1])
```

rule 2858

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(q_.))*((h_.) + (i_.)*(x_)^(r_.)), x_Symbol] := Simp[1/e Subst[Int[(g*(x/e)^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]
```

rule 2865

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]
```

rule 2984

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]^(s_.)*((g_.) + (h_.)*(x_)^(m_.)), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(c + d*x)), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && NeQ[m, -1]
```

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[m, n]]
```

Maple [F]

$$\int (hx + g) \ln(e(f(bx + a)^p (dx + c)^q)^r)^2 dx$$

input `int((h*x+g)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int((h*x+g)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\begin{aligned} & \int (g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (hx + g) \log(((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral((h*x + g)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\begin{aligned} & \int (g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (g + hx) \log(e(f(a + bx)^p(c + dx)^q)^r)^2 dx \end{aligned}$$

input `integrate((h*x+g)*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral((g + h*x)*log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 623, normalized size of antiderivative = 0.59

$$\int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$$

$$= \frac{1}{2} (hx^2 + 2gx) \log (((bx + a)^p(dx + c)^q f)^r e)^2$$

$$+ \frac{r \left(\frac{2(2abfgp - a^2fhp) \log(bx+a)}{b^2} + \frac{2(2cdfgq - c^2fhq) \log(dx+c)}{d^2} - \frac{bdfh(p+q)x^2 - 2(adfhp - (2dfg(p+q) - cfhq)b)x}{bd} \right) \log (((bx + a)^p(dx + c)^q f)^r e)}{2f}$$

$$+ \frac{r^2 \left(\frac{2(2acdf^2hpg - (4(pq+q^2)cdf^2g - (pq+3q^2)c^2f^2h)b) \log(dx+c)}{bd^2} - \frac{4(2abd^2f^2gpq - a^2d^2f^2hpg - (2cdf^2gpq - c^2f^2hpq)b^2) (\log(bx+a) \log(dx+c))}{b^2d^2} \right)}{f^2}$$

input

```
integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")
```

output

```
1/2*(h*x^2 + 2*g*x)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2 + 1/2*r*(2*(2*a
*b*f*g*p - a^2*f*h*p)*log(b*x + a)/b^2 + 2*(2*c*d*f*g*q - c^2*f*h*q)*log(d
*x + c)/d^2 - (b*d*f*h*(p + q)*x^2 - 2*(a*d*f*h*p - (2*d*f*g*(p + q) - c*f
*h*q)*b)*x)/(b*d))*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/f + 1/4*r^2*(2*(2*
a*c*d*f^2*h*p*q - (4*(p*q + q^2)*c*d*f^2*g - (p*q + 3*q^2)*c^2*f^2*h)*b)*l
og(d*x + c)/(b*d^2) - 4*(2*a*b*d^2*f^2*g*p*q - a^2*d^2*f^2*h*p*q - (2*c*d*
f^2*g*p*q - c^2*f^2*h*p*q)*b^2)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d
) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b^2*d^2) + ((p^2 + 2*p*q + q^
2)*b^2*d^2*f^2*h*x^2 - 4*(2*c*d*f^2*g*p*q - c^2*f^2*h*p*q)*b^2*log(b*x + a
)*log(d*x + c) - 2*(2*c*d*f^2*g*q^2 - c^2*f^2*h*q^2)*b^2*log(d*x + c)^2 -
2*(2*a*b*d^2*f^2*g*p^2 - a^2*d^2*f^2*h*p^2)*log(b*x + a)^2 - 2*(3*(p^2 + p
*q)*a*b*d^2*f^2*h - (4*(p^2 + 2*p*q + q^2)*d^2*f^2*g - 3*(p*q + q^2)*c*d*f
^2*h)*b^2)*x + 2*((3*p^2 + p*q)*a^2*d^2*f^2*h + 2*(c*d*f^2*h*p*q - 2*(p^2
+ p*q)*d^2*f^2*g)*a*b)*log(b*x + a))/(b^2*d^2)/f^2
```

Giac [F]

$$\begin{aligned} & \int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int (hx + g) \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx \end{aligned}$$

input `integrate((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac")`

output `integrate((h*x + g)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\begin{aligned} & \int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 (g + hx) dx \end{aligned}$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2*(g + h*x), x)`

Reduce [F]

$$\int (g + hx) \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \text{too large to display}$$

input `int((h*x+g)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
(4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*
p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**3*d**3*
h*p**2*q*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p +
a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x
)*a**3*d**3*h*p*q**2*r - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*
e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b
*d*q*x**2),x)*a**2*b*c*d**2*h*p**2*q*r - 4*int(log(f**r*(c + d*x)**(q*r)*(
a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x
+ b*d*p*x**2 + b*d*q*x**2),x)*a**2*b*c*d**2*h*p*q**2*r - 8*int(log(f**r*(c
+ d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*
c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b*d**3*g*p**2*q*r - 8*i
nt(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x
+ a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*b*d**3*g*
p*q**2*r - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a
c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*
a*b**2*c**2*d*h*p**2*q*r - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r
)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 +
b*d*q*x**2),x)*a*b**2*c**2*d*h*p*q**2*r + 16*int(log(f**r*(c + d*x)**(q*r
)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q
*x + b*d*p*x**2 + b*d*q*x**2),x)*a*b**2*c*d**2*g*p**2*q*r + 16*int(log(...
```

3.38 $\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx$

Optimal result	385
Mathematica [A] (verified)	386
Rubi [A] (verified)	386
Maple [F]	390
Fricas [F]	391
Sympy [F]	391
Maxima [A] (verification not implemented)	391
Giac [F]	392
Mupad [F(-1)]	392
Reduce [F]	393

Optimal result

Integrand size = 23, antiderivative size = 269

$$\begin{aligned} & \int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx \\ &= 2(p + q)^2 r^2 x - \frac{2(bc - ad)q(p + q)r^2 \log(c + dx)}{bd} \\ & \quad - \frac{2(bc - ad)pqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c + dx)}{bd} - \frac{(bc - ad)q^2 r^2 \log^2(c + dx)}{bd} \\ & \quad - \frac{2(p + q)r(a + bx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{b} \\ & \quad + \frac{2(bc - ad)qr \log(c + dx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{bd} \\ & \quad + \frac{(a + bx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{b} - \frac{2(bc - ad)pqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{bd} \end{aligned}$$

output

```
2*(p+q)^2*r^2*x-2*(-a*d+b*c)*q*(p+q)*r^2*ln(d*x+c)/b/d-2*(-a*d+b*c)*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/b/d-2*(-a*d+b*c)*q^2*r^2*ln(d*x+c)^2/b/d-2*(p+q)*r*(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b+2*(-a*d+b*c)*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/b/d+(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/b-2*(-a*d+b*c)*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/b/d
```

Mathematica [A] (verified)

Time = 0.22 (sec) , antiderivative size = 389, normalized size of antiderivative = 1.45

$$\int \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$$

$$= \frac{2adpqr^2 + 2bdp^2r^2x + 4bdpqr^2x + 2bdq^2r^2x - adp^2r^2 \log^2(a+bx) - 2bcpqr^2 \log(c+dx) + 2adpqr^2 \log(c+dx)}{}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2,x]
```

output

```
(2*a*d*p*q*r^2 + 2*b*d*p^2*r^2*x + 4*b*d*p*q*r^2*x + 2*b*d*q^2*r^2*x - a*d
*p^2*r^2*Log[a + b*x]^2 - 2*b*c*p*q*r^2*Log[c + d*x] + 2*a*d*p*q*r^2*Log[c
+ d*x] - 2*b*c*q^2*r^2*Log[c + d*x] - b*c*q^2*r^2*Log[c + d*x]^2 - 2*p*r*
Log[a + b*x]*(b*c*q*r*Log[c + d*x] + (-b*c) + a*d)*q*r*Log[(b*(c + d*x))/
(b*c - a*d)] + a*d*(q*r - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)) - 2*a*d*p
*r*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] - 2*b*d*p*r*x*Log[e*(f*(a + b*x)^p
*(c + d*x)^q]^r] - 2*b*d*q*r*x*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + 2*b*
c*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + b*d*x*Log[e*(f*(
a + b*x)^p*(c + d*x)^q]^r]^2 + 2*(b*c - a*d)*p*q*r^2*PolyLog[2, (d*(a + b*
x))/(-b*c) + a*d)]/(b*d)
```

Rubi [A] (verified)

Time = 0.83 (sec) , antiderivative size = 225, normalized size of antiderivative = 0.84, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$, Rules used = {2979, 2979, 16, 24, 2980, 2837, 2738, 2841, 2840, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx$$

↓ 2979

$$\begin{aligned}
& -2r(p+q) \int \log(e(f(a+bx)^p(c+dx)^q)^r) dx + \frac{2qr(bc-ad) \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) dx}{c+dx}}{b} + \\
& \quad \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} \\
& \quad \downarrow \text{2979} \\
& q) \left(\frac{qr(bc-ad) \int \frac{1}{c+dx} dx}{b} - r(p+q) \int 1 dx + \frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} \right) + \\
& \quad \frac{2qr(bc-ad) \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) dx}{c+dx}}{b} + \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} \\
& \quad \downarrow \text{16} \\
& q) \left(-r(p+q) \int 1 dx + \frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} \right) + \\
& \quad \frac{2qr(bc-ad) \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) dx}{c+dx}}{b} + \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} \\
& \quad \downarrow \text{24} \\
& \frac{2qr(bc-ad) \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) dx}{c+dx}}{b} + \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} - 2r(p+ \\
& q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} - (rx(p+q)) \right) \\
& \quad \downarrow \text{2980} \\
& \frac{2qr(bc-ad) \left(-\frac{bpr \int \frac{\log(c+dx)}{a+bx} dx}{d} - qr \int \frac{\log(c+dx)}{c+dx} dx + \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} \right)}{b} + \\
& \quad \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} - 2r(p+ \\
& q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} - (rx(p+q)) \right) \\
& \quad \downarrow \text{2837} \\
& \frac{2qr(bc-ad) \left(-\frac{bpr \int \frac{\log(c+dx)}{a+bx} dx}{d} - qr \int \frac{\log(c+dx)}{c+dx} d(c+dx) + \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} \right)}{b} + \\
& \quad \frac{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{b} - 2r(p+ \\
& q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} - (rx(p+q)) \right)
\end{aligned}$$

$$\begin{aligned}
 & \downarrow 2738 \\
 & \frac{2qr(bc - ad) \left(-\frac{bpr \int \frac{\log(c+dx)}{a+bx} dx}{d} + \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{qr \log^2(c+dx)}{2d} \right)}{b} + \\
 & q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc - ad) \log(c+dx)}{bd} - (rx(p+q)) \right) \\
 & \downarrow 2841 \\
 & \frac{2qr(bc - ad) \left(-\frac{bpr \left(\frac{\log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{b} - \frac{d \int \frac{\log\left(-\frac{d(a+bx)}{bc-ad}\right) dx}{c+dx}}{b} \right)}{d} + \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{qr \log^2(c+dx)}{2d} \right)}{b} + \\
 & q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc - ad) \log(c+dx)}{bd} - (rx(p+q)) \right) \\
 & \downarrow 2840 \\
 & \frac{2qr(bc - ad) \left(-\frac{bpr \left(\frac{\log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{b} - \frac{f \frac{\log\left(1 - \frac{b(c+dx)}{bc-ad}\right)}{c+dx} d(c+dx)}{b} \right)}{d} + \frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{qr \log^2(c+dx)}{2d} \right)}{b} + \\
 & q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc - ad) \log(c+dx)}{bd} - (rx(p+q)) \right) \\
 & \downarrow 2838
 \end{aligned}$$

$$\frac{2qr(bc - ad) \left(\frac{\log(c+dx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{d} - \frac{bpr \left(\frac{\text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{b} + \frac{\log(c+dx) \log\left(-\frac{d(a+bx)}{bc-ad}\right)}{b}\right)}{d} - \frac{qr \log^2(c+dx)}{2d} \right)}{(a+bx) \log^2(e(f(a+bx)^p(c+dx)^q)^r) - 2r(p+q) \left(\frac{(a+bx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{b} + \frac{qr(bc-ad) \log(c+dx)}{bd} - (rx(p+q)) \right)}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2,x]`

output `((a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2)/b - 2*(p + q)*r*(-((p + q)*r*x) + ((b*c - a*d)*q*r*Log[c + d*x])/(b*d) + ((a + b*x)*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/b) + (2*(b*c - a*d)*q*r*(-1/2*(q*r*Log[c + d*x]^2)/d + (Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/d - (b*p*r*((Log[-((d*(a + b*x))/(b*c - a*d))]*Log[c + d*x])/b + PolyLog[2, (b*(c + d*x))/(b*c - a*d])/b))/d)/b`

Defintions of rubi rules used

rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`

rule 24 `Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

rule 2738 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]`

rule 2837 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(q_.)), x_Symbol] := Simp[1/e Subst[Int[(f*(x/d))^q*(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p, q}, x] && EqQ[e*f - d*g, 0]`

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 2840 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[1/g Subst[Int[(a + b*Log[1 + c*e*(x/g)])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]`

rule 2841 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*((a + b*Log[c*(d + e*x)^n])/g), x] - Simp[b*e*(n/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]`

rule 2979 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]^(s_.), x_Symbol] := Simp[(a + b*x)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^s/b), x] + (Simp[q*r*s*((b*c - a*d)/b) Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(c + d*x), x], x] - Simp[r*s*(p + q) Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1), x], x] /; FreeQ[{a, b, c, d, e, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && NeQ[p + q, 0] && IGtQ[s, 0] && LtQ[s, 4]`

rule 2980 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]/((g_.) + (h_.)*(x_)), x_Symbol] := Simp[Log[g + h*x]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/h), x] + (-Simp[b*p*(r/h) Int[Log[g + h*x]/(a + b*x), x], x] - Simp[d*q*(r/h) Int[Log[g + h*x]/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0]`

Maple [F]

$$\int \ln(e(f(bx + a)^p(dx + c)^q)^r)^2 dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

Fricas [F]

$$\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \int \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Sympy [F]

$$\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \int \log (e(f(a + bx)^p(c + dx)^q)^r)^2 dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2, x)`

Maxima [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 298, normalized size of antiderivative = 1.11

$$\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = x \log (((bx + a)^p(dx + c)^q f)^r e)^2$$

$$\frac{2 \left(f(p + q)x - \frac{afp \log(bx+a)}{b} - \frac{cfq \log(dx+c)}{d} \right) r \log (((bx + a)^p(dx + c)^q f)^r e)}{f}$$

$$\frac{\left(\frac{2(pq+q^2)cf^2 \log(dx+c)}{d} - \frac{2(bcf^2pq-adf^2pq) \left(\log(bx+a) \log\left(\frac{bdx+ad}{bc-ad}+1\right) + \text{Li}_2\left(-\frac{bdx+ad}{bc-ad}\right) \right)}{bd} \right) + \frac{adf^2p^2 \log(bx+a)^2 + 2bcf^2pq \log(bx+a)}{f^2}}{f^2}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="maxima")`

output `x*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2 - 2*(f*(p + q)*x - a*f*p*log(b*x + a)/b - c*f*q*log(d*x + c)/d)*r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/f - (2*(p*q + q^2)*c*f^2*log(d*x + c)/d - 2*(b*c*f^2*p*q - a*d*f^2*p*q)*(log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/(b*d) + (a*d*f^2*p^2*log(b*x + a)^2 + 2*b*c*f^2*p*q*log(b*x + a)*log(d*x + c) + b*c*f^2*q^2*log(d*x + c)^2 - 2*(p^2 + 2*p*q + q^2)*b*d*f^2*x + 2*(p^2 + p*q)*a*d*f^2*log(b*x + a))/(b*d))*r^2/f^2`

Giac [F]

$$\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \int \log (((bx + a)^p(dx + c)^q f)^r e)^2 dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2 (e(f(a + bx)^p(c + dx)^q)^r) dx = \int \ln (e(f(a + bx)^p(c + dx)^q)^r)^2 dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2, x)`

Reduce [F]

$$\int \log^2(e(f(a+bx)^p(c+dx)^q)^r) dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2,x)`

output

```
( - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a
*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a**2*d*
*2*p**2*q*r - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p +
a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),
x)*a**2*d**2*p*q**2*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e
)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*
d*q*x**2),x)*a*b*c*d*p**2*q*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)*
*(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x
**2 + b*d*q*x**2),x)*a*b*c*d*p*q**2*r - 2*int(log(f**r*(c + d*x)**(q*r)*(a
+ b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x +
b*d*p*x**2 + b*d*q*x**2),x)*b**2*c**2*p**2*q*r - 2*int(log(f**r*(c + d*x)
** (q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x +
b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b**2*c**2*p*q**2*r + 2*log(c + d*x)
*a*d*p**2*q*r**2 + 4*log(c + d*x)*a*d*p*q**2*r**2 + 2*log(c + d*x)*a*d*q**
3*r**2 - 2*log(c + d*x)*b*c*p**2*q*r**2 - 4*log(c + d*x)*b*c*p*q**2*r**2 -
2*log(c + d*x)*b*c*q**3*r**2 + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)
*e)**2*a*d*p + log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2*b*c*q + lo
g(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2*b*d*p*x + log(f**r*(c + d*x)
** (q*r)*(a + b*x)**(p*r)*e)**2*b*d*q*x - 2*log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)*a*d*p**2*r - 4*log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p...
```

3.39
$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

Optimal result	394
Mathematica [A] (verified)	395
Rubi [A] (verified)	396
Maple [F]	410
Fricas [F]	410
Sympy [F]	411
Maxima [F]	411
Giac [F]	411
Mupad [F(-1)]	412
Reduce [F]	412

Optimal result

Integrand size = 31, antiderivative size = 1471

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \text{Too large to display}$$

output

```

2*p*r*ln(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*ln(b*(h*x+g)/(-a*h+b*g))/h
-2*p*r*ln(b*x+a)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*ln(h*x+g)/h-2*p*q*r^2*ln(
(-a*h+b*g)*(d*x+c)/(-c*h+d*g)/(b*x+a))*polylog(2,(-a*h+b*g)*(d*x+c)/(-c*h+
d*g)/(b*x+a))/h+2*p*q*r^2*ln((-a*h+b*g)*(d*x+c)/(-c*h+d*g)/(b*x+a))*polylo
g(2,b*(d*x+c)/d/(b*x+a))/h+2*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)
*ln(d*(h*x+g)/(-c*h+d*g))/h-2*q*r*ln(d*x+c)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)
*ln(h*x+g)/h+ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2*ln(h*x+g)/h-2*q^2*r^2*poly
log(3,-h*(d*x+c)/(-c*h+d*g))/h-2*p^2*r^2*polylog(3,-h*(b*x+a)/(-a*h+b*g))/
h-p*q*r^2*ln((-a*h+b*g)*(d*x+c)/(-c*h+d*g)/(b*x+a))^2*ln(-(-a*d+b*c)*(h*x+
g)/(-c*h+d*g)/(b*x+a))/h+p*q*r^2*ln(-(-a*d+b*c)/d/(b*x+a))*ln((-a*h+b*g)*
(d*x+c)/(-c*h+d*g)/(b*x+a))^2/h-p*q*r^2*ln(-h*(d*x+c)/(-c*h+d*g))^2*ln(d*(h
*x+g)/(-c*h+d*g))/h+p*q*r^2*ln((-a*h+b*g)*(d*x+c)/(-c*h+d*g)/(b*x+a))^2*ln
(b*(h*x+g)/(-a*h+b*g))/h+p*q*r^2*ln(-h*(d*x+c)/(-c*h+d*g))^2*ln(b*(h*x+g)/
(-a*h+b*g))/h-q^2*r^2*ln(d*x+c)^2*ln(d*(h*x+g)/(-c*h+d*g))/h+q^2*r^2*ln(d*
x+c)^2*ln(h*x+g)/h-p^2*r^2*ln(b*x+a)^2*ln(b*(h*x+g)/(-a*h+b*g))/h+p^2*r^2*
ln(b*x+a)^2*ln(h*x+g)/h-2*p*q*r^2*ln(b*x+a)*ln(d*x+c)*ln(d*(h*x+g)/(-c*h+d
*g))/h+2*p*q*r^2*ln(b*x+a)*ln(d*x+c)*ln(h*x+g)/h+2*p*q*r^2*ln(-h*(d*x+c)/
(-c*h+d*g))*ln((-a*h+b*g)*(d*x+c)/(-c*h+d*g)/(b*x+a))*ln(d*(h*x+g)/(-c*h+d
*g))/h-2*p*q*r^2*ln(-h*(d*x+c)/(-c*h+d*g))*ln((-a*h+b*g)*(d*x+c)/(-c*h+d*g)
/(b*x+a))*ln(b*(h*x+g)/(-a*h+b*g))/h+2*p*q*r^2*ln(b*x+a)*ln(-h*(d*x+c)/...

```

Mathematica [A] (verified)

Time = 0.34 (sec) , antiderivative size = 1370, normalized size of antiderivative = 0.93

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \text{Too large to display}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x),x]
```

output

```
(p*q*r^2*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*g - a*h)*(c + d*x))/((d
*g - c*h)*(a + b*x))]^2 + p^2*r^2*Log[a + b*x]^2*Log[g + h*x] + 2*p*q*r^2*
Log[a + b*x]*Log[c + d*x]*Log[g + h*x] + q^2*r^2*Log[c + d*x]^2*Log[g + h*
x] - 2*p*r*Log[a + b*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]*Log[g + h*x]
- 2*q*r*Log[c + d*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]*Log[g + h*x] + L
og[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2*Log[g + h*x] - p^2*r^2*Log[a + b*x]^
2*Log[(b*(g + h*x))/(b*g - a*h)] - 2*p*q*r^2*Log[a + b*x]*Log[(h*(c + d*x)
)/(-(d*g) + c*h)]*Log[(b*(g + h*x))/(b*g - a*h)] + p*q*r^2*Log[(h*(c + d*x)
)/(-(d*g) + c*h)]^2*Log[(b*(g + h*x))/(b*g - a*h)] - 2*p*q*r^2*Log[(h*(c
+ d*x))/(-(d*g) + c*h)]*Log[((b*g - a*h)*(c + d*x))/((d*g - c*h)*(a + b*x)
)]*Log[(b*(g + h*x))/(b*g - a*h)] + p*q*r^2*Log[((b*g - a*h)*(c + d*x))/((
d*g - c*h)*(a + b*x))]^2*Log[(b*(g + h*x))/(b*g - a*h)] + 2*p*r*Log[a + b*
x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]*Log[(b*(g + h*x))/(b*g - a*h)] - 2
*p*q*r^2*Log[a + b*x]*Log[c + d*x]*Log[(d*(g + h*x))/(d*g - c*h)] - q^2*r^
2*Log[c + d*x]^2*Log[(d*(g + h*x))/(d*g - c*h)] + 2*p*q*r^2*Log[a + b*x]*L
og[(h*(c + d*x))/(-(d*g) + c*h)]*Log[(d*(g + h*x))/(d*g - c*h)] - p*q*r^2*
Log[(h*(c + d*x))/(-(d*g) + c*h)]^2*Log[(d*(g + h*x))/(d*g - c*h)] + 2*p*q
*r^2*Log[(h*(c + d*x))/(-(d*g) + c*h)]*Log[((b*g - a*h)*(c + d*x))/((d*g -
c*h)*(a + b*x))] *Log[(d*(g + h*x))/(d*g - c*h)] + 2*q*r*Log[c + d*x]*Log[
e*(f*(a + b*x)^p*(c + d*x)^q]^r]*Log[(d*(g + h*x))/(d*g - c*h)] - p*q*r...
```

Rubi [A] (verified)

Time = 5.84 (sec) , antiderivative size = 2728, normalized size of antiderivative = 1.85, number of steps used = 18, number of rules used = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.548$, Rules used = {2983, 2986, 2841, 2840, 2838, 2881, 2822, 27, 2754, 2821, 2890, 2887, 2841, 27, 2752, 2885, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx$$

↓ 2983

$$-\frac{2bpr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) \log(g+hx)}{a+bx} dx}{h \log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)} - \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) \log(g+hx)}{c+dx} dx}{h \log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)} +$$

↓ 2986

$$\frac{2bpr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \int \frac{\log(g+hx)}{a+bx} dx \right) + \int \frac{\log((c+dx)^{qr})}{a+bx}}{2dqr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \int \frac{\log(g+hx)}{c+dx} dx \right) + \int \frac{\log((a+bx)^{pr})}{c+dx}}$$

$$\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}$$

↓ 2841

$$\frac{2bpr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \left(\frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \int \frac{\log(g+hx)}{bg-ah} dx \right) \right)}{2dqr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \left(\frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \int \frac{\log(g+hx)}{dg-ch} dx \right) \right)}$$

$$\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}$$

↓ 2840

$$\frac{2bpr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \left(\frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \int \frac{\log(g+hx)}{bg-ah} dx \right) \right)}{2dqr \left(- \left(-\log(e(f(a+bx)^p(c+dx)^q)^r) + \log((a+bx)^{pr}) + \log((c+dx)^{qr}) \right) \left(\frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \int \frac{\log(g+hx)}{dg-ch} dx \right) \right)}$$

$$\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}$$

↓ 2838

$$\begin{aligned}
 & 2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \int \frac{\log((a+bx)^{pr}) \log(g+hx)}{a+bx} dx - \left(\left(\frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} + \frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} \right) \right) \right) \\
 & \hline
 & 2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \int \frac{\log((c+dx)^{qr}) \log(g+hx)}{c+dx} dx - \left(\left(\frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} + \frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} \right) \right) \right) \\
 & \hline
 & \frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h} \\
 & \quad \downarrow \text{2881} \\
 & 2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \frac{\int \frac{\log((a+bx)^{pr}) \log\left(g - \frac{ah}{b} + \frac{h(a+bx)}{b}\right)}{a+bx} d(a+bx)}{b} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} + \frac{\log(g+hx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} \right) \right) \right) \\
 & \hline
 & 2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \frac{\int \frac{\log((c+dx)^{qr}) \log\left(g - \frac{ch}{d} + \frac{h(c+dx)}{d}\right)}{c+dx} d(c+dx)}{d} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} + \frac{\log(g+hx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} \right) \right) \right) \\
 & \hline
 & \frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h} \\
 & \quad \downarrow \text{2822} \\
 & 2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \frac{\log\left(\frac{h(c+dx)}{d} - \frac{ch}{d} + g\right) \log^2((c+dx)^{qr})}{2qr} - \frac{h \int \frac{d \log^2((c+dx)^{qr})}{d\left(g - \frac{ch}{d}\right) + h(c+dx)} d(c+dx)}{2dqr} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} \right) \right) \right) \\
 & \hline
 & 2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \frac{\log\left(\frac{h(a+bx)}{b} - \frac{ah}{b} + g\right) \log^2((a+bx)^{pr})}{2pr} - \frac{h \int \frac{b \log^2((a+bx)^{pr})}{b\left(g - \frac{ah}{b}\right) + h(a+bx)} d(a+bx)}{2bpr} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} \right) \right) \right) \\
 & \hline
 & \frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h} \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\frac{2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \frac{\log\left(\frac{h(c+dx)}{d} - \frac{ch}{d} + g\right) \log^2((c+dx)^{qr})}{2qr} - \frac{h \int \frac{\log^2((c+dx)^{qr})}{dg-ch+h(c+dx)} d(c+dx)}{2qr} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} + \dots \right) \right)}{h} \right)}{2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \frac{\log\left(\frac{h(a+bx)}{b} - \frac{ah}{b} + g\right) \log^2((a+bx)^{pr})}{2pr} - \frac{h \int \frac{\log^2((a+bx)^{pr})}{bg-ah+h(a+bx)} d(a+bx)}{2pr} - \left(\left(\frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} + \dots \right) \right)}{h} \right)}{\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}}$$

↓ 2754

$$\frac{2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \frac{\log\left(\frac{h(a+bx)}{b} - \frac{ah}{b} + g\right) \log^2((a+bx)^{pr})}{2pr} - \frac{h \left(\frac{\log\left(\frac{h(a+bx)}{bg-ah} + 1\right) \log^2((a+bx)^{pr})}{h} - 2pr \int \frac{\log((a+bx)^{pr}) \log\left(\frac{c+bx}{a+bx}\right)}{a+bx} \right)}{2pr}}{b} \right)}{2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \frac{\log\left(\frac{h(c+dx)}{d} - \frac{ch}{d} + g\right) \log^2((c+dx)^{qr})}{2qr} - \frac{h \left(\frac{\log\left(\frac{h(c+dx)}{dg-ch} + 1\right) \log^2((c+dx)^{qr})}{h} - 2qr \int \frac{\log((c+dx)^{qr}) \log\left(\frac{h(c+dx)}{dg-ch}\right)}{c+dx} \right)}{2qr}}{d} \right)}{\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}}$$

↓ 2821

$$2bpr \left(\int \frac{\log((c+dx)^{qr}) \log(g+hx)}{a+bx} dx + \frac{\log\left(\frac{h(a+bx)}{b} - \frac{ah}{b} + g\right) \log^2((a+bx)^{pr})}{2pr} - \frac{h \left(\frac{\log\left(\frac{h(a+bx)}{bg-ah} + 1\right) \log^2((a+bx)^{pr})}{h} - 2pr \int \frac{\text{PolyLog}\left(2, -\frac{h(a+bx)}{a+bx}\right)}{a+bx} \right)}{b} \right)$$

$$2dqr \left(\int \frac{\log((a+bx)^{pr}) \log(g+hx)}{c+dx} dx + \frac{\log\left(\frac{h(c+dx)}{d} - \frac{ch}{d} + g\right) \log^2((c+dx)^{qr})}{2qr} - \frac{h \left(\frac{\log\left(\frac{h(c+dx)}{dg-ch} + 1\right) \log^2((c+dx)^{qr})}{h} - 2qr \int \frac{\text{PolyLog}\left(2, -\frac{h(c+dx)}{c+dx}\right)}{c+dx} \right)}{d} \right)$$

$$\frac{\log(g+hx) \log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h}$$

↓ 2890

$$2bpr \left(\int \frac{\log\left(\left(c - \frac{ad}{b} + \frac{d(a+bx)}{b}\right)^{qr}\right) \log\left(g - \frac{ah}{b} + \frac{h(a+bx)}{b}\right)}{a+bx} d(a+bx) + \frac{\log\left(\frac{h(a+bx)}{b} - \frac{ah}{b} + g\right) \log^2((a+bx)^{pr})}{2pr} - \frac{\log\left(\frac{h(a+bx)}{bg-ah} + 1\right) \log^2((a+bx)^{pr})}{h} \right)$$

$$2dqr \left(\int \frac{\log\left(\left(a + \frac{b(c+dx)}{d} - \frac{bc}{d}\right)^{pr}\right) \log\left(g - \frac{ch}{d} + \frac{h(c+dx)}{d}\right)}{c+dx} d(c+dx) + \frac{\log\left(\frac{h(c+dx)}{d} - \frac{ch}{d} + g\right) \log^2((c+dx)^{qr})}{2qr} - \frac{\log\left(\frac{h(c+dx)}{dg-ch} + 1\right) \log^2((c+dx)^{qr})}{h} \right)$$

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h}$$

↓ 2887

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{b} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{d} \right) \right)$$

↓ 2841

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{b} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{d} \right) \right)$$

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{b} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{d} \right) \right)$$

↓ 2752

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{b} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{d} \right) \right)$$

↓ 2885

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{\dots} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{\dots} \right) \right)$$

↓ 7143

$$\frac{\log(g + hx) \log^2(e(f(a + bx)^p(c + dx)^q)^r)}{h} -$$

$$2bpr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(g+hx)}{b} + \frac{\text{PolyLog}}{\dots} \right) \right)$$

$$2dqr \left(\left(\log((a + bx)^{pr}) + \log((c + dx)^{qr}) - \log(e(f(a + bx)^p(c + dx)^q)^r) \right) \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(g+hx)}{d} + \frac{\text{PolyLog}}{\dots} \right) \right)$$

input Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2/(g + h*x),x]

output

$$\begin{aligned}
& (\text{Log}[e^{*(f*(a + b*x)^p*(c + d*x)^q)^r}]^2 * \text{Log}[g + h*x])/h - (2*b*p*r*(-((\text{Log} \\
& [(a + b*x)^{(p*r)}] + \text{Log}[(c + d*x)^{(q*r)}] - \text{Log}[e^{*(f*(a + b*x)^p*(c + d*x)^q} \\
&]^r)) * ((\text{Log}[-(h*(a + b*x))/(b*g - a*h)]) * \text{Log}[g + h*x])/b + \text{PolyLog}[2, (b \\
& *(g + h*x))/(b*g - a*h)/b)) + ((\text{Log}[(a + b*x)^{(p*r)}]^2 * \text{Log}[g - (a*h)/b + \\
& (h*(a + b*x))/b])/(2*p*r) - (h*((\text{Log}[(a + b*x)^{(p*r)}]^2 * \text{Log}[1 + (h*(a + b* \\
& x))/(b*g - a*h)])/h - (2*p*r*(-(\text{Log}[(a + b*x)^{(p*r)}] * \text{PolyLog}[2, -(h*(a + \\
& b*x))/(b*g - a*h)])) + p*r * \text{PolyLog}[3, -(h*(a + b*x))/(b*g - a*h)])))/ \\
& (2*p*r))/b + (-((q*r * \text{Log}[c - (a*d)/b + (d*(a + b*x))/b] - \text{Log}[(c - (a*d)/b \\
& + (d*(a + b*x))/b]^{(q*r)})) * (\text{Log}[-(h*(a + b*x))/(b*g - a*h)]) * \text{Log}[g - (a* \\
& h)/b + (h*(a + b*x))/b] + \text{PolyLog}[2, 1 + (h*(a + b*x))/(b*g - a*h)])) + q* \\
& r * ((\text{Log}[-(d*(a + b*x))/(b*c - a*d)] + \text{Log}[(b*(d*g - c*h))/(d*(b*(g - (a \\
& *h)/b) + h*(a + b*x))]) - \text{Log}[-(b*(d*g - c*h)*(a + b*x))/((b*c - a*d)*(b* \\
& (g - (a*h)/b) + h*(a + b*x))]) * \text{Log}[(b*c - a*d)*(b*(g - (a*h)/b) + h*(a \\
& + b*x))/((b*g - a*h)*(b*(c - (a*d)/b) + d*(a + b*x))]^2)/2 - ((\text{Log}[-(d* \\
& (a + b*x))/(b*c - a*d)] - \text{Log}[-(h*(a + b*x))/(b*g - a*h)]) * (\text{Log}[c - (a* \\
& d)/b + (d*(a + b*x))/b] + \text{Log}[(b*c - a*d)*(b*(g - (a*h)/b) + h*(a + b*x)) \\
&]/((b*g - a*h)*(b*(c - (a*d)/b) + d*(a + b*x))]^2)/2 + \text{Log}[-(d*(a + b*x) \\
&)/(b*c - a*d)] * \text{Log}[c - (a*d)/b + (d*(a + b*x))/b] * \text{Log}[g - (a*h)/b + (h*(\\
& a + b*x))/b] - (\text{Log}[(b*c - a*d)*(b*(g - (a*h)/b) + h*(a + b*x))/((b*g - \\
& a*h)*(b*(c - (a*d)/b) + d*(a + b*x))] - \text{Log}[g - (a*h)/b + (h*(a + b*x)...
\end{aligned}$$

Defintions of rubi rules used

rule 27

$$\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \quad \text{Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$$

rule 2752

$$\text{Int}[\text{Log}[(c_*)(x_)]/((d_) + (e_*)(x_)), x_Symbol] \rightarrow \text{Simp}[(-e^{-1}) * \text{PolyLog}[2, 1 - c*x], x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$$

rule 2754

$$\begin{aligned}
& \text{Int}[(a_.) + \text{Log}[(c_*)(x_)^{(n_.)}] * (b_.)^{(p_.)}/((d_) + (e_*)(x_)), x_Symbol] \\
& \rightarrow \text{Simp}[\text{Log}[1 + e*(x/d)] * ((a + b * \text{Log}[c*x^n])^p/e), x] - \text{Simp}[b^n * (p/e) \\
& \quad \text{Int}[\text{Log}[1 + e*(x/d)] * ((a + b * \text{Log}[c*x^n])^{(p-1)}/x), x], x] /; \text{FreeQ}[\{a, \\
& b, c, d, e, n\}, x] \ \&\& \ \text{IGtQ}[p, 0]
\end{aligned}$$

rule 2821 $\text{Int}[(\text{Log}[(d_)*(e_)+(f_)*(x_)^{(m_)}])*(a_)+\text{Log}[(c_)*(x_)^{(n_)}](b_)]^{(p_)}(x_), x_Symbol] \rightarrow \text{Simp}[(-\text{PolyLog}[2, (-d)*f*x^m])*(a+b*\text{Log}[c*x^n])^{p/m}, x] + \text{Simp}[b*n*(p/m) \text{Int}[\text{PolyLog}[2, (-d)*f*x^m]*(a+b*\text{Log}[c*x^n])^{p-1}/x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[d*e, 1]$

rule 2822 $\text{Int}[(\text{Log}[(d_)*(e_)+(f_)*(x_)^{(m_)}])^{(r_)}*(a_)+\text{Log}[(c_)*(x_)^{(n_)}](b_)]^{(p_)}(x_), x_Symbol] \rightarrow \text{Simp}[\text{Log}[d*(e+f*x^m)^r]*(a+b*\text{Log}[c*x^n])^{p+1}/(b*n*(p+1)), x] - \text{Simp}[f*m*(r/(b*n*(p+1))) \text{Int}[x^{m-1}*(a+b*\text{Log}[c*x^n])^{p+1}/(e+f*x^m)], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, r, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{NeQ}[d*e, 1]$

rule 2838 $\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

rule 2840 $\text{Int}[(a_)+\text{Log}[(c_)*((d_)+(e_)*(x_))]*(b_)]/((f_)+(g_)*(x_)), x_Symbol] \rightarrow \text{Simp}[1/g \text{Subst}[\text{Int}[(a+b*\text{Log}[1+c*e*(x/g)])]/x, x], x, f+g*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[e*f-d*g, 0] \&\& \text{EqQ}[g+c*(e*f-d*g), 0]$

rule 2841 $\text{Int}[(a_)+\text{Log}[(c_)*((d_)+(e_)*(x_))^{(n_)}](b_)]/((f_)+(g_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[e*((f+g*x)/(e*f-d*g))]*(a+b*\text{Log}[c*(d+e*x)^n])/g, x] - \text{Simp}[b*e*(n/g) \text{Int}[\text{Log}[(e*(f+g*x))/(e*f-d*g)]/(d+e*x)], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n\}, x] \&\& \text{NeQ}[e*f-d*g, 0]$

rule 2881 $\text{Int}[(a_)+\text{Log}[(c_)*((d_)+(e_)*(x_))^{(n_)}](b_)]^{(p_)}((f_)+\text{Log}[(h_)*((i_)+(j_)*(x_))^{(m_)}](g_))*((k_)+(l_)*(x_))^{(r_)}, x_Symbol] \rightarrow \text{Simp}[1/e \text{Subst}[\text{Int}[(k*(x/d))^r*(a+b*\text{Log}[c*x^n])^p*(f+g*\text{Log}[h*((e*i-d*j)/e+j*(x/e))^m]), x], x, d+e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \&\& \text{EqQ}[e*k-d*l, 0]$

rule 2885

```

Int[(Log[(a_) + (b_)*(x_)]*Log[(c_) + (d_)*(x_)])/(x_), x_Symbol] := Simp
[Log[(-b)*(x/a)]*Log[a + b*x]*Log[c + d*x], x] + (Simp[(1/2)*(Log[(-b)*(x/a)
]) - Log[(-b*c - a*d)*(x/(a*(c + d*x)))] + Log[(b*c - a*d)/(b*(c + d*x))]
)*Log[a*((c + d*x)/(c*(a + b*x)))]^2, x] - Simp[(1/2)*(Log[(-b)*(x/a)] - Lo
g[(-d)*(x/c)]*(Log[a + b*x] + Log[a*((c + d*x)/(c*(a + b*x)))]^2, x] + Si
mp[(Log[c + d*x] - Log[a*((c + d*x)/(c*(a + b*x)))])*PolyLog[2, 1 + b*(x/a)
], x] + Simp[(Log[a + b*x] + Log[a*((c + d*x)/(c*(a + b*x)))])*PolyLog[2, 1
+ d*(x/c)], x] + Simp[Log[a*((c + d*x)/(c*(a + b*x)))]*PolyLog[2, c*((a +
b*x)/(a*(c + d*x)))]], x] - Simp[Log[a*((c + d*x)/(c*(a + b*x)))]*PolyLog[2,
d*((a + b*x)/(b*(c + d*x)))]], x] - Simp[PolyLog[3, 1 + b*(x/a)], x] - Simp
[PolyLog[3, 1 + d*(x/c)], x] + Simp[PolyLog[3, c*((a + b*x)/(a*(c + d*x)))]
, x] - Simp[PolyLog[3, d*((a + b*x)/(b*(c + d*x)))]], x]) /; FreeQ[{a, b, c,
d}, x] && NeQ[b*c - a*d, 0]

```

rule 2887

```

Int[(Log[(c_)*((d_) + (e_)*(x_))^(n_)]*Log[(h_)*((i_) + (j_)*(x_))^(m
_)])/ (x_), x_Symbol] := Simp[m Int[Log[i + j*x]*(Log[c*(d + e*x)^n]/x),
x], x] - Simp[(m*Log[i + j*x] - Log[h*(i + j*x)^m]) Int[Log[c*(d + e*x)^n
]/x, x], x] /; FreeQ[{c, d, e, h, i, j, m, n}, x] && NeQ[e*i - d*j, 0] && N
eQ[i + j*x, h*(i + j*x)^m]

```

rule 2890

```

Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)]*(b_))*((f_) + Log[(h_)
*((i_) + (j_)*(x_))^(m_)]*(g_))*((k_) + (l_)*(x_))^(r_), x_Symbol] :=
Simp[1/l Subst[Int[x^r*(a + b*Log[c*(-(e*k - d*l)/l + e*(x/l))^n])*(f +
g*Log[h*(-(j*k - i*l)/l + j*(x/l))^m]), x], x, k + l*x], x] /; FreeQ[{a, b,
c, d, e, f, g, h, i, j, k, l, m, n}, x] && IntegerQ[r]

```

rule 2983

```

Int[Log[(e_)*((f_)*((a_) + (b_)*(x_))^(p_))*((c_) + (d_)*(x_))^(q_))
^(r_)]^2/((g_) + (h_)*(x_)), x_Symbol] := Simp[Log[g + h*x]*(Log[e*(f*(a
+ b*x)^p*(c + d*x)^q]^2/h), x] + (-Simp[2*b*p*(r/h) Int[Log[g + h*x]*
(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(a + b*x)], x], x] - Simp[2*d*q*(r/h)
Int[Log[g + h*x]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(c + d*x)], x], x
]) /; FreeQ[{a, b, c, d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0]

```

rule 2986

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.)
)^(r_.)]*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.)))/((j_.) + (k
_.)*(x_)), x_Symbol] := Simp[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] - Log[(a
+ b*x)^(p*r)] - Log[(c + d*x)^(q*r)]) Int[(s + t*Log[i*(g + h*x)^n])/(j
+ k*x), x], x] + (Int[(Log[(a + b*x)^(p*r)]*(s + t*Log[i*(g + h*x)^n])/(j
+ k*x), x] + Int[(Log[(c + d*x)^(q*r)]*(s + t*Log[i*(g + h*x)^n])/(j + k*x
), x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, n, p, q, r}, x] &&
NeQ[b*c - a*d, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{hx+g} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g),x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g),x)
```

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{hx+g} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g),x, algorithm="fricas"
)
```

output

```
integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g), x)
```

Sympy [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)^2}{g+hx} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(h*x+g),x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)**2/(g + h*x), x)`

Maxima [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{hx+g} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g),x, algorithm="maxima")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g), x)`

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{hx+g} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g),x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{g+hx} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x), x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x), x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g), x)`

output

```
(3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a**2*c*d*g*h*q +
a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + a*b*c**2*g
*h*p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a*b*c*d*g*h
*p*x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*x**2 + a*b
*d**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b*d**2*g*h
q*x**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h**2*p*x**2
+ b**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2 + b**2*c*d
*g*h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**2*d**2*g**
2*q*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*c*d**2*h**
2*q**2*r - 3*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(a**2*c*
d*g*h*q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 +
a*b*c**2*g*h*p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a
*b*c*d*g*h*p*x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*
x**2 + a*b*d**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b
*d**2*g*h*q*x**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h
**2*p*x**2 + b**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2
+ b**2*c*d*g*h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**
2*d**2*g**2*q*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*
d**3*g*h*q**2*r + 6*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)**2/(
a**2*c*d*g*h*q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2...
```

$$3.40 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$$

Optimal result	415
Mathematica [B] (verified)	416
Rubi [A] (verified)	417
Maple [F]	422
Fricas [F]	422
Sympy [F(-1)]	423
Maxima [A] (verification not implemented)	423
Giac [F]	424
Mupad [F(-1)]	424
Reduce [F]	424

Optimal result

Integrand size = 31, antiderivative size = 832

$$\begin{aligned}
& \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx \\
&= \frac{2bpqr^2 \log\left(-\frac{d(a+bx)}{bc-ad}\right) \log(c+dx)}{h(bg-ah)} + \frac{2dpqr^2 \log(a+bx) \log\left(\frac{b(c+dx)}{bc-ad}\right)}{h(dg-ch)} \\
&\quad - \frac{2bpr \log(a+bx) (pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r))}{h(bg-ah)} \\
&\quad - \frac{2dqr \log(c+dx) (pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r))}{h(dg-ch)} \\
&\quad - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)} \\
&\quad + \frac{2bpr(pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r)) \log(g+hx)}{h(bg-ah)} \\
&\quad + \frac{2dqr(pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r)) \log(g+hx)}{h(dg-ch)} \\
&\quad - \frac{2dpqr^2 \log(a+bx) \log\left(\frac{b(g+hx)}{bg-ah}\right)}{h(dg-ch)} - \frac{2bpqr^2 \log(c+dx) \log\left(\frac{d(g+hx)}{dg-ch}\right)}{h(bg-ah)} \\
&\quad - \frac{2bp^2r^2 \log(a+bx) \log\left(1 + \frac{bg-ah}{h(a+bx)}\right)}{h(bg-ah)} - \frac{2dq^2r^2 \log(c+dx) \log\left(1 + \frac{dg-ch}{h(c+dx)}\right)}{h(dg-ch)} \\
&\quad + \frac{2bp^2r^2 \text{PolyLog}\left(2, -\frac{bg-ah}{h(a+bx)}\right)}{h(bg-ah)} + \frac{2dpqr^2 \text{PolyLog}\left(2, -\frac{d(a+bx)}{bc-ad}\right)}{h(dg-ch)} \\
&\quad - \frac{2dpqr^2 \text{PolyLog}\left(2, -\frac{h(a+bx)}{bg-ah}\right)}{h(dg-ch)} + \frac{2dq^2r^2 \text{PolyLog}\left(2, -\frac{dg-ch}{h(c+dx)}\right)}{h(dg-ch)} \\
&\quad + \frac{2bpqr^2 \text{PolyLog}\left(2, \frac{b(c+dx)}{bc-ad}\right)}{h(bg-ah)} - \frac{2bpqr^2 \text{PolyLog}\left(2, -\frac{h(c+dx)}{dg-ch}\right)}{h(bg-ah)}
\end{aligned}$$

output

```

2*b*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/h/(-a*h+b*g)+2*d*p*q*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/h/(-c*h+d*g)-2*b*p*r*ln(b*x+a)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/h/(-a*h+b*g)-2*d*q*r*ln(d*x+c)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/h/(-c*h+d*g)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/h/(h*x+g)+2*b*p*r*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))*ln(h*x+g)/h/(-a*h+b*g)+2*d*q*r*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))*ln(h*x+g)/h/(-c*h+d*g)-2*d*p*q*r^2*ln(b*x+a)*ln(b*(h*x+g)/(-a*h+b*g))/h/(-c*h+d*g)-2*b*p*q*r^2*ln(d*x+c)*ln(d*(h*x+g)/(-c*h+d*g))/h/(-a*h+b*g)-2*b*p^2*r^2*ln(b*x+a)*ln(1+(-a*h+b*g)/h/(b*x+a))/h/(-a*h+b*g)-2*d*q^2*r^2*ln(d*x+c)*ln(1+(-c*h+d*g)/h/(d*x+c))/h/(-c*h+d*g)+2*b*p^2*r^2*polylog(2,-(-a*h+b*g)/h/(b*x+a))/h/(-a*h+b*g)+2*d*p*q*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*c))/h/(-c*h+d*g)-2*d*p*q*r^2*polylog(2,-h*(b*x+a)/(-a*h+b*g))/h/(-c*h+d*g)+2*d*q^2*r^2*polylog(2,-(-c*h+d*g)/h/(d*x+c))/h/(-c*h+d*g)+2*b*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/h/(-a*h+b*g)-2*b*p*q*r^2*polylog(2,-h*(d*x+c)/(-c*h+d*g))/h/(-a*h+b*g)

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 2930 vs. $2(832) = 1664$.

Time = 0.95 (sec) , antiderivative size = 2930, normalized size of antiderivative = 3.52

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \text{Result too large to show}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x)^2,x]
```

output

```
(-(b*d*g^2*p^2*r^2*Log[a + b*x]^2) + b*c*g*h*p^2*r^2*Log[a + b*x]^2 - b*d*
g*h*p^2*r^2*x*Log[a + b*x]^2 + b*c*h^2*p^2*r^2*x*Log[a + b*x]^2 - 2*b*d*g^
2*p*q*r^2*Log[a + b*x]*Log[c + d*x] + 2*a*d*g*h*p*q*r^2*Log[a + b*x]*Log[c
+ d*x] - 2*b*d*g*h*p*q*r^2*x*Log[a + b*x]*Log[c + d*x] + 2*a*d*h^2*p*q*r^
2*x*Log[a + b*x]*Log[c + d*x] - b*d*g^2*q^2*r^2*Log[c + d*x]^2 + a*d*g*h*q
^2*r^2*Log[c + d*x]^2 - b*d*g*h*q^2*r^2*x*Log[c + d*x]^2 + a*d*h^2*q^2*r^2
*x*Log[c + d*x]^2 + 2*b*c*g*h*p*q*r^2*Log[a + b*x]*Log[(h*(c + d*x))/(-(d*
g) + c*h)] - 2*a*d*g*h*p*q*r^2*Log[a + b*x]*Log[(h*(c + d*x))/(-(d*g) + c*
h)] + 2*b*c*h^2*p*q*r^2*x*Log[a + b*x]*Log[(h*(c + d*x))/(-(d*g) + c*h)] -
2*a*d*h^2*p*q*r^2*x*Log[a + b*x]*Log[(h*(c + d*x))/(-(d*g) + c*h)] - b*c*
g*h*p*q*r^2*Log[(h*(c + d*x))/(-(d*g) + c*h)]^2 + a*d*g*h*p*q*r^2*Log[(h*(
c + d*x))/(-(d*g) + c*h)]^2 - b*c*h^2*p*q*r^2*x*Log[(h*(c + d*x))/(-(d*g)
+ c*h)]^2 + a*d*h^2*p*q*r^2*x*Log[(h*(c + d*x))/(-(d*g) + c*h)]^2 + 2*b*c*
g*h*p*q*r^2*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*g - a*h)*(c + d*x))/
((d*g - c*h)*(a + b*x))] - 2*a*d*g*h*p*q*r^2*Log[(-(b*c) + a*d)/(d*(a + b*
x))]*Log[((b*g - a*h)*(c + d*x))/((d*g - c*h)*(a + b*x))] + 2*b*c*h^2*p*q*
r^2*x*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*g - a*h)*(c + d*x))/((d*g
- c*h)*(a + b*x))] - 2*a*d*h^2*p*q*r^2*x*Log[(-(b*c) + a*d)/(d*(a + b*x))
]*Log[((b*g - a*h)*(c + d*x))/((d*g - c*h)*(a + b*x))] + 2*b*c*g*h*p*q*r^2*
Log[(h*(c + d*x))/(-(d*g) + c*h)]*Log[((b*g - a*h)*(c + d*x))/((d*g - c...
```

Rubi [A] (verified)

Time = 1.91 (sec) , antiderivative size = 644, normalized size of antiderivative = 0.77, number of steps used = 11, number of rules used = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$, Rules used = {2984, 2993, 47, 16, 2858, 27, 2779, 2838, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx$$

$$\downarrow 2984$$

$$\frac{2bpr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(g+hx)} dx}{h} + \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(c+dx)(g+hx)} dx}{h} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

↓ 2993

$$\frac{2bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(a+bx)(g+hx)} dx \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx \right)}{h} + \frac{2dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(c+dx)(g+hx)} dx \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

↓ 47

$$\frac{2bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \left(\frac{b \int \frac{1}{a+bx} dx}{bg-ah} - \frac{h \int \frac{1}{g+hx} dx}{bg-ah} \right) \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx \right)}{h} + \frac{2dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \left(\frac{d \int \frac{1}{c+dx} dx}{dg-ch} - \frac{h \int \frac{1}{g+hx} dx}{dg-ch} \right) \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

↓ 16

$$\frac{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx + pr \int \frac{\log(a+bx)}{(a+bx)(g+hx)} dx - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \int \frac{\log(a+bx)}{(a+bx)(g+hx)} dx \right) \right)}{h} + \frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx + qr \int \frac{\log(c+dx)}{(c+dx)(g+hx)} dx - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

↓ 2858

$$\frac{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx + \frac{pr \int \frac{b \log(a+bx)}{(a+bx)(b(g-\frac{ah}{b})+h(a+bx))} d(a+bx)}{b} - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \int \frac{\log(a+bx)}{(a+bx)(g+hx)} dx \right) \right)}{h} + \frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx + \frac{qr \int \frac{d \log(c+dx)}{(c+dx)(d(g-\frac{ch}{d})+h(c+dx))} d(c+dx)}{d} - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

↓ 27

$$\frac{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx + pr \int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx) - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) \right)}{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx + qr \int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx) - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) \right)} \right. \\ \left. \frac{\log^2(e(f(a+bx))^p(c+dx)^q)^r}{h(g+hx)} \right)$$

↓ 2779

$$\frac{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx + pr \left(\int \frac{\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} d(a+bx) - \frac{\log(a+bx) \log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} \right) - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) \right)}{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx + qr \left(\int \frac{\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} d(c+dx) - \frac{\log(c+dx) \log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} \right) - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) \right)} \right) \\ \frac{\log^2(e(f(a+bx))^p(c+dx)^q)^r}{h(g+hx)}$$

↓ 2838

$$\frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right)}{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right)} \right) \\ \frac{\log^2(e(f(a+bx))^p(c+dx)^q)^r}{h(g+hx)}$$

↓ 2865

$$\frac{2dqr \left(pr \int \left(\frac{d \log(a+bx)}{(dg-ch)(c+dx)} - \frac{h \log(a+bx)}{(dg-ch)(g+hx)} \right) dx - \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right)}{2bpr \left(qr \int \left(\frac{b \log(c+dx)}{(bg-ah)(a+bx)} - \frac{h \log(c+dx)}{(bg-ah)(g+hx)} \right) dx - \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx))^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx) \right)} \right) \\ \frac{\log^2(e(f(a+bx))^p(c+dx)^q)^r}{h(g+hx)}$$

↓ 2009

$$\frac{2dqr \left(- \left(\left(\frac{\log(c+dx)}{dg-ch} - \frac{\log(g+hx)}{dg-ch} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \right) + pr \left(\frac{\text{Poly}}{\dots} \right) \right)}{2bpr \left(- \left(\left(\frac{\log(a+bx)}{bg-ah} - \frac{\log(g+hx)}{bg-ah} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \right) + qr \left(\frac{\text{Poly}}{\dots} \right) \right)}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{h(g+hx)}$$

input

```
Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x)^2,x]
```

output

```
-(Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(h*(g + h*x))) + (2*d*q*r*(-((p*r
*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])*(
Log[c + d*x]/(d*g - c*h) - Log[g + h*x]/(d*g - c*h))) + p*r*((Log[a + b*x]
*Log[(b*(c + d*x))/(b*c - a*d)]/(d*g - c*h) - (Log[a + b*x]*Log[(b*(g + h
*x))/(b*g - a*h)]/(d*g - c*h) + PolyLog[2, -((d*(a + b*x))/(b*c - a*d)]/
(d*g - c*h) - PolyLog[2, -((h*(a + b*x))/(b*g - a*h)]/(d*g - c*h)) + q*r*
(-((Log[c + d*x]*Log[1 + (d*g - c*h)/(h*(c + d*x))])/(d*g - c*h) + PolyLo
g[2, -((d*g - c*h)/(h*(c + d*x)))]/(d*g - c*h))))/h + (2*b*p*r*(-((p*r*Log
[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])*(Log[
a + b*x]/(b*g - a*h) - Log[g + h*x]/(b*g - a*h))) + p*r*(-((Log[a + b*x]*L
og[1 + (b*g - a*h)/(h*(a + b*x))])/(b*g - a*h) + PolyLog[2, -((b*g - a*h)
/(h*(a + b*x)))]/(b*g - a*h) + q*r*((Log[-((d*(a + b*x))/(b*c - a*d)]*Lo
g[c + d*x])/(b*g - a*h) - (Log[c + d*x]*Log[(d*(g + h*x))/(d*g - c*h)]/(b
*g - a*h) + PolyLog[2, (b*(c + d*x))/(b*c - a*d)]/(b*g - a*h) - PolyLog[2,
-((h*(c + d*x))/(d*g - c*h))]/(b*g - a*h))))/h
```

Defintions of rubi rules used

rule 16

```
Int[(c_)/((a_) + (b_)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]
```

- rule 47 $\text{Int}[1/((a_.) + (b_.)*(x_.))*((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[b/(b*c - a*d) \text{Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \text{Int}[1/(c + d*x), x], x] /;$ $\text{FreeQ}\{a, b, c, d\}, x]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /;$ $\text{SumQ}[u]$
- rule 2779 $\text{Int}(((a_.) + \text{Log}[(c_.)*(x_.)^{(n_.)}]*(b_.))^{(p_.)}/((x_.)*((d_.) + (e_.)*(x_.)^{(r_.)}))), x_Symbol] \rightarrow \text{Simp}[(-\text{Log}[1 + d/(e*x^r)])*((a + b*\text{Log}[c*x^n])^p/(d*r)), x] + \text{Simp}[b*n*(p/(d*r)) \text{Int}[\text{Log}[1 + d/(e*x^r)]*((a + b*\text{Log}[c*x^n])^{(p - 1)}/x), x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, n, r\}, x] \ \&\& \ \text{IGtQ}[p, 0]$
- rule 2838 $\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n/n, x], x] /;$ $\text{FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$
- rule 2858 $\text{Int}(((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]*(b_.))^{(p_.)*((f_.) + (g_.)*(x_.)^{(q_.)*((h_.) + (i_.)*(x_.)^{(r_.)}))}), x_Symbol] \rightarrow \text{Simp}[1/e \text{Subst}[\text{Int}[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /;$ $\text{FreeQ}\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[r, 0]) \ \&\& \ \text{IntegerQ}[2*r]$
- rule 2865 $\text{Int}(((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]*(b_.))^{(p_.)*(RFx_)}), x_Symbol] \rightarrow \text{With}\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, RFx, x]\}, \text{Int}[u, x] /;$ $\text{SumQ}[u] /;$ $\text{FreeQ}\{a, b, c, d, e, n\}, x] \ \&\& \ \text{RationalFunctionQ}[RFx, x] \ \&\& \ \text{IntegerQ}[p]$
- rule 2984 $\text{Int}[\text{Log}[(e_.)*((f_.)*((a_.) + (b_.)*(x_.))^{(p_.)*((c_.) + (d_.)*(x_.)^{(q_.)})^{(r_.)})^{(s_.)*((g_.) + (h_.)*(x_.)^{(m_.)}), x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^s/(h*(m + 1)), x] + (-\text{Simp}[b*p*r*(s/(h*(m + 1))) \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^{(s - 1)/(a + b*x)}, x], x] - \text{Simp}[d*q*r*(s/(h*(m + 1))) \text{Int}[(g + h*x)^{(m + 1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^{(s - 1)/(c + d*x)}, x], x]) /;$ $\text{FreeQ}\{a, b, c, d, e, f, g, h, m, p, q, r, s\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IGtQ}[s, 0] \ \&\& \ \text{NeQ}[m, -1]$

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Si
mp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c
+ d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[
{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a
*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[
m, n]]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(hx+g)^2} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x)
```

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(hx+g)^2} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x, algorithm="fricas")
```

output

```
integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h^2*x^2 + 2*g*h*x + g^2),
x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(h*x+g)**2,x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 745, normalized size of antiderivative = 0.90

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \text{Too large to display}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x, algorithm="maxima")`

output `2*(b*f*p*log(b*x + a)/(b*g - a*h) + d*f*q*log(d*x + c)/(d*g - c*h) - (a*d*f*h*q - (d*f*g*(p + q) - c*f*h*p)*b)*log(h*x + g)/((d*g*h - c*h^2)*a - (d*g^2 - c*g*h)*b)**r*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(f*h) - (2*(b*c*f^2*h*p*q - a*d*f^2*h*p*q)*log(b*x + a)*log((b*d*x + a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/((d*g*h - c*h^2)*a - (d*g^2 - c*g*h)*b) + 2*(a*d*f^2*h*p*q + (c*f^2*h*p^2 - (p^2 + p*q)*d*f^2*g)*b)*(log(b*x + a)*log((b*h*x + a*h)/(b*g - a*h) + 1) + dilog(-(b*h*x + a*h)/(b*g - a*h)))/((d*g*h - c*h^2)*a - (d*g^2 - c*g*h)*b) + 2*(a*d*f^2*h*q^2 + (c*f^2*h*p*q - (p*q + q^2)*d*f^2*g)*b)*(log(d*x + c)*log((d*h*x + c*h)/(d*g - c*h) + 1) + dilog(-(d*h*x + c*h)/(d*g - c*h)))/((d*g*h - c*h^2)*a - (d*g^2 - c*g*h)*b) - ((d*f^2*g*p^2 - c*f^2*h*p^2)*b*log(b*x + a)^2 + 2*(b*d*f^2*g*p*q - a*d*f^2*h*p*q)*log(b*x + a)*log(d*x + c) + (b*d*f^2*g*q^2 - a*d*f^2*h*q^2)*log(d*x + c)^2 + 2*((a*d*f^2*h*p*q + (c*f^2*h*p^2 - (p^2 + p*q)*d*f^2*g)*b)*log(b*x + a) + (a*d*f^2*h*q^2 + (c*f^2*h*p*q - (p*q + q^2)*d*f^2*g)*b)*log(d*x + c))*log(h*x + g)/((d*g*h - c*h^2)*a - (d*g^2 - c*g*h)*b)**r^2/(f^2*h) - log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/((h*x + g)*h)`

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(hx+g)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(g+hx)^2} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^2,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^2, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^2} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^2,x)`

output

```
( - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**2 + 2
*a**2*c*d*g*h*x + a**2*c*d*h**2*x**2 + a**2*d**2*g**2*x + 2*a**2*d**2*g*h*
x**2 + a**2*d**2*h**2*x**3 + a*b*c**2*g**2 + 2*a*b*c**2*g*h*x + a*b*c**2*h
**2*x**2 + 2*a*b*c*d*g**2*x + 4*a*b*c*d*g*h*x**2 + 2*a*b*c*d*h**2*x**3 + a
*b*d**2*g**2*x**2 + 2*a*b*d**2*g*h*x**3 + a*b*d**2*h**2*x**4 + b**2*c**2*g
**2*x + 2*b**2*c**2*g*h*x**2 + b**2*c**2*h**2*x**3 + b**2*c*d*g**2*x**2 +
2*b**2*c*d*g*h*x**3 + b**2*c*d*h**2*x**4),x)*a**4*c**2*d**2*g**2*h**4*q*r
- 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**2 + 2*a
**2*c*d*g*h*x + a**2*c*d*h**2*x**2 + a**2*d**2*g**2*x + 2*a**2*d**2*g*h*x*
*2 + a**2*d**2*h**2*x**3 + a*b*c**2*g**2 + 2*a*b*c**2*g*h*x + a*b*c**2*h**
2*x**2 + 2*a*b*c*d*g**2*x + 4*a*b*c*d*g*h*x**2 + 2*a*b*c*d*h**2*x**3 + a*b
*d**2*g**2*x**2 + 2*a*b*d**2*g*h*x**3 + a*b*d**2*h**2*x**4 + b**2*c**2*g**
2*x + 2*b**2*c**2*g*h*x**2 + b**2*c**2*h**2*x**3 + b**2*c*d*g**2*x**2 + 2*
b**2*c*d*g*h*x**3 + b**2*c*d*h**2*x**4),x)*a**4*c**2*d**2*g*h**5*q*r*x + 4
*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**2 + 2*a**2
*c*d*g*h*x + a**2*c*d*h**2*x**2 + a**2*d**2*g**2*x + 2*a**2*d**2*g*h*x**2
+ a**2*d**2*h**2*x**3 + a*b*c**2*g**2 + 2*a*b*c**2*g*h*x + a*b*c**2*h**2*x
**2 + 2*a*b*c*d*g**2*x + 4*a*b*c*d*g*h*x**2 + 2*a*b*c*d*h**2*x**3 + a*b*d*
**2*g**2*x**2 + 2*a*b*d**2*g*h*x**3 + a*b*d**2*h**2*x**4 + b**2*c**2*g**2*x
+ 2*b**2*c**2*g*h*x**2 + b**2*c**2*h**2*x**3 + b**2*c*d*g**2*x**2 + 2*...
```

3.41 $\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$

Optimal result	426
Mathematica [B] (warning: unable to verify)	427
Rubi [A] (verified)	428
Maple [F]	434
Fricas [F]	434
Sympy [F(-1)]	435
Maxima [A] (verification not implemented)	435
Giac [F]	436
Mupad [F(-1)]	437
Reduce [F]	437

Optimal result

Integrand size = 31, antiderivative size = 1304

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Too large to display}$$

output

```

-b^2*p^2*r^2*ln(b*x+a)*ln(1+(-a*h+b*g)/h/(b*x+a))/h/(-a*h+b*g)^2-b*p*r*(p*
r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/h/(-a*h+b*g)/(h
*x+g)-d*q*r*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))/
h/(-c*h+d*g)/(h*x+g)-b^2*p*r*ln(b*x+a)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(
f*(b*x+a)^p*(d*x+c)^q)^r))/h/(-a*h+b*g)^2-b*p^2*r^2*(b*x+a)*ln(b*x+a)/(-a*
h+b*g)^2/(h*x+g)-d^2*q*r*ln(d*x+c)*(p*r*ln(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b
*x+a)^p*(d*x+c)^q)^r))/h/(-c*h+d*g)^2+b^2*p*r*(p*r*ln(b*x+a)+q*r*ln(d*x+c)
-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))*ln(h*x+g)/h/(-a*h+b*g)^2+d^2*q*r*(p*r*ln
(b*x+a)+q*r*ln(d*x+c)-ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r))*ln(h*x+g)/h/(-c*h+d
*g)^2-b*d*p*q*r^2*ln(b*x+a)/h/(-a*h+b*g)/(-c*h+d*g)-1/2*ln(e*(f*(b*x+a)^p*
(d*x+c)^q)^r)^2/h/(h*x+g)^2+2*b*d*p*q*r^2*ln(h*x+g)/h/(-a*h+b*g)/(-c*h+d*g
)+d^2*q^2*r^2*polylog(2,-(-c*h+d*g)/h/(d*x+c))/h/(-c*h+d*g)^2+b^2*p^2*r^2*
polylog(2,-(-a*h+b*g)/h/(b*x+a))/h/(-a*h+b*g)^2+b^2*p^2*r^2*ln(h*x+g)/h/(-
a*h+b*g)^2+d^2*q^2*r^2*ln(h*x+g)/h/(-c*h+d*g)^2-b*d*p*q*r^2*ln(d*x+c)/h/(-
a*h+b*g)/(-c*h+d*g)+b^2*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/h/(-a*
h+b*g)^2-b^2*p*q*r^2*ln(d*x+c)*ln(d*(h*x+g)/(-c*h+d*g))/h/(-a*h+b*g)^2+b*p
*q*r^2*ln(d*x+c)/h/(-a*h+b*g)/(h*x+g)-d^2*p*q*r^2*ln(b*x+a)*ln(b*(h*x+g)/(
-a*h+b*g))/h/(-c*h+d*g)^2+d^2*p*q*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/h
/(-c*h+d*g)^2+d*p*q*r^2*ln(b*x+a)/h/(-c*h+d*g)/(h*x+g)+d^2*p*q*r^2*polylog
(2,-d*(b*x+a)/(-a*d+b*c))/h/(-c*h+d*g)^2-b^2*p*q*r^2*polylog(2,-h*(d*x+...

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 12086 vs. 2(1304) = 2608.

Time = 5.49 (sec) , antiderivative size = 12086, normalized size of antiderivative = 9.27

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Result too large to show}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x)^3,x]
```

output

```
Result too large to show
```

Rubi [A] (verified)

Time = 3.07 (sec) , antiderivative size = 1048, normalized size of antiderivative = 0.80, number of steps used = 14, number of rules used = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.419$, Rules used = {2984, 2993, 54, 2009, 2858, 27, 2789, 2751, 16, 2779, 2838, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx$$

$$\downarrow \text{2984}$$

$$\frac{bpr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(g+hx)^2} dx}{h} + \frac{dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(c+dx)(g+hx)^2} dx}{h} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

$$\downarrow \text{2993}$$

$$\frac{bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(a+bx)(g+hx)^2} dx \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx \right)}{h} + \frac{dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(c+dx)(g+hx)^2} dx \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right)}{h} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

$$\downarrow \text{54}$$

$$\frac{bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{b^2}{(bg-ah)^2(a+bx)} - \frac{hb}{(bg-ah)^2(g+hx)} \right) dx \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx \right)}{h} + \frac{dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{d^2}{(dg-ch)^2(c+dx)} - \frac{hd}{(dg-ch)^2(g+hx)} \right) dx \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)} dx \right)}{h} - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

$$\downarrow \text{2009}$$

$$\frac{bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + pr \int \frac{\log(a+bx)}{(a+bx)(g+hx)^2} dx - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + qr \int \frac{\log(c+dx)}{(c+dx)(g+hx)^2} dx - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2858

$$\frac{bpr \left(\frac{pr \int \frac{b^2 \log(a+bx)}{(a+bx)(b(g-\frac{ah}{b})+h(a+bx))^2} d(a+bx)}{b} + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + \frac{qr \int \frac{d^2 \log(c+dx)}{(c+dx)(d(g-\frac{ch}{d})+h(c+dx))^2} d(c+dx)}{d} - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 27

$$\frac{bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + bpr \int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx) - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + dqr \int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx) - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2789

$$\frac{bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + bpr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} - \frac{h \int \frac{\log(a+bx)}{(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} \right) - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + dqr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} - \frac{h \int \frac{\log(c+dx)}{(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} \right) - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) \right)}{h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2751

$$bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + bpr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx)}{bg-ah} - \frac{h \left(\frac{(a+bx) \log(a+bx)}{(bg-ah)(h(a+bx)-ah+bg)} - \frac{\int \frac{1}{bg-ah+h(a+bx)} d(a+bx)}{bg-ah} \right)}{bg-ah} \right) \right)$$

$$dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + dqr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx)}{dg-ch} - \frac{h \left(\frac{(c+dx) \log(c+dx)}{(dg-ch)(h(c+dx)-ch+dg)} - \frac{\int \frac{1}{dg-ch+h(c+dx)} d(c+dx)}{dg-ch} \right)}{dg-ch} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 16

$$bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + bpr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx)}{bg-ah} - \frac{h \left(\frac{(a+bx) \log(a+bx)}{(bg-ah)(h(a+bx)-ah+bg)} - \frac{\log(h(a+bx)-ah+bg)}{h(bg-ah)} \right)}{bg-ah} \right) \right) - \left(\left(\frac{h}{g+hx} \right) \right)$$

$$dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + dqr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx)}{dg-ch} - \frac{h \left(\frac{(c+dx) \log(c+dx)}{(dg-ch)(h(c+dx)-ch+dg)} - \frac{\log(h(c+dx)-ch+dg)}{h(dg-ch)} \right)}{dg-ch} \right) \right) - \left(\left(\frac{h}{g+hx} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2779

$$bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx + bpr \left(\frac{\int \frac{\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{\frac{a+bx}{bg-ah}} d(a+bx)}{bg-ah} - \frac{\log(a+bx) \log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} - \frac{h \left(\frac{(a+bx) \log(a+bx)}{(bg-ah)(h(a+bx)-ah+bg)} - \frac{\log(h(a+bx)-ah+bg)}{h(bg-ah)} \right)}{bg-ah} \right) \right)$$

$$dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx + dqr \left(\frac{\int \frac{\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{\frac{c+dx}{dg-ch}} d(c+dx)}{dg-ch} - \frac{\log(c+dx) \log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} - \frac{h \left(\frac{(c+dx) \log(c+dx)}{(dg-ch)(h(c+dx)-ch+dg)} - \frac{\log(h(c+dx)-ch+dg)}{h(dg-ch)} \right)}{dg-ch} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2838

$$dq r \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^2} dx - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log \right. \right.$$

$$bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^2} dx - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log \right. \right.$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2865

$$bpr \left(qr \int \left(\frac{\log(c+dx)b^2}{(bg-ah)^2(a+bx)} - \frac{h \log(c+dx)b}{(bg-ah)^2(g+hx)} - \frac{h \log(c+dx)}{(bg-ah)(g+hx)^2} \right) dx - \left(\left(\frac{1}{(g+hx)(bg-ah)} + \frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} \right) (-\log \right. \right.$$

$$dq r \left(pr \int \left(\frac{\log(a+bx)d^2}{(dg-ch)^2(c+dx)} - \frac{h \log(a+bx)d}{(dg-ch)^2(g+hx)} - \frac{h \log(a+bx)}{(dg-ch)(g+hx)^2} \right) dx - \left(\left(\frac{1}{(g+hx)(dg-ch)} + \frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} \right) (-\log \right. \right.$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2}$$

↓ 2009

$$-\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{2h(g+hx)^2} +$$

$$dq r \left(-\left((pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r)) \left(\frac{d \log(c+dx)}{(dg-ch)^2} - \frac{d \log(g+hx)}{(dg-ch)^2} + \frac{1}{(dg-ch)(g+hx)} \right) \right. \right.$$

$$bpr \left(-\left((pr \log(a+bx) + qr \log(c+dx) - \log(e(f(a+bx)^p(c+dx)^q)^r)) \left(\frac{b \log(a+bx)}{(bg-ah)^2} - \frac{b \log(g+hx)}{(bg-ah)^2} + \frac{1}{(bg-ah)(g+hx)} \right) \right. \right.$$

input

`Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^2/(g + h*x)^3,x]`

output

```

-1/2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(h*(g + h*x)^2) + (d*q*r*(-(p
*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])
*(1/((d*g - c*h)*(g + h*x)) + (d*Log[c + d*x])/(d*g - c*h)^2 - (d*Log[g +
h*x])/(d*g - c*h)^2)) + p*r*(-((b*Log[a + b*x])/(b*g - a*h)*(d*g - c*h))
+ Log[a + b*x]/((d*g - c*h)*(g + h*x)) + (d*Log[a + b*x]*Log[(b*(c + d*x)
)/(b*c - a*d)])/(d*g - c*h)^2 + (b*Log[g + h*x])/(b*g - a*h)*(d*g - c*h)
- (d*Log[a + b*x]*Log[(b*(g + h*x))/(b*g - a*h)])/(d*g - c*h)^2 + (d*Poly
Log[2, -((d*(a + b*x))/(b*c - a*d))])/(d*g - c*h)^2 - (d*PolyLog[2, -((h*(
a + b*x))/(b*g - a*h))])/(d*g - c*h)^2) + d*q*r*(-(h*((c + d*x)*Log[c +
d*x])/(d*g - c*h)*(d*g - c*h + h*(c + d*x))) - Log[d*g - c*h + h*(c + d*x)
]/(h*(d*g - c*h)))/(d*g - c*h) + (-((Log[c + d*x]*Log[1 + (d*g - c*h)/(
h*(c + d*x))])/(d*g - c*h) + PolyLog[2, -((d*g - c*h)/(h*(c + d*x))])/(d*
g - c*h)/(d*g - c*h)))/h + (b*p*r*(-(p*r*Log[a + b*x] + q*r*Log[c + d*x]
- Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])*(1/((b*g - a*h)*(g + h*x)) + (b*
Log[a + b*x])/(b*g - a*h)^2 - (b*Log[g + h*x])/(b*g - a*h)^2)) + b*p*r*(-(
h*((a + b*x)*Log[a + b*x])/(b*g - a*h)*(b*g - a*h + h*(a + b*x))) - Log
[b*g - a*h + h*(a + b*x)]/(h*(b*g - a*h)))/(b*g - a*h) + (-((Log[a + b*x]
)*Log[1 + (b*g - a*h)/(h*(a + b*x))])/(b*g - a*h) + PolyLog[2, -((b*g - a
*h)/(h*(a + b*x))])/(b*g - a*h)/(b*g - a*h) + q*r*(-(d*Log[c + d*x])/(
b*g - a*h)*(d*g - c*h)) + Log[c + d*x]/((b*g - a*h)*(g + h*x)) + (b*Lo...

```

Defintions of rubi rules used

rule 16

```

Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]

```

rule 27

```

Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]

```

rule 54

```

Int[((a_) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := Int[E
xpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d}, x] &&
ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

```

rule 2009

```

Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]

```

rule 2751 $\text{Int}[(a_.) + \text{Log}[(c_.)(x_)^{(n_.)}](b_.)]((d_) + (e_.)(x_)^{(r_.)})^{(q_.)}, x_Symbol] \rightarrow \text{Simp}[x(d + e*x^r)^{(q+1)}((a + b*\text{Log}[c*x^n])/d), x] - \text{Simp}[b*(n/d) \text{Int}[(d + e*x^r)^{(q+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, n, q, r\}, x \ \&\& \ \text{EqQ}[r*(q+1) + 1, 0]$

rule 2779 $\text{Int}[(a_.) + \text{Log}[(c_.)(x_)^{(n_.)}](b_.)]^{(p_.)}((x_)((d_) + (e_.)(x_)^{(r_.)})), x_Symbol] \rightarrow \text{Simp}[(-\text{Log}[1 + d/(e*x^r)])*((a + b*\text{Log}[c*x^n])^p/(d*r)), x] + \text{Simp}[b*n*(p/(d*r)) \text{Int}[\text{Log}[1 + d/(e*x^r)]*((a + b*\text{Log}[c*x^n])^{(p-1)}/x), x], x] /; \text{FreeQ}\{a, b, c, d, e, n, r\}, x \ \&\& \ \text{IGtQ}[p, 0]$

rule 2789 $\text{Int}[(a_.) + \text{Log}[(c_.)(x_)^{(n_.)}](b_.)]^{(p_.)}((d_) + (e_.)(x_)^{(q_.)})/(x_), x_Symbol] \rightarrow \text{Simp}[1/d \text{Int}[(d + e*x)^{(q+1)}((a + b*\text{Log}[c*x^n])^p/x), x], x] - \text{Simp}[e/d \text{Int}[(d + e*x)^q*(a + b*\text{Log}[c*x^n])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{LtQ}[q, -1] \ \&\& \ \text{IntegerQ}[2*q]$

rule 2838 $\text{Int}[\text{Log}[(c_.)((d_) + (e_.)(x_)^{(n_.)})]/(x_), x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x \ \&\& \ \text{EqQ}[c*d, 1]$

rule 2858 $\text{Int}[(a_.) + \text{Log}[(c_.)((d_) + (e_.)(x_)^{(n_.)})](b_.)]^{(p_.)}((f_.) + (g_.)(x_)^{(q_.)}((h_.) + (i_.)(x_)^{(r_.)})), x_Symbol] \rightarrow \text{Simp}[1/e \text{Subst}[\text{Int}[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x \ \&\& \ \text{EqQ}[e*f - d*g, 0] \ \&\& \ (\text{IGtQ}[p, 0] \ || \ \text{IGtQ}[r, 0]) \ \&\& \ \text{IntegerQ}[2*r]$

rule 2865 $\text{Int}[(a_.) + \text{Log}[(c_.)((d_) + (e_.)(x_)^{(n_.)})](b_.)]^{(p_.)}(\text{RFx}_), x_Symbol] \rightarrow \text{With}\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{RationalFunctionQ}[\text{RFx}, x] \ \&\& \ \text{IntegerQ}[p]$

rule 2984 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]^(s_.)*((g_.) + (h_.)*(x_))^(m_.), x_Symbol] := Simp[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(h*(m + 1))), x] + (-Simp[b*p*r*(s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(a + b*x)), x], x] - Simp[d*q*r*(s/(h*(m + 1))) Int[(g + h*x)^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(c + d*x)), x], x]) /;`
`FreeQ[{a, b, c, d, e, f, g, h, m, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && NeQ[m, -1]`

rule 2993 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /;`
`FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /;`
`IntegersQ[m, n]]`

Maple [F]

$$\int \frac{\ln(e(f(bx + a)^p(dx + c)^q)^r)^2}{(hx + g)^3} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a + bx)^p(c + dx)^q)^r)}{(g + hx)^3} dx = \int \frac{\log(((bx + a)^p(dx + c)^q f)^r e)^2}{(hx + g)^3} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x, algorithm="fricas")`

output

```
integral(log((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h^3*x^3 + 3*g*h^2*x^2 + 3*g^2*h*x + g^3), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Timed out}$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(h*x+g)**3,x)
```

output

Timed out

Maxima [A] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 1857, normalized size of antiderivative = 1.42

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{Too large to display}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x, algorithm="maxima")
```

output

```
(b^2*f*p*log(b*x + a)/(b^2*g^2 - 2*a*b*g*h + a^2*h^2) + d^2*f*q*log(d*x +
c)/(d^2*g^2 - 2*c*d*g*h + c^2*h^2) + (2*a*b*d^2*f*g*h*q - a^2*d^2*f*h^2*q
- (d^2*f*g^2*(p + q) - 2*c*d*f*g*h*p + c^2*f*h^2*p)*b^2)*log(h*x + g)/((d^
2*g^2*h^2 - 2*c*d*g*h^3 + c^2*h^4)*a^2 - 2*(d^2*g^3*h - 2*c*d*g^2*h^2 + c^
2*g*h^3)*a*b + (d^2*g^4 - 2*c*d*g^3*h + c^2*g^2*h^2)*b^2) + (a*d*f*h*q - (
d*f*g*(p + q) - c*f*h*p)*b)/((d*g^2*h - c*g*h^2)*a - (d*g^3 - c*g^2*h)*b +
((d*g*h^2 - c*h^3)*a - (d*g^2*h - c*g*h^2)*b)*x))*r*log(((b*x + a)^p*(d*x
+ c)^q*f)^r*e)/(f*h) + 1/2*(2*(2*a*b*d^2*f^2*g*h*p*q - a^2*d^2*f^2*h^2*p*
q - (2*c*d*f^2*g*h*p*q - c^2*f^2*h^2*p*q)*b^2)*(log(b*x + a)*log((b*d*x +
a*d)/(b*c - a*d) + 1) + dilog(-(b*d*x + a*d)/(b*c - a*d)))/((d*g*h^2 - c*h
^3)*a^2 - 2*(d*g^2*h - c*g*h^2)*a*b + (d*g^3 - c*g^2*h)*b^2) - 2*(2*a*b*d^
2*f^2*g*h*p*q - a^2*d^2*f^2*h^2*p*q + (2*c*d*f^2*g*h*p^2 - c^2*f^2*h^2*p^2
- (p^2 + p*q)*d^2*f^2*g^2)*b^2)*(log(b*x + a)*log((b*h*x + a*h)/(b*g - a*
h) + 1) + dilog(-(b*h*x + a*h)/(b*g - a*h)))/((d*g*h^2 - c*h^3)*a^2 - 2*(d
*g^2*h - c*g*h^2)*a*b + (d*g^3 - c*g^2*h)*b^2) + 2*(2*a*b*d^2*f^2*g*h*q^2
- a^2*d^2*f^2*h^2*q^2 + (2*c*d*f^2*g*h*p*q - c^2*f^2*h^2*p*q - (p*q + q^2)
*d^2*f^2*g^2)*b^2)*(log(d*x + c)*log((d*h*x + c*h)/(d*g - c*h) + 1) + dilo
g(-(d*h*x + c*h)/(d*g - c*h)))/((d^2*g^2*h^2 - 2*c*d*g*h^3 + c^2*h^4)*a^2
- 2*(d^2*g^3*h - 2*c*d*g^2*h^2 + c^2*g*h^3)*a*b + (d^2*g^4 - 2*c*d*g^3*h +
c^2*g^2*h^2)*b^2) - 2*(a*d^2*f^2*h*q^2 + (c*d*f^2*h*p*q - (p*q + q^2)*...
```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(hx+g)^3} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x, algorithm="giac"
)
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g)^3, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(g+hx)^3} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^3,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^3, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^3} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^3,x)`

output

```
( - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**3 + 3
*a**2*c*d*g**2*h*x + 3*a**2*c*d*g*h**2*x**2 + a**2*c*d*h**3*x**3 + a**2*d*
*2*g**3*x + 3*a**2*d**2*g**2*h*x**2 + 3*a**2*d**2*g*h**2*x**3 + a**2*d**2*
h**3*x**4 + a*b*c**2*g**3 + 3*a*b*c**2*g**2*h*x + 3*a*b*c**2*g*h**2*x**2 +
a*b*c**2*h**3*x**3 + 2*a*b*c*d*g**3*x + 6*a*b*c*d*g**2*h*x**2 + 6*a*b*c*d
*g*h**2*x**3 + 2*a*b*c*d*h**3*x**4 + a*b*d**2*g**3*x**2 + 3*a*b*d**2*g**2*
h*x**3 + 3*a*b*d**2*g*h**2*x**4 + a*b*d**2*h**3*x**5 + b**2*c**2*g**3*x +
3*b**2*c**2*g**2*h*x**2 + 3*b**2*c**2*g*h**2*x**3 + b**2*c**2*h**3*x**4 +
b**2*c*d*g**3*x**2 + 3*b**2*c*d*g**2*h*x**3 + 3*b**2*c*d*g*h**2*x**4 + b**
2*c*d*h**3*x**5),x)*a**5*c**3*d**2*g**4*h**6*q*r - 8*int(log(f**r*(c + d*x)
)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**3 + 3*a**2*c*d*g**2*h*x + 3*a**2
*c*d*g*h**2*x**2 + a**2*c*d*h**3*x**3 + a**2*d**2*g**3*x + 3*a**2*d**2*g**
2*h*x**2 + 3*a**2*d**2*g*h**2*x**3 + a**2*d**2*h**3*x**4 + a*b*c**2*g**3 +
3*a*b*c**2*g**2*h*x + 3*a*b*c**2*g*h**2*x**2 + a*b*c**2*h**3*x**3 + 2*a*b
*c*d*g**3*x + 6*a*b*c*d*g**2*h*x**2 + 6*a*b*c*d*g*h**2*x**3 + 2*a*b*c*d*h*
*3*x**4 + a*b*d**2*g**3*x**2 + 3*a*b*d**2*g**2*h*x**3 + 3*a*b*d**2*g*h**2*
x**4 + a*b*d**2*h**3*x**5 + b**2*c**2*g**3*x + 3*b**2*c**2*g**2*h*x**2 + 3
*b**2*c**2*g*h**2*x**3 + b**2*c**2*h**3*x**4 + b**2*c*d*g**3*x**2 + 3*b**2
*c*d*g**2*h*x**3 + 3*b**2*c*d*g*h**2*x**4 + b**2*c*d*h**3*x**5),x)*a**5*c*
*3*d**2*g**3*h**7*q*r*x - 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p...
```

$$3.42 \quad \int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

Optimal result	439
Mathematica [B] (warning: unable to verify)	440
Rubi [A] (warning: unable to verify)	441
Maple [F]	449
Fricas [F]	449
Sympy [F(-1)]	449
Maxima [B] (verification not implemented)	450
Giac [F]	451
Mupad [F(-1)]	451
Reduce [F]	451

Optimal result

Integrand size = 31, antiderivative size = 1957

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Too large to display}$$

output

```

b^2*d*p*q*r^2*ln(h*x+g)/h/(-a*h+b*g)^2/(-c*h+d*g)+b*d^2*p*q*r^2*ln(h*x+g)/
h/(-a*h+b*g)/(-c*h+d*g)^2-1/3*b^2*p^2*r^2/h/(-a*h+b*g)^2/(h*x+g)-1/3*d^2*q
^2*r^2/h/(-c*h+d*g)^2/(h*x+g)+2/3*d^3*q^2*r^2*polylog(2,-(-c*h+d*g)/h/(d*x
+c))/h/(-c*h+d*g)^3+2/3*b^3*p^2*r^2*polylog(2,-(-a*h+b*g)/h/(b*x+a))/h/(-a
*h+b*g)^3-1/3*d^3*q^2*r^2*ln(d*x+c)/h/(-c*h+d*g)^3-1/3*b^3*p^2*r^2*ln(b*x+
a)/h/(-a*h+b*g)^3-1/3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/h/(h*x+g)^3+1/3*b*
p*q*r^2*ln(d*x+c)/h/(-a*h+b*g)/(h*x+g)^2+2/3*b^2*p*q*r^2*ln(d*x+c)/h/(-a*h
+b*g)^2/(h*x+g)+2/3*b^3*p*q*r^2*ln(-d*(b*x+a)/(-a*d+b*c))*ln(d*x+c)/h/(-a*
h+b*g)^3-2/3*b^3*p*q*r^2*ln(d*x+c)*ln(d*(h*x+g)/(-c*h+d*g))/h/(-a*h+b*g)^3
+1/3*d*p*q*r^2*ln(b*x+a)/h/(-c*h+d*g)/(h*x+g)^2+2/3*d^2*p*q*r^2*ln(b*x+a)/
h/(-c*h+d*g)^2/(h*x+g)-2/3*d^3*p*q*r^2*ln(b*x+a)*ln(b*(h*x+g)/(-a*h+b*g))/
h/(-c*h+d*g)^3+2/3*d^3*p*q*r^2*ln(b*x+a)*ln(b*(d*x+c)/(-a*d+b*c))/h/(-c*h+
d*g)^3-1/3*b*d^2*p*q*r^2*ln(d*x+c)/h/(-a*h+b*g)/(-c*h+d*g)^2-2/3*b^2*d*p*q
*r^2*ln(d*x+c)/h/(-a*h+b*g)^2/(-c*h+d*g)-2/3*b*d^2*p*q*r^2*ln(b*x+a)/h/(-a
*h+b*g)/(-c*h+d*g)^2-1/3*b^2*d*p*q*r^2*ln(b*x+a)/h/(-a*h+b*g)^2/(-c*h+d*g)
-2/3*b*d*p*q*r^2/h/(-a*h+b*g)/(-c*h+d*g)/(h*x+g)+b^3*p^2*r^2*ln(h*x+g)/h/(-
a*h+b*g)^3+d^3*q^2*r^2*ln(h*x+g)/h/(-c*h+d*g)^3-2/3*b^3*p*q*r^2*polylog(2
,-h*(d*x+c)/(-c*h+d*g))/h/(-a*h+b*g)^3-2/3*d^3*p*q*r^2*polylog(2,-h*(b*x+a
)/(-a*h+b*g))/h/(-c*h+d*g)^3+2/3*d^3*p*q*r^2*polylog(2,-d*(b*x+a)/(-a*d+b*
c))/h/(-c*h+d*g)^3+2/3*b^3*p*q*r^2*polylog(2,b*(d*x+c)/(-a*d+b*c))/h/(-...

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 47127 vs. 2(1957) = 3914.

Time = 6.52 (sec) , antiderivative size = 47127, normalized size of antiderivative = 24.08

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Result too large to show}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x)^4,x]
```

output

```
Result too large to show
```

Rubi [A] (warning: unable to verify)

Time = 4.68 (sec) , antiderivative size = 1656, normalized size of antiderivative = 0.85, number of steps used = 18, number of rules used = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.548$, Rules used = {2984, 2993, 54, 2009, 2858, 27, 2789, 2756, 54, 2009, 2789, 2751, 16, 2779, 2838, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx$$

$$\downarrow 2984$$

$$\frac{2bpr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(a+bx)(g+hx)^3} dx}{3h} + \frac{2dqr \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(c+dx)(g+hx)^3} dx}{3h} -$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

$$\downarrow 2993$$

$$\frac{2bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(a+bx)(g+hx)^3} dx \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx \right)}{3h} +$$

$$\frac{2dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \frac{1}{(c+dx)(g+hx)^3} dx \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

$$\downarrow 54$$

$$\frac{2bpr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{b^3}{(bg-ah)^3(a+bx)} - \frac{hb^2}{(bg-ah)^3(g+hx)} \right) dx \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx \right)}{3h} +$$

$$\frac{2dqr \left(- \left((-\log(e(f(a+bx)^p(c+dx)^q)^r) + pr \log(a+bx) + qr \log(c+dx)) \int \left(\frac{d^3}{(dg-ch)^3(c+dx)} - \frac{hd^2}{(dg-ch)^3(g+hx)} \right) dx \right) + pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

$$\downarrow 2009$$

$$\frac{2bpr \left(qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx + pr \int \frac{\log(a+bx)}{(a+bx)(g+hx)^3} dx - \left(\frac{b^2 \log(a+bx)}{(bg-ah)^3} - \frac{b^2 \log(g+hx)}{(bg-ah)^3} + \frac{b}{(g+hx)(bg-ah)^2} + \frac{1}{2(g+hx)^2(bg-ah)} \right) \right)}{3h}$$

$$\frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + qr \int \frac{\log(c+dx)}{(c+dx)(g+hx)^3} dx - \left(\frac{d^2 \log(c+dx)}{(dg-ch)^3} - \frac{d^2 \log(g+hx)}{(dg-ch)^3} + \frac{d}{(g+hx)(dg-ch)^2} + \frac{1}{2(g+hx)^2(dg-ch)} \right) \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

↓ 2858

$$\frac{2bpr \left(\frac{pr \int \frac{b^3 \log(a+bx)}{(a+bx)(b(g-\frac{ah}{b})+h(a+bx))^3} d(a+bx)}{b} + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx - \left(\frac{b^2 \log(a+bx)}{(bg-ah)^3} - \frac{b^2 \log(g+hx)}{(bg-ah)^3} + \frac{b}{(g+hx)(bg-ah)^2} + \frac{1}{2(g+hx)^2(bg-ah)} \right) \right)}{3h}$$

$$\frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + \frac{qr \int \frac{d^3 \log(c+dx)}{(c+dx)(d(g-\frac{ch}{d})+h(c+dx))^3} d(c+dx)}{d} - \left(\frac{d^2 \log(c+dx)}{(dg-ch)^3} - \frac{d^2 \log(g+hx)}{(dg-ch)^3} + \frac{d}{(g+hx)(dg-ch)^2} + \frac{1}{2(g+hx)^2(dg-ch)} \right) \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

↓ 27

$$\frac{2bpr \left(b^2 pr \int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^3} d(a+bx) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx - \left(\frac{b^2 \log(a+bx)}{(bg-ah)^3} - \frac{b^2 \log(g+hx)}{(bg-ah)^3} + \frac{b}{(g+hx)(bg-ah)^2} + \frac{1}{2(g+hx)^2(bg-ah)} \right) \right)}{3h}$$

$$\frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + d^2 qr \int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^3} d(c+dx) - \left(\frac{d^2 \log(c+dx)}{(dg-ch)^3} - \frac{d^2 \log(g+hx)}{(dg-ch)^3} + \frac{d}{(g+hx)(dg-ch)^2} + \frac{1}{2(g+hx)^2(dg-ch)} \right) \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

↓ 2789

$$\frac{2bpr \left(b^2 pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} - \frac{h \int \frac{\log(a+bx)}{(bg-ah+h(a+bx))^3} d(a+bx)}{bg-ah} \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)^3} dx - \left(\frac{b^2 \log(a+bx)}{(bg-ah)^3} - \frac{b^2 \log(g+hx)}{(bg-ah)^3} + \frac{b}{(g+hx)(bg-ah)^2} + \frac{1}{2(g+hx)^2(bg-ah)} \right) \right)}{3h}$$

$$\frac{2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + d^2 qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} - \frac{h \int \frac{\log(c+dx)}{(dg-ch+h(c+dx))^3} d(c+dx)}{dg-ch} \right) - \left(\frac{d^2 \log(c+dx)}{(dg-ch)^3} - \frac{d^2 \log(g+hx)}{(dg-ch)^3} + \frac{d}{(g+hx)(dg-ch)^2} + \frac{1}{2(g+hx)^2(dg-ch)} \right) \right)}{3h}$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

↓ 2756

$$2bpr \left(b^2 pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} - \frac{h \left(\frac{\int \frac{1}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{2h} - \frac{\log(a+bx)}{2h(h(a+bx)-ah+bg)^2} \right)}{bg-ah} \right) + qr \int \frac{\log(c+dx)}{(a+bx)(g+hx)} dx \right)$$

$$2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + d^2 qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} - \frac{h \left(\frac{\int \frac{1}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{2h} - \frac{\log(c+dx)}{2h(h(c+dx)-ch+dg)^2} \right)}{dg-ch} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

54

$$2bpr \left(b^2 pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} - \frac{h \left(\frac{\int \left(-\frac{h}{(bg-ah)^2(bg-ah+h(a+bx))} - \frac{h}{(bg-ah)(bg-ah+h(a+bx))^2} + \frac{1}{(bg-ah)^2(a+bx)} \right) d(a+bx)}{2h} \right)}{bg-ah} \right) \right)$$

$$2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + d^2 qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} - \frac{h \left(\frac{\int \left(-\frac{h}{(dg-ch)^2(dg-ch+h(c+dx))} - \frac{h}{(dg-ch)(dg-ch+h(c+dx))^2} \right) d(c+dx)}{2h} \right)}{dg-ch} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

2009

$$2bpr \left(b^2 pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} - \frac{h \left(\frac{1}{(bg-ah)(h(a+bx)-ah+bg)} + \frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(h(a+bx)-ah+bg)}{(bg-ah)^2} - \frac{\log(a+bx)}{2h(h(a+bx)-ah+bg)^2} \right)}{bg-ah} \right) \right)$$

$$2dqr \left(pr \int \frac{\log(a+bx)}{(c+dx)(g+hx)^3} dx + d^2 qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} - \frac{h \left(\frac{1}{(dg-ch)(h(c+dx)-ch+dg)} + \frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(h(c+dx)-ch+dg)}{(dg-ch)^2} \right)}{dg-ch} \right) \right)$$

$$\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3}$$

2789

$$2bpr \left(pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx)}{bg-ah} - \frac{h \int \frac{\log(a+bx)}{(bg-ah+h(a+bx))^2} d(a+bx)}{bg-ah} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah+h(a+bx))}{(bg-ah)^2} + \frac{1}{(bg-ah)(bg-ah+h(a+bx))} \right) \right)$$

$$2dqr \left(qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx)}{dg-ch} - \frac{h \int \frac{\log(c+dx)}{(dg-ch+h(c+dx))^2} d(c+dx)}{dg-ch} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch+h(c+dx))}{(dg-ch)^2} + \frac{1}{(dg-ch)(dg-ch+h(c+dx))} \right) \right)$$

↓ 2751

$$2bpr \left(pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx)}{bg-ah} - \frac{h \left(\frac{(a+bx) \log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\int \frac{1}{bg-ah+h(a+bx)} d(a+bx)}{bg-ah} \right)}{bg-ah} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah+h(a+bx))}{(bg-ah)^2} + \frac{1}{(bg-ah)(bg-ah+h(a+bx))} \right) \right)$$

$$2dqr \left(qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx)}{dg-ch} - \frac{h \left(\frac{(c+dx) \log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\int \frac{1}{dg-ch+h(c+dx)} d(c+dx)}{dg-ch} \right)}{dg-ch} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch+h(c+dx))}{(dg-ch)^2} + \frac{1}{(dg-ch)(dg-ch+h(c+dx))} \right) \right)$$

↓ 16

$$2bpr \left(pr \left(\frac{\int \frac{\log(a+bx)}{(a+bx)(bg-ah+h(a+bx))} d(a+bx)}{bg-ah} - \frac{h \left(\frac{(a+bx) \log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\log(bg-ah+h(a+bx))}{h(bg-ah)} \right)}{bg-ah} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah+h(a+bx))}{(bg-ah)^2} + \frac{1}{(bg-ah)(bg-ah+h(a+bx))} \right) \right)$$

$$2dqr \left(qr \left(\frac{\int \frac{\log(c+dx)}{(c+dx)(dg-ch+h(c+dx))} d(c+dx)}{dg-ch} - \frac{h \left(\frac{(c+dx) \log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\log(dg-ch+h(c+dx))}{h(dg-ch)} \right)}{dg-ch} \right) - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + h \left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch+h(c+dx))}{(dg-ch)^2} + \frac{1}{(dg-ch)(dg-ch+h(c+dx))} \right) \right)$$

↓ 2779

$$2bpr \left(pr \left(\frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + \frac{\int \frac{\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{a+bx} d(a+bx)}{bg-ah} - \frac{\log(a+bx)\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} - h\left(\frac{(a+bx)\log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\log(bg-ah+h(a+bx))}{h(bg-ah)}\right) - h\left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah)}{(bg-ah)(bg-ah+h(a+bx))}\right) \right) \right)$$

$$2dqr \left(qr \left(\frac{\int \frac{\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{c+dx} d(c+dx)}{dg-ch} - \frac{\log(c+dx)\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} - h\left(\frac{(c+dx)\log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\log(dg-ch+h(c+dx))}{h(dg-ch)}\right) - h\left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch)}{(dg-ch)(dg-ch+h(c+dx))}\right) \right) \right)$$

2838

$$2dqr \left(qr \left(\frac{\text{PolyLog}\left(2, -\frac{dg-ch}{h(c+dx)}\right)}{dg-ch} - \frac{\log(c+dx)\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} - h\left(\frac{(c+dx)\log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\log(dg-ch+h(c+dx))}{h(dg-ch)}\right) - h\left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch)}{(dg-ch)(dg-ch+h(c+dx))}\right) \right) \right)$$

$$2bpr \left(pr \left(\frac{\text{PolyLog}\left(2, -\frac{bg-ah}{h(a+bx)}\right)}{bg-ah} - \frac{\log(a+bx)\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} - h\left(\frac{(a+bx)\log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\log(bg-ah+h(a+bx))}{h(bg-ah)}\right) - h\left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah)}{(bg-ah)(bg-ah+h(a+bx))}\right) \right) \right)$$

2865

$$2dqr \left(qr \left(\frac{\text{PolyLog}\left(2, -\frac{dg-ch}{h(c+dx)}\right)}{dg-ch} - \frac{\log(c+dx)\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch} - h\left(\frac{(c+dx)\log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\log(dg-ch+h(c+dx))}{h(dg-ch)}\right) - h\left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch)}{(dg-ch)(dg-ch+h(c+dx))}\right) \right) \right)$$

$$2bpr \left(pr \left(\frac{\text{PolyLog}\left(2, -\frac{bg-ah}{h(a+bx)}\right)}{bg-ah} - \frac{\log(a+bx)\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah} - h\left(\frac{(a+bx)\log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\log(bg-ah+h(a+bx))}{h(bg-ah)}\right) - h\left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah)}{(bg-ah)(bg-ah+h(a+bx))}\right) \right) \right)$$

2009

$$\begin{aligned}
 & - \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{3h(g+hx)^3} + \\
 2dqr & \left(qr \left(\frac{\frac{\text{PolyLog}\left(2, -\frac{dg-ch}{h(c+dx)}\right)}{dg-ch} - \frac{\log(c+dx)\log\left(\frac{dg-ch}{h(c+dx)}+1\right)}{dg-ch}}{dg-ch} - \frac{h\left(\frac{(c+dx)\log(c+dx)}{(dg-ch)(dg-ch+h(c+dx))} - \frac{\log(dg-ch+h(c+dx))}{h(dg-ch)}\right)}{dg-ch} \right) - \frac{h\left(\frac{\log(c+dx)}{(dg-ch)^2} - \frac{\log(dg-ch)}{(dg-ch)^2}\right)}{dg-ch} \right) \\
 2bpr & \left(pr \left(\frac{\frac{\text{PolyLog}\left(2, -\frac{bg-ah}{h(a+bx)}\right)}{bg-ah} - \frac{\log(a+bx)\log\left(\frac{bg-ah}{h(a+bx)}+1\right)}{bg-ah}}{bg-ah} - \frac{h\left(\frac{(a+bx)\log(a+bx)}{(bg-ah)(bg-ah+h(a+bx))} - \frac{\log(bg-ah+h(a+bx))}{h(bg-ah)}\right)}{bg-ah} \right) - \frac{h\left(\frac{\log(a+bx)}{(bg-ah)^2} - \frac{\log(bg-ah)}{(bg-ah)^2}\right)}{bg-ah} \right)
 \end{aligned}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(g + h*x)^4,x]`

output

```

-1/3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]^2/(h*(g + h*x)^3) + (2*d*q*r*(-(
(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r
])*(1/(2*(d*g - c*h)*(g + h*x)^2) + d/((d*g - c*h)^2*(g + h*x)) + (d^2*Log
[c + d*x])/(d*g - c*h)^3 - (d^2*Log[g + h*x])/(d*g - c*h)^3)) + p*r*(-1/2*
b/((b*g - a*h)*(d*g - c*h)*(g + h*x)) - (b*d*Log[a + b*x])/((b*g - a*h)*(d
*g - c*h)^2) - (b^2*Log[a + b*x])/(2*(b*g - a*h)^2*(d*g - c*h)) + Log[a +
b*x]/(2*(d*g - c*h)*(g + h*x)^2) + (d*Log[a + b*x])/((d*g - c*h)^2*(g + h
*x)) + (d^2*Log[a + b*x]*Log[(b*(c + d*x))/(b*c - a*d)]/(d*g - c*h)^3 + (b
*d*Log[g + h*x])/((b*g - a*h)*(d*g - c*h)^2) + (b^2*Log[g + h*x])/(2*(b*g
- a*h)^2*(d*g - c*h)) - (d^2*Log[a + b*x]*Log[(b*(g + h*x))/(b*g - a*h)]/
(d*g - c*h)^3 + (d^2*PolyLog[2, -((d*(a + b*x))/(b*c - a*d))]/(d*g - c*h)
^3 - (d^2*PolyLog[2, -((h*(a + b*x))/(b*g - a*h))]/(d*g - c*h)^3) + d^2*q
*r*(-((h*(-1/2*Log[c + d*x])/(h*(d*g - c*h + h*(c + d*x)))^2) + (1/((d*g - c
*h)*(d*g - c*h + h*(c + d*x))) + Log[c + d*x]/(d*g - c*h)^2 - Log[d*g - c*
h + h*(c + d*x)]/(d*g - c*h)^2)/(2*h)))/(d*g - c*h) + (-((h*((c + d*x)*L
og[c + d*x])/((d*g - c*h)*(d*g - c*h + h*(c + d*x))) - Log[d*g - c*h + h*(
c + d*x)]/(h*(d*g - c*h))))/(d*g - c*h) + (-((Log[c + d*x]*Log[1 + (d*g -
c*h)/(h*(c + d*x))])/((d*g - c*h)) + PolyLog[2, -((d*g - c*h)/(h*(c + d*x)
))]/(d*g - c*h))/(d*g - c*h))/(d*g - c*h))/(3*h) + (2*b*p*r*(-((p*r*Log[
a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])*(1/...

```

Definitions of rubi rules used

- rule 16 $\text{Int}[(c_)/((a_)+(b_)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] /; \text{FreeQ}[\{a, b, c\}, x]$
- rule 27 $\text{Int}[(a_)*(F_x), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[F_x, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[F_x, (b_)*(G_x)] /; \text{FreeQ}[b, x]$
- rule 54 $\text{Int}[(a_)+(b_)*(x_)^m*((c_)+(d_)*(x_)^n), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2751 $\text{Int}[(a_)+\text{Log}[(c_)*(x_)^{n_}](b_)*((d_)+(e_)*(x_)^{r_})^{q_}, x_Symbol] \rightarrow \text{Simp}[x*(d + e*x^r)^{q+1}*((a + b*\text{Log}[c*x^n])/d), x] - \text{Simp}[b*(n/d) \text{ Int}[(d + e*x^r)^{q+1}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n, q, r\}, x] \ \&\& \ \text{EqQ}[r*(q+1)+1, 0]$
- rule 2756 $\text{Int}[(a_)+\text{Log}[(c_)*(x_)^{n_}](b_))^{p_}*((d_)+(e_)*(x_)^{q_}), x_Symbol] \rightarrow \text{Simp}[(d + e*x)^{q+1}*((a + b*\text{Log}[c*x^n])^p/(e*(q+1))), x] - \text{Simp}[b*n*(p/(e*(q+1))) \text{ Int}[(d + e*x)^{q+1}*(a + b*\text{Log}[c*x^n])^{p-1})/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n, p, q\}, x] \ \&\& \ \text{GtQ}[p, 0] \ \&\& \ \text{NeQ}[q, -1] \ \&\& \ (\text{EqQ}[p, 1] \ || \ (\text{IntegersQ}[2*p, 2*q] \ \&\& \ !\text{IGtQ}[q, 0]) \ || \ (\text{EqQ}[p, 2] \ \& \ \text{NeQ}[q, 1]))$
- rule 2779 $\text{Int}[(a_)+\text{Log}[(c_)*(x_)^{n_}](b_))^{p_}/((x_)*((d_)+(e_)*(x_)^{r_})), x_Symbol] \rightarrow \text{Simp}[(-\text{Log}[1 + d/(e*x^r)])*((a + b*\text{Log}[c*x^n])^p/(d*r)), x] + \text{Simp}[b*n*(p/(d*r)) \text{ Int}[\text{Log}[1 + d/(e*x^r)]*((a + b*\text{Log}[c*x^n])^{p-1})/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n, r\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

rule 2789 $\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*(x_.)^{(n_.)})*(b_.)])^{(p_.)}*((d_.) + (e_.)*(x_.)^{(q_.)})}{(x_.)}, x_Symbol] \rightarrow \text{Simp}[1/d \text{ Int}[(d + e*x)^{(q+1)}*((a + b*\text{Log}[c*x^n])^p/x), x], x] - \text{Simp}[e/d \text{ Int}[(d + e*x)^q*(a + b*\text{Log}[c*x^n])^p, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{LtQ}[q, -1] \&\& \text{IntegerQ}[2*q]$

rule 2838 $\text{Int}[\text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})]/(x_.)], x_Symbol] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-c)*e*x^n/n, x] /; \text{FreeQ}[\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

rule 2858 $\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})*(b_.)])^{(p_.)}*((f_.) + (g_.)*(x_.)^{(q_.)}*(h_.) + (i_.)*(x_.)^{(r_.)})}{(x_.)}, x_Symbol] \rightarrow \text{Simp}[1/e \text{ Subst}[\text{Int}[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*\text{Log}[c*x^n])^p, x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, n, p, q, r\}, x] \&\& \text{EqQ}[e*f - d*g, 0] \&\& (\text{IGtQ}[p, 0] \parallel \text{IGtQ}[r, 0]) \&\& \text{IntegerQ}[2*r]$

rule 2865 $\text{Int}[\frac{((a_.) + \text{Log}[(c_.)*((d_.) + (e_.)*(x_.)^{(n_.)})*(b_.)])^{(p_.)}*(\text{RFx}_.)}{(x_.)}, x_Symbol] \rightarrow \text{With}[\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, \text{RFx}, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \&\& \text{RationalFunctionQ}[\text{RFx}, x] \&\& \text{IntegerQ}[p]$

rule 2984 $\text{Int}[\text{Log}[(e_.)*((f_.)*((a_.) + (b_.)*(x_.)^{(p_.)}*((c_.) + (d_.)*(x_.)^{(q_.)})^{(r_.)})^{(s_.)}*((g_.) + (h_.)*(x_.)^{(m_.)})], x_Symbol] \rightarrow \text{Simp}[(g + h*x)^{(m+1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^s/(h*(m+1)), x] + (-\text{Simp}[b*p*r*(s/(h*(m+1))) \text{ Int}[(g + h*x)^{(m+1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^s - 1)/(a + b*x), x], x] - \text{Simp}[d*q*r*(s/(h*(m+1))) \text{ Int}[(g + h*x)^{(m+1)}*(\text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r]^s - 1)/(c + d*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m, p, q, r, s\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IGtQ}[s, 0] \&\& \text{NeQ}[m, -1]$

rule 2993 $\text{Int}[\text{Log}[(e_.)*((f_.)*((a_.) + (b_.)*(x_.)^{(p_.)}*((c_.) + (d_.)*(x_.)^{(q_.)})^{(r_.)})*(\text{RFx}_.)], x_Symbol] \rightarrow \text{Simp}[p*r \text{ Int}[\text{RFx}*\text{Log}[a + b*x], x], x] + (\text{Simp}[q*r \text{ Int}[\text{RFx}*\text{Log}[c + d*x], x], x] - \text{Simp}[(p*r*\text{Log}[a + b*x] + q*r*\text{Log}[c + d*x] - \text{Log}[e*(f*(a + b*x))^p*(c + d*x)^q]^r] \text{ Int}[\text{RFx}, x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, p, q, r\}, x] \&\& \text{RationalFunctionQ}[\text{RFx}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{MatchQ}[\text{RFx}, (u_.)*(a + b*x)^{(m_.)}*(c + d*x)^{(n_.)}] /; \text{IntegersQ}[m, n]$

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)^2}{(hx+g)^4} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x)`

Fricas [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(hx+g)^4} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h^4*x^4 + 4*g*h^3*x^3 + 6*g^2*h^2*x^2 + 4*g^3*h*x + g^4), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)**2/(h*x+g)**4,x)`

output `Timed out`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 4732 vs. 2(1875) = 3750.

Time = 0.66 (sec) , antiderivative size = 4732, normalized size of antiderivative = 2.42

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{Too large to display}$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x, algorithm="maxima")
```

output

```
1/3*(2*b^3*f*p*log(b*x + a)/(b^3*g^3 - 3*a*b^2*g^2*h + 3*a^2*b*g*h^2 - a^3*h^3) + 2*d^3*f*q*log(d*x + c)/(d^3*g^3 - 3*c*d^2*g^2*h + 3*c^2*d*g*h^2 - c^3*h^3) - 2*(3*a*b^2*d^3*f*g^2*h*q - 3*a^2*b*d^3*f*g*h^2*q + a^3*d^3*f*h^3*q - (d^3*f*g^3*(p + q) - 3*c*d^2*f*g^2*h*p + 3*c^2*d*f*g*h^2*p - c^3*f*h^3*p)*b^3)*log(h*x + g)/((d^3*g^3*h^3 - 3*c*d^2*g^2*h^4 + 3*c^2*d*g*h^5 - c^3*h^6)*a^3 - 3*(d^3*g^4*h^2 - 3*c*d^2*g^3*h^3 + 3*c^2*d*g^2*h^4 - c^3*g*h^5)*a^2*b + 3*(d^3*g^5*h - 3*c*d^2*g^4*h^2 + 3*c^2*d*g^3*h^3 - c^3*g^2*h^4)*a*b^2 - (d^3*g^6 - 3*c*d^2*g^5*h + 3*c^2*d*g^4*h^2 - c^3*g^3*h^3)*b^3) + ((3*d^2*f*g*h^2*q - c*d*f*h^3*q)*a^2 - (d^2*f*g^2*h*(p + 6*q) - 2*c*d*f*g*h^2*(p + q) + c^2*f*h^3*p)*a*b - (c*d*f*g^2*h*(6*p + q) - 3*d^2*f*g^3*(p + q) - 3*c^2*f*g*h^2*p)*b^2 - 2*(2*a*b*d^2*f*g*h^2*q - a^2*d^2*f*h^3*q - (d^2*f*g^2*h*(p + q) - 2*c*d*f*g*h^2*p + c^2*f*h^3*p)*b^2)*x)/((d^2*g^4*h^2 - 2*c*d*g^3*h^3 + c^2*g^2*h^4)*a^2 - 2*(d^2*g^5*h - 2*c*d*g^4*h^2 + c^2*g^3*h^3)*a*b + (d^2*g^6 - 2*c*d*g^5*h + c^2*g^4*h^2)*b^2 + ((d^2*g^2*h^4 - 2*c*d*g*h^5 + c^2*h^6)*a^2 - 2*(d^2*g^3*h^3 - 2*c*d*g^2*h^4 + c^2*g*h^5)*a*b + (d^2*g^4*h^2 - 2*c*d*g^3*h^3 + c^2*g^2*h^4)*b^2)*x^2 + 2*((d^2*g^3*h^3 - 2*c*d*g^2*h^4 + c^2*g*h^5)*a^2 - 2*(d^2*g^4*h^2 - 2*c*d*g^3*h^3 + c^2*g^2*h^4)*a*b + (d^2*g^5*h - 2*c*d*g^4*h^2 + c^2*g^3*h^3)*b^2)*x))*r*log((b*x + a)^p*(d*x + c)^q*f)^r*e)/(f*h) + 1/3*(2*(3*a*b^2*d^3*f^2*g^2*h*p*q - 3*a^2*b*d^3*f^2*g*h^2*p*q + a^3*d^3*f^2*h^3*p*q - (3*c*d^2*f^2*g^2*h*...
```

Giac [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)^2}{(hx+g)^4} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)^2/(h*x + g)^4, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)^2}{(g+hx)^4} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^4,x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)^2/(g + h*x)^4, x)`

Reduce [F]

$$\int \frac{\log^2(e(f(a+bx)^p(c+dx)^q)^r)}{(g+hx)^4} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)^2/(h*x+g)^4,x)`

output

```
( - 18*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g**4 +
4*a**2*c*d*g**3*h*x + 6*a**2*c*d*g**2*h**2*x**2 + 4*a**2*c*d*g*h**3*x**3 +
a**2*c*d*h**4*x**4 + a**2*d**2*g**4*x + 4*a**2*d**2*g**3*h*x**2 + 6*a**2*d
**2*g**2*h**2*x**3 + 4*a**2*d**2*g*h**3*x**4 + a**2*d**2*h**4*x**5 + a*b*
c**2*g**4 + 4*a*b*c**2*g**3*h*x + 6*a*b*c**2*g**2*h**2*x**2 + 4*a*b*c**2*g
*h**3*x**3 + a*b*c**2*h**4*x**4 + 2*a*b*c*d*g**4*x + 8*a*b*c*d*g**3*h*x**2
+ 12*a*b*c*d*g**2*h**2*x**3 + 8*a*b*c*d*g*h**3*x**4 + 2*a*b*c*d*h**4*x**5
+ a*b*d**2*g**4*x**2 + 4*a*b*d**2*g**3*h*x**3 + 6*a*b*d**2*g**2*h**2*x**4
+ 4*a*b*d**2*g*h**3*x**5 + a*b*d**2*h**4*x**6 + b**2*c**2*g**4*x + 4*b**2
*c**2*g**3*h*x**2 + 6*b**2*c**2*g**2*h**2*x**3 + 4*b**2*c**2*g*h**3*x**4 +
b**2*c**2*h**4*x**5 + b**2*c*d*g**4*x**2 + 4*b**2*c*d*g**3*h*x**3 + 6*b**
2*c*d*g**2*h**2*x**4 + 4*b**2*c*d*g*h**3*x**5 + b**2*c*d*h**4*x**6),x)*a**
7*c**5*d**2*g**6*h**8*q*r - 54*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p
*r)*e)/(a**2*c*d*g**4 + 4*a**2*c*d*g**3*h*x + 6*a**2*c*d*g**2*h**2*x**2 +
4*a**2*c*d*g*h**3*x**3 + a**2*c*d*h**4*x**4 + a**2*d**2*g**4*x + 4*a**2*d
**2*g**3*h*x**2 + 6*a**2*d**2*g**2*h**2*x**3 + 4*a**2*d**2*g*h**3*x**4 + a
**2*d**2*h**4*x**5 + a*b*c**2*g**4 + 4*a*b*c**2*g**3*h*x + 6*a*b*c**2*g**2*
h**2*x**2 + 4*a*b*c**2*g*h**3*x**3 + a*b*c**2*h**4*x**4 + 2*a*b*c*d*g**4*x
+ 8*a*b*c*d*g**3*h*x**2 + 12*a*b*c*d*g**2*h**2*x**3 + 8*a*b*c*d*g*h**3*x*
*4 + 2*a*b*c*d*h**4*x**5 + a*b*d**2*g**4*x**2 + 4*a*b*d**2*g**3*h*x**3 ...
```

3.43
$$\int \frac{\left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Optimal result	453
Mathematica [A] (verified)	453
Rubi [A] (verified)	454
Maple [F]	455
Fricas [A] (verification not implemented)	455
Sympy [B] (verification not implemented)	456
Maxima [F]	456
Giac [A] (verification not implemented)	457
Mupad [F(-1)]	457
Reduce [B] (verification not implemented)	457

Optimal result

Integrand size = 40, antiderivative size = 42

$$\int \frac{\left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx = -\frac{\left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^{1+n}}{bc(1+n)}$$

output

```
-(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^(1+n)/b/c/(1+n)
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.00

$$\int \frac{\left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx = -\frac{\left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^{1+n}}{bc(1+n)}$$

input

```
Integrate[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2),x]
```

output

```
-((a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^(1 + n)/(b*c*(1 + n)))
```

Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2973, 7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{1 - c^2x^2} dx$$

↓ 2973

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{1 - c^2x^2} dx$$

↓ 7237

$$-\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^{n+1}}{bc(n+1)}$$

input `Int[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]`

output `-((a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^(1 + n)/(b*c*(1 + n)))`

Defintions of rubi rules used

rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol]
:> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !Intege
rQ[n]`

rule 7237 `Int[(u_)*(y_)^(m_.), x_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Si
mp[q*(y^(m + 1)/(m + 1)), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]`

Maple [F]

$$\int \frac{\left(a + b \ln \left(\frac{\sqrt{-xc+1}}{\sqrt{xc+1}}\right)\right)^n}{-c^2x^2 + 1} dx$$

input `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)`

output `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)`

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.33

$$\int \frac{\left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx = -\frac{\left(b \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right) \left(b \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{bcn + bc}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="fricas")`

output `-(b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)*(b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(b*c*n + b*c)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 94 vs. $2(32) = 64$.

Time = 79.89 (sec) , antiderivative size = 94, normalized size of antiderivative = 2.24

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = \begin{cases} \frac{a^n \operatorname{atan}\left(\frac{x}{\sqrt{-\frac{1}{c^2}}}\right)}{c^2 \sqrt{-\frac{1}{c^2}}} & \text{for } b = 0 \\ a^n x & \text{for } c = 0 \\ \begin{cases} \frac{\left(a + b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^{n+1}}{n+1} & \text{for } n \neq -1 \\ \log\left(a + b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right) & \text{otherwise} \end{cases} & \text{otherwise} \\ -\frac{\quad}{bc} & \text{otherwise} \end{cases}$$

input `integrate((a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**n/(-c**2*x**2+1),x)`

output `Piecewise((-a**n*atan(x/sqrt(-1/c**2))/(c**2*sqrt(-1/c**2)), Eq(b, 0)), (a**n*x, Eq(c, 0)), (-Piecewise(((a + b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))** (n + 1)/(n + 1), Ne(n, -1)), (log(a + b*log(sqrt(-c*x + 1)/sqrt(c*x + 1))), True))/(b*c), True))`

Maxima [F]

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = \int -\frac{\left(b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2 x^2 - 1} dx$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="maxima")`

output `-integrate((b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)`

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.90

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx = -\frac{\left(-\frac{1}{2} b \log(cx + 1) + \frac{1}{2} b \log(-cx + 1) + a\right)^{n+1}}{bc(n + 1)}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="giac")`

output `-(-1/2*b*log(c*x + 1) + 1/2*b*log(-c*x + 1) + a)^(n + 1)/(b*c*(n + 1))`

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx = -\int \frac{\left(a + b \ln\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{c^2x^2 - 1} dx$$

input `int(-(a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^n/(c^2*x^2 - 1),x)`

output `-int((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^n/(c^2*x^2 - 1), x)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 105, normalized size of antiderivative = 2.50

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx$$

$$= -\frac{\left(\log\left(-\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)} - 1\right) b + a\right)^n \left(\log\left(-\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)} - 1\right) b + a\right)^n}{bc(n + 1)}$$

input `int((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)`

output `(- (log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))*b + a)**n*(log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))*b + a))/(b*c*(n + 1))`

$$3.44 \quad \int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx$$

Optimal result	459
Mathematica [A] (verified)	459
Rubi [A] (warning: unable to verify)	460
Maple [F]	461
Fricas [B] (verification not implemented)	462
Sympy [B] (verification not implemented)	462
Maxima [B] (verification not implemented)	463
Giac [F]	464
Mupad [F(-1)]	464
Reduce [B] (verification not implemented)	465

Optimal result

Integrand size = 40, antiderivative size = 37

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^4}{4bc}$$

output `-1/4*(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^4/b/c`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^4}{4bc}$$

input `Integrate[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]`

output `-1/4*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^4/(b*c)`

Rubi [A] (warning: unable to verify)

Time = 0.36 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.68, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2973, 2976, 27, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^3}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2973} \\
 & \int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^3}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2976} \\
 & -2c \int \frac{(cx+1) \left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)^3}{4c^2(1-cx)} d \frac{1-cx}{cx+1} \\
 & \quad \downarrow \text{27} \\
 & - \frac{\int \frac{(cx+1) \left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)^3}{1-cx} d \frac{1-cx}{cx+1}}{2c} \\
 & \quad \downarrow \text{2739} \\
 & - \frac{\int \frac{(1-cx)^3}{(cx+1)^3} d \left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)}{bc} \\
 & \quad \downarrow \text{15} \\
 & - \frac{(1-cx)^4}{4bc(cx+1)^4}
 \end{aligned}$$

input `Int[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]`

output `-1/4*(1 - c*x)^4/(b*c*(1 + c*x)^4)`

Definitions of rubi rules used

- rule 15 `Int[(a_.)*(x_)^(m_.), x_Symbol] := Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[{a, m}, x] && NeQ[m, -1]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 2739 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] := Simp[1/(b*n) Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}, x]`
- rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol] := Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; FreeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !IntegerQ[n]`
- rule 2976 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)^(p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

Maple [F]

$$\int \frac{\left(a + b \ln \left(\frac{\sqrt{-xc+1}}{\sqrt{xc+1}}\right)\right)^3}{-c^2x^2 + 1} dx$$

input `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x)`

output `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 101 vs. $2(31) = 62$.

Time = 0.07 (sec) , antiderivative size = 101, normalized size of antiderivative = 2.73

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx$$

$$= -\frac{b^3 \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^4 + 4ab^2 \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^3 + 6a^2 b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 + 4a^3 \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{4c}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="fricas")`

output `-1/4*(b^3*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^4 + 4*a*b^2*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^3 + 6*a^2*b*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 4*a^3*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))/c`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. $2(29) = 58$.

Time = 4.47 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.76

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = \begin{cases} -\frac{a^3 \operatorname{atan}\left(\frac{x}{\sqrt{-\frac{1}{c^2}}}\right)}{c^2 \sqrt{-\frac{1}{c^2}}} & \text{for } b = 0 \\ a^3 x & \text{for } c = 0 \\ -\frac{\left(a + b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^4}{4bc} & \text{otherwise} \end{cases}$$

input `integrate((a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**3/(-c**2*x**2+1),x)`

output `Piecewise((-a**3*atan(x/sqrt(-1/c**2))/(c**2*sqrt(-1/c**2)), Eq(b, 0)), (a**3*x, Eq(c, 0)), (- (a + b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))**4/(4*b*c), True))`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 526 vs. $2(31) = 62$.

Time = 0.08 (sec) , antiderivative size = 526, normalized size of antiderivative = 14.22

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2x^2} dx = \frac{1}{2} b^3 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^3$$

$$+ \frac{3}{2} ab^2 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2$$

$$+ \frac{3}{2} a^2b \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)$$

$$+ \frac{1}{64} \left(\frac{24(\log(cx+1))^2 - 2\log(cx+1)\log(cx-1) + \log(cx-1)^2}{c} \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 + \frac{8(\log(cx+1))^3}{c}\right)$$

$$+ \frac{1}{8} ab^2 \left(\frac{6(\log(cx+1))^2 - 2\log(cx+1)\log(cx-1) + \log(cx-1)^2}{c} \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + \frac{\log(cx+1)^3}{c}\right)$$

$$+ \frac{1}{2} a^3 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right)$$

$$+ \frac{3(\log(cx+1))^2 - 2\log(cx+1)\log(cx-1) + \log(cx-1)^2}{8c} a^2b$$

input

```
integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="maxima")
```


output

```

1/2*b^3*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x + 1)/sqrt(c*x + 1)
)^3 + 3/2*a*b^2*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x + 1)/sqrt(
c*x + 1))^2 + 3/2*a^2*b*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x +
1)/sqrt(c*x + 1)) + 1/64*(24*(log(c*x + 1)^2 - 2*log(c*x + 1)*log(c*x - 1)
+ log(c*x - 1)^2)*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2/c + 8*(log(c*x + 1)
^3 - 3*log(c*x + 1)^2*log(c*x - 1) + 3*log(c*x + 1)*log(c*x - 1)^2 - log(c
*x - 1)^3)*log(sqrt(-c*x + 1)/sqrt(c*x + 1))/c + (log(c*x + 1)^4 - 4*log(c
*x + 1)^3*log(c*x - 1) + 6*log(c*x + 1)^2*log(c*x - 1)^2 - 4*log(c*x + 1)*
log(c*x - 1)^3 + log(c*x - 1)^4)/c)*b^3 + 1/8*a*b^2*(6*(log(c*x + 1)^2 - 2
*log(c*x + 1)*log(c*x - 1) + log(c*x - 1)^2)*log(sqrt(-c*x + 1)/sqrt(c*x +
1))/c + (log(c*x + 1)^3 - 3*log(c*x + 1)^2*log(c*x - 1) + 3*log(c*x + 1)*
log(c*x - 1)^2 - log(c*x - 1)^3)/c) + 1/2*a^3*(log(c*x + 1)/c - log(c*x -
1)/c) + 3/8*(log(c*x + 1)^2 - 2*log(c*x + 1)*log(c*x - 1) + log(c*x - 1)^2
)*a^2*b/c

```

Giac [F]

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2x^2} dx = \int -\frac{\left(b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^3}{c^2x^2 - 1} dx$$

input

```

integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algori
thm="giac")

```

output

```

integrate(-(b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^3/(c^2*x^2 - 1), x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2x^2} dx = \int -\frac{\left(a + b \ln\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^3}{c^2x^2 - 1} dx$$

input

```

int(-(a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3/(c^2*x^2 - 1),x)

```

output `int(-(a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3/(c^2*x^2 - 1), x)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 180, normalized size of antiderivative = 4.86

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2x^2} dx$$

$$= \frac{-2 \log(c^2x - c) a^3 + 2 \log(c^2x + c) a^3 - \log\left(-\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right) - 1}\right)^4 b^3 - 4 \log\left(-\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right) - 1}\right)}{4c}$$

input `int((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1), x)`

output `(- 2*log(c**2*x - c)*a**3 + 2*log(c**2*x + c)*a**3 - log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))**4*b**3 - 4*log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))**3*a*b**2 - 6*log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))**2*a**2*b)/(4*c)`

3.45
$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx$$

Optimal result	466
Mathematica [A] (verified)	466
Rubi [A] (warning: unable to verify)	467
Maple [F]	468
Fricas [B] (verification not implemented)	469
Sympy [B] (verification not implemented)	469
Maxima [B] (verification not implemented)	470
Giac [F]	470
Mupad [F(-1)]	471
Reduce [B] (verification not implemented)	471

Optimal result

Integrand size = 40, antiderivative size = 37

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{3bc}$$

output `-1/3*(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/b/c`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{3bc}$$

input `Integrate[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]`

output `-1/3*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(b*c)`

Rubi [A] (warning: unable to verify)

Time = 0.35 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.68, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2973, 2976, 27, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2973} \\
 & \int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2976} \\
 & -2c \int \frac{(cx+1) \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{4c^2(1-cx)} d \frac{1-cx}{cx+1} \\
 & \quad \downarrow \text{27} \\
 & - \frac{\int \frac{(cx+1) \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{1-cx} d \frac{1-cx}{cx+1}}{2c} \\
 & \quad \downarrow \text{2739} \\
 & - \frac{\int \frac{(1-cx)^2}{(cx+1)^2} d \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)}{bc} \\
 & \quad \downarrow \text{15} \\
 & - \frac{(1-cx)^3}{3bc(cx+1)^3}
 \end{aligned}$$

input `Int[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]`

output `-1/3*(1 - c*x)^3/(b*c*(1 + c*x)^3)`

Definitions of rubi rules used

- rule 15 `Int[(a_.)*(x_)^(m_.), x_Symbol] := Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[{a, m}, x] && NeQ[m, -1]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 2739 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] := Simp[1/(b*n) Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}, x]`
- rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol] := Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; FreeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !IntegerQ[n]`
- rule 2976 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)^(p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

Maple [F]

$$\int \frac{\left(a + b \ln \left(\frac{\sqrt{-xc+1}}{\sqrt{xc+1}}\right)\right)^2}{-c^2x^2 + 1} dx$$

input `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x)`

output `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x)`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 74 vs. $2(31) = 62$.

Time = 0.15 (sec) , antiderivative size = 74, normalized size of antiderivative = 2.00

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx$$

$$= -\frac{b^2 \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^3 + 3ab \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 + 3a^2 \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{3c}$$

input

```
integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="fricas")
```

output

```
-1/3*(b^2*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^3 + 3*a*b*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 3*a^2*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))/c
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. $2(29) = 58$.

Time = 3.42 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.76

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = \begin{cases} -\frac{a^2 \operatorname{atan}\left(\frac{x}{\sqrt{-\frac{1}{c^2}}}\right)}{c^2 \sqrt{-\frac{1}{c^2}}} & \text{for } b = 0 \\ a^2 x & \text{for } c = 0 \\ -\frac{\left(a + b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^3}{3bc} & \text{otherwise} \end{cases}$$

input

```
integrate((a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2/(-c**2*x**2+1),x)
```

output

```
Piecewise((-a**2*atan(x/sqrt(-1/c**2))/(c**2*sqrt(-1/c**2)), Eq(b, 0)), (a**2*x, Eq(c, 0)), (-a + b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))**3/(3*b*c), True))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 268 vs. $2(31) = 62$.

Time = 0.06 (sec) , antiderivative size = 268, normalized size of antiderivative = 7.24

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = \frac{1}{2} b^2 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2$$

$$+ ab \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)$$

$$+ \frac{1}{24} b^2 \left(\frac{6(\log(cx+1))^2 - 2\log(cx+1)\log(cx-1) + \log(cx-1)^2}{c}\right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + \frac{\log(cx+1)^3 - 3\log(cx+1)\log(cx-1) + \log(cx-1)^3}{4c}$$

$$+ \frac{1}{2} a^2 \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c}\right)$$

$$+ \frac{(\log(cx+1))^2 - 2\log(cx+1)\log(cx-1) + \log(cx-1)^2}{4c} ab$$

input

```
integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="maxima")
```

output

```
1/2*b^2*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + a*b*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + 1/24*b^2*(6*(log(c*x + 1)^2 - 2*log(c*x + 1)*log(c*x - 1) + log(c*x - 1)^2)*log(sqrt(-c*x + 1)/sqrt(c*x + 1))/c + (log(c*x + 1)^3 - 3*log(c*x + 1)*log(c*x - 1) + 3*log(c*x + 1)*log(c*x - 1)^2 - log(c*x - 1)^3)/c) + 1/2*a^2*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/4*(log(c*x + 1)^2 - 2*log(c*x + 1)*log(c*x - 1) + log(c*x - 1)^2)*a*b/c
```

Giac [F]

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = \int -\frac{\left(b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^2}{c^2x^2 - 1} dx$$

input

```
integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="giac")
```

output `integrate(-(b*log(sqrt(-c*x + 1))/sqrt(c*x + 1)) + a)^2/(c^2*x^2 - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = \int -\frac{\left(a + b \ln\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{c^2x^2 - 1} dx$$

input `int(-(a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2/(c^2*x^2 - 1), x)`

output `int(-(a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2/(c^2*x^2 - 1), x)`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 129, normalized size of antiderivative = 3.49

$$\int \frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx$$

$$= \frac{-3 \log(c^2x - c) a^2 + 3 \log(c^2x + c) a^2 - 2 \log\left(\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right) - 1}\right)^3 b^2 - 6 \log\left(\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}\right)^2}{6c}$$

input `int((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1), x)`

output `(- 3*log(c**2*x - c)*a**2 + 3*log(c**2*x + c)*a**2 - 2*log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))**3*b**2 - 6*log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))**2*a*b)/(6*c)`

$$3.46 \quad \int \frac{a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1-c^2x^2} dx$$

Optimal result	472
Mathematica [A] (verified)	472
Rubi [A] (warning: unable to verify)	473
Maple [F]	474
Fricas [A] (verification not implemented)	475
Sympy [B] (verification not implemented)	475
Maxima [B] (verification not implemented)	476
Giac [B] (verification not implemented)	476
Mupad [F(-1)]	477
Reduce [B] (verification not implemented)	477

Optimal result

Integrand size = 38, antiderivative size = 37

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{2bc}$$

output $-1/2*(a+b*\ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/b/c$

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = -\frac{\left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{2bc}$$

input $\text{Integrate}[(a + b*\text{Log}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[1 + c*x]])/(1 - c^2*x^2), x]$

output $-1/2*(a + b*\text{Log}[\text{Sqrt}[1 - c*x]/\text{Sqrt}[1 + c*x]])^2/(b*c)$

Rubi [A] (warning: unable to verify)

Time = 0.33 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {2973, 2976, 27, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2973} \\
 & \int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{1 - c^2x^2} dx \\
 & \quad \downarrow \text{2976} \\
 & -2c \int \frac{(cx+1) \left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)}{4c^2(1-cx)} d \frac{1-cx}{cx+1} \\
 & \quad \downarrow \text{27} \\
 & - \frac{\int \frac{(cx+1) \left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)}{1-cx} d \frac{1-cx}{cx+1}}{2c} \\
 & \quad \downarrow \text{2738} \\
 & - \frac{\left(a + b \log\left(\sqrt{\frac{1-cx}{cx+1}}\right)\right)^2}{2bc}
 \end{aligned}$$

input

```
Int[(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(1 - c^2*x^2), x]
```

output

```
-1/2*(a + b*Log[Sqrt[(1 - c*x)/(1 + c*x]])^2/(b*c)
```

Definitions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2738 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]`

rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)])*(B_.))^(p_.)*(w_.), x_Symbol] := Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; FreeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !IntegerQ[n]`

rule 2976 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

Maple [F]

$$\int \frac{a + b \ln\left(\frac{\sqrt{-xc+1}}{\sqrt{xc+1}}\right)}{-c^2x^2 + 1} dx$$

input `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x)`

output `int((a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x)`

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.27

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2 x^2} dx = -\frac{b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 + 2a \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{2c}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm m="fricas")`

output `-1/2*(b*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 2*a*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))/c`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 61 vs. 2(29) = 58.

Time = 3.07 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.65

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2 x^2} dx = \begin{cases} -\frac{a \operatorname{atan}\left(\frac{x}{\sqrt{-\frac{1}{c^2}}}\right)}{c^2 \sqrt{-\frac{1}{c^2}}} & \text{for } b = 0 \\ ax & \text{for } c = 0 \\ -\frac{(a+b \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right))^2}{2bc} & \text{otherwise} \end{cases}$$

input `integrate((a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))/(-c**2*x**2+1),x)`

output `Piecewise((-a*atan(x/sqrt(-1/c**2))/(c**2*sqrt(-1/c**2)), Eq(b, 0)), (a*x, Eq(c, 0)), -(a + b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)))**2/(2*b*c), True))`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 105 vs. $2(31) = 62$.

Time = 0.04 (sec) , antiderivative size = 105, normalized size of antiderivative = 2.84

$$\begin{aligned} & \int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2 x^2} dx \\ &= \frac{1}{2} b \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c} \right) \log\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) \\ &+ \frac{1}{2} a \left(\frac{\log(cx+1)}{c} - \frac{\log(cx-1)}{c} \right) \\ &+ \frac{(\log(cx+1))^2 - 2 \log(cx+1) \log(cx-1) + \log(cx-1)^2}{8c} b \end{aligned}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm m="maxima")`

output `1/2*b*(log(c*x + 1)/c - log(c*x - 1)/c)*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + 1/2*a*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/8*(log(c*x + 1)^2 - 2*log(c*x + 1)*log(c*x - 1) + log(c*x - 1)^2)*b/c`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 86 vs. $2(31) = 62$.

Time = 0.12 (sec) , antiderivative size = 86, normalized size of antiderivative = 2.32

$$\begin{aligned} \int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2 x^2} dx &= -\frac{b \log(cx+1)^2}{8c} + \frac{b \log(cx-1)^2}{8c} \\ &+ \frac{1}{4} \left(\frac{b \log(cx+1)}{c} - \frac{b \log(cx-1)}{c} \right) \log(-cx+1) \\ &+ \frac{a \log(cx+1)}{2c} - \frac{a \log(cx-1)}{2c} \end{aligned}$$

input `integrate((a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorithm m="giac")`

output

$$-1/8*b*log(c*x + 1)^2/c + 1/8*b*log(c*x - 1)^2/c + 1/4*(b*log(c*x + 1)/c - b*log(c*x - 1)/c)*log(-c*x + 1) + 1/2*a*log(c*x + 1)/c - 1/2*a*log(c*x - 1)/c$$

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = \int -\frac{a + b \ln\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)}{c^2x^2 - 1} dx$$

input

$$\text{int}(-(a + b*\log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))/(c^2*x^2 - 1), x)$$

output

$$\text{int}(-(a + b*\log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))/(c^2*x^2 - 1), x)$$

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 75, normalized size of antiderivative = 2.03

$$\int \frac{a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx$$

$$= \frac{-\log(c^2x - c)a + \log(c^2x + c)a - \log\left(-\frac{2 \tan\left(\frac{\arcsin\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\arcsin\left(\frac{\sqrt{-cx+1}}{\sqrt{2}}\right)}{2}\right) - 1}\right)^2 b}{2c}$$

input

$$\text{int}((a+b*\log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1), x)$$

output

$$(-\log(c**2*x - c)*a + \log(c**2*x + c)*a - \log((-2*\tan(\arcsin(\sqrt{-c*x + 1})/\sqrt{2}))/2))/(\tan(\arcsin(\sqrt{-c*x + 1})/\sqrt{2}))/2**2 - 1)**2*b)/(2*c)$$

$$3.47 \quad \int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx$$

Optimal result	478
Mathematica [A] (verified)	478
Rubi [A] (verified)	479
Maple [F]	480
Fricas [A] (verification not implemented)	480
Sympy [A] (verification not implemented)	480
Maxima [A] (verification not implemented)	481
Giac [A] (verification not implemented)	481
Mupad [F(-1)]	482
Reduce [B] (verification not implemented)	482

Optimal result

Integrand size = 40, antiderivative size = 34

$$\int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = -\frac{\log \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)}{bc}$$

output `-ln(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/b/c`

Mathematica [A] (verified)

Time = 0.24 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = -\frac{\log \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)}{bc}$$

input `Integrate[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])),x]`

output `-(Log[a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(b*c)`

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2973, 7235}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)} dx$$

↓ 2973

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)} dx$$

↓ 7235

$$-\frac{\log \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)}{bc}$$

input `Int[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])),x]`

output `-(Log[a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]]]/(b*c))`

Defintions of rubi rules used

rule 2973

```
Int[((A_.) + Log[(e_.)*(u_.)^(n_.)*(v_.)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol]
:> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; FreeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !IntegerQ[n]
```

rule 7235

```
Int[(u_)/(y_), x_Symbol] :> With[{q = DerivativeDivides[y, u, x]}, Simp[q*Log[RemoveContent[y, x]], x] /; !FalseQ[q]]
```


Maple [F]

$$\int \frac{1}{(-c^2x^2 + 1) \left(a + b \ln \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) \right)} dx$$

input `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

output `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.88

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = -\frac{\log \left(b \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)}{bc}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="fricas")`

output `-log(b*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)/(b*c)`

Sympy [A] (verification not implemented)

Time = 7.55 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.59

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \begin{cases} \frac{x}{a} & \text{for } b = 0 \wedge c = 0 \\ -\frac{\log \left(\frac{x-\frac{1}{c}}{2c} \right) + \log \left(\frac{x+\frac{1}{c}}{2c} \right)}{a} & \text{for } b = 0 \\ \frac{x}{a} & \text{for } c = 0 \\ -\frac{\log \left(\frac{a}{b} + \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) \right)}{bc} & \text{otherwise} \end{cases}$$

input `integrate(1/(-c**2*x**2+1)/(a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2))),x)`

output

```
Piecewise((x/a, Eq(b, 0) & Eq(c, 0)), ((-log(x - 1/c)/(2*c) + log(x + 1/c)
/(2*c))/a, Eq(b, 0)), (x/a, Eq(c, 0)), (-log(a/b + log(sqrt(-c*x + 1)/sqrt
(c*x + 1)))/(b*c), True))
```

Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.06

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx = -\frac{\log \left(-\frac{b \log(cx+1) - b \log(-cx+1) - 2a}{2b} \right)}{bc}$$

input

```
integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algori
thm="maxima")
```

output

```
-log(-1/2*(b*log(c*x + 1) - b*log(-c*x + 1) - 2*a)/b)/(b*c)
```

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.91

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx = -\frac{\log(-b \log(cx + 1) + b \log(-cx + 1) + 2a)}{bc}$$

input

```
integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algori
thm="giac")
```

output

```
-log(-b*log(c*x + 1) + b*log(-c*x + 1) + 2*a)/(b*c)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx = - \int \frac{1}{\left(a + b \ln \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right) (c^2 x^2 - 1)} dx$$

input `int(-1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))*(c^2*x^2 - 1)),x)`

output `-int(1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))*(c^2*x^2 - 1)), x)`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.59

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx = - \frac{\log \left(\log \left(- \frac{2 \tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right)}{\tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right) - 1} \right) b + a \right)}{bc}$$

input `int(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

output `(- log(log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))*b + a))/(b*c)`

3.48
$$\int \frac{1}{(1-c^2x^2) \left(a+b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$$

Optimal result	483
Mathematica [A] (verified)	483
Rubi [A] (verified)	484
Maple [F]	485
Fricas [A] (verification not implemented)	485
Sympy [B] (verification not implemented)	485
Maxima [A] (verification not implemented)	486
Giac [A] (verification not implemented)	486
Mupad [F(-1)]	487
Reduce [B] (verification not implemented)	487

Optimal result

Integrand size = 40, antiderivative size = 34

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx = \frac{1}{bc \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)}$$

output `1/b/c/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx = \frac{1}{bc \left(a + b \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)}$$

input `Integrate[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2),x]`

output `1/(b*c*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]]))`

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2973, 7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2} dx$$

↓ 2973

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2} dx$$

↓ 7237

$$\frac{1}{bc \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)}$$

input `Int[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2),x]`

output `1/(b*c*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]]))`

Defintions of rubi rules used

rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol]
:> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !Intege
rQ[n]`

rule 7237 `Int[(u_)*(y_)^(m_.), x_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Si
mp[q*(y^(m + 1)/(m + 1)), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]`

Maple [F]

$$\int \frac{1}{(-c^2x^2 + 1) \left(a + b \ln \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) \right)^2} dx$$

input `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

output `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

Fricas [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.85

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \frac{1}{b^2c \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + abc}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algo rithm="fricas")`

output `1/(b^2*c*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a*b*c)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 61 vs. 2(26) = 52.

Time = 76.09 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.79

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \begin{cases} \frac{x}{a^2} & \text{for } b = 0 \wedge c = 0 \\ -\frac{\log \left(x - \frac{1}{c} \right)}{2c} + \frac{\log \left(x + \frac{1}{c} \right)}{2c} & \text{for } b = 0 \\ \frac{x}{a^2} & \text{for } c = 0 \\ \frac{1}{abc + b^2c \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)} & \text{otherwise} \end{cases}$$

input `integrate(1/(-c**2*x**2+1)/(a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2,x)`

output `Piecewise((x/a**2, Eq(b, 0) & Eq(c, 0)), ((-log(x - 1/c)/(2*c) + log(x + 1/c)/(2*c))/a**2, Eq(b, 0)), (x/a**2, Eq(c, 0)), (1/(a*b*c + b**2*c*log(sqrt(-c*x + 1)/sqrt(c*x + 1))), True))`

Maxima [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = -\frac{2}{b^2 c \log(cx + 1) - b^2 c \log(-cx + 1) - 2abc}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorith="maxima")`

output `-2/(b^2*c*log(c*x + 1) - b^2*c*log(-c*x + 1) - 2*a*b*c)`

Giac [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = -\frac{2}{b^2 c \log(cx + 1) - b^2 c \log(-cx + 1) - 2abc}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorith="giac")`

output `-2/(b^2*c*log(c*x + 1) - b^2*c*log(-c*x + 1) - 2*a*b*c)`

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^2} dx = - \int \frac{1}{\left(a + b \ln \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2 (c^2 x^2 - 1)} dx$$

input `int(-1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2*(c^2*x^2 - 1)),x)`

output `-int(1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2*(c^2*x^2 - 1)), x)`

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 96, normalized size of antiderivative = 2.82

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^2} dx = - \frac{\log \left(- \frac{2 \tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right)}{\tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right) - 1} \right)}{ac \left(\log \left(- \frac{2 \tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right)}{\tan \left(\frac{\operatorname{asin} \left(\frac{\sqrt{-cx+1}}{\sqrt{2}} \right)}{2} \right) - 1} \right) b + a \right)}$$

input `int(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

output `(- log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1)))/(a*c*(log((- 2*tan(asin(sqrt(- c*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- c*x + 1)/sqrt(2))/2)**2 - 1))*b + a)`

$$3.49 \quad \int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^3} dx$$

Optimal result	488
Mathematica [A] (verified)	488
Rubi [A] (verified)	489
Maple [F]	490
Fricas [A] (verification not implemented)	490
Sympy [F(-1)]	490
Maxima [B] (verification not implemented)	491
Giac [B] (verification not implemented)	491
Mupad [F(-1)]	492
Reduce [B] (verification not implemented)	492

Optimal result

Integrand size = 40, antiderivative size = 37

$$\int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^3} dx = \frac{1}{2bc \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2}$$

output $1/2/b/c/(a+b*\ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2$

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1-c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^3} dx = \frac{1}{2bc \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2}$$

input `Integrate[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3),x]`

output $1/(2*b*c*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2)$

Rubi [A] (verified)

Time = 0.37 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {2973, 7237}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^3} dx$$

↓ 2973

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^3} dx$$

↓ 7237

$$\frac{1}{2bc \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2}$$

input `Int[1/((1 - c^2*x^2)*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3),x]`

output `1/(2*b*c*(a + b*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2)`

Defintions of rubi rules used

rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_.)]*(B_.))^(p_.)*(w_.), x_Symbol]
:> Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; Fr
eeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !Intege
rQ[n]`

rule 7237 `Int[(u_)*(y_)^(m_.), x_Symbol] := With[{q = DerivativeDivides[y, u, x]}, Si
mp[q*(y^(m + 1)/(m + 1)), x] /; !FalseQ[q] /; FreeQ[m, x] && NeQ[m, -1]`

Maple [F]

$$\int \frac{1}{(-c^2x^2 + 1) \left(a + b \ln \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) \right)^3} dx$$

input `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x)`

output `int(1/(-c^2*x^2+1)/(a+b*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x)`

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.59

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^3} dx$$

$$= \frac{1}{2 \left(b^3c \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 + 2ab^2c \log \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a^2bc \right)}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x, algorithm="fricas")`

output `1/2/(b^3*c*log(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 2*a*b^2*c*log(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a^2*b*c)`

Sympy [F(-1)]

Timed out.

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \log \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^3} dx = \text{Timed out}$$

input `integrate(1/(-c**2*x**2+1)/(a+b*ln((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**3,x)`

output Timed out

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 80 vs. $2(31) = 62$.

Time = 0.15 (sec) , antiderivative size = 80, normalized size of antiderivative = 2.16

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^3} dx$$

$$= \frac{2}{b^3 c \log(cx + 1)^2 + b^3 c \log(-cx + 1)^2 - 4ab^2 c \log(cx + 1) + 4a^2 b c - 2(b^3 c \log(cx + 1) - 2ab^2 c) \log(-cx + 1)}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x, algorith="maxima")`

output $2/(b^3*c*\log(c*x + 1)^2 + b^3*c*\log(-c*x + 1)^2 - 4*a*b^2*c*\log(c*x + 1) + 4*a^2*b*c - 2*(b^3*c*\log(c*x + 1) - 2*a*b^2*c)*\log(-c*x + 1))$

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 85 vs. $2(31) = 62$.

Time = 0.12 (sec) , antiderivative size = 85, normalized size of antiderivative = 2.30

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^3} dx$$

$$= \frac{2}{b^3 c \log(cx + 1)^2 - 2b^3 c \log(cx + 1) \log(-cx + 1) + b^3 c \log(-cx + 1)^2 - 4ab^2 c \log(cx + 1) + 4ab^2 c \log(-cx + 1)}$$

input `integrate(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x, algorith="giac")`

output $2/(b^3*c*\log(c*x + 1)^2 - 2*b^3*c*\log(c*x + 1)*\log(-c*x + 1) + b^3*c*\log(-c*x + 1)^2 - 4*a*b^2*c*\log(c*x + 1) + 4*a*b^2*c*\log(-c*x + 1) + 4*a^2*b*c)$

Mupad [F(-1)]

Timed out.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^3} dx = - \int \frac{1}{\left(a + b \ln \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^3 (c^2 x^2 - 1)} dx$$

input `int(-1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3*(c^2*x^2 - 1)),x)`

output `-int(1/((a + b*log((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3*(c^2*x^2 - 1)), x)`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 661, normalized size of antiderivative = 17.86

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \log \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^3} dx = \text{Too large to display}$$

input `int(1/(-c^2*x^2+1)/(a+b*log((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3,x)`

output

```
(2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)-1)*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**2*b**2+4*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)-1)*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))*a*b+2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)-1)*a**2+2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)+1)*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**2*b**2+4*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)+1)*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))*a*b+2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)+1)*a**2+2*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**3*b**2-2*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2))*b**2+3*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**2*a*b-4*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2))*a*b-2*log(tan(asin(sqrt(-c*x+1)/sqrt(2))/2))*a**2)/(2*a**3*c*(log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(sqrt(-c*x+1)/sqrt(2))/2)**2-1))**2*b**2+2*log((-2*tan(asin(sqrt(-c*x+1)/sqrt(2))/2))/(tan(asin(s...
```

3.50 $\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx$

Optimal result	494
Mathematica [A] (verified)	494
Rubi [A] (warning: unable to verify)	495
Maple [C] (verified)	496
Fricas [A] (verification not implemented)	497
Sympy [B] (verification not implemented)	497
Maxima [B] (verification not implemented)	498
Giac [B] (verification not implemented)	498
Mupad [F(-1)]	499
Reduce [B] (verification not implemented)	499

Optimal result

Integrand size = 34, antiderivative size = 30

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\log^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a}$$

output `-1/2*ln((-a*x+1)^(1/2)/(a*x+1)^(1/2))^2/a`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.00

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\log^2\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{2a}$$

input `Integrate[Log[Sqrt[1 - a*x]/Sqrt[1 + a*x]]/(1 - a^2*x^2),x]`

output `-1/2*Log[Sqrt[1 - a*x]/Sqrt[1 + a*x]]^2/a`

Rubi [A] (warning: unable to verify)

Time = 0.30 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.93, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$, Rules used = {2973, 2976, 27, 2738}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{1-a^2x^2} dx \\
 & \quad \downarrow \text{2973} \\
 & \int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{1-a^2x^2} dx \\
 & \quad \downarrow \text{2976} \\
 & -2a \int \frac{(ax+1) \log\left(\sqrt{\frac{1-ax}{ax+1}}\right)}{4a^2(1-ax)} d\frac{1-ax}{ax+1} \\
 & \quad \downarrow \text{27} \\
 & - \frac{\int \frac{(ax+1) \log\left(\sqrt{\frac{1-ax}{ax+1}}\right)}{1-ax} d\frac{1-ax}{ax+1}}{2a} \\
 & \quad \downarrow \text{2738} \\
 & - \frac{\log^2\left(\sqrt{\frac{1-ax}{ax+1}}\right)}{2a}
 \end{aligned}$$

input `Int[Log[Sqrt[1 - a*x]/Sqrt[1 + a*x]]/(1 - a^2*x^2),x]`

output `-1/2*Log[Sqrt[(1 - a*x)/(1 + a*x)]]^2/a`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2738 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))/(x_), x_Symbol] := Simp[(a + b*Log[c*x^n])^2/(2*b*n), x] /; FreeQ[{a, b, c, n}, x]`

rule 2973 `Int[((A_.) + Log[(e_.)*(u_)^(n_.)*(v_)^(mn_)])*(B_.))^(p_.)*(w_.), x_Symbol] := Subst[Int[w*(A + B*Log[e*(u/v)^n])^p, x], e*(u/v)^n, e*(u^n/v^n)] /; FreeQ[{e, A, B, n, p}, x] && EqQ[n + mn, 0] && LinearQ[{u, v}, x] && !IntegerQ[n]`

rule 2976 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.))^(p_.)*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coeff[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f - a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 4 vs. order 3.

Time = 0.40 (sec) , antiderivative size = 151, normalized size of antiderivative = 5.03

method	result
parts	$\frac{\ln\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)\ln(ax+1)}{2a} - \frac{\ln\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)\ln(ax-1)}{2a} - \frac{\operatorname{dilog}\left(\frac{ax}{2} + \frac{1}{2}\right)}{4a} - \frac{\ln(ax-1)\ln\left(\frac{ax}{2} + \frac{1}{2}\right)}{4a} + \frac{\ln(ax-1)^2}{8a} - \frac{\ln(ax+1)^2}{4} + \dots$

input `int(ln((-a*x+1)^(1/2)/(a*x+1)^(1/2))/(-a^2*x^2+1),x,method=_RETURNVERBOSE)`

output

```
1/2*ln((-a*x+1)^(1/2)/(a*x+1)^(1/2))*ln(a*x+1)/a-1/2*ln((-a*x+1)^(1/2)/(a*
x+1)^(1/2))/a*ln(a*x-1)-1/4/a*dilog(1/2*a*x+1/2)-1/4/a*ln(a*x-1)*ln(1/2*a*
x+1/2)+1/8/a*ln(a*x-1)^2-1/2/a*(-1/4*ln(a*x+1)^2+1/2*(ln(a*x+1)-ln(1/2*a*x
+1/2))*ln(-1/2*a*x+1/2)-1/2*dilog(1/2*a*x+1/2))
```

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.80

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\log\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right)^2}{2a}$$

input

```
integrate(log((-a*x+1)^(1/2)/(a*x+1)^(1/2))/(-a^2*x^2+1),x, algorithm="fri
cas")
```

output

```
-1/2*log(sqrt(-a*x + 1)/sqrt(a*x + 1))^2/a
```

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. 2(24) = 48.

Time = 2.18 (sec) , antiderivative size = 65, normalized size of antiderivative = 2.17

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = -\frac{\operatorname{atan}^2\left(\frac{x}{\sqrt{-\frac{1}{a^2}}}\right)}{2a} - \frac{\log\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right) \operatorname{atan}\left(\frac{x}{\sqrt{-\frac{1}{a^2}}}\right)}{a^2 \sqrt{-\frac{1}{a^2}}}$$

input

```
integrate(ln((-a*x+1)**(1/2)/(a*x+1)**(1/2))/(-a**2*x**2+1),x)
```

output

```
-atan(x/sqrt(-1/a**2))**2/(2*a) - log(sqrt(-a*x + 1)/sqrt(a*x + 1))*atan(x
/sqrt(-1/a**2))/(a**2*sqrt(-1/a**2))
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 83 vs. $2(24) = 48$.

Time = 0.15 (sec) , antiderivative size = 83, normalized size of antiderivative = 2.77

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = \frac{1}{2} \left(\frac{\log(ax+1)}{a} - \frac{\log(ax-1)}{a} \right) \log\left(\frac{\sqrt{-ax+1}}{\sqrt{ax+1}}\right) + \frac{\log(ax-1)^2}{8a} + \frac{\log(ax+1)^2 - 2\log(ax+1)\log(ax-1)}{8a}$$

input

```
integrate(log((-a*x+1)^(1/2)/(a*x+1)^(1/2))/(-a^2*x^2+1),x, algorithm="maxima")
```

output

```
1/2*(log(a*x + 1)/a - log(a*x - 1)/a)*log(sqrt(-a*x + 1)/sqrt(a*x + 1)) + 1/8*log(a*x - 1)^2/a + 1/8*(log(a*x + 1)^2 - 2*log(a*x + 1)*log(a*x - 1))/a
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 58 vs. $2(24) = 48$.

Time = 0.11 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.93

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = \frac{1}{4} \left(\frac{\log(ax+1)}{a} - \frac{\log(ax-1)}{a} \right) \log(-ax+1) - \frac{\log(ax+1)^2}{8a} + \frac{\log(ax-1)^2}{8a}$$

input

```
integrate(log((-a*x+1)^(1/2)/(a*x+1)^(1/2))/(-a^2*x^2+1),x, algorithm="giac")
```

output

```
1/4*(log(a*x + 1)/a - log(a*x - 1)/a)*log(-a*x + 1) - 1/8*log(a*x + 1)^2/a + 1/8*log(a*x - 1)^2/a
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = - \int \frac{\ln\left(\frac{\sqrt{1-ax}}{\sqrt{ax+1}}\right)}{a^2x^2-1} dx$$

input `int(-log((1 - a*x)^(1/2)/(a*x + 1)^(1/2))/(a^2*x^2 - 1),x)`

output `-int(log((1 - a*x)^(1/2)/(a*x + 1)^(1/2))/(a^2*x^2 - 1), x)`

Reduce [B] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.60

$$\int \frac{\log\left(\frac{\sqrt{1-ax}}{\sqrt{1+ax}}\right)}{1-a^2x^2} dx = - \frac{\log\left(-\frac{2 \tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-ax+1}}{\sqrt{2}}\right)}{2}\right)}{\tan\left(\frac{\operatorname{asin}\left(\frac{\sqrt{-ax+1}}{\sqrt{2}}\right)}{2}\right)^2 - 1}\right)^2}{2a}$$

input `int(log((-a*x+1)^(1/2)/(a*x+1)^(1/2))/(-a^2*x^2+1),x)`

output `(- log((- 2*tan(asin(sqrt(- a*x + 1)/sqrt(2))/2))/(tan(asin(sqrt(- a*x + 1)/sqrt(2))/2)**2 - 1))**2)/(2*a)`

$$3.51 \quad \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$$

Optimal result	500
Mathematica [B] (verified)	501
Rubi [A] (verified)	502
Maple [F]	506
Fricas [F]	506
Sympy [F(-1)]	507
Maxima [F]	507
Giac [F]	508
Mupad [F(-1)]	509
Reduce [F]	509

Optimal result

Integrand size = 48, antiderivative size = 410

$$\begin{aligned} & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx \\ &= -\frac{pr \log\left(-\frac{h(a+bx)}{bg-ah}\right)(s+t \log(i(g+hx)^n))^3}{3hknt} \\ & \quad -\frac{qr \log\left(-\frac{h(c+dx)}{dg-ch}\right)(s+t \log(i(g+hx)^n))^3}{3hknt} \\ & \quad +\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^3}{3hknt} \\ & \quad -\frac{pr(s+t \log(i(g+hx)^n))^2 \operatorname{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{hk} \\ & \quad -\frac{qr(s+t \log(i(g+hx)^n))^2 \operatorname{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{hk} \\ & \quad +\frac{2nprt(s+t \log(i(g+hx)^n)) \operatorname{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right)}{hk} \\ & \quad +\frac{2nqrt(s+t \log(i(g+hx)^n)) \operatorname{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right)}{hk} \\ & \quad -\frac{2n^2prt^2 \operatorname{PolyLog}\left(4, \frac{b(g+hx)}{bg-ah}\right)}{hk} -\frac{2n^2qrt^2 \operatorname{PolyLog}\left(4, \frac{d(g+hx)}{dg-ch}\right)}{hk} \end{aligned}$$

output

```
-1/3*p*r*ln(-h*(b*x+a)/(-a*h+b*g))*(s+t*ln(i*(h*x+g)^n))^3/h/k/n/t-1/3*q*r
*ln(-h*(d*x+c)/(-c*h+d*g))*(s+t*ln(i*(h*x+g)^n))^3/h/k/n/t+1/3*ln(e*(f*(b*
x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))^3/h/k/n/t-p*r*(s+t*ln(i*(h*x+g)
^n))^2*polylog(2,b*(h*x+g)/(-a*h+b*g))/h/k-q*r*(s+t*ln(i*(h*x+g)^n))^2*pol
ylog(2,d*(h*x+g)/(-c*h+d*g))/h/k+2*n*p*r*t*(s+t*ln(i*(h*x+g)^n))*polylog(3
,b*(h*x+g)/(-a*h+b*g))/h/k+2*n*q*r*t*(s+t*ln(i*(h*x+g)^n))*polylog(3,d*(h*
x+g)/(-c*h+d*g))/h/k-2*n^2*p*r*t^2*polylog(4,b*(h*x+g)/(-a*h+b*g))/h/k-2*n
^2*q*r*t^2*polylog(4,d*(h*x+g)/(-c*h+d*g))/h/k
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 958 vs. $2(410) = 820$.

Time = 3.27 (sec) , antiderivative size = 958, normalized size of antiderivative = 2.34

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx = \text{Too large to display}$$

input

```
Integrate[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*(s + t*Log[i*(g + h*x)^n])
^2)/(g*k + h*k*x),x]
```

output

```

-1/3*(3*p*r*s^2*Log[(h*(a + b*x))/(-b*g) + a*h])*Log[g + h*x] + 3*q*r*s^2
*Log[(h*(c + d*x))/(-d*g) + c*h])*Log[g + h*x] - 3*s^2*Log[e*(f*(a + b*x)
^p*(c + d*x)^q)^r]*Log[g + h*x] - 3*n*p*r*s*t*Log[(h*(a + b*x))/(-b*g) +
a*h])*Log[g + h*x]^2 - 3*n*q*r*s*t*Log[(h*(c + d*x))/(-d*g) + c*h])*Log[g
+ h*x]^2 + 3*n*s*t*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g + h*x]^2 +
n^2*p*r*t^2*Log[(h*(a + b*x))/(-b*g) + a*h])*Log[g + h*x]^3 + n^2*q*r*t^2
*Log[(h*(c + d*x))/(-d*g) + c*h])*Log[g + h*x]^3 - n^2*t^2*Log[e*(f*(a +
b*x)^p*(c + d*x)^q)^r]*Log[g + h*x]^3 + 6*p*r*s*t*Log[(h*(a + b*x))/(-b*g
) + a*h])*Log[g + h*x]*Log[i*(g + h*x)^n] + 6*q*r*s*t*Log[(h*(c + d*x))/(-
d*g) + c*h])*Log[g + h*x]*Log[i*(g + h*x)^n] - 6*s*t*Log[e*(f*(a + b*x)^p
*(c + d*x)^q)^r]*Log[g + h*x]*Log[i*(g + h*x)^n] - 3*n*p*r*t^2*Log[(h*(a +
b*x))/(-b*g) + a*h])*Log[g + h*x]^2*Log[i*(g + h*x)^n] - 3*n*q*r*t^2*Log
[(h*(c + d*x))/(-d*g) + c*h])*Log[g + h*x]^2*Log[i*(g + h*x)^n] + 3*n*t^2
*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g + h*x]^2*Log[i*(g + h*x)^n] +
3*p*r*t^2*Log[(h*(a + b*x))/(-b*g) + a*h])*Log[g + h*x]*Log[i*(g + h*x)^n
]^2 + 3*q*r*t^2*Log[(h*(c + d*x))/(-d*g) + c*h])*Log[g + h*x]*Log[i*(g +
h*x)^n]^2 - 3*t^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g + h*x]*Log[i*
(g + h*x)^n]^2 + 3*p*r*(s + t*Log[i*(g + h*x)^n])^2*PolyLog[2, (b*(g + h*x
))/(b*g - a*h)] + 3*q*r*(s + t*Log[i*(g + h*x)^n])^2*PolyLog[2, (d*(g + h*
x))/(d*g - c*h)] - 6*n*p*r*s*t*PolyLog[3, (b*(g + h*x))/(b*g - a*h)] - ...

```

Rubi [A] (verified)

Time = 1.24 (sec) , antiderivative size = 386, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2985, 2843, 2881, 2821, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{gk + h kx} dx$$

$$\downarrow 2985$$

$$\frac{bpr \int \frac{(s+t \log(i(g+hx)^n))^3}{a+bx} dx}{3hknt} - \frac{dqr \int \frac{(s+t \log(i(g+hx)^n))^3}{c+dx} dx}{3hknt} +$$

$$\frac{(t \log(i(g+hx)^n) + s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hknt}$$

$$\downarrow 2843$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^3}{b} - \frac{3hnt \int \frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(s+t \log(i(g+hx)^n))^2}{g+hx} dx}{b} \right)}{3hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^3}{d} - \frac{3hnt \int \frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(s+t \log(i(g+hx)^n))^2}{g+hx} dx}{d} \right)}{3hkt} + \\
 & \frac{(t \log(i(g+hx)^n)+s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hkt} \\
 & \quad \downarrow \text{2881} \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^3}{b} - \frac{3nt \int \frac{(s+t \log(i(g+hx)^n))^2 \log\left(-\frac{(a-\frac{bg}{h})h+b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx)}{b} \right)}{3hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^3}{d} - \frac{3nt \int \frac{(s+t \log(i(g+hx)^n))^2 \log\left(-\frac{(c-\frac{dg}{h})h+d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx)}{d} \right)}{3hkt} + \\
 & \frac{(t \log(i(g+hx)^n)+s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hkt} \\
 & \quad \downarrow \text{2821} \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^3}{b} - \frac{3nt \left(2nt \int \frac{(s+t \log(i(g+hx)^n)) \text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx) - \text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right) (t \log(i(g+hx)^n)+s) \right)}{b} \right)}{3hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^3}{d} - \frac{3nt \left(2nt \int \frac{(s+t \log(i(g+hx)^n)) \text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx) - \text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right) (t \log(i(g+hx)^n)+s) \right)}{d} \right)}{3hkt} \\
 & \frac{(t \log(i(g+hx)^n)+s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hkt} \\
 & \quad \downarrow \text{2830}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^3}{b} - \frac{3nt \left(2nt \left(\text{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s) - nt \int \frac{\text{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx) \right) \right)}{b} \right)}{3hkn} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^3}{d} - \frac{3nt \left(2nt \left(\text{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s) - nt \int \frac{\text{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx) \right) \right)}{d} \right)}{3hkn} \\
 & \frac{(t \log(i(g+hx)^n)+s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hkn} \\
 & \quad \downarrow 7143 \\
 & \frac{(t \log(i(g+hx)^n)+s)^3 \log(e(f(a+bx)^p(c+dx)^q)^r)}{3hkn} - \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^3}{b} - \frac{3nt \left(2nt \left(\text{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s) - nt \text{PolyLog}\left(4, \frac{b(g+hx)}{bg-ah}\right) \right) - \text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} \right)}{3hkn} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^3}{d} - \frac{3nt \left(2nt \left(\text{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s) - nt \text{PolyLog}\left(4, \frac{d(g+hx)}{dg-ch}\right) \right) - \text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} \right)}{3hkn}
 \end{aligned}$$

input `Int[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*(s + t*Log[i*(g + h*x)^n])^2)/(g*k + h*k*x), x]`

output `(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*(s + t*Log[i*(g + h*x)^n])^3)/(3*h*k*n*t) - (b*p*r*((Log[-((h*(a + b*x))/(b*g - a*h))]*(s + t*Log[i*(g + h*x)^n])^3)/b - (3*n*t*(-((s + t*Log[i*(g + h*x)^n])^2*PolyLog[2, (b*(g + h*x))/(b*g - a*h)]) + 2*n*t*((s + t*Log[i*(g + h*x)^n])*PolyLog[3, (b*(g + h*x))/(b*g - a*h]) - n*t*PolyLog[4, (b*(g + h*x))/(b*g - a*h])]))/b)/(3*h*k*n*t) - (d*q*r*((Log[-((h*(c + d*x))/(d*g - c*h))]*(s + t*Log[i*(g + h*x)^n])^3)/d - (3*n*t*(-((s + t*Log[i*(g + h*x)^n])^2*PolyLog[2, (d*(g + h*x))/(d*g - c*h)]) + 2*n*t*((s + t*Log[i*(g + h*x)^n])*PolyLog[3, (d*(g + h*x))/(d*g - c*h]) - n*t*PolyLog[4, (d*(g + h*x))/(d*g - c*h])]))/d)/(3*h*k*n*t)`

Defintions of rubi rules used

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]
```

rule 2830

```
Int[(((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*PolyLog[k_, (e_.)*(x_)^(q_.)])/(x_), x_Symbol] := Simp[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^p/q), x] - Simp[b*n*(p/q) Int[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, e, k, n, q}, x] && GtQ[p, 0]
```

rule 2843

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_)/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*((a + b*Log[c*(d + e*x)^n])^p/g), x] - Simp[b*e*n*(p/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]*((a + b*Log[c*(d + e*x)^n])^(p - 1)/(d + e*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && NeQ[e*f - d*g, 0] && IGtQ[p, 1]
```

rule 2881

```
Int[(((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.)]*(b_.))^(p_.))*((f_.) + Log[(h_.)*((i_.) + (j_.)*(x_)^(m_.)]*(g_.))*((k_.) + (l_.)*(x_)^(r_.)), x_Symbol] := Simp[1/e Subst[Int[(k*(x/d))^r*(a + b*Log[c*x^n])^p*(f + g*Log[h*((e*i - d*j)/e + j*(x/e))^m]), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r}, x] && EqQ[e*k - d*l, 0]
```

rule 2985

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_)^(n_.)]*(t_.))^(m_.)))/((j_.) + (k_.)*(x_)), x_Symbol] := Simp[(s + t*Log[i*(g + h*x)^n])^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(k*n*t*(m + 1))), x] + (-Simp[b*p*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r}, x] && NeQ[b*c - a*d, 0] && EqQ[h*j - g*k, 0] && IGtQ[m, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)(s+t \ln(i(hx+g)^n))^2}{h k x + g k} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))^2/(h*k*x+g*k),x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))^2/(h*k*x+g*k),x)
```

Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$$

$$= \int \frac{(t \log((hx+g)^n i) + s)^2 \log(((bx+a)^p(dx+c)^q f)^r e)}{h k x + g k} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))^2/(h*k*x+g*k),x, algorithm="fricas")
```

output

```
integral((t^2*log((h*x + g)^n*i)^2 + 2*s*t*log((h*x + g)^n*i) + s^2)*log((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k*x + g*k), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)*(s+t*ln(i*(h*x+g)**n))**2/(h*k*x+g*k),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$$

$$= \int \frac{(t \log((hx+g)^n i) + s)^2 \log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))^2/(h*k*x+g*k),x, algorithm="maxima")`

output

```

1/3*((n^2*t^2*log(h*x + g)^3 + 3*t^2*log(h*x + g)*log((h*x + g)^n)^2 - 3*(
n*t^2*log(i) + n*s*t)*log(h*x + g)^2 + 3*(t^2*log(i)^2 + 2*s*t*log(i) + s^
2)*log(h*x + g) - 3*(n*t^2*log(h*x + g)^2 - 2*(t^2*log(i) + s*t)*log(h*x +
g))*log((h*x + g)^n))*log(((b*x + a)^p)^r) + (n^2*t^2*log(h*x + g)^3 + 3*
t^2*log(h*x + g)*log((h*x + g)^n)^2 - 3*(n*t^2*log(i) + n*s*t)*log(h*x + g
)^2 + 3*(t^2*log(i)^2 + 2*s*t*log(i) + s^2)*log(h*x + g) - 3*(n*t^2*log(h*
x + g)^2 - 2*(t^2*log(i) + s*t)*log(h*x + g))*log((h*x + g)^n))*log(((d*x
+ c)^q)^r)/(h*k) - integrate(-1/3*(3*((t^2*log(i)^2 + 2*s*t*log(i) + s^2)
*h*log(e) + (r*t^2*log(i)^2 + 2*r*s*t*log(i) + r*s^2)*h*log(f))*b*d*x^2 -
((p*r + q*r)*b*d*h*n^2*t^2*x^2 + b*c*g*n^2*p*r*t^2 + a*d*g*n^2*q*r*t^2 + (
a*d*h*n^2*q*r*t^2 + (c*h*n^2*p*r*t^2 + (p*r + q*r)*d*g*n^2*t^2)*b)*x)*log(
h*x + g)^3 + 3*((t^2*log(i)^2 + 2*s*t*log(i) + s^2)*h*log(e) + (r*t^2*log(
i)^2 + 2*r*s*t*log(i) + r*s^2)*h*log(f))*a*c + 3*((p*r + q*r)*n*t^2*log(i)
) + (p*r*s + q*r*s)*n*t)*b*d*h*x^2 + (n*p*r*t^2*log(i) + n*p*r*s*t)*b*c*g
+ (n*q*r*t^2*log(i) + n*q*r*s*t)*a*d*g + ((n*q*r*t^2*log(i) + n*q*r*s*t)*a
*d*h + (((p*r + q*r)*n*t^2*log(i) + (p*r*s + q*r*s)*n*t)*d*g + (n*p*r*t^2*
log(i) + n*p*r*s*t)*c*h)*b)*x)*log(h*x + g)^2 + 3*((h*r*t^2*log(f) + h*t^2
*log(e))*b*d*x^2 + (h*r*t^2*log(f) + h*t^2*log(e))*a*c + ((h*r*t^2*log(f)
+ h*t^2*log(e))*b*c + (h*r*t^2*log(f) + h*t^2*log(e))*a*d)*x - ((p*r + q*r
)*b*d*h*t^2*x^2 + b*c*g*p*r*t^2 + a*d*g*q*r*t^2 + (a*d*h*q*r*t^2 + (c*h...

```

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$$

$$= \int \frac{(t \log((hx+g)^n i) + s)^2 \log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input

```

integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))^2/(h*k*x
+g*k),x, algorithm="giac")

```

output

```

integrate((t*log((h*x + g)^n*i) + s)^2*log(((b*x + a)^p*(d*x + c)^q*f)^r*e
)/(h*k*x + g*k), x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx$$

$$= \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)(s+t \ln(i(g+hx)^n))^2}{gk+hkx} dx$$

input `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(s + t*log(i*(g + h*x)^n))^2)/(g*k + h*k*x), x)`

output `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(s + t*log(i*(g + h*x)^n))^2)/(g*k + h*k*x), x)`

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{gk+hkx} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))^2/(h*k*x+g*k), x)`

output

```
(2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q +
a*c*h*p*x + a*c*h*q*x + a*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**
2 + b*c*g*p*x + b*c*g*q*x + b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b
*d*g*q*x**2 + b*d*h*p*x**3 + b*d*h*q*x**3),x)*a*c*h*p**2*r*s**2 + 4*int(lo
g(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x
+ a*c*h*q*x + a*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g
*p*x + b*c*g*q*x + b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x*
*2 + b*d*h*p*x**3 + b*d*h*q*x**3),x)*a*c*h*p*q*r*s**2 + 2*int(log(f**r*(c
+ d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q
*x + a*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c
*g*q*x + b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h
*p*x**3 + b*d*h*q*x**3),x)*a*c*h*q**2*r*s**2 - 2*int(log(f**r*(c + d*x)**(
q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q*x + a*d*
g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c*g*q*x +
b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h*p*x**3 +
b*d*h*q*x**3),x)*a*d*g*p*q*r*s**2 - 2*int(log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q*x + a*d*g*p*x + a*
d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c*g*q*x + b*c*h*p*x*
*2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h*p*x**3 + b*d*h*q*x
**3),x)*a*d*g*q**2*r*s**2 - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**...
```

$$3.52 \quad \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$$

Optimal result	511
Mathematica [A] (verified)	512
Rubi [A] (verified)	513
Maple [F]	516
Fricas [F]	516
Sympy [F(-1)]	517
Maxima [F]	517
Giac [F]	518
Mupad [F(-1)]	519
Reduce [F]	519

Optimal result

Integrand size = 46, antiderivative size = 306

$$\begin{aligned} & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx \\ &= -\frac{pr \log\left(-\frac{h(a+bx)}{bg-ah}\right)(s+t \log(i(g+hx)^n))^2}{2hknt} \\ & \quad -\frac{qr \log\left(-\frac{h(c+dx)}{dg-ch}\right)(s+t \log(i(g+hx)^n))^2}{2hknt} \\ & \quad +\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))^2}{2hknt} \\ & \quad -\frac{pr(s+t \log(i(g+hx)^n)) \operatorname{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{hk} \\ & \quad -\frac{qr(s+t \log(i(g+hx)^n)) \operatorname{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{hk} \\ & \quad +\frac{nprt \operatorname{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right)}{hk} +\frac{nqrt \operatorname{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right)}{hk} \end{aligned}$$

output

```
-1/2*p*r*ln(-h*(b*x+a)/(-a*h+b*g))*(s+t*ln(i*(h*x+g)^n))^2/h/k/n/t-1/2*q*r
*ln(-h*(d*x+c)/(-c*h+d*g))*(s+t*ln(i*(h*x+g)^n))^2/h/k/n/t+1/2*ln(e*(f*(b*
x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))^2/h/k/n/t-p*r*(s+t*ln(i*(h*x+g)
^n))*polylog(2,b*(h*x+g)/(-a*h+b*g))/h/k-q*r*(s+t*ln(i*(h*x+g)^n))*polylog
(2,d*(h*x+g)/(-c*h+d*g))/h/k+n*p*r*t*polylog(3,b*(h*x+g)/(-a*h+b*g))/h/k+n
*q*r*t*polylog(3,d*(h*x+g)/(-c*h+d*g))/h/k
```

Mathematica [A] (verified)

Time = 1.26 (sec) , antiderivative size = 436, normalized size of antiderivative = 1.42

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$$

$$= \frac{-2prs \log\left(\frac{h(a+bx)}{-bg+ah}\right) \log(g+hx) - 2qrs \log\left(\frac{h(c+dx)}{-dg+ch}\right) \log(g+hx) + 2s \log(e(f(a+bx)^p(c+dx)^q)^r) \log(i(g+hx)^n)}{2hk}$$

input

```
Integrate[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*(s + t*Log[i*(g + h*x)^n])
)/(g*k + h*k*x),x]
```

output

```
(-2*p*r*s*Log[(h*(a + b*x))/(-b*g) + a*h])*Log[g + h*x] - 2*q*r*s*Log[(h*
(c + d*x))/(-d*g) + c*h])*Log[g + h*x] + 2*s*Log[e*(f*(a + b*x)^p*(c + d*
x)^q]^r]*Log[g + h*x] + n*p*r*t*Log[(h*(a + b*x))/(-b*g) + a*h])*Log[g +
h*x]^2 + n*q*r*t*Log[(h*(c + d*x))/(-d*g) + c*h])*Log[g + h*x]^2 - n*t*Lo
g[e*(f*(a + b*x)^p*(c + d*x)^q]^r]*Log[g + h*x]^2 - 2*p*r*t*Log[(h*(a + b*
x))/(-b*g) + a*h])*Log[g + h*x]*Log[i*(g + h*x)^n] - 2*q*r*t*Log[(h*(c +
d*x))/(-d*g) + c*h])*Log[g + h*x]*Log[i*(g + h*x)^n] + 2*t*Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]*Log[g + h*x]*Log[i*(g + h*x)^n] - 2*p*r*(s + t*Log[
i*(g + h*x)^n])*PolyLog[2, (b*(g + h*x))/(b*g - a*h)] - 2*q*r*(s + t*Log[
i*(g + h*x)^n])*PolyLog[2, (d*(g + h*x))/(d*g - c*h)] + 2*n*p*r*t*PolyLog[3
, (b*(g + h*x))/(b*g - a*h)] + 2*n*q*r*t*PolyLog[3, (d*(g + h*x))/(d*g - c
*h]])/(2*h*k)
```

Rubi [A] (verified)

Time = 0.94 (sec) , antiderivative size = 302, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.109$, Rules used = {2985, 2843, 2881, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(t \log(i(g+hx)^n) + s) \log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx \\
 & \quad \downarrow \text{2985} \\
 & \frac{bpr \int \frac{(s+t \log(i(g+hx)^n))^2}{a+bx} dx}{2hknt} - \frac{dqr \int \frac{(s+t \log(i(g+hx)^n))^2}{c+dx} dx}{2hknt} + \\
 & \quad \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2hknt} \\
 & \quad \downarrow \text{2843} \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n) + s)^2}{b} - \frac{2hnt \int \frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(s+t \log(i(g+hx)^n))}{g+hx} dx}{b} \right)}{2hknt} - \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n) + s)^2}{d} - \frac{2hnt \int \frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(s+t \log(i(g+hx)^n))}{g+hx} dx}{d} \right)}{2hknt} + \\
 & \quad \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2hknt} \\
 & \quad \downarrow \text{2881}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^2}{b} - \frac{2nt \int \frac{(s+t \log(i(g+hx)^n)) \log\left(-\frac{(a-\frac{bg}{h})h+b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx)}{b} \right)}{2hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^2}{d} - \frac{2nt \int \frac{(s+t \log(i(g+hx)^n)) \log\left(-\frac{(c-\frac{dg}{h})h+d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx)}{d} \right)}{2hkt} + \\
 & \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2hkt} \\
 & \quad \downarrow \text{2821} \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^2}{b} - \frac{2nt \left(nt \int \frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx) - \text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s) \right)}{b} \right)}{2hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^2}{d} - \frac{2nt \left(nt \int \frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx) - \text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s) \right)}{d} \right)}{2hkt} + \\
 & \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2hkt} \\
 & \quad \downarrow \text{7143} \\
 & \frac{(t \log(i(g+hx)^n) + s)^2 \log(e(f(a+bx)^p(c+dx)^q)^r)}{2hkt} \\
 & \frac{bpr \left(\frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s)^2}{b} - \frac{2nt \left(nt \text{PolyLog}\left(3, \frac{b(g+hx)}{bg-ah}\right) - \text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)(t \log(i(g+hx)^n)+s) \right)}{b} \right)}{2hkt} \\
 & \frac{dqr \left(\frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s)^2}{d} - \frac{2nt \left(nt \text{PolyLog}\left(3, \frac{d(g+hx)}{dg-ch}\right) - \text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)(t \log(i(g+hx)^n)+s) \right)}{d} \right)}{2hkt}
 \end{aligned}$$

input

```

Int[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)*(s + t*Log[i*(g + h*x)^n]))/(g*k
+ h*k*x), x]
    
```

output

$$\begin{aligned} & (\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*(s + t*\text{Log}[i*(g + h*x)^n])^2)/(2*h*k \\ & *n*t) - (b*p*r*((\text{Log}[-((h*(a + b*x))/(b*g - a*h))]*(s + t*\text{Log}[i*(g + h*x)^ \\ & n])^2)/b - (2*n*t*(-((s + t*\text{Log}[i*(g + h*x)^n])*PolyLog[2, (b*(g + h*x))/(\\ & b*g - a*h)])) + n*t*PolyLog[3, (b*(g + h*x))/(b*g - a*h)]))/b)/(2*h*k*n*t) \\ & - (d*q*r*((\text{Log}[-((h*(c + d*x))/(d*g - c*h))]*(s + t*\text{Log}[i*(g + h*x)^n])^2 \\ &)/d - (2*n*t*(-((s + t*\text{Log}[i*(g + h*x)^n])*PolyLog[2, (d*(g + h*x))/(d*g - \\ & c*h)])) + n*t*PolyLog[3, (d*(g + h*x))/(d*g - c*h)]))/d)/(2*h*k*n*t) \end{aligned}$$

Defintions of rubi rules used

rule 2821

$$\begin{aligned} & \text{Int}[(\text{Log}[(d_.)*((e_.) + (f_.)*(x_)^{(m_.)})]*((a_.) + \text{Log}[(c_.)*(x_)^{(n_.)}]*(b \\ & _.)^{(p_.)})]/(x_), x_Symbol] \rightarrow \text{Simp}[(-\text{PolyLog}[2, (-d)*f*x^m])*((a + b*\text{Log}[c \\ & *x^n])^p/m), x] + \text{Simp}[b*n*(p/m) \quad \text{Int}[\text{PolyLog}[2, (-d)*f*x^m]*((a + b*\text{Log}[c \\ & *x^n])^{(p - 1)/x}), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IGtQ}[p, \\ & 0] \&\& \text{EqQ}[d*e, 1] \end{aligned}$$

rule 2843

$$\begin{aligned} & \text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_)^{(n_.)})*(b_.)]^{(p_.)}/((f_.) + (g_. \\ &)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[e*((f + g*x)/(e*f - d*g))]*((a + b*\text{Log}[c*(d \\ & + e*x)^n])^p/g), x] - \text{Simp}[b*e*n*(p/g) \quad \text{Int}[\text{Log}[(e*(f + g*x))/(e*f - d*g)] \\ & *((a + b*\text{Log}[c*(d + e*x)^n])^{(p - 1)/(d + e*x)}), x], x] /; \text{FreeQ}[\{a, b, c, \\ & d, e, f, g, n, p\}, x] \&\& \text{NeQ}[e*f - d*g, 0] \&\& \text{IGtQ}[p, 1] \end{aligned}$$

rule 2881

$$\begin{aligned} & \text{Int}[(a_.) + \text{Log}[(c_.)*((d_) + (e_.)*(x_)^{(n_.)})*(b_.)]^{(p_.)*((f_.) + \text{Log} \\ & [(h_.)*((i_.) + (j_.)*(x_)^{(m_.)})*(g_.)]*(k_.) + (l_.)*(x_)^{(r_.)}, x_Sym \\ & bol] \rightarrow \text{Simp}[1/e \quad \text{Subst}[\text{Int}[(k*(x/d)^r*(a + b*\text{Log}[c*x^n])^p*(f + g*\text{Log}[h* \\ & ((e*i - d*j)/e + j*(x/e))^m]), x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, \\ & f, g, h, i, j, k, l, n, p, r\}, x] \&\& \text{EqQ}[e*k - d*l, 0] \end{aligned}$$

rule 2985

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.)
)^(r_.)]*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.))/((j_.
) + (k_.)*(x_)), x_Symbol] := Simp[(s + t*Log[i*(g + h*x)^n])^(m + 1)*(Log[
e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(k*n*t*(m + 1))), x] + (-Simp[b*p*(r/(k*n*
t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(a + b*x), x], x] - Si
mp[d*q*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(c + d*
x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r}
, x] && NeQ[b*c - a*d, 0] && EqQ[h*j - g*k, 0] && IGtQ[m, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)(s+t \ln(i(hx+g)^n))}{h k x + g k} dx$$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))/(h*k*x+g*k),x)
```

output

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*ln(i*(h*x+g)^n))/(h*k*x+g*k),x)
```

Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$$

$$= \int \frac{(t \log((hx+g)^n i) + s) \log(((bx+a)^p(dx+c)^q f)^r e)}{h k x + g k} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))/(h*k*x+g
*k),x, algorithm="fricas")
```

output

```
integral((t*log((h*x + g)^n*i) + s)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(
h*k*x + g*k), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)*(s+t*ln(i*(h*x+g)**n))/(h*k*x+g*k),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$$

$$= \int \frac{(t \log((hx+g)^n i) + s) \log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))/(h*k*x+g*k),x, algorithm="maxima")`

output

```

-1/2*((n*t*log(h*x + g)^2 - 2*t*log(h*x + g)*log((h*x + g)^n) - 2*(t*log(i)
) + s)*log(h*x + g))*log(((b*x + a)^p)^r) + (n*t*log(h*x + g)^2 - 2*t*log(
h*x + g)*log((h*x + g)^n) - 2*(t*log(i) + s)*log(h*x + g))*log(((d*x + c)^
q)^r))/(h*k) - integrate(-1/2*(2*((t*log(i) + s)*h*log(e) + (r*t*log(i) +
r*s)*h*log(f))*b*d*x^2 + 2*((t*log(i) + s)*h*log(e) + (r*t*log(i) + r*s)*h
*log(f))*a*c + ((p*r + q*r)*b*d*h*n*t*x^2 + b*c*g*n*p*r*t + a*d*g*n*q*r*t
+ (a*d*h*n*q*r*t + (c*h*n*p*r*t + (p*r + q*r)*d*g*n*t)*b)*x)*log(h*x + g)^
2 + 2*((t*log(i) + s)*h*log(e) + (r*t*log(i) + r*s)*h*log(f))*b*c + ((t*l
og(i) + s)*h*log(e) + (r*t*log(i) + r*s)*h*log(f))*a*d)*x - 2*((p*r*s + q*
r*s + (p*r + q*r)*t*log(i))*b*d*h*x^2 + (p*r*t*log(i) + p*r*s)*b*c*g + (q*
r*t*log(i) + q*r*s)*a*d*g + ((q*r*t*log(i) + q*r*s)*a*d*h + ((p*r*s + q*r*
s + (p*r + q*r)*t*log(i))*d*g + (p*r*t*log(i) + p*r*s)*c*h)*b)*x)*log(h*x
+ g) + 2*((h*r*t*log(f) + h*t*log(e))*b*d*x^2 + (h*r*t*log(f) + h*t*log(e)
)*a*c + ((h*r*t*log(f) + h*t*log(e))*b*c + (h*r*t*log(f) + h*t*log(e))*a*d
)*x - ((p*r + q*r)*b*d*h*t*x^2 + b*c*g*p*r*t + a*d*g*q*r*t + (a*d*h*q*r*t
+ (c*h*p*r*t + (p*r + q*r)*d*g*t)*b)*x)*log(h*x + g))*log((h*x + g)^n))/(b
*d*h^2*k*x^3 + a*c*g*h*k + (a*d*h^2*k + (d*g*h*k + c*h^2*k)*b)*x^2 + (b*c*
g*h*k + (d*g*h*k + c*h^2*k)*a)*x), x)

```

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx
= \int \frac{(t \log((hx+g)^n i) + s) \log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input

```

integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))/(h*k*x+g
*k),x, algorithm="giac")

```

output

```

integrate((t*log((h*x + g)^n*i) + s)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/
(h*k*x + g*k), x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx$$

$$= \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)(s+t \ln(i(g+hx)^n))}{gk+hkx} dx$$

input

```
int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(s + t*log(i*(g + h*x)^n)))/(g*k + h*k*x), x)
```

output

```
int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*(s + t*log(i*(g + h*x)^n)))/(g*k + h*k*x), x)
```

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)(s+t \log(i(g+hx)^n))}{gk+hkx} dx = \text{too large to display}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*(s+t*log(i*(h*x+g)^n))/(h*k*x+g*k), x)
```


output

```
(2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q +
a*c*h*p*x + a*c*h*q*x + a*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**
2 + b*c*g*p*x + b*c*g*q*x + b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b
*d*g*q*x**2 + b*d*h*p*x**3 + b*d*h*q*x**3),x)*a*c*h*p**2*r*s + 4*int(log(f
**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x +
a*c*h*q*x + a*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*
x + b*c*g*q*x + b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2
+ b*d*h*p*x**3 + b*d*h*q*x**3),x)*a*c*h*p*q*r*s + 2*int(log(f**r*(c + d*x)
**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q*x + a
*d*g*p*x + a*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c*g*q*x
+ b*c*h*p*x**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h*p*x**
3 + b*d*h*q*x**3),x)*a*c*h*q**2*r*s - 2*int(log(f**r*(c + d*x)**(q*r)*(a +
b*x)**(p*r)*e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q*x + a*d*g*p*x + a
*d*g*q*x + a*d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c*g*q*x + b*c*h*p*x
**2 + b*c*h*q*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h*p*x**3 + b*d*h*q*
x**3),x)*a*d*g*p*q*r*s - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*
e)/(a*c*g*p + a*c*g*q + a*c*h*p*x + a*c*h*q*x + a*d*g*p*x + a*d*g*q*x + a*
d*h*p*x**2 + a*d*h*q*x**2 + b*c*g*p*x + b*c*g*q*x + b*c*h*p*x**2 + b*c*h*q
*x**2 + b*d*g*p*x**2 + b*d*g*q*x**2 + b*d*h*p*x**3 + b*d*h*q*x**3),x)*a*d*
g*q**2*r*s - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*g...
```

3.53 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$

Optimal result	521
Mathematica [A] (verified)	522
Rubi [A] (verified)	522
Maple [A] (verified)	525
Fricas [F]	525
Sympy [F]	526
Maxima [A] (verification not implemented)	526
Giac [F]	527
Mupad [F(-1)]	527
Reduce [F]	527

Optimal result

Integrand size = 32, antiderivative size = 172

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = -\frac{pr \log\left(-\frac{h(a+bx)}{bg-ah}\right) \log(gk+hkx)}{hk} - \frac{qr \log\left(-\frac{h(c+dx)}{dg-ch}\right) \log(gk+hkx)}{hk} + \frac{\log(e(f(a+bx)^p(c+dx)^q)^r) \log(gk+hkx)}{hk} - \frac{pr \operatorname{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{hk} - \frac{qr \operatorname{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{hk}$$

output

```
-p*r*ln(-h*(b*x+a)/(-a*h+b*g))*ln(h*k*x+g*k)/h/k-q*r*ln(-h*(d*x+c)/(-c*h+d
*g))*ln(h*k*x+g*k)/h/k+ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)*ln(h*k*x+g*k)/h/k-p
*r*polylog(2,b*(h*x+g)/(-a*h+b*g))/h/k-q*r*polylog(2,d*(h*x+g)/(-c*h+d*g))
/h/k
```

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 166, normalized size of antiderivative = 0.97

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$$

$$= \frac{-pr \log(a+bx) \log(g+hx) - qr \log(c+dx) \log(g+hx) + \log(e(f(a+bx)^p(c+dx)^q)^r) \log(g+hx) + \dots}{hk}$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g*k + h*k*x), x]
```

output

```
(-(p*r*Log[a + b*x]*Log[g + h*x]) - q*r*Log[c + d*x]*Log[g + h*x] + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g + h*x] + p*r*Log[a + b*x]*Log[(b*(g + h*x))/(b*g - a*h)] + q*r*Log[c + d*x]*Log[(d*(g + h*x))/(d*g - c*h)] + p*r*PolyLog[2, (h*(a + b*x))/(-(b*g) + a*h)] + q*r*PolyLog[2, (h*(c + d*x))/(-(d*g) + c*h)])/(h*k)
```

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {2980, 2841, 27, 2840, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$$

$$\downarrow \text{2980}$$

$$-\frac{bpr \int \frac{\log(gk+hkx)}{a+bx} dx}{hk} - \frac{dqr \int \frac{\log(gk+hkx)}{c+dx} dx}{hk} + \frac{\log(gk+hkx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{hk}$$

$$\downarrow \text{2841}$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \frac{hk \int \frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)}{k(g+hx)} dx}{b} \right)}{hk} \\
 & \frac{dqr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \frac{hk \int \frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)}{k(g+hx)} dx}{d} \right)}{hk} + \\
 & \frac{\log(gk+hkx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{hk} \\
 & \quad \downarrow 27 \\
 & \frac{bpr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \frac{h \int \frac{\log\left(-\frac{h(a+bx)}{bg-ah}\right)}{g+hx} dx}{b} \right)}{hk} \\
 & \frac{dqr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \frac{h \int \frac{\log\left(-\frac{h(c+dx)}{dg-ch}\right)}{g+hx} dx}{d} \right)}{hk} + \\
 & \frac{\log(gk+hkx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{hk} \\
 & \quad \downarrow 2840 \\
 & \frac{bpr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} - \int \frac{\log\left(1-\frac{b(g+hx)}{bg-ah}\right)}{g+hx} d(g+hx)}{b} \right)}{hk} \\
 & \frac{dqr \left(\frac{\log(gk+hkx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} - \int \frac{\log\left(1-\frac{d(g+hx)}{dg-ch}\right)}{g+hx} d(g+hx)}{d} \right)}{hk} + \\
 & \frac{\log(gk+hkx) \log(e(f(a+bx)^p(c+dx)^q)^r)}{hk} \\
 & \quad \downarrow 2838
 \end{aligned}$$

$$\frac{\log(gk + hkx) \log(e(f(a + bx)^p(c + dx)^q)^r)}{bpr \left(\frac{\log(gk + hkx) \log\left(-\frac{h(a+bx)}{bg-ah}\right)}{b} + \frac{\text{PolyLog}\left(2, \frac{b(g+hx)}{bg-ah}\right)}{b} \right)} - \frac{hk}{dqr \left(\frac{\log(gk + hkx) \log\left(-\frac{h(c+dx)}{dg-ch}\right)}{d} + \frac{\text{PolyLog}\left(2, \frac{d(g+hx)}{dg-ch}\right)}{d} \right)}$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(g*k + h*k*x),x]`

output `(Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]*Log[g*k + h*k*x])/(h*k) - (b*p*r*((Log[-((h*(a + b*x))/(b*g - a*h))]*Log[g*k + h*k*x])/b + PolyLog[2, (b*(g + h*x))/(b*g - a*h)]/b))/(h*k) - (d*q*r*((Log[-((h*(c + d*x))/(d*g - c*h))]*Log[g*k + h*k*x])/d + PolyLog[2, (d*(g + h*x))/(d*g - c*h)]/d))/(h*k)`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2838 `Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 2840 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))]*(b_))/((f_) + (g_)*(x_)), x_Symbol] := Simp[1/g Subst[Int[(a + b*Log[1 + c*e*(x/g)])/x, x], x, f + g*x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[e*f - d*g, 0] && EqQ[g + c*(e*f - d*g), 0]`

rule 2841 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))/((f_) + (g_)*(x_)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*((a + b*Log[c*(d + e*x)^n]/g), x] - Simp[b*e*(n/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]`

rule 2980

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_.))^(p_.))*((c_.) + (d_.)*(x_.))^(q_.))
^(r_.)]/((g_.) + (h_.)*(x_.)), x_Symbol] := Simp[Log[g + h*x]*(Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]/h), x] + (-Simp[b*p*(r/h) Int[Log[g + h*x]/(a + b
*x), x], x] - Simp[d*q*(r/h) Int[Log[g + h*x]/(c + d*x), x], x]) /; FreeQ
[{a, b, c, d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0]
```

Maple [A] (verified)

Time = 92.93 (sec) , antiderivative size = 192, normalized size of antiderivative = 1.12

method	result
parts	$\frac{\ln(e(f(bx+a)^p(dx+c)^q)^r) \ln(hx+g)}{kh} - \frac{r \left(\left(\frac{\operatorname{dilog}\left(\frac{(hx+g)b+ah-bg}{ah-bg}\right)}{b} + \frac{\ln(hx+g) \ln\left(\frac{(hx+g)b+ah-bg}{ah-bg}\right)}{b} \right) bph + \left(\frac{\operatorname{dilog}\left(\frac{d(hx+g)+ch-dg}{ch-dg}\right)}{d} \right) bph \right)}{kh^2}$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k), x, method=_RETURNVERBOSE)
```

output

```
ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/k*ln(h*x+g)/h-1/k/h^2*r*((dilog(((h*x+g)*b
+a*h-b*g)/(a*h-b*g))/b+ln(h*x+g)*ln(((h*x+g)*b+a*h-b*g)/(a*h-b*g))/b)*b*p*
h+(dilog((d*(h*x+g)+c*h-d*g)/(c*h-d*g))/d+ln(h*x+g)*ln((d*(h*x+g)+c*h-d*g)
/(c*h-d*g))/d)*d*q*h)
```

Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k), x, algorithm="fricas")
```

output

```
integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k*x + g*k), x)
```

SymPy [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = \frac{\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{g+hx} dx}{k}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*k*x+g*k), x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/(g + h*x), x)/k`

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 204, normalized size of antiderivative = 1.19

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$$

$$= \frac{\left(\frac{(\log(bx+a)\log(\frac{bhx+ah}{bg-ah}+1)+\text{Li}_2(-\frac{bhx+ah}{bg-ah}))fp}{hk} + \frac{(\log(dx+c)\log(\frac{dhx+ch}{dg-ch}+1)+\text{Li}_2(-\frac{dhx+ch}{dg-ch}))fq}{hk} \right) r}{f} - \frac{(fp\log(bx+a) + fq\log(dx+c))r\log(hkx+gk)}{fhk} + \frac{\log(hkx+gk)\log(((bx+a)^p(dx+c)^qf)^r e)}{hk}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k), x, algorithm="maxima")`

output `((log(b*x + a)*log((b*h*x + a*h)/(b*g - a*h) + 1) + dilog(-(b*h*x + a*h)/(b*g - a*h)))*f*p/(h*k) + (log(d*x + c)*log((d*h*x + c*h)/(d*g - c*h) + 1) + dilog(-(d*h*x + c*h)/(d*g - c*h)))*f*q/(h*k))*r/f - (f*p*log(b*x + a) + f*q*log(d*x + c))*r*log(h*k*x + g*k)/(f*h*k) + log(h*k*x + g*k)*log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k)`

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{hkx+gk} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k),x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k*x + g*k), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g*k + h*k*x),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(g*k + h*k*x), x)`

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{gk+hkx} dx = \text{too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k),x)`

output

```
(2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g*h*q + a**
2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + a*b*c**2*g*h*
p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a*b*c*d*g*h*p*
x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*x**2 + a*b*d*
**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b*d**2*g*h*q*x
**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h**2*p*x**2 + b
**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2 + b**2*c*d*g*
h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**2*d**2*g**2*q
*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*c*d**2*h**2*q
**2*r - 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*g*h*
q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + a*b*c*
**2*g*h*p + a*b*c**2*h**2*p*x + a*b*c*d*g**2*p + a*b*c*d*g**2*q + 2*a*b*c*d
*g*h*p*x + 2*a*b*c*d*g*h*q*x + a*b*c*d*h**2*p*x**2 + a*b*c*d*h**2*q*x**2 +
a*b*d**2*g**2*p*x + a*b*d**2*g**2*q*x + a*b*d**2*g*h*p*x**2 + 2*a*b*d**2*
g*h*q*x**2 + a*b*d**2*h**2*q*x**3 + b**2*c**2*g*h*p*x + b**2*c**2*h**2*p*x
**2 + b**2*c*d*g**2*p*x + b**2*c*d*g**2*q*x + 2*b**2*c*d*g*h*p*x**2 + b**2
*c*d*g*h*q*x**2 + b**2*c*d*h**2*p*x**3 + b**2*d**2*g**2*p*x**2 + b**2*d**2
*g**2*q*x**2 + b**2*d**2*g*h*p*x**3 + b**2*d**2*g*h*q*x**3),x)*a**3*d**3*g
*h*q**2*r + 4*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*
g*h*q + a**2*c*d*h**2*q*x + a**2*d**2*g*h*q*x + a**2*d**2*h**2*q*x**2 + ...
```

3.54 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx$

Optimal result	529
Mathematica [N/A]	529
Rubi [N/A]	530
Maple [N/A]	531
Fricas [N/A]	531
Sympy [F(-1)]	531
Maxima [N/A]	532
Giac [N/A]	532
Mupad [N/A]	533
Reduce [N/A]	533

Optimal result

Integrand size = 48, antiderivative size = 48

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx = \text{Int}\left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))}, x\right)$$

output

```
Defer(Int)(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n)),x)
```

Mathematica [N/A]

Not integrable

Time = 0.87 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx$$

input

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])),x]
```

output

```
Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])), x]
```

Rubi [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(t\log(i(g+hx)^n)+s)} dx$$

↓ 2987

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(t\log(i(g+hx)^n)+s)} dx$$

input

```
Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])),x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 2987

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)
)^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.))
/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c +
d*x)^q)^r]^u*(s + t*Log[i*(g + h*x)^n]^m)/(j + k*x), x] /; FreeQ[{a, b, c
, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]
```

Maple [N/A]

Not integrable

Time = 1.08 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{(h k x + g k)(s + t \ln(i(hx+g)^n))} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n)),x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n)),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 57, normalized size of antiderivative = 1.19

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(h k x + g k)(t \log((h x + g)^n i) + s)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n)),x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k*s*x + g*k*s + (h*k*t*x + g*k*t)*log((h*x + g)^n*i)), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)**n)),x)`

output Timed out

Maxima [N/A]

Not integrable

Time = 3.79 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(hkx+gk)(t\log((hx+g)^n i)+s)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n)),x, algorithm="maxima")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*k*x + g*k)*(t*log((h*x + g)^n*i) + s)), x)`

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(hkx+gk)(t\log((hx+g)^n i)+s)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n)),x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*k*x + g*k)*(t*log((h*x + g)^n*i) + s)), x)`

Mupad [N/A]

Not integrable

Time = 26.77 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\ln(i(g+hx)^n))} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/((g*k + h*k*x)*(s + t*log(i*(g + h*x)^n))),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/((g*k + h*k*x)*(s + t*log(i*(g + h*x)^n))), x)`

Reduce [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.42

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))} dx = \frac{\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{\log((hx+g)^n i)gt + \log((hx+g)^n i)htx+gs+hsx} dx}{k}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n)),x)`

output `int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(log((g + h*x)**n*i)*g*t + log((g + h*x)**n*i)*h*t*x + g*s + h*s*x),x)/k`

3.55
$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx$$

Optimal result	534
Mathematica [N/A]	534
Rubi [N/A]	535
Maple [N/A]	536
Fricas [N/A]	536
Sympy [F(-1)]	537
Maxima [N/A]	537
Giac [N/A]	538
Mupad [N/A]	538
Reduce [N/A]	539

Optimal result

Integrand size = 48, antiderivative size = 48

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx$$

$$= \text{Int}\left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2}, x\right)$$

output `Defer(Int)(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n))^2,x)`

Mathematica [N/A]

Not integrable

Time = 2.54 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t \log(i(g+hx)^n))^2} dx$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])^2),x]`

output `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])^2), x]`

Rubi [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{(gk + h kx)(t \log(i(g + hx)^n) + s)^2} dx$$

↓ 2987

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{(gk + h kx)(t \log(i(g + hx)^n) + s)^2} dx$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/((g*k + h*k*x)*(s + t*Log[i*(g + h*x)^n])^2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2987

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.)
)^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.)
/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c +
d*x)^q)^r]^u*(s + t*Log[i*(g + h*x)^n])^m/(j + k*x), x] /; FreeQ[{a, b, c
, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]
```


Maple [N/A]

Not integrable

Time = 0.81 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{(h k x + g k)(s + t \ln(i(hx+g)^n))^2} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n))^2,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)^n))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.90

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+h k x)(s+t \log(i(g+hx)^n))^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(h k x + g k)(t \log((hx+g)^n i) + s)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n))^2,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(h*k*s^2*x + g*k*s^2 + (h*k*t^2*x + g*k*t^2)*log((h*x + g)^n*i))^2 + 2*(h*k*s*t*x + g*k*s*t)*log((h*x + g)^n*i)), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))^2} dx = \text{Timed out}$$

input

```
integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/(h*k*x+g*k)/(s+t*ln(i*(h*x+g)**n))**2,x)
```

output

Timed out

Maxima [N/A]

Not integrable

Time = 3.02 (sec) , antiderivative size = 222, normalized size of antiderivative = 4.62

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q)^r e)}{(hkx+gk)(t\log((hx+g)^n i)+s)^2} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n))**2,x, algorithm="maxima")
```

output

```
-(r*log(f) + log(((b*x + a)^p)^r) + log(((d*x + c)^q)^r) + log(e))/(h*k*n*t^2*log((h*x + g)^n) + (k*n*t^2*log(i) + k*n*s*t)*h) + integrate((b*c*p*r + a*d*q*r + (p*r + q*r)*b*d*x)/((k*n*t^2*log(i) + k*n*s*t)*b*d*h*x^2 + (k*n*t^2*log(i) + k*n*s*t)*a*c*h + ((k*n*t^2*log(i) + k*n*s*t)*b*c*h + (k*n*t^2*log(i) + k*n*s*t)*a*d*h)*x + (b*d*h*k*n*t^2*x^2 + a*c*h*k*n*t^2 + (b*c*h*k*n*t^2 + a*d*h*k*n*t^2)*x)*log((h*x + g)^n)), x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))^2} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{(hkx+gk)(t\log((hx+g)^n i)+s)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n))^2,x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/((h*k*x + g*k)*(t*log((h*x + g)^n*i) + s)^2), x)`

Mupad [N/A]

Not integrable

Time = 26.91 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))^2} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\ln(i(g+hx)^n))^2} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/((g*k + h*k*x)*(s + t*log(i*(g + h*x)^n))^2), x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/((g*k + h*k*x)*(s + t*log(i*(g + h*x)^n))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.85 (sec) , antiderivative size = 111, normalized size of antiderivative = 2.31

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{(gk+hkx)(s+t\log(i(g+hx)^n))^2} dx$$

$$= \frac{\int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{\log((hx+g)^n i)^2 g t^2 + \log((hx+g)^n i)^2 h t^2 x + 2 \log((hx+g)^n i) g s t + 2 \log((hx+g)^n i) h s t x + g s^2 + h s^2 x} dx}{k}$$

input

```
int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/(h*k*x+g*k)/(s+t*log(i*(h*x+g)^n))^2,
x)
```

output

```
int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(log((g + h*x)**n*i)**2*
g*t**2 + log((g + h*x)**n*i)**2*h*t**2*x + 2*log((g + h*x)**n*i)*g*s*t + 2
*log((g + h*x)**n*i)*h*s*t*x + g*s**2 + h*s**2*x),x)/k
```

3.56
$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

Optimal result	540
Mathematica [B] (verified)	541
Rubi [A] (verified)	542
Maple [F]	546
Fricas [F]	546
Sympy [F(-1)]	547
Maxima [F]	547
Giac [F]	548
Mupad [F(-1)]	549
Reduce [F]	549

Optimal result

Integrand size = 39, antiderivative size = 328

$$\begin{aligned} & \int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\ &= -\frac{pr \log^4(i(j(hx)^t)^u) \log(1 + \frac{bx}{a})}{4tu} + \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\ & \quad - \frac{qr \log^4(i(j(hx)^t)^u) \log(1 + \frac{dx}{c})}{4tu} - pr \log^3(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{bx}{a}\right) \\ & \quad - qr \log^3(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{dx}{c}\right) \\ & \quad + 3prt u \log^2(i(j(hx)^t)^u) \text{PolyLog}\left(3, -\frac{bx}{a}\right) \\ & \quad + 3qrt u \log^2(i(j(hx)^t)^u) \text{PolyLog}\left(3, -\frac{dx}{c}\right) \\ & \quad - 6prt^2 u^2 \log(i(j(hx)^t)^u) \text{PolyLog}\left(4, -\frac{bx}{a}\right) \\ & \quad - 6qrt^2 u^2 \log(i(j(hx)^t)^u) \text{PolyLog}\left(4, -\frac{dx}{c}\right) \\ & \quad + 6prt^3 u^3 \text{PolyLog}\left(5, -\frac{bx}{a}\right) + 6qrt^3 u^3 \text{PolyLog}\left(5, -\frac{dx}{c}\right) \end{aligned}$$

output

```
-1/4*p*r*ln(i*(j*(h*x)^t)^u)^4*ln(1+b*x/a)/t/u+1/4*ln(i*(j*(h*x)^t)^u)^4*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/t/u-1/4*q*r*ln(i*(j*(h*x)^t)^u)^4*ln(1+d*x/c)/t/u-p*r*ln(i*(j*(h*x)^t)^u)^3*polylog(2,-b*x/a)-q*r*ln(i*(j*(h*x)^t)^u)^3*polylog(2,-d*x/c)+3*p*r*t*u*ln(i*(j*(h*x)^t)^u)^2*polylog(3,-b*x/a)+3*q*r*t*u*ln(i*(j*(h*x)^t)^u)^2*polylog(3,-d*x/c)-6*p*r*t^2*u^2*ln(i*(j*(h*x)^t)^u)*polylog(4,-b*x/a)-6*q*r*t^2*u^2*ln(i*(j*(h*x)^t)^u)*polylog(4,-d*x/c)+6*p*r*t^3*u^3*polylog(5,-b*x/a)+6*q*r*t^3*u^3*polylog(5,-d*x/c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1241 vs. $2(328) = 656$.

Time = 1.89 (sec) , antiderivative size = 1241, normalized size of antiderivative = 3.78

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Too large to display}$$

input

```
Integrate[(Log[i*(j*(h*x)^t)^u]^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x, x]
```

output

```

p*r*t^3*u^3*Log[x]*Log[h*x]^3*Log[a + b*x] - p*r*t^3*u^3*Log[h*x]^4*Log[a
+ b*x] - 3*p*r*t^2*u^2*Log[x]*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]*Log[a + b*x]
+ 3*p*r*t^2*u^2*Log[h*x]^3*Log[i*(j*(h*x)^t)^u]*Log[a + b*x] + 3*p*r*t*u*
Log[x]*Log[h*x]*Log[i*(j*(h*x)^t)^u]^2*Log[a + b*x] - 3*p*r*t*u*Log[h*x]^2
*Log[i*(j*(h*x)^t)^u]^2*Log[a + b*x] - p*r*Log[x]*Log[i*(j*(h*x)^t)^u]^3*L
og[a + b*x] + p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]^3*Log[a + b*x] + (p*r*t^3*
u^3*Log[h*x]^4*Log[1 + (b*x)/a])/4 - p*r*t^2*u^2*Log[h*x]^3*Log[i*(j*(h*x)
^t)^u]*Log[1 + (b*x)/a] + (3*p*r*t*u*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]^2*Log
[1 + (b*x)/a])/2 - p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]^3*Log[1 + (b*x)/a] +
q*r*t^3*u^3*Log[x]*Log[h*x]^3*Log[c + d*x] - q*r*t^3*u^3*Log[h*x]^4*Log[c
+ d*x] - 3*q*r*t^2*u^2*Log[x]*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]*Log[c + d*x]
+ 3*q*r*t^2*u^2*Log[h*x]^3*Log[i*(j*(h*x)^t)^u]*Log[c + d*x] + 3*q*r*t*u*
Log[x]*Log[h*x]*Log[i*(j*(h*x)^t)^u]^2*Log[c + d*x] - 3*q*r*t*u*Log[h*x]^2
*Log[i*(j*(h*x)^t)^u]^2*Log[c + d*x] - q*r*Log[x]*Log[i*(j*(h*x)^t)^u]^3*L
og[c + d*x] + q*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]^3*Log[c + d*x] - t^3*u^3*L
og[x]*Log[h*x]^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] + (3*t^3*u^3*Log[h*x
]^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r])/4 + 3*t^2*u^2*Log[x]*Log[h*x]^2*
Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 2*t^2*u^2*Log[
h*x]^3*Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - 3*t*u*L
og[x]*Log[h*x]*Log[i*(j*(h*x)^t)^u]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q)...

```

Rubi [A] (verified)

Time = 3.28 (sec) , antiderivative size = 332, normalized size of antiderivative = 1.01, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.205$, Rules used = {2895, 2895, 2985, 2754, 2821, 2830, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

↓ 2895

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

↓ 2985

$$\begin{aligned}
 & - \frac{bpr \int \frac{\log^4(i(j(hx)^t)^u)}{a+bx} dx}{4tu} - \frac{dqr \int \frac{\log^4(i(j(hx)^t)^u)}{c+dx} dx}{4tu} + \\
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \quad \downarrow \text{2754} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^4(i(j(hx)^t)^u)}{b} - \frac{4tu \int \frac{\log^3(i(j(hx)^t)^u) \log(\frac{bx}{a}+1) dx}{b} \right)}{4tu} \\
 & - \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^4(i(j(hx)^t)^u)}{d} - \frac{4tu \int \frac{\log^3(i(j(hx)^t)^u) \log(\frac{dx}{c}+1) dx}{d} \right)}{4tu} + \\
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \quad \downarrow \text{2821} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^4(i(j(hx)^t)^u)}{b} - \frac{4tu \left(3tu \int \frac{\log^2(i(j(hx)^t)^u)}{x} \text{PolyLog}(2, -\frac{bx}{a}) dx - \text{PolyLog}(2, -\frac{bx}{a}) \log^3(i(j(hx)^t)^u) \right)}{b} \right)}{4tu} \\
 & - \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^4(i(j(hx)^t)^u)}{d} - \frac{4tu \left(3tu \int \frac{\log^2(i(j(hx)^t)^u)}{x} \text{PolyLog}(2, -\frac{dx}{c}) dx - \text{PolyLog}(2, -\frac{dx}{c}) \log^3(i(j(hx)^t)^u) \right)}{d} \right)}{4tu} + \\
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \quad \downarrow \text{2830} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^4(i(j(hx)^t)^u)}{b} - \frac{4tu \left(3tu \left(\text{PolyLog}(3, -\frac{bx}{a}) \log^2(i(j(hx)^t)^u) - 2tu \int \frac{\log(i(j(hx)^t)^u)}{x} \text{PolyLog}(3, -\frac{bx}{a}) dx \right) - \text{PolyLog}(2, -\frac{bx}{a}) \log^3(i(j(hx)^t)^u) \right)}{b} \right)}{4tu} \\
 & - \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^4(i(j(hx)^t)^u)}{d} - \frac{4tu \left(3tu \left(\text{PolyLog}(3, -\frac{dx}{c}) \log^2(i(j(hx)^t)^u) - 2tu \int \frac{\log(i(j(hx)^t)^u)}{x} \text{PolyLog}(3, -\frac{dx}{c}) dx \right) - \text{PolyLog}(2, -\frac{dx}{c}) \log^3(i(j(hx)^t)^u) \right)}{d} \right)}{4tu} + \\
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \quad \downarrow \text{2830}
 \end{aligned}$$

$$\begin{aligned}
 & bpr \left(\frac{\log\left(\frac{bx}{a}+1\right) \log^4(i(j(hx)^t)^u)}{b} - \frac{4tu \left(3tu \left(\text{PolyLog}\left(3, -\frac{bx}{a}\right) \log^2(i(j(hx)^t)^u\right) - 2tu \left(\text{PolyLog}\left(4, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u\right) - tu \int \frac{\text{PolyLog}\left(5, -\frac{bx}{a}\right)}{x} \right) \right)}{b} \right) \\
 & \hline
 & dqr \left(\frac{\log\left(\frac{dx}{c}+1\right) \log^4(i(j(hx)^t)^u)}{d} - \frac{4tu \left(3tu \left(\text{PolyLog}\left(3, -\frac{dx}{c}\right) \log^2(i(j(hx)^t)^u\right) - 2tu \left(\text{PolyLog}\left(4, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u\right) - tu \int \frac{\text{PolyLog}\left(5, -\frac{dx}{c}\right)}{x} \right) \right)}{d} \right) \\
 & \hline
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \quad \downarrow 7143 \\
 & \frac{\log^4(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{4tu} \\
 & \hline
 & bpr \left(\frac{\log\left(\frac{bx}{a}+1\right) \log^4(i(j(hx)^t)^u)}{b} - \frac{4tu \left(3tu \left(\text{PolyLog}\left(3, -\frac{bx}{a}\right) \log^2(i(j(hx)^t)^u\right) - 2tu \left(\text{PolyLog}\left(4, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u\right) - tu \text{PolyLog}\left(5, -\frac{bx}{a}\right) \right) \right)}{b} \right) \\
 & \hline
 & dqr \left(\frac{\log\left(\frac{dx}{c}+1\right) \log^4(i(j(hx)^t)^u)}{d} - \frac{4tu \left(3tu \left(\text{PolyLog}\left(3, -\frac{dx}{c}\right) \log^2(i(j(hx)^t)^u\right) - 2tu \left(\text{PolyLog}\left(4, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u\right) - tu \text{PolyLog}\left(5, -\frac{dx}{c}\right) \right) \right)}{d} \right) \\
 & \hline
 & 4tu
 \end{aligned}$$

input

```
Int[(Log[i*(j*(h*x)^t)^u]^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x,x]
```

output

```
(Log[i*(j*(h*x)^t)^u]^4*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(4*t*u) - (b
*p*r*((Log[i*(j*(h*x)^t)^u]^4*Log[1 + (b*x)/a])/b - (4*t*u*(-(Log[i*(j*(h*
x)^t)^u]^3*PolyLog[2, -(b*x)/a])) + 3*t*u*(Log[i*(j*(h*x)^t)^u]^2*PolyLog
[3, -(b*x)/a] - 2*t*u*(Log[i*(j*(h*x)^t)^u]*PolyLog[4, -(b*x)/a] - t*u
*PolyLog[5, -(b*x)/a]]))/b)/(4*t*u) - (d*q*r*((Log[i*(j*(h*x)^t)^u]^4*
Log[1 + (d*x)/c])/d - (4*t*u*(-(Log[i*(j*(h*x)^t)^u]^3*PolyLog[2, -(d*x)/
c])) + 3*t*u*(Log[i*(j*(h*x)^t)^u]^2*PolyLog[3, -(d*x)/c] - 2*t*u*(Log[i
*(j*(h*x)^t)^u]*PolyLog[4, -(d*x)/c] - t*u*PolyLog[5, -(d*x)/c]]))/d)
)/(4*t*u)
```

Definitions of rubi rules used

rule 2754 $\text{Int}[\left((a_{.}) + \text{Log}[(c_{.})*(x_{.})^{(n_{.})}]* (b_{.})\right)^{(p_{.})}/\left((d_{.}) + (e_{.})*(x_{.})\right), x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{Log}[1 + e*(x/d)]*(a + b*\text{Log}[c*x^n])^p/e, x] - \text{Simp}[b*n*(p/e) \text{Int}[\text{Log}[1 + e*(x/d)]*(a + b*\text{Log}[c*x^n])^{(p-1)}/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, n\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

rule 2821 $\text{Int}[(\text{Log}[(d_{.})*((e_{.}) + (f_{.})*(x_{.})^{(m_{.})})]* (a_{.}) + \text{Log}[(c_{.})*(x_{.})^{(n_{.})}]* (b_{.})\right)^{(p_{.})}/(x_{.}), x_{\text{Symbol}}] \rightarrow \text{Simp}[(-\text{PolyLog}[2, (-d)*f*x^m])*(a + b*\text{Log}[c*x^n])^p/m, x] + \text{Simp}[b*n*(p/m) \text{Int}[\text{PolyLog}[2, (-d)*f*x^m]*(a + b*\text{Log}[c*x^n])^{(p-1)}/x, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[d*e, 1]$

rule 2830 $\text{Int}[\left((a_{.}) + \text{Log}[(c_{.})*(x_{.})^{(n_{.})}]* (b_{.})\right)^{(p_{.})}*\text{PolyLog}[k_{.}, (e_{.})*(x_{.})^{(q_{.})}]/(x_{.}), x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{PolyLog}[k + 1, e*x^q]*(a + b*\text{Log}[c*x^n])^p/q, x] - \text{Simp}[b*n*(p/q) \text{Int}[\text{PolyLog}[k + 1, e*x^q]*(a + b*\text{Log}[c*x^n])^{(p-1)}/x, x], x] /; \text{FreeQ}[\{a, b, c, e, k, n, q\}, x] \ \&\& \ \text{GtQ}[p, 0]$

rule 2895 $\text{Int}[\left((a_{.}) + \text{Log}[(c_{.})*((d_{.})*((e_{.}) + (f_{.})*(x_{.})^{(m_{.})})\right)^{(n_{.})}]* (b_{.})\right)^{(p_{.})}*(u_{.}), x_{\text{Symbol}}] \rightarrow \text{Subst}[\text{Int}[u*(a + b*\text{Log}[c*d^n*(e + f*x)^{(m*n)})]^p, x], c*d^n*(e + f*x)^{(m*n)}, c*(d*(e + f*x)^m)^n] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n, p\}, x] \ \&\& \ !\text{IntegerQ}[n] \ \&\& \ !(\text{EqQ}[d, 1] \ \&\& \ \text{EqQ}[m, 1]) \ \&\& \ \text{IntegralFreeQ}[\text{IntHide}[u*(a + b*\text{Log}[c*d^n*(e + f*x)^{(m*n)})]^p, x]]$

rule 2985 $\text{Int}[(\text{Log}[(e_{.})*((f_{.})*((a_{.}) + (b_{.})*(x_{.}))^{(p_{.})}]* (c_{.}) + (d_{.})*(x_{.}))^{(q_{.})}]^{(r_{.})}*(s_{.}) + \text{Log}[(i_{.})*((g_{.}) + (h_{.})*(x_{.})^{(n_{.})})* (t_{.})\right)^{(m_{.})}/((j_{.}) + (k_{.})*(x_{.})), x_{\text{Symbol}}] \rightarrow \text{Simp}[(s + t*\text{Log}[i*(g + h*x)^n])^{(m+1)}*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(k*n*t*(m + 1)), x] + (-\text{Simp}[b*p*(r/(k*n*t*(m + 1))), x] + (-\text{Simp}[b*p*(r/(k*n*t*(m + 1))) \text{Int}[(s + t*\text{Log}[i*(g + h*x)^n])^{(m+1)}/(a + b*x), x], x] - \text{Simp}[d*q*(r/(k*n*t*(m + 1))) \text{Int}[(s + t*\text{Log}[i*(g + h*x)^n])^{(m+1)}/(c + d*x), x], x]) /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[h*j - g*k, 0] \ \&\& \ \text{IGtQ}[m, 0]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\ln \left(i(j(hx)^t)^u \right)^3 \ln \left(e(f(bx + a)^p (dx + c)^q)^r \right)}{x} dx$$

input

```
int(ln(i*(j*(h*x)^t)^u)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)
```

output

```
int(ln(i*(j*(h*x)^t)^u)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)
```

Fricas [F]

$$\int \frac{\log^3 \left(i(j(hx)^t)^u \right) \log \left(e(f(a + bx)^p (c + dx)^q)^r \right)}{x} dx$$

$$= \int \frac{\log \left(((bx + a)^p (dx + c)^q f)^r e \right) \log \left(((hx)^t j)^u i \right)^3}{x} dx$$

input

```
integrate(log(i*(j*(h*x)^t)^u)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="fricas")
```

output

```
integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)^3/x, x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Timed out}$$

input `integrate(ln(i*(j*(h*x)**t)**u)**3*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x,x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)^3}{x} dx$$

input `integrate(log(i*(j*(h*x)^t)^u)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="maxima")`

output

```

-1/4*(t^3*u^3*log(x)^4 - 4*(t^3*u^3*log(h) + t^2*u^3*log(j) + t^2*u^2*log(i))*log(x)^3 - 4*log(x)*log((x^t)^u)^3 + 6*(t^3*u^3*log(h)^2 + t*u^3*log(j)^2 + 2*t*u^2*log(i)*log(j) + t*u*log(i)^2 + 2*(t^2*u^3*log(j) + t^2*u^2*log(i))*log(h))*log(x)^2 + 6*(t*u*log(x)^2 - 2*(t*u*log(h) + u*log(j) + log(i))*log(x))*log((x^t)^u)^2 - 4*(t^3*u^3*log(h)^3 + u^3*log(j)^3 + 3*u^2*log(i)*log(j)^2 + 3*u*log(i)^2*log(j) + 3*(t^2*u^3*log(j) + t^2*u^2*log(i))*log(h)^2 + log(i)^3 + 3*(t*u^3*log(j)^2 + 2*t*u^2*log(i)*log(j) + t*u*log(i)^2)*log(h))*log(x) - 4*(t^2*u^2*log(x)^3 - 3*(t^2*u^2*log(h) + t*u^2*log(j) + t*u*log(i))*log(x)^2 + 3*(t^2*u^2*log(h)^2 + u^2*log(j)^2 + 2*u*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*log(i))*log(h) + log(i)^2)*log(x))*log((x^t)^u)*log(((b*x + a)^p)^r) - 1/4*(t^3*u^3*log(x)^4 - 4*(t^3*u^3*log(h) + t^2*u^3*log(j) + t^2*u^2*log(i))*log(x)^3 - 4*log(x)*log((x^t)^u)^3 + 6*(t^3*u^3*log(h)^2 + t*u^3*log(j)^2 + 2*t*u^2*log(i)*log(j) + t*u*log(i)^2 + 2*(t^2*u^3*log(j) + t^2*u^2*log(i))*log(h))*log(x)^2 + 6*(t*u*log(x)^2 - 2*(t*u*log(h) + u*log(j) + log(i))*log(x))*log((x^t)^u)^2 - 4*(t^3*u^3*log(h)^3 + u^3*log(j)^3 + 3*u^2*log(i)*log(j)^2 + 3*u*log(i)^2*log(j) + 3*(t^2*u^3*log(j) + t^2*u^2*log(i))*log(h)^2 + log(i)^3 + 3*(t*u^3*log(j)^2 + 2*t*u^2*log(i)*log(j) + t*u*log(i)^2)*log(h))*log(x) - 4*(t^2*u^2*log(x)^3 - 3*(t^2*u^2*log(h) + t*u^2*log(j) + t*u*log(i))*log(x)^2 + 3*(t^2*u^2*log(h)^2 + u^2*log(j)^2 + 2*u*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*log(...

```

Giac [F]

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^qf)^r e) \log(((hx)^t j)^u i)^3}{x} dx$$

input

```
integrate(log(i*(j*(h*x)^t)^u)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)^3/x, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \ln(i(j(hx)^t)^u)^3}{x} dx$$

input `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u)^3)/x,x)`

output `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u)^3)/x, x)`

Reduce [F]

$$\int \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e) \log(x^{tu}j^u h^{tu}i)^3}{x} dx$$

input `int(log(i*(j*(h*x)^t)^u)^3*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

output `int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*log(x**(t*u)*j**u*h**(t*u)*i)**3)/x,x)`

$$3.57 \quad \int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

Optimal result	550
Mathematica [B] (verified)	551
Rubi [A] (verified)	552
Maple [F]	555
Fricas [F]	556
Sympy [F(-1)]	556
Maxima [F]	556
Giac [F]	557
Mupad [F(-1)]	558
Reduce [F]	558

Optimal result

Integrand size = 39, antiderivative size = 262

$$\begin{aligned} & \int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\ &= -\frac{pr \log^3(i(j(hx)^t)^u) \log\left(1 + \frac{bx}{a}\right)}{3tu} + \frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3tu} \\ & \quad - \frac{qr \log^3(i(j(hx)^t)^u) \log\left(1 + \frac{dx}{c}\right)}{3tu} - pr \log^2(i(j(hx)^t)^u) \operatorname{PolyLog}\left(2, -\frac{bx}{a}\right) \\ & \quad - qr \log^2(i(j(hx)^t)^u) \operatorname{PolyLog}\left(2, -\frac{dx}{c}\right) \\ & \quad + 2prt u \log(i(j(hx)^t)^u) \operatorname{PolyLog}\left(3, -\frac{bx}{a}\right) \\ & \quad + 2qrt u \log(i(j(hx)^t)^u) \operatorname{PolyLog}\left(3, -\frac{dx}{c}\right) \\ & \quad - 2prt^2 u^2 \operatorname{PolyLog}\left(4, -\frac{bx}{a}\right) - 2qrt^2 u^2 \operatorname{PolyLog}\left(4, -\frac{dx}{c}\right) \end{aligned}$$

output

```
-1/3*p*r*ln(i*(h*x)^t)^u)^3*ln(1+b*x/a)/t/u+1/3*ln(i*(h*x)^t)^u)^3*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/t/u-1/3*q*r*ln(i*(h*x)^t)^u)^3*ln(1+d*x/c)/t/u-p*r*ln(i*(h*x)^t)^u)^2*polylog(2,-b*x/a)-q*r*ln(i*(h*x)^t)^u)^2*polylog(2,-d*x/c)+2*p*r*t*u*ln(i*(h*x)^t)^u)*polylog(3,-b*x/a)+2*q*r*t*u*ln(i*(h*x)^t)^u)*polylog(3,-d*x/c)-2*p*r*t^2*u^2*polylog(4,-b*x/a)-2*q*r*t^2*u^2*polylog(4,-d*x/c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 839 vs. $2(262) = 524$.

Time = 0.92 (sec) , antiderivative size = 839, normalized size of antiderivative = 3.20

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Too large to display}$$

input

```
Integrate[(Log[i*(j*(h*x)^t)^u]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x, x]
```


output

```

-(p*r*t^2*u^2*Log[x]*Log[h*x]^2*Log[a + b*x]) + p*r*t^2*u^2*Log[h*x]^3*Log
[a + b*x] + 2*p*r*t*u*Log[x]*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[a + b*x] -
2*p*r*t*u*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]*Log[a + b*x] - p*r*Log[x]*Log[i*
(j*(h*x)^t)^u]^2*Log[a + b*x] + p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]^2*Log[a
+ b*x] - (p*r*t^2*u^2*Log[h*x]^3*Log[1 + (b*x)/a])/3 + p*r*t*u*Log[h*x]^2*
Log[i*(j*(h*x)^t)^u]*Log[1 + (b*x)/a] - p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]^
2*Log[1 + (b*x)/a] - q*r*t^2*u^2*Log[x]*Log[h*x]^2*Log[c + d*x] + q*r*t^2*
u^2*Log[h*x]^3*Log[c + d*x] + 2*q*r*t*u*Log[x]*Log[h*x]*Log[i*(j*(h*x)^t)^
u]*Log[c + d*x] - 2*q*r*t*u*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]*Log[c + d*x] -
q*r*Log[x]*Log[i*(j*(h*x)^t)^u]^2*Log[c + d*x] + q*r*Log[h*x]*Log[i*(h
*x)^t)^u]^2*Log[c + d*x] + t^2*u^2*Log[x]*Log[h*x]^2*Log[e*(f*(a + b*x)^p*
(c + d*x)^q)^r] - (2*t^2*u^2*Log[h*x]^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^
r])/3 - 2*t*u*Log[x]*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c
+ d*x)^q)^r] + t*u*Log[h*x]^2*Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(
c + d*x)^q)^r] + Log[x]*Log[i*(j*(h*x)^t)^u]^2*Log[e*(f*(a + b*x)^p*(c + d
*x)^q)^r] - (q*r*t^2*u^2*Log[h*x]^3*Log[1 + (d*x)/c])/3 + q*r*t*u*Log[h*x]
^2*Log[i*(j*(h*x)^t)^u]*Log[1 + (d*x)/c] - q*r*Log[h*x]*Log[i*(j*(h*x)^t)^
u]^2*Log[1 + (d*x)/c] - p*r*Log[i*(j*(h*x)^t)^u]^2*PolyLog[2, -((b*x)/a)]
- q*r*Log[i*(j*(h*x)^t)^u]^2*PolyLog[2, -((d*x)/c)] + 2*p*r*t*u*Log[i*(j*(
h*x)^t)^u]*PolyLog[3, -((b*x)/a)] + 2*q*r*t*u*Log[i*(j*(h*x)^t)^u]*Poly...

```

Rubi [A] (verified)

Time = 2.77 (sec) , antiderivative size = 274, normalized size of antiderivative = 1.05, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.179$, Rules used = {2895, 2895, 2985, 2754, 2821, 2830, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

↓ 2895

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

↓ 2985

$$\begin{aligned}
 & - \frac{bpr \int \frac{\log^3(i(j(hx)^t)^u)}{a+bx} dx}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \frac{dqr \int \frac{\log^3(i(j(hx)^t)^u)}{c+dx} dx}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \qquad \qquad \qquad \frac{3tu}{3tu} \\
 & \qquad \qquad \qquad \downarrow \text{2754} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^3(i(j(hx)^t)^u)}{b} - \frac{3tu \int \frac{\log^2(i(j(hx)^t)^u) \log(\frac{bx}{a}+1) dx}{b} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \\
 & \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^3(i(j(hx)^t)^u)}{d} - \frac{3tu \int \frac{\log^2(i(j(hx)^t)^u) \log(\frac{dx}{c}+1) dx}{d} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \qquad \qquad \qquad \frac{3tu}{3tu} \\
 & \qquad \qquad \qquad \downarrow \text{2821} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^3(i(j(hx)^t)^u)}{b} - \frac{3tu \left(2tu \int \frac{\log(i(j(hx)^t)^u)}{x} \text{PolyLog}\left(2, -\frac{bx}{a}\right) dx - \text{PolyLog}\left(2, -\frac{bx}{a}\right) \log^2(i(j(hx)^t)^u \right)}{b} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \\
 & \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^3(i(j(hx)^t)^u)}{d} - \frac{3tu \left(2tu \int \frac{\log(i(j(hx)^t)^u)}{x} \text{PolyLog}\left(2, -\frac{dx}{c}\right) dx - \text{PolyLog}\left(2, -\frac{dx}{c}\right) \log^2(i(j(hx)^t)^u \right)}{d} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \qquad \qquad \qquad \frac{3tu}{3tu} \\
 & \qquad \qquad \qquad \downarrow \text{2830} \\
 & - \frac{bpr \left(\frac{\log(\frac{bx}{a}+1) \log^3(i(j(hx)^t)^u)}{b} - \frac{3tu \left(2tu \left(\text{PolyLog}\left(3, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u \right) - tu \int \frac{\text{PolyLog}\left(3, -\frac{bx}{a}\right)}{x} dx \right) - \text{PolyLog}\left(2, -\frac{bx}{a}\right) \log^2(i(j(hx)^t)^u \right)}{b} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \\
 & \frac{dqr \left(\frac{\log(\frac{dx}{c}+1) \log^3(i(j(hx)^t)^u)}{d} - \frac{3tu \left(2tu \left(\text{PolyLog}\left(3, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u \right) - tu \int \frac{\text{PolyLog}\left(3, -\frac{dx}{c}\right)}{x} dx \right) - \text{PolyLog}\left(2, -\frac{dx}{c}\right) \log^2(i(j(hx)^t)^u \right)}{d} \right)}{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \qquad \qquad \qquad \frac{3tu}{3tu} \\
 & \qquad \qquad \qquad \downarrow \text{7143}
 \end{aligned}$$

$$\frac{\log^3(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{3tu} - \frac{\log\left(\frac{bx}{a}+1\right) \log^3(i(j(hx)^t)^u)}{b} - \frac{3tu\left(2tu\left(\text{PolyLog}\left(3, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u) - tu \text{PolyLog}\left(4, -\frac{bx}{a}\right)\right) - \text{PolyLog}\left(2, -\frac{bx}{a}\right) \log^2(i(j(hx)^t)^u)\right)}{b}$$

$$\frac{\log\left(\frac{dx}{c}+1\right) \log^3(i(j(hx)^t)^u)}{d} - \frac{3tu\left(2tu\left(\text{PolyLog}\left(3, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u) - tu \text{PolyLog}\left(4, -\frac{dx}{c}\right)\right) - \text{PolyLog}\left(2, -\frac{dx}{c}\right) \log^2(i(j(hx)^t)^u)\right)}{d}$$

$$3tu$$

input `Int[(Log[i*(j*(h*x)^t)^u]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x,x]`

output `(Log[i*(j*(h*x)^t)^u]^3*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(3*t*u) - (b*p*r*((Log[i*(j*(h*x)^t)^u]^3*Log[1 + (b*x)/a])/b - (3*t*u*(-(Log[i*(j*(h*x)^t)^u]^2*PolyLog[2, -((b*x)/a)]) + 2*t*u*(Log[i*(j*(h*x)^t)^u]*PolyLog[3, -((b*x)/a)] - t*u*PolyLog[4, -((b*x)/a)])))/b)/(3*t*u) - (d*q*r*((Log[i*(j*(h*x)^t)^u]^3*Log[1 + (d*x)/c])/d - (3*t*u*(-(Log[i*(j*(h*x)^t)^u]^2*PolyLog[2, -((d*x)/c)]) + 2*t*u*(Log[i*(j*(h*x)^t)^u]*PolyLog[3, -((d*x)/c)] - t*u*PolyLog[4, -((d*x)/c)])))/d)/(3*t*u)`

Defintions of rubi rules used

rule 2754 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e) Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]`

rule 2821 `Int[(Log[(d_.)*((e_.) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

rule 2830

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*PolyLog[k_, (e_.)*(x_)^(q_.)]/(x_), x_Symbol] := Simp[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^p/q), x] - Simp[b*n*(p/q) Int[PolyLog[k + 1, e*x^q]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, e, k, n, q}, x] && GtQ[p, 0]
```

rule 2895

```
Int[((a_.) + Log[(c_.)*((d_.)*((e_.) + (f_.)*(x_)^(m_.))^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Subst[Int[u*(a + b*Log[c*d^n*(e + f*x)^(m*n)]]^p, x], c*d^n*(e + f*x)^(m*n), c*(d*(e + f*x)^m)^n] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[n] && !(EqQ[d, 1] && EqQ[m, 1]) && IntegralFreeQ[IntHide[u*(a + b*Log[c*d^n*(e + f*x)^(m*n)]]^p, x]]
```

rule 2985

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_)^(n_.)]*(t_.))^(m_.)))/((j_.) + (k_.)*(x_)), x_Symbol] := Simp[(s + t*Log[i*(g + h*x)^n])^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(k*n*t*(m + 1))), x] + (-Simp[b*p*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r}, x] && NeQ[b*c - a*d, 0] && EqQ[h*j - g*k, 0] && IGtQ[m, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \frac{\ln \left(i(j(hx)^t)^u \right)^2 \ln(e(f(bx+a)^p(dx+c)^q)^r)}{x} dx$$

input

```
int(ln(i*(j*(h*x)^t)^u)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)
```

output

```
int(ln(i*(j*(h*x)^t)^u)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)
```

Fricas [F]

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)^2}{x} dx$$

input `integrate(log(i*(j*(h*x)^t)^u)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, alg
orithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)^2/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Timed out}$$

input `integrate(ln(i*(j*(h*x)**t)**u)**2*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x,x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)^2}{x} dx$$

input `integrate(log(i*(j*(h*x)^t)^u)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, alg
orithm="maxima")`

output

```

1/3*(t^2*u^2*log(x)^3 - 3*(t^2*u^2*log(h) + t*u^2*log(j) + t*u*log(i))*log
(x)^2 + 3*log(x)*log((x^t)^u)^2 + 3*(t^2*u^2*log(h)^2 + u^2*log(j)^2 + 2*u
*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*log(i))*log(h) + log(i)^2)*log(x) -
3*(t*u*log(x)^2 - 2*(t*u*log(h) + u*log(j) + log(i))*log(x))*log((x^t)^u)
)*log(((b*x + a)^p)^r) + 1/3*(t^2*u^2*log(x)^3 - 3*(t^2*u^2*log(h) + t*u^2
*log(j) + t*u*log(i))*log(x)^2 + 3*log(x)*log((x^t)^u)^2 + 3*(t^2*u^2*log(
h)^2 + u^2*log(j)^2 + 2*u*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*log(i))*lo
g(h) + log(i)^2)*log(x) - 3*(t*u*log(x)^2 - 2*(t*u*log(h) + u*log(j) + log
(i))*log(x))*log((x^t)^u))*log(((d*x + c)^q)^r) - integrate(-1/3*(3*(t^2*
u^2*log(h)^2 + u^2*log(j)^2 + 2*u*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*lo
g(i))*log(h) + log(i)^2)*log(e) + (r*t^2*u^2*log(h)^2 + r*u^2*log(j)^2 + 2
*r*u*log(i)*log(j) + r*log(i)^2 + 2*(r*t*u^2*log(j) + r*t*u*log(i))*log(h)
)*log(f))*b*d*x^2 - ((p*r*t^2*u^2 + q*r*t^2*u^2)*b*d*x^2 + (b*c*p*r*t^2*u^
2 + a*d*q*r*t^2*u^2)*x)*log(x)^3 + 3*((t^2*u^2*log(h)^2 + u^2*log(j)^2 + 2
*u*log(i)*log(j) + 2*(t*u^2*log(j) + t*u*log(i))*log(h) + log(i)^2)*log(e)
+ (r*t^2*u^2*log(h)^2 + r*u^2*log(j)^2 + 2*r*u*log(i)*log(j) + r*log(i)^2
+ 2*(r*t*u^2*log(j) + r*t*u*log(i))*log(h))*log(f))*a*c + 3*((r*log(f) +
log(e))*b*d*x^2 + (r*log(f) + log(e))*a*c + ((r*log(f) + log(e))*b*c + (r*
log(f) + log(e))*a*d)*x - ((p*r + q*r)*b*d*x^2 + (b*c*p*r + a*d*q*r)*x)*lo
g(x))*log((x^t)^u)^2 + 3*((p*r*t^2*u^2 + q*r*t^2*u^2)*log(h) + (p*r*t*...

```

Giac [F]

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)^2}{x} dx$$

input

```

integrate(log(i*(j*(h*x)^t)^u)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, alg
orithm="giac")

```

output

```

integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)^2/x, x
)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \ln(i(j(hx)^t)^u)^2}{x} dx$$

input `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u)^2)/x,x)`

output `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u)^2)/x, x)`

Reduce [F]

$$\int \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e) \log(x^{tu}j^uh^{tu}i)^2}{x} dx$$

input `int(log(i*(j*(h*x)^t)^u)^2*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

output `int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*log(x**(t*u)*j**u*h**(t*u)*i)**2)/x,x)`

3.58
$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

Optimal result	559
Mathematica [B] (verified)	560
Rubi [A] (verified)	561
Maple [F]	563
Fricas [F]	564
Sympy [F(-1)]	564
Maxima [F]	564
Giac [F]	565
Mupad [F(-1)]	566
Reduce [F]	566

Optimal result

Integrand size = 37, antiderivative size = 194

$$\begin{aligned} & \int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\ &= -\frac{pr \log^2(i(j(hx)^t)^u) \log(1 + \frac{bx}{a})}{2tu} + \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{2tu} \\ & \quad - \frac{qr \log^2(i(j(hx)^t)^u) \log(1 + \frac{dx}{c})}{2tu} - pr \log(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{bx}{a}\right) \\ & \quad - qr \log(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{dx}{c}\right) \\ & \quad + prt u \text{PolyLog}\left(3, -\frac{bx}{a}\right) + qrt u \text{PolyLog}\left(3, -\frac{dx}{c}\right) \end{aligned}$$

output

```
-1/2*p*r*ln(i*(j*(h*x)^t)^u)^2*ln(1+b*x/a)/t/u+1/2*ln(i*(j*(h*x)^t)^u)^2*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/t/u-1/2*q*r*ln(i*(j*(h*x)^t)^u)^2*ln(1+d*x/c)/t/u-p*r*ln(i*(j*(h*x)^t)^u)*polylog(2,-b*x/a)-q*r*ln(i*(j*(h*x)^t)^u)*polylog(2,-d*x/c)+p*r*t*u*polylog(3,-b*x/a)+q*r*t*u*polylog(3,-d*x/c)
```


Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 451 vs. $2(194) = 388$.

Time = 0.44 (sec) , antiderivative size = 451, normalized size of antiderivative = 2.32

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= prt u \log(x) \log(hx) \log(a+bx) - prt u \log^2(hx) \log(a+bx)$$

$$- pr \log(x) \log(i(j(hx)^t)^u) \log(a+bx) + pr \log(hx) \log(i(j(hx)^t)^u) \log(a+bx)$$

$$+ \frac{1}{2} prt u \log^2(hx) \log\left(1 + \frac{bx}{a}\right) - pr \log(hx) \log(i(j(hx)^t)^u) \log\left(1 + \frac{bx}{a}\right)$$

$$+ qrt u \log(x) \log(hx) \log(c+dx) - qrt u \log^2(hx) \log(c+dx)$$

$$- qr \log(x) \log(i(j(hx)^t)^u) \log(c+dx) + qr \log(hx) \log(i(j(hx)^t)^u) \log(c+dx)$$

$$- tu \log(x) \log(hx) \log(e(f(a+bx)^p(c+dx)^q)^r)$$

$$+ \frac{1}{2} tu \log^2(hx) \log(e(f(a+bx)^p(c+dx)^q)^r)$$

$$+ \log(x) \log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)$$

$$+ \frac{1}{2} qrt u \log^2(hx) \log\left(1 + \frac{dx}{c}\right) - qr \log(hx) \log(i(j(hx)^t)^u) \log\left(1 + \frac{dx}{c}\right)$$

$$- pr \log(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{bx}{a}\right) - qr \log(i(j(hx)^t)^u) \text{PolyLog}\left(2, -\frac{dx}{c}\right)$$

$$+ prt u \text{PolyLog}\left(3, -\frac{bx}{a}\right) + qrt u \text{PolyLog}\left(3, -\frac{dx}{c}\right)$$

input `Integrate[(Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x,x]`

output `p*r*t*u*Log[x]*Log[h*x]*Log[a + b*x] - p*r*t*u*Log[h*x]^2*Log[a + b*x] - p*r*Log[x]*Log[i*(j*(h*x)^t)^u]*Log[a + b*x] + p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[a + b*x] + (p*r*t*u*Log[h*x]^2*Log[1 + (b*x)/a])/2 - p*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[1 + (b*x)/a] + q*r*t*u*Log[x]*Log[h*x]*Log[c + d*x] - q*r*t*u*Log[h*x]^2*Log[c + d*x] - q*r*Log[x]*Log[i*(j*(h*x)^t)^u]*Log[c + d*x] + q*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[c + d*x] - t*u*Log[x]*Log[h*x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + (t*u*Log[h*x]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r))/2 + Log[x]*Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r] + (q*r*t*u*Log[h*x]^2*Log[1 + (d*x)/c])/2 - q*r*Log[h*x]*Log[i*(j*(h*x)^t)^u]*Log[1 + (d*x)/c] - p*r*Log[i*(j*(h*x)^t)^u]*PolyLog[2, -((b*x)/a)] - q*r*Log[i*(j*(h*x)^t)^u]*PolyLog[2, -((d*x)/c)] + p*r*t*u*PolyLog[3, -((b*x)/a)] + q*r*t*u*PolyLog[3, -((d*x)/c)]`

Rubi [A] (verified)

Time = 2.07 (sec) , antiderivative size = 214, normalized size of antiderivative = 1.10, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.162$, Rules used = {2895, 2895, 2985, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\
 & \quad \downarrow \text{2895} \\
 & \int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\
 & \quad \downarrow \text{2985} \\
 & - \frac{bpr \int \frac{\log^2(i(j(hx)^t)^u)}{a+bx} dx}{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \frac{dqr \int \frac{\log^2(i(j(hx)^t)^u)}{c+dx} dx}{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \quad \downarrow \text{2754} \\
 & - \frac{bpr \left(\frac{\log\left(\frac{bx}{a}+1\right) \log^2(i(j(hx)^t)^u}{b} - 2tu \int \frac{\log(i(j(hx)^t)^u) \log\left(\frac{bx}{a}+1\right) dx}{b^x} \right)}{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} - \\
 & \quad \downarrow \text{2821} \\
 & - \frac{dqr \left(\frac{\log\left(\frac{dx}{c}+1\right) \log^2(i(j(hx)^t)^u)}{d} - 2tu \int \frac{\log(i(j(hx)^t)^u) \log\left(\frac{dx}{c}+1\right) dx}{d^x} \right)}{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)} + \\
 & \quad \downarrow \text{2821} \\
 & \frac{2tu}{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{bpr \left(\frac{\log\left(\frac{bx}{a}+1\right) \log^2(i(j(hx)^t)^u)}{b} - \frac{2tu \left(tu \int \frac{\text{PolyLog}\left(2, -\frac{bx}{a}\right)}{x} dx - \text{PolyLog}\left(2, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u) \right)}{b} \right)}{\frac{dqr \left(\frac{\log\left(\frac{dx}{c}+1\right) \log^2(i(j(hx)^t)^u)}{d} - \frac{2tu \left(tu \int \frac{\text{PolyLog}\left(2, -\frac{dx}{c}\right)}{x} dx - \text{PolyLog}\left(2, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u) \right)}{d} \right)}{2tu} +} \\
 & \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{2tu} \\
 & \quad \downarrow \text{7143} \\
 & \frac{\log^2(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{2tu} - \\
 & \frac{bpr \left(\frac{\log\left(\frac{bx}{a}+1\right) \log^2(i(j(hx)^t)^u)}{b} - \frac{2tu \left(tu \text{PolyLog}\left(3, -\frac{bx}{a}\right) - \text{PolyLog}\left(2, -\frac{bx}{a}\right) \log(i(j(hx)^t)^u) \right)}{b} \right)}{\frac{dqr \left(\frac{\log\left(\frac{dx}{c}+1\right) \log^2(i(j(hx)^t)^u)}{d} - \frac{2tu \left(tu \text{PolyLog}\left(3, -\frac{dx}{c}\right) - \text{PolyLog}\left(2, -\frac{dx}{c}\right) \log(i(j(hx)^t)^u) \right)}{d} \right)}{2tu}
 \end{aligned}$$

input `Int[(Log[i*(j*(h*x)^t)^u]*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r])/x,x]`

output `(Log[i*(j*(h*x)^t)^u]^2*Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(2*t*u) - (b*p*r*((Log[i*(j*(h*x)^t)^u]^2*Log[1 + (b*x)/a])/b - (2*t*u*(-(Log[i*(j*(h*x)^t)^u]*PolyLog[2, -(b*x)/a])) + t*u*PolyLog[3, -(b*x)/a]))/b)/(2*t*u) - (d*q*r*((Log[i*(j*(h*x)^t)^u]^2*Log[1 + (d*x)/c])/d - (2*t*u*(-(Log[i*(j*(h*x)^t)^u]*PolyLog[2, -(d*x)/c])) + t*u*PolyLog[3, -(d*x)/c]))/d)/(2*t*u)`

Defintions of rubi rules used

rule 2754 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^p_/((d_) + (e_.)*(x_)), x_Symbol] := Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e) Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]`

rule 2821 `Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m])*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

rule 2895 `Int[((a_.) + Log[(c_.)*((d_.)*((e_) + (f_.)*(x_)^(m_.))^(n_.)]*(b_.))^(p_.)*(u_.), x_Symbol] := Subst[Int[u*(a + b*Log[c*d^n*(e + f*x)^(m*n)]]^p, x], c*d^n*(e + f*x)^(m*n), c*(d*(e + f*x)^m)^n] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[n] && !(EqQ[d, 1] && EqQ[m, 1]) && IntegralFreeQ[IntHide[u*(a + b*Log[c*d^n*(e + f*x)^(m*n)]]^p, x]`

rule 2985 `Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_)^(n_.)]*(t_.))^(m_.)))/((j_.) + (k_.)*(x_)), x_Symbol] := Simp[(s + t*Log[i*(g + h*x)^n])^(m + 1)*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)/(k*n*t*(m + 1))), x] + (-Simp[b*p*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(a + b*x), x], x] - Simp[d*q*(r/(k*n*t*(m + 1))) Int[(s + t*Log[i*(g + h*x)^n])^(m + 1)/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r}, x] && NeQ[b*c - a*d, 0] && EqQ[h*j - g*k, 0] && IGtQ[m, 0]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

Maple [F]

$$\int \frac{\ln \left(i(j(hx)^t)^u \right) \ln \left(e(f(bx + a)^p (dx + c)^q)^r \right)}{x} dx$$

input `int(ln(i*(j*(h*x)^t)^u)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

output `int(ln(i*(j*(h*x)^t)^u)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

Fricas [F]

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)}{x} dx$$

input `integrate(log(i*(j*(h*x)^t)^u)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Timed out}$$

input `integrate(ln(i*(j*(h*x)**t)**u)*ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x,x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)}{x} dx$$

input `integrate(log(i*(j*(h*x)^t)^u)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="maxima")`

output

```

-1/2*(t*u*log(x)^2 - 2*(t*u*log(h) + u*log(j) + log(i))*log(x) - 2*log(x)*
log((x^t)^u))*log(((b*x + a)^p)^r) - 1/2*(t*u*log(x)^2 - 2*(t*u*log(h) + u
*log(j) + log(i))*log(x) - 2*log(x)*log((x^t)^u))*log(((d*x + c)^q)^r) - i
ntegrate(-1/2*(2*((t*u*log(h) + u*log(j) + log(i))*log(e) + (r*t*u*log(h)
+ r*u*log(j) + r*log(i))*log(f))*b*d*x^2 + 2*((t*u*log(h) + u*log(j) + log
(i))*log(e) + (r*t*u*log(h) + r*u*log(j) + r*log(i))*log(f))*a*c + ((p*r*t
*u + q*r*t*u)*b*d*x^2 + (b*c*p*r*t*u + a*d*q*r*t*u)*x)*log(x)^2 + 2*((t*u
*log(h) + u*log(j) + log(i))*log(e) + (r*t*u*log(h) + r*u*log(j) + r*log(i)
))*log(f))*b*c + ((t*u*log(h) + u*log(j) + log(i))*log(e) + (r*t*u*log(h)
+ r*u*log(j) + r*log(i))*log(f))*a*d)*x + 2*((r*log(f) + log(e))*b*d*x^2 +
(r*log(f) + log(e))*a*c + ((r*log(f) + log(e))*b*c + (r*log(f) + log(e))*
a*d)*x - ((p*r + q*r)*b*d*x^2 + (b*c*p*r + a*d*q*r)*x)*log(x))*log((x^t)^u
) - 2*((p*r*t*u + q*r*t*u)*log(h) + (p*r + q*r)*log(i) + (p*r*u + q*r*u)*
log(j))*b*d*x^2 + ((p*r*t*u*log(h) + p*r*u*log(j) + p*r*log(i))*b*c + (q*r
*t*u*log(h) + q*r*u*log(j) + q*r*log(i))*a*d)*x)*log(x))/(b*d*x^3 + a*c*x
+ (b*c + a*d)*x^2), x)

```

Giac [F]

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e) \log(((hx)^t j)^u i)}{x} dx$$

input

```

integrate(log(i*(j*(h*x)^t)^u)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algor
ithm="giac")

```

output

```

integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(((h*x)^t*j)^u*i)/x, x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r) \ln(i(j(hx)^t)^u)}{x} dx$$

input `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u))/x,x)`

output `int((log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)*log(i*(j*(h*x)^t)^u))/x, x)`

Reduce [F]

$$\int \frac{\log(i(j(hx)^t)^u) \log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

$$= \int \frac{\log(f^r(dx+c)^{qr} (bx+a)^{pr} e) \log(x^{tu} j^u h^{tu} i)}{x} dx$$

input `int(log(i*(j*(h*x)^t)^u)*log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

output `int((log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*log(x**(t*u)*j**u*h**(t*u)*i))/x,x)`

3.59 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$

Optimal result	567
Mathematica [A] (verified)	567
Rubi [A] (verified)	568
Maple [A] (verified)	569
Fricas [F]	570
Sympy [F]	570
Maxima [A] (verification not implemented)	570
Giac [F]	571
Mupad [F(-1)]	571
Reduce [F]	572

Optimal result

Integrand size = 25, antiderivative size = 81

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = -pr \log(x) \log\left(1 + \frac{bx}{a}\right) + \log(x) \log(e(f(a+bx)^p(c+dx)^q)^r) - qr \log(x) \log\left(1 + \frac{dx}{c}\right) - pr \operatorname{PolyLog}\left(2, -\frac{bx}{a}\right) - qr \operatorname{PolyLog}\left(2, -\frac{dx}{c}\right)$$

output

```
-p*r*ln(x)*ln(1+b*x/a)+ln(x)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)-q*r*ln(x)*ln(1+d*x/c)-p*r*polylog(2,-b*x/a)-q*r*polylog(2,-d*x/c)
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.96

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \log(x) \left(-pr \log\left(1 + \frac{bx}{a}\right) + \log(e(f(a+bx)^p(c+dx)^q)^r) - qr \log\left(1 + \frac{dx}{c}\right) - pr \operatorname{PolyLog}\left(2, -\frac{bx}{a}\right) - qr \operatorname{PolyLog}\left(2, -\frac{dx}{c}\right) \right)$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/x,x]`

output `Log[x]*(-(p*r*Log[1 + (b*x)/a]) + Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - q*r*Log[1 + (d*x)/c]) - p*r*PolyLog[2, -((b*x)/a)] - q*r*PolyLog[2, -((d*x)/c)]`

Rubi [A] (verified)

Time = 0.52 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.15, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$, Rules used = {2980, 2754, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a + bx)^p(c + dx)^q)^r)}{x} dx$$

$$\downarrow \text{2980}$$

$$-bpr \int \frac{\log(x)}{a + bx} dx - dqr \int \frac{\log(x)}{c + dx} dx + \log(x) \log(e(f(a + bx)^p(c + dx)^q)^r)$$

$$\downarrow \text{2754}$$

$$-bpr \left(\frac{\log(x) \log\left(\frac{bx}{a} + 1\right)}{b} - \int \frac{\log\left(\frac{bx}{a} + 1\right)}{x} dx \right) - dqr \left(\frac{\log(x) \log\left(\frac{dx}{c} + 1\right)}{d} - \int \frac{\log\left(\frac{dx}{c} + 1\right)}{x} dx \right) +$$

$$\log(x) \log(e(f(a + bx)^p(c + dx)^q)^r)$$

$$\downarrow \text{2838}$$

$$\log(x) \log(e(f(a + bx)^p(c + dx)^q)^r) - bpr \left(\frac{\text{PolyLog}\left(2, -\frac{bx}{a}\right)}{b} + \frac{\log(x) \log\left(\frac{bx}{a} + 1\right)}{b} \right) -$$

$$dqr \left(\frac{\text{PolyLog}\left(2, -\frac{dx}{c}\right)}{d} + \frac{\log(x) \log\left(\frac{dx}{c} + 1\right)}{d} \right)$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/x,x]`

output

```
Log[x]*Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r] - b*p*r*((Log[x]*Log[1 + (b*x)/a])/b + PolyLog[2, -((b*x)/a)]/b) - d*q*r*((Log[x]*Log[1 + (d*x)/c])/d + PolyLog[2, -((d*x)/c)]/d)
```

Defintions of rubi rules used

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^p_/((d_) + (e_.)*(x_)), x_Symbol] := Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e) Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2838

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 2980

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]/((g_.) + (h_.)*(x_)), x_Symbol] := Simp[Log[g + h*x]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/h), x] + (-Simp[b*p*(r/h) Int[Log[g + h*x]/(a + b*x), x], x] - Simp[d*q*(r/h) Int[Log[g + h*x]/(c + d*x), x], x]) /; FreeQ[{a, b, c, d, e, f, g, h, p, q, r}, x] && NeQ[b*c - a*d, 0]
```

Maple [A] (verified)

Time = 2.91 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.27

method	result
parts	$\ln(x) \ln(e(f(bx + a)^p(dx + c)^q)^r) - \frac{r \left(\left(\frac{\operatorname{dilog}\left(\frac{bx+a}{a}\right) + \ln(x) \ln\left(\frac{bx+a}{a}\right)}{b} \right) bfp + \left(\frac{\operatorname{dilog}\left(\frac{dx+c}{c}\right) + \ln(x) \ln\left(\frac{dx+c}{c}\right)}{d} \right) dfq \right)}{f}$

input

```
int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x,method=_RETURNVERBOSE)
```

output

```
ln(x)*ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)-r/f*((dilog((b*x+a)/a)/b+ln(x)*ln((b*x+a)/a)/b)*b*f*p+(dilog((d*x+c)/c)/d+ln(x)*ln((d*x+c)/c)/d)*d*f*q
```

Fricas [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/x, x)`

Sympy [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x,x)`

output `Integral(log(e*(f*(a + b*x)**p*(c + d*x)**q)**r)/x, x)`

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.56

$$\begin{aligned} & \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx \\ &= -\frac{(fp \log(bx+a) + fq \log(dx+c))r \log(x)}{f} + \log(((bx+a)^p(dx+c)^q f)^r e) \log(x) \\ &+ \frac{((\log(bx+a) \log(-\frac{bx+a}{a} + 1) + \text{Li}_2(\frac{bx+a}{a}))fp + (\log(dx+c) \log(-\frac{dx+c}{c} + 1) + \text{Li}_2(\frac{dx+c}{c}))fq)r}{f} \end{aligned}$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="maxima")`

output

```
-(f*p*log(b*x + a) + f*q*log(d*x + c))*r*log(x)/f + log(((b*x + a)^p*(d*x + c)^q*f)^r*e)*log(x) + ((log(b*x + a)*log(-(b*x + a)/a + 1) + dilog((b*x + a)/a))*f*p + (log(d*x + c)*log(-(d*x + c)/c + 1) + dilog((d*x + c)/c))*f*q)*r/f
```

Giac [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x, algorithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/x, x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx$$

input

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/x,x)
```

output

```
int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/x, x)
```

Reduce [F]

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x} dx = \text{Too large to display}$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x,x)`

output `(2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*q*x + a**2*d**2*q*x**2 + a*b*c**2*p*x + a*b*c*d*p*x**2 + a*b*c*d*q*x**2 + a*b*d**2*q*x**3 + b**2*c**2*p*x**2 + b**2*c*d*p*x**3),x)*a**2*c*d*p*q*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*q*x + a**2*d**2*q*x**2 + a*b*c**2*p*x + a*b*c*d*p*x**2 + a*b*c*d*q*x**2 + a*b*d**2*q*x**3 + b**2*c**2*p*x**2 + b**2*c*d*p*x**3),x)*a**2*c*d*q**2*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*q*x + a**2*d**2*q*x**2 + a*b*c**2*p*x + a*b*c*d*p*x**2 + a*b*c*d*q*x**2 + a*b*d**2*q*x**3 + b**2*c**2*p*x**2 + b**2*c*d*p*x**3),x)*a*b*c**2*p**2*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a**2*c*d*q*x + a**2*d**2*q*x**2 + a*b*c**2*p*x + a*b*c*d*p*x**2 + a*b*c*d*q*x**2 + a*b*d**2*q*x**3 + b**2*c**2*p*x**2 + b**2*c*d*p*x**3),x)*a*b*c**2*p*q*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*p**2*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*a*d*p*q*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*p*q*r + 2*int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(a*c*p + a*c*q + a*d*p*x + a*d*q*x + b*c*p*x + b*c*q*x + b*d*p*x**2 + b*d*q*x**2),x)*b*c*q**2*r + log(f**r*(c + d*x)**(q*r)*(a + b*x)*...`

3.60
$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$$

Optimal result	573
Mathematica [N/A]	573
Rubi [N/A]	574
Maple [N/A]	574
Fricas [N/A]	575
Sympy [F(-1)]	575
Maxima [N/A]	576
Giac [N/A]	576
Mupad [N/A]	577
Reduce [N/A]	577

Optimal result

Integrand size = 39, antiderivative size = 39

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \text{Int}\left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)}, x\right)$$

output `Defer(Int)(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u), x)`

Mathematica [N/A]

Not integrable

Time = 0.51 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$$

input `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]), x]`

output `Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]), x]`

Rubi [N/A]

Not integrable

Time = 1.07 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$$

↓ 7299

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.83 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{x \ln(i(j(hx)^t)^u)} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u),x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log(((hx)^t j)^u i)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u),x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(x*log(((h*x)^t*j)^u*i)), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x/ln(i*(j*(h*x)**t)**u),x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 4.12 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log(((hx)^t j)^u i)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u),x, algorithm="maxima")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(x*log(((h*x)^t*j)^u*i)), x)`

Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log(((hx)^t j)^u i)} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u),x, algorithm="giac")`

output `integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(x*log(((h*x)^t*j)^u*i)), x)`

Mupad [N/A]

Not integrable

Time = 26.67 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{x \ln(i(j(hx)^t)^u)} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(x*log(i*(j*(h*x)^t)^u)),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(x*log(i*(j*(h*x)^t)^u)), x)`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.23

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log(i(j(hx)^t)^u)} dx = \int \frac{\log(f^r(dx+c)^{qr}(bx+a)^{pr}e)}{\log(x^{tu}j^u h^{tu}i)x} dx$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u),x)`

output `int(log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)/(log(x**(t*u)*j**u*h**(t*u)*i)*x),x)`

3.61 $\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$

Optimal result	578
Mathematica [N/A]	578
Rubi [N/A]	579
Maple [N/A]	579
Fricas [N/A]	580
Sympy [F(-1)]	580
Maxima [N/A]	581
Giac [N/A]	581
Mupad [N/A]	582
Reduce [N/A]	582

Optimal result

Integrand size = 39, antiderivative size = 39

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \text{Int}\left(\frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)}, x\right)$$

```
output Defer(Int)(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u)^2,x)
```

Mathematica [N/A]

Not integrable

Time = 2.64 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$$

```
input Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]^2), x]
```

```
output Integrate[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]^2), x]
```

Rubi [N/A]

Not integrable

Time = 0.99 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$$

↓ 7299

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$$

input `Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q)^r]/(x*Log[i*(j*(h*x)^t)^u]^2),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.83 (sec) , antiderivative size = 39, normalized size of antiderivative = 1.00

$$\int \frac{\ln(e(f(bx+a)^p(dx+c)^q)^r)}{x \ln(i(j(hx)^t)^u)^2} dx$$

input `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u)^2,x)`

output `int(ln(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/ln(i*(j*(h*x)^t)^u)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log\left(\left((hx)^t j\right)^u i\right)^2} dx$$

input `integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u)^2,x, algorithm="fricas")`

output `integral(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(x*log(((h*x)^t*j)^u*i)^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \text{Timed out}$$

input `integrate(ln(e*(f*(b*x+a)**p*(d*x+c)**q)**r)/x/ln(i*(j*(h*x)**t)**u)**2,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 3.65 (sec) , antiderivative size = 231, normalized size of antiderivative = 5.92

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log \left(((hx)^t j)^u i \right)^2} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u)^2,x, alg
orithm="maxima")
```

output

```
-(r*log(f) + log(((b*x + a)^p)^r) + log(((d*x + c)^q)^r) + log(e))/(t^2*u^
2*log(h) + t*u^2*log(j) + t*u*log(i) + t*u*log((x^t)^u)) + integrate((b*c*
p*r + a*d*q*r + (p*r + q*r)*b*d*x)/((t^2*u^2*log(h) + t*u^2*log(j) + t*u*1
og(i))*b*d*x^2 + (t^2*u^2*log(h) + t*u^2*log(j) + t*u*log(i))*a*c + ((t^2*
u^2*log(h) + t*u^2*log(j) + t*u*log(i))*b*c + (t^2*u^2*log(h) + t*u^2*log(
j) + t*u*log(i))*a*d)*x + (b*d*t*u*x^2 + a*c*t*u + (b*c*t*u + a*d*t*u)*x)*
log((x^t)^u), x)
```

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \int \frac{\log(((bx+a)^p(dx+c)^q f)^r e)}{x \log \left(((hx)^t j)^u i \right)^2} dx$$

input

```
integrate(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u)^2,x, alg
orithm="giac")
```

output

```
integrate(log(((b*x + a)^p*(d*x + c)^q*f)^r*e)/(x*log(((h*x)^t*j)^u*i)^2),
x)
```

Mupad [N/A]

Not integrable

Time = 26.57 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.05

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx = \int \frac{\ln(e(f(a+bx)^p(c+dx)^q)^r)}{x \ln(i(j(hx)^t)^u)^2} dx$$

input `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(x*log(i*(j*(h*x)^t)^u)^2),x)`

output `int(log(e*(f*(a + b*x)^p*(c + d*x)^q)^r)/(x*log(i*(j*(h*x)^t)^u)^2), x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 576, normalized size of antiderivative = 14.77

$$\int \frac{\log(e(f(a+bx)^p(c+dx)^q)^r)}{x \log^2(i(j(hx)^t)^u)} dx$$

$$= -\left(\int \frac{1}{\log(x^{tu}j^uh^{tu}i)acx + \log(x^{tu}j^uh^{tu}i)adx^2 + \log(x^{tu}j^uh^{tu}i)bcx^2 + \log(x^{tu}j^uh^{tu}i)bdx^3} dx \right) \log(x^{tu}j^uh^{tu}i)acprt u - \left(\int \frac{1}{\log(x^{tu}j^uh^{tu}i)acx + \log(x^{tu}j^uh^{tu}i)adx^2 + \log(x^{tu}j^uh^{tu}i)bcx^2 + \log(x^{tu}j^uh^{tu}i)bdx^3} dx \right) \log(x^{tu}j^uh^{tu}i)bcprt u - \left(\int \frac{1}{\log(x^{tu}j^uh^{tu}i)acx + \log(x^{tu}j^uh^{tu}i)adx^2 + \log(x^{tu}j^uh^{tu}i)bcx^2 + \log(x^{tu}j^uh^{tu}i)bdx^3} dx \right) \log(x^{tu}j^uh^{tu}i)bdprt u - \left(\int \frac{1}{\log(x^{tu}j^uh^{tu}i)acx + \log(x^{tu}j^uh^{tu}i)adx^2 + \log(x^{tu}j^uh^{tu}i)bcx^2 + \log(x^{tu}j^uh^{tu}i)bdx^3} dx \right) \log(x^{tu}j^uh^{tu}i)cdprt u$$

input `int(log(e*(f*(b*x+a)^p*(d*x+c)^q)^r)/x/log(i*(j*(h*x)^t)^u)^2,x)`

output

```
( - int(1/(log(x**(t*u)*j**u*h**(t*u)*i)*a*c*x + log(x**(t*u)*j**u*h**(t*u)*i)*a*d*x**2 + log(x**(t*u)*j**u*h**(t*u)*i)*b*c*x**2 + log(x**(t*u)*j**u*h**(t*u)*i)*b*d*x**3),x)*log(x**(t*u)*j**u*h**(t*u)*i)*a*c*p*r*t*u - int(1/(log(x**(t*u)*j**u*h**(t*u)*i)*a*c*x + log(x**(t*u)*j**u*h**(t*u)*i)*a*d*x**2 + log(x**(t*u)*j**u*h**(t*u)*i)*b*c*x**2 + log(x**(t*u)*j**u*h**(t*u)*i)*b*d*x**3),x)*log(x**(t*u)*j**u*h**(t*u)*i)*a*c*q*r*t*u - int(1/(log(x**(t*u)*j**u*h**(t*u)*i)*a*c + log(x**(t*u)*j**u*h**(t*u)*i)*a*d*x + log(x**(t*u)*j**u*h**(t*u)*i)*b*c*x + log(x**(t*u)*j**u*h**(t*u)*i)*b*d*x**2),x)*log(x**(t*u)*j**u*h**(t*u)*i)*a*d*p*r*t*u - int(1/(log(x**(t*u)*j**u*h**(t*u)*i)*a*c + log(x**(t*u)*j**u*h**(t*u)*i)*a*d*x + log(x**(t*u)*j**u*h**(t*u)*i)*b*c*x + log(x**(t*u)*j**u*h**(t*u)*i)*b*d*x**2),x)*log(x**(t*u)*j**u*h**(t*u)*i)*b*c*q*r*t*u + log(log(x**(t*u)*j**u*h**(t*u)*i))*log(x**(t*u)*j**u*h**(t*u)*i)*p*r + log(log(x**(t*u)*j**u*h**(t*u)*i))*log(x**(t*u)*j**u*h**(t*u)*i)*q*r - log(f**r*(c + d*x)**(q*r)*(a + b*x)**(p*r)*e)*t*u)/(log(x**(t*u)*j**u*h**(t*u)*i)*t**2*u**2)
```


3.62
$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$$

Optimal result	584
Mathematica [N/A]	584
Rubi [N/A]	585
Maple [N/A]	586
Fricas [N/A]	586
Sympy [N/A]	586
Maxima [N/A]	587
Giac [N/A]	587
Mupad [N/A]	588
Reduce [N/A]	588

Optimal result

Integrand size = 28, antiderivative size = 28

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \text{Int}\left(\frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x}, x\right)$$

output `Defer(Int)(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^3/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$$

input `Integrate[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^3)/x,x]`

output `Integrate[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^3)/x, x]`

Rubi [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{x(bc-ad)}\right)}{x} dx$$

↓ 2987

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{x(bc-ad)}\right)}{x} dx$$

input

```
Int[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^3)/x,x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 2987

```
Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)
)^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.)
/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c +
d*x)^q]^r]^u*(s + t*Log[i*(g + h*x)^n])^m)/(j + k*x), x] /; FreeQ[{a, b, c
, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]
```

Maple [N/A]

Not integrable

Time = 4.55 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \frac{\ln(x) \ln\left(\frac{bx+a}{(-da+bc)x}\right)^3}{x} dx$$

input `int(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^3/x,x)`output `int(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^3/x,x)`**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^3}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^3/x,x, algorithm="fricas")`output `integral(log(x)*log((b*x + a)/((b*c - a*d)*x))^3/x, x)`**Sympy [N/A]**

Not integrable

Time = 4.19 (sec) , antiderivative size = 71, normalized size of antiderivative = 2.54

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \frac{3a \int \frac{\log(x)^2 \log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)^2}{ax+bx^2} dx}{2} + \frac{\log(x)^2 \log\left(\frac{a+bx}{x(-ad+bc)}\right)^3}{2}$$

input `integrate(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)**3/x,x)`

output `3*a*Integral(log(x)**2*log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x))**2/(a*x + b*x**2), x)/2 + log(x)**2*log((a + b*x)/(x*(-a*d + b*c)))*3/2`

Maxima [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 272, normalized size of antiderivative = 9.71

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^3}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^3/x,x, algorithm="maxima")`

output `1/2*log(b*x + a)^3*log(x)^2 - integrate(1/2*(2*(b*x + a)*log(x)^4 + 6*(b*x*log(b*c - a*d) + a*log(b*c - a*d))*log(x)^3 + 3*((3*b*x + 2*a)*log(x)^2 + 2*(b*x*log(b*c - a*d) + a*log(b*c - a*d))*log(x))*log(b*x + a)^2 + 6*(b*x*log(b*c - a*d)^2 + a*log(b*c - a*d)^2)*log(x)^2 - 6*((b*x + a)*log(x)^3 + 2*(b*x*log(b*c - a*d) + a*log(b*c - a*d))*log(x)^2 + (b*x*log(b*c - a*d))^2 + a*log(b*c - a*d)^2)*log(x))*log(b*x + a) + 2*(b*x*log(b*c - a*d)^3 + a*log(b*c - a*d)^3)*log(x))/(b*x^2 + a*x), x)`

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^3}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^3/x,x, algorithm="giac")`

output `integrate(log(x)*log((b*x + a)/((b*c - a*d)*x))^3/x, x)`

Mupad [N/A]

Not integrable

Time = 26.91 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.11

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\ln\left(-\frac{a+bx}{x(ad-bc)}\right)^3 \ln(x)}{x} dx$$

input `int((log(-(a + b*x)/(x*(a*d - b*c)))^3*log(x))/x,x)`

output `int((log(-(a + b*x)/(x*(a*d - b*c)))^3*log(x))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \frac{\log(x) \log^3\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log\left(\frac{-bx-a}{adx-bcx}\right)^3 \log(x)}{x} dx$$

input `int(log(x)*log((b*x+a)/(-a*d+b*c)/x)^3/x,x)`

output `int((log((- a - b*x)/(a*d*x - b*c*x)))^3*log(x))/x,x)`

$$3.63 \quad \int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$$

Optimal result	589
Mathematica [N/A]	589
Rubi [N/A]	590
Maple [N/A]	591
Fricas [N/A]	591
Sympy [N/A]	591
Maxima [N/A]	592
Giac [N/A]	592
Mupad [N/A]	593
Reduce [N/A]	593

Optimal result

Integrand size = 28, antiderivative size = 28

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \text{Int}\left(\frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x}, x\right)$$

output `Defer(Int)(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^2/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$$

input `Integrate[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^2)/x,x]`

output `Integrate[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^2)/x, x]`

Rubi [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{x(bc-ad)}\right)}{x} dx$$

↓ 2987

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{x(bc-ad)}\right)}{x} dx$$

input `Int[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)]^2)/x,x]`

output `$Aborted`

Defintions of rubi rules used

rule 2987 `Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.))/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^u*(s + t*Log[i*(g + h*x)^n])^m/(j + k*x), x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]`

Maple [N/A]

Not integrable

Time = 1.64 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \frac{\ln(x) \ln\left(\frac{bx+a}{(-da+bc)x}\right)^2}{x} dx$$

input `int(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^2/x,x)`output `int(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)^2/x,x)`**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^2}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^2/x,x, algorithm="fricas")`output `integral(log(x)*log((b*x + a)/((b*c - a*d)*x))^2/x, x)`**Sympy [N/A]**

Not integrable

Time = 6.53 (sec) , antiderivative size = 66, normalized size of antiderivative = 2.36

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = a \int \frac{\log(x)^2 \log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)}{ax + bx^2} dx$$

$$+ \frac{\log(x)^2 \log\left(\frac{a+bx}{x(-ad+bc)}\right)^2}{2}$$

input `integrate(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)**2/x,x)`

output `a*Integral(log(x)**2*log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x))/(a*x + b*x**2), x) + log(x)**2*log((a + b*x)/(x*(-a*d + b*c)))**2/2`

Maxima [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 154, normalized size of antiderivative = 5.50

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^2}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^2/x,x, algorithm="maxima")`

output `1/2*log(b*x + a)^2*log(x)^2 - integrate(-((b*x + a)*log(x)^3 + 2*(b*x*log(b*c - a*d) + a*log(b*c - a*d))*log(x)^2 - ((3*b*x + 2*a)*log(x)^2 + 2*(b*x*log(b*c - a*d) + a*log(b*c - a*d))*log(x))*log(b*x + a) + (b*x*log(b*c - a*d)^2 + a*log(b*c - a*d)^2)*log(x))/(b*x^2 + a*x), x)`

Giac [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)^2}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)^2/x,x, algorithm="giac")`

output `integrate(log(x)*log((b*x + a)/((b*c - a*d)*x))^2/x, x)`

Mupad [N/A]

Not integrable

Time = 26.67 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.11

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\ln\left(-\frac{a+bx}{x(ad-bc)}\right)^2 \ln(x)}{x} dx$$

input `int((log(-(a + b*x)/(x*(a*d - b*c))))^2*log(x))/x,x`

output `int((log(-(a + b*x)/(x*(a*d - b*c))))^2*log(x))/x, x`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \frac{\log(x) \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log\left(\frac{-bx-a}{adx-bcx}\right)^2 \log(x)}{x} dx$$

input `int(log(x)*log((b*x+a)/(-a*d+b*c)/x)^2/x,x`

output `int((log((- a - b*x)/(a*d*x - b*c*x)))**2*log(x))/x,x`

$$3.64 \quad \int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx$$

Optimal result	594
Mathematica [A] (verified)	594
Rubi [A] (verified)	595
Maple [A] (verified)	597
Fricas [F]	598
Sympy [F]	598
Maxima [F(-2)]	598
Giac [F]	599
Mupad [F(-1)]	599
Reduce [F]	599

Optimal result

Integrand size = 26, antiderivative size = 82

$$\begin{aligned} \int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx &= -\frac{1}{2} \log\left(1 + \frac{a}{bx}\right) \log^2(x) \\ &\quad + \frac{1}{2} \log\left(\frac{b}{bc-ad} + \frac{a}{(bc-ad)x}\right) \log^2(x) \\ &\quad + \log(x) \operatorname{PolyLog}\left(2, -\frac{a}{bx}\right) + \operatorname{PolyLog}\left(3, -\frac{a}{bx}\right) \end{aligned}$$

output

```
-1/2*ln(1+a/b/x)*ln(x)^2+1/2*ln(b/(-a*d+b*c)+a/(-a*d+b*c)/x)*ln(x)^2+ln(x)
*polylog(2,-a/b/x)+polylog(3,-a/b/x)
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.80

$$\begin{aligned} \int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx &= \frac{1}{6} \log^2(x) \left(\log(x) - 3 \log\left(1 + \frac{bx}{a}\right) + 3 \log\left(\frac{a+bx}{bcx-adx}\right) \right) \\ &\quad - \log(x) \operatorname{PolyLog}\left(2, -\frac{bx}{a}\right) + \operatorname{PolyLog}\left(3, -\frac{bx}{a}\right) \end{aligned}$$

input `Integrate[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)])/x,x]`

output `(Log[x]^2*(Log[x] - 3*Log[1 + (b*x)/a] + 3*Log[(a + b*x)/(b*c*x - a*d*x)])
)/6 - Log[x]*PolyLog[2, -((b*x)/a)] + PolyLog[3, -((b*x)/a)]`

Rubi [A] (verified)

Time = 0.83 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.16, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$, Rules used = {2827, 2822, 27, 2005, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log(x) \log\left(\frac{a+bx}{x(bc-ad)}\right)}{x} dx \\
 & \quad \downarrow \text{2827} \\
 & \int \frac{\log(x) \log\left(\frac{a}{x(bc-ad)} + \frac{b}{bc-ad}\right)}{x} dx \\
 & \quad \downarrow \text{2822} \\
 & \frac{a \int \frac{(bc-ad) \log^2(x)}{\left(\frac{a}{x}+b\right)x^2} dx}{2(bc-ad)} + \frac{1}{2} \log^2(x) \log\left(\frac{a}{x(bc-ad)} + \frac{b}{bc-ad}\right) \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{2} a \int \frac{\log^2(x)}{\left(\frac{a}{x}+b\right)x^2} dx + \frac{1}{2} \log^2(x) \log\left(\frac{a}{x(bc-ad)} + \frac{b}{bc-ad}\right) \\
 & \quad \downarrow \text{2005} \\
 & \frac{1}{2} a \int \frac{\log^2(x)}{x(a+bx)} dx + \frac{1}{2} \log^2(x) \log\left(\frac{a}{x(bc-ad)} + \frac{b}{bc-ad}\right) \\
 & \quad \downarrow \text{2779} \\
 & \frac{1}{2} a \left(\frac{2 \int \frac{\log\left(\frac{a}{bx}+1\right) \log(x)}{x} dx}{a} - \frac{\log^2(x) \log\left(\frac{a}{bx}+1\right)}{a} \right) + \frac{1}{2} \log^2(x) \log\left(\frac{a}{x(bc-ad)} + \frac{b}{bc-ad}\right)
 \end{aligned}$$

$$\begin{aligned}
 & \downarrow 2821 \\
 & \frac{1}{2}a \left(\frac{2 \left(\log(x) \operatorname{PolyLog} \left(2, -\frac{a}{bx} \right) - \int \frac{\operatorname{PolyLog} \left(2, -\frac{a}{bx} \right) dx}{x} \right)}{a} - \frac{\log^2(x) \log \left(\frac{a}{bx} + 1 \right)}{a} \right) + \\
 & \quad \frac{1}{2} \log^2(x) \log \left(\frac{a}{x(bc - ad)} + \frac{b}{bc - ad} \right) \\
 & \quad \downarrow 7143 \\
 & \quad \frac{1}{2} \log^2(x) \log \left(\frac{a}{x(bc - ad)} + \frac{b}{bc - ad} \right) + \\
 & \frac{1}{2}a \left(\frac{2 \left(\operatorname{PolyLog} \left(3, -\frac{a}{bx} \right) + \log(x) \operatorname{PolyLog} \left(2, -\frac{a}{bx} \right) \right)}{a} - \frac{\log^2(x) \log \left(\frac{a}{bx} + 1 \right)}{a} \right)
 \end{aligned}$$

input

```
Int[(Log[x]*Log[(a + b*x)/((b*c - a*d)*x)])/x,x]
```

output

```
(Log[b/(b*c - a*d) + a/((b*c - a*d)*x)]*Log[x]^2)/2 + (a*(-((Log[1 + a/(b*x)]*Log[x]^2)/a) + (2*(Log[x]*PolyLog[2, -(a/(b*x))]) + PolyLog[3, -(a/(b*x))]))/a))/2
```

Defintions of rubi rules used

rule 27

```
Int[(a_)*(F_x_), x_Symbol] :> Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]
```

rule 2005

```
Int[(F_x_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] :> Int[x^(m + n*p)*(b + a/x^n)^p*F_x, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && NegQ[n]
```

rule 2779

```
Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))^(p_)/((x_)*((d_) + (e_)*(x_)^(r_))), x_Symbol] :> Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r)), x] + Simp[b*n*(p/(d*r)) Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821 $\text{Int}[(\text{Log}[(d_)*((e_)+(f_)*(x_)^{(m_)})]*((a_)+\text{Log}[(c_)*(x_)^{(n_)]*(b_)]^{(p_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[(-\text{PolyLog}[2, (-d)*f*x^m])*((a+b*\text{Log}[c*x^n])^p/m), x] + \text{Simp}[b*n*(p/m) \text{Int}[\text{PolyLog}[2, (-d)*f*x^m]*((a+b*\text{Log}[c*x^n])^{(p-1)/x}), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[d*e, 1]$

rule 2822 $\text{Int}[(\text{Log}[(d_)*((e_)+(f_)*(x_)^{(m_)})]^{(r_)}*((a_)+\text{Log}[(c_)*(x_)^{(n_)]*(b_)]^{(p_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{Log}[d*(e+f*x^m)^r]*((a+b*\text{Log}[c*x^n])^{(p+1)/(b*n*(p+1))}), x] - \text{Simp}[f*m*(r/(b*n*(p+1))) \text{Int}[x^{(m-1)}*((a+b*\text{Log}[c*x^n])^{(p+1)/(e+f*x^m)}), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, r, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{NeQ}[d*e, 1]$

rule 2827 $\text{Int}[\text{Log}[(d_)*(u_)^{(r_)}]*((a_)+\text{Log}[(c_)*(x_)^{(n_)]*(b_)]^{(p_)}*((g_)*(x_)^{(q_)}), x_Symbol] \rightarrow \text{Int}[(g*x)^q*\text{Log}[d*\text{ExpandToSum}[u, x]^r]*(a+b*\text{Log}[c*x^n])^p, x] /; \text{FreeQ}[\{a, b, c, d, g, r, n, p, q\}, x] \&\& \text{BinomialQ}[u, x] \&\& !\text{BinomialMatchQ}[u, x]$

rule 7143 $\text{Int}[\text{PolyLog}[n, (c_)*((a_)+(b_)*(x_)^{(p_)}]/((d_)+(e_)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{PolyLog}[n+1, c*(a+b*x)^p]/(e*p), x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

Maple [A] (verified)

Time = 1.36 (sec) , antiderivative size = 94, normalized size of antiderivative = 1.15

method	result
default	$\frac{\ln\left(-\frac{bx+a}{da-bc}x\right)\ln(x)^2}{2} + \frac{\left(-\frac{da}{2}+\frac{bc}{2}\right)\left(-\frac{\ln(x)^3}{3}+\ln(x)^2\ln\left(1+\frac{bx}{a}\right)+2\ln(x)\text{polylog}\left(2,-\frac{bx}{a}\right)-2\text{polylog}\left(3,-\frac{bx}{a}\right)\right)}{da-bc}$
risch	$\frac{\ln(x)^2\ln(bx+a)}{2} - \frac{\ln(x)^3}{3} - \frac{\left(i\pi\text{csgn}\left(\frac{i}{x}\right)\text{csgn}\left(\frac{i(bx+a)}{da-bc}\right)\text{csgn}\left(\frac{i(bx+a)}{x(da-bc)}\right)-i\pi\text{csgn}\left(\frac{i}{x}\right)\text{csgn}\left(\frac{i(bx+a)}{x(da-bc)}\right)^2+i\pi\text{csgn}(i(bx+a))\text{cs}\right)}{3}$

input $\text{int}(\ln(x)*\ln((b*x+a)/(-a*d+b*c)/x)/x, x, \text{method}=_RETURNVERBOSE)$

output $1/2*\ln(-(b*x+a)/(a*d-b*c)/x)*\ln(x)^2+(-1/2*d*a+1/2*b*c)/(a*d-b*c)*(-1/3*\ln(x)^3+\ln(x)^2*\ln(1+b*x/a)+2*\ln(x)*\text{polylog}(2,-b*x/a)-2*\text{polylog}(3,-b*x/a))$

Fricas [F]

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)/x,x, algorithm="fricas")`

output `integral(log(x)*log((b*x + a)/((b*c - a*d)*x))/x, x)`

Sympy [F]

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \frac{a \int \frac{\log(x)^2}{ax+bx^2} dx}{2} + \frac{\log(x)^2 \log\left(\frac{a+bx}{x(-ad+bc)}\right)}{2}$$

input `integrate(ln(x)*ln((b*x+a)/(-a*d+b*c)/x)/x,x)`

output `a*Integral(log(x)**2/(a*x + b*x**2), x)/2 + log(x)**2*log((a + b*x)/(x*(-a*d + b*c)))/2`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \text{Exception raised: TypeError}$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c)/x)/x,x, algorithm="maxima")`

output Exception raised: TypeError >> unable to make sense of Maxima expression 'li[2]' in Sage

Giac [F]

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log(x) \log\left(\frac{bx+a}{(bc-ad)x}\right)}{x} dx$$

input `integrate(log(x)*log((b*x+a)/(-a*d+b*c))/x,x, algorithm="giac")`

output `integrate(log(x)*log((b*x + a)/((b*c - a*d)*x))/x, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\ln\left(-\frac{a+bx}{x(ad-bc)}\right) \ln(x)}{x} dx$$

input `int((log(-(a + b*x)/(x*(a*d - b*c)))*log(x))/x,x)`

output `int((log(-(a + b*x)/(x*(a*d - b*c)))*log(x))/x, x)`

Reduce [F]

$$\int \frac{\log(x) \log\left(\frac{a+bx}{(bc-ad)x}\right)}{x} dx = \int \frac{\log\left(\frac{-bx-a}{adx-bcx}\right) \log(x)}{x} dx$$

input `int(log(x)*log((b*x+a)/(-a*d+b*c))/x,x)`

output `int((log((- a - b*x)/(a*d*x - b*c*x))*log(x))/x,x)`

$$3.65 \quad \int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx$$

Optimal result	601
Mathematica [N/A]	601
Rubi [N/A]	602
Maple [N/A]	603
Fricas [N/A]	603
Sympy [N/A]	603
Maxima [N/A]	604
Giac [N/A]	604
Mupad [N/A]	605
Reduce [N/A]	605

Optimal result

Integrand size = 28, antiderivative size = 28

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \text{Int}\left(\frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)}, x\right)$$

output `Defer(Int)(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x), x)`

Mathematica [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx$$

input `Integrate[Log[x]/(x*Log[(a + b*x)/((b*c - a*d)*x)]), x]`

output `Integrate[Log[x]/(x*Log[(a + b*x)/((b*c - a*d)*x)]), x]`

Rubi [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{x(bc-ad)}\right)} dx$$

↓ 2987

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{x(bc-ad)}\right)} dx$$

input `Int[Log[x]/(x*Log[(a + b*x)/(b*c - a*d)*x]),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2987 `Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.))/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^u*(s + t*Log[i*(g + h*x)^n]^m)/(j + k*x), x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]`

Maple [N/A]

Not integrable

Time = 1.47 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \frac{\ln(x)}{x \ln\left(\frac{bx+a}{(-da+bc)x}\right)} dx$$

input `int(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x), x)`output `int(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x), x)`**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x), x, algorithm="fricas")`output `integral(log(x)/(x*log((b*x + a)/((b*c - a*d)*x))), x)`**Sympy [N/A]**

Not integrable

Time = 23.82 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)} dx$$

input `integrate(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x), x)`

output `Integral(log(x)/(x*log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x))), x)`

Maxima [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x),x, algorithm="maxima")`

output `integrate(log(x)/(x*log((b*x + a)/((b*c - a*d)*x))), x)`

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x),x, algorithm="giac")`

output `integrate(log(x)/(x*log((b*x + a)/((b*c - a*d)*x))), x)`

Mupad [N/A]

Not integrable

Time = 26.39 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.11

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\ln(x)}{x \ln\left(-\frac{a+bx}{x(ad-bc)}\right)} dx$$

input `int(log(x)/(x*log(-(a + b*x)/(x*(a*d - b*c)))) , x)`

output `int(log(x)/(x*log(-(a + b*x)/(x*(a*d - b*c)))) , x)`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \frac{\log(x)}{x \log\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{\log\left(\frac{-bx-a}{adx-bcx}\right) x} dx$$

input `int(log(x)/x/log((b*x+a)/(-a*d+b*c)/x) , x)`

output `int(log(x)/(log((- a - b*x)/(a*d*x - b*c*x))*x) , x)`

$$3.66 \quad \int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx$$

Optimal result	606
Mathematica [N/A]	606
Rubi [N/A]	607
Maple [N/A]	608
Fricas [N/A]	608
Sympy [N/A]	608
Maxima [N/A]	609
Giac [N/A]	609
Mupad [N/A]	610
Reduce [N/A]	610

Optimal result

Integrand size = 28, antiderivative size = 28

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \text{Int}\left(\frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)}, x\right)$$

output `Defer(Int)(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x)^2,x)`

Mathematica [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx$$

input `Integrate[Log[x]/(x*Log[(a + b*x)/((b*c - a*d)*x)]^2),x]`

output `Integrate[Log[x]/(x*Log[(a + b*x)/((b*c - a*d)*x)]^2), x]`

Rubi [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2987}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{x(bc-ad)}\right)} dx$$

↓ 2987

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{x(bc-ad)}\right)} dx$$

input `Int[Log[x]/(x*Log[(a + b*x)/((b*c - a*d)*x)]^2),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2987 `Int[(Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]^(u_.)*((s_.) + Log[(i_.)*((g_.) + (h_.)*(x_))^(n_.)]*(t_.))^(m_.))/((j_.) + (k_.)*(x_)), x_Symbol] := Unintegrable[(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^u*(s + t*Log[i*(g + h*x)^n]^m)/(j + k*x), x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, k, s, t, m, n, p, q, r, u}, x] && NeQ[b*c - a*d, 0]`

Maple [N/A]

Not integrable

Time = 60.97 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \frac{\ln(x)}{x \ln\left(\frac{bx+a}{(-da+bc)x}\right)^2} dx$$

input `int(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x)^2,x)`output `int(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x)^2,x)`**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)^2} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x)^2,x, algorithm="fricas")`output `integral(log(x)/(x*log((b*x + a)/((b*c - a*d)*x))^2), x)`**Sympy [N/A]**

Not integrable

Time = 35.71 (sec) , antiderivative size = 126, normalized size of antiderivative = 4.50

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \frac{a \log(x) + bx \log(x)}{a \log\left(\frac{a+bx}{x(-ad+bc)}\right)}$$

$$\frac{\int \frac{b}{\log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)} dx + \int \frac{a}{x \log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)} dx + \int \frac{b \log(x)}{\log\left(\frac{a}{-adx+bcx} + \frac{bx}{-adx+bcx}\right)} dx}{a}$$

input `integrate(ln(x)/x/ln((b*x+a)/(-a*d+b*c)/x)**2,x)`

output `(a*log(x) + b*x*log(x))/(a*log((a + b*x)/(x*(-a*d + b*c)))) - (Integral(b/log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x)), x) + Integral(a/(x*log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x))), x) + Integral(b*log(x)/log(a/(-a*d*x + b*c*x) + b*x/(-a*d*x + b*c*x)), x))/a`

Maxima [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 83, normalized size of antiderivative = 2.96

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)^2} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x)^2,x, algorithm="maxima")`

output `-(b*x + a)*log(x)/(a*log(b*c - a*d) - a*log(b*x + a) + a*log(x)) - integrate(-(b*x*log(x) + b*x + a)/(a*x*log(b*c - a*d) - a*x*log(b*x + a) + a*x*log(x)), x)`

Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.07

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{x \log\left(\frac{bx+a}{(bc-ad)x}\right)^2} dx$$

input `integrate(log(x)/x/log((b*x+a)/(-a*d+b*c)/x)^2,x, algorithm="giac")`

output `integrate(log(x)/(x*log((b*x + a)/((b*c - a*d)*x))^2, x)`

Mupad [N/A]

Not integrable

Time = 26.47 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.11

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\ln(x)}{x \ln\left(-\frac{a+bx}{x(ad-bc)}\right)^2} dx$$

input `int(log(x)/(x*log(-(a + b*x)/(x*(a*d - b*c)))^2),x)`

output `int(log(x)/(x*log(-(a + b*x)/(x*(a*d - b*c)))^2), x)`

Reduce [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.14

$$\int \frac{\log(x)}{x \log^2\left(\frac{a+bx}{(bc-ad)x}\right)} dx = \int \frac{\log(x)}{\log\left(\frac{-bx-a}{adx-bcx}\right)^2 x} dx$$

input `int(log(x)/x/log((b*x+a)/(-a*d+b*c)/x)^2,x)`

output `int(log(x)/(log((- a - b*x)/(a*d*x - b*c*x))**2*x),x)`

$$3.67 \quad \int \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$$

Optimal result	612
Mathematica [F]	613
Rubi [A] (verified)	613
Maple [F]	616
Fricas [F]	616
Sympy [F(-1)]	617
Maxima [F]	617
Giac [F]	618
Mupad [F(-1)]	619
Reduce [F]	619

Optimal result

Integrand size = 45, antiderivative size = 620

$$\begin{aligned}
& \int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \log(h(f+gx)^m) \right)}{(a+bx)(c+dx)} dx \\
&= \frac{m \log^4 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \log\left(\frac{bc-ad}{b(c+dx)}\right) \right)}{4(bc-ad)n} + \frac{\log^4 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \log(h(f+gx)^m) \right)}{4(bc-ad)n} \\
&\quad - \frac{m \log^4 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \log\left(1 - \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right) \right)}{4(bc-ad)n} \\
&\quad + \frac{m \log^3 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(2, \frac{d(a+bx)}{b(c+dx)}\right) \right)}{bc-ad} \\
&\quad - \frac{m \log^3 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(2, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right) \right)}{bc-ad} \\
&\quad - \frac{3mn \log^2 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(3, \frac{d(a+bx)}{b(c+dx)}\right) \right)}{bc-ad} \\
&\quad + \frac{3mn \log^2 \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(3, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right) \right)}{bc-ad} \\
&\quad + \frac{6mn^2 \log \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(4, \frac{d(a+bx)}{b(c+dx)}\right) \right)}{bc-ad} \\
&\quad - \frac{6mn^2 \log \left(e^{\left(\frac{a+bx}{c+dx}\right)^n} \text{PolyLog}\left(4, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right) \right)}{bc-ad} \\
&\quad - \frac{6mn^3 \text{PolyLog}\left(5, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} + \frac{6mn^3 \text{PolyLog}\left(5, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad}
\end{aligned}$$

output

```

1/4*m*ln(e*((b*x+a)/(d*x+c))^n)^4*ln((-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/n+1/
4*ln(e*((b*x+a)/(d*x+c))^n)^4*ln(h*(g*x+f)^m)/(-a*d+b*c)/n-1/4*m*ln(e*((b*
x+a)/(d*x+c))^n)^4*ln(1-(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)/
n+m*ln(e*((b*x+a)/(d*x+c))^n)^3*polylog(2,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)-
m*ln(e*((b*x+a)/(d*x+c))^n)^3*polylog(2,(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x
+c))/(-a*d+b*c)-3*m*n*ln(e*((b*x+a)/(d*x+c))^n)^2*polylog(3,d*(b*x+a)/b/(d
*x+c))/(-a*d+b*c)+3*m*n*ln(e*((b*x+a)/(d*x+c))^n)^2*polylog(3,(-c*g+d*f)*(
b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)+6*m*n^2*ln(e*((b*x+a)/(d*x+c))^n)*po
lylog(4,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)-6*m*n^2*ln(e*((b*x+a)/(d*x+c))^n)*
polylog(4,(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)-6*m*n^3*polylo
g(5,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)+6*m*n^3*polylog(5,(-c*g+d*f)*(b*x+a)/(
-a*g+b*f)/(d*x+c))/(-a*d+b*c)

```

Mathematica [F]

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$$

input

```

Integrate[(Log[e*((a + b*x)/(c + d*x))^n]^3*Log[h*(f + g*x)^m])/((a + b*x)
*(c + d*x)), x]

```

output

```

Integrate[(Log[e*((a + b*x)/(c + d*x))^n]^3*Log[h*(f + g*x)^m])/((a + b*x)
*(c + d*x)), x]

```

Rubi [A] (verified)

Time = 1.84 (sec) , antiderivative size = 647, normalized size of antiderivative = 1.04, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {2989, 2953, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log(h(f+gx)^m) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx \\
 & \quad \downarrow \text{2989} \\
 & \frac{\log(h(f+gx)^m) \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{4n(bc-ad)} - \frac{gm \int \frac{\log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx} dx}{4n(bc-ad)} \\
 & \quad \downarrow \text{2953} \\
 & \frac{\log(h(f+gx)^m) \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{4n(bc-ad)} - \frac{gm \int \frac{\log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{4n} \\
 & \quad \downarrow \text{2804} \\
 & \frac{\log(h(f+gx)^m) \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{4n(bc-ad)} - \\
 & \frac{gm \int \left(\frac{d \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)g\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{(cg-df) \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)g\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx}}{4n} \\
 & \quad \downarrow \text{2009} \\
 & \frac{\log(h(f+gx)^m) \log^4\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{4n(bc-ad)} - \\
 & gm \left(\frac{24n^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(4, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{g(bc-ad)} - \frac{12n^2 \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(3, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{g(bc-ad)} + \frac{4n \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{g(bc-ad)} \right)
 \end{aligned}$$

input `Int[(Log[e*((a + b*x)/(c + d*x))^n]^3*Log[h*(f + g*x)^m])/((a + b*x)*(c + d*x)), x]`

output

$$\begin{aligned} & (\text{Log}[e*((a + b*x)/(c + d*x))^n]^4 * \text{Log}[h*(f + g*x)^m]) / (4*(b*c - a*d)*n) - \\ & (g*m*(-(\text{Log}[e*((a + b*x)/(c + d*x))^n]^4 * \text{Log}[1 - (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g)) + (\text{Log}[e*((a + b*x)/(c + d*x))^n]^4 * \text{Log}[1 - ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) - \\ & (4*n*\text{Log}[e*((a + b*x)/(c + d*x))^n]^3 * \text{PolyLog}[2, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) + (4*n*\text{Log}[e*((a + b*x)/(c + d*x))^n]^3 * \text{PolyLog}[2, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) + \\ & (12*n^2*\text{Log}[e*((a + b*x)/(c + d*x))^n]^2 * \text{PolyLog}[3, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) - (12*n^2*\text{Log}[e*((a + b*x)/(c + d*x))^n]^2 * \text{PolyLog}[3, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) - \\ & (24*n^3*\text{Log}[e*((a + b*x)/(c + d*x))^n] * \text{PolyLog}[4, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) + (24*n^3*\text{Log}[e*((a + b*x)/(c + d*x))^n] * \text{PolyLog}[4, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) + \\ & (24*n^4*\text{PolyLog}[5, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) - (24*n^4*\text{PolyLog}[5, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g)) / (4*n) \end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ ; SumQ}[u]$$

rule 2804

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]^(p_.)*(RFx_), x_Symbol] \rightarrow \text{With}[\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*x^n])^p, RFx, x]\}, \text{Int}[u, x] \text{ ; SumQ}[u] \text{ / ; FreeQ}[\{a, b, c, n\}, x] \ \&\& \ \text{RationalFunctionQ}[RFx, x] \ \&\& \ \text{IGtQ}[p, 0]$$

rule 2953

$$\text{Int}[(A_.) + \text{Log}[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)]^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d) \ \text{Subst}[\text{Int}[(b*f - a*g - (d*f - c*g)*x)^m*((A + B*\text{Log}[e*x^n])^p/(b - d*x)^(m + 2)), x], x, (a + b*x)/(c + d*x)], x] \text{ ; FreeQ}[\{a, b, c, d, e, f, g, A, B, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IGtQ}[p, 0]$$

rule 2989

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_.))^(p_.)*((c_.) + (d_.)*(x_.))^(q_.))
^(r_.)]^(s_.)*Log[(i_.)*((j_.)*((g_.) + (h_.)*(x_.))^(t_.))^(u_.)]*(v_), x_S
ymbol] :> With[{k = Simplify[v*(a + b*x)*(c + d*x)]}, Simp[k*Log[i*(j*(g +
h*x)^t)^u*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^(s + 1)/(p*r*(s + 1)*(b*c
- a*d))], x] - Simp[k*h*t*(u/(p*r*(s + 1)*(b*c - a*d)) Int[Log[e*(f*(a +
b*x)^p*(c + d*x)^q]^r]^(s + 1)/(g + h*x), x], x] /; FreeQ[k, x] /; FreeQ[
{a, b, c, d, e, f, g, h, i, j, p, q, r, s, t, u}, x] && NeQ[b*c - a*d, 0] &
& EqQ[p + q, 0] && NeQ[s, -1]
```

Maple [F]

$$\int \frac{\ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^3 \ln(h(gx+f)^m)}{(bx+a)(dx+c)} dx$$

input

```
int(ln(e*((b*x+a)/(d*x+c))^n)^3*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)
```

output

```
int(ln(e*((b*x+a)/(d*x+c))^n)^3*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)
```

Fricas [F]

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^3}{(bx+a)(dx+c)} dx$$

input

```
integrate(log(e*((b*x+a)/(d*x+c))^n)^3*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x,
algorithm="fricas")
```

output

```
integral(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)^3/(b*d*x^2 + a*
c + (b*c + a*d)*x), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log (h(f+gx)^m)}{(a+bx)(c+dx)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)**3*ln(h*(g*x+f)**m)/(b*x+a)/(d*x+c), x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log (h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log ((gx+f)^m h) \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^3}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))n)3*log(h*(g*x+f)m)/(b*x+a)/(d*x+c), x, algorithm="maxima")`

output

```

-1/4*(n^3*log(b*x + a)^4 + n^3*log(d*x + c)^4 - 4*n^2*log(b*x + a)^3*log(e
) + 6*n*log(b*x + a)^2*log(e)^2 - 4*(n^3*log(b*x + a) - n^2*log(e))*log(d*x
+ c)^3 - 4*(log(b*x + a) - log(d*x + c))*log((b*x + a)^n)^3 + 4*(log(b*x
+ a) - log(d*x + c))*log((d*x + c)^n)^3 - 4*log(b*x + a)*log(e)^3 + 6*(n^
3*log(b*x + a)^2 - 2*n^2*log(b*x + a)*log(e) + n*log(e)^2)*log(d*x + c)^2
+ 6*(n*log(b*x + a)^2 + n*log(d*x + c)^2 - 2*(n*log(b*x + a) - log(e))*log
(d*x + c) - 2*log(b*x + a)*log(e))*log((b*x + a)^n)^2 + 6*(n*log(b*x + a)^
2 + n*log(d*x + c)^2 - 2*(n*log(b*x + a) - log(e))*log(d*x + c) - 2*(log(b
*x + a) - log(d*x + c))*log((b*x + a)^n) - 2*log(b*x + a)*log(e))*log((d*x
+ c)^n)^2 - 4*(n^3*log(b*x + a)^3 - 3*n^2*log(b*x + a)^2*log(e) + 3*n*log
(b*x + a)*log(e)^2 - log(e)^3)*log(d*x + c) - 4*(n^2*log(b*x + a)^3 - n^2*
log(d*x + c)^3 - 3*n*log(b*x + a)^2*log(e) + 3*(n^2*log(b*x + a) - n*log(e
))*log(d*x + c)^2 + 3*log(b*x + a)*log(e)^2 - 3*(n^2*log(b*x + a)^2 - 2*n*
log(b*x + a)*log(e) + log(e)^2)*log(d*x + c))*log((b*x + a)^n) + 4*(n^2*lo
g(b*x + a)^3 - n^2*log(d*x + c)^3 - 3*n*log(b*x + a)^2*log(e) + 3*(n^2*log
(b*x + a) - n*log(e))*log(d*x + c)^2 + 3*(log(b*x + a) - log(d*x + c))*log
((b*x + a)^n)^2 + 3*log(b*x + a)*log(e)^2 - 3*(n^2*log(b*x + a)^2 - 2*n*lo
g(b*x + a)*log(e) + log(e)^2)*log(d*x + c) - 3*(n*log(b*x + a)^2 + n*log(d
*x + c)^2 - 2*(n*log(b*x + a) - log(e))*log(d*x + c) - 2*log(b*x + a)*log(
e))*log((b*x + a)^n))*log((d*x + c)^n))*log((g*x + f)^m)/(b*c - a*d) + ...

```

Giac [F]

$$\int \frac{\log^3\left(e^{\frac{a+bx}{c+dx}}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log\left(e^{\frac{bx+a}{dx+c}}\right)^3}{(bx+a)(dx+c)} dx$$

input

```

integrate(log(e*((b*x+a)/(d*x+c))^n)^3*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x,
algorithm="giac")

```

output

```

integrate(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)^3/((b*x + a)*(
d*x + c)), x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\ln(h(f+gx)^m) \ln \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)^3}{(a+bx)(c+dx)} dx$$

input `int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n)^3)/((a + b*x)*(c + d*x)), x)`

output `int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n)^3)/((a + b*x)*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\log^3 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^3 \log(h(gx+f)^m)}{(bx+a)(dx+c)} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)^3*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

output `int(log(e*((b*x+a)/(d*x+c))^n)^3*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

$$3.68 \quad \int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$$

Optimal result	620
Mathematica [B] (warning: unable to verify)	621
Rubi [A] (verified)	621
Maple [F]	624
Fricas [F]	624
Sympy [F(-1)]	624
Maxima [F]	625
Giac [F]	625
Mupad [F(-1)]	626
Reduce [F]	626

Optimal result

Integrand size = 45, antiderivative size = 496

$$\begin{aligned} & \int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx \\ &= \frac{m \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{3(bc-ad)n} + \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{3(bc-ad)n} \\ & \quad - \frac{m \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{3(bc-ad)n} \\ & \quad + \frac{m \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} \\ & \quad - \frac{m \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad} \\ & \quad - \frac{2mn \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(3, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} \\ & \quad + \frac{2mn \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(3, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad} \\ & \quad + \frac{2mn^2 \text{PolyLog}\left(4, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} - \frac{2mn^2 \text{PolyLog}\left(4, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad} \end{aligned}$$

output

```

1/3*m*ln(e*((b*x+a)/(d*x+c))^n)^3*ln((-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/n+1/
3*ln(e*((b*x+a)/(d*x+c))^n)^3*ln(h*(g*x+f)^m)/(-a*d+b*c)/n-1/3*m*ln(e*((b*
x+a)/(d*x+c))^n)^3*ln(1-(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)/
n+m*ln(e*((b*x+a)/(d*x+c))^n)^2*polylog(2,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)-
m*ln(e*((b*x+a)/(d*x+c))^n)^2*polylog(2,(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x
+c))/(-a*d+b*c)-2*m*n*ln(e*((b*x+a)/(d*x+c))^n)*polylog(3,d*(b*x+a)/b/(d*x
+c))/(-a*d+b*c)+2*m*n*ln(e*((b*x+a)/(d*x+c))^n)*polylog(3,(-c*g+d*f)*(b*x+
a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)+2*m*n^2*polylog(4,d*(b*x+a)/b/(d*x+c))/(-
a*d+b*c)-2*m*n^2*polylog(4,(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b
*c)

```

Mathematica [B] (warning: unable to verify)

Leaf count is larger than twice the leaf count of optimal. 25557 vs. 2(496) = 992.

Time = 7.93 (sec) , antiderivative size = 25557, normalized size of antiderivative = 51.53

$$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \text{Result too large to show}$$

input

```

Integrate[(Log[e*((a + b*x)/(c + d*x))^n]^2*Log[h*(f + g*x)^m])/((a + b*x)
*(c + d*x)),x]

```

output

Result too large to show

Rubi [A] (verified)

Time = 1.50 (sec) , antiderivative size = 519, normalized size of antiderivative = 1.05, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.089$, Rules used = {2989, 2953, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\log(h(f+gx)^m) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a+bx)(c+dx)} dx \\
& \quad \downarrow \text{2989} \\
& \frac{\log(h(f+gx)^m) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3n(bc-ad)} - \frac{gm \int \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx} dx}{3n(bc-ad)} \\
& \quad \downarrow \text{2953} \\
& \frac{\log(h(f+gx)^m) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3n(bc-ad)} - \frac{gm \int \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b-\frac{d(a+bx)}{c+dx}\right)\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{3n} \\
& \quad \downarrow \text{2804} \\
& \frac{\log(h(f+gx)^m) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3n(bc-ad)} - \\
& \frac{gm \int \left(\frac{d \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)g\left(b-\frac{d(a+bx)}{c+dx}\right)} + \frac{(cg-df) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)g\left(bf-ag-\frac{(df-cg)(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx}}{3n} \\
& \quad \downarrow \text{2009} \\
& \frac{\log(h(f+gx)^m) \log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{3n(bc-ad)} - \\
& \frac{gm \left(-\frac{6n^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(3, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{g(bc-ad)} + \frac{3n \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{g(bc-ad)} + \frac{\log^3\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1-\frac{(a+bx)}{c+dx}\right)}{g(bc-ad)} \right)}{3n(bc-ad)}
\end{aligned}$$

input

```
Int[(Log[e*((a + b*x)/(c + d*x))^n]^2*Log[h*(f + g*x)^m])/((a + b*x)*(c + d*x)), x]
```

output

$$\begin{aligned} & (\text{Log}[e*((a + b*x)/(c + d*x))^n]^3 * \text{Log}[h*(f + g*x)^m]) / (3*(b*c - a*d)*n) - \\ & (g*m*(-(\text{Log}[e*((a + b*x)/(c + d*x))^n]^3 * \text{Log}[1 - (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g)) + \\ & (\text{Log}[e*((a + b*x)/(c + d*x))^n]^3 * \text{Log}[1 - ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) - \\ & (3*n*\text{Log}[e*((a + b*x)/(c + d*x))^n]^2 * \text{PolyLog}[2, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) + \\ & (3*n*\text{Log}[e*((a + b*x)/(c + d*x))^n]^2 * \text{PolyLog}[2, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) + \\ & (6*n^2*\text{Log}[e*((a + b*x)/(c + d*x))^n] * \text{PolyLog}[3, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) - \\ & (6*n^2*\text{Log}[e*((a + b*x)/(c + d*x))^n] * \text{PolyLog}[3, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g) - \\ & (6*n^3*\text{PolyLog}[4, (d*(a + b*x))/(b*(c + d*x))]) / ((b*c - a*d)*g) + \\ & (6*n^3*\text{PolyLog}[4, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))]) / ((b*c - a*d)*g)) / (3*n) \end{aligned}$$

Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$$

rule 2804

$$\text{Int}[(a_.) + \text{Log}[(c_.)*(x_)^(n_.)]*(b_.)]^(p_.)*(RFx_), x_Symbol] \rightarrow \text{With}[\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*x^n])^p, RFx, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{RationalFunctionQ}[RFx, x] \&\& \text{IGtQ}[p, 0]$$

rule 2953

$$\text{Int}[(A_.) + \text{Log}[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)]^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] \rightarrow \text{Simp}[(b*c - a*d) \text{Subst}[\text{Int}[(b*f - a*g - (d*f - c*g)*x)^m*((A + B*\text{Log}[e*x^n])^p/(b - d*x)^(m + 2)), x], x, (a + b*x)/(c + d*x)], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& \text{IGtQ}[p, 0]$$

rule 2989

$$\text{Int}[\text{Log}[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))]^(r_.)]^(s_.)*\text{Log}[(i_.)*((j_.)*((g_.) + (h_.)*(x_))^(t_.))]^(u_.)]*(v_), x_Symbol] \rightarrow \text{With}[\{k = \text{Simplify}[v*(a + b*x)*(c + d*x)]\}, \text{Simp}[k*\text{Log}[i*(j*(g + h*x)^t)^u]*(\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^(s + 1)/(p*r*(s + 1)*(b*c - a*d))), x] - \text{Simp}[k*h*t*(u/(p*r*(s + 1)*(b*c - a*d))) \text{Int}[\text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s + 1)/(g + h*x), x], x] /; \text{FreeQ}[k, x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, p, q, r, s, t, u\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[p + q, 0] \&\& \text{NeQ}[s, -1]$$

Maple [F]

$$\int \frac{\ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^2 \ln(h(gx+f)^m)}{(bx+a)(dx+c)} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)^2*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)^2*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

Fricas [F]

$$\int \frac{\log^2 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^2}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x, algorithm="fricas")`

output `integral(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)^2/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log^2 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))^n)**2*ln(h*(g*x+f)**m)/(b*x+a)/(d*x+c), x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log^2 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^2}{(bx+a)(dx+c)} dx$$

input

```
integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x,
algorithm="maxima")
```

output

```
1/3*(n^2*log(b*x + a)^3 - n^2*log(d*x + c)^3 - 3*n*log(b*x + a)^2*log(e) +
3*(n^2*log(b*x + a) - n*log(e))*log(d*x + c)^2 + 3*(log(b*x + a) - log(d*x
+ c))*log((b*x + a)^n)^2 + 3*log(b*x + a)*log(e)^2 - 3*(n^2*log(b*x + a)^2 - 2*n*log(b*x + a)
*log(e) + log(e)^2)*log(d*x + c) - 3*(n*log(b*x + a)^2 + n*log(d*x + c)^2
- 2*(n*log(b*x + a) - log(e))*log(d*x + c) - 2*log(b*x + a)*log(e))*log((b
*x + a)^n) + 3*(n*log(b*x + a)^2 + n*log(d*x + c)^2 - 2*(n*log(b*x + a) -
log(e))*log(d*x + c) - 2*(log(b*x + a) - log(d*x + c))*log((b*x + a)^n) -
2*log(b*x + a)*log(e))*log((d*x + c)^n))*log((g*x + f)^m)/(b*c - a*d) - in
tegrate(-1/3*(3*b*c*f*log(e)^2*log(h) - 3*a*d*f*log(e)^2*log(h) - (b*d*g*m
*n^2*x^2 + a*c*g*m*n^2 + (b*c*g*m*n^2 + a*d*g*m*n^2)*x)*log(b*x + a)^3 + (
b*d*g*m*n^2*x^2 + a*c*g*m*n^2 + (b*c*g*m*n^2 + a*d*g*m*n^2)*x)*log(d*x + c
)^3 + 3*(b*d*g*m*n*x^2*log(e) + a*c*g*m*n*log(e) + (b*c*g*m*n*log(e) + a*d
*g*m*n*log(e))*x)*log(b*x + a)^2 + 3*(b*d*g*m*n*x^2*log(e) + a*c*g*m*n*log
(e) + (b*c*g*m*n*log(e) + a*d*g*m*n*log(e))*x - (b*d*g*m*n^2*x^2 + a*c*g*m
*n^2 + (b*c*g*m*n^2 + a*d*g*m*n^2)*x)*log(b*x + a))*log(d*x + c)^2 + 3*(b*
c*f*log(h) - a*d*f*log(h) + (b*c*g*log(h) - a*d*g*log(h))*x - (b*d*g*m*x^2
+ a*c*g*m + (b*c*g*m + a*d*g*m)*x)*log(b*x + a) + (b*d*g*m*x^2 + a*c*g*m
+ (b*c*g*m + a*d*g*m)*x)*log(d*x + c))*log((b*x + a)^n)^2 + 3*(b*c*f*log(h)
) - a*d*f*log(h) + (b*c*g*log(h) - a*d*g*log(h))*x - (b*d*g*m*x^2 + a*c...
```

Giac [F]

$$\int \frac{\log^2 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^2}{(bx+a)(dx+c)} dx$$

input

```
integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x,
algorithm="giac")
```

output `integrate(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)^2/((b*x + a)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\ln(h(f+gx)^m) \ln \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)^2}{(a+bx)(c+dx)} dx$$

input `int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n)^2)/((a + b*x)*(c + d*x)),x)`

output `int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n)^2)/((a + b*x)*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right)^2 \log(h(gx+f)^m)}{bdx^2 + adx + bcx + ac} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)^2*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)**2*log((f + g*x)**m*h))/(a*c + a*d*x + b*c*x + b*d*x**2),x)`

$$3.69 \quad \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx$$

Optimal result	627
Mathematica [B] (verified)	628
Rubi [A] (verified)	629
Maple [F]	631
Fricas [F]	632
Sympy [F(-1)]	632
Maxima [F]	632
Giac [F]	633
Mupad [F(-1)]	634
Reduce [F]	634

Optimal result

Integrand size = 43, antiderivative size = 371

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \frac{m \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{2(bc-ad)n} + \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(h(f+gx)^m)}{2(bc-ad)n} - \frac{m \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{2(bc-ad)n} + \frac{m \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} - \frac{m \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad} - \frac{mn \text{PolyLog}\left(3, \frac{d(a+bx)}{b(c+dx)}\right)}{bc-ad} + \frac{mn \text{PolyLog}\left(3, \frac{(df-cg)(a+bx)}{(bf-ag)(c+dx)}\right)}{bc-ad}$$

output

```

1/2*m*ln(e*((b*x+a)/(d*x+c))^n)^2*ln((-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/n+1/
2*ln(e*((b*x+a)/(d*x+c))^n)^2*ln(h*(g*x+f)^m)/(-a*d+b*c)/n-1/2*m*ln(e*((b*
x+a)/(d*x+c))^n)^2*ln(1-(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)/
n+m*ln(e*((b*x+a)/(d*x+c))^n)*polylog(2,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)-m*
ln(e*((b*x+a)/(d*x+c))^n)*polylog(2,(-c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))
/(-a*d+b*c)-m*n*polylog(3,d*(b*x+a)/b/(d*x+c))/(-a*d+b*c)+m*n*polylog(3,(-
c*g+d*f)*(b*x+a)/(-a*g+b*f)/(d*x+c))/(-a*d+b*c)

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1842 vs. $2(371) = 742$.

Time = 1.61 (sec) , antiderivative size = 1842, normalized size of antiderivative = 4.96

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \text{Too large to display}$$

input

```

Integrate[(Log[e*((a + b*x)/(c + d*x))^n]*Log[h*(f + g*x)^m])/((a + b*x)*(
c + d*x)),x]

```

output

```
(m*n*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*f - a*g)*(c + d*x))/((d*f -
c*g)*(a + b*x))]^2 - 2*m*n*Log[a/b + x]^2*Log[f + g*x] + 2*m*n*Log[a/b +
x]*Log[c/d + x]*Log[f + g*x] - 2*m*n*Log[c/d + x]^2*Log[f + g*x] + 2*m*n*L
og[a/b + x]*Log[a + b*x]*Log[f + g*x] - 2*m*n*Log[c/d + x]*Log[a + b*x]*Lo
g[f + g*x] + 2*m*n*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[f +
g*x] + 2*m*Log[a/b + x]*Log[e*((a + b*x)/(c + d*x))^n]*Log[f + g*x] - 2*m*
Log[c/d + x]*Log[e*((a + b*x)/(c + d*x))^n]*Log[f + g*x] - 2*m*Log[a + b*x
]*Log[e*((a + b*x)/(c + d*x))^n]*Log[f + g*x] - 2*m*n*Log[a/b + x]*Log[c +
d*x]*Log[f + g*x] + 2*m*n*Log[c/d + x]*Log[c + d*x]*Log[f + g*x] + 2*m*Lo
g[e*((a + b*x)/(c + d*x))^n]*Log[c + d*x]*Log[f + g*x] + 2*m*n*Log[a/b + x
]*Log[(b*(c + d*x))/(b*c - a*d)]*Log[f + g*x] + m*n*Log[a/b + x]^2*Log[(b*
(f + g*x))/(b*f - a*g)] - 2*m*Log[a/b + x]*Log[e*((a + b*x)/(c + d*x))^n]*
Log[(b*(f + g*x))/(b*f - a*g)] - 2*m*n*Log[a/b + x]*Log[(g*(c + d*x))/(-(d
*f) + c*g)]*Log[(b*(f + g*x))/(b*f - a*g)] + m*n*Log[(g*(c + d*x))/(-(d*f)
+ c*g)]^2*Log[(b*(f + g*x))/(b*f - a*g)] - 2*m*n*Log[(g*(c + d*x))/(-(d*f)
+ c*g)]*Log[((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*x))]*Log[(b*(f +
g*x))/(b*f - a*g)] + m*n*Log[((b*f - a*g)*(c + d*x))/((d*f - c*g)*(a + b*
x))]^2*Log[(b*(f + g*x))/(b*f - a*g)] - 2*m*n*Log[a/b + x]*Log[c/d + x]*Lo
g[(d*(f + g*x))/(d*f - c*g)] + m*n*Log[c/d + x]^2*Log[(d*(f + g*x))/(d*f -
c*g)] + 2*m*Log[c/d + x]*Log[e*((a + b*x)/(c + d*x))^n]*Log[(d*(f + g*...
```

Rubi [A] (verified)

Time = 1.27 (sec) , antiderivative size = 391, normalized size of antiderivative = 1.05, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.093$, Rules used = {2989, 2953, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(h(f + gx)^m) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(a + bx)(c + dx)} dx$$

↓ 2989

$$\frac{\log(h(f + gx)^m) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2n(bc - ad)} - \frac{gm \int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx} dx}{2n(bc - ad)}$$

↓ 2953

$$\frac{\log(h(f + gx)^m) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2n(bc - ad)} - \frac{gm \int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{\left(b - \frac{d(a+bx)}{c+dx}\right)\left(bf - ag - \frac{(df - cg)(a+bx)}{c+dx}\right)} d\frac{a+bx}{c+dx}}{2n}$$

↓ 2804

$$\frac{\log(h(f + gx)^m) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2n(bc - ad)} - \frac{gm \int \left(\frac{d \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc - ad)g\left(b - \frac{d(a+bx)}{c+dx}\right)} + \frac{(cg - df) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc - ad)g\left(bf - ag - \frac{(df - cg)(a+bx)}{c+dx}\right)} \right) d\frac{a+bx}{c+dx}}{2n}$$

↓ 2009

$$\frac{\log(h(f + gx)^m) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{2n(bc - ad)} - gm \left(\frac{2n \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \operatorname{PolyLog}\left(2, \frac{(df - cg)(a+bx)}{(bf - ag)(c+dx)}\right)}{g(bc - ad)} + \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(a+bx)(df - cg)}{(c+dx)(bf - ag)}\right)}{g(bc - ad)} - \frac{2n \operatorname{PolyLog}\left(2, \frac{d(a+bx)}{b(c+dx)}\right) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{g(bc - ad)} \right)$$

$2n$

input

```
Int[(Log[e*((a + b*x)/(c + d*x))^n]*Log[h*(f + g*x)^m])/((a + b*x)*(c + d*x)),x]
```

output

```
(Log[e*((a + b*x)/(c + d*x))^n]^2*Log[h*(f + g*x)^m])/(2*(b*c - a*d)*n) - (g*m*(-((Log[e*((a + b*x)/(c + d*x))^n]^2*Log[1 - (d*(a + b*x))/(b*(c + d*x)]]))/(b*c - a*d)*g) + (Log[e*((a + b*x)/(c + d*x))^n]^2*Log[1 - ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))])/((b*c - a*d)*g) - (2*n*Log[e*((a + b*x)/(c + d*x))^n]*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])/((b*c - a*d)*g) + (2*n*Log[e*((a + b*x)/(c + d*x))^n]*PolyLog[2, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))])/((b*c - a*d)*g) + (2*n^2*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))])/((b*c - a*d)*g) - (2*n^2*PolyLog[3, ((d*f - c*g)*(a + b*x))/((b*f - a*g)*(c + d*x))])/((b*c - a*d)*g))/(2*n)
```

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2804 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]`

rule 2953 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)^(p_.)*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(b*c - a*d) Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

rule 2989 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]^(s_.)*Log[(i_.)*((j_.)*((g_.) + (h_.)*(x_)^(t_.))^(u_.)]*(v_), x_Symbol] := With[{k = Simplify[v*(a + b*x)*(c + d*x)]}, Simp[k*Log[i*(j*(g + h*x)^t)^u*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^(s + 1)/(p*r*(s + 1)*(b*c - a*d))], x] - Simp[k*h*t*(u/(p*r*(s + 1)*(b*c - a*d))) Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s + 1)/(g + h*x), x], x] /; FreeQ[k, x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, p, q, r, s, t, u}, x] && NeQ[b*c - a*d, 0] && EqQ[p + q, 0] && NeQ[s, -1]`

Maple [F]

$$\int \frac{\ln\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right) \ln(h(gx+f)^m)}{(bx+a)(dx+c)} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)`

Fricas [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x, algorithm="fricas")`

output `integral(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))^n)*ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x, algorithm="maxima")`

output

```

-1/2*(n*log(b*x + a)^2 + n*log(d*x + c)^2 - 2*(n*log(b*x + a) - log(e))*lo
g(d*x + c) - 2*(log(b*x + a) - log(d*x + c))*log((b*x + a)^n) + 2*(log(b*x
+ a) - log(d*x + c))*log((d*x + c)^n) - 2*log(b*x + a)*log(e))*log((g*x +
f)^m)/(b*c - a*d) + integrate(1/2*(2*b*c*f*log(e)*log(h) - 2*a*d*f*log(e)
*log(h) + (b*d*g*m*n*x^2 + a*c*g*m*n + (b*c*g*m*n + a*d*g*m*n)*x)*log(b*x
+ a)^2 + (b*d*g*m*n*x^2 + a*c*g*m*n + (b*c*g*m*n + a*d*g*m*n)*x)*log(d*x +
c)^2 + 2*(b*c*g*log(e)*log(h) - a*d*g*log(e)*log(h))*x - 2*(b*d*g*m*x^2*log
(e) + a*c*g*m*log(e) + (b*c*g*m*log(e) + a*d*g*m*log(e))*x)*log(b*x + a)
+ 2*(b*d*g*m*x^2*log(e) + a*c*g*m*log(e) + (b*c*g*m*log(e) + a*d*g*m*log(
e))*x - (b*d*g*m*n*x^2 + a*c*g*m*n + (b*c*g*m*n + a*d*g*m*n)*x)*log(b*x +
a))*log(d*x + c) + 2*(b*c*f*log(h) - a*d*f*log(h) + (b*c*g*log(h) - a*d*g*
log(h))*x - (b*d*g*m*x^2 + a*c*g*m + (b*c*g*m + a*d*g*m)*x)*log(b*x + a) +
(b*d*g*m*x^2 + a*c*g*m + (b*c*g*m + a*d*g*m)*x)*log(d*x + c))*log((b*x +
a)^n) - 2*(b*c*f*log(h) - a*d*f*log(h) + (b*c*g*log(h) - a*d*g*log(h))*x -
(b*d*g*m*x^2 + a*c*g*m + (b*c*g*m + a*d*g*m)*x)*log(b*x + a) + (b*d*g*m*x
^2 + a*c*g*m + (b*c*g*m + a*d*g*m)*x)*log(d*x + c))*log((d*x + c)^n))/(a*b
*c^2*f - a^2*c*d*f + (b^2*c*d*g - a*b*d^2*g)*x^3 - (a*b*d^2*f + a^2*d^2*g
- (c*d*f + c^2*g)*b^2)*x^2 + (b^2*c^2*f + a*b*c^2*g - (d^2*f + c*d*g)*a^2)
*x), x)

```

Giac [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log((gx+f)^m h) \log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{(bx+a)(dx+c)} dx$$

input

```

integrate(log(e*((b*x+a)/(d*x+c))^n)*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c),x, a
lgorithm="giac")

```

output

```

integrate(log((g*x + f)^m*h)*log(e*((b*x + a)/(d*x + c))^n)/((b*x + a)*(d*
x + c)), x)

```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\ln(h(f+gx)^m) \ln\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{(a+bx)(c+dx)} dx$$

input

```
int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n))/((a + b*x)*(c + d*x)), x)
```

output

```
int((log(h*(f + g*x)^m)*log(e*((a + b*x)/(c + d*x))^n))/((a + b*x)*(c + d*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(h(f+gx)^m)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) \log(h(gx+f)^m)}{bdx^2 + adx + bcx + ac} dx$$

input

```
int(log(e*((b*x+a)/(d*x+c))^n)*log(h*(g*x+f)^m)/(b*x+a)/(d*x+c), x)
```

output

```
int((log(((a + b*x)**n*e)/(c + d*x)**n)*log((f + g*x)**m*h))/(a*c + a*d*x + b*c*x + b*d*x**2), x)
```

3.70
$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

Optimal result	635
Mathematica [N/A]	636
Rubi [N/A]	636
Maple [N/A]	637
Fricas [N/A]	637
Sympy [F(-1)]	638
Maxima [N/A]	638
Giac [N/A]	639
Mupad [N/A]	639
Reduce [N/A]	640

Optimal result

Integrand size = 45, antiderivative size = 45

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \frac{b \operatorname{Int}\left(\frac{\log(h(f+gx)^m)}{(a+bx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}, x\right)}{bc - ad} - \frac{d \operatorname{Int}\left(\frac{\log(h(f+gx)^m)}{(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}, x\right)}{bc - ad}$$

output

```
b*Defer(Int)(ln(h*(g*x+f)^m)/(b*x+a)/ln(e*((b*x+a)/(d*x+c))^n),x)/(-a*d+b*c)-d*Defer(Int)(ln(h*(g*x+f)^m)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n),x)/(-a*d+b*c)
```

Mathematica [N/A]

Not integrable

Time = 2.09 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

input `Integrate[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]), x]`

output `Integrate[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]), x]`

Rubi [N/A]

Not integrable

Time = 1.37 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

↓ 7293

$$\int \left(\frac{b \log(h(f+gx)^m)}{(a+bx)(bc-ad) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} - \frac{d \log(h(f+gx)^m)}{(c+dx)(bc-ad) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} \right) dx$$

↓ 2009

$$\frac{b \int \frac{\log(h(f+gx)^m)}{(a+bx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx}{bc-ad} - \frac{d \int \frac{\log(h(f+gx)^m)}{(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx}{bc-ad}$$

input `Int[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n],x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7293 `Int[u_, x_Symbol] :> With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [N/A]

Not integrable

Time = 1.11 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00

$$\int \frac{\ln(h(gx + f)^m)}{(bx + a)(dx + c) \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input `int(ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n),x)`

output `int(ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.20

$$\int \frac{\log(h(f + gx)^m)}{(a + bx)(c + dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx + f)^m h)}{(bx + a)(dx + c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="fricas")`

output `integral(log((g*x + f)^m*h)/((b*d*x^2 + a*c + (b*c + a*d)*x)*log(e*((b*x + a)/(d*x + c))^n)), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(h(f + gx)^m)}{(a + bx)(c + dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \text{Timed out}$$

input `integrate(ln(h*(g*x+f)**m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))**n),x)`

output Timed out

Maxima [N/A]

Not integrable

Time = 1.94 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f + gx)^m)}{(a + bx)(c + dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx + f)^m h)}{(bx + a)(dx + c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="maxima")`

output `integrate(log((g*x + f)^m*h)/((b*x + a)*(d*x + c)*log(e*((b*x + a)/(d*x + c))^n)), x)`

Giac [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx+f)^m h)}{(bx+a)(dx+c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x, algorithm="giac")`

output `integrate(log((g*x + f)^m*h)/((b*x + a)*(d*x + c)*log(e*((b*x + a)/(d*x + c))^n)), x)`

Mupad [N/A]

Not integrable

Time = 26.43 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\ln(h(f+gx)^m)}{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) (a+bx)(c+dx)} dx$$

input `int(log(h*(f + g*x)^m)/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)*(c + d*x)),x)`

output `int(log(h*(f + g*x)^m)/(log(e*((a + b*x)/(c + d*x))^n)*(a + b*x)*(c + d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 109, normalized size of antiderivative = 2.42

$$\int \frac{\log(h(f + gx)^m)}{(a + bx)(c + dx) \log\left(e \left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

$$= \int \frac{\log(h(gx + f)^m)}{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) ac + \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) adx + \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) bcx + \log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) bd x^2} dx$$

input `int(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n),x)`

output `int(log((f + g*x)**m*h)/(log(((a + b*x)**n*e)/(c + d*x)**n)*a*c + log(((a + b*x)**n*e)/(c + d*x)**n)*a*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b*c*x + log(((a + b*x)**n*e)/(c + d*x)**n)*b*d*x**2),x)`

3.71
$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

Optimal result	641
Mathematica [N/A]	641
Rubi [N/A]	642
Maple [N/A]	643
Fricas [N/A]	644
Sympy [F(-1)]	644
Maxima [N/A]	644
Giac [N/A]	645
Mupad [N/A]	645
Reduce [N/A]	646

Optimal result

Integrand size = 45, antiderivative size = 45

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = -\frac{\log(h(f+gx)^m)}{(bc-ad)n \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} + \frac{gm\text{Int}\left(\frac{1}{(f+gx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}, x\right)}{(bc-ad)n}$$

output `-ln(h*(g*x+f)^m)/(-a*d+b*c)/n/ln(e*((b*x+a)/(d*x+c))^n)+g*m*Defer(Int)(1/(g*x+f)/ln(e*((b*x+a)/(d*x+c))^n),x)/(-a*d+b*c)/n`

Mathematica [N/A]

Not integrable

Time = 1.33 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

input

```
Integrate[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]^2), x]
```

output

```
Integrate[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]^2), x]
```

Rubi [N/A]

Not integrable

Time = 0.65 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {2989, 2955}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

↓ 2989

$$\frac{gm \int \frac{1}{(f+gx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx}{n(bc-ad)} - \frac{\log(h(f+gx)^m)}{n(bc-ad) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}$$

↓ 2955

$$\frac{gm \int \frac{1}{(f+gx) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx}{n(bc-ad)} - \frac{\log(h(f+gx)^m)}{n(bc-ad) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}$$

input

```
Int[Log[h*(f + g*x)^m]/((a + b*x)*(c + d*x)*Log[e*((a + b*x)/(c + d*x))^n]^2), x]
```

output

```
$Aborted
```

Definitions of rubi rules used

rule 2955 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(B_.)^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Unintegrable[(f + g*x)^(m*(A + B*Log[e*((a + b*x)/(c + d*x))^n])^p, x] /; FreeQ[{a, b, c, d, e, f, g, A, B, m, n, p}, x]`

rule 2989 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]^(s_.)*Log[(i_.)*((j_.)*((g_.) + (h_.)*(x_))^(t_.))^(u_.)]*(v_), x_Symbol] := With[{k = Simplify[v*(a + b*x)*(c + d*x)]}, Simp[k*Log[i*(j*(g + h*x)^t)^u*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^(s + 1)/(p*r*(s + 1)*(b*c - a*d))), x] - Simp[k*h*t*(u/(p*r*(s + 1)*(b*c - a*d))) Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s + 1)/(g + h*x), x], x] /; FreeQ[k, x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, p, q, r, s, t, u}, x] && NeQ[b*c - a*d, 0] & & EqQ[p + q, 0] && NeQ[s, -1]`

Maple [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00

$$\int \frac{\ln(h(gx + f)^m)}{(bx + a)(dx + c) \ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2} dx$$

input `int(ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n)^2,x)`

output `int(ln(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))^n)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.20

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx+f)^m h)}{(bx+a)(dx+c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n)^2,x,
algorithm="fricas")`

output `integral(log((g*x + f)^m*h)/((b*d*x^2 + a*c + (b*c + a*d)*x)*log(e*((b*x +
a)/(d*x + c))^n)^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \text{Timed out}$$

input `integrate(ln(h*(g*x+f)**m)/(b*x+a)/(d*x+c)/ln(e*((b*x+a)/(d*x+c))**n)**2,x
)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 0.70 (sec) , antiderivative size = 181, normalized size of antiderivative = 4.02

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx+f)^m h)}{(bx+a)(dx+c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n)^2,x,
algorithm="maxima")`

output `g*m*integrate(1/(b*c*f*n*log(e) - a*d*f*n*log(e) + (b*c*g*n*log(e) - a*d*g
*n*log(e))*x + (b*c*f*n - a*d*f*n + (b*c*g*n - a*d*g*n)*x)*log((b*x + a)^n
) - (b*c*f*n - a*d*f*n + (b*c*g*n - a*d*g*n)*x)*log((d*x + c)^n)), x) - (l
og((g*x + f)^m) + log(h))/(b*c*n*log(e) - a*d*n*log(e) + (b*c*n - a*d*n)*l
og((b*x + a)^n) - (b*c*n - a*d*n)*log((d*x + c)^n))`

Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\log((gx+f)^m h)}{(bx+a)(dx+c) \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2} dx$$

input `integrate(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n)^2,x,
algorithm="giac")`

output `integrate(log((g*x + f)^m*h)/((b*x + a)*(d*x + c)*log(e*((b*x + a)/(d*x +
c))^n)^2), x)`

Mupad [N/A]

Not integrable

Time = 26.44 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.04

$$\int \frac{\log(h(f+gx)^m)}{(a+bx)(c+dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx = \int \frac{\ln(h(f+gx)^m)}{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)^2 (a+bx)(c+dx)} dx$$

input `int(log(h*(f + g*x)^m)/(log(e*((a + b*x)/(c + d*x))^n)^2*(a + b*x)*(c + d*
x)),x)`

output

```
int(log(h*(f + g*x)^m)/(log(e*((a + b*x)/(c + d*x))^n)^2*(a + b*x)*(c + d*x)), x)
```

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 117, normalized size of antiderivative = 2.60

$$\int \frac{\log(h(f + gx)^m)}{(a + bx)(c + dx) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)} dx$$

$$= \int \frac{\log(h(gx + f)^m)}{\log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2 ac + \log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2 adx + \log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2 bcx + \log\left(\frac{(bx+a)^ne}{(dx+c)^n}\right)^2 bdx^2} dx$$

input

```
int(log(h*(g*x+f)^m)/(b*x+a)/(d*x+c)/log(e*((b*x+a)/(d*x+c))^n)^2,x)
```

output

```
int(log((f + g*x)**m*h)/(log(((a + b*x)**n*e)/(c + d*x)**n)**2*a*c + log((a + b*x)**n*e)/(c + d*x)**n)**2*a*d*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b*c*x + log(((a + b*x)**n*e)/(c + d*x)**n)**2*b*d*x**2),x)
```

3.72
$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

Optimal result	647
Mathematica [N/A]	647
Rubi [N/A]	648
Maple [N/A]	649
Fricas [N/A]	649
Sympy [F(-2)]	650
Maxima [N/A]	650
Giac [N/A]	651
Mupad [N/A]	651
Reduce [N/A]	652

Optimal result

Integrand size = 48, antiderivative size = 48

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

$$= \frac{b \operatorname{Int}\left(\frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx) \log^2\left(\frac{a+bx}{c+dx}\right)}, x\right)}{bc - ad} - \frac{d \operatorname{Int}\left(\frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)}, x\right)}{bc - ad}$$

output

```
b*Defer(Int)(ln(1-(b*x+a)/(d*x+c))/(b*x+a)/ln((b*x+a)/(d*x+c))^2,x)/(-a*d+
b*c)-d*Defer(Int)(ln(1-(b*x+a)/(d*x+c))/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)/(
-a*d+b*c)
```

Mathematica [N/A]

Not integrable

Time = 0.86 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

input `Integrate[Log[1 - (a + b*x)/(c + d*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

output `Integrate[Log[1 - (a + b*x)/(c + d*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

Rubi [N/A]

Not integrable

Time = 1.30 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

↓ 7293

$$\int \left(\frac{b \log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(bc-ad)\log^2\left(\frac{a+bx}{c+dx}\right)} - \frac{d \log\left(1 - \frac{a+bx}{c+dx}\right)}{(c+dx)(bc-ad)\log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

↓ 2009

$$\frac{b \int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc-ad} - \frac{d \int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc-ad}$$

input `Int[Log[1 - (a + b*x)/(c + d*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]`

Maple [N/A]

Not integrable

Time = 3.03 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{\ln\left(1 - \frac{bx+a}{dx+c}\right)}{(bx+a)(dx+c)\ln\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `int(ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

output `int(ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.29

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{bx+a}{dx+c} + 1\right)}{(bx+a)(dx+c)\log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x,
algorithm="fricas")`

output `integral(log(-((b - d)*x + a - c)/(d*x + c))/((b*d*x^2 + a*c + (b*c + a*d)
*x)*log((b*x + a)/(d*x + c))^2), x)`

Sympy [F(-2)]

Exception generated.

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \text{Exception raised: TypeError}$$

input `integrate(ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))**2,x)`

output `Exception raised: TypeError >> '>' not supported between instances of 'Poly' and 'int'`

Maxima [N/A]

Not integrable

Time = 0.12 (sec) , antiderivative size = 154, normalized size of antiderivative = 3.21

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{bx+a}{dx+c} + 1\right)}{(bx+a)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="maxima")`

output `-(log(-(b - d)*x - a + c) - log(b*x + a))/((b*c - a*d)*log(b*x + a) - (b*c - a*d)*log(d*x + c)) - integrate(-1/(((b*d - d^2)*x^2 + a*c - c^2 + (b*c + a*d - 2*c*d)*x)*log(b*x + a) - ((b*d - d^2)*x^2 + a*c - c^2 + (b*c + a*d - 2*c*d)*x)*log(d*x + c)), x)`

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{bx+a}{dx+c} + 1\right)}{(bx+a)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x,
algorithm="giac")`

output `integrate(log(-(b*x + a)/(d*x + c) + 1)/((b*x + a)*(d*x + c)*log((b*x + a)
/(d*x + c))^2), x)`

Mupad [N/A]

Not integrable

Time = 27.35 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\ln\left(1 - \frac{a+bx}{c+dx}\right)}{\ln\left(\frac{a+bx}{c+dx}\right)^2 (a+bx)(c+dx)} dx$$

input `int(log(1 - (a + b*x)/(c + d*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c
+ d*x)),x)`

output `int(log(1 - (a + b*x)/(c + d*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c
+ d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 2946, normalized size of antiderivative = 61.38

$$\int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \text{Too large to display}$$

input

```
int(log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x)
```

output

```
( - int(1/(log((a + b*x)/(c + d*x))*a**2*b*c + log((a + b*x)/(c + d*x))*a**2*b*d*x - log((a + b*x)/(c + d*x))*a**2*c*d - log((a + b*x)/(c + d*x))*a**2*d**2*x + 2*log((a + b*x)/(c + d*x))*a*b**2*c*x + 2*log((a + b*x)/(c + d*x))*a*b**2*d*x**2 - log((a + b*x)/(c + d*x))*a*b*c**2 - 4*log((a + b*x)/(c + d*x))*a*b*c*d*x - 3*log((a + b*x)/(c + d*x))*a*b*d**2*x**2 + log((a + b*x)/(c + d*x))*a*c**2*d + 2*log((a + b*x)/(c + d*x))*a*c*d**2*x + log((a + b*x)/(c + d*x))*a*d**3*x**2 + log((a + b*x)/(c + d*x))*b**3*c*x**2 + log((a + b*x)/(c + d*x))*b**3*d*x**3 - log((a + b*x)/(c + d*x))*b**2*c**2*x - 3*log((a + b*x)/(c + d*x))*b**2*c*d*x**2 - 2*log((a + b*x)/(c + d*x))*b**2*d**2*x**3 + log((a + b*x)/(c + d*x))*b*c**2*d*x + 2*log((a + b*x)/(c + d*x))*b*c*d**2*x**2 + log((a + b*x)/(c + d*x))*b*d**3*x**3),x)*log((a + b*x)/(c + d*x))*a**2*b*d**2 + int(1/(log((a + b*x)/(c + d*x))*a**2*b*c + log((a + b*x)/(c + d*x))*a**2*b*d*x - log((a + b*x)/(c + d*x))*a**2*c*d - log((a + b*x)/(c + d*x))*a**2*d**2*x + 2*log((a + b*x)/(c + d*x))*a*b**2*c*x + 2*log((a + b*x)/(c + d*x))*a*b**2*d*x**2 - log((a + b*x)/(c + d*x))*a*b*c**2 - 4*log((a + b*x)/(c + d*x))*a*b*c*d*x - 3*log((a + b*x)/(c + d*x))*a*b*d**2*x**2 + log((a + b*x)/(c + d*x))*a*c**2*d + 2*log((a + b*x)/(c + d*x))*a*c*d**2*x + log((a + b*x)/(c + d*x))*a*d**3*x**2 + log((a + b*x)/(c + d*x))*b**3*c*x**2 + log((a + b*x)/(c + d*x))*b**3*d*x**3 - log((a + b*x)/(c + d*x))*b**2*c**2*x - 3*log((a + b*x)/(c + d*x))*b**2*c*d*x**2 - 2*lo...
```

3.73
$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

Optimal result	653
Mathematica [N/A]	653
Rubi [N/A]	654
Maple [N/A]	655
Fricas [N/A]	655
Sympy [F(-2)]	656
Maxima [N/A]	656
Giac [N/A]	657
Mupad [N/A]	657
Reduce [N/A]	658

Optimal result

Integrand size = 48, antiderivative size = 48

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

$$= \frac{b \operatorname{Int}\left(\frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx) \log^2\left(\frac{a+bx}{c+dx}\right)}, x\right)}{bc - ad} - \frac{d \operatorname{Int}\left(\frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)}, x\right)}{bc - ad}$$

output

```
b*Defer(Int)(ln(1-(d*x+c)/(b*x+a))/(b*x+a)/ln((b*x+a)/(d*x+c))^2,x)/(-a*d+
b*c)-d*Defer(Int)(ln(1-(d*x+c)/(b*x+a))/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)/(
-a*d+b*c)
```

Mathematica [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

input `Integrate[Log[1 - (c + d*x)/(a + b*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

output `Integrate[Log[1 - (c + d*x)/(a + b*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

Rubi [N/A]

Not integrable

Time = 1.25 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx$$

↓ 7293

$$\int \left(\frac{b \log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(bc-ad)\log^2\left(\frac{a+bx}{c+dx}\right)} - \frac{d \log\left(1 - \frac{c+dx}{a+bx}\right)}{(c+dx)(bc-ad)\log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

↓ 2009

$$\frac{b \int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc-ad} - \frac{d \int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc-ad}$$

input `Int[Log[1 - (c + d*x)/(a + b*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]`

Maple [N/A]

Not integrable

Time = 3.01 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int \frac{\ln\left(1 - \frac{dx+c}{bx+a}\right)}{(bx+a)(dx+c)\ln\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `int(ln(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

output `int(ln(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.27

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{dx+c}{bx+a} + 1\right)}{(bx+a)(dx+c)\log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x,
algorithm="fricas")`

output `integral(log(((b - d)*x + a - c)/(b*x + a))/((b*d*x^2 + a*c + (b*c + a*d)*
x)*log((b*x + a)/(d*x + c))^2), x)`

Sympy [F(-2)]

Exception generated.

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \text{Exception raised: TypeError}$$

input `integrate(ln(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))**2,x)`

output `Exception raised: TypeError >> '>' not supported between instances of 'Poly' and 'int'`

Maxima [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 155, normalized size of antiderivative = 3.23

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{dx+c}{bx+a} + 1\right)}{(bx+a)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="maxima")`

output `-(log((b - d)*x + a - c) - log(b*x + a))/((b*c - a*d)*log(b*x + a) - (b*c - a*d)*log(d*x + c)) - integrate(-1/(((b^2 - b*d)*x^2 + a^2 - a*c + (a*(2*b - d) - b*c)*x)*log(b*x + a) - ((b^2 - b*d)*x^2 + a^2 - a*c + (a*(2*b - d) - b*c)*x)*log(d*x + c)), x)`

Giac [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\log\left(-\frac{dx+c}{bx+a} + 1\right)}{(bx+a)(dx+c)\log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x,
algorithm="giac")`

output `integrate(log(-(d*x + c)/(b*x + a) + 1)/((b*x + a)*(d*x + c)*log((b*x + a)
/(d*x + c))^2), x)`

Mupad [N/A]

Not integrable

Time = 27.21 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.04

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx = \int \frac{\ln\left(1 - \frac{c+dx}{a+bx}\right)}{\ln\left(\frac{a+bx}{c+dx}\right)^2 (a+bx)(c+dx)} dx$$

input `int(log(1 - (c + d*x)/(a + b*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c
+ d*x)),x)`

output `int(log(1 - (c + d*x)/(a + b*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c
+ d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 2946, normalized size of antiderivative = 61.38

$$\int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx = \text{Too large to display}$$

input

```
int(log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x)
```

output

```
( - int(1/(log((a + b*x)/(c + d*x))*a**2*b*c + log((a + b*x)/(c + d*x))*a**2*b*d*x - log((a + b*x)/(c + d*x))*a**2*c*d - log((a + b*x)/(c + d*x))*a**2*d**2*x + 2*log((a + b*x)/(c + d*x))*a*b**2*c*x + 2*log((a + b*x)/(c + d*x))*a*b**2*d*x**2 - log((a + b*x)/(c + d*x))*a*b*c**2 - 4*log((a + b*x)/(c + d*x))*a*b*c*d*x - 3*log((a + b*x)/(c + d*x))*a*b*d**2*x**2 + log((a + b*x)/(c + d*x))*a*c**2*d + 2*log((a + b*x)/(c + d*x))*a*c*d**2*x + log((a + b*x)/(c + d*x))*a*d**3*x**2 + log((a + b*x)/(c + d*x))*b**3*c*x**2 + log((a + b*x)/(c + d*x))*b**3*d*x**3 - log((a + b*x)/(c + d*x))*b**2*c**2*x - 3*log((a + b*x)/(c + d*x))*b**2*c*d*x**2 - 2*log((a + b*x)/(c + d*x))*b**2*d**2*x**3 + log((a + b*x)/(c + d*x))*b*c**2*d*x + 2*log((a + b*x)/(c + d*x))*b*c*d**2*x**2 + log((a + b*x)/(c + d*x))*b*d**3*x**3),x)*log((a + b*x)/(c + d*x))*a**2*b*d**2 + int(1/(log((a + b*x)/(c + d*x))*a**2*b*c + log((a + b*x)/(c + d*x))*a**2*b*d*x - log((a + b*x)/(c + d*x))*a**2*c*d - log((a + b*x)/(c + d*x))*a**2*d**2*x + 2*log((a + b*x)/(c + d*x))*a*b**2*c*x + 2*log((a + b*x)/(c + d*x))*a*b**2*d*x**2 - log((a + b*x)/(c + d*x))*a*b*c**2 - 4*log((a + b*x)/(c + d*x))*a*b*c*d*x - 3*log((a + b*x)/(c + d*x))*a*b*d**2*x**2 + log((a + b*x)/(c + d*x))*a*c**2*d + 2*log((a + b*x)/(c + d*x))*a*c*d**2*x + log((a + b*x)/(c + d*x))*a*d**3*x**2 + log((a + b*x)/(c + d*x))*b**3*c*x**2 + log((a + b*x)/(c + d*x))*b**3*d*x**3 - log((a + b*x)/(c + d*x))*b**2*c**2*x - 3*log((a + b*x)/(c + d*x))*b**2*c*d*x**2 - 2*lo...
```

3.74
$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

Optimal result	659
Mathematica [A] (verified)	659
Rubi [F]	660
Maple [F]	661
Fricas [A] (verification not implemented)	661
Sympy [F(-2)]	662
Maxima [A] (verification not implemented)	662
Giac [F]	663
Mupad [B] (verification not implemented)	663
Reduce [B] (verification not implemented)	664

Optimal result

Integrand size = 87, antiderivative size = 45

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(bc-ad) \log\left(\frac{a+bx}{c+dx}\right)}$$

output -ln(1-(b*x+a)/(d*x+c))/(-a*d+b*c)/ln((b*x+a)/(d*x+c))

Mathematica [A] (verified)

Time = 1.57 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \frac{\log\left(1-\frac{a+bx}{c+dx}\right)}{(-bc+ad) \log\left(\frac{a+bx}{c+dx}\right)}$$

input

```
Integrate[1/((c + d*x)*(-a + c + (-b + d)*x)*Log[(a + b*x)/(c + d*x)]) + Log[1 - (a + b*x)/(c + d*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]
```

output

```
Log[1 - (a + b*x)/(c + d*x)]/((-b*c) + a*d)*Log[(a + b*x)/(c + d*x)]
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(\frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} + \frac{1}{(c+dx)(-a+x(d-b)+c)\log\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

↓ 2009

$$\frac{b \int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc - ad} - \frac{d \int \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(c+dx)\log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc - ad} + \int \frac{1}{(c+dx)(-a+c+(d-b)x)\log\left(\frac{a+bx}{c+dx}\right)} dx$$

input

```
Int[1/((c + d*x)*(-a + c + (-b + d)*x)*Log[(a + b*x)/(c + d*x)]) + Log[1 - (a + b*x)/(c + d*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]^2), x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

Maple [F]

$$\int \left(\frac{1}{(dx+c)(-a+c+(-b+d)x) \ln\left(\frac{bx+a}{dx+c}\right)} + \frac{\ln\left(1 - \frac{bx+a}{dx+c}\right)}{(bx+a)(dx+c) \ln\left(\frac{bx+a}{dx+c}\right)^2} \right) dx$$

input `int(1/(d*x+c)/(-a+c+(-b+d)*x)/ln((b*x+a)/(d*x+c))+ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

output `int(1/(d*x+c)/(-a+c+(-b+d)*x)/ln((b*x+a)/(d*x+c))+ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 50, normalized size of antiderivative = 1.11

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log\left(-\frac{(b-d)x+a-c}{dx+c}\right)}{(bc-ad) \log\left(\frac{bx+a}{dx+c}\right)}$$

input `integrate(1/(d*x+c)/(-a+c+(-b+d)*x)/log((b*x+a)/(d*x+c))+log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="fricas")`

output `-log(-((b - d)*x + a - c)/(d*x + c))/((b*c - a*d)*log((b*x + a)/(d*x + c)))`

Sympy [F(-2)]

Exception generated.

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

= Exception raised: TypeError

input `integrate(1/(d*x+c)/(-a+c+(-b+d)*x)/ln((b*x+a)/(d*x+c))+ln(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))**2,x)`

output `Exception raised: TypeError >> '>' not supported between instances of 'Polynomial' and 'int'`

Maxima [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.31

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log(-(b-d)x - a + c) - \log(bx + a)}{(bc - ad) \log(bx + a) - (bc - ad) \log(dx + c)}$$

input `integrate(1/(d*x+c)/(-a+c+(-b+d)*x)/log((b*x+a)/(d*x+c))+log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="maxima")`

output `-(log(-(b - d)*x - a + c) - log(b*x + a))/((b*c - a*d)*log(b*x + a) - (b*c - a*d)*log(d*x + c))`

Giac [F]

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \int -\frac{1}{((b-d)x+a-c)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)} + \frac{\log\left(-\frac{bx+a}{dx+c} + 1\right)}{(bx+a)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(1/(d*x+c)/(-a+c+(-b+d)*x)/log((b*x+a)/(d*x+c))+log(1-(b*x+a)/(d*x+c))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="giac")`

output `integrate(-1/(((b-d)*x+a-c)*(d*x+c)*log((b*x+a)/(d*x+c))) + log(- (b*x+a)/(d*x+c) + 1)/((b*x+a)*(d*x+c)*log((b*x+a)/(d*x+c))^2), x)`

Mupad [B] (verification not implemented)

Time = 26.70 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \frac{\ln\left(1 - \frac{a+bx}{c+dx}\right)}{\ln\left(\frac{a+bx}{c+dx}\right) (ad-bc)}$$

input `int(log(1 - (a + b*x)/(c + d*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c + d*x)) - 1/(log((a + b*x)/(c + d*x))*(c + d*x)*(a - c + x*(b - d))),x)`

output `log(1 - (a + b*x)/(c + d*x))/(log((a + b*x)/(c + d*x))*(a*d - b*c))`

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.07

$$\int \left(\frac{1}{(c+dx)(-a+c+(-b+d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{a+bx}{c+dx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \frac{\log\left(\frac{-bx+dx-a+c}{dx+c}\right)}{\log\left(\frac{bx+a}{dx+c}\right) (ad-bc)}$$

input

```
int(1/(d*x+c)/(-a+c+(-b+d)*x)/log((b*x+a)/(d*x+c))+log(1-(b*x+a)/(d*x+c))/
(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x)
```

output

```
log((- a - b*x + c + d*x)/(c + d*x))/(log((a + b*x)/(c + d*x))*(a*d - b*c
))
```

3.75
$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right)$$

Optimal result	665
Mathematica [A] (verified)	665
Rubi [F]	666
Maple [C] (warning: unable to verify)	667
Fricas [A] (verification not implemented)	667
Sympy [F(-2)]	668
Maxima [A] (verification not implemented)	668
Giac [F]	669
Mupad [B] (verification not implemented)	669
Reduce [B] (verification not implemented)	670

Optimal result

Integrand size = 88, antiderivative size = 45

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(bc-ad) \log\left(\frac{a+bx}{c+dx}\right)}$$

output -ln(1-(d*x+c)/(b*x+a))/(-a*d+b*c)/ln((b*x+a)/(d*x+c))

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 45, normalized size of antiderivative = 1.00

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log\left(1-\frac{c+dx}{a+bx}\right)}{(bc-ad) \log\left(\frac{a+bx}{c+dx}\right)}$$

input

```
Integrate[-(1/((a + b*x)*(a - c + (b - d)*x)*Log[(a + b*x)/(c + d*x])) +
Log[1 - (c + d*x)/(a + b*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]
^2),x]
```

output

```
-(Log[1 - (c + d*x)/(a + b*x)]/((b*c - a*d)*Log[(a + b*x)/(c + d*x]]))
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(\frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} - \frac{1}{(a+bx)(a+x(b-d)-c) \log\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

↓ 2009

$$\frac{b \int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc - ad} - \frac{d \int \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} dx}{bc - ad} - \int \frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} dx$$

input

```
Int[-(1/((a + b*x)*(a - c + (b - d)*x)*Log[(a + b*x)/(c + d*x])) +
Log[1 - (c + d*x)/(a + b*x)]/((a + b*x)*(c + d*x)*Log[(a + b*x)/(c + d*x)]
^2),x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 3.23 (sec) , antiderivative size = 503, normalized size of antiderivative = 11.18

$$\frac{2i \ln (bx - dx + a - c)}{(da - bc) \left(\pi \operatorname{csgn} \left(\frac{i(bx+a)}{dx+c} \right) \operatorname{csgn} (i(bx+a)) \operatorname{csgn} \left(\frac{i}{dx+c} \right) - \pi \operatorname{csgn} \left(\frac{i(bx+a)}{dx+c} \right)^2 \operatorname{csgn} (i(bx+a)) - \pi \operatorname{csgn} \left(\frac{i}{dx+c} \right) \right)}$$

input

```
int(-1/(b*x+a)/(a-c+(b-d)*x)/ln((b*x+a)/(d*x+c))+ln(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))^2,x)
```

output

```
2*I/(a*d-b*c)/(Pi*csgn(I*(b*x+a)/(d*x+c))*csgn(I*(b*x+a))*csgn(I/(d*x+c))-Pi*csgn(I*(b*x+a)/(d*x+c))^2*csgn(I*(b*x+a))-Pi*csgn(I*(b*x+a)/(d*x+c))^2*csgn(I/(d*x+c))+Pi*csgn(I*(b*x+a)/(d*x+c))^3+2*I*ln(b*x+a)-2*I*ln(d*x+c))*ln(b*x-d*x+a-c)-(I*Pi*csgn(I*(b*x-d*x+a-c))*csgn(I/(b*x+a))*csgn(I/(b*x+a)*(b*x-d*x+a-c))-I*Pi*csgn(I*(b*x-d*x+a-c))*csgn(I/(b*x+a)*(b*x-d*x+a-c))^2-I*Pi*csgn(I/(b*x+a))*csgn(I/(b*x+a)*(b*x-d*x+a-c))^2+I*Pi*csgn(I/(b*x+a)*(b*x-d*x+a-c))^3+2*ln(b*x+a))/(a*d-b*c)/(-I*Pi*csgn(I*(b*x+a)/(d*x+c))^3+I*Pi*csgn(I*(b*x+a)/(d*x+c))^2*csgn(I*(b*x+a))+I*Pi*csgn(I*(b*x+a)/(d*x+c))^2*csgn(I/(d*x+c))-I*Pi*csgn(I*(b*x+a)/(d*x+c))*csgn(I*(b*x+a))*csgn(I/(d*x+c))+2*ln(b*x+a)-2*ln(d*x+c))
```

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.09

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log \left(\frac{a+bx}{c+dx} \right)} + \frac{\log \left(1 - \frac{c+dx}{a+bx} \right)}{(a+bx)(c+dx) \log^2 \left(\frac{a+bx}{c+dx} \right)} \right) dx$$

$$= -\frac{\log \left(\frac{(b-d)x+a-c}{bx+a} \right)}{(bc-ad) \log \left(\frac{bx+a}{dx+c} \right)}$$

input

```
integrate(-1/(b*x+a)/(a-c+(b-d)*x)/log((b*x+a)/(d*x+c))+log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="fricas")
```

output $-\log((b-d)x + a - c)/(b*x + a)/((b*c - a*d)*\log((b*x + a)/(d*x + c)))$

Sympy [F(-2)]

Exception generated.

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

= Exception raised: TypeError

input `integrate(-1/(b*x+a)/(a-c+(b-d)*x)/ln((b*x+a)/(d*x+c))+ln(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/ln((b*x+a)/(d*x+c))**2,x)`

output Exception raised: TypeError >> '>' not supported between instances of 'Poly' and 'int'

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.29

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= -\frac{\log((b-d)x + a - c) - \log(bx + a)}{(bc - ad) \log(bx + a) - (bc - ad) \log(dx + c)}$$

input `integrate(-1/(b*x+a)/(a-c+(b-d)*x)/log((b*x+a)/(d*x+c))+log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="maxima")`

output $-(\log((b-d)x + a - c) - \log(b*x + a))/((b*c - a*d)*\log(b*x + a) - (b*c - a*d)*\log(d*x + c))$

Giac [F]

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \int -\frac{1}{((b-d)x+a-c)(bx+a) \log\left(\frac{bx+a}{dx+c}\right)} + \frac{\log\left(-\frac{dx+c}{bx+a} + 1\right)}{(bx+a)(dx+c) \log\left(\frac{bx+a}{dx+c}\right)^2} dx$$

input `integrate(-1/(b*x+a)/(a-c+(b-d)*x)/log((b*x+a)/(d*x+c))+log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x, algorithm="giac")`

output `integrate(-1/(((b-d)*x+a-c)*(b*x+a)*log((b*x+a)/(d*x+c))) + log(-(d*x+c)/(b*x+a)+1)/((b*x+a)*(d*x+c)*log((b*x+a)/(d*x+c))^2), x)`

Mupad [B] (verification not implemented)

Time = 26.57 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.98

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \frac{\ln\left(1 - \frac{c+dx}{a+bx}\right)}{\ln\left(\frac{a+bx}{c+dx}\right) (ad-bc)}$$

input `int(log(1 - (c + d*x)/(a + b*x))/(log((a + b*x)/(c + d*x))^2*(a + b*x)*(c + d*x)) - 1/(log((a + b*x)/(c + d*x))*(a + b*x)*(a - c + x*(b - d))),x)`

output `log(1 - (c + d*x)/(a + b*x))/(log((a + b*x)/(c + d*x))*(a*d - b*c))`

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.07

$$\int \left(-\frac{1}{(a+bx)(a-c+(b-d)x) \log\left(\frac{a+bx}{c+dx}\right)} + \frac{\log\left(1 - \frac{c+dx}{a+bx}\right)}{(a+bx)(c+dx) \log^2\left(\frac{a+bx}{c+dx}\right)} \right) dx$$

$$= \frac{\log\left(\frac{bx-dx+a-c}{bx+a}\right)}{\log\left(\frac{bx+a}{dx+c}\right) (ad-bc)}$$

input `int(-1/(b*x+a)/(a-c+(b-d)*x)/log((b*x+a)/(d*x+c))+log(1-(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c)/log((b*x+a)/(d*x+c))^2,x)`

output `log((a + b*x - c - d*x)/(a + b*x))/(log((a + b*x)/(c + d*x))*(a*d - b*c))`

3.76
$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

Optimal result	671
Mathematica [A] (verified)	672
Rubi [A] (verified)	673
Maple [A] (verified)	675
Fricas [F]	676
Sympy [F(-1)]	676
Maxima [F]	677
Giac [F]	677
Mupad [F(-1)]	677
Reduce [F]	678

Optimal result

Integrand size = 32, antiderivative size = 560

$$\begin{aligned} & \int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \\ &= -\frac{anx}{2bg} + \frac{cnx}{2dg} + \frac{a^2n \log(a+bx)}{2b^2g} - \frac{nx^2 \log(a+bx)}{2g} - \frac{c^2n \log(c+dx)}{2d^2g} \\ &+ \frac{nx^2 \log(c+dx)}{2g} + \frac{x^2(n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx))}{2g} \\ &- \frac{fn \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{b\sqrt{f}+a\sqrt{g}}\right)}{2g^2} + \frac{fn \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{d\sqrt{f}+c\sqrt{g}}\right)}{2g^2} \\ &- \frac{fn \log(a+bx) \log\left(\frac{b(\sqrt{f}+\sqrt{gx})}{b\sqrt{f}-a\sqrt{g}}\right)}{2g^2} + \frac{fn \log(c+dx) \log\left(\frac{d(\sqrt{f}+\sqrt{gx})}{d\sqrt{f}-c\sqrt{g}}\right)}{2g^2} \\ &+ \frac{f(n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx)) \log(f-gx^2)}{2g^2} \\ &- \frac{fn \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2g^2} - \frac{fn \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}}\right)}{2g^2} \\ &+ \frac{fn \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2g^2} + \frac{fn \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}}\right)}{2g^2} \end{aligned}$$

output

$$\begin{aligned}
& -1/2*a*n*x/b/g+1/2*c*n*x/d/g+1/2*a^2*n*\ln(b*x+a)/b^2/g-1/2*n*x^2*\ln(b*x+a) \\
& /g-1/2*c^2*n*\ln(d*x+c)/d^2/g+1/2*n*x^2*\ln(d*x+c)/g+1/2*x^2*(n*\ln(b*x+a)-\ln \\
& (e*((b*x+a)/(d*x+c))^n)-n*\ln(d*x+c))/g-1/2*f*n*\ln(b*x+a)*\ln(b*(f^(1/2)-g^(\\
& 1/2)*x)/(b*f^(1/2)+a*g^(1/2)))/g^2+1/2*f*n*\ln(d*x+c)*\ln(d*(f^(1/2)-g^(1/2) \\
& *x)/(d*f^(1/2)+c*g^(1/2)))/g^2-1/2*f*n*\ln(b*x+a)*\ln(b*(f^(1/2)+g^(1/2)*x)/ \\
& (b*f^(1/2)-a*g^(1/2)))/g^2+1/2*f*n*\ln(d*x+c)*\ln(d*(f^(1/2)+g^(1/2)*x)/(d*f \\
& ^{(1/2)-c*g^(1/2)))/g^2+1/2*f*(n*\ln(b*x+a)-\ln(e*((b*x+a)/(d*x+c))^n)-n*\ln(d \\
& *x+c))*\ln(-g*x^2+f)/g^2-1/2*f*n*polylog(2,-g^(1/2)*(b*x+a)/(b*f^(1/2)-a*g^(\\
& 1/2)))/g^2-1/2*f*n*polylog(2,g^(1/2)*(b*x+a)/(b*f^(1/2)+a*g^(1/2)))/g^2+1 \\
& /2*f*n*polylog(2,-g^(1/2)*(d*x+c)/(d*f^(1/2)-c*g^(1/2)))/g^2+1/2*f*n*polyl \\
& og(2,g^(1/2)*(d*x+c)/(d*f^(1/2)+c*g^(1/2)))/g^2
\end{aligned}$$
Mathematica [A] (verified)

Time = 0.46 (sec) , antiderivative size = 461, normalized size of antiderivative = 0.82

$$\begin{aligned}
& \int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \\
& = -gx^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + \frac{gn(a^2d^2 \log(a+bx) - b(d(-bc+ad)x + bc^2 \log(c+dx)))}{b^2d^2} - f \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(\sqrt{f} - \sqrt{g}x) - f
\end{aligned}$$

input

`Integrate[(x^3*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]`

output

$$\begin{aligned}
& (-g*x^2*\text{Log}[e*((a + b*x)/(c + d*x))^n]) + (g*n*(a^2*d^2*\text{Log}[a + b*x] - b* \\
& (d*(-(b*c) + a*d)*x + b*c^2*\text{Log}[c + d*x]))/(b^2*d^2) - f*\text{Log}[e*((a + b*x) \\
& / (c + d*x))^n]*\text{Log}[\text{Sqrt}[f] - \text{Sqrt}[g]*x] - f*\text{Log}[e*((a + b*x)/(c + d*x))^n] \\
& *\text{Log}[\text{Sqrt}[f] + \text{Sqrt}[g]*x] + f*n*((\text{Log}[(\text{Sqrt}[g]*(a + b*x))/(b*\text{Sqrt}[f] + a*\text{S} \\
& \text{qrt}[g]]) - \text{Log}[(\text{Sqrt}[g]*(c + d*x))/(d*\text{Sqrt}[f] + c*\text{Sqrt}[g])])*\text{Log}[\text{Sqrt}[f] - \\
& \text{Sqrt}[g]*x] + \text{PolyLog}[2, (b*(\text{Sqrt}[f] - \text{Sqrt}[g]*x))/(b*\text{Sqrt}[f] + a*\text{Sqrt}[g]) \\
&] - \text{PolyLog}[2, (d*(\text{Sqrt}[f] - \text{Sqrt}[g]*x))/(d*\text{Sqrt}[f] + c*\text{Sqrt}[g])]) + f*n*(\\
& (\text{Log}[-((\text{Sqrt}[g]*(a + b*x))/(b*\text{Sqrt}[f] - a*\text{Sqrt}[g]))] - \text{Log}[-((\text{Sqrt}[g]*(c + \\
& d*x))/(d*\text{Sqrt}[f] - c*\text{Sqrt}[g]))])*\text{Log}[\text{Sqrt}[f] + \text{Sqrt}[g]*x] + \text{PolyLog}[2, (b \\
& *(\text{Sqrt}[f] + \text{Sqrt}[g]*x))/(b*\text{Sqrt}[f] - a*\text{Sqrt}[g]) - \text{PolyLog}[2, (d*(\text{Sqrt}[f] \\
& + \text{Sqrt}[g]*x))/(d*\text{Sqrt}[f] - c*\text{Sqrt}[g])])))/(2*g^2)
\end{aligned}$$

Rubi [A] (verified)

Time = 1.88 (sec) , antiderivative size = 536, normalized size of antiderivative = 0.96, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {2993, 243, 49, 2009, 2863, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^3 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f-gx^2} dx \\
 & \quad \downarrow \text{2993} \\
 & - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x^3}{f-gx^2} dx \right) + \\
 & \quad n \int \frac{x^3 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^3 \log(c+dx)}{f-gx^2} dx \\
 & \quad \downarrow \text{243} \\
 & -\frac{1}{2} \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x^2}{f-gx^2} dx^2 + \\
 & \quad n \int \frac{x^3 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^3 \log(c+dx)}{f-gx^2} dx \\
 & \quad \downarrow \text{49} \\
 & -\frac{1}{2} \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \left(-\frac{f}{g(gx^2-f)} - \frac{1}{g} \right) dx^2 + \\
 & \quad n \int \frac{x^3 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^3 \log(c+dx)}{f-gx^2} dx \\
 & \quad \downarrow \text{2009} \\
 & \quad n \int \frac{x^3 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^3 \log(c+dx)}{f-gx^2} dx - \\
 & \quad \frac{1}{2} \left(-\frac{f \log(f-gx^2)}{g^2} - \frac{x^2}{g} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \\
 & \quad \downarrow \text{2863} \\
 & n \int \left(\frac{fx \log(a+bx)}{g(f-gx^2)} - \frac{x \log(a+bx)}{g} \right) dx - n \int \left(\frac{fx \log(c+dx)}{g(f-gx^2)} - \frac{x \log(c+dx)}{g} \right) dx - \\
 & \quad \frac{1}{2} \left(-\frac{f \log(f-gx^2)}{g^2} - \frac{x^2}{g} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right)
 \end{aligned}$$

↓ 2009

$$\begin{aligned}
 & n \left(\frac{a^2 \log(a + bx)}{2b^2 g} - \frac{f \operatorname{PolyLog} \left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}} \right)}{2g^2} - \frac{f \operatorname{PolyLog} \left(2, \frac{\sqrt{g}(a+bx)}{\sqrt{g}a+b\sqrt{f}} \right)}{2g^2} - \frac{f \log(a + bx) \log \left(\frac{b(\sqrt{f}-\sqrt{gx})}{a\sqrt{g}+b\sqrt{f}} \right)}{2g^2} \right) - \\
 & \frac{1}{2} \left(-\frac{f \log(f - gx^2)}{g^2} - \frac{x^2}{g} \right) \left(-\log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + n \log(a + bx) - n \log(c + dx) \right) - \\
 & n \left(\frac{c^2 \log(c + dx)}{2d^2 g} - \frac{f \operatorname{PolyLog} \left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}} \right)}{2g^2} - \frac{f \operatorname{PolyLog} \left(2, \frac{\sqrt{g}(c+dx)}{\sqrt{g}c+d\sqrt{f}} \right)}{2g^2} - \frac{f \log(c + dx) \log \left(\frac{d(\sqrt{f}-\sqrt{gx})}{c\sqrt{g}+d\sqrt{f}} \right)}{2g^2} \right)
 \end{aligned}$$

input `Int[(x^3*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]`

output

```

-1/2*((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(
-(x^2/g) - (f*Log[f - g*x^2])/g^2) + n*(-1/2*(a*x)/(b*g) + x^2/(4*g) + (a
^2*Log[a + b*x])/(2*b^2*g) - (x^2*Log[a + b*x])/(2*g) - (f*Log[a + b*x]*Lo
g[(b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*g^2) - (f*Log[a +
b*x]*Log[(b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])])/(2*g^2) - (f
*PolyLog[2, -((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]))])/(2*g^2) - (f*
PolyLog[2, (Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*g^2) - n*(-1/
2*(c*x)/(d*g) + x^2/(4*g) + (c^2*Log[c + d*x])/(2*d^2*g) - (x^2*Log[c + d*
x])/(2*g) - (f*Log[c + d*x]*Log[(d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*S
qrt[g])])/(2*g^2) - (f*Log[c + d*x]*Log[(d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[
f] - c*Sqrt[g])])/(2*g^2) - (f*PolyLog[2, -((Sqrt[g]*(c + d*x))/(d*Sqrt[f]
- c*Sqrt[g]))])/(2*g^2) - (f*PolyLog[2, (Sqrt[g]*(c + d*x))/(d*Sqrt[f] +
c*Sqrt[g])])/(2*g^2))

```

Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 243 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, m, p}, x] && IntegerQ[(m - 1)/2]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2863 `Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))^(m_.)*((f_.) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]`

rule 2993 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegerQ[m, n]]`

Maple [A] (verified)

Time = 2.89 (sec) , antiderivative size = 538, normalized size of antiderivative = 0.96

method	result
parts	$-\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)x^2}{2g} - \frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)f \ln(-gx^2+f)}{2g^2} - \frac{n}{g} \frac{(da-bc)\left(\frac{x}{db} + \frac{c^2 \ln(dx+c)}{d^2(da-bc)} - \frac{a^2 \ln(bx+a)}{b^2(da-bc)}\right) + f(da-bc) \left(\frac{\ln(dx+c) \ln\left(-\frac{gx^2+f}{d}\right)}{d}\right)}{g}$

input `int(x^3*ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/2*\ln(e*((b*x+a)/(d*x+c))^n)*x^2/g-1/2*\ln(e*((b*x+a)/(d*x+c))^n)*f/g^2* \\ & \ln(-g*x^2+f)-1/2*n*((a*d-b*c)/g*(x/d/b+1/d^2*c^2/(a*d-b*c)*\ln(d*x+c)-1/b^2* \\ & a^2/(a*d-b*c)*\ln(b*x+a))+f*(a*d-b*c)/g^2*((\ln(d*x+c)/d*\ln(-g*x^2+f)+2/d*g* \\ & (-1/2*\ln(d*x+c)*(\ln((d*(g*f)^(1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g)))+\ln(\\ & (d*(g*f)^(1/2)+g*(d*x+c)-c*g)/(d*(g*f)^(1/2)-c*g)))/g-1/2*(\operatorname{dilog}((d*(g*f)^(\\ & 1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g))+\operatorname{dilog}((d*(g*f)^(1/2)+g*(d*x+c)-c \\ & *g)/(d*(g*f)^(1/2)-c*g)))/g)*d/(a*d-b*c)-(\ln(b*x+a)/b*\ln(-g*x^2+f)+2/b*g* \\ & (-1/2*\ln(b*x+a)*(\ln((b*(g*f)^(1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g)))+\ln(\\ & (b*(g*f)^(1/2)+g*(b*x+a)-a*g)/(b*(g*f)^(1/2)-a*g)))/g-1/2*(\operatorname{dilog}((b*(g*f)^(\\ & 1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g))+\operatorname{dilog}((b*(g*f)^(1/2)+g*(b*x+a)-a \\ & *g)/(b*(g*f)^(1/2)-a*g)))/g)*b/(a*d-b*c)) \end{aligned}$$

Fricas [F]

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \int -\frac{x^3 \log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{gx^2-f} dx$$

input `integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-x^3*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \text{Timed out}$$

input `integrate(x**3*ln(e*((b*x+a)/(d*x+c)**n)/(-g*x**2+f),x)`

output `Timed out`

Maxima [F]

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x^3 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input `integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="maxima")`

output `-integrate(x^3*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Giac [F]

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x^3 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input `integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="giac")`

output `integrate(-x^3*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int \frac{x^3 \ln \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx$$

input `int((x^3*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2),x)`

output `int((x^3*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2), x)`

Reduce [F]

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \text{too large to display}$$

input `int(x^3*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output

```
(2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a**2*c*d*f - a**2*c*d*g*x**2 +
a**2*d**2*f*x - a**2*d**2*g*x**3 + a*b*c**2*f - a*b*c**2*g*x**2 + 2*a*b*c*
d*f*x - 2*a*b*c*d*g*x**3 + a*b*d**2*f*x**2 - a*b*d**2*g*x**4 + b**2*c**2*f
*x - b**2*c**2*g*x**3 + b**2*c*d*f*x**2 - b**2*c*d*g*x**4),x)*a**4*b**2*d*
*6*f**2*g*n + 4*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a**2*c*d*f - a**2*
c*d*g*x**2 + a**2*d**2*f*x - a**2*d**2*g*x**3 + a*b*c**2*f - a*b*c**2*g*x*
*2 + 2*a*b*c*d*f*x - 2*a*b*c*d*g*x**3 + a*b*d**2*f*x**2 - a*b*d**2*g*x**4
+ b**2*c**2*f*x - b**2*c**2*g*x**3 + b**2*c*d*f*x**2 - b**2*c*d*g*x**4),x)
*a**3*b**3*c*d**5*f**2*g*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a**
2*c*d*f - a**2*c*d*g*x**2 + a**2*d**2*f*x - a**2*d**2*g*x**3 + a*b*c**2*f
- a*b*c**2*g*x**2 + 2*a*b*c*d*f*x - 2*a*b*c*d*g*x**3 + a*b*d**2*f*x**2 - a
*b*d**2*g*x**4 + b**2*c**2*f*x - b**2*c**2*g*x**3 + b**2*c*d*f*x**2 - b**2
*c*d*g*x**4),x)*a**2*b**4*d**6*f**3*n - 4*int(log(((a + b*x)**n*e)/(c + d*
x)**n)/(a**2*c*d*f - a**2*c*d*g*x**2 + a**2*d**2*f*x - a**2*d**2*g*x**3 +
a*b*c**2*f - a*b*c**2*g*x**2 + 2*a*b*c*d*f*x - 2*a*b*c*d*g*x**3 + a*b*d**2
*f*x**2 - a*b*d**2*g*x**4 + b**2*c**2*f*x - b**2*c**2*g*x**3 + b**2*c*d*f*
x**2 - b**2*c*d*g*x**4),x)*a*b**5*c**3*d**3*f**2*g*n - 2*int(log(((a + b*x)
)**n*e)/(c + d*x)**n)/(a**2*c*d*f - a**2*c*d*g*x**2 + a**2*d**2*f*x - a**2
*d**2*g*x**3 + a*b*c**2*f - a*b*c**2*g*x**2 + 2*a*b*c*d*f*x - 2*a*b*c*d*g*
x**3 + a*b*d**2*f*x**2 - a*b*d**2*g*x**4 + b**2*c**2*f*x - b**2*c**2*g*...
```

$$3.77 \quad \int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

Optimal result	679
Mathematica [A] (verified)	680
Rubi [A] (verified)	681
Maple [F]	683
Fricas [F]	683
Sympy [F(-1)]	684
Maxima [B] (verification not implemented)	684
Giac [F]	685
Mupad [F(-1)]	686
Reduce [F]	686

Optimal result

Integrand size = 32, antiderivative size = 550

$$\begin{aligned}
& \int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \\
&= -\frac{n(a+bx)\log(a+bx)}{bg} + \frac{n(c+dx)\log(c+dx)}{dg} \\
&+ \frac{x(n\log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n\log(c+dx))}{g} \\
&- \frac{\sqrt{f}\operatorname{arctanh}\left(\frac{\sqrt{gx}}{\sqrt{f}}\right)(n\log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n\log(c+dx))}{g^{3/2}} \\
&- \frac{\sqrt{fn}\log(a+bx)\log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{b\sqrt{f}+a\sqrt{g}}\right)}{2g^{3/2}} + \frac{\sqrt{fn}\log(c+dx)\log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{d\sqrt{f}+c\sqrt{g}}\right)}{2g^{3/2}} \\
&+ \frac{\sqrt{fn}\log(a+bx)\log\left(\frac{b(\sqrt{f}+\sqrt{gx})}{b\sqrt{f}-a\sqrt{g}}\right)}{2g^{3/2}} - \frac{\sqrt{fn}\log(c+dx)\log\left(\frac{d(\sqrt{f}+\sqrt{gx})}{d\sqrt{f}-c\sqrt{g}}\right)}{2g^{3/2}} \\
&+ \frac{\sqrt{fn}\operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2g^{3/2}} - \frac{\sqrt{fn}\operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}}\right)}{2g^{3/2}} \\
&- \frac{\sqrt{fn}\operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2g^{3/2}} + \frac{\sqrt{fn}\operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}}\right)}{2g^{3/2}}
\end{aligned}$$

output

```

-n*(b*x+a)*ln(b*x+a)/b/g+n*(d*x+c)*ln(d*x+c)/d/g+x*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/g-f^(1/2)*arctanh(g^(1/2)*x/f^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/g^(3/2)-1/2*f^(1/2)*n*ln(b*x+a)*ln(b*(f^(1/2)-g^(1/2)*x)/(b*f^(1/2)+a*g^(1/2)))/g^(3/2)+1/2*f^(1/2)*n*ln(d*x+c)*ln(d*(f^(1/2)-g^(1/2)*x)/(d*f^(1/2)+c*g^(1/2)))/g^(3/2)+1/2*f^(1/2)*n*ln(b*x+a)*ln(b*(f^(1/2)+g^(1/2)*x)/(b*f^(1/2)-a*g^(1/2)))/g^(3/2)-1/2*f^(1/2)*n*ln(d*x+c)*ln(d*(f^(1/2)+g^(1/2)*x)/(d*f^(1/2)-c*g^(1/2)))/g^(3/2)+1/2*f^(1/2)*n*polylog(2,-g^(1/2)*(b*x+a)/(b*f^(1/2)-a*g^(1/2)))/g^(3/2)-1/2*f^(1/2)*n*polylog(2,g^(1/2)*(b*x+a)/(b*f^(1/2)+a*g^(1/2)))/g^(3/2)-1/2*f^(1/2)*n*polylog(2,-g^(1/2)*(d*x+c)/(d*f^(1/2)-c*g^(1/2)))/g^(3/2)+1/2*f^(1/2)*n*polylog(2,g^(1/2)*(d*x+c)/(d*f^(1/2)+c*g^(1/2)))/g^(3/2)

```

Mathematica [A] (verified)

Time = 0.34 (sec) , antiderivative size = 467, normalized size of antiderivative = 0.85

$$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

$$= \frac{-2\sqrt{g(a+bx)} \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{b} + \frac{2(bc-ad)\sqrt{gn} \log(c+dx)}{bd} - \sqrt{f} \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(\sqrt{f} - \sqrt{g}x) + \sqrt{f} \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)$$

input

```
Integrate[(x^2*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]
```

output

```

((-2*Sqrt[g]*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + (2*(b*c - a*d)*Sqrt[g]*n*Log[c + d*x])/(b*d) - Sqrt[f]*Log[e*((a + b*x)/(c + d*x))^n]*Log[Sqrt[f] - Sqrt[g]*x] + Sqrt[f]*Log[e*((a + b*x)/(c + d*x))^n]*Log[Sqrt[f] + Sqrt[g]*x] + Sqrt[f]*n*((Log[(Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])] - Log[(Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])])*Log[Sqrt[f] - Sqrt[g]*x] + PolyLog[2, (b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])] - PolyLog[2, (d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])]) - Sqrt[f]*n*((Log[-((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g])]) - Log[-((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g])])])*Log[Sqrt[f] + Sqrt[g]*x] + PolyLog[2, (b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])] - PolyLog[2, (d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*g^(3/2))

```

Rubi [A] (verified)

Time = 1.58 (sec) , antiderivative size = 523, normalized size of antiderivative = 0.95, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {2993, 262, 221, 2863, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^2 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f-gx^2} dx \\
 & \quad \downarrow \text{2993} \\
 & - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x^2}{f-gx^2} dx \right) + \\
 & \quad n \int \frac{x^2 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^2 \log(c+dx)}{f-gx^2} dx \\
 & \quad \downarrow \text{262} \\
 & - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{f \int \frac{1}{f-gx^2} dx}{g} - \frac{x}{g} \right) \right) + \\
 & \quad n \int \frac{x^2 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^2 \log(c+dx)}{f-gx^2} dx \\
 & \quad \downarrow \text{221} \\
 & \quad n \int \frac{x^2 \log(a+bx)}{f-gx^2} dx - n \int \frac{x^2 \log(c+dx)}{f-gx^2} dx - \\
 & \left(\left(\frac{\sqrt{f} \operatorname{arctanh} \left(\frac{\sqrt{gx}}{\sqrt{f}} \right)}{g^{3/2}} - \frac{x}{g} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right) \\
 & \quad \downarrow \text{2863} \\
 & n \int \left(\frac{f \log(a+bx)}{g(f-gx^2)} - \frac{\log(a+bx)}{g} \right) dx - n \int \left(\frac{f \log(c+dx)}{g(f-gx^2)} - \frac{\log(c+dx)}{g} \right) dx - \\
 & \left(\left(\frac{\sqrt{f} \operatorname{arctanh} \left(\frac{\sqrt{gx}}{\sqrt{f}} \right)}{g^{3/2}} - \frac{x}{g} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right) \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\begin{aligned}
& - \left(\left(\frac{\sqrt{f} \operatorname{arctanh}\left(\frac{\sqrt{g}x}{\sqrt{f}}\right)}{g^{3/2}} - \frac{x}{g} \right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n \log(a+bx) - n \log(c+dx) \right) \right) + \\
& n \left(\frac{\sqrt{f} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2g^{3/2}} - \frac{\sqrt{f} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{\sqrt{g}a+b\sqrt{f}}\right)}{2g^{3/2}} - \frac{\sqrt{f} \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{g}x)}{a\sqrt{g}+b\sqrt{f}}\right)}{2g^{3/2}} + \frac{\sqrt{f} \log(a+bx)}{2g^{3/2}} \right) \\
& n \left(\frac{\sqrt{f} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2g^{3/2}} - \frac{\sqrt{f} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{\sqrt{g}c+d\sqrt{f}}\right)}{2g^{3/2}} - \frac{\sqrt{f} \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{g}x)}{c\sqrt{g}+d\sqrt{f}}\right)}{2g^{3/2}} + \frac{\sqrt{f} \log(c+dx)}{2g^{3/2}} \right)
\end{aligned}$$

input `Int[(x^2*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]`

output `-((-x/g) + (Sqrt[f]*ArcTanh[(Sqrt[g]*x)/Sqrt[f]])/g^(3/2))*(n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x]) + n*(x/g - ((a + b*x)*Log[a + b*x])/(b*g) - (Sqrt[f]*Log[a + b*x]*Log[(b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*g^(3/2)) + (Sqrt[f]*Log[a + b*x]*Log[(b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])])/(2*g^(3/2)) + (Sqrt[f]*PolyLog[2, -((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]))])/(2*g^(3/2)) - (Sqrt[f]*PolyLog[2, (Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*g^(3/2))) - n*(x/g - ((c + d*x)*Log[c + d*x])/(d*g) - (Sqrt[f]*Log[c + d*x]*Log[(d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])])/(2*g^(3/2)) + (Sqrt[f]*Log[c + d*x]*Log[(d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*g^(3/2)) + (Sqrt[f]*PolyLog[2, -((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))])/(2*g^(3/2)) - (Sqrt[f]*PolyLog[2, (Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])])/(2*g^(3/2)))`

Defintions of rubi rules used

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 262 `Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[c*(c*x)^(m-1)*((a + b*x^2)^(p+1)/(b*(m+2*p+1))), x] - Simp[a*c^2*((m-1)/(b*(m+2*p+1)) Int[(c*x)^(m-2)*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, p}, x] && GtQ[m, 2-1] && NeQ[m+2*p+1, 0] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2863 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((h_.)*(x_))^(m_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]`

rule 2993 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegerQ[m, n]]`

Maple [F]

$$\int \frac{x^2 \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{-gx^2 + f} dx$$

input `int(x^2*ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output `int(x^2*ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

Fricas [F]

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x^2 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input `integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-x^2*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \text{Timed out}$$

input `integrate(x**2*ln(e*((b*x+a)/(d*x+c))**n)/(-g*x**2+f),x)`

output `Timed out`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1047 vs. $2(438) = 876$.

Time = 0.22 (sec) , antiderivative size = 1047, normalized size of antiderivative = 1.90

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \text{Too large to display}$$

input `integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="maxima")`

output

```

-1/2*(2*b*c*(c^2/((b*c*d^3 - a*d^4)*g*x + (b*c^2*d^2 - a*c*d^3)*g) + a^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g) + (b*c^2 - 2*a*c*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g))*d - 2*(c^3/((b*c*d^4 - a*d^5)*g*x + (b*c^2*d^3 - a*c*d^4)*g) + a^3*log(b*x + a)/((b^4*c^2 - 2*a*b^3*c*d + a^2*b^2*d^2)*g) + (2*b*c^3 - 3*a*c^2*d)*log(d*x + c)/((b^2*c^2*d^3 - 2*a*b*c*d^4 + a^2*d^5)*g) - x/(b*d^2*g))*b*d^2 + 2*a*(c^2/((b*c*d^3 - a*d^4)*g*x + (b*c^2*d^2 - a*c*d^3)*g) + a^2*log(b*x + a)/((b^3*c^2 - 2*a*b^2*c*d + a^2*b*d^2)*g) + (b*c^2 - 2*a*c*d)*log(d*x + c)/((b^2*c^2*d^2 - 2*a*b*c*d^3 + a^2*d^4)*g))*d^2 - 2*a*c*d*(c/((b*c*d^2 - a*d^3)*g*x + (b*c^2*d - a*c*d^2)*g) + a*log(b*x + a)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g) - a*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*g)) - 2*b*d*(a^2*log(b*x + a)/((b^3*c - a*b^2*d)*g) - c^2*log(d*x + c)/((b*c*d^2 - a*d^3)*g) + x/(b*d*g)) + 2*b*c*(a*log(b*x + a)/((b^2*c - a*b*d)*g) - c*log(d*x + c)/((b*c*d - a*d^2)*g)) - (log(sqrt(g)*x - sqrt(f))*log((b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g)) + 1) + dilog(-(b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g))))*sqrt(f)/g^(3/2) + (log(sqrt(g)*x + sqrt(f))*log(-(b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(f) - a*sqrt(g)) + 1) + dilog((b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(f) - a*sqrt(g))))*sqrt(f)/g^(3/2) + (log(sqrt(g)*x - sqrt(f))*log((d*sqrt(g)*x - d*sqrt(f))/(d*sqrt(f) + c*sqrt(g)) + 1) + dilog(-(d*sqrt(g)*x - d*sqrt(f))/(d*sqrt(f) + c*sqrt(g))))*sqrt(f)/g^(3/2) - (log(sq...

```

Giac [F]

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x^2 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input

```
integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="giac")
```

output

```
integrate(-x^2*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f - gx^2} dx = \int \frac{x^2 \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f - gx^2} dx$$

input `int((x^2*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2),x)`

output `int((x^2*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2), x)`

Reduce [F]

$$\int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f - gx^2} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^2}{-gx^2 + f} dx$$

input `int(x^2*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(f - g*x**2),x)`

3.78
$$\int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

Optimal result	687
Mathematica [A] (verified)	688
Rubi [A] (verified)	689
Maple [A] (verified)	691
Fricas [F]	692
Sympy [F(-1)]	692
Maxima [F]	692
Giac [F]	693
Mupad [F(-1)]	693
Reduce [F]	693

Optimal result

Integrand size = 30, antiderivative size = 403

$$\begin{aligned} & \int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx \\ &= -\frac{n \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{b\sqrt{f}+a\sqrt{g}}\right)}{2g} + \frac{n \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{d\sqrt{f}+c\sqrt{g}}\right)}{2g} \\ & \quad - \frac{n \log(a+bx) \log\left(\frac{b(\sqrt{f}+\sqrt{gx})}{b\sqrt{f}-a\sqrt{g}}\right)}{2g} + \frac{n \log(c+dx) \log\left(\frac{d(\sqrt{f}+\sqrt{gx})}{d\sqrt{f}-c\sqrt{g}}\right)}{2g} \\ & \quad + \frac{(n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx)) \log(f-gx^2)}{2g} \\ & \quad - \frac{n \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2g} - \frac{n \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}}\right)}{2g} \\ & \quad + \frac{n \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2g} + \frac{n \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}}\right)}{2g} \end{aligned}$$

output

$$\begin{aligned}
& -1/2*n*\ln(b*x+a)*\ln(b*(f^{(1/2)}-g^{(1/2)}*x)/(b*f^{(1/2)}+a*g^{(1/2)}))/g+1/2*n*1 \\
& n(d*x+c)*\ln(d*(f^{(1/2)}-g^{(1/2)}*x)/(d*f^{(1/2)}+c*g^{(1/2)}))/g-1/2*n*\ln(b*x+a) \\
& *\ln(b*(f^{(1/2)}+g^{(1/2)}*x)/(b*f^{(1/2)}-a*g^{(1/2)}))/g+1/2*n*\ln(d*x+c)*\ln(d*(f \\
& ^{(1/2)}+g^{(1/2)}*x)/(d*f^{(1/2)}-c*g^{(1/2)}))/g+1/2*(n*\ln(b*x+a)-\ln(e*((b*x+a)/ \\
& (d*x+c))^n)-n*\ln(d*x+c))*\ln(-g*x^2+f)/g-1/2*n*\text{polylog}(2,-g^{(1/2)}*(b*x+a)/(\\
& b*f^{(1/2)}-a*g^{(1/2)}))/g-1/2*n*\text{polylog}(2,g^{(1/2)}*(b*x+a)/(b*f^{(1/2)}+a*g^{(1/2)} \\
&))/g+1/2*n*\text{polylog}(2,-g^{(1/2)}*(d*x+c)/(d*f^{(1/2)}-c*g^{(1/2)}))/g+1/2*n*\text{pol} \\
& \text{ylog}(2,g^{(1/2)}*(d*x+c)/(d*f^{(1/2)}+c*g^{(1/2)}))/g
\end{aligned}$$

Mathematica [A] (verified)

Time = 0.20 (sec) , antiderivative size = 413, normalized size of antiderivative = 1.02

$$\begin{aligned}
& \int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \\
& \frac{-n \log \left(\frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}} \right) \log(\sqrt{f} - \sqrt{g}x) + \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log(\sqrt{f} - \sqrt{g}x) + n \log \left(\frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}} \right) \log(\sqrt{f} - \sqrt{g}x)}{f - gx^2}
\end{aligned}$$

input

```
Integrate[(x*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]
```

output

$$\begin{aligned}
& -1/2*(-(n*\text{Log}[(\text{Sqrt}[g]*(a + b*x))/(b*\text{Sqrt}[f] + a*\text{Sqrt}[g]])*\text{Log}[\text{Sqrt}[f] - \text{S} \\
& \text{qrt}[g]*x]) + \text{Log}[e*((a + b*x)/(c + d*x))^n]*\text{Log}[\text{Sqrt}[f] - \text{Sqrt}[g]*x] + n*\text{L} \\
& \text{og}[(\text{Sqrt}[g]*(c + d*x))/(d*\text{Sqrt}[f] + c*\text{Sqrt}[g]])*\text{Log}[\text{Sqrt}[f] - \text{Sqrt}[g]*x] - \\
& n*\text{Log}[-((\text{Sqrt}[g]*(a + b*x))/(b*\text{Sqrt}[f] - a*\text{Sqrt}[g]))]*\text{Log}[\text{Sqrt}[f] + \text{Sqrt}[\\
& g]*x] + \text{Log}[e*((a + b*x)/(c + d*x))^n]*\text{Log}[\text{Sqrt}[f] + \text{Sqrt}[g]*x] + n*\text{Log}[-(\\
& (\text{Sqrt}[g]*(c + d*x))/(d*\text{Sqrt}[f] - c*\text{Sqrt}[g]))]*\text{Log}[\text{Sqrt}[f] + \text{Sqrt}[g]*x] - n \\
& *\text{PolyLog}[2, (b*(\text{Sqrt}[f] - \text{Sqrt}[g]*x))/(b*\text{Sqrt}[f] + a*\text{Sqrt}[g])] + n*\text{PolyLog} \\
& [2, (d*(\text{Sqrt}[f] - \text{Sqrt}[g]*x))/(d*\text{Sqrt}[f] + c*\text{Sqrt}[g])] - n*\text{PolyLog}[2, (b*(\\
& \text{Sqrt}[f] + \text{Sqrt}[g]*x))/(b*\text{Sqrt}[f] - a*\text{Sqrt}[g])] + n*\text{PolyLog}[2, (d*(\text{Sqrt}[f] \\
& + \text{Sqrt}[g]*x))/(d*\text{Sqrt}[f] - c*\text{Sqrt}[g])])/g
\end{aligned}$$

Rubi [A] (verified)

Time = 1.20 (sec) , antiderivative size = 402, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2993, 240, 2863, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f - gx^2} dx \\
 & \quad \downarrow \text{2993} \\
 & - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x}{f - gx^2} dx \right) + \\
 & \quad n \int \frac{x \log(a+bx)}{f - gx^2} dx - n \int \frac{x \log(c+dx)}{f - gx^2} dx \\
 & \quad \downarrow \text{240} \\
 & \frac{n \int \frac{x \log(a+bx)}{f - gx^2} dx - n \int \frac{x \log(c+dx)}{f - gx^2} dx + \log(f - gx^2) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right)}{2g} \\
 & \quad \downarrow \text{2863} \\
 & \frac{n \int \left(\frac{\log(a+bx)}{2\sqrt{g}(\sqrt{f} - \sqrt{gx})} - \frac{\log(a+bx)}{2\sqrt{g}(\sqrt{gx} + \sqrt{f})} \right) dx - n \int \left(\frac{\log(c+dx)}{2\sqrt{g}(\sqrt{f} - \sqrt{gx})} - \frac{\log(c+dx)}{2\sqrt{g}(\sqrt{gx} + \sqrt{f})} \right) dx + \log(f - gx^2) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right)}{2g} \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\frac{\log(f - gx^2) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n \log(a + bx) - n \log(c + dx) \right)}{2g} +$$

$$n \left(\frac{\text{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2g} - \frac{\text{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{\sqrt{ga}+b\sqrt{f}}\right)}{2g} - \frac{\log(a + bx) \log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{a\sqrt{g}+b\sqrt{f}}\right)}{2g} - \frac{\log(a + bx) \log\left(\frac{b(\sqrt{f})}{b\sqrt{f}}\right)}{2g} \right.$$

$$\left. n \left(\frac{\text{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2g} - \frac{\text{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{\sqrt{gc}+d\sqrt{f}}\right)}{2g} - \frac{\log(c + dx) \log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{c\sqrt{g}+d\sqrt{f}}\right)}{2g} - \frac{\log(c + dx) \log\left(\frac{d(\sqrt{f})}{d\sqrt{f}}\right)}{2g} \right)$$

input

```
Int[(x*Log[e*((a + b*x)/(c + d*x))^n])/(f - g*x^2),x]
```

output

```
((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*Log[f - g*x^2])/(2*g) + n*(-1/2*(Log[a + b*x]*Log[(b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])])/g - (Log[a + b*x]*Log[(b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])])/g) - PolyLog[2, -((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]))]/(2*g) - PolyLog[2, (Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])]/(2*g) - n*(-1/2*(Log[c + d*x]*Log[(d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])])/g - (Log[c + d*x]*Log[(d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/g) - PolyLog[2, -((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))]/(2*g) - PolyLog[2, (Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])]/(2*g))
```

Defintions of rubi rules used

rule 240

```
Int[(x_)/((a_) + (b_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x^2, x]]/(2*b), x] /; FreeQ[{a, b}, x]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2863

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_)*((h_)*(x_)^(m_))*((f_) + (g_)*(x_)^(r_))^(q_), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x^n)]^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]
```

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[m, n]]
```

Maple [A] (verified)

Time = 2.94 (sec) , antiderivative size = 440, normalized size of antiderivative = 1.09

method	result
parts	$-\frac{\ln\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)\ln(-gx^2+f)}{2g} + \frac{n(-da+bc)}{da-bc} \left(\frac{\ln(dx+c)\ln(-gx^2+f)}{d} + \frac{2g\left(-\frac{\ln(dx+c)\left(\ln\left(\frac{d\sqrt{gf}-g(dx+c)+cg}{d\sqrt{gf}+cg}\right)+\ln\left(\frac{d\sqrt{gf}+g(dx+c)}{d\sqrt{gf}-cg}\right)\right)}{2g}\right)}{da-bc}$

input

```
int(x*ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x,method=_RETURNVERBOSE)
```

output

```
-1/2*ln(e*((b*x+a)/(d*x+c))^n)/g*ln(-g*x^2+f)+1/2/g*n*(-a*d+b*c)*((ln(d*x+c)/d*ln(-g*x^2+f)+2/d*g*(-1/2*ln(d*x+c)*(ln((d*(g*f)^(1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g))+ln((d*(g*f)^(1/2)+g*(d*x+c)-c*g)/(d*(g*f)^(1/2)-c*g)))/g-1/2*(dilog((d*(g*f)^(1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g))+dilog((d*(g*f)^(1/2)+g*(d*x+c)-c*g)/(d*(g*f)^(1/2)-c*g)))/g)*d/(a*d-b*c)-(ln(b*x+a)/b*ln(-g*x^2+f)+2/b*g*(-1/2*ln(b*x+a)*(ln((b*(g*f)^(1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g))+ln((b*(g*f)^(1/2)+g*(b*x+a)-a*g)/(b*(g*f)^(1/2)-a*g)))/g-1/2*(dilog((b*(g*f)^(1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g))+dilog((b*(g*f)^(1/2)+g*(b*x+a)-a*g)/(b*(g*f)^(1/2)-a*g)))/g)*b/(a*d-b*c)
```

Fricas [F]

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-x*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \text{Timed out}$$

input `integrate(x*ln(e*((b*x+a)/(d*x+c))**n)/(-g*x**2+f),x)`

output `Timed out`

Maxima [F]

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f - gx^2} dx = \int -\frac{x \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{gx^2 - f} dx$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="maxima")`

output `-integrate(x*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Giac [F]

$$\int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f - gx^2} dx = \int -\frac{x \log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right)}{gx^2 - f} dx$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="giac")`

output `integrate(-x*log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f - gx^2} dx = \int \frac{x \ln \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f - gx^2} dx$$

input `int((x*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2),x)`

output `int((x*log(e*((a + b*x)/(c + d*x))^n))/(f - g*x^2), x)`

Reduce [F]

$$\int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f - gx^2} dx = \int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) x}{-gx^2 + f} dx$$

input `int(x*log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(f - g*x**2),x)`

3.79
$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

Optimal result	694
Mathematica [A] (verified)	695
Rubi [A] (verified)	695
Maple [F]	697
Fricas [F]	697
Sympy [F(-1)]	698
Maxima [A] (verification not implemented)	698
Giac [F]	699
Mupad [F(-1)]	699
Reduce [F]	699

Optimal result

Integrand size = 29, antiderivative size = 291

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(d\sqrt{f}-c\sqrt{g})(a+bx)}{(b\sqrt{f}-a\sqrt{g})(c+dx)}\right)}{2\sqrt{f}\sqrt{g}} - \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(d\sqrt{f}+c\sqrt{g})(a+bx)}{(b\sqrt{f}+a\sqrt{g})(c+dx)}\right)}{2\sqrt{f}\sqrt{g}} + \frac{n \operatorname{PolyLog}\left(2, \frac{(d\sqrt{f}-c\sqrt{g})(a+bx)}{(b\sqrt{f}-a\sqrt{g})(c+dx)}\right)}{2\sqrt{f}\sqrt{g}} - \frac{n \operatorname{PolyLog}\left(2, \frac{(d\sqrt{f}+c\sqrt{g})(a+bx)}{(b\sqrt{f}+a\sqrt{g})(c+dx)}\right)}{2\sqrt{f}\sqrt{g}}$$

output

```
1/2*ln(e*((b*x+a)/(d*x+c))^n)*ln(1-(d*f^(1/2)-c*g^(1/2))*(b*x+a)/(b*f^(1/2)-a*g^(1/2))/(d*x+c))/f^(1/2)/g^(1/2)-1/2*ln(e*((b*x+a)/(d*x+c))^n)*ln(1-(d*f^(1/2)+c*g^(1/2))*(b*x+a)/(b*f^(1/2)+a*g^(1/2))/(d*x+c))/f^(1/2)/g^(1/2)+1/2*n*polylog(2,(d*f^(1/2)-c*g^(1/2))*(b*x+a)/(b*f^(1/2)-a*g^(1/2))/(d*x+c))/f^(1/2)/g^(1/2)-1/2*n*polylog(2,(d*f^(1/2)+c*g^(1/2))*(b*x+a)/(b*f^(1/2)+a*g^(1/2))/(d*x+c))/f^(1/2)/g^(1/2)
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 421, normalized size of antiderivative = 1.45

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

$$= \frac{n \log\left(\frac{\sqrt{g}(a+bx)}{b\sqrt{f+a\sqrt{g}}}\right) \log(\sqrt{f}-\sqrt{g}x) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(\sqrt{f}-\sqrt{g}x) - n \log\left(\frac{\sqrt{g}(c+dx)}{d\sqrt{f+c\sqrt{g}}}\right) \log(\sqrt{f}-\sqrt{g}x)}{1}$$

input `Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(f - g*x^2),x]`

output `(n*Log[(Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])]*Log[Sqrt[f] - Sqrt[g]*x] - Log[e*((a + b*x)/(c + d*x))^n]*Log[Sqrt[f] - Sqrt[g]*x] - n*Log[(Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])]*Log[Sqrt[f] - Sqrt[g]*x] - n*Log[-((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]))]*Log[Sqrt[f] + Sqrt[g]*x] + Log[e*((a + b*x)/(c + d*x))^n]*Log[Sqrt[f] + Sqrt[g]*x] + n*Log[-((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))]*Log[Sqrt[f] + Sqrt[g]*x] + n*PolyLog[2, (b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])] - n*PolyLog[2, (d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])] - n*PolyLog[2, (b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])] + n*PolyLog[2, (d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*Sqrt[f]*Sqrt[g])`

Rubi [A] (verified)

Time = 1.01 (sec) , antiderivative size = 340, normalized size of antiderivative = 1.17, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$, Rules used = {2976, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

↓ 2976

$$\begin{aligned}
 & (bc - ad) \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{-ga^2 + b^2f - \frac{2(bdf-acg)(a+bx)}{c+dx} + \frac{(d^2f-c^2g)(a+bx)^2}{(c+dx)^2}} d\frac{a+bx}{c+dx} \\
 & \quad \downarrow \text{2804} \\
 & ad \int \left(\frac{(bc - (d^2f - c^2g) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right))}{(bc - ad)\sqrt{f}\sqrt{g}(-2\sqrt{f}\sqrt{g}(bc - ad) + 2bdf - 2acg - \frac{2(d^2f-c^2g)(a+bx)}{c+dx})} + \frac{(d^2f - c^2g)}{(bc - ad)\sqrt{f}\sqrt{g}(-2\sqrt{f}\sqrt{g}(bc - ad) + 2bdf - 2acg - \frac{2(d^2f-c^2g)(a+bx)}{c+dx})} \right) \\
 & \quad \downarrow \text{2009} \\
 & ad \left(\frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(a+bx)(d\sqrt{f}-c\sqrt{g})}{(c+dx)(b\sqrt{f}-a\sqrt{g})}\right)}{2\sqrt{f}\sqrt{g}(bc - ad)} - \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{(a+bx)(c\sqrt{g}+d\sqrt{f})}{(c+dx)(a\sqrt{g}+b\sqrt{f})}\right)}{2\sqrt{f}\sqrt{g}(bc - ad)} + \frac{n \operatorname{PolyLog}\left(2, \frac{(d\sqrt{f}-c\sqrt{g})(a+bx)}{(b\sqrt{f}-a\sqrt{g})(c+dx)}\right)}{2\sqrt{f}\sqrt{g}(bc - ad)} \right)
 \end{aligned}$$

input `Int[Log[e*((a + b*x)/(c + d*x))^n]/(f - g*x^2),x]`

output `(b*c - a*d)*((Log[e*((a + b*x)/(c + d*x))^n]*Log[1 - ((d*Sqrt[f] - c*Sqrt[g])*(a + b*x))/((b*Sqrt[f] - a*Sqrt[g])*(c + d*x))])/(2*(b*c - a*d)*Sqrt[f]*Sqrt[g]) - (Log[e*((a + b*x)/(c + d*x))^n]*Log[1 - ((d*Sqrt[f] + c*Sqrt[g])*(a + b*x))/((b*Sqrt[f] + a*Sqrt[g])*(c + d*x))])/(2*(b*c - a*d)*Sqrt[f]*Sqrt[g]) + (n*PolyLog[2, ((d*Sqrt[f] - c*Sqrt[g])*(a + b*x))/((b*Sqrt[f] - a*Sqrt[g])*(c + d*x))])/(2*(b*c - a*d)*Sqrt[f]*Sqrt[g]) - (n*PolyLog[2, ((d*Sqrt[f] + c*Sqrt[g])*(a + b*x))/((b*Sqrt[f] + a*Sqrt[g])*(c + d*x))])/(2*(b*c - a*d)*Sqrt[f]*Sqrt[g]))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2804 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^p_.*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]`

rule 2976

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(
B_.)^(p_.)*(P2x_)^(m_.), x_Symbol] :> With[{f = Coeff[P2x, x, 0], g = Coef
f[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f -
a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^
2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/
(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] &
& NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]
```

Maple [F]

$$\int \frac{\ln\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{-gx^2+f} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

Fricas [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{f-gx^2} dx = \int -\frac{\log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{gx^2-f} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{f-gx^2} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/(-g*x**2+f),x)`

output Timed out

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 349, normalized size of antiderivative = 1.20

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{f-gx^2} dx$$

$$= \frac{\left(\log(\sqrt{g}x - \sqrt{f}) \log\left(\frac{b\sqrt{g}x - b\sqrt{f}}{b\sqrt{f} + a\sqrt{g}} + 1\right) - \log(\sqrt{g}x + \sqrt{f}) \log\left(-\frac{b\sqrt{g}x + b\sqrt{f}}{b\sqrt{f} - a\sqrt{g}} + 1\right) - \log(\sqrt{g}x - \sqrt{f}) \log\left(\frac{b\sqrt{g}x + b\sqrt{f}}{b\sqrt{f} - a\sqrt{g}} + 1\right) - \log(\sqrt{g}x + \sqrt{f}) \log\left(\frac{b\sqrt{g}x - b\sqrt{f}}{b\sqrt{f} + a\sqrt{g}} + 1\right)\right)}{2\sqrt{fg}}$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="maxima")`

output `1/2*(log(sqrt(g)*x - sqrt(f))*log((b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g)) + 1) - log(sqrt(g)*x + sqrt(f))*log(-(b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(f) - a*sqrt(g)) + 1) - log(sqrt(g)*x - sqrt(f))*log((d*sqrt(g)*x - d*sqrt(f))/(d*sqrt(f) + c*sqrt(g)) + 1) + log(sqrt(g)*x + sqrt(f))*log(-(d*sqrt(g)*x + d*sqrt(f))/(d*sqrt(f) - c*sqrt(g)) + 1) + dilog(-(b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g))) - dilog((b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(f) - a*sqrt(g))) - dilog(-(d*sqrt(g)*x - d*sqrt(f))/(d*sqrt(f) + c*sqrt(g))) + dilog((d*sqrt(g)*x + d*sqrt(f))/(d*sqrt(f) - c*sqrt(g))))*n/sqrt(f*g) - 1/2*log(e*((b*x + a)/(d*x + c))^n)*log((g*x - sqrt(f*g))/(g*x + sqrt(f*g)))/sqrt(f*g)`

Giac [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \int -\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{gx^2-f} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x, algorithm="giac")`

output `integrate(-log(e*((b*x + a)/(d*x + c))^n)/(g*x^2 - f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx$$

input `int(log(e*((a + b*x)/(c + d*x))^n)/(f - g*x^2),x)`

output `int(log(e*((a + b*x)/(c + d*x))^n)/(f - g*x^2), x)`

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f-gx^2} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{-gx^2+f} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)/(-g*x^2+f),x)`

output `int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f - g*x**2),x)`

$$3.80 \quad \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx$$

Optimal result	701
Mathematica [A] (verified)	702
Rubi [A] (verified)	702
Maple [A] (verified)	705
Fricas [F]	707
Sympy [F(-1)]	707
Maxima [F]	707
Giac [F]	708
Mupad [F(-1)]	708
Reduce [F]	708

Optimal result

Integrand size = 32, antiderivative size = 518

$$\int \frac{\log\left(e^{\frac{a+bx}{c+dx}}\right)^n}{x(f-gx^2)} dx = \frac{n \log\left(-\frac{bx}{a}\right) \log(a+bx)}{f} - \frac{n \log\left(-\frac{dx}{c}\right) \log(c+dx)}{f}$$

$$- \frac{\log(x) \left(n \log(a+bx) - \log\left(e^{\frac{a+bx}{c+dx}}\right)^n - n \log(c+dx) \right)}{f}$$

$$- \frac{n \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{b\sqrt{f}+a\sqrt{g}}\right)}{2f}$$

$$+ \frac{n \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{d\sqrt{f}+c\sqrt{g}}\right)}{2f}$$

$$- \frac{n \log(a+bx) \log\left(\frac{b(\sqrt{f}+\sqrt{gx})}{b\sqrt{f}-a\sqrt{g}}\right)}{2f}$$

$$+ \frac{n \log(c+dx) \log\left(\frac{d(\sqrt{f}+\sqrt{gx})}{d\sqrt{f}-c\sqrt{g}}\right)}{2f}$$

$$+ \frac{\left(n \log(a+bx) - \log\left(e^{\frac{a+bx}{c+dx}}\right)^n - n \log(c+dx) \right) \log(f-gx^2)}{2f}$$

$$- \frac{n \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2f} - \frac{n \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}}\right)}{2f}$$

$$+ \frac{n \operatorname{PolyLog}\left(2, 1 + \frac{bx}{a}\right)}{f} + \frac{n \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2f}$$

$$+ \frac{n \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}}\right)}{2f} - \frac{n \operatorname{PolyLog}\left(2, 1 + \frac{dx}{c}\right)}{f}$$

output

```
n*ln(-b*x/a)*ln(b*x+a)/f-n*ln(-d*x/c)*ln(d*x+c)/f-ln(x)*(n*ln(b*x+a)-ln(e*
((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/f-1/2*n*ln(b*x+a)*ln(b*(f^(1/2)-g^(1/2)*
x)/(b*f^(1/2)+a*g^(1/2)))/f+1/2*n*ln(d*x+c)*ln(d*(f^(1/2)-g^(1/2)*x)/(d*f^(
1/2)+c*g^(1/2)))/f-1/2*n*ln(b*x+a)*ln(b*(f^(1/2)+g^(1/2)*x)/(b*f^(1/2)-a*
g^(1/2)))/f+1/2*n*ln(d*x+c)*ln(d*(f^(1/2)+g^(1/2)*x)/(d*f^(1/2)-c*g^(1/2))
)/f+1/2*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))*ln(-g*x^2+f)/f
-1/2*n*polylog(2,-g^(1/2)*(b*x+a)/(b*f^(1/2)-a*g^(1/2)))/f-1/2*n*polylog(2
,g^(1/2)*(b*x+a)/(b*f^(1/2)+a*g^(1/2)))/f+n*polylog(2,1+b*x/a)/f+1/2*n*pol
ylog(2,-g^(1/2)*(d*x+c)/(d*f^(1/2)-c*g^(1/2)))/f+1/2*n*polylog(2,g^(1/2)*(
d*x+c)/(d*f^(1/2)+c*g^(1/2)))/f-n*polylog(2,1+d*x/c)/f
```

Mathematica [A] (verified)

Time = 0.28 (sec) , antiderivative size = 487, normalized size of antiderivative = 0.94

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f-gx^2)} dx =$$

$$2n \log(x) \log\left(1 + \frac{bx}{a}\right) - 2 \log(x) \log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) - 2n \log(x) \log\left(1 + \frac{dx}{c}\right) - n \log\left(\frac{\sqrt{g}(a+bx)}{b\sqrt{f+a\sqrt{g}}}\right) \log(\sqrt{f} -$$

input

```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(x*(f - g*x^2)),x]
```

output

```
-1/2*(2*n*Log[x]*Log[1 + (b*x)/a] - 2*Log[x]*Log[e*((a + b*x)/(c + d*x))^n]
] - 2*n*Log[x]*Log[1 + (d*x)/c] - n*Log[(Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a
*Sqrt[g])]*Log[Sqrt[f] - Sqrt[g]*x] + Log[e*((a + b*x)/(c + d*x))^n]*Log[S
qrt[f] - Sqrt[g]*x] + n*Log[(Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])]*L
og[Sqrt[f] - Sqrt[g]*x] - n*Log[-((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[
g]))]*Log[Sqrt[f] + Sqrt[g]*x] + Log[e*((a + b*x)/(c + d*x))^n]*Log[Sqrt[f
] + Sqrt[g]*x] + n*Log[-((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))]*Log
[Sqrt[f] + Sqrt[g]*x] + 2*n*PolyLog[2, -((b*x)/a)] - 2*n*PolyLog[2, -((d*x
)/c)] - n*PolyLog[2, (b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])] +
n*PolyLog[2, (d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])] - n*PolyLo
g[2, (b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])] + n*PolyLog[2, (d*
(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])]/f
```

Rubi [A] (verified)

Time = 1.63 (sec) , antiderivative size = 477, normalized size of antiderivative = 0.92, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {2993, 243, 47, 14, 16, 2863, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f-gx^2)} dx$$

↓ 2993

$$\begin{aligned}
& - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{1}{x(f-gx^2)} dx \right) + \\
& \quad n \int \frac{\log(a+bx)}{x(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x(f-gx^2)} dx \\
& \quad \downarrow 243 \\
& -\frac{1}{2} \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{1}{x^2(f-gx^2)} dx^2 + \\
& \quad n \int \frac{\log(a+bx)}{x(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x(f-gx^2)} dx \\
& \quad \downarrow 47 \\
& -\frac{1}{2} \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{g \int \frac{1}{f-gx^2} dx^2}{f} + \frac{\int \frac{1}{x^2} dx^2}{f} \right) + \\
& \quad n \int \frac{\log(a+bx)}{x(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x(f-gx^2)} dx \\
& \quad \downarrow 14 \\
& -\frac{1}{2} \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{g \int \frac{1}{f-gx^2} dx^2}{f} + \frac{\log(x^2)}{f} \right) + \\
& \quad n \int \frac{\log(a+bx)}{x(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x(f-gx^2)} dx \\
& \quad \downarrow 16 \\
& \quad n \int \frac{\log(a+bx)}{x(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x(f-gx^2)} dx - \\
& \frac{1}{2} \left(\frac{\log(x^2)}{f} - \frac{\log(f-gx^2)}{f} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \\
& \quad \downarrow 2863 \\
& n \int \left(\frac{\log(a+bx)}{fx} - \frac{gx \log(a+bx)}{f(gx^2-f)} \right) dx - n \int \left(\frac{\log(c+dx)}{fx} - \frac{gx \log(c+dx)}{f(gx^2-f)} \right) dx - \\
& \frac{1}{2} \left(\frac{\log(x^2)}{f} - \frac{\log(f-gx^2)}{f} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \\
& \quad \downarrow 2009
\end{aligned}$$

$$\begin{aligned}
& -\frac{1}{2} \left(\frac{\log(x^2)}{f} - \frac{\log(f - gx^2)}{f} \right) \left(-\log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) + n \log(a + bx) - n \log(c + dx) \right) + \\
& n \left(-\frac{\text{PolyLog} \left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}} \right)}{2f} - \frac{\text{PolyLog} \left(2, \frac{\sqrt{g}(a+bx)}{\sqrt{g}a+b\sqrt{f}} \right)}{2f} - \frac{\log(a + bx) \log \left(\frac{b(\sqrt{f}-\sqrt{g}x)}{a\sqrt{g}+b\sqrt{f}} \right)}{2f} - \frac{\log(a + bx) \log \left(\frac{b(\sqrt{f}}{b\sqrt{f}} \right)}{2f} \right. \\
& \left. - \frac{\text{PolyLog} \left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}} \right)}{2f} - \frac{\text{PolyLog} \left(2, \frac{\sqrt{g}(c+dx)}{\sqrt{g}c+d\sqrt{f}} \right)}{2f} - \frac{\log(c + dx) \log \left(\frac{d(\sqrt{f}-\sqrt{g}x)}{c\sqrt{g}+d\sqrt{f}} \right)}{2f} - \frac{\log(c + dx) \log \left(\frac{d(\sqrt{f}}{d\sqrt{f}} \right)}{2f} \right)
\end{aligned}$$

input

```
Int[Log[e*((a + b*x)/(c + d*x))^n]/(x*(f - g*x^2)),x]
```

output

```
-1/2*((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(
Log[x^2]/f - Log[f - g*x^2]/f)) + n*((Log[-((b*x)/a)]*Log[a + b*x])/f - (L
og[a + b*x]*Log[(b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*f)
- (Log[a + b*x]*Log[(b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])])/(2
*f) - PolyLog[2, -((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]))]/(2*f) - P
olyLog[2, (Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])]/(2*f) + PolyLog[2,
1 + (b*x)/a]/f) - n*((Log[-((d*x)/c)]*Log[c + d*x])/f - (Log[c + d*x]*Log[
(d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])])/(2*f) - (Log[c + d*x]*
Log[(d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*f) - PolyLog[2,
-((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))]/(2*f) - PolyLog[2, (Sqrt[
g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])]/(2*f) + PolyLog[2, 1 + (d*x)/c]/f)
```

Defintions of rubi rules used

rule 14

```
Int[(a_.)/(x_), x_Symbol] := Simp[a*Log[x], x] /; FreeQ[a, x]
```

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a +
b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

rule 47

```
Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Simp[b/(b*c
- a*d) Int[1/(a + b*x), x], x] - Simp[d/(b*c - a*d) Int[1/(c + d*x), x
], x] /; FreeQ[{a, b, c, d}, x]
```

rule 243 `Int[(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, m, p}, x] && IntegerQ[(m - 1)/2]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2863 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_)*((h_)*(x_)^(m_)*((f_) + (g_)*(x_)^(r_))^(q_)), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]`

rule 2993 `Int[Log[(e_)*((f_)*((a_) + (b_)*(x_)^(p_))*((c_) + (d_)*(x_)^(q_))^(r_)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_)*(a + b*x)^(m_)*(c + d*x)^(n_)] /; IntegersQ[m, n]`

Maple [A] (verified)

Time = 2.01 (sec) , antiderivative size = 567, normalized size of antiderivative = 1.09

method	result
	$\left(\frac{\ln(dx+c) \ln(-g x^2+f)}{d} + \frac{2g}{(da-bc)} \left(\frac{\ln(dx+c) \left(\ln\left(\frac{d\sqrt{gf}-g(dx+c)}{d\sqrt{gf}+cg}\right) \right)}{d} \right) \right)$
parts	$\frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) \ln(x)}{f} - \frac{\ln\left(e\left(\frac{bx+a}{dx+c}\right)^n\right) \ln(-g x^2+f)}{2f} - \left(\frac{\ln(dx+c) \ln(-g x^2+f)}{d} + \frac{2g}{(da-bc)} \left(\frac{\ln(dx+c) \left(\ln\left(\frac{d\sqrt{gf}-g(dx+c)}{d\sqrt{gf}+cg}\right) \right)}{d} \right) \right)$

input

```
int(ln(e*((b*x+a)/(d*x+c))^n)/x/(-g*x^2+f), x, method=_RETURNVERBOSE)
```

output

```
ln(e*((b*x+a)/(d*x+c))^n)/f*ln(x)-1/2*ln(e*((b*x+a)/(d*x+c))^n)/f*ln(-g*x^2+f)-1/2*n*((a*d-b*c)/f*((ln(d*x+c)/d*ln(-g*x^2+f)+2/d*g*(-1/2*ln(d*x+c)*(ln((d*(g*f)^(1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g))+ln((d*(g*f)^(1/2)+g*(d*x+c)-c*g)/(d*(g*f)^(1/2)-c*g)))/g-1/2*(dilog((d*(g*f)^(1/2)-g*(d*x+c)+c*g)/(d*(g*f)^(1/2)+c*g))+dilog((d*(g*f)^(1/2)+g*(d*x+c)-c*g)/(d*(g*f)^(1/2)-c*g)))/g))*d/(a*d-b*c)-(ln(b*x+a)/b*ln(-g*x^2+f)+2/b*g*(-1/2*ln(b*x+a)*(ln((b*(g*f)^(1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g))+ln((b*(g*f)^(1/2)+g*(b*x+a)-a*g)/(b*(g*f)^(1/2)-a*g)))/g-1/2*(dilog((b*(g*f)^(1/2)-g*(b*x+a)+a*g)/(b*(g*f)^(1/2)+a*g))+dilog((b*(g*f)^(1/2)+g*(b*x+a)-a*g)/(b*(g*f)^(1/2)-a*g)))/g))*b/(a*d-b*c))-2*(a*d-b*c)/f*((dilog((d*x+c)/c)/d+ln(x)*ln((d*x+c)/c)/d)*d/(a*d-b*c)-(dilog((b*x+a)/a)/b+ln(x)*ln((b*x+a)/a)/b)*b/(a*d-b*c)))
```

Fricas [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \int -\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(gx^2-f)x} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-log(e*((b*x + a)/(d*x + c))^n)/(g*x^3 - f*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/x/(-g*x**2+f),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \int -\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(gx^2-f)x} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x/(-g*x^2+f),x, algorithm="maxima")`

output `-integrate(log(e*((b*x + a)/(d*x + c))^n)/((g*x^2 - f)*x), x)`

Giac [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \int -\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(gx^2-f)x} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x/(-g*x^2+f),x, algorithm="giac")`

output `integrate(-log(e*((b*x + a)/(d*x + c))^n)/((g*x^2 - f)*x), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx$$

input `int(log(e*((a + b*x)/(c + d*x))^n)/(x*(f - g*x^2)),x)`

output `int(log(e*((a + b*x)/(c + d*x))^n)/(x*(f - g*x^2)), x)`

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f-gx^2)} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{-gx^3 + fx} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)/x/(-g*x^2+f),x)`

output `int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x - g*x**3),x)`

3.81
$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx$$

Optimal result	709
Mathematica [A] (verified)	710
Rubi [A] (verified)	711
Maple [F]	713
Fricas [F]	713
Sympy [F(-1)]	714
Maxima [B] (verification not implemented)	714
Giac [F]	715
Mupad [F(-1)]	716
Reduce [F]	716

Optimal result

Integrand size = 32, antiderivative size = 596

$$\begin{aligned} & \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx \\ &= \frac{bn \log(x)}{af} - \frac{dn \log(x)}{cf} - \frac{bn \log(a+bx)}{af} - \frac{n \log(a+bx)}{fx} + \frac{dn \log(c+dx)}{cf} \\ &+ \frac{n \log(c+dx)}{fx} + \frac{n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx)}{fx} \\ &- \frac{\sqrt{g} \operatorname{arctanh}\left(\frac{\sqrt{gx}}{\sqrt{f}}\right) (n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx))}{f^{3/2}} \\ &- \frac{\sqrt{gn} \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{gx})}{b\sqrt{f}+a\sqrt{g}}\right)}{2f^{3/2}} + \frac{\sqrt{gn} \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{gx})}{d\sqrt{f}+c\sqrt{g}}\right)}{2f^{3/2}} \\ &+ \frac{\sqrt{gn} \log(a+bx) \log\left(\frac{b(\sqrt{f}+\sqrt{gx})}{b\sqrt{f}-a\sqrt{g}}\right)}{2f^{3/2}} - \frac{\sqrt{gn} \log(c+dx) \log\left(\frac{d(\sqrt{f}+\sqrt{gx})}{d\sqrt{f}-c\sqrt{g}}\right)}{2f^{3/2}} \\ &+ \frac{\sqrt{gn} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2f^{3/2}} - \frac{\sqrt{gn} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{b\sqrt{f}+a\sqrt{g}}\right)}{2f^{3/2}} \\ &- \frac{\sqrt{gn} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2f^{3/2}} + \frac{\sqrt{gn} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{d\sqrt{f}+c\sqrt{g}}\right)}{2f^{3/2}} \end{aligned}$$

output

```

b*n*ln(x)/a/f-d*n*ln(x)/c/f-b*n*ln(b*x+a)/a/f-n*ln(b*x+a)/f/x+d*n*ln(d*x+c)
)/c/f+n*ln(d*x+c)/f/x+(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/
f/x-g^(1/2)*arctanh(g^(1/2)*x/f^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))
)^n)-n*ln(d*x+c))/f^(3/2)-1/2*g^(1/2)*n*ln(b*x+a)*ln(b*(f^(1/2)-g^(1/2)*x)/
(b*f^(1/2)+a*g^(1/2)))/f^(3/2)+1/2*g^(1/2)*n*ln(d*x+c)*ln(d*(f^(1/2)-g^(1/
2)*x)/(d*f^(1/2)+c*g^(1/2)))/f^(3/2)+1/2*g^(1/2)*n*ln(b*x+a)*ln(b*(f^(1/2)
+g^(1/2)*x)/(b*f^(1/2)-a*g^(1/2)))/f^(3/2)-1/2*g^(1/2)*n*ln(d*x+c)*ln(d*(f
^(1/2)+g^(1/2)*x)/(d*f^(1/2)-c*g^(1/2)))/f^(3/2)+1/2*g^(1/2)*n*polylog(2,-
g^(1/2)*(b*x+a)/(b*f^(1/2)-a*g^(1/2)))/f^(3/2)-1/2*g^(1/2)*n*polylog(2,g^(
1/2)*(b*x+a)/(b*f^(1/2)+a*g^(1/2)))/f^(3/2)-1/2*g^(1/2)*n*polylog(2,-g^(1/
2)*(d*x+c)/(d*f^(1/2)-c*g^(1/2)))/f^(3/2)+1/2*g^(1/2)*n*polylog(2,g^(1/2)*
(d*x+c)/(d*f^(1/2)+c*g^(1/2)))/f^(3/2)

```

Mathematica [A] (verified)

Time = 0.45 (sec) , antiderivative size = 479, normalized size of antiderivative = 0.80

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx$$

$$= \frac{-\frac{2\sqrt{f}\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x} + \frac{2\sqrt{f}n((bc-ad)\log(x)-bc\log(a+bx)+ad\log(c+dx))}{ac} - \sqrt{g}\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\log(\sqrt{f}-\sqrt{g}x) + \sqrt{g}}{x^2(f-gx^2)}$$

input

```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(x^2*(f - g*x^2)),x]
```

output

```

((-2*Sqrt[f]*Log[e*((a + b*x)/(c + d*x))^n])/x + (2*Sqrt[f]*n*((b*c - a*d)
*Log[x] - b*c*Log[a + b*x] + a*d*Log[c + d*x]))/(a*c) - Sqrt[g]*Log[e*((a
+ b*x)/(c + d*x))^n]*Log[Sqrt[f] - Sqrt[g]*x] + Sqrt[g]*Log[e*((a + b*x)/(
c + d*x))^n]*Log[Sqrt[f] + Sqrt[g]*x] + Sqrt[g]*n*((Log[(Sqrt[g]*(a + b*x)
)/(b*Sqrt[f] + a*Sqrt[g])] - Log[(Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g]
)])*Log[Sqrt[f] - Sqrt[g]*x] + PolyLog[2, (b*(Sqrt[f] - Sqrt[g]*x))/(b*Sq
rt[f] + a*Sqrt[g])] - PolyLog[2, (d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*
Sqrt[g])]) - Sqrt[g]*n*((Log[-((Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g]
))] - Log[-((Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g]))])*Log[Sqrt[f] + Sq
rt[g]*x] + PolyLog[2, (b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])] -
PolyLog[2, (d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])))/(2*f^(3/2)
))

```

Rubi [A] (verified)

Time = 1.65 (sec) , antiderivative size = 555, normalized size of antiderivative = 0.93, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$, Rules used = {2993, 264, 221, 2863, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx \\
 & \quad \downarrow \text{2993} \\
 & -\left(\left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx)\right) \int \frac{1}{x^2(f-gx^2)} dx\right) + \\
 & \quad n \int \frac{\log(a+bx)}{x^2(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x^2(f-gx^2)} dx \\
 & \quad \downarrow \text{264} \\
 & -\left(\left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx)\right) \left(\frac{g \int \frac{1}{f-gx^2} dx}{f} - \frac{1}{fx}\right)\right) + \\
 & \quad n \int \frac{\log(a+bx)}{x^2(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x^2(f-gx^2)} dx \\
 & \quad \downarrow \text{221} \\
 & n \int \frac{\log(a+bx)}{x^2(f-gx^2)} dx - n \int \frac{\log(c+dx)}{x^2(f-gx^2)} dx - \\
 & \left(\left(\frac{\sqrt{g}\operatorname{arctanh}\left(\frac{\sqrt{gx}}{\sqrt{f}}\right)}{f^{3/2}} - \frac{1}{fx}\right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx)\right)\right) \\
 & \quad \downarrow \text{2863} \\
 & n \int \left(\frac{g \log(a+bx)}{f(f-gx^2)} + \frac{\log(a+bx)}{fx^2}\right) dx - n \int \left(\frac{g \log(c+dx)}{f(f-gx^2)} + \frac{\log(c+dx)}{fx^2}\right) dx - \\
 & \left(\left(\frac{\sqrt{g}\operatorname{arctanh}\left(\frac{\sqrt{gx}}{\sqrt{f}}\right)}{f^{3/2}} - \frac{1}{fx}\right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx)\right)\right) \\
 & \quad \downarrow \text{2009}
 \end{aligned}$$

$$\begin{aligned}
& - \left(\left(\frac{\sqrt{g} \operatorname{arctanh}\left(\frac{\sqrt{g}x}{\sqrt{f}}\right)}{f^{3/2}} - \frac{1}{fx} \right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n \log(a+bx) - n \log(c+dx) \right) \right) + \\
& n \left(\frac{\sqrt{g} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(a+bx)}{b\sqrt{f}-a\sqrt{g}}\right)}{2f^{3/2}} - \frac{\sqrt{g} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(a+bx)}{\sqrt{g}a+b\sqrt{f}}\right)}{2f^{3/2}} - \frac{\sqrt{g} \log(a+bx) \log\left(\frac{b(\sqrt{f}-\sqrt{g}x)}{a\sqrt{g}+b\sqrt{f}}\right)}{2f^{3/2}} + \frac{\sqrt{g} \log(a+bx)}{2f^{3/2}} \right) \\
& n \left(\frac{\sqrt{g} \operatorname{PolyLog}\left(2, -\frac{\sqrt{g}(c+dx)}{d\sqrt{f}-c\sqrt{g}}\right)}{2f^{3/2}} - \frac{\sqrt{g} \operatorname{PolyLog}\left(2, \frac{\sqrt{g}(c+dx)}{\sqrt{g}c+d\sqrt{f}}\right)}{2f^{3/2}} - \frac{\sqrt{g} \log(c+dx) \log\left(\frac{d(\sqrt{f}-\sqrt{g}x)}{c\sqrt{g}+d\sqrt{f}}\right)}{2f^{3/2}} + \frac{\sqrt{g} \log(c+dx)}{2f^{3/2}} \right)
\end{aligned}$$

input `Int[Log[e*((a + b*x)/(c + d*x))^n]/(x^2*(f - g*x^2)),x]`

output `-((-1/(f*x)) + (Sqrt[g]*ArcTanh[(Sqrt[g]*x)/Sqrt[f]])/f^(3/2))*(n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x]) + n*((b*Log[x])/(a*f) - (b*Log[a + b*x])/(a*f) - Log[a + b*x]/(f*x) - (Sqrt[g]*Log[a + b*x]*Log[(b*(Sqrt[f] - Sqrt[g]*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*f^(3/2)) + (Sqrt[g]*Log[a + b*x]*Log[(b*(Sqrt[f] + Sqrt[g]*x))/(b*Sqrt[f] - a*Sqrt[g])])/(2*f^(3/2)) + (Sqrt[g]*PolyLog[2, -(Sqrt[g]*(a + b*x))/(b*Sqrt[f] - a*Sqrt[g])])/(2*f^(3/2)) - (Sqrt[g]*PolyLog[2, (Sqrt[g]*(a + b*x))/(b*Sqrt[f] + a*Sqrt[g])])/(2*f^(3/2))) - n*((d*Log[x])/(c*f) - (d*Log[c + d*x])/(c*f) - Log[c + d*x]/(f*x) - (Sqrt[g]*Log[c + d*x]*Log[(d*(Sqrt[f] - Sqrt[g]*x))/(d*Sqrt[f] + c*Sqrt[g])])/(2*f^(3/2)) + (Sqrt[g]*Log[c + d*x]*Log[(d*(Sqrt[f] + Sqrt[g]*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*f^(3/2)) + (Sqrt[g]*PolyLog[2, -(Sqrt[g]*(c + d*x))/(d*Sqrt[f] - c*Sqrt[g])])/(2*f^(3/2)) - (Sqrt[g]*PolyLog[2, (Sqrt[g]*(c + d*x))/(d*Sqrt[f] + c*Sqrt[g])])/(2*f^(3/2)))`

Defintions of rubi rules used

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 264 `Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^2)^(p + 1)/(a*c*(m + 1))), x] - Simp[b*((m + 2*p + 3)/(a*c^(2*(m + 1))) Int[(c*x)^(m + 2)*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, p}, x] && LtQ[m, -1] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2863 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((h_.)*(x_)^(m_.))*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (h*x)^m*(f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m, n, p, q, r}, x] && IntegerQ[m] && IntegerQ[q]`

rule 2993 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*(RFx_.), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegerQ[m, n]]`

Maple [F]

$$\int \frac{\ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{x^2 (-gx^2 + f)} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x)`

Fricas [F]

$$\int \frac{\log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{x^2 (f - gx^2)} dx = \int -\frac{\log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{(gx^2 - f)x^2} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x, algorithm="fricas")`

output `integral(-log(e*((b*x + a)/(d*x + c))^n)/(g*x^4 - f*x^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/x**2/(-g*x**2+f),x)`

output `Timed out`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 969 vs. 2(484) = 968.

Time = 0.23 (sec) , antiderivative size = 969, normalized size of antiderivative = 1.63

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx = \text{Too large to display}$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x, algorithm="maxima")`

output

```

1/2*(2*a*c*d*(b^2*log(b*x + a)/((a*b^2*c^2 - 2*a^2*b*c*d + a^3*d^2)*f) + d
/((b*c^2*d - a*c*d^2)*f*x + (b*c^3 - a*c^2*d)*f) - (2*b*c*d - a*d^2)*log(d
*x + c)/((b^2*c^4 - 2*a*b*c^3*d + a^2*c^2*d^2)*f) - log(x)/(a*c^2*f)) + 2*
b*d^2*(c/((b*c*d^2 - a*d^3)*f*x + (b*c^2*d - a*c*d^2)*f) + a*log(b*x + a)/
((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*f) - a*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d
+ a^2*d^2)*f)) - 2*b*c*d*(b*log(b*x + a)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)
*f) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*f) + 1/((b*c*d - a*d
^2)*f*x + (b*c^2 - a*c*d)*f)) - 2*a*d^2*(b*log(b*x + a)/((b^2*c^2 - 2*a*b*
c*d + a^2*d^2)*f) - b*log(d*x + c)/((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*f) + 1
/((b*c*d - a*d^2)*f*x + (b*c^2 - a*c*d)*f)) - 2*b*c*(b*log(b*x + a)/((a*b*
c - a^2*d)*f) - d*log(d*x + c)/((b*c^2 - a*c*d)*f) - log(x)/(a*c*f)) + 2*b
*d*(log(b*x + a)/((b*c - a*d)*f) - log(d*x + c)/((b*c - a*d)*f)) + (log(sq
rt(g)*x - sqrt(f))*log((b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g)) +
1) + dilog(-(b*sqrt(g)*x - b*sqrt(f))/(b*sqrt(f) + a*sqrt(g))))*sqrt(g)/f
^(3/2) - (log(sqrt(g)*x + sqrt(f))*log(-(b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(
f) - a*sqrt(g)) + 1) + dilog((b*sqrt(g)*x + b*sqrt(f))/(b*sqrt(f) - a*sqrt
(g))))*sqrt(g)/f^(3/2) - (log(sqrt(g)*x - sqrt(f))*log((d*sqrt(g)*x - d*sq
rt(f))/(d*sqrt(f) + c*sqrt(g)) + 1) + dilog(-(d*sqrt(g)*x - d*sqrt(f))/(d*
sqrt(f) + c*sqrt(g))))*sqrt(g)/f^(3/2) + (log(sqrt(g)*x + sqrt(f))*log(-(d
*sqrt(g)*x + d*sqrt(f))/(d*sqrt(f) - c*sqrt(g)) + 1) + dilog((d*sqrt(g)...

```

Giac [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx = \int -\frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(gx^2-f)x^2} dx$$

input

```
integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x, algorithm="giac")
```

output

```
integrate(-log(e*((b*x + a)/(d*x + c))^n)/((g*x^2 - f)*x^2), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx$$

input `int(log(e*((a + b*x)/(c + d*x))^n)/(x^2*(f - g*x^2)),x)`

output `int(log(e*((a + b*x)/(c + d*x))^n)/(x^2*(f - g*x^2)), x)`

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f-gx^2)} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{-gx^4 + fx^2} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)/x^2/(-g*x^2+f),x)`

output `int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x**2 - g*x**4),x)`

$$3.82 \quad \int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$$

Optimal result	717
Mathematica [A] (verified)	718
Rubi [A] (verified)	719
Maple [F]	722
Fricas [F]	722
Sympy [F(-1)]	723
Maxima [F(-2)]	723
Giac [F]	723
Mupad [F(-1)]	724
Reduce [F]	724

Optimal result

Integrand size = 34, antiderivative size = 1046

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \text{Too large to display}$$

output

```

1/2*a*n*x/b/h-1/2*c*n*x/d/h-1/2*a^2*n*ln(b*x+a)/b^2/h+1/2*n*x^2*ln(b*x+a)/
h-g*n*(b*x+a)*ln(b*x+a)/b/h^2+1/2*c^2*n*ln(d*x+c)/d^2/h-1/2*n*x^2*ln(d*x+c
)/h+g*n*(d*x+c)*ln(d*x+c)/d/h^2+g*x*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n
-n*ln(d*x+c)))/h^2-1/2*x^2*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+
c))/h-g*(-3*f*h+g^2)*arctanh((2*h*x+g)/(-4*f*h+g^2)^(1/2))*(n*ln(b*x+a)-ln
(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/h^3/(-4*f*h+g^2)^(1/2)+1/2*(g^2-f*h-g
*(-3*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g-(-4*f*h+g^2)^(1/2)+
2*h*x)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/h^3-1/2*(g^2-f*h-g*(-3*f*h+g^2)/(-
4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d
*(g-(-4*f*h+g^2)^(1/2))))/h^3+1/2*(g^2-f*h+g*(-3*f*h+g^2)/(-4*f*h+g^2)^(1/
2))*n*ln(b*x+a)*ln(-b*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g+(-4*f*h+g^2
)^(1/2))))/h^3-1/2*(g^2-f*h+g*(-3*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)
*ln(-d*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/h^3-
1/2*(-f*h+g^2)*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))*ln(h*x^
2+g*x+f)/h^3+1/2*(g^2-f*h-g*(-3*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2
*h*(b*x+a)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/h^3+1/2*(g^2-f*h+g*(-3*f*h+g^
2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g+(-4*f*h+g^2)^(1
/2))))/h^3-1/2*(g^2-f*h-g*(-3*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h
*(d*x+c)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/h^3-1/2*(g^2-f*h+g*(-3*f*h+g^2)
/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g+(-4*f*h+g^2)^(...

```

Mathematica [A] (verified)

Time = 1.49 (sec) , antiderivative size = 1240, normalized size of antiderivative = 1.19

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \text{Too large to display}$$

input

```
Integrate[(x^3*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2),x]
```

output

```
(h^2*x^2*Log[e*((a + b*x)/(c + d*x))^n] - (2*g*h*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n])/b + (2*(b*c - a*d)*g*h*n*Log[c + d*x])/(b*d) + (h^2*n*(-(a^2*d^2*Log[a + b*x]) + b*(d*(-(b*c) + a*d)*x + b*c^2*Log[c + d*x])))/(b^2*d^2) + (2*f*g*h*Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x])/Sqrt[g^2 - 4*f*h] + (g^2 - f*h)*(1 - g/Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] - (2*f*g*h*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x])/Sqrt[g^2 - 4*f*h] + (g^2 - f*h)*(1 + g/Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] - (2*f*g*h*n*(Log[(2*h*(a + b*x))/(- (b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]]) - Log[(2*h*(c + d*x))/(- (d*g) + 2*c*h + d*Sqrt[g^2 - 4*f*h]])]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(- (b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]]) - PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h + d*(-g + Sqrt[g^2 - 4*f*h]))])/Sqrt[g^2 - 4*f*h] - ((g^2 - f*h)*(-g + Sqrt[g^2 - 4*f*h])*n*(Log[(2*h*(a + b*x))/(- (b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]]) - Log[(2*h*(c + d*x))/(- (d*g) + 2*c*h + d*Sqrt[g^2 - 4*f*h]])]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(- (b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]]) - PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h + d*(-g + Sqrt[g^2 - 4*f*h]))])/Sqrt[g^2 - 4*f*h] + (2*f*g*h*n*(Log[(2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])])) - ...
```

Rubi [A] (verified)

Time = 3.18 (sec) , antiderivative size = 959, normalized size of antiderivative = 0.92, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {2993, 1143, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^3 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + gx + hx^2} dx$$

↓ 2993

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x^3}{hx^2 + gx + f} dx \right) + n \int \frac{x^3 \log(a+bx)}{hx^2 + gx + f} dx - n \int \frac{x^3 \log(c+dx)}{hx^2 + gx + f} dx$$

↓ 1143

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \left(-\frac{g}{h^2} + \frac{x}{h} + \frac{fg + (g^2 - fh)x}{h^2(hx^2 + gx + f)} \right) dx \right) + n \int \frac{x^3 \log(a+bx)}{hx^2 + gx + f} dx - n \int \frac{x^3 \log(c+dx)}{hx^2 + gx + f} dx$$

↓ 2009

$$n \int \frac{x^3 \log(a+bx)}{hx^2 + gx + f} dx - n \int \frac{x^3 \log(c+dx)}{hx^2 + gx + f} dx - \left(\left(\frac{g(g^2 - 3fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h^3 \sqrt{g^2 - 4fh}} + \frac{(g^2 - fh) \log(f + gx + hx^2)}{2h^3} - \frac{gx}{h^2} + \frac{x^2}{2h} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \right) \right)$$

↓ 2865

$$n \int \left(\frac{x \log(a+bx)}{h} + \frac{(fg + (g^2 - fh)x) \log(a+bx)}{h^2(hx^2 + gx + f)} - \frac{g \log(a+bx)}{h^2} \right) dx - n \int \left(\frac{x \log(c+dx)}{h} + \frac{(fg + (g^2 - fh)x) \log(c+dx)}{h^2(hx^2 + gx + f)} - \frac{g \log(c+dx)}{h^2} \right) dx - \left(\left(\frac{g(g^2 - 3fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h^3 \sqrt{g^2 - 4fh}} + \frac{(g^2 - fh) \log(f + gx + hx^2)}{2h^3} - \frac{gx}{h^2} + \frac{x^2}{2h} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \right) \right)$$

↓ 2009

$$-\left(\left(n \log(a+bx) - \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) - n \log(c+dx) \right) \left(\frac{x^2}{2h} - \frac{gx}{h^2} + \frac{g(g^2 - 3fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h^3 \sqrt{g^2 - 4fh}} + \frac{g^2}{2h} \right) \right) + n \left(-\frac{\log(a+bx)a^2}{2b^2h} + \frac{xa}{2bh} - \frac{x^2}{4h} + \frac{gx}{h^2} + \frac{x^2 \log(a+bx)}{2h} - \frac{g(a+bx) \log(a+bx)}{bh^2} + \frac{\left(g^2 - \frac{(g^2-3fh)g}{\sqrt{g^2-4fh}} - fh \right) \log(a+bx)}{h^3 \sqrt{g^2 - 4fh}} \right) + n \left(-\frac{\log(c+dx)c^2}{2d^2h} + \frac{xc}{2dh} - \frac{x^2}{4h} + \frac{gx}{h^2} + \frac{x^2 \log(c+dx)}{2h} - \frac{g(c+dx) \log(c+dx)}{dh^2} + \frac{\left(g^2 - \frac{(g^2-3fh)g}{\sqrt{g^2-4fh}} - fh \right) \log(c+dx)}{h^3 \sqrt{g^2 - 4fh}} \right)$$

input `Int[(x^3*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2),x]`

output `-((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(-(g*x)/h^2 + x^2/(2*h) + (g*(g^2 - 3*f*h)*ArcTanh[(g + 2*h*x)/Sqrt[g^2 - 4*f*h]])/(h^3*Sqrt[g^2 - 4*f*h]) + ((g^2 - f*h)*Log[f + g*x + h*x^2])/(2*h^3)) + n*((g*x)/h^2 + (a*x)/(2*b*h) - x^2/(4*h) - (a^2*Log[a + b*x])/(2*b^2*h) + (x^2*Log[a + b*x])/(2*h) - (g*(a + b*x)*Log[a + b*x])/(b*h^2) + ((g^2 - f*h - (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))]))/(2*h^3) + ((g^2 - f*h + (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))]))/(2*h^3) + ((g^2 - f*h - (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))]))/(2*h^3) + ((g^2 - f*h + (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))]))/(2*h^3) - n*((g*x)/h^2 + (c*x)/(2*d*h) - x^2/(4*h) - (c^2*Log[c + d*x])/(2*d^2*h) + (x^2*Log[c + d*x])/(2*h) - (g*(c + d*x)*Log[c + d*x])/(d*h^2) + ((g^2 - f*h - (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]))]))/(2*h^3) + ((g^2 - f*h + (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))]))/(2*h^3) + ((g^2 - f*h - (g*(g^2 - 3*f*h))/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g - Sqrt[g^...`

Defintions of rubi rules used

rule 1143 `Int[((d_.) + (e_.)*(x_))^(m_)/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m/(a + b*x + c*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[m, 1]`

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Si
mp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c
+ d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[
{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a
*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[
m, n]]
```

Maple [F]

$$\int \frac{x^3 \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

```
input int(x^3*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)
```

```
output int(x^3*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)
```

Fricas [F]

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x^3 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

```
input integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="fricas")
```

```
output integral(x^3*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)
```

Sympy [F(-1)]

Timed out.

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Timed out}$$

input `integrate(x**3*ln(e*((b*x+a)/(d*x+c))**n)/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for more deta`

Giac [F]

$$\int \frac{x^3 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x^3 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `integrate(x^3*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="giac")`

output `integrate(x^3*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \int \frac{x^3 \ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{hx^2+gx+f} dx$$

input `int((x^3*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2),x)`

output `int((x^3*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2), x)`

Reduce [F]

$$\int \frac{x^3 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right) x^3}{hx^2+gx+f} dx$$

input `int(x^3*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**3)/(f + g*x + h*x**2),x)`

$$3.83 \quad \int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$$

Optimal result	726
Mathematica [A] (verified)	727
Rubi [A] (verified)	728
Maple [F]	731
Fricas [F]	731
Sympy [F(-1)]	732
Maxima [F(-2)]	732
Giac [F]	732
Mupad [F(-1)]	733
Reduce [F]	733

Optimal result

Integrand size = 34, antiderivative size = 831

$$\begin{aligned}
& \int \frac{x^2 \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \\
&= \frac{n(a+bx) \log(a+bx)}{bh} - \frac{n(c+dx) \log(c+dx)}{dh} \\
&\quad - \frac{x(n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx))}{h} \\
&\quad + \frac{(g^2 - 2fh) \operatorname{arctanh}\left(\frac{g+2hx}{\sqrt{g^2-4fh}}\right) (n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx))}{h^2 \sqrt{g^2 - 4fh}} \\
&\quad - \frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \log(a+bx) \log\left(-\frac{b(g-\sqrt{g^2-4fh}+2hx)}{2ah-b(g-\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad + \frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \log(c+dx) \log\left(-\frac{d(g-\sqrt{g^2-4fh}+2hx)}{2ch-d(g-\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad - \frac{\left(g + \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \log(a+bx) \log\left(-\frac{b(g+\sqrt{g^2-4fh}+2hx)}{2ah-b(g+\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad + \frac{\left(g + \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \log(c+dx) \log\left(-\frac{d(g+\sqrt{g^2-4fh}+2hx)}{2ch-d(g+\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad + \frac{g(n \log(a+bx) - \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) - n \log(c+dx)) \log(f+gx+hx^2)}{2h^2} \\
&\quad - \frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g-\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad - \frac{\left(g + \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g+\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad + \frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g-\sqrt{g^2-4fh})}\right)}{2h^2} \\
&\quad + \frac{\left(g + \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) n \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g+\sqrt{g^2-4fh})}\right)}{2h^2}
\end{aligned}$$

output

```

n*(b*x+a)*ln(b*x+a)/b/h-n*(d*x+c)*ln(d*x+c)/d/h-x*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/h+(-2*f*h+g^2)*arctanh((2*h*x+g)/(-4*f*h+g^2)^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/h^2/(-4*f*h+g^2)^(1/2)-1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/h^2+1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/h^2-1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/h^2+1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/h^2+1/2*g*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))*ln(h*x^2+g*x+f)/h^2-1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/h^2-1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/h^2+1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/h^2+1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/h^2

```

Mathematica [A] (verified)

Time = 1.60 (sec) , antiderivative size = 1105, normalized size of antiderivative = 1.33

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Too large to display}$$

input

```
Integrate[(x^2*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2),x]
```


output

```
(2*d*h*Sqrt[g^2 - 4*f*h]*(a + b*x)*Log[e*((a + b*x)/(c + d*x))^n] - 2*(b*c
- a*d)*h*Sqrt[g^2 - 4*f*h]*n*Log[c + d*x] - 2*b*d*f*h*Log[e*((a + b*x)/(c
+ d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + b*d*g*(g - Sqrt[g^2 - 4*f
*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + 2
*b*d*f*h*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x]
- b*d*g*(g + Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqr
t[g^2 - 4*f*h] + 2*h*x] + 2*b*d*f*h*n*((Log[(2*h*(a + b*x))/(-(b*g) + 2*a
*h + b*Sqrt[g^2 - 4*f*h])]) - Log[(2*h*(c + d*x))/(-(d*g) + 2*c*h + d*Sqrt[
g^2 - 4*f*h])])*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(-g + S
qrt[g^2 - 4*f*h] - 2*h*x))/(-(b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h])]) - PolyL
og[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h + d*(-g + Sqrt[g^2 - 4*f
*h]))]) - b*d*g*(g - Sqrt[g^2 - 4*f*h])*n*((Log[(2*h*(a + b*x))/(-(b*g) +
2*a*h + b*Sqrt[g^2 - 4*f*h])]) - Log[(2*h*(c + d*x))/(-(d*g) + 2*c*h + d*Sq
rt[g^2 - 4*f*h])])*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(-g
+ Sqrt[g^2 - 4*f*h] - 2*h*x))/(-(b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h])]) - Po
lyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h + d*(-g + Sqrt[g^2 -
4*f*h]))]) - 2*b*d*f*h*n*((Log[(2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 -
4*f*h]))]) - Log[(2*h*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])*Log[
g + Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(g + Sqrt[g^2 - 4*f*h] + 2*
h*x))/(-2*a*h + b*(g + Sqrt[g^2 - 4*f*h]))]) - PolyLog[2, (d*(g + Sqrt[g...
```

Rubi [A] (verified)

Time = 2.51 (sec) , antiderivative size = 766, normalized size of antiderivative = 0.92, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.147$, Rules used = {2993, 1143, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x^2 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + gx + hx^2} dx$$

↓ 2993

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x^2}{hx^2 + gx + f} dx \right) + n \int \frac{x^2 \log(a+bx)}{hx^2 + gx + f} dx - n \int \frac{x^2 \log(c+dx)}{hx^2 + gx + f} dx$$

↓ 1143

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \left(\frac{1}{h} - \frac{f+gx}{h(hx^2+gx+f)} \right) dx \right) + n \int \frac{x^2 \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x^2 \log(c+dx)}{hx^2+gx+f} dx$$

↓ 2009

$$n \int \frac{x^2 \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x^2 \log(c+dx)}{hx^2+gx+f} dx - \left(\left(-\frac{(g^2-2fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right) - \frac{g \log(f+gx+hx^2)}{2h^2} + \frac{x}{h}}{h^2 \sqrt{g^2-4fh}} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right)$$

↓ 2865

$$n \int \left(\frac{\log(a+bx)}{h} - \frac{(f+gx) \log(a+bx)}{h(hx^2+gx+f)} \right) dx - n \int \left(\frac{\log(c+dx)}{h} - \frac{(f+gx) \log(c+dx)}{h(hx^2+gx+f)} \right) dx - \left(\left(-\frac{(g^2-2fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right) - \frac{g \log(f+gx+hx^2)}{2h^2} + \frac{x}{h}}{h^2 \sqrt{g^2-4fh}} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right)$$

↓ 2009

$$-\left(\left(-\frac{(g^2-2fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right) - \frac{g \log(f+gx+hx^2)}{2h^2} + \frac{x}{h}}{h^2 \sqrt{g^2-4fh}} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right) + n \left(\frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}} \right) \operatorname{PolyLog} \left(2, \frac{2h(a+bx)}{2ah-b(g-\sqrt{g^2-4fh})} \right) - \left(\frac{g^2-2fh}{\sqrt{g^2-4fh}} + g \right) \operatorname{PolyLog} \left(2, \frac{2h(a+bx)}{2ah-b(g+\sqrt{g^2-4fh})} \right)}{2h^2} \right) + n \left(\frac{\left(g - \frac{g^2-2fh}{\sqrt{g^2-4fh}} \right) \operatorname{PolyLog} \left(2, \frac{2h(c+dx)}{2ch-d(g-\sqrt{g^2-4fh})} \right) - \left(\frac{g^2-2fh}{\sqrt{g^2-4fh}} + g \right) \operatorname{PolyLog} \left(2, \frac{2h(c+dx)}{2ch-d(g+\sqrt{g^2-4fh})} \right)}{2h^2} \right)$$

input

```
Int[(x^2*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2), x]
```

output

```

-((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(x/h
- ((g^2 - 2*f*h)*ArcTanh[(g + 2*h*x)/Sqrt[g^2 - 4*f*h]])/(h^2*Sqrt[g^2 - 4
*f*h]) - (g*Log[f + g*x + h*x^2])/(2*h^2))) + n*(-(x/h) + ((a + b*x)*Log[a
+ b*x])/(b*h) - ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-
((b*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))])
)/(2*h^2) - ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(
g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))])]/(2*
h^2) - ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(
2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))]/(2*h^2) - ((g + (g^2 - 2*f*h)/Sqrt[g^
2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])
])/ (2*h^2)) - n*(-(x/h) + ((c + d*x)*Log[c + d*x])/(d*h) - ((g - (g^2 - 2*
f*h)/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g - Sqrt[g^2 - 4*f*h] + 2*h
*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]))])]/(2*h^2) - ((g + (g^2 - 2*f*h)/
Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/
(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])]/(2*h^2) - ((g - (g^2 - 2*f*h)/Sqrt[
g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]
))]/(2*h^2) - ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c +
d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])]/(2*h^2))

```

Defintions of rubi rules used

rule 1143

```

Int[((d_.) + (e_.)*(x_))^(m_)/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol]
:> Int[ExpandIntegrand[(d + e*x)^m/(a + b*x + c*x^2), x], x] /; FreeQ[{a,
b, c, d, e}, x] && IGtQ[m, 1]

```

rule 2009

```

Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]

```

rule 2865

```

Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Sy
mbol] :> With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]},
Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
RFx, x] && IntegerQ[p]

```

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Si
mp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c
+ d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[RFx, x], x]) /; FreeQ[
{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a
*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[
m, n]]
```

Maple [F]

$$\int \frac{x^2 \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `int(x^2*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `int(x^2*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

Fricas [F]

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x^2 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="fricas")`

output `integral(x^2*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Timed out}$$

input `integrate(x**2*ln(e*((b*x+a)/(d*x+c))**n)/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for more deta`

Giac [F]

$$\int \frac{x^2 \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x^2 \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `integrate(x^2*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="giac")`

output `integrate(x^2*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x^2 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + gx + hx^2} dx = \int \frac{x^2 \ln \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{hx^2 + gx + f} dx$$

input `int((x^2*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2),x)`

output `int((x^2*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2), x)`

Reduce [F]

$$\int \frac{x^2 \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + gx + hx^2} dx = \int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) x^2}{hx^2 + gx + f} dx$$

input `int(x^2*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(f + g*x + h*x**2),x)`

$$3.84 \quad \int \frac{x \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$$

Optimal result	735
Mathematica [A] (verified)	736
Rubi [A] (verified)	737
Maple [F]	741
Fricas [F]	741
Sympy [F(-1)]	741
Maxima [F(-2)]	742
Giac [F]	742
Mupad [F(-1)]	742
Reduce [F]	743

Optimal result

Integrand size = 32, antiderivative size = 685

$$\begin{aligned}
& \int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx \\
&= - \frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right) \left(n \log(a+bx) - \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) - n \log(c+dx) \right)}{h\sqrt{g^2-4fh}} \\
&+ \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) n \log(a+bx) \log \left(-\frac{b(g-\sqrt{g^2-4fh}+2hx)}{2ah-b(g-\sqrt{g^2-4fh})} \right)}{2h} \\
&- \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) n \log(c+dx) \log \left(-\frac{d(g-\sqrt{g^2-4fh}+2hx)}{2ch-d(g-\sqrt{g^2-4fh})} \right)}{2h} \\
&+ \frac{\left(1 + \frac{g}{\sqrt{g^2-4fh}} \right) n \log(a+bx) \log \left(-\frac{b(g+\sqrt{g^2-4fh}+2hx)}{2ah-b(g+\sqrt{g^2-4fh})} \right)}{2h} \\
&- \frac{\left(1 + \frac{g}{\sqrt{g^2-4fh}} \right) n \log(c+dx) \log \left(-\frac{d(g+\sqrt{g^2-4fh}+2hx)}{2ch-d(g+\sqrt{g^2-4fh})} \right)}{2h} \\
&- \frac{\left(n \log(a+bx) - \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) - n \log(c+dx) \right) \log(f+gx+hx^2)}{2h} \\
&+ \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) n \operatorname{PolyLog} \left(2, \frac{2h(a+bx)}{2ah-b(g-\sqrt{g^2-4fh})} \right)}{2h} \\
&+ \frac{\left(1 + \frac{g}{\sqrt{g^2-4fh}} \right) n \operatorname{PolyLog} \left(2, \frac{2h(a+bx)}{2ah-b(g+\sqrt{g^2-4fh})} \right)}{2h} \\
&- \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) n \operatorname{PolyLog} \left(2, \frac{2h(c+dx)}{2ch-d(g-\sqrt{g^2-4fh})} \right)}{2h} \\
&- \frac{\left(1 + \frac{g}{\sqrt{g^2-4fh}} \right) n \operatorname{PolyLog} \left(2, \frac{2h(c+dx)}{2ch-d(g+\sqrt{g^2-4fh})} \right)}{2h}
\end{aligned}$$

output

```

-g*arctanh((2*h*x+g)/(-4*f*h+g^2)^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c
))^n)-n*ln(d*x+c))/h/(-4*f*h+g^2)^(1/2)+1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*ln(
b*x+a)*ln(-b*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2)))
)/h-1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g-(-4*f*h+g^2)^(1/2)+2
*h*x)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/h+1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*ln
(b*x+a)*ln(-b*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2)
)))/h-1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g+(-4*f*h+g^2)^(1/2)
+2*h*x)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/h-1/2*(n*ln(b*x+a)-ln(e*((b*x+a)
/(d*x+c))^n)-n*ln(d*x+c))*ln(h*x^2+g*x+f)/h+1/2*(1-g/(-4*f*h+g^2)^(1/2))*n
*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/h+1/2*(1+g/(-4*f*
h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/h-
1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g-(-4*f*h+g
^2)^(1/2))))/h-1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h
-d*(g+(-4*f*h+g^2)^(1/2))))/h

```

Mathematica [A] (verified)

Time = 0.82 (sec) , antiderivative size = 539, normalized size of antiderivative = 0.79

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx$$

$$= \frac{(-g + \sqrt{g^2 - 4fh}) \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log (g - \sqrt{g^2 - 4fh} + 2hx) + (g + \sqrt{g^2 - 4fh}) \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right) \log (g + \sqrt{g^2 - 4fh} + 2hx)}{2h^2}$$

input

```
Integrate[(x*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2),x]
```

output

```

((-g + Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g^2
- 4*f*h] + 2*h*x] + (g + Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]
*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] + (g - Sqrt[g^2 - 4*f*h])*n*((Log[(2*h
*(a + b*x))/(-(b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h])] - Log[(2*h*(c + d*x))/
(-(d*g) + 2*c*h + d*Sqrt[g^2 - 4*f*h])])*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x
] + PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(-(b*g) + 2*a*h + b*Sq
rt[g^2 - 4*f*h])] - PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h
+ d*(-g + Sqrt[g^2 - 4*f*h]))]) - (g + Sqrt[g^2 - 4*f*h])*n*((Log[(2*h*(a
+ b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])] - Log[(2*h*(c + d*x))/(2*c*h
- d*(g + Sqrt[g^2 - 4*f*h])])*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyL
og[2, (b*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(-2*a*h + b*(g + Sqrt[g^2 - 4*f*
h])]) - PolyLog[2, (d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(-2*c*h + d*(g + Sq
rt[g^2 - 4*f*h])])])/(2*h*Sqrt[g^2 - 4*f*h])

```

Rubi [A] (verified)

Time = 1.91 (sec) , antiderivative size = 648, normalized size of antiderivative = 0.95, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.219$, Rules used = {2993, 1142, 1083, 219, 1103, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f+gx+hx^2} dx$$

$$\downarrow 2993$$

$$- \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{x}{hx^2+gx+f} dx \right) +$$

$$n \int \frac{x \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x \log(c+dx)}{hx^2+gx+f} dx$$

$$\downarrow 1142$$

$$- \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\int \frac{g+2hx}{hx^2+gx+f} dx}{2h} - \frac{g \int \frac{1}{hx^2+gx+f} dx}{2h} \right) \right) +$$

$$n \int \frac{x \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x \log(c+dx)}{hx^2+gx+f} dx$$

↓ 1083

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{g \int \frac{1}{g^2 - (g+2hx)^2 - 4fh} d(g+2hx)}{h} + \frac{\int \frac{g+2hx}{hx^2+gx+f} dx}{2h} \right) \right. \\ \left. n \int \frac{x \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x \log(c+dx)}{hx^2+gx+f} dx \right)$$

↓ 219

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\int \frac{g+2hx}{hx^2+gx+f} dx}{2h} + \frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h\sqrt{g^2-4fh}} \right) \right) + \\ n \int \frac{x \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x \log(c+dx)}{hx^2+gx+f} dx$$

↓ 1103

$$n \int \frac{x \log(a+bx)}{hx^2+gx+f} dx - n \int \frac{x \log(c+dx)}{hx^2+gx+f} dx - \\ \left(\left(\frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h\sqrt{g^2-4fh}} + \frac{\log(f+gx+hx^2)}{2h} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right)$$

↓ 2865

$$n \int \left(\frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) \log(a+bx)}{g+2hx-\sqrt{g^2-4fh}} + \frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1 \right) \log(a+bx)}{g+2hx+\sqrt{g^2-4fh}} \right) dx - \\ n \int \left(\frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}} \right) \log(c+dx)}{g+2hx-\sqrt{g^2-4fh}} + \frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1 \right) \log(c+dx)}{g+2hx+\sqrt{g^2-4fh}} \right) dx - \\ \left(\left(\frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{h\sqrt{g^2-4fh}} + \frac{\log(f+gx+hx^2)}{2h} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right)$$

↓ 2009

$$\begin{aligned}
& - \left(\left(\frac{\operatorname{garctanh}\left(\frac{g+2hx}{\sqrt{g^2-4fh}}\right)}{h\sqrt{g^2-4fh}} + \frac{\log(f+gx+hx^2)}{2h} \right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx) \right) \right) \\
& n \left(\frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}}\right) \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g-\sqrt{g^2-4fh})}\right)}{2h} + \frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1\right) \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g+\sqrt{g^2-4fh})}\right)}{2h} + \dots \right) \\
& n \left(\frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}}\right) \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g-\sqrt{g^2-4fh})}\right)}{2h} + \frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1\right) \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g+\sqrt{g^2-4fh})}\right)}{2h} + \dots \right)
\end{aligned}$$

input

```
Int[(x*Log[e*((a + b*x)/(c + d*x))^n])/(f + g*x + h*x^2),x]
```

output

```

-((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*((g*A
rcTanh[(g + 2*h*x)/Sqrt[g^2 - 4*f*h]])/(h*Sqrt[g^2 - 4*f*h]) + Log[f + g*x
+ h*x^2]/(2*h))) + n*(((1 - g/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g
- Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h])))]/(2*h
) + ((1 + g/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g + Sqrt[g^2 - 4*f*h]
+ 2*h*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])))]/(2*h) + ((1 - g/Sqrt[g^
2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h])
])/((2*h) + ((1 + g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h -
b*(g + Sqrt[g^2 - 4*f*h]))])/((2*h)) - n*(((1 - g/Sqrt[g^2 - 4*f*h])*Log[c
+ d*x]*Log[-((d*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g - Sqrt[g^2
- 4*f*h])))]/(2*h) + ((1 + g/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g
+ Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h])))]/(2*h)
+ ((1 - g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g - S
qrt[g^2 - 4*f*h]))])/((2*h) + ((1 + g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c
+ d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])/((2*h))

```

Definitions of rubi rules used

- rule 219 $\text{Int}[\{(a_)+ (b_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]))* \text{ArcTanh}[\text{Rt}[-b, 2]*(x/\text{Rt}[a, 2])], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$
- rule 1083 $\text{Int}[\{(a_)+ (b_)*(x_)+ (c_)*(x_)^2\}^{-1}, x_Symbol] \rightarrow \text{Simp}[-2 \ \text{Subst}[\text{Int}[1/\text{Simp}[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; \text{FreeQ}\{a, b, c\}, x]$
- rule 1103 $\text{Int}[\{(d_)+ (e_)*(x_)\}/\{(a_)+ (b_)*(x_)+ (c_)*(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[d*(\text{Log}[\text{RemoveContent}[a + b*x + c*x^2, x]]/b), x] /; \text{FreeQ}\{a, b, c, d, e\}, x \ \&\& \ \text{EqQ}[2*c*d - b*e, 0]$
- rule 1142 $\text{Int}[\{(d_)+ (e_)*(x_)\}/\{(a_)+ (b_)*(x_)+ (c_)*(x_)^2\}, x_Symbol] \rightarrow \text{Simp}[(2*c*d - b*e)/(2*c) \ \text{Int}[1/(a + b*x + c*x^2), x], x] + \text{Simp}[e/(2*c) \ \text{Int}[(b + 2*c*x)/(a + b*x + c*x^2), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x]$
- rule 2009 $\text{Int}[u_, x_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2865 $\text{Int}[\{(a_)+ \text{Log}[(c_)*\{(d_)+ (e_)*(x_)\}^{(n_)}]\}*(b_)^{(p_)}*(\text{Rf}_x), x_Symbol] \rightarrow \text{With}\{u = \text{ExpandIntegrand}[(a + b*\text{Log}[c*(d + e*x)^n])^p, \text{Rf}_x, x]\}, \text{Int}[u, x] /; \text{SumQ}[u] /; \text{FreeQ}\{a, b, c, d, e, n\}, x \ \&\& \ \text{RationalFunctionQ}[\text{Rf}_x, x] \ \&\& \ \text{IntegerQ}[p]$
- rule 2993 $\text{Int}[\text{Log}[(e_)*\{(f_)*\{(a_)+ (b_)*(x_)\}^{(p_)}\}*(c_)+ (d_)*(x_)\}^{(q_)}]^{(r_)}*(\text{Rf}_x), x_Symbol] \rightarrow \text{Simp}[p*r \ \text{Int}[\text{Rf}_x*\text{Log}[a + b*x], x], x] + (\text{Simp}[q*r \ \text{Int}[\text{Rf}_x*\text{Log}[c + d*x], x], x] - \text{Simp}[(p*r*\text{Log}[a + b*x] + q*r*\text{Log}[c + d*x] - \text{Log}[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) \ \text{Int}[\text{Rf}_x, x], x]) /; \text{FreeQ}\{a, b, c, d, e, f, p, q, r\}, x \ \&\& \ \text{RationalFunctionQ}[\text{Rf}_x, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ !\text{MatchQ}[\text{Rf}_x, (u_)*(a + b*x)^{(m_)}*(c + d*x)^{(n_)}] /; \text{IntegersQ}[m, n]$

Maple [F]

$$\int \frac{x \ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `int(x*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `int(x*ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

Fricas [F]

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="fricas")`

output `integral(x*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Timed out}$$

input `integrate(x*ln(e*((b*x+a)/(d*x+c)**n)/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \text{Exception raised: ValueError}$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for more deta

Giac [F]

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x \log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `integrate(x*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="giac")`

output `integrate(x*log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{x \log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{f + gx + hx^2} dx = \int \frac{x \ln \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{hx^2 + gx + f} dx$$

input `int((x*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2),x)`

output `int((x*log(e*((a + b*x)/(c + d*x))^n))/(f + g*x + h*x^2), x)`

Reduce [F]

$$\int \frac{x \log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{f + gx + hx^2} dx = \int \frac{\log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right) x}{hx^2 + gx + f} dx$$

input `int(x*log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `int((log(((a + b*x)**n*e)/(c + d*x)**n)*x)/(f + g*x + h*x**2),x)`

3.85
$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$$

Optimal result	744
Mathematica [A] (verified)	745
Rubi [A] (verified)	746
Maple [F]	747
Fricas [F]	748
Sympy [F(-1)]	748
Maxima [F(-2)]	748
Giac [F]	749
Mupad [F(-1)]	749
Reduce [F]	750

Optimal result

Integrand size = 31, antiderivative size = 401

$$\begin{aligned} & \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \\ &= \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{2(d^2f-cdg+c^2h)(a+bx)}{(2bdf-bcg-adg+2ach-(bc-ad)\sqrt{g^2-4fh})(c+dx)}\right)}{\sqrt{g^2-4fh}} \\ &+ \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(1 - \frac{2(d^2f-cdg+c^2h)(a+bx)}{(2bdf-bcg-adg+2ach+(bc-ad)\sqrt{g^2-4fh})(c+dx)}\right)}{\sqrt{g^2-4fh}} \\ &- \frac{n \operatorname{PolyLog}\left(2, \frac{2(d^2f-cdg+c^2h)(a+bx)}{(2bdf-bcg-adg+2ach-(bc-ad)\sqrt{g^2-4fh})(c+dx)}\right)}{\sqrt{g^2-4fh}} \\ &+ \frac{n \operatorname{PolyLog}\left(2, \frac{2(d^2f-cdg+c^2h)(a+bx)}{(2bdf-bcg-adg+2ach+(bc-ad)\sqrt{g^2-4fh})(c+dx)}\right)}{\sqrt{g^2-4fh}} \end{aligned}$$

output

```
-ln(e*((b*x+a)/(d*x+c))^n)*ln(1-2*(c^2*h-c*d*g+d^2*f)*(b*x+a)/(2*b*d*f-b*c
*g-a*d*g+2*a*c*h-(-a*d+b*c)*(-4*f*h+g^2)^(1/2))/(d*x+c))/(-4*f*h+g^2)^(1/2
)+ln(e*((b*x+a)/(d*x+c))^n)*ln(1-2*(c^2*h-c*d*g+d^2*f)*(b*x+a)/(2*b*d*f-b*
c*g-a*d*g+2*a*c*h+(-a*d+b*c)*(-4*f*h+g^2)^(1/2))/(d*x+c))/(-4*f*h+g^2)^(1/
2)-n*polylog(2,2*(c^2*h-c*d*g+d^2*f)*(b*x+a)/(2*b*d*f-b*c*g-a*d*g+2*a*c*h-
(-a*d+b*c)*(-4*f*h+g^2)^(1/2))/(d*x+c))/(-4*f*h+g^2)^(1/2)+n*polylog(2,2*(
c^2*h-c*d*g+d^2*f)*(b*x+a)/(2*b*d*f-b*c*g-a*d*g+2*a*c*h+(-a*d+b*c)*(-4*f*h
+g^2)^(1/2))/(d*x+c))/(-4*f*h+g^2)^(1/2)
```

Mathematica [A] (verified)

Time = 0.44 (sec) , antiderivative size = 515, normalized size of antiderivative = 1.28

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx$$

$$= \frac{-n \log\left(\frac{2h(a+bx)}{-bg+2ah+b\sqrt{g^2-4fh}}\right) \log(g - \sqrt{g^2-4fh} + 2hx) + \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log(g - \sqrt{g^2-4fh} + 2hx) + \dots}{\dots}$$

input

```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(f + g*x + h*x^2),x]
```

output

```
(-n*Log[(2*h*(a + b*x))/(-b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]])*Log[g - S
qrt[g^2 - 4*f*h] + 2*h*x] + Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g
^2 - 4*f*h] + 2*h*x] + n*Log[(2*h*(c + d*x))/(-d*g) + 2*c*h + d*Sqrt[g^2
- 4*f*h]])*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + n*Log[(2*h*(a + b*x))/(2*a
*h - b*(g + Sqrt[g^2 - 4*f*h]))]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] - Log[
e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] - n*Log[(2*h
*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))]*Log[g + Sqrt[g^2 - 4*f*h]
+ 2*h*x] + n*PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(-d*g) + 2*
c*h + d*Sqrt[g^2 - 4*f*h]] - n*PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*
h*x))/(2*a*h + b*(-g + Sqrt[g^2 - 4*f*h]))] + n*PolyLog[2, (b*(g + Sqrt[g^
2 - 4*f*h] + 2*h*x))/(-2*a*h + b*(g + Sqrt[g^2 - 4*f*h]))] - n*PolyLog[2,
(d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(-2*c*h + d*(g + Sqrt[g^2 - 4*f*h]))]
/Sqrt[g^2 - 4*f*h]
```

Rubi [A] (verified)

Time = 1.54 (sec) , antiderivative size = 450, normalized size of antiderivative = 1.12, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$, Rules used = {2976, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx \\
 & \quad \downarrow \text{2976} \\
 & (bc-ad) \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{ha^2-bga+b^2f-\frac{(2bdf-bcg-adg+2ach)(a+bx)}{c+dx}+\frac{(hc^2-dgc+d^2f)(a+bx)^2}{(c+dx)^2}} d\frac{a+bx}{c+dx} \\
 & \quad \downarrow \text{2804} \\
 & ad) \int \left(\frac{(bc-2(hc^2-dgc+d^2f)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right))}{(bc-ad)\sqrt{g^2-4fh}\left(-\sqrt{g^2-4fh}(bc-ad)+2bdf-bcg-adg+2ach-\frac{2(hc^2-dgc+d^2f)(a+bx)}{c+dx}\right)} + \frac{bc-2(hc^2-dgc+d^2f)\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(bc-ad)\sqrt{g^2-4fh}\left(-\sqrt{g^2-4fh}(bc-ad)+2bdf-bcg-adg+2ach-\frac{2(hc^2-dgc+d^2f)(a+bx)}{c+dx}\right)} \right) dx \\
 & \quad \downarrow \text{2009} \\
 & ad) \left(-\frac{(bc-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\log\left(1-\frac{2(a+bx)(c^2h-cdg+d^2f)}{(c+dx)(-\sqrt{g^2-4fh}(bc-ad)+2ach-adg-bcg+2bdf)}\right))}{\sqrt{g^2-4fh}(bc-ad)} + \frac{(bc-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)\log\left(1-\frac{2(a+bx)(c^2h-cdg+d^2f)}{(c+dx)(-\sqrt{g^2-4fh}(bc-ad)+2ach-adg-bcg+2bdf)}\right))}{\sqrt{g^2-4fh}(bc-ad)} \right)
 \end{aligned}$$

input

```
Int[Log[e*((a + b*x)/(c + d*x))^n]/(f + g*x + h*x^2),x]
```

output

```
(b*c - a*d)*(-(Log[e*((a + b*x)/(c + d*x))^n]*Log[1 - (2*(d^2*f - c*d*g +
c^2*h)*(a + b*x))/((2*b*d*f - b*c*g - a*d*g + 2*a*c*h - (b*c - a*d)*Sqrt[
g^2 - 4*f*h])*(c + d*x))])/((b*c - a*d)*Sqrt[g^2 - 4*f*h])) + (Log[e*((a +
b*x)/(c + d*x))^n]*Log[1 - (2*(d^2*f - c*d*g + c^2*h)*(a + b*x))/((2*b*d*
f - b*c*g - a*d*g + 2*a*c*h + (b*c - a*d)*Sqrt[g^2 - 4*f*h])*(c + d*x))])/
((b*c - a*d)*Sqrt[g^2 - 4*f*h]) - (n*PolyLog[2, (2*(d^2*f - c*d*g + c^2*h)
*(a + b*x))/((2*b*d*f - b*c*g - a*d*g + 2*a*c*h - (b*c - a*d)*Sqrt[g^2 - 4
*f*h])*(c + d*x))])/((b*c - a*d)*Sqrt[g^2 - 4*f*h]) + (n*PolyLog[2, (2*(d^
2*f - c*d*g + c^2*h)*(a + b*x))/((2*b*d*f - b*c*g - a*d*g + 2*a*c*h + (b*c
- a*d)*Sqrt[g^2 - 4*f*h])*(c + d*x))])/((b*c - a*d)*Sqrt[g^2 - 4*f*h]))
```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2804

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^p_.*(RFx_), x_Symbol] := With[{
u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /
; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]
```

rule 2976

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))/((c_.) + (d_.)*(x_))]^(n_.)]*(
B_.))^p_.*(P2x_)^(m_.), x_Symbol] := With[{f = Coeff[P2x, x, 0], g = Coef
f[P2x, x, 1], h = Coeff[P2x, x, 2]}, Simp[(b*c - a*d) Subst[Int[(b^2*f -
a*b*g + a^2*h - (2*b*d*f - b*c*g - a*d*g + 2*a*c*h)*x + (d^2*f - c*d*g + c^
2*h)*x^2]^m*((A + B*Log[e*x^n])^p/(b - d*x)^(2*(m + 1))), x], x, (a + b*x)/
(c + d*x)], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && PolyQ[P2x, x, 2] &
& NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]
```

Maple [F]

$$\int \frac{\ln\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{hx^2+gx+f} dx$$

input

```
int(ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f), x)
```

output `int(ln(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

Fricas [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{hx^2+gx+f} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="fricas")`

output `integral(log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \text{Exception raised: ValueError}$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for
more deta
```

Giac [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{hx^2+gx+f} dx$$

input

```
integrate(log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x, algorithm="giac")
```

output

```
integrate(log(e*((b*x + a)/(d*x + c))^n)/(h*x^2 + g*x + f), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{hx^2+gx+f} dx$$

input

```
int(log(e*((a + b*x)/(c + d*x))^n)/(f + g*x + h*x^2),x)
```

output

```
int(log(e*((a + b*x)/(c + d*x))^n)/(f + g*x + h*x^2), x)
```

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{f+gx+hx^2} dx = \text{Too large to display}$$

input `int(log(e*((b*x+a)/(d*x+c))^n)/(h*x^2+g*x+f),x)`

output `(2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*a**2*c*d*g*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*a**2*d**2*f*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*a*b*c**2*g*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*b**2*c**2*f*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*a**2*d**2*h*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*a*b*d**2*g*n + 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)*x**2)/(a*c*f + a*c*g*x + a*c*h*x**2 + a*d*f*x + a*d*g*x**2 + a*d*h*x**3 + b*c*f*x + b*c*g*x**2 + b*c*h*x**3 + b*d*f*x**2 + b*d*g*x**3 + b*d*h*x**4),x)*b**2*c**2*h*n - 2*int(log(((a + b*x)**n*e)/(c + d*x)**n)*x...`

3.86
$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx$$

Optimal result	751
Mathematica [A] (verified)	752
Rubi [A] (verified)	752
Maple [F]	757
Fricas [F]	757
Sympy [F(-1)]	758
Maxima [F(-2)]	758
Giac [F]	758
Mupad [F(-1)]	759
Reduce [F]	759

Optimal result

Integrand size = 34, antiderivative size = 800

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx = \text{Too large to display}$$

output

```
n*ln(-b*x/a)*ln(b*x+a)/f-n*ln(-d*x/c)*ln(d*x+c)/f-g*arctanh((2*h*x+g)/(-4*f*h+g^2)^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/f/(-4*f*h+g^2)^(1/2)-ln(x)*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/f-1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/f+1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/f-1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/f+1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/f+1/2*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))*ln(h*x^2+g*x+f)/f-1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/f-1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/f+n*polylog(2,1+b*x/a)/f+1/2*(1+g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/f+1/2*(1-g/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2))))/f-n*polylog(2,1+d*x/c)/f
```


Mathematica [A] (verified)

Time = 1.07 (sec) , antiderivative size = 625, normalized size of antiderivative = 0.78

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f+gx+hx^2)} dx$$

$$= \frac{2 \log(x) \log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) - \left(1 + \frac{g}{\sqrt{g^2-4fh}}\right) \log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(g - \sqrt{g^2-4fh} + 2hx) - \left(1 - \frac{g}{\sqrt{g^2-4fh}}\right) \log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right) \log(g + \sqrt{g^2-4fh} + 2hx)}{2x^2}$$

input

```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(x*(f + g*x + h*x^2)),x]
```

output

```
(2*Log[x]*Log[e*((a + b*x)/(c + d*x))^n] - (1 + g/Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] - (1 - g/Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] - 2*n*(Log[x]*(Log[1 + (b*x)/a] - Log[1 + (d*x)/c]) + PolyLog[2, -(b*x)/a] - PolyLog[2, -(d*x)/c])) + ((g + Sqrt[g^2 - 4*f*h])*n*(Log[(2*h*(a + b*x))/(-(b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h])] - Log[(2*h*(c + d*x))/(-(d*g) + 2*c*h + d*Sqrt[g^2 - 4*f*h])])*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(-(b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h])] - PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(2*c*h + d*(-g + Sqrt[g^2 - 4*f*h]))])/Sqrt[g^2 - 4*f*h] + ((-g + Sqrt[g^2 - 4*f*h])*n*(Log[(2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])] - Log[(2*h*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h])])*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(-2*a*h + b*(g + Sqrt[g^2 - 4*f*h])]) - PolyLog[2, (d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(-2*c*h + d*(g + Sqrt[g^2 - 4*f*h])])])/Sqrt[g^2 - 4*f*h])/(2*f)
```

Rubi [A] (verified)

Time = 2.50 (sec) , antiderivative size = 719, normalized size of antiderivative = 0.90, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.265$, Rules used = {2993, 1144, 25, 1142, 1083, 219, 1103, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)}{x(f+gx+hx^2)} dx$$

↓ 2993

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \int \frac{1}{x(hx^2+gx+f)} dx \right) + n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx$$

↓ 1144

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\int -\frac{g+hx}{hx^2+gx+f} dx}{f} + \frac{\log(x)}{f} \right) \right) + n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx$$

↓ 25

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\log(x)}{f} - \frac{\int \frac{g+hx}{hx^2+gx+f} dx}{f} \right) \right) + n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx$$

↓ 1142

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\log(x)}{f} - \frac{\frac{1}{2}g \int \frac{1}{hx^2+gx+f} dx + \frac{1}{2} \int \frac{g+2hx}{hx^2+gx+f} dx}{f} \right) \right) + n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx$$

↓ 1083

$$-\left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\log(x)}{f} - \frac{\frac{1}{2} \int \frac{g+2hx}{hx^2+gx+f} dx - g \int \frac{1}{g^2-(g+2hx)^2-4fh}}{f} \right) \right) + n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx$$

↓ 219

$$\begin{aligned}
& - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\log(x)}{f} - \frac{\frac{1}{2} \int \frac{g+2hx}{hx^2+gx+f} dx - \frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{f}}{f} \right) \right. \\
& \quad \left. n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx \right) \\
& \quad \downarrow \text{1103} \\
& \quad n \int \frac{\log(a+bx)}{x(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x(hx^2+gx+f)} dx - \\
& \quad \left(\left(\frac{\log(x)}{f} - \frac{\frac{1}{2} \log(f+gx+hx^2) - \frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{f}}{f} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+ \right. \right. \\
& \quad \left. \left. \downarrow \text{2865} \right. \right. \\
& \quad \left. \left. n \int \left(\frac{\log(a+bx)}{fx} + \frac{(-g-hx)\log(a+bx)}{f(hx^2+gx+f)} \right) dx - \right. \right. \\
& \quad \left. \left. n \int \left(\frac{\log(c+dx)}{fx} + \frac{(-g-hx)\log(c+dx)}{f(hx^2+gx+f)} \right) dx - \right. \right. \\
& \quad \left(\left(\frac{\log(x)}{f} - \frac{\frac{1}{2} \log(f+gx+hx^2) - \frac{\operatorname{garctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{f}}{f} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+ \right. \right. \\
& \quad \left. \left. \downarrow \text{2009} \right. \right.
\end{aligned}$$

$$\begin{aligned}
& - \left(\left(\frac{\log(x)}{f} - \frac{\frac{1}{2} \log(f + gx + hx^2) - \frac{g \operatorname{arctanh}\left(\frac{g+2hx}{\sqrt{g^2-4fh}}\right)}{\sqrt{g^2-4fh}}}{f} \right) \left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n \log(a+bx) - n \log(c+dx) \right) \right. \\
& n \left(\frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1\right) \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g-\sqrt{g^2-4fh})}\right)}{2f} - \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}}\right) \operatorname{PolyLog}\left(2, \frac{2h(a+bx)}{2ah-b(g+\sqrt{g^2-4fh})}\right)}{2f} \right) \\
& n \left(\frac{\left(\frac{g}{\sqrt{g^2-4fh}} + 1\right) \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g-\sqrt{g^2-4fh})}\right)}{2f} - \frac{\left(1 - \frac{g}{\sqrt{g^2-4fh}}\right) \operatorname{PolyLog}\left(2, \frac{2h(c+dx)}{2ch-d(g+\sqrt{g^2-4fh})}\right)}{2f} \right)
\end{aligned}$$

input `Int[Log[e*((a + b*x)/(c + d*x))^n]/(x*(f + g*x + h*x^2)),x]`

output `-((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(Log[x]/f - ((g*ArcTanh[(g + 2*h*x)/Sqrt[g^2 - 4*f*h]])/Sqrt[g^2 - 4*f*h] + Log[f + g*x + h*x^2]/2)/f) + n*((Log[-((b*x)/a)]*Log[a + b*x])/f - ((1 + g/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))]))/(2*f) - ((1 - g/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))]))/(2*f) - ((1 + g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))])/(2*f) - ((1 - g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))])/(2*f) + PolyLog[2, 1 + (b*x)/a]/f - n*((Log[-((d*x)/c)]*Log[c + d*x])/f - ((1 + g/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]))]))/(2*f) - ((1 - g/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))]))/(2*f) - ((1 + g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]))])/(2*f) - ((1 - g/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])/(2*f) + PolyLog[2, 1 + (d*x)/c]/f)`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 219 $\text{Int}[(\text{a}_) + (\text{b}_) * (\text{x}_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[(1/(\text{Rt}[\text{a}, 2] * \text{Rt}[-\text{b}, 2])) * \text{ArcTanh}[\text{Rt}[-\text{b}, 2] * (\text{x}/\text{Rt}[\text{a}, 2])], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}\}, \text{x}] \&\& \text{NegQ}[\text{a}/\text{b}] \&\& (\text{GtQ}[\text{a}, 0] \parallel \text{LtQ}[\text{b}, 0])$
- rule 1083 $\text{Int}[(\text{a}_) + (\text{b}_) * (\text{x}_) + (\text{c}_) * (\text{x}_)^2)^{-1}, \text{x_Symbol}] \rightarrow \text{Simp}[-2 \quad \text{Subst}[\text{Int}[1/\text{Simp}[\text{b}^2 - 4 * \text{a} * \text{c} - \text{x}^2, \text{x}], \text{x}], \text{x}, \text{b} + 2 * \text{c} * \text{x}], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}\}, \text{x}]$
- rule 1103 $\text{Int}[(\text{d}_) + (\text{e}_) * (\text{x}_)] / ((\text{a}_) + (\text{b}_) * (\text{x}_) + (\text{c}_) * (\text{x}_)^2), \text{x_Symbol}] \rightarrow \text{Simp}[\text{d} * (\text{Log}[\text{RemoveContent}[\text{a} + \text{b} * \text{x} + \text{c} * \text{x}^2, \text{x}]] / \text{b}), \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}\}, \text{x}] \&\& \text{EqQ}[2 * \text{c} * \text{d} - \text{b} * \text{e}, 0]$
- rule 1142 $\text{Int}[(\text{d}_) + (\text{e}_) * (\text{x}_)] / ((\text{a}_) + (\text{b}_) * (\text{x}_) + (\text{c}_) * (\text{x}_)^2), \text{x_Symbol}] \rightarrow \text{Simp}[(2 * \text{c} * \text{d} - \text{b} * \text{e}) / (2 * \text{c}) \quad \text{Int}[1 / (\text{a} + \text{b} * \text{x} + \text{c} * \text{x}^2), \text{x}], \text{x}] + \text{Simp}[\text{e} / (2 * \text{c}) \quad \text{Int}[(\text{b} + 2 * \text{c} * \text{x}) / (\text{a} + \text{b} * \text{x} + \text{c} * \text{x}^2), \text{x}], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}\}, \text{x}]$
- rule 1144 $\text{Int}[1 / (((\text{d}_) + (\text{e}_) * (\text{x}_)) * ((\text{a}_) + (\text{b}_) * (\text{x}_) + (\text{c}_) * (\text{x}_)^2)), \text{x_Symbol}] \rightarrow \text{Simp}[\text{e} * (\text{Log}[\text{RemoveContent}[\text{d} + \text{e} * \text{x}, \text{x}]] / (\text{c} * \text{d}^2 - \text{b} * \text{d} * \text{e} + \text{a} * \text{e}^2)), \text{x}] + \text{Simp}[1 / (\text{c} * \text{d}^2 - \text{b} * \text{d} * \text{e} + \text{a} * \text{e}^2) \quad \text{Int}[(\text{c} * \text{d} - \text{b} * \text{e} - \text{c} * \text{e} * \text{x}) / (\text{a} + \text{b} * \text{x} + \text{c} * \text{x}^2), \text{x}], \text{x}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}\}, \text{x}]$
- rule 2009 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{Simp}[\text{IntSum}[\text{u}, \text{x}], \text{x}] /; \text{SumQ}[\text{u}]$
- rule 2865 $\text{Int}[(\text{a}_) + \text{Log}[(\text{c}_) * ((\text{d}_) + (\text{e}_) * (\text{x}_))^{(\text{n}_)}] * (\text{b}_)]^{(\text{p}_)} * (\text{RFx}_), \text{x_Symbol}] \rightarrow \text{With}[\{\text{u} = \text{ExpandIntegrand}[(\text{a} + \text{b} * \text{Log}[\text{c} * (\text{d} + \text{e} * \text{x})^{\text{n}}])^{\text{p}}, \text{RFx}, \text{x}]\}, \text{Int}[\text{u}, \text{x}] /; \text{SumQ}[\text{u}] /; \text{FreeQ}[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{n}\}, \text{x}] \&\& \text{RationalFunctionQ}[\text{RFx}, \text{x}] \&\& \text{IntegerQ}[\text{p}]$

rule 2993

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.))*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]*(Rfx_), x_Symbol] := Simp[p*r Int[Rfx*Log[a + b*x], x], x] + (Simp[q*r Int[Rfx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]) Int[Rfx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[Rfx, x] && NeQ[b*c - a*d, 0] && !MatchQ[Rfx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.)] /; IntegersQ[m, n]]
```

Maple [F]

$$\int \frac{\ln\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{x(hx^2+gx+f)} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)/x/(h*x^2+g*x+f),x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)/x/(h*x^2+g*x+f),x)`

Fricas [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f+gx+hx^2)} dx = \int \frac{\log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{(hx^2+gx+f)x} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x/(h*x^2+g*x+f),x, algorithm="fricas")`

output `integral(log(e*((b*x + a)/(d*x + c))^n)/(h*x^3 + g*x^2 + f*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f+gx+hx^2)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/x/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f+gx+hx^2)} dx = \text{Exception raised: ValueError}$$

input `integrate(log(e*((b*x+a)/(d*x+c))~n)/x/(h*x^2+g*x+f),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for more deta`

Giac [F]

$$\int \frac{\log\left(e^{\left(\frac{a+bx}{c+dx}\right)^n}\right)}{x(f+gx+hx^2)} dx = \int \frac{\log\left(e^{\left(\frac{bx+a}{dx+c}\right)^n}\right)}{(hx^2+gx+f)x} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))~n)/x/(h*x^2+g*x+f),x, algorithm="giac")`

output `integrate(log(e*((b*x + a)/(d*x + c))~n)/((h*x^2 + g*x + f)*x), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(hx^2+gx+f)} dx$$

input `int(log(e*((a + b*x)/(c + d*x))^n)/(x*(f + g*x + h*x^2)),x)`

output `int(log(e*((a + b*x)/(c + d*x))^n)/(x*(f + g*x + h*x^2)), x)`

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x(f+gx+hx^2)} dx = \int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{hx^3+gx^2+fx} dx$$

input `int(log(e*((b*x+a)/(d*x+c))^n)/x/(h*x^2+g*x+f),x)`

output `int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x + g*x**2 + h*x**3),x)`

$$3.87 \quad \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx$$

Optimal result	760
Mathematica [A] (verified)	761
Rubi [A] (verified)	762
Maple [F]	766
Fricas [F]	766
Sympy [F(-1)]	766
Maxima [F(-2)]	767
Giac [F]	767
Mupad [F(-1)]	767
Reduce [F]	768

Optimal result

Integrand size = 34, antiderivative size = 995

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx = \text{Too large to display}$$

output

```

b*n*ln(x)/a/f-d*n*ln(x)/c/f-b*n*ln(b*x+a)/a/f-n*ln(b*x+a)/f/x-g*n*ln(-b*x/
a)*ln(b*x+a)/f^2+d*n*ln(d*x+c)/c/f+n*ln(d*x+c)/f/x+g*n*ln(-d*x/c)*ln(d*x+c
)/f^2+(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))/f/x+(-2*f*h+g^2)
*arctanh((2*h*x+g)/(-4*f*h+g^2)^(1/2))*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))
^n)-n*ln(d*x+c))/f^2/(-4*f*h+g^2)^(1/2)+g*ln(x)*(n*ln(b*x+a)-ln(e*((b*x+a)
/(d*x+c))^n)-n*ln(d*x+c))/f^2+1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln
(b*x+a)*ln(-b*(g-(-4*f*h+g^2)^(1/2)+2*h*x)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2)
)))/f^2-1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*ln(d*x+c)*ln(-d*(g-(-4*f*
h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/f^2+1/2*(g-(-2*f*h+g
^2)/(-4*f*h+g^2)^(1/2))*n*ln(b*x+a)*ln(-b*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*
a*h-b*(g+(-4*f*h+g^2)^(1/2))))/f^2-1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2)
)*n*ln(d*x+c)*ln(-d*(g+(-4*f*h+g^2)^(1/2)+2*h*x)/(2*c*h-d*(g+(-4*f*h+g^2)^(
1/2))))/f^2-1/2*g*(n*ln(b*x+a)-ln(e*((b*x+a)/(d*x+c))^n)-n*ln(d*x+c))*ln(h
*x^2+g*x+f)/f^2+1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(b
*x+a)/(2*a*h-b*(g-(-4*f*h+g^2)^(1/2))))/f^2+1/2*(g-(-2*f*h+g^2)/(-4*f*h+g^
2)^(1/2))*n*polylog(2,2*h*(b*x+a)/(2*a*h-b*(g+(-4*f*h+g^2)^(1/2))))/f^2-g*
n*polylog(2,1+b*x/a)/f^2-1/2*(g+(-2*f*h+g^2)/(-4*f*h+g^2)^(1/2))*n*polylog
(2,2*h*(d*x+c)/(2*c*h-d*(g-(-4*f*h+g^2)^(1/2))))/f^2-1/2*(g-(-2*f*h+g^2)/(-
4*f*h+g^2)^(1/2))*n*polylog(2,2*h*(d*x+c)/(2*c*h-d*(g+(-4*f*h+g^2)^(1/2)
)))/f^2+g*n*polylog(2,1+d*x/c)/f^2

```

Mathematica [A] (verified)

Time = 1.05 (sec) , antiderivative size = 721, normalized size of antiderivative = 0.72

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx$$

$$= -\frac{2f \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x} - 2g \log(x) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + \frac{2fn((bc-ad)\log(x)-bc\log(a+bx)+ad\log(c+dx))}{ac} + \left(g + \frac{g^2-2fh}{\sqrt{g^2-4fh}}\right) \log$$

input

```
Integrate[Log[e*((a + b*x)/(c + d*x))^n]/(x^2*(f + g*x + h*x^2)),x]
```

output

```

((-2*f*Log[e*((a + b*x)/(c + d*x))^n])/x - 2*g*Log[x]*Log[e*((a + b*x)/(c
+ d*x))^n] + (2*f*n*((b*c - a*d)*Log[x] - b*c*Log[a + b*x] + a*d*Log[c + d
*x]))/(a*c) + (g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[e*((a + b*x)/(c +
d*x))^n]*Log[g - Sqrt[g^2 - 4*f*h] + 2*h*x] + (g + (-g^2 + 2*f*h)/Sqrt[g^2
- 4*f*h])*Log[e*((a + b*x)/(c + d*x))^n]*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*
x] + 2*g*n*(Log[x]*(Log[1 + (b*x)/a] - Log[1 + (d*x)/c]) + PolyLog[2, -((b
*x)/a)] - PolyLog[2, -((d*x)/c)]) - ((g^2 - 2*f*h + g*Sqrt[g^2 - 4*f*h])*n
*((Log[(2*h*(a + b*x))/(-b*g) + 2*a*h + b*Sqrt[g^2 - 4*f*h]]) - Log[(2*h*
(c + d*x))/(-d*g) + 2*c*h + d*Sqrt[g^2 - 4*f*h]]))*Log[g - Sqrt[g^2 - 4*f
*h] + 2*h*x] + PolyLog[2, (b*(-g + Sqrt[g^2 - 4*f*h] - 2*h*x))/(-b*g) + 2
*a*h + b*Sqrt[g^2 - 4*f*h]]) - PolyLog[2, (d*(-g + Sqrt[g^2 - 4*f*h] - 2*h
*x))/(2*c*h + d*(-g + Sqrt[g^2 - 4*f*h]))])/Sqrt[g^2 - 4*f*h] + ((g^2 - 2
*f*h - g*Sqrt[g^2 - 4*f*h])*n*((Log[(2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g
^2 - 4*f*h]))] - Log[(2*h*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]))])
*Log[g + Sqrt[g^2 - 4*f*h] + 2*h*x] + PolyLog[2, (b*(g + Sqrt[g^2 - 4*f*h]
+ 2*h*x))/(-2*a*h + b*(g + Sqrt[g^2 - 4*f*h]))] - PolyLog[2, (d*(g + Sqrt
[g^2 - 4*f*h] + 2*h*x))/(-2*c*h + d*(g + Sqrt[g^2 - 4*f*h]))])/Sqrt[g^2 -
4*f*h])/(2*f^2)

```

Rubi [A] (verified)

Time = 3.06 (sec) , antiderivative size = 883, normalized size of antiderivative = 0.89, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$, Rules used = {2993, 1145, 25, 1200, 2009, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx$$

↓ 2993

$$-\left(\left(-\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) + n\log(a+bx) - n\log(c+dx)\right) \int \frac{1}{x^2(hx^2+gx+f)} dx\right) +$$

$$n \int \frac{\log(a+bx)}{x^2(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x^2(hx^2+gx+f)} dx$$

↓ 1145

$$\begin{aligned}
& - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(\frac{\int -\frac{g+hx}{x(hx^2+gx+f)} dx}{f} - \frac{1}{fx} \right) \right) + \\
& \quad n \int \frac{\log(a+bx)}{x^2(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x^2(hx^2+gx+f)} dx \\
& \quad \downarrow 25 \\
& - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(-\frac{\int \frac{g+hx}{x(hx^2+gx+f)} dx}{f} - \frac{1}{fx} \right) \right) + \\
& \quad n \int \frac{\log(a+bx)}{x^2(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x^2(hx^2+gx+f)} dx \\
& \quad \downarrow 1200 \\
& - \left(\left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \left(-\frac{\int \left(\frac{g}{fx} + \frac{-g^2-hxg+fh}{f(hx^2+gx+f)} \right) dx}{f} - \frac{1}{fx} \right) \right) + \\
& \quad n \int \frac{\log(a+bx)}{x^2(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x^2(hx^2+gx+f)} dx \\
& \quad \downarrow 2009 \\
& \quad n \int \frac{\log(a+bx)}{x^2(hx^2+gx+f)} dx - n \int \frac{\log(c+dx)}{x^2(hx^2+gx+f)} dx - \\
& \left(\left(\left(\frac{(g^2-2fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{f \sqrt{g^2-4fh}} - \frac{g \log(f+gx+hx^2)}{2f} + \frac{g \log(x)}{f} \right) - \frac{1}{fx} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right) \\
& \quad \downarrow 2865 \\
& \quad n \int \left(-\frac{g \log(a+bx)}{f^2 x} + \frac{(g^2+hxg-fh) \log(a+bx)}{f^2(hx^2+gx+f)} + \frac{\log(a+bx)}{fx^2} \right) dx - \\
& \quad n \int \left(-\frac{g \log(c+dx)}{f^2 x} + \frac{(g^2+hxg-fh) \log(c+dx)}{f^2(hx^2+gx+f)} + \frac{\log(c+dx)}{fx^2} \right) dx - \\
& \left(\left(\left(\frac{(g^2-2fh) \operatorname{arctanh} \left(\frac{g+2hx}{\sqrt{g^2-4fh}} \right)}{f \sqrt{g^2-4fh}} - \frac{g \log(f+gx+hx^2)}{2f} + \frac{g \log(x)}{f} \right) - \frac{1}{fx} \right) \left(-\log \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) + n \log(a+bx) - n \log(c+dx) \right) \right) \\
& \quad \downarrow 2009
\end{aligned}$$

$$\begin{aligned}
& - \left(n \log(a + bx) - \log \left(e \left(\frac{a + bx}{c + dx} \right)^n \right) - n \log(c + dx) \right) \left(- \frac{\frac{(g^2 - 2fh) \operatorname{arctanh} \left(\frac{g + 2hx}{\sqrt{g^2 - 4fh}} \right)}{f \sqrt{g^2 - 4fh}} + \frac{g \log(x)}{f} - \frac{g \log(hx^2 + \dots)}{2f}}{f} \right. \\
& n \left(\frac{b \log(x)}{af} - \frac{g \log \left(-\frac{bx}{a} \right) \log(a + bx)}{f^2} - \frac{b \log(a + bx)}{af} - \frac{\log(a + bx)}{fx} + \frac{\left(g + \frac{g^2 - 2fh}{\sqrt{g^2 - 4fh}} \right) \log(a + bx) \log \left(-\frac{b(g + 2hx)}{2ah - b} \right)}{2f^2} \right. \\
& n \left(\frac{d \log(x)}{cf} - \frac{g \log \left(-\frac{dx}{c} \right) \log(c + dx)}{f^2} - \frac{d \log(c + dx)}{cf} - \frac{\log(c + dx)}{fx} + \frac{\left(g + \frac{g^2 - 2fh}{\sqrt{g^2 - 4fh}} \right) \log(c + dx) \log \left(-\frac{d(g + 2hx)}{2ch - d} \right)}{2f^2} \right)
\end{aligned}$$

input

```
Int[Log[e*((a + b*x)/(c + d*x))^n]/(x^2*(f + g*x + h*x^2)),x]
```

output

```

-((n*Log[a + b*x] - Log[e*((a + b*x)/(c + d*x))^n] - n*Log[c + d*x])*(-1/(f*x)) - (((g^2 - 2*f*h)*ArcTanh[(g + 2*h*x)/Sqrt[g^2 - 4*f*h]])/(f*Sqrt[g^2 - 4*f*h]) + (g*Log[x])/f - (g*Log[f + g*x + h*x^2])/(2*f)/f) + n*((b*Log[x])/(a*f) - (b*Log[a + b*x])/(a*f) - Log[a + b*x]/(f*x) - (g*Log[-((b*x)/a)]*Log[a + b*x])/f^2 + ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h])))]/(2*f^2) + ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[a + b*x]*Log[-((b*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h])))]/(2*f^2) + ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g - Sqrt[g^2 - 4*f*h]))]/(2*f^2) + ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(a + b*x))/(2*a*h - b*(g + Sqrt[g^2 - 4*f*h]))]/(2*f^2) - (g*PolyLog[2, 1 + (b*x)/a])/f^2 - n*((d*Log[x])/(c*f) - (d*Log[c + d*x])/(c*f) - Log[c + d*x]/(f*x) - (g*Log[-((d*x)/c)]*Log[c + d*x])/f^2 + ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g - Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h])))]/(2*f^2) + ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*Log[c + d*x]*Log[-((d*(g + Sqrt[g^2 - 4*f*h] + 2*h*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h])))]/(2*f^2) + ((g + (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g - Sqrt[g^2 - 4*f*h]))]/(2*f^2) + ((g - (g^2 - 2*f*h)/Sqrt[g^2 - 4*f*h])*PolyLog[2, (2*h*(c + d*x))/(2*c*h - d*(g + Sqrt[g^2 - 4*f*h]...

```

Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 1145 `Int[((d_.) + (e_.)*(x_)^(m_))/((a_) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[e*((d + e*x)^(m + 1)/((m + 1)*(c*d^2 - b*d*e + a*e^2))], x] + Simp[1/(c*d^2 - b*d*e + a*e^2) Int[(d + e*x)^(m + 1)*(Simp[c*d - b*e - c*e*x, x]/(a + b*x + c*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && ILtQ[m, -1]`
- rule 1200 `Int[((d_.) + (e_.)*(x_)^(m_.))*((f_.) + (g_.)*(x_)^(n_.))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*((f + g*x)^n/(a + b*x + c*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && IntegersQ[n]`
- rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`
- rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`
- rule 2993 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.))*((c_.) + (d_.)*(x_)^(q_.))^(r_.)]*(RFx_), x_Symbol] := Simp[p*r Int[RFx*Log[a + b*x], x], x] + (Simp[q*r Int[RFx*Log[c + d*x], x], x] - Simp[(p*r*Log[a + b*x] + q*r*Log[c + d*x] - Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r) Int[RFx, x], x]) /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && RationalFunctionQ[RFx, x] && NeQ[b*c - a*d, 0] && !MatchQ[RFx, (u_.)*(a + b*x)^(m_.)*(c + d*x)^(n_.) /; IntegersQ[m, n]]`

Maple [F]

$$\int \frac{\ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{x^2 (hx^2 + gx + f)} dx$$

input `int(ln(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f),x)`

output `int(ln(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f),x)`

Fricas [F]

$$\int \frac{\log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{x^2 (f + gx + hx^2)} dx = \int \frac{\log \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)}{(hx^2 + gx + f)x^2} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f),x, algorithm="fricas")`

output `integral(log(e*((b*x + a)/(d*x + c))^n)/(h*x^4 + g*x^3 + f*x^2), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \right)}{x^2 (f + gx + hx^2)} dx = \text{Timed out}$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)/x**2/(h*x**2+g*x+f),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx = \text{Exception raised: ValueError}$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*f*h-g^2>0)', see `assume?` for more deta`

Giac [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)}{(hx^2+gx+f)x^2} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f),x, algorithm="giac")`

output `integrate(log(e*((b*x + a)/(d*x + c))^n)/((h*x^2 + g*x + f)*x^2), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx = \int \frac{\ln\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(hx^2+gx+f)} dx$$

input `int(log(e*((a + b*x)/(c + d*x))^n)/(x^2*(f + g*x + h*x^2)),x)`


```
output int(log(e*((a + b*x)/(c + d*x))^n)/(x^2*(f + g*x + h*x^2)), x)
```

Reduce [F]

$$\int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{x^2(f+gx+hx^2)} dx$$

$$= \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{hx^4+gx^3+fx^2} dx\right) a^2 c^2 h + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{hx^4+gx^3+fx^2} dx\right) a^2 cdg + \left(\int \frac{\log\left(\frac{(bx+a)^n e}{(dx+c)^n}\right)}{hx^4+gx^3+fx^2} dx\right) ab c^2 g - \log(bx+a) ab d$$

$ac(ach +$

```
input int(log(e*((b*x+a)/(d*x+c))^n)/x^2/(h*x^2+g*x+f), x)
```

```
output (int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x**2 + g*x**3 + h*x**4), x)*a**2
*c**2*h + int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x**2 + g*x**3 + h*x**4
), x)*a**2*c*d*g + int(log(((a + b*x)**n*e)/(c + d*x)**n)/(f*x**2 + g*x**3
+ h*x**4), x)*a*b*c**2*g - log(a + b*x)*a*b*d**2*n + log(a + b*x)*b**2*c*d*
n + log(c + d*x)*a*b*d**2*n - log(c + d*x)*b**2*c*d*n + log(((a + b*x)**n*
e)/(c + d*x)**n)*a*b*d**2 - log(((a + b*x)**n*e)/(c + d*x)**n)*b**2*c*d)/(
a*c*(a*c*h + a*d*g + b*c*g))
```

3.88 $\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx$

Optimal result	769
Mathematica [A] (verified)	769
Rubi [A] (verified)	770
Maple [A] (verified)	772
Fricas [F]	772
Sympy [F]	773
Maxima [B] (verification not implemented)	773
Giac [F]	774
Mupad [F(-1)]	774
Reduce [F]	774

Optimal result

Integrand size = 19, antiderivative size = 46

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = -\frac{\log\left(\frac{a}{a+bx}\right)\log\left(\frac{cx}{a+bx}\right)}{b} - \frac{\text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right)}{b}$$

output `-ln(a/(b*x+a))*ln(c*x/(b*x+a))/b-polylog(2,1-a/(b*x+a))/b`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.83

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \frac{\log\left(-\frac{bx}{a}\right)\log\left(\frac{a}{a+bx}\right)}{b} + \frac{\log^2\left(\frac{a}{a+bx}\right)}{2b} - \frac{\log\left(\frac{a}{a+bx}\right)\log\left(\frac{cx}{a+bx}\right)}{b} - \frac{\text{PolyLog}\left(2, \frac{a+bx}{a}\right)}{b}$$

input `Integrate[Log[(c*x)/(a + b*x)]/(a + b*x),x]`

output `(Log[-((b*x)/a)]*Log[a/(a + b*x)])/b + Log[a/(a + b*x)]^2/(2*b) - (Log[a/(a + b*x)]*Log[(c*x)/(a + b*x)])/b - PolyLog[2, (a + b*x)/a]/b`

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {2944, 2858, 25, 27, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx \\
 & \quad \downarrow \text{2944} \\
 & \frac{a \int \frac{\log\left(\frac{a}{a+bx}\right) dx}{x(a+bx)}}{b} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{2858} \\
 & \frac{a \int \frac{\log\left(\frac{a}{a+bx}\right) d(a+bx)}{x(a+bx)}}{b^2} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{25} \\
 & - \frac{a \int -\frac{\log\left(\frac{a}{a+bx}\right)}{x(a+bx)} d(a+bx)}{b^2} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{27} \\
 & - \frac{a \int -\frac{\log\left(\frac{a}{a+bx}\right)}{bx(a+bx)} d(a+bx)}{b} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{2778} \\
 & \frac{a \int -\frac{(a+bx) \log\left(\frac{a}{a+bx}\right)}{bx} d\frac{1}{a+bx}}{b} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{2005} \\
 & \frac{a \int \frac{\log\left(\frac{a}{a+bx}\right)}{\frac{a}{a+bx}-1} d\frac{1}{a+bx}}{b} - \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{b} \\
 & \quad \downarrow \text{2752}
 \end{aligned}$$

$$-\frac{\log\left(\frac{a}{a+bx}\right)\log\left(\frac{cx}{a+bx}\right)}{b} - \frac{\text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right)}{b}$$

input `Int[Log[(c*x)/(a + b*x)]/(a + b*x),x]`

output `-((Log[a/(a + b*x)]*Log[(c*x)/(a + b*x)])/b) - PolyLog[2, 1 - a/(a + b*x)]/b`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2005 `Int[(Fx_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(m + n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && NegQ[n]`

rule 2752 `Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2778 `Int[((a_) + Log[(c_)*(x_)^(n_)]*(b_))/((x_)*((d_) + (e_)*(x_)^(r_))), x_Symbol] := Simp[1/n Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x], x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]`

rule 2858 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))]*(b_))^(p_)*((f_) + (g_)*(x_)^(q_))*((h_) + (i_)*(x_)^(r_)), x_Symbol] := Simp[1/e Subst[Int[(g*(x/e))^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*Log[c*x^n])^p, x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]`

rule 2944

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_
)]*(B_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(-Log[(b*c - a*d)/(b*(c +
d*x))])*(A + B*Log[e*((a + b*x)^n/(c + d*x)^n])]/g), x] + Simp[B*n*(b*c
- a*d)/g) Int[Log[(b*c - a*d)/(b*(c + d*x))]/((a + b*x)*(c + d*x)), x], x
] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c
- a*d, 0] && EqQ[d*f - c*g, 0]
```

Maple [A] (verified)

Time = 6.08 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.50

method	result	size
parts	$\frac{\ln\left(\frac{cx}{bx+a}\right) \ln(bx+a)}{b} - \frac{\left(\operatorname{dilog}\left(-\frac{bx}{a}\right) + \ln(bx+a) \ln\left(-\frac{bx}{a}\right)\right) c - \frac{\ln(bx+a)^2 c}{2}}{bc}$	69
derivativedivides	$-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b} - \frac{\ln\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right) \ln\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b}$	97
default	$-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b} - \frac{\ln\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right) \ln\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b}$	97
risch	$-\frac{\operatorname{dilog}\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b} - \frac{\ln\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right) \ln\left(-\frac{\left(\frac{c}{b} - \frac{ac}{b(bx+a)}\right)^{b-c}}{c}\right)}{b}$	97

input

```
int(ln(c*x/(b*x+a))/(b*x+a),x,method=_RETURNVERBOSE)
```

output

```
ln(c*x/(b*x+a))/b*ln(b*x+a)-1/b/c*((dilog(-b*x/a)+ln(b*x+a)*ln(-b*x/a))*c-
1/2*ln(b*x+a)^2*c)
```

Fricas [F]

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)}{bx+a} dx$$

input

```
integrate(log(c*x/(b*x+a))/(b*x+a),x, algorithm="fricas")
```

output `integral(log(c*x/(b*x + a))/(b*x + a), x)`

Sympy [F]

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx$$

input `integrate(ln(c*x/(b*x+a))/(b*x+a), x)`

output `Integral(log(c*x/(a + b*x))/(a + b*x), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 95 vs. $2(45) = 90$.

Time = 0.04 (sec) , antiderivative size = 95, normalized size of antiderivative = 2.07

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \frac{\log(bx+a)\log\left(\frac{cx}{bx+a}\right)}{b} - \frac{c\log(bx+a)^2}{b} - \frac{2\left(\log\left(\frac{bx}{a}+1\right)\log(x)+\text{Li}_2\left(-\frac{bx}{a}\right)\right)c}{2c} + \frac{(c\log(bx+a) - c\log(x))\log(bx+a)}{bc}$$

input `integrate(log(c*x/(b*x+a))/(b*x+a), x, algorithm="maxima")`

output `log(b*x + a)*log(c*x/(b*x + a))/b - 1/2*(c*log(b*x + a)^2/b - 2*(log(b*x/a + 1)*log(x) + dilog(-b*x/a))*c/b)/c + (c*log(b*x + a) - c*log(x))*log(b*x + a)/(b*c)`

Giac [F]

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)}{bx+a} dx$$

input `integrate(log(c*x/(b*x+a))/(b*x+a),x, algorithm="giac")`

output `integrate(log(c*x/(b*x + a))/(b*x + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \int \frac{\ln\left(\frac{cx}{a+bx}\right)}{a+bx} dx$$

input `int(log((c*x)/(a + b*x))/(a + b*x),x)`

output `int(log((c*x)/(a + b*x))/(a + b*x), x)`

Reduce [F]

$$\int \frac{\log\left(\frac{cx}{a+bx}\right)}{a+bx} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)}{bx+a} dx$$

input `int(log(c*x/(b*x+a))/(b*x+a),x)`

output `int(log((c*x)/(a + b*x))/(a + b*x),x)`

3.89 $\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx$

Optimal result	775
Mathematica [A] (verified)	775
Rubi [A] (warning: unable to verify)	776
Maple [A] (verified)	777
Fricas [A] (verification not implemented)	778
Sympy [A] (verification not implemented)	778
Maxima [B] (verification not implemented)	778
Giac [F]	779
Mupad [B] (verification not implemented)	779
Reduce [B] (verification not implemented)	780

Optimal result

Integrand size = 24, antiderivative size = 20

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\log^3\left(\frac{cx}{a+bx}\right)}{3a}$$

output

```
1/3*ln(c*x/(b*x+a))^3/a
```

Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\log^3\left(\frac{cx}{a+bx}\right)}{3a}$$

input

```
Integrate[Log[(c*x)/(a + b*x)]^2/(x*(a + b*x)),x]
```

output

```
Log[(c*x)/(a + b*x)]^3/(3*a)
```


Rubi [A] (warning: unable to verify)

Time = 0.41 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2962, 2739, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx$$

$$\downarrow \text{2962}$$

$$\int \frac{(a+bx) \log^2\left(\frac{cx}{a+bx}\right)}{x} d \frac{x}{a+bx}$$

$$\downarrow \text{2739}$$

$$\int \frac{x^2}{(a+bx)^2} d \log\left(\frac{cx}{a+bx}\right)$$

$$\downarrow \text{15}$$

$$\frac{x^3}{3a(a+bx)^3}$$

input `Int [Log[(c*x)/(a + b*x)]^2/(x*(a + b*x)), x]`

output `x^3/(3*a*(a + b*x)^3)`

Defintions of rubi rules used

rule 15 `Int[(a_.)*(x_)^(m_.), x_Symbol] := Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[{a, m}, x] && NeQ[m, -1]`

rule 2739 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/(x_), x_Symbol] := Simp[1/(b*n) Subst[Int[x^p, x], x, a + b*Log[c*x^n]], x] /; FreeQ[{a, b, c, n, p}, x]`

rule 2962 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_.))]*(B_.))^(p_.)*((f_.) + (g_.)*(x_)^(m_.))*((h_.) + (i_.)*(x_)^(q_.), x_Symbol] := Simp[(b*c - a*d)^(m + q + 1)*(g/b)^m*(i/d)^q Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n, p}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0] && EqQ[d*h - c*i, 0] && IntegersQ[m, q]`

Maple [A] (verified)

Time = 2.44 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

method	result	size
derivativedivides	$\frac{\ln\left(\frac{cx}{bx+a}\right)^3}{3a}$	19
default	$\frac{\ln\left(\frac{cx}{bx+a}\right)^3}{3a}$	19
norman	$\frac{\ln\left(\frac{cx}{bx+a}\right)^3}{3a}$	19
risch	$\frac{\ln\left(\frac{cx}{bx+a}\right)^3}{3a}$	19
parallelrisch	$\frac{\ln\left(\frac{cx}{bx+a}\right)^3}{3a}$	19

input `int(ln(c*x/(b*x+a))^2/x/(b*x+a),x,method=_RETURNVERBOSE)`

output `1/3*ln(c*x/(b*x+a))^3/a`

Fricas [A] (verification not implemented)

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\log\left(\frac{cx}{bx+a}\right)^3}{3a}$$

input `integrate(log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="fricas")`

output `1/3*log(c*x/(b*x + a))^3/a`

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.70

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\log\left(\frac{cx}{a+bx}\right)^3}{3a}$$

input `integrate(ln(c*x/(b*x+a))**2/x/(b*x+a),x)`

output `log(c*x/(a + b*x))**3/(3*a)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 141 vs. 2(18) = 36.

Time = 0.04 (sec) , antiderivative size = 141, normalized size of antiderivative = 7.05

$$\begin{aligned} & \int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx \\ &= -\left(\frac{\log(bx+a)}{a} - \frac{\log(x)}{a}\right) \log\left(\frac{cx}{bx+a}\right)^2 \\ & \quad - \frac{(c \log(bx+a))^2 - 2c \log(bx+a) \log(x) + c \log(x)^2}{ac} \log\left(\frac{cx}{bx+a}\right) \\ & \quad - \frac{c^2 \log(bx+a)^3 - 3c^2 \log(bx+a)^2 \log(x) + 3c^2 \log(bx+a) \log(x)^2 - c^2 \log(x)^3}{3ac^2} \end{aligned}$$

input `integrate(log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="maxima")`

output `-(log(b*x + a)/a - log(x)/a)*log(c*x/(b*x + a))^2 - (c*log(b*x + a)^2 - 2*c*log(b*x + a)*log(x) + c*log(x)^2)*log(c*x/(b*x + a))/(a*c) - 1/3*(c^2*log(b*x + a)^3 - 3*c^2*log(b*x + a)^2*log(x) + 3*c^2*log(b*x + a)*log(x)^2 - c^2*log(x)^3)/(a*c^2)`

Giac [F]

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)^2}{(bx+a)x} dx$$

input `integrate(log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="giac")`

output `integrate(log(c*x/(b*x + a))^2/((b*x + a)*x), x)`

Mupad [B] (verification not implemented)

Time = 26.63 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\ln\left(\frac{cx}{a+bx}\right)^3}{3a}$$

input `int(log((c*x)/(a + b*x))^2/(x*(a + b*x)),x)`

output `log((c*x)/(a + b*x))^3/(3*a)`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 18, normalized size of antiderivative = 0.90

$$\int \frac{\log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \frac{\log\left(\frac{cx}{bx+a}\right)^3}{3a}$$

input `int(log(c*x/(b*x+a))^2/x/(b*x+a),x)`

output `log((c*x)/(a + b*x))**3/(3*a)`

3.90
$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx$$

Optimal result	781
Mathematica [A] (verified)	781
Rubi [A] (verified)	782
Maple [F]	783
Fricas [F]	784
Sympy [F]	784
Maxima [F]	784
Giac [F]	785
Mupad [F(-1)]	785
Reduce [F]	786

Optimal result

Integrand size = 34, antiderivative size = 82

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = -\frac{\log^2\left(\frac{cx}{a+bx}\right) \text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right)}{a} + \frac{2 \log\left(\frac{cx}{a+bx}\right) \text{PolyLog}\left(3, 1 - \frac{a}{a+bx}\right)}{a} - \frac{2 \text{PolyLog}\left(4, 1 - \frac{a}{a+bx}\right)}{a}$$

output

```
-ln(c*x/(b*x+a))^2*polylog(2,1-a/(b*x+a))/a+2*ln(c*x/(b*x+a))*polylog(3,1-a/(b*x+a))/a-2*polylog(4,1-a/(b*x+a))/a
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.93

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = -\frac{\log^2\left(\frac{cx}{a+bx}\right) \text{PolyLog}\left(2, \frac{bx}{a+bx}\right)}{a} + \frac{2 \log\left(\frac{cx}{a+bx}\right) \text{PolyLog}\left(3, \frac{bx}{a+bx}\right)}{a} - \frac{2 \text{PolyLog}\left(4, \frac{bx}{a+bx}\right)}{a}$$

input `Integrate[(Log[a/(a + b*x)]*Log[(c*x)/(a + b*x)]^2)/(x*(a + b*x)),x]`

output `-((Log[(c*x)/(a + b*x)]^2*PolyLog[2, (b*x)/(a + b*x)])/a) + (2*Log[(c*x)/(a + b*x)]*PolyLog[3, (b*x)/(a + b*x)])/a - (2*PolyLog[4, (b*x)/(a + b*x)])/a`

Rubi [A] (verified)

Time = 0.81 (sec) , antiderivative size = 84, normalized size of antiderivative = 1.02, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$, Rules used = {2988, 2990, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx \\
 & \quad \downarrow \text{2988} \\
 & 2 \int \frac{\log\left(\frac{cx}{a+bx}\right) \text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right)}{x(a+bx)} dx - \frac{\text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{a} \\
 & \quad \downarrow \text{2990} \\
 & 2 \left(\frac{\text{PolyLog}\left(3, 1 - \frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{a} - \int \frac{\text{PolyLog}\left(3, 1 - \frac{a}{a+bx}\right)}{x(a+bx)} dx \right) - \\
 & \quad \frac{\text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{a} \\
 & \quad \downarrow \text{7164} \\
 & 2 \left(\frac{\text{PolyLog}\left(3, 1 - \frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)}{a} - \frac{\text{PolyLog}\left(4, 1 - \frac{a}{a+bx}\right)}{a} \right) - \\
 & \quad \frac{\text{PolyLog}\left(2, 1 - \frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{a}
 \end{aligned}$$

input `Int[(Log[a/(a + b*x)]*Log[(c*x)/(a + b*x)]^2)/(x*(a + b*x)),x]`

output `-((Log[(c*x)/(a + b*x)]^2*PolyLog[2, 1 - a/(a + b*x)])/a) + 2*((Log[(c*x)/(a + b*x)]*PolyLog[3, 1 - a/(a + b*x)])/a - PolyLog[4, 1 - a/(a + b*x)])/a`

Defintions of rubi rules used

rule 2988 `Int[Log[v_]*Log[(e_.)*((f_.)*(a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)]^(r_.)]^(s_.)*(u_), x_Symbol] := With[{g = Simplify[(v - 1)*((c + d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[(-h)*PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] + Simp[h*p*r*s Int[PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]`

rule 2990 `Int[Log[(e_.)*((f_.)*(a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)]^(r_.)]^(s_.)*(u)*PolyLog[n_, v_], x_Symbol] := With[{g = Simplify[v*((c + d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[h*PolyLog[n + 1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] - Simp[h*p*r*s Int[PolyLog[n + 1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e, f, n, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]`

rule 7164 `Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]`

Maple [F]

$$\int \frac{\ln\left(\frac{a}{bx+a}\right) \ln\left(\frac{cx}{bx+a}\right)^2}{x(bx+a)} dx$$

input `int(ln(a/(b*x+a))*ln(c*x/(b*x+a))^2/x/(b*x+a),x)`

output `int(ln(a/(b*x+a))*ln(c*x/(b*x+a))^2/x/(b*x+a),x)`

Fricas [F]

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)^2 \log\left(\frac{a}{bx+a}\right)}{(bx+a)x} dx$$

input `integrate(log(a/(b*x+a))*log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="fricas")`

output `integral(log(c*x/(b*x + a))^2*log(a/(b*x + a))/(b*x^2 + a*x), x)`

Sympy [F]

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{a}{a+bx}\right) \log\left(\frac{cx}{a+bx}\right)^2}{x(a+bx)} dx$$

input `integrate(ln(a/(b*x+a))*ln(c*x/(b*x+a))**2/x/(b*x+a),x)`

output `Integral(log(a/(a + b*x))*log(c*x/(a + b*x))**2/(x*(a + b*x)), x)`

Maxima [F]

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)^2 \log\left(\frac{a}{bx+a}\right)}{(bx+a)x} dx$$

input `integrate(log(a/(b*x+a))*log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="maxima")`

output

```
1/4*(log(b*x + a)^4 - 4*log(b*x + a)^3*log(x))/a + integrate((a*log(a)*log
(c)^2 + 2*a*log(a)*log(c)*log(x) + a*log(a)*log(x)^2 + (a*(log(a) + 2*log(
c)) + (3*b*x + 2*a)*log(x))*log(b*x + a)^2 - (2*a*(log(a) + log(c))*log(x)
+ a*log(x)^2 + (2*log(a)*log(c) + log(c)^2)*a)*log(b*x + a))/(a*b*x^2 + a
^2*x), x)
```

Giac [F]

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)^2 \log\left(\frac{a}{bx+a}\right)}{(bx+a)x} dx$$

input

```
integrate(log(a/(b*x+a))*log(c*x/(b*x+a))^2/x/(b*x+a),x, algorithm="giac")
```

output

```
integrate(log(c*x/(b*x + a))^2*log(a/(b*x + a))/((b*x + a)*x), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\ln\left(\frac{cx}{a+bx}\right)^2 \ln\left(\frac{a}{a+bx}\right)}{x(a+bx)} dx$$

input

```
int((log((c*x)/(a + b*x))^2*log(a/(a + b*x)))/(x*(a + b*x)),x)
```

output

```
int((log((c*x)/(a + b*x))^2*log(a/(a + b*x)))/(x*(a + b*x)), x)
```

Reduce [F]

$$\int \frac{\log\left(\frac{a}{a+bx}\right) \log^2\left(\frac{cx}{a+bx}\right)}{x(a+bx)} dx = \int \frac{\log\left(\frac{cx}{bx+a}\right)^2 \log\left(\frac{a}{bx+a}\right)}{bx^2+ax} dx$$

input `int(log(a/(b*x+a))*log(c*x/(b*x+a))^2/x/(b*x+a),x)`

output `int((log((c*x)/(a + b*x)))**2*log(a/(a + b*x)))/(a*x + b*x**2),x)`

3.91
$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx$$

Optimal result	787
Mathematica [A] (verified)	788
Rubi [A] (verified)	788
Maple [A] (verified)	790
Fricas [F]	791
Sympy [F]	791
Maxima [F]	791
Giac [F]	792
Mupad [F(-1)]	792
Reduce [F]	793

Optimal result

Integrand size = 55, antiderivative size = 150

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = -\frac{\log^2\left(\frac{e(a+bx)}{c+dx}\right) \text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g} + \frac{2 \log\left(\frac{e(a+bx)}{c+dx}\right) \text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g} - \frac{2 \text{PolyLog}\left(4, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g}$$

output

```
-ln(e*(b*x+a)/(d*x+c))^2*polylog(2,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g+2*
ln(e*(b*x+a)/(d*x+c))*polylog(3,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g-2*poly
log(4,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 110, normalized size of antiderivative = 0.73

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx$$

$$= \frac{-\log^2\left(\frac{e(a+bx)}{c+dx}\right) \text{PolyLog}\left(2, \frac{d(a+bx)}{b(c+dx)}\right) + 2 \log\left(\frac{e(a+bx)}{c+dx}\right) \text{PolyLog}\left(3, \frac{d(a+bx)}{b(c+dx)}\right) - 2 \text{PolyLog}\left(4, \frac{d(a+bx)}{b(c+dx)}\right)}{(bc-ad)g}$$

input

```
Integrate[(Log[(b*c - a*d)/(b*(c + d*x))]*Log[(e*(a + b*x))/(c + d*x)]^2)/
((c + d*x)*(a*g + b*g*x)),x]
```

output

```
(-(Log[(e*(a + b*x))/(c + d*x)]^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))])
+ 2*Log[(e*(a + b*x))/(c + d*x)]*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))]
- 2*PolyLog[4, (d*(a + b*x))/(b*(c + d*x))])/((b*c - a*d)*g)
```

Rubi [A] (verified)Time = 1.09 (sec) , antiderivative size = 149, normalized size of antiderivative = 0.99, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.055$, Rules used = {2988, 2990, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx$$

$$\downarrow \text{2988}$$

$$\frac{2 \int \frac{\log\left(\frac{e(a+bx)}{c+dx}\right) \text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)} dx}{g} - \frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{g(bc-ad)}$$

$$\downarrow \text{2990}$$

$$\begin{aligned}
& \frac{2 \left(\frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right) \log\left(\frac{e(a+bx)}{c+dx}\right)}{bc-ad} - \int \frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)} dx \right)}{\frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{g(bc-ad)}} \\
& \quad \downarrow \text{7164} \\
& \frac{2 \left(\frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right) \log\left(\frac{e(a+bx)}{c+dx}\right)}{bc-ad} - \frac{\text{PolyLog}\left(4, 1 - \frac{bc-ad}{b(c+dx)}\right)}{bc-ad} \right)}{\frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{g(bc-ad)}}
\end{aligned}$$

input

```
Int[(Log[(b*c - a*d)/(b*(c + d*x))]*Log[(e*(a + b*x))/(c + d*x)]^2)/((c + d*x)*(a*g + b*g*x)),x]
```

output

```
-((Log[(e*(a + b*x))/(c + d*x)]^2*PolyLog[2, 1 - (b*c - a*d)/(b*(c + d*x))])/((b*c - a*d)*g) + (2*((Log[(e*(a + b*x))/(c + d*x)]*PolyLog[3, 1 - (b*c - a*d)/(b*(c + d*x))])/((b*c - a*d) - PolyLog[4, 1 - (b*c - a*d)/(b*(c + d*x))])/((b*c - a*d)))/g
```

Defintions of rubi rules used

rule 2988

```
Int[Log[v_]*Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_)^(p_.)*((c_.) + (d_.)*(x_)^(q_.))^(r_.))]^(s_.)*(u_), x_Symbol] :> With[{g = Simplify[(v - 1)*((c + d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[(-h)*PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] + Simp[h*p*r*s Int[PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]
```

rule 2990

```
Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.))
^(r_.)]^(s_.)*(u_)*PolyLog[n_, v_], x_Symbol] := With[{g = Simplify[v*((c +
d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[h*PolyLog[n +
1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d), x] - Simp[h*p*
r*s Int[PolyLog[n + 1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/(
(a + b*x)*(c + d*x))), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e,
f, n, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]
```

rule 7164

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Maple [A] (verified)

Time = 37.81 (sec) , antiderivative size = 200, normalized size of antiderivative = 1.33

method	result
default	$-\frac{\ln\left(-\frac{e^{(bx+a)d}-be}{dx+c}\right)\ln\left(\frac{e^{(bx+a)}}{dx+c}\right)^3}{3} - \frac{\ln\left(\frac{e^{(bx+a)}}{dx+c}\right)^3 \ln\left(1-\frac{d(bx+a)}{b(dx+c)}\right)}{3} - \frac{\ln\left(\frac{e^{(bx+a)}}{dx+c}\right)^2 \operatorname{polylog}\left(2, \frac{d(bx+a)}{b(dx+c)}\right) + 2\ln\left(\frac{e^{(bx+a)}}{dx+c}\right) \operatorname{polylog}\left(3, \frac{d(bx+a)}{b(dx+c)}\right)}{g(da-bc)}$

input

```
int(ln((-a*d+b*c)/b/(d*x+c))*ln(e*(b*x+a)/(d*x+c))^2/(d*x+c)/(b*g*x+a*g), x
,method=_RETURNVERBOSE)
```

output

```
-1/g/(a*d-b*c)*(1/3*ln(-(e*(b*x+a)/(d*x+c)*d-b*e)/b/e)*ln(e*(b*x+a)/(d*x+c
))^3-1/3*ln(e*(b*x+a)/(d*x+c))^3*ln(1-d*(b*x+a)/b/(d*x+c))-ln(e*(b*x+a)/(d
*x+c))^2*polylog(2,d*(b*x+a)/b/(d*x+c))+2*ln(e*(b*x+a)/(d*x+c))*polylog(3,
d*(b*x+a)/b/(d*x+c))-2*polylog(4,d*(b*x+a)/b/(d*x+c))
```

Fricas [F]

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(\frac{(bx+a)e}{dx+c}\right)^2 \log\left(\frac{bc-ad}{(dx+c)b}\right)}{(bgx+ag)(dx+c)} dx$$

input `integrate(log((-a*d+b*c)/b/(d*x+c))*log(e*(b*x+a)/(d*x+c))^2/(d*x+c)/(b*g*x+a*g),x, algorithm="fricas")`

output `integral(log((b*c - a*d)/(b*d*x + b*c))*log((b*e*x + a*e)/(d*x + c))^2/(b*d*g*x^2 + a*c*g + (b*c + a*d)*g*x), x)`

Sympy [F]

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = -\frac{d \int \frac{\log\left(\frac{ae}{c+dx} + \frac{be}{c+dx}\right)^3}{c+dx} dx}{3g(ad-bc)} - \frac{\log\left(\frac{-ad+bc}{b(c+dx)}\right) \log\left(\frac{e(a+bx)}{c+dx}\right)^3}{3adg-3bcg}$$

input `integrate(ln((-a*d+b*c)/b/(d*x+c))*ln(e*(b*x+a)/(d*x+c))**2/(d*x+c)/(b*g*x+a*g),x)`

output `-d*Integral(log(a*e/(c + d*x) + b*e*x/(c + d*x))**3/(c + d*x), x)/(3*g*(a*d - b*c)) - log((-a*d + b*c)/(b*(c + d*x)))*log(e*(a + b*x)/(c + d*x))**3/(3*a*d*g - 3*b*c*g)`

Maxima [F]

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(\frac{(bx+a)e}{dx+c}\right)^2 \log\left(\frac{bc-ad}{(dx+c)b}\right)}{(bgx+ag)(dx+c)} dx$$

input `integrate(log((-a*d+b*c)/b/(d*x+c))*log(e*(b*x+a)/(d*x+c))^2/(d*x+c)/(b*g*x+a*g),x, algorithm="maxima")`

output

```
-1/4*(4*log(b*x + a)*log(d*x + c)^3 - log(d*x + c)^4)/(b*c*g - a*d*g) - in
tegrate((((d*log(b*c - a*d) - d*log(b))*a - (c*log(b*c - a*d) - c*log(b))*
b)*log(b*x + a)^2 + ((d*log(b*c - a*d) - d*log(b) + 2*d*log(e))*a - (c*(lo
g(b*c - a*d) + 2*log(e)) - c*log(b))*b - (3*b*d*x + 2*b*c + a*d)*log(b*x +
a))*log(d*x + c)^2 + (d*log(b*c - a*d)*log(e)^2 - d*log(b)*log(e)^2)*a -
(c*log(b*c - a*d)*log(e)^2 - c*log(b)*log(e)^2)*b + 2*((d*log(b*c - a*d)*l
og(e) - d*log(b)*log(e))*a - (c*log(b*c - a*d)*log(e) - c*log(b)*log(e))*b
)*log(b*x + a) + ((b*c - a*d)*log(b*x + a)^2 - (2*d*log(b*c - a*d)*log(e)
- 2*d*log(b)*log(e) + d*log(e)^2)*a - (2*c*log(b)*log(e) - (2*log(b*c - a*
d)*log(e) + log(e)^2)*c)*b - 2*((d*log(b*c - a*d) - d*log(b) + d*log(e))*a
- (c*(log(b*c - a*d) + log(e)) - c*log(b))*b)*log(b*x + a))*log(d*x + c))
/(a*b*c^2*g - a^2*c*d*g + (b^2*c*d*g - a*b*d^2*g)*x^2 + (b^2*c^2*g - a^2*d
^2*g)*x), x)
```

Giac [F]

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(\frac{(bx+a)e}{dx+c}\right)^2 \log\left(\frac{bc-ad}{(dx+c)b}\right)}{(bgx+ag)(dx+c)} dx$$

input

```
integrate(log((-a*d+b*c)/b/(d*x+c))*log(e*(b*x+a)/(d*x+c))^2/(d*x+c)/(b*g*
x+a*g),x, algorithm="giac")
```

output

```
integrate(log((b*x + a)*e/(d*x + c))^2*log((b*c - a*d)/((d*x + c)*b))/((b*
g*x + a*g)*(d*x + c)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\ln\left(\frac{e(a+bx)}{c+dx}\right)^2 \ln\left(-\frac{ad-bc}{b(c+dx)}\right)}{(ag+bgx)(c+dx)} dx$$

input

```
int((log((e*(a + b*x))/(c + d*x))^2*log(-(a*d - b*c)/(b*(c + d*x))))/((a*g
+ b*g*x)*(c + d*x)),x)
```

output

```
int((log((e*(a + b*x))/(c + d*x))^2*log(-(a*d - b*c)/(b*(c + d*x))))/(a*g
+ b*g*x)*(c + d*x), x)
```

Reduce [F]

$$\int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(\frac{e(a+bx)}{c+dx}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(\frac{-ad+bc}{bdx+bc}\right) \log\left(\frac{be+ae}{dx+c}\right)^2}{bdx^2+adx+bcx+ac} dx$$

input

```
int(log((-a*d+b*c)/b/(d*x+c))*log(e*(b*x+a)/(d*x+c))^2/(d*x+c)/(b*g*x+a*g)
,x)
```

output

```
int((log((- a*d + b*c)/(b*c + b*d*x))*log((a*e + b*e*x)/(c + d*x)**2)/(a
*c + a*d*x + b*c*x + b*d*x**2),x)/g
```

3.92
$$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx$$

Optimal result	794
Mathematica [B] (verified)	795
Rubi [A] (verified)	796
Maple [F]	797
Fricas [F]	798
Sympy [F]	798
Maxima [F]	799
Giac [F]	799
Mupad [F(-1)]	799
Reduce [F]	800

Optimal result

Integrand size = 58, antiderivative size = 160

$$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx = -\frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g} + \frac{2n \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g} - \frac{2n^2 \text{PolyLog}\left(4, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(bc-ad)g}$$

output

```
-ln(e*((b*x+a)/(d*x+c))^n)^2*polylog(2,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g+2*n*ln(e*((b*x+a)/(d*x+c))^n)*polylog(3,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g-2*n^2*polylog(4,1-(-a*d+b*c)/b/(d*x+c))/(-a*d+b*c)/g
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 785 vs. $2(160) = 320$.

Time = 0.53 (sec) , antiderivative size = 785, normalized size of antiderivative = 4.91

$$\int \frac{\log^2 \left(e^{\left(\frac{a+bx}{c+dx} \right)^n} \log \left(\frac{bc-ad}{b(c+dx)} \right) \right)}{(c+dx)(ag+bgx)} dx = \text{Too large to display}$$

input

```
Integrate[(Log[e*((a + b*x)/(c + d*x))^n]^2*Log[(b*c - a*d)/(b*(c + d*x))])/(c + d*x)*(a*g + b*g*x),x]
```

output

```
(Log[(a + b*x)/(c + d*x)]*(3*Log[e*((a + b*x)/(c + d*x))^n]^2 - 3*n*Log[e*((a + b*x)/(c + d*x))^n]*Log[(a + b*x)/(c + d*x)] + n^2*Log[(a + b*x)/(c + d*x)]^2)*Log[(b*c - a*d)/(b*c + b*d*x)] + (3*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)])^2*(-Log[c/d + x]^2 - 2*Log[a/b + x]*Log[c + d*x] + 2*Log[c/d + x]*Log[c + d*x] + 2*Log[(a + b*x)/(c + d*x)]*Log[c + d*x] + 2*Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] + 2*PolyLog[2, (d*(a + b*x))/(-b*c + a*d)]))/2 + n*(Log[e*((a + b*x)/(c + d*x))^n] - n*Log[(a + b*x)/(c + d*x)]*(Log[c/d + x]^3 + 3*Log[c/d + x]^2*(-Log[a/b + x] + Log[(d*(a + b*x))/(-b*c + a*d)])) + 3*(-Log[a/b + x] + Log[c/d + x] + Log[(a + b*x)/(c + d*x)]^2*Log[c + d*x] + 3*Log[a/b + x]^2*Log[(b*(c + d*x))/(b*c - a*d)] + 6*Log[a/b + x]*PolyLog[2, (d*(a + b*x))/(-b*c + a*d)] + 3*(Log[a/b + x] - Log[c/d + x] - Log[(a + b*x)/(c + d*x)]*(Log[c/d + x]^2 - 2*(Log[a/b + x]*Log[(b*(c + d*x))/(b*c - a*d)] + PolyLog[2, (d*(a + b*x))/(-b*c + a*d)])) + 6*Log[c/d + x]*PolyLog[2, (b*(c + d*x))/(b*c - a*d)] - 6*PolyLog[3, (d*(a + b*x))/(-b*c + a*d)] - 6*PolyLog[3, (b*(c + d*x))/(b*c - a*d)] - n^2*(Log[(a + b*x)/(c + d*x)]^3*Log[(b*c - a*d)/(b*c + b*d*x)] + 3*Log[(a + b*x)/(c + d*x)]^2*PolyLog[2, (d*(a + b*x))/(b*(c + d*x))]) - 6*Log[(a + b*x)/(c + d*x)]*PolyLog[3, (d*(a + b*x))/(b*(c + d*x))] + 6*PolyLog[4, (d*(a + b*x))/(b*(c + d*x))])/((3*(b*c - a*d)*g)
```

Rubi [A] (verified)

Time = 1.09 (sec) , antiderivative size = 157, normalized size of antiderivative = 0.98, number of steps used = 3, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.052$, Rules used = {2988, 2990, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log\left(\frac{bc-ad}{b(c+dx)}\right) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{(c+dx)(ag+bgx)} dx \\
 & \quad \downarrow \text{2988} \\
 & \frac{2n \int \frac{\log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)} dx}{g} - \frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{g(bc-ad)} \\
 & \quad \downarrow \text{2990} \\
 & \frac{2n \left(\frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bc-ad} - n \int \frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right)}{(a+bx)(c+dx)} dx \right)}{g} - \\
 & \quad \frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{g(bc-ad)} \\
 & \quad \downarrow \text{7164} \\
 & \frac{2n \left(\frac{\text{PolyLog}\left(3, 1 - \frac{bc-ad}{b(c+dx)}\right) \log\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{bc-ad} - \frac{n \text{PolyLog}\left(4, 1 - \frac{bc-ad}{b(c+dx)}\right)}{bc-ad} \right)}{g} - \\
 & \quad \frac{\text{PolyLog}\left(2, 1 - \frac{bc-ad}{b(c+dx)}\right) \log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right)}{g(bc-ad)}
 \end{aligned}$$

input

```
Int[(Log[e*((a + b*x)/(c + d*x))]^n)^2*Log[(b*c - a*d)/(b*(c + d*x))]/((c + d*x)*(a*g + b*g*x)),x]
```

output

```

-((Log[e*((a + b*x)/(c + d*x))^n]^2*PolyLog[2, 1 - (b*c - a*d)/(b*(c + d*x)
)])/((b*c - a*d)*g) + (2*n*((Log[e*((a + b*x)/(c + d*x))^n]*PolyLog[3, 1
- (b*c - a*d)/(b*(c + d*x))]/(b*c - a*d) - (n*PolyLog[4, 1 - (b*c - a*d)
/(b*(c + d*x))]/(b*c - a*d)))/g

```

Defintions of rubi rules used

rule 2988

```

Int[Log[v_]*Log[(e_)*((f_)*((a_) + (b_)*(x_))^(p_)*((c_) + (d_)*(x_))
^(q_))]^(r_)]^(s_)*(u_), x_Symbol] := With[{g = Simplify[(v - 1)*((c + d
*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[(-h)*PolyLog[2,
1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] + Simp[h*p
*r*s Int[PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/
((a + b*x)*(c + d*x)), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e
, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]

```

rule 2990

```

Int[Log[(e_)*((f_)*((a_) + (b_)*(x_))^(p_)*((c_) + (d_)*(x_))^(q_))]
^(r_)]^(s_)*(u_)*PolyLog[n_, v_], x_Symbol] := With[{g = Simplify[v*((c +
d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[h*PolyLog[n +
1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] - Simp[h*p*
r*s Int[PolyLog[n + 1, v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s - 1)/
((a + b*x)*(c + d*x)), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e,
f, n, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]

```

rule 7164

```

Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]

```

Maple [F]

$$\int \frac{\ln \left(e^{\left(\frac{bx+a}{dx+c} \right)^n} \right)^2 \ln \left(\frac{-da+bc}{b(dx+c)} \right)}{(dx+c)(bgx+ag)} dx$$

input

```

int(ln(e*((b*x+a)/(d*x+c))^n)^2*ln((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*
g),x)

```

output `int(ln(e*((b*x+a)/(d*x+c))^n)^2*ln((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*g),x)`

Fricas [F]

$$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(e\left(\frac{bx+a}{dx+c}\right)^n\right)^2 \log\left(\frac{bc-ad}{(dx+c)b}\right)}{(bgx+ag)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*g),x, algorithm="fricas")`

output `integral(log(e*((b*x + a)/(d*x + c))^n)^2*log((b*c - a*d)/(b*d*x + b*c))/(b*d*g*x^2 + a*c*g + (b*c + a*d)*g*x), x)`

Sympy [F]

$$\int \frac{\log^2\left(e\left(\frac{a+bx}{c+dx}\right)^n\right) \log\left(\frac{bc-ad}{b(c+dx)}\right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log\left(e\left(\frac{a}{c+dx} + \frac{bx}{c+dx}\right)^n\right)^2 \log\left(-\frac{ad}{bc+bdx} + \frac{bc}{bc+bdx}\right)}{ac+adx+bcx+bdx^2} dx$$

input `integrate(ln(e*((b*x+a)/(d*x+c))**n)**2*ln((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*g),x)`

output `Integral(log(e*(a/(c + d*x) + b*x/(c + d*x))**n)**2*log(-a*d/(b*c + b*d*x) + b*c/(b*c + b*d*x))/(a*c + a*d*x + b*c*x + b*d*x**2), x)/g`

Maxima [F]

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log \left(\frac{bc-ad}{b(c+dx)} \right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right)^2 \log \left(\frac{bc-ad}{(dx+c)b} \right)}{(bgx+ag)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*g),x, algorithm="maxima")`

output `integrate(log(e*((b*x + a)/(d*x + c))^n)^2*log((b*c - a*d)/((d*x + c)*b))/((b*g*x + a*g)*(d*x + c)), x)`

Giac [F]

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log \left(\frac{bc-ad}{b(c+dx)} \right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log \left(e \left(\frac{bx+a}{dx+c} \right)^n \right)^2 \log \left(\frac{bc-ad}{(dx+c)b} \right)}{(bgx+ag)(dx+c)} dx$$

input `integrate(log(e*((b*x+a)/(d*x+c))^n)^2*log((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+a*g),x, algorithm="giac")`

output `integrate(log(e*((b*x + a)/(d*x + c))^n)^2*log((b*c - a*d)/((d*x + c)*b))/((b*g*x + a*g)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log \left(\frac{bc-ad}{b(c+dx)} \right)}{(c+dx)(ag+bgx)} dx = \int \frac{\ln \left(-\frac{ad-bc}{b(c+dx)} \right) \ln \left(e \left(\frac{a+bx}{c+dx} \right)^n \right)^2}{(ag+bgx)(c+dx)} dx$$

input `int((log(-(a*d - b*c)/(b*(c + d*x)))*log(e*((a + b*x)/(c + d*x))^n)^2)/((a*g + b*g*x)*(c + d*x)),x)`

output

```
int((log(-(a*d - b*c)/(b*(c + d*x)))*log(e*((a + b*x)/(c + d*x))^n)^2)/((a
*g + b*g*x)*(c + d*x)), x)
```

Reduce [F]

$$\int \frac{\log^2 \left(e \left(\frac{a+bx}{c+dx} \right)^n \right) \log \left(\frac{bc-ad}{b(c+dx)} \right)}{(c+dx)(ag+bgx)} dx = \int \frac{\log \left(\frac{-ad+bc}{bdx+bc} \right) \log \left(\frac{(bx+a)^n e}{(dx+c)^n} \right)^2}{bdx^2+adx+bcx+ac} dx$$

input

```
int(log(e*((b*x+a)/(d*x+c))^n)^2*log((-a*d+b*c)/b/(d*x+c))/(d*x+c)/(b*g*x+
a*g),x)
```

output

```
int((log((- a*d + b*c)/(b*c + b*d*x))*log(((a + b*x)**n*e)/(c + d*x)**n)*
*2)/(a*c + a*d*x + b*c*x + b*d*x**2),x)/g
```

3.93 $\int \log\left(\frac{c(b+ax)}{x}\right) dx$

Optimal result	801
Mathematica [A] (verified)	801
Rubi [A] (verified)	802
Maple [A] (verified)	803
Fricas [A] (verification not implemented)	804
Sympy [A] (verification not implemented)	804
Maxima [A] (verification not implemented)	805
Giac [B] (verification not implemented)	805
Mupad [B] (verification not implemented)	806
Reduce [B] (verification not implemented)	806

Optimal result

Integrand size = 11, antiderivative size = 25

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = x \log\left(ac + \frac{bc}{x}\right) + \frac{b \log(b+ax)}{a}$$

output `x*ln(a*c+b*c/x)+b*ln(a*x+b)/a`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.12

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = \frac{b \log(x)}{a} + \frac{(b+ax) \log\left(\frac{c(b+ax)}{x}\right)}{a}$$

input `Integrate[Log[(c*(b + a*x))/x],x]`

output `(b*Log[x])/a + ((b + a*x)*Log[(c*(b + a*x))/x])/a`

Rubi [A] (verified)

Time = 0.31 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.455$, Rules used = {2903, 2898, 27, 795, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log\left(\frac{c(ax+b)}{x}\right) dx \\
 & \quad \downarrow \text{2903} \\
 & \int \log\left(ac + \frac{bc}{x}\right) dx \\
 & \quad \downarrow \text{2898} \\
 & bc \int \frac{1}{c\left(a + \frac{b}{x}\right)x} dx + x \log\left(ac + \frac{bc}{x}\right) \\
 & \quad \downarrow \text{27} \\
 & b \int \frac{1}{\left(a + \frac{b}{x}\right)x} dx + x \log\left(ac + \frac{bc}{x}\right) \\
 & \quad \downarrow \text{795} \\
 & b \int \frac{1}{b+ax} dx + x \log\left(ac + \frac{bc}{x}\right) \\
 & \quad \downarrow \text{16} \\
 & x \log\left(ac + \frac{bc}{x}\right) + \frac{b \log(ax+b)}{a}
 \end{aligned}$$

input `Int[Log[(c*(b + a*x))/x],x]`

output `x*Log[a*c + (b*c)/x] + (b*Log[b + a*x])/a`

Defintions of rubi rules used

- rule 16 $\text{Int}[(c_)/((a_)+(b_)*(x_)), x_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] /; \text{FreeQ}[\{a, b, c\}, x]$
- rule 27 $\text{Int}[(a_)*(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \&\& !\text{MatchQ}[Fx, (b_)*(Gx_)] /; \text{FreeQ}[b, x]$
- rule 795 $\text{Int}[(x_)^{(m_)}*((a_)+(b_)*(x_)^{(n_}))^{(p_)}, x_Symbol] \rightarrow \text{Int}[x^{(m+n*p)}*(b + a/x^n)^p, x] /; \text{FreeQ}[\{a, b, m, n\}, x] \&\& \text{IntegerQ}[p] \&\& \text{NegQ}[n]$
- rule 2898 $\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^{(n_}))^{(p_)}], x_Symbol] \rightarrow \text{Simp}[x*\text{Log}[c*(d + e*x^n)^p], x] - \text{Simp}[e*n*p \text{ Int}[x^n/(d + e*x^n), x], x] /; \text{FreeQ}[\{c, d, e, n, p\}, x]$
- rule 2903 $\text{Int}[(a_)+\text{Log}[(c_)*(v_)^{(p_)}]*(b_)]^{(q_)}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Log}[c*\text{ExpandToSum}[v, x]^p])^q, x] /; \text{FreeQ}[\{a, b, c, p, q\}, x] \&\& \text{BinomialQ}[v, x] \&\& !\text{BinomialMatchQ}[v, x]$

Maple [A] (verified)

Time = 1.20 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.04

method	result	size
risch	$x \ln \left(\frac{c(ax+b)}{x} \right) + \frac{b \ln(ax+b)}{a}$	26
parts	$x \ln \left(\frac{c(ax+b)}{x} \right) + \frac{b \ln(ax+b)}{a}$	26
parallelrisch	$-\frac{-\ln\left(\frac{c(ax+b)}{x}\right)xab - \ln(x)b^2 - b^2 \ln\left(\frac{c(ax+b)}{x}\right)}{ab}$	49
derivativedivides	$-bc \left(\frac{\ln\left(-\frac{bc}{x}\right)}{ac} - \frac{\ln\left(ac + \frac{bc}{x}\right)\left(ac + \frac{bc}{x}\right)x}{ac^2b} \right)$	54
default	$-bc \left(\frac{\ln\left(-\frac{bc}{x}\right)}{ac} - \frac{\ln\left(ac + \frac{bc}{x}\right)\left(ac + \frac{bc}{x}\right)x}{ac^2b} \right)$	54

input `int(ln(c*(a*x+b)/x),x,method=_RETURNVERBOSE)`

output `x*ln(c*(a*x+b)/x)+b*ln(a*x+b)/a`

Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.16

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = \frac{ax \log\left(\frac{acx+bc}{x}\right) + b \log(ax+b)}{a}$$

input `integrate(log(c*(a*x+b)/x),x, algorithm="fricas")`

output `(a*x*log((a*c*x + b*c)/x) + b*log(a*x + b))/a`

Sympy [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.80

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = x \log\left(\frac{c(ax+b)}{x}\right) + \frac{b \log(ax+b)}{a}$$

input `integrate(ln(c*(a*x+b)/x),x)`

output `x*log(c*(a*x + b)/x) + b*log(a*x + b)/a`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.00

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = x \log\left(\frac{(ax+b)c}{x}\right) + \frac{b \log(ax+b)}{a}$$

input `integrate(log(c*(a*x+b)/x),x, algorithm="maxima")`

output `x*log((a*x + b)*c/x) + b*log(a*x + b)/a`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 153 vs. $2(25) = 50$.

Time = 0.12 (sec) , antiderivative size = 153, normalized size of antiderivative = 6.12

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx$$

$$= \frac{b^2 c^2 \left(\frac{\log\left(\frac{|acx+bc|}{|x|}\right)}{ac} - \frac{\log\left(\left| -ac + \frac{acx+bc}{x} \right|\right)}{ac} \right) - \frac{b^2 c^2 \log\left(-\left(b - \frac{a}{\frac{a}{b} - \frac{acx+bc}{bcx}}\right) c \left(\frac{a}{b} - \frac{acx+bc}{bcx}\right)\right)}{ac - \frac{acx+bc}{x}}}{bc}$$

input `integrate(log(c*(a*x+b)/x),x, algorithm="giac")`

output `(b^2*c^2*(log(abs(a*c*x + b*c)/abs(x))/(a*c) - log(abs(-a*c + (a*c*x + b*c)/x))/(a*c)) - b^2*c^2*log(-(b - a/(a/b - (a*c*x + b*c)/(b*c*x)))*c*(a/b - (a*c*x + b*c)/(b*c*x)))/(a*c - (a*c*x + b*c)/x))/(b*c)`

Mupad [B] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.00

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = x \ln\left(\frac{c(b+ax)}{x}\right) + \frac{b \ln(b+ax)}{a}$$

input `int(log((c*(b + a*x))/x),x)`output `x*log((c*(b + a*x))/x) + (b*log(b + a*x))/a`**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.60

$$\int \log\left(\frac{c(b+ax)}{x}\right) dx = \frac{\log\left(\frac{acx+bc}{x}\right) ax + \log\left(\frac{acx+bc}{x}\right) b + \log(x) b}{a}$$

input `int(log(c*(a*x+b)/x),x)`output `(log((a*c*x + b*c)/x)*a*x + log((a*c*x + b*c)/x)*b + log(x)*b)/a`

3.94 $\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx$

Optimal result	807
Mathematica [A] (verified)	807
Rubi [A] (verified)	808
Maple [F]	810
Fricas [F]	810
Sympy [F]	810
Maxima [A] (verification not implemented)	811
Giac [F]	811
Mupad [F(-1)]	812
Reduce [F]	812

Optimal result

Integrand size = 13, antiderivative size = 68

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx = \frac{(b+ax) \log^2 \left(ac + \frac{bc}{x} \right)}{a} - \frac{2b \log \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right)}{a} - \frac{2b \operatorname{PolyLog} \left(2, 1 + \frac{b}{ax} \right)}{a}$$

output

```
(a*x+b)*ln(a*c+b*c/x)^2/a-2*b*ln(a*c+b*c/x)*ln(-b/a/x)/a-2*b*polylog(2,1+b/a/x)/a
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.93

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx = \frac{\log \left(\frac{c(b+ax)}{x} \right) \left(-2b \log \left(-\frac{b}{ax} \right) + (b+ax) \log \left(\frac{c(b+ax)}{x} \right) \right) - 2b \operatorname{PolyLog} \left(2, 1 + \frac{b}{ax} \right)}{a}$$

input

```
Integrate[Log[(c*(b + a*x))/x]^2,x]
```


output

```
(Log[(c*(b + a*x))/x]*(-2*b*Log[-(b/(a*x))] + (b + a*x)*Log[(c*(b + a*x))/x]) - 2*b*PolyLog[2, 1 + b/(a*x)])/a
```

Rubi [A] (verified)

Time = 0.54 (sec) , antiderivative size = 64, normalized size of antiderivative = 0.94, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {2903, 2899, 2904, 2841, 27, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^2 \left(\frac{c(ax+b)}{x} \right) dx \\
 & \quad \downarrow \text{2903} \\
 & \int \log^2 \left(ac + \frac{bc}{x} \right) dx \\
 & \quad \downarrow \text{2899} \\
 & \frac{2b \int \frac{\log(ac + \frac{bc}{x})}{x} dx}{a} + \frac{(ax+b) \log^2(ac + \frac{bc}{x})}{a} \\
 & \quad \downarrow \text{2904} \\
 & \frac{(ax+b) \log^2(ac + \frac{bc}{x})}{a} - \frac{2b \int x \log(ac + \frac{bc}{x}) d\frac{1}{x}}{a} \\
 & \quad \downarrow \text{2841} \\
 & \frac{(ax+b) \log^2(ac + \frac{bc}{x})}{a} - \frac{2b \left(\log\left(-\frac{b}{ax}\right) \log\left(ac + \frac{bc}{x}\right) - bc \int \frac{\log\left(-\frac{b}{ax}\right)}{c\left(a + \frac{b}{x}\right)} d\frac{1}{x} \right)}{a} \\
 & \quad \downarrow \text{27} \\
 & \frac{(ax+b) \log^2(ac + \frac{bc}{x})}{a} - \frac{2b \left(\log\left(-\frac{b}{ax}\right) \log\left(ac + \frac{bc}{x}\right) - b \int \frac{\log\left(-\frac{b}{ax}\right)}{a + \frac{b}{x}} d\frac{1}{x} \right)}{a} \\
 & \quad \downarrow \text{2752}
 \end{aligned}$$

$$\frac{(ax + b) \log^2 \left(ac + \frac{bc}{x} \right)}{a} - \frac{2b \left(\log \left(-\frac{b}{ax} \right) \log \left(ac + \frac{bc}{x} \right) + \text{PolyLog} \left(2, \frac{b}{ax} + 1 \right) \right)}{a}$$

input `Int[Log[(c*(b + a*x))/x]^2,x]`

output `((b + a*x)*Log[a*c + (b*c)/x]^2)/a - (2*b*(Log[a*c + (b*c)/x]*Log[-(b/(a*x))] + PolyLog[2, 1 + b/(a*x)]))/a`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2752 `Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2841 `Int[((a_) + Log[(c_)*((d_) + (e_)*(x_))^(n_)])*(b_)/((f_) + (g_)*(x_)), x_Symbol] := Simp[Log[e*((f + g*x)/(e*f - d*g))]*((a + b*Log[c*(d + e*x)^n])/g), x] - Simp[b*e*(n/g) Int[Log[(e*(f + g*x))/(e*f - d*g)]/(d + e*x), x], x] /; FreeQ[{a, b, c, d, e, f, g, n}, x] && NeQ[e*f - d*g, 0]`

rule 2899 `Int[((a_) + Log[(c_)*((d_) + (e_)/(x_))^(p_)])*(b_))^(q_), x_Symbol] := Simp[(e + d*x)*((a + b*Log[c*(d + e/x)^p])^q/d), x] + Simp[b*e*p*(q/d) Int[(a + b*Log[c*(d + e/x)^p])^(q - 1)/x, x], x] /; FreeQ[{a, b, c, d, e, p}, x] && IGtQ[q, 0]`

rule 2903 `Int[((a_) + Log[(c_)*(v_)^p])*(b_))^(q_), x_Symbol] := Int[(a + b*Log[c*ExpandToSum[v, x]^p])^q, x] /; FreeQ[{a, b, c, p, q}, x] && BinomialQ[v, x] && !BinomialMatchQ[v, x]`

rule 2904

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))^(q_.)*(x_)^(m
_.), x_Symbol] :> Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*L
og[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q},
x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &
& !(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])
```

Maple [F]

$$\int \ln \left(\frac{c(ax + b)}{x} \right)^2 dx$$

input

```
int(ln(c*(a*x+b)/x)^2,x)
```

output

```
int(ln(c*(a*x+b)/x)^2,x)
```

Fricas [F]

$$\int \log^2 \left(\frac{c(b + ax)}{x} \right) dx = \int \log \left(\frac{(ax + b)c}{x} \right)^2 dx$$

input

```
integrate(log(c*(a*x+b)/x)^2,x, algorithm="fricas")
```

output

```
integral(log((a*c*x + b*c)/x)^2, x)
```

Sympy [F]

$$\int \log^2 \left(\frac{c(b + ax)}{x} \right) dx = 2b \int \frac{\log \left(ac + \frac{bc}{x} \right)}{ax + b} dx + x \log \left(\frac{c(ax + b)}{x} \right)^2$$

input

```
integrate(ln(c*(a*x+b)/x)**2,x)
```

output `2*b*Integral(log(a*c + b*c/x)/(a*x + b), x) + x*log(c*(a*x + b)/x)**2`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 113, normalized size of antiderivative = 1.66

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx$$

$$= x \log \left(\frac{(ax+b)c}{x} \right)^2 + \frac{2b \log(ax+b) \log \left(\frac{(ax+b)c}{x} \right)}{a}$$

$$+ \frac{\left(\frac{c \log(ax+b)^2}{a} - \frac{2(\log(\frac{ax}{b}+1) \log(x) + \text{Li}_2(-\frac{ax}{b}))c}{a} \right) b - \frac{2(c \log(ax+b) - c \log(x))b \log(ax+b)}{a}}{c}$$

input `integrate(log(c*(a*x+b)/x)^2,x, algorithm="maxima")`

output `x*log((a*x + b)*c/x)^2 + 2*b*log(a*x + b)*log((a*x + b)*c/x)/a + ((c*log(a*x + b))^2/a - 2*(log(a*x/b + 1)*log(x) + dilog(-a*x/b))*c/a)*b - 2*(c*log(a*x + b) - c*log(x))*b*log(a*x + b)/a/c`

Giac [F]

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx = \int \log \left(\frac{(ax+b)c}{x} \right)^2 dx$$

input `integrate(log(c*(a*x+b)/x)^2,x, algorithm="giac")`

output `integrate(log((a*x + b)*c/x)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx = \int \ln \left(\frac{c(b+ax)}{x} \right)^2 dx$$

input `int(log((c*(b + a*x))/x)^2,x)`output `int(log((c*(b + a*x))/x)^2, x)`**Reduce [F]**

$$\int \log^2 \left(\frac{c(b+ax)}{x} \right) dx = \int \log \left(\frac{acx+bc}{x} \right)^2 dx$$

input `int(log(c*(a*x+b)/x)^2,x)`output `int(log((a*c*x + b*c)/x)**2,x)`

3.95 $\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx$

Optimal result	813
Mathematica [A] (verified)	813
Rubi [A] (verified)	814
Maple [F]	817
Fricas [F]	817
Sympy [F]	818
Maxima [F]	818
Giac [F]	818
Mupad [F(-1)]	819
Reduce [F]	819

Optimal result

Integrand size = 13, antiderivative size = 98

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \frac{(b+ax) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \log^2 \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right)}{a} - \frac{6b \log \left(c \left(a + \frac{b}{x} \right) \right) \text{PolyLog} \left(2, 1 + \frac{b}{ax} \right)}{a} + \frac{6b \text{PolyLog} \left(3, 1 + \frac{b}{ax} \right)}{a}$$

output

```
(a*x+b)*ln(a*c+b*c/x)^3/a-3*b*ln(a*c+b*c/x)^2*ln(-b/a/x)/a-6*b*ln(c*(a+b/x))
)*polylog(2,1+b/a/x)/a+6*b*polylog(3,1+b/a/x)/a
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 91, normalized size of antiderivative = 0.93

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \frac{\log^2 \left(\frac{c(b+ax)}{x} \right) \left(-3b \log \left(-\frac{b}{ax} \right) + (b+ax) \log \left(\frac{c(b+ax)}{x} \right) \right) - 6b \log \left(\frac{c(b+ax)}{x} \right) \text{PolyLog} \left(2, 1 + \frac{b}{ax} \right) + 6b \text{PolyLog} \left(3, 1 + \frac{b}{ax} \right)}{a}$$

input `Integrate[Log[(c*(b + a*x))/x]^3,x]`

output $(\text{Log}[(c*(b + a*x))/x]^{2*(-3*b*\text{Log}[-(b/(a*x))]) + (b + a*x)*\text{Log}[(c*(b + a*x))/x]} - 6*b*\text{Log}[(c*(b + a*x))/x]*\text{PolyLog}[2, 1 + b/(a*x)] + 6*b*\text{PolyLog}[3, 1 + b/(a*x)])/a$

Rubi [A] (verified)

Time = 0.85 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.10, number of steps used = 10, number of rules used = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$, Rules used = {2903, 2899, 2904, 2843, 27, 2881, 27, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^3 \left(\frac{c(ax+b)}{x} \right) dx \\
 & \quad \downarrow \text{2903} \\
 & \int \log^3 \left(ac + \frac{bc}{x} \right) dx \\
 & \quad \downarrow \text{2899} \\
 & \frac{3b \int \frac{\log^2 \left(ac + \frac{bc}{x} \right) dx}{a} + (ax+b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} \\
 & \quad \downarrow \text{2904} \\
 & \frac{(ax+b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \int x \log^2 \left(ac + \frac{bc}{x} \right) d\frac{1}{x}}{a} \\
 & \quad \downarrow \text{2843} \\
 & \frac{(ax+b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - 2bc \int \frac{\log \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right) d\frac{1}{x}}{c \left(a + \frac{b}{x} \right)} \right)}{a} \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{(ax + b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - 2b \int \frac{\log \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right) d \frac{1}{x}}{a + \frac{b}{x}} \right)}{a} \\
 & \quad \downarrow \text{2881} \\
 & \frac{(ax + b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - \frac{2 \int cx \log \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right) d \left(ac + \frac{bc}{x} \right)}{c} \right)}{a} \\
 & \quad \downarrow \text{27} \\
 & \frac{(ax + b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - 2 \int x \log \left(ac + \frac{bc}{x} \right) \log \left(-\frac{b}{ax} \right) d \left(ac + \frac{bc}{x} \right)}{a} \\
 & \quad \downarrow \text{2821} \\
 & \frac{(ax + b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - 2 \left(\int x \text{PolyLog} \left(2, \frac{ac + \frac{bc}{x}}{ac} \right) d \left(ac + \frac{bc}{x} \right) - \text{PolyLog} \left(2, \frac{ac + \frac{bc}{x}}{ac} \right) \log \left(ac + \frac{bc}{x} \right) \right)}{a} \\
 & \quad \downarrow \text{7143} \\
 & \frac{(ax + b) \log^3 \left(ac + \frac{bc}{x} \right)}{a} - \frac{3b \left(\log \left(-\frac{b}{ax} \right) \log^2 \left(ac + \frac{bc}{x} \right) - 2 \left(\text{PolyLog} \left(3, \frac{ac + \frac{bc}{x}}{ac} \right) - \text{PolyLog} \left(2, \frac{ac + \frac{bc}{x}}{ac} \right) \log \left(ac + \frac{bc}{x} \right) \right)}{a}
 \end{aligned}$$

input `Int[Log[(c*(b + a*x))/x]^3,x]`

output `((b + a*x)*Log[a*c + (b*c)/x]^3)/a - (3*b*(Log[a*c + (b*c)/x]^2*Log[-(b/(a*x))] - 2*(-(Log[a*c + (b*c)/x]*PolyLog[2, (a*c + (b*c)/x)/(a*c]]) + PolyLog[3, (a*c + (b*c)/x)/(a*c)])))/a`

Definitions of rubi rules used

- rule 27 $\text{Int}[(a_*)(Fx_), x_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 2821 $\text{Int}[(\text{Log}[(d_)*((e_) + (f_)*(x_)^{(m_)})]*(a_) + \text{Log}[(c_)*(x_)^{(n_)}]*(b_))^{(p_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[(-\text{PolyLog}[2, (-d)*f*x^m])*(a + b*\text{Log}[c*x^n])^{p/m}, x] + \text{Simp}[b*n*(p/m) \text{ Int}[\text{PolyLog}[2, (-d)*f*x^m]*(a + b*\text{Log}[c*x^n])^{p-1}/x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[d*e, 1]$
- rule 2843 $\text{Int}[(a_.) + \text{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]*(b_))^{(p_)}]/((f_.) + (g_.)*(x_)), x_Symbol] \rightarrow \text{Simp}[\text{Log}[e*((f + g*x)/(e*f - d*g))]*(a + b*\text{Log}[c*(d + e*x)^n])^{p/g}, x] - \text{Simp}[b*e*n*(p/g) \text{ Int}[\text{Log}[(e*(f + g*x))/(e*f - d*g)]*(a + b*\text{Log}[c*(d + e*x)^n])^{p-1}/(d + e*x), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{NeQ}[e*f - d*g, 0] \ \&\& \ \text{IGtQ}[p, 1]$
- rule 2881 $\text{Int}[(a_.) + \text{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)})]*(b_))^{(p_)}*((f_.) + \text{Log}[(h_)*((i_.) + (j_)*(x_)^{(m_)})]*(g_.)*(k_.) + (l_)*(x_)^{(r_)}), x_Symbol] \rightarrow \text{Simp}[1/e \text{ Subst}[\text{Int}[(k*(x/d))^r*(a + b*\text{Log}[c*x^n])^p*(f + g*\text{Log}[h*((e*i - d*j)/e + j*(x/e))^m]), x], x, d + e*x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, i, j, k, l, n, p, r\}, x] \ \&\& \ \text{EqQ}[e*k - d*1, 0]$
- rule 2899 $\text{Int}[(a_.) + \text{Log}[(c_)*((d_) + (e_)/(x_))^{(p_)}]]*(b_))^{(q_)}, x_Symbol] \rightarrow \text{Simp}[(e + d*x)*((a + b*\text{Log}[c*(d + e/x)^p])^q/d), x] + \text{Simp}[b*e*p*(q/d) \text{ Int}[(a + b*\text{Log}[c*(d + e/x)^p])^{q-1}/x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \ \&\& \ \text{IGtQ}[q, 0]$
- rule 2903 $\text{Int}[(a_.) + \text{Log}[(c_)*(v_)^{(p_)}]]*(b_))^{(q_)}, x_Symbol] \rightarrow \text{Int}[(a + b*\text{Log}[c*\text{ExpandToSum}[v, x]^p])^q, x] /; \text{FreeQ}[\{a, b, c, p, q\}, x] \ \&\& \ \text{BinomialQ}[v, x] \ \&\& \ !\text{BinomialMatchQ}[v, x]$

rule 2904

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))^(q_.)*(x_)^(m
_.), x_Symbol] := Simp[1/n Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*L
og[c*(d + e*x)^p])^q, x], x, x^n], x] /; FreeQ[{a, b, c, d, e, m, n, p, q},
x] && IntegerQ[Simplify[(m + 1)/n]] && (GtQ[(m + 1)/n, 0] || IGtQ[q, 0]) &
& !(EqQ[q, 1] && ILtQ[n, 0] && IGtQ[m, 0])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \ln \left(\frac{c(ax + b)}{x} \right)^3 dx$$

input

```
int(ln(c*(a*x+b)/x)^3,x)
```

output

```
int(ln(c*(a*x+b)/x)^3,x)
```

Fricas [F]

$$\int \log^3 \left(\frac{c(b + ax)}{x} \right) dx = \int \log \left(\frac{(ax + b)c}{x} \right)^3 dx$$

input

```
integrate(log(c*(a*x+b)/x)^3,x, algorithm="fricas")
```

output

```
integral(log((a*c*x + b*c)/x)^3, x)
```

Sympy [F]

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = 3b \int \frac{\log \left(ac + \frac{bc}{x} \right)^2}{ax+b} dx + x \log \left(\frac{c(ax+b)}{x} \right)^3$$

input `integrate(ln(c*(a*x+b)/x)**3,x)`

output `3*b*Integral(log(a*c + b*c/x)**2/(a*x + b), x) + x*log(c*(a*x + b)/x)**3`

Maxima [F]

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \int \log \left(\frac{(ax+b)c}{x} \right)^3 dx$$

input `integrate(log(c*(a*x+b)/x)^3,x, algorithm="maxima")`

output `((a*x + b)*log(a*x + b)^3 + 3*(a*x*log(c) - a*x*log(x))*log(a*x + b)^2)/a + integrate((a*x*log(c)^3 + b*log(c)^3 - (a*x + b)*log(x)^3 + 3*(a*x*log(c) + b*log(c))*log(x)^2 + 3*((log(c)^2 - 2*log(c))*a*x + b*log(c)^2 + (a*x + b)*log(x)^2 - 2*(a*x*(log(c) - 1) + b*log(c))*log(x))*log(a*x + b) - 3*(a*x*log(c)^2 + b*log(c)^2)*log(x))/(a*x + b), x)`

Giac [F]

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \int \log \left(\frac{(ax+b)c}{x} \right)^3 dx$$

input `integrate(log(c*(a*x+b)/x)^3,x, algorithm="giac")`

output `integrate(log((a*x + b)*c/x)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \int \ln \left(\frac{c(b+ax)}{x} \right)^3 dx$$

input `int(log((c*(b + a*x))/x)^3,x)`output `int(log((c*(b + a*x))/x)^3, x)`**Reduce [F]**

$$\int \log^3 \left(\frac{c(b+ax)}{x} \right) dx = \int \log \left(\frac{acx+bc}{x} \right)^3 dx$$

input `int(log(c*(a*x+b)/x)^3,x)`output `int(log((a*c*x + b*c)/x)**3,x)`

3.96 $\int \log \left(\frac{c(b+ax)^2}{x^2} \right) dx$

Optimal result	820
Mathematica [A] (verified)	820
Rubi [A] (verified)	821
Maple [A] (verified)	822
Fricas [A] (verification not implemented)	822
Sympy [A] (verification not implemented)	823
Maxima [A] (verification not implemented)	823
Giac [A] (verification not implemented)	823
Mupad [B] (verification not implemented)	824
Reduce [B] (verification not implemented)	824

Optimal result

Integrand size = 13, antiderivative size = 28

$$\int \log \left(\frac{c(b+ax)^2}{x^2} \right) dx = \frac{2b \log(b+ax)}{a} + x \log \left(\frac{c(b+ax)^2}{x^2} \right)$$

output `2*b*ln(a*x+b)/a+x*ln(c*(a*x+b)^2/x^2)`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log \left(\frac{c(b+ax)^2}{x^2} \right) dx = \frac{2b \log(b+ax)}{a} + x \log \left(\frac{c(b+ax)^2}{x^2} \right)$$

input `Integrate[Log[(c*(b + a*x)^2)/x^2],x]`

output `(2*b*Log[b + a*x])/a + x*Log[(c*(b + a*x)^2)/x^2]`

Rubi [A] (verified)

Time = 0.26 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2936, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log \left(\frac{c(ax+b)^2}{x^2} \right) dx$$

$$\downarrow \text{2936}$$

$$2b \int \frac{1}{b+ax} dx + x \log \left(\frac{c(ax+b)^2}{x^2} \right)$$

$$\downarrow \text{16}$$

$$x \log \left(\frac{c(ax+b)^2}{x^2} \right) + \frac{2b \log(ax+b)}{a}$$

input `Int[Log[(c*(b + a*x)^2)/x^2],x]`

output `(2*b*Log[b + a*x])/a + x*Log[(c*(b + a*x)^2)/x^2]`

Defintions of rubi rules used

rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`

rule 2936 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_)])*(B_.))^(p_.), x_Symbol] := Simp[(a + b*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])^p/b), x] - Simp[B*n*p*((b*c - a*d)/b) Int[(A + B*Log[e*((a + b*x)^n/(c + d*x)^n)])^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 0.54 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.04

method	result	size
risch	$\frac{2b \ln(ax+b)}{a} + x \ln\left(\frac{c(ax+b)^2}{x^2}\right)$	29
parts	$\frac{2b \ln(ax+b)}{a} + x \ln\left(\frac{c(ax+b)^2}{x^2}\right)$	29
derivativdivides	$x \ln\left(c\left(a + \frac{b}{x}\right)^2\right) - 2b\left(\frac{\ln(\frac{1}{x})}{a} - \frac{\ln(a + \frac{b}{x})}{a}\right)$	41
default	$x \ln\left(c\left(a + \frac{b}{x}\right)^2\right) - 2b\left(\frac{\ln(\frac{1}{x})}{a} - \frac{\ln(a + \frac{b}{x})}{a}\right)$	41
parallelrisc	$-\frac{-2a \ln\left(\frac{c(ax+b)^2}{x^2}\right)x - 4b \ln(x) - 2b \ln\left(\frac{c(ax+b)^2}{x^2}\right)}{2a}$	45

input `int(ln(c*(a*x+b)^2/x^2),x,method=_RETURNVERBOSE)`output `2*b*ln(a*x+b)/a+x*ln(c*(a*x+b)^2/x^2)`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.50

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = \frac{ax \log\left(\frac{a^2cx^2+2abcx+b^2c}{x^2}\right) + 2b \log(ax+b)}{a}$$

input `integrate(log(c*(a*x+b)^2/x^2),x, algorithm="fricas")`output `(a*x*log((a^2*c*x^2 + 2*a*b*c*x + b^2*c)/x^2) + 2*b*log(a*x + b))/a`

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.93

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = x \log\left(\frac{c(ax+b)^2}{x^2}\right) + \frac{2b \log(ax+b)}{a}$$

input `integrate(ln(c*(a*x+b)**2/x**2),x)`output `x*log(c*(a*x + b)**2/x**2) + 2*b*log(a*x + b)/a`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = x \log\left(\frac{(ax+b)^2 c}{x^2}\right) + \frac{2b \log(ax+b)}{a}$$

input `integrate(log(c*(a*x+b)^2/x^2),x, algorithm="maxima")`output `x*log((a*x + b)^2*c/x^2) + 2*b*log(a*x + b)/a`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.04

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = x \log\left(\frac{(ax+b)^2 c}{x^2}\right) + \frac{2b \log(|ax+b|)}{a}$$

input `integrate(log(c*(a*x+b)^2/x^2),x, algorithm="giac")`output `x*log((a*x + b)^2*c/x^2) + 2*b*log(abs(a*x + b))/a`

Mupad [B] (verification not implemented)

Time = 26.20 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = x \ln\left(\frac{c(b+ax)^2}{x^2}\right) + \frac{2b \ln(b+ax)}{a}$$

input `int(log((c*(b + a*x)^2)/x^2),x)`output `x*log((c*(b + a*x)^2)/x^2) + (2*b*log(b + a*x))/a`**Reduce [B] (verification not implemented)**

Time = 0.17 (sec) , antiderivative size = 65, normalized size of antiderivative = 2.32

$$\int \log\left(\frac{c(b+ax)^2}{x^2}\right) dx = \frac{\log\left(\frac{a^2cx^2+2abcx+b^2c}{x^2}\right)ax + \log\left(\frac{a^2cx^2+2abcx+b^2c}{x^2}\right)b + 2\log(x)b}{a}$$

input `int(log(c*(a*x+b)^2/x^2),x)`output `(log((a**2*c*x**2 + 2*a*b*c*x + b**2*c)/x**2)*a*x + log((a**2*c*x**2 + 2*a*b*c*x + b**2*c)/x**2)*b + 2*log(x)*b)/a`

3.97 $\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx$

Optimal result	825
Mathematica [A] (verified)	825
Rubi [A] (verified)	826
Maple [F]	829
Fricas [F]	829
Sympy [F]	829
Maxima [A] (verification not implemented)	830
Giac [F]	830
Mupad [F(-1)]	831
Reduce [F]	831

Optimal result

Integrand size = 15, antiderivative size = 67

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = -\frac{4b \log \left(\frac{b}{b+ax} \right) \log \left(\frac{c(b+ax)^2}{x^2} \right)}{a} + x \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) + \frac{8b \operatorname{PolyLog} \left(2, 1 - \frac{b}{b+ax} \right)}{a}$$

output

```
-4*b*ln(b/(a*x+b))*ln(c*(a*x+b)^2/x^2)/a+x*ln(c*(a*x+b)^2/x^2)^2+8*b*polylog(2,1-b/(a*x+b))/a
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.58

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = -\frac{8b \log \left(-\frac{ax}{b} \right) \log \left(\frac{b}{b+ax} \right)}{a} - \frac{4b \log^2 \left(\frac{b}{b+ax} \right)}{a} - \frac{4b \log \left(\frac{b}{b+ax} \right) \log \left(\frac{c(b+ax)^2}{x^2} \right)}{a} + x \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) + \frac{8b \operatorname{PolyLog} \left(2, \frac{b+ax}{b} \right)}{a}$$

input `Integrate[Log[(c*(b + a*x)^2)/x^2]^2,x]`

output $(-8*b*\text{Log}[-(a*x)/b]*\text{Log}[b/(b + a*x)])/a - (4*b*\text{Log}[b/(b + a*x)]^2)/a - (4*b*\text{Log}[b/(b + a*x)]*\text{Log}[(c*(b + a*x)^2)/x^2])/a + x*\text{Log}[(c*(b + a*x)^2)/x^2]^2 + (8*b*\text{PolyLog}[2, (b + a*x)/b])/a$

Rubi [A] (verified)

Time = 0.72 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.03, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {2936, 2942, 2858, 25, 27, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) dx \\ & \quad \downarrow \text{2936} \\ & 4b \int \frac{\log \left(\frac{c(b+ax)^2}{x^2} \right)}{b+ax} dx + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\ & \quad \downarrow \text{2942} \\ & 4b \left(-\frac{2b \int \frac{\log \left(\frac{b}{b+ax} \right) dx}{a} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{c(ax+b)^2}{x^2} \right)}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\ & \quad \downarrow \text{2858} \\ & 4b \left(-\frac{2b \int \frac{\log \left(\frac{b}{b+ax} \right) d(b+ax)}{a^2} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{c(ax+b)^2}{x^2} \right)}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\ & \quad \downarrow \text{25} \\ & 4b \left(\frac{2b \int -\frac{\log \left(\frac{b}{b+ax} \right) d(b+ax)}{a^2} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{c(ax+b)^2}{x^2} \right)}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \end{aligned}$$

$$\begin{aligned}
& \downarrow 27 \\
4b \left(\frac{2b \int -\frac{\log\left(\frac{b}{b+ax}\right) d(b+ax)}{ax(b+ax)} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right)}{a}}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\
& \downarrow 2778 \\
4b \left(-\frac{2b \int -\frac{(b+ax) \log\left(\frac{b}{b+ax}\right) d\frac{1}{b+ax}}{ax} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right)}{a}}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\
& \downarrow 2005 \\
4b \left(-\frac{2b \int \frac{\log\left(\frac{b}{b+ax}\right) d\frac{1}{b+ax}}{\frac{b}{b+ax}-1} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right)}{a}}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right) \\
& \downarrow 2752 \\
4b \left(\frac{2 \operatorname{PolyLog}\left(2, 1 - \frac{b}{b+ax}\right)}{a} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right)}{a} \right) + x \log^2 \left(\frac{c(ax+b)^2}{x^2} \right)
\end{aligned}$$

input `Int[Log[(c*(b + a*x)^2)/x^2]^2,x]`

output `x*Log[(c*(b + a*x)^2)/x^2]^2 + 4*b*(-((Log[b/(b + a*x)]*Log[(c*(b + a*x)^2)/x^2]))/a) + (2*PolyLog[2, 1 - b/(b + a*x)])/a`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] :> Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] :> Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2005 $\text{Int}[(F x_{-})*(x_{-})^{(m_{-})}*((a_{-}) + (b_{-})*(x_{-})^{(n_{-})})^{(p_{-})}, x_{\text{Symbol}}] \rightarrow \text{Int}[x^{(m+n*p)}*(b + a/x^n)^p * F x, x] /;$ FreeQ[{a, b, m, n}, x] && IntegerQ[p] && NegQ[n]

rule 2752 $\text{Int}[\text{Log}[(c_{-})*(x_{-})]/((d_{-}) + (e_{-})*(x_{-}))], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-e^{(-1)})*\text{PolyLog}[2, 1 - c*x], x] /;$ FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]

rule 2778 $\text{Int}[(a_{-}) + \text{Log}[(c_{-})*(x_{-})^{(n_{-})}]* (b_{-})]/((x_{-})*((d_{-}) + (e_{-})*(x_{-})^{(r_{-})})), x_{\text{Symbol}}] \rightarrow \text{Simp}[1/n \text{ Subst}[\text{Int}[(a + b*\text{Log}[c*x])/(x*(d + e*x^{(r/n)}))], x], x, x^n], x] /;$ FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]

rule 2858 $\text{Int}[(a_{-}) + \text{Log}[(c_{-})*((d_{-}) + (e_{-})*(x_{-})^{(n_{-})})* (b_{-})]^{(p_{-})}*((f_{-}) + (g_{-})*(x_{-})^{(q_{-})})* (h_{-}) + (i_{-})*(x_{-})^{(r_{-})}], x_{\text{Symbol}}] \rightarrow \text{Simp}[1/e \text{ Subst}[\text{Int}[(g*(x/e)^q*((e*h - d*i)/e + i*(x/e))^r*(a + b*\text{Log}[c*x^n])^p], x], x, d + e*x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]

rule 2936 $\text{Int}[(A_{-}) + \text{Log}[(e_{-})*((a_{-}) + (b_{-})*(x_{-})^{(n_{-})})* ((c_{-}) + (d_{-})*(x_{-})^{(mn_{-})})* (B_{-})]^{(p_{-})}], x_{\text{Symbol}}] \rightarrow \text{Simp}[(a + b*x)*((A + B*\text{Log}[e*((a + b*x)^n/(c + d*x^n)])^p/b), x] - \text{Simp}[B*n*p*((b*c - a*d)/b) \text{ Int}[(A + B*\text{Log}[e*((a + b*x)^n/(c + d*x^n)])^p - 1)/(c + d*x), x], x] /;$ FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]

rule 2942 $\text{Int}[(A_{-}) + \text{Log}[(e_{-})*((a_{-}) + (b_{-})*(x_{-})^{(n_{-})})* ((c_{-}) + (d_{-})*(x_{-})^{(mn_{-})})* (B_{-})]/((f_{-}) + (g_{-})*(x_{-}))], x_{\text{Symbol}}] \rightarrow \text{Simp}[(-\text{Log}[-(b*c - a*d)/(d*(a + b*x)])*((A + B*\text{Log}[e*((a + b*x)^n/(c + d*x^n)])/g), x] + \text{Simp}[B*n*((b*c - a*d)/g) \text{ Int}[\text{Log}[-(b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)), x], x] /;$ FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0]

Maple [F]

$$\int \ln \left(\frac{c(ax+b)^2}{x^2} \right)^2 dx$$

input `int(ln(c*(a*x+b)^2/x^2)^2,x)`

output `int(ln(c*(a*x+b)^2/x^2)^2,x)`

Fricas [F]

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{(ax+b)^2 c}{x^2} \right)^2 dx$$

input `integrate(log(c*(a*x+b)^2/x^2)^2,x, algorithm="fricas")`

output `integral(log((a^2*c*x^2 + 2*a*b*c*x + b^2*c)/x^2)^2, x)`

Sympy [F]

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = 4b \int \frac{\log \left(a^2 c + \frac{2abc}{x} + \frac{b^2 c}{x^2} \right)}{ax+b} dx + x \log \left(\frac{c(ax+b)^2}{x^2} \right)^2$$

input `integrate(ln(c*(a*x+b)**2/x**2)**2,x)`

output `4*b*Integral(log(a**2*c + 2*a*b*c/x + b**2*c/x**2)/(a*x + b), x) + x*log(c*(a*x + b)**2/x**2)**2`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.76

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx$$

$$= x \log \left(\frac{(ax+b)^2 c}{x^2} \right)^2 + \frac{4b \log(ax+b) \log \left(\frac{(ax+b)^2 c}{x^2} \right)}{a}$$

$$+ \frac{4 \left(\left(\frac{c \log(ax+b)^2}{a} - \frac{2(\log(\frac{ax}{b}+1) \log(x) + \text{Li}_2(-\frac{ax}{b}))c}{a} \right) b - \frac{2(c \log(ax+b) - c \log(x)) b \log(ax+b)}{a} \right)}{c}$$

input `integrate(log(c*(a*x+b)^2/x^2)^2,x, algorithm="maxima")`

output `x*log((a*x + b)^2*c/x^2)^2 + 4*b*log(a*x + b)*log((a*x + b)^2*c/x^2)/a + 4*((c*log(a*x + b)^2/a - 2*(log(a*x/b + 1)*log(x) + dilog(-a*x/b))*c/a)*b - 2*(c*log(a*x + b) - c*log(x))*b*log(a*x + b)/a)/c`

Giac [F]

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{(ax+b)^2 c}{x^2} \right)^2 dx$$

input `integrate(log(c*(a*x+b)^2/x^2)^2,x, algorithm="giac")`

output `integrate(log((a*x + b)^2*c/x^2)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \ln \left(\frac{c(b+ax)^2}{x^2} \right)^2 dx$$

input `int(log((c*(b + a*x)^2)/x^2)^2,x)`output `int(log((c*(b + a*x)^2)/x^2)^2, x)`**Reduce [F]**

$$\int \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{a^2cx^2 + 2abcx + b^2c}{x^2} \right)^2 dx$$

input `int(log(c*(a*x+b)^2/x^2)^2,x)`output `int(log((a**2*c*x**2 + 2*a*b*c*x + b**2*c)/x**2)**2,x)`

3.98 $\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx$

Optimal result	832
Mathematica [A] (verified)	833
Rubi [A] (verified)	833
Maple [F]	836
Fricas [F]	836
Sympy [F]	836
Maxima [F]	837
Giac [F]	837
Mupad [F(-1)]	837
Reduce [F]	838

Optimal result

Integrand size = 15, antiderivative size = 102

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = x \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) - \frac{6b \log^2 \left(\frac{c(b+ax)^2}{x^2} \right) \log \left(1 - \frac{ax}{b+ax} \right)}{a} + \frac{24b \log \left(\frac{c(b+ax)^2}{x^2} \right) \text{PolyLog} \left(2, \frac{ax}{b+ax} \right)}{a} + \frac{48b \text{PolyLog} \left(3, \frac{ax}{b+ax} \right)}{a}$$

output

```
x*ln(c*(a*x+b)^2/x^2)^3-6*b*ln(c*(a*x+b)^2/x^2)^2*ln(1-a*x/(a*x+b))/a+24*b*ln(c*(a*x+b)^2/x^2)*polylog(2,a*x/(a*x+b))/a+48*b*polylog(3,a*x/(a*x+b))/a
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 98, normalized size of antiderivative = 0.96

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = -\frac{6b \log \left(\frac{b}{b+ax} \right) \log^2 \left(\frac{c(b+ax)^2}{x^2} \right)}{a} + x \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) \\ + \frac{24b \log \left(\frac{c(b+ax)^2}{x^2} \right) \text{PolyLog} \left(2, \frac{ax}{b+ax} \right)}{a} \\ + \frac{48b \text{PolyLog} \left(3, \frac{ax}{b+ax} \right)}{a}$$

input

```
Integrate[Log[(c*(b + a*x)^2)/x^2]^3,x]
```

output

```
(-6*b*Log[b/(b + a*x)]*Log[(c*(b + a*x)^2)/x^2]^2)/a + x*Log[(c*(b + a*x)^2)/x^2]^3 + (24*b*Log[(c*(b + a*x)^2)/x^2]*PolyLog[2, (a*x)/(b + a*x)])/a + (48*b*PolyLog[3, (a*x)/(b + a*x)])/a
```

Rubi [A] (verified)

Time = 0.74 (sec) , antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2936, 2950, 2779, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log^3 \left(\frac{c(ax+b)^2}{x^2} \right) dx \\ \downarrow \text{2936} \\ 6b \int \frac{\log^2 \left(\frac{c(b+ax)^2}{x^2} \right)}{b+ax} dx + x \log^3 \left(\frac{c(ax+b)^2}{x^2} \right) \\ \downarrow \text{2950} \\ 6b \int \frac{x \log^2 \left(\frac{c(b+ax)^2}{x^2} \right)}{(b+ax) \left(a - \frac{b+ax}{x} \right)} d \frac{b+ax}{x} + x \log^3 \left(\frac{c(ax+b)^2}{x^2} \right)$$

$$\begin{aligned}
& \downarrow 2779 \\
& 6b \left(\frac{4 \int \frac{x \log\left(\frac{c(b+ax)^2}{x^2}\right) \log\left(1 - \frac{ax}{b+ax}\right) d^{b+ax}}{b+ax}}{a} - \frac{\log\left(1 - \frac{ax}{ax+b}\right) \log^2\left(\frac{c(ax+b)^2}{x^2}\right)}{a} \right) + \\
& \quad x \log^3\left(\frac{c(ax+b)^2}{x^2}\right) \\
& \downarrow 2821 \\
& 6b \left(\frac{4 \left(\text{PolyLog}\left(2, \frac{ax}{b+ax}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right) - 2 \int \frac{x \text{PolyLog}\left(2, \frac{ax}{b+ax}\right) d^{b+ax}}{b+ax} \right)}{a} - \frac{\log\left(1 - \frac{ax}{ax+b}\right) \log^2\left(\frac{c(ax+b)^2}{x^2}\right)}{a} \right) + \\
& \quad x \log^3\left(\frac{c(ax+b)^2}{x^2}\right) \\
& \downarrow 7143 \\
& 6b \left(\frac{4 \left(\text{PolyLog}\left(2, \frac{ax}{b+ax}\right) \log\left(\frac{c(ax+b)^2}{x^2}\right) + 2 \text{PolyLog}\left(3, \frac{ax}{b+ax}\right) \right)}{a} - \frac{\log\left(1 - \frac{ax}{ax+b}\right) \log^2\left(\frac{c(ax+b)^2}{x^2}\right)}{a} \right) + \\
& \quad x \log^3\left(\frac{c(ax+b)^2}{x^2}\right)
\end{aligned}$$

input

```
Int[Log[(c*(b + a*x)^2)/x^2]^3,x]
```

output

```
x*Log[(c*(b + a*x)^2)/x^2]^3 + 6*b*(-((Log[(c*(b + a*x)^2)/x^2]^2*Log[1 -
(a*x)/(b + a*x)])/a) + (4*(Log[(c*(b + a*x)^2)/x^2]*PolyLog[2, (a*x)/(b +
a*x)] + 2*PolyLog[3, (a*x)/(b + a*x)]))/a)
```

Defintions of rubi rules used

rule 2779

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^(r_))), x_Symbol] := Simp[(-Log[1 + d/(e*x^r)])*((a + b*Log[c*x^n])^p/(d*r)), x] + Simp[b*n*(p/(d*r)) Int[Log[1 + d/(e*x^r)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IGtQ[p, 0]
```

rule 2821

```
Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]
```

rule 2936

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_))]*(B_.))^(p_.), x_Symbol] := Simp[(a + b*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^p/b), x] - Simp[B*n*p*((b*c - a*d)/b) Int[(A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]
```

rule 2950

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_))]*(B_.))^(p_.)*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(b*c - a*d)^(m + 1)*(g/b)^m Subst[Int[x^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[b*f - a*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \ln \left(\frac{c(ax+b)^2}{x^2} \right)^3 dx$$

input `int(ln(c*(a*x+b)^2/x^2)^3,x)`

output `int(ln(c*(a*x+b)^2/x^2)^3,x)`

Fricas [F]

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{(ax+b)^2 c}{x^2} \right)^3 dx$$

input `integrate(log(c*(a*x+b)^2/x^2)^3,x, algorithm="fricas")`

output `integral(log((a^2*c*x^2 + 2*a*b*c*x + b^2*c)/x^2)^3, x)`

Sympy [F]

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = 6b \int \frac{\log \left(a^2 c + \frac{2abc}{x} + \frac{b^2 c}{x^2} \right)^2}{ax+b} dx + x \log \left(\frac{c(ax+b)^2}{x^2} \right)^3$$

input `integrate(ln(c*(a*x+b)**2/x**2)**3,x)`

output `6*b*Integral(log(a**2*c + 2*a*b*c/x + b**2*c/x**2)**2/(a*x + b), x) + x*log(c*(a*x + b)**2/x**2)**3`

Maxima [F]

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{(ax+b)^2 c}{x^2} \right)^3 dx$$

input `integrate(log(c*(a*x+b)^2/x^2)^3,x, algorithm="maxima")`

output `4*(2*(a*x + b)*log(a*x + b)^3 + 3*(a*x*log(c) - 2*a*x*log(x))*log(a*x + b)^2)/a + integrate((a*x*log(c)^3 + b*log(c)^3 - 8*(a*x + b)*log(x)^3 + 12*(a*x*log(c) + b*log(c))*log(x)^2 + 6*((log(c)^2 - 4*log(c))*a*x + b*log(c)^2 + 4*(a*x + b)*log(x)^2 - 4*(a*x*(log(c) - 2) + b*log(c))*log(x))*log(a*x + b) - 6*(a*x*log(c)^2 + b*log(c)^2)*log(x))/(a*x + b), x)`

Giac [F]

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{(ax+b)^2 c}{x^2} \right)^3 dx$$

input `integrate(log(c*(a*x+b)^2/x^2)^3,x, algorithm="giac")`

output `integrate(log((a*x + b)^2*c/x^2)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \ln \left(\frac{c(b+ax)^2}{x^2} \right)^3 dx$$

input `int(log((c*(b + a*x)^2)/x^2)^3,x)`

output `int(log((c*(b + a*x)^2)/x^2)^3, x)`

Reduce [F]

$$\int \log^3 \left(\frac{c(b+ax)^2}{x^2} \right) dx = \int \log \left(\frac{a^2cx^2 + 2abcx + b^2c}{x^2} \right)^3 dx$$

input `int(log(c*(a*x+b)^2/x^2)^3,x)`

output `int(log((a**2*c*x**2 + 2*a*b*c*x + b**2*c)/x**2)**3,x)`

3.99 $\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx$

Optimal result	839
Mathematica [A] (verified)	839
Rubi [A] (verified)	840
Maple [A] (verified)	841
Fricas [A] (verification not implemented)	841
Sympy [A] (verification not implemented)	842
Maxima [A] (verification not implemented)	842
Giac [A] (verification not implemented)	842
Mupad [B] (verification not implemented)	843
Reduce [B] (verification not implemented)	843

Optimal result

Integrand size = 13, antiderivative size = 28

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log \left(\frac{cx^2}{(b+ax)^2} \right) - \frac{2b \log(b+ax)}{a}$$

output `x*ln(c*x^2/(a*x+b)^2)-2*b*ln(a*x+b)/a`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log \left(\frac{cx^2}{(b+ax)^2} \right) - \frac{2b \log(b+ax)}{a}$$

input `Integrate[Log[(c*x^2)/(b + a*x)^2],x]`

output `x*Log[(c*x^2)/(b + a*x)^2] - (2*b*Log[b + a*x])/a`

Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2936, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log\left(\frac{cx^2}{(ax+b)^2}\right) dx$$

$$\downarrow 2936$$

$$x \log\left(\frac{cx^2}{(ax+b)^2}\right) - 2b \int \frac{1}{b+ax} dx$$

$$\downarrow 16$$

$$x \log\left(\frac{cx^2}{(ax+b)^2}\right) - \frac{2b \log(ax+b)}{a}$$

input `Int[Log[(c*x^2)/(b + a*x)^2],x]`

output `x*Log[(c*x^2)/(b + a*x)^2] - (2*b*Log[b + a*x])/a`

Defintions of rubi rules used

rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`

rule 2936 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)*((c_.) + (d_.)*(x_))^(mn_)])*(B_.)^(p_.), x_Symbol] := Simp[(a + b*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^p/b), x] - Simp[B*n*p*((b*c - a*d)/b) Int[(A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]`

Maple [A] (verified)

Time = 1.34 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.04

method	result	size
risch	$x \ln \left(\frac{cx^2}{(ax+b)^2} \right) - \frac{2b \ln(ax+b)}{a}$	29
parts	$x \ln \left(\frac{cx^2}{(ax+b)^2} \right) - \frac{2b \ln(ax+b)}{a}$	29
parallelrisch	$-\frac{2 \ln \left(\frac{cx^2}{(ax+b)^2} \right) xab + 4 \ln(x)b^2 - 2b^2 \ln \left(\frac{cx^2}{(ax+b)^2} \right)}{2ab}$	53
derivativedivides	$-\frac{(ax+b) \ln \left(\frac{c \left(\frac{b}{ax+b} - 1 \right)^2}{a^2} \right) + 2b \left(\ln \left(\frac{b}{ax+b} - 1 \right) - \ln \left(\frac{1}{ax+b} \right) \right)}{a}$	59
default	$-\frac{(ax+b) \ln \left(\frac{c \left(\frac{b}{ax+b} - 1 \right)^2}{a^2} \right) + 2b \left(\ln \left(\frac{b}{ax+b} - 1 \right) - \ln \left(\frac{1}{ax+b} \right) \right)}{a}$	59

input `int(ln(c*x^2/(a*x+b)^2),x,method=_RETURNVERBOSE)`

output `x*ln(c*x^2/(a*x+b)^2)-2*b*ln(a*x+b)/a`

Fricas [A] (verification not implemented)

Time = 0.07 (sec) , antiderivative size = 41, normalized size of antiderivative = 1.46

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = \frac{ax \log \left(\frac{cx^2}{a^2x^2+2abx+b^2} \right) - 2b \log(ax+b)}{a}$$

input `integrate(log(c*x^2/(a*x+b)^2),x, algorithm="fricas")`

output `(a*x*log(c*x^2/(a^2*x^2 + 2*a*b*x + b^2)) - 2*b*log(a*x + b))/a`

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.93

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log \left(\frac{cx^2}{(ax+b)^2} \right) - \frac{2b \log(ax+b)}{a}$$

input `integrate(ln(c*x**2/(a*x+b)**2),x)`output `x*log(c*x**2/(a*x + b)**2) - 2*b*log(a*x + b)/a`**Maxima [A] (verification not implemented)**

Time = 0.04 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log \left(\frac{cx^2}{(ax+b)^2} \right) - \frac{2b \log(ax+b)}{a}$$

input `integrate(log(c*x^2/(a*x+b)^2),x, algorithm="maxima")`output `x*log(c*x^2/(a*x + b)^2) - 2*b*log(a*x + b)/a`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 29, normalized size of antiderivative = 1.04

$$\int \log \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log \left(\frac{cx^2}{(ax+b)^2} \right) - \frac{2b \log(|ax+b|)}{a}$$

input `integrate(log(c*x^2/(a*x+b)^2),x, algorithm="giac")`output `x*log(c*x^2/(a*x + b)^2) - 2*b*log(abs(a*x + b))/a`

Mupad [B] (verification not implemented)

Time = 26.17 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.00

$$\int \log\left(\frac{cx^2}{(b+ax)^2}\right) dx = x \ln\left(\frac{cx^2}{(b+ax)^2}\right) - \frac{2b \ln(b+ax)}{a}$$

input `int(log((c*x^2)/(b + a*x)^2),x)`output `x*log((c*x^2)/(b + a*x)^2) - (2*b*log(b + a*x))/a`**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 63, normalized size of antiderivative = 2.25

$$\int \log\left(\frac{cx^2}{(b+ax)^2}\right) dx = \frac{\log\left(\frac{cx^2}{a^2x^2+2abx+b^2}\right) ax + \log\left(\frac{cx^2}{a^2x^2+2abx+b^2}\right) b - 2 \log(x) b}{a}$$

input `int(log(c*x^2/(a*x+b)^2),x)`output `(log((c*x**2)/(a**2*x**2 + 2*a*b*x + b**2))*a*x + log((c*x**2)/(a**2*x**2 + 2*a*b*x + b**2))*b - 2*log(x)*b)/a`

3.100 $\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx$

Optimal result	844
Mathematica [A] (verified)	844
Rubi [A] (verified)	845
Maple [F]	847
Fricas [F]	848
Sympy [F]	848
Maxima [A] (verification not implemented)	848
Giac [F]	849
Mupad [F(-1)]	849
Reduce [F]	850

Optimal result

Integrand size = 15, antiderivative size = 67

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) + \frac{4b \log \left(\frac{cx^2}{(b+ax)^2} \right) \log \left(\frac{b}{b+ax} \right)}{a} + \frac{8b \operatorname{PolyLog} \left(2, 1 - \frac{b}{b+ax} \right)}{a}$$

output `x*ln(c*x^2/(a*x+b)^2)^2+4*b*ln(c*x^2/(a*x+b)^2)*ln(b/(a*x+b))/a+8*b*polylog(2,1-b/(a*x+b))/a`

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 96, normalized size of antiderivative = 1.43

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \frac{ax \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) + 4b \log \left(\frac{cx^2}{(b+ax)^2} \right) \log \left(\frac{b}{b+ax} \right) - 4b \log \left(\frac{b}{b+ax} \right) \left(2 \log \left(-\frac{ax}{b} \right) + \log \left(\frac{b}{b+ax} \right) \right) + 8b \operatorname{PolyLog} \left(2, 1 - \frac{b}{b+ax} \right)}{a}$$

input `Integrate[Log[(c*x^2)/(b + a*x)^2]^2,x]`

output

$$(a*x*\text{Log}[(c*x^2)/(b + a*x)^2]^2 + 4*b*\text{Log}[(c*x^2)/(b + a*x)^2]*\text{Log}[b/(b + a*x)] - 4*b*\text{Log}[b/(b + a*x)]*(2*\text{Log}[-((a*x)/b)] + \text{Log}[b/(b + a*x)]) + 8*b*\text{PolyLog}[2, 1 + (a*x)/b])/a$$
Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 69, normalized size of antiderivative = 1.03, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {2936, 2942, 2858, 25, 27, 2778, 2005, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) dx$$

$$\downarrow 2936$$

$$x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \int \frac{\log \left(\frac{cx^2}{(b+ax)^2} \right)}{b+ax} dx$$

$$\downarrow 2942$$

$$x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(\frac{2b \int \frac{\log \left(\frac{b}{b+ax} \right) dx}{x(b+ax)} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{cx^2}{(ax+b)^2} \right)}{a} \right)$$

$$\downarrow 2858$$

$$x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(\frac{2b \int \frac{\log \left(\frac{b}{b+ax} \right) d(b+ax)}{a^2} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{cx^2}{(ax+b)^2} \right)}{a} \right)$$

$$\downarrow 25$$

$$x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(-\frac{2b \int -\frac{\log \left(\frac{b}{b+ax} \right) d(b+ax)}{a^2} - \frac{\log \left(\frac{b}{ax+b} \right) \log \left(\frac{cx^2}{(ax+b)^2} \right)}{a} \right)$$

$$\downarrow 27$$

$$\begin{aligned}
& x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(-\frac{2b \int -\frac{\log\left(\frac{b}{b+ax}\right)}{ax(b+ax)} d(b+ax)}{a} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{cx^2}{(ax+b)^2}\right)}{a} \right) \\
& \quad \downarrow \text{2778} \\
& x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(\frac{2b \int -\frac{(b+ax) \log\left(\frac{b}{b+ax}\right)}{ax} d\frac{1}{b+ax}}{a} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{cx^2}{(ax+b)^2}\right)}{a} \right) \\
& \quad \downarrow \text{2005} \\
& x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(\frac{2b \int \frac{\log\left(\frac{b}{b+ax}\right)}{\frac{b}{b+ax}-1} d\frac{1}{b+ax}}{a} - \frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{cx^2}{(ax+b)^2}\right)}{a} \right) \\
& \quad \downarrow \text{2752} \\
& x \log^2 \left(\frac{cx^2}{(ax+b)^2} \right) - 4b \left(-\frac{\log\left(\frac{b}{ax+b}\right) \log\left(\frac{cx^2}{(ax+b)^2}\right)}{a} - \frac{2 \operatorname{PolyLog}\left(2, 1 - \frac{b}{b+ax}\right)}{a} \right)
\end{aligned}$$

input `Int[Log[(c*x^2)/(b + a*x)^2]^2,x]`

output `x*Log[(c*x^2)/(b + a*x)^2]^2 - 4*b*(-((Log[(c*x^2)/(b + a*x)^2]*Log[b/(b + a*x)])/a) - (2*PolyLog[2, 1 - b/(b + a*x)])/a)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2005 `Int[(Fx_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(m + n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && NegQ[n]`

rule 2752 `Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2778 `Int[((a_.) + Log[(c_.)*(x_)^(n_)])*(b_.)/((x_)*((d_) + (e_.)*(x_)^(r_.))), x_Symbol] := Simp[1/n Subst[Int[(a + b*Log[c*x])/(x*(d + e*x^(r/n))), x], x, x^n], x] /; FreeQ[{a, b, c, d, e, n, r}, x] && IntegerQ[r/n]`

rule 2858 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(q_.))*((h_.) + (i_.)*(x_)^(r_.)), x_Symbol] := Simp[1/e Subst[Int[(g*(x/e)^q*((e*h - d*i)/e + i*(x/e)^r*(a + b*Log[c*x^n])^p), x], x, d + e*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, n, p, q, r}, x] && EqQ[e*f - d*g, 0] && (IGtQ[p, 0] || IGtQ[r, 0]) && IntegerQ[2*r]`

rule 2936 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_.))]*(B_.))^(p_.), x_Symbol] := Simp[(a + b*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^p/b), x] - Simp[B*n*p*((b*c - a*d)/b) Int[(A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]`

rule 2942 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_.))]*(B_.))/((f_.) + (g_.)*(x_)), x_Symbol] := Simp[(-Log[-(b*c - a*d)/(d*(a + b*x)])*(A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))/g), x] + Simp[B*n*((b*c - a*d)/g) Int[Log[-(b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)), x], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && EqQ[b*f - a*g, 0]`

Maple [F]

$$\int \ln \left(\frac{cx^2}{(ax+b)^2} \right)^2 dx$$

input `int(ln(c*x^2/(a*x+b)^2)^2,x)`

output `int(ln(c*x^2/(a*x+b)^2)^2,x)`

Fricas [F]

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{(ax+b)^2} \right)^2 dx$$

input `integrate(log(c*x^2/(a*x+b)^2)^2,x, algorithm="fricas")`

output `integral(log(c*x^2/(a^2*x^2 + 2*a*b*x + b^2))^2, x)`

Sympy [F]

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = -4b \int \frac{\log \left(\frac{cx^2}{a^2x^2+2abx+b^2} \right)}{ax+b} dx + x \log \left(\frac{cx^2}{(ax+b)^2} \right)^2$$

input `integrate(ln(c*x**2/(a*x+b)**2)**2,x)`

output `-4*b*Integral(log(c*x**2/(a**2*x**2 + 2*a*b*x + b**2))/(a*x + b), x) + x*log(c*x**2/(a*x + b)**2)**2`

Maxima [A] (verification not implemented)

Time = 0.05 (sec) , antiderivative size = 118, normalized size of antiderivative = 1.76

$$\begin{aligned} & \int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx \\ &= x \log \left(\frac{cx^2}{(ax+b)^2} \right)^2 - \frac{4b \log(ax+b) \log \left(\frac{cx^2}{(ax+b)^2} \right)}{a} \\ &+ \frac{4 \left(\left(\frac{c \log(ax+b)^2}{a} - \frac{2(\log(\frac{ax}{b}+1) \log(x) + \text{Li}_2(-\frac{ax}{b}))c}{a} \right) b - \frac{2(c \log(ax+b) - c \log(x))b \log(ax+b)}{a} \right)}{c} \end{aligned}$$

input `integrate(log(c*x^2/(a*x+b)^2)^2,x, algorithm="maxima")`

output `x*log(c*x^2/(a*x + b)^2) - 4*b*log(a*x + b)*log(c*x^2/(a*x + b)^2)/a + 4*((c*log(a*x + b)^2/a - 2*(log(a*x/b + 1)*log(x) + dilog(-a*x/b))*c/a)*b - 2*(c*log(a*x + b) - c*log(x))*b*log(a*x + b)/a)/c`

Giac [F]

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{(ax+b)^2} \right)^2 dx$$

input `integrate(log(c*x^2/(a*x+b)^2)^2,x, algorithm="giac")`

output `integrate(log(c*x^2/(a*x + b)^2)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \ln \left(\frac{cx^2}{(b+ax)^2} \right)^2 dx$$

input `int(log((c*x^2)/(b + a*x)^2)^2,x)`

output `int(log((c*x^2)/(b + a*x)^2)^2, x)`

Reduce [F]

$$\int \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{a^2x^2 + 2abx + b^2} \right)^2 dx$$

input `int(log(c*x^2/(a*x+b)^2)^2,x)`

output `int(log((c*x**2)/(a**2*x**2 + 2*a*b*x + b**2))**2,x)`

3.101 $\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx$

Optimal result	851
Mathematica [A] (verified)	851
Rubi [A] (verified)	852
Maple [F]	854
Fricas [F]	854
Sympy [F]	855
Maxima [F]	855
Giac [F]	855
Mupad [F(-1)]	856
Reduce [F]	856

Optimal result

Integrand size = 15, antiderivative size = 98

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) + \frac{6b \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) \log \left(\frac{b}{b+ax} \right)}{a} + \frac{24b \log \left(\frac{cx^2}{(b+ax)^2} \right) \text{PolyLog} \left(2, \frac{ax}{b+ax} \right)}{a} - \frac{48b \text{PolyLog} \left(3, \frac{ax}{b+ax} \right)}{a}$$

output

```
x*ln(c*x^2/(a*x+b)^2)^3+6*b*ln(c*x^2/(a*x+b)^2)^2*ln(b/(a*x+b))/a+24*b*ln(c*x^2/(a*x+b)^2)*polylog(2,a*x/(a*x+b))/a-48*b*polylog(3,a*x/(a*x+b))/a
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 98, normalized size of antiderivative = 1.00

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = x \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) + \frac{6b \log^2 \left(\frac{cx^2}{(b+ax)^2} \right) \log \left(\frac{b}{b+ax} \right)}{a} + \frac{24b \log \left(\frac{cx^2}{(b+ax)^2} \right) \text{PolyLog} \left(2, \frac{ax}{b+ax} \right)}{a} - \frac{48b \text{PolyLog} \left(3, \frac{ax}{b+ax} \right)}{a}$$

input

```
Integrate[Log[(c*x^2)/(b + a*x)^2]^3,x]
```

output

$$x \cdot \text{Log}\left[\frac{c x^2}{(b + a x)^2}\right]^3 + (6 b \cdot \text{Log}\left[\frac{c x^2}{(b + a x)^2}\right]^2 \cdot \text{Log}\left[\frac{b}{(b + a x)}\right]) / a + (24 b \cdot \text{Log}\left[\frac{c x^2}{(b + a x)^2}\right] \cdot \text{PolyLog}\left[2, \frac{a x}{(b + a x)}\right]) / a - (48 b \cdot \text{PolyLog}\left[3, \frac{a x}{(b + a x)}\right]) / a$$
Rubi [A] (verified)

Time = 0.69 (sec) , antiderivative size = 103, normalized size of antiderivative = 1.05, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {2936, 2952, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^3\left(\frac{c x^2}{(a x + b)^2}\right) dx \\
 & \quad \downarrow \text{2936} \\
 & x \log^3\left(\frac{c x^2}{(a x + b)^2}\right) - 6 b \int \frac{\log^2\left(\frac{c x^2}{(b + a x)^2}\right)}{b + a x} dx \\
 & \quad \downarrow \text{2952} \\
 & x \log^3\left(\frac{c x^2}{(a x + b)^2}\right) - 6 b \int \frac{\log^2\left(\frac{c x^2}{(b + a x)^2}\right)}{1 - \frac{a x}{b + a x}} d \frac{x}{b + a x} \\
 & \quad \downarrow \text{2754} \\
 & x \log^3\left(\frac{c x^2}{(a x + b)^2}\right) - \\
 & 6 b \left(\frac{4 \int \frac{(b + a x) \log\left(\frac{c x^2}{(b + a x)^2}\right) \log\left(1 - \frac{a x}{b + a x}\right)}{x} d \frac{x}{b + a x}}{a} - \frac{\log\left(1 - \frac{a x}{a x + b}\right) \log^2\left(\frac{c x^2}{(a x + b)^2}\right)}{a} \right) \\
 & \quad \downarrow \text{2821} \\
 & x \log^3\left(\frac{c x^2}{(a x + b)^2}\right) - \\
 & 6 b \left(\frac{4 \left(2 \int \frac{(b + a x) \text{PolyLog}\left(2, \frac{a x}{b + a x}\right)}{x} d \frac{x}{b + a x} - \text{PolyLog}\left(2, \frac{a x}{b + a x}\right) \log\left(\frac{c x^2}{(a x + b)^2}\right) \right)}{a} - \frac{\log\left(1 - \frac{a x}{a x + b}\right) \log^2\left(\frac{c x^2}{(a x + b)^2}\right)}{a} \right)
 \end{aligned}$$

$$\begin{array}{c}
 \downarrow 7143 \\
 x \log^3 \left(\frac{cx^2}{(ax+b)^2} \right) - \\
 6b \left(\frac{4 \left(2 \operatorname{PolyLog} \left(3, \frac{ax}{b+ax} \right) - \operatorname{PolyLog} \left(2, \frac{ax}{b+ax} \right) \log \left(\frac{cx^2}{(ax+b)^2} \right) \right)}{a} - \frac{\log \left(1 - \frac{ax}{ax+b} \right) \log^2 \left(\frac{cx^2}{(ax+b)^2} \right)}{a} \right)
 \end{array}$$

input `Int[Log[(c*x^2)/(b + a*x)^2]^3,x]`

output `x*Log[(c*x^2)/(b + a*x)^2]^3 - 6*b*(-((Log[(c*x^2)/(b + a*x)^2]^2*Log[1 - (a*x)/(b + a*x)])/a) + (4*(-(Log[(c*x^2)/(b + a*x)^2]*PolyLog[2, (a*x)/(b + a*x)])) + 2*PolyLog[3, (a*x)/(b + a*x)]))/a`

Defintions of rubi rules used

rule 2754 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e) Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]`

rule 2821 `Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

rule 2936 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_.))]*(B_.))^(p_.), x_Symbol] := Simp[(a + b*x)*((A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^p/b), x] - Simp[B*n*p*((b*c - a*d)/b) Int[(A + B*Log[e*((a + b*x)^n/(c + d*x)^n]))^(p - 1)/(c + d*x), x], x] /; FreeQ[{a, b, c, d, e, A, B, n}, x] && EqQ[n + mn, 0] && NeQ[b*c - a*d, 0] && IGtQ[p, 0]`

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_.))^(n_.)*((c_.) + (d_.)*(x_.))^(mn_.)
])* (B_.))^(p_.)*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := Simp[(b*c - a*d)^(
m + 1)*(g/d)^m Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
- c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [F]

$$\int \ln \left(\frac{cx^2}{(ax+b)^2} \right)^3 dx$$

input

```
int(ln(c*x^2/(a*x+b)^2)^3,x)
```

output

```
int(ln(c*x^2/(a*x+b)^2)^3,x)
```

Fricas [F]

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{(ax+b)^2} \right)^3 dx$$

input

```
integrate(log(c*x^2/(a*x+b)^2)^3,x, algorithm="fricas")
```

output

```
integral(log(c*x^2/(a^2*x^2 + 2*a*b*x + b^2))^3, x)
```

Sympy [F]

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = -6b \int \frac{\log \left(\frac{cx^2}{a^2x^2+2abx+b^2} \right)^2}{ax+b} dx + x \log \left(\frac{cx^2}{(ax+b)^2} \right)^3$$

input `integrate(ln(c*x**2/(a*x+b)**2)**3,x)`

output `-6*b*Integral(log(c*x**2/(a**2*x**2 + 2*a*b*x + b**2))**2/(a*x + b), x) + x*log(c*x**2/(a*x + b)**2)**3`

Maxima [F]

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{(ax+b)^2} \right)^3 dx$$

input `integrate(log(c*x^2/(a*x+b)^2)^3,x, algorithm="maxima")`

output `-4*(2*(a*x + b)*log(a*x + b)^3 - 3*(a*x*log(c) + 2*a*x*log(x))*log(a*x + b)^2)/a - integrate(-(a*x*log(c))^3 + b*log(c)^3 + 8*(a*x + b)*log(x)^3 + 12*(a*x*log(c) + b*log(c))*log(x)^2 - 6*((log(c)^2 + 4*log(c))*a*x + b*log(c))^2 + 4*(a*x + b)*log(x)^2 + 4*(a*x*(log(c) + 2) + b*log(c))*log(x))*log(a*x + b) + 6*(a*x*log(c)^2 + b*log(c)^2)*log(x))/(a*x + b), x)`

Giac [F]

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{(ax+b)^2} \right)^3 dx$$

input `integrate(log(c*x^2/(a*x+b)^2)^3,x, algorithm="giac")`

output `integrate(log(c*x^2/(a*x + b)^2)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \ln \left(\frac{cx^2}{(b+ax)^2} \right)^3 dx$$

input `int(log((c*x^2)/(b + a*x)^2)^3,x)`output `int(log((c*x^2)/(b + a*x)^2)^3, x)`**Reduce [F]**

$$\int \log^3 \left(\frac{cx^2}{(b+ax)^2} \right) dx = \int \log \left(\frac{cx^2}{a^2x^2 + 2abx + b^2} \right)^3 dx$$

input `int(log(c*x^2/(a*x+b)^2)^3,x)`output `int(log((c*x**2)/(a**2*x**2 + 2*a*b*x + b**2))**3,x)`

$$3.102 \quad \int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

Optimal result	857
Mathematica [A] (verified)	857
Rubi [A] (verified)	858
Maple [A] (verified)	858
Fricas [F]	859
Sympy [F(-1)]	859
Maxima [F]	860
Giac [F]	860
Mupad [F(-1)]	860
Reduce [F]	861

Optimal result

Integrand size = 38, antiderivative size = 35

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = -\frac{\text{PolyLog}\left(3, 1 + \frac{bc-ad}{d(a+bx)}\right)}{bc-ad}$$

output `-polylog(3, 1+(-a*d+b*c)/d/(b*x+a))/(-a*d+b*c)`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 30, normalized size of antiderivative = 0.86

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \frac{\text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right)}{-bc+ad}$$

input `Integrate[PolyLog[2, 1 + (b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)), x]`

output `PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]/(-b*c) + a*d)`

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.026$, Rules used = {7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\text{PolyLog}\left(2, \frac{bc-ad}{d(a+bx)} + 1\right)}{(a+bx)(c+dx)} dx$$

↓ 7164

$$-\frac{\text{PolyLog}\left(3, \frac{bc-ad}{d(a+bx)} + 1\right)}{bc-ad}$$

input `Int[PolyLog[2, 1 + (b*c - a*d)/(d*(a + b*x))]/((a + b*x)*(c + d*x)),x]`

output `-(PolyLog[3, 1 + (b*c - a*d)/(d*(a + b*x))]/(b*c - a*d))`

Defintions of rubi rules used

rule 7164 `Int[(u_)*PolyLog[n_, v_], x_Symbol] :> With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]`

Maple [A] (verified)

Time = 30.41 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.03

method	result	size
derivativedivides	$\frac{\text{polylog}\left(3, 1 - \frac{da-bc}{d(bx+a)}\right)}{da-bc}$	36
default	$\frac{\text{polylog}\left(3, 1 - \frac{da-bc}{d(bx+a)}\right)}{da-bc}$	36

input `int(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE)`

output `1/(a*d-b*c)*polylog(3,1-(a*d-b*c)/d/(b*x+a))`

Fricas [F]

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\text{Li}_2\left(\frac{bc-ad}{(bx+a)d} + 1\right)}{(bx+a)(dx+c)} dx$$

input `integrate(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="fricas")`

output `integral(dilog((b*c - a*d)/(b*d*x + a*d) + 1)/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \text{Timed out}$$

input `integrate(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x)`

output `Timed out`

Maxima [F]

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\text{Li}_2\left(\frac{bc-ad}{(bx+a)d} + 1\right)}{(bx+a)(dx+c)} dx$$

input `integrate(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="maxima")`

output `integrate(dilog((b*c - a*d)/((b*x + a)*d) + 1)/((b*x + a)*(d*x + c)), x)`

Giac [F]

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\text{Li}_2\left(\frac{bc-ad}{(bx+a)d} + 1\right)}{(bx+a)(dx+c)} dx$$

input `integrate(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x, algorithm="giac")`

output `integrate(dilog((b*c - a*d)/((b*x + a)*d) + 1)/((b*x + a)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\text{polylog}\left(2, 1 - \frac{ad-bc}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

input `int(polylog(2, 1 - (a*d - b*c)/(d*(a + b*x)))/((a + b*x)*(c + d*x)),x)`

output `int(polylog(2, 1 - (a*d - b*c)/(d*(a + b*x)))/((a + b*x)*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\text{polylog}\left(2, \frac{bdx+bc}{bdx+ad}\right)}{bdx^2 + adx + bcx + ac} dx$$

input `int(polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(b*x+a)/(d*x+c),x)`

output `int(polylog(2,(b*c + b*d*x)/(a*d + b*d*x))/(a*c + a*d*x + b*c*x + b*d*x**2),x)`

3.103
$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx$$

Optimal result	862
Mathematica [A] (verified)	862
Rubi [A] (verified)	863
Maple [A] (verified)	864
Fricas [F]	865
Sympy [F]	865
Maxima [F]	865
Giac [F]	866
Mupad [F(-1)]	866
Reduce [F]	867

Optimal result

Integrand size = 50, antiderivative size = 85

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, 1 + \frac{bc-ad}{d(a+bx)}\right)}{bc-ad} - \frac{\text{PolyLog}\left(3, 1 + \frac{bc-ad}{d(a+bx)}\right)}{bc-ad}$$

output

```
ln(e*(d*x+c)/(b*x+a))*polylog(2,1+(-a*d+b*c)/d/(b*x+a))/(-a*d+b*c)-polylog(3,1+(-a*d+b*c)/d/(b*x+a))/(-a*d+b*c)
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 68, normalized size of antiderivative = 0.80

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) - \text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right)}{bc-ad}$$

input `Integrate[(Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[(e*(c + d*x))/(a + b*x)])/(a + b*x)*(c + d*x),x]`

output `(Log[(e*(c + d*x))/(a + b*x])*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] - PolyLog[3, (b*(c + d*x))/(d*(a + b*x))])/(b*c - a*d)`

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {2988, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{ad-bc}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx$$

↓ 2988

$$\int \frac{\text{PolyLog}\left(2, \frac{bc-ad}{d(a+bx)} + 1\right)}{(a+bx)(c+dx)} dx + \frac{\text{PolyLog}\left(2, \frac{bc-ad}{d(a+bx)} + 1\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{bc-ad}$$

↓ 7164

$$\frac{\text{PolyLog}\left(2, \frac{bc-ad}{d(a+bx)} + 1\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{bc-ad} - \frac{\text{PolyLog}\left(3, \frac{bc-ad}{d(a+bx)} + 1\right)}{bc-ad}$$

input `Int[(Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[(e*(c + d*x))/(a + b*x)])/(a + b*x)*(c + d*x),x]`

output `(Log[(e*(c + d*x))/(a + b*x])*PolyLog[2, 1 + (b*c - a*d)/(d*(a + b*x))])/(b*c - a*d) - PolyLog[3, 1 + (b*c - a*d)/(d*(a + b*x))]/(b*c - a*d)`

Defintions of rubi rules used

rule 2988

```
Int[Log[v_]*Log[(e_.)*((f_.)*(a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)]^(r_.)]^(s_.)*(u_), x_Symbol] := With[{g = Simplify[(v - 1)*((c + d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[(-h)*PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] + Simp[h*p*r*s Int[PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]
```

rule 7164

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Maple [A] (verified)

Time = 10.73 (sec) , antiderivative size = 156, normalized size of antiderivative = 1.84

method	result	size
default	$\frac{\ln\left(-\frac{e(dx+c)b-de}{bx+a}\right)\ln\left(\frac{e(dx+c)}{bx+a}\right)^2 - \ln\left(\frac{e(dx+c)}{bx+a}\right)^2 \ln\left(1-\frac{b(dx+c)}{d(bx+a)}\right) - \ln\left(\frac{e(dx+c)}{bx+a}\right)\text{polylog}\left(2, \frac{b(dx+c)}{d(bx+a)}\right) + \text{polylog}\left(3, \frac{b(dx+c)}{d(bx+a)}\right)}{da-bc}$	15

input

```
int(ln((a*d-b*c)/d/(b*x+a))*ln(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c), x, method =_RETURNVERBOSE)
```

output

```
1/(a*d-b*c)*(1/2*ln(-(e*(d*x+c)/(b*x+a)*b-d*e)/d/e)*ln(e*(d*x+c)/(b*x+a))^2-1/2*ln(e*(d*x+c)/(b*x+a))^2*ln(1-b*(d*x+c)/d/(b*x+a))-ln(e*(d*x+c)/(b*x+a))*polylog(2,b*(d*x+c)/d/(b*x+a))+polylog(3,b*(d*x+c)/d/(b*x+a)))
```

Fricas [F]

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{bc-ad}{(bx+a)d}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log((a*d-b*c)/d/(b*x+a))*log(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c), x, algorithm="fricas")`

output `integral(log(-(b*c - a*d)/(b*d*x + a*d))*log((d*e*x + c*e)/(b*x + a))/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F]

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \frac{b \int \frac{\log\left(\frac{ce}{a+bx} + \frac{dex}{a+bx}\right)^2}{a+bx} dx}{2(ad-bc)} + \frac{\log\left(\frac{ad-bc}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)^2}{2ad-2bc}$$

input `integrate(ln((a*d-b*c)/d/(b*x+a))*ln(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c), x)`

output `b*Integral(log(c*e/(a + b*x) + d*e*x/(a + b*x))**2/(a + b*x), x)/(2*(a*d - b*c)) + log((a*d - b*c)/(d*(a + b*x)))*log(e*(c + d*x)/(a + b*x))**2/(2*a*d - 2*b*c)`

Maxima [F]

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{bc-ad}{(bx+a)d}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log((a*d-b*c)/d/(b*x+a))*log(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c), x, algorithm="maxima")`

output `integrate(log((d*x + c)*e/(b*x + a))*log(-(b*c - a*d)/((b*x + a)*d))/((b*x + a)*(d*x + c)), x)`

Giac [F]

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{bc-ad}{(bx+a)d}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log((a*d-b*c)/d/(b*x+a))*log(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c), x, algorithm="giac")`

output `integrate(log((d*x + c)*e/(b*x + a))*log(-(b*c - a*d)/((b*x + a)*d))/((b*x + a)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \int \frac{\ln\left(\frac{e(c+dx)}{a+bx}\right) \ln\left(\frac{ad-bc}{d(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

input `int((log((e*(c + d*x))/(a + b*x))*log((a*d - b*c)/(d*(a + b*x))))/(a + b*x*(c + d*x)), x)`

output `int((log((e*(c + d*x))/(a + b*x))*log((a*d - b*c)/(d*(a + b*x))))/(a + b*x*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\log\left(\frac{-bc+ad}{d(a+bx)}\right) \log\left(\frac{e(c+dx)}{a+bx}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{ad-bc}{bdx+ad}\right) \log\left(\frac{dex+ce}{bx+a}\right)}{bdx^2 + adx + bcx + ac} dx$$

input `int(log((a*d-b*c)/d/(b*x+a))*log(e*(d*x+c)/(b*x+a))/(b*x+a)/(d*x+c),x)`

output `int((log((a*d - b*c)/(a*d + b*d*x))*log((c*e + d*e*x)/(a + b*x)))/(a*c + a*d*x + b*c*x + b*d*x**2),x)`

3.104
$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx$$

Optimal result	868
Mathematica [A] (verified)	869
Rubi [A] (verified)	869
Maple [B] (verified)	871
Fricas [F]	872
Sympy [F]	872
Maxima [F]	873
Giac [F]	873
Mupad [F(-1)]	874
Reduce [F]	874

Optimal result

Integrand size = 42, antiderivative size = 141

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx = -\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right) \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{b} - \frac{2 \log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right)}{b} + \frac{2 \text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right)}{b}$$

output

```
-ln(-(-a*d+b*c)/d/(b*x+a))*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/b-2
*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*polylog(2,b*(d*x+c)/d/(b*x+a))/
b+2*polylog(3,b*(d*x+c)/d/(b*x+a))/b
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 135, normalized size of antiderivative = 0.96

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{a+bx} dx$$

$$= \frac{-\log \left(\frac{-bc+ad}{d(a+bx)} \right) \log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) - 2 \log \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) \text{PolyLog} \left(2, \frac{b(c+dx)}{d(a+bx)} \right) + 2 \text{PolyLog} \left(3, \frac{b(c+dx)}{d(a+bx)} \right)}{b}$$

input

```
Integrate[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/(a + b*x),x]
```

output

```
(- (Log[(-(b*c) + a*d)/(d*(a + b*x))] * Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2) - 2*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))] * PolyLog[2, (b*(c + d*x))/(d*(a + b*x))] + 2*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))])/b
```

Rubi [A] (verified)Time = 0.77 (sec) , antiderivative size = 139, normalized size of antiderivative = 0.99, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {2952, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}{a+bx} dx$$

$$\downarrow 2952$$

$$\int \frac{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}{d - \frac{b(c+dx)}{a+bx}} d \frac{c+dx}{a+bx}$$

$$\downarrow 2754$$

$$\begin{aligned}
& \frac{2 \int \frac{(a+bx) \log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(1 - \frac{b(c+dx)}{d(a+bx)}\right) d^{c+dx}}{c+dx}}{b} - \frac{\log\left(1 - \frac{b(c+dx)}{d(a+bx)}\right) \log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{b} \\
& \quad \downarrow \text{2821} \\
& \frac{2 \left(\int \frac{(a+bx) \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) d^{c+dx}}{c+dx} - \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) \log\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right) \right)}{b} - \frac{\log\left(1 - \frac{b(c+dx)}{d(a+bx)}\right) \log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{b} \\
& \quad \downarrow \text{7143} \\
& \frac{2 \left(\text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right) - \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) \log\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right) \right)}{b} - \frac{\log\left(1 - \frac{b(c+dx)}{d(a+bx)}\right) \log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{b}
\end{aligned}$$

input `Int[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/(a + b*x),x]`

output `-((Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/b) + (2*(-(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))]) + PolyLog[3, (b*(c + d*x))/(d*(a + b*x))]))/b`

Defintions of rubi rules used

rule 2754 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol] := Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e) Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, n}, x] && IGtQ[p, 0]`

rule 2821 `Int[(Log[(d_.)*((e_) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol] := Simp[(-PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m) Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]`

rule 2952

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_.))^(n_.)*((c_.) + (d_.)*(x_.))^(mn_.)
])* (B_.)]^(p_.)*((f_.) + (g_.)*(x_.))^(m_.), x_Symbol] := Simp[(b*c - a*d)^(
m + 1)*(g/d)^m Subst[Int[(A + B*Log[e*x^n])^p/(b - d*x)^(m + 2), x], x, (
a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[
n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, p] && EqQ[d*f
- c*g, 0] && (GtQ[p, 0] || LtQ[m, -1])
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 418 vs. 2(141) = 282.

Time = 10.79 (sec) , antiderivative size = 419, normalized size of antiderivative = 2.97

method	result
derivativedivides	$(cf-de) \left(\ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)^2 \ln \left(1 - \frac{(-bcf+bde) \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)}{-adf+bde} \right) \right) + 2 \ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)$
default	$(cf-de) \left(\ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)^2 \ln \left(1 - \frac{(-bcf+bde) \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)}{-adf+bde} \right) \right) + 2 \ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)$
risch	$\frac{\ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)^2 \ln \left(1 - \frac{(-bcf+bde) \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right)}{-adf+bde} \right)}{-bcf+bde} \quad cf \quad \ln \left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b} \right) + \frac{d(fa-be)}{(cf-de)b}$

input

```
int(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a),x,method=_RETURNVE
RBOSE)
```


output

```
(c*f-d*e)/(-b*c*f+b*d*e)*(ln(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)^2*ln(1-(-b*c*f+b*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b))+2*ln(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)*polylog(2,(-b*c*f+b*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b))-2*polylog(3,(-b*c*f+b*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b))
```

Fricas [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx = \int \frac{\log\left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)}\right)^2}{bx+a} dx$$

input

```
integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a),x, algorithm="fricas")
```

output

```
integral(log((b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x))^2/(b*x + a), x)
```

Sympy [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx$$

$$= \int \frac{\log\left(-\frac{acf}{-acf+ade-bcfx+bdex} - \frac{adf}{-acf+ade-bcfx+bdex} + \frac{bce}{-acf+ade-bcfx+bdex} + \frac{bdex}{-acf+ade-bcfx+bdex}\right)^2}{a+bx} dx$$

input

```
integrate(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))**2/(b*x+a),x)
```

output

```
Integral(log(-a*c*f/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) - a*d*f*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*c*e/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*d*e*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x))**2/(a + b*x), x)
```

Maxima [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{a+bx} dx = \int \frac{\log \left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)} \right)^2}{bx+a} dx$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a),x, algorithm m="maxima")`

output `log(d*x + c)^3/a - integrate(-((log(-b*e + a*f))^2 - 2*log(-b*e + a*f)*log(-d*e + c*f) + log(-d*e + c*f)^2)*b*d*x + (log(-b*e + a*f))^2 - 2*log(-b*e + a*f)*log(-d*e + c*f) + log(-d*e + c*f)^2)*b*c + (b*d*x + b*c)*log(b*x + a)^2 - 2*(b*d*x*(log(-b*e + a*f) - log(-d*e + c*f)) + b*c*(log(-b*e + a*f) - log(-d*e + c*f)))*log(b*x + a) + 2*(b*d*x*(log(-b*e + a*f) - log(-d*e + c*f)) + b*c*(log(-b*e + a*f) - log(-d*e + c*f)) - (2*b*d*x + b*c + a*d)*log(b*x + a))*log(d*x + c)/(b^2*d*x^2 + a*b*c + (b^2*c + a*b*d)*x), x)`

Giac [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{a+bx} dx = \int \frac{\log \left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)} \right)^2}{bx+a} dx$$

input `integrate(log((b*e - a*f)*(d*x + c)/((d*e - c*f)*(b*x + a)))^2/(b*x + a),x, algorithm m="giac")`

output `integrate(log((b*e - a*f)*(d*x + c)/((d*e - c*f)*(b*x + a)))^2/(b*x + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx = \int \frac{\ln\left(\frac{(af-be)(c+dx)}{(cf-de)(a+bx)}\right)^2}{a+bx} dx$$

input `int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/(a + b*x), x)`

output `int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/(a + b*x), x)`

Reduce [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{a+bx} dx = \int \frac{\log\left(\frac{adx-bdex+acf-bce}{bcfx-bdex+acf-ade}\right)^2}{bx+a} dx$$

input `int(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a), x)`

output `int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(a + b*x), x)`

3.105
$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

Optimal result	875
Mathematica [A] (verified)	875
Rubi [A] (verified)	876
Maple [B] (verified)	877
Fricas [F]	878
Sympy [F]	878
Maxima [F]	879
Giac [F]	879
Mupad [F(-1)]	880
Reduce [F]	880

Optimal result

Integrand size = 62, antiderivative size = 109

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, 1 + \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)}\right)}{bc-ad} - \frac{\text{PolyLog}\left(3, 1 + \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)}\right)}{bc-ad}$$

output

```
ln(e*(d*x+c)/(b*x+a))*polylog(2,1+(-a*d+b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(
-a*d+b*c)-polylog(3,1+(-a*d+b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(-a*d+b*c)
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 96, normalized size of antiderivative = 0.88

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) - \text{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{bc-ad}$$

input

```
Integrate[(Log[(e*(c + d*x))/(a + b*x)]*Log[(-(b*c) + a*d)*(e + f*x)/((d*e - c*f)*(a + b*x))])/((a + b*x)*(c + d*x)),x]
```

output

```
(Log[(e*(c + d*x))/(a + b*x)]*PolyLog[2, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))] - PolyLog[3, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d))
```

Rubi [A] (verified)

Time = 0.78 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$, Rules used = {2988, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(e+fx)(ad-bc)}{(a+bx)(de-cf)}\right)}{(a+bx)(c+dx)} dx$$

↓ 2988

$$\int \frac{\text{PolyLog}\left(2, \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)} + 1\right)}{(a+bx)(c+dx)} dx + \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)} + 1\right)}{bc-ad}$$

↓ 7164

$$\frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \text{PolyLog}\left(2, \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)} + 1\right)}{bc-ad} - \frac{\text{PolyLog}\left(3, \frac{(bc-ad)(e+fx)}{(de-cf)(a+bx)} + 1\right)}{bc-ad}$$

input

```
Int[(Log[(e*(c + d*x))/(a + b*x)]*Log[(-(b*c) + a*d)*(e + f*x)/((d*e - c*f)*(a + b*x))])/((a + b*x)*(c + d*x)),x]
```

output

```
(Log[(e*(c + d*x))/(a + b*x)]*PolyLog[2, 1 + ((b*c - a*d)*(e + f*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)) - PolyLog[3, 1 + ((b*c - a*d)*(e + f*x))/((d*e - c*f)*(a + b*x))]/((b*c - a*d))
```

Definitions of rubi rules used

rule 2988

```
Int[Log[v_]*Log[(e_.)*((f_.)*(a_.) + (b_.)*(x_))^(p_.)*((c_.) + (d_.)*(x_))^(q_.)]^(r_.)]^(s_.)*(u_), x_Symbol] := With[{g = Simplify[(v - 1)*((c + d*x)/(a + b*x))], h = Simplify[u*(a + b*x)*(c + d*x)]}, Simp[(-h)*PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^s/(b*c - a*d)), x] + Simp[h*p*r*s Int[PolyLog[2, 1 - v]*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s - 1)/((a + b*x)*(c + d*x))), x], x] /; FreeQ[{g, h}, x] /; FreeQ[{a, b, c, d, e, f, p, q, r, s}, x] && NeQ[b*c - a*d, 0] && IGtQ[s, 0] && EqQ[p + q, 0]
```

rule 7164

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v, x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 422 vs. $2(109) = 218$.

Time = 62.93 (sec) , antiderivative size = 423, normalized size of antiderivative = 3.88

method	result
default	$\frac{\ln\left(\frac{e(dx+c)af - e^2(dx+c)b - cef + de^2}{bx+a} \frac{e(dx+c)}{bx+a}\right) \ln\left(\frac{e(dx+c)}{bx+a}\right)^2}{2} - af \left(\ln\left(\frac{e(dx+c)}{bx+a}\right)^2 \ln\left(1 - \frac{(fa-be)e(dx+c)}{(bx+a)(cef-dee^2)}\right) + 2 \ln\left(\frac{e(dx+c)}{bx+a}\right) \operatorname{polylog}\left(2, \frac{fa-be}{(bx+a)(cef-dee^2)}\right) \right)$

input

```
int(ln(e*(d*x+c)/(b*x+a))*ln((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(b*x+a)/(d*x+c),x,method=_RETURNVERBOSE)
```

output

```
1/(a*d-b*c)*(1/2*ln(-(e*(d*x+c)/(b*x+a)*a*f-e^2*(d*x+c)/(b*x+a)*b-c*e*f+d*e^2)/e/(c*f-d*e))*ln(e*(d*x+c)/(b*x+a))^2-1/2*a*f/(a*f-b*e)*(ln(e*(d*x+c)/(b*x+a))^2*ln(1-(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2))+2*ln(e*(d*x+c)/(b*x+a))*polylog(2,(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2))-2*polylog(3,(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2))+1/2*b*e/(a*f-b*e)*(ln(e*(d*x+c)/(b*x+a))^2*ln(1-(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2))+2*ln(e*(d*x+c)/(b*x+a))*polylog(2,(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2))-2*polylog(3,(a*f-b*e)*e*(d*x+c)/(b*x+a)/(c*e*f-d*e^2)))
```

Fricas [F]

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{(bc-ad)(fx+e)}{(de-cf)(bx+a)}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*(d*x+c)/(b*x+a))*log((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(b*x+a)/(d*x+c), x, algorithm="fricas")`

output `integral(log(-((b*c - a*d)*f*x + (b*c - a*d)*e)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x))*log((d*e*x + c*e)/(b*x + a))/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F]

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \frac{\log\left(\frac{e(c+dx)}{a+bx}\right)^2 \log\left(\frac{(e+fx)(ad-bc)}{(a+bx)(-cf+de)}\right)}{2ad - 2bc} - \frac{(af - be) \int \frac{\log\left(\frac{ce}{a+bx} + \frac{dex}{a+bx}\right)^2}{ae+afx+be x+bf x^2} dx}{2(ad - bc)}$$

input `integrate(ln(e*(d*x+c)/(b*x+a))*ln((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(b*x+a)/(d*x+c), x)`

output `log(e*(c + d*x)/(a + b*x))**2*log((e + f*x)*(a*d - b*c)/((a + b*x)*(-c*f + d*e)))/(2*a*d - 2*b*c) - (a*f - b*e)*Integral(log(c*e/(a + b*x) + d*e*x/(a + b*x))**2/(a*e + a*f*x + b*e*x + b*f*x**2), x)/(2*(a*d - b*c))`

Maxima [F]

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{(bc-ad)(fx+e)}{(de-cf)(bx+a)}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*(d*x+c)/(b*x+a))*log((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))
/(b*x+a)/(d*x+c),x, algorithm="maxima")`

output `-1/2*(log(b*x + a)^2 - 2*(log(b*x + a) - log(e))*log(d*x + c) + log(d*x +
c)^2 - 2*log(b*x + a)*log(e))*log(f*x + e)/(b*c - a*d) + integrate(1/2*(2*
(e*log(-b*c + a*d)*log(e) - e*log(d*e - c*f)*log(e))*b*c + (b*d*f*x^2 + 2*
b*c*e - (2*d*e - c*f)*a + (3*b*c*f - a*d*f)*x)*log(b*x + a)^2 - 2*(d*e*log
(-b*c + a*d)*log(e) - d*e*log(d*e - c*f)*log(e))*a + 2*((f*log(-b*c + a*d)
*log(e) - f*log(d*e - c*f)*log(e))*b*c - (d*f*log(-b*c + a*d)*log(e) - d*f
*log(d*e - c*f)*log(e))*a)*x - 2*(b*d*f*x^2*log(e) - (e*(log(d*e - c*f) -
log(e)) - e*log(-b*c + a*d))*b*c + (d*e*(log(d*e - c*f) - log(e)) - d*e*lo
g(-b*c + a*d) + c*f*log(e))*a + ((f*log(-b*c + a*d) - f*log(d*e - c*f) + 2
*f*log(e))*b*c - (d*f*log(-b*c + a*d) - d*f*log(d*e - c*f))*a)*x)*log(b*x
+ a) + 2*(b*d*f*x^2*log(e) + (e*log(-b*c + a*d) - e*log(d*e - c*f))*b*c -
(d*e*log(-b*c + a*d) - d*e*log(d*e - c*f) - c*f*log(e))*a + ((f*log(-b*c +
a*d) - f*log(d*e - c*f) + f*log(e))*b*c - (d*f*log(-b*c + a*d) - (f*log(d
e - c*f) + f*log(e))*d)*a)*x - (b*d*f*x^2 + 2*b*c*f*x + b*c*e - (d*e - c*
f)*a)*log(b*x + a))*log(d*x + c))/(a*b*c^2*e - a^2*c*d*e + (b^2*c*d*f - a*
b*d^2*f)*x^3 - (a*b*d^2*e + a^2*d^2*f - (c*d*e + c^2*f)*b^2)*x^2 + (b^2*c^2
e + a*b*c^2*f - (d^2*e + c*d*f)*a^2)*x), x)`

Giac [F]

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(dx+c)e}{bx+a}\right) \log\left(-\frac{(bc-ad)(fx+e)}{(de-cf)(bx+a)}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log(e*(d*x+c)/(b*x+a))*log((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))
/(b*x+a)/(d*x+c),x, algorithm="giac")`

output `integrate(log((d*x + c)*e/(b*x + a))*log(-(b*c - a*d)*(f*x + e)/((d*e - c*f)*(b*x + a)))/((b*x + a)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\ln\left(\frac{e(c+dx)}{a+bx}\right) \ln\left(-\frac{(e+fx)(ad-bc)}{(cf-de)(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

input `int((log((e*(c + d*x))/(a + b*x))*log(-((e + f*x)*(a*d - b*c))/((c*f - d*e)*(a + b*x))))/((a + b*x)*(c + d*x)), x)`

output `int((log((e*(c + d*x))/(a + b*x))*log(-((e + f*x)*(a*d - b*c))/((c*f - d*e)*(a + b*x))))/((a + b*x)*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\log\left(\frac{e(c+dx)}{a+bx}\right) \log\left(\frac{(-bc+ad)(e+fx)}{(de-cf)(a+bx)}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{-adfx+bcfx-ade+bce}{bcfx-bdex+acf-ade}\right) \log\left(\frac{dex+ce}{bx+a}\right)}{bdx^2 + adx + bcx + ac} dx$$

input `int(log(e*(d*x+c)/(b*x+a))*log((a*d-b*c)*(f*x+e)/(-c*f+d*e)/(b*x+a))/(b*x+a)/(d*x+c), x)`

output `int((log((- a*d*e - a*d*f*x + b*c*e + b*c*f*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))*log((c*e + d*e*x)/(a + b*x)))/(a*c + a*d*x + b*c*x + b*d*x**2), x)`

3.106
$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx$$

Optimal result	881
Mathematica [B] (verified)	882
Rubi [A] (verified)	883
Maple [A] (verified)	885
Fricas [A] (verification not implemented)	885
Sympy [F]	886
Maxima [F(-2)]	886
Giac [F]	887
Mupad [F(-1)]	887
Reduce [F]	888

Optimal result

Integrand size = 49, antiderivative size = 204

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx = -\frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(1 - \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{be-af} - \frac{2 \log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{be-af} + \frac{2 \text{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{be-af}$$

output

```
-ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2*ln(1-(-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/(-a*f+b*e)-2*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*polylog(2,(-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/(-a*f+b*e)+2*polylog(3,(-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/(-a*f+b*e)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1636 vs. $2(204) = 408$.

Time = 1.04 (sec) , antiderivative size = 1636, normalized size of antiderivative = 8.02

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{(a+bx)(e+fx)} dx = \text{Too large to display}$$

input `Integrate[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/((a + b*x)*(e + f*x)),x]`

output

```
(-2*Log[a/b + x]^3 + 3*Log[a/b + x]^2*Log[a + b*x] - 6*Log[a/b + x]*Log[c/d + x]*Log[a + b*x] + 3*Log[c/d + x]^2*Log[a + b*x] + 6*Log[a/b + x]*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] - 3*Log[c/d + x]^2*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 3*Log[a/b + x]^2*Log[(b*(c + d*x))/(b*c - a*d)] - 3*Log[a/b + x]^2*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))] + 6*Log[a/b + x]*Log[a + b*x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]) - 6*Log[c/d + x]*Log[a + b*x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))] + 6*Log[c/d + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))] + 3*Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2 + 3*Log[a + b*x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2 - 3*Log[a/b + x]^2*Log[e + f*x] + 6*Log[a/b + x]*Log[c/d + x]*Log[e + f*x] - 3*Log[c/d + x]^2*Log[e + f*x] - 6*Log[a/b + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[e + f*x] + 6*Log[c/d + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[e + f*x] - 3*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[e + f*x] + 3*Log[a/b + x]^2*Log[(b*(e + f*x))/(b*e - a*f)] - 6*Log[a/b + x]*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[(b*(e + f*x))/(b*e - a*f)] + 3*Log[(f*(c + d*x))/(-(d*e) + c*f)]^2*Log[(b*(e + f*x))/(b*e - a*f)] + 6*Log[a/b + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(b*(e + f*x))/(b*e - a*f)] - 6*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[(b*(e + f*x))/(b*e - a*f)]
```

Rubi [A] (verified)

Time = 1.01 (sec) , antiderivative size = 195, normalized size of antiderivative = 0.96, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.082$, Rules used = {2966, 2754, 2821, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}{(a+bx)(e+fx)} dx \\
 & \quad \downarrow \text{2966} \\
 & \int \frac{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}{-\frac{(c+dx)(be-af)}{a+bx} - cf + de} d \frac{c+dx}{a+bx} \\
 & \quad \downarrow \text{2754} \\
 & \frac{2 \int \frac{(a+bx) \log \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) \log \left(1 - \frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{c+dx} d \frac{c+dx}{a+bx}}{\frac{be-af}{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right) \log \left(1 - \frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}} \\
 & \quad \downarrow \text{2821} \\
 & \frac{2 \left(\int \frac{(a+bx) \text{PolyLog} \left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{c+dx} d \frac{c+dx}{a+bx} - \text{PolyLog} \left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) \log \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right) \right)}{\frac{be-af}{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right) \log \left(1 - \frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}} \\
 & \quad \downarrow \text{7143} \\
 & \frac{2 \left(\text{PolyLog} \left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) - \text{PolyLog} \left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right) \log \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right) \right)}{\frac{be-af}{\log^2 \left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right) \log \left(1 - \frac{(c+dx)(be-af)}{(a+bx)(de-cf)} \right)}}
 \end{aligned}$$

input

```
Int[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/((a + b*x)*(e + f*x)),x]
```

output

```
-(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[1 - ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]/(b*e - a*f) + (2*(-(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*PolyLog[2, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]) + PolyLog[3, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]))/(b*e - a*f)
```

Defintions of rubi rules used

rule 2754

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^p/e), x] - Simp[b*n*(p/e)
  Int[Log[1 + e*(x/d)]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a,
b, c, d, e, n}, x] && IGtQ[p, 0]
```

rule 2821

```
Int[(Log[(d_.)*((e_.) + (f_.)*(x_)^(m_.))]*((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.))/(x_), x_Symbol]
:> Simp[(-PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^p/m), x] + Simp[b*n*(p/m)
  Int[PolyLog[2, (-d)*f*x^m]*((a + b*Log[c*x^n])^(p - 1)/x), x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && IGtQ[p, 0] && EqQ[d*e, 1]
```

rule 2966

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_.))]*(B_.))^(p_.)*((f_.) + (g_.)*(x_)^(m_.))*((h_.) + (i_.)*(x_)^(q_.)), x_Symbol]
:> Simp[(b*c - a*d)^(q + 1)*(i/d)^q Subst[Int[(b*f - a*g - (d*f - c*g)*x)^(m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + q + 2))], x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, h, i, A, B, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegersQ[m, q] && IGtQ[p, 0] && EqQ[d*h - c*i, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.))]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [A] (verified)

Time = 18.03 (sec) , antiderivative size = 338, normalized size of antiderivative = 1.66

method	result
derivativedivides	$\frac{\ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right)^2 \ln\left(\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} - \frac{d(fa-be)}{(cf-de)b} + 1\right) + 2 \ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right) \operatorname{polylog}\left(2, \frac{fa-be}{fa-be}\right)}{fa-be}$
default	$\frac{\ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right)^2 \ln\left(\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} - \frac{d(fa-be)}{(cf-de)b} + 1\right) + 2 \ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right) \operatorname{polylog}\left(2, \frac{fa-be}{fa-be}\right)}{fa-be}$
risch	$\frac{\ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right)^2 \ln\left(\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} - \frac{d(fa-be)}{(cf-de)b} + 1\right)}{fa-be} + \frac{2 \ln\left(-\frac{(fa-be)(da-bc)}{b(cf-de)(bx+a)} + \frac{d(fa-be)}{(cf-de)b}\right) \operatorname{polylog}\left(2, \frac{fa-be}{fa-be}\right)}{fa-be}$

input

```
int(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e), x, method=_
RETURNVERBOSE)
```

output

```
1/(a*f-b*e)*(ln(-a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-
b*e)/b)^2*ln((a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)-d/(c*f-d*e)*(a*f-b*e)
/b+1)+2*ln(-a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/
b)*polylog(2,-a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-
b*e)/b)-2*polylog(3,-a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f
-b*e)/b))
```

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 264, normalized size of antiderivative = 1.29

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx =$$

$$\frac{\log\left(\frac{bce-acf+(bde-adf)x}{ade-acf+(bde-bcf)x}\right)^2 \log\left(-\frac{(bc-ad)fx+(bc-ad)e}{ade-acf+(bde-bcf)x}\right) + 2 \operatorname{Li}_2\left(\frac{(bc-ad)fx+(bc-ad)e}{ade-acf+(bde-bcf)x} + 1\right) \log\left(\frac{bce-acf+(bde-adf)x}{ade-acf+(bde-bcf)x}\right)}{be-af}$$

input

```
integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e), x,
algorithm="fricas")
```

output

```

-(log((b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x))^2*log(-((b*c - a*d)*f*x + (b*c - a*d)*e)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x)) + 2*dilog(((b*c - a*d)*f*x + (b*c - a*d)*e)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x) + 1)*log((b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x)) - 2*polylog(3, (b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x)))/(b*e - a*f)

```

Sympy [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx$$

$$= \int \frac{\log\left(-\frac{acf}{-acf+ade-bcfx+bdex} - \frac{adf}{-acf+ade-bcfx+bdex} + \frac{bce}{-acf+ade-bcfx+bdex} + \frac{bdex}{-acf+ade-bcfx+bdex}\right)^2}{(a+bx)(e+fx)} dx$$

input

```
integrate(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e),x)
```

output

```

Integral(log(-a*c*f/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) - a*d*f*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*c*e/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*d*e*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x))^2/((a + b*x)*(e + f*x)), x)

```

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx = \text{Exception raised: RuntimeError}$$

input

```
integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e),x, algorithm="maxima")
```

output

```
Exception raised: RuntimeError >> ECL says: Memory limit reached. Please jump to an outer pointer, quit program and enlarge thememory limits before executing the program again.
```

Giac [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{(a+bx)(e+fx)} dx = \int \frac{\log \left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)} \right)^2}{(bx+a)(fx+e)} dx$$

input

```
integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e),x,
algorithm="giac")
```

output

```
integrate(log((b*e - a*f)*(d*x + c)/((d*e - c*f)*(b*x + a)))^2/((b*x + a)*(f*x + e)), x)
```

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{(a+bx)(e+fx)} dx = \int \frac{\ln \left(\frac{(af-be)(c+dx)}{(cf-de)(a+bx)} \right)^2}{(e+fx)(a+bx)} dx$$

input

```
int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/((e + f*x)*(a + b*x)),x)
```

output

```
int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/((e + f*x)*(a + b*x)), x)
```


Reduce [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(a+bx)(e+fx)} dx$$

$$= 3 \left(\int \frac{\log\left(\frac{adf x - bde x + acf - bce}{bcf x - bde x + acf - ade}\right)^2}{bdf x^3 + adf x^2 + bcf x^2 + bde x^2 + acf x + adex + bcex + ace} dx \right) acdf - 3 \left(\int \frac{\log\left(\frac{adf x - bde x + acf - bce}{bcf x - bde x + acf - ade}\right)^2}{bdf x^3 + adf x^2 + bcf x^2 + bde x^2 + acf x + adex + bcex + ace} dx \right)$$

input `int(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(b*x+a)/(f*x+e),x)`

output `(3*int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(a*c*e + a*c*f*x + a*d*e*x + a*d*f*x**2 + b*c*e*x + b*c*f*x**2 + b*d*e*x**2 + b*d*f*x**3),x)*a*c*d*f - 3*int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(a*c*e + a*c*f*x + a*d*e*x + a*d*f*x**2 + b*c*e*x + b*c*f*x**2 + b*d*e*x**2 + b*d*f*x**3),x)*a*d**2*e - 3*int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(a*c*e + a*c*f*x + a*d*e*x + a*d*f*x**2 + b*c*e*x + b*c*f*x**2 + b*d*e*x**2 + b*d*f*x**3),x)*b*c**2*f + 3*int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(a*c*e + a*c*f*x + a*d*e*x + a*d*f*x**2 + b*c*e*x + b*c*f*x**2 + b*d*e*x**2 + b*d*f*x**3),x)*b*c*d*e + log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^3*d)/(3*f*(a*d - b*c))`

3.107
$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx$$

Optimal result	889
Mathematica [B] (verified)	890
Rubi [A] (verified)	891
Maple [B] (verified)	893
Fricas [F]	894
Sympy [F]	894
Maxima [F(-2)]	895
Giac [F]	895
Mupad [F(-1)]	895
Reduce [F]	896

Optimal result

Integrand size = 42, antiderivative size = 322

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx = -\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right) \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f} + \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(1 - \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f} - \frac{2 \log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right)}{f} + \frac{2 \log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f} + \frac{2 \text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right)}{f} - \frac{2 \text{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f}$$

output

```
-ln(-(-a*d+b*c)/d/(b*x+a))*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/f+1
n((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2*ln(1-(-a*f+b*e)*(d*x+c)/(-c*f+d
*e)/(b*x+a))/f-2*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*polylog(2,b*(d*
x+c)/d/(b*x+a))/f+2*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*polylog(2,(-
a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/f+2*polylog(3,b*(d*x+c)/d/(b*x+a))/f-
2*polylog(3,(-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/f
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1080 vs. $2(322) = 644$.

Time = 0.75 (sec) , antiderivative size = 1080, normalized size of antiderivative = 3.35

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx = \text{Too large to display}$$

input

```
Integrate[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/(e + f*x),x]
```

output

```
(-Log[(-(b*c) + a*d)/(d*(a + b*x))]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2) + Log[a/b + x]^2*Log[e + f*x] - 2*Log[a/b + x]*Log[c/d + x]*Log[e + f*x] + Log[c/d + x]^2*Log[e + f*x] + 2*Log[a/b + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[e + f*x] - 2*Log[c/d + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[e + f*x] + Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[e + f*x] - Log[a/b + x]^2*Log[(b*(e + f*x))/(b*e - a*f)] + 2*Log[a/b + x]*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[(b*(e + f*x))/(b*e - a*f)] - Log[(f*(c + d*x))/(-(d*e) + c*f)]^2*Log[(b*(e + f*x))/(b*e - a*f)] - 2*Log[a/b + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(b*(e + f*x))/(b*e - a*f)] + 2*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(b*(e + f*x))/(b*e - a*f)] - Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[(b*(e + f*x))/(b*e - a*f)] + 2*Log[a/b + x]*Log[c/d + x]*Log[(d*(e + f*x))/(d*e - c*f)] - Log[c/d + x]^2*Log[(d*(e + f*x))/(d*e - c*f)] - 2*Log[a/b + x]*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[(d*(e + f*x))/(d*e - c*f)] + Log[(f*(c + d*x))/(-(d*e) + c*f)]^2*Log[(d*(e + f*x))/(d*e - c*f)] + 2*Log[c/d + x]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(d*(e + f*x))/(d*e - c*f)] - 2*Log[(f*(c + d*x))/(-(d*e) + c*f)]*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(d*(e + f*x))/(d*e - c*f)] + Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]
```

Rubi [A] (verified)

Time = 1.16 (sec) , antiderivative size = 392, normalized size of antiderivative = 1.22, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2954, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{e+fx} dx \\
 & \quad \downarrow \text{2954} \\
 & - \left((bc-ad) \int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{\left(d - \frac{b(c+dx)}{a+bx}\right) \left(de - cf - \frac{(be-af)(c+dx)}{a+bx}\right)} d \frac{c+dx}{a+bx} \right) \\
 & \quad \downarrow \text{2804} \\
 & - \left((bc-ad) \int \left(\frac{b \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(bc-ad)f\left(\frac{b(c+dx)}{a+bx} - d\right)} + \frac{(be-af) \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(bc-ad)f\left(de - cf - \frac{(be-af)(c+dx)}{a+bx}\right)} \right) d \frac{c+dx}{a+bx} \right) \\
 & \quad \downarrow \text{2009} \\
 & - \left((bc-ad) \left(\frac{2 \text{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f(bc-ad)} + \frac{2 \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) \log\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{f(bc-ad)} - \frac{2 \text{PolyLog}\left(2, \frac{(be-af)}{(de-cf)}\right)}{f} \right) \right)
 \end{aligned}$$

input

```
Int[Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2/(e + f*x),x]
```

output

```

-((b*c - a*d)*((Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log
[1 - (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f) - (Log[((b*e - a*f)*(c
+ d*x))/((d*e - c*f)*(a + b*x))]^2*Log[1 - ((b*e - a*f)*(c + d*x))/((d*e -
c*f)*(a + b*x))])/((b*c - a*d)*f) + (2*Log[((b*e - a*f)*(c + d*x))/((d*e
- c*f)*(a + b*x))]*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f
) - (2*Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*PolyLog[2, ((b
*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)*f) - (2*PolyLo
g[3, (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f) + (2*PolyLog[3, ((b*e -
a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)*f))

```

Defintions of rubi rules used

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2804

```
Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{
u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /
; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]
```

rule 2954

```
Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_)^(n_.))*((c_.) + (d_.)*(x_)^(mn_
))]*(B_.))^(p_.)*((f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(b*c - a*d)
Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m
+ 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B
, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegerQ[m
] && IGtQ[p, 0]
```

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 812 vs. $2(322) = 644$.

Time = 9.98 (sec) , antiderivative size = 813, normalized size of antiderivative = 2.52

method	result
derivativedivides	$(fa - be)(da - bc) \left(-\frac{b(cf - de) \left(\ln \left(-\frac{(fa - be)(da - bc)}{b(cf - de)(bx + a)} + \frac{d(fa - be)}{(cf - de)b} \right)^2 \ln \left(1 + \frac{(bcf - bde) \left(-\frac{(fa - be)(da - bc)}{b(cf - de)(bx + a)} + \frac{d(fa - be)}{(cf - de)b} \right)}{-adf + bde} \right)}{\dots} \right)$
default	$(fa - be)(da - bc) \left(-\frac{b(cf - de) \left(\ln \left(-\frac{(fa - be)(da - bc)}{b(cf - de)(bx + a)} + \frac{d(fa - be)}{(cf - de)b} \right)^2 \ln \left(1 + \frac{(bcf - bde) \left(-\frac{(fa - be)(da - bc)}{b(cf - de)(bx + a)} + \frac{d(fa - be)}{(cf - de)b} \right)}{-adf + bde} \right)}{\dots} \right)$
risch	Expression too large to display

input

```
int(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(f*x+e),x,method=_RETURNVE
RBOSE)
```

output

```
(a*f-b*e)*(a*d-b*c)*(-b*(c*f-d*e)/(b*c*f-b*d*e)/(a*f-b*e)/f/(a*d-b*c)*(ln(
-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)^2*ln(1+(
b*c*f-b*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c
*f-d*e)*(a*f-b*e)/b))+2*ln(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f
-d*e)*(a*f-b*e)/b)*polylog(2,-(b*c*f-b*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*
d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b))-2*polylog(3,-(b*c*f-b
*d*e)/(-a*d*f+b*d*e)*(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b*x+a)+d/(c*f-d*e)
*(a*f-b*e)/b))+1/(a*f-b*e)/f/(a*d-b*c)*(ln(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*
e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)^2*ln((a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(
b*x+a)-d/(c*f-d*e)*(a*f-b*e)/b+1)+2*ln(-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/(b
*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)*polylog(2,-(a*f-b*e)*(a*d-b*c)/b/(c*f-d*e)/
(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)-2*polylog(3,-(a*f-b*e)*(a*d-b*c)/b/(c*f-d
e)/(b*x+a)+d/(c*f-d*e)*(a*f-b*e)/b)))
```

Fricas [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx = \int \frac{\log \left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)} \right)^2}{fx+e} dx$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(f*x+e),x, algorithm m="fricas")`

output `integral(log((b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x))^2/(f*x + e), x)`

Sympy [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx$$

$$= \int \frac{\log \left(-\frac{acf}{-acf+ade-bcfx+bdex} - \frac{adf}{-acf+ade-bcfx+bdex} + \frac{bce}{-acf+ade-bcfx+bdex} + \frac{bdex}{-acf+ade-bcfx+bdex} \right)^2}{e+fx} dx$$

input `integrate(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))**2/(f*x+e),x)`

output `Integral(log(-a*c*f/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) - a*d*f*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*c*e/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x) + b*d*e*x/(-a*c*f + a*d*e - b*c*f*x + b*d*e*x))**2/(e + f*x), x)`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx = \text{Exception raised: RuntimeError}$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(f*x+e),x, algorithm m="maxima")`

output Exception raised: RuntimeError >> ECL says: Memory limit reached. Please jump to an outer pointer, quit program and enlarge thememory limits before executing the program again.

Giac [F]

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx = \int \frac{\log \left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)} \right)^2}{fx+e} dx$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(f*x+e),x, algorithm m="giac")`

output `integrate(log((b*e - a*f)*(d*x + c)/((d*e - c*f)*(b*x + a)))^2/(f*x + e), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log^2 \left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)} \right)}{e+fx} dx = \int \frac{\ln \left(\frac{(af-be)(c+dx)}{(cf-de)(a+bx)} \right)^2}{e+fx} dx$$

input `int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/(e + f*x),x)`

output `int(log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x)))^2/(e + f*x), x)`

Reduce [F]

$$\int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx = \int \frac{\log\left(\frac{adf x-bdex+acf-bce}{bcfx-bdex+acf-ade}\right)^2}{fx+e} dx$$

input `int(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2/(f*x+e), x)`

output `int(log((a*c*f + a*d*f*x - b*c*e - b*d*e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x))^2/(e + f*x), x)`

3.108
$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx$$

Optimal result	897
Mathematica [B] (verified)	898
Rubi [A] (verified)	899
Maple [F]	901
Fricas [F]	902
Sympy [F(-1)]	902
Maxima [F(-2)]	902
Giac [F]	903
Mupad [F(-1)]	903
Reduce [F]	904

Optimal result

Integrand size = 65, antiderivative size = 433

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = -\frac{\log\left(-\frac{bc-ad}{d(a+bx)}\right) \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{2(bc-ad)} - \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{2(bc-ad)} + \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(1 - \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{2(bc-ad)} - \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right)}{bc-ad} + \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \text{PolyLog}\left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{bc-ad} + \frac{\text{PolyLog}\left(3, \frac{b(c+dx)}{d(a+bx)}\right)}{bc-ad} - \frac{\text{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{bc-ad}$$

output

```
-1/2*ln(-(-a*d+b*c)/d/(b*x+a))*ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2
/(-a*d+b*c)-ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2*ln(b*(f*x+e)/(-a*f
+b*e))/(-2*a*d+2*b*c)+ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))^2*ln(1-(-a
*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/(-2*a*d+2*b*c)-ln((-a*f+b*e)*(d*x+c)/(-
c*f+d*e)/(b*x+a))*polylog(2,b*(d*x+c)/d/(b*x+a))/(-a*d+b*c)+ln((-a*f+b*e)
*(d*x+c)/(-c*f+d*e)/(b*x+a))*polylog(2,(-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+
a))/(-a*d+b*c)+polylog(3,b*(d*x+c)/d/(b*x+a))/(-a*d+b*c)-polylog(3,(-a*f+b
*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))/(-a*d+b*c)
```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1855 vs. 2(433) = 866.

Time = 0.87 (sec) , antiderivative size = 1855, normalized size of antiderivative = 4.28

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \text{Too large to display}$$

input

```
Integrate[(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])*Log[(b*(e
+ f*x))/(b*e - a*f)])/((a + b*x)*(c + d*x)),x]
```

output

```
(2*Log[c/d + x]*Log[e/f + x]*Log[(d*(a + b*x))/(-(b*c) + a*d)] + 2*Log[a/b
+ x]*Log[e/f + x]*Log[(b*(c + d*x))/(b*c - a*d)] - 2*(Log[a + b*x] - Log[
c + d*x])*(Log[a/b + x] - Log[c/d + x] + Log[((b*e - a*f)*(c + d*x))/((d*e
- c*f)*(a + b*x))])*(Log[e/f + x] - Log[(b*(e + f*x))/(b*e - a*f)]) + (Lo
g[(d*(a + b*x))/(-(b*c) + a*d)] - Log[(f*(a + b*x))/(-(b*e) + a*f)])*Log[(
b*(e + f*x))/(b*e - a*f)]*(-2*Log[c/d + x] + Log[(b*(e + f*x))/(b*e - a*f)
]) + Log[a/b + x]^2*(-Log[e/f + x] + Log[(b*(e + f*x))/(b*e - a*f)]) + (Lo
g[(b*(c + d*x))/(b*c - a*d)] - Log[(f*(c + d*x))/(-(d*e) + c*f)])*Log[(d*(
e + f*x))/(d*e - c*f)]*(-2*Log[a/b + x] + Log[(d*(e + f*x))/(d*e - c*f)])
+ Log[c/d + x]^2*(-Log[e/f + x] + Log[(d*(e + f*x))/(d*e - c*f)]) + 2*(-Lo
g[(b*(c + d*x))/(b*c - a*d)] + Log[(f*(c + d*x))/(-(d*e) + c*f)])*Log[(d*(
e + f*x))/(d*e - c*f)]*Log[((-(b*c) + a*d)*(e + f*x))/((d*e - c*f)*(a + b*
x))]) + (Log[(-(b*e) + a*f)/(f*(a + b*x))] + Log[(b*(c + d*x))/(b*c - a*d)]
- Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])*Log[((-(b*c) + a*
d)*(e + f*x))/((d*e - c*f)*(a + b*x))]^2 + 2*(-Log[(d*(a + b*x))/(-(b*c) +
a*d)] + Log[(f*(a + b*x))/(-(b*e) + a*f)])*Log[(b*(e + f*x))/(b*e - a*f)]
*Log[((b*c - a*d)*(e + f*x))/((b*e - a*f)*(c + d*x))] + (Log[(d*(a + b*x))
/(-(b*c) + a*d)] + Log[(-(d*e) + c*f)/(f*(c + d*x))] - Log[((d*e - c*f)*(a
+ b*x))/((b*e - a*f)*(c + d*x))])*Log[((b*c - a*d)*(e + f*x))/((b*e - a*f)
*(c + d*x))]^2 + 2*(Log[e/f + x] - Log[((-(b*c) + a*d)*(e + f*x))/((d*...
```

Rubi [A] (verified)

Time = 1.47 (sec) , antiderivative size = 454, normalized size of antiderivative = 1.05, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$, Rules used = {2989, 2954, 2804, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log\left(\frac{b(e+fx)}{be-af}\right) \log\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{(a+bx)(c+dx)} dx$$

$$\downarrow 2989$$

$$f \int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{e+fx} dx - \frac{\log\left(\frac{b(e+fx)}{be-af}\right) \log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{2(bc-ad)}$$

$$\downarrow 2954$$

$$-\frac{1}{2}f \int \frac{\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{\left(d - \frac{b(c+dx)}{a+bx}\right)\left(de - cf - \frac{(be-af)(c+dx)}{a+bx}\right)} d\frac{c+dx}{a+bx} - \frac{\log\left(\frac{b(e+fx)}{be-af}\right)\log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{2(bc-ad)}$$

↓ 2804

$$-\frac{1}{2}f \int \left(\frac{b \log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(bc-ad)f\left(\frac{b(c+dx)}{a+bx} - d\right)} + \frac{(be-af)\log^2\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{(bc-ad)f\left(de - cf - \frac{(be-af)(c+dx)}{a+bx}\right)} \right) d\frac{c+dx}{a+bx} - \frac{\log\left(\frac{b(e+fx)}{be-af}\right)\log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{2(bc-ad)}$$

↓ 2009

$$-\frac{1}{2}f \left(\frac{2 \operatorname{PolyLog}\left(3, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f(bc-ad)} + \frac{2 \operatorname{PolyLog}\left(2, \frac{b(c+dx)}{d(a+bx)}\right) \log\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{f(bc-ad)} - \frac{2 \operatorname{PolyLog}\left(2, \frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right)}{f(bc-ad)} - \frac{\log\left(\frac{b(e+fx)}{be-af}\right)\log^2\left(\frac{(c+dx)(be-af)}{(a+bx)(de-cf)}\right)}{2(bc-ad)} \right)$$

input `Int[(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*Log[(b*(e + f*x))/(b*e - a*f)])/((a + b*x)*(c + d*x)),x]`

output `-1/2*(Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[(b*(e + f*x))/(b*e - a*f)])/((b*c - a*d) - (f*((Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[1 - (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f) - (Log[((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]^2*Log[1 - ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)*f) + (2*Log[(b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*PolyLog[2, (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f) - (2*Log[(b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))]*PolyLog[2, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)*f) - (2*PolyLog[3, (b*(c + d*x))/(d*(a + b*x))])/((b*c - a*d)*f) + (2*PolyLog[3, ((b*e - a*f)*(c + d*x))/((d*e - c*f)*(a + b*x))])/((b*c - a*d)*f)))/2`

Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2804 `Int[((a_.) + Log[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*x^n])^p, RFx, x]}, Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, n}, x] && RationalFunctionQ[RFx, x] && IGtQ[p, 0]`

rule 2954 `Int[((A_.) + Log[(e_.)*((a_.) + (b_.)*(x_))^(n_.)]*((c_.) + (d_.)*(x_))^(mn_.)]*(B_.))^(p_.)*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(b*c - a*d) Subst[Int[(b*f - a*g - (d*f - c*g)*x)^m*((A + B*Log[e*x^n])^p/(b - d*x)^(m + 2)), x], x, (a + b*x)/(c + d*x)], x] /; FreeQ[{a, b, c, d, e, f, g, A, B, n}, x] && EqQ[n + mn, 0] && IGtQ[n, 0] && NeQ[b*c - a*d, 0] && IntegerQ[m] && IGtQ[p, 0]`

rule 2989 `Int[Log[(e_.)*((f_.)*((a_.) + (b_.)*(x_))^(p_.)]*((c_.) + (d_.)*(x_))^(q_.))]^(r_.)]^(s_.)*Log[(i_.)*((j_.)*((g_.) + (h_.)*(x_))^(t_.))]^(u_.)]*(v_), x_Symbol] := With[{k = Simplify[v*(a + b*x)*(c + d*x)]}, Simp[k*Log[i*(j*(g + h*x)^t)^u*(Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r)^(s + 1)/(p*r*(s + 1)*(b*c - a*d))), x] - Simp[k*h*t*(u/(p*r*(s + 1)*(b*c - a*d))) Int[Log[e*(f*(a + b*x)^p*(c + d*x)^q]^r]^(s + 1)/(g + h*x), x], x] /; FreeQ[k, x] /; FreeQ[{a, b, c, d, e, f, g, h, i, j, p, q, r, s, t, u}, x] && NeQ[b*c - a*d, 0] && EqQ[p + q, 0] && NeQ[s, -1]`

Maple [F]

$$\int \frac{\ln\left(\frac{(-fa+be)(dx+c)}{(-cf+de)(bx+a)}\right) \ln\left(\frac{b(fx+e)}{-fa+be}\right)}{(bx+a)(dx+c)} dx$$

input `int(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*ln(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x)`

output `int(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*ln(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x)`

Fricas [F]

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(fx+e)b}{be-af}\right) \log\left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*log(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x, algorithm="fricas")`

output `integral(log((b*c*e - a*c*f + (b*d*e - a*d*f)*x)/(a*d*e - a*c*f + (b*d*e - b*c*f)*x))*log((b*f*x + b*e)/(b*e - a*f))/(b*d*x^2 + a*c + (b*c + a*d)*x), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \text{Timed out}$$

input `integrate(ln((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*ln(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \text{Exception raised: RuntimeError}$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*log(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x, algorithm="maxima")`

output Exception raised: RuntimeError >> ECL says: Memory limit reached. Please jump to an outer pointer, quit program and enlarge thememory limits before executing the program again.

Giac [F]

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{(fx+e)b}{be-af}\right) \log\left(\frac{(be-af)(dx+c)}{(de-cf)(bx+a)}\right)}{(bx+a)(dx+c)} dx$$

input `integrate(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*log(b*(f*x+e)/(-a*f+b*e))/(b*x+a)/(d*x+c),x, algorithm="giac")`

output `integrate(log((f*x + e)*b/(b*e - a*f))*log((b*e - a*f)*(d*x + c)/((d*e - c*f)*(b*x + a)))/((b*x + a)*(d*x + c)), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \int \frac{\ln\left(-\frac{b(e+fx)}{af-be}\right) \ln\left(\frac{(af-be)(c+dx)}{(cf-de)(a+bx)}\right)}{(a+bx)(c+dx)} dx$$

input `int((log(-(b*(e + f*x)))/(a*f - b*e))*log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x))))/((a + b*x)*(c + d*x)),x)`

output `int((log(-(b*(e + f*x)))/(a*f - b*e))*log(((a*f - b*e)*(c + d*x))/((c*f - d*e)*(a + b*x))))/((a + b*x)*(c + d*x)), x)`

Reduce [F]

$$\int \frac{\log\left(\frac{(be-af)(c+dx)}{(de-cf)(a+bx)}\right) \log\left(\frac{b(e+fx)}{be-af}\right)}{(a+bx)(c+dx)} dx = \int \frac{\log\left(\frac{-bfx-be}{af-be}\right) \log\left(\frac{adx-bdex+acf-bce}{bcfx-bdex+acf-ade}\right)}{bdx^2+adx+bcx+ac} dx$$

input

```
int(log((-a*f+b*e)*(d*x+c)/(-c*f+d*e)/(b*x+a))*log(b*(f*x+e)/(-a*f+b*e))/(
b*x+a)/(d*x+c),x)
```

output

```
int((log((- b*e - b*f*x)/(a*f - b*e))*log((a*c*f + a*d*f*x - b*c*e - b*d*
e*x)/(a*c*f - a*d*e + b*c*f*x - b*d*e*x)))/(a*c + a*d*x + b*c*x + b*d*x**2
),x)
```

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	905
4.2	Links to plain text integration problems used in this report for each CAS .	923

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
  If [AppellFunctionQ [Head [expn]],
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
  If [Head [expn] === RootSum,
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
  If [Head [expn] === Integrate || Head [expn] === Int,
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
  9]]]]]]]]]]

ElementaryFunctionQ [func_] :=
  MemberQ [{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, CsCh,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsCh
  }, func]

SpecialFunctionQ [func_] :=
  MemberQ [{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result := ExpnType(result);
      ExpnType_optimal := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```



```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```



```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file