

Computer Algebra Independent Integration Tests

Summer 2024

3-Logarithms/177-3.9

Nasser M. Abbasi

May 17, 2024

Compiled on May 17, 2024 at 9:06pm

Contents

1	Introduction	4
1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23
2	detailed summary tables of results	24
2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	41
3	Listing of integrals	43
3.1	$\int \log^3(a + b \tan(c + dx)) dx$	45
3.2	$\int \log^2(a + b \tan(c + dx)) dx$	51
3.3	$\int \log(a + b \tan(c + dx)) dx$	57
3.4	$\int \frac{1}{\log(a+b \tan(c+dx))} dx$	63
3.5	$\int \frac{1}{\log^2(a+b \tan(c+dx))} dx$	68
3.6	$\int \log^3(a + b \cot(c + dx)) dx$	74

3.7	$\int \log^2(a + b \cot(c + dx)) dx$	80
3.8	$\int \log(a + b \cot(c + dx)) dx$	86
3.9	$\int \frac{1}{\log(a+b \cot(c+dx))} dx$	93
3.10	$\int \frac{1}{\log^2(a+b \cot(c+dx))} dx$	99
3.11	$\int \log^3(a + b \tanh(c + dx)) dx$	105
3.12	$\int \log^2(a + b \tanh(c + dx)) dx$	111
3.13	$\int \log(a + b \tanh(c + dx)) dx$	117
3.14	$\int \frac{1}{\log(a+b \tanh(c+dx))} dx$	123
3.15	$\int \frac{1}{\log^2(a+b \tanh(c+dx))} dx$	129
3.16	$\int \log^3(a + b \coth(c + dx)) dx$	135
3.17	$\int \log^2(a + b \coth(c + dx)) dx$	141
3.18	$\int \log(a + b \coth(c + dx)) dx$	147
3.19	$\int \frac{1}{\log(a+b \coth(c+dx))} dx$	154
3.20	$\int \frac{1}{\log^2(a+b \coth(c+dx))} dx$	160
3.21	$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx$	166
3.22	$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx$	175
3.23	$\int (e + fx) \log(a + b \tan(c + dx)) dx$	183
3.24	$\int \log(a + b \tan(c + dx)) dx$	191
3.25	$\int \frac{\log(a+b \tan(c+dx))}{e+fx} dx$	197
3.26	$\int \frac{\log(a+b \tan(c+dx))}{(e+fx)^2} dx$	202
3.27	$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx$	208
3.28	$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx$	217
3.29	$\int (e + fx) \log(a + b \cot(c + dx)) dx$	225
3.30	$\int \log(a + b \cot(c + dx)) dx$	233
3.31	$\int \frac{\log(a+b \cot(c+dx))}{e+fx} dx$	240
3.32	$\int \frac{\log(a+b \cot(c+dx))}{(e+fx)^2} dx$	245
3.33	$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx$	251
3.34	$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx$	260
3.35	$\int (e + fx) \log(a + b \tanh(c + dx)) dx$	268
3.36	$\int \log(a + b \tanh(c + dx)) dx$	275
3.37	$\int \frac{\log(a+b \tanh(c+dx))}{e+fx} dx$	281
3.38	$\int \frac{\log(a+b \tanh(c+dx))}{(e+fx)^2} dx$	286
3.39	$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx$	292
3.40	$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx$	301
3.41	$\int (e + fx) \log(a + b \coth(c + dx)) dx$	309
3.42	$\int \log(a + b \coth(c + dx)) dx$	317
3.43	$\int \frac{\log(a+b \coth(c+dx))}{e+fx} dx$	324
3.44	$\int \frac{\log(a+b \coth(c+dx))}{(e+fx)^2} dx$	329

4 Appendix	335
4.1 Listing of Grading functions	335
4.2 Links to plain text integration problems used in this report for each CAS353	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	5
1.2	Results	6
1.3	Time and leaf size Performance	10
1.4	Performance based on number of rules Rubi used	12
1.5	Performance based on number of steps Rubi used	13
1.6	Solved integrals histogram based on leaf size of result	14
1.7	Solved integrals histogram based on CPU time used	15
1.8	Leaf size vs. CPU time used	16
1.9	list of integrals with no known antiderivative	17
1.10	List of integrals solved by CAS but has no known antiderivative	17
1.11	list of integrals solved by CAS but failed verification	17
1.12	Timing	18
1.13	Verification	18
1.14	Important notes about some of the results	19
1.15	Current tree layout of integration tests	22
1.16	Design of the test system	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [44]. This is test number [177].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Mathematica	100.00 (44)	0.00 (0)
Maple	90.91 (40)	9.09 (4)
Fricas	81.82 (36)	18.18 (8)
Maxima	81.82 (36)	18.18 (8)
Rubi	54.55 (24)	45.45 (20)
Mupad	36.36 (16)	63.64 (28)
Giac	36.36 (16)	63.64 (28)
Reduce	36.36 (16)	63.64 (28)
Sympy	36.36 (16)	63.64 (28)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Mathematica	47.727	15.909	0.000	36.364
Maple	27.273	0.000	27.273	45.455
Maxima	20.455	25.000	0.000	54.545
Rubi	18.182	0.000	0.000	81.818
Fricas	0.000	34.091	11.364	54.545
Giac	0.000	0.000	0.000	100.000
Mupad	0.000	0.000	0.000	100.000
Reduce	0.000	0.000	0.000	100.000
Sympy	0.000	0.000	0.000	100.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Mathematica	0	0.00	0.00	0.00
Maple	4	100.00	0.00	0.00
Fricas	8	100.00	0.00	0.00
Maxima	8	50.00	25.00	25.00
Rubi	20	100.00	0.00	0.00
Mupad	28	0.00	100.00	0.00
Giac	28	100.00	0.00	0.00
Reduce	28	100.00	0.00	0.00
Sympy	28	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.12
Rubi	0.68
Maxima	0.83
Giac	1.93
Sympy	3.45
Maple	7.15
Mathematica	11.07
Reduce	12.70
Mupad	26.13

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	16.25	1.03	16.00	1.04
Mupad	18.00	1.13	18.00	1.13
Giac	18.00	1.13	18.00	1.13
Rubi	89.67	0.98	19.00	1.00
Reduce	136.25	10.16	21.00	1.15
Mathematica	315.41	1.52	150.00	1.11
Fricas	547.06	2.78	373.50	2.96
Maxima	586.19	20.21	222.00	1.97
Maple	1595.15	5.80	129.50	1.00

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{4, 5, 9, 10, 14, 15, 19, 20, 25, 26, 31, 32, 37, 38, 43, 44}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {21, 22, 27, 28}

Maple {21, 22, 23, 27, 28, 29, 33, 34, 35, 39, 40, 41}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	25
2.2	Detailed conclusion table per each integral for all CAS systems	29
2.3	Detailed conclusion table specific for Rubi results	41

2.1 List of integrals sorted by grade for each CAS

Rubi	25
Mma	25
Maple	26
Fricas	26
Maxima	26
Giac	27
Mupad	27
Sympy	27
Reduce	28

Rubi

A grade { 1, 2, 6, 7, 11, 12, 16, 17 }

B grade { }

C grade { }

F normal fail { 3, 8, 13, 18, 21, 22, 23, 24, 27, 28, 29, 30, 33, 34, 35, 36, 39, 40, 41, 42 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 23, 24, 29, 30, 34, 35, 36, 41, 42 }

B grade { 21, 22, 27, 28, 33, 39, 40 }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 3, 8, 11, 12, 13, 16, 17, 18, 24, 30, 36, 42 }

B grade { }

C grade { 21, 22, 23, 27, 28, 29, 33, 34, 35, 39, 40, 41 }

F normal fail { 1, 2, 6, 7 }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { }

B grade { 3, 8, 18, 21, 22, 23, 24, 27, 28, 29, 30, 39, 40, 41, 42 }

C grade { 13, 33, 34, 35, 36 }

F normal fail { 1, 2, 6, 7, 11, 12, 16, 17 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 3, 8, 13, 18, 24, 30, 35, 36, 42 }

B grade { 21, 22, 23, 27, 28, 29, 33, 34, 39, 40, 41 }

C grade { }

F normal fail { 11, 12, 16, 17 }

F(-1) timedout fail { 6, 7 }

F(-2) exception fail { 1, 2 }

Giac

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 21, 22, 23, 24, 27, 28, 29, 30, 33, 34, 35, 36, 39, 40, 41, 42 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mupad

A grade { }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 21, 22, 23, 24, 27, 28, 29, 30, 33, 34, 35, 36, 39, 40, 41, 42 }

F(-2) exception fail { }

Sympy

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 21, 22, 23, 24, 27, 28, 29, 30, 33, 34, 35, 36, 39, 40, 41, 42 }

F(-1) timedout fail { }

F(-2) exception fail { }

Reduce

A grade { }

B grade { }

C grade { }

F normal fail { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 21, 22, 23, 24, 27, 28, 29, 30, 33, 34, 35,
36, 39, 40, 41, 42 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	318	298	277	0	0	0	0	0	15	0
N.S.	1	0.94	0.87	0.00	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	0.922	0.555	0.000	0.000	0.000	0.000	0.000	0.149	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	230	216	203	0	0	0	0	0	15	0
N.S.	1	0.94	0.88	0.00	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	0.734	0.347	0.000	0.000	0.000	0.000	0.000	0.163	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	0	150	134	175	599	0	0	13	0
N.S.	1	0.00	1.00	0.89	1.17	3.99	0.00	0.00	0.09	0.00
time (sec)	N/A	0.000	0.047	11.501	0.167	0.117	0.000	0.000	0.170	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	15	15	14	15	15	15
N.S.	1	1.00	1.15	1.00	1.15	1.15	1.08	1.15	1.15	1.15
time (sec)	N/A	0.477	0.558	3.748	1.014	0.080	0.315	0.431	0.161	26.411

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	2870	15	15	15	15	15
N.S.	1	1.00	1.15	1.00	220.77	1.15	1.15	1.15	1.15	1.15
time (sec)	N/A	0.468	28.368	3.558	12.345	0.068	0.663	0.561	0.188	27.514

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-1)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	318	299	277	0	0	0	0	0	15	0
N.S.	1	0.94	0.87	0.00	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	0.985	1.250	0.000	0.000	0.000	0.000	0.000	200.017	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-1)	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	230	217	203	0	0	0	0	0	15	0
N.S.	1	0.94	0.88	0.00	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	0.727	0.957	0.000	0.000	0.000	0.000	0.000	0.176	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	0	150	135	222	625	0	0	13	0
N.S.	1	0.00	1.00	0.90	1.48	4.17	0.00	0.00	0.09	0.00
time (sec)	N/A	0.000	0.087	11.908	0.159	0.192	0.000	0.000	0.182	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	15	15	14	15	15	15
N.S.	1	1.00	1.15	1.00	1.15	1.15	1.08	1.15	1.15	1.15
time (sec)	N/A	0.481	0.318	3.740	0.304	0.100	0.571	0.264	0.182	25.809

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	4316	15	15	15	225	15
N.S.	1	1.00	1.15	1.00	332.00	1.15	1.15	1.15	17.31	1.15
time (sec)	N/A	0.456	29.339	3.694	0.797	0.078	1.427	0.407	0.190	26.580

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	254	248	284	0	0	0	0	15	0
N.S.	1	0.93	0.91	1.04	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	0.919	0.684	10.924	0.000	0.000	0.000	0.000	0.606	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	179	199	210	0	0	0	0	15	0
N.S.	1	0.92	1.03	1.08	0.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	0.709	0.513	9.012	0.000	0.000	0.000	0.000	0.298	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	C	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	0	126	125	125	391	0	0	13	0
N.S.	1	0.00	1.00	0.99	0.99	3.10	0.00	0.00	0.10	0.00
time (sec)	N/A	0.000	0.044	9.421	0.128	0.110	0.000	0.000	0.187	0.000

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	15	15	14	15	15	15
N.S.	1	1.00	1.15	1.00	1.15	1.15	1.08	1.15	1.15	1.15
time (sec)	N/A	0.469	9.391	4.162	0.202	0.074	0.427	0.298	0.216	26.120

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	183	15	15	15	834	15
N.S.	1	1.00	1.15	1.00	14.08	1.15	1.15	1.15	64.15	1.15
time (sec)	N/A	0.474	63.369	4.217	0.264	0.085	0.438	0.286	0.379	26.316

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	274	254	248	284	0	0	0	0	15	0
N.S.	1	0.93	0.91	1.04	0.00	0.00	0.00	0.00	0.05	0.00
time (sec)	N/A	0.912	1.640	10.635	0.000	0.000	0.000	0.000	0.210	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	179	199	210	0	0	0	0	15	0
N.S.	1	0.92	1.03	1.08	0.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	0.735	1.285	9.119	0.000	0.000	0.000	0.000	0.174	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	0	126	125	148	356	0	0	13	0
N.S.	1	0.00	1.00	0.99	1.17	2.83	0.00	0.00	0.10	0.00
time (sec)	N/A	0.000	0.100	9.537	0.138	0.107	0.000	0.000	0.183	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	15	15	14	15	15	15
N.S.	1	1.00	1.15	1.00	1.15	1.15	1.08	1.15	1.15	1.15
time (sec)	N/A	0.473	7.064	4.178	0.134	0.071	1.143	0.280	0.212	26.219

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	15	13	222	15	15	15	834	15
N.S.	1	1.00	1.15	1.00	17.08	1.15	1.15	1.15	64.15	1.15
time (sec)	N/A	0.473	43.158	4.187	0.219	0.133	1.357	0.262	0.380	26.054

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	399	0	1710	8233	1385	2053	0	0	83	0
N.S.	1	0.00	4.29	20.63	3.47	5.15	0.00	0.00	0.21	0.00
time (sec)	N/A	0.000	13.182	10.879	0.325	0.145	0.000	0.000	0.259	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	319	0	1192	5834	870	1489	0	0	58	0
N.S.	1	0.00	3.74	18.29	2.73	4.67	0.00	0.00	0.18	0.00
time (sec)	N/A	0.000	10.479	9.726	0.222	0.160	0.000	0.000	0.335	0.000

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	235	0	340	3464	520	995	0	0	33	0
N.S.	1	0.00	1.45	14.74	2.21	4.23	0.00	0.00	0.14	0.00
time (sec)	N/A	0.000	2.237	8.975	0.177	0.118	0.000	0.000	0.274	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	0	150	134	175	599	0	0	13	0
N.S.	1	0.00	1.00	0.89	1.17	3.99	0.00	0.00	0.09	0.00
time (sec)	N/A	0.000	0.012	8.654	0.154	0.106	0.000	0.000	0.186	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	21	21	17	21	21	21
N.S.	1	1.00	1.11	1.00	1.11	1.11	0.89	1.11	1.11	1.11
time (sec)	N/A	0.426	11.310	1.694	1.849	0.087	0.472	0.457	0.209	26.065

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	631	32	19	21	32	21
N.S.	1	1.00	1.11	1.00	33.21	1.68	1.00	1.11	1.68	1.11
time (sec)	N/A	1.103	66.847	6.160	1.342	0.110	9.249	16.179	0.224	26.240

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	390	0	2120	8174	1887	2019	0	0	21	0
N.S.	1	0.00	5.44	20.96	4.84	5.18	0.00	0.00	0.05	0.00
time (sec)	N/A	0.000	14.731	12.589	0.288	0.202	0.000	0.000	200.018	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	313	0	1432	5774	1146	1465	0	0	21	0
N.S.	1	0.00	4.58	18.45	3.66	4.68	0.00	0.00	0.07	0.00
time (sec)	N/A	0.000	11.554	10.327	0.192	0.194	0.000	0.000	200.017	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	232	0	400	3380	653	989	0	0	33	0
N.S.	1	0.00	1.72	14.57	2.81	4.26	0.00	0.00	0.14	0.00
time (sec)	N/A	0.000	2.411	8.858	0.112	0.184	0.000	0.000	0.261	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	0	150	135	222	625	0	0	13	0
N.S.	1	0.00	1.00	0.90	1.48	4.17	0.00	0.00	0.09	0.00
time (sec)	N/A	0.000	0.014	9.023	0.155	0.149	0.000	0.000	0.155	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	21	21	17	21	21	21
N.S.	1	1.00	1.11	1.00	1.11	1.11	0.89	1.11	1.11	1.11
time (sec)	N/A	0.421	11.278	1.723	2.323	0.085	0.761	0.262	200.022	26.261

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	725	32	19	21	32	21
N.S.	1	1.00	1.11	1.00	38.16	1.68	1.00	1.11	1.68	1.11
time (sec)	N/A	1.118	15.229	6.511	1.487	0.113	11.159	2.751	0.182	25.904

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	C	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	341	0	691	6316	867	1567	0	0	83	0
N.S.	1	0.00	2.03	18.52	2.54	4.60	0.00	0.00	0.24	0.00
time (sec)	N/A	0.000	4.614	9.521	0.235	0.170	0.000	0.000	0.287	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	B	C	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	271	0	434	4458	559	1091	0	0	58	0
N.S.	1	0.00	1.60	16.45	2.06	4.03	0.00	0.00	0.21	0.00
time (sec)	N/A	0.000	3.384	7.743	0.212	0.123	0.000	0.000	0.214	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	A	C	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	201	0	278	2640	308	686	0	0	33	0
N.S.	1	0.00	1.38	13.13	1.53	3.41	0.00	0.00	0.16	0.00
time (sec)	N/A	0.000	1.398	6.286	0.206	0.117	0.000	0.000	0.260	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	C	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	0	126	125	125	391	0	0	13	0
N.S.	1	0.00	1.00	0.99	0.99	3.10	0.00	0.00	0.10	0.00
time (sec)	N/A	0.000	0.012	8.786	0.126	0.108	0.000	0.000	0.152	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	21	21	17	21	21	21
N.S.	1	1.00	1.11	1.00	1.11	1.11	0.89	1.11	1.11	1.11
time (sec)	N/A	0.416	12.005	1.979	0.855	0.100	0.743	0.314	0.174	25.615

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	169	32	19	21	32	21
N.S.	1	1.00	1.11	1.00	8.89	1.68	1.00	1.11	1.68	1.11
time (sec)	N/A	1.118	44.989	2.372	1.059	0.103	9.813	3.704	0.187	25.766

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	332	0	1046	6300	1051	1439	0	0	83	0
N.S.	1	0.00	3.15	18.98	3.17	4.33	0.00	0.00	0.25	0.00
time (sec)	N/A	0.000	6.287	11.249	0.236	0.125	0.000	0.000	0.176	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	265	0	652	4416	676	1000	0	0	58	0
N.S.	1	0.00	2.46	16.66	2.55	3.77	0.00	0.00	0.22	0.00
time (sec)	N/A	0.000	4.570	8.652	0.225	0.123	0.000	0.000	0.170	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	C	B	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	198	0	337	2535	370	627	0	0	33	0
N.S.	1	0.00	1.70	12.80	1.87	3.17	0.00	0.00	0.17	0.00
time (sec)	N/A	0.000	1.686	7.311	0.211	0.102	0.000	0.000	0.168	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	A	A	A	B	F	F	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	0	126	125	148	356	0	0	13	0
N.S.	1	0.00	1.00	0.99	1.17	2.83	0.00	0.00	0.10	0.00
time (sec)	N/A	0.000	0.012	8.961	0.130	0.103	0.000	0.000	0.166	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	21	21	17	21	21	21
N.S.	1	1.00	1.11	1.00	1.11	1.11	0.89	1.11	1.11	1.11
time (sec)	N/A	0.410	12.018	1.994	0.641	0.092	1.451	0.284	0.161	25.564

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	19	211	32	19	21	32	21
N.S.	1	1.00	1.11	1.00	11.11	1.68	1.00	1.11	1.68	1.11
time (sec)	N/A	0.978	47.676	2.338	1.156	0.100	15.178	4.211	0.177	25.681

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [1] had the largest ratio of [.230769000000000002]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	4	3	0.94	13	0.231
2	A	4	3	0.94	13	0.231
3	F	0	0	N/A	0.000	N/A
4	N/A	4	0	1.00	13	0.000
5	N/A	4	0	1.00	13	0.000
6	A	4	3	0.94	13	0.231
7	A	4	3	0.94	13	0.231
8	F	0	0	N/A	0.000	N/A
9	N/A	4	0	1.00	13	0.000
10	N/A	4	0	1.00	13	0.000
11	A	4	3	0.93	13	0.231
12	A	4	3	0.92	13	0.231
13	F	0	0	N/A	0.000	N/A
14	N/A	4	0	1.00	13	0.000
15	N/A	4	0	1.00	13	0.000
16	A	4	3	0.93	13	0.231
17	A	4	3	0.92	13	0.231
18	F	0	0	N/A	0.000	N/A
19	N/A	4	0	1.00	13	0.000
20	N/A	4	0	1.00	13	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	F	0	0	N/A	0.000	N/A
22	F	0	0	N/A	0.000	N/A
23	F	0	0	N/A	0.000	N/A
24	F	0	0	N/A	0.000	N/A
25	N/A	1	0	1.00	19	0.000
26	N/A	3	0	1.00	19	0.000
27	F	0	0	N/A	0.000	N/A
28	F	0	0	N/A	0.000	N/A
29	F	0	0	N/A	0.000	N/A
30	F	0	0	N/A	0.000	N/A
31	N/A	1	0	1.00	19	0.000
32	N/A	4	0	1.00	19	0.000
33	F	0	0	N/A	0.000	N/A
34	F	0	0	N/A	0.000	N/A
35	F	0	0	N/A	0.000	N/A
36	F	0	0	N/A	0.000	N/A
37	N/A	1	0	1.00	19	0.000
38	N/A	3	0	1.00	19	0.000
39	F	0	0	N/A	0.000	N/A
40	F	0	0	N/A	0.000	N/A
41	F	0	0	N/A	0.000	N/A
42	F	0	0	N/A	0.000	N/A
43	N/A	1	0	1.00	19	0.000
44	N/A	4	0	1.00	19	0.000

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int \log^3(a + b \tan(c + dx)) dx$	45
3.2	$\int \log^2(a + b \tan(c + dx)) dx$	51
3.3	$\int \log(a + b \tan(c + dx)) dx$	57
3.4	$\int \frac{1}{\log(a+b \tan(c+dx))} dx$	63
3.5	$\int \frac{1}{\log^2(a+b \tan(c+dx))} dx$	68
3.6	$\int \log^3(a + b \cot(c + dx)) dx$	74
3.7	$\int \log^2(a + b \cot(c + dx)) dx$	80
3.8	$\int \log(a + b \cot(c + dx)) dx$	86
3.9	$\int \frac{1}{\log(a+b \cot(c+dx))} dx$	93
3.10	$\int \frac{1}{\log^2(a+b \cot(c+dx))} dx$	99
3.11	$\int \log^3(a + b \tanh(c + dx)) dx$	105
3.12	$\int \log^2(a + b \tanh(c + dx)) dx$	111
3.13	$\int \log(a + b \tanh(c + dx)) dx$	117
3.14	$\int \frac{1}{\log(a+b \tanh(c+dx))} dx$	123
3.15	$\int \frac{1}{\log^2(a+b \tanh(c+dx))} dx$	129
3.16	$\int \log^3(a + b \coth(c + dx)) dx$	135
3.17	$\int \log^2(a + b \coth(c + dx)) dx$	141
3.18	$\int \log(a + b \coth(c + dx)) dx$	147
3.19	$\int \frac{1}{\log(a+b \coth(c+dx))} dx$	154
3.20	$\int \frac{1}{\log^2(a+b \coth(c+dx))} dx$	160
3.21	$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx$	166
3.22	$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx$	175
3.23	$\int (e + fx) \log(a + b \tan(c + dx)) dx$	183
3.24	$\int \log(a + b \tan(c + dx)) dx$	191
3.25	$\int \frac{\log(a+b \tan(c+dx))}{e+fx} dx$	197
3.26	$\int \frac{\log(a+b \tan(c+dx))}{(e+fx)^2} dx$	202

3.27	$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx$	208
3.28	$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx$	217
3.29	$\int (e + fx) \log(a + b \cot(c + dx)) dx$	225
3.30	$\int \log(a + b \cot(c + dx)) dx$	233
3.31	$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx$	240
3.32	$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx$	245
3.33	$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx$	251
3.34	$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx$	260
3.35	$\int (e + fx) \log(a + b \tanh(c + dx)) dx$	268
3.36	$\int \log(a + b \tanh(c + dx)) dx$	275
3.37	$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx$	281
3.38	$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx$	286
3.39	$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx$	292
3.40	$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx$	301
3.41	$\int (e + fx) \log(a + b \coth(c + dx)) dx$	309
3.42	$\int \log(a + b \coth(c + dx)) dx$	317
3.43	$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx$	324
3.44	$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx$	329

3.1 $\int \log^3(a + b \tan(c + dx)) dx$

Optimal result	45
Mathematica [A] (verified)	46
Rubi [A] (verified)	46
Maple [F]	48
Fricas [F]	48
Sympy [F]	48
Maxima [F(-2)]	49
Giac [F]	49
Mupad [F(-1)]	49
Reduce [F]	50

Optimal result

Integrand size = 13, antiderivative size = 318

$$\begin{aligned}
 \int \log^3(a + b \tan(c + dx)) dx = & -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log^3(a + b \tan(c + dx))}{2d} \\
 & + \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log^3(a + b \tan(c + dx))}{2d} \\
 & + \frac{3i \log^2(a + b \tan(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d} \\
 & - \frac{3i \log^2(a + b \tan(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d} \\
 & - \frac{3i \log(a + b \tan(c + dx)) \operatorname{PolyLog}\left(3, \frac{a + b \tan(c + dx)}{a - ib}\right)}{d} \\
 & + \frac{3i \log(a + b \tan(c + dx)) \operatorname{PolyLog}\left(3, \frac{a + b \tan(c + dx)}{a + ib}\right)}{d} \\
 & + \frac{3i \operatorname{PolyLog}\left(4, \frac{a + b \tan(c + dx)}{a - ib}\right)}{d} \\
 & - \frac{3i \operatorname{PolyLog}\left(4, \frac{a + b \tan(c + dx)}{a + ib}\right)}{d}
 \end{aligned}$$

output

```
-1/2*I*ln(b*(I-tan(d*x+c))/(a+I*b))*ln(a+b*tan(d*x+c))^3/d+1/2*I*ln(-b*(I+
tan(d*x+c))/(a-I*b))*ln(a+b*tan(d*x+c))^3/d+3/2*I*ln(a+b*tan(d*x+c))^2*pol
ylog(2,(a+b*tan(d*x+c))/(a-I*b))/d-3/2*I*ln(a+b*tan(d*x+c))^2*polylog(2,(a
+b*tan(d*x+c))/(a+I*b))/d-3*I*ln(a+b*tan(d*x+c))*polylog(3,(a+b*tan(d*x+c)
)/(a-I*b))/d+3*I*ln(a+b*tan(d*x+c))*polylog(3,(a+b*tan(d*x+c))/(a+I*b))/d+
3*I*polylog(4,(a+b*tan(d*x+c))/(a-I*b))/d-3*I*polylog(4,(a+b*tan(d*x+c))/(
a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.55 (sec) , antiderivative size = 277, normalized size of antiderivative = 0.87

$$\int \log^3(a + b \tan(c + dx)) dx$$

$$= \frac{i \left(-\log \left(-\frac{b(-i + \tan(c + dx))}{a + ib} \right) \log^3(a + b \tan(c + dx)) + \log \left(-\frac{b(i + \tan(c + dx))}{a - ib} \right) \log^3(a + b \tan(c + dx)) + 3 \log \left(-\frac{b(-i + \tan(c + dx))}{a + ib} \right) \log^2(a + b \tan(c + dx)) + 3 \log \left(-\frac{b(i + \tan(c + dx))}{a - ib} \right) \log^2(a + b \tan(c + dx)) + 6 \log \left(-\frac{b(-i + \tan(c + dx))}{a + ib} \right) \log(a + b \tan(c + dx)) + 6 \log \left(-\frac{b(i + \tan(c + dx))}{a - ib} \right) \log(a + b \tan(c + dx)) + 6 \operatorname{PolyLog}[2, \frac{a + b \tan(c + dx)}{a - ib}] - 6 \operatorname{PolyLog}[2, \frac{a + b \tan(c + dx)}{a + ib}] - 6 \operatorname{PolyLog}[3, \frac{a + b \tan(c + dx)}{a - ib}] + 6 \operatorname{PolyLog}[3, \frac{a + b \tan(c + dx)}{a + ib}] + 6 \operatorname{PolyLog}[4, \frac{a + b \tan(c + dx)}{a - ib}] - 6 \operatorname{PolyLog}[4, \frac{a + b \tan(c + dx)}{a + ib}]}{d}$$

input

```
Integrate[Log[a + b*Tan[c + d*x]]^3,x]
```

output

```
((I/2)*(-(Log[-((b*(-I + Tan[c + d*x]))/(a + I*b))])*Log[a + b*Tan[c + d*x]
]^3) + Log[-((b*(I + Tan[c + d*x]))/(a - I*b))])*Log[a + b*Tan[c + d*x]]^3
+ 3*Log[a + b*Tan[c + d*x]]^2*PolyLog[2, (a + b*Tan[c + d*x))/(a - I*b)] -
3*Log[a + b*Tan[c + d*x]]^2*PolyLog[2, (a + b*Tan[c + d*x))/(a + I*b)] -
6*Log[a + b*Tan[c + d*x]]*PolyLog[3, (a + b*Tan[c + d*x))/(a - I*b)] + 6*Lo
g[a + b*Tan[c + d*x]]*PolyLog[3, (a + b*Tan[c + d*x))/(a + I*b)] + 6*Poly
Log[4, (a + b*Tan[c + d*x))/(a - I*b)] - 6*PolyLog[4, (a + b*Tan[c + d*x])
/(a + I*b)))/d
```

Rubi [A] (verified)

Time = 0.92 (sec) , antiderivative size = 298, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4853, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \log^3(a + b \tan(c + dx)) dx \\
& \quad \downarrow \text{4853} \\
& \int \frac{\log^3(a + b \tan(c + dx))}{\tan^2(c + dx) + 1} d \tan(c + dx) \\
& \quad \downarrow \text{2856} \\
& \int \left(\frac{i \log^3(a + b \tan(c + dx))}{2(i - \tan(c + dx))} + \frac{i \log^3(a + b \tan(c + dx))}{2(\tan(c + dx) + i)} \right) d \tan(c + dx) \\
& \quad \downarrow \text{2009} \\
& \frac{3i \operatorname{PolyLog}\left(4, \frac{a + b \tan(c + dx)}{a - ib}\right) - 3i \operatorname{PolyLog}\left(4, \frac{a + b \tan(c + dx)}{a + ib}\right) + \frac{3}{2}i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right) \log^2(a + b \tan(c + dx))}{d}
\end{aligned}$$

input `Int[Log[a + b*Tan[c + d*x]]^3,x]`

output `((-1/2*I)*Log[(b*(I - Tan[c + d*x]))/(a + I*b)]*Log[a + b*Tan[c + d*x]]^3 + (I/2)*Log[-((b*(I + Tan[c + d*x]))/(a - I*b))]*Log[a + b*Tan[c + d*x]]^3 + ((3*I)/2)*Log[a + b*Tan[c + d*x]]^2*PolyLog[2, (a + b*Tan[c + d*x])/(a - I*b)] - ((3*I)/2)*Log[a + b*Tan[c + d*x]]^2*PolyLog[2, (a + b*Tan[c + d*x])/(a + I*b)] - (3*I)*Log[a + b*Tan[c + d*x]]*PolyLog[3, (a + b*Tan[c + d*x])/(a - I*b)] + (3*I)*Log[a + b*Tan[c + d*x]]*PolyLog[3, (a + b*Tan[c + d*x])/(a + I*b)] + (3*I)*PolyLog[4, (a + b*Tan[c + d*x])/(a - I*b)] - (3*I)*PolyLog[4, (a + b*Tan[c + d*x])/(a + I*b)]/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4853

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [F]

$$\int \ln(a + b \tan(dx + c))^3 dx$$

input

```
int(ln(a+b*tan(d*x+c))^3,x)
```

output

```
int(ln(a+b*tan(d*x+c))^3,x)
```

Fricas [F]

$$\int \log^3(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a)^3 dx$$

input

```
integrate(log(a+b*tan(d*x+c))^3,x, algorithm="fricas")
```

output

```
integral(log(b*tan(d*x + c) + a)^3, x)
```

Sympy [F]

$$\int \log^3(a + b \tan(c + dx)) dx = \int \log(a + b \tan(c + dx))^3 dx$$

input

```
integrate(ln(a+b*tan(d*x+c))**3,x)
```

output

```
Integral(log(a + b*tan(c + d*x))**3, x)
```

Maxima [F(-2)]

Exception generated.

$$\int \log^3(a + b \tan(c + dx)) dx = \text{Exception raised: RuntimeError}$$

input `integrate(log(a+b*tan(d*x+c))^3,x, algorithm="maxima")`

output `Exception raised: RuntimeError >> ECL says: BINDING-STACK overflow at size 10240. Stack can probably be resized.Proceed with caution.`

Giac [F]

$$\int \log^3(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a)^3 dx$$

input `integrate(log(a+b*tan(d*x+c))^3,x, algorithm="giac")`

output `integrate(log(b*tan(d*x + c) + a)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx))^3 dx$$

input `int(log(a + b*tan(c + d*x))^3,x)`

output `int(log(a + b*tan(c + d*x))^3, x)`

Reduce [F]

$$\int \log^3(a + b \tan(c + dx)) dx = \int \log(\tan(dx + c) b + a)^3 dx$$

input `int(log(a+b*tan(d*x+c))^3,x)`

output `int(log(tan(c + d*x)*b + a)**3,x)`

3.2 $\int \log^2(a + b \tan(c + dx)) dx$

Optimal result	51
Mathematica [A] (verified)	52
Rubi [A] (verified)	52
Maple [F]	54
Fricas [F]	54
Sympy [F]	54
Maxima [F(-2)]	55
Giac [F]	55
Mupad [F(-1)]	55
Reduce [F]	56

Optimal result

Integrand size = 13, antiderivative size = 230

$$\int \log^2(a + b \tan(c + dx)) dx = -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log^2(a + b \tan(c + dx))}{2d} + \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log^2(a + b \tan(c + dx))}{2d} + \frac{i \log(a + b \tan(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{d} - \frac{i \log(a + b \tan(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{d} - \frac{i \operatorname{PolyLog}\left(3, \frac{a + b \tan(c + dx)}{a - ib}\right)}{d} + \frac{i \operatorname{PolyLog}\left(3, \frac{a + b \tan(c + dx)}{a + ib}\right)}{d}$$

output

```
-1/2*I*ln(b*(I-tan(d*x+c))/(a+I*b))*ln(a+b*tan(d*x+c))^2/d+1/2*I*ln(-b*(I+tan(d*x+c))/(a-I*b))*ln(a+b*tan(d*x+c))^2/d+I*ln(a+b*tan(d*x+c))*polylog(2,(a+b*tan(d*x+c))/(a-I*b))/d-I*ln(a+b*tan(d*x+c))*polylog(2,(a+b*tan(d*x+c))/(a+I*b))/d-I*polylog(3,(a+b*tan(d*x+c))/(a-I*b))/d+I*polylog(3,(a+b*tan(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.35 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.88

$$\int \log^2(a + b \tan(c + dx)) dx$$

$$= \frac{i \left(-\log \left(-\frac{b(-i + \tan(c + dx))}{a + ib} \right) \log^2(a + b \tan(c + dx)) + \log \left(-\frac{b(i + \tan(c + dx))}{a - ib} \right) \log^2(a + b \tan(c + dx)) + 2 \log \left(-\frac{b(i + \tan(c + dx))}{a - ib} \right) \log(a + b \tan(c + dx)) \right)}{d}$$

input

```
Integrate[Log[a + b*Tan[c + d*x]]^2,x]
```

output

```
((I/2)*(-(Log[-((b*(-I + Tan[c + d*x]))/(a + I*b))])*Log[a + b*Tan[c + d*x]]^2) + Log[-((b*(I + Tan[c + d*x]))/(a - I*b))])*Log[a + b*Tan[c + d*x]]^2 + 2*Log[a + b*Tan[c + d*x]]*PolyLog[2, (a + b*Tan[c + d*x])/(a - I*b)] - 2*Log[a + b*Tan[c + d*x]]*PolyLog[2, (a + b*Tan[c + d*x])/(a + I*b)] - 2*PolyLog[3, (a + b*Tan[c + d*x])/(a - I*b)] + 2*PolyLog[3, (a + b*Tan[c + d*x])/(a + I*b)))/d
```

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 216, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4853, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log^2(a + b \tan(c + dx)) dx$$

$$\downarrow 4853$$

$$\frac{\int \frac{\log^2(a + b \tan(c + dx))}{\tan^2(c + dx) + 1} d \tan(c + dx)}{d}$$

$$\downarrow 2856$$

$$\frac{\int \left(\frac{i \log^2(a + b \tan(c + dx))}{2(i - \tan(c + dx))} + \frac{i \log^2(a + b \tan(c + dx))}{2(\tan(c + dx) + i)} \right) d \tan(c + dx)}{d}$$

↓ 2009

$$-i \operatorname{PolyLog}\left(3, \frac{a+b \tan(c+dx)}{a-ib}\right) + i \operatorname{PolyLog}\left(3, \frac{a+b \tan(c+dx)}{a+ib}\right) + i \operatorname{PolyLog}\left(2, \frac{a+b \tan(c+dx)}{a-ib}\right) \log(a+b \tan(c+dx))$$

input `Int[Log[a + b*Tan[c + d*x]]^2,x]`

output `((-1/2*I)*Log[(b*(I - Tan[c + d*x]))/(a + I*b)]*Log[a + b*Tan[c + d*x]]^2 + (I/2)*Log[-(b*(I + Tan[c + d*x]))/(a - I*b)]*Log[a + b*Tan[c + d*x]]^2 + I*Log[a + b*Tan[c + d*x]]*PolyLog[2, (a + b*Tan[c + d*x))/(a - I*b)] - I*Log[a + b*Tan[c + d*x]]*PolyLog[2, (a + b*Tan[c + d*x))/(a + I*b)] - I*PolyLog[3, (a + b*Tan[c + d*x))/(a - I*b)] + I*PolyLog[3, (a + b*Tan[c + d*x))/(a + I*b)])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4853 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x, Tan[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]]`

Maple [F]

$$\int \ln(a + b \tan(dx + c))^2 dx$$

input `int(ln(a+b*tan(d*x+c))^2,x)`

output `int(ln(a+b*tan(d*x+c))^2,x)`

Fricas [F]

$$\int \log^2(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a)^2 dx$$

input `integrate(log(a+b*tan(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*tan(d*x + c) + a)^2, x)`

Sympy [F]

$$\int \log^2(a + b \tan(c + dx)) dx = \int \log(a + b \tan(c + dx))^2 dx$$

input `integrate(ln(a+b*tan(d*x+c))**2,x)`

output `Integral(log(a + b*tan(c + d*x))**2, x)`

Maxima [F(-2)]

Exception generated.

$$\int \log^2(a + b \tan(c + dx)) dx = \text{Exception raised: RuntimeError}$$

input `integrate(log(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

output `Exception raised: RuntimeError >> ECL says: BINDING-STACK overflow at size 10240. Stack can probably be resized.Proceed with caution.`

Giac [F]

$$\int \log^2(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a)^2 dx$$

input `integrate(log(a+b*tan(d*x+c))^2,x, algorithm="giac")`

output `integrate(log(b*tan(d*x + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx))^2 dx$$

input `int(log(a + b*tan(c + d*x))^2,x)`

output `int(log(a + b*tan(c + d*x))^2, x)`

Reduce [F]

$$\int \log^2(a + b \tan(c + dx)) dx = \int \log(\tan(dx + c) b + a)^2 dx$$

input `int(log(a+b*tan(d*x+c))^2,x)`

output `int(log(tan(c + d*x)*b + a)**2,x)`

3.3 $\int \log(a + b \tan(c + dx)) dx$

Optimal result	57
Mathematica [A] (verified)	58
Rubi [F]	58
Maple [A] (verified)	59
Fricas [B] (verification not implemented)	60
Sympy [F]	61
Maxima [A] (verification not implemented)	61
Giac [F]	61
Mupad [F(-1)]	62
Reduce [F]	62

Optimal result

Integrand size = 11, antiderivative size = 150

$$\int \log(a + b \tan(c + dx)) dx = -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log(a + b \tan(c + dx))}{2d} + \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log(a + b \tan(c + dx))}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d}$$

output

```
-1/2*I*ln(b*(I-tan(d*x+c))/(a+I*b))*ln(a+b*tan(d*x+c))/d+1/2*I*ln(-b*(I+tan(d*x+c))/(a-I*b))*ln(a+b*tan(d*x+c))/d+1/2*I*polylog(2,(a+b*tan(d*x+c))/(a-I*b))/d-1/2*I*polylog(2,(a+b*tan(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 150, normalized size of antiderivative = 1.00

$$\int \log(a + b \tan(c + dx)) dx = -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log(a + b \tan(c + dx))}{2d}$$

$$+ \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log(a + b \tan(c + dx))}{2d}$$

$$+ \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d}$$

$$- \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d}$$

input

```
Integrate[Log[a + b*Tan[c + d*x]],x]
```

output

```
((-1/2*I)*Log[(b*(I - Tan[c + d*x]))/(a + I*b)]*Log[a + b*Tan[c + d*x]]/d
+ ((I/2)*Log[-(b*(I + Tan[c + d*x]))/(a - I*b)]*Log[a + b*Tan[c + d*x]]
)/d + ((I/2)*PolyLog[2, (a + b*Tan[c + d*x])/(a - I*b)]/d - ((I/2)*PolyLo
g[2, (a + b*Tan[c + d*x])/(a + I*b)]/d
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \tan(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \tan(c + dx)) - \int \frac{bdx \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

$$\downarrow \text{27}$$

$$x \log(a + b \tan(c + dx)) - bd \int \frac{x \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

7299

$$x \log(a + b \tan(c + dx)) - bd \int \frac{x \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

input `Int[Log[a + b*Tan[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 11.50 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.89

method	result
derivativedivides	$b \left(-\frac{i \ln(a + b \tan(dx + c)) \left(\ln\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \ln\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \operatorname{dilog}\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} \right) / d$
default	$b \left(-\frac{i \ln(a + b \tan(dx + c)) \left(\ln\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \ln\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \operatorname{dilog}\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} \right) / d$
risch	Expression too large to display

input `int(ln(a+b*tan(d*x+c)),x,method=_RETURNVERBOSE)`

output

```
1/d*b*(-1/2*I*ln(a+b*tan(d*x+c))*(ln((I*b-b*tan(d*x+c))/(a+I*b))-ln((I*b+b
*tan(d*x+c))/(I*b-a)))/b-1/2*I*(dilog((I*b-b*tan(d*x+c))/(a+I*b))-dilog((I
*b+b*tan(d*x+c))/(I*b-a)))/b)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 599 vs. $2(119) = 238$.

Time = 0.12 (sec) , antiderivative size = 599, normalized size of antiderivative = 3.99

$$\int \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input

```
integrate(log(a+b*tan(d*x+c)),x, algorithm="fricas")
```

output

```
1/4*(4*d*x*log(b*tan(d*x + c) + a) + 2*d*x*log(-2*(I*tan(d*x + c) - 1)/(ta
n(d*x + c)^2 + 1)) + 2*d*x*log(-2*(-I*tan(d*x + c) - 1)/(tan(d*x + c)^2 +
1)) - 2*(d*x + c)*log(-2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*
a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2
)) - 2*(d*x + c)*log(-2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (-I
*a^2 - 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^
2)) + 2*c*log(((I*a*b + b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (I*a^2 + I*b^2
)*tan(d*x + c))/(tan(d*x + c)^2 + 1)) + 2*c*log(((I*a*b - b^2)*tan(d*x + c
)^2 + a^2 + I*a*b + (I*a^2 + I*b^2)*tan(d*x + c))/(tan(d*x + c)^2 + 1)) -
I*dilog(2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I
*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2) + 1) + I*dilo
g(2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (-I*a^2 - 2*a*b + I*b^2
)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2) + 1) + I*dilog(2*
(I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1) - I*dilog(2*(-I*tan(d*x + c
) - 1)/(tan(d*x + c)^2 + 1) + 1))/d
```

Sympy [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(a + b \tan(c + dx)) dx$$

input `integrate(ln(a+b*tan(d*x+c)),x)`

output `Integral(log(a + b*tan(c + d*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.17

$$\int \log(a + b \tan(c + dx)) dx$$

$$= \frac{2(dx + c) \log(b \tan(dx + c) + a) + \arctan\left(\frac{b^2 \tan(dx+c)+ab}{a^2+b^2}, \frac{ab \tan(dx+c)+a^2}{a^2+b^2}\right) \log(\tan(dx + c)^2 + 1) - (dx}{2d}$$

input `integrate(log(a+b*tan(d*x+c)),x, algorithm="maxima")`

output `1/2*(2*(d*x + c)*log(b*tan(d*x + c) + a) + arctan2((b^2*tan(d*x + c) + a*b)/(a^2 + b^2), (a*b*tan(d*x + c) + a^2)/(a^2 + b^2))*log(tan(d*x + c)^2 + 1) - (d*x + c)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(a^2 + b^2)) - I*dilog(-(I*b*tan(d*x + c) - b)/(I*a + b)) + I*dilog((I*b*tan(d*x + c) + b)/(-I*a + b)))/d`

Giac [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a) dx$$

input `integrate(log(a+b*tan(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*tan(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx)) dx$$

input `int(log(a + b*tan(c + d*x)),x)`

output `int(log(a + b*tan(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(\tan(dx + c) b + a) dx$$

input `int(log(a+b*tan(d*x+c)),x)`

output `int(log(tan(c + d*x)*b + a),x)`

3.4 $\int \frac{1}{\log(a+b \tan(c+dx))} dx$

Optimal result	63
Mathematica [N/A]	63
Rubi [N/A]	64
Maple [N/A]	65
Fricas [N/A]	65
Sympy [N/A]	66
Maxima [N/A]	66
Giac [N/A]	66
Mupad [N/A]	67
Reduce [N/A]	67

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \text{Int}\left(\frac{1}{\log(a + b \tan(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*tan(d*x+c)),x)`

Mathematica [N/A]

Not integrable

Time = 0.56 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(a + b \tan(c + dx))} dx$$

input `Integrate[Log[a + b*Tan[c + d*x]]^(-1),x]`

output `Integrate[Log[a + b*Tan[c + d*x]]^(-1), x]`

Rubi [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4853, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx$$

$$\downarrow 4853$$

$$\int \frac{1}{\log(a + b \tan(c + dx))(\tan^2(c + dx) + 1)} d \tan(c + dx)$$

$$\downarrow 2865$$

$$\int \left(\frac{i}{2 \log(a + b \tan(c + dx))(\tan(c + dx) + i)} + \frac{i}{2 \log(a + b \tan(c + dx))(i - \tan(c + dx))} \right) d \tan(c + dx)$$

$$\downarrow 2009$$

$$\frac{\frac{1}{2} i \int \frac{1}{\log(a + b \tan(c + dx))(i - \tan(c + dx))} d \tan(c + dx) + \frac{1}{2} i \int \frac{1}{\log(a + b \tan(c + dx))(\tan(c + dx) + i)} d \tan(c + dx)}{d}$$

input `Int[Log[a + b*Tan[c + d*x]]^(-1),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Sy
mbol] :=> With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]},
Int[u, x] /; SumQ[u] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[
RFx, x] && IntegerQ[p]
```

rule 4853

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFa
ctors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x
^2), Tan[v]/d, u, x], x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[N
onfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x
]]
```

Maple [N/A]

Not integrable

Time = 3.75 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \tan(dx + c))} dx$$

input

```
int(1/ln(a+b*tan(d*x+c)),x)
```

output

```
int(1/ln(a+b*tan(d*x+c)),x)
```

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)} dx$$

input

```
integrate(1/log(a+b*tan(d*x+c)),x, algorithm="fricas")
```

output

```
integral(1/log(b*tan(d*x + c) + a), x)
```

Sympy [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(a + b \tan(c + dx))} dx$$

input `integrate(1/ln(a+b*tan(d*x+c)),x)`output `Integral(1/log(a + b*tan(c + d*x)), x)`**Maxima [N/A]**

Not integrable

Time = 1.01 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)} dx$$

input `integrate(1/log(a+b*tan(d*x+c)),x, algorithm="maxima")`output `integrate(1/log(b*tan(d*x + c) + a), x)`**Giac [N/A]**

Not integrable

Time = 0.43 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)} dx$$

input `integrate(1/log(a+b*tan(d*x+c)),x, algorithm="giac")`

output `integrate(1/log(b*tan(d*x + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 26.41 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\ln(a + b \tan(c + dx))} dx$$

input `int(1/log(a + b*tan(c + d*x)),x)`

output `int(1/log(a + b*tan(c + d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tan(c + dx))} dx = \int \frac{1}{\log(\tan(dx + c) b + a)} dx$$

input `int(1/log(a+b*tan(d*x+c)),x)`

output `int(1/log(tan(c + d*x)*b + a),x)`

3.5 $\int \frac{1}{\log^2(a+b \tan(c+dx))} dx$

Optimal result	68
Mathematica [N/A]	68
Rubi [N/A]	69
Maple [N/A]	70
Fricas [N/A]	71
Sympy [N/A]	71
Maxima [N/A]	71
Giac [N/A]	72
Mupad [N/A]	73
Reduce [N/A]	73

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \text{Int}\left(\frac{1}{\log^2(a + b \tan(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*tan(d*x+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 28.37 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log^2(a + b \tan(c + dx))} dx$$

input `Integrate[Log[a + b*Tan[c + d*x]]^(-2),x]`

output `Integrate[Log[a + b*Tan[c + d*x]]^(-2), x]`

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4853, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{1}{\log^2(a + b \tan(c + dx))} dx \\
 & \quad \downarrow \text{4853} \\
 & \int \frac{\frac{1}{\log^2(a + b \tan(c + dx))(\tan^2(c + dx) + 1)} d \tan(c + dx)}{d} \\
 & \quad \downarrow \text{2865} \\
 & \int \left(\frac{i}{2 \log^2(a + b \tan(c + dx))(\tan(c + dx) + i)} + \frac{i}{2 \log^2(a + b \tan(c + dx))(i - \tan(c + dx))} \right) d \tan(c + dx) \\
 & \quad \downarrow \text{2009} \\
 & \frac{\frac{1}{2} i \int \frac{1}{\log^2(a + b \tan(c + dx))(i - \tan(c + dx))} d \tan(c + dx) + \frac{1}{2} i \int \frac{1}{\log^2(a + b \tan(c + dx))(\tan(c + dx) + i)} d \tan(c + dx)}{d}
 \end{aligned}$$

input `Int [Log[a + b*Tan[c + d*x]]^(-2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4853 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [N/A]

Not integrable

Time = 3.56 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \tan(dx + c))^2} dx$$

input `int(1/ln(a+b*tan(d*x+c))^2,x)`

output `int(1/ln(a+b*tan(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*tan(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*tan(d*x + c) + a)^(-2), x)`

Sympy [N/A]

Not integrable

Time = 0.66 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log(a + b \tan(c + dx))^2} dx$$

input `integrate(1/ln(a+b*tan(d*x+c))**2,x)`

output `Integral(log(a + b*tan(c + d*x))**(-2), x)`

Maxima [N/A]

Not integrable

Time = 12.35 (sec) , antiderivative size = 2870, normalized size of antiderivative = 220.77

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*tan(d*x+c))^2,x, algorithm="maxima")`

output

```

1/2*(2*((b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c))*cos(4*d*x + 4*c) - b*cos
(2*d*x + 2*c) - (a*cos(2*d*x + 2*c) - b*sin(2*d*x + 2*c))*sin(4*d*x + 4*c)
+ a*sin(2*d*x + 2*c))*arctan2(-b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) +
b, a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c) + a) - 2*((b*cos(2*d*x + 2*c) +
a*sin(2*d*x + 2*c))*cos(4*d*x + 4*c) - b*cos(2*d*x + 2*c) - (a*cos(2*d*x
+ 2*c) - b*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) + a*sin(2*d*x + 2*c))*arctan
2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1) + 2*(4*(b*d*cos(2*d*x + 2*c)^2 +
b*d*sin(2*d*x + 2*c)^2)*arctan2(-b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c)
+ b, a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c) + a)^2 - 8*(b*d*cos(2*d*x + 2
*c)^2 + b*d*sin(2*d*x + 2*c)^2)*arctan2(-b*cos(2*d*x + 2*c) + a*sin(2*d*x
+ 2*c) + b, a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c) + a)*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1) + 4*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x
+ 2*c)^2)*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)^2 + (b*d*cos(2*
d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*log((a^2 + b^2)*cos(2*d*x + 2*c)^2
+ 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2 + b^2 + 2*
(a^2 - b^2)*cos(2*d*x + 2*c))^2 - 2*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*
x + 2*c)^2)*log((a^2 + b^2)*cos(2*d*x + 2*c)^2 + 4*a*b*sin(2*d*x + 2*c) +
(a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2 + b^2 + 2*(a^2 - b^2)*cos(2*d*x + 2*c
))*log(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1) +
(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*log(cos(2*d*x + 2*c)...

```

Giac [N/A]

Not integrable

Time = 0.56 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log(b \tan(dx + c) + a)^2} dx$$

input

```
integrate(1/log(a+b*tan(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate(log(b*tan(d*x + c) + a)^(-2), x)
```

Mupad [N/A]

Not integrable

Time = 27.51 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\ln(a + b \tan(c + dx))^2} dx$$

input `int(1/log(a + b*tan(c + d*x))^2,x)`output `int(1/log(a + b*tan(c + d*x))^2, x)`**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tan(c + dx))} dx = \int \frac{1}{\log(\tan(dx + c)b + a)^2} dx$$

input `int(1/log(a+b*tan(d*x+c))^2,x)`output `int(1/log(tan(c + d*x)*b + a)**2,x)`

3.6 $\int \log^3(a + b \cot(c + dx)) dx$

Optimal result	74
Mathematica [A] (verified)	75
Rubi [A] (verified)	75
Maple [F]	77
Fricas [F]	77
Sympy [F]	77
Maxima [F(-1)]	78
Giac [F]	78
Mupad [F(-1)]	78
Reduce [F]	79

Optimal result

Integrand size = 13, antiderivative size = 318

$$\begin{aligned}
 \int \log^3(a + b \cot(c + dx)) dx = & \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log^3(a + b \cot(c + dx))}{2d} \\
 & - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log^3(a + b \cot(c + dx))}{2d} \\
 & - \frac{3i \log^2(a + b \cot(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{2d} \\
 & + \frac{3i \log^2(a + b \cot(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{2d} \\
 & + \frac{3i \log(a + b \cot(c + dx)) \operatorname{PolyLog}\left(3, \frac{a + b \cot(c + dx)}{a - ib}\right)}{d} \\
 & - \frac{3i \log(a + b \cot(c + dx)) \operatorname{PolyLog}\left(3, \frac{a + b \cot(c + dx)}{a + ib}\right)}{d} \\
 & - \frac{3i \operatorname{PolyLog}\left(4, \frac{a + b \cot(c + dx)}{a - ib}\right)}{d} \\
 & + \frac{3i \operatorname{PolyLog}\left(4, \frac{a + b \cot(c + dx)}{a + ib}\right)}{d}
 \end{aligned}$$

output

```
1/2*I*ln(b*(I-cot(d*x+c))/(a+I*b))*ln(a+b*cot(d*x+c))^3/d-1/2*I*ln(-b*(I+cot(d*x+c))/(a-I*b))*ln(a+b*cot(d*x+c))^3/d-3/2*I*ln(a+b*cot(d*x+c))^2*polylog(2,(a+b*cot(d*x+c))/(a-I*b))/d+3/2*I*ln(a+b*cot(d*x+c))^2*polylog(2,(a+b*cot(d*x+c))/(a+I*b))/d+3*I*ln(a+b*cot(d*x+c))*polylog(3,(a+b*cot(d*x+c))/(a-I*b))/d-3*I*ln(a+b*cot(d*x+c))*polylog(3,(a+b*cot(d*x+c))/(a+I*b))/d-3*I*polylog(4,(a+b*cot(d*x+c))/(a-I*b))/d+3*I*polylog(4,(a+b*cot(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 1.25 (sec) , antiderivative size = 277, normalized size of antiderivative = 0.87

$$\int \log^3(a + b \cot(c + dx)) dx$$

$$= \frac{i \left(\log \left(-\frac{b(-i + \cot(c + dx))}{a + ib} \right) \log^3(a + b \cot(c + dx)) - \log \left(-\frac{b(i + \cot(c + dx))}{a - ib} \right) \log^3(a + b \cot(c + dx)) - 3 \log^2(a + b \cot(c + dx)) \right)}{d}$$

input

```
Integrate[Log[a + b*Cot[c + d*x]]^3,x]
```

output

```
((I/2)*(Log[-((b*(-I + Cot[c + d*x]))/(a + I*b))])*Log[a + b*Cot[c + d*x]]^3 - Log[-((b*(I + Cot[c + d*x]))/(a - I*b))])*Log[a + b*Cot[c + d*x]]^3 - 3*Log[a + b*Cot[c + d*x]]^2*PolyLog[2, (a + b*Cot[c + d*x))/(a - I*b)] + 3*Log[a + b*Cot[c + d*x]]^2*PolyLog[2, (a + b*Cot[c + d*x))/(a + I*b)] + 6*Log[a + b*Cot[c + d*x]]*PolyLog[3, (a + b*Cot[c + d*x))/(a - I*b)] - 6*Log[a + b*Cot[c + d*x]]*PolyLog[3, (a + b*Cot[c + d*x))/(a + I*b)] - 6*PolyLog[4, (a + b*Cot[c + d*x))/(a - I*b)] + 6*PolyLog[4, (a + b*Cot[c + d*x))/(a + I*b)]))/d
```

Rubi [A] (verified)

Time = 0.98 (sec) , antiderivative size = 299, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4852, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \log^3(a + b \cot(c + dx)) dx \\
& \quad \downarrow \text{4852} \\
& - \frac{\int \frac{\log^3(a+b \cot(c+dx))}{\cot^2(c+dx)+1} d \cot(c + dx)}{d} \\
& \quad \downarrow \text{2856} \\
& - \frac{\int \left(\frac{i \log^3(a+b \cot(c+dx))}{2(i-\cot(c+dx))} + \frac{i \log^3(a+b \cot(c+dx))}{2(\cot(c+dx)+i)} \right) d \cot(c + dx)}{d} \\
& \quad \downarrow \text{2009} \\
& - \frac{3i \operatorname{PolyLog}\left(4, \frac{a+b \cot(c+dx)}{a-ib}\right) - 3i \operatorname{PolyLog}\left(4, \frac{a+b \cot(c+dx)}{a+ib}\right) + \frac{3}{2}i \operatorname{PolyLog}\left(2, \frac{a+b \cot(c+dx)}{a-ib}\right) \log^2(a + b \cot(c + dx))}{d}
\end{aligned}$$

input `Int[Log[a + b*Cot[c + d*x]]^3,x]`

output `-(((-1/2*I)*Log[(b*(I - Cot[c + d*x]))/(a + I*b)]*Log[a + b*Cot[c + d*x]]^3 + (I/2)*Log[-(b*(I + Cot[c + d*x]))/(a - I*b)]*Log[a + b*Cot[c + d*x]]^3 + ((3*I)/2)*Log[a + b*Cot[c + d*x]]^2*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)] - ((3*I)/2)*Log[a + b*Cot[c + d*x]]^2*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)] - (3*I)*Log[a + b*Cot[c + d*x]]*PolyLog[3, (a + b*Cot[c + d*x])/(a - I*b)] + (3*I)*Log[a + b*Cot[c + d*x]]*PolyLog[3, (a + b*Cot[c + d*x])/(a + I*b)] + (3*I)*PolyLog[4, (a + b*Cot[c + d*x])/(a - I*b)] - (3*I)*PolyLog[4, (a + b*Cot[c + d*x])/(a + I*b)])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4852

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [F]

$$\int \ln(a + b \cot(dx + c))^3 dx$$

input `int(ln(a+b*cot(d*x+c))^3,x)`

output `int(ln(a+b*cot(d*x+c))^3,x)`

Fricas [F]

$$\int \log^3(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a)^3 dx$$

input `integrate(log(a+b*cot(d*x+c))^3,x, algorithm="fricas")`

output `integral(log(b*cot(d*x + c) + a)^3, x)`

Sympy [F]

$$\int \log^3(a + b \cot(c + dx)) dx = \int \log(a + b \cot(c + dx))^3 dx$$

input `integrate(ln(a+b*cot(d*x+c))**3,x)`

output `Integral(log(a + b*cot(c + d*x))**3, x)`

Maxima [F(-1)]

Timed out.

$$\int \log^3(a + b \cot(c + dx)) dx = \text{Timed out}$$

input `integrate(log(a+b*cot(d*x+c))^3,x, algorithm="maxima")`

output `Timed out`

Giac [F]

$$\int \log^3(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a)^3 dx$$

input `integrate(log(a+b*cot(d*x+c))^3,x, algorithm="giac")`

output `integrate(log(b*cot(d*x + c) + a)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx))^3 dx$$

input `int(log(a + b*cot(c + d*x))^3,x)`

output `int(log(a + b*cot(c + d*x))^3, x)`

Reduce [F]

$$\int \log^3(a + b \cot(c + dx)) dx = \int \log(a + b \cot(dx + c))^3 dx$$

input `int(log(a+b*cot(d*x+c))^3,x)`

output `int(log(a+b*cot(d*x+c))^3,x)`

3.7 $\int \log^2(a + b \cot(c + dx)) dx$

Optimal result	80
Mathematica [A] (verified)	81
Rubi [A] (verified)	81
Maple [F]	83
Fricas [F]	83
Sympy [F]	83
Maxima [F(-1)]	84
Giac [F]	84
Mupad [F(-1)]	84
Reduce [F]	85

Optimal result

Integrand size = 13, antiderivative size = 230

$$\int \log^2(a + b \cot(c + dx)) dx = \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log^2(a + b \cot(c + dx))}{2d} - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log^2(a + b \cot(c + dx))}{2d} - \frac{i \log(a + b \cot(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{d} + \frac{i \log(a + b \cot(c + dx)) \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{d} + \frac{i \operatorname{PolyLog}\left(3, \frac{a + b \cot(c + dx)}{a - ib}\right)}{d} - \frac{i \operatorname{PolyLog}\left(3, \frac{a + b \cot(c + dx)}{a + ib}\right)}{d}$$

output

```
1/2*I*ln(b*(I-cot(d*x+c))/(a+I*b))*ln(a+b*cot(d*x+c))^2/d-1/2*I*ln(-b*(I+cot(d*x+c))/(a-I*b))*ln(a+b*cot(d*x+c))^2/d-I*ln(a+b*cot(d*x+c))*polylog(2,(a+b*cot(d*x+c))/(a-I*b))/d+I*ln(a+b*cot(d*x+c))*polylog(2,(a+b*cot(d*x+c))/(a+I*b))/d+I*polylog(3,(a+b*cot(d*x+c))/(a-I*b))/d-I*polylog(3,(a+b*cot(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.96 (sec) , antiderivative size = 203, normalized size of antiderivative = 0.88

$$\int \log^2(a + b \cot(c + dx)) dx$$

$$= \frac{i \left(\log \left(-\frac{b(-i + \cot(c+dx))}{a+ib} \right) \log^2(a + b \cot(c + dx)) - \log \left(-\frac{b(i + \cot(c+dx))}{a-ib} \right) \log^2(a + b \cot(c + dx)) - 2 \log(a + b \cot(c + dx)) \right)}{d}$$

input

```
Integrate[Log[a + b*Cot[c + d*x]]^2,x]
```

output

```
((I/2)*(Log[-((b*(-I + Cot[c + d*x]))/(a + I*b))]*Log[a + b*Cot[c + d*x]]^2 - Log[-((b*(I + Cot[c + d*x]))/(a - I*b))]*Log[a + b*Cot[c + d*x]]^2 - 2*Log[a + b*Cot[c + d*x]]*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)] + 2*Log[a + b*Cot[c + d*x]]*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)] + 2*PolyLog[3, (a + b*Cot[c + d*x])/(a - I*b)] - 2*PolyLog[3, (a + b*Cot[c + d*x])/(a + I*b)]))/d
```

Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 217, normalized size of antiderivative = 0.94, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4852, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log^2(a + b \cot(c + dx)) dx$$

$$\downarrow 4852$$

$$\frac{\int \frac{\log^2(a + b \cot(c + dx))}{\cot^2(c + dx) + 1} d \cot(c + dx)}{d}$$

$$\downarrow 2856$$

$$\frac{\int \left(\frac{i \log^2(a + b \cot(c + dx))}{2(i - \cot(c + dx))} + \frac{i \log^2(a + b \cot(c + dx))}{2(\cot(c + dx) + i)} \right) d \cot(c + dx)}{d}$$

↓ 2009

$$-i \operatorname{PolyLog}\left(3, \frac{a+b \cot(c+dx)}{a-ib}\right) + i \operatorname{PolyLog}\left(3, \frac{a+b \cot(c+dx)}{a+ib}\right) + i \operatorname{PolyLog}\left(2, \frac{a+b \cot(c+dx)}{a-ib}\right) \log(a + b \cot(c + dx))$$

input `Int[Log[a + b*Cot[c + d*x]]^2,x]`

output `-(((1/2*I)*Log[(b*(I - Cot[c + d*x]))/(a + I*b)]*Log[a + b*Cot[c + d*x]]^2 + (I/2)*Log[-(b*(I + Cot[c + d*x]))/(a - I*b)]*Log[a + b*Cot[c + d*x]]^2 + I*Log[a + b*Cot[c + d*x]]*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)] - I*Log[a + b*Cot[c + d*x]]*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)] - I*PolyLog[3, (a + b*Cot[c + d*x])/(a - I*b)] + I*PolyLog[3, (a + b*Cot[c + d*x])/(a + I*b)])/d)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(r_))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4852 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [F]

$$\int \ln(a + b \cot(dx + c))^2 dx$$

input `int(ln(a+b*cot(d*x+c))^2,x)`

output `int(ln(a+b*cot(d*x+c))^2,x)`

Fricas [F]

$$\int \log^2(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a)^2 dx$$

input `integrate(log(a+b*cot(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*cot(d*x + c) + a)^2, x)`

Sympy [F]

$$\int \log^2(a + b \cot(c + dx)) dx = \int \log(a + b \cot(c + dx))^2 dx$$

input `integrate(ln(a+b*cot(d*x+c))**2,x)`

output `Integral(log(a + b*cot(c + d*x))**2, x)`

Maxima [F(-1)]

Timed out.

$$\int \log^2(a + b \cot(c + dx)) dx = \text{Timed out}$$

input `integrate(log(a+b*cot(d*x+c))^2,x, algorithm="maxima")`

output `Timed out`

Giac [F]

$$\int \log^2(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a)^2 dx$$

input `integrate(log(a+b*cot(d*x+c))^2,x, algorithm="giac")`

output `integrate(log(b*cot(d*x + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx))^2 dx$$

input `int(log(a + b*cot(c + d*x))^2,x)`

output `int(log(a + b*cot(c + d*x))^2, x)`

Reduce [F]

$$\int \log^2(a + b \cot(c + dx)) dx = \int \log(a + b \cot(dx + c))^2 dx$$

input `int(log(a+b*cot(d*x+c))^2,x)`

output `int(log(cot(c + d*x)*b + a)**2,x)`

3.8 $\int \log(a + b \cot(c + dx)) dx$

Optimal result	86
Mathematica [A] (verified)	87
Rubi [F]	87
Maple [A] (verified)	88
Fricas [B] (verification not implemented)	89
Sympy [F]	90
Maxima [A] (verification not implemented)	90
Giac [F]	91
Mupad [F(-1)]	91
Reduce [F]	92

Optimal result

Integrand size = 11, antiderivative size = 150

$$\int \log(a + b \cot(c + dx)) dx = \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{2d}$$

output

```
1/2*I*ln(b*(I-cot(d*x+c))/(a+I*b))*ln(a+b*cot(d*x+c))/d-1/2*I*ln(-b*(I+cot
(d*x+c))/(a-I*b))*ln(a+b*cot(d*x+c))/d-1/2*I*polylog(2,(a+b*cot(d*x+c))/(a
-I*b))/d+1/2*I*polylog(2,(a+b*cot(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 150, normalized size of antiderivative = 1.00

$$\int \log(a + b \cot(c + dx)) dx = \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{2d}$$

input

```
Integrate[Log[a + b*Cot[c + d*x]],x]
```

output

```
((I/2)*Log[(b*(I - Cot[c + d*x]))/(a + I*b)]*Log[a + b*Cot[c + d*x]]/d - ((I/2)*Log[-(b*(I + Cot[c + d*x]))/(a - I*b)]*Log[a + b*Cot[c + d*x]]/d - ((I/2)*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)]/d + ((I/2)*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)]/d
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \cot(c + dx)) dx$$

$$\downarrow 3028$$

$$x \log(a + b \cot(c + dx)) - \int -\frac{bdx \csc^2(c + dx)}{a + b \cot(c + dx)} dx$$

$$\downarrow 25$$

$$\int \frac{bdx \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx))$$

$$\begin{array}{c} \downarrow 27 \\ bd \int \frac{x \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx)) \\ \downarrow 7299 \\ bd \int \frac{x \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx)) \end{array}$$

input `Int[Log[a + b*Cot[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 11.91 (sec) , antiderivative size = 135, normalized size of antiderivative = 0.90

method	result
derivativedivides	$b \left(-\frac{i \ln(a+b \cot(dx+c)) \left(\ln\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \ln\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \operatorname{dilog}\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} \right) \frac{1}{d}$
default	$b \left(-\frac{i \ln(a+b \cot(dx+c)) \left(\ln\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \ln\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \operatorname{dilog}\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} \right) \frac{1}{d}$
risch	Expression too large to display

```
input int(ln(a+b*cot(d*x+c)),x,method=_RETURNVERBOSE)
```

```
output -1/d*b*(-1/2*I*ln(a+b*cot(d*x+c))*(ln((I*b-b*cot(d*x+c))/(a+I*b))-ln((I*b+b*cot(d*x+c))/(I*b-a)))/b-1/2*I*(dilog((I*b-b*cot(d*x+c))/(a+I*b))-dilog((I*b+b*cot(d*x+c))/(I*b-a)))/b)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 625 vs. 2(119) = 238.

Time = 0.19 (sec) , antiderivative size = 625, normalized size of antiderivative = 4.17

$$\int \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

```
input integrate(log(a+b*cot(d*x+c)),x, algorithm="fricas")
```

output

```

1/4*(4*d*x*log((b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b)/sin(2*d*x + 2*c)) + 2*c*log(1/2*a^2 + I*a*b - 1/2*b^2 - 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) + 2*c*log(-1/2*a^2 + I*a*b + 1/2*b^2 + 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) - 2*(d*x + c)*log((a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 2*(d*x + c)*log((a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 2*c*log(-1/2*cos(2*d*x + 2*c) + 1/2*I*sin(2*d*x + 2*c) + 1/2) - 2*c*log(-1/2*cos(2*d*x + 2*c) - 1/2*I*sin(2*d*x + 2*c) + 1/2) + 2*(d*x + c)*log(-cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c) + 1) + 2*(d*x + c)*log(-cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c) + 1) + I*dilog(-(a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1) - I*dilog(-(a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1) - I*dilog(cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) + I*dilog(cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)))/d

```

Sympy [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(a + b \cot(c + dx)) dx$$

input

```
integrate(ln(a+b*cot(d*x+c)),x)
```

output

```
Integral(log(a + b*cot(c + d*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 222, normalized size of antiderivative = 1.48

$$\int \log(a + b \cot(c + dx)) dx =$$

$$\frac{\left(\pi - 2 \arctan\left(\frac{a^2 \tan(dx+c)+ab}{a^2+b^2}, \frac{ab \tan(dx+c)+b^2}{a^2+b^2}\right)\right) \log(\tan(dx+c)^2 + 1) - 4(dx+c) \log\left(a + \frac{b}{\tan(dx+c)}\right)}{1}$$

input `integrate(log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output `-1/4*((pi - 2*arctan2((a^2*tan(d*x + c) + a*b)/(a^2 + b^2), (a*b*tan(d*x + c) + b^2)/(a^2 + b^2)))*log(tan(d*x + c)^2 + 1) - 4*(d*x + c)*log(a + b/tan(d*x + c)) + 2*(d*x + c)*log((a^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + b^2)/(a^2 + b^2)) - 4*(d*x + c)*log(tan(d*x + c)) - 2*I*dilog(-(a*tan(d*x + c) - I*a)/(I*a + b)) + 2*I*dilog(-(a*tan(d*x + c) + I*a)/(-I*a + b)) + 2*I*dilog(I*tan(d*x + c) + 1) - 2*I*dilog(-I*tan(d*x + c) + 1))/d`

Giac [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a) dx$$

input `integrate(log(a+b*cot(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*cot(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx)) dx$$

input `int(log(a + b*cot(c + d*x)),x)`

output `int(log(a + b*cot(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(a + b \cot(dx + c)) dx$$

input `int(log(a+b*cot(d*x+c)),x)`

output `int(log(cot(c + d*x)*b + a),x)`

3.9 $\int \frac{1}{\log(a+b \cot(c+dx))} dx$

Optimal result	93
Mathematica [N/A]	93
Rubi [N/A]	94
Maple [N/A]	95
Fricas [N/A]	95
Sympy [N/A]	96
Maxima [N/A]	96
Giac [N/A]	97
Mupad [N/A]	97
Reduce [N/A]	97

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \text{Int}\left(\frac{1}{\log(a + b \cot(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*cot(d*x+c)), x)`

Mathematica [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(a + b \cot(c + dx))} dx$$

input `Integrate[Log[a + b*Cot[c + d*x]]^(-1), x]`

output `Integrate[Log[a + b*Cot[c + d*x]]^(-1), x]`

Rubi [N/A]

Not integrable

Time = 0.48 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4852, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx$$

$$\downarrow 4852$$

$$\frac{\int \frac{1}{(\cot^2(c+dx)+1) \log(a+b \cot(c+dx))} d \cot(c + dx)}{d}$$

$$\downarrow 2865$$

$$\frac{\int \left(\frac{i}{2(i-\cot(c+dx)) \log(a+b \cot(c+dx))} + \frac{i}{2(\cot(c+dx)+i) \log(a+b \cot(c+dx))} \right) d \cot(c + dx)}{d}$$

$$\downarrow 2009$$

$$\frac{\frac{1}{2}i \int \frac{1}{(i-\cot(c+dx)) \log(a+b \cot(c+dx))} d \cot(c + dx) + \frac{1}{2}i \int \frac{1}{(\cot(c+dx)+i) \log(a+b \cot(c+dx))} d \cot(c + dx)}{d}$$

input `Int [Log[a + b*Cot[c + d*x]]^(-1),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4852 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [N/A]

Not integrable

Time = 3.74 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \cot(dx + c))} dx$$

input `int(1/ln(a+b*cot(d*x+c)),x)`

output `int(1/ln(a+b*cot(d*x+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)} dx$$

input `integrate(1/log(a+b*cot(d*x+c)),x, algorithm="fricas")`

output `integral(1/log(b*cot(d*x + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(a + b \cot(c + dx))} dx$$

input `integrate(1/ln(a+b*cot(d*x+c)),x)`

output `Integral(1/log(a + b*cot(c + d*x)), x)`

Maxima [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)} dx$$

input `integrate(1/log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output `integrate(1/log(b*cot(d*x + c) + a), x)`

Giac [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)} dx$$

input `integrate(1/log(a+b*cot(d*x+c)),x, algorithm="giac")`output `integrate(1/log(b*cot(d*x + c) + a), x)`**Mupad [N/A]**

Not integrable

Time = 25.81 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\ln(a + b \cot(c + dx))} dx$$

input `int(1/log(a + b*cot(c + d*x)),x)`output `int(1/log(a + b*cot(c + d*x)), x)`**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \cot(c + dx))} dx = \int \frac{1}{\log(a + b \cot(dx + c))} dx$$

input `int(1/log(a+b*cot(d*x+c)),x)`

output `int(1/log(cot(c + d*x)*b + a),x)`

3.10 $\int \frac{1}{\log^2(a+b \cot(c+dx))} dx$

Optimal result	99
Mathematica [N/A]	99
Rubi [N/A]	100
Maple [N/A]	101
Fricas [N/A]	102
Sympy [N/A]	102
Maxima [N/A]	102
Giac [N/A]	103
Mupad [N/A]	104
Reduce [N/A]	104

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \text{Int}\left(\frac{1}{\log^2(a + b \cot(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*cot(d*x+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 29.34 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\log^2(a + b \cot(c + dx))} dx$$

input `Integrate[Log[a + b*Cot[c + d*x]]^(-2),x]`

output `Integrate[Log[a + b*Cot[c + d*x]]^(-2), x]`

Rubi [N/A]

Not integrable

Time = 0.46 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4852, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx$$

$$\downarrow 4852$$

$$\int \frac{1}{(\cot^2(c+dx)+1) \log^2(a+b \cot(c+dx))} d \cot(c + dx)$$

$$\downarrow 2865$$

$$\int \left(\frac{i}{2(\cot(c+dx)+i) \log^2(a+b \cot(c+dx))} + \frac{i}{2 \log^2(a+b \cot(c+dx))(i-\cot(c+dx))} \right) d \cot(c + dx)$$

$$\downarrow 2009$$

$$\frac{\frac{1}{2}i \int \frac{1}{(i-\cot(c+dx)) \log^2(a+b \cot(c+dx))} d \cot(c + dx) + \frac{1}{2}i \int \frac{1}{(\cot(c+dx)+i) \log^2(a+b \cot(c+dx))} d \cot(c + dx)}{d}$$

input `Int [Log[a + b*Cot[c + d*x]]^(-2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4852 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [N/A]

Not integrable

Time = 3.69 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \cot(dx + c))^2} dx$$

input `int(1/ln(a+b*cot(d*x+c))^2,x)`

output `int(1/ln(a+b*cot(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*cot(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*cot(d*x + c) + a)^(-2), x)`

Sympy [N/A]

Not integrable

Time = 1.43 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\log(a + b \cot(c + dx))^2} dx$$

input `integrate(1/ln(a+b*cot(d*x+c))**2,x)`

output `Integral(log(a + b*cot(c + d*x))**(-2), x)`

Maxima [N/A]

Not integrable

Time = 0.80 (sec) , antiderivative size = 4316, normalized size of antiderivative = 332.00

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*cot(d*x+c))^2,x, algorithm="maxima")`

output

```

-1/2*(2*((b*cos(2*d*x + 2*c) - a*sin(2*d*x + 2*c))*cos(4*d*x + 4*c) - b*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) - a*sin(2*d*x + 2*c))*arctan2(b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b, a*cos(2*d*x + 2*c) - b*sin(2*d*x + 2*c) - a) - 2*((b*cos(2*d*x + 2*c) - a*sin(2*d*x + 2*c))*cos(4*d*x + 4*c) - b*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) - a*sin(2*d*x + 2*c))*arctan2(sin(d*x + c), cos(d*x + c) + 1) - 2*((b*cos(2*d*x + 2*c) - a*sin(2*d*x + 2*c))*cos(4*d*x + 4*c) - b*cos(2*d*x + 2*c) + (a*cos(2*d*x + 2*c) + b*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) - a*sin(2*d*x + 2*c))*arctan2(sin(d*x + c), cos(d*x + c) - 1) + 2*(4*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*arctan2(b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b, a*cos(2*d*x + 2*c) - b*sin(2*d*x + 2*c) - a)^2 + 4*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*arctan2(sin(d*x + c), cos(d*x + c) + 1)^2 + 8*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*arctan2(sin(d*x + c), cos(d*x + c) - 1)^2 + 4*(b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*arctan2(sin(d*x + c), cos(d*x + c) - 1)^2 + (b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*log((a^2 + b^2)*cos(2*d*x + 2*c)^2 + 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2 + b^2 - 2*(a^2 - b^2)*cos(2*d*x + 2*c))^2 + (b*d*cos(2*d*x + 2*c)^2 + b*d*sin(2*d*x + 2*c)^2)*log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1)^2 + 2...

```

Giac [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\log(b \cot(dx + c) + a)^2} dx$$

input

```
integrate(1/log(a+b*cot(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate(log(b*cot(d*x + c) + a)^(-2), x)
```


Mupad [N/A]

Not integrable

Time = 26.58 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx = \int \frac{1}{\ln(a + b \cot(c + dx))^2} dx$$

input `int(1/log(a + b*cot(c + d*x))^2,x)`output `int(1/log(a + b*cot(c + d*x))^2, x)`**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 225, normalized size of antiderivative = 17.31

$$\int \frac{1}{\log^2(a + b \cot(c + dx))} dx$$

$$= \frac{\left(\int \frac{1}{\log\left(\frac{-\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^2 b + 2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) a + b}{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)^2 dx \right) \log(a + b \cot(dx + c)) \log\left(\frac{-\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^2 b + 2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) a + b}{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) bd - \log(a + b \cot(dx + c)) \log\left(\frac{-\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^2 b + 2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) a + b}{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}{\log(a + b \cot(dx + c)) \log\left(\frac{-\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^2 b + 2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) a + b}{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}$$

input `int(1/log(a+b*cot(d*x+c))^2,x)`output `(int(1/log((-tan((c + d*x)/2)**2*b + 2*tan((c + d*x)/2)*a + b)/(2*tan((c + d*x)/2)))**2,x)*log(cot(c + d*x)*b + a)*log((-tan((c + d*x)/2)**2*b + 2*tan((c + d*x)/2)*a + b)/(2*tan((c + d*x)/2)))*b*d - log(cot(c + d*x)*b + a)*a + log((-tan((c + d*x)/2)**2*b + 2*tan((c + d*x)/2)*a + b)/(2*tan((c + d*x)/2)))*a/(log(cot(c + d*x)*b + a)*log((-tan((c + d*x)/2)**2*b + 2*tan((c + d*x)/2)*a + b)/(2*tan((c + d*x)/2)))*b*d)`

3.11 $\int \log^3(a + b \tanh(c + dx)) dx$

Optimal result	105
Mathematica [A] (verified)	106
Rubi [A] (verified)	106
Maple [A] (verified)	108
Fricas [F]	108
Sympy [F]	109
Maxima [F]	109
Giac [F]	110
Mupad [F(-1)]	110
Reduce [F]	110

Optimal result

Integrand size = 13, antiderivative size = 274

$$\begin{aligned}
 \int \log^3(a + b \tanh(c + dx)) dx = & -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log^3(a + b \tanh(c + dx))}{2d} \\
 & + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log^3(a + b \tanh(c + dx))}{2d} \\
 & + \frac{3 \log^2(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} \\
 & - \frac{3 \log^2(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d} \\
 & - \frac{3 \log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} \\
 & + \frac{3 \log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d} \\
 & + \frac{3 \operatorname{PolyLog}\left(4, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} \\
 & - \frac{3 \operatorname{PolyLog}\left(4, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d}
 \end{aligned}$$

output

```
-1/2*ln(b*(1-tanh(d*x+c))/(a+b))*ln(a+b*tanh(d*x+c))^3/d+1/2*ln(-b*(1+tanh
(d*x+c))/(a-b))*ln(a+b*tanh(d*x+c))^3/d+3/2*ln(a+b*tanh(d*x+c))^2*polylog(
2,(a+b*tanh(d*x+c))/(a-b))/d-3/2*ln(a+b*tanh(d*x+c))^2*polylog(2,(a+b*tanh
(d*x+c))/(a-b))/d-3*ln(a+b*tanh(d*x+c))*polylog(3,(a+b*tanh(d*x+c))/(a-b))
/d+3*ln(a+b*tanh(d*x+c))*polylog(3,(a+b*tanh(d*x+c))/(a-b))/d+3*polylog(4,
(a+b*tanh(d*x+c))/(a-b))/d-3*polylog(4,(a+b*tanh(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 0.68 (sec) , antiderivative size = 248, normalized size of antiderivative = 0.91

$$\int \log^3(a + b \tanh(c + dx)) dx$$

$$= \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log^3(a + b \tanh(c + dx)) - \log\left(\frac{b-b \tanh(c+dx)}{a+b}\right) \log^3(a + b \tanh(c + dx)) + 3 \log^2(a$$

input

```
Integrate[Log[a + b*Tanh[c + d*x]]^3,x]
```

output

```
(Log[-((b*(1 + Tanh[c + d*x]))/(a - b))]*Log[a + b*Tanh[c + d*x]]^3 - Log[
(b - b*Tanh[c + d*x])/a + b])*Log[a + b*Tanh[c + d*x]]^3 + 3*Log[a + b*Ta
nh[c + d*x]]^2*PolyLog[2, (a + b*Tanh[c + d*x])/a - b] - 3*Log[a + b*Tan
h[c + d*x]]^2*PolyLog[2, (a + b*Tanh[c + d*x])/a + b] - 6*Log[a + b*Tanh[
c + d*x]]*PolyLog[3, (a + b*Tanh[c + d*x])/a - b] + 6*Log[a + b*Tanh[c
+ d*x]]*PolyLog[3, (a + b*Tanh[c + d*x])/a + b] + 6*PolyLog[4, (a + b*Ta
nh[c + d*x])/a - b] - 6*PolyLog[4, (a + b*Tanh[c + d*x])/a + b])/(2*d)
```

Rubi [A] (verified)

Time = 0.92 (sec) , antiderivative size = 254, normalized size of antiderivative = 0.93, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4853, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^3(a + b \tanh(c + dx)) dx \\
 & \quad \downarrow 4853 \\
 & \int \frac{\log^3(a + b \tanh(c + dx))}{1 - \tanh^2(c + dx)} d \tanh(c + dx) \\
 & \quad \downarrow 2856 \\
 & \int \left(\frac{\log^3(a + b \tanh(c + dx))}{2(1 - \tanh(c + dx))} + \frac{\log^3(a + b \tanh(c + dx))}{2(\tanh(c + dx) + 1)} \right) d \tanh(c + dx) \\
 & \quad \downarrow 2009 \\
 & \underline{3 \operatorname{PolyLog}\left(4, \frac{a + b \tanh(c + dx)}{a - b}\right) - 3 \operatorname{PolyLog}\left(4, \frac{a + b \tanh(c + dx)}{a + b}\right) + \frac{3}{2} \operatorname{PolyLog}\left(2, \frac{a + b \tanh(c + dx)}{a - b}\right) \log^2(a + b \tanh(c + dx))}
 \end{aligned}$$

input `Int[Log[a + b*Tanh[c + d*x]]^3,x]`

output `(-1/2*(Log[(b*(1 - Tanh[c + d*x]))/(a + b)]*Log[a + b*Tanh[c + d*x]]^3) + (Log[-(b*(1 + Tanh[c + d*x]))/(a - b)]*Log[a + b*Tanh[c + d*x]]^3)/2 + (3*Log[a + b*Tanh[c + d*x]]^2*PolyLog[2, (a + b*Tanh[c + d*x))/(a - b]])/2 - (3*Log[a + b*Tanh[c + d*x]]^2*PolyLog[2, (a + b*Tanh[c + d*x))/(a + b]])/2 - 3*Log[a + b*Tanh[c + d*x]]*PolyLog[3, (a + b*Tanh[c + d*x))/(a - b]] + 3*Log[a + b*Tanh[c + d*x]]*PolyLog[3, (a + b*Tanh[c + d*x))/(a + b]] + 3*PolyLog[4, (a + b*Tanh[c + d*x))/(a - b]] - 3*PolyLog[4, (a + b*Tanh[c + d*x))/(a + b]])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_.))^(n_.)]*(b_.))^(p_.)*((f_.) + (g_.)*(x_.)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4853

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [A] (verified)

Time = 10.92 (sec) , antiderivative size = 284, normalized size of antiderivative = 1.04

method	result
derivativedivides	$b \frac{\ln(a+b \tanh(dx+c))^3 \ln\left(1 + \frac{a+b \tanh(dx+c)}{-a-b}\right) + 3 \ln(a+b \tanh(dx+c))^2 \operatorname{polylog}\left(2, -\frac{a+b \tanh(dx+c)}{-a-b}\right) - 6 \ln(a+b \tanh(dx+c))}{2b}$
default	$b \frac{\ln(a+b \tanh(dx+c))^3 \ln\left(1 + \frac{a+b \tanh(dx+c)}{-a-b}\right) + 3 \ln(a+b \tanh(dx+c))^2 \operatorname{polylog}\left(2, -\frac{a+b \tanh(dx+c)}{-a-b}\right) - 6 \ln(a+b \tanh(dx+c))}{2b}$

input

```
int(ln(a+b*tanh(d*x+c))^3,x,method=_RETURNVERBOSE)
```

output

```
-1/d*b*(1/2/b*(ln(a+b*tanh(d*x+c))^3*ln(1+1/(-a-b)*(a+b*tanh(d*x+c))))+3*ln(a+b*tanh(d*x+c))^2*polylog(2,-1/(-a-b)*(a+b*tanh(d*x+c)))-6*ln(a+b*tanh(d*x+c))*polylog(3,-1/(-a-b)*(a+b*tanh(d*x+c)))+6*polylog(4,-1/(-a-b)*(a+b*tanh(d*x+c))))-1/2/b*(ln(a+b*tanh(d*x+c))^3*ln(1+1/(-a-b)*(a+b*tanh(d*x+c)))+3*ln(a+b*tanh(d*x+c))^2*polylog(2,-1/(-a-b)*(a+b*tanh(d*x+c)))-6*ln(a+b*tanh(d*x+c))*polylog(3,-1/(-a-b)*(a+b*tanh(d*x+c)))+6*polylog(4,-1/(-a-b)*(a+b*tanh(d*x+c))))))
```

Fricas [F]

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^3 dx$$

input

```
integrate(log(a+b*tanh(d*x+c))^3,x, algorithm="fricas")
```

output `integral(log(b*tanh(d*x + c) + a)^3, x)`

Sympy [F]

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \log(a + b \tanh(c + dx))^3 dx$$

input `integrate(ln(a+b*tanh(d*x+c))**3,x)`

output `Integral(log(a + b*tanh(c + d*x))**3, x)`

Maxima [F]

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^3 dx$$

input `integrate(log(a+b*tanh(d*x+c))^3,x, algorithm="maxima")`

output `x*log((a + b)*e^(2*d*x + 2*c) + a - b)^3 - integrate(-(3*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b)*log((a + b)*e^(2*d*x + 2*c) + a - b)*log(e^(2*d*x + 2*c) + 1)^2 - ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b)*log(e^(2*d*x + 2*c) + 1)^3 - 3*(2*(a*d*e^(2*c) + b*d*e^(2*c))*x*e^(2*d*x) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b)*log(e^(2*d*x + 2*c) + 1))*log((a + b)*e^(2*d*x + 2*c) + a - b)^2/((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b), x)`

Giac [F]

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^3 dx$$

input `integrate(log(a+b*tanh(d*x+c))^3,x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx))^3 dx$$

input `int(log(a + b*tanh(c + d*x))^3,x)`

output `int(log(a + b*tanh(c + d*x))^3, x)`

Reduce [F]

$$\int \log^3(a + b \tanh(c + dx)) dx = \int \log(\tanh(dx + c)b + a)^3 dx$$

input `int(log(a+b*tanh(d*x+c))^3,x)`

output `int(log(tanh(c + d*x)*b + a)**3,x)`

3.12 $\int \log^2(a + b \tanh(c + dx)) dx$

Optimal result	111
Mathematica [A] (verified)	112
Rubi [A] (verified)	112
Maple [A] (verified)	114
Fricas [F]	114
Sympy [F]	115
Maxima [F]	115
Giac [F]	115
Mupad [F(-1)]	116
Reduce [F]	116

Optimal result

Integrand size = 13, antiderivative size = 194

$$\begin{aligned}
 \int \log^2(a + b \tanh(c + dx)) dx = & -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log^2(a + b \tanh(c + dx))}{2d} \\
 & + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log^2(a + b \tanh(c + dx))}{2d} \\
 & + \frac{\log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} \\
 & - \frac{\log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d} \\
 & - \frac{\operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} \\
 & + \frac{\operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d}
 \end{aligned}$$

output

```

-1/2*ln(b*(1-tanh(d*x+c))/(a+b))*ln(a+b*tanh(d*x+c))^2/d+1/2*ln(-b*(1+tanh
(d*x+c))/(a-b))*ln(a+b*tanh(d*x+c))^2/d+ln(a+b*tanh(d*x+c))*polylog(2,(a+b
*tanh(d*x+c))/(a-b))/d-ln(a+b*tanh(d*x+c))*polylog(2,(a+b*tanh(d*x+c))/(a+
b))/d-polylog(3,(a+b*tanh(d*x+c))/(a-b))/d+polylog(3,(a+b*tanh(d*x+c))/(a+
b))/d

```


Mathematica [A] (verified)

Time = 0.51 (sec) , antiderivative size = 199, normalized size of antiderivative = 1.03

$$\int \log^2(a + b \tanh(c + dx)) dx = \frac{\log^2(a + b \tanh(c + dx)) \log\left(1 - \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} - \frac{\log^2(a + b \tanh(c + dx)) \log\left(1 - \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d} + \frac{\log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} - \frac{\log(a + b \tanh(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d} - \frac{\operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a-b}\right)}{d} + \frac{\operatorname{PolyLog}\left(3, \frac{a+b \tanh(c+dx)}{a+b}\right)}{d}$$

input

```
Integrate[Log[a + b*Tanh[c + d*x]]^2,x]
```

output

```
(Log[a + b*Tanh[c + d*x]]^2*Log[1 - (a + b*Tanh[c + d*x])/(a - b)]/(2*d) - (Log[a + b*Tanh[c + d*x]]^2*Log[1 - (a + b*Tanh[c + d*x])/(a + b)]/(2*d) + (Log[a + b*Tanh[c + d*x]]*PolyLog[2, (a + b*Tanh[c + d*x])/(a - b)]/d - (Log[a + b*Tanh[c + d*x]]*PolyLog[2, (a + b*Tanh[c + d*x])/(a + b)]/d - PolyLog[3, (a + b*Tanh[c + d*x])/(a - b)]/d + PolyLog[3, (a + b*Tanh[c + d*x])/(a + b)]/d
```

Rubi [A] (verified)

Time = 0.71 (sec) , antiderivative size = 179, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4853, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^2(a + b \tanh(c + dx)) dx \\
 & \quad \downarrow \text{4853} \\
 & \int \frac{\log^2(a + b \tanh(c + dx))}{1 - \tanh^2(c + dx)} d \tanh(c + dx) \\
 & \quad \downarrow \text{2856} \\
 & \int \left(\frac{\log^2(a + b \tanh(c + dx))}{2(1 - \tanh(c + dx))} + \frac{\log^2(a + b \tanh(c + dx))}{2(\tanh(c + dx) + 1)} \right) d \tanh(c + dx) \\
 & \quad \downarrow \text{2009} \\
 & \frac{-\operatorname{PolyLog}\left(3, \frac{a + b \tanh(c + dx)}{a - b}\right) + \operatorname{PolyLog}\left(3, \frac{a + b \tanh(c + dx)}{a + b}\right) + \operatorname{PolyLog}\left(2, \frac{a + b \tanh(c + dx)}{a - b}\right) \log(a + b \tanh(c + dx))}{d}
 \end{aligned}$$

input `Int[Log[a + b*Tanh[c + d*x]]^2,x]`

output `(-1/2*(Log[(b*(1 - Tanh[c + d*x]))/(a + b)]*Log[a + b*Tanh[c + d*x]]^2) + (Log[-(b*(1 + Tanh[c + d*x]))/(a - b)]*Log[a + b*Tanh[c + d*x]]^2)/2 + Log[a + b*Tanh[c + d*x]]*PolyLog[2, (a + b*Tanh[c + d*x])/(a - b)] - Log[a + b*Tanh[c + d*x]]*PolyLog[2, (a + b*Tanh[c + d*x])/(a + b)] - PolyLog[3, (a + b*Tanh[c + d*x])/(a - b)] + PolyLog[3, (a + b*Tanh[c + d*x])/(a + b)]) / d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4853

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [A] (verified)

Time = 9.01 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.08

method	result
derivativedivides	$b \frac{\ln(a+b \tanh(dx+c))^2 \ln\left(1 + \frac{a+b \tanh(dx+c)}{-a-b}\right) + 2 \ln(a+b \tanh(dx+c)) \operatorname{polylog}\left(2, -\frac{a+b \tanh(dx+c)}{-a-b}\right) - 2 \operatorname{polylog}\left(3, -\frac{a+b \tanh(dx+c)}{-a-b}\right)}{2b}$
default	$b \frac{\ln(a+b \tanh(dx+c))^2 \ln\left(1 + \frac{a+b \tanh(dx+c)}{-a-b}\right) + 2 \ln(a+b \tanh(dx+c)) \operatorname{polylog}\left(2, -\frac{a+b \tanh(dx+c)}{-a-b}\right) - 2 \operatorname{polylog}\left(3, -\frac{a+b \tanh(dx+c)}{-a-b}\right)}{2b}$

input

```
int(ln(a+b*tanh(d*x+c))^2,x,method=_RETURNVERBOSE)
```

output

```
-1/d*b*(1/2/b*(ln(a+b*tanh(d*x+c))^2*ln(1+1/(-a-b)*(a+b*tanh(d*x+c)))+2*ln(a+b*tanh(d*x+c))*polylog(2,-1/(-a-b)*(a+b*tanh(d*x+c)))-2*polylog(3,-1/(-a-b)*(a+b*tanh(d*x+c))))-1/2/b*(ln(a+b*tanh(d*x+c))^2*ln(1+1/(-a-b)*(a+b*tanh(d*x+c)))+2*ln(a+b*tanh(d*x+c))*polylog(2,-1/(-a-b)*(a+b*tanh(d*x+c)))-2*polylog(3,-1/(-a-b)*(a+b*tanh(d*x+c))))))
```

Fricas [F]

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^2 dx$$

input

```
integrate(log(a+b*tanh(d*x+c))^2,x, algorithm="fricas")
```

output

```
integral(log(b*tanh(d*x + c) + a)^2, x)
```

Sympy [F]

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \log(a + b \tanh(c + dx))^2 dx$$

input `integrate(ln(a+b*tanh(d*x+c))**2,x)`

output `Integral(log(a + b*tanh(c + d*x))**2, x)`

Maxima [F]

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^2 dx$$

input `integrate(log(a+b*tanh(d*x+c))^2,x, algorithm="maxima")`

output `x*log((a + b)*e^(2*d*x + 2*c) + a - b)^2 - integrate(-(((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b)*log(e^(2*d*x + 2*c) + 1)^2 - 2*(2*(a*d*e^(2*c) + b*d*e^(2*c))*x*e^(2*d*x) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b)*log(e^(2*d*x + 2*c) + 1))*log((a + b)*e^(2*d*x + 2*c) + a - b)/((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) + a - b), x)`

Giac [F]

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a)^2 dx$$

input `integrate(log(a+b*tanh(d*x+c))^2,x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx))^2 dx$$

input `int(log(a + b*tanh(c + d*x))^2,x)`output `int(log(a + b*tanh(c + d*x))^2, x)`**Reduce [F]**

$$\int \log^2(a + b \tanh(c + dx)) dx = \int \log(\tanh(dx + c)b + a)^2 dx$$

input `int(log(a+b*tanh(d*x+c))^2,x)`output `int(log(tanh(c + d*x)*b + a)**2,x)`

3.13 $\int \log(a + b \tanh(c + dx)) dx$

Optimal result	117
Mathematica [A] (verified)	118
Rubi [F]	118
Maple [A] (verified)	119
Fricas [C] (verification not implemented)	120
Sympy [F]	121
Maxima [A] (verification not implemented)	121
Giac [F]	122
Mupad [F(-1)]	122
Reduce [F]	122

Optimal result

Integrand size = 11, antiderivative size = 126

$$\int \log(a + b \tanh(c + dx)) dx = -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d}$$

output

```
-1/2*ln(b*(1-tanh(d*x+c))/(a+b))*ln(a+b*tanh(d*x+c))/d+1/2*ln(-b*(1+tanh(d*x+c))/(a-b))*ln(a+b*tanh(d*x+c))/d+1/2*polylog(2,(a+b*tanh(d*x+c))/(a-b))/d-1/2*polylog(2,(a+b*tanh(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.00

$$\int \log(a + b \tanh(c + dx)) dx = -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d}$$

input `Integrate[Log[a + b*Tanh[c + d*x]],x]`

output

```
-1/2*(Log[(b*(1 - Tanh[c + d*x]))/(a + b)]*Log[a + b*Tanh[c + d*x]])/d + (
Log[-((b*(1 + Tanh[c + d*x]))/(a - b))] * Log[a + b*Tanh[c + d*x]])/(2*d) +
PolyLog[2, (a + b*Tanh[c + d*x])/(a - b)]/(2*d) - PolyLog[2, (a + b*Tanh[c
+ d*x])/(a + b)]/(2*d)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \tanh(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \tanh(c + dx)) - \int \frac{bdx \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

$$\downarrow \text{27}$$

$$x \log(a + b \tanh(c + dx)) - bd \int \frac{x \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

↓ 7299

$$x \log(a + b \tanh(c + dx)) - bd \int \frac{x \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

input `Int[Log[a + b*Tanh[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 9.42 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

method	result
derivativedivides	$-\frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)\right) b}{2}$
default	$-\frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)\right) b}{2}$
risch	Expression too large to display

input `int(ln(a+b*tanh(d*x+c)),x,method=_RETURNVERBOSE)`

output

```
1/d/b*(-1/2*(dilog((b*tanh(d*x+c)-b)/(-a-b))+ln(a+b*tanh(d*x+c))*ln((b*tanh(d*x+c)-b)/(-a-b)))*b+1/2*(dilog((b*tanh(d*x+c)+b)/(-a+b))+ln(a+b*tanh(d*x+c))*ln((b*tanh(d*x+c)+b)/(-a+b)))*b)
```

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 391, normalized size of antiderivative = 3.10

$$\int \log(a + b \tanh(c + dx)) dx$$

$$= \frac{dx \log\left(\frac{a \cosh(dx+c) + b \sinh(dx+c)}{\cosh(dx+c)}\right) + c \log\left(2(a+b) \cosh(dx+c) + 2(a+b) \sinh(dx+c) + 2(a-b) \sqrt{-\frac{a}{a-b}}\right)}{d}$$

input

```
integrate(log(a+b*tanh(d*x+c)),x, algorithm="fricas")
```

output

```
(d*x*log((a*cosh(d*x + c) + b*sinh(d*x + c))/cosh(d*x + c)) + c*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt(-(a + b)/(a - b))) + c*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt(-(a + b)/(a - b))) - (d*x + c)*log(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d*x + c)*log(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - c*log(cosh(d*x + c) + sinh(d*x + c) + I) - c*log(cosh(d*x + c) + sinh(d*x + c) - I) + (d*x + c)*log(I*cosh(d*x + c) + I*sinh(d*x + c) + 1) + (d*x + c)*log(-I*cosh(d*x + c) - I*sinh(d*x + c) + 1) - dilog(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - dilog(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + dilog(I*cosh(d*x + c) + I*sinh(d*x + c)) + dilog(-I*cosh(d*x + c) - I*sinh(d*x + c)))/d
```

Sympy [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(a + b \tanh(c + dx)) dx$$

input `integrate(ln(a+b*tanh(d*x+c)),x)`

output `Integral(log(a + b*tanh(c + d*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

$$\int \log(a + b \tanh(c + dx)) dx =$$

$$-\frac{1}{2} bd \left(\frac{2 dx \log \left(\frac{(ae^{(2c)} + be^{(2c)})e^{(2dx)}}{a-b} + 1 \right) + \text{Li}_2 \left(-\frac{(ae^{(2c)} + be^{(2c)})e^{(2dx)}}{a-b} \right)}{bd^2} - \frac{2 dx \log (e^{(2dx+2c)} + 1) + \text{Li}_2 (-)}{bd^2} \right)$$

$$+ x \log (b \tanh (dx + c) + a)$$

input `integrate(log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output `-1/2*b*d*((2*d*x*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + dilog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))/(b*d^2) - (2*d*x*log(e^(2*d*x + 2*c) + 1) + dilog(-e^(2*d*x + 2*c)))/(b*d^2) + x*log(b*tanh(d*x + c) + a)`

Giac [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a) dx$$

input `integrate(log(a+b*tanh(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx)) dx$$

input `int(log(a + b*tanh(c + d*x)),x)`

output `int(log(a + b*tanh(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(\tanh(dx + c) b + a) dx$$

input `int(log(a+b*tanh(d*x+c)),x)`

output `int(log(tanh(c + d*x)*b + a),x)`

3.14 $\int \frac{1}{\log(a+b \tanh(c+dx))} dx$

Optimal result	123
Mathematica [N/A]	123
Rubi [N/A]	124
Maple [N/A]	125
Fricas [N/A]	125
Sympy [N/A]	126
Maxima [N/A]	126
Giac [N/A]	127
Mupad [N/A]	127
Reduce [N/A]	127

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \text{Int}\left(\frac{1}{\log(a + b \tanh(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*tanh(d*x+c)), x)`

Mathematica [N/A]

Not integrable

Time = 9.39 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(a + b \tanh(c + dx))} dx$$

input `Integrate[Log[a + b*Tanh[c + d*x]]^(-1), x]`

output `Integrate[Log[a + b*Tanh[c + d*x]]^(-1), x]`

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4853, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx$$

$$\downarrow 4853$$

$$\int \frac{1}{\log(a + b \tanh(c + dx))(1 - \tanh^2(c + dx))} d \tanh(c + dx)$$

$$\downarrow 2865$$

$$\int \left(\frac{1}{2 \log(a + b \tanh(c + dx))(\tanh(c + dx) + 1)} + \frac{1}{2 \log(a + b \tanh(c + dx))(1 - \tanh(c + dx))} \right) d \tanh(c + dx)$$

$$\downarrow 2009$$

$$\frac{1}{2} \int \frac{1}{\log(a + b \tanh(c + dx))(1 - \tanh(c + dx))} d \tanh(c + dx) + \frac{1}{2} \int \frac{1}{\log(a + b \tanh(c + dx))(\tanh(c + dx) + 1)} d \tanh(c + dx)$$

input `Int[Log[a + b*Tanh[c + d*x]]^(-1),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4853 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x, Tan[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [N/A]

Not integrable

Time = 4.16 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \tanh(dx + c))} dx$$

input `int(1/ln(a+b*tanh(d*x+c)),x)`

output `int(1/ln(a+b*tanh(d*x+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)} dx$$

input `integrate(1/log(a+b*tanh(d*x+c)),x, algorithm="fricas")`

output `integral(1/log(b*tanh(d*x + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 0.43 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(a + b \tanh(c + dx))} dx$$

input `integrate(1/ln(a+b*tanh(d*x+c)),x)`

output `Integral(1/log(a + b*tanh(c + d*x)), x)`

Maxima [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)} dx$$

input `integrate(1/log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output `integrate(1/log(b*tanh(d*x + c) + a), x)`

Giac [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)} dx$$

input `integrate(1/log(a+b*tanh(d*x+c)),x, algorithm="giac")`

output `integrate(1/log(b*tanh(d*x + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 26.12 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\ln(a + b \tanh(c + dx))} dx$$

input `int(1/log(a + b*tanh(c + d*x)),x)`

output `int(1/log(a + b*tanh(c + d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(\tanh(dx + c) b + a)} dx$$

input `int(1/log(a+b*tanh(d*x+c)),x)`

output `int(1/log(tanh(c + d*x)*b + a),x)`

3.15 $\int \frac{1}{\log^2(a+b \tanh(c+dx))} dx$

Optimal result	129
Mathematica [N/A]	129
Rubi [N/A]	130
Maple [N/A]	131
Fricas [N/A]	132
Sympy [N/A]	132
Maxima [N/A]	132
Giac [N/A]	133
Mupad [N/A]	133
Reduce [N/A]	134

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \text{Int}\left(\frac{1}{\log^2(a + b \tanh(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*tanh(d*x+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 63.37 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\log^2(a + b \tanh(c + dx))} dx$$

input `Integrate[Log[a + b*Tanh[c + d*x]]^(-2),x]`

output `Integrate[Log[a + b*Tanh[c + d*x]]^(-2), x]`

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4853, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx$$

$$\downarrow 4853$$

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))(1 - \tanh^2(c + dx))} d \tanh(c + dx)$$

$$\downarrow 2865$$

$$\int \left(\frac{1}{2 \log^2(a + b \tanh(c + dx))(\tanh(c + dx) + 1)} + \frac{1}{2 \log^2(a + b \tanh(c + dx))(1 - \tanh(c + dx))} \right) d \tanh(c + dx)$$

$$\downarrow 2009$$

$$\frac{1}{2} \int \frac{1}{\log^2(a + b \tanh(c + dx))(1 - \tanh(c + dx))} d \tanh(c + dx) + \frac{1}{2} \int \frac{1}{\log^2(a + b \tanh(c + dx))(\tanh(c + dx) + 1)} d \tanh(c + dx)$$

input

```
Int[Log[a + b*Tanh[c + d*x]]^(-2),x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4853 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Tan[v], x]}, d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Tan[v]/d, u, x], x, Tan[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Tan[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]]`

Maple [N/A]

Not integrable

Time = 4.22 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \tanh(dx + c))^2} dx$$

input `int(1/ln(a+b*tanh(d*x+c))^2,x)`

output `int(1/ln(a+b*tanh(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*tanh(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*tanh(d*x + c) + a)^(-2), x)`

Sympy [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(a + b \tanh(c + dx))^2} dx$$

input `integrate(1/ln(a+b*tanh(d*x+c))**2,x)`

output `Integral(log(a + b*tanh(c + d*x))**(-2), x)`

Maxima [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 183, normalized size of antiderivative = 14.08

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*tanh(d*x+c))^2,x, algorithm="maxima")`

output

```
-1/4*((a*e^(4*c) + b*e^(4*c))*e^(4*d*x) + 2*a*e^(2*d*x + 2*c) + a - b)/(b*d*e^(2*d*x + 2*c)*log((a + b)*e^(2*d*x + 2*c) + a - b) - b*d*e^(2*d*x + 2*c)*log(e^(2*d*x + 2*c) + 1)) + integrate(1/2*((a*e^(4*c) + b*e^(4*c))*e^(4*d*x) - a + b)/(b*e^(2*d*x + 2*c)*log((a + b)*e^(2*d*x + 2*c) + a - b) - b*e^(2*d*x + 2*c)*log(e^(2*d*x + 2*c) + 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\log(b \tanh(dx + c) + a)^2} dx$$

input

```
integrate(1/log(a+b*tanh(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate(log(b*tanh(d*x + c) + a)^(-2), x)
```

Mupad [N/A]

Not integrable

Time = 26.32 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx = \int \frac{1}{\ln(a + b \tanh(c + dx))^2} dx$$

input

```
int(1/log(a + b*tanh(c + d*x))^2,x)
```

output

```
int(1/log(a + b*tanh(c + d*x))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 834, normalized size of antiderivative = 64.15

$$\int \frac{1}{\log^2(a + b \tanh(c + dx))} dx$$

$$= \frac{2e^{4c} \left(\int \frac{e^{4dx}}{e^{4dx+4c} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b + a - b}{e^{2dx+2c} + 1}\right)^2} dx + \int \frac{e^{4dx}}{e^{4dx+4c} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b + a - b}{e^{2dx+2c} + 1}\right)^2} dx \right)}{a + b}$$

input `int(1/log(a+b*tanh(d*x+c))^2,x)`

output

```
(2***4*c)*int(e**(4*d*x)/(e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a + e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b + 2*e**(2*c + 2*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a + log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a - log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b),x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b + 2*int(tanh(c + d*x)/(log(tanh(c + d*x)*b + a)**2*tanh(c + d*x)*b + log(tanh(c + d*x)*b + a)**2*a),x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b + 2*int(1/(e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a + e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b + 2*e**(2*c + 2*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a + log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*a - log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b),x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b*d - a)/(2*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b + a - b)/(e**(2*c + 2*d*x) + 1))**2*b*d)
```

3.16 $\int \log^3(a + b \coth(c + dx)) dx$

Optimal result	135
Mathematica [A] (verified)	136
Rubi [A] (verified)	136
Maple [A] (verified)	138
Fricas [F]	138
Sympy [F]	139
Maxima [F]	139
Giac [F]	140
Mupad [F(-1)]	140
Reduce [F]	140

Optimal result

Integrand size = 13, antiderivative size = 274

$$\begin{aligned}
 \int \log^3(a + b \coth(c + dx)) dx = & -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log^3(a + b \coth(c + dx))}{2d} \\
 & + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log^3(a + b \coth(c + dx))}{2d} \\
 & + \frac{3 \log^2(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} \\
 & - \frac{3 \log^2(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{2d} \\
 & - \frac{3 \log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} \\
 & + \frac{3 \log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a+b}\right)}{d} \\
 & + \frac{3 \operatorname{PolyLog}\left(4, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} \\
 & - \frac{3 \operatorname{PolyLog}\left(4, \frac{a+b \coth(c+dx)}{a+b}\right)}{d}
 \end{aligned}$$

output
$$-1/2*\ln(b*(1-\coth(d*x+c))/(a+b))*\ln(a+b*\coth(d*x+c))^3/d+1/2*\ln(-b*(1+\coth(d*x+c))/(a-b))*\ln(a+b*\coth(d*x+c))^3/d+3/2*\ln(a+b*\coth(d*x+c))^2*\text{polylog}(2, (a+b*\coth(d*x+c))/(a-b))/d-3/2*\ln(a+b*\coth(d*x+c))^2*\text{polylog}(2, (a+b*\coth(d*x+c))/(a-b))/d-3*\ln(a+b*\coth(d*x+c))*\text{polylog}(3, (a+b*\coth(d*x+c))/(a-b))/d+3*\ln(a+b*\coth(d*x+c))*\text{polylog}(3, (a+b*\coth(d*x+c))/(a-b))/d+3*\text{polylog}(4, (a+b*\coth(d*x+c))/(a-b))/d-3*\text{polylog}(4, (a+b*\coth(d*x+c))/(a-b))/d$$

Mathematica [A] (verified)

Time = 1.64 (sec) , antiderivative size = 248, normalized size of antiderivative = 0.91

$$\int \log^3(a + b \coth(c + dx)) dx$$

$$= \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log^3(a + b \coth(c + dx)) - \log\left(\frac{b-b\coth(c+dx)}{a+b}\right) \log^3(a + b \coth(c + dx)) + 3 \log^2(a + b \coth(c + dx)) \log\left(\frac{b(1+\coth(c+dx))}{a-b}\right) - 3 \log^2(a + b \coth(c + dx)) \log\left(\frac{b-b\coth(c+dx)}{a+b}\right) + 6 \log(a + b \coth(c + dx)) \left(\log\left(\frac{b(1+\coth(c+dx))}{a-b}\right) - \log\left(\frac{b-b\coth(c+dx)}{a+b}\right) \right) - 6 \log(a + b \coth(c + dx)) \log\left(\frac{b(1+\coth(c+dx))}{a-b}\right) + 6 \log(a + b \coth(c + dx)) \log\left(\frac{b-b\coth(c+dx)}{a+b}\right) - 6 \text{polylog}(2, \frac{b(1+\coth(c+dx))}{a-b}) + 6 \text{polylog}(2, \frac{b-b\coth(c+dx)}{a+b}) - 6 \text{polylog}(3, \frac{b(1+\coth(c+dx))}{a-b}) + 6 \text{polylog}(3, \frac{b-b\coth(c+dx)}{a+b}) - 6 \text{polylog}(4, \frac{b(1+\coth(c+dx))}{a-b}) + 6 \text{polylog}(4, \frac{b-b\coth(c+dx)}{a+b})}{2d}}$$

input `Integrate[Log[a + b*Coth[c + d*x]]^3,x]`

output
$$(\text{Log}[-((b*(1 + \text{Coth}[c + d*x]))/(a - b))]*\text{Log}[a + b*\text{Coth}[c + d*x]]^3 - \text{Log}[(b - b*\text{Coth}[c + d*x])/(a + b)]*\text{Log}[a + b*\text{Coth}[c + d*x]]^3 + 3*\text{Log}[a + b*\text{Coth}[c + d*x]]^2*\text{PolyLog}[2, (a + b*\text{Coth}[c + d*x])/(a - b)] - 3*\text{Log}[a + b*\text{Coth}[c + d*x]]^2*\text{PolyLog}[2, (a + b*\text{Coth}[c + d*x])/(a + b)] - 6*\text{Log}[a + b*\text{Coth}[c + d*x]]*\text{PolyLog}[3, (a + b*\text{Coth}[c + d*x])/(a - b)] + 6*\text{Log}[a + b*\text{Coth}[c + d*x]]*\text{PolyLog}[3, (a + b*\text{Coth}[c + d*x])/(a + b)] + 6*\text{PolyLog}[4, (a + b*\text{Coth}[c + d*x])/(a - b)] - 6*\text{PolyLog}[4, (a + b*\text{Coth}[c + d*x])/(a + b)])/(2*d)$$

Rubi [A] (verified)

Time = 0.91 (sec) , antiderivative size = 254, normalized size of antiderivative = 0.93, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4852, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^3(a + b \coth(c + dx)) dx \\
 & \quad \downarrow 4852 \\
 & \int \frac{\log^3(a + b \coth(c + dx))}{1 - \coth^2(c + dx)} d \coth(c + dx) \\
 & \quad \downarrow 2856 \\
 & \int \left(\frac{\log^3(a + b \coth(c + dx))}{2(1 - \coth(c + dx))} + \frac{\log^3(a + b \coth(c + dx))}{2(\coth(c + dx) + 1)} \right) d \coth(c + dx) \\
 & \quad \downarrow 2009 \\
 & \underline{3 \operatorname{PolyLog}\left(4, \frac{a + b \coth(c + dx)}{a - b}\right) - 3 \operatorname{PolyLog}\left(4, \frac{a + b \coth(c + dx)}{a + b}\right) + \frac{3}{2} \operatorname{PolyLog}\left(2, \frac{a + b \coth(c + dx)}{a - b}\right) \log^2(a + b \coth(c + dx))}
 \end{aligned}$$

input `Int[Log[a + b*Coth[c + d*x]]^3,x]`

output `(-1/2*(Log[(b*(1 - Coth[c + d*x]))/(a + b)]*Log[a + b*Coth[c + d*x]]^3) + (Log[-(b*(1 + Coth[c + d*x]))/(a - b)]*Log[a + b*Coth[c + d*x]]^3)/2 + (3*Log[a + b*Coth[c + d*x]]^2*PolyLog[2, (a + b*Coth[c + d*x])/(a - b)])/2 - (3*Log[a + b*Coth[c + d*x]]^2*PolyLog[2, (a + b*Coth[c + d*x])/(a + b)])/2 - 3*Log[a + b*Coth[c + d*x]]*PolyLog[3, (a + b*Coth[c + d*x])/(a - b)] + 3*Log[a + b*Coth[c + d*x]]*PolyLog[3, (a + b*Coth[c + d*x])/(a + b)] + 3*PolyLog[4, (a + b*Coth[c + d*x])/(a - b)] - 3*PolyLog[4, (a + b*Coth[c + d*x])/(a + b)])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_.) + (e_.)*(x_)^(n_.))*(b_.))^(p_.)*((f_.) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4852

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [A] (verified)

Time = 10.64 (sec) , antiderivative size = 284, normalized size of antiderivative = 1.04

method	result
derivativedivides	$b \left(-\frac{\ln(a+b \coth(dx+c))^3 \ln\left(1 + \frac{a+b \coth(dx+c)}{-a+b}\right) + 3 \ln(a+b \coth(dx+c))^2 \operatorname{polylog}\left(2, -\frac{a+b \coth(dx+c)}{-a+b}\right) - 6 \ln(a+b \coth(dx+c))}{2b} \right)$
default	$b \left(-\frac{\ln(a+b \coth(dx+c))^3 \ln\left(1 + \frac{a+b \coth(dx+c)}{-a+b}\right) + 3 \ln(a+b \coth(dx+c))^2 \operatorname{polylog}\left(2, -\frac{a+b \coth(dx+c)}{-a+b}\right) - 6 \ln(a+b \coth(dx+c))}{2b} \right)$

input

```
int(ln(a+b*coth(d*x+c))^3,x,method=_RETURNVERBOSE)
```

output

```
-1/d*b*(-1/2/b*(ln(a+b*coth(d*x+c))^3*ln(1+1/(-a+b)*(a+b*coth(d*x+c))))+3*ln(a+b*coth(d*x+c))^2*polylog(2,-1/(-a+b)*(a+b*coth(d*x+c)))-6*ln(a+b*coth(d*x+c))*polylog(3,-1/(-a+b)*(a+b*coth(d*x+c)))+6*polylog(4,-1/(-a+b)*(a+b*coth(d*x+c))))+1/2/b*(ln(a+b*coth(d*x+c))^3*ln(1+1/(-a-b)*(a+b*coth(d*x+c))))+3*ln(a+b*coth(d*x+c))^2*polylog(2,-1/(-a-b)*(a+b*coth(d*x+c)))-6*ln(a+b*coth(d*x+c))*polylog(3,-1/(-a-b)*(a+b*coth(d*x+c)))+6*polylog(4,-1/(-a-b)*(a+b*coth(d*x+c))))))
```

Fricas [F]

$$\int \log^3(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^3 dx$$

input

```
integrate(log(a+b*coth(d*x+c))^3,x, algorithm="fricas")
```

output `integral(log(b*coth(d*x + c) + a)^3, x)`

Sympy [F]

$$\int \log^3(a + b \coth(c + dx)) dx = \int \log(a + b \coth(c + dx))^3 dx$$

input `integrate(ln(a+b*coth(d*x+c))**3,x)`

output `Integral(log(a + b*coth(c + d*x))**3, x)`

Maxima [F]

$$\int \log^3(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^3 dx$$

input `integrate(log(a+b*coth(d*x+c))^3,x, algorithm="maxima")`

output `x*log((a + b)*e^(2*d*x + 2*c) - a + b)^3 - integrate((((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)^3 + 3*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)^2*log(e^(d*x + c) - 1) + 3*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)*log(e^(d*x + c) - 1)^2 + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) - 1)^3 + 3*(2*(a*d*e^(2*c) + b*d*e^(2*c))*x*e^(2*d*x) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) - 1))*log((a + b)*e^(2*d*x + 2*c) - a + b)^2 - 3*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)^2 + 2*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)*log(e^(d*x + c) - 1) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) - 1)^2)*log((a + b)*e^(2*d*x + 2*c) - a + b)/((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b), x)`

Giac [F]

$$\int \log^3(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^3 dx$$

input `integrate(log(a+b*coth(d*x+c))^3,x, algorithm="giac")`

output `integrate(log(b*coth(d*x + c) + a)^3, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^3(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx))^3 dx$$

input `int(log(a + b*coth(c + d*x))^3,x)`

output `int(log(a + b*coth(c + d*x))^3, x)`

Reduce [F]

$$\int \log^3(a + b \coth(c + dx)) dx = \int \log(\coth(dx + c) b + a)^3 dx$$

input `int(log(a+b*coth(d*x+c))^3,x)`

output `int(log(coth(c + d*x)*b + a)**3,x)`

3.17 $\int \log^2(a + b \coth(c + dx)) dx$

Optimal result	141
Mathematica [A] (verified)	142
Rubi [A] (verified)	142
Maple [A] (verified)	144
Fricas [F]	144
Sympy [F]	145
Maxima [F]	145
Giac [F]	145
Mupad [F(-1)]	146
Reduce [F]	146

Optimal result

Integrand size = 13, antiderivative size = 194

$$\int \log^2(a + b \coth(c + dx)) dx = -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log^2(a + b \coth(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log^2(a + b \coth(c + dx))}{2d} + \frac{\log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} - \frac{\log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{d} - \frac{\operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} + \frac{\operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a+b}\right)}{d}$$

output

```
-1/2*ln(b*(1-coth(d*x+c))/(a+b))*ln(a+b*coth(d*x+c))^2/d+1/2*ln(-b*(1+coth(d*x+c))/(a-b))*ln(a+b*coth(d*x+c))^2/d+ln(a+b*coth(d*x+c))*polylog(2,(a+b*coth(d*x+c))/(a-b))/d-ln(a+b*coth(d*x+c))*polylog(2,(a+b*coth(d*x+c))/(a+b))/d-polylog(3,(a+b*coth(d*x+c))/(a-b))/d+polylog(3,(a+b*coth(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 1.29 (sec) , antiderivative size = 199, normalized size of antiderivative = 1.03

$$\int \log^2(a + b \coth(c + dx)) dx = \frac{\log^2(a + b \coth(c + dx)) \log\left(1 - \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} - \frac{\log^2(a + b \coth(c + dx)) \log\left(1 - \frac{a+b \coth(c+dx)}{a+b}\right)}{2d} + \frac{\log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} - \frac{\log(a + b \coth(c + dx)) \operatorname{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{d} - \frac{\operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a-b}\right)}{d} + \frac{\operatorname{PolyLog}\left(3, \frac{a+b \coth(c+dx)}{a+b}\right)}{d}$$

input

```
Integrate[Log[a + b*Coth[c + d*x]]^2,x]
```

output

```
(Log[a + b*Coth[c + d*x]]^2*Log[1 - (a + b*Coth[c + d*x])/(a - b)]/(2*d) - (Log[a + b*Coth[c + d*x]]^2*Log[1 - (a + b*Coth[c + d*x])/(a + b)]/(2*d) + (Log[a + b*Coth[c + d*x]]*PolyLog[2, (a + b*Coth[c + d*x])/(a - b)]/d - (Log[a + b*Coth[c + d*x]]*PolyLog[2, (a + b*Coth[c + d*x])/(a + b)]/d - PolyLog[3, (a + b*Coth[c + d*x])/(a - b)]/d + PolyLog[3, (a + b*Coth[c + d*x])/(a + b)]/d
```

Rubi [A] (verified)

Time = 0.74 (sec) , antiderivative size = 179, normalized size of antiderivative = 0.92, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {4852, 2856, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \log^2(a + b \coth(c + dx)) dx \\
 & \quad \downarrow 4852 \\
 & \int \frac{\log^2(a + b \coth(c + dx))}{1 - \coth^2(c + dx)} d \coth(c + dx) \\
 & \quad \downarrow 2856 \\
 & \int \left(\frac{\log^2(a + b \coth(c + dx))}{2(1 - \coth(c + dx))} + \frac{\log^2(a + b \coth(c + dx))}{2(\coth(c + dx) + 1)} \right) d \coth(c + dx) \\
 & \quad \downarrow 2009 \\
 & \underline{- \operatorname{PolyLog}\left(3, \frac{a + b \coth(c + dx)}{a - b}\right) + \operatorname{PolyLog}\left(3, \frac{a + b \coth(c + dx)}{a + b}\right) + \operatorname{PolyLog}\left(2, \frac{a + b \coth(c + dx)}{a - b}\right) \log(a + b \coth(c + dx))}
 \end{aligned}$$

input `Int[Log[a + b*Coth[c + d*x]]^2,x]`

output `(-1/2*(Log[(b*(1 - Coth[c + d*x]))/(a + b)]*Log[a + b*Coth[c + d*x]]^2) + (Log[-(b*(1 + Coth[c + d*x]))/(a - b)]*Log[a + b*Coth[c + d*x]]^2)/2 + Log[a + b*Coth[c + d*x]]*PolyLog[2, (a + b*Coth[c + d*x])/(a - b)] - Log[a + b*Coth[c + d*x]]*PolyLog[2, (a + b*Coth[c + d*x])/(a + b)] - PolyLog[3, (a + b*Coth[c + d*x])/(a - b)] + PolyLog[3, (a + b*Coth[c + d*x])/(a + b)])/d`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2856 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]*(b_.))^(p_.)*((f_) + (g_.)*(x_)^(r_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, (f + g*x^r)^q, x], x] /; FreeQ[{a, b, c, d, e, f, g, n, r}, x] && IntegerQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || (IntegerQ[r] && NeQ[r, 1]))`

rule 4852

```
Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]
```

Maple [A] (verified)

Time = 9.12 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.08

method	result
derivativedivides	$b \left(-\frac{\ln(a+b \coth(dx+c))^2 \ln\left(1 + \frac{a+b \coth(dx+c)}{-a+b}\right) + 2 \ln(a+b \coth(dx+c)) \operatorname{polylog}\left(2, -\frac{a+b \coth(dx+c)}{-a+b}\right) - 2 \operatorname{polylog}\left(3, -\frac{a+b \coth(dx+c)}{-a+b}\right)}{2b}$
default	$b \left(-\frac{\ln(a+b \coth(dx+c))^2 \ln\left(1 + \frac{a+b \coth(dx+c)}{-a+b}\right) + 2 \ln(a+b \coth(dx+c)) \operatorname{polylog}\left(2, -\frac{a+b \coth(dx+c)}{-a+b}\right) - 2 \operatorname{polylog}\left(3, -\frac{a+b \coth(dx+c)}{-a+b}\right)}{2b}$

input

```
int(ln(a+b*coth(d*x+c))^2,x,method=_RETURNVERBOSE)
```

output

```
-1/d*b*(-1/2/b*(ln(a+b*coth(d*x+c))^2*ln(1+1/(-a+b)*(a+b*coth(d*x+c)))+2*ln(a+b*coth(d*x+c))*polylog(2,-1/(-a+b)*(a+b*coth(d*x+c)))-2*polylog(3,-1/(-a+b)*(a+b*coth(d*x+c))))+1/2/b*(ln(a+b*coth(d*x+c))^2*ln(1+1/(-a-b)*(a+b*coth(d*x+c)))+2*ln(a+b*coth(d*x+c))*polylog(2,-1/(-a-b)*(a+b*coth(d*x+c)))-2*polylog(3,-1/(-a-b)*(a+b*coth(d*x+c))))))
```

Fricas [F]

$$\int \log^2(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^2 dx$$

input

```
integrate(log(a+b*coth(d*x+c))^2,x, algorithm="fricas")
```

output

```
integral(log(b*coth(d*x + c) + a)^2, x)
```

Sympy [F]

$$\int \log^2(a + b \coth(c + dx)) dx = \int \log(a + b \coth(c + dx))^2 dx$$

input `integrate(ln(a+b*coth(d*x+c))**2,x)`

output `Integral(log(a + b*coth(c + d*x))**2, x)`

Maxima [F]

$$\int \log^2(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^2 dx$$

input `integrate(log(a+b*coth(d*x+c))^2,x, algorithm="maxima")`

output `x*log((a + b)*e^(2*d*x + 2*c) - a + b)^2 - integrate(-(((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)^2 + 2*((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1)*log(e^(d*x + c) - 1) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) - 1)^2 - 2*(2*(a*d*e^(2*c) + b*d*e^(2*c))*x*e^(2*d*x) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) + 1) + ((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b)*log(e^(d*x + c) - 1))*log((a + b)*e^(2*d*x + 2*c) - a + b)/((a*e^(2*c) + b*e^(2*c))*e^(2*d*x) - a + b), x)`

Giac [F]

$$\int \log^2(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a)^2 dx$$

input `integrate(log(a+b*coth(d*x+c))**2,x, algorithm="giac")`

output `integrate(log(b*coth(d*x + c) + a)^2, x)`

Mupad [F(-1)]

Timed out.

$$\int \log^2(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx))^2 dx$$

input `int(log(a + b*coth(c + d*x))^2,x)`

output `int(log(a + b*coth(c + d*x))^2, x)`

Reduce [F]

$$\int \log^2(a + b \coth(c + dx)) dx = \int \log(\coth(dx + c) b + a)^2 dx$$

input `int(log(a+b*coth(d*x+c))^2,x)`

output `int(log(coth(c + d*x)*b + a)**2,x)`

3.18 $\int \log(a + b \coth(c + dx)) dx$

Optimal result	147
Mathematica [A] (verified)	148
Rubi [F]	148
Maple [A] (verified)	149
Fricas [B] (verification not implemented)	150
Sympy [F]	151
Maxima [A] (verification not implemented)	151
Giac [F]	152
Mupad [F(-1)]	152
Reduce [F]	152

Optimal result

Integrand size = 11, antiderivative size = 126

$$\int \log(a + b \coth(c + dx)) dx = -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{2d}$$

output

```
-1/2*ln(b*(1-coth(d*x+c))/(a+b))*ln(a+b*coth(d*x+c))/d+1/2*ln(-b*(1+coth(d*x+c))/(a-b))*ln(a+b*coth(d*x+c))/d+1/2*polylog(2,(a+b*coth(d*x+c))/(a-b))/d-1/2*polylog(2,(a+b*coth(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.00

$$\int \log(a + b \coth(c + dx)) dx = -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{2d}$$

input `Integrate[Log[a + b*Coth[c + d*x]],x]`

output

```
-1/2*(Log[(b*(1 - Coth[c + d*x]))/(a + b)]*Log[a + b*Coth[c + d*x]])/d + (
Log[-((b*(1 + Coth[c + d*x]))/(a - b))*Log[a + b*Coth[c + d*x]])/(2*d) +
PolyLog[2, (a + b*Coth[c + d*x])/(a - b)]/(2*d) - PolyLog[2, (a + b*Coth[c
+ d*x])/(a + b)]/(2*d)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \coth(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \coth(c + dx)) - \int -\frac{bdxcsch^2(c + dx)}{a + b \coth(c + dx)} dx$$

$$\downarrow \text{25}$$

$$\int \frac{bdxcsch^2(c + dx)}{a + b \coth(c + dx)} dx + x \log(a + b \coth(c + dx))$$

$$\begin{array}{c} \downarrow 27 \\ bd \int \frac{x \operatorname{csch}^2(c + dx)}{a + b \operatorname{coth}(c + dx)} dx + x \log(a + b \operatorname{coth}(c + dx)) \\ \downarrow 7299 \\ bd \int \frac{x \operatorname{csch}^2(c + dx)}{a + b \operatorname{coth}(c + dx)} dx + x \log(a + b \operatorname{coth}(c + dx)) \end{array}$$

input `Int[Log[a + b*Coth[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 9.54 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

method	result
derivativdivides	$-\frac{\left(\operatorname{dilog}\left(\frac{b \coth(dx+c)-b}{-a-b}\right)+\ln(a+b \coth(dx+c)) \ln\left(\frac{b \coth(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \coth(dx+c)+b}{-a+b}\right)+\ln(a+b \coth(dx+c)) \ln\left(\frac{b \coth(dx+c)+b}{-a+b}\right)\right) b}{2}$
default	$-\frac{\left(\operatorname{dilog}\left(\frac{b \coth(dx+c)-b}{-a-b}\right)+\ln(a+b \coth(dx+c)) \ln\left(\frac{b \coth(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \coth(dx+c)+b}{-a+b}\right)+\ln(a+b \coth(dx+c)) \ln\left(\frac{b \coth(dx+c)+b}{-a+b}\right)\right) b}{2}$
risch	Expression too large to display

input

```
int(ln(a+b*coth(d*x+c)),x,method=_RETURNVERBOSE)
```

output

```
1/d/b*(-1/2*(dilog((b*coth(d*x+c)-b)/(-a-b))+ln(a+b*coth(d*x+c))*ln((b*coth(d*x+c)-b)/(-a-b)))*b+1/2*(dilog((b*coth(d*x+c)+b)/(-a+b))+ln(a+b*coth(d*x+c))*ln((b*coth(d*x+c)+b)/(-a+b)))*b)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 356 vs. 2(115) = 230.

Time = 0.11 (sec) , antiderivative size = 356, normalized size of antiderivative = 2.83

$$\int \log(a + b \coth(c + dx)) dx$$

$$= \frac{dx \log\left(\frac{b \cosh(dx+c)+a \sinh(dx+c)}{\sinh(dx+c)}\right) + dx \log(\cosh(dx+c) + \sinh(dx+c) + 1) + c \log\left(2(a+b) \cosh(dx+c)\right)}{1}$$

input

```
integrate(log(a+b*coth(d*x+c)),x, algorithm="fricas")
```

output

```
(d*x*log((b*cosh(d*x + c) + a*sinh(d*x + c))/sinh(d*x + c)) + d*x*log(cosh
(d*x + c) + sinh(d*x + c) + 1) + c*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)
*sinh(d*x + c) + 2*(a - b)*sqrt((a + b)/(a - b))) + c*log(2*(a + b)*cosh(d
*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt((a + b)/(a - b))) - (d*
x + c)*log(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d
*x + c)*log(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) -
c*log(cosh(d*x + c) + sinh(d*x + c) - 1) + (d*x + c)*log(-cosh(d*x + c) -
sinh(d*x + c) + 1) - dilog(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x
+ c))) - dilog(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) +
dilog(cosh(d*x + c) + sinh(d*x + c)) + dilog(-cosh(d*x + c) - sinh(d*x + c
)))/d
```

Sympy [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(a + b \coth(c + dx)) dx$$

input

```
integrate(ln(a+b*coth(d*x+c)),x)
```

output

```
Integral(log(a + b*coth(c + d*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.17

$$\int \log(a + b \coth(c + dx)) dx =$$

$$-\frac{1}{2} bd \left(\frac{2 dx \log \left(-\frac{(ae^{2c}) + be^{2c}}{a-b} e^{2dx} + 1 \right) + \text{Li}_2 \left(\frac{(ae^{2c}) + be^{2c}}{a-b} e^{2dx} \right)}{bd^2} - \frac{2 (dx \log (e^{dx+c}) + 1) + \text{Li}_2(-e^{2(dx+c)})}{bd^2} \right)$$

$$+ x \log(b \coth(dx + c) + a)$$

input

```
integrate(log(a+b*coth(d*x+c)),x, algorithm="maxima")
```


output

```
-1/2*b*d*((2*d*x*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))/(b*d^2) - 2*(d*x*log(e^(d*x + c) + 1) + dilog(-e^(d*x + c)))/(b*d^2) - 2*(d*x*log(-e^(d*x + c) + 1) + dilog(e^(d*x + c)))/(b*d^2)) + x*log(b*coth(d*x + c) + a)
```

Giac [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a) dx$$

input

```
integrate(log(a+b*coth(d*x+c)),x, algorithm="giac")
```

output

```
integrate(log(b*coth(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx)) dx$$

input

```
int(log(a + b*coth(c + d*x)),x)
```

output

```
int(log(a + b*coth(c + d*x)), x)
```

Reduce [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(\coth(dx + c) b + a) dx$$

input

```
int(log(a+b*coth(d*x+c)),x)
```

output `int(log(coth(c + d*x)*b + a),x)`

3.19 $\int \frac{1}{\log(a+b \coth(c+dx))} dx$

Optimal result	154
Mathematica [N/A]	154
Rubi [N/A]	155
Maple [N/A]	156
Fricas [N/A]	156
Sympy [N/A]	157
Maxima [N/A]	157
Giac [N/A]	158
Mupad [N/A]	158
Reduce [N/A]	158

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \text{Int}\left(\frac{1}{\log(a + b \coth(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*coth(d*x+c)), x)`

Mathematica [N/A]

Not integrable

Time = 7.06 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(a + b \coth(c + dx))} dx$$

input `Integrate[Log[a + b*Coth[c + d*x]]^(-1), x]`

output `Integrate[Log[a + b*Coth[c + d*x]]^(-1), x]`

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4852, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx$$

$$\downarrow 4852$$

$$\frac{\int \frac{1}{(1 - \coth^2(c + dx)) \log(a + b \coth(c + dx))} d \coth(c + dx)}{d}$$

$$\downarrow 2865$$

$$\frac{\int \left(\frac{1}{2(1 - \coth(c + dx)) \log(a + b \coth(c + dx))} + \frac{1}{2(\coth(c + dx) + 1) \log(a + b \coth(c + dx))} \right) d \coth(c + dx)}{d}$$

$$\downarrow 2009$$

$$\frac{\frac{1}{2} \int \frac{1}{(1 - \coth(c + dx)) \log(a + b \coth(c + dx))} d \coth(c + dx) + \frac{1}{2} \int \frac{1}{(\coth(c + dx) + 1) \log(a + b \coth(c + dx))} d \coth(c + dx)}{d}$$

input `Int[Log[a + b*Coth[c + d*x]]^(-1),x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] := With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4852 `Int[u_, x_Symbol] := With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u, x]]]`

Maple [N/A]

Not integrable

Time = 4.18 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \coth(dx + c))} dx$$

input `int(1/ln(a+b*coth(d*x+c)),x)`

output `int(1/ln(a+b*coth(d*x+c)),x)`

Fricas [N/A]

Not integrable

Time = 0.07 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)} dx$$

input `integrate(1/log(a+b*coth(d*x+c)),x, algorithm="fricas")`

output `integral(1/log(b*coth(d*x + c) + a), x)`

Sympy [N/A]

Not integrable

Time = 1.14 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(a + b \coth(c + dx))} dx$$

input `integrate(1/ln(a+b*coth(d*x+c)),x)`

output `Integral(1/log(a + b*coth(c + d*x)), x)`

Maxima [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)} dx$$

input `integrate(1/log(a+b*coth(d*x+c)),x, algorithm="maxima")`

output `integrate(1/log(b*coth(d*x + c) + a), x)`

Giac [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)} dx$$

input `integrate(1/log(a+b*coth(d*x+c)),x, algorithm="giac")`

output `integrate(1/log(b*coth(d*x + c) + a), x)`

Mupad [N/A]

Not integrable

Time = 26.22 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\ln(a + b \coth(c + dx))} dx$$

input `int(1/log(a + b*coth(c + d*x)),x)`

output `int(1/log(a + b*coth(c + d*x)), x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log(a + b \coth(c + dx))} dx = \int \frac{1}{\log(\coth(dx + c) b + a)} dx$$

input `int(1/log(a+b*coth(d*x+c)),x)`

output `int(1/log(coth(c + d*x)*b + a),x)`

3.20 $\int \frac{1}{\log^2(a+b \coth(c+dx))} dx$

Optimal result	160
Mathematica [N/A]	160
Rubi [N/A]	161
Maple [N/A]	162
Fricas [N/A]	163
Sympy [N/A]	163
Maxima [N/A]	163
Giac [N/A]	164
Mupad [N/A]	164
Reduce [N/A]	165

Optimal result

Integrand size = 13, antiderivative size = 13

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \text{Int}\left(\frac{1}{\log^2(a + b \coth(c + dx))}, x\right)$$

output `Defer(Int)(1/ln(a+b*coth(d*x+c))^2,x)`

Mathematica [N/A]

Not integrable

Time = 43.16 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\log^2(a + b \coth(c + dx))} dx$$

input `Integrate[Log[a + b*Coth[c + d*x]]^(-2),x]`

output `Integrate[Log[a + b*Coth[c + d*x]]^(-2), x]`

Rubi [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {4852, 2865, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx$$

$$\downarrow 4852$$

$$\frac{\int \frac{1}{(1 - \coth^2(c + dx)) \log^2(a + b \coth(c + dx))} d \coth(c + dx)}{d}$$

$$\downarrow 2865$$

$$\frac{\int \left(\frac{1}{2(\coth(c + dx) + 1) \log^2(a + b \coth(c + dx))} + \frac{1}{2 \log^2(a + b \coth(c + dx))(1 - \coth(c + dx))} \right) d \coth(c + dx)}{d}$$

$$\downarrow 2009$$

$$\frac{\frac{1}{2} \int \frac{1}{(1 - \coth(c + dx)) \log^2(a + b \coth(c + dx))} d \coth(c + dx) + \frac{1}{2} \int \frac{1}{(\coth(c + dx) + 1) \log^2(a + b \coth(c + dx))} d \coth(c + dx)}{d}$$

input `Int [Log[a + b*Coth[c + d*x]]^(-2), x]`

output `$Aborted`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :=> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2865 `Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_))^(n_.)]*(b_.))^(p_.)*(RFx_), x_Symbol] :=> With[{u = ExpandIntegrand[(a + b*Log[c*(d + e*x)^n])^p, RFx, x]}, Int[u, x] /; SumQ[u]] /; FreeQ[{a, b, c, d, e, n}, x] && RationalFunctionQ[RFx, x] && IntegerQ[p]`

rule 4852 `Int[u_, x_Symbol] :=> With[{v = FunctionOfTrig[u, x]}, Simp[With[{d = FreeFactors[Cot[v], x]}, -d/Coefficient[v, x, 1] Subst[Int[SubstFor[1/(1 + d^2*x^2), Cot[v]/d, u, x], x], x, Cot[v]/d]], x] /; !FalseQ[v] && FunctionOfQ[NonfreeFactors[Cot[v], x], u, x, True] && TryPureTanSubst[ActivateTrig[u], x]]`

Maple [N/A]

Not integrable

Time = 4.19 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{1}{\ln(a + b \coth(dx + c))^2} dx$$

input `int(1/ln(a+b*coth(d*x+c))^2,x)`

output `int(1/ln(a+b*coth(d*x+c))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*coth(d*x+c))^2,x, algorithm="fricas")`

output `integral(log(b*coth(d*x + c) + a)^(-2), x)`

Sympy [N/A]

Not integrable

Time = 1.36 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\log(a + b \coth(c + dx))^2} dx$$

input `integrate(1/ln(a+b*coth(d*x+c))**2,x)`

output `Integral(log(a + b*coth(c + d*x))**(-2), x)`

Maxima [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 222, normalized size of antiderivative = 17.08

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)^2} dx$$

input `integrate(1/log(a+b*coth(d*x+c))^2,x, algorithm="maxima")`

output

```
1/4*((a*e^(4*c) + b*e^(4*c))*e^(4*d*x) - 2*a*e^(2*d*x + 2*c) + a - b)/(b*d
*e^(2*d*x + 2*c)*log((a + b)*e^(2*d*x + 2*c) - a + b) - b*d*e^(2*d*x + 2*c
)*log(e^(d*x + c) + 1) - b*d*e^(2*d*x + 2*c)*log(e^(d*x + c) - 1)) - integ
rate(1/2*((a*e^(4*c) + b*e^(4*c))*e^(4*d*x) - a + b)/(b*e^(2*d*x + 2*c)*lo
g((a + b)*e^(2*d*x + 2*c) - a + b) - b*e^(2*d*x + 2*c)*log(e^(d*x + c) + 1
) - b*e^(2*d*x + 2*c)*log(e^(d*x + c) - 1)), x)
```

Giac [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\log(b \coth(dx + c) + a)^2} dx$$

input

```
integrate(1/log(a+b*coth(d*x+c))^2,x, algorithm="giac")
```

output

```
integrate(log(b*coth(d*x + c) + a)^(-2), x)
```

Mupad [N/A]

Not integrable

Time = 26.05 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx = \int \frac{1}{\ln(a + b \coth(c + dx))^2} dx$$

input

```
int(1/log(a + b*coth(c + d*x))^2,x)
```

output

```
int(1/log(a + b*coth(c + d*x))^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.38 (sec) , antiderivative size = 834, normalized size of antiderivative = 64.15

$$\int \frac{1}{\log^2(a + b \coth(c + dx))} dx$$

$$= \frac{2e^{4c} \left(\int \frac{e^{4dx+4c} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b - a + b}{e^{2dx+2c} - 1}\right)^2}{a + e^{4dx+4c} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b - a + b}{e^{2dx+2c} - 1}\right)^2} dx + \int \frac{e^{4dx} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b - a + b}{e^{2dx+2c} - 1}\right)^2}{b - 2e^{2dx+2c} \log\left(\frac{e^{2dx+2c} a + e^{2dx+2c} b - a + b}{e^{2dx+2c} - 1}\right)^2} dx \right)}{a + b}$$

input `int(1/log(a+b*coth(d*x+c))^2,x)`

output

```
(2***4*c)*int(e**(4*d*x)/(e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**
(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2*a + e**(4*c + 4*d*x)*l
og((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1
))**2*b - 2*e**(2*c + 2*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b
- a + b)/(e**(2*c + 2*d*x) - 1))**2*a + log((e**(2*c + 2*d*x)*a + e**(2*c
+ 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2*a - log((e**(2*c + 2*d*x)*a
+ e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2*b),x)*log((e**(2
*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))*a*b*d
+ 2*int(coth(c + d*x)/(coth(c + d*x)*log(coth(c + d*x)*b + a)**2*b + log(c
oth(c + d*x)*b + a)**2*a),x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b
- a + b)/(e**(2*c + 2*d*x) - 1))*b**2*d + 2*int(1/(e**(4*c + 4*d*x)*log((e
**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2
*a + e**(4*c + 4*d*x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b
)/(e**(2*c + 2*d*x) - 1))**2*b - 2*e**(2*c + 2*d*x)*log((e**(2*c + 2*d*x)*
a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2*a + log((e**(2*
c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) - 1))**2*a -
log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*c + 2*d*x) -
1))**2*b),x)*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*b - a + b)/(e**(2*
c + 2*d*x) - 1))*a*b*d - a)/(2*log((e**(2*c + 2*d*x)*a + e**(2*c + 2*d*x)*
b - a + b)/(e**(2*c + 2*d*x) - 1))*b*d)
```

3.21 $\int (e + fx)^3 \log(a + b \tan(c + dx)) dx$

Optimal result	167
Mathematica [B] (warning: unable to verify)	168
Rubi [F]	169
Maple [C] (warning: unable to verify)	170
Fricas [B] (verification not implemented)	171
Sympy [F]	172
Maxima [B] (verification not implemented)	172
Giac [F]	173
Mupad [F(-1)]	174
Reduce [F]	174

Optimal result

Integrand size = 19, antiderivative size = 399

$$\begin{aligned}
 \int (e + fx)^3 \log(a + b \tan(c + dx)) dx = & \frac{(e + fx)^4 \log(1 + e^{2i(c+dx)})}{4f} \\
 & - \frac{(e + fx)^4 \log\left(1 + \frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{4f} \\
 & + \frac{(e + fx)^4 \log(a + b \tan(c + dx))}{4f} \\
 & - \frac{i(e + fx)^3 \operatorname{PolyLog}(2, -e^{2i(c+dx)})}{2d} \\
 & + \frac{i(e + fx)^3 \operatorname{PolyLog}\left(2, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{2d} \\
 & + \frac{3f(e + fx)^2 \operatorname{PolyLog}(3, -e^{2i(c+dx)})}{4d^2} \\
 & - \frac{3f(e + fx)^2 \operatorname{PolyLog}\left(3, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{4d^2} \\
 & + \frac{3if^2(e + fx) \operatorname{PolyLog}(4, -e^{2i(c+dx)})}{4d^3} \\
 & - \frac{3if^2(e + fx) \operatorname{PolyLog}\left(4, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{4d^3} \\
 & - \frac{3f^3 \operatorname{PolyLog}(5, -e^{2i(c+dx)})}{8d^4} \\
 & + \frac{3f^3 \operatorname{PolyLog}\left(5, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{8d^4}
 \end{aligned}$$

output

```

1/4*(f*x+e)^4*ln(1+exp(2*I*(d*x+c)))/f-1/4*(f*x+e)^4*ln(1+(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/f+1/4*(f*x+e)^4*ln(a+b*tan(d*x+c))/f-1/2*I*(f*x+e)^3*polylog(2,-exp(2*I*(d*x+c)))/d+1/2*I*(f*x+e)^3*polylog(2,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d+3/4*f*(f*x+e)^2*polylog(3,-exp(2*I*(d*x+c)))/d^2-3/4*f*(f*x+e)^2*polylog(3,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d^2+3/4*I*f^2*(f*x+e)*polylog(4,-exp(2*I*(d*x+c)))/d^3-3/4*I*f^2*(f*x+e)*polylog(4,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d^3-3/8*f^3*polylog(5,-exp(2*I*(d*x+c)))/d^4+3/8*f^3*polylog(5,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d^4

```


Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1710 vs. $2(399) = 798$.

Time = 13.18 (sec) , antiderivative size = 1710, normalized size of antiderivative = 4.29

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input

```
Integrate[(e + f*x)^3*Log[a + b*Tan[c + d*x]],x]
```

output

```
(x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*Log[a + b*Tan[c + d*x]])/4
+ ((a^2 + b^2)*d*((40*e^3*x^2)/(I*a + b) + (40*e^2*f*x^3)/(I*a + b) + (20*
e*f^2*x^4)/(I*a + b) + (4*f^3*x^5)/(I*a + b) - (40*e^3*((-I)*b*(-1 + E^((2
*I)*c)) + a*(1 + E^((2*I)*c)))*x*Log[1 + (a + I*b)/((a - I*b)*E^((2*I)*(c
+ d*x)))]/((a^2 + b^2)*d) - (60*e^2*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E
^((2*I)*c)))*f*x^2*Log[1 + (a + I*b)/((a - I*b)*E^((2*I)*(c + d*x)))]/((a
^2 + b^2)*d) - (40*e*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*f^2
*x^3*Log[1 + (a + I*b)/((a - I*b)*E^((2*I)*(c + d*x)))]/((a^2 + b^2)*d) -
(10*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*f^3*x^4*Log[1 + (a
+ I*b)/((a - I*b)*E^((2*I)*(c + d*x)))]/((a^2 + b^2)*d) + (20*e^3*((-I)*b
*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*PolyLog[2, (-a - I*b)/((a - I*b
)*E^((2*I)*(c + d*x)))]/((a + I*b)*(I*a + b)*d^2) + (30*e^2*(b - b*E^((2*
I)*c) - I*a*(1 + E^((2*I)*c)))*f*(2*d*x*PolyLog[2, (-a - I*b)/((a - I*b)*E
^((2*I)*(c + d*x)))] - I*PolyLog[3, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d
x)))]))/((a^2 + b^2)*d^3) + (30*e*(b - b*E^((2*I)*c) - I*a*(1 + E^((2*I)*c
)))*f^2*(2*d^2*x^2*PolyLog[2, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))]
- (2*I)*d*x*PolyLog[3, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))] - PolyL
og[4, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))]))/((a^2 + b^2)*d^4) + (5
*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*f^3*((-4*I)*d^3*x^3*Pol
yLog[2, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))] - 6*d^2*x^2*PolyLog...
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \log(a + b \tan(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^4 \log(a + b \tan(c + dx))}{4f} - \frac{\int \frac{bd(e+fx)^4 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{27} \\
 & \frac{(e + fx)^4 \log(a + b \tan(c + dx))}{4f} - \frac{bd \int \frac{(e+fx)^4 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{(e + fx)^4 \log(a + b \tan(c + dx))}{4f} - \frac{bd \int \left(\frac{\sec^2(c+dx)e^4}{a+b \tan(c+dx)} + \frac{4fx \sec^2(c+dx)e^3}{a+b \tan(c+dx)} + \frac{6f^2x^2 \sec^2(c+dx)e^2}{a+b \tan(c+dx)} + \frac{4f^3x^3 \sec^2(c+dx)e}{a+b \tan(c+dx)} + \frac{f^4x^4 \sec^2(c+dx)}{a+b \tan(c+dx)} \right) dx}{4f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{(e + fx)^4 \log(a + b \tan(c + dx))}{4f} - \frac{bd \left(4e^3 f \int \frac{x \sec^2(c+dx)}{a+b \tan(c+dx)} dx + 6e^2 f^2 \int \frac{x^2 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + 4ef^3 \int \frac{x^3 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + f^4 \int \frac{x^4 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + \frac{e^4 \log(a+b \tan(c+dx))}{bd} \right)}{4f}
 \end{aligned}$$

input `Int[(e + f*x)^3*Log[a + b*Tan[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_]*)((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 10.88 (sec) , antiderivative size = 8233, normalized size of antiderivative = 20.63

method	result	size
risch	Expression too large to display	8233

input `int((f*x+e)^3*ln(a+b*tan(d*x+c)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2053 vs. $2(327) = 654$.

Time = 0.15 (sec) , antiderivative size = 2053, normalized size of antiderivative = 5.15

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*tan(d*x+c)),x, algorithm="fricas")`

output

```
1/16*(3*f^3*polylog(5, ((a^2 + 2*I*a*b - b^2)*tan(d*x + c)^2 - a^2 - 2*I*a
*b + b^2 - 2*(-I*a^2 + 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x +
c)^2 + a^2 + b^2)) + 3*f^3*polylog(5, ((a^2 - 2*I*a*b - b^2)*tan(d*x + c)
^2 - a^2 + 2*I*a*b + b^2 - 2*(I*a^2 + 2*a*b - I*b^2)*tan(d*x + c))/((a^2 +
b^2)*tan(d*x + c)^2 + a^2 + b^2)) - 3*f^3*polylog(5, (tan(d*x + c)^2 + 2*
I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) - 3*f^3*polylog(5, (tan(d*x + c)
^2 - 2*I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) - 4*(I*d^3*f^3*x^3 + 3*I*
d^3*e*f^2*x^2 + 3*I*d^3*e^2*f*x + I*d^3*e^3)*dilog(2*((I*a*b - b^2)*tan(d*
x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^2 + b^2
)*tan(d*x + c)^2 + a^2 + b^2) + 1) - 4*(-I*d^3*f^3*x^3 - 3*I*d^3*e*f^2*x^2
- 3*I*d^3*e^2*f*x - I*d^3*e^3)*dilog(2*(-I*a*b - b^2)*tan(d*x + c)^2 - a
^2 + I*a*b + (-I*a^2 - 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x +
c)^2 + a^2 + b^2) + 1) - 4*(-I*d^3*f^3*x^3 - 3*I*d^3*e*f^2*x^2 - 3*I*d^3*
e^2*f*x - I*d^3*e^3)*dilog(2*(I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1
) - 4*(I*d^3*f^3*x^3 + 3*I*d^3*e*f^2*x^2 + 3*I*d^3*e^2*f*x + I*d^3*e^3)*di
log(2*(-I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1) + 4*(d^4*f^3*x^4 + 4
*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x)*log(b*tan(d*x + c) + a) -
2*(d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3
*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(-2*((I*a*b - b^2)*ta
n(d*x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^...
```

Sympy [F]

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \int (e + fx)^3 \log(a + b \tan(c + dx)) dx$$

input `integrate((f*x+e)**3*ln(a+b*tan(d*x+c)),x)`

output `Integral((e + f*x)**3*log(a + b*tan(c + d*x)), x)`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1385 vs. $2(327) = 654$.

Time = 0.32 (sec) , antiderivative size = 1385, normalized size of antiderivative = 3.47

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*tan(d*x+c)),x, algorithm="maxima")`

output

```

1/12*(3*(4*(d*x + c)*e^3 + 6*((d*x + c)^2 - 2*(d*x + c)*c)*e^2*f/d + 4*((d
*x + c)^3 - 3*(d*x + c)^2*c + 3*(d*x + c)*c^2)*e*f^2/d^2 + ((d*x + c)^4 -
4*(d*x + c)^3*c + 6*(d*x + c)^2*c^2 - 4*(d*x + c)*c^3)*f^3/d^3)*log(b*tan(
d*x + c) + a) + (9*f^3*polylog(5, (I*a + b)*e^(2*I*d*x + 2*I*c))/(-I*a + b)
) - 9*f^3*polylog(5, -e^(2*I*d*x + 2*I*c)) + 2*(3*I*(d*x + c)^4*f^3 + 8*(I
*d*e*f^2 - I*c*f^3)*(d*x + c)^3 + 9*(I*d^2*e^2*f - 2*I*c*d*e*f^2 + I*c^2*f
^3)*(d*x + c)^2 + 6*(I*d^3*e^3 - 3*I*c*d^2*e^2*f + 3*I*c^2*d*e*f^2 - I*c^3
*f^3)*(d*x + c))*arctan2((2*a*b*cos(2*d*x + 2*c) - (a^2 - b^2)*sin(2*d*x +
2*c))/(a^2 + b^2), (2*a*b*sin(2*d*x + 2*c) + a^2 + b^2 + (a^2 - b^2)*cos(
2*d*x + 2*c))/(a^2 + b^2)) + 2*(3*I*(d*x + c)^4*f^3 + 8*(I*d*e*f^2 - I*c*f
^3)*(d*x + c)^3 + 9*(I*d^2*e^2*f - 2*I*c*d*e*f^2 + I*c^2*f^3)*(d*x + c)^2
+ 6*(I*d^3*e^3 - 3*I*c*d^2*e^2*f + 3*I*c^2*d*e*f^2 - I*c^3*f^3)*(d*x + c)
)*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1) + 6*(I*d^3*e^3 - 3*I*c*d
^2*e^2*f + 3*I*c^2*d*e*f^2 + 2*I*(d*x + c)^3*f^3 - I*c^3*f^3 + 4*(I*d*e*f^2
- I*c*f^3)*(d*x + c)^2 + 3*(I*d^2*e^2*f - 2*I*c*d*e*f^2 + I*c^2*f^3)*(d*x
+ c))*dilog((I*a + b)*e^(2*I*d*x + 2*I*c))/(-I*a + b)) + 6*(-I*d^3*e^3 + 3
*I*c*d^2*e^2*f - 3*I*c^2*d*e*f^2 - 2*I*(d*x + c)^3*f^3 + I*c^3*f^3 + 4*(-I
*d*e*f^2 + I*c*f^3)*(d*x + c)^2 + 3*(-I*d^2*e^2*f + 2*I*c*d*e*f^2 - I*c^2*
f^3)*(d*x + c))*dilog(-e^(2*I*d*x + 2*I*c)) + (3*(d*x + c)^4*f^3 + 8*(d*e
f^2 - c*f^3)*(d*x + c)^3 + 9*(d^2*e^2*f - 2*c*d*e*f^2 + c^2*f^3)*(d*x + ...

```

Giac [F]

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \int (fx + e)^3 \log(b \tan(dx + c) + a) dx$$

input

```
integrate((f*x+e)^3*log(a+b*tan(d*x+c)),x, algorithm="giac")
```

output

```
integrate((f*x + e)^3*log(b*tan(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \log(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx)) (e + fx)^3 dx$$

input `int(log(a + b*tan(c + d*x))*(e + f*x)^3,x)`

output `int(log(a + b*tan(c + d*x))*(e + f*x)^3, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^3 \log(a + b \tan(c + dx)) dx &= \left(\int \log(\tan(dx + c) b + a) dx \right) e^3 \\ &+ \left(\int \log(\tan(dx + c) b + a) x^3 dx \right) f^3 \\ &+ 3 \left(\int \log(\tan(dx + c) b + a) x^2 dx \right) e f^2 \\ &+ 3 \left(\int \log(\tan(dx + c) b + a) x dx \right) e^2 f \end{aligned}$$

input `int((f*x+e)^3*log(a+b*tan(d*x+c)),x)`

output `int(log(tan(c + d*x)*b + a),x)*e**3 + int(log(tan(c + d*x)*b + a)*x**3,x)*f**3 + 3*int(log(tan(c + d*x)*b + a)*x**2,x)*e*f**2 + 3*int(log(tan(c + d*x)*b + a)*x,x)*e**2*f`

3.22 $\int (e + fx)^2 \log(a + b \tan(c + dx)) dx$

Optimal result	175
Mathematica [B] (warning: unable to verify)	176
Rubi [F]	177
Maple [C] (warning: unable to verify)	179
Fricas [B] (verification not implemented)	179
Sympy [F]	180
Maxima [B] (verification not implemented)	181
Giac [F]	182
Mupad [F(-1)]	182
Reduce [F]	182

Optimal result

Integrand size = 19, antiderivative size = 319

$$\begin{aligned}
 \int (e + fx)^2 \log(a + b \tan(c + dx)) dx = & \frac{(e + fx)^3 \log(1 + e^{2i(c+dx)})}{3f} \\
 & - \frac{(e + fx)^3 \log\left(1 + \frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{3f} \\
 & + \frac{(e + fx)^3 \log(a + b \tan(c + dx))}{3f} \\
 & - \frac{i(e + fx)^2 \text{PolyLog}(2, -e^{2i(c+dx)})}{2d} \\
 & + \frac{i(e + fx)^2 \text{PolyLog}\left(2, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{2d} \\
 & + \frac{f(e + fx) \text{PolyLog}(3, -e^{2i(c+dx)})}{2d^2} \\
 & - \frac{f(e + fx) \text{PolyLog}\left(3, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{2d^2} \\
 & + \frac{if^2 \text{PolyLog}(4, -e^{2i(c+dx)})}{4d^3} \\
 & - \frac{if^2 \text{PolyLog}\left(4, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{4d^3}
 \end{aligned}$$

output

```
1/3*(f*x+e)^3*ln(1+exp(2*I*(d*x+c)))/f-1/3*(f*x+e)^3*ln(1+(a-I*b)*exp(2*I*(d*x+c)))/(a+I*b))/f+1/3*(f*x+e)^3*ln(a+b*tan(d*x+c))/f-1/2*I*(f*x+e)^2*polylog(2,-exp(2*I*(d*x+c)))/d+1/2*I*(f*x+e)^2*polylog(2,-(a-I*b)*exp(2*I*(d*x+c)))/(a+I*b))/d+1/2*f*(f*x+e)*polylog(3,-exp(2*I*(d*x+c)))/d^2-1/2*f*(f*x+e)*polylog(3,-(a-I*b)*exp(2*I*(d*x+c)))/(a+I*b))/d^2+1/4*I*f^2*polylog(4,-exp(2*I*(d*x+c)))/d^3-1/4*I*f^2*polylog(4,-(a-I*b)*exp(2*I*(d*x+c)))/(a+I*b))/d^3
```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1192 vs. $2(319) = 638$.

Time = 10.48 (sec) , antiderivative size = 1192, normalized size of antiderivative = 3.74

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input

```
Integrate[(e + f*x)^2*Log[a + b*Tan[c + d*x]],x]
```

output

```
(x*(3*e^2 + 3*e*f*x + f^2*x^2)*Log[a + b*Tan[c + d*x]])/3 + ((a^2 + b^2)*d
*((12*e^2*x^2)/(I*a + b) + (8*e*f*x^3)/(I*a + b) + (2*f^2*x^4)/(I*a + b) -
(12*e^2*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*x*Log[1 + (a +
I*b)/((a - I*b)*E^((2*I)*(c + d*x)))])/((a^2 + b^2)*d) - (12*e*((-I)*b*(-1
+ E^((2*I)*c)) + a*(1 + E^((2*I)*c)))*f*x^2*Log[1 + (a + I*b)/((a - I*b)*
E^((2*I)*(c + d*x)))])/((a^2 + b^2)*d) - (4*((-I)*b*(-1 + E^((2*I)*c)) + a
*(1 + E^((2*I)*c)))*f^2*x^3*Log[1 + (a + I*b)/((a - I*b)*E^((2*I)*(c + d*x
)))])/((a^2 + b^2)*d) + (6*e^2*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((2*I
)*c)))*PolyLog[2, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))])/((a + I*b)*
(I*a + b)*d^2) + (6*e*(b - b*E^((2*I)*c) - I*a*(1 + E^((2*I)*c)))*f*(2*d*x
*PolyLog[2, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))] - I*PolyLog[3, (-a
- I*b)/((a - I*b)*E^((2*I)*(c + d*x)))])/((a^2 + b^2)*d^3) + (3*(b - b*E
^((2*I)*c) - I*a*(1 + E^((2*I)*c)))*f^2*(2*d^2*x^2*PolyLog[2, (-a - I*b)/
(a - I*b)*E^((2*I)*(c + d*x)))] - (2*I)*d*x*PolyLog[3, (-a - I*b)/((a - I*
b)*E^((2*I)*(c + d*x)))] - PolyLog[4, (-a - I*b)/((a - I*b)*E^((2*I)*(c +
d*x)))])/((a^2 + b^2)*d^4))/((12*((-I)*b*(-1 + E^((2*I)*c)) + a*(1 + E^((
2*I)*c))) + ((I/12)*e*f*(2*d^2*x^2*(2*d*x - (3*I)*(1 + E^((2*I)*c))*Log[1
+ E^((-2*I)*(c + d*x)))] + 6*d*(1 + E^((2*I)*c))*x*PolyLog[2, -E^((-2*I)*
(c + d*x))] - (3*I)*(1 + E^((2*I)*c))*PolyLog[3, -E^((-2*I)*(c + d*x))])*S
ec[c])/((d^2*E^((I*c))) + ((I/24)*E^((I*c))*f^2*((2*d^4*x^4)/E^((2*I)*c) - (...
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 \log(a + b \tan(c + dx)) dx \\
 & \quad \downarrow 3031 \\
 & \frac{(e + fx)^3 \log(a + b \tan(c + dx))}{3f} - \frac{\int \frac{bd(e+fx)^3 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{3f} \\
 & \quad \downarrow 27 \\
 & \frac{(e + fx)^3 \log(a + b \tan(c + dx))}{3f} - \frac{bd \int \frac{(e+fx)^3 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{3f} \\
 & \quad \downarrow 7293
 \end{aligned}$$

$$\frac{(e + fx)^3 \log(a + b \tan(c + dx))}{3f} - \frac{bd \int \left(\frac{\sec^2(c+dx)e^3}{a+b \tan(c+dx)} + \frac{3fx \sec^2(c+dx)e^2}{a+b \tan(c+dx)} + \frac{3f^2 x^2 \sec^2(c+dx)e}{a+b \tan(c+dx)} + \frac{f^3 x^3 \sec^2(c+dx)}{a+b \tan(c+dx)} \right) dx}{3f}$$

↓ 2009

$$\frac{(e + fx)^3 \log(a + b \tan(c + dx))}{3f} - \frac{bd \left(3e^2 f \int \frac{x \sec^2(c+dx)}{a+b \tan(c+dx)} dx + 3ef^2 \int \frac{x^2 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + f^3 \int \frac{x^3 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + \frac{e^3 \log(a+b \tan(c+dx))}{bd} \right)}{3f}$$

input `Int[(e + f*x)^2*Log[a + b*Tan[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 9.73 (sec) , antiderivative size = 5834, normalized size of antiderivative = 18.29

method	result	size
risch	Expression too large to display	5834

input `int((f*x+e)^2*ln(a+b*tan(d*x+c)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1489 vs. $2(259) = 518$.

Time = 0.16 (sec) , antiderivative size = 1489, normalized size of antiderivative = 4.67

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*log(a+b*tan(d*x+c)),x, algorithm="fricas")`

output

```

1/24*(3*I*f^2*polylog(4, ((a^2 + 2*I*a*b - b^2)*tan(d*x + c)^2 - a^2 - 2*I
*a*b + b^2 - 2*(-I*a^2 + 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x
+ c)^2 + a^2 + b^2)) - 3*I*f^2*polylog(4, ((a^2 - 2*I*a*b - b^2)*tan(d*x
+ c)^2 - a^2 + 2*I*a*b + b^2 - 2*(I*a^2 + 2*a*b - I*b^2)*tan(d*x + c))/((a
^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2)) - 3*I*f^2*polylog(4, (tan(d*x + c)^
2 + 2*I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) + 3*I*f^2*polylog(4, (tan(
d*x + c)^2 - 2*I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) - 6*(I*d^2*f^2*x^
2 + 2*I*d^2*e*f*x + I*d^2*e^2)*dilog(2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2
- I*a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)
^2 + a^2 + b^2) + 1) - 6*(-I*d^2*f^2*x^2 - 2*I*d^2*e*f*x - I*d^2*e^2)*dilo
g(2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (-I*a^2 - 2*a*b + I*b^2
)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2) + 1) - 6*(-I*d^2*
f^2*x^2 - 2*I*d^2*e*f*x - I*d^2*e^2)*dilog(2*(I*tan(d*x + c) - 1)/(tan(d*x
+ c)^2 + 1) + 1) - 6*(I*d^2*f^2*x^2 + 2*I*d^2*e*f*x + I*d^2*e^2)*dilog(2*
(-I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1) + 8*(d^3*f^2*x^3 + 3*d^3*e
*f*x^2 + 3*d^3*e^2*x)*log(b*tan(d*x + c) + a) - 4*(d^3*f^2*x^3 + 3*d^3*e*f
*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(-2*((I*a*b -
b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x + c))
/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2)) - 4*(d^3*f^2*x^3 + 3*d^3*e*f*x^
2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(-2*((-I*a*b ...

```

Sympy [F]

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \int (e + fx)^2 \log(a + b \tan(c + dx)) dx$$

input

```
integrate((f*x+e)**2*ln(a+b*tan(d*x+c)),x)
```

output

```
Integral((e + f*x)**2*log(a + b*tan(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 870 vs. $2(259) = 518$.

Time = 0.22 (sec) , antiderivative size = 870, normalized size of antiderivative = 2.73

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*log(a+b*tan(d*x+c)),x, algorithm="maxima")`

output

```
1/18*(6*(3*(d*x + c)*e^2 + 3*((d*x + c)^2 - 2*(d*x + c)*c)*e*f/d + ((d*x +
c)^3 - 3*(d*x + c)^2*c + 3*(d*x + c)*c^2)*f^2/d^2)*log(b*tan(d*x + c) + a
) - (6*I*f^2*polylog(4, (I*a + b)*e^(2*I*d*x + 2*I*c)/(-I*a + b)) - 6*I*f^
2*polylog(4, -e^(2*I*d*x + 2*I*c)) - 2*(4*I*(d*x + c)^3*f^2 + 9*(I*d*e*f -
I*c*f^2)*(d*x + c)^2 + 9*(I*d^2*e^2 - 2*I*c*d*e*f + I*c^2*f^2)*(d*x + c))
*arctan2((2*a*b*cos(2*d*x + 2*c) - (a^2 - b^2)*sin(2*d*x + 2*c))/(a^2 + b^
2), (2*a*b*sin(2*d*x + 2*c) + a^2 + b^2 + (a^2 - b^2)*cos(2*d*x + 2*c))/(a
^2 + b^2)) - 2*(4*I*(d*x + c)^3*f^2 + 9*(I*d*e*f - I*c*f^2)*(d*x + c)^2 +
9*(I*d^2*e^2 - 2*I*c*d*e*f + I*c^2*f^2)*(d*x + c))*arctan2(sin(2*d*x + 2*c
), cos(2*d*x + 2*c) + 1) - 3*(3*I*d^2*e^2 - 6*I*c*d*e*f + 4*I*(d*x + c)^2*
f^2 + 3*I*c^2*f^2 + 6*(I*d*e*f - I*c*f^2)*(d*x + c))*dilog((I*a + b)*e^(2*
I*d*x + 2*I*c)/(-I*a + b)) - 3*(-3*I*d^2*e^2 + 6*I*c*d*e*f - 4*I*(d*x + c)
^2*f^2 - 3*I*c^2*f^2 + 6*(-I*d*e*f + I*c*f^2)*(d*x + c))*dilog(-e^(2*I*d*x
+ 2*I*c)) - (4*(d*x + c)^3*f^2 + 9*(d*e*f - c*f^2)*(d*x + c)^2 + 9*(d^2*e
^2 - 2*c*d*e*f + c^2*f^2)*(d*x + c))*log(cos(2*d*x + 2*c)^2 + sin(2*d*x +
2*c)^2 + 2*cos(2*d*x + 2*c) + 1) + (4*(d*x + c)^3*f^2 + 9*(d*e*f - c*f^2)*
(d*x + c)^2 + 9*(d^2*e^2 - 2*c*d*e*f + c^2*f^2)*(d*x + c))*log(((a^2 + b^2
)*cos(2*d*x + 2*c)^2 + 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*
c)^2 + a^2 + b^2 + 2*(a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) + 3*(3*d*e
*f + 4*(d*x + c)*f^2 - 3*c*f^2)*polylog(3, (I*a + b)*e^(2*I*d*x + 2*I*c...
```

Giac [F]

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \int (fx + e)^2 \log(b \tan(dx + c) + a) dx$$

input `integrate((f*x+e)^2*log(a+b*tan(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)^2*log(b*tan(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \log(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx)) (e + fx)^2 dx$$

input `int(log(a + b*tan(c + d*x))*(e + f*x)^2,x)`

output `int(log(a + b*tan(c + d*x))*(e + f*x)^2, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^2 \log(a + b \tan(c + dx)) dx &= \left(\int \log(\tan(dx + c) b + a) dx \right) e^2 \\ &+ \left(\int \log(\tan(dx + c) b + a) x^2 dx \right) f^2 \\ &+ 2 \left(\int \log(\tan(dx + c) b + a) x dx \right) ef \end{aligned}$$

input `int((f*x+e)^2*log(a+b*tan(d*x+c)),x)`

output `int(log(tan(c + d*x)*b + a),x)*e**2 + int(log(tan(c + d*x)*b + a)*x**2,x)*f**2 + 2*int(log(tan(c + d*x)*b + a)*x,x)*e*f`

3.23 $\int (e + fx) \log(a + b \tan(c + dx)) dx$

Optimal result	183
Mathematica [A] (verified)	184
Rubi [F]	184
Maple [C] (warning: unable to verify)	186
Fricas [B] (verification not implemented)	187
Sympy [F]	188
Maxima [B] (verification not implemented)	188
Giac [F]	189
Mupad [F(-1)]	189
Reduce [F]	190

Optimal result

Integrand size = 17, antiderivative size = 235

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \frac{(e + fx)^2 \log(1 + e^{2i(c+dx)})}{2f} - \frac{(e + fx)^2 \log\left(1 + \frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{2f} + \frac{(e + fx)^2 \log(a + b \tan(c + dx))}{2f} - \frac{i(e + fx) \operatorname{PolyLog}(2, -e^{2i(c+dx)})}{2d} + \frac{i(e + fx) \operatorname{PolyLog}\left(2, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{2d} + \frac{f \operatorname{PolyLog}(3, -e^{2i(c+dx)})}{4d^2} - \frac{f \operatorname{PolyLog}\left(3, -\frac{(a-ib)e^{2i(c+dx)}}{a+ib}\right)}{4d^2}$$

output

```
1/2*(f*x+e)^2*ln(1+exp(2*I*(d*x+c)))/f-1/2*(f*x+e)^2*ln(1+(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/f+1/2*(f*x+e)^2*ln(a+b*tan(d*x+c))/f-1/2*I*(f*x+e)*polylog(2,-exp(2*I*(d*x+c)))/d+1/2*I*(f*x+e)*polylog(2,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d+1/4*f*polylog(3,-exp(2*I*(d*x+c)))/d^2-1/4*f*polylog(3,-(a-I*b)*exp(2*I*(d*x+c))/(a+I*b))/d^2
```


Mathematica [A] (verified)

Time = 2.24 (sec) , antiderivative size = 340, normalized size of antiderivative = 1.45

$$\int (e + fx) \log(a + b \tan(c + dx)) dx$$

$$= \frac{2d^2 fx^2 \log(1 + e^{-2i(c+dx)}) - 2d^2 fx^2 \log\left(1 + \frac{(a+ib)e^{-2i(c+dx)}}{a-ib}\right) + 2d^2 fx^2 \log(a + b \tan(c + dx)) - 2ide \log}{}$$

input

```
Integrate[(e + f*x)*Log[a + b*Tan[c + d*x]],x]
```

output

```
(2*d^2*f*x^2*Log[1 + E^((-2*I)*(c + d*x))] - 2*d^2*f*x^2*Log[1 + (a + I*b)
/((a - I*b)*E^((2*I)*(c + d*x)))] + 2*d^2*f*x^2*Log[a + b*Tan[c + d*x]] -
(2*I)*d*e*Log[-((b*(-I + Tan[c + d*x]))/(a + I*b))]*Log[a + b*Tan[c + d*x]]
] + (2*I)*d*e*Log[-((b*(I + Tan[c + d*x]))/(a - I*b))]*Log[a + b*Tan[c + d
*x]] + (2*I)*d*f*x*PolyLog[2, -E^((-2*I)*(c + d*x))] - (2*I)*d*f*x*PolyLog
[2, (-a - I*b)/((a - I*b)*E^((2*I)*(c + d*x)))] + (2*I)*d*e*PolyLog[2, (a
+ b*Tan[c + d*x])/(a - I*b)] - (2*I)*d*e*PolyLog[2, (a + b*Tan[c + d*x])/(
a + I*b)] + f*PolyLog[3, -E^((-2*I)*(c + d*x))] - f*PolyLog[3, (-a - I*b)/
((a - I*b)*E^((2*I)*(c + d*x)))]/(4*d^2)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \log(a + b \tan(c + dx)) dx$$

$$\downarrow 3031$$

$$\frac{(e + fx)^2 \log(a + b \tan(c + dx))}{2f} - \frac{\int \frac{bd(e+fx)^2 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{2f}$$

$$\downarrow 27$$

$$\frac{(e + fx)^2 \log(a + b \tan(c + dx))}{2f} - \frac{bd \int \frac{(e+fx)^2 \sec^2(c+dx)}{a+b \tan(c+dx)} dx}{2f}$$

$$\begin{array}{c}
 \downarrow 7293 \\
 \frac{(e + fx)^2 \log(a + b \tan(c + dx))}{2f} - \frac{bd \int \left(\frac{e^2 \sec^2(c+dx)}{a+b \tan(c+dx)} + \frac{f^2 x^2 \sec^2(c+dx)}{a+b \tan(c+dx)} + \frac{2efx \sec^2(c+dx)}{a+b \tan(c+dx)} \right) dx}{2f} \\
 \downarrow 2009 \\
 \frac{(e + fx)^2 \log(a + b \tan(c + dx))}{2f} - \\
 \frac{bd \left(2ef \int \frac{x \sec^2(c+dx)}{a+b \tan(c+dx)} dx + f^2 \int \frac{x^2 \sec^2(c+dx)}{a+b \tan(c+dx)} dx + \frac{e^2 \log(a+b \tan(c+dx))}{bd} \right)}{2f}
 \end{array}$$

input `Int[(e + f*x)*Log[a + b*Tan[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_*((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) *(Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 8.98 (sec) , antiderivative size = 3464, normalized size of antiderivative = 14.74

method	result	size
risch	Expression too large to display	3464

input `int((f*x+e)*ln(a+b*tan(d*x+c)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & I^2 f/d^2 c \operatorname{dilog}(1+I \exp(I(d*x+c))) + I^2 f/d^2 c \operatorname{dilog}(1-I \exp(I(d*x+c))) - 1/ \\ & 2/d^2 f*b/(I*b-a) \operatorname{polylog}(2, (I*b-a) \exp(2*I(d*x+c))/(a+I*b)) * x - 1/2/d^2 f*b/ \\ & (I*b-a) \operatorname{polylog}(2, (I*b-a) \exp(2*I(d*x+c))/(a+I*b)) * c - 1/d^2 a*f*c^2/(I*b-a) \\ &) * \ln((I \exp(I(d*x+c)) * b - a \exp(I(d*x+c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I*b-a) \\ &) * (a+I*b))^{1/2}) - 1/d^2 a*f*c^2/(I*b-a) * \ln((-I \exp(I(d*x+c)) * b + a \exp(I(d \\ & *x+c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I*b-a)*(a+I*b))^{1/2}) + 1/d^2 b*c*f/(I*b- \\ & a) * \operatorname{dilog}((I \exp(I(d*x+c)) * b - a \exp(I(d*x+c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I \\ & *b-a)*(a+I*b))^{1/2}) + 1/d^2 b*c*f/(I*b-a) * \operatorname{dilog}(-I \exp(I(d*x+c)) * b - a \exp \\ & (I(d*x+c)) - ((I*b-a)*(a+I*b))^{1/2}) / ((I*b-a)*(a+I*b))^{1/2}) + 1/d^2 e*a/(I*b \\ & -a) * \ln((I \exp(I(d*x+c)) * b - a \exp(I(d*x+c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I*b \\ & -a)*(a+I*b))^{1/2}) * c + 1/d^2 e*a/(I*b-a) * \ln((-I \exp(I(d*x+c)) * b + a \exp(I(d*x \\ & +c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I*b-a)*(a+I*b))^{1/2}) * c + 1/2/d^2 a*f*c^2/(\\ & I*b-a) * \ln(I*b \exp(2*I(d*x+c)) - I*b - a \exp(2*I(d*x+c)) - a) + 1/2/d^2 a*f/(I*b- \\ & a) * \ln(1 - (I*b-a) \exp(2*I(d*x+c))/(a+I*b)) * c^2 - 1/d^2 a*e*c/(I*b-a) * \ln(I*b \exp \\ & (2*I(d*x+c)) - I*b - a \exp(2*I(d*x+c)) - a) - 1/4*I/d^2 f*b/(I*b-a) * \operatorname{polylog}(3, (I \\ & *b-a) \exp(2*I(d*x+c))/(a+I*b)) - I/d^2 e*a/(I*b-a) * \operatorname{dilog}((I \exp(I(d*x+c)) * b - \\ & a \exp(I(d*x+c))) + ((I*b-a)*(a+I*b))^{1/2}) / ((I*b-a)*(a+I*b))^{1/2}) - I/d^2 e*a \\ & / (I*b-a) * \operatorname{dilog}(-I \exp(I(d*x+c)) * b - a \exp(I(d*x+c)) - ((I*b-a)*(a+I*b))^{1/2} \\ &) / ((I*b-a)*(a+I*b))^{1/2}) - 1/2*I*f*b/(I*b-a) * \ln(1 - (I*b-a) \exp(2*I(d*x+c) \\ &)) / (a+I*b)) * x^2 - I*e*b/(I*b-a) * \ln((I \exp(I(d*x+c)) * b - a \exp(I(d*x+c))) + (... \end{aligned}$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 995 vs. $2(197) = 394$.

Time = 0.12 (sec) , antiderivative size = 995, normalized size of antiderivative = 4.23

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)*log(a+b*tan(d*x+c)),x, algorithm="fricas")`

output

```
-1/8*(2*(I*d*f*x + I*d*e)*dilog(2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2 - I*
a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 +
a^2 + b^2) + 1) + 2*(-I*d*f*x - I*d*e)*dilog(2*((-I*a*b - b^2)*tan(d*x + c
)^2 - a^2 + I*a*b + (-I*a^2 - 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*ta
n(d*x + c)^2 + a^2 + b^2) + 1) + 2*(-I*d*f*x - I*d*e)*dilog(2*(I*tan(d*x +
c) - 1)/(tan(d*x + c)^2 + 1) + 1) + 2*(I*d*f*x + I*d*e)*dilog(2*(-I*tan(d
*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1) - 4*(d^2*f*x^2 + 2*d^2*e*x)*log(b*t
an(d*x + c) + a) + 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-2*((I*
a*b - b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I*b^2)*tan(d*x
+ c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2)) + 2*(d^2*f*x^2 + 2*d^2*e*x
+ 2*c*d*e - c^2*f)*log(-2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b +
(-I*a^2 - 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 +
b^2)) - 2*(2*c*d*e - c^2*f)*log(((I*a*b + b^2)*tan(d*x + c)^2 - a^2 + I*a
*b + (I*a^2 + I*b^2)*tan(d*x + c))/(tan(d*x + c)^2 + 1)) - 2*(2*c*d*e - c^
2*f)*log(((I*a*b - b^2)*tan(d*x + c)^2 + a^2 + I*a*b + (I*a^2 + I*b^2)*tan
(d*x + c))/(tan(d*x + c)^2 + 1)) - 2*(d^2*f*x^2 + 2*d^2*e*x)*log(-2*(I*tan
(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) - 2*(d^2*f*x^2 + 2*d^2*e*x)*log(-2*(-
I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1)) + f*polylog(3, ((a^2 + 2*I*a*b -
b^2)*tan(d*x + c)^2 - a^2 - 2*I*a*b + b^2 - 2*(-I*a^2 + 2*a*b + I*b^2)*ta
n(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2)) + f*polylog(3, ((...
```

Sympy [F]

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \int (e + fx) \log(a + b \tan(c + dx)) dx$$

input `integrate((f*x+e)*ln(a+b*tan(d*x+c)),x)`

output `Integral((e + f*x)*log(a + b*tan(c + d*x)), x)`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 520 vs. $2(197) = 394$.

Time = 0.18 (sec) , antiderivative size = 520, normalized size of antiderivative = 2.21

$$\int (e + fx) \log(a + b \tan(c + dx)) dx$$

$$= \frac{2 \left(2(dx + c)e + \frac{((dx+c)^2 - 2(dx+c)c)f}{d} \right) \log(b \tan(dx + c) + a) + \frac{2 \left(i(dx+c)^2 f + 2(i de - i cf)(dx+c) \right) \arctan\left(\frac{2ab \cos(2c)}{\dots}\right)}{\dots}}{\dots}$$

input `integrate((f*x+e)*log(a+b*tan(d*x+c)),x, algorithm="maxima")`

output

```

1/4*(2*(2*(d*x + c)*e + ((d*x + c)^2 - 2*(d*x + c)*c)*f/d)*log(b*tan(d*x +
c) + a) + (2*(I*(d*x + c)^2*f + 2*(I*d*e - I*c*f)*(d*x + c))*arctan2((2*a
*b*cos(2*d*x + 2*c) - (a^2 - b^2)*sin(2*d*x + 2*c))/(a^2 + b^2), (2*a*b*si
n(2*d*x + 2*c) + a^2 + b^2 + (a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) +
2*(I*(d*x + c)^2*f + 2*(I*d*e - I*c*f)*(d*x + c))*arctan2(sin(2*d*x + 2*c)
, cos(2*d*x + 2*c) + 1) + 2*(I*d*e + I*(d*x + c)*f - I*c*f)*dilog((I*a + b
)*e^(2*I*d*x + 2*I*c)/(-I*a + b)) + 2*(-I*d*e - I*(d*x + c)*f + I*c*f)*dil
og(-e^(2*I*d*x + 2*I*c)) + ((d*x + c)^2*f + 2*(d*e - c*f)*(d*x + c))*log(c
os(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1) - ((d*x +
c)^2*f + 2*(d*e - c*f)*(d*x + c))*log(((a^2 + b^2)*cos(2*d*x + 2*c)^2 + 4
*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2 + b^2 + 2*(a^
2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) - f*polylog(3, (I*a + b)*e^(2*I*d*
x + 2*I*c)/(-I*a + b)) + f*polylog(3, -e^(2*I*d*x + 2*I*c)))/d/d

```

Giac [F]

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \int (fx + e) \log(b \tan(dx + c) + a) dx$$

input

```
integrate((f*x+e)*log(a+b*tan(d*x+c)),x, algorithm="giac")
```

output

```
integrate((f*x + e)*log(b*tan(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx)) (e + fx) dx$$

input

```
int(log(a + b*tan(c + d*x))*(e + f*x),x)
```

output

```
int(log(a + b*tan(c + d*x))*(e + f*x), x)
```

Reduce [F]

$$\int (e + fx) \log(a + b \tan(c + dx)) dx = \left(\int \log(\tan(dx + c) b + a) dx \right) e + \left(\int \log(\tan(dx + c) b + a) x dx \right) f$$

input `int((f*x+e)*log(a+b*tan(d*x+c)),x)`

output `int(log(tan(c + d*x)*b + a),x)*e + int(log(tan(c + d*x)*b + a)*x,x)*f`

3.24 $\int \log(a + b \tan(c + dx)) dx$

Optimal result	191
Mathematica [A] (verified)	192
Rubi [F]	192
Maple [A] (verified)	193
Fricas [B] (verification not implemented)	194
Sympy [F]	195
Maxima [A] (verification not implemented)	195
Giac [F]	195
Mupad [F(-1)]	196
Reduce [F]	196

Optimal result

Integrand size = 11, antiderivative size = 150

$$\int \log(a + b \tan(c + dx)) dx = -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log(a + b \tan(c + dx))}{2d} + \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log(a + b \tan(c + dx))}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d}$$

output

```
-1/2*I*ln(b*(I-tan(d*x+c))/(a+I*b))*ln(a+b*tan(d*x+c))/d+1/2*I*ln(-b*(I+tan(d*x+c))/(a-I*b))*ln(a+b*tan(d*x+c))/d+1/2*I*polylog(2,(a+b*tan(d*x+c))/(a-I*b))/d-1/2*I*polylog(2,(a+b*tan(d*x+c))/(a+I*b))/d
```


Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 150, normalized size of antiderivative = 1.00

$$\int \log(a + b \tan(c + dx)) dx = -\frac{i \log\left(\frac{b(i - \tan(c + dx))}{a + ib}\right) \log(a + b \tan(c + dx))}{2d}$$

$$+ \frac{i \log\left(-\frac{b(i + \tan(c + dx))}{a - ib}\right) \log(a + b \tan(c + dx))}{2d}$$

$$+ \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a - ib}\right)}{2d}$$

$$- \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \tan(c + dx)}{a + ib}\right)}{2d}$$

input `Integrate[Log[a + b*Tan[c + d*x]],x]`output `((-1/2*I)*Log[(b*(I - Tan[c + d*x]))/(a + I*b)]*Log[a + b*Tan[c + d*x]]/d + ((I/2)*Log[-(b*(I + Tan[c + d*x]))/(a - I*b)]*Log[a + b*Tan[c + d*x]]/d + ((I/2)*PolyLog[2, (a + b*Tan[c + d*x])/(a - I*b)]/d - ((I/2)*PolyLog[2, (a + b*Tan[c + d*x])/(a + I*b)]/d)`**Rubi [F]**

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \tan(c + dx)) dx$$

$$\downarrow 3028$$

$$x \log(a + b \tan(c + dx)) - \int \frac{bdx \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

$$\downarrow 27$$

$$x \log(a + b \tan(c + dx)) - bd \int \frac{x \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

↓ 7299

$$x \log(a + b \tan(c + dx)) - bd \int \frac{x \sec^2(c + dx)}{a + b \tan(c + dx)} dx$$

input `Int[Log[a + b*Tan[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 8.65 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.89

method	result
derivativedivides	$b \left(-\frac{i \ln(a + b \tan(dx + c)) \left(\ln\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \ln\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \operatorname{dilog}\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} \right) / d$
default	$b \left(-\frac{i \ln(a + b \tan(dx + c)) \left(\ln\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \ln\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib - b \tan(dx + c)}{ib + a}\right) - \operatorname{dilog}\left(\frac{ib + b \tan(dx + c)}{ib - a}\right) \right)}{2b} \right) / d$
risch	Expression too large to display

input `int(ln(a+b*tan(d*x+c)),x,method=_RETURNVERBOSE)`

output

```
1/d*b*(-1/2*I*ln(a+b*tan(d*x+c))*(ln((I*b-b*tan(d*x+c))/(a+I*b))-ln((I*b+b
*tan(d*x+c))/(I*b-a)))/b-1/2*I*(dilog((I*b-b*tan(d*x+c))/(a+I*b))-dilog((I
*b+b*tan(d*x+c))/(I*b-a)))/b)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 599 vs. $2(119) = 238$.

Time = 0.11 (sec) , antiderivative size = 599, normalized size of antiderivative = 3.99

$$\int \log(a + b \tan(c + dx)) dx = \text{Too large to display}$$

input

```
integrate(log(a+b*tan(d*x+c)),x, algorithm="fricas")
```

output

```
1/4*(4*d*x*log(b*tan(d*x + c) + a) + 2*d*x*log(-2*(I*tan(d*x + c) - 1)/(ta
n(d*x + c)^2 + 1)) + 2*d*x*log(-2*(-I*tan(d*x + c) - 1)/(tan(d*x + c)^2 +
1)) - 2*(d*x + c)*log(-2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*
a^2 - 2*a*b - I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2
)) - 2*(d*x + c)*log(-2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (-I
*a^2 - 2*a*b + I*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^
2)) + 2*c*log(((I*a*b + b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (I*a^2 + I*b^2
)*tan(d*x + c))/(tan(d*x + c)^2 + 1)) + 2*c*log(((I*a*b - b^2)*tan(d*x + c
)^2 + a^2 + I*a*b + (I*a^2 + I*b^2)*tan(d*x + c))/(tan(d*x + c)^2 + 1)) -
I*dilog(2*((I*a*b - b^2)*tan(d*x + c)^2 - a^2 - I*a*b + (I*a^2 - 2*a*b - I
*b^2)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2) + 1) + I*dilo
g(2*((-I*a*b - b^2)*tan(d*x + c)^2 - a^2 + I*a*b + (-I*a^2 - 2*a*b + I*b^2
)*tan(d*x + c))/((a^2 + b^2)*tan(d*x + c)^2 + a^2 + b^2) + 1) + I*dilog(2*
(I*tan(d*x + c) - 1)/(tan(d*x + c)^2 + 1) + 1) - I*dilog(2*(-I*tan(d*x + c
) - 1)/(tan(d*x + c)^2 + 1) + 1))/d
```

Sympy [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(a + b \tan(c + dx)) dx$$

input `integrate(ln(a+b*tan(d*x+c)),x)`

output `Integral(log(a + b*tan(c + d*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.17

$$\int \log(a + b \tan(c + dx)) dx$$

$$= \frac{2(dx + c) \log(b \tan(dx + c) + a) + \arctan\left(\frac{b^2 \tan(dx+c)+ab}{a^2+b^2}, \frac{ab \tan(dx+c)+a^2}{a^2+b^2}\right) \log(\tan(dx + c)^2 + 1) - (dx}{2d}$$

input `integrate(log(a+b*tan(d*x+c)),x, algorithm="maxima")`

output `1/2*(2*(d*x + c)*log(b*tan(d*x + c) + a) + arctan2((b^2*tan(d*x + c) + a*b)/(a^2 + b^2), (a*b*tan(d*x + c) + a^2)/(a^2 + b^2))*log(tan(d*x + c)^2 + 1) - (d*x + c)*log((b^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + a^2)/(a^2 + b^2)) - I*dilog(-(I*b*tan(d*x + c) - b)/(I*a + b)) + I*dilog((I*b*tan(d*x + c) + b)/(-I*a + b)))/d`

Giac [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(b \tan(dx + c) + a) dx$$

input `integrate(log(a+b*tan(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*tan(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \tan(c + dx)) dx = \int \ln(a + b \tan(c + dx)) dx$$

input `int(log(a + b*tan(c + d*x)),x)`

output `int(log(a + b*tan(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \tan(c + dx)) dx = \int \log(\tan(dx + c) b + a) dx$$

input `int(log(a+b*tan(d*x+c)),x)`

output `int(log(tan(c + d*x)*b + a),x)`

3.25 $\int \frac{\log(a+b \tan(c+dx))}{e+fx} dx$

Optimal result	197
Mathematica [N/A]	197
Rubi [N/A]	198
Maple [N/A]	198
Fricas [N/A]	199
Sympy [N/A]	199
Maxima [N/A]	200
Giac [N/A]	200
Mupad [N/A]	200
Reduce [N/A]	201

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \text{Int}\left(\frac{\log(a + b \tan(c + dx))}{e + fx}, x\right)$$

output `Defer(Int)(ln(a+b*tan(d*x+c))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 11.31 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(a + b \tan(c + dx))}{e + fx} dx$$

input `Integrate[Log[a + b*Tan[c + d*x]]/(e + f*x), x]`

output `Integrate[Log[a + b*Tan[c + d*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.43 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx$$

input `Int[Log[a + b*Tan[c + d*x]]/(e + f*x),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.69 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \tan(dx + c))}{fx + e} dx$$

input `int(ln(a+b*tan(d*x+c))/(f*x+e),x)`

output `int(ln(a+b*tan(d*x+c))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(b \tan(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tan(d*x+c))/(f*x+e),x, algorithm="fricas")`

output `integral(log(b*tan(d*x + c) + a)/(f*x + e), x)`

Sympy [N/A]

Not integrable

Time = 0.47 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(a + b \tan(c + dx))}{e + fx} dx$$

input `integrate(ln(a+b*tan(d*x+c))/(f*x+e),x)`

output `Integral(log(a + b*tan(c + d*x))/(e + f*x), x)`

Maxima [N/A]

Not integrable

Time = 1.85 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(b \tan(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tan(d*x+c))/(f*x+e),x, algorithm="maxima")`

output `integrate(log(b*tan(d*x + c) + a)/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 0.46 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(b \tan(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tan(d*x+c))/(f*x+e),x, algorithm="giac")`

output `integrate(log(b*tan(d*x + c) + a)/(f*x + e), x)`

Mupad [N/A]

Not integrable

Time = 26.07 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\ln(a + b \tan(c + dx))}{e + fx} dx$$

input `int(log(a + b*tan(c + d*x))/(e + f*x),x)`

output `int(log(a + b*tan(c + d*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{e + fx} dx = \int \frac{\log(\tan(dx + c)b + a)}{fx + e} dx$$

input `int(log(a+b*tan(d*x+c))/(f*x+e),x)`

output `int(log(tan(c + d*x)*b + a)/(e + f*x),x)`

3.26 $\int \frac{\log(a+b \tan(c+dx))}{(e+fx)^2} dx$

Optimal result	202
Mathematica [N/A]	202
Rubi [N/A]	203
Maple [N/A]	204
Fricas [N/A]	204
Sympy [N/A]	205
Maxima [N/A]	205
Giac [N/A]	206
Mupad [N/A]	206
Reduce [N/A]	207

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \text{Int}\left(\frac{\log(a + b \tan(c + dx))}{(e + fx)^2}, x\right)$$

output `Defer(Int)(ln(a+b*tan(d*x+c))/(f*x+e)^2,x)`

Mathematica [N/A]

Not integrable

Time = 66.85 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx$$

input `Integrate[Log[a + b*Tan[c + d*x]]/(e + f*x)^2,x]`

output `Integrate[Log[a + b*Tan[c + d*x]]/(e + f*x)^2, x]`

Rubi [N/A]

Not integrable

Time = 1.10 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {3031, 27, 7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx$$

$$\downarrow \text{3031}$$

$$\frac{\int \frac{bd \sec^2(c+dx)}{(e+fx)(a+b \tan(c+dx))} dx}{f} - \frac{\log(a + b \tan(c + dx))}{f(e + fx)}$$

$$\downarrow \text{27}$$

$$\frac{bd \int \frac{\sec^2(c+dx)}{(e+fx)(a+b \tan(c+dx))} dx}{f} - \frac{\log(a + b \tan(c + dx))}{f(e + fx)}$$

$$\downarrow \text{7299}$$

$$\frac{bd \int \frac{\sec^2(c+dx)}{(e+fx)(a+b \tan(c+dx))} dx}{f} - \frac{\log(a + b \tan(c + dx))}{f(e + fx)}$$

input `Int[Log[a + b*Tan[c + d*x]]/(e + f*x)^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F x_), x_Symbol] := Simp[a Int[F x, x], x] /; FreeQ[a, x] && !MatchQ[F x, (b_)*(G x_) /; FreeQ[b, x]]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 6.16 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \tan(dx + c))}{(fx + e)^2} dx$$

input `int(ln(a+b*tan(d*x+c))/(f*x+e)^2,x)`

output `int(ln(a+b*tan(d*x+c))/(f*x+e)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tan(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*tan(d*x+c))/(f*x+e)^2,x, algorithm="fricas")`

output `integral(log(b*tan(d*x + c) + a)/(f^2*x^2 + 2*e*f*x + e^2), x)`

Sympy [N/A]

Not integrable

Time = 9.25 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx$$

input `integrate(ln(a+b*tan(d*x+c))/(f*x+e)**2,x)`

output `Integral(log(a + b*tan(c + d*x))/(e + f*x)**2, x)`

Maxima [N/A]

Not integrable

Time = 1.34 (sec) , antiderivative size = 631, normalized size of antiderivative = 33.21

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tan(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*tan(d*x+c))/(f*x+e)^2,x, algorithm="maxima")`

output

```

1/2*(4*(b*d*f^2*x + b*d*e*f)*integrate((a*cos(2*d*x + 2*c) + b*sin(2*d*x +
2*c) + a)/((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f + ((a^2 + b^2)*f^2*x + (a^
2 + b^2)*e*f)*cos(2*d*x + 2*c)^2 + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)*s
in(2*d*x + 2*c)^2 + 2*((a^2 - b^2)*f^2*x + (a^2 - b^2)*e*f)*cos(2*d*x + 2*
c) + 4*(a*b*f^2*x + a*b*e*f)*sin(2*d*x + 2*c)), x) - 4*(a*d*f^2*x + a*d*e*
f)*integrate(-(b*cos(2*d*x + 2*c) - a*sin(2*d*x + 2*c) - b)/((a^2 + b^2)*f
^2*x + (a^2 + b^2)*e*f + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)*cos(2*d*x +
2*c)^2 + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)*sin(2*d*x + 2*c)^2 + 2*((a
^2 - b^2)*f^2*x + (a^2 - b^2)*e*f)*cos(2*d*x + 2*c) + 4*(a*b*f^2*x + a*b*e
*f)*sin(2*d*x + 2*c)), x) + 4*(d*f^2*x + d*e*f)*integrate(sin(2*d*x + 2*c)
/(f^2*x + (f^2*x + e*f)*cos(2*d*x + 2*c)^2 + (f^2*x + e*f)*sin(2*d*x + 2*c
)^2 + e*f + 2*(f^2*x + e*f)*cos(2*d*x + 2*c)), x) - log((a^2 + b^2)*cos(2*
d*x + 2*c)^2 + 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a
^2 + b^2 + 2*(a^2 - b^2)*cos(2*d*x + 2*c)) + log(cos(2*d*x + 2*c)^2 + sin(
2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/(f^2*x + e*f)

```

Giac [N/A]

Not integrable

Time = 16.18 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tan(dx + c) + a)}{(fx + e)^2} dx$$

input

```
integrate(log(a+b*tan(d*x+c))/(f*x+e)^2,x, algorithm="giac")
```

output

```
integrate(log(b*tan(d*x + c) + a)/(f*x + e)^2, x)
```

Mupad [N/A]

Not integrable

Time = 26.24 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\ln(a + b \tan(c + dx))}{(e + fx)^2} dx$$

input `int(log(a + b*tan(c + d*x))/(e + f*x)^2,x)`

output `int(log(a + b*tan(c + d*x))/(e + f*x)^2, x)`

Reduce [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \tan(c + dx))}{(e + fx)^2} dx = \int \frac{\log(\tan(dx + c) b + a)}{f^2 x^2 + 2efx + e^2} dx$$

input `int(log(a+b*tan(d*x+c))/(f*x+e)^2,x)`

output `int(log(tan(c + d*x)*b + a)/(e**2 + 2*e*f*x + f**2*x**2),x)`

3.27 $\int (e + fx)^3 \log(a + b \cot(c + dx)) dx$

Optimal result	209
Mathematica [B] (warning: unable to verify)	210
Rubi [F]	211
Maple [C] (warning: unable to verify)	212
Fricas [B] (verification not implemented)	213
Sympy [F]	214
Maxima [B] (verification not implemented)	214
Giac [F]	215
Mupad [F(-1)]	216
Reduce [F]	216

Optimal result

Integrand size = 19, antiderivative size = 390

$$\begin{aligned}
 \int (e + fx)^3 \log(a + b \cot(c + dx)) dx = & \frac{(e + fx)^4 \log(1 - e^{-2i(c+dx)})}{4f} \\
 & - \frac{(e + fx)^4 \log\left(1 - \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{4f} \\
 & + \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f} \\
 & + \frac{i(e + fx)^3 \operatorname{PolyLog}(2, e^{-2i(c+dx)})}{2d} \\
 & - \frac{i(e + fx)^3 \operatorname{PolyLog}\left(2, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{2d} \\
 & + \frac{3f(e + fx)^2 \operatorname{PolyLog}(3, e^{-2i(c+dx)})}{4d^2} \\
 & - \frac{3f(e + fx)^2 \operatorname{PolyLog}\left(3, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{4d^2} \\
 & - \frac{3if^2(e + fx) \operatorname{PolyLog}(4, e^{-2i(c+dx)})}{4d^3} \\
 & + \frac{3if^2(e + fx) \operatorname{PolyLog}\left(4, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{4d^3} \\
 & - \frac{3f^3 \operatorname{PolyLog}(5, e^{-2i(c+dx)})}{8d^4} \\
 & + \frac{3f^3 \operatorname{PolyLog}\left(5, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{8d^4}
 \end{aligned}$$

output

```

1/4*(f*x+e)^4*ln(1-exp(-2*I*(d*x+c)))/f-1/4*(f*x+e)^4*ln(1-(a-I*b)/(a+I*b)
/exp(2*I*(d*x+c)))/f+1/4*(f*x+e)^4*ln(a+b*cot(d*x+c))/f+1/2*I*(f*x+e)^3*po
lylog(2,exp(-2*I*(d*x+c)))/d-1/2*I*(f*x+e)^3*polylog(2,(a-I*b)/(a+I*b)/exp
(2*I*(d*x+c)))/d+3/4*f*(f*x+e)^2*polylog(3,exp(-2*I*(d*x+c)))/d^2-3/4*f*(f
*x+e)^2*polylog(3,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/d^2-3/4*I*f^2*(f*x+e)*
polylog(4,exp(-2*I*(d*x+c)))/d^3+3/4*I*f^2*(f*x+e)*polylog(4,(a-I*b)/(a+I*
b)/exp(2*I*(d*x+c)))/d^3-3/8*f^3*polylog(5,exp(-2*I*(d*x+c)))/d^4+3/8*f^3*
polylog(5,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/d^4

```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 2120 vs. $2(390) = 780$.

Time = 14.73 (sec) , antiderivative size = 2120, normalized size of antiderivative = 5.44

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \text{Result too large to show}$$

input

```
Integrate[(e + f*x)^3*Log[a + b*Cot[c + d*x]],x]
```

output

```
(x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*Log[a + b*Cot[c + d*x]])/4
- (e^2*E^(I*c)*f*Csc[c]*((2*d^3*x^3)/E^((2*I)*c) + (3*I)*d^2*(1 - E^((-2*I)*c)))*x^2*Log[1 - E^((-I)*(c + d*x))] + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 + E^((-I)*(c + d*x))] - 6*d*(1 - E^((-2*I)*c))*x*PolyLog[2, -E^((-I)*(c + d*x))] - 6*d*(1 - E^((-2*I)*c))*x*PolyLog[2, E^((-I)*(c + d*x))] + (6*I)*(1 - E^((-2*I)*c))*PolyLog[3, -E^((-I)*(c + d*x))] + (6*I)*(1 - E^((-2*I)*c))*PolyLog[3, E^((-I)*(c + d*x)))]/(4*d^2) - (e*E^(I*c)*f^2*Csc[c]*(d^4*x^4)/E^((2*I)*c) + (2*I)*d^3*(1 - E^((-2*I)*c))*x^3*Log[1 - E^((-I)*(c + d*x))] + (2*I)*d^3*(1 - E^((-2*I)*c))*x^3*Log[1 + E^((-I)*(c + d*x))] - 6*d^2*(1 - E^((-2*I)*c))*x^2*PolyLog[2, -E^((-I)*(c + d*x))] - 6*d^2*(1 - E^((-2*I)*c))*x^2*PolyLog[2, E^((-I)*(c + d*x))] + (12*I)*d*(1 - E^((-2*I)*c))*x*PolyLog[3, -E^((-I)*(c + d*x))] + (12*I)*d*(1 - E^((-2*I)*c))*x*PolyLog[3, E^((-I)*(c + d*x))] + 12*(1 - E^((-2*I)*c))*PolyLog[4, -E^((-I)*(c + d*x))] + 12*(1 - E^((-2*I)*c))*PolyLog[4, E^((-I)*(c + d*x)))]/(4*d^3) - (E^(I*c)*f^3*Csc[c]*((2*d^5*x^5)/E^((2*I)*c) + (5*I)*d^4*(1 - E^((-2*I)*c))*x^4*Log[1 - E^((-I)*(c + d*x))] + (5*I)*d^4*(1 - E^((-2*I)*c))*x^4*Log[1 + E^((-I)*(c + d*x))] - 20*d^3*(1 - E^((-2*I)*c))*x^3*PolyLog[2, -E^((-I)*(c + d*x))] - 20*d^3*(1 - E^((-2*I)*c))*x^3*PolyLog[2, E^((-I)*(c + d*x))] + (60*I)*d^2*(1 - E^((-2*I)*c))*x^2*PolyLog[3, -E^((-I)*(c + d*x))] + (60*I)*d^2*(1 - E^((-2*I)*c))*x^2*PolyLog[3, E^((-I)*(c + d*x))] + 1...
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \log(a + b \cot(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f} - \frac{\int -\frac{bd(e+fx)^4 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{bd(e+fx)^4 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{4f} + \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f} \\
 & \quad \downarrow \text{27} \\
 & \frac{bd \int \frac{(e+fx)^4 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{4f} + \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{bd \int \left(\frac{\csc^2(c+dx)e^4}{a+b \cot(c+dx)} + \frac{4fx \csc^2(c+dx)e^3}{a+b \cot(c+dx)} + \frac{6f^2 x^2 \csc^2(c+dx)e^2}{a+b \cot(c+dx)} + \frac{4f^3 x^3 \csc^2(c+dx)e}{a+b \cot(c+dx)} + \frac{f^4 x^4 \csc^2(c+dx)}{a+b \cot(c+dx)} \right) dx}{4f} + \\
 & \quad \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{bd \left(4e^3 f \int \frac{x \csc^2(c+dx)}{a+b \cot(c+dx)} dx + 6e^2 f^2 \int \frac{x^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx + 4ef^3 \int \frac{x^3 \csc^2(c+dx)}{a+b \cot(c+dx)} dx + f^4 \int \frac{x^4 \csc^2(c+dx)}{a+b \cot(c+dx)} dx - \frac{e^4 \log(a+b \cot(c+dx))}{bd} \right)}{4f} + \\
 & \quad \frac{(e + fx)^4 \log(a + b \cot(c + dx))}{4f}
 \end{aligned}$$

input

```
Int[(e + f*x)^3*Log[a + b*Cot[c + d*x]],x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 12.59 (sec) , antiderivative size = 8174, normalized size of antiderivative = 20.96

method	result	size
risch	Expression too large to display	8174

input `int((f*x+e)^3*ln(a+b*cot(d*x+c)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2019 vs. $2(318) = 636$.

Time = 0.20 (sec) , antiderivative size = 2019, normalized size of antiderivative = 5.18

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*cot(d*x+c)),x, algorithm="fricas")`

output

```
1/16*(3*f^3*polylog(5, ((a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 -
2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) + 3*f^3*polylog(5, ((a^2 - 2
*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 - 2*a*b + I*b^2)*sin(2*d*x + 2*c)
)/(a^2 + b^2)) - 3*f^3*polylog(5, cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) -
3*f^3*polylog(5, cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)) - 4*(-I*d^3*f^3*x
^3 - 3*I*d^3*e*f^2*x^2 - 3*I*d^3*e^2*f*x - I*d^3*e^3)*dilog(-(a^2 + b^2 -
(a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*
x + 2*c))/(a^2 + b^2) + 1) - 4*(I*d^3*f^3*x^3 + 3*I*d^3*e*f^2*x^2 + 3*I*d^
3*e^2*f*x + I*d^3*e^3)*dilog(-(a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x
+ 2*c) + (I*a^2 + 2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1) - 4*(
I*d^3*f^3*x^3 + 3*I*d^3*e*f^2*x^2 + 3*I*d^3*e^2*f*x + I*d^3*e^3)*dilog(cos
(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) - 4*(-I*d^3*f^3*x^3 - 3*I*d^3*e*f^2*x^
2 - 3*I*d^3*e^2*f*x - I*d^3*e^3)*dilog(cos(2*d*x + 2*c) - I*sin(2*d*x + 2*
c)) + 2*(4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(1/2*
a^2 + I*a*b - 1/2*b^2 - 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*
b^2)*sin(2*d*x + 2*c)) + 2*(4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2
- c^4*f^3)*log(-1/2*a^2 + I*a*b + 1/2*b^2 + 1/2*(a^2 + b^2)*cos(2*d*x + 2*
c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) - 2*(d^4*f^3*x^4 + 4*d^4*e*f^2*
x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^
3*d*e*f^2 - c^4*f^3)*log((a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + ...
```

Sympy [F]

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \int (e + fx)^3 \log(a + b \cot(c + dx)) dx$$

input `integrate((f*x+e)**3*ln(a+b*cot(d*x+c)),x)`

output `Integral((e + f*x)**3*log(a + b*cot(c + d*x)), x)`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1887 vs. $2(318) = 636$.

Time = 0.29 (sec) , antiderivative size = 1887, normalized size of antiderivative = 4.84

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output

```

1/24*(6*(4*(d*x + c)*e^3 + 6*((d*x + c)^2 - 2*(d*x + c)*c)*e^2*f/d + 4*((d
*x + c)^3 - 3*(d*x + c)^2*c + 3*(d*x + c)*c^2)*e*f^2/d^2 + ((d*x + c)^4 -
4*(d*x + c)^3*c + 6*(d*x + c)^2*c^2 - 4*(d*x + c)*c^3)*f^3/d^3)*log(b*cot(
d*x + c) + a) + (18*f^3*polylog(5, (I*a - b)*e^(2*I*d*x + 2*I*c))/(I*a + b)
) - 144*f^3*polylog(5, -e^(I*d*x + I*c)) - 144*f^3*polylog(5, e^(I*d*x + I
*c)) + 4*(-3*I*(d*x + c)^4*f^3 + 8*(-I*d*e*f^2 + I*c*f^3)*(d*x + c)^3 + 9*
(-I*d^2*e^2*f + 2*I*c*d*e*f^2 - I*c^2*f^3)*(d*x + c)^2 + 6*(-I*d^3*e^3 + 3
*I*c*d^2*e^2*f - 3*I*c^2*d*e*f^2 + I*c^3*f^3)*(d*x + c))*arctan2(-(2*a*b*c
os(2*d*x + 2*c) + (a^2 - b^2)*sin(2*d*x + 2*c))/(a^2 + b^2), (2*a*b*sin(2*
d*x + 2*c) + a^2 + b^2 - (a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) + 6*(I
*(d*x + c)^4*f^3 + 4*(I*d*e*f^2 - I*c*f^3)*(d*x + c)^3 + 6*(I*d^2*e^2*f -
2*I*c*d*e*f^2 + I*c^2*f^3)*(d*x + c)^2 + 4*(I*d^3*e^3 - 3*I*c*d^2*e^2*f +
3*I*c^2*d*e*f^2 - I*c^3*f^3)*(d*x + c))*arctan2(sin(d*x + c), cos(d*x + c)
+ 1) + 6*(-I*(d*x + c)^4*f^3 + 4*(-I*d*e*f^2 + I*c*f^3)*(d*x + c)^3 + 6*(
-I*d^2*e^2*f + 2*I*c*d*e*f^2 - I*c^2*f^3)*(d*x + c)^2 + 4*(-I*d^3*e^3 + 3*
I*c*d^2*e^2*f - 3*I*c^2*d*e*f^2 + I*c^3*f^3)*(d*x + c))*arctan2(sin(d*x +
c), -cos(d*x + c) + 1) + 12*(I*d^3*e^3 - 3*I*c*d^2*e^2*f + 3*I*c^2*d*e*f^2
+ 2*I*(d*x + c)^3*f^3 - I*c^3*f^3 + 4*(I*d*e*f^2 - I*c*f^3)*(d*x + c)^2 +
3*(I*d^2*e^2*f - 2*I*c*d*e*f^2 + I*c^2*f^3)*(d*x + c))*dilog((I*a - b)*e^
(2*I*d*x + 2*I*c)/(I*a + b)) + 24*(-I*d^3*e^3 + 3*I*c*d^2*e^2*f - 3*I*c...

```

Giac [F]

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \int (fx + e)^3 \log(b \cot(dx + c) + a) dx$$

input

```
integrate((f*x+e)^3*log(a+b*cot(d*x+c)),x, algorithm="giac")
```

output

```
integrate((f*x + e)^3*log(b*cot(d*x + c) + a), x)
```


Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx)) (e + fx)^3 dx$$

input `int(log(a + b*cot(c + d*x))*(e + f*x)^3,x)`output `int(log(a + b*cot(c + d*x))*(e + f*x)^3, x)`**Reduce [F]**

$$\int (e + fx)^3 \log(a + b \cot(c + dx)) dx = \int (fx + e)^3 \log(a + b \cot(dx + c)) dx$$

input `int((f*x+e)^3*log(a+b*cot(d*x+c)),x)`output `int((f*x+e)^3*log(a+b*cot(d*x+c)),x)`

3.28 $\int (e + fx)^2 \log(a + b \cot(c + dx)) dx$

Optimal result	217
Mathematica [B] (warning: unable to verify)	218
Rubi [F]	219
Maple [C] (warning: unable to verify)	221
Fricas [B] (verification not implemented)	221
Sympy [F]	222
Maxima [B] (verification not implemented)	223
Giac [F]	224
Mupad [F(-1)]	224
Reduce [F]	224

Optimal result

Integrand size = 19, antiderivative size = 313

$$\begin{aligned}
 \int (e + fx)^2 \log(a + b \cot(c + dx)) dx = & \frac{(e + fx)^3 \log(1 - e^{-2i(c+dx)})}{3f} \\
 & - \frac{(e + fx)^3 \log\left(1 - \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{3f} \\
 & + \frac{(e + fx)^3 \log(a + b \cot(c + dx))}{3f} \\
 & + \frac{i(e + fx)^2 \text{PolyLog}\left(2, e^{-2i(c+dx)}\right)}{2d} \\
 & - \frac{i(e + fx)^2 \text{PolyLog}\left(2, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{2d} \\
 & + \frac{f(e + fx) \text{PolyLog}\left(3, e^{-2i(c+dx)}\right)}{2d^2} \\
 & - \frac{f(e + fx) \text{PolyLog}\left(3, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{2d^2} \\
 & - \frac{if^2 \text{PolyLog}\left(4, e^{-2i(c+dx)}\right)}{4d^3} \\
 & + \frac{if^2 \text{PolyLog}\left(4, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{4d^3}
 \end{aligned}$$

output

```
1/3*(f*x+e)^3*ln(1-exp(-2*I*(d*x+c)))/f-1/3*(f*x+e)^3*ln(1-(a-I*b)/(a+I*b)
/exp(2*I*(d*x+c)))/f+1/3*(f*x+e)^3*ln(a+b*cot(d*x+c))/f+1/2*I*(f*x+e)^2*po
lylog(2,exp(-2*I*(d*x+c)))/d-1/2*I*(f*x+e)^2*polylog(2,(a-I*b)/(a+I*b)/exp
(2*I*(d*x+c)))/d+1/2*f*(f*x+e)*polylog(3,exp(-2*I*(d*x+c)))/d^2-1/2*f*(f*x
+e)*polylog(3,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/d^2-1/4*I*f^2*polylog(4,ex
p(-2*I*(d*x+c)))/d^3+1/4*I*f^2*polylog(4,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c))
/d^3
```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1432 vs. $2(313) = 626$.

Time = 11.55 (sec) , antiderivative size = 1432, normalized size of antiderivative = 4.58

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input

```
Integrate[(e + f*x)^2*Log[a + b*Cot[c + d*x]],x]
```

output

```
(x*(3*e^2 + 3*e*f*x + f^2*x^2)*Log[a + b*Cot[c + d*x]])/3 - (e*E^(I*c)*f*C
sc[c]*((2*d^3*x^3)/E^((2*I)*c) + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 -
E^((-I)*(c + d*x))] + (3*I)*d^2*(1 - E^((-2*I)*c))*x^2*Log[1 + E^((-I)*(c
+ d*x))] - 6*d*(1 - E^((-2*I)*c))*x*PolyLog[2, -E^((-I)*(c + d*x))] - 6*d*
(1 - E^((-2*I)*c))*x*PolyLog[2, E^((-I)*(c + d*x))] + (6*I)*(1 - E^((-2*I)
*c))*PolyLog[3, -E^((-I)*(c + d*x))] + (6*I)*(1 - E^((-2*I)*c))*PolyLog[3,
E^((-I)*(c + d*x))])/(6*d^2) - (E^(I*c)*f^2*Csc[c]*((d^4*x^4)/E^((2*I)*c
) + (2*I)*d^3*(1 - E^((-2*I)*c))*x^3*Log[1 - E^((-I)*(c + d*x))] + (2*I)*d
^3*(1 - E^((-2*I)*c))*x^3*Log[1 + E^((-I)*(c + d*x))] - 6*d^2*(1 - E^((-2*
I)*c))*x^2*PolyLog[2, -E^((-I)*(c + d*x))] - 6*d^2*(1 - E^((-2*I)*c))*x^2*
PolyLog[2, E^((-I)*(c + d*x))] + (12*I)*d*(1 - E^((-2*I)*c))*x*PolyLog[3,
-E^((-I)*(c + d*x))] + (12*I)*d*(1 - E^((-2*I)*c))*x*PolyLog[3, E^((-I)*(c
+ d*x))] + 12*(1 - E^((-2*I)*c))*PolyLog[4, -E^((-I)*(c + d*x))] + 12*(1
- E^((-2*I)*c))*PolyLog[4, E^((-I)*(c + d*x))])/(12*d^3) + ((I/12)*(a^2 +
b^2)*d*((12*e^2*x^2)/(a + I*b) + (8*e*f*x^3)/(a + I*b) + (2*f^2*x^4)/(a +
I*b) + (12*e^2*(a*(-1 + E^((2*I)*c)) + I*b*(1 + E^((2*I)*c))))*x*Log[1 + (
-a + I*b)/((a + I*b)*E^((2*I)*(c + d*x)))]/((a - I*b)*((-I)*a + b)*d) + (
12*e*(a*(-1 + E^((2*I)*c)) + I*b*(1 + E^((2*I)*c)))*f*x^2*Log[1 + (-a + I*
b)/((a + I*b)*E^((2*I)*(c + d*x)))]/((a - I*b)*((-I)*a + b)*d) + (4*(a*(-
1 + E^((2*I)*c)) + I*b*(1 + E^((2*I)*c)))*f^2*x^3*Log[1 + (-a + I*b)/((...
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 \log(a + b \cot(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^3 \log(a + b \cot(c + dx))}{3f} - \frac{\int -\frac{bd(e+fx)^3 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{3f} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{bd(e+fx)^3 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{3f} + \frac{(e + fx)^3 \log(a + b \cot(c + dx))}{3f} \\
 & \quad \downarrow \text{27}
 \end{aligned}$$

$$\frac{bd \int \frac{(e+fx)^3 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{3f} + \frac{(e+fx)^3 \log(a+b \cot(c+dx))}{3f}$$

↓ 7293

$$\frac{bd \int \left(\frac{\csc^2(c+dx)e^3}{a+b \cot(c+dx)} + \frac{3fx \csc^2(c+dx)e^2}{a+b \cot(c+dx)} + \frac{3f^2 x^2 \csc^2(c+dx)e}{a+b \cot(c+dx)} + \frac{f^3 x^3 \csc^2(c+dx)}{a+b \cot(c+dx)} \right) dx}{3f} + \frac{(e+fx)^3 \log(a+b \cot(c+dx))}{3f}$$

↓ 2009

$$\frac{bd \left(3e^2 f \int \frac{x \csc^2(c+dx)}{a+b \cot(c+dx)} dx + 3ef^2 \int \frac{x^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx + f^3 \int \frac{x^3 \csc^2(c+dx)}{a+b \cot(c+dx)} dx - \frac{e^3 \log(a+b \cot(c+dx))}{bd} \right)}{3f} + \frac{(e+fx)^3 \log(a+b \cot(c+dx))}{3f}$$

input `Int[(e + f*x)^2*Log[a + b*Cot[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u]*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 10.33 (sec) , antiderivative size = 5774, normalized size of antiderivative = 18.45

method	result	size
risch	Expression too large to display	5774

input

```
int((f*x+e)^2*ln(a+b*cot(d*x+c)),x,method=_RETURNVERBOSE)
```

output

```
result too large to display
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1465 vs. $2(253) = 506$.

Time = 0.19 (sec) , antiderivative size = 1465, normalized size of antiderivative = 4.68

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^2*log(a+b*cot(d*x+c)),x, algorithm="fricas")
```

output

```

1/24*(-3*I*f^2*polylog(4, ((a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2
- 2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) + 3*I*f^2*polylog(4, ((a^
2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 - 2*a*b + I*b^2)*sin(2*d*x +
2*c))/(a^2 + b^2)) + 3*I*f^2*polylog(4, cos(2*d*x + 2*c) + I*sin(2*d*x +
2*c)) - 3*I*f^2*polylog(4, cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)) - 6*(-I*
d^2*f^2*x^2 - 2*I*d^2*e*f*x - I*d^2*e^2)*dilog(-(a^2 + b^2 - (a^2 + 2*I*a*
b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^
2 + b^2) + 1) - 6*(I*d^2*f^2*x^2 + 2*I*d^2*e*f*x + I*d^2*e^2)*dilog(-(a^2
+ b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b - I*b^2)*s
in(2*d*x + 2*c))/(a^2 + b^2) + 1) - 6*(I*d^2*f^2*x^2 + 2*I*d^2*e*f*x + I*d
^2*e^2)*dilog(cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) - 6*(-I*d^2*f^2*x^2 -
2*I*d^2*e*f*x - I*d^2*e^2)*dilog(cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)) +
4*(3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(1/2*a^2 + I*a*b - 1/2*b^2 - 1
/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) +
4*(3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(-1/2*a^2 + I*a*b + 1/2*b^2 + 1
/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) -
4*(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f +
c^3*f^2)*log((a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^
2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 4*(d^3*f^2*x^3 + 3*d^3
*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log((a^2 ...

```

Sympy [F]

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \int (e + fx)^2 \log(a + b \cot(c + dx)) dx$$

input

```
integrate((f*x+e)**2*ln(a+b*cot(d*x+c)),x)
```

output

```
Integral((e + f*x)**2*log(a + b*cot(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1146 vs. $2(253) = 506$.

Time = 0.19 (sec) , antiderivative size = 1146, normalized size of antiderivative = 3.66

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output

```
1/18*(6*(3*(d*x + c)*e^2 + 3*((d*x + c)^2 - 2*(d*x + c)*c)*e*f/d + ((d*x +
c)^3 - 3*(d*x + c)^2*c + 3*(d*x + c)*c^2)*f^2/d^2)*log(b*cot(d*x + c) + a
) - (6*I*f^2*polylog(4, (I*a - b)*e^(2*I*d*x + 2*I*c)/(I*a + b)) - 36*I*f^
2*polylog(4, -e^(I*d*x + I*c)) - 36*I*f^2*polylog(4, e^(I*d*x + I*c)) - 2*
(-4*I*(d*x + c)^3*f^2 + 9*(-I*d*e*f + I*c*f^2)*(d*x + c)^2 + 9*(-I*d^2*e^2
+ 2*I*c*d*e*f - I*c^2*f^2)*(d*x + c))*arctan2(-(2*a*b*cos(2*d*x + 2*c) +
(a^2 - b^2)*sin(2*d*x + 2*c))/(a^2 + b^2), (2*a*b*sin(2*d*x + 2*c) + a^2 +
b^2 - (a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) - 6*(I*(d*x + c)^3*f^2 +
3*(I*d*e*f - I*c*f^2)*(d*x + c)^2 + 3*(I*d^2*e^2 - 2*I*c*d*e*f + I*c^2*f^
2)*(d*x + c))*arctan2(sin(d*x + c), cos(d*x + c) + 1) - 6*(-I*(d*x + c)^3*
f^2 + 3*(-I*d*e*f + I*c*f^2)*(d*x + c)^2 + 3*(-I*d^2*e^2 + 2*I*c*d*e*f - I
*c^2*f^2)*(d*x + c))*arctan2(sin(d*x + c), -cos(d*x + c) + 1) - 3*(3*I*d^2
*e^2 - 6*I*c*d*e*f + 4*I*(d*x + c)^2*f^2 + 3*I*c^2*f^2 + 6*(I*d*e*f - I*c*
f^2)*(d*x + c))*dilog((I*a - b)*e^(2*I*d*x + 2*I*c)/(I*a + b)) - 18*(-I*d^
2*e^2 + 2*I*c*d*e*f - I*(d*x + c)^2*f^2 - I*c^2*f^2 + 2*(-I*d*e*f + I*c*f^
2)*(d*x + c))*dilog(-e^(I*d*x + I*c)) - 18*(-I*d^2*e^2 + 2*I*c*d*e*f - I*(
d*x + c)^2*f^2 - I*c^2*f^2 + 2*(-I*d*e*f + I*c*f^2)*(d*x + c))*dilog(e^(I*
d*x + I*c)) - 3*((d*x + c)^3*f^2 + 3*(d*e*f - c*f^2)*(d*x + c)^2 + 3*(d^2*
e^2 - 2*c*d*e*f + c^2*f^2)*(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2
+ 2*cos(d*x + c) + 1) - 3*((d*x + c)^3*f^2 + 3*(d*e*f - c*f^2)*(d*x + c...
```


Giac [F]

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \int (fx + e)^2 \log(b \cot(dx + c) + a) dx$$

input `integrate((f*x+e)^2*log(a+b*cot(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)^2*log(b*cot(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx)) (e + fx)^2 dx$$

input `int(log(a + b*cot(c + d*x))*(e + f*x)^2,x)`

output `int(log(a + b*cot(c + d*x))*(e + f*x)^2, x)`

Reduce [F]

$$\int (e + fx)^2 \log(a + b \cot(c + dx)) dx = \int (fx + e)^2 \log(a + b \cot(dx + c)) dx$$

input `int((f*x+e)^2*log(a+b*cot(d*x+c)),x)`

output `int((f*x+e)^2*log(a+b*cot(d*x+c)),x)`

3.29 $\int (e + fx) \log(a + b \cot(c + dx)) dx$

Optimal result	225
Mathematica [A] (verified)	226
Rubi [F]	226
Maple [C] (warning: unable to verify)	228
Fricas [B] (verification not implemented)	229
Sympy [F]	230
Maxima [B] (verification not implemented)	231
Giac [F]	231
Mupad [F(-1)]	232
Reduce [F]	232

Optimal result

Integrand size = 17, antiderivative size = 232

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \frac{(e + fx)^2 \log(1 - e^{-2i(c+dx)})}{2f} - \frac{(e + fx)^2 \log\left(1 - \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{2f} + \frac{(e + fx)^2 \log(a + b \cot(c + dx))}{2f} + \frac{i(e + fx) \text{PolyLog}(2, e^{-2i(c+dx)})}{2d} - \frac{i(e + fx) \text{PolyLog}\left(2, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{2d} + \frac{f \text{PolyLog}(3, e^{-2i(c+dx)})}{4d^2} - \frac{f \text{PolyLog}\left(3, \frac{(a-ib)e^{-2i(c+dx)}}{a+ib}\right)}{4d^2}$$

output

```
1/2*(f*x+e)^2*ln(1-exp(-2*I*(d*x+c)))/f-1/2*(f*x+e)^2*ln(1-(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/f+1/2*(f*x+e)^2*ln(a+b*cot(d*x+c))/f+1/2*I*(f*x+e)*polylog(2,exp(-2*I*(d*x+c)))/d-1/2*I*(f*x+e)*polylog(2,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/d+1/4*f*polylog(3,exp(-2*I*(d*x+c)))/d^2-1/4*f*polylog(3,(a-I*b)/(a+I*b)/exp(2*I*(d*x+c)))/d^2
```

Mathematica [A] (verified)

Time = 2.41 (sec) , antiderivative size = 400, normalized size of antiderivative = 1.72

$$\int (e + fx) \log(a + b \cot(c + dx)) dx$$

$$= \frac{2d^2 fx^2 \log(1 - e^{-i(c+dx)}) + 2d^2 fx^2 \log(1 + e^{-i(c+dx)}) - 2d^2 fx^2 \log\left(1 + \frac{(-a+ib)e^{-2i(c+dx)}}{a+ib}\right) + 2d^2 fx^2 \log\left(1 + \frac{(-a-ib)e^{-2i(c+dx)}}{a-ib}\right)}{2d^2}$$

input

```
Integrate[(e + f*x)*Log[a + b*Cot[c + d*x]],x]
```

output

```
(2*d^2*f*x^2*Log[1 - E^((-I)*(c + d*x))] + 2*d^2*f*x^2*Log[1 + E^((-I)*(c + d*x))] - 2*d^2*f*x^2*Log[1 + (-a + I*b)/((a + I*b)*E^((2*I)*(c + d*x)))] + 2*d^2*f*x^2*Log[a + b*Cot[c + d*x]] + (2*I)*d*e*Log[-((b*(-I + Cot[c + d*x]))/(a + I*b))]*Log[a + b*Cot[c + d*x]] - (2*I)*d*e*Log[-((b*(I + Cot[c + d*x]))/(a - I*b))]*Log[a + b*Cot[c + d*x]] + (4*I)*d*f*x*PolyLog[2, -E^((-I)*(c + d*x))] + (4*I)*d*f*x*PolyLog[2, E^((-I)*(c + d*x))] - (2*I)*d*f*x*PolyLog[2, (a - I*b)/((a + I*b)*E^((2*I)*(c + d*x)))] - (2*I)*d*e*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)] + (2*I)*d*e*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)] + 4*f*PolyLog[3, -E^((-I)*(c + d*x))] + 4*f*PolyLog[3, E^((-I)*(c + d*x))] - f*PolyLog[3, (a - I*b)/((a + I*b)*E^((2*I)*(c + d*x)))]))/(4*d^2)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \log(a + b \cot(c + dx)) dx$$

$$\downarrow 3031$$

$$\frac{(e + fx)^2 \log(a + b \cot(c + dx))}{2f} - \frac{\int -\frac{bd(e+fx)^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{2f}$$

$$\downarrow 25$$

$$\begin{aligned}
& \frac{\int \frac{bd(e+fx)^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{2f} + \frac{(e+fx)^2 \log(a+b \cot(c+dx))}{2f} \\
& \quad \downarrow 27 \\
& \frac{bd \int \frac{(e+fx)^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx}{2f} + \frac{(e+fx)^2 \log(a+b \cot(c+dx))}{2f} \\
& \quad \downarrow 7293 \\
& \frac{bd \int \left(\frac{e^2 \csc^2(c+dx)}{a+b \cot(c+dx)} + \frac{f^2 x^2 \csc^2(c+dx)}{a+b \cot(c+dx)} + \frac{2efx \csc^2(c+dx)}{a+b \cot(c+dx)} \right) dx}{2f} + \frac{(e+fx)^2 \log(a+b \cot(c+dx))}{2f} \\
& \quad \downarrow 2009 \\
& \frac{bd \left(2ef \int \frac{x \csc^2(c+dx)}{a+b \cot(c+dx)} dx + f^2 \int \frac{x^2 \csc^2(c+dx)}{a+b \cot(c+dx)} dx - \frac{e^2 \log(a+b \cot(c+dx))}{bd} \right)}{2f} + \\
& \quad \frac{(e+fx)^2 \log(a+b \cot(c+dx))}{2f}
\end{aligned}$$

input `Int[(e + f*x)*Log[a + b*Cot[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u]*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 8.86 (sec) , antiderivative size = 3380, normalized size of antiderivative = 14.57

method	result	size
risch	Expression too large to display	3380

input `int((f*x+e)*ln(a+b*cot(d*x+c)),x,method=_RETURNVERBOSE)`

output

```

1/2*f/d^2*ln(-exp(I*(d*x+c))+1)*c^2-I/d*f*b/(a+I*b)*ln(1-(a+I*b)*exp(2*I*(
d*x+c))/(a-I*b))*c*x-I*f/d^2*c*dilog(exp(I*(d*x+c)))+I/d*e*dilog(exp(I*(d*
x+c)))-I*f/d*polylog(2,-exp(I*(d*x+c)))*x-I*f/d^2*polylog(2,-exp(I*(d*x+c)
))*c+I*f/d^2*c*dilog(exp(I*(d*x+c))+1)-I*f/d*polylog(2,exp(I*(d*x+c)))*x-1
/d*e*a/(a+I*b)*ln(-(I*exp(I*(d*x+c))*b+a*exp(I*(d*x+c))-(-(I*b-a)*(a+I*b))
^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))*c-1/d*e*a/(a+I*b)*ln((I*exp(I*(d*x+c))*b
+a*exp(I*(d*x+c))+(-(I*b-a)*(a+I*b))^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))*c-1/
2/d^2*a*f*c^2/(a+I*b)*ln(I*b*exp(2*I*(d*x+c))+a*exp(2*I*(d*x+c))+I*b-a)+I/
d*e*a/(a+I*b)*dilog((-I*exp(I*(d*x+c))*b-a*exp(I*(d*x+c))+(-(I*b-a)*(a+I*b)
))^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))+I/d*e*a/(a+I*b)*dilog((I*exp(I*(d*x+c)
))*b+a*exp(I*(d*x+c))+(-(I*b-a)*(a+I*b))^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))+1
/d^2*a*f*c^2/(a+I*b)*ln(-(I*exp(I*(d*x+c))*b+a*exp(I*(d*x+c))-(-(I*b-a)*(a
+I*b))^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))+1/d^2*a*f*c^2/(a+I*b)*ln((I*exp(I*
(d*x+c))*b+a*exp(I*(d*x+c))+(-(I*b-a)*(a+I*b))^(1/2))/(-(I*b-a)*(a+I*b))^(
1/2))+1/d^2*b*c*f/(a+I*b)*dilog((-I*exp(I*(d*x+c))*b-a*exp(I*(d*x+c))+(-(I
*b-a)*(a+I*b))^(1/2))/(-(I*b-a)*(a+I*b))^(1/2))+f/d*ln(-exp(I*(d*x+c))+1)*
x*c-1/d*e*c*ln(exp(I*(d*x+c))-1)+1/2*f/d^2*c^2*ln(exp(I*(d*x+c))-1)-I*f/d^
2*polylog(2,exp(I*(d*x+c)))*c-1/2*I*Pi*csgn(I*(I*b*exp(2*I*(d*x+c))+a*exp(
2*I*(d*x+c))+I*b-a)/(exp(2*I*(d*x+c))-1))*(csgn(I*(I*b*exp(2*I*(d*x+c))+a*
exp(2*I*(d*x+c))+I*b-a))*csgn(I/(exp(2*I*(d*x+c))-1))-csgn(I*(I*b*exp(2...

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 989 vs. $2(194) = 388$.

Time = 0.18 (sec) , antiderivative size = 989, normalized size of antiderivative = 4.26

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)*log(a+b*cot(d*x+c)),x, algorithm="fricas")
```

output

```

-1/8*(2*(-I*d*f*x - I*d*e)*dilog(-(a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2
*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1)
+ 2*(I*d*f*x + I*d*e)*dilog(-(a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x
+ 2*c) + (I*a^2 + 2*a*b - I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1) + 2*(I
*d*f*x + I*d*e)*dilog(cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) + 2*(-I*d*f*x
- I*d*e)*dilog(cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)) - 2*(2*c*d*e - c^2*
f)*log(1/2*a^2 + I*a*b - 1/2*b^2 - 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*
(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) - 2*(2*c*d*e - c^2*f)*log(-1/2*a^2 + I*a
*b + 1/2*b^2 + 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(
2*d*x + 2*c)) + 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log((a^2 + b^2
- (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*b + I*b^2)*sin(2
*d*x + 2*c))/(a^2 + b^2)) + 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*lo
g((a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b - I
*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 4*(d^2*f*x^2 + 2*d^2*e*x)*log((b*co
s(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b)/sin(2*d*x + 2*c)) + 2*(2*c*d*e -
c^2*f)*log(-1/2*cos(2*d*x + 2*c) + 1/2*I*sin(2*d*x + 2*c) + 1/2) + 2*(2*c*
d*e - c^2*f)*log(-1/2*cos(2*d*x + 2*c) - 1/2*I*sin(2*d*x + 2*c) + 1/2) - 2
*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-cos(2*d*x + 2*c) + I*sin(2
*d*x + 2*c) + 1) - 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-cos(2*
d*x + 2*c) - I*sin(2*d*x + 2*c) + 1) + f*polylog(3, ((a^2 + 2*I*a*b - b...

```

Sympy [F]

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \int (e + fx) \log(a + b \cot(c + dx)) dx$$

input

```
integrate((f*x+e)*ln(a+b*cot(d*x+c)),x)
```

output

```
Integral((e + f*x)*log(a + b*cot(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 653 vs. $2(194) = 388$.

Time = 0.11 (sec) , antiderivative size = 653, normalized size of antiderivative = 2.81

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)*log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output

```
1/4*(2*(2*(d*x + c)*e + ((d*x + c)^2 - 2*(d*x + c)*c)*f/d)*log(b*cot(d*x +
c) + a) + (2*(-I*(d*x + c)^2*f + 2*(-I*d*e + I*c*f)*(d*x + c))*arctan2(-(
2*a*b*cos(2*d*x + 2*c) + (a^2 - b^2)*sin(2*d*x + 2*c))/(a^2 + b^2), (2*a*b
*sin(2*d*x + 2*c) + a^2 + b^2 - (a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2))
+ 2*(I*(d*x + c)^2*f + 2*(I*d*e - I*c*f)*(d*x + c))*arctan2(sin(d*x + c),
cos(d*x + c) + 1) + 2*(-I*(d*x + c)^2*f + 2*(-I*d*e + I*c*f)*(d*x + c))*a
rctan2(sin(d*x + c), -cos(d*x + c) + 1) + 2*(I*d*e + I*(d*x + c)*f - I*c*f
)*dilog((I*a - b)*e^(2*I*d*x + 2*I*c)/(I*a + b)) + 4*(-I*d*e - I*(d*x + c)
*f + I*c*f)*dilog(-e^(I*d*x + I*c)) + 4*(-I*d*e - I*(d*x + c)*f + I*c*f)*d
ilog(e^(I*d*x + I*c)) + ((d*x + c)^2*f + 2*(d*e - c*f)*(d*x + c))*log(cos(
d*x + c)^2 + sin(d*x + c)^2 + 2*cos(d*x + c) + 1) + ((d*x + c)^2*f + 2*(d*
e - c*f)*(d*x + c))*log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x + c) +
1) - ((d*x + c)^2*f + 2*(d*e - c*f)*(d*x + c))*log(((a^2 + b^2)*cos(2*d*x
+ 2*c)^2 + 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2
+ b^2 - 2*(a^2 - b^2)*cos(2*d*x + 2*c))/(a^2 + b^2)) - f*polylog(3, (I*a -
b)*e^(2*I*d*x + 2*I*c)/(I*a + b)) + 4*f*polylog(3, -e^(I*d*x + I*c)) + 4*
f*polylog(3, e^(I*d*x + I*c)))/d/d
```

Giac [F]

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \int (fx + e) \log(b \cot(dx + c) + a) dx$$

input `integrate((f*x+e)*log(a+b*cot(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)*log(b*cot(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx)) (e + fx) dx$$

input `int(log(a + b*cot(c + d*x))*(e + f*x),x)`

output `int(log(a + b*cot(c + d*x))*(e + f*x), x)`

Reduce [F]

$$\int (e + fx) \log(a + b \cot(c + dx)) dx = \left(\int \log(a + b \cot(dx + c)) dx \right) e + \left(\int \log(a + b \cot(dx + c)) x dx \right) f$$

input `int((f*x+e)*log(a+b*cot(d*x+c)),x)`

output `int(log(cot(c + d*x)*b + a),x)*e + int(log(cot(c + d*x)*b + a)*x,x)*f`

3.30 $\int \log(a + b \cot(c + dx)) dx$

Optimal result	233
Mathematica [A] (verified)	234
Rubi [F]	234
Maple [A] (verified)	235
Fricas [B] (verification not implemented)	236
Sympy [F]	237
Maxima [A] (verification not implemented)	237
Giac [F]	238
Mupad [F(-1)]	238
Reduce [F]	239

Optimal result

Integrand size = 11, antiderivative size = 150

$$\int \log(a + b \cot(c + dx)) dx = \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{2d}$$

output

```
1/2*I*ln(b*(I-cot(d*x+c))/(a+I*b))*ln(a+b*cot(d*x+c))/d-1/2*I*ln(-b*(I+cot(d*x+c))/(a-I*b))*ln(a+b*cot(d*x+c))/d-1/2*I*polylog(2,(a+b*cot(d*x+c))/(a-I*b))/d+1/2*I*polylog(2,(a+b*cot(d*x+c))/(a+I*b))/d
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 150, normalized size of antiderivative = 1.00

$$\int \log(a + b \cot(c + dx)) dx = \frac{i \log\left(\frac{b(i - \cot(c + dx))}{a + ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \log\left(-\frac{b(i + \cot(c + dx))}{a - ib}\right) \log(a + b \cot(c + dx))}{2d} - \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a - ib}\right)}{2d} + \frac{i \operatorname{PolyLog}\left(2, \frac{a + b \cot(c + dx)}{a + ib}\right)}{2d}$$

input `Integrate[Log[a + b*Cot[c + d*x]],x]`

output `((I/2)*Log[(b*(I - Cot[c + d*x]))/(a + I*b)]*Log[a + b*Cot[c + d*x]]/d - ((I/2)*Log[-(b*(I + Cot[c + d*x]))/(a - I*b)]*Log[a + b*Cot[c + d*x]]/d - ((I/2)*PolyLog[2, (a + b*Cot[c + d*x])/(a - I*b)]/d + ((I/2)*PolyLog[2, (a + b*Cot[c + d*x])/(a + I*b)]/d`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \cot(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \cot(c + dx)) - \int -\frac{bdx \csc^2(c + dx)}{a + b \cot(c + dx)} dx$$

$$\downarrow \text{25}$$

$$\int \frac{bdx \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx))$$

$$\begin{array}{c} \downarrow 27 \\ bd \int \frac{x \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx)) \\ \downarrow 7299 \\ bd \int \frac{x \csc^2(c + dx)}{a + b \cot(c + dx)} dx + x \log(a + b \cot(c + dx)) \end{array}$$

input `Int[Log[a + b*Cot[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 9.02 (sec) , antiderivative size = 135, normalized size of antiderivative = 0.90

method	result
derivativedivides	$b \left(-\frac{i \ln(a+b \cot(dx+c)) \left(\ln\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \ln\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \operatorname{dilog}\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} \right) \frac{1}{d}$
default	$b \left(-\frac{i \ln(a+b \cot(dx+c)) \left(\ln\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \ln\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} - \frac{i \left(\operatorname{dilog}\left(\frac{ib-b \cot(dx+c)}{ib+a}\right) - \operatorname{dilog}\left(\frac{ib+b \cot(dx+c)}{ib-a}\right) \right)}{2b} \right) \frac{1}{d}$
risch	Expression too large to display

```
input int(ln(a+b*cot(d*x+c)),x,method=_RETURNVERBOSE)
```

```
output -1/d*b*(-1/2*I*ln(a+b*cot(d*x+c))*(ln((I*b-b*cot(d*x+c))/(a+I*b))-ln((I*b+b*cot(d*x+c))/(I*b-a)))/b-1/2*I*(dilog((I*b-b*cot(d*x+c))/(a+I*b))-dilog((I*b+b*cot(d*x+c))/(I*b-a)))/b)
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 625 vs. 2(119) = 238.

Time = 0.15 (sec) , antiderivative size = 625, normalized size of antiderivative = 4.17

$$\int \log(a + b \cot(c + dx)) dx = \text{Too large to display}$$

```
input integrate(log(a+b*cot(d*x+c)),x, algorithm="fricas")
```

output

```

1/4*(4*d*x*log((b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b)/sin(2*d*x + 2
*c)) + 2*c*log(1/2*a^2 + I*a*b - 1/2*b^2 - 1/2*(a^2 + b^2)*cos(2*d*x + 2*c
) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x + 2*c)) + 2*c*log(-1/2*a^2 + I*a*b + 1/2
*b^2 + 1/2*(a^2 + b^2)*cos(2*d*x + 2*c) + 1/2*(I*a^2 + I*b^2)*sin(2*d*x +
2*c)) - 2*(d*x + c)*log((a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c
) + (-I*a^2 + 2*a*b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 2*(d*x + c)*
log((a^2 + b^2 - (a^2 - 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b -
I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2)) - 2*c*log(-1/2*cos(2*d*x + 2*c) + 1
/2*I*sin(2*d*x + 2*c) + 1/2) - 2*c*log(-1/2*cos(2*d*x + 2*c) - 1/2*I*sin(2
*d*x + 2*c) + 1/2) + 2*(d*x + c)*log(-cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c
) + 1) + 2*(d*x + c)*log(-cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c) + 1) + I*d
ilog(-(a^2 + b^2 - (a^2 + 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (-I*a^2 + 2*a*
b + I*b^2)*sin(2*d*x + 2*c))/(a^2 + b^2) + 1) - I*dilog(-(a^2 + b^2 - (a^2
- 2*I*a*b - b^2)*cos(2*d*x + 2*c) + (I*a^2 + 2*a*b - I*b^2)*sin(2*d*x + 2
*c))/(a^2 + b^2) + 1) - I*dilog(cos(2*d*x + 2*c) + I*sin(2*d*x + 2*c)) + I
*dilog(cos(2*d*x + 2*c) - I*sin(2*d*x + 2*c)))/d

```

Sympy [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(a + b \cot(c + dx)) dx$$

input

```
integrate(ln(a+b*cot(d*x+c)),x)
```

output

```
Integral(log(a + b*cot(c + d*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 222, normalized size of antiderivative = 1.48

$$\int \log(a + b \cot(c + dx)) dx =$$

$$\frac{\left(\pi - 2 \arctan\left(\frac{a^2 \tan(dx+c)+ab}{a^2+b^2}, \frac{ab \tan(dx+c)+b^2}{a^2+b^2}\right)\right) \log(\tan(dx+c)^2 + 1) - 4(dx+c) \log\left(a + \frac{b}{\tan(dx+c)}\right)}{d}$$

input `integrate(log(a+b*cot(d*x+c)),x, algorithm="maxima")`

output `-1/4*((pi - 2*arctan2((a^2*tan(d*x + c) + a*b)/(a^2 + b^2), (a*b*tan(d*x + c) + b^2)/(a^2 + b^2)))*log(tan(d*x + c)^2 + 1) - 4*(d*x + c)*log(a + b/tan(d*x + c)) + 2*(d*x + c)*log((a^2*tan(d*x + c)^2 + 2*a*b*tan(d*x + c) + b^2)/(a^2 + b^2)) - 4*(d*x + c)*log(tan(d*x + c)) - 2*I*dilog(-(a*tan(d*x + c) - I*a)/(I*a + b)) + 2*I*dilog(-(a*tan(d*x + c) + I*a)/(-I*a + b)) + 2*I*dilog(I*tan(d*x + c) + 1) - 2*I*dilog(-I*tan(d*x + c) + 1))/d`

Giac [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(b \cot(dx + c) + a) dx$$

input `integrate(log(a+b*cot(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*cot(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \cot(c + dx)) dx = \int \ln(a + b \cot(c + dx)) dx$$

input `int(log(a + b*cot(c + d*x)),x)`

output `int(log(a + b*cot(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \cot(c + dx)) dx = \int \log(a + b \cot(dx + c)) dx$$

input `int(log(a+b*cot(d*x+c)),x)`

output `int(log(cot(c + d*x)*b + a),x)`

3.31 $\int \frac{\log(a+b \cot(c+dx))}{e+fx} dx$

Optimal result	240
Mathematica [N/A]	240
Rubi [N/A]	241
Maple [N/A]	241
Fricas [N/A]	242
Sympy [N/A]	242
Maxima [N/A]	243
Giac [N/A]	243
Mupad [N/A]	243
Reduce [N/A]	244

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \text{Int}\left(\frac{\log(a + b \cot(c + dx))}{e + fx}, x\right)$$

output `Defer(Int)(ln(a+b*cot(d*x+c))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 11.28 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(a + b \cot(c + dx))}{e + fx} dx$$

input `Integrate[Log[a + b*Cot[c + d*x]]/(e + f*x), x]`

output `Integrate[Log[a + b*Cot[c + d*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx$$

input `Int[Log[a + b*Cot[c + d*x]]/(e + f*x),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.72 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \cot(dx + c))}{fx + e} dx$$

input `int(ln(a+b*cot(d*x+c))/(f*x+e),x)`

output `int(ln(a+b*cot(d*x+c))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.08 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(b \cot(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*cot(d*x+c))/(f*x+e),x, algorithm="fricas")`

output `integral(log(b*cot(d*x + c) + a)/(f*x + e), x)`

Sympy [N/A]

Not integrable

Time = 0.76 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(a + b \cot(c + dx))}{e + fx} dx$$

input `integrate(ln(a+b*cot(d*x+c))/(f*x+e),x)`

output `Integral(log(a + b*cot(c + d*x))/(e + f*x), x)`

Maxima [N/A]

Not integrable

Time = 2.32 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(b \cot(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*cot(d*x+c))/(f*x+e),x, algorithm="maxima")`

output `integrate(log(b*cot(d*x + c) + a)/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(b \cot(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*cot(d*x+c))/(f*x+e),x, algorithm="giac")`

output `integrate(log(b*cot(d*x + c) + a)/(f*x + e), x)`

Mupad [N/A]

Not integrable

Time = 26.26 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\ln(a + b \cot(c + dx))}{e + fx} dx$$

input `int(log(a + b*cot(c + d*x))/(e + f*x),x)`

output `int(log(a + b*cot(c + d*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 200.02 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{e + fx} dx = \int \frac{\log(a + b \cot(dx + c))}{fx + e} dx$$

input `int(log(a+b*cot(d*x+c))/(f*x+e),x)`

output `int(log(a+b*cot(d*x+c))/(f*x+e),x)`

3.32 $\int \frac{\log(a+b \cot(c+dx))}{(e+fx)^2} dx$

Optimal result	245
Mathematica [N/A]	245
Rubi [N/A]	246
Maple [N/A]	247
Fricas [N/A]	248
Sympy [N/A]	248
Maxima [N/A]	248
Giac [N/A]	249
Mupad [N/A]	250
Reduce [N/A]	250

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \text{Int}\left(\frac{\log(a + b \cot(c + dx))}{(e + fx)^2}, x\right)$$

output `Defer(Int)(ln(a+b*cot(d*x+c))/(f*x+e)^2,x)`

Mathematica [N/A]

Not integrable

Time = 15.23 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx$$

input `Integrate[Log[a + b*Cot[c + d*x]]/(e + f*x)^2,x]`

output `Integrate[Log[a + b*Cot[c + d*x]]/(e + f*x)^2, x]`

Rubi [N/A]

Not integrable

Time = 1.12 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {3031, 25, 27, 7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{\int -\frac{bd \csc^2(c+dx)}{(e+fx)(a+b \cot(c+dx))} dx}{f} - \frac{\log(a + b \cot(c + dx))}{f(e + fx)} \\
 & \quad \downarrow \text{25} \\
 & -\frac{\int \frac{bd \csc^2(c+dx)}{(e+fx)(a+b \cot(c+dx))} dx}{f} - \frac{\log(a + b \cot(c + dx))}{f(e + fx)} \\
 & \quad \downarrow \text{27} \\
 & \frac{bd \int \frac{\csc^2(c+dx)}{(e+fx)(a+b \cot(c+dx))} dx}{f} - \frac{\log(a + b \cot(c + dx))}{f(e + fx)} \\
 & \quad \downarrow \text{7299} \\
 & -\frac{bd \int \frac{\csc^2(c+dx)}{(e+fx)(a+b \cot(c+dx))} dx}{f} - \frac{\log(a + b \cot(c + dx))}{f(e + fx)}
 \end{aligned}$$

input

```
Int[Log[a + b*Cot[c + d*x]]/(e + f*x)^2,x]
```

output

```
$Aborted
```

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 3031 `Int[Log[u_]*)((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 6.51 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \cot(dx + c))}{(fx + e)^2} dx$$

input `int(ln(a+b*cot(d*x+c))/(f*x+e)^2,x)`

output `int(ln(a+b*cot(d*x+c))/(f*x+e)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \cot(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*cot(d*x+c))/(f*x+e)^2,x, algorithm="fricas")`

output `integral(log(b*cot(d*x + c) + a)/(f^2*x^2 + 2*e*f*x + e^2), x)`

Sympy [N/A]

Not integrable

Time = 11.16 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx$$

input `integrate(ln(a+b*cot(d*x+c))/(f*x+e)**2,x)`

output `Integral(log(a + b*cot(c + d*x))/(e + f*x)**2, x)`

Maxima [N/A]

Not integrable

Time = 1.49 (sec) , antiderivative size = 725, normalized size of antiderivative = 38.16

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \cot(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*cot(d*x+c))/(f*x+e)^2,x, algorithm="maxima")`

output

```
-1/2*(4*(b*d*f^2*x + b*d*e*f)*integrate(-(a*cos(2*d*x + 2*c) - b*sin(2*d*x
+ 2*c) - a)/((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f + ((a^2 + b^2)*f^2*x + (
a^2 + b^2)*e*f)*cos(2*d*x + 2*c)^2 + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)
*sin(2*d*x + 2*c)^2 - 2*((a^2 - b^2)*f^2*x + (a^2 - b^2)*e*f)*cos(2*d*x +
2*c) + 4*(a*b*f^2*x + a*b*e*f)*sin(2*d*x + 2*c)), x) - 4*(a*d*f^2*x + a*d*
e*f)*integrate((b*cos(2*d*x + 2*c) + a*sin(2*d*x + 2*c) + b)/((a^2 + b^2)*
f^2*x + (a^2 + b^2)*e*f + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)*cos(2*d*x
+ 2*c)^2 + ((a^2 + b^2)*f^2*x + (a^2 + b^2)*e*f)*sin(2*d*x + 2*c)^2 - 2*((
a^2 - b^2)*f^2*x + (a^2 - b^2)*e*f)*cos(2*d*x + 2*c) + 4*(a*b*f^2*x + a*b*
e*f)*sin(2*d*x + 2*c)), x) - 2*(d*f^2*x + d*e*f)*integrate(sin(d*x + c)/(f
^2*x + (f^2*x + e*f)*cos(d*x + c)^2 + (f^2*x + e*f)*sin(d*x + c)^2 + e*f +
2*(f^2*x + e*f)*cos(d*x + c)), x) + 2*(d*f^2*x + d*e*f)*integrate(sin(d*x
+ c)/(f^2*x + (f^2*x + e*f)*cos(d*x + c)^2 + (f^2*x + e*f)*sin(d*x + c)^2
+ e*f - 2*(f^2*x + e*f)*cos(d*x + c)), x) + log((a^2 + b^2)*cos(2*d*x + 2
*c)^2 + 4*a*b*sin(2*d*x + 2*c) + (a^2 + b^2)*sin(2*d*x + 2*c)^2 + a^2 + b^
2 - 2*(a^2 - b^2)*cos(2*d*x + 2*c)) - log(cos(d*x + c)^2 + sin(d*x + c)^2
+ 2*cos(d*x + c) + 1) - log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*cos(d*x +
c) + 1))/(f^2*x + e*f)
```

Giac [N/A]

Not integrable

Time = 2.75 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \cot(dx + c) + a)}{(fx + e)^2} dx$$

input

```
integrate(log(a+b*cot(d*x+c))/(f*x+e)^2,x, algorithm="giac")
```

output

```
integrate(log(b*cot(d*x + c) + a)/(f*x + e)^2, x)
```

Mupad [N/A]

Not integrable

Time = 25.90 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\ln(a + b \cot(c + dx))}{(e + fx)^2} dx$$

input `int(log(a + b*cot(c + d*x))/(e + f*x)^2,x)`output `int(log(a + b*cot(c + d*x))/(e + f*x)^2, x)`**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \cot(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \cot(dx + c))}{f^2 x^2 + 2efx + e^2} dx$$

input `int(log(a+b*cot(d*x+c))/(f*x+e)^2,x)`output `int(log(cot(c + d*x)*b + a)/(e**2 + 2*e*f*x + f**2*x**2),x)`

3.33 $\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx$

Optimal result	252
Mathematica [B] (verified)	253
Rubi [F]	254
Maple [C] (warning: unable to verify)	255
Fricas [C] (verification not implemented)	256
Sympy [F]	257
Maxima [B] (verification not implemented)	257
Giac [F]	258
Mupad [F(-1)]	259
Reduce [F]	259

Optimal result

Integrand size = 19, antiderivative size = 341

$$\begin{aligned}
 \int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = & \frac{(e + fx)^4 \log(1 + e^{2(c+dx)})}{4f} \\
 & - \frac{(e + fx)^4 \log\left(1 + \frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{4f} \\
 & + \frac{(e + fx)^4 \log(a + b \tanh(c + dx))}{4f} \\
 & + \frac{(e + fx)^3 \operatorname{PolyLog}(2, -e^{2(c+dx)})}{2d} \\
 & - \frac{(e + fx)^3 \operatorname{PolyLog}\left(2, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{2d} \\
 & - \frac{3f(e + fx)^2 \operatorname{PolyLog}(3, -e^{2(c+dx)})}{4d^2} \\
 & + \frac{3f(e + fx)^2 \operatorname{PolyLog}\left(3, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{4d^2} \\
 & + \frac{3f^2(e + fx) \operatorname{PolyLog}(4, -e^{2(c+dx)})}{4d^3} \\
 & - \frac{3f^2(e + fx) \operatorname{PolyLog}\left(4, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{4d^3} \\
 & - \frac{3f^3 \operatorname{PolyLog}(5, -e^{2(c+dx)})}{8d^4} \\
 & + \frac{3f^3 \operatorname{PolyLog}\left(5, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{8d^4}
 \end{aligned}$$

output

```

1/4*(f*x+e)^4*ln(1+exp(2*d*x+2*c))/f-1/4*(f*x+e)^4*ln(1+(a+b)*exp(2*d*x+2*
c)/(a-b))/f+1/4*(f*x+e)^4*ln(a+b*tanh(d*x+c))/f+1/2*(f*x+e)^3*polylog(2,-e
xp(2*d*x+2*c))/d-1/2*(f*x+e)^3*polylog(2,-(a+b)*exp(2*d*x+2*c)/(a-b))/d-3/
4*f*(f*x+e)^2*polylog(3,-exp(2*d*x+2*c))/d^2+3/4*f*(f*x+e)^2*polylog(3,-(a
+b)*exp(2*d*x+2*c)/(a-b))/d^2+3/4*f^2*(f*x+e)*polylog(4,-exp(2*d*x+2*c))/d
^3-3/4*f^2*(f*x+e)*polylog(4,-(a+b)*exp(2*d*x+2*c)/(a-b))/d^3-3/8*f^3*poly
log(5,-exp(2*d*x+2*c))/d^4+3/8*f^3*polylog(5,-(a+b)*exp(2*d*x+2*c)/(a-b))/
d^4

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 691 vs. $2(341) = 682$.

Time = 4.61 (sec) , antiderivative size = 691, normalized size of antiderivative = 2.03

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx$$

$$= \frac{8d^4 e^3 x \log(1 + e^{-2(c+dx)}) + 12d^4 e^2 f x^2 \log(1 + e^{-2(c+dx)}) + 8d^4 e f^2 x^3 \log(1 + e^{-2(c+dx)}) + 2d^4 f^3 x^4 \log(1 + e^{-2(c+dx)})}{1}$$

input

```
Integrate[(e + f*x)^3*Log[a + b*Tanh[c + d*x]],x]
```

output

```
(8*d^4*e^3*x*Log[1 + E^(-2*(c + d*x))] + 12*d^4*e^2*f*x^2*Log[1 + E^(-2*(c + d*x))] + 8*d^4*e*f^2*x^3*Log[1 + E^(-2*(c + d*x))] + 2*d^4*f^3*x^4*Log[1 + E^(-2*(c + d*x))] - 8*d^4*e^3*x*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] - 12*d^4*e^2*f*x^2*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] - 8*d^4*e*f^2*x^3*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] - 2*d^4*f^3*x^4*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] + 8*d^4*e^3*x*Log[a + b*Tanh[c + d*x]] + 12*d^4*e^2*f*x^2*Log[a + b*Tanh[c + d*x]] + 8*d^4*e*f^2*x^3*Log[a + b*Tanh[c + d*x]] + 2*d^4*f^3*x^4*Log[a + b*Tanh[c + d*x]] - 4*d^3*(e + f*x)^3*PolyLog[2, -E^(-2*(c + d*x))] + 4*d^3*(e + f*x)^3*PolyLog[2, (-a + b)/((a + b)*E^(2*(c + d*x)))] - 6*d^2*e^2*f*PolyLog[3, -E^(-2*(c + d*x))] - 12*d^2*e*f^2*x*PolyLog[3, -E^(-2*(c + d*x))] - 6*d^2*f^3*x^2*PolyLog[3, -E^(-2*(c + d*x))] + 6*d^2*e^2*f*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))] + 12*d^2*e*f^2*x*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))] + 6*d^2*f^3*x^2*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))] - 6*d*e*f^2*PolyLog[4, -E^(-2*(c + d*x))] - 6*d*f^3*x*PolyLog[4, -E^(-2*(c + d*x))] + 6*d*e*f^2*PolyLog[4, (-a + b)/((a + b)*E^(2*(c + d*x)))] + 6*d*f^3*x*PolyLog[4, (-a + b)/((a + b)*E^(2*(c + d*x)))] - 3*f^3*PolyLog[5, -E^(-2*(c + d*x))] + 3*f^3*PolyLog[5, (-a + b)/((a + b)*E^(2*(c + d*x)))]/(8*d^4)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \log(a + b \tanh(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^4 \log(a + b \tanh(c + dx))}{4f} - \frac{\int \frac{bd(e+fx)^4 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{27} \\
 & \frac{(e + fx)^4 \log(a + b \tanh(c + dx))}{4f} - \frac{bd \int \frac{(e+fx)^4 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{(e + fx)^4 \log(a + b \tanh(c + dx))}{4f} - \\
 & \frac{bd \int \left(\frac{\operatorname{sech}^2(c+dx)e^4}{a+b \tanh(c+dx)} + \frac{4fx \operatorname{sech}^2(c+dx)e^3}{a+b \tanh(c+dx)} + \frac{6f^2 x^2 \operatorname{sech}^2(c+dx)e^2}{a+b \tanh(c+dx)} + \frac{4f^3 x^3 \operatorname{sech}^2(c+dx)e}{a+b \tanh(c+dx)} + \frac{f^4 x^4 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} \right) dx}{4f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{(e + fx)^4 \log(a + b \tanh(c + dx))}{4f} - \\
 & \frac{bd \left(4e^3 f \int \frac{x \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + 6e^2 f^2 \int \frac{x^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + 4ef^3 \int \frac{x^3 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + f^4 \int \frac{x^4 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + \frac{e^4 \log(a + b \tanh(c + dx))}{4f} \right)}{4f}
 \end{aligned}$$

input `Int[(e + f*x)^3*Log[a + b*Tanh[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 9.52 (sec) , antiderivative size = 6316, normalized size of antiderivative = 18.52

method	result	size
risch	Expression too large to display	6316

input `int((f*x+e)^3*ln(a+b*tanh(d*x+c)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.17 (sec) , antiderivative size = 1567, normalized size of antiderivative = 4.60

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = \text{Too large to display}$$

```
input integrate((f*x+e)^3*log(a+b*tanh(d*x+c)),x, algorithm="fricas")
```

```
output 1/4*(24*f^3*polylog(5, sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x +
c))) + 24*f^3*polylog(5, -sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x
+ c))) - 24*f^3*polylog(5, I*cosh(d*x + c) + I*sinh(d*x + c)) - 24*f^3*po
lylog(5, -I*cosh(d*x + c) - I*sinh(d*x + c)) - 4*(d^3*f^3*x^3 + 3*d^3*e*f^
2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(sqrt(-(a + b)/(a - b))*(cosh(d*x +
c) + sinh(d*x + c))) - 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x +
d^3*e^3)*dilog(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) +
4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(I*cosh(d
*x + c) + I*sinh(d*x + c)) + 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*
f*x + d^3*e^3)*dilog(-I*cosh(d*x + c) - I*sinh(d*x + c)) + (4*c*d^3*e^3 -
6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(2*(a + b)*cosh(d*x + c) + 2
*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt(-(a + b)/(a - b))) + (4*c*d^3*e^3
- 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(2*(a + b)*cosh(d*x + c) +
2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt(-(a + b)/(a - b))) - (d^4*f^3*x^
4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*
d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(sqrt(-(a + b)/(a - b))*(cosh(d*x
+ c) + sinh(d*x + c)) + 1) - (d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*
x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^
3)*log(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) + (d^4
*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x)*log((a*cosh...
```

Sympy [F]

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = \int (e + fx)^3 \log(a + b \tanh(c + dx)) dx$$

input `integrate((f*x+e)**3*ln(a+b*tanh(d*x+c)),x)`

output `Integral((e + f*x)**3*log(a + b*tanh(c + d*x)), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 867 vs. 2(317) = 634.

Time = 0.24 (sec) , antiderivative size = 867, normalized size of antiderivative = 2.54

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output

```

-1/12*b*d*(6*(2*d*x*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + d
illog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e^3/(b*d^2) - 6*(2*d*x*1
og(e^(2*d*x + 2*c) + 1) + dilog(-e^(2*d*x + 2*c)))*e^3/(b*d^2) + 9*(2*d^2*x
x^2*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog(-(a*e
^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - polylog(3, -(a*e^(2*c) + b*e^(2*c
))*e^(2*d*x)/(a - b)))*e^2*f/(b*d^3) - 9*(2*d^2*x^2*log(e^(2*d*x + 2*c) +
1) + 2*d*x*dilog(-e^(2*d*x + 2*c)) - polylog(3, -e^(2*d*x + 2*c)))*e^2*f/(
b*d^3) + 4*(4*d^3*x^3*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) +
6*d^2*x^2*dilog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - 6*d*x*polyl
og(3, -(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) + 3*polylog(4, -(a*e^(2*
c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e*f^2/(b*d^4) - 4*(4*d^3*x^3*log(e^(2*
d*x + 2*c) + 1) + 6*d^2*x^2*dilog(-e^(2*d*x + 2*c)) - 6*d*x*polylog(3, -e
(2*d*x + 2*c)) + 3*polylog(4, -e^(2*d*x + 2*c)))*e*f^2/(b*d^4) + 3*(2*d^4*x
x^4*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 4*d^3*x^3*dilog(-
(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - 6*d^2*x^2*polylog(3, -(a*e^(2
*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) + 6*d*x*polylog(4, -(a*e^(2*c) + b*e^(
2*c))*e^(2*d*x)/(a - b)) - 3*polylog(5, -(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)
/(a - b)))*f^3/(b*d^5) - 3*(2*d^4*x^4*log(e^(2*d*x + 2*c) + 1) + 4*d^3*x^3
*dilog(-e^(2*d*x + 2*c)) - 6*d^2*x^2*polylog(3, -e^(2*d*x + 2*c)) + 6*d*x*
polylog(4, -e^(2*d*x + 2*c)) - 3*polylog(5, -e^(2*d*x + 2*c)))*f^3/(b*d...

```

Giac [F]

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = \int (fx + e)^3 \log(b \tanh(dx + c) + a) dx$$

input

```
integrate((f*x+e)^3*log(a+b*tanh(d*x+c)),x, algorithm="giac")
```

output

```
integrate((f*x + e)^3*log(b*tanh(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \log(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx)) (e + fx)^3 dx$$

input `int(log(a + b*tanh(c + d*x))*(e + f*x)^3,x)`

output `int(log(a + b*tanh(c + d*x))*(e + f*x)^3, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^3 \log(a + b \tanh(c + dx)) dx &= \left(\int \log(\tanh(dx + c) b + a) dx \right) e^3 \\ &+ \left(\int \log(\tanh(dx + c) b + a) x^3 dx \right) f^3 \\ &+ 3 \left(\int \log(\tanh(dx + c) b + a) x^2 dx \right) e f^2 \\ &+ 3 \left(\int \log(\tanh(dx + c) b + a) x dx \right) e^2 f \end{aligned}$$

input `int((f*x+e)^3*log(a+b*tanh(d*x+c)),x)`

output `int(log(tanh(c + d*x)*b + a),x)*e**3 + int(log(tanh(c + d*x)*b + a)*x**3,x)*f**3 + 3*int(log(tanh(c + d*x)*b + a)*x**2,x)*e*f**2 + 3*int(log(tanh(c + d*x)*b + a)*x,x)*e**2*f`

3.34 $\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx$

Optimal result	260
Mathematica [A] (verified)	261
Rubi [F]	262
Maple [C] (warning: unable to verify)	263
Fricas [C] (verification not implemented)	264
Sympy [F]	265
Maxima [B] (verification not implemented)	266
Giac [F]	266
Mupad [F(-1)]	267
Reduce [F]	267

Optimal result

Integrand size = 19, antiderivative size = 271

$$\begin{aligned}
 \int (e + fx)^2 \log(a + b \tanh(c + dx)) dx = & \frac{(e + fx)^3 \log(1 + e^{2(c+dx)})}{3f} \\
 & - \frac{(e + fx)^3 \log\left(1 + \frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{3f} \\
 & + \frac{(e + fx)^3 \log(a + b \tanh(c + dx))}{3f} \\
 & + \frac{(e + fx)^2 \operatorname{PolyLog}(2, -e^{2(c+dx)})}{2d} \\
 & - \frac{(e + fx)^2 \operatorname{PolyLog}\left(2, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{2d} \\
 & - \frac{f(e + fx) \operatorname{PolyLog}(3, -e^{2(c+dx)})}{2d^2} \\
 & + \frac{f(e + fx) \operatorname{PolyLog}\left(3, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{2d^2} \\
 & + \frac{f^2 \operatorname{PolyLog}(4, -e^{2(c+dx)})}{4d^3} \\
 & - \frac{f^2 \operatorname{PolyLog}\left(4, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{4d^3}
 \end{aligned}$$

output

```
1/3*(f*x+e)^3*ln(1+exp(2*d*x+2*c))/f-1/3*(f*x+e)^3*ln(1+(a+b)*exp(2*d*x+2*c)/(a-b))/f+1/3*(f*x+e)^3*ln(a+b*tanh(d*x+c))/f+1/2*(f*x+e)^2*polylog(2,-exp(2*d*x+2*c))/d-1/2*(f*x+e)^2*polylog(2,-(a+b)*exp(2*d*x+2*c)/(a-b))/d-1/2*f*(f*x+e)*polylog(3,-exp(2*d*x+2*c))/d^2+1/2*f*(f*x+e)*polylog(3,-(a+b)*exp(2*d*x+2*c)/(a-b))/d^2+1/4*f^2*polylog(4,-exp(2*d*x+2*c))/d^3-1/4*f^2*polylog(4,-(a+b)*exp(2*d*x+2*c)/(a-b))/d^3
```

Mathematica [A] (verified)

Time = 3.38 (sec) , antiderivative size = 434, normalized size of antiderivative = 1.60

$$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx$$

$$= \frac{12d^3 e^2 x \log(1 + e^{-2(c+dx)}) + 12d^3 e f x^2 \log(1 + e^{-2(c+dx)}) + 4d^3 f^2 x^3 \log(1 + e^{-2(c+dx)}) - 12d^3 e^2 x \log(1 + e^{2(c+dx)}) + 12d^3 e f x^2 \log(1 + e^{2(c+dx)}) + 4d^3 f^2 x^3 \log(1 + e^{2(c+dx)}) - 12d^3 e^2 x \log(1 + e^{-2(c+dx)}) + 12d^3 e f x^2 \log(1 + e^{-2(c+dx)}) + 4d^3 f^2 x^3 \log(1 + e^{-2(c+dx)})}{12d^3}$$

input

```
Integrate[(e + f*x)^2*Log[a + b*Tanh[c + d*x]],x]
```

output

```
(12*d^3*e^2*x*Log[1 + E^(-2*(c + d*x))] + 12*d^3*e*f*x^2*Log[1 + E^(-2*(c + d*x))] + 4*d^3*f^2*x^3*Log[1 + E^(-2*(c + d*x))] - 12*d^3*e^2*x*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] - 12*d^3*e*f*x^2*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] - 4*d^3*f^2*x^3*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x)))] + 12*d^3*e^2*x*Log[a + b*Tanh[c + d*x]] + 12*d^3*e*f*x^2*Log[a + b*Tanh[c + d*x]] + 4*d^3*f^2*x^3*Log[a + b*Tanh[c + d*x]] - 6*d^2*(e + f*x)^2*PolyLog[2, -E^(-2*(c + d*x))] + 6*d^2*(e + f*x)^2*PolyLog[2, (-a + b)/((a + b)*E^(2*(c + d*x)))] - 6*d*e*f*PolyLog[3, -E^(-2*(c + d*x))] - 6*d*f^2*x*PolyLog[3, -E^(-2*(c + d*x))] + 6*d*e*f*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))] + 6*d*f^2*x*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))] - 3*f^2*PolyLog[4, -E^(-2*(c + d*x))] + 3*f^2*PolyLog[4, (-a + b)/((a + b)*E^(2*(c + d*x)))]/(12*d^3)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 \log(a + b \tanh(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^3 \log(a + b \tanh(c + dx))}{3f} - \frac{\int \frac{bd(e+fx)^3 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{3f} \\
 & \quad \downarrow \text{27} \\
 & \frac{(e + fx)^3 \log(a + b \tanh(c + dx))}{3f} - \frac{bd \int \frac{(e+fx)^3 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{3f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{(e + fx)^3 \log(a + b \tanh(c + dx))}{3f} - \\
 & \frac{bd \int \left(\frac{\operatorname{sech}^2(c+dx)e^3}{a+b \tanh(c+dx)} + \frac{3fx \operatorname{sech}^2(c+dx)e^2}{a+b \tanh(c+dx)} + \frac{3f^2x^2 \operatorname{sech}^2(c+dx)e}{a+b \tanh(c+dx)} + \frac{f^3x^3 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} \right) dx}{3f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{(e + fx)^3 \log(a + b \tanh(c + dx))}{3f} - \\
 & \frac{bd \left(3e^2 f \int \frac{x \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + 3ef^2 \int \frac{x^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + f^3 \int \frac{x^3 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + \frac{e^3 \log(a+b \tanh(c+dx))}{bd} \right)}{3f}
 \end{aligned}$$

input `Int[(e + f*x)^2*Log[a + b*Tanh[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_*((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 7.74 (sec) , antiderivative size = 4458, normalized size of antiderivative = 16.45

method	result	size
risch	Expression too large to display	4458

input `int((f*x+e)^2*ln(a+b*tanh(d*x+c)),x,method=_RETURNVERBOSE)`

output

```

-1/2*f/d^2*e*polylog(3,-exp(2*d*x+2*c))-f^2*c^3/d^3*ln(1+exp(2*d*x+2*c))+1
/2*f^2/d*polylog(2,-exp(2*d*x+2*c))*x^2-1/2*f^2/d^3*polylog(2,-exp(2*d*x+2
*c))*c^2+2/d^2*f*a*e*c^2/(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b
))^1/2)/(-(a+b)*(a-b))^1/2)+2/d^2*f*a*e*c^2/(a+b)*ln((exp(d*x+c)*a+b*exp
(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2))-1/d^2*f^2*a*c^2/(a+b
)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2
))*x-1/d^2*f^2*a*c^2/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^1
/2)/(-(a+b)*(a-b))^1/2))*x-1/d^2*f^2*b*c^2/(a+b)*ln((-exp(d*x+c)*a-b*exp
(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2))*x-1/d^2*f^2*b*c^2/(a+b
)*ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2
))*x+2/d^2*f*a*e*c/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^
1/2)/(-(a+b)*(a-b))^1/2))-1/3*f^2*a/(a+b)*ln(1-(a+b)*exp(2*d*x+2*c)/(-a+
b))*x^3-1/d*a*e^2/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^
1/2)/(-(a+b)*(a-b))^1/2))-1/d*a*e^2/(a+b)*dilog((exp(d*x+c)*a+b*exp(d*x+
c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2))-b*e^2/(a+b)*ln((-exp(d*x+c)
*a-b*exp(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2))*x-b*e^2/(a+b)*
ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)*(a-b))^1/2))*
x-a*e^2/(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^1/2)/(-(a+b)
*(a-b))^1/2))*x-a*e^2/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^
1/2)/(-(a+b)*(a-b))^1/2))*x-1/2*f^2/d^2*polylog(3,-exp(2*d*x+2*c))*x...

```

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.12 (sec) , antiderivative size = 1091, normalized size of antiderivative = 4.03

$$\int (e + fx)^2 \log(a + b \tanh(cx + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^2*log(a+b*tanh(d*x+c)),x, algorithm="fricas")
```

output

```

-1/3*(6*f^2*polylog(4, sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x +
c))) + 6*f^2*polylog(4, -sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x
+ c))) - 6*f^2*polylog(4, I*cosh(d*x + c) + I*sinh(d*x + c)) - 6*f^2*polyl
og(4, -I*cosh(d*x + c) - I*sinh(d*x + c)) + 3*(d^2*f^2*x^2 + 2*d^2*e*f*x +
d^2*e^2)*dilog(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) +
3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dilog(-sqrt(-(a + b)/(a - b))*(cos
h(d*x + c) + sinh(d*x + c))) - 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dil
og(I*cosh(d*x + c) + I*sinh(d*x + c)) - 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2
*e^2)*dilog(-I*cosh(d*x + c) - I*sinh(d*x + c)) - (3*c*d^2*e^2 - 3*c^2*d*e
*f + c^3*f^2)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a
- b)*sqrt(-(a + b)/(a - b))) - (3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(
2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt(-(a + b
)/(a - b))) + (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3
*c^2*d*e*f + c^3*f^2)*log(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x
+ c)) + 1) + (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3
*c^2*d*e*f + c^3*f^2)*log(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*
x + c)) + 1) - (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x)*log((a*cosh(d*x
+ c) + b*sinh(d*x + c))/cosh(d*x + c)) + (3*c*d^2*e^2 - 3*c^2*d*e*f + c^3
*f^2)*log(cosh(d*x + c) + sinh(d*x + c) + I) + (3*c*d^2*e^2 - 3*c^2*d*e*f
+ c^3*f^2)*log(cosh(d*x + c) + sinh(d*x + c) - I) - (d^3*f^2*x^3 + 3*d^...

```

Sympy [F]

$$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx = \int (e + fx)^2 \log(a + b \tanh(c + dx)) dx$$

input

```
integrate((f*x+e)**2*ln(a+b*tanh(d*x+c)),x)
```

output

```
Integral((e + f*x)**2*log(a + b*tanh(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 559 vs. $2(251) = 502$.

Time = 0.21 (sec) , antiderivative size = 559, normalized size of antiderivative = 2.06

$$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output

```
-1/18*b*d*(9*(2*d*x*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + d
ilog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e^2/(b*d^2) - 9*(2*d*x*log
og(e^(2*d*x + 2*c) + 1) + dilog(-e^(2*d*x + 2*c)))*e^2/(b*d^2) + 9*(2*d^2*x
x^2*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog(-(a*e
^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - polylog(3, -(a*e^(2*c) + b*e^(2*c)
))*e^(2*d*x)/(a - b)))*e*f/(b*d^3) - 9*(2*d^2*x^2*log(e^(2*d*x + 2*c) + 1)
+ 2*d*x*dilog(-e^(2*d*x + 2*c)) - polylog(3, -e^(2*d*x + 2*c)))*e*f/(b*d^
3) + 2*(4*d^3*x^3*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 6*d
^2*x^2*dilog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - 6*d*x*polylog(3
, -(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) + 3*polylog(4, -(a*e^(2*c) +
b*e^(2*c))*e^(2*d*x)/(a - b)))*f^2/(b*d^4) - 2*(4*d^3*x^3*log(e^(2*d*x +
2*c) + 1) + 6*d^2*x^2*dilog(-e^(2*d*x + 2*c)) - 6*d*x*polylog(3, -e^(2*d*x
+ 2*c)) + 3*polylog(4, -e^(2*d*x + 2*c)))*f^2/(b*d^4) + 1/3*(f^2*x^3 + 3
*e*f*x^2 + 3*e^2*x)*log(b*tanh(d*x + c) + a)
```

Giac [F]

$$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx = \int (fx + e)^2 \log(b \tanh(dx + c) + a) dx$$

input `integrate((f*x+e)^2*log(a+b*tanh(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)^2*log(b*tanh(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \log(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx)) (e + fx)^2 dx$$

input `int(log(a + b*tanh(c + d*x))*(e + f*x)^2,x)`

output `int(log(a + b*tanh(c + d*x))*(e + f*x)^2, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^2 \log(a + b \tanh(c + dx)) dx &= \left(\int \log(\tanh(dx + c) b + a) dx \right) e^2 \\ &+ \left(\int \log(\tanh(dx + c) b + a) x^2 dx \right) f^2 \\ &+ 2 \left(\int \log(\tanh(dx + c) b + a) x dx \right) ef \end{aligned}$$

input `int((f*x+e)^2*log(a+b*tanh(d*x+c)),x)`

output `int(log(tanh(c + d*x)*b + a),x)*e**2 + int(log(tanh(c + d*x)*b + a)*x**2,x)*f**2 + 2*int(log(tanh(c + d*x)*b + a)*x,x)*e*f`

3.35 $\int (e + fx) \log(a + b \tanh(c + dx)) dx$

Optimal result	268
Mathematica [A] (verified)	269
Rubi [F]	269
Maple [C] (warning: unable to verify)	271
Fricas [C] (verification not implemented)	272
Sympy [F]	272
Maxima [A] (verification not implemented)	273
Giac [F]	273
Mupad [F(-1)]	274
Reduce [F]	274

Optimal result

Integrand size = 17, antiderivative size = 201

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \frac{(e + fx)^2 \log(1 + e^{2(c+dx)})}{2f} - \frac{(e + fx)^2 \log\left(1 + \frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{2f} + \frac{(e + fx)^2 \log(a + b \tanh(c + dx))}{2f} + \frac{(e + fx) \operatorname{PolyLog}(2, -e^{2(c+dx)})}{2d} - \frac{(e + fx) \operatorname{PolyLog}\left(2, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{2d} - \frac{f \operatorname{PolyLog}(3, -e^{2(c+dx)})}{4d^2} + \frac{f \operatorname{PolyLog}\left(3, -\frac{(a+b)e^{2(c+dx)}}{a-b}\right)}{4d^2}$$

output

```
1/2*(f*x+e)^2*ln(1+exp(2*d*x+2*c))/f-1/2*(f*x+e)^2*ln(1+(a+b)*exp(2*d*x+2*c)/(a-b))/f+1/2*(f*x+e)^2*ln(a+b*tanh(d*x+c))/f+1/2*(f*x+e)*polylog(2,-exp(2*d*x+2*c))/d-1/2*(f*x+e)*polylog(2,-(a+b)*exp(2*d*x+2*c)/(a-b))/d-1/4*f*polylog(3,-exp(2*d*x+2*c))/d^2+1/4*f*polylog(3,-(a+b)*exp(2*d*x+2*c)/(a-b))/d^2
```

Mathematica [A] (verified)

Time = 1.40 (sec) , antiderivative size = 278, normalized size of antiderivative = 1.38

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx$$

$$= \frac{2d^2 fx^2 \log(1 + e^{-2(c+dx)}) - 2d^2 fx^2 \log\left(1 + \frac{(a-b)e^{-2(c+dx)}}{a+b}\right) + 2d^2 fx^2 \log(a + b \tanh(c + dx)) - 2de \log$$

input

```
Integrate[(e + f*x)*Log[a + b*Tanh[c + d*x]],x]
```

output

```
(2*d^2*f*x^2*Log[1 + E^(-2*(c + d*x))] - 2*d^2*f*x^2*Log[1 + (a - b)/((a + b)*E^(2*(c + d*x))]) + 2*d^2*f*x^2*Log[a + b*Tanh[c + d*x]] - 2*d*e*Log[-((b*(-1 + Tanh[c + d*x]))/(a + b))]*Log[a + b*Tanh[c + d*x]] + 2*d*e*Log[-((b*(1 + Tanh[c + d*x]))/(a - b))]*Log[a + b*Tanh[c + d*x]] - 2*d*f*x*PolyLog[2, -E^(-2*(c + d*x))] + 2*d*f*x*PolyLog[2, (-a + b)/((a + b)*E^(2*(c + d*x)))] + 2*d*e*PolyLog[2, (a + b*Tanh[c + d*x])/(a - b)] - 2*d*e*PolyLog[2, (a + b*Tanh[c + d*x])/(a + b)] - f*PolyLog[3, -E^(-2*(c + d*x))] + f*PolyLog[3, (-a + b)/((a + b)*E^(2*(c + d*x)))]/(4*d^2)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx$$

$$\downarrow 3031$$

$$\frac{(e + fx)^2 \log(a + b \tanh(c + dx))}{2f} - \frac{\int \frac{bd(e+fx)^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{2f}$$

$$\downarrow 27$$

$$\frac{(e + fx)^2 \log(a + b \tanh(c + dx))}{2f} - \frac{bd \int \frac{(e+fx)^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx}{2f}$$

$$\downarrow 7293$$

$$\frac{(e + fx)^2 \log(a + b \tanh(c + dx))}{2f} - \frac{bd \int \left(\frac{e^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} + \frac{f^2 x^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} + \frac{2efx \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} \right) dx}{2f}$$

↓ 2009

$$\frac{(e + fx)^2 \log(a + b \tanh(c + dx))}{2f} - \frac{bd \left(2ef \int \frac{x \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + f^2 \int \frac{x^2 \operatorname{sech}^2(c+dx)}{a+b \tanh(c+dx)} dx + \frac{e^2 \log(a+b \tanh(c+dx))}{bd} \right)}{2f}$$

input `Int[(e + f*x)*Log[a + b*Tanh[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u]*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 6.29 (sec) , antiderivative size = 2640, normalized size of antiderivative = 13.13

method	result	size
risch	Expression too large to display	2640

input `int((f*x+e)*ln(a+b*tanh(d*x+c)),x,method=_RETURNVERBOSE)`

output

```
-1/d*e*a/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))-1/d*e*a/(a+b)*dilog((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))-1/d*b*e/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))-1/d*b*e/(a+b)*dilog((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))+1/4/d^2*a*f/(a+b)*polylog(3,(a+b)*exp(2*d*x+2*c)/(-a+b))+1/4/d^2*b*f/(a+b)*polylog(3,(a+b)*exp(2*d*x+2*c)/(-a+b))-b*e/(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))*x-b*e/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))*x-1/2*a*f/(a+b)*ln(1-(a+b)*exp(2*d*x+2*c)/(-a+b))*x^2-1/2*b*f/(a+b)*ln(1-(a+b)*exp(2*d*x+2*c)/(-a+b))*x^2-e*a/(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))*x-e*a/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+(-(a+b)*(a-b))^(1/2))/(-(a+b)*(a-b))^(1/2))*x-1/2*I*Pi*csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1))/(1+exp(2*d*x+2*c)))+(csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1)))*csgn(I/(1+exp(2*d*x+2*c)))-csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1)))/(1+exp(2*d*x+2*c)))*csgn(I/(1+exp(2*d*x+2*c)))-csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1)))*csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1)))/(1+exp(2*d*x+2*c)))+csgn(I*(a*(1+exp(2*d*x+2*c))+b*(exp(2*d*x+2*c)-1))/(1+exp(2*d*x+2*c)))^2*(1/2*f*x^2+e*x)+1/2*f/d*polylog(2,-exp(2*d*x+2*c))*x+1/2*f/d^2*polylog(2,-exp(2*d*x+2*c))*c...
```


Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.12 (sec) , antiderivative size = 686, normalized size of antiderivative = 3.41

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)*log(a+b*tanh(d*x+c)),x, algorithm="fricas")`

output

```
-1/2*(2*(d*f*x + d*e)*dilog(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 2*(d*f*x + d*e)*dilog(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 2*(d*f*x + d*e)*dilog(I*cosh(d*x + c) + I*sinh(d*x + c)) - 2*(d*f*x + d*e)*dilog(-I*cosh(d*x + c) - I*sinh(d*x + c)) - (2*c*d*e - c^2*f)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt(-(a + b)/(a - b))) - (2*c*d*e - c^2*f)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt(-(a + b)/(a - b))) + (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) + (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d^2*f*x^2 + 2*d^2*e*x)*log((a*cosh(d*x + c) + b*sinh(d*x + c))/cosh(d*x + c)) + (2*c*d*e - c^2*f)*log(cosh(d*x + c) + sinh(d*x + c) + I) + (2*c*d*e - c^2*f)*log(cosh(d*x + c) + sinh(d*x + c) - I) - (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(I*cosh(d*x + c) + I*sinh(d*x + c) + 1) - (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-I*cosh(d*x + c) - I*sinh(d*x + c) + 1) - 2*f*polylog(3, sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 2*f*polylog(3, -sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 2*f*polylog(3, I*cosh(d*x + c) + I*sinh(d*x + c)) + 2*f*polylog(3, -I*cosh(d*x + c) - I*sinh(d*x + c)))/d^2
```

Sympy [F]

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \int (e + fx) \log(a + b \tanh(c + dx)) dx$$

input `integrate((f*x+e)*ln(a+b*tanh(d*x+c)),x)`

output `Integral((e + f*x)*log(a + b*tanh(c + d*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.21 (sec) , antiderivative size = 308, normalized size of antiderivative = 1.53

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx =$$

$$-\frac{1}{4} bd \left(\frac{2 \left(2 dx \log \left(\frac{(ae^{2c}) + be^{2c}) e^{2dx}}{a-b} + 1 \right) + \text{Li}_2 \left(-\frac{(ae^{2c}) + be^{2c}) e^{2dx}}{a-b} \right) \right) e}{bd^2} - \frac{2 \left(2 dx \log (e^{2dx+2c}) + 1 \right)}{bd^2} \right)$$

$$+ \frac{1}{2} (fx^2 + 2ex) \log(b \tanh(dx + c) + a)$$

input `integrate((f*x+e)*log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output `-1/4*b*d*(2*(2*d*x*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + di
log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e/(b*d^2) - 2*(2*d*x*log(
e^(2*d*x + 2*c) + 1) + dilog(-e^(2*d*x + 2*c)))*e/(b*d^2) + (2*d^2*x^2*log
((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog(-(a*e^(2*c)
+ b*e^(2*c))*e^(2*d*x)/(a - b)) - polylog(3, -(a*e^(2*c) + b*e^(2*c))*e^(2
*d*x)/(a - b)))*f/(b*d^3) - (2*d^2*x^2*log(e^(2*d*x + 2*c) + 1) + 2*d*x*di
log(-e^(2*d*x + 2*c)) - polylog(3, -e^(2*d*x + 2*c)))*f/(b*d^3)) + 1/2*(f*
x^2 + 2*e*x)*log(b*tanh(d*x + c) + a)`

Giac [F]

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \int (fx + e) \log(b \tanh(dx + c) + a) dx$$

input `integrate((f*x+e)*log(a+b*tanh(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)*log(b*tanh(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx)) (e + fx) dx$$

input `int(log(a + b*tanh(c + d*x))*(e + f*x),x)`

output `int(log(a + b*tanh(c + d*x))*(e + f*x), x)`

Reduce [F]

$$\int (e + fx) \log(a + b \tanh(c + dx)) dx = \left(\int \log(\tanh(dx + c) b + a) dx \right) e + \left(\int \log(\tanh(dx + c) b + a) x dx \right) f$$

input `int((f*x+e)*log(a+b*tanh(d*x+c)),x)`

output `int(log(tanh(c + d*x)*b + a),x)*e + int(log(tanh(c + d*x)*b + a)*x,x)*f`

3.36 $\int \log(a + b \tanh(c + dx)) dx$

Optimal result	275
Mathematica [A] (verified)	276
Rubi [F]	276
Maple [A] (verified)	277
Fricas [C] (verification not implemented)	278
Sympy [F]	279
Maxima [A] (verification not implemented)	279
Giac [F]	280
Mupad [F(-1)]	280
Reduce [F]	280

Optimal result

Integrand size = 11, antiderivative size = 126

$$\int \log(a + b \tanh(c + dx)) dx = -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d}$$

output

```
-1/2*ln(b*(1-tanh(d*x+c))/(a+b))*ln(a+b*tanh(d*x+c))/d+1/2*ln(-b*(1+tanh(d*x+c))/(a-b))*ln(a+b*tanh(d*x+c))/d+1/2*polylog(2,(a+b*tanh(d*x+c))/(a-b))/d-1/2*polylog(2,(a+b*tanh(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.00

$$\int \log(a + b \tanh(c + dx)) dx = -\frac{\log\left(\frac{b(1-\tanh(c+dx))}{a+b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\tanh(c+dx))}{a-b}\right) \log(a + b \tanh(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \tanh(c+dx)}{a+b}\right)}{2d}$$

input `Integrate[Log[a + b*Tanh[c + d*x]],x]`

output

```
-1/2*(Log[(b*(1 - Tanh[c + d*x]))/(a + b)]*Log[a + b*Tanh[c + d*x]])/d + (
Log[-((b*(1 + Tanh[c + d*x]))/(a - b))] * Log[a + b*Tanh[c + d*x]])/(2*d) +
PolyLog[2, (a + b*Tanh[c + d*x])/(a - b)]/(2*d) - PolyLog[2, (a + b*Tanh[c
+ d*x])/(a + b)]/(2*d)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \tanh(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \tanh(c + dx)) - \int \frac{bdx \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

$$\downarrow \text{27}$$

$$x \log(a + b \tanh(c + dx)) - bd \int \frac{x \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

↓ 7299

$$x \log(a + b \tanh(c + dx)) - bd \int \frac{x \operatorname{sech}^2(c + dx)}{a + b \tanh(c + dx)} dx$$

input `Int[Log[a + b*Tanh[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 8.79 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

method	result
derivativedivides	$-\frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)\right) b}{2}$
default	$-\frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)+\ln(a+b \tanh(dx+c)) \ln\left(\frac{b \tanh(dx+c)+b}{-a+b}\right)\right) b}{2}$
risch	Expression too large to display

input `int(ln(a+b*tanh(d*x+c)),x,method=_RETURNVERBOSE)`

output

```
1/d/b*(-1/2*(dilog((b*tanh(d*x+c)-b)/(-a-b))+ln(a+b*tanh(d*x+c))*ln((b*tan
h(d*x+c)-b)/(-a-b)))*b+1/2*(dilog((b*tanh(d*x+c)+b)/(-a+b))+ln(a+b*tanh(d*
x+c))*ln((b*tanh(d*x+c)+b)/(-a+b)))*b)
```

Fricas [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.11 (sec) , antiderivative size = 391, normalized size of antiderivative = 3.10

$$\int \log(a + b \tanh(c + dx)) dx$$

$$= \frac{dx \log\left(\frac{a \cosh(dx+c) + b \sinh(dx+c)}{\cosh(dx+c)}\right) + c \log\left(2(a+b) \cosh(dx+c) + 2(a+b) \sinh(dx+c) + 2(a-b) \sqrt{-\frac{a}{a-b}}\right)}{d}$$

input

```
integrate(log(a+b*tanh(d*x+c)),x, algorithm="fricas")
```

output

```
(d*x*log((a*cosh(d*x + c) + b*sinh(d*x + c))/cosh(d*x + c)) + c*log(2*(a +
b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt(-(a + b)/(a -
b))) + c*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b
)*sqrt(-(a + b)/(a - b))) - (d*x + c)*log(sqrt(-(a + b)/(a - b))*(cosh(d*x
+ c) + sinh(d*x + c)) + 1) - (d*x + c)*log(-sqrt(-(a + b)/(a - b))*(cosh(
d*x + c) + sinh(d*x + c)) + 1) - c*log(cosh(d*x + c) + sinh(d*x + c) + I)
- c*log(cosh(d*x + c) + sinh(d*x + c) - I) + (d*x + c)*log(I*cosh(d*x + c)
+ I*sinh(d*x + c) + 1) + (d*x + c)*log(-I*cosh(d*x + c) - I*sinh(d*x + c)
+ 1) - dilog(sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - di
log(-sqrt(-(a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + dilog(I*cos
h(d*x + c) + I*sinh(d*x + c)) + dilog(-I*cosh(d*x + c) - I*sinh(d*x + c))
/d
```

Sympy [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(a + b \tanh(c + dx)) dx$$

input `integrate(ln(a+b*tanh(d*x+c)),x)`

output `Integral(log(a + b*tanh(c + d*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

$$\int \log(a + b \tanh(c + dx)) dx =$$

$$-\frac{1}{2} bd \left(\frac{2 dx \log \left(\frac{(ae^{(2c)} + be^{(2c)})e^{(2dx)}}{a-b} + 1 \right) + \text{Li}_2 \left(-\frac{(ae^{(2c)} + be^{(2c)})e^{(2dx)}}{a-b} \right)}{bd^2} - \frac{2 dx \log (e^{(2dx+2c)} + 1) + \text{Li}_2 (-e^{(2dx+2c)})}{bd^2} \right)$$

$$+ x \log (b \tanh (dx + c) + a)$$

input `integrate(log(a+b*tanh(d*x+c)),x, algorithm="maxima")`

output `-1/2*b*d*((2*d*x*log((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + dilog(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))/(b*d^2) - (2*d*x*log(e^(2*d*x + 2*c) + 1) + dilog(-e^(2*d*x + 2*c)))/(b*d^2) + x*log(b*tanh(d*x + c) + a)`

Giac [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(b \tanh(dx + c) + a) dx$$

input `integrate(log(a+b*tanh(d*x+c)),x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \tanh(c + dx)) dx = \int \ln(a + b \tanh(c + dx)) dx$$

input `int(log(a + b*tanh(c + d*x)),x)`

output `int(log(a + b*tanh(c + d*x)), x)`

Reduce [F]

$$\int \log(a + b \tanh(c + dx)) dx = \int \log(\tanh(dx + c)b + a) dx$$

input `int(log(a+b*tanh(d*x+c)),x)`

output `int(log(tanh(c + d*x)*b + a),x)`

3.37 $\int \frac{\log(a+b \tanh(c+dx))}{e+fx} dx$

Optimal result	281
Mathematica [N/A]	281
Rubi [N/A]	282
Maple [N/A]	282
Fricas [N/A]	283
Sympy [N/A]	283
Maxima [N/A]	284
Giac [N/A]	284
Mupad [N/A]	284
Reduce [N/A]	285

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \text{Int}\left(\frac{\log(a + b \tanh(c + dx))}{e + fx}, x\right)$$

output `Defer(Int)(ln(a+b*tanh(d*x+c))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 12.01 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx$$

input `Integrate[Log[a + b*Tanh[c + d*x]]/(e + f*x), x]`

output `Integrate[Log[a + b*Tanh[c + d*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx$$

input `Int[Log[a + b*Tanh[c + d*x]]/(e + f*x),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.98 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \tanh(dx + c))}{fx + e} dx$$

input `int(ln(a+b*tanh(d*x+c))/(f*x+e),x)`

output `int(ln(a+b*tanh(d*x+c))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(b \tanh(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e),x, algorithm="fricas")`

output `integral(log(b*tanh(d*x + c) + a)/(f*x + e), x)`

Sympy [N/A]

Not integrable

Time = 0.74 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx$$

input `integrate(ln(a+b*tanh(d*x+c))/(f*x+e),x)`

output `Integral(log(a + b*tanh(c + d*x))/(e + f*x), x)`

Maxima [N/A]

Not integrable

Time = 0.86 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(b \tanh(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e),x, algorithm="maxima")`

output `integrate(log(b*tanh(d*x + c) + a)/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(b \tanh(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e),x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a)/(f*x + e), x)`

Mupad [N/A]

Not integrable

Time = 25.61 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\ln(a + b \tanh(c + dx))}{e + fx} dx$$

input `int(log(a + b*tanh(c + d*x))/(e + f*x),x)`

output `int(log(a + b*tanh(c + d*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{e + fx} dx = \int \frac{\log(\tanh(dx + c) b + a)}{fx + e} dx$$

input `int(log(a+b*tanh(d*x+c))/(f*x+e),x)`

output `int(log(tanh(c + d*x)*b + a)/(e + f*x),x)`

$$3.38 \quad \int \frac{\log(a+b \tanh(c+dx))}{(e+fx)^2} dx$$

Optimal result	286
Mathematica [N/A]	286
Rubi [N/A]	287
Maple [N/A]	288
Fricas [N/A]	288
Sympy [N/A]	289
Maxima [N/A]	289
Giac [N/A]	290
Mupad [N/A]	290
Reduce [N/A]	290

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \text{Int}\left(\frac{\log(a + b \tanh(c + dx))}{(e + fx)^2}, x\right)$$

output `Defer(Int)(ln(a+b*tanh(d*x+c))/(f*x+e)^2,x)`

Mathematica [N/A]

Not integrable

Time = 44.99 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx$$

input `Integrate[Log[a + b*Tanh[c + d*x]]/(e + f*x)^2,x]`

output `Integrate[Log[a + b*Tanh[c + d*x]]/(e + f*x)^2, x]`

Rubi [N/A]

Not integrable

Time = 1.12 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {3031, 27, 7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx$$

$$\downarrow \text{3031}$$

$$\frac{\int \frac{bd \operatorname{sech}^2(c+dx)}{(e+fx)(a+b \tanh(c+dx))} dx}{f} - \frac{\log(a + b \tanh(c + dx))}{f(e + fx)}$$

$$\downarrow \text{27}$$

$$\frac{bd \int \frac{\operatorname{sech}^2(c+dx)}{(e+fx)(a+b \tanh(c+dx))} dx}{f} - \frac{\log(a + b \tanh(c + dx))}{f(e + fx)}$$

$$\downarrow \text{7299}$$

$$\frac{bd \int \frac{\operatorname{sech}^2(c+dx)}{(e+fx)(a+b \tanh(c+dx))} dx}{f} - \frac{\log(a + b \tanh(c + dx))}{f(e + fx)}$$

input `Int[Log[a + b*Tanh[c + d*x]]/(e + f*x)^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 3031 `Int[Log[u_]*)((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 2.37 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \tanh(dx + c))}{(fx + e)^2} dx$$

input `int(ln(a+b*tanh(d*x+c))/(f*x+e)^2,x)`

output `int(ln(a+b*tanh(d*x+c))/(f*x+e)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tanh(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e)^2,x, algorithm="fricas")`

output `integral(log(b*tanh(d*x + c) + a)/(f^2*x^2 + 2*e*f*x + e^2), x)`

Sympy [N/A]

Not integrable

Time = 9.81 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx$$

input `integrate(ln(a+b*tanh(d*x+c))/(f*x+e)**2,x)`

output `Integral(log(a + b*tanh(c + d*x))/(e + f*x)**2, x)`

Maxima [N/A]

Not integrable

Time = 1.06 (sec) , antiderivative size = 169, normalized size of antiderivative = 8.89

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tanh(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e)^2,x, algorithm="maxima")`

output `-2*(a*d - b*d)*integrate(1/(a*e*f - b*e*f + (a*f^2 - b*f^2)*x + (a*e*f*e^(2*c) + b*e*f*e^(2*c) + (a*f^2*e^(2*c) + b*f^2*e^(2*c))*x)*e^(2*d*x)), x) + 2*d*integrate(1/(f^2*x + e*f + (f^2*x*e^(2*c) + e*f*e^(2*c))*e^(2*d*x)), x) - (log((a + b)*e^(2*d*x + 2*c) + a - b) - log(e^(2*d*x + 2*c) + 1))/(f^2*x + e*f)`

Giac [N/A]

Not integrable

Time = 3.70 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \tanh(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*tanh(d*x+c))/(f*x+e)^2,x, algorithm="giac")`

output `integrate(log(b*tanh(d*x + c) + a)/(f*x + e)^2, x)`

Mupad [N/A]

Not integrable

Time = 25.77 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\ln(a + b \tanh(c + dx))}{(e + fx)^2} dx$$

input `int(log(a + b*tanh(c + d*x))/(e + f*x)^2,x)`

output `int(log(a + b*tanh(c + d*x))/(e + f*x)^2, x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \tanh(c + dx))}{(e + fx)^2} dx = \int \frac{\log(\tanh(dx + c) b + a)}{f^2 x^2 + 2efx + e^2} dx$$

input `int(log(a+b*tanh(d*x+c))/(f*x+e)^2,x)`

output `int(log(tanh(c + d*x)*b + a)/(e**2 + 2*e*f*x + f**2*x**2),x)`

3.39 $\int (e + fx)^3 \log(a + b \coth(c + dx)) dx$

Optimal result	293
Mathematica [B] (verified)	294
Rubi [F]	295
Maple [C] (warning: unable to verify)	296
Fricas [B] (verification not implemented)	297
Sympy [F]	298
Maxima [B] (verification not implemented)	298
Giac [F]	299
Mupad [F(-1)]	300
Reduce [F]	300

Optimal result

Integrand size = 19, antiderivative size = 332

$$\begin{aligned}
 \int (e + fx)^3 \log(a + b \coth(c + dx)) dx = & \frac{(e + fx)^4 \log(1 - e^{-2(c+dx)})}{4f} \\
 & - \frac{(e + fx)^4 \log\left(1 - \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{4f} \\
 & + \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f} \\
 & - \frac{(e + fx)^3 \operatorname{PolyLog}(2, e^{-2(c+dx)})}{2d} \\
 & + \frac{(e + fx)^3 \operatorname{PolyLog}\left(2, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{2d} \\
 & - \frac{3f(e + fx)^2 \operatorname{PolyLog}(3, e^{-2(c+dx)})}{4d^2} \\
 & + \frac{3f(e + fx)^2 \operatorname{PolyLog}\left(3, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{4d^2} \\
 & - \frac{3f^2(e + fx) \operatorname{PolyLog}(4, e^{-2(c+dx)})}{4d^3} \\
 & + \frac{3f^2(e + fx) \operatorname{PolyLog}\left(4, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{4d^3} \\
 & - \frac{3f^3 \operatorname{PolyLog}(5, e^{-2(c+dx)})}{8d^4} \\
 & + \frac{3f^3 \operatorname{PolyLog}\left(5, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{8d^4}
 \end{aligned}$$

output

```

1/4*(f*x+e)^4*ln(1-exp(-2*d*x-2*c))/f-1/4*(f*x+e)^4*ln(1-(a-b)/(a+b)/exp(2
*d*x+2*c))/f+1/4*(f*x+e)^4*ln(a+b*coth(d*x+c))/f-1/2*(f*x+e)^3*polylog(2,e
xp(-2*d*x-2*c))/d+1/2*(f*x+e)^3*polylog(2,(a-b)/(a+b)/exp(2*d*x+2*c))/d-3/
4*f*(f*x+e)^2*polylog(3,exp(-2*d*x-2*c))/d^2+3/4*f*(f*x+e)^2*polylog(3,(a-
b)/(a+b)/exp(2*d*x+2*c))/d^2-3/4*f^2*(f*x+e)*polylog(4,exp(-2*d*x-2*c))/d^
3+3/4*f^2*(f*x+e)*polylog(4,(a-b)/(a+b)/exp(2*d*x+2*c))/d^3-3/8*f^3*polylo
g(5,exp(-2*d*x-2*c))/d^4+3/8*f^3*polylog(5,(a-b)/(a+b)/exp(2*d*x+2*c))/d^4

```

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 1046 vs. $2(332) = 664$.

Time = 6.29 (sec) , antiderivative size = 1046, normalized size of antiderivative = 3.15

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \text{Too large to display}$$

input `Integrate[(e + f*x)^3*Log[a + b*Coth[c + d*x]],x]`

output

```
(8*d^4*e^3*x*Log[1 - E^(-c - d*x)] + 12*d^4*e^2*f*x^2*Log[1 - E^(-c - d*x)] + 8*d^4*e*f^2*x^3*Log[1 - E^(-c - d*x)] + 2*d^4*f^3*x^4*Log[1 - E^(-c - d*x)] + 8*d^4*e^3*x*Log[1 + E^(-c - d*x)] + 12*d^4*e^2*f*x^2*Log[1 + E^(-c - d*x)] + 8*d^4*e*f^2*x^3*Log[1 + E^(-c - d*x)] + 2*d^4*f^3*x^4*Log[1 + E^(-c - d*x)] - 8*d^4*e^3*x*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] - 12*d^4*e^2*f*x^2*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] - 8*d^4*e*f^2*x^3*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] - 2*d^4*f^3*x^4*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] + 8*d^4*e^3*x*Log[a + b*Coth[c + d*x]] + 12*d^4*e^2*f*x^2*Log[a + b*Coth[c + d*x]] + 8*d^4*e*f^2*x^3*Log[a + b*Coth[c + d*x]] + 2*d^4*f^3*x^4*Log[a + b*Coth[c + d*x]] - 8*d^3*(e + f*x)^3*PolyLog[2, -E^(-c - d*x)] - 8*d^3*(e + f*x)^3*PolyLog[2, E^(-c - d*x)] + 4*d^3*e^3*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 12*d^3*e^2*f*x*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 12*d^3*e*f^2*x^2*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 4*d^3*f^3*x^3*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] - 24*d^2*e^2*f*PolyLog[3, -E^(-c - d*x)] - 48*d^2*e*f^2*x*PolyLog[3, -E^(-c - d*x)] - 24*d^2*e^2*f*PolyLog[3, E^(-c - d*x)] - 48*d^2*e*f^2*x*PolyLog[3, E^(-c - d*x)] - 24*d^2*f^3*x^2*PolyLog[3, E^(-c - d*x)] + 6*d^2*e^2*f*PolyLog[3, (a - b)/((a + b)*E^(2*(c + d*x)))] + 12*d^2*e*f^2*x*PolyLog[3, (a - b)/((a + b)*E^(2*(c + d*x)))] + 6*d^2*f^3*x^2*PolyLog[3, (a - b)/((a + b)*E...
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \log(a + b \coth(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f} - \frac{\int -\frac{bd(e+fx)^4 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{4f} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{bd(e+fx)^4 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{4f} + \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f} \\
 & \quad \downarrow \text{27} \\
 & \frac{bd \int \frac{(e+fx)^4 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{4f} + \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{bd \int \left(\frac{\operatorname{csch}^2(c+dx)e^4}{a+b \coth(c+dx)} + \frac{4fx \operatorname{csch}^2(c+dx)e^3}{a+b \coth(c+dx)} + \frac{6f^2x^2 \operatorname{csch}^2(c+dx)e^2}{a+b \coth(c+dx)} + \frac{4f^3x^3 \operatorname{csch}^2(c+dx)e}{a+b \coth(c+dx)} + \frac{f^4x^4 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} \right) dx}{4f} + \\
 & \quad \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{bd \left(4e^3 f \int \frac{x \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx + 6e^2 f^2 \int \frac{x^2 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx + 4ef^3 \int \frac{x^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx + f^4 \int \frac{x^4 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx - \frac{e^4 \log(a}{a+b \coth(c+dx)} \right)}{4f} + \\
 & \quad \frac{(e + fx)^4 \log(a + b \coth(c + dx))}{4f}
 \end{aligned}$$

input

```
Int[(e + f*x)^3*Log[a + b*Coth[c + d*x]],x]
```

output

```
$Aborted
```


Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 11.25 (sec) , antiderivative size = 6300, normalized size of antiderivative = 18.98

method	result	size
risch	Expression too large to display	6300

input `int((f*x+e)^3*ln(a+b*coth(d*x+c)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1439 vs. $2(308) = 616$.

Time = 0.12 (sec) , antiderivative size = 1439, normalized size of antiderivative = 4.33

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*coth(d*x+c)),x, algorithm="fricas")`

output

```
1/4*(24*f^3*polylog(5, sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 24*f^3*polylog(5, -sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 24*f^3*polylog(5, cosh(d*x + c) + sinh(d*x + c)) - 24*f^3*polylog(5, -cosh(d*x + c) - sinh(d*x + c)) - 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(cosh(d*x + c) + sinh(d*x + c)) + 4*(d^3*f^3*x^3 + 3*d^3*e*f^2*x^2 + 3*d^3*e^2*f*x + d^3*e^3)*dilog(-cosh(d*x + c) - sinh(d*x + c)) + (4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt((a + b)/(a - b))) + (4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt((a + b)/(a - b))) - (d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*log(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) + (d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x)*log((b*cosh(d*x + c) + a*sinh(d*x + ...
```

Sympy [F]

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \int (e + fx)^3 \log(a + b \coth(c + dx)) dx$$

input `integrate((f*x+e)**3*ln(a+b*coth(d*x+c)),x)`

output `Integral((e + f*x)**3*log(a + b*coth(c + d*x)), x)`

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1051 vs. 2(308) = 616.

Time = 0.24 (sec) , antiderivative size = 1051, normalized size of antiderivative = 3.17

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^3*log(a+b*coth(d*x+c)),x, algorithm="maxima")`

output

```

-1/12*b*d*(6*(2*d*x*log(-(a*e^(2*c) + b*e^(2*c)))*e^(2*d*x)/(a - b) + 1) +
dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e^3/(b*d^2) - 12*(d*x*log
(e^(d*x + c) + 1) + dilog(-e^(d*x + c)))*e^3/(b*d^2) - 12*(d*x*log(-e^(d*
x + c) + 1) + dilog(e^(d*x + c)))*e^3/(b*d^2) + 9*(2*d^2*x^2*log(-(a*e^(2*
c) + b*e^(2*c)))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog((a*e^(2*c) + b*e^(2*c
))*e^(2*d*x)/(a - b)) - polylog(3, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a -
b))*e^2*f/(b*d^3) - 18*(d^2*x^2*log(e^(d*x + c) + 1) + 2*d*x*dilog(-e^(d*
x + c)) - 2*polylog(3, -e^(d*x + c)))*e^2*f/(b*d^3) - 18*(d^2*x^2*log(-e^(
d*x + c) + 1) + 2*d*x*dilog(e^(d*x + c)) - 2*polylog(3, e^(d*x + c)))*e^2*
f/(b*d^3) + 4*(4*d^3*x^3*log(-(a*e^(2*c) + b*e^(2*c)))*e^(2*d*x)/(a - b) +
1) + 6*d^2*x^2*dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - 6*d*x*po
lylog(3, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) + 3*polylog(4, (a*e^(2
*c) + b*e^(2*c))*e^(2*d*x)/(a - b))*e*f^2/(b*d^4) - 12*(d^3*x^3*log(e^(d*
x + c) + 1) + 3*d^2*x^2*dilog(-e^(d*x + c)) - 6*d*x*polylog(3, -e^(d*x + c
)) + 6*polylog(4, -e^(d*x + c)))*e*f^2/(b*d^4) - 12*(d^3*x^3*log(-e^(d*x +
c) + 1) + 3*d^2*x^2*dilog(e^(d*x + c)) - 6*d*x*polylog(3, e^(d*x + c)) +
6*polylog(4, e^(d*x + c)))*e*f^2/(b*d^4) + 3*(2*d^4*x^4*log(-(a*e^(2*c) +
b*e^(2*c)))*e^(2*d*x)/(a - b) + 1) + 4*d^3*x^3*dilog((a*e^(2*c) + b*e^(2*c
))*e^(2*d*x)/(a - b)) - 6*d^2*x^2*polylog(3, (a*e^(2*c) + b*e^(2*c))*e^(2*d
*x)/(a - b)) + 6*d*x*polylog(4, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - ...

```

Giac [F]

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \int (fx + e)^3 \log(b \coth(dx + c) + a) dx$$

input

```
integrate((f*x+e)^3*log(a+b*coth(d*x+c)),x, algorithm="giac")
```

output

```
integrate((f*x + e)^3*log(b*coth(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \log(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx)) (e + fx)^3 dx$$

input `int(log(a + b*coth(c + d*x))*(e + f*x)^3,x)`

output `int(log(a + b*coth(c + d*x))*(e + f*x)^3, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^3 \log(a + b \coth(c + dx)) dx &= \left(\int \log(\coth(dx + c) b + a) dx \right) e^3 \\ &+ \left(\int \log(\coth(dx + c) b + a) x^3 dx \right) f^3 \\ &+ 3 \left(\int \log(\coth(dx + c) b + a) x^2 dx \right) e f^2 \\ &+ 3 \left(\int \log(\coth(dx + c) b + a) x dx \right) e^2 f \end{aligned}$$

input `int((f*x+e)^3*log(a+b*coth(d*x+c)),x)`

output `int(log(coth(c + d*x)*b + a),x)*e**3 + int(log(coth(c + d*x)*b + a)*x**3,x)*f**3 + 3*int(log(coth(c + d*x)*b + a)*x**2,x)*e*f**2 + 3*int(log(coth(c + d*x)*b + a)*x,x)*e**2*f`

3.40 $\int (e + fx)^2 \log(a + b \coth(c + dx)) dx$

Optimal result	301
Mathematica [B] (verified)	302
Rubi [F]	303
Maple [C] (warning: unable to verify)	304
Fricas [B] (verification not implemented)	305
Sympy [F]	306
Maxima [B] (verification not implemented)	307
Giac [F]	307
Mupad [F(-1)]	308
Reduce [F]	308

Optimal result

Integrand size = 19, antiderivative size = 265

$$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx = \frac{(e + fx)^3 \log(1 - e^{-2(c+dx)})}{3f} - \frac{(e + fx)^3 \log\left(1 - \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{3f} + \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f} - \frac{(e + fx)^2 \text{PolyLog}(2, e^{-2(c+dx)})}{2d} + \frac{(e + fx)^2 \text{PolyLog}\left(2, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{2d} - \frac{f(e + fx) \text{PolyLog}(3, e^{-2(c+dx)})}{2d^2} + \frac{f(e + fx) \text{PolyLog}\left(3, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{2d^2} - \frac{f^2 \text{PolyLog}(4, e^{-2(c+dx)})}{4d^3} + \frac{f^2 \text{PolyLog}\left(4, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{4d^3}$$

output

$$\frac{1}{3}(f*x+e)^3 \ln(1-\exp(-2*d*x-2*c))/f - \frac{1}{3}(f*x+e)^3 \ln(1-(a-b)/(a+b)/\exp(2*d*x+2*c))/f + \frac{1}{2}(f*x+e)^2 \operatorname{polylog}(2, \exp(-2*d*x-2*c))/d + \frac{1}{2}(f*x+e)^2 \operatorname{polylog}(2, (a-b)/(a+b)/\exp(2*d*x+2*c))/d - \frac{1}{2}f*(f*x+e) \operatorname{polylog}(3, \exp(-2*d*x-2*c))/d^2 + \frac{1}{2}f*(f*x+e) \operatorname{polylog}(3, (a-b)/(a+b)/\exp(2*d*x+2*c))/d^2 - \frac{1}{4}f^2 \operatorname{polylog}(4, \exp(-2*d*x-2*c))/d^3 + \frac{1}{4}f^2 \operatorname{polylog}(4, (a-b)/(a+b)/\exp(2*d*x+2*c))/d^3$$
Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 652 vs. $2(265) = 530$.

Time = 4.57 (sec) , antiderivative size = 652, normalized size of antiderivative = 2.46

$$\int (e + fx)^2 \log(a + b \operatorname{coth}(c + dx)) dx$$

$$= \frac{12d^3 e^2 x \log(1 - e^{-c-dx}) + 12d^3 e f x^2 \log(1 - e^{-c-dx}) + 4d^3 f^2 x^3 \log(1 - e^{-c-dx}) + 12d^3 e^2 x \log(1 + e^{-c-dx}) + 12d^3 e f x^2 \log(1 + e^{-c-dx}) + 4d^3 f^2 x^3 \log(1 + e^{-c-dx})}{12d^3}$$

input

```
Integrate[(e + f*x)^2*Log[a + b*Coth[c + d*x]],x]
```

output

```
(12*d^3*e^2*x*Log[1 - E^(-c - d*x)] + 12*d^3*e*f*x^2*Log[1 - E^(-c - d*x)] + 4*d^3*f^2*x^3*Log[1 - E^(-c - d*x)] + 12*d^3*e^2*x*Log[1 + E^(-c - d*x)] + 12*d^3*e*f*x^2*Log[1 + E^(-c - d*x)] + 4*d^3*f^2*x^3*Log[1 + E^(-c - d*x)] - 12*d^3*e^2*x*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] - 12*d^3*e*f*x^2*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] - 4*d^3*f^2*x^3*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] + 12*d^3*e^2*x*Log[a + b*Coth[c + d*x]] + 12*d^3*e*f*x^2*Log[a + b*Coth[c + d*x]] + 4*d^3*f^2*x^3*Log[a + b*Coth[c + d*x]] - 12*d^2*(e + f*x)^2*PolyLog[2, -E^(-c - d*x)] - 12*d^2*(e + f*x)^2*PolyLog[2, E^(-c - d*x)] + 6*d^2*e^2*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 12*d^2*e*f*x*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 6*d^2*f^2*x^2*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] - 24*d*e*f*PolyLog[3, -E^(-c - d*x)] - 24*d*f^2*x*PolyLog[3, -E^(-c - d*x)] - 24*d*e*f*PolyLog[3, E^(-c - d*x)] - 24*d*f^2*x*PolyLog[3, E^(-c - d*x)] + 6*d*e*f*PolyLog[3, (a - b)/((a + b)*E^(2*(c + d*x)))] + 6*d*f^2*x*PolyLog[3, (a - b)/((a + b)*E^(2*(c + d*x)))] - 24*f^2*PolyLog[4, -E^(-c - d*x)] - 24*f^2*PolyLog[4, E^(-c - d*x)] + 3*f^2*PolyLog[4, (a - b)/((a + b)*E^(2*(c + d*x)))]/(12*d^3)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 \log(a + b \coth(c + dx)) dx \\
 & \quad \downarrow \text{3031} \\
 & \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f} - \frac{\int -\frac{bd(e+fx)^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{3f} \\
 & \quad \downarrow \text{25} \\
 & \frac{\int \frac{bd(e+fx)^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{3f} + \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f} \\
 & \quad \downarrow \text{27} \\
 & \frac{bd \int \frac{(e+fx)^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{3f} + \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f} \\
 & \quad \downarrow \text{7293} \\
 & \frac{bd \int \left(\frac{\operatorname{csch}^2(c+dx)e^3}{a+b \coth(c+dx)} + \frac{3fx \operatorname{csch}^2(c+dx)e^2}{a+b \coth(c+dx)} + \frac{3f^2 x^2 \operatorname{csch}^2(c+dx)e}{a+b \coth(c+dx)} + \frac{f^3 x^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} \right) dx}{3f} + \\
 & \quad \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f} \\
 & \quad \downarrow \text{2009} \\
 & \frac{bd \left(3e^2 f \int \frac{x \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx + 3ef^2 \int \frac{x^2 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx + f^3 \int \frac{x^3 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx - \frac{e^3 \log(a+b \coth(c+dx))}{bd} \right)}{3f} + \\
 & \quad \frac{(e + fx)^3 \log(a + b \coth(c + dx))}{3f}
 \end{aligned}$$

input `Int[(e + f*x)^2*Log[a + b*Coth[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u_] * ((a_.) + (b_.)*(x_.))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 8.65 (sec) , antiderivative size = 4416, normalized size of antiderivative = 16.66

method	result	size
risch	Expression too large to display	4416

input `int((f*x+e)^2*ln(a+b*coth(d*x+c)),x,method=_RETURNVERBOSE)`

output

```

-1/4/d^3*f^2*a/(a+b)*polylog(4,(a+b)*exp(2*d*x+2*c)/(a-b))-1/4/d^3*f^2*b/(
a+b)*polylog(4,(a+b)*exp(2*d*x+2*c)/(a-b))-1/3/f*a*e^3/(a+b)*ln(a*exp(2*d*
x+2*c)+exp(2*d*x+2*c)*b-a+b)-1/3/f*b*e^3/(a+b)*ln(a*exp(2*d*x+2*c)+exp(2*d
*x+2*c)*b-a+b)-1/d*a*e^2/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a
-b))^(1/2))/((a+b)*(a-b))^(1/2))-1/d*a*e^2/(a+b)*dilog((exp(d*x+c)*a+b*exp
(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))-1/d*b*e^2/(a+b)*dilog((-
exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))-1/d*b*
e^2/(a+b)*dilog((exp(d*x+c)*a+b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-
b))^(1/2))-1/3*f^2*b/(a+b)*ln(1-(a+b)*exp(2*d*x+2*c)/(a-b))*x^3-1/3*f^2*a/
(a+b)*ln(1-(a+b)*exp(2*d*x+2*c)/(a-b))*x^3-b*e^2/(a+b)*ln((exp(d*x+c)*a+b*
exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))*x-b*e^2/(a+b)*ln((-exp
(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))*x-a*e^2/
(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1
/2))*x-a*e^2/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+
b)*(a-b))^(1/2))*x-ln(exp(2*d*x+2*c)-1)*f*x^2*e+2*f/d*e*ln(-exp(d*x+c)+1)*
x*c-f^2/d^2*ln(-exp(d*x+c)+1)*x*c^2+2*f/d^2*c*e*dilog(exp(d*x+c))-2*f/d^2*
c*e*dilog(exp(d*x+c)+1)+f*c^2/d^2*e*ln(exp(d*x+c)-1)+f/d^2*e*ln(-exp(d*x+c
)+1)*c^2+2*f/d*e*polylog(2,exp(d*x+c))*x+2*f/d^2*e*polylog(2,exp(d*x+c))*c
+2*f/d*e*polylog(2,-exp(d*x+c))*x+2*f/d^2*e*polylog(2,-exp(d*x+c))*c-f^2/d
^3*polylog(2,exp(d*x+c))*c^2-2*f^2/d^2*polylog(3,exp(d*x+c))*x+f^2/d*po...

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1000 vs. $2(245) = 490$.

Time = 0.12 (sec) , antiderivative size = 1000, normalized size of antiderivative = 3.77

$$\int (e + fx)^2 \log(a + b \coth(cx + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^2*log(a+b*coth(d*x+c)),x, algorithm="fricas")
```

output

```
-1/3*(6*f^2*polylog(4, sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 6*f^2*polylog(4, -sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 6*f^2*polylog(4, cosh(d*x + c) + sinh(d*x + c)) - 6*f^2*polylog(4, -cosh(d*x + c) - sinh(d*x + c)) + 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dilog(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dilog(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dilog(cosh(d*x + c) + sinh(d*x + c)) - 3*(d^2*f^2*x^2 + 2*d^2*e*f*x + d^2*e^2)*dilog(-cosh(d*x + c) - sinh(d*x + c)) - (3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt((a + b)/(a - b))) - (3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt((a + b)/(a - b))) + (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) + (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x)*log((b*cosh(d*x + c) + a*sinh(d*x + c))/sinh(d*x + c)) - (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x)*log(cosh(d*x + c) + sinh(d*x + c) + 1) + (3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*log(cosh(d*x + c) + sinh(d*x + c) - 1) - (d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*...
```

Sympy [F]

$$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx = \int (e + fx)^2 \log(a + b \coth(c + dx)) dx$$

input

```
integrate((f*x+e)**2*ln(a+b*coth(d*x+c)),x)
```

output

```
Integral((e + f*x)**2*log(a + b*coth(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 676 vs. $2(245) = 490$.

Time = 0.23 (sec) , antiderivative size = 676, normalized size of antiderivative = 2.55

$$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*log(a+b*coth(d*x+c)),x, algorithm="maxima")`

output

```
-1/18*b*d*(9*(2*d*x*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) +
dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e^2/(b*d^2) - 18*(d*x*log
g(e^(d*x + c) + 1) + dilog(-e^(d*x + c)))*e^2/(b*d^2) - 18*(d*x*log(-e^(d*
x + c) + 1) + dilog(e^(d*x + c)))*e^2/(b*d^2) + 9*(2*d^2*x^2*log(-(a*e^(2*
c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog((a*e^(2*c) + b*e^(2*c
))*e^(2*d*x)/(a - b)) - polylog(3, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a -
b)))*e*f/(b*d^3) - 18*(d^2*x^2*log(e^(d*x + c) + 1) + 2*d*x*dilog(-e^(d*x
+ c)) - 2*polylog(3, -e^(d*x + c)))*e*f/(b*d^3) - 18*(d^2*x^2*log(-e^(d*x
+ c) + 1) + 2*d*x*dilog(e^(d*x + c)) - 2*polylog(3, e^(d*x + c)))*e*f/(b*d
^3) + 2*(4*d^3*x^3*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 6
*d^2*x^2*dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - 6*d*x*polylog(
3, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) + 3*polylog(4, (a*e^(2*c) +
b*e^(2*c))*e^(2*d*x)/(a - b)))*f^2/(b*d^4) - 6*(d^3*x^3*log(e^(d*x + c) +
1) + 3*d^2*x^2*dilog(-e^(d*x + c)) - 6*d*x*polylog(3, -e^(d*x + c)) + 6*po
lylog(4, -e^(d*x + c)))*f^2/(b*d^4) - 6*(d^3*x^3*log(-e^(d*x + c) + 1) + 3
*d^2*x^2*dilog(e^(d*x + c)) - 6*d*x*polylog(3, e^(d*x + c)) + 6*polylog(4,
e^(d*x + c)))*f^2/(b*d^4) + 1/3*(f^2*x^3 + 3*e*f*x^2 + 3*e^2*x)*log(b*co
th(d*x + c) + a)
```

Giac [F]

$$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx = \int (fx + e)^2 \log(b \coth(dx + c) + a) dx$$

input `integrate((f*x+e)^2*log(a+b*coth(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)^2*log(b*coth(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \log(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx)) (e + fx)^2 dx$$

input `int(log(a + b*coth(c + d*x))*(e + f*x)^2,x)`

output `int(log(a + b*coth(c + d*x))*(e + f*x)^2, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^2 \log(a + b \coth(c + dx)) dx &= \left(\int \log(\coth(dx + c) b + a) dx \right) e^2 \\ &+ \left(\int \log(\coth(dx + c) b + a) x^2 dx \right) f^2 \\ &+ 2 \left(\int \log(\coth(dx + c) b + a) x dx \right) ef \end{aligned}$$

input `int((f*x+e)^2*log(a+b*coth(d*x+c)),x)`

output `int(log(coth(c + d*x)*b + a),x)*e**2 + int(log(coth(c + d*x)*b + a)*x**2,x)*f**2 + 2*int(log(coth(c + d*x)*b + a)*x,x)*e*f`

3.41 $\int (e + fx) \log(a + b \coth(c + dx)) dx$

Optimal result	309
Mathematica [A] (verified)	310
Rubi [F]	310
Maple [C] (warning: unable to verify)	312
Fricas [B] (verification not implemented)	313
Sympy [F]	314
Maxima [B] (verification not implemented)	314
Giac [F]	315
Mupad [F(-1)]	316
Reduce [F]	316

Optimal result

Integrand size = 17, antiderivative size = 198

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \frac{(e + fx)^2 \log(1 - e^{-2(c+dx)})}{2f} - \frac{(e + fx)^2 \log\left(1 - \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{2f} + \frac{(e + fx)^2 \log(a + b \coth(c + dx))}{2f} - \frac{(e + fx) \operatorname{PolyLog}(2, e^{-2(c+dx)})}{2d} + \frac{(e + fx) \operatorname{PolyLog}\left(2, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{2d} - \frac{f \operatorname{PolyLog}(3, e^{-2(c+dx)})}{4d^2} + \frac{f \operatorname{PolyLog}\left(3, \frac{(a-b)e^{-2(c+dx)}}{a+b}\right)}{4d^2}$$

output

```
1/2*(f*x+e)^2*ln(1-exp(-2*d*x-2*c))/f-1/2*(f*x+e)^2*ln(1-(a-b)/(a+b)/exp(2*d*x+2*c))/f+1/2*(f*x+e)^2*ln(a+b*coth(d*x+c))/f-1/2*(f*x+e)*polylog(2,exp(-2*d*x-2*c))/d+1/2*(f*x+e)*polylog(2,(a-b)/(a+b)/exp(2*d*x+2*c))/d-1/4*f*polylog(3,exp(-2*d*x-2*c))/d^2+1/4*f*polylog(3,(a-b)/(a+b)/exp(2*d*x+2*c))/d^2
```

Mathematica [A] (verified)

Time = 1.69 (sec) , antiderivative size = 337, normalized size of antiderivative = 1.70

$$\int (e + fx) \log(a + b \coth(c + dx)) dx$$

$$= \frac{2d^2 fx^2 \log(1 - e^{-c-dx}) + 2d^2 fx^2 \log(1 + e^{-c-dx}) - 2d^2 fx^2 \log\left(1 + \frac{(-a+b)e^{-2(c+dx)}}{a+b}\right) + 2d^2 fx^2 \log(a + b \coth(c + dx))}{2d^2}$$

input

```
Integrate[(e + f*x)*Log[a + b*Coth[c + d*x]],x]
```

output

```
(2*d^2*f*x^2*Log[1 - E^(-c - d*x)] + 2*d^2*f*x^2*Log[1 + E^(-c - d*x)] - 2*d^2*f*x^2*Log[1 + (-a + b)/((a + b)*E^(2*(c + d*x)))] + 2*d^2*f*x^2*Log[a + b*Coth[c + d*x]] - 2*d*e*Log[-((b*(-1 + Coth[c + d*x]))/(a + b))]*Log[a + b*Coth[c + d*x]] + 2*d*e*Log[-((b*(1 + Coth[c + d*x]))/(a - b))]*Log[a + b*Coth[c + d*x]] - 4*d*f*x*PolyLog[2, -E^(-c - d*x)] - 4*d*f*x*PolyLog[2, E^(-c - d*x)] + 2*d*f*x*PolyLog[2, (a - b)/((a + b)*E^(2*(c + d*x)))] + 2*d*e*PolyLog[2, (a + b*Coth[c + d*x])/(a - b)] - 2*d*e*PolyLog[2, (a + b*Coth[c + d*x])/(a + b)] - 4*f*PolyLog[3, -E^(-c - d*x)] - 4*f*PolyLog[3, E^(-c - d*x)] + f*PolyLog[3, (a - b)/((a + b)*E^(2*(c + d*x)))]/(4*d^2)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \log(a + b \coth(c + dx)) dx$$

$$\downarrow 3031$$

$$\frac{(e + fx)^2 \log(a + b \coth(c + dx))}{2f} - \frac{\int -\frac{bd(e+fx)^2 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{2f}$$

$$\downarrow 25$$

$$\frac{\int \frac{bd(e+fx)^2 \operatorname{csch}^2(c+dx)}{a+b \coth(c+dx)} dx}{2f} + \frac{(e + fx)^2 \log(a + b \coth(c + dx))}{2f}$$

$$\begin{aligned}
& \downarrow 27 \\
& \frac{bd \int \frac{(e+fx)^2 \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} dx}{2f} + \frac{(e+fx)^2 \log(a+b \operatorname{coth}(c+dx))}{2f} \\
& \downarrow 7293 \\
& \frac{bd \int \left(\frac{e^2 \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} + \frac{f^2 x^2 \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} + \frac{2efx \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} \right) dx}{2f} + \\
& \quad \frac{(e+fx)^2 \log(a+b \operatorname{coth}(c+dx))}{2f} \\
& \downarrow 2009 \\
& \frac{bd \left(2ef \int \frac{x \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} dx + f^2 \int \frac{x^2 \operatorname{csch}^2(c+dx)}{a+b \operatorname{coth}(c+dx)} dx - \frac{e^2 \log(a+b \operatorname{coth}(c+dx))}{bd} \right)}{2f} + \\
& \quad \frac{(e+fx)^2 \log(a+b \operatorname{coth}(c+dx))}{2f}
\end{aligned}$$

input `Int[(e + f*x)*Log[a + b*Coth[c + d*x]], x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031

```
Int[Log[u_]*)((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1)
*(Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a +
b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunc
tionFreeQ[u, x] && NeQ[m, -1]
```

rule 7293

```
Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]
]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 7.31 (sec) , antiderivative size = 2535, normalized size of antiderivative = 12.80

method	result	size
risch	Expression too large to display	2535

input

```
int((f*x+e)*ln(a+b*coth(d*x+c)),x,method=_RETURNVERBOSE)
```

output

```

-e/d*dilog(exp(d*x+c))+1/4/d^2*b*f/(a+b)*polylog(3,(a+b)*exp(2*d*x+2*c)/(a
-b))+1/4/d^2*a*f/(a+b)*polylog(3,(a+b)*exp(2*d*x+2*c)/(a-b))-1/d*e*a/(a+b)
*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2
))-1/d*e*a/(a+b)*dilog((exp(d*x+c)*a+b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a
+b)*(a-b))^(1/2))-1/d*b*e/(a+b)*dilog((-exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(
a-b))^(1/2))/((a+b)*(a-b))^(1/2))-1/d*b*e/(a+b)*dilog((exp(d*x+c)*a+b*exp(
d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))-e*a/(a+b)*ln((-exp(d*x+c)
*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))*x-e*a/(a+b)*ln((
exp(d*x+c)*a+b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1/2))*x-b*e/
(a+b)*ln((-exp(d*x+c)*a-b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)*(a-b))^(1
/2))*x-b*e/(a+b)*ln((exp(d*x+c)*a+b*exp(d*x+c)+((a+b)*(a-b))^(1/2))/((a+b)
*(a-b))^(1/2))*x+1/2*f/d^2*c^2*ln(exp(d*x+c)-1)+f/d^2*c*dilog(exp(d*x+c))-
f/d^2*c*dilog(exp(d*x+c)+1)+f/d*polylog(2,-exp(d*x+c))*x+f/d^2*polylog(2,-
exp(d*x+c))*c+f/d*ln(-exp(d*x+c)+1)*c*x-e/d*c*ln(exp(d*x+c)-1)-1/2*I*Pi*cs
gn(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c)))/(exp(2*d*x+2*c)-1))*(csgn
(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c))))*csgn(I/(exp(2*d*x+2*c)-1))
-csgn(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c)))/(exp(2*d*x+2*c)-1))*cs
gn(I/(exp(2*d*x+2*c)-1))-csgn(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c))
))*csgn(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c)))/(exp(2*d*x+2*c)-1))+
csgn(I*(a*(exp(2*d*x+2*c)-1)+b*(1+exp(2*d*x+2*c)))/(exp(2*d*x+2*c)-1))^...

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 627 vs. $2(182) = 364$.

Time = 0.10 (sec) , antiderivative size = 627, normalized size of antiderivative = 3.17

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)*log(a+b*coth(d*x+c)),x, algorithm="fricas")
```

output

```
-1/2*(2*(d*f*x + d*e)*dilog(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 2*(d*f*x + d*e)*dilog(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 2*(d*f*x + d*e)*dilog(cosh(d*x + c) + sinh(d*x + c)) - 2*(d*f*x + d*e)*dilog(-cosh(d*x + c) - sinh(d*x + c)) - (2*c*d*e - c^2*f)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) + 2*(a - b)*sqrt((a + b)/(a - b))) - (2*c*d*e - c^2*f)*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt((a + b)/(a - b))) + (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) + (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d^2*f*x^2 + 2*d^2*e*x)*log((b*cosh(d*x + c) + a*sinh(d*x + c))/sinh(d*x + c)) - (d^2*f*x^2 + 2*d^2*e*x)*log(cosh(d*x + c) + sinh(d*x + c) + 1) + (2*c*d*e - c^2*f)*log(cosh(d*x + c) + sinh(d*x + c) - 1) - (d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*log(-cosh(d*x + c) - sinh(d*x + c) + 1) - 2*f*polylog(3, sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) - 2*f*polylog(3, -sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) + 2*f*polylog(3, cosh(d*x + c) + sinh(d*x + c)) + 2*f*polylog(3, -cosh(d*x + c) - sinh(d*x + c))/d^2
```

Sympy [F]

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \int (e + fx) \log(a + b \coth(c + dx)) dx$$

input

```
integrate((f*x+e)*ln(a+b*coth(d*x+c)), x)
```

output

```
Integral((e + f*x)*log(a + b*coth(c + d*x)), x)
```

Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 370 vs. $2(182) = 364$.

Time = 0.21 (sec) , antiderivative size = 370, normalized size of antiderivative = 1.87

$$\int (e + fx) \log(a + b \coth(c + dx)) dx =$$

$$-\frac{1}{4} bd \left(\frac{2 \left(2 dx \log \left(-\frac{(ae^{2c}) + be^{2c})e^{2dx}}{a-b} + 1 \right) + \text{Li}_2 \left(\frac{(ae^{2c}) + be^{2c})e^{2dx}}{a-b} \right) \right) e}{bd^2} - \frac{4 (dx \log (e^{dx+c}) + 1) + \text{Li}_2 (e^{dx+c})}{bd^2} \right)$$

$$+ \frac{1}{2} (fx^2 + 2ex) \log(b \coth(dx + c) + a)$$

input `integrate((f*x+e)*log(a+b*coth(d*x+c)),x, algorithm="maxima")`

output

```
-1/4*b*d*(2*(2*d*x*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*e/(b*d^2) - 4*(d*x*log(e^(d*x + c) + 1) + dilog(-e^(d*x + c)))*e/(b*d^2) - 4*(d*x*log(-e^(d*x + c) + 1) + dilog(e^(d*x + c)))*e/(b*d^2) + (2*d^2*x^2*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + 2*d*x*dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)) - polylog(3, (a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))*f/(b*d^3) - 2*(d^2*x^2*log(e^(d*x + c) + 1) + 2*d*x*dilog(-e^(d*x + c)) - 2*polylog(3, -e^(d*x + c)))*f/(b*d^3) - 2*(d^2*x^2*log(-e^(d*x + c) + 1) + 2*d*x*dilog(e^(d*x + c)) - 2*polylog(3, e^(d*x + c)))*f/(b*d^3) + 1/2*(f*x^2 + 2*e*x)*log(b*coth(d*x + c) + a)
```

Giac [F]

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \int (fx + e) \log(b \coth(dx + c) + a) dx$$

input `integrate((f*x+e)*log(a+b*coth(d*x+c)),x, algorithm="giac")`

output `integrate((f*x + e)*log(b*coth(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx)) (e + fx) dx$$

input `int(log(a + b*coth(c + d*x))*(e + f*x),x)`output `int(log(a + b*coth(c + d*x))*(e + f*x), x)`**Reduce [F]**

$$\int (e + fx) \log(a + b \coth(c + dx)) dx = \left(\int \log(\coth(dx + c) b + a) dx \right) e + \left(\int \log(\coth(dx + c) b + a) x dx \right) f$$

input `int((f*x+e)*log(a+b*coth(d*x+c)),x)`output `int(log(coth(c + d*x)*b + a),x)*e + int(log(coth(c + d*x)*b + a)*x,x)*f`

3.42 $\int \log(a + b \coth(c + dx)) dx$

Optimal result	317
Mathematica [A] (verified)	318
Rubi [F]	318
Maple [A] (verified)	319
Fricas [B] (verification not implemented)	320
Sympy [F]	321
Maxima [A] (verification not implemented)	321
Giac [F]	322
Mupad [F(-1)]	322
Reduce [F]	322

Optimal result

Integrand size = 11, antiderivative size = 126

$$\int \log(a + b \coth(c + dx)) dx = -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{2d}$$

output

```
-1/2*ln(b*(1-coth(d*x+c))/(a+b))*ln(a+b*coth(d*x+c))/d+1/2*ln(-b*(1+coth(d*x+c))/(a-b))*ln(a+b*coth(d*x+c))/d+1/2*polylog(2,(a+b*coth(d*x+c))/(a-b))/d-1/2*polylog(2,(a+b*coth(d*x+c))/(a+b))/d
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.00

$$\int \log(a + b \coth(c + dx)) dx = -\frac{\log\left(\frac{b(1-\coth(c+dx))}{a+b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\log\left(-\frac{b(1+\coth(c+dx))}{a-b}\right) \log(a + b \coth(c + dx))}{2d} + \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a-b}\right)}{2d} - \frac{\text{PolyLog}\left(2, \frac{a+b \coth(c+dx)}{a+b}\right)}{2d}$$

input `Integrate[Log[a + b*Coth[c + d*x]],x]`

output

```
-1/2*(Log[(b*(1 - Coth[c + d*x]))/(a + b)]*Log[a + b*Coth[c + d*x]])/d + (
Log[-((b*(1 + Coth[c + d*x]))/(a - b))*Log[a + b*Coth[c + d*x]])/(2*d) +
PolyLog[2, (a + b*Coth[c + d*x])/(a - b)]/(2*d) - PolyLog[2, (a + b*Coth[c
+ d*x])/(a + b)]/(2*d)
```

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \log(a + b \coth(c + dx)) dx$$

$$\downarrow \text{3028}$$

$$x \log(a + b \coth(c + dx)) - \int -\frac{bdxcsch^2(c + dx)}{a + b \coth(c + dx)} dx$$

$$\downarrow \text{25}$$

$$\int \frac{bdxcsch^2(c + dx)}{a + b \coth(c + dx)} dx + x \log(a + b \coth(c + dx))$$

$$\begin{array}{c} \downarrow 27 \\ bd \int \frac{x \operatorname{csch}^2(c + dx)}{a + b \operatorname{coth}(c + dx)} dx + x \log(a + b \operatorname{coth}(c + dx)) \\ \downarrow 7299 \\ bd \int \frac{x \operatorname{csch}^2(c + dx)}{a + b \operatorname{coth}(c + dx)} dx + x \log(a + b \operatorname{coth}(c + dx)) \end{array}$$

input `Int[Log[a + b*Coth[c + d*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 3028 `Int[Log[u_], x_Symbol] := Simp[x*Log[u], x] - Int[SimplifyIntegrand[x*(D[u, x]/u), x], x] /; InverseFunctionFreeQ[u, x]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [A] (verified)

Time = 8.96 (sec) , antiderivative size = 125, normalized size of antiderivative = 0.99

method	result
derivativeldivides	$-\frac{\left(\operatorname{dilog}\left(\frac{b \operatorname{coth}(dx+c)-b}{-a-b}\right)+\ln(a+b \operatorname{coth}(dx+c)) \ln\left(\frac{b \operatorname{coth}(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \operatorname{coth}(dx+c)+b}{-a+b}\right)+\ln(a+b \operatorname{coth}(dx+c)) \ln\left(\frac{b \operatorname{coth}(dx+c)+b}{-a+b}\right)\right) b}{2}$
default	$-\frac{\left(\operatorname{dilog}\left(\frac{b \operatorname{coth}(dx+c)-b}{-a-b}\right)+\ln(a+b \operatorname{coth}(dx+c)) \ln\left(\frac{b \operatorname{coth}(dx+c)-b}{-a-b}\right)\right) b}{2} + \frac{\left(\operatorname{dilog}\left(\frac{b \operatorname{coth}(dx+c)+b}{-a+b}\right)+\ln(a+b \operatorname{coth}(dx+c)) \ln\left(\frac{b \operatorname{coth}(dx+c)+b}{-a+b}\right)\right) b}{2}$
risch	Expression too large to display

```
input int(ln(a+b*coth(d*x+c)),x,method=_RETURNVERBOSE)
```

```
output 1/d/b*(-1/2*(dilog((b*coth(d*x+c)-b)/(-a-b))+ln(a+b*coth(d*x+c))*ln((b*coth(d*x+c)-b)/(-a-b)))*b+1/2*(dilog((b*coth(d*x+c)+b)/(-a+b))+ln(a+b*coth(d*x+c))*ln((b*coth(d*x+c)+b)/(-a+b)))*b)
```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 356 vs. 2(115) = 230.

Time = 0.10 (sec) , antiderivative size = 356, normalized size of antiderivative = 2.83

$$\int \log(a + b \operatorname{coth}(c + dx)) dx$$

$$= \frac{dx \log\left(\frac{b \cosh(dx+c) + a \sinh(dx+c)}{\sinh(dx+c)}\right) + dx \log(\cosh(dx+c) + \sinh(dx+c) + 1) + c \log\left(2(a+b) \cosh(dx+c)\right)}{1}$$

```
input integrate(log(a+b*coth(d*x+c)),x, algorithm="fricas")
```

output

```
(d*x*log((b*cosh(d*x + c) + a*sinh(d*x + c))/sinh(d*x + c)) + d*x*log(cosh
(d*x + c) + sinh(d*x + c) + 1) + c*log(2*(a + b)*cosh(d*x + c) + 2*(a + b)
*sinh(d*x + c) + 2*(a - b)*sqrt((a + b)/(a - b))) + c*log(2*(a + b)*cosh(d
*x + c) + 2*(a + b)*sinh(d*x + c) - 2*(a - b)*sqrt((a + b)/(a - b))) - (d*
x + c)*log(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) - (d
*x + c)*log(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c)) + 1) -
c*log(cosh(d*x + c) + sinh(d*x + c) - 1) + (d*x + c)*log(-cosh(d*x + c) -
sinh(d*x + c) + 1) - dilog(sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x
+ c))) - dilog(-sqrt((a + b)/(a - b))*(cosh(d*x + c) + sinh(d*x + c))) +
dilog(cosh(d*x + c) + sinh(d*x + c)) + dilog(-cosh(d*x + c) - sinh(d*x + c
)))/d
```

Sympy [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(a + b \coth(c + dx)) dx$$

input

```
integrate(ln(a+b*coth(d*x+c)),x)
```

output

```
Integral(log(a + b*coth(c + d*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 148, normalized size of antiderivative = 1.17

$$\int \log(a + b \coth(c + dx)) dx =$$

$$-\frac{1}{2} bd \left(\frac{2 dx \log \left(-\frac{(ae^{2c}) + be^{2c}}{a-b} e^{2dx} + 1 \right) + \text{Li}_2 \left(\frac{(ae^{2c}) + be^{2c}}{a-b} e^{2dx} \right)}{bd^2} - \frac{2 (dx \log (e^{(dx+c)} + 1) + \text{Li}_2(-e^{-(dx+c)}))}{bd^2} \right)$$

$$+ x \log(b \coth(dx + c) + a)$$

input

```
integrate(log(a+b*coth(d*x+c)),x, algorithm="maxima")
```

output

```
-1/2*b*d*((2*d*x*log(-(a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b) + 1) + dilog((a*e^(2*c) + b*e^(2*c))*e^(2*d*x)/(a - b)))/(b*d^2) - 2*(d*x*log(e^(d*x + c) + 1) + dilog(-e^(d*x + c)))/(b*d^2) - 2*(d*x*log(-e^(d*x + c) + 1) + dilog(e^(d*x + c)))/(b*d^2)) + x*log(b*coth(d*x + c) + a)
```

Giac [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(b \coth(dx + c) + a) dx$$

input

```
integrate(log(a+b*coth(d*x+c)),x, algorithm="giac")
```

output

```
integrate(log(b*coth(d*x + c) + a), x)
```

Mupad [F(-1)]

Timed out.

$$\int \log(a + b \coth(c + dx)) dx = \int \ln(a + b \coth(c + dx)) dx$$

input

```
int(log(a + b*coth(c + d*x)),x)
```

output

```
int(log(a + b*coth(c + d*x)), x)
```

Reduce [F]

$$\int \log(a + b \coth(c + dx)) dx = \int \log(\coth(dx + c) b + a) dx$$

input

```
int(log(a+b*coth(d*x+c)),x)
```

output `int(log(coth(c + d*x)*b + a),x)`

3.43 $\int \frac{\log(a+b \coth(c+dx))}{e+fx} dx$

Optimal result	324
Mathematica [N/A]	324
Rubi [N/A]	325
Maple [N/A]	325
Fricas [N/A]	326
Sympy [N/A]	326
Maxima [N/A]	327
Giac [N/A]	327
Mupad [N/A]	327
Reduce [N/A]	328

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \text{Int}\left(\frac{\log(a + b \coth(c + dx))}{e + fx}, x\right)$$

output `Defer(Int)(ln(a+b*coth(d*x+c))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 12.02 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(a + b \coth(c + dx))}{e + fx} dx$$

input `Integrate[Log[a + b*Coth[c + d*x]]/(e + f*x), x]`

output `Integrate[Log[a + b*Coth[c + d*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.41 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx$$

input `Int[Log[a + b*Coth[c + d*x]]/(e + f*x),x]`

output `$Aborted`

Defintions of rubi rules used

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 1.99 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \coth(dx + c))}{fx + e} dx$$

input `int(ln(a+b*coth(d*x+c))/(f*x+e),x)`

output `int(ln(a+b*coth(d*x+c))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(b \coth(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*coth(d*x+c))/(f*x+e),x, algorithm="fricas")`

output `integral(log(b*coth(d*x + c) + a)/(f*x + e), x)`

Sympy [N/A]

Not integrable

Time = 1.45 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(a + b \coth(c + dx))}{e + fx} dx$$

input `integrate(ln(a+b*coth(d*x+c))/(f*x+e),x)`

output `Integral(log(a + b*coth(c + d*x))/(e + f*x), x)`

Maxima [N/A]

Not integrable

Time = 0.64 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(b \coth(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*coth(d*x+c))/(f*x+e),x, algorithm="maxima")`

output `integrate(log(b*coth(d*x + c) + a)/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(b \coth(dx + c) + a)}{fx + e} dx$$

input `integrate(log(a+b*coth(d*x+c))/(f*x+e),x, algorithm="giac")`

output `integrate(log(b*coth(d*x + c) + a)/(f*x + e), x)`

Mupad [N/A]

Not integrable

Time = 25.56 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\ln(a + b \coth(c + dx))}{e + fx} dx$$

input `int(log(a + b*coth(c + d*x))/(e + f*x),x)`

output `int(log(a + b*coth(c + d*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{e + fx} dx = \int \frac{\log(\coth(dx + c)b + a)}{fx + e} dx$$

input `int(log(a+b*coth(d*x+c))/(f*x+e),x)`

output `int(log(coth(c + d*x)*b + a)/(e + f*x),x)`

$$3.44 \quad \int \frac{\log(a+b \coth(c+dx))}{(e+fx)^2} dx$$

Optimal result	329
Mathematica [N/A]	329
Rubi [N/A]	330
Maple [N/A]	331
Fricas [N/A]	332
Sympy [N/A]	332
Maxima [N/A]	332
Giac [N/A]	333
Mupad [N/A]	333
Reduce [N/A]	334

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \text{Int}\left(\frac{\log(a + b \coth(c + dx))}{(e + fx)^2}, x\right)$$

output `Defer(Int)(ln(a+b*coth(d*x+c))/(f*x+e)^2,x)`

Mathematica [N/A]

Not integrable

Time = 47.68 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx$$

input `Integrate[Log[a + b*Coth[c + d*x]]/(e + f*x)^2,x]`

output `Integrate[Log[a + b*Coth[c + d*x]]/(e + f*x)^2, x]`

Rubi [N/A]

Not integrable

Time = 0.98 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {3031, 25, 27, 7299}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx$$

$$\downarrow \text{3031}$$

$$\frac{\int -\frac{bd \operatorname{csch}^2(c+dx)}{(e+fx)(a+b \coth(c+dx))} dx}{f} - \frac{\log(a + b \coth(c + dx))}{f(e + fx)}$$

$$\downarrow \text{25}$$

$$-\frac{\int \frac{bd \operatorname{csch}^2(c+dx)}{(e+fx)(a+b \coth(c+dx))} dx}{f} - \frac{\log(a + b \coth(c + dx))}{f(e + fx)}$$

$$\downarrow \text{27}$$

$$-\frac{bd \int \frac{\operatorname{csch}^2(c+dx)}{(e+fx)(a+b \coth(c+dx))} dx}{f} - \frac{\log(a + b \coth(c + dx))}{f(e + fx)}$$

$$\downarrow \text{7299}$$

$$-\frac{bd \int \frac{\operatorname{csch}^2(c+dx)}{(e+fx)(a+b \coth(c+dx))} dx}{f} - \frac{\log(a + b \coth(c + dx))}{f(e + fx)}$$

input

Int[Log[a + b*Coth[c + d*x]]/(e + f*x)^2,x]

output

\$Aborted

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 3031 `Int[Log[u_]*)((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [N/A]

Not integrable

Time = 2.34 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\ln(a + b \coth(dx + c))}{(fx + e)^2} dx$$

input `int(ln(a+b*coth(d*x+c))/(f*x+e)^2,x)`

output `int(ln(a+b*coth(d*x+c))/(f*x+e)^2,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \coth(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*coth(d*x+c))/(f*x+e)^2,x, algorithm="fricas")`

output `integral(log(b*coth(d*x + c) + a)/(f^2*x^2 + 2*e*f*x + e^2), x)`

Sympy [N/A]

Not integrable

Time = 15.18 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx$$

input `integrate(ln(a+b*coth(d*x+c))/(f*x+e)**2,x)`

output `Integral(log(a + b*coth(c + d*x))/(e + f*x)**2, x)`

Maxima [N/A]

Not integrable

Time = 1.16 (sec) , antiderivative size = 211, normalized size of antiderivative = 11.11

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \coth(dx + c) + a)}{(fx + e)^2} dx$$

input `integrate(log(a+b*coth(d*x+c))/(f*x+e)^2,x, algorithm="maxima")`

output

```
2*(a*d - b*d)*integrate(-1/(a*e*f - b*e*f + (a*f^2 - b*f^2)*x - (a*e*f*e^(2*c) + b*e*f*e^(2*c) + (a*f^2*e^(2*c) + b*f^2*e^(2*c))*x)*e^(2*d*x)), x) +
d*integrate(1/(f^2*x + e*f + (f^2*x*e^c + e*f*e^c)*e^(d*x)), x) - d*integrate(-1/(f^2*x + e*f - (f^2*x*e^c + e*f*e^c)*e^(d*x)), x) - (log((a + b)*e^(2*d*x + 2*c) - a + b) - log(e^(d*x + c) + 1) - log(e^(d*x + c) - 1))/(f^2*x + e*f)
```

Giac [N/A]

Not integrable

Time = 4.21 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(b \coth(dx + c) + a)}{(fx + e)^2} dx$$

input

```
integrate(log(a+b*coth(d*x+c))/(f*x+e)^2,x, algorithm="giac")
```

output

```
integrate(log(b*coth(d*x + c) + a)/(f*x + e)^2, x)
```

Mupad [N/A]

Not integrable

Time = 25.68 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\ln(a + b \coth(c + dx))}{(e + fx)^2} dx$$

input

```
int(log(a + b*coth(c + d*x))/(e + f*x)^2,x)
```

output

```
int(log(a + b*coth(c + d*x))/(e + f*x)^2, x)
```

Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.68

$$\int \frac{\log(a + b \coth(c + dx))}{(e + fx)^2} dx = \int \frac{\log(\coth(dx + c) b + a)}{f^2 x^2 + 2efx + e^2} dx$$

input `int(log(a+b*coth(d*x+c))/(f*x+e)^2,x)`output `int(log(coth(c + d*x)*b + a)/(e**2 + 2*e*f*x + f**2*x**2),x)`

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	335
4.2	Links to plain text integration problems used in this report for each CAS .	353

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```



```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
      ]
    ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
    ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
If[AppellFunctionQ[Head[expn]],
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
If[Head[expn]===RootSum,
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
If[Head[expn]===Integrate || Head[expn]===Int,
Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
9]]]]]]]]]]]]
```

```
ElementaryFunctionQ[func_] :=
MemberQ[{
Exp, Log,
Sin, Cos, Tan, Cot, Sec, Csc,
ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
Sinh, Cosh, Tanh, Coth, Sech, Csch,
ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
}, func]
```

```
SpecialFunctionQ[func_] :=
MemberQ[{
Erf, Erfc, Erfi,
FresnelS, FresnelC,
ExpIntegralE, ExpIntegralEi, LogIntegral,
SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
Gamma, LogGamma, PolyGamma,
Zeta, PolyLog, ProductLog,
EllipticF, EllipticE, EllipticPi
}, func]
```

```
HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
```

```
AppellFunctionQ[func_] :=
MemberQ[{AppellF1}, func]
```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result   := ExpnType(result);
      ExpnType_optimal  := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
            fi;
        fi;
    else #ExpnType(result) > ExpnType(optimal)
        if debug then
            print("ExpnType(result) > ExpnType(optimal)");
        fi;
        return "C",cat("Result contains higher order function than in optimal. Order ",
                        convert(ExpnType_result,string)," vs. order ",
                        convert(ExpnType_optimal,string),".");
    fi;
end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```



```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#      Albert Rich to use with Sagemath. This is used to
#      grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#      'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#      issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```



```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file