

Computer Algebra Independent Integration Tests

Summer 2024

4-Trig-functions/4.1-Sine/196-4.1.14

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 12:14 Noon

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22
2	detailed summary tables of results	23
2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	38
3	Listing of integrals	40
3.1	$\int (a + bx) dx$	42
3.2	$\int \sin(2 \arcsin(a + bx)) dx$	47
3.3	$\int \sin(3 \arcsin(a + bx)) dx$	52
3.4	$\int (a + bx)^2 dx$	57
3.5	$\int \sin^2(2 \arcsin(a + bx)) dx$	62
3.6	$\int \sin^2(3 \arcsin(a + bx)) dx$	67
3.7	$\int \sqrt{1 - (a + bx)^2} dx$	73

3.8	$\int \sin(2 \arccos(a + bx)) dx$	79
3.9	$\int \sin(3 \arccos(a + bx)) dx$	84
3.10	$\int (1 - (a + bx)^2) dx$	90
3.11	$\int \sin^2(2 \arccos(a + bx)) dx$	95
3.12	$\int \sin^2(3 \arccos(a + bx)) dx$	100
3.13	$\int \frac{a+bx}{\sqrt{1+(a+bx)^2}} dx$	106
3.14	$\int \sin(2 \arctan(a + bx)) dx$	111
3.15	$\int \sin(3 \arctan(a + bx)) dx$	116
3.16	$\int \frac{(a+bx)^2}{1+(a+bx)^2} dx$	122
3.17	$\int \sin^2(2 \arctan(a + bx)) dx$	127
3.18	$\int \sin^2(3 \arctan(a + bx)) dx$	132
3.19	$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx$	138
3.20	$\int \sin(2 \cot^{-1}(a + bx)) dx$	144
3.21	$\int \sin(3 \cot^{-1}(a + bx)) dx$	149
3.22	$\int \frac{1}{(a+bx)^2(1+\frac{1}{(a+bx)^2})} dx$	155
3.23	$\int \sin^2(2 \cot^{-1}(a + bx)) dx$	161
3.24	$\int \sin^2(3 \cot^{-1}(a + bx)) dx$	166
3.25	$\int \sqrt{1 - \frac{1}{(a+bx)^2}} dx$	172
3.26	$\int \sin(2 \sec^{-1}(a + bx)) dx$	178
3.27	$\int \sin(3 \sec^{-1}(a + bx)) dx$	183
3.28	$\int \left(1 - \frac{1}{(a+bx)^2}\right) dx$	188
3.29	$\int \sin^2(2 \sec^{-1}(a + bx)) dx$	193
3.30	$\int \sin^2(3 \sec^{-1}(a + bx)) dx$	198
3.31	$\int \frac{1}{a+bx} dx$	203
3.32	$\int \sin(2 \csc^{-1}(a + bx)) dx$	208
3.33	$\int \sin(3 \csc^{-1}(a + bx)) dx$	213
3.34	$\int \frac{1}{(a+bx)^2} dx$	218
3.35	$\int \sin^2(2 \csc^{-1}(a + bx)) dx$	223
3.36	$\int \sin^2(3 \csc^{-1}(a + bx)) dx$	228

4 Appendix 233

4.1	Listing of Grading functions	233
4.2	Links to plain text integration problems used in this report for each CAS251	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	4
1.2	Results	5
1.3	Time and leaf size Performance	9
1.4	Performance based on number of rules Rubi used	11
1.5	Performance based on number of steps Rubi used	12
1.6	Solved integrals histogram based on leaf size of result	13
1.7	Solved integrals histogram based on CPU time used	14
1.8	Leaf size vs. CPU time used	15
1.9	list of integrals with no known antiderivative	16
1.10	List of integrals solved by CAS but has no known antiderivative	16
1.11	list of integrals solved by CAS but failed verification	16
1.12	Timing	17
1.13	Verification	17
1.14	Important notes about some of the results	18
1.15	Current tree layout of integration tests	21
1.16	Design of the test system	22

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [36]. This is test number [196].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Mathematica	100.00 (36)	0.00 (0)
Fricas	100.00 (36)	0.00 (0)
Mupad	97.22 (35)	2.78 (1)
Maple	91.67 (33)	8.33 (3)
Giac	86.11 (31)	13.89 (5)
Maxima	86.11 (31)	13.89 (5)
Reduce	69.44 (25)	30.56 (11)
Sympy	61.11 (22)	38.89 (14)
Rubi	33.33 (12)	66.67 (24)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	0.000	13.889	19.444	66.667
Mathematica	0.000	38.889	61.111	0.000
Maple	0.000	33.333	58.333	8.333
Fricas	0.000	0.000	100.000	0.000
Giac	0.000	0.000	86.111	13.889
Mupad	0.000	97.222	0.000	2.778
Maxima	0.000	0.000	86.111	13.889
Reduce	0.000	69.444	0.000	30.556
Sympy	0.000	44.444	16.667	38.889

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Mupad	1	0.00	100.00	0.00
Maple	3	0.00	100.00	0.00
Giac	5	0.00	0.00	100.00
Maxima	5	100.00	0.00	0.00
Reduce	11	100.00	0.00	0.00
Sympy	14	100.00	0.00	0.00
Rubi	24	100.00	0.00	0.00

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.07
Giac	0.15
Rubi	0.15
Reduce	0.18
Mathematica	0.37
Maple	0.78
Sympy	1.85
Maxima	6.54
Mupad	31.52

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Rubi	18.17	18.17	15.00	15.00
Mathematica	34.44	34.44	27.00	27.00
Reduce	53.44	53.44	43.00	43.00
Maple	57.73	57.73	28.00	28.00
Giac	62.03	62.03	41.00	41.00
Fricas	64.42	64.42	56.00	56.00
Mupad	71.60	71.60	35.00	35.00
Sympy	82.50	82.50	52.00	52.00
Maxima	122.13	122.13	66.00	66.00

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {}

Maple {}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	24
2.2	Detailed conclusion table per each integral for all CAS systems	28
2.3	Detailed conclusion table specific for Rubi results	38

2.1 List of integrals sorted by grade for each CAS

Rubi	24
Mma	24
Maple	25
Fricas	25
Maxima	25
Giac	26
Mupad	26
Sympy	26
Reduce	27

Rubi

A grade { }

B grade { 1, 4, 10, 28, 34 }

C grade { 7, 13, 16, 19, 22, 25, 31 }

F normal fail { 2, 3, 5, 6, 8, 9, 11, 12, 14, 15, 17, 18, 20, 21, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36 }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { }

B grade { 1, 3, 4, 5, 6, 10, 11, 12, 28, 29, 30, 34, 35, 36 }

C grade { 2, 7, 8, 9, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 31, 32, 33 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { }

B grade { 1, 3, 4, 5, 10, 11, 28, 29, 30, 34, 35, 36 }

C grade { 2, 6, 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 31, 33 }

F normal fail { }

F(-1) timedout fail { 26, 27, 32 }

F(-2) exception fail { }

Fricas

A grade { }

B grade { }

C grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { }

B grade { }

C grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 28, 29, 30, 31, 33, 34, 35, 36 }

F normal fail { 19, 25, 26, 27, 32 }

F(-1) timedout fail { }

F(-2) exception fail { }

Giac

A grade { }

B grade { }

C grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 25, 26, 27, 28, 31, 32, 33, 34, 36 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { 21, 24, 29, 30, 35 }

Mupad

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36 }

C grade { }

F normal fail { }

F(-1) timedout fail { 21 }

F(-2) exception fail { }

Sympy

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 28, 31, 34 }

C grade { 14, 16, 17, 20, 22, 23 }

F normal fail { 15, 18, 19, 21, 24, 25, 26, 27, 29, 30, 32, 33, 35, 36 }

F(-1) timedout fail { }

F(-2) exception fail { }

Reduce

A grade { }

B grade { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 25, 28, 31, 34 }

C grade { }

F normal fail { 21, 23, 24, 26, 27, 29, 30, 32, 33, 35, 36 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	14	12	11	10	10	8	10	10	10
N.S.	1	14.00	12.00	11.00	10.00	10.00	8.00	10.00	10.00	10.00
time (sec)	N/A	0.126	0.000	0.052	0.025	0.031	0.016	0.097	0.227	0.019

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	22	28	66	44	75	27	43	241
N.S.	1	0.00	22.00	28.00	66.00	44.00	75.00	27.00	43.00	241.00
time (sec)	N/A	0.000	0.087	0.305	0.199	0.065	0.125	0.140	0.256	39.657

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	27	28	62	43	75	41	40	43
N.S.	1	0.00	27.00	28.00	62.00	43.00	75.00	41.00	40.00	43.00
time (sec)	N/A	0.000	0.069	0.318	0.175	0.076	0.126	0.113	0.162	38.877

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	14	14	13	20	20	19	12	21	20
N.S.	1	14.00	14.00	13.00	20.00	20.00	19.00	12.00	21.00	20.00
time (sec)	N/A	0.126	0.002	0.210	0.025	0.056	0.018	0.108	0.155	0.031

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	25	66	143	60	107	65	62	58
N.S.	1	0.00	25.00	66.00	143.00	60.00	107.00	65.00	62.00	58.00
time (sec)	N/A	0.000	0.060	0.297	0.424	0.072	0.209	0.145	0.196	38.540

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	34	165	244	107	107	130	124	101
N.S.	1	0.00	34.00	165.00	244.00	107.00	107.00	130.00	124.00	101.00
time (sec)	N/A	0.000	0.067	0.347	1.526	0.067	0.208	0.115	0.160	40.057

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	39	86	94	136	84	119	49	59	33
N.S.	1	39.00	86.00	94.00	136.00	84.00	119.00	49.00	59.00	33.00
time (sec)	N/A	0.153	0.409	0.889	0.114	0.076	0.479	0.112	0.163	0.115

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	22	28	66	44	73	27	43	241
N.S.	1	0.00	22.00	28.00	66.00	44.00	73.00	27.00	43.00	241.00
time (sec)	N/A	0.000	0.075	0.244	0.181	0.063	0.127	0.116	0.161	39.709

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	34	53	115	59	73	66	59	626
N.S.	1	0.00	34.00	53.00	115.00	59.00	73.00	66.00	59.00	626.00
time (sec)	N/A	0.000	0.071	0.273	0.178	0.077	0.126	0.129	0.187	39.812

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	16	16	23	23	24	20	14	23	24
N.S.	1	16.00	16.00	23.00	23.00	24.00	20.00	14.00	23.00	24.00
time (sec)	N/A	0.154	0.002	0.220	0.025	0.059	0.021	0.108	0.182	0.038

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	25	66	143	60	107	65	62	58
N.S.	1	0.00	25.00	66.00	143.00	60.00	107.00	65.00	62.00	58.00
time (sec)	N/A	0.000	0.058	0.326	0.387	0.063	0.211	0.121	0.162	30.993

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	C	C	C	B	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	41	175	245	110	107	131	125	105
N.S.	1	0.00	41.00	175.00	245.00	110.00	107.00	131.00	125.00	105.00
time (sec)	N/A	0.000	0.072	0.342	1.489	0.127	0.208	0.172	0.159	39.233

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	17	17	16	15	23	24	23	22	15
N.S.	1	17.00	17.00	16.00	15.00	23.00	24.00	23.00	22.00	15.00
time (sec)	N/A	0.152	0.051	1.615	0.027	0.071	0.641	0.129	0.166	39.541

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	C	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	19	23	22	22	31	22	22	22
N.S.	1	0.00	19.00	23.00	22.00	22.00	31.00	22.00	22.00	22.00
time (sec)	N/A	0.000	0.043	0.261	0.039	0.057	3.249	0.108	0.168	39.479

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	F	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	43	50	62	84	0	49	61	185
N.S.	1	0.00	43.00	50.00	62.00	84.00	0.00	49.00	61.00	185.00
time (sec)	N/A	0.000	0.075	1.991	0.139	0.079	0.000	0.151	0.183	39.206

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	C	C	C	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	17	17	14	21	16	26	13	16	13
N.S.	1	17.00	17.00	14.00	21.00	16.00	26.00	13.00	16.00	13.00
time (sec)	N/A	0.158	0.013	1.499	0.111	0.065	0.079	0.134	0.158	39.296

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	C	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	39	63	56	56	381	61	88	43
N.S.	1	0.00	39.00	63.00	56.00	56.00	381.00	61.00	88.00	43.00
time (sec)	N/A	0.000	0.079	0.280	0.116	0.078	12.521	0.130	0.156	40.025

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	F	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	82	72	248	186	0	73	282	110
N.S.	1	0.00	82.00	72.00	248.00	186.00	0.00	73.00	282.00	110.00
time (sec)	N/A	0.000	0.121	5.095	0.138	0.085	0.000	0.153	0.182	40.148

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	F	C	F	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	18	87	101	0	58	0	51	28	16
N.S.	1	18.00	87.00	101.00	0.00	58.00	0.00	51.00	28.00	16.00
time (sec)	N/A	0.181	0.593	0.450	0.000	0.066	0.000	0.142	0.224	39.075

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	C	C	B	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	27	23	22	22	31	22	44	22
N.S.	1	0.00	27.00	23.00	22.00	22.00	31.00	22.00	44.00	22.00
time (sec)	N/A	0.000	0.063	0.197	0.036	0.056	3.611	0.129	0.262	39.249

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	F	F(-2)	F	F(-1)
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	70	361	101	119	0	0	331	0
N.S.	1	0.00	70.00	361.00	101.00	119.00	0.00	0.00	331.00	0.00
time (sec)	N/A	0.000	0.134	1.954	0.148	0.080	0.000	0.000	0.213	0.000

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	C	C	C	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	10	10	11	18	10	24	20	10	10
N.S.	1	10.00	10.00	11.00	18.00	10.00	24.00	20.00	10.00	10.00
time (sec)	N/A	0.158	0.009	0.357	0.125	0.075	0.080	0.104	0.168	0.035

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	C	C	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	39	63	56	56	381	61	13	43
N.S.	1	0.00	39.00	63.00	56.00	56.00	381.00	61.00	13.00	43.00
time (sec)	N/A	0.000	0.069	0.306	0.129	0.075	18.593	0.111	0.281	41.775

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	F	F(-2)	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	68	70	200	154	0	0	13	110
N.S.	1	0.00	68.00	70.00	200.00	154.00	0.00	0.00	13.00	110.00
time (sec)	N/A	0.000	0.107	5.068	0.163	0.081	0.000	0.000	0.660	41.919

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	F	C	F	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	38	34	96	0	104	0	80	49	35
N.S.	1	38.00	34.00	96.00	0.00	104.00	0.00	80.00	49.00	35.00
time (sec)	N/A	0.175	10.096	0.291	0.000	0.077	0.000	0.119	0.186	40.973

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	F(-1)	F	C	F	C	F	B
verified	N/A	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	47	0	0	71	0	324	11	43
N.S.	1	0.00	47.00	0.00	0.00	71.00	0.00	324.00	11.00	43.00
time (sec)	N/A	0.000	0.158	0.000	0.000	0.069	0.000	0.323	0.178	39.244

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	F(-1)	F	C	F	C	F	B
verified	N/A	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	48	0	0	127	0	30	11	63
N.S.	1	0.00	48.00	0.00	0.00	127.00	0.00	30.00	11.00	63.00
time (sec)	N/A	0.000	0.212	0.000	0.000	0.085	0.000	0.559	0.189	39.283

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	13	13	14	13	25	10	13	21	13
N.S.	1	13.00	13.00	14.00	13.00	25.00	10.00	13.00	21.00	13.00
time (sec)	N/A	0.149	0.004	0.297	0.026	0.087	0.058	0.103	0.249	0.044

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	F	F(-2)	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	27	26	253	55	0	0	13	21
N.S.	1	0.00	27.00	26.00	253.00	55.00	0.00	0.00	13.00	21.00
time (sec)	N/A	0.000	0.075	0.306	5.983	0.060	0.000	0.000	0.244	39.646

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	F	F(-2)	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	41	39	502	154	0	0	13	38
N.S.	1	0.00	41.00	39.00	502.00	154.00	0.00	0.00	13.00	38.00
time (sec)	N/A	0.000	0.109	0.345	94.230	0.069	0.000	0.000	0.250	39.662

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	C	C	C	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	10	10	11	10	10	7	11	10	10
N.S.	1	10.00	10.00	11.00	10.00	10.00	7.00	11.00	10.00	10.00
time (sec)	N/A	0.137	0.002	0.352	0.026	0.069	0.019	0.110	0.155	0.025

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	F(-1)	F	C	F	C	F	B
verified	N/A	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	47	0	0	71	0	324	11	43
N.S.	1	0.00	47.00	0.00	0.00	71.00	0.00	324.00	11.00	43.00
time (sec)	N/A	0.000	0.116	0.000	0.000	0.070	0.000	0.357	0.163	38.870

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	C	C	C	C	F	C	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	24	25	147	49	0	25	11	26
N.S.	1	0.00	24.00	25.00	147.00	49.00	0.00	25.00	11.00	26.00
time (sec)	N/A	0.000	0.122	0.267	0.337	0.068	0.000	0.112	0.205	39.171

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	B	B	B	C	C	B	C	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	12	12	13	12	13	10	12	12	12
N.S.	1	12.00	12.00	13.00	12.00	13.00	10.00	12.00	12.00	12.00
time (sec)	N/A	0.143	0.003	0.278	0.025	0.062	0.053	0.104	0.151	39.904

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	F	F(-2)	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	27	26	253	55	0	0	13	21
N.S.	1	0.00	27.00	26.00	253.00	55.00	0.00	0.00	13.00	21.00
time (sec)	N/A	0.000	0.069	0.324	5.578	0.081	0.000	0.000	0.166	39.678

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	F	B	B	C	C	F	C	F	B
verified	N/A	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	1	0	34	38	502	114	0	72	13	32
N.S.	1	0.00	34.00	38.00	502.00	114.00	0.00	72.00	13.00	32.00
time (sec)	N/A	0.000	0.086	0.326	90.667	0.074	0.000	0.115	0.170	39.844

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [25] had the largest ratio of [.26666699999999987]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	B	1	1	14.00	5	0.200
2	F	0	0	N/A	0.000	N/A
3	F	0	0	N/A	0.000	N/A
4	B	1	1	14.00	7	0.143
5	F	0	0	N/A	0.000	N/A
6	F	0	0	N/A	0.000	N/A
7	C	4	3	39.00	15	0.200
8	F	0	0	N/A	0.000	N/A
9	F	0	0	N/A	0.000	N/A
10	B	1	1	16.00	11	0.091
11	F	0	0	N/A	0.000	N/A
12	F	0	0	N/A	0.000	N/A
13	C	3	2	17.00	19	0.105
14	F	0	0	N/A	0.000	N/A
15	F	0	0	N/A	0.000	N/A
16	C	4	3	17.00	19	0.158
17	F	0	0	N/A	0.000	N/A
18	F	0	0	N/A	0.000	N/A
19	C	5	4	18.00	21	0.190

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
20	F	0	0	N/A	0.000	N/A
21	F	0	0	N/A	0.000	N/A
22	C	4	3	10.00	19	0.158
23	F	0	0	N/A	0.000	N/A
24	F	0	0	N/A	0.000	N/A
25	C	5	4	38.00	15	0.267
26	F	0	0	N/A	0.000	N/A
27	F	0	0	N/A	0.000	N/A
28	B	1	1	13.00	11	0.091
29	F	0	0	N/A	0.000	N/A
30	F	0	0	N/A	0.000	N/A
31	C	1	1	10.00	7	0.143
32	F	0	0	N/A	0.000	N/A
33	F	0	0	N/A	0.000	N/A
34	B	1	1	12.00	7	0.143
35	F	0	0	N/A	0.000	N/A
36	F	0	0	N/A	0.000	N/A

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int (a + bx) dx$	42
3.2	$\int \sin(2 \arcsin(a + bx)) dx$	47
3.3	$\int \sin(3 \arcsin(a + bx)) dx$	52
3.4	$\int (a + bx)^2 dx$	57
3.5	$\int \sin^2(2 \arcsin(a + bx)) dx$	62
3.6	$\int \sin^2(3 \arcsin(a + bx)) dx$	67
3.7	$\int \sqrt{1 - (a + bx)^2} dx$	73
3.8	$\int \sin(2 \arccos(a + bx)) dx$	79
3.9	$\int \sin(3 \arccos(a + bx)) dx$	84
3.10	$\int (1 - (a + bx)^2) dx$	90
3.11	$\int \sin^2(2 \arccos(a + bx)) dx$	95
3.12	$\int \sin^2(3 \arccos(a + bx)) dx$	100
3.13	$\int \frac{a+bx}{\sqrt{1+(a+bx)^2}} dx$	106
3.14	$\int \sin(2 \arctan(a + bx)) dx$	111
3.15	$\int \sin(3 \arctan(a + bx)) dx$	116
3.16	$\int \frac{(a+bx)^2}{1+(a+bx)^2} dx$	122
3.17	$\int \sin^2(2 \arctan(a + bx)) dx$	127
3.18	$\int \sin^2(3 \arctan(a + bx)) dx$	132
3.19	$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx$	138
3.20	$\int \sin(2 \cot^{-1}(a + bx)) dx$	144
3.21	$\int \sin(3 \cot^{-1}(a + bx)) dx$	149
3.22	$\int \frac{1}{(a+bx)^2(1+\frac{1}{(a+bx)^2})} dx$	155
3.23	$\int \sin^2(2 \cot^{-1}(a + bx)) dx$	161
3.24	$\int \sin^2(3 \cot^{-1}(a + bx)) dx$	166
3.25	$\int \sqrt{1 - \frac{1}{(a+bx)^2}} dx$	172

3.26	$\int \sin(2 \sec^{-1}(a + bx)) dx$	178
3.27	$\int \sin(3 \sec^{-1}(a + bx)) dx$	183
3.28	$\int \left(1 - \frac{1}{(a+bx)^2}\right) dx$	188
3.29	$\int \sin^2(2 \sec^{-1}(a + bx)) dx$	193
3.30	$\int \sin^2(3 \sec^{-1}(a + bx)) dx$	198
3.31	$\int \frac{1}{a+bx} dx$	203
3.32	$\int \sin(2 \csc^{-1}(a + bx)) dx$	208
3.33	$\int \sin(3 \csc^{-1}(a + bx)) dx$	213
3.34	$\int \frac{1}{(a+bx)^2} dx$	218
3.35	$\int \sin^2(2 \csc^{-1}(a + bx)) dx$	223
3.36	$\int \sin^2(3 \csc^{-1}(a + bx)) dx$	228

3.1 $\int (a + bx) dx$

Optimal result	42
Mathematica [B] (verified)	42
Rubi [B] (verified)	43
Maple [B] (verified)	43
Fricas [C] (verification not implemented)	44
Sympy [B] (verification not implemented)	45
Maxima [C] (verification not implemented)	45
Giac [C] (verification not implemented)	45
Mupad [B] (verification not implemented)	46
Reduce [B] (verification not implemented)	46

Optimal result

Integrand size = 5, antiderivative size = 1

$$\int (a + bx) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 12 vs. $2(1) = 2$.

Time = 0.00 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int (a + bx) dx = ax + \frac{bx^2}{2}$$

input

Integrate[a + b*x,x]

output

a*x + (b*x^2)/2

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 14 vs. $2(1) = 2$.

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {17}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx) dx$$

$$\downarrow 17$$

$$\frac{(a + bx)^2}{2b}$$

input `Int[a + b*x,x]`

output `(a + b*x)^2/(2*b)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_)^(m_.), x_Symbol] := Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 10 vs. $2(1) = 2$.

Time = 0.05 (sec) , antiderivative size = 11, normalized size of antiderivative = 11.00

method	result	size
gosper	$\frac{1}{2}bx^2 + ax$	11
default	$\frac{1}{2}bx^2 + ax$	11
norman	$\frac{1}{2}bx^2 + ax$	11
risch	$\frac{1}{2}bx^2 + ax$	11
parallelrisc	$\frac{1}{2}bx^2 + ax$	11
parts	$\frac{1}{2}bx^2 + ax$	11
orering	$\frac{x(bx+2a)}{2}$	11

input `int(b*x+a,x,method=_RETURNVERBOSE)`

output `1/2*b*x^2+a*x`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.03 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int (a + bx) dx = \frac{1}{2}x^2b + xa$$

input `integrate(b*x+a,x, algorithm="fricas")`

output `1/2*x^2*b + x*a`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 8 vs. 2(0) = 0.

Time = 0.02 (sec) , antiderivative size = 8, normalized size of antiderivative = 8.00

$$\int (a + bx) dx = ax + \frac{bx^2}{2}$$

input `integrate(b*x+a,x)`

output `a*x + b*x**2/2`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.02 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int (a + bx) dx = \frac{1}{2} bx^2 + ax$$

input `integrate(b*x+a,x, algorithm="maxima")`

output `1/2*b*x^2 + a*x`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.10 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int (a + bx) dx = \frac{1}{2} bx^2 + ax$$

input `integrate(b*x+a,x, algorithm="giac")`

output `1/2*b*x^2 + a*x`

Mupad [B] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int (a + bx) dx = \frac{bx^2}{2} + ax$$

input `int(a + b*x,x)`

output `a*x + (b*x^2)/2`

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int (a + bx) dx = \frac{x(bx + 2a)}{2}$$

input `int(b*x+a,x)`

output `(x*(2*a + b*x))/2`

3.2 $\int \sin(2 \arcsin(a + bx)) dx$

Optimal result	47
Mathematica [C] (verified)	47
Rubi [F]	48
Maple [C] (verified)	48
Fricas [C] (verification not implemented)	49
Sympy [B] (verification not implemented)	49
Maxima [C] (verification not implemented)	50
Giac [C] (verification not implemented)	50
Mupad [B] (verification not implemented)	51
Reduce [B] (verification not implemented)	51

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \arcsin(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arcsin(a + bx)) dx = -\frac{2(1 - (a + bx)^2)^{3/2}}{3b}$$

input

`Integrate[Sin[2*ArcSin[a + b*x]],x]`

output

`(-2*(1 - (a + b*x)^2)^(3/2))/(3*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \arcsin(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \arcsin(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \arcsin(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcSin[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1.

Time = 0.30 (sec) , antiderivative size = 28, normalized size of antiderivative = 28.00

method	result	size
default	$-\frac{2(-x^2b^2-2abx-a^2+1)^{\frac{3}{2}}}{3b}$	28
orering	$\frac{(bx+a+1)(bx+a-1)\sin(2\arcsin(bx+a))}{3b(bx+a)}$	34

input `int(sin(2*arcsin(b*x+a)),x,method=_RETURNVERBOSE)`

output `-2/3*(-b^2*x^2-2*a*b*x-a^2+1)^(3/2)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 44, normalized size of antiderivative = 44.00

$$\int \sin(2 \arcsin(a + bx)) dx = \frac{2(b^2x^2 + 2abx + a^2 - 1)\sqrt{-b^2x^2 - 2abx - a^2 + 1}}{3b}$$

input `integrate(sin(2*arcsin(b*x+a)),x, algorithm="fricas")`

output `2/3*(b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 75 vs. 2(0) = 0.

Time = 0.12 (sec) , antiderivative size = 75, normalized size of antiderivative = 75.00

$$\int \sin(2 \arcsin(a + bx)) dx$$

$$= \begin{cases} -\frac{a \sin(2 \arcsin(a + bx))}{3b} - \frac{x \sin(2 \arcsin(a + bx))}{3} - \frac{2\sqrt{-a^2 - 2abx - b^2x^2 + 1} \cos(2 \arcsin(a + bx))}{3b} & \text{for } b \neq 0 \\ x \sin(2 \arcsin(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(2*asin(b*x+a)),x)`

output

```
Piecewise((-a*sin(2*asin(a + b*x))/(3*b) - x*sin(2*asin(a + b*x))/3 - 2*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*cos(2*asin(a + b*x))/(3*b), Ne(b, 0)), (x*sin(2*asin(a)), True))
```

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.20 (sec) , antiderivative size = 66, normalized size of antiderivative = 66.00

$$\int \sin(2 \arcsin(a + bx)) dx$$

$$= \frac{5(b^2x^2 + 2abx + a^2 - 1)\sqrt{bx + a + 1}\sqrt{-bx - a + 1} + (-b^2x^2 - 2abx - a^2 + 1)^{\frac{3}{2}}}{6b}$$

input

```
integrate(sin(2*arcsin(b*x+a)),x, algorithm="maxima")
```

output

```
1/6*(5*(b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(b*x + a + 1)*sqrt(-b*x - a + 1) + (-b^2*x^2 - 2*a*b*x - a^2 + 1)^(3/2))/b
```

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.14 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin(2 \arcsin(a + bx)) dx = -\frac{2(-b^2x^2 - 2abx - a^2 + 1)^{\frac{3}{2}}}{3b}$$

input

```
integrate(sin(2*arcsin(b*x+a)),x, algorithm="giac")
```

output

```
-2/3*(-b^2*x^2 - 2*a*b*x - a^2 + 1)^(3/2)/b
```

Mupad [B] (verification not implemented)

Time = 39.66 (sec) , antiderivative size = 241, normalized size of antiderivative = 241.00

$$\int \sin(2 \arcsin(a + bx)) dx$$

$$= \frac{(8b^2(a^2 + b^2x^2 - 1) - 12a^2b^2 + 4ab^3x) \sqrt{-a^2 - 2abx - b^2x^2 + 1}}{12b^3}$$

$$+ 2a \left(\frac{x}{2} + \frac{a}{2b} \right) \sqrt{-a^2 - 2abx - b^2x^2 + 1}$$

$$- \frac{b \ln \left(2 \sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{2xb^2 + 2ab}{\sqrt{-b^2}} \right) (8a^3b^3 - 8ab^3(a^2 - 1))}{8(-b^2)^{5/2}}$$

$$+ \frac{a \ln \left(\sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{xb^2 + ab}{\sqrt{-b^2}} \right) (b^2(a^2 - 1) - a^2b^2)}{(-b^2)^{3/2}}$$

input `int(sin(2*asin(a + b*x)),x)`

output `((8*b^2*(a^2 + b^2*x^2 - 1) - 12*a^2*b^2 + 4*a*b^3*x)*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2))/(12*b^3) + 2*a*(x/2 + a/(2*b))*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (b*log(2*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (2*a*b + 2*b^2*x)/(-b^2)^(1/2))*(8*a^3*b^3 - 8*a*b^3*(a^2 - 1)))/(8*(-b^2)^(5/2)) + (a*log((1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (a*b + b^2*x)/(-b^2)^(1/2))*(b^2*(a^2 - 1) - a^2*b^2))/(-b^2)^(3/2)`

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(2 \arcsin(a + bx)) dx = \frac{2\sqrt{-b^2x^2 - 2abx - a^2 + 1} (b^2x^2 + 2abx + a^2 - 1)}{3b}$$

input `int(sin(2*asin(b*x+a)),x)`

output `(2*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*(a**2 + 2*a*b*x + b**2*x**2 - 1))/(3*b)`

3.3 $\int \sin(3 \arcsin(a + bx)) dx$

Optimal result	52
Mathematica [B] (verified)	52
Rubi [F]	53
Maple [B] (verified)	53
Fricas [C] (verification not implemented)	54
Sympy [B] (verification not implemented)	54
Maxima [C] (verification not implemented)	55
Giac [C] (verification not implemented)	55
Mupad [B] (verification not implemented)	56
Reduce [B] (verification not implemented)	56

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \arcsin(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 27 vs. 2(1) = 2.

Time = 0.07 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin(3 \arcsin(a + bx)) dx = \frac{3(a + bx)^2}{2b} - \frac{(a + bx)^4}{b}$$

input

`Integrate[Sin[3*ArcSin[a + b*x]],x]`

output

`(3*(a + b*x)^2)/(2*b) - (a + b*x)^4/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \arcsin(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \arcsin(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \arcsin(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcSin[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 27 vs. $2(1) = 2$.

Time = 0.32 (sec) , antiderivative size = 28, normalized size of antiderivative = 28.00

method	result	size
default	$-\frac{(4x^2b^2+8abx+4a^2-3)^2}{16b}$	28
orering	$\frac{x(2b^3x^3+8ab^2x^2+12a^2bx+8a^3-3bx-6a)\sin(3\arcsin(bx+a))}{2(bx+a)(4x^2b^2+8abx+4a^2-3)}$	79

input `int(sin(3*arcsin(b*x+a)),x,method=_RETURNVERBOSE)`

output `-1/16*(4*b^2*x^2+8*a*b*x+4*a^2-3)^2/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(3 \arcsin(a + bx)) dx = -b^3x^4 - 4ab^2x^3 - \frac{3}{2}(4a^2 - 1)bx^2 - (4a^3 - 3a)x$$

input `integrate(sin(3*arcsin(b*x+a)),x, algorithm="fricas")`

output `-b^3*x^4 - 4*a*b^2*x^3 - 3/2*(4*a^2 - 1)*b*x^2 - (4*a^3 - 3*a)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 75 vs. 2(0) = 0.

Time = 0.13 (sec) , antiderivative size = 75, normalized size of antiderivative = 75.00

$$\int \sin(3 \arcsin(a + bx)) dx = \begin{cases} -\frac{a \sin(3 \arcsin(a + bx))}{8b} - \frac{x \sin(3 \arcsin(a + bx))}{8} - \frac{3\sqrt{-a^2 - 2abx - b^2x^2 + 1} \cos(3 \arcsin(a + bx))}{8b} & \text{for } b \neq 0 \\ x \sin(3 \arcsin(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(3*asin(b*x+a)),x)`

output `Piecewise((-a*sin(3*asin(a + b*x))/(8*b) - x*sin(3*asin(a + b*x))/8 - 3*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*cos(3*asin(a + b*x))/(8*b), Ne(b, 0)), (x*sin(3*asin(a)), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.17 (sec) , antiderivative size = 62, normalized size of antiderivative = 62.00

$$\int \sin(3 \arcsin(a + bx)) dx = -\frac{4b^4x^4 + 16ab^3x^3 + 6(4a^2 - 1)b^2x^2 + 2a^4 + 4(4a^3 - 3a)bx - 3a^2 + 1}{4b}$$

input `integrate(sin(3*arcsin(b*x+a)),x, algorithm="maxima")`

output `-1/4*(4*b^4*x^4 + 16*a*b^3*x^3 + 6*(4*a^2 - 1)*b^2*x^2 + 2*a^4 + 4*(4*a^3 - 3*a)*b*x - 3*a^2 + 1)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 41, normalized size of antiderivative = 41.00

$$\int \sin(3 \arcsin(a + bx)) dx = -2(bx^2 + 2ax)a^2 - (bx^2 + 2ax)^2b + \frac{3}{2}bx^2 + 3ax$$

input `integrate(sin(3*arcsin(b*x+a)),x, algorithm="giac")`

output `-2*(b*x^2 + 2*a*x)*a^2 - (b*x^2 + 2*a*x)^2*b + 3/2*b*x^2 + 3*a*x`

Mupad [B] (verification not implemented)

Time = 38.88 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(3 \arcsin(a + bx)) dx = x(3a - 4a^3) + x^2 \left(\frac{3b}{2} - 6a^2b \right) - b^3 x^4 - 4ab^2 x^3$$

input `int(sin(3*asin(a + b*x)),x)`output `x*(3*a - 4*a^3) + x^2*((3*b)/2 - 6*a^2*b) - b^3*x^4 - 4*a*b^2*x^3`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 40, normalized size of antiderivative = 40.00

$$\int \sin(3 \arcsin(a + bx)) dx = \frac{x(-2b^3x^3 - 8ab^2x^2 - 12a^2bx - 8a^3 + 3bx + 6a)}{2}$$

input `int(sin(3*asin(b*x+a)),x)`output `(x*(- 8*a**3 - 12*a**2*b*x - 8*a*b**2*x**2 + 6*a - 2*b**3*x**3 + 3*b*x))/2`

3.4 $\int (a + bx)^2 dx$

Optimal result	57
Mathematica [B] (verified)	57
Rubi [B] (verified)	58
Maple [B] (verified)	58
Fricas [C] (verification not implemented)	59
Sympy [B] (verification not implemented)	60
Maxima [C] (verification not implemented)	60
Giac [C] (verification not implemented)	60
Mupad [B] (verification not implemented)	61
Reduce [B] (verification not implemented)	61

Optimal result

Integrand size = 7, antiderivative size = 1

$$\int (a + bx)^2 dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 14 vs. $2(1) = 2$.

Time = 0.00 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00

$$\int (a + bx)^2 dx = \frac{(a + bx)^3}{3b}$$

input

`Integrate[(a + b*x)^2,x]`

output

`(a + b*x)^3/(3*b)`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 14 vs. $2(1) = 2$.

Time = 0.13 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {17}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (a + bx)^2 dx$$

$$\downarrow 17$$

$$\frac{(a + bx)^3}{3b}$$

input `Int[(a + b*x)^2,x]`

output `(a + b*x)^3/(3*b)`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] :> Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 12 vs. $2(1) = 2$.

Time = 0.21 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

method	result	size
default	$\frac{(bx+a)^3}{3b}$	13
gosper	$\frac{1}{3}x^3b^2 + abx^2 + a^2x$	21
norman	$\frac{1}{3}x^3b^2 + abx^2 + a^2x$	21
parallelrisc	$\frac{1}{3}x^3b^2 + abx^2 + a^2x$	21
orering	$\frac{x(x^2b^2+3abx+3a^2)}{3}$	22
risc	$\frac{x^3b^2}{3} + abx^2 + a^2x + \frac{a^3}{3b}$	29

input `int((b*x+a)^2,x,method=_RETURNVERBOSE)`

output `1/3*(b*x+a)^3/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 20.00

$$\int (a + bx)^2 dx = \frac{1}{3} b^2 x^3 + abx^2 + a^2x$$

input `integrate((b*x+a)^2,x, algorithm="fricas")`

output `1/3*b^2*x^3 + a*b*x^2 + a^2*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 19 vs. $2(0) = 0$.

Time = 0.02 (sec) , antiderivative size = 19, normalized size of antiderivative = 19.00

$$\int (a + bx)^2 dx = a^2x + abx^2 + \frac{b^2x^3}{3}$$

input `integrate((b*x+a)**2,x)`

output `a**2*x + a*b*x**2 + b**2*x**3/3`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.02 (sec) , antiderivative size = 20, normalized size of antiderivative = 20.00

$$\int (a + bx)^2 dx = \frac{1}{3}b^2x^3 + abx^2 + a^2x$$

input `integrate((b*x+a)^2,x, algorithm="maxima")`

output `1/3*b^2*x^3 + a*b*x^2 + a^2*x`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int (a + bx)^2 dx = \frac{(bx + a)^3}{3b}$$

input `integrate((b*x+a)^2,x, algorithm="giac")`

output $1/3*(b*x + a)^3/b$

Mupad [B] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 20, normalized size of antiderivative = 20.00

$$\int (a + bx)^2 dx = a^2 x + a b x^2 + \frac{b^2 x^3}{3}$$

input `int((a + b*x)^2,x)`

output $a^2*x + (b^2*x^3)/3 + a*b*x^2$

Reduce [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 21, normalized size of antiderivative = 21.00

$$\int (a + bx)^2 dx = \frac{x(b^2 x^2 + 3abx + 3a^2)}{3}$$

input `int((b*x+a)^2,x)`

output $(x*(3*a**2 + 3*a*b*x + b**2*x**2))/3$

3.5 $\int \sin^2(2 \arcsin(a + bx)) dx$

Optimal result	62
Mathematica [B] (verified)	62
Rubi [F]	63
Maple [B] (verified)	63
Fricas [C] (verification not implemented)	64
Sympy [B] (verification not implemented)	64
Maxima [C] (verification not implemented)	65
Giac [C] (verification not implemented)	65
Mupad [B] (verification not implemented)	66
Reduce [B] (verification not implemented)	66

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(2 \arcsin(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 25 vs. 2(1) = 2.

Time = 0.06 (sec) , antiderivative size = 25, normalized size of antiderivative = 25.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = \frac{4(a + bx)^3 (5 - 3(a + bx)^2)}{15b}$$

input

`Integrate[Sin[2*ArcSin[a + b*x]]^2,x]`

output

`(4*(a + b*x)^3*(5 - 3*(a + b*x)^2))/(15*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(2 \arcsin(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(2 \arcsin(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(2 \arcsin(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcSin[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. $2(1) = 2$.

Time = 0.30 (sec) , antiderivative size = 66, normalized size of antiderivative = 66.00

method	result
parallelrisch	$-\frac{4}{5}x^5b^4 - 4ab^3x^4 - 8x^3a^2b^2 + \frac{4}{3}x^3b^2 - 8x^2a^3b + 4abx^2 - 4a^4x + 4a^2x$
oring	$\frac{x(3x^4b^4+15ab^3x^3+30a^2b^2x^2+30a^3bx+15a^4-5x^2b^2-15abx-15a^2)\sin(2\arcsin(bx+a))^2}{15(bx+a+1)(bx+a-1)(bx+a)^2}$
default	$-\frac{4x^5b^4}{5} - (((a+1)b + b(a-1))b^2 + 2ab^3)x^4 - \frac{4((a+1)(a-1)b^2+2((a+1)b+b(a-1))ab+a^2b^2)x^3}{3} - 2$

input `int(sin(2*arcsin(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-4/5*x^5*b^4-4*a*b^3*x^4-8*x^3*a^2*b^2+4/3*x^3*b^2-8*x^2*a^3*b+4*a*b*x^2-4*a^4*x+4*a^2*x`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 60, normalized size of antiderivative = 60.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = -\frac{4}{5}b^4x^5 - 4ab^3x^4 - \frac{4}{3}(6a^2 - 1)b^2x^3 - 4(2a^3 - a)bx^2 - 4(a^4 - a^2)x$$

input `integrate(sin(2*arcsin(b*x+a))^2,x, algorithm="fricas")`

output `-4/5*b^4*x^5 - 4*a*b^3*x^4 - 4/3*(6*a^2 - 1)*b^2*x^3 - 4*(2*a^3 - a)*b*x^2 - 4*(a^4 - a^2)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 107 vs. 2(0) = 0.

Time = 0.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 107.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = \begin{cases} -\frac{a \sin^2(2 \arcsin(a+bx))}{15b} + \frac{7x \sin^2(2 \arcsin(a+bx))}{15} + \frac{8x \cos^2(2 \arcsin(a+bx))}{15} - \frac{4\sqrt{-a^2-2abx-b^2x^2+1} \sin(2 \arcsin(a+bx)) \cos(2 \arcsin(a+bx))}{15b} \\ x \sin^2(2 \arcsin(a)) \end{cases}$$

input `integrate(sin(2*asin(b*x+a))**2,x)`

output `Piecewise((-a*sin(2*asin(a + b*x))**2/(15*b) + 7*x*sin(2*asin(a + b*x))**2/15 + 8*x*cos(2*asin(a + b*x))**2/15 - 4*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*sin(2*asin(a + b*x))*cos(2*asin(a + b*x))/(15*b), Ne(b, 0)), (x*sin(2*asin(a))**2, True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.42 (sec) , antiderivative size = 143, normalized size of antiderivative = 143.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = \frac{93 b^5 x^5 + 465 a b^4 x^4 + 155 (6 a^2 - 1) b^3 x^3 + 45 a^5 + 465 (2 a^3 - a) b^2 x^2 - 75 a^3 + 465 (a^4 - a^2) b x + (3 b^4 x^4 + 5 (6 a^2 - 1) b^2 x^3 + 15 a^4 x + 15 (2 a^3 - a) b x^2 - 15 a^2 x) b + 30 a}{120 b}$$

input `integrate(sin(2*arcsin(b*x+a))^2,x, algorithm="maxima")`

output `-1/120*(93*b^5*x^5 + 465*a*b^4*x^4 + 155*(6*a^2 - 1)*b^3*x^3 + 45*a^5 + 465*(2*a^3 - a)*b^2*x^2 - 75*a^3 + 465*(a^4 - a^2)*b*x + (3*b^4*x^4 + 5*(6*a^2 - 1)*b^2*x^3 + 15*a^4*x + 15*(2*a^3 - a)*b*x^2 - 15*a^2*x)*b + 30*a)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.14 (sec) , antiderivative size = 65, normalized size of antiderivative = 65.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = -\frac{4}{5} b^4 x^5 - 4 a b^3 x^4 - 8 a^2 b^2 x^3 - 8 a^3 b x^2 - 4 a^4 x + \frac{4}{3} b^2 x^3 + 4 a b x^2 + 4 a^2 x$$

input `integrate(sin(2*arcsin(b*x+a))^2,x, algorithm="giac")`

output

$$-4/5*b^4*x^5 - 4*a*b^3*x^4 - 8*a^2*b^2*x^3 - 8*a^3*b*x^2 - 4*a^4*x + 4/3*b^2*x^3 + 4*a*b*x^2 + 4*a^2*x$$

Mupad [B] (verification not implemented)

Time = 38.54 (sec) , antiderivative size = 58, normalized size of antiderivative = 58.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = -\frac{4b^4 x^5}{5} - 4ab^3 x^4 - \frac{4b^2 x^3 (6a^2 - 1)}{3} - 4a^2 x (a^2 - 1) - 4abx^2 (2a^2 - 1)$$

input

int(sin(2*asin(a + b*x))^2,x)

output

$$-(4*b^4*x^5)/5 - 4*a*b^3*x^4 - (4*b^2*x^3*(6*a^2 - 1))/3 - 4*a^2*x*(a^2 - 1) - 4*a*b*x^2*(2*a^2 - 1)$$

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 62, normalized size of antiderivative = 62.00

$$\int \sin^2(2 \arcsin(a + bx)) dx = \frac{4x(-3b^4x^4 - 15ab^3x^3 - 30a^2b^2x^2 - 30a^3bx - 15a^4 + 5b^2x^2 + 15abx + 15a^2)}{15}$$

input

int(sin(2*asin(b*x+a))^2,x)

output

$$(4*x*(-15*a**4 - 30*a**3*b*x - 30*a**2*b**2*x**2 + 15*a**2 - 15*a*b**3*x**3 + 15*a*b*x - 3*b**4*x**4 + 5*b**2*x**2))/15$$

3.6 $\int \sin^2(3 \arcsin(a + bx)) dx$

Optimal result	67
Mathematica [B] (verified)	67
Rubi [F]	68
Maple [C] (verified)	68
Fricas [C] (verification not implemented)	69
Sympy [B] (verification not implemented)	70
Maxima [C] (verification not implemented)	70
Giac [C] (verification not implemented)	71
Mupad [B] (verification not implemented)	71
Reduce [B] (verification not implemented)	72

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \arcsin(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 34 vs. 2(1) = 2.

Time = 0.07 (sec) , antiderivative size = 34, normalized size of antiderivative = 34.00

$$\int \sin^2(3 \arcsin(a + bx)) dx = \frac{(a + bx)^3 (105 - 168(a + bx)^2 + 80(a + bx)^4)}{35b}$$

input

`Integrate[Sin[3*ArcSin[a + b*x]]^2,x]`

output

`((a + b*x)^3*(105 - 168*(a + b*x)^2 + 80*(a + b*x)^4))/(35*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(3 \arcsin(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(3 \arcsin(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(3 \arcsin(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcSin[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.35 (sec) , antiderivative size = 165, normalized size of antiderivative = 165.00

method	result
orering	$\frac{x(80b^6x^6+560ab^5x^5+1680a^2b^4x^4+2800a^3b^3x^3+2800a^4b^2x^2-168x^4b^4+1680a^5bx-840ab^3x^3+560a^6-1680a^2b^2x^2-1680a^3bx-35(bx+a)^2(4x^2b^2+8abx+4a^2-3)^2}$
default	$\frac{16b^6x^7}{7} + 16ab^5x^6 + \frac{(144b^4a^2+b^2(8(4a^2-3)b^2+64a^2b^2))x^5}{5} + \frac{(64a^3b^3+2ab(8(4a^2-3)b^2+64a^2b^2)+16b^3(4a^2-3)a)x^4}{4}$

input `int(sin(3*arcsin(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `1/35*x*(80*b^6*x^6+560*a*b^5*x^5+1680*a^2*b^4*x^4+2800*a^3*b^3*x^3+2800*a^4*b^2*x^2-168*b^4*x^4+1680*a^5*b*x-840*a*b^3*x^3+560*a^6-1680*a^2*b^2*x^2-1680*a^3*b*x-840*a^4+105*b^2*x^2+315*a*b*x+315*a^2)/(b*x+a)^2/(4*b^2*x^2+8*a*b*x+4*a^2-3)^2*sin(3*arcsin(b*x+a))^2`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 107, normalized size of antiderivative = 107.00

$$\int \sin^2(3 \arcsin(a + bx)) dx = \frac{16}{7} b^6 x^7 + 16 ab^5 x^6 + \frac{24}{5} (10 a^2 - 1) b^4 x^5 + 8 (10 a^3 - 3 a) b^3 x^4 + (80 a^4 - 48 a^2 + 3) b^2 x^3 + 3 (16 a^5 - 16 a^3 + 3 a) b x^2 + (16 a^6 - 24 a^4 + 9 a^2) x$$

input `integrate(sin(3*arcsin(b*x+a))^2,x, algorithm="fricas")`

output `16/7*b^6*x^7 + 16*a*b^5*x^6 + 24/5*(10*a^2 - 1)*b^4*x^5 + 8*(10*a^3 - 3*a)*b^3*x^4 + (80*a^4 - 48*a^2 + 3)*b^2*x^3 + 3*(16*a^5 - 16*a^3 + 3*a)*b*x^2 + (16*a^6 - 24*a^4 + 9*a^2)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 107 vs. $2(0) = 0$.

Time = 0.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 107.00

$$\int \sin^2(3 \arcsin(a + bx)) dx$$

$$= \begin{cases} \frac{a \cos^2(3 \arcsin(a + bx))}{35b} + \frac{17x \sin^2(3 \arcsin(a + bx))}{35} + \frac{18x \cos^2(3 \arcsin(a + bx))}{35} - \frac{6\sqrt{-a^2 - 2abx - b^2x^2 + 1} \sin(3 \arcsin(a + bx)) \cos(3 \arcsin(a + bx))}{35b} \\ x \sin^2(3 \arcsin(a)) \end{cases}$$

input `integrate(sin(3*asin(b*x+a))**2,x)`

output `Piecewise((a*cos(3*asin(a + b*x))**2/(35*b) + 17*x*sin(3*asin(a + b*x))**2/35 + 18*x*cos(3*asin(a + b*x))**2/35 - 6*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*sin(3*asin(a + b*x))*cos(3*asin(a + b*x))/(35*b), Ne(b, 0)), (x*sin(3*asin(a))**2, True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 1.53 (sec) , antiderivative size = 244, normalized size of antiderivative = 244.00

$$\int \sin^2(3 \arcsin(a + bx)) dx$$

$$= \frac{2575 b^7 x^7 + 18025 a b^6 x^6 + 21 (2575 a^2 - 258) b^5 x^5 + 35 (2575 a^3 - 774 a) b^4 x^4 + 1295 a^7 + 35 (2575 a^4 - 1548 a^2 + 97) b^3 x^3 - 2730 a^5 + 105 (515 a^5 - 516 a^3 + 97 a) b^2 x^2 + 1715 a^3 + 35 (515 a^6 - 774 a^4 + 291 a^2) b x - (15 b^6 x^7 + 105 a b^5 x^6 + 21 (15 a^2 - 2) b^4 x^5 + 105 (5 a^3 - 2 a) b^3 x^4 + 105 a^6 x + 35 (15 a^4 - 12 a^2 + 1) b^2 x^3 - 210 a^4 x + 105 (3 a^5 - 4 a^3 + a) b x^2 + 105 a^2 x) b - 280 a) / b$$

input `integrate(sin(3*arcsin(b*x+a))^2,x, algorithm="maxima")`

output `1/1120*(2575*b^7*x^7 + 18025*a*b^6*x^6 + 21*(2575*a^2 - 258)*b^5*x^5 + 35*(2575*a^3 - 774*a)*b^4*x^4 + 1295*a^7 + 35*(2575*a^4 - 1548*a^2 + 97)*b^3*x^3 - 2730*a^5 + 105*(515*a^5 - 516*a^3 + 97*a)*b^2*x^2 + 1715*a^3 + 35*(515*a^6 - 774*a^4 + 291*a^2)*b*x - (15*b^6*x^7 + 105*a*b^5*x^6 + 21*(15*a^2 - 2)*b^4*x^5 + 105*(5*a^3 - 2*a)*b^3*x^4 + 105*a^6*x + 35*(15*a^4 - 12*a^2 + 1)*b^2*x^3 - 210*a^4*x + 105*(3*a^5 - 4*a^3 + a)*b*x^2 + 105*a^2*x) * b - 280*a) / b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.12 (sec) , antiderivative size = 130, normalized size of antiderivative = 130.00

$$\int \sin^2(3 \arcsin(a + bx)) dx = \frac{16}{7} b^6 x^7 + 16 ab^5 x^6 + 48 a^2 b^4 x^5 + 80 a^3 b^3 x^4 + 80 a^4 b^2 x^3 - \frac{24}{5} b^4 x^5 + 48 a^5 b x^2 - 24 ab^3 x^4 + 16 a^6 x - 48 a^2 b^2 x^3 - 48 a^3 b x^2 - 24 a^4 x + 3 b^2 x^3 + 9 ab x^2 + 9 a^2 x$$

input `integrate(sin(3*arcsin(b*x+a))^2,x, algorithm="giac")`

output

```
16/7*b^6*x^7 + 16*a*b^5*x^6 + 48*a^2*b^4*x^5 + 80*a^3*b^3*x^4 + 80*a^4*b^2*x^3 - 24/5*b^4*x^5 + 48*a^5*b*x^2 - 24*a*b^3*x^4 + 16*a^6*x - 48*a^2*b^2*x^3 - 48*a^3*b*x^2 - 24*a^4*x + 3*b^2*x^3 + 9*a*b*x^2 + 9*a^2*x
```

Mupad [B] (verification not implemented)

Time = 40.06 (sec) , antiderivative size = 101, normalized size of antiderivative = 101.00

$$\int \sin^2(3 \arcsin(a + bx)) dx = \frac{16 b^6 x^7}{7} + 16 a b^5 x^6 + a^2 x (4 a^2 - 3)^2 + \frac{24 b^4 x^5 (10 a^2 - 1)}{5} + b^2 x^3 (80 a^4 - 48 a^2 + 3) + 3 a b x^2 (16 a^4 - 16 a^2 + 3) + 8 a b^3 x^4 (10 a^2 - 3)$$

input `int(sin(3*asin(a + b*x))^2,x)`

output

```
(16*b^6*x^7)/7 + 16*a*b^5*x^6 + a^2*x*(4*a^2 - 3)^2 + (24*b^4*x^5*(10*a^2 - 1))/5 + b^2*x^3*(80*a^4 - 48*a^2 + 3) + 3*a*b*x^2*(16*a^4 - 16*a^2 + 3) + 8*a*b^3*x^4*(10*a^2 - 3)
```


Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 124, normalized size of antiderivative = 124.00

$$\int \sin^2(3 \arcsin(a + bx)) dx$$

$$= \frac{x(80b^6x^6 + 560ab^5x^5 + 1680a^2b^4x^4 + 2800a^3b^3x^3 + 2800a^4b^2x^2 - 168b^4x^4 + 1680a^5bx - 840ab^3x^3 + 560a^6 - 1680a^5bx + 1680a^4b^2x^2 - 1680a^3b^3x^3 + 1680a^2b^4x^4 - 1680ab^5x^5 + 80b^6x^6)}{35}$$

input `int(sin(3*asin(b*x+a))^2,x)`output `(x*(560*a**6 + 1680*a**5*b*x + 2800*a**4*b**2*x**2 - 840*a**4 + 2800*a**3*b**3*x**3 - 1680*a**3*b*x + 1680*a**2*b**4*x**4 - 1680*a**2*b**2*x**2 + 315*a**2 + 560*a*b**5*x**5 - 840*a*b**3*x**3 + 315*a*b*x + 80*b**6*x**6 - 168*b**4*x**4 + 105*b**2*x**2))/35`

3.7 $\int \sqrt{1 - (a + bx)^2} dx$

Optimal result	73
Mathematica [C] (verified)	73
Rubi [C] (verified)	74
Maple [C] (verified)	75
Fricas [C] (verification not implemented)	75
Sympy [B] (verification not implemented)	76
Maxima [C] (verification not implemented)	76
Giac [C] (verification not implemented)	77
Mupad [B] (verification not implemented)	78
Reduce [B] (verification not implemented)	78

Optimal result

Integrand size = 15, antiderivative size = 1

$$\int \sqrt{1 - (a + bx)^2} dx = 0$$

output

```
0
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.41 (sec) , antiderivative size = 86, normalized size of antiderivative = 86.00

$$\int \sqrt{1 - (a + bx)^2} dx = \frac{(a + bx)\sqrt{1 - a^2 - 2abx - b^2x^2}}{2b} - \frac{\arctan\left(\frac{bx}{\sqrt{1-a^2}-\sqrt{1-a^2-2abx-b^2x^2}}\right)}{b}$$

input

```
Integrate[Sqrt[1 - (a + b*x)^2], x]
```

output

```
((a + b*x)*Sqrt[1 - a^2 - 2*a*b*x - b^2*x^2])/(2*b) - ArcTan[(b*x)/(Sqrt[1 - a^2] - Sqrt[1 - a^2 - 2*a*b*x - b^2*x^2])]/b
```

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.15 (sec) , antiderivative size = 39, normalized size of antiderivative = 39.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {239, 211, 223}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \sqrt{1 - (a + bx)^2} dx \\ & \quad \downarrow \text{239} \\ & \frac{\int \sqrt{1 - (a + bx)^2} d(a + bx)}{b} \\ & \quad \downarrow \text{211} \\ & \frac{\frac{1}{2} \int \frac{1}{\sqrt{1 - (a + bx)^2}} d(a + bx) + \frac{1}{2} \sqrt{1 - (a + bx)^2} (a + bx)}{b} \\ & \quad \downarrow \text{223} \\ & \frac{\frac{1}{2} \arcsin(a + bx) + \frac{1}{2} \sqrt{1 - (a + bx)^2} (a + bx)}{b} \end{aligned}$$

input `Int[Sqrt[1 - (a + b*x)^2], x]`

output `((a + b*x)*Sqrt[1 - (a + b*x)^2])/2 + ArcSin[a + b*x]/2)/b`

Defintions of rubi rules used

rule 211 `Int[((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[x*((a + b*x^2)^p/(2*p + 1)), x] + Simp[2*a*(p/(2*p + 1)) Int[(a + b*x^2)^(p - 1), x], x] /; FreeQ[{a, b}, x] && GtQ[p, 0] && (IntegerQ[4*p] || IntegerQ[6*p])`

rule 223 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

rule 239 `Int[((a_.) + (b_.)*(v_)^(n_))^(p_), x_Symbol] := Simp[1/Coefficient[v, x, 1] Subst[Int[(a + b*x^n)^p, x], x, v], x] /; FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && NeQ[v, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.89 (sec) , antiderivative size = 94, normalized size of antiderivative = 94.00

method	result	size
risch	$-\frac{(bx+a)(x^2b^2+2abx+a^2-1)}{2b\sqrt{-x^2b^2-2abx-a^2+1}} + \frac{\arctan\left(\frac{\sqrt{b^2}\left(\frac{a}{b}+x\right)}{\sqrt{-x^2b^2-2abx-a^2+1}}\right)}{2\sqrt{b^2}}$	94
default	$-\frac{(-2b^2x-2ab)\sqrt{-x^2b^2-2abx-a^2+1}}{4b^2} - \frac{(-4b^2(-a^2+1)-4a^2b^2)\arctan\left(\frac{\sqrt{b^2}\left(\frac{a}{b}+x\right)}{\sqrt{-x^2b^2-2abx-a^2+1}}\right)}{8b^2\sqrt{b^2}}$	107

input `int((1-(b*x+a)^2)^(1/2),x,method=_RETURNVERBOSE)`

output
$$-1/2*(b*x+a)*(b^2*x^2+2*a*b*x+a^2-1)/b/(-b^2*x^2-2*a*b*x-a^2+1)^(1/2)+1/2/(b^2)^(1/2)*\arctan((b^2)^(1/2)*(1/b*a+x)/(-b^2*x^2-2*a*b*x-a^2+1)^(1/2))$$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 84, normalized size of antiderivative = 84.00

$$\int \sqrt{1 - (a + bx)^2} dx$$

$$= \frac{\sqrt{-b^2x^2 - 2abx - a^2 + 1}(bx + a) - \arctan\left(\frac{\sqrt{-b^2x^2 - 2abx - a^2 + 1}(bx + a)}{b^2x^2 + 2abx + a^2 - 1}\right)}{2b}$$

input `integrate((1-(b*x+a)^2)^(1/2),x, algorithm="fricas")`

output `1/2*(sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)*(b*x + a) - arctan(sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)*(b*x + a)/(b^2*x^2 + 2*a*b*x + a^2 - 1)))/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 119 vs. 2(0) = 0.

Time = 0.48 (sec) , antiderivative size = 119, normalized size of antiderivative = 119.00

$$\int \sqrt{1 - (a + bx)^2} dx$$

$$= \begin{cases} \left(\frac{a}{2b} + \frac{x}{2}\right) \sqrt{-a^2 - 2abx - b^2x^2 + 1} + \frac{\log\left(\frac{-2ab - 2b^2x + 2\sqrt{-b^2}\sqrt{-a^2 - 2abx - b^2x^2 + 1}}{2\sqrt{-b^2}}\right)}{2\sqrt{-b^2}} & \text{for } b^2 \neq 0 \\ -\frac{(-a^2 - 2abx + 1)^{\frac{3}{2}}}{3ab} & \text{for } ab \neq 0 \\ x\sqrt{1 - a^2} & \text{otherwise} \end{cases}$$

input `integrate((1-(b*x+a)**2)**(1/2),x)`

output `Piecewise(((a/(2*b) + x/2)*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1) + log(-2*a*b - 2*b**2*x + 2*sqrt(-b**2)*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1))/(2*sqrt(-b**2)), Ne(b**2, 0)), (-(-a**2 - 2*a*b*x + 1)**(3/2)/(3*a*b), Ne(a*b, 0)), (x*sqrt(1 - a**2), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 136, normalized size of antiderivative = 136.00

$$\int \sqrt{1 - (a + bx)^2} dx = -\frac{a^2 \arcsin\left(-\frac{b^2x+ab}{\sqrt{a^2b^2-(a^2-1)b^2}}\right)}{2b} + \frac{1}{2} \sqrt{-b^2x^2 - 2abx - a^2 + 1}x$$

$$+ \frac{(a^2 - 1) \arcsin\left(-\frac{b^2x+ab}{\sqrt{a^2b^2-(a^2-1)b^2}}\right)}{2b}$$

$$+ \frac{\sqrt{-b^2x^2 - 2abx - a^2 + 1}a}{2b}$$

input `integrate((1-(b*x+a)^2)^(1/2),x, algorithm="maxima")`

output `-1/2*a^2*arcsin(-(b^2*x + a*b)/sqrt(a^2*b^2 - (a^2 - 1)*b^2))/b + 1/2*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)*x + 1/2*(a^2 - 1)*arcsin(-(b^2*x + a*b)/sqrt(a^2*b^2 - (a^2 - 1)*b^2))/b + 1/2*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)*a/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 49, normalized size of antiderivative = 49.00

$$\int \sqrt{1 - (a + bx)^2} dx = \frac{1}{2} \sqrt{-b^2x^2 - 2abx - a^2 + 1} \left(x + \frac{a}{b}\right) - \frac{\arcsin(-bx - a) \operatorname{sgn}(b)}{2|b|}$$

input `integrate((1-(b*x+a)^2)^(1/2),x, algorithm="giac")`

output `1/2*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)*(x + a/b) - 1/2*arcsin(-b*x - a)*sgn(b)/abs(b)`

Mupad [B] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 33, normalized size of antiderivative = 33.00

$$\int \sqrt{1 - (a + bx)^2} dx = \frac{\arcsin(a+bx)}{2} + \frac{\sqrt{1-(a+bx)^2}(a+bx)}{2b}$$

input `int((1 - (a + b*x)^2)^(1/2),x)`output `(asin(a + b*x)/2 + ((1 - (a + b*x)^2)^(1/2)*(a + b*x))/2)/b`**Reduce [B] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 59, normalized size of antiderivative = 59.00

$$\int \sqrt{1 - (a + bx)^2} dx = \frac{\arcsin(bx + a) + \sqrt{-b^2x^2 - 2abx - a^2 + 1}a + \sqrt{-b^2x^2 - 2abx - a^2 + 1}bx}{2b}$$

input `int((1-(b*x+a)^2)^(1/2),x)`output `(asin(a + b*x) + sqrt(- a**2 - 2*a*b*x - b**2*x**2 + 1)*a + sqrt(- a**2 - 2*a*b*x - b**2*x**2 + 1)*b*x)/(2*b)`

3.8 $\int \sin(2 \arccos(a + bx)) dx$

Optimal result	79
Mathematica [C] (verified)	79
Rubi [F]	80
Maple [C] (verified)	80
Fricas [C] (verification not implemented)	81
Sympy [B] (verification not implemented)	81
Maxima [C] (verification not implemented)	82
Giac [C] (verification not implemented)	82
Mupad [B] (verification not implemented)	83
Reduce [B] (verification not implemented)	83

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \arccos(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arccos(a + bx)) dx = -\frac{2(1 - (a + bx)^2)^{3/2}}{3b}$$

input

`Integrate[Sin[2*ArcCos[a + b*x]],x]`

output

`(-2*(1 - (a + b*x)^2)^(3/2))/(3*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \arccos(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \arccos(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \arccos(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCos[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1.

Time = 0.24 (sec) , antiderivative size = 28, normalized size of antiderivative = 28.00

method	result	size
default	$-\frac{2(-x^2b^2-2abx-a^2+1)^{\frac{3}{2}}}{3b}$	28
orering	$\frac{(bx+a+1)(bx+a-1)\sin(2\arccos(bx+a))}{3b(bx+a)}$	34

input `int(sin(2*arccos(b*x+a)),x,method=_RETURNVERBOSE)`

output `-2/3*(-b^2*x^2-2*a*b*x-a^2+1)^(3/2)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 44, normalized size of antiderivative = 44.00

$$\int \sin(2 \arccos(a + bx)) dx = \frac{2(b^2x^2 + 2abx + a^2 - 1)\sqrt{-b^2x^2 - 2abx - a^2 + 1}}{3b}$$

input `integrate(sin(2*arccos(b*x+a)),x, algorithm="fricas")`

output `2/3*(b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 73 vs. 2(0) = 0.

Time = 0.13 (sec) , antiderivative size = 73, normalized size of antiderivative = 73.00

$$\int \sin(2 \arccos(a + bx)) dx = \begin{cases} -\frac{a \sin(2 \arccos(a + bx))}{3b} - \frac{x \sin(2 \arccos(a + bx))}{3} + \frac{2\sqrt{-a^2 - 2abx - b^2x^2 + 1} \cos(2 \arccos(a + bx))}{3b} & \text{for } b \neq 0 \\ x \sin(2 \arccos(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(2*acos(b*x+a)),x)`

output

```
Piecewise((-a*sin(2*acos(a + b*x))/(3*b) - x*sin(2*acos(a + b*x))/3 + 2*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*cos(2*acos(a + b*x))/(3*b), Ne(b, 0)), (x*sin(2*acos(a)), True))
```

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.18 (sec) , antiderivative size = 66, normalized size of antiderivative = 66.00

$$\int \sin(2 \arccos(a + bx)) dx$$

$$= \frac{5(b^2x^2 + 2abx + a^2 - 1)\sqrt{bx + a + 1}\sqrt{-bx - a + 1} + (-b^2x^2 - 2abx - a^2 + 1)^{\frac{3}{2}}}{6b}$$

input

```
integrate(sin(2*arccos(b*x+a)),x, algorithm="maxima")
```

output

```
1/6*(5*(b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(b*x + a + 1)*sqrt(-b*x - a + 1) + (-b^2*x^2 - 2*a*b*x - a^2 + 1)^(3/2))/b
```

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.12 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin(2 \arccos(a + bx)) dx = -\frac{2(-b^2x^2 - 2abx - a^2 + 1)^{\frac{3}{2}}}{3b}$$

input

```
integrate(sin(2*arccos(b*x+a)),x, algorithm="giac")
```

output

```
-2/3*(-b^2*x^2 - 2*a*b*x - a^2 + 1)^(3/2)/b
```

Mupad [B] (verification not implemented)

Time = 39.71 (sec) , antiderivative size = 241, normalized size of antiderivative = 241.00

$$\int \sin(2 \arccos(a + bx)) dx$$

$$= \frac{(8b^2(a^2 + b^2x^2 - 1) - 12a^2b^2 + 4ab^3x) \sqrt{-a^2 - 2abx - b^2x^2 + 1}}{12b^3}$$

$$+ 2a \left(\frac{x}{2} + \frac{a}{2b} \right) \sqrt{-a^2 - 2abx - b^2x^2 + 1}$$

$$- \frac{b \ln \left(2 \sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{2xb^2 + 2ab}{\sqrt{-b^2}} \right) (8a^3b^3 - 8ab^3(a^2 - 1))}{8(-b^2)^{5/2}}$$

$$+ \frac{a \ln \left(\sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{xb^2 + ab}{\sqrt{-b^2}} \right) (b^2(a^2 - 1) - a^2b^2)}{(-b^2)^{3/2}}$$

input `int(sin(2*acos(a + b*x)),x)`

output `((8*b^2*(a^2 + b^2*x^2 - 1) - 12*a^2*b^2 + 4*a*b^3*x)*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2))/(12*b^3) + 2*a*(x/2 + a/(2*b))*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (b*log(2*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (2*a*b + 2*b^2*x)/(-b^2)^(1/2))*(8*a^3*b^3 - 8*a*b^3*(a^2 - 1)))/(8*(-b^2)^(5/2)) + (a*log((1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (a*b + b^2*x)/(-b^2)^(1/2))*(b^2*(a^2 - 1) - a^2*b^2))/(-b^2)^(3/2)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(2 \arccos(a + bx)) dx = \frac{2\sqrt{-b^2x^2 - 2abx - a^2 + 1} (b^2x^2 + 2abx + a^2 - 1)}{3b}$$

input `int(sin(2*acos(b*x+a)),x)`

output `(2*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*(a**2 + 2*a*b*x + b**2*x**2 - 1))/(3*b)`

3.9 $\int \sin(3 \arccos(a + bx)) dx$

Optimal result	84
Mathematica [C] (verified)	84
Rubi [F]	85
Maple [C] (verified)	85
Fricas [C] (verification not implemented)	86
Sympy [B] (verification not implemented)	86
Maxima [C] (verification not implemented)	87
Giac [C] (verification not implemented)	87
Mupad [B] (verification not implemented)	88
Reduce [B] (verification not implemented)	89

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \arccos(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.07 (sec) , antiderivative size = 34, normalized size of antiderivative = 34.00

$$\int \sin(3 \arccos(a + bx)) dx = \frac{\sqrt{1 - (a + bx)^2}(-a - bx + (a + bx)^3)}{b}$$

input

`Integrate[Sin[3*ArcCos[a + b*x]],x]`

output

`(Sqrt[1 - (a + b*x)^2]*(-a - b*x + (a + b*x)^3))/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \arccos(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \arccos(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \arccos(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCos[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.27 (sec) , antiderivative size = 53, normalized size of antiderivative = 53.00

method	result
orering	$\frac{(bx+a)(bx+a-1)(bx+a+1) \sin(3 \arccos(bx+a))}{(2bx+2a+1)(2bx+2a-1)b}$
default	$\frac{(-2b^2x-2ab)\sqrt{-x^2b^2-2abx-a^2+1}}{4b^2} - x(-x^2b^2 - 2abx - a^2 + 1)^{\frac{3}{2}} - \frac{a(-x^2b^2-2abx-a^2+1)^{\frac{3}{2}}}{b} + \frac{\sqrt{-x^2b^2-2abx-a^2+1}}{2}$

input `int(sin(3*arccos(b*x+a)),x,method=_RETURNVERBOSE)`

output `(b*x+a)*(b*x+a-1)*(b*x+a+1)/(2*b*x+2*a+1)/(2*b*x+2*a-1)/b*sin(3*arccos(b*x+a))`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 59, normalized size of antiderivative = 59.00

$$\int \sin(3 \arccos(a + bx)) dx$$

$$= \frac{(b^3x^3 + 3ab^2x^2 + a^3 + (3a^2 - 1)bx - a)\sqrt{-b^2x^2 - 2abx - a^2 + 1}}{b}$$

input `integrate(sin(3*arccos(b*x+a)),x, algorithm="fricas")`

output `(b^3*x^3 + 3*a*b^2*x^2 + a^3 + (3*a^2 - 1)*b*x - a)*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1)/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 73 vs. 2(0) = 0.

Time = 0.13 (sec) , antiderivative size = 73, normalized size of antiderivative = 73.00

$$\int \sin(3 \arccos(a + bx)) dx$$

$$= \begin{cases} -\frac{a \sin(3 \arccos(a+bx))}{8b} - \frac{x \sin(3 \arccos(a+bx))}{8} + \frac{3\sqrt{-a^2-2abx-b^2x^2+1} \cos(3 \arccos(a+bx))}{8b} & \text{for } b \neq 0 \\ x \sin(3 \arccos(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(3*acos(b*x+a)),x)`

output `Piecewise((-a*sin(3*acos(a + b*x))/(8*b) - x*sin(3*acos(a + b*x))/8 + 3*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*cos(3*acos(a + b*x))/(8*b), Ne(b, 0)), (x*sin(3*acos(a)), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.18 (sec) , antiderivative size = 115, normalized size of antiderivative = 115.00

$$\int \sin(3 \arccos(a + bx)) dx$$

$$= \frac{(b^3 x^3 + 3 ab^2 x^2 + a^3 + (3 a^2 - 1)bx - a)\sqrt{bx + a + 1}\sqrt{-bx - a + 1} + (b^3 x^3 + 3 ab^2 x^2 + a^3 + (3 a^2 - 1))}{2b}$$

input `integrate(sin(3*arccos(b*x+a)),x, algorithm="maxima")`

output `1/2*((b^3*x^3 + 3*a*b^2*x^2 + a^3 + (3*a^2 - 1)*b*x - a)*sqrt(b*x + a + 1)*sqrt(-b*x - a + 1) + (b^3*x^3 + 3*a*b^2*x^2 + a^3 + (3*a^2 - 1)*b*x - a)*sqrt(-b^2*x^2 - 2*a*b*x - a^2 + 1))/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 66, normalized size of antiderivative = 66.00

$$\int \sin(3 \arccos(a + bx)) dx$$

$$= \sqrt{-(bx + a)^2 + 1} \left(\left((b^2 x + 3 ab)x + \frac{3 a^2 b^5 - b^5}{b^5} \right) x + \frac{a^3 b^4 - ab^4}{b^5} \right)$$

input `integrate(sin(3*arccos(b*x+a)),x, algorithm="giac")`

output

```
sqrt(-(b*x + a)^2 + 1)*(((b^2*x + 3*a*b)*x + (3*a^2*b^5 - b^5)/b^5)*x + (a^3*b^4 - a*b^4)/b^5)
```

Mupad [B] (verification not implemented)

Time = 39.81 (sec) , antiderivative size = 626, normalized size of antiderivative = 626.00

$$\int \sin(3 \arccos(a + bx)) dx = 4a^2 \left(\frac{x}{2} + \frac{a}{2b} \right) \sqrt{-a^2 - 2abx - b^2x^2 + 1} - x(-a^2 - 2abx - b^2x^2 + 1)^{3/2} - \left(\frac{x}{2} + \frac{a}{2b} \right) \sqrt{-a^2 - 2abx - b^2x^2 + 1} - (a^2 - 1) \left(\left(\frac{x}{2} + \frac{a}{2b} \right) \sqrt{-a^2 - 2abx - b^2x^2 + 1} + \frac{\ln \left(\sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{xb^2 + ab}{\sqrt{-b^2}} \right) (b^2(a^2 - 1) - a^2b^2)}{2(-b^2)^{3/2}} \right) - \frac{\ln \left(\sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{xb^2 + ab}{\sqrt{-b^2}} \right) (b^2(a^2 - 1) - a^2b^2)}{2(-b^2)^{3/2}} - 5ab \left(\frac{(8b^2(a^2 + b^2x^2 - 1) - 12a^2b^2 + 4ab^3x) \sqrt{-a^2 - 2abx - b^2x^2 + 1}}{24b^4} - \frac{\ln \left(2\sqrt{-a^2 - 2abx - b^2x^2 + 1} - \frac{xb^2 + ab}{\sqrt{-b^2}} \right)}{2b^2} \right)$$

input

```
int(sin(3*acos(a + b*x)),x)
```

output

```

4*a^2*(x/2 + a/(2*b))*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - x*(1 - b^2*x^2
- 2*a*b*x - a^2)^(3/2) - (x/2 + a/(2*b))*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1
/2) - (a^2 - 1)*((x/2 + a/(2*b))*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) + (lo
g((1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2) - (a*b + b^2*x)/(-b^2)^(1/2))*(b^2*(
a^2 - 1) - a^2*b^2))/(2*(-b^2)^(3/2))) - (log((1 - b^2*x^2 - 2*a*b*x - a^2
)^(1/2) - (a*b + b^2*x)/(-b^2)^(1/2))*(b^2*(a^2 - 1) - a^2*b^2))/(2*(-b^2
)^(3/2)) - 5*a*b*(((8*b^2*(a^2 + b^2*x^2 - 1) - 12*a^2*b^2 + 4*a*b^3*x)*(1
- b^2*x^2 - 2*a*b*x - a^2)^(1/2))/(24*b^4) - (log(2*(1 - b^2*x^2 - 2*a*b*x
- a^2)^(1/2) - (2*a*b + 2*b^2*x)/(-b^2)^(1/2))*(8*a^3*b^3 - 8*a*b^3*(a^2
- 1)))/(16*(-b^2)^(5/2))) + (2*a^2*log((1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2)
- (a*b + b^2*x)/(-b^2)^(1/2))*(b^2*(a^2 - 1) - a^2*b^2))/(-b^2)^(3/2) + (
a*(8*b^2*(a^2 + b^2*x^2 - 1) - 12*a^2*b^2 + 4*a*b^3*x)*(1 - b^2*x^2 - 2*a*
b*x - a^2)^(1/2))/(3*b^3) - (a*b*log(2*(1 - b^2*x^2 - 2*a*b*x - a^2)^(1/2)
- (2*a*b + 2*b^2*x)/(-b^2)^(1/2))*(8*a^3*b^3 - 8*a*b^3*(a^2 - 1)))/(2*(-b
^2)^(5/2))

```

Reduce [B] (verification not implemented)

Time = 0.19 (sec) , antiderivative size = 59, normalized size of antiderivative = 59.00

$$\int \sin(3 \arccos(a + bx)) dx$$

$$= \frac{\sqrt{-b^2x^2 - 2abx - a^2 + 1} (b^3x^3 + 3ab^2x^2 + 3a^2bx + a^3 - bx - a)}{b}$$

input

```
int(sin(3*acos(b*x+a)),x)
```

output

```
(sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*(a**3 + 3*a**2*b*x + 3*a*b**2*x**
2 - a + b**3*x**3 - b*x))/b
```

3.10 $\int (1 - (a + bx)^2) dx$

Optimal result	90
Mathematica [B] (verified)	90
Rubi [B] (verified)	91
Maple [B] (verified)	91
Fricas [C] (verification not implemented)	92
Sympy [B] (verification not implemented)	93
Maxima [C] (verification not implemented)	93
Giac [C] (verification not implemented)	93
Mupad [B] (verification not implemented)	94
Reduce [B] (verification not implemented)	94

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int (1 - (a + bx)^2) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 16 vs. $2(1) = 2$.

Time = 0.00 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00

$$\int (1 - (a + bx)^2) dx = x - \frac{(a + bx)^3}{3b}$$

input

`Integrate[1 - (a + b*x)^2,x]`

output

`x - (a + b*x)^3/(3*b)`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 16 vs. $2(1) = 2$.

Time = 0.15 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (1 - (a + bx)^2) dx$$

$$\downarrow 2009$$

$$x - \frac{(a + bx)^3}{3b}$$

input `Int[1 - (a + b*x)^2,x]`

output `x - (a + b*x)^3/(3*b)`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 22 vs. $2(1) = 2$.

Time = 0.22 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

method	result	size
gospers	$-\frac{x(x^2b^2+3abx+3a^2-3)}{3}$	23
parallelrisch	$-\frac{1}{3}x^3b^2 - abx^2 - a^2x + x$	24
parts	$-\frac{1}{3}x^3b^2 - abx^2 - a^2x + x$	24
norman	$(-a^2 + 1)x - \frac{x^3b^2}{3} - abx^2$	26
risch	$x - \frac{x^3b^2}{3} - abx^2 - a^2x - \frac{a^3}{3b}$	32
default	$-\frac{x^3b^2}{3} - \frac{((a+1)b+b(a-1))x^2}{2} - (a+1)(a-1)x$	35
orering	$\frac{x(x^2b^2+3abx+3a^2-3)(1-(bx+a)^2)}{3(bx+a+1)(bx+a-1)}$	50

input `int(1-(b*x+a)^2,x,method=_RETURNVERBOSE)`

output `-1/3*x*(b^2*x^2+3*a*b*x+3*a^2-3)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 24, normalized size of antiderivative = 24.00

$$\int (1 - (a + bx)^2) dx = -\frac{1}{3}b^2x^3 - abx^2 - (a^2 - 1)x$$

input `integrate(1-(b*x+a)^2,x, algorithm="fricas")`

output `-1/3*b^2*x^3 - a*b*x^2 - (a^2 - 1)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 20 vs. $2(0) = 0$.

Time = 0.02 (sec) , antiderivative size = 20, normalized size of antiderivative = 20.00

$$\int (1 - (a + bx)^2) dx = -abx^2 - \frac{b^2x^3}{3} + x(1 - a^2)$$

input `integrate(1-(b*x+a)**2,x)`

output `-a*b*x**2 - b**2*x**3/3 + x*(1 - a**2)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.02 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

$$\int (1 - (a + bx)^2) dx = -\frac{1}{3}b^2x^3 - abx^2 - a^2x + x$$

input `integrate(1-(b*x+a)^2,x, algorithm="maxima")`

output `-1/3*b^2*x^3 - a*b*x^2 - a^2*x + x`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00

$$\int (1 - (a + bx)^2) dx = -\frac{(bx + a)^3}{3b} + x$$

input `integrate(1-(b*x+a)^2,x, algorithm="giac")`

output $-1/3*(b*x + a)^3/b + x$

Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 24, normalized size of antiderivative = 24.00

$$\int (1 - (a + bx)^2) dx = -\frac{b^2 x^3}{3} - abx^2 + (1 - a^2) x$$

input `int(1 - (a + b*x)^2,x)`

output `- x*(a^2 - 1) - (b^2*x^3)/3 - a*b*x^2`

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

$$\int (1 - (a + bx)^2) dx = \frac{x(-b^2x^2 - 3abx - 3a^2 + 3)}{3}$$

input `int(1-(b*x+a)^2,x)`

output `(x*(- 3*a**2 - 3*a*b*x - b**2*x**2 + 3))/3`

3.11 $\int \sin^2(2 \arccos(a + bx)) dx$

Optimal result	95
Mathematica [B] (verified)	95
Rubi [F]	96
Maple [B] (verified)	96
Fricas [C] (verification not implemented)	97
Sympy [B] (verification not implemented)	97
Maxima [C] (verification not implemented)	98
Giac [C] (verification not implemented)	98
Mupad [B] (verification not implemented)	99
Reduce [B] (verification not implemented)	99

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(2 \arccos(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 25 vs. 2(1) = 2.

Time = 0.06 (sec) , antiderivative size = 25, normalized size of antiderivative = 25.00

$$\int \sin^2(2 \arccos(a + bx)) dx = \frac{4(a + bx)^3 (5 - 3(a + bx)^2)}{15b}$$

input

`Integrate[Sin[2*ArcCos[a + b*x]]^2,x]`

output

`(4*(a + b*x)^3*(5 - 3*(a + b*x)^2))/(15*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(2 \arccos(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(2 \arccos(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(2 \arccos(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCos[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 65 vs. $2(1) = 2$.

Time = 0.33 (sec) , antiderivative size = 66, normalized size of antiderivative = 66.00

method	result
parallelrisch	$-\frac{4}{5}x^5b^4 - 4ab^3x^4 - 8x^3a^2b^2 + \frac{4}{3}x^3b^2 - 8x^2a^3b + 4abx^2 - 4a^4x + 4a^2x$
orering	$\frac{x(3x^4b^4+15ab^3x^3+30a^2b^2x^2+30a^3bx+15a^4-5x^2b^2-15abx-15a^2)\sin(2\arccos(bx+a))^2}{15(bx+a+1)(bx+a-1)(bx+a)^2}$
default	$-\frac{4x^5b^4}{5} - (((a+1)b + b(a-1))b^2 + 2ab^3)x^4 - \frac{4((a+1)(a-1)b^2+2((a+1)b+b(a-1))ab+a^2b^2)x^3}{3} - 2$

input `int(sin(2*arccos(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-4/5*x^5*b^4-4*a*b^3*x^4-8*x^3*a^2*b^2+4/3*x^3*b^2-8*x^2*a^3*b+4*a*b*x^2-4*a^4*x+4*a^2*x`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 60, normalized size of antiderivative = 60.00

$$\int \sin^2(2 \arccos(a + bx)) dx = -\frac{4}{5}b^4x^5 - 4ab^3x^4 - \frac{4}{3}(6a^2 - 1)b^2x^3 - 4(2a^3 - a)bx^2 - 4(a^4 - a^2)x$$

input `integrate(sin(2*arccos(b*x+a))^2,x, algorithm="fricas")`

output `-4/5*b^4*x^5 - 4*a*b^3*x^4 - 4/3*(6*a^2 - 1)*b^2*x^3 - 4*(2*a^3 - a)*b*x^2 - 4*(a^4 - a^2)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 107 vs. 2(0) = 0.

Time = 0.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 107.00

$$\int \sin^2(2 \arccos(a + bx)) dx = \begin{cases} -\frac{a \sin^2(2 \arccos(a+bx))}{15b} + \frac{7x \sin^2(2 \arccos(a+bx))}{15} + \frac{8x \cos^2(2 \arccos(a+bx))}{15} + \frac{4\sqrt{-a^2-2abx-b^2x^2+1} \sin(2 \arccos(a+bx)) \cos(2 \arccos(a+bx))}{15b} \\ x \sin^2(2 \arccos(a)) \end{cases}$$

input `integrate(sin(2*acos(b*x+a))**2,x)`

output `Piecewise((-a*sin(2*acos(a + b*x))**2/(15*b) + 7*x*sin(2*acos(a + b*x))**2/15 + 8*x*cos(2*acos(a + b*x))**2/15 + 4*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*sin(2*acos(a + b*x))*cos(2*acos(a + b*x))/(15*b), Ne(b, 0)), (x*sin(2*acos(a))**2, True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.39 (sec) , antiderivative size = 143, normalized size of antiderivative = 143.00

$$\int \sin^2(2 \arccos(a + bx)) dx = \frac{93 b^5 x^5 + 465 a b^4 x^4 + 155 (6 a^2 - 1) b^3 x^3 + 45 a^5 + 465 (2 a^3 - a) b^2 x^2 - 75 a^3 + 465 (a^4 - a^2) b x + (30 a^4 - 120 a^2 + 90) b^2 x^2}{120 b}$$

input `integrate(sin(2*arccos(b*x+a))^2,x, algorithm="maxima")`

output `-1/120*(93*b^5*x^5 + 465*a*b^4*x^4 + 155*(6*a^2 - 1)*b^3*x^3 + 45*a^5 + 465*(2*a^3 - a)*b^2*x^2 - 75*a^3 + 465*(a^4 - a^2)*b*x + (3*b^4*x^5 + 15*a*b^3*x^4 + 5*(6*a^2 - 1)*b^2*x^3 + 15*a^4*x + 15*(2*a^3 - a)*b*x^2 - 15*a^2*x)*b + 30*a)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.12 (sec) , antiderivative size = 65, normalized size of antiderivative = 65.00

$$\int \sin^2(2 \arccos(a + bx)) dx = -\frac{4}{5} b^4 x^5 - 4 a b^3 x^4 - 8 a^2 b^2 x^3 - 8 a^3 b x^2 - 4 a^4 x + \frac{4}{3} b^2 x^3 + 4 a b x^2 + 4 a^2 x$$

input `integrate(sin(2*arccos(b*x+a))^2,x, algorithm="giac")`

output

$$-4/5*b^4*x^5 - 4*a*b^3*x^4 - 8*a^2*b^2*x^3 - 8*a^3*b*x^2 - 4*a^4*x + 4/3*b^2*x^3 + 4*a*b*x^2 + 4*a^2*x$$

Mupad [B] (verification not implemented)

Time = 30.99 (sec) , antiderivative size = 58, normalized size of antiderivative = 58.00

$$\int \sin^2(2 \arccos(a + bx)) dx = -\frac{4b^4 x^5}{5} - 4ab^3 x^4 - \frac{4b^2 x^3 (6a^2 - 1)}{3} - 4a^2 x (a^2 - 1) - 4abx^2 (2a^2 - 1)$$

input

```
int(sin(2*acos(a + b*x))^2,x)
```

output

$$-(4*b^4*x^5)/5 - 4*a*b^3*x^4 - (4*b^2*x^3*(6*a^2 - 1))/3 - 4*a^2*x*(a^2 - 1) - 4*a*b*x^2*(2*a^2 - 1)$$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 62, normalized size of antiderivative = 62.00

$$\int \sin^2(2 \arccos(a + bx)) dx = \frac{4x(-3b^4x^4 - 15ab^3x^3 - 30a^2b^2x^2 - 30a^3bx - 15a^4 + 5b^2x^2 + 15abx + 15a^2)}{15}$$

input

```
int(sin(2*acos(b*x+a))^2,x)
```

output

$$(4*x*(-15*a**4 - 30*a**3*b*x - 30*a**2*b**2*x**2 + 15*a**2 - 15*a*b**3*x**3 + 15*a*b*x - 3*b**4*x**4 + 5*b**2*x**2))/15$$

3.12 $\int \sin^2(3 \arccos(a + bx)) dx$

Optimal result	100
Mathematica [B] (verified)	100
Rubi [F]	101
Maple [C] (verified)	101
Fricas [C] (verification not implemented)	102
Sympy [B] (verification not implemented)	103
Maxima [C] (verification not implemented)	103
Giac [C] (verification not implemented)	104
Mupad [B] (verification not implemented)	104
Reduce [B] (verification not implemented)	105

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \arccos(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 41 vs. $2(1) = 2$.

Time = 0.07 (sec) , antiderivative size = 41, normalized size of antiderivative = 41.00

$$\int \sin^2(3 \arccos(a + bx)) dx = \frac{(a + bx)(35 - 105(a + bx)^2 + 168(a + bx)^4 - 80(a + bx)^6)}{35b}$$

input

`Integrate[Sin[3*ArcCos[a + b*x]]^2,x]`

output

`((a + b*x)*(35 - 105*(a + b*x)^2 + 168*(a + b*x)^4 - 80*(a + b*x)^6))/(35*b)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(3 \arccos(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(3 \arccos(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(3 \arccos(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCos[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.34 (sec) , antiderivative size = 175, normalized size of antiderivative = 175.00

method	result
orering	$\frac{x(80b^6x^6+560ab^5x^5+1680a^2b^4x^4+2800a^3b^3x^3+2800a^4b^2x^2-168x^4b^4+1680a^5bx-840ab^3x^3+560a^6-1680a^2b^2x^2-1680a^3bx-840a^4+105b^2x^2+315ab^2x+315a^2-35)}{35(bx+a+1)(bx+a-1)(2bx+2a+1)^2(2bx+2a-1)^2}$
default	$-\frac{16b^6x^7}{7} - \frac{(4(4((a+1)b+b(a-1))b^2+4b^3(2a+1))b^2+16b^5(2a-1))x^6}{6} - \frac{(4(4(a+1)(a-1)b^2+4((a+1)b+b(a-1))(2a+1)b+b^2(2a+1)))x^5}{5}$

input `int(sin(3*arccos(b*x+a))^2,x,method=_RETURNVERBOSE)`

output
$$\frac{1}{35}x(80b^6x^6+560ab^5x^5+1680a^2b^4x^4+2800a^3b^3x^3+2800a^4b^2x^2-168b^4x^4+1680a^5bx-840ab^3x^3+560a^6-1680a^2b^2x^2-1680a^3bx-840a^4+105b^2x^2+315ab^2x+315a^2-35)/(bx+a+1)/(bx+a-1)/(2bx+2a+1)^2/(2bx+2a-1)^2\sin(3\arccos(bx+a))^2$$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 110, normalized size of antiderivative = 110.00

$$\int \sin^2(3 \arccos(a + bx)) dx = -\frac{16}{7} b^6 x^7 - 16 a b^5 x^6 - \frac{24}{5} (10 a^2 - 1) b^4 x^5 - 8 (10 a^3 - 3 a) b^3 x^4 - (80 a^4 - 48 a^2 + 3) b^2 x^3 - 3 (16 a^5 - 16 a^3 + 3 a) b x^2 - (16 a^6 - 24 a^4 + 9 a^2 - 1) x$$

input `integrate(sin(3*arccos(b*x+a))^2,x, algorithm="fricas")`

output
$$-16/7*b^6*x^7 - 16*a*b^5*x^6 - 24/5*(10*a^2 - 1)*b^4*x^5 - 8*(10*a^3 - 3*a)*b^3*x^4 - (80*a^4 - 48*a^2 + 3)*b^2*x^3 - 3*(16*a^5 - 16*a^3 + 3*a)*b*x^2 - (16*a^6 - 24*a^4 + 9*a^2 - 1)*x$$

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 107 vs. $2(0) = 0$.

Time = 0.21 (sec) , antiderivative size = 107, normalized size of antiderivative = 107.00

$$\int \sin^2(3 \arccos(a + bx)) dx$$

$$= \begin{cases} \frac{a \cos^2(3 \arccos(a + bx))}{35b} + \frac{17x \sin^2(3 \arccos(a + bx))}{35} + \frac{18x \cos^2(3 \arccos(a + bx))}{35} + \frac{6\sqrt{-a^2 - 2abx - b^2x^2 + 1} \sin(3 \arccos(a + bx)) \cos(3 \arccos(a + bx))}{35b} \\ x \sin^2(3 \arccos(a)) \end{cases}$$

input `integrate(sin(3*acos(b*x+a))**2,x)`

output `Piecewise((a*cos(3*acos(a + b*x))**2/(35*b) + 17*x*sin(3*acos(a + b*x))**2/35 + 18*x*cos(3*acos(a + b*x))**2/35 + 6*sqrt(-a**2 - 2*a*b*x - b**2*x**2 + 1)*sin(3*acos(a + b*x))*cos(3*acos(a + b*x))/(35*b), Ne(b, 0)), (x*sin(3*acos(a))**2, True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 1.49 (sec) , antiderivative size = 245, normalized size of antiderivative = 245.00

$$\int \sin^2(3 \arccos(a + bx)) dx =$$

$$\frac{2575 b^7 x^7 + 18025 a b^6 x^6 + 21 (2575 a^2 - 258) b^5 x^5 + 35 (2575 a^3 - 774 a) b^4 x^4 + 1295 a^7 + 35 (2575 a^4$$

input `integrate(sin(3*arccos(b*x+a))^2,x, algorithm="maxima")`

output `-1/1120*(2575*b^7*x^7 + 18025*a*b^6*x^6 + 21*(2575*a^2 - 258)*b^5*x^5 + 35*(2575*a^3 - 774*a)*b^4*x^4 + 1295*a^7 + 35*(2575*a^4 - 1548*a^2 + 97)*b^3*x^3 - 2730*a^5 + 105*(515*a^5 - 516*a^3 + 97*a)*b^2*x^2 + 1715*a^3 + 35*(515*a^6 - 774*a^4 + 291*a^2 - 32)*b*x - (15*b^6*x^7 + 105*a*b^5*x^6 + 21*(15*a^2 - 2)*b^4*x^5 + 105*(5*a^3 - 2*a)*b^3*x^4 + 105*a^6*x + 35*(15*a^4 - 12*a^2 + 1)*b^2*x^3 - 210*a^4*x + 105*(3*a^5 - 4*a^3 + a)*b*x^2 + 105*a^2*x)*b - 280*a)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.17 (sec) , antiderivative size = 131, normalized size of antiderivative = 131.00

$$\int \sin^2(3 \arccos(a + bx)) dx = -\frac{16}{7} b^6 x^7 - 16 a b^5 x^6 - 48 a^2 b^4 x^5 - 80 a^3 b^3 x^4 - 80 a^4 b^2 x^3 + \frac{24}{5} b^4 x^5 - 48 a^5 b x^2 + 24 a b^3 x^4 - 16 a^6 x + 48 a^2 b^2 x^3 + 48 a^3 b x^2 + 24 a^4 x - 3 b^2 x^3 - 9 a b x^2 - 9 a^2 x + x$$

input `integrate(sin(3*arccos(b*x+a))^2,x, algorithm="giac")`

output `-16/7*b^6*x^7 - 16*a*b^5*x^6 - 48*a^2*b^4*x^5 - 80*a^3*b^3*x^4 - 80*a^4*b^2*x^3 + 24/5*b^4*x^5 - 48*a^5*b*x^2 + 24*a*b^3*x^4 - 16*a^6*x + 48*a^2*b^2*x^3 + 48*a^3*b*x^2 + 24*a^4*x - 3*b^2*x^3 - 9*a*b*x^2 - 9*a^2*x + x`

Mupad [B] (verification not implemented)

Time = 39.23 (sec) , antiderivative size = 105, normalized size of antiderivative = 105.00

$$\int \sin^2(3 \arccos(a + bx)) dx = -\frac{16 b^6 x^7}{7} - 16 a b^5 x^6 - \frac{24 b^4 x^5 (10 a^2 - 1)}{5} - b^2 x^3 (80 a^4 - 48 a^2 + 3) - x (a^2 - 1) (4 a^2 - 1)^2 - 3 a b x^2 (16 a^4 - 16 a^2 + 3) - 8 a b^3 x^4 (10 a^2 - 3)$$

input `int(sin(3*acos(a + b*x))^2,x)`

output `-(16*b^6*x^7)/7 - 16*a*b^5*x^6 - (24*b^4*x^5*(10*a^2 - 1))/5 - b^2*x^3*(80*a^4 - 48*a^2 + 3) - x*(a^2 - 1)*(4*a^2 - 1)^2 - 3*a*b*x^2*(16*a^4 - 16*a^2 + 3) - 8*a*b^3*x^4*(10*a^2 - 3)`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 125, normalized size of antiderivative = 125.00

$$\int \sin^2(3 \arccos(a + bx)) dx$$

$$= \frac{x(-80b^6x^6 - 560ab^5x^5 - 1680a^2b^4x^4 - 2800a^3b^3x^3 - 2800a^4b^2x^2 + 168b^4x^4 - 1680a^5bx + 840ab^3x^3 - 168b^4x^4 - 105b^2x^2 + 35)}{35}$$

input `int(sin(3*acos(b*x+a))^2,x)`output `(x*(- 560*a**6 - 1680*a**5*b*x - 2800*a**4*b**2*x**2 + 840*a**4 - 2800*a*
*3*b**3*x**3 + 1680*a**3*b*x - 1680*a**2*b**4*x**4 + 1680*a**2*b**2*x**2 -
315*a**2 - 560*a*b**5*x**5 + 840*a*b**3*x**3 - 315*a*b*x - 80*b**6*x**6 +
168*b**4*x**4 - 105*b**2*x**2 + 35))/35`

3.13 $\int \frac{a+bx}{\sqrt{1+(a+bx)^2}} dx$

Optimal result	106
Mathematica [C] (verified)	106
Rubi [C] (verified)	107
Maple [C] (verified)	108
Fricas [C] (verification not implemented)	108
Sympy [B] (verification not implemented)	109
Maxima [C] (verification not implemented)	109
Giac [C] (verification not implemented)	110
Mupad [B] (verification not implemented)	110
Reduce [B] (verification not implemented)	110

Optimal result

Integrand size = 19, antiderivative size = 1

$$\int \frac{a+bx}{\sqrt{1+(a+bx)^2}} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.05 (sec) , antiderivative size = 17, normalized size of antiderivative = 17.00

$$\int \frac{a+bx}{\sqrt{1+(a+bx)^2}} dx = \frac{\sqrt{1+(a+bx)^2}}{b}$$

input

`Integrate[(a + b*x)/Sqrt[1 + (a + b*x)^2], x]`

output

`Sqrt[1 + (a + b*x)^2]/b`

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.15 (sec) , antiderivative size = 17, normalized size of antiderivative = 17.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$, Rules used = {895, 241}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{a + bx}{\sqrt{(a + bx)^2 + 1}} dx$$

↓ 895

$$\frac{\int \frac{a+bx}{\sqrt{(a+bx)^2+1}} d(a + bx)}{b}$$

↓ 241

$$\frac{\sqrt{(a + bx)^2 + 1}}{b}$$

input `Int[(a + b*x)/Sqrt[1 + (a + b*x)^2], x]`

output `Sqrt[1 + (a + b*x)^2]/b`

Defintions of rubi rules used

rule 241 `Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] :> Simp[(a + b*x^2)^(p + 1)/(2*b*(p + 1)), x] /; FreeQ[{a, b, p}, x] && NeQ[p, -1]`

rule 895 `Int[(u_)^(m_.)*((a_) + (b_.)*(v_)^(n_))^(p_.), x_Symbol] :> Simp[u^m/(Coefficient[v, x, 1]*v^m) Subst[Int[x^m*(a + b*x^n)^p, x], x, v], x] /; FreeQ[{a, b, m, n, p}, x] && LinearPairQ[u, v, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1.

Time = 1.62 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00

method	result	size
derivativedivides	$\frac{\sqrt{1+(bx+a)^2}}{b}$	16
gosper	$\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b}$	24
default	$\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b}$	24
trager	$\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b}$	24
risch	$\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b}$	24
pseudoelliptic	$\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b}$	24
orering	$\frac{x^2b^2+2abx+a^2+1}{b\sqrt{1+(bx+a)^2}}$	33

input `int((b*x+a)/(1+(b*x+a)^2)^(1/2),x,method=_RETURNVERBOSE)`

output `1/b*(1+(b*x+a)^2)^(1/2)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \frac{\sqrt{b^2x^2 + 2abx + a^2 + 1}}{b}$$

input `integrate((b*x+a)/(1+(b*x+a)^2)^(1/2),x, algorithm="fricas")`

output `sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 24 vs. $2(0) = 0$.

Time = 0.64 (sec) , antiderivative size = 24, normalized size of antiderivative = 24.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \begin{cases} \frac{\sqrt{(a+bx)^2+1}}{b} & \text{for } b \neq 0 \\ \frac{ax}{\sqrt{a^2+1}} & \text{otherwise} \end{cases}$$

input `integrate((b*x+a)/(1+(b*x+a)**2)**(1/2),x)`

output `Piecewise((sqrt((a + b*x)**2 + 1)/b, Ne(b, 0)), (a*x/sqrt(a**2 + 1), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.03 (sec) , antiderivative size = 15, normalized size of antiderivative = 15.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \frac{\sqrt{(bx + a)^2 + 1}}{b}$$

input `integrate((b*x+a)/(1+(b*x+a)^2)^(1/2),x, algorithm="maxima")`

output `sqrt((b*x + a)^2 + 1)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \frac{\sqrt{b^2x^2 + 2abx + a^2 + 1}}{b}$$

input `integrate((b*x+a)/(1+(b*x+a)^2)^(1/2),x, algorithm="giac")`

output `sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Mupad [B] (verification not implemented)

Time = 39.54 (sec) , antiderivative size = 15, normalized size of antiderivative = 15.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \frac{\sqrt{(a + bx)^2 + 1}}{b}$$

input `int((a + b*x)/((a + b*x)^2 + 1)^(1/2),x)`

output `((a + b*x)^2 + 1)^(1/2)/b`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \frac{a + bx}{\sqrt{1 + (a + bx)^2}} dx = \frac{\sqrt{b^2x^2 + 2abx + a^2 + 1}}{b}$$

input `int((b*x+a)/(1+(b*x+a)^2)^(1/2),x)`

output `sqrt(a**2 + 2*a*b*x + b**2*x**2 + 1)/b`

3.14 $\int \sin(2 \arctan(a + bx)) dx$

Optimal result	111
Mathematica [C] (verified)	111
Rubi [F]	112
Maple [C] (verified)	112
Fricas [C] (verification not implemented)	113
Sympy [C] (verification not implemented)	113
Maxima [C] (verification not implemented)	114
Giac [C] (verification not implemented)	114
Mupad [B] (verification not implemented)	115
Reduce [B] (verification not implemented)	115

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \arctan(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.04 (sec) , antiderivative size = 19, normalized size of antiderivative = 19.00

$$\int \sin(2 \arctan(a + bx)) dx = -\frac{2 \log\left(\frac{1}{\sqrt{1+(a+bx)^2}}\right)}{b}$$

input

`Integrate[Sin[2*ArcTan[a + b*x]],x]`

output

`(-2*Log[1/Sqrt[1 + (a + b*x)^2]])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \arctan(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \arctan(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \arctan(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcTan[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.26 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

method	result	size
parallelrisch	$\frac{\ln(x^2b^2+2abx+a^2+1)}{b}$	23
default	$\frac{\ln((bx+a+i)(-bx-a+i))}{b}$	24

input `int(sin(2*arctan(b*x+a)),x,method=_RETURNVERBOSE)`

output `ln(b^2*x^2+2*a*b*x+a^2+1)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arctan(a + bx)) dx = \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{b}$$

input `integrate(sin(2*arctan(b*x+a)),x, algorithm="fricas")`

output `log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 3.25 (sec) , antiderivative size = 31, normalized size of antiderivative = 31.00

$$\int \sin(2 \arctan(a + bx)) dx = \begin{cases} \frac{\log(\frac{a}{b} + x - \frac{i}{b})}{b} + \frac{\log(\frac{a}{b} + x + \frac{i}{b})}{b} & \text{for } b \neq 0 \\ x \sin(2 \operatorname{atan}(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(2*atan(b*x+a)),x)`

output `Piecewise((log(a/b + x - I/b)/b + log(a/b + x + I/b)/b, Ne(b, 0)), (x*sin(2*atan(a)), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.04 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arctan(a + bx)) dx = \frac{\log(b^2 x^2 + 2 abx + a^2 + 1)}{b}$$

input `integrate(sin(2*arctan(b*x+a)),x, algorithm="maxima")`

output `log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arctan(a + bx)) dx = \frac{\log(a^2 + (bx^2 + 2 ax)b + 1)}{b}$$

input `integrate(sin(2*arctan(b*x+a)),x, algorithm="giac")`

output `log(a^2 + (b*x^2 + 2*a*x)*b + 1)/b`

Mupad [B] (verification not implemented)

Time = 39.48 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arctan(a + bx)) dx = \frac{\ln(a^2 + 2abx + b^2x^2 + 1)}{b}$$

input `int(sin(2*atan(a + b*x)),x)`

output `log(a^2 + b^2*x^2 + 2*a*b*x + 1)/b`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \arctan(a + bx)) dx = \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{b}$$

input `int(sin(2*atan(b*x+a)),x)`

output `log(a**2 + 2*a*b*x + b**2*x**2 + 1)/b`

3.15 $\int \sin(3 \arctan(a + bx)) dx$

Optimal result	116
Mathematica [C] (verified)	116
Rubi [F]	117
Maple [C] (verified)	117
Fricas [C] (verification not implemented)	118
Sympy [F]	119
Maxima [C] (verification not implemented)	119
Giac [C] (verification not implemented)	119
Mupad [B] (verification not implemented)	120
Reduce [B] (verification not implemented)	120

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \arctan(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1 in optimal.

Time = 0.07 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(3 \arctan(a + bx)) dx = -\frac{5 + a^2 + 2abx + b^2x^2}{b\sqrt{1 + a^2 + 2abx + b^2x^2}}$$

input

`Integrate[Sin[3*ArcTan[a + b*x]],x]`

output

`-((5 + a^2 + 2*a*b*x + b^2*x^2)/(b*sqrt[1 + a^2 + 2*a*b*x + b^2*x^2]))`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \arctan(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \arctan(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \arctan(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcTan[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 2 vs. order 1.

Time = 1.99 (sec) , antiderivative size = 50, normalized size of antiderivative = 50.00

method	result
risch	$-\frac{\sqrt{x^2b^2+2abx+a^2+1}}{b} - \frac{4}{\sqrt{x^2b^2+2abx+a^2+1}b}$
orering	$\frac{(x^2b^2+2abx+a^2+5)(x^2b^2+2abx+a^2+1)\sin(3\arctan(bx+a))}{b(x^2b^2+2abx+a^2-3)(bx+a)}$
default	$i \left(\frac{2ia(a^2-3)(2b^2x+2ab)}{(4b^2(a^2+1)-4a^2b^2)\sqrt{x^2b^2+2abx+a^2+1}} + ib^3 \left(\frac{x^2}{b^2\sqrt{x^2b^2+2abx+a^2+1}} - \frac{3a}{b^2\sqrt{x^2b^2+2abx+a^2+1}} - \frac{a}{b^2\sqrt{x^2b^2+2abx+a^2+1}} \right) \right)$

input `int(sin(3*arctan(b*x+a)),x,method=_RETURNVERBOSE)`

output $-(b^2x^2+2abx+a^2+1)^{1/2}/b-4/(b^2x^2+2abx+a^2+1)^{1/2}/b$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 84, normalized size of antiderivative = 84.00

$$\int \sin(3\arctan(a+bx)) dx$$

$$= -\frac{ab^2x^2 + 2a^2bx + a^3 + 2(b^2x^2 + 2abx + a^2 + 5)\sqrt{b^2x^2 + 2abx + a^2 + 1} + a}{2(b^3x^2 + 2ab^2x + (a^2 + 1)b)}$$

input `integrate(sin(3*arctan(b*x+a)),x, algorithm="fricas")`

output $-1/2*(a*b^2*x^2 + 2*a^2*b*x + a^3 + 2*(b^2*x^2 + 2*a*b*x + a^2 + 5)*sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1) + a)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)$

Sympy [F]

$$\int \sin(3 \arctan(a + bx)) dx = \int \sin(3 \operatorname{atan}(a + bx)) dx$$

input `integrate(sin(3*atan(b*x+a)),x)`

output `Integral(sin(3*atan(a + b*x)), x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.14 (sec) , antiderivative size = 62, normalized size of antiderivative = 62.00

$$\int \sin(3 \arctan(a + bx)) dx = -\frac{(b^2x^2 + 2abx + a^2 + 5)\sqrt{b^2x^2 + 2abx + a^2 + 1}}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(3*arctan(b*x+a)),x, algorithm="maxima")`

output `-(b^2*x^2 + 2*a*b*x + a^2 + 5)*sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.15 (sec) , antiderivative size = 49, normalized size of antiderivative = 49.00

$$\int \sin(3 \arctan(a + bx)) dx = -\frac{\sqrt{a^2 + (bx^2 + 2ax)b + 1}}{b} - \frac{4}{\sqrt{a^2 + (bx^2 + 2ax)b + 1}b}$$

input `integrate(sin(3*arctan(b*x+a)),x, algorithm="giac")`

output

```
-sqrt(a^2 + (b*x^2 + 2*a*x)*b + 1)/b - 4/(sqrt(a^2 + (b*x^2 + 2*a*x)*b + 1)*b)
```

Mupad [B] (verification not implemented)

Time = 39.21 (sec) , antiderivative size = 185, normalized size of antiderivative = 185.00

$$\int \sin(3 \arctan(a + bx)) dx = \frac{4a^2 + 4bxa}{b\sqrt{a^2 + 2abx + b^2x^2 + 1}} - \frac{\sqrt{a^2 + 2abx + b^2x^2 + 1}}{b}$$

$$- \frac{4a^2 + 4bxa + 4}{b\sqrt{a^2 + 2abx + b^2x^2 + 1}}$$

$$- \frac{a \ln\left(\sqrt{a^2 + 2abx + b^2x^2 + 1} + \frac{xb^2 + ab}{\sqrt{b^2}}\right)}{\sqrt{b^2}}$$

$$+ \frac{ab^2 \ln\left(\sqrt{a^2 + 2abx + b^2x^2 + 1} + \frac{xb^2 + ab}{\sqrt{b^2}}\right)}{(b^2)^{3/2}}$$

input

```
int(sin(3*atan(a + b*x)),x)
```

output

```
(4*a^2 + 4*a*b*x)/(b*(a^2 + b^2*x^2 + 2*a*b*x + 1)^(1/2)) - (a^2 + b^2*x^2 + 2*a*b*x + 1)^(1/2)/b - (4*a^2 + 4*a*b*x + 4)/(b*(a^2 + b^2*x^2 + 2*a*b*x + 1)^(1/2)) - (a*log((a^2 + b^2*x^2 + 2*a*b*x + 1)^(1/2) + (a*b + b^2*x)/(b^2)^(1/2)))/(b^2)^(1/2) + (a*b^2*log((a^2 + b^2*x^2 + 2*a*b*x + 1)^(1/2) + (a*b + b^2*x)/(b^2)^(1/2)))/(b^2)^(3/2)
```

Reduce [B] (verification not implemented)

Time = 0.18 (sec) , antiderivative size = 61, normalized size of antiderivative = 61.00

$$\int \sin(3 \arctan(a + bx)) dx = \frac{\sqrt{b^2x^2 + 2abx + a^2 + 1}(-b^2x^2 - 2abx - a^2 - 5)}{b(b^2x^2 + 2abx + a^2 + 1)}$$

input

```
int(sin(3*atan(b*x+a)),x)
```

output
$$\frac{(\sqrt{a^2 + 2abx + b^2x^2 + 1})(-a^2 - 2abx - b^2x^2 - 5)}{(b(a^2 + 2abx + b^2x^2 + 1))}$$

3.16 $\int \frac{(a+bx)^2}{1+(a+bx)^2} dx$

Optimal result	122
Mathematica [C] (verified)	122
Rubi [C] (verified)	123
Maple [C] (verified)	124
Fricas [C] (verification not implemented)	124
Sympy [C] (verification not implemented)	125
Maxima [C] (verification not implemented)	125
Giac [C] (verification not implemented)	126
Mupad [B] (verification not implemented)	126
Reduce [B] (verification not implemented)	126

Optimal result

Integrand size = 19, antiderivative size = 1

$$\int \frac{(a+bx)^2}{1+(a+bx)^2} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.01 (sec) , antiderivative size = 17, normalized size of antiderivative = 17.00

$$\int \frac{(a+bx)^2}{1+(a+bx)^2} dx = \frac{a+bx - \arctan(a+bx)}{b}$$

input

`Integrate[(a + b*x)^2/(1 + (a + b*x)^2),x]`

output

`(a + b*x - ArcTan[a + b*x])/b`

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.16 (sec) , antiderivative size = 17, normalized size of antiderivative = 17.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {895, 262, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a+bx)^2}{(a+bx)^2+1} dx \\ & \quad \downarrow \text{895} \\ & \int \frac{(a+bx)^2}{(a+bx)^2+1} d(a+bx) \\ & \quad \downarrow \text{262} \\ & - \int \frac{1}{(a+bx)^2+1} d(a+bx) + a+bx \\ & \quad \downarrow \text{216} \\ & \frac{-\arctan(a+bx) + a+bx}{b} \end{aligned}$$

input

```
Int[(a + b*x)^2/(1 + (a + b*x)^2),x]
```

output

```
(a + b*x - ArcTan[a + b*x])/b
```

Defintions of rubi rules used

rule 216

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

rule 262 `Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[c*(c*x)^(m - 1)*((a + b*x^2)^(p + 1)/(b*(m + 2*p + 1))), x] - Simp[a*c^2*((m - 1)/(b*(m + 2*p + 1))) Int[(c*x)^(m - 2)*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, p}, x] && GtQ[m, 2 - 1] && NeQ[m + 2*p + 1, 0] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 895 `Int[(u_)^(m_.)*((a_) + (b_.)*(v_)^(n_))^(p_.), x_Symbol] := Simp[u^m/(Coefficient[v, x, 1]*v^m) Subst[Int[x^m*(a + b*x^n)^p, x], x, v], x] /; FreeQ[{a, b, m, n, p}, x] && LinearPairQ[u, v, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 1.50 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00

method	result	size
default	$x - \frac{\arctan(bx+a)}{b}$	14
risch	$x - \frac{\arctan(bx+a)}{b}$	14
parallelrisch	$\frac{i \ln(bx+a-i) - i \ln(bx+a+i) + 2bx}{2b}$	33

input `int((b*x+a)^2/(1+(b*x+a)^2),x,method=_RETURNVERBOSE)`

output `x-1/b*arctan(b*x+a)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = \frac{bx - \arctan(bx + a)}{b}$$

input `integrate((b*x+a)^2/(1+(b*x+a)^2),x, algorithm="fricas")`

output `(b*x - arctan(b*x + a))/b`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.08 (sec) , antiderivative size = 26, normalized size of antiderivative = 26.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = x + \frac{i \log\left(x + \frac{a-i}{b}\right)}{2} - \frac{i \log\left(x + \frac{a+i}{b}\right)}{2}$$

input `integrate((b*x+a)**2/(1+(b*x+a)**2),x)`

output `x + (I*log(x + (a - I)/b)/2 - I*log(x + (a + I)/b)/2)/b`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 21, normalized size of antiderivative = 21.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = x - \frac{\arctan\left(\frac{b^2x+ab}{b}\right)}{b}$$

input `integrate((b*x+a)^2/(1+(b*x+a)^2),x, algorithm="maxima")`

output `x - arctan((b^2*x + a*b)/b)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = x - \frac{\arctan(bx + a)}{b}$$

input `integrate((b*x+a)^2/(1+(b*x+a)^2),x, algorithm="giac")`

output `x - arctan(b*x + a)/b`

Mupad [B] (verification not implemented)

Time = 39.30 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = x - \frac{\operatorname{atan}(a + bx)}{b}$$

input `int((a + b*x)^2/((a + b*x)^2 + 1),x)`

output `x - atan(a + b*x)/b`

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00

$$\int \frac{(a + bx)^2}{1 + (a + bx)^2} dx = \frac{-\operatorname{atan}(bx + a) + bx}{b}$$

input `int((b*x+a)^2/(1+(b*x+a)^2),x)`

output `(- atan(a + b*x) + b*x)/b`

3.17 $\int \sin^2(2 \arctan(a + bx)) dx$

Optimal result	127
Mathematica [C] (verified)	127
Rubi [F]	128
Maple [C] (verified)	128
Fricas [C] (verification not implemented)	129
Sympy [C] (verification not implemented)	129
Maxima [C] (verification not implemented)	130
Giac [C] (verification not implemented)	130
Mupad [B] (verification not implemented)	131
Reduce [B] (verification not implemented)	131

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(2 \arctan(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.08 (sec) , antiderivative size = 39, normalized size of antiderivative = 39.00

$$\int \sin^2(2 \arctan(a + bx)) dx = \frac{-\frac{2(a+bx)}{1+a^2+2abx+b^2x^2} + 2 \arctan(a + bx)}{b}$$

input

`Integrate[Sin[2*ArcTan[a + b*x]]^2,x]`

output

`((-2*(a + b*x))/(1 + a^2 + 2*a*b*x + b^2*x^2) + 2*ArcTan[a + b*x])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(2 \arctan(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(2 \arctan(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(2 \arctan(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcTan[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.28 (sec) , antiderivative size = 63, normalized size of antiderivative = 63.00

method	result
default	$-\frac{i \ln(-bx-a+i)}{b} + \frac{1}{b(-bx-a+i)} + \frac{i \ln(bx+a+i)}{b} - \frac{1}{b(bx+a+i)}$
parallelrisch	$-\frac{i \ln(bx+a-i)x^2b^3 - i \ln(bx+a+i)x^2b^3 + 2i \ln(bx+a-i)xa b^2 - 2i \ln(bx+a+i)xa b^2 + i \ln(bx+a-i)a^2b - i \ln(bx+a+i)a^2b + i \ln(bx+a-i)a^2b + i \ln(bx+a+i)a^2b}{b^2(x^2b^2 + 2abx + a^2 + 1)}$

input `int(sin(2*arctan(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-I/b*ln(-b*x+I-a)+1/b/(-b*x+I-a)+I/b*ln(b*x+I+a)-1/b/(b*x+I+a)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 56, normalized size of antiderivative = 56.00

$$\int \sin^2(2 \arctan(a + bx)) dx = -\frac{2 (bx - (b^2x^2 + 2 abx + a^2 + 1) \arctan (bx + a) + a)}{b^3x^2 + 2 ab^2x + (a^2 + 1)b}$$

input `integrate(sin(2*arctan(b*x+a))^2,x, algorithm="fricas")`

output `-2*(b*x - (b^2*x^2 + 2*a*b*x + a^2 + 1)*arctan(b*x + a) + a)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 12.52 (sec) , antiderivative size = 381, normalized size of antiderivative = 381.00

$$\int \sin^2(2 \arctan(a + bx)) dx = \begin{cases} x \sin^2(2 \operatorname{atan}(a)) \\ -\infty x \\ -\frac{ia^2 \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{ia^2 \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{2iabx \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{2iabx \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{2a}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{ib^2x^2 \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{ib^2x^2 \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} \end{cases}$$

input `integrate(sin(2*atan(b*x+a))**2,x)`

output `Piecewise((x*sin(2*atan(a))**2, Eq(b, 0)), (-oo*x, Eq(a, -b*x + I) | Eq(a, -b*x - I)), (-I*a**2*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*a**2*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*I*a*b*x*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + 2*I*a*b*x*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*a/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - I*b**2*x**2*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*b**2*x**2*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*b*x/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - I*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.12 (sec) , antiderivative size = 56, normalized size of antiderivative = 56.00

$$\int \sin^2(2 \arctan(a + bx)) dx = -\frac{2(bx - (b^2x^2 + 2abx + a^2 + 1) \arctan(bx + a) + a)}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(2*arctan(b*x+a))^2,x, algorithm="maxima")`

output `-2*(b*x - (b^2*x^2 + 2*a*b*x + a^2 + 1)*arctan(b*x + a) + a)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 61, normalized size of antiderivative = 61.00

$$\int \sin^2(2 \arctan(a + bx)) dx = -\frac{2(bx + a)}{b^3x^2 + 2ab^2x + a^2b + b} + \frac{i \log(ibx + ia - 1)}{b} - \frac{i \log(-ibx - ia - 1)}{b}$$

input `integrate(sin(2*arctan(b*x+a))^2,x, algorithm="giac")`

output
$$\frac{-2(bx + a)}{b^3x^2 + 2ab^2x + a^2b + b} + I \log(Ibx + Ia - 1)/b - I \log(-Ibx - Ia - 1)/b$$

Mupad [B] (verification not implemented)

Time = 40.02 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin^2(2 \arctan(a + bx)) dx = \frac{2 \operatorname{atan}(a + bx)}{b} - \frac{2x + \frac{2a}{b}}{a^2 + 2abx + b^2x^2 + 1}$$

input `int(sin(2*atan(a + b*x))^2,x)`

output
$$\frac{2 \operatorname{atan}(a + bx)}{b} - \frac{(2x + (2a)/b)}{a^2 + b^2x^2 + 2abx + 1}$$

Reduce [B] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 88, normalized size of antiderivative = 88.00

$$\int \sin^2(2 \arctan(a + bx)) dx = \frac{2 \operatorname{atan}(bx + a) a^3 + 4 \operatorname{atan}(bx + a) a^2 bx + 2 \operatorname{atan}(bx + a) a b^2 x^2 + 2 \operatorname{atan}(bx + a) a - a^2 + b^2 x^2 + 1}{ab(b^2 x^2 + 2abx + a^2 + 1)}$$

input `int(sin(2*atan(b*x+a))^2,x)`

output
$$\frac{(2 \operatorname{atan}(a + bx) a^3 + 4 \operatorname{atan}(a + bx) a^2 b x + 2 \operatorname{atan}(a + bx) a b^2 x^2 + 2 \operatorname{atan}(a + bx) a - a^2 + b^2 x^2 + 1)}{a b (a^2 + 2 a b x + b^2 x^2 + 1)}$$

3.18 $\int \sin^2(3 \arctan(a + bx)) dx$

Optimal result	132
Mathematica [C] (verified)	132
Rubi [F]	133
Maple [C] (verified)	133
Fricas [C] (verification not implemented)	134
Sympy [F]	135
Maxima [C] (verification not implemented)	135
Giac [C] (verification not implemented)	136
Mupad [B] (verification not implemented)	136
Reduce [B] (verification not implemented)	137

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \arctan(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.12 (sec) , antiderivative size = 82, normalized size of antiderivative = 82.00

$$\int \sin^2(3 \arctan(a + bx)) dx = \frac{a}{b} + x + \frac{i}{b(-i + a + bx)^2} + \frac{3}{b(-i + a + bx)} - \frac{i}{b(i + a + bx)^2} + \frac{3}{b(i + a + bx)} - \frac{3 \arctan(a + bx)}{b}$$

input

`Integrate[Sin[3*ArcTan[a + b*x]]^2,x]`

output

`a/b + x + I/(b*(-I + a + b*x)^2) + 3/(b*(-I + a + b*x)) - I/(b*(I + a + b*x)^2) + 3/(b*(I + a + b*x)) - (3*ArcTan[a + b*x])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(3 \arctan(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(3 \arctan(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(3 \arctan(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcTan[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 5.10 (sec) , antiderivative size = 72, normalized size of antiderivative = 72.00

method	result	size
risch	$x + \frac{6x^3b^2 + 18abx^2 - (-18a^2 - 2)x + \frac{2a(3a^2 + 1)}{b}}{(bx+a+i)^2(bx+a-i)^2} - \frac{3 \arctan(bx+a)}{b}$	72
default	$x + \frac{i}{b(-bx-a+i)^2} + \frac{3i \ln(-bx-a+i)}{2b} - \frac{3}{b(-bx-a+i)} - \frac{i}{b(bx+a+i)^2} - \frac{3i \ln(bx+a+i)}{2b} + \frac{3}{b(bx+a+i)}$	98

input `int(sin(3*arctan(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `x+(6*x^3*b^2+18*a*b*x^2-(-18*a^2-2)*x+2*a*(3*a^2+1)/b)/(b*x+I+a)^2/(b*x-I+a)^2-3/b*arctan(b*x+a)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.09 (sec) , antiderivative size = 186, normalized size of antiderivative = 186.00

$$\int \sin^2(3 \arctan(a + bx)) dx$$

$$= \frac{b^5 x^5 + 4 ab^4 x^4 + 2(3a^2 + 4)b^3 x^3 + 2(2a^3 + 11a)b^2 x^2 + 6a^3 + (a^4 + 20a^2 + 3)bx - 3(b^4 x^4 + 4ab^3 x^3 + b^5 x^4 + 4ab^4 x^3 + 2(3a^2 + 1)b^3 x^2 + 4(a^3 + a)b^2 x + \dots}{b^5 x^4 + 4ab^4 x^3 + 2(3a^2 + 1)b^3 x^2 + 4(a^3 + a)b^2 x + \dots}$$

input `integrate(sin(3*arctan(b*x+a))^2,x, algorithm="fricas")`

output `(b^5*x^5 + 4*a*b^4*x^4 + 2*(3*a^2 + 4)*b^3*x^3 + 2*(2*a^3 + 11*a)*b^2*x^2 + 6*a^3 + (a^4 + 20*a^2 + 3)*b*x - 3*(b^4*x^4 + 4*a*b^3*x^3 + 2*(3*a^2 + 1)*b^2*x^2 + a^4 + 4*(a^3 + a)*b*x + 2*a^2 + 1)*arctan(b*x + a) + 2*a)/(b^5*x^4 + 4*a*b^4*x^3 + 2*(3*a^2 + 1)*b^3*x^2 + 4*(a^3 + a)*b^2*x + (a^4 + 2*a^2 + 1)*b)`

Sympy [F]

$$\int \sin^2(3 \arctan(a + bx)) dx = \int \sin^2(3 \operatorname{atan}(a + bx)) dx$$

input `integrate(sin(3*atan(b*x+a))**2,x)`

output `Integral(sin(3*atan(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.14 (sec) , antiderivative size = 248, normalized size of antiderivative = 248.00

$$\int \sin^2(3 \arctan(a + bx)) dx = \frac{2b^5x^5 + 8ab^4x^4 + 4(3a^2 + 4)b^3x^3 + 4(2a^3 + 11a)b^2x^2 + 12a^3 + 2(a^4 + 20a^2 + 3)bx - 3(b^4x^4 + 4ab^3x^3 + 2(3a^2 + 1)b^2x^2 + a^4 + 4(a^3 + a)bx + 2a^2 + 1)\arctan(bx + a) + 3(b^4x^4 + 4ab^3x^3 + 2(3a^2 + 1)b^2x^2 + a^4 + 4(a^3 + a)bx + 2a^2 + 1)\arctan^2(bx + a, -1) + 4a}{2(b^5x^5 + 8ab^4x^4 + 4(3a^2 + 4)b^3x^3 + 4(2a^3 + 11a)b^2x^2 + 12a^3 + 2(a^4 + 20a^2 + 3)bx - 3(b^4x^4 + 4ab^3x^3 + 2(3a^2 + 1)b^2x^2 + a^4 + 4(a^3 + a)bx + 2a^2 + 1)\arctan(bx + a) + 3(b^4x^4 + 4ab^3x^3 + 2(3a^2 + 1)b^2x^2 + a^4 + 4(a^3 + a)bx + 2a^2 + 1)\arctan^2(bx + a, -1) + 4a}$$

input `integrate(sin(3*arctan(b*x+a))^2,x, algorithm="maxima")`

output `1/2*(2*b^5*x^5 + 8*a*b^4*x^4 + 4*(3*a^2 + 4)*b^3*x^3 + 4*(2*a^3 + 11*a)*b^2*x^2 + 12*a^3 + 2*(a^4 + 20*a^2 + 3)*b*x - 3*(b^4*x^4 + 4*a*b^3*x^3 + 2*(3*a^2 + 1)*b^2*x^2 + a^4 + 4*(a^3 + a)*b*x + 2*a^2 + 1)*arctan(b*x + a) + 3*(b^4*x^4 + 4*a*b^3*x^3 + 2*(3*a^2 + 1)*b^2*x^2 + a^4 + 4*(a^3 + a)*b*x + 2*a^2 + 1)*arctan2(b*x + a, -1) + 4*a)/(b^5*x^5 + 4*a*b^4*x^3 + 2*(3*a^2 + 1)*b^3*x^2 + 4*(a^3 + a)*b^2*x + (a^4 + 2*a^2 + 1)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.15 (sec) , antiderivative size = 73, normalized size of antiderivative = 73.00

$$\int \sin^2(3 \arctan(a + bx)) dx = 2x - \frac{6 \arctan(bx + a)}{b} + \frac{4(3b^3x^3 + 9ab^2x^2 + 9a^2bx + 3a^3 + bx + a)}{(b^2x^2 + 2abx + a^2 + 1)^2b}$$

input `integrate(sin(3*arctan(b*x+a))^2,x, algorithm="giac")`

output `2*x - 6*arctan(b*x + a)/b + 4*(3*b^3*x^3 + 9*a*b^2*x^2 + 9*a^2*b*x + 3*a^3 + b*x + a)/((b^2*x^2 + 2*a*b*x + a^2 + 1)^2*b)`

Mupad [B] (verification not implemented)

Time = 40.15 (sec) , antiderivative size = 110, normalized size of antiderivative = 110.00

$$\int \sin^2(3 \arctan(a + bx)) dx = x + \frac{\frac{2(3a^3+a)}{b} + x(18a^2 + 2) + 6b^2x^3 + 18abx^2}{x^2(6a^2b^2 + 2b^2) + 2a^2 + a^4 + x(4ba^3 + 4ba) + b^4x^4 + 4ab^3x^3 + 1} - \frac{3 \operatorname{atan}(a + bx)}{b}$$

input `int(sin(3*atan(a + b*x))^2,x)`

output `x + ((2*(a + 3*a^3))/b + x*(18*a^2 + 2) + 6*b^2*x^3 + 18*a*b*x^2)/(x^2*(2*b^2 + 6*a^2*b^2) + 2*a^2 + a^4 + x*(4*a*b + 4*a^3*b) + b^4*x^4 + 4*a*b^3*x^3 + 1) - (3*atan(a + b*x))/b`

$$3.19 \quad \int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx$$

Optimal result	138
Mathematica [C] (verified)	138
Rubi [C] (verified)	139
Maple [C] (verified)	140
Fricas [C] (verification not implemented)	141
Sympy [F]	141
Maxima [F]	142
Giac [C] (verification not implemented)	142
Mupad [B] (verification not implemented)	142
Reduce [B] (verification not implemented)	143

Optimal result

Integrand size = 21, antiderivative size = 1

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.59 (sec) , antiderivative size = 87, normalized size of antiderivative = 87.00

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx$$

$$= -\frac{2\sqrt{1+a^2+2abx+b^2x^2}\operatorname{arctanh}\left(\frac{\sqrt{1+a^2}-\sqrt{1+a^2+2abx+b^2x^2}}{bx}\right)}{b(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}}$$

input

`Integrate[1/((a + b*x)*Sqrt[1 + (a + b*x)^(-2)]),x]`

output

$$\frac{(-2\sqrt{1 + a^2 + 2abx + b^2x^2})\operatorname{ArcTanh}\left(\frac{\sqrt{1 + a^2} - \sqrt{1 + a^2 + 2abx + b^2x^2}}{bx}\right)}{b(a + bx)\sqrt{1 + (a + bx)^{-2}}}$$
Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.18 (sec) , antiderivative size = 18, normalized size of antiderivative = 18.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$, Rules used = {895, 798, 73, 220}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(a + bx)\sqrt{\frac{1}{(a+bx)^2} + 1}} dx \\ & \quad \downarrow \text{895} \\ & \int \frac{\frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}}}{b} d(a + bx) \\ & \quad \downarrow \text{798} \\ & \int \frac{\frac{(a+bx)^2}{\sqrt{1+\frac{1}{(a+bx)^2}}} d\frac{1}{(a+bx)^2}}{2b} \\ & \quad \downarrow \text{73} \\ & \int \frac{\frac{1}{(a+bx)^4 - 1} d\sqrt{1 + \frac{1}{(a+bx)^2}}}{b} \\ & \quad \downarrow \text{220} \\ & \frac{\operatorname{arctanh}\left(\sqrt{\frac{1}{(a+bx)^2} + 1}\right)}{b} \end{aligned}$$

input

$$\operatorname{Int}\left[\frac{1}{(a + bx)\sqrt{1 + (a + bx)^{-2}}}, x\right]$$

output `ArcTanh[Sqrt[1 + (a + b*x)^(-2)]]/b`

Defintions of rubi rules used

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[
{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) +
d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x]] /; FreeQ[{a, b, c, d}, x] && Lt
Q[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntL
inearQ[a, b, c, d, m, n, x]`

rule 220 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-Rt[-a, 2]*Rt[b, 2])^(-
1))*ArcTanh[Rt[b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && NegQ[a/b] &&
(LtQ[a, 0] || GtQ[b, 0])`

rule 798 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Simp[1/n Subst
[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*x)^p, x], x, x^n], x] /; FreeQ[{a,
b, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

rule 895 `Int[(u_)^(m_.)*((a_) + (b_.)*(v_)^(n_))^(p_.), x_Symbol] := Simp[u^m/(Coeff
icient[v, x, 1]*v^m) Subst[Int[x^m*(a + b*x^n)^p, x], x, v], x] /; FreeQ[
{a, b, m, n, p}, x] && LinearPairQ[u, v, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.45 (sec) , antiderivative size = 101, normalized size of antiderivative = 101.00

method	result	size
default	$\frac{\sqrt{x^2 b^2 + 2abx + a^2 + 1} \ln\left(\frac{b^2 x + \sqrt{x^2 b^2 + 2abx + a^2 + 1} \sqrt{b^2 + ab}}{\sqrt{b^2}}\right)}{\sqrt{\frac{x^2 b^2 + 2abx + a^2 + 1}{(bx+a)^2}} (bx+a) \sqrt{b^2}}$	101

input `int(1/(b*x+a)/(1+1/(b*x+a)^2)^(1/2),x,method=_RETURNVERBOSE)`

output

```
1/((b^2*x^2+2*a*b*x+a^2+1)/(b*x+a)^2)^(1/2)/(b*x+a)*(b^2*x^2+2*a*b*x+a^2+1)^(1/2)*ln((b^2*x+(b^2*x^2+2*a*b*x+a^2+1)^(1/2)*(b^2)^(1/2)+a*b)/(b^2)^(1/2)))/(b^2)^(1/2)
```

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 58, normalized size of antiderivative = 58.00

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = -\frac{\log\left(-bx+(bx+a)\sqrt{\frac{b^2x^2+2abx+a^2+1}{b^2x^2+2abx+a^2}}-a\right)}{b}$$

input

```
integrate(1/(b*x+a)/(1+1/(b*x+a)^2)^(1/2),x, algorithm="fricas")
```

output

```
-log(-b*x + (b*x + a)*sqrt((b^2*x^2 + 2*a*b*x + a^2 + 1)/(b^2*x^2 + 2*a*b*x + a^2)) - a)/b
```

Sympy [F]

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = \int \frac{1}{\sqrt{\frac{a^2+2abx+b^2x^2+1}{a^2+2abx+b^2x^2}}(a+bx)} dx$$

input

```
integrate(1/(b*x+a)/(1+1/(b*x+a)**2)**(1/2),x)
```

output

```
Integral(1/(sqrt((a**2 + 2*a*b*x + b**2*x**2 + 1)/(a**2 + 2*a*b*x + b**2*x**2))*(a + b*x)), x)
```

Maxima [F]

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = \int \frac{1}{(bx+a)\sqrt{\frac{1}{(bx+a)^2}+1}} dx$$

input `integrate(1/(b*x+a)/(1+1/(b*x+a)^2)^(1/2),x, algorithm="maxima")`

output `integrate(1/((b*x + a)*sqrt(1/(b*x + a)^2 + 1)), x)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.14 (sec) , antiderivative size = 51, normalized size of antiderivative = 51.00

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = -\frac{\log(|-ab - (x|b| - \sqrt{b^2x^2 + 2abx + a^2 + 1})|b|)}{|b|\operatorname{sgn}(bx+a)}$$

input `integrate(1/(b*x+a)/(1+1/(b*x+a)^2)^(1/2),x, algorithm="giac")`

output `-log(abs(-a*b - (x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1))*abs(b)))/(a
bs(b)*sgn(b*x + a))`

Mupad [B] (verification not implemented)

Time = 39.08 (sec) , antiderivative size = 16, normalized size of antiderivative = 16.00

$$\int \frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}} dx = \frac{\operatorname{atanh}\left(\sqrt{\frac{1}{(a+bx)^2}+1}\right)}{b}$$

input `int(1/((1/(a + b*x)^2 + 1)^(1/2)*(a + b*x)),x)`

output `atanh((1/(a + b*x)^2 + 1)^(1/2))/b`

Reduce [B] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 28, normalized size of antiderivative = 28.00

$$\int \frac{1}{(a + bx)\sqrt{1 + \frac{1}{(a+bx)^2}}} dx = \frac{\log(\sqrt{b^2x^2 + 2abx + a^2 + 1} + a + bx)}{b}$$

input `int(1/(b*x+a)/(1+1/(b*x+a)^2)^(1/2),x)`

output `log(sqrt(a**2 + 2*a*b*x + b**2*x**2 + 1) + a + b*x)/b`

3.20 $\int \sin(2 \cot^{-1}(a + bx)) dx$

Optimal result	144
Mathematica [C] (verified)	144
Rubi [F]	145
Maple [C] (verified)	145
Fricas [C] (verification not implemented)	146
Sympy [C] (verification not implemented)	146
Maxima [C] (verification not implemented)	147
Giac [C] (verification not implemented)	147
Mupad [B] (verification not implemented)	148
Reduce [B] (verification not implemented)	148

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \cot^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.06 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = -\frac{2 \log\left(\frac{1}{(a+bx)\sqrt{1+\frac{1}{(a+bx)^2}}}\right)}{b}$$

input

`Integrate[Sin[2*ArcCot[a + b*x]], x]`

output

`(-2*Log[1/((a + b*x)*Sqrt[1 + (a + b*x)^(-2)])])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \cot^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCot[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.20 (sec) , antiderivative size = 23, normalized size of antiderivative = 23.00

method	result	size
parallelrisch	$\frac{\ln(x^2b^2+2abx+a^2+1)}{b}$	23
default	$\frac{\ln((bx+a+i)(-bx-a+i))}{b}$	24

input `int(sin(2*arccot(b*x+a)),x,method=_RETURNVERBOSE)`

output `ln(b^2*x^2+2*a*b*x+a^2+1)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = \frac{\log(b^2x^2 + 2abx + a^2 + 1)}{b}$$

input `integrate(sin(2*arccot(b*x+a)),x, algorithm="fricas")`

output `log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 3.61 (sec) , antiderivative size = 31, normalized size of antiderivative = 31.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = \begin{cases} \frac{\log(\frac{a}{b} + x - \frac{i}{b})}{b} + \frac{\log(\frac{a}{b} + x + \frac{i}{b})}{b} & \text{for } b \neq 0 \\ x \sin(2 \operatorname{acot}(a)) & \text{otherwise} \end{cases}$$

input `integrate(sin(2*acot(b*x+a)),x)`

output `Piecewise((log(a/b + x - I/b)/b + log(a/b + x + I/b)/b, Ne(b, 0)), (x*sin(2*acot(a)), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.04 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = \frac{\log(b^2 x^2 + 2 abx + a^2 + 1)}{b}$$

input `integrate(sin(2*arccot(b*x+a)),x, algorithm="maxima")`

output `log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = \frac{\log(b^2 x^2 + 2 abx + a^2 + 1)}{b}$$

input `integrate(sin(2*arccot(b*x+a)),x, algorithm="giac")`

output `log(b^2*x^2 + 2*a*b*x + a^2 + 1)/b`

Mupad [B] (verification not implemented)

Time = 39.25 (sec) , antiderivative size = 22, normalized size of antiderivative = 22.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx = \frac{\ln(a^2 + 2abx + b^2x^2 + 1)}{b}$$

input `int(sin(2*acot(a + b*x)),x)`output `log(a^2 + b^2*x^2 + 2*a*b*x + 1)/b`**Reduce [B] (verification not implemented)**

Time = 0.26 (sec) , antiderivative size = 44, normalized size of antiderivative = 44.00

$$\int \sin(2 \cot^{-1}(a + bx)) dx$$

$$= \frac{-2 \operatorname{atan}(bx + a)a - 2 \operatorname{atan}\left(\frac{1}{bx+a}\right)a + \log(b^2x^2 + 2abx + a^2 + 1) + 1}{b}$$

input `int(sin(2*acot(b*x+a)),x)`output `(- 2*atan(a + b*x)*a - 2*atan(1/(a + b*x))*a + log(a**2 + 2*a*b*x + b**2*x**2 + 1) + 1)/b`

3.21 $\int \sin(3 \cot^{-1}(a + bx)) dx$

Optimal result	149
Mathematica [C] (verified)	149
Rubi [F]	150
Maple [C] (verified)	150
Fricas [C] (verification not implemented)	151
Sympy [F]	152
Maxima [C] (verification not implemented)	152
Giac [F(-2)]	152
Mupad [F(-1)]	153
Reduce [F]	153

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \cot^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.13 (sec) , antiderivative size = 70, normalized size of antiderivative = 70.00

$$\int \sin(3 \cot^{-1}(a + bx)) dx = \frac{-\frac{4(a+bx)^2 \sqrt{1 + \frac{1}{(a+bx)^2}}}{1+a^2+2abx+b^2x^2} + 3 \log\left((a+bx) \left(1 + \sqrt{1 + \frac{1}{(a+bx)^2}}\right)\right)}{b}$$

input

`Integrate[Sin[3*ArcCot[a + b*x]],x]`

output

`((-4*(a + b*x)^2*Sqrt[1 + (a + b*x)^(-2)])/(1 + a^2 + 2*a*b*x + b^2*x^2) + 3*Log[(a + b*x)*(1 + Sqrt[1 + (a + b*x)^(-2)])])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \cot^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCot[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 1.95 (sec) , antiderivative size = 361, normalized size of antiderivative = 361.00

method	result
default	$-\frac{2(2b^2x+2ab)}{(4b^2(a^2+1)-4a^2b^2)\sqrt{x^2b^2+2abx+a^2+1}} + \frac{6a^2(2b^2x+2ab)}{(4b^2(a^2+1)-4a^2b^2)\sqrt{x^2b^2+2abx+a^2+1}} + 3b^2 \left(-\frac{x}{b^2\sqrt{x^2b^2+2abx+a^2+1}} - \right.$

input `int(sin(3*arccot(b*x+a)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
& -2*(2*b^2*x+2*a*b)/(4*b^2*(a^2+1)-4*a^2*b^2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2) \\
& +6*a^2*(2*b^2*x+2*a*b)/(4*b^2*(a^2+1)-4*a^2*b^2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2) \\
& +3*b^2*(-x/b^2/(b^2*x^2+2*a*b*x+a^2+1)^(1/2)-a/b*(-1/b^2/(b^2*x^2+2*a*b*x+a^2+1)^(1/2) \\
& -2*a/b*(2*b^2*x+2*a*b)/(4*b^2*(a^2+1)-4*a^2*b^2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2)) \\
& +1/b^2*\ln((b^2*x+a*b)/(b^2)^(1/2)+(b^2*x^2+2*a*b*x+a^2+1)^(1/2))/(b^2)^(1/2) \\
& +6*a*b*(-1/b^2/(b^2*x^2+2*a*b*x+a^2+1)^(1/2)-2*a/b*(2*b^2*x+2*a*b)/(4*b^2*(a^2+1)-4*a^2*b^2)/(b^2*x^2+2*a*b*x+a^2+1)^(1/2))
\end{aligned}$$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 119, normalized size of antiderivative = 119.00

$$\int \sin(3 \cot^{-1}(a + bx)) dx = \frac{4b^2x^2 + 8abx + 4a^2 + 3(b^2x^2 + 2abx + a^2 + 1) \log(-bx - a + \sqrt{b^2x^2 + 2abx + a^2 + 1}) + 4\sqrt{b^2x^2 + 2abx + a^2 + 1}}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(3*arccot(b*x+a)),x, algorithm="fricas")`

output

$$\frac{-(4*b^2*x^2 + 8*a*b*x + 4*a^2 + 3*(b^2*x^2 + 2*a*b*x + a^2 + 1)*\log(-b*x - a + \sqrt{b^2*x^2 + 2*a*b*x + a^2 + 1}) + 4*\sqrt{b^2*x^2 + 2*a*b*x + a^2 + 1}*(b*x + a) + 4)}{(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)}$$

Sympy [F]

$$\int \sin(3 \cot^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acot}(a + bx)) dx$$

input `integrate(sin(3*acot(b*x+a)),x)`

output `Integral(sin(3*acot(a + b*x)), x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.15 (sec) , antiderivative size = 101, normalized size of antiderivative = 101.00

$$\int \sin(3 \cot^{-1}(a + bx)) dx$$

$$= \frac{3(b^2x^2 + 2abx + a^2 + 1) \log(2bx + 2a + 2\sqrt{b^2x^2 + 2abx + a^2 + 1}) - 4\sqrt{b^2x^2 + 2abx + a^2 + 1}(bx + a)}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(3*arccot(b*x+a)),x, algorithm="maxima")`

output `(3*(b^2*x^2 + 2*a*b*x + a^2 + 1)*log(2*b*x + 2*a + 2*sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1)) - 4*sqrt(b^2*x^2 + 2*a*b*x + a^2 + 1)*(b*x + a))/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Giac [F(-2)]

Exception generated.

$$\int \sin(3 \cot^{-1}(a + bx)) dx = \text{Exception raised: TypeError}$$

input `integrate(sin(3*arccot(b*x+a)),x, algorithm="giac")`

output

```
Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:int(sage0,sageVARx) Error: Bad Arg
ument Value
```

Mupad [F(-1)]

Timed out.

$$\int \sin(3 \cot^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acot}(a + bx)) dx$$

input

```
int(sin(3*acot(a + b*x)),x)
```

output

```
int(sin(3*acot(a + b*x)), x)
```

Reduce [F]

$$\int \sin(3 \cot^{-1}(a + bx)) dx$$

$$-6 \operatorname{atan}\left(\frac{1}{bx+a}\right) \tan\left(\frac{3 \operatorname{atan}\left(\frac{1}{bx+a}\right)}{2}\right)^2 a - 6 \operatorname{atan}\left(\frac{1}{bx+a}\right) a + 12 \left(\int \frac{\tan\left(\frac{3 \operatorname{atan}\left(\frac{1}{bx+a}\right)}{2}\right)^2}{\tan\left(\frac{3 \operatorname{atan}\left(\frac{1}{bx+a}\right)}{2}\right)^2 a^2 + 2 \tan\left(\frac{3 \operatorname{atan}\left(\frac{1}{bx+a}\right)}{2}\right)^2 abx + \tan\left(\frac{3 \operatorname{atan}\left(\frac{1}{bx+a}\right)}{2}\right)^2 b^2 x^2} dx \right)$$

input

```
int(sin(3*acot(b*x+a)),x)
```

output

```
( - 6*atan(1/(a + b*x))*tan((3*atan(1/(a + b*x)))/2)**2*a - 6*atan(1/(a +
b*x))*a + 12*int(x/(tan((3*atan(1/(a + b*x)))/2)**2*a**2 + 2*tan((3*atan(1
/(a + b*x)))/2)**2*a*b*x + tan((3*atan(1/(a + b*x)))/2)**2*b**2*x**2 + tan
((3*atan(1/(a + b*x)))/2)**2 + a**2 + 2*a*b*x + b**2*x**2 + 1),x)*tan((3*a
tan(1/(a + b*x)))/2)**2*b**2 + 12*int(x/(tan((3*atan(1/(a + b*x)))/2)**2*a
**2 + 2*tan((3*atan(1/(a + b*x)))/2)**2*a*b*x + tan((3*atan(1/(a + b*x)))/
2)**2*b**2*x**2 + tan((3*atan(1/(a + b*x)))/2)**2 + a**2 + 2*a*b*x + b**2*
x**2 + 1),x)*b**2 - 3*log(a**2 + 2*a*b*x + b**2*x**2 + 1)*tan((3*atan(1/(a
+ b*x)))/2)**2 - 3*log(a**2 + 2*a*b*x + b**2*x**2 + 1) + 4*tan((3*atan(1/(a
+ b*x)))/2)*b*x)/(2*b*(tan((3*atan(1/(a + b*x)))/2)**2 + 1))
```

$$3.22 \quad \int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx$$

Optimal result	155
Mathematica [C] (verified)	155
Rubi [C] (verified)	156
Maple [C] (verified)	157
Fricas [C] (verification not implemented)	158
Sympy [C] (verification not implemented)	158
Maxima [C] (verification not implemented)	158
Giac [C] (verification not implemented)	159
Mupad [B] (verification not implemented)	159
Reduce [B] (verification not implemented)	160

Optimal result

Integrand size = 19, antiderivative size = 1

$$\int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.01 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{\arctan(a+bx)}{b}$$

input

`Integrate[1/((a + b*x)^2*(1 + (a + b*x)^(-2))),x]`

output

`ArcTan[a + b*x]/b`

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.16 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {895, 795, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{array}{c}
 \int \frac{1}{(a+bx)^2 \left(\frac{1}{(a+bx)^2} + 1 \right)} dx \\
 \downarrow \text{895} \\
 \int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2} \right)} d(a+bx) \\
 \hline
 b \\
 \downarrow \text{795} \\
 \int \frac{1}{(a+bx)^2 + 1} d(a+bx) \\
 \hline
 b \\
 \downarrow \text{216} \\
 \frac{\arctan(a+bx)}{b}
 \end{array}$$

input `Int[1/((a + b*x)^2*(1 + (a + b*x)^(-2))),x]`

output `ArcTan[a + b*x]/b`

Defintions of rubi rules used

rule 216 $\text{Int}[(a_ + (b_ \cdot)(x_)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(1/(\text{Rt}[a, 2] \cdot \text{Rt}[b, 2])) \cdot \text{ArcTan}[\text{Rt}[b, 2] \cdot (x/\text{Rt}[a, 2])], x] /;$ $\text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{GtQ}[b, 0])$

rule 795 $\text{Int}(x_)^{(m_)} \cdot ((a_) + (b_ \cdot)(x_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Int}[x^{(m + n \cdot p)} \cdot (b + a/x^n)^p, x] /;$ $\text{FreeQ}\{a, b, m, n\}, x \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NegQ}[n]$

rule 895 $\text{Int}(u_)^{(m_)} \cdot ((a_) + (b_ \cdot)(v_)^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{Simp}[u^m / (\text{Coefficient}[v, x, 1] \cdot v^m) \cdot \text{Subst}[\text{Int}[x^m \cdot (a + b \cdot x^n)^p, x], x, v], x] /;$ $\text{FreeQ}\{a, b, m, n, p\}, x \ \&\& \ \text{LinearPairQ}[u, v, x]$

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.36 (sec) , antiderivative size = 11, normalized size of antiderivative = 11.00

method	result	size
default	$\frac{\arctan(bx+a)}{b}$	11
risch	$\frac{\arctan(bx+a)}{b}$	11
parallelrisc	$-\frac{i \ln(bx+a-i) - i \ln(bx+a+i)}{2b}$	29

input $\text{int}(1/(b \cdot x + a)^2 / (1 + 1/(b \cdot x + a)^2), x, \text{method} = _RETURNVERBOSE)$

output $1/b \cdot \arctan(b \cdot x + a)$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{\arctan(bx+a)}{b}$$

input `integrate(1/(b*x+a)^2/(1+1/(b*x+a)^2),x, algorithm="fricas")`

output `arctan(b*x + a)/b`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 0.08 (sec) , antiderivative size = 24, normalized size of antiderivative = 24.00

$$\int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{-\frac{i \log\left(x + \frac{a-i}{b}\right)}{2} + \frac{i \log\left(x + \frac{a+i}{b}\right)}{2}}{b}$$

input `integrate(1/(b*x+a)**2/(1+1/(b*x+a)**2),x)`

output `(-I*log(x + (a - I)/b)/2 + I*log(x + (a + I)/b)/2)/b`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 18, normalized size of antiderivative = 18.00

$$\int \frac{1}{(a+bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{\arctan\left(\frac{b^2x+ab}{b}\right)}{b}$$

input `integrate(1/(b*x+a)^2/(1+1/(b*x+a)^2),x, algorithm="maxima")`

output `arctan((b^2*x + a*b)/b)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 20.00

$$\int \frac{1}{(a + bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = -\frac{\arctan\left(\frac{|b|}{(bx+a)b}\right)}{|b|}$$

input `integrate(1/(b*x+a)^2/(1+1/(b*x+a)^2),x, algorithm="giac")`

output `-arctan(abs(b)/((b*x + a)*b))/abs(b)`

Mupad [B] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{(a + bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{\operatorname{atan}(a + bx)}{b}$$

input `int(1/((1/(a + b*x)^2 + 1)*(a + b*x)^2),x)`

output `atan(a + b*x)/b`

Reduce [B] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{(a + bx)^2 \left(1 + \frac{1}{(a+bx)^2}\right)} dx = \frac{\operatorname{atan}(bx + a)}{b}$$

input `int(1/(b*x+a)^2/(1+1/(b*x+a)^2),x)`

output `atan(a + b*x)/b`

3.23 $\int \sin^2(2 \cot^{-1}(a + bx)) dx$

Optimal result	161
Mathematica [C] (verified)	161
Rubi [F]	162
Maple [C] (verified)	162
Fricas [C] (verification not implemented)	163
Sympy [C] (verification not implemented)	163
Maxima [C] (verification not implemented)	164
Giac [C] (verification not implemented)	164
Mupad [B] (verification not implemented)	165
Reduce [F]	165

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.07 (sec) , antiderivative size = 39, normalized size of antiderivative = 39.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = \frac{-\frac{2(a+bx)}{1+a^2+2abx+b^2x^2} + 2 \arctan(a + bx)}{b}$$

input

`Integrate[Sin[2*ArcCot[a + b*x]]^2,x]`

output

`((-2*(a + b*x))/(1 + a^2 + 2*a*b*x + b^2*x^2) + 2*ArcTan[a + b*x])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(2 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(2 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCot[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.31 (sec) , antiderivative size = 63, normalized size of antiderivative = 63.00

method	result
default	$-\frac{i \ln(-bx-a+i)}{b} + \frac{1}{b(-bx-a+i)} + \frac{i \ln(bx+a+i)}{b} - \frac{1}{b(bx+a+i)}$
parallelrisc	$-\frac{i \ln(bx+a-i)x^2b^3 - i \ln(bx+a+i)x^2b^3 + 2i \ln(bx+a-i)xa b^2 - 2i \ln(bx+a+i)xa b^2 + i \ln(bx+a-i)a^2b - i \ln(bx+a+i)a^2b + i \ln(bx+a-i)a^2b^2 + i \ln(bx+a+i)a^2b^2}{b^2(x^2b^2 + 2abx + a^2 + 1)}$

input `int(sin(2*arccot(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-I/b*ln(-b*x+I-a)+1/b/(-b*x+I-a)+I/b*ln(b*x+I+a)-1/b/(b*x+I+a)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 56, normalized size of antiderivative = 56.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = -\frac{2(bx - (b^2x^2 + 2abx + a^2 + 1) \arctan(bx + a) + a)}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(2*arccot(b*x+a))^2,x, algorithm="fricas")`

output `-2*(b*x - (b^2*x^2 + 2*a*b*x + a^2 + 1)*arctan(b*x + a) + a)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Sympy [C] (verification not implemented)

Result contains complex when optimal does not.

Time = 18.59 (sec) , antiderivative size = 381, normalized size of antiderivative = 381.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = \begin{cases} x \sin^2(2 \operatorname{acot}(a)) \\ -\infty x \\ -\frac{ia^2 \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{ia^2 \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{2iabx \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{2iabx \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{2a}{a^2b + 2ab^2x + b^3x^2 + b} - \frac{ib^2x^2 \log(\frac{a}{b} + x - \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} + \frac{ib^2x^2 \log(\frac{a}{b} + x + \frac{i}{b})}{a^2b + 2ab^2x + b^3x^2 + b} \end{cases}$$

input `integrate(sin(2*acot(b*x+a))**2,x)`

output `Piecewise((x*sin(2*acot(a))**2, Eq(b, 0)), (-oo*x, Eq(a, -b*x + I) | Eq(a, -b*x - I)), (-I*a**2*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*a**2*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*I*a*b*x*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + 2*I*a*b*x*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*a/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - I*b**2*x**2*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*b**2*x**2*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - 2*b*x/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) - I*log(a/b + x - I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b) + I*log(a/b + x + I/b)/(a**2*b + 2*a*b**2*x + b**3*x**2 + b), True))`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.13 (sec) , antiderivative size = 56, normalized size of antiderivative = 56.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = -\frac{2(bx - (b^2x^2 + 2abx + a^2 + 1) \arctan(bx + a) + a)}{b^3x^2 + 2ab^2x + (a^2 + 1)b}$$

input `integrate(sin(2*arccot(b*x+a))^2,x, algorithm="maxima")`

output `-2*(b*x - (b^2*x^2 + 2*a*b*x + a^2 + 1)*arctan(b*x + a) + a)/(b^3*x^2 + 2*a*b^2*x + (a^2 + 1)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 61, normalized size of antiderivative = 61.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = -\frac{2(bx + a)}{b^3x^2 + 2ab^2x + a^2b + b} + \frac{i \log(ibx + ia - 1)}{b} - \frac{i \log(-ibx - ia - 1)}{b}$$

input `integrate(sin(2*arccot(b*x+a))^2,x, algorithm="giac")`

output
$$\frac{-2*(b*x + a)}{(b^3*x^2 + 2*a*b^2*x + a^2*b + b)} + I*\log(I*b*x + I*a - 1)/b - I*\log(-I*b*x - I*a - 1)/b$$

Mupad [B] (verification not implemented)

Time = 41.78 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = \frac{2 \operatorname{atan}(a + bx)}{b} - \frac{2x + \frac{2a}{b}}{a^2 + 2abx + b^2x^2 + 1}$$

input `int(sin(2*acot(a + b*x))^2,x)`

output
$$(2*\operatorname{atan}(a + b*x))/b - (2*x + (2*a)/b)/(a^2 + b^2*x^2 + 2*a*b*x + 1)$$

Reduce [F]

$$\int \sin^2(2 \cot^{-1}(a + bx)) dx = \int \sin(2 \operatorname{acot}(bx + a))^2 dx$$

input `int(sin(2*acot(b*x+a))^2,x)`

output `int(sin(2*acot(a + b*x))**2,x)`

3.24 $\int \sin^2(3 \cot^{-1}(a + bx)) dx$

Optimal result	166
Mathematica [C] (verified)	166
Rubi [F]	167
Maple [C] (verified)	167
Fricas [C] (verification not implemented)	168
Sympy [F]	169
Maxima [C] (verification not implemented)	169
Giac [F(-2)]	170
Mupad [B] (verification not implemented)	170
Reduce [F]	171

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.11 (sec) , antiderivative size = 68, normalized size of antiderivative = 68.00

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \frac{-\frac{2(a+3a^3+bx+9a^2bx+9ab^2x^2+3b^3x^3)}{(1+a^2+2abx+b^2x^2)^2} + 3 \arctan(a + bx)}{b}$$

input

`Integrate[Sin[3*ArcCot[a + b*x]]^2,x]`

output

`((-2*(a + 3*a^3 + b*x + 9*a^2*b*x + 9*a*b^2*x^2 + 3*b^3*x^3))/(1 + a^2 + 2*a*b*x + b^2*x^2)^2 + 3*ArcTan[a + b*x])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(3 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(3 \cot^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCot[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 5.07 (sec) , antiderivative size = 70, normalized size of antiderivative = 70.00

method	result	size
risch	$\frac{-6x^3b^2 - 18abx^2 + (-18a^2 - 2)x - \frac{2a(3a^2 + 1)}{b}}{(bx + a - i)^2(bx + a + i)^2} + \frac{3 \arctan(bx + a)}{b}$	70
default	$-\frac{i}{b(-bx - a + i)^2} - \frac{3i \ln(-bx - a + i)}{2b} + \frac{3}{b(-bx - a + i)} + \frac{i}{b(bx + a + i)^2} + \frac{3i \ln(bx + a + i)}{2b} - \frac{3}{b(bx + a + i)}$	97

input `int(sin(3*arccot(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `(-6*x^3*b^2-18*a*b*x^2+(-18*a^2-2)*x-2*a*(3*a^2+1)/b)/(b*x-I+a)^2/(b*x+I+a)^2+3/b*arctan(b*x+a)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 154, normalized size of antiderivative = 154.00

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \frac{6b^3x^3 + 18ab^2x^2 + 6a^3 + 2(9a^2 + 1)bx - 3(b^4x^4 + 4ab^3x^3 + 2(3a^2 + 1)b^2x^2 + a^4 + 4(a^3 + a)bx + b^5x^4 + 4ab^4x^3 + 2(3a^2 + 1)b^3x^2 + 4(a^3 + a)b^2x + (a^4 + 2a^2 + 1)b^2x^2 + 4(a^3 + a)bx + a^4}{b^5x^4 + 4ab^4x^3 + 2(3a^2 + 1)b^3x^2 + 4(a^3 + a)b^2x + (a^4 + 2a^2 + 1)b^2x^2 + 4(a^3 + a)bx + a^4}$$

input `integrate(sin(3*arccot(b*x+a))^2,x, algorithm="fricas")`

output `-(6*b^3*x^3 + 18*a*b^2*x^2 + 6*a^3 + 2*(9*a^2 + 1)*b*x - 3*(b^4*x^4 + 4*a*b^3*x^3 + 2*(3*a^2 + 1)*b^2*x^2 + a^4 + 4*(a^3 + a)*b*x + 2*a^2 + 1)*arctan(b*x + a) + 2*a)/(b^5*x^4 + 4*a*b^4*x^3 + 2*(3*a^2 + 1)*b^3*x^2 + 4*(a^3 + a)*b^2*x + (a^4 + 2*a^2 + 1)*b^2x^2 + 4*(a^3 + a)bx + a^4)`

Sympy [F]

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \int \sin^2(3 \operatorname{acot}(a + bx)) dx$$

input `integrate(sin(3*acot(b*x+a))**2,x)`

output `Integral(sin(3*acot(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.16 (sec) , antiderivative size = 200, normalized size of antiderivative = 200.00

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \frac{3b^4x^4 \arctan(1, bx + a) + 6(2a \arctan(1, bx + a) + 1)b^3x^3 + 6(3a^2 \arctan(1, bx + a) + 3a + \arctan(1, bx + a))b^2x^2 + 3a^4 \arctan(1, bx + a) + 6a^3 + 2(6a^3 \arctan(1, bx + a) + 9a^2 + 6a \arctan(1, bx + a) + 1)b*x + 6a^2 \arctan(1, bx + a) + 2a + 3 \arctan(1, bx + a)}{b^5x^4 + 4ab^4x^3 + 2(3a^2 + 1)b^3x^2 + 4(a^3 + a^2b + a^2 + 1)b}$$

input `integrate(sin(3*arccot(b*x+a))^2,x, algorithm="maxima")`

output `-(3*b^4*x^4*arctan2(1, b*x + a) + 6*(2*a*arctan2(1, b*x + a) + 1)*b^3*x^3 + 6*(3*a^2*arctan2(1, b*x + a) + 3*a + arctan2(1, b*x + a))*b^2*x^2 + 3*a^4*arctan2(1, b*x + a) + 6*a^3 + 2*(6*a^3*arctan2(1, b*x + a) + 9*a^2 + 6*a*arctan2(1, b*x + a) + 1)*b*x + 6*a^2*arctan2(1, b*x + a) + 2*a + 3*arctan2(1, b*x + a))/(b^5*x^4 + 4*a*b^4*x^3 + 2*(3*a^2 + 1)*b^3*x^2 + 4*(a^3 + a^2*b + a^2 + 1)*b)`

Giac [F(-2)]

Exception generated.

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \text{Exception raised: TypeError}$$

input `integrate(sin(3*arccot(b*x+a))^2,x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx):;OUTPUT:Error: Bad Argument Type`

Mupad [B] (verification not implemented)

Time = 41.92 (sec) , antiderivative size = 110, normalized size of antiderivative = 110.00

$$\begin{aligned} & \int \sin^2(3 \cot^{-1}(a + bx)) dx \\ &= \frac{3 \operatorname{atan}(a + bx)}{b} \\ & \quad - \frac{\frac{2(3a^3+a)}{b} + x(18a^2 + 2) + 6b^2x^3 + 18abx^2}{x^2(6a^2b^2 + 2b^2) + 2a^2 + a^4 + x(4ba^3 + 4ba) + b^4x^4 + 4ab^3x^3 + 1} \end{aligned}$$

input `int(sin(3*acot(a + b*x))^2,x)`

output `(3*atan(a + b*x))/b - ((2*(a + 3*a^3))/b + x*(18*a^2 + 2) + 6*b^2*x^3 + 18
*a*b*x^2)/(x^2*(2*b^2 + 6*a^2*b^2) + 2*a^2 + a^4 + x*(4*a*b + 4*a^3*b) + b
^4*x^4 + 4*a*b^3*x^3 + 1)`

Reduce [F]

$$\int \sin^2(3 \cot^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acot}(bx + a))^2 dx$$

input `int(sin(3*acot(b*x+a))^2,x)`

output `int(sin(3*acot(a + b*x))**2,x)`

3.25 $\int \sqrt{1 - \frac{1}{(a+bx)^2}} dx$

Optimal result	172
Mathematica [C] (verified)	172
Rubi [C] (verified)	173
Maple [C] (verified)	174
Fricas [C] (verification not implemented)	175
Sympy [F]	175
Maxima [F]	176
Giac [C] (verification not implemented)	176
Mupad [B] (verification not implemented)	177
Reduce [B] (verification not implemented)	177

Optimal result

Integrand size = 15, antiderivative size = 1

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 10.10 (sec) , antiderivative size = 34, normalized size of antiderivative = 34.00

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx = \frac{(a + bx)\sqrt{1 - \frac{1}{(a+bx)^2}} + \arcsin\left(\frac{1}{a+bx}\right)}{b}$$

input

`Integrate[Sqrt[1 - (a + b*x)^(-2)], x]`

output

`((a + b*x)*Sqrt[1 - (a + b*x)^(-2)] + ArcSin[(a + b*x)^(-1)])/b`

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.18 (sec) , antiderivative size = 38, normalized size of antiderivative = 38.00, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.267$, Rules used = {239, 773, 247, 223}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{array}{c}
 \int \sqrt{1 - \frac{1}{(a+bx)^2}} dx \\
 \downarrow 239 \\
 \int \frac{\sqrt{1 - \frac{1}{(a+bx)^2}} d(a+bx)}{b} \\
 \downarrow 773 \\
 \frac{\int (a+bx)^2 \sqrt{1 - \frac{1}{(a+bx)^2}} d\frac{1}{a+bx}}{b} \\
 \downarrow 247 \\
 \frac{-\int \frac{1}{\sqrt{1 - \frac{1}{(a+bx)^2}}} d\frac{1}{a+bx} - \sqrt{1 - \frac{1}{(a+bx)^2}} (a+bx)}{b} \\
 \downarrow 223 \\
 \frac{-\arcsin\left(\frac{1}{a+bx}\right) - \sqrt{1 - \frac{1}{(a+bx)^2}} (a+bx)}{b}
 \end{array}$$

input `Int[Sqrt[1 - (a + b*x)^(-2)],x]`

output `-((-((a + b*x)*Sqrt[1 - (a + b*x)^(-2)]) - ArcSin[(a + b*x)^(-1)])/b)`

Definitions of rubi rules used

rule 223 `Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*(x/Sqrt[a])]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

rule 239 `Int[((a_) + (b_.)*(v_)^(n_))^(p_), x_Symbol] := Simp[1/Coefficient[v, x, 1] Subst[Int[(a + b*x^n)^p, x], x, v], x] /; FreeQ[{a, b, n, p}, x] && LinearQ[v, x] && NeQ[v, x]`

rule 247 `Int[((c_.)*(x_))^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^2)^p/(c*(m + 1))), x] - Simp[2*b*(p/(c^2*(m + 1))) Int[(c*x)^(m + 2)*(a + b*x^2)^(p - 1), x], x] /; FreeQ[{a, b, c}, x] && GtQ[p, 0] && LtQ[m, -1] && !ILtQ[(m + 2*p + 3)/2, 0] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 773 `Int[((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := -Subst[Int[(a + b/x^n)^p/x^2, x], x, 1/x] /; FreeQ[{a, b, p}, x] && ILtQ[n, 0] && !IntegerQ[p]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.29 (sec) , antiderivative size = 96, normalized size of antiderivative = 96.00

method	result	size
default	$\frac{\sqrt{\frac{x^2b^2+2abx+a^2-1}{(bx+a)^2}}(bx+a)\left(\sqrt{x^2b^2+2abx+a^2-1}+\arctan\left(\frac{1}{\sqrt{x^2b^2+2abx+a^2-1}}\right)\right)}{\sqrt{x^2b^2+2abx+a^2-1}b}$	96
risch	$\frac{\sqrt{\frac{x^2b^2+2abx+a^2-1}{(bx+a)^2}}(bx+a)}{b} + \frac{\arctan\left(\frac{1}{\sqrt{b^2\left(\frac{a}{b}+x\right)^2-1}}\right)\sqrt{\frac{x^2b^2+2abx+a^2-1}{(bx+a)^2}}(bx+a)}{b\sqrt{x^2b^2+2abx+a^2-1}}$	111

input `int((1-1/(b*x+a)^2)^(1/2),x,method=_RETURNVERBOSE)`

output $((b^2x^2+2abx+a^2-1)/(bx+a)^2)^{(1/2)}*(bx+a)/(b^2x^2+2abx+a^2-1)^{(1/2)}/b*((b^2x^2+2abx+a^2-1)^{(1/2)}+\arctan(1/(b^2x^2+2abx+a^2-1)^{(1/2)}))$

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 104, normalized size of antiderivative = 104.00

$$\int \sqrt{1 - \frac{1}{(a+bx)^2}} dx$$

$$= \frac{(bx+a)\sqrt{\frac{b^2x^2+2abx+a^2-1}{b^2x^2+2abx+a^2}} - 2 \arctan\left(-bx + (bx+a)\sqrt{\frac{b^2x^2+2abx+a^2-1}{b^2x^2+2abx+a^2}} - a\right)}{b}$$

input `integrate((1-1/(b*x+a)^2)^(1/2),x, algorithm="fricas")`

output $((bx+a)*\sqrt{(b^2x^2+2abx+a^2-1)/(b^2x^2+2abx+a^2)} - 2*\arctan(-bx+(bx+a)*\sqrt{(b^2x^2+2abx+a^2-1)/(b^2x^2+2abx+a^2)} - a))/b$

Sympy [F]

$$\int \sqrt{1 - \frac{1}{(a+bx)^2}} dx = \int \sqrt{1 - \frac{1}{(a+bx)^2}} dx$$

input `integrate((1-1/(b*x+a)**2)**(1/2),x)`

output `Integral(sqrt(1 - 1/(a + b*x)**2), x)`

Maxima [F]

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx = \int \sqrt{-\frac{1}{(bx + a)^2} + 1} dx$$

input `integrate((1-1/(b*x+a)^2)^(1/2),x, algorithm="maxima")`

output `integrate(sqrt(-1/(b*x + a)^2 + 1), x)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.12 (sec) , antiderivative size = 80, normalized size of antiderivative = 80.00

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx = -\frac{2 \arctan\left(-\frac{(x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})b + a|b|}{b}\right) \operatorname{sgn}(bx + a)}{b} + \frac{\sqrt{b^2x^2 + 2abx + a^2 - 1} \operatorname{sgn}(bx + a)}{b}$$

input `integrate((1-1/(b*x+a)^2)^(1/2),x, algorithm="giac")`

output `-2*arctan(-(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*b + a*abs(b))/b)*sgn(b*x + a)/b + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)*sgn(b*x + a)/b`

Mupad [B] (verification not implemented)

Time = 40.97 (sec) , antiderivative size = 35, normalized size of antiderivative = 35.00

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx = \frac{\operatorname{asin}\left(\frac{1}{a+bx}\right)}{b} + \frac{\sqrt{1 - \frac{1}{(a+bx)^2}}(a + bx)}{b}$$

input `int((1 - 1/(a + b*x)^2)^(1/2),x)`output `asin(1/(a + b*x))/b + ((1 - 1/(a + b*x)^2)^(1/2)*(a + b*x))/b`**Reduce [B] (verification not implemented)**

Time = 0.19 (sec) , antiderivative size = 49, normalized size of antiderivative = 49.00

$$\int \sqrt{1 - \frac{1}{(a + bx)^2}} dx$$

$$= \frac{-2\operatorname{atan}(\sqrt{b^2x^2 + 2abx + a^2 - 1} + a + bx) + \sqrt{b^2x^2 + 2abx + a^2 - 1}}{b}$$

input `int((1-1/(b*x+a)^2)^(1/2),x)`output `(- 2*atan(sqrt(a**2 + 2*a*b*x + b**2*x**2 - 1) + a + b*x) + sqrt(a**2 + 2*a*b*x + b**2*x**2 - 1))/b`

3.26 $\int \sin(2 \sec^{-1}(a + bx)) dx$

Optimal result	178
Mathematica [C] (verified)	178
Rubi [F]	179
Maple [F(-1)]	179
Fricas [C] (verification not implemented)	180
Sympy [F]	180
Maxima [F]	181
Giac [C] (verification not implemented)	181
Mupad [B] (verification not implemented)	182
Reduce [F]	182

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \sec^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.16 (sec) , antiderivative size = 47, normalized size of antiderivative = 47.00

$$\int \sin(2 \sec^{-1}(a + bx)) dx = -\frac{2\left(\sqrt{1 - \frac{1}{(a+bx)^2}} - \log\left((a + bx)\left(1 + \sqrt{1 - \frac{1}{(a+bx)^2}}\right)\right)\right)}{b}$$

input

`Integrate[Sin[2*ArcSec[a + b*x]],x]`

output

`(-2*(Sqrt[1 - (a + b*x)^(-2)] - Log[(a + b*x)*(1 + Sqrt[1 - (a + b*x)^(-2)]]))/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \sec^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcSec[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [F(-1)]

Timed out.

$$\int \sin(2 \operatorname{arcsec}(bx + a)) dx$$

input `int(sin(2*arcsec(b*x+a)),x)`

output `int(sin(2*arcsec(b*x+a)),x)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 71, normalized size of antiderivative = 71.00

$$\int \sin(2 \sec^{-1}(a + bx)) dx = \frac{2(bx + (bx + a) \log(-bx - a + \sqrt{b^2x^2 + 2abx + a^2 - 1}) + a + \sqrt{b^2x^2 + 2abx + a^2 - 1})}{b^2x + ab}$$

input `integrate(sin(2*arcsec(b*x+a)),x, algorithm="fricas")`

output `-2*(b*x + (b*x + a)*log(-b*x - a + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)) + a + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))/(b^2*x + a*b)`

Sympy [F]

$$\int \sin(2 \sec^{-1}(a + bx)) dx = \int \sin(2 \operatorname{asec}(a + bx)) dx$$

input `integrate(sin(2*asec(b*x+a)),x)`

output `Integral(sin(2*asec(a + b*x)), x)`

Maxima [F]

$$\int \sin(2 \sec^{-1}(a + bx)) dx = \int \sin(2 \operatorname{arcsec}(bx + a)) dx$$

input `integrate(sin(2*arcsec(b*x+a)),x, algorithm="maxima")`

output `1/2*((b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1) - 2*(b^2*x + a*b)*integrate(1/2*(2*b^2*x^2 + 4*a*b*x + 2*a^2 - 1)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^2*x^2 + 2*a*b*x + a^2), x) + 2*(b^2*x + a*b)*integrate(sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^2*x^2 + 2*a*b*x + a^2), x))/(b^2*x + a*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.32 (sec) , antiderivative size = 324, normalized size of antiderivative = 324.00

$$\int \sin(2 \sec^{-1}(a + bx)) dx = \frac{2 \log \left(\left| -5(x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^4 ab - 10(x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^2 a^3b - a^5b - (x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^3 ab \right| \right)}{\dots}$$

input `integrate(sin(2*arcsec(b*x+a)),x, algorithm="giac")`

output `-2/5*log(abs(-5*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^4*a*b - 10*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^2*a^3*b - a^5*b - (x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^3*a^2*abs(b) - 5*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*a^4*abs(b) - 6*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^2*a*b - 2*a^3*b - 2*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^3*abs(b) - 6*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*a^2*abs(b) - a*b - (x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*abs(b))*sgn(b*x + a)/abs(b)`

Mupad [B] (verification not implemented)

Time = 39.24 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(2 \sec^{-1}(a + bx)) dx$$

$$= -\frac{2 \left(\ln \left(\sqrt{(a + bx)^2 - 1} - \sqrt{(a + bx)^2} \right) + \sqrt{1 - \frac{1}{(a + bx)^2}} \right)}{b}$$

input `int(sin(2*acos(1/(a + b*x))),x)`output `-(2*(log(((a + b*x)^2 - 1)^(1/2) - ((a + b*x)^2)^(1/2)) + (1 - 1/(a + b*x)^2)^(1/2)))/b`**Reduce [F]**

$$\int \sin(2 \sec^{-1}(a + bx)) dx = \int \sin(2 \operatorname{asec}(bx + a)) dx$$

input `int(sin(2*asec(b*x+a)),x)`output `int(sin(2*asec(a + b*x)),x)`

3.27 $\int \sin(3 \sec^{-1}(a + bx)) dx$

Optimal result	183
Mathematica [C] (verified)	183
Rubi [F]	184
Maple [F(-1)]	184
Fricas [C] (verification not implemented)	185
Sympy [F]	185
Maxima [F]	186
Giac [C] (verification not implemented)	186
Mupad [B] (verification not implemented)	187
Reduce [F]	187

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \sec^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.21 (sec) , antiderivative size = 48, normalized size of antiderivative = 48.00

$$\int \sin(3 \sec^{-1}(a + bx)) dx = \frac{\sqrt{1 - \frac{1}{(a+bx)^2}}(-a - bx - \frac{2}{a+bx}) - 3 \arcsin\left(\frac{1}{a+bx}\right)}{b}$$

input

`Integrate[Sin[3*ArcSec[a + b*x]],x]`

output

`(Sqrt[1 - (a + b*x)^(-2)]*(-a - b*x - 2/(a + b*x)) - 3*ArcSin[(a + b*x)^(-1)])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \sec^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcSec[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [F(-1)]

Timed out.

$$\int \sin(3 \operatorname{arcsec}(bx + a)) dx$$

input `int(sin(3*arcsec(b*x+a)),x)`

output `int(sin(3*arcsec(b*x+a)),x)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.09 (sec) , antiderivative size = 127, normalized size of antiderivative = 127.00

$$\int \sin(3 \sec^{-1}(a + bx)) dx = \frac{ab^2x^2 + 2a^2bx + a^3 - 12(b^2x^2 + 2abx + a^2) \arctan\left(\frac{-bx - a + \sqrt{b^2x^2 + 2abx + a^2 - 1}}{2(b^3x^2 + 2ab^2x + a^2b)}\right) + 2(b^2x^2 + 2abx + a^2) \arctan\left(\frac{-bx - a + \sqrt{b^2x^2 + 2abx + a^2 - 1}}{2(b^3x^2 + 2ab^2x + a^2b)}\right)}{2(b^3x^2 + 2ab^2x + a^2b)}$$

input `integrate(sin(3*arcsec(b*x+a)),x, algorithm="fricas")`

output `-1/2*(a*b^2*x^2 + 2*a^2*b*x + a^3 - 12*(b^2*x^2 + 2*a*b*x + a^2)*arctan(-b*x - a + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)) + 2*(b^2*x^2 + 2*a*b*x + a^2 + 2)*sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))/(b^3*x^2 + 2*a*b^2*x + a^2*b)`

Sympy [F]

$$\int \sin(3 \sec^{-1}(a + bx)) dx = \int \sin(3 \operatorname{asec}(a + bx)) dx$$

input `integrate(sin(3*asec(b*x+a)),x)`

output `Integral(sin(3*asec(a + b*x)), x)`

Maxima [F]

$$\int \sin(3 \sec^{-1}(a + bx)) dx = \int \sin(3 \operatorname{arcsec}(bx + a)) dx$$

input `integrate(sin(3*arcsec(b*x+a)),x, algorithm="maxima")`

output `-1/2*((b^4*x^4 + 4*a*b^3*x^3 + 3*(2*a^2 - 1)*b^2*x^2 + a^4 + 2*(2*a^3 - 3*a)*b*x - 3*a^2 + 2)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1) - (b^3*x^2 + 2*a*b^2*x + a^2*b)*((b^2*x^2 + 2*a*b*x + a^2 - 1)^(3/2)/b - 3*arcsin(2/abs(2*b*x + 2*a))/b - 3*sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)/b) + 2*(b^3*x^2 + 2*a*b^2*x + a^2*b)*integrate(1/2*(b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3), x) - 6*(b^3*x^2 + 2*a*b^2*x + a^2*b)*integrate(1/2*sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^3*x^3 + 3*a*b^2*x^2 + 3*a^2*b*x + a^3), x))/(b^3*x^2 + 2*a*b^2*x + a^2*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.56 (sec) , antiderivative size = 30, normalized size of antiderivative = 30.00

$$\int \sin(3 \sec^{-1}(a + bx)) dx = -\frac{\sqrt{b^2x^2 + 2abx + a^2 - 1} \operatorname{sgn}(bx + a)}{b}$$

input `integrate(sin(3*arcsec(b*x+a)),x, algorithm="giac")`

output `-sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)*sgn(b*x + a)/b`

Mupad [B] (verification not implemented)

Time = 39.28 (sec) , antiderivative size = 63, normalized size of antiderivative = 63.00

$$\int \sin(3 \sec^{-1}(a + bx)) dx = -\frac{(a + bx) \left(\frac{2\sqrt{1 - \frac{1}{(a+bx)^2}}}{(a+bx)^2} + \frac{3 \operatorname{asin}\left(\frac{1}{a+bx}\right)}{a+bx} + \sqrt{1 - \frac{1}{(a+bx)^2}} \right)}{b}$$

input `int(sin(3*acos(1/(a + b*x))),x)`output `-((a + b*x)*((2*(1 - 1/(a + b*x)^2)^(1/2))/(a + b*x)^2 + (3*asin(1/(a + b*x)))/(a + b*x) + (1 - 1/(a + b*x)^2)^(1/2)))/b`**Reduce [F]**

$$\int \sin(3 \sec^{-1}(a + bx)) dx = \int \sin(3 \operatorname{asec}(bx + a)) dx$$

input `int(sin(3*asec(b*x+a)),x)`output `int(sin(3*asec(a + b*x)),x)`

$$3.28 \quad \int \left(1 - \frac{1}{(a+bx)^2} \right) dx$$

Optimal result	188
Mathematica [B] (verified)	188
Rubi [B] (verified)	189
Maple [B] (verified)	189
Fricas [C] (verification not implemented)	190
Sympy [B] (verification not implemented)	191
Maxima [C] (verification not implemented)	191
Giac [C] (verification not implemented)	191
Mupad [B] (verification not implemented)	192
Reduce [B] (verification not implemented)	192

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \left(1 - \frac{1}{(a+bx)^2} \right) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 13 vs. $2(1) = 2$.

Time = 0.00 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \left(1 - \frac{1}{(a+bx)^2} \right) dx = x + \frac{1}{b(a+bx)}$$

input

`Integrate[1 - (a + b*x)^(-2),x]`

output

`x + 1/(b*(a + b*x))`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 13 vs. $2(1) = 2$.

Time = 0.15 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx$$

↓ 2009

$$\frac{1}{b(a + bx)} + x$$

input `Int[1 - (a + b*x)^(-2), x]`

output `x + 1/(b*(a + b*x))`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 13 vs. $2(1) = 2$.

Time = 0.30 (sec) , antiderivative size = 14, normalized size of antiderivative = 14.00

method	result	size
default	$x + \frac{1}{(bx+a)b}$	14
risch	$x + \frac{1}{(bx+a)b}$	14
parallelrisch	$x + \frac{1}{(bx+a)b}$	14
norman	$\frac{bx^2 + \frac{(a^2-1)x}{a}}{bx+a}$	25
gosper	$-\frac{-x^2b^2+a^2-1}{(bx+a)b}$	26
orering	$-\frac{(-x^2b^2+a^2-1)(bx+a)\left(1-\frac{1}{(bx+a)^2}\right)}{b(bx+a+1)(bx+a-1)}$	51

input `int(1-1/(b*x+a)^2,x,method=_RETURNVERBOSE)`

output `x+1/(b*x+a)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.09 (sec) , antiderivative size = 25, normalized size of antiderivative = 25.00

$$\int \left(1 - \frac{1}{(a+bx)^2}\right) dx = \frac{b^2x^2 + abx + 1}{b^2x + ab}$$

input `integrate(1-1/(b*x+a)^2,x, algorithm="fricas")`

output `(b^2*x^2 + a*b*x + 1)/(b^2*x + a*b)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 10 vs. $2(0) = 0$.

Time = 0.06 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx = x + \frac{1}{ab + b^2x}$$

input `integrate(1-1/(b*x+a)**2,x)`

output `x + 1/(a*b + b**2*x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.03 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx = x + \frac{1}{(bx + a)b}$$

input `integrate(1-1/(b*x+a)^2,x, algorithm="maxima")`

output `x + 1/((b*x + a)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.10 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx = x + \frac{1}{(bx + a)b}$$

input `integrate(1-1/(b*x+a)^2,x, algorithm="giac")`

output `x + 1/((b*x + a)*b)`

Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx = x + \frac{1}{b(a + bx)}$$

input `int(1 - 1/(a + b*x)^2,x)`

output `x + 1/(b*(a + b*x))`

Reduce [B] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 21, normalized size of antiderivative = 21.00

$$\int \left(1 - \frac{1}{(a + bx)^2} \right) dx = \frac{x(abx + a^2 - 1)}{a(bx + a)}$$

input `int(1-1/(b*x+a)^2,x)`

output `(x*(a**2 + a*b*x - 1))/(a*(a + b*x))`

3.29 $\int \sin^2 (2 \sec^{-1}(a + bx)) dx$

Optimal result	193
Mathematica [B] (verified)	193
Rubi [F]	194
Maple [B] (verified)	194
Fricas [C] (verification not implemented)	195
Sympy [F]	195
Maxima [C] (verification not implemented)	196
Giac [F(-2)]	196
Mupad [B] (verification not implemented)	197
Reduce [F]	197

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2 (2 \sec^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 27 vs. 2(1) = 2.

Time = 0.07 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin^2 (2 \sec^{-1}(a + bx)) dx = \frac{4}{3b(a + bx)^3} - \frac{4}{b(a + bx)}$$

input

`Integrate[Sin[2*ArcSec[a + b*x]]^2,x]`

output

`4/(3*b*(a + b*x)^3) - 4/(b*(a + b*x))`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(2 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(2 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcSec[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 25 vs. $2(1) = 2$.

Time = 0.31 (sec) , antiderivative size = 26, normalized size of antiderivative = 26.00

method	result	size
default	$-\frac{4}{(bx+a)b} + \frac{4}{3b(bx+a)^3}$	26
orering	$-\frac{(3x^2b^2+6abx+3a^2-1)(bx+a)\sin(2\operatorname{arcsec}(bx+a))^2}{3b(bx+a+1)(bx+a-1)}$	58
parallelrisch	$\frac{-12b^4x^2-24ab^3x-12a^2b^2+4b^2}{3b^3(x^2b^2+2abx+a^2)(bx+a)}$	60

input `int(sin(2*arcsec(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-4/(b*x+a)/b+4/3/b/(b*x+a)^3`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 55, normalized size of antiderivative = 55.00

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx = -\frac{4(3b^2x^2 + 6abx + 3a^2 - 1)}{3(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)}$$

input `integrate(sin(2*arcsec(b*x+a))^2,x, algorithm="fricas")`

output `-4/3*(3*b^2*x^2 + 6*a*b*x + 3*a^2 - 1)/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)`

Sympy [F]

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx = \int \sin^2(2 \operatorname{asec}(a + bx)) dx$$

input `integrate(sin(2*asec(b*x+a))**2,x)`

output `Integral(sin(2*asec(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 5.98 (sec) , antiderivative size = 253, normalized size of antiderivative = 253.00

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx =$$

$$\frac{8b^6x^6 + 48ab^5x^5 + 12(10a^2 - 3)b^4x^4 + 2(80a^3 - 81a)b^3x^3 + 8a^6 + 3(40a^4 - 90a^2 + 29)b^2x^2 - 54a^5x + 3(8a^5 - 33a^3 + 29a)bx - (b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)(8b^2x^3 + 24abx^2 + 12(2a^2 - 3)x - (9b^2x^2 + 18abx + 9a^2 + 1))/(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b) + 87a^2 - 33}{(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)}$$

input `integrate(sin(2*arcsec(b*x+a))^2,x, algorithm="maxima")`

output

```
-1/24*(8*b^6*x^6 + 48*a*b^5*x^5 + 12*(10*a^2 - 3)*b^4*x^4 + 2*(80*a^3 - 81
*a)*b^3*x^3 + 8*a^6 + 3*(40*a^4 - 90*a^2 + 29)*b^2*x^2 - 54*a^4 + 6*(8*a^5
- 33*a^3 + 29*a)*b*x - (b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)*(8*b
^2*x^3 + 24*a*b*x^2 + 12*(2*a^2 - 3)*x - (9*b^2*x^2 + 18*a*b*x + 9*a^2 + 1
))/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b) + 87*a^2 - 33)/(b^4*x^3 +
3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)
```

Giac [F(-2)]

Exception generated.

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx = \text{Exception raised: TypeError}$$

input `integrate(sin(2*arcsec(b*x+a))^2,x, algorithm="giac")`

output

```
Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx);OUTPUT:int() Error: Bad Argument Value
```

Mupad [B] (verification not implemented)

Time = 39.65 (sec) , antiderivative size = 21, normalized size of antiderivative = 21.00

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx = \frac{4 \left(\frac{1}{(a+bx)^2} - 3 \right)}{3b(a+bx)}$$

input `int(sin(2*acos(1/(a + b*x)))^2,x)`

output `(4*(1/(a + b*x)^2 - 3))/(3*b*(a + b*x))`

Reduce [F]

$$\int \sin^2(2 \sec^{-1}(a + bx)) dx = \int \sin(2 \operatorname{asec}(bx + a))^2 dx$$

input `int(sin(2*asec(b*x+a))^2,x)`

output `int(sin(2*asec(a + b*x))**2,x)`

3.30 $\int \sin^2(3 \sec^{-1}(a + bx)) dx$

Optimal result	198
Mathematica [B] (verified)	198
Rubi [F]	199
Maple [B] (verified)	199
Fricas [C] (verification not implemented)	200
Sympy [F]	201
Maxima [C] (verification not implemented)	201
Giac [F(-2)]	202
Mupad [B] (verification not implemented)	202
Reduce [F]	202

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 41 vs. 2(1) = 2.

Time = 0.11 (sec) , antiderivative size = 41, normalized size of antiderivative = 41.00

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = \frac{a}{b} + x + \frac{16 - 40(a + bx)^2 + 45(a + bx)^4}{5b(a + bx)^5}$$

input

Integrate[Sin[3*ArcSec[a + b*x]]^2,x]

output

a/b + x + (16 - 40*(a + b*x)^2 + 45*(a + b*x)^4)/(5*b*(a + b*x)^5)

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2 (3 \sec^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2 (3 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2 (3 \sec^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcSec[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 38 vs. $2(1) = 2$.

Time = 0.34 (sec) , antiderivative size = 39, normalized size of antiderivative = 39.00

method	result
default	$x + \frac{16}{5b(bx+a)^5} + \frac{9}{(bx+a)b} - \frac{8}{b(bx+a)^3}$
ordering	$-\frac{(-5b^6x^6+75a^2b^4x^4+200a^3b^3x^3+225a^4b^2x^2-45x^4b^4+120a^5bx-180ab^3x^3+25a^6-270a^2b^2x^2-180a^3bx-45a^4+40x^2b^2+80abx^2)}{5b(bx+a-2)^2(bx+a+1)(bx+a-1)(bx+a+2)^2}$

input `int(sin(3*arcsec(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `x+16/5/b/(b*x+a)^5+9/(b*x+a)/b-8/b/(b*x+a)^3`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 154, normalized size of antiderivative = 154.00

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx$$

$$= \frac{5b^6x^6 + 25ab^5x^5 + 5(10a^2 + 9)b^4x^4 + 10(5a^3 + 18a)b^3x^3 + 5(5a^4 + 54a^2 - 8)b^2x^2 + 45a^4 + 5(a^5 + 36a^3 - 16a)b^2x + 5a^5b}{5(b^6x^5 + 5ab^5x^4 + 10a^2b^4x^3 + 10a^3b^3x^2 + 5a^4b^2x + a^5b)}$$

input `integrate(sin(3*arcsec(b*x+a))^2,x, algorithm="fricas")`

output `1/5*(5*b^6*x^6 + 25*a*b^5*x^5 + 5*(10*a^2 + 9)*b^4*x^4 + 10*(5*a^3 + 18*a)*b^3*x^3 + 5*(5*a^4 + 54*a^2 - 8)*b^2*x^2 + 45*a^4 + 5*(a^5 + 36*a^3 - 16*a)*b*x - 40*a^2 + 16)/(b^6*x^5 + 5*a*b^5*x^4 + 10*a^2*b^4*x^3 + 10*a^3*b^3*x^2 + 5*a^4*b^2*x + a^5*b)`

Sympy [F]

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = \int \sin^2(3 \operatorname{asec}(a + bx)) dx$$

input `integrate(sin(3*asec(b*x+a))**2,x)`

output `Integral(sin(3*asec(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 94.23 (sec) , antiderivative size = 502, normalized size of antiderivative = 502.00

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = \frac{48 b^{10} x^{10} + 480 a b^9 x^9 + 40 (54 a^2 - 5) b^8 x^8 + 320 (18 a^3 - 5 a) b^7 x^7 + 10 (1008 a^4 - 560 a^2 + 29) b^6 x^6 + \dots}{\dots}$$

input `integrate(sin(3*arcsec(b*x+a))^2,x, algorithm="maxima")`

output `-1/160*(48*b^10*x^10 + 480*a*b^9*x^9 + 40*(54*a^2 - 5)*b^8*x^8 + 320*(18*a^3 - 5*a)*b^7*x^7 + 10*(1008*a^4 - 560*a^2 + 29)*b^6*x^6 + 28*(432*a^5 - 400*a^3 + 75*a)*b^5*x^5 + 48*a^10 + 5*(2016*a^6 - 2800*a^4 + 1230*a^2 - 273)*b^4*x^4 - 200*a^8 + 20*(288*a^7 - 560*a^5 + 470*a^3 - 273*a)*b^3*x^3 + 650*a^6 + 10*(216*a^8 - 560*a^6 + 795*a^4 - 819*a^2 + 128)*b^2*x^2 - 1365*a^4 + 20*(24*a^9 - 80*a^7 + 177*a^5 - 273*a^3 + 128*a)*b*x - (b^6*x^5 + 5*a*b^5*x^4 + 10*a^2*b^4*x^3 + 10*a^3*b^3*x^2 + 5*a^4*b^2*x + a^5*b)*(48*b^4*x^5 + 240*a*b^3*x^4 + 40*(12*a^2 - 5)*b^2*x^3 + 120*(4*a^3 - 5*a)*b*x^2 + 30*(8*a^4 - 20*a^2 + 15)*x + 3*(25*b^4*x^4 + 100*a*b^3*x^3 + 150*a^2*b^2*x^2 + 100*a^3*b*x + 25*a^4 + 1)/(b^6*x^5 + 5*a*b^5*x^4 + 10*a^2*b^4*x^3 + 10*a^3*b^3*x^2 + 5*a^4*b^2*x + a^5*b)) + 1280*a^2 - 509)/(b^6*x^5 + 5*a*b^5*x^4 + 10*a^2*b^4*x^3 + 10*a^3*b^3*x^2 + 5*a^4*b^2*x + a^5*b)`

Giac [F(-2)]

Exception generated.

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = \text{Exception raised: TypeError}$$

input `integrate(sin(3*arcsec(b*x+a))^2,x, algorithm="giac")`

output `Exception raised: TypeError >> an error occurred running a Giac command:INPUT:sage2:=int(sage0,sageVARx):;OUTPUT:int(sage0,sageVARx) Error: Bad Argument Value`

Mupad [B] (verification not implemented)

Time = 39.66 (sec) , antiderivative size = 38, normalized size of antiderivative = 38.00

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = x + \frac{9}{b(a + bx)} - \frac{8}{b(a + bx)^3} + \frac{16}{5b(a + bx)^5}$$

input `int(sin(3*acos(1/(a + b*x))))^2,x`

output `x + 9/(b*(a + b*x)) - 8/(b*(a + b*x)^3) + 16/(5*b*(a + b*x)^5)`

Reduce [F]

$$\int \sin^2(3 \sec^{-1}(a + bx)) dx = \int \sin(3 \operatorname{asec}(bx + a))^2 dx$$

input `int(sin(3*asec(b*x+a))^2,x`

output `int(sin(3*asec(a + b*x))**2,x`

3.31 $\int \frac{1}{a+bx} dx$

Optimal result	203
Mathematica [C] (verified)	203
Rubi [C] (verified)	204
Maple [C] (verified)	204
Fricas [C] (verification not implemented)	205
Sympy [B] (verification not implemented)	205
Maxima [C] (verification not implemented)	206
Giac [C] (verification not implemented)	206
Mupad [B] (verification not implemented)	207
Reduce [B] (verification not implemented)	207

Optimal result

Integrand size = 7, antiderivative size = 1

$$\int \frac{1}{a+bx} dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.00 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{a+bx} dx = \frac{\log(a+bx)}{b}$$

input

`Integrate[(a + b*x)^(-1),x]`

output

`Log[a + b*x]/b`

Rubi [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.14 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{a + bx} dx$$

↓ 16

$$\frac{\log(a + bx)}{b}$$

input

```
Int[(a + b*x)^(-1), x]
```

output

```
Log[a + b*x]/b
```

Defintions of rubi rules used

rule 16

```
Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] :> Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]
```

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.35 (sec) , antiderivative size = 11, normalized size of antiderivative = 11.00

method	result	size
default	$\frac{\ln(bx+a)}{b}$	11
norman	$\frac{\ln(bx+a)}{b}$	11
risch	$\frac{\ln(bx+a)}{b}$	11
parallelrisch	$\frac{\ln(bx+a)}{b}$	11

input `int(1/(b*x+a),x,method=_RETURNVERBOSE)`

output `ln(b*x+a)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{a+bx} dx = \frac{\log(bx+a)}{b}$$

input `integrate(1/(b*x+a),x, algorithm="fricas")`

output `log(b*x + a)/b`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 7 vs. 2(0) = 0.

Time = 0.02 (sec) , antiderivative size = 7, normalized size of antiderivative = 7.00

$$\int \frac{1}{a+bx} dx = \frac{\log(a+bx)}{b}$$

input `integrate(1/(b*x+a),x)`

output `log(a + b*x)/b`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.03 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{a + bx} dx = \frac{\log(bx + a)}{b}$$

input `integrate(1/(b*x+a),x, algorithm="maxima")`

output `log(b*x + a)/b`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 11, normalized size of antiderivative = 11.00

$$\int \frac{1}{a + bx} dx = \frac{\log(|bx + a|)}{b}$$

input `integrate(1/(b*x+a),x, algorithm="giac")`

output `log(abs(b*x + a))/b`

Mupad [B] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{a + bx} dx = \frac{\ln(a + bx)}{b}$$

input `int(1/(a + b*x),x)`

output `log(a + b*x)/b`

Reduce [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{a + bx} dx = \frac{\log(bx + a)}{b}$$

input `int(1/(b*x+a),x)`

output `log(a + b*x)/b`

3.32 $\int \sin(2 \csc^{-1}(a + bx)) dx$

Optimal result	208
Mathematica [C] (verified)	208
Rubi [F]	209
Maple [F(-1)]	209
Fricas [C] (verification not implemented)	210
Sympy [F]	210
Maxima [F]	211
Giac [C] (verification not implemented)	211
Mupad [B] (verification not implemented)	212
Reduce [F]	212

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(2 \csc^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.12 (sec) , antiderivative size = 47, normalized size of antiderivative = 47.00

$$\int \sin(2 \csc^{-1}(a + bx)) dx = -\frac{2\left(\sqrt{1 - \frac{1}{(a+bx)^2}} - \log\left((a + bx)\left(1 + \sqrt{1 - \frac{1}{(a+bx)^2}}\right)\right)\right)}{b}$$

input

`Integrate[Sin[2*ArcCsc[a + b*x]],x]`

output

`(-2*(Sqrt[1 - (a + b*x)^(-2)] - Log[(a + b*x)*(1 + Sqrt[1 - (a + b*x)^(-2)]]))/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(2 \csc^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(2 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(2 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCsc[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [F(-1)]

Timed out.

$$\int \sin(2 \operatorname{arccsc}(bx + a)) dx$$

input `int(sin(2*arccsc(b*x+a)),x)`

output `int(sin(2*arccsc(b*x+a)),x)`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 71, normalized size of antiderivative = 71.00

$$\int \sin(2 \csc^{-1}(a + bx)) dx = \frac{2(bx + (bx + a) \log(-bx - a + \sqrt{b^2x^2 + 2abx + a^2 - 1}) + a + \sqrt{b^2x^2 + 2abx + a^2 - 1})}{b^2x + ab}$$

input `integrate(sin(2*arccsc(b*x+a)),x, algorithm="fricas")`

output `-2*(b*x + (b*x + a)*log(-b*x - a + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1)) + a + sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))/(b^2*x + a*b)`

Sympy [F]

$$\int \sin(2 \csc^{-1}(a + bx)) dx = \int \sin(2 \operatorname{acsc}(a + bx)) dx$$

input `integrate(sin(2*acsc(b*x+a)),x)`

output `Integral(sin(2*acsc(a + b*x)), x)`

Maxima [F]

$$\int \sin(2 \csc^{-1}(a + bx)) dx = \int \sin(2 \operatorname{arccsc}(bx + a)) dx$$

input `integrate(sin(2*arccsc(b*x+a)),x, algorithm="maxima")`

output `1/2*((b^2*x^2 + 2*a*b*x + a^2 - 1)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1) - 2*(b^2*x + a*b)*integrate(1/2*(2*b^2*x^2 + 4*a*b*x + 2*a^2 - 1)*sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^2*x^2 + 2*a*b*x + a^2), x) + 2*(b^2*x + a*b)*integrate(sqrt(b*x + a + 1)*sqrt(b*x + a - 1)/(b^2*x^2 + 2*a*b*x + a^2), x))/(b^2*x + a*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.36 (sec) , antiderivative size = 324, normalized size of antiderivative = 324.00

$$\int \sin(2 \csc^{-1}(a + bx)) dx = \frac{2 \log \left(\left| -5(x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^4 ab - 10(x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^2 a^3b - a^5b - (x|b| - \sqrt{b^2x^2 + 2abx + a^2 - 1})^3 ab \right| \right)}{\dots}$$

input `integrate(sin(2*arccsc(b*x+a)),x, algorithm="giac")`

output `-2/5*log(abs(-5*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^4*a*b - 10*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^2*a^3*b - a^5*b - (x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^3*a^2*abs(b) - 5*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*a^4*abs(b) - 6*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^2*a*b - 2*a^3*b - 2*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))^3*abs(b) - 6*(x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*a^2*abs(b) - a*b - (x*abs(b) - sqrt(b^2*x^2 + 2*a*b*x + a^2 - 1))*abs(b))*sgn(b*x + a)/abs(b)`

Mupad [B] (verification not implemented)

Time = 38.87 (sec) , antiderivative size = 43, normalized size of antiderivative = 43.00

$$\int \sin(2 \csc^{-1}(a + bx)) dx$$

$$= -\frac{2 \left(\ln \left(\sqrt{(a + bx)^2 - 1} - \sqrt{(a + bx)^2} \right) + \sqrt{1 - \frac{1}{(a + bx)^2}} \right)}{b}$$

input `int(sin(2*asin(1/(a + b*x))),x)`output `-(2*(log(((a + b*x)^2 - 1)^(1/2) - ((a + b*x)^2)^(1/2)) + (1 - 1/(a + b*x)^2)^(1/2)))/b`**Reduce [F]**

$$\int \sin(2 \csc^{-1}(a + bx)) dx = \int \sin(2 \operatorname{acsc}(bx + a)) dx$$

input `int(sin(2*acsc(b*x+a)),x)`output `int(sin(2*acsc(a + b*x)),x)`

3.33 $\int \sin(3 \csc^{-1}(a + bx)) dx$

Optimal result	213
Mathematica [C] (verified)	213
Rubi [F]	214
Maple [C] (verified)	214
Fricas [C] (verification not implemented)	215
Sympy [F]	215
Maxima [C] (verification not implemented)	216
Giac [C] (verification not implemented)	216
Mupad [B] (verification not implemented)	217
Reduce [F]	217

Optimal result

Integrand size = 9, antiderivative size = 1

$$\int \sin(3 \csc^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1 in optimal.

Time = 0.12 (sec) , antiderivative size = 24, normalized size of antiderivative = 24.00

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \frac{2}{b(a + bx)^2} + \frac{3 \log(a + bx)}{b}$$

input

`Integrate[Sin[3*ArcCsc[a + b*x]],x]`

output

`2/(b*(a + b*x)^2) + (3*Log[a + b*x])/b`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin(3 \csc^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin(3 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin(3 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCsc[a + b*x]],x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] :=> CannotIntegrate[u, x]`

Maple [C] (verified)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.27 (sec) , antiderivative size = 25, normalized size of antiderivative = 25.00

method	result	size
default	$\frac{3 \ln(bx+a)}{b} + \frac{2}{b(bx+a)^2}$	25

input `int(sin(3*arccsc(b*x+a)),x,method=_RETURNVERBOSE)`

output `3*ln(b*x+a)/b+2/b/(b*x+a)^2`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 49, normalized size of antiderivative = 49.00

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \frac{3(b^2x^2 + 2abx + a^2) \log(bx + a) + 2}{b^3x^2 + 2ab^2x + a^2b}$$

input `integrate(sin(3*arccsc(b*x+a)),x, algorithm="fricas")`

output `(3*(b^2*x^2 + 2*a*b*x + a^2)*log(b*x + a) + 2)/(b^3*x^2 + 2*a*b^2*x + a^2*b)`

Sympy [F]

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acsc}(a + bx)) dx$$

input `integrate(sin(3*acsc(b*x+a)),x)`

output `Integral(sin(3*acsc(a + b*x)), x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.34 (sec) , antiderivative size = 147, normalized size of antiderivative = 147.00

$$\int \sin(3 \csc^{-1}(a + bx)) dx$$

$$= \frac{3b^4x^4 + 12ab^3x^3 + (18a^2 - 7)b^2x^2 + 3a^4 + 2(6a^3 - 7a)bx - 3(b^3x^2 + 2ab^2x + a^2b)(bx^2 + 2ax - \frac{2}{b})}{4(b^3x^2 + 2ab^2x + a^2b)}$$

input `integrate(sin(3*arccsc(b*x+a)),x, algorithm="maxima")`

output

```
1/4*(3*b^4*x^4 + 12*a*b^3*x^3 + (18*a^2 - 7)*b^2*x^2 + 3*a^4 + 2*(6*a^3 -
7*a)*b*x - 3*(b^3*x^2 + 2*a*b^2*x + a^2*b)*(b*x^2 + 2*a*x - 2*log(b*x + a)
/b) - 7*a^2 + 6*(b^2*x^2 + 2*a*b*x + a^2)*log(b*x + a) + 8)/(b^3*x^2 + 2*a
*b^2*x + a^2*b)
```

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 25, normalized size of antiderivative = 25.00

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \frac{3 \log(|bx + a|)}{b} + \frac{2}{(bx + a)^2 b}$$

input `integrate(sin(3*arccsc(b*x+a)),x, algorithm="giac")`

output

```
3*log(abs(b*x + a))/b + 2/((b*x + a)^2*b)
```

Mupad [B] (verification not implemented)

Time = 39.17 (sec) , antiderivative size = 26, normalized size of antiderivative = 26.00

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \frac{2}{b(a + bx)^2} - \frac{3 \ln\left(\frac{1}{a+bx}\right)}{b}$$

input `int(sin(3*asin(1/(a + b*x))),x)`

output `2/(b*(a + b*x)^2) - (3*log(1/(a + b*x)))/b`

Reduce [F]

$$\int \sin(3 \csc^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acsc}(bx + a)) dx$$

input `int(sin(3*acsc(b*x+a)),x)`

output `int(sin(3*acsc(a + b*x)),x)`

3.34 $\int \frac{1}{(a+bx)^2} dx$

Optimal result	218
Mathematica [B] (verified)	218
Rubi [B] (verified)	219
Maple [B] (verified)	219
Fricas [C] (verification not implemented)	220
Sympy [B] (verification not implemented)	221
Maxima [C] (verification not implemented)	221
Giac [C] (verification not implemented)	221
Mupad [B] (verification not implemented)	222
Reduce [B] (verification not implemented)	222

Optimal result

Integrand size = 7, antiderivative size = 1

$$\int \frac{1}{(a+bx)^2} dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 12 vs. 2(1) = 2.

Time = 0.00 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int \frac{1}{(a+bx)^2} dx = -\frac{1}{b(a+bx)}$$

input

`Integrate[(a + b*x)^(-2), x]`

output

`-(1/(b*(a + b*x)))`

Rubi [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 12 vs. $2(1) = 2$.

Time = 0.14 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {17}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(a + bx)^2} dx$$

$$\downarrow 17$$

$$-\frac{1}{b(a + bx)}$$

input `Int[(a + b*x)^(-2),x]`

output `-(1/(b*(a + b*x)))`

Defintions of rubi rules used

rule 17 `Int[(c_.)*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] :> Simp[c*((a + b*x)^(m + 1))/(b*(m + 1)), x] /; FreeQ[{a, b, c, m}, x] && NeQ[m, -1]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 12 vs. $2(1) = 2$.

Time = 0.28 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

method	result	size
gospers	$-\frac{1}{(bx+a)b}$	13
default	$-\frac{1}{(bx+a)b}$	13
norman	$\frac{x}{a(bx+a)}$	13
risch	$-\frac{1}{(bx+a)b}$	13
parallelrisch	$-\frac{1}{(bx+a)b}$	13
orering	$-\frac{1}{(bx+a)b}$	13

input `int(1/(b*x+a)^2,x,method=_RETURNVERBOSE)`

output `-1/(b*x+a)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.06 (sec) , antiderivative size = 13, normalized size of antiderivative = 13.00

$$\int \frac{1}{(a+bx)^2} dx = -\frac{1}{b^2x+ab}$$

input `integrate(1/(b*x+a)^2,x, algorithm="fricas")`

output `-1/(b^2*x + a*b)`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 10 vs. $2(0) = 0$.

Time = 0.05 (sec) , antiderivative size = 10, normalized size of antiderivative = 10.00

$$\int \frac{1}{(a + bx)^2} dx = -\frac{1}{ab + b^2x}$$

input `integrate(1/(b*x+a)**2,x)`

output `-1/(a*b + b**2*x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.03 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int \frac{1}{(a + bx)^2} dx = -\frac{1}{(bx + a)b}$$

input `integrate(1/(b*x+a)^2,x, algorithm="maxima")`

output `-1/((b*x + a)*b)`

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.10 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int \frac{1}{(a + bx)^2} dx = -\frac{1}{(bx + a)b}$$

input `integrate(1/(b*x+a)^2,x, algorithm="giac")`

output `-1/((b*x + a)*b)`

Mupad [B] (verification not implemented)

Time = 39.90 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int \frac{1}{(a + bx)^2} dx = -\frac{1}{b(a + bx)}$$

input `int(1/(a + b*x)^2,x)`

output `-1/(b*(a + b*x))`

Reduce [B] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 12, normalized size of antiderivative = 12.00

$$\int \frac{1}{(a + bx)^2} dx = \frac{x}{a(bx + a)}$$

input `int(1/(b*x+a)^2,x)`

output `x/(a*(a + b*x))`

3.35 $\int \sin^2 (2 \csc^{-1}(a + bx)) dx$

Optimal result	223
Mathematica [B] (verified)	223
Rubi [F]	224
Maple [B] (verified)	224
Fricas [C] (verification not implemented)	225
Sympy [F]	225
Maxima [C] (verification not implemented)	226
Giac [F(-2)]	226
Mupad [B] (verification not implemented)	227
Reduce [F]	227

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2 (2 \csc^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 27 vs. 2(1) = 2.

Time = 0.07 (sec) , antiderivative size = 27, normalized size of antiderivative = 27.00

$$\int \sin^2 (2 \csc^{-1}(a + bx)) dx = \frac{4}{3b(a + bx)^3} - \frac{4}{b(a + bx)}$$

input

`Integrate[Sin[2*ArcCsc[a + b*x]]^2,x]`

output

`4/(3*b*(a + b*x)^3) - 4/(b*(a + b*x))`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2 (2 \csc^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2 (2 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2 (2 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[2*ArcCsc[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 25 vs. $2(1) = 2$.

Time = 0.32 (sec) , antiderivative size = 26, normalized size of antiderivative = 26.00

method	result	size
default	$-\frac{4}{(bx+a)b} + \frac{4}{3b(bx+a)^3}$	26
orering	$-\frac{(3x^2b^2+6abx+3a^2-1)(bx+a)\sin(2\operatorname{arccsc}(bx+a))^2}{3b(bx+a+1)(bx+a-1)}$	58
parallelrisch	$\frac{-12b^4x^2-24ab^3x-12a^2b^2+4b^2}{3b^3(x^2b^2+2abx+a^2)(bx+a)}$	60

input `int(sin(2*arccsc(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-4/(b*x+a)/b+4/3/b/(b*x+a)^3`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.08 (sec) , antiderivative size = 55, normalized size of antiderivative = 55.00

$$\int \sin^2(2 \operatorname{csc}^{-1}(a + bx)) dx = -\frac{4(3b^2x^2 + 6abx + 3a^2 - 1)}{3(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)}$$

input `integrate(sin(2*arccsc(b*x+a))^2,x, algorithm="fricas")`

output `-4/3*(3*b^2*x^2 + 6*a*b*x + 3*a^2 - 1)/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)`

Sympy [F]

$$\int \sin^2(2 \operatorname{csc}^{-1}(a + bx)) dx = \int \sin^2(2 \operatorname{acsc}(a + bx)) dx$$

input `integrate(sin(2*acsc(b*x+a))**2,x)`

output `Integral(sin(2*acsc(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 5.58 (sec) , antiderivative size = 253, normalized size of antiderivative = 253.00

$$\int \sin^2(2 \operatorname{csc}^{-1}(a + bx)) dx =$$

$$\frac{8b^6x^6 + 48ab^5x^5 + 12(10a^2 - 3)b^4x^4 + 2(80a^3 - 81a)b^3x^3 + 8a^6 + 3(40a^4 - 90a^2 + 29)b^2x^2 - 54a^5x + 3(8a^5 - 33a^3 + 29a)bx - (b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)(8b^2x^3 + 24abx^2 + 12(2a^2 - 3)x - (9b^2x^2 + 18abx + 9a^2 + 1))/(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b) + 87a^2 - 33}{(b^4x^3 + 3ab^3x^2 + 3a^2b^2x + a^3b)}$$

input `integrate(sin(2*arccsc(b*x+a))^2,x, algorithm="maxima")`

output

```
-1/24*(8*b^6*x^6 + 48*a*b^5*x^5 + 12*(10*a^2 - 3)*b^4*x^4 + 2*(80*a^3 - 81
*a)*b^3*x^3 + 8*a^6 + 3*(40*a^4 - 90*a^2 + 29)*b^2*x^2 - 54*a^4 + 6*(8*a^5
- 33*a^3 + 29*a)*b*x - (b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)*(8*b
^2*x^3 + 24*a*b*x^2 + 12*(2*a^2 - 3)*x - (9*b^2*x^2 + 18*a*b*x + 9*a^2 + 1
))/(b^4*x^3 + 3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b) + 87*a^2 - 33)/(b^4*x^3 +
3*a*b^3*x^2 + 3*a^2*b^2*x + a^3*b)
```

Giac [F(-2)]

Exception generated.

$$\int \sin^2(2 \operatorname{csc}^{-1}(a + bx)) dx = \text{Exception raised: TypeError}$$

input `integrate(sin(2*arccsc(b*x+a))^2,x, algorithm="giac")`

output

```
Exception raised: TypeError >> an error occurred running a Giac command:IN
PUT:sage2:=int(sage0,sageVARx);OUTPUT:int() Error: Bad Argument Value
```

Mupad [B] (verification not implemented)

Time = 39.68 (sec) , antiderivative size = 21, normalized size of antiderivative = 21.00

$$\int \sin^2(2 \csc^{-1}(a + bx)) dx = \frac{4 \left(\frac{1}{(a+bx)^2} - 3 \right)}{3b(a+bx)}$$

input `int(sin(2*asin(1/(a + b*x)))^2,x)`

output `(4*(1/(a + b*x)^2 - 3))/(3*b*(a + b*x))`

Reduce [F]

$$\int \sin^2(2 \csc^{-1}(a + bx)) dx = \int \sin(2 \operatorname{acsc}(bx + a))^2 dx$$

input `int(sin(2*acsc(b*x+a))^2,x)`

output `int(sin(2*acsc(a + b*x))**2,x)`

3.36 $\int \sin^2(3 \csc^{-1}(a + bx)) dx$

Optimal result	228
Mathematica [B] (verified)	228
Rubi [F]	229
Maple [B] (verified)	229
Fricas [C] (verification not implemented)	230
Sympy [F]	230
Maxima [C] (verification not implemented)	231
Giac [C] (verification not implemented)	232
Mupad [B] (verification not implemented)	232
Reduce [F]	232

Optimal result

Integrand size = 11, antiderivative size = 1

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx = 0$$

output

0

Mathematica [B] (verified)

Leaf count is larger than twice the leaf count of optimal. 34 vs. 2(1) = 2.

Time = 0.09 (sec) , antiderivative size = 34, normalized size of antiderivative = 34.00

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx = \frac{-16 + 40(a + bx)^2 - 45(a + bx)^4}{5b(a + bx)^5}$$

input

`Integrate[Sin[3*ArcCsc[a + b*x]]^2,x]`

output

`(-16 + 40*(a + b*x)^2 - 45*(a + b*x)^4)/(5*b*(a + b*x)^5)`

Rubi [F]

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx$$

$$\downarrow \text{7281}$$

$$\frac{\int \sin^2(3 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

$$\downarrow \text{7299}$$

$$\frac{\int \sin^2(3 \csc^{-1}(a + bx)) d(a + bx)}{b}$$

input `Int[Sin[3*ArcCsc[a + b*x]]^2,x]`

output `$Aborted`

Defintions of rubi rules used

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

rule 7299 `Int[u_, x_] := CannotIntegrate[u, x]`

Maple [B] (verified)

Leaf count of result is larger than twice the leaf count of optimal. 37 vs. $2(1) = 2$.

Time = 0.33 (sec) , antiderivative size = 38, normalized size of antiderivative = 38.00

method	result	size
default	$-\frac{16}{5b(bx+a)^5} + \frac{8}{b(bx+a)^3} - \frac{9}{(bx+a)b}$	38
orering	$-\frac{(45x^4b^4+180ab^3x^3+270a^2b^2x^2+180a^3bx+45a^4-40x^2b^2-80abx-40a^2+16)(bx+a)\sin(3\operatorname{arccsc}(bx+a))^2}{5b(3x^2b^2+6abx+3a^2-4)^2}$	104

input `int(sin(3*arccsc(b*x+a))^2,x,method=_RETURNVERBOSE)`

output `-16/5/b/(b*x+a)^5+8/b/(b*x+a)^3-9/(b*x+a)/b`

Fricas [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.07 (sec) , antiderivative size = 114, normalized size of antiderivative = 114.00

$$\int \sin^2(3 \operatorname{csc}^{-1}(a + bx)) dx$$

$$= -\frac{45b^4x^4 + 180ab^3x^3 + 10(27a^2 - 4)b^2x^2 + 45a^4 + 20(9a^3 - 4a)bx - 40a^2 + 16}{5(b^6x^5 + 5ab^5x^4 + 10a^2b^4x^3 + 10a^3b^3x^2 + 5a^4b^2x + a^5b)}$$

input `integrate(sin(3*arccsc(b*x+a))^2,x, algorithm="fricas")`

output `-1/5*(45*b^4*x^4 + 180*a*b^3*x^3 + 10*(27*a^2 - 4)*b^2*x^2 + 45*a^4 + 20*(9*a^3 - 4*a)*b*x - 40*a^2 + 16)/(b^6*x^5 + 5*a*b^5*x^4 + 10*a^2*b^4*x^3 + 10*a^3*b^3*x^2 + 5*a^4*b^2*x + a^5*b)`

Sympy [F]

$$\int \sin^2(3 \operatorname{csc}^{-1}(a + bx)) dx = \int \sin^2(3 \operatorname{acsc}(a + bx)) dx$$

input `integrate(sin(3*acsc(b*x+a))**2,x)`

output `Integral(sin(3*acsc(a + b*x))**2, x)`

Maxima [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 90.67 (sec) , antiderivative size = 502, normalized size of antiderivative = 502.00

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx$$

$$= \frac{48 b^{10} x^{10} + 480 a b^9 x^9 + 40 (54 a^2 - 5) b^8 x^8 + 320 (18 a^3 - 5 a) b^7 x^7 + 10 (1008 a^4 - 560 a^2 + 45) b^6 x^6 + 40 (3024 a^5 - 2800 a^3 + 725 a) b^5 x^5 + 48 a^{10} + 5 (2016 a^6 - 2800 a^4 + 1550 a^2 - 273) b^4 x^4 - 200 a^8 + 20 (288 a^7 - 560 a^5 + 550 a^3 - 273 a) b^3 x^3 + 650 a^6 + 10 (216 a^8 - 560 a^6 + 875 a^4 - 819 a^2 + 128) b^2 x^2 - 1365 a^4 + 20 (24 a^9 - 80 a^7 + 185 a^5 - 273 a^3 + 128 a) b x - (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b) (48 b^4 x^5 + 240 a b^3 x^4 + 40 (12 a^2 - 5) b^2 x^3 + 120 (4 a^3 - 5 a) b x^2 + 30 (8 a^4 - 20 a^2 + 15) x + 3 (25 b^4 x^4 + 100 a b^3 x^3 + 150 a^2 b^2 x^2 + 100 a^3 b x + 25 a^4 + 1) / (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b) + 1280 a^2 - 509) / (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b)}$$

input `integrate(sin(3*arccsc(b*x+a))^2,x, algorithm="maxima")`

output

$$\frac{1}{160} (48 b^{10} x^{10} + 480 a b^9 x^9 + 40 (54 a^2 - 5) b^8 x^8 + 320 (18 a^3 - 5 a) b^7 x^7 + 10 (1008 a^4 - 560 a^2 + 45) b^6 x^6 + 4 (3024 a^5 - 2800 a^3 + 725 a) b^5 x^5 + 48 a^{10} + 5 (2016 a^6 - 2800 a^4 + 1550 a^2 - 273) b^4 x^4 - 200 a^8 + 20 (288 a^7 - 560 a^5 + 550 a^3 - 273 a) b^3 x^3 + 650 a^6 + 10 (216 a^8 - 560 a^6 + 875 a^4 - 819 a^2 + 128) b^2 x^2 - 1365 a^4 + 20 (24 a^9 - 80 a^7 + 185 a^5 - 273 a^3 + 128 a) b x - (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b) (48 b^4 x^5 + 240 a b^3 x^4 + 40 (12 a^2 - 5) b^2 x^3 + 120 (4 a^3 - 5 a) b x^2 + 30 (8 a^4 - 20 a^2 + 15) x + 3 (25 b^4 x^4 + 100 a b^3 x^3 + 150 a^2 b^2 x^2 + 100 a^3 b x + 25 a^4 + 1) / (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b) + 1280 a^2 - 509) / (b^6 x^5 + 5 a b^5 x^4 + 10 a^2 b^4 x^3 + 10 a^3 b^3 x^2 + 5 a^4 b^2 x + a^5 b)$$

Giac [C] (verification not implemented)

Result contains higher order function than in optimal. Order 3 vs. order 1.

Time = 0.11 (sec) , antiderivative size = 72, normalized size of antiderivative = 72.00

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx = \frac{45 b^4 x^4 + 180 a b^3 x^3 + 270 a^2 b^2 x^2 + 180 a^3 b x + 45 a^4 - 40 b^2 x^2 - 80 a b x - 40 a^2 + 16}{5 (bx + a)^5 b}$$

input `integrate(sin(3*arccsc(b*x+a))^2,x, algorithm="giac")`

output `-1/5*(45*b^4*x^4 + 180*a*b^3*x^3 + 270*a^2*b^2*x^2 + 180*a^3*b*x + 45*a^4 - 40*b^2*x^2 - 80*a*b*x - 40*a^2 + 16)/((b*x + a)^5*b)`

Mupad [B] (verification not implemented)

Time = 39.84 (sec) , antiderivative size = 32, normalized size of antiderivative = 32.00

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx = -\frac{\frac{16}{(a+bx)^4} - \frac{40}{(a+bx)^2} + 45}{5b(a+bx)}$$

input `int(sin(3*asin(1/(a + b*x))))^2,x`

output `-(16/(a + b*x)^4 - 40/(a + b*x)^2 + 45)/(5*b*(a + b*x))`

Reduce [F]

$$\int \sin^2(3 \csc^{-1}(a + bx)) dx = \int \sin(3 \operatorname{acsc}(bx + a))^2 dx$$

input `int(sin(3*acsc(b*x+a))^2,x)`

output `int(sin(3*acsc(a + b*x))**2,x)`

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	233
4.2	Links to plain text integration problems used in this report for each CAS .	251

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7,2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

  Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
  If [AppellFunctionQ [Head [expn]],
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
  If [Head [expn] === RootSum,
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
  If [Head [expn] === Integrate || Head [expn] === Int,
    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
  9]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [{
  Exp, Log,
  Sin, Cos, Tan, Cot, Sec, Csc,
  ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
  Sinh, Cosh, Tanh, Coth, Sech, Csch,
  ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue
fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result := ExpnType(result);
      ExpnType_optimal := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                convert(leaf_count_result,string)," $ vs. $2(",
                convert(leaf_count_optimal,string),")=",convert(2*leaf_co

        fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
        convert(ExpnType_result,string)," vs. order ",
        convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```



```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```



```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print ("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
else:
    grade = "C"
    grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file