

# Computer Algebra Independent Integration Tests

Summer 2024

4-Trig-functions/4.5-Secant/241-4.5.4.10

Nasser M. Abbasi

May 18, 2024      Compiled on May 18, 2024 at 11:48am

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23
<b>2</b>	<b>detailed summary tables of results</b>	<b>24</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	41
<b>3</b>	<b>Listing of integrals</b>	<b>43</b>
3.1	$\int (c + dx)^3(a + a \sec(e + fx)) dx$ . . . . .	45
3.2	$\int (c + dx)^2(a + a \sec(e + fx)) dx$ . . . . .	53
3.3	$\int (c + dx)(a + a \sec(e + fx)) dx$ . . . . .	60
3.4	$\int \frac{a+a \sec(e+fx)}{c+dx} dx$ . . . . .	66
3.5	$\int \frac{a+a \sec(e+fx)}{(c+dx)^2} dx$ . . . . .	71
3.6	$\int (c + dx)^3(a + a \sec(e + fx))^2 dx$ . . . . .	76
3.7	$\int (c + dx)^2(a + a \sec(e + fx))^2 dx$ . . . . .	86

---

3.8	$\int (c+dx)(a+a \sec(e+fx))^2 dx$	95
3.9	$\int \frac{(a+a \sec(e+fx))^2}{c+dx} dx$	102
3.10	$\int \frac{(a+a \sec(e+fx))^2}{(c+dx)^2} dx$	107
3.11	$\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx$	113
3.12	$\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx$	120
3.13	$\int \frac{c+dx}{a+a \sec(e+fx)} dx$	127
3.14	$\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$	133
3.15	$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$	138
3.16	$\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx$	144
3.17	$\int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx$	153
3.18	$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx$	161
3.19	$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$	168
3.20	$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$	174
3.21	$\int (c+dx)^m(a+a \sec(e+fx))^n dx$	180
3.22	$\int (c+dx)^m(a+a \sec(e+fx)) dx$	185
3.23	$\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$	190
3.24	$\int (c+dx)^3(a+b \sec(e+fx)) dx$	195
3.25	$\int (c+dx)^2(a+b \sec(e+fx)) dx$	203
3.26	$\int (c+dx)(a+b \sec(e+fx)) dx$	210
3.27	$\int \frac{a+b \sec(e+fx)}{c+dx} dx$	216
3.28	$\int \frac{a+b \sec(e+fx)}{(c+dx)^2} dx$	221
3.29	$\int (c+dx)^3(a+b \sec(e+fx))^2 dx$	226
3.30	$\int (c+dx)^2(a+b \sec(e+fx))^2 dx$	236
3.31	$\int (c+dx)(a+b \sec(e+fx))^2 dx$	245
3.32	$\int \frac{(a+b \sec(e+fx))^2}{c+dx} dx$	252
3.33	$\int \frac{(a+b \sec(e+fx))^2}{(c+dx)^2} dx$	257
3.34	$\int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx$	263
3.35	$\int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx$	270
3.36	$\int \frac{c+dx}{a+b \sec(e+fx)} dx$	277
3.37	$\int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx$	284
3.38	$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx$	290
3.39	$\int \frac{(c+dx)^3}{(a+b \sec(e+fx))^2} dx$	296
3.40	$\int \frac{(c+dx)^2}{(a+b \sec(e+fx))^2} dx$	304
3.41	$\int \frac{c+dx}{(a+b \sec(e+fx))^2} dx$	312
3.42	$\int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx$	322

3.43	$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx$	328
3.44	$\int (c+dx)^m(a+b\sec(e+fx))^n dx$	334
3.45	$\int (c+dx)^m(a+b\sec(e+fx)) dx$	339
3.46	$\int \frac{(c+dx)^m}{a+b\sec(e+fx)} dx$	344
<b>4</b>	<b>Appendix</b>	<b>349</b>
4.1	Listing of Grading functions	349
4.2	Links to plain text integration problems used in this report for each CAS	367

# CHAPTER 1

## INTRODUCTION

1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [ 46 ]. This is test number [ 241 ].

## 1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 46 )	0.00 ( 0 )
Mathematica	100.00 ( 46 )	0.00 ( 0 )
Fricas	100.00 ( 46 )	0.00 ( 0 )
Maple	91.30 ( 42 )	8.70 ( 4 )
Maxima	78.26 ( 36 )	21.74 ( 10 )
Mupad	52.17 ( 24 )	47.83 ( 22 )
Giac	52.17 ( 24 )	47.83 ( 22 )
Reduce	52.17 ( 24 )	47.83 ( 22 )
Sympy	43.48 ( 20 )	56.52 ( 26 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	52.174	0.000	0.000	47.826
Mathematica	41.304	10.870	0.000	47.826
Maple	13.043	30.435	0.000	56.522
Fricas	4.348	47.826	0.000	47.826
Giac	0.000	4.348	0.000	95.652
Mupad	0.000	4.348	0.000	95.652
Maxima	0.000	30.435	0.000	69.565
Reduce	0.000	4.348	0.000	95.652
Sympy	0.000	0.000	0.000	100.000

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sageMath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Fricas	0	0.00	0.00	0.00
Maple	4	100.00	0.00	0.00
Maxima	10	40.00	0.00	60.00
Mupad	22	0.00	100.00	0.00
Giac	22	100.00	0.00	0.00
Reduce	22	100.00	0.00	0.00
Sympy	26	92.31	7.69	0.00

Table 1.4: Failure statistics for each CAS

## 1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.12
Maple	0.15
Reduce	0.20
Rubi	0.52
Maxima	2.91
Sympy	3.16
Giac	4.47
Mathematica	6.40
Mupad	15.46

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	32.35	1.66	19.50	0.97
Mupad	35.08	1.23	24.00	1.20
Giac	63.25	1.40	22.00	1.10
Rubi	180.33	1.00	80.00	1.00
Maple	278.38	1.64	20.00	1.00
Mathematica	703.22	1.66	95.50	1.10
Fricas	713.30	2.92	141.00	2.80
Maxima	1101.83	28.19	516.00	8.01
Reduce	1271.62	63.37	92.50	4.64

Table 1.6: Leaf size performance for each CAS

## 1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the  $y$  axis is the percentage solved which Rubi itself needed the number of rules given the  $x$  axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

## 1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram show that the precentage of solved intergals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

## 1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

## 1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

## 1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

## 1.9 list of integrals with no known antiderivative

{4, 5, 9, 10, 14, 15, 19, 20, 21, 22, 23, 27, 28, 32, 33, 37, 38, 42, 43, 44, 45, 46}

## 1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

## 1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {}

Mathematica {12, 16, 17, 41}

Maple {}

**Maxima** Verification phase not currently implemented.

**Fricas** Verification phase not currently implemented.

**Sympy** Verification phase not currently implemented.

**Giac** Verification phase not currently implemented.

**Reduce** Verification phase not currently implemented.

**Mupad** Verification phase not currently implemented.

## 1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int', int(expr,x)),output='realtime'
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A `time limit` of 3 CPU minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

## 1.13 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.14 Important notes about some of the results

### Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

## Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    """
    Return the tree size of this expression.
    """

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

## Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

## 1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



## CHAPTER 2

### DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	41

## 2.1 List of integrals sorted by grade for each CAS

Rubi . . . . .	25
Mma . . . . .	25
Maple . . . . .	26
Fricas . . . . .	26
Maxima . . . . .	26
Giac . . . . .	27
Mupad . . . . .	27
Sympy . . . . .	27
Reduce . . . . .	28

### Rubi

<b>A grade</b> { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }
<b>B grade</b> { }
<b>C grade</b> { }
<b>F normal fail</b> { }
<b>F(-1) timeout fail</b> { }
<b>F(-2) exception fail</b> { }

### Mma

<b>A grade</b> { 1, 2, 3, 6, 7, 8, 11, 13, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 41 }
<b>B grade</b> { 12, 16, 17, 39, 40 }
<b>C grade</b> { }
<b>F normal fail</b> { }
<b>F(-1) timeout fail</b> { }
<b>F(-2) exception fail</b> { }

**Maple****A grade** { 3, 8, 13, 18, 26, 31 }**B grade** { 1, 2, 6, 7, 11, 12, 16, 17, 24, 25, 29, 30, 36, 41 }**C grade** { }**F normal fail** { 34, 35, 39, 40 }**F(-1) timeout fail** { }**F(-2) exception fail** { }**Fricas****A grade** { 13, 18 }**B grade** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**C grade** { }**F normal fail** { }**F(-1) timeout fail** { }**F(-2) exception fail** { }**Maxima****A grade** { }**B grade** { 1, 2, 6, 7, 11, 12, 13, 16, 17, 18, 24, 25, 29, 30 }**C grade** { }**F normal fail** { 3, 8, 26, 31 }**F(-1) timeout fail** { }**F(-2) exception fail** { 34, 35, 36, 39, 40, 41 }

**Giac****A grade** { }**B grade** { 13, 18 }**C grade** { }**F normal fail** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**F(-1) timeout fail** { }**F(-2) exception fail** { }**Mupad****A grade** { }**B grade** { 13, 18 }**C grade** { }**F normal fail** { }**F(-1) timeout fail** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**F(-2) exception fail** { }**Sympy****A grade** { }**B grade** { }**C grade** { }**F normal fail** { 1, 2, 3, 6, 7, 8, 11, 12, 13, 16, 17, 18, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }**F(-1) timeout fail** { 21, 44 }**F(-2) exception fail** { }

## Reduce

**A grade** { }

**B grade** { 13, 18 }

**C grade** { }

**F normal fail** { 1, 2, 3, 6, 7, 8, 11, 12, 16, 17, 24, 25, 26, 29, 30, 31, 34, 35, 36, 39, 40, 41 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	218	756	936	1085	0	0	190	0
N.S.	1	1.00	0.96	3.33	4.12	4.78	0.00	0.00	0.84	0.00
time (sec)	N/A	0.461	0.080	0.454	0.231	0.136	0.000	0.000	0.203	0.000

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	151	440	516	675	0	0	138	0
N.S.	1	1.00	0.96	2.80	3.29	4.30	0.00	0.00	0.88	0.00
time (sec)	N/A	0.365	0.098	0.218	0.199	0.121	0.000	0.000	0.192	0.000

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	87	142	0	343	0	0	79	0
N.S.	1	1.00	0.94	1.53	0.00	3.69	0.00	0.00	0.85	0.00
time (sec)	N/A	0.277	0.043	0.085	0.000	0.105	0.000	0.000	0.188	0.000

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	116	20	22	20	34	22
N.S.	1	1.00	1.11	1.00	6.44	1.11	1.22	1.11	1.89	1.22
time (sec)	N/A	0.206	4.857	0.111	0.298	0.085	0.633	0.198	0.193	15.115

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	172	31	46	20	82	22
N.S.	1	1.00	1.11	1.00	9.56	1.72	2.56	1.11	4.56	1.22
time (sec)	N/A	0.203	3.958	0.076	0.340	0.076	2.469	1.469	0.195	15.324

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	371	371	329	1517	3403	1887	0	0	222	0
N.S.	1	1.00	0.89	4.09	9.17	5.09	0.00	0.00	0.60	0.00
time (sec)	N/A	0.730	1.328	0.426	0.447	0.162	0.000	0.000	0.193	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	232	679	1704	1096	0	0	173	0
N.S.	1	1.00	0.89	2.59	6.50	4.18	0.00	0.00	0.66	0.00
time (sec)	N/A	0.569	1.752	0.277	0.393	0.137	0.000	0.000	0.194	0.000

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	123	191	0	525	0	0	118	0
N.S.	1	1.00	0.92	1.43	0.00	3.92	0.00	0.00	0.88	0.00
time (sec)	N/A	0.343	0.732	0.092	0.000	0.109	0.000	0.000	0.192	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	507	37	41	22	70	24
N.S.	1	1.00	1.10	1.00	25.35	1.85	2.05	1.10	3.50	1.20
time (sec)	N/A	0.222	20.926	0.101	0.727	0.081	1.172	1.055	0.195	15.005

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	624	48	76	22	157	24
N.S.	1	1.00	1.10	1.00	31.20	2.40	3.80	1.10	7.85	1.20
time (sec)	N/A	0.222	16.825	0.100	1.026	0.081	2.447	36.676	0.194	14.805

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	216	417	1285	516	0	0	182	0
N.S.	1	1.00	1.42	2.74	8.45	3.39	0.00	0.00	1.20	0.00
time (sec)	N/A	0.540	1.381	0.175	0.255	0.094	0.000	0.000	0.193	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	<span style="color:red">No</span>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	528	236	377	292	0	0	123	0
N.S.	1	1.00	4.44	1.98	3.17	2.45	0.00	0.00	1.03	0.00
time (sec)	N/A	0.468	6.445	0.140	0.220	0.081	0.000	0.000	0.175	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	<span style="color:red">F</span>	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	104	53	273	99	0	248	68	79
N.S.	1	1.00	1.55	0.79	4.07	1.48	0.00	3.70	1.01	1.18
time (sec)	N/A	0.304	0.625	0.152	0.116	0.077	0.000	0.224	0.177	15.245

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	391	27	27	22	30	24
N.S.	1	1.00	1.10	1.00	19.55	1.35	1.35	1.10	1.50	1.20
time (sec)	N/A	0.233	6.380	0.079	0.337	0.067	1.095	0.155	0.194	14.783

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	522	51	58	22	58	24
N.S.	1	1.00	1.10	1.00	26.10	2.55	2.90	1.10	2.90	1.20
time (sec)	N/A	0.231	4.770	0.076	0.646	0.068	2.317	0.456	0.202	14.774

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	<span style="color:red">No</span>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	1447	810	4283	933	0	0	418	0
N.S.	1	1.00	5.02	2.81	14.87	3.24	0.00	0.00	1.45	0.00
time (sec)	N/A	0.931	7.294	0.248	1.086	0.106	0.000	0.000	0.184	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F</span>	<span style="color:red">F(-1)</span>
verified	N/A	Yes	<span style="color:red">No</span>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	229	229	925	453	1035	493	0	0	246	0
N.S.	1	1.00	4.04	1.98	4.52	2.15	0.00	0.00	1.07	0.00
time (sec)	N/A	0.725	6.760	0.193	0.540	0.091	0.000	0.000	0.181	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	A	<span style="color:red">F</span>	B	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	140	140	172	86	1058	183	0	798	112	247
N.S.	1	1.00	1.23	0.61	7.56	1.31	0.00	5.70	0.80	1.76
time (sec)	N/A	0.412	1.368	0.190	0.148	0.085	0.000	0.407	0.181	20.466

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	3956	57	54	22	53	24
N.S.	1	1.00	1.10	1.00	197.80	2.85	2.70	1.10	2.65	1.20
time (sec)	N/A	0.228	9.967	0.102	9.213	0.080	2.373	0.235	0.189	14.894

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	4471	99	105	22	100	24
N.S.	1	1.00	1.10	1.00	223.55	4.95	5.25	1.10	5.00	1.20
time (sec)	N/A	0.230	12.202	0.094	31.443	0.078	9.290	1.001	0.190	15.195

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	0	22	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.00	1.10	1.10	1.20
time (sec)	N/A	0.221	0.842	0.121	0.397	0.087	0.000	0.261	0.185	14.767

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	124	20	24	20	28	22
N.S.	1	1.00	1.11	1.00	6.89	1.11	1.33	1.11	1.56	1.22
time (sec)	N/A	0.203	8.448	0.068	0.176	0.070	7.613	0.191	0.187	14.767

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	17	22	140	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.85	1.10	7.00	1.20
time (sec)	N/A	0.225	0.851	0.063	0.308	0.075	2.441	0.133	0.182	14.472

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	365	756	936	1085	0	0	229	0
N.S.	1	1.00	1.61	3.33	4.12	4.78	0.00	0.00	1.01	0.00
time (sec)	N/A	0.440	0.334	0.258	0.235	0.137	0.000	0.000	0.192	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	203	440	516	675	0	0	161	0
N.S.	1	1.00	1.29	2.80	3.29	4.30	0.00	0.00	1.03	0.00
time (sec)	N/A	0.363	0.173	0.181	0.181	0.123	0.000	0.000	0.184	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	93	93	104	142	0	343	0	0	93	0
N.S.	1	1.00	1.12	1.53	0.00	3.69	0.00	0.00	1.00	0.00
time (sec)	N/A	0.283	0.010	0.080	0.000	0.106	0.000	0.000	0.171	0.000

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	116	20	15	20	59	22
N.S.	1	1.00	1.11	1.00	6.44	1.11	0.83	1.11	3.28	1.22
time (sec)	N/A	0.205	0.666	0.069	0.283	0.077	0.795	0.238	0.185	15.086

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	172	31	17	20	85	22
N.S.	1	1.00	1.11	1.00	9.56	1.72	0.94	1.11	4.72	1.22
time (sec)	N/A	0.204	1.062	0.059	0.323	0.071	2.936	1.699	0.185	15.407

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	364	364	646	1489	3267	1823	0	0	1395	0
N.S.	1	1.00	1.77	4.09	8.98	5.01	0.00	0.00	3.83	0.00
time (sec)	N/A	0.754	1.670	0.412	0.479	0.169	0.000	0.000	0.209	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	356	662	1641	1056	0	0	742	0
N.S.	1	1.00	1.39	2.58	6.39	4.11	0.00	0.00	2.89	0.00
time (sec)	N/A	0.572	1.011	0.317	0.266	0.147	0.000	0.000	0.189	0.000

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	151	190	0	505	0	0	343	0
N.S.	1	1.00	1.15	1.45	0.00	3.85	0.00	0.00	2.62	0.00
time (sec)	N/A	0.344	0.376	0.103	0.000	0.113	0.000	0.000	0.183	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	501	36	17	22	124	24
N.S.	1	1.00	1.10	1.00	25.05	1.80	0.85	1.10	6.20	1.20
time (sec)	N/A	0.229	39.276	0.148	1.089	0.086	1.205	1.834	0.207	14.711

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	618	47	19	22	172	24
N.S.	1	1.00	1.10	1.00	30.90	2.35	0.95	1.10	8.60	1.20
time (sec)	N/A	0.224	22.007	0.104	1.114	0.080	2.504	56.267	0.188	15.229

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	526	526	449	0	0	2309	0	0	616	0
N.S.	1	1.00	0.85	0.00	0.00	4.39	0.00	0.00	1.17	0.00
time (sec)	N/A	1.317	0.988	0.000	0.000	0.294	0.000	0.000	0.195	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	394	394	338	0	0	1625	0	0	431	0
N.S.	1	1.00	0.86	0.00	0.00	4.12	0.00	0.00	1.09	0.00
time (sec)	N/A	1.093	0.751	0.000	0.000	0.241	0.000	0.000	0.176	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	214	516	0	1041	0	0	248	0
N.S.	1	1.00	0.83	2.01	0.00	4.05	0.00	0.00	0.96	0.00
time (sec)	N/A	0.746	0.499	0.152	0.000	0.228	0.000	0.000	0.160	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	298	27	17	22	793	24
N.S.	1	1.00	1.10	1.00	14.90	1.35	0.85	1.10	39.65	1.20
time (sec)	N/A	0.228	1.171	0.091	0.638	0.071	1.188	0.214	0.180	14.775

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	439	51	19	22	2871	24
N.S.	1	1.00	1.10	1.00	21.95	2.55	0.95	1.10	143.55	1.20
time (sec)	N/A	0.228	8.863	0.087	1.006	0.073	2.409	0.571	0.210	14.806

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1523	1523	20116	0	0	7008	0	0	0	0
N.S.	1	1.00	13.21	0.00	0.00	4.60	0.00	0.00	0.00	0.00
time (sec)	N/A	3.301	19.830	0.000	0.000	0.491	0.000	0.000	0.403	0.000

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	F	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	1117	1117	3365	0	0	4274	0	0	0	0
N.S.	1	1.00	3.01	0.00	0.00	3.83	0.00	0.00	0.00	0.00
time (sec)	N/A	2.505	16.570	0.000	0.000	0.354	0.000	0.000	0.228	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F(-2)	B	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	582	582	1037	1289	0	2080	0	0	0	0
N.S.	1	1.00	1.78	2.21	0.00	3.57	0.00	0.00	0.00	0.00
time (sec)	N/A	1.374	9.871	0.208	0.000	0.282	0.000	0.000	0.183	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	2279	55	19	22	5490	24
N.S.	1	1.00	1.10	1.00	113.95	2.75	0.95	1.10	274.50	1.20
time (sec)	N/A	0.237	15.680	0.110	11.922	0.087	2.288	0.337	0.280	19.073

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	2918	96	20	22	19510	24
N.S.	1	1.00	1.10	1.00	145.90	4.80	1.00	1.10	975.50	1.20
time (sec)	N/A	0.228	32.978	0.116	37.638	0.107	9.632	2.984	0.361	16.287

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	0	22	22	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.00	1.10	1.10	1.20
time (sec)	N/A	0.225	1.761	0.102	0.502	0.093	0.000	0.294	0.183	15.659

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	18	20	18	124	20	17	20	113	22
N.S.	1	1.00	1.11	1.00	6.89	1.11	0.94	1.11	6.28	1.22
time (sec)	N/A	0.204	0.424	0.058	0.174	0.080	5.758	0.164	0.168	15.049

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	22	20	22	22	17	22	326	24
N.S.	1	1.00	1.10	1.00	1.10	1.10	0.85	1.10	16.30	1.20
time (sec)	N/A	0.231	0.596	0.068	0.307	0.071	2.669	0.203	0.191	15.291

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [3] had the largest ratio of [.1875000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	3	3	1.00	18	0.167
2	A	3	3	1.00	18	0.167
3	A	3	3	1.00	16	0.188
4	N/A	2	0	1.00	18	0.000
5	N/A	2	0	1.00	18	0.000
6	A	3	3	1.00	20	0.150
7	A	3	3	1.00	20	0.150
8	A	3	3	1.00	18	0.167
9	N/A	2	0	1.00	20	0.000
10	N/A	2	0	1.00	20	0.000
11	A	3	3	1.00	20	0.150
12	A	3	3	1.00	20	0.150
13	A	3	3	1.00	18	0.167
14	N/A	2	0	1.00	20	0.000
15	N/A	2	0	1.00	20	0.000
16	A	3	3	1.00	20	0.150
17	A	3	3	1.00	20	0.150
18	A	3	3	1.00	18	0.167
19	N/A	2	0	1.00	20	0.000
20	N/A	2	0	1.00	20	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	N/A	2	0	1.00	20	0.000
22	N/A	2	0	1.00	18	0.000
23	N/A	2	0	1.00	20	0.000
24	A	3	3	1.00	18	0.167
25	A	3	3	1.00	18	0.167
26	A	3	3	1.00	16	0.188
27	N/A	2	0	1.00	18	0.000
28	N/A	2	0	1.00	18	0.000
29	A	3	3	1.00	20	0.150
30	A	3	3	1.00	20	0.150
31	A	3	3	1.00	18	0.167
32	N/A	2	0	1.00	20	0.000
33	N/A	2	0	1.00	20	0.000
34	A	3	3	1.00	20	0.150
35	A	3	3	1.00	20	0.150
36	A	3	3	1.00	18	0.167
37	N/A	2	0	1.00	20	0.000
38	N/A	2	0	1.00	20	0.000
39	A	3	3	1.00	20	0.150
40	A	3	3	1.00	20	0.150
41	A	3	3	1.00	18	0.167
42	N/A	2	0	1.00	20	0.000
43	N/A	2	0	1.00	20	0.000
44	N/A	2	0	1.00	20	0.000
45	N/A	2	0	1.00	18	0.000
46	N/A	2	0	1.00	20	0.000

# CHAPTER 3

## LISTING OF INTEGRALS

3.1	$\int (c + dx)^3(a + a \sec(e + fx)) dx$	45
3.2	$\int (c + dx)^2(a + a \sec(e + fx)) dx$	53
3.3	$\int (c + dx)(a + a \sec(e + fx)) dx$	60
3.4	$\int \frac{a+a \sec(e+fx)}{c+dx} dx$	66
3.5	$\int \frac{a+a \sec(e+fx)}{(c+dx)^2} dx$	71
3.6	$\int (c + dx)^3(a + a \sec(e + fx))^2 dx$	76
3.7	$\int (c + dx)^2(a + a \sec(e + fx))^2 dx$	86
3.8	$\int (c + dx)(a + a \sec(e + fx))^2 dx$	95
3.9	$\int \frac{(a+a \sec(e+fx))^2}{c+dx} dx$	102
3.10	$\int \frac{(a+a \sec(e+fx))^2}{(c+dx)^2} dx$	107
3.11	$\int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx$	113
3.12	$\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx$	120
3.13	$\int \frac{c+dx}{a+a \sec(e+fx)} dx$	127
3.14	$\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$	133
3.15	$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$	138
3.16	$\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx$	144
3.17	$\int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx$	153
3.18	$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx$	161
3.19	$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$	168
3.20	$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$	174
3.21	$\int (c + dx)^m(a + a \sec(e + fx))^n dx$	180
3.22	$\int (c + dx)^m(a + a \sec(e + fx)) dx$	185
3.23	$\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$	190
3.24	$\int (c + dx)^3(a + b \sec(e + fx)) dx$	195
3.25	$\int (c + dx)^2(a + b \sec(e + fx)) dx$	203

---

3.26	$\int (c+dx)(a+b \sec(e+fx)) dx$	210
3.27	$\int \frac{a+b \sec(e+fx)}{c+dx} dx$	216
3.28	$\int \frac{a+b \sec(e+fx)}{(c+dx)^2} dx$	221
3.29	$\int (c+dx)^3(a+b \sec(e+fx))^2 dx$	226
3.30	$\int (c+dx)^2(a+b \sec(e+fx))^2 dx$	236
3.31	$\int (c+dx)(a+b \sec(e+fx))^2 dx$	245
3.32	$\int \frac{(a+b \sec(e+fx))^2}{c+dx} dx$	252
3.33	$\int \frac{(a+b \sec(e+fx))^2}{(c+dx)^2} dx$	257
3.34	$\int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx$	263
3.35	$\int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx$	270
3.36	$\int \frac{c+dx}{a+b \sec(e+fx)} dx$	277
3.37	$\int \frac{1}{(c+dx)(a+b \sec(e+fx))} dx$	284
3.38	$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))} dx$	290
3.39	$\int \frac{(c+dx)^3}{(a+b \sec(e+fx))^2} dx$	296
3.40	$\int \frac{(c+dx)^2}{(a+b \sec(e+fx))^2} dx$	304
3.41	$\int \frac{c+dx}{(a+b \sec(e+fx))^2} dx$	312
3.42	$\int \frac{1}{(c+dx)(a+b \sec(e+fx))^2} dx$	322
3.43	$\int \frac{1}{(c+dx)^2(a+b \sec(e+fx))^2} dx$	328
3.44	$\int (c+dx)^m(a+b \sec(e+fx))^n dx$	334
3.45	$\int (c+dx)^m(a+b \sec(e+fx)) dx$	339
3.46	$\int \frac{(c+dx)^m}{a+b \sec(e+fx)} dx$	344

### 3.1 $\int (c + dx)^3(a + a \sec(e + fx)) dx$

Optimal result	45
Mathematica [A] (verified)	46
Rubi [A] (verified)	46
Maple [B] (verified)	48
Fricas [B] (verification not implemented)	48
Sympy [F]	49
Maxima [B] (verification not implemented)	50
Giac [F]	51
Mupad [F(-1)]	51
Reduce [F]	51

#### Optimal result

Integrand size = 18, antiderivative size = 227

$$\begin{aligned} \int (c + dx)^3(a + a \sec(e + fx)) dx = & \frac{a(c + dx)^4}{4d} - \frac{2ia(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{3iad(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{3iad(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{6ad^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{6ad^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\ & - \frac{6iad^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\ & + \frac{6iad^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \end{aligned}$$

output

```
1/4*a*(d*x+c)^4/d-2*I*a*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*I*a*d*(d*x+c)
^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-3*I*a*d*(d*x+c)^2*polylog(2,I*exp(I*(f
*x+e)))/f^2-6*a*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+6*a*d^2*(d*x+
c)*polylog(3,I*exp(I*(f*x+e)))/f^3-6*I*a*d^3*polylog(4,-I*exp(I*(f*x+e)))/
f^4+6*I*a*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4
```

**Mathematica [A] (verified)**

Time = 0.08 (sec) , antiderivative size = 218, normalized size of antiderivative = 0.96

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = a \left( \frac{(c + dx)^4}{4d} - \frac{2i(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \right. \\ \left. + \frac{3id(f^2(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)}) + 2idf(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)}) - 2d^2 \text{PolyLog}(4, -ie^{i(e+fx)}))}{f^4} \right. \\ \left. + \frac{3d(-if^2(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)}) + 2d(f(c + dx) \text{PolyLog}(3, ie^{i(e+fx)}) + id \text{PolyLog}(4, ie^{i(e+fx)})))}{f^4} \right)$$

input `Integrate[(c + d*x)^3*(a + a*Sec[e + f*x]), x]`

output  $a*((c + d*x)^4/(4*d) - ((2*I)*(c + d*x)^3 \text{ArcTan}[E^{(I*(e + f*x))}])/f + ((3*I)*d*(f^2*(c + d*x)^2 \text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}] + (2*I)*d*f*(c + d*x)*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] - 2*d^2 \text{PolyLog}[4, (-I)*E^{(I*(e + f*x))}]))/f^4 + (3*d*((-I)*f^2*(c + d*x)^2 \text{PolyLog}[2, I*E^{(I*(e + f*x))}] + 2*d*(f*(c + d*x)*\text{PolyLog}[3, I*E^{(I*(e + f*x))}] + I*d*\text{PolyLog}[4, I*E^{(I*(e + f*x))}])))/f^4)$

**Rubi [A] (verified)**

Time = 0.46 (sec) , antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (c + dx)^3 (a \sec(e + fx) + a) dx \xrightarrow{3042} \int (c + dx)^3 \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right) dx \xrightarrow{4678}$$

$$\begin{aligned}
 & \int (a(c+dx)^3 \sec(e+fx) + a(c+dx)^3) dx \\
 & \quad \downarrow \text{2009} \\
 & -\frac{2ia(c+dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \\
 & \frac{6ad^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \frac{3iad(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a(c+dx)^4}{4d} - \frac{6iad^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \\
 & \frac{6iad^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}
 \end{aligned}$$

input `Int[(c + d*x)^3*(a + a*Sec[e + f*x]), x]`

output `(a*(c + d*x)^4)/(4*d) - ((2*I)*a*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((3*I)*a*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((3*I)*a*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (6*a*d^2*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (6*a*d^2*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))])/f^3 - ((6*I)*a*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + ((6*I)*a*d^3*PolyLog[4, I*E^(I*(e + f*x))])/f^4`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 755 vs.  $2(200) = 400$ .

Time = 0.45 (sec) , antiderivative size = 756, normalized size of antiderivative = 3.33

method	result
risch	$\frac{ad^3x^4}{4} + \frac{ac^4}{4d} + ad^2cx^3 + \frac{3ad^2c^2x^2}{2} + ac^3x - \frac{ae^3d^3 \ln(1+ie^{i(fx+e)})}{f^4} - \frac{6ad^3 \operatorname{polylog}(3, -ie^{i(fx+e)})x}{f^3} + \frac{6ad^3 \operatorname{polylog}(4, -ie^{i(fx+e)})}{f^2}$

```
input int((d*x+c)^3*(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)
```

```

output 1/4*a*d^3*x^4+1/4*a/d*c^4-1/f^4*a*e^3*d^3*ln(1+I*exp(I*(f*x+e)))-6/f^3*a*d^3*polylog(3,-I*exp(I*(f*x+e)))*x+6/f^3*a*d^3*polylog(3,I*exp(I*(f*x+e)))*x-6/f^3*a*d^2*c*polylog(3,-I*exp(I*(f*x+e)))+6/f^3*a*d^2*c*polylog(3,I*exp(I*(f*x+e)))+1/f^4*a*e^3*d^3*ln(1-I*exp(I*(f*x+e)))-1/f*a*d^3*ln(1+I*exp(I*(f*x+e)))*x^3+1/f*a*d^3*ln(1-I*exp(I*(f*x+e)))*x^3-2*I/f*a*c^3*arctan(exp(I*(f*x+e)))-3/f*a*d^2*c*ln(1+I*exp(I*(f*x+e)))*x^2+3/f*a*d^2*c*ln(1-I*exp(I*(f*x+e)))*x^2+3/f*a*c^2*d*ln(1-I*exp(I*(f*x+e)))*x+3/f^2*a*c^2*d*ln(1-I*exp(I*(f*x+e)))*e-3/f^3*a*e^2*c*d^2*ln(1-I*exp(I*(f*x+e)))-3/f*a*c^2*d*ln(1+I*exp(I*(f*x+e)))*x-3/f^2*a*c^2*d*ln(1+I*exp(I*(f*x+e)))*e+3/f^3*a*e^2*c*d^2*ln(1+I*exp(I*(f*x+e)))+2*I/f^4*a*d^3*e^3*arctan(exp(I*(f*x+e)))-3*I/f^2*a*c^2*d*polylog(2,I*exp(I*(f*x+e)))+3*I/f^2*a*c^2*d*polylog(2,-I*exp(I*(f*x+e)))+3*I/f^2*a*d^3*polylog(2,-I*exp(I*(f*x+e)))*x^2-3*I/f^2*a*d^3*polylog(2,I*exp(I*(f*x+e)))*x^2+a*d^2*c*x^3+3/2*a*d*c^2*x^2+a*c^3*x+6*I*a*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4-6*I*a*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+6*I/f^2*a*d^2*c*polylog(2,-I*exp(I*(f*x+e)))*x-6*I/f^2*a*d^2*c*polylog(2,I*exp(I*(f*x+e)))*x-6*I/f^3*a*c*d^2*e^2*arctan(exp(I*(f*x+e)))+6*I/f^2*a*c^2*d*e*arctan(exp(I*(f*x+e)))

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1085 vs.  $2(187) = 374$ .

Time = 0.14 (sec) , antiderivative size = 1085, normalized size of antiderivative = 4.78

$$\int (c + dx)^3 (a + a \sec(e + fx)) dx = \text{Too large to display}$$

```
input integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="fricas")
```

```

output 1/4*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x
+ 12*I*a*d^3*polylog(4, I*cos(f*x + e) + sin(f*x + e)) + 12*I*a*d^3*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 12*I*a*d^3*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 12*I*a*d^3*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 6*(I*a*d^3*f^2*x^2 + 2*I*a*c*d^2*f^2*x + I*a*c^2*d*f^2)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 6*(I*a*d^3*f^2*x^2 + 2*I*a*c*d^2*f^2*x + I*a*c^2*d*f^2)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 6*(-I*a*d^3*f^2*x^2 - 2*I*a*c*d^2*f^2*x - I*a*c^2*d*f^2)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*a*d^3*f^2*x^2 - 2*I*a*c*d^2*f^2*x - I*a*c^2*d*f^2)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2 - a*c^3*f^3)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 2*(a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2)*log(cos(f*x + e) - I*sin(f*x + e) + I) +
2*(a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*d^3*e^3 - 3*a*c*d^2*e^2*f + 3*a*c^2*d*e*f^2)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - 2*(a*d...

```

# Sympy [F]

$$\begin{aligned} \int (c + dx)^3 (a + a \sec(e + fx)) dx &= a \left( \int c^3 dx + \int c^3 \sec(e + fx) dx + \int d^3 x^3 dx \right. \\ &\quad + \int 3cd^2x^2 dx + \int 3c^2dx dx \\ &\quad + \int d^3 x^3 \sec(e + fx) dx \\ &\quad + \int 3cd^2x^2 \sec(e + fx) dx \\ &\quad \left. + \int 3c^2dx \sec(e + fx) dx \right) \end{aligned}$$

```
input integrate((d*x+c)**3*(a+a*sec(f*x+e)),x)
```

output

```
a*(Integral(c**3, x) + Integral(c**3*sec(e + f*x), x) + Integral(d**3*x**3, x) + Integral(3*c*d**2*x**2, x) + Integral(3*c**2*d*x, x) + Integral(d**3*x**3*sec(e + f*x), x) + Integral(3*c*d**2*x**2*sec(e + f*x), x) + Integral(3*c**2*d*x*sec(e + f*x), x))
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 936 vs.  $2(187) = 374$ .

Time = 0.23 (sec) , antiderivative size = 936, normalized size of antiderivative = 4.12

$$\int (c + dx)^3(a + a \sec(e + fx)) dx = \text{Too large to display}$$

input

```
integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="maxima")
```

output

```
1/4*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3
+ 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3
*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2
+ 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f + 4*a*c^3*log(sec(f*
x + e) + tan(f*x + e)) - 4*a*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3
+ 12*a*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*a*c^2*d*e*log(s
ec(f*x + e) + tan(f*x + e))/f + 2*(12*I*a*d^3*polylog(4, I*e^(I*f*x + I*e)
) - 12*I*a*d^3*polylog(4, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^3*a*d^3 +
3*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e)^2 + 3*(I*a*d^3*e^2 - 2*I*a*c*d^2*e*f
+ I*a*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*(I*
(f*x + e)^3*a*d^3 + 3*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e)^2 + 3*(I*a*d^
3*e^2 - 2*I*a*c*d^2*e*f + I*a*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e),
-sin(f*x + e) + 1) - 6*(I*(f*x + e)^2*a*d^3 + I*a*d^3*e^2 - 2*I*a*c*d^2*e*f
+ I*a*c^2*d*f^2 + 2*(-I*a*d^3*e + I*a*c*d^2*f)*(f*x + e))*dilog(I*e^(I*f*
x + I*e)) - 6*(-I*(f*x + e)^2*a*d^3 - I*a*d^3*e^2 + 2*I*a*c*d^2*e*f - I*a
*c^2*d*f^2 + 2*(I*a*d^3*e - I*a*c*d^2*f)*(f*x + e))*dilog(-I*e^(I*f*x + I*
e)) + ((f*x + e)^3*a*d^3 - 3*(a*d^3*e - a*c*d^2*f)*(f*x + e)^2 + 3*(a*d^3*
e^2 - 2*a*c*d^2*e*f + a*c^2*d*f^2)*(f*x + e))*log(cos(f*x + e)^2 + sin(f*x
+ e)^2 + 2*sin(f*x + e) + 1) - ((f*x + e)^3*a*d^3 - 3*(a*d^3*e - a*c*d^2*f)...
f)*(f*x + e)^2 + 3*(a*d^3*e^2 - 2*a*c*d^2*e*f + a*c^2*d*f^2)*(f*x + e))...
```

**Giac [F]**

$$\int (c + dx)^3(a + a \sec(e + fx)) dx = \int (dx + c)^3(a \sec(fx + e) + a) dx$$

input `integrate((d*x+c)^3*(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^3*(a*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^3(a + a \sec(e + fx)) dx = \int \left( a + \frac{a}{\cos(e + fx)} \right) (c + dx)^3 dx$$

input `int((a + a/cos(e + f*x))*(c + d*x)^3,x)`

output `int((a + a/cos(e + f*x))*(c + d*x)^3, x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)^3(a + a \sec(e + fx)) dx \\ &= \frac{a \left( -4 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^3}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) d^3 f - 12 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) c d^2 f - 12 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) c^2 df - 2 \log(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)) c^2 d^2 f \right)}{2f} \end{aligned}$$

input `int((d*x+c)^3*(a+a*sec(f*x+e)),x)`

```
output (a*(- 4*int((tan((e + f*x)/2)**2*x**3)/(tan((e + f*x)/2)**2 - 1),x)*d**3*f - 12*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2 - 1),x)*c*d**2*f - 12*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2 - 1),x)*c**2*d*f - 2*log(tan((e + f*x)/2) - 1)*c**3 + 2*log(tan((e + f*x)/2) + 1)*c**3 + 2*c**3*f*x + 6*c**2*d*f*x**2 + 4*c*d**2*f*x**3 + d**3*f*x**4))/(2*f)
```

## 3.2 $\int (c + dx)^2(a + a \sec(e + fx)) dx$

Optimal result	53
Mathematica [A] (verified)	54
Rubi [A] (verified)	54
Maple [B] (verified)	56
Fricas [B] (verification not implemented)	56
Sympy [F]	57
Maxima [B] (verification not implemented)	58
Giac [F]	58
Mupad [F(-1)]	59
Reduce [F]	59

### Optimal result

Integrand size = 18, antiderivative size = 157

$$\begin{aligned} \int (c + dx)^2(a + a \sec(e + fx)) dx = & \frac{a(c + dx)^3}{3d} - \frac{2ia(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{2iad(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{2iad(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{2ad^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{2ad^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \end{aligned}$$

output

```
1/3*a*(d*x+c)^3/d-2*I*a*(d*x+c)^2*arctan(exp(I*(f*x+e)))/f+2*I*a*d*(d*x+c)*polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*a*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e)))/f^2-2*a*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+2*a*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3
```

**Mathematica [A] (verified)**

Time = 0.10 (sec) , antiderivative size = 151, normalized size of antiderivative = 0.96

$$\begin{aligned} & \int (c + dx)^2 (a + a \sec(e + fx)) dx \\ &= a \left( \frac{(c + dx)^3}{3d} - \frac{2i(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \right. \\ & \quad + \frac{2id(f(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})) + id \operatorname{PolyLog}(3, -ie^{i(e+fx)}))}{f^3} \\ & \quad \left. + \frac{2d(-if(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})) + d \operatorname{PolyLog}(3, ie^{i(e+fx)}))}{f^3} \right) \end{aligned}$$

input `Integrate[(c + d*x)^2*(a + a*Sec[e + f*x]),x]`

output  $a*((c + d*x)^3/(3*d) - ((2*I)*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + ((2*I)*d*(f*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))]) + I*d*PolyLog[3, (-I)*E^(I*(e + f*x))]))/f^3 + (2*d*((-I)*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))]) + d*PolyLog[3, I*E^(I*(e + f*x))]))/f^3$

**Rubi [A] (verified)**

Time = 0.36 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.167, Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)^2 (a \sec(e + fx) + a) dx \\ & \downarrow \textcolor{blue}{3042} \\ & \int (c + dx)^2 \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right) dx \\ & \downarrow \textcolor{blue}{4678} \end{aligned}$$

$$\begin{aligned}
 & \int (a(c+dx)^2 \sec(e+fx) + a(c+dx)^2) dx \\
 & \quad \downarrow \text{2009} \\
 & -\frac{2ia(c+dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2iad(c+dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \frac{2iad(c+dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a(c+dx)^3}{3d} - \frac{2ad^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \\
 & \frac{2ad^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}
 \end{aligned}$$

input `Int[(c + d*x)^2*(a + a*Sec[e + f*x]), x]`

output `(a*(c + d*x)^3)/(3*d) - ((2*I)*a*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + ((2*I)*a*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*a*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (2*a*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*a*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 439 vs.  $2(138) = 276$ .

Time = 0.22 (sec) , antiderivative size = 440, normalized size of antiderivative = 2.80

method	result
risch	$\frac{ad^2x^3}{3} + adcx^2 + ac^2x + \frac{ac^3}{3d} - \frac{2ad^2 \operatorname{polylog}(3, -ie^{i(fx+e)})}{f^3} + \frac{2ad^2 \operatorname{polylog}(3, ie^{i(fx+e)})}{f^3} - \frac{2ia c^2 \arctan(e^{i(fx+e)})}{f}$

input `int((d*x+c)^2*(a+a*sec(f*x+e)),x,method=_RETURNVERBOSE)`

output 
$$\begin{aligned} & 1/3*a*d^2*x^3+a*d*c*x^2+a*c^2*x+1/3*a/d*c^3-2*a*d^2*\operatorname{polylog}(3, -I*\exp(I*(f*x+e)))/f^3+2*a*d^2*\operatorname{polylog}(3, I*\exp(I*(f*x+e)))/f^3-2*I/f*a*c^2*\arctan(\exp(I*(f*x+e)))-2*I/f^2*a*d^2*\operatorname{polylog}(2, I*\exp(I*(f*x+e)))*x+1/f*a*d^2*\ln(1-I*\exp(I*(f*x+e)))*x^2-1/f*a*d^2*\ln(1+I*\exp(I*(f*x+e)))*x^2+2*I/f^2*a*c*d*\operatorname{polylog}(2, -I*\exp(I*(f*x+e)))+2/f*a*c*d*\ln(1-I*\exp(I*(f*x+e)))*x-1/f^3*a*e^2*d^2*\ln(1-I*\exp(I*(f*x+e)))-2*I/f^2*a*c*d*\operatorname{polylog}(2, I*\exp(I*(f*x+e)))+2*I/f^2*a*d^2*\operatorname{polylog}(2, -I*\exp(I*(f*x+e)))*x+4*I/f^2*a*c*d*e*\arctan(\exp(I*(f*x+e)))-2/f*a*c*d*\ln(1+I*\exp(I*(f*x+e)))*x+1/f^3*a*e^2*d^2*\ln(1+I*\exp(I*(f*x+e)))-2/f^2*a*c*d*\ln(1+I*\exp(I*(f*x+e)))*e+2/f^2*a*c*d*\ln(1-I*\exp(I*(f*x+e)))*e-2*I/f^3*a*d^2*e^2*\arctan(\exp(I*(f*x+e))) \end{aligned}$$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 675 vs.  $2(129) = 258$ .

Time = 0.12 (sec) , antiderivative size = 675, normalized size of antiderivative = 4.30

$$\int (c + dx)^2(a + a \sec(e + fx)) dx = \text{Too large to display}$$

input `integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="fricas")`

output

```
1/6*(2*a*d^2*f^3*x^3 + 6*a*c*d*f^3*x^2 + 6*a*c^2*f^3*x - 6*a*d^2*polylog(3, I*cos(f*x + e) + sin(f*x + e)) + 6*a*d^2*polylog(3, I*cos(f*x + e) - sin(f*x + e)) - 6*a*d^2*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) + 6*a*d^2*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) - 6*(I*a*d^2*f*x + I*a*c*d*f)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 6*(I*a*d^2*f*x + I*a*c*d*f)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*a*d^2*f*x - I*a*c*d*f)*dilog(-I*cos(f*x + e) - sin(f*x + e)) + 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(cos(f*x + e) + I*sin(f*x + e) + I) - 3*(a*d^2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*2*e^2 + 2*a*c*d*e*f)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*2*e^2 + 2*a*c*d*e*f)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*2*e^2 + 2*a*c*d*e*f)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x - a*d^2*2*e^2 + 2*a*c*d*e*f)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) + 3*(a*d^2*2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(-cos(f*x + e) + I*sin(f*x + e) + I) - 3*(a*d^2*2*e^2 - 2*a*c*d*e*f + a*c^2*f^2)*log(-cos(f*x + e) - I*sin(f*x + e) + I))/f^3
```

## Sympy [F]

$$\begin{aligned} \int (c + dx)^2(a + a \sec(e + fx)) dx = a & \left( \int c^2 dx + \int c^2 \sec(e + fx) dx + \int d^2 x^2 dx \right. \\ & + \int 2cdx dx + \int d^2 x^2 \sec(e + fx) dx \\ & \left. + \int 2cdx \sec(e + fx) dx \right) \end{aligned}$$

input

```
integrate((d*x+c)**2*(a+a*sec(f*x+e)),x)
```

output

```
a*(Integral(c**2, x) + Integral(c**2*sec(e + fx), x) + Integral(d**2*x**2, x) + Integral(2*c*d*x, x) + Integral(d**2*x**2*sec(e + fx), x) + Integral(2*c*d*x*sec(e + fx), x))
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs.  $2(129) = 258$ .

Time = 0.20 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.29

$$\int (c + dx)^2(a + a \sec(e + fx)) dx \\ = \frac{6(fx + e)ac^2 + \frac{2(fx+e)^3ad^2}{f^2} - \frac{6(fx+e)^2ad^2e}{f^2} + \frac{6(fx+e)ad^2e^2}{f^2} + \frac{6(fx+e)^2acd}{f} - \frac{12(fx+e)acde}{f} + 6ac^2 \log(\sec(fx + e)))}{f}$$

input `integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="maxima")`

output 
$$\begin{aligned} & 1/6*(6*(fx + e)*a*c^2 + 2*(fx + e)^3*a*d^2/f^2 - 6*(fx + e)^2*a*d^2*e/f \\ & \sim 2 + 6*(fx + e)*a*d^2*2*e^2/f^2 + 6*(fx + e)^2*a*c*d/f - 12*(fx + e)*a*c* \\ & d*e/f + 6*a*c^2*log(\sec(fx + e) + \tan(fx + e)) + 6*a*d^2*2*e^2*log(\sec(fx \\ & + e) + \tan(fx + e))/f^2 - 12*a*c*d*e*log(\sec(fx + e) + \tan(fx + e))/f \\ & + 3*(4*a*d^2*polylog(3, I*e^(I*fx + I*e)) - 4*a*d^2*polylog(3, -I*e^(I*fx \\ & + I*e)) - 2*(I*(fx + e)^2*a*d^2 + 2*(-I*a*d^2*2*e + I*a*c*d*f)*(fx + e)) \\ & *arctan2(\cos(fx + e), \sin(fx + e) + 1) - 2*(I*(fx + e)^2*a*d^2 + 2*(-I* \\ & a*d^2*2*e + I*a*c*d*f)*(fx + e))*arctan2(\cos(fx + e), -\sin(fx + e) + 1) - \\ & 4*(I*(fx + e)*a*d^2 - I*a*d^2*2*e + I*a*c*d*f)*dilog(I*e^(I*fx + I*e)) - \\ & 4*(-I*(fx + e)*a*d^2 + I*a*d^2*2*e - I*a*c*d*f)*dilog(-I*e^(I*fx + I*e)) + \\ & ((fx + e)^2*a*d^2 - 2*(a*d^2*2*e - a*c*d*f)*(fx + e))*log(\cos(fx + e)^2 \\ & + \sin(fx + e)^2 + 2*\sin(fx + e) + 1) - ((fx + e)^2*a*d^2 - 2*(a*d^2*2*e - \\ & a*c*d*f)*(fx + e))*log(\cos(fx + e)^2 + \sin(fx + e)^2 - 2*\sin(fx + e) \\ & + 1))/f^2) \end{aligned}$$

## Giac [F]

$$\int (c + dx)^2(a + a \sec(e + fx)) dx = \int (dx + c)^2(a \sec(fx + e) + a) dx$$

input `integrate((d*x+c)^2*(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^2*(a*sec(f*x + e) + a), x)`

### Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2(a + a \sec(e + fx)) dx = \int \left( a + \frac{a}{\cos(e + fx)} \right) (c + dx)^2 dx$$

input `int((a + a/cos(e + f*x))*(c + d*x)^2, x)`

output `int((a + a/cos(e + f*x))*(c + d*x)^2, x)`

### Reduce [F]

$$\begin{aligned} & \int (c + dx)^2(a + a \sec(e + fx)) dx \\ &= \frac{a \left( -6 \left( \int \frac{\tan(\frac{fx}{2} + \frac{e}{2})^2 x^2}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) d^2 f - 12 \left( \int \frac{\tan(\frac{fx}{2} + \frac{e}{2})^2 x}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) c d f - 3 \log(\tan(\frac{fx}{2} + \frac{e}{2}) - 1) c^2 + 3 \log(\tan(\frac{fx}{2} + \frac{e}{2}) + 1) c^2 \right)}{3f} \end{aligned}$$

input `int((d*x+c)^2*(a+a*sec(f*x+e)),x)`

output `(a*(- 6*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2 - 1),x)*d**2*f - 12*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2 - 1),x)*c*d*f - 3*log(tan((e + f*x)/2) - 1)*c**2 + 3*log(tan((e + f*x)/2) + 1)*c**2 + 3*c**2*f*x + 6*c*d*f*x**2 + 2*d**2*f*x**3))/(3*f)`

### 3.3 $\int (c + dx)(a + a \sec(e + fx)) dx$

Optimal result	60
Mathematica [A] (verified)	60
Rubi [A] (verified)	61
Maple [A] (verified)	62
Fricas [B] (verification not implemented)	63
Sympy [F]	63
Maxima [F]	64
Giac [F]	64
Mupad [F(-1)]	64
Reduce [F]	65

#### Optimal result

Integrand size = 16, antiderivative size = 93

$$\begin{aligned} \int (c + dx)(a + a \sec(e + fx)) dx = & \frac{a(c + dx)^2}{2d} - \frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} \\ & + \frac{iad \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{iad \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \end{aligned}$$

output  $1/2*a*(d*x+c)^2/d-2*I*a*(d*x+c)*\arctan(\exp(I*(f*x+e)))/f+I*a*d*\operatorname{polylog}(2,-I*\exp(I*(f*x+e)))/f^2-I*a*d*\operatorname{polylog}(2,I*\exp(I*(f*x+e)))/f^2$

#### Mathematica [A] (verified)

Time = 0.04 (sec), antiderivative size = 87, normalized size of antiderivative = 0.94

$$\begin{aligned} & \int (c + dx)(a + a \sec(e + fx)) dx \\ &= \frac{a(f(fx(2c + dx) - 4i(c + dx) \arctan(e^{i(e+fx)})) + 2id \operatorname{PolyLog}(2, -ie^{i(e+fx)}) - 2id \operatorname{PolyLog}(2, ie^{i(e+fx)}))}{2f^2} \end{aligned}$$

input `Integrate[(c + d*x)*(a + a*Sec[e + f*x]), x]`

output 
$$(a*(f*(f*x*(2*c + d*x) - (4*I)*(c + d*x)*ArcTan[E^(I*(e + f*x))]) + (2*I)*d*PolyLog[2, (-I)*E^(I*(e + f*x))] - (2*I)*d*PolyLog[2, I*E^(I*(e + f*x))])/((2*f^2)$$

## Rubi [A] (verified)

Time = 0.28 (sec), antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)(a \sec(e + fx) + a) dx \\ & \quad \downarrow \textcolor{blue}{3042} \\ & \int (c + dx) \left( a \csc \left( e + fx + \frac{\pi}{2} \right) + a \right) dx \\ & \quad \downarrow \textcolor{blue}{4678} \\ & \int (a(c + dx) \sec(e + fx) + a(c + dx)) dx \\ & \quad \downarrow \textcolor{blue}{2009} \\ & - \frac{2ia(c + dx) \arctan(e^{i(e+fx)})}{f} + \frac{a(c + dx)^2}{2d} + \frac{iad \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\ & \quad \frac{iad \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \end{aligned}$$

input 
$$\operatorname{Int}[(c + d*x)*(a + a*\operatorname{Sec}[e + f*x]), x]$$

output 
$$(a*(c + d*x)^2/(2*d) - ((2*I)*a*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (I*a*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*a*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4678  $\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\csc[e + f*x])^n, x], \ x] /; \ \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \& \ \text{IGtQ}[m, 0] \ \& \ \text{IGtQ}[n, 0]$

### Maple [A] (verified)

Time = 0.08 (sec), antiderivative size = 142, normalized size of antiderivative = 1.53

method	result
parts	$a(\frac{1}{2}dx^2 + cx) + \frac{a \left( \frac{d(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)})+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)})}{f} \right)}{f}$
derivativedivides	$\frac{ac(fx+e)-\frac{ade(fx+e)}{f}+\frac{ad(fx+e)^2}{2f}+ac\ln(\sec(fx+e)+\tan(fx+e))-\frac{ade\ln(\sec(fx+e)+\tan(fx+e))}{f}+\frac{ad(-(fx+e)\ln(1+ie^{i(fx+e)})}{f}}{f}$
default	$\frac{ac(fx+e)-\frac{ade(fx+e)}{f}+\frac{ad(fx+e)^2}{2f}+ac\ln(\sec(fx+e)+\tan(fx+e))-\frac{ade\ln(\sec(fx+e)+\tan(fx+e))}{f}+\frac{ad(-(fx+e)\ln(1+ie^{i(fx+e)})}{f}}{f}$
risch	$\frac{adx^2}{2} + acx - \frac{2iac\arctan(e^{i(fx+e)})}{f} - \frac{ad\ln(1+ie^{i(fx+e)})x}{f} - \frac{ad\ln(1+ie^{i(fx+e)})e}{f^2} + \frac{ad\ln(1-ie^{i(fx+e)})x}{f}$

input  $\text{int}((d*x+c)*(a+a*\sec(f*x+e)), x, \text{method}=\text{_RETURNVERBOSE})$

output  $a*(1/2*d*x^2+c*x)+a/f*(1/f*d*(-(f*x+e)*\ln(1+I*\exp(I*(f*x+e)))+(f*x+e)*\ln(1-I*\exp(I*(f*x+e)))+I*\operatorname{dilog}(1+I*\exp(I*(f*x+e)))-I*\operatorname{dilog}(1-I*\exp(I*(f*x+e)))+c*\ln(\sec(f*x+e)+\tan(f*x+e))-e/f*d*\ln(\sec(f*x+e)+\tan(f*x+e)))$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 343 vs.  $2(73) = 146$ .

Time = 0.11 (sec) , antiderivative size = 343, normalized size of antiderivative = 3.69

$$\int (c + dx)(a + a \sec(e + fx)) dx \\ = \frac{adf^2x^2 + 2acf^2x - i ad\text{Li}_2(i \cos(fx + e) + \sin(fx + e)) - i ad\text{Li}_2(i \cos(fx + e) - \sin(fx + e)) + i ad\text{Li}_2(-i \cos(fx + e) + \sin(fx + e)) + i ad\text{Li}_2(-i \cos(fx + e) - \sin(fx + e))}{f^2}$$

input `integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="fricas")`

output  $\frac{1}{2}*(a*d*f^2*x^2 + 2*a*c*f^2*x - I*a*d*\text{dilog}(I*\cos(f*x + e) + \sin(f*x + e)) - I*a*d*\text{dilog}(I*\cos(f*x + e) - \sin(f*x + e)) + I*a*d*\text{dilog}(-I*\cos(f*x + e) + \sin(f*x + e)) + I*a*d*\text{dilog}(-I*\cos(f*x + e) - \sin(f*x + e)) - (a*d*e - a*c*f)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) + (a*d*e - a*c*f)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + (a*d*f*x + a*d*e)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + (a*d*f*x + a*d*e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - (a*d*f*x + a*d*e)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) - (a*d*e - a*c*f)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) + (a*d*e - a*c*f)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I))/f^2$

## Sympy [F]

$$\int (c + dx)(a + a \sec(e + fx)) dx = a \left( \int c dx + \int c \sec(e + fx) dx + \int dx dx + \int dx \sec(e + fx) dx \right)$$

input `integrate((d*x+c)*(a+a*sec(f*x+e)),x)`

output  $a*(\text{Integral}(c, x) + \text{Integral}(c*\sec(e + f*x), x) + \text{Integral}(d*x, x) + \text{Integral}(d*x*\sec(e + f*x), x))$

**Maxima [F]**

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int (dx + c)(a \sec(fx + e) + a) dx$$

input `integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="maxima")`

output `1/2*(a*d*f*x^2 + 2*a*c*f*x + 4*a*d*f*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + a*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - a*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))/f`

**Giac [F]**

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int (dx + c)(a \sec(fx + e) + a) dx$$

input `integrate((d*x+c)*(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)*(a*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)(a + a \sec(e + fx)) dx = \int \left( a + \frac{a}{\cos(e + fx)} \right) (c + dx) dx$$

input `int((a + a/cos(e + f*x))*(c + d*x),x)`

output `int((a + a/cos(e + f*x))*(c + d*x), x)`

## Reduce [F]

$$\begin{aligned}
 & \int (c + dx)(a + a \sec(e + fx)) dx \\
 = & \frac{a \left( -2 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) df - \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) - 1\right) c + \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1\right) c + cfx + df x^2 \right)}{f}
 \end{aligned}$$

input `int((d*x+c)*(a+a*sec(f*x+e)),x)`

output `(a*(-2*int((tan((e+f*x)/2)**2*x)/(tan((e+f*x)/2)**2 - 1),x)*d*f - log(tan((e+f*x)/2) - 1)*c + log(tan((e+f*x)/2) + 1)*c + c*f*x + d*f*x**2))/f`

**3.4**       $\int \frac{a+a \sec(e+fx)}{c+dx} dx$

Optimal result . . . . .	66
Mathematica [N/A] . . . . .	66
Rubi [N/A] . . . . .	67
Maple [N/A] . . . . .	68
Fricas [N/A] . . . . .	68
Sympy [N/A] . . . . .	68
Maxima [N/A] . . . . .	69
Giac [N/A] . . . . .	69
Mupad [N/A] . . . . .	69
Reduce [N/A] . . . . .	70

## Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \text{Int}\left(\frac{a + a \sec(e + fx)}{c + dx}, x\right)$$

output `Defer(Int)((a+a*sec(f*x+e))/(d*x+c),x)`

## Mathematica [N/A]

Not integrable

Time = 4.86 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a + a \sec(e + fx)}{c + dx} dx$$

input `Integrate[(a + a*Sec[e + f*x])/ (c + d*x), x]`

output `Integrate[(a + a*Sec[e + f*x])/ (c + d*x), x]`

## Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{a \sec(e + fx) + a}{c + dx} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{a \csc(e + fx + \frac{\pi}{2}) + a}{c + dx} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{a \sec(e + fx) + a}{c + dx} dx \end{aligned}$$

input `Int[(a + a*Sec[e + f*x])/(c + d*x), x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + a \sec(fx + e)}{dx + c} dx$$

input `int((a+a*sec(f*x+e))/(d*x+c),x)`

output `int((a+a*sec(f*x+e))/(d*x+c),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="fricas")`

output `integral((a*sec(f*x + e) + a)/(d*x + c), x)`

**Sympy [N/A]**

Not integrable

Time = 0.63 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = a \left( \int \frac{\sec(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

input `integrate((a+a*sec(f*x+e))/(d*x+c),x)`

output `a*(Integral(sec(e + f*x)/(c + d*x), x) + Integral(1/(c + d*x), x))`

**Maxima [N/A]**

Not integrable

Time = 0.30 (sec) , antiderivative size = 116, normalized size of antiderivative = 6.44

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="maxima")`

output `(2*a*d*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/((d*x + c)*cos(2*f*x + 2*e)^2 + (d*x + c)*sin(2*f*x + 2*e)^2 + d*x + 2*(d*x + c)*cos(2*f*x + 2*e) + c), x) + a*log(d*x + c))/d`

**Giac [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c),x, algorithm="giac")`

output `integrate((a*sec(f*x + e) + a)/(d*x + c), x)`

**Mupad [N/A]**

Not integrable

Time = 15.12 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = \int \frac{a + \frac{a}{\cos(e+fx)}}{c + dx} dx$$

input `int((a + a/cos(e + f*x))/(c + d*x),x)`

output `int((a + a/cos(e + f*x))/(c + d*x), x)`

## Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.89

$$\int \frac{a + a \sec(e + fx)}{c + dx} dx = a \left( \int \frac{1}{\cos(fx + e) c + \cos(fx + e) dx} dx + \int \frac{1}{dx + c} dx \right)$$

input `int((a+a*sec(f*x+e))/(d*x+c),x)`

output `a*(int(1/(\cos(e + f*x)*c + cos(e + f*x)*d*x),x) + int(1/(c + d*x),x))`

**3.5**       $\int \frac{a+a \sec(e+fx)}{(c+dx)^2} dx$

Optimal result . . . . .	71
Mathematica [N/A] . . . . .	71
Rubi [N/A] . . . . .	72
Maple [N/A] . . . . .	73
Fricas [N/A] . . . . .	73
Sympy [N/A] . . . . .	73
Maxima [N/A] . . . . .	74
Giac [N/A] . . . . .	74
Mupad [N/A] . . . . .	75
Reduce [N/A] . . . . .	75

## Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \text{Int}\left(\frac{a + a \sec(e + fx)}{(c + dx)^2}, x\right)$$

output `Defer(Int)((a+a*sec(f*x+e))/(d*x+c)^2,x)`

## Mathematica [N/A]

Not integrable

Time = 3.96 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx$$

input `Integrate[(a + a*Sec[e + f*x])/(c + d*x)^2, x]`

output `Integrate[(a + a*Sec[e + f*x])/(c + d*x)^2, x]`

## Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{a \sec(e + fx) + a}{(c + dx)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{a \csc(e + fx + \frac{\pi}{2}) + a}{(c + dx)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{a \sec(e + fx) + a}{(c + dx)^2} dx \end{aligned}$$

input `Int[(a + a*Sec[e + f*x])/(c + d*x)^2, x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc((e_) + (f_)*(x_))*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + a \sec(fx + e)}{(dx + c)^2} dx$$

input `int((a+a*sec(f*x+e))/(d*x+c)^2,x)`

output `int((a+a*sec(f*x+e))/(d*x+c)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.72

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="fricas")`

output `integral((a*sec(f*x + e) + a)/(d^2*x^2 + 2*c*d*x + c^2), x)`

**Sympy [N/A]**

Not integrable

Time = 2.47 (sec) , antiderivative size = 46, normalized size of antiderivative = 2.56

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = a \left( \int \frac{\sec(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

input `integrate((a+a*sec(f*x+e))/(d*x+c)**2,x)`

output  $a * (\text{Integral}(\sec(e + fx) / (c^{**2} + 2*c*d*x + d^{**2}*x^{**2}), x) + \text{Integral}(1 / (c^{**2} + 2*c*d*x + d^{**2}*x^{**2}), x))$

## Maxima [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 172, normalized size of antiderivative = 9.56

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="maxima")`

output  $(2*(a*d^{**2}*x + a*c*d)*\text{integrate}((\cos(2*f*x + 2*e)*\cos(f*x + e) + \sin(2*f*x + 2*e)*\sin(f*x + e) + \cos(f*x + e))/(\text{d}^{**2}*\text{x}^{**2} + 2*c*d*x + (\text{d}^{**2}*\text{x}^{**2} + 2*c*d*x + c^{**2})*\cos(2*f*x + 2*e)^2 + (\text{d}^{**2}*\text{x}^{**2} + 2*c*d*x + c^{**2})*\sin(2*f*x + 2*e)^2 + c^{**2} + 2*(\text{d}^{**2}*\text{x}^{**2} + 2*c*d*x + c^{**2})*\cos(2*f*x + 2*e)), x) - a)/(\text{d}^{**2}*\text{x} + c*d)$

## Giac [N/A]

Not integrable

Time = 1.47 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))/(d*x+c)^2,x, algorithm="giac")`

output `integrate((a*sec(f*x + e) + a)/(d*x + c)^2, x)`

**Mupad [N/A]**

Not integrable

Time = 15.32 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + \frac{a}{\cos(e+fx)}}{(c + dx)^2} dx$$

input `int((a + a/cos(e + f*x))/(c + d*x)^2,x)`

output `int((a + a/cos(e + f*x))/(c + d*x)^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 82, normalized size of antiderivative = 4.56

$$\begin{aligned} & \int \frac{a + a \sec(e + fx)}{(c + dx)^2} dx \\ &= \frac{a \left( \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) c^2 f + \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) cd f x - \sec(fx+e) c + dx \right)}{cd(dx+c)} \end{aligned}$$

input `int((a+a*sec(f*x+e))/(d*x+c)^2,x)`

output `(a*(int((sec(e + f*x)*tan(e + f*x))/(c + d*x),x)*c**2*f + int((sec(e + f*x)*tan(e + f*x))/(c + d*x),x)*c*d*f*x - sec(e + f*x)*c + d*x))/(c*d*(c + d*x))`

**3.6**       $\int (c + dx)^3 (a + a \sec(e + fx))^2 dx$ 

Optimal result . . . . .	77
Mathematica [A] (verified) . . . . .	78
Rubi [A] (verified) . . . . .	79
Maple [B] (verified) . . . . .	80
Fricas [B] (verification not implemented)	81
Sympy [F] . . . . .	82
Maxima [B] (verification not implemented) . . . . .	83
Giac [F] . . . . .	84
Mupad [F(-1)] . . . . .	85
Reduce [F] . . . . .	85

## Optimal result

Integrand size = 20, antiderivative size = 371

$$\begin{aligned}
 \int (c + dx)^3 (a + a \sec(e + fx))^2 dx = & -\frac{ia^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} \\
 & - \frac{4ia^2(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{3a^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} \\
 & + \frac{6ia^2d(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{6ia^2d(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{3ia^2d^2(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
 & - \frac{12a^2d^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{12a^2d^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & + \frac{3a^2d^3 \operatorname{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} \\
 & - \frac{12ia^2d^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
 & + \frac{12ia^2d^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
 & + \frac{a^2(c + dx)^3 \tan(e + fx)}{f}
 \end{aligned}$$

output

```

-I*a^2*(d*x+c)^3/f+1/4*a^2*(d*x+c)^4/d-4*I*a^2*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*a^2*d*(d*x+c)^2*ln(1+exp(2*I*(f*x+e)))/f^2+6*I*a^2*d*(d*x+c)^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-6*I*a^2*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)))/f^2-3*I*a^2*d^2*(d*x+c)*polylog(2,-exp(2*I*(f*x+e)))/f^3-12*a^2*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+12*a^2*d^2*(d*x+c)*polylog(3,I*exp(I*(f*x+e)))/f^3+3/2*a^2*d^3*polylog(3,-exp(2*I*(f*x+e)))/f^4-12*I*a^2*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+12*I*a^2*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4+a^2*(d*x+c)^3*tan(f*x+e)/f

```

## Mathematica [A] (verified)

Time = 1.33 (sec) , antiderivative size = 329, normalized size of antiderivative = 0.89

$$\begin{aligned}
 & \int (c + dx)^3 (a + a \sec(e + fx))^2 dx \\
 &= \frac{1}{4} a^2 \left( -\frac{4i(c + dx)^3}{f} + \frac{(c + dx)^4}{d} - \frac{16i(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \right. \\
 &\quad + \frac{24id(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{24id(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 &\quad + \frac{6d(2f^2(c + dx)^2 \log(1 + e^{2i(e+fx)}) - 2idf(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)}) + d^2 \operatorname{PolyLog}(3, -e^{2i(e+fx)}))}{f^4} \\
 &\quad - \frac{48d^2(f(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)}) + id \operatorname{PolyLog}(4, -ie^{i(e+fx)}))}{f^4} \\
 &\quad + \frac{48d^2(f(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)}) + id \operatorname{PolyLog}(4, ie^{i(e+fx)}))}{f^4} \\
 &\quad \left. + \frac{4(c + dx)^3 \tan(e + fx)}{f} \right)
 \end{aligned}$$

input `Integrate[(c + d*x)^3*(a + a*Sec[e + f*x])^2, x]`

output

$$\begin{aligned}
 & (a^2*(((-4*I)*(c + d*x)^3)/f + (c + d*x)^4/d - ((16*I)*(c + d*x)^3 \operatorname{ArcTan}[E^{(I*(e + f*x))}])/f + ((24*I)*d*(c + d*x)^2 \operatorname{PolyLog}[2, (-I)*E^{(I*(e + f*x))}])/f^2 - ((24*I)*d*(c + d*x)^2 \operatorname{PolyLog}[2, I*E^{(I*(e + f*x))}])/f^2 + (6*d*(2*f^2*(c + d*x)^2 \operatorname{Log}[1 + E^{((2*I)*(e + f*x))}] - (2*I)*d*f*(c + d*x) \operatorname{PolyLog}[2, -E^{((2*I)*(e + f*x))}] + d^2 \operatorname{PolyLog}[3, -E^{((2*I)*(e + f*x))}]))/f^4 - (48*d^2*(f*(c + d*x) \operatorname{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] + I*d \operatorname{PolyLog}[4, (-I)*E^{(I*(e + f*x))}]))/f^4 + (48*d^2*(f*(c + d*x) \operatorname{PolyLog}[3, I*E^{(I*(e + f*x))}] + I*d \operatorname{PolyLog}[4, I*E^{(I*(e + f*x))}]))/f^4 + (4*(c + d*x)^3 \operatorname{Tan}[e + f*x])/f))/4
 \end{aligned}$$

## Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (c + dx)^3 (a \sec(e + fx) + a)^2 dx \\
 & \quad \downarrow \text{3042} \\
 & \int (c + dx)^3 \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right)^2 dx \\
 & \quad \downarrow \text{4678} \\
 & \int (a^2(c + dx)^3 \sec^2(e + fx) + 2a^2(c + dx)^3 \sec(e + fx) + a^2(c + dx)^3) dx \\
 & \quad \downarrow \text{2009} \\
 & - \frac{4ia^2(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{3ia^2d^2(c + dx) \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \\
 & \frac{12a^2d^2(c + dx) \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{12a^2d^2(c + dx) \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \\
 & \frac{6ia^2d(c + dx)^2 \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{6ia^2d(c + dx)^2 \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \\
 & \frac{3a^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} + \frac{a^2(c + dx)^3 \tan(e + fx)}{f} - \frac{ia^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} + \\
 & \frac{3a^2d^3 \text{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} - \frac{12ia^2d^3 \text{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \\
 & \quad \frac{12ia^2d^3 \text{PolyLog}(4, ie^{i(e+fx)})}{f^4}
 \end{aligned}$$

input `Int[(c + d*x)^3*(a + a*Sec[e + f*x])^2,x]`

output

$$\begin{aligned} & \frac{(-I)*a^2*(c + d*x)^3}{f} + \frac{a^2*(c + d*x)^4}{(4*d)} - \frac{((4*I)*a^2*(c + d*x)^3*ArcTan[E^((I*(e + f*x))])}{f} + \frac{(3*a^2*d*(c + d*x)^2*Log[1 + E^((2*I)*(e + f*x))])}{f^2} + \frac{((6*I)*a^2*d*(c + d*x)^2*PolyLog[2, (-I)*E^((I*(e + f*x))])}{f^2} - \frac{((3*I)*a^2*d^2*(c + d*x)*PolyLog[2, -E^((2*I)*(e + f*x))])}{f^3} - \frac{(12*a^2*d^2*(c + d*x)*PolyLog[3, (-I)*E^((I*(e + f*x))])}{f^3} + \frac{(12*a^2*d^2*(c + d*x)*PolyLog[3, I*E^((I*(e + f*x))])}{f^3} + \frac{(3*a^2*d^3*PolyLog[3, -E^((2*I)*(e + f*x))])}{(2*f^4)} - \frac{((12*I)*a^2*d^3*PolyLog[4, (-I)*E^((I*(e + f*x))])}{f^4} + \frac{((12*I)*a^2*d^3*PolyLog[4, I*E^((I*(e + f*x))])}{f^4} + \frac{(a^2*(c + d*x)^3*Tan[e + f*x])}{f} \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u\_, x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ /; } \text{SumQ}[u]$

rule 3042  $\text{Int}[u\_, x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] \text{ /; FunctionOfTrigOfLinearQ}[u, x]$

rule 4678  $\text{Int}[(\csc[(e\_) + (f\_)*(x\_)]*(b\_) + (a\_)^{(n\_)})*((c\_) + (d\_)*(x\_)^{(m\_)})^{(n\_)}, x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] \text{ /; FreeQ}[{a, b, c, d, e, f, m}, x] \&& \text{IGtQ}[m, 0] \&& \text{IGtQ}[n, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1516 vs.  $2(334) = 668$ .

Time = 0.43 (sec), antiderivative size = 1517, normalized size of antiderivative = 4.09

method	result	size
risch	Expression too large to display	1517

input  $\text{int}((d*x+c)^3*(a+a*\sec(f*x+e))^2, x, \text{method}=\text{_RETURNVERBOSE})$

output

```

12*I*a^2*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4-12*I*a^2*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+1/4*a^2*d^3*x^4+1/4*a^2/d*c^4-12*I/f^2*a^2*d^2*c*polylog(2,I*exp(I*(f*x+e)))*x-12*I/f^2*a^2*c*d^2*e*x-12*I/f^3*a^2*c*d^2*e^2*arctan(exp(I*(f*x+e)))+12*I/f^2*a^2*c*d^2*c*polylog(2,-I*exp(I*(f*x+e)))*x+6*I/f^2*a^2*d^3*polylog(2,-I*exp(I*(f*x+e)))*x-2-6*I/f^2*a^2*c^2*d*polylog(2,I*exp(I*(f*x+e)))+6*I/f^2*a^2*c^2*d*polylog(2,-I*exp(I*(f*x+e)))-6*I/f*a^2*c*d^2*x^2-6*I/f^3*a^2*d^3*polylog(2,I*exp(I*(f*x+e)))*x-6*I/f^4*a^2*d^3*polylog(2,I*exp(I*(f*x+e)))*e-6*I/f^3*a^2*d^3*polylog(2,-I*exp(I*(f*x+e)))*x-6*I/f^4*a^2*d^3*polylog(2,-I*exp(I*(f*x+e)))*e-3*I/f^3*a^2*c*d^2*polylog(2,-exp(2*I*(f*x+e)))-6*I/f^3*a^2*c^2*e^2*c*d^2+4*I/f^4*a^2*d^3*e^3*arctan(exp(I*(f*x+e)))+6*I/f^3*a^2*d^3*e^2*x+3*I/f^4*a^2*c*d^3*polylog(2,-exp(2*I*(f*x+e)))-12/f^3*a^2*d^3*polylog(3,-I*exp(I*(f*x+e)))*x-2/f^4*a^2*c*d^3*ln(1+I*exp(I*(f*x+e)))+3/f^2*a^2*c^2*d*ln(1+exp(2*I*(f*x+e)))-6/f^2*a^2*c^2*d*ln(exp(I*(f*x+e)))+4*I/f^4*a^2*c^3*d^3-4*I/f*a^2*c^3*arctan(exp(I*(f*x+e)))-2*I/f*a^2*d^3*x^3+6/f^4*a^2*d^3*polylog(3,I*exp(I*(f*x+e)))+6/f^4*a^2*d^3*polylog(3,-I*exp(I*(f*x+e)))+3/f^2*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*x^2+3/f^2*a^2*d^3*ln(1+I*exp(I*(f*x+e)))*e^2-2/f*a^2*d^3*ln(1+I*exp(I*(f*x+e)))*x^2+3/f^4*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*e^2+2/f*a^2*d^3*ln(1-I*exp(I*(f*x+e)))*x^3-6/f^4*a^2*d^3*e^2*ln(exp(I*(f*x+e)))-12/f^3*a^2*d^2*...

```

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1887 vs. 2(318) = 636.

Time = 0.16 (sec) , antiderivative size = 1887, normalized size of antiderivative = 5.09

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

```

output 1/4*(24*I*a^2*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) + sin(f*x + e)) +
24*I*a^2*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 24*I*a
^2*d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 24*I*a
^2*d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 12*(I*a^2
*d^3*f^2*x^2 + I*a^2*c^2*d*f^2 - I*a^2*c*d^2*f + I*(2*a^2*c*d^2*f^2 - a^2*
d^3*f)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 12*(I*a^2*d^
3*f^2*x^2 + I*a^2*c^2*d*f^2 + I*a^2*c*d^2*f + I*(2*a^2*c*d^2*f^2 + a^2*d^3
*f)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 12*(-I*a^2*d^3*f
^2*x^2 - I*a^2*c^2*d*f^2 + I*a^2*c*d^2*f - I*(2*a^2*c*d^2*f^2 - a^2*d^3*f
)*x)*cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 12*(-I*a^2*d^3*f
^2*x^2 - I*a^2*c^2*d*f^2 - I*a^2*c*d^2*f - I*(2*a^2*c*d^2*f^2 + a^2*d^3*f
)*x)*cos(f*x + e)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(2*a^2*d^3*e^3
- 2*a^2*c^3*f^3 - 3*a^2*d^3*e^2 + 3*(2*a^2*c^2*d*e - a^2*c^2*d)*f^2 - 6*(a
^2*c*d^2*e^2 - a^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x +
e) + I) + 2*(2*a^2*d^3*e^3 - 2*a^2*c^3*f^3 + 3*a^2*d^3*e^2 + 3*(2*a^2*c^2
*d*e + a^2*c^2*d)*f^2 - 6*(a^2*c*d^2*e^2 + a^2*c*d^2*e)*f)*cos(f*x + e)*lo
g(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(2*a^2*d^3*f^3*x^3 + 2*a^2*d^3*e^
3 + 6*a^2*c^2*d*e*f^2 - 3*a^2*d^3*e^2 + 3*(2*a^2*c*d^2*f^3 + a^2*d^3*f^2)*
x^2 - 6*(a^2*c*d^2*e^2 - a^2*c*d^2*e)*f + 6*(a^2*c^2*d*f^3 + a^2*c*d^2*f^2
)*x)*cos(f*x + e)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(2*a^2*d^3...
)

```

## Sympy [F]

$$\begin{aligned}
\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = & a^2 \left( \int c^3 dx + \int 2c^3 \sec(e + fx) dx \right. \\
& + \int c^3 \sec^2(e + fx) dx + \int d^3 x^3 dx + \int 3cd^2 x^2 dx \\
& + \int 3c^2 dx dx + \int 2d^3 x^3 \sec(e + fx) dx \\
& + \int d^3 x^3 \sec^2(e + fx) dx \\
& + \int 6cd^2 x^2 \sec(e + fx) dx \\
& + \int 3cd^2 x^2 \sec^2(e + fx) dx \\
& + \int 6c^2 dx \sec(e + fx) dx \\
& \left. + \int 3c^2 dx \sec^2(e + fx) dx \right)
\end{aligned}$$

input `integrate((d*x+c)**3*(a+a*sec(f*x+e))**2,x)`

output `a**2*(Integral(c**3, x) + Integral(2*c**3*sec(e + f*x), x) + Integral(c**3 *sec(e + f*x)**2, x) + Integral(d**3*x**3, x) + Integral(3*c*d**2*x**2, x) + Integral(3*c**2*d*x, x) + Integral(2*d**3*x**3*sec(e + f*x), x) + Integral(d**3*x**3*sec(e + f*x)**2, x) + Integral(6*c*d**2*x**2*sec(e + f*x), x) + Integral(3*c*d**2*x**2*sec(e + f*x)**2, x) + Integral(6*c**2*d*x*sec(e + f*x), x) + Integral(3*c**2*d*x*sec(e + f*x)**2, x))`

### Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 3403 vs.  $2(318) = 636$ .

Time = 0.45 (sec) , antiderivative size = 3403, normalized size of antiderivative = 9.17

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="maxima")`

output

```
1/4*(4*(f*x + e)*a^2*c^3 + (f*x + e)^4*a^2*d^3/f^3 - 4*(f*x + e)^3*a^2*d^3
*e/f^3 + 6*(f*x + e)^2*a^2*d^3*e^2/f^3 - 4*(f*x + e)*a^2*d^3*e^3/f^3 + 4*(f*x + e)^3*a^2*c*d^2/f^2 - 12*(f*x + e)^2*a^2*c*d^2*e/f^2 + 12*(f*x + e)*a^2*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a^2*c^2*d/f - 12*(f*x + e)*a^2*c^2*d^2*e/f + 8*a^2*c^3*log(sec(f*x + e) + tan(f*x + e)) - 8*a^2*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3 + 24*a^2*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 24*a^2*c^2*d*e*log(sec(f*x + e) + tan(f*x + e))/f - 4*(4*a^2*d^3*e^3 - 12*a^2*c*d^2*e^2*f + 12*a^2*c^2*d^2*e*f^2 - 4*a^2*c^3*f^3 + 4*((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e) + ((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 4*((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e) + ((f*x + e)^3*a^2*d^3 - 3*(a^2*d^3*e - a^2*c*d^2*f)*(f*x + e)^2 + 3*(a^2*d^3*e^2 - 2*a^2*c*d^2*e*f + a^2*c^2*d*f^2)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)^3*a^2*d^3 + 3*(-I*a^2*d^3*e + I*a^2*c*d^2*f)*(f*x + e)^2 + 3*(I*a^2*d^3*e^2 - 2*I*a^2*c*d^2*e*f + I*a^2*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e))
```

## Giac [F]

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \int (dx + c)^3 (a \sec(fx + e) + a)^2 dx$$

input

```
integrate((d*x+c)^3*(a+a*sec(f*x+e))^2,x, algorithm="giac")
```

output

```
integrate((d*x + c)^3*(a*sec(f*x + e) + a)^2, x)
```

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^3 (a + a \sec(e + fx))^2 dx = \int \left( a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx)^3 dx$$

input `int((a + a/cos(e + f*x))^2*(c + d*x)^3,x)`

output `int((a + a/cos(e + f*x))^2*(c + d*x)^3, x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)^3 (a + a \sec(e + fx))^2 dx \\ &= \frac{a^2 \left( 4 \cos(fx + e) \left( \int \frac{x^3}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} dx \right) d^3 f + 12 \cos(fx + e) \left( \int \frac{x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} \right. \right.}{\left. \left. dx \right) d^3 f + 12 \cos(fx + e) \left( \int \frac{x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} \right. \right.} \end{aligned}$$

input `int((d*x+c)^3*(a+a*sec(f*x+e))^2,x)`

output `(a**2*(4*cos(e + f*x)*int(x**3/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*d**3*f + 12*cos(e + f*x)*int(x**2/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*c*d**2*f + 12*cos(e + f*x)*int(x/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*c**2*d*f - 2*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*c**3 + 2*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*c**3 + cos(e + f*x)*c**3*f*x + sin(e + f*x)*c**3))/(cos(e + f*x)*f)`

### 3.7 $\int (c + dx)^2(a + a \sec(e + fx))^2 dx$

Optimal result	86
Mathematica [A] (verified)	87
Rubi [A] (verified)	88
Maple [B] (verified)	89
Fricas [B] (verification not implemented)	90
Sympy [F]	91
Maxima [B] (verification not implemented)	92
Giac [F]	93
Mupad [F(-1)]	93
Reduce [F]	93

#### Optimal result

Integrand size = 20, antiderivative size = 262

$$\begin{aligned} \int (c + dx)^2(a + a \sec(e + fx))^2 dx = & -\frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} \\ & - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{2a^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} \\ & + \frac{4ia^2d(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{4ia^2d(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{ia^2d^2 \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\ & - \frac{4a^2d^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{4a^2d^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\ & + \frac{a^2(c + dx)^2 \tan(e + fx)}{f} \end{aligned}$$

output

```

-I*a^2*(d*x+c)^2/f+1/3*a^2*(d*x+c)^3/d-4*I*a^2*(d*x+c)^2*arctan(exp(I*(f*x
+e)))/f+2*a^2*d*(d*x+c)*ln(1+exp(2*I*(f*x+e)))/f^2+4*I*a^2*d*(d*x+c)*polyl
og(2,-I*exp(I*(f*x+e)))/f^2-4*I*a^2*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e)))/
f^2-I*a^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3-4*a^2*d^2*polylog(3,-I*exp(
I*(f*x+e)))/f^3+4*a^2*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3+a^2*(d*x+c)^2*ta
n(f*x+e)/f

```

**Mathematica [A] (verified)**

Time = 1.75 (sec) , antiderivative size = 232, normalized size of antiderivative = 0.89

$$\begin{aligned}
& \int (c + dx)^2 (a + a \sec(e + fx))^2 dx \\
&= \frac{1}{3} a^2 \left( \frac{(c + dx)^3}{d} - \frac{12i(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \right. \\
&\quad - \frac{3i(f(c + dx)(f(c + dx) + 2id \log(1 + e^{2i(e+fx)})) + d^2 \text{PolyLog}(2, -e^{2i(e+fx)}))}{f^3} \\
&\quad + \frac{12id(f(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)}) + id \text{PolyLog}(3, -ie^{i(e+fx)}))}{f^3} \\
&\quad + \frac{12d(-if(c + dx) \text{PolyLog}(2, ie^{i(e+fx)}) + d \text{PolyLog}(3, ie^{i(e+fx)}))}{f^3} \\
&\quad \left. + \frac{3(c + dx)^2 \tan(e + fx)}{f} \right)
\end{aligned}$$

input

```
Integrate[(c + d*x)^2*(a + a*Sec[e + f*x])^2,x]
```

output

```

(a^2*((c + d*x)^3/d - ((12*I)*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f - ((3
*I)*(f*(c + d*x)*(f*(c + d*x) + (2*I)*d*Log[1 + E^((2*I)*(e + f*x))]) + d^
2*PolyLog[2, -E^((2*I)*(e + f*x))])/f^3 + ((12*I)*d*(f*(c + d*x)*PolyLog[
2, (-I)*E^(I*(e + f*x))]) + I*d*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (1
2*d*((-I)*f*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))]) + d*PolyLog[3, I*E^(I*
(e + f*x))])/f^3 + (3*(c + d*x)^2*Tan[e + f*x])/f))/3

```

## Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (c + dx)^2 (a \sec(e + fx) + a)^2 dx \\
 & \quad \downarrow \text{3042} \\
 & \int (c + dx)^2 \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right)^2 dx \\
 & \quad \downarrow \text{4678} \\
 & \int (a^2(c + dx)^2 \sec^2(e + fx) + 2a^2(c + dx)^2 \sec(e + fx) + a^2(c + dx)^2) dx \\
 & \quad \downarrow \text{2009} \\
 & - \frac{4ia^2(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{4ia^2d(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \quad \frac{4ia^2d(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{2a^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \\
 & \frac{a^2(c + dx)^2 \tan(e + fx)}{f} - \frac{ia^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} - \frac{ia^2d^2 \text{PolyLog}(2, -e^{2i(e+fx)})}{f^3} - \\
 & \quad \frac{4a^2d^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{4a^2d^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3}
 \end{aligned}$$

input `Int[(c + d*x)^2*(a + a*Sec[e + f*x])^2,x]`

output

$$\begin{aligned}
 & ((-I)*a^2*(c + d*x)^2)/f + (a^2*(c + d*x)^3)/(3*d) - ((4*I)*a^2*(c + d*x)^2 \\
 & 2*\text{ArcTan}[E^{(I*(e + f*x))}])/f + (2*a^2*d*(c + d*x)*\text{Log}[1 + E^{((2*I)*(e + f*x))}])/f^2 + ((4*I)*a^2*d*(c + d*x)*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}])/f^2 - \\
 & ((4*I)*a^2*d*(c + d*x)*\text{PolyLog}[2, I*E^{(I*(e + f*x))}])/f^2 - (I*a^2*d^2*\text{PolyLog}[2, -E^{((2*I)*(e + f*x))}])/f^3 - (4*a^2*d^2*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}])/f^3 + (4*a^2*d^2*\text{PolyLog}[3, I*E^{(I*(e + f*x))}])/f^3 + (a^2*(c + d*x)^2*\text{Tan}[e + f*x])/f
 \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4678  $\text{Int}[(\csc[e_.] + (f_*)*(x_*)*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\csc[e + f*x])^n, x], \ x] /; \ \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \& \ \text{IGtQ}[m, 0] \ \& \ \text{IGtQ}[n, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 678 vs.  $2(237) = 474$ .

Time = 0.28 (sec), antiderivative size = 679, normalized size of antiderivative = 2.59

method	result
risch	$\frac{a^2 d^2 x^3}{3} + \frac{a^2 c^3}{3d} - \frac{4a^2 d^2 \text{polylog}(3, -ie^{i(fx+e)})}{f^3} + \frac{4a^2 d^2 \text{polylog}(3, ie^{i(fx+e)})}{f^3} + \frac{8ia^2 cde \arctan(e^{i(fx+e)})}{f^2} + a^2 dc x^2 +$

input  $\text{int}((d*x+c)^2*(a+a*\sec(f*x+e))^2, x, \text{method}=\text{RETURNVERBOSE})$

output

```
1/3*a^2*d^2*x^3+1/3*a^2/d*c^3-4*a^2*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+4
*a^2*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3-I*a^2*d^2*polylog(2,-exp(2*I*(f*x
+e)))/f^3+8*I/f^2*a^2*c*d*e*arctan(exp(I*(f*x+e)))-2/f*a^2*d^2*ln(1+I*exp(
I*(f*x+e)))*x^2+2/f*a^2*d^2*ln(1-I*exp(I*(f*x+e)))*x^2+2/f^2*a^2*c*d*ln(1+
exp(2*I*(f*x+e)))-4/f^2*a^2*c*d*ln(exp(I*(f*x+e)))+2/f^2*a^2*d^2*ln(1+exp(
2*I*(f*x+e)))*x+4/f^3*a^2*d^2*e*ln(exp(I*(f*x+e)))-2/f^3*a^2*e^2*d^2*ln(1-
I*exp(I*(f*x+e)))+2/f^3*a^2*e^2*d^2*ln(1+I*exp(I*(f*x+e)))-4*I/f*a^2*c^2*a
rctan(exp(I*(f*x+e)))-2*I/f^3*a^2*e^2*d^2-2*I/f*a^2*d^2*x^2+2*I*a^2*(d^2*x
^2+2*c*d*x+c^2)/f/(1+exp(2*I*(f*x+e)))-4*I/f^2*a^2*c*d*polylog(2,I*exp(I*(
f*x+e)))+4/f^2*a^2*c*d*ln(1-I*exp(I*(f*x+e)))*e+4/f*a^2*c*d*ln(1-I*exp(I*(
f*x+e)))*x-4/f*a^2*c*d*ln(1+I*exp(I*(f*x+e)))*x-4/f^2*a^2*c*d*ln(1+I*exp(I
*(f*x+e)))*e+4*I/f^2*a^2*c*d*polylog(2,-I*exp(I*(f*x+e)))-4*I/f^2*a^2*d^2*
e*x-4*I/f^3*a^2*d^2*e^2*arctan(exp(I*(f*x+e)))-4*I/f^2*a^2*d^2*polylog(2,I
*exp(I*(f*x+e)))*x+4*I/f^2*a^2*d^2*polylog(2,-I*exp(I*(f*x+e)))*x+a^2*d*c*
x^2+a^2*c^2*x
```

### Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1096 vs.  $2(225) = 450$ .

Time = 0.14 (sec) , antiderivative size = 1096, normalized size of antiderivative = 4.18

$$\int (c + dx)^2(a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

output

```

-1/3*(6*a^2*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) + sin(f*x + e)) - 6
*a^2*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) - sin(f*x + e)) + 6*a^2*d^
2*cos(f*x + e)*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) - 6*a^2*d^2*cos(
f*x + e)*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) + 3*(2*I*a^2*d^2*f*x +
2*I*a^2*c*d*f - I*a^2*d^2)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x +
e)) + 3*(2*I*a^2*d^2*f*x + 2*I*a^2*c*d*f + I*a^2*d^2)*cos(f*x + e)*dilog(I
*cos(f*x + e) - sin(f*x + e)) + 3*(-2*I*a^2*d^2*f*x - 2*I*a^2*c*d*f + I*a^
2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) + 3*(-2*I*a^2*d^
2*f*x - 2*I*a^2*c*d*f - I*a^2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) - si
n(f*x + e)) - 3*(a^2*d^2*e^2 + a^2*c^2*f^2 - a^2*d^2*e - (2*a^2*c*d*e - a^
2*c*d)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 3*(a^2*d^2
*e^2 + a^2*c^2*f^2 + a^2*d^2*e - (2*a^2*c*d*e + a^2*c*d)*f)*cos(f*x + e)*l
og(cos(f*x + e) - I*sin(f*x + e) + I) - 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 +
2*a^2*c*d*e*f + a^2*d^2*e + (2*a^2*c*d*f^2 + a^2*d^2*f)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) + sin(f*x + e) + 1) + 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 +
2*a^2*c*d*e*f - a^2*d^2*e + (2*a^2*c*d*f^2 - a^2*d^2*f)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) - sin(f*x + e) + 1) - 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 +
2*a^2*c*d*e*f + a^2*d^2*e + (2*a^2*c*d*f^2 + a^2*d^2*f)*x)*cos(f*x + e)*l
og(-I*cos(f*x + e) + sin(f*x + e) + 1) + 3*(a^2*d^2*f^2*x^2 - a^2*d^2*e^2 +
2*a^2*c*d*e*f - a^2*d^2*e + (2*a^2*c*d*f^2 - a^2*d^2*f)*x)*cos(f*x + ...

```

## Sympy [F]

$$\begin{aligned}
\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = & a^2 \left( \int c^2 dx + \int 2c^2 \sec(e + fx) dx \right. \\
& + \int c^2 \sec^2(e + fx) dx + \int d^2 x^2 dx + \int 2cdx dx \\
& + \int 2d^2 x^2 \sec(e + fx) dx \\
& + \int d^2 x^2 \sec^2(e + fx) dx \\
& + \int 4cdx \sec(e + fx) dx \\
& \left. + \int 2cdx \sec^2(e + fx) dx \right)
\end{aligned}$$

input `integrate((d*x+c)**2*(a+a*sec(f*x+e))**2,x)`

output

```
a**2*(Integral(c**2, x) + Integral(2*c**2*sec(e + f*x), x) + Integral(c**2
 *sec(e + f*x)**2, x) + Integral(d**2*x**2, x) + Integral(2*c*d*x, x) + Int
 egral(2*d**2*x**2*sec(e + f*x), x) + Integral(d**2*x**2*sec(e + f*x)**2, x
 ) + Integral(4*c*d*x*sec(e + f*x), x) + Integral(2*c*d*x*sec(e + f*x)**2,
 x))
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1704 vs.  $2(225) = 450$ .

Time = 0.39 (sec) , antiderivative size = 1704, normalized size of antiderivative = 6.50

$$\int (c + dx)^2(a + a \sec(e + fx))^2 dx = \text{Too large to display}$$

input

```
integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="maxima")
```

output

```
1/3*(3*(f*x + e)*a^2*c^2 + (f*x + e)^3*a^2*d^2/f^2 - 3*(f*x + e)^2*a^2*d^2
 *e/f^2 + 3*(f*x + e)*a^2*d^2*2*e^2/f^2 + 3*(f*x + e)^2*a^2*c*d/f - 6*(f*x +
 e)*a^2*c*d*e/f + 6*a^2*c^2*log(sec(f*x + e) + tan(f*x + e)) + 6*a^2*d^2*e^
 2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*a^2*c*d*e*log(sec(f*x + e) + t
 an(f*x + e))/f + 3*(2*a^2*d^2*2*e^2 - 4*a^2*c*d*e*f + 2*a^2*c^2*f^2 - 2*((f*
 x + e)^2*a^2*d^2 - 2*(a^2*d^2*2*e - a^2*c*d*f)*(f*x + e) + ((f*x + e)^2*a^2*
 d^2 - 2*(a^2*d^2*2*e - a^2*c*d*f)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)
 ^2*a^2*d^2 + 2*(-I*a^2*d^2*2*e + I*a^2*c*d*f)*(f*x + e))*sin(2*f*x + 2*e))*a
 rctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*((f*x + e)^2*a^2*d^2 - 2*(a^2*d
 ^2*2*e - a^2*c*d*f)*(f*x + e) + ((f*x + e)^2*a^2*d^2 - 2*(a^2*d^2*2*e - a^2*c*
 d*f)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)^2*a^2*d^2 + 2*(-I*a^2*d^2*
 e + I*a^2*c*d*f)*(f*x + e))*sin(2*f*x + 2*e))*arctan2(cos(f*x + e), -sin(f
 *x + e) + 1) + 2*((f*x + e)*a^2*d^2 - a^2*d^2*2*e + a^2*c*d*f + ((f*x + e)*a
 ^2*d^2 - a^2*d^2*2*e + a^2*c*d*f)*cos(2*f*x + 2*e) - (-I*(f*x + e)*a^2*d^2 +
 I*a^2*d^2*2*e - I*a^2*c*d*f)*sin(2*f*x + 2*e))*arctan2(sin(2*f*x + 2*e), co
 s(2*f*x + 2*e) + 1) - 2*((f*x + e)^2*a^2*d^2 - 2*(a^2*d^2*2*e - a^2*c*d*f)*(f*
 x + e))*cos(2*f*x + 2*e) - (a^2*d^2*cos(2*f*x + 2*e) + I*a^2*d^2*sin(2*f
 *x + 2*e) + a^2*d^2)*dilog(-e^(2*I*f*x + 2*I*e)) - 4*((f*x + e)*a^2*d^2 -
 a^2*d^2*2*e + a^2*c*d*f + ((f*x + e)*a^2*d^2 - a^2*d^2*2*e + a^2*c*d*f)*cos(2*
 f*x + 2*e) + (I*(f*x + e)*a^2*d^2 - I*a^2*d^2*2*e + I*a^2*c*d*f)*sin(2*f*...
```

**Giac [F]**

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \int (dx + c)^2 (a \sec(fx + e) + a)^2 dx$$

input `integrate((d*x+c)^2*(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^2*(a*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^2 (a + a \sec(e + fx))^2 dx = \int \left( a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx)^2 dx$$

input `int((a + a/cos(e + f*x))^2*(c + d*x)^2,x)`

output `int((a + a/cos(e + f*x))^2*(c + d*x)^2, x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)^2 (a + a \sec(e + fx))^2 dx \\ &= \frac{a^2 \left( 4 \cos(fx + e) \left( \int \frac{x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} dx \right) d^2 f + 8 \cos(fx + e) \left( \int \frac{x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} dx \right) d^2 e \right)}{d^2 f + 8 \cos(fx + e) \left( \int \frac{x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} dx \right) d^2 e} \end{aligned}$$

input `int((d*x+c)^2*(a+a*sec(f*x+e))^2,x)`

output

```
(a**2*(4*cos(e + f*x)*int(x**2/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*d**2*f + 8*cos(e + f*x)*int(x/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*c*d*f - 2*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*c**2 + 2*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*c**2 + cos(e + f*x)*c**2*f*x + sin(e + f*x)*c**2))/(cos(e + f*x)*f)
```

### 3.8 $\int (c + dx)(a + a \sec(e + fx))^2 dx$

Optimal result	95
Mathematica [A] (verified)	96
Rubi [A] (verified)	96
Maple [A] (verified)	98
Fricas [B] (verification not implemented)	98
Sympy [F]	99
Maxima [F]	100
Giac [F]	100
Mupad [F(-1)]	101
Reduce [F]	101

#### Optimal result

Integrand size = 18, antiderivative size = 134

$$\begin{aligned} \int (c + dx)(a + a \sec(e + fx))^2 dx = & \frac{a^2(c + dx)^2}{2d} - \frac{4ia^2(c + dx) \arctan(e^{i(e+fx)})}{f} \\ & + \frac{a^2 d \log(\cos(e + fx))}{f^2} \\ & + \frac{2ia^2 d \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{2ia^2 d \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & + \frac{a^2(c + dx) \tan(e + fx)}{f} \end{aligned}$$

output

```
1/2*a^2*(d*x+c)^2/d-4*I*a^2*(d*x+c)*arctan(exp(I*(f*x+e)))/f+a^2*d*ln(cos(f*x+e))/f^2+2*I*a^2*d*polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*a^2*d*polylog(2,I*exp(I*(f*x+e)))/f^2+a^2*(d*x+c)*tan(f*x+e)/f
```

**Mathematica [A] (verified)**

Time = 0.73 (sec) , antiderivative size = 123, normalized size of antiderivative = 0.92

$$\int (c + dx)(a + a \sec(e + fx))^2 dx \\ = \frac{a^2(f^2(c + dx)^2 - 8idf(c + dx) \arctan(e^{i(e+fx)}) + 2d^2 \log(\cos(e + fx)) + 4id^2 \text{PolyLog}(2, -ie^{i(e+fx)}) - 2df^2)}{2df^2}$$

input `Integrate[(c + d*x)*(a + a*Sec[e + f*x])^2, x]`

output  $(a^2*(f^2*(c + d*x)^2 - (8*I)*d*f*(c + d*x)*\text{ArcTan}[E^{(I*(e + f*x))}] + 2*d^2*\text{Log}[\text{Cos}[e + f*x]] + (4*I)*d^2*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}] - (4*I)*d^2*\text{PolyLog}[2, I*E^{(I*(e + f*x))}] + 2*d*f*(c + d*x)*\text{Tan}[e + f*x]))/(2*d*f^2)$

**Rubi [A] (verified)**

Time = 0.34 (sec) , antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)(a \sec(e + fx) + a)^2 dx \\ & \quad \downarrow 3042 \\ & \int (c + dx) \left( a \csc \left( e + fx + \frac{\pi}{2} \right) + a \right)^2 dx \\ & \quad \downarrow 4678 \\ & \int (a^2(c + dx) \sec^2(e + fx) + 2a^2(c + dx) \sec(e + fx) + a^2(c + dx)) dx \\ & \quad \downarrow 2009 \end{aligned}$$

$$\begin{aligned}
 & -\frac{4ia^2(c+dx)\arctan(e^{i(e+fx)})}{f} + \frac{a^2(c+dx)\tan(e+fx)}{f} + \frac{a^2(c+dx)^2}{2d} + \\
 & \frac{2ia^2d\text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{2ia^2d\text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{a^2d\log(\cos(e+fx))}{f^2}
 \end{aligned}$$

input `Int[(c + d*x)*(a + a*Sec[e + f*x])^2, x]`

output `(a^2*(c + d*x)^2)/(2*d) - ((4*I)*a^2*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (a^2*d*Log[Cos[e + f*x]])/f^2 + ((2*I)*a^2*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*a^2*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2 + (a^2*(c + d*x)*Tan[e + f*x])/f`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

**Maple [A] (verified)**

Time = 0.09 (sec) , antiderivative size = 191, normalized size of antiderivative = 1.43

method	result
parts	$a^2 \left( \frac{1}{2} d x^2 + c x \right) + \frac{a^2 d \tan(f x + e) x}{f} + \frac{a^2 d \ln(\cos(f x + e))}{f^2} + \frac{a^2 c \tan(f x + e)}{f} + \frac{2 a^2 \left( \frac{d \left( -(f x + e) \ln(1 + i e^{i(f x + e)}) \right)}{f} \right)}{f}$
derivativedivides	$\frac{a^2 c (f x + e) - \frac{a^2 d e (f x + e)}{f} + \frac{a^2 d (f x + e)^2}{2 f} + 2 a^2 c \ln(\sec(f x + e) + \tan(f x + e)) - \frac{2 a^2 d e \ln(\sec(f x + e) + \tan(f x + e))}{f} + \frac{2 a^2 d \left( -(f x + e) \ln(1 + i e^{i(f x + e)}) \right)}{f}}{f}$
default	$\frac{a^2 c (f x + e) - \frac{a^2 d e (f x + e)}{f} + \frac{a^2 d (f x + e)^2}{2 f} + 2 a^2 c \ln(\sec(f x + e) + \tan(f x + e)) - \frac{2 a^2 d e \ln(\sec(f x + e) + \tan(f x + e))}{f} + \frac{2 a^2 d \left( -(f x + e) \ln(1 + i e^{i(f x + e)}) \right)}{f}}{f}$
risch	$\frac{\frac{a^2 d x^2}{2} + a^2 c x + \frac{2 i a^2 (d x + c)}{f (1 + e^{2 i (f x + e)})}}{f} + \frac{a^2 d \ln(1 + e^{2 i (f x + e)})}{f^2} - \frac{2 a^2 d \ln(e^{i (f x + e)})}{f^2} - \frac{4 i a^2 c \arctan(e^{i (f x + e)})}{f} +$

input `int((d*x+c)*(a+a*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

output 
$$a^{12} \left( \frac{1}{2} d x^2 + c x \right) + a^{12} f d \tan(f x + e) x + a^{12} d \ln(\cos(f x + e)) / f^2 + a^{12} / f^2 c \tan(f x + e) + 2 a^{12} / f^2 \left( \frac{1}{2} d \left( -(f x + e) \ln(1 + I \exp(I (f x + e))) + (f x + e) \ln(1 - I \exp(I (f x + e))) + I \operatorname{dilog}(1 + I \exp(I (f x + e))) - I \operatorname{dilog}(1 - I \exp(I (f x + e))) \right) \right) + c \ln(\sec(f x + e) + \tan(f x + e)) - e / f d \ln(\sec(f x + e) + \tan(f x + e))$$

**Fricas [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 525 vs.  $2(114) = 228$ .

Time = 0.11 (sec) , antiderivative size = 525, normalized size of antiderivative = 3.92

$$\begin{aligned} & \int (c + dx)(a + a \sec(e + fx))^2 dx \\ &= \frac{-2i a^2 d \cos(f x + e) \operatorname{Li}_2(i \cos(f x + e) + \sin(f x + e)) - 2i a^2 d \cos(f x + e) \operatorname{Li}_2(i \cos(f x + e) - \sin(f x + e))}{f} \end{aligned}$$

input `integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

```
output 1/2*(-2*I*a^2*d*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 2*I*a^2*d*cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) + 2*I*a^2*d*cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) + 2*I*a^2*d*cos(f*x + e)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - (2*a^2*d*e - 2*a^2*c*f - a^2*d)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + (2*a^2*d*e - 2*a^2*c*f + a^2*d)*cos(f*x + e)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(a^2*d*f*x + a^2*d*e)*cos(f*x + e)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a^2*d*f*x + a^2*d*e)*cos(f*x + e)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(a^2*d*f*x + a^2*d*e)*cos(f*x + e)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(a^2*d*f*x + a^2*d*e)*cos(f*x + e)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - (2*a^2*d*e - 2*a^2*c*f - a^2*d)*cos(f*x + e)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + (2*a^2*d*e - 2*a^2*c*f + a^2*d)*cos(f*x + e)*log(-cos(f*x + e) - I*sin(f*x + e) + I) + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(f*x + e) + 2*(a^2*d*f*x + a^2*c*f)*sin(f*x + e))/(f^2*cos(f*x + e))
```

## Sympy [F]

$$\begin{aligned} \int (c + dx)(a + a \sec(e + fx))^2 dx &= a^2 \left( \int c dx + \int 2c \sec(e + fx) dx \right. \\ &\quad \left. + \int c \sec^2(e + fx) dx + \int dx dx \right. \\ &\quad \left. + \int 2dx \sec(e + fx) dx + \int dx \sec^2(e + fx) dx \right) \end{aligned}$$

```
input integrate((d*x+c)*(a+a*sec(f*x+e))**2,x)
```

```
output a**2*(Integral(c, x) + Integral(2*c*sec(e + f*x), x) + Integral(c*sec(e + f*x)**2, x) + Integral(d*x, x) + Integral(2*d*x*sec(e + f*x), x) + Integral(d*x*sec(e + f*x)**2, x))
```

## Maxima [F]

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int (dx + c)(a \sec(fx + e) + a)^2 dx$$

input `integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="maxima")`

output 
$$\begin{aligned} & 1/2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e)^2 + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e) + 8*(a^2*d*f^3*cos(2*f*x + 2*e)^2 + a^2*d*f^3*sin(2*f*x + 2*e)^2 + 2*a^2*d*f^3*cos(2*f*x + 2*e) + a^2*d*f^3)*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(f*cos(2*f*x + 2*e)^2 + f*sin(2*f*x + 2*e)^2 + 2*f*cos(2*f*x + 2*e) + f), x) + (a^2*d*cos(2*f*x + 2*e)^2 + a^2*d*sin(2*f*x + 2*e)^2 + 2*a^2*d*cos(2*f*x + 2*e) + a^2*d)*log(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1) + 2*(a^2*c*f*cos(2*f*x + 2*e)^2 + a^2*c*f*sin(2*f*x + 2*e)^2 + 2*a^2*c*f*cos(2*f*x + 2*e) + a^2*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 2*(a^2*c*f*cos(2*f*x + 2*e)^2 + a^2*c*f*sin(2*f*x + 2*e)^2 + 2*a^2*c*f*cos(2*f*x + 2*e) + a^2*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + 4*(a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e))/(f^2*cos(2*f*x + 2*e)^2 + f^2*sin(2*f*x + 2*e)^2 + 2*f^2*cos(2*f*x + 2*e) + f^2)$$

## Giac [F]

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int (dx + c)(a \sec(fx + e) + a)^2 dx$$

input `integrate((d*x+c)*(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)*(a*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)(a + a \sec(e + fx))^2 dx = \int \left( a + \frac{a}{\cos(e + fx)} \right)^2 (c + dx) dx$$

input `int((a + a/cos(e + f*x))^2*(c + d*x),x)`

output `int((a + a/cos(e + f*x))^2*(c + d*x), x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)(a + a \sec(e + fx))^2 dx \\ &= \frac{a^2 \left( 4 \cos(fx + e) \left( \int \frac{x}{\tan(\frac{fx}{2} + \frac{e}{2})^4 - 2 \tan(\frac{fx}{2} + \frac{e}{2})^2 + 1} dx \right) df - 2 \cos(fx + e) \log(\tan(\frac{fx}{2} + \frac{e}{2}) - 1) c + 2 \cos(fx + e) f \right)}{\cos(fx + e) f} \end{aligned}$$

input `int((d*x+c)*(a+a*sec(f*x+e))^2,x)`

output `(a**2*(4*cos(e + f*x)*int(x/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*d*f - 2*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*c + 2*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*c + cos(e + f*x)*c*f*x + sin(e + f*x)*c))/(cos(e + f*x)*f)`

**3.9**       $\int \frac{(a+a \sec(e+fx))^2}{c+dx} dx$

Optimal result . . . . .	102
Mathematica [N/A] . . . . .	102
Rubi [N/A] . . . . .	103
Maple [N/A] . . . . .	104
Fricas [N/A] . . . . .	104
Sympy [N/A] . . . . .	104
Maxima [N/A] . . . . .	105
Giac [N/A] . . . . .	105
Mupad [N/A] . . . . .	106
Reduce [N/A] . . . . .	106

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \text{Int}\left(\frac{(a + a \sec(e + fx))^2}{c + dx}, x\right)$$

output `Defer(Int)((a+a*sec(f*x+e))^2/(d*x+c),x)`

## Mathematica [N/A]

Not integrable

Time = 20.93 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + a \sec(e + fx))^2}{c + dx} dx$$

input `Integrate[(a + a*Sec[e + f*x])^2/(c + d*x), x]`

output `Integrate[(a + a*Sec[e + f*x])^2/(c + d*x), x]`

## Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a \sec(e + fx) + a)^2}{c + dx} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(a \csc(e + fx + \frac{\pi}{2}) + a)^2}{c + dx} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(a \sec(e + fx) + a)^2}{c + dx} dx \end{aligned}$$

input `Int[(a + a*Sec[e + f*x])^2/(c + d*x), x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc((e_) + (f_)*(x_))*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + a \sec(fx + e))^2}{dx + c} dx$$

input `int((a+a*sec(f*x+e))^2/(d*x+c),x)`

output `int((a+a*sec(f*x+e))^2/(d*x+c),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.85

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))^2/(d*x+c),x, algorithm="fricas")`

output `integral((a^2*sec(f*x + e)^2 + 2*a^2*sec(f*x + e) + a^2)/(d*x + c), x)`

**Sympy [N/A]**

Not integrable

Time = 1.17 (sec) , antiderivative size = 41, normalized size of antiderivative = 2.05

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = a^2 \left( \int \frac{2 \sec(e + fx)}{c + dx} dx + \int \frac{\sec^2(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

input `integrate((a+a*sec(f*x+e))**2/(d*x+c),x)`

output  $a^{**2}*(\text{Integral}(2*\sec(e + fx)/(c + dx), x) + \text{Integral}(\sec(e + fx)**2/(c + dx), x) + \text{Integral}(1/(c + dx), x))$

## Maxima [N/A]

Not integrable

Time = 0.73 (sec) , antiderivative size = 507, normalized size of antiderivative = 25.35

$$\int \frac{(a + a \sec(fx + e))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))^2/(d*x+c),x, algorithm="maxima")`

output  $((a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\cos(2fx + 2e)^{^2}\log(dx + c) + 2a^{^2}d^{^2}\sin(2fx + 2e) + (a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\log(dx + c)\sin(2fx + 2e)^{^2} + 2(a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\cos(2fx + 2e)\log(dx + c) + (d^{^2}2f^{^2}x + c^{^2}d^{^2}f + (d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\cos(2fx + 2e)^{^2} + (d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\sin(2fx + 2e)^{^2} + 2(d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\cos(2fx + 2e))*\text{integrate}(2*(2*(a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\cos(2fx + 2e)*\cos(fx + e) + 2(a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\cos(fx + e) + (a^{^2}d^{^2}x + 2(a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\sin(fx + e))*\sin(2fx + 2e))/(d^{^2}2f^{^2}x^2 + 2*c^{^2}d^{^2}f^{^2}x + c^{^2}2*f + (d^{^2}2f^{^2}x^2 + 2*c^{^2}d^{^2}f^{^2}x + c^{^2}2*f)*\cos(2fx + 2e)^{^2} + (d^{^2}2f^{^2}x^2 + 2*c^{^2}d^{^2}f^{^2}x + c^{^2}2*f)*\sin(2fx + 2e)^{^2} + 2*(d^{^2}2f^{^2}x^2 + 2*c^{^2}d^{^2}f^{^2}x + c^{^2}2*f)*\cos(2fx + 2e)), x) + (a^{^2}d^{^2}f^{^2}x + a^{^2}c^{^2}f)*\log(dx + c))/(d^{^2}2f^{^2}x + c^{^2}d^{^2}f + (d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\cos(2fx + 2e)^{^2} + (d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\sin(2fx + 2e)^{^2} + 2*(d^{^2}2f^{^2}x + c^{^2}d^{^2}f)*\cos(2fx + 2e))$

## Giac [N/A]

Not integrable

Time = 1.05 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(fx + e))^2}{c + dx} dx = \int \frac{(a \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+a*sec(f*x+e))^2/(d*x+c),x, algorithm="giac")`

output `integrate((a*sec(f*x + e) + a)^2/(d*x + c), x)`

## Mupad [N/A]

Not integrable

Time = 15.01 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + a \sec(e + fx))^2}{c + dx} dx = \int \frac{\left(a + \frac{a}{\cos(e+fx)}\right)^2}{c + dx} dx$$

input `int((a + a/cos(e + f*x))^2/(c + d*x),x)`

output `int((a + a/cos(e + f*x))^2/(c + d*x), x)`

## Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 70, normalized size of antiderivative = 3.50

$$\begin{aligned} & \int \frac{(a + a \sec(e + fx))^2}{c + dx} dx \\ &= 4 \left( \int \frac{1}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 c + \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 dx - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 c - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 dx + c + dx} dx \right) a^2 \end{aligned}$$

input `int((a+a*sec(f*x+e))^2/(d*x+c),x)`

output `4*int(1/(\tan((e + f*x)/2)**4*c + tan((e + f*x)/2)**4*d*x - 2*tan((e + f*x)/2)**2*c - 2*tan((e + f*x)/2)**2*d*x + c + d*x),x)*a**2`

**3.10**       $\int \frac{(a+a \sec(e+fx))^2}{(c+dx)^2} dx$

Optimal result . . . . .	107
Mathematica [N/A] . . . . .	107
Rubi [N/A] . . . . .	108
Maple [N/A] . . . . .	109
Fricas [N/A] . . . . .	109
Sympy [N/A] . . . . .	109
Maxima [N/A] . . . . .	110
Giac [N/A] . . . . .	111
Mupad [N/A] . . . . .	111
Reduce [N/A] . . . . .	111

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \text{Int}\left(\frac{(a + a \sec(e + fx))^2}{(c + dx)^2}, x\right)$$

output `Defer(Int)((a+a*sec(f*x+e))^2/(d*x+c)^2,x)`

## Mathematica [N/A]

Not integrable

Time = 16.82 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx$$

input `Integrate[(a + a*Sec[e + f*x])^2/(c + d*x)^2,x]`

output `Integrate[(a + a*Sec[e + f*x])^2/(c + d*x)^2, x]`

## Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a \sec(e + fx) + a)^2}{(c + dx)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(a \csc(e + fx + \frac{\pi}{2}) + a)^2}{(c + dx)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(a \sec(e + fx) + a)^2}{(c + dx)^2} dx \end{aligned}$$

input `Int[(a + a*Sec[e + f*x])^2/(c + d*x)^2, x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_)*((c_.) + (d_.)*(x_.))^m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + a \sec(fx + e))^2}{(dx + c)^2} dx$$

input `int((a+a*sec(f*x+e))^2/(d*x+c)^2,x)`

output `int((a+a*sec(f*x+e))^2/(d*x+c)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 48, normalized size of antiderivative = 2.40

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")`

output `integral((a^2*sec(f*x + e)^2 + 2*a^2*sec(f*x + e) + a^2)/(d^2*x^2 + 2*c*d*x + c^2), x)`

**Sympy [N/A]**

Not integrable

Time = 2.45 (sec) , antiderivative size = 76, normalized size of antiderivative = 3.80

$$\begin{aligned} \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx &= a^2 \left( \int \frac{2 \sec(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{\sec^2(e + fx)}{c^2 + 2cdx + d^2x^2} dx \right. \\ &\quad \left. + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right) \end{aligned}$$

input `integrate((a+a*sec(f*x+e))**2/(d*x+c)**2,x)`

output `a**2*(Integral(2*sec(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(sec(e + f*x)**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(1/(c**2 + 2*c*d*x + d**2*x**2), x))`

## Maxima [N/A]

Not integrable

Time = 1.03 (sec) , antiderivative size = 624, normalized size of antiderivative = 31.20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))**2/(d*x+c)**2,x, algorithm="maxima")`

output `-(a^2*d*f*x + a^2*c*f - 2*a^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*c os(2*f*x + 2*e)^2 + (a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e) - (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)*integrate(4*((a^2*d*f*x + a^2*c*f)*cos(2*f*x + 2*e)*cos(f*x + e) + (a^2*d*f*x + a^2*c*f)*cos(f*x + e) + (a^2*d + (a^2*d*f*x + a^2*c*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e)), x))/(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))`

**Giac [N/A]**

Not integrable

Time = 36.68 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+a*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")`

output `integrate((a*sec(f*x + e) + a)^2/(d*x + c)^2, x)`

**Mupad [N/A]**

Not integrable

Time = 14.80 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{\left(a + \frac{a}{\cos(e+fx)}\right)^2}{(c + dx)^2} dx$$

input `int((a + a/cos(e + f*x))^2/(c + d*x)^2,x)`

output `int((a + a/cos(e + f*x))^2/(c + d*x)^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 157, normalized size of antiderivative = 7.85

$$\begin{aligned} & \int \frac{(a + a \sec(e + fx))^2}{(c + dx)^2} dx \\ &= \frac{a^2 \left( 2 \left( \int \frac{\sec(fx+e)^2 \tan(fx+e)}{dx+c} dx \right) c^2 f + 2 \left( \int \frac{\sec(fx+e)^2 \tan(fx+e)}{dx+c} dx \right) c d f x + 2 \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) c^2 f + 2 \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) c d (dx + c) \right)}{cd(dx+c)} \end{aligned}$$

input  $\int ((a+a*\sec(f*x+e))^2/(d*x+c)^2, x)$

output 
$$\begin{aligned} & (a^{**2}*(2*int((\sec(e + f*x)**2*tan(e + f*x))/(c + d*x), x)*c^{**2}*f + 2*int((\sec(e + f*x)**2*tan(e + f*x))/(c + d*x), x)*c*d*f*x + 2*int((\sec(e + f*x)*tan(e + f*x))/(c + d*x), x)*c^{**2}*f + 2*int((\sec(e + f*x)*tan(e + f*x))/(c + d*x), x)*c*d*f*x - \sec(e + f*x)**2*c - 2*\sec(e + f*x)*c + d*x))/(c*d*(c + d*x)) \end{aligned}$$

$$3.11 \quad \int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx$$

Optimal result . . . . .	113
Mathematica [A] (verified) . . . . .	113
Rubi [A] (verified) . . . . .	114
Maple [B] (verified) . . . . .	115
Fricas [B] (verification not implemented) . . . . .	116
Sympy [F] . . . . .	117
Maxima [B] (verification not implemented) . . . . .	117
Giac [F] . . . . .	118
Mupad [F(-1)] . . . . .	119
Reduce [F] . . . . .	119

## Optimal result

Integrand size = 20, antiderivative size = 152

$$\begin{aligned} \int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx = & \frac{i(c+dx)^3}{af} + \frac{(c+dx)^4}{4ad} - \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} \\ & + \frac{12id^2(c+dx) \operatorname{PolyLog}(2, -e^{i(e+fx)})}{af^3} \\ & - \frac{12d^3 \operatorname{PolyLog}(3, -e^{i(e+fx)})}{af^4} - \frac{(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{af} \end{aligned}$$

output

```
I*(d*x+c)^3/a/f+1/4*(d*x+c)^4/a/d-6*d*(d*x+c)^2*ln(1+exp(I*(f*x+e)))/a/f^2
+12*I*d^2*(d*x+c)*polylog(2,-exp(I*(f*x+e)))/a/f^3-12*d^3*polylog(3,-exp(I
*(f*x+e)))/a/f^4-(d*x+c)^3*tan(1/2*f*x+1/2*e)/a/f
```

## Mathematica [A] (verified)

Time = 1.38 (sec), antiderivative size = 216, normalized size of antiderivative = 1.42

$$\begin{aligned} & \int \frac{(c+dx)^3}{a+a \sec(e+fx)} dx \\ &= \cos\left(\frac{1}{2}(e+fx)\right) \sec(e+fx) \left( x(4c^3 + 6c^2dx + 4cd^2x^2 + d^3x^3) \cos\left(\frac{1}{2}(e+fx)\right) + \frac{8 \cos\left(\frac{1}{2}(e+fx)\right) \left( -\frac{if^3(c+dx)^3}{1+e^{ie}} \right)}{2a(1+\sec(e+fx))} \right) \end{aligned}$$

input  $\text{Integrate}[(c + d*x)^3/(a + a*\text{Sec}[e + f*x]), x]$

output 
$$\begin{aligned} & (\cos[(e + f*x)/2]*\sec[e + f*x]*(x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3)*\cos[(e + f*x)/2] + (8*\cos[(e + f*x)/2]*((-I)*f^3*(c + d*x)^3)/(1 + E^{(I)*e}) - 3*d*f^2*(c + d*x)^2*\log[1 + E^{(-I)*(e + f*x)}] - (6*I)*d^2*f*(c + d*x)*\text{PolyLog}[2, -E^{(-I)*(e + f*x)}] - 6*d^3*\text{PolyLog}[3, -E^{(-I)*(e + f*x)}]))/f^4 - (4*(c + d*x)^3*\sec[e/2]*\sin[(f*x)/2])/f)/(2*a*(1 + \sec[e + f*x])) \end{aligned}$$

## Rubi [A] (verified)

Time = 0.54 (sec), antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(c + dx)^3}{a \sec(e + fx) + a} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(c + dx)^3}{a \csc(e + fx + \frac{\pi}{2}) + a} dx \\ & \quad \downarrow \text{4679} \\ & \int \left( \frac{(c + dx)^3}{a} - \frac{(c + dx)^3}{a \cos(e + fx) + a} \right) dx \\ & \quad \downarrow \text{2009} \\ & \frac{12id^2(c + dx)\text{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{6d(c + dx)^2 \log(1 + e^{i(e+fx)})}{af^2} - \\ & \frac{(c + dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{af} + \frac{i(c + dx)^3}{af} + \frac{(c + dx)^4}{4ad} - \frac{12d^3 \text{PolyLog}(3, -e^{i(e+fx)})}{af^4} \end{aligned}$$

input  $\text{Int}[(c + d*x)^3/(a + a*\text{Sec}[e + f*x]), x]$

output

$$\begin{aligned} & \frac{(I*(c + d*x)^3)/(a*f) + (c + d*x)^4/(4*a*d) - (6*d*(c + d*x)^2*\text{Log}[1 + E^((I*(e + f*x)))]/(a*f^2) + ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, -E^{(I*(e + f*x))}])/(a*f^3) - (12*d^3*\text{PolyLog}[3, -E^{(I*(e + f*x))}])/(a*f^4) - ((c + d*x)^3*\text{Tan}[e/2 + (f*x)/2])/(a*f)}{a*f} \end{aligned}$$

### Defintions of rubi rules used

rule 2009  $\text{Int}[u_, x_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Si}n[e + f*x])^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 416 vs.  $2(138) = 276$ .

Time = 0.18 (sec) , antiderivative size = 417, normalized size of antiderivative = 2.74

method	result
risch	$\frac{d^3x^4}{4a} + \frac{d^2cx^3}{a} + \frac{3dc^2x^2}{2a} + \frac{c^3x}{a} + \frac{c^4}{4ad} + \frac{12id^2cex}{af^2} + \frac{12id^3 \text{polylog}(2, -e^{i(fx+e)})x}{af^3} + \frac{2id^3x^3}{af} - \frac{12d^2ec \ln(e^{i(fx+e)})}{af^3} + \dots$

input  $\text{int}((d*x+c)^3/(a+a*\sec(f*x+e)), x, \text{method}=\text{RETURNVERBOSE})$

output

```
1/4/a*d^3*x^4+1/a*d^2*c*x^3+3/2/a*d*c^2*x^2+1/a*c^3*x+1/4/a/d*c^4+12*I/a/f^2*d^2*c*e*x+12*I/a/f^3*d^3*polylog(2,-exp(I*(f*x+e)))*x+2*I/a/f*d^3*x^3-1/2/a/f^3*d^2*c*e*ln(exp(I*(f*x+e)))+6*I/a/f*d^2*c*x^2+6*I/a/f^3*d^2*c*e^2+1/2*I/a/f^3*d^2*c*polylog(2,-exp(I*(f*x+e)))-6*I/a/f^3*d^3*x^3+6*a/f^4*d^3*c^2*ln(exp(I*(f*x+e)))-4*I/a/f^4*d^3*x^3-12/a/f^2*d^2*c*ln(1+exp(I*(f*x+e)))*x-2*I*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/a/(1+exp(I*(f*x+e)))-6/a/f^2*d*c^2*ln(1+exp(I*(f*x+e)))+6/a/f^2*d*c^2*ln(exp(I*(f*x+e)))-6/a/f^2*d^3*c*ln(1+exp(I*(f*x+e)))*x^2-12*d^3*polylog(3,-exp(I*(f*x+e)))/a/f^4
```

### Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. 2(135) = 270.

Time = 0.09 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.39

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx \\ = \frac{d^3 f^4 x^4 + 4 c d^2 f^4 x^3 + 6 c^2 d f^4 x^2 + 4 c^3 f^4 x + (d^3 f^4 x^4 + 4 c d^2 f^4 x^3 + 6 c^2 d f^4 x^2 + 4 c^3 f^4 x) \cos(fx + e) - 24 * (\text{dilog}(-\cos(fx + e) + \text{sin}(fx + e)) * \text{dilog}(-\cos(fx + e) - \text{sin}(fx + e)))}{a^3}$$

input `integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output

```
1/4*(d^3*f^4*x^4 + 4*c*d^2*f^4*x^3 + 6*c^2*d*f^4*x^2 + 4*c^3*f^4*x + (d^3*f^4*x^4 + 4*c*d^2*f^4*x^3 + 6*c^2*d*f^4*x^2 + 4*c^3*f^4*x)*cos(f*x + e) - 24*(I*d^3*f*x + I*c*d^2*f + (I*d^3*f*x + I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) + I*sin(f*x + e)) - 24*(-I*d^3*f*x - I*c*d^2*f + (-I*d^3*f*x - I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) - I*sin(f*x + e)) - 12*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) - 12*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) - 24*(d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) + I*sin(f*x + e)) - 24*(d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) - I*sin(f*x + e)) - 4*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*sin(f*x + e))/(a*f^4*cos(f*x + e) + a*f^4)
```

**Sympy [F]**

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx \\ = \frac{\int \frac{c^3}{\sec(e+fx)+1} dx + \int \frac{d^3x^3}{\sec(e+fx)+1} dx + \int \frac{3cd^2x^2}{\sec(e+fx)+1} dx + \int \frac{3c^2dx}{\sec(e+fx)+1} dx}{a}$$

input `integrate((d*x+c)**3/(a+a*sec(f*x+e)),x)`

output `(Integral(c**3/(sec(e + f*x) + 1), x) + Integral(d**3*x**3/(sec(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(sec(e + f*x) + 1), x) + Integral(3*c**2*d*x/(sec(e + f*x) + 1), x))/a`

**Maxima [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1285 vs.  $2(135) = 270$ .

Time = 0.25 (sec) , antiderivative size = 1285, normalized size of antiderivative = 8.45

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \text{Too large to display}$$

input `integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output

```
1/2*(6*c*d^2*e^2*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a*f^2) - sin(f*x + e)/(a*f^2*(cos(f*x + e) + 1))) - 6*c^2*d*e*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a*f) - sin(f*x + e)/(a*f*(cos(f*x + e) + 1))) - 6*((f*x + e)^2*cos(f*x + e)^2 + (f*x + e)^2*sin(f*x + e)^2 + 2*(f*x + e)^2*cos(f*x + e) + (f*x + e)^2 - 2*(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 4*(f*x + e)*sin(f*x + e))*c*d^2*e/(a*f^2*cos(f*x + e)^2 + a*f^2*sin(f*x + e)^2 + 2*a*f^2*cos(f*x + e) + a*f^2) + 2*c^3*(2*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/a - sin(f*x + e)/(a*(cos(f*x + e) + 1))) + 3*((f*x + e)^2*cos(f*x + e)^2 + (f*x + e)^2*sin(f*x + e)^2 + 2*(f*x + e)^2*cos(f*x + e) + (f*x + e)^2 - 2*(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 4*(f*x + e)*sin(f*x + e))*c^2*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 + 2*a*f*cos(f*x + e) + a*f) - 2*(I*(f*x + e)^4*d^3 + 6*I*(f*x + e)^2*d^3*e^2 - 4*I*(f*x + e)*d^3*e^3 - 8*d^3*e^3 - 4*(I*d^3*e - I*c*d^2*f)*(f*x + e)^3 + 24*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e) + ((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*cos(f*x + e) - (-I*(f*x + e)^2*d^3 - I*d^3*e^2 + 2*(I*d^3*e - I*c*d^2*f)*(f*x + e))*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) + (I*(f*x + e)^4*d^3 - 4*(I*d^3*e - I*c*d^2*f + 2*d^3)*(f*x + e)^3 - 6*(-I*d^3*e^2 - 4*d^3*e + 4*c*d^2*f)*(f*x + e)^2 - 4*(I*d^...)
```

## Giac [F]

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^3}{a \sec(fx + e) + a} dx$$

input

```
integrate((d*x+c)^3/(a+a*sec(f*x+e)),x, algorithm="giac")
```

output

```
integrate((d*x + c)^3/(a*sec(f*x + e) + a), x)
```

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + \frac{a}{\cos(e+fx)}} dx$$

input `int((c + d*x)^3/(a + a/cos(e + f*x)),x)`

output `int((c + d*x)^3/(a + a/cos(e + f*x)), x)`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^3}{a + a \sec(e + fx)} dx \\ &= \frac{12 \left( \int \tan\left(\frac{fx}{2} + \frac{e}{2}\right) x^2 dx \right) d^3 f + 24 \left( \int \tan\left(\frac{fx}{2} + \frac{e}{2}\right) x dx \right) c d^2 f + 12 \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) c^2 d - 4 \tan\left(\frac{fx}{2} + \frac{e}{2}\right) c^3}{\dots} \end{aligned}$$

input `int((d*x+c)^3/(a+a*sec(f*x+e)),x)`

output `(12*int(tan((e + f*x)/2)*x**2,x)*d**3*f + 24*int(tan((e + f*x)/2)*x,x)*c*d**2*f + 12*log(tan((e + f*x)/2)**2 + 1)*c**2*d - 4*tan((e + f*x)/2)*c**3*f - 12*tan((e + f*x)/2)*c**2*d*f*x - 12*tan((e + f*x)/2)*c*d**2*f*x**2 - 4*tan((e + f*x)/2)*d**3*f*x**3 + 4*c**3*f**2*x + 6*c**2*d*f**2*x**2 + 4*c*d**2*f**2*x**3 + d**3*f**2*x**4)/(4*a*f**2)`

**3.12**       $\int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx$

Optimal result . . . . .	120
Mathematica [B] (warning: unable to verify) . . . . .	121
Rubi [A] (verified) . . . . .	122
Maple [B] (verified) . . . . .	123
Fricas [B] (verification not implemented) . . . . .	124
Sympy [F] . . . . .	124
Maxima [B] (verification not implemented) . . . . .	125
Giac [F] . . . . .	125
Mupad [F(-1)] . . . . .	126
Reduce [F] . . . . .	126

## Optimal result

Integrand size = 20, antiderivative size = 119

$$\begin{aligned} \int \frac{(c+dx)^2}{a+a \sec(e+fx)} dx = & \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} - \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} \\ & + \frac{4id^2 \operatorname{PolyLog}(2, -e^{i(e+fx)})}{af^3} - \frac{(c+dx)^2 \tan(\frac{e}{2} + \frac{fx}{2})}{af} \end{aligned}$$

output  $I*(d*x+c)^2/a/f+1/3*(d*x+c)^3/a/d-4*d*(d*x+c)*ln(1+exp(I*(f*x+e)))/a/f^2+4*I*d^2*polylog(2,-exp(I*(f*x+e)))/a/f^3-(d*x+c)^2*tan(1/2*f*x+1/2*e)/a/f$

## Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 528 vs.  $2(119) = 238$ .

Time = 6.45 (sec), antiderivative size = 528, normalized size of antiderivative = 4.44

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \frac{2x(3c^2 + 3cdx + d^2x^2) \cos^2(\frac{e}{2} + \frac{fx}{2}) \sec(e + fx)}{3(a + a \sec(e + fx))}$$

$$- \frac{8cd \cos^2(\frac{e}{2} + \frac{fx}{2}) \sec(\frac{e}{2}) \sec(e + fx) (\cos(\frac{e}{2}) \log(\cos(\frac{e}{2}) \cos(\frac{fx}{2}) - \sin(\frac{e}{2}) \sin(\frac{fx}{2})) + \frac{1}{2}fx \sin(\frac{e}{2}))}{f^2(a + a \sec(e + fx)) (\cos^2(\frac{e}{2}) + \sin^2(\frac{e}{2}))}$$

$$- \frac{8d^2 \cos^2(\frac{e}{2} + \frac{fx}{2}) \csc(\frac{e}{2}) \left( \frac{1}{4}e^{-i \arctan(\cot(\frac{e}{2}))} f^2 x^2 - \frac{\cot(\frac{e}{2}) \left( \frac{1}{2}ifx(-\pi - 2 \arctan(\cot(\frac{e}{2}))) - \pi \log(1 + e^{-ifx}) - 2 \left( \frac{fx}{2} - \arctan(\cot(\frac{e}{2})) \right) \right)}{f^3(a + a \sec(e + fx))} \right)}$$

$$- \frac{2 \cos(\frac{e}{2} + \frac{fx}{2}) \sec(\frac{e}{2}) \sec(e + fx) (c^2 \sin(\frac{fx}{2}) + 2cdx \sin(\frac{fx}{2}) + d^2x^2 \sin(\frac{fx}{2}))}{f(a + a \sec(e + fx))}$$

input `Integrate[(c + d*x)^2/(a + a*Sec[e + f*x]), x]`

output

```
(2*x*(3*c^2 + 3*c*d*x + d^2*x^2)*Cos[e/2 + (f*x)/2]^2*Sec[e + f*x])/(3*(a + a*Sec[e + f*x])) - (8*c*d*Cos[e/2 + (f*x)/2]^2*Sec[e/2]*Sec[e + f*x]*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*Sin[e/2])/2))/(f^2*(a + a*Sec[e + f*x])*(Cos[e/2]^2 + Sin[e/2]^2)) - (8*d^2*Cos[e/2 + (f*x)/2]^2*Csc[e/2]*((f^2*x^2)/(4*E^(I*ArcTan[Cot[e/2]]))) - (Cot[e/2]*(I/2)*f*x*(-Pi - 2*ArcTan[Cot[e/2]]) - Pi*Log[1 + E^((-I)*f*x)] - 2*((f*x)/2 - ArcTan[Cot[e/2]])*Log[1 - E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))] + Pi*Log[Cos[(f*x)/2]] - 2*ArcTan[Cot[e/2]]*Log[Sin[(f*x)/2] - ArcTan[Cot[e/2]]] + I*PolyLog[2, E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))])/Sqrt[1 + Cot[e/2]^2])*Sec[e/2]*Sec[e + f*x])/(f^3*(a + a*Sec[e + f*x])*Sqrt[Csc[e/2]^2*(Cos[e/2]^2 + Sin[e/2]^2)]) - (2*Cos[e/2 + (f*x)/2]*Sec[e/2]*Sec[e + f*x]*(c^2*Sin[(f*x)/2] + 2*c*d*x*Sin[(f*x)/2] + d^2*x^2*Sin[(f*x)/2]))/(f*(a + a*Sec[e + f*x])))
```

## Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c+dx)^2}{a \sec(e+fx)+a} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c+dx)^2}{a \csc(e+fx+\frac{\pi}{2})+a} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left( \frac{(c+dx)^2}{a} - \frac{(c+dx)^2}{a \cos(e+fx)+a} \right) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & -\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} - \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{i(c+dx)^2}{af} + \frac{(c+dx)^3}{3ad} + \\
 & \quad \frac{4id^2 \operatorname{PolyLog}(2, -e^{i(e+fx)})}{af^3}
 \end{aligned}$$

input `Int[(c + d*x)^2/(a + a*Sec[e + f*x]),x]`

output `(I*(c + d*x)^2)/(a*f) + (c + d*x)^3/(3*a*d) - (4*d*(c + d*x)*Log[1 + E^(I*(e + f*x))])/(a*f^2) + ((4*I)*d^2*PolyLog[2, -E^(I*(e + f*x))])/(a*f^3) - ((c + d*x)^2*Tan[e/2 + (f*x)/2])/ (a*f)`

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, \ 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Si}n[e + f*x])^n), \ x], \ x] /; \ \text{FreeQ}[\{a, \ b, \ c, \ d, \ e, \ f\}, \ x] \ \&& \ \text{ILtQ}[n, \ 0] \ \&& \ \text{IGtQ}[m, \ 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 235 vs.  $2(107) = 214$ .

Time = 0.14 (sec) , antiderivative size = 236, normalized size of antiderivative = 1.98

method	result
risch	$\frac{d^2x^3}{3a} + \frac{dcx^2}{a} + \frac{c^2x}{a} + \frac{c^3}{3ad} - \frac{2i(d^2x^2+2cdx+c^2)}{fa(1+e^{i(fx+e)})} - \frac{4dc\ln(1+e^{i(fx+e)})}{af^2} + \frac{4dc\ln(e^{i(fx+e)})}{af^2} + \frac{2id^2x^2}{af} + \frac{4id^2ex}{af^2} + \frac{2id^2e}{af^2}$

input  $\text{int}((d*x+c)^2/(a+a*\text{sec}(f*x+e)), x, \text{method}=\text{RETURNVERBOSE})$

output 
$$\begin{aligned} & 1/3/a*d^2*x^3+1/a*d*c*x^2+1/a*c^2*x+1/3/a/d*c^3-2*I*(d^2*x^2+2*c*d*x+c^2)/ \\ & f/a/(1+\exp(I*(f*x+e)))-4/a/f^2*d*c*\ln(1+\exp(I*(f*x+e)))+4/a/f^2*d*c*\ln(\exp(I*(f*x+e)))+2*I/a/f*d^2*x^2+4*I/a/f^2*d^2*c*x+2*I/a/f^3*d^2*c*x^2-4/a/f^2*d^2*c*\ln(1+\exp(I*(f*x+e)))*x+4*I*d^2*polylog(2,-\exp(I*(f*x+e)))/a/f^3-4/a/f^3*d^2*c*\ln(\exp(I*(f*x+e))) \end{aligned}$$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 292 vs.  $2(104) = 208$ .

Time = 0.08 (sec) , antiderivative size = 292, normalized size of antiderivative = 2.45

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx \\ = \frac{d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x + (d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x) \cos(fx + e) - 6 (i d^2 \cos(fx + e) + i d^2) L}{a}$$

input `integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output  $\frac{1/3*(d^2*f^3*x^3 + 3*c*d*f^3*x^2 + 3*c^2*f^3*x + (d^2*f^3*x^3 + 3*c*d*f^3*x^2 + 3*c^2*f^3*x)*cos(f*x + e) - 6*(I*d^2*cos(f*x + e) + I*d^2)*dilog(-cos(f*x + e) + I*sin(f*x + e)) - 6*(-I*d^2*cos(f*x + e) - I*d^2)*dilog(-cos(f*x + e) - I*sin(f*x + e)) - 6*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) - 6*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) - 3*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*sin(f*x + e))/(a*f^3*cos(f*x + e) + a*f^3)$

## Sympy [F]

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \frac{\int \frac{c^2}{\sec(e+fx)+1} dx + \int \frac{d^2 x^2}{\sec(e+fx)+1} dx + \int \frac{2cdx}{\sec(e+fx)+1} dx}{a}$$

input `integrate((d*x+c)**2/(a+a*sec(f*x+e)),x)`

output  $(\text{Integral}(c**2/(\sec(e + f*x) + 1), x) + \text{Integral}(d**2*x**2/(\sec(e + f*x) + 1), x) + \text{Integral}(2*c*d*x/(\sec(e + f*x) + 1), x))/a$

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 377 vs.  $2(104) = 208$ .

Time = 0.22 (sec) , antiderivative size = 377, normalized size of antiderivative = 3.17

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx =$$

$$\underline{i d^2 f^3 x^3 + 3i c d f^3 x^2 + 3i c^2 f^3 x + 6 c^2 f^2 + 12 (d^2 f x + c d f + (d^2 f x + c d f) \cos(f x + e) - (-i d^2 f x - i c d f) \sin(f x + e)) \operatorname{arctan2}(\sin(f x + e), \cos(f x + e) + 1) + (I d^2 f^3 x^3 - 3*(-I c * d * f^3 + 2*d^2*f^2)*x^2 - 3*(-I c^2*f^3 + 4*c*d*f^2)*x)*\cos(f x + e) - 12*(d^2*\cos(f x + e) + I*d^2*\sin(f x + e) + d^2)*\operatorname{dilog}(-e^(I*f*x + I*e)) - 6*(I*d^2*f*x + I*c*d*f + (I*d^2*f*x + I*c*d*f)*\cos(f x + e) - (d^2*f*x + c*d*f)*\sin(f x + e))*\log(\cos(f x + e)^2 + \sin(f x + e)^2 + 2*\cos(f x + e) + 1) - (d^2*f^3*x^3 + 3*(c*d*f^3 + 2*I*d^2*f^2)*x^2 + 3*(c^2*f^3 + 4*I*c*d*f^2)*x)*\sin(f x + e)) / (-3*I*a*f^3*\cos(f x + e) + 3*a*f^3*\sin(f x + e) - 3*I*a*f^3)}$$

input `integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output

$$-(I*d^2*f^3*x^3 + 3*I*c*d*f^3*x^2 + 3*I*c^2*f^3*x + 6*c^2*f^2 + 12*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e) - (-I*d^2*f*x - I*c*d*f)*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) + (I*d^2*f^3*x^3 - 3*(-I*c*d*f^3 + 2*d^2*f^2)*x^2 - 3*(-I*c^2*f^3 + 4*c*d*f^2)*x)*cos(f*x + e) - 12*(d^2*cos(f*x + e) + I*d^2*sin(f*x + e) + d^2)*dilog(-e^(I*f*x + I*e)) - 6*(I*d^2*f*x + I*c*d*f + (I*d^2*f*x + I*c*d*f)*cos(f*x + e) - (d^2*f*x + c*d*f)*sin(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - (d^2*f^3*x^3 + 3*(c*d*f^3 + 2*I*d^2*f^2)*x^2 + 3*(c^2*f^3 + 4*I*c*d*f^2)*x)*sin(f*x + e)) / (-3*I*a*f^3*cos(f*x + e) + 3*a*f^3*sin(f*x + e) - 3*I*a*f^3)$$

## Giac [F]

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^2}{a \sec(f x + e) + a} dx$$

input `integrate((d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^2/(a*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + \frac{a}{\cos(e+fx)}} dx$$

input `int((c + d*x)^2/(a + a/cos(e + f*x)),x)`

output `int((c + d*x)^2/(a + a/cos(e + f*x)), x)`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^2}{a + a \sec(e + fx)} dx \\ &= \frac{6 \left( \int \tan \left( \frac{fx}{2} + \frac{e}{2} \right) x dx \right) d^2 f + 6 \log \left( \tan \left( \frac{fx}{2} + \frac{e}{2} \right)^2 + 1 \right) cd - 3 \tan \left( \frac{fx}{2} + \frac{e}{2} \right) c^2 f - 6 \tan \left( \frac{fx}{2} + \frac{e}{2} \right) c d f x - 3 a f^2}{3 a f^2} \end{aligned}$$

input `int((d*x+c)^2/(a+a*sec(f*x+e)),x)`

output `(6*int(tan((e + f*x)/2)*x,x)*d**2*f + 6*log(tan((e + f*x)/2)**2 + 1)*c*d - 3*tan((e + f*x)/2)*c**2*f - 6*tan((e + f*x)/2)*c*d*f*x - 3*tan((e + f*x)/2)*d**2*f*x**2 + 3*c**2*f**2*x + 3*c*d*f**2*x**2 + d**2*f**2*x**3)/(3*a*f**2)`

### 3.13 $\int \frac{c+dx}{a+a \sec(e+fx)} dx$

Optimal result . . . . .	127
Mathematica [A] (verified) . . . . .	127
Rubi [A] (verified) . . . . .	128
Maple [A] (verified) . . . . .	129
Fricas [A] (verification not implemented) . . . . .	130
Sympy [F] . . . . .	130
Maxima [B] (verification not implemented) . . . . .	130
Giac [B] (verification not implemented) . . . . .	131
Mupad [B] (verification not implemented) . . . . .	132
Reduce [B] (verification not implemented) . . . . .	132

#### Optimal result

Integrand size = 18, antiderivative size = 67

$$\int \frac{c+dx}{a+a \sec(e+fx)} dx = \frac{(c+dx)^2}{2ad} - \frac{2d \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{af^2} - \frac{(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{af}$$

output 
$$\frac{1/2*(d*x+c)^2/a/d-2*d*ln(\cos(1/2*f*x+1/2*e))/a/f^2-(d*x+c)*tan(1/2*f*x+1/2*e)/a/f}{}$$

#### Mathematica [A] (verified)

Time = 0.63 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.55

$$\begin{aligned} & \int \frac{c+dx}{a+a \sec(e+fx)} dx \\ &= \frac{\cos(\frac{1}{2}(e+fx)) \sec(e+fx) (-2f(c+dx) \sec(\frac{e}{2}) \sin(\frac{fx}{2}) + \cos(\frac{1}{2}(e+fx)) (f^2x(2c+dx) - 4d \log(\cos(\frac{e}{2} + \frac{fx}{2})))}{af^2(1+\sec(e+fx))} \end{aligned}$$

input 
$$\text{Integrate}[(c + d*x)/(a + a*\text{Sec}[e + f*x]), x]$$

output 
$$\frac{(\cos[(e + fx)/2] \cdot \sec[e + fx] \cdot (-2f \cdot (c + dx) \cdot \sec[e/2] \cdot \sin[(fx)/2] + \cos[(e + fx)/2] \cdot (f^2 \cdot x \cdot (2c + dx) - 4d \cdot \log[\cos[(e + fx)/2]] - 2d \cdot f \cdot x \cdot \tan[e/2])))}{(a \cdot f^2 \cdot (1 + \sec[e + fx]))}$$

## Rubi [A] (verified)

Time = 0.30 (sec), antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{c + dx}{a \sec(e + fx) + a} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{c + dx}{a \csc(e + fx + \frac{\pi}{2}) + a} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left( \frac{c + dx}{a} - \frac{c + dx}{a \cos(e + fx) + a} \right) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & -\frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(c + dx)^2}{2ad} - \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}
 \end{aligned}$$

input 
$$\text{Int}[(c + dx)/(a + a*\sec[e + fx]), x]$$

output 
$$\frac{(c + dx)^2 / (2 * a * d) - (2 * d * \log[\cos[e/2 + (fx)/2]]) / (a * f^2) - ((c + dx) * \tan[e/2 + (fx)/2]) / (a * f)}{a}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], \ x] /; \ \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&& \text{ILtQ}[n, 0] \ \&& \text{IGtQ}[m, 0]$

### Maple [A] (verified)

Time = 0.15 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.79

method	result	size
parallelrisch	$\frac{d \ln \left( \sec \left( \frac{e}{2} + \frac{f x}{2} \right)^2 \right) + ((-dx - c) \tan \left( \frac{e}{2} + \frac{f x}{2} \right) + fx \left( \frac{dx}{2} + c \right))f}{a f^2}$	53
norman	$\frac{cx}{a} + \frac{dx^2}{2a} - \frac{c \tan \left( \frac{e}{2} + \frac{fx}{2} \right)}{af} - \frac{dx \tan \left( \frac{e}{2} + \frac{fx}{2} \right)}{af} + \frac{d \ln \left( 1 + \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^2 \right)}{a f^2}$	76
risch	$\frac{dx^2}{2a} + \frac{cx}{a} + \frac{2idx}{af} + \frac{2ide}{af^2} - \frac{2i(dx+c)}{fa(1+e^{i(fx+e)})} - \frac{2d \ln(1+e^{i(fx+e)})}{a f^2}$	87

input  $\text{int}((d*x+c)/(a+a*\sec(f*x+e)), x, \text{method}=\text{_RETURNVERBOSE})$

output  $(d*\ln(\sec(1/2*e+1/2*f*x)^2)+((-d*x-c)*\tan(1/2*e+1/2*f*x)+f*x*(1/2*d*x+c))*f)/a/f^2$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.48

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{df^2 x^2 + 2 c f^2 x + (df^2 x^2 + 2 c f^2 x) \cos(fx + e) - 2(d \cos(fx + e) + d) \log(\frac{1}{2} \cos(fx + e) + \frac{1}{2}) - 2(df^2 \cos(fx + e) + af^2)}{2(a f^2 \cos(fx + e) + af^2)}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output  $\frac{1/2*(d*f^2*x^2 + 2*c*f^2*x + (d*f^2*x^2 + 2*c*f^2*x)*cos(f*x + e) - 2*(d*c os(f*x + e) + d)*log(1/2*cos(f*x + e) + 1/2) - 2*(d*f*x + c*f)*sin(f*x + e ))/(a*f^2*cos(f*x + e) + a*f^2)}$

**Sympy [F]**

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{\int \frac{c}{\sec(e+fx)+1} dx + \int \frac{dx}{\sec(e+fx)+1}}{a}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e)),x)`

output  $\frac{(\text{Integral}(c/(\sec(e + f*x) + 1), x) + \text{Integral}(d*x/(\sec(e + f*x) + 1), x))}{a}$

**Maxima [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 273 vs.  $2(57) = 114$ .

Time = 0.12 (sec) , antiderivative size = 273, normalized size of antiderivative = 4.07

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{2 de \left( \frac{2 \arctan\left(\frac{\sin(fx+e)}{\cos(fx+e)+1}\right)}{af} - \frac{\sin(fx+e)}{af(\cos(fx+e)+1)} \right) - 2 c \left( \frac{2 \arctan\left(\frac{\sin(fx+e)}{\cos(fx+e)+1}\right)}{a} - \frac{\sin(fx+e)}{a(\cos(fx+e)+1)} \right) - \frac{((fx+e)^2 \cos(fx+e) + af^2)}{a^2 (\cos(fx+e)+1)}}{2 a^2}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output 
$$\begin{aligned} & -\frac{1}{2} \cdot \frac{(2d^2e^2(2\arctan(\sin(fx + e)/(\cos(fx + e) + 1)))(a*f - \sin(fx + e))}{(a*f*(\cos(fx + e) + 1))} \\ & - \frac{2c^2(2\arctan(\sin(fx + e)/(\cos(fx + e) + 1)))}{a} - \frac{\sin(fx + e)}{a * (\cos(fx + e) + 1)} - \frac{((fx + e)^2 * \cos(fx + e)^2 + (fx + e)^2 * \sin(fx + e)^2 + 2 * (fx + e)^2 * \cos(fx + e) + (fx + e)^2 - 2 * (\cos(fx + e)^2 + \sin(fx + e)^2) + 2 * \cos(fx + e) + 1) * \log(\cos(fx + e)^2 + \sin(fx + e)^2 + 2 * \cos(fx + e) + 1) - 4 * (fx + e) * \sin(fx + e) * d / (a * f * \cos(fx + e)^2 + a * f * \sin(fx + e)^2 + 2 * a * f * \cos(fx + e) + a * f) / f}{f} \end{aligned}$$

### Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 248 vs.  $2(57) = 114$ .

Time = 0.22 (sec), antiderivative size = 248, normalized size of antiderivative = 3.70

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx$$

$$\frac{df^2 x^2 \tan(\frac{1}{2}fx) \tan(\frac{1}{2}e) + 2cf^2 x \tan(\frac{1}{2}fx) \tan(\frac{1}{2}e) - df^2 x^2 - 2cf^2 x + 2dfx \tan(\frac{1}{2}fx) + 2dfx \tan(\frac{1}{2}fx)}{=}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e)),x, algorithm="giac")`

output 
$$\begin{aligned} & \frac{1}{2} \cdot \frac{(d^2 f^2 x^2 \tan(1/2*f*x) \tan(1/2*e) + 2c^2 f^2 x \tan(1/2*f*x) \tan(1/2*e) - d^2 f^2 x^2 - 2c^2 f^2 x + 2d^2 f*x \tan(1/2*f*x) + 2d^2 f*x \tan(1/2*e) - 2d * \log(4 * (\tan(1/2*f*x)^2 * \tan(1/2*e)^2 - 2 * \tan(1/2*f*x) * \tan(1/2*e) + 1) / (\tan(1/2*f*x)^2 * \tan(1/2*e)^2 + \tan(1/2*f*x)^2 + \tan(1/2*e)^2 + 1)) * \tan(1/2*f*x) * \tan(1/2*e) + 2c^2 f*x \tan(1/2*f*x) + 2c^2 f*x \tan(1/2*e) + 2d * \log(4 * (\tan(1/2*f*x)^2 * \tan(1/2*e)^2 - 2 * \tan(1/2*f*x) * \tan(1/2*e) + 1) / (\tan(1/2*f*x)^2 * \tan(1/2*e)^2 + \tan(1/2*f*x)^2 + \tan(1/2*e)^2 + 1))) / (a*f^2 * \tan(1/2*f*x) * \tan(1/2*e) - a*f^2)}{=} \end{aligned}$$

**Mupad [B] (verification not implemented)**

Time = 15.24 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.18

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx = \frac{d x^2}{2 a} - \frac{2 d \ln(e^{e \cdot 1i} e^{f x \cdot 1i} + 1)}{a f^2} \\ - \frac{(c + dx) \cdot 2i}{a f (e^{e \cdot 1i + f x \cdot 1i} + 1)} + \frac{x (c f + d 2i)}{a f}$$

input `int((c + d*x)/(a + a/cos(e + f*x)),x)`

output `(d*x^2)/(2*a) - (2*d*log(exp(e*1i)*exp(f*x*1i) + 1))/(a*f^2) - ((c + d*x)*2i)/(a*f*(exp(e*1i + f*x*1i) + 1)) + (x*(d*2i + c*f))/(a*f)`

**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.01

$$\int \frac{c + dx}{a + a \sec(e + fx)} dx \\ = \frac{2 \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) d - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right) c f - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right) d f x + 2 c f^2 x + d f^2 x^2}{2 a f^2}$$

input `int((d*x+c)/(a+a*sec(f*x+e)),x)`

output `(2*log(tan((e + f*x)/2)**2 + 1)*d - 2*tan((e + f*x)/2)*c*f - 2*tan((e + f*x)/2)*d*f*x + 2*c*f**2*x + d*f**2*x**2)/(2*a*f**2)`

**3.14**       $\int \frac{1}{(c+dx)(a+a \sec(e+fx))} dx$

Optimal result . . . . .	133
Mathematica [N/A] . . . . .	133
Rubi [N/A] . . . . .	134
Maple [N/A] . . . . .	135
Fricas [N/A] . . . . .	135
Sympy [N/A] . . . . .	135
Maxima [N/A] . . . . .	136
Giac [N/A] . . . . .	136
Mupad [N/A] . . . . .	137
Reduce [N/A] . . . . .	137

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \text{Int}\left(\frac{1}{(c + dx)(a + a \sec(e + fx))}, x\right)$$

output `Defer(Int)(1/(d*x+c)/(a+a*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 6.38 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx$$

input `Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])),x]`

output `Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)(a \sec(e + fx) + a)} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx)(a \csc(e + fx + \frac{\pi}{2}) + a)} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)(a \sec(e + fx) + a)} dx \end{aligned}$$

input `Int[1/((c + d*x)*(a + a*Sec[e + f*x])),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + a \sec(fx + e))} dx$$

input `int(1/(d*x+c)/(a+a*sec(f*x+e)),x)`

output `int(1/(d*x+c)/(a+a*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output `integral(1/(a*d*x + a*c + (a*d*x + a*c)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 1.10 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \frac{\int \frac{1}{c \sec(e + fx) + c + dx \sec(e + fx) + dx} dx}{a}$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x)`

output  $\text{Integral}(1/(c*\sec(e + f*x) + c + d*x*\sec(e + f*x) + d*x), x)/a$

## Maxima [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 391, normalized size of antiderivative = 19.55

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output  $((d*f*x + c*f)*\cos(f*x + e)^2*\log(d*x + c) + (d*f*x + c*f)*\log(d*x + c)*\sin(f*x + e)^2 + 2*(d*f*x + c*f)*\cos(f*x + e)*\log(d*x + c) - 2*(a*d^3*f*x + a*c*d^2*f + (a*d^3*f*x + a*c*d^2*f)*\cos(f*x + e)^2 + (a*d^3*f*x + a*c*d^2*f)*\sin(f*x + e)^2 + 2*(a*d^3*f*x + a*c*d^2*f)*\cos(f*x + e))*\int(\sin(f*x + e)/(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*\cos(f*x + e)^2 + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*\sin(f*x + e)^2 + 2*(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*\cos(f*x + e)), x) + (d*f*x + c*f)*\log(d*x + c) - 2*d*\sin(f*x + e))/(a*d^2*f*x + a*c*d*f + (a*d^2*f*x + a*c*d*f)*\cos(f*x + e)^2 + (a*d^2*f*x + a*c*d*f)*\sin(f*x + e)^2 + 2*(a*d^2*f*x + a*c*d*f)*\cos(f*x + e))$

## Giac [N/A]

Not integrable

Time = 0.16 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e)),x, algorithm="giac")`

output  $\text{integrate}(1/((d*x + c)*(a*\sec(f*x + e) + a)), x)$

**Mupad [N/A]**

Not integrable

Time = 14.78 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right) (c + dx)} dx$$

input `int(1/((a + a/cos(e + f*x))*(c + d*x)),x)`

output `int(1/((a + a/cos(e + f*x))*(c + d*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.50

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))} dx = \frac{\int \frac{1}{\sec(fx+e)c+\sec(fx+e)dx+c+dx} dx}{a}$$

input `int(1/(d*x+c)/(a+a*sec(f*x+e)),x)`

output `int(1/(\sec(e + f*x)*c + \sec(e + f*x)*d*x + c + d*x),x)/a`

**3.15**  $\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$

Optimal result . . . . .	138
Mathematica [N/A] . . . . .	138
Rubi [N/A] . . . . .	139
Maple [N/A] . . . . .	140
Fricas [N/A] . . . . .	140
Sympy [N/A] . . . . .	140
Maxima [N/A] . . . . .	141
Giac [N/A] . . . . .	142
Mupad [N/A] . . . . .	142
Reduce [N/A] . . . . .	142

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+a \sec(e+fx))}, x\right)$$

output `Defer(Int)(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 4.77 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))} dx$$

input `Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])),x]`

output `Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a \sec(e + fx) + a)} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx)^2(a \csc(e + fx + \frac{\pi}{2}) + a)} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)^2(a \sec(e + fx) + a)} dx \end{aligned}$$

input `Int[1/((c + d*x)^2*(a + a*Sec[e + f*x])),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2 (a + a \sec(fx + e))} dx$$

input `int(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)`

output `int(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.55

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output `integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 2.32 (sec) , antiderivative size = 58, normalized size of antiderivative = 2.90

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx \\ &= \frac{\int \frac{1}{c^2 \sec(e + fx) + c^2 + 2cdx \sec(e + fx) + 2cdx + d^2 x^2 \sec(e + fx) + d^2 x^2} dx}{a} \end{aligned}$$

input `integrate(1/(d*x+c)**2/(a+a*sec(f*x+e)),x)`

output `Integral(1/(c**2*sec(e + f*x) + c**2 + 2*c*d*x*sec(e + f*x) + 2*c*d*x + d**2*x**2*sec(e + f*x) + d**2*x**2), x)/a`

## Maxima [N/A]

Not integrable

Time = 0.65 (sec) , antiderivative size = 522, normalized size of antiderivative = 26.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output `-(d*f*x + (d*f*x + c*f)*cos(f*x + e)^2 + (d*f*x + c*f)*sin(f*x + e)^2 + c*f + 2*(d*f*x + c*f)*cos(f*x + e) + 4*(a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f + (a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f)*cos(f*x + e)^2 + (a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f)*sin(f*x + e)^2 + 2*(a*d^4*f*x^2 + 2*a*c*d^3*f*x + a*c^2*d^2*f)*cos(f*x + e))*integrate(sin(f*x + e)/(a*d^3*f*x^3 + 3*a*c*d^2*f*x^2 + 3*a*c^2*d*f*x + a*c^3*f) + (a*d^3*f*x^3 + 3*a*c*d^2*f*x^2 + 3*a*c^2*d*f*x + a*c^3*f)*cos(f*x + e)^2 + (a*d^3*f*x^3 + 3*a*c*d^2*f*x^2 + 3*a*c^2*d*f*x + a*c^3*f)*sin(f*x + e)^2 + 2*(a*d^3*f*x^3 + 3*a*c*d^2*f*x^2 + 3*a*c^2*d*f*x + a*c^3*f)*cos(f*x + e) + 2*d*sin(f*x + e))/(a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f + (a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*cos(f*x + e)^2 + (a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*sin(f*x + e)^2 + 2*(a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*cos(f*x + e) + (a*d^3*f*x^2 + 2*a*c*d^2*f*x + a*c^2*d*f)*sin(f*x + e))`

**Giac [N/A]**

Not integrable

Time = 0.46 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate(1/((d*x + c)^2*(a*sec(f*x + e) + a)), x)`

**Mupad [N/A]**

Not integrable

Time = 14.77 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right) (c + dx)^2} dx$$

input `int(1/((a + a/cos(e + f*x))*(c + d*x)^2),x)`

output `int(1/((a + a/cos(e + f*x))*(c + d*x)^2), x)`

**Reduce [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 58, normalized size of antiderivative = 2.90

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))} dx \\ &= \frac{\int \frac{1}{\sec(fx+e)c^2+2 \sec(fx+e)cdx+\sec(fx+e)d^2x^2+c^2+2cdx+d^2x^2} dx}{a} \end{aligned}$$

input `int(1/(d*x+c)^2/(a+a*sec(f*x+e)),x)`

output `int(1/(sec(e + f*x)*c**2 + 2*sec(e + f*x)*c*d*x + sec(e + f*x)*d**2*x**2 + c**2 + 2*c*d*x + d**2*x**2),x)/a`

**3.16**  $\int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx$

Optimal result . . . . .	144
Mathematica [B] (warning: unable to verify) . . . . .	145
Rubi [A] (verified) . . . . .	146
Maple [B] (verified) . . . . .	147
Fricas [B] (verification not implemented) . . . . .	148
Sympy [F] . . . . .	149
Maxima [B] (verification not implemented) . . . . .	150
Giac [F] . . . . .	151
Mupad [F(-1)] . . . . .	151
Reduce [F] . . . . .	151

## Optimal result

Integrand size = 20, antiderivative size = 288

$$\begin{aligned} \int \frac{(c+dx)^3}{(a+a \sec(e+fx))^2} dx = & \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \frac{10d(c+dx)^2 \log(1+e^{i(e+fx)})}{a^2f^2} \\ & + \frac{4d^3 \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{a^2f^4} \\ & + \frac{20id^2(c+dx) \operatorname{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} \\ & - \frac{20d^3 \operatorname{PolyLog}(3, -e^{i(e+fx)})}{a^2f^4} - \frac{d(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2})}{2a^2f^2} \\ & + \frac{2d^2(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{a^2f^3} - \frac{5(c+dx)^3 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} \\ & + \frac{(c+dx)^3 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \end{aligned}$$

output

```
5/3*I*(d*x+c)^3/a^2/f+1/4*(d*x+c)^4/a^2/d-10*d*(d*x+c)^2*ln(1+exp(I*(f*x+e)))/a^2/f^2+4*d^3*ln(cos(1/2*f*x+1/2*e))/a^2/f^4+20*I*d^2*(d*x+c)*polylog(2,-exp(I*(f*x+e)))/a^2/f^3-20*d^3*polylog(3,-exp(I*(f*x+e)))/a^2/f^4-1/2*d*(d*x+c)^2*sec(1/2*f*x+1/2*e)^2/a^2/f^2+2*d^2*(d*x+c)*tan(1/2*f*x+1/2*e)/a^2/f^3-5*(d*x+c)^3*tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)^3*sec(1/2*f*x+1/2*e)^2*tan(1/2*f*x+1/2*e)/a^2/f
```

## Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 1447 vs.  $2(288) = 576$ .

Time = 7.29 (sec), antiderivative size = 1447, normalized size of antiderivative = 5.02

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

input `Integrate[(c + d*x)^3/(a + a*Sec[e + f*x])^2, x]`

output

```
(((-20*I)/3)*d^3*Cos[e/2 + (f*x)/2]^4*(f^2*x^2*(f*x - (3*I)*(1 + E^(I*e)))*Log[1 + E^((-I)*(e + f*x))] + 6*(1 + E^(I*e))*f*x*PolyLog[2, -E^((-I)*(e + f*x))] - (6*I)*(1 + E^(I*e))*PolyLog[3, -E^((-I)*(e + f*x))])*Sec[e/2]*Sec[e + f*x]^2)/(E^((I/2)*e)*f^4*(a + a*Sec[e + f*x])^2) + (16*d^3*Cos[e/2 + (f*x)/2]^4*Sec[e/2]*Sec[e + f*x]^2*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*Sin[e/2])/2))/(f^4*(a + a*Sec[e + f*x])^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (40*c^2*d*Cos[e/2 + (f*x)/2]^4*Sec[e/2]*Sec[e + f*x]^2*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*Sin[e/2])/2))/(f^2*(a + a*Sec[e + f*x])^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (80*c*d^2*Cos[e/2 + (f*x)/2]^4*Csc[e/2]*((f^2*x^2)/(4*E^(I*ArcTan[Cot[e/2]]))) - (Cot[e/2]*((I/2)*f*x*(-Pi - 2*ArcTan[Cot[e/2]])) - Pi*Log[1 + E^((-I)*f*x)] - 2*((f*x)/2 - ArcTan[Cot[e/2]])*Log[1 - E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))] + Pi*Log[Cos[(f*x)/2]] - 2*ArcTan[Cot[e/2]]*Log[Sin[(f*x)/2 - ArcTan[Cot[e/2]]]] + I*PolyLog[2, E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))])/Sqrt[1 + Cot[e/2]^2])*Sec[e/2]*Sec[e + f*x]^2/(f^3*(a + a*Sec[e + f*x])^2*Sqrt[Csc[e/2]^2*(Cos[e/2]^2 + Sin[e/2]^2)]) + (Cos[e/2 + (f*x)/2]*Sec[e/2]*Sec[e + f*x]^2*(-24*c^2*d*f*Cos[(f*x)/2] - 48*c*d^2*f*x*Cos[(f*x)/2] + 36*c^3*f^3*x*Cos[(f*x)/2] - 24*d^3*f*x^2*Cos[(f*x)/2] + 54*c^2*d*f^3*x^2*Cos[(f*x)/2] + 36*c*d^2*f^3*x^3*Cos[(f*x)/2] + 9*d^3*f^3*x^4*Cos[(f*x)/2] - 24*c^2*d*f*Cos[e + (f*x)/2] - 48*c*d^2*f*x*Cos[e + (f*x)/2] + 36*c^3...]
```

## Rubi [A] (verified)

Time = 0.93 (sec) , antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c+dx)^3}{(a \sec(e+fx)+a)^2} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c+dx)^3}{\left(a \csc\left(e+fx+\frac{\pi}{2}\right)+a\right)^2} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left(-\frac{2(c+dx)^3}{a^2(\cos(e+fx)+1)} + \frac{(c+dx)^3}{a^2(\cos(e+fx)+1)^2} + \frac{(c+dx)^3}{a^2}\right) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{20id^2(c+dx)\text{PolyLog}(2, -e^{i(e+fx)})}{a^2f^3} + \frac{2d^2(c+dx)\tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f^3} - \\
 & \frac{10d(c+dx)^2\log(1+e^{i(e+fx)})}{a^2f^2} - \frac{d(c+dx)^2\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f^2} - \frac{5(c+dx)^3\tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2f} + \\
 & \frac{(c+dx)^3\tan\left(\frac{e}{2} + \frac{fx}{2}\right)\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{5i(c+dx)^3}{3a^2f} + \frac{(c+dx)^4}{4a^2d} - \\
 & \frac{20d^3\text{PolyLog}(3, -e^{i(e+fx)})}{a^2f^4} + \frac{4d^3\log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2f^4}
 \end{aligned}$$

input `Int[(c + d*x)^3/(a + a*Sec[e + f*x])^2, x]`

output

$$\begin{aligned} & (((5*I)/3)*(c + d*x)^3)/(a^2*f) + (c + d*x)^4/(4*a^2*d) - (10*d*(c + d*x)^2*Log[1 + E^(I*(e + f*x))])/(a^2*f^2) + (4*d^3*Log[Cos[e/2 + (f*x)/2]])/(a^2*f^4) + ((20*I)*d^2*(c + d*x)*PolyLog[2, -E^(I*(e + f*x))])/(a^2*f^3) - (20*d^3*PolyLog[3, -E^(I*(e + f*x))])/(a^2*f^4) - (d*(c + d*x)^2*Sec[e/2 + (f*x)/2]^2)/(2*a^2*f^2) + (2*d^2*(c + d*x)*Tan[e/2 + (f*x)/2])/(a^2*f^3) - (5*(c + d*x)^3*Tan[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)^3*Sec[e/2 + (f*x)/2]^2*Tan[e/2 + (f*x)/2])/(6*a^2*f) \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.*)(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 809 vs.  $2(246) = 492$ .

Time = 0.25 (sec) , antiderivative size = 810, normalized size of antiderivative = 2.81

method	result
risch	$\frac{d^3x^4}{4a^2} + \frac{d^2cx^3}{a^2} + \frac{3dc^2x^2}{2a^2} + \frac{c^3x}{a^2} + \frac{c^4}{4a^2d} - \frac{20id^3e^3}{3a^2f^4} - \frac{10dc^2\ln(1+e^{i(fx+e)})}{a^2f^2} + \frac{10dc^2\ln(e^{i(fx+e)})}{a^2f^2} + \frac{10d^3e^2\ln(e^{i(fx+e)})}{a^2f^4}$

input  $\text{int}((d*x+c)^3/(a+a*\sec(f*x+e))^2, x, \text{method}=\text{_RETURNVERBOSE})$

output

```

1/4/a^2*d^3*x^4+1/a^2*d^2*c*x^3+3/2/a^2*d*c^2*x^2+1/a^2*c^3*x+1/4/a^2/d*c^
4-20/3*I/a^2/f^4*d^3*e^3-10/a^2/f^2*d*c^2*ln(1+exp(I*(f*x+e)))+10/a^2/f^2*
d*c^2*ln(exp(I*(f*x+e)))+10/a^2/f^4*d^3*e^2*ln(exp(I*(f*x+e)))+10*I/a^2/f^
3*d^2*c*e^2+10*I/a^2/f*d^2*c*x^2+20*I/a^2/f^2*d^2*c*e*x-2/3*I*(6*d^3*f^2*x
^3*exp(2*I*(f*x+e))-6*I*c*d^2*f*x*exp(2*I*(f*x+e))+18*c*d^2*f^2*x^2*exp(2*
I*(f*x+e))+9*d^3*f^2*x^3*exp(I*(f*x+e))-3*I*d^3*f*x^2*exp(I*(f*x+e))-3*I*c
^2*d*f*exp(2*I*(f*x+e))+18*c^2*d*f^2*x*exp(2*I*(f*x+e))+27*c*d^2*f^2*x^2*exp
(I*(f*x+e))+5*d^3*f^2*x^3-6*I*c*d^2*f*x*exp(I*(f*x+e))-3*I*c^2*d*f*exp(I*
(f*x+e))+6*c^3*f^2*exp(2*I*(f*x+e))+27*c^2*d*f^2*x*exp(I*(f*x+e))+15*c*d^
2*f^2*x^2-3*I*d^3*f*x^2*exp(2*I*(f*x+e))+9*c^3*f^2*exp(I*(f*x+e))+15*c^2*d
*f^2*x-6*d^3*x*exp(2*I*(f*x+e))+5*c^3*f^2-6*c*d^2*exp(2*I*(f*x+e))-12*d^3*
x*exp(I*(f*x+e))-12*c*d^2*exp(I*(f*x+e))-6*d^3*x-6*c*d^2)/f^3/a^2/(1+exp(I*
(f*x+e)))^3+20*I/a^2/f^3*d^2*c*polylog(2,-exp(I*(f*x+e)))-10/a^2/f^2*d^3*
ln(1+exp(I*(f*x+e)))*x^2+10/3*I/a^2/f*d^3*x^3-20/a^2/f^3*d^2*c*e*ln(exp(I*
(f*x+e)))-10*I/a^2/f^3*d^3*e^2*x-20/a^2/f^2*d^2*c*ln(1+exp(I*(f*x+e)))*x+2
0*I/a^2/f^3*d^3*polylog(2,-exp(I*(f*x+e)))*x+4/a^2/f^4*d^3*ln(1+exp(I*(f*x
+e)))-4/a^2/f^4*d^3*ln(exp(I*(f*x+e)))-20*d^3*polylog(3,-exp(I*(f*x+e)))/a
^2/f^4

```

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 933 vs.  $2(243) = 486$ .

Time = 0.11 (sec) , antiderivative size = 933, normalized size of antiderivative = 3.24

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

```
input integrate((d*x+c)^3/(a+a*sec(f*x+e))^2,x, algorithm="fricas")
```

output

```

1/12*(3*d^3*f^4*x^4 + 12*c*d^2*f^4*x^3 - 12*c^2*d*f^2 + 6*(3*c^2*d*f^4 - 2
*d^3*f^2)*x^2 + 3*(d^3*f^4*x^4 + 4*c*d^2*f^4*x^3 + 6*c^2*d*f^4*x^2 + 4*c^3
*f^4*x)*cos(f*x + e)^2 + 12*(c^3*f^4 - 2*c*d^2*f^2)*x + 6*(d^3*f^4*x^4 + 4
*c*d^2*f^4*x^3 - 2*c^2*d*f^2 + 2*(3*c^2*d*f^4 - d^3*f^2)*x^2 + 4*(c^3*f^4
- c*d^2*f^2)*x)*cos(f*x + e) - 120*(I*d^3*f*x + I*c*d^2*f + (I*d^3*f*x + I
*c*d^2*f)*cos(f*x + e)^2 + 2*(I*d^3*f*x + I*c*d^2*f)*cos(f*x + e))*dilog(-
cos(f*x + e) + I*sin(f*x + e)) - 120*(-I*d^3*f*x - I*c*d^2*f + (-I*d^3*f*x
- I*c*d^2*f)*cos(f*x + e)^2 + 2*(-I*d^3*f*x - I*c*d^2*f)*cos(f*x + e))*di
log(-cos(f*x + e) - I*sin(f*x + e)) - 12*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x +
5*c^2*d*f^2 - 2*d^3 + (5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d
^3)*cos(f*x + e)^2 + 2*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d
^3)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) - 12*(5*d^3*f^2*x
^2 + 10*c*d^2*f^2*x + 5*c^2*d*f^2 - 2*d^3 + (5*d^3*f^2*x^2 + 10*c*d^2*f^2*x
+ 5*c^2*d*f^2 - 2*d^3)*cos(f*x + e)^2 + 2*(5*d^3*f^2*x^2 + 10*c*d^2*f^2*x
+ 5*c^2*d*f^2 - 2*d^3)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) +
1) - 120*(d^3*cos(f*x + e)^2 + 2*d^3*cos(f*x + e) + d^3)*polylog(3, -cos(
f*x + e) + I*sin(f*x + e)) - 120*(d^3*cos(f*x + e)^2 + 2*d^3*cos(f*x + e)
+ d^3)*polylog(3, -cos(f*x + e) - I*sin(f*x + e)) - 4*(4*d^3*f^3*x^3 + 12*
c*d^2*f^3*x^2 + 4*c^3*f^3 - 6*c*d^2*f + 6*(2*c^2*d*f^3 - d^3*f)*x + (5*d^3
*f^3*x^3 + 15*c*d^2*f^3*x^2 + 5*c^3*f^3 - 6*c*d^2*f + 3*(5*c^2*d*f^3 - ...

```

## Sympy [F]

$$\begin{aligned}
& \int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx \\
&= \frac{\int \frac{c^3}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{d^3x^3}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{3cd^2x^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{3c^2dx^3}{\sec^2(e+fx)+2\sec(e+fx)+1}}{a^2}
\end{aligned}$$

input

```
integrate((d*x+c)**3/(a+a*sec(f*x+e))**2,x)
```

output

```

(Integral(c**3/(\sec(e + f*x)**2 + 2*\sec(e + f*x) + 1), x) + Integral(d**3*
x**3/(\sec(e + f*x)**2 + 2*\sec(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(
\sec(e + f*x)**2 + 2*\sec(e + f*x) + 1), x) + Integral(3*c**2*d*x/(\sec(e + f
*x)**2 + 2*\sec(e + f*x) + 1), x))/a**2

```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 4283 vs.  $2(243) = 486$ .

Time = 1.09 (sec), antiderivative size = 4283, normalized size of antiderivative = 14.87

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

input `integrate((d*x+c)^3/(a+a*sec(f*x+e))^2,x, algorithm="maxima")`

output

```
-1/6*(3*c*d^2*e^2*((9*sin(f*x + e)/(cos(f*x + e) + 1) - sin(f*x + e)^3/(cos(f*x + e) + 1)^3)/(a^2*f^2) - 12*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a^2*f^2)) - 3*c^2*d*e*((9*sin(f*x + e)/(cos(f*x + e) + 1) - sin(f*x + e)^3/(cos(f*x + e) + 1)^3)/(a^2*f) - 12*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a^2*f)) + 6*(3*(f*x + e)^2*cos(3*f*x + 3*e)^2 + 3*(f*x + e)^2*sin(3*f*x + 3*e)^2 + 3*(9*(f*x + e)^2 - 4)*cos(2*f*x + 2*e)^2 + 3*(9*(f*x + e)^2 - 4)*cos(f*x + e)^2 + 3*(9*(f*x + e)^2 - 4)*sin(2*f*x + 2*e)^2 + 3*(9*(f*x + e)^2 - 4)*sin(f*x + e)^2 + 3*(f*x + e)^2 + 2*(3*(f*x + e)^2 + (9*(f*x + e)^2 - 2)*cos(2*f*x + 2*e) + (9*(f*x + e)^2 - 2)*cos(f*x + e) + 12*(f*x + e)*sin(2*f*x + 2*e) + 18*(f*x + e)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(9*(f*x + e)^2 + 3*(9*(f*x + e)^2 - 4)*cos(f*x + e) + 18*(f*x + e)*sin(f*x + e) - 2)*cos(2*f*x + 2*e) + 2*(9*(f*x + e)^2 - 2)*cos(f*x + e) - 10*(2*(3*cos(2*f*x + 2*e) + 3*cos(f*x + e) + 1)*cos(3*f*x + 3*e) + cos(3*f*x + 3*e)^2 + 6*(3*cos(f*x + e) + 1)*cos(2*f*x + 2*e) + 9*cos(2*f*x + 2*e)^2 + 9*cos(f*x + e)^2 + 6*(sin(2*f*x + 2*e) + sin(f*x + e))*sin(3*f*x + 3*e) + sin(3*f*x + 3*e)^2 + 9*sin(2*f*x + 2*e)^2 + 18*sin(2*f*x + 2*e)*sin(f*x + e) + 9*sin(f*x + e)^2 + 6*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 2*(10*f*x + 12*(f*x + e)*cos(2*f*x + 2*e) + 18*(f*x + e)*cos(f*x + e) - (9*(f*x + e)^2 - 2)*sin(2*f*x + 2*e) - (9*(f*x + e)^2 - 2)*sin(f*x + e) + 10*e)*sin(3*f*x + 3*e) - 6*(6*f*x + 6*(f*x + e)*c...)
```

**Giac [F]**

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \int \frac{(dx + c)^3}{(a \sec(fx + e) + a)^2} dx$$

input `integrate((d*x+c)^3/(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^3/(a*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx = \text{Hanged}$$

input `int((c + d*x)^3/(a + a/cos(e + f*x))^2,x)`

output `\text{Hanged}`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^3}{(a + a \sec(e + fx))^2} dx \\ &= \frac{60 \left( \int \tan\left(\frac{fx}{2} + \frac{e}{2}\right) x^2 dx \right) d^3 f^3 + 120 \left( \int \tan\left(\frac{fx}{2} + \frac{e}{2}\right) x dx \right) c d^2 f^3 + 60 \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) c^2 d f^2 - 2}{\dots} \end{aligned}$$

input `int((d*x+c)^3/(a+a*sec(f*x+e))^2,x)`

output

```
(60*int(tan((e + f*x)/2)*x**2,x)*d**3*f**3 + 120*int(tan((e + f*x)/2)*x,x)*c*d**2*f**3 + 60*log(tan((e + f*x)/2)**2 + 1)*c**2*d*f**2 - 24*log(tan((e + f*x)/2)**2 + 1)*d**3 + 2*tan((e + f*x)/2)**3*c**3*f**3 + 6*tan((e + f*x)/2)**3*c**2*d*f**3*x + 6*tan((e + f*x)/2)**3*c*d**2*f**3*x**2 + 2*tan((e + f*x)/2)**3*d**3*f**3*x**3 - 6*tan((e + f*x)/2)**2*c**2*d*f**2 - 12*tan((e + f*x)/2)**2*c*d**2*f**2*x - 6*tan((e + f*x)/2)**2*d**3*f**2*x**2 - 18*tan((e + f*x)/2)*c**3*f**3 - 54*tan((e + f*x)/2)*c**2*d*f**3*x - 54*tan((e + f*x)/2)*c*d**2*f**3*x**2 + 24*tan((e + f*x)/2)*c*d**2*f - 18*tan((e + f*x)/2)*d**3*f**3*x**3 + 24*tan((e + f*x)/2)*d**3*f*x + 12*c**3*f**4*x + 18*c**2*d*f**4*x**2 + 12*c*d**2*f**4*x**3 - 12*c*d**2*f**2*x + 3*d**3*f**4*x**4 - 6*d**3*f**2*x**2)/(12*a**2*f**4)
```

**3.17**  $\int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx$

Optimal result . . . . .	153
Mathematica [B] (warning: unable to verify) . . . . .	154
Rubi [A] (verified) . . . . .	155
Maple [B] (verified) . . . . .	156
Fricas [B] (verification not implemented) . . . . .	157
Sympy [F] . . . . .	157
Maxima [B] (verification not implemented) . . . . .	158
Giac [F] . . . . .	159
Mupad [F(-1)] . . . . .	159
Reduce [F] . . . . .	159

## Optimal result

Integrand size = 20, antiderivative size = 229

$$\begin{aligned} \int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx = & \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} - \frac{20d(c+dx) \log(1+e^{i(e+fx)})}{3a^2f^2} \\ & + \frac{20id^2 \operatorname{PolyLog}(2, -e^{i(e+fx)})}{3a^2f^3} - \frac{d(c+dx) \sec^2(\frac{e}{2} + \frac{fx}{2})}{3a^2f^2} \\ & + \frac{2d^2 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f^3} - \frac{5(c+dx)^2 \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} \\ & + \frac{(c+dx)^2 \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \end{aligned}$$

output

```
5/3*I*(d*x+c)^2/a^2/f+1/3*(d*x+c)^3/a^2/d-20/3*d*(d*x+c)*ln(1+exp(I*(f*x+e)))/a^2/f^2+20/3*I*d^2*polylog(2,-exp(I*(f*x+e)))/a^2/f^3-1/3*d*(d*x+c)*se
c(1/2*f*x+1/2*e)^2/a^2/f^2+2/3*d^2*tan(1/2*f*x+1/2*e)/a^2/f^3-5/3*(d*x+c)^
2*tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)^2*sec(1/2*f*x+1/2*e)^2*tan(1/2*f*x+
1/2*e)/a^2/f
```

## Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 925 vs.  $2(229) = 458$ .

Time = 6.76 (sec) , antiderivative size = 925, normalized size of antiderivative = 4.04

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

input `Integrate[(c + d*x)^2/(a + a*Sec[e + f*x])^2, x]`

output

```
(-80*c*d*Cos[e/2 + (f*x)/2]^4*Sec[e/2]*Sec[e + f*x]^2*(Cos[e/2]*Log[Cos[e/2]*Cos[(f*x)/2] - Sin[e/2]*Sin[(f*x)/2]] + (f*x*Sin[e/2])/2))/(3*f^2*(a + a*Sec[e + f*x])^2*(Cos[e/2]^2 + Sin[e/2]^2)) - (80*d^2*Cos[e/2 + (f*x)/2]^4*Csc[e/2]*((f^2*x^2)/(4*E^(I*ArcTan[Cot[e/2]]))) - (Cot[e/2]*((I/2)*f*x*(-Pi - 2*ArcTan[Cot[e/2]])) - Pi*Log[1 + E^((-I)*f*x)] - 2*((f*x)/2 - ArcTan[Cot[e/2]])*Log[1 - E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))] + Pi*Log[Cos[(f*x)/2]] - 2*ArcTan[Cot[e/2]]*Log[Sin[(f*x)/2 - ArcTan[Cot[e/2]]]] + I*PolyLog[2, E^((2*I)*((f*x)/2 - ArcTan[Cot[e/2]]))]))/Sqrt[1 + Cot[e/2]^2])*Sec[e/2]*Sec[e + f*x]^2)/(3*f^3*(a + a*Sec[e + f*x])^2*Sqrt[Csc[e/2]^2*(Cos[e/2]^2 + Sin[e/2]^2)]) + (Cos[e/2 + (f*x)/2]*Sec[e/2]*Sec[e + f*x]^2*(-4*c*d*f*Cos[(f*x)/2] - 4*d^2*f*x*Cos[(f*x)/2] + 9*c^2*f^3*x*Cos[(f*x)/2] + 9*c*d*f^3*x^2*Cos[(f*x)/2] + 3*d^2*f^3*x^3*Cos[(f*x)/2] - 4*c*d*f*Cos[e + (f*x)/2] - 4*d^2*f*x*Cos[e + (f*x)/2] + 9*c^2*f^3*x*Cos[e + (f*x)/2] + 9*c*d*f^3*x^2*Cos[e + (f*x)/2] + 3*d^2*f^3*x^3*Cos[e + (f*x)/2] + 3*c^2*f^3*x*Cos[e + (3*f*x)/2] + 3*c*d*f^3*x^2*Cos[e + (3*f*x)/2] + d^2*f^3*x^3*Cos[e + (3*f*x)/2] + 3*c^2*f^3*x*Cos[2*e + (3*f*x)/2] + 3*c*d*f^3*x^2*Cos[2*e + (3*f*x)/2] + d^2*f^3*x^3*Cos[2*e + (3*f*x)/2] + 8*d^2*Sin[(f*x)/2] - 18*c^2*f^2*Sin[(f*x)/2] - 36*c*d*f^2*x*Sin[(f*x)/2] - 18*d^2*f^2*x^2*Sin[(f*x)/2] - 4*d^2*Sin[e + (f*x)/2] + 12*c^2*f^2*Sin[e + (f*x)/2] + 24*c*d*f^2*x*Sin[e + (f*x)/2] + 12*d^2*f^2*x^2*Sin[e + (f*x)/2] + 4*d^2*Sin[e + (3*f*x)...]
```

## Rubi [A] (verified)

Time = 0.73 (sec) , antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c+dx)^2}{(a \sec(e+fx)+a)^2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{(c+dx)^2}{\left(a \csc\left(e+fx+\frac{\pi}{2}\right)+a\right)^2} dx \\
 & \quad \downarrow \text{4679} \\
 & \int \left(-\frac{2(c+dx)^2}{a^2(\cos(e+fx)+1)} + \frac{(c+dx)^2}{a^2(\cos(e+fx)+1)^2} + \frac{(c+dx)^2}{a^2}\right) dx \\
 & \quad \downarrow \text{2009} \\
 & -\frac{20d(c+dx)\log\left(1+e^{i(e+fx)}\right)}{3a^2f^2} - \frac{d(c+dx)\sec^2\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f^2} - \frac{5(c+dx)^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f} + \\
 & \quad \frac{(c+dx)^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)\sec^2\left(\frac{e}{2}+\frac{fx}{2}\right)}{6a^2f} + \frac{5i(c+dx)^2}{3a^2f} + \frac{(c+dx)^3}{3a^2d} + \\
 & \quad \frac{20id^2 \operatorname{PolyLog}(2, -e^{i(e+fx)})}{3a^2f^3} + \frac{2d^2\tan\left(\frac{e}{2}+\frac{fx}{2}\right)}{3a^2f^3}
 \end{aligned}$$

input `Int[(c + d*x)^2/(a + a*Sec[e + f*x])^2, x]`

output

```
((5*I)/3)*(c + d*x)^2/(a^2*f) + (c + d*x)^3/(3*a^2*d) - (20*d*(c + d*x)*
Log[1 + E^(I*(e + f*x))]/(3*a^2*f^2) + (((20*I)/3)*d^2*PolyLog[2, -E^(I*(e +
f*x))])/((a^2*f)^3) - (d*(c + d*x)*Sec[e/2 + (f*x)/2]^2)/(3*a^2*f^2) + (2*d^2*Tan[e/2 + (f*x)/2])/((3*a^2*f)^3) - (5*(c + d*x)^2*Tan[e/2 + (f*x)/2])/((3*a^2*f) + ((c + d*x)^2*Sec[e/2 + (f*x)/2]^2*Tan[e/2 + (f*x)/2])/((6*a^2*f)
```

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Si}n[e + f*x])^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 452 vs. 2(187) = 374.

Time = 0.19 (sec) , antiderivative size = 453, normalized size of antiderivative = 1.98

method	result
risch	$\frac{d^2x^3}{3a^2} + \frac{dcx^2}{a^2} + \frac{c^2x}{a^2} + \frac{c^3}{3a^2d} - \frac{2i(6d^2f^2x^2e^{2i(fx+e)} - 2icdf e^{i(fx+e)} + 12cd f^2x e^{2i(fx+e)} + 9d^2e^{i(fx+e)}x^2f^2 - 2id^2fx e^{i(fx+e)})}{3a^2}$

input  $\text{int}((d*x+c)^2/(a+a*\text{sec}(f*x+e))^2, x, \text{method}=\text{RETURNVERBOSE})$

output 
$$\begin{aligned} & 1/3/a^2*d^2*x^3 + 1/a^2*d*c*x^2 + 1/a^2*c^2*x + 1/3/a^2/d*c^3 - 2/3*I*(6*d^2*f^2*x^2 \\ & *2*exp(2*I*(f*x+e)) - 2*I*c*d*f*exp(I*(f*x+e)) + 12*c*d*f^2*x*exp(2*I*(f*x+e)) \\ & + 9*d^2*x*exp(I*(f*x+e)) * x^2*f^2 - 2*I*d^2*f*x*exp(I*(f*x+e)) - 2*I*d^2*f*x*exp(2*I*(f*x+e)) \\ & + 6*c^2*f^2*exp(2*I*(f*x+e)) + 18*c*d*exp(I*(f*x+e)) * x*f^2 + 5*d^2*f^2*x^2 \\ & - 2*I*c*d*f*exp(2*I*(f*x+e)) + 9*c^2*exp(I*(f*x+e)) * f^2 + 10*c*d*f^2*x + 5*c^2*f^2*x^2 \\ & - 2*d^2*x*exp(2*I*(f*x+e)) - 4*d^2*f*exp(I*(f*x+e)) - 2*d^2/f^3/a^2/(1 + exp(I*(f*x+e)))^3 - 20/3/a^2*d/f^2*c*ln(1 + exp(I*(f*x+e))) + 20/3/a^2*d/f^2*c*ln(exp(I*(f*x+e))) + 10/3*I/a^2*d^2/f*x^2 + 20/3*I/a^2*d^2/f^2*x + 10/3*I/a^2*d^2/f^3*x^2 - 20/3/a^2*d^2/f^2*ln(1 + exp(I*(f*x+e))) * x + 20/3*I*d^2*polylog(2, -exp(I*(f*x+e))) / a^2/f^3 - 20/3/a^2*d^2/f^3*x*ln(exp(I*(f*x+e))) \end{aligned}$$

**Fricas [B]** (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 493 vs.  $2(184) = 368$ .

Time = 0.09 (sec) , antiderivative size = 493, normalized size of antiderivative = 2.15

$$\int \frac{(c+dx)^2}{(a+a \sec(e+fx))^2} dx \\ \equiv \frac{d^2 f^3 x^3 + 3 c d f^3 x^2 - 2 c d f + (d^2 f^3 x^3 + 3 c d f^3 x^2 + 3 c^2 f^3 x) \cos(f x + e)^2 + (3 c^2 f^3 - 2 d^2 f) x + 2 (d^2 f^3 x^2 + 3 c d f^3 x + 3 c^2 f^3)}{(a + a \sec(e + f x))^2}$$

```
input integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="fricas")
```

```

output 1/3*(d^2*f^3*x^3 + 3*c*d*f^3*x^2 - 2*c*d*f + (d^2*f^3*x^3 + 3*c*d*f^3*x^2
+ 3*c^2*f^3*x)*cos(f*x + e)^2 + (3*c^2*f^3 - 2*d^2*f)*x + 2*(d^2*f^3*x^3 +
3*c*d*f^3*x^2 - c*d*f + (3*c^2*f^3 - d^2*f)*x)*cos(f*x + e) - 10*(I*d^2*c
os(f*x + e)^2 + 2*I*d^2*cos(f*x + e) + I*d^2)*dilog(-cos(f*x + e) + I*sin(
f*x + e)) - 10*(-I*d^2*cos(f*x + e)^2 - 2*I*d^2*cos(f*x + e) - I*d^2)*dilo
g(-cos(f*x + e) - I*sin(f*x + e)) - 10*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f
)*cos(f*x + e)^2 + 2*(d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) + I*
sin(f*x + e) + 1) - 10*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e)^2
+ 2*(d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1
) - (4*d^2*f^2*x^2 + 8*c*d*f^2*x + 4*c^2*f^2 - 2*d^2 + (5*d^2*f^2*x^2 + 10
*c*d*f^2*x + 5*c^2*f^2 - 2*d^2)*cos(f*x + e))*sin(f*x + e))/(a^2*f^3*cos(f
*x + e)^2 + 2*a^2*f^3*cos(f*x + e) + a^2*f^3)

```

## Sympy [F]

$$\int \frac{(c+dx)^2}{(a+a\sec(e+fx))^2} dx = \frac{\int \frac{c^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{d^2x^2}{\sec^2(e+fx)+2\sec(e+fx)+1} dx + \int \frac{2cdx}{\sec^2(e+fx)+2\sec(e+fx)+1} dx}{a^2}$$

```
input integrate((d*x+c)**2/(a+a*sec(f*x+e))**2,x)
```

output

```
(Integral(c**2/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(d**2*x**2/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x) + Integral(2*c*d*x/(sec(e + f*x)**2 + 2*sec(e + f*x) + 1), x))/a**2
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1035 vs.  $2(184) = 368$ .

Time = 0.54 (sec) , antiderivative size = 1035, normalized size of antiderivative = 4.52

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

input

```
integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="maxima")
```

output

```
-(I*d^2*f^3*x^3 + 3*I*c*d*f^3*x^2 + 3*I*c^2*f^3*x + 10*c^2*f^2 - 4*d^2 + 2
0*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(3*f*x + 3*e) + 3*(d^2*f*x + c*d
*f)*cos(2*f*x + 2*e) + 3*(d^2*f*x + c*d*f)*cos(f*x + e) - (-I*d^2*f*x - I*
c*d*f)*sin(3*f*x + 3*e) - 3*(-I*d^2*f*x - I*c*d*f)*sin(2*f*x + 2*e) - 3*(-
I*d^2*f*x - I*c*d*f)*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1)
+ (I*d^2*f^3*x^3 + (3*I*c*d*f^3 - 10*d^2*f^2)*x^2 + (3*I*c^2*f^3 - 20*c*d
*f^2)*x)*cos(3*f*x + 3*e) + (3*I*d^2*f^3*x^3 + 12*c^2*f^2 - 4*I*c*d*f - 9*
(-I*c*d*f^3 + 2*d^2*f^2)*x^2 - 4*d^2 + (9*I*c^2*f^3 - 36*c*d*f^2 - 4*I*d^2
*f)*x)*cos(2*f*x + 2*e) + (3*I*d^2*f^3*x^3 + 18*c^2*f^2 - 4*I*c*d*f - 3*(-
3*I*c*d*f^3 + 4*d^2*f^2)*x^2 - 8*d^2 + (9*I*c^2*f^3 - 24*c*d*f^2 - 4*I*d^2
*f)*x)*cos(f*x + e) - 20*(d^2*cos(3*f*x + 3*e) + 3*d^2*cos(2*f*x + 2*e) +
3*d^2*cos(f*x + e) + I*d^2*sin(3*f*x + 3*e) + 3*I*d^2*sin(2*f*x + 2*e) + 3
*I*d^2*sin(f*x + e) + d^2)*dilog(-e^(I*f*x + I*e)) - 10*(I*d^2*f*x + I*c*d
*f + (I*d^2*f*x + I*c*d*f)*cos(3*f*x + 3*e) + 3*(I*d^2*f*x + I*c*d*f)*cos(
2*f*x + 2*e) + 3*(I*d^2*f*x + I*c*d*f)*cos(f*x + e) - (d^2*f*x + c*d*f)*si
n(3*f*x + 3*e) - 3*(d^2*f*x + c*d*f)*sin(2*f*x + 2*e) - 3*(d^2*f*x + c*d*f
)*sin(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1)
- (d^2*f^3*x^3 + (3*c*d*f^3 + 10*I*d^2*f^2)*x^2 + (3*c^2*f^3 + 20*I*c*d*f^
2)*x)*sin(3*f*x + 3*e) - (3*d^2*f^3*x^3 - 12*I*c^2*f^2 - 4*c*d*f + 9*(c*d*
f^3 + 2*I*d^2*f^2)*x^2 + 4*I*d^2 + (9*c^2*f^3 + 36*I*c*d*f^2 - 4*d^2*f)...
```

**Giac [F]**

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \int \frac{(dx + c)^2}{(a \sec(fx + e) + a)^2} dx$$

input `integrate((d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^2/(a*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx = \text{Hanged}$$

input `int((c + d*x)^2/(a + a/cos(e + f*x))^2,x)`

output `\text{Hanged}`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^2}{(a + a \sec(e + fx))^2} dx \\ &= \frac{20 \left( \int \tan\left(\frac{fx}{2} + \frac{e}{2}\right) x dx \right) d^2 f^2 + 20 \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) c d f + \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3 c^2 f^2 + 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3 c d f}{\cdots} \end{aligned}$$

input `int((d*x+c)^2/(a+a*sec(f*x+e))^2,x)`

output

```
(20*int(tan((e + f*x)/2)*x,x)*d**2*f**2 + 20*log(tan((e + f*x)/2)**2 + 1)*c*d*f + tan((e + f*x)/2)**3*c**2*f**2 + 2*tan((e + f*x)/2)**3*c*d*f**2*x + tan((e + f*x)/2)**3*d**2*f**2*x**2 - 2*tan((e + f*x)/2)**2*c*d*f - 2*tan((e + f*x)/2)**2*d**2*f*x - 9*tan((e + f*x)/2)*c**2*f**2 - 18*tan((e + f*x)/2)*c*d*f**2*x - 9*tan((e + f*x)/2)*d**2*f**2*x**2 + 4*tan((e + f*x)/2)*d**2 + 6*c**2*f**3*x + 6*c*d*f**3*x**2 + 2*d**2*f**3*x**3 - 2*d**2*f*x)/(6*a**2*f**3)
```

**3.18**  $\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx$

Optimal result . . . . .	161
Mathematica [A] (verified) . . . . .	161
Rubi [A] (verified) . . . . .	162
Maple [A] (verified) . . . . .	163
Fricas [A] (verification not implemented) . . . . .	164
Sympy [F] . . . . .	164
Maxima [B] (verification not implemented) . . . . .	165
Giac [B] (verification not implemented) . . . . .	166
Mupad [B] (verification not implemented) . . . . .	167
Reduce [B] (verification not implemented) . . . . .	167

## Optimal result

Integrand size = 18, antiderivative size = 140

$$\begin{aligned} \int \frac{c+dx}{(a+a \sec(e+fx))^2} dx = & \frac{(c+dx)^2}{2a^2d} - \frac{10d \log(\cos(\frac{e}{2} + \frac{fx}{2}))}{3a^2f^2} \\ & - \frac{d \sec^2(\frac{e}{2} + \frac{fx}{2})}{6a^2f^2} - \frac{5(c+dx) \tan(\frac{e}{2} + \frac{fx}{2})}{3a^2f} \\ & + \frac{(c+dx) \sec^2(\frac{e}{2} + \frac{fx}{2}) \tan(\frac{e}{2} + \frac{fx}{2})}{6a^2f} \end{aligned}$$

output 
$$\frac{1/2*(d*x+c)^2/a^2/d-10/3*d*ln(\cos(1/2*f*x+1/2*e))/a^2/f^2-1/6*d*sec(1/2*f*x+1/2*e)^2/a^2/f^2-5/3*(d*x+c)*tan(1/2*f*x+1/2*e)/a^2/f+1/6*(d*x+c)*sec(1/2*f*x+1/2*e)^2*tan(1/2*f*x+1/2*e)/a^2/f}{}$$

## Mathematica [A] (verified)

Time = 1.37 (sec) , antiderivative size = 172, normalized size of antiderivative = 1.23

$$\begin{aligned} & \int \frac{c+dx}{(a+a \sec(e+fx))^2} dx \\ &= \frac{2 \cos(\frac{1}{2}(e+fx)) \sec^2(e+fx) (f(c+dx) \sec(\frac{e}{2}) \sin(\frac{fx}{2}) - 10f(c+dx) \cos^2(\frac{1}{2}(e+fx)) \sec(\frac{e}{2}) \sin(\frac{fx}{2}))}{a^2 f^2} \end{aligned}$$

input  $\text{Integrate}[(c + d*x)/(a + a*\text{Sec}[e + f*x])^2, x]$

output 
$$\frac{(2*\cos[(e + f*x)/2]*\sec[e + f*x]^2*(f*(c + d*x)*\sec[e/2]*\sin[(f*x)/2] - 10*f*(c + d*x)*\cos[(e + f*x)/2]^2*\sec[e/2]*\sin[(f*x)/2] + \cos[(e + f*x)/2]^3*(3*f^2*x*(2*c + d*x) - 20*d*\log[\cos[(e + f*x)/2]] - 10*d*f*x*\tan[e/2]) + \cos[(e + f*x)/2]*(-d + f*(c + d*x)*\tan[e/2]))}{(3*a^2*f^2*(1 + \sec[e + f*x])^2)}$$

## Rubi [A] (verified)

Time = 0.41 (sec), antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.167, Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{c + dx}{(a \sec(e + fx) + a)^2} dx \\
 & \quad \downarrow \text{3042} \\
 & \int \frac{c + dx}{(a \csc(e + fx + \frac{\pi}{2}) + a)^2} dx \\
 & \quad \downarrow \text{4679} \\
 & \int \left( -\frac{2(c + dx)}{a^2(\cos(e + fx) + 1)} + \frac{c + dx}{a^2(\cos(e + fx) + 1)^2} + \frac{c + dx}{a^2} \right) dx \\
 & \quad \downarrow \text{2009} \\
 & -\frac{5(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} + \frac{(c + dx)^2}{2a^2 d} - \\
 & \quad \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} - \frac{10d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2 f^2}
 \end{aligned}$$

input  $\text{Int}[(c + d*x)/(a + a*\text{Sec}[e + f*x])^2, x]$

output

$$(c + d*x)^2/(2*a^2*d) - (10*d*Log[Cos[e/2 + (f*x)/2]])/(3*a^2*f^2) - (d*Se c[e/2 + (f*x)/2]^2)/(6*a^2*f^2) - (5*(c + d*x)*Tan[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)*Sec[e/2 + (f*x)/2]^2*Tan[e/2 + (f*x)/2])/(6*a^2*f)$$

### Defintions of rubi rules used

rule 2009

$$\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$$

rule 3042

$$\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$$

rule 4679

$$\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$$

### Maple [A] (verified)

Time = 0.19 (sec) , antiderivative size = 86, normalized size of antiderivative = 0.61

method	result
parallelrisch	$\frac{10d \ln \left( \sec \left( \frac{e}{2} + \frac{fx}{2} \right)^2 \right) + f(dx+c) \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^3 - d \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^2 - 9 \tan \left( \frac{e}{2} + \frac{fx}{2} \right) f(dx+c) + 6x f^2 \left( \frac{dx}{2} + c \right)}{6a^2 f^2}$
norman	$\frac{\frac{cx}{a} + \frac{dx^2}{2a} - \frac{3c \tan \left( \frac{e}{2} + \frac{fx}{2} \right)}{2af} + \frac{c \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^3}{6af} - \frac{d \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^2}{6a f^2} - \frac{3dx \tan \left( \frac{e}{2} + \frac{fx}{2} \right)}{2af} + \frac{dx \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^3}{6af}}{a} + \frac{5d \ln \left( 1 + \tan \left( \frac{e}{2} + \frac{fx}{2} \right)^2 \right)}{3a^2 f^2}$
risch	$\frac{dx^2}{2a^2} + \frac{cx}{a^2} + \frac{10idx}{3a^2 f} + \frac{10ide}{3a^2 f^2} - \frac{2i(6e^{2i(fx+e)}dfx - id e^{2i(fx+e)} + 6e^{2i(fx+e)}cf + 9e^{i(fx+e)}dfx - ide^{i(fx+e)} + 9cf e^{i(fx+e)})}{3f^2 a^2 (1 + e^{i(fx+e)})^3}$

input

$$\text{int}((d*x+c)/(a+a*sec(f*x+e))^2, x, \text{method}=\text{RETURNVERBOSE})$$

output

$$\frac{1}{6}*(10*d*ln(sec(1/2*e+1/2*f*x)^2)+f*(d*x+c)*tan(1/2*e+1/2*f*x)^3-d*tan(1/2*e+1/2*f*x)^2-9*tan(1/2*e+1/2*f*x)*f*(d*x+c)+6*x*f^2*(1/2*d*x+c))/a^2/f^2$$

**Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.31

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx \\ = \frac{3 df^2 x^2 + 6 cf^2 x + 3 (df^2 x^2 + 2 cf^2 x) \cos(fx + e)^2 + 2 (3 df^2 x^2 + 6 cf^2 x - d) \cos(fx + e) - 10 (d \cos(fx + e)^2 + 2 d f \cos(fx + e) \sin(fx + e))}{6 (a^2 f^2 \cos(fx + e)^2 + 2 a^2 f \cos(fx + e) \sin(fx + e) + a^2)}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

output  $\frac{1}{6} (3 d f^2 x^2 + 6 c f^2 x + 3 (d f^2 x^2 + 2 c f^2 x) \cos(f x + e)^2 + 2 (3 d f^2 x^2 + 6 c f^2 x - d) \cos(f x + e) - 10 (d \cos(f x + e)^2 + 2 d f \cos(f x + e) \sin(f x + e)) \log(1/2 \cos(f x + e) + 1/2) - 2 (4 d f^2 x + 4 c f^2 x + 5 (d f^2 x^2 + c f^2 x) \cos(f x + e)) \sin(f x + e) - 2 d) / (a^2 f^2 \cos(f x + e)^2 + 2 a f \cos(f x + e) \sin(f x + e) + a^2)$

**Sympy [F]**

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \frac{\int \frac{c}{\sec^2(e + fx) + 2 \sec(e + fx) + 1} dx + \int \frac{dx}{\sec^2(e + fx) + 2 \sec(e + fx) + 1}}{a^2}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e))**2,x)`

output  $(\text{Integral}(c / (\sec(e + f x)^2 + 2 * \sec(e + f x) + 1), x) + \text{Integral}(d * x / (\sec(e + f x)^2 + 2 * \sec(e + f x) + 1), x)) / a^2$

## Maxima [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 1058 vs.  $2(110) = 220$ .

Time = 0.15 (sec), antiderivative size = 1058, normalized size of antiderivative = 7.56

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \text{Too large to display}$$

input `integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="maxima")`

output

```
1/6*(d*e*((9*sin(f*x + e)/(cos(f*x + e) + 1) - sin(f*x + e)^3/(cos(f*x + e) + 1)^3)/(a^2*f) - 12*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/(a^2*f)) - c*((9*sin(f*x + e)/(cos(f*x + e) + 1) - sin(f*x + e)^3/(cos(f*x + e) + 1)^3)/a^2 - 12*arctan(sin(f*x + e)/(cos(f*x + e) + 1))/a^2) + (3*(f*x + e)^2*cos(3*f*x + 3*e)^2 + 3*(f*x + e)^2*sin(3*f*x + 3*e)^2 + 3*(9*(f*x + e)^2 - 4)*cos(2*f*x + 2*e)^2 + 3*(9*(f*x + e)^2 - 4)*cos(f*x + e)^2 + 3*(9*(f*x + e)^2 - 4)*sin(2*f*x + 2*e)^2 + 3*(9*(f*x + e)^2 - 4)*sin(f*x + e)^2 + 3*(f*x + e)^2 + 2*(3*(f*x + e)^2 + (9*(f*x + e)^2 - 2)*cos(2*f*x + 2*e) + (9*(f*x + e)^2 - 2)*cos(f*x + e) + 12*(f*x + e)*sin(2*f*x + 2*e) + 18*(f*x + e)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(9*(f*x + e)^2 - 4)*cos(f*x + e) + 18*(f*x + e)*sin(f*x + e) - 2)*cos(2*f*x + 2*e) + 2*(9*(f*x + e)^2 - 2)*cos(f*x + e) - 10*(2*(3*cos(2*f*x + 2*e) + 3*cos(f*x + e) + 1)*cos(3*f*x + 3*e) + cos(3*f*x + 3*e)^2 + 6*(3*cos(f*x + e) + 1)*cos(2*f*x + 2*e) + 9*cos(2*f*x + 2*e)^2 + 9*cos(f*x + e)^2 + 6*(sin(2*f*x + 2*e) + sin(f*x + e))*sin(3*f*x + 3*e) + sin(3*f*x + 3*e)^2 + 9*sin(2*f*x + 2*e)^2 + 18*sin(2*f*x + 2*e)*sin(f*x + e) + 9*sin(f*x + e)^2 + 6*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - 2*(10*f*x + 12*(f*x + e)*cos(2*f*x + 2*e) + 18*(f*x + e)*cos(f*x + e) - (9*(f*x + e)^2 - 2)*sin(2*f*x + 2*e) - (9*(f*x + e)^2 - 2)*sin(f*x + e) + 10*e)*sin(3*f*x + 3*e) - 6*(6*f*x + 6*(f*x + e)*cos(f*x + e) - (9*(f*x + e)^2 - ...
```

## Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 798 vs.  $2(110) = 220$ .

Time = 0.41 (sec) , antiderivative size = 798, normalized size of antiderivative = 5.70

$$\int \frac{c+dx}{(a+a \sec(e+fx))^2} dx = \text{Too large to display}$$

```
input integrate((d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="giac")
```

**Mupad [B] (verification not implemented)**

Time = 20.47 (sec) , antiderivative size = 247, normalized size of antiderivative = 1.76

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx = \frac{d x^2}{2 a^2} - \frac{\frac{(c+dx)4i}{3 a^2 f} + \frac{e^{e1i+f x1i}(c+dx)4i}{3 a^2 f} + \frac{e^{e2i+f x2i}(c+dx)4i}{3 a^2 f}}{3 e^{e1i+f x1i} + 3 e^{e2i+f x2i} + e^{e3i+f x3i} + 1} \\ - \frac{10 d \ln(e^{e1i} e^{f x1i} + 1)}{3 a^2 f^2} - \frac{(4 c f + 4 d f x - d 1i) 2i}{3 a^2 f^2 (e^{e1i+f x1i} + 1)} \\ + \frac{(c f + d f x - d 1i) 2i}{3 a^2 f^2 (2 e^{e1i+f x1i} + e^{e2i+f x2i} + 1)} + \frac{x (3 c f + d 10i)}{3 a^2 f}$$

input `int((c + d*x)/(a + a/cos(e + f*x))^2,x)`

output 
$$(d*x^2)/(2*a^2) - (((c + d*x)*4i)/(3*a^2*f) + (\exp(e*1i + f*x*1i)*(c + d*x)*4i)/(3*a^2*f) + (\exp(e*2i + f*x*2i)*(c + d*x)*4i)/(3*a^2*f))/(3*exp(e*1i + f*x*1i) + 3*exp(e*2i + f*x*2i) + \exp(e*3i + f*x*3i) + 1) - (10*d*log(\exp(e*1i)*\exp(f*x*1i) + 1))/(3*a^2*f^2) - ((4*c*f - d*1i + 4*d*f*x)*2i)/(3*a^2*f^2*(\exp(e*1i + f*x*1i) + 1)) + ((c*f - d*1i + d*f*x)*2i)/(3*a^2*f^2*(2*\exp(e*1i + f*x*1i) + \exp(e*2i + f*x*2i) + 1)) + (x*(d*10i + 3*c*f))/(3*a^2*f)$$

**Reduce [B] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 112, normalized size of antiderivative = 0.80

$$\int \frac{c + dx}{(a + a \sec(e + fx))^2} dx \\ = \frac{10 \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) d + \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3 c f + \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^3 d f x - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 d - 9 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)}{6 a^2 f^2}$$

input `int((d*x+c)/(a+a*sec(f*x+e))^2,x)`

output 
$$(10*\log(\tan((e + f*x)/2)**2 + 1)*d + \tan((e + f*x)/2)**3*c*f + \tan((e + f*x)/2)**3*d*f*x - \tan((e + f*x)/2)**2*d - 9*tan((e + f*x)/2)*c*f - 9*tan((e + f*x)/2)*d*f*x + 6*c*f**2*x + 3*d*f**2*x**2)/(6*a**2*f**2)$$

**3.19**  $\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$

Optimal result . . . . .	168
Mathematica [N/A] . . . . .	168
Rubi [N/A] . . . . .	169
Maple [N/A] . . . . .	170
Fricas [N/A] . . . . .	170
Sympy [N/A] . . . . .	170
Maxima [N/A] . . . . .	171
Giac [N/A] . . . . .	172
Mupad [N/A] . . . . .	172
Reduce [N/A] . . . . .	172

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)(a+a \sec(e+fx))^2}, x\right)$$

output `Defer(Int)(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)`

## Mathematica [N/A]

Not integrable

Time = 9.97 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+a \sec(e+fx))^2} dx$$

input `Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])^2),x]`

output `Integrate[1/((c + d*x)*(a + a*Sec[e + f*x])^2), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)(a \sec(e + fx) + a)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx) \left(a \csc\left(e + fx + \frac{\pi}{2}\right) + a\right)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)(a \sec(e + fx) + a)^2} dx \end{aligned}$$

input `Int[1/((c + d*x)*(a + a*Sec[e + f*x])^2),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + a \sec(fx + e))^2} dx$$

input `int(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)`

output `int(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 57, normalized size of antiderivative = 2.85

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

output `integral(1/(a^2*d*x + a^2*c + (a^2*d*x + a^2*c)*sec(f*x + e)^2 + 2*(a^2*d*x + a^2*c)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 2.37 (sec) , antiderivative size = 54, normalized size of antiderivative = 2.70

$$\begin{aligned} & \int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx \\ &= \frac{\int \frac{1}{c \sec^2(e + fx) + 2c \sec(e + fx) + c + dx \sec^2(e + fx) + 2dx \sec(e + fx) + dx} dx}{a^2} \end{aligned}$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e))**2,x)`

output `Integral(1/(c*sec(e + f*x)**2 + 2*c*sec(e + f*x) + c + d*x*sec(e + f*x)**2 + 2*d*x*sec(e + f*x) + d*x), x)/a**2`

## Maxima [N/A]

Not integrable

Time = 9.21 (sec) , antiderivative size = 3956, normalized size of antiderivative = 197.80

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e))**2,x, algorithm="maxima")`

output `1/3*(3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*cos(3*f*x + 3*e)^2*log(d*x + c) + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c)*sin(3*f*x + 3*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(2*f*x + 2*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*sin(2*f*x + 2*e)^2 + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*sin(f*x + e)^2 + 2*((d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(2*f*x + 2*e) + (d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(2*f*x + 2*e) + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*sin(f*x + e) + 3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - d^3)*sin(2*f*x + 2*e) + (9*d^3*f^2*x^2 + 18*c*d^2*f^2*x + 9*c^2*d*f^2 - 4*d^3)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(d^3*f*x + c*d^2*f + 3*(2*d^3*f*x + 2*c*d^2*f + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c))*cos(f*x + e) + 9*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*log(d*x + c) + 3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 - 2*d^3)*sin(f*x + e))*cos(2*f*x + 2*e) + 2*(d^3*f*x + c*d^2*f + 9*(d^3*f^3*x^3 ...`

**Giac [N/A]**

Not integrable

Time = 0.23 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)/(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate(1/((d*x + c)*(a*sec(f*x + e) + a)^2), x)`

**Mupad [N/A]**

Not integrable

Time = 14.89 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right)^2 (c + dx)} dx$$

input `int(1/((a + a/cos(e + f*x))^2*(c + d*x)),x)`

output `int(1/((a + a/cos(e + f*x))^2*(c + d*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 53, normalized size of antiderivative = 2.65

$$\begin{aligned} & \int \frac{1}{(c + dx)(a + a \sec(e + fx))^2} dx \\ &= \frac{\int \frac{1}{\sec(fx+e)^2 c + \sec(fx+e)^2 dx + 2 \sec(fx+e) c + 2 \sec(fx+e) dx + c + dx} dx}{a^2} \end{aligned}$$

input `int(1/(d*x+c)/(a+a*sec(f*x+e))^2,x)`

output `int(1/(sec(e + f*x)**2*c + sec(e + f*x)**2*d*x + 2*sec(e + f*x)*c + 2*sec(e + f*x)*d*x + c + d*x),x)/a**2`

**3.20**  $\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$

Optimal result . . . . .	174
Mathematica [N/A] . . . . .	174
Rubi [N/A] . . . . .	175
Maple [N/A] . . . . .	176
Fricas [N/A] . . . . .	176
Sympy [N/A] . . . . .	176
Maxima [N/A] . . . . .	177
Giac [N/A] . . . . .	178
Mupad [N/A] . . . . .	179
Reduce [N/A] . . . . .	179

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+a \sec(e+fx))^2}, x\right)$$

output `Defer(Int)(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)`

## Mathematica [N/A]

Not integrable

Time = 12.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+a \sec(e+fx))^2} dx$$

input `Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2),x]`

output `Integrate[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2), x]`

**Rubi [N/A]**

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a \sec(e + fx) + a)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx)^2 \left(a \csc\left(e + fx + \frac{\pi}{2}\right) + a\right)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)^2(a \sec(e + fx) + a)^2} dx \end{aligned}$$

input `Int[1/((c + d*x)^2*(a + a*Sec[e + f*x])^2),x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_)*(x_)]*(b_.))^(n_)*((c_.) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2 (a + a \sec(fx + e))^2} dx$$

input `int(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)`

output `int(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 99, normalized size of antiderivative = 4.95

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="fricas")`

output `integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*sec(f*x + e)^2 + 2*(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 9.29 (sec) , antiderivative size = 105, normalized size of antiderivative = 5.25

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx \\ &= \frac{1}{a^2} \int \frac{1}{c^2 \sec^2(e + fx) + 2c^2 \sec(e + fx) + c^2 + 2cdx \sec^2(e + fx) + 4cdx \sec(e + fx) + 2cdx + d^2 x^2 \sec^2(e + fx) + 2d^2 x^2 \sec(e + fx) + d^2 x^2} dx \end{aligned}$$

input `integrate(1/(d*x+c)**2/(a+a*sec(f*x+e))**2,x)`

output `Integral(1/(c**2*sec(e + f*x)**2 + 2*c**2*sec(e + f*x) + c**2 + 2*c*d*x*se  
c(e + f*x)**2 + 4*c*d*x*sec(e + f*x) + 2*c*d*x + d**2*x**2*sec(e + f*x)**2  
+ 2*d**2*x**2*sec(e + f*x) + d**2*x**2), x)/a**2`

## Maxima [N/A]

Not integrable

Time = 31.44 (sec) , antiderivative size = 4471, normalized size of antiderivative = 223.55

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="maxima")`

output

```

-1/3*(3*d^3*f^3*x^3 + 9*c*d^2*f^3*x^2 + 9*c^2*d*f^3*x + 3*c^3*f^3 + 3*(d^3
*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*cos(3*f*x + 3*e)^2 +
3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f
^3 - 4*d^3*f)*x)*cos(2*f*x + 2*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2
+ 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*cos(f*x + e)^2 + 3*(d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*sin(3*f*x + 3*e)^
2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f
^3 - 4*d^3*f)*x)*sin(2*f*x + 2*e)^2 + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x
^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^2*d*f^3 - 4*d^3*f)*x)*sin(f*x + e)^2 +
2*(3*d^3*f^3*x^3 + 9*c*d^2*f^3*x^2 + 9*c^2*d*f^3*x + 3*c^3*f^3 + (9*d^3*f^
3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f
)*x)*cos(2*f*x + 2*e) + (9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*
c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x)*cos(f*x + e) - 6*(d^3*f^2*x^2 + 2*c*
d^2*f^2*x + c^2*d*f^2 - d^3)*sin(2*f*x + 2*e) - 3*(3*d^3*f^2*x^2 + 6*c*d^2
*f^2*x + 3*c^2*d*f^2 - 4*d^3)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(9*d^3*f^
3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f
)*x + 3*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2 + 9*c^3*f^3 - 4*c*d^2*f + (27*c^
2*d*f^3 - 4*d^3*f)*x)*cos(f*x + e) - 9*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*f
^2 - 2*d^3)*sin(f*x + e))*cos(2*f*x + 2*e) + 2*(9*d^3*f^3*x^3 + 27*c*d^2*f^3*x^2
+ 9*c^3*f^3 - 2*c*d^2*f + (27*c^2*d*f^3 - 2*d^3*f)*x)*cos(f*x...

```

## Giac [N/A]

Not integrable

Time = 1.00 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(a \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate(1/((d*x + c)^2*(a*sec(f*x + e) + a)^2), x)`

**Mupad [N/A]**

Not integrable

Time = 15.20 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{a}{\cos(e+fx)}\right)^2 (c + dx)^2} dx$$

input `int(1/((a + a/cos(e + f*x))^2*(c + d*x)^2),x)`

output `int(1/((a + a/cos(e + f*x))^2*(c + d*x)^2), x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 100, normalized size of antiderivative = 5.00

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a + a \sec(e + fx))^2} dx \\ &= \frac{\int \frac{1}{\sec(fx+e)^2c^2+2\sec(fx+e)^2cdx+\sec(fx+e)^2d^2x^2+2\sec(fx+e)c^2+4\sec(fx+e)cdx+2\sec(fx+e)d^2x^2+c^2+2cdx+d^2x^2} dx}{a^2} \end{aligned}$$

input `int(1/(d*x+c)^2/(a+a*sec(f*x+e))^2,x)`

output `int(1/(sec(e + f*x)**2*c**2 + 2*sec(e + f*x)**2*c*d*x + sec(e + f*x)**2*d**2*x**2 + 2*sec(e + f*x)*c**2 + 4*sec(e + f*x)*c*d*x + 2*sec(e + f*x)*d**2*x**2 + c**2 + 2*c*d*x + d**2*x**2),x)/a**2`

## 3.21 $\int (c + dx)^m (a + a \sec(e + fx))^n dx$

Optimal result	180
Mathematica [N/A]	180
Rubi [N/A]	181
Maple [N/A]	182
Fricas [N/A]	182
Sympy [F(-1)]	182
Maxima [N/A]	183
Giac [N/A]	183
Mupad [N/A]	183
Reduce [N/A]	184

### Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \text{Int}((c + dx)^m (a + a \sec(e + fx))^n, x)$$

output `Defer(Int)((d*x+c)^m*(a+a*sec(f*x+e))^n,x)`

### Mathematica [N/A]

Not integrable

Time = 0.84 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (c + dx)^m (a + a \sec(e + fx))^n dx$$

input `Integrate[(c + d*x)^m*(a + a*Sec[e + f*x])^n,x]`

output `Integrate[(c + d*x)^m*(a + a*Sec[e + f*x])^n, x]`

**Rubi [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)^m (a \sec(e + fx) + a)^n dx \\ & \quad \downarrow \text{3042} \\ & \int (c + dx)^m \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right)^n dx \\ & \quad \downarrow \text{4681} \\ & \int (c + dx)^m (a \sec(e + fx) + a)^n dx \end{aligned}$$

input `Int[(c + d*x)^m*(a + a*Sec[e + f*x])^n, x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + a \sec(fx + e))^n dx$$

input `int((d*x+c)^m*(a+a*sec(f*x+e))^n,x)`

output `int((d*x+c)^m*(a+a*sec(f*x+e))^n,x)`

**Fricas [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="fricas")`

output `integral((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)`

**Sympy [F(-1)]**

Timed out.

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \text{Timed out}$$

input `integrate((d*x+c)**m*(a+a*sec(f*x+e))**n,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.40 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="maxima")`

output `integrate((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)`

**Giac [N/A]**

Not integrable

Time = 0.26 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (a \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e))^n,x, algorithm="giac")`

output `integrate((d*x + c)^m*(a*sec(f*x + e) + a)^n, x)`

**Mupad [N/A]**

Not integrable

Time = 14.77 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int \left( a + \frac{a}{\cos(e + fx)} \right)^n (c + dx)^m dx$$

input `int((a + a/cos(e + f*x))^n*(c + d*x)^m,x)`

output `int((a + a/cos(e + f*x))^n*(c + d*x)^m, x)`

## Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + a \sec(e + fx))^n dx = \int (dx + c)^m (\sec(fx + e) a + a)^n dx$$

input `int((d*x+c)^m*(a+a*sec(f*x+e))^n,x)`

output `int((c + d*x)**m*(sec(e + f*x)*a + a)**n,x)`

## 3.22 $\int (c + dx)^m (a + a \sec(e + fx)) dx$

Optimal result	185
Mathematica [N/A]	185
Rubi [N/A]	186
Maple [N/A]	187
Fricas [N/A]	187
Sympy [N/A]	187
Maxima [N/A]	188
Giac [N/A]	188
Mupad [N/A]	189
Reduce [N/A]	189

### Optimal result

Integrand size = 18, antiderivative size = 18

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \text{Int}((c + dx)^m (a + a \sec(e + fx)), x)$$

output `Defer(Int)((d*x+c)^m*(a+a*sec(f*x+e)),x)`

### Mathematica [N/A]

Not integrable

Time = 8.45 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (c + dx)^m (a + a \sec(e + fx)) dx$$

input `Integrate[(c + d*x)^m*(a + a*Sec[e + f*x]),x]`

output `Integrate[(c + d*x)^m*(a + a*Sec[e + f*x]), x]`

**Rubi [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)^m (a \sec(e + fx) + a) dx \\ & \quad \downarrow \text{3042} \\ & \int (c + dx)^m \left( a \csc\left(e + fx + \frac{\pi}{2}\right) + a \right) dx \\ & \quad \downarrow \text{4681} \\ & \int (c + dx)^m (a \sec(e + fx) + a) dx \end{aligned}$$

input `Int[(c + d*x)^m*(a + a*Sec[e + f*x]),x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + a \sec(fx + e)) dx$$

input `int((d*x+c)^m*(a+a*sec(f*x+e)),x)`

output `int((d*x+c)^m*(a+a*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="fricas")`

output `integral((a*sec(f*x + e) + a)*(d*x + c)^m, x)`

**Sympy [N/A]**

Not integrable

Time = 7.61 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.33

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = a \left( \int (c + dx)^m \sec(e + fx) dx + \int (c + dx)^m dx \right)$$

input `integrate((d*x+c)**m*(a+a*sec(f*x+e)),x)`

output `a*(Integral((c + d*x)**m*sec(e + f*x), x) + Integral((c + d*x)**m, x))`

**Maxima [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 124, normalized size of antiderivative = 6.89

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="maxima")`

output `2*a*integrate(((d*x + c)^m*cos(2*f*x + 2*e)*cos(f*x + e) + (d*x + c)^m*sin(2*f*x + 2*e)*sin(f*x + e) + (d*x + c)^m*cos(f*x + e))/(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + (d*x + c)^(m + 1)*a/(d*(m + 1))`

**Giac [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int (a \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((a*sec(f*x + e) + a)*(d*x + c)^m, x)`

**Mupad [N/A]**

Not integrable

Time = 14.77 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = \int \left( a + \frac{a}{\cos(e + fx)} \right) (c + dx)^m dx$$

input `int((a + a/cos(e + f*x))*(c + d*x)^m,x)`

output `int((a + a/cos(e + f*x))*(c + d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.56

$$\int (c + dx)^m (a + a \sec(e + fx)) dx = -2 \left( \int \frac{(dx + c)^m}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) a$$

input `int((d*x+c)^m*(a+a*sec(f*x+e)),x)`

output `- 2*int((c + d*x)^m/(\tan((e + f*x)/2)^2 - 1),x)*a`

**3.23**       $\int \frac{(c+dx)^m}{a+a \sec(e+fx)} dx$

Optimal result . . . . .	190
Mathematica [N/A] . . . . .	190
Rubi [N/A] . . . . .	191
Maple [N/A] . . . . .	192
Fricas [N/A] . . . . .	192
Sympy [N/A] . . . . .	192
Maxima [N/A] . . . . .	193
Giac [N/A] . . . . .	193
Mupad [N/A] . . . . .	194
Reduce [N/A] . . . . .	194

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \text{Int}\left(\frac{(c + dx)^m}{a + a \sec(e + fx)}, x\right)$$

output `Defer(Int)((d*x+c)^m/(a+a*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 0.85 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx$$

input `Integrate[(c + d*x)^m/(a + a*Sec[e + f*x]), x]`

output `Integrate[(c + d*x)^m/(a + a*Sec[e + f*x]), x]`

## Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(c + dx)^m}{a \sec(e + fx) + a} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(c + dx)^m}{a \csc(e + fx + \frac{\pi}{2}) + a} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(c + dx)^m}{a \sec(e + fx) + a} dx \end{aligned}$$

input `Int[(c + d*x)^m/(a + a*Sec[e + f*x]), x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{a + a \sec(fx + e)} dx$$

input `int((d*x+c)^m/(a+a*sec(f*x+e)),x)`

output `int((d*x+c)^m/(a+a*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="fricas")`

output `integral((d*x + c)^m/(a*sec(f*x + e) + a), x)`

**Sympy [N/A]**

Not integrable

Time = 2.44 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \frac{\int \frac{(c+dx)^m}{\sec(e+fx)+1} dx}{a}$$

input `integrate((d*x+c)**m/(a+a*sec(f*x+e)),x)`

output `Integral((c + d*x)**m/(sec(e + f*x) + 1), x)/a`

## Maxima [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="maxima")`

output `integrate((d*x + c)^m/(a*sec(f*x + e) + a), x)`

## Giac [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(dx + c)^m}{a \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+a*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^m/(a*sec(f*x + e) + a), x)`

**Mupad [N/A]**

Not integrable

Time = 14.47 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + \frac{a}{\cos(e+fx)}} dx$$

input `int((c + d*x)^m/(a + a/cos(e + f*x)),x)`

output `int((c + d*x)^m/(a + a/cos(e + f*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 140, normalized size of antiderivative = 7.00

$$\begin{aligned} & \int \frac{(c + dx)^m}{a + a \sec(e + fx)} dx \\ &= \frac{-(dx + c)^m \tan\left(\frac{fx}{2} + \frac{e}{2}\right) dm - (dx + c)^m \tan\left(\frac{fx}{2} + \frac{e}{2}\right) d + (dx + c)^m cf + (dx + c)^m dfx + \left(\int \frac{(dx+c)^m \tan\left(\frac{fx}{2} + \frac{e}{2}\right) d}{a + a \sec(e + fx)} dx\right)}{adf(m+1)} \end{aligned}$$

input `int((d*x+c)^m/(a+a*sec(f*x+e)),x)`

output `( - (c + d*x)**m*tan((e + f*x)/2)*d*m - (c + d*x)**m*tan((e + f*x)/2)*d + (c + d*x)**m*c*f + (c + d*x)**m*d*f*x + int(((c + d*x)**m*tan((e + f*x)/2)) / (c + d*x), x)*d**2*m**2 + int(((c + d*x)**m*tan((e + f*x)/2)) / (c + d*x), x)*d**2*m) / (a*d*f*(m + 1))`

### 3.24 $\int (c + dx)^3(a + b \sec(e + fx)) dx$

Optimal result . . . . .	195
Mathematica [A] (verified) . . . . .	196
Rubi [A] (verified) . . . . .	196
Maple [B] (verified) . . . . .	198
Fricas [B] (verification not implemented)	198
Sympy [F] . . . . .	199
Maxima [B] (verification not implemented) . . . . .	200
Giac [F] . . . . .	201
Mupad [F(-1)] . . . . .	201
Reduce [F] . . . . .	201

#### Optimal result

Integrand size = 18, antiderivative size = 227

$$\begin{aligned} \int (c + dx)^3(a + b \sec(e + fx)) dx = & \frac{a(c + dx)^4}{4d} - \frac{2ib(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{3ibd(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{3ibd(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{6bd^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{6bd^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\ & - \frac{6ibd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\ & + \frac{6ibd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \end{aligned}$$

output

```
1/4*a*(d*x+c)^4/d-2*I*b*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*I*b*d*(d*x+c)^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-3*I*b*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)))/f^2-6*b*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+6*b*d^2*(d*x+c)*polylog(3,I*exp(I*(f*x+e)))/f^3-6*I*b*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+6*I*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4
```

**Mathematica [A] (verified)**

Time = 0.33 (sec) , antiderivative size = 365, normalized size of antiderivative = 1.61

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx \\ = \frac{4ac^3 f^4 x + 6ac^2 df^4 x^2 + 4acd^2 f^4 x^3 + ad^3 f^4 x^4 + 4bc^3 f^3 \coth^{-1}(\sin(e + fx)) - 24ibc^2 df^3 x \arctan(e^{i(e+fx)})}{}$$

input `Integrate[(c + d*x)^3*(a + b*Sec[e + f*x]), x]`

output 
$$(4*a*c^3*f^4*x + 6*a*c^2*d*f^4*x^2 + 4*a*c*d^2*f^4*x^3 + a*d^3*f^4*x^4 + 4*b*c^3*f^3*\text{ArcCoth}[\text{Sin}[e + f*x]] - (24*I)*b*c^2*d*f^3*x*\text{ArcTan}[E^{(I*(e + f*x))}] - (24*I)*b*c*d^2*f^3*x^2*\text{ArcTan}[E^{(I*(e + f*x))}] - (8*I)*b*d^3*f^3*x^3*\text{ArcTan}[E^{(I*(e + f*x))}] + (12*I)*b*d*f^2*(c + d*x)^2*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}] - (12*I)*b*d*f^2*(c + d*x)^2*\text{PolyLog}[2, I*E^{(I*(e + f*x))}] - 24*b*c*d^2*f^2*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] - 24*b*d^3*f*x*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}] + 24*b*c*d^2*f^2*\text{PolyLog}[3, I*E^{(I*(e + f*x))}] + 24*b*d^3*f*x*\text{PolyLog}[3, I*E^{(I*(e + f*x))}] - (24*I)*b*d^3*f*\text{PolyLog}[4, (-I)*E^{(I*(e + f*x))}] + (24*I)*b*d^3*f*\text{PolyLog}[4, I*E^{(I*(e + f*x))}])/(4*f^4)$$

**Rubi [A] (verified)**

Time = 0.44 (sec) , antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx \\ \downarrow 3042 \\ \int (c + dx)^3 \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right) dx \\ \downarrow 4678$$

$$\begin{aligned}
 & \int (a(c+dx)^3 + b(c+dx)^3 \sec(e+fx)) dx \\
 & \quad \downarrow \text{2009} \\
 & \frac{a(c+dx)^4}{4d} - \frac{2ib(c+dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \\
 & \frac{6bd^2(c+dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \frac{3ibd(c+dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{6ibd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \\
 & \frac{6ibd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4}
 \end{aligned}$$

input `Int[(c + d*x)^3*(a + b*Sec[e + f*x]),x]`

output `(a*(c + d*x)^4)/(4*d) - ((2*I)*b*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + ((3*I)*b*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((3*I)*b*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (6*b*d^2*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (6*b*d^2*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))])/f^3 - ((6*I)*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + ((6*I)*b*d^3*PolyLog[4, I*E^(I*(e + f*x))])/f^4`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 755 vs.  $2(200) = 400$ .

Time = 0.26 (sec) , antiderivative size = 756, normalized size of antiderivative = 3.33

method	result
risch	$\frac{ad^3x^4}{4} + \frac{ac^4}{4d} + ad^2cx^3 + \frac{3ad^2c^2x^2}{2} + ac^3x + \frac{6ibd^3\text{polylog}(4, ie^{i(fx+e)})}{f^4} - \frac{6ibd^3\text{polylog}(4, -ie^{i(fx+e)})}{f^4} + \frac{bd^3\ln(1-ix)}{f}$

input `int((d*x+c)^3*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)`

output 
$$\begin{aligned} & 1/4*a*d^3*x^4 + 1/4*a/d*c^4 + a*d^2*c*x^3 + 3/2*a*d*c^2*x^2 + a*c^3*x + \\ & 6ibd^3\text{polylog}(4, I*\exp(I*(fx+e)))/f^4 - 6*I*b*d^3\text{polylog}(4, -I*\exp(I*(fx+e)))/f^4 + 6 \\ & *I/f^2*b*d^2*c*\text{polylog}(2, -I*\exp(I*(fx+e)))*x - 6*I/f^2*b*d^2*c*\text{polylog}(2, I*\exp(I*(fx+e)))*x - 6*I/f^3*b*c*d^2*e^2*\arctan(\exp(I*(fx+e))) + 6*I/f^2*b*c^2 \\ & *d^2*e*\arctan(\exp(I*(fx+e))) + 3/f*b*c^2*d*\ln(1-I*\exp(I*(fx+e)))*x + 3/f^2*b*c \\ & ^2*d*\ln(1-I*\exp(I*(fx+e)))*e - 3/f^3*b*e^2*c*d^2*\ln(1-I*\exp(I*(fx+e))) - 3/f \\ & *b*c^2*d*\ln(1+I*\exp(I*(fx+e)))*x - 3/f^2*b*c^2*d*\ln(1+I*\exp(I*(fx+e)))*e + 3 \\ & /f^3*b*e^2*c*d^2*\ln(1+I*\exp(I*(fx+e))) - 3*I/f^2*b*c^2*d*\text{polylog}(2, I*\exp(I*(fx+e))) + 2*I/f^4*b*d^3*e^3*\arctan(\exp(I*(fx+e))) - 3*I/f^2*b*c^2*d*\text{polylog}(2, \\ & I*\exp(I*(fx+e)))*x + 2+3*I/f^2*b*d^3*\text{polylog}(2, -I*\exp(I*(fx+e)))*x^2 + 3*I/f^2*b*c^2*d*\text{polylog}(2, -I*\exp(I*(fx+e))) + 1/f*b*d^3*\ln(1-I*\exp(I*(fx+e)))* \\ & x^3 - 1/f*b*d^3*\ln(1+I*\exp(I*(fx+e)))*x^3 + 1/f^4*b*e^3*d^3*\ln(1-I*\exp(I*(fx+e))) - 6/f^3*b*d^2*c*\text{polylog}(3, -I*\exp(I*(fx+e))) - 1/f^4*b*e^3*d^3*\ln(1+I*\exp(I*(fx+e))) - 6/f^3*b*d^3*\text{polylog}(3, -I*\exp(I*(fx+e)))*x + 6/f^3*b*d^2*c*\text{polylog}(3, I*\exp(I*(fx+e))) + 6/f^3*b*d^3*\text{polylog}(3, I*\exp(I*(fx+e)))*x - 2*I/f*b*c^3*\arctan(\exp(I*(fx+e))) - 3/f*b*d^2*c*\ln(1+I*\exp(I*(fx+e)))*x^2 + 3/f*b*d^2*c*\ln(1-I*\exp(I*(fx+e)))*x^2 \end{aligned}$$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1085 vs.  $2(187) = 374$ .

Time = 0.14 (sec) , antiderivative size = 1085, normalized size of antiderivative = 4.78

$$\int (c + dx)^3(a + b \sec(e + fx)) dx = \text{Too large to display}$$

```
input integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="fricas")
```

```

output
1/4*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x
+ 12*I*b*d^3*polylog(4, I*cos(f*x + e) + sin(f*x + e)) + 12*I*b*d^3*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 12*I*b*d^3*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 12*I*b*d^3*polylog(4, -I*cos(f*x + e) - sin(f*x + e)) - 6*(I*b*d^3*f^2*x^2 + 2*I*b*c*d^2*f^2*x + I*b*c^2*d*f^2)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 6*(I*b*d^3*f^2*x^2 + 2*I*b*c*d^2*f^2*x + I*b*c^2*d*f^2)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 6*(-I*b*d^3*f^2*x^2 - 2*I*b*c*d^2*f^2*x - I*b*c^2*d*f^2)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 6*(-I*b*d^3*f^2*x^2 - 2*I*b*c*d^2*f^2*x - I*b*c^2*d*f^2)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*log(cos(f*x + e) + I) + 2*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + 2*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(b*d^3*f^3*x^3 + 3*b*c*d^2*f^3*x^2 + 3*b*c^2*d*f^3*x + b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - 2*(b*d...

```

## Sympy [F]

$$\int (c + dx)^3 (a + b \sec(e + fx)) \, dx = \int (a + b \sec(e + fx)) (c + dx)^3 \, dx$$

```
input integrate((d*x+c)**3*(a+b*sec(f*x+e)),x)
```

output  $\text{Integral}((a + b*\sec(e + f*x))*(c + d*x)^3, x)$

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 936 vs.  $2(187) = 374$ .

Time = 0.23 (sec) , antiderivative size = 936, normalized size of antiderivative = 4.12

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \text{Too large to display}$$

input `integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="maxima")`

output

```
1/4*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3
+ 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3
*a*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2
+ 6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f + 4*b*c^3*log(sec(f*
x + e) + tan(f*x + e)) - 4*b*d^3*e^3*log(sec(f*x + e) + tan(f*x + e))/f^3
+ 12*b*c*d^2*e^2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*b*c^2*d*e*log(s
ec(f*x + e) + tan(f*x + e))/f + 2*(12*I*b*d^3*polylog(4, I*e^(I*f*x + I*e)
) - 12*I*b*d^3*polylog(4, -I*e^(I*f*x + I*e)) - 2*(I*(f*x + e)^3*b*d^3 + 3
*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e)^2 + 3*(I*b*d^3*e^2 - 2*I*b*c*d^2*e*f
+ I*b*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*(I*
(f*x + e)^3*b*d^3 + 3*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e)^2 + 3*(I*b*d^
3*e^2 - 2*I*b*c*d^2*e*f + I*b*c^2*d*f^2)*(f*x + e))*arctan2(cos(f*x + e),
-sin(f*x + e) + 1) - 6*(I*(f*x + e)^2*b*d^3 + I*b*d^3*e^2 - 2*I*b*c*d^2*e*
f + I*b*c^2*d*f^2 + 2*(-I*b*d^3*e + I*b*c*d^2*f)*(f*x + e))*dilog(I*e^(I*f
*x + I*e)) - 6*(-I*(f*x + e)^2*b*d^3 - I*b*d^3*e^2 + 2*I*b*c*d^2*e*f - I*b
*c^2*d*f^2 + 2*(I*b*d^3*e - I*b*c*d^2*f)*(f*x + e))*dilog(-I*e^(I*f*x + I*
e)) + ((f*x + e)^3*b*d^3 - 3*(b*d^3*e - b*c*d^2*f)*(f*x + e)^2 + 3*(b*d^3*
e^2 - 2*b*c*d^2*e*f + b*c^2*d*f^2)*(f*x + e))*log(cos(f*x + e)^2 + sin(f*x
+ e)^2 + 2*sin(f*x + e) + 1) - ((f*x + e)^3*b*d^3 - 3*(b*d^3*e - b*c*d^2*f)-
(f*x + e)^2 + 3*(b*d^3*e^2 - 2*b*c*d^2*e*f + b*c^2*d*f^2)*(f*x + e))...
```

**Giac [F]**

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \int (dx + c)^3 (b \sec(fx + e) + a) dx$$

input `integrate((d*x+c)^3*(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^3*(b*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^3 (a + b \sec(e + fx)) dx = \int \left( a + \frac{b}{\cos(e + fx)} \right) (c + dx)^3 dx$$

input `int((a + b/cos(e + f*x))*(c + d*x)^3,x)`

output `int((a + b/cos(e + f*x))*(c + d*x)^3, x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)^3 (a + b \sec(e + fx)) dx \\ &= -8 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^3}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) b d^3 f - 24 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) b c d^2 f - 24 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) b c^2 d f - 4 \log( \end{aligned}$$

input `int((d*x+c)^3*(a+b*sec(f*x+e)),x)`

```
output
( - 8*int((tan((e + f*x)/2)**2*x**3)/(tan((e + f*x)/2)**2 - 1),x)*b*d**3*f
 - 24*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2 - 1),x)*b*c*d**2
*f - 24*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2 - 1),x)*b*c**2*d*
f - 4*log(tan((e + f*x)/2) - 1)*b*c**3 + 4*log(tan((e + f*x)/2) + 1)*b*c**
3 + 4*a*c**3*f*x + 6*a*c**2*d*f*x**2 + 4*a*c*d**2*f*x**3 + a*d**3*f*x**4 +
6*b*c**2*d*f*x**2 + 4*b*c*d**2*f*x**3 + b*d**3*f*x**4)/(4*f)
```

### 3.25 $\int (c + dx)^2(a + b \sec(e + fx)) dx$

Optimal result	203
Mathematica [A] (verified)	204
Rubi [A] (verified)	204
Maple [B] (verified)	206
Fricas [B] (verification not implemented)	206
Sympy [F]	207
Maxima [B] (verification not implemented)	208
Giac [F]	208
Mupad [F(-1)]	209
Reduce [F]	209

#### Optimal result

Integrand size = 18, antiderivative size = 157

$$\begin{aligned} \int (c + dx)^2(a + b \sec(e + fx)) dx = & \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{2ibd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{2ibd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{2bd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{2bd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \end{aligned}$$

output

```
1/3*a*(d*x+c)^3/d-2*I*b*(d*x+c)^2*arctan(exp(I*(f*x+e)))/f+2*I*b*d*(d*x+c)*polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*b*d*(d*x+c)*polylog(2,I*exp(I*(f*x+e)))/f^2-2*b*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+2*b*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3
```

## Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 203, normalized size of antiderivative = 1.29

$$\begin{aligned} \int (c + dx)^2(a + b \sec(e + fx)) dx &= ac^2x + acdx^2 + \frac{1}{3}ad^2x^3 + \frac{bc^2 \coth^{-1}(\sin(e + fx))}{f} \\ &\quad - \frac{4ibcdx \arctan(e^{i(e+fx)})}{f} \\ &\quad - \frac{2ibd^2x^2 \arctan(e^{i(e+fx)})}{f} \\ &\quad + \frac{2ibd(c + dx) \text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ &\quad - \frac{2ibd(c + dx) \text{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ &\quad - \frac{2bd^2 \text{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ &\quad + \frac{2bd^2 \text{PolyLog}(3, ie^{i(e+fx)})}{f^3} \end{aligned}$$

input `Integrate[(c + d*x)^2*(a + b*Sec[e + f*x]), x]`

output 
$$\begin{aligned} &a*c^2*x + a*c*d*x^2 + (a*d^2*x^3)/3 + (b*c^2*\text{ArcCoth}[\text{Sin}[e + f*x]])/f - ((4*I)*b*c*d*x*\text{ArcTan}[E^{(I*(e + f*x))}])/f - ((2*I)*b*d^2*x^2*\text{ArcTan}[E^{(I*(e + f*x))}])/f + ((2*I)*b*d*(c + d*x)*\text{PolyLog}[2, (-I)*E^{(I*(e + f*x))}])/f^2 - ((2*I)*b*d*(c + d*x)*\text{PolyLog}[2, I*E^{(I*(e + f*x))}])/f^2 - (2*b*d^2*\text{PolyLog}[3, (-I)*E^{(I*(e + f*x))}])/f^3 + (2*b*d^2*\text{PolyLog}[3, I*E^{(I*(e + f*x))}])/f^3 \end{aligned}$$

## Rubi [A] (verified)

Time = 0.36 (sec) , antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (c + dx)^2 (a + b \sec(e + fx)) dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int (c + dx)^2 \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right) dx \\
 & \quad \downarrow \textcolor{blue}{4678} \\
 & \int (a(c + dx)^2 + b(c + dx)^2 \sec(e + fx)) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{a(c + dx)^3}{3d} - \frac{2ib(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{2ibd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \frac{2ibd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{2bd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \frac{2bd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3}
 \end{aligned}$$

input `Int[(c + d*x)^2*(a + b*Sec[e + f*x]),x]`

output `(a*(c + d*x)^3)/(3*d) - ((2*I)*b*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + ((2*I)*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*b*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (2*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (2*b*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 439 vs.  $2(138) = 276$ .

Time = 0.18 (sec) , antiderivative size = 440, normalized size of antiderivative = 2.80

method	result
risch	$\frac{ad^2x^3}{3} + adcx^2 + ac^2x + \frac{ac^3}{3d} + \frac{bd^2 \ln(1-ie^{ifx+e})x^2}{f} + \frac{2bd^2 \operatorname{polylog}(3, ie^{ifx+e})}{f^3} + \frac{be^2d^2 \ln(1+ie^{ifx+e})}{f^3} - \dots$

input `int((d*x+c)^2*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)`

output 
$$\begin{aligned} & 1/3*a*d^2*x^3+a*d*c*x^2+a*c^2*x+1/3*a/d*c^3+1/f*b*d^2*2*\ln(1-I*\exp(I*(f*x+e))) \\ & *x^2+2*b*d^2*\operatorname{polylog}(3, I*\exp(I*(f*x+e)))/f^3+1/f^3*b*e^2*d^2*\ln(1+I*\exp(I*(f*x+e))) \\ & -2/f^2*b*c*d*\ln(1+I*\exp(I*(f*x+e)))*e+2*I/f^2*b*d^2*\operatorname{polylog}(2, -I*\exp(I*(f*x+e)))*x-2/f*b*c*d*\ln(1+I*\exp(I*(f*x+e)))*x-2*b*d^2*\operatorname{polylog}(3, -I*\exp(I*(f*x+e)))/f^3+2*I/f^2*b*c*d*\operatorname{polylog}(2, -I*\exp(I*(f*x+e)))-2*I/f^2*b \\ & *d^2*\operatorname{polylog}(2, I*\exp(I*(f*x+e)))*x-2*I/f^3*b*d^2*e^2*\arctan(\exp(I*(f*x+e))) \\ & -2*I/f*b*c^2*\arctan(\exp(I*(f*x+e)))+2/f*b*c*d*\ln(1-I*\exp(I*(f*x+e)))*x-1/f^3*b^2*d^2*\ln(1+I*\exp(I*(f*x+e)))*x^2+4*I/f^2*b*c*d*e*\arctan(\exp(I*(f*x+e)))-1/f^3*b^2*e^2*d^2*\ln(1-I*\exp(I*(f*x+e)))+2/f^2*b*c*d*\ln(1-I*\exp(I*(f*x+e)))*e-2*I/f^2*b*c*d*\operatorname{polylog}(2, I*\exp(I*(f*x+e))) \end{aligned}$$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 675 vs.  $2(129) = 258$ .

Time = 0.12 (sec) , antiderivative size = 675, normalized size of antiderivative = 4.30

$$\int (c + dx)^2(a + b \sec(e + fx)) dx = \text{Too large to display}$$

input `integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="fricas")`

output

$$\frac{1}{6} \left( 2*a*d^2*f^3*x^3 + 6*a*c*d*f^3*x^2 + 6*a*c^2*f^3*x - 6*b*d^2*\text{polylog}(3, I*\cos(f*x + e) + \sin(f*x + e)) + 6*b*d^2*\text{polylog}(3, I*\cos(f*x + e) - \sin(f*x + e)) - 6*b*d^2*\text{polylog}(3, -I*\cos(f*x + e) + \sin(f*x + e)) + 6*b*d^2*\text{polylog}(3, -I*\cos(f*x + e) - \sin(f*x + e)) - 6*(I*b*d^2*f*x + I*b*c*d*f)*\text{dilog}(I*\cos(f*x + e) + \sin(f*x + e)) - 6*(-I*b*d^2*f*x + I*b*c*d*f)*\text{dilog}(-I*\cos(f*x + e) + \sin(f*x + e)) - 6*(-I*b*d^2*f*x - I*b*c*d*f)*\text{dilog}(-I*\cos(f*x + e) - \sin(f*x + e)) + 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) - 3*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*2*e^2 + 2*b*c*d*e*f)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*2*e^2 + 2*b*c*d*e*f)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*2*e^2 + 2*b*c*d*e*f)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - 3*(b*d^2*f^2*x^2 + 2*b*c*d*f^2*x - b*d^2*2*e^2 + 2*b*c*d*e*f)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) + 3*(b*d^2*2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) - 3*(b*d^2*2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I) \right) / f^3$$

## Sympy [F]

$$\int (c + dx)^2 (a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx)) (c + dx)^2 dx$$

input

```
integrate((d*x+c)**2*(a+b*sec(f*x+e)),x)
```

output

```
Integral((a + b*sec(e + f*x))*(c + d*x)**2, x)
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs.  $2(129) = 258$ .

Time = 0.18 (sec) , antiderivative size = 516, normalized size of antiderivative = 3.29

$$\int (c + dx)^2(a + b \sec(e + fx)) dx \\ = \frac{6(fx + e)ac^2 + \frac{2(fx+e)^3ad^2}{f^2} - \frac{6(fx+e)^2ad^2e}{f^2} + \frac{6(fx+e)ad^2e^2}{f^2} + \frac{6(fx+e)^2acd}{f} - \frac{12(fx+e)acde}{f} + 6bc^2 \log(\sec(fx + e)))}{f}$$

input `integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="maxima")`

output 
$$\begin{aligned} & 1/6*(6*(fx + e)*a*c^2 + 2*(fx + e)^3*a*d^2/f^2 - 6*(fx + e)^2*a*d^2*e/f \\ & ^2 + 6*(fx + e)*a*d^2*2*e^2/f^2 + 6*(fx + e)^2*a*c*d/f - 12*(fx + e)*a*c* \\ & d*e/f + 6*b*c^2*log(\sec(fx + e) + \tan(fx + e)) + 6*b*d^2*2*e^2*log(\sec(fx \\ & + e) + \tan(fx + e))/f^2 - 12*b*c*d*e*log(\sec(fx + e) + \tan(fx + e))/f \\ & + 3*(4*b*d^2*polylog(3, I*e^(I*fx + I*e)) - 4*b*d^2*polylog(3, -I*e^(I*fx \\ & + I*e)) - 2*(I*(fx + e)^2*b*d^2 + 2*(-I*b*d^2*2*e + I*b*c*d*f)*(fx + e)) * \\ & arctan2(\cos(fx + e), \sin(fx + e) + 1) - 2*(I*(fx + e)^2*b*d^2 + 2*(-I* \\ & b*d^2*2*e + I*b*c*d*f)*(fx + e))*arctan2(\cos(fx + e), -\sin(fx + e) + 1) - \\ & 4*(I*(fx + e)*b*d^2 - I*b*d^2*2*e + I*b*c*d*f)*dilog(I*e^(I*fx + I*e)) - \\ & 4*(-I*(fx + e)*b*d^2 + I*b*d^2*2*e - I*b*c*d*f)*dilog(-I*e^(I*fx + I*e)) + \\ & ((fx + e)^2*b*d^2 - 2*(b*d^2*2*e - b*c*d*f)*(fx + e))*log(\cos(fx + e)^2 \\ & + \sin(fx + e)^2 + 2*\sin(fx + e) + 1) - ((fx + e)^2*b*d^2 - 2*(b*d^2*2*e - \\ & b*c*d*f)*(fx + e))*log(\cos(fx + e)^2 + \sin(fx + e)^2 - 2*\sin(fx + e) \\ & + 1))/f^2) \end{aligned}$$

## Giac [F]

$$\int (c + dx)^2(a + b \sec(e + fx)) dx = \int (dx + c)^2(b \sec(fx + e) + a) dx$$

input `integrate((d*x+c)^2*(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^2*(b*sec(f*x + e) + a), x)`

## Mupad [F(-1)]

Timed out.

$$\int (c + dx)^2(a + b \sec(e + fx)) dx = \int \left( a + \frac{b}{\cos(e + fx)} \right) (c + dx)^2 dx$$

input `int((a + b/cos(e + f*x))*(c + d*x)^2,x)`

output `int((a + b/cos(e + f*x))*(c + d*x)^2, x)`

## Reduce [F]

$$\begin{aligned} & \int (c + dx)^2(a + b \sec(e + fx)) dx \\ &= \frac{-6 \left( \int \frac{\tan(\frac{fx}{2} + \frac{e}{2})^2 x^2}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) b d^2 f - 12 \left( \int \frac{\tan(\frac{fx}{2} + \frac{e}{2})^2 x}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) b c d f - 3 \log(\tan(\frac{fx}{2} + \frac{e}{2}) - 1) b c^2 + 3 \log(\tan(\frac{fx}{2} + \frac{e}{2}) - 1) b d^2 f}{3f} \end{aligned}$$

input `int((d*x+c)^2*(a+b*sec(f*x+e)),x)`

output `( - 6*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2 - 1),x)*b*d**2*f - 12*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2 - 1),x)*b*c*d*f - 3*log(tan((e + f*x)/2) - 1)*b*c**2 + 3*log(tan((e + f*x)/2) + 1)*b*c**2 + 3*a*c**2*f*x + 3*a*c*d*f*x**2 + a*d**2*f*x**3 + 3*b*c*d*f*x**2 + b*d**2*f*x**3)/(3*f)`

### 3.26 $\int (c + dx)(a + b \sec(e + fx)) dx$

Optimal result . . . . .	210
Mathematica [A] (verified) . . . . .	211
Rubi [A] (verified) . . . . .	211
Maple [A] (verified) . . . . .	213
Fricas [B] (verification not implemented)	213
Sympy [F]	214
Maxima [F]	214
Giac [F]	215
Mupad [F(-1)]	215
Reduce [F]	215

#### Optimal result

Integrand size = 16, antiderivative size = 93

$$\begin{aligned} \int (c + dx)(a + b \sec(e + fx)) dx = & \frac{a(c + dx)^2}{2d} - \frac{2ib(c + dx) \arctan(e^{i(e+fx)})}{f} \\ & + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \end{aligned}$$

output  $1/2*a*(d*x+c)^2/d-2*I*b*(d*x+c)*\arctan(\exp(I*(f*x+e)))/f+I*b*d*\operatorname{polylog}(2,-I*\exp(I*(f*x+e)))/f^2-I*b*d*\operatorname{polylog}(2,I*\exp(I*(f*x+e)))/f^2$

**Mathematica [A] (verified)**

Time = 0.01 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.12

$$\begin{aligned} \int (c + dx)(a + b \sec(e + fx)) dx = & acx + \frac{1}{2}adx^2 + \frac{bc \coth^{-1}(\sin(e + fx))}{f} \\ & - \frac{2ibdx \arctan(e^{ie+ifx})}{f} \\ & + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \end{aligned}$$

input `Integrate[(c + d*x)*(a + b*Sec[e + f*x]), x]`

output  $a*c*x + (a*d*x^2)/2 + (b*c*ArcCoth[\operatorname{Sin}[e + f*x]])/f - ((2*I)*b*d*x*ArcTan[E^(I*e + I*f*x)])/f + (I*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*b*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2$

**Rubi [A] (verified)**

Time = 0.28 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)(a + b \sec(e + fx)) dx \\ & \quad \downarrow \text{3042} \\ & \int (c + dx) \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right) dx \\ & \quad \downarrow \text{4678} \\ & \int (a(c + dx) + b(c + dx) \sec(e + fx)) dx \end{aligned}$$

$$\frac{a(c+dx)^2}{2d} - \frac{2ib(c+dx) \arctan(e^{i(e+fx)})}{f} + \frac{ibd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \frac{ibd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2}$$

↓ 2009

input `Int[(c + d*x)*(a + b*Sec[e + f*x]), x]`

output `(a*(c + d*x)^2)/(2*d) - ((2*I)*b*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (I *b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - (I*b*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_.*x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.*x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

## Maple [A] (verified)

Time = 0.08 (sec) , antiderivative size = 142, normalized size of antiderivative = 1.53

method	result
parts	$a\left(\frac{1}{2}d x^2 + cx\right) + \frac{b\left(\frac{d(-(fx+e)\ln(1+ie^{i(fx+e)})+(fx+e)\ln(1-ie^{i(fx+e)})+i\operatorname{dilog}(1+ie^{i(fx+e)})-i\operatorname{dilog}(1-ie^{i(fx+e)})}{f}\right)}{f}$
derivativedivides	$\frac{ac(fx+e)-\frac{ade(fx+e)}{f}+\frac{ad(fx+e)^2}{2f}+bc\ln(\sec(fx+e)+\tan(fx+e))-\frac{bde\ln(\sec(fx+e)+\tan(fx+e))}{f}+\frac{bd(-fx+e)\ln(1+ie^{i(fx+e)})}{f}}$
default	$\frac{ac(fx+e)-\frac{ade(fx+e)}{f}+\frac{ad(fx+e)^2}{2f}+bc\ln(\sec(fx+e)+\tan(fx+e))-\frac{bde\ln(\sec(fx+e)+\tan(fx+e))}{f}+\frac{bd(-fx+e)\ln(1+ie^{i(fx+e)})}{f}}$
risch	$\frac{adx^2}{2} + acx - \frac{2ibc\arctan(e^{i(fx+e)})}{f} - \frac{bd\ln(1+ie^{i(fx+e)})x}{f} - \frac{bd\ln(1+ie^{i(fx+e)})e}{f^2} + \frac{bd\ln(1-ie^{i(fx+e)})x}{f}$

input `int((d*x+c)*(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)`

output `a*(1/2*d*x^2+c*x)+b/f*(1/f*d*(-(f*x+e))*ln(1+I*exp(I*(f*x+e)))+(f*x+e)*ln(1-I*exp(I*(f*x+e)))+I*dilog(1+I*exp(I*(f*x+e)))-I*dilog(1-I*exp(I*(f*x+e)))+c*ln(sec(f*x+e)+tan(f*x+e))-e/f*d*ln(sec(f*x+e)+tan(f*x+e)))`

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 343 vs.  $2(73) = 146$ .

Time = 0.11 (sec) , antiderivative size = 343, normalized size of antiderivative = 3.69

$$\begin{aligned} & \int (c + dx)(a + b \sec(e + fx)) dx \\ &= \frac{\int (c + dx)(a + b \sec(e + fx)) dx}{1} \end{aligned}$$

input `integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="fricas")`

output

```
1/2*(a*d*f^2*x^2 + 2*a*c*f^2*x - I*b*d*dilog(I*cos(f*x + e) + sin(f*x + e)) - I*b*d*dilog(I*cos(f*x + e) - sin(f*x + e)) + I*b*d*dilog(-I*cos(f*x + e) + sin(f*x + e)) + I*b*d*dilog(-I*cos(f*x + e) - sin(f*x + e)) - (b*d*e - b*c*f)*log(cos(f*x + e) + I*sin(f*x + e) + I) + (b*d*e - b*c*f)*log(cos(f*x + e) - I*sin(f*x + e) + I) + (b*d*f*x + b*d*e)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - (b*d*f*x + b*d*e)*log(I*cos(f*x + e) - sin(f*x + e) + 1) + (b*d*f*x + b*d*e)*log(-I*cos(f*x + e) + sin(f*x + e) + 1) - (b*d*f*x + b*d*e)*log(-I*cos(f*x + e) - sin(f*x + e) + 1) - (b*d*e - b*c*f)*log(-cos(f*x + e) + I*sin(f*x + e) + I) + (b*d*e - b*c*f)*log(-cos(f*x + e) - I*sin(f*x + e) + I))/f^2
```

## Sympy [F]

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx))(c + dx) dx$$

input

```
integrate((d*x+c)*(a+b*sec(f*x+e)),x)
```

output

```
Integral((a + b*sec(e + f*x))*(c + d*x), x)
```

## Maxima [F]

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (dx + c)(b \sec(fx + e) + a) dx$$

input

```
integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="maxima")
```

output

```
1/2*(a*d*f*x^2 + 2*a*c*f*x + 4*b*d*f*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + b*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - b*c*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1))/f
```

**Giac [F]**

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int (dx + c)(b \sec(fx + e) + a) dx$$

input `integrate((d*x+c)*(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)*(b*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)(a + b \sec(e + fx)) dx = \int \left( a + \frac{b}{\cos(e + fx)} \right) (c + dx) dx$$

input `int((a + b/cos(e + f*x))*(c + d*x),x)`

output `int((a + b/cos(e + f*x))*(c + d*x), x)`

**Reduce [F]**

$$\begin{aligned} & \int (c + dx)(a + b \sec(e + fx)) dx \\ &= \frac{-4 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 - 1} dx \right) bdf - 2 \log(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) - 1) bc + 2 \log(\tan\left(\frac{fx}{2} + \frac{e}{2}\right) + 1) bc + 2acf x + adf x^2}{2f} \end{aligned}$$

input `int((d*x+c)*(a+b*sec(f*x+e)),x)`

output `( - 4*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2 - 1),x)*b*d*f - 2*log(tan((e + f*x)/2) - 1)*b*c + 2*log(tan((e + f*x)/2) + 1)*b*c + 2*a*c*f*x + a*d*f*x**2 + b*d*f*x**2)/(2*f)`

**3.27**       $\int \frac{a+b \sec(e+fx)}{c+dx} dx$

Optimal result . . . . .	216
Mathematica [N/A] . . . . .	216
Rubi [N/A] . . . . .	217
Maple [N/A] . . . . .	218
Fricas [N/A] . . . . .	218
Sympy [N/A] . . . . .	218
Maxima [N/A] . . . . .	219
Giac [N/A] . . . . .	219
Mupad [N/A] . . . . .	219
Reduce [N/A] . . . . .	220

## Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \text{Int}\left(\frac{a + b \sec(e + fx)}{c + dx}, x\right)$$

output `Defer(Int)((a+b*sec(f*x+e))/(d*x+c),x)`

## Mathematica [N/A]

Not integrable

Time = 0.67 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

input `Integrate[(a + b*Sec[e + f*x])/ (c + d*x), x]`

output `Integrate[(a + b*Sec[e + f*x])/ (c + d*x), x]`

## Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{a + b \sec(e + fx)}{c + dx} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{a + b \csc(e + fx + \frac{\pi}{2})}{c + dx} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{a + b \sec(e + fx)}{c + dx} dx \end{aligned}$$

input `Int[(a + b*Sec[e + f*x])/(c + d*x), x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc[(e_) + (f_)*(x_)]*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \sec(fx + e)}{dx + c} dx$$

input `int((a+b*sec(f*x+e))/(d*x+c),x)`

output `int((a+b*sec(f*x+e))/(d*x+c),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="fricas")`

output `integral((b*sec(f*x + e) + a)/(d*x + c), x)`

**Sympy [N/A]**

Not integrable

Time = 0.80 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.83

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + b \sec(e + fx)}{c + dx} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c),x)`

output `Integral((a + b*sec(e + f*x))/(c + d*x), x)`

**Maxima [N/A]**

Not integrable

Time = 0.28 (sec) , antiderivative size = 116, normalized size of antiderivative = 6.44

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="maxima")`

output `(2*b*d*integrate((cos(2*f*x + 2*e)*cos(f*x + e) + sin(2*f*x + 2*e)*sin(f*x + e) + cos(f*x + e))/((d*x + c)*cos(2*f*x + 2*e)^2 + (d*x + c)*sin(2*f*x + 2*e)^2 + d*x + 2*(d*x + c)*cos(2*f*x + 2*e) + c), x) + a*log(d*x + c))/d`

**Giac [N/A]**

Not integrable

Time = 0.24 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{b \sec(fx + e) + a}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c),x, algorithm="giac")`

output `integrate((b*sec(f*x + e) + a)/(d*x + c), x)`

**Mupad [N/A]**

Not integrable

Time = 15.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + b \sec(e + fx)}{c + dx} dx = \int \frac{a + \frac{b}{\cos(e+fx)}}{c + dx} dx$$

input `int((a + b/cos(e + f*x))/(c + d*x),x)`

output `int((a + b/cos(e + f*x))/(c + d*x), x)`

## Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 59, normalized size of antiderivative = 3.28

$$\begin{aligned} & \int \frac{a + b \sec(e + fx)}{c + dx} dx \\ &= \frac{\left( \int \frac{1}{\cos(fx+e)c+\cos(fx+e)dx} dx \right) bd + \left( \int \frac{1}{dx+c} dx \right) bd + \log(dx+c) a - \log(dx+c) b}{d} \end{aligned}$$

input `int((a+b*sec(f*x+e))/(d*x+c),x)`

output `(int(1/(cos(e + f*x)*c + cos(e + f*x)*d*x),x)*b*d + int(1/(c + d*x),x)*b*d + log(c + d*x)*a - log(c + d*x)*b)/d`

**3.28**       $\int \frac{a+b \sec(e+fx)}{(c+dx)^2} dx$

Optimal result	221
Mathematica [N/A]	221
Rubi [N/A]	222
Maple [N/A]	223
Fricas [N/A]	223
Sympy [N/A]	223
Maxima [N/A]	224
Giac [N/A]	224
Mupad [N/A]	225
Reduce [N/A]	225

## Optimal result

Integrand size = 18, antiderivative size = 18

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \text{Int}\left(\frac{a + b \sec(e + fx)}{(c + dx)^2}, x\right)$$

output `Defer(Int)((a+b*sec(f*x+e))/(d*x+c)^2,x)`

## Mathematica [N/A]

Not integrable

Time = 1.06 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

input `Integrate[(a + b*Sec[e + f*x])/(c + d*x)^2, x]`

output `Integrate[(a + b*Sec[e + f*x])/(c + d*x)^2, x]`

## Rubi [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{a + b \csc(e + fx + \frac{\pi}{2})}{(c + dx)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx \end{aligned}$$

input `Int[(a + b*Sec[e + f*x])/(c + d*x)^2, x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_) + csc((e_) + (f_)*(x_))*(b_))^(n_)*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int \frac{a + b \sec(fx + e)}{(dx + c)^2} dx$$

input `int((a+b*sec(f*x+e))/(d*x+c)^2,x)`

output `int((a+b*sec(f*x+e))/(d*x+c)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 31, normalized size of antiderivative = 1.72

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="fricas")`

output `integral((b*sec(f*x + e) + a)/(d^2*x^2 + 2*c*d*x + c^2), x)`

**Sympy [N/A]**

Not integrable

Time = 2.94 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c)**2,x)`

output `Integral((a + b*sec(e + f*x))/(c + d*x)**2, x)`

## Maxima [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 172, normalized size of antiderivative = 9.56

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="maxima")`

output 
$$(2*(b*d^2*x + b*c*d)*integrate((\cos(2*f*x + 2*e)*\cos(f*x + e) + \sin(2*f*x + 2*e)*\sin(f*x + e) + \cos(f*x + e))/(\text{d}^2*x^2 + 2*c*d*x + (\text{d}^2*x^2 + 2*c*d*x + c^2)*\cos(2*f*x + 2*e)^2 + (\text{d}^2*x^2 + 2*c*d*x + c^2)*\sin(2*f*x + 2*e)^2 + c^2 + 2*(\text{d}^2*x^2 + 2*c*d*x + c^2)*\cos(2*f*x + 2*e)), x) - a)/(\text{d}^2*x + c*d)$$

## Giac [N/A]

Not integrable

Time = 1.70 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{b \sec(fx + e) + a}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))/(d*x+c)^2,x, algorithm="giac")`

output `integrate((b*sec(f*x + e) + a)/(d*x + c)^2, x)`

**Mupad [N/A]**

Not integrable

Time = 15.41 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx = \int \frac{a + \frac{b}{\cos(e+fx)}}{(c + d x)^2} dx$$

input `int((a + b/cos(e + f*x))/(c + d*x)^2,x)`

output `int((a + b/cos(e + f*x))/(c + d*x)^2, x)`

**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 85, normalized size of antiderivative = 4.72

$$\begin{aligned} & \int \frac{a + b \sec(e + fx)}{(c + dx)^2} dx \\ &= \frac{\left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) b c^2 f + \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) bcd f x - \sec(fx+e) bc + adx}{cd(dx+c)} \end{aligned}$$

input `int((a+b*sec(f*x+e))/(d*x+c)^2,x)`

output `(int((sec(e + f*x)*tan(e + f*x))/(c + d*x),x)*b*c**2*f + int((sec(e + f*x)*tan(e + f*x))/(c + d*x),x)*b*c*d*f*x - sec(e + f*x)*b*c + a*d*x)/(c*d*(c + d*x))`

**3.29**       $\int (c + dx)^3 (a + b \sec(e + fx))^2 dx$ 

Optimal result . . . . .	227
Mathematica [A] (verified) . . . . .	228
Rubi [A] (verified) . . . . .	228
Maple [B] (verified) . . . . .	230
Fricas [B] (verification not implemented)	231
Sympy [F] . . . . .	232
Maxima [B] (verification not implemented) . . . . .	233
Giac [F] . . . . .	234
Mupad [F(-1)] . . . . .	234
Reduce [F] . . . . .	234

## Optimal result

Integrand size = 20, antiderivative size = 364

$$\begin{aligned}
 \int (c + dx)^3 (a + b \sec(e + fx))^2 dx = & -\frac{ib^2(c + dx)^3}{f} + \frac{a^2(c + dx)^4}{4d} \\
 & - \frac{4iab(c + dx)^3 \arctan(e^{i(e+fx)})}{f} \\
 & + \frac{3b^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} \\
 & + \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\
 & - \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\
 & - \frac{3ib^2d^2(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\
 & - \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\
 & + \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\
 & + \frac{3b^2d^3 \operatorname{PolyLog}(3, -e^{2i(e+fx)})}{2f^4} \\
 & - \frac{12iabd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} \\
 & + \frac{12iabd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} \\
 & + \frac{b^2(c + dx)^3 \tan(e + fx)}{f}
 \end{aligned}$$

output

```

-I*b^2*(d*x+c)^3/f+1/4*a^2*(d*x+c)^4/d-4*I*a*b*(d*x+c)^3*arctan(exp(I*(f*x+e)))/f+3*b^2*d*(d*x+c)^2*ln(1+exp(2*I*(f*x+e)))/f^2+6*I*a*b*d*(d*x+c)^2*polylog(2,-I*exp(I*(f*x+e)))/f^2-6*I*a*b*d*(d*x+c)^2*polylog(2,I*exp(I*(f*x+e)))/f^2-3*I*b^2*d^2*(d*x+c)*polylog(2,-exp(2*I*(f*x+e)))/f^3-12*a*b*d^2*(d*x+c)*polylog(3,-I*exp(I*(f*x+e)))/f^3+12*a*b*d^2*(d*x+c)*polylog(3,I*exp(I*(f*x+e)))/f^3+3/2*b^2*d^3*polylog(3,-exp(2*I*(f*x+e)))/f^4-12*I*a*b*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+12*I*a*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4+b^2*(d*x+c)^3*tan(f*x+e)/f

```

## Mathematica [A] (verified)

Time = 1.67 (sec) , antiderivative size = 646, normalized size of antiderivative = 1.77

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx \\ = \frac{4a^2 c^3 f^4 x - 12ib^2 cd^2 f^3 x^2 + 6a^2 c^2 d f^4 x^2 - 4ib^2 d^3 f^3 x^3 + 4a^2 c d^2 f^4 x^3 + a^2 d^3 f^4 x^4 + 8abc^3 f^3 \coth^{-1}(\sin(e + fx))}{(4a^2 c^3 f^4 x - 12ib^2 cd^2 f^3 x^2 + 6a^2 c^2 d f^4 x^2 - 4ib^2 d^3 f^3 x^3 + 4a^2 c d^2 f^4 x^3 + a^2 d^3 f^4 x^4 + 8abc^3 f^3 \coth^{-1}(\sin(e + fx)))}$$

input `Integrate[(c + d*x)^3*(a + b*Sec[e + f*x])^2,x]`

output 
$$(4*a^2*c^3*f^4*x - (12*I)*b^2*c*d^2*f^3*x^2 + 6*a^2*c^2*d*f^4*x^2 - (4*I)*b^2*d^3*f^3*x^3 + 4*a^2*c*d^2*f^4*x^3 + a^2*d^3*f^4*x^4 + 8*a*b*c^3*f^3*ArcCoth[\sin(e + f*x)] - (48*I)*a*b*c^2*d*f^3*x*ArcTan[E^(I*(e + f*x))] - (48*I)*a*b*c*d^2*f^3*x^2*ArcTan[E^(I*(e + f*x))] - (16*I)*a*b*d^3*f^3*x^3*ArcTan[E^(I*(e + f*x))] + 24*b^2*c*d^2*f^2*x*Log[1 + E^((2*I)*(e + f*x))] + 12*b^2*c^2*d*f^2*Log[Cos[e + f*x]] + (24*I)*a*b*d*f^2*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))] - (24*I)*a*b*d*f^2*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))] - (12*I)*b^2*c*d^2*f*PolyLog[2, -E^((2*I)*(e + f*x))] - (12*I)*b^2*d^3*f*x*PolyLog[2, -E^((2*I)*(e + f*x))] - 48*a*b*c*d^2*f*PolyLog[3, (-I)*E^(I*(e + f*x))] - 48*a*b*d^3*f*x*PolyLog[3, (-I)*E^(I*(e + f*x))] + 48*a*b*c*d^2*f*PolyLog[3, I*E^(I*(e + f*x))] + 48*a*b*d^3*f*x*PolyLog[3, I*E^(I*(e + f*x))] + 6*b^2*d^3*PolyLog[3, -E^((2*I)*(e + f*x))] - (48*I)*a*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))] + (48*I)*a*b*d^3*PolyLog[4, I*E^(I*(e + f*x))] + 4*b^2*c^3*f^3*Tan[e + f*x] + 12*b^2*c^2*d*f^3*x*Tan[e + f*x] + 12*b^2*c*d^2*f^3*x^2*Tan[e + f*x] + 4*b^2*d^3*f^3*x*Tan[e + f*x])/(4*f^4)$$

## Rubi [A] (verified)

Time = 0.75 (sec) , antiderivative size = 364, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.150, Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (c + dx)^3 (a + b \sec(e + fx))^2 dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int (c + dx)^3 \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right)^2 dx \\
 & \quad \downarrow \textcolor{blue}{4678} \\
 & \int (a^2(c + dx)^3 + 2ab(c + dx)^3 \sec(e + fx) + b^2(c + dx)^3 \sec^2(e + fx)) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{a^2(c + dx)^4}{4d} - \frac{4iab(c + dx)^3 \arctan(e^{i(e+fx)})}{f} - \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \\
 & \frac{12abd^2(c + dx) \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \frac{6iabd(c + dx)^2 \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{12iabd^3 \operatorname{PolyLog}(4, -ie^{i(e+fx)})}{f^4} + \\
 & \frac{12iabd^3 \operatorname{PolyLog}(4, ie^{i(e+fx)})}{f^4} - \frac{3ib^2d^2(c + dx) \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} + \\
 & \frac{3b^2d(c + dx)^2 \log(1 + e^{2i(e+fx)})}{f^2} + \frac{b^2(c + dx)^3 \tan(e + fx)}{f} - \frac{ib^2(c + dx)^3}{f} + \\
 & \frac{3b^2d^3 \operatorname{PolyLog}(3, -e^{2i(e+fx)})}{2f^4}
 \end{aligned}$$

input `Int[(c + d*x)^3*(a + b*Sec[e + f*x])^2, x]`

output

```
((-I)*b^2*(c + d*x)^3)/f + (a^2*(c + d*x)^4)/(4*d) - ((4*I)*a*b*(c + d*x)^3*ArcTan[E^(I*(e + f*x))])/f + (3*b^2*d*(c + d*x)^2*Log[1 + E^((2*I)*(e + f*x))])/f^2 + ((6*I)*a*b*d*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((6*I)*a*b*d*(c + d*x)^2*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - ((3*I)*b^2*d^2*(c + d*x)*PolyLog[2, -E^((2*I)*(e + f*x))])/f^3 - (12*a*b*d^2*(c + d*x)*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (12*a*b*d^2*(c + d*x)*PolyLog[3, I*E^(I*(e + f*x))])/f^3 + (3*b^2*d^3*PolyLog[3, -E^((2*I)*(e + f*x))])/(2*f^4) - ((12*I)*a*b*d^3*PolyLog[4, (-I)*E^(I*(e + f*x))])/f^4 + ((12*I)*a*b*d^3*PolyLog[4, I*E^(I*(e + f*x))])/f^4 + (b^2*(c + d*x)^3*Tan[e + f*x])/f
```

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4678  $\text{Int}[(\csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\csc[e + f*x])^n, x], \ x] /; \ \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&& \ \text{IGtQ}[m, 0] \ \&& \ \text{IGtQ}[n, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1488 vs.  $2(327) = 654$ .

Time = 0.41 (sec), antiderivative size = 1489, normalized size of antiderivative = 4.09

method	result	size
risch	Expression too large to display	1489

input  $\text{int}((d*x+c)^3*(a+b*\sec(f*x+e))^2, x, \text{method}=\text{RETURNVERBOSE})$

output

```

-12*I*a*b*d^3*polylog(4,-I*exp(I*(f*x+e)))/f^4+12*I*a*b*d^3*polylog(4,I*exp(I*(f*x+e)))/f^4-3/f^4*b^2*e^2*d^3*ln(1+exp(2*I*(f*x+e)))-6/f^4*b^2*d^3*e^2*ln(exp(I*(f*x+e)))+3/f^2*b^2*d^3*ln(1+I*exp(I*(f*x+e)))*x^2+3/f^2*b^2*d^3*ln(1-I*exp(I*(f*x+e)))*x^2+3/f^4*b^2*d^3*ln(1+I*exp(I*(f*x+e)))*e^2+3/f^4*b^2*d^3*ln(1+I*exp(I*(f*x+e)))-6/f^2*b^2*c^2*d*ln(exp(I*(f*x+e)))-2*I/f*b^2*d^3*x^3+4*I/f^4*b^2*d^3*e^3+12*I/f^2*b*d^2*a*c*polylog(2,-I*exp(I*(f*x+e)))*x-12*I/f^3*b*a*c*d^2*e^2*arctan(exp(I*(f*x+e)))-12*I/f^2*b*d^2*a*c*polylog(2,I*exp(I*(f*x+e)))*x+12*I/f^2*b*a*c^2*d*e*arctan(exp(I*(f*x+e)))+2*I*b^2*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/(1+exp(2*I*(f*x+e)))-4*I/f*b*a*c^3*arctan(exp(I*(f*x+e)))+3*I/f^4*b^2*e*d^3*polylog(2,-exp(2*I*(f*x+e)))+12/f^3*b*a*d^3*polylog(3,I*exp(I*(f*x+e)))*x+12/f^3*b^2*c*d^2*e*ln(exp(I*(f*x+e)))+6/f^3*b^2*d^3*ln(1+I*exp(I*(f*x+e)))*e*x+6/f^3*b^2*d^3*ln(1-I*exp(I*(f*x+e)))*e*x+12/f^3*b*d^2*a*c*polylog(3,I*exp(I*(f*x+e)))-6/f^3*b^2*e*d^3*ln(1+exp(2*I*(f*x+e)))*x-2/f*b*a*d^3*ln(1+I*exp(I*(f*x+e)))*x^3+2/f*b*a*d^3*ln(1-I*exp(I*(f*x+e)))*x^3-2/f^4*b*e^3*a*d^3*ln(1+I*exp(I*(f*x+e)))+2/f^4*b*e^3*a*d^3*ln(1-I*exp(I*(f*x+e)))+6/f^2*b^2*c*d^2*ln(1+exp(2*I*(f*x+e)))*x-12/f^3*b*a*d^3*polylog(3,-I*exp(I*(f*x+e)))+6*I/f^3*b^2*d^3*e^2*x-6*I/f^3*b^2*d^3*polylog(2,-I*exp(I*(f*x+e)))*e-6*I/f^3*b^2*d^3*polylog(2,I*exp...

```

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1823 vs.  $2(311) = 622$ .

Time = 0.17 (sec) , antiderivative size = 1823, normalized size of antiderivative = 5.01

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output

```
1/4*(24*I*a*b*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) + sin(f*x + e)) +
24*I*a*b*d^3*cos(f*x + e)*polylog(4, I*cos(f*x + e) - sin(f*x + e)) - 24*I*a*b*d^3*cos(f*x + e)*polylog(4, -I*cos(f*x + e) + sin(f*x + e)) - 24*I*a*b*d^3*f^2*x^2 + I*a*b*c^2*d*f^2 - I*b^2*c*d^2*f + I*(2*a*b*c*d^2*f^2 - b^2*d^3*f)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x + e)) - 12*(I*a*b*d^3*f^2*x^2 + I*a*b*c^2*d*f^2 + I*b^2*c*d^2*f + I*(2*a*b*c*d^2*f^2 + b^2*d^3*f)*x)*cos(f*x + e)*dilog(I*cos(f*x + e) - sin(f*x + e)) - 12*(-I*a*b*d^3*f^2*x^2 - I*a*b*c^2*d*f^2 + I*b^2*c*d^2*f - I*(2*a*b*c*d^2*f^2 - b^2*d^3*f)*x)*cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) - 12*(-I*a*b*d^3*f^2*x^2 - I*a*b*c^2*d*f^2 - I*b^2*c*d^2*f - I*(2*a*b*c*d^2*f^2 + b^2*d^3*f)*x)*cos(f*x + e)*dilog(-I*cos(f*x + e) - sin(f*x + e)) - 2*(2*a*b*d^3*e^3 - 2*a*b*c^3*f^3 - 3*b^2*d^3*e^2 + 3*(2*a*b*c^2*d*e - b^2*c^2*d)*f^2 - 6*(a*b*c*d^2*e^2 - b^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 2*(2*a*b*d^3*e^3 - 2*a*b*c^3*f^3 + 3*b^2*d^3*e^2 + 3*(2*a*b*c^2*d*e + b^2*c^2*d)*f^2 - 6*(a*b*c*d^2*e^2 + b^2*c*d^2*e)*f)*cos(f*x + e)*log(cos(f*x + e) - I*sin(f*x + e) + I) + 2*(2*a*b*d^3*f^3*x^3 + 2*a*b*d^3*e^3 + 6*a*b*c^2*d*e*f^2 - 3*b^2*d^3*e^2 + 3*(2*a*b*c*d^2*f^3 + b^2*d^3*f^2)*x^2 - 6*(a*b*c*d^2*e^2 - b^2*c*d^2*e)*f + 6*(a*b*c^2*d*f^3 + b^2*c*d^2*f^2)*x)*cos(f*x + e)*log(I*cos(f*x + e) + sin(f*x + e) + 1) - 2*(2*a*b*d^3...
```

## Sympy [F]

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx)^3 dx$$

input

```
integrate((d*x+c)**3*(a+b*sec(f*x+e))**2,x)
```

output

```
Integral((a + b*sec(e + f*x))**2*(c + d*x)**3, x)
```

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 3267 vs.  $2(311) = 622$ .

Time = 0.48 (sec) , antiderivative size = 3267, normalized size of antiderivative = 8.98

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output

```
1/4*(4*(f*x + e)*a^2*c^3 + (f*x + e)^4*a^2*d^3/f^3 - 4*(f*x + e)^3*a^2*d^3
*e/f^3 + 6*(f*x + e)^2*a^2*d^3*e^2/f^3 - 4*(f*x + e)*a^2*d^3*e^3/f^3 + 4*(f*x + e)^3*a^2*c*d^2/f^2 - 12*(f*x + e)^2*a^2*c*d^2*e/f^2 + 12*(f*x + e)*a^2*c*d^2*e^2/f^2 + 6*(f*x + e)^2*a^2*c^2*d/f - 12*(f*x + e)*a^2*c^2*d^2*e/f + 8*a*b*c^3*log(sec(f*x + e)) + tan(f*x + e)) - 8*a*b*d^3*e^3*log(sec(f*x + e)) + tan(f*x + e))/f^3 + 24*a*b*c*d^2*e^2*log(sec(f*x + e)) + tan(f*x + e))/f^2 - 24*a*b*c^2*d*e*log(sec(f*x + e)) + tan(f*x + e))/f - 4*(4*b^2*d^3*e^3 - 12*b^2*c*d^2*e^2*f + 12*b^2*c^2*d*e*f^2 - 4*b^2*c^3*f^3 + 4*((f*x + e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2 + 3*(a*b*d^3*e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e) + ((f*x + e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2 + 3*(a*b*d^3*e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)^3*a*b*d^3 + 3*(-I*a*b*d^3*e + I*a*b*c*d^2*f)*(f*x + e)^2 + 3*(I*a*b*d^3*e^2 - 2*I*a*b*c*d^2*e*f + I*a*b*c^2*d*f^2)*(f*x + e) + I*a*b*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e))*arctan2(cos(f*x + e), sin(f*x + e) + 1) + 4*((f*x + e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2 + 3*(a*b*d^3*e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e) + ((f*x + e)^3*a*b*d^3 - 3*(a*b*d^3*e - a*b*c*d^2*f)*(f*x + e)^2 + 3*(a*b*d^3*e^2 - 2*a*b*c*d^2*e*f + a*b*c^2*d*f^2)*(f*x + e))*cos(2*f*x + 2*e) + (I*(f*x + e)^3*a*b*d^3 + 3*(-I*a*b*d^3*e + I*a*b*c*d^2*f)*(f*x + e)^2 + 3*(I*a*b*d^3*e^2 - 2*I*a*b*c*d^2*e*f + I*a*b*c^2*d*f^2)*(f*x + e))*sin(2*f*x + 2*e)))
```

**Giac [F]**

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int (dx + c)^3 (b \sec(fx + e) + a)^2 dx$$

input `integrate((d*x+c)^3*(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^3*(b*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \int \left( a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx)^3 dx$$

input `int((a + b/cos(e + f*x))^2*(c + d*x)^3,x)`

output `int((a + b/cos(e + f*x))^2*(c + d*x)^3, x)`

**Reduce [F]**

$$\int (c + dx)^3 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `int((d*x+c)^3*(a+b*sec(f*x+e))^2,x)`



### 3.30 $\int (c + dx)^2(a + b \sec(e + fx))^2 dx$

Optimal result . . . . .	236
Mathematica [A] (verified) . . . . .	237
Rubi [A] (verified) . . . . .	237
Maple [B] (verified) . . . . .	239
Fricas [B] (verification not implemented)	240
Sympy [F] . . . . .	241
Maxima [B] (verification not implemented) . . . . .	241
Giac [F] . . . . .	242
Mupad [F(-1)] . . . . .	243
Reduce [F] . . . . .	243

#### Optimal result

Integrand size = 20, antiderivative size = 257

$$\begin{aligned} \int (c + dx)^2(a + b \sec(e + fx))^2 dx = & -\frac{ib^2(c + dx)^2}{f} + \frac{a^2(c + dx)^3}{3d} \\ & - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} \\ & + \frac{2b^2d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} \\ & + \frac{4iabd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{4iabd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & - \frac{ib^2d^2 \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3} \\ & - \frac{4abd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} \\ & + \frac{4abd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} \\ & + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} \end{aligned}$$

output

$$\begin{aligned} & -I*b^2*(d*x+c)^2/f + 1/3*a^2*(d*x+c)^3/d - 4*I*a*b*(d*x+c)^2*\arctan(\exp(I*(f*x+e)))/f + 2*b^2*d*(d*x+c)*\ln(1+\exp(2*I*(f*x+e)))/f^2 + 4*I*a*b*d*(d*x+c)*\text{polylog}(2, -I*\exp(I*(f*x+e)))/f^2 - 4*I*a*b*d*(d*x+c)*\text{polylog}(2, I*\exp(I*(f*x+e)))/f^2 - I*b^2*d^2*\text{polylog}(2, -\exp(2*I*(f*x+e)))/f^3 - 4*a*b*d^2*\text{polylog}(3, -I*\exp(I*(f*x+e)))/f^3 + 4*a*b*d^2*\text{polylog}(3, I*\exp(I*(f*x+e)))/f^3 + b^2*(d*x+c)^2*\tan(f*x+e)/f \end{aligned}$$

## Mathematica [A] (verified)

Time = 1.01 (sec) , antiderivative size = 356, normalized size of antiderivative = 1.39

$$\begin{aligned} & \int (c + dx)^2 (a + b \sec(e + fx))^2 dx \\ &= \frac{3a^2 c^2 f^3 x - 3ib^2 d^2 f^2 x^2 + 3a^2 c d f^3 x^2 + a^2 d^2 f^3 x^3 + 6abc^2 f^2 \coth^{-1}(\sin(e + fx)) - 24iabcd f^2 x \arctan(e^{i(e+fx)}))}{\dots} \end{aligned}$$

input

```
Integrate[(c + d*x)^2*(a + b*Sec[e + f*x])^2,x]
```

output

$$\begin{aligned} & (3*a^2*c^2*f^3*x - (3*I)*b^2*d^2*f^2*x^2 + 3*a^2*c*d*f^3*x^2 + a^2*d^2*f^3*x^3 + 6*a*b*c^2*f^2*x^2*\text{ArcCoth}[\text{Sin}[e + f*x]] - (24*I)*a*b*c*d*f^2*x*\text{ArcTan}[E^{\wedge}(I*(e + f*x))] - (12*I)*a*b*d^2*f^2*x^2*\text{ArcTan}[E^{\wedge}(I*(e + f*x))] + 6*b^2*d^2*f^2*x*\text{Log}[1 + E^{\wedge}((2*I)*(e + f*x))] + 6*b^2*c*d*f*\text{Log}[\text{Cos}[e + f*x]] + (12*I)*a*b*d*f*(c + d*x)*\text{PolyLog}[2, (-I)*E^{\wedge}(I*(e + f*x))] - (12*I)*a*b*d*f*(c + d*x)*\text{PolyLog}[2, I*E^{\wedge}(I*(e + f*x))] - (3*I)*b^2*d^2*\text{PolyLog}[2, -E^{\wedge}((2*I)*(e + f*x))] - 12*a*b*d^2*\text{PolyLog}[3, (-I)*E^{\wedge}(I*(e + f*x))] + 12*a*b*d^2*\text{PolyLog}[3, I*E^{\wedge}(I*(e + f*x))] + 3*b^2*c^2*f^2*Tan[e + f*x] + 6*b^2*c*d*f^2*x*Tan[e + f*x] + 3*b^2*d^2*f^2*x^2*Tan[e + f*x])/((3*f^3)) \end{aligned}$$

## Rubi [A] (verified)

Time = 0.57 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.150, Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (c + dx)^2 (a + b \sec(e + fx))^2 dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int (c + dx)^2 \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right)^2 dx \\
 & \quad \downarrow \textcolor{blue}{4678} \\
 & \int (a^2(c + dx)^2 + 2ab(c + dx)^2 \sec(e + fx) + b^2(c + dx)^2 \sec^2(e + fx)) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{a^2(c + dx)^3}{3d} - \frac{4iab(c + dx)^2 \arctan(e^{i(e+fx)})}{f} + \frac{4iabd(c + dx) \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\
 & \quad \frac{4iabd(c + dx) \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} - \frac{4abd^2 \operatorname{PolyLog}(3, -ie^{i(e+fx)})}{f^3} + \\
 & \quad \frac{4abd^2 \operatorname{PolyLog}(3, ie^{i(e+fx)})}{f^3} + \frac{2b^2 d(c + dx) \log(1 + e^{2i(e+fx)})}{f^2} + \frac{b^2(c + dx)^2 \tan(e + fx)}{f} - \\
 & \quad \frac{ib^2(c + dx)^2}{f} - \frac{ib^2 d^2 \operatorname{PolyLog}(2, -e^{2i(e+fx)})}{f^3}
 \end{aligned}$$

input `Int[(c + d*x)^2*(a + b*Sec[e + f*x])^2, x]`

output `((-I)*b^2*(c + d*x)^2)/f + (a^2*(c + d*x)^3)/(3*d) - ((4*I)*a*b*(c + d*x)^2*ArcTan[E^(I*(e + f*x))])/f + (2*b^2*d*(c + d*x)*Log[1 + E^((2*I)*(e + f*x))])/f^2 + ((4*I)*a*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((4*I)*a*b*d*(c + d*x)*PolyLog[2, I*E^(I*(e + f*x))])/f^2 - (I*b^2*d^2*PolyLog[2, -E^((2*I)*(e + f*x))])/f^3 - (4*a*b*d^2*PolyLog[3, (-I)*E^(I*(e + f*x))])/f^3 + (4*a*b*d^2*PolyLog[3, I*E^(I*(e + f*x))])/f^3 + (b^2*(c + d*x)^2*Tan[e + f*x])/f`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.),
x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]
```

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 661 vs.  $2(232) = 464$ .

Time = 0.32 (sec), antiderivative size = 662, normalized size of antiderivative = 2.58

method	result
risch	$\frac{2bd^2a \ln(1 - ie^{i(fx+e)})x^2}{f} + \frac{2be^2a d^2 \ln(1 + ie^{i(fx+e)})}{f^3} - \frac{2be^2a d^2 \ln(1 - ie^{i(fx+e)})}{f^3} - \frac{2bd^2a \ln(1 + ie^{i(fx+e)})x^2}{f} - \frac{4ib^2d^2ex}{f^2}$

input `int((d*x+c)^2*(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

output

```
2/f*b*d^2*a*ln(1-I*exp(I*(f*x+e)))*x^2+2/f^3*b*e^2*a*d^2*ln(1+I*exp(I*(f*x+e)))-2/f^3*b*e^2*a*d^2*ln(1-I*exp(I*(f*x+e)))-2/f*b*d^2*a*ln(1+I*exp(I*(f*x+e)))*x^2-4*I/f^2*b^2*d^2*e*x-4*I/f*b*a*c^2*arctan(exp(I*(f*x+e)))+1/3*a^2*d^2*x^3+1/3*a^2/d*c^3-4*a*b*d^2*polylog(3,-I*exp(I*(f*x+e)))/f^3+4*a*b*d^2*polylog(3,I*exp(I*(f*x+e)))/f^3-I*b^2*d^2*polylog(2,-exp(2*I*(f*x+e)))/f^3+2/f^2*b^2*d^2*ln(1+exp(2*I*(f*x+e)))*x+4/f^3*b^2*d^2*e*ln(exp(I*(f*x+e)))+2/f^2*b^2*c*d*ln(1+exp(2*I*(f*x+e)))-4/f^2*b^2*c*d*ln(exp(I*(f*x+e)))-2*I/f*b^2*d^2*x^2-2*I/f^3*b^2*d^2*e^2-4/f*b*c*a*d*ln(1+I*exp(I*(f*x+e)))*x+4/f*b*c*a*d*ln(1-I*exp(I*(f*x+e)))*x-4/f^2*b*c*a*d*ln(1+I*exp(I*(f*x+e)))*e+4/f^2*b*c*a*d*ln(1-I*exp(I*(f*x+e)))*e-4*I/f^3*b*a*d^2*e^2*arctan(exp(I*(f*x+e)))+4*I/f^2*b*d^2*a*polylog(2,-I*exp(I*(f*x+e)))*x-4*I/f^2*b*d^2*a*polylog(2,I*exp(I*(f*x+e)))*x+4*I/f^2*b*c*a*d*polylog(2,-I*exp(I*(f*x+e)))-4*I/f^2*b*c*a*d*polylog(2,I*exp(I*(f*x+e)))+2*I*b^2*(d^2*x^2+2*c*d*x+c^2)/f/(1+exp(2*I*(f*x+e)))+a^2*d*c*x^2+a^2*c^2*x+8*I/f^2*b*a*c*d*e*arctan(exp(I*(f*x+e)))
```

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1056 vs.  $2(220) = 440$ .

Time = 0.15 (sec), antiderivative size = 1056, normalized size of antiderivative = 4.11

$$\int (c + dx)^2(a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output

```
-1/3*(6*a*b*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) + sin(f*x + e)) - 6
*a*b*d^2*cos(f*x + e)*polylog(3, I*cos(f*x + e) - sin(f*x + e)) + 6*a*b*d^
2*cos(f*x + e)*polylog(3, -I*cos(f*x + e) + sin(f*x + e)) - 6*a*b*d^2*cos(
f*x + e)*polylog(3, -I*cos(f*x + e) - sin(f*x + e)) + 3*(2*I*a*b*d^2*f*x +
2*I*a*b*c*d*f - I*b^2*d^2)*cos(f*x + e)*dilog(I*cos(f*x + e) + sin(f*x +
e)) + 3*(2*I*a*b*d^2*f*x + 2*I*a*b*c*d*f + I*b^2*d^2)*cos(f*x + e)*dilog(I
*cos(f*x + e) - sin(f*x + e)) + 3*(-2*I*a*b*d^2*f*x - 2*I*a*b*c*d*f + I*b^
2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) + sin(f*x + e)) + 3*(-2*I*a*b*d^
2*f*x - 2*I*a*b*c*d*f - I*b^2*d^2)*cos(f*x + e)*dilog(-I*cos(f*x + e) - si
n(f*x + e)) - 3*(a*b*d^2*e^2 + a*b*c^2*f^2 - b^2*d^2*e - (2*a*b*c*d*e - b^
2*c*d)*f)*cos(f*x + e)*log(cos(f*x + e) + I*sin(f*x + e) + I) + 3*(a*b*d^2
*e^2 + a*b*c^2*f^2 + b^2*d^2*e - (2*a*b*c*d*e + b^2*c*d)*f)*cos(f*x + e)*l
og(cos(f*x + e) - I*sin(f*x + e) + I) - 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 +
2*a*b*c*d*e*f + b^2*d^2*e + (2*a*b*c*d*f^2 + b^2*d^2*f)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) + sin(f*x + e) + 1) + 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 +
2*a*b*c*d*e*f - b^2*d^2*e + (2*a*b*c*d*f^2 - b^2*d^2*f)*x)*cos(f*x + e)*l
og(I*cos(f*x + e) - sin(f*x + e) + 1) - 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 +
2*a*b*c*d*e*f + b^2*d^2*e + (2*a*b*c*d*f^2 + b^2*d^2*f)*x)*cos(f*x + e)*l
og(-I*cos(f*x + e) + sin(f*x + e) + 1) + 3*(a*b*d^2*f^2*x^2 - a*b*d^2*e^2 +
2*a*b*c*d*e*f - b^2*d^2*e + (2*a*b*c*d*f^2 - b^2*d^2*f)*x)*cos(f*x + ...
```

## Sympy [F]

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx)^2 dx$$

input `integrate((d*x+c)**2*(a+b*sec(f*x+e))**2,x)`

output `Integral((a + b*sec(e + f*x))**2*(c + d*x)**2, x)`

## Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1641 vs.  $2(220) = 440$ .

Time = 0.27 (sec) , antiderivative size = 1641, normalized size of antiderivative = 6.39

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output

```
1/3*(3*(f*x + e)*a^2*c^2 + (f*x + e)^3*a^2*d^2/f^2 - 3*(f*x + e)^2*a^2*d^2
*e/f^2 + 3*(f*x + e)*a^2*d^2*2*e^2/f^2 + 3*(f*x + e)^2*a^2*c*d/f - 6*(f*x +
e)*a^2*c*d*e/f + 6*a*b*c^2*log(sec(f*x + e) + tan(f*x + e)) + 6*a*b*d^2*e^
2*log(sec(f*x + e) + tan(f*x + e))/f^2 - 12*a*b*c*d*e*log(sec(f*x + e) + t
an(f*x + e))/f + 3*(2*b^2*d^2*2*e^2 - 4*b^2*c*d*e*f + 2*b^2*c^2*f^2 - 2*((f*
x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e) + ((f*x + e)^2*a*b*
d^2 - 2*(a*b*d^2*e - a*b*c*d*f)*(f*x + e)))*cos(2*f*x + 2*e) + (I*(f*x + e)
^2*a*b*d^2 + 2*(-I*a*b*d^2*e + I*a*b*c*d*f)*(f*x + e))*sin(2*f*x + 2*e))*a
rctan2(cos(f*x + e), sin(f*x + e) + 1) - 2*((f*x + e)^2*a*b*d^2 - 2*(a*b*d
^2*e - a*b*c*d*f)*(f*x + e) + ((f*x + e)^2*a*b*d^2 - 2*(a*b*d^2*e - a*b*c*
d*f)*(f*x + e)))*cos(2*f*x + 2*e) + (I*(f*x + e)^2*a*b*d^2 + 2*(-I*a*b*d^2*
e + I*a*b*c*d*f)*(f*x + e))*sin(2*f*x + 2*e))*arctan2(cos(f*x + e), -sin(f
*x + e) + 1) + 2*((f*x + e)*b^2*d^2 - b^2*d^2*e + b^2*c*d*f + ((f*x + e)*b
^2*d^2 - b^2*d^2*e + b^2*c*d*f)*cos(2*f*x + 2*e) - (-I*(f*x + e)*b^2*d^2 +
I*b^2*d^2*e - I*b^2*c*d*f)*sin(2*f*x + 2*e))*arctan2(sin(2*f*x + 2*e), co
s(2*f*x + 2*e) + 1) - 2*((f*x + e)^2*b^2*d^2 - 2*(b^2*d^2*e - b^2*c*d*f)*(
f*x + e))*cos(2*f*x + 2*e) - (b^2*d^2*cos(2*f*x + 2*e) + I*b^2*d^2*sin(2*f
*x + 2*e) + b^2*d^2)*dilog(-e^(2*I*f*x + 2*I*e)) - 4*((f*x + e)*a*b*d^2 -
a*b*d^2*e + a*b*c*d*f + ((f*x + e)*a*b*d^2 - a*b*d^2*e + a*b*c*d*f)*cos(2*
f*x + 2*e) + (I*(f*x + e)*a*b*d^2 - I*a*b*d^2*e + I*a*b*c*d*f)*sin(2*f*...
```

## Giac [F]

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int (dx + c)^2 (b \sec(fx + e) + a)^2 dx$$

input

```
integrate((d*x+c)^2*(a+b*sec(f*x+e))^2,x, algorithm="giac")
```

output

```
integrate((d*x + c)^2*(b*sec(f*x + e) + a)^2, x)
```

**Mupad [F(-1)]**

Timed out.

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \int \left( a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx)^2 dx$$

input `int((a + b/cos(e + f*x))^2*(c + d*x)^2,x)`

output `int((a + b/cos(e + f*x))^2*(c + d*x)^2, x)`

**Reduce [F]**

$$\int (c + dx)^2 (a + b \sec(e + fx))^2 dx = \text{Too large to display}$$

input `int((d*x+c)^2*(a+b*sec(f*x+e))^2,x)`

output

```
(12*cos(e + f*x)*int(x**2/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*a*b*d**2*f**3 + 24*cos(e + f*x)*int((tan((e + f*x)/2)*x)/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*a*b*d**2*f**2 - 24*cos(e + f*x)*int((tan((e + f*x)/2)*x)/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*b**2*d**2*f**2 + 24*cos(e + f*x)*int(x/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)*a*b*c*d*f**3 + 6*cos(e + f*x)*log(tan((e + f*x)/2)**2 + 1)*a*b*c*d*f - 6*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*a*b*c**2*f**2 - 6*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*a*b*c*d*f - 6*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*b**2*c*d*f + 6*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*b**2*d**2 + 6*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*a*b*c*d*f + 6*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*a*b*d**2 + 6*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*b**2*c*d*f - 6*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*b**2*d**2 + 3*cos(e + f*x)*a**2*c**2*f**3*x + 3*cos(e + f*x)*a**2*c*d*f**3*x**2 + cos(e + f*x)*a**2*d**2*f**3*x**3 - 3*cos(e + f*x)*a*b*c*d*f**3*x**2 - cos(e + f*x)*a*b*d**2*f**3*x**3 - 6*sin(e + f*x)*a*b*c*d*f**2*x - 3*sin(e + f*x)*a*b*d**2*f**2*x**2 + 3*sin(e + f*x)*b**2*c**2*f**2 + 6*sin(e + f*x)*b**2*c*d*f**2*x + 3*sin(e + f*x)*b**2*d**2*f**2*x**2 - 6*a*b*d**2*f*x + 6*b**2*d**2*f*x)/(3*cos(e + f*x)*f**3)
```

### 3.31 $\int (c + dx)(a + b \sec(e + fx))^2 dx$

Optimal result	245
Mathematica [A] (verified)	246
Rubi [A] (verified)	246
Maple [A] (verified)	248
Fricas [B] (verification not implemented)	248
Sympy [F]	249
Maxima [F]	249
Giac [F]	250
Mupad [F(-1)]	250
Reduce [F]	251

#### Optimal result

Integrand size = 18, antiderivative size = 131

$$\begin{aligned} \int (c + dx)(a + b \sec(e + fx))^2 dx = & \frac{a^2(c + dx)^2}{2d} - \frac{4iab(c + dx) \arctan(e^{i(e+fx)})}{f} \\ & + \frac{b^2 d \log(\cos(e + fx))}{f^2} \\ & + \frac{2iabd \operatorname{PolyLog}(2, -ie^{i(e+fx)})}{f^2} \\ & - \frac{2iabd \operatorname{PolyLog}(2, ie^{i(e+fx)})}{f^2} \\ & + \frac{b^2(c + dx) \tan(e + fx)}{f} \end{aligned}$$

output

```
1/2*a^2*(d*x+c)^2/d-4*I*a*b*(d*x+c)*arctan(exp(I*(f*x+e)))/f+b^2*d*ln(cos(f*x+e))/f^2+2*I*a*b*d*polylog(2,-I*exp(I*(f*x+e)))/f^2-2*I*a*b*d*polylog(2,I*exp(I*(f*x+e)))/f^2+b^2*(d*x+c)*tan(f*x+e)/f
```

**Mathematica [A] (verified)**

Time = 0.38 (sec) , antiderivative size = 151, normalized size of antiderivative = 1.15

$$\int (c + dx)(a + b \sec(e + fx))^2 dx \\ = \frac{2a^2 c f^2 x + a^2 d f^2 x^2 + 4 a b c f \coth^{-1}(\sin(e + fx)) - 8 i a b d f x \arctan(e^{i(e+fx)}) + 2 b^2 d \log(\cos(e + fx)) + 4}{2f}$$

input `Integrate[(c + d*x)*(a + b*Sec[e + f*x])^2, x]`

output  $(2*a^2*c*f^2*x + a^2*d*f^2*x^2 + 4*a*b*c*f*ArcCoth[\Sin[e + f*x]] - (8*I)*a*b*d*f*x*ArcTan[E^(I*(e + f*x))] + 2*b^2*d*\Log[\Cos[e + f*x]] + (4*I)*a*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))] - (4*I)*a*b*d*PolyLog[2, I*E^(I*(e + f*x))] + 2*b^2*c*f*Tan[e + f*x] + 2*b^2*d*f*x*Tan[e + f*x])/(2*f^2)$

**Rubi [A] (verified)**

Time = 0.34 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {3042, 4678, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)(a + b \sec(e + fx))^2 dx \\ & \quad \downarrow \textcolor{blue}{3042} \\ & \int (c + dx) \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right)^2 dx \\ & \quad \downarrow \textcolor{blue}{4678} \\ & \int (a^2(c + dx) + 2ab(c + dx) \sec(e + fx) + b^2(c + dx) \sec^2(e + fx)) dx \\ & \quad \downarrow \textcolor{blue}{2009} \end{aligned}$$

$$\frac{a^2(c+dx)^2}{2d} - \frac{4iab(c+dx)\arctan(e^{i(e+fx)})}{f} + \frac{2iabd\text{PolyLog}(2, -ie^{i(e+fx)})}{f^2} - \\ \frac{2iabd\text{PolyLog}(2, ie^{i(e+fx)})}{f^2} + \frac{b^2(c+dx)\tan(e+fx)}{f} + \frac{b^2d\log(\cos(e+fx))}{f^2}$$

input `Int[(c + d*x)*(a + b*Sec[e + f*x])^2, x]`

output `(a^2*(c + d*x)^2)/(2*d) - ((4*I)*a*b*(c + d*x)*ArcTan[E^(I*(e + f*x))])/f + (b^2*d*Log[Cos[e + f*x]])/f^2 + ((2*I)*a*b*d*PolyLog[2, (-I)*E^(I*(e + f*x))])/f^2 - ((2*I)*a*b*d*PolyLog[2, I*E^(I*(e + f*x))])/f^2 + (b^2*(c + d*x)*Tan[e + f*x])/f`

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4678 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_.))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[m, 0] && IGtQ[n, 0]`

**Maple [A] (verified)**

Time = 0.10 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.45

method	result
parts	$a^2 \left( \frac{1}{2} d x^2 + c x \right) + \frac{b^2 d \tan(fx+e) x}{f} + \frac{b^2 d \ln(\cos(fx+e))}{f^2} + \frac{b^2 c \tan(fx+e)}{f} + \frac{2ab \left( \frac{d \left( -(fx+e) \ln(1+ie^{i(fx+e)}) \right)}{f} \right)}{f}$
derivativedivides	$\frac{a^2 c (fx+e) - \frac{a^2 d e (fx+e)}{f} + \frac{a^2 d (fx+e)^2}{2f}}{f} + 2abc \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2abd e \ln(\sec(fx+e) + \tan(fx+e))}{f} + \frac{2abd \left( -(fx+e) \ln(1+ie^{i(fx+e)}) \right)}{f}$
default	$\frac{a^2 c (fx+e) - \frac{a^2 d e (fx+e)}{f} + \frac{a^2 d (fx+e)^2}{2f}}{f} + 2abc \ln(\sec(fx+e) + \tan(fx+e)) - \frac{2abd e \ln(\sec(fx+e) + \tan(fx+e))}{f} + \frac{2abd \left( -(fx+e) \ln(1+ie^{i(fx+e)}) \right)}{f}$
risch	$\frac{a^2 d x^2}{2} + a^2 c x + \frac{2ib^2 (dx+c)}{f(1+e^{2i(fx+e)})} + \frac{b^2 d \ln(1+e^{2i(fx+e)})}{f^2} - \frac{2b^2 d \ln(e^{i(fx+e)})}{f^2} - \frac{4ibac \arctan(e^{i(fx+e)})}{f} +$

input `int((d*x+c)*(a+b*sec(f*x+e))^2,x,method=_RETURNVERBOSE)`

output 
$$a^2 * (1/2*d*x^2+c*x)+b^2/f*d*tan(f*x+e)*x+b^2*d*ln(cos(f*x+e))/f^2+b^2/f*c*tan(f*x+e)+2*a*b/f*(1/f*d*(-(f*x+e))*ln(1+I*exp(I*(f*x+e)))+(f*x+e)*ln(1-I*exp(I*(f*x+e)))+I*dilog(1+I*exp(I*(f*x+e)))-I*dilog(1-I*exp(I*(f*x+e))))+c*ln(sec(f*x+e)+tan(f*x+e))-e/f*d*ln(sec(f*x+e)+tan(f*x+e)))$$

**Fricas [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 505 vs.  $2(111) = 222$ .

Time = 0.11 (sec) , antiderivative size = 505, normalized size of antiderivative = 3.85

$$\int (c + dx)(a + b \sec(e + fx))^2 dx \\ = \frac{-2i abd \cos(fx + e) \text{Li}_2(i \cos(fx + e) + \sin(fx + e)) - 2i abd \cos(fx + e) \text{Li}_2(i \cos(fx + e) - \sin(fx + e))}{f}$$

input `integrate((d*x+c)*(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output

$$\begin{aligned} & \frac{1}{2}(-2I*a*b*d*\cos(f*x + e)*\operatorname{dilog}(I*\cos(f*x + e) + \sin(f*x + e)) - 2*I*a*b*d*\cos(f*x + e)*\operatorname{dilog}(I*\cos(f*x + e) - \sin(f*x + e)) + 2*I*a*b*d*\cos(f*x + e)*\operatorname{dilog}(-I*\cos(f*x + e) + \sin(f*x + e)) + 2*I*a*b*d*\cos(f*x + e)*\operatorname{dilog}(-I*\cos(f*x + e) - \sin(f*x + e)) - (2*a*b*d*e - 2*a*b*c*f - b^{2d})*\cos(f*x + e)*\log(\cos(f*x + e) + I*\sin(f*x + e) + I) + (2*a*b*d*e - 2*a*b*c*f + b^2*d)*\cos(f*x + e)*\log(\cos(f*x + e) - I*\sin(f*x + e) + I) + 2*(a*b*d*f*x + a*b*d*e)*\cos(f*x + e)*\log(I*\cos(f*x + e) + \sin(f*x + e) + 1) - 2*(a*b*d*f*x + a*b*d*e)*\cos(f*x + e)*\log(I*\cos(f*x + e) - \sin(f*x + e) + 1) + 2*(a*b*d*f*x + a*b*d*e)*\cos(f*x + e)*\log(-I*\cos(f*x + e) + \sin(f*x + e) + 1) - 2*(a*b*d*f*x + a*b*d*e)*\cos(f*x + e)*\log(-I*\cos(f*x + e) - \sin(f*x + e) + 1) - (2*a*b*d*e - 2*a*b*c*f - b^{2d})*\cos(f*x + e)*\log(-\cos(f*x + e) + I*\sin(f*x + e) + I) + (2*a*b*d*e - 2*a*b*c*f + b^{2d})*\cos(f*x + e)*\log(-\cos(f*x + e) - I*\sin(f*x + e) + I) + (a^{2d}f^{2x^2} + 2*a^{2c}f^{2x})*\cos(f*x + e) + 2*(b^{2d}f*x + b^{2c}f)*\sin(f*x + e))/(f^{2\cos(f*x + e)}) \end{aligned}$$

## Sympy [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (a + b \sec(e + fx))^2 (c + dx) dx$$

input

```
integrate((d*x+c)*(a+b*sec(f*x+e))**2,x)
```

output

```
Integral((a + b*sec(e + f*x))**2*(c + d*x), x)
```

## Maxima [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (dx + c)(b \sec(fx + e) + a)^2 dx$$

input

```
integrate((d*x+c)*(a+b*sec(f*x+e))**2,x, algorithm="maxima")
```

output

```
1/2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e)^2 + (a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f^2*x^2 + 2*a^2*c*f^2*x)*cos(2*f*x + 2*e) + 8*(a*b*d*f^3*cos(2*f*x + 2*e)^2 + a*b*d*f^3*sin(2*f*x + 2*e)^2 + 2*a*b*d*f^3*cos(2*f*x + 2*e) + a*b*d*f^3)*integrate((x*cos(2*f*x + 2*e)*cos(f*x + e) + x*sin(2*f*x + 2*e)*sin(f*x + e) + x*cos(f*x + e))/(f*cos(2*f*x + 2*e)^2 + f*sin(2*f*x + 2*e)^2 + 2*f*cos(2*f*x + 2*e) + f), x) + (b^2*d*cos(2*f*x + 2*e)^2 + b^2*d*sin(2*f*x + 2*e)^2 + 2*b^2*d*cos(2*f*x + 2*e) + b^2*d)*log(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1) + 2*(a*b*c*f*cos(2*f*x + 2*e)^2 + a*b*c*f*sin(2*f*x + 2*e)^2 + 2*a*b*c*f*cos(2*f*x + 2*e) + a*b*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*sin(f*x + e) + 1) - 2*(a*b*c*f*cos(2*f*x + 2*e)^2 + a*b*c*f*sin(2*f*x + 2*e)^2 + 2*a*b*c*f*cos(2*f*x + 2*e) + a*b*c*f)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*sin(f*x + e) + 1) + 4*(b^2*d*f*x + b^2*c*f)*sin(2*f*x + 2*e))/(f^2*cos(2*f*x + 2*e)^2 + f^2*sin(2*f*x + 2*e)^2 + 2*f^2*cos(2*f*x + 2*e) + f^2)
```

## Giac [F]

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int (dx + c)(b \sec(fx + e) + a)^2 dx$$

input

```
integrate((d*x+c)*(a+b*sec(f*x+e))^2,x, algorithm="giac")
```

output

```
integrate((d*x + c)*(b*sec(f*x + e) + a)^2, x)
```

## Mupad [F(-1)]

Timed out.

$$\int (c + dx)(a + b \sec(e + fx))^2 dx = \int \left( a + \frac{b}{\cos(e + fx)} \right)^2 (c + dx) dx$$

input

```
int((a + b/cos(e + f*x))^2*(c + d*x),x)
```

output

```
int((a + b/cos(e + f*x))^2*(c + d*x), x)
```

## Reduce [F]

$$\begin{aligned}
 & \int (c + dx)(a + b \sec(e + fx))^2 dx \\
 = & \frac{8 \cos(fx + e) \left( \int \frac{x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^4 - 2 \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1} dx \right) abd f^2 + 2 \cos(fx + e) \log\left(\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 + 1\right) abd - 2}{}
 \end{aligned}$$

input `int((d*x+c)*(a+b*sec(f*x+e))^2,x)`

output

```
(8*cos(e + f*x)*int(x/(tan((e + f*x)/2)**4 - 2*tan((e + f*x)/2)**2 + 1),x)
*a*b*d*f**2 + 2*cos(e + f*x)*log(tan((e + f*x)/2)**2 + 1)*a*b*d - 2*cos(e
+ f*x)*log(tan((e + f*x)/2)**2 + 1)*b**2*d - 4*cos(e + f*x)*log(tan((e + f
*x)/2) - 1)*a*b*c*f - 2*cos(e + f*x)*log(tan((e + f*x)/2) - 1)*a*b*d + 2*c
os(e + f*x)*log(tan((e + f*x)/2) - 1)*b**2*d + 4*cos(e + f*x)*log(tan((e +
f*x)/2) + 1)*a*b*c*f - 2*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*a*b*d + 2
*cos(e + f*x)*log(tan((e + f*x)/2) + 1)*b**2*d + 2*cos(e + f*x)*a**2*c*f**
2*x + cos(e + f*x)*a**2*d*f**2*x**2 - cos(e + f*x)*a*b*d*f**2*x**2 - 2*sin
(e + f*x)*a*b*d*f*x + 2*sin(e + f*x)*b**2*c*f + 2*sin(e + f*x)*b**2*d*f*x)
/(2*cos(e + f*x)*f**2)
```

**3.32**       $\int \frac{(a+b \sec(e+fx))^2}{c+dx} dx$

Optimal result . . . . .	252
Mathematica [N/A] . . . . .	252
Rubi [N/A] . . . . .	253
Maple [N/A] . . . . .	254
Fricas [N/A] . . . . .	254
Sympy [N/A] . . . . .	254
Maxima [N/A] . . . . .	255
Giac [N/A] . . . . .	255
Mupad [N/A] . . . . .	256
Reduce [N/A] . . . . .	256

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \text{Int}\left(\frac{(a + b \sec(e + fx))^2}{c + dx}, x\right)$$

output `Defer(Int)((a+b*sec(f*x+e))^2/(d*x+c),x)`

## Mathematica [N/A]

Not integrable

Time = 39.28 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

input `Integrate[(a + b*Sec[e + f*x])^2/(c + d*x), x]`

output `Integrate[(a + b*Sec[e + f*x])^2/(c + d*x), x]`

**Rubi [N/A]**

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(a + b \csc(e + fx + \frac{\pi}{2}))^2}{c + dx} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx \end{aligned}$$

input `Int[(a + b*Sec[e + f*x])^2/(c + d*x),x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.15 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \sec(fx + e))^2}{dx + c} dx$$

input `int((a+b*sec(f*x+e))^2/(d*x+c),x)`

output `int((a+b*sec(f*x+e))^2/(d*x+c),x)`

**Fricas [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.80

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c),x, algorithm="fricas")`

output `integral((b^2*sec(f*x + e)^2 + 2*a*b*sec(f*x + e) + a^2)/(d*x + c), x)`

**Sympy [N/A]**

Not integrable

Time = 1.20 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx$$

input `integrate((a+b*sec(f*x+e))**2/(d*x+c),x)`

output `Integral((a + b*sec(e + f*x))**2/(c + d*x), x)`

## Maxima [N/A]

Not integrable

Time = 1.09 (sec) , antiderivative size = 501, normalized size of antiderivative = 25.05

$$\int \frac{(a + b \sec(fx + e))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c),x, algorithm="maxima")`

output 
$$\begin{aligned} & ((a^2*d*f*x + a^2*c*f)*\cos(2*f*x + 2*e)^2*\log(d*x + c) + 2*b^2*d*\sin(2*f*x \\ & + 2*e) + (a^2*d*f*x + a^2*c*f)*\log(d*x + c)*\sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*x \\ & + a^2*c*f)*\cos(2*f*x + 2*e)*\log(d*x + c) + (d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*\sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*\cos(2*f*x + 2*e))*\int(2*(2*(a*b*d*f*x + a*b*c*f)*\cos(2*f*x + 2*e)*\cos(f*x + e) + 2*(a*b*d*f*x + a*b*c*f)*\cos(f*x + e) + (b^2*d + 2*(a*b*d*f*x + a*b*c*f)*\sin(f*x + e))*\sin(2*f*x + 2*e))/(d^2*f*x^2 + 2*c*d*f*x + c^2*f + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*\cos(2*f*x + 2*e)^2 + (d^2*f*x^2 + 2*c*d*f*x + c^2*f)*\sin(2*f*x + 2*e)^2 + 2*(d^2*f*x^2 + 2*c*d*f*x + c^2*f)*\cos(2*f*x + 2*e)), x) + (a^2*d*f*x + a^2*c*f)*\log(d*x + c))/(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(2*f*x + 2*e)^2 + (d^2*f*x + c*d*f)*\sin(2*f*x + 2*e)^2 + 2*(d^2*f*x + c*d*f)*\cos(2*f*x + 2*e)) \end{aligned}$$

## Giac [N/A]

Not integrable

Time = 1.83 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(fx + e))^2}{c + dx} dx = \int \frac{(b \sec(fx + e) + a)^2}{dx + c} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c),x, algorithm="giac")`

output `integrate((b*sec(f*x + e) + a)^2/(d*x + c), x)`

## Mupad [N/A]

Not integrable

Time = 14.71 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + b \sec(e + fx))^2}{c + dx} dx = \int \frac{\left(a + \frac{b}{\cos(e+fx)}\right)^2}{c + dx} dx$$

input `int((a + b/cos(e + f*x))^2/(c + d*x),x)`

output `int((a + b/cos(e + f*x))^2/(c + d*x), x)`

## Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 124, normalized size of antiderivative = 6.20

$$\begin{aligned} & \int \frac{(a + b \sec(e + fx))^2}{c + dx} dx \\ &= \frac{- \left( \int \frac{\sin(fx+e)^2}{\sin(fx+e)^2 c + \sin(fx+e)^2 dx - c - dx} dx \right) b^2 d + 2 \left( \int \frac{1}{\cos(fx+e)c + \cos(fx+e)dx} dx \right) abd + 2 \left( \int \frac{1}{dx+c} dx \right) abd + \log(dx) }{d} \end{aligned}$$

input `int((a+b*sec(f*x+e))^2/(d*x+c),x)`

output `( - int(sin(e + f*x)**2/(sin(e + f*x)**2*c + sin(e + f*x)**2*d*x - c - d*x ),x)*b**2*d + 2*int(1/(cos(e + f*x)*c + cos(e + f*x)*d*x ),x)*a*b*d + 2*int(1/(c + d*x ),x)*a*b*d + log(c + d*x)*a**2 - 2*log(c + d*x)*a*b + log(c + d*x)*b**2)/d`

**3.33**       $\int \frac{(a+b \sec(e+fx))^2}{(c+dx)^2} dx$

Optimal result . . . . .	257
Mathematica [N/A] . . . . .	257
Rubi [N/A] . . . . .	258
Maple [N/A] . . . . .	259
Fricas [N/A] . . . . .	259
Sympy [N/A] . . . . .	259
Maxima [N/A] . . . . .	260
Giac [N/A] . . . . .	260
Mupad [N/A] . . . . .	261
Reduce [N/A] . . . . .	261

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \text{Int}\left(\frac{(a + b \sec(e + fx))^2}{(c + dx)^2}, x\right)$$

output `Defer(Int)((a+b*sec(f*x+e))^2/(d*x+c)^2,x)`

## Mathematica [N/A]

Not integrable

Time = 22.01 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

input `Integrate[(a + b*Sec[e + f*x])^2/(c + d*x)^2,x]`

output `Integrate[(a + b*Sec[e + f*x])^2/(c + d*x)^2, x]`

## Rubi [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(a + b \csc(e + fx + \frac{\pi}{2}))^2}{(c + dx)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx \end{aligned}$$

input `Int[(a + b*Sec[e + f*x])^2/(c + d*x)^2, x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(a + b \sec(fx + e))^2}{(dx + c)^2} dx$$

input `int((a+b*sec(f*x+e))^2/(d*x+c)^2,x)`

output `int((a+b*sec(f*x+e))^2/(d*x+c)^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 47, normalized size of antiderivative = 2.35

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")`

output `integral((b^2*sec(f*x + e)^2 + 2*a*b*sec(f*x + e) + a^2)/(d^2*x^2 + 2*c*d*x + c^2), x)`

**Sympy [N/A]**

Not integrable

Time = 2.50 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx$$

input `integrate((a+b*sec(f*x+e))**2/(d*x+c)**2,x)`

output `Integral((a + b*sec(e + f*x))**2/(c + d*x)**2, x)`

## Maxima [N/A]

Not integrable

Time = 1.11 (sec) , antiderivative size = 618, normalized size of antiderivative = 30.90

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")`

output

```
-(a^2*d*f*x + a^2*c*f - 2*b^2*d*sin(2*f*x + 2*e) + (a^2*d*f*x + a^2*c*f)*c
os(2*f*x + 2*e)^2 + (a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)^2 + 2*(a^2*d*f*
x + a^2*c*f)*cos(2*f*x + 2*e) - (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*
f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*
*x + c^2*d*f)*sin(2*f*x + 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*c
os(2*f*x + 2*e))*integrate(4*((a*b*d*f*x + a*b*c*f)*cos(2*f*x + 2*e)*cos(f
*x + e) + (a*b*d*f*x + a*b*c*f)*cos(f*x + e) + (b^2*d + (a*b*d*f*x + a*b*c
*f)*sin(f*x + e))*sin(2*f*x + 2*e))/(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*
*x + c^3*f + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x +
2*e)^2 + (d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*sin(2*f*x + 2*
e)^2 + 2*(d^3*f*x^3 + 3*c*d^2*f*x^2 + 3*c^2*d*f*x + c^3*f)*cos(2*f*x + 2*e
)), x))/(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f + (d^3*f*x^2 + 2*c*d^2*f*x + c^
2*d*f)*cos(2*f*x + 2*e)^2 + (d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*sin(2*f*x
+ 2*e)^2 + 2*(d^3*f*x^2 + 2*c*d^2*f*x + c^2*d*f)*cos(2*f*x + 2*e))
```

## Giac [N/A]

Not integrable

Time = 56.27 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{(b \sec(fx + e) + a)^2}{(dx + c)^2} dx$$

input `integrate((a+b*sec(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")`

output `integrate((b*sec(f*x + e) + a)^2/(d*x + c)^2, x)`

## Mupad [N/A]

Not integrable

Time = 15.23 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx = \int \frac{\left(a + \frac{b}{\cos(e+fx)}\right)^2}{(c + dx)^2} dx$$

input `int((a + b/cos(e + f*x))^2/(c + d*x)^2,x)`

output `int((a + b/cos(e + f*x))^2/(c + d*x)^2, x)`

## Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 172, normalized size of antiderivative = 8.60

$$\begin{aligned} & \int \frac{(a + b \sec(e + fx))^2}{(c + dx)^2} dx \\ &= \frac{2 \left( \int \frac{\sec(fx+e)^2 \tan(fx+e)}{dx+c} dx \right) b^2 c^2 f + 2 \left( \int \frac{\sec(fx+e)^2 \tan(fx+e)}{dx+c} dx \right) b^2 c d f x + 2 \left( \int \frac{\sec(fx+e) \tan(fx+e)}{dx+c} dx \right) a b c^2 f + c d (dx + c)}{cd(dx + c)} \end{aligned}$$

input `int((a+b*sec(f*x+e))^2/(d*x+c)^2,x)`

output

```
(2*int((sec(e + f*x)**2*tan(e + f*x))/(c + d*x),x)*b**2*c**2*f + 2*int((se
c(e + f*x)**2*tan(e + f*x))/(c + d*x),x)*b**2*c*d*f*x + 2*int((sec(e + f*x
)*tan(e + f*x))/(c + d*x),x)*a*b*c**2*f + 2*int((sec(e + f*x)*tan(e + f*x)
)/(c + d*x),x)*a*b*c*d*f*x - sec(e + f*x)**2*b**2*c - 2*sec(e + f*x)*a*b*c
+ a**2*d*x)/(c*d*(c + d*x))
```

**3.34**       $\int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx$

Optimal result . . . . .	263
Mathematica [A] (verified) . . . . .	264
Rubi [A] (verified) . . . . .	265
Maple [F] . . . . .	266
Fricas [B] (verification not implemented) . . . . .	267
Sympy [F] . . . . .	268
Maxima [F(-2)] . . . . .	268
Giac [F] . . . . .	268
Mupad [F(-1)] . . . . .	269
Reduce [F] . . . . .	269

## Optimal result

Integrand size = 20, antiderivative size = 526

$$\begin{aligned} \int \frac{(c+dx)^3}{a+b \sec(e+fx)} dx &= \frac{(c+dx)^4}{4ad} + \frac{ib(c+dx)^3 \log \left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\ &\quad - \frac{ib(c+dx)^3 \log \left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f} \\ &\quad + \frac{3bd(c+dx)^2 \operatorname{PolyLog} \left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\ &\quad - \frac{3bd(c+dx)^2 \operatorname{PolyLog} \left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^2} \\ &\quad + \frac{6ibd^2(c+dx) \operatorname{PolyLog} \left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\ &\quad - \frac{6ibd^2(c+dx) \operatorname{PolyLog} \left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^3} \\ &\quad - \frac{6bd^3 \operatorname{PolyLog} \left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4} \\ &\quad + \frac{6bd^3 \operatorname{PolyLog} \left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right)}{a\sqrt{-a^2+b^2}f^4} \end{aligned}$$

output

```

1/4*(d*x+c)^4/a/d+I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2))
)/a/(-a^2+b^2)^(1/2)/f-I*b*(d*x+c)^3*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f+3*b*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^2-3*b*d*(d*x+c)^2*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^2+6*I*b*d^2*(d*x+c)*polylog(3,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^3-6*I*b*d^2*(d*x+c)*polylog(3,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^3-6*b*d^3*polylog(4,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^4+6*b*d^3*polylog(4,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))
)/a/(-a^2+b^2)^(1/2)/f^4

```

## Mathematica [A] (verified)

Time = 0.99 (sec), antiderivative size = 449, normalized size of antiderivative = 0.85

$$\begin{aligned}
 & \int \frac{(c+dx)^3}{a+b\sec(e+fx)} dx \\
 &= (b + a \cos(e + fx)) \left( x(4c^3 + 6c^2dx + 4cd^2x^2 + d^3x^3) + \right. \\
 & \quad \left. \frac{4ib \left( (c+dx)^3 \log \left( 1 - \frac{ae^{i(e+fx)}}{-b+\sqrt{-a^2+b^2}} \right) - (c+dx)^3 \log \left( 1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right) \right)}{b+\sqrt{-a^2+b^2}} \right)
 \end{aligned}$$

input

```
Integrate[(c + d*x)^3/(a + b*Sec[e + f*x]), x]
```

output

```

((b + a*Cos[e + f*x])*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) + ((4*I)*b*((c + d*x)^3*Log[1 - (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])] - 
(c + d*x)^3*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])]) + (3*d*((-I)*f^2*(c + d*x)^2*PolyLog[2, (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])] + 
2*d*(f*(c + d*x)*PolyLog[3, (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])] + 
I*d*PolyLog[4, (a*E^(I*(e + f*x)))/(-b + Sqrt[-a^2 + b^2])]))/f^3 + 
(3*I)*d*(f^2*(c + d*x)^2*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])]) + 
(2*I)*d*f*(c + d*x)*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])]) - 
2*d^2*PolyLog[4, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(Sqrt[-a^2 + b^2]*f))*Sec[e + f*x])/(4*a*(a + b*Sec[e + f*x]))
])
```

## Rubi [A] (verified)

Time = 1.32 (sec) , antiderivative size = 526, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c+dx)^3}{a+b\sec(e+fx)} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c+dx)^3}{a+b\csc(e+fx+\frac{\pi}{2})} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left( \frac{(c+dx)^3}{a} - \frac{b(c+dx)^3}{a(a\cos(e+fx)+b)} \right) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{6ibd^2(c+dx)\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} - \frac{6ibd^2(c+dx)\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} + \\
 & \frac{3bd(c+dx)^2\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} - \frac{3bd(c+dx)^2\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} + \\
 & \frac{ib(c+dx)^3\log\left(1 + \frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af\sqrt{b^2-a^2}} - \frac{ib(c+dx)^3\log\left(1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{af\sqrt{b^2-a^2}} - \\
 & \frac{6bd^3\text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^4\sqrt{b^2-a^2}} + \frac{6bd^3\text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^4\sqrt{b^2-a^2}} + \frac{(c+dx)^4}{4ad}
 \end{aligned}$$

input `Int[(c + d*x)^3/(a + b*Sec[e + f*x]),x]`

output

$$\begin{aligned} & \left( c + d*x \right)^4 / (4*a*d) + (I*b*(c + d*x)^3 * \text{Log}[1 + (a*E^{(I*(e + f*x))}) / (b - \text{Sqrt}[-a^2 + b^2])]) / (a*\text{Sqrt}[-a^2 + b^2]*f) - (I*b*(c + d*x)^3 * \text{Log}[1 + (a*E^{(I*(e + f*x))}) / (b + \text{Sqrt}[-a^2 + b^2])]) / (a*\text{Sqrt}[-a^2 + b^2]*f) + (3*b*d*(c + d*x)^2 * \text{PolyLog}[2, -(a*E^{(I*(e + f*x))}) / (b - \text{Sqrt}[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^2) - (3*b*d*(c + d*x)^2 * \text{PolyLog}[2, -(a*E^{(I*(e + f*x))}) / (b + \text{Sqr}t[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^2) + ((6*I)*b*d^2*(c + d*x) * \text{PolyLog}[3, -(a*E^{(I*(e + f*x))}) / (b - \text{Sqr}t[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^3) - ((6*I)*b*d^2*(c + d*x) * \text{PolyLog}[3, -(a*E^{(I*(e + f*x))}) / (b + \text{Sqr}t[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^3) - (6*b*d^3 * \text{PolyLog}[4, -(a*E^{(I*(e + f*x))}) / (b - \text{Sqr}t[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^4) + (6*b*d^3 * \text{PolyLog}[4, -(a*E^{(I*(e + f*x))}) / (b + \text{Sqr}t[-a^2 + b^2])]) / (a*\text{Sqr}t[-a^2 + b^2]*f^4) \end{aligned}$$

### Defintions of rubi rules used

rule 2009  $\text{Int}[u_, x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1 / (\text{Sin}[e + f*x]^n / (b + a*\text{Si}n[e + f*x])^n), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

### Maple [F]

$$\int \frac{(dx + c)^3}{a + b \sec(fx + e)} dx$$

input  $\text{int}((d*x+c)^3/(a+b*\sec(f*x+e)), x)$

output  $\text{int}((d*x+c)^3/(a+b*\sec(f*x+e)), x)$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2309 vs.  $2(466) = 932$ .

Time = 0.29 (sec) , antiderivative size = 2309, normalized size of antiderivative = 4.39

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \text{Too large to display}$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output 
$$\begin{aligned} & 1/4*((a^2 - b^2)*d^3*f^4*x^4 + 4*(a^2 - b^2)*c*d^2*f^4*x^3 + 6*(a^2 - b^2) \\ & *c^2*d*f^4*x^2 + 4*(a^2 - b^2)*c^3*f^4*x + 12*a*b*d^3*sqrt(-(a^2 - b^2)/a^2)*polylog(4, -(b*cos(f*x + e) + I*b*sin(f*x + e)) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a - 12*a*b*d^3*sqrt(-(a^2 - b^2)/a^2)*polylog(4, -(b*cos(f*x + e) + I*b*sin(f*x + e)) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a + 12*a*b*d^3*sqrt(-(a^2 - b^2)/a^2)*polylog(4, -(b*cos(f*x + e) - I*b*sin(f*x + e)) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a - 12*a*b*d^3*sqrt(-(a^2 - b^2)/a^2)*polylog(4, -(b*cos(f*x + e) - I*b*sin(f*x + e)) - (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2))/a - 6*(a*b*d^3*f^2*x^2 + 2*a*b*c*d^2*f^2*x + a*b*c^2*d*f^2)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e)) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + 6*(a*b*d^3*f^2*x^2 + 2*a*b*c*d^2*f^2*x + a*b*c^2*d*f^2)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e)) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 6*(a*b*d^3*f^2*x^2 + 2*a*b*c*d^2*f^2*x + a*b*c^2*d*f^2)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e)) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + 6*(a*b*d^3*f^2*x^2 + 2*a*b*c*d^2*f^2*x + a*b*c^2*d*f^2)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e)) - (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) \end{aligned}$$

## Sympy [F]

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx$$

input `integrate((d*x+c)**3/(a+b*sec(f*x+e)),x)`

output `Integral((c + d*x)**3/(a + b*sec(e + f*x)), x)`

## Maxima [F(-2)]

Exception generated.

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see `assume?` for more details)`

## Giac [F]

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^3}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^3/(b*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^3}{a + \frac{b}{\cos(e+fx)}} dx$$

input `int((c + d*x)^3/(a + b/cos(e + f*x)),x)`

output `int((c + d*x)^3/(a + b/cos(e + f*x)), x)`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^3}{a + b \sec(e + fx)} dx \\ &= -8\sqrt{-a^2 + b^2} \operatorname{atan}\left(\frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)a - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)b}{\sqrt{-a^2 + b^2}}\right) b c^3 + 8 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^3}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 a^2 - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 b^2 - a^2 - 2ab - b^2} dx \right) a^3 b d^3 f \end{aligned}$$

input `int((d*x+c)^3/(a+b*sec(f*x+e)),x)`

output `( - 8*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*b*c**3 + 8*int((tan((e + f*x)/2)**2*x**3)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*d**3*f - 8*int((tan((e + f*x)/2)**2*x**3)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*d**3*f + 24*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*c*d**2*f - 24*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*c*d**2*f + 24*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*c**2*d*f - 24*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*c**2*d*f + 4*a**2*c**3*f*x + 6*a**2*c**2*d*f*x**2 + 4*a**2*c*d**2*f*x**3 + a**2*d**3*f*x**4 - 6*a*b*c**2*d*f*x**2 - 4*a*b*c*d**2*f*x**3 - a*b*d**3*f*x**4 - 4*b**2*c**3*f*x)/(4*a*f*(a**2 - b**2))`

$$\mathbf{3.35} \quad \int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx$$

Optimal result . . . . .	270
Mathematica [A] (verified) . . . . .	271
Rubi [A] (verified) . . . . .	272
Maple [F] . . . . .	273
Fricas [B] (verification not implemented) . . . . .	274
Sympy [F] . . . . .	275
Maxima [F(-2)] . . . . .	275
Giac [F] . . . . .	275
Mupad [F(-1)] . . . . .	276
Reduce [F] . . . . .	276

## Optimal result

Integrand size = 20, antiderivative size = 394

$$\begin{aligned} \int \frac{(c+dx)^2}{a+b \sec(e+fx)} dx = & \frac{(c+dx)^3}{3ad} + \frac{ib(c+dx)^2 \log \left( 1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\ & - \frac{ib(c+dx)^2 \log \left( 1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\ & + \frac{2bd(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^2} \\ & - \frac{2bd(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^2} \\ & + \frac{2ibd^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^3} \\ & - \frac{2ibd^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^3} \end{aligned}$$

output

$$\begin{aligned} & \frac{1}{3} \cdot (d*x + c)^3 / a / d + I * b * (d*x + c)^2 * \ln(1 + a * \exp(I * (f*x + e))) / (b - (-a^2 + b^2)^{(1/2)}) \\ & ) / a / (-a^2 + b^2)^{(1/2)} / f - I * b * (d*x + c)^2 * \ln(1 + a * \exp(I * (f*x + e))) / (b + (-a^2 + b^2)^{(1/2)}) \\ & ) / a / (-a^2 + b^2)^{(1/2)} / f + 2 * b * d * (d*x + c) * \text{polylog}(2, -a * \exp(I * (f*x + e))) / (b - (-a^2 + b^2)^{(1/2)}) \\ & ) / a / (-a^2 + b^2)^{(1/2)} / f^2 - 2 * b * d * (d*x + c) * \text{polylog}(2, -a * \exp(I * (f*x + e))) / (b + (-a^2 + b^2)^{(1/2)}) \\ & ) / a / (-a^2 + b^2)^{(1/2)} / f^2 + 2 * I * b * d^2 * \text{polylog}(3, -a * \exp(I * (f*x + e))) / (b - (-a^2 + b^2)^{(1/2)}) \\ & ) / a / (-a^2 + b^2)^{(1/2)} / f^3 - 2 * I * b * d^2 * p \\ & \text{olylog}(3, -a * \exp(I * (f*x + e))) / (b + (-a^2 + b^2)^{(1/2)})) / a / (-a^2 + b^2)^{(1/2)} / f^3 \end{aligned}$$

## Mathematica [A] (verified)

Time = 0.75 (sec), antiderivative size = 338, normalized size of antiderivative = 0.86

$$\begin{aligned} & \int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx \\ & = \frac{(b + a \cos(e + fx)) \left( x(3c^2 + 3cdx + d^2x^2) + \frac{3ib \left( (c+dx)^2 \log\left(1 - \frac{ae^{i(e+fx)}}{-b+\sqrt{-a^2+b^2}}\right) - (c+dx)^2 \log\left(1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}}\right) + \frac{2d(-if)}{3a(a-b\cos(e+fx))}\right)}{3a(a-b\cos(e+fx))}\right)}{3a(a-b\cos(e+fx))} \end{aligned}$$

input

```
Integrate[(c + d*x)^2/(a + b*Sec[e + f*x]), x]
```

output

$$\begin{aligned} & ((b + a \cos(e + f*x)) * (x * (3*c^2 + 3*c*d*x + d^2*x^2) + ((3*I)*b*((c + d*x)^2 * \text{Log}[1 - (a*E^(I*(e + f*x)))/(-b + \text{Sqrt}[-a^2 + b^2])]) - (c + d*x)^2 * \text{Log}[1 + (a*E^(I*(e + f*x)))/(b + \text{Sqrt}[-a^2 + b^2])]) + (2*d*((-I)*f*(c + d*x)*\text{PolyLog}[2, (a*E^(I*(e + f*x)))/(-b + \text{Sqrt}[-a^2 + b^2])]) + d*\text{PolyLog}[3, (a*E^(I*(e + f*x)))/(-b + \text{Sqrt}[-a^2 + b^2])]))/f^2 + ((2*I)*d*(f*(c + d*x)*\text{PolyLog}[2, -(a*E^(I*(e + f*x)))/(b + \text{Sqrt}[-a^2 + b^2])]) + I*d*\text{PolyLog}[3, -(a*E^(I*(e + f*x)))/(b + \text{Sqrt}[-a^2 + b^2])]))/f^2)) / (\text{Sqrt}[-a^2 + b^2]*f)) * \text{Sec}[e + f*x]) / (3*a*(a + b*\text{Sec}[e + f*x])) \end{aligned}$$

## Rubi [A] (verified)

Time = 1.09 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c+dx)^2}{a+b\sec(e+fx)} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c+dx)^2}{a+b\csc(e+fx+\frac{\pi}{2})} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left( \frac{(c+dx)^2}{a} - \frac{b(c+dx)^2}{a(a\cos(e+fx)+b)} \right) dx \\
 & \quad \downarrow \textcolor{blue}{2009} \\
 & \frac{2bd(c+dx)\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} - \frac{2bd(c+dx)\text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} + \\
 & \frac{ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af\sqrt{b^2-a^2}} - \frac{ib(c+dx)^2\log\left(1+\frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{af\sqrt{b^2-a^2}} + \\
 & \frac{2ibd^2\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} - \frac{2ibd^2\text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^3\sqrt{b^2-a^2}} + \frac{(c+dx)^3}{3ad}
 \end{aligned}$$

input `Int[(c + d*x)^2/(a + b*Sec[e + f*x]),x]`

output

$$(c + d*x)^3/(3*a*d) + (I*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f) - (I*b*(c + d*x)^2*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f) + (2*b*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f^2) - (2*b*d*(c + d*x)*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f^2) + ((2*I)*b*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f^3) - ((2*I)*b*d^2*PolyLog[3, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])])/(a*Sqrt[-a^2 + b^2]*f^3)$$

### Defintions of rubi rules used

rule 2009  $\text{Int}[u_, x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[e_] + (f_)*(x_))*(b_) + (a_)]^{(n_)}*((c_) + (d_)*(x_))^{(m_)}, x_{\text{Symbol}}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

### Maple [F]

$$\int \frac{(dx + c)^2}{a + b \sec(fx + e)} dx$$

input  $\text{int}((d*x+c)^2/(a+b*\sec(f*x+e)), x)$

output  $\text{int}((d*x+c)^2/(a+b*\sec(f*x+e)), x)$

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1625 vs.  $2(346) = 692$ .

Time = 0.24 (sec), antiderivative size = 1625, normalized size of antiderivative = 4.12

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \text{Too large to display}$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output

```
1/6*(2*(a^2 - b^2)*d^2*f^3*x^3 + 6*(a^2 - b^2)*c*d*f^3*x^2 + 6*(a^2 - b^2)
*c^2*f^3*x - 6*I*a*b*d^2*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x + e)
) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^
2)/a^2))/a + 6*I*a*b*d^2*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x +
e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(-(a^2 - b^
2)/a^2))/a) + 6*I*a*b*d^2*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x +
e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^
2)/a^2))/a) - 6*I*a*b*d^2*sqrt(-(a^2 - b^2)/a^2)*polylog(3, -(b*cos(f*x +
e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^
2)/a^2))/a) - 6*(a*b*d^2*f*x + a*b*c*d*f)*sqrt(-(a^2 - b^2)/a^2)*dilog(
-(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e))*sqrt(
-(a^2 - b^2)/a^2) + a)/a + 1) + 6*(a*b*d^2*f*x + a*b*c*d*f)*sqrt(-(a^
2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e)
+ I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - 6*(a*b*d^2*f*x +
a*b*c*d*f)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e)
+ (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1)
+ 6*(a*b*d^2*f*x + a*b*c*d*f)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x +
e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e))*sqrt(-(a^2 - b^
2)/a^2) + a)/a + 1) + 3*(I*a*b*d^2*e^2 - 2*I*a*b*c*d*e*f + I*a*b*c^2*f^2)
*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cos(f*x + e) + 2*I*a*sin(f*x + e) + 2*a...)
```

**Sympy [F]**

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx$$

input `integrate((d*x+c)**2/(a+b*sec(f*x+e)),x)`

output `Integral((c + d*x)**2/(a + b*sec(e + f*x)), x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see `assume?` for more details)`

**Giac [F]**

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^2}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^2/(b*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^2}{a + \frac{b}{\cos(e+fx)}} dx$$

input `int((c + d*x)^2/(a + b/cos(e + f*x)),x)`

output `int((c + d*x)^2/(a + b/cos(e + f*x)), x)`

**Reduce [F]**

$$\begin{aligned} & \int \frac{(c + dx)^2}{a + b \sec(e + fx)} dx \\ &= \frac{-6\sqrt{-a^2 + b^2} \operatorname{atan}\left(\frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)a - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)b}{\sqrt{-a^2 + b^2}}\right) b c^2 + 6 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x^2}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 a^2 - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 b^2 - a^2 - 2ab - b^2} dx \right) a^3 b d^2 f}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 a^2 - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 b^2 - a^2 - 2ab - b^2} \end{aligned}$$

input `int((d*x+c)^2/(a+b*sec(f*x+e)),x)`

output `( - 6*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*b*c**2 + 6*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*d**2*f - 6*int((tan((e + f*x)/2)**2*x**2)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*d**2*f + 12*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*c*d*f - 12*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*c*d*f + 3*a**2*c**2*f*x + 3*a**2*c*d*f*x**2 + a**2*d**2*f*x**3 - 3*a*b*c*d*f*x**2 - a*b*d**2*f*x**3 - 3*b**2*c**2*f*x)/(3*a*f*(a**2 - b**2))`

### 3.36 $\int \frac{c+dx}{a+b \sec(e+fx)} dx$

Optimal result . . . . .	277
Mathematica [A] (verified) . . . . .	278
Rubi [A] (verified) . . . . .	278
Maple [B] (verified) . . . . .	280
Fricas [B] (verification not implemented)	280
Sympy [F] . . . . .	281
Maxima [F(-2)] . . . . .	282
Giac [F] . . . . .	282
Mupad [F(-1)] . . . . .	282
Reduce [F] . . . . .	283

#### Optimal result

Integrand size = 18, antiderivative size = 257

$$\begin{aligned} \int \frac{c+dx}{a+b \sec(e+fx)} dx = & \frac{(c+dx)^2}{2ad} + \frac{ib(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\ & - \frac{ib(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f} \\ & + \frac{bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^2} \\ & - \frac{bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{-a^2+b^2}} \right)}{a\sqrt{-a^2+b^2}f^2} \end{aligned}$$

output

```
1/2*(d*x+c)^2/a/d+I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/
a/(-a^2+b^2)^(1/2)/f-I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2))
))/a/(-a^2+b^2)^(1/2)/f+b*d*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2
)))/a/(-a^2+b^2)^(1/2)/f^2-b*d*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2
)))/a/(-a^2+b^2)^(1/2)/f^2
```

**Mathematica [A] (verified)**

Time = 0.50 (sec) , antiderivative size = 214, normalized size of antiderivative = 0.83

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx \\ = \frac{f \left( \sqrt{-a^2 + b^2} f x (2c + dx) + 2ib(c + dx) \log \left( 1 - \frac{ae^{i(e+fx)}}{-b + \sqrt{-a^2 + b^2}} \right) - 2ib(c + dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b + \sqrt{-a^2 + b^2}} \right) \right) + 2b c \log \left( \frac{a + b \sec(e + fx)}{a + b \csc(e + fx)} \right)}{2a\sqrt{-a^2 + b^2} f^2}$$

input `Integrate[(c + d*x)/(a + b*Sec[e + f*x]), x]`

output 
$$(f*(\text{Sqrt}[-a^2 + b^2]*f*x*(2*c + d*x) + (2*I)*b*(c + d*x)*\text{Log}[1 - (a*E^(I*(e + f*x)))/(-b + \text{Sqrt}[-a^2 + b^2])] - (2*I)*b*(c + d*x)*\text{Log}[1 + (a*E^(I*(e + f*x)))/(b + \text{Sqrt}[-a^2 + b^2])]) + 2*b*d*\text{PolyLog}[2, (a*E^(I*(e + f*x)))/(-b + \text{Sqrt}[-a^2 + b^2])] - 2*b*d*\text{PolyLog}[2, -(a*E^(I*(e + f*x)))/(b + \text{Sqr}t[-a^2 + b^2]))]/(2*a*\text{Sqrt}[-a^2 + b^2]*f^2)$$

**Rubi [A] (verified)**

Time = 0.75 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.167, Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{array}{c} \int \frac{c + dx}{a + b \sec(e + fx)} dx \\ \downarrow \text{3042} \\ \int \frac{c + dx}{a + b \csc(e + fx + \frac{\pi}{2})} dx \\ \downarrow \text{4679} \\ \int \left( \frac{c + dx}{a} - \frac{b(c + dx)}{a(a \cos(e + fx) + b)} \right) dx \\ \downarrow \text{2009} \end{array}$$

$$\frac{ib(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af\sqrt{b^2-a^2}} - \frac{ib(c+dx)\log\left(1+\frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b}\right)}{af\sqrt{b^2-a^2}} +$$

$$\frac{bd\operatorname{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} - \frac{bd\operatorname{PolyLog}\left(2,-\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{af^2\sqrt{b^2-a^2}} + \frac{(c+dx)^2}{2ad}$$

input `Int[(c + d*x)/(a + b*Sec[e + f*x]), x]`

output 
$$(c + d*x)^2/(2*a*d) + (I*b*(c + d*x)*\operatorname{Log}[1 + (a*E^(I*(e + f*x)))/(b - \operatorname{Sqrt}[-a^2 + b^2])])/(a*\operatorname{Sqrt}[-a^2 + b^2]*f) - (I*b*(c + d*x)*\operatorname{Log}[1 + (a*E^(I*(e + f*x)))/(b + \operatorname{Sqrt}[-a^2 + b^2])])/(a*\operatorname{Sqrt}[-a^2 + b^2]*f) + (b*d*\operatorname{PolyLog}[2, -((a*E^(I*(e + f*x)))/(b - \operatorname{Sqrt}[-a^2 + b^2]))]/(a*\operatorname{Sqrt}[-a^2 + b^2]*f^2) - (b*d*\operatorname{PolyLog}[2, -((a*E^(I*(e + f*x)))/(b + \operatorname{Sqrt}[-a^2 + b^2]))]/(a*\operatorname{Sqrt}[-a^2 + b^2]*f^2)$$

### Definitions of rubi rules used

rule 2009 `Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4679 `Int[(csc[(e_.) + (f_)*(x_)]*(b_.) + (a_))^(n_.)*((c_.) + (d_)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, 1/(Sin[e + f*x]^n/(b + a*Sin[e + f*x])^n), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && ILtQ[n, 0] && IGtQ[m, 0]`

**Maple [B] (verified)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 515 vs.  $2(229) = 458$ .

Time = 0.15 (sec) , antiderivative size = 516, normalized size of antiderivative = 2.01

method	result
risch	$\frac{dx^2}{2a} + \frac{cx}{a} + \frac{2ibc \arctan\left(\frac{2e^{i(fx+e)}a+2b}{2\sqrt{a^2-b^2}}\right)}{fa\sqrt{a^2-b^2}} + \frac{ibd \ln\left(\frac{-e^{i(fx+e)}a+\sqrt{-a^2+b^2}-b}{-b+\sqrt{-a^2+b^2}}\right)x}{fa\sqrt{-a^2+b^2}} - \frac{ibd \ln\left(\frac{e^{i(fx+e)}a+\sqrt{-a^2+b^2}+b}{b+\sqrt{-a^2+b^2}}\right)x}{fa\sqrt{-a^2+b^2}} + \dots$

input `int((d*x+c)/(a+b*sec(f*x+e)),x,method=_RETURNVERBOSE)`

output 
$$\begin{aligned} & 1/2*d/a*x^2+c/a*x+2*I/f/a*b*c/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*exp(I*(f*x+e)) \\ & *a+2*b)/(a^2-b^2)^{(1/2)})+I/f/a*b*d/(-a^2+b^2)^{(1/2)}*\ln((-exp(I*(f*x+e))*a+ \\ & (-a^2+b^2)^{(1/2)}-b)/(-b+(-a^2+b^2)^{(1/2)}))*x-I/f/a*b*d/(-a^2+b^2)^{(1/2)}*\ln \\ & ((exp(I*(f*x+e))*a+(-a^2+b^2)^{(1/2)}+b)/(b+(-a^2+b^2)^{(1/2)}))*x+I/f^2/a*b*d \\ & /(-a^2+b^2)^{(1/2)}*\ln((-exp(I*(f*x+e))*a+(-a^2+b^2)^{(1/2)}-b)/(-b+(-a^2+b^2)^{(1/2)})) \\ & *e-I/f^2/a*b*d/(-a^2+b^2)^{(1/2)}*\ln((exp(I*(f*x+e))*a+(-a^2+b^2)^{(1/2)}+b)/(b+(-a^2+b^2)^{(1/2)})) \\ & *e+1/f^2/a*b*d/(-a^2+b^2)^{(1/2)}*\text{dilog}((-exp(I*(f*x+e))*a+(-a^2+b^2)^{(1/2)}-b)/(-b+(-a^2+b^2)^{(1/2)}))-1/f^2/a*b*d/(-a^2+b^2)^{(1/2)}*\text{dilog}((exp(I*(f*x+e))*a+(-a^2+b^2)^{(1/2)}+b)/(b+(-a^2+b^2)^{(1/2)})) \\ & -2*I/f^2/a*b*d*e/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*exp(I*(f*x+e))*a+2*b)/(a^2- \\ & b^2)^{(1/2)}) \end{aligned}$$

**Fricas [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1041 vs.  $2(225) = 450$ .

Time = 0.23 (sec) , antiderivative size = 1041, normalized size of antiderivative = 4.05

$$\int \frac{c+dx}{a+b\sec(e+fx)} dx = \text{Too large to display}$$

input `integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output

```
1/2*((a^2 - b^2)*d*f^2*x^2 + 2*(a^2 - b^2)*c*f^2*x - a*b*d*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + a*b*d*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - a*b*d*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + a*b*d*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - (I*a*b*d*e - I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cos(f*x + e) + 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) - (-I*a*b*d*e + I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(2*a*cos(f*x + e) - 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) + 2*b) - (I*a*b*d*e - I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(-2*a*cos(f*x + e) + 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) - 2*b) - (-I*a*b*d*e + I*a*b*c*f)*sqrt(-(a^2 - b^2)/a^2)*log(-2*a*cos(f*x + e) - 2*I*a*sin(f*x + e) + 2*a*sqrt(-(a^2 - b^2)/a^2) - 2*b) - (I*a*b*d*f*x + I*a*b*d*e)*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - (-I*a*b*d*f*x - I*a*b*d*e)*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a) - (-I*a*b*d...
```

## Sympy [F]

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{c + dx}{a + b \sec(e + fx)} dx$$

input

```
integrate((d*x+c)/(a+b*sec(f*x+e)),x)
```

output

```
Integral((c + d*x)/(a + b*sec(e + f*x)), x)
```

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a^2-4\*b^2>0)', see `assume?` for more details)

**Giac [F]**

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{dx + c}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)/(b*sec(f*x + e) + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{c + dx}{a + b \sec(e + fx)} dx = \int \frac{c + dx}{a + \frac{b}{\cos(e + fx)}} dx$$

input `int((c + d*x)/(a + b/cos(e + f*x)),x)`

output `int((c + d*x)/(a + b/cos(e + f*x)), x)`

## Reduce [F]

$$\begin{aligned}
 & \int \frac{c + dx}{a + b \sec(e + fx)} dx \\
 = & \frac{-4\sqrt{-a^2 + b^2} \operatorname{atan}\left(\frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)a - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)b}{\sqrt{-a^2 + b^2}}\right) bc + 4 \left( \int \frac{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 x}{\tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 a^2 - \tan\left(\frac{fx}{2} + \frac{e}{2}\right)^2 b^2 - a^2 - 2ab - b^2} dx \right) a^3 b df - }{2af(a^2 - b^2)}
 \end{aligned}$$

input `int((d*x+c)/(a+b*sec(f*x+e)),x)`

output

```
( - 4*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/
sqrt( - a**2 + b**2))*b*c + 4*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2
)**2*a**2 - tan((e + f*x)/2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a**3*b*d*f
- 4*int((tan((e + f*x)/2)**2*x)/(tan((e + f*x)/2)**2*a**2 - tan((e + f*x)/
2)**2*b**2 - a**2 - 2*a*b - b**2),x)*a*b**3*d*f + 2*a**2*c*f*x + a**2*d*f*
x**2 - a*b*d*f*x**2 - 2*b**2*c*f*x)/(2*a*f*(a**2 - b**2))
```

**3.37**  $\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx$

Optimal result . . . . .	284
Mathematica [N/A] . . . . .	284
Rubi [N/A] . . . . .	285
Maple [N/A] . . . . .	286
Fricas [N/A] . . . . .	286
Sympy [N/A] . . . . .	286
Maxima [N/A] . . . . .	287
Giac [N/A] . . . . .	287
Mupad [N/A] . . . . .	288
Reduce [N/A] . . . . .	288

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)(a+b\sec(e+fx))}, x\right)$$

output `Defer(Int)(1/(d*x+c)/(a+b*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 1.17 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx = \int \frac{1}{(c+dx)(a+b\sec(e+fx))} dx$$

input `Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])),x]`

output `Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx)(a + b \csc(e + fx + \frac{\pi}{2}))} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx \end{aligned}$$

input `Int[1/((c + d*x)*(a + b*Sec[e + f*x])),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + b \sec(fx + e))} dx$$

input `int(1/(d*x+c)/(a+b*sec(f*x+e)),x)`

output `int(1/(d*x+c)/(a+b*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.35

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output `integral(1/(a*d*x + a*c + (b*d*x + b*c)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 1.19 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(a + b \sec(e + fx))(c + dx)} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x)`

output `Integral(1/((a + b*sec(e + f*x))*(c + d*x)), x)`

**Maxima [N/A]**

Not integrable

Time = 0.64 (sec) , antiderivative size = 298, normalized size of antiderivative = 14.90

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output

```
-(2*a*b*d*integrate((a*cos(2*f*x + 2*e)*cos(f*x + e) + 2*b*cos(f*x + e)^2
+ a*sin(2*f*x + 2*e)*sin(f*x + e) + 2*b*sin(f*x + e)^2 + a*cos(f*x + e))/(a^3*d*x + a^3*c + (a^3*d*x + a^3*c)*cos(2*f*x + 2*e)^2 + 4*(a*b^2*d*x + a*b^2*c)*cos(f*x + e)^2 + (a^3*d*x + a^3*c)*sin(2*f*x + 2*e)^2 + 4*(a^2*b*d*x + a^2*b*c)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*(a*b^2*d*x + a*b^2*c)*sin(f*x + e)^2 + 2*(a^3*d*x + a^3*c + 2*(a^2*b*d*x + a^2*b*c)*cos(f*x + e))*cos(2*f*x + 2*e) + 4*(a^2*b*d*x + a^2*b*c)*cos(f*x + e)), x) - log(d*x + c))/(a*d)
```

**Giac [N/A]**

Not integrable

Time = 0.21 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate(1/((d*x + c)*(b*sec(f*x + e) + a)), x)`

**Mupad [N/A]**

Not integrable

Time = 14.77 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right) (c + dx)} dx$$

input `int(1/((a + b/cos(e + f*x))*(c + d*x)),x)`

output `int(1/((a + b/cos(e + f*x))*(c + d*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.18 (sec) , antiderivative size = 793, normalized size of antiderivative = 39.65

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))} dx = \text{Too large to display}$$

input `int(1/(d*x+c)/(a+b*sec(f*x+e)),x)`



**3.38**       $\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx$

Optimal result . . . . .	290
Mathematica [N/A] . . . . .	290
Rubi [N/A] . . . . .	291
Maple [N/A] . . . . .	292
Fricas [N/A] . . . . .	292
Sympy [N/A] . . . . .	292
Maxima [N/A] . . . . .	293
Giac [N/A] . . . . .	293
Mupad [N/A] . . . . .	294
Reduce [N/A] . . . . .	294

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+b\sec(e+fx))}, x\right)$$

output `Defer(Int)(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 8.86 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx$$

input `Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])),x]`

output `Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c+dx)^2(a+b\csc(e+fx+\frac{\pi}{2}))} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c+dx)^2(a+b\sec(e+fx))} dx \end{aligned}$$

input `Int[1/((c + d*x)^2*(a + b*Sec[e + f*x])),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2 (a + b \sec(fx + e))} dx$$

input `int(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)`

output `int(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 51, normalized size of antiderivative = 2.55

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output `integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 2.41 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(a + b \sec(e + fx))(c + dx)^2} dx$$

input `integrate(1/(d*x+c)**2/(a+b*sec(f*x+e)),x)`

output `Integral(1/((a + b*sec(e + f*x))*(c + d*x)**2), x)`

## Maxima [N/A]

Not integrable

Time = 1.01 (sec) , antiderivative size = 439, normalized size of antiderivative = 21.95

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output `-(2*(a*b*d^2*x + a*b*c*d)*integrate((a*cos(2*f*x + 2*e)*cos(f*x + e) + 2*b*cos(f*x + e)^2 + a*sin(2*f*x + 2*e)*sin(f*x + e) + 2*b*sin(f*x + e)^2 + a*cos(f*x + e))/(a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2 + (a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2)*cos(2*f*x + 2*e)^2 + 4*(a*b^2*d^2*x^2 + 2*a*b^2*c*d*x + a*b^2*c^2)*cos(f*x + e)^2 + (a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2)*sin(2*f*x + 2*e)^2 + 4*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*(a*b^2*d^2*x^2 + 2*a*b^2*c*d*x + a*b^2*c^2)*sin(f*x + e)^2 + 2*(a^3*d^2*x^2 + 2*a^3*c*d*x + a^3*c^2 + 2*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*cos(f*x + e))*cos(2*f*x + 2*e) + 4*(a^2*b*d^2*x^2 + 2*a^2*b*c*d*x + a^2*b*c^2)*cos(f*x + e)), x) + 1)/(a*d^2*x + a*c*d)`

## Giac [N/A]

Not integrable

Time = 0.57 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{(dx + c)^2(b \sec(fx + e) + a)} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate(1/((d*x + c)^2*(b*sec(f*x + e) + a)), x)`

**Mupad [N/A]**

Not integrable

Time = 14.81 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right) (c + dx)^2} dx$$

input `int(1/((a + b/cos(e + f*x))*(c + d*x)^2),x)`

output `int(1/((a + b/cos(e + f*x))*(c + d*x)^2), x)`

**Reduce [N/A]**

Not integrable

Time = 0.21 (sec) , antiderivative size = 2871, normalized size of antiderivative = 143.55

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))} dx = \text{Too large to display}$$

input `int(1/(d*x+c)^2/(a+b*sec(f*x+e)),x)`

output

```
( - int(cos(e + f*x)/(cos(e + f*x)*a**3*c**2 + 2*cos(e + f*x)*a**3*c*d*x + cos(e + f*x)*a**3*d**2*x**2 - 2*cos(e + f*x)*a**2*b*c**2 - 4*cos(e + f*x)*a**2*b*c*d*x - 2*cos(e + f*x)*a**2*b*d**2*x**2 + cos(e + f*x)*a*b**2*c**2 + 2*cos(e + f*x)*a*b**2*c*d*x + cos(e + f*x)*a*b**2*d**2*x**2 + a**2*b*c**2 + 2*a**2*b*c*d*x + a**2*b*d**2*x**2 - 2*a*b**2*c**2 - 4*a*b**2*c*d*x - 2*a*b**2*d**2*x**2 + b**3*c**2 + 2*b**3*c*d*x + b**3*d**2*x**2),x)*a**2*b*c**2 - int(cos(e + f*x)/(cos(e + f*x)*a**3*c**2 + 2*cos(e + f*x)*a**3*c*d*x + cos(e + f*x)*a**3*d**2*x**2 - 2*cos(e + f*x)*a**2*b*c**2 - 4*cos(e + f*x)*a**2*b*c*d*x - 2*cos(e + f*x)*a**2*b*d**2*x**2 + cos(e + f*x)*a*b**2*c**2 + 2*cos(e + f*x)*a*b**2*c*d*x + cos(e + f*x)*a*b**2*d**2*x**2 + a**2*b*c**2 + 2*a**2*b*c*d*x + a**2*b*d**2*x**2 - 2*a*b**2*c**2 - 4*a*b**2*c*d*x - 2*a*b**2*d**2*x**2 + b**3*c**2 + 2*b**3*c*d*x + b**3*d**2*x**2),x)*a**2*b*c*d*x + 2*int(cos(e + f*x)/(cos(e + f*x)*a**3*c**2 + 2*cos(e + f*x)*a**3*c*d*x + cos(e + f*x)*a**3*d**2*x**2 - 2*cos(e + f*x)*a**2*b*c**2 - 4*cos(e + f*x)*a**2*b*c*d*x - 2*cos(e + f*x)*a**2*b*d**2*x**2 + cos(e + f*x)*a*b**2*c**2 + 2*cos(e + f*x)*a*b**2*c*d*x + cos(e + f*x)*a*b**2*d**2*x**2 + a**2*b*c**2 + 2*a**2*b*c*d*x + a**2*b*d**2*x**2 - 2*a*b**2*c**2 - 4*a*b**2*c*d*x - 2*a*b**2*d**2*x**2 + b**3*c**2 + 2*b**3*c*d*x + b**3*d**2*x**2),x)*a*b**2*c**2 + 2*int(cos(e + f*x)/(cos(e + f*x)*a**3*c**2 + 2*cos(e + f*x)*a**3*c*d*x + cos(e + f*x)*a**3*d**2*x**2 - 2*cos(e + f*x)*a**2*b*c**2...
```

**3.39**      
$$\int \frac{(c+dx)^3}{(a+b \sec(e+fx))^2} dx$$

Optimal result . . . . .	296
Mathematica [B] (verified) . . . . .	297
Rubi [A] (verified) . . . . .	298
Maple [F] . . . . .	301
Fricas [B] (verification not implemented) . . . . .	301
Sympy [F] . . . . .	301
Maxima [F(-2)] . . . . .	302
Giac [F] . . . . .	302
Mupad [F(-1)] . . . . .	302
Reduce [F] . . . . .	303

## Optimal result

Integrand size = 20, antiderivative size = 1523

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

## **Mathematica [B] (verified)**

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal.  $20116 \text{ vs. } 2(1523) = 3046$ .

Time = 19.83 (sec) , antiderivative size = 20116, normalized size of antiderivative = 13.21

$$\int \frac{(c+dx)^3}{(a+b\sec(e+fx))^2} dx = \text{Result too large to show}$$

input  $\int \frac{(c + d x)^3}{(a + b \sec(e + f x))^2} dx$

output | Result too large to show

## Rubi [A] (verified)

Time = 3.30 (sec) , antiderivative size = 1523, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$ , Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c + dx)^3}{(a + b \csc(e + fx + \frac{\pi}{2}))^2} dx \\
 & \quad \downarrow \textcolor{blue}{4679} \\
 & \int \left( \frac{b^2(c + dx)^3}{a^2(a \cos(e + fx) + b)^2} - \frac{2b(c + dx)^3}{a^2(a \cos(e + fx) + b)} + \frac{(c + dx)^3}{a^2} \right) dx \\
 & \quad \downarrow \textcolor{blue}{2009}
 \end{aligned}$$

$$\begin{aligned}
& \frac{(c+dx)^4}{4a^2d} + \frac{2ib \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2\sqrt{b^2-a^2}f} - \frac{ib^3 \log\left(\frac{e^{i(e+fx)}a}{b-\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2(b^2-a^2)^{3/2}f} - \\
& \frac{2ib \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2\sqrt{b^2-a^2}f} + \frac{ib^3 \log\left(\frac{e^{i(e+fx)}a}{b+\sqrt{b^2-a^2}} + 1\right) (c+dx)^3}{a^2(b^2-a^2)^{3/2}f} + \\
& \frac{b^2 \sin(e+fx)(c+dx)^3}{a(a^2-b^2)f(b+a \cos(e+fx))} - \frac{ib^2(c+dx)^3}{a^2(a^2-b^2)f} + \frac{3b^2d \log\left(\frac{e^{i(e+fx)}a}{b-i\sqrt{a^2-b^2}} + 1\right) (c+dx)^2}{a^2(a^2-b^2)f^2} + \\
& \frac{3b^2d \log\left(\frac{e^{i(e+fx)}a}{b+i\sqrt{a^2-b^2}} + 1\right) (c+dx)^2}{a^2(a^2-b^2)f^2} + \frac{6bd \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2\sqrt{b^2-a^2}f^2} - \\
& \frac{3b^3d \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2(b^2-a^2)^{3/2}f^2} - \frac{6bd \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2\sqrt{b^2-a^2}f^2} + \\
& \frac{3b^3d \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)^2}{a^2(b^2-a^2)^{3/2}f^2} - \frac{6ib^2d^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right) (c+dx)}{a^2(a^2-b^2)f^3} - \\
& \frac{6ib^2d^2 \text{PolyLog}\left(2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right) (c+dx)}{a^2(a^2-b^2)f^3} + \frac{12ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)}{a^2\sqrt{b^2-a^2}f^3} - \\
& \frac{6ib^3d^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right) (c+dx)}{a^2(b^2-a^2)^{3/2}f^3} - \frac{12ibd^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)}{a^2\sqrt{b^2-a^2}f^3} + \\
& \frac{6ib^3d^2 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right) (c+dx)}{a^2(b^2-a^2)^{3/2}f^3} + \frac{6b^2d^3 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^4} + \\
& \frac{6b^2d^3 \text{PolyLog}\left(3, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}}\right)}{a^2(a^2-b^2)f^4} - \frac{12bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2\sqrt{b^2-a^2}f^4} + \\
& \frac{6b^3d^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}}\right)}{a^2(b^2-a^2)^{3/2}f^4} + \frac{12bd^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{a^2\sqrt{b^2-a^2}f^4} - \\
& \frac{6b^3d^3 \text{PolyLog}\left(4, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}}\right)}{a^2(b^2-a^2)^{3/2}f^4}
\end{aligned}$$

input  $\text{Int}[(c + d*x)^3/(a + b*\text{Sec}[e + f*x])^2, x]$

output

$$\begin{aligned} & \frac{(-I)*b^2*(c + d*x)^3}{(a^2*(a^2 - b^2)*f) + (c + d*x)^4/(4*a^2*d)} + (3*b^2*d*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) + (3*b^2*d*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) - (I*b^3*(c + d*x)^3*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) + ((2*I)*b*(c + d*x)^3*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f) + (I*b^3*(c + d*x)^3*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) - ((2*I)*b*(c + d*x)^3*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f) - ((6*I)*b^2*d^2*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - ((6*I)*b^2*d^2*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - (3*b^3*d*(c + d*x)^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) + (6*b*d*(c + d*x)^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f^2) + (3*b^3*d*(c + d*x)^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) - (6*b*d*(c + d*x)^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f^2) + (6*b^2*d^3*\text{PolyLog}[3, -(a*E^{(I*(e + f*x))})/(b - I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^4) + (6*b^2*d^3*\text{PolyLog}[3, -(a*E^{(I*(e + f*x))})/(b + I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^4) \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_*)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

**Maple [F]**

$$\int \frac{(dx + c)^3}{(a + b \sec(fx + e))^2} dx$$

input `int((d*x+c)^3/(a+b*sec(f*x+e))^2,x)`

output `int((d*x+c)^3/(a+b*sec(f*x+e))^2,x)`

**Fricas [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 7008 vs.  $2(1361) = 2722$ .

Time = 0.49 (sec), antiderivative size = 7008, normalized size of antiderivative = 4.60

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output `Too large to include`

**Sympy [F]**

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx$$

input `integrate((d*x+c)**3/(a+b*sec(f*x+e))**2,x)`

output `Integral((c + d*x)**3/(a + b*sec(e + f*x))**2, x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a^2-4\*b^2>0)', see `assume?` for more de

**Giac [F]**

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \int \frac{(dx + c)^3}{(b \sec(fx + e) + a)^2} dx$$

input `integrate((d*x+c)^3/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^3/(b*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

input `int((c + d*x)^3/(a + b/cos(e + f*x))^2,x)`

output `\text{Hanged}`

## Reduce [F]

$$\int \frac{(c + dx)^3}{(a + b \sec(e + fx))^2} dx = \text{too large to display}$$

input `int((d*x+c)^3/(a+b*sec(f*x+e))^2,x)`

output

```
( - 64*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)
/sqrt( - a**2 + b**2))*cos(e + f*x)*a**5*b*c**3*f**3 - 192*sqrt( - a**2 +
b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))
*cos(e + f*x)*a**5*b*c*d**2*f - 64*sqrt( - a**2 + b**2)*atan((tan((e + f*x)
/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**4*b**2*
c**3*f**3 - 96*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt(
- a**2 + b**2))*cos(e + f*x)*a**4*b**2*c*d**2*f + 16*sqrt(
- a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2
+ b**2))*cos(e + f*x)*a**3*b**3*c**3*f**3 + 192*sqrt( - a**2 + b**2)*atan(
(tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**3*b**3*c*d**2*f + 32*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a -
tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**2*b**4*c**3*f**3 + 96*sqrt(
- a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**2*b**4*c*d**2*f + 8*sqrt( - a**2 +
b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))
*cos(e + f*x)*a*b**5*c**3*f**3 - 64*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a**4*b**2*c**3*f**3 - 192*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt(
- a**2 + b**2))*a**4*b**2*c*d**2*f - 64*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a**3*b**3*...
```

**3.40**      
$$\int \frac{(c+dx)^2}{(a+b\sec(e+fx))^2} dx$$

Optimal result . . . . .	304
Mathematica [B] (verified) . . . . .	305
Rubi [A] (verified) . . . . .	306
Maple [F] . . . . .	309
Fricas [B] (verification not implemented) . . . . .	309
Sympy [F] . . . . .	309
Maxima [F(-2)] . . . . .	310
Giac [F] . . . . .	310
Mupad [F(-1)] . . . . .	310
Reduce [F] . . . . .	311

## Optimal result

Integrand size = 20, antiderivative size = 1117

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

output

```
2*I*b^3*d^2*polylog(3,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^3+1/3*(d*x+c)^3/a^2/d+2*b^2*d*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f^2+2*b^2*d*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b+I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f^2-I*b^2*(d*x+c)^2/a^2/(a^2-b^2)/f^-2*I*b^2*d^2*polylog(2,-a*exp(I*(f*x+e))/(b-I*(a^2-b^2)^(1/2)))/a^2/(a^2-b^2)/f^3-4*I*b*d^2*polylog(3,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^3-2*I*b^3*d^2*polylog(3,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^3+4*I*b*d^2*polylog(3,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^3+I*b^3*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f-2*b^3*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^2+4*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^2+2*b^3*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^2-4*b*d*(d*x+c)*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^2-2*I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f-2*I*b^2*d^2*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^3+2*I*b*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f-I*b^3*(d*x+c)^2*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f+b^2*(d*x+c)^2*sin(f*x+e)/a/(a^2-b^2)/f/(b+a*cos(f*x+e))
```

## Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 3365 vs.  $2(1117) = 2234$ .

Time = 16.57 (sec), antiderivative size = 3365, normalized size of antiderivative = 3.01

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Result too large to show}$$

input `Integrate[(c + d*x)^2/(a + b*Sec[e + f*x])^2, x]`

output

$$\begin{aligned}
 & (x*(3*c^2 + 3*c*d*x + d^2*x^2)*(b + a*\cos[e + f*x])^2*\sec[e + f*x]^2)/(3*a \\
 & ^2*(a + b*\sec[e + f*x])^2) + (2*b*E^{(I*e)}*(b + a*\cos[e + f*x])^2*(-2*I)*b \\
 & *c*d*E^{(I*e)}*x - I*b*d^2*E^{(I*e)}*x^2 + ((2*I)*a^2*c^2*\text{ArcTan}[(b + a*E^{(I*(e + f*x))})/\sqrt{a^2 - b^2}])/(\\
 & (\sqrt{a^2 - b^2}*E^{(I*e)}) - (I*b^2*c^2*\text{ArcTan}[(b + a*E^{(I*(e + f*x))})/\sqrt{a^2 - b^2}]*E^{(I*e)}) + ((2*I)*a^2*c^2*E^{(I*e)}*\text{ArcTan}[(b + a*E^{(I*(e + f*x))})/\sqrt{a^2 - b^2}])/\sqrt{a^2 - b^2} \\
 & - (I*b^2*c^2*E^{(I*e)}*\text{ArcTan}[(b + a*E^{(I*(e + f*x))})/\sqrt{a^2 - b^2}]/\sqrt{a^2 - b^2})/\sqrt{a^2 - b^2}] + (b*c*d*\log[a + 2*b*E^{(I*(e + f*x))} + a*E^{((2*I)*(e + f*x))}]/(E^{(I*e)}*f) + (b*c*d*E^{(I*e)}*\log[a + 2*b*E^{(I*(e + f*x))} + a*E^{((2*I)*(e + f*x))}])/f + ((2*I)*a^2*c*d*x*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/\sqrt{(-a^2 + b^2)*E^{((2*I)*e)}}] - (I*b^2*c*d*x*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/\sqrt{(-a^2 + b^2)*E^{((2*I)*e)}} + ((2*I)*a^2*c*d*E^{((2*I)*e)}*x*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/\sqrt{(-a^2 + b^2)*E^{((2*I)*e)}} - (I*b^2*c*d*E^{((2*I)*e)}*x*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/\sqrt{(-a^2 + b^2)*E^{((2*I)*e)}} + (b*d^2*2*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/(E^{(I*e)}*f) + (b*d^2*E^{(I*e)}*x*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/f + (I*a^2*d^2*x^2*\log[1 + (a*E^{(I*(2*e + f*x))})/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)})})]/(b*E^{(I*e)} - \sqrt{(-a^2 + b^2)*E^{((2*I)*e)}})]/...
 \end{aligned}$$

## Rubi [A] (verified)

Time = 2.51 (sec), antiderivative size = 1117, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.150, Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{(c + dx)^2}{(a + b\sec(e + fx))^2} dx \\
 & \quad \downarrow \textcolor{blue}{3042} \\
 & \int \frac{(c + dx)^2}{(a + b\csc(e + fx + \frac{\pi}{2}))^2} dx \\
 & \quad \downarrow \textcolor{blue}{4679}
 \end{aligned}$$

$$\begin{aligned}
& \int \left( \frac{b^2(c+dx)^2}{a^2(a \cos(e+fx) + b)^2} - \frac{2b(c+dx)^2}{a^2(a \cos(e+fx) + b)} + \frac{(c+dx)^2}{a^2} \right) dx \\
& \quad \downarrow \text{2009} \\
& - \frac{i(c+dx)^2 \log \left( \frac{e^{i(e+fx)} a}{b-\sqrt{b^2-a^2}} + 1 \right) b^3}{a^2 (b^2 - a^2)^{3/2} f} + \frac{i(c+dx)^2 \log \left( \frac{e^{i(e+fx)} a}{b+\sqrt{b^2-a^2}} + 1 \right) b^3}{a^2 (b^2 - a^2)^{3/2} f} - \\
& \frac{2d(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right) b^3}{a^2 (b^2 - a^2)^{3/2} f^2} + \frac{2d(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right) b^3}{a^2 (b^2 - a^2)^{3/2} f^2} - \\
& \frac{2id^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right) b^3}{a^2 (b^2 - a^2)^{3/2} f^3} + \frac{2id^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right) b^3}{a^2 (b^2 - a^2)^{3/2} f^3} - \frac{i(c+dx)^2 b^2}{a^2 (a^2 - b^2) f} + \\
& \frac{2d(c+dx) \log \left( \frac{e^{i(e+fx)} a}{b-i\sqrt{a^2-b^2}} + 1 \right) b^2}{a^2 (a^2 - b^2) f^2} + \frac{2d(c+dx) \log \left( \frac{e^{i(e+fx)} a}{b+i\sqrt{a^2-b^2}} + 1 \right) b^2}{a^2 (a^2 - b^2) f^2} - \\
& \frac{2id^2 \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-i\sqrt{a^2-b^2}} \right) b^2}{a^2 (a^2 - b^2) f^3} - \frac{2id^2 \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+i\sqrt{a^2-b^2}} \right) b^2}{a^2 (a^2 - b^2) f^3} + \\
& \frac{(c+dx)^2 \sin(e+fx) b^2}{a (a^2 - b^2) f (b + a \cos(e+fx))} + \frac{2i(c+dx)^2 \log \left( \frac{e^{i(e+fx)} a}{b-\sqrt{b^2-a^2}} + 1 \right) b}{a^2 \sqrt{b^2 - a^2} f} - \\
& \frac{2i(c+dx)^2 \log \left( \frac{e^{i(e+fx)} a}{b+\sqrt{b^2-a^2}} + 1 \right) b}{a^2 \sqrt{b^2 - a^2} f} + \frac{4d(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right) b}{a^2 \sqrt{b^2 - a^2} f^2} - \\
& \frac{4d(c+dx) \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right) b}{a^2 \sqrt{b^2 - a^2} f^2} + \frac{4id^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right) b}{a^2 \sqrt{b^2 - a^2} f^3} - \\
& \frac{4id^2 \operatorname{PolyLog} \left( 3, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right) b}{a^2 \sqrt{b^2 - a^2} f^3} + \frac{(c+dx)^3}{3a^2 d}
\end{aligned}$$

input Int[(c + d\*x)^2/(a + b\*Sec[e + f\*x])^2, x]

output

$$\begin{aligned}
 & \frac{(-I)*b^2*(c + d*x)^2}{(a^2*(a^2 - b^2)*f) + (c + d*x)^3/(3*a^2*d)} + (2*b^2*d*(c + d*x)*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) + (2*b^2*d*(c + d*x)*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^2) - (I*b^3*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) + ((2*I)*b*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*S\sqrt{-a^2 + b^2}*f) + (I*b^3*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + S\sqrt{-a^2 + b^2})])/(a^2*(-a^2 + b^2)^{(3/2)*f}) - ((2*I)*b*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f}) - ((2*I)*b^2*(c + d*x)^2*\text{Log}[1 + (a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f) - ((2*I)*b^2*d^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - ((2*I)*b^2*d^2*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + I*\text{Sqrt}[a^2 - b^2])])/(a^2*(a^2 - b^2)*f^3) - (2*b^3*d*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f^2}) + (4*b*d*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f^2) + (2*b^3*d*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f^2}) - (4*b*d*(c + d*x)*\text{PolyLog}[2, -(a*E^{(I*(e + f*x))})/(b + \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqrt}[-a^2 + b^2]*f^2) - ((2*I)*b^3*d^2*\text{PolyLog}[3, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*(-a^2 + b^2)^{(3/2)*f^3}) + ((4*I)*b*d^2*\text{PolyLog}[3, -(a*E^{(I*(e + f*x))})/(b - \text{Sqrt}[-a^2 + b^2])])/(a^2*\text{Sqr...})
 \end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Int}[\text{DeactivateTrig}[u, x], x] /; \text{FunctionOfTrigOfLinearQ}[u, x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.*)(x_.)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_.))^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x]^n)), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&& \text{ILtQ}[n, 0] \&& \text{IGtQ}[m, 0]$

**Maple [F]**

$$\int \frac{(dx + c)^2}{(a + b \sec(fx + e))^2} dx$$

input `int((d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

output `int((d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

**Fricas [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 4274 vs.  $2(991) = 1982$ .

Time = 0.35 (sec), antiderivative size = 4274, normalized size of antiderivative = 3.83

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output `Too large to include`

**Sympy [F]**

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx$$

input `integrate((d*x+c)**2/(a+b*sec(f*x+e))**2,x)`

output `Integral((c + d*x)**2/(a + b*sec(e + f*x))**2, x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a^2-4\*b^2>0)', see `assume?` for more de

**Giac [F]**

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \int \frac{(dx + c)^2}{(b \sec(fx + e) + a)^2} dx$$

input `integrate((d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)^2/(b*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

input `int((c + d*x)^2/(a + b/cos(e + f*x))^2,x)`

output `\text{Hanged}`

## Reduce [F]

$$\int \frac{(c + dx)^2}{(a + b \sec(e + fx))^2} dx = \text{too large to display}$$

input `int((d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

output

```
( - 24*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)
/sqrt( - a**2 + b**2))*cos(e + f*x)*a**4*b*c**2*f**2 - 24*sqrt( - a**2 + b
**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*
cos(e + f*x)*a**4*b*d**2 - 12*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*
a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**3*b**2*c**2*
f**2 + 12*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)
*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**2*b**3*c**2*f**2 + 24*sqrt( - a*
**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b
**2))*cos(e + f*x)*a**2*b**3*d**2 + 6*sqrt( - a**2 + b**2)*atan((tan((e +
f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a*b**4*
c**2*f**2 - 24*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*
x)/2)*b)/sqrt( - a**2 + b**2))*a**3*b**2*c**2*f**2 - 24*sqrt( - a**2 + b**
2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a*
*3*b**2*d**2 - 12*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e +
f*x)/2)*b)/sqrt( - a**2 + b**2))*a**2*b**3*c**2*f**2 + 12*sqrt( - a**2 +
b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))
*a*b**4*c**2*f**2 + 24*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan
((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a*b**4*d**2 + 6*sqrt( - a**2 + b**2
)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*b**5*
c**2*f**2 - 48*cos(e + f*x)*int(x**2/(2*tan((e + f*x)/2)**4*a**5 - 7*...
```

$$\mathbf{3.41} \quad \int \frac{c+dx}{(a+b\sec(e+fx))^2} dx$$

Optimal result . . . . .	313
Mathematica [A] (warning: unable to verify) . . . . .	314
Rubi [A] (verified) . . . . .	315
Maple [B] (verified) . . . . .	317
Fricas [B] (verification not implemented) . . . . .	318
Sympy [F] . . . . .	319
Maxima [F(-2)] . . . . .	320
Giac [F] . . . . .	320
Mupad [F(-1)] . . . . .	320
Reduce [F] . . . . .	321

## Optimal result

Integrand size = 18, antiderivative size = 582

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \frac{(c + dx)^2}{2a^2 d} - \frac{i b^3 (c + dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b - \sqrt{-a^2 + b^2}} \right)}{a^2 (-a^2 + b^2)^{3/2} f} \\ + \frac{2ib(c + dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b - \sqrt{-a^2 + b^2}} \right)}{a^2 \sqrt{-a^2 + b^2} f} \\ + \frac{i b^3 (c + dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b + \sqrt{-a^2 + b^2}} \right)}{a^2 (-a^2 + b^2)^{3/2} f} \\ - \frac{2ib(c + dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b + \sqrt{-a^2 + b^2}} \right)}{a^2 \sqrt{-a^2 + b^2} f} \\ + \frac{b^2 d \log(b + a \cos(e + fx))}{a^2 (a^2 - b^2) f^2} \\ - \frac{b^3 d \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b - \sqrt{-a^2 + b^2}} \right)}{a^2 (-a^2 + b^2)^{3/2} f^2} \\ + \frac{2bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b - \sqrt{-a^2 + b^2}} \right)}{a^2 \sqrt{-a^2 + b^2} f^2} \\ + \frac{b^3 d \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b + \sqrt{-a^2 + b^2}} \right)}{a^2 (-a^2 + b^2)^{3/2} f^2} \\ - \frac{2bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b + \sqrt{-a^2 + b^2}} \right)}{a^2 \sqrt{-a^2 + b^2} f^2} \\ + \frac{b^2 (c + dx) \sin(e + fx)}{a (a^2 - b^2) f (b + a \cos(e + fx))}$$

output

```
1/2*(d*x+c)^2/a^2/d-I*b^3*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f+2*I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f+I*b^3*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f-2*I*b*(d*x+c)*ln(1+a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f+b^2*d*ln(b+a*cos(f*x+e))/a^2/(a^2-b^2)/f^2-b^3*d*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^2+2*b*d*polylog(2,-a*exp(I*(f*x+e))/(b-(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^2+b^3*d*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(3/2)/f^2-2*b*d*polylog(2,-a*exp(I*(f*x+e))/(b+(-a^2+b^2)^(1/2)))/a^2/(-a^2+b^2)^(1/2)/f^2+b^2*(d*x+c)*sin(f*x+e)/a/(a^2-b^2)/f/(b+a*cos(f*x+e))
```

### Mathematica [A] (warning: unable to verify)

Time = 9.87 (sec) , antiderivative size = 1037, normalized size of antiderivative = 1.78

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input

```
Integrate[(c + d*x)/(a + b*Sec[e + f*x])^2, x]
```

output

```
((e + f*x)*(-2*d*e + 2*c*f + d*(e + f*x))*(b + a*Cos[e + f*x])^2*Sec[e + f*x]^2)/(2*a^2*f^2*(a + b*Sec[e + f*x])^2) + ((b + a*Cos[e + f*x])*Sec[e + f*x]^2*(b^2*d*e*Sin[e + f*x] - b^2*c*f*Sin[e + f*x] - b^2*d*(e + f*x)*Sin[e + f*x]))/(a*(-a + b)*(a + b)*f^2*(a + b*Sec[e + f*x])^2) + (b*Cos[(e + f*x)/2]^2*(b + a*Cos[e + f*x])*((-2*(2*a^2 - b^2)*(d*e - c*f)*ArcTan[(Sqrt[a - b]*Tan[(e + f*x)/2])/Sqrt[-a - b]])/(Sqrt[-a - b]*Sqrt[a - b]) - b*d*Log[Sec[(e + f*x)/2]^2] + b*d*Log[-((b + a*Cos[e + f*x])*Sec[(e + f*x)/2]^2)] - (I*(2*a^2 - b^2)*d*(Log[1 + I*Tan[(e + f*x)/2]]*Log[(I*(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b])] - Log[1 - I*Tan[(e + f*x)/2]]*Log[(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2])/(I*Sqrt[a - b] + Sqrt[a + b])] + Log[1 - I*Tan[(e + f*x)/2]]*Log[(I*(Sqrt[a + b] + Sqrt[a - b])*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b])] - Log[1 + I*Tan[(e + f*x)/2]]*Log[(Sqrt[a + b] + Sqrt[a - b])*Tan[(e + f*x)/2])/(I*Sqrt[a - b] + Sqrt[a + b])] - PolyLog[2, (Sqrt[a - b]*(1 - I*Tan[(e + f*x)/2]))/(Sqrt[a - b] - I*Sqrt[a + b])] + PolyLog[2, (Sqrt[a - b]*(1 - I*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b])] - PolyLog[2, (Sqrt[a - b]*(1 + I*Tan[(e + f*x)/2]))/(Sqrt[a - b] - I*Sqrt[a + b])] + PolyLog[2, (Sqrt[a - b]*(1 + I*Tan[(e + f*x)/2]))/(Sqrt[a - b] + I*Sqrt[a + b]))]/(Sqrt[a - b]*Sqrt[a + b]))*Sec[e + f*x]^2*((2*a^2 - b^2)*(c*f + d*f*x) + a*b*d*Sin[e + f*x])*(Sqrt[a + b] - Sqrt[a - b])*Tan[(e + f*x)/2])*(Sqrt[a + b] + S...
```

## Rubi [A] (verified)

Time = 1.37 (sec), antiderivative size = 582, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.167, Rules used = {3042, 4679, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{c + dx}{(a + b \sec(e + fx))^2} dx \\ & \quad \downarrow \textcolor{blue}{3042} \\ & \int \frac{c + dx}{\left(a + b \csc(e + fx + \frac{\pi}{2})\right)^2} dx \\ & \quad \downarrow \textcolor{blue}{4679} \end{aligned}$$

$$\begin{aligned}
& \int \left( \frac{b^2(c+dx)}{a^2(a \cos(e+fx) + b)^2} - \frac{2b(c+dx)}{a^2(a \cos(e+fx) + b)} + \frac{c+dx}{a^2} \right) dx \\
& \quad \downarrow \text{2009} \\
& \frac{2ib(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right)}{a^2 f \sqrt{b^2-a^2}} - \frac{2ib(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b} \right)}{a^2 f \sqrt{b^2-a^2}} + \\
& \frac{b^2(c+dx) \sin(e+fx)}{af(a^2-b^2)(a \cos(e+fx) + b)} + \frac{2bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right)}{a^2 f^2 \sqrt{b^2-a^2}} - \\
& \frac{2bd \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right)}{a^2 f^2 \sqrt{b^2-a^2}} + \frac{b^2 d \log(a \cos(e+fx) + b)}{a^2 f^2 (a^2-b^2)} - \frac{ib^3(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right)}{a^2 f (b^2-a^2)^{3/2}} + \\
& \frac{ib^3(c+dx) \log \left( 1 + \frac{ae^{i(e+fx)}}{\sqrt{b^2-a^2}+b} \right)}{a^2 f (b^2-a^2)^{3/2}} - \frac{b^3 d \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b-\sqrt{b^2-a^2}} \right)}{a^2 f^2 (b^2-a^2)^{3/2}} + \\
& \frac{b^3 d \operatorname{PolyLog} \left( 2, -\frac{ae^{i(e+fx)}}{b+\sqrt{b^2-a^2}} \right)}{a^2 f^2 (b^2-a^2)^{3/2}} + \frac{(c+dx)^2}{2a^2 d}
\end{aligned}$$

input `Int[(c + d*x)/(a + b*Sec[e + f*x])^2, x]`

output

$$\begin{aligned}
& (c + d*x)^2/(2*a^2*d) - (I*b^3*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b - \\
& Sqrt[-a^2 + b^2])]/(a^2*(-a^2 + b^2)^(3/2)*f) + ((2*I)*b*(c + d*x)*Log[1 + \\
& (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])]/(a^2*Sqrt[-a^2 + b^2]*f) + \\
& (I*b^3*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])]/(a^2 \\
& *(-a^2 + b^2)^(3/2)*f) - ((2*I)*b*(c + d*x)*Log[1 + (a*E^(I*(e + f*x)))/(b + \\
& Sqrt[-a^2 + b^2])]/(a^2*Sqrt[-a^2 + b^2]*f) + (b^2*d*Log[b + a*Cos[e + \\
& f*x]])/(a^2*(a^2 - b^2)*f^2) - (b^3*d*PolyLog[2, -(a*E^(I*(e + f*x)))/(b - \\
& Sqrt[-a^2 + b^2])]/(a^2*(-a^2 + b^2)^(3/2)*f^2) + (2*b*d*PolyLog[2, - \\
& (a*E^(I*(e + f*x)))/(b - Sqrt[-a^2 + b^2])]/(a^2*Sqrt[-a^2 + b^2]*f^2) \\
& + (b^3*d*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[-a^2 + b^2])]/(a^2*( \\
& -a^2 + b^2)^(3/2)*f^2) - (2*b*d*PolyLog[2, -(a*E^(I*(e + f*x)))/(b + Sqrt[ \\
& [-a^2 + b^2])]/(a^2*Sqrt[-a^2 + b^2]*f^2) + (b^2*(c + d*x)*Sin[e + f*x]) \\
& /(a*(a^2 - b^2)*f*(b + a*Cos[e + f*x])))
\end{aligned}$$

### Definitions of rubi rules used

rule 2009  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Simp}[\text{IntSum}[u, \ x], \ x] /; \ \text{SumQ}[u]$

rule 3042  $\text{Int}[u_, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{DeactivateTrig}[u, \ x], \ x] /; \ \text{FunctionOfTrigOfLinearQ}[u, \ x]$

rule 4679  $\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^{(n_.)}*((c_.) + (d_.)*(x_))^{(m_.)}, \ x\_\text{Symbol}] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, 1/(\text{Sin}[e + f*x]^n/(b + a*\text{Sin}[e + f*x])^n), x], \ x] /; \ \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&& \ \text{ILtQ}[n, 0] \ \&& \ \text{IGtQ}[m, 0]$

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1288 vs.  $2(528) = 1056$ .

Time = 0.21 (sec) , antiderivative size = 1289, normalized size of antiderivative = 2.21

method	result	size
risch	Expression too large to display	1289

input  $\text{int}((d*x+c)/(a+b*\sec(f*x+e))^2, x, \text{method}=\text{RETURNVERBOSE})$

output

```

1/2/a^2*d*x^2+1/a^2*c*x+2*I/f/(a^2-b^2)*b*d/(-a^2+b^2)^(1/2)*ln((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2)))*x+2*I*b^2*(d*x+c)*(b*xp(I*(f*x+e))+a)/a^2/(a^2-b^2)/f/(a*exp(2*I*(f*x+e))+2*b*exp(I*(f*x+e))+a)+1/f^2/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*dilog((exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2))-1/f^2/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*dilog((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2))-2/f^2/(a^2-b^2)*b*d/(-a^2+b^2)^(1/2)*dilog((exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2))+2/f^2/(a^2-b^2)*b*d/(-a^2+b^2)^(1/2)*dilog((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2))-I/f/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*ln((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2))*x+I/f^2/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*ln((exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2))*e+2*I/f^2/(a^2-b^2)*b*d/(-a^2+b^2)^(1/2)*ln((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2))*e+I/f/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*ln((exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)+b)/(b+(-a^2+b^2)^(1/2))*x-4*I/f^2/(a^2-b^2)^(3/2)*b*d*e*a*arctan(1/2*(2*exp(I*(f*x+e)))*a+2*b)/(a^2-b^2)^(1/2))-I/f^2/(a^2-b^2)/a^2*b^3*d/(-a^2+b^2)^(1/2)*ln((-exp(I*(f*x+e)))*a+(-a^2+b^2)^(1/2)-b)/(-b+(-a^2+b^2)^(1/2))*e+2*I/f^2/(a^2-b^2)^(3/2)/a^2*b^3*d*e*arctan(1/2*(2*exp(I*(f*x+e)))*a+2*b)/(a^2-b^2)^(1/2))-2/f^2/(a^2-b^2)/a^2*b^2*ln(exp(I*(f*x+e)))*d+1/f^2/(a^2-b^2)/a^2*b^2*ln(a*exp(2*I*(f*x+e))+2*b*exp(I*(f*x+e))+a)*d-2...

```

## Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2080 vs.  $2(520) = 1040$ .

Time = 0.28 (sec), antiderivative size = 2080, normalized size of antiderivative = 3.57

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input `integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

```

output 1/2*((a^4*b - 2*a^2*b^3 + b^5)*d*f^2*x^2 + 2*(a^4*b - 2*a^2*b^3 + b^5)*c*f^2*x - ((2*a^4*b - a^2*b^3)*d*cos(f*x + e) + (2*a^3*b^2 - a*b^4)*d)*sqrt((-a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + ((2*a^4*b - a^2*b^3)*d*cos(f*x + e) + (2*a^3*b^2 - a*b^4)*d)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) - ((2*a^4*b - a^2*b^3)*d*cos(f*x + e) + (2*a^3*b^2 - a*b^4)*d)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e) + (a*cos(f*x + e) - I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + ((2*a^4*b - a^2*b^3)*d*cos(f*x + e) + (2*a^3*b^2 - a*b^4)*d)*sqrt(-(a^2 - b^2)/a^2)*dilog(-(b*cos(f*x + e) - I*b*sin(f*x + e) - (a*cos(f*x + e) - I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + 1) + (-I*(2*a^3*b^2 - a*b^4)*d*f*x - I*(2*a^3*b^2 - a*b^4)*d*e + (-I*(2*a^4*b - a^2*b^3)*d*f*x - I*(2*a^4*b - a^2*b^3)*d*e)*cos(f*x + e))*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) + (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + (I*(2*a^3*b^2 - a*b^4)*d*f*x + I*(2*a^3*b^2 - a*b^4)*d*e + (I*(2*a^4*b - a^2*b^3)*d*f*x + I*(2*a^4*b - a^2*b^3)*d*e)*cos(f*x + e))*sqrt(-(a^2 - b^2)/a^2)*log((b*cos(f*x + e) + I*b*sin(f*x + e) - (a*cos(f*x + e) + I*a*sin(f*x + e)))*sqrt(-(a^2 - b^2)/a^2) + a)/a + (I*(2*a^3*b^2 - a*b^4)*d*f*x + I*(2*a^3*b^2 - a*b^4)*d*e + (I*...

```

## Sympy [F]

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \int \frac{c + dx}{(a + b \sec(e + fx))^2} dx$$

input `integrate((d*x+c)/(a+b*sec(f*x+e))**2,x)`

output  $\text{Integral}((c + d*x)/(a + b*\sec(e + f*x))^2, x)$

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Exception raised: ValueError}$$

input `integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a^2-4\*b^2>0)', see `assume?` for more details)

**Giac [F]**

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \int \frac{dx + c}{(b \sec(fx + e) + a)^2} dx$$

input `integrate((d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate((d*x + c)/(b*sec(f*x + e) + a)^2, x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{Hanged}$$

input `int((c + d*x)/(a + b/cos(e + f*x))^2,x)`

output `\text{Hanged}`

## Reduce [F]

$$\int \frac{c + dx}{(a + b \sec(e + fx))^2} dx = \text{too large to display}$$

input `int((d*x+c)/(a+b*sec(f*x+e))^2,x)`

output

```
( - 16*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)
/sqrt( - a**2 + b**2))*cos(e + f*x)*a**4*b*c*f - 8*sqrt( - a**2 + b**2)*at
an((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e +
f*x)*a**3*b**2*c*f + 8*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - ta
n((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*cos(e + f*x)*a**2*b**3*c*f + 4*sqr
t( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a
**2 + b**2))*cos(e + f*x)*a*b**4*c*f - 16*sqrt( - a**2 + b**2)*atan((tan((e
+ f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a**3*b**2*c*f -
8*sqrt( - a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt(
- a**2 + b**2))*a**2*b**3*c*f + 8*sqrt( - a**2 + b**2)*atan((tan((e + f*
x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2 + b**2))*a*b**4*c*f + 4*sqrt( -
a**2 + b**2)*atan((tan((e + f*x)/2)*a - tan((e + f*x)/2)*b)/sqrt( - a**2
+ b**2))*b**5*c*f - 32*cos(e + f*x)*int(x/(2*tan((e + f*x)/2)**4*a**5 - 7*
tan((e + f*x)/2)**4*a**4*b + 8*tan((e + f*x)/2)**4*a**3*b**2 - 2*tan((e +
f*x)/2)**4*a**2*b**3 - 2*tan((e + f*x)/2)**4*a*b**4 + tan((e + f*x)/2)**4*
b**5 - 4*tan((e + f*x)/2)**2*a**5 + 6*tan((e + f*x)/2)**2*a**4*b + 4*tan((e
+ f*x)/2)**2*a**3*b**2 - 8*tan((e + f*x)/2)**2*a**2*b**3 + 2*tan((e + f*
x)/2)**2*b**5 + 2*a**5 + a**4*b - 4*a**3*b**2 - 2*a**2*b**3 + 2*a*b**4 + b
**5),x)*a**10*b*d*f**2 - 16*cos(e + f*x)*int(x/(2*tan((e + f*x)/2)**4*a**5
- 7*tan((e + f*x)/2)**4*a**4*b + 8*tan((e + f*x)/2)**4*a**3*b**2 - 2*t...
```

**3.42**       $\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx$

Optimal result . . . . .	322
Mathematica [N/A] . . . . .	322
Rubi [N/A] . . . . .	323
Maple [N/A] . . . . .	324
Fricas [N/A] . . . . .	324
Sympy [N/A] . . . . .	324
Maxima [N/A] . . . . .	325
Giac [N/A] . . . . .	326
Mupad [N/A] . . . . .	326
Reduce [N/A] . . . . .	326

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)(a+b\sec(e+fx))^2}, x\right)$$

output `Defer(Int)(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)`

## Mathematica [N/A]

Not integrable

Time = 15.68 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+b\sec(e+fx))^2} dx$$

input `Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])^2),x]`

output `Integrate[1/((c + d*x)*(a + b*Sec[e + f*x])^2), x]`

**Rubi [N/A]**

Not integrable

Time = 0.24 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx) \left(a + b \csc\left(e + fx + \frac{\pi}{2}\right)\right)^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx \end{aligned}$$

input `Int[1/((c + d*x)*(a + b*Sec[e + f*x])^2),x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.*x_)]*(b_.))^(n_.)*((c_.) + (d_.*x_))^(m_.), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)(a + b \sec(fx + e))^2} dx$$

input `int(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)`

output `int(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 55, normalized size of antiderivative = 2.75

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output `integral(1/(a^2*d*x + a^2*c + (b^2*d*x + b^2*c)*sec(f*x + e)^2 + 2*(a*b*d*x + a*b*c)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 2.29 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.95

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{(a + b \sec(e + fx))^2 (c + dx)} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e))**2,x)`

output  $\text{Integral}\left(\frac{1}{(a + b \sec(e + f x))^2 (c + d x)}, x\right)$

**Maxima** [N/A]

Not integrable

Time = 11.92 (sec) , antiderivative size = 2279, normalized size of antiderivative = 113.95

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)^2} dx$$

```
input integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="maxima")
```

**Giac [N/A]**

Not integrable

Time = 0.34 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)(b \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate(1/((d*x + c)*(b*sec(f*x + e) + a)^2), x)`

**Mupad [N/A]**

Not integrable

Time = 19.07 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right)^2 (c + dx)} dx$$

input `int(1/((a + b/cos(e + f*x))^2*(c + d*x)),x)`

output `int(1/((a + b/cos(e + f*x))^2*(c + d*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.28 (sec) , antiderivative size = 5490, normalized size of antiderivative = 274.50

$$\int \frac{1}{(c + dx)(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input `int(1/(d*x+c)/(a+b*sec(f*x+e))^2,x)`

output

```
( - 2*int(cos(e + f*x)/(2*cos(e + f*x)*a**5*b*c + 2*cos(e + f*x)*a**5*b*d*
x - 8*cos(e + f*x)*a**4*b**2*c - 8*cos(e + f*x)*a**4*b**2*d*x + 12*cos(e +
f*x)*a**3*b**3*c + 12*cos(e + f*x)*a**3*b**3*d*x - 8*cos(e + f*x)*a**2*b*
*f*x)**2*a**6*c - sin(e + f*x)**2*a**6*d*x + 4*sin(e + f*x)**2*a**5*b*c +
2*cos(e + f*x)*a*b**5*d*x - sin(e + f*x)**2*a**5*b*c + 4*sin(e + f*x)**2*a**5*b*d*x -
6*sin(e + f*x)**2*a**4*b**2*c - 6*sin(e + f*x)**2*a**4*b**2*d*x + 4*sin(e + f*x)**2*a**3*b**3*c +
4*sin(e + f*x)**2*a**3*b**3*d*x - sin(e + f*x)**2*a**2*b**4*c - sin(e +
f*x)**2*a**2*b**4*d*x + a**6*c + a**6*d*x - 4*a**5*b*c - 4*a**5*b*d*x +
7*a**4*b**2*c + 7*a**4*b**2*d*x - 8*a**3*b**3*c - 8*a**3*b**3*d*x + 7*a*
**2*b**4*c + 7*a**2*b**4*d*x - 4*a*b**5*c - 4*a*b**5*d*x + b**6*c + b**6*d*x,
x)*a**5*b*d + 8*int(cos(e + f*x)/(2*cos(e + f*x)*a**5*b*c + 2*cos(e + f*x)*a**5*b*d*x -
8*cos(e + f*x)*a**4*b**2*c - 8*cos(e + f*x)*a**4*b**2*d*x + 12*cos(e + f*x)*a**3*b**3*c +
12*cos(e + f*x)*a**3*b**3*d*x - 8*cos(e + f*x)*a**2*b**4*c - 8*cos(e + f*x)*a**2*b**4*d*x +
2*cos(e + f*x)*a*b**5*c + 2*cos(e + f*x)*a*b**5*d*x - sin(e + f*x)**2*a**6*c - sin(e + f*x)**2*a*
*f*x)**2*a**5*b*c + 4*sin(e + f*x)**2*a**5*b*d*x - 6*sin(e + f*x)**2*a**4*b**2*c -
6*sin(e + f*x)**2*a**4*b**2*d*x + 4*sin(e + f*x)**2*a**3*b**3*c + 4*sin(e + f*x)**2*a**3*b**3*d*x -
sin(e + f*x)**2*a**2*b**4*c - sin(e + f*x)**2*a**2*b**4*d*x + a**6*c + a**6*d*x - 4*a**5*b*c...)
```

**3.43**  $\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx$

Optimal result . . . . .	328
Mathematica [N/A] . . . . .	328
Rubi [N/A] . . . . .	329
Maple [N/A] . . . . .	330
Fricas [N/A] . . . . .	330
Sympy [N/A] . . . . .	330
Maxima [N/A] . . . . .	331
Giac [N/A] . . . . .	332
Mupad [N/A] . . . . .	332
Reduce [N/A] . . . . .	332

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx = \text{Int}\left(\frac{1}{(c+dx)^2(a+b\sec(e+fx))^2}, x\right)$$

output `Defer(Int)(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

## Mathematica [N/A]

Not integrable

Time = 32.98 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx$$

input `Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2),x]`

output `Integrate[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{1}{(c + dx)^2 (a + b \csc(e + fx + \frac{\pi}{2}))^2} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx \end{aligned}$$

input `Int[1/((c + d*x)^2*(a + b*Sec[e + f*x])^2),x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_)*(x_)]*(b_.))^(n_)*((c_.) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(dx + c)^2 (a + b \sec(fx + e))^2} dx$$

input `int(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

output `int(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

**Fricas [N/A]**

Not integrable

Time = 0.11 (sec) , antiderivative size = 96, normalized size of antiderivative = 4.80

$$\int \frac{1}{(c + dx)^2 (a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2 (b \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="fricas")`

output `integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sec(f*x + e)^2 + 2*(a*b*d^2*x^2 + 2*a*b*c*d*x + a*b*c^2)*sec(f*x + e)), x)`

**Sympy [N/A]**

Not integrable

Time = 9.63 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{1}{(c + dx)^2 (a + b \sec(e + fx))^2} dx = \int \frac{1}{(a + b \sec(e + fx))^2 (c + dx)^2} dx$$

input `integrate(1/(d*x+c)**2/(a+b*sec(f*x+e))**2,x)`

output `Integral(1/((a + b*sec(e + f*x))**2*(c + d*x)**2), x)`

## Maxima [N/A]

Not integrable

Time = 37.64 (sec) , antiderivative size = 2918, normalized size of antiderivative = 145.90

$$\int \frac{1}{(c+dx)^2(a+b\sec(e+fx))^2} dx = \int \frac{1}{(dx+c)^2(b\sec(fx+e)+a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="maxima")`

output `(2*a*b^3*d*sin(f*x + e) - (a^4 - a^2*b^2)*d*f*x - (a^4 - a^2*b^2)*c*f - ((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*cos(2*f*x + 2*e)^2 - 4*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*cos(f*x + e)^2 - ((a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f)*sin(2*f*x + 2*e)^2 - 4*((a^2*b^2 - b^4)*d*f*x + (a^2*b^2 - b^4)*c*f)*sin(f*x + e)^2 - 2*(a*b^3*d*sin(f*x + e) + (a^4 - a^2*b^2)*d*f*x + (a^4 - a^2*b^2)*c*f + 2*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*cos(f*x + e))*cos(2*f*x + 2*e) - 4*((a^3*b - a*b^3)*d*f*x + (a^3*b - a*b^3)*c*f)*cos(f*x + e) - ((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f + ((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f)*cos(2*f*x + 2*e)^2 + 4*((a^4*b^2 - a^2*b^4)*d^3*f*x^2 + 2*(a^4*b^2 - a^2*b^4)*c*d^2*f*x + (a^4*b^2 - a^2*b^4)*c^2*d*f)*cos(f*x + e)^2 + ((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f)*sin(2*f*x + 2*e)^2 + 4*((a^5*b - a^3*b^3)*d^3*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d^2*f*x + (a^5*b - a^3*b^3)*c^2*d*f)*sin(2*f*x + 2*e)*sin(f*x + e) + 4*((a^4*b^2 - a^2*b^4)*d^3*f*x^2 + 2*(a^4*b^2 - a^2*b^4)*c*d^2*f*x + (a^4*b^2 - a^2*b^4)*c^2*d*f)*sin(f*x + e)^2 + 2*((a^6 - a^4*b^2)*d^3*f*x^2 + 2*(a^6 - a^4*b^2)*c*d^2*f*x + (a^6 - a^4*b^2)*c^2*d*f)*cos(2*f*x + 2*e)^2 + 2*((a^5*b - a^3*b^3)*c*d^2*f*x + (a^5*b - a^3*b^3)*c^2*d*f)*cos(f*x + e)*cos(2*f*x + 2*e) + 4*((a^5*b - a^3*b^3)*d^3*f*x^2 + 2*(a^5*b - a^3*b^3)*c*d^2*f*x + ...)`

**Giac [N/A]**

Not integrable

Time = 2.98 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx = \int \frac{1}{(dx + c)^2(b \sec(fx + e) + a)^2} dx$$

input `integrate(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x, algorithm="giac")`

output `integrate(1/((d*x + c)^2*(b*sec(f*x + e) + a)^2), x)`

**Mupad [N/A]**

Not integrable

Time = 16.29 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx = \int \frac{1}{\left(a + \frac{b}{\cos(e+fx)}\right)^2 (c + d x)^2} dx$$

input `int(1/((a + b/cos(e + f*x))^2*(c + d*x)^2),x)`

output `int(1/((a + b/cos(e + f*x))^2*(c + d*x)^2), x)`

**Reduce [N/A]**

Not integrable

Time = 0.36 (sec) , antiderivative size = 19510, normalized size of antiderivative = 975.50

$$\int \frac{1}{(c + dx)^2(a + b \sec(e + fx))^2} dx = \text{Too large to display}$$

input `int(1/(d*x+c)^2/(a+b*sec(f*x+e))^2,x)`

output

```
( - 2*int(cos(e + f*x)/(2*cos(e + f*x)*a**5*b*c**2 + 4*cos(e + f*x)*a**5*b*c*d*x + 2*cos(e + f*x)*a**5*b*d**2*x**2 - 8*cos(e + f*x)*a**4*b**2*c**2 - 16*cos(e + f*x)*a**4*b**2*c*d*x - 8*cos(e + f*x)*a**4*b**2*d**2*x**2 + 12*cos(e + f*x)*a**3*b**3*c**2 + 24*cos(e + f*x)*a**3*b**3*c*d*x + 12*cos(e + f*x)*a**3*b**3*d**2*x**2 - 8*cos(e + f*x)*a**2*b**4*c**2 - 16*cos(e + f*x)*a**2*b**4*c*d*x - 8*cos(e + f*x)*a**2*b**4*d**2*x**2 + 2*cos(e + f*x)*a*b**5*c**2 + 4*cos(e + f*x)*a*b**5*c*d*x + 2*cos(e + f*x)*a*b**5*d**2*x**2 - sin(e + f*x)**2*a**6*c**2 - 2*sin(e + f*x)**2*a**6*c*d*x - sin(e + f*x)**2*a**6*d**2*x**2 + 4*sin(e + f*x)**2*a**5*b*c**2 + 8*sin(e + f*x)**2*a**5*b*c*d*x + 4*sin(e + f*x)**2*a**5*b*d**2*x**2 - 6*sin(e + f*x)**2*a**4*b**2*c**2 - 12*sin(e + f*x)**2*a**4*b**2*c*d*x - 6*sin(e + f*x)**2*a**4*b**2*d**2*x**2 + 4*sin(e + f*x)**2*a**3*b**3*c**2 + 8*sin(e + f*x)**2*a**3*b**3*c*d*x + 4*sin(e + f*x)**2*a**3*b**3*d**2*x**2 - sin(e + f*x)**2*a**2*b**4*c**2 - 2*sin(e + f*x)**2*a**2*b**4*c*d*x - sin(e + f*x)**2*a**2*b**4*d**2*x**2 + a**6*c**2 + 2*a**6*c*d*x + a**6*d**2*x**2 - 4*a**5*b*c**2 - 8*a**5*b*c*d*x - 4*a**5*b*d**2*x**2 + 7*a**4*b**2*c**2 + 14*a**4*b**2*c*d*x + 7*a**4*b**2*d**2*x**2 - 8*a**3*b**3*c**2 - 16*a**3*b**3*c*d*x - 8*a**3*b**3*d**2*x**2 + 7*a**2*b**4*c**2 + 14*a**2*b**4*c*d*x + 7*a**2*b**4*d**2*x**2 - 4*a*b**5*c**2 - 8*a*b**5*c*d*x - 4*a*b**5*d**2*x**2 + b**6*c**2 + 2*b**6*c*d*x + b**6*d**2*x**2),x)*a**5*b*c**2 - 2*int(cos(e + f*x)/(2*cos(e ...
```

## 3.44 $\int (c + dx)^m (a + b \sec(e + fx))^n dx$

Optimal result	334
Mathematica [N/A]	334
Rubi [N/A]	335
Maple [N/A]	336
Fricas [N/A]	336
Sympy [F(-1)]	336
Maxima [N/A]	337
Giac [N/A]	337
Mupad [N/A]	337
Reduce [N/A]	338

### Optimal result

Integrand size = 20, antiderivative size = 20

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \text{Int}((c + dx)^m (a + b \sec(e + fx))^n, x)$$

output `Defer(Int)((d*x+c)^m*(a+b*sec(f*x+e))^n,x)`

### Mathematica [N/A]

Not integrable

Time = 1.76 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (c + dx)^m (a + b \sec(e + fx))^n dx$$

input `Integrate[(c + d*x)^m*(a + b*Sec[e + f*x])^n,x]`

output `Integrate[(c + d*x)^m*(a + b*Sec[e + f*x])^n, x]`

**Rubi [N/A]**

Not integrable

Time = 0.22 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)^m (a + b \sec(e + fx))^n dx \\ & \quad \downarrow \text{3042} \\ & \int (c + dx)^m \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right)^n dx \\ & \quad \downarrow \text{4681} \\ & \int (c + dx)^m (a + b \sec(e + fx))^n dx \end{aligned}$$

input `Int[(c + d*x)^m*(a + b*Sec[e + f*x])^n, x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + b \sec(fx + e))^n dx$$

input `int((d*x+c)^m*(a+b*sec(f*x+e))^n,x)`

output `int((d*x+c)^m*(a+b*sec(f*x+e))^n,x)`

**Fricas [N/A]**

Not integrable

Time = 0.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="fricas")`

output `integral((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)`

**Sympy [F(-1)]**

Timed out.

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \text{Timed out}$$

input `integrate((d*x+c)**m*(a+b*sec(f*x+e))**n,x)`

output `Timed out`

**Maxima [N/A]**

Not integrable

Time = 0.50 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="maxima")`

output `integrate((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)`

**Giac [N/A]**

Not integrable

Time = 0.29 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (b \sec(fx + e) + a)^n dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e))^n,x, algorithm="giac")`

output `integrate((d*x + c)^m*(b*sec(f*x + e) + a)^n, x)`

**Mupad [N/A]**

Not integrable

Time = 15.66 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int \left( a + \frac{b}{\cos(e + fx)} \right)^n (c + dx)^m dx$$

input `int((a + b/cos(e + f*x))^n*(c + d*x)^m,x)`

output `int((a + b/cos(e + f*x))^n*(c + d*x)^m, x)`

## Reduce [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int (c + dx)^m (a + b \sec(e + fx))^n dx = \int (dx + c)^m (\sec(fx + e) b + a)^n dx$$

input `int((d*x+c)^m*(a+b*sec(f*x+e))^n,x)`

output `int((c + d*x)**m*(sec(e + f*x)*b + a)**n,x)`

## 3.45 $\int (c + dx)^m (a + b \sec(e + fx)) dx$

Optimal result . . . . .	339
Mathematica [N/A] . . . . .	339
Rubi [N/A] . . . . .	340
Maple [N/A] . . . . .	341
Fricas [N/A] . . . . .	341
Sympy [N/A] . . . . .	341
Maxima [N/A] . . . . .	342
Giac [N/A] . . . . .	342
Mupad [N/A] . . . . .	343
Reduce [N/A] . . . . .	343

### Optimal result

Integrand size = 18, antiderivative size = 18

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \text{Int}((c + dx)^m (a + b \sec(e + fx)), x)$$

output `Defer(Int)((d*x+c)^m*(a+b*sec(f*x+e)),x)`

### Mathematica [N/A]

Not integrable

Time = 0.42 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (c + dx)^m (a + b \sec(e + fx)) dx$$

input `Integrate[(c + d*x)^m*(a + b*Sec[e + f*x]),x]`

output `Integrate[(c + d*x)^m*(a + b*Sec[e + f*x]), x]`

**Rubi [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int (c + dx)^m (a + b \sec(e + fx)) dx \\ & \quad \downarrow \text{3042} \\ & \int (c + dx)^m \left( a + b \csc\left(e + fx + \frac{\pi}{2}\right) \right) dx \\ & \quad \downarrow \text{4681} \\ & \int (c + dx)^m (a + b \sec(e + fx)) dx \end{aligned}$$

input `Int[(c + d*x)^m*(a + b*Sec[e + f*x]),x]`

output `$Aborted`

**Definitions of rubi rules used**

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_.)*(x_.)]*(b_.))^n_*((c_.) + (d_.)*(x_.))^m_, x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.06 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.00

$$\int (dx + c)^m (a + b \sec(fx + e)) dx$$

input `int((d*x+c)^m*(a+b*sec(f*x+e)),x)`

output `int((d*x+c)^m*(a+b*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.08 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="fricas")`

output `integral((b*sec(f*x + e) + a)*(d*x + c)^m, x)`

**Sympy [N/A]**

Not integrable

Time = 5.76 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.94

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (a + b \sec(e + fx))(c + dx)^m dx$$

input `integrate((d*x+c)**m*(a+b*sec(f*x+e)),x)`

output `Integral((a + b*sec(e + f*x))*(c + d*x)**m, x)`

**Maxima [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 124, normalized size of antiderivative = 6.89

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="maxima")`

output `2*b*integrate(((d*x + c)^m*cos(2*f*x + 2*e)*cos(f*x + e) + (d*x + c)^m*sin(2*f*x + 2*e)*sin(f*x + e) + (d*x + c)^m*cos(f*x + e))/(cos(2*f*x + 2*e)^2 + sin(2*f*x + 2*e)^2 + 2*cos(2*f*x + 2*e) + 1), x) + (d*x + c)^(m + 1)*a/(d*(m + 1))`

**Giac [N/A]**

Not integrable

Time = 0.16 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.11

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int (b \sec(fx + e) + a)(dx + c)^m dx$$

input `integrate((d*x+c)^m*(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((b*sec(f*x + e) + a)*(d*x + c)^m, x)`

**Mupad [N/A]**

Not integrable

Time = 15.05 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.22

$$\int (c + dx)^m (a + b \sec(e + fx)) dx = \int \left( a + \frac{b}{\cos(e + fx)} \right) (c + dx)^m dx$$

input `int((a + b/cos(e + f*x))*(c + d*x)^m,x)`

output `int((a + b/cos(e + f*x))*(c + d*x)^m, x)`

**Reduce [N/A]**

Not integrable

Time = 0.17 (sec) , antiderivative size = 113, normalized size of antiderivative = 6.28

$$\begin{aligned} & \int (c + dx)^m (a + b \sec(e + fx)) dx \\ &= \frac{(dx + c)^m ac + (dx + c)^m adx - (dx + c)^m bc - (dx + c)^m bdx - 2 \left( \int \frac{(dx + c)^m}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) bdm - 2 \left( \int \frac{(dx + c)^m}{\tan(\frac{fx}{2} + \frac{e}{2})^2 - 1} dx \right) bd^m}{d(m+1)} \end{aligned}$$

input `int((d*x+c)^m*(a+b*sec(f*x+e)),x)`

output `((c + d*x)**m*a*c + (c + d*x)**m*a*d*x - (c + d*x)**m*b*c - (c + d*x)**m*b*d*x - 2*int((c + d*x)**m/(tan((e + f*x)/2)**2 - 1),x)*b*d*m - 2*int((c + d*x)**m/(tan((e + f*x)/2)**2 - 1),x)*b*d)/(d*(m + 1))`

**3.46**       $\int \frac{(c+dx)^m}{a+b\sec(e+fx)} dx$

Optimal result . . . . .	344
Mathematica [N/A] . . . . .	344
Rubi [N/A] . . . . .	345
Maple [N/A] . . . . .	346
Fricas [N/A] . . . . .	346
Sympy [N/A] . . . . .	346
Maxima [N/A] . . . . .	347
Giac [N/A] . . . . .	347
Mupad [N/A] . . . . .	348
Reduce [N/A] . . . . .	348

## Optimal result

Integrand size = 20, antiderivative size = 20

$$\int \frac{(c+dx)^m}{a+b\sec(e+fx)} dx = \text{Int}\left(\frac{(c+dx)^m}{a+b\sec(e+fx)}, x\right)$$

output `Defer(Int)((d*x+c)^m/(a+b*sec(f*x+e)),x)`

## Mathematica [N/A]

Not integrable

Time = 0.60 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c+dx)^m}{a+b\sec(e+fx)} dx = \int \frac{(c+dx)^m}{a+b\sec(e+fx)} dx$$

input `Integrate[(c + d*x)^m/(a + b*Sec[e + f*x]), x]`

output `Integrate[(c + d*x)^m/(a + b*Sec[e + f*x]), x]`

## Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0.000, Rules used = {3042, 4681}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx \\ & \quad \downarrow \text{3042} \\ & \int \frac{(c + dx)^m}{a + b \csc(e + fx + \frac{\pi}{2})} dx \\ & \quad \downarrow \text{4681} \\ & \int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx \end{aligned}$$

input `Int[(c + d*x)^m/(a + b*Sec[e + f*x]), x]`

output `$Aborted`

### Definitions of rubi rules used

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4681 `Int[((a_.) + csc[(e_.) + (f_)*(x_)]*(b_.))^(n_)*((c_.) + (d_)*(x_))^(m_), x_Symbol] :> Unintegrable[(c + d*x)^m*(a + b*Csc[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, m, n}, x]`

**Maple [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.00

$$\int \frac{(dx + c)^m}{a + b \sec(fx + e)} dx$$

input `int((d*x+c)^m/(a+b*sec(f*x+e)),x)`

output `int((d*x+c)^m/(a+b*sec(f*x+e)),x)`

**Fricas [N/A]**

Not integrable

Time = 0.07 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="fricas")`

output `integral((d*x + c)^m/(b*sec(f*x + e) + a), x)`

**Sympy [N/A]**

Not integrable

Time = 2.67 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.85

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx$$

input `integrate((d*x+c)**m/(a+b*sec(f*x+e)),x)`

output `Integral((c + d*x)**m/(a + b*sec(e + f*x)), x)`

## Maxima [N/A]

Not integrable

Time = 0.31 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="maxima")`

output `integrate((d*x + c)^m/(b*sec(f*x + e) + a), x)`

## Giac [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.10

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(dx + c)^m}{b \sec(fx + e) + a} dx$$

input `integrate((d*x+c)^m/(a+b*sec(f*x+e)),x, algorithm="giac")`

output `integrate((d*x + c)^m/(b*sec(f*x + e) + a), x)`

**Mupad [N/A]**

Not integrable

Time = 15.29 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.20

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \int \frac{(c + dx)^m}{a + \frac{b}{\cos(e+fx)}} dx$$

input `int((c + d*x)^m/(a + b/cos(e + f*x)),x)`

output `int((c + d*x)^m/(a + b/cos(e + f*x)), x)`

**Reduce [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 326, normalized size of antiderivative = 16.30

$$\int \frac{(c + dx)^m}{a + b \sec(e + fx)} dx = \frac{(dx + c)^m c + (dx + c)^m dx + 2 \left( \int \frac{(dx+c)^m}{\tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 a^2 - 2 \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 ab + \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 b^2 - a^2 + b^2} dx \right) abdm + 2 \left( \int \frac{(dx+c)^m}{\tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 a^2 - 2 \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 ab + \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 b^2 - a^2 + b^2} dx \right) abdm}{(dx + c)^m c + (dx + c)^m dx + 2 \left( \int \frac{(dx+c)^m}{\tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 a^2 - 2 \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 ab + \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 b^2 - a^2 + b^2} dx \right) abdm + 2 \left( \int \frac{(dx+c)^m}{\tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 a^2 - 2 \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 ab + \tan\left(\frac{fx}{2}+\frac{e}{2}\right)^2 b^2 - a^2 + b^2} dx \right) abdm}$$

input `int((d*x+c)^m/(a+b*sec(f*x+e)),x)`

output `((c + d*x)**m*c + (c + d*x)**m*d*x + 2*int((c + d*x)**m/(tan((e + f*x)/2)*  
*2*a**2 - 2*tan((e + f*x)/2)**2*a*b + tan((e + f*x)/2)**2*b**2 - a**2 + b*  
*2),x)*a*b*d*m + 2*int((c + d*x)**m/(tan((e + f*x)/2)**2*a**2 - 2*tan((e +  
f*x)/2)**2*a*b + tan((e + f*x)/2)**2*b**2 - a**2 + b**2),x)*a*b*d - 2*int  
(c + d*x)**m/(tan((e + f*x)/2)**2*a**2 - 2*tan((e + f*x)/2)**2*a*b + tan(  
(e + f*x)/2)**2*b**2 - a**2 + b**2),x)*b**2*d*m - 2*int((c + d*x)**m/(tan(  
(e + f*x)/2)**2*a**2 - 2*tan((e + f*x)/2)**2*a*b + tan((e + f*x)/2)**2*b**  
2 - a**2 + b**2),x)*b**2*d)/(d*(a*m + a - b*m - b))`

# CHAPTER 4

## APPENDIX

4.1 Listing of Grading functions . . . . .	349
4.2 Links to plain text integration problems used in this report for each CAS .	367

### 4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

#### Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7,2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```
(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leaf
expnResult = ExpnType[result];
expnOptimal = ExpnType[optimal];
leafCountResult = LeafCount[result];
leafCountOptimal = LeafCount[optimal];

(*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
        If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
            If[leafCountResult<=2*leafCountOptimal,
                finalresult={"A","");
                ,(*ELSE*)
                finalresult={"B","Both result and optimal contain complex but leaf count
]
,(*ELSE*)
finalresult={"C","Result contains complex when optimal does not."}
]
,(*ELSE*)(*result does not contains complex*)
If[leafCountResult<=2*leafCountOptimal,
    finalresult={"A","");
,(*ELSE*)
finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
]
]
,(*ELSE*)(*expnResult>expnOptimal*)
If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
]
]
```

```
finalresult={"F","Contains unresolved integral."}
]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hypergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
If[AtomQ[expn],
  1,
  If[ListQ[expn],
    Max[Map[ExpnType, expn]],
    If[Head[expn] === Power,
      If[IntegerQ[expn[[2]]],
        ExpnType[expn[[1]]],
        If[Head[expn[[2]]] === Rational,
          If[IntegerQ[expn[[1]]] || Head[expn[[1]]] === Rational,
            1,
            Max[ExpnType[expn[[1]]], 2]],
          Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], 3]]],
      If[Head[expn] === Plus || Head[expn] === Times,
        Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
        If[ElementaryFunctionQ[Head[expn]],
          Max[3, ExpnType[expn[[1]]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
            If[HypergeometricFunctionQ[Head[expn]],
              Max[ExpnType[expn[[1]]], ExpnType[expn[[2]]], 3]]]]]]]]]
```

```
Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],  
If[AppellFunctionQ[Head[expn]],  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],  
If[Head[expn]==RootSum,  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],  
If[Head[expn]==Integrate || Head[expn]==Int,  
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],  
9]]]]]]]]]]]
```

```
ElementaryFunctionQ[func_] :=  
MemberQ[{  
Exp, Log,  
Sin, Cos, Tan, Cot, Sec, Csc,  
ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,  
Sinh, Cosh, Tanh, Coth, Sech, Csch,  
ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch  
} , func]
```

```
SpecialFunctionQ[func_] :=  
MemberQ[{  
Erf, Erfc, Erfi,  
FresnelS, FresnelC,  
ExpIntegralE, ExpIntegralEi, LogIntegral,  

```

```
HypergeometricFunctionQ[func_] :=  
MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]
```

```
AppellFunctionQ[func_] :=  
MemberQ[{AppellF1}, func]
```

## Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#           if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#           see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

leaf_count_result:=leafcount(result);
#do NOT call ExpnType() if leaf size is too large. Recursion problem
if leaf_count_result > 500000 then
    return "B","result has leaf size over 500,000. Avoiding possible recursion issue
fi;

leaf_count_optimal := leafcount(optimal);
ExpnType_result := ExpnType(result);
ExpnType_optimal := ExpnType(optimal);

if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
#   "F" if the result fails to integrate an expression that
#       is integrable
#   "C" if result involves higher level functions than necessary
#   "B" if result is more than twice the size of the optimal
```

```
#      antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf
                end if
            else #result contains complex but optimal is not
                if debug then
                    print("result contains complex but optimal is not");
                fi;
                return "C","Result contains complex when optimal does not.";
            fi;
        else # result do not contain complex
            # this assumes optimal do not as well. No check is needed here.
            if debug then
                print("result do not contain complex, this assumes optimal do not as well");
            fi;
```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                           convert(leaf_count_result,string),\"$ vs. \$2(", 
                           convert(leaf_count_optimal,string),")=",convert(2*leaf_co
                           fi;
            fi;
        else #ExpnType(result) > ExpnType(optimal)
            if debug then
                print("ExpnType(result) > ExpnType(optimal)");
            fi;
            return "C",cat("Result contains higher order function than in optimal. Order ",
                           convert(ExpnType_result,string)," vs. order ",
                           convert(ExpnType_optimal,string),"."));
        fi;

    end proc:

    #

    # is_contains_complex(result)
    # takes expressions and returns true if it contains "I" else false
    #
    #Nasser 032417
    is_contains_complex:= proc(expression)
        return (has(expression,I));
    end proc:

    # The following summarizes the type number assigned an expression
    # based on the functions it involves
    # 1 = rational function
    # 2 = algebraic function
    # 3 = elementary function
    # 4 = special function
    # 5 = hypergeometric function

```

```
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
    if type(expn,'atomic') then
        1
    elif type(expn,'list') then
        apply(max,map(ExpnType,expn))
    elif type(expn,'sqrt') then
        if type(op(1,expn),'rational') then
            1
        else
            max(2,ExpnType(op(1,expn)))
        end if
    elif type(expn,'`^`') then
        if type(op(2,expn),'integer') then
            ExpnType(op(1,expn))
        elif type(op(2,expn),'rational') then
            if type(op(1,expn),'rational') then
                1
            else
                max(2,ExpnType(op(1,expn)))
            end if
        else
            max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
        end if
    elif type(expn,'`+`') or type(expn,'`*`') then
        max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif ElementaryFunctionQ(op(0,expn)) then
        max(3,ExpnType(op(1,expn)))
    elif SpecialFunctionQ(op(0,expn)) then
        max(4,apply(max,map(ExpnType,[op(expn)])))
    elif HypergeometricFunctionQ(op(0,expn)) then
        max(5,apply(max,map(ExpnType,[op(expn)])))
    elif AppellFunctionQ(op(0,expn)) then
        max(6,apply(max,map(ExpnType,[op(expn)])))
    elif op(0,expn)='int' then
        max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
```

```
end if
end proc:

ElementaryFunctionQ := proc(func)
member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arccsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
member(func,[AppellF1])
end proc:

# u is a sum or product.  rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
if nops(u)=2 then
    op(2,u)
else
    apply(op(0,u),op(2..nops(u),u))
end if
end proc:

#leafcount(u) returns the number of nodes in u.
```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

## Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#          Port of original Maple grading function by
#          Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#          added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
    ]
```

```
def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False
    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`)
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+') or type(expn,'`*')
```

```

m1 = expnType(expn.args[0])
m2 = expnType(list(expn.args[1:]))
return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]]
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

#print ("Enter grade_antiderivative for sagemode")
#print("Enter grade_antiderivative, result=",result, " optimal=",optimal)

leaf_count_result = leaf_count(result)
leaf_count_optimal = leaf_count(optimal)

#print("leaf_count_result=",leaf_count_result)
#print("leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if str(result).find("Integral") != -1:
    grade = "F"
    grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. "+str(grade)
                else: #result contains complex but optimal is not
                    grade = "C"
                    grade_annotation = "Result contains complex when optimal does not."
            else: # result do not contain complex, this assumes optimal do not as well
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(grade)
            else:
                grade = "C"
                grade_annotation = "Result contains higher order function than in optimal. Order "+str(grade)

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

## SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
# Albert Rich to use with Sagemath. This is used to
# grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
# 'arctan2','floor','abs','log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
# issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```
from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    """
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
                        'sin','cos','tan','cot','sec','csc',
                        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
                        'sinh','cosh','tanh','coth','sech','csch',
                        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
                        'arctan2','floor','abs'
                       ]
    if debug:
```

```

if m:
    print ("func ", func , " is elementary_function")
else:
    print ("func ", func , " is NOT elementary_function")

return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral'
'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
'elliptic_pi','exp_integral_e','log_integral',
'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
'weierstrassPPrime','weierstrassSigma']

if debug:
    print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']  #[appellf1] can't find this in sagemath

def is_atom(expn):
    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__)
    return False


def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0], Rational)):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1], Integer)

```

```

    return expnType(expn.operands()[0])  #expnType(expn.args[0])
elif type(expn.operands()[1]) == Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0]) == Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0]))  #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))  #max(3,expnType(expn.args[0]),expnType(expn.args[1]))
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isinstance(expn,Mul)
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2)  #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
    return max(4,m1)  #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
    return max(5,m1)  #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
    return max(6,m1)  #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(expn.args)))
    return max(8,m1)  #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    if debug:
        print ("Enter grade_antiderivative for sageMath")
        print("Enter grade_antiderivative, result=",result)
        print("Enter grade_antiderivative, optimal=",optimal)
        print("type(anti)=",type(result))
        print("type(optimal)=",type(optimal))

```

```
leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation ="none"
            else:
                grade = "B"
                grade_annotation ="Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation ="Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation ="none"
        else:
            grade = "B"
            grade_annotation ="Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result)+"/"+str(leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation ="Result contains higher order function than in optimal. Order "+str(expnType_result)+"/"+str(expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation
```

## 4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file