

Computer Algebra Independent Integration Tests

Summer 2024

5-Inverse-trig-functions/5.4-Inverse-cotangent/281-5.4

Nasser M. Abbasi

May 17, 2024

Compiled on May 17, 2024 at 9:08pm

Contents

1	Introduction	5
1.1	Listing of CAS systems tested	6
1.2	Results	7
1.3	Time and leaf size Performance	11
1.4	Performance based on number of rules Rubi used	13
1.5	Performance based on number of steps Rubi used	14
1.6	Solved integrals histogram based on leaf size of result	15
1.7	Solved integrals histogram based on CPU time used	16
1.8	Leaf size vs. CPU time used	17
1.9	list of integrals with no known antiderivative	18
1.10	List of integrals solved by CAS but has no known antiderivative	18
1.11	list of integrals solved by CAS but failed verification	18
1.12	Timing	19
1.13	Verification	19
1.14	Important notes about some of the results	20
1.15	Current tree layout of integration tests	23
1.16	Design of the test system	24
2	detailed summary tables of results	25
2.1	List of integrals sorted by grade for each CAS	26
2.2	Detailed conclusion table per each integral for all CAS systems	30
2.3	Detailed conclusion table specific for Rubi results	52
3	Listing of integrals	56
3.1	$\int x^3 \cot^{-1}(a + bx^4) dx$	59
3.2	$\int x^{-1+n} \cot^{-1}(a + bx^n) dx$	65
3.3	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^n}{1-c^2x^2} dx$	71
3.4	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3}{1-c^2x^2} dx$	76
3.5	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2}{1-c^2x^2} dx$	85

3.6	$\int \frac{a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1-c^2x^2} dx$	94
3.7	$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)} dx$	100
3.8	$\int \frac{1}{(1-c^2x^2)\left(a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2} dx$	105
3.9	$\int \cot^{-1}(\tan(a+bx)) dx$	110
3.10	$\int x^2 \cot^{-1}(c+d \tan(a+bx)) dx$	115
3.11	$\int x \cot^{-1}(c+d \tan(a+bx)) dx$	127
3.12	$\int \cot^{-1}(c+d \tan(a+bx)) dx$	136
3.13	$\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$	144
3.14	$\int x^2 \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$	149
3.15	$\int x \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$	158
3.16	$\int \cot^{-1}(c+(1+ic) \tan(a+bx)) dx$	166
3.17	$\int \frac{\cot^{-1}(c+(1+ic) \tan(a+bx))}{x} dx$	174
3.18	$\int x^2 \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$	179
3.19	$\int x \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$	188
3.20	$\int \cot^{-1}(c-(1-ic) \tan(a+bx)) dx$	196
3.21	$\int \frac{\cot^{-1}(c-(1-ic) \tan(a+bx))}{x} dx$	204
3.22	$\int \cot^{-1}(\cot(a+bx)) dx$	209
3.23	$\int x^2 \cot^{-1}(c+d \cot(a+bx)) dx$	214
3.24	$\int x \cot^{-1}(c+d \cot(a+bx)) dx$	226
3.25	$\int \cot^{-1}(c+d \cot(a+bx)) dx$	235
3.26	$\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$	244
3.27	$\int x^2 \cot^{-1}(c+(1-ic) \cot(a+bx)) dx$	249
3.28	$\int x \cot^{-1}(c+(1-ic) \cot(a+bx)) dx$	258
3.29	$\int \cot^{-1}(c+(1-ic) \cot(a+bx)) dx$	266
3.30	$\int \frac{\cot^{-1}(c+(1-ic) \cot(a+bx))}{x} dx$	273
3.31	$\int x^2 \cot^{-1}(c-(1+ic) \cot(a+bx)) dx$	278
3.32	$\int x \cot^{-1}(c-(1+ic) \cot(a+bx)) dx$	287
3.33	$\int \cot^{-1}(c-(1+ic) \cot(a+bx)) dx$	295
3.34	$\int \frac{\cot^{-1}(c-(1+ic) \cot(a+bx))}{x} dx$	302
3.35	$\int (e+fx)^3 \cot^{-1}(\tanh(a+bx)) dx$	307
3.36	$\int (e+fx)^2 \cot^{-1}(\tanh(a+bx)) dx$	318
3.37	$\int (e+fx) \cot^{-1}(\tanh(a+bx)) dx$	327
3.38	$\int \cot^{-1}(\tanh(a+bx)) dx$	335
3.39	$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$	341
3.40	$\int x^2 \cot^{-1}(c+d \tanh(a+bx)) dx$	346
3.41	$\int x \cot^{-1}(c+d \tanh(a+bx)) dx$	356
3.42	$\int \cot^{-1}(c+d \tanh(a+bx)) dx$	365

3.43	$\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$	373
3.44	$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	378
3.45	$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	387
3.46	$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	395
3.47	$\int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx$	402
3.48	$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	407
3.49	$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	415
3.50	$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	423
3.51	$\int \frac{\cot^{-1}(c-(i-c) \tanh(a+bx))}{x} dx$	430
3.52	$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx$	435
3.53	$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx$	446
3.54	$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$	455
3.55	$\int \cot^{-1}(\coth(a + bx)) dx$	463
3.56	$\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$	469
3.57	$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx$	474
3.58	$\int x \cot^{-1}(c + d \coth(a + bx)) dx$	484
3.59	$\int \cot^{-1}(c + d \coth(a + bx)) dx$	493
3.60	$\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$	501
3.61	$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	506
3.62	$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	515
3.63	$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	523
3.64	$\int \frac{\cot^{-1}(c+(i+c) \coth(a+bx))}{x} dx$	530
3.65	$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	535
3.66	$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	544
3.67	$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	552
3.68	$\int \frac{\cot^{-1}(c-(i-c) \coth(a+bx))}{x} dx$	559
3.69	$\int \frac{(a+b \cot^{-1}(cx^n))(d+e \log(fx^m))}{x} dx$	564
3.70	$\int \cot^{-1}(e^x) dx$	570
3.71	$\int x \cot^{-1}(e^x) dx$	575
3.72	$\int x^2 \cot^{-1}(e^x) dx$	580
3.73	$\int \cot^{-1}(e^{a+bx}) dx$	586
3.74	$\int x \cot^{-1}(e^{a+bx}) dx$	592
3.75	$\int x^2 \cot^{-1}(e^{a+bx}) dx$	598
3.76	$\int \cot^{-1}(a + bf^{c+dx}) dx$	605
3.77	$\int x \cot^{-1}(a + bf^{c+dx}) dx$	612
3.78	$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx$	620
3.79	$\int e^{-x} \cot^{-1}(e^x) dx$	628
3.80	$\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx$	634

3.81	$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$	639
3.82	$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$	645
3.83	$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$	653
3.84	$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$	662
3.85	$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$	671
3.86	$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx$	679
4	Appendix	685
4.1	Listing of Grading functions	685
4.2	Links to plain text integration problems used in this report for each CAS703	

CHAPTER 1

INTRODUCTION

1.1	Listing of CAS systems tested	6
1.2	Results	7
1.3	Time and leaf size Performance	11
1.4	Performance based on number of rules Rubi used	13
1.5	Performance based on number of steps Rubi used	14
1.6	Solved integrals histogram based on leaf size of result	15
1.7	Solved integrals histogram based on CPU time used	16
1.8	Leaf size vs. CPU time used	17
1.9	list of integrals with no known antiderivative	18
1.10	List of integrals solved by CAS but has no known antiderivative	18
1.11	list of integrals solved by CAS but failed verification	18
1.12	Timing	19
1.13	Verification	19
1.14	Important notes about some of the results	20
1.15	Current tree layout of integration tests	23
1.16	Design of the test system	24

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [86]. This is test number [281].

1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 (86)	0.00 (0)
Maple	100.00 (86)	0.00 (0)
Mathematica	97.67 (84)	2.33 (2)
Fricas	96.51 (83)	3.49 (3)
Maxima	53.49 (46)	46.51 (40)
Mupad	33.72 (29)	66.28 (57)
Giac	33.72 (29)	66.28 (57)
Reduce	33.72 (29)	66.28 (57)
Sympy	11.63 (10)	88.37 (76)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	80.233	0.000	0.000	19.767
Mathematica	62.791	9.302	5.814	22.093
Maxima	31.395	9.302	0.000	59.302
Fricas	25.581	51.163	0.000	23.256
Maple	11.628	24.419	44.186	19.767
Giac	11.628	2.326	0.000	86.047
Sympy	4.651	1.163	0.000	94.186
Mupad	0.000	13.953	0.000	86.047
Reduce	0.000	13.953	0.000	86.047

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Maple	0	0.00	0.00	0.00
Mathematica	2	100.00	0.00	0.00
Fricas	3	100.00	0.00	0.00
Maxima	40	70.00	5.00	25.00
Mupad	57	0.00	100.00	0.00
Giac	57	92.98	7.02	0.00
Reduce	57	100.00	0.00	0.00
Sympy	76	38.16	28.95	32.89

Table 1.4: Failure statistics for each CAS

1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.13
Reduce	0.25
Maxima	0.64
Mathematica	0.65
Rubi	0.66
Mupad	1.06
Giac	6.04
Maple	6.37
Sympy	7.42

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Sympy	40.70	1.44	26.50	1.06
Mupad	51.17	1.26	22.00	1.13
Giac	53.24	1.17	22.00	1.13
Reduce	59.21	1.45	26.00	1.24
Maxima	129.57	1.64	81.00	1.04
Rubi	157.74	1.14	120.00	1.10
Mathematica	187.19	1.59	103.00	1.07
Fricas	368.39	2.30	199.00	2.01
Maple	1371.14	7.35	612.50	6.30

Table 1.6: Leaf size performance for each CAS

1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the y axis is the percentage solved which Rubi itself needed the number of rules given the x axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used

1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fracas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

1.9 list of integrals with no known antiderivative

{3, 7, 8, 13, 17, 21, 26, 30, 34, 39, 43, 47, 51, 56, 60, 64, 68}

1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {1, 2}

Mathematica {12, 16, 20, 25, 29, 33, 40, 41, 42, 57, 58}

Maple {10, 11, 14, 15, 18, 19, 23, 24, 27, 28, 31, 32, 35, 36, 37, 40, 41, 44, 45, 48, 49, 52, 53, 54, 57, 58, 61, 62, 65, 66, 69, 81, 82, 83, 84, 85, 86}

Maxima Verification phase not currently implemented.

Fricas Verification phase not currently implemented.

Sympy Verification phase not currently implemented.

Giac Verification phase not currently implemented.

Reduce Verification phase not currently implemented.

Mupad Verification phase not currently implemented.

1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each `integrate` call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int', int(expr,x)), output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the `integrate` command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals.

These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.14 Important notes about some of the results

Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'beselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



High level overview of the CAS independent integration test build system

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

The following fields are present only in Rubi Table file

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi
January 13, 2024
Design note

CHAPTER 2

DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS	26
2.2	Detailed conclusion table per each integral for all CAS systems	30
2.3	Detailed conclusion table specific for Rubi results	52

2.1 List of integrals sorted by grade for each CAS

Rubi	26
Mma	26
Maple	27
Fricas	27
Maxima	27
Giac	28
Mupad	28
Sympy	28
Reduce	29

Rubi

A grade { 1, 2, 4, 5, 6, 9, 10, 11, 12, 14, 15, 16, 18, 19, 20, 22, 23, 24, 25, 27, 28, 29, 31, 32, 33, 35, 36, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 52, 53, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86 }

B grade { }

C grade { }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Mma

A grade { 1, 2, 6, 9, 10, 11, 14, 15, 18, 19, 22, 23, 24, 27, 28, 31, 32, 36, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 53, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 86 }

B grade { 12, 16, 20, 25, 29, 33, 35, 52 }

C grade { 69, 82, 83, 84, 85 }

F normal fail { 4, 5 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maple

A grade { 1, 9, 22, 38, 55, 71, 72, 76, 79, 80 }

B grade { 4, 5, 6, 12, 16, 20, 25, 29, 33, 42, 46, 50, 59, 63, 67, 70, 73, 74, 75, 77, 78 }

C grade { 2, 10, 11, 14, 15, 18, 19, 23, 24, 27, 28, 31, 32, 35, 36, 37, 40, 41, 44, 45, 48, 49, 52, 53, 54, 57, 58, 61, 62, 65, 66, 69, 81, 82, 83, 84, 85, 86 }

F normal fail { }

F(-1) timedout fail { }

F(-2) exception fail { }

Fricas

A grade { 1, 2, 9, 22, 27, 28, 29, 31, 32, 33, 69, 71, 72, 75, 76, 77, 78, 79, 80, 83, 84, 86 }

B grade { 10, 11, 12, 14, 15, 16, 18, 19, 20, 23, 24, 25, 35, 36, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 52, 53, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 70, 73, 74, 81, 82, 85 }

C grade { }

F normal fail { 4, 5, 6 }

F(-1) timedout fail { }

F(-2) exception fail { }

Maxima

A grade { 1, 2, 9, 22, 44, 45, 46, 48, 49, 50, 61, 62, 63, 65, 66, 67, 70, 73, 76, 79, 80, 81, 82, 83, 84, 85, 86 }

B grade { 12, 14, 15, 16, 18, 19, 20, 25 }

C grade { }

F normal fail { 4, 5, 6, 10, 11, 23, 24, 35, 36, 37, 38, 40, 41, 42, 52, 53, 54, 55, 57, 58, 59, 69, 71, 72, 74, 75, 77, 78 }

F(-1) timedout fail { 13, 26 }

F(-2) exception fail { 17, 21, 27, 28, 29, 30, 31, 32, 33, 34 }

Giac

A grade { 2, 9, 22, 79, 80, 81, 82, 84, 85, 86 }

B grade { 1, 83 }

C grade { }

F normal fail { 4, 5, 6, 10, 11, 12, 14, 15, 16, 18, 19, 20, 23, 24, 25, 27, 28, 29, 31, 32, 33, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

F(-1) timedout fail { 35, 36, 52, 53 }

F(-2) exception fail { }

Mupad

A grade { }

B grade { 1, 2, 9, 22, 79, 80, 81, 82, 83, 84, 85, 86 }

C grade { }

F normal fail { }

F(-1) timedout fail { 4, 5, 6, 10, 11, 12, 14, 15, 16, 18, 19, 20, 23, 24, 25, 27, 28, 29, 31, 32, 33, 35, 36, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 52, 53, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

F(-2) exception fail { }

Sympy

A grade { 1, 22, 79, 80 }

B grade { 9 }

C grade { }

F normal fail { 4, 5, 6, 11, 12, 35, 36, 37, 38, 41, 42, 52, 53, 54, 55, 59, 70, 71, 72, 73, 74, 75, 76, 77, 78, 82, 83, 84, 86 }

F(-1) timedout fail { 10, 17, 21, 23, 24, 25, 26, 30, 34, 40, 43, 47, 51, 56, 57, 58, 60, 64, 68, 69, 81, 85 }

F(-2) exception fail { 2, 14, 15, 16, 18, 19, 20, 27, 28, 29, 31, 32, 33, 44, 45, 46, 48, 49, 50, 61, 62, 63, 65, 66, 67 }

Reduce

A grade { }

B grade { 1, 2, 9, 22, 79, 80, 81, 82, 83, 84, 85, 86 }

C grade { }

F normal fail { 4, 5, 6, 10, 11, 12, 14, 15, 16, 18, 19, 20, 23, 24, 25, 27, 28, 29, 31, 32, 33, 35, 36, 37, 38, 40, 41, 42, 44, 45, 46, 48, 49, 50, 52, 53, 54, 55, 57, 58, 59, 61, 62, 63, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78 }

F(-1) timedout fail { }

F(-2) exception fail { }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$. To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	B	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	34	37	37	35	51	60	127	215	230
N.S.	1	0.81	0.88	0.88	0.83	1.21	1.43	3.02	5.12	5.48
time (sec)	N/A	0.272	0.012	0.559	0.039	0.117	0.642	0.172	0.240	0.989

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	A	F(-2)	A	B	B
verified	N/A	No	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	36	40	149	38	56	0	60	56	58
N.S.	1	0.80	0.89	3.31	0.84	1.24	0.00	1.33	1.24	1.29
time (sec)	N/A	0.282	0.023	11.860	0.024	0.123	0.000	0.133	0.206	1.682

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	42	36	39	38	34	38	39	39
N.S.	1	1.00	1.05	0.90	0.98	0.95	0.85	0.95	0.98	0.98
time (sec)	N/A	0.247	0.130	0.549	0.816	0.145	4.228	0.245	0.630	1.212

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	488	486	0	1640	0	0	0	0	150	0
N.S.	1	1.00	0.00	3.36	0.00	0.00	0.00	0.00	0.31	0.00
time (sec)	N/A	1.119	0.000	0.789	0.000	0.000	0.000	0.000	0.220	0.000

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	F	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	N/A	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	321	323	0	903	0	0	0	0	108	0
N.S.	1	1.01	0.00	2.81	0.00	0.00	0.00	0.00	0.34	0.00
time (sec)	N/A	0.789	0.000	0.443	0.000	0.000	0.000	0.000	0.217	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	F	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	93	93	363	0	0	0	0	64	0
N.S.	1	0.95	0.95	3.70	0.00	0.00	0.00	0.00	0.65	0.00
time (sec)	N/A	0.333	0.028	0.278	0.000	0.000	0.000	0.000	0.202	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	42	36	39	48	61	38	63	39
N.S.	1	1.00	1.05	0.90	0.98	1.20	1.52	0.95	1.58	0.98
time (sec)	N/A	0.244	0.193	0.348	0.326	0.095	3.139	0.213	0.243	0.945

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	42	36	163	91	126	38	123	39
N.S.	1	1.00	1.05	0.90	4.08	2.28	3.15	0.95	3.08	0.98
time (sec)	N/A	0.240	0.883	0.369	0.404	0.089	6.808	0.324	0.238	1.768

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	20	17	15	48	30	21	21
N.S.	1	1.00	1.12	1.25	1.06	0.94	3.00	1.88	1.31	1.31
time (sec)	N/A	0.163	0.007	0.278	0.031	0.100	0.073	0.125	0.197	0.118

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	403	519	371	8038	0	1965	0	0	17	0
N.S.	1	1.29	0.92	19.95	0.00	4.88	0.00	0.00	0.04	0.00
time (sec)	N/A	1.551	2.260	42.097	0.000	0.193	0.000	0.000	0.205	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	305	396	281	7646	0	1545	0	0	15	0
N.S.	1	1.30	0.92	25.07	0.00	5.07	0.00	0.00	0.05	0.00
time (sec)	N/A	1.097	2.074	5.346	0.000	0.175	0.000	0.000	0.250	0.000

Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	277	549	1138	433	1101	0	0	13	0
N.S.	1	1.40	2.77	5.75	2.19	5.56	0.00	0.00	0.07	0.00
time (sec)	N/A	0.677	0.526	4.681	0.203	0.150	0.000	0.000	0.202	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	0	17	14	17	17	17
N.S.	1	1.00	1.13	1.00	0.00	1.13	0.93	1.13	1.13	1.13
time (sec)	N/A	0.298	0.299	0.325	0.000	0.091	54.617	0.912	0.194	0.893

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	154	198	136	1448	310	321	0	0	24	0
N.S.	1	1.29	0.88	9.40	2.01	2.08	0.00	0.00	0.16	0.00
time (sec)	N/A	0.804	0.170	3.227	0.094	0.130	0.000	0.000	0.227	0.000

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	123	155	110	1413	218	270	0	0	22	0
N.S.	1	1.26	0.89	11.49	1.77	2.20	0.00	0.00	0.18	0.00
time (sec)	N/A	0.635	0.077	2.254	0.054	0.106	0.000	0.000	0.223	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	107	967	562	455	199	0	0	20	0
N.S.	1	1.26	11.38	6.61	5.35	2.34	0.00	0.00	0.24	0.00
time (sec)	N/A	0.435	3.676	2.144	0.154	0.119	0.000	0.000	0.206	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-2)	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	23	19	0	36	0	21	24	22
N.S.	1	1.00	1.10	0.90	0.00	1.71	0.00	1.00	1.14	1.05
time (sec)	N/A	0.267	0.256	0.396	0.000	0.101	0.000	0.778	0.186	1.108

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	155	199	141	1449	312	321	0	0	26	0
N.S.	1	1.28	0.91	9.35	2.01	2.07	0.00	0.00	0.17	0.00
time (sec)	N/A	0.846	0.172	3.470	0.077	0.110	0.000	0.000	0.241	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	124	156	111	1414	220	270	0	0	24	0
N.S.	1	1.26	0.90	11.40	1.77	2.18	0.00	0.00	0.19	0.00
time (sec)	N/A	0.625	0.068	2.782	0.054	0.122	0.000	0.000	0.216	0.000

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	108	847	595	450	201	0	0	22	0
N.S.	1	1.26	9.85	6.92	5.23	2.34	0.00	0.00	0.26	0.00
time (sec)	N/A	0.434	2.004	2.436	0.137	0.101	0.000	0.000	0.201	0.000

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-2)	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	20	0	36	0	22	26	22
N.S.	1	1.00	1.09	0.91	0.00	1.64	0.00	1.00	1.18	1.00
time (sec)	N/A	0.339	0.621	0.546	0.000	0.104	0.000	0.830	0.198	1.196

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	17	10	10	19	10	14	16
N.S.	1	1.00	1.12	1.06	0.62	0.62	1.19	0.62	0.88	1.00
time (sec)	N/A	0.161	0.006	0.417	0.028	0.051	0.063	0.118	0.230	0.104

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	399	515	360	7868	0	1589	0	0	17	0
N.S.	1	1.29	0.90	19.72	0.00	3.98	0.00	0.00	0.04	0.00
time (sec)	N/A	1.520	2.144	46.439	0.000	0.277	0.000	0.000	0.206	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	303	394	275	7482	0	1289	0	0	15	0
N.S.	1	1.30	0.91	24.69	0.00	4.25	0.00	0.00	0.05	0.00
time (sec)	N/A	1.099	1.732	5.579	0.000	0.255	0.000	0.000	0.203	0.000

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	B	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	277	701	1146	532	965	0	0	13	0
N.S.	1	1.40	3.54	5.79	2.69	4.87	0.00	0.00	0.07	0.00
time (sec)	N/A	0.678	4.185	5.121	0.205	0.283	0.000	0.000	0.197	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-1)	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	0	17	0	17	17	17
N.S.	1	1.00	1.13	1.00	0.00	1.13	0.00	1.13	1.13	1.13
time (sec)	N/A	0.285	0.287	0.363	0.000	0.091	0.000	2.493	0.237	0.938

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	154	198	140	1448	0	174	0	0	37	0
N.S.	1	1.29	0.91	9.40	0.00	1.13	0.00	0.00	0.24	0.00
time (sec)	N/A	0.782	0.148	4.378	0.000	0.096	0.000	0.000	0.247	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	123	155	110	1413	0	152	0	0	35	0
N.S.	1	1.26	0.89	11.49	0.00	1.24	0.00	0.00	0.28	0.00
time (sec)	N/A	0.627	0.078	3.231	0.000	0.098	0.000	0.000	0.251	0.000

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	107	929	587	0	116	0	0	30	0
N.S.	1	1.26	10.93	6.91	0.00	1.36	0.00	0.00	0.35	0.00
time (sec)	N/A	0.459	3.834	1.181	0.000	0.111	0.000	0.000	0.228	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-2)	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	23	26	0	42	0	28	35	25
N.S.	1	1.00	1.10	1.24	0.00	2.00	0.00	1.33	1.67	1.19
time (sec)	N/A	0.274	0.301	0.201	0.000	0.099	0.000	1.832	0.214	1.515

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	155	199	136	1449	0	174	0	0	35	0
N.S.	1	1.28	0.88	9.35	0.00	1.12	0.00	0.00	0.23	0.00
time (sec)	N/A	0.823	0.165	4.198	0.000	0.102	0.000	0.000	0.243	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	124	156	110	1414	0	152	0	0	33	0
N.S.	1	1.26	0.89	11.40	0.00	1.23	0.00	0.00	0.27	0.00
time (sec)	N/A	0.637	0.084	2.876	0.000	0.107	0.000	0.000	0.251	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	B	F(-2)	A	F(-2)	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	108	872	630	0	116	0	0	28	0
N.S.	1	1.26	10.14	7.33	0.00	1.35	0.00	0.00	0.33	0.00
time (sec)	N/A	0.447	2.040	1.127	0.000	0.097	0.000	0.000	0.272	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	F(-2)	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	25	0	42	0	27	33	25
N.S.	1	1.00	1.09	1.14	0.00	1.91	0.00	1.23	1.50	1.14
time (sec)	N/A	0.297	0.292	0.192	0.000	0.086	0.000	2.201	0.232	1.507

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	C	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	299	327	600	3570	0	1460	0	0	67	0
N.S.	1	1.09	2.01	11.94	0.00	4.88	0.00	0.00	0.22	0.00
time (sec)	N/A	1.140	0.209	23.627	0.000	0.245	0.000	0.000	0.207	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	229	251	375	2668	0	1002	0	0	46	0
N.S.	1	1.10	1.64	11.65	0.00	4.38	0.00	0.00	0.20	0.00
time (sec)	N/A	0.844	0.120	15.365	0.000	0.181	0.000	0.000	0.199	0.000

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	159	175	237	1776	0	600	0	0	25	0
N.S.	1	1.10	1.49	11.17	0.00	3.77	0.00	0.00	0.16	0.00
time (sec)	N/A	0.665	0.085	2.405	0.000	0.150	0.000	0.000	0.226	0.000

Problem 38	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	79	91	106	0	334	0	0	9	0
N.S.	1	1.08	1.25	1.45	0.00	4.58	0.00	0.00	0.12	0.00
time (sec)	N/A	0.346	0.019	1.320	0.000	0.139	0.000	0.000	0.186	0.000

Problem 39	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	17	17	14	3	17	17
N.S.	1	1.00	1.13	1.00	1.13	1.13	0.93	0.20	1.13	1.13
time (sec)	N/A	0.231	0.953	0.374	1.556	0.143	3.399	73.833	0.196	0.803

Problem 40	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	355	441	438	6916	0	1289	0	0	17	0
N.S.	1	1.24	1.23	19.48	0.00	3.63	0.00	0.00	0.05	0.00
time (sec)	N/A	1.423	0.319	40.817	0.000	0.214	0.000	0.000	0.193	0.000

Problem 41	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	267	343	330	6566	0	1067	0	0	15	0
N.S.	1	1.28	1.24	24.59	0.00	4.00	0.00	0.00	0.06	0.00
time (sec)	N/A	1.050	0.693	5.811	0.000	0.197	0.000	0.000	0.208	0.000

Problem 42	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F	F	F(-1)
verified	N/A	Yes	No	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	174	237	288	352	0	825	0	0	13	0
N.S.	1	1.36	1.66	2.02	0.00	4.74	0.00	0.00	0.07	0.00
time (sec)	N/A	0.646	0.268	2.272	0.000	0.243	0.000	0.000	0.223	0.000

Problem 43	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	17	17	0	17	17	17
N.S.	1	1.00	1.13	1.00	1.13	1.13	0.00	1.13	1.13	1.13
time (sec)	N/A	0.287	3.480	0.203	1.373	0.099	0.000	0.405	0.199	0.888

Problem 44	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	142	167	134	1405	129	292	0	0	25	0
N.S.	1	1.18	0.94	9.89	0.91	2.06	0.00	0.00	0.18	0.00
time (sec)	N/A	0.822	0.137	1.925	1.446	0.112	0.000	0.000	0.206	0.000

Problem 45	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	113	132	103	1369	107	246	0	0	23	0
N.S.	1	1.17	0.91	12.12	0.95	2.18	0.00	0.00	0.20	0.00
time (sec)	N/A	0.635	0.054	1.128	1.430	0.119	0.000	0.000	0.224	0.000

Problem 46	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	93	71	544	80	186	0	0	21	0
N.S.	1	1.18	0.90	6.89	1.01	2.35	0.00	0.00	0.27	0.00
time (sec)	N/A	0.437	0.088	1.174	1.443	0.135	0.000	0.000	0.189	0.000

Problem 47	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	17	81	36	0	19	25	20
N.S.	1	1.00	1.11	0.89	4.26	1.89	0.00	1.00	1.32	1.05
time (sec)	N/A	0.293	2.802	0.298	0.775	0.094	0.000	0.187	0.207	0.994

Problem 48	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	145	170	134	1409	129	292	0	0	26	0
N.S.	1	1.17	0.92	9.72	0.89	2.01	0.00	0.00	0.18	0.00
time (sec)	N/A	0.778	0.140	2.158	1.591	0.151	0.000	0.000	0.197	0.000

Problem 49	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	116	136	103	1373	106	246	0	0	24	0
N.S.	1	1.17	0.89	11.84	0.91	2.12	0.00	0.00	0.21	0.00
time (sec)	N/A	0.617	0.074	1.377	1.401	0.142	0.000	0.000	0.236	0.000

Problem 50	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	95	71	517	80	186	0	0	22	0
N.S.	1	1.16	0.87	6.30	0.98	2.27	0.00	0.00	0.27	0.00
time (sec)	N/A	0.428	0.080	1.430	1.398	0.115	0.000	0.000	0.206	0.000

Problem 51	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	20	73	36	0	19	26	20
N.S.	1	1.00	1.09	0.91	3.32	1.64	0.00	0.86	1.18	0.91
time (sec)	N/A	0.296	2.800	0.450	0.547	0.113	0.000	0.183	0.192	1.027

Problem 52	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	C	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	299	327	600	3570	0	1460	0	0	67	0
N.S.	1	1.09	2.01	11.94	0.00	4.88	0.00	0.00	0.22	0.00
time (sec)	N/A	1.156	0.202	13.898	0.000	0.206	0.000	0.000	0.209	0.000

Problem 53	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F(-1)	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	229	251	375	2668	0	1002	0	0	46	0
N.S.	1	1.10	1.64	11.65	0.00	4.38	0.00	0.00	0.20	0.00
time (sec)	N/A	0.844	0.128	8.696	0.000	0.188	0.000	0.000	0.226	0.000

Problem 54	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	159	175	237	1776	0	600	0	0	25	0
N.S.	1	1.10	1.49	11.17	0.00	3.77	0.00	0.00	0.16	0.00
time (sec)	N/A	0.599	0.087	1.414	0.000	0.157	0.000	0.000	0.211	0.000

Problem 55	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	80	91	105	0	334	0	0	9	0
N.S.	1	1.08	1.23	1.42	0.00	4.51	0.00	0.00	0.12	0.00
time (sec)	N/A	0.344	0.022	0.752	0.000	0.161	0.000	0.000	0.185	0.000

Problem 56	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	17	17	0	3	17	17
N.S.	1	1.00	1.13	1.00	1.13	1.13	0.00	0.20	1.13	1.13
time (sec)	N/A	0.212	0.611	0.223	1.684	0.099	0.000	88.496	0.194	0.830

Problem 57	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	351	437	442	6844	0	1269	0	0	17	0
N.S.	1	1.25	1.26	19.50	0.00	3.62	0.00	0.00	0.05	0.00
time (sec)	N/A	1.419	0.318	23.303	0.000	0.205	0.000	0.000	0.216	0.000

Problem 58	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	F	B	F(-1)	F	F	F(-1)
verified	N/A	Yes	No	No	TBD	TBD	TBD	TBD	TBD	TBD
size	265	339	334	6494	0	1051	0	0	15	0
N.S.	1	1.28	1.26	24.51	0.00	3.97	0.00	0.00	0.06	0.00
time (sec)	N/A	1.053	0.835	3.809	0.000	0.204	0.000	0.000	0.206	0.000

Problem 59	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	174	237	287	352	0	813	0	0	13	0
N.S.	1	1.36	1.65	2.02	0.00	4.67	0.00	0.00	0.07	0.00
time (sec)	N/A	0.666	0.274	2.541	0.000	0.243	0.000	0.000	0.189	0.000

Problem 60	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	17	15	17	17	0	17	17	17
N.S.	1	1.00	1.13	1.00	1.13	1.13	0.00	1.13	1.13	1.13
time (sec)	N/A	0.285	3.379	0.213	1.070	0.100	0.000	0.375	0.193	0.859

Problem 61	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	142	167	134	1404	129	292	0	0	25	0
N.S.	1	1.18	0.94	9.89	0.91	2.06	0.00	0.00	0.18	0.00
time (sec)	N/A	0.805	0.143	2.028	1.462	0.111	0.000	0.000	0.228	0.000

Problem 62	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	113	133	103	1368	107	246	0	0	23	0
N.S.	1	1.18	0.91	12.11	0.95	2.18	0.00	0.00	0.20	0.00
time (sec)	N/A	0.620	0.068	1.202	1.440	0.102	0.000	0.000	0.204	0.000

Problem 63	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	93	71	544	80	186	0	0	21	0
N.S.	1	1.18	0.90	6.89	1.01	2.35	0.00	0.00	0.27	0.00
time (sec)	N/A	0.424	0.096	1.445	1.448	0.103	0.000	0.000	0.193	0.000

Problem 64	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	21	17	73	36	0	19	25	20
N.S.	1	1.00	1.11	0.89	3.84	1.89	0.00	1.00	1.32	1.05
time (sec)	N/A	0.278	2.734	0.358	0.549	0.087	0.000	0.175	0.187	1.023

Problem 65	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	145	170	134	1410	129	292	0	0	26	0
N.S.	1	1.17	0.92	9.72	0.89	2.01	0.00	0.00	0.18	0.00
time (sec)	N/A	0.794	0.139	2.308	1.405	0.098	0.000	0.000	0.223	0.000

Problem 66	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	116	135	103	1374	106	246	0	0	24	0
N.S.	1	1.16	0.89	11.84	0.91	2.12	0.00	0.00	0.21	0.00
time (sec)	N/A	0.624	0.075	1.500	1.516	0.101	0.000	0.000	0.199	0.000

Problem 67	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F(-2)	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	95	71	517	80	186	0	0	22	0
N.S.	1	1.16	0.87	6.30	0.98	2.27	0.00	0.00	0.27	0.00
time (sec)	N/A	0.427	0.089	1.472	1.453	0.094	0.000	0.000	0.192	0.000

Problem 68	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	F(-1)	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	24	20	81	36	0	19	26	20
N.S.	1	1.00	1.09	0.91	3.68	1.64	0.00	0.86	1.18	0.91
time (sec)	N/A	0.288	2.685	0.440	0.540	0.087	0.000	0.166	0.194	0.988

Problem 69	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	F	A	F(-1)	F	F	F(-1)
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	132	566	0	250	0	0	64	0
N.S.	1	1.00	0.71	3.03	0.00	1.34	0.00	0.00	0.34	0.00
time (sec)	N/A	0.842	0.221	196.373	0.000	0.123	0.000	0.000	0.223	0.000

Problem 70	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	59	53	34	40	0	0	6	0
N.S.	1	1.00	1.69	1.51	0.97	1.14	0.00	0.00	0.17	0.00
time (sec)	N/A	0.230	0.014	0.268	0.151	0.103	0.000	0.000	0.190	0.000

Problem 71	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	63	58	50	0	65	0	0	8	0
N.S.	1	0.89	0.82	0.70	0.00	0.92	0.00	0.00	0.11	0.00
time (sec)	N/A	0.347	0.009	0.371	0.000	0.103	0.000	0.000	0.191	0.000

Problem 72	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	105	92	76	0	87	0	0	10	0
N.S.	1	1.02	0.89	0.74	0.00	0.84	0.00	0.00	0.10	0.00
time (sec)	N/A	0.474	0.012	0.512	0.000	0.104	0.000	0.000	0.210	0.000

Problem 73	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	49	83	95	63	103	0	0	10	0
N.S.	1	0.96	1.63	1.86	1.24	2.02	0.00	0.00	0.20	0.00
time (sec)	N/A	0.239	0.035	0.232	0.172	0.106	0.000	0.000	0.265	0.000

Problem 74	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	B	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	97	83	355	0	151	0	0	12	0
N.S.	1	0.94	0.81	3.45	0.00	1.47	0.00	0.00	0.12	0.00
time (sec)	N/A	0.401	0.012	0.341	0.000	0.115	0.000	0.000	0.256	0.000

Problem 75	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	159	133	413	0	187	0	0	14	0
N.S.	1	1.05	0.88	2.74	0.00	1.24	0.00	0.00	0.09	0.00
time (sec)	N/A	0.582	0.016	0.407	0.000	0.108	0.000	0.000	0.278	0.000

Problem 76	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	196	177	167	162	189	212	0	0	14	0
N.S.	1	0.90	0.85	0.83	0.96	1.08	0.00	0.00	0.07	0.00
time (sec)	N/A	0.527	0.111	0.821	0.250	0.113	0.000	0.000	0.270	0.000

Problem 77	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	250	484	250	678	0	304	0	0	16	0
N.S.	1	1.94	1.00	2.71	0.00	1.22	0.00	0.00	0.06	0.00
time (sec)	N/A	4.222	0.267	0.817	0.000	0.128	0.000	0.000	0.269	0.000

Problem 78	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	F	A	F	F	F	F(-1)
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	313	621	313	764	0	378	0	0	18	0
N.S.	1	1.98	1.00	2.44	0.00	1.21	0.00	0.00	0.06	0.00
time (sec)	N/A	3.955	0.192	1.238	0.000	0.138	0.000	0.000	0.272	0.000

Problem 79	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	33	27	25	19	28	19	21	32	22
N.S.	1	1.22	1.00	0.93	0.70	1.04	0.70	0.78	1.19	0.81
time (sec)	N/A	0.219	0.014	0.095	0.037	0.102	1.052	0.130	0.263	0.115

Problem 80	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	17	17	17	14	17	15	12	18	15	15
N.S.	1	1.00	1.00	0.82	1.00	0.88	0.71	1.06	0.88	0.88
time (sec)	N/A	0.209	0.097	0.148	0.037	0.103	0.223	0.125	0.263	0.147

Problem 81	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	47	44	61	1281	47	131	0	65	63	65
N.S.	1	0.94	1.30	27.26	1.00	2.79	0.00	1.38	1.34	1.38
time (sec)	N/A	0.326	0.056	1.241	0.132	0.109	0.000	0.133	0.283	0.914

Problem 82	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	A	B	F	A	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	103	104	146	1354	131	276	0	155	173	133
N.S.	1	1.01	1.42	13.15	1.27	2.68	0.00	1.50	1.68	1.29
time (sec)	N/A	0.490	0.077	6.309	0.137	0.108	0.000	0.135	0.412	0.375

Problem 83	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	A	A	F	B	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	135	175	89	1323	167	210	0	239	169	164
N.S.	1	1.30	0.66	9.80	1.24	1.56	0.00	1.77	1.25	1.21
time (sec)	N/A	0.511	0.057	1.629	0.122	0.113	0.000	0.136	0.283	2.964

Problem 84	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	A	A	F	A	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	134	175	89	1323	167	210	0	236	169	164
N.S.	1	1.31	0.66	9.87	1.25	1.57	0.00	1.76	1.26	1.22
time (sec)	N/A	0.493	0.059	1.468	0.131	0.122	0.000	0.141	0.266	2.733

Problem 85	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	C	A	B	F(-1)	A	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	103	104	145	855	169	221	0	155	178	135
N.S.	1	1.01	1.41	8.30	1.64	2.15	0.00	1.50	1.73	1.31
time (sec)	N/A	0.477	0.075	6.106	0.162	0.115	0.000	0.120	0.377	1.113

Problem 86	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	A	F	A	B	B
verified	N/A	Yes	Yes	No	TBD	TBD	TBD	TBD	TBD	TBD
size	48	46	59	903	48	75	0	66	65	68
N.S.	1	0.96	1.23	18.81	1.00	1.56	0.00	1.38	1.35	1.42
time (sec)	N/A	0.324	0.050	1.244	0.139	0.114	0.000	0.134	0.318	0.877

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [70] had the largest ratio of [.7500000000000000000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	4	0.81	12	0.333
2	A	5	4	0.80	14	0.286
3	N/A	1	0	1.00	40	0.000
4	A	7	6	1.00	40	0.150
5	A	6	5	1.01	40	0.125
6	A	4	3	0.95	38	0.079
7	N/A	1	0	1.00	40	0.000
8	N/A	1	0	1.00	40	0.000
9	A	3	2	1.00	7	0.286
10	A	7	6	1.29	15	0.400
11	A	6	5	1.30	13	0.385
12	A	5	4	1.40	11	0.364
13	N/A	1	0	1.00	15	0.000
14	A	8	7	1.29	21	0.333
15	A	7	6	1.26	19	0.316
16	A	6	5	1.26	17	0.294
17	N/A	1	0	1.00	21	0.000
18	A	9	8	1.28	22	0.364
19	A	8	7	1.26	20	0.350
20	A	7	6	1.26	18	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
21	N/A	1	0	1.00	22	0.000
22	A	3	2	1.00	7	0.286
23	A	7	6	1.29	15	0.400
24	A	6	5	1.30	13	0.385
25	A	5	4	1.40	11	0.364
26	N/A	1	0	1.00	15	0.000
27	A	9	8	1.29	21	0.381
28	A	8	7	1.26	19	0.368
29	A	7	6	1.26	17	0.353
30	N/A	1	0	1.00	21	0.000
31	A	8	7	1.28	22	0.318
32	A	7	6	1.26	20	0.300
33	A	6	5	1.26	18	0.278
34	N/A	1	0	1.00	22	0.000
35	A	9	8	1.09	15	0.533
36	A	8	7	1.10	15	0.467
37	A	7	6	1.10	13	0.462
38	A	6	5	1.08	7	0.714
39	N/A	1	0	1.00	15	0.000
40	A	7	6	1.24	15	0.400
41	A	6	5	1.28	13	0.385
42	A	5	4	1.36	11	0.364
43	N/A	1	0	1.00	15	0.000
44	A	9	8	1.18	19	0.421
45	A	8	7	1.17	17	0.412
46	A	7	6	1.18	15	0.400
47	N/A	1	0	1.00	19	0.000
48	A	8	7	1.17	22	0.318
49	A	7	6	1.17	20	0.300
50	A	6	5	1.16	18	0.278
51	N/A	1	0	1.00	22	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
52	A	9	8	1.09	15	0.533
53	A	8	7	1.10	15	0.467
54	A	7	6	1.10	13	0.462
55	A	6	5	1.08	7	0.714
56	N/A	1	0	1.00	15	0.000
57	A	7	6	1.25	15	0.400
58	A	6	5	1.28	13	0.385
59	A	5	4	1.36	11	0.364
60	N/A	1	0	1.00	15	0.000
61	A	9	8	1.18	19	0.421
62	A	8	7	1.18	17	0.412
63	A	7	6	1.18	15	0.400
64	N/A	1	0	1.00	19	0.000
65	A	8	7	1.17	22	0.318
66	A	7	6	1.16	20	0.300
67	A	6	5	1.16	18	0.278
68	N/A	1	0	1.00	22	0.000
69	A	2	2	1.00	24	0.083
70	A	4	3	1.00	4	0.750
71	A	5	4	0.89	6	0.667
72	A	6	5	1.02	8	0.625
73	A	4	3	0.96	8	0.375
74	A	5	4	0.94	10	0.400
75	A	6	5	1.05	12	0.417
76	A	9	8	0.90	12	0.667
77	A	7	7	1.94	14	0.500
78	A	7	7	1.98	16	0.438
79	A	7	6	1.22	10	0.600
80	A	1	1	1.00	19	0.053
81	A	6	5	0.94	20	0.250
82	A	8	7	1.01	20	0.350
83	A	13	12	1.30	20	0.600

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
84	A	13	12	1.31	20	0.600
85	A	9	8	1.01	20	0.400
86	A	7	6	0.96	20	0.300

CHAPTER 3

LISTING OF INTEGRALS

3.1	$\int x^3 \cot^{-1}(a + bx^4) dx$	59
3.2	$\int x^{-1+n} \cot^{-1}(a + bx^n) dx$	65
3.3	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^n}{1-c^2x^2} dx$	71
3.4	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^3}{1-c^2x^2} dx$	76
3.5	$\int \frac{(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2}{1-c^2x^2} dx$	85
3.6	$\int \frac{a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}})}{1-c^2x^2} dx$	94
3.7	$\int \frac{1}{(1-c^2x^2)(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))} dx$	100
3.8	$\int \frac{1}{(1-c^2x^2)(a+b \cot^{-1}(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}))^2} dx$	105
3.9	$\int \cot^{-1}(\tan(a + bx)) dx$	110
3.10	$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx$	115
3.11	$\int x \cot^{-1}(c + d \tan(a + bx)) dx$	127
3.12	$\int \cot^{-1}(c + d \tan(a + bx)) dx$	136
3.13	$\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$	144
3.14	$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$	149
3.15	$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$	158
3.16	$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$	166
3.17	$\int \frac{\cot^{-1}(c+(1+ic) \tan(a+bx))}{x} dx$	174
3.18	$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$	179
3.19	$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$	188
3.20	$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$	196
3.21	$\int \frac{\cot^{-1}(c-(1-ic) \tan(a+bx))}{x} dx$	204
3.22	$\int \cot^{-1}(\cot(a + bx)) dx$	209
3.23	$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx$	214

3.24	$\int x \cot^{-1}(c + d \cot(a + bx)) dx$	226
3.25	$\int \cot^{-1}(c + d \cot(a + bx)) dx$	235
3.26	$\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$	244
3.27	$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$	249
3.28	$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$	258
3.29	$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$	266
3.30	$\int \frac{\cot^{-1}(c+(1-ic) \cot(a+bx))}{x} dx$	273
3.31	$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$	278
3.32	$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$	287
3.33	$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$	295
3.34	$\int \frac{\cot^{-1}(c-(1+ic) \cot(a+bx))}{x} dx$	302
3.35	$\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx$	307
3.36	$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx$	318
3.37	$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx$	327
3.38	$\int \cot^{-1}(\tanh(a + bx)) dx$	335
3.39	$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$	341
3.40	$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx$	346
3.41	$\int x \cot^{-1}(c + d \tanh(a + bx)) dx$	356
3.42	$\int \cot^{-1}(c + d \tanh(a + bx)) dx$	365
3.43	$\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$	373
3.44	$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	378
3.45	$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	387
3.46	$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$	395
3.47	$\int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx$	402
3.48	$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	407
3.49	$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	415
3.50	$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$	423
3.51	$\int \frac{\cot^{-1}(c-(i-c) \tanh(a+bx))}{x} dx$	430
3.52	$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx$	435
3.53	$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx$	446
3.54	$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$	455
3.55	$\int \cot^{-1}(\coth(a + bx)) dx$	463
3.56	$\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$	469
3.57	$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx$	474
3.58	$\int x \cot^{-1}(c + d \coth(a + bx)) dx$	484
3.59	$\int \cot^{-1}(c + d \coth(a + bx)) dx$	493
3.60	$\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$	501
3.61	$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	506

3.62	$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	515
3.63	$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$	523
3.64	$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx$	530
3.65	$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	535
3.66	$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	544
3.67	$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$	552
3.68	$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx$	559
3.69	$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$	564
3.70	$\int \cot^{-1}(e^x) dx$	570
3.71	$\int x \cot^{-1}(e^x) dx$	575
3.72	$\int x^2 \cot^{-1}(e^x) dx$	580
3.73	$\int \cot^{-1}(e^{a+bx}) dx$	586
3.74	$\int x \cot^{-1}(e^{a+bx}) dx$	592
3.75	$\int x^2 \cot^{-1}(e^{a+bx}) dx$	598
3.76	$\int \cot^{-1}(a + bf^{c+dx}) dx$	605
3.77	$\int x \cot^{-1}(a + bf^{c+dx}) dx$	612
3.78	$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx$	620
3.79	$\int e^{-x} \cot^{-1}(e^x) dx$	628
3.80	$\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx$	634
3.81	$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$	639
3.82	$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$	645
3.83	$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$	653
3.84	$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$	662
3.85	$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$	671
3.86	$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx$	679

3.1 $\int x^3 \cot^{-1}(a + bx^4) dx$

Optimal result	59
Mathematica [A] (verified)	59
Rubi [A] (warning: unable to verify)	60
Maple [A] (verified)	61
Fricas [A] (verification not implemented)	62
Sympy [A] (verification not implemented)	62
Maxima [A] (verification not implemented)	63
Giac [B] (verification not implemented)	63
Mupad [B] (verification not implemented)	64
Reduce [B] (verification not implemented)	64

Optimal result

Integrand size = 12, antiderivative size = 42

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{(a + bx^4) \cot^{-1}(a + bx^4)}{4b} + \frac{\log(1 + (a + bx^4)^2)}{8b}$$

output `1/4*(b*x^4+a)*arccot(b*x^4+a)/b+1/8*ln(1+(b*x^4+a)^2)/b`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.88

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{2(a + bx^4) \cot^{-1}(a + bx^4) + \log(1 + (a + bx^4)^2)}{8b}$$

input `Integrate[x^3*ArcCot[a + b*x^4],x]`

output `(2*(a + b*x^4)*ArcCot[a + b*x^4] + Log[1 + (a + b*x^4)^2])/(8*b)`

Rubi [A] (warning: unable to verify)

Time = 0.27 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.81, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {7266, 5563, 5346, 240}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^3 \cot^{-1}(a + bx^4) dx \\
 & \quad \downarrow \text{7266} \\
 & \frac{1}{4} \int \cot^{-1}(bx^4 + a) dx^4 \\
 & \quad \downarrow \text{5563} \\
 & \frac{\int \cot^{-1}(bx^4 + a) d(bx^4 + a)}{4b} \\
 & \quad \downarrow \text{5346} \\
 & \frac{\int \frac{bx^4+a}{x^8+1} d(bx^4 + a) + (a + bx^4) \cot^{-1}(a + bx^4)}{4b} \\
 & \quad \downarrow \text{240} \\
 & \frac{(a + bx^4) \cot^{-1}(a + bx^4) + \frac{1}{2} \log(x^8 + 1)}{4b}
 \end{aligned}$$

input `Int[x^3*ArcCot[a + b*x^4],x]`

output `((a + b*x^4)*ArcCot[a + b*x^4] + Log[1 + x^8]/2)/(4*b)`

Definitions of rubi rules used

rule 240 $\text{Int}[(x_)/((a_) + (b_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^2, x]]/(2*b), x] \text{ ; FreeQ}\{a, b\}, x]$

rule 5346 $\text{Int}(((a_) + \text{ArcCot}[(c_)*(x_)^(n_)]*(b_))^(p_), x_Symbol) \rightarrow \text{Simp}[x*(a + b*\text{ArcCot}[c*x^n])^p, x] + \text{Simp}[b*c*n*p \text{ Int}[x^n*((a + b*\text{ArcCot}[c*x^n])^(p-1))/(1 + c^2*x^(2*n))], x], x] \text{ ; FreeQ}\{a, b, c, n\}, x \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{EqQ}[p, 1])]$

rule 5563 $\text{Int}(((a_) + \text{ArcCot}[(c_) + (d_)*(x_)]*(b_))^(p_), x_Symbol) \rightarrow \text{Simp}[1/d \text{ Subst}[\text{Int}[(a + b*\text{ArcCot}[x])^p, x], x, c + d*x], x] \text{ ; FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{IGtQ}[p, 0]$

rule 7266 $\text{Int}[(u_)*(x_)^(m_), x_Symbol] \rightarrow \text{Simp}[1/(m + 1) \text{ Subst}[\text{Int}[\text{SubstFor}[x^(m+1), u, x], x], x, x^(m+1)], x] \text{ ; FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1] \ \&\& \ \text{FunctionOfQ}[x^(m+1), u, x]$

Maple [A] (verified)

Time = 0.56 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.88

method	result
derivativedivides	$\frac{\text{arccot}(bx^4+a)(bx^4+a) + \frac{\ln(1+(bx^4+a)^2)}{2}}{4b}$
default	$\frac{\text{arccot}(bx^4+a)(bx^4+a) + \frac{\ln(1+(bx^4+a)^2)}{2}}{4b}$
parallelrisch	$\frac{2 \text{arccot}(bx^4+a)x^4b^2 + 2a \text{arccot}(bx^4+a)b + \ln(b^2x^8 + 2abx^4 + a^2 + 1)b}{8b^2}$
parts	$\frac{x^4 \text{arccot}(bx^4+a)}{4} + b \left(\frac{\ln(b^2x^8 + 2abx^4 + a^2 + 1)}{8b^2} - \frac{a \arctan\left(\frac{2bx^4 + 2ab}{4b^2}\right)}{4b^2} \right)$
risch	$\frac{ix^4 \ln(1+i(bx^4+a))}{8} - \frac{ix^4 \ln(1-i(bx^4+a))}{8} + \frac{\pi x^4}{8} - \frac{a \arctan\left(\frac{bx^4}{a^2+1} + \frac{a^2bx^4}{a^2+1} + \frac{a^3}{a^2+1} + \frac{a}{a^2+1}\right)}{4b} + \frac{a \arctan(a)}{4b}$

input $\text{int}(x^3*\text{arccot}(b*x^4+a), x, \text{method}=_RETURNVERBOSE)$

output `1/4/b*(arccot(b*x^4+a)*(b*x^4+a)+1/2*ln(1+(b*x^4+a)^2))`

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 51, normalized size of antiderivative = 1.21

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{2bx^4 \operatorname{arccot}(bx^4 + a) - 2a \arctan(bx^4 + a) + \log(b^2x^8 + 2abx^4 + a^2 + 1)}{8b}$$

input `integrate(x^3*arccot(b*x^4+a),x, algorithm="fricas")`

output `1/8*(2*b*x^4*arccot(b*x^4 + a) - 2*a*arctan(b*x^4 + a) + log(b^2*x^8 + 2*a*b*x^4 + a^2 + 1))/b`

Sympy [A] (verification not implemented)

Time = 0.64 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.43

$$\int x^3 \cot^{-1}(a + bx^4) dx = \begin{cases} \frac{a \operatorname{acot}(a + bx^4)}{4b} + \frac{x^4 \operatorname{acot}(a + bx^4)}{4} + \frac{\log(a^2 + 2abx^4 + b^2x^8 + 1)}{8b} & \text{for } b \neq 0 \\ \frac{x^4 \operatorname{acot}(a)}{4} & \text{otherwise} \end{cases}$$

input `integrate(x**3*acot(b*x**4+a),x)`

output `Piecewise((a*acot(a + b*x**4)/(4*b) + x**4*acot(a + b*x**4)/4 + log(a**2 + 2*a*b*x**4 + b**2*x**8 + 1)/(8*b), Ne(b, 0)), (x**4*acot(a)/4, True))`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.83

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{2(bx^4 + a) \operatorname{arccot}(bx^4 + a) + \log((bx^4 + a)^2 + 1)}{8b}$$

input `integrate(x^3*arccot(b*x^4+a),x, algorithm="maxima")`

output `1/8*(2*(b*x^4 + a)*arccot(b*x^4 + a) + log((b*x^4 + a)^2 + 1))/b`

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 127 vs. $2(38) = 76$.

Time = 0.17 (sec) , antiderivative size = 127, normalized size of antiderivative = 3.02

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{\arctan\left(\frac{1}{bx^4+a}\right) \tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)^2 + \log\left(\frac{16 \tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)^2}{\tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)^4 + 2 \tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)^2 + 1}\right) \tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)}{8b \tan\left(\frac{1}{2} \arctan\left(\frac{1}{bx^4+a}\right)\right)}$$

input `integrate(x^3*arccot(b*x^4+a),x, algorithm="giac")`

output `-1/8*(arctan(1/(b*x^4 + a))*tan(1/2*arctan(1/(b*x^4 + a)))^2 + log(16*tan(1/2*arctan(1/(b*x^4 + a)))^2/(tan(1/2*arctan(1/(b*x^4 + a)))^4 + 2*tan(1/2*arctan(1/(b*x^4 + a)))^2 + 1))*tan(1/2*arctan(1/(b*x^4 + a)))) - arctan(1/(b*x^4 + a))/(b*tan(1/2*arctan(1/(b*x^4 + a))))`

Mupad [B] (verification not implemented)

Time = 0.99 (sec) , antiderivative size = 230, normalized size of antiderivative = 5.48

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{\ln(a^2 + 2abx^4 + b^2x^8 + 1)}{8b} + \frac{x^4 \operatorname{acot}(bx^4 + a)}{4} - \frac{a \operatorname{atan}\left(\frac{a}{a^6 + 3a^4 + 3a^2 + 1} + \frac{3a^3}{a^6 + 3a^4 + 3a^2 + 1} + \frac{3a^5}{a^6 + 3a^4 + 3a^2 + 1} + \frac{a^7}{a^6 + 3a^4 + 3a^2 + 1} + \frac{bx^4}{a^6 + 3a^4 + 3a^2 + 1} + \frac{3a^2bx^4}{a^6 + 3a^4 + 3a^2 + 1} + \frac{3a^4bx^4}{a^6 + 3a^4 + 3a^2 + 1}\right)}{4b}$$

input `int(x^3*acot(a + b*x^4),x)`output `log(a^2 + b^2*x^8 + 2*a*b*x^4 + 1)/(8*b) + (x^4*acot(a + b*x^4))/4 - (a*atan(a/(3*a^2 + 3*a^4 + a^6 + 1) + (3*a^3)/(3*a^2 + 3*a^4 + a^6 + 1) + (3*a^5)/(3*a^2 + 3*a^4 + a^6 + 1) + a^7/(3*a^2 + 3*a^4 + a^6 + 1) + (b*x^4)/(3*a^2 + 3*a^4 + a^6 + 1) + (3*a^2*b*x^4)/(3*a^2 + 3*a^4 + a^6 + 1) + (3*a^4*b*x^4)/(3*a^2 + 3*a^4 + a^6 + 1) + (a^6*b*x^4)/(3*a^2 + 3*a^4 + a^6 + 1)))/(4*b)`**Reduce [B] (verification not implemented)**

Time = 0.24 (sec) , antiderivative size = 215, normalized size of antiderivative = 5.12

$$\int x^3 \cot^{-1}(a + bx^4) dx = \frac{2a \operatorname{acot}(bx^4 + a)a + 2a \operatorname{acot}(bx^4 + a)bx^4 + \log\left((a^2 + 1)^{\frac{1}{4}} - b^{\frac{1}{4}}\sqrt{2(a^2 + 1)^{\frac{1}{4}} - \sqrt{\sqrt{a^2 + 1} - a}\sqrt{2}x + \sqrt{b}}\right)}{8b}$$

input `int(x^3*acot(b*x^4+a),x)`output `(2*acot(a + b*x**4)*a + 2*acot(a + b*x**4)*b*x**4 + log((a**2 + 1)**(1/4) - b**(1/4)*sqrt(2*(a**2 + 1)**(1/4) - sqrt(sqrt(a**2 + 1) - a)*sqrt(2))*x + sqrt(b)*x**2) + log((a**2 + 1)**(1/4) - b**(1/4)*sqrt(2*(a**2 + 1)**(1/4) + sqrt(sqrt(a**2 + 1) - a)*sqrt(2))*x + sqrt(b)*x**2) + log((a**2 + 1)**(1/4) + b**(1/4)*sqrt(2*(a**2 + 1)**(1/4) - sqrt(sqrt(a**2 + 1) - a)*sqrt(2))*x + sqrt(b)*x**2) + log((a**2 + 1)**(1/4) + b**(1/4)*sqrt(2*(a**2 + 1)**(1/4) + sqrt(sqrt(a**2 + 1) - a)*sqrt(2))*x + sqrt(b)*x**2))/(8*b)`

3.2 $\int x^{-1+n} \cot^{-1}(a + bx^n) dx$

Optimal result	65
Mathematica [A] (verified)	65
Rubi [A] (warning: unable to verify)	66
Maple [C] (verified)	67
Fricas [A] (verification not implemented)	68
Sympy [F(-2)]	68
Maxima [A] (verification not implemented)	68
Giac [A] (verification not implemented)	69
Mupad [B] (verification not implemented)	69
Reduce [B] (verification not implemented)	69

Optimal result

Integrand size = 14, antiderivative size = 45

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{(a + bx^n) \cot^{-1}(a + bx^n)}{bn} + \frac{\log(1 + (a + bx^n)^2)}{2bn}$$

output

```
(a+b*x^n)*arccot(a+b*x^n)/b/n+1/2*ln(1+(a+b*x^n)^2)/b/n
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.89

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{2(a + bx^n) \cot^{-1}(a + bx^n) + \log(1 + (a + bx^n)^2)}{2bn}$$

input

```
Integrate[x^(-1 + n)*ArcCot[a + b*x^n],x]
```

output

```
(2*(a + b*x^n)*ArcCot[a + b*x^n] + Log[1 + (a + b*x^n)^2])/(2*b*n)
```

Rubi [A] (warning: unable to verify)

Time = 0.28 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.80, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {7266, 5563, 5346, 240}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{array}{c}
 \int x^{n-1} \cot^{-1}(a + bx^n) dx \\
 \downarrow \text{7266} \\
 \frac{\int \cot^{-1}(bx^n + a) dx^n}{n} \\
 \downarrow \text{5563} \\
 \frac{\int \cot^{-1}(bx^n + a) d(bx^n + a)}{bn} \\
 \downarrow \text{5346} \\
 \frac{\int \frac{bx^n+a}{x^{2n}+1} d(bx^n + a) + (a + bx^n) \cot^{-1}(a + bx^n)}{bn} \\
 \downarrow \text{240} \\
 \frac{(a + bx^n) \cot^{-1}(a + bx^n) + \frac{1}{2} \log(x^{2n} + 1)}{bn}
 \end{array}$$

input `Int[x^(-1 + n)*ArcCot[a + b*x^n], x]`

output `((a + b*x^n)*ArcCot[a + b*x^n] + Log[1 + x^(2*n)]/2)/(b*n)`

Definitions of rubi rules used

rule 240 $\text{Int}[(x_)/((a_) + (b_)*(x_)^2), x_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^2, x]]/(2*b), x] /; \text{FreeQ}[\{a, b\}, x]$

rule 5346 $\text{Int}(((a_) + \text{ArcCot}[(c_)*(x_)^(n_)]*(b_))^(p_), x_Symbol) \rightarrow \text{Simp}[x*(a + b*\text{ArcCot}[c*x^n])^p, x] + \text{Simp}[b*c*n*p \text{Int}[x^n*((a + b*\text{ArcCot}[c*x^n])^(p-1)/(1 + c^2*x^(2*n))), x], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[n, 1] || \text{EqQ}[p, 1])$

rule 5563 $\text{Int}(((a_) + \text{ArcCot}[(c_) + (d_)*(x_)]*(b_))^(p_), x_Symbol) \rightarrow \text{Simp}[1/d \text{Subst}[\text{Int}[(a + b*\text{ArcCot}[x])^p, x], x, c + d*x], x] /; \text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{IGtQ}[p, 0]$

rule 7266 $\text{Int}[(u_)*(x_)^(m_), x_Symbol] \rightarrow \text{Simp}[1/(m + 1) \text{Subst}[\text{Int}[\text{SubstFor}[x^(m+1), u, x], x, x^(m+1)], x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1] \&\& \text{FunctionOfQ}[x^(m+1), u, x]$

Maple [C] (verified)

Result contains complex when optimal does not.

Time = 11.86 (sec) , antiderivative size = 149, normalized size of antiderivative = 3.31

method	result
risch	$\frac{ix^n \ln(1+i(a+bx^n))}{2n} - \frac{ix^n \ln(1-i(a+bx^n))}{2n} - \frac{i \ln\left(\frac{i+a}{b}+x^n\right)a}{2bn} + \frac{i \ln\left(x^n - \frac{i-a}{b}\right)a}{2bn} + \frac{\pi x^n}{2n} + \frac{\ln\left(\frac{i+a}{b}+x^n\right)}{2bn} + \frac{\ln\left(x^n - \frac{i-a}{b}\right)}{2bn}$

input $\text{int}(x^{(-1+n)}*\text{arccot}(a+b*x^n), x, \text{method}=_RETURNVERBOSE)$

output $\frac{1}{2}*I/n*x^n*\ln(1+I*(a+b*x^n))-1/2*I/n*x^n*\ln(1-I*(a+b*x^n))-1/2*I/b/n*\ln((I+a)/b+x^n)+a+1/2*I/b/n*\ln(x^n-(I-a)/b)+a+1/2/n*Pi*x^n+1/2/b/n*\ln((I+a)/b+x^n)+1/2/b/n*\ln(x^n-(I-a)/b)$

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.24

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{2bx^n \operatorname{arccot}(bx^n + a) - 2a \arctan(bx^n + a) + \log(b^2x^{2n} + 2abx^n + a^2 + 1)}{2bn}$$

input `integrate(x^(-1+n)*arccot(a+b*x^n),x, algorithm="fricas")`

output `1/2*(2*b*x^n*arccot(b*x^n + a) - 2*a*arctan(b*x^n + a) + log(b^2*x^(2*n) + 2*a*b*x^n + a^2 + 1))/(b*n)`

Sympy [F(-2)]

Exception generated.

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \text{Exception raised: HeuristicGCDFailed}$$

input `integrate(x**(-1+n)*acot(a+b*x**n),x)`

output `Exception raised: HeuristicGCDFailed >> no luck`

Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.84

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{2(bx^n + a) \operatorname{arccot}(bx^n + a) + \log((bx^n + a)^2 + 1)}{2bn}$$

input `integrate(x^(-1+n)*arccot(a+b*x^n),x, algorithm="maxima")`

output `1/2*(2*(b*x^n + a)*arccot(b*x^n + a) + log((b*x^n + a)^2 + 1))/(b*n)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 60, normalized size of antiderivative = 1.33

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{b \left(\frac{2(bx^n+a) \arctan\left(\frac{1}{bx^n+a}\right)}{b^2} + \frac{\log\left(\frac{1}{(bx^n+a)^2+1}\right)}{b^2} - \frac{\log\left(\frac{1}{(bx^n+a)^2}\right)}{b^2} \right)}{2n}$$

input `integrate(x^(-1+n)*arccot(a+b*x^n),x, algorithm="giac")`output `1/2*b*(2*(b*x^n + a)*arctan(1/(b*x^n + a))/b^2 + log(1/(b*x^n + a)^2 + 1)/b^2 - log((b*x^n + a)^(-2))/b^2)/n`**Mupad [B] (verification not implemented)**

Time = 1.68 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.29

$$\int x^{-1+n} \cot^{-1}(a + bx^n) dx = \frac{\frac{\ln(a^2+b^2x^{2n}+2abx^n+1)}{2}}{bn} + \frac{a \operatorname{acot}(a + bx^n)}{n} + \frac{x^n \operatorname{acot}(a + bx^n)}{n}$$

input `int(x^(n - 1)*acot(a + b*x^n),x)`output `(log(a^2 + b^2*x^(2*n) + 2*a*b*x^n + 1)/2 + a*acot(a + b*x^n))/(b*n) + (x^n*acot(a + b*x^n))/n`**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.24

$$\begin{aligned} & \int x^{-1+n} \cot^{-1}(a + bx^n) dx \\ &= \frac{2x^n \operatorname{acot}(x^n b + a) b + 2 \operatorname{acot}(x^n b + a) a + \log(x^{2n} b^2 + 2x^n a b + a^2 + 1)}{2bn} \end{aligned}$$

input `int(x^(-1+n)*acot(a+b*x^n),x)`

output
$$\frac{(2x^{n+1}\operatorname{acot}(x^n b + a)b + 2\operatorname{acot}(x^n b + a)a + \log(x^{2n}b^2 + 2x^{n+1}ab + a^2 + 1))/(2bn)}$$

$$3.3 \quad \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

Optimal result	71
Mathematica [N/A]	71
Rubi [N/A]	72
Maple [N/A]	72
Fricas [N/A]	73
Sympy [N/A]	73
Maxima [N/A]	74
Giac [N/A]	74
Mupad [N/A]	75
Reduce [N/A]	75

Optimal result

Integrand size = 40, antiderivative size = 40

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx = \text{Int} \left(\frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2}, x \right)$$

output `Defer(Int)((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)`

Mathematica [N/A]

Not integrable

Time = 0.13 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.05

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx = \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1-c^2x^2} dx$$

input `Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2),x]`

output `Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]`

Rubi [N/A]

Not integrable

Time = 0.25 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{1 - c^2x^2} dx$$

↓ 7234

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{1 - c^2x^2} dx$$

input

```
Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^n/(1 - c^2*x^2), x]
```

output

```
$Aborted
```

Maple [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.90

$$\int \frac{\left(a + b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^n}{-c^2x^2 + 1} dx$$

input

```
int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1), x)
```

output

```
int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1), x)
```

Fricas [N/A]

Not integrable

Time = 0.15 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.95

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="fricas")`

output `integral(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)`

Sympy [N/A]

Not integrable

Time = 4.23 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.85

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = - \int \frac{\left(a + b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)\right)^n}{c^2 x^2 - 1} dx$$

input `integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**n/(-c**2*x**2+1),x)`

output `-Integral((a + b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)))**n/(c**2*x**2 - 1), x)`

Maxima [N/A]

Not integrable

Time = 0.82 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="maxima")`

output `-integrate((b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)`

Giac [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.95

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^n}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x, algorithm="giac")`

output `integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^n/(c^2*x^2 - 1), x)`

Mupad [N/A]

Not integrable

Time = 1.21 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx = - \int \frac{\left(a + b \operatorname{acot}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^n}{c^2x^2 - 1} dx$$

input `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^n/(c^2*x^2 - 1),x)`

output `-int((a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^n/(c^2*x^2 - 1), x)`

Reduce [N/A]

Not integrable

Time = 0.63 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^n}{1 - c^2x^2} dx = - \left(\int \frac{\left(\operatorname{acot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) b + a\right)^n}{c^2x^2 - 1} dx \right)$$

input `int((a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^n/(-c^2*x^2+1),x)`

output `- int((acot(sqrt(- c*x + 1)/sqrt(c*x + 1))*b + a)**n/(c**2*x**2 - 1),x)`

$$3.4 \quad \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx$$

Optimal result	76
Mathematica [F]	77
Rubi [A] (verified)	77
Maple [B] (verified)	80
Fricas [F]	81
Sympy [F]	82
Maxima [F]	82
Giac [F]	83
Mupad [F(-1)]	83
Reduce [F]	83

Optimal result

Integrand size = 40, antiderivative size = 488

$$\begin{aligned} & \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1-c^2x^2} dx \\ &= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} \\ & \quad + \frac{3ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \operatorname{PolyLog}\left(2, 1 - \frac{2i}{i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c} \\ & \quad - \frac{3ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \operatorname{PolyLog}\left(2, 1 - \frac{2\sqrt{1-cx}}{\sqrt{1+cx}\left(i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}\right)}{2c} \\ & \quad + \frac{3b^2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \operatorname{PolyLog}\left(3, 1 - \frac{2i}{i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c} \\ & \quad - \frac{3b^2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \operatorname{PolyLog}\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{1+cx}\left(i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}\right)}{2c} \\ & \quad - \frac{3ib^3 \operatorname{PolyLog}\left(4, 1 - \frac{2i}{i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{4c} + \frac{3ib^3 \operatorname{PolyLog}\left(4, 1 - \frac{2\sqrt{1-cx}}{\sqrt{1+cx}\left(i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}\right)}{4c} \end{aligned}$$

output

```
-2*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3*arccoth(1-2/(1+I*(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c+3/2*I*b*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2*polylog(2,1-2*I/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c-3/2*I*b*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2*polylog(2,1-2*(-c*x+1)^(1/2)/(c*x+1)^(1/2)/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c+3/2*b^2*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2*polylog(3,1-2*I/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c-3/2*b^2*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2*polylog(3,1-2*(-c*x+1)^(1/2)/(c*x+1)^(1/2)/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c-3/4*I*b^3*polylog(4,1-2*I/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c+3/4*I*b^3*polylog(4,1-2*(-c*x+1)^(1/2)/(c*x+1)^(1/2)/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c
```

Mathematica [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx$$

input

```
Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]
```

output

```
Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]
```

Rubi [A] (verified)

Time = 1.12 (sec) , antiderivative size = 486, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {7232, 5358, 5524, 5528, 5532, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^3}{1 - c^2 x^2} dx$$

↓ 7232

$$\int \frac{\sqrt{cx+1} \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)^3}{\sqrt{1-cx}} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}}$$

c
↓ 5358

$$6b \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)^2 \coth^{-1} \left(1 - \frac{2}{\frac{i\sqrt{1-cx}}{\sqrt{cx+1}} + 1} \right)}{\frac{1-cx}{cx+1} + 1} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} + 2 \coth^{-1} \left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{cx+1}}} \right) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)^3$$

c
↓ 5524

$$6b \left(\frac{1}{2} \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)^2 \log \left(\frac{2\sqrt{1-cx}}{\sqrt{cx+1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i \right)} \right)}{\frac{1-cx}{cx+1} + 1} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)^2 \log \left(\frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right)}{\frac{1-cx}{cx+1} + 1} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) + 2c$$

c
↓ 5528

$$6b \left(\frac{1}{2} \left(-ib \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right) \text{PolyLog} \left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right)}{\frac{1-cx}{cx+1} + 1} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} i \text{PolyLog} \left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right) \right) \right)$$

↓ 5532

$$6b \left(\frac{1}{2} \left(-ib \left(-\frac{1}{2} ib \int \frac{\text{PolyLog} \left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right)}{\frac{1-cx}{cx+1} + 1} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} i \text{PolyLog} \left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right) \right) \right) \right)$$

↓ 7164

$$6b \left(\frac{1}{2} \left(-\frac{1}{2} i \text{PolyLog} \left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right) \right)^2 - ib \left(-\frac{1}{2} i \text{PolyLog} \left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i} \right) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right) \right) \right)$$

input

```
Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3/(1 - c^2*x^2), x]
```

output

```

-((2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^3*ArcCoth[1 - 2/(1 + (I*S
qrt[1 - c*x])/Sqrt[1 + c*x]]) + 6*b*(((1/2*I)*(a + b*ArcCot[Sqrt[1 - c*x]
/Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]])
- I*b*(((1/2*I)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[3, 1
- (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]]) - (b*PolyLog[4, 1 - (2*I)/(I +
Sqrt[1 - c*x]/Sqrt[1 + c*x]]))/4))/2 + ((I/2)*(a + b*ArcCot[Sqrt[1 - c*x]/
Sqrt[1 + c*x]])^2*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqr
t[1 - c*x]/Sqrt[1 + c*x]))] + I*b*(((1/2*I)*(a + b*ArcCot[Sqrt[1 - c*x]/Sq
rt[1 + c*x]])*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*x]*(I + Sqrt[1
- c*x]/Sqrt[1 + c*x]))] - (b*PolyLog[4, 1 - (2*Sqrt[1 - c*x])/(Sqrt[1 + c*
x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]))])/4))/2))/c

```

Defintions of rubi rules used

rule 5358

```

Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_/(x_), x_Symbol] := Simp[2*(a +
b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Simp[2*b*c*p Int[(a + b
*ArcCot[c*x])^(p - 1)*(ArcCoth[1 - 2/(1 + I*c*x)]/(1 + c^2*x^2)), x], x] /;
FreeQ[{a, b, c}, x] && IGtQ[p, 1]

```

rule 5524

```

Int[(ArcCoth[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_)/((d_) + (e_.)*(x
_)^2), x_Symbol] := Simp[1/2 Int[Log[SimplifyIntegrand[1 + 1/u, x]]*((a +
b*ArcCot[c*x])^p/(d + e*x^2)), x], x] - Simp[1/2 Int[Log[SimplifyIntegra
nd[1 - 1/u, x]]*((a + b*ArcCot[c*x])^p/(d + e*x^2)), x], x] /; FreeQ[{a, b,
c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - 2*(I/(I - c*
x)))^2, 0]

```

rule 5528

```

Int[(Log[u_]*((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^p_)/((d_) + (e_.)*(x_)^2
), x_Symbol] := Simp[I*(a + b*ArcCot[c*x])^p*(PolyLog[2, 1 - u]/(2*c*d)), x
] + Simp[b*p*(I/2 Int[(a + b*ArcCot[c*x])^(p - 1)*(PolyLog[2, 1 - u]/(d
+ e*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*
d] && EqQ[(1 - u)^2 - (1 - 2*(I/(I + c*x)))^2, 0]

```


rule 5532

```
Int[(((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*PolyLog[k_, u_])/((d_) + (e_.
)*(x_)^2), x_Symbol] := Simp[(-I)*(a + b*ArcCot[c*x])^p*(PolyLog[k + 1, u]/
(2*c*d)), x] - Simp[b*p*(I/2) Int[(a + b*ArcCot[c*x])^(p - 1)*(PolyLog[k
+ 1, u]/(d + e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, k}, x] && IGtQ[p, 0]
&& EqQ[e, c^2*d] && EqQ[u^2 - (1 - 2*(I/(I + c*x)))^2, 0]
```

rule 7164

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

rule 7232

```
Int[((a_.) + (b_.)*(F_)[((c_.)*Sqrt[(d_.) + (e_.)*(x_)])/Sqrt[(f_.) + (g_.)
*(x_)])^(n_.)/((A_.) + (C_.)*(x_)^2), x_Symbol] := Simp[2*e*(g/(C*(e*f - d
*g))) Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x]],
x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] &&
EqQ[e*f + d*g, 0] && IGtQ[n, 0]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1639 vs. $2(402) = 804$.

Time = 0.79 (sec) , antiderivative size = 1640, normalized size of antiderivative = 3.36

method	result	size
default	Expression too large to display	1640
parts	Expression too large to display	1640

input

```
int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x,method=_RE
TURNVERBOSE)
```

output

```

-1/2*a^3/c*ln(c*x-1)+1/2*a^3/c*ln(c*x+1)-b^3*(-1/c*arccot((-c*x+1)^(1/2)/(
c*x+1)^(1/2))^3*ln(1-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)
^(1/2))+3*I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))^2*polylog(2,(I+(-c*x+1)
^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-6/c*arccot((-c*x+1)^(1/2)
)/(c*x+1)^(1/2))*polylog(3,(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x
+1)+1)^(1/2))-6*I/c*polylog(4,(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(
c*x+1)+1)^(1/2))+1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))^3*ln(1+(I+(-c*x+
1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-3/2*I/c*arccot((-c*x+1)^(1
/2)/(c*x+1)^(1/2))^2*polylog(2,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+
1)/(c*x+1)+1))+3/2/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(3,-(I+(-
c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))+3/4*I/c*polylog(4,-(I+
(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/c*arccot((-c*x+1)^(
1/2)/(c*x+1)^(1/2))^3*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*
x+1)+1)^(1/2))+3*I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))^2*polylog(2,-(I+
(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-6/c*arccot((-c*x
+1)^(1/2)/(c*x+1)^(1/2))*polylog(3,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*
x+1)/(c*x+1)+1)^(1/2))-6*I/c*polylog(4,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/(-
c*x+1)/(c*x+1)+1)^(1/2))-3*a*b^2*(-1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1
/2))^2*ln(1-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+2
*I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,(I+(-c*x+1)^(1/2)/(...

```

Fricas [F]

$$\int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2x^2} dx = \int -\frac{\left(b \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^3}{c^2x^2 - 1} dx$$

input

```

integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, alg
orithm="fricas")

```

output

```

integral(-(b^3*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^3 + 3*a*b^2*arccot(sqrt
(-c*x + 1)/sqrt(c*x + 1))^2 + 3*a^2*b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)
) + a^3)/(c^2*x^2 - 1), x)

```

Sympy [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = - \int \frac{a^3}{c^2 x^2 - 1} dx - \int \frac{b^3 \operatorname{acot}^3 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2 x^2 - 1} dx$$

$$- \int \frac{3ab^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2 x^2 - 1} dx$$

$$- \int \frac{3a^2 b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2 x^2 - 1} dx$$

input `integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**3/(-c**2*x**2+1),x)`

output `-Integral(a**3/(c**2*x**2 - 1), x) - Integral(b**3*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**3/(c**2*x**2 - 1), x) - Integral(3*a*b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1), x) - Integral(3*a**2*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)`

Maxima [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = \int - \frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^3}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="maxima")`

output `1/2*a^3*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/64*(4*(b^3*log(c*x + 1) - b^3*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^3 - 3*(b^3*log(2)^2*log(c*x + 1) - b^3*log(2)^2*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + 64*c*integrate(-1/128*(112*b^3*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^3 + 384*a*b^2*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^2 + 3*(b^3*log(2)^2*log(c*x + 1) - b^3*log(2)^2*log(-c*x + 1) - 4*(b^3*log(c*x + 1) - b^3*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^2)*sqrt(c*x + 1)*sqrt(-c*x + 1) + 12*(b^3*log(2)^2 + 32*a^2*b)*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)))/(c^2*x^2 - 1), x)/c`

Giac [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^3}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x, algorithm="giac")`

output `integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^3/(c^2*x^2 - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx = \int -\frac{\left(a + b \operatorname{acot} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^3}{c^2 x^2 - 1} dx$$

input `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3/(c^2*x^2 - 1),x)`

output `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^3/(c^2*x^2 - 1), x)`

Reduce [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^3}{1 - c^2 x^2} dx$$

$$= \frac{-6 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2 x^2 - 1} dx \right) a^2 b c - 2 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^3}{c^2 x^2 - 1} dx \right) b^3 c - 6 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2}{c^2 x^2 - 1} dx \right) a b^2 c - \log(c^2 x - c) a^3}{2c}$$

input `int((a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^3/(-c^2*x^2+1),x)`

output

```
( - 6*int(acot(sqrt( - c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1),x)*a**2*b*c
- 2*int(acot(sqrt( - c*x + 1)/sqrt(c*x + 1))**3/(c**2*x**2 - 1),x)*b**3*c
- 6*int(acot(sqrt( - c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1),x)*a*b**2
*c - log(c**2*x - c)*a**3 + log(c**2*x + c)*a**3)/(2*c)
```

$$3.5 \quad \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1-c^2x^2} dx$$

Optimal result	85
Mathematica [F]	86
Rubi [A] (verified)	86
Maple [B] (verified)	89
Fricas [F]	90
Sympy [F]	91
Maxima [F]	91
Giac [F]	92
Mupad [F(-1)]	92
Reduce [F]	92

Optimal result

Integrand size = 40, antiderivative size = 321

$$\begin{aligned} & \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1-c^2x^2} dx \\ &= -\frac{2\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} \\ & \quad + \frac{ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \operatorname{PolyLog}\left(2, 1 - \frac{2i}{i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{c} \\ & \quad - \frac{ib\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right) \operatorname{PolyLog}\left(2, 1 - \frac{2\sqrt{1-cx}}{\sqrt{1+cx}\left(i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}\right)}{c} \\ & \quad + \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2i}{i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}}\right)}{2c} - \frac{b^2 \operatorname{PolyLog}\left(3, 1 - \frac{2\sqrt{1-cx}}{\sqrt{1+cx}\left(i + \frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}\right)}{2c} \end{aligned}$$

output

```
-2*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2*arccoth(1-2/(1+I*(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c+I*b*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,1-2*I/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c-I*b*(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,1-2*(-c*x+1)^(1/2)/(c*x+1)^(1/2)/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c+1/2*b^2*polylog(3,1-2*I/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c-1/2*b^2*polylog(3,1-2*(-c*x+1)^(1/2)/(c*x+1)^(1/2)/(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2)))/c
```

Mathematica [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx = \int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx$$

input

```
Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]
```

output

```
Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]
```

Rubi [A] (verified)

Time = 0.79 (sec) , antiderivative size = 323, normalized size of antiderivative = 1.01, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {7232, 5358, 5524, 5528, 7164}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{1 - c^2 x^2} dx$$

↓ 7232

$$-\frac{\int \frac{\sqrt{cx+1} \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{\sqrt{1-cx}} d\frac{\sqrt{1-cx}}{\sqrt{cx+1}}}{c}$$

↓ 5358

$$4b \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{cx+1}}}\right)}{\frac{1-cx}{cx+1} + 1} d\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + 2 \coth^{-1}\left(1 - \frac{2}{1 + \frac{i\sqrt{1-cx}}{\sqrt{cx+1}}}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2$$

↓ 5524

$$4b \left(\frac{1}{2} \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) \log\left(\frac{2\sqrt{1-cx}}{\sqrt{cx+1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i\right)}\right)}{\frac{1-cx}{cx+1} + 1} d\frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} \int \frac{\left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) \log\left(\frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)}{\frac{1-cx}{cx+1} + 1} d\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) + 2 \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)$$

↓ 5528

$$4b \left(\frac{1}{2} \left(-\frac{1}{2} i b \int \frac{\text{PolyLog}\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right)}{\frac{1-cx}{cx+1} + 1} d\frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} i \text{PolyLog}\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) \right) + \frac{1}{2} \left(\frac{1}{2} \right)$$

↓ 7164

$$4b \left(\frac{1}{2} \left(-\frac{1}{2} i \text{PolyLog}\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) - \frac{1}{4} b \text{PolyLog}\left(3, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \right) + \frac{1}{2} \left(\frac{1}{2} i \text{PolyLog}\left(2, 1 - \frac{2i}{\frac{\sqrt{1-cx}}{\sqrt{cx+1}} + i}\right) \left(a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right) \right) \right)$$

input

```
Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2/(1 - c^2*x^2), x]
```

output

```

-((2*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2*ArcCoth[1 - 2/(1 + (I*Sqrt[1 - c*x])/Sqrt[1 + c*x]]) + 4*b*((( -1/2*I)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]]) - (b*PolyLog[3, 1 - (2*I)/(I + Sqrt[1 - c*x]/Sqrt[1 + c*x]])/4)/2 + ((I/2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])*PolyLog[2, 1 - (2*Sqrt[1 - c*x])/Sqrt[1 + c*x]])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])) + (b*PolyLog[3, 1 - (2*Sqrt[1 - c*x])/Sqrt[1 + c*x]])/(Sqrt[1 + c*x]*(I + Sqrt[1 - c*x]/Sqrt[1 + c*x])))/4)/2))/c
    
```


Definitions of rubi rules used

rule 5358

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_)/(x_), x_Symbol] := Simp[2*(a +
b*ArcCot[c*x])^p*ArcCoth[1 - 2/(1 + I*c*x)], x] + Simp[2*b*c*p Int[(a + b
*ArcCot[c*x])^(p - 1)*(ArcCoth[1 - 2/(1 + I*c*x)]/(1 + c^2*x^2)), x], x] /;
FreeQ[{a, b, c}, x] && IGtQ[p, 1]
```

rule 5524

```
Int[(ArcCoth[u_]*)((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_)/((d_) + (e_.)*(x
_)^2), x_Symbol] := Simp[1/2 Int[Log[SimplifyIntegrand[1 + 1/u, x]]*((a +
b*ArcCot[c*x])^p/(d + e*x^2)), x], x] - Simp[1/2 Int[Log[SimplifyIntegra
nd[1 - 1/u, x]]*((a + b*ArcCot[c*x])^p/(d + e*x^2)), x], x] /; FreeQ[{a, b,
c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*d] && EqQ[u^2 - (1 - 2*(I/(I - c*
x)))^2, 0]
```

rule 5528

```
Int[(Log[u_]*)((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_)/((d_) + (e_.)*(x_)^2
), x_Symbol] := Simp[I*(a + b*ArcCot[c*x])^p*(PolyLog[2, 1 - u]/(2*c*d)), x
] + Simp[b*p*(I/2 Int[(a + b*ArcCot[c*x])^(p - 1)*(PolyLog[2, 1 - u]/(d
+ e*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[e, c^2*
d] && EqQ[(1 - u)^2 - (1 - 2*(I/(I + c*x)))^2, 0]
```

rule 7164

```
Int[(u_)*PolyLog[n_, v_], x_Symbol] := With[{w = DerivativeDivides[v, u*v,
x]}, Simp[w*PolyLog[n + 1, v], x] /; !FalseQ[w]] /; FreeQ[n, x]
```

rule 7232

```
Int[((a_.) + (b_.)*(F_)[((c_.)*Sqrt[(d_.) + (e_.)*(x_)])/Sqrt[(f_.) + (g_.)
*(x_)])^(n_)/((A_.) + (C_.)*(x_)^2), x_Symbol] := Simp[2*e*(g/(C*(e*f - d
*g))) Subst[Int[(a + b*F[c*x])^n/x, x], x, Sqrt[d + e*x]/Sqrt[f + g*x]],
x] /; FreeQ[{a, b, c, d, e, f, g, A, C, F}, x] && EqQ[C*d*f - A*e*g, 0] &&
EqQ[e*f + d*g, 0] && IGtQ[n, 0]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 902 vs. $2(268) = 536$.

Time = 0.44 (sec) , antiderivative size = 903, normalized size of antiderivative = 2.81

method	result
default	$-\frac{a^2 \ln(cx-1)}{2c} + \frac{a^2 \ln(cx+1)}{2c} - b^2 \left(-\frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 \ln\left(1 - \frac{i + \sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} + \frac{2i \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) \operatorname{polylog}\left(2, \frac{i + \sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} \right)$
parts	$-\frac{a^2 \ln(cx-1)}{2c} + \frac{a^2 \ln(cx+1)}{2c} - b^2 \left(-\frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2 \ln\left(1 - \frac{i + \sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} + \frac{2i \operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) \operatorname{polylog}\left(2, \frac{i + \sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} \right)$

input

```
int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x,method=_RE
TURNVERBOSE)
```

output

```

-1/2*a^2/c*ln(c*x-1)+1/2*a^2/c*ln(c*x+1)-b^2*(-1/c*arccot((-c*x+1)^(1/2)/(
c*x+1)^(1/2))^2*ln(1-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)
^(1/2))+2*I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,(I+(-c*x+1)^(
1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-2/c*polylog(3,(I+(-c*x+1)^(
1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+1/c*arccot((-c*x+1)^(1/2)
/(c*x+1)^(1/2))^2*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1
)+1))-I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,-(I+(-c*x+1)^(1/2)
)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1)+1/2/c*polylog(3,-(I+(-c*x+1)^(1/2)
)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/c*arccot((-c*x+1)^(1/2)/(c*x+1)
^(1/2))^2*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2)
)+2*I/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*polylog(2,-(I+(-c*x+1)^(1/2)/
(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-2/c*polylog(3,-(I+(-c*x+1)^(1/2)
)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))-2*a*b*(-1/c*arccot((-c*x+1)^(
1/2)/(c*x+1)^(1/2))*ln(1-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+
1)+1)^(1/2))+I/c*polylog(2,(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x
+1)+1)^(1/2))+1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1
/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/2*I/c*polylog(2,-(I+(-c*x+1)^(
1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/c*arccot((-c*x+1)^(1/2)/(c*
x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1
/2))+I/c*polylog(2,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1...

```

Fricas [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^2}{c^2 x^2 - 1} dx$$

input

```

integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, alg
orithm="fricas")

```

output

```

integral(-(b^2*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 + 2*a*b*arccot(sqrt(
-c*x + 1)/sqrt(c*x + 1)) + a^2)/(c^2*x^2 - 1), x)

```

Sympy [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = - \int \frac{a^2}{c^2x^2 - 1} dx - \int \frac{b^2 \operatorname{acot}^2 \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2x^2 - 1} dx - \int \frac{2ab \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2x^2 - 1} dx$$

input `integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2/(-c**2*x**2+1),x)`

output `-Integral(a**2/(c**2*x**2 - 1), x) - Integral(b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1), x) - Integral(2*a*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)`

Maxima [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2x^2} dx = \int - \frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^2}{c^2x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="maxima")`

output `1/2*a^2*(log(c*x + 1)/c - log(c*x - 1)/c) - 1/32*(b^2*log(2)^2*log(c*x + 1) - b^2*log(2)^2*log(-c*x + 1) - 4*(b^2*log(c*x + 1) - b^2*log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1))^2 - (b^2*(log(c*x + 1)/c - log(c*x - 1)/c)*log(2)^2 + 64*b^2*integrate(1/16*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan(sqrt(c*x + 1)/sqrt(-c*x + 1))*log(c*x + 1)/(c^2*x^2 - 1), x) - 64*b^2*integrate(1/16*sqrt(c*x + 1)*sqrt(-c*x + 1)*arctan(sqrt(c*x + 1)/sqrt(-c*x + 1))*log(-c*x + 1)/(c^2*x^2 - 1), x) - 384*b^2*integrate(1/16*arctan(sqrt(c*x + 1)/sqrt(-c*x + 1))^2/(c^2*x^2 - 1), x) - 1024*a*b*integrate(1/16*arctan(sqrt(c*x + 1)/sqrt(-c*x + 1))/(c^2*x^2 - 1), x))*c)/c`

Giac [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx = \int -\frac{\left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) + a\right)^2}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x, algorithm="giac")`

output `integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^2/(c^2*x^2 - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx = \int -\frac{\left(a + b \operatorname{acot} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}}\right)\right)^2}{c^2 x^2 - 1} dx$$

input `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2/(c^2*x^2 - 1),x)`

output `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2/(c^2*x^2 - 1), x)`

Reduce [F]

$$\int \frac{\left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)\right)^2}{1 - c^2 x^2} dx$$

$$= \frac{-4 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c^2 x^2 - 1} dx \right) abc - 2 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)^2}{c^2 x^2 - 1} dx \right) b^2 c - \log(c^2 x - c) a^2 + \log(c^2 x + c) a^2}{2c}$$

input `int((a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2/(-c^2*x^2+1),x)`

output

```
( - 4*int(acot(sqrt( - c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1),x)*a*b*c -  
2*int(acot(sqrt( - c*x + 1)/sqrt(c*x + 1))**2/(c**2*x**2 - 1),x)*b**2*c -  
log(c**2*x - c)*a**2 + log(c**2*x + c)*a**2)/(2*c)
```

$$3.6 \quad \int \frac{a+b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1-c^2x^2} dx$$

Optimal result	94
Mathematica [A] (verified)	94
Rubi [A] (verified)	95
Maple [B] (verified)	96
Fricas [F]	97
Sympy [F]	97
Maxima [F]	98
Giac [F]	98
Mupad [F(-1)]	98
Reduce [F]	99

Optimal result

Integrand size = 38, antiderivative size = 98

$$\int \frac{a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = -\frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{c} + \frac{ib \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right)}{2c} - \frac{ib \operatorname{PolyLog}\left(2, \frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right)}{2c}$$

output

```
-a*ln((-c*x+1)^(1/2)/(c*x+1)^(1/2))/c+1/2*I*b*polylog(2,-I*(c*x+1)^(1/2)/(-c*x+1)^(1/2))/c-1/2*I*b*polylog(2,I*(c*x+1)^(1/2)/(-c*x+1)^(1/2))/c
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.95

$$\int \frac{a + b \cot^{-1}\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right)}{1 - c^2x^2} dx = -\frac{a \log\left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right) - \frac{1}{2}ib \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right) + \frac{1}{2}ib \operatorname{PolyLog}\left(2, \frac{i\sqrt{1+cx}}{\sqrt{1-cx}}\right)}{c}$$

input `Integrate[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(1 - c^2*x^2),x]`

output `-((a*Log[Sqrt[1 - c*x]/Sqrt[1 + c*x]] - (I/2)*b*PolyLog[2, ((-I)*Sqrt[1 + c*x])/Sqrt[1 - c*x]] + (I/2)*b*PolyLog[2, (I*Sqrt[1 + c*x])/Sqrt[1 - c*x]])/c)`

Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.95, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$, Rules used = {7232, 5356, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right)}{1 - c^2 x^2} dx \\
 & \quad \downarrow \text{7232} \\
 & \int \frac{\sqrt{cx+1} \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) \right)}{\sqrt{1-cx}} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} \\
 & \quad \downarrow \text{5356} \\
 & \frac{\frac{1}{2} ib \int \frac{\sqrt{cx+1} \log \left(1 - \frac{i\sqrt{cx+1}}{\sqrt{1-cx}} \right)}{\sqrt{1-cx}} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} - \frac{1}{2} ib \int \frac{\sqrt{cx+1} \log \left(\frac{i\sqrt{cx+1}}{\sqrt{1-cx}} + 1 \right)}{\sqrt{1-cx}} d \frac{\sqrt{1-cx}}{\sqrt{cx+1}} + a \log \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right)}{c} \\
 & \quad \downarrow \text{2838} \\
 & \frac{a \log \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right) - \frac{1}{2} ib \text{PolyLog} \left(2, -\frac{i\sqrt{cx+1}}{\sqrt{1-cx}} \right) + \frac{1}{2} ib \text{PolyLog} \left(2, \frac{i\sqrt{cx+1}}{\sqrt{1-cx}} \right)}{c}
 \end{aligned}$$

input `Int[(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])/(1 - c^2*x^2),x]`

output $-\left(\frac{a \operatorname{Log}\left[\frac{\sqrt{1-cx}}{\sqrt{1+cx}}\right] - \frac{1}{2} b \operatorname{PolyLog}\left[2, \frac{(-1)\sqrt{1+cx}}{\sqrt{1-cx}}\right]}{\sqrt{1-cx}} + \frac{1}{2} b \operatorname{PolyLog}\left[2, \frac{1\sqrt{1+cx}}{\sqrt{1-cx}}\right]\right) / c$

Defintions of rubi rules used

rule 2838 $\operatorname{Int}\left[\frac{\operatorname{Log}\left[(c_)\left((d_)+(e_)(x_)^{n_}\right)\right]}{(x_)}, x_Symbol\right] \rightarrow \operatorname{Simp}\left[-\operatorname{PolyLog}\left[2, (-c)*e*x^n/n, x\right] /; \operatorname{FreeQ}\{c, d, e, n\}, x\right] \&\& \operatorname{EqQ}\{c*d, 1\}$

rule 5356 $\operatorname{Int}\left[\frac{(a_)+\operatorname{ArcCot}\left[(c_)(x_)\right](b_)}{(x_)}, x_Symbol\right] \rightarrow \operatorname{Simp}\left[a*\operatorname{Log}[x], x\right] + \left(-\operatorname{Simp}\left[\frac{I*(b/2)}{x}, x\right] \operatorname{Int}\left[\frac{\operatorname{Log}\left[1+I/(c*x)\right]}{x}, x\right] + \operatorname{Simp}\left[\frac{I*(b/2)}{x}, x\right] \operatorname{Int}\left[\frac{\operatorname{Log}\left[1-I/(c*x)\right]}{x}, x\right]\right) /; \operatorname{FreeQ}\{a, b, c\}, x\right]$

rule 7232 $\operatorname{Int}\left[\frac{(a_)+(b_)(F_)\left[\frac{(c_)\sqrt{(d_)+(e_)(x_)}}{\sqrt{(f_)+(g_)(x_)}\right]}{(A_)+(C_)(x_)^2}, x_Symbol\right] \rightarrow \operatorname{Simp}\left[2*e*(g/(C*(e*f-d*g))) \operatorname{Subst}\left[\operatorname{Int}\left[\frac{(a+b*F[c*x])^n}{x}, x\right], x, \frac{\sqrt{d+e*x}}{\sqrt{f+g*x}}\right], x\right] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g, A, C, F\}, x\right] \&\& \operatorname{EqQ}\{C*d*f-A*e*g, 0\} \&\& \operatorname{EqQ}\{e*f+d*g, 0\} \&\& \operatorname{IGtQ}\{n, 0\}$

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 362 vs. 2(78) = 156.

Time = 0.28 (sec) , antiderivative size = 363, normalized size of antiderivative = 3.70

method	result
default	$-\frac{a \ln(cx-1)}{2c} + \frac{a \ln(cx+1)}{2c} - b \left(-\frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) \ln\left(1 - \frac{i + \frac{\sqrt{-cx+1}}{\sqrt{cx+1}}}{\sqrt{\frac{-cx+1}{cx+1} + 1}}\right)}{c} + \frac{i \operatorname{polylog}\left(2, \frac{i + \frac{\sqrt{-cx+1}}{\sqrt{cx+1}}}{\sqrt{\frac{-cx+1}{cx+1} + 1}}\right)}{c} + \frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} \right)$
parts	$-\frac{a \ln(cx-1)}{2c} + \frac{a \ln(cx+1)}{2c} - b \left(-\frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right) \ln\left(1 - \frac{i + \frac{\sqrt{-cx+1}}{\sqrt{cx+1}}}{\sqrt{\frac{-cx+1}{cx+1} + 1}}\right)}{c} + \frac{i \operatorname{polylog}\left(2, \frac{i + \frac{\sqrt{-cx+1}}{\sqrt{cx+1}}}{\sqrt{\frac{-cx+1}{cx+1} + 1}}\right)}{c} + \frac{\operatorname{arccot}\left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}}\right)}{c} \right)$

input `int((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x,method=_RETURNVERBOSE)`

output `-1/2*a/c*ln(c*x-1)+1/2*a/c*ln(c*x+1)-b*(-1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+I/c*polylog(2,(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/2*I/c*polylog(2,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))^2/((-c*x+1)/(c*x+1)+1))-1/c*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))*ln(1+(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))+I/c*polylog(2,-(I+(-c*x+1)^(1/2)/(c*x+1)^(1/2))/((-c*x+1)/(c*x+1)+1)^(1/2))`

Fricas [F]

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = \int -\frac{b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x,algorithm="fricas")`

output `integral(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)/(c^2*x^2 - 1), x)`

Sympy [F]

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = - \int \frac{a}{c^2 x^2 - 1} dx - \int \frac{b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2 x^2 - 1} dx$$

input `integrate((a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))/(-c**2*x**2+1),x)`

output `-Integral(a/(c**2*x**2 - 1), x) - Integral(b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))/(c**2*x**2 - 1), x)`

Maxima [F]

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = \int -\frac{b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorith="maxima")`

output `1/2*a*(log(c*x + 1)/c - log(c*x - 1)/c) + 1/2*((log(c*x + 1) - log(-c*x + 1))*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + 2*c*integrate(1/2*(e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(c*x + 1) - e^(1/2*log(c*x + 1) + 1/2*log(-c*x + 1))*log(-c*x + 1))/((c^2*x^2 - 1)*(c*x + 1) - (c^2*x^2 - 1)*(c*x - 1)), x))*b/c`

Giac [F]

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = \int -\frac{b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a}{c^2 x^2 - 1} dx$$

input `integrate((a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1),x, algorith="giac")`

output `integrate(-(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)/(c^2*x^2 - 1), x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = \int -\frac{a + b \operatorname{acot} \left(\frac{\sqrt{1-cx}}{\sqrt{cx+1}} \right)}{c^2 x^2 - 1} dx$$

input `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))/(-c^2*x^2 - 1),x)`

output `int(-(a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))/(c^2*x^2 - 1), x)`

Reduce [F]

$$\int \frac{a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right)}{1 - c^2 x^2} dx = \frac{-2 \left(\int \frac{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)}{c^2 x^2 - 1} dx \right) bc - \log(c^2 x - c) a + \log(c^2 x + c) a}{2c}$$

input `int((a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))/(-c^2*x^2+1), x)`

output `(- 2*int(acot(sqrt(- c*x + 1)/sqrt(c*x + 1)))/(c**2*x**2 - 1), x)*b*c - lo
g(c**2*x - c)*a + log(c**2*x + c)*a)/(2*c)`

$$3.7 \quad \int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx$$

Optimal result	100
Mathematica [N/A]	100
Rubi [N/A]	101
Maple [N/A]	101
Fricas [N/A]	102
Sympy [N/A]	102
Maxima [N/A]	103
Giac [N/A]	103
Mupad [N/A]	104
Reduce [N/A]	104

Optimal result

Integrand size = 40, antiderivative size = 40

$$\int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \text{Int} \left(\frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)}, x \right)$$

output

```
Defer(Int)(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)
```

Mathematica [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.05

$$\int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx$$

input

```
Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])),x]
```

output

```
Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])), x
]
```

Rubi [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)} dx$$

↓ 7234

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)} dx$$

input

```
Int[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])),x]
```

output

```
$Aborted
```

Maple [N/A]

Not integrable

Time = 0.35 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.90

$$\int \frac{1}{(-c^2 x^2 + 1) \left(a + b \operatorname{arccot} \left(\frac{\sqrt{-cx + 1}}{\sqrt{cx + 1}} \right) \right)} dx$$

input

```
int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)
```

output `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.20

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \int -\frac{1}{(c^2 x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)} dx$$

input `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="fricas")`

output `integral(-1/(a*c^2*x^2 + (b*c^2*x^2 - b)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - a), x)`

Sympy [N/A]

Not integrable

Time = 3.14 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.52

$$\begin{aligned} & \int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx \\ &= - \int \frac{1}{ac^2 x^2 - a + bc^2 x^2 \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) - b \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)} dx \end{aligned}$$

input `integrate(1/(-c**2*x**2+1)/(a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2))),x)`

output `-Integral(1/(a*c**2*x**2 - a + b*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))), x)`

Maxima [N/A]

Not integrable

Time = 0.33 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \int -\frac{1}{(c^2 x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)} dx$$

input `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="maxima")`

output `-integrate(1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)), x)`

Giac [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.95

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)} dx = \int -\frac{1}{(c^2 x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)} dx$$

input `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x, algorithm="giac")`

output `integrate(-1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)), x)`

Mupad [N/A]

Not integrable

Time = 0.94 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx = - \int \frac{1}{\left(a + b \operatorname{acot} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right) (c^2 x^2 - 1)} dx$$

input `int(-1/((a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))*(c^2*x^2 - 1)),x)`

output `-int(1/((a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))*(c^2*x^2 - 1)), x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.58

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)} dx$$

$$= - \left(\int \frac{1}{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) b c^2 x^2 - \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) b + a c^2 x^2 - a} dx \right)$$

input `int(1/(-c^2*x^2+1)/(a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2))),x)`

output `- int(1/(acot(sqrt(-c*x + 1)/sqrt(c*x + 1))*b*c**2*x**2 - acot(sqrt(-c*x + 1)/sqrt(c*x + 1))*b + a*c**2*x**2 - a),x)`

$$3.8 \quad \int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx$$

Optimal result	105
Mathematica [N/A]	105
Rubi [N/A]	106
Maple [N/A]	106
Fricas [N/A]	107
Sympy [N/A]	107
Maxima [N/A]	108
Giac [N/A]	108
Mupad [N/A]	109
Reduce [N/A]	109

Optimal result

Integrand size = 40, antiderivative size = 40

$$\int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \text{Int} \left(\frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2}, x \right)$$

output

```
Defer(Int)(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)
```

Mathematica [N/A]

Not integrable

Time = 0.88 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.05

$$\int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \int \frac{1}{(1-c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx$$

input

```
Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2), x]
```

output

```
Integrate[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2),
x]
```

Rubi [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2} dx$$

↓ 7234

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2} dx$$

input

```
Int[1/((1 - c^2*x^2)*(a + b*ArcCot[Sqrt[1 - c*x]/Sqrt[1 + c*x]])^2),x]
```

output

```
$Aborted
```

Maple [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.90

$$\int \frac{1}{(-c^2 x^2 + 1) \left(a + b \operatorname{arccot} \left(\frac{\sqrt{-cx + 1}}{\sqrt{cx + 1}} \right) \right)^2} dx$$

input

```
int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)
```

output `int(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 91, normalized size of antiderivative = 2.28

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \int -\frac{1}{(c^2 x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)^2} dx$$

input `integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="fricas")`

output `integral(-1/(a^2*c^2*x^2 + (b^2*c^2*x^2 - b^2)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))^2 - a^2 + 2*(a*b*c^2*x^2 - a*b)*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1))), x)`

Sympy [N/A]

Not integrable

Time = 6.81 (sec) , antiderivative size = 126, normalized size of antiderivative = 3.15

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx =$$

$$- \int \frac{1}{a^2 c^2 x^2 - a^2 + 2 a b c^2 x^2 \operatorname{acot} \left(\frac{\sqrt{-c x + 1}}{\sqrt{c x + 1}} \right) - 2 a b \operatorname{acot} \left(\frac{\sqrt{-c x + 1}}{\sqrt{c x + 1}} \right) + b^2 c^2 x^2 \operatorname{acot}^2 \left(\frac{\sqrt{-c x + 1}}{\sqrt{c x + 1}} \right) - b^2 \operatorname{acot}^2 \left(\frac{\sqrt{-c x + 1}}{\sqrt{c x + 1}} \right)}$$

input `integrate(1/(-c**2*x**2+1)/(a+b*acot((-c*x+1)**(1/2)/(c*x+1)**(1/2)))**2,x)`

output

```
-Integral(1/(a**2*c**2*x**2 - a**2 + 2*a*b*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) - 2*a*b*acot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + b**2*c**2*x**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2 - b**2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2), x)
```

Maxima [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 163, normalized size of antiderivative = 4.08

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \int -\frac{1}{(c^2x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)^2} dx$$

input

```
integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="maxima")
```

output

```
-2*(2*(b^2*c^2*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + a*b*c^2)*sqrt(c*x + 1)*sqrt(-c*x + 1)*integrate(1/2*x/((a*b*c^2*x^2 - a*b + (b^2*c^2*x^2 - b^2)*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)))*sqrt(c*x + 1)*sqrt(-c*x + 1)), x) + 1)/((b^2*c*arctan2(sqrt(c*x + 1), sqrt(-c*x + 1)) + a*b*c)*sqrt(c*x + 1)*sqrt(-c*x + 1))
```

Giac [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 38, normalized size of antiderivative = 0.95

$$\int \frac{1}{(1 - c^2x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1-cx}}{\sqrt{1+cx}} \right) \right)^2} dx = \int -\frac{1}{(c^2x^2 - 1) \left(b \operatorname{arccot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) + a \right)^2} dx$$

input

```
integrate(1/(-c^2*x^2+1)/(a+b*arccot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x, algorithm="giac")
```

output

```
integrate(-1/((c^2*x^2 - 1)*(b*arccot(sqrt(-c*x + 1)/sqrt(c*x + 1)) + a)^2), x)
```

Mupad [N/A]

Not integrable

Time = 1.77 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.98

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^2} dx = - \int \frac{1}{\left(a + b \operatorname{acot} \left(\frac{\sqrt{1 - cx}}{\sqrt{cx + 1}} \right) \right)^2 (c^2 x^2 - 1)} dx$$

input

```
int(-1/((a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2*(c^2*x^2 - 1)),x)
```

output

```
-int(1/((a + b*acot((1 - c*x)^(1/2)/(c*x + 1)^(1/2)))^2*(c^2*x^2 - 1)), x)
```

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 123, normalized size of antiderivative = 3.08

$$\int \frac{1}{(1 - c^2 x^2) \left(a + b \cot^{-1} \left(\frac{\sqrt{1 - cx}}{\sqrt{1 + cx}} \right) \right)^2} dx =$$

$$- \left(\int \frac{1}{\operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 b^2 c^2 x^2 - \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right)^2 b^2 + 2 \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) ab c^2 x^2 - 2 \operatorname{acot} \left(\frac{\sqrt{-cx+1}}{\sqrt{cx+1}} \right) ab + a^2} \right)$$

input

```
int(1/(-c^2*x^2+1)/(a+b*acot((-c*x+1)^(1/2)/(c*x+1)^(1/2)))^2,x)
```

output

```
- int(1/(acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2*b**2*c**2*x**2 - acot(sqrt(-c*x + 1)/sqrt(c*x + 1))**2*b**2 + 2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))*a*b*c**2*x**2 - 2*acot(sqrt(-c*x + 1)/sqrt(c*x + 1))*a*b + a**2*c**2*x**2 - a**2),x)
```

3.9 $\int \cot^{-1}(\tan(a + bx)) dx$

Optimal result	110
Mathematica [A] (verified)	110
Rubi [A] (verified)	111
Maple [A] (verified)	112
Fricas [A] (verification not implemented)	112
Sympy [B] (verification not implemented)	113
Maxima [A] (verification not implemented)	113
Giac [A] (verification not implemented)	113
Mupad [B] (verification not implemented)	114
Reduce [B] (verification not implemented)	114

Optimal result

Integrand size = 7, antiderivative size = 16

$$\int \cot^{-1}(\tan(a + bx)) dx = -\frac{\cot^{-1}(\tan(a + bx))^2}{2b}$$

output `-1/2*(1/2*Pi-arctan(tan(b*x+a)))^2/b`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \cot^{-1}(\tan(a + bx)) dx = \frac{bx^2}{2} + x \cot^{-1}(\tan(a + bx))$$

input `Integrate[ArcCot[Tan[a + b*x]],x]`

output `(b*x^2)/2 + x*ArcCot[Tan[a + b*x]]`

Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2588, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(\tan(a + bx)) dx$$

$$\downarrow \text{2588}$$

$$\frac{\int \cot^{-1}(\tan(a + bx)) d \cot^{-1}(\tan(a + bx))}{b}$$

$$\downarrow \text{15}$$

$$\frac{\cot^{-1}(\tan(a + bx))^2}{2b}$$

input

```
Int[ArcCot[Tan[a + b*x]],x]
```

output

```
-1/2*ArcCot[Tan[a + b*x]]^2/b
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] :> Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2588

```
Int[(u_)^(m_.), x_Symbol] :> With[{c = Simplify[D[u, x]]}, Simp[1/c Subst
[Int[x^m, x], x, u], x]] /; FreeQ[m, x] && PiecewiseLinearQ[u, x]
```


Maple [A] (verified)

Time = 0.28 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.25

method	result
default	$\frac{\pi x}{2} - \frac{\arctan(\tan(bx+a))^2}{2b}$
parts	$\frac{\pi x}{2} - \frac{\arctan(\tan(bx+a))^2}{2b}$
parallelrisch	$\frac{x^2 b}{2} - \arctan(\tan(bx+a))x + \frac{\pi x}{2}$
derivativedivides	$\frac{\pi \arctan(\tan(bx+a)) - \arctan(\tan(bx+a))^2}{2b}$
risch	$\frac{\pi x}{2} + ix \ln(e^{i(bx+a)}) + \frac{\pi x \operatorname{csgn}\left(\frac{i}{e^{2i(bx+a)}+1}\right) \operatorname{csgn}(ie^{2i(bx+a)}) \operatorname{csgn}\left(\frac{ie^{2i(bx+a)}}{e^{2i(bx+a)}+1}\right)}{4} - \frac{\pi x \operatorname{csgn}\left(\frac{i}{e^{2i(bx+a)}+1}\right)}{4}$

input `int(1/2*Pi-arctan(tan(b*x+a)),x,method=_RETURNVERBOSE)`

output `1/2*Pi*x-1/2/b*arctan(tan(b*x+a))^2`

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \cot^{-1}(\tan(a+bx)) dx = -\frac{1}{2}bx^2 + \frac{1}{2}(\pi - 2a)x$$

input `integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="fricas")`

output `-1/2*b*x^2 + 1/2*(pi - 2*a)*x`

Sympy [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 44 vs. $2(17) = 34$.

Time = 0.07 (sec) , antiderivative size = 48, normalized size of antiderivative = 3.00

$$\int \cot^{-1}(\tan(a + bx)) dx = \frac{\pi x}{2} - \begin{cases} \frac{\left(\operatorname{atan}(\tan(a + bx)) + \pi \left\lfloor \frac{a + bx - \frac{\pi}{2}}{\pi} \right\rfloor\right)^2}{2b} & \text{for } b \neq 0 \\ x \left(\operatorname{atan}(\tan(a)) + \pi \left\lfloor \frac{a - \frac{\pi}{2}}{\pi} \right\rfloor\right) & \text{otherwise} \end{cases}$$

input `integrate(1/2*pi-atan(tan(b*x+a)),x)`

output `pi*x/2 - Piecewise(((atan(tan(a + b*x)) + pi*floor((a + b*x - pi/2)/pi))**2/(2*b), Ne(b, 0)), (x*(atan(tan(a)) + pi*floor((a - pi/2)/pi)), True))`

Maxima [A] (verification not implemented)

Time = 0.03 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.06

$$\int \cot^{-1}(\tan(a + bx)) dx = \frac{1}{2} \pi x - \frac{(bx + a)^2}{2b}$$

input `integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="maxima")`

output `1/2*pi*x - 1/2*(b*x + a)^2/b`

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.88

$$\int \cot^{-1}(\tan(a + bx)) dx = -\frac{1}{2} bx^2 + \pi x \left[\frac{bx + a}{\pi} + \frac{1}{2} \right] + \frac{1}{2} \pi x - ax$$

input `integrate(1/2*pi-arctan(tan(b*x+a)),x, algorithm="giac")`

output $-1/2*b*x^2 + pi*x*floor((b*x + a)/pi + 1/2) + 1/2*pi*x - a*x$

Mupad [B] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int \cot^{-1}(\tan(a + bx)) dx = \frac{\Pi x}{2} + \frac{bx^2}{2} - x \operatorname{atan}(\tan(a + bx))$$

input $\operatorname{int}(\operatorname{Pi}/2 - \operatorname{atan}(\tan(a + b*x)), x)$

output $(\operatorname{Pi}*x)/2 + (b*x^2)/2 - x*\operatorname{atan}(\tan(a + b*x))$

Reduce [B] (verification not implemented)

Time = 0.20 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.31

$$\int \cot^{-1}(\tan(a + bx)) dx = \frac{-\operatorname{atan}(\tan(bx + a))^2 + b\pi x}{2b}$$

input $\operatorname{int}(1/2*\operatorname{Pi}-\operatorname{atan}(\tan(b*x+a)), x)$

output $(- \operatorname{atan}(\tan(a + b*x))**2 + b*pi*x)/(2*b)$

3.10 $\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal result	115
Mathematica [A] (verified)	116
Rubi [A] (verified)	117
Maple [C] (warning: unable to verify)	123
Fricas [B] (verification not implemented)	124
Sympy [F(-1)]	125
Maxima [F]	125
Giac [F]	126
Mupad [F(-1)]	126
Reduce [F]	126

Optimal result

Integrand size = 15, antiderivative size = 403

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = & \frac{1}{3} x^3 \cot^{-1}(c + d \tan(a + bx)) \\
 & - \frac{1}{6} i x^3 \log \left(1 + \frac{(1 + ic + d)e^{2ia + 2ibx}}{1 + ic - d} \right) \\
 & + \frac{1}{6} i x^3 \log \left(1 + \frac{(c + i(1 - d))e^{2ia + 2ibx}}{c + i(1 + d)} \right) \\
 & - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(1 + ic + d)e^{2ia + 2ibx}}{1 + ic - d} \right)}{4b} \\
 & + \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(c + i(1 - d))e^{2ia + 2ibx}}{c + i(1 + d)} \right)}{4b} \\
 & - \frac{ix \operatorname{PolyLog} \left(3, -\frac{(1 + ic + d)e^{2ia + 2ibx}}{1 + ic - d} \right)}{4b^2} \\
 & + \frac{ix \operatorname{PolyLog} \left(3, -\frac{(c + i(1 - d))e^{2ia + 2ibx}}{c + i(1 + d)} \right)}{4b^2} \\
 & + \frac{\operatorname{PolyLog} \left(4, -\frac{(1 + ic + d)e^{2ia + 2ibx}}{1 + ic - d} \right)}{8b^3} \\
 & - \frac{\operatorname{PolyLog} \left(4, -\frac{(c + i(1 - d))e^{2ia + 2ibx}}{c + i(1 + d)} \right)}{8b^3}
 \end{aligned}$$

output

```
1/3*x^3*arccot(c+d*tan(b*x+a))-1/6*I*x^3*ln(1+(1+I*c+d)*exp(2*I*a+2*I*b*x)
/(1+I*c-d))+1/6*I*x^3*ln(1+(c+I*(1-d))*exp(2*I*a+2*I*b*x)/(c+I*(1+d)))-1/4
*x^2*polylog(2,-(1+I*c+d)*exp(2*I*a+2*I*b*x)/(1+I*c-d))/b+1/4*x^2*polylog(
2,-(c+I*(1-d))*exp(2*I*a+2*I*b*x)/(c+I*(1+d)))/b-1/4*I*x*polylog(3,-(1+I*c
+d)*exp(2*I*a+2*I*b*x)/(1+I*c-d))/b^2+1/4*I*x*polylog(3,-(c+I*(1-d))*exp(2
*I*a+2*I*b*x)/(c+I*(1+d)))/b^2+1/8*polylog(4,-(1+I*c+d)*exp(2*I*a+2*I*b*x)
/(1+I*c-d))/b^3-1/8*polylog(4,-(c+I*(1-d))*exp(2*I*a+2*I*b*x)/(c+I*(1+d))
)/b^3
```

Mathematica [A] (verified)

Time = 2.26 (sec) , antiderivative size = 371, normalized size of antiderivative = 0.92

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx$$

$$= \frac{8b^3x^3 \cot^{-1}(c + d \tan(a + bx)) - 4ib^3x^3 \log\left(1 + \frac{(c+i(-1+d))e^{-2i(a+bx)}}{c-i(1+d)}\right) + 4ib^3x^3 \log\left(1 + \frac{(c+i(1+d))e^{-2i(a+bx)}}{i+c-id}\right)}{1}$$

input

```
Integrate[x^2*ArcCot[c + d*Tan[a + b*x]],x]
```

output

```
(8*b^3*x^3*ArcCot[c + d*Tan[a + b*x]] - (4*I)*b^3*x^3*Log[1 + (c + I*(-1 +
d))/((c - I*(1 + d))*E^((2*I)*(a + b*x)))] + (4*I)*b^3*x^3*Log[1 + (c + I
*(1 + d))/((I + c - I*d)*E^((2*I)*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, (-c
- I*(1 + d))/((c - I*(-1 + d))*E^((2*I)*(a + b*x)))] + 6*b^2*x^2*PolyLog[2
, (I - c - I*d)/((c - I*(1 + d))*E^((2*I)*(a + b*x)))] + (6*I)*b*x*PolyLog
[3, (-c - I*(1 + d))/((I + c - I*d)*E^((2*I)*(a + b*x)))] - (6*I)*b*x*Poly
Log[3, (I - c - I*d)/((c - I*(1 + d))*E^((2*I)*(a + b*x)))] + 3*PolyLog[4,
(-c - I*(1 + d))/((I + c - I*d)*E^((2*I)*(a + b*x)))] - 3*PolyLog[4, (I -
c - I*d)/((c - I*(1 + d))*E^((2*I)*(a + b*x)))])/(24*b^3)
```

Rubi [A] (verified)

Time = 1.55 (sec) , antiderivative size = 519, normalized size of antiderivative = 1.29, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5699, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \cot^{-1}(d \tan(a + bx) + c) dx \\
 & \quad \downarrow \text{5699} \\
 & -\frac{1}{3}b(-ic - d + 1) \int \frac{e^{2ia+2ibx} x^3}{-ic + (-ic - d + 1)e^{2ia+2ibx} + d + 1} dx + \frac{1}{3}b(ic + d + 1) \\
 & \quad 1) \int \frac{e^{2ia+2ibx} x^3}{ic + (ic + d + 1)e^{2ia+2ibx} - d + 1} dx + \frac{1}{3}x^3 \cot^{-1}(d \tan(a + bx) + c) \\
 & \quad \downarrow \text{2620} \\
 & \frac{1}{3}b(ic + d + 1) \left(\frac{3 \int x^2 \log \left(\frac{e^{2ia+2ibx}(ic+d+1)}{ic-d+1} + 1 \right) dx}{2b(c - i(d + 1))} - \frac{x^3 \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d + 1))} \right) - \\
 & \frac{1}{3}b(-ic - d + 1) \left(\frac{x^3 \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1 - d))} - \frac{3 \int x^2 \log \left(\frac{e^{2ia+2ibx}(c+i(1-d))}{c+i(d+1)} + 1 \right) dx}{2b(c + i(1 - d))} \right) + \\
 & \quad \frac{1}{3}x^3 \cot^{-1}(d \tan(a + bx) + c) \\
 & \quad \downarrow \text{3011}
 \end{aligned}$$

$$\begin{aligned}
 & 1) \left(\frac{3 \left(\frac{ix^2 \operatorname{PolyLog} \left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b} - \frac{i \int x \operatorname{PolyLog} \left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right) dx}{b} \right)}{2b(c-i(d+1))} - \frac{x^3 \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c-i(d+1))} \right) \\
 & 1) \left(\frac{x^3 \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c+i(1-d))} - \frac{3 \left(\frac{ix^2 \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b} - \frac{i \int x \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right) dx}{b} \right)}{2b(c+i(1-d))} \right) \\
 & \frac{1}{3} x^3 \cot^{-1}(d \tan(a + bx) + c)
 \end{aligned}$$

↓ 7163

$$1) \left(\frac{3 \left(\frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b} - \frac{\frac{1}{3}b(ic+d+1) \left(\frac{i \int \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) dx}{2b} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{b} \right)}{b} \right)}{2b(c-i(d+1))} - \frac{x^3 \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b(c-i(d+1))} \right)$$

$$1) \left(\frac{x^3 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} - \frac{3 \left(\frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b} - \frac{\frac{1}{3}b(-ic-d+1) \left(\frac{i \int \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right) dx}{2b} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{b} \right)}{b} \right)}{2b(c+i(1-d))} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tan(a + bx) + c)$$

↓ 2720

$$1) \left(\frac{3 \left(\frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b} - \frac{\frac{1}{3}b(ic+d+1) \int e^{-2ia-2ibx} \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) de^{2ia+2ibx}}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b}}{b} \right)}{2b(c-i(d+1))} \right)$$

$$1) \left(\frac{x^3 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} - \frac{3 \left(\frac{\frac{1}{3}b(-ic-d+1) \int e^{-2ia-2ibx} \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right) de^{2ia+2ibx}}{4b^2} - \frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b} \right)}{2b(c+i(1-d))} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tan(a + bx) + c)$$

↓ 7143

$$\begin{aligned}
 & 1) \left(\frac{3 \left(\frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b} - \frac{i \left(\frac{\operatorname{PolyLog}\left(4, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b} \right)}{b} \right)}{2b(c-i(d+1))} - \frac{x^3 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} \right) \\
 & 1) \left(\frac{x^3 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} - \frac{3 \left(\frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b} - \frac{i \left(\frac{\operatorname{PolyLog}\left(4, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{b} \right)}{b} \right)}{2b(c+i(1-d))} \right) \\
 & \frac{1}{3}x^3 \cot^{-1}(d \tan(a + bx) + c)
 \end{aligned}$$

input `Int[x^2*ArcCot[c + d*Tan[a + b*x]],x]`

output

```
(x^3*ArcCot[c + d*Tan[a + b*x]])/3 + (b*(1 + I*c + d)*(-1/2*(x^3*Log[1 + (1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d)))/(b*(c - I*(1 + d))) + (3*((I/2)*x^2*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d)))]/b - (I*(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d)))/b + PolyLog[4, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d))]/(4*b^2))/b)/(2*b*(c - I*(1 + d))))/3 - (b*(1 - I*c - d)*((x^3*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d)))]/(2*b*(c + I*(1 - d))) - (3*((I/2)*x^2*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d)))]/b - (I*(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d)))]/b + PolyLog[4, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d)))]/(4*b^2))/b)/(2*b*(c + I*(1 - d))))/3
```

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

rule 5699

```
Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tan[a + b*x]]/(f*(m + 1))), x] + (-Simp[b*((1 - I*c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x))], x], x] + Simp[b*((1 + I*c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a + 2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c + I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 42.10 (sec) , antiderivative size = 8038, normalized size of antiderivative = 19.95

method	result	size
risch	Expression too large to display	8038

input

```
int(x^2*arccot(c+d*tan(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
result too large to display
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1965 vs. $2(290) = 580$.

Time = 0.19 (sec) , antiderivative size = 1965, normalized size of antiderivative = 4.88

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \text{Too large to display}$$

input `integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="fricas")`

output

```
1/48*(16*b^3*x^3*arccot(d*tan(b*x + a) + c) - 6*b^2*x^2*dilog(2*((I*c*d -
d^2 + d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^2 - 2*c*d - I*d^2 + I)*tan(b*
x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d +
1) + 1) + 6*b^2*x^2*dilog(2*((I*c*d - d^2 - d)*tan(b*x + a)^2 - c^2 - I*c*
d + (I*c^2 - 2*c*d - I*d^2 + I)*tan(b*x + a) - d - 1)/((c^2 + d^2 + 2*d +
1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1) + 1) - 6*b^2*x^2*dilog(2*((-I*c*d
- d^2 + d)*tan(b*x + a)^2 - c^2 + I*c*d + (-I*c^2 - 2*c*d + I*d^2 - I)*ta
n(b*x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*
d + 1) + 1) + 6*b^2*x^2*dilog(2*((-I*c*d - d^2 - d)*tan(b*x + a)^2 - c^2 +
I*c*d + (-I*c^2 - 2*c*d + I*d^2 - I)*tan(b*x + a) - d - 1)/((c^2 + d^2 +
2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1) + 1) - 4*I*a^3*log(((I*c*d
+ d^2 + d)*tan(b*x + a)^2 - c^2 + I*c*d + (I*c^2 + I*d^2 + 2*I*d + I)*tan(
b*x + a) - d - 1)/(tan(b*x + a)^2 + 1)) + 4*I*a^3*log(((I*c*d + d^2 - d)*t
an(b*x + a)^2 - c^2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) + d
- 1)/(tan(b*x + a)^2 + 1)) - 4*I*a^3*log(((I*c*d - d^2 + d)*tan(b*x + a)^
2 + c^2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) - d + 1)/(tan(b
*x + a)^2 + 1)) + 4*I*a^3*log(((I*c*d - d^2 - d)*tan(b*x + a)^2 + c^2 + I*
c*d + (I*c^2 + I*d^2 + 2*I*d + I)*tan(b*x + a) + d + 1)/(tan(b*x + a)^2 +
1)) - 6*I*b*x*polylog(3, ((c^2 + 2*I*c*d - d^2 + 1)*tan(b*x + a)^2 - c^2 -
2*I*c*d + d^2 - 2*(-I*c^2 + 2*c*d + I*d^2 - I)*tan(b*x + a) - 1)/((c^2...
```

Sympy [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \text{Timed out}$$

input `integrate(x**2*acot(c+d*tan(b*x+a)),x)`

output `Timed out`

Maxima [F]

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \int x^2 \operatorname{arccot}(d \tan(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="maxima")`

output `1/6*x^3*arctan2(-(d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, -c*cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/6*x^3*arctan2(-(d - 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, -c*cos(2*b*x + 2*a) - (d - 1)*sin(2*b*x + 2*a) - c) - 4*b*d*integrate(-1/3*(2*(c^2 + d^2 + 1)*x^3*cos(2*b*x + 2*a)^2 + 2*c*d*x^3*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^3*sin(2*b*x + 2*a)^2 + (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a) - (2*c*d*x^3*sin(2*b*x + 2*a) - (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^3*cos(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^3*sin(2*b*x + 2*a))*sin(4*b*x + 4*a))/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*cos(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x + 2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 + 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) + 4*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(2*c*d^3 - 2*(c^3 + c)*d - 2*(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x + 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \int x^2 \operatorname{arccot}(d \tan(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*tan(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(d*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \int x^2 \operatorname{acot}(c + d \tan(a + bx)) dx$$

input `int(x^2*acot(c + d*tan(a + b*x)),x)`

output `int(x^2*acot(c + d*tan(a + b*x)), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) d + c) x^2 dx$$

input `int(x^2*acot(c+d*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*d + c)*x**2,x)`

3.11 $\int x \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal result	127
Mathematica [A] (verified)	128
Rubi [A] (verified)	128
Maple [C] (warning: unable to verify)	132
Fricas [B] (verification not implemented)	132
Sympy [F]	133
Maxima [F]	134
Giac [F]	134
Mupad [F(-1)]	135
Reduce [F]	135

Optimal result

Integrand size = 13, antiderivative size = 305

$$\begin{aligned}
 \int x \cot^{-1}(c + d \tan(a + bx)) dx &= \frac{1}{2}x^2 \cot^{-1}(c + d \tan(a + bx)) \\
 &\quad - \frac{1}{4}ix^2 \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) \\
 &\quad + \frac{1}{4}ix^2 \log \left(1 + \frac{(c + i(1 - d))e^{2ia+2ibx}}{c + i(1 + d)} \right) \\
 &\quad - \frac{x \operatorname{PolyLog} \left(2, -\frac{(1+ic+d)e^{2ia+2ibx}}{1+ic-d} \right)}{4b} \\
 &\quad + \frac{x \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(1+d)} \right)}{4b} \\
 &\quad - \frac{i \operatorname{PolyLog} \left(3, -\frac{(1+ic+d)e^{2ia+2ibx}}{1+ic-d} \right)}{8b^2} \\
 &\quad + \frac{i \operatorname{PolyLog} \left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(1+d)} \right)}{8b^2}
 \end{aligned}$$

output

$$\begin{aligned} & \frac{1}{2}x^2 \operatorname{arccot}(c+d\tan(bx+a)) - \frac{1}{4}Ix^2 \ln(1+(1+Ic+d)\exp(2Ia+2Ibx)) \\ & / (1+Ic-d) + \frac{1}{4}Ix^2 \ln(1+(c+I(1-d))\exp(2Ia+2Ibx)/(c+I(1+d))) - \frac{1}{4} \\ & *x \operatorname{polylog}(2, -(1+Ic+d)\exp(2Ia+2Ibx)/(1+Ic-d))/b + \frac{1}{4}x \operatorname{polylog}(2, -(\\ & c+I(1-d))\exp(2Ia+2Ibx)/(c+I(1+d)))/b - \frac{1}{8}I \operatorname{polylog}(3, -(1+Ic+d)\exp \\ & (2Ia+2Ibx)/(1+Ic-d))/b^2 + \frac{1}{8}I \operatorname{polylog}(3, -(c+I(1-d))\exp(2Ia+2I \\ & *bx)/(c+I(1+d)))/b^2 \end{aligned}$$
Mathematica [A] (verified)

Time = 2.07 (sec) , antiderivative size = 281, normalized size of antiderivative = 0.92

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx$$

$$= \frac{4b^2x^2 \cot^{-1}(c + d \tan(a + bx)) - 2ib^2x^2 \log\left(1 + \frac{(c+i(-1+d))e^{-2i(a+bx)}}{c-i(1+d)}\right) + 2ib^2x^2 \log\left(1 + \frac{(c+i(1+d))e^{-2i(a+bx)}}{i+c-id}\right)}{1}$$

input

`Integrate[x*ArcCot[c + d*Tan[a + b*x]],x]`

output

$$\begin{aligned} & (4*b^2*x^2*ArcCot[c + d*Tan[a + b*x]] - (2*I)*b^2*x^2*Log[1 + (c + I*(-1 + \\ & d))/((c - I*(1 + d))*E^((2*I)*(a + b*x)))] + (2*I)*b^2*x^2*Log[1 + (c + I \\ & *(1 + d))/((I + c - I*d)*E^((2*I)*(a + b*x)))] - 2*b*x*PolyLog[2, (-c - I* \\ & (1 + d))/((c - I*(-1 + d))*E^((2*I)*(a + b*x)))] + 2*b*x*PolyLog[2, (I - c \\ & - I*d)/((c - I*(1 + d))*E^((2*I)*(a + b*x)))] + I*PolyLog[3, (-c - I*(1 + \\ & d))/((I + c - I*d)*E^((2*I)*(a + b*x)))] - I*PolyLog[3, (I - c - I*d)/((c \\ & - I*(1 + d))*E^((2*I)*(a + b*x)))])/(8*b^2) \end{aligned}$$
Rubi [A] (verified)Time = 1.10 (sec) , antiderivative size = 396, normalized size of antiderivative = 1.30, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5699, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x \cot^{-1}(d \tan(a + bx) + c) dx \\
& \quad \downarrow \text{5699} \\
& -\frac{1}{2}b(-ic - d + 1) \int \frac{e^{2ia+2ibx} x^2}{-ic + (-ic - d + 1)e^{2ia+2ibx} + d + 1} dx + \frac{1}{2}b(ic + d + \\
& 1) \int \frac{e^{2ia+2ibx} x^2}{ic + (ic + d + 1)e^{2ia+2ibx} - d + 1} dx + \frac{1}{2}x^2 \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{2620} \\
& \frac{1}{2}b(ic + d + 1) \left(\frac{\int x \log \left(\frac{e^{2ia+2ibx}(ic+d+1)}{ic-d+1} + 1 \right) dx}{b(c - i(d + 1))} - \frac{x^2 \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d + 1))} \right) - \\
& \frac{1}{2}b(-ic - d + 1) \left(\frac{x^2 \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1 - d))} - \frac{\int x \log \left(\frac{e^{2ia+2ibx}(c+i(1-d))}{c+i(d+1)} + 1 \right) dx}{b(c + i(1 - d))} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{3011} \\
& \frac{1}{2}b(ic + d + \\
& 1) \left(\frac{\frac{ix \operatorname{PolyLog} \left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b} - \frac{i \int \operatorname{PolyLog} \left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right) dx}{2b}}{b(c - i(d + 1))} - \frac{x^2 \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d + 1))} \right) - \\
& \frac{1}{2}b(-ic - d + \\
& 1) \left(\frac{x^2 \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1 - d))} - \frac{\frac{ix \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b} - \frac{i \int \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right) dx}{2b}}{b(c + i(1 - d))} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{2720}
\end{aligned}$$

$$\begin{aligned}
& 1) \left(\frac{\frac{1}{2}b(ic+d+)}{ix \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) de^{2ia+2ibx}}{4b^2}}{2b} - \frac{x^2 \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{b(c-i(d+1))} - \frac{x^2 \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b(c-i(d+1))} \right) \\
& 1) \left(\frac{x^2 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} - \frac{\frac{1}{2}b(-ic-d+)}{ix \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right) - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right) de^{2ia+2ibx}}{4b^2}}{2b}}{b(c+i(1-d))} \right) \\
& \frac{1}{2}x^2 \cot^{-1}(d \tan(a+bx) + c) \\
& \quad \downarrow \text{7143} \\
& 1) \left(\frac{\frac{1}{2}b(ic+d+)}{\frac{ix \operatorname{PolyLog}\left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right) - \frac{\operatorname{PolyLog}\left(3, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{4b^2}}{b(c-i(d+1))}} - \frac{x^2 \log\left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1}\right)}{2b(c-i(d+1))} \right) - \\
& 1) \left(\frac{x^2 \log\left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{2b(c+i(1-d))} - \frac{\frac{1}{2}b(-ic-d+)}{\frac{ix \operatorname{PolyLog}\left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right) - \frac{\operatorname{PolyLog}\left(3, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)}\right)}{4b^2}}{b(c+i(1-d))}} \right) + \\
& \frac{1}{2}x^2 \cot^{-1}(d \tan(a+bx) + c)
\end{aligned}$$

input `Int[x*ArcCot[c + d*Tan[a + b*x]],x]`

output `(x^2*ArcCot[c + d*Tan[a + b*x]])/2 + (b*(1 + I*c + d)*(-1/2*(x^2*Log[1 + (1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d)]/(b*(c - I*(1 + d))) + (((I/2)*x*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d))]/b - PolyLog[3, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x)]/(1 + I*c - d))]/(4*b^2)))/(b*(c - I*(1 + d))))/2 - (b*(1 - I*c - d)*((x^2*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d))]/(2*b*(c + I*(1 - d))) - (((I/2)*x*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d)))]/b - PolyLog[3, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x)]/(c + I*(1 + d)))]/(4*b^2)))/(b*(c + I*(1 - d)))))/2`

Definitions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_)^(m_))/
((a_) + (b_)*(F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_)^(m_)), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5699

```
Int[ArcCot[(c_) + (d_)*Tan[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_)^(m_
)), x_Symbol] := Simp[(e + f*x)^(m + 1)*ArcCot[c + d*Tan[a + b*x]]/(f*(m +
1)), x] + (-Simp[b*((1 - I*c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^
(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x)), x], x
] + Simp[b*((1 + I*c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a +
2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x)), x], x]) /; Fre
eQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c + I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 5.35 (sec) , antiderivative size = 7646, normalized size of antiderivative = 25.07

method	result	size
risch	Expression too large to display	7646

input `int(x*arccot(c+d*tan(b*x+a)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1545 vs. $2(217) = 434$.

Time = 0.17 (sec) , antiderivative size = 1545, normalized size of antiderivative = 5.07

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \text{Too large to display}$$

input `integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="fricas")`

output

```

1/16*(8*b^2*x^2*arccot(d*tan(b*x + a) + c) - 2*b*x*dilog(2*((I*c*d - d^2 +
d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^2 - 2*c*d - I*d^2 + I)*tan(b*x + a
) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1) +
1) + 2*b*x*dilog(2*((I*c*d - d^2 - d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^
2 - 2*c*d - I*d^2 + I)*tan(b*x + a) - d - 1)/((c^2 + d^2 + 2*d + 1)*tan(b*
x + a)^2 + c^2 + d^2 + 2*d + 1) + 1) - 2*b*x*dilog(2*((-I*c*d - d^2 + d)*t
an(b*x + a)^2 - c^2 + I*c*d + (-I*c^2 - 2*c*d + I*d^2 - I)*tan(b*x + a) +
d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d + 1) + 1) +
2*b*x*dilog(2*((-I*c*d - d^2 - d)*tan(b*x + a)^2 - c^2 + I*c*d + (-I*c^2
- 2*c*d + I*d^2 - I)*tan(b*x + a) - d - 1)/((c^2 + d^2 + 2*d + 1)*tan(b*x
+ a)^2 + c^2 + d^2 + 2*d + 1) + 1) + 2*I*a^2*log(((I*c*d + d^2 + d)*tan(b*
x + a)^2 - c^2 + I*c*d + (I*c^2 + I*d^2 + 2*I*d + I)*tan(b*x + a) - d - 1)
/(tan(b*x + a)^2 + 1)) - 2*I*a^2*log(((I*c*d + d^2 - d)*tan(b*x + a)^2 - c
^2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) + d - 1)/(tan(b*x +
a)^2 + 1)) + 2*I*a^2*log(((I*c*d - d^2 + d)*tan(b*x + a)^2 + c^2 + I*c*d +
(I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) - d + 1)/(tan(b*x + a)^2 + 1)) -
2*I*a^2*log(((I*c*d - d^2 - d)*tan(b*x + a)^2 + c^2 + I*c*d + (I*c^2 + I*
d^2 + 2*I*d + I)*tan(b*x + a) + d + 1)/(tan(b*x + a)^2 + 1)) - 2*(-I*b^2*x
^2 + I*a^2)*log(-2*((I*c*d - d^2 + d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^
2 - 2*c*d - I*d^2 + I)*tan(b*x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan...

```

Sympy [F]

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \int x \operatorname{acot}(c + d \tan(a + bx)) dx$$

input

```
integrate(x*acot(c+d*tan(b*x+a)),x)
```

output

```
Integral(x*acot(c + d*tan(a + b*x)), x)
```

Maxima [F]

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \int x \operatorname{arccot}(d \tan(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="maxima")`

output

```
1/4*x^2*arctan2(-(d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, -c*cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/4*x^2*arctan2(-(d - 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, -c*cos(2*b*x + 2*a) - (d - 1)*sin(2*b*x + 2*a) - c) - 2*b*d*integrate(-(2*(c^2 + d^2 + 1)*x^2*cos(2*b*x + 2*a)^2 + 2*c*d*x^2*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^2*sin(2*b*x + 2*a)^2 + (c^2 - d^2 + 1)*x^2*cos(2*b*x + 2*a) - (2*c*d*x^2*sin(2*b*x + 2*a) - (c^2 - d^2 + 1)*x^2*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^2*cos(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^2*sin(2*b*x + 2*a))*sin(4*b*x + 4*a))/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*cos(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x + 2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 + 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) + 4*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(2*c*d^3 - 2*(c^3 + c)*d - 2*(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x + 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x)
```

Giac [F]

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \int x \operatorname{arccot}(d \tan(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*tan(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(d*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \int x \operatorname{acot}(c + d \tan(a + bx)) dx$$

input `int(x*acot(c + d*tan(a + b*x)),x)`output `int(x*acot(c + d*tan(a + b*x)), x)`**Reduce [F]**

$$\int x \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) d + c) x dx$$

input `int(x*acot(c+d*tan(b*x+a)),x)`output `int(acot(tan(a + b*x)*d + c)*x,x)`

3.12 $\int \cot^{-1}(c + d \tan(a + bx)) dx$

Optimal result	136
Mathematica [B] (warning: unable to verify)	137
Rubi [A] (verified)	137
Maple [B] (verified)	140
Fricas [B] (verification not implemented)	141
Sympy [F]	142
Maxima [B] (verification not implemented)	142
Giac [F]	143
Mupad [F(-1)]	143
Reduce [F]	143

Optimal result

Integrand size = 11, antiderivative size = 198

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = x \cot^{-1}(c + d \tan(a + bx)) - \frac{1}{2}ix \log \left(1 + \frac{(1 + ic + d)e^{2ia+2ibx}}{1 + ic - d} \right) + \frac{1}{2}ix \log \left(1 + \frac{(c + i(1 - d))e^{2ia+2ibx}}{c + i(1 + d)} \right) - \frac{\text{PolyLog} \left(2, -\frac{(1+ic+d)e^{2ia+2ibx}}{1+ic-d} \right)}{4b} + \frac{\text{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(1+d)} \right)}{4b}$$

output

```
x*arccot(c+d*tan(b*x+a))-1/2*I*x*ln(1+(1+I*c+d)*exp(2*I*a+2*I*b*x)/(1+I*c-d))+1/2*I*x*ln(1+(c+I*(1-d))*exp(2*I*a+2*I*b*x)/(c+I*(1+d)))-1/4*polylog(2,-(1+I*c+d)*exp(2*I*a+2*I*b*x)/(1+I*c-d))/b+1/4*polylog(2,-(c+I*(1-d))*exp(2*I*a+2*I*b*x)/(c+I*(1+d)))/b
```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 549 vs. $2(198) = 396$.

Time = 0.53 (sec) , antiderivative size = 549, normalized size of antiderivative = 2.77

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = x \cot^{-1}(c + d \tan(a + bx))$$

$$+ \frac{x \left(4a\sqrt{-d^2} \arctan(c + d \tan(a + bx)) - id \log(1 - i \tan(a + bx)) \log\left(\frac{-cd + \sqrt{-d^2} - d^2 \tan(a + bx)}{-cd + id^2 + \sqrt{-d^2}}\right) + id \log\left(\frac{-cd + \sqrt{-d^2} + d^2 \tan(a + bx)}{-cd + id^2 + \sqrt{-d^2}}\right) \right)}{2\sqrt{-d^2}}$$

input `Integrate[ArcCot[c + d*Tan[a + b*x]],x]`

output

```
x*ArcCot[c + d*Tan[a + b*x]] + (x*(4*a*Sqrt[-d^2]*ArcTan[c + d*Tan[a + b*x]] - I*d*Log[1 - I*Tan[a + b*x]]*Log[(-(c*d) + Sqrt[-d^2] - d^2*Tan[a + b*x])/(-(c*d) + I*d^2 + Sqrt[-d^2])] + I*d*Log[1 + I*Tan[a + b*x]]*Log[(c*d - Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d + I*d^2 - Sqrt[-d^2])] + I*d*Log[1 - I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d - I*d^2 + Sqrt[-d^2])] - I*d*Log[1 + I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + d^2*Tan[a + b*x])/(c*d + I*d^2 + Sqrt[-d^2])] - I*d*PolyLog[2, (d^2*(1 - I*Tan[a + b*x]))/(I*c*d + d^2 - I*Sqrt[-d^2])] + I*d*PolyLog[2, (d^2*(1 - I*Tan[a + b*x]))/(I*c*d + d^2 + I*Sqrt[-d^2])] + I*d*PolyLog[2, (d^2*(1 + I*Tan[a + b*x]))/((-I)*c*d + d^2 + I*Sqrt[-d^2])] - I*d*PolyLog[2, (d^2*(1 + I*Tan[a + b*x]))/(d^2 - I*(c*d + Sqrt[-d^2]))])/(2*Sqrt[-d^2]*(2*a - I*Log[1 - I*Tan[a + b*x]] + I*Log[1 + I*Tan[a + b*x]]))
```

Rubi [A] (verified)

Time = 0.68 (sec) , antiderivative size = 277, normalized size of antiderivative = 1.40, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5691, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \cot^{-1}(d \tan(a + bx) + c) dx \\
& \quad \downarrow \text{5691} \\
& -b(-ic - d + 1) \int \frac{e^{2ia+2ibx} x}{-ic + (-ic - d + 1)e^{2ia+2ibx} + d + 1} dx + b(ic + d + 1) \int \frac{e^{2ia+2ibx} x}{ic + (ic + d + 1)e^{2ia+2ibx} - d + 1} dx + x \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{2620} \\
& b(ic + d + 1) \left(\frac{\int \log \left(\frac{e^{2ia+2ibx}(ic+d+1)}{ic-d+1} + 1 \right) dx}{2b(c - i(d+1))} - \frac{x \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d+1))} \right) - b(-ic - d + 1) \\
& 1) \left(\frac{x \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1-d))} - \frac{\int \log \left(\frac{e^{2ia+2ibx}(c+i(1-d))}{c+i(d+1)} + 1 \right) dx}{2b(c + i(1-d))} \right) + x \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{2715} \\
& 1) \left(\frac{i \int e^{-2ia-2ibx} \log \left(\frac{e^{2ia+2ibx}(ic+d+1)}{ic-d+1} + 1 \right) de^{2ia+2ibx}}{4b^2(c - i(d+1))} - \frac{x \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d+1))} \right) - \\
& 1) \left(\frac{i \int e^{-2ia-2ibx} \log \left(\frac{e^{2ia+2ibx}(c+i(1-d))}{c+i(d+1)} + 1 \right) de^{2ia+2ibx}}{4b^2(c + i(1-d))} + \frac{x \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1-d))} \right) + \\
& \quad x \cot^{-1}(d \tan(a + bx) + c) \\
& \quad \downarrow \text{2838} \\
& b(ic + d + 1) \left(\frac{i \operatorname{PolyLog} \left(2, -\frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{4b^2(c - i(d+1))} - \frac{x \log \left(1 + \frac{(ic+d+1)e^{2ia+2ibx}}{ic-d+1} \right)}{2b(c - i(d+1))} \right) - b(-ic - d + 1) \\
& 1) \left(\frac{x \log \left(1 + \frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{2b(c + i(1-d))} - \frac{i \operatorname{PolyLog} \left(2, -\frac{(c+i(1-d))e^{2ia+2ibx}}{c+i(d+1)} \right)}{4b^2(c + i(1-d))} \right) + x \cot^{-1}(d \tan(a + bx) + c)
\end{aligned}$$

input `Int[ArcCot[c + d*Tan[a + b*x]], x]`

output

```
x*ArcCot[c + d*Tan[a + b*x]] + b*(1 + I*c + d)*(-1/2*(x*Log[1 + ((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)]/(b*(c - I*(1 + d))) + ((I/4)*PolyLog[2, -(((1 + I*c + d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c - d)])/(b^2*(c - I*(1 + d)))) - b*(1 - I*c - d)*((x*Log[1 + ((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))])/(2*b*(c + I*(1 - d))) - ((I/4)*PolyLog[2, -(((c + I*(1 - d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 + d))])/(b^2*(c + I*(1 - d))))
```

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2715

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] := Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

rule 2838

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 5691

```
Int[ArcCot[(c_) + (d_)*Tan[(a_) + (b_)*(x_)]], x_Symbol] := Simp[x*ArcCot[c + d*Tan[a + b*x]], x] + (-Simp[b*(1 - I*c - d) Int[x*(E^(2*I*a + 2*I*b*x))/(1 - I*c + d + (1 - I*c - d)*E^(2*I*a + 2*I*b*x))], x], x] + Simp[b*(1 + I*c + d) Int[x*(E^(2*I*a + 2*I*b*x))/(1 + I*c - d + (1 + I*c + d)*E^(2*I*a + 2*I*b*x))], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[(c + I*d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1137 vs. $2(168) = 336$.

Time = 4.68 (sec) , antiderivative size = 1138, normalized size of antiderivative = 5.75

method	result	size
derivativeldivides	Expression too large to display	1138
default	Expression too large to display	1138
risch	Expression too large to display	4969

input `int(arccot(c+d*tan(b*x+a)),x,method=_RETURNVERBOSE)`

output

$$\frac{1}{b/d} \left(\frac{d \arctan(\tan(b*x+a)) \operatorname{arccot}(c+d \tan(b*x+a)) + d^2 \left(-\frac{1}{d} \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{d-c/d}\right) \arctan\left(-\frac{c+d \tan(b*x+a)}{d+c/d}\right) - \frac{1}{d^2} \left(-\frac{1}{2} I d \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{d-c/d}\right) \ln(1-(I*d+I+c)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (-I*d+I-c)) - \frac{1}{2} d \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{d-c/d}\right)^2 - \frac{1}{4} d^2 \operatorname{polylog}(2, (I*d+I+c)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (-I*d+I-c)) + \frac{1}{2} I d^2 \ln(1-(c-I*d+I)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{2} I d \ln(1-(c-I*d+I)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{2} I d / (c-I*d-I) \ln(1-(c-I*d+I)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \operatorname{arctan}\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{2} d^2 \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{4} d^2 \operatorname{polylog}(2, (c-I*d+I)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) / (1+I*c+d)} + \frac{1}{2} d \arctan\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{2} d / (c-I*d-I) \operatorname{arctan}\left(\frac{d((c+d \tan(b*x+a))/d-c/d)+c}{(1+I*c+d)} + \frac{1}{4} d / (c-I*d-I) \operatorname{polylog}(2, (c-I*d+I)*(1+I*(d((c+d \tan(b*x+a))/d-c/d)+c))^2 / ((d((c+d \tan(b*x+a))/d-c/d)+c)^2+1) / (I*d+I-c)) \right) \right) \right)$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1101 vs. $2(141) = 282$.

Time = 0.15 (sec) , antiderivative size = 1101, normalized size of antiderivative = 5.56

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = \text{Too large to display}$$

input `integrate(arccot(c+d*tan(b*x+a)),x, algorithm="fricas")`

output

```
1/8*(8*b*x*arccot(d*tan(b*x + a) + c) - 2*(-I*b*x - I*a)*log(-2*((I*c*d -
d^2 + d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^2 - 2*c*d - I*d^2 + I)*tan(b*
x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 - 2*d +
1)) - 2*(I*b*x + I*a)*log(-2*((I*c*d - d^2 - d)*tan(b*x + a)^2 - c^2 - I*c
*d + (I*c^2 - 2*c*d - I*d^2 + I)*tan(b*x + a) - d - 1)/((c^2 + d^2 + 2*d +
1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) - 2*(I*b*x + I*a)*log(-2*((-I*c
*d - d^2 + d)*tan(b*x + a)^2 - c^2 + I*c*d + (-I*c^2 - 2*c*d + I*d^2 - I)*
tan(b*x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 -
2*d + 1)) - 2*(-I*b*x - I*a)*log(-2*((-I*c*d - d^2 - d)*tan(b*x + a)^2 - c
^2 + I*c*d + (-I*c^2 - 2*c*d + I*d^2 - I)*tan(b*x + a) - d - 1)/((c^2 + d^
2 + 2*d + 1)*tan(b*x + a)^2 + c^2 + d^2 + 2*d + 1)) - 2*I*a*log(((I*c*d +
d^2 + d)*tan(b*x + a)^2 - c^2 + I*c*d + (I*c^2 + I*d^2 + 2*I*d + I)*tan(b*
x + a) - d - 1)/(tan(b*x + a)^2 + 1)) + 2*I*a*log(((I*c*d + d^2 - d)*tan(b
*x + a)^2 - c^2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) + d - 1
)/(tan(b*x + a)^2 + 1)) - 2*I*a*log(((I*c*d - d^2 + d)*tan(b*x + a)^2 + c^
2 + I*c*d + (I*c^2 + I*d^2 - 2*I*d + I)*tan(b*x + a) - d + 1)/(tan(b*x + a
)^2 + 1)) + 2*I*a*log(((I*c*d - d^2 - d)*tan(b*x + a)^2 + c^2 + I*c*d + (I
*c^2 + I*d^2 + 2*I*d + I)*tan(b*x + a) + d + 1)/(tan(b*x + a)^2 + 1)) - di
log(2*((I*c*d - d^2 + d)*tan(b*x + a)^2 - c^2 - I*c*d + (I*c^2 - 2*c*d - I
*d^2 + I)*tan(b*x + a) + d - 1)/((c^2 + d^2 - 2*d + 1)*tan(b*x + a)^2 + ...
```

Sympy [F]

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{acot}(c + d \tan(a + bx)) dx$$

input `integrate(acot(c+d*tan(b*x+a)),x)`

output `Integral(acot(c + d*tan(a + b*x)), x)`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 433 vs. $2(141) = 282$.

Time = 0.20 (sec) , antiderivative size = 433, normalized size of antiderivative = 2.19

$$\int \cot^{-1}(c + d \tan(a + bx)) dx =$$

$$d \left(\frac{8(bx+a) \arctan\left(\frac{d^2 \tan(bx+a)+cd}{d}\right)}{d} - \frac{4(bx+a) \arctan\left(\frac{cd+(d^2+d)\tan(bx+a)}{c^2+d^2+2d+1}, \frac{cd \tan(bx+a)+c^2+d+1}{c^2+d^2+2d+1}\right) - 4(bx+a) \arctan\left(\frac{cd+(d^2-d)\tan(bx+a)}{c^2+d^2-2d+1}\right)}{d} \right)$$

input `integrate(arccot(c+d*tan(b*x+a)),x, algorithm="maxima")`

output `-1/8*(d*(8*(b*x + a)*arctan((d^2*tan(b*x + a) + c*d)/d)/d - (4*(b*x + a)*arctan2((c*d + (d^2 + d)*tan(b*x + a))/(c^2 + d^2 + 2*d + 1), (c*d*tan(b*x + a) + c^2 + d + 1)/(c^2 + d^2 + 2*d + 1)) - 4*(b*x + a)*arctan2((c*d + (d^2 - d)*tan(b*x + a))/(c^2 + d^2 - 2*d + 1), (c*d*tan(b*x + a) + c^2 - d + 1)/(c^2 + d^2 - 2*d + 1)) + log(tan(b*x + a)^2 + 1)*log((d^2*tan(b*x + a)^2 + 2*c*d*tan(b*x + a) + c^2 + 1)/(c^2 + d^2 + 2*d + 1)) - log(tan(b*x + a)^2 + 1)*log((d^2*tan(b*x + a)^2 + 2*c*d*tan(b*x + a) + c^2 + 1)/(c^2 + d^2 - 2*d + 1)) + 2*dilog(-(I*d*tan(b*x + a) - d)/(I*c + d + 1)) - 2*dilog(-(I*d*tan(b*x + a) - d)/(I*c + d - 1)) + 2*dilog((I*d*tan(b*x + a) + d)/(-I*c + d + 1)) - 2*dilog((I*d*tan(b*x + a) + d)/(-I*c + d - 1)))/d - 8*(b*x + a)*arccot(d*tan(b*x + a) + c) - 8*(b*x + a)*arctan((d^2*tan(b*x + a) + c*d)/d))/b`

Giac [F]

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{arccot}(d \tan(bx + a) + c) dx$$

input `integrate(arccot(c+d*tan(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(d*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{acot}(c + d \tan(a + bx)) dx$$

input `int(acot(c + d*tan(a + b*x)),x)`

output `int(acot(c + d*tan(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(c + d \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) d + c) dx$$

input `int(acot(c+d*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*d + c),x)`

3.13 $\int \frac{\cot^{-1}(c+d \tan(a+bx))}{x} dx$

Optimal result	144
Mathematica [N/A]	144
Rubi [N/A]	145
Maple [N/A]	145
Fricas [N/A]	146
Sympy [N/A]	146
Maxima [F(-1)]	146
Giac [N/A]	147
Mupad [N/A]	147
Reduce [N/A]	147

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + d \tan(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+d*tan(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + d*Tan[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + d*Tan[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(d \tan(a + bx) + c)}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(d \tan(a + bx) + c)}{x} dx$$

input `Int[ArcCot[c + d*Tan[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.32 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(c + d \tan(bx + a))}{x} dx$$

input `int(arccot(c+d*tan(b*x+a))/x,x)`

output `int(arccot(c+d*tan(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \tan(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="fricas")`

output `integral(arccot(d*tan(b*x + a) + c)/x, x)`

Sympy [N/A]

Not integrable

Time = 54.62 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.93

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + d \tan(a + bx))}{x} dx$$

input `integrate(acot(c+d*tan(b*x+a))/x,x)`

output `Integral(acot(c + d*tan(a + b*x))/x, x)`

Maxima [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="maxima")`

output `Timed out`

Giac [N/A]

Not integrable

Time = 0.91 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \tan(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*tan(b*x+a))/x,x, algorithm="giac")`

output `integrate(arccot(d*tan(b*x + a) + c)/x, x)`

Mupad [N/A]

Not integrable

Time = 0.89 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + d \tan(a + bx))}{x} dx$$

input `int(acot(c + d*tan(a + b*x))/x,x)`

output `int(acot(c + d*tan(a + b*x))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tan(bx + a) d + c)}{x} dx$$

input `int(acot(c+d*tan(b*x+a))/x,x)`

output `int(acot(tan(a + b*x)*d + c)/x,x)`

3.14 $\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal result	149
Mathematica [A] (verified)	150
Rubi [A] (verified)	150
Maple [C] (warning: unable to verify)	154
Fricas [B] (verification not implemented)	155
Sympy [F(-2)]	155
Maxima [B] (verification not implemented)	156
Giac [F]	156
Mupad [F(-1)]	157
Reduce [F]	157

Optimal result

Integrand size = 21, antiderivative size = 154

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \frac{bx^4}{12} + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{6}ix^3 \log(1 - ice^{2ia+2ibx}) + \frac{x^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{4b} + \frac{ix \text{PolyLog}(3, ice^{2ia+2ibx})}{4b^2} - \frac{\text{PolyLog}(4, ice^{2ia+2ibx})}{8b^3}$$

output

```
1/12*b*x^4+1/3*x^3*arccot(c+(1+I*c)*tan(b*x+a))+1/6*I*x^3*ln(1-I*c*exp(2*I*a+2*I*b*x))+1/4*x^2*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b+1/4*I*x*polylog(3,I*c*exp(2*I*a+2*I*b*x))/b^2-1/8*polylog(4,I*c*exp(2*I*a+2*I*b*x))/b^3
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.88

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \frac{1}{24} \left(8x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx)) \right. \\ \left. + 4ix^3 \log \left(1 + \frac{ie^{-2i(a+bx)}}{c} \right) \right. \\ \left. - \frac{6x^2 \operatorname{PolyLog} \left(2, -\frac{ie^{-2i(a+bx)}}{c} \right)}{b} \right. \\ \left. + \frac{6ix \operatorname{PolyLog} \left(3, -\frac{ie^{-2i(a+bx)}}{c} \right)}{b^2} \right. \\ \left. + \frac{3 \operatorname{PolyLog} \left(4, -\frac{ie^{-2i(a+bx)}}{c} \right)}{b^3} \right)$$

input

```
Integrate[x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]],x]
```

output

```
(8*x^3*ArcCot[c + (1 + I*c)*Tan[a + b*x]] + (4*I)*x^3*Log[1 + I/(c*E^((2*I)*(a + b*x)))] - (6*x^2*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))]/b + ((6*I)*x*PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]/b^2 + (3*PolyLog[4, (-I)/(c*E^((2*I)*(a + b*x)))]/b^3)/24
```

Rubi [A] (verified)Time = 0.80 (sec) , antiderivative size = 198, normalized size of antiderivative = 1.29, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5695, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

↓ 5695

$$\frac{1}{3}ib \int \frac{x^3}{e^{2ia+2ibx}c+i} dx + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 2615

$$\frac{1}{3}ib \left(ic \int \frac{e^{2ia+2ibx}x^3}{e^{2ia+2ibx}c+i} dx - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 2620

$$\frac{1}{3}ib \left(ic \left(\frac{3i \int x^2 \log(1 - ice^{2ia+2ibx}) dx}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 3011

$$\frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \int x \text{PolyLog}(2, ice^{2ia+2ibx}) dx}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 7163

$$\frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int \text{PolyLog}(3, ice^{2ia+2ibx}) dx}{2b} - \frac{ix \text{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 2720

$$\frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int e^{-2ia-2ibx} \text{PolyLog}(3, ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} - \frac{ix \text{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 7143

$$\frac{1}{3}ib \left(ic \frac{\left(3i \left(\frac{ix^2 \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\operatorname{PolyLog}(4, ice^{2ia+2ibx})}{4b^2} - \frac{ix \operatorname{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

input `Int[x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]`

output `(x^3*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/3 + (I/3)*b*((-1/4*I)*x^4 + I*c*((-1/2*I)*x^3*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) + (((3*I)/2)*(((I/2)*x^2*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/b - (I*(((1/2*I)*x*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)]/b + PolyLog[4, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2))))/b))/(b*c)))`

Defintions of rubi rules used

rule 2615 `Int[(((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5695

```
Int[ArcCot[(c_) + (d_)*Tan[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_))^(m_.
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tan[a + b*x]]/(f*(m +
1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c + I*d + c*E^(2
*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && E
qQ[(c + I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 3.23 (sec) , antiderivative size = 1448, normalized size of antiderivative = 9.40

method	result	size
risch	Expression too large to display	1448

input `int(x^2*arccot(c+(I*c+1)*tan(b*x+a)),x,method=_RETURNVERBOSE)`

output

```
-1/2*I/b^2*ln(1-I*exp(2*I*(b*x+a))*c)*x*a^2+1/12*(Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(-I+c))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*exp(2*I*(b*x+a)))-2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^2+Pi*csgn(I*exp(2*I*(b*x+a)))^3+Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))+1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))*csgn((exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))+Pi*csgn((exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(-I+c))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(exp(2*I*(b*x+a))*c+I))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))*csgn(exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))+Pi*csgn(exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(-I+c)/(exp(2*I*(b*x+a))+1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))^3+Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))+1))*csgn((exp(2*I*(b*x+a)...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 321 vs. $2(107) = 214$.

Time = 0.13 (sec) , antiderivative size = 321, normalized size of antiderivative = 2.08

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$= \frac{b^4 x^4 - 2i b^3 x^3 \log\left(\frac{(ce^{2i bx + 2i a} + i)e^{-2i bx - 2i a}}{c - i}\right) + 6 b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{i bx + i a}\right) + 6 b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{i bx + i a}\right)}{1}$$

input `integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")`

output

```
1/12*(b^4*x^4 - 2*I*b^3*x^3*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I)) + 6*b^2*x^2*dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6*b^2*x^2*dilog(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) - a^4 - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(4*I*c))/c) - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(4*I*c))/c) + 12*I*b*x*polylog(3, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 12*I*b*x*polylog(3, -1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) - 2*(-I*b^3*x^3 - I*a^3)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - 2*(-I*b^3*x^3 - I*a^3)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - 12*polylog(4, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) - 12*polylog(4, -1/2*sqrt(4*I*c)*e^(I*b*x + I*a)))/b^3
```

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x**2*acot(c+(1+I*c)*tan(b*x+a)),x)`

output

```
Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) - _t0**2*I*exp(2*I*a) + I of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 310 vs. $2(107) = 214$.

Time = 0.09 (sec) , antiderivative size = 310, normalized size of antiderivative = 2.01

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$= \frac{4 \left((bx+a)^3 - 3(bx+a)^2 a + 3(bx+a)a^2 \right) \operatorname{arccot}((ic+1) \tan(bx+a) + c)}{b^2} - \frac{(-3i(bx+a)^4 + 12i(bx+a)^3 a - 18i(bx+a)^2 a^2 - 2(4i(bx+a)^3 - 9i(bx+a)^2 a + 3i a^2)) \operatorname{arctan}_2(c \cos(2bx+2a), c \sin(2bx+2a) + 1) - 3(4I(bx+a)^2 - 6I(bx+a)a + 3Ia^2) \operatorname{dilog}(Ic e^{(2Ibx+2Ia)}) + (4(bx+a)^3 - 9(bx+a)^2 a + 9(bx+a)a^2) \log(c^2 \cos(2bx+2a)^2 + c^2 \sin(2bx+2a)^2 + 2c \sin(2bx+2a) + 1) + 3(4bx+a) \operatorname{polylog}(3, Ic e^{(2Ibx+2Ia)}) + 6I \operatorname{polylog}(4, Ic e^{(2Ibx+2Ia)})}{b^2} (-Ic - 1) / (b^2 (c - I)) / b$$

input `integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")`

output

```
1/12*(4*((b*x + a)^3 - 3*(b*x + a)^2*a + 3*(b*x + a)*a^2)*arccot((I*c + 1)
*tan(b*x + a) + c)/b^2 - (-3*I*(b*x + a)^4 + 12*I*(b*x + a)^3*a - 18*I*(b*
x + a)^2*a^2 - 2*(4*I*(b*x + a)^3 - 9*I*(b*x + a)^2*a + 9*I*(b*x + a)*a^2)
*arctan2(c*cos(2*b*x + 2*a), c*sin(2*b*x + 2*a) + 1) - 3*(4*I*(b*x + a)^2
- 6*I*(b*x + a)*a + 3*I*a^2)*dilog(I*c*e^(2*I*b*x + 2*I*a)) + (4*(b*x + a)
^3 - 9*(b*x + a)^2*a + 9*(b*x + a)*a^2)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*s
in(2*b*x + 2*a)^2 + 2*c*sin(2*b*x + 2*a) + 1) + 3*(4*b*x + a)*polylog(3, I
*c*e^(2*I*b*x + 2*I*a)) + 6*I*polylog(4, I*c*e^(2*I*b*x + 2*I*a))*(-I*c -
1)/(b^2*(c - I))/b
```

Giac [F]

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int x^2 \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")`

output

```
integrate(x^2*arccot((I*c + 1)*tan(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int x^2 \operatorname{acot}(c + \tan(a + bx) (1 + c \operatorname{li})) dx$$

input `int(x^2*acot(c + tan(a + b*x)*(c*1i + 1)),x)`output `int(x^2*acot(c + tan(a + b*x)*(c*1i + 1)), x)`**Reduce [F]**

$$\int x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci + \tan(bx + a) + c) x^2 dx$$

input `int(x^2*acot(c+(1+I*c)*tan(b*x+a)),x)`output `int(acot(tan(a + b*x)*c*i + tan(a + b*x) + c)*x**2,x)`

3.15 $\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal result	158
Mathematica [A] (verified)	159
Rubi [A] (verified)	159
Maple [C] (warning: unable to verify)	162
Fricas [B] (verification not implemented)	163
Sympy [F(-2)]	163
Maxima [B] (verification not implemented)	164
Giac [F]	164
Mupad [F(-1)]	165
Reduce [F]	165

Optimal result

Integrand size = 19, antiderivative size = 123

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \frac{bx^3}{6} + \frac{1}{2}x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{4}ix^2 \log(1 - ice^{2ia+2ibx}) + \frac{x \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{4b} + \frac{i \operatorname{PolyLog}(3, ice^{2ia+2ibx})}{8b^2}$$

output

```
1/6*b*x^3+1/2*x^2*arccot(c+(1+I*c)*tan(b*x+a))+1/4*I*x^2*ln(1-I*c*exp(2*I*a+2*I*b*x))+1/4*x*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b+1/8*I*polylog(3,I*c*exp(2*I*a+2*I*b*x))/b^2
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 110, normalized size of antiderivative = 0.89

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{i \left(2b^2 x^2 \log \left(1 + \frac{ie^{-2i(a+bx)}}{c} \right) + 2ibx \operatorname{PolyLog} \left(2, -\frac{ie^{-2i(a+bx)}}{c} \right) + \operatorname{PolyLog} \left(3, -\frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]
```

output

```
(x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 + I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.26, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$, Rules used = {5695, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx \\ & \quad \downarrow \text{5695} \\ & \frac{1}{2} ib \int \frac{x^2}{e^{2ia+2ibx} c + i} dx + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) \\ & \quad \downarrow \text{2615} \\ & \frac{1}{2} ib \left(ic \int \frac{e^{2ia+2ibx} x^2}{e^{2ia+2ibx} c + i} dx - \frac{ix^3}{3} \right) + \frac{1}{2} x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx)) \\ & \quad \downarrow \text{2620} \end{aligned}$$

$$\frac{1}{2}ib \left(ic \left(\frac{i \int x \log(1 - ice^{2ia+2ibx}) dx}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 3011

$$\frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \int \operatorname{PolyLog}(2, ice^{2ia+2ibx}) dx}{2b} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 2720

$$\frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}(2, ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

↓ 7143

$$\frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{\operatorname{PolyLog}(3, ice^{2ia+2ibx})}{4b^2} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

input `Int[x*ArcCot[c + (1 + I*c)*Tan[a + b*x]],x]`

output `(x^2*ArcCot[c + (1 + I*c)*Tan[a + b*x]])/2 + (I/2)*b*((-1/3*I)*x^3 + I*c*((-1/2*I)*x^2*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) + (I*(((I/2)*x*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/b - PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/(b*c)))`

Definitions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5695 `Int[ArcCot[(c_.) + (d_.)*Tan[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tan[a + b*x]]/(f*(m + 1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c + I*d + c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c + I*d)^2, -1]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.25 (sec) , antiderivative size = 1413, normalized size of antiderivative = 11.49

method	result	size
risch	Expression too large to display	1413

input `int(x*arccot(c+(I*c+1)*tan(b*x+a)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & 1/2*I*x^2*\ln(\exp(I*(b*x+a)))+1/8*(Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(-I+c))*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))-Pi*csgn(I/(\exp(2*I*(b*x+a))+1)) \\ & *csgn(I*(\exp(2*I*(b*x+a))*c+I))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))-Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2 \\ & *I*(b*x+a))+1))^2+Pi*csgn(I*\exp(I*(b*x+a)))^2*csgn(I*\exp(2*I*(b*x+a)))-2*P \\ & i*csgn(I*\exp(I*(b*x+a)))*csgn(I*\exp(2*I*(b*x+a)))^2+Pi*csgn(I*\exp(2*I*(b*x+a)))^3+Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))*csgn(I*\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))-Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I*\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))*csgn((\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))+Pi*csgn((\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(-I+c))*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))*csgn(\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))+Pi*csgn(\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))^3-Pi*csgn(I*(-I+c)/(\exp(2*I*(b*x+a))+1))*csgn(I*\exp(2*I*(b*x+a))*(-I+c)/(\exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))^3+Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))+1))*csgn((\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*... \end{aligned}$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 270 vs. $2(85) = 170$.

Time = 0.11 (sec) , antiderivative size = 270, normalized size of antiderivative = 2.20

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$= \frac{2b^3x^3 - 3ib^2x^2 \log\left(\frac{(ce^{(2ibx+2ia)+i})e^{(-2ibx-2ia)}}{c-i}\right) + 2a^3 + 6bx\text{Li}_2\left(\frac{1}{2}\sqrt{4i}ce^{(ibx+ia)}\right) + 6bx\text{Li}_2\left(-\frac{1}{2}\sqrt{4i}ce^{(ibx+ia)}\right)}{b^2}$$

input `integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")`

output `1/12*(2*b^3*x^3 - 3*I*b^2*x^2*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I)) + 2*a^3 + 6*b*x*dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6*b*x*dilog(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(4*I*c))/c) - 3*(-I*b^2*x^2 + I*a^2)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - 3*(-I*b^2*x^2 + I*a^2)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) + 6*I*polylog(3, 1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + 6*I*polylog(3, -1/2*sqrt(4*I*c)*e^(I*b*x + I*a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c+(1+I*c)*tan(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) - _t0**2*I*exp(2*I*a) + I of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 218 vs. $2(85) = 170$.

Time = 0.05 (sec) , antiderivative size = 218, normalized size of antiderivative = 1.77

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$= \frac{6 \left((bx+a)^2 - 2(bx+a)a \right) \operatorname{arccot}((ic+1) \tan(bx+a)+c)}{b} - \frac{\left(-4i(bx+a)^3 + 12i(bx+a)^2 a - 6i b x \operatorname{Li}_2(i c e^{(2i bx+2i a)}) - 6 \left(i(bx+a)^2 - 2i(bx+a)a \right) \right)}{b}$$

input `integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")`

output `1/12*(6*((b*x + a)^2 - 2*(b*x + a)*a)*arccot((I*c + 1)*tan(b*x + a) + c)/b - (-4*I*(b*x + a)^3 + 12*I*(b*x + a)^2*a - 6*I*b*x*dilog(I*c*e^(2*I*b*x + 2*I*a)) - 6*(I*(b*x + a)^2 - 2*I*(b*x + a)*a)*arctan2(c*cos(2*b*x + 2*a), c*sin(2*b*x + 2*a) + 1) + 3*((b*x + a)^2 - 2*(b*x + a)*a)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*sin(2*b*x + 2*a)^2 + 2*c*sin(2*b*x + 2*a) + 1) + 3*polylog(3, I*c*e^(2*I*b*x + 2*I*a)))*(-I*c - 1)/(b*(c - I))/b`

Giac [F]

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int x \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

input `integrate(x*arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot((I*c + 1)*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int x \operatorname{acot}(c + \tan(a + bx) (1 + ci)) dx$$

input `int(x*acot(c + tan(a + b*x)*(c*1i + 1)),x)`

output `int(x*acot(c + tan(a + b*x)*(c*1i + 1)), x)`

Reduce [F]

$$\int x \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci + \tan(bx + a) + c) x dx$$

input `int(x*acot(c+(1+I*c)*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*c*i + tan(a + b*x) + c)*x,x)`

3.16 $\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$

Optimal result	166
Mathematica [B] (warning: unable to verify)	166
Rubi [A] (verified)	167
Maple [B] (verified)	169
Fricas [B] (verification not implemented)	170
Sympy [F(-2)]	171
Maxima [B] (verification not implemented)	171
Giac [F]	172
Mupad [F(-1)]	172
Reduce [F]	173

Optimal result

Integrand size = 17, antiderivative size = 85

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \frac{bx^2}{2} + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) + \frac{1}{2}ix \log(1 - ice^{2ia+2ibx}) + \frac{\text{PolyLog}(2, ice^{2ia+2ibx})}{4b}$$

output `1/2*b*x^2+x*arccot(c+(1+I*c)*tan(b*x+a))+1/2*I*x*ln(1-I*c*exp(2*I*a+2*I*b*x))+1/4*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b`

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 967 vs. 2(85) = 170.

Time = 3.68 (sec) , antiderivative size = 967, normalized size of antiderivative = 11.38

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = x \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

$$((i + c) \cos(a + bx) + (1 + ic) \sin(a + bx)) \left(2bx - i \log \left(1 - \frac{\sec(bx)((-i+c) \cos(a)+i(i+c) \sin(a))(\cos(a+bx)-i \sin(a+bx))}{2c} \right) \right)$$

input `Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]],x]`

output

```
x*ArcCot[c + (1 + I*c)*Tan[a + b*x]] - (I*x*((2*I)*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] - Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]))/(2*c)]*Log[1 - I*Tan[b*x]] + Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]))/(2*Cos[a] - (2*I)*Sin[a])])*Log[1 + I*Tan[b*x]] - PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] - PolyLog[2, (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] + PolyLog[2, (Sec[b*x]*((1 + I*c)*Cos[a] - (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x]))/2])*Sec[a + b*x]^2*(Cos[b*x] + I*Sin[b*x])*(I*Cos[b*x] + Sin[b*x])*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x])/(((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])*(2*b*x - I*Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] - I*Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x]))/2] - (I*(-I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])))/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) + ((I + c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) - (2*I)*b*x*Tan[b*x] + Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)]*Tan[b*x] - Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x]))/2]*Tan[b*x] - Log[1 - I*Tan[b*x]]*Tan[b*x] + Cos[a]^2*Log[1 + I*Tan[b*x]]*Tan[b*x] + Log[1 + I*Tan[b*x]]...
```

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.26, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.294$, Rules used = {5687, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$\downarrow 5687$$

$$ib \int \frac{x}{e^{2ia+2ibx}c + i} dx + x \cot^{-1}(c + (1 + ic) \tan(a + bx))$$

$$\begin{aligned}
& \downarrow 2615 \\
& ib \left(ic \int \frac{e^{2ia+2ibx} x}{e^{2ia+2ibx} c + i} dx - \frac{ix^2}{2} \right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) \\
& \downarrow 2620 \\
& ib \left(ic \left(\frac{i \int \log(1 - ice^{2ia+2ibx}) dx}{2bc} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) \\
& \downarrow 2715 \\
& ib \left(ic \left(\frac{\int e^{-2ia-2ibx} \log(1 - ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2c} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx)) \\
& \downarrow 2838 \\
& ib \left(ic \left(-\frac{\text{PolyLog}(2, ice^{2ia+2ibx})}{4b^2c} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c + (1 + ic) \tan(a + bx))
\end{aligned}$$

input `Int[ArcCot[c + (1 + I*c)*Tan[a + b*x]], x]`

output `x*ArcCot[c + (1 + I*c)*Tan[a + b*x]] + I*b*((-1/2*I)*x^2 + I*c((((-1/2*I)*x*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)])/(b*c) - PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2*c)))`

Defintions of rubi rules used

rule 2615

```
Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

```
rule 2620 Int[((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_)^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

```
rule 2715 Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

```
rule 2838 Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

```
rule 5687 Int[ArcCot[(c_) + (d_)*Tan[(a_) + (b_)*(x_)]], x_Symbol] := Simp[x*ArcC
ot[c + d*Tan[a + b*x]], x] + Simp[I*b Int[x/(c + I*d + c*E^(2*I*a + 2*I*b
*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c + I*d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 561 vs. 2(69) = 138.

Time = 2.14 (sec) , antiderivative size = 562, normalized size of antiderivative = 6.61

method	result
derivativedivides	$-\frac{\operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))c^2}{2i-2c} + \frac{2i\operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))c}{2i-2c} + \operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))$
default	$-\frac{\operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))c^2}{2i-2c} + \frac{2i\operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))c}{2i-2c} + \operatorname{arccot}(c+(ic+1)\tan(bx+a))\ln(-i+c+(ic+1)\tan(bx+a))$
risch	Expression too large to display

```
input int(arccot(c+(I*c+1)*tan(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```

1/b/(I*c+1)*(-arccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-I+c+(I*c+1)*tan(b
*x+a))*c^2+2*I*arccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-I+c+(I*c+1)*tan(
b*x+a))*c+arccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-I+c+(I*c+1)*tan(b*x+a
))+arccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-c+(I*c+1)*tan(b*x+a)+I)*c^2-
2*I*arccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-c+(I*c+1)*tan(b*x+a)+I)*c-a
rccot(c+(I*c+1)*tan(b*x+a))/(2*I-2*c)*ln(-c+(I*c+1)*tan(b*x+a)+I)+(I*c+1)^
2*(1/2/(I-c)*(1/2*I*(dilog(-1/2*I*(c+(I*c+1)*tan(b*x+a)+I))+ln(-I+c+(I*c+1
)*tan(b*x+a))*ln(-1/2*I*(c+(I*c+1)*tan(b*x+a)+I)))-1/4*I*ln(-I+c+(I*c+1)*t
an(b*x+a))^2)-1/2/(I-c)*(-1/2*I*(dilog((-I+c+(I*c+1)*tan(b*x+a))/(-2*I+2*c
)))+ln(-c+(I*c+1)*tan(b*x+a)+I)*ln((-I+c+(I*c+1)*tan(b*x+a))/(-2*I+2*c)))
+1/2*I*(dilog(1/2*(c+(I*c+1)*tan(b*x+a)+I)/c)+ln(-c+(I*c+1)*tan(b*x+a)+I)*ln
(1/2*(c+(I*c+1)*tan(b*x+a)+I)/c))))

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 199 vs. $2(60) = 120$.

Time = 0.12 (sec) , antiderivative size = 199, normalized size of antiderivative = 2.34

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx$$

$$= \frac{b^2 x^2 - i b x \log\left(\frac{(ce^{2i bx + 2i a} + i)e^{-2i bx - 2i a}}{c - i}\right) - a^2 + (i b x + i a) \log\left(\frac{1}{2} \sqrt{4i c e^{i b x + i a}} + 1\right) + (i b x + i a) \log\left(\frac{1}{2} \sqrt{4i c e^{i b x + i a}} - 1\right)}{b}$$

input

```
integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="fricas")
```

output

```

1/2*(b^2*x^2 - I*b*x*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/
(c - I)) - a^2 + (I*b*x + I*a)*log(1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) +
(I*b*x + I*a)*log(-1/2*sqrt(4*I*c)*e^(I*b*x + I*a) + 1) - I*a*log(1/2*(2*c
*e^(I*b*x + I*a) + I*sqrt(4*I*c))/c) - I*a*log(1/2*(2*c*e^(I*b*x + I*a) -
I*sqrt(4*I*c))/c) + dilog(1/2*sqrt(4*I*c)*e^(I*b*x + I*a)) + dilog(-1/2*sq
rt(4*I*c)*e^(I*b*x + I*a)))/b

```

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c+(1+I*c)*tan(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) -
_t0**2*I*exp(2*I*a) + I of type <class 'sympy.core.add.Add'> to QQ_I[b,c,
_t0,exp(I*a)]`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 455 vs. $2(60) = 120$.

Time = 0.15 (sec) , antiderivative size = 455, normalized size of antiderivative = 5.35

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \text{Too large to display}$$

input `integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="maxima")`

output

```
-1/8*((-I*c - 1)*(4*I*(b*x + a)*log(-2*(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - 2*c + I)/(2*I*c^2 - 2*(c^2 - 2*I*c - 1)*tan(b*x + a) + 2*I))/(I*c + 1) - I*(4*(b*x + a)*(log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - 2*c + I) - log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - I)) + I*log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - 2*c + I)^2 - 2*I*log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - I)*log(-1/2*(c - I)*tan(b*x + a) + 1/2*I*c + 1/2) + 2*I*log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - I)*log(-1/2*((I*c + 1)*tan(b*x + a) + c + I)/c + 1) - 2*I*log(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - 2*c + I)*log(-1/2*I*tan(b*x + a) + 1/2) - 2*I*dilog(1/2*(c - I)*tan(b*x + a) - 1/2*I*c + 1/2) + 2*I*dilog(1/2*((I*c + 1)*tan(b*x + a) + c + I)/c) - 2*I*dilog(1/2*I*tan(b*x + a) + 1/2))/(I*c + 1)) - 8*(b*x + a)*arccot((I*c + 1)*tan(b*x + a) + c) - 4*(b*x + a)*(c - I)*log(-2*(-I*c^2 + (c^2 - 2*I*c - 1)*tan(b*x + a) - 2*c + I)/(2*I*c^2 - 2*(c^2 - 2*I*c - 1)*tan(b*x + a) + 2*I))/(I*c + 1))/b
```

Giac [F]

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int \operatorname{arccot}((ic + 1) \tan(bx + a) + c) dx$$

input

```
integrate(arccot(c+(1+I*c)*tan(b*x+a)),x, algorithm="giac")
```

output

```
integrate(arccot((I*c + 1)*tan(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int \operatorname{acot}(c + \tan(a + bx) (1 + c li)) dx$$

input

```
int(acot(c + tan(a + b*x)*(c*1i + 1)),x)
```

output

```
int(acot(c + tan(a + b*x)*(c*1i + 1)), x)
```

Reduce [F]

$$\int \cot^{-1}(c + (1 + ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci + \tan(bx + a) + c) dx$$

input `int(acot(c+(1+I*c)*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*c*i + tan(a + b*x) + c),x)`

3.17 $\int \frac{\cot^{-1}(c+(1+ic)\tan(a+bx))}{x} dx$

Optimal result	174
Mathematica [N/A]	174
Rubi [N/A]	175
Maple [N/A]	175
Fricas [N/A]	176
Sympy [F(-1)]	176
Maxima [F(-2)]	176
Giac [N/A]	177
Mupad [N/A]	177
Reduce [N/A]	178

Optimal result

Integrand size = 21, antiderivative size = 21

$$\int \frac{\cot^{-1}(c + (1 + ic)\tan(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + (1 + ic)\tan(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+(1+I*c)*tan(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.26 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\cot^{-1}(c + (1 + ic)\tan(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + (1 + ic)\tan(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx$$

input `Int[ArcCot[c + (1 + I*c)*Tan[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.90

$$\int \frac{\operatorname{arccot}(c + (ic + 1) \tan(bx + a))}{x} dx$$

input `int(arccot(c+(I*c+1)*tan(b*x+a))/x,x)`

output `int(arccot(c+(I*c+1)*tan(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.71

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((ic + 1) \tan(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="fricas")`

output `integral(-1/2*I*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c - I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+(1+I*c)*tan(b*x+a))/x,x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more
details)Is
```

Giac [N/A]

Not integrable

Time = 0.78 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((ic + 1) \tan(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c+(1+I*c)*tan(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot((I*c + 1)*tan(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.11 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.05

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \tan(a + bx) (1 + c1i))}{x} dx$$

input

```
int(acot(c + tan(a + b*x)*(c*1i + 1))/x,x)
```

output

```
int(acot(c + tan(a + b*x)*(c*1i + 1))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.14

$$\int \frac{\cot^{-1}(c + (1 + ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tan(bx + a) ci + \tan(bx + a) + c)}{x} dx$$

input `int(acot(c+(1+I*c)*tan(b*x+a))/x,x)`output `int(acot(tan(a + b*x)*c*i + tan(a + b*x) + c)/x,x)`

3.18 $\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal result	179
Mathematica [A] (verified)	180
Rubi [A] (verified)	180
Maple [C] (warning: unable to verify)	184
Fricas [B] (verification not implemented)	185
Sympy [F(-2)]	185
Maxima [B] (verification not implemented)	186
Giac [F]	186
Mupad [F(-1)]	187
Reduce [F]	187

Optimal result

Integrand size = 22, antiderivative size = 155

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = -\frac{bx^4}{12} + \frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{6}ix^3 \log(1 + ice^{2ia+2ibx}) - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{4b} - \frac{ix \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{4b^2} + \frac{\operatorname{PolyLog}(4, -ice^{2ia+2ibx})}{8b^3}$$

output

```
-1/12*b*x^4+1/3*x^3*arccot(c-(1-I*c)*tan(b*x+a))-1/6*I*x^3*ln(1+I*c*exp(2*I*a+2*I*b*x))-1/4*x^2*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b-1/4*I*x*polylog(3,-I*c*exp(2*I*a+2*I*b*x))/b^2+1/8*polylog(4,-I*c*exp(2*I*a+2*I*b*x))/b^3
```

Mathematica [A] (verified)

Time = 0.17 (sec) , antiderivative size = 141, normalized size of antiderivative = 0.91

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \frac{1}{3} x^3 \cot^{-1}(c + i(i + c) \tan(a + bx))$$

$$\frac{4ib^3 x^3 \log\left(1 - \frac{ie^{-2i(a+bx)}}{c}\right) - 6b^2 x^2 \text{PolyLog}\left(2, \frac{ie^{-2i(a+bx)}}{c}\right) + 6ibx \text{PolyLog}\left(3, \frac{ie^{-2i(a+bx)}}{c}\right) + 3 \text{PolyLog}\left(4, \frac{ie^{-2i(a+bx)}}{c}\right)}{24b^3}$$

input

```
Integrate[x^2*ArcCot[c - (1 - I*c)*Tan[a + b*x]], x]
```

output

```
(x^3*ArcCot[c + I*(I + c)*Tan[a + b*x]])/3 - ((4*I)*b^3*x^3*Log[1 - I/(c*E^((2*I)*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))] + (6*I)*b*x*PolyLog[3, I/(c*E^((2*I)*(a + b*x)))] + 3*PolyLog[4, I/(c*E^((2*I)*(a + b*x)))])/(24*b^3)
```

Rubi [A] (verified)

Time = 0.85 (sec) , antiderivative size = 199, normalized size of antiderivative = 1.28, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5695, 25, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$$

$$\downarrow \text{5695}$$

$$\frac{1}{3} ib \int -\frac{x^3}{i - ce^{2ia+2ibx}} dx + \frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{3} x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3} ib \int \frac{x^3}{i - ce^{2ia+2ibx}} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3}ib \left(-ic \int \frac{e^{2ia+2ibx} x^3}{i - ce^{2ia+2ibx}} dx - \frac{ix^4}{4} \right)$$

↓ 2620

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \int x^2 \log(ie^{2ia+2ibx}c + 1) dx}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 3011

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \int x \text{PolyLog}(2, -ice^{2ia+2ibx}) dx}{b} \right)}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 7163

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int \text{PolyLog}(3, -ice^{2ia+2ibx}) dx}{2b} - \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} \right) \right)$$

↓ 2720

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int e^{-2ia-2ibx} \text{PolyLog}(3, -ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} - \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{b} \right)}{b} \right)}{2bc} \right) \right)$$

↓ 7143

$$\frac{1}{3}x^3 \cot^{-1}(c - (1 - ic)\tan(a + bx)) - \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\operatorname{PolyLog}(4, -ice^{2ia+2ibx})}{4b^2} - \frac{ix \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} \right) \right)$$

input `Int[x^2*ArcCot[c - (1 - I*c)*Tan[a + b*x]],x]`

output `(x^3*ArcCot[c - (1 - I*c)*Tan[a + b*x]])/3 - (I/3)*b*((-1/4*I)*x^4 - I*c*((I/2)*x^3*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) - ((3*I)/2)*(((I/2)*x^2*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b - (I*(((1/2*I)*x*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b + PolyLog[4, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/b))/(b*c))`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 2615 `Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5695

```
Int[ArcCot[(c_) + (d_)*Tan[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_))^(m_.
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tan[a + b*x]]/(f*(m +
1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c + I*d + c*E^(2
*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && E
qQ[(c + I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```


Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 3.47 (sec) , antiderivative size = 1449, normalized size of antiderivative = 9.35

method	result	size
risch	Expression too large to display	1449

input `int(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & 1/6*I*x^3*\ln(\exp(2*I*(b*x+a))*c-I)-1/12*(Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*c \\ & sgn(I*(I+c))*csgn(I*(I+c)/(\exp(2*I*(b*x+a))+1))-Pi*csgn(I/(\exp(2*I*(b*x+a) \\ &)+1))*csgn(I*(\exp(2*I*(b*x+a))*c-I))*csgn(I*(\exp(2*I*(b*x+a))*c-I)/(\exp(2* \\ & I*(b*x+a))+1))-Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(I+c)/(\exp(2*I*(b*x+ \\ & a))+1))^2+Pi*csgn(I/(\exp(2*I*(b*x+a))+1))*csgn(I*(\exp(2*I*(b*x+a))*c-I)/(e \\ & xp(2*I*(b*x+a))+1))^2+Pi*csgn(I*\exp(I*(b*x+a)))^2*csgn(I*\exp(2*I*(b*x+a))) \\ & -2*Pi*csgn(I*\exp(I*(b*x+a)))*csgn(I*\exp(2*I*(b*x+a)))^2+Pi*csgn(I*\exp(2*I* \\ & (b*x+a)))^3+Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I*(I+c)/(\exp(2*I*(b*x+a))+1)) \\ & *csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))-Pi*csgn(I*\exp(2*I*(b* \\ & x+a)))*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*\exp \\ & (2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))*csgn(\exp(2*I*(b*x+a))*(I+c)/(\exp \\ & (2*I*(b*x+a))+1))-Pi*csgn(\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^2-P \\ & i*csgn(I*(\exp(2*I*(b*x+a))*c-I)/(\exp(2*I*(b*x+a))+1))*csgn((\exp(2*I*(b*x+a) \\ &))*c-I)/(\exp(2*I*(b*x+a))+1))-Pi*csgn((\exp(2*I*(b*x+a))*c-I)/(\exp(2*I*(b*x \\ & +a))+1))^2-Pi*csgn(I*(I+c))*csgn(I*(I+c)/(\exp(2*I*(b*x+a))+1))^2+Pi*csgn(I \\ & *(\exp(2*I*(b*x+a))*c-I))*csgn(I*(\exp(2*I*(b*x+a))*c-I)/(\exp(2*I*(b*x+a))+1 \\ &))^2+Pi*csgn(I*(I+c)/(\exp(2*I*(b*x+a))+1))^3-Pi*csgn(I*(I+c)/(\exp(2*I*(b*x \\ & +a))+1))*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(\\ & \exp(2*I*(b*x+a))*c-I)/(\exp(2*I*(b*x+a))+1))^3+Pi*csgn(I*(\exp(2*I*(b*x+a))* \\ & c-I)/(\exp(2*I*(b*x+a))+1))*csgn((\exp(2*I*(b*x+a))*c-I)/(\exp(2*I*(b*x+a) \dots \end{aligned}$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 321 vs. $2(108) = 216$.

Time = 0.11 (sec) , antiderivative size = 321, normalized size of antiderivative = 2.07

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx =$$

$$\frac{b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c+i)e^{(2i bx+2i a)}}{ce^{(2i bx+2i a)-i}}\right) + 6 b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i} ce^{(i bx+i a)}\right) + 6 b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i} ce^{(i bx+i a)}\right) - \dots}{-}$$

input `integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")`

output

```
-1/12*(b^4*x^4 + 2*I*b^3*x^3*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 6*b^2*x^2*dilog(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 6*b^2*x^2*dilog(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) - a^4 - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(-4*I*c))/c) - 2*I*a^3*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(-4*I*c))/c) + 12*I*b*x*polylog(3, 1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 12*I*b*x*polylog(3, -1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 2*(I*b^3*x^3 + I*a^3)*log(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) + 2*(I*b^3*x^3 + I*a^3)*log(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) - 12*polylog(4, 1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) - 12*polylog(4, -1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)))/b^3
```

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x**2*acot(c-(1-I*c)*tan(b*x+a)),x)`

output

```
Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) - 3*_t0**2*I*c*exp(2*I*a) + _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]
```

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 312 vs. $2(108) = 216$.

Time = 0.08 (sec) , antiderivative size = 312, normalized size of antiderivative = 2.01

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \frac{4((bx+a)^3 - 3(bx+a)^2a + 3(bx+a)a^2) \operatorname{arccot}((-ic+1) \tan(bx+a) - c)}{b^2} + \frac{(-3i(bx+a)^4 + 12i(bx+a)^3a - 18i(bx+a)^2a^2 - 2(-4i(bx+a)^3 +$$

input `integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")`

output `-1/12*(4*((b*x + a)^3 - 3*(b*x + a)^2*a + 3*(b*x + a)*a^2)*arccot((-I*c + 1)*tan(b*x + a) - c)/b^2 + (-3*I*(b*x + a)^4 + 12*I*(b*x + a)^3*a - 18*I*(b*x + a)^2*a^2 - 2*(-4*I*(b*x + a)^3 + 9*I*(b*x + a)^2*a - 9*I*(b*x + a)*a^2)*arctan2(c*cos(2*b*x + 2*a), -c*sin(2*b*x + 2*a) + 1) - 3*(4*I*(b*x + a)^2 - 6*I*(b*x + a)*a + 3*I*a^2)*dilog(-I*c*e^(2*I*b*x + 2*I*a)) + (4*(b*x + a)^3 - 9*(b*x + a)^2*a + 9*(b*x + a)*a^2)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*sin(2*b*x + 2*a)^2 - 2*c*sin(2*b*x + 2*a) + 1) + 3*(4*b*x + a)*polylog(3, -I*c*e^(2*I*b*x + 2*I*a)) + 6*I*polylog(4, -I*c*e^(2*I*b*x + 2*I*a)))*(I*c - 1)/(b^2*(c + I))/b`

Giac [F]

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int x^2 \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

input `integrate(x^2*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(-(-I*c + 1)*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int x^2 \operatorname{acot}(c + \tan(a + bx) (-1 + ci)) dx$$

input `int(x^2*acot(c + tan(a + b*x)*(c*1i - 1)),x)`

output `int(x^2*acot(c + tan(a + b*x)*(c*1i - 1)), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci - \tan(bx + a) + c) x^2 dx$$

input `int(x^2*acot(c-(1-I*c)*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*c*i - tan(a + b*x) + c)*x**2,x)`

3.19 $\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal result	188
Mathematica [A] (verified)	189
Rubi [A] (verified)	189
Maple [C] (warning: unable to verify)	192
Fricas [B] (verification not implemented)	193
Sympy [F(-2)]	193
Maxima [B] (verification not implemented)	194
Giac [F]	194
Mupad [F(-1)]	195
Reduce [F]	195

Optimal result

Integrand size = 20, antiderivative size = 124

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = -\frac{bx^3}{6} + \frac{1}{2}x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{4}ix^2 \log(1 + ice^{2ia+2ibx}) - \frac{x \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{4b} - \frac{i \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{8b^2}$$

```
output -1/6*b*x^3+1/2*x^2*arccot(c-(1-I*c)*tan(b*x+a))-1/4*I*x^2*ln(1+I*c*exp(2*I*a+2*I*b*x))-1/4*x*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b-1/8*I*polylog(3,-I*c*exp(2*I*a+2*I*b*x))/b^2
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 111, normalized size of antiderivative = 0.90

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \frac{1}{2} x^2 \cot^{-1}(c + i(i + c) \tan(a + bx))$$

$$\frac{i \left(2b^2 x^2 \log \left(1 - \frac{ie^{-2i(a+bx)}}{c} \right) + 2ibx \operatorname{PolyLog} \left(2, \frac{ie^{-2i(a+bx)}}{c} \right) + \operatorname{PolyLog} \left(3, \frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c - (1 - I*c)*Tan[a + b*x]], x]
```

output

```
(x^2*ArcCot[c + I*(I + c)*Tan[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 - I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, I/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 156, normalized size of antiderivative = 1.26, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {5695, 25, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$$

$$\downarrow \text{5695}$$

$$\frac{1}{2} ib \int -\frac{x^2}{i - ce^{2ia+2ibx}} dx + \frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2} ib \int \frac{x^2}{i - ce^{2ia+2ibx}} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{2} x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2} ib \left(-ic \int \frac{e^{2ia+2ibx} x^2}{i - ce^{2ia+2ibx}} dx - \frac{ix^3}{3} \right)$$

$$\begin{aligned}
& \downarrow 2620 \\
& \frac{1}{2}x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \\
& \frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \int x \log(ie^{2ia+2ibx}c + 1) dx}{bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 3011 \\
& \frac{1}{2}x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \\
& \frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \int \operatorname{PolyLog}(2, -ice^{2ia+2ibx}) dx}{2b} \right)}{bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 2720 \\
& \frac{1}{2}x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \\
& \frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}(2, -ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} \right)}{bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 7143 \\
& \frac{1}{2}x^2 \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \\
& \frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{\operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{4b^2} \right)}{bc} \right) - \frac{ix^3}{3} \right)
\end{aligned}$$

input `Int[x*ArcCot[c - (1 - I*c)*Tan[a + b*x]],x]`

output `(x^2*ArcCot[c - (1 - I*c)*Tan[a + b*x]])/2 - (I/2)*b*((-1/3*I)*x^3 - I*c*((I/2)*x^2*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) - (I*(((I/2)*x*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b - PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/(b*c)))`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[(((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.}))))^{\text{n}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m} + 1} / (\text{a} * \text{d} * (\text{m} + 1)), \text{x}] - \text{Simp}[\text{b}/\text{a} \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m}} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / (\text{a} + \text{b} * (\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}})), \text{x}], \text{x}] /; \text{FreeQ}\{\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2620 $\text{Int}[(((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.} * ((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m}} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}] - \text{Simp}[\text{d} * (\text{m} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m} - 1} * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}], \text{x}] /; \text{FreeQ}\{\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2720 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{With}\{\{\text{v} = \text{FunctionOfExponential}[\text{u}, \text{x}]\}, \text{Simp}[\text{v}/\text{D}[\text{v}, \text{x}] \quad \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[\text{u}, \text{x}]/\text{x}, \text{x}], \text{x}, \text{v}], \text{x}]\} /; \text{FunctionOfExponentialQ}[\text{u}, \text{x}] \&\& \text{!MatchQ}[\text{u}, (\text{w}_.) * ((\text{a}_.) * (\text{v}_.)^{\text{n}_.})^{\text{m}_.}] /; \text{FreeQ}\{\{\text{a}, \text{m}, \text{n}\}, \text{x}\} \&\& \text{IntegerQ}[\text{m} * \text{n}] \&\& \text{!MatchQ}[\text{u}, \text{E}^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * \text{x})) * (\text{F}_.)[\text{v}_.] /; \text{FreeQ}\{\{\text{a}, \text{b}, \text{c}\}, \text{x}\} \&\& \text{InverseFunctionQ}[\text{F}[\text{x}]]]$
- rule 3011 $\text{Int}[\text{Log}[1 + (\text{e}_.) * ((\text{F}_.)^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}] * ((\text{f}_.) + (\text{g}_.) * (\text{x}_.)^{\text{m}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[-(\text{f} + \text{g} * \text{x})^{\text{m}} * (\text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}] / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}]))], \text{x}] + \text{Simp}[\text{g} * (\text{m} / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{f} + \text{g} * \text{x})^{\text{m} - 1} * \text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}], \text{x}], \text{x}] /; \text{FreeQ}\{\{\text{F}, \text{a}, \text{b}, \text{c}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{GtQ}[\text{m}, 0]$
- rule 5695 $\text{Int}[\text{ArcCot}[(\text{c}_.) + (\text{d}_.) * \text{Tan}[(\text{a}_.) + (\text{b}_.) * (\text{x}_.)]] * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{m}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} * (\text{ArcCot}[\text{c} + \text{d} * \text{Tan}[\text{a} + \text{b} * \text{x}]] / (\text{f} * (\text{m} + 1))), \text{x}] + \text{Simp}[\text{I} * (\text{b} / (\text{f} * (\text{m} + 1))) \quad \text{Int}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} / (\text{c} + \text{I} * \text{d} + \text{c} * \text{E}^{\text{2} * \text{I} * \text{a} + 2 * \text{I} * \text{b} * \text{x}})], \text{x}], \text{x}] /; \text{FreeQ}\{\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0] \&\& \text{EqQ}[(\text{c} + \text{I} * \text{d})^2, -1]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.78 (sec) , antiderivative size = 1414, normalized size of antiderivative = 11.40

method	result	size
risch	Expression too large to display	1414

input

```
int(x*arccot(c-(1-I*c)*tan(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/2*I/b^2*a^2*ln(1-I*exp(I*(b*x+a))*(I*c)^(1/2))-1/8*(Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(I+c))*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1)^2+Pi*csgn(I/(exp(2*I*(b*x+a))+1))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1)^2+Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*exp(2*I*(b*x+a)))-2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^2+Pi*csgn(I*exp(2*I*(b*x+a)))^3+Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))-Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))-Pi*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))*csgn((exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))-Pi*csgn((exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(I+c))*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))^2+Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1))^3-Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))+1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))+1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))^3+Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))+1))*csgn((exp(2*I*(b*x+a))*c-I)/(ex...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 270 vs. $2(86) = 172$.

Time = 0.12 (sec) , antiderivative size = 270, normalized size of antiderivative = 2.18

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \frac{2b^3x^3 + 3ib^2x^2 \log\left(\frac{(c+i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)}-i}\right) + 2a^3 + 6bx\text{Li}_2\left(\frac{1}{2}\sqrt{-4i}ce^{(ibx+ia)}\right) + 6bx\text{Li}_2\left(-\frac{1}{2}\sqrt{-4i}ce^{(ibx+ia)}\right)}{b^2}$$

input `integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")`

output `-1/12*(2*b^3*x^3 + 3*I*b^2*x^2*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 2*a^3 + 6*b*x*dilog(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 6*b*x*dilog(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) + I*sqrt(-4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(I*b*x + I*a) - I*sqrt(-4*I*c))/c) + 3*(I*b^2*x^2 - I*a^2)*log(1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) + 3*(I*b^2*x^2 - I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(I*b*x + I*a) + 1) + 6*I*polylog(3, 1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)) + 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(I*b*x + I*a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c-(1-I*c)*tan(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) - 3*_t0**2*I*c*exp(2*I*a) + _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 220 vs. $2(86) = 172$.

Time = 0.05 (sec) , antiderivative size = 220, normalized size of antiderivative = 1.77

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \frac{6 \left((bx+a)^2 - 2(bx+a)a \right) \operatorname{arccot}((-ic+1) \tan(bx+a) - c)}{b} + \frac{(-4i(bx+a)^3 + 12i(bx+a)^2 a - 6i b x \operatorname{Li}_2(-i c e^{(2i b x + 2i a)}) - 6(-i(bx+a)^2 + 2i a))}{b}$$

input `integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")`

output `-1/12*(6*((b*x + a)^2 - 2*(b*x + a)*a)*arccot((-I*c + 1)*tan(b*x + a) - c)/b + (-4*I*(b*x + a)^3 + 12*I*(b*x + a)^2*a - 6*I*b*x*dilog(-I*c*e^(2*I*b*x + 2*I*a)) - 6*(-I*(b*x + a)^2 + 2*I*(b*x + a)*a)*arctan2(c*cos(2*b*x + 2*a), -c*sin(2*b*x + 2*a) + 1) + 3*((b*x + a)^2 - 2*(b*x + a)*a)*log(c^2*cos(2*b*x + 2*a)^2 + c^2*sin(2*b*x + 2*a)^2 - 2*c*sin(2*b*x + 2*a) + 1) + 3*polylog(3, -I*c*e^(2*I*b*x + 2*I*a)))*(I*c - 1)/(b*(c + I))/b`

Giac [F]

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int x \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

input `integrate(x*arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(-(-I*c + 1)*tan(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int x \operatorname{acot}(c + \tan(a + bx) (-1 + ci)) dx$$

input `int(x*acot(c + tan(a + b*x)*(c*1i - 1)),x)`

output `int(x*acot(c + tan(a + b*x)*(c*1i - 1)), x)`

Reduce [F]

$$\int x \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci - \tan(bx + a) + c) x dx$$

input `int(x*acot(c-(1-I*c)*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*c*i - tan(a + b*x) + c)*x,x)`

3.20 $\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$

Optimal result	196
Mathematica [B] (warning: unable to verify)	196
Rubi [A] (verified)	197
Maple [B] (verified)	199
Fricas [B] (verification not implemented)	200
Sympy [F(-2)]	201
Maxima [B] (verification not implemented)	201
Giac [F]	202
Mupad [F(-1)]	202
Reduce [F]	203

Optimal result

Integrand size = 18, antiderivative size = 86

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = -\frac{bx^2}{2} + x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \frac{1}{2}ix \log(1 + ice^{2ia+2ibx}) - \frac{\text{PolyLog}(2, -ice^{2ia+2ibx})}{4b}$$

output `-1/2*b*x^2+x*arccot(c-(1-I*c)*tan(b*x+a))-1/2*I*x*ln(1+I*c*exp(2*I*a+2*I*b*x))-1/4*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b`

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 847 vs. 2(86) = 172.

Time = 2.00 (sec) , antiderivative size = 847, normalized size of antiderivative = 9.85

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = x \cot^{-1}(c + i(i + c) \tan(a + bx)) - \frac{ix \left(-2ibx \log(2 \cos(bx)(\cos(bx) - i \sin(bx))) + \log \left(\frac{\sec(bx)(\cos(a+bx) - i \sin(a+bx))}{2c} \right) \right)}{((-i + c) \cos(a + bx) + i(i + c) \sin(a + bx)) \left(-2bx + i \log \left(1 - \frac{\sec(bx)((i+c) \cos(a)+(1+ic) \sin(a))(\cos(a+bx)-i \sin(a+bx))}{2c} \right) \right)}$$

input `Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]],x]`

output

```
x*ArcCot[c + I*(I + c)*Tan[a + b*x]] - (I*x*((-2*I)*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] + Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]))/(2*c)]*Log[1 - I*Tan[b*x]] - Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x]))/2]*Log[1 + I*Tan[b*x]] + PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] + PolyLog[2, (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] - PolyLog[2, ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2])*Sec[a + b*x]*(Cos[b*x] + I*Sin[b*x])*(I*Cos[b*x] + Sin[b*x]))/(((I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x])*(-2*b*x + I*Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] + (I*(I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]]))/((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]) + ((1 + I*c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((-I - I*c)*Cos[a + b*x] + (I + c)*Sin[a + b*x]) + (2*I)*b*x*Tan[b*x] - Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)]*Tan[b*x] + Log[1 - I*Tan[b*x]]*Tan[b*x] - Log[1 + I*Tan[b*x]]*Tan[b*x] - (Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[a + b*x]))/2]*Sec[b*x]^2)/(-I + Tan[b*x]) + (Log[1 - ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2]*Sec[b*x]^2)/(-I + Tan[b*x]) + (Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I + c)*Cos...
```

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.26, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {5687, 25, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx$$

$$\downarrow 5687$$

$$ib \int -\frac{x}{i - ce^{2ia+2ibx}} dx + x \cot^{-1}(c - (1 - ic) \tan(a + bx))$$

$$\begin{aligned}
& \downarrow 25 \\
& x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - ib \int \frac{x}{i - ce^{2ia+2ibx}} dx \\
& \downarrow 2615 \\
& x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - ib \left(-ic \int \frac{e^{2ia+2ibx} x}{i - ce^{2ia+2ibx}} dx - \frac{ix^2}{2} \right) \\
& \downarrow 2620 \\
& ib \left(-ic \left(\frac{x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - ix \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \int \log(ie^{2ia+2ibx} c + 1) dx}{2bc} \right) - \frac{ix^2}{2} \right) \\
& \downarrow 2715 \\
& ib \left(-ic \left(\frac{x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - ix \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{\int e^{-2ia-2ibx} \log(ie^{2ia+2ibx} c + 1) de^{2ia+2ibx}}{4b^2 c} \right) - \frac{ix^2}{2} \right) \\
& \downarrow 2838 \\
& ib \left(-ic \left(\frac{x \cot^{-1}(c - (1 - ic) \tan(a + bx)) - \text{PolyLog}(2, -ice^{2ia+2ibx})}{4b^2 c} + \frac{ix \log(1 + ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right)
\end{aligned}$$

input `Int[ArcCot[c - (1 - I*c)*Tan[a + b*x]],x]`

output `x*ArcCot[c - (1 - I*c)*Tan[a + b*x]] - I*b*((-1/2*I)*x^2 - I*c*(((I/2)*x*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)])/(b*c) + PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2*c)))`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[\left(\left(\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right) / \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)}\right)\right), \text{x_Symbol}] \rightarrow \text{Simp}[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\left(\text{m} + 1\right)} / \left(\text{a} \cdot \text{d} \cdot \left(\text{m} + 1\right)\right), \text{x}] - \text{Simp}\left[\frac{\text{b}}{\text{a}} \quad \text{Int}\left[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\text{m}} \cdot \left(\left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \left(\text{a} + \text{b} \cdot \left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}}\right)\right), \text{x}\right] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\right] \&\& \text{IGtQ}\left[\text{m}, 0\right]$
- rule 2620 $\text{Int}[\left(\left(\left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)} \cdot \left(\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right) / \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)}\right)\right), \text{x_Symbol}] \rightarrow \text{Simp}\left[\left(\left(\text{c} + \text{d} \cdot \text{x}\right)^{\text{m}} / \left(\text{b} \cdot \text{f} \cdot \text{g} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right) \cdot \text{Log}\left[1 + \text{b} \cdot \left(\left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \text{a}\right)\right], \text{x}\right] - \text{Simp}\left[\text{d} \cdot \left(\text{m} / \left(\text{b} \cdot \text{f} \cdot \text{g} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right) \quad \text{Int}\left[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\left(\text{m} - 1\right)} \cdot \text{Log}\left[1 + \text{b} \cdot \left(\left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \text{a}\right)\right], \text{x}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\right] \&\& \text{IGtQ}\left[\text{m}, 0\right]$
- rule 2715 $\text{Int}\left[\text{Log}\left[\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\left(\text{F}_.\right)^{\left(\left(\text{e}_.\right) \cdot \left(\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)}\right], \text{x_Symbol}\right] \rightarrow \text{Simp}\left[1 / \left(\text{d} \cdot \text{e} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right) \quad \text{Subst}\left[\text{Int}\left[\text{Log}\left[\text{a} + \text{b} \cdot \text{x}\right] / \text{x}, \text{x}\right], \text{x}, \left(\text{F}^{\left(\text{e} \cdot \left(\text{c} + \text{d} \cdot \text{x}\right)\right)}\right)^{\text{n}}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{n}\}, \text{x}\right] \&\& \text{GtQ}\left[\text{a}, 0\right]$
- rule 2838 $\text{Int}\left[\text{Log}\left[\left(\text{c}_.\right) \cdot \left(\left(\text{d}_.\right) + \left(\text{e}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{n}_.\right)}\right)\right] / \left(\text{x}_.\right), \text{x_Symbol}\right] \rightarrow \text{Simp}\left[-\text{PolyLog}\left[2, \left(-\text{c}\right) \cdot \text{e} \cdot \text{x}^{\text{n}}\right] / \text{n}, \text{x}\right] \text{ ; FreeQ}\left[\{\text{c}, \text{d}, \text{e}, \text{n}\}, \text{x}\right] \&\& \text{EqQ}\left[\text{c} \cdot \text{d}, 1\right]$
- rule 5687 $\text{Int}\left[\text{ArcCot}\left[\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \text{Tan}\left[\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\text{x}_.\right)\right]\right], \text{x_Symbol}\right] \rightarrow \text{Simp}\left[\text{x} \cdot \text{ArcCot}\left[\text{c} + \text{d} \cdot \text{Tan}\left[\text{a} + \text{b} \cdot \text{x}\right]\right], \text{x}\right] + \text{Simp}\left[\text{I} \cdot \text{b} \quad \text{Int}\left[\text{x} / \left(\text{c} + \text{I} \cdot \text{d} + \text{c} \cdot \text{E}^{\left(2 \cdot \text{I} \cdot \text{a} + 2 \cdot \text{I} \cdot \text{b} \cdot \text{x}\right)}\right), \text{x}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}\right] \&\& \text{EqQ}\left[\left(\text{c} + \text{I} \cdot \text{d}\right)^2, -1\right]$

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 594 vs. $2(70) = 140$.

Time = 2.44 (sec) , antiderivative size = 595, normalized size of antiderivative = 6.92

method	result
derivativdivides	$-\frac{\operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c^2}{2i+2c} - \frac{2i\operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c}{2i+2c} + \operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c^2$
default	$-\frac{\operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c^2}{2i+2c} - \frac{2i\operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c}{2i+2c} + \operatorname{arccot}(c+(ic-1)\tan(bx+a))\ln(-(ic-1)\tan(bx+a)+c+i)c^2$
risch	Expression too large to display

```
input int(arccot(c-(1-I*c)*tan(b*x+a)),x,method=_RETURNVERBOSE)
```

```
output 1/b/(I*c-1)*(-arccot(c+(I*c-1)*tan(b*x+a))/(2*I+2*c)*ln(-(I*c-1)*tan(b*x+a)+c+I)*c^2-2*I*arccot(c+(I*c-1)*tan(b*x+a))/(2*I+2*c)*ln(-(I*c-1)*tan(b*x+a)+c+I)+arccot(c+(I*c-1)*tan(b*x+a))/(2*I+2*c)*ln(I+(I*c-1)*tan(b*x+a)+c)*c^2+2*I*arccot(c+(I*c-1)*tan(b*x+a))/(2*I+2*c)*ln(I+(I*c-1)*tan(b*x+a)+c)*c-arc cot(c+(I*c-1)*tan(b*x+a))/(2*I+2*c)*ln(I+(I*c-1)*tan(b*x+a)+c)-(I*c-1)^2*(1/2/(I+c)*(1/4*I*ln(I+(I*c-1)*tan(b*x+a)+c)^2-1/2*I*((ln(I+(I*c-1)*tan(b*x+a)+c)-ln(-1/2*I*(I+(I*c-1)*tan(b*x+a)+c)))*ln(-1/2*I*(I-(I*c-1)*tan(b*x+a)-c))-dilog(-1/2*I*(I+(I*c-1)*tan(b*x+a)+c))))-1/2/(I+c)*(-1/2*I*(dilog(-1/2*(I-(I*c-1)*tan(b*x+a)-c)/c)+ln(-(I*c-1)*tan(b*x+a)+c+I)*ln(-1/2*(I-(I*c-1)*tan(b*x+a)-c)/c))+1/2*I*(dilog((-I-(I*c-1)*tan(b*x+a)-c)/(-2*I-2*c))+ln(-(I*c-1)*tan(b*x+a)+c+I)*ln((-I-(I*c-1)*tan(b*x+a)-c)/(-2*I-2*c))))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 201 vs. 2(61) = 122.

Time = 0.10 (sec) , antiderivative size = 201, normalized size of antiderivative = 2.34

$$\int \cot^{-1}(c - (1 - ic)\tan(a + bx)) dx = \frac{b^2x^2 + ibx \log\left(\frac{(c+i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)}-i}\right) - a^2 - (-ibx - ia) \log\left(\frac{1}{2}\sqrt{-4i}ce^{(ibx+ia)} + 1\right) - (-ibx - ia) \log(-$$

input `integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="fricas")`

output
$$\begin{aligned} & -1/2*(b^2*x^2 + I*b*x*\log((c + I)*e^{(2*I*b*x + 2*I*a)/(c*e^{(2*I*b*x + 2*I*a)} - I)} - a^2 - (-I*b*x - I*a)*\log(1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)} + 1) \\ & - (-I*b*x - I*a)*\log(-1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)} + 1) - I*a*\log(1/2*(2*c*e^{(I*b*x + I*a)} + I*\sqrt{-4*I*c}))/c - I*a*\log(1/2*(2*c*e^{(I*b*x + I*a)} - I*\sqrt{-4*I*c}))/c + \operatorname{dilog}(1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)}) + \operatorname{dilog}(-1/2*\sqrt{-4*I*c}*e^{(I*b*x + I*a)})/b \end{aligned}$$

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c-(1-I*c)*tan(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) - 3*_t0**2*I*c*exp(2*I*a) + _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(I*a)]`

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 450 vs. $2(61) = 122$.

Time = 0.14 (sec) , antiderivative size = 450, normalized size of antiderivative = 5.23

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \text{Too large to display}$$

input `integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="maxima")`

output

```
1/8*((I*c - 1)*(4*I*(b*x + a)*log(-2*(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) - I)/(2*I*c^2 - 2*(c^2 + 2*I*c - 1)*tan(b*x + a) - 4*c - 2*I))/(I*c - 1) + I*(4*(b*x + a)*(log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) + 2*c + I) - log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) - I)) + I*log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) + 2*c + I)^2 - 2*I*log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) - I)*log(1/2*(c + I)*tan(b*x + a) - 1/2*I*c + 1/2) + 2*I*log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) - I)*log(-1/2*((I*c - 1)*tan(b*x + a) + c - I)/c + 1) - 2*I*log(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) + 2*c + I)*log(-1/2*I*tan(b*x + a) + 1/2) - 2*I*dilog(-1/2*(c + I)*tan(b*x + a) + 1/2*I*c + 1/2) + 2*I*dilog(1/2*((I*c - 1)*tan(b*x + a) + c - I)/c - 2*I*dilog(1/2*I*tan(b*x + a) + 1/2)))/(I*c - 1)) - 8*(b*x + a)*arccot((-I*c + 1)*tan(b*x + a) - c) + 4*(-I*b*x - I*a)*log(-2*(-I*c^2 + (c^2 + 2*I*c - 1)*tan(b*x + a) - I)/(2*I*c^2 - 2*(c^2 + 2*I*c - 1)*tan(b*x + a) - 4*c - 2*I)))/b
```

Giac [F]

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int \operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c) dx$$

input

```
integrate(arccot(c-(1-I*c)*tan(b*x+a)),x, algorithm="giac")
```

output

```
integrate(arccot(-(-I*c + 1)*tan(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int \operatorname{acot}(c + \tan(a + bx) (-1 + c li)) dx$$

input

```
int(acot(c + tan(a + b*x)*(c*1i - 1)),x)
```

output

```
int(acot(c + tan(a + b*x)*(c*1i - 1)), x)
```

Reduce [F]

$$\int \cot^{-1}(c - (1 - ic) \tan(a + bx)) dx = \int \operatorname{acot}(\tan(bx + a) ci - \tan(bx + a) + c) dx$$

input `int(acot(c-(1-I*c)*tan(b*x+a)),x)`

output `int(acot(tan(a + b*x)*c*i - tan(a + b*x) + c),x)`

3.21 $\int \frac{\cot^{-1}(c-(1-ic)\tan(a+bx))}{x} dx$

Optimal result	204
Mathematica [N/A]	204
Rubi [N/A]	205
Maple [N/A]	205
Fricas [N/A]	206
Sympy [F(-1)]	206
Maxima [F(-2)]	206
Giac [N/A]	207
Mupad [N/A]	207
Reduce [N/A]	208

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{\cot^{-1}(c - (1 - ic)\tan(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c - (1 - ic)\tan(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c-(1-I*c)*tan(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.62 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{\cot^{-1}(c - (1 - ic)\tan(a + bx))}{x} dx = \int \frac{\cot^{-1}(c - (1 - ic)\tan(a + bx))}{x} dx$$

input `Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x,x]`

output `Integrate[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.34 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx$$

input `Int[ArcCot[c - (1 - I*c)*Tan[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{\operatorname{arccot}(c - (-ic + 1) \tan(bx + a))}{x} dx$$

input `int(arccot(c-(1-I*c)*tan(b*x+a))/x,x)`

output `int(arccot(c-(1-I*c)*tan(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.64

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c)}{x} dx$$

input `integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="fricas")`

output `integral(-1/2*I*log((c + I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c-(1-I*c)*tan(b*x+a))/x,x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more
details)Is
```

Giac [N/A]

Not integrable

Time = 0.83 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(-(-ic + 1) \tan(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c-(1-I*c)*tan(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot(-(-I*c + 1)*tan(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.20 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \tan(a + bx) (-1 + ci))}{x} dx$$

input

```
int(acot(c + tan(a + b*x)*(c*1i - 1))/x,x)
```

output

```
int(acot(c + tan(a + b*x)*(c*1i - 1))/x, x)
```


Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.18

$$\int \frac{\cot^{-1}(c - (1 - ic) \tan(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tan(bx + a) ci - \tan(bx + a) + c)}{x} dx$$

input `int(acot(c-(1-I*c)*tan(b*x+a))/x,x)`output `int(acot(tan(a + b*x)*c*i - tan(a + b*x) + c)/x,x)`

3.22 $\int \cot^{-1}(\cot(a + bx)) dx$

Optimal result	209
Mathematica [A] (verified)	209
Rubi [A] (verified)	210
Maple [A] (verified)	211
Fricas [A] (verification not implemented)	211
Sympy [A] (verification not implemented)	212
Maxima [A] (verification not implemented)	212
Giac [A] (verification not implemented)	212
Mupad [B] (verification not implemented)	213
Reduce [B] (verification not implemented)	213

Optimal result

Integrand size = 7, antiderivative size = 16

$$\int \cot^{-1}(\cot(a + bx)) dx = \frac{\cot^{-1}(\cot(a + bx))^2}{2b}$$

output

```
1/2*arccot(cot(b*x+a))^2/b
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \cot^{-1}(\cot(a + bx)) dx = -\frac{bx^2}{2} + x \cot^{-1}(\cot(a + bx))$$

input

```
Integrate[ArcCot[Cot[a + b*x]],x]
```

output

```
-1/2*(b*x^2) + x*ArcCot[Cot[a + b*x]]
```

Rubi [A] (verified)

Time = 0.16 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {2588, 15}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(\cot(a + bx)) dx$$

$$\downarrow \text{2588}$$

$$\frac{\int \cot^{-1}(\cot(a + bx)) d \cot^{-1}(\cot(a + bx))}{b}$$

$$\downarrow \text{15}$$

$$\frac{\cot^{-1}(\cot(a + bx))^2}{2b}$$

input

```
Int[ArcCot[Cot[a + b*x]],x]
```

output

```
ArcCot[Cot[a + b*x]]^2/(2*b)
```

Defintions of rubi rules used

rule 15

```
Int[(a_.)*(x_)^(m_.), x_Symbol] := Simp[a*(x^(m + 1)/(m + 1)), x] /; FreeQ[
{a, m}, x] && NeQ[m, -1]
```

rule 2588

```
Int[(u_)^(m_.), x_Symbol] := With[{c = Simplify[D[u, x]]}, Simp[1/c Subst
[Int[x^m, x], x, u], x]] /; FreeQ[m, x] && PiecewiseLinearQ[u, x]
```

Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.06

method	result
parallelsch	$-\frac{x^2 b}{2} + \operatorname{arccot}(\cot(bx + a)) x$
parts	$\operatorname{arccot}(\cot(bx + a)) x + \frac{-\frac{(bx+a)^2}{2} + (bx+a)a}{b}$
derivativedivides	$\frac{-\left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx+a))\right) \operatorname{arccot}(\cot(bx+a)) - \frac{\left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx+a))\right)^2}{2}}{b}$
default	$\frac{-\left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx+a))\right) \operatorname{arccot}(\cot(bx+a)) - \frac{\left(\frac{\pi}{2} - \operatorname{arccot}(\cot(bx+a))\right)^2}{2}}{b}$
risch	$-ix \ln(e^{i(bx+a)}) - \frac{\pi x \operatorname{csgn}(ie^{i(bx+a)})^2 \operatorname{csgn}(ie^{2i(bx+a)})}{4} + \frac{\pi x \operatorname{csgn}(ie^{i(bx+a)}) \operatorname{csgn}(ie^{2i(bx+a)})^2}{2} - \frac{\pi x \operatorname{csgn}(ie^{i(bx+a)})^2 \operatorname{csgn}(ie^{2i(bx+a)})}{4}$

input `int(arccot(cot(b*x+a)), x, method=_RETURNVERBOSE)`output `-1/2*x^2*b+arccot(cot(b*x+a))*x`**Fricas [A] (verification not implemented)**

Time = 0.05 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.62

$$\int \cot^{-1}(\cot(a + bx)) dx = \frac{1}{2}x^2 b + xa$$

input `integrate(arccot(cot(b*x+a)), x, algorithm="fricas")`output `1/2*x^2*b + x*a`

Sympy [A] (verification not implemented)

Time = 0.06 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.19

$$\int \cot^{-1}(\cot(a + bx)) dx = \begin{cases} \frac{\operatorname{acot}^2(\cot(a+bx))}{2b} & \text{for } b \neq 0 \\ x \operatorname{acot}(\cot(a)) & \text{otherwise} \end{cases}$$

input `integrate(acot(cot(b*x+a)),x)`output `Piecewise((acot(cot(a + b*x))**2/(2*b), Ne(b, 0)), (x*acot(cot(a)), True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.62

$$\int \cot^{-1}(\cot(a + bx)) dx = \frac{1}{2} bx^2 + ax$$

input `integrate(arccot(cot(b*x+a)),x, algorithm="maxima")`output `1/2*b*x^2 + a*x`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 10, normalized size of antiderivative = 0.62

$$\int \cot^{-1}(\cot(a + bx)) dx = \frac{1}{2} bx^2 + ax$$

input `integrate(arccot(cot(b*x+a)),x, algorithm="giac")`output `1/2*b*x^2 + a*x`

Mupad [B] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \cot^{-1}(\cot(a + bx)) dx = x \operatorname{acot}(\cot(a + bx)) - \frac{bx^2}{2}$$

input `int(acot(cot(a + b*x)),x)`

output `x*acot(cot(a + b*x)) - (b*x^2)/2`

Reduce [B] (verification not implemented)

Time = 0.23 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \cot^{-1}(\cot(a + bx)) dx = \frac{\operatorname{acot}(\cot(bx + a))^2}{2b}$$

input `int(acot(cot(b*x+a)),x)`

output `acot(cot(a + b*x))**2/(2*b)`

3.23 $\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal result	214
Mathematica [A] (verified)	215
Rubi [A] (verified)	216
Maple [C] (warning: unable to verify)	222
Fricas [B] (verification not implemented)	223
Sympy [F(-1)]	224
Maxima [F]	224
Giac [F]	225
Mupad [F(-1)]	225
Reduce [F]	225

Optimal result

Integrand size = 15, antiderivative size = 399

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = & \frac{1}{3}x^3 \cot^{-1}(c + d \cot(a + bx)) \\
 & - \frac{1}{6}ix^3 \log \left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d} \right) \\
 & + \frac{1}{6}ix^3 \log \left(1 - \frac{(c + i(1 + d))e^{2ia+2ibx}}{c + i(1 - d)} \right) \\
 & - \frac{x^2 \operatorname{PolyLog} \left(2, \frac{(1+ic-d)e^{2ia+2ibx}}{1+ic+d} \right)}{4b} \\
 & + \frac{x^2 \operatorname{PolyLog} \left(2, \frac{(c+i(1+d))e^{2ia+2ibx}}{c+i(1-d)} \right)}{4b} \\
 & - \frac{ix \operatorname{PolyLog} \left(3, \frac{(1+ic-d)e^{2ia+2ibx}}{1+ic+d} \right)}{4b^2} \\
 & + \frac{ix \operatorname{PolyLog} \left(3, \frac{(c+i(1+d))e^{2ia+2ibx}}{c+i(1-d)} \right)}{4b^2} \\
 & + \frac{\operatorname{PolyLog} \left(4, \frac{(1+ic-d)e^{2ia+2ibx}}{1+ic+d} \right)}{8b^3} \\
 & - \frac{\operatorname{PolyLog} \left(4, \frac{(c+i(1+d))e^{2ia+2ibx}}{c+i(1-d)} \right)}{8b^3}
 \end{aligned}$$

output

```
1/3*x^3*arccot(c+d*cot(b*x+a))-1/6*I*x^3*ln(1-(1+I*c-d)*exp(2*I*a+2*I*b*x)
/(1+I*c+d))+1/6*I*x^3*ln(1-(c+I*(1+d))*exp(2*I*a+2*I*b*x)/(c+I*(1-d)))-1/4
*x^2*polylog(2,(1+I*c-d)*exp(2*I*a+2*I*b*x)/(1+I*c+d))/b+1/4*x^2*polylog(2
,(c+I*(1+d))*exp(2*I*a+2*I*b*x)/(c+I*(1-d)))/b-1/4*I*x*polylog(3,(1+I*c-d)
*exp(2*I*a+2*I*b*x)/(1+I*c+d))/b^2+1/4*I*x*polylog(3,(c+I*(1+d))*exp(2*I*a
+2*I*b*x)/(c+I*(1-d)))/b^2+1/8*polylog(4,(1+I*c-d)*exp(2*I*a+2*I*b*x)/(1+I
*c+d))/b^3-1/8*polylog(4,(c+I*(1+d))*exp(2*I*a+2*I*b*x)/(c+I*(1-d)))/b^3
```

Mathematica [A] (verified)

Time = 2.14 (sec) , antiderivative size = 360, normalized size of antiderivative = 0.90

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx$$

$$= \frac{8b^3x^3 \cot^{-1}(c + d \cot(a + bx)) - 4ib^3x^3 \log\left(1 + \frac{(-c+i(1+d))e^{-2i(a+bx)}}{c+i(-1+d)}\right) + 4ib^3x^3 \log\left(1 + \frac{(-c+i(-1+d))e^{-2i(a+bx)}}{c+i(1+d)}\right)}{24b^3}$$

input

```
Integrate[x^2*ArcCot[c + d*Cot[a + b*x]],x]
```

output

```
(8*b^3*x^3*ArcCot[c + d*Cot[a + b*x]] - (4*I)*b^3*x^3*Log[1 + (-c + I*(1 +
d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] + (4*I)*b^3*x^3*Log[1 + (-c +
I*(-1 + d))/((c + I*(1 + d))*E^((2*I)*(a + b*x)))] + 6*b^2*x^2*PolyLog[2,
(c - I*(1 + d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] - 6*b^2*x^2*PolyL
og[2, (I + c - I*d)/((c + I*(1 + d))*E^((2*I)*(a + b*x)))] - (6*I)*b*x*Pol
yLog[3, (c - I*(1 + d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] + (6*I)*b*
x*PolyLog[3, (I + c - I*d)/((c + I*(1 + d))*E^((2*I)*(a + b*x)))] - 3*Poly
Log[4, (c - I*(1 + d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] + 3*PolyLog
[4, (I + c - I*d)/((c + I*(1 + d))*E^((2*I)*(a + b*x)))]/(24*b^3)
```


Rubi [A] (verified)

Time = 1.52 (sec) , antiderivative size = 515, normalized size of antiderivative = 1.29, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5701, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \cot^{-1}(d \cot(a + bx) + c) dx \\
 & \quad \downarrow \text{5701} \\
 & -\frac{1}{3}b(ic - d + 1) \int \frac{e^{2ia+2ibx} x^3}{ic - (ic - d + 1)e^{2ia+2ibx} + d + 1} dx + \frac{1}{3}b(-ic + d + \\
 & 1) \int \frac{e^{2ia+2ibx} x^3}{-ic - (-ic + d + 1)e^{2ia+2ibx} - d + 1} dx + \frac{1}{3}x^3 \cot^{-1}(d \cot(a + bx) + c) \\
 & \quad \downarrow \text{2620} \\
 & -\frac{1}{3}b(ic - d + 1) \left(\frac{x^3 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c - i(1 - d))} - \frac{3 \int x^2 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{2b(c - i(1 - d))} \right) + \\
 & \frac{1}{3}b(-ic + d + 1) \left(\frac{3 \int x^2 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{2b(c + i(d + 1))} - \frac{x^3 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c + i(d + 1))} \right) + \\
 & \quad \frac{1}{3}x^3 \cot^{-1}(d \cot(a + bx) + c) \\
 & \quad \downarrow \text{3011}
 \end{aligned}$$

$$\begin{aligned}
 & 1) \left(\frac{x^3 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{\frac{-\frac{1}{3}b(ic-d+)}{3} \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b} - \frac{i \int x \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{b} \right)}{2b(c-i(1-d))} \right) + \\
 & 1) \left(\frac{\frac{\frac{1}{3}b(-ic+d+)}{3} \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b} - \frac{i \int x \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{b} \right)}{2b(c+i(d+1))} - \frac{x^3 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right) + \\
 & \frac{1}{3}x^3 \cot^{-1}(d \cot(a+bx) + c)
 \end{aligned}$$

↓ 7163

$$\begin{aligned}
 & 1) \left(\frac{x^3 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{\frac{1}{3}b(ic-d+1) \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b} - \frac{i \left(\frac{i \int \operatorname{PolyLog} \left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{2b} - \frac{ix \operatorname{PolyLog} \left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{b} \right)}{b}}{2b(c-i(1-d))} \right)}{2b(c-i(1-d))} \right) \\
 & 1) \left(\frac{\frac{1}{3}b(-ic+d+1) \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b} - \frac{i \left(\frac{i \int \operatorname{PolyLog} \left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{2b} - \frac{ix \operatorname{PolyLog} \left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b} \right)}{b}}{b}}{2b(c+i(d+1))} - \frac{x^3 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right) \\
 & \frac{1}{3}x^3 \cot^{-1}(d \cot(a+bx) + c)
 \end{aligned}$$

↓ 2720

$$1) \left(\frac{x^3 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{\frac{1}{3}b(ic-d+1) \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b} - i \left(\frac{\int e^{-2ia-2ibx} \operatorname{PolyLog} \left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) de^{2ia+2ibx}}{4b^2} \right) \right)}{2b(c-i(1-d))} \right)$$

$$1) \left(\frac{\frac{1}{3}b(-ic+d+1) \left(\frac{ix^2 \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b} - i \left(\frac{\int e^{-2ia-2ibx} \operatorname{PolyLog} \left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) de^{2ia+2ibx}}{4b^2} \right) \right) - ix \operatorname{PolyLog} \left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \cot(a + bx) + c)$$

↓ 7143

$$\begin{aligned}
 & 1) \left(\frac{x^3 \log\left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{2b(c-i(1-d))} - \frac{\frac{-\frac{1}{3}b(ic-d+1)}{3} \left(\frac{ix^2 \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{2b} - i \left(\frac{\operatorname{PolyLog}\left(4, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right)}{b} \right)}{2b(c-i(1-d))} \right)}{2b(c-i(1-d))} \right) \\
 & 1) \left(\frac{\frac{\frac{1}{3}b(-ic+d+1)}{3} \left(\frac{ix^2 \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{2b} - i \left(\frac{\operatorname{PolyLog}\left(4, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b^2} - \frac{ix \operatorname{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{2b} \right)}{b} \right)}{2b(c+i(d+1))} - \frac{x^3 \log\left(\dots\right)}{2} \right) \\
 & \frac{1}{3}x^3 \cot^{-1}(d \cot(a + bx) + c)
 \end{aligned}$$

input `Int[x^2*ArcCot[c + d*Cot[a + b*x]],x]`

output

$$\begin{aligned} & (x^3 \operatorname{ArcCot}[c + d \operatorname{Cot}[a + b x]])/3 - (b(1 + I c - d) * (x^3 \operatorname{Log}[1 - ((1 + I c - d) * E^{(2 I) a + (2 I) b x}) / (1 + I c + d)]) / (2 b (c - I(1 - d))) - \\ & (3 * ((I/2) * x^2 * \operatorname{PolyLog}[2, ((1 + I c - d) * E^{(2 I) a + (2 I) b x}) / (1 + I c + d)]) / b - (I * (((-1/2 I) * x * \operatorname{PolyLog}[3, ((1 + I c - d) * E^{(2 I) a + (2 I) b x}) / (1 + I c + d)]) / b + \operatorname{PolyLog}[4, ((1 + I c - d) * E^{(2 I) a + (2 I) b x}) / (1 + I c + d)] / (4 b^2))) / b) / (2 b (c - I(1 - d)))) / 3 + (b(1 - I c + d) * (-1/2 * (x^3 \operatorname{Log}[1 - ((c + I(1 + d)) * E^{(2 I) a + (2 I) b x}) / (c + I(1 - d))]) / (b(c + I(1 + d))) + (3 * ((I/2) * x^2 * \operatorname{PolyLog}[2, ((c + I(1 + d)) * E^{(2 I) a + (2 I) b x}) / (c + I(1 - d))]) / b - (I * (((-1/2 I) * x * \operatorname{PolyLog}[3, ((c + I(1 + d)) * E^{(2 I) a + (2 I) b x}) / (c + I(1 - d))]) / b + \operatorname{PolyLog}[4, ((c + I(1 + d)) * E^{(2 I) a + (2 I) b x}) / (c + I(1 - d))]) / (4 b^2))) / b) / (2 * b * (c + I(1 + d)))) / 3 \end{aligned}$$

Defintions of rubi rules used

rule 2620

$$\begin{aligned} & \operatorname{Int}[(((F_)^{(g_)} * ((e_) + (f_) * (x_)))^{(n_)} * ((c_) + (d_) * (x_))^{(m_)} / \\ & ((a_) + (b_) * ((F_)^{(g_)} * ((e_) + (f_) * (x_)))^{(n_)}), x_Symbol] \rightarrow \operatorname{Simp} \\ & [((c + d x)^m / (b f g n \operatorname{Log}[F])) * \operatorname{Log}[1 + b * ((F^{(g(e + f x)))})^n / a], x] - \operatorname{Simp} \\ & [d * (m / (b f g n \operatorname{Log}[F])) \operatorname{Int}[(c + d x)^{(m-1)} * \operatorname{Log}[1 + b * ((F^{(g(e + f x)))})^n / a], x], x] /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \operatorname{IGtQ}[m, 0] \end{aligned}$$

rule 2720

$$\begin{aligned} & \operatorname{Int}[u_, x_Symbol] \rightarrow \operatorname{With}\{v = \operatorname{FunctionOfExponential}[u, x]\}, \operatorname{Simp}[v/D[v, x] \\ & \operatorname{Subst}[\operatorname{Int}[\operatorname{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \operatorname{FunctionOfExponentialQ}[u, x] \&\& \operatorname{!MatchQ}[u, (w_) * ((a_) * (v_)^{(n_)})^{(m_)} /; \operatorname{FreeQ} \\ & \{a, m, n\}, x\} \&\& \operatorname{IntegerQ}[m * n] \&\& \operatorname{!MatchQ}[u, E^{(c_)} * ((a_) + (b_) * x) \\ & * (F_) [v_] /; \operatorname{FreeQ}\{a, b, c\}, x\} \&\& \operatorname{InverseFunctionQ}[F[x]] \end{aligned}$$

rule 3011

$$\begin{aligned} & \operatorname{Int}[\operatorname{Log}[1 + (e_) * ((F_)^{(c_)} * ((a_) + (b_) * (x_)))^{(n_)}] * ((f_) + (g_) \\ & * (x_))^{(m_)}, x_Symbol] \rightarrow \operatorname{Simp}[(-f + g x)^m * (\operatorname{PolyLog}[2, (-e) * (F^{(c(a + b x)))})^n] / (b * c * n * \operatorname{Log}[F])), x] + \operatorname{Simp}[g * (m / (b * c * n * \operatorname{Log}[F])) \operatorname{Int}[(f + g x)^{(m-1)} * \operatorname{PolyLog}[2, (-e) * (F^{(c(a + b x)))})^n], x], x] /; \operatorname{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \&\& \operatorname{GtQ}[m, 0] \end{aligned}$$

rule 5701 `Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_)]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Cot[a + b*x]]/(f*(m + 1))), x] + (-Simp[b*((1 + I*c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a + 2*I*b*x))/(1 + I*c + d - (1 + I*c - d)*E^(2*I*a + 2*I*b*x))], x], x] + Simp[b*((1 - I*c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a + 2*I*b*x))/(1 - I*c - d - (1 - I*c + d)*E^(2*I*a + 2*I*b*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - I*d)^2, -1]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163 `Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 46.44 (sec) , antiderivative size = 7868, normalized size of antiderivative = 19.72

method	result	size
risch	Expression too large to display	7868

input `int(x^2*arccot(c+d*cot(b*x+a)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1589 vs. $2(283) = 566$.

Time = 0.28 (sec) , antiderivative size = 1589, normalized size of antiderivative = 3.98

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \text{Too large to display}$$

input `integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="fricas")`

output

```
1/48*(16*b^3*x^3*arccot(d*cot(b*x + a) + c) - 6*b^2*x^2*dilog(-(c^2 + d^2
- (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I
)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) - 6*b^2*x^2*dilog
(-(c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d
- I*d^2 + I)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) + 6*b
^2*x^2*dilog(-(c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-
I*c^2 + 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d +
1) + 1) + 6*b^2*x^2*dilog(-(c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*
x + 2*a) + (I*c^2 + 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 +
d^2 - 2*d + 1) + 1) + 4*I*a^3*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d
^2 + 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x
+ 2*a) + 1/2) - 4*I*a^3*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d^2 -
2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*
a) + 1/2) - 4*I*a^3*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 + 2*d
+ 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x + 2*a) -
1/2) + 4*I*a^3*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 - 2*d + 1)
*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*a) - 1/2
) - 6*I*b*x*polylog(3, ((c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^
2 - 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a))/(c^2 + d^2 + 2*d + 1)) + 6*I*b*x*
polylog(3, ((c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 - 2*c*d...
```


Sympy [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \text{Timed out}$$

input `integrate(x**2*acot(c+d*cot(b*x+a)),x)`

output `Timed out`

Maxima [F]

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \int x^2 \operatorname{arccot}(d \cot(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="maxima")`

output `1/6*x^3*arctan2((d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, c*cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/6*x^3*arctan2((d - 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, c*cos(2*b*x + 2*a) - (d - 1)*sin(2*b*x + 2*a) - c) - 4*b*d*integrate(1/3*(2*(c^2 + d^2 + 1)*x^3*cos(2*b*x + 2*a)^2 + 2*c*d*x^3*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^3*sin(2*b*x + 2*a)^2 - (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a) - (2*c*d*x^3*sin(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^3*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^3*cos(2*b*x + 2*a) - (c^2 - d^2 + 1)*x^3*sin(2*b*x + 2*a))*sin(4*b*x + 4*a))/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*cos(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x + 2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 - 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) - 4*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) + 4*(2*c*d^3 - 2*(c^3 + c)*d + 2*(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x + 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \int x^2 \operatorname{arccot}(d \cot(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*cot(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(d*cot(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \int x^2 \operatorname{acot}(c + d \cot(a + bx)) dx$$

input `int(x^2*acot(c + d*cot(a + b*x)),x)`

output `int(x^2*acot(c + d*cot(a + b*x)), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c + d \cot(a + bx)) dx = \int \operatorname{acot}(\cot(bx + a) d + c) x^2 dx$$

input `int(x^2*acot(c+d*cot(b*x+a)),x)`

output `int(acot(cot(a + b*x)*d + c)*x**2,x)`

3.24 $\int x \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal result	226
Mathematica [A] (verified)	227
Rubi [A] (verified)	227
Maple [C] (warning: unable to verify)	231
Fricas [B] (verification not implemented)	231
Sympy [F(-1)]	232
Maxima [F]	233
Giac [F]	233
Mupad [F(-1)]	234
Reduce [F]	234

Optimal result

Integrand size = 13, antiderivative size = 303

$$\begin{aligned}
 \int x \cot^{-1}(c + d \cot(a + bx)) dx &= \frac{1}{2} x^2 \cot^{-1}(c + d \cot(a + bx)) \\
 &\quad - \frac{1}{4} i x^2 \log \left(1 - \frac{(1 + ic - d) e^{2ia + 2ibx}}{1 + ic + d} \right) \\
 &\quad + \frac{1}{4} i x^2 \log \left(1 - \frac{(c + i(1 + d)) e^{2ia + 2ibx}}{c + i(1 - d)} \right) \\
 &\quad - \frac{x \operatorname{PolyLog} \left(2, \frac{(1 + ic - d) e^{2ia + 2ibx}}{1 + ic + d} \right)}{4b} \\
 &\quad + \frac{x \operatorname{PolyLog} \left(2, \frac{(c + i(1 + d)) e^{2ia + 2ibx}}{c + i(1 - d)} \right)}{4b} \\
 &\quad - \frac{i \operatorname{PolyLog} \left(3, \frac{(1 + ic - d) e^{2ia + 2ibx}}{1 + ic + d} \right)}{8b^2} \\
 &\quad + \frac{i \operatorname{PolyLog} \left(3, \frac{(c + i(1 + d)) e^{2ia + 2ibx}}{c + i(1 - d)} \right)}{8b^2}
 \end{aligned}$$

output

$$\begin{aligned} & 1/2*x^2*\operatorname{arccot}(c+d*\cot(b*x+a))-1/4*I*x^2*\ln(1-(1+I*c-d)*\exp(2*I*a+2*I*b*x) \\ & /((1+I*c+d))+1/4*I*x^2*\ln(1-(c+I*(1+d))*\exp(2*I*a+2*I*b*x)/(c+I*(1-d)))-1/4 \\ & *x*\operatorname{polylog}(2,(1+I*c-d)*\exp(2*I*a+2*I*b*x)/(1+I*c+d))/b+1/4*x*\operatorname{polylog}(2,(c+ \\ & I*(1+d))*\exp(2*I*a+2*I*b*x)/(c+I*(1-d)))/b-1/8*I*\operatorname{polylog}(3,(1+I*c-d)*\exp(2 \\ & *I*a+2*I*b*x)/(1+I*c+d))/b^2+1/8*I*\operatorname{polylog}(3,(c+I*(1+d))*\exp(2*I*a+2*I*b*x) \\ &)/(c+I*(1-d)))/b^2 \end{aligned}$$
Mathematica [A] (verified)

Time = 1.73 (sec) , antiderivative size = 275, normalized size of antiderivative = 0.91

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx$$

$$= \frac{4b^2x^2 \cot^{-1}(c + d \cot(a + bx)) - 2ib^2x^2 \log\left(1 + \frac{(-c+i(1+d))e^{-2i(a+bx)}}{c+i(-1+d)}\right) + 2ib^2x^2 \log\left(1 + \frac{(-c+i(-1+d))e^{-2i(a+bx)}}{c+i(1+d)}\right)}{1}$$

input

`Integrate[x*ArcCot[c + d*Cot[a + b*x]],x]`

output

$$\begin{aligned} & (4*b^2*x^2*ArcCot[c + d*Cot[a + b*x]] - (2*I)*b^2*x^2*Log[1 + (-c + I*(1 + \\ & d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] + (2*I)*b^2*x^2*Log[1 + (-c + \\ & I*(-1 + d))/((c + I*(1 + d))*E^((2*I)*(a + b*x)))] + 2*b*x*PolyLog[2, (c \\ & - I*(1 + d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] - 2*b*x*PolyLog[2, (I \\ & + c - I*d)/((c + I*(1 + d))*E^((2*I)*(a + b*x)))] - I*PolyLog[3, (c - I*(\\ & 1 + d))/((c + I*(-1 + d))*E^((2*I)*(a + b*x)))] + I*PolyLog[3, (I + c - I* \\ & d)/((c + I*(1 + d))*E^((2*I)*(a + b*x)))])/(8*b^2) \end{aligned}$$
Rubi [A] (verified)Time = 1.10 (sec) , antiderivative size = 394, normalized size of antiderivative = 1.30, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5701, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x \cot^{-1}(d \cot(a + bx) + c) dx \\
& \quad \downarrow \text{5701} \\
& -\frac{1}{2}b(ic - d + 1) \int \frac{e^{2ia+2ibx} x^2}{ic - (ic - d + 1)e^{2ia+2ibx} + d + 1} dx + \frac{1}{2}b(-ic + d + \\
& 1) \int \frac{e^{2ia+2ibx} x^2}{-ic - (-ic + d + 1)e^{2ia+2ibx} - d + 1} dx + \frac{1}{2}x^2 \cot^{-1}(d \cot(a + bx) + c) \\
& \quad \downarrow \text{2620} \\
& -\frac{1}{2}b(ic - d + 1) \left(\frac{x^2 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{\int x \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{b(c-i(1-d))} \right) + \\
& \frac{1}{2}b(-ic + d + 1) \left(\frac{\int x \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{b(c+i(d+1))} - \frac{x^2 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \cot(a + bx) + c) \\
& \quad \downarrow \text{3011} \\
& -\frac{1}{2}b(ic - d + \\
& 1) \left(\frac{x^2 \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{ix \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b} - \frac{i \int \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{2b} \right) + \\
& \quad \frac{1}{2}b(-ic + d + \\
& 1) \left(\frac{ix \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b} - \frac{i \int \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{2b} - \frac{x^2 \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \cot(a + bx) + c) \\
& \quad \downarrow \text{2720}
\end{aligned}$$

$$\begin{aligned}
 & \frac{-\frac{1}{2}b(ic-d + ix \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right) - \int e^{-2ia-2ibx} \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right) de^{2ia+2ibx}}{2b(c-i(1-d))} \\
 & \frac{\frac{1}{2}b(-ic+d + ix \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right) - \int e^{-2ia-2ibx} \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right) de^{2ia+2ibx}}{2b}}{b(c+i(d+1))} - \frac{x^2 \log\left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{2b(c+i(d+1))} \\
 & \frac{1}{2}x^2 \cot^{-1}(d \cot(a+bx) + c) \\
 & \quad \downarrow \text{7143} \\
 & \frac{-\frac{1}{2}b(ic-d + ix \operatorname{PolyLog}\left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right) - \operatorname{PolyLog}\left(3, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1}\right))}{2b(c-i(1-d))} + \\
 & \frac{\frac{1}{2}b(-ic+d + ix \operatorname{PolyLog}\left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right) - \operatorname{PolyLog}\left(3, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right))}{2b}}{b(c+i(d+1))} - \frac{x^2 \log\left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)}\right)}{2b(c+i(d+1))} + \\
 & \frac{1}{2}x^2 \cot^{-1}(d \cot(a+bx) + c)
 \end{aligned}$$

input `Int[x*ArcCot[c + d*Cot[a + b*x]],x]`

output `(x^2*ArcCot[c + d*Cot[a + b*x]])/2 - (b*(1 + I*c - d)*((x^2*Log[1 - ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)])/(2*b*(c - I*(1 - d))) - (((I/2)*x*PolyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)])/b - PolyLog[3, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(4*b^2))/(b*(c - I*(1 - d))))/2 + (b*(1 - I*c + d)*(-1/2*(x^2*Log[1 - ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(b*(c + I*(1 + d))) + (((I/2)*x*PolyLog[2, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))])/b - PolyLog[3, ((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(4*b^2))/(b*(c + I*(1 + d))))/2`

Definitions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_)^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_)^(m_)), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5701

```
Int[ArcCot[(c_) + Cot[(a_) + (b_)*(x_)]*(d_)]*(e_) + (f_)*(x_)^(m_
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Cot[a + b*x]]/(f*(m +
1))), x] + (-Simp[b*((1 + I*c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^
(2*I*a + 2*I*b*x)/(1 + I*c + d - (1 + I*c - d)*E^(2*I*a + 2*I*b*x))), x], x
] + Simp[b*((1 - I*c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*I*a +
2*I*b*x)/(1 - I*c - d - (1 - I*c + d)*E^(2*I*a + 2*I*b*x))), x], x]) /; Fre
eQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 5.58 (sec) , antiderivative size = 7482, normalized size of antiderivative = 24.69

method	result	size
risch	Expression too large to display	7482

input `int(x*arccot(c+d*cot(b*x+a)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1289 vs. $2(213) = 426$.

Time = 0.26 (sec) , antiderivative size = 1289, normalized size of antiderivative = 4.25

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \text{Too large to display}$$

input `integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="fricas")`

output

```

1/16*(8*b^2*x^2*arccot(d*cot(b*x + a) + c) - 2*b*x*dilog(-(c^2 + d^2 - (c^
2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*sin
(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) - 2*b*x*dilog(-(c^2 +
d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I*d^2
+ I)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) + 2*b*x*dilog(
-(c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d
+ I*d^2 - I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1) + 1) + 2*b
*x*dilog(-(c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2
+ 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1) +
1) - 2*I*a^2*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d^2 + 2*d + 1)*cos
(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x + 2*a) + 1/2) +
2*I*a^2*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2*(c^2 + d^2 - 2*d + 1)*cos(2*b*
x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*a) + 1/2) + 2*I*a
^2*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 + 2*d + 1)*cos(2*b*x +
2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*b*x + 2*a) - 1/2) - 2*I*a^2*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2 - 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x + 2*a) - 1/2) - 2*(I*b^2*x^2 - I*a^2)*log((c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1)) - 2*(-I*b^2*x^2 + I*a^2)*log((c^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*...

```

Sympy [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \text{Timed out}$$

input

```
integrate(x*acot(c+d*cot(b*x+a)),x)
```

output

Timed out

Maxima [F]

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \int x \operatorname{arccot}(d \cot(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="maxima")`

output

```
1/4*x^2*arctan2((d + 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d - 1, c*cos(2*b*x + 2*a) - (d + 1)*sin(2*b*x + 2*a) - c) - 1/4*x^2*arctan2((d - 1)*cos(2*b*x + 2*a) + c*sin(2*b*x + 2*a) + d + 1, c*cos(2*b*x + 2*a) - (d - 1)*sin(2*b*x + 2*a) - c) - 2*b*d*integrate((2*(c^2 + d^2 + 1)*x^2*cos(2*b*x + 2*a)^2 + 2*c*d*x^2*sin(2*b*x + 2*a) + 2*(c^2 + d^2 + 1)*x^2*sin(2*b*x + 2*a)^2 - (c^2 - d^2 + 1)*x^2*cos(2*b*x + 2*a) - (2*c*d*x^2*sin(2*b*x + 2*a) + (c^2 - d^2 + 1)*x^2*cos(2*b*x + 2*a))*cos(4*b*x + 4*a) + (2*c*d*x^2*cos(2*b*x + 2*a) - (c^2 - d^2 + 1)*x^2*sin(2*b*x + 2*a))*sin(4*b*x + 4*a))/(c^4 + d^4 + 2*(c^2 - 1)*d^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*cos(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*cos(2*b*x + 2*a)^2 + (c^4 + d^4 + 2*(c^2 - 1)*d^2 + 2*c^2 + 1)*sin(4*b*x + 4*a)^2 + 4*(c^4 + d^4 + 2*(c^2 + 1)*d^2 + 2*c^2 + 1)*sin(2*b*x + 2*a)^2 + 2*c^2 + 2*(c^4 + d^4 - 2*(3*c^2 + 1)*d^2 + 2*c^2 - 2*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) - 4*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1)*cos(4*b*x + 4*a) - 4*(c^4 - d^4 + 2*c^2 + 1)*cos(2*b*x + 2*a) + 4*(2*c*d^3 - 2*(c^3 + c)*d + 2*(c*d^3 + (c^3 + c)*d)*cos(2*b*x + 2*a) - (c^4 - d^4 + 2*c^2 + 1)*sin(2*b*x + 2*a))*sin(4*b*x + 4*a) + 8*(c*d^3 + (c^3 + c)*d)*sin(2*b*x + 2*a) + 1), x)
```

Giac [F]

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \int x \operatorname{arccot}(d \cot(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*cot(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(d*cot(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \int x \operatorname{acot}(c + d \cot(a + bx)) dx$$

input `int(x*acot(c + d*cot(a + b*x)),x)`output `int(x*acot(c + d*cot(a + b*x)), x)`**Reduce [F]**

$$\int x \cot^{-1}(c + d \cot(a + bx)) dx = \int \operatorname{acot}(\cot(bx + a)d + c) x dx$$

input `int(x*acot(c+d*cot(b*x+a)),x)`output `int(acot(cot(a + b*x)*d + c)*x,x)`

3.25 $\int \cot^{-1}(c + d \cot(a + bx)) dx$

Optimal result	235
Mathematica [B] (warning: unable to verify)	236
Rubi [A] (verified)	237
Maple [B] (verified)	239
Fricas [B] (verification not implemented)	240
Sympy [F(-1)]	241
Maxima [B] (verification not implemented)	242
Giac [F]	243
Mupad [F(-1)]	243
Reduce [F]	243

Optimal result

Integrand size = 11, antiderivative size = 198

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = x \cot^{-1}(c + d \cot(a + bx)) - \frac{1}{2}ix \log\left(1 - \frac{(1 + ic - d)e^{2ia+2ibx}}{1 + ic + d}\right) + \frac{1}{2}ix \log\left(1 - \frac{(c + i(1 + d))e^{2ia+2ibx}}{c + i(1 - d)}\right) - \frac{\text{PolyLog}\left(2, \frac{(1+ic-d)e^{2ia+2ibx}}{1+ic+d}\right)}{4b} + \frac{\text{PolyLog}\left(2, \frac{(c+i(1+d))e^{2ia+2ibx}}{c+i(1-d)}\right)}{4b}$$

output

```
x*arccot(c+d*cot(b*x+a))-1/2*I*x*ln(1-(1+I*c-d)*exp(2*I*a+2*I*b*x)/(1+I*c+d))+1/2*I*x*ln(1-(c+I*(1+d))*exp(2*I*a+2*I*b*x)/(c+I*(1-d)))-1/4*polylog(2,(1+I*c-d)*exp(2*I*a+2*I*b*x)/(1+I*c+d))/b+1/4*polylog(2,(c+I*(1+d))*exp(2*I*a+2*I*b*x)/(c+I*(1-d)))/b
```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 701 vs. $2(198) = 396$.

Time = 4.19 (sec) , antiderivative size = 701, normalized size of antiderivative = 3.54

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = x \left(\cot^{-1}(c + d \cot(a + bx)) \right. \\ \left. + \frac{(4a\sqrt{-d^2} \arctan\left(c + \frac{(1+c^2)\tan(a+bx)}{d}\right) + id \log(1 + i \tan(a + bx)) \log\left(\frac{-cd + \sqrt{-d^2} - (1+c^2)\tan(a+bx)}{-i - ic^2 - cd + \sqrt{-d^2}}\right) - id}{\dots} \right)$$

input `Integrate[ArcCot[c + d*Cot[a + b*x]],x]`

output

```
x*(ArcCot[c + d*Cot[a + b*x]] + ((4*a*Sqrt[-d^2]*ArcTan[c + ((1 + c^2)*Tan[a + b*x])/d] + I*d*Log[1 + I*Tan[a + b*x]]*Log[(-(c*d) + Sqrt[-d^2] - (1 + c^2)*Tan[a + b*x])/(-I - I*c^2 - c*d + Sqrt[-d^2])] - I*d*Log[1 - I*Tan[a + b*x]]*Log[(-(c*d) + Sqrt[-d^2] - (1 + c^2)*Tan[a + b*x])/(I + I*c^2 - c*d + Sqrt[-d^2])] + I*d*Log[1 - I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + (1 + c^2)*Tan[a + b*x])/(-I - I*c^2 + c*d + Sqrt[-d^2])] - I*d*Log[1 + I*Tan[a + b*x]]*Log[(c*d + Sqrt[-d^2] + (1 + c^2)*Tan[a + b*x])/(I + I*c^2 + c*d + Sqrt[-d^2])] - I*d*PolyLog[2, ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d - I*Sqrt[-d^2])] + I*d*PolyLog[2, ((1 + c^2)*(1 - I*Tan[a + b*x]))/(1 + c^2 + I*c*d + I*Sqrt[-d^2])] - I*d*PolyLog[2, ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d - I*Sqrt[-d^2])] + I*d*PolyLog[2, ((1 + c^2)*(1 + I*Tan[a + b*x]))/(1 + c^2 - I*c*d + I*Sqrt[-d^2])])*((-c*d) + Sqrt[-d^2])*Cos[a + b*x] - (1 + c^2)*Sin[a + b*x])*((c*d + Sqrt[-d^2])*Cos[a + b*x] + (1 + c^2)*Sin[a + b*x])/((1 + c^2)*Sqrt[-d^2]*(2*a - I*Log[1 - I*Tan[a + b*x]] + I*Log[1 + I*Tan[a + b*x]])*(1 + c^2 + d^2 + (-1 - c^2 + d^2)*Cos[2*(a + b*x)] + 2*c*d*Sin[2*(a + b*x)]))
```

Rubi [A] (verified)

Time = 0.68 (sec) , antiderivative size = 277, normalized size of antiderivative = 1.40, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5693, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(d \cot(a + bx) + c) dx \\
 & \quad \downarrow \text{5693} \\
 & -b(ic - d + 1) \int \frac{e^{2ia+2ibx} x}{ic - (ic - d + 1)e^{2ia+2ibx} + d + 1} dx + b(-ic + d + \\
 1) & \int \frac{e^{2ia+2ibx} x}{-ic - (-ic + d + 1)e^{2ia+2ibx} - d + 1} dx + x \cot^{-1}(d \cot(a + bx) + c) \\
 & \quad \downarrow \text{2620} \\
 & -b(ic - d + 1) \left(\frac{x \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c - i(1-d))} - \frac{\int \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) dx}{2b(c - i(1-d))} \right) + b(-ic + d + \\
 1) & \left(\frac{\int \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) dx}{2b(c + i(d+1))} - \frac{x \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c + i(d+1))} \right) + x \cot^{-1}(d \cot(a + \\
 & \quad bx) + c) \\
 & \quad \downarrow \text{2715} \\
 & 1) \left(\frac{-b(ic - d +}{4b^2(c - i(1-d))} \int e^{-2ia-2ibx} \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right) de^{2ia+2ibx} + \frac{x \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c - i(1-d))} \right) + \\
 & 1) \left(-\frac{b(-ic + d +}{4b^2(c + i(d+1))} \int e^{-2ia-2ibx} \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right) de^{2ia+2ibx} - \frac{x \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c + i(d+1))} \right) + \\
 & \quad x \cot^{-1}(d \cot(a + bx) + c) \\
 & \quad \downarrow \text{2838}
 \end{aligned}$$

$$\begin{aligned}
& -b(ic-d+1) \left(\frac{x \log \left(1 - \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{2b(c-i(1-d))} - \frac{i \operatorname{PolyLog} \left(2, \frac{(ic-d+1)e^{2ia+2ibx}}{ic+d+1} \right)}{4b^2(c-i(1-d))} \right) + b(-ic+d+ \\
& 1) \left(\frac{i \operatorname{PolyLog} \left(2, \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{4b^2(c+i(d+1))} - \frac{x \log \left(1 - \frac{(c+i(d+1))e^{2ia+2ibx}}{c+i(1-d)} \right)}{2b(c+i(d+1))} \right) + x \cot^{-1}(d \cot(a + \\
& \quad \quad \quad bx) + c)
\end{aligned}$$

input `Int[ArcCot[c + d*Cot[a + b*x]],x]`

output

```

x*ArcCot[c + d*Cot[a + b*x]] - b*(1 + I*c - d)*((x*Log[1 - ((1 + I*c - d)*
E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(2*b*(c - I*(1 - d)))) - ((I/4)*Po
lyLog[2, ((1 + I*c - d)*E^((2*I)*a + (2*I)*b*x))/(1 + I*c + d)]/(b^2*(c -
I*(1 - d)))) + b*(1 - I*c + d)*(-1/2*(x*Log[1 - ((c + I*(1 + d))*E^((2*I)
*a + (2*I)*b*x))/(c + I*(1 - d))]/(b*(c + I*(1 + d))) + ((I/4)*PolyLog[2,
((c + I*(1 + d))*E^((2*I)*a + (2*I)*b*x))/(c + I*(1 - d))]/(b^2*(c + I*(
1 + d)))))

```

Defintions of rubi rules used

rule 2620

```

Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

```

rule 2715

```

Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

```

rule 2838

```

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

```

rule 5693

```
Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_.)]*(d_.)], x_Symbol] := Simp[x*ArcC
ot[c + d*Cot[a + b*x]], x] + (-Simp[b*(1 + I*c - d) Int[x*(E^(2*I*a + 2*I
*b*x)/(1 + I*c + d - (1 + I*c - d)*E^(2*I*a + 2*I*b*x))), x], x] + Simp[b*(
1 - I*c + d) Int[x*(E^(2*I*a + 2*I*b*x)/(1 - I*c - d - (1 - I*c + d)*E^(2
*I*a + 2*I*b*x))), x], x]) /; FreeQ[{a, b, c, d}, x] && NeQ[(c - I*d)^2, -1
]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1145 vs. $2(168) = 336$.

Time = 5.12 (sec) , antiderivative size = 1146, normalized size of antiderivative = 5.79

method	result	size
derivativdivides	Expression too large to display	1146
default	Expression too large to display	1146
risch	Expression too large to display	4964

input

```
int(arccot(c+d*cot(b*x+a)),x,method=_RETURNVERBOSE)
```


output

```

1/b/d*(-d*(1/2*Pi-arccot(cot(b*x+a)))*arccot(c+d*cot(b*x+a))-d^2*(-1/d*arc
tan(d*((c+d*cot(b*x+a))/d-c/d)+c)*arctan(-(c+d*cot(b*x+a))/d+c/d)-1/d^2*(-
1/2*I*d*arctan(d*((c+d*cot(b*x+a))/d-c/d)+c)*ln(1-(I*d+I+c)*(1+I*(d*((c+d*
cot(b*x+a))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(-I*d+I-c))-
1/2*d*arctan(d*((c+d*cot(b*x+a))/d-c/d)+c)^2-1/4*d*polylog(2,(I*d+I+c)*(1+
I*(d*((c+d*cot(b*x+a))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(-
I*d+I-c))+1/2*I*d^2*ln(1-(c-I*d+I)*(1+I*(d*((c+d*cot(b*x+a))/d-c/d)+c))^2
/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c))*arctan(d*((c+d*cot(b*x+a)
)/d-c/d)+c)/(1+I*c+d)+1/2*I*d*ln(1-(c-I*d+I)*(1+I*(d*((c+d*cot(b*x+a))/d-c
/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c))*arctan(d*((c+d*c
ot(b*x+a))/d-c/d)+c)/(1+I*c+d)+1/2*I*d/(c-I*d-I)*ln(1-(c-I*d+I)*(1+I*(d*((
c+d*cot(b*x+a))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c
))*c*arctan(d*((c+d*cot(b*x+a))/d-c/d)+c)+1/2*d^2*arctan(d*((c+d*cot(b*x+a)
))/d-c/d)+c)^2/(1+I*c+d)+1/4*d^2*polylog(2,(c-I*d+I)*(1+I*(d*((c+d*cot(b*x
+a))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c))/(1+I*c+d
)+1/2*d*arctan(d*((c+d*cot(b*x+a))/d-c/d)+c)^2/(1+I*c+d)+1/2*d/(c-I*d-I)*c
*arctan(d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1/4*d*polylog(2,(c-I*d+I)*(1+I*(d*
((c+d*cot(b*x+a))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I
-c))/(1+I*c+d)+1/4*d/(c-I*d-I)*polylog(2,(c-I*d+I)*(1+I*(d*((c+d*cot(b*x+a)
))/d-c/d)+c))^2/((d*((c+d*cot(b*x+a))/d-c/d)+c)^2+1)/(I*d+I-c))*c))

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 965 vs. $2(140) = 280$.

Time = 0.28 (sec) , antiderivative size = 965, normalized size of antiderivative = 4.87

$$\int \cot^{-1}(c + d \cot(ax + b)) dx = \text{Too large to display}$$

input

```
integrate(arccot(c+d*cot(b*x+a)),x, algorithm="fricas")
```

output

```

1/8*(8*b*x*arccot(d*cot(b*x + a) + c) + 2*I*a*log(1/2*c^2 + I*c*d - 1/2*d^
2 - 1/2*(c^2 + d^2 + 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*
d + I)*sin(2*b*x + 2*a) + 1/2) - 2*I*a*log(1/2*c^2 + I*c*d - 1/2*d^2 - 1/2
*(c^2 + d^2 - 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*
sin(2*b*x + 2*a) + 1/2) - 2*I*a*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2
+ d^2 + 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 + 2*I*d + I)*sin(2*
b*x + 2*a) - 1/2) + 2*I*a*log(-1/2*c^2 + I*c*d + 1/2*d^2 + 1/2*(c^2 + d^2
- 2*d + 1)*cos(2*b*x + 2*a) + 1/2*(I*c^2 + I*d^2 - 2*I*d + I)*sin(2*b*x +
2*a) - 1/2) - 2*(I*b*x + I*a)*log((c^2 + d^2 - (c^2 + 2*I*c*d - d^2 + 1)*c
os(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*sin(2*b*x + 2*a) + 2*d + 1)
/(c^2 + d^2 + 2*d + 1)) - 2*(-I*b*x - I*a)*log((c^2 + d^2 - (c^2 - 2*I*c*d
- d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I*d^2 + I)*sin(2*b*x + 2*a
) + 2*d + 1)/(c^2 + d^2 + 2*d + 1)) - 2*(-I*b*x - I*a)*log((c^2 + d^2 - (c
^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d^2 - I)*si
n(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1)) - 2*(I*b*x + I*a)*log((c^
2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d - I*
d^2 + I)*sin(2*b*x + 2*a) - 2*d + 1)/(c^2 + d^2 - 2*d + 1)) - dilog(-(c^2
+ d^2 - (c^2 + 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (-I*c^2 + 2*c*d + I*d
^2 - I)*sin(2*b*x + 2*a) + 2*d + 1)/(c^2 + d^2 + 2*d + 1) + 1) - dilog(-(c
^2 + d^2 - (c^2 - 2*I*c*d - d^2 + 1)*cos(2*b*x + 2*a) + (I*c^2 + 2*c*d ...

```

Sympy [F(-1)]

Timed out.

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = \text{Timed out}$$

input

```
integrate(acot(c+d*cot(b*x+a)),x)
```

output

Timed out

Maxima [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 532 vs. $2(140) = 280$.

Time = 0.20 (sec) , antiderivative size = 532, normalized size of antiderivative = 2.69

$$\int \cot^{-1}(c + d \cot(a + bx)) dx$$

$$d \left(\frac{8(bx+a) \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right)}{d} - \frac{8(bx+a) \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right) - 4 \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right) \arctan\left(\frac{cd+(c^2+1)\tan(bx+a)}{d}\right)}{d} \right)$$

input `integrate(arccot(c+d*cot(b*x+a)),x, algorithm="maxima")`

output

```
1/8*(d*(8*(b*x + a)*arctan((c*d + (c^2 + 1)*tan(b*x + a))/d)/d - (8*(b*x +
a)*arctan((c*d + (c^2 + 1)*tan(b*x + a))/d) - 4*arctan((c*d + (c^2 + 1)*t
an(b*x + a))/d)*arctan2((c*d + (c^2 + d + 1)*tan(b*x + a))/(c^2 + d^2 + 2*
d + 1), -(c*d*tan(b*x + a) - c^2 - d - 1)/(c^2 + d^2 + 2*d + 1)) + 4*arcta
n((c*d + (c^2 + 1)*tan(b*x + a))/d)*arctan2(-(c*d + (c^2 - d + 1)*tan(b*x
+ a))/(c^2 + d^2 - 2*d + 1), -(c*d*tan(b*x + a) - c^2 + d - 1)/(c^2 + d^2
- 2*d + 1)) - (log(((c^2 + 1)*tan(b*x + a)^2 + c^2 + 1)/(c^2 + d^2 + 2*d +
1)) - log(((c^2 + 1)*tan(b*x + a)^2 + c^2 + 1)/(c^2 + d^2 - 2*d + 1))) *lo
g((c^2 + 1)*d^2 + 2*(c^3 + c)*d*tan(b*x + a) + (c^4 + 2*c^2 + 1)*tan(b*x +
a)^2) - 2*dilog(((I*c - 1)*tan(b*x + a) + I*d)/(c + I*d + I)) + 2*dilog((
(I*c + 1)*tan(b*x + a) + I*d)/(c + I*d - I)) + 2*dilog(-((I*c - 1)*tan(b*x
+ a) + I*d)/(c - I*d + I)) - 2*dilog(-((I*c + 1)*tan(b*x + a) + I*d)/(c -
I*d - I)))/d + 8*(b*x + a)*arccot(c + d/tan(b*x + a)) - 8*(b*x + a)*arct
an((c*d + (c^2 + 1)*tan(b*x + a))/d))/b
```

Giac [F]

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = \int \operatorname{arccot}(d \cot(bx + a) + c) dx$$

input `integrate(arccot(c+d*cot(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(d*cot(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = \int \operatorname{acot}(c + d \cot(a + bx)) dx$$

input `int(acot(c + d*cot(a + b*x)),x)`

output `int(acot(c + d*cot(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(c + d \cot(a + bx)) dx = \int \operatorname{acot}(\cot(bx + a)d + c) dx$$

input `int(acot(c+d*cot(b*x+a)),x)`

output `int(acot(cot(a + b*x)*d + c),x)`

3.26 $\int \frac{\cot^{-1}(c+d \cot(a+bx))}{x} dx$

Optimal result	244
Mathematica [N/A]	244
Rubi [N/A]	245
Maple [N/A]	245
Fricas [N/A]	246
Sympy [F(-1)]	246
Maxima [F(-1)]	246
Giac [N/A]	247
Mupad [N/A]	247
Reduce [N/A]	247

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + d \cot(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+d*cot(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + d*Cot[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + d*Cot[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(d \cot(a + bx) + c)}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(d \cot(a + bx) + c)}{x} dx$$

input `Int[ArcCot[c + d*Cot[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(c + d \cot(bx + a))}{x} dx$$

input `int(arccot(c+d*cot(b*x+a))/x,x)`

output `int(arccot(c+d*cot(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \cot(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="fricas")`

output `integral(arccot(d*cot(b*x + a) + c)/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+d*cot(b*x+a))/x,x)`

output `Timed out`

Maxima [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="maxima")`

output `Timed out`

Giac [N/A]

Not integrable

Time = 2.49 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \cot(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*cot(b*x+a))/x,x, algorithm="giac")`

output `integrate(arccot(d*cot(b*x + a) + c)/x, x)`

Mupad [N/A]

Not integrable

Time = 0.94 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + d \cot(a + bx))}{x} dx$$

input `int(acot(c + d*cot(a + b*x))/x,x)`

output `int(acot(c + d*cot(a + b*x))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.24 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \cot(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\cot(bx + a) d + c)}{x} dx$$

input `int(acot(c+d*cot(b*x+a))/x,x)`

output `int(acot(cot(a + b*x)*d + c)/x,x)`

3.27 $\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal result	249
Mathematica [A] (verified)	250
Rubi [A] (verified)	250
Maple [C] (warning: unable to verify)	254
Fricas [A] (verification not implemented)	255
Sympy [F(-2)]	255
Maxima [F(-2)]	256
Giac [F]	256
Mupad [F(-1)]	256
Reduce [F]	257

Optimal result

Integrand size = 21, antiderivative size = 154

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = -\frac{bx^4}{12} + \frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{6}ix^3 \log(1 - ice^{2ia+2ibx}) - \frac{x^2 \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{4b} - \frac{ix \operatorname{PolyLog}(3, ice^{2ia+2ibx})}{4b^2} + \frac{\operatorname{PolyLog}(4, ice^{2ia+2ibx})}{8b^3}$$

output

```
-1/12*b*x^4+1/3*x^3*(Pi-arccot(-c-(1-I*c)*cot(b*x+a)))-1/6*I*x^3*ln(1-I*c*
exp(2*I*a+2*I*b*x))-1/4*x^2*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b-1/4*I*x*po
lylog(3,I*c*exp(2*I*a+2*I*b*x))/b^2+1/8*polylog(4,I*c*exp(2*I*a+2*I*b*x))/
b^3
```

Mathematica [A] (verified)

Time = 0.15 (sec) , antiderivative size = 140, normalized size of antiderivative = 0.91

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{4ib^3 x^3 \log\left(1 + \frac{ie^{-2i(a+bx)}}{c}\right) - 6b^2 x^2 \text{PolyLog}\left(2, -\frac{ie^{-2i(a+bx)}}{c}\right) + 6ibx \text{PolyLog}\left(3, -\frac{ie^{-2i(a+bx)}}{c}\right) + 3 \text{PolyLog}\left(4, -\frac{ie^{-2i(a+bx)}}{c}\right)}{24b^3}$$

input

```
Integrate[x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]
```

output

```
(x^3*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/3 - ((4*I)*b^3*x^3*Log[1 + I/(c*E^((2*I)*(a + b*x)))] - 6*b^2*x^2*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + (6*I)*b*x*PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))] + 3*PolyLog[4, (-I)/(c*E^((2*I)*(a + b*x)))])/(24*b^3)
```

Rubi [A] (verified)

Time = 0.78 (sec) , antiderivative size = 198, normalized size of antiderivative = 1.29, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$, Rules used = {5697, 25, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$$

$$\downarrow \text{5697}$$

$$\frac{1}{3} ib \int -\frac{x^3}{e^{2ia+2ibx} c + i} dx + \frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3} ib \int \frac{x^3}{e^{2ia+2ibx} c + i} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3}ib \left(ic \int \frac{e^{2ia+2ibx} x^3}{e^{2ia+2ibx} c + i} dx - \frac{ix^4}{4} \right)$$

↓ 2620

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3}ib \left(ic \left(\frac{3i \int x^2 \log(1 - ice^{2ia+2ibx}) dx}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 3011

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \int x \text{PolyLog}(2, ice^{2ia+2ibx}) dx}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 7163

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int \text{PolyLog}(3, ice^{2ia+2ibx}) dx}{2b} - \frac{ix \text{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) \right)$$

↓ 2720

$$\frac{1}{3}x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3}ib \left(ic \left(\frac{3i \left(\frac{ix^2 \text{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int e^{-2ia-2ibx} \text{PolyLog}(3, ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} - \frac{ix \text{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) \right)$$

↓ 7143

$$\frac{1}{3} x^3 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{3} ib \left(ic \left(\frac{3i \left(\frac{ix^2 \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\operatorname{PolyLog}(4, ice^{2ia+2ibx})}{4b^2} - \frac{ix \operatorname{PolyLog}(3, ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} - \frac{ix^3 \log(1 - ice^{2ia+2ibx})}{2bc} \right) \right)$$

input `Int[x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]],x]`

output

```
(x^3*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/3 - (I/3)*b*((-1/4*I)*x^4 + I*c*((-1/2*I)*x^3*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) + ((3*I)/2)*(((I/2)*x^2*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/b - (I*((-1/2*I)*x*PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)]/b + PolyLog[4, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/b))/(b*c))
```

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] :> Simp[Identity[-1] Int[Fx, x], x]`

rule 2615 `Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] :> Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5697

```
Int[ArcCot[(c_) + Cot[(a_) + (b_)*(x_)]*(d_)]*((e_) + (f_)*(x_))^(m_.
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Cot[a + b*x]]/(f*(m +
1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c - I*d - c*E^(2
*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && E
qQ[(c - I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 4.38 (sec) , antiderivative size = 1448, normalized size of antiderivative = 9.40

method	result	size
risch	Expression too large to display	1448

input `int(x^2*(Pi-arccot(-c-(1-I*c)*cot(b*x+a))),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & 1/2*I/b^2*\ln(1-I*\exp(2*I*(b*x+a))*c)*x^2-1/12*(Pi*csgn(I*\exp(I*(b*x+a))) \\ & ^2*csgn(I*\exp(2*I*(b*x+a)))-2*Pi*csgn(I*\exp(I*(b*x+a)))*csgn(I*\exp(2*I*(b* \\ & x+a)))^2+Pi*csgn(I*\exp(2*I*(b*x+a)))^3+Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I* \\ & (I+c)/(\exp(2*I*(b*x+a))-1))*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a) \\ &)-1))-Pi*csgn(I*\exp(2*I*(b*x+a)))*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(\\ & b*x+a))-1))^2+Pi*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))-1))*csgn(\\ & \exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))-1))-Pi*csgn(\exp(2*I*(b*x+a))*(I+c \\ &)/(\exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I))*csgn(I/(\exp(2* \\ & I*(b*x+a))-1))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))-1))+Pi*csgn \\ & (I*(\exp(2*I*(b*x+a))*c+I))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a) \\ &)-1))^2-Pi*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))-1))*csgn((\exp(2* \\ & I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))-1))-Pi*csgn((\exp(2*I*(b*x+a))*c+I)/(\exp(\\ & 2*I*(b*x+a))-1))^2+Pi*csgn(I*(I+c))*csgn(I/(\exp(2*I*(b*x+a))-1))*csgn(I*(I \\ & +c)/(\exp(2*I*(b*x+a))-1))-Pi*csgn(I*(I+c))*csgn(I*(I+c)/(\exp(2*I*(b*x+a))- \\ & 1))^2-Pi*csgn(I/(\exp(2*I*(b*x+a))-1))*csgn(I*(I+c)/(\exp(2*I*(b*x+a))-1))^2 \\ & +Pi*csgn(I/(\exp(2*I*(b*x+a))-1))*csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b \\ & *x+a))-1))^2+Pi*csgn(I*(I+c)/(\exp(2*I*(b*x+a))-1))^3-Pi*csgn(I*(I+c)/(\exp(\\ & 2*I*(b*x+a))-1))*csgn(I*\exp(2*I*(b*x+a))*(I+c)/(\exp(2*I*(b*x+a))-1))^2-Pi* \\ & csgn(I*(\exp(2*I*(b*x+a))*c+I)/(\exp(2*I*(b*x+a))-1))^3+Pi*csgn(I*(\exp(2*I*(\\ & b*x+a))*c+I)/(\exp(2*I*(b*x+a))-1))*csgn((\exp(2*I*(b*x+a))*c+I)/(\exp(2*I...$$

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.13

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \frac{2b^4x^4 - 8\pi b^3x^3 - 4ib^3x^3 \log\left(\frac{ce^{(2ibx+2ia)} + i}{c+i} e^{(-2ibx-2ia)}\right) + 6b^2x^2 \operatorname{Li}_2(i ce^{(2ibx+2ia)}) - 2a^4 - 4ia^3 \log\left(\frac{ce^{(2ibx+2ia)} + i}{c+i} e^{(-2ibx-2ia)}\right)}{b^3}$$

input `integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="fricas")`

output `-1/24*(2*b^4*x^4 - 8*pi*b^3*x^3 - 4*I*b^3*x^3*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)) + 6*b^2*x^2*dilog(I*c*e^(2*I*b*x + 2*I*a)) - 2*a^4 - 4*I*a^3*log((c*e^(2*I*b*x + 2*I*a) + I)/c) + 6*I*b*x*polylog(3, I*c*e^(2*I*b*x + 2*I*a)) + 4*(I*b^3*x^3 + I*a^3)*log(-I*c*e^(2*I*b*x + 2*I*a) + 1) - 3*polylog(4, I*c*e^(2*I*b*x + 2*I*a)))/b^3`

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x**2*(pi-acot(-c-(1-I*c)*cot(b*x+a))),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) + 3*_t0**2*I*c*exp(2*I*a) - _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is

Giac [F]

$$\begin{aligned} & \int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx \\ &= \int (\pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c)) x^2 dx \end{aligned}$$

input `integrate(x^2*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="giac")`

output `integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))*x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \int x^2 (\Pi + \operatorname{acot}(c - \cot(a + bx) (-1 + ci))) dx$$

input `int(x^2*(Pi + acot(c - cot(a + b*x)*(c*1i - 1))),x)`

output `int(x^2*(Pi + acot(c - cot(a + b*x)*(c*1i - 1))), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci - \cot(bx + a) - c) x^2 dx \right) + \frac{\pi x^3}{3}$$

input `int(x^2*(Pi-acot(-c-(1-I*c)*cot(b*x+a))),x)`

output `(- 3*int(acot(cot(a + b*x)*c*i - cot(a + b*x) - c)*x**2,x) + pi*x**3)/3`

3.28 $\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal result	258
Mathematica [A] (verified)	259
Rubi [A] (verified)	259
Maple [C] (warning: unable to verify)	262
Fricas [A] (verification not implemented)	263
Sympy [F(-2)]	263
Maxima [F(-2)]	264
Giac [F]	264
Mupad [F(-1)]	264
Reduce [F]	265

Optimal result

Integrand size = 19, antiderivative size = 123

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = -\frac{bx^3}{6} + \frac{1}{2}x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{4}ix^2 \log(1 - ice^{2ia+2ibx}) - \frac{x \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{4b} - \frac{i \operatorname{PolyLog}(3, ice^{2ia+2ibx})}{8b^2}$$

output

```
-1/6*b*x^3+1/2*x^2*(Pi-arccot(-c-(1-I*c)*cot(b*x+a)))-1/4*I*x^2*ln(1-I*c*exp(2*I*a+2*I*b*x))-1/4*x*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b-1/8*I*polylog(3,I*c*exp(2*I*a+2*I*b*x))/b^2
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 110, normalized size of antiderivative = 0.89

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{i \left(2b^2 x^2 \log \left(1 + \frac{ie^{-2i(a+bx)}}{c} \right) + 2ibx \operatorname{PolyLog} \left(2, -\frac{ie^{-2i(a+bx)}}{c} \right) + \operatorname{PolyLog} \left(3, -\frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c + (1 - I*c)*Cot[a + b*x]], x]
```

output

```
(x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/2 - ((I/8)*(2*b^2*x^2*Log[1 + I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, (-I)/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, (-I)/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.26, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.368$, Rules used = {5697, 25, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx \\ & \quad \downarrow \text{5697} \\ & \frac{1}{2} ib \int -\frac{x^2}{e^{2ia+2ibx}c+i} dx + \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) \\ & \quad \downarrow \text{25} \\ & \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} ib \int \frac{x^2}{e^{2ia+2ibx}c+i} dx \\ & \quad \downarrow \text{2615} \\ & \frac{1}{2} x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2} ib \left(ic \int \frac{e^{2ia+2ibx} x^2}{e^{2ia+2ibx}c+i} dx - \frac{ix^3}{3} \right) \end{aligned}$$

$$\begin{aligned}
& \downarrow 2620 \\
& \frac{1}{2}x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \\
& \frac{1}{2}ib \left(ic \left(\frac{i \int x \log(1 - ice^{2ia+2ibx}) dx}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 3011 \\
& \frac{1}{2}x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \\
& \frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{i \int \operatorname{PolyLog}(2, ice^{2ia+2ibx}) dx}{2b} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 2720 \\
& \frac{1}{2}x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \\
& \frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}(2, ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right) \\
& \downarrow 7143 \\
& \frac{1}{2}x^2 \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \\
& \frac{1}{2}ib \left(ic \left(\frac{i \left(\frac{ix \operatorname{PolyLog}(2, ice^{2ia+2ibx})}{2b} - \frac{\operatorname{PolyLog}(3, ice^{2ia+2ibx})}{4b^2} \right)}{bc} - \frac{ix^2 \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^3}{3} \right)
\end{aligned}$$

input `Int[x*ArcCot[c + (1 - I*c)*Cot[a + b*x]],x]`

output `(x^2*ArcCot[c + (1 - I*c)*Cot[a + b*x]])/2 - (I/2)*b*((-1/3*I)*x^3 + I*c*((-1/2*I)*x^2*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) + (I*(((I/2)*x*PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/b - PolyLog[3, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/(b*c)))`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[(((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.}))))^{\text{n}_.}], \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m} + 1} / (\text{a} * \text{d} * (\text{m} + 1)), \text{x}] - \text{Simp}[\text{b}/\text{a} \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m}} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / (\text{a} + \text{b} * (\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}})), \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2620 $\text{Int}[(((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.} * ((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}], \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m}} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}] - \text{Simp}[\text{d} * (\text{m} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m} - 1} * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2720 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{With}\{\text{v} = \text{FunctionOfExponential}[\text{u}, \text{x}]\}, \text{Simp}[\text{v}/\text{D}[\text{v}, \text{x}] \quad \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[\text{u}, \text{x}]/\text{x}, \text{x}], \text{x}, \text{v}], \text{x}] /; \text{FunctionOfExponentialQ}[\text{u}, \text{x}] \&\& \text{!MatchQ}[\text{u}, (\text{w}_.) * ((\text{a}_.) * (\text{v}_.)^{\text{n}_.})^{\text{m}_.}] /; \text{FreeQ}\{\text{a}, \text{m}, \text{n}\}, \text{x}\} \&\& \text{IntegerQ}[\text{m} * \text{n}] \&\& \text{!MatchQ}[\text{u}, \text{E}^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * \text{x})) * (\text{F}_.)[\text{v}_.] /; \text{FreeQ}\{\text{a}, \text{b}, \text{c}\}, \text{x}\} \&\& \text{InverseFunctionQ}[\text{F}[\text{x}]]]$
- rule 3011 $\text{Int}[\text{Log}[1 + (\text{e}_.) * ((\text{F}_.)^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}] * ((\text{f}_.) + (\text{g}_.) * (\text{x}_.)^{\text{m}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[-(\text{f} + \text{g} * \text{x})^{\text{m}} * (\text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}] / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}]))], \text{x}] + \text{Simp}[\text{g} * (\text{m} / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{f} + \text{g} * \text{x})^{\text{m} - 1} * \text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}], \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{GtQ}[\text{m}, 0]$
- rule 5697 $\text{Int}[\text{ArcCot}[(\text{c}_.) + \text{Cot}[(\text{a}_.) + (\text{b}_.) * (\text{x}_.)] * (\text{d}_.)] * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{m}_.})], \text{x_Symbol}] \rightarrow \text{Simp}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} * (\text{ArcCot}[\text{c} + \text{d} * \text{Cot}[\text{a} + \text{b} * \text{x}]] / (\text{f} * (\text{m} + 1))), \text{x}] + \text{Simp}[\text{I} * (\text{b} / (\text{f} * (\text{m} + 1))) \quad \text{Int}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} / (\text{c} - \text{I} * \text{d} - \text{c} * \text{E}^{\text{2} * \text{I} * \text{a} + 2 * \text{I} * \text{b} * \text{x}})], \text{x}], \text{x}] /; \text{FreeQ}\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0] \&\& \text{EqQ}[(\text{c} - \text{I} * \text{d})^2, -1]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 3.23 (sec) , antiderivative size = 1413, normalized size of antiderivative = 11.49

method	result	size
risch	Expression too large to display	1413

input

```
int(x*(Pi-arccot(-c-(1-I*c)*cot(b*x+a))),x,method=_RETURNVERBOSE)
```

output

```
-1/2*I/b*ln(1-I*exp(2*I*(b*x+a))*c)*a*x-1/8*(Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*exp(2*I*(b*x+a)))-2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^2+Pi*csgn(I*exp(2*I*(b*x+a)))^3+Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c+I))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))+Pi*csgn(I*(exp(2*I*(b*x+a))*c+I))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))*csgn((exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))-Pi*csgn((exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*(I+c))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(I*(I+c))*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))^3-Pi*csgn(I*(I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))^3+Pi*csgn(I*(exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b*x+a))-1))*csgn((exp(2*I*(b*x+a))*c+I)/(exp(2*I*(b...
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.24

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \frac{4b^3x^3 - 12\pi b^2x^2 - 6ib^2x^2 \log\left(\frac{(ce^{(2ibx+2ia)}+i)e^{(-2ibx-2ia)}}{c+i}\right) + 4a^3 + 6bx\text{Li}_2(ice^{(2ibx+2ia)}) + 6ia^2 \log\left(\frac{c+i}{c-i}\right)}{24b^2}$$

input `integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="fricas")`

output `-1/24*(4*b^3*x^3 - 12*pi*b^2*x^2 - 6*I*b^2*x^2*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)) + 4*a^3 + 6*b*x*dilog(I*c*e^(2*I*b*x + 2*I*a)) + 6*I*a^2*log((c*e^(2*I*b*x + 2*I*a) + I)/c) + 6*(I*b^2*x^2 - I*a^2)*log(-I*c*e^(2*I*b*x + 2*I*a) + 1) + 3*I*polylog(3, I*c*e^(2*I*b*x + 2*I*a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*(pi-acot(-c-(1-I*c)*cot(b*x+a))),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) + 3*_t0**2*I*c*exp(2*I*a) - _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is`

Giac [F]

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \int (\pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c))x dx$$

input `integrate(x*(pi-arccot(-c-(1-I*c)*cot(b*x+a))),x, algorithm="giac")`

output `integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \int x (\Pi + \operatorname{acot}(c - \cot(a + bx) (-1 + c li))) dx$$

input `int(x*(Pi + acot(c - cot(a + b*x)*(c*li - 1))),x)`

output `int(x*(Pi + acot(c - cot(a + b*x)*(c*li - 1))), x)`

Reduce [F]

$$\int x \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci - \cot(bx + a) - c) x dx \right) + \frac{\pi x^2}{2}$$

input `int(x*(Pi-acot(-c-(1-I*c)*cot(b*x+a))),x)`

output `(- 2*int(acot(cot(a + b*x)*c*i - cot(a + b*x) - c)*x,x) + pi*x**2)/2`

3.29 $\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$

Optimal result	266
Mathematica [B] (warning: unable to verify)	266
Rubi [A] (verified)	267
Maple [B] (verified)	269
Fricas [A] (verification not implemented)	270
Sympy [F(-2)]	271
Maxima [F(-2)]	271
Giac [F]	272
Mupad [F(-1)]	272
Reduce [F]	272

Optimal result

Integrand size = 17, antiderivative size = 85

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = -\frac{bx^2}{2} + x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - \frac{1}{2}ix \log(1 - ice^{2ia+2ibx}) - \frac{\text{PolyLog}(2, ice^{2ia+2ibx})}{4b}$$

output `-1/2*b*x^2+x*(Pi-arccot(-c-(1-I*c)*cot(b*x+a)))-1/2*I*x*ln(1-I*c*exp(2*I*a+2*I*b*x))-1/4*polylog(2,I*c*exp(2*I*a+2*I*b*x))/b`

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 929 vs. 2(85) = 170.

Time = 3.83 (sec) , antiderivative size = 929, normalized size of antiderivative = 10.93

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = x \cot^{-1}(c + (1 - ic) \cot(a + bx))$$

$$+ \frac{(i + \cot(a + bx))(1 + ic + (i + c) \cot(a + bx)) \left(2ibx + \log \left(1 - \frac{\sec(bx)((-i+c) \cos(a)+i(i+c) \sin(a))(\cos(a+bx)-2c}{2c} \right) \right)}{2c}$$

input `Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]],x]`

output `x*ArcCot[c + (1 - I*c)*Cot[a + b*x]] + (I*x*Csc[a + b*x]^2*(2*b*x*Log[2*Cos[b*x]*(Cos[b*x] - I*Sin[b*x])] + I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x])]/(2*c)]*Log[1 - I*Tan[b*x]] - I*Log[(Sec[b*x]*((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x])]/(2*Cos[a] - (2*I)*Sin[a])]*Log[1 + I*Tan[b*x]] + I*PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x]] + I*PolyLog[2, (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] - I*PolyLog[2, (Sec[b*x]*((1 + I*c)*Cos[a] - (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2])*(Cos[b*x] - I*Sin[b*x])*(Cos[b*x] + I*Sin[b*x])]/((I + Cot[a + b*x])*(1 + I*c + (I + c)*Cot[a + b*x])*((2*I)*b*x + Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)] + Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2] + ((-I + c)*Cos[a + b*x]*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])))/((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]) + ((I + c)*(Log[1 - I*Tan[b*x]] - Log[1 + I*Tan[b*x]])*Sin[a + b*x])/((1 - I*c)*Cos[a + b*x] + (-I + c)*Sin[a + b*x]) + 2*b*x*Tan[b*x] + I*Log[1 - (Sec[b*x]*((-I + c)*Cos[a] + I*(I + c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x])]/(2*c)]*Tan[b*x] - I*Log[1 + (Sec[b*x]*((-1 - I*c)*Cos[a] + (I + c)*Sin[a])*(Cos[a + b*x] + I*Sin[a + b*x])/2]*Tan[b*x] - I*Log[1 - I*Tan[b*x]]*Tan[b*x] + I*Cos[a]^2*Log[1 + I*Tan[b*x]]*Tan[b*x] + I*Log[1 + I*Tan[b*x]]*Sin[a]^2*Tan[b*x] + (I*Log[(Sec[...`

Rubi [A] (verified)

Time = 0.46 (sec) , antiderivative size = 107, normalized size of antiderivative = 1.26, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.353$, Rules used = {5689, 25, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx$$

$$\downarrow 5689$$

$$ib \int -\frac{x}{e^{2ia+2ibx}c + i} dx + x \cot^{-1}(c + (1 - ic) \cot(a + bx))$$

$$\begin{aligned}
& \downarrow 25 \\
& x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - ib \int \frac{x}{e^{2ia+2ibx}c+i} dx \\
& \downarrow 2615 \\
& x \cot^{-1}(c + (1 - ic) \cot(a + bx)) - ib \left(ic \int \frac{e^{2ia+2ibx}x}{e^{2ia+2ibx}c+i} dx - \frac{ix^2}{2} \right) \\
& \downarrow 2620 \\
& ib \left(ic \left(\frac{i \int \log(1 - ice^{2ia+2ibx}) dx}{2bc} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) \\
& \downarrow 2715 \\
& ib \left(ic \left(\frac{\int e^{-2ia-2ibx} \log(1 - ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2c} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) \\
& \downarrow 2838 \\
& ib \left(ic \left(-\frac{\text{PolyLog}(2, ice^{2ia+2ibx})}{4b^2c} - \frac{ix \log(1 - ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right)
\end{aligned}$$

input `Int[ArcCot[c + (1 - I*c)*Cot[a + b*x]],x]`

output `x*ArcCot[c + (1 - I*c)*Cot[a + b*x]] - I*b*((-1/2*I)*x^2 + I*c*(((-1/2*I)*x*Log[1 - I*c*E^((2*I)*a + (2*I)*b*x)])/(b*c) - PolyLog[2, I*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2*c)))`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[(((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.}))))^{\text{n}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m} + 1} / (\text{a} * \text{d} * (\text{m} + 1)), \text{x}] - \text{Simp}[\text{b}/\text{a} \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m}} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}}) / (\text{a} + \text{b} * (\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}})), \text{x}] \text{ ; FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2620 $\text{Int}[(((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.} * ((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m}} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}]) * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}}) / \text{a}], \text{x}] - \text{Simp}[\text{d} * (\text{m} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m} - 1} * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}}) / \text{a}], \text{x}], \text{x}] \text{ ; FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2715 $\text{Int}[\text{Log}[(\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.} * ((\text{e}_.) * ((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[1 / (\text{d} * \text{e} * \text{n} * \text{Log}[\text{F}]) \quad \text{Subst}[\text{Int}[\text{Log}[\text{a} + \text{b} * \text{x}] / \text{x}, \text{x}], \text{x}, (\text{F}^{\text{e}}(\text{c} + \text{d} * \text{x}))^{\text{n}}], \text{x}] \text{ ; FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{n}\}, \text{x}\} \&\& \text{GtQ}[\text{a}, 0]$
- rule 2838 $\text{Int}[\text{Log}[(\text{c}_.) * ((\text{d}_.) + (\text{e}_.) * (\text{x}_.)^{\text{n}_.})] / (\text{x}_.), \text{x_Symbol}] \rightarrow \text{Simp}[-\text{PolyLog}[2, (-\text{c}) * \text{e} * \text{x}^{\text{n}}] / \text{n}, \text{x}] \text{ ; FreeQ}\{\text{c}, \text{d}, \text{e}, \text{n}\}, \text{x}\} \&\& \text{EqQ}[\text{c} * \text{d}, 1]$
- rule 5689 $\text{Int}[\text{ArcCot}[(\text{c}_.) + \text{Cot}[(\text{a}_.) + (\text{b}_.) * (\text{x}_.)] * (\text{d}_.)], \text{x_Symbol}] \rightarrow \text{Simp}[\text{x} * \text{ArcCot}[\text{c} + \text{d} * \text{Cot}[\text{a} + \text{b} * \text{x}]], \text{x}] + \text{Simp}[\text{I} * \text{b} \quad \text{Int}[\text{x} / (\text{c} - \text{I} * \text{d} - \text{c} * \text{E}^{(2 * \text{I} * \text{a} + 2 * \text{I} * \text{b} * \text{x})}), \text{x}], \text{x}] \text{ ; FreeQ}\{\text{a}, \text{b}, \text{c}, \text{d}\}, \text{x}\} \&\& \text{EqQ}[(\text{c} - \text{I} * \text{d})^2, -1]$

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 586 vs. $2(76) = 152$.

Time = 1.18 (sec) , antiderivative size = 587, normalized size of antiderivative = 6.91

method	result
default	$\frac{\operatorname{arccot}(-c+(ic-1)\cot(bx+a))\ln(-i+(ic-1)\cot(bx+a)-c)^2}{2i+2c} + \frac{2i\operatorname{arccot}(-c+(ic-1)\cot(bx+a))\ln(-i+(ic-1)\cot(bx+a)-c)}{2i+2c}$ $\pi x -$
parts	$\frac{\operatorname{arccot}(-c+(ic-1)\cot(bx+a))\ln(-i+(ic-1)\cot(bx+a)-c)^2}{2i+2c} + \frac{2i\operatorname{arccot}(-c+(ic-1)\cot(bx+a))\ln(-i+(ic-1)\cot(bx+a)-c)}{2i+2c}$ $\pi x -$
derivativeldivides	$\frac{\pi\ln(1+(-c+(ic-1)\cot(bx+a))^2)c^2}{4i+4c} + \frac{i\pi\ln(1+(-c+(ic-1)\cot(bx+a))^2)c}{2i+2c} - \frac{\pi\ln(1+(-c+(ic-1)\cot(bx+a))^2)}{2(2i+2c)} + \frac{i\pi\arctan(-c+(ic-1)\cot(bx+a))}{2}$
risch	Expression too large to display

input

```
int(Pi-arccot(-c-(1-I*c)*cot(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
Pi*x-1/b/(I*c-1)*(arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln(-I+(I*c-1)*cot(b*x+a)-c)*c^2+2*I*arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln(-I+(I*c-1)*cot(b*x+a)-c)-arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln(-I+(I*c-1)*cot(b*x+a)-c)-arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln((I*c-1)*cot(b*x+a)+c+I)*c^2-2*I*arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln((I*c-1)*cot(b*x+a)+c+I)*c+arccot(-c+(I*c-1)*cot(b*x+a))/(2*I+2*c)*ln((I*c-1)*cot(b*x+a)+c+I)+(I*c-1)^2*(-1/2/(I+c)*(-1/4*I*ln(-I+(I*c-1)*cot(b*x+a)-c)^2+1/2*I*(dilog(-1/2*I*((I*c-1)*cot(b*x+a)-c+I))+ln(-I+(I*c-1)*cot(b*x+a)-c)*ln(-1/2*I*((I*c-1)*cot(b*x+a)-c+I))))+1/2/(I+c)*(-1/2*I*(dilog((-I+(I*c-1)*cot(b*x+a)-c)/(-2*I-2*c))+ln((I*c-1)*cot(b*x+a)+c+I)*ln((-I+(I*c-1)*cot(b*x+a)-c)/(-2*I-2*c)))+1/2*I*(dilog(-1/2*((I*c-1)*cot(b*x+a)-c+I)/c)+ln((I*c-1)*cot(b*x+a)+c+I)*ln(-1/2*((I*c-1)*cot(b*x+a)-c+I)/c))))
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 116, normalized size of antiderivative = 1.36

$$\int \cot^{-1}(c + (1 - ic)\cot(a + bx)) dx = \frac{2b^2x^2 - 4\pi bx - 2i bx \log\left(\frac{(ce^{(2i bx + 2i a)} + i)e^{(-2i bx - 2i a)}}{c+i}\right) - 2a^2 + 2(ibx + ia) \log(-i ce^{(2i bx + 2i a)} + 1) - 2}{4b}$$

input `integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="fricas")`

output `-1/4*(2*b^2*x^2 - 4*pi*b*x - 2*I*b*x*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)) - 2*a^2 + 2*(I*b*x + I*a)*log(-I*c*e^(2*I*b*x + 2*I*a) + 1) - 2*I*a*log((c*e^(2*I*b*x + 2*I*a) + I)/c) + dilog(I*c*e^(2*I*b*x + 2*I*a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(pi-acot(-c-(1-I*c)*cot(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**4*c**2*exp(4*I*a) + _t0**4*I*c*exp(4*I*a) + 3*_t0**2*I*c*exp(2*I*a) - _t0**2*exp(2*I*a) - 1 of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \int \pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c) dx$$

input `integrate(pi-arccot(-c-(1-I*c)*cot(b*x+a)),x, algorithm="giac")`

output `integrate(pi - arccot(-(-I*c + 1)*cot(b*x + a) - c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = \int \Pi + \operatorname{acot}(c - \cot(a + bx) (-1 + c li)) dx$$

input `int(Pi + acot(c - cot(a + b*x)*(c*1i - 1)),x)`

output `int(Pi + acot(c - cot(a + b*x)*(c*1i - 1)), x)`

Reduce [F]

$$\int \cot^{-1}(c + (1 - ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci - \cot(bx + a) - c) dx \right) + \pi x$$

input `int(Pi-acot(-c-(1-I*c)*cot(b*x+a)),x)`

output `- int(acot(cot(a + b*x)*c*i - cot(a + b*x) - c),x) + pi*x`

3.30 $\int \frac{\cot^{-1}(c+(1-ic)\cot(a+bx))}{x} dx$

Optimal result	273
Mathematica [N/A]	273
Rubi [N/A]	274
Maple [N/A]	274
Fricas [N/A]	275
Sympy [F(-1)]	275
Maxima [F(-2)]	275
Giac [N/A]	276
Mupad [N/A]	276
Reduce [N/A]	277

Optimal result

Integrand size = 21, antiderivative size = 21

$$\int \frac{\cot^{-1}(c + (1 - ic)\cot(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + (1 - ic)\cot(a + bx))}{x}, x\right)$$

output `Defer(Int)((Pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.10

$$\int \frac{\cot^{-1}(c + (1 - ic)\cot(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + (1 - ic)\cot(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.27 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx$$

input `Int[ArcCot[c + (1 - I*c)*Cot[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.24

$$\int \frac{\pi - \operatorname{arccot}(-c - (-ic + 1) \cot(bx + a))}{x} dx$$

input `int((Pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x)`

output `int((Pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 42, normalized size of antiderivative = 2.00

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx = \int \frac{\pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c)}{x} dx$$

input `integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="fricas")`

output `integral(1/2*(2*pi + I*log((c*e^(2*I*b*x + 2*I*a) + I)*e^(-2*I*b*x - 2*I*a)/(c + I)))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx = \text{Timed out}$$

input `integrate((pi-acot(-c-(1-I*c)*cot(b*x+a)))/x,x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx = \text{Exception raised: ValueError}$$

input `integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more
details)Is
```

Giac [N/A]

Not integrable

Time = 1.83 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.33

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx = \int \frac{\pi - \operatorname{arccot}(-(-ic + 1) \cot(bx + a) - c)}{x} dx$$

input

```
integrate((pi-arccot(-c-(1-I*c)*cot(b*x+a)))/x,x, algorithm="giac")
```

output

```
integrate((pi - arccot(-(-I*c + 1)*cot(b*x + a) - c))/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.52 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.19

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx = \int \frac{\Pi + \operatorname{acot}(c - \cot(a + bx) (-1 + c li))}{x} dx$$

input

```
int((Pi + acot(c - cot(a + b*x)*(c*1i - 1)))/x,x)
```

output

```
int((Pi + acot(c - cot(a + b*x)*(c*1i - 1)))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.67

$$\int \frac{\cot^{-1}(c + (1 - ic) \cot(a + bx))}{x} dx$$

$$= - \left(\int \frac{\operatorname{acot}(\cot(bx + a)ci - \cot(bx + a) - c)}{x} dx \right) + \log(x) \pi$$

input `int((Pi-acot(-c-(1-I*c)*cot(b*x+a)))/x,x)`output `- int(acot(cot(a + b*x)*c*i - cot(a + b*x) - c)/x,x) + log(x)*pi`

3.31 $\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal result	278
Mathematica [A] (verified)	279
Rubi [A] (verified)	279
Maple [C] (warning: unable to verify)	283
Fricas [A] (verification not implemented)	284
Sympy [F(-2)]	284
Maxima [F(-2)]	285
Giac [F]	285
Mupad [F(-1)]	285
Reduce [F]	286

Optimal result

Integrand size = 22, antiderivative size = 155

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \frac{bx^4}{12} + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{6}ix^3 \log(1 + ice^{2ia+2ibx}) + \frac{x^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{4b} + \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{4b^2} - \frac{\text{PolyLog}(4, -ice^{2ia+2ibx})}{8b^3}$$

output

```
1/12*b*x^4+1/3*x^3*(Pi-arccot(-c+(1+I*c)*cot(b*x+a)))+1/6*I*x^3*ln(1+I*c*exp(2*I*a+2*I*b*x))+1/4*x^2*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b+1/4*I*x*polylog(3,-I*c*exp(2*I*a+2*I*b*x))/b^2-1/8*polylog(4,-I*c*exp(2*I*a+2*I*b*x))/b^3
```

Mathematica [A] (verified)

Time = 0.16 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.88

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \frac{1}{24} \left(8x^3 \cot^{-1}(c + (-1 - ic) \cot(a + bx)) \right. \\ \left. + 4ix^3 \log \left(1 - \frac{ie^{-2i(a+bx)}}{c} \right) \right. \\ \left. - \frac{6x^2 \operatorname{PolyLog} \left(2, \frac{ie^{-2i(a+bx)}}{c} \right)}{b} \right. \\ \left. + \frac{6ix \operatorname{PolyLog} \left(3, \frac{ie^{-2i(a+bx)}}{c} \right)}{b^2} \right. \\ \left. + \frac{3 \operatorname{PolyLog} \left(4, \frac{ie^{-2i(a+bx)}}{c} \right)}{b^3} \right)$$

input

```
Integrate[x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]],x]
```

output

```
(8*x^3*ArcCot[c + (-1 - I*c)*Cot[a + b*x]] + (4*I)*x^3*Log[1 - I/(c*E^((2*I)*(a + b*x)))] - (6*x^2*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))])/b + ((6*I)*x*PolyLog[3, I/(c*E^((2*I)*(a + b*x)))]/b^2 + (3*PolyLog[4, I/(c*E^((2*I)*(a + b*x)))]/b^3))/24
```

Rubi [A] (verified)

Time = 0.82 (sec) , antiderivative size = 199, normalized size of antiderivative = 1.28, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5697, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

↓ 5697

$$\frac{1}{3}ib \int \frac{x^3}{i - ce^{2ia+2ibx}} dx + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 2615

$$\frac{1}{3}ib \left(-ic \int \frac{e^{2ia+2ibx} x^3}{i - ce^{2ia+2ibx}} dx - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 2620

$$\frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \int x^2 \log(ie^{2ia+2ibx}c + 1) dx}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 3011

$$\frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \int x \text{PolyLog}(2, -ice^{2ia+2ibx}) dx}{b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 7163

$$\frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int \text{PolyLog}(3, -ice^{2ia+2ibx}) dx}{2b} - \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 2720

$$\frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\int e^{-2ia-2ibx} \text{PolyLog}(3, -ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} - \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{b} \right)}{b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

$$\begin{array}{c}
 \downarrow 7143 \\
 \frac{1}{3}ib \left(-ic \left(\frac{ix^3 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{3i \left(\frac{ix^2 \text{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \left(\frac{\text{PolyLog}(4, -ice^{2ia+2ibx})}{4b^2} - \frac{ix \text{PolyLog}(3, -ice^{2ia+2ibx})}{2b} \right)}{b} \right)}{2bc} \right) \right. \\
 \left. \frac{1}{3}x^3 \cot^{-1}(c - (1 + ic) \cot(a + bx)) \right)
 \end{array}$$

input `Int[x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]`

output `(x^3*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/3 + (I/3)*b*((-1/4*I)*x^4 - I*c*((I/2)*x^3*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) - (((3*I)/2)*((I/2)*x^2*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b - (I*(((1/2*I)*x*PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b + PolyLog[4, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/b))/(b*c))`

Defintions of rubi rules used

rule 2615 `Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5697

```
Int[ArcCot[(c_) + Cot[(a_) + (b_)*(x_)]*(d_)]*((e_) + (f_)*(x_))^(m_.
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Cot[a + b*x]]/(f*(m +
1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c - I*d - c*E^(2
*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && E
qQ[(c - I*d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_) + (f_)*(x_))^(m_)*PolyLog[n_, (d_)*((F_)^((c_)*((a_) + (b_
)*(x_))))^(p_)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 4.20 (sec) , antiderivative size = 1449, normalized size of antiderivative = 9.35

method	result	size
risch	Expression too large to display	1449

input `int(x^2*(Pi-arccot(-c+(I*c+1)*cot(b*x+a))),x,method=_RETURNVERBOSE)`

output

```
-1/6*I*x^3*ln(exp(2*I*(b*x+a))*c-I)+1/12*(Pi*csgn(I*exp(I*(b*x+a)))^2*csgn
(I*exp(2*I*(b*x+a)))-2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^
2+Pi*csgn(I*exp(2*I*(b*x+a)))^3+Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*(-I+c)/
(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))
-Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+
a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))*csgn((exp
(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1)+Pi*csgn((exp(2*I*(b*x+a))*c-I)/(e
xp(2*I*(b*x+a))-1))^2+Pi*csgn(I*(-I+c))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(
I*(-I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(I*(-I+c))*csgn(I*(-I+c)/(exp(2*I*(b
*x+a))-1))^2+Pi*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))*csgn(
exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1)+Pi*csgn(exp(2*I*(b*x+a))*(-I
+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I/(exp(
2*I*(b*x+a))-1))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1)+Pi*cs
gn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a
))-1))^2-Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1
))^2+Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*
I*(b*x+a))-1))^2+Pi*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))^3-Pi*csgn(I*(-I+c)
/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1
))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))^3+Pi*csgn(I*(ex
p(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))*csgn((exp(2*I*(b*x+a))*c-I)/(...
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 174, normalized size of antiderivative = 1.12

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

$$= \frac{2b^4x^4 + 8\pi b^3x^3 + 4ib^3x^3 \log\left(\frac{(c-i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)}-i}\right) + 6b^2x^2 \operatorname{Li}_2(-ice^{(2ibx+2ia)}) - 2a^4 - 4ia^3 \log\left(\frac{ce^{(2ibx+2ia)}}{c}\right)}{b^3}$$

input `integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="fricas")`

output `1/24*(2*b^4*x^4 + 8*pi*b^3*x^3 + 4*I*b^3*x^3*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 6*b^2*x^2*dilog(-I*c*e^(2*I*b*x + 2*I*a)) - 2*a^4 - 4*I*a^3*log((c*e^(2*I*b*x + 2*I*a) - I)/c) + 6*I*b*x*polylog(3, -I*c*e^(2*I*b*x + 2*I*a)) - 4*(-I*b^3*x^3 - I*a^3)*log(I*c*e^(2*I*b*x + 2*I*a) + 1) - 3*polylog(4, -I*c*e^(2*I*b*x + 2*I*a)))/b^3`

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x**2*(pi-acot(-c+(1+I*c)*cot(b*x+a))),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) - _t0**2*I*exp(2*I*a) - I of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is`

Giac [F]

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int (\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c)) x^2 dx$$

input `integrate(x^2*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="giac")`

output `integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))*x^2, x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int x^2 (\Pi + \operatorname{acot}(c - \cot(a + bx) (1 + c li))) dx$$

input `int(x^2*(Pi + acot(c - cot(a + b*x)*(c*1i + 1))),x)`

output `int(x^2*(Pi + acot(c - cot(a + b*x)*(c*1i + 1))), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci + \cot(bx + a) - c) x^2 dx \right) + \frac{\pi x^3}{3}$$

input `int(x^2*(Pi-acot(-c+(1+I*c)*cot(b*x+a))),x)`

output `(- 3*int(acot(cot(a + b*x)*c*i + cot(a + b*x) - c)*x**2,x) + pi*x**3)/3`

3.32 $\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal result	287
Mathematica [A] (verified)	288
Rubi [A] (verified)	288
Maple [C] (warning: unable to verify)	291
Fricas [A] (verification not implemented)	292
Sympy [F(-2)]	292
Maxima [F(-2)]	293
Giac [F]	293
Mupad [F(-1)]	293
Reduce [F]	294

Optimal result

Integrand size = 20, antiderivative size = 124

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \frac{bx^3}{6} + \frac{1}{2}x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

$$+ \frac{1}{4}ix^2 \log(1 + ice^{2ia+2ibx})$$

$$+ \frac{x \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{4b}$$

$$+ \frac{i \operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{8b^2}$$

output

```
1/6*b*x^3+1/2*x^2*(Pi-arccot(-c+(1+I*c)*cot(b*x+a)))+1/4*I*x^2*ln(1+I*c*exp(2*I*a+2*I*b*x))+1/4*x*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b+1/8*I*polylog(3,-I*c*exp(2*I*a+2*I*b*x))/b^2
```


Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 110, normalized size of antiderivative = 0.89

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \frac{1}{2} x^2 \cot^{-1}(c + (-1 - ic) \cot(a + bx)) + \frac{i \left(2b^2 x^2 \log \left(1 - \frac{ie^{-2i(a+bx)}}{c} \right) + 2ibx \operatorname{PolyLog} \left(2, \frac{ie^{-2i(a+bx)}}{c} \right) + \operatorname{PolyLog} \left(3, \frac{ie^{-2i(a+bx)}}{c} \right) \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]
```

output

```
(x^2*ArcCot[c + (-1 - I*c)*Cot[a + b*x]])/2 + ((I/8)*(2*b^2*x^2*Log[1 - I/(c*E^((2*I)*(a + b*x)))] + (2*I)*b*x*PolyLog[2, I/(c*E^((2*I)*(a + b*x)))] + PolyLog[3, I/(c*E^((2*I)*(a + b*x)))]))/b^2
```

Rubi [A] (verified)

Time = 0.64 (sec) , antiderivative size = 156, normalized size of antiderivative = 1.26, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5697, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

$$\downarrow \text{5697}$$

$$\frac{1}{2} ib \int \frac{x^2}{i - ce^{2ia+2ibx}} dx + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

$$\downarrow \text{2615}$$

$$\frac{1}{2} ib \left(-ic \int \frac{e^{2ia+2ibx} x^2}{i - ce^{2ia+2ibx}} dx - \frac{ix^3}{3} \right) + \frac{1}{2} x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

$$\downarrow \text{2620}$$

$$\frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \int x \log(ie^{2ia+2ibx}c + 1) dx}{bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 3011

$$\frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{i \int \operatorname{PolyLog}(2, -ice^{2ia+2ibx}) dx}{2b} \right)}{bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 2720

$$\frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{\int e^{-2ia-2ibx} \operatorname{PolyLog}(2, -ice^{2ia+2ibx}) de^{2ia+2ibx}}{4b^2} \right)}{bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

↓ 7143

$$\frac{1}{2}ib \left(-ic \left(\frac{ix^2 \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \left(\frac{ix \operatorname{PolyLog}(2, -ice^{2ia+2ibx})}{2b} - \frac{\operatorname{PolyLog}(3, -ice^{2ia+2ibx})}{4b^2} \right)}{bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

input `Int[x*ArcCot[c - (1 + I*c)*Cot[a + b*x]],x]`

output `(x^2*ArcCot[c - (1 + I*c)*Cot[a + b*x]])/2 + (I/2)*b*((-1/3*I)*x^3 - I*c*((I/2)*x^2*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) - (I*(((I/2)*x*PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/b - PolyLog[3, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2)))/(b*c)))`

Definitions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5697 `Int[ArcCot[(c_.) + Cot[(a_.) + (b_.)*(x_)]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Cot[a + b*x]]/(f*(m + 1))), x] + Simp[I*(b/(f*(m + 1))) Int[(e + f*x)^(m + 1)/(c - I*d - c*E^(2*I*a + 2*I*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - I*d)^2, -1]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.88 (sec) , antiderivative size = 1414, normalized size of antiderivative = 11.40

method	result	size
risch	Expression too large to display	1414

input `int(x*(Pi-arccot(-c+(I*c+1)*cot(b*x+a))),x,method=_RETURNVERBOSE)`

output

```
1/2*I/b*ln(1+I*exp(2*I*(b*x+a))*c)*a*x+1/8*(Pi*csgn(I*exp(I*(b*x+a)))^2*csgn(I*exp(2*I*(b*x+a)))-2*Pi*csgn(I*exp(I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a)))^2+Pi*csgn(I*exp(2*I*(b*x+a)))^3+Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(I*exp(2*I*(b*x+a)))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))*csgn((exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1)+Pi*csgn((exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*(-I+c))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))-Pi*csgn(I*(-I+c))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))*csgn(exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1)+Pi*csgn(I*(exp(2*I*(b*x+a))*c-I))*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I/(exp(2*I*(b*x+a))-1))*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))^2+Pi*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))^3-Pi*csgn(I*(-I+c)/(exp(2*I*(b*x+a))-1))*csgn(I*exp(2*I*(b*x+a))*(-I+c)/(exp(2*I*(b*x+a))-1))^2-Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))^3+Pi*csgn(I*(exp(2*I*(b*x+a))*c-I)/(exp(2*I*(b*x+a))-1))*csgn((exp(2*I*(b*x+a))*c-I)...
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 152, normalized size of antiderivative = 1.23

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

$$= \frac{4b^3x^3 + 12\pi b^2x^2 + 6ib^2x^2 \log\left(\frac{(c-i)e^{(2ibx+2ia)}}{ce^{(2ibx+2ia)}-i}\right) + 4a^3 + 6bx\text{Li}_2(-ice^{(2ibx+2ia)}) + 6ia^2 \log\left(\frac{ce^{(2ibx+2ia)}-i}{c}\right)}{24b^2}$$

input `integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="fricas")`

output `1/24*(4*b^3*x^3 + 12*pi*b^2*x^2 + 6*I*b^2*x^2*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) + 4*a^3 + 6*b*x*dilog(-I*c*e^(2*I*b*x + 2*I*a)) + 6*I*a^2*log((c*e^(2*I*b*x + 2*I*a) - I)/c) - 6*(-I*b^2*x^2 + I*a^2)*log(I*c*e^(2*I*b*x + 2*I*a) + 1) + 3*I*polylog(3, -I*c*e^(2*I*b*x + 2*I*a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*(pi-acot(-c+(1+I*c)*cot(b*x+a))),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) - _t0**2*I*exp(2*I*a) - I of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is`

Giac [F]

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int (\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c))x dx$$

input `integrate(x*(pi-arccot(-c+(1+I*c)*cot(b*x+a))),x, algorithm="giac")`

output `integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))*x, x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int x (\Pi + \operatorname{acot}(c - \cot(a + bx) (1 + c 1i))) dx$$

input `int(x*(Pi + acot(c - cot(a + b*x)*(c*1i + 1))),x)`

output `int(x*(Pi + acot(c - cot(a + b*x)*(c*1i + 1))), x)`

Reduce [F]

$$\int x \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci + \cot(bx + a) - c) x dx \right) + \frac{\pi x^2}{2}$$

input `int(x*(Pi-acot(-c+(1+I*c)*cot(b*x+a))),x)`

output `(- 2*int(acot(cot(a + b*x)*c*i + cot(a + b*x) - c)*x,x) + pi*x**2)/2`

3.33 $\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$

Optimal result	295
Mathematica [B] (warning: unable to verify)	295
Rubi [A] (verified)	296
Maple [B] (verified)	298
Fricas [A] (verification not implemented)	299
Sympy [F(-2)]	300
Maxima [F(-2)]	300
Giac [F]	300
Mupad [F(-1)]	301
Reduce [F]	301

Optimal result

Integrand size = 18, antiderivative size = 86

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \frac{bx^2}{2} + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) + \frac{1}{2}ix \log(1 + ice^{2ia+2ibx}) + \frac{\text{PolyLog}(2, -ice^{2ia+2ibx})}{4b}$$

output

```
1/2*b*x^2+x*(Pi-arccot(-c+(1+I*c)*cot(b*x+a)))+1/2*I*x*ln(1+I*c*exp(2*I*a+2*I*b*x))+1/4*polylog(2,-I*c*exp(2*I*a+2*I*b*x))/b
```

Mathematica [B] (warning: unable to verify)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 872 vs. 2(86) = 172.

Time = 2.04 (sec) , antiderivative size = 872, normalized size of antiderivative = 10.14

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = x \cot^{-1}(c + (-1 - ic) \cot(a + bx)) - \frac{ix \csc(a + bx) \left(2bx \log(2 \cos(bx)(\cos(bx) - i \sin(bx))) + i \log \left((i + \cot(a + bx))((-i + c) \cos(a + bx) + i(i + c) \sin(a + bx)) \right) \left(-2ibx - \log \left(1 - \frac{\sec(bx)((i+c) \cos(a) + (1+i))}{\dots} \right) \right)}{\dots}$$

input `Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]],x]`

output

```
x*ArcCot[c + (-1 - I*c)*Cot[a + b*x]] - (I*x*Csc[a + b*x]*(2*b*x*Log[2*Cos
[b*x]*(Cos[b*x] - I*Sin[b*x])] + I*Log[(Sec[b*x]*(Cos[a] - I*Sin[a])*((-I
+ c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]))/(2*c)]*Log[1 - I*Tan[b*x]] -
I*Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[
a + b*x]))/2]*Log[1 + I*Tan[b*x]] + I*PolyLog[2, -Cos[2*b*x] + I*Sin[2*b*x
]] + I*PolyLog[2, (Sec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a +
b*x] - I*Sin[a + b*x]))/(2*c)] - I*PolyLog[2, ((Cos[a] + I*Sin[a])*((I +
c)*Cos[a] + (1 + I*c)*Sin[a])*(-I + Tan[b*x]))/2])*(Cos[b*x] - I*Sin[b*x])*
(Cos[b*x] + I*Sin[b*x]))/((I + Cot[a + b*x])*((-I + c)*Cos[a + b*x] + I*(I
+ c)*Sin[a + b*x])*((-2*I)*b*x - Log[1 - (Sec[b*x]*((I + c)*Cos[a] + (1 +
I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]))/(2*c)] - (Log[1 - I*Tan[b*x]
]*((I + c)*Cos[a + b*x] + (1 + I*c)*Sin[a + b*x]))/((-I + c)*Cos[a + b*x]
+ I*(I + c)*Sin[a + b*x]) + (Log[1 + I*Tan[b*x]]*((I + c)*Cos[a + b*x] + (
1 + I*c)*Sin[a + b*x]))/((-I + c)*Cos[a + b*x] + I*(I + c)*Sin[a + b*x]) +
(Log[(Sec[b*x]*(Cos[a] + I*Sin[a])*((1 + I*c)*Cos[a + b*x] - (I + c)*Sin[
a + b*x]))/2]*Sec[b*x]^2)/(1 + I*Tan[b*x]) - 2*b*x*Tan[b*x] - I*Log[1 - (S
ec[b*x]*((I + c)*Cos[a] + (1 + I*c)*Sin[a])*(Cos[a + b*x] - I*Sin[a + b*x]
))/2]*Tan[b*x] + I*Log[1 - I*Tan[b*x]]*Tan[b*x] - I*Log[1 + I*Tan[b*x]
]*Tan[b*x] + (I*Log[1 - ((Cos[a] + I*Sin[a])*((I + c)*Cos[a] + (1 + I*c)*S
in[a])*(-I + Tan[b*x]))/2]*Sec[b*x]^2)/(-I + Tan[b*x]) + (I*Log[(Sec[b*...
```

Rubi [A] (verified)

Time = 0.45 (sec) , antiderivative size = 108, normalized size of antiderivative = 1.26, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5689, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

$$\downarrow 5689$$

$$ib \int \frac{x}{i - ce^{2ia+2ibx}} dx + x \cot^{-1}(c - (1 + ic) \cot(a + bx))$$

$$\begin{aligned}
& \downarrow \text{2615} \\
& ib \left(-ic \int \frac{e^{2ia+2ibx} x}{i - ce^{2ia+2ibx}} dx - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) \\
& \downarrow \text{2620} \\
& ib \left(-ic \left(\frac{ix \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{i \int \log(ie^{2ia+2ibx} c + 1) dx}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) \\
& \downarrow \text{2715} \\
& ib \left(-ic \left(\frac{ix \log(1 + ice^{2ia+2ibx})}{2bc} - \frac{\int e^{-2ia-2ibx} \log(ie^{2ia+2ibx} c + 1) de^{2ia+2ibx}}{4b^2 c} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx)) \\
& \downarrow \text{2838} \\
& ib \left(-ic \left(\frac{\text{PolyLog}(2, -ice^{2ia+2ibx})}{4b^2 c} + \frac{ix \log(1 + ice^{2ia+2ibx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (1 + ic) \cot(a + bx))
\end{aligned}$$

input `Int[ArcCot[c - (1 + I*c)*Cot[a + b*x]], x]`

output `x*ArcCot[c - (1 + I*c)*Cot[a + b*x]] + I*b*((-1/2*I)*x^2 - I*c*((I/2)*x*Log[1 + I*c*E^((2*I)*a + (2*I)*b*x)]/(b*c) + PolyLog[2, (-I)*c*E^((2*I)*a + (2*I)*b*x)]/(4*b^2*c)))`

Defintions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] :> Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

```

rule 2620 Int[((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

rule 2715 Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

rule 2838 Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

rule 5689 Int[ArcCot[(c_) + Cot[(a_) + (b_)*(x_)]*(d_)], x_Symbol] := Simp[x*ArcC
ot[c + d*Cot[a + b*x]], x] + Simp[I*b Int[x/(c - I*d - c*E^(2*I*a + 2*I*b
*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - I*d)^2, -1]
    
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 629 vs. 2(75) = 150.

Time = 1.13 (sec) , antiderivative size = 630, normalized size of antiderivative = 7.33

method	result
default	$\frac{\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(-c-(ic+1)\cot(bx+a)+ic^2)}{2i-2c} - \frac{2i\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(-c-(ic+1)\cot(bx+a)+ic^2)}{2i-2c}$
parts	$\frac{\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(-c-(ic+1)\cot(bx+a)+ic^2)}{2i-2c} - \frac{2i\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(-c-(ic+1)\cot(bx+a)+ic^2)}{2i-2c}$
derivativedivides	$(ic+1)^2 \left(\frac{\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(-c-(ic+1)\cot(bx+a)+i)}{2i-2c} - \frac{\operatorname{arccot}(-c+(ic+1)\cot(bx+a))\ln(i-c+(ic+1)\cot(bx+a))}{2i-2c} \right)$
risch	Expression too large to display

input `int(Pi-arccot(-c+(I*c+1)*cot(b*x+a)),x,method=_RETURNVERBOSE)`

output `Pi*x-1/b/(I*c+1)*(arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(-c-(I*c+1)*cot(b*x+a)+I)*c^2-2*I*arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(-c-(I*c+1)*cot(b*x+a)+I)*c-arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(-c-(I*c+1)*cot(b*x+a)+I)-arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(I-c+(I*c+1)*cot(b*x+a))*c^2+2*I*arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(I-c+(I*c+1)*cot(b*x+a))-I*c+arccot(-c+(I*c+1)*cot(b*x+a))/(2*I-2*c)*ln(I-c+(I*c+1)*cot(b*x+a))-(I*c+1)^2*(-1/2/(I-c)*(-1/2*I*((ln(I-c+(I*c+1)*cot(b*x+a))-ln(-1/2*I*(I-c+(I*c+1)*cot(b*x+a))))*ln(-1/2*I*(I+c-(I*c+1)*cot(b*x+a)))-dilog(-1/2*I*(I-c+(I*c+1)*cot(b*x+a))))+1/4*I*ln(I-c+(I*c+1)*cot(b*x+a))^2+1/2/(I-c)*(-1/2*I*(dilog(1/2*(I+c-(I*c+1)*cot(b*x+a))/c)+ln(-c-(I*c+1)*cot(b*x+a)+I)*ln(1/2*(I+c-(I*c+1)*cot(b*x+a))/c))+1/2*I*(dilog((-I+c-(I*c+1)*cot(b*x+a))/(-2*I+2*c))+ln(-c-(I*c+1)*cot(b*x+a)+I)*ln((-I+c-(I*c+1)*cot(b*x+a))/(-2*I+2*c))))))`

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 116, normalized size of antiderivative = 1.35

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx$$

$$= \frac{2b^2x^2 + 4\pi bx + 2i bx \log\left(\frac{(c-i)e^{(2i bx+2i a)}}{ce^{(2i bx+2i a)}-i}\right) - 2a^2 - 2(-i bx - i a) \log(i ce^{(2i bx+2i a)} + 1) - 2i a \log\left(\frac{ce^{(2i bx+2i a)}}{ce^{(2i bx+2i a)}-i}\right)}{4b}$$

input `integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="fricas")`

output `1/4*(2*b^2*x^2 + 4*pi*b*x + 2*I*b*x*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)) - 2*a^2 - 2*(-I*b*x - I*a)*log(I*c*e^(2*I*b*x + 2*I*a) + 1) - 2*I*a*log((c*e^(2*I*b*x + 2*I*a) - I)/c) + dilog(-I*c*e^(2*I*b*x + 2*I*a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(pi-acot(-c+(1+I*c)*cot(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert 2*_t0**2*c*exp(2*I*a) - _t0**2*I*exp(2*I*a) - I of type <class 'sympy.core.add.Add'> to QQ_I[b,c, _t0,exp(I*a)]`

Maxima [F(-2)]

Exception generated.

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \text{Exception raised: ValueError}$$

input `integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more details)Is`

Giac [F]

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int \pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c) dx$$

input `integrate(pi-arccot(-c+(1+I*c)*cot(b*x+a)),x, algorithm="giac")`

output `integrate(pi - arccot((I*c + 1)*cot(b*x + a) - c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = \int \Pi + \operatorname{acot}(c - \cot(a + bx) (1 + c1i)) dx$$

input `int(Pi + acot(c - cot(a + b*x)*(c*1i + 1)), x)`

output `int(Pi + acot(c - cot(a + b*x)*(c*1i + 1)), x)`

Reduce [F]

$$\int \cot^{-1}(c - (1 + ic) \cot(a + bx)) dx = - \left(\int \operatorname{acot}(\cot(bx + a) ci + \cot(bx + a) - c) dx \right) + \pi x$$

input `int(Pi-acot(-c+(1+I*c)*cot(b*x+a)), x)`

output `- int(acot(cot(a + b*x)*c*i + cot(a + b*x) - c), x) + pi*x`

$$3.34 \quad \int \frac{\cot^{-1}(c - (1+ic) \cot(a+bx))}{x} dx$$

Optimal result	302
Mathematica [N/A]	302
Rubi [N/A]	303
Maple [N/A]	303
Fricas [N/A]	304
Sympy [F(-1)]	304
Maxima [F(-2)]	304
Giac [N/A]	305
Mupad [N/A]	305
Reduce [N/A]	306

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x}, x\right)$$

output `Defer(Int)((Pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x)`

Mathematica [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx$$

input `Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x,x]`

output `Integrate[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx$$

input `Int[ArcCot[c - (1 + I*c)*Cot[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.14

$$\int \frac{\pi - \operatorname{arccot}(-c + (ic + 1) \cot(bx + a))}{x} dx$$

input `int((Pi-arccot(-c+(I*c+1)*cot(b*x+a)))/x,x)`

output `int((Pi-arccot(-c+(I*c+1)*cot(b*x+a)))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 42, normalized size of antiderivative = 1.91

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \int \frac{\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c)}{x} dx$$

input `integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="fricas")`

output `integral(1/2*(2*pi + I*log((c - I)*e^(2*I*b*x + 2*I*a)/(c*e^(2*I*b*x + 2*I*a) - I)))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \text{Timed out}$$

input `integrate((pi-acot(-c+(1+I*c)*cot(b*x+a)))/x,x)`

output `Timed out`

Maxima [F(-2)]

Exception generated.

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \text{Exception raised: ValueError}$$

input `integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(c-1>0)', see `assume?` for more
details)Is
```

Giac [N/A]

Not integrable

Time = 2.20 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.23

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \int \frac{\pi - \operatorname{arccot}((ic + 1) \cot(bx + a) - c)}{x} dx$$

input

```
integrate((pi-arccot(-c+(1+I*c)*cot(b*x+a)))/x,x, algorithm="giac")
```

output

```
integrate((pi - arccot((I*c + 1)*cot(b*x + a) - c))/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.51 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.14

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx = \int \frac{\Pi + \operatorname{acot}(c - \cot(a + bx) (1 + c li))}{x} dx$$

input

```
int((Pi + acot(c - cot(a + b*x)*(c*1i + 1)))/x,x)
```

output

```
int((Pi + acot(c - cot(a + b*x)*(c*1i + 1)))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.50

$$\int \frac{\cot^{-1}(c - (1 + ic) \cot(a + bx))}{x} dx$$

$$= - \left(\int \frac{\operatorname{acot}(\cot(bx + a)ci + \cot(bx + a) - c)}{x} dx \right) + \log(x) \pi$$

input `int((Pi-acot(-c+(1+I*c)*cot(b*x+a)))/x,x)`output `- int(acot(cot(a + b*x)*c*i + cot(a + b*x) - c)/x,x) + log(x)*pi`

3.35 $\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx$

Optimal result	307
Mathematica [B] (verified)	308
Rubi [A] (verified)	309
Maple [C] (warning: unable to verify)	313
Fricas [B] (verification not implemented)	314
Sympy [F]	315
Maxima [F]	316
Giac [F(-1)]	316
Mupad [F(-1)]	316
Reduce [F]	317

Optimal result

Integrand size = 15, antiderivative size = 299

$$\begin{aligned}
 \int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx = & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} \\
 & + \frac{(e + fx)^4 \arctan(e^{2a+2bx})}{4f} \\
 & - \frac{i(e + fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b} \\
 & + \frac{i(e + fx)^3 \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b} \\
 & + \frac{3if(e + fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{8b^2} \\
 & - \frac{3if(e + fx)^2 \operatorname{PolyLog}(3, ie^{2a+2bx})}{8b^2} \\
 & - \frac{3if^2(e + fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{8b^3} \\
 & + \frac{3if^2(e + fx) \operatorname{PolyLog}(4, ie^{2a+2bx})}{8b^3} \\
 & + \frac{3if^3 \operatorname{PolyLog}(5, -ie^{2a+2bx})}{16b^4} \\
 & - \frac{3if^3 \operatorname{PolyLog}(5, ie^{2a+2bx})}{16b^4}
 \end{aligned}$$

output

```
1/4*(f*x+e)^4*arccot(tanh(b*x+a))/f+1/4*(f*x+e)^4*arctan(exp(2*b*x+2*a))/f
-1/4*I*(f*x+e)^3*polylog(2,-I*exp(2*b*x+2*a))/b+1/4*I*(f*x+e)^3*polylog(2,
I*exp(2*b*x+2*a))/b+3/8*I*f*(f*x+e)^2*polylog(3,-I*exp(2*b*x+2*a))/b^2-3/8
*I*f*(f*x+e)^2*polylog(3,I*exp(2*b*x+2*a))/b^2-3/8*I*f^2*(f*x+e)*polylog(4
,-I*exp(2*b*x+2*a))/b^3+3/8*I*f^2*(f*x+e)*polylog(4,I*exp(2*b*x+2*a))/b^3+
3/16*I*f^3*polylog(5,-I*exp(2*b*x+2*a))/b^4-3/16*I*f^3*polylog(5,I*exp(2*b
*x+2*a))/b^4
```

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 600 vs. $2(299) = 598$.

Time = 0.21 (sec) , antiderivative size = 600, normalized size of antiderivative = 2.01

$$\int (e+fx)^3 \cot^{-1}(\tanh(a+bx)) dx = \frac{1}{4}x(4e^3+6e^2fx+4ef^2x^2+f^3x^3) \cot^{-1}(\tanh(a+bx)) \\ + \frac{i(8b^4e^3x \log(1-ie^{2(a+bx)}) + 12b^4e^2fx^2 \log(1-ie^{2(a+bx)}) + 8b^4ef^2x^3 \log(1-ie^{2(a+bx)}) + 2b^4f^3x^4 \log(1-ie^{2(a+bx)}))}{b^4}$$

input

```
Integrate[(e + f*x)^3*ArcCot[Tanh[a + b*x]], x]
```

output

```
(x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*ArcCot[Tanh[a + b*x]])/4 +
((I/16)*(8*b^4*e^3*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^4*e^2*f*x^2*Log[1 -
I*E^(2*(a + b*x))] + 8*b^4*e*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] + 2*b^4*f
^3*x^4*Log[1 - I*E^(2*(a + b*x))] - 8*b^4*e^3*x*Log[1 + I*E^(2*(a + b*x))]
- 12*b^4*e^2*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 8*b^4*e*f^2*x^3*Log[1 + I
*E^(2*(a + b*x))] - 2*b^4*f^3*x^4*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*(e +
f*x)^3*PolyLog[2, (-I)*E^(2*(a + b*x))] + 4*b^3*(e + f*x)^3*PolyLog[2, I*E
^(2*(a + b*x))] + 6*b^2*e^2*f*PolyLog[3, (-I)*E^(2*(a + b*x))] + 12*b^2*e*
f^2*x*PolyLog[3, (-I)*E^(2*(a + b*x))] + 6*b^2*f^3*x^2*PolyLog[3, (-I)*E^(
2*(a + b*x))] - 6*b^2*e^2*f*PolyLog[3, I*E^(2*(a + b*x))] - 12*b^2*e*f^2*x
*PolyLog[3, I*E^(2*(a + b*x))] - 6*b^2*f^3*x^2*PolyLog[3, I*E^(2*(a + b*x)
)] - 6*b*e*f^2*PolyLog[4, (-I)*E^(2*(a + b*x))] - 6*b*f^3*x*PolyLog[4, (-I
)*E^(2*(a + b*x))] + 6*b*e*f^2*PolyLog[4, I*E^(2*(a + b*x))] + 6*b*f^3*x*P
olyLog[4, I*E^(2*(a + b*x))] + 3*f^3*PolyLog[5, (-I)*E^(2*(a + b*x))] - 3*
f^3*PolyLog[5, I*E^(2*(a + b*x))])/b^4
```

Rubi [A] (verified)

Time = 1.14 (sec) , antiderivative size = 327, normalized size of antiderivative = 1.09, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {5707, 3042, 4668, 3011, 7163, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx \\
 & \quad \downarrow \text{5707} \\
 & \frac{b \int (e + fx)^4 \operatorname{sech}(2a + 2bx) dx}{4f} + \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} \\
 & \quad \downarrow \text{3042} \\
 & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{b \int (e + fx)^4 \csc\left(2ia + 2ibx + \frac{\pi}{2}\right) dx}{4f} \\
 & \quad \downarrow \text{4668} \\
 & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \\
 & \frac{b \left(-\frac{2if \int (e+fx)^3 \log(1-ie^{2a+2bx}) dx}{b} + \frac{2if \int (e+fx)^3 \log(1+ie^{2a+2bx}) dx}{b} + \frac{(e+fx)^4 \arctan(e^{2a+2bx})}{b} \right)}{4f} \\
 & \quad \downarrow \text{3011} \\
 & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \\
 & b \left(\frac{2if \left(\frac{3f \int (e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{2if \left(\frac{3f \int (e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx}) dx}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) \\
 & \quad \downarrow \text{7163}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \\
 & b \left(\frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int (e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} \right) - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} - \frac{f \int (e+fx) \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(1, -ie^{2a+2bx})}{2b} \right)}{b} \right)
 \end{aligned}$$

4f

↓ 7163

$$\begin{aligned}
 & \frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \\
 & b \left(\frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(4, -ie^{2a+2bx}) dx}{2b} \right)}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} \right) - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(1, -ie^{2a+2bx})}{2b} \right)}{b} \right)
 \end{aligned}$$

↓ 2720

$$\frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \int e^{-2a-2bx} \operatorname{PolyLog}(4, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} \right)}{b} \right)}{2b} \right)}{b} - \frac{(e+fx)^3 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b}$$

7143

$$\frac{(e + fx)^4 \cot^{-1}(\tanh(a + bx))}{4f} + \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \operatorname{PolyLog}(5, -ie^{2a+2bx})}{4b^2} \right)}{b} \right)}{2b} \right)}{b} - \frac{(e+fx)^3 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} + \frac{(e+fx)^4 \arctan(e^{2a+2bx})}{b}$$

input

```
Int[(e + f*x)^3*ArcCot[Tanh[a + b*x]],x]
```


output

```
((e + f*x)^4*ArcCot[Tanh[a + b*x]]/(4*f) + (b*(((e + f*x)^4*ArcTan[E^(2*a
+ 2*b*x)]))/b + ((2*I)*f*(-1/2*((e + f*x)^3*PolyLog[2, (-I)*E^(2*a + 2*b*x
)]))/b + (3*f*(((e + f*x)^2*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*((
e + f*x)*PolyLog[4, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[5, (-I)*E^(
2*a + 2*b*x)])/(4*b^2)))/b))/(2*b))/b - ((2*I)*f*(-1/2*((e + f*x)^3*PolyL
og[2, I*E^(2*a + 2*b*x)]))/b + (3*f*(((e + f*x)^2*PolyLog[3, I*E^(2*a + 2*b
*x)])/(2*b) - (f*((e + f*x)*PolyLog[4, I*E^(2*a + 2*b*x)])/(2*b) - (f*Pol
yLog[5, I*E^(2*a + 2*b*x)])/(4*b^2)))/b))/(2*b))/b)/(4*f)
```

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

rule 4668

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^m, x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[
1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c
+ d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c
, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

rule 5707 `Int[ArcCot[Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol]
:> Simp[(e + f*x)^(m + 1)*(ArcCot[Tanh[a + b*x]]/(f*(m + 1))), x] + Simp[b/
(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a,
b, e, f}, x] && IGtQ[m, 0]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163 `Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 23.63 (sec) , antiderivative size = 3570, normalized size of antiderivative = 11.94

method	result	size
risch	Expression too large to display	3570

input `int((f*x+e)^3*arccot(tanh(b*x+a)),x,method=_RETURNVERBOSE)`

output

```

1/8*I/f*e^4*ln(exp(2*b*x+2*a)+I)-I*f^2/b^3*e*ln(1-I*exp(2*b*x+2*a))*a^3+3/
4*I*f^2/b*e*polylog(2,I*exp(2*b*x+2*a))*x^2-3/4*I*f^2/b^3*e*polylog(2,I*ex
p(2*b*x+2*a))*a^2-3/4*I*f^2/b^2*e*polylog(3,I*exp(2*b*x+2*a))*x+3/4*I*f/b^
2*e^2*ln(1-I*exp(2*b*x+2*a))*a^2+3/4*I*f/b*e^2*polylog(2,I*exp(2*b*x+2*a))
*x+3/4*I*f/b^2*e^2*polylog(2,I*exp(2*b*x+2*a))*a+1/2*I*f^3/b^3*ln(1-I*exp(
2*b*x+2*a))*a^3*x-1/2*I*f^3/b^3*a^3*ln(((I)^(1/2)-exp(b*x+a))/(I)^(1/2))
*x-1/2*I*f^3/b^3*a^3*ln(((I)^(1/2)+exp(b*x+a))/(I)^(1/2))*x-3/2*I*f/b^2*
a*e^2*dilog(((I)^(1/2)+exp(b*x+a))/(I)^(1/2))+3/2*I*f^2/b^3*a^3*e*ln(((I)
^(1/2)-exp(b*x+a))/(I)^(1/2))+3/2*I*f^2/b^3*a^3*e*ln(((I)^(1/2)+exp(b*
x+a))/(I)^(1/2))+3/2*I*f^2/b^3*a^2*e*dilog(((I)^(1/2)-exp(b*x+a))/(I)^(
1/2))+3/2*I*f^2/b^3*a^2*e*dilog(((I)^(1/2)+exp(b*x+a))/(I)^(1/2))-3/2*I*
f/b^2*a^2*e^2*ln(((I)^(1/2)-exp(b*x+a))/(I)^(1/2))-3/2*I*f/b^2*a^2*e^2*l
n(((I)^(1/2)+exp(b*x+a))/(I)^(1/2))-3/2*I*f/b^2*a^2*e^2*dilog(((I)^(1/2)-
exp(b*x+a))/(I)^(1/2))-1/2*I*f^2/b^3*a^3*e*ln(exp(2*b*x+2*a)+I)+3/4*I*f/b
^2*a^2*e^2*ln(exp(2*b*x+2*a)+I)+3/16*I*f^3*polylog(5,-I*exp(2*b*x+2*a))/b^
4-3/4*I*f/b^2*e^2*polylog(2,-I*exp(2*b*x+2*a))*a-3/2*I*f^2/b^3*a^3*e*ln(1+
exp(b*x+a)*(-1)^(3/4))-3/2*I*f^2/b^3*a^3*e*ln(1-exp(b*x+a)*(-1)^(3/4))-3/2
*I*f^2/b^3*a^2*e*dilog(1+exp(b*x+a)*(-1)^(3/4))-3/2*I*f^2/b^3*a^2*e*dilog(
1-exp(b*x+a)*(-1)^(3/4))+1/2*I*f^2/b^3*a^3*e*ln(-exp(2*b*x+2*a)+I)-3/4*I*f
/b^2*a^2*e^2*ln(-exp(2*b*x+2*a)+I)-3/4*I*f^2/b*e*polylog(2,-I*exp(2*b*x...

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1460 vs. $2(236) = 472$.

Time = 0.24 (sec) , antiderivative size = 1460, normalized size of antiderivative = 4.88

$$\int (e + fx)^3 \cot^{-1}(\tanh(ax + bx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="fricas")
```

output

```

1/8*(-24*I*f^3*polylog(5, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) -
24*I*f^3*polylog(5, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 24*
I*f^3*polylog(5, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 24*I*f^
3*polylog(5, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^4*f^3
*x^4 + 4*b^4*e*f^2*x^3 + 6*b^4*e^2*f*x^2 + 4*b^4*e^3*x)*arctan(cosh(b*x +
a)/sinh(b*x + a)) - 4*(-I*b^3*f^3*x^3 - 3*I*b^3*e*f^2*x^2 - 3*I*b^3*e^2*f*
x - I*b^3*e^3)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 4*(-
I*b^3*f^3*x^3 - 3*I*b^3*e*f^2*x^2 - 3*I*b^3*e^2*f*x - I*b^3*e^3)*dilog(-1/
2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 4*(I*b^3*f^3*x^3 + 3*I*b^3*
e*f^2*x^2 + 3*I*b^3*e^2*f*x + I*b^3*e^3)*dilog(1/2*sqrt(-4*I)*(cosh(b*x +
a) + sinh(b*x + a))) - 4*(I*b^3*f^3*x^3 + 3*I*b^3*e*f^2*x^2 + 3*I*b^3*e^2*
f*x + I*b^3*e^3)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) +
(I*b^4*f^3*x^4 + 4*I*b^4*e*f^2*x^3 + 6*I*b^4*e^2*f*x^2 + 4*I*b^4*e^3*x + 4
*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(1/2*sq
rt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^4*f^3*x^4 + 4*I*b^4*e*
f^2*x^3 + 6*I*b^4*e^2*f*x^2 + 4*I*b^4*e^3*x + 4*I*a*b^3*e^3 - 6*I*a^2*b^2*
e^2*f + 4*I*a^3*b*e*f^2 - I*a^4*f^3)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + s
inh(b*x + a)) + 1) + (-I*b^4*f^3*x^4 - 4*I*b^4*e*f^2*x^3 - 6*I*b^4*e^2*f*x
^2 - 4*I*b^4*e^3*x - 4*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 +
I*a^4*f^3)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (...

```

Sympy [F]

$$\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx = \int (e + fx)^3 \operatorname{acot}(\tanh(a + bx)) dx$$

input

```
integrate((f*x+e)**3*acot(tanh(b*x+a)), x)
```

output

```
Integral((e + f*x)**3*acot(tanh(a + b*x)), x)
```

Maxima [F]

$$\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx = \int (fx + e)^3 \operatorname{arccot}(\tanh(bx + a)) dx$$

input `integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="maxima")`

output `1/4*(f^3*x^4 + 4*e*f^2*x^3 + 6*e^2*f*x^2 + 4*e^3*x)*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + integrate(1/2*(b*f^3*x^4*e^(2*a) + 4*b*e*f^2*x^3*e^(2*a) + 6*b*e^2*f*x^2*e^(2*a) + 4*b*e^3*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F(-1)]

Timed out.

$$\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx = \text{Timed out}$$

input `integrate((f*x+e)^3*arccot(tanh(b*x+a)),x, algorithm="giac")`

output `Timed out`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(a + bx)) (e + fx)^3 dx$$

input `int(acot(tanh(a + b*x))*(e + f*x)^3,x)`

output `int(acot(tanh(a + b*x))*(e + f*x)^3, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^3 \cot^{-1}(\tanh(a + bx)) dx &= \left(\int \operatorname{acot}(\tanh(bx + a)) dx \right) e^3 \\ &+ \left(\int \operatorname{acot}(\tanh(bx + a)) x^3 dx \right) f^3 \\ &+ 3 \left(\int \operatorname{acot}(\tanh(bx + a)) x^2 dx \right) e f^2 \\ &+ 3 \left(\int \operatorname{acot}(\tanh(bx + a)) x dx \right) e^2 f \end{aligned}$$

input `int((f*x+e)^3*acot(tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)),x)*e**3 + int(acot(tanh(a + b*x))*x**3,x)*f**3 + 3
*int(acot(tanh(a + b*x))*x**2,x)*e*f**2 + 3*int(acot(tanh(a + b*x))*x,x)*e
**2*f`

3.36 $\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx$

Optimal result	318
Mathematica [A] (verified)	319
Rubi [A] (verified)	319
Maple [C] (warning: unable to verify)	323
Fricas [B] (verification not implemented)	324
Sympy [F]	325
Maxima [F]	325
Giac [F(-1)]	325
Mupad [F(-1)]	326
Reduce [F]	326

Optimal result

Integrand size = 15, antiderivative size = 229

$$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx = \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{(e + fx)^3 \arctan(e^{2a+2bx})}{3f} - \frac{i(e + fx)^2 \text{PolyLog}(2, -ie^{2a+2bx})}{4b} + \frac{i(e + fx)^2 \text{PolyLog}(2, ie^{2a+2bx})}{4b} + \frac{if(e + fx) \text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} - \frac{if(e + fx) \text{PolyLog}(3, ie^{2a+2bx})}{4b^2} - \frac{if^2 \text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} + \frac{if^2 \text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

$$\begin{aligned}
 & \int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx \\
 & \quad \downarrow \text{5707} \\
 & \frac{b \int (e + fx)^3 \operatorname{sech}(2a + 2bx) dx}{3f} + \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} \\
 & \quad \downarrow \text{3042} \\
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \frac{b \int (e + fx)^3 \operatorname{csc}(2ia + 2ibx + \frac{\pi}{2}) dx}{3f} \\
 & \quad \downarrow \text{4668} \\
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \\
 & \frac{b \left(-\frac{3if \int (e+fx)^2 \log(1-ie^{2a+2bx}) dx}{2b} + \frac{3if \int (e+fx)^2 \log(1+ie^{2a+2bx}) dx}{2b} + \frac{(e+fx)^3 \arctan(e^{2a+2bx})}{b} \right)}{3f} \\
 & \quad \downarrow \text{3011} \\
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \\
 & b \left(\frac{3if \left(\frac{f \int (e+fx) \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} - \frac{3if \left(\frac{f \int (e+fx) \operatorname{PolyLog}(2, ie^{2a+2bx}) dx}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{2b} \right) \\
 & \quad \downarrow \text{7163} \\
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \\
 & b \left(\frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(3, -ie^{2a+2bx}) dx}{2b} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} - \frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(3, ie^{2a+2bx}) dx}{2b} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{2b} \right) \\
 & \quad \downarrow \text{2720}
 \end{aligned}$$

$$\begin{aligned}
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \\
 & b \left(\frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int e^{-2a-2bx} \operatorname{PolyLog}(3, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} \right) - \dots \frac{3if \left(\frac{f \left(\frac{(e+fx)}{2b} \right)}{b} \right)}{3f}
 \end{aligned}$$

7143

$$\begin{aligned}
 & \frac{(e + fx)^3 \cot^{-1}(\tanh(a + bx))}{3f} + \\
 & b \left(\frac{(e+fx)^3 \arctan(e^{2a+2bx})}{b} + \frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \operatorname{PolyLog}(4, -ie^{2a+2bx})}{4b^2} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} \right) - \dots \frac{3if \left(\frac{f \left(\frac{(e+fx)}{2b} \right)}{b} \right)}{3f}
 \end{aligned}$$

input `Int[(e + f*x)^2*ArcCot[Tanh[a + b*x]],x]`

output `((e + f*x)^3*ArcCot[Tanh[a + b*x]])/(3*f) + (b*(((e + f*x)^3*ArcTan[E^(2*a + 2*b*x)])/b + (((3*I)/2)*f*(-1/2*((e + f*x)^2*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + (f*(((e + f*x)*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[4, (-I)*E^(2*a + 2*b*x)])/(4*b^2)))/b))/b - (((3*I)/2)*f*(-1/2*((e + f*x)^2*PolyLog[2, I*E^(2*a + 2*b*x)])/b + (f*(((e + f*x)*PolyLog[3, I*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[4, I*E^(2*a + 2*b*x)])/(4*b^2)))/b))/b)/(3*f)`

Definitions of rubi rules used

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*(f_.) + (g_.)*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4668 `Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]`

rule 5707 `Int[ArcCot[Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[Tanh[a + b*x]]/(f*(m + 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 15.36 (sec) , antiderivative size = 2668, normalized size of antiderivative = 11.65

method	result	size
risch	Expression too large to display	2668

input

```
int((f*x+e)^2*arccot(tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
I*f/b*a*e*ln(1+exp(b*x+a)*(-1)^(3/4))*x+I*f/b*a*e*ln(1-exp(b*x+a)*(-1)^(3/
4))*x-I*f/b*e*ln(1+I*exp(2*b*x+2*a))*a*x+I*f/b*e*ln(1-I*exp(2*b*x+2*a))*a*
x-I*f/b*a*e*ln((-1)^(1/2)-exp(b*x+a))/(-1)^(1/2))*x-I*f/b*a*e*ln((-1)^(1
/2)+exp(b*x+a))/(-1)^(1/2))*x+1/12*Pi*(csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*
x+2*a)+1))*csgn((1-I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))+csgn((1-I)*(e
xp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(
exp(2*b*x+2*a)-I))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))-csgn(I/(e
xp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)+I)/(ex
p(2*b*x+2*a)+1))-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp
(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)+I)/(ex
p(2*b*x+2*a)+1))^2-csgn(I*(exp(2*b*x+2*a)-I))*csgn(I*(exp(2*b*x+2*a)-I)/(e
xp(2*b*x+2*a)+1))^2+csgn(I*(exp(2*b*x+2*a)+I))*csgn(I*(exp(2*b*x+2*a)+I)/(
exp(2*b*x+2*a)+1))^2-csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))*csgn((1
+I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))+csgn((1+I)*(exp(2*b*x+2*a)+I)/(
exp(2*b*x+2*a)+1))^2+csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^3-csgn(
I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))*csgn((1-I)*(exp(2*b*x+2*a)-I)/(ex
p(2*b*x+2*a)+1))^2-csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))^3+csgn(I*
(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))*csgn((1+I)*(exp(2*b*x+2*a)+I)/(exp(
2*b*x+2*a)+1))^2-csgn((1-I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^3-csgn(
(1+I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))^3+1)*(f*x+e)^3/f-1/6*I*(f*...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1002 vs. $2(180) = 360$.

Time = 0.18 (sec) , antiderivative size = 1002, normalized size of antiderivative = 4.38

$$\int (e + fx)^2 \cot^{-1}(\tanh(ax + bx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="fricas")`

output

```
1/6*(6*I*f^2*polylog(4, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 6
*I*f^2*polylog(4, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 6*I*f^
2*polylog(4, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 6*I*f^2*pol
ylog(4, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^3*f^2*x^3
+ 3*b^3*e*f*x^2 + 3*b^3*e^2*x)*arctan(cosh(b*x + a)/sinh(b*x + a)) - 3*(-I
*b^2*f^2*x^2 - 2*I*b^2*e*f*x - I*b^2*e^2)*dilog(1/2*sqrt(4*I)*(cosh(b*x +
a) + sinh(b*x + a))) - 3*(-I*b^2*f^2*x^2 - 2*I*b^2*e*f*x - I*b^2*e^2)*dilo
g(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 3*(I*b^2*f^2*x^2 + 2*I
*b^2*e*f*x + I*b^2*e^2)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a
))) - 3*(I*b^2*f^2*x^2 + 2*I*b^2*e*f*x + I*b^2*e^2)*dilog(-1/2*sqrt(-4*I)*
(cosh(b*x + a) + sinh(b*x + a))) + (I*b^3*f^2*x^3 + 3*I*b^3*e*f*x^2 + 3*I*
b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(1/2*sqrt(4*I)*
(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^3*f^2*x^3 + 3*I*b^3*e*f*x^2 + 3
*I*b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(-1/2*sqrt(4*
I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^3*f^2*x^3 - 3*I*b^3*e*f*x^
2 - 3*I*b^3*e^2*x - 3*I*a*b^2*e^2 + 3*I*a^2*b*e*f - I*a^3*f^2)*log(1/2*sqr
t(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^3*f^2*x^3 - 3*I*b^3*
e*f*x^2 - 3*I*b^3*e^2*x - 3*I*a*b^2*e^2 + 3*I*a^2*b*e*f - I*a^3*f^2)*log(-1
/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-3*I*a*b^2*e^2 + 3*I
*a^2*b*e*f - I*a^3*f^2)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x ...
```

Sympy [F]

$$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx = \int (e + fx)^2 \operatorname{acot}(\tanh(a + bx)) dx$$

input `integrate((f*x+e)**2*acot(tanh(b*x+a)),x)`

output `Integral((e + f*x)**2*acot(tanh(a + b*x)), x)`

Maxima [F]

$$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx = \int (fx + e)^2 \operatorname{arccot}(\tanh(bx + a)) dx$$

input `integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="maxima")`

output `1/3*(f^2*x^3 + 3*e*f*x^2 + 3*e^2*x)*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + integrate(2/3*(b*f^2*x^3*e^(2*a) + 3*b*e*f*x^2*e^(2*a) + 3*b*e^2*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F(-1)]

Timed out.

$$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx = \text{Timed out}$$

input `integrate((f*x+e)^2*arccot(tanh(b*x+a)),x, algorithm="giac")`

output `Timed out`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(a + bx)) (e + fx)^2 dx$$

input `int(acot(tanh(a + b*x))*(e + f*x)^2,x)`

output `int(acot(tanh(a + b*x))*(e + f*x)^2, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^2 \cot^{-1}(\tanh(a + bx)) dx &= \left(\int \operatorname{acot}(\tanh(bx + a)) dx \right) e^2 \\ &+ \left(\int \operatorname{acot}(\tanh(bx + a)) x^2 dx \right) f^2 \\ &+ 2 \left(\int \operatorname{acot}(\tanh(bx + a)) x dx \right) ef \end{aligned}$$

input `int((f*x+e)^2*acot(tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)),x)*e**2 + int(acot(tanh(a + b*x))*x**2,x)*f**2 + 2
*int(acot(tanh(a + b*x))*x,x)*e*f`

3.37 $\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx$

Optimal result	327
Mathematica [A] (verified)	328
Rubi [A] (verified)	328
Maple [C] (warning: unable to verify)	331
Fricas [B] (verification not implemented)	332
Sympy [F]	333
Maxima [F]	333
Giac [F]	333
Mupad [F(-1)]	334
Reduce [F]	334

Optimal result

Integrand size = 13, antiderivative size = 159

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{(e + fx)^2 \arctan(e^{2a+2bx})}{2f} - \frac{i(e + fx) \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b} + \frac{i(e + fx) \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b} + \frac{if \operatorname{PolyLog}(3, -ie^{2a+2bx})}{8b^2} - \frac{if \operatorname{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

output

```
1/2*(f*x+e)^2*arccot(tanh(b*x+a))/f+1/2*(f*x+e)^2*arctan(exp(2*b*x+2*a))/f
-1/4*I*(f*x+e)*polylog(2,-I*exp(2*b*x+2*a))/b+1/4*I*(f*x+e)*polylog(2,I*ex
p(2*b*x+2*a))/b+1/8*I*f*polylog(3,-I*exp(2*b*x+2*a))/b^2-1/8*I*f*polylog(3
,I*exp(2*b*x+2*a))/b^2
```


Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.49

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = ex \cot^{-1}(\tanh(a + bx)) + \frac{1}{2}fx^2 \cot^{-1}(\tanh(a + bx)) + \frac{ie(2bx(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)})) - \text{PolyLog}(2, -ie^{2(a+bx)}) + \text{PolyLog}(2, ie^{2(a+bx)}))}{4b} + \frac{if(2b^2x^2 \log(1 - ie^{2(a+bx)}) - 2b^2x^2 \log(1 + ie^{2(a+bx)}) - 2bx \text{PolyLog}(2, -ie^{2(a+bx)}) + 2bx \text{PolyLog}(2, ie^{2(a+bx)}))}{8b^2}$$

input

```
Integrate[(e + f*x)*ArcCot[Tanh[a + b*x]],x]
```

output

```
e*x*ArcCot[Tanh[a + b*x]] + (f*x^2*ArcCot[Tanh[a + b*x]])/2 + ((I/4)*e*(2*b*x*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))]) - PolyLog[2, (-I)*E^(2*(a + b*x))] + PolyLog[2, I*E^(2*(a + b*x))])/b + ((I/8)*f*(2*b^2*x^2*Log[1 - I*E^(2*(a + b*x))] - 2*b^2*x^2*Log[1 + I*E^(2*(a + b*x))] - 2*b*x*PolyLog[2, (-I)*E^(2*(a + b*x))] + 2*b*x*PolyLog[2, I*E^(2*(a + b*x))]) + PolyLog[3, (-I)*E^(2*(a + b*x))] - PolyLog[3, I*E^(2*(a + b*x))])/b^2
```

Rubi [A] (verified)

Time = 0.66 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.10, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {5707, 3042, 4668, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx$$

$$\downarrow \text{5707}$$

$$\frac{b \int (e + fx)^2 \text{sech}(2a + 2bx) dx}{2f} + \frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f}$$

$$\downarrow \text{3042}$$

$$\frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \int (e + fx)^2 \csc(2ia + 2ibx + \frac{\pi}{2}) dx}{2f}$$

↓ 4668

$$\frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \left(-\frac{if \int (e+fx) \log(1-ie^{2a+2bx}) dx}{b} + \frac{if \int (e+fx) \log(1+ie^{2a+2bx}) dx}{b} + \frac{(e+fx)^2 \arctan(e^{2a+2bx})}{b} \right)}{2f}$$

↓ 3011

$$\frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \left(\frac{if \left(\frac{f \int \text{PolyLog}(2, -ie^{2a+2bx}) dx}{2b} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \int \text{PolyLog}(2, ie^{2a+2bx}) dx}{2b} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

↓ 2720

$$\frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \left(\frac{if \left(\frac{f \int e^{-2a-2bx} \text{PolyLog}(2, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \int e^{-2a-2bx} \text{PolyLog}(2, ie^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

↓ 7143

$$\frac{(e + fx)^2 \cot^{-1}(\tanh(a + bx))}{2f} + \frac{b \left(\frac{(e+fx)^2 \arctan(e^{2a+2bx})}{b} + \frac{if \left(\frac{f \text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \text{PolyLog}(3, ie^{2a+2bx})}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

input

```
Int[(e + f*x)*ArcCot[Tanh[a + b*x]], x]
```

output

```
((e + f*x)^2*ArcCot[Tanh[a + b*x]])/(2*f) + (b*(((e + f*x)^2*ArcTan[E^(2*a + 2*b*x)])/b + (I*f*(-1/2*((e + f*x)*PolyLog[2, (-I)*E^(2*a + 2*b*x)]))/b + (f*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/(4*b^2)))/b - (I*f*(-1/2*((e + f*x)*PolyLog[2, I*E^(2*a + 2*b*x)]))/b + (f*PolyLog[3, I*E^(2*a + 2*b*x)])/(4*b^2))/b)/(2*f)
```

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4668

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

rule 5707

```
Int[ArcCot[Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[Tanh[a + b*x]]/(f*(m + 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.40 (sec) , antiderivative size = 1776, normalized size of antiderivative = 11.17

method	result	size
risch	Expression too large to display	1776

input

```
int((f*x+e)*arccot(tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/4*I*f/b^2*ln(1-I*exp(2*b*x+2*a))*a^2+1/4*I*f/b*polylog(2,I*exp(2*b*x+2*a))
)*x+1/4*I*f/b^2*polylog(2,I*exp(2*b*x+2*a))*a+1/4*I*f/b^2*a^2*ln(exp(2*b*x+2*a)+I)
+1/2*I*e/b*ln(((-I)^(1/2)-exp(b*x+a))/(-I)^(1/2))*a+1/2*I*e/b*ln(((I)^(1/2)+exp(b*x+a))/(-I)^(1/2))
)*a-1/2*I*e/b*a*ln(exp(2*b*x+2*a)+I)-1/2*I*f/b^2*a^2*ln(((I)^(1/2)-exp(b*x+a))/(-I)^(1/2))
)-1/2*I*f/b^2*a^2*ln(((I)^(1/2)+exp(b*x+a))/(-I)^(1/2))-1/2*I*f/b^2*a*dilog(((I)^(1/2)-exp(b*x+a))/(-I)^(1/2))
)+1/2*I*f/b^2*a*dilog(((I)^(1/2)+exp(b*x+a))/(-I)^(1/2))+1/2*I*f/b^2*a^2*ln(1+exp(b*x+a)*(-1)^(3/4))
)+1/2*I*f/b^2*a^2*ln(1-exp(b*x+a)*(-1)^(3/4))+1/2*I*f/b^2*a*dilog(1+exp(b*x+a)*(-1)^(3/4))
)+1/2*I*f/b^2*a*dilog(1-exp(b*x+a)*(-1)^(3/4))+1/8*I*f*polylog(3,-I*exp(2*b*x+2*a))/b^2-1/2*I*(1/2*f*x^2+e*x)*ln(exp(2*b*x+2*a)+I)
)-1/8*I*f*polylog(3,I*exp(2*b*x+2*a))/b^2+1/4*Pi*(csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))*csgn((1-I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))
)+csgn((1-I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))
)-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))
)^2-csgn(I*(exp(2*b*x+2*a)-I))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)+1))^2+csgn(I*(exp(2*b*x+2*a)+I))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)+1))^2-csgn...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 600 vs. $2(130) = 260$.

Time = 0.15 (sec) , antiderivative size = 600, normalized size of antiderivative = 3.77

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="fricas")`

output

```
1/4*(2*(b^2*f*x^2 + 2*b^2*e*x)*arctan(cosh(b*x + a)/sinh(b*x + a)) - 2*(-I
*b*f*x - I*b*e)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*(
-I*b*f*x - I*b*e)*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) -
2*(I*b*f*x + I*b*e)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)))
- 2*(I*b*f*x + I*b*e)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)
)) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(1/2*sqrt(4*I)*(
cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b
*e - I*a^2*f)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-
I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(1/2*sqrt(-4*I)*(cosh(
b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e +
I*a^2*f)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-2*I
*a*b*e + I*a^2*f)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (
-2*I*a*b*e + I*a^2*f)*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)
) + (2*I*a*b*e - I*a^2*f)*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x
+ a)) + (2*I*a*b*e - I*a^2*f)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh
(b*x + a)) - 2*I*f*polylog(3, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)
)) - 2*I*f*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*
I*f*polylog(3, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*f*pol
ylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)))/b^2
```

Sympy [F]

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \int (e + fx) \operatorname{acot}(\tanh(a + bx)) dx$$

input `integrate((f*x+e)*acot(tanh(b*x+a)),x)`

output `Integral((e + f*x)*acot(tanh(a + b*x)), x)`

Maxima [F]

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \int (fx + e) \operatorname{arccot}(\tanh(bx + a)) dx$$

input `integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="maxima")`

output `1/2*(f*x^2 + 2*e*x)*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + integrate((b*f*x^2*e^(2*a) + 2*b*e*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F]

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \int (fx + e) \operatorname{arccot}(\tanh(bx + a)) dx$$

input `integrate((f*x+e)*arccot(tanh(b*x+a)),x, algorithm="giac")`

output `sage0*x`

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(a + bx)) (e + fx) dx$$

input `int(acot(tanh(a + b*x))*(e + f*x),x)`output `int(acot(tanh(a + b*x))*(e + f*x), x)`**Reduce [F]**

$$\int (e + fx) \cot^{-1}(\tanh(a + bx)) dx = \left(\int \operatorname{acot}(\tanh(bx + a)) dx \right) e + \left(\int \operatorname{acot}(\tanh(bx + a)) x dx \right) f$$

input `int((f*x+e)*acot(tanh(b*x+a)),x)`output `int(acot(tanh(a + b*x)),x)*e + int(acot(tanh(a + b*x))*x,x)*f`

3.38 $\int \cot^{-1}(\tanh(a + bx)) dx$

Optimal result	335
Mathematica [A] (verified)	335
Rubi [A] (verified)	336
Maple [A] (verified)	338
Fricas [B] (verification not implemented)	338
Sympy [F]	339
Maxima [F]	339
Giac [F]	340
Mupad [F(-1)]	340
Reduce [F]	340

Optimal result

Integrand size = 7, antiderivative size = 73

$$\int \cot^{-1}(\tanh(a + bx)) dx = x \cot^{-1}(\tanh(a + bx)) + x \arctan(e^{2a+2bx}) - \frac{i \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b} + \frac{i \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b}$$

output `x*arccot(tanh(b*x+a))+x*arctan(exp(2*b*x+2*a))-1/4*I*polylog(2,-I*exp(2*b*x+2*a))/b+1/4*I*polylog(2,I*exp(2*b*x+2*a))/b`

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.25

$$\int \cot^{-1}(\tanh(a + bx)) dx = x \cot^{-1}(\tanh(a + bx)) + \frac{i(2bx(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)})) - \operatorname{PolyLog}(2, -ie^{2(a+bx)}) + \operatorname{PolyLog}(2, ie^{2(a+bx)}))}{4b}$$

input `Integrate[ArcCot[Tanh[a + b*x]],x]`

output

```
x*ArcCot[Tanh[a + b*x]] + ((1/4)*(2*b*x*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))]) - PolyLog[2, (-I)*E^(2*(a + b*x))] + PolyLog[2, I*E^(2*(a + b*x))])/b
```

Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 79, normalized size of antiderivative = 1.08, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5703, 3042, 4668, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(\tanh(a + bx)) dx \\
 & \quad \downarrow \text{5703} \\
 & b \int x \operatorname{sech}(2a + 2bx) dx + x \cot^{-1}(\tanh(a + bx)) \\
 & \quad \downarrow \text{3042} \\
 & x \cot^{-1}(\tanh(a + bx)) + b \int x \csc\left(2ia + 2ibx + \frac{\pi}{2}\right) dx \\
 & \quad \downarrow \text{4668} \\
 & x \cot^{-1}(\tanh(a + bx)) + \\
 & b \left(-\frac{i \int \log(1 - ie^{2a+2bx}) dx}{2b} + \frac{i \int \log(1 + ie^{2a+2bx}) dx}{2b} + \frac{x \arctan(e^{2a+2bx})}{b} \right) \\
 & \quad \downarrow \text{2715} \\
 & b \left(-\frac{i \int e^{-2a-2bx} \log(1 - ie^{2a+2bx}) de^{2a+2bx}}{4b^2} + \frac{i \int e^{-2a-2bx} \log(1 + ie^{2a+2bx}) de^{2a+2bx}}{4b^2} + \frac{x \arctan(e^{2a+2bx})}{b} \right) \\
 & \quad \downarrow \text{2838} \\
 & b \left(\frac{x \arctan(e^{2a+2bx})}{b} - \frac{i \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b^2} + \frac{i \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b^2} \right)
 \end{aligned}$$

input `Int[ArcCot[Tanh[a + b*x]],x]`

output `x*ArcCot[Tanh[a + b*x]] + b*((x*ArcTan[E^(2*a + 2*b*x)])/b - ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b^2 + ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b^2)`

Defintions of rubi rules used

rule 2715 `Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_)]], x_Symbol] :> Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4668 `Int[csc[(e_) + Pi*(k_) + (Complex[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]`

rule 5703 `Int[ArcCot[Tanh[(a_) + (b_)*(x_)]], x_Symbol] :> Simp[x*ArcCot[Tanh[a + b*x]], x] + Simp[b Int[x*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b}, x]`

Maple [A] (verified)

Time = 1.32 (sec) , antiderivative size = 106, normalized size of antiderivative = 1.45

method	result
parts	$x \operatorname{arccot}(\tanh(bx+a)) + \frac{i(bx+a)(\ln(1-ie^{2bx+2a})-\ln(1+ie^{2bx+2a}))}{2} - \frac{i \operatorname{dilog}(1+ie^{2bx+2a})}{b} + \frac{i \operatorname{dilog}(1-ie^{2bx+2a})}{4}$
derivativedivides	$\frac{\operatorname{arctanh}(\tanh(bx+a)) \operatorname{arccot}(\tanh(bx+a)) + \operatorname{arctan}(\tanh(bx+a)) \operatorname{arctanh}(\tanh(bx+a)) + \frac{\operatorname{arctan}(\tanh(bx+a)) \ln\left(1 + \frac{i(1+\tanh(bx+a))}{2}\right)}{2}}{2}$
default	$\frac{\operatorname{arctanh}(\tanh(bx+a)) \operatorname{arccot}(\tanh(bx+a)) + \operatorname{arctan}(\tanh(bx+a)) \operatorname{arctanh}(\tanh(bx+a)) + \frac{\operatorname{arctan}(\tanh(bx+a)) \ln\left(1 + \frac{i(1+\tanh(bx+a))}{2}\right)}{2}}{2}$
risch	Expression too large to display

```
input int(arccot(tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

```
output x*arccot(tanh(b*x+a))+1/b*(1/2*I*(b*x+a)*(ln(1-I*exp(2*b*x+2*a))-ln(1+I*exp(2*b*x+2*a)))-1/4*I*dilog(1+I*exp(2*b*x+2*a))+1/4*I*dilog(1-I*exp(2*b*x+2*a))-a*arctan(exp(2*b*x+2*a)))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 334 vs. 2(56) = 112.

Time = 0.14 (sec) , antiderivative size = 334, normalized size of antiderivative = 4.58

$$\int \cot^{-1}(\tanh(a + bx)) dx$$

$$= \frac{2bx \arctan\left(\frac{\cosh(bx+a)}{\sinh(bx+a)}\right) + (ibx + ia) \log\left(\frac{1}{2} \sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right) + (ibx + ia) \log\left(\frac{1}{2} \sqrt{4i}(\cosh(bx+a) - \sinh(bx+a)) + 1\right)}{2}$$

```
input integrate(arccot(tanh(b*x+a)),x, algorithm="fricas")
```

output

```
1/2*(2*b*x*arctan(cosh(b*x + a)/sinh(b*x + a)) + (I*b*x + I*a)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b*x - I*a)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) - I*a*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - I*a*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*a*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*a*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + I*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))))/b
```

Sympy [F]

$$\int \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(a + bx)) dx$$

input

```
integrate(acot(tanh(b*x+a)),x)
```

output

```
Integral(acot(tanh(a + b*x)), x)
```

Maxima [F]

$$\int \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{arccot}(\tanh(bx + a)) dx$$

input

```
integrate(arccot(tanh(b*x+a)),x, algorithm="maxima")
```

output

```
x*arctan2(e^(2*b*x + 2*a) + 1, e^(2*b*x + 2*a) - 1) + 2*b*integrate(x*e^(2*b*x + 2*a)/(e^(4*b*x + 4*a) + 1), x)
```

Giac [F]

$$\int \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{arccot}(\tanh(bx + a)) dx$$

input `integrate(arccot(tanh(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(tanh(b*x + a)), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(a + bx)) dx$$

input `int(acot(tanh(a + b*x)),x)`

output `int(acot(tanh(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(\tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a)) dx$$

input `int(acot(tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)),x)`

3.39 $\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$

Optimal result	341
Mathematica [N/A]	341
Rubi [N/A]	342
Maple [N/A]	342
Fricas [N/A]	343
Sympy [N/A]	343
Maxima [N/A]	343
Giac [N/A]	344
Mupad [N/A]	344
Reduce [N/A]	345

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx = \text{Int}\left(\frac{\cot^{-1}(\tanh(a+bx))}{e+fx}, x\right)$$

output `Defer(Int)(arccot(tanh(b*x+a))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 0.95 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx = \int \frac{\cot^{-1}(\tanh(a+bx))}{e+fx} dx$$

input `Integrate[ArcCot[Tanh[a + b*x]]/(e + f*x), x]`

output `Integrate[ArcCot[Tanh[a + b*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.23 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx$$

input `Int[ArcCot[Tanh[a + b*x]]/(e + f*x),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

input `int(arccot(tanh(b*x+a))/(f*x+e),x)`

output `int(arccot(tanh(b*x+a))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

input `integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="fricas")`

output `integral(arccot(tanh(b*x + a))/(f*x + e), x)`

Sympy [N/A]

Not integrable

Time = 3.40 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.93

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{acot}(\tanh(a + bx))}{e + fx} dx$$

input `integrate(acot(tanh(b*x+a))/(f*x+e),x)`

output `Integral(acot(tanh(a + b*x))/(e + f*x), x)`

Maxima [N/A]

Not integrable

Time = 1.56 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

input `integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="maxima")`

output `integrate(arccot(tanh(b*x + a))/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 73.83 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.20

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\tanh(bx + a))}{fx + e} dx$$

input `integrate(arccot(tanh(b*x+a))/(f*x+e),x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 0.80 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{acot}(\tanh(a + bx))}{e + fx} dx$$

input `int(acot(tanh(a + b*x))/(e + f*x),x)`

output `int(acot(tanh(a + b*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\tanh(a + bx))}{e + fx} dx = \int \frac{\operatorname{acot}(\tanh(bx + a))}{fx + e} dx$$

input `int(acot(tanh(b*x+a))/(f*x+e),x)`output `int(acot(tanh(a + b*x))/(e + f*x),x)`

3.40 $\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx$

Optimal result	346
Mathematica [A] (warning: unable to verify)	347
Rubi [A] (verified)	348
Maple [C] (warning: unable to verify)	352
Fricas [B] (verification not implemented)	353
Sympy [F(-1)]	354
Maxima [F]	354
Giac [F]	354
Mupad [F(-1)]	355
Reduce [F]	355

Optimal result

Integrand size = 15, antiderivative size = 355

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx &= \frac{1}{3} x^3 \cot^{-1}(c + d \tanh(a + bx)) \\
 &\quad - \frac{1}{6} i x^3 \log \left(1 + \frac{(i - c - d) e^{2a + 2bx}}{i - c + d} \right) \\
 &\quad + \frac{1}{6} i x^3 \log \left(1 + \frac{(i + c + d) e^{2a + 2bx}}{i + c - d} \right) \\
 &\quad - \frac{i x^2 \operatorname{PolyLog} \left(2, -\frac{(i - c - d) e^{2a + 2bx}}{i - c + d} \right)}{4b} \\
 &\quad + \frac{i x^2 \operatorname{PolyLog} \left(2, -\frac{(i + c + d) e^{2a + 2bx}}{i + c - d} \right)}{4b} \\
 &\quad + \frac{i x \operatorname{PolyLog} \left(3, -\frac{(i - c - d) e^{2a + 2bx}}{i - c + d} \right)}{4b^2} \\
 &\quad - \frac{i x \operatorname{PolyLog} \left(3, -\frac{(i + c + d) e^{2a + 2bx}}{i + c - d} \right)}{4b^2} \\
 &\quad - \frac{i \operatorname{PolyLog} \left(4, -\frac{(i - c - d) e^{2a + 2bx}}{i - c + d} \right)}{8b^3} \\
 &\quad + \frac{i \operatorname{PolyLog} \left(4, -\frac{(i + c + d) e^{2a + 2bx}}{i + c - d} \right)}{8b^3}
 \end{aligned}$$

output

```
1/3*x^3*arccot(c+d*tanh(b*x+a))-1/6*I*x^3*ln(1+(I-c-d)*exp(2*b*x+2*a)/(I-c+d))+1/6*I*x^3*ln(1+(I+c+d)*exp(2*b*x+2*a)/(I+c-d))-1/4*I*x^2*polylog(2,-(I-c-d)*exp(2*b*x+2*a)/(I-c+d))/b+1/4*I*x^2*polylog(2,-(I+c+d)*exp(2*b*x+2*a)/(I+c-d))/b+1/4*I*x*polylog(3,-(I-c-d)*exp(2*b*x+2*a)/(I-c+d))/b^2-1/4*I*x*polylog(3,-(I+c+d)*exp(2*b*x+2*a)/(I+c-d))/b^2-1/8*I*polylog(4,-(I-c-d)*exp(2*b*x+2*a)/(I-c+d))/b^3+1/8*I*polylog(4,-(I+c+d)*exp(2*b*x+2*a)/(I+c-d))/b^3
```

Mathematica [A] (warning: unable to verify)

Time = 0.32 (sec) , antiderivative size = 438, normalized size of antiderivative = 1.23

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \frac{1}{3} x^3 \cot^{-1}(c + d \tanh(a + bx)) + \frac{d \left(4b^3 x^3 \log \left(1 + \frac{2(1+(c+d)^2)e^{2(a+bx)}}{2+2c^2-2d^2-4\sqrt{-d^2}} \right) - 4b^3 x^3 \log \left(1 + \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}} \right) + 6b^2 x^2 \text{PolyLog} \left(2, \frac{(1+c^2+2cd+2cd+2d^2)}{-1-c^2+d^2} \right) \right)}{24b^3 \sqrt{-d^2}}$$

input

```
Integrate[x^2*ArcCot[c + d*Tanh[a + b*x]],x]
```

output

```
(x^3*ArcCot[c + d*Tanh[a + b*x]])/3 + (d*(4*b^3*x^3*Log[1 + (2*(1 + (c + d)^2)*E^(2*(a + b*x)))/(2 + 2*c^2 - 2*d^2 - 4*Sqrt[-d^2])] - 4*b^3*x^3*Log[1 + ((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] + 6*b^2*x^2*PolyLog[2, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])] - 6*b^2*x^2*PolyLog[2, -(((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2]))] - 6*b*x*PolyLog[3, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])] + 6*b*x*PolyLog[3, -(((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2]))] + 3*PolyLog[4, (-2*(1 + (c + d)^2)*E^(2*(a + b*x)))/(2 + 2*c^2 - 2*d^2 - 4*Sqrt[-d^2])] - 3*PolyLog[4, -(((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2]))])/(24*b^3*Sqrt[-d^2])
```

Rubi [A] (verified)

Time = 1.42 (sec) , antiderivative size = 441, normalized size of antiderivative = 1.24, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5723, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \cot^{-1}(d \tanh(a + bx) + c) dx \\
 & \quad \downarrow \text{5723} \\
 & \frac{1}{3}b(1 + i(c + d)) \int \frac{e^{2a+2bx} x^3}{-c + (-c - d + i)e^{2a+2bx} + d + i} dx - \frac{1}{3}b(1 - i(c + d)) \int \frac{e^{2a+2bx} x^3}{c + (c + d + i)e^{2a+2bx} - d + i} dx + \frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c) \\
 & \quad \downarrow \text{2620} \\
 & \frac{1}{3}b(1 + i(c + d)) \left(\frac{x^3 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{3 \int x^2 \log \left(\frac{e^{2a+2bx}(-c-d+i)}{-c+d+i} + 1 \right) dx}{2b(-c-d+i)} \right) - \\
 & \frac{1}{3}b(1 - i(c + d)) \left(\frac{x^3 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{3 \int x^2 \log \left(\frac{e^{2a+2bx}(c+d+i)}{c-d+i} + 1 \right) dx}{2b(c+d+i)} \right) + \\
 & \quad \frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c) \\
 & \quad \downarrow \text{3011}
 \end{aligned}$$

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\frac{1}{3}b(1+i(c + \int x \operatorname{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} \right)}{2b(-c-d+i)} \right) -$$

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\frac{1}{3}b(1-i(c + \int x \operatorname{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} \right)}{2b(c+d+i)} \right) +$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c)$$

↓ 7163

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\frac{1}{3}b(1+i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} - \frac{\int \operatorname{PolyLog} \left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{b} - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} \right)}{2b(-c-d+i)} \right) -$$

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\frac{1}{3}b(1-i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} - \frac{\int \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{b} - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} \right)}{2b(c+d+i)} \right) -$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c)$$

↓ 2720

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\frac{\frac{1}{3}b(1+i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog} \left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) de^{2a+2bx}}{b}}{4b^2}}{2b(-c-d+i)} \right)}{2b(-c-d+i)} \right)$$

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\frac{\frac{1}{3}b(1-i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) de^{2a+2bx}}{b}}{4b^2}}{2b(c+d+i)} \right)}{2b(c+d+i)} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c)$$

7143

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\frac{\frac{1}{3}b(1+i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} - \frac{\operatorname{PolyLog} \left(4, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{4b^2}}{b}}{2b(-c-d+i)} - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b}}{2b(-c-d+i)} \right)$$

$$d)) \left(\frac{x^3 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\frac{\frac{1}{3}b(1-i(c + \frac{x \operatorname{PolyLog} \left(3, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} - \frac{\operatorname{PolyLog} \left(4, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{4b^2}}{b}}{2b(c+d+i)} - \frac{x^2 \operatorname{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b}}{2b(c+d+i)} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \tanh(a + bx) + c)$$

input `Int[x^2*ArcCot[c + d*Tanh[a + b*x]],x]`

output

```
(x^3*ArcCot[c + d*Tanh[a + b*x]])/3 + (b*(1 + I*(c + d))*((x^3*Log[1 + ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)])/(2*b*(I - c - d)) - (3*(-1/2*(x^2*PolyLog[2, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))])/b + ((x*PolyLog[3, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/(2*b) - PolyLog[4, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)]/(4*b^2))/b))/(2*b*(I - c - d))))/3 - (b*(1 - I*(c + d))*((x^3*Log[1 + ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)])/(2*b*(I + c + d)) - (3*(-1/2*(x^2*PolyLog[2, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))])/b + ((x*PolyLog[3, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/(2*b) - PolyLog[4, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)]/(4*b^2))/b))/(2*b*(I + c + d)))))/3
```

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[(((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*(f_) + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```


rule 5723

```
Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tanh[a + b*x]]/(f*(m + 1))), x] + (-Simp[I*b*((I - c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x))/(I - c + d + (I - c - d)*E^(2*a + 2*b*x))], x], x] + Simp[I*b*((I + c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x))/(I + c - d + (I + c + d)*E^(2*a + 2*b*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 40.82 (sec) , antiderivative size = 6916, normalized size of antiderivative = 19.48

method	result	size
risch	Expression too large to display	6916

input

```
int(x^2*arccot(c+d*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
result too large to display
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1289 vs. $2(263) = 526$.

Time = 0.21 (sec) , antiderivative size = 1289, normalized size of antiderivative = 3.63

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \text{Too large to display}$$

input `integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")`

output

```
1/6*(2*b^3*x^3*arctan(cosh(b*x + a)/(c*cosh(b*x + a) + d*sinh(b*x + a))) -
3*I*b^2*x^2*dilog(sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*
(cosh(b*x + a) + sinh(b*x + a))) - 3*I*b^2*x^2*dilog(-sqrt(-(c^2 - d^2 + 2
*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 3*I*
b^2*x^2*dilog(sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh
(b*x + a) + sinh(b*x + a))) + 3*I*b^2*x^2*dilog(-sqrt(-(c^2 - d^2 - 2*I*d
+ 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + I*a^3*log
(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(
b*x + a) + 2*(c^2 - d^2 - 2*I*d + 1)*sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 -
2*c*d + d^2 + 1))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2
*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt(-(
c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) - I*a^3*log(2*(c^2 + 2*c*
d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(
c^2 - d^2 + 2*I*d + 1)*sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 +
1))) - I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d
+ d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt(-(c^2 - d^2 - 2*
I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) + 6*I*b*x*polylog(3, sqrt(-(c^2 - d^2 +
2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 6*
I*b*x*polylog(3, -sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*
(cosh(b*x + a) + sinh(b*x + a))) - 6*I*b*x*polylog(3, sqrt(-(c^2 - d^2 - ...
```

Sympy [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \text{Timed out}$$

input `integrate(x**2*acot(c+d*tanh(b*x+a)),x)`

output `Timed out`

Maxima [F]

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \int x^2 \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")`

output `1/3*x^3*arctan2(e^(2*b*x + 2*a) + 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) + c - d) + 4*b*d*integrate(1/3*x^3*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) + 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \int x^2 \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*tanh(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(d*tanh(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \int x^2 \operatorname{acot}(c + d \tanh(a + bx)) dx$$

input `int(x^2*acot(c + d*tanh(a + b*x)),x)`output `int(x^2*acot(c + d*tanh(a + b*x)), x)`**Reduce [F]**

$$\int x^2 \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) d + c) x^2 dx$$

input `int(x^2*acot(c+d*tanh(b*x+a)),x)`output `int(acot(tanh(a + b*x)*d + c)*x**2,x)`

3.41 $\int x \cot^{-1}(c + d \tanh(a + bx)) dx$

Optimal result	356
Mathematica [A] (warning: unable to verify)	357
Rubi [A] (verified)	357
Maple [C] (warning: unable to verify)	361
Fricas [B] (verification not implemented)	361
Sympy [F]	362
Maxima [F]	363
Giac [F]	363
Mupad [F(-1)]	363
Reduce [F]	364

Optimal result

Integrand size = 13, antiderivative size = 267

$$\begin{aligned}
 \int x \cot^{-1}(c + d \tanh(a + bx)) dx &= \frac{1}{2}x^2 \cot^{-1}(c + d \tanh(a + bx)) \\
 &\quad - \frac{1}{4}ix^2 \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\
 &\quad + \frac{1}{4}ix^2 \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
 &\quad - \frac{ix \operatorname{PolyLog}\left(2, -\frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{4b} \\
 &\quad + \frac{ix \operatorname{PolyLog}\left(2, -\frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{4b} \\
 &\quad + \frac{i \operatorname{PolyLog}\left(3, -\frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{8b^2} \\
 &\quad - \frac{i \operatorname{PolyLog}\left(3, -\frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{8b^2}
 \end{aligned}$$

output

$$\frac{1}{2}x^2 \operatorname{arccot}(c+d \tanh(bx+a)) - \frac{1}{4}I x^2 \ln(1+(I-c-d)\exp(2bx+2a)/(I-c+d)) + \frac{1}{4}I x^2 \ln(1+(I+c+d)\exp(2bx+2a)/(I+c-d)) - \frac{1}{4}I x \operatorname{polylog}(2, -(I-c-d)\exp(2bx+2a)/(I-c+d))/b + \frac{1}{4}I x \operatorname{polylog}(2, -(I+c+d)\exp(2bx+2a)/(I+c-d))/b + \frac{1}{8}I \operatorname{polylog}(3, -(I-c-d)\exp(2bx+2a)/(I-c+d))/b^2 - \frac{1}{8}I \operatorname{polylog}(3, -(I+c+d)\exp(2bx+2a)/(I+c-d))/b^2$$
Mathematica [A] (warning: unable to verify)

Time = 0.69 (sec) , antiderivative size = 330, normalized size of antiderivative = 1.24

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \frac{1}{2}x^2 \cot^{-1}(c + d \tanh(a + bx)) + \frac{d(2b^2x^2 \log(1 + \frac{2(1+(c+d)^2)e^{2(a+bx)}}{2+2c^2-2d^2-4\sqrt{-d^2}}) - 2b^2x^2 \log(1 + \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}})) + 2bx \operatorname{PolyLog}(2, \frac{(1+c^2+2cd+d^2)}{-1-c^2+d^2+2\sqrt{-d^2}})}}{2}$$

input

Integrate[x*ArcCot[c + d*Tanh[a + b*x]],x]

output

$$\begin{aligned} & (x^2 \operatorname{ArcCot}[c + d \operatorname{Tanh}[a + b x]])/2 + (d(2b^2x^2 \operatorname{Log}[1 + (2(1 + (c + d)^2)E^{2(a + b x)})]/(2 + 2c^2 - 2d^2 - 4\sqrt{-d^2})] - 2b^2x^2 \operatorname{Log}[1 + ((1 + (c + d)^2)E^{2(a + b x)})]/(1 + c^2 - d^2 + 2\sqrt{-d^2})]) + 2b x \operatorname{PolyLog}[2, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2})] - 2b x \operatorname{PolyLog}[2, -(((1 + (c + d)^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2}))] - \operatorname{PolyLog}[3, (-2(1 + (c + d)^2)E^{2(a + b x)})/(2 + 2c^2 - 2d^2 - 4\sqrt{-d^2})] + \operatorname{PolyLog}[3, -(((1 + (c + d)^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2}))])]/(8b^2\sqrt{-d^2}) \end{aligned}$$
Rubi [A] (verified)Time = 1.05 (sec) , antiderivative size = 343, normalized size of antiderivative = 1.28, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5723, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x \cot^{-1}(d \tanh(a + bx) + c) dx \\
& \quad \downarrow \text{5723} \\
& \frac{1}{2}b(1 + i(c + d)) \int \frac{e^{2a+2bx} x^2}{-c + (-c - d + i)e^{2a+2bx} + d + i} dx - \frac{1}{2}b(1 - i(c + \\
& d)) \int \frac{e^{2a+2bx} x^2}{c + (c + d + i)e^{2a+2bx} - d + i} dx + \frac{1}{2}x^2 \cot^{-1}(d \tanh(a + bx) + c) \\
& \quad \downarrow \text{2620} \\
& \frac{1}{2}b(1 + i(c + d)) \left(\frac{x^2 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\int x \log \left(\frac{e^{2a+2bx}(-c-d+i)}{-c+d+i} + 1 \right) dx}{b(-c-d+i)} \right) - \frac{1}{2}b(1 - \\
& i(c + d)) \left(\frac{x^2 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\int x \log \left(\frac{e^{2a+2bx}(c+d+i)}{c-d+i} + 1 \right) dx}{b(c+d+i)} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \tanh(a + bx) + c) \\
& \quad \downarrow \text{3011} \\
& \frac{1}{2}b(1 + i(c + \\
& d)) \left(\frac{x^2 \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\int \text{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{2b} - \frac{x \text{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} \right) - \\
& \frac{1}{2}b(1 - i(c + \\
& d)) \left(\frac{x^2 \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\int \text{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{2b} - \frac{x \text{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} \right) + \\
& \quad \frac{1}{2}x^2 \cot^{-1}(d \tanh(a + bx) + c) \\
& \quad \downarrow \text{2720}
\end{aligned}$$

Definitions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_)^(m_))/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_)^(m_)), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5723

```
Int[ArcCot[(c_) + (d_)*Tanh[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_)^(m_
)), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tanh[a + b*x]]/(f*(m
+ 1))), x] + (-Simp[I*b*((I - c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(
E^(2*a + 2*b*x)/(I - c + d + (I - c - d)*E^(2*a + 2*b*x))), x], x] + Simp[I
*b*((I + c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x)/(I +
c - d + (I + c + d)*E^(2*a + 2*b*x))), x], x]) /; FreeQ[{a, b, c, d, e, f},
x] && IGtQ[m, 0] && NeQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_)^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 5.81 (sec) , antiderivative size = 6566, normalized size of antiderivative = 24.59

method	result	size
risch	Expression too large to display	6566

input `int(x*arccot(c+d*tanh(b*x+a)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1067 vs. $2(197) = 394$.

Time = 0.20 (sec) , antiderivative size = 1067, normalized size of antiderivative = 4.00

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \text{Too large to display}$$

input `integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")`

output

```

1/4*(2*b^2*x^2*arctan(cosh(b*x + a)/(c*cosh(b*x + a) + d*sinh(b*x + a))) -
2*I*b*x*dilog(sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cos
h(b*x + a) + sinh(b*x + a))) - 2*I*b*x*dilog(-sqrt(-(c^2 - d^2 + 2*I*d + 1
)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*b*x*dilo
g(sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) +
sinh(b*x + a))) + 2*I*b*x*dilog(-sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*
d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - I*a^2*log(2*(c^2 + 2*c*d
+ d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^
2 - d^2 - 2*I*d + 1)*sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1
))) - I*a^2*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d +
d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt(-(c^2 - d^2 + 2*I*
d + 1)/(c^2 - 2*c*d + d^2 + 1))) + I*a^2*log(2*(c^2 + 2*c*d + d^2 + 1)*cos
h(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^2 - d^2 + 2*I*
d + 1)*sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) + I*a^2*log
(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(
b*x + a) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 -
2*c*d + d^2 + 1))) + (-I*b^2*x^2 + I*a^2)*log(sqrt(-(c^2 - d^2 + 2*I*d + 1
)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*
x^2 + I*a^2)*log(-sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*
(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*x^2 - I*a^2)*log(sqrt(-(c^...

```

Sympy [F]

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \int x \operatorname{acot}(c + d \tanh(a + bx)) dx$$

input

```
integrate(x*acot(c+d*tanh(b*x+a)),x)
```

output

```
Integral(x*acot(c + d*tanh(a + b*x)), x)
```

Maxima [F]

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \int x \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")`

output `1/2*x^2*arctan2(e^(2*b*x + 2*a) + 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) + c - d) + 2*b*d*integrate(x^2*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) + 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)`

Giac [F]

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \int x \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*tanh(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(d*tanh(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \int x \operatorname{acot}(c + d \tanh(a + bx)) dx$$

input `int(x*acot(c + d*tanh(a + b*x)),x)`

output `int(x*acot(c + d*tanh(a + b*x)), x)`

Reduce [F]

$$\int x \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) d + c) x dx$$

input `int(x*acot(c+d*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*d + c)*x,x)`

3.42 $\int \cot^{-1}(c + d \tanh(a + bx)) dx$

Optimal result	365
Mathematica [A] (warning: unable to verify)	366
Rubi [A] (verified)	366
Maple [B] (verified)	368
Fricas [B] (verification not implemented)	369
Sympy [F]	370
Maxima [F]	371
Giac [F]	371
Mupad [F(-1)]	371
Reduce [F]	372

Optimal result

Integrand size = 11, antiderivative size = 174

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = x \cot^{-1}(c + d \tanh(a + bx)) - \frac{1}{2}ix \log\left(1 + \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{2}ix \log\left(1 + \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) - \frac{i \operatorname{PolyLog}\left(2, -\frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, -\frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{4b}$$

output

```
x*arccot(c+d*tanh(b*x+a))-1/2*I*x*ln(1+(I-c-d)*exp(2*b*x+2*a)/(I-c+d))+1/2
*I*x*ln(1+(I+c+d)*exp(2*b*x+2*a)/(I+c-d))-1/4*I*polylog(2,-(I-c-d)*exp(2*b
*x+2*a)/(I-c+d))/b+1/4*I*polylog(2,-(I+c+d)*exp(2*b*x+2*a)/(I+c-d))/b
```

Mathematica [A] (warning: unable to verify)

Time = 0.27 (sec) , antiderivative size = 288, normalized size of antiderivative = 1.66

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = x \cot^{-1}(c + d \tanh(a + bx)) - \frac{4a\sqrt{-d^2} \arctan\left(\frac{1+c^2-d^2+(1+c^2+2cd+d^2)e^{2(a+bx)}}{2d}\right) - 2d(a+bx) \log\left(1 + \frac{2(1+(c+d)^2)e^{2(a+bx)}}{2+2c^2-2d^2-4\sqrt{-d^2}}\right) + 2d(a+bx) \log\left(1 + \frac{2(1+(c+d)^2)e^{2(a+bx)}}{2+2c^2-2d^2-4\sqrt{-d^2}}\right)}{4b\sqrt{-d^2}}$$

input `Integrate[ArcCot[c + d*Tanh[a + b*x]], x]`

output

```
x*ArcCot[c + d*Tanh[a + b*x]] - (4*a*Sqrt[-d^2]*ArcTan[(1 + c^2 - d^2 + (1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(2*d)] - 2*d*(a + b*x)*Log[1 + (2*(1 + (c + d)^2)*E^(2*(a + b*x)))/(2 + 2*c^2 - 2*d^2 - 4*Sqrt[-d^2])] + 2*d*(a + b*x)*Log[1 + ((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] + d*PolyLog[2, -(((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2]))] - d*PolyLog[2, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])])/(4*b*Sqrt[-d^2])
```

Rubi [A] (verified)Time = 0.65 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.36, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5715, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(d \tanh(a + bx) + c) dx$$

$$\downarrow 5715$$

$$b(1 + i(c + d)) \int \frac{e^{2a+2bx} x}{-c + (-c - d + i)e^{2a+2bx} + d + i} dx - b(1 - i(c + d)) \int \frac{e^{2a+2bx} x}{c + (c + d + i)e^{2a+2bx} - d + i} dx + x \cot^{-1}(d \tanh(a + bx) + c)$$

$$\downarrow 2620$$

$$b(1+i(c+d)) \left(\frac{x \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\int \log \left(\frac{e^{2a+2bx}(-c-d+i)}{-c+d+i} + 1 \right) dx}{2b(-c-d+i)} \right) - b(1-i(c+d)) \left(\frac{x \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\int \log \left(\frac{e^{2a+2bx}(c+d+i)}{c-d+i} + 1 \right) dx}{2b(c+d+i)} \right) + x \cot^{-1}(d \tanh(a+bx) + c)$$

↓ 2715

$$b(1+i(c+d)) \left(\frac{x \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} - \frac{\int e^{-2a-2bx} \log \left(\frac{e^{2a+2bx}(-c-d+i)}{-c+d+i} + 1 \right) de^{2a+2bx}}{4b^2(-c-d+i)} \right) - b(1-i(c+d)) \left(\frac{x \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} - \frac{\int e^{-2a-2bx} \log \left(\frac{e^{2a+2bx}(c+d+i)}{c-d+i} + 1 \right) de^{2a+2bx}}{4b^2(c+d+i)} \right) + x \cot^{-1}(d \tanh(a+bx) + c)$$

↓ 2838

$$b(1+i(c+d)) \left(\frac{\text{PolyLog} \left(2, -\frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{4b^2(-c-d+i)} + \frac{x \log \left(1 + \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) - b(1-i(c+d)) \left(\frac{\text{PolyLog} \left(2, -\frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{4b^2(c+d+i)} + \frac{x \log \left(1 + \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + x \cot^{-1}(d \tanh(a+bx) + c)$$

input `Int[ArcCot[c + d*Tanh[a + b*x]],x]`

output `x*ArcCot[c + d*Tanh[a + b*x]] + b*(1 + I*(c + d))*((x*Log[1 + ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)])/(2*b*(I - c - d)) + PolyLog[2, -(((I - c - d)*E^(2*a + 2*b*x))/(I - c + d))]/(4*b^2*(I - c - d))) - b*(1 - I*(c + d))*((x*Log[1 + ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)])/(2*b*(I + c + d)) + PolyLog[2, -(((I + c + d)*E^(2*a + 2*b*x))/(I + c - d))]/(4*b^2*(I + c + d)))`

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2715

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)
))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

rule 2838

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 5715

```
Int[ArcCot[(c_) + (d_)*Tanh[(a_) + (b_)*(x_)]], x_Symbol] := Simp[x*Arc
Cot[c + d*Tanh[a + b*x]], x] + (-Simp[I*b*(I - c - d) Int[x*(E^(2*a + 2*b
*x))/(I - c + d + (I - c - d)*E^(2*a + 2*b*x))), x], x] + Simp[I*b*(I + c +
d) Int[x*(E^(2*a + 2*b*x))/(I + c - d + (I + c + d)*E^(2*a + 2*b*x))), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[(c - d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 351 vs. $2(150) = 300$.

Time = 2.27 (sec) , antiderivative size = 352, normalized size of antiderivative = 2.02

method	result
derivativedivides	$\frac{\operatorname{arccot}(c+d \tanh(bx+a))d \ln(-d \tanh(bx+a)-d)}{2} - \frac{\operatorname{arccot}(c+d \tanh(bx+a))d \ln(-d \tanh(bx+a)+d)}{2} - \frac{d^2 \left(\frac{i \ln(-d \tanh(bx+a)+d) \ln(-d \tanh(bx+a)-d)}{2} \right)}{2}$
default	$\frac{\operatorname{arccot}(c+d \tanh(bx+a))d \ln(-d \tanh(bx+a)-d)}{2} - \frac{\operatorname{arccot}(c+d \tanh(bx+a))d \ln(-d \tanh(bx+a)+d)}{2} - \frac{d^2 \left(\frac{i \ln(-d \tanh(bx+a)+d) \ln(-d \tanh(bx+a)-d)}{2} \right)}{2}$
risch	Expression too large to display

```
input int(arccot(c+d*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

```
output 1/b/d*(1/2*arccot(c+d*tanh(b*x+a))*d*ln(-d*tanh(b*x+a)-d)-1/2*arccot(c+d*tanh(b*x+a))*d*ln(-d*tanh(b*x+a)+d)-1/2*d^2*(1/d*(1/2*I*ln(-d*tanh(b*x+a)+d))*ln((I+d*tanh(b*x+a)+c)/(I+c+d))-1/2*I*ln(-d*tanh(b*x+a)+d)*ln((I-d*tanh(b*x+a)-c)/(I-c-d))+1/2*I*dilog((I+d*tanh(b*x+a)+c)/(I+c+d))-1/2*I*dilog((I-d*tanh(b*x+a)-c)/(I-c-d)))-1/d*(1/2*I*ln(-d*tanh(b*x+a)-d)*ln((I+d*tanh(b*x+a)+c)/(I+c-d))-1/2*I*ln(-d*tanh(b*x+a)-d)*ln((I-d*tanh(b*x+a)-c)/(I-c+d)))+1/2*I*dilog((I+d*tanh(b*x+a)+c)/(I+c-d))-1/2*I*dilog((I-d*tanh(b*x+a)-c)/(I-c+d))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 825 vs. 2(128) = 256.

Time = 0.24 (sec) , antiderivative size = 825, normalized size of antiderivative = 4.74

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \text{Too large to display}$$

```
input integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="fricas")
```

output

```

1/2*(2*b*x*arctan(cosh(b*x + a)/(c*cosh(b*x + a) + d*sinh(b*x + a))) + I*a
*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*s
inh(b*x + a) + 2*(c^2 - d^2 - 2*I*d + 1)*sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^
2 - 2*c*d + d^2 + 1))) + I*a*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) +
2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt(
-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) - I*a*log(2*(c^2 + 2*c*
d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(
c^2 - d^2 + 2*I*d + 1)*sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 +
1))) - I*a*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d +
d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt(-(c^2 - d^2 - 2*I*
d + 1)/(c^2 - 2*c*d + d^2 + 1))) + (-I*b*x - I*a)*log(sqrt(-(c^2 - d^2 + 2
*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) +
(-I*b*x - I*a)*log(-sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))
*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(sqrt(-(c^2 - d^2
- 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1
) + (I*b*x + I*a)*log(-sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 +
1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) - I*dilog(sqrt(-(c^2 - d^2 + 2*I*
d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog
(-sqrt(-(c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) +
sinh(b*x + a))) + I*dilog(sqrt(-(c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + ...

```

Sympy [F]

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{acot}(c + d \tanh(a + bx)) dx$$

input

```
integrate(acot(c+d*tanh(b*x+a)),x)
```

output

```
Integral(acot(c + d*tanh(a + b*x)), x)
```

Maxima [F]

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="maxima")`

output `4*b*d*integrate(x*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) + 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x) + x*arctan2(e^(2*b*x + 2*a) + 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) + c - d)`

Giac [F]

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{arccot}(d \tanh(bx + a) + c) dx$$

input `integrate(arccot(c+d*tanh(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(d*tanh(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{acot}(c + d \tanh(a + bx)) dx$$

input `int(acot(c + d*tanh(a + b*x)),x)`

output `int(acot(c + d*tanh(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(c + d \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) d + c) dx$$

input `int(acot(c+d*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*d + c),x)`

3.43 $\int \frac{\cot^{-1}(c+d \tanh(a+bx))}{x} dx$

Optimal result	373
Mathematica [N/A]	373
Rubi [N/A]	374
Maple [N/A]	374
Fricas [N/A]	375
Sympy [F(-1)]	375
Maxima [N/A]	375
Giac [N/A]	376
Mupad [N/A]	376
Reduce [N/A]	376

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + d \tanh(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+d*tanh(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 3.48 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + d*Tanh[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + d*Tanh[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(d \tanh(a + bx) + c)}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(d \tanh(a + bx) + c)}{x} dx$$

input `Int[ArcCot[c + d*Tanh[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(c + d \tanh(bx + a))}{x} dx$$

input `int(arccot(c+d*tanh(b*x+a))/x,x)`

output `int(arccot(c+d*tanh(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="fricas")`

output `integral(arccot(d*tanh(b*x + a) + c)/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+d*tanh(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 1.37 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="maxima")`

output `integrate(arccot(d*tanh(b*x + a) + c)/x, x)`

Giac [N/A]

Not integrable

Time = 0.40 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*tanh(b*x+a))/x,x, algorithm="giac")`

output `integrate(arccot(d*tanh(b*x + a) + c)/x, x)`

Mupad [N/A]

Not integrable

Time = 0.89 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + d \tanh(a + bx))}{x} dx$$

input `int(acot(c + d*tanh(a + b*x))/x,x)`

output `int(acot(c + d*tanh(a + b*x))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.20 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tanh(bx + a) d + c)}{x} dx$$

input `int(acot(c+d*tanh(b*x+a))/x,x)`

output `int(acot(tanh(a + b*x)*d + c)/x,x)`

3.44 $\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal result	378
Mathematica [A] (verified)	379
Rubi [A] (verified)	379
Maple [C] (warning: unable to verify)	382
Fricas [B] (verification not implemented)	383
Sympy [F(-2)]	384
Maxima [A] (verification not implemented)	384
Giac [F]	385
Mupad [F(-1)]	385
Reduce [F]	385

Optimal result

Integrand size = 19, antiderivative size = 142

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \frac{1}{12}ibx^4 + \frac{1}{3}x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{6}ix^3 \log(1 + ice^{2a+2bx}) - \frac{ix^2 \text{PolyLog}(2, -ice^{2a+2bx})}{4b} + \frac{ix \text{PolyLog}(3, -ice^{2a+2bx})}{4b^2} - \frac{i \text{PolyLog}(4, -ice^{2a+2bx})}{8b^3}$$

output

```
1/12*I*b*x^4+1/3*x^3*arccot(c+(I+c)*tanh(b*x+a))-1/6*I*x^3*ln(1+I*c*exp(2*b*x+2*a))-1/4*I*x^2*polylog(2,-I*c*exp(2*b*x+2*a))/b+1/4*I*x*polylog(3,-I*c*exp(2*b*x+2*a))/b^2-1/8*I*polylog(4,-I*c*exp(2*b*x+2*a))/b^3
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.94

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= \frac{8b^3 x^3 \cot^{-1}(c + (i + c) \tanh(a + bx)) - 4ib^3 x^3 \log\left(1 - \frac{ie^{-2(a+bx)}}{c}\right) + 6ib^2 x^2 \operatorname{PolyLog}\left(2, \frac{ie^{-2(a+bx)}}{c}\right) + 6ib}{24b^3}$$

input

```
Integrate[x^2*ArcCot[c + (I + c)*Tanh[a + b*x]],x]
```

output

```
(8*b^3*x^3*ArcCot[c + (I + c)*Tanh[a + b*x]] - (4*I)*b^3*x^3*Log[1 - I/(c*E^(2*(a + b*x)))] + (6*I)*b^2*x^2*PolyLog[2, I/(c*E^(2*(a + b*x)))] + (6*I)*b*x*PolyLog[3, I/(c*E^(2*(a + b*x)))] + (3*I)*PolyLog[4, I/(c*E^(2*(a + b*x)))])/(24*b^3)
```

Rubi [A] (verified)

Time = 0.82 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.18, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {5719, 25, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) dx$$

$$\downarrow \text{5719}$$

$$\frac{1}{3}b \int -\frac{x^3}{i - ce^{2a+2bx}} dx + \frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \int \frac{x^3}{i - ce^{2a+2bx}} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \int \frac{e^{2a+2bx} x^3}{i - ce^{2a+2bx}} dx - \frac{ix^4}{4} \right)$$

↓ 2620

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \left(\frac{3 \int x^2 \log(ie^{2a+2bx} c + 1) dx}{2bc} - \frac{x^3 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 3011

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\int x \operatorname{PolyLog}(2, -ice^{2a+2bx}) dx}{b} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 7163

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\int \operatorname{PolyLog}(3, -ice^{2a+2bx}) dx}{b}}{2bc} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 2720

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog}(3, -ice^{2a+2bx}) de^{2a+2bx}}{b}}{4b^2}}{2bc} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 7143

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\operatorname{PolyLog}(4, -ice^{2a+2bx})}{4b^2}}{b}}{2bc} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right)$$

input `Int[x^2*ArcCot[c + (I + c)*Tanh[a + b*x]],x]`

output `(x^3*ArcCot[c + (I + c)*Tanh[a + b*x]])/3 - (b*((-1/4*I)*x^4 - I*c*(-1/2*(x^3*Log[1 + I*c*E^(2*a + 2*b*x)])/(b*c) + (3*(-1/2*(x^2*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((x*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/(2*b) - PolyLog[4, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2))/b)/(2*b*c))))/3`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5719

```
Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_)^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tanh[a + b*x]]/(f*(m + 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_)^(m_.))*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.92 (sec) , antiderivative size = 1405, normalized size of antiderivative = 9.89

method	result	size
risch	Expression too large to display	1405

input

```
int(x^2*arccot(c+(I+c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```

1/6*I*x^3*ln(2*exp(2*b*x+2*a)*c-2*I)+1/12*Pi*(csgn(I*(2*exp(2*b*x+2*a)*c-2
*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))+
csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(2*I*exp(2*b*x+
2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn((2*I*exp(2*b*x+2*a)+2*ex
p(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))+csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2
*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(2*b*
x+2*a)*c-2*I))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))-csgn(I/
(exp(2*b*x+2*a)+1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c))*csgn(I
*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))-csgn(I/(exp(2
*b*x+2*a)+1))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2+csgn(I
/(exp(2*b*x+2*a)+1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2
*b*x+2*a)+1))^2-csgn(I*(2*exp(2*b*x+2*a)*c-2*I))*csgn(I*(2*exp(2*b*x+2*a)*
c-2*I)/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c
))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+cs
gn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^3-csgn(I*(2*exp(2*b*x+2*
a)*c-2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a
)+1))^2-csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))
^3+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn
((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2-csgn((2*I*ex
p(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^3-csgn((2*exp(2*b...

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 292 vs. $2(105) = 210$.

Time = 0.11 (sec) , antiderivative size = 292, normalized size of antiderivative = 2.06

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= \frac{ib^4x^4 + 2ib^3x^3 \log\left(\frac{(ce^{2bx+2a}-i)e^{-2bx-2a}}{c+i}\right) - 6ib^2x^2 \operatorname{Li}_2\left(\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right) - 6ib^2x^2 \operatorname{Li}_2\left(-\frac{1}{2}\sqrt{-4i}ce^{(bx+a)}\right)}{1}$$

input

```
integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")
```


output

```
1/12*(I*b^4*x^4 + 2*I*b^3*x^3*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)
/(c + I)) - 6*I*b^2*x^2*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*b^2*x^2*
dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) - I*a^4 + 2*I*a^3*log(1/2*(2*c*e^(b*x
+ a) + I*sqrt(-4*I*c))/c) + 2*I*a^3*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*
I*c))/c) + 12*I*b*x*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) + 12*I*b*x*po
lylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)) - 2*(I*b^3*x^3 + I*a^3)*log(1/2*sq
rt(-4*I*c)*e^(b*x + a) + 1) - 2*(I*b^3*x^3 + I*a^3)*log(-1/2*sqrt(-4*I*c)*
e^(b*x + a) + 1) - 12*I*polylog(4, 1/2*sqrt(-4*I*c)*e^(b*x + a)) - 12*I*po
lylog(4, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^3
```

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input

```
integrate(x**2*acot(c+(I+c)*tanh(b*x+a)),x)
```

output

```
Exception raised: CoercionFailed >> Cannot convert -_t0**4 - 3*_t0**2*I*c*
exp(2*a) + _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class
'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]
```

Maxima [A] (verification not implemented)

Time = 1.45 (sec) , antiderivative size = 129, normalized size of antiderivative = 0.91

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \frac{1}{3} x^3 \operatorname{arccot}((c + i) \tanh(bx + a) + c) - \frac{4}{9} \left(\frac{3x^4}{4ic - 4} - \frac{4b^3x^3 \log(ice^{(2bx+2a)} + 1) + 6b^2x^2 \operatorname{Li}_2(-ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(-ice^{(2bx+2a)}) + 3 \operatorname{Li}_4(-ice^{(2bx+2a)})}{-2b^4(-ic + 1)} \right)$$

input

```
integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")
```

output

```
1/3*x^3*arccot((c + I)*tanh(b*x + a) + c) - 4/9*(3*x^4/(4*I*c - 4) - (4*b^
3*x^3*log(I*c*e^(2*b*x + 2*a) + 1) + 6*b^2*x^2*dilog(-I*c*e^(2*b*x + 2*a))
- 6*b*x*polylog(3, -I*c*e^(2*b*x + 2*a)) + 3*polylog(4, -I*c*e^(2*b*x + 2
*a)))/(b^4*(2*I*c - 2))*b*(c + I)
```

Giac [F]

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int x^2 \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

input

```
integrate(x^2*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")
```

output

```
integrate(x^2*arccot((c + I)*tanh(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int x^2 \operatorname{acot}(c + \tanh(a + bx) (c + 1i)) dx$$

input

```
int(x^2*acot(c + tanh(a + b*x)*(c + 1i)),x)
```

output

```
int(x^2*acot(c + tanh(a + b*x)*(c + 1i)), x)
```

Reduce [F]

$$\int x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) c + \tanh(bx + a) i + c) x^2 dx$$

input

```
int(x^2*acot(c+(I+c)*tanh(b*x+a)),x)
```

output `int(acot(tanh(a + b*x)*c + tanh(a + b*x)*i + c)*x**2,x)`

3.45 $\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal result	387
Mathematica [A] (verified)	388
Rubi [A] (verified)	388
Maple [C] (warning: unable to verify)	391
Fricas [B] (verification not implemented)	392
Sympy [F(-2)]	392
Maxima [A] (verification not implemented)	393
Giac [F]	393
Mupad [F(-1)]	393
Reduce [F]	394

Optimal result

Integrand size = 17, antiderivative size = 113

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \frac{1}{6}ibx^3 + \frac{1}{2}x^2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{4}ix^2 \log(1 + ice^{2a+2bx}) - \frac{ix \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b} + \frac{i \operatorname{PolyLog}(3, -ice^{2a+2bx})}{8b^2}$$

output

```
1/6*I*b*x^3+1/2*x^2*arccot(c+(I+c)*tanh(b*x+a))-1/4*I*x^2*ln(1+I*c*exp(2*b*x+2*a))-1/4*I*x*polylog(2,-I*c*exp(2*b*x+2*a))/b+1/8*I*polylog(3,-I*c*exp(2*b*x+2*a))/b^2
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.91

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= \frac{2b^2 x^2 \left(2 \cot^{-1}(c + (i + c) \tanh(a + bx)) - i \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) \right) + 2ibx \operatorname{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) + i \operatorname{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c + (I + c)*Tanh[a + b*x]],x]
```

output

```
(2*b^2*x^2*(2*ArcCot[c + (I + c)*Tanh[a + b*x]] - I*Log[1 - I/(c*E^(2*(a + b*x))])) + (2*I)*b*x*PolyLog[2, I/(c*E^(2*(a + b*x)))] + I*PolyLog[3, I/(c*E^(2*(a + b*x)))]/(8*b^2)
```

Rubi [A] (verified)

Time = 0.63 (sec) , antiderivative size = 132, normalized size of antiderivative = 1.17, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {5719, 25, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c + (c + i) \tanh(a + bx)) dx$$

$$\downarrow \text{5719}$$

$$\frac{1}{2}b \int -\frac{x^2}{i - ce^{2a+2bx}} dx + \frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \int \frac{x^2}{i - ce^{2a+2bx}} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \left(-ic \int \frac{e^{2a+2bx} x^2}{i - ce^{2a+2bx}} dx - \frac{ix^3}{3} \right)$$

↓ 2620

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \left(-ic \left(\frac{\int x \log(ie^{2a+2bx}c + 1) dx}{bc} - \frac{x^2 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right)$$

↓ 3011

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \left(-ic \left(\frac{\int \text{PolyLog}(2, -ice^{2a+2bx}) dx}{2b} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right)$$

↓ 2720

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \left(-ic \left(\frac{\int e^{-2a-2bx} \text{PolyLog}(2, -ice^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right)$$

↓ 7143

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \tanh(a + bx)) - \frac{1}{2}b \left(-ic \left(\frac{\text{PolyLog}(3, -ice^{2a+2bx})}{4b^2} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right)$$

input `Int[x*ArcCot[c + (I + c)*Tanh[a + b*x]],x]`

output `(x^2*ArcCot[c + (I + c)*Tanh[a + b*x]])/2 - (b*((-1/3*I)*x^3 - I*c*(-1/2*(x^2*Log[1 + I*c*E^(2*a + 2*b*x)])/(b*c) + (-1/2*(x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + PolyLog[3, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2))/(b*c)))/2`

Defintions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[(((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.}) * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.}))))^{\text{n}_.}], \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m} + 1} / (\text{a} * \text{d} * (\text{m} + 1)), \text{x}] - \text{Simp}[\text{b} / \text{a} \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m}} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / (\text{a} + \text{b} * (\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}})), \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2620 $\text{Int}[(((\text{F}_.)^{\text{g}_.}) * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.} * ((\text{c}_.) + (\text{d}_.) * (\text{x}_.)^{\text{m}_.}) / ((\text{a}_.) + (\text{b}_.) * ((\text{F}_.)^{\text{g}_.}) * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{n}_.}))), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{c} + \text{d} * \text{x})^{\text{m}} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}] - \text{Simp}[\text{d} * (\text{m} / (\text{b} * \text{f} * \text{g} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{c} + \text{d} * \text{x})^{\text{m} - 1} * \text{Log}[1 + \text{b} * ((\text{F}^{\text{g}}(\text{e} + \text{f} * \text{x}))^{\text{n}} / \text{a})], \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0]$
- rule 2720 $\text{Int}[\text{u}_, \text{x_Symbol}] \rightarrow \text{With}\{\text{v} = \text{FunctionOfExponential}[\text{u}, \text{x}]\}, \text{Simp}[\text{v} / \text{D}[\text{v}, \text{x}] \quad \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[\text{u}, \text{x}] / \text{x}, \text{x}], \text{x}, \text{v}], \text{x}] /; \text{FunctionOfExponentialQ}[\text{u}, \text{x}] \&\& \text{!MatchQ}[\text{u}, (\text{w}_.) * ((\text{a}_.) * (\text{v}_.)^{\text{n}_.})^{\text{m}_.}] /; \text{FreeQ}\{\text{a}, \text{m}, \text{n}\}, \text{x}\} \&\& \text{IntegerQ}[\text{m} * \text{n}] \&\& \text{!MatchQ}[\text{u}, \text{E}^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * \text{x})) * (\text{F}_.)[\text{v}_.] /; \text{FreeQ}\{\text{a}, \text{b}, \text{c}\}, \text{x}\} \&\& \text{InverseFunctionQ}[\text{F}[\text{x}]]]$
- rule 3011 $\text{Int}[\text{Log}[1 + (\text{e}_.) * ((\text{F}_.)^{\text{c}_.} * ((\text{a}_.) + (\text{b}_.) * (\text{x}_.)^{\text{n}_.})))^{\text{n}_.}] * ((\text{f}_.) + (\text{g}_.) * (\text{x}_.)^{\text{m}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[-(\text{f} + \text{g} * \text{x})^{\text{m}} * (\text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}] / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}]))], \text{x}] + \text{Simp}[\text{g} * (\text{m} / (\text{b} * \text{c} * \text{n} * \text{Log}[\text{F}])) \quad \text{Int}[(\text{f} + \text{g} * \text{x})^{\text{m} - 1} * \text{PolyLog}[2, (-\text{e}) * (\text{F}^{\text{c}}(\text{a} + \text{b} * \text{x}))^{\text{n}}], \text{x}], \text{x}] /; \text{FreeQ}\{\text{F}, \text{a}, \text{b}, \text{c}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\} \&\& \text{GtQ}[\text{m}, 0]$
- rule 5719 $\text{Int}[\text{ArcCot}[(\text{c}_.) + (\text{d}_.) * \text{Tanh}[(\text{a}_.) + (\text{b}_.) * (\text{x}_.)]] * ((\text{e}_.) + (\text{f}_.) * (\text{x}_.)^{\text{m}_.}), \text{x_Symbol}] \rightarrow \text{Simp}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} * (\text{ArcCot}[\text{c} + \text{d} * \text{Tanh}[\text{a} + \text{b} * \text{x}]] / (\text{f} * (\text{m} + 1))), \text{x}] + \text{Simp}[\text{b} / (\text{f} * (\text{m} + 1)) \quad \text{Int}[(\text{e} + \text{f} * \text{x})^{\text{m} + 1} / (\text{c} - \text{d} + \text{c} * \text{E}^{(2 * \text{a} + 2 * \text{b} * \text{x})}), \text{x}], \text{x}] /; \text{FreeQ}\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}\}, \text{x}\} \&\& \text{IGtQ}[\text{m}, 0] \&\& \text{EqQ}[(\text{c} - \text{d})^2, -1]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.13 (sec) , antiderivative size = 1369, normalized size of antiderivative = 12.12

method	result	size
risch	Expression too large to display	1369

input

```
int(x*arccot(c+(I+c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/4*I*x^2*ln(2*exp(2*b*x+2*a)*c-2*I)+1/8*Pi*(csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))+csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))+csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^3-csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^3+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2-csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^3-csgn((2*exp(2*b*...
```


Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 246 vs. $2(83) = 166$.

Time = 0.12 (sec) , antiderivative size = 246, normalized size of antiderivative = 2.18

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= \frac{2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(ce^{(2bx+2a)} - i)e^{(-2bx-2a)}}{c+i}\right) + 2i a^3 - 6i bx \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right) - 6i bx \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right)}{b^2}$$

input `integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")`

output `1/12*(2*I*b^3*x^3 + 3*I*b^2*x^2*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)/(c + I)) + 2*I*a^3 - 6*I*b*x*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*b*x*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) - 3*(I*b^2*x^2 - I*a^2)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 3*(I*b^2*x^2 - I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + 6*I*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) + 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c+(I+c)*tanh(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**4 - 3*_t0**2*I*c*exp(2*a) + _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.43 (sec) , antiderivative size = 107, normalized size of antiderivative = 0.95

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx =$$

$$-\left(\frac{2x^3}{3ic - 3} - \frac{2b^2x^2 \log(ice^{(2bx+2a)} + 1) + 2bx \operatorname{Li}_2(-ice^{(2bx+2a)}) - \operatorname{Li}_3(-ice^{(2bx+2a)})}{-2b^3(-ic + 1)} \right) b(c + i)$$

$$+ \frac{1}{2} x^2 \operatorname{arccot}((c + i) \tanh(bx + a) + c)$$

input `integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")`output `-(2*x^3/(3*I*c - 3) - (2*b^2*x^2*log(I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(-I*c*e^(2*b*x + 2*a)) - polylog(3, -I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c - 2)))*b*(c + I) + 1/2*x^2*arccot((c + I)*tanh(b*x + a) + c)`**Giac [F]**

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int x \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

input `integrate(x*arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")`output `integrate(x*arccot((c + I)*tanh(b*x + a) + c), x)`**Mupad [F(-1)]**

Timed out.

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int x \operatorname{acot}(c + \tanh(a + bx) (c + li)) dx$$

input `int(x*acot(c + tanh(a + b*x)*(c + li)),x)`

output `int(x*acot(c + tanh(a + b*x)*(c + 1i)), x)`

Reduce [F]

$$\int x \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) c + \tanh(bx + a) i + c) x dx$$

input `int(x*acot(c+(I+c)*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*c + tanh(a + b*x)*i + c)*x,x)`

3.46 $\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$

Optimal result	395
Mathematica [A] (verified)	395
Rubi [A] (verified)	396
Maple [B] (verified)	398
Fricas [B] (verification not implemented)	399
Sympy [F(-2)]	399
Maxima [A] (verification not implemented)	400
Giac [F]	400
Mupad [F(-1)]	400
Reduce [F]	401

Optimal result

Integrand size = 15, antiderivative size = 79

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \frac{1}{2}ibx^2 + x \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{1}{2}ix \log(1 + ice^{2a+2bx}) - \frac{i \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b}$$

output

```
1/2*I*b*x^2+x*arccot(c+(I+c)*tanh(b*x+a))-1/2*I*x*ln(1+I*c*exp(2*b*x+2*a))
-1/4*I*polylog(2,-I*c*exp(2*b*x+2*a))/b
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.90

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = x \cot^{-1}(c + (i + c) \tanh(a + bx)) - \frac{i \left(2bx \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) \right)}{4b}$$

input `Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]], x]`

output `x*ArcCot[c + (I + c)*Tanh[a + b*x]] - ((I/4)*(2*b*x*Log[1 - I/(c*E^(2*(a + b*x)))] - PolyLog[2, I/(c*E^(2*(a + b*x))]))/b`

Rubi [A] (verified)

Time = 0.44 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.18, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5711, 25, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(c + (c + i) \tanh(a + bx)) dx \\
 & \quad \downarrow \text{5711} \\
 & b \int -\frac{x}{i - ce^{2a+2bx}} dx + x \cot^{-1}(c + (c + i) \tanh(a + bx)) \\
 & \quad \downarrow \text{25} \\
 & x \cot^{-1}(c + (c + i) \tanh(a + bx)) - b \int \frac{x}{i - ce^{2a+2bx}} dx \\
 & \quad \downarrow \text{2615} \\
 & x \cot^{-1}(c + (c + i) \tanh(a + bx)) - b \left(-ic \int \frac{e^{2a+2bx} x}{i - ce^{2a+2bx}} dx - \frac{ix^2}{2} \right) \\
 & \quad \downarrow \text{2620} \\
 & b \left(-ic \left(\frac{\int \log(i e^{2a+2bx} c + 1) dx}{2bc} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) \\
 & \quad \downarrow \text{2715} \\
 & b \left(-ic \left(\frac{\int e^{-2a-2bx} \log(i e^{2a+2bx} c + 1) de^{2a+2bx}}{4b^2c} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right)
 \end{aligned}$$

$$\begin{array}{c} \downarrow 2838 \\ b \left(-ic \left(-\frac{x \cot^{-1}(c + (c + i) \tanh(a + bx)) - \text{PolyLog}(2, -ice^{2a+2bx})}{4b^2c} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) \end{array}$$

input `Int[ArcCot[c + (I + c)*Tanh[a + b*x]],x]`

output `x*ArcCot[c + (I + c)*Tanh[a + b*x]] - b*((-1/2*I)*x^2 - I*c*(-1/2*(x*Log[1 + I*c*E^(2*a + 2*b*x)])/(b*c) - PolyLog[2, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2*c)))`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 2615 `Int[((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2715 `Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5711

```
Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] := Simp[x*Arc
Cot[c + d*Tanh[a + b*x]], x] + Simp[b Int[x/(c - d + c*E^(2*a + 2*b*x)),
x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 543 vs. $2(65) = 130$.

Time = 1.17 (sec) , antiderivative size = 544, normalized size of antiderivative = 6.89

method	result
derivativedivides	$\frac{\operatorname{arccot}(c+(i+c)\tanh(bx+a))\ln(c-(i+c)\tanh(bx+a)+i)}{2i+2c} - \frac{2i\operatorname{arccot}(c+(i+c)\tanh(bx+a))\ln(c-(i+c)\tanh(bx+a)+i)c}{2i+2c} - \operatorname{arccot}(c+(i+c)\tanh(bx+a))$
default	$\frac{\operatorname{arccot}(c+(i+c)\tanh(bx+a))\ln(c-(i+c)\tanh(bx+a)+i)}{2i+2c} - \frac{2i\operatorname{arccot}(c+(i+c)\tanh(bx+a))\ln(c-(i+c)\tanh(bx+a)+i)c}{2i+2c} - \operatorname{arccot}(c+(i+c)\tanh(bx+a))$
risch	Expression too large to display

input

```
int(arccot(c+(I+c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/b/(I+c)*(arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*ln(c-(I+c)*tanh(b*x+a)+I)
-2*I*arccot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*ln(c-(I+c)*tanh(b*x+a)+I)*c-arc
cot(c+(I+c)*tanh(b*x+a))/(2*I+2*c)*ln(c-(I+c)*tanh(b*x+a)+I)*c^2-arccot(c+
(I+c)*tanh(b*x+a))/(2*I+2*c)*ln(I+c+(I+c)*tanh(b*x+a))+2*I*arccot(c+(I+c)*
tanh(b*x+a))/(2*I+2*c)*ln(I+c+(I+c)*tanh(b*x+a))*c+arccot(c+(I+c)*tanh(b*x
+a))/(2*I+2*c)*ln(I+c+(I+c)*tanh(b*x+a))*c^2+(I+c)^2*(1/2/(I+c)*(-1/2*I*((
ln(I+c+(I+c)*tanh(b*x+a))-ln(-1/2*I*(I+c+(I+c)*tanh(b*x+a))))*ln(-1/2*I*(I
-c-(I+c)*tanh(b*x+a)))-dilog(-1/2*I*(I+c+(I+c)*tanh(b*x+a))))+1/4*I*ln(I+c
+(I+c)*tanh(b*x+a))^2-1/2/(I+c)*(-1/2*I*(dilog(-1/2*(I-c-(I+c)*tanh(b*x+a
)))/c)+ln(c-(I+c)*tanh(b*x+a)+I)*ln(-1/2*(I-c-(I+c)*tanh(b*x+a))/c))+1/2*I*
(dilog((-I-c-(I+c)*tanh(b*x+a))/(-2*I-2*c))+ln(c-(I+c)*tanh(b*x+a)+I)*ln((
-I-c-(I+c)*tanh(b*x+a))/(-2*I-2*c))))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 186 vs. $2(58) = 116$.

Time = 0.13 (sec) , antiderivative size = 186, normalized size of antiderivative = 2.35

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= \frac{i b^2 x^2 + i b x \log\left(\frac{c e^{(2bx+2a)} - i}{c+i} e^{(-2bx-2a)}\right) - i a^2 + (-i b x - i a) \log\left(\frac{1}{2} \sqrt{-4i} c e^{(bx+a)} + 1\right) + (-i b x - i a) \log\left(\frac{1}{2} \sqrt{-4i} c e^{(bx+a)} - 1\right)}{b}$$

input `integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="fricas")`

output `1/2*(I*b^2*x^2 + I*b*x*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)/(c + I)) - I*a^2 + (-I*b*x - I*a)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) + I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) - I*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) - I*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c+(I+c)*tanh(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**4 - 3*_t0**2*I*c*exp(2*a) + _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.44 (sec) , antiderivative size = 80, normalized size of antiderivative = 1.01

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx$$

$$= -2b(c + i) \left(\frac{2x^2}{2ic - 2} - \frac{2bx \log(ice^{(2bx+2a)} + 1) + \text{Li}_2(-ice^{(2bx+2a)})}{-2b^2(-ic + 1)} \right)$$

$$+ x \operatorname{arccot}((c + i) \tanh(bx + a) + c)$$

input `integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="maxima")`output `-2*b*(c + I)*(2*x^2/(2*I*c - 2) - (2*b*x*log(I*c*e^(2*b*x + 2*a) + 1) + di
log(-I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c - 2))) + x*arccot((c + I)*tanh(b*x
+ a) + c)`**Giac [F]**

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int \operatorname{arccot}((c + i) \tanh(bx + a) + c) dx$$

input `integrate(arccot(c+(I+c)*tanh(b*x+a)),x, algorithm="giac")`output `integrate(arccot((c + I)*tanh(b*x + a) + c), x)`**Mupad [F(-1)]**

Timed out.

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int \operatorname{acot}(c + \tanh(a + bx) (c + li)) dx$$

input `int(acot(c + tanh(a + b*x)*(c + li)),x)`

output `int(acot(c + tanh(a + b*x)*(c + 1i)), x)`

Reduce [F]

$$\int \cot^{-1}(c + (i + c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) c + \tanh(bx + a) i + c) dx$$

input `int(acot(c+(I+c)*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*c + tanh(a + b*x)*i + c),x)`

$$3.47 \quad \int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx$$

Optimal result	402
Mathematica [N/A]	402
Rubi [N/A]	403
Maple [N/A]	403
Fricas [N/A]	404
Sympy [F(-1)]	404
Maxima [N/A]	404
Giac [N/A]	405
Mupad [N/A]	405
Reduce [N/A]	406

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+(I+c)*tanh(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 2.80 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(i+c) \tanh(a+bx))}{x} dx$$

input `Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + (I + c)*Tanh[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c + (c + i) \tanh(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c + (c + i) \tanh(a + bx))}{x} dx$$

input `Int[ArcCot[c + (I + c)*Tanh[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\operatorname{arccot}(c + (i + c) \tanh(bx + a))}{x} dx$$

input `int(arccot(c+(I+c)*tanh(b*x+a))/x,x)`

output `int(arccot(c+(I+c)*tanh(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.89

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="fricas")`

output `integral(1/2*I*log((c*e^(2*b*x + 2*a) - I)*e^(-2*b*x - 2*a)/(c + I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+(I+c)*tanh(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 0.78 (sec) , antiderivative size = 81, normalized size of antiderivative = 4.26

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="maxima")`

output

```
-I*b*x - 1/2*pi*log(x) - 1/4*(2*pi + 4*I*a - 2*arctan(1/c) + I*log(c^2 + 1))
*log(x) + 1/2*integrate(arctan(e^(-2*b*x - 2*a)/c)/x, x) + 1/4*I*integrate
(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)
```

Giac [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \tanh(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c+(I+c)*tanh(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot((c + I)*tanh(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 0.99 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.05

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \tanh(a + bx) (c + 1i))}{x} dx$$

input

```
int(acot(c + tanh(a + b*x)*(c + 1i))/x,x)
```

output

```
int(acot(c + tanh(a + b*x)*(c + 1i))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.32

$$\int \frac{\cot^{-1}(c + (i + c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tanh(bx + a) c + \tanh(bx + a) i + c)}{x} dx$$

input `int(acot(c+(I+c)*tanh(b*x+a))/x,x)`output `int(acot(tanh(a + b*x)*c + tanh(a + b*x)*i + c)/x,x)`

3.48 $\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal result	407
Mathematica [A] (verified)	407
Rubi [A] (verified)	408
Maple [C] (warning: unable to verify)	411
Fricas [B] (verification not implemented)	412
Sympy [F(-2)]	412
Maxima [A] (verification not implemented)	413
Giac [F]	413
Mupad [F(-1)]	413
Reduce [F]	414

Optimal result

Integrand size = 22, antiderivative size = 145

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= -\frac{1}{12}ibx^4 + \frac{1}{3}x^3 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{6}ix^3 \log(1 - ice^{2a+2bx})$$

$$+ \frac{ix^2 \text{PolyLog}(2, ice^{2a+2bx})}{4b} - \frac{ix \text{PolyLog}(3, ice^{2a+2bx})}{4b^2} + \frac{i \text{PolyLog}(4, ice^{2a+2bx})}{8b^3}$$

output

$$-1/12*I*b*x^4+1/3*x^3*\text{arccot}(c-(I-c)*\tanh(b*x+a))+1/6*I*x^3*\ln(1-I*c*\exp(2*b*x+2*a))+1/4*I*x^2*\text{polylog}(2,I*c*\exp(2*b*x+2*a))/b-1/4*I*x*\text{polylog}(3,I*c*\exp(2*b*x+2*a))/b^2+1/8*I*\text{polylog}(4,I*c*\exp(2*b*x+2*a))/b^3$$

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.92

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \frac{8b^3x^3 \cot^{-1}(c + (-i + c) \tanh(a + bx)) + 4ib^3x^3 \log\left(1 + \frac{ie^{-2(a+bx)}}{c}\right) - 6ib^2x^2 \text{PolyLog}\left(2, -\frac{ie^{-2(a+bx)}}{c}\right) - \dots}{24b^3}$$

input `Integrate[x^2*ArcCot[c - (I - c)*Tanh[a + b*x]],x]`

output $(8*b^3*x^3*ArcCot[c + (-I + c)*Tanh[a + b*x]] + (4*I)*b^3*x^3*Log[1 + I/(c * E^{(2*(a + b*x)})]) - (6*I)*b^2*x^2*PolyLog[2, (-I)/(c * E^{(2*(a + b*x)})]) - (6*I)*b*x*PolyLog[3, (-I)/(c * E^{(2*(a + b*x)})]) - (3*I)*PolyLog[4, (-I)/(c * E^{(2*(a + b*x)})])]/(24*b^3)$

Rubi [A] (verified)

Time = 0.78 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.17, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5719, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx)) dx$$

$$\downarrow 5719$$

$$\frac{1}{3}b \int \frac{x^3}{e^{2a+2bx}c + i} dx + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\downarrow 2615$$

$$\frac{1}{3}b \left(ic \int \frac{e^{2a+2bx}x^3}{e^{2a+2bx}c + i} dx - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\downarrow 2620$$

$$\frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \int x^2 \log(1 - ice^{2a+2bx}) dx}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\downarrow 3011$$

$$\frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{\int x \text{PolyLog}(2, ice^{2a+2bx}) dx}{b} - \frac{x^2 \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\begin{aligned} & \downarrow 7163 \\ & \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{x \operatorname{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\int \operatorname{PolyLog}(3, ice^{2a+2bx}) dx}{b} - \frac{x^2 \operatorname{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) \\ & \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx)) \end{aligned}$$

$$\begin{aligned} & \downarrow 2720 \\ & \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{x \operatorname{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog}(3, ice^{2a+2bx}) de^{2a+2bx}}{b} - \frac{x^2 \operatorname{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) \\ & \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx)) \end{aligned}$$

$$\begin{aligned} & \downarrow 7143 \\ & \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{x \operatorname{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\operatorname{PolyLog}(4, ice^{2a+2bx})}{4b^2} - \frac{x^2 \operatorname{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right) + \\ & \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \tanh(a + bx)) \end{aligned}$$

input `Int[x^2*ArcCot[c - (I - c)*Tanh[a + b*x]],x]`

output `(x^3*ArcCot[c - (I - c)*Tanh[a + b*x]])/3 + (b*((-1/4*I)*x^4 + I*c*((x^3*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) - (3*(-1/2*(x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)]))/b + ((x*PolyLog[3, I*c*E^(2*a + 2*b*x)])/(2*b) - PolyLog[4, I*c*E^(2*a + 2*b*x)]/(4*b^2))/b))/(2*b*c)))/3`

Definitions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5719 `Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tanh[a + b*x]]/(f*(m + 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.16 (sec) , antiderivative size = 1409, normalized size of antiderivative = 9.72

method	result	size
risch	Expression too large to display	1409

input

```
int(x^2*arccot(c-(I-c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/2*I/b^3*a^3*ln(1-I*exp(b*x+a)*(-I*c)^(1/2))-1/12*Pi*(csgn(I*(2*exp(2*b*x
+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+
2*a)+1))+csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(-2*I*
exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn((-2*I*exp(2*b*
x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))+csgn((-2*I*exp(2*b*x+2*a)+2
*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I
*(2*exp(2*b*x+2*a)*c+2*I))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)
+1))-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*
a)*c))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))
-csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a
)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x
+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*exp(2*b*x+2*a)*c+2*I))*csgn(I*(2*
exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(-2*I*exp(2*b*x+2*a)+2*
exp(2*b*x+2*a)*c))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*
b*x+2*a)+1))^2-csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^3+csgn(
I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c+2*
I)/(exp(2*b*x+2*a)+1))^2+csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(
exp(2*b*x+2*a)+1))^3-csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(
2*b*x+2*a)+1))*csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*
a)+1))^2+csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 292 vs. $2(105) = 210$.

Time = 0.15 (sec) , antiderivative size = 292, normalized size of antiderivative = 2.01

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \frac{-i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)+i}}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + i a^4 - \dots}{\dots}$$

input `integrate(x^2*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")`

output `1/12*(-I*b^4*x^4 + 2*I*b^3*x^3*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I)) + 6*I*b^2*x^2*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) + 6*I*b^2*x^2*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) + I*a^4 - 2*I*a^3*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) - 2*I*a^3*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) - 12*I*b*x*polylog(3, 1/2*sqrt(4*I*c)*e^(b*x + a)) - 12*I*b*x*polylog(3, -1/2*sqrt(4*I*c)*e^(b*x + a)) - 2*(-I*b^3*x^3 - I*a^3)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - 2*(-I*b^3*x^3 - I*a^3)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + 12*I*polylog(4, 1/2*sqrt(4*I*c)*e^(b*x + a)) + 12*I*polylog(4, -1/2*sqrt(4*I*c)*e^(b*x + a)))/b^3`

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x**2*acot(c-(I-c)*tanh(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert _t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.59 (sec) , antiderivative size = 129, normalized size of antiderivative = 0.89

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \frac{1}{3} x^3 \operatorname{arccot}((c - i) \tanh(bx + a) + c) + \frac{4}{9} \left(\frac{3x^4}{4ic + 4} - \frac{4b^3 x^3 \log(-ice^{(2bx+2a)} + 1) + 6b^2 x^2 \operatorname{Li}_2(ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(ice^{(2bx+2a)}) + 3 \operatorname{Li}_4(ice^{(2bx+2a)})}{-2b^4(-ic - 1)} \right)$$

input `integrate(x^2*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="maxima")`

output

```
1/3*x^3*arccot((c - I)*tanh(b*x + a) + c) + 4/9*(3*x^4/(4*I*c + 4) - (4*b^3*x^3*log(-I*c*e^(2*b*x + 2*a) + 1) + 6*b^2*x^2*dilog(I*c*e^(2*b*x + 2*a)) - 6*b*x*polylog(3, I*c*e^(2*b*x + 2*a)) + 3*polylog(4, I*c*e^(2*b*x + 2*a)))/(b^4*(2*I*c + 2)))*b*(c - I)
```

Giac [F]

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int x^2 \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

input `integrate(x^2*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")`

output

```
integrate(x^2*arccot((c - I)*tanh(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int x^2 \operatorname{acot}(c + \tanh(a + bx) (c - i)) dx$$

input `int(x^2*acot(c + tanh(a + b*x)*(c - 1i)),x)`

output `int(x^2*acot(c + tanh(a + b*x)*(c - 1i)), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a)c - \tanh(bx + a)i + c) x^2 dx$$

input `int(x^2*acot(c-(I-c)*tanh(b*x+a)), x)`

output `int(acot(tanh(a + b*x)*c - tanh(a + b*x)*i + c)*x**2,x)`

3.49 $\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal result	415
Mathematica [A] (verified)	416
Rubi [A] (verified)	416
Maple [C] (warning: unable to verify)	419
Fricas [B] (verification not implemented)	420
Sympy [F(-2)]	420
Maxima [A] (verification not implemented)	421
Giac [F]	421
Mupad [F(-1)]	421
Reduce [F]	422

Optimal result

Integrand size = 20, antiderivative size = 116

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = -\frac{1}{6}ibx^3 + \frac{1}{2}x^2 \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{4}ix^2 \log(1 - ice^{2a+2bx}) + \frac{ix \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b} - \frac{i \operatorname{PolyLog}(3, ice^{2a+2bx})}{8b^2}$$

output

```
-1/6*I*b*x^3+1/2*x^2*arccot(c-(I-c)*tanh(b*x+a))+1/4*I*x^2*ln(1-I*c*exp(2*b*x+2*a))+1/4*I*x*polylog(2,I*c*exp(2*b*x+2*a))/b-1/8*I*polylog(3,I*c*exp(2*b*x+2*a))/b^2
```


Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.89

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \frac{2b^2 x^2 \left(2 \cot^{-1}(c + (-i + c) \tanh(a + bx)) + i \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) \right) - 2ibx \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) - i \operatorname{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c - (I - c)*Tanh[a + b*x]],x]
```

output

```
(2*b^2*x^2*(2*ArcCot[c + (-I + c)*Tanh[a + b*x]] + I*Log[1 + I/(c*E^(2*(a + b*x))])) - (2*I)*b*x*PolyLog[2, (-I)/(c*E^(2*(a + b*x)))] - I*PolyLog[3, (-I)/(c*E^(2*(a + b*x)))]/(8*b^2)
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.17, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5719, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c - (-c + i) \tanh(a + bx)) dx$$

$$\downarrow \text{5719}$$

$$\frac{1}{2}b \int \frac{x^2}{e^{2a+2bx}c+i} dx + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\downarrow \text{2615}$$

$$\frac{1}{2}b \left(ic \int \frac{e^{2a+2bx} x^2}{e^{2a+2bx}c+i} dx - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

$$\downarrow \text{2620}$$

$$\frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int x \log(1 - ice^{2a+2bx}) dx}{bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

↓ 3011

$$\frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int \text{PolyLog}(2, ice^{2a+2bx}) dx}{2b} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

↓ 2720

$$\frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int e^{-2a-2bx} \text{PolyLog}(2, ice^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

↓ 7143

$$\frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\text{PolyLog}(3, ice^{2a+2bx})}{4b^2} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

input `Int[x*ArcCot[c - (I - c)*Tanh[a + b*x]],x]`

output `(x^2*ArcCot[c - (I - c)*Tanh[a + b*x]])/2 + (b*((-1/3*I)*x^3 + I*c*((x^2*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) - (-1/2*(x*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b + PolyLog[3, I*c*E^(2*a + 2*b*x)]/(4*b^2))/(b*c)))/2`

Defintions of rubi rules used

rule 2615

```
Int[(((c._) + (d._)*(x._))^(m._)/((a._) + (b._)*((F._)^((g._)*((e._) + (f._)*(x._))))^(n._)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5719

```
Int[ArcCot[(c_) + (d_)*Tanh[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_))^(m_
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Tanh[a + b*x]]/(f*(m
+ 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)/(c - d + c*E^(2*a +
2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c -
d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.38 (sec) , antiderivative size = 1373, normalized size of antiderivative = 11.84

method	result	size
risch	Expression too large to display	1373

input `int(x*arccot(c-(I-c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)`

output

```
1/4*I/b^2*ln(1-I*c*exp(2*b*x+2*a))*a^2-1/8*Pi*(csgn(I*(2*exp(2*b*x+2*a)*c+
2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))
+csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(-2*I*exp(2*b*
x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))*csgn((-2*I*exp(2*b*x+2*a)+
2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))+csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b
*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2+csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(
2*b*x+2*a)*c+2*I))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))-csg
n(I/(exp(2*b*x+2*a)+1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c))*c
sgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))-csgn(I/
(exp(2*b*x+2*a)+1))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^2+
csgn(I/(exp(2*b*x+2*a)+1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)
/(exp(2*b*x+2*a)+1))^2+csgn(I*(2*exp(2*b*x+2*a)*c+2*I))*csgn(I*(2*exp(2*b*
x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^2-csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*
x+2*a)*c))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)
+1))^2-csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))^3+csgn(I*(2*exp
(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)+1))*csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(
2*b*x+2*a)+1))^2+csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*
x+2*a)+1))^3-csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*
a)+1))*csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^2
+csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)+1))^3+cs...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 246 vs. $2(83) = 166$.

Time = 0.14 (sec) , antiderivative size = 246, normalized size of antiderivative = 2.12

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \frac{-2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}+i}\right) - 2i a^3 + 6i bx \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + 6i bx \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) + \dots}{1}$$

input `integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")`

output

```
1/12*(-2*I*b^3*x^3 + 3*I*b^2*x^2*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I)) - 2*I*a^3 + 6*I*b*x*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) + 6*I*b*x*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) - 3*(-I*b^2*x^2 + I*a^2)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - 3*(-I*b^2*x^2 + I*a^2)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - 6*I*polylog(3, 1/2*sqrt(4*I*c)*e^(b*x + a)) - 6*I*polylog(3, -1/2*sqrt(4*I*c)*e^(b*x + a)))/b^2
```

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c-(I-c)*tanh(b*x+a)),x)`

output

```
Exception raised: CoercionFailed >> Cannot convert _t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]
```

Maxima [A] (verification not implemented)

Time = 1.40 (sec) , antiderivative size = 106, normalized size of antiderivative = 0.91

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \left(\frac{2x^3}{3ic + 3} - \frac{2b^2x^2 \log(-ice^{(2bx+2a)} + 1) + 2bx \operatorname{Li}_2(ice^{(2bx+2a)}) - \operatorname{Li}_3(ice^{(2bx+2a)})}{-2b^3(-ic - 1)} \right) b(c - i)$$

$$+ \frac{1}{2} x^2 \operatorname{arccot}((c - i) \tanh(bx + a) + c)$$

input `integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="maxima")`

output `(2*x^3/(3*I*c + 3) - (2*b^2*x^2*log(-I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(I*c*e^(2*b*x + 2*a)) - polylog(3, I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c + 2)))*b*(c - I) + 1/2*x^2*arccot((c - I)*tanh(b*x + a) + c)`

Giac [F]

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int x \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

input `integrate(x*arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot((c - I)*tanh(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int x \operatorname{acot}(c + \tanh(a + bx) (c - i)) dx$$

input `int(x*acot(c + tanh(a + b*x)*(c - 1i)),x)`

output `int(x*acot(c + tanh(a + b*x)*(c - 1i)), x)`

Reduce [F]

$$\int x \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) c - \tanh(bx + a) i + c) x dx$$

input `int(x*acot(c-(I-c)*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*c - tanh(a + b*x)*i + c)*x,x)`

3.50 $\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$

Optimal result	423
Mathematica [A] (verified)	423
Rubi [A] (verified)	424
Maple [B] (verified)	426
Fricas [B] (verification not implemented)	427
Sympy [F(-2)]	427
Maxima [A] (verification not implemented)	428
Giac [F]	428
Mupad [F(-1)]	428
Reduce [F]	429

Optimal result

Integrand size = 18, antiderivative size = 82

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = -\frac{1}{2}ibx^2 + x \cot^{-1}(c - (i - c) \tanh(a + bx)) + \frac{1}{2}ix \log(1 - ice^{2a+2bx}) + \frac{i \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b}$$

output

```
-1/2*I*b*x^2+x*arccot(c-(I-c)*tanh(b*x+a))+1/2*I*x*ln(1-I*c*exp(2*b*x+2*a))
)+1/4*I*polylog(2,I*c*exp(2*b*x+2*a))/b
```

Mathematica [A] (verified)

Time = 0.08 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.87

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = x \cot^{-1}(c + (-i + c) \tanh(a + bx)) + \frac{i \left(2bx \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) \right)}{4b}$$

input `Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]], x]`

output `x*ArcCot[c + (-I + c)*Tanh[a + b*x]] + ((I/4)*(2*b*x*Log[1 + I/(c*E^(2*(a + b*x)))] - PolyLog[2, (-I)/(c*E^(2*(a + b*x)))]))/b`

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.16, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5711, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(c - (-c + i) \tanh(a + bx)) dx \\
 & \quad \downarrow \text{5711} \\
 & b \int \frac{x}{e^{2a+2bx}c + i} dx + x \cot^{-1}(c - (-c + i) \tanh(a + bx)) \\
 & \quad \downarrow \text{2615} \\
 & b \left(ic \int \frac{e^{2a+2bx}x}{e^{2a+2bx}c + i} dx - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \tanh(a + bx)) \\
 & \quad \downarrow \text{2620} \\
 & b \left(ic \left(\frac{x \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int \log(1 - ice^{2a+2bx}) dx}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + \\
 & \quad \quad \quad i) \tanh(a + bx)) \\
 & \quad \downarrow \text{2715} \\
 & b \left(ic \left(\frac{x \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int e^{-2a-2bx} \log(1 - ice^{2a+2bx}) de^{2a+2bx}}{4b^2c} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - \\
 & \quad \quad \quad (-c + i) \tanh(a + bx)) \\
 & \quad \downarrow \text{2838}
 \end{aligned}$$

$$b \left(ic \left(\frac{\text{PolyLog}(2, ice^{2a+2bx})}{4b^2c} + \frac{x \log(1 - ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \tanh(a + bx))$$

input `Int[ArcCot[c - (I - c)*Tanh[a + b*x]],x]`

output `x*ArcCot[c - (I - c)*Tanh[a + b*x]] + b*((-1/2*I)*x^2 + I*c*((x*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) + PolyLog[2, I*c*E^(2*a + 2*b*x)]/(4*b^2*c)))`

Defintions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2715 `Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] := Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5711 `Int[ArcCot[(c_.) + (d_.)*Tanh[(a_.) + (b_.)*(x_)]], x_Symbol] := Simp[x*ArcCot[c + d*Tanh[a + b*x]], x] + Simp[b Int[x/(c - d + c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. $2(68) = 136$.

Time = 1.43 (sec) , antiderivative size = 517, normalized size of antiderivative = 6.30

method	result
derivativedivides	$-\frac{\operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)}{2i-2c} - \frac{2i\operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)c}{2i-2c} + \operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)$
default	$-\frac{\operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)}{2i-2c} - \frac{2i\operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)c}{2i-2c} + \operatorname{arccot}(c+\tanh(bx+a)(-i+c))\ln(\tanh(bx+a)(-i+c)-c+i)$
risch	Expression too large to display

input `int(arccot(c-(I-c)*tanh(b*x+a)),x,method=_RETURNVERBOSE)`

output

```
1/b/(-I+c)*(-arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(tanh(b*x+a)*(-I+c)-c+I)-2*I*arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(tanh(b*x+a)*(-I+c)-c+I)*c+arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(tanh(b*x+a)*(-I+c)-c+I)*c^2+arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+tanh(b*x+a)*(-I+c)+c)+2*I*arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+tanh(b*x+a)*(-I+c)+c)*c-arccot(c+tanh(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+tanh(b*x+a)*(-I+c)+c)*c^2-(I-c)^2*(1/2/(I-c)*(1/2*I*(dilog(-1/2*I*(tanh(b*x+a)*(-I+c)+c+I))+ln(-I+tanh(b*x+a)*(-I+c)+c)*ln(-1/2*I*(tanh(b*x+a)*(-I+c)+c+I)))-1/4*I*ln(-I+tanh(b*x+a)*(-I+c)+c)^2)-1/2/(I-c)*(1/2*I*(dilog(1/2*(tanh(b*x+a)*(-I+c)+c+I)/c)+ln(tanh(b*x+a)*(-I+c)-c+I)*ln(1/2*(tanh(b*x+a)*(-I+c)+c+I)/c))-1/2*I*(dilog((-I+tanh(b*x+a)*(-I+c)+c)/(-2*I+2*c))+ln(tanh(b*x+a)*(-I+c)-c+I)*ln((-I+tanh(b*x+a)*(-I+c)+c)/(-2*I+2*c))))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 186 vs. $2(58) = 116$.

Time = 0.11 (sec) , antiderivative size = 186, normalized size of antiderivative = 2.27

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= \frac{-i b^2 x^2 + i b x \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}+i}\right) + i a^2 + (i b x + i a) \log\left(\frac{1}{2} \sqrt{4i} c e^{(bx+a)} + 1\right) + (i b x + i a) \log\left(-\frac{1}{2} \sqrt{4i} c e^{(bx+a)} + 1\right)}{b}$$

input `integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="fricas")`

output `1/2*(-I*b^2*x^2 + I*b*x*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I)) + I*a^2 + (I*b*x + I*a)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) - I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) + I*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) + I*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c-(I-c)*tanh(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert _t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.40 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.98

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx$$

$$= 2b(c - i) \left(\frac{2x^2}{2ic + 2} - \frac{2bx \log(-ice^{(2bx+2a)} + 1) + \text{Li}_2(ice^{(2bx+2a)})}{-2b^2(-ic - 1)} \right)$$

$$+ x \operatorname{arccot}((c - i) \tanh(bx + a) + c)$$

input `integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="maxima")`

output `2*b*(c - I)*(2*x^2/(2*I*c + 2) - (2*b*x*log(-I*c*e^(2*b*x + 2*a) + 1) + di
log(I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c + 2))) + x*arccot((c - I)*tanh(b*x +
a) + c)`

Giac [F]

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int \operatorname{arccot}((c - i) \tanh(bx + a) + c) dx$$

input `integrate(arccot(c-(I-c)*tanh(b*x+a)),x, algorithm="giac")`

output `integrate(arccot((c - I)*tanh(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int \operatorname{acot}(c + \tanh(a + bx) (c - i)) dx$$

input `int(acot(c + tanh(a + b*x)*(c - 1i)),x)`

output `int(acot(c + tanh(a + b*x)*(c - 1i)), x)`

Reduce [F]

$$\int \cot^{-1}(c - (i - c) \tanh(a + bx)) dx = \int \operatorname{acot}(\tanh(bx + a) c - \tanh(bx + a) i + c) dx$$

input `int(acot(c-(I-c)*tanh(b*x+a)),x)`

output `int(acot(tanh(a + b*x)*c - tanh(a + b*x)*i + c),x)`

3.51 $\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx$

Optimal result	430
Mathematica [N/A]	430
Rubi [N/A]	431
Maple [N/A]	431
Fricas [N/A]	432
Sympy [F(-1)]	432
Maxima [N/A]	432
Giac [N/A]	433
Mupad [N/A]	433
Reduce [N/A]	434

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c-(I-c)*tanh(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 2.80 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx$$

input `Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]]/x,x]`

output `Integrate[ArcCot[c - (I - c)*Tanh[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.30 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c - (-c + i) \tanh(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c - (-c + i) \tanh(a + bx))}{x} dx$$

input `Int[ArcCot[c - (I - c)*Tanh[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.45 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{\operatorname{arccot}(c - (i - c) \tanh(bx + a))}{x} dx$$

input `int(arccot(c-(I-c)*tanh(b*x+a))/x,x)`

output `int(arccot(c-(I-c)*tanh(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.11 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.64

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="fricas")`

output `integral(1/2*I*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) + I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c-(I-c)*tanh(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 73, normalized size of antiderivative = 3.32

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \tanh(bx + a) + c)}{x} dx$$

input `integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="maxima")`

output

```
I*b*x - 1/4*(-4*I*a - 2*arctan(1/c) - I*log(c^2 + 1))*log(x) + 1/2*integrate(arctan(e^(-2*b*x - 2*a)/c)/x, x) - 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)
```

Giac [N/A]

Not integrable

Time = 0.18 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.86

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \tanh(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c-(I-c)*tanh(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot((c - I)*tanh(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.03 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \tanh(a + bx) (c - i))}{x} dx$$

input

```
int(acot(c + tanh(a + b*x)*(c - 1i))/x,x)
```

output

```
int(acot(c + tanh(a + b*x)*(c - 1i))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.18

$$\int \frac{\cot^{-1}(c - (i - c) \tanh(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\tanh(bx + a) c - \tanh(bx + a) i + c)}{x} dx$$

input `int(acot(c-(I-c)*tanh(b*x+a))/x,x)`output `int(acot(tanh(a + b*x)*c - tanh(a + b*x)*i + c)/x,x)`

3.52 $\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx$

Optimal result	435
Mathematica [B] (verified)	436
Rubi [A] (verified)	437
Maple [C] (warning: unable to verify)	441
Fricas [B] (verification not implemented)	442
Sympy [F]	443
Maxima [F]	444
Giac [F(-1)]	444
Mupad [F(-1)]	444
Reduce [F]	445

Optimal result

Integrand size = 15, antiderivative size = 299

$$\begin{aligned}
 \int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = & \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} \\
 & - \frac{(e + fx)^4 \arctan(e^{2a+2bx})}{4f} \\
 & + \frac{i(e + fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b} \\
 & - \frac{i(e + fx)^3 \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b} \\
 & - \frac{3if(e + fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{8b^2} \\
 & + \frac{3if(e + fx)^2 \operatorname{PolyLog}(3, ie^{2a+2bx})}{8b^2} \\
 & + \frac{3if^2(e + fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{8b^3} \\
 & - \frac{3if^2(e + fx) \operatorname{PolyLog}(4, ie^{2a+2bx})}{8b^3} \\
 & - \frac{3if^3 \operatorname{PolyLog}(5, -ie^{2a+2bx})}{16b^4} \\
 & + \frac{3if^3 \operatorname{PolyLog}(5, ie^{2a+2bx})}{16b^4}
 \end{aligned}$$

output

```
1/4*(f*x+e)^4*arccot(coth(b*x+a))/f-1/4*(f*x+e)^4*arctan(exp(2*b*x+2*a))/f
+1/4*I*(f*x+e)^3*polylog(2,-I*exp(2*b*x+2*a))/b-1/4*I*(f*x+e)^3*polylog(2,
I*exp(2*b*x+2*a))/b-3/8*I*f*(f*x+e)^2*polylog(3,-I*exp(2*b*x+2*a))/b^2+3/8
*I*f*(f*x+e)^2*polylog(3,I*exp(2*b*x+2*a))/b^2+3/8*I*f^2*(f*x+e)*polylog(4
,-I*exp(2*b*x+2*a))/b^3-3/8*I*f^2*(f*x+e)*polylog(4,I*exp(2*b*x+2*a))/b^3-
3/16*I*f^3*polylog(5,-I*exp(2*b*x+2*a))/b^4+3/16*I*f^3*polylog(5,I*exp(2*b
*x+2*a))/b^4
```

Mathematica [B] (verified)

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 600 vs. $2(299) = 598$.

Time = 0.20 (sec) , antiderivative size = 600, normalized size of antiderivative = 2.01

$$\int (e+fx)^3 \cot^{-1}(\coth(a+bx)) dx = \frac{1}{4}x(4e^3+6e^2fx+4ef^2x^2+f^3x^3) \cot^{-1}(\coth(a+bx)) \\ - \frac{i(8b^4e^3x \log(1-ie^{2(a+bx)}) + 12b^4e^2fx^2 \log(1-ie^{2(a+bx)}) + 8b^4ef^2x^3 \log(1-ie^{2(a+bx)}) + 2b^4f^3x^4 \log(1-ie^{2(a+bx)}))}{4}$$

input

```
Integrate[(e + f*x)^3*ArcCot[Coth[a + b*x]],x]
```

output

```
(x*(4*e^3 + 6*e^2*f*x + 4*e*f^2*x^2 + f^3*x^3)*ArcCot[Coth[a + b*x]])/4 -
((I/16)*(8*b^4*e^3*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^4*e^2*f*x^2*Log[1 -
I*E^(2*(a + b*x))] + 8*b^4*e*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] + 2*b^4*f
^3*x^4*Log[1 - I*E^(2*(a + b*x))] - 8*b^4*e^3*x*Log[1 + I*E^(2*(a + b*x))]
- 12*b^4*e^2*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 8*b^4*e*f^2*x^3*Log[1 + I
*E^(2*(a + b*x))] - 2*b^4*f^3*x^4*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*(e +
f*x)^3*PolyLog[2, (-I)*E^(2*(a + b*x))] + 4*b^3*(e + f*x)^3*PolyLog[2, I*E
^(2*(a + b*x))] + 6*b^2*e^2*f*PolyLog[3, (-I)*E^(2*(a + b*x))] + 12*b^2*e*
f^2*x*PolyLog[3, (-I)*E^(2*(a + b*x))] + 6*b^2*f^3*x^2*PolyLog[3, (-I)*E(
2*(a + b*x))] - 6*b^2*e^2*f*PolyLog[3, I*E^(2*(a + b*x))] - 12*b^2*e*f^2*x
*PolyLog[3, I*E^(2*(a + b*x))] - 6*b^2*f^3*x^2*PolyLog[3, I*E^(2*(a + b*x)
)] - 6*b*e*f^2*PolyLog[4, (-I)*E^(2*(a + b*x))] - 6*b*f^3*x*PolyLog[4, (-I
)*E^(2*(a + b*x))] + 6*b*e*f^2*PolyLog[4, I*E^(2*(a + b*x))] + 6*b*f^3*x*P
olyLog[4, I*E^(2*(a + b*x))] + 3*f^3*PolyLog[5, (-I)*E^(2*(a + b*x))] - 3*
f^3*PolyLog[5, I*E^(2*(a + b*x))])/b^4
```

Rubi [A] (verified)

Time = 1.16 (sec) , antiderivative size = 327, normalized size of antiderivative = 1.09, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.533$, Rules used = {5709, 3042, 4668, 3011, 7163, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx \\
 & \quad \downarrow \text{5709} \\
 & \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{b \int (e + fx)^4 \operatorname{sech}(2a + 2bx) dx}{4f} \\
 & \quad \downarrow \text{3042} \\
 & \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{b \int (e + fx)^4 \csc\left(2ia + 2ibx + \frac{\pi}{2}\right) dx}{4f} \\
 & \quad \downarrow \text{4668} \\
 & \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \\
 & \frac{b \left(-\frac{2if \int (e+fx)^3 \log(1-ie^{2a+2bx}) dx}{b} + \frac{2if \int (e+fx)^3 \log(1+ie^{2a+2bx}) dx}{b} + \frac{(e+fx)^4 \arctan(e^{2a+2bx})}{b} \right)}{4f} \\
 & \quad \downarrow \text{3011} \\
 & \frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \\
 & b \left(\frac{2if \left(\frac{3f \int (e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{2if \left(\frac{3f \int (e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx}) dx}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) \\
 & \quad \downarrow \text{7163}
 \end{aligned}$$

$$\frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int (e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(1, -ie^{2a+2bx})}{2b} \right)}{b}$$

4f

7163

$$\frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(4, -ie^{2a+2bx}) dx}{2b} \right)}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(2, -ie^{2a+2bx}) dx}{b} \right)}{2b} - \frac{(e+fx)^3 \operatorname{PolyLog}(1, -ie^{2a+2bx})}{2b} \right)}{b}$$

2720

$$\frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \int e^{-2a-2bx} \operatorname{PolyLog}(4, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} \right)}{b} \right)}{2b} \right)}{b} - \frac{(e+fx)^3 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b}$$

7143

$$\frac{(e + fx)^4 \cot^{-1}(\coth(a + bx))}{4f} - \frac{2if \left(\frac{3f \left(\frac{(e+fx)^2 \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(4, -ie^{2a+2bx})}{2b} - \frac{f \operatorname{PolyLog}(5, -ie^{2a+2bx})}{4b^2} \right)}{b} \right)}{2b} \right)}{b} + \frac{(e+fx)^4 \arctan(e^{2a+2bx})}{b}$$

input

```
Int[(e + f*x)^3*ArcCot[Coth[a + b*x]],x]
```


output

```
((e + f*x)^4*ArcCot[Coth[a + b*x]]/(4*f) - (b*(((e + f*x)^4*ArcTan[E^(2*a
+ 2*b*x)])/b + ((2*I)*f*(-1/2*((e + f*x)^3*PolyLog[2, (-I)*E^(2*a + 2*b*x
)])/b + (3*f*(((e + f*x)^2*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*((
e + f*x)*PolyLog[4, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[5, (-I)*E^(
2*a + 2*b*x)]/(4*b^2)))/b))/(2*b)))/b - ((2*I)*f*(-1/2*((e + f*x)^3*PolyL
og[2, I*E^(2*a + 2*b*x)])/b + (3*f*(((e + f*x)^2*PolyLog[3, I*E^(2*a + 2*b
*x)])/(2*b) - (f*((e + f*x)*PolyLog[4, I*E^(2*a + 2*b*x)])/(2*b) - (f*Pol
yLog[5, I*E^(2*a + 2*b*x)]/(4*b^2)))/b))/(2*b)))/b))/(4*f)
```

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinear
Q[u, x]
```

rule 4668

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_
))^m, x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(
I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[
1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c
+ d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c
, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

rule 5709 `Int[ArcCot[Coth[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol]
:> Simp[(e + f*x)^(m + 1)*(ArcCot[Coth[a + b*x]]/(f*(m + 1))), x] - Simp[b/
(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a,
b, e, f}, x] && IGtQ[m, 0]`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163 `Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] :> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 13.90 (sec) , antiderivative size = 3570, normalized size of antiderivative = 11.94

method	result	size
risch	Expression too large to display	3570

input `int((f*x+e)^3*arccot(coth(b*x+a)),x,method=_RETURNVERBOSE)`

output

```

1/8*I*(f*x+e)^4/f*ln(exp(2*b*x+2*a)+I)+3/16*I*f^3*polylog(5,I*exp(2*b*x+2*
a))/b^4+1/16*Pi*(csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))*csgn((1-I)*
(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))+csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(
2*b*x+2*a)-1))^2-csgn(I*(exp(2*b*x+2*a)-I))*csgn(I/(exp(2*b*x+2*a)-1))*csg
n(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+csgn(I*(exp(2*b*x+2*a)-I))*csgn
(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csgn(I*(exp(2*b*x+2*a)+I))*csg
n(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))-csgn
(I*(exp(2*b*x+2*a)+I))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-csg
n(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))*csgn((1+I)*(exp(2*b*x+2*a)-I)/(
exp(2*b*x+2*a)-1))+csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csg
n(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2-cs
gn(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-c
sgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^3+csgn(I*(exp(2*b*x+2*a)-I)/(
exp(2*b*x+2*a)-1))*csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csg
n(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-csgn(I*(exp(2*b*x+2*a)+I)/(ex
p(2*b*x+2*a)-1))*csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-csgn(
(1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-csgn((1+I)*(exp(2*b*x+2*a)-
I)/(exp(2*b*x+2*a)-1))^3+1)*(f*x+e)^4/f-3/16*I*f^3*polylog(5,-I*exp(2*b*x+
2*a))/b^4+1/2*I/b*e^3*dilog(1+exp(b*x+a)*(-1)^(3/4))+1/2*I/b*e^3*dilog(1-e
xp(b*x+a)*(-1)^(3/4))+1/2*I*e^3*ln(1+exp(b*x+a)*(-1)^(3/4))*x+1/2*I*e^3...

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1460 vs. $2(236) = 472$.

Time = 0.21 (sec) , antiderivative size = 1460, normalized size of antiderivative = 4.88

$$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = \text{Too large to display}$$

input

```
integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="fricas")
```

output

```

1/8*(24*I*f^3*polylog(5, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) +
24*I*f^3*polylog(5, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 24*I
*f^3*polylog(5, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 24*I*f^3
*polylog(5, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^4*f^3*
x^4 + 4*b^4*e*f^2*x^3 + 6*b^4*e^2*f*x^2 + 4*b^4*e^3*x)*arctan(sinh(b*x + a
)/cosh(b*x + a)) - 4*(I*b^3*f^3*x^3 + 3*I*b^3*e*f^2*x^2 + 3*I*b^3*e^2*f*x
+ I*b^3*e^3)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 4*(I*b
^3*f^3*x^3 + 3*I*b^3*e*f^2*x^2 + 3*I*b^3*e^2*f*x + I*b^3*e^3)*dilog(-1/2*s
qrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 4*(-I*b^3*f^3*x^3 - 3*I*b^3*e*
f^2*x^2 - 3*I*b^3*e^2*f*x - I*b^3*e^3)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a)
+ sinh(b*x + a))) - 4*(-I*b^3*f^3*x^3 - 3*I*b^3*e*f^2*x^2 - 3*I*b^3*e^2*f
*x - I*b^3*e^3)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + (
-I*b^4*f^3*x^4 - 4*I*b^4*e*f^2*x^3 - 6*I*b^4*e^2*f*x^2 - 4*I*b^4*e^3*x - 4
*I*a*b^3*e^3 + 6*I*a^2*b^2*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(1/2*sq
rt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^4*f^3*x^4 - 4*I*b^4*e
*f^2*x^3 - 6*I*b^4*e^2*f*x^2 - 4*I*b^4*e^3*x - 4*I*a*b^3*e^3 + 6*I*a^2*b^2
*e^2*f - 4*I*a^3*b*e*f^2 + I*a^4*f^3)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) +
sinh(b*x + a)) + 1) + (I*b^4*f^3*x^4 + 4*I*b^4*e*f^2*x^3 + 6*I*b^4*e^2*f*x
^2 + 4*I*b^4*e^3*x + 4*I*a*b^3*e^3 - 6*I*a^2*b^2*e^2*f + 4*I*a^3*b*e*f^2 -
I*a^4*f^3)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (...

```

Sympy [F]

$$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = \int (e + fx)^3 \operatorname{acot}(\coth(a + bx)) dx$$

input

```
integrate((f*x+e)**3*acot(coth(b*x+a)), x)
```

output

```
Integral((e + f*x)**3*acot(coth(a + b*x)), x)
```

Maxima [F]

$$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = \int (fx + e)^3 \operatorname{arccot}(\coth(bx + a)) dx$$

input `integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="maxima")`

output `1/4*(f^3*x^4 + 4*e*f^2*x^3 + 6*e^2*f*x^2 + 4*e^3*x)*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - integrate(1/2*(b*f^3*x^4*e^(2*a) + 4*b*e*f^2*x^3*e^(2*a) + 6*b*e^2*f*x^2*e^(2*a) + 4*b*e^3*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F(-1)]

Timed out.

$$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = \text{Timed out}$$

input `integrate((f*x+e)^3*arccot(coth(b*x+a)),x, algorithm="giac")`

output `Timed out`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(a + bx)) (e + fx)^3 dx$$

input `int(acot(coth(a + b*x))*(e + f*x)^3,x)`

output `int(acot(coth(a + b*x))*(e + f*x)^3, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^3 \cot^{-1}(\coth(a + bx)) dx &= \left(\int \operatorname{acot}(\coth(bx + a)) dx \right) e^3 \\ &+ \left(\int \operatorname{acot}(\coth(bx + a)) x^3 dx \right) f^3 \\ &+ 3 \left(\int \operatorname{acot}(\coth(bx + a)) x^2 dx \right) e f^2 \\ &+ 3 \left(\int \operatorname{acot}(\coth(bx + a)) x dx \right) e^2 f \end{aligned}$$

input `int((f*x+e)^3*acot(coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)),x)*e**3 + int(acot(coth(a + b*x))*x**3,x)*f**3 + 3
*int(acot(coth(a + b*x))*x**2,x)*e*f**2 + 3*int(acot(coth(a + b*x))*x,x)*e
**2*f`

3.53 $\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx$

Optimal result	446
Mathematica [A] (verified)	447
Rubi [A] (verified)	447
Maple [C] (warning: unable to verify)	451
Fricas [B] (verification not implemented)	452
Sympy [F]	453
Maxima [F]	453
Giac [F(-1)]	453
Mupad [F(-1)]	454
Reduce [F]	454

Optimal result

Integrand size = 15, antiderivative size = 229

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{(e + fx)^3 \arctan(e^{2a+2bx})}{3f} + \frac{i(e + fx)^2 \text{PolyLog}(2, -ie^{2a+2bx})}{4b} - \frac{i(e + fx)^2 \text{PolyLog}(2, ie^{2a+2bx})}{4b} - \frac{if(e + fx) \text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} + \frac{if(e + fx) \text{PolyLog}(3, ie^{2a+2bx})}{4b^2} + \frac{if^2 \text{PolyLog}(4, -ie^{2a+2bx})}{8b^3} - \frac{if^2 \text{PolyLog}(4, ie^{2a+2bx})}{8b^3}$$

output

```
1/3*(f*x+e)^3*arccot(coth(b*x+a))/f-1/3*(f*x+e)^3*arctan(exp(2*b*x+2*a))/f
+1/4*I*(f*x+e)^2*polylog(2,-I*exp(2*b*x+2*a))/b-1/4*I*(f*x+e)^2*polylog(2,
I*exp(2*b*x+2*a))/b-1/4*I*f*(f*x+e)*polylog(3,-I*exp(2*b*x+2*a))/b^2+1/4*I
*f*(f*x+e)*polylog(3,I*exp(2*b*x+2*a))/b^2+1/8*I*f^2*polylog(4,-I*exp(2*b*
x+2*a))/b^3-1/8*I*f^2*polylog(4,I*exp(2*b*x+2*a))/b^3
```

Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 375, normalized size of antiderivative = 1.64

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \frac{1}{3}x(3e^2 + 3efx + f^2x^2) \cot^{-1}(\coth(a + bx))$$

$$- \frac{i(12b^3e^2x \log(1 - ie^{2(a+bx)}) + 12b^3efx^2 \log(1 - ie^{2(a+bx)}) + 4b^3f^2x^3 \log(1 - ie^{2(a+bx)}) - 12b^3e^2x \log(1 + ie^{2(a+bx)}) + 12b^3efx^2 \log(1 + ie^{2(a+bx)}) + 4b^3f^2x^3 \log(1 + ie^{2(a+bx)}) - 12b^3e^2x \log(1 - ie^{2(a-bx)}) + 12b^3efx^2 \log(1 - ie^{2(a-bx)}) + 4b^3f^2x^3 \log(1 - ie^{2(a-bx)}) - 12b^3e^2x \log(1 + ie^{2(a-bx)}) + 12b^3efx^2 \log(1 + ie^{2(a-bx)}) + 4b^3f^2x^3 \log(1 + ie^{2(a-bx)})}{b^3}$$

input

```
Integrate[(e + f*x)^2*ArcCot[Coth[a + b*x]],x]
```

output

```
(x*(3*e^2 + 3*e*f*x + f^2*x^2)*ArcCot[Coth[a + b*x]])/3 - ((I/24)*(12*b^3*
e^2*x*Log[1 - I*E^(2*(a + b*x))] + 12*b^3*e*f*x^2*Log[1 - I*E^(2*(a + b*x)
)] + 4*b^3*f^2*x^3*Log[1 - I*E^(2*(a + b*x))] - 12*b^3*e^2*x*Log[1 + I*E^(
2*(a + b*x))] - 12*b^3*e*f*x^2*Log[1 + I*E^(2*(a + b*x))] - 4*b^3*f^2*x^3*
Log[1 + I*E^(2*(a + b*x))] - 6*b^2*(e + f*x)^2*PolyLog[2, (-I)*E^(2*(a + b
*x))] + 6*b^2*(e + f*x)^2*PolyLog[2, I*E^(2*(a + b*x))] + 6*b*e*f*PolyLog[
3, (-I)*E^(2*(a + b*x))] + 6*b*f^2*x*PolyLog[3, (-I)*E^(2*(a + b*x))] - 6*
b*e*f*PolyLog[3, I*E^(2*(a + b*x))] - 6*b*f^2*x*PolyLog[3, I*E^(2*(a + b*x
))] - 3*f^2*PolyLog[4, (-I)*E^(2*(a + b*x))] + 3*f^2*PolyLog[4, I*E^(2*(a
+ b*x))]))/b^3
```

Rubi [A] (verified)

Time = 0.84 (sec) , antiderivative size = 251, normalized size of antiderivative = 1.10, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.467$, Rules used = {5709, 3042, 4668, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int (e + fx)^2 \cot^{-1}(\coth(a + bx)) \, dx \\
 & \quad \downarrow \text{5709} \\
 & \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{b \int (e + fx)^3 \operatorname{sech}(2a + 2bx) \, dx}{3f} \\
 & \quad \downarrow \text{3042} \\
 & \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{b \int (e + fx)^3 \csc\left(2ia + 2ibx + \frac{\pi}{2}\right) \, dx}{3f} \\
 & \quad \downarrow \text{4668} \\
 & \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \\
 & \frac{b \left(-\frac{3if \int (e+fx)^2 \log(1-ie^{2a+2bx}) \, dx}{2b} + \frac{3if \int (e+fx)^2 \log(1+ie^{2a+2bx}) \, dx}{2b} + \frac{(e+fx)^3 \arctan(e^{2a+2bx})}{b} \right)}{3f} \\
 & \quad \downarrow \text{3011} \\
 & \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \\
 & b \left(\frac{3if \left(\frac{f \int (e+fx) \operatorname{PolyLog}(2, -ie^{2a+2bx}) \, dx}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} - \frac{3if \left(\frac{f \int (e+fx) \operatorname{PolyLog}(2, ie^{2a+2bx}) \, dx}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{2b} \right) \\
 & \quad \downarrow \text{7163} \\
 & \frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \\
 & b \left(\frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(3, -ie^{2a+2bx}) \, dx}{2b} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} - \frac{3if \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, ie^{2a+2bx})}{2b} - \frac{f \int \operatorname{PolyLog}(3, ie^{2a+2bx}) \, dx}{2b} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{2b} \right) \\
 & \quad \downarrow \text{2720}
 \end{aligned}$$

$$\frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{b \left(\frac{3f \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \int e^{-2a-2bx} \operatorname{PolyLog}(3, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} \right)}{3f} - \frac{3f \left(\frac{f \left(\frac{(e+fx)}{2b} \right)}{3f} \right)}{3f}$$

3f

7143

$$\frac{(e + fx)^3 \cot^{-1}(\coth(a + bx))}{3f} - \frac{b \left(\frac{3f \left(\frac{f \left(\frac{(e+fx) \operatorname{PolyLog}(3, -ie^{2a+2bx})}{2b} - \frac{f \operatorname{PolyLog}(4, -ie^{2a+2bx})}{4b^2} \right)}{b} - \frac{(e+fx)^2 \operatorname{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{2b} \right)}{3f} - \frac{3f \left(\frac{f \left(\frac{(e+fx)}{2b} \right)}{3f} \right)}{3f} + \frac{(e+fx)^3 \arctan(e^{2a+2bx})}{b}$$

3f

```
input Int[(e + f*x)^2*ArcCot[Coth[a + b*x]],x]
```

```
output ((e + f*x)^3*ArcCot[Coth[a + b*x]]/(3*f) - (b*(((e + f*x)^3*ArcTan[E^(2*a + 2*b*x)])/b + (((3*I)/2)*f*(-1/2*((e + f*x)^2*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + (f*(((e + f*x)*PolyLog[3, (-I)*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[4, (-I)*E^(2*a + 2*b*x)])/(4*b^2)))/b))/b - (((3*I)/2)*f*(-1/2*((e + f*x)^2*PolyLog[2, I*E^(2*a + 2*b*x)])/b + (f*(((e + f*x)*PolyLog[3, I*E^(2*a + 2*b*x)])/(2*b) - (f*PolyLog[4, I*E^(2*a + 2*b*x)])/(4*b^2)))/b))/b)/(3*f)
```

Definitions of rubi rules used

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)x)) *(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*(f_ + (g_)*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 3042 `Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4668 `Int[csc[(e_) + Pi*(k_) + (Complex[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]`

rule 5709 `Int[ArcCot[Coth[(a_) + (b_)*(x_)]]*((e_) + (f_)*(x_))^(m_), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[Coth[a + b*x]]/(f*(m + 1))), x] - Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]`

rule 7143 `Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_.)))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 8.70 (sec) , antiderivative size = 2668, normalized size of antiderivative = 11.65

method	result	size
risch	Expression too large to display	2668

input

```
int((f*x+e)^2*arccot(coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/8*I*f^2*polylog(4,-I*exp(2*b*x+2*a))/b^3+1/6*I*(f*x+e)^3/f*ln(exp(2*b*x+
2*a)+I)+1/12*Pi*(csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))*csgn((1-I)*
(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))+csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(
2*b*x+2*a)-1))^2-csgn(I*(exp(2*b*x+2*a)-I))*csgn(I/(exp(2*b*x+2*a)-1))*csg
n(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+csgn(I*(exp(2*b*x+2*a)-I))*csgn
(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csgn(I*(exp(2*b*x+2*a)+I))*csg
n(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))-csgn
(I*(exp(2*b*x+2*a)+I))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-csg
n(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))*csgn((1+I)*(exp(2*b*x+2*a)-I)/(
exp(2*b*x+2*a)-1))+csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csg
n(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2-cs
gn(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-c
sgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^3+csgn(I*(exp(2*b*x+2*a)-I)/(
exp(2*b*x+2*a)-1))*csgn((1+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csg
n(I*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-csgn(I*(exp(2*b*x+2*a)+I)/(ex
p(2*b*x+2*a)-1))*csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-csgn(
(1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^3-csgn((1+I)*(exp(2*b*x+2*a)-
I)/(exp(2*b*x+2*a)-1))^3+1)*(f*x+e)^3/f-1/8*I*f^2*polylog(4,I*exp(2*b*x+2*
a))/b^3-I*f/b^2*a^2*e*ln(1+exp(b*x+a))*(-1)^(3/4)-I*f/b^2*a^2*e*ln(1-exp(b
*x+a))*(-1)^(3/4)-I*f/b^2*a*e*dilog(1+exp(b*x+a))*(-1)^(3/4)-I*f/b^2*a*...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1002 vs. $2(180) = 360$.

Time = 0.19 (sec) , antiderivative size = 1002, normalized size of antiderivative = 4.38

$$\int (e + fx)^2 \cot^{-1}(\coth(ax + bx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="fricas")`

output

```
1/6*(-6*I*f^2*polylog(4, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) -
6*I*f^2*polylog(4, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 6*I*f
^2*polylog(4, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 6*I*f^2*po
lylog(4, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + 2*(b^3*f^2*x^3
+ 3*b^3*e*f*x^2 + 3*b^3*e^2*x)*arctan(sinh(b*x + a)/cosh(b*x + a)) - 3*(I
*b^2*f^2*x^2 + 2*I*b^2*e*f*x + I*b^2*e^2)*dilog(1/2*sqrt(4*I)*(cosh(b*x +
a) + sinh(b*x + a))) - 3*(I*b^2*f^2*x^2 + 2*I*b^2*e*f*x + I*b^2*e^2)*dilog
(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 3*(-I*b^2*f^2*x^2 - 2*I
*b^2*e*f*x - I*b^2*e^2)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a
))) - 3*(-I*b^2*f^2*x^2 - 2*I*b^2*e*f*x - I*b^2*e^2)*dilog(-1/2*sqrt(-4*I)
*(cosh(b*x + a) + sinh(b*x + a))) + (-I*b^3*f^2*x^3 - 3*I*b^3*e*f*x^2 - 3*
I*b^3*e^2*x - 3*I*a*b^2*e^2 + 3*I*a^2*b*e*f - I*a^3*f^2)*log(1/2*sqrt(4*I)
*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^3*f^2*x^3 - 3*I*b^3*e*f*x^2
- 3*I*b^3*e^2*x - 3*I*a*b^2*e^2 + 3*I*a^2*b*e*f - I*a^3*f^2)*log(-1/2*sqrt
(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^3*f^2*x^3 + 3*I*b^3*e*f*
x^2 + 3*I*b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(1/2*sq
rt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b^3*f^2*x^3 + 3*I*b^3*
e*f*x^2 + 3*I*b^3*e^2*x + 3*I*a*b^2*e^2 - 3*I*a^2*b*e*f + I*a^3*f^2)*log(-
1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (3*I*a*b^2*e^2 - 3*I
*a^2*b*e*f + I*a^3*f^2)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x ...
```

Sympy [F]

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \int (e + fx)^2 \operatorname{acot}(\coth(a + bx)) dx$$

input `integrate((f*x+e)**2*acot(coth(b*x+a)),x)`

output `Integral((e + f*x)**2*acot(coth(a + b*x)), x)`

Maxima [F]

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \int (fx + e)^2 \operatorname{arccot}(\coth(bx + a)) dx$$

input `integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="maxima")`

output `1/3*(f^2*x^3 + 3*e*f*x^2 + 3*e^2*x)*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - integrate(2/3*(b*f^2*x^3*e^(2*a) + 3*b*e*f*x^2*e^(2*a) + 3*b*e^2*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F(-1)]

Timed out.

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \text{Timed out}$$

input `integrate((f*x+e)^2*arccot(coth(b*x+a)),x, algorithm="giac")`

output `Timed out`

Mupad [F(-1)]

Timed out.

$$\int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(a + bx)) (e + fx)^2 dx$$

input `int(acot(coth(a + b*x))*(e + f*x)^2,x)`

output `int(acot(coth(a + b*x))*(e + f*x)^2, x)`

Reduce [F]

$$\begin{aligned} \int (e + fx)^2 \cot^{-1}(\coth(a + bx)) dx &= \left(\int \operatorname{acot}(\coth(bx + a)) dx \right) e^2 \\ &+ \left(\int \operatorname{acot}(\coth(bx + a)) x^2 dx \right) f^2 \\ &+ 2 \left(\int \operatorname{acot}(\coth(bx + a)) x dx \right) ef \end{aligned}$$

input `int((f*x+e)^2*acot(coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)),x)*e**2 + int(acot(coth(a + b*x))*x**2,x)*f**2 + 2*int(acot(coth(a + b*x))*x,x)*e*f`

3.54 $\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$

Optimal result	455
Mathematica [A] (verified)	456
Rubi [A] (verified)	456
Maple [C] (warning: unable to verify)	459
Fricas [B] (verification not implemented)	460
Sympy [F]	461
Maxima [F]	461
Giac [F]	461
Mupad [F(-1)]	462
Reduce [F]	462

Optimal result

Integrand size = 13, antiderivative size = 159

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{(e + fx)^2 \arctan(e^{2a+2bx})}{2f} + \frac{i(e + fx) \text{PolyLog}(2, -ie^{2a+2bx})}{4b} - \frac{i(e + fx) \text{PolyLog}(2, ie^{2a+2bx})}{4b} - \frac{if \text{PolyLog}(3, -ie^{2a+2bx})}{8b^2} + \frac{if \text{PolyLog}(3, ie^{2a+2bx})}{8b^2}$$

output

```
1/2*(f*x+e)^2*arccot(coth(b*x+a))/f-1/2*(f*x+e)^2*arctan(exp(2*b*x+2*a))/f
+1/4*I*(f*x+e)*polylog(2,-I*exp(2*b*x+2*a))/b-1/4*I*(f*x+e)*polylog(2,I*ex
p(2*b*x+2*a))/b-1/8*I*f*polylog(3,-I*exp(2*b*x+2*a))/b^2+1/8*I*f*polylog(3
,I*exp(2*b*x+2*a))/b^2
```


Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.49

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = ex \cot^{-1}(\coth(a + bx)) + \frac{1}{2}fx^2 \cot^{-1}(\coth(a + bx))$$

$$\frac{ie(2bx(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)})) - \text{PolyLog}(2, -ie^{2(a+bx)}) + \text{PolyLog}(2, ie^{2(a+bx)}))}{4b}$$

$$\frac{if(2b^2x^2 \log(1 - ie^{2(a+bx)}) - 2b^2x^2 \log(1 + ie^{2(a+bx)}) - 2bx \text{PolyLog}(2, -ie^{2(a+bx)}) + 2bx \text{PolyLog}(2, ie^{2(a+bx)}))}{8b^2}$$

input

```
Integrate[(e + f*x)*ArcCot[Coth[a + b*x]],x]
```

output

```
e*x*ArcCot[Coth[a + b*x]] + (f*x^2*ArcCot[Coth[a + b*x]])/2 - ((I/4)*e*(2*
b*x*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))]) - PolyLog[2,
(-I)*E^(2*(a + b*x))] + PolyLog[2, I*E^(2*(a + b*x))])/b - ((I/8)*f*(2*b
^2*x^2*Log[1 - I*E^(2*(a + b*x))] - 2*b^2*x^2*Log[1 + I*E^(2*(a + b*x))] -
2*b*x*PolyLog[2, (-I)*E^(2*(a + b*x))] + 2*b*x*PolyLog[2, I*E^(2*(a + b*x
))] + PolyLog[3, (-I)*E^(2*(a + b*x))] - PolyLog[3, I*E^(2*(a + b*x))])/b
^2
```

Rubi [A] (verified)

Time = 0.60 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.10, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.462$, Rules used = {5709, 3042, 4668, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx$$

$$\downarrow \text{5709}$$

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \int (e + fx)^2 \text{sech}(2a + 2bx) dx}{2f}$$

$$\downarrow \text{3042}$$

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \int (e + fx)^2 \csc(2ia + 2ibx + \frac{\pi}{2}) dx}{2f}$$

↓ 4668

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \left(-\frac{if \int (e+fx) \log(1-ie^{2a+2bx}) dx}{b} + \frac{if \int (e+fx) \log(1+ie^{2a+2bx}) dx}{b} + \frac{(e+fx)^2 \arctan(e^{2a+2bx})}{b} \right)}{2f}$$

↓ 3011

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \left(\frac{if \left(\frac{f \int \text{PolyLog}(2, -ie^{2a+2bx}) dx}{2b} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \int \text{PolyLog}(2, ie^{2a+2bx}) dx}{2b} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

↓ 2720

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \left(\frac{if \left(\frac{f \int e^{-2a-2bx} \text{PolyLog}(2, -ie^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \int e^{-2a-2bx} \text{PolyLog}(2, ie^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

↓ 7143

$$\frac{(e + fx)^2 \cot^{-1}(\coth(a + bx))}{2f} - \frac{b \left(\frac{(e+fx)^2 \arctan(e^{2a+2bx})}{b} + \frac{if \left(\frac{f \text{PolyLog}(3, -ie^{2a+2bx})}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, -ie^{2a+2bx})}{2b} \right)}{b} - \frac{if \left(\frac{f \text{PolyLog}(3, ie^{2a+2bx})}{4b^2} - \frac{(e+fx) \text{PolyLog}(2, ie^{2a+2bx})}{2b} \right)}{b} \right) + (e+fx)^2 \arctan(e^{2a+2bx})}{2f}$$

input

```
Int[(e + f*x)*ArcCot[Coth[a + b*x]], x]
```

output

```
((e + f*x)^2*ArcCot[Coth[a + b*x]]/(2*f) - (b*(((e + f*x)^2*ArcTan[E^(2*a + 2*b*x)])/b + (I*f*(-1/2*((e + f*x)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b + (f*PolyLog[3, (-I)*E^(2*a + 2*b*x)]/(4*b^2)))/b - (I*f*(-1/2*((e + f*x)*PolyLog[2, I*E^(2*a + 2*b*x)])/b + (f*PolyLog[3, I*E^(2*a + 2*b*x)]/(4*b^2)))/b))/(2*f)
```

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

rule 3042

```
Int[u_, x_Symbol] := Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]
```

rule 4668

```
Int[csc[(e_.) + Pi*(k_.) + (Complex[0, fz_])*(f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

rule 5709

```
Int[ArcCot[Coth[(a_.) + (b_.)*(x_)]]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[Coth[a + b*x]]/(f*(m + 1))), x] - Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b, e, f}, x] && IGtQ[m, 0]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_S
ymbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.41 (sec) , antiderivative size = 1776, normalized size of antiderivative = 11.17

method	result	size
risch	Expression too large to display	1776

input

```
int((f*x+e)*arccot(coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/2*I*(1/2*f*x^2+e*x)*ln(exp(2*b*x+2*a)+I)-1/4*I*f*ln(1-I*exp(2*b*x+2*a))*
x^2-1/2*I*e*ln((-I)^(1/2)-exp(b*x+a))/(-I)^(1/2))*x-1/2*I*e*ln((-I)^(1/2)
)+exp(b*x+a))/(-I)^(1/2))*x-1/2*I*e/b*dilog((-I)^(1/2)-exp(b*x+a))/(-I)^(
1/2))-1/2*I*e/b*dilog((-I)^(1/2)+exp(b*x+a))/(-I)^(1/2))+1/4*I*f/b^2*ln(1
+I*exp(2*b*x+2*a))*a^2+1/4*I*f/b*polylog(2,-I*exp(2*b*x+2*a))*x+1/4*I*f/b^
2*polylog(2,-I*exp(2*b*x+2*a))*a+1/4*I*f/b^2*a^2*ln(-exp(2*b*x+2*a)+I)+1/2
*I*e/b*ln(1+exp(b*x+a))*(-1)^(3/4))*a+1/8*I*f*polylog(3,I*exp(2*b*x+2*a))/b
^2+1/2*I*e/b*ln(1-exp(b*x+a))*(-1)^(3/4))*a-1/2*I*e/b*a*ln(-exp(2*b*x+2*a)+
I)-1/2*I*f/b^2*a^2*ln(1+exp(b*x+a))*(-1)^(3/4))-1/2*I*f/b^2*a^2*ln(1-exp(b*
x+a))*(-1)^(3/4))-1/2*I*f/b^2*a*dilog(1+exp(b*x+a))*(-1)^(3/4))-1/2*I*f/b^2*
a*dilog(1-exp(b*x+a))*(-1)^(3/4))+1/4*Pi*(csgn(I*(exp(2*b*x+2*a)+I)/(exp(2*
b*x+2*a)-1))*csgn((1-I)*(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))+csgn((1-I)*
(exp(2*b*x+2*a)+I)/(exp(2*b*x+2*a)-1))^2-csgn(I*(exp(2*b*x+2*a)-I))*csgn(I
/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+csgn(I*
(exp(2*b*x+2*a)-I))*csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))^2+csgn(I
*(exp(2*b*x+2*a)+I))*csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)+I)/
(exp(2*b*x+2*a)-1))-csgn(I*(exp(2*b*x+2*a)+I))*csgn(I*(exp(2*b*x+2*a)+I)/(
exp(2*b*x+2*a)-1))^2-csgn(I*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))*csgn((1
+I)*(exp(2*b*x+2*a)-I)/(exp(2*b*x+2*a)-1))+csgn((1+I)*(exp(2*b*x+2*a)-I)/(
exp(2*b*x+2*a)-1))^2+csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(exp(2*b*x+2*a)-...
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 600 vs. $2(130) = 260$.

Time = 0.16 (sec) , antiderivative size = 600, normalized size of antiderivative = 3.77

$$\int (e + fx) \cot^{-1}(\coth(ax + bx)) dx = \text{Too large to display}$$

input `integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="fricas")`

output

```
1/4*(2*(b^2*f*x^2 + 2*b^2*e*x)*arctan(sinh(b*x + a)/cosh(b*x + a)) - 2*(I*
b*f*x + I*b*e)*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*(I
*b*f*x + I*b*e)*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*
(-I*b*f*x - I*b*e)*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) -
2*(-I*b*f*x - I*b*e)*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)
)) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a*b*e + I*a^2*f)*log(1/2*sqrt(4*I)*
(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*f*x^2 - 2*I*b^2*e*x - 2*I*a
*b*e + I*a^2*f)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) +
(I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e - I*a^2*f)*log(1/2*sqrt(-4*I)*(cosh
(b*x + a) + sinh(b*x + a)) + 1) + (I*b^2*f*x^2 + 2*I*b^2*e*x + 2*I*a*b*e -
I*a^2*f)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (2*I*
a*b*e - I*a^2*f)*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + (2
*I*a*b*e - I*a^2*f)*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a))
+ (-2*I*a*b*e + I*a^2*f)*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x +
a)) + (-2*I*a*b*e + I*a^2*f)*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh
(b*x + a)) + 2*I*f*polylog(3, 1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)
)) + 2*I*f*polylog(3, -1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*
I*f*polylog(3, 1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) - 2*I*f*pol
ylog(3, -1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)))/b^2
```

Sympy [F]

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \int (e + fx) \operatorname{acot}(\coth(a + bx)) dx$$

input `integrate((f*x+e)*acot(coth(b*x+a)),x)`

output `Integral((e + f*x)*acot(coth(a + b*x)), x)`

Maxima [F]

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \int (fx + e) \operatorname{arccot}(\coth(bx + a)) dx$$

input `integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="maxima")`

output `1/2*(f*x^2 + 2*e*x)*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - integrate((b*f*x^2*e^(2*a) + 2*b*e*x*e^(2*a))*e^(2*b*x)/(e^(4*b*x + 4*a) + 1), x)`

Giac [F]

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \int (fx + e) \operatorname{arccot}(\coth(bx + a)) dx$$

input `integrate((f*x+e)*arccot(coth(b*x+a)),x, algorithm="giac")`

output `sage0*x`

Mupad [F(-1)]

Timed out.

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(a + bx)) (e + fx) dx$$

input `int(acot(coth(a + b*x))*(e + f*x),x)`

output `int(acot(coth(a + b*x))*(e + f*x), x)`

Reduce [F]

$$\int (e + fx) \cot^{-1}(\coth(a + bx)) dx = \left(\int \operatorname{acot}(\coth(bx + a)) dx \right) e + \left(\int \operatorname{acot}(\coth(bx + a)) x dx \right) f$$

input `int((f*x+e)*acot(coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)),x)*e + int(acot(coth(a + b*x))*x,x)*f`

3.55 $\int \cot^{-1}(\coth(a + bx)) dx$

Optimal result	463
Mathematica [A] (verified)	463
Rubi [A] (verified)	464
Maple [A] (verified)	466
Fricas [B] (verification not implemented)	466
Sympy [F]	467
Maxima [F]	467
Giac [F]	468
Mupad [F(-1)]	468
Reduce [F]	468

Optimal result

Integrand size = 7, antiderivative size = 74

$$\int \cot^{-1}(\coth(a + bx)) dx = x \cot^{-1}(\coth(a + bx)) - x \arctan(e^{2a+2bx}) + \frac{i \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b} - \frac{i \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b}$$

output

```
x*arccot(coth(b*x+a))-x*arctan(exp(2*b*x+2*a))+1/4*I*polylog(2,-I*exp(2*b*x+2*a))/b-1/4*I*polylog(2,I*exp(2*b*x+2*a))/b
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 91, normalized size of antiderivative = 1.23

$$\int \cot^{-1}(\coth(a + bx)) dx = x \cot^{-1}(\coth(a + bx)) - \frac{i(2bx(\log(1 - ie^{2(a+bx)}) - \log(1 + ie^{2(a+bx)})) - \operatorname{PolyLog}(2, -ie^{2(a+bx)}) + \operatorname{PolyLog}(2, ie^{2(a+bx)}))}{4b}$$

input

```
Integrate[ArcCot[Coth[a + b*x]],x]
```


output

```
x*ArcCot[Coth[a + b*x]] - ((1/4)*(2*b*x*(Log[1 - I*E^(2*(a + b*x))] - Log[1 + I*E^(2*(a + b*x))]) - PolyLog[2, (-I)*E^(2*(a + b*x))] + PolyLog[2, I*E^(2*(a + b*x))])/b
```

Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 80, normalized size of antiderivative = 1.08, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.714$, Rules used = {5705, 3042, 4668, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(\coth(a + bx)) dx$$

$$\downarrow 5705$$

$$x \cot^{-1}(\coth(a + bx)) - b \int x \operatorname{sech}(2a + 2bx) dx$$

$$\downarrow 3042$$

$$x \cot^{-1}(\coth(a + bx)) - b \int x \csc\left(2ia + 2ibx + \frac{\pi}{2}\right) dx$$

$$\downarrow 4668$$

$$x \cot^{-1}(\coth(a + bx)) - b \left(-\frac{i \int \log(1 - ie^{2a+2bx}) dx}{2b} + \frac{i \int \log(1 + ie^{2a+2bx}) dx}{2b} + \frac{x \arctan(e^{2a+2bx})}{b} \right)$$

$$\downarrow 2715$$

$$x \cot^{-1}(\coth(a + bx)) - b \left(-\frac{i \int e^{-2a-2bx} \log(1 - ie^{2a+2bx}) de^{2a+2bx}}{4b^2} + \frac{i \int e^{-2a-2bx} \log(1 + ie^{2a+2bx}) de^{2a+2bx}}{4b^2} + \frac{x \arctan(e^{2a+2bx})}{b} \right)$$

$$\downarrow 2838$$

$$x \cot^{-1}(\coth(a + bx)) - b \left(\frac{x \arctan(e^{2a+2bx})}{b} - \frac{i \operatorname{PolyLog}(2, -ie^{2a+2bx})}{4b^2} + \frac{i \operatorname{PolyLog}(2, ie^{2a+2bx})}{4b^2} \right)$$

input `Int[ArcCot[Coth[a + b*x]],x]`

output `x*ArcCot[Coth[a + b*x]] - b*((x*ArcTan[E^(2*a + 2*b*x)])/b - ((I/4)*PolyLog[2, (-I)*E^(2*a + 2*b*x)])/b^2 + ((I/4)*PolyLog[2, I*E^(2*a + 2*b*x)])/b^2)`

Defintions of rubi rules used

rule 2715 `Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol] :> Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] :> Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 3042 `Int[u_, x_Symbol] :> Int[DeactivateTrig[u, x], x] /; FunctionOfTrigOfLinearQ[u, x]`

rule 4668 `Int[csc[(e_) + Pi*(k_) + (Complex[0, fz_])*(f_)*(x_)]*((c_) + (d_)*(x_))^(m_), x_Symbol] :> Simp[-2*(c + d*x)^m*(ArcTanh[E^((-I)*e + f*fz*x)/E^(I*k*Pi)]/(f*fz*I)), x] + (-Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 - E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x] + Simp[d*(m/(f*fz*I)) Int[(c + d*x)^(m - 1)*Log[1 + E^((-I)*e + f*fz*x)/E^(I*k*Pi)], x], x]) /; FreeQ[{c, d, e, f, fz}, x] && IntegerQ[2*k] && IGtQ[m, 0]`

rule 5705 `Int[ArcCot[Coth[(a_) + (b_)*(x_)]], x_Symbol] :> Simp[x*ArcCot[Coth[a + b*x]], x] - Simp[b Int[x*Sech[2*a + 2*b*x], x], x] /; FreeQ[{a, b}, x]`

Maple [A] (verified)

Time = 0.75 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.42

method	result
parts	$x \operatorname{arccot}(\operatorname{coth}(bx+a)) + \frac{a \operatorname{arctan}(e^{2bx+2a}) - \frac{i(bx+a)(\ln(1-ie^{2bx+2a}) - \ln(1+ie^{2bx+2a}))}{2}}{b} + \frac{i \operatorname{dilog}(1+ie^{2bx+2a})}{4}$
derivativedivides	$\frac{\operatorname{arctanh}(\operatorname{coth}(bx+a)) \operatorname{arccot}(\operatorname{coth}(bx+a)) + \operatorname{arctan}(\operatorname{coth}(bx+a)) \operatorname{arctanh}(\operatorname{coth}(bx+a)) + \frac{\operatorname{arctan}(\operatorname{coth}(bx+a)) \ln\left(1 + \frac{i(1+i)}{\operatorname{coth}(bx+a)}\right)}{2}}{2}$
default	$\frac{\operatorname{arctanh}(\operatorname{coth}(bx+a)) \operatorname{arccot}(\operatorname{coth}(bx+a)) + \operatorname{arctan}(\operatorname{coth}(bx+a)) \operatorname{arctanh}(\operatorname{coth}(bx+a)) + \frac{\operatorname{arctan}(\operatorname{coth}(bx+a)) \ln\left(1 + \frac{i(1+i)}{\operatorname{coth}(bx+a)}\right)}{2}}{2}$
risch	Expression too large to display

```
input int(arccot(coth(b*x+a)), x, method=_RETURNVERBOSE)
```

```
output x*arccot(coth(b*x+a))+1/b*(a*arctan(exp(2*b*x+2*a))-1/2*I*(b*x+a)*(ln(1-I*exp(2*b*x+2*a))-ln(1+I*exp(2*b*x+2*a)))+1/4*I*dilog(1+I*exp(2*b*x+2*a))-1/4*I*dilog(1-I*exp(2*b*x+2*a)))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 334 vs. 2(57) = 114.

Time = 0.16 (sec) , antiderivative size = 334, normalized size of antiderivative = 4.51

$$\int \cot^{-1}(\operatorname{coth}(a+bx)) dx$$

$$= \frac{2bx \operatorname{arctan}\left(\frac{\sinh(bx+a)}{\cosh(bx+a)}\right) + (-ibx - ia) \log\left(\frac{1}{2}\sqrt{4i}(\cosh(bx+a) + \sinh(bx+a)) + 1\right) + (-ibx - ia) \log\left(\frac{1}{2}\sqrt{4i}(\cosh(bx+a) - \sinh(bx+a)) + 1\right)}{2}$$

```
input integrate(arccot(coth(b*x+a)), x, algorithm="fricas")
```

output

```

1/2*(2*b*x*arctan(sinh(b*x + a)/cosh(b*x + a)) + (-I*b*x - I*a)*log(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a)) + 1) + I*a*log(I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) + I*a*log(-I*sqrt(4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - I*a*log(I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - I*a*log(-I*sqrt(-4*I) + 2*cosh(b*x + a) + 2*sinh(b*x + a)) - I*dilog(1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(-1/2*sqrt(4*I)*(cosh(b*x + a) + sinh(b*x + a))) + I*dilog(1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))) + I*dilog(-1/2*sqrt(-4*I)*(cosh(b*x + a) + sinh(b*x + a))))/b

```

Sympy [F]

$$\int \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(a + bx)) dx$$

input

```
integrate(acot(coth(b*x+a)),x)
```

output

```
Integral(acot(coth(a + b*x)), x)
```

Maxima [F]

$$\int \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{arccot}(\coth(bx + a)) dx$$

input

```
integrate(arccot(coth(b*x+a)),x, algorithm="maxima")
```

output

```
x*arctan((e^(2*b*x + 2*a) - 1)/(e^(2*b*x + 2*a) + 1)) - 2*b*integrate(x*e^(2*b*x + 2*a)/(e^(4*b*x + 4*a) + 1), x)
```

Giac [F]

$$\int \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{arccot}(\coth(bx + a)) dx$$

input `integrate(arccot(coth(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(coth(b*x + a)), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(a + bx)) dx$$

input `int(acot(coth(a + b*x)),x)`

output `int(acot(coth(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(\coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a)) dx$$

input `int(acot(coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)),x)`

3.56 $\int \frac{\cot^{-1}(\coth(a+bx))}{e+fx} dx$

Optimal result	469
Mathematica [N/A]	469
Rubi [N/A]	470
Maple [N/A]	470
Fricas [N/A]	471
Sympy [F(-1)]	471
Maxima [N/A]	471
Giac [N/A]	472
Mupad [N/A]	472
Reduce [N/A]	472

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \text{Int}\left(\frac{\cot^{-1}(\coth(a + bx))}{e + fx}, x\right)$$

output `Defer(Int)(arccot(coth(b*x+a))/(f*x+e), x)`

Mathematica [N/A]

Not integrable

Time = 0.61 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx$$

input `Integrate[ArcCot[Coth[a + b*x]]/(e + f*x), x]`

output `Integrate[ArcCot[Coth[a + b*x]]/(e + f*x), x]`

Rubi [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx$$

input `Int[ArcCot[Coth[a + b*x]]/(e + f*x),x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.22 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(\coth(bx + a))}{fx + e} dx$$

input `int(arccot(coth(b*x+a))/(f*x+e),x)`

output `int(arccot(coth(b*x+a))/(f*x+e),x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\coth(bx + a))}{fx + e} dx$$

input `integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="fricas")`

output `integral(arccot(coth(b*x + a))/(f*x + e), x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \text{Timed out}$$

input `integrate(acot(coth(b*x+a))/(f*x+e),x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 1.68 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\coth(bx + a))}{fx + e} dx$$

input `integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="maxima")`

output `integrate(arccot(coth(b*x + a))/(f*x + e), x)`

Giac [N/A]

Not integrable

Time = 88.50 (sec) , antiderivative size = 3, normalized size of antiderivative = 0.20

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\operatorname{arccot}(\coth(bx + a))}{fx + e} dx$$

input `integrate(arccot(coth(b*x+a))/(f*x+e),x, algorithm="giac")`

output `sage0*x`

Mupad [N/A]

Not integrable

Time = 0.83 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\operatorname{acot}(\coth(a + bx))}{e + fx} dx$$

input `int(acot(coth(a + b*x))/(e + f*x),x)`

output `int(acot(coth(a + b*x))/(e + f*x), x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(\coth(a + bx))}{e + fx} dx = \int \frac{\operatorname{acot}(\coth(bx + a))}{fx + e} dx$$

input `int(acot(coth(b*x+a))/(f*x+e),x)`

output `int(acot(coth(a + b*x))/(e + f*x),x)`

3.57 $\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal result	474
Mathematica [A] (warning: unable to verify)	475
Rubi [A] (verified)	476
Maple [C] (warning: unable to verify)	480
Fricas [B] (verification not implemented)	481
Sympy [F(-1)]	482
Maxima [F]	482
Giac [F]	482
Mupad [F(-1)]	483
Reduce [F]	483

Optimal result

Integrand size = 15, antiderivative size = 351

$$\begin{aligned}
 \int x^2 \cot^{-1}(c + d \coth(a + bx)) dx &= \frac{1}{3}x^3 \cot^{-1}(c + d \coth(a + bx)) \\
 &\quad - \frac{1}{6}ix^3 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\
 &\quad + \frac{1}{6}ix^3 \log\left(1 - \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
 &\quad - \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{4b} \\
 &\quad + \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{4b} \\
 &\quad + \frac{ix \operatorname{PolyLog}\left(3, \frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{4b^2} \\
 &\quad - \frac{ix \operatorname{PolyLog}\left(3, \frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{4b^2} \\
 &\quad - \frac{i \operatorname{PolyLog}\left(4, \frac{(i-c-d)e^{2a+2bx}}{i-c+d}\right)}{8b^3} \\
 &\quad + \frac{i \operatorname{PolyLog}\left(4, \frac{(i+c+d)e^{2a+2bx}}{i+c-d}\right)}{8b^3}
 \end{aligned}$$

output

$$\begin{aligned} & \frac{1}{3}x^3 \operatorname{arccot}(c+d\coth(bx+a)) - \frac{1}{6}I x^3 \ln(1 - (I-c-d)\exp(2bx+2a)/(I-c+d)) \\ & + \frac{1}{6}I x^3 \ln(1 - (I+c+d)\exp(2bx+2a)/(I+c-d)) - \frac{1}{4}I x^2 \operatorname{polylog}(2, (I-c-d)\exp(2bx+2a)/(I-c+d)) \\ & /b + \frac{1}{4}I x^2 \operatorname{polylog}(2, (I+c+d)\exp(2bx+2a)/(I+c-d)) /b + \frac{1}{4}I x \operatorname{polylog}(3, (I-c-d)\exp(2bx+2a)/(I-c+d)) /b^2 \\ & - \frac{1}{4}I x \operatorname{polylog}(3, (I+c+d)\exp(2bx+2a)/(I+c-d)) /b^2 - \frac{1}{8}I \operatorname{polylog}(4, (I-c-d)\exp(2bx+2a)/(I-c+d)) /b^3 \\ & + \frac{1}{8}I \operatorname{polylog}(4, (I+c+d)\exp(2bx+2a)/(I+c-d)) /b^3 \end{aligned}$$
Mathematica [A] (warning: unable to verify)

Time = 0.32 (sec) , antiderivative size = 442, normalized size of antiderivative = 1.26

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \frac{1}{3}x^3 \cot^{-1}(c + d \coth(a + bx)) - \frac{d \left(4b^3 x^3 \log \left(1 - \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}} \right) - 4b^3 x^3 \log \left(1 + \frac{(1+(c+d)^2)e^{2(a+bx)}}{-1-c^2+d^2+2\sqrt{-d^2}} \right) + 6b^2 x^2 \operatorname{PolyLog} \left(2, \frac{1+c^2+2cd+d^2}{1+c^2-d^2+2\sqrt{-d^2}} \right) \right)}{24b^3 \sqrt{-d^2}}$$

input

Integrate[x^2*ArcCot[c + d*Coth[a + b*x]],x]

output

$$\begin{aligned} & (x^3 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/3 - (d(4b^3 x^3 \operatorname{Log}[1 - ((1 + (c + d)^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})] - 4b^3 x^3 \operatorname{Log}[1 + ((1 + (c + d)^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2})] + 6b^2 x^2 \operatorname{PolyLog}[2, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})] - 6b^2 x^2 \operatorname{PolyLog}[2, -(((1 + (c + d)^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2}))] - 6b x \operatorname{PolyLog}[3, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})] + 6b x \operatorname{PolyLog}[3, -(((1 + (c + d)^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2}))] - 3 \operatorname{PolyLog}[4, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 - 2\sqrt{-d^2})] + 3 \operatorname{PolyLog}[4, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})])]/(24b^3 \sqrt{-d^2})) \end{aligned}$$

Rubi [A] (verified)

Time = 1.42 (sec) , antiderivative size = 437, normalized size of antiderivative = 1.25, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5725, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x^2 \cot^{-1}(d \coth(a + bx) + c) dx \\
 & \quad \downarrow \text{5725} \\
 & -\frac{1}{3}b(1 + i(c + d)) \int \frac{e^{2a+2bx} x^3}{-c - (-c - d + i)e^{2a+2bx} + d + i} dx + \frac{1}{3}b(1 - i(c + d)) \int \frac{e^{2a+2bx} x^3}{c - (c + d + i)e^{2a+2bx} - d + i} dx + \frac{1}{3}x^3 \cot^{-1}(d \coth(a + bx) + c) \\
 & \quad \downarrow \text{2620} \\
 & -\frac{1}{3}b(1 + i(c + d)) \left(\frac{3 \int x^2 \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{2b(-c-d+i)} - \frac{x^3 \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + \\
 & \frac{1}{3}b(1 - i(c + d)) \left(\frac{3 \int x^2 \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{2b(c+d+i)} - \frac{x^3 \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + \\
 & \quad \frac{1}{3}x^3 \cot^{-1}(d \coth(a + bx) + c) \\
 & \quad \downarrow \text{3011}
 \end{aligned}$$

$$d)) \left(\frac{\frac{-\frac{1}{3}b(1+i(c+\int x \text{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) dx}{b} - \frac{x^2 \text{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b}\right)}{2b(-c-d+i)} - \frac{x^3 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)}}{2b(-c-d+i)} \right) +$$

$$d)) \left(\frac{\frac{\frac{1}{3}b(1-i(c+\int x \text{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right) dx}{b} - \frac{x^2 \text{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b}\right)}{2b(c+d+i)} - \frac{x^3 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)}}{2b(c+d+i)} \right) +$$

$$\frac{1}{3}x^3 \cot^{-1}(d \coth(a+bx) + c)$$

↓ 7163

$$d)) \left(\frac{\frac{-\frac{1}{3}b(1+i(c+\frac{x \text{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b} - \frac{\int \text{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) dx}{b} - \frac{x^2 \text{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b}\right)}{2b(-c-d+i)} - \frac{x^3 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)}}{2b(-c-d+i)} \right) +$$

$$d)) \left(\frac{\frac{\frac{1}{3}b(1-i(c+\frac{x \text{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b} - \frac{\int \text{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right) dx}{b} - \frac{x^2 \text{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b}\right)}{2b(c+d+i)} - \frac{x^3 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)}}{2b(c+d+i)} \right) +$$

$$\frac{1}{3}x^3 \cot^{-1}(d \coth(a+bx) + c)$$

↓ 2720

$$d)) \left(\frac{-\frac{1}{3}b(1+i(c + \frac{x \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) de^{2a+2bx}}{b} - \frac{x^2 \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b})}{2b(-c-d+i)} - \frac{x^3 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)} \right)$$

$$d)) \left(\frac{\frac{1}{3}b(1-i(c + \frac{x \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right) de^{2a+2bx}}{b} - \frac{x^2 \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b})}{2b(c+d+i)} - \frac{x^3 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \coth(a+bx) + c)$$

↓ 7143

$$d)) \left(\frac{-\frac{1}{3}b(1+i(c + \frac{x \operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b} - \frac{\operatorname{PolyLog}\left(4, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{x^2 \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b})}{2b(-c-d+i)} - \frac{x^3 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)} \right)$$

$$d)) \left(\frac{\frac{1}{3}b(1-i(c + \frac{x \operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b} - \frac{\operatorname{PolyLog}\left(4, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{x^2 \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b})}{2b(c+d+i)} - \frac{x^3 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)} \right)$$

$$\frac{1}{3}x^3 \cot^{-1}(d \coth(a+bx) + c)$$

input `Int[x^2*ArcCot[c + d*Coth[a + b*x]],x]`

output

$$\begin{aligned} & (x^3 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])/3 - (b(1 + I(c + d))(-1/2(x^3 \operatorname{Log}[1 \\ & - ((I - c - d)E^{(2a + 2bx)})/(I - c + d)])/(b(I - c - d)) + (3(-1/2(x^2 \operatorname{PolyLog}[2, ((I - c - d)E^{(2a + 2bx)})/(I - c + d)])/b + ((x \operatorname{PolyLog}[3, ((I - c - d)E^{(2a + 2bx)})/(I - c + d)]/(2b) - \operatorname{PolyLog}[4, ((I - c - d)E^{(2a + 2bx)})/(I - c + d)]/(4b^2))/b))/(2b(I - c - d)))/3 + (\\ & b(1 - I(c + d))(-1/2(x^3 \operatorname{Log}[1 - ((I + c + d)E^{(2a + 2bx)})/(I + c - d)])/(b(I + c + d)) + (3(-1/2(x^2 \operatorname{PolyLog}[2, ((I + c + d)E^{(2a + 2bx)})/(I + c - d)])/b + ((x \operatorname{PolyLog}[3, ((I + c + d)E^{(2a + 2bx)})/(I + c - d)]/(2b) - \operatorname{PolyLog}[4, ((I + c + d)E^{(2a + 2bx)})/(I + c - d)]/(4b^2))/b))/(2b(I + c + d)))/3 \end{aligned}$$

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_)))^(n_))]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```


rule 5725

```
Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_.)]*(d_.)]*((e_.) + (f_.)*(x_.))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Coth[a + b*x]]/(f*(m + 1))), x] + (Simp[I*b*((I - c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x))/(I - c + d - (I - c - d)*E^(2*a + 2*b*x))], x], x] - Simp[I*b*((I + c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x))/(I + c - d - (I + c + d)*E^(2*a + 2*b*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && NeQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_.))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 23.30 (sec) , antiderivative size = 6844, normalized size of antiderivative = 19.50

method	result	size
risch	Expression too large to display	6844

input

```
int(x^2*arccot(c+d*coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
result too large to display
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1269 vs. $2(259) = 518$.

Time = 0.21 (sec) , antiderivative size = 1269, normalized size of antiderivative = 3.62

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \text{Too large to display}$$

input `integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="fricas")`

output

```
1/6*(2*b^3*x^3*arctan(sinh(b*x + a)/(d*cosh(b*x + a) + c*sinh(b*x + a))) -
3*I*b^2*x^2*dilog(sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(
cosh(b*x + a) + sinh(b*x + a))) - 3*I*b^2*x^2*dilog(-sqrt((c^2 - d^2 + 2*I
*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 3*I*b^
2*x^2*dilog(sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*
x + a) + sinh(b*x + a))) + 3*I*b^2*x^2*dilog(-sqrt((c^2 - d^2 - 2*I*d + 1)
/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + I*a^3*log(2*(
c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x
+ a) + 2*(c^2 - d^2 - 2*I*d + 1)*sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d
+ d^2 + 1))) + I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2
+ 2*c*d + d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt((c^2 -
d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) - I*a^3*log(2*(c^2 + 2*c*d + d^
2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^2 -
d^2 + 2*I*d + 1)*sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) -
I*a^3*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 +
1)*sinh(b*x + a) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt((c^2 - d^2 - 2*I*d + 1)
/(c^2 - 2*c*d + d^2 + 1))) + 6*I*b*x*polylog(3, sqrt((c^2 - d^2 + 2*I*d +
1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 6*I*b*x*pol
ylog(3, -sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x +
a) + sinh(b*x + a))) - 6*I*b*x*polylog(3, sqrt((c^2 - d^2 - 2*I*d + 1)...
```

Sympy [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \text{Timed out}$$

input `integrate(x**2*acot(c+d*coth(b*x+a)),x)`

output `Timed out`

Maxima [F]

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \int x^2 \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="maxima")`

output `1/3*x^3*arctan2(e^(2*b*x + 2*a) - 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) - c + d) - 4*b*d*integrate(1/3*x^3*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) - 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \int x^2 \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(x^2*arccot(c+d*coth(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(d*coth(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \int x^2 \operatorname{acot}(c + d \coth(a + bx)) dx$$

input `int(x^2*acot(c + d*coth(a + b*x)),x)`output `int(x^2*acot(c + d*coth(a + b*x)), x)`**Reduce [F]**

$$\int x^2 \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) d + c) x^2 dx$$

input `int(x^2*acot(c+d*coth(b*x+a)),x)`output `int(acot(coth(a + b*x)*d + c)*x**2,x)`

3.58 $\int x \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal result	484
Mathematica [A] (warning: unable to verify)	485
Rubi [A] (verified)	485
Maple [C] (warning: unable to verify)	489
Fricas [B] (verification not implemented)	489
Sympy [F(-1)]	490
Maxima [F]	491
Giac [F]	491
Mupad [F(-1)]	491
Reduce [F]	492

Optimal result

Integrand size = 13, antiderivative size = 265

$$\begin{aligned}
 \int x \cot^{-1}(c + d \coth(a + bx)) dx &= \frac{1}{2}x^2 \cot^{-1}(c + d \coth(a + bx)) \\
 &\quad - \frac{1}{4}ix^2 \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) \\
 &\quad + \frac{1}{4}ix^2 \log\left(1 - \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) \\
 &\quad - \frac{ix \operatorname{PolyLog}\left(2, \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right)}{4b} \\
 &\quad + \frac{ix \operatorname{PolyLog}\left(2, \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right)}{4b} \\
 &\quad + \frac{i \operatorname{PolyLog}\left(3, \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right)}{8b^2} \\
 &\quad - \frac{i \operatorname{PolyLog}\left(3, \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right)}{8b^2}
 \end{aligned}$$

output

$$\frac{1}{2}x^2 \operatorname{arccot}(c+d \operatorname{coth}(bx+a)) - \frac{1}{4}I x^2 \ln(1 - (I-c-d) \exp(2bx+2a)/(I-c+d)) + \frac{1}{4}I x^2 \ln(1 - (I+c+d) \exp(2bx+2a)/(I+c-d)) - \frac{1}{4}I x \operatorname{polylog}(2, (I-c-d) \exp(2bx+2a)/(I-c+d))/b + \frac{1}{4}I x \operatorname{polylog}(2, (I+c+d) \exp(2bx+2a)/(I+c-d))/b + \frac{1}{8}I \operatorname{polylog}(3, (I-c-d) \exp(2bx+2a)/(I-c+d))/b^2 - \frac{1}{8}I \operatorname{polylog}(3, (I+c+d) \exp(2bx+2a)/(I+c-d))/b^2$$
Mathematica [A] (warning: unable to verify)

Time = 0.83 (sec) , antiderivative size = 334, normalized size of antiderivative = 1.26

$$\int x \cot^{-1}(c + d \operatorname{coth}(a + bx)) dx = \frac{1}{2}x^2 \cot^{-1}(c + d \operatorname{coth}(a + bx)) - \frac{d \left(2b^2 x^2 \log \left(1 - \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}} \right) - 2b^2 x^2 \log \left(1 + \frac{(1+(c+d)^2)e^{2(a+bx)}}{-1-c^2+d^2+2\sqrt{-d^2}} \right) + 2bx \operatorname{PolyLog} \left(2, \frac{(1+c^2+2cd+d^2)}{1+c^2-d^2+2\sqrt{-d^2}} \right) \right)}{8b^2}$$

input

Integrate[x*ArcCot[c + d*Coth[a + b*x]],x]

output

$$\frac{(x^2 \operatorname{ArcCot}[c + d \operatorname{Coth}[a + b x]])}{2} - \frac{(d(2b^2 x^2 \operatorname{Log}[1 - ((1 + (c + d)^2)E^{2(a + b x)})]/(1 + c^2 - d^2 + 2\sqrt{-d^2})] - 2b^2 x^2 \operatorname{Log}[1 + ((1 + (c + d)^2)E^{2(a + b x)})]/(-1 - c^2 + d^2 + 2\sqrt{-d^2})] + 2b x \operatorname{PolyLog}[2, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})] - 2b x \operatorname{PolyLog}[2, -(((1 + (c + d)^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2}))] + \operatorname{PolyLog}[3, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(1 + c^2 - d^2 + 2\sqrt{-d^2})] - \operatorname{PolyLog}[3, ((1 + c^2 + 2cd + d^2)E^{2(a + b x)})/(-1 - c^2 + d^2 + 2\sqrt{-d^2})])]}{8b^2 \sqrt{-d^2}}$$
Rubi [A] (verified)Time = 1.05 (sec) , antiderivative size = 339, normalized size of antiderivative = 1.28, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {5725, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x \cot^{-1}(d \coth(a + bx) + c) dx \\
& \quad \downarrow \text{5725} \\
& -\frac{1}{2}b(1 + i(c + d)) \int \frac{e^{2a+2bx} x^2}{-c - (-c - d + i)e^{2a+2bx} + d + i} dx + \frac{1}{2}b(1 - i(c + \\
& d)) \int \frac{e^{2a+2bx} x^2}{c - (c + d + i)e^{2a+2bx} - d + i} dx + \frac{1}{2}x^2 \cot^{-1}(d \coth(a + bx) + c) \\
& \quad \downarrow \text{2620} \\
& -\frac{1}{2}b(1 + i(c + d)) \left(\frac{\int x \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{b(-c-d+i)} - \frac{x^2 \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + \\
& \frac{1}{2}b(1 - i(c + d)) \left(\frac{\int x \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{b(c+d+i)} - \frac{x^2 \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + \\
& \frac{1}{2}x^2 \cot^{-1}(d \coth(a + bx) + c) \\
& \quad \downarrow \text{3011} \\
& -\frac{1}{2}b(1 + i(c + \\
& d)) \left(\frac{\int \text{PolyLog} \left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{2b} - \frac{x \text{PolyLog} \left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b} - \frac{x^2 \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + \\
& \frac{1}{2}b(1 - i(c + \\
& d)) \left(\frac{\int \text{PolyLog} \left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{2b} - \frac{x \text{PolyLog} \left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b} - \frac{x^2 \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + \\
& \frac{1}{2}x^2 \cot^{-1}(d \coth(a + bx) + c) \\
& \quad \downarrow \text{2720}
\end{aligned}$$

$$\begin{aligned}
 & -\frac{1}{2}b(1+i(c+ \\
 d)) & \left(\frac{\int e^{-2a-2bx} \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right) de^{2a+2bx}}{4b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b}}{b(-c-d+i)} - \frac{x^2 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)} \right) + \\
 & \frac{1}{2}b(1-i(c+ \\
 d)) & \left(\frac{\int e^{-2a-2bx} \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right) de^{2a+2bx}}{4b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b}}{b(c+d+i)} - \frac{x^2 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)} \right) + \\
 & \frac{1}{2}x^2 \cot^{-1}(d \coth(a+bx) + c)
 \end{aligned}$$

↓ 7143

$$\begin{aligned}
 & -\frac{1}{2}b(1+i(c+ \\
 d)) & \left(\frac{\operatorname{PolyLog}\left(3, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{4b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b}}{b(-c-d+i)} - \frac{x^2 \log\left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i}\right)}{2b(-c-d+i)} \right) + \\
 & \frac{1}{2}b(1-i(c+ \\
 d)) & \left(\frac{\operatorname{PolyLog}\left(3, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{4b^2} - \frac{x \operatorname{PolyLog}\left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b}}{b(c+d+i)} - \frac{x^2 \log\left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i}\right)}{2b(c+d+i)} \right) + \\
 & \frac{1}{2}x^2 \cot^{-1}(d \coth(a+bx) + c)
 \end{aligned}$$

input `Int[x*ArcCot[c + d*Coth[a + b*x]],x]`

output `(x^2*ArcCot[c + d*Coth[a + b*x]])/2 - (b*(1 + I*(c + d))*(-1/2*(x^2*Log[1 - ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d]])/(b*(I - c - d)) + (-1/2*(x*PolyLog[2, ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d]])/b + PolyLog[3, ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d]])/(4*b^2))/(b*(I - c - d)))/2 + (b*(1 - I*(c + d))*(-1/2*(x^2*Log[1 - ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d]])/(b*(I + c + d)) + (-1/2*(x*PolyLog[2, ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d]])/b + PolyLog[3, ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d]])/(4*b^2))/(b*(I + c + d)))/2`

Defintions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5725

```
Int[ArcCot[(c_) + Coth[(a_) + (b_)*(x_)]*(d_)]*((e_) + (f_)*(x_))^(m_
), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Coth[a + b*x]]/(f*(m
+ 1))), x] + (Simp[I*b*((I - c - d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E
^(2*a + 2*b*x))/(I - c + d - (I - c - d)*E^(2*a + 2*b*x))], x], x] - Simp[I*
b*((I + c + d)/(f*(m + 1))) Int[(e + f*x)^(m + 1)*(E^(2*a + 2*b*x))/(I + c
- d - (I + c + d)*E^(2*a + 2*b*x))], x], x] /; FreeQ[{a, b, c, d, e, f},
x] && IGtQ[m, 0] && NeQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 3.81 (sec) , antiderivative size = 6494, normalized size of antiderivative = 24.51

method	result	size
risch	Expression too large to display	6494

input `int(x*arccot(c+d*coth(b*x+a)),x,method=_RETURNVERBOSE)`

output `result too large to display`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 1051 vs. $2(195) = 390$.

Time = 0.20 (sec) , antiderivative size = 1051, normalized size of antiderivative = 3.97

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \text{Too large to display}$$

input `integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="fricas")`

output

```

1/4*(2*b^2*x^2*arctan(sinh(b*x + a)/(d*cosh(b*x + a) + c*sinh(b*x + a))) -
2*I*b*x*dilog(sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh
(b*x + a) + sinh(b*x + a))) - 2*I*b*x*dilog(-sqrt((c^2 - d^2 + 2*I*d + 1)/
(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) + 2*I*b*x*dilog(
sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sin
h(b*x + a))) + 2*I*b*x*dilog(-sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d +
d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - I*a^2*log(2*(c^2 + 2*c*d + d^
2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^2 -
d^2 - 2*I*d + 1)*sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) -
I*a^2*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 +
1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt((c^2 - d^2 + 2*I*d + 1)
/(c^2 - 2*c*d + d^2 + 1))) + I*a^2*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x
+ a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^2 - d^2 + 2*I*d + 1)
*sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) + I*a^2*log(2*(c^2
+ 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a
) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d +
d^2 + 1))) + (-I*b^2*x^2 + I*a^2)*log(sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 -
2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b^2*x^2 + I*a
^2)*log(-sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x +
a) + sinh(b*x + a)) + 1) + (I*b^2*x^2 - I*a^2)*log(sqrt((c^2 - d^2 - 2...

```

Sympy [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \text{Timed out}$$

input

```
integrate(x*acot(c+d*coth(b*x+a)),x)
```

output

Timed out

Maxima [F]

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \int x \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="maxima")`

output `1/2*x^2*arctan2(e^(2*b*x + 2*a) - 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) - c + d) - 2*b*d*integrate(x^2*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) - 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x)`

Giac [F]

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \int x \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(x*arccot(c+d*coth(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(d*coth(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \int x \operatorname{acot}(c + d \coth(a + bx)) dx$$

input `int(x*acot(c + d*coth(a + b*x)),x)`

output `int(x*acot(c + d*coth(a + b*x)), x)`

Reduce [F]

$$\int x \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) d + c) x dx$$

input `int(x*acot(c+d*coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)*d + c)*x,x)`

3.59 $\int \cot^{-1}(c + d \coth(a + bx)) dx$

Optimal result	493
Mathematica [A] (verified)	494
Rubi [A] (verified)	494
Maple [B] (verified)	496
Fricas [B] (verification not implemented)	497
Sympy [F]	498
Maxima [F]	499
Giac [F]	499
Mupad [F(-1)]	499
Reduce [F]	500

Optimal result

Integrand size = 11, antiderivative size = 174

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = x \cot^{-1}(c + d \coth(a + bx)) - \frac{1}{2}ix \log\left(1 - \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right) + \frac{1}{2}ix \log\left(1 - \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right) - \frac{i \operatorname{PolyLog}\left(2, \frac{(i - c - d)e^{2a+2bx}}{i - c + d}\right)}{4b} + \frac{i \operatorname{PolyLog}\left(2, \frac{(i + c + d)e^{2a+2bx}}{i + c - d}\right)}{4b}$$

output

```
x*arccot(c+d*coth(b*x+a))-1/2*I*x*ln(1-(I-c-d)*exp(2*b*x+2*a)/(I-c+d))+1/2
*I*x*ln(1-(I+c+d)*exp(2*b*x+2*a)/(I+c-d))-1/4*I*polylog(2,(I-c-d)*exp(2*b*
x+2*a)/(I-c+d))/b+1/4*I*polylog(2,(I+c+d)*exp(2*b*x+2*a)/(I+c-d))/b
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 287, normalized size of antiderivative = 1.65

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = x \cot^{-1}(c + d \coth(a + bx)) - \frac{4a\sqrt{-d^2} \arctan\left(\frac{1+c^2-d^2-(1+c^2+2cd+d^2)e^{2(a+bx)}}{2d}\right) + 2d(a + bx) \log\left(1 - \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}}\right) - 2d(a + bx) \log\left(1 + \frac{(1+(c+d)^2)e^{2(a+bx)}}{1+c^2-d^2+2\sqrt{-d^2}}\right)}{4b\sqrt{-d^2}}$$

input `Integrate[ArcCot[c + d*Coth[a + b*x]],x]`

output `x*ArcCot[c + d*Coth[a + b*x]] - (4*a*Sqrt[-d^2]*ArcTan[(1 + c^2 - d^2 - (1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(2*d)] + 2*d*(a + b*x)*Log[1 - ((1 + (c + d)^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] - 2*d*(a + b*x)*Log[1 + ((1 + (c + d)^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2])] + d*PolyLog[2, ((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(1 + c^2 - d^2 + 2*Sqrt[-d^2])] - d*PolyLog[2, -(((1 + c^2 + 2*c*d + d^2)*E^(2*(a + b*x)))/(-1 - c^2 + d^2 + 2*Sqrt[-d^2]))]/(4*b*Sqrt[-d^2])`

Rubi [A] (verified)

Time = 0.67 (sec) , antiderivative size = 237, normalized size of antiderivative = 1.36, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {5717, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(d \coth(a + bx) + c) dx$$

$$\downarrow 5717$$

$$-b(1 + i(c + d)) \int \frac{e^{2a+2bx} x}{-c - (-c - d + i)e^{2a+2bx} + d + i} dx + b(1 - i(c + d)) \int \frac{e^{2a+2bx} x}{c - (c + d + i)e^{2a+2bx} - d + i} dx + x \cot^{-1}(d \coth(a + bx) + c)$$

$$\downarrow 2620$$

$$-b(1+i(c+d)) \left(\frac{\int \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) dx}{2b(-c-d+i)} - \frac{x \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + b(1-i(c+d)) \left(\frac{\int \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) dx}{2b(c+d+i)} - \frac{x \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + x \cot^{-1}(d \coth(a+bx) + c)$$

↓ 2715

$$d) \left(\frac{\int e^{-2a-2bx} \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right) de^{2a+2bx}}{4b^2(-c-d+i)} - \frac{x \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + b(1-i(c+d)) \left(\frac{\int e^{-2a-2bx} \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right) de^{2a+2bx}}{4b^2(c+d+i)} - \frac{x \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + x \cot^{-1}(d \coth(a+bx) + c)$$

↓ 2838

$$-b(1+i(c+d)) \left(-\frac{\text{PolyLog} \left(2, \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{4b^2(-c-d+i)} - \frac{x \log \left(1 - \frac{(-c-d+i)e^{2a+2bx}}{-c+d+i} \right)}{2b(-c-d+i)} \right) + b(1-i(c+d)) \left(-\frac{\text{PolyLog} \left(2, \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{4b^2(c+d+i)} - \frac{x \log \left(1 - \frac{(c+d+i)e^{2a+2bx}}{c-d+i} \right)}{2b(c+d+i)} \right) + x \cot^{-1}(d \coth(a+bx) + c)$$

input `Int[ArcCot[c + d*Coth[a + b*x]],x]`

output `x*ArcCot[c + d*Coth[a + b*x]] - b*(1 + I*(c + d))*(-1/2*(x*Log[1 - ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d]])/(b*(I - c - d)) - PolyLog[2, ((I - c - d)*E^(2*a + 2*b*x))/(I - c + d)]/(4*b^2*(I - c - d))) + b*(1 - I*(c + d))*(-1/2*(x*Log[1 - ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d]])/(b*(I + c + d)) - PolyLog[2, ((I + c + d)*E^(2*a + 2*b*x))/(I + c - d)]/(4*b^2*(I + c + d)))`

Definitions of rubi rules used

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2715

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x
)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

rule 2838

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2
, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

rule 5717

```
Int[ArcCot[(c_) + Coth[(a_) + (b_)*(x_)]*(d_)], x_Symbol] := Simp[x*Arc
Cot[c + d*Coth[a + b*x]], x] + (Simp[I*b*(I - c - d) Int[x*(E^(2*a + 2*b*
x))/(I - c + d - (I - c - d)*E^(2*a + 2*b*x))), x], x] - Simp[I*b*(I + c + d
) Int[x*(E^(2*a + 2*b*x))/(I + c - d - (I + c + d)*E^(2*a + 2*b*x))), x],
x] /; FreeQ[{a, b, c, d}, x] && NeQ[(c - d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 351 vs. $2(150) = 300$.

Time = 2.54 (sec) , antiderivative size = 352, normalized size of antiderivative = 2.02

method	result
derivativedivides	$\frac{\operatorname{arccot}(c+d \coth(bx+a))d \ln(-d \coth(bx+a)-d)}{2} - \frac{\operatorname{arccot}(c+d \coth(bx+a))d \ln(-d \coth(bx+a)+d)}{2} - d^2 \left(\frac{i \ln(-d \coth(bx+a)+d) \ln\left(\frac{i \ln(-d \coth(bx+a)+d)}{2}\right)}{2} \right)$
default	$\frac{\operatorname{arccot}(c+d \coth(bx+a))d \ln(-d \coth(bx+a)-d)}{2} - \frac{\operatorname{arccot}(c+d \coth(bx+a))d \ln(-d \coth(bx+a)+d)}{2} - d^2 \left(\frac{i \ln(-d \coth(bx+a)+d) \ln\left(\frac{i \ln(-d \coth(bx+a)+d)}{2}\right)}{2} \right)$
risch	Expression too large to display

```
input int(arccot(c+d*coth(b*x+a)),x,method=_RETURNVERBOSE)
```

```
output 1/b/d*(1/2*arccot(c+d*coth(b*x+a))*d*ln(-d*coth(b*x+a)-d)-1/2*arccot(c+d*coth(b*x+a))*d*ln(-d*coth(b*x+a)+d)-1/2*d^2*(1/d*(1/2*I*ln(-d*coth(b*x+a)+d))*ln((I+d*coth(b*x+a)+c)/(I+c+d))-1/2*I*ln(-d*coth(b*x+a)+d)*ln((I-d*coth(b*x+a)-c)/(I-c-d))+1/2*I*dilog((I+d*coth(b*x+a)+c)/(I+c+d))-1/2*I*dilog((I-d*coth(b*x+a)-c)/(I-c-d)))-1/d*(1/2*I*ln(-d*coth(b*x+a)-d)*ln((I+d*coth(b*x+a)+c)/(I+c-d))-1/2*I*ln(-d*coth(b*x+a)-d)*ln((I-d*coth(b*x+a)-c)/(I-c+d)))+1/2*I*dilog((I+d*coth(b*x+a)+c)/(I+c-d))-1/2*I*dilog((I-d*coth(b*x+a)-c)/(I-c+d))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 813 vs. 2(128) = 256.

Time = 0.24 (sec) , antiderivative size = 813, normalized size of antiderivative = 4.67

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \text{Too large to display}$$

```
input integrate(arccot(c+d*coth(b*x+a)),x, algorithm="fricas")
```

output

```

1/2*(2*b*x*arctan(sinh(b*x + a)/(d*cosh(b*x + a) + c*sinh(b*x + a))) + I*a
*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*s
inh(b*x + a) + 2*(c^2 - d^2 - 2*I*d + 1)*sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2
- 2*c*d + d^2 + 1))) + I*a*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) +
2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) - 2*(c^2 - d^2 - 2*I*d + 1)*sqrt((
c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))) - I*a*log(2*(c^2 + 2*c*d
+ d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2 + 1)*sinh(b*x + a) + 2*(c^
2 - d^2 + 2*I*d + 1)*sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))
) - I*a*log(2*(c^2 + 2*c*d + d^2 + 1)*cosh(b*x + a) + 2*(c^2 + 2*c*d + d^2
+ 1)*sinh(b*x + a) - 2*(c^2 - d^2 + 2*I*d + 1)*sqrt((c^2 - d^2 - 2*I*d +
1)/(c^2 - 2*c*d + d^2 + 1))) + (-I*b*x - I*a)*log(sqrt((c^2 - d^2 + 2*I*d
+ 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (-I*b
*x - I*a)*log(-sqrt((c^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh
(b*x + a) + sinh(b*x + a)) + 1) + (I*b*x + I*a)*log(sqrt((c^2 - d^2 - 2*I*
d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a)) + 1) + (I*
b*x + I*a)*log(-sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cos
h(b*x + a) + sinh(b*x + a)) + 1) - I*dilog(sqrt((c^2 - d^2 + 2*I*d + 1)/(c
^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x + a))) - I*dilog(-sqrt((c
^2 - d^2 + 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(cosh(b*x + a) + sinh(b*x +
a))) + I*dilog(sqrt((c^2 - d^2 - 2*I*d + 1)/(c^2 - 2*c*d + d^2 + 1))*(...

```

Sympy [F]

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{acot}(c + d \coth(a + bx)) dx$$

input

```
integrate(acot(c+d*coth(b*x+a)),x)
```

output

```
Integral(acot(c + d*coth(a + b*x)), x)
```

Maxima [F]

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(arccot(c+d*coth(b*x+a)),x, algorithm="maxima")`

output `-4*b*d*integrate(x*e^(2*b*x + 2*a)/(c^2 - 2*c*d + d^2 + (c^2*e^(4*a) + 2*c*d*e^(4*a) + d^2*e^(4*a) + e^(4*a))*e^(4*b*x) - 2*(c^2*e^(2*a) - d^2*e^(2*a) + e^(2*a))*e^(2*b*x) + 1), x) + x*arctan2(e^(2*b*x + 2*a) - 1, (c*e^(2*a) + d*e^(2*a))*e^(2*b*x) - c + d)`

Giac [F]

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{arccot}(d \coth(bx + a) + c) dx$$

input `integrate(arccot(c+d*coth(b*x+a)),x, algorithm="giac")`

output `integrate(arccot(d*coth(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{acot}(c + d \coth(a + bx)) dx$$

input `int(acot(c + d*coth(a + b*x)),x)`

output `int(acot(c + d*coth(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(c + d \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) d + c) dx$$

input `int(acot(c+d*coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)*d + c),x)`

3.60 $\int \frac{\cot^{-1}(c+d \coth(a+bx))}{x} dx$

Optimal result	501
Mathematica [N/A]	501
Rubi [N/A]	502
Maple [N/A]	502
Fricas [N/A]	503
Sympy [F(-1)]	503
Maxima [N/A]	503
Giac [N/A]	504
Mupad [N/A]	504
Reduce [N/A]	504

Optimal result

Integrand size = 15, antiderivative size = 15

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c + d \coth(a + bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+d*coth(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 3.38 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx$$

input `Integrate[ArcCot[c + d*Coth[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + d*Coth[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(d \coth(a + bx) + c)}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(d \coth(a + bx) + c)}{x} dx$$

input `Int[ArcCot[c + d*Coth[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.21 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.00

$$\int \frac{\operatorname{arccot}(c + d \coth(bx + a))}{x} dx$$

input `int(arccot(c+d*coth(b*x+a))/x,x)`

output `int(arccot(c+d*coth(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.10 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="fricas")`

output `integral(arccot(d*coth(b*x + a) + c)/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+d*coth(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 1.07 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="maxima")`

output `integrate(arccot(d*coth(b*x + a) + c)/x, x)`

Giac [N/A]

Not integrable

Time = 0.37 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}(d \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+d*coth(b*x+a))/x,x, algorithm="giac")`

output `integrate(arccot(d*coth(b*x + a) + c)/x, x)`

Mupad [N/A]

Not integrable

Time = 0.86 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + d \coth(a + bx))}{x} dx$$

input `int(acot(c + d*coth(a + b*x))/x,x)`

output `int(acot(c + d*coth(a + b*x))/x, x)`

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.13

$$\int \frac{\cot^{-1}(c + d \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\coth(bx + a) d + c)}{x} dx$$

input `int(acot(c+d*coth(b*x+a))/x,x)`

output `int(acot(coth(a + b*x)*d + c)/x,x)`

3.61 $\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal result	506
Mathematica [A] (verified)	506
Rubi [A] (verified)	507
Maple [C] (warning: unable to verify)	510
Fricas [B] (verification not implemented)	511
Sympy [F(-2)]	512
Maxima [A] (verification not implemented)	512
Giac [F]	513
Mupad [F(-1)]	513
Reduce [F]	513

Optimal result

Integrand size = 19, antiderivative size = 142

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= \frac{1}{12} ibx^4 + \frac{1}{3} x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{6} ix^3 \log(1 - ice^{2a+2bx})$$

$$- \frac{ix^2 \text{PolyLog}(2, ice^{2a+2bx})}{4b} + \frac{ix \text{PolyLog}(3, ice^{2a+2bx})}{4b^2} - \frac{i \text{PolyLog}(4, ice^{2a+2bx})}{8b^3}$$

output

```
1/12*I*b*x^4+1/3*x^3*arccot(c+(I+c)*coth(b*x+a))-1/6*I*x^3*ln(1-I*c*exp(2*b*x+2*a))-1/4*I*x^2*polylog(2,I*c*exp(2*b*x+2*a))/b+1/4*I*x*polylog(3,I*c*exp(2*b*x+2*a))/b^2-1/8*I*polylog(4,I*c*exp(2*b*x+2*a))/b^3
```

Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.94

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= \frac{8b^3 x^3 \cot^{-1}(c + (i + c) \coth(a + bx)) - 4ib^3 x^3 \log\left(1 + \frac{ie^{-2(a+bx)}}{c}\right) + 6ib^2 x^2 \text{PolyLog}\left(2, -\frac{ie^{-2(a+bx)}}{c}\right) + 6ibx \text{PolyLog}\left(3, -\frac{ie^{-2(a+bx)}}{c}\right) + 6i \text{PolyLog}\left(4, -\frac{ie^{-2(a+bx)}}{c}\right)}{24b^3}$$

input `Integrate[x^2*ArcCot[c + (I + c)*Coth[a + b*x]],x]`

output $(8*b^3*x^3*ArcCot[c + (I + c)*Coth[a + b*x]] - (4*I)*b^3*x^3*Log[1 + I/(c*E^{2*(a + b*x)})] + (6*I)*b^2*x^2*PolyLog[2, (-I)/(c*E^{2*(a + b*x)})] + (6*I)*b*x*PolyLog[3, (-I)/(c*E^{2*(a + b*x)})] + (3*I)*PolyLog[4, (-I)/(c*E^{2*(a + b*x)})])/(24*b^3)$

Rubi [A] (verified)

Time = 0.81 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.18, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.421$, Rules used = {5721, 25, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) dx$$

$$\downarrow 5721$$

$$\frac{1}{3}b \int -\frac{x^3}{e^{2a+2bx}c+i} dx + \frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx))$$

$$\downarrow 25$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \int \frac{x^3}{e^{2a+2bx}c+i} dx$$

$$\downarrow 2615$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \int \frac{e^{2a+2bx}x^3}{e^{2a+2bx}c+i} dx - \frac{ix^4}{4} \right)$$

$$\downarrow 2620$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \int x^2 \log(1 - ice^{2a+2bx}) dx}{2bc} \right) - \frac{ix^4}{4} \right)$$

$$\downarrow 3011$$

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{\int x \text{PolyLog}(2, ice^{2a+2bx}) dx}{b} - \frac{x^2 \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 7163

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{\frac{x \text{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\int \text{PolyLog}(3, ice^{2a+2bx}) dx}{b}}{2b} - \frac{x^2 \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right)$$

↓ 2720

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{\frac{x \text{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\int e^{-2a-2bx} \text{PolyLog}(3, ice^{2a+2bx}) de^{2a+2bx}}{b}}{2b} - \frac{x^2 \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) \right)$$

↓ 7143

$$\frac{1}{3}x^3 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{3}b \left(ic \left(\frac{x^3 \log(1 - ice^{2a+2bx})}{2bc} - \frac{3 \left(\frac{\frac{x \text{PolyLog}(3, ice^{2a+2bx})}{2b} - \frac{\text{PolyLog}(4, ice^{2a+2bx})}{4b^2}}{b} - \frac{x^2 \text{PolyLog}(2, ice^{2a+2bx})}{2b} \right)}{2bc} \right) - \frac{ix^4}{4} \right)$$

input `Int[x^2*ArcCot[c + (I + c)*Coth[a + b*x]],x]`

output `(x^3*ArcCot[c + (I + c)*Coth[a + b*x]])/3 - (b*((-1/4*I)*x^4 + I*c*((x^3*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) - (3*(-1/2*(x^2*PolyLog[2, I*c*E^(2*a + 2*b*x)]))/b + ((x*PolyLog[3, I*c*E^(2*a + 2*b*x)])/(2*b) - PolyLog[4, I*c*E^(2*a + 2*b*x)]/(4*b^2))/b))/(2*b*c)))/3`

Defintions of rubi rules used

- rule 25 $\text{Int}[-(\text{Fx}_), \text{x_Symbol}] \rightarrow \text{Simp}[\text{Identity}[-1] \quad \text{Int}[\text{Fx}, \text{x}], \text{x}]$
- rule 2615 $\text{Int}[\left(\left(\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right) / \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)^{\left(\text{n}_.\right)}\right)\right), \text{x_Symbol}] \rightarrow \text{Simp}[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\text{m} + 1} / \left(\text{a} \cdot \text{d} \cdot \left(\text{m} + 1\right)\right), \text{x}] - \text{Simp}\left[\frac{\text{b}}{\text{a}} \quad \text{Int}\left[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\text{m}} \cdot \left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \left(\text{a} + \text{b} \cdot \left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}}\right), \text{x}\right] \right], \text{x}] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\right] \&\& \text{IGtQ}\left[\text{m}, 0\right]$
- rule 2620 $\text{Int}[\left(\left(\left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)} \cdot \left(\left(\text{c}_.\right) + \left(\text{d}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right) / \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\text{F}_.\right)^{\left(\left(\text{g}_.\right) \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)\right)\right)^{\left(\text{n}_.\right)}\right)\right), \text{x_Symbol}] \rightarrow \text{Simp}\left[\left(\left(\text{c} + \text{d} \cdot \text{x}\right)^{\text{m}} / \left(\text{b} \cdot \text{f} \cdot \text{g} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right) \cdot \text{Log}\left[1 + \text{b} \cdot \left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \text{a}\right], \text{x}\right] - \text{Simp}\left[\text{d} \cdot \left(\text{m} / \left(\text{b} \cdot \text{f} \cdot \text{g} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right) \quad \text{Int}\left[\left(\text{c} + \text{d} \cdot \text{x}\right)^{\left(\text{m} - 1\right)} \cdot \text{Log}\left[1 + \text{b} \cdot \left(\text{F}^{\left(\text{g} \cdot \left(\text{e} + \text{f} \cdot \text{x}\right)\right)}\right)^{\text{n}} / \text{a}\right], \text{x}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\right] \&\& \text{IGtQ}\left[\text{m}, 0\right]$
- rule 2720 $\text{Int}\left[\text{u}_., \text{x_Symbol}\right] \rightarrow \text{With}\left[\left\{\text{v} = \text{FunctionOfExponential}\left[\text{u}, \text{x}\right]\right\}, \text{Simp}\left[\text{v} / \text{D}\left[\text{v}, \text{x}\right] \quad \text{Subst}\left[\text{Int}\left[\text{FunctionOfExponentialFunction}\left[\text{u}, \text{x}\right] / \text{x}, \text{x}\right], \text{x}, \text{v}\right], \text{x}\right] \text{ ; FunctionOfExponentialQ}\left[\text{u}, \text{x}\right] \&\& \text{!MatchQ}\left[\text{u}, \left(\text{w}_.\right) \cdot \left(\left(\text{a}_.\right) \cdot \left(\text{v}_.\right)^{\left(\text{n}_.\right)}\right)^{\left(\text{m}_.\right)}\right] \text{ ; FreeQ}\left[\{\text{a}, \text{m}, \text{n}\}, \text{x}\right] \&\& \text{IntegerQ}\left[\text{m} \cdot \text{n}\right] \&\& \text{!MatchQ}\left[\text{u}, \text{E}^{\left(\left(\text{c}_.\right) \cdot \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \text{x}\right)\right)} \cdot \left(\text{F}_.\right)\left[\text{v}_.\right]\right] \text{ ; FreeQ}\left[\{\text{a}, \text{b}, \text{c}\}, \text{x}\right] \&\& \text{InverseFunctionQ}\left[\text{F}\left[\text{x}\right]\right]$
- rule 3011 $\text{Int}\left[\text{Log}\left[1 + \left(\text{e}_.\right) \cdot \left(\left(\text{F}_.\right)^{\left(\left(\text{c}_.\right) \cdot \left(\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\text{x}_.\right)\right)\right)\right)^{\left(\text{n}_.\right)}\right] \cdot \left(\left(\text{f}_.\right) + \left(\text{g}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right), \text{x_Symbol}] \rightarrow \text{Simp}\left[\left(-\left(\text{f} + \text{g} \cdot \text{x}\right)^{\text{m}} \cdot \left(\text{PolyLog}\left[2, \left(-\text{e}\right) \cdot \left(\text{F}^{\left(\text{c} \cdot \left(\text{a} + \text{b} \cdot \text{x}\right)\right)}\right)^{\text{n}}\right] / \left(\text{b} \cdot \text{c} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right), \text{x}\right] + \text{Simp}\left[\text{g} \cdot \left(\text{m} / \left(\text{b} \cdot \text{c} \cdot \text{n} \cdot \text{Log}\left[\text{F}\right]\right)\right) \quad \text{Int}\left[\left(\text{f} + \text{g} \cdot \text{x}\right)^{\left(\text{m} - 1\right)} \cdot \text{PolyLog}\left[2, \left(-\text{e}\right) \cdot \left(\text{F}^{\left(\text{c} \cdot \left(\text{a} + \text{b} \cdot \text{x}\right)\right)}\right)^{\text{n}}\right], \text{x}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{F}, \text{a}, \text{b}, \text{c}, \text{e}, \text{f}, \text{g}, \text{n}\}, \text{x}\right] \&\& \text{GtQ}\left[\text{m}, 0\right]$
- rule 5721 $\text{Int}\left[\text{ArcCot}\left[\left(\text{c}_.\right) + \text{Coth}\left[\left(\text{a}_.\right) + \left(\text{b}_.\right) \cdot \left(\text{x}_.\right)\right] \cdot \left(\text{d}_.\right)\right] \cdot \left(\left(\text{e}_.\right) + \left(\text{f}_.\right) \cdot \left(\text{x}_.\right)^{\left(\text{m}_.\right)}\right), \text{x_Symbol}] \rightarrow \text{Simp}\left[\left(\text{e} + \text{f} \cdot \text{x}\right)^{\text{m} + 1} \cdot \left(\text{ArcCot}\left[\text{c} + \text{d} \cdot \text{Coth}\left[\text{a} + \text{b} \cdot \text{x}\right]\right] / \left(\text{f} \cdot \left(\text{m} + 1\right)\right)\right), \text{x}\right] + \text{Simp}\left[\text{b} / \left(\text{f} \cdot \left(\text{m} + 1\right)\right) \quad \text{Int}\left[\left(\text{e} + \text{f} \cdot \text{x}\right)^{\text{m} + 1} / \left(\text{c} - \text{d} - \text{c} \cdot \text{E}^{\left(2 \cdot \text{a} + 2 \cdot \text{b} \cdot \text{x}\right)}\right), \text{x}\right], \text{x}\right] \text{ ; FreeQ}\left[\{\text{a}, \text{b}, \text{c}, \text{d}, \text{e}, \text{f}\}, \text{x}\right] \&\& \text{IGtQ}\left[\text{m}, 0\right] \&\& \text{EqQ}\left[\left(\text{c} - \text{d}\right)^2, -1\right]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol]
:> Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x]
&& GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.03 (sec) , antiderivative size = 1404, normalized size of antiderivative = 9.89

method	result	size
risch	Expression too large to display	1404

input

```
int(x^2*arccot(c+(1+c)*coth(b*x+a)),x,method=_RETURNVERBOSE)
```


output

```
1/12*(I*b^4*x^4 + 2*I*b^3*x^3*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)
/(c + I)) - 6*I*b^2*x^2*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) - 6*I*b^2*x^2*d
ilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) - I*a^4 + 2*I*a^3*log(1/2*(2*c*e^(b*x +
a) + I*sqrt(4*I*c))/c) + 2*I*a^3*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c)
)/c) + 12*I*b*x*polylog(3, 1/2*sqrt(4*I*c)*e^(b*x + a)) + 12*I*b*x*polylog
(3, -1/2*sqrt(4*I*c)*e^(b*x + a)) - 2*(I*b^3*x^3 + I*a^3)*log(1/2*sqrt(4*I
*c)*e^(b*x + a) + 1) - 2*(I*b^3*x^3 + I*a^3)*log(-1/2*sqrt(4*I*c)*e^(b*x +
a) + 1) - 12*I*polylog(4, 1/2*sqrt(4*I*c)*e^(b*x + a)) - 12*I*polylog(4,
-1/2*sqrt(4*I*c)*e^(b*x + a))/b^3
```

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input

```
integrate(x**2*acot(c+(I+c)*coth(b*x+a)),x)
```

output

```
Exception raised: CoercionFailed >> Cannot convert -_t0**4 + 3*_t0**2*I*c*
exp(2*a) - _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class
'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]
```

Maxima [A] (verification not implemented)

Time = 1.46 (sec) , antiderivative size = 129, normalized size of antiderivative = 0.91

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \frac{1}{3} x^3 \operatorname{arccot}((c + i) \coth(bx + a) + c) - \frac{4}{9} \left(\frac{3x^4}{4ic - 4} - \frac{4b^3x^3 \log(-ice^{(2bx+2a)} + 1) + 6b^2x^2 \operatorname{Li}_2(ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(ice^{(2bx+2a)}) + 3 \operatorname{Li}_4(ice^{(2bx+2a)})}{-2b^4(-ic + 1)} \right)$$

input

```
integrate(x^2*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")
```

output

```
1/3*x^3*arccot((c + I)*coth(b*x + a) + c) - 4/9*(3*x^4/(4*I*c - 4) - (4*b^
3*x^3*log(-I*c*e^(2*b*x + 2*a) + 1) + 6*b^2*x^2*dilog(I*c*e^(2*b*x + 2*a))
- 6*b*x*polylog(3, I*c*e^(2*b*x + 2*a)) + 3*polylog(4, I*c*e^(2*b*x + 2*a
)))/(b^4*(2*I*c - 2))*b*(c + I)
```

Giac [F]

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int x^2 \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

input

```
integrate(x^2*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="giac")
```

output

```
integrate(x^2*arccot((c + I)*coth(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int x^2 \operatorname{acot}(c + \coth(a + bx) (c + li)) dx$$

input

```
int(x^2*acot(c + coth(a + b*x)*(c + 1i)),x)
```

output

```
int(x^2*acot(c + coth(a + b*x)*(c + 1i)), x)
```

Reduce [F]

$$\int x^2 \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) c + \coth(bx + a) i + c) x^2 dx$$

input

```
int(x^2*acot(c+(I+c)*coth(b*x+a)),x)
```

output `int(acot(coth(a + b*x)*c + coth(a + b*x)*i + c)*x**2,x)`

3.62 $\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal result	515
Mathematica [A] (verified)	516
Rubi [A] (verified)	516
Maple [C] (warning: unable to verify)	519
Fricas [B] (verification not implemented)	520
Sympy [F(-2)]	520
Maxima [A] (verification not implemented)	521
Giac [F]	521
Mupad [F(-1)]	521
Reduce [F]	522

Optimal result

Integrand size = 17, antiderivative size = 113

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \frac{1}{6}ibx^3 + \frac{1}{2}x^2 \cot^{-1}(c + (i + c) \coth(a + bx))$$

$$- \frac{1}{4}ix^2 \log(1 - ice^{2a+2bx})$$

$$- \frac{ix \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b}$$

$$+ \frac{i \operatorname{PolyLog}(3, ice^{2a+2bx})}{8b^2}$$

output

```
1/6*I*b*x^3+1/2*x^2*arccot(c+(I+c)*coth(b*x+a))-1/4*I*x^2*ln(1-I*c*exp(2*b*x+2*a))-1/4*I*x*polylog(2,I*c*exp(2*b*x+2*a))/b+1/8*I*polylog(3,I*c*exp(2*b*x+2*a))/b^2
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.91

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= \frac{2b^2 x^2 \left(2 \cot^{-1}(c + (i + c) \coth(a + bx)) - i \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) \right) + 2ibx \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) + i \operatorname{PolyLog} \left(3, -\frac{ie^{-2(a+bx)}}{c} \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c + (I + c)*Coth[a + b*x]],x]
```

output

```
(2*b^2*x^2*(2*ArcCot[c + (I + c)*Coth[a + b*x]] - I*Log[1 + I/(c*E^(2*(a + b*x))])) + (2*I)*b*x*PolyLog[2, (-I)/(c*E^(2*(a + b*x)))] + I*PolyLog[3, (-I)/(c*E^(2*(a + b*x)))]/(8*b^2)
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.18, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.412$, Rules used = {5721, 25, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c + (c + i) \coth(a + bx)) dx$$

$$\downarrow \text{5721}$$

$$\frac{1}{2}b \int -\frac{x^2}{e^{2a+2bx}c+i} dx + \frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx))$$

$$\downarrow \text{25}$$

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \int \frac{x^2}{e^{2a+2bx}c+i} dx$$

$$\downarrow \text{2615}$$

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \left(ic \int \frac{e^{2a+2bx}x^2}{e^{2a+2bx}c+i} dx - \frac{ix^3}{3} \right)$$

↓ 2620

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int x \log(1 - ice^{2a+2bx}) dx}{bc} \right) - \frac{ix^3}{3} \right)$$

↓ 3011

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\frac{\int \text{PolyLog}(2, ice^{2a+2bx}) dx}{2b} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b}}{bc} \right) - \frac{ix^3}{3} \right)$$

↓ 2720

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\frac{\int e^{-2a-2bx} \text{PolyLog}(2, ice^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b}}{bc} \right) - \frac{ix^3}{3} \right)$$

↓ 7143

$$\frac{1}{2}x^2 \cot^{-1}(c + (c + i) \coth(a + bx)) - \frac{1}{2}b \left(ic \left(\frac{x^2 \log(1 - ice^{2a+2bx})}{2bc} - \frac{\frac{\text{PolyLog}(3, ice^{2a+2bx})}{4b^2} - \frac{x \text{PolyLog}(2, ice^{2a+2bx})}{2b}}{bc} \right) - \frac{ix^3}{3} \right)$$

input `Int[x*ArcCot[c + (I + c)*Coth[a + b*x]],x]`

output `(x^2*ArcCot[c + (I + c)*Coth[a + b*x]])/2 - (b*((-1/3*I)*x^3 + I*c*((x^2*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) - (-1/2*(x*PolyLog[2, I*c*E^(2*a + 2*b*x)])/b + PolyLog[3, I*c*E^(2*a + 2*b*x)]/(4*b^2))/(b*c)))/2`

Definitions of rubi rules used

- rule 25 $\text{Int}[-(F x), x_Symbol] \rightarrow \text{Simp}[\text{Identity}[-1] \text{ Int}[F x, x], x]$
- rule 2615 $\text{Int}[\left(\left(\left(c_{.}\right) + \left(d_{.}\right) \cdot \left(x_{.}\right)^{\left(m_{.}\right)}\right) / \left(\left(a_{.}\right) + \left(b_{.}\right) \cdot \left(F_{.}\right)^{\left(\left(g_{.}\right) \cdot \left(e_{.}\right) + \left(f_{.}\right) \cdot \left(x_{.}\right)\right)\right)^{\left(n_{.}\right)}\right), x_Symbol] \rightarrow \text{Simp}[\left(c + d \cdot x\right)^{\left(m + 1\right)} / \left(a \cdot d \cdot \left(m + 1\right)\right), x] - \text{Simp}\left[\frac{b}{a} \text{Int}\left[\left(c + d \cdot x\right)^m \cdot \left(F^{\left(g \cdot \left(e + f \cdot x\right)\right)}\right)^n / \left(a + b \cdot \left(F^{\left(g \cdot \left(e + f \cdot x\right)\right)}\right)^n\right), x\right], x\right] /;$ $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$
- rule 2620 $\text{Int}[\left(\left(\left(F_{.}\right)^{\left(\left(g_{.}\right) \cdot \left(e_{.}\right) + \left(f_{.}\right) \cdot \left(x_{.}\right)\right)\right)^{\left(n_{.}\right)} \cdot \left(\left(c_{.}\right) + \left(d_{.}\right) \cdot \left(x_{.}\right)^{\left(m_{.}\right)}\right) / \left(\left(a_{.}\right) + \left(b_{.}\right) \cdot \left(F_{.}\right)^{\left(\left(g_{.}\right) \cdot \left(e_{.}\right) + \left(f_{.}\right) \cdot \left(x_{.}\right)\right)\right)^{\left(n_{.}\right)}\right), x_Symbol] \rightarrow \text{Simp}\left[\left(c + d \cdot x\right)^m / \left(b \cdot f \cdot g \cdot n \cdot \text{Log}[F]\right) \cdot \text{Log}\left[1 + b \cdot \left(F^{\left(g \cdot \left(e + f \cdot x\right)\right)}\right)^n / a\right], x\right] - \text{Simp}\left[d \cdot \left(m / \left(b \cdot f \cdot g \cdot n \cdot \text{Log}[F]\right)\right) \text{Int}\left[\left(c + d \cdot x\right)^{\left(m - 1\right)} \cdot \text{Log}\left[1 + b \cdot \left(F^{\left(g \cdot \left(e + f \cdot x\right)\right)}\right)^n / a\right], x\right], x\right] /;$ $\text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \ \&\& \ \text{IGtQ}[m, 0]$
- rule 2720 $\text{Int}[u, x_Symbol] \rightarrow \text{With}\left[\left\{v = \text{FunctionOfExponential}[u, x]\right\}, \text{Simp}\left[v / D[v, x] \text{ Subst}\left[\text{Int}\left[\text{FunctionOfExponentialFunction}[u, x] / x, x\right], x, v\right], x\right] /;$ $\text{FunctionOfExponentialQ}[u, x] \ \&\& \ \text{!MatchQ}[u, (w) \cdot \left(a_{.}\right) \cdot \left(v_{.}\right)^{\left(n_{.}\right)}]^{\left(m_{.}\right)} /;$ $\text{FreeQ}\{a, m, n\}, x\} \ \&\& \ \text{IntegerQ}[m \cdot n] \ \&\& \ \text{!MatchQ}[u, E^{\left(c_{.}\right) \cdot \left(a_{.}\right) + \left(b_{.}\right) \cdot x}] \cdot \left(F_{.}\right)[v_{.}] /;$ $\text{FreeQ}\{a, b, c\}, x\} \ \&\& \ \text{InverseFunctionQ}[F[x]]]$
- rule 3011 $\text{Int}\left[\text{Log}\left[1 + \left(e_{.}\right) \cdot \left(F_{.}\right)^{\left(\left(c_{.}\right) \cdot \left(a_{.}\right) + \left(b_{.}\right) \cdot \left(x_{.}\right)\right)}\right]^{\left(n_{.}\right)} \cdot \left(\left(f_{.}\right) + \left(g_{.}\right) \cdot \left(x_{.}\right)^{\left(m_{.}\right)}\right), x_Symbol] \rightarrow \text{Simp}\left[\left(-\left(f + g \cdot x\right)^m \cdot \text{PolyLog}\left[2, \left(-e\right) \cdot \left(F^{\left(c \cdot \left(a + b \cdot x\right)\right)}\right)^n\right] / \left(b \cdot c \cdot n \cdot \text{Log}[F]\right)\right), x\right] + \text{Simp}\left[g \cdot \left(m / \left(b \cdot c \cdot n \cdot \text{Log}[F]\right)\right) \text{Int}\left[\left(f + g \cdot x\right)^{\left(m - 1\right)} \cdot \text{PolyLog}\left[2, \left(-e\right) \cdot \left(F^{\left(c \cdot \left(a + b \cdot x\right)\right)}\right)^n\right], x\right], x\right] /;$ $\text{FreeQ}\{F, a, b, c, e, f, g, n\}, x\} \ \&\& \ \text{GtQ}[m, 0]$
- rule 5721 $\text{Int}\left[\text{ArcCot}\left[\left(c_{.}\right) + \text{Coth}\left[\left(a_{.}\right) + \left(b_{.}\right) \cdot \left(x_{.}\right)\right] \cdot \left(d_{.}\right)\right] \cdot \left(\left(e_{.}\right) + \left(f_{.}\right) \cdot \left(x_{.}\right)^{\left(m_{.}\right)}\right), x_Symbol] \rightarrow \text{Simp}\left[\left(e + f \cdot x\right)^{\left(m + 1\right)} \cdot \text{ArcCot}\left[\frac{c + d \cdot \text{Coth}\left[a + b \cdot x\right]}{f \cdot \left(m + 1\right)}\right], x\right] + \text{Simp}\left[\frac{b}{f \cdot \left(m + 1\right)} \text{Int}\left[\left(e + f \cdot x\right)^{\left(m + 1\right)} / \left(c - d - c \cdot E^{\left(2 \cdot a + 2 \cdot b \cdot x\right)}\right), x\right], x\right] /;$ $\text{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{EqQ}\left[\left(c - d\right)^2, -1\right]$

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x]
&& EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.20 (sec) , antiderivative size = 1368, normalized size of antiderivative = 12.11

method	result	size
risch	Expression too large to display	1368

input

```
int(x*arccot(c+(I+c)*coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/2*I/b^2*a*dilog(1+I*exp(b*x+a)*(-I*c)^(1/2))+1/8*Pi*(csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))*csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))+csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))^2-csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))*csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))+csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2+csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))-csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))-csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))^2+csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2-csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))*csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))^2+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^3-csgn(I*(2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))*csgn((2*exp(2*b*x+2*a)*c+2*I)/(exp(2*b*x+2*a)-1))^2-csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^3+csgn(I*(2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))*csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2-csgn((2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^3-csgn((...
```


Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 246 vs. $2(83) = 166$.

Time = 0.10 (sec) , antiderivative size = 246, normalized size of antiderivative = 2.18

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= \frac{2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(ce^{2bx+2a}+i)e^{(-2bx-2a)}}{c+i}\right) + 2i a^3 - 6i bx \operatorname{Li}_2\left(\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right) - 6i bx \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{4i} ce^{(bx+a)}\right)}{b^2}$$

input `integrate(x*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="fricas")`

output `1/12*(2*I*b^3*x^3 + 3*I*b^2*x^2*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)/(c + I)) + 2*I*a^3 - 6*I*b*x*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) - 6*I*b*x*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) - 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) - 3*(I*b^2*x^2 - I*a^2)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) - 3*(I*b^2*x^2 - I*a^2)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + 6*I*polylog(3, 1/2*sqrt(4*I*c)*e^(b*x + a)) + 6*I*polylog(3, -1/2*sqrt(4*I*c)*e^(b*x + a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c+(I+c)*coth(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**4 + 3*_t0**2*I*c*exp(2*a) - _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.44 (sec) , antiderivative size = 107, normalized size of antiderivative = 0.95

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx =$$

$$-\left(\frac{2x^3}{3ic - 3} - \frac{2b^2x^2 \log(-ice^{(2bx+2a)} + 1) + 2bx \operatorname{Li}_2(ice^{(2bx+2a)}) - \operatorname{Li}_3(ice^{(2bx+2a)})}{-2b^3(-ic + 1)} \right) b(c + i)$$

$$+ \frac{1}{2} x^2 \operatorname{arccot}((c + i) \coth(bx + a) + c)$$

input `integrate(x*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")`

output `-(2*x^3/(3*I*c - 3) - (2*b^2*x^2*log(-I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(I*c*e^(2*b*x + 2*a)) - polylog(3, I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c - 2)))*b*(c + I) + 1/2*x^2*arccot((c + I)*coth(b*x + a) + c)`

Giac [F]

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int x \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

input `integrate(x*arccot(c+(I+c)*coth(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot((c + I)*coth(b*x + a) + c), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int x \operatorname{acot}(c + \coth(a + bx) (c + 1i)) dx$$

input `int(x*acot(c + coth(a + b*x)*(c + 1i)),x)`

output `int(x*acot(c + coth(a + b*x)*(c + 1i)), x)`

Reduce [F]

$$\int x \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) c + \coth(bx + a) i + c) x dx$$

input `int(x*acot(c+(I+c)*coth(b*x+a)), x)`

output `int(acot(coth(a + b*x)*c + coth(a + b*x)*i + c)*x,x)`

3.63 $\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$

Optimal result	523
Mathematica [A] (verified)	523
Rubi [A] (verified)	524
Maple [B] (verified)	526
Fricas [B] (verification not implemented)	527
Sympy [F(-2)]	527
Maxima [A] (verification not implemented)	528
Giac [F]	528
Mupad [F(-1)]	528
Reduce [F]	529

Optimal result

Integrand size = 15, antiderivative size = 79

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \frac{1}{2}ibx^2 + x \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{1}{2}ix \log(1 - ice^{2a+2bx}) - \frac{i \operatorname{PolyLog}(2, ice^{2a+2bx})}{4b}$$

output

```
1/2*I*b*x^2+x*arccot(c+(I+c)*coth(b*x+a))-1/2*I*x*ln(1-I*c*exp(2*b*x+2*a))
-1/4*I*polylog(2,I*c*exp(2*b*x+2*a))/b
```

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.90

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = x \cot^{-1}(c + (i + c) \coth(a + bx)) - \frac{i \left(2bx \log \left(1 + \frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(2, -\frac{ie^{-2(a+bx)}}{c} \right) \right)}{4b}$$

input `Integrate[ArcCot[c + (I + c)*Coth[a + b*x]], x]`

output `x*ArcCot[c + (I + c)*Coth[a + b*x]] - ((I/4)*(2*b*x*Log[1 + I/(c*E^(2*(a + b*x))]) - PolyLog[2, (-I)/(c*E^(2*(a + b*x))]))/b`

Rubi [A] (verified)

Time = 0.42 (sec) , antiderivative size = 93, normalized size of antiderivative = 1.18, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5713, 25, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(c + (c + i) \coth(a + bx)) dx \\
 & \quad \downarrow \text{5713} \\
 & b \int -\frac{x}{e^{2a+2bx}c+i} dx + x \cot^{-1}(c + (c + i) \coth(a + bx)) \\
 & \quad \downarrow \text{25} \\
 & x \cot^{-1}(c + (c + i) \coth(a + bx)) - b \int \frac{x}{e^{2a+2bx}c+i} dx \\
 & \quad \downarrow \text{2615} \\
 & x \cot^{-1}(c + (c + i) \coth(a + bx)) - b \left(ic \int \frac{e^{2a+2bx}x}{e^{2a+2bx}c+i} dx - \frac{ix^2}{2} \right) \\
 & \quad \downarrow \text{2620} \\
 & b \left(ic \left(\frac{x \cot^{-1}(c + (c + i) \coth(a + bx)) - x \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int \log(1 - ice^{2a+2bx}) dx}{2bc} \right) - \frac{ix^2}{2} \right) \\
 & \quad \downarrow \text{2715} \\
 & b \left(ic \left(\frac{x \cot^{-1}(c + (c + i) \coth(a + bx)) - x \log(1 - ice^{2a+2bx})}{2bc} - \frac{\int e^{-2a-2bx} \log(1 - ice^{2a+2bx}) de^{2a+2bx}}{4b^2c} \right) - \frac{ix^2}{2} \right)
 \end{aligned}$$

$$\begin{array}{c}
 \downarrow 2838 \\
 b \left(ic \left(\frac{x \cot^{-1}(c + (c + i) \coth(a + bx)) - \text{PolyLog}(2, ice^{2a+2bx})}{4b^2c} + \frac{x \log(1 - ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right)
 \end{array}$$

input `Int[ArcCot[c + (I + c)*Coth[a + b*x]],x]`

output `x*ArcCot[c + (I + c)*Coth[a + b*x]] - b*((-1/2*I)*x^2 + I*c*((x*Log[1 - I*c*E^(2*a + 2*b*x)])/(2*b*c) + PolyLog[2, I*c*E^(2*a + 2*b*x)]/(4*b^2*c)))`

Definitions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 2615 `Int[(((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2715 `Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol] := Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5713

```
Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_.)]*(d_.)], x_Symbol] := Simp[x*Arc
Cot[c + d*Coth[a + b*x]], x] + Simp[b Int[x/(c - d - c*E^(2*a + 2*b*x)),
x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 543 vs. 2(65) = 130.

Time = 1.44 (sec) , antiderivative size = 544, normalized size of antiderivative = 6.89

method	result
derivativedivides	$\frac{\operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))\ln(c-(i+c)\operatorname{coth}(bx+a)+i)}{2i+2c} - \frac{2i\operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))\ln(c-(i+c)\operatorname{coth}(bx+a)+i)c}{2i+2c} - \operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))$
default	$\frac{\operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))\ln(c-(i+c)\operatorname{coth}(bx+a)+i)}{2i+2c} - \frac{2i\operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))\ln(c-(i+c)\operatorname{coth}(bx+a)+i)c}{2i+2c} - \operatorname{arccot}(c+(i+c)\operatorname{coth}(bx+a))$
risch	Expression too large to display

input

```
int(arccot(c+(I+c)*coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/b/(I+c)*(arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln(c-(I+c)*coth(b*x+a)+I)
-2*I*arccot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln(c-(I+c)*coth(b*x+a)+I)*c-arc
cot(c+(I+c)*coth(b*x+a))/(2*I+2*c)*ln(c-(I+c)*coth(b*x+a)+I)*c^2-arccot(c+
(I+c)*coth(b*x+a))/(2*I+2*c)*ln(I+c+(I+c)*coth(b*x+a))+2*I*arccot(c+(I+c)*
coth(b*x+a))/(2*I+2*c)*ln(I+c+(I+c)*coth(b*x+a))*c+arccot(c+(I+c)*coth(b*x
+a))/(2*I+2*c)*ln(I+c+(I+c)*coth(b*x+a))*c^2+(I+c)^2*(1/2/(I+c)*(-1/2*I*((
ln(I+c+(I+c)*coth(b*x+a))-ln(-1/2*I*(I+c+(I+c)*coth(b*x+a))))*ln(-1/2*I*(I
-c-(I+c)*coth(b*x+a)))-dilog(-1/2*I*(I+c+(I+c)*coth(b*x+a))))+1/4*I*ln(I+c
+(I+c)*coth(b*x+a))^2-1/2/(I+c)*(-1/2*I*(dilog(-1/2*(I-c-(I+c)*coth(b*x+a
)))/c)+ln(c-(I+c)*coth(b*x+a)+I)*ln(-1/2*(I-c-(I+c)*coth(b*x+a))/c))+1/2*I*
(dilog((-I-c-(I+c)*coth(b*x+a))/(-2*I-2*c))+ln(c-(I+c)*coth(b*x+a)+I)*ln((
-I-c-(I+c)*coth(b*x+a))/(-2*I-2*c))))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 186 vs. $2(58) = 116$.

Time = 0.10 (sec) , antiderivative size = 186, normalized size of antiderivative = 2.35

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= \frac{i b^2 x^2 + i b x \log\left(\frac{c e^{(2bx+2a)+i} e^{(-2bx-2a)}}{c+i}\right) - i a^2 + (-i b x - i a) \log\left(\frac{1}{2} \sqrt{4i c} e^{(bx+a)} + 1\right) + (-i b x - i a) \log\left(\frac{1}{2} \sqrt{4i c} e^{(bx+a)} - 1\right)}{b}$$

input `integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="fricas")`

output `1/2*(I*b^2*x^2 + I*b*x*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)/(c + I)) - I*a^2 + (-I*b*x - I*a)*log(1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + (-I*b*x - I*a)*log(-1/2*sqrt(4*I*c)*e^(b*x + a) + 1) + I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(4*I*c))/c) + I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(4*I*c))/c) - I*dilog(1/2*sqrt(4*I*c)*e^(b*x + a)) - I*dilog(-1/2*sqrt(4*I*c)*e^(b*x + a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c+(I+c)*coth(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**4 + 3*_t0**2*I*c*exp(2*a) - _t0**2*exp(2*a) + 2*c**2*exp(4*a) + I*c*exp(4*a) of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.45 (sec) , antiderivative size = 80, normalized size of antiderivative = 1.01

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx$$

$$= -2b(c + i) \left(\frac{2x^2}{2ic - 2} - \frac{2bx \log(-ice^{(2bx+2a)} + 1) + \text{Li}_2(ice^{(2bx+2a)})}{-2b^2(-ic + 1)} \right)$$

$$+ x \operatorname{arccot}((c + i) \coth(bx + a) + c)$$

input `integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="maxima")`output `-2*b*(c + I)*(2*x^2/(2*I*c - 2) - (2*b*x*log(-I*c*e^(2*b*x + 2*a) + 1) + dilog(I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c - 2))) + x*arccot((c + I)*coth(b*x + a) + c)`**Giac [F]**

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int \operatorname{arccot}((c + i) \coth(bx + a) + c) dx$$

input `integrate(arccot(c+(I+c)*coth(b*x+a)),x, algorithm="giac")`output `integrate(arccot((c + I)*coth(b*x + a) + c), x)`**Mupad [F(-1)]**

Timed out.

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int \operatorname{acot}(c + \coth(a + bx) (c + li)) dx$$

input `int(acot(c + coth(a + b*x)*(c + li)),x)`

output `int(acot(c + coth(a + b*x)*(c + 1i)), x)`

Reduce [F]

$$\int \cot^{-1}(c + (i + c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a)c + \coth(bx + a)i + c) dx$$

input `int(acot(c+(I+c)*coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)*c + coth(a + b*x)*i + c),x)`

$$3.64 \quad \int \frac{\cot^{-1}(c+(i+c) \operatorname{coth}(a+bx))}{x} dx$$

Optimal result	530
Mathematica [N/A]	530
Rubi [N/A]	531
Maple [N/A]	531
Fricas [N/A]	532
Sympy [F(-1)]	532
Maxima [N/A]	532
Giac [N/A]	533
Mupad [N/A]	533
Reduce [N/A]	534

Optimal result

Integrand size = 19, antiderivative size = 19

$$\int \frac{\cot^{-1}(c+(i+c) \operatorname{coth}(a+bx))}{x} dx = \operatorname{Int}\left(\frac{\cot^{-1}(c+(i+c) \operatorname{coth}(a+bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c+(I+c)*coth(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 2.73 (sec) , antiderivative size = 21, normalized size of antiderivative = 1.11

$$\int \frac{\cot^{-1}(c+(i+c) \operatorname{coth}(a+bx))}{x} dx = \int \frac{\cot^{-1}(c+(i+c) \operatorname{coth}(a+bx))}{x} dx$$

input `Integrate[ArcCot[c + (I + c)*Coth[a + b*x]]/x,x]`

output `Integrate[ArcCot[c + (I + c)*Coth[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.28 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c + (c + i) \coth(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c + (c + i) \coth(a + bx))}{x} dx$$

input `Int[ArcCot[c + (I + c)*Coth[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.36 (sec) , antiderivative size = 17, normalized size of antiderivative = 0.89

$$\int \frac{\operatorname{arccot}(c + (i + c) \coth(bx + a))}{x} dx$$

input `int(arccot(c+(I+c)*coth(b*x+a))/x,x)`

output `int(arccot(c+(I+c)*coth(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.89

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="fricas")`

output `integral(1/2*I*log((c*e^(2*b*x + 2*a) + I)*e^(-2*b*x - 2*a)/(c + I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c+(I+c)*coth(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 0.55 (sec) , antiderivative size = 73, normalized size of antiderivative = 3.84

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="maxima")`

output

```
-I*b*x + 1/4*(-4*I*a + 2*arctan(1/c) - I*log(c^2 + 1))*log(x) - 1/2*integrate(arctan(e^(-2*b*x - 2*a)/c)/x, x) + 1/4*I*integrate(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)
```

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 19, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c + i) \coth(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c+(I+c)*coth(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot((c + I)*coth(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 1.02 (sec) , antiderivative size = 20, normalized size of antiderivative = 1.05

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \coth(a + bx) (c + 1i))}{x} dx$$

input

```
int(acot(c + coth(a + b*x)*(c + 1i))/x,x)
```

output

```
int(acot(c + coth(a + b*x)*(c + 1i))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 25, normalized size of antiderivative = 1.32

$$\int \frac{\cot^{-1}(c + (i + c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\coth(bx + a) c + \coth(bx + a) i + c)}{x} dx$$

input

```
int(acot(c+(I+c)*coth(b*x+a))/x,x)
```

output

```
int(acot(coth(a + b*x)*c + coth(a + b*x)*i + c)/x,x)
```

3.65 $\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal result	535
Mathematica [A] (verified)	536
Rubi [A] (verified)	536
Maple [C] (warning: unable to verify)	539
Fricas [B] (verification not implemented)	540
Sympy [F(-2)]	541
Maxima [A] (verification not implemented)	541
Giac [F]	542
Mupad [F(-1)]	542
Reduce [F]	542

Optimal result

Integrand size = 22, antiderivative size = 145

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = -\frac{1}{12}ibx^4 + \frac{1}{3}x^3 \cot^{-1}(c - (i - c) \coth(a + bx))$$

$$+ \frac{1}{6}ix^3 \log(1 + ice^{2a+2bx})$$

$$+ \frac{ix^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b}$$

$$- \frac{ix \operatorname{PolyLog}(3, -ice^{2a+2bx})}{4b^2}$$

$$+ \frac{i \operatorname{PolyLog}(4, -ice^{2a+2bx})}{8b^3}$$

output

```
-1/12*I*b*x^4+1/3*x^3*arccot(c-(I-c)*coth(b*x+a))+1/6*I*x^3*ln(1+I*c*exp(2
*b*x+2*a))+1/4*I*x^2*polylog(2,-I*c*exp(2*b*x+2*a))/b-1/4*I*x*polylog(3,-I
*c*exp(2*b*x+2*a))/b^2+1/8*I*polylog(4,-I*c*exp(2*b*x+2*a))/b^3
```


Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.92

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= \frac{8b^3 x^3 \cot^{-1}(c + (-i + c) \coth(a + bx)) + 4ib^3 x^3 \log\left(1 - \frac{ie^{-2(a+bx)}}{c}\right) - 6ib^2 x^2 \operatorname{PolyLog}\left(2, \frac{ie^{-2(a+bx)}}{c}\right) - 6ib^2 x^2 \operatorname{PolyLog}\left(3, \frac{ie^{-2(a+bx)}}{c}\right) - 6ib^2 x^2 \operatorname{PolyLog}\left(4, \frac{ie^{-2(a+bx)}}{c}\right)}{24b^3}$$

input

```
Integrate[x^2*ArcCot[c - (I - c)*Coth[a + b*x]],x]
```

output

```
(8*b^3*x^3*ArcCot[c + (-I + c)*Coth[a + b*x]] + (4*I)*b^3*x^3*Log[1 - I/(c*E^(2*(a + b*x)))] - (6*I)*b^2*x^2*PolyLog[2, I/(c*E^(2*(a + b*x)))] - (6*I)*b*x*PolyLog[3, I/(c*E^(2*(a + b*x)))] - (3*I)*PolyLog[4, I/(c*E^(2*(a + b*x)))])/(24*b^3)
```

Rubi [A] (verified)Time = 0.79 (sec) , antiderivative size = 170, normalized size of antiderivative = 1.17, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.318$, Rules used = {5721, 2615, 2620, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(c - (-c + i) \coth(a + bx)) dx$$

$$\downarrow \text{5721}$$

$$\frac{1}{3}b \int \frac{x^3}{i - ce^{2a+2bx}} dx + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

$$\downarrow \text{2615}$$

$$\frac{1}{3}b \left(-ic \int \frac{e^{2a+2bx} x^3}{i - ce^{2a+2bx}} dx - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

$$\downarrow \text{2620}$$

$$\frac{1}{3}b \left(-ic \left(\frac{3 \int x^2 \log(ice^{2a+2bx}c+1) dx}{2bc} - \frac{x^3 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c+i)\coth(a+bx))$$

↓ 3011

$$\frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\int x \operatorname{PolyLog}(2, -ice^{2a+2bx}) dx}{b} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c+i)\coth(a+bx))$$

↓ 7163

$$\frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\int \operatorname{PolyLog}(3, -ice^{2a+2bx}) dx}{b}}{2b} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c+i)\coth(a+bx))$$

↓ 2720

$$\frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\int e^{-2a-2bx} \operatorname{PolyLog}(3, -ice^{2a+2bx}) de^{2a+2bx}}{4b^2}}{b}}{2b} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c+i)\coth(a+bx))$$

↓ 7143

$$\frac{1}{3}b \left(-ic \left(\frac{3 \left(\frac{\frac{\frac{x \operatorname{PolyLog}(3, -ice^{2a+2bx})}{2b} - \frac{\operatorname{PolyLog}(4, -ice^{2a+2bx})}{4b^2}}{b}}{2b} - \frac{x^2 \operatorname{PolyLog}(2, -ice^{2a+2bx})}{2b} \right)}{2bc} - \frac{x^3 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^4}{4} \right) + \frac{1}{3}x^3 \cot^{-1}(c - (-c+i)\coth(a+bx))$$

input

```
Int[x^2*ArcCot[c - (I - c)*Coth[a + b*x]],x]
```

output

```
(x^3*ArcCot[c - (I - c)*Coth[a + b*x]])/3 + (b*((-1/4*I)*x^4 - I*c*(-1/2*(x^3*Log[1 + I*c*E^(2*a + 2*b*x)]))/(b*c) + (3*(-1/2*(x^2*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + ((x*PolyLog[3, (-I)*c*E^(2*a + 2*b*x)])/(2*b) - PolyLog[4, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2))/b))/(2*b*c)))/3
```

Defintions of rubi rules used

rule 2615

```
Int[(((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2620

```
Int[(((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)*((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```

rule 5721

```
Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_)]*(d_.)]*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Coth[a + b*x]]/(f*(m + 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)/(c - d - c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c - d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 2.31 (sec) , antiderivative size = 1410, normalized size of antiderivative = 9.72

method	result	size
risch	Expression too large to display	1410

input

```
int(x^2*arccot(c-(I-c)*coth(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```

1/2*I/b^3*a^2*dilog(1-I*exp(b*x+a)*(I*c)^(1/2))-1/12*Pi*(csgn(I*(2*exp(2*b
*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))*csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*
x+2*a)-1))+csgn((2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))^2-csgn(I*(-2*
I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))*csgn((-2*I*exp(2*
b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))+csgn((-2*I*exp(2*b*x+2*a)
+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2+csgn(I/(exp(2*b*x+2*a)-1))*csgn
(I*(2*exp(2*b*x+2*a)*c-2*I))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*
a)-1))-csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+
2*a)*c))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a)-1
))-csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2
*a)-1))^2+csgn(I/(exp(2*b*x+2*a)-1))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b
*x+2*a)*c)/(exp(2*b*x+2*a)-1))^2+csgn(I*(2*exp(2*b*x+2*a)*c-2*I))*csgn(I*(
2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))^2-csgn(I*(-2*I*exp(2*b*x+2*a)+
2*exp(2*b*x+2*a)*c))*csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(
2*b*x+2*a)-1))^2-csgn(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))^3+csg
n(I*(2*exp(2*b*x+2*a)*c-2*I)/(exp(2*b*x+2*a)-1))*csgn((2*exp(2*b*x+2*a)*c-
2*I)/(exp(2*b*x+2*a)-1))^2+csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)
/(exp(2*b*x+2*a)-1))^3-csgn(I*(-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(ex
p(2*b*x+2*a)-1))*csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+
2*a)-1))^2+csgn((-2*I*exp(2*b*x+2*a)+2*exp(2*b*x+2*a)*c)/(exp(2*b*x+2*a...

```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 292 vs. $2(105) = 210$.

Time = 0.10 (sec) , antiderivative size = 292, normalized size of antiderivative = 2.01

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx \\
 = \frac{-i b^4 x^4 + 2i b^3 x^3 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right) + 6i b^2 x^2 \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right) + i a}{\dots}$$

input

```
integrate(x^2*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")
```

output

```
1/12*(-I*b^4*x^4 + 2*I*b^3*x^3*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) + 6*I*b^2*x^2*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) + 6*I*b^2*x^2*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) + I*a^4 - 2*I*a^3*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) - 2*I*a^3*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) - 12*I*b*x*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) - 12*I*b*x*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)) - 2*(-I*b^3*x^3 - I*a^3)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 2*(-I*b^3*x^3 - I*a^3)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + 12*I*polylog(4, 1/2*sqrt(-4*I*c)*e^(b*x + a)) + 12*I*polylog(4, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^3
```

Sympy [F(-2)]

Exception generated.

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input

```
integrate(x**2*acot(c-(I-c)*coth(b*x+a)),x)
```

output

```
Exception raised: CoercionFailed >> Cannot convert -_t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]
```

Maxima [A] (verification not implemented)

Time = 1.40 (sec) , antiderivative size = 129, normalized size of antiderivative = 0.89

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \frac{1}{3} x^3 \operatorname{arccot}((c - i) \coth(bx + a) + c) + \frac{4}{9} \left(\frac{3x^4}{4ic + 4} - \frac{4b^3x^3 \log(ice^{(2bx+2a)} + 1) + 6b^2x^2 \operatorname{Li}_2(-ice^{(2bx+2a)}) - 6bx \operatorname{Li}_3(-ice^{(2bx+2a)}) + 3 \operatorname{Li}_4(-ice^{(2bx+2a)})}{-2b^4(-ic - 1)} \right)$$

input

```
integrate(x^2*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="maxima")
```

output

```
1/3*x^3*arccot((c - I)*coth(b*x + a) + c) + 4/9*(3*x^4/(4*I*c + 4) - (4*b^
3*x^3*log(I*c*e^(2*b*x + 2*a) + 1) + 6*b^2*x^2*dilog(-I*c*e^(2*b*x + 2*a))
- 6*b*x*polylog(3, -I*c*e^(2*b*x + 2*a)) + 3*polylog(4, -I*c*e^(2*b*x + 2
*a)))/(b^4*(2*I*c + 2))*b*(c - I)
```

Giac [F]

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int x^2 \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

input

```
integrate(x^2*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="giac")
```

output

```
integrate(x^2*arccot((c - I)*coth(b*x + a) + c), x)
```

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int x^2 \operatorname{acot}(c + \coth(a + bx) (c - i)) dx$$

input

```
int(x^2*acot(c + coth(a + b*x)*(c - 1i)),x)
```

output

```
int(x^2*acot(c + coth(a + b*x)*(c - 1i)), x)
```

Reduce [F]

$$\int x^2 \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) c - \coth(bx + a) i + c) x^2 dx$$

input

```
int(x^2*acot(c-(I-c)*coth(b*x+a)),x)
```

output `int(acot(coth(a + b*x)*c - coth(a + b*x)*i + c)*x**2,x)`

3.66 $\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal result	544
Mathematica [A] (verified)	545
Rubi [A] (verified)	545
Maple [C] (warning: unable to verify)	548
Fricas [B] (verification not implemented)	549
Sympy [F(-2)]	549
Maxima [A] (verification not implemented)	550
Giac [F]	550
Mupad [F(-1)]	550
Reduce [F]	551

Optimal result

Integrand size = 20, antiderivative size = 116

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx = -\frac{1}{6}ibx^3 + \frac{1}{2}x^2 \cot^{-1}(c - (i - c) \coth(a + bx))$$

$$+ \frac{1}{4}ix^2 \log(1 + ice^{2a+2bx})$$

$$+ \frac{ix \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b}$$

$$- \frac{i \operatorname{PolyLog}(3, -ice^{2a+2bx})}{8b^2}$$

output

```
-1/6*I*b*x^3+1/2*x^2*arccot(c-(I-c)*coth(b*x+a))+1/4*I*x^2*ln(1+I*c*exp(2*
b*x+2*a))+1/4*I*x*polylog(2,-I*c*exp(2*b*x+2*a))/b-1/8*I*polylog(3,-I*c*ex
p(2*b*x+2*a))/b^2
```

Mathematica [A] (verified)

Time = 0.07 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.89

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= \frac{2b^2x^2 \left(2 \cot^{-1}(c + (-i + c) \coth(a + bx)) + i \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) \right) - 2ibx \operatorname{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) - i \operatorname{PolyLog} \left(3, \frac{ie^{-2(a+bx)}}{c} \right)}{8b^2}$$

input

```
Integrate[x*ArcCot[c - (I - c)*Coth[a + b*x]],x]
```

output

```
(2*b^2*x^2*(2*ArcCot[c + (-I + c)*Coth[a + b*x]] + I*Log[1 - I/(c*E^(2*(a + b*x))])) - (2*I)*b*x*PolyLog[2, I/(c*E^(2*(a + b*x)))] - I*PolyLog[3, I/(c*E^(2*(a + b*x)))]/(8*b^2)
```

Rubi [A] (verified)

Time = 0.62 (sec) , antiderivative size = 135, normalized size of antiderivative = 1.16, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {5721, 2615, 2620, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(c - (-c + i) \coth(a + bx)) dx$$

$$\downarrow \text{5721}$$

$$\frac{1}{2}b \int \frac{x^2}{i - ce^{2a+2bx}} dx + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

$$\downarrow \text{2615}$$

$$\frac{1}{2}b \left(-ic \int \frac{e^{2a+2bx} x^2}{i - ce^{2a+2bx}} dx - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

$$\downarrow \text{2620}$$

$$\frac{1}{2}b \left(-ic \left(\frac{\int x \log(ice^{2a+2bx}c+1) dx}{bc} - \frac{x^2 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

↓ 3011

$$\frac{1}{2}b \left(-ic \left(\frac{\int \text{PolyLog}(2, -ice^{2a+2bx}) dx}{2b} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

↓ 2720

$$\frac{1}{2}b \left(-ic \left(\frac{\int e^{-2a-2bx} \text{PolyLog}(2, -ice^{2a+2bx}) de^{2a+2bx}}{4b^2} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

↓ 7143

$$\frac{1}{2}b \left(-ic \left(\frac{\text{PolyLog}(3, -ice^{2a+2bx})}{4b^2} - \frac{x \text{PolyLog}(2, -ice^{2a+2bx})}{2b} - \frac{x^2 \log(1+ice^{2a+2bx})}{2bc} \right) - \frac{ix^3}{3} \right) + \frac{1}{2}x^2 \cot^{-1}(c - (-c + i) \coth(a + bx))$$

input `Int[x*ArcCot[c - (I - c)*Coth[a + b*x]],x]`

output `(x^2*ArcCot[c - (I - c)*Coth[a + b*x]])/2 + (b*((-1/3*I)*x^3 - I*c*(-1/2*(x^2*Log[1 + I*c*E^(2*a + 2*b*x)])/(b*c) + (-1/2*(x*PolyLog[2, (-I)*c*E^(2*a + 2*b*x)])/b + PolyLog[3, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2))/(b*c)))/2`

Defintions of rubi rules used

rule 2615 `Int[(((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_))*((c_) + (d_)*(x_)^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Si
mp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x
)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_)^(m_)), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5721

```
Int[ArcCot[(c_) + Coth[(a_) + (b_)*(x_)]*(d_)]*((e_) + (f_)*(x_)^(m_
)), x_Symbol] := Simp[(e + f*x)^(m + 1)*(ArcCot[c + d*Coth[a + b*x]]/(f*(m
+ 1))), x] + Simp[b/(f*(m + 1)) Int[(e + f*x)^(m + 1)/(c - d - c*E^(2*a +
2*b*x)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && EqQ[(c -
d)^2, -1]
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_)^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.50 (sec) , antiderivative size = 1374, normalized size of antiderivative = 11.84

method	result	size
risch	Expression too large to display	1374

input `int(x*arccot(c-(I-c)*coth(b*x+a)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned}
 & -1/4*I*x^2*\ln(-2*\exp(2*b*x+2*a)*c+2*I)-1/8*Pi*(\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))) \\
 & +\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))^2-\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))+\operatorname{csgn}((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^2+\operatorname{csgn}(I/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))-\operatorname{csgn}(I/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c))*\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))-\operatorname{csgn}(I/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))^2+\operatorname{csgn}(I/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^2+\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I))*\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))^2-\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c))*\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^2-\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))^3+\operatorname{csgn}(I*(2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}((2*\exp(2*b*x+2*a)*c-2*I)/(\exp(2*b*x+2*a)-1))^2+\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^3-\operatorname{csgn}(I*(-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))*\operatorname{csgn}((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^2+\operatorname{csgn}((-2*I*\exp(2*b*x+2*a)+2*\exp(2*b*x+2*a)*c)/(\exp(2*b*x+2*a)-1))^3+\operatorname{cs} \dots
 \end{aligned}$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 246 vs. $2(83) = 166$.

Time = 0.10 (sec) , antiderivative size = 246, normalized size of antiderivative = 2.12

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= \frac{-2i b^3 x^3 + 3i b^2 x^2 \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i}\right) - 2i a^3 + 6i bx \operatorname{Li}_2\left(\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right) + 6i bx \operatorname{Li}_2\left(-\frac{1}{2} \sqrt{-4i} ce^{(bx+a)}\right)}{b^2}$$

input `integrate(x*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")`

output `1/12*(-2*I*b^3*x^3 + 3*I*b^2*x^2*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) - 2*I*a^3 + 6*I*b*x*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) + 6*I*b*x*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) + 3*I*a^2*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) - 3*(-I*b^2*x^2 + I*a^2)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 3*(-I*b^2*x^2 + I*a^2)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - 6*I*polylog(3, 1/2*sqrt(-4*I*c)*e^(b*x + a)) - 6*I*polylog(3, -1/2*sqrt(-4*I*c)*e^(b*x + a)))/b^2`

Sympy [F(-2)]

Exception generated.

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(x*acot(c-(I-c)*coth(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[x,b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.52 (sec) , antiderivative size = 106, normalized size of antiderivative = 0.91

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= \left(\frac{2x^3}{3ic + 3} - \frac{2b^2x^2 \log(ice^{(2bx+2a)} + 1) + 2bx \operatorname{Li}_2(-ice^{(2bx+2a)}) - \operatorname{Li}_3(-ice^{(2bx+2a)})}{-2b^3(-ic - 1)} \right) b(c - i)$$

$$+ \frac{1}{2} x^2 \operatorname{arccot}((c - i) \coth(bx + a) + c)$$

input `integrate(x*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="maxima")`output `(2*x^3/(3*I*c + 3) - (2*b^2*x^2*log(I*c*e^(2*b*x + 2*a) + 1) + 2*b*x*dilog(-I*c*e^(2*b*x + 2*a)) - polylog(3, -I*c*e^(2*b*x + 2*a)))/(b^3*(2*I*c + 2)))*b*(c - I) + 1/2*x^2*arccot((c - I)*coth(b*x + a) + c)`**Giac [F]**

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int x \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

input `integrate(x*arccot(c-(I-c)*coth(b*x+a)),x, algorithm="giac")`output `integrate(x*arccot((c - I)*coth(b*x + a) + c), x)`**Mupad [F(-1)]**

Timed out.

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int x \operatorname{acot}(c + \coth(a + bx) (c - i)) dx$$

input `int(x*acot(c + coth(a + b*x)*(c - 1i)),x)`

output `int(x*acot(c + coth(a + b*x)*(c - 1i)), x)`

Reduce [F]

$$\int x \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a) c - \coth(bx + a) i + c) x dx$$

input `int(x*acot(c-(I-c)*coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)*c - coth(a + b*x)*i + c)*x,x)`

3.67 $\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$

Optimal result	552
Mathematica [A] (verified)	552
Rubi [A] (verified)	553
Maple [B] (verified)	555
Fricas [B] (verification not implemented)	556
Sympy [F(-2)]	556
Maxima [A] (verification not implemented)	557
Giac [F]	557
Mupad [F(-1)]	557
Reduce [F]	558

Optimal result

Integrand size = 18, antiderivative size = 82

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = -\frac{1}{2}ibx^2 + x \cot^{-1}(c - (i - c) \coth(a + bx)) + \frac{1}{2}ix \log(1 + ice^{2a+2bx}) + \frac{i \operatorname{PolyLog}(2, -ice^{2a+2bx})}{4b}$$

output

```
-1/2*I*b*x^2+x*arccot(c-(I-c)*coth(b*x+a))+1/2*I*x*ln(1+I*c*exp(2*b*x+2*a))
)+1/4*I*polylog(2,-I*c*exp(2*b*x+2*a))/b
```

Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 71, normalized size of antiderivative = 0.87

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = x \cot^{-1}(c + (-i + c) \coth(a + bx)) + \frac{i \left(2bx \log \left(1 - \frac{ie^{-2(a+bx)}}{c} \right) - \operatorname{PolyLog} \left(2, \frac{ie^{-2(a+bx)}}{c} \right) \right)}{4b}$$

input `Integrate[ArcCot[c - (I - c)*Coth[a + b*x]], x]`

output `x*ArcCot[c + (-I + c)*Coth[a + b*x]] + ((I/4)*(2*b*x*Log[1 - I/(c*E^(2*(a + b*x)))] - PolyLog[2, I/(c*E^(2*(a + b*x)))]))/b`

Rubi [A] (verified)

Time = 0.43 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.16, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {5713, 2615, 2620, 2715, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \cot^{-1}(c - (-c + i) \coth(a + bx)) dx \\
 & \quad \downarrow \text{5713} \\
 & b \int \frac{x}{i - ce^{2a+2bx}} dx + x \cot^{-1}(c - (-c + i) \coth(a + bx)) \\
 & \quad \downarrow \text{2615} \\
 & b \left(-ic \int \frac{e^{2a+2bx} x}{i - ce^{2a+2bx}} dx - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \coth(a + bx)) \\
 & \quad \downarrow \text{2620} \\
 & b \left(-ic \left(\frac{\int \log(ie^{2a+2bx}c + 1) dx}{2bc} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \coth(a + bx)) \\
 & \quad \downarrow \text{2715} \\
 & b \left(-ic \left(\frac{\int e^{-2a-2bx} \log(ie^{2a+2bx}c + 1) de^{2a+2bx}}{4b^2c} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \coth(a + bx)) \\
 & \quad \downarrow \text{2838}
 \end{aligned}$$

$$b \left(-ic \left(-\frac{\text{PolyLog}(2, -ice^{2a+2bx})}{4b^2c} - \frac{x \log(1 + ice^{2a+2bx})}{2bc} \right) - \frac{ix^2}{2} \right) + x \cot^{-1}(c - (-c + i) \coth(a + bx))$$

input `Int[ArcCot[c - (I - c)*Coth[a + b*x]],x]`

output `x*ArcCot[c - (I - c)*Coth[a + b*x]] + b*((-1/2*I)*x^2 - I*c*(-1/2*(x*Log[1 + I*c*E^(2*a + 2*b*x)])/(b*c) - PolyLog[2, (-I)*c*E^(2*a + 2*b*x)]/(4*b^2*c)))`

Defintions of rubi rules used

rule 2615 `Int[((c_.) + (d_.)*(x_.))^(m_.)/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[(c + d*x)^(m + 1)/(a*d*(m + 1)), x] - Simp[b/a Int[(c + d*x)^m*((F^(g*(e + f*x)))^n/(a + b*(F^(g*(e + f*x)))^n)), x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2620 `Int((((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.))/((a_.) + (b_.)*((F_)^((g_.)*((e_.) + (f_.)*(x_.))))^(n_.)), x_Symbol] := Simp[((c + d*x)^m/(b*f*g*n*Log[F]))*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x] - Simp[d*(m/(b*f*g*n*Log[F])) Int[(c + d*x)^(m - 1)*Log[1 + b*((F^(g*(e + f*x)))^n/a)], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]`

rule 2715 `Int[Log[(a_.) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_.))))^(n_.)], x_Symbol] := Simp[1/(d*e*n*Log[F]) Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]`

rule 2838 `Int[Log[(c_.)*((d_.) + (e_.)*(x_.)^n)]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5713 `Int[ArcCot[(c_.) + Coth[(a_.) + (b_.)*(x_.)]*(d_.)], x_Symbol] := Simp[x*ArcCot[c + d*Coth[a + b*x]], x] + Simp[b Int[x/(c - d - c*E^(2*a + 2*b*x)), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[(c - d)^2, -1]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 516 vs. $2(68) = 136$.

Time = 1.47 (sec) , antiderivative size = 517, normalized size of antiderivative = 6.30

method	result
derivativedivides	$-\frac{\operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)}{2i-2c} - \frac{2i\operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)c}{2i-2c} + \operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)$
default	$-\frac{\operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)}{2i-2c} - \frac{2i\operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)c}{2i-2c} + \operatorname{arccot}(c+\operatorname{coth}(bx+a)(-i+c))\ln(\operatorname{coth}(bx+a)(-i+c)-c+i)$
risch	Expression too large to display

input `int(arccot(c-(I-c)*coth(b*x+a)),x,method=_RETURNVERBOSE)`

output

```
1/b/(-I+c)*(-arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(coth(b*x+a)*(-I+c)-c+I)-2*I*arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(coth(b*x+a)*(-I+c)-c+I)*c+arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(coth(b*x+a)*(-I+c)-c+I)*c^2+arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+coth(b*x+a)*(-I+c)+c)+2*I*arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+coth(b*x+a)*(-I+c)+c)*c-arccot(c+coth(b*x+a)*(-I+c))/(2*I-2*c)*ln(-I+coth(b*x+a)*(-I+c)+c)*c^2-(I-c)^2*(1/2/(I-c)*(-1/4*I*ln(-I+coth(b*x+a)*(-I+c)+c)^2+1/2*I*(dilog(-1/2*I*(coth(b*x+a)*(-I+c)+c+I))+ln(-I+coth(b*x+a)*(-I+c)+c)*ln(-1/2*I*(coth(b*x+a)*(-I+c)+c+I))))-1/2/(I-c)*(-1/2*I*(dilog((-I+coth(b*x+a)*(-I+c)+c)/(-2*I+2*c))+ln(coth(b*x+a)*(-I+c)-c+I)*ln((-I+coth(b*x+a)*(-I+c)+c)/(-2*I+2*c)))+1/2*I*(dilog(1/2*(coth(b*x+a)*(-I+c)+c+I)/c)+ln(coth(b*x+a)*(-I+c)-c+I)*ln(1/2*(coth(b*x+a)*(-I+c)+c+I)/c))))
```

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 186 vs. $2(58) = 116$.

Time = 0.09 (sec) , antiderivative size = 186, normalized size of antiderivative = 2.27

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= \frac{-i b^2 x^2 + i b x \log\left(\frac{(c-i)e^{(2bx+2a)}}{ce^{(2bx+2a)}-i}\right) + i a^2 + (i b x + i a) \log\left(\frac{1}{2} \sqrt{-4i} ce^{(bx+a)} + 1\right) + (i b x + i a) \log\left(-\frac{1}{2} \sqrt{-4i} ce^{(bx+a)} - 1\right)}{b}$$

input `integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="fricas")`

output `1/2*(-I*b^2*x^2 + I*b*x*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I)) + I*a^2 + (I*b*x + I*a)*log(1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-1/2*sqrt(-4*I*c)*e^(b*x + a) + 1) - I*a*log(1/2*(2*c*e^(b*x + a) + I*sqrt(-4*I*c))/c) - I*a*log(1/2*(2*c*e^(b*x + a) - I*sqrt(-4*I*c))/c) + I*dilog(1/2*sqrt(-4*I*c)*e^(b*x + a)) + I*dilog(-1/2*sqrt(-4*I*c)*e^(b*x + a)))/b`

Sympy [F(-2)]

Exception generated.

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \text{Exception raised: CoercionFailed}$$

input `integrate(acot(c-(I-c)*coth(b*x+a)),x)`

output `Exception raised: CoercionFailed >> Cannot convert -_t0**2*I + 2*c*exp(2*a) - I*exp(2*a) of type <class 'sympy.core.add.Add'> to QQ_I[b,c,_t0,exp(a)]`

Maxima [A] (verification not implemented)

Time = 1.45 (sec) , antiderivative size = 80, normalized size of antiderivative = 0.98

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx$$

$$= 2b(c - i) \left(\frac{2x^2}{2ic + 2} - \frac{2bx \log(i ce^{(2bx+2a)} + 1) + \text{Li}_2(-i ce^{(2bx+2a)})}{-2b^2(-ic - 1)} \right)$$

$$+ x \operatorname{arccot}((c - i) \coth(bx + a) + c)$$

input `integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="maxima")`output `2*b*(c - I)*(2*x^2/(2*I*c + 2) - (2*b*x*log(I*c*e^(2*b*x + 2*a) + 1) + dilog(-I*c*e^(2*b*x + 2*a)))/(b^2*(2*I*c + 2))) + x*arccot((c - I)*coth(b*x + a) + c)`**Giac [F]**

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int \operatorname{arccot}((c - i) \coth(bx + a) + c) dx$$

input `integrate(arccot(c-(I-c)*coth(b*x+a)),x, algorithm="giac")`output `integrate(arccot((c - I)*coth(b*x + a) + c), x)`**Mupad [F(-1)]**

Timed out.

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int \operatorname{acot}(c + \coth(a + bx) (c - i)) dx$$

input `int(acot(c + coth(a + b*x)*(c - 1i)),x)`

output `int(acot(c + coth(a + b*x)*(c - 1i)), x)`

Reduce [F]

$$\int \cot^{-1}(c - (i - c) \coth(a + bx)) dx = \int \operatorname{acot}(\coth(bx + a)c - \coth(bx + a)i + c) dx$$

input `int(acot(c-(I-c)*coth(b*x+a)),x)`

output `int(acot(coth(a + b*x)*c - coth(a + b*x)*i + c),x)`

3.68 $\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$

Optimal result	559
Mathematica [N/A]	559
Rubi [N/A]	560
Maple [N/A]	560
Fricas [N/A]	561
Sympy [F(-1)]	561
Maxima [N/A]	561
Giac [N/A]	562
Mupad [N/A]	562
Reduce [N/A]	563

Optimal result

Integrand size = 22, antiderivative size = 22

$$\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx = \text{Int}\left(\frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x}, x\right)$$

output `Defer(Int)(arccot(c-(I-c)*coth(b*x+a))/x,x)`

Mathematica [N/A]

Not integrable

Time = 2.69 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.09

$$\int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx = \int \frac{\cot^{-1}(c-(i-c)\coth(a+bx))}{x} dx$$

input `Integrate[ArcCot[c - (I - c)*Coth[a + b*x]]/x,x]`

output `Integrate[ArcCot[c - (I - c)*Coth[a + b*x]]/x, x]`

Rubi [N/A]

Not integrable

Time = 0.29 (sec) , antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(c - (-c + i) \coth(a + bx))}{x} dx$$

↓ 7299

$$\int \frac{\cot^{-1}(c - (-c + i) \coth(a + bx))}{x} dx$$

input `Int[ArcCot[c - (I - c)*Coth[a + b*x]]/x,x]`

output `$Aborted`

Maple [N/A]

Not integrable

Time = 0.44 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{\operatorname{arccot}(c - (i - c) \coth(bx + a))}{x} dx$$

input `int(arccot(c-(I-c)*coth(b*x+a))/x,x)`

output `int(arccot(c-(I-c)*coth(b*x+a))/x,x)`

Fricas [N/A]

Not integrable

Time = 0.09 (sec) , antiderivative size = 36, normalized size of antiderivative = 1.64

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="fricas")`

output `integral(1/2*I*log((c - I)*e^(2*b*x + 2*a)/(c*e^(2*b*x + 2*a) - I))/x, x)`

Sympy [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \text{Timed out}$$

input `integrate(acot(c-(I-c)*coth(b*x+a))/x,x)`

output `Timed out`

Maxima [N/A]

Not integrable

Time = 0.54 (sec) , antiderivative size = 81, normalized size of antiderivative = 3.68

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \coth(bx + a) + c)}{x} dx$$

input `integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="maxima")`

output

```
I*b*x + 1/2*pi*log(x) - 1/4*(2*pi - 4*I*a - 2*arctan(1/c) - I*log(c^2 + 1)
)*log(x) - 1/2*integrate(arctan(e^(-2*b*x - 2*a)/c)/x, x) - 1/4*I*integrat
e(log(c^2*e^(4*b*x + 4*a) + 1)/x, x)
```

Giac [N/A]

Not integrable

Time = 0.17 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.86

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{arccot}((c - i) \coth(bx + a) + c)}{x} dx$$

input

```
integrate(arccot(c-(I-c)*coth(b*x+a))/x,x, algorithm="giac")
```

output

```
integrate(arccot((c - I)*coth(b*x + a) + c)/x, x)
```

Mupad [N/A]

Not integrable

Time = 0.99 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.91

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(c + \coth(a + bx) (c - i))}{x} dx$$

input

```
int(acot(c + coth(a + b*x)*(c - 1i))/x,x)
```

output

```
int(acot(c + coth(a + b*x)*(c - 1i))/x, x)
```

Reduce [N/A]

Not integrable

Time = 0.19 (sec) , antiderivative size = 26, normalized size of antiderivative = 1.18

$$\int \frac{\cot^{-1}(c - (i - c) \coth(a + bx))}{x} dx = \int \frac{\operatorname{acot}(\coth(bx + a) c - \coth(bx + a) i + c)}{x} dx$$

input `int(acot(c-(I-c)*coth(b*x+a))/x,x)`output `int(acot(coth(a + b*x)*c - coth(a + b*x)*i + c)/x,x)`

3.69 $\int \frac{(a+b \cot^{-1}(cx^n))(d+e \log(fx^m))}{x} dx$

Optimal result	564
Mathematica [C] (verified)	565
Rubi [A] (verified)	565
Maple [C] (warning: unable to verify)	566
Fricas [A] (verification not implemented)	567
Sympy [F(-1)]	568
Maxima [F]	568
Giac [F]	568
Mupad [F(-1)]	569
Reduce [F]	569

Optimal result

Integrand size = 24, antiderivative size = 187

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$$

$$= ad \log(x) + \frac{ae \log^2(fx^m)}{2m} - \frac{ibd \text{PolyLog}\left(2, -\frac{ix^{-n}}{c}\right)}{2n}$$

$$- \frac{ibe \log(fx^m) \text{PolyLog}\left(2, -\frac{ix^{-n}}{c}\right)}{2n}$$

$$+ \frac{ibd \text{PolyLog}\left(2, \frac{ix^{-n}}{c}\right)}{2n} + \frac{ibe \log(fx^m) \text{PolyLog}\left(2, \frac{ix^{-n}}{c}\right)}{2n}$$

$$- \frac{ibem \text{PolyLog}\left(3, -\frac{ix^{-n}}{c}\right)}{2n^2} + \frac{ibem \text{PolyLog}\left(3, \frac{ix^{-n}}{c}\right)}{2n^2}$$

output

```
a*d*ln(x)+1/2*a*e*ln(f*x^m)^2/m-1/2*I*b*d*polylog(2,-I/c/(x^n))/n-1/2*I*b*
e*ln(f*x^m)*polylog(2,-I/c/(x^n))/n+1/2*I*b*d*polylog(2,I/c/(x^n))/n+1/2*I
*b*e*ln(f*x^m)*polylog(2,I/c/(x^n))/n-1/2*I*b*e*m*polylog(3,-I/c/(x^n))/n^
2+1/2*I*b*e*m*polylog(3,I/c/(x^n))/n^2
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 5 vs. order 4 in optimal.

Time = 0.22 (sec) , antiderivative size = 132, normalized size of antiderivative = 0.71

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$$

$$= \frac{bcemx^n {}_4F_3\left(\frac{1}{2}, \frac{1}{2}, \frac{1}{2}, 1; \frac{3}{2}, \frac{3}{2}, \frac{3}{2}; -c^2x^{2n}\right)}{n^2} - \frac{bcx^n {}_3F_2\left(\frac{1}{2}, \frac{1}{2}, 1; \frac{3}{2}, \frac{3}{2}; -c^2x^{2n}\right)(d + e \log(fx^m))}{n}$$

$$- \frac{1}{2}(a + b \cot^{-1}(cx^n) + b \arctan(cx^n)) \log(x) (em \log(x) - 2(d + e \log(fx^m)))$$

input

```
Integrate[((a + b*ArcCot[c*x^n])*(d + e*Log[f*x^m]))/x,x]
```

output

```
(b*c*e*m*x^n*HypergeometricPFQ[{1/2, 1/2, 1/2, 1}, {3/2, 3/2, 3/2}, -(c^2*x^(2*n))])/n^2 - (b*c*x^n*HypergeometricPFQ[{1/2, 1/2, 1}, {3/2, 3/2}, -(c^2*x^(2*n))]*(d + e*Log[f*x^m]))/n - ((a + b*ArcCot[c*x^n] + b*ArcTan[c*x^n])*Log[x]*(e*m*Log[x] - 2*(d + e*Log[f*x^m]))) / 2
```

Rubi [A] (verified)

Time = 0.84 (sec) , antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$, Rules used = {7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$$

$$\downarrow \text{7293}$$

$$\int \left(\frac{d(a + b \cot^{-1}(cx^n))}{x} + \frac{e \log(fx^m)(a + b \cot^{-1}(cx^n))}{x} \right) dx$$

$$\begin{aligned}
 & \downarrow \text{2009} \\
 & ad \log(x) + \frac{ae \log^2(fx^m)}{2m} - \frac{ibd \operatorname{PolyLog}\left(2, -\frac{ix^{-n}}{c}\right)}{2n} + \frac{ibd \operatorname{PolyLog}\left(2, \frac{ix^{-n}}{c}\right)}{2n} - \\
 & \frac{ibe \operatorname{PolyLog}\left(2, -\frac{ix^{-n}}{c}\right) \log(fx^m)}{2n} + \frac{ibe \operatorname{PolyLog}\left(2, \frac{ix^{-n}}{c}\right) \log(fx^m)}{2n} - \\
 & \frac{ibem \operatorname{PolyLog}\left(3, -\frac{ix^{-n}}{c}\right)}{2n^2} + \frac{ibem \operatorname{PolyLog}\left(3, \frac{ix^{-n}}{c}\right)}{2n^2}
 \end{aligned}$$

input `Int[((a + b*ArcCot[c*x^n])*(d + e*Log[f*x^m]))/x,x]`

output `a*d*Log[x] + (a*e*Log[f*x^m]^2)/(2*m) - ((I/2)*b*d*PolyLog[2, (-I)/(c*x^n)])/n - ((I/2)*b*e*Log[f*x^m]*PolyLog[2, (-I)/(c*x^n)])/n + ((I/2)*b*d*PolyLog[2, I/(c*x^n)])/n + ((I/2)*b*e*Log[f*x^m]*PolyLog[2, I/(c*x^n)])/n - ((I/2)*b*e*m*PolyLog[3, (-I)/(c*x^n)])/n^2 + ((I/2)*b*e*m*PolyLog[3, I/(c*x^n)])/n^2`

Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 196.37 (sec) , antiderivative size = 566, normalized size of antiderivative = 3.03

method	result
risch	$ \frac{\left(-\frac{i\pi \operatorname{csgn}(if) \operatorname{csgn}(ix^m) \operatorname{csgn}(if x^m)}{4} + \frac{i\pi \operatorname{csgn}(if) \operatorname{csgn}(if x^m)^2}{4} + \frac{i\pi \operatorname{csgn}(ix^m) \operatorname{csgn}(if x^m)^2}{4} - \frac{i\pi \operatorname{csgn}(if x^m)^3}{4} + \frac{e \ln(f)}{2} + \frac{d}{2}\right)}{n} ((\pi b + 2) $

input `int((a+b*arccot(c*x^n))*(d+e*ln(f*x^m))/x,x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & (-1/4*I*e*Pi*csgn(I*f)*csgn(I*x^m)*csgn(I*f*x^m)+1/4*I*e*Pi*csgn(I*f)*csgn \\ & (I*f*x^m)^2+1/4*I*e*Pi*csgn(I*x^m)*csgn(I*f*x^m)^2-1/4*I*e*Pi*csgn(I*f*x^m \\ &)^3+1/2*e*ln(f)+1/2*d)/n*((Pi*b+2*a)*ln(x^n)-I*b*dilog(1+I*c*x^n)+I*b*dilo \\ & g(1-I*c*x^n))+1/4*e/m*ln(x^m)^2*Pi*b+1/2*e/m*ln(x^m)^2*a+1/2*I*e*b*m/n*ln(x) \\ & *polylog(2,I*c*x^n)-1/2*I*e*b*ln(-I*(c*x^n+I))*ln(x)^2*m+1/2*I*e*b*ln(1- \\ & I*c*x^n)*ln(x)^2*m+1/2*I*e*b*ln(x)*ln(1+I*c*x^n)*ln(x^m)-1/2*I*e*b*m/n^2*p \\ & olylog(3,I*c*x^n)-1/2*I*e*b/n*dilog(-I*c*x^n)*m*ln(x)+1/2*I*e*b/n*dilog(-I \\ & *(c*x^n+I))*ln(x^m)-1/2*I*e*b*m/n*ln(x)*polylog(2,-I*c*x^n)-1/2*I*e*b*ln(1 \\ & -I*c*x^n)*ln(x)*ln(x^m)-1/2*I*e*b*ln(x)^2*ln(1+I*c*x^n)*m-1/2*I*e*b/n*dilo \\ & g(-I*(c*x^n+I))*m*ln(x)+1/2*I*e*b*ln(-I*(c*x^n+I))*ln(x)*ln(x^m)+1/2*I*e*b \\ & *m/n^2*polylog(3,-I*c*x^n)-1/2*I*e*b/n*ln(-I*(-c*x^n+I))*ln(-I*c*x^n)*m*ln \\ & (x)+1/2*I*e*b*ln(x)^2*ln(-I*(-c*x^n+I))*m-1/2*I*e*b*ln(x)*ln(-I*(-c*x^n+I) \\ &)*ln(x^m)+1/2*I*e*b/n*ln(-I*(-c*x^n+I))*ln(-I*c*x^n)*ln(x^m)+1/2*I*e*b/n*d \\ & ilog(-I*c*x^n)*ln(x^m) \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 250, normalized size of antiderivative = 1.34

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$$

$$= \frac{2 a e m n^2 \log(x)^2 - 2 i b e m \operatorname{polylog}(3, i c x^n) + 2 i b e m \operatorname{polylog}(3, -i c x^n) + 2 (b e m n^2 \log(x)^2 + 2 (b e n^2 \log$$

input `integrate((a+b*arccot(c*x^n))*(d+e*log(f*x^m))/x,x, algorithm="fricas")`

output
$$\begin{aligned} & 1/4*(2*a*e*m*n^2*\log(x)^2 - 2*I*b*e*m*polylog(3, I*c*x^n) + 2*I*b*e*m*poly \\ & log(3, -I*c*x^n) + 2*(b*e*m*n^2*\log(x)^2 + 2*(b*e*n^2*\log(f) + b*d*n^2)*lo \\ & g(x))*arccot(c*x^n) - 2*(-I*b*e*m*n*\log(x) - I*b*e*n*\log(f) - I*b*d*n)*dil \\ & og(I*c*x^n) - 2*(I*b*e*m*n*\log(x) + I*b*e*n*\log(f) + I*b*d*n)*dilog(-I*c*x \\ & ^n) + (-I*b*e*m*n^2*\log(x)^2 - 2*(I*b*e*n^2*\log(f) + I*b*d*n^2)*\log(x))*lo \\ & g(I*c*x^n + 1) + (I*b*e*m*n^2*\log(x)^2 - 2*(-I*b*e*n^2*\log(f) - I*b*d*n^2) \\ & *\log(x))*\log(-I*c*x^n + 1) + 4*(a*e*n^2*\log(f) + a*d*n^2)*\log(x))/n^2 \end{aligned}$$

Sympy [F(-1)]

Timed out.

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx = \text{Timed out}$$

input `integrate((a+b*acot(c*x**n))*(d+e*ln(f*x**m))/x,x)`

output Timed out

Maxima [F]

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx = \int \frac{(b \operatorname{arccot}(cx^n) + a)(e \log(fx^m) + d)}{x} dx$$

input `integrate((a+b*arccot(c*x^n))*(d+e*log(f*x^m))/x,x, algorithm="maxima")`

output `1/2*a*e*log(f*x^m)^2/m + a*d*log(x) - 1/2*(b*e*m*log(x)^2 - 2*b*e*log(x)*log(x^m) - 2*(b*e*log(f) + b*d)*log(x))*arctan(1/(c*x^n)) + integrate(-1/2*(b*c*e*m*n*x^n*log(x)^2 - 2*b*c*e*n*x^n*log(x)*log(x^m) - 2*(b*c*e*log(f) + b*c*d)*n*x^n*log(x))/(c^2*x*x^(2*n) + x), x)`

Giac [F]

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx = \int \frac{(b \operatorname{arccot}(cx^n) + a)(e \log(fx^m) + d)}{x} dx$$

input `integrate((a+b*arccot(c*x^n))*(d+e*log(f*x^m))/x,x, algorithm="giac")`

output `integrate((b*arccot(c*x^n) + a)*(e*log(f*x^m) + d)/x, x)`

Mupad [F(-1)]

Timed out.

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx = \int \frac{(a + b \operatorname{acot}(cx^n))(d + e \ln(fx^m))}{x} dx$$

input `int(((a + b*acot(c*x^n))*(d + e*log(f*x^m)))/x,x)`

output `int(((a + b*acot(c*x^n))*(d + e*log(f*x^m)))/x, x)`

Reduce [F]

$$\int \frac{(a + b \cot^{-1}(cx^n))(d + e \log(fx^m))}{x} dx$$

$$= \frac{2 \left(\int \frac{\operatorname{acot}(x^n c)}{x} dx \right) b d m + 2 \left(\int \frac{\operatorname{acot}(x^n c) \log(x^m f)}{x} dx \right) b e m + \log(x^m f)^2 a e + 2 \log(x) a d m}{2m}$$

input `int((a+b*acot(c*x^n))*(d+e*log(f*x^m))/x,x)`

output `(2*int(acot(x**n*c)/x,x)*b*d*m + 2*int((acot(x**n*c)*log(x**m*f))/x,x)*b*e*m + log(x**m*f)**2*a*e + 2*log(x)*a*d*m)/(2*m)`

3.70 $\int \cot^{-1}(e^x) dx$

Optimal result	570
Mathematica [A] (verified)	570
Rubi [A] (verified)	571
Maple [B] (verified)	572
Fricas [B] (verification not implemented)	572
Sympy [F]	573
Maxima [A] (verification not implemented)	573
Giac [F]	574
Mupad [F(-1)]	574
Reduce [F]	574

Optimal result

Integrand size = 4, antiderivative size = 35

$$\int \cot^{-1}(e^x) dx = -\frac{1}{2}i \operatorname{PolyLog}(2, -ie^{-x}) + \frac{1}{2}i \operatorname{PolyLog}(2, ie^{-x})$$

output `-1/2*I*polylog(2, -I/exp(x))+1/2*I*polylog(2, I/exp(x))`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.69

$$\int \cot^{-1}(e^x) dx = x \cot^{-1}(e^x) + \frac{1}{2}i(x(\log(1 - ie^x) - \log(1 + ie^x)) - \operatorname{PolyLog}(2, -ie^x) + \operatorname{PolyLog}(2, ie^x))$$

input `Integrate[ArcCot[E^x], x]`

output `x*ArcCot[E^x] + (I/2)*(x*(Log[1 - I*E^x] - Log[1 + I*E^x]) - PolyLog[2, (-I)*E^x] + PolyLog[2, I*E^x])`

Rubi [A] (verified)

Time = 0.23 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.750$, Rules used = {2720, 5356, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \cot^{-1}(e^x) dx \\ & \quad \downarrow \text{2720} \\ & \int e^{-x} \cot^{-1}(e^x) de^x \\ & \quad \downarrow \text{5356} \\ & \frac{1}{2}i \int e^{-x} \log(1 - ie^{-x}) de^x - \frac{1}{2}i \int e^{-x} \log(1 + ie^{-x}) de^x \\ & \quad \downarrow \text{2838} \\ & \frac{1}{2}i \text{PolyLog}(2, ie^{-x}) - \frac{1}{2}i \text{PolyLog}(2, -ie^{-x}) \end{aligned}$$

input `Int[ArcCot[E^x], x]`

output `(-1/2*I)*PolyLog[2, (-I)/E^x] + (I/2)*PolyLog[2, I/E^x]`

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5356 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (-Simp[I*(b/2) Int[Log[1 + I/(c*x)]/x, x], x] + Simp[I*(b/2) Int[Log[1 - I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 52 vs. $2(25) = 50$.

Time = 0.27 (sec) , antiderivative size = 53, normalized size of antiderivative = 1.51

method	result	size
parts	$x \operatorname{arccot}(e^x) - \frac{ix \ln(1+ie^x)}{2} + \frac{ix \ln(1-ie^x)}{2} - \frac{i \operatorname{dilog}(1+ie^x)}{2} + \frac{i \operatorname{dilog}(1-ie^x)}{2}$	53
derivativeldivides	$\ln(e^x) \operatorname{arccot}(e^x) - \frac{i \ln(e^x) \ln(1+ie^x)}{2} + \frac{i \ln(e^x) \ln(1-ie^x)}{2} - \frac{i \operatorname{dilog}(1+ie^x)}{2} + \frac{i \operatorname{dilog}(1-ie^x)}{2}$	59
default	$\ln(e^x) \operatorname{arccot}(e^x) - \frac{i \ln(e^x) \ln(1+ie^x)}{2} + \frac{i \ln(e^x) \ln(1-ie^x)}{2} - \frac{i \operatorname{dilog}(1+ie^x)}{2} + \frac{i \operatorname{dilog}(1-ie^x)}{2}$	59
risch	$\frac{ix \ln(1+ie^x)}{2} + \frac{\pi x}{2} + \frac{i \operatorname{dilog}(1-ie^x)}{2} + \frac{i \ln(-i(-e^x+i)) \ln(-ie^x)}{2} - \frac{i \ln(-i(-e^x+i))x}{2} + \frac{i \operatorname{dilog}(-ie^x)}{2}$	73

input `int(arccot(exp(x)), x, method=_RETURNVERBOSE)`

output `x*arccot(exp(x))-1/2*I*x*ln(1+I*exp(x))+1/2*I*x*ln(1-I*exp(x))-1/2*I*dilog(1+I*exp(x))+1/2*I*dilog(1-I*exp(x))`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 40 vs. $2(19) = 38$.

Time = 0.10 (sec) , antiderivative size = 40, normalized size of antiderivative = 1.14

$$\int \cot^{-1}(e^x) dx = x \operatorname{arccot}(e^x) - \frac{1}{2} i x \log(i e^x + 1) + \frac{1}{2} i x \log(-i e^x + 1) + \frac{1}{2} i \operatorname{Li}_2(i e^x) - \frac{1}{2} i \operatorname{Li}_2(-i e^x)$$

input `integrate(arccot(exp(x)),x, algorithm="fricas")`

output `x*arccot(e^x) - 1/2*I*x*log(I*e^x + 1) + 1/2*I*x*log(-I*e^x + 1) + 1/2*I*dilog(I*e^x) - 1/2*I*dilog(-I*e^x)`

Sympy [F]

$$\int \cot^{-1}(e^x) dx = \int \operatorname{acot}(e^x) dx$$

input `integrate(acot(exp(x)),x)`

output `Integral(acot(exp(x)), x)`

Maxima [A] (verification not implemented)

Time = 0.15 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.97

$$\int \cot^{-1}(e^x) dx = x \operatorname{arccot}(e^x) + \frac{1}{4} \pi \log(e^{2x} + 1) + \frac{1}{2} i \operatorname{Li}_2(i e^x + 1) - \frac{1}{2} i \operatorname{Li}_2(-i e^x + 1)$$

input `integrate(arccot(exp(x)),x, algorithm="maxima")`

output `x*arccot(e^x) + 1/4*pi*log(e^(2*x) + 1) + 1/2*I*dilog(I*e^x + 1) - 1/2*I*dilog(-I*e^x + 1)`

Giac [F]

$$\int \cot^{-1}(e^x) dx = \int \operatorname{arccot}(e^x) dx$$

input `integrate(arccot(exp(x)),x, algorithm="giac")`

output `integrate(arccot(e^x), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(e^x) dx = \int \operatorname{acot}(e^x) dx$$

input `int(acot(exp(x)),x)`

output `int(acot(exp(x)), x)`

Reduce [F]

$$\int \cot^{-1}(e^x) dx = \int \operatorname{acot}(e^x) dx$$

input `int(acot(exp(x)),x)`

output `int(acot(e**x),x)`

3.71 $\int x \cot^{-1}(e^x) dx$

Optimal result	575
Mathematica [A] (verified)	575
Rubi [A] (verified)	576
Maple [A] (verified)	577
Fricas [A] (verification not implemented)	578
Sympy [F]	578
Maxima [F]	578
Giac [F]	579
Mupad [F(-1)]	579
Reduce [F]	579

Optimal result

Integrand size = 6, antiderivative size = 71

$$\int x \cot^{-1}(e^x) dx = -\frac{1}{2}ix \operatorname{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix \operatorname{PolyLog}(2, ie^{-x}) - \frac{1}{2}i \operatorname{PolyLog}(3, -ie^{-x}) + \frac{1}{2}i \operatorname{PolyLog}(3, ie^{-x})$$

output

```
-1/2*I*x*polylog(2, -I/exp(x))+1/2*I*x*polylog(2, I/exp(x))-1/2*I*polylog(3, -I/exp(x))+1/2*I*polylog(3, I/exp(x))
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 58, normalized size of antiderivative = 0.82

$$\int x \cot^{-1}(e^x) dx = -\frac{1}{2}i(x \operatorname{PolyLog}(2, -ie^{-x}) - x \operatorname{PolyLog}(2, ie^{-x}) + \operatorname{PolyLog}(3, -ie^{-x}) - \operatorname{PolyLog}(3, ie^{-x}))$$

input

```
Integrate[x*ArcCot[E^x], x]
```

output

```
(-1/2*I)*(x*PolyLog[2, (-I)/E^x] - x*PolyLog[2, I/E^x] + PolyLog[3, (-I)/E^x] - PolyLog[3, I/E^x])
```


Rubi [A] (verified)

Time = 0.35 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.89, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {5667, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int x \cot^{-1}(e^x) dx \\
 & \quad \downarrow \text{5667} \\
 & \frac{1}{2}i \int x \log(1 - ie^{-x}) dx - \frac{1}{2}i \int x \log(1 + ie^{-x}) dx \\
 & \quad \downarrow \text{3011} \\
 & \frac{1}{2}i \left(x \operatorname{PolyLog}(2, ie^{-x}) - \int \operatorname{PolyLog}(2, ie^{-x}) dx \right) - \\
 & \frac{1}{2}i \left(x \operatorname{PolyLog}(2, -ie^{-x}) - \int \operatorname{PolyLog}(2, -ie^{-x}) dx \right) \\
 & \quad \downarrow \text{2720} \\
 & \frac{1}{2}i \left(\int e^x \operatorname{PolyLog}(2, ie^{-x}) de^{-x} + x \operatorname{PolyLog}(2, ie^{-x}) \right) - \\
 & \frac{1}{2}i \left(\int e^x \operatorname{PolyLog}(2, -ie^{-x}) de^{-x} + x \operatorname{PolyLog}(2, -ie^{-x}) \right) \\
 & \quad \downarrow \text{7143} \\
 & \frac{1}{2}i (x \operatorname{PolyLog}(2, ie^{-x}) + \operatorname{PolyLog}(3, ie^{-x})) - \\
 & \frac{1}{2}i (x \operatorname{PolyLog}(2, -ie^{-x}) + \operatorname{PolyLog}(3, -ie^{-x}))
 \end{aligned}$$

input

```
Int[x*ArcCot[E^x], x]
```

output

```
(-1/2*I)*(x*PolyLog[2, (-I)/E^x] + PolyLog[3, (-I)/E^x]) + (I/2)*(x*PolyLog[2, I/E^x] + PolyLog[3, I/E^x])
```

Definitions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 3011

```
Int[Log[1 + (e_)*((F)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a +
b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(
m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e
, f, g, n}, x] && GtQ[m, 0]
```

rule 5667

```
Int[ArcCot[(a_) + (b_)*(f_)^((c_) + (d_)*(x_))]*(x_)^(m_), x_Symbol] :
> Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 In
t[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] &
& IntegerQ[m] && m > 0
```

rule 7143

```
Int[PolyLog[n_, (c_)*((a_) + (b_)*(x_))^(p_)]/((d_) + (e_)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Maple [A] (verified)

Time = 0.37 (sec) , antiderivative size = 50, normalized size of antiderivative = 0.70

method	result	size
risch	$\frac{\pi x^2}{4} + \frac{i \operatorname{polylog}(2, ie^x)x}{2} - \frac{i \operatorname{polylog}(3, ie^x)}{2} - \frac{i \operatorname{polylog}(2, -ie^x)x}{2} + \frac{i \operatorname{polylog}(3, -ie^x)}{2}$	50

input

```
int(x*arccot(exp(x)), x, method=_RETURNVERBOSE)
```

output

```
1/4*Pi*x^2+1/2*I*polylog(2,I*exp(x))*x-1/2*I*polylog(3,I*exp(x))-1/2*I*pol
ylog(2,-I*exp(x))*x+1/2*I*polylog(3,-I*exp(x))
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 65, normalized size of antiderivative = 0.92

$$\int x \cot^{-1}(e^x) dx = \frac{1}{2} x^2 \operatorname{arccot}(e^x) - \frac{1}{4} i x^2 \log(i e^x + 1) \\ + \frac{1}{4} i x^2 \log(-i e^x + 1) + \frac{1}{2} i x \operatorname{Li}_2(i e^x) - \frac{1}{2} i x \operatorname{Li}_2(-i e^x) \\ - \frac{1}{2} i \operatorname{polylog}(3, i e^x) + \frac{1}{2} i \operatorname{polylog}(3, -i e^x)$$

input `integrate(x*arccot(exp(x)),x, algorithm="fricas")`output `1/2*x^2*arccot(e^x) - 1/4*I*x^2*log(I*e^x + 1) + 1/4*I*x^2*log(-I*e^x + 1) \\ + 1/2*I*x*dilog(I*e^x) - 1/2*I*x*dilog(-I*e^x) - 1/2*I*polylog(3, I*e^x) \\ + 1/2*I*polylog(3, -I*e^x)`**Sympy [F]**

$$\int x \cot^{-1}(e^x) dx = \int x \operatorname{acot}(e^x) dx$$

input `integrate(x*acot(exp(x)),x)`output `Integral(x*acot(exp(x)), x)`**Maxima [F]**

$$\int x \cot^{-1}(e^x) dx = \int x \operatorname{arccot}(e^x) dx$$

input `integrate(x*arccot(exp(x)),x, algorithm="maxima")`output `1/2*x^2*arctan(e^(-x)) + integrate(1/2*x^2*e^x/(e^(2*x) + 1), x)`

Giac [F]

$$\int x \cot^{-1}(e^x) dx = \int x \operatorname{arccot}(e^x) dx$$

input `integrate(x*arccot(exp(x)),x, algorithm="giac")`

output `integrate(x*arccot(e^x), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(e^x) dx = \int x \operatorname{acot}(e^x) dx$$

input `int(x*acot(exp(x)),x)`

output `int(x*acot(exp(x)), x)`

Reduce [F]

$$\int x \cot^{-1}(e^x) dx = \int \operatorname{acot}(e^x) x dx$$

input `int(x*acot(exp(x)),x)`

output `int(acot(e**x)*x,x)`

3.72 $\int x^2 \cot^{-1}(e^x) dx$

Optimal result	580
Mathematica [A] (verified)	580
Rubi [A] (verified)	581
Maple [A] (verified)	583
Fricas [A] (verification not implemented)	583
Sympy [F]	584
Maxima [F]	584
Giac [F]	584
Mupad [F(-1)]	585
Reduce [F]	585

Optimal result

Integrand size = 8, antiderivative size = 103

$$\int x^2 \cot^{-1}(e^x) dx = -\frac{1}{2}ix^2 \text{PolyLog}(2, -ie^{-x}) + \frac{1}{2}ix^2 \text{PolyLog}(2, ie^{-x}) - ix \text{PolyLog}(3, -ie^{-x}) + ix \text{PolyLog}(3, ie^{-x}) - i \text{PolyLog}(4, -ie^{-x}) + i \text{PolyLog}(4, ie^{-x})$$

output

```
-1/2*I*x^2*polylog(2,-I/exp(x))+1/2*I*x^2*polylog(2,I/exp(x))-I*x*polylog(3,-I/exp(x))+I*x*polylog(3,I/exp(x))-I*polylog(4,-I/exp(x))+I*polylog(4,I/exp(x))
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 92, normalized size of antiderivative = 0.89

$$\int x^2 \cot^{-1}(e^x) dx = -\frac{1}{2}i(x^2 \text{PolyLog}(2, -ie^{-x}) - x^2 \text{PolyLog}(2, ie^{-x}) + 2(x \text{PolyLog}(3, -ie^{-x}) - x \text{PolyLog}(3, ie^{-x}) + \text{PolyLog}(4, -ie^{-x}) - \text{PolyLog}(4, ie^{-x})))$$

input

```
Integrate[x^2*ArcCot[E^x],x]
```

output

```
(-1/2*I)*(x^2*PolyLog[2, (-I)/E^x] - x^2*PolyLog[2, I/E^x] + 2*(x*PolyLog[3, (-I)/E^x] - x*PolyLog[3, I/E^x] + PolyLog[4, (-I)/E^x] - PolyLog[4, I/E^x]))
```

Rubi [A] (verified)

Time = 0.47 (sec) , antiderivative size = 105, normalized size of antiderivative = 1.02, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {5667, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(e^x) dx$$

$$\downarrow \text{5667}$$

$$\frac{1}{2}i \int x^2 \log(1 - ie^{-x}) dx - \frac{1}{2}i \int x^2 \log(1 + ie^{-x}) dx$$

$$\downarrow \text{3011}$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, ie^{-x}) - 2 \int x \text{PolyLog}(2, ie^{-x}) dx \right) -$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, -ie^{-x}) - 2 \int x \text{PolyLog}(2, -ie^{-x}) dx \right)$$

$$\downarrow \text{7163}$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, ie^{-x}) - 2 \left(\int \text{PolyLog}(3, ie^{-x}) dx - x \text{PolyLog}(3, ie^{-x}) \right) \right) -$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, -ie^{-x}) - 2 \left(\int \text{PolyLog}(3, -ie^{-x}) dx - x \text{PolyLog}(3, -ie^{-x}) \right) \right)$$

$$\downarrow \text{2720}$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, ie^{-x}) - 2 \left(- \int e^x \text{PolyLog}(3, ie^{-x}) de^{-x} - x \text{PolyLog}(3, ie^{-x}) \right) \right) -$$

$$\frac{1}{2}i \left(x^2 \text{PolyLog}(2, -ie^{-x}) - 2 \left(- \int e^x \text{PolyLog}(3, -ie^{-x}) de^{-x} - x \text{PolyLog}(3, -ie^{-x}) \right) \right)$$

$$\downarrow \text{7143}$$

$$\frac{1}{2}i(x^2 \text{PolyLog}(2, ie^{-x}) - 2(-x \text{PolyLog}(3, ie^{-x}) - \text{PolyLog}(4, ie^{-x}))) - \frac{1}{2}i(x^2 \text{PolyLog}(2, -ie^{-x}) - 2(-x \text{PolyLog}(3, -ie^{-x}) - \text{PolyLog}(4, -ie^{-x})))$$

input `Int[x^2*ArcCot[E^x], x]`

output `(-1/2*I)*(x^2*PolyLog[2, (-I)/E^x] - 2*(-(x*PolyLog[3, (-I)/E^x]) - PolyLog[4, (-I)/E^x])) + (I/2)*(x^2*PolyLog[2, I/E^x] - 2*(-(x*PolyLog[3, I/E^x]) - PolyLog[4, I/E^x]))`

Defintions of rubi rules used

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^(((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x)))^n]/(b*c*n*Log[F])), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x)))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5667 `Int[ArcCot[(a_.) + (b_.)*(f_)^(((c_.) + (d_.)*(x_)))]*(x_)^(m_.), x_Symbol] := Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

rule 7163

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*(m/(b*c*p*Log[F])) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [A] (verified)

Time = 0.51 (sec) , antiderivative size = 76, normalized size of antiderivative = 0.74

method	result
risch	$\frac{\pi x^3}{6} + \frac{i \operatorname{polylog}(2, ie^x)x^2}{2} - i \operatorname{polylog}(3, ie^x)x + i \operatorname{polylog}(4, ie^x) - \frac{i \operatorname{polylog}(2, -ie^x)x^2}{2} + i \operatorname{polylog}(3, -ie^x)$

input

```
int(x^2*arccot(exp(x)),x,method=_RETURNVERBOSE)
```

output

```
1/6*Pi*x^3+1/2*I*polylog(2,I*exp(x))*x^2-I*polylog(3,I*exp(x))*x+I*polylog
(4,I*exp(x))-1/2*I*polylog(2,-I*exp(x))*x^2+I*polylog(3,-I*exp(x))*x-I*pol
ylog(4,-I*exp(x))
```

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 87, normalized size of antiderivative = 0.84

$$\int x^2 \cot^{-1}(e^x) dx = \frac{1}{3} x^3 \operatorname{arccot}(e^x) - \frac{1}{6} i x^3 \log(i e^x + 1) + \frac{1}{6} i x^3 \log(-i e^x + 1) \\ + \frac{1}{2} i x^2 \operatorname{Li}_2(i e^x) - \frac{1}{2} i x^2 \operatorname{Li}_2(-i e^x) - i x \operatorname{polylog}(3, i e^x) \\ + i x \operatorname{polylog}(3, -i e^x) + i \operatorname{polylog}(4, i e^x) - i \operatorname{polylog}(4, -i e^x)$$

input

```
integrate(x^2*arccot(exp(x)),x, algorithm="fricas")
```

output

```
1/3*x^3*arccot(e^x) - 1/6*I*x^3*log(I*e^x + 1) + 1/6*I*x^3*log(-I*e^x + 1)
+ 1/2*I*x^2*dilog(I*e^x) - 1/2*I*x^2*dilog(-I*e^x) - I*x*polylog(3, I*e^x
) + I*x*polylog(3, -I*e^x) + I*polylog(4, I*e^x) - I*polylog(4, -I*e^x)
```


Sympy [F]

$$\int x^2 \cot^{-1}(e^x) dx = \int x^2 \operatorname{acot}(e^x) dx$$

input `integrate(x**2*acot(exp(x)),x)`

output `Integral(x**2*acot(exp(x)), x)`

Maxima [F]

$$\int x^2 \cot^{-1}(e^x) dx = \int x^2 \operatorname{arccot}(e^x) dx$$

input `integrate(x^2*arccot(exp(x)),x, algorithm="maxima")`

output `1/3*x^3*arctan(e^(-x)) + integrate(1/3*x^3*e^x/(e^(2*x) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(e^x) dx = \int x^2 \operatorname{arccot}(e^x) dx$$

input `integrate(x^2*arccot(exp(x)),x, algorithm="giac")`

output `integrate(x^2*arccot(e^x), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(e^x) dx = \int x^2 \operatorname{acot}(e^x) dx$$

input `int(x^2*acot(exp(x)),x)`output `int(x^2*acot(exp(x)), x)`**Reduce [F]**

$$\int x^2 \cot^{-1}(e^x) dx = \int \operatorname{acot}(e^x) x^2 dx$$

input `int(x^2*acot(exp(x)),x)`output `int(acot(e**x)*x**2,x)`

3.73 $\int \cot^{-1}(e^{a+bx}) dx$

Optimal result	586
Mathematica [A] (verified)	586
Rubi [A] (verified)	587
Maple [B] (verified)	588
Fricas [B] (verification not implemented)	589
Sympy [F]	589
Maxima [A] (verification not implemented)	590
Giac [F]	590
Mupad [F(-1)]	590
Reduce [F]	591

Optimal result

Integrand size = 8, antiderivative size = 51

$$\int \cot^{-1}(e^{a+bx}) dx = -\frac{i \operatorname{PolyLog}(2, -ie^{-a-bx})}{2b} + \frac{i \operatorname{PolyLog}(2, ie^{-a-bx})}{2b}$$

output

```
-1/2*I*polylog(2,-I*exp(-b*x-a))/b+1/2*I*polylog(2,I*exp(-b*x-a))/b
```

Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 83, normalized size of antiderivative = 1.63

$$\int \cot^{-1}(e^{a+bx}) dx = x \cot^{-1}(e^{a+bx}) + \frac{i(bx(\log(1 - ie^{a+bx}) - \log(1 + ie^{a+bx})) - \operatorname{PolyLog}(2, -ie^{a+bx}) + \operatorname{PolyLog}(2, ie^{a+bx}))}{2b}$$

input

```
Integrate[ArcCot[E^(a + b*x)],x]
```

output

```
x*ArcCot[E^(a + b*x)] + ((I/2)*(b*x*(Log[1 - I*E^(a + b*x)] - Log[1 + I*E^(a + b*x)]) - PolyLog[2, (-I)*E^(a + b*x)] + PolyLog[2, I*E^(a + b*x)]))/b
```

Rubi [A] (verified)

Time = 0.24 (sec) , antiderivative size = 49, normalized size of antiderivative = 0.96, number of steps used = 4, number of rules used = 3, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {2720, 5356, 2838}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{array}{c}
 \int \cot^{-1}(e^{a+bx}) dx \\
 \downarrow \text{2720} \\
 \frac{\int e^{-a-bx} \cot^{-1}(e^{a+bx}) de^{a+bx}}{b} \\
 \downarrow \text{5356} \\
 \frac{\frac{1}{2}i \int e^{-a-bx} \log(1 - ie^{-a-bx}) de^{a+bx} - \frac{1}{2}i \int e^{-a-bx} \log(1 + ie^{-a-bx}) de^{a+bx}}{b} \\
 \downarrow \text{2838} \\
 \frac{\frac{1}{2}i \text{PolyLog}(2, ie^{-a-bx}) - \frac{1}{2}i \text{PolyLog}(2, -ie^{-a-bx})}{b}
 \end{array}$$

input `Int[ArcCot[E^(a + b*x)],x]`

output `((-1/2*I)*PolyLog[2, (-I)*E^(-a - b*x)] + (I/2)*PolyLog[2, I*E^(-a - b*x)]) / b`

Defintions of rubi rules used

rule 2720

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 2838 `Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := Simp[-PolyLog[2, (-c)*e*x^n]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]`

rule 5356 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/(x_), x_Symbol] := Simp[a*Log[x], x] + (-Simp[I*(b/2) Int[Log[1 + I/(c*x)]/x, x], x] + Simp[I*(b/2) Int[Log[1 - I/(c*x)]/x, x], x]) /; FreeQ[{a, b, c}, x]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 94 vs. $2(41) = 82$.

Time = 0.23 (sec) , antiderivative size = 95, normalized size of antiderivative = 1.86

method	result
derivativedivides	$\frac{\ln(e^{bx+a}) \operatorname{arccot}(e^{bx+a}) - \frac{i \ln(e^{bx+a}) \ln(1+ie^{bx+a})}{2} + \frac{i \ln(e^{bx+a}) \ln(1-ie^{bx+a})}{2} - \frac{i \operatorname{dilog}(1+ie^{bx+a})}{2} + \frac{i \operatorname{dilog}(1-ie^{bx+a})}{2}}{b}$
default	$\frac{\ln(e^{bx+a}) \operatorname{arccot}(e^{bx+a}) - \frac{i \ln(e^{bx+a}) \ln(1+ie^{bx+a})}{2} + \frac{i \ln(e^{bx+a}) \ln(1-ie^{bx+a})}{2} - \frac{i \operatorname{dilog}(1+ie^{bx+a})}{2} + \frac{i \operatorname{dilog}(1-ie^{bx+a})}{2}}{b}$
parts	$x \operatorname{arccot}(e^{bx+a}) + \frac{\frac{i(bx+a) \ln(1+ie^{bx+a})}{2} + \frac{i(bx+a) \ln(1-ie^{bx+a})}{2} - \frac{i \operatorname{dilog}(1+ie^{bx+a})}{2} + \frac{i \operatorname{dilog}(1-ie^{bx+a})}{2} - a \operatorname{arccot}(e^{bx+a})}{b}$
risch	$\frac{ix \ln(1+ie^{bx+a})}{2} + \frac{\pi x}{2} + \frac{i \operatorname{dilog}(1-ie^{bx+a})}{2b} - \frac{i \ln(-i(-e^{bx+a}+i))x}{2} + \frac{ia \ln(1+ie^{bx+a})}{2b} + \frac{i \ln(-i(-e^{bx+a}+i))}{2b}$

input `int(arccot(exp(b*x+a)), x, method=_RETURNVERBOSE)`

output `1/b*(ln(exp(b*x+a))*arccot(exp(b*x+a))-1/2*I*ln(exp(b*x+a))*ln(1+I*exp(b*x+a))+1/2*I*ln(exp(b*x+a))*ln(1-I*exp(b*x+a))-1/2*I*dilog(1+I*exp(b*x+a))+1/2*I*dilog(1-I*exp(b*x+a)))`

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 103 vs. $2(35) = 70$.

Time = 0.11 (sec) , antiderivative size = 103, normalized size of antiderivative = 2.02

$$\int \cot^{-1}(e^{a+bx}) dx$$

$$= \frac{2bx \operatorname{arccot}(e^{(bx+a)}) - ia \log(e^{(bx+a)} + i) + ia \log(e^{(bx+a)} - i) + (-ibx - ia) \log(ie^{(bx+a)} + 1) + (ibx + ia) \log(-ie^{(bx+a)} + 1) + I \operatorname{dilog}(Ie^{(bx+a)}) - I \operatorname{dilog}(-Ie^{(bx+a)})}{2b}$$

input `integrate(arccot(exp(b*x+a)),x, algorithm="fricas")`

output `1/2*(2*b*x*arccot(e^(b*x + a)) - I*a*log(e^(b*x + a) + I) + I*a*log(e^(b*x + a) - I) + (-I*b*x - I*a)*log(I*e^(b*x + a) + 1) + (I*b*x + I*a)*log(-I*e^(b*x + a) + 1) + I*dilog(I*e^(b*x + a)) - I*dilog(-I*e^(b*x + a)))/b`

Sympy [F]

$$\int \cot^{-1}(e^{a+bx}) dx = \int \operatorname{acot}(e^{a+bx}) dx$$

input `integrate(acot(exp(a + b*x)), x)`

output `Integral(acot(exp(a + b*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.17 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.24

$$\int \cot^{-1}(e^{a+bx}) dx$$

$$= \frac{(bx+a) \operatorname{arccot}(e^{(bx+a)})}{b} + \frac{\pi \log(e^{(2bx+2a)} + 1) + 2i \operatorname{Li}_2(i e^{(bx+a)} + 1) - 2i \operatorname{Li}_2(-i e^{(bx+a)} + 1)}{4b}$$

input `integrate(arccot(exp(b*x+a)),x, algorithm="maxima")`output `(b*x + a)*arccot(e^(b*x + a))/b + 1/4*(pi*log(e^(2*b*x + 2*a) + 1) + 2*I*dilog(I*e^(b*x + a) + 1) - 2*I*dilog(-I*e^(b*x + a) + 1))/b`**Giac [F]**

$$\int \cot^{-1}(e^{a+bx}) dx = \int \operatorname{arccot}(e^{(bx+a)}) dx$$

input `integrate(arccot(exp(b*x+a)),x, algorithm="giac")`output `integrate(arccot(e^(b*x + a)), x)`**Mupad [F(-1)]**

Timed out.

$$\int \cot^{-1}(e^{a+bx}) dx = \int \operatorname{acot}(e^{a+bx}) dx$$

input `int(acot(exp(a + b*x)),x)`output `int(acot(exp(a + b*x)), x)`

Reduce [F]

$$\int \cot^{-1}(e^{a+bx}) dx = \int \operatorname{acot}(e^{bx+a}) dx$$

input `int(acot(exp(b*x+a)), x)`

output `int(acot(e**(a + b*x)), x)`

3.74 $\int x \cot^{-1} (e^{a+bx}) dx$

Optimal result	592
Mathematica [A] (verified)	592
Rubi [A] (verified)	593
Maple [B] (verified)	595
Fricas [B] (verification not implemented)	595
Sympy [F]	596
Maxima [F]	596
Giac [F]	597
Mupad [F(-1)]	597
Reduce [F]	597

Optimal result

Integrand size = 10, antiderivative size = 103

$$\int x \cot^{-1} (e^{a+bx}) dx = -\frac{ix \operatorname{PolyLog} (2, -ie^{-a-bx})}{2b} + \frac{ix \operatorname{PolyLog} (2, ie^{-a-bx})}{2b} - \frac{i \operatorname{PolyLog} (3, -ie^{-a-bx})}{2b^2} + \frac{i \operatorname{PolyLog} (3, ie^{-a-bx})}{2b^2}$$

output

```
-1/2*I*x*polylog(2,-I*exp(-b*x-a))/b+1/2*I*x*polylog(2,I*exp(-b*x-a))/b-1/2*I*polylog(3,-I*exp(-b*x-a))/b^2+1/2*I*polylog(3,I*exp(-b*x-a))/b^2
```

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 83, normalized size of antiderivative = 0.81

$$\int x \cot^{-1} (e^{a+bx}) dx = \frac{i(bx \operatorname{PolyLog} (2, -ie^{-a-bx}) - bx \operatorname{PolyLog} (2, ie^{-a-bx}) + \operatorname{PolyLog} (3, -ie^{-a-bx}) - \operatorname{PolyLog} (3, ie^{-a-bx}))}{2b^2}$$

input

```
Integrate[x*ArcCot[E^(a + b*x)],x]
```

output

$$\left((-1/2*I)*(b*x*PolyLog[2, (-I)*E^(-a - b*x)] - b*x*PolyLog[2, I*E^(-a - b*x)]) + PolyLog[3, (-I)*E^(-a - b*x)] - PolyLog[3, I*E^(-a - b*x)] \right) / b^2$$
Rubi [A] (verified)

Time = 0.40 (sec) , antiderivative size = 97, normalized size of antiderivative = 0.94, number of steps used = 5, number of rules used = 4, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {5667, 3011, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int x \cot^{-1}(e^{a+bx}) dx \\ & \quad \downarrow \text{5667} \\ & \frac{1}{2}i \int x \log(1 - ie^{-a-bx}) dx - \frac{1}{2}i \int x \log(1 + ie^{-a-bx}) dx \\ & \quad \downarrow \text{3011} \\ & \frac{1}{2}i \left(\frac{x \text{PolyLog}(2, ie^{-a-bx})}{b} - \frac{\int \text{PolyLog}(2, ie^{-a-bx}) dx}{b} \right) - \\ & \frac{1}{2}i \left(\frac{x \text{PolyLog}(2, -ie^{-a-bx})}{b} - \frac{\int \text{PolyLog}(2, -ie^{-a-bx}) dx}{b} \right) \\ & \quad \downarrow \text{2720} \\ & \frac{1}{2}i \left(\frac{\int e^{a+bx} \text{PolyLog}(2, ie^{-a-bx}) de^{-a-bx}}{b^2} + \frac{x \text{PolyLog}(2, ie^{-a-bx})}{b} \right) - \\ & \frac{1}{2}i \left(\frac{\int e^{a+bx} \text{PolyLog}(2, -ie^{-a-bx}) de^{-a-bx}}{b^2} + \frac{x \text{PolyLog}(2, -ie^{-a-bx})}{b} \right) \\ & \quad \downarrow \text{7143} \\ & \frac{1}{2}i \left(\frac{\text{PolyLog}(3, ie^{-a-bx})}{b^2} + \frac{x \text{PolyLog}(2, ie^{-a-bx})}{b} \right) - \\ & \frac{1}{2}i \left(\frac{\text{PolyLog}(3, -ie^{-a-bx})}{b^2} + \frac{x \text{PolyLog}(2, -ie^{-a-bx})}{b} \right) \end{aligned}$$

input `Int[x*ArcCot[E^(a + b*x)],x]`

output `(-1/2*I)*((x*PolyLog[2, (-I)*E^(-a - b*x)])/b + PolyLog[3, (-I)*E^(-a - b*x)]/b^2) + (I/2)*((x*PolyLog[2, I*E^(-a - b*x)])/b + PolyLog[3, I*E^(-a - b*x)]/b^2)`

Defintions of rubi rules used

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-f + g*x)^m*(PolyLog[2, (-e)*(F^(c*(a + b*x))))^n/(b*c*n*Log[F]), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x))))^n, x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5667 `Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] := Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0`

rule 7143 `Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 354 vs. $2(83) = 166$.

Time = 0.34 (sec) , antiderivative size = 355, normalized size of antiderivative = 3.45

method	result
risch	$-\frac{i \operatorname{polylog}(3, i e^{bx+a})}{2b^2} + \frac{\pi x^2}{4} + \frac{i \operatorname{polylog}(2, i e^{bx+a}) a}{2b^2} - \frac{i \operatorname{polylog}(2, -i e^{bx+a}) a}{2b^2} - \frac{i \ln(1 + i e^{bx+a}) a x}{2b} - \frac{i \operatorname{dilog}(-i(e^{bx+a} + 1))}{2b^2}$

input `int(x*arccot(exp(b*x+a)),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & -1/2*I/b^2*\operatorname{polylog}(3, I*\exp(b*x+a))+1/4*Pi*x^2+1/2*I/b^2*\operatorname{polylog}(2, I*\exp(b*x+a))*a-1/2*I/b^2*\operatorname{polylog}(2, -I*\exp(b*x+a))*a-1/2*I/b*\ln(1+I*\exp(b*x+a))*a*x \\ & -1/2*I/b^2*\operatorname{dilog}(-I*(\exp(b*x+a)+I))*a+1/2*I/b*\ln(-I*(-\exp(b*x+a)+I))*a*x-1/2*I/b^2*\ln(-I*\exp(b*x+a))*\ln(-I*(-\exp(b*x+a)+I))*a-1/2*I/b^2*a^2*\ln(1+I*\exp(b*x+a))+1/2*I/b*\ln(1-I*\exp(b*x+a))*a*x-1/2*I/b*\operatorname{polylog}(2, -I*\exp(b*x+a))*x \\ & -1/2*I/b^2*\operatorname{dilog}(-I*\exp(b*x+a))*a+1/2*I/b^2*\operatorname{polylog}(3, -I*\exp(b*x+a))+1/2*I/b*\operatorname{polylog}(2, I*\exp(b*x+a))*x+1/2*I/b^2*a^2*\ln(1-I*\exp(b*x+a))-1/2*I/b^2*\ln(-I*(\exp(b*x+a)+I))*a^2+1/2*I/b^2*\ln(-I*(-\exp(b*x+a)+I))*a^2-1/2*I/b*\ln(-I*(\exp(b*x+a)+I))*a*x \end{aligned}$$

Fricas [B] (verification not implemented)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 151 vs. $2(73) = 146$.

Time = 0.12 (sec) , antiderivative size = 151, normalized size of antiderivative = 1.47

$$\int x \cot^{-1}(e^{a+bx}) dx = \frac{2b^2x^2 \operatorname{arccot}(e^{(bx+a)}) + 2i bx \operatorname{Li}_2(i e^{(bx+a)}) - 2i bx \operatorname{Li}_2(-i e^{(bx+a)}) + i a^2 \log(e^{(bx+a)} + i) - i a^2 \log(e^{(bx+a)} - i)}{2b^2}$$

input `integrate(x*arccot(exp(b*x+a)),x, algorithm="fricas")`

output

```
1/4*(2*b^2*x^2*arccot(e^(b*x + a)) + 2*I*b*x*dilog(I*e^(b*x + a)) - 2*I*b*x*dilog(-I*e^(b*x + a)) + I*a^2*log(e^(b*x + a) + I) - I*a^2*log(e^(b*x + a) - I) + (-I*b^2*x^2 + I*a^2)*log(I*e^(b*x + a) + 1) + (I*b^2*x^2 - I*a^2)*log(-I*e^(b*x + a) + 1) - 2*I*polylog(3, I*e^(b*x + a)) + 2*I*polylog(3, -I*e^(b*x + a)))/b^2
```

Sympy [F]

$$\int x \cot^{-1}(e^{a+bx}) dx = \int x \operatorname{acot}(e^a e^{bx}) dx$$

input

```
integrate(x*acot(exp(b*x+a)),x)
```

output

```
Integral(x*acot(exp(a)*exp(b*x)), x)
```

Maxima [F]

$$\int x \cot^{-1}(e^{a+bx}) dx = \int x \operatorname{arccot}(e^{(bx+a)}) dx$$

input

```
integrate(x*arccot(exp(b*x+a)),x, algorithm="maxima")
```

output

```
1/2*x^2*arctan(e^(-b*x - a)) + b*integrate(1/2*x^2*e^(b*x + a)/(e^(2*b*x + 2*a) + 1), x)
```

Giac [F]

$$\int x \cot^{-1}(e^{a+bx}) dx = \int x \operatorname{arccot}(e^{(bx+a)}) dx$$

input `integrate(x*arccot(exp(b*x+a)),x, algorithm="giac")`

output `integrate(x*arccot(e^(b*x + a)), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(e^{a+bx}) dx = \int x \operatorname{acot}(e^{a+bx}) dx$$

input `int(x*acot(exp(a + b*x)),x)`

output `int(x*acot(exp(a + b*x)), x)`

Reduce [F]

$$\int x \cot^{-1}(e^{a+bx}) dx = \int \operatorname{acot}(e^{bx+a}) x dx$$

input `int(x*acot(exp(b*x+a)),x)`

output `int(acot(e**(a + b*x))*x,x)`

3.75 $\int x^2 \cot^{-1} (e^{a+bx}) dx$

Optimal result	598
Mathematica [A] (verified)	598
Rubi [A] (verified)	599
Maple [B] (verified)	601
Fricas [A] (verification not implemented)	602
Sympy [F]	603
Maxima [F]	603
Giac [F]	603
Mupad [F(-1)]	604
Reduce [F]	604

Optimal result

Integrand size = 12, antiderivative size = 151

$$\int x^2 \cot^{-1} (e^{a+bx}) dx = -\frac{ix^2 \text{PolyLog} (2, -ie^{-a-bx})}{2b} + \frac{ix^2 \text{PolyLog} (2, ie^{-a-bx})}{2b} - \frac{ix \text{PolyLog} (3, -ie^{-a-bx})}{b^2} + \frac{ix \text{PolyLog} (3, ie^{-a-bx})}{b^2} - \frac{i \text{PolyLog} (4, -ie^{-a-bx})}{b^3} + \frac{i \text{PolyLog} (4, ie^{-a-bx})}{b^3}$$

output

```
-1/2*I*x^2*polylog(2,-I*exp(-b*x-a))/b+1/2*I*x^2*polylog(2,I*exp(-b*x-a))/b-I*x*polylog(3,-I*exp(-b*x-a))/b^2+I*x*polylog(3,I*exp(-b*x-a))/b^2-I*polylog(4,-I*exp(-b*x-a))/b^3+I*polylog(4,I*exp(-b*x-a))/b^3
```

Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 133, normalized size of antiderivative = 0.88

$$\int x^2 \cot^{-1} (e^{a+bx}) dx = \frac{i(b^2x^2 \text{PolyLog} (2, -ie^{-a-bx}) - b^2x^2 \text{PolyLog} (2, ie^{-a-bx}) + 2(bx \text{PolyLog} (3, -ie^{-a-bx}) - bx \text{PolyLog} (3, ie^{-a-bx})) - 2i \text{PolyLog} (4, -ie^{-a-bx}) + 2i \text{PolyLog} (4, ie^{-a-bx}))}{2b^3}$$

input `Integrate[x^2*ArcCot[E^(a + b*x)],x]`

output
$$\frac{((-1/2*I)*(b^2*x^2*PolyLog[2, (-I)*E^(-a - b*x)] - b^2*x^2*PolyLog[2, I*E^(-a - b*x)] + 2*(b*x*PolyLog[3, (-I)*E^(-a - b*x)] - b*x*PolyLog[3, I*E^(-a - b*x)] + PolyLog[4, (-I)*E^(-a - b*x)] - PolyLog[4, I*E^(-a - b*x)]))}{b^3}$$

Rubi [A] (verified)

Time = 0.58 (sec) , antiderivative size = 159, normalized size of antiderivative = 1.05, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {5667, 3011, 7163, 2720, 7143}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x^2 \cot^{-1}(e^{a+bx}) dx$$

$$\downarrow 5667$$

$$\frac{1}{2}i \int x^2 \log(1 - ie^{-a-bx}) dx - \frac{1}{2}i \int x^2 \log(1 + ie^{-a-bx}) dx$$

$$\downarrow 3011$$

$$\frac{1}{2}i \left(\frac{x^2 \text{PolyLog}(2, ie^{-a-bx})}{b} - \frac{2 \int x \text{PolyLog}(2, ie^{-a-bx}) dx}{b} \right) -$$

$$\frac{1}{2}i \left(\frac{x^2 \text{PolyLog}(2, -ie^{-a-bx})}{b} - \frac{2 \int x \text{PolyLog}(2, -ie^{-a-bx}) dx}{b} \right)$$

$$\downarrow 7163$$

$$\frac{1}{2}i \left(\frac{x^2 \text{PolyLog}(2, ie^{-a-bx})}{b} - \frac{2 \left(\frac{\int \text{PolyLog}(3, ie^{-a-bx}) dx}{b} - \frac{x \text{PolyLog}(3, ie^{-a-bx})}{b} \right)}{b} \right) -$$

$$\frac{1}{2}i \left(\frac{x^2 \text{PolyLog}(2, -ie^{-a-bx})}{b} - \frac{2 \left(\frac{\int \text{PolyLog}(3, -ie^{-a-bx}) dx}{b} - \frac{x \text{PolyLog}(3, -ie^{-a-bx})}{b} \right)}{b} \right)$$

$$\downarrow 2720$$

$$\frac{1}{2}i \left(\frac{x^2 \operatorname{PolyLog}(2, ie^{-a-bx})}{b} - \frac{2 \left(-\frac{\int e^{a+bx} \operatorname{PolyLog}(3, ie^{-a-bx}) de^{-a-bx}}{b^2} - \frac{x \operatorname{PolyLog}(3, ie^{-a-bx})}{b} \right)}{b} \right) -$$

$$\frac{1}{2}i \left(\frac{x^2 \operatorname{PolyLog}(2, -ie^{-a-bx})}{b} - \frac{2 \left(-\frac{\int e^{a+bx} \operatorname{PolyLog}(3, -ie^{-a-bx}) de^{-a-bx}}{b^2} - \frac{x \operatorname{PolyLog}(3, -ie^{-a-bx})}{b} \right)}{b} \right)$$

↓ 7143

$$\frac{1}{2}i \left(\frac{x^2 \operatorname{PolyLog}(2, ie^{-a-bx})}{b} - \frac{2 \left(-\frac{\operatorname{PolyLog}(4, ie^{-a-bx})}{b^2} - \frac{x \operatorname{PolyLog}(3, ie^{-a-bx})}{b} \right)}{b} \right) -$$

$$\frac{1}{2}i \left(\frac{x^2 \operatorname{PolyLog}(2, -ie^{-a-bx})}{b} - \frac{2 \left(-\frac{\operatorname{PolyLog}(4, -ie^{-a-bx})}{b^2} - \frac{x \operatorname{PolyLog}(3, -ie^{-a-bx})}{b} \right)}{b} \right)$$

input `Int[x^2*ArcCot[E^(a + b*x)],x]`

output `(-1/2*I)*((x^2*PolyLog[2, (-I)*E^(-a - b*x)]/b - (2*(-((x*PolyLog[3, (-I)*E^(-a - b*x)]/b) - PolyLog[4, (-I)*E^(-a - b*x)]/b^2))/b) + (I/2)*((x^2*PolyLog[2, I*E^(-a - b*x)]/b - (2*(-((x*PolyLog[3, I*E^(-a - b*x)]/b) - PolyLog[4, I*E^(-a - b*x)]/b^2))/b)`

Defintions of rubi rules used

rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`

rule 3011 `Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := Simp[(-(f + g*x)^m)*(PolyLog[2, (-e)*(F^(c*(a + b*x))))^n]/(b*c*n*Log[F]), x] + Simp[g*(m/(b*c*n*Log[F])) Int[(f + g*x)^(m - 1)*PolyLog[2, (-e)*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]`

rule 5667

```
Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^(m_.), x_Symbol] :
> Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 In
t[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] &
& IntegerQ[m] && m > 0
```

rule 7143

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

rule 7163

```
Int[((e_.) + (f_.)*(x_)^(m_.)*PolyLog[n_, (d_.)*(F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[(e + f*x)^m*(PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F])), x] - Simp[f*m/(b*c*p*Log[F]) Int[(e + f*x)
^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c
, d, e, f, n, p}, x] && GtQ[m, 0]
```

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 412 vs. $2(129) = 258$.

Time = 0.41 (sec) , antiderivative size = 413, normalized size of antiderivative = 2.74

method	result
risch	$\frac{i \operatorname{dilog}(-i(e^{bx+a}+i))a^2}{2b^3} + \frac{\pi x^3}{6} + \frac{i \operatorname{polylog}(3, -ie^{bx+a})x}{b^2} - \frac{i \ln(1-ie^{bx+a})a^3}{2b^3} + \frac{i \operatorname{polylog}(4, ie^{bx+a})}{b^3} - \frac{i \ln(1-ie^{bx+a})x a^2}{2b^2}$

input

```
int(x^2*arccot(exp(b*x+a)),x,method=_RETURNVERBOSE)
```

output

```
1/2*I/b^3*dilog(-I*(exp(b*x+a)+I))*a^2+1/6*Pi*x^3+I/b^2*polylog(3,-I*exp(b
*x+a))*x-1/2*I/b^3*ln(1-I*exp(b*x+a))*a^3+I/b^3*polylog(4,I*exp(b*x+a))-1/
2*I/b^2*ln(1-I*exp(b*x+a))*x*a^2-1/2*I/b^3*polylog(2,I*exp(b*x+a))*a^2+1/2
*I/b^3*dilog(-I*exp(b*x+a))*a^2+1/2*I/b^3*a^3*ln(1+I*exp(b*x+a))+1/2*I/b^3
*ln(-I*(exp(b*x+a)+I))*a^3+1/2*I/b^3*ln(-I*exp(b*x+a))*ln(-I*(-exp(b*x+a)+
I))*a^2+1/2*I/b^2*ln(1+I*exp(b*x+a))*a^2*x+1/2*I/b^2*ln(-I*(exp(b*x+a)+I))
*x*a^2-1/2*I/b^2*ln(-I*(-exp(b*x+a)+I))*a^2*x+1/2*I/b^3*polylog(2,-I*exp(b
*x+a))*a^2-I/b^3*polylog(4,-I*exp(b*x+a))+1/2*I/b*polylog(2,I*exp(b*x+a))*
x^2-I/b^2*polylog(3,I*exp(b*x+a))*x-1/2*I/b*polylog(2,-I*exp(b*x+a))*x^2-1
/2*I/b^3*ln(-I*(-exp(b*x+a)+I))*a^3
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 187, normalized size of antiderivative = 1.24

$$\int x^2 \cot^{-1}(e^{a+bx}) dx$$

$$= \frac{2b^3x^3 \operatorname{arccot}(e^{(bx+a)}) + 3ib^2x^2 \operatorname{Li}_2(ie^{(bx+a)}) - 3ib^2x^2 \operatorname{Li}_2(-ie^{(bx+a)}) - ia^3 \log(e^{(bx+a)} + i) + ia^3 \log(e^{(bx+a)} - i)}{b^3}$$

input

```
integrate(x^2*arccot(exp(b*x+a)),x, algorithm="fricas")
```

output

```
1/6*(2*b^3*x^3*arccot(e^(b*x + a)) + 3*I*b^2*x^2*dilog(I*e^(b*x + a)) - 3*
I*b^2*x^2*dilog(-I*e^(b*x + a)) - I*a^3*log(e^(b*x + a) + I) + I*a^3*log(e
^(b*x + a) - I) - 6*I*b*x*polylog(3, I*e^(b*x + a)) + 6*I*b*x*polylog(3, -
I*e^(b*x + a)) + (-I*b^3*x^3 - I*a^3)*log(I*e^(b*x + a) + 1) + (I*b^3*x^3
+ I*a^3)*log(-I*e^(b*x + a) + 1) + 6*I*polylog(4, I*e^(b*x + a)) - 6*I*pol
ylog(4, -I*e^(b*x + a)))/b^3
```

Sympy [F]

$$\int x^2 \cot^{-1}(e^{a+bx}) dx = \int x^2 \operatorname{acot}(e^a e^{bx}) dx$$

input `integrate(x**2*acot(exp(b*x+a)),x)`

output `Integral(x**2*acot(exp(a)*exp(b*x)), x)`

Maxima [F]

$$\int x^2 \cot^{-1}(e^{a+bx}) dx = \int x^2 \operatorname{arccot}(e^{(bx+a)}) dx$$

input `integrate(x^2*arccot(exp(b*x+a)),x, algorithm="maxima")`

output `1/3*x^3*arctan(e^(-b*x - a)) + b*integrate(1/3*x^3*e^(b*x + a)/(e^(2*b*x + 2*a) + 1), x)`

Giac [F]

$$\int x^2 \cot^{-1}(e^{a+bx}) dx = \int x^2 \operatorname{arccot}(e^{(bx+a)}) dx$$

input `integrate(x^2*arccot(exp(b*x+a)),x, algorithm="giac")`

output `integrate(x^2*arccot(e^(b*x + a)), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(e^{a+bx}) dx = \int x^2 \operatorname{acot}(e^{a+bx}) dx$$

input `int(x^2*acot(exp(a + b*x)),x)`output `int(x^2*acot(exp(a + b*x)), x)`**Reduce [F]**

$$\int x^2 \cot^{-1}(e^{a+bx}) dx = \int \operatorname{acot}(e^{bx+a}) x^2 dx$$

input `int(x^2*acot(exp(b*x+a)),x)`output `int(acot(e**(a + b*x))*x**2,x)`

3.76 $\int \cot^{-1} (a + bf^{c+dx}) dx$

Optimal result	605
Mathematica [A] (verified)	606
Rubi [A] (verified)	606
Maple [A] (verified)	609
Fricas [A] (verification not implemented)	609
Sympy [F]	610
Maxima [A] (verification not implemented)	610
Giac [F]	611
Mupad [F(-1)]	611
Reduce [F]	611

Optimal result

Integrand size = 12, antiderivative size = 196

$$\int \cot^{-1} (a + bf^{c+dx}) dx = -\frac{\cot^{-1} (a + bf^{c+dx}) \log \left(\frac{2}{1-i(a+bf^{c+dx})} \right)}{d \log(f)} + \frac{\cot^{-1} (a + bf^{c+dx}) \log \left(\frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))} \right)}{d \log(f)} - \frac{i \operatorname{PolyLog} \left(2, 1 - \frac{2}{1-i(a+bf^{c+dx})} \right)}{2d \log(f)} + \frac{i \operatorname{PolyLog} \left(2, 1 - \frac{2bf^{c+dx}}{(i-a)(1-i(a+bf^{c+dx}))} \right)}{2d \log(f)}$$

output `-arccot(a+b*f^(d*x+c))*ln(2/(1-I*(a+b*f^(d*x+c))))/d/ln(f)+arccot(a+b*f^(d*x+c))*ln(2*b*f^(d*x+c)/(I-a)/(1-I*(a+b*f^(d*x+c))))/d/ln(f)-1/2*I*polylog(2,1-2/(1-I*(a+b*f^(d*x+c))))/d/ln(f)+1/2*I*polylog(2,1-2*b*f^(d*x+c)/(I-a)/(1-I*(a+b*f^(d*x+c))))/d/ln(f)`

Mathematica [A] (verified)

Time = 0.11 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.85

$$\int \cot^{-1}(a + bf^{c+dx}) dx = x \cot^{-1}(a + bf^{c+dx}) + \frac{b \left(dx \log(f) \left(\log \left(1 + \frac{b^2 f^{c+dx}}{ab - \sqrt{-b^2}} \right) - \log \left(1 + \frac{b^2 f^{c+dx}}{ab + \sqrt{-b^2}} \right) \right) + \text{PolyLog} \left(2, -\frac{b^2 f^{c+dx}}{ab - \sqrt{-b^2}} \right) - \text{PolyLog} \left(2, -\frac{b^2 f^{c+dx}}{ab + \sqrt{-b^2}} \right) \right)}{2\sqrt{-b^2}d \log(f)}$$

input `Integrate[ArcCot[a + b*f^(c + d*x)],x]`

output `x*ArcCot[a + b*f^(c + d*x)] + (b*(d*x*Log[f]*(Log[1 + (b^2*f^(c + d*x))/(a*b - Sqrt[-b^2]]) - Log[1 + (b^2*f^(c + d*x))/(a*b + Sqrt[-b^2]]) + PolyLog[2, -((b^2*f^(c + d*x))/(a*b - Sqrt[-b^2]))] - PolyLog[2, -((b^2*f^(c + d*x))/(a*b + Sqrt[-b^2]))])))/(2*Sqrt[-b^2]*d*Log[f])`

Rubi [A] (verified)

Time = 0.53 (sec) , antiderivative size = 177, normalized size of antiderivative = 0.90, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {2720, 5571, 25, 27, 5382, 2849, 2752, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \cot^{-1}(a + bf^{c+dx}) dx \\ & \quad \downarrow 2720 \\ & \frac{\int f^{-c-dx} \cot^{-1}(bf^{c+dx} + a) df^{c+dx}}{d \log(f)} \\ & \quad \downarrow 5571 \\ & \frac{\int f^{-c-dx} \cot^{-1}(bf^{c+dx} + a) d(bf^{c+dx} + a)}{bd \log(f)} \\ & \quad \downarrow 25 \end{aligned}$$

$$\frac{\int -f^{-c-dx} \cot^{-1}(bf^{c+dx} + a) d(bf^{c+dx} + a)}{bd \log(f)}$$

↓ 27

$$\frac{\int -\frac{f^{-c-dx} \cot^{-1}(bf^{c+dx} + a)}{b} d(bf^{c+dx} + a)}{d \log(f)}$$

↓ 5382

$$\frac{\int \frac{\log\left(\frac{2}{1-i(bf^{c+dx} + a)}\right)}{f^{2c+2dx+1}} d(bf^{c+dx} + a) - \int \frac{\log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(bf^{c+dx} + a))}\right)}{f^{2c+2dx+1}} d(bf^{c+dx} + a) + \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + \dots)}{d \log(f)}$$

↓ 2849

$$\frac{i \int \frac{\log\left(\frac{2}{1-i(bf^{c+dx} + a)}\right)}{1-\frac{2}{1-i(bf^{c+dx} + a)}} d\frac{1}{1-i(bf^{c+dx} + a)} - \int \frac{\log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(bf^{c+dx} + a))}\right)}{f^{2c+2dx+1}} d(bf^{c+dx} + a) + \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + \dots)}{d \log(f)}$$

↓ 2752

$$\frac{-\int \frac{\log\left(\frac{2bf^{c+dx}}{(i-a)(1-i(bf^{c+dx} + a))}\right)}{f^{2c+2dx+1}} d(bf^{c+dx} + a) + \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{1-i(bf^{c+dx} + a)}\right) + \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + \dots)}{d \log(f)}$$

↓ 2897

$$\frac{\frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{1-i(bf^{c+dx} + a)}\right) - \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2bf^{c+dx}}{(i-a)(1-i(bf^{c+dx} + a))}\right) + \log\left(\frac{2}{1-i(a+bf^{c+dx})}\right) \cot^{-1}(a + \dots)}{d \log(f)}$$

input

`Int[ArcCot[a + b*f^(c + d*x)], x]`

output

```

-((ArcCot[a + b*f^(c + d*x)]*Log[2/(1 - I*(a + b*f^(c + d*x))]) - ArcCot[a
+ b*f^(c + d*x)]*Log[(2*b*f^(c + d*x))/((I - a)*(1 - I*(a + b*f^(c + d*x)
)))] + (I/2)*PolyLog[2, 1 - 2/(1 - I*(a + b*f^(c + d*x)))] - (I/2)*PolyLog
[2, 1 - (2*b*f^(c + d*x))/((I - a)*(1 - I*(a + b*f^(c + d*x)))])/(d*Log[f
]))
    
```


Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]`
- rule 2752 `Int[Log[(c_.)*(x_)]/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`
- rule 2849 `Int[Log[(c_.)/((d_) + (e_.)*(x_))]/((f_) + (g_.)*(x_)^2), x_Symbol] := Simp[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]`
- rule 2897 `Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[Pq^m*((1 - u)/D[u, x])]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]`
- rule 5382 `Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)), x_Symbol] := Simp[(-a + b*ArcCot[c*x])*(Log[2/(1 - I*c*x)]/e), x] + (Simp[(a + b*ArcCot[c*x])*(Log[2*c*((d + e*x)/((c*d + I*e)*(1 - I*c*x)))]/e), x] - Simp[b*(c/e) Int[Log[2/(1 - I*c*x)]/(1 + c^2*x^2), x], x] + Simp[b*(c/e) Int[Log[2*c*((d + e*x)/((c*d + I*e)*(1 - I*c*x)))]/(1 + c^2*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && NeQ[c^2*d^2 + e^2, 0]`

rule 5571

```
Int[((a_.) + ArcCot[(c_) + (d_.)*(x_)]*(b_.))^(p_.)*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> Simp[1/d Subst[Int[((d*e - c*f)/d + f*(x/d))^m*(a + b*ArcCot[x])^p, x], x, c + d*x], x] /; FreeQ[{a, b, c, d, e, f, m, p}, x] && I GtQ[p, 0]
```

Maple [A] (verified)

Time = 0.82 (sec) , antiderivative size = 162, normalized size of antiderivative = 0.83

method	result
derivativedivides	$\frac{\ln(-b f^{dx+c}) \operatorname{arccot}(a+b f^{dx+c}) + \frac{i \ln(-b f^{dx+c}) \ln\left(\frac{i+b f^{dx+c}+a}{i+a}\right)}{2} - \frac{i \ln(-b f^{dx+c}) \ln\left(\frac{i-b f^{dx+c}-a}{i-a}\right)}{2} + \frac{i \operatorname{dilog}\left(\frac{i+b f^{dx+c}+a}{i+a}\right)}{2}}{d \ln(f)}$
default	$\frac{\ln(-b f^{dx+c}) \operatorname{arccot}(a+b f^{dx+c}) + \frac{i \ln(-b f^{dx+c}) \ln\left(\frac{i+b f^{dx+c}+a}{i+a}\right)}{2} - \frac{i \ln(-b f^{dx+c}) \ln\left(\frac{i-b f^{dx+c}-a}{i-a}\right)}{2} + \frac{i \operatorname{dilog}\left(\frac{i+b f^{dx+c}+a}{i+a}\right)}{2}}{d \ln(f)}$
risch	$\frac{ix \ln(1+i(a+b f^{dx+c}))}{2} + \frac{\pi x}{2} - \frac{i \ln(-ib f^{dx+c} - ai + 1) \ln\left(-\frac{if^{dx+c}b}{ai-1}\right)}{2d \ln(f)} - \frac{i \operatorname{dilog}\left(-\frac{if^{dx+c}b}{ai-1}\right)}{2d \ln(f)} - \frac{i \operatorname{dilog}\left(\frac{b f^{dx+c}}{a}\right)}{2 \ln(f)}$

```
input int(arccot(a+b*f^(d*x+c)),x,method=_RETURNVERBOSE)
```

```
output 1/d/ln(f)*(ln(-b*f^(d*x+c))*arccot(a+b*f^(d*x+c))+1/2*I*ln(-b*f^(d*x+c))*ln((I+b*f^(d*x+c)+a)/(I+a))-1/2*I*ln(-b*f^(d*x+c))*ln((I-b*f^(d*x+c)-a)/(I-a))+1/2*I*dilog((I+b*f^(d*x+c)+a)/(I+a))-1/2*I*dilog((I-b*f^(d*x+c)-a)/(I-a)))
```

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 212, normalized size of antiderivative = 1.08

$$\int \cot^{-1}(a + b f^{c+dx}) dx$$

$$= \frac{2 dx \operatorname{arccot}(b f^{dx+c} + a) \log(f) - i c \log(b f^{dx+c} + a + i) \log(f) + i c \log(b f^{dx+c} + a - i) \log(f) + (-i \dots)}{2 \ln(f)}$$

```
input integrate(arccot(a+b*f^(d*x+c)),x, algorithm="fricas")
```

output

```
1/2*(2*d*x*arccot(b*f^(d*x + c) + a)*log(f) - I*c*log(b*f^(d*x + c) + a +
I)*log(f) + I*c*log(b*f^(d*x + c) + a - I)*log(f) + (-I*d*x - I*c)*log(f)*
log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I*d*x + I*c)*log(f)*
log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1)) - I*dilog(-(a^2 + (a*b
+ I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1) + I*dilog(-(a^2 + (a*b - I*b)*f^(d*
x + c) + 1)/(a^2 + 1) + 1))/(d*log(f))
```

Sympy [F]

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{acot}(a + bf^{c+dx}) dx$$

input

```
integrate(acot(a+b*f**(d*x+c)),x)
```

output

```
Integral(acot(a + b*f**(c + d*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.25 (sec) , antiderivative size = 189, normalized size of antiderivative = 0.96

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \frac{(dx + c) \operatorname{arccot}(bf^{dx+c} + a)}{d} + \frac{2(dx + c) \arctan\left(\frac{b^2 f^{dx+c} + ab}{b}\right) \log(f) + \left(\pi - \arctan\left(\frac{1}{a}\right)\right) \log(b^2 f^{2dx+2c} + 2abf^{dx+c} + a^2 + 1) - \arctan\left(\frac{1}{a}\right) \log(b^2 f^{2dx+2c} + 2abf^{dx+c} + a^2 + 1)}{2d \log(f)}$$

input

```
integrate(arccot(a+b*f^(d*x+c)),x, algorithm="maxima")
```

output

```
(d*x + c)*arccot(b*f^(d*x + c) + a)/d + 1/2*(2*(d*x + c)*arctan((b^2*f^(d*
x + c) + a*b)/b)*log(f) + (pi - arctan(1/a))*log(b^2*f^(2*d*x + 2*c) + 2*a
*b*f^(d*x + c) + a^2 + 1) - arctan(b*f^(d*x + c) + a)*log(b^2*f^(2*d*x + 2
*c)/(a^2 + 1)) + I*dilog((I*b*f^(d*x + c) + I*a + 1)/(I*a + 1)) - I*dilog(
(I*b*f^(d*x + c) + I*a - 1)/(I*a - 1)))/(d*log(f))
```

Giac [F]

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{arccot}(bf^{dx+c} + a) dx$$

input `integrate(arccot(a+b*f^(d*x+c)),x, algorithm="giac")`

output `integrate(arccot(b*f^(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{acot}(a + bf^{c+dx}) dx$$

input `int(acot(a + b*f^(c + d*x)),x)`

output `int(acot(a + b*f^(c + d*x)), x)`

Reduce [F]

$$\int \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{acot}(f^{dx+c}b + a) dx$$

input `int(acot(a+b*f^(d*x+c)),x)`

output `int(acot(f**(c + d*x)*b + a),x)`

3.77 $\int x \cot^{-1}(a + bf^{c+dx}) dx$

Optimal result	612
Mathematica [A] (verified)	613
Rubi [A] (verified)	613
Maple [B] (verified)	616
Fricas [A] (verification not implemented)	617
Sympy [F]	617
Maxima [F]	618
Giac [F]	618
Mupad [F(-1)]	618
Reduce [F]	619

Optimal result

Integrand size = 14, antiderivative size = 250

$$\begin{aligned} \int x \cot^{-1}(a + bf^{c+dx}) dx = & -\frac{1}{4}ix^2 \log\left(1 - \frac{bf^{c+dx}}{i-a}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{bf^{c+dx}}{i+a}\right) \\ & + \frac{1}{4}ix^2 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{4}ix^2 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\ & - \frac{ix \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{i-a}\right)}{2d \log(f)} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{bf^{c+dx}}{i+a}\right)}{2d \log(f)} \\ & + \frac{i \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{i-a}\right)}{2d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{i+a}\right)}{2d^2 \log^2(f)} \end{aligned}$$

output

```
-1/4*I*x^2*ln(1-b*f^(d*x+c)/(I-a))+1/4*I*x^2*ln(1+b*f^(d*x+c)/(I+a))+1/4*I*x^2*ln(1-I/(a+b*f^(d*x+c)))-1/4*I*x^2*ln(1+I/(a+b*f^(d*x+c)))-1/2*I*x*polylog(2,b*f^(d*x+c)/(I-a))/d/ln(f)+1/2*I*x*polylog(2,-b*f^(d*x+c)/(I+a))/d/ln(f)+1/2*I*polylog(3,b*f^(d*x+c)/(I-a))/d^2/ln(f)^2-1/2*I*polylog(3,-b*f^(d*x+c)/(I+a))/d^2/ln(f)^2
```

Mathematica [A] (verified)

Time = 0.27 (sec) , antiderivative size = 250, normalized size of antiderivative = 1.00

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = -\frac{1}{4}ix^2 \log\left(1 - \frac{bf^{c+dx}}{i-a}\right) + \frac{1}{4}ix^2 \log\left(1 + \frac{bf^{c+dx}}{i+a}\right) \\ + \frac{1}{4}ix^2 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{4}ix^2 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) \\ - \frac{ix \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{i-a}\right)}{2d \log(f)} + \frac{ix \operatorname{PolyLog}\left(2, -\frac{bf^{c+dx}}{i+a}\right)}{2d \log(f)} \\ + \frac{i \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{i-a}\right)}{2d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{i+a}\right)}{2d^2 \log^2(f)}$$

input

```
Integrate[x*ArcCot[a + b*f^(c + d*x)],x]
```

output

```
(-1/4*I)*x^2*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/4)*x^2*Log[1 + (b*f^(c + d*x))/(I + a)] + (I/4)*x^2*Log[1 - I/(a + b*f^(c + d*x))] - (I/4)*x^2*Log[1 + I/(a + b*f^(c + d*x))] - ((I/2)*x*PolyLog[2, (b*f^(c + d*x))/(I - a)])/ (d*Log[f]) + ((I/2)*x*PolyLog[2, -((b*f^(c + d*x))/(I + a))])/ (d*Log[f]) + ((I/2)*PolyLog[3, (b*f^(c + d*x))/(I - a)])/ (d^2*Log[f]^2) - ((I/2)*PolyLog[3, -((b*f^(c + d*x))/(I + a))])/ (d^2*Log[f]^2)
```

Rubi [A] (verified)

Time = 4.22 (sec) , antiderivative size = 484, normalized size of antiderivative = 1.94, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {5667, 3031, 26, 27, 7292, 7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int x \cot^{-1}(a + bf^{c+dx}) dx \\ \downarrow 5667 \\ \frac{1}{2}i \int x \log\left(1 - \frac{i}{bf^{c+dx} + a}\right) dx - \frac{1}{2}i \int x \log\left(1 + \frac{i}{bf^{c+dx} + a}\right) dx$$

↓ 3031

$$\frac{1}{2}i \left(\frac{1}{2}x^2 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) - \frac{1}{2} \int -\frac{ibdf^{c+dx}x^2 \log(f)}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx \right) -$$

$$\frac{1}{2}i \left(\frac{1}{2}x^2 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) - \frac{1}{2} \int -\frac{ibdf^{c+dx}x^2 \log(f)}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx \right)$$

↓ 26

$$\frac{1}{2}i \left(\frac{1}{2}i \int \frac{bdf^{c+dx}x^2 \log(f)}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx + \frac{1}{2}x^2 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) -$$

$$\frac{1}{2}i \left(\frac{1}{2}i \int \frac{bdf^{c+dx}x^2 \log(f)}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx + \frac{1}{2}x^2 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right)$$

↓ 27

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \frac{f^{c+dx}x^2}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx + \frac{1}{2}x^2 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) -$$

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \frac{f^{c+dx}x^2}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx + \frac{1}{2}x^2 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right)$$

↓ 7292

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \frac{f^{c+dx}x^2}{(i(ia + 1) - bf^{c+dx})(bf^{c+dx} + a)} dx + \frac{1}{2}x^2 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) -$$

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \frac{f^{c+dx}x^2}{(bf^{c+dx} + i(1 - ia))(bf^{c+dx} + a)} dx + \frac{1}{2}x^2 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right)$$

↓ 7293

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \left(\frac{if^{c+dx}x^2}{bf^{c+dx} + a - i} - \frac{if^{c+dx}x^2}{bf^{c+dx} + a} \right) dx + \frac{1}{2}x^2 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) -$$

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \int \left(\frac{if^{c+dx}x^2}{bf^{c+dx} + a + i} - \frac{if^{c+dx}x^2}{bf^{c+dx} + a} \right) dx + \frac{1}{2}x^2 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right)$$

↓ 2009

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \left(-\frac{2i \operatorname{PolyLog} \left(3, \frac{bf^{c+dx}}{i-a} \right)}{bd^3 \log^3(f)} + \frac{2i \operatorname{PolyLog} \left(3, -\frac{bf^{c+dx}}{a} \right)}{bd^3 \log^3(f)} + \frac{2ix \operatorname{PolyLog} \left(2, \frac{bf^{c+dx}}{i-a} \right)}{bd^2 \log^2(f)} - \frac{2ix \operatorname{PolyLog} \left(2, -\frac{bf^{c+dx}}{a} \right)}{bd^2 \log^2(f)} \right) \right)$$

$$\frac{1}{2}i \left(\frac{1}{2}ibd \log(f) \left(\frac{2i \operatorname{PolyLog} \left(3, -\frac{bf^{c+dx}}{a} \right)}{bd^3 \log^3(f)} - \frac{2i \operatorname{PolyLog} \left(3, -\frac{bf^{c+dx}}{a+i} \right)}{bd^3 \log^3(f)} - \frac{2ix \operatorname{PolyLog} \left(2, -\frac{bf^{c+dx}}{a} \right)}{bd^2 \log^2(f)} + \frac{2ix \operatorname{PolyLog} \left(2, -\frac{bf^{c+dx}}{a+i} \right)}{bd^2 \log^2(f)} \right) \right)$$

input

```
Int[x*ArcCot[a + b*f^(c + d*x)],x]
```

output

```
(I/2)*((x^2*Log[1 - I/(a + b*f^(c + d*x))])/2 + (I/2)*b*d*Log[f]*((I*x^2*Log[1 - (b*f^(c + d*x))/(I - a)])/(b*d*Log[f]) - (I*x^2*Log[1 + (b*f^(c + d*x))/a])/(b*d*Log[f]) + ((2*I)*x*PolyLog[2, (b*f^(c + d*x))/(I - a)])/(b*d^2*Log[f]^2) - ((2*I)*x*PolyLog[2, -(b*f^(c + d*x))/a])/(b*d^2*Log[f]^2) - ((2*I)*PolyLog[3, (b*f^(c + d*x))/(I - a)]/(b*d^3*Log[f]^3) + ((2*I)*PolyLog[3, -(b*f^(c + d*x))/a])/(b*d^3*Log[f]^3))) - (I/2)*((x^2*Log[1 + I/(a + b*f^(c + d*x))])/2 + (I/2)*b*d*Log[f]*((-I)*x^2*Log[1 + (b*f^(c + d*x))/a])/(b*d*Log[f]) + (I*x^2*Log[1 + (b*f^(c + d*x))/(I + a)])/(b*d*Log[f]) - ((2*I)*x*PolyLog[2, -(b*f^(c + d*x))/a])/(b*d^2*Log[f]^2) + ((2*I)*x*PolyLog[2, -(b*f^(c + d*x))/(I + a)])/(b*d^2*Log[f]^2) + ((2*I)*PolyLog[3, -(b*f^(c + d*x))/a])/(b*d^3*Log[f]^3) - ((2*I)*PolyLog[3, -(b*f^(c + d*x))/(I + a)])/(b*d^3*Log[f]^3)))
```

Defintions of rubi rules used

rule 26

```
Int[(Complex[0, a_]*(Fx_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[Fx, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]
```

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 3031

```
Int[Log[u_*((a_.) + (b_.)*(x_))^(m_.), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]
```

rule 5667

```
Int[ArcCot[(a_.) + (b_.)*(f_)^((c_.) + (d_.)*(x_))]*(x_)^((m_.), x_Symbol] := Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0
```


rule 7292 `Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 677 vs. $2(218) = 436$.

Time = 0.82 (sec) , antiderivative size = 678, normalized size of antiderivative = 2.71

method	result
risch	$\frac{i \operatorname{polylog}\left(2, \frac{ib f^{dx} f^c}{-ai+1}\right) x}{2 \ln(f) d} + \frac{\pi x^2}{4} + \frac{ix^2 \ln(1+i(a+b f^{dx+c}))}{4} + \frac{i \operatorname{polylog}\left(2, \frac{ib f^{dx} f^c}{-ai+1}\right) c}{2 \ln(f) d^2} - \frac{ic^2 \ln\left(\frac{b f^{dx} f^c + a + i}{i+a}\right)}{2d^2} + \frac{i \ln(1-i)}{2d^2}$

input `int(x*arccot(a+b*f^(d*x+c)),x,method=_RETURNVERBOSE)`

output

$$\begin{aligned} & \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d} \operatorname{polylog}\left(2, \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) x + \frac{1}{4} \pi x^2 + \frac{1}{4} I x^2 \ln\left(1+I(a+b f^{(d x+c)})\right) \\ & + \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} \operatorname{polylog}\left(2, \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) c - \frac{1}{2} \frac{I}{d^2} c^2 \ln\left(\frac{(b f^{(d x)} f^c + a + I)}{(I+a)}\right) \\ & + \frac{1}{2} \frac{I}{d} \ln\left(1 - \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) c x + \frac{1}{4} \frac{I}{d^2} c^2 \ln\left(1 - \frac{I a - I b f^{(d x)} f^c}{(-I a+1)}\right) \\ & - \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} c^2 \operatorname{dilog}\left(\frac{(b f^{(d x)} f^c + a + I)}{(I+a)}\right) \\ & + \frac{1}{2} \frac{I}{d} c \ln\left(\frac{(b f^{(d x)} f^c + a - I)}{(a-I)}\right) x \\ & + \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} \operatorname{polylog}\left(3, \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) - \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} \operatorname{polylog}\left(2, \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) c \\ & - \frac{1}{2} \frac{I}{d} c \ln\left(\frac{(b f^{(d x)} f^c + a + I)}{(I+a)}\right) x - \frac{1}{2} \frac{I}{d} \ln\left(1 - \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) c x \\ & + \frac{1}{4} I \ln\left(1 - \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) x^2 - \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d} \operatorname{polylog}\left(2, \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) x \\ & + \frac{1}{4} \frac{I}{d^2} \ln\left(1 - \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) c^2 - \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} \operatorname{polylog}\left(3, \frac{I b}{(-I a+1)} f^{(d x)} f^c\right) \\ & + \frac{1}{2} \frac{I}{d^2} c^2 \ln\left(\frac{(b f^{(d x)} f^c + a - I)}{(a-I)}\right) - \frac{1}{4} \frac{I}{d^2} c^2 \ln\left(\frac{I b f^{(d x)} f^c + I a + 1}{(-I a-1)}\right) \\ & - \frac{1}{4} I \ln\left(1 - \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) x^2 + \frac{1}{2} \frac{I}{\ln(f)} \frac{1}{d^2} c^2 \operatorname{dilog}\left(\frac{(b f^{(d x)} f^c + a - I)}{(a-I)}\right) \\ & - \frac{1}{4} \frac{I}{d^2} \ln\left(1 - \frac{I b}{(-I a-1)} f^{(d x)} f^c\right) c^2 - \frac{1}{4} I x^2 \ln\left(1 - \frac{I(a+b f^{(d x+c)})}{(-I a+1)}\right) \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 304, normalized size of antiderivative = 1.22

$$\int x \cot^{-1}(a + bf^{c+dx}) dx$$

$$= \frac{2d^2x^2 \operatorname{arccot}(bf^{dx+c} + a) \log(f)^2 + ic^2 \log(bf^{dx+c} + a + i) \log(f)^2 - ic^2 \log(bf^{dx+c} + a - i) \log(f)^2}{d^2 \log(f)^2}$$

input `integrate(x*arccot(a+b*f^(d*x+c)),x, algorithm="fricas")`

output `1/4*(2*d^2*x^2*arccot(b*f^(d*x + c) + a)*log(f)^2 + I*c^2*log(b*f^(d*x + c) + a + I)*log(f)^2 - I*c^2*log(b*f^(d*x + c) + a - I)*log(f)^2 - 2*I*d*x*dilog(-(a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f) + 2*I*d*x*dilog(-(a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f) + (-I*d^2*x^2 + I*c^2)*log(f)^2*log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I*d^2*x^2 - I*c^2)*log(f)^2*log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + 2*I*polylog(3, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) - 2*I*polylog(3, -(a*b - I*b)*f^(d*x + c)/(a^2 + 1)))/(d^2*log(f)^2)`

Sympy [F]

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = \int x \operatorname{acot}(a + bf^{c+dx}) dx$$

input `integrate(x*acot(a+b*f**(d*x+c)),x)`

output `Integral(x*acot(a + b*f**(c + d*x)), x)`

Maxima [F]

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = \int x \operatorname{arccot}(bf^{dx+c} + a) dx$$

input `integrate(x*arccot(a+b*f^(d*x+c)),x, algorithm="maxima")`

output `b*d*f^c*integrate(1/2*f^(d*x)*x^2/(b^2*f^(2*d*x)*f^(2*c) + 2*a*b*f^(d*x)*f^c + a^2 + 1), x)*log(f) + 1/2*x^2*arctan(1/(b*f^(d*x)*f^c + a))`

Giac [F]

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = \int x \operatorname{arccot}(bf^{dx+c} + a) dx$$

input `integrate(x*arccot(a+b*f^(d*x+c)),x, algorithm="giac")`

output `integrate(x*arccot(b*f^(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = \int x \operatorname{acot}(a + bf^{c+dx}) dx$$

input `int(x*acot(a + b*f^(c + d*x)),x)`

output `int(x*acot(a + b*f^(c + d*x)), x)`

Reduce [F]

$$\int x \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{acot}(f^{dx+c}b + a) x dx$$

input `int(x*acot(a+b*f^(d*x+c)),x)`

output `int(acot(f**(c + d*x)*b + a)*x,x)`

3.78 $\int x^2 \cot^{-1} (a + bf^{c+dx}) dx$

Optimal result	620
Mathematica [A] (verified)	621
Rubi [A] (verified)	621
Maple [B] (verified)	624
Fricas [A] (verification not implemented)	625
Sympy [F]	626
Maxima [F]	626
Giac [F]	627
Mupad [F(-1)]	627
Reduce [F]	627

Optimal result

Integrand size = 16, antiderivative size = 313

$$\begin{aligned} \int x^2 \cot^{-1} (a + bf^{c+dx}) dx = & -\frac{1}{6}ix^3 \log \left(1 - \frac{bf^{c+dx}}{i-a} \right) + \frac{1}{6}ix^3 \log \left(1 + \frac{bf^{c+dx}}{i+a} \right) \\ & + \frac{1}{6}ix^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) - \frac{1}{6}ix^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \\ & - \frac{ix^2 \operatorname{PolyLog} \left(2, \frac{bf^{c+dx}}{i-a} \right)}{2d \log(f)} + \frac{ix^2 \operatorname{PolyLog} \left(2, -\frac{bf^{c+dx}}{i+a} \right)}{2d \log(f)} \\ & + \frac{ix \operatorname{PolyLog} \left(3, \frac{bf^{c+dx}}{i-a} \right)}{d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog} \left(3, -\frac{bf^{c+dx}}{i+a} \right)}{d^2 \log^2(f)} \\ & - \frac{i \operatorname{PolyLog} \left(4, \frac{bf^{c+dx}}{i-a} \right)}{d^3 \log^3(f)} + \frac{i \operatorname{PolyLog} \left(4, -\frac{bf^{c+dx}}{i+a} \right)}{d^3 \log^3(f)} \end{aligned}$$

output

```
-1/6*I*x^3*ln(1-b*f^(d*x+c)/(I-a))+1/6*I*x^3*ln(1+b*f^(d*x+c)/(I+a))+1/6*I
*x^3*ln(1-I/(a+b*f^(d*x+c)))-1/6*I*x^3*ln(1+I/(a+b*f^(d*x+c)))-1/2*I*x^2*p
olylog(2,b*f^(d*x+c)/(I-a))/d/ln(f)+1/2*I*x^2*polylog(2,-b*f^(d*x+c)/(I+a)
)/d/ln(f)+I*x*polylog(3,b*f^(d*x+c)/(I-a))/d^2/ln(f)^2-I*x*polylog(3,-b*f^
(d*x+c)/(I+a))/d^2/ln(f)^2-I*polylog(4,b*f^(d*x+c)/(I-a))/d^3/ln(f)^3+I*po
lylog(4,-b*f^(d*x+c)/(I+a))/d^3/ln(f)^3
```

Mathematica [A] (verified)

Time = 0.19 (sec) , antiderivative size = 313, normalized size of antiderivative = 1.00

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = -\frac{1}{6}ix^3 \log\left(1 - \frac{bf^{c+dx}}{i-a}\right) + \frac{1}{6}ix^3 \log\left(1 + \frac{bf^{c+dx}}{i+a}\right) + \frac{1}{6}ix^3 \log\left(1 - \frac{i}{a + bf^{c+dx}}\right) - \frac{1}{6}ix^3 \log\left(1 + \frac{i}{a + bf^{c+dx}}\right) - \frac{ix^2 \operatorname{PolyLog}\left(2, \frac{bf^{c+dx}}{i-a}\right)}{2d \log(f)} + \frac{ix^2 \operatorname{PolyLog}\left(2, -\frac{bf^{c+dx}}{i+a}\right)}{2d \log(f)} + \frac{ix \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{i-a}\right)}{d^2 \log^2(f)} - \frac{ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{i+a}\right)}{d^2 \log^2(f)} - \frac{i \operatorname{PolyLog}\left(4, \frac{bf^{c+dx}}{i-a}\right)}{d^3 \log^3(f)} + \frac{i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{i+a}\right)}{d^3 \log^3(f)}$$

input `Integrate[x^2*ArcCot[a + b*f^(c + d*x)],x]`

output `(-1/6*I)*x^3*Log[1 - (b*f^(c + d*x))/(I - a)] + (I/6)*x^3*Log[1 + (b*f^(c + d*x))/(I + a)] + (I/6)*x^3*Log[1 - I/(a + b*f^(c + d*x))] - (I/6)*x^3*Log[1 + I/(a + b*f^(c + d*x))] - ((I/2)*x^2*PolyLog[2, (b*f^(c + d*x))/(I - a)])/(d*Log[f]) + ((I/2)*x^2*PolyLog[2, -((b*f^(c + d*x))/(I + a)))]/(d*Log[f]) + (I*x*PolyLog[3, (b*f^(c + d*x))/(I - a)])/(d^2*Log[f]^2) - (I*x*PolyLog[3, -((b*f^(c + d*x))/(I + a)))]/(d^2*Log[f]^2) - (I*PolyLog[4, (b*f^(c + d*x))/(I - a)])/(d^3*Log[f]^3) + (I*PolyLog[4, -((b*f^(c + d*x))/(I + a)))]/(d^3*Log[f]^3)`

Rubi [A] (verified)

Time = 3.95 (sec) , antiderivative size = 621, normalized size of antiderivative = 1.98, number of steps used = 7, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {5667, 3031, 26, 27, 7292, 7293, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int x^2 \cot^{-1} (a + bf^{c+dx}) dx \\
& \quad \downarrow \text{5667} \\
& \frac{1}{2}i \int x^2 \log \left(1 - \frac{i}{bf^{c+dx} + a} \right) dx - \frac{1}{2}i \int x^2 \log \left(1 + \frac{i}{bf^{c+dx} + a} \right) dx \\
& \quad \downarrow \text{3031} \\
& \frac{1}{2}i \left(\frac{1}{3}x^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) - \frac{1}{3} \int -\frac{ibdf^{c+dx}x^3 \log(f)}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx \right) - \\
& \quad \frac{1}{2}i \left(\frac{1}{3}x^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) - \frac{1}{3} \int -\frac{ibdf^{c+dx}x^3 \log(f)}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx \right) \\
& \quad \downarrow \text{26} \\
& \frac{1}{2}i \left(\frac{1}{3}i \int \frac{bdf^{c+dx}x^3 \log(f)}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx + \frac{1}{3}x^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) - \\
& \quad \frac{1}{2}i \left(\frac{1}{3}i \int \frac{bdf^{c+dx}x^3 \log(f)}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx + \frac{1}{3}x^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right) \\
& \quad \downarrow \text{27} \\
& \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \frac{f^{c+dx}x^3}{(-bf^{c+dx} - a + i)(bf^{c+dx} + a)} dx + \frac{1}{3}x^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) - \\
& \quad \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \frac{f^{c+dx}x^3}{(bf^{c+dx} + a)(bf^{c+dx} + a + i)} dx + \frac{1}{3}x^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right) \\
& \quad \downarrow \text{7292} \\
& \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \frac{f^{c+dx}x^3}{(i(ia + 1) - bf^{c+dx})(bf^{c+dx} + a)} dx + \frac{1}{3}x^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) - \\
& \quad \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \frac{f^{c+dx}x^3}{(bf^{c+dx} + i(1 - ia))(bf^{c+dx} + a)} dx + \frac{1}{3}x^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right) \\
& \quad \downarrow \text{7293} \\
& \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \left(\frac{if^{c+dx}x^3}{bf^{c+dx} + a - i} - \frac{if^{c+dx}x^3}{bf^{c+dx} + a} \right) dx + \frac{1}{3}x^3 \log \left(1 - \frac{i}{a + bf^{c+dx}} \right) \right) - \\
& \quad \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \int \left(\frac{if^{c+dx}x^3}{bf^{c+dx} + a + i} - \frac{if^{c+dx}x^3}{bf^{c+dx} + a} \right) dx + \frac{1}{3}x^3 \log \left(1 + \frac{i}{a + bf^{c+dx}} \right) \right) \\
& \quad \downarrow \text{2009}
\end{aligned}$$

$$\frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \left(\frac{6i \operatorname{PolyLog}\left(4, \frac{bf^{c+dx}}{i-a}\right)}{bd^4 \log^4(f)} - \frac{6i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a}\right)}{bd^4 \log^4(f)} - \frac{6ix \operatorname{PolyLog}\left(3, \frac{bf^{c+dx}}{i-a}\right)}{bd^3 \log^3(f)} + \frac{6ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a}\right)}{bd^3 \log^3(f)} \right) \right. \\ \left. \frac{1}{2}i \left(\frac{1}{3}ibd \log(f) \left(-\frac{6i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a}\right)}{bd^4 \log^4(f)} + \frac{6i \operatorname{PolyLog}\left(4, -\frac{bf^{c+dx}}{a+i}\right)}{bd^4 \log^4(f)} + \frac{6ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a}\right)}{bd^3 \log^3(f)} - \frac{6ix \operatorname{PolyLog}\left(3, -\frac{bf^{c+dx}}{a+i}\right)}{bd^3 \log^3(f)} \right) \right) \right)$$

input `Int[x^2*ArcCot[a + b*f^(c + d*x)],x]`

output `(I/2)*((x^3*Log[1 - I/(a + b*f^(c + d*x))])/3 + (I/3)*b*d*Log[f]*((I*x^3*Log[1 - (b*f^(c + d*x))/(I - a)]/(b*d*Log[f]) - (I*x^3*Log[1 + (b*f^(c + d*x))/a])/(b*d*Log[f]) + ((3*I)*x^2*PolyLog[2, (b*f^(c + d*x))/(I - a)]/(b*d^2*Log[f]^2) - ((3*I)*x^2*PolyLog[2, -(b*f^(c + d*x))/a)]/(b*d^2*Log[f]^2) - ((6*I)*x*PolyLog[3, (b*f^(c + d*x))/(I - a)]/(b*d^3*Log[f]^3) + ((6*I)*x*PolyLog[3, -(b*f^(c + d*x))/a)]/(b*d^3*Log[f]^3) + ((6*I)*PolyLog[4, (b*f^(c + d*x))/(I - a)]/(b*d^4*Log[f]^4) - ((6*I)*PolyLog[4, -(b*f^(c + d*x))/a)]/(b*d^4*Log[f]^4))) - (I/2)*((x^3*Log[1 + I/(a + b*f^(c + d*x))])/3 + (I/3)*b*d*Log[f]*((-I)*x^3*Log[1 + (b*f^(c + d*x))/a])/(b*d*Log[f]) + (I*x^3*Log[1 + (b*f^(c + d*x))/(I + a)]/(b*d*Log[f]) - ((3*I)*x^2*PolyLog[2, -(b*f^(c + d*x))/a)]/(b*d^2*Log[f]^2) + ((3*I)*x^2*PolyLog[2, -(b*f^(c + d*x))/(I + a)]/(b*d^2*Log[f]^2) + ((6*I)*x*PolyLog[3, -(b*f^(c + d*x))/a)]/(b*d^3*Log[f]^3) - ((6*I)*x*PolyLog[3, -(b*f^(c + d*x))/(I + a)]/(b*d^3*Log[f]^3) - ((6*I)*PolyLog[4, -(b*f^(c + d*x))/a)]/(b*d^4*Log[f]^4) + ((6*I)*PolyLog[4, -(b*f^(c + d*x))/(I + a)]/(b*d^4*Log[f]^4)))`

Defintions of rubi rules used

rule 26 `Int[(Complex[0, a_])*(F_x_), x_Symbol] := Simp[(Complex[Identity[0], a]) Int[F_x, x], x] /; FreeQ[a, x] && EqQ[a^2, 1]`

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 3031 `Int[Log[u]*((a_) + (b_)*(x_)^(m_)), x_Symbol] := Simp[(a + b*x)^(m + 1) * (Log[u]/(b*(m + 1))), x] - Simp[1/(b*(m + 1)) Int[SimplifyIntegrand[(a + b*x)^(m + 1)*(D[u, x]/u), x], x], x] /; FreeQ[{a, b, m}, x] && InverseFunctionFreeQ[u, x] && NeQ[m, -1]`

rule 5667 `Int[ArcCot[(a_) + (b_)*(f_)^((c_) + (d_)*(x_))]*(x_)^(m_), x_Symbol] :> Simp[I/2 Int[x^m*Log[1 - I/(a + b*f^(c + d*x))], x], x] - Simp[I/2 Int[x^m*Log[1 + I/(a + b*f^(c + d*x))], x], x] /; FreeQ[{a, b, c, d, f}, x] && IntegerQ[m] && m > 0`

rule 7292 `Int[u_, x_Symbol] := With[{v = NormalizeIntegrand[u, x]}, Int[v, x] /; v != u]`

rule 7293 `Int[u_, x_Symbol] := With[{v = ExpandIntegrand[u, x]}, Int[v, x] /; SumQ[v]`

Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 763 vs. $2(281) = 562$.

Time = 1.24 (sec) , antiderivative size = 764, normalized size of antiderivative = 2.44

method	result
risch	$-\frac{i \ln\left(1 - \frac{ib f^{dx} f^c}{-ai-1}\right) x^3}{6} - \frac{ix^3 \ln(1 - i(a + b f^{dx+c}))}{6} + \frac{i \ln\left(1 - \frac{ib f^{dx} f^c}{-ai+1}\right) x^3}{6} + \frac{ix^3 \ln(1 + i(a + b f^{dx+c}))}{6} + \frac{\pi x^3}{6} - \frac{i \ln\left(1 - \frac{ib f^{dx} f^c}{-ai-1}\right) x^3}{6}$

input `int(x^2*arccot(a+b*f^(d*x+c)),x,method=_RETURNVERBOSE)`

output

```

1/6*I*x^3*ln(1+I*(a+b*f^(d*x+c)))+I/ln(f)^3/d^3*polylog(4,I*b/(-I*a+1)*f^(
d*x)*f^c)+1/2*I/d^3*c^3*ln((b*f^(d*x)*f^c+a+I)/(I+a))-1/6*I/d^3*c^3*ln(1-I
*a-I*b*f^(d*x)*f^c)-1/3*I/d^3*ln(1-I*b/(-I*a+1)*f^(d*x)*f^c)*c^3-I/ln(f)^3
/d^3*polylog(4,I*b/(-I*a-1)*f^(d*x)*f^c)+1/3*I/d^3*ln(1-I*b/(-I*a-1)*f^(d*
x)*f^c)*c^3+1/6*I/d^3*c^3*ln(I*b*f^(d*x)*f^c+I*a+1)-1/2*I/d^3*c^3*ln((b*f^
(d*x)*f^c+a-I)/(a-I))+1/2*I/d^2*c^2*ln((b*f^(d*x)*f^c+a+I)/(I+a))*x+1/2*I/
ln(f)/d*polylog(2,I*b/(-I*a+1)*f^(d*x)*f^c)*x^2+1/2*I/ln(f)/d^3*c^2*dilog(
(b*f^(d*x)*f^c+a+I)/(I+a))-1/2*I/d^2*ln(1-I*b/(-I*a+1)*f^(d*x)*f^c)*c^2*x-
I/ln(f)^2/d^2*polylog(3,I*b/(-I*a+1)*f^(d*x)*f^c)*x-1/2*I/ln(f)/d^3*polylo
g(2,I*b/(-I*a+1)*f^(d*x)*f^c)*c^2+I/ln(f)^2/d^2*polylog(3,I*b/(-I*a-1)*f^(
d*x)*f^c)*x-1/2*I/d^2*c^2*ln((b*f^(d*x)*f^c+a-I)/(a-I))*x-1/2*I/ln(f)/d^3*
c^2*dilog((b*f^(d*x)*f^c+a-I)/(a-I))+1/2*I/d^2*ln(1-I*b/(-I*a-1)*f^(d*x)*f
^c)*c^2*x-1/2*I/ln(f)/d*polylog(2,I*b/(-I*a-1)*f^(d*x)*f^c)*x^2+1/2*I/ln(f
)/d^3*polylog(2,I*b/(-I*a-1)*f^(d*x)*f^c)*c^2-1/6*I*ln(1-I*b/(-I*a-1)*f^(d
*x)*f^c)*x^3-1/6*I*x^3*ln(1-I*(a+b*f^(d*x+c)))+1/6*I*ln(1-I*b/(-I*a+1)*f^(
d*x)*f^c)*x^3+1/6*Pi*x^3

```

Fricas [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 378, normalized size of antiderivative = 1.21

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx$$

$$= \frac{2 d^3 x^3 \operatorname{arccot}(bf^{dx+c} + a) \log(f)^3 - 3i d^2 x^2 \operatorname{Li}_2\left(-\frac{a^2 + (ab+ib)f^{dx+c} + 1}{a^2 + 1} + 1\right) \log(f)^2 + 3i d^2 x^2 \operatorname{Li}_2\left(-\frac{a^2 + (ab-ib)f^{dx+c} + 1}{a^2 + 1} + 1\right) \log(f)^2}{d^3}$$

input

```
integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="fricas")
```

output

```
1/6*(2*d^3*x^3*arccot(b*f^(d*x + c) + a)*log(f)^3 - 3*I*d^2*x^2*dilog(-(a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f)^2 + 3*I*d^2*x^2*dilog(-(a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1) + 1)*log(f)^2 - I*c^3*log(b*f^(d*x + c) + a + I)*log(f)^3 + I*c^3*log(b*f^(d*x + c) + a - I)*log(f)^3 + (-I*d^3*x^3 - I*c^3)*log(f)^3*log((a^2 + (a*b + I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + (I*d^3*x^3 + I*c^3)*log(f)^3*log((a^2 + (a*b - I*b)*f^(d*x + c) + 1)/(a^2 + 1)) + 6*I*d*x*log(f)*polylog(3, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) - 6*I*d*x*log(f)*polylog(3, -(a*b - I*b)*f^(d*x + c)/(a^2 + 1)) - 6*I*polylog(4, -(a*b + I*b)*f^(d*x + c)/(a^2 + 1)) + 6*I*polylog(4, -(a*b - I*b)*f^(d*x + c)/(a^2 + 1)))/(d^3*log(f)^3)
```

Sympy [F]

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = \int x^2 \operatorname{acot}(a + bf^{c+dx}) dx$$

input

```
integrate(x**2*acot(a+b*f**(d*x+c)),x)
```

output

```
Integral(x**2*acot(a + b*f**(c + d*x)), x)
```

Maxima [F]

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = \int x^2 \operatorname{arccot}(bf^{dx+c} + a) dx$$

input

```
integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="maxima")
```

output

```
b*d*f^c*integrate(1/3*f^(d*x)*x^3/(b^2*f^(2*d*x)*f^(2*c) + 2*a*b*f^(d*x)*f^c + a^2 + 1), x)*log(f) + 1/3*x^3*arctan(1/(b*f^(d*x)*f^c + a))
```

Giac [F]

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = \int x^2 \operatorname{arccot}(bf^{dx+c} + a) dx$$

input `integrate(x^2*arccot(a+b*f^(d*x+c)),x, algorithm="giac")`

output `integrate(x^2*arccot(b*f^(d*x + c) + a), x)`

Mupad [F(-1)]

Timed out.

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = \int x^2 \operatorname{acot}(a + bf^{c+dx}) dx$$

input `int(x^2*acot(a + b*f^(c + d*x)),x)`

output `int(x^2*acot(a + b*f^(c + d*x)), x)`

Reduce [F]

$$\int x^2 \cot^{-1}(a + bf^{c+dx}) dx = \int \operatorname{acot}(f^{dx+c}b + a) x^2 dx$$

input `int(x^2*acot(a+b*f^(d*x+c)),x)`

output `int(acot(f**(c + d*x)*b + a)*x**2,x)`

3.79 $\int e^{-x} \cot^{-1}(e^x) dx$

Optimal result	628
Mathematica [A] (verified)	628
Rubi [A] (verified)	629
Maple [A] (verified)	631
Fricas [A] (verification not implemented)	631
Sympy [A] (verification not implemented)	631
Maxima [A] (verification not implemented)	632
Giac [A] (verification not implemented)	632
Mupad [B] (verification not implemented)	632
Reduce [B] (verification not implemented)	633

Optimal result

Integrand size = 10, antiderivative size = 27

$$\int e^{-x} \cot^{-1}(e^x) dx = -x - e^{-x} \cot^{-1}(e^x) + \frac{1}{2} \log(1 + e^{2x})$$

output `-x-arccot(exp(x))/exp(x)+1/2*ln(1+exp(2*x))`

Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 27, normalized size of antiderivative = 1.00

$$\int e^{-x} \cot^{-1}(e^x) dx = -x - e^{-x} \cot^{-1}(e^x) + \frac{1}{2} \log(1 + e^{2x})$$

input `Integrate[ArcCot[E^x]/E^x,x]`

output `-x - ArcCot[E^x]/E^x + Log[1 + E^(2*x)]/2`

Rubi [A] (verified)

Time = 0.22 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.22, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {5731, 25, 2720, 47, 14, 16}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{-x} \cot^{-1}(e^x) dx \\
 & \quad \downarrow \text{5731} \\
 & \int -\frac{1}{1+e^{2x}} dx - e^{-x} \cot^{-1}(e^x) \\
 & \quad \downarrow \text{25} \\
 & -\int \frac{1}{1+e^{2x}} dx - e^{-x} \cot^{-1}(e^x) \\
 & \quad \downarrow \text{2720} \\
 & -\frac{1}{2} \int \frac{e^{-2x}}{1+e^{2x}} de^{2x} - e^{-x} \cot^{-1}(e^x) \\
 & \quad \downarrow \text{47} \\
 & \frac{1}{2} \left(\int \frac{1}{1+e^{2x}} de^{2x} - \int e^{-2x} de^{2x} \right) - e^{-x} \cot^{-1}(e^x) \\
 & \quad \downarrow \text{14} \\
 & \frac{1}{2} \left(\int \frac{1}{1+e^{2x}} de^{2x} - \log(e^{2x}) \right) - e^{-x} \cot^{-1}(e^x) \\
 & \quad \downarrow \text{16} \\
 & \frac{1}{2} (\log(e^{2x} + 1) - \log(e^{2x})) - e^{-x} \cot^{-1}(e^x)
 \end{aligned}$$

input `Int[ArcCot[E^x]/E^x, x]`

output `-(ArcCot[E^x]/E^x) + (-Log[E^(2*x)] + Log[1 + E^(2*x)])/2`

Definitions of rubi rules used

- rule 14 `Int[(a_.)/(x_), x_Symbol] := Simp[a*Log[x], x] /; FreeQ[a, x]`
- rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`
- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 47 `Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Simp[b/(b*c - a*d) Int[1/(a + b*x), x], x] - Simp[d/(b*c - a*d) Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]`
- rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x)) *(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`
- rule 5731 `Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.)] /; FreeQ[{c, d, m}, x] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]]`

Maple [A] (verified)

Time = 0.10 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.93

method	result	size
derivativdivides	$-\operatorname{arccot}(e^x)e^{-x} - \ln(e^x) + \frac{\ln(1+e^{2x})}{2}$	25
default	$-\operatorname{arccot}(e^x)e^{-x} - \ln(e^x) + \frac{\ln(1+e^{2x})}{2}$	25
parallelrisch	$\frac{(\ln(1+e^{2x})e^x - 2xe^x - 2\operatorname{arccot}(e^x))e^{-x}}{2}$	28
risch	$-\frac{ie^{-x}\ln(1+ie^x)}{2} + \frac{\ln(1+e^{2x})}{2} - x + \frac{ie^{-x}\ln(1-ie^x)}{2} - \frac{e^{-x}\pi}{2}$	51

input `int(arccot(exp(x))/exp(x),x,method=_RETURNVERBOSE)`output `-arccot(exp(x))/exp(x)-ln(exp(x))+1/2*ln(exp(x)^2+1)`**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 28, normalized size of antiderivative = 1.04

$$\int e^{-x} \cot^{-1}(e^x) dx = -\frac{1}{2} (2xe^x - e^x \log(e^{2x} + 1) + 2 \operatorname{arccot}(e^x))e^{-x}$$

input `integrate(arccot(exp(x))/exp(x),x, algorithm="fricas")`output `-1/2*(2*x*e^x - e^x*log(e^(2*x) + 1) + 2*arccot(e^x))*e^(-x)`**Sympy [A] (verification not implemented)**

Time = 1.05 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.70

$$\int e^{-x} \cot^{-1}(e^x) dx = -x + \frac{\log(e^{2x} + 1)}{2} - e^{-x} \operatorname{acot}(e^x)$$

input `integrate(acot(exp(x))/exp(x),x)`

output `-x + log(exp(2*x) + 1)/2 - exp(-x)*acot(exp(x))`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.70

$$\int e^{-x} \cot^{-1}(e^x) dx = -\operatorname{arccot}(e^x) e^{(-x)} + \frac{1}{2} \log(e^{(-2x)} + 1)$$

input `integrate(arccot(exp(x))/exp(x),x, algorithm="maxima")`

output `-arccot(e^x)*e^(-x) + 1/2*log(e^(-2*x) + 1)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.78

$$\int e^{-x} \cot^{-1}(e^x) dx = -\arctan(e^{(-x)}) e^{(-x)} + \frac{1}{2} \log(e^{(-2x)} + 1)$$

input `integrate(arccot(exp(x))/exp(x),x, algorithm="giac")`

output `-arctan(e^(-x))*e^(-x) + 1/2*log(e^(-2*x) + 1)`

Mupad [B] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.81

$$\int e^{-x} \cot^{-1}(e^x) dx = \frac{\ln(e^{2x} + 1)}{2} - x - \operatorname{acot}(e^x) e^{-x}$$

input `int(acot(exp(x))*exp(-x),x)`

output `log(exp(2*x) + 1)/2 - x - acot(exp(x))*exp(-x)`

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.19

$$\int e^{-x} \cot^{-1}(e^x) dx = \frac{-2\operatorname{acot}(e^x) + e^x \log(e^{2x} + 1) - 2e^x x}{2e^x}$$

input `int(acot(exp(x))/exp(x),x)`

output `(- 2*acot(e**x) + e**x*log(e**(2*x) + 1) - 2*e**x*x)/(2*e**x)`

$$3.80 \quad \int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx$$

Optimal result	634
Mathematica [A] (verified)	634
Rubi [A] (verified)	635
Maple [A] (verified)	635
Fricas [A] (verification not implemented)	636
Sympy [A] (verification not implemented)	636
Maxima [A] (verification not implemented)	637
Giac [A] (verification not implemented)	637
Mupad [B] (verification not implemented)	637
Reduce [B] (verification not implemented)	638

Optimal result

Integrand size = 19, antiderivative size = 17

$$\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx = \frac{\log(1-2 \cot^{-1}(x))}{2ab}$$

output `1/2*ln(1-2*arccot(x))/a/b`

Mathematica [A] (verified)

Time = 0.10 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a+ax^2)(b-2b \cot^{-1}(x))} dx = \frac{\log(-1+2 \cot^{-1}(x))}{2ab}$$

input `Integrate[1/((a + a*x^2)*(b - 2*b*ArcCot[x])),x]`

output `Log[-1 + 2*ArcCot[x]]/(2*a*b)`

Rubi [A] (verified)

Time = 0.21 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$, Rules used = {5418}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(ax^2 + a)(b - 2b \cot^{-1}(x))} dx$$

↓ 5418

$$\frac{\log(1 - 2 \cot^{-1}(x))}{2ab}$$

input `Int[1/((a + a*x^2)*(b - 2*b*ArcCot[x])),x]`

output `Log[1 - 2*ArcCot[x]]/(2*a*b)`

Defintions of rubi rules used

rule 5418 `Int[1/(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_.)^2)), x_Symbol]
:> Simp[-Log[RemoveContent[a + b*ArcCot[c*x], x]]/(b*c*d), x] /; FreeQ[{a,
b, c, d, e}, x] && EqQ[e, c^2*d]`

Maple [A] (verified)

Time = 0.15 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.82

method	result	size
parallelrisc	$\frac{\ln(\operatorname{arccot}(x) - \frac{1}{2})}{2ab}$	14
default	$\frac{\ln(2b \operatorname{arccot}(x) - b)}{2ab}$	19
risc	$\frac{\ln(\ln(ix+1) - i(-i \ln(-ix+1) + \pi - 1))}{2ab}$	34

input `int(1/(a*x^2+a)/(b-2*b*arccot(x)),x,method=_RETURNVERBOSE)`

output `1/2*ln(arccot(x)-1/2)/a/b`

Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.88

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\log(2 \operatorname{arccot}(x) - 1)}{2ab}$$

input `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="fricas")`

output `1/2*log(2*arccot(x) - 1)/(a*b)`

Sympy [A] (verification not implemented)

Time = 0.22 (sec) , antiderivative size = 12, normalized size of antiderivative = 0.71

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\log(\operatorname{acot}(x) - \frac{1}{2})}{2ab}$$

input `integrate(1/(a*x**2+a)/(b-2*b*acot(x)),x)`

output `log(acot(x) - 1/2)/(2*a*b)`

Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.00

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\log(|2 \arctan(1, x) - 1|)}{2ab}$$

input `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="maxima")`output `1/2*log(abs(2*arctan2(1, x) - 1))/(a*b)`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.06

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\log(|2 \arctan(\frac{1}{x}) - 1|)}{2ab}$$

input `integrate(1/(a*x^2+a)/(b-2*b*arccot(x)),x, algorithm="giac")`output `1/2*log(abs(2*arctan(1/x) - 1))/(a*b)`**Mupad [B] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.88

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\ln(2 \operatorname{acot}(x) - 1)}{2ab}$$

input `int(1/((a + a*x^2)*(b - 2*b*acot(x))),x)`output `log(2*acot(x) - 1)/(2*a*b)`

Reduce [B] (verification not implemented)

Time = 0.26 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.88

$$\int \frac{1}{(a + ax^2)(b - 2b \cot^{-1}(x))} dx = \frac{\log(2a \cot(x) - 1)}{2ab}$$

input `int(1/(a*x^2+a)/(b-2*b*acot(x)),x)`

output `log(2*acot(x) - 1)/(2*a*b)`

3.81 $\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$

Optimal result	639
Mathematica [A] (verified)	639
Rubi [A] (verified)	640
Maple [C] (warning: unable to verify)	641
Fricas [B] (verification not implemented)	642
Sympy [F(-1)]	643
Maxima [A] (verification not implemented)	643
Giac [A] (verification not implemented)	643
Mupad [B] (verification not implemented)	644
Reduce [B] (verification not implemented)	644

Optimal result

Integrand size = 20, antiderivative size = 47

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\sinh(c(a + bx)))}{bc} + \frac{\log(1 + e^{2c(a+bx)})}{bc}$$

output

```
exp(b*c*x+a*c)*arccot(sinh(c*(b*x+a)))/b/c+ln(1+exp(2*c*(b*x+a)))/b/c
```

Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.30

$$\begin{aligned} &\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx \\ &= \frac{-e^{c(a+bx)} \cot^{-1}\left(\frac{1}{2}e^{-c(a+bx)} - \frac{1}{2}e^{c(a+bx)}\right) + \log(1 + e^{2c(a+bx)})}{bc} \end{aligned}$$

input

```
Integrate[E^(c*(a + b*x))*ArcCot[Sinh[a*c + b*c*x]],x]
```

output

```
(-(E^(c*(a + b*x))*ArcCot[1/(2*E^(c*(a + b*x))) - E^(c*(a + b*x))/2]) + Log[1 + E^(2*c*(a + b*x))]/(b*c)
```


Rubi [A] (verified)

Time = 0.33 (sec) , antiderivative size = 44, normalized size of antiderivative = 0.94, number of steps used = 6, number of rules used = 5, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {7281, 5731, 2720, 27, 240}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\sinh(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\sinh(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int e^{ac+bcx} \operatorname{sech}(ac+bcx) d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\sinh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{2720} \\
 & \frac{\int \frac{2e^{ac+bcx}}{1+e^{2ac+2bcx}} de^{ac+bcx} + e^{ac+bcx} \cot^{-1}(\sinh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{2 \int \frac{e^{ac+bcx}}{1+e^{2ac+2bcx}} de^{ac+bcx} + e^{ac+bcx} \cot^{-1}(\sinh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{240} \\
 & \frac{\log(e^{2ac+2bcx} + 1) + e^{ac+bcx} \cot^{-1}(\sinh(ac+bcx))}{bc}
 \end{aligned}$$

input `Int[E^(c*(a + b*x))*ArcCot[Sinh[a*c + b*c*x]],x]`

output `(E^(a*c + b*c*x)*ArcCot[Sinh[a*c + b*c*x]] + Log[1 + E^(2*a*c + 2*b*c*x)]) / (b*c)`

Definitions of rubi rules used

- rule 27 `Int[(a_)*(Fx), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx) /; FreeQ[b, x]]`
- rule 240 `Int[(x_)/((a_) + (b_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x^2, x]]/(2*b), x] /; FreeQ[{a, b}, x]`
- rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`
- rule 5731 `Int[((a_) + ArcCot[u_]*(b_))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_) + (d_)*x)^(m_) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]`
- rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.24 (sec) , antiderivative size = 1281, normalized size of antiderivative = 27.26

method	result	size
risch	Expression too large to display	1281

input `int(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x,method=_RETURNVERBOSE)`

output

```

-2*a/b+1/4/b/c*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)*csgn(I*exp(-c*(b*x+a)))*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*(exp(c*(b*x+a))+I)^2)*csgn(I*exp(-c*(b*x+a)))*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)*exp(c*(b*x+a))+ln(1+exp(2*c*(b*x+a)))/b/c-I/b/c*exp(c*(b*x+a))*ln(exp(c*(b*x+a))+I)+1/4/b/c*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)^3*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)^3*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)^3*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*(exp(c*(b*x+a))+I)^2)^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)^2*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)^2*exp(c*(b*x+a))+I/b/c*exp(c*(b*x+a))*ln(exp(c*(b*x+a))-I)+1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)*exp(c*(b*x+a))-1/2/b/c*Pi*csgn(I*(exp(c*(b*x+a))-I))*csgn(I*(exp(c*(b*x+a))-I)^2)*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*(exp(c*(b*x+a))-I)^2)*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)^2*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)*csgn(exp(-c*(b*x+a))*(exp(c*(b*x+a))+I)^2)^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a)))*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(c*(b*x+a))-I)^2)...

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 131 vs. $2(45) = 90$.

Time = 0.11 (sec) , antiderivative size = 131, normalized size of antiderivative = 2.79

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx$$

$$= \frac{(\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan\left(\frac{2(\cosh(bcx+ac)+\sinh(bcx+ac))}{\cosh(bcx+ac)^2+2\cosh(bcx+ac)\sinh(bcx+ac)+\sinh(bcx+ac)^2-1}\right) + \log\left(\frac{\cosh(bcx+ac)+\sinh(bcx+ac)}{\cosh(bcx+ac)-\sinh(bcx+ac)}\right)}{bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="fricas")
```

output

```

((cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(2*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))/(cosh(b*c*x + a*c)^2 + 2*cosh(b*c*x + a*c)*sinh(b*c*x + a*c) + sinh(b*c*x + a*c)^2 - 1)) + log(2*cosh(b*c*x + a*c)/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c)))/(b*c)

```

Sympy [F(-1)]

Timed out.

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \text{Timed out}$$

input `integrate(exp(c*(b*x+a))*acot(sinh(b*c*x+a*c)),x)`

output `Timed out`

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \frac{\operatorname{arccot}(\sinh(bc x + ac)) e^{((bx+a)c)}}{bc} + \frac{\log(e^{(2bcx+2ac)} + 1)}{bc}$$

input `integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="maxima")`

output `arccot(sinh(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) + log(e^(2*b*c*x + 2*a*c) + 1)/(b*c)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.38

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \frac{\left(\arctan\left(\frac{2e^{(bcx+ac)}}{e^{(2bcx+2ac)}-1}\right) e^{(bcx)} + e^{(-ac)} \log(e^{(2bcx+2ac)} + 1) \right) e^{(ac)}}{bc}$$

input `integrate(exp(c*(b*x+a))*arccot(sinh(b*c*x+a*c)),x, algorithm="giac")`

output $(\arctan(2e^{(b*c*x + a*c)}/(e^{(2*b*c*x + 2*a*c)} - 1))e^{(b*c*x)} + e^{(-a*c)} * \log(e^{(2*b*c*x + 2*a*c)} + 1))e^{(a*c)}/(b*c)$

Mupad [B] (verification not implemented)

Time = 0.91 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.38

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \frac{\ln(e^{2bcx} e^{2ac} + 1)}{bc} + \frac{e^{bcx} e^{ac} \operatorname{acot}\left(\frac{e^{bcx} e^{ac}}{2} - \frac{e^{-bcx} e^{-ac}}{2}\right)}{bc}$$

input `int(exp(c*(a + b*x))*acot(sinh(a*c + b*c*x)),x)`

output $\log(\exp(2*b*c*x)*\exp(2*a*c) + 1)/(b*c) + (\exp(b*c*x)*\exp(a*c)*\operatorname{acot}((\exp(b*c*x)*\exp(a*c))/2 - (\exp(-b*c*x)*\exp(-a*c))/2))/(b*c)$

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 63, normalized size of antiderivative = 1.34

$$\int e^{c(a+bx)} \cot^{-1}(\sinh(ac + bcx)) dx = \frac{e^{bcx+ac} \operatorname{atan}\left(\frac{2e^{bcx+ac}}{e^{2bcx+2ac}-1}\right) + \log(e^{2bcx+2ac} + 1)}{bc}$$

input `int(exp(c*(b*x+a))*acot(sinh(b*c*x+a*c)),x)`

output $(e^{(a*c + b*c*x)}*\operatorname{atan}((2*e^{(a*c + b*c*x)})/(e^{(2*a*c + 2*b*c*x)} - 1)) + \log(e^{(2*a*c + 2*b*c*x)} + 1))/(b*c)$

3.82 $\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$

Optimal result	645
Mathematica [C] (verified)	645
Rubi [A] (verified)	646
Maple [C] (warning: unable to verify)	648
Fricas [B] (verification not implemented)	649
Sympy [F]	650
Maxima [A] (verification not implemented)	650
Giac [A] (verification not implemented)	651
Mupad [B] (verification not implemented)	651
Reduce [B] (verification not implemented)	652

Optimal result

Integrand size = 20, antiderivative size = 103

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\cosh(c(a + bx)))}{bc} + \frac{(1 - \sqrt{2}) \log(3 - 2\sqrt{2} + e^{2c(a+bx)})}{2bc} + \frac{(1 + \sqrt{2}) \log(3 + 2\sqrt{2} + e^{2c(a+bx)})}{2bc}$$

output

```
exp(b*c*x+a*c)*arccot(cosh(c*(b*x+a)))/b/c+1/2*(1-2^(1/2))*ln(3-2*2^(1/2)+exp(2*c*(b*x+a)))/b/c+1/2*(1+2^(1/2))*ln(3+2*2^(1/2)+exp(2*c*(b*x+a)))/b/c
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3 in optimal.

Time = 0.08 (sec) , antiderivative size = 146, normalized size of antiderivative = 1.42

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{4c(a + bx) + 2e^{c(a+bx)} \cot^{-1}\left(\frac{1}{2}e^{-c(a+bx)}(1 + e^{2c(a+bx)})\right) + \text{RootSum}\left[1 + 6\#1^2 + \#1^4 \&, \frac{-ac-bcx+\log\left(e^{c(a+b}}{2bc}\right)}{2bc}\right]}{2bc}$$

input `Integrate[E^(c*(a + b*x))*ArcCot[Cosh[a*c + b*c*x]],x]`

output $(4*c*(a + b*x) + 2*E^(c*(a + b*x))*ArcCot[(1 + E^(2*c*(a + b*x)))/(2*E^(c*(a + b*x))]) + RootSum[1 + 6*#1^2 + #1^4 \& , (-a*c) - b*c*x + Log[E^(c*(a + b*x)) - #1] - 7*a*c*#1^2 - 7*b*c*x*#1^2 + 7*Log[E^(c*(a + b*x)) - #1]*#1^2)/(1 + 3*#1^2) \&])/(2*b*c)$

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.01, number of steps used = 8, number of rules used = 7, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {7281, 5731, 2720, 27, 1576, 1141, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\cosh(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int \frac{e^{ac+bcx} \sinh(ac+bcx)}{\cosh^2(ac+bcx)+1} d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{2720} \\
 & \frac{\int -\frac{2e^{ac+bcx}(1-e^{2ac+2bcx})}{1+6e^{2ac+2bcx}+e^{4ac+4bcx}} de^{ac+bcx} + e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx)) - 2 \int \frac{e^{ac+bcx}(1-e^{2ac+2bcx})}{1+6e^{2ac+2bcx}+e^{4ac+4bcx}} de^{ac+bcx}}{bc} \\
 & \quad \downarrow \text{1576} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx)) - \int \frac{-ac-bcx+1}{1+7e^{2ac+2bcx}} de^{2ac+2bcx}}{bc}
 \end{aligned}$$

$$\frac{e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx)) - \int \left(-\frac{2-\sqrt{2}}{2(4-3\sqrt{2}-\sqrt{2}e^{2ac+2bcx})} - \frac{1+\sqrt{2}}{2(3+2\sqrt{2}+e^{2ac+2bcx})} \right) de^{2ac+2bcx}}{bc}$$

1141

$$\frac{\frac{1}{2}(1+\sqrt{2}) \log(e^{2ac+2bcx} + 3 + 2\sqrt{2}) + \frac{1}{2}(1-\sqrt{2}) \log(-\sqrt{2}e^{2ac+2bcx} + 4 - 3\sqrt{2}) + e^{ac+bcx} \cot^{-1}(\cosh(ac+bcx))}{bc}$$

2009

input `Int[E^(c*(a + b*x))*ArcCot[Cosh[a*c + b*c*x]],x]`

output `(E^(a*c + b*c*x)*ArcCot[Cosh[a*c + b*c*x]] + ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*a*c + 2*b*c*x)])/2 + ((1 - Sqrt[2])*Log[4 - 3*Sqrt[2] - Sqrt[2]*E^(2*a*c + 2*b*c*x)])/2)/(b*c)`

Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 1141 `Int[((d_) + (e_)*(x_)^(m_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[1/c^p Int[ExpandIntegrand[(d + e*x)^m*(b/2 - q/2 + c*x)^p*(b/2 + q/2 + c*x)^p, x], x], x] /; EqQ[p, -1] || !FractionalPowerFactorQ[q] /; FreeQ[{a, b, c, d, e}, x] && ILtQ[p, 0] && IntegerQ[m] && NiceSqrtQ[b^2 - 4*a*c]`

rule 1576 `Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[1/2 Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2720

```
Int[u_, x_Symbol] :=> With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
  Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 5731

```
Int[((a_.) + ArcCot[u]*(b_.))*(v_), x_Symbol] :=> With[{w = IntHide[v, x]},
  Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(
  1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] &&
  InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.)] /; FreeQ
[{c, d, m}, x] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]]
```

rule 7281

```
Int[u_, x_Symbol] :=> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
  Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 6.31 (sec) , antiderivative size = 1354, normalized size of antiderivative = 13.15

method	result	size
risch	Expression too large to display	1354

input

```
int(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x,method=_RETURNVERBOSE)
```

output

```

-1/2*I/b/c*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a)))-1/4/b/
c*Pi*csgn(I*exp(-c*(b*x+a)))*csgn(I*exp(2*c*(b*x+a))+I+2*exp(c*(b*x+a)))*c
sgn(I*exp(-c*(b*x+a))*(-exp(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a))))*exp(c*(b*x
+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a)))*csgn(I*exp(-c*(b*x+a))*(-exp(2*c*(
b*x+a))-1+2*I*exp(c*(b*x+a))))^2*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(-c*(
b*x+a)))*csgn(-I*exp(2*c*(b*x+a))+2*exp(c*(b*x+a))-I)*csgn(I*exp(-c*(b*x+a
)))*(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a))))*exp(c*(b*x+a))+1/4/b/c*Pi*csgn
(I*exp(-c*(b*x+a)))*csgn(I*exp(-c*(b*x+a))*(exp(2*c*(b*x+a))+1+2*I*exp(c*(
b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(2*c*(b*x+a))+I+2*exp(c*(b
*x+a)))*csgn(I*exp(-c*(b*x+a))*(-exp(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a))))^2
*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(-exp(2*c*(b*x+a))-1+2*I
*exp(c*(b*x+a))))^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(-exp
(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a))))*csgn(exp(-c*(b*x+a))*(-exp(2*c*(b*x+a
)))-1+2*I*exp(c*(b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(-I*exp(2*c*(b*x
+a))+2*exp(c*(b*x+a))-I)*csgn(I*exp(-c*(b*x+a))*(exp(2*c*(b*x+a))+1+2*I*ex
p(c*(b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(I*exp(-c*(b*x+a))*(exp(2*c
*(b*x+a))+1+2*I*exp(c*(b*x+a))))^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(-c
*(b*x+a))*(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a))))*csgn(exp(-c*(b*x+a))*(e
xp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*Pi*csgn(ex
p(-c*(b*x+a))*(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a))))^3*exp(c*(b*x+a))...

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 276 vs. $2(86) = 172$.

Time = 0.11 (sec) , antiderivative size = 276, normalized size of antiderivative = 2.68

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$$

$$= \frac{2(\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan\left(\frac{2(\cosh(bcx+ac)+\sinh(bcx+ac))}{\cosh(bcx+ac)^2+2\cosh(bcx+ac)\sinh(bcx+ac)+\sinh(bcx+ac)^2+1}\right) + \sqrt{2} \log\left(\frac{\cosh(bcx+ac)+\sinh(bcx+ac)}{\cosh(bcx+ac)-\sinh(bcx+ac)}\right)}{c}$$

input

```
integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="fricas")
```

output

```
1/2*(2*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(2*(cosh(b*c*x + a*c)
+ sinh(b*c*x + a*c))/(cosh(b*c*x + a*c)^2 + 2*cosh(b*c*x + a*c)*sinh(b*c*
x + a*c) + sinh(b*c*x + a*c)^2 + 1)) + sqrt(2)*log((3*(2*sqrt(2) + 3)*cosh
(b*c*x + a*c)^2 - 4*(3*sqrt(2) + 4)*cosh(b*c*x + a*c)*sinh(b*c*x + a*c) +
3*(2*sqrt(2) + 3)*sinh(b*c*x + a*c)^2 + 2*sqrt(2) + 3)/(cosh(b*c*x + a*c)^
2 + sinh(b*c*x + a*c)^2 + 3)) + log(2*(cosh(b*c*x + a*c)^2 + sinh(b*c*x +
a*c)^2 + 3)/(cosh(b*c*x + a*c)^2 - 2*cosh(b*c*x + a*c)*sinh(b*c*x + a*c) +
sinh(b*c*x + a*c)^2)))/(b*c)
```

Sympy [F]

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = e^{ac} \int e^{bcx} \operatorname{acot}(\cosh(ac + bcx)) dx$$

input

```
integrate(exp(c*(b*x+a))*acot(cosh(b*c*x+a*c)),x)
```

output

```
exp(a*c)*Integral(exp(b*c*x)*acot(cosh(a*c + b*c*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 131, normalized size of antiderivative = 1.27

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{\operatorname{arccot}(\cosh(bc x + ac)) e^{((bx+a)c)}}{bc} + \frac{\sqrt{2} \log\left(-\frac{2\sqrt{2}-e^{(-2bcx-2ac)}-3}{2\sqrt{2}+e^{(-2bcx-2ac)}+3}\right)}{2bc} + \frac{2(bc x + ac)}{bc} + \frac{\log(6e^{(-2bcx-2ac)} + e^{(-4bcx-4ac)} + 1)}{2bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="maxima")
```

output

```
arccot(cosh(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) + 1/2*sqrt(2)*log(-(2*sqrt(2) - e^(-2*b*c*x - 2*a*c) - 3)/(2*sqrt(2) + e^(-2*b*c*x - 2*a*c) + 3))/(b*c) + 2*(b*c*x + a*c)/(b*c) + 1/2*log(6*e^(-2*b*c*x - 2*a*c) + e^(-4*b*c*x - 4*a*c) + 1)/(b*c)
```

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.50

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{\left(\sqrt{2}e^{-ac} \log\left(-\frac{2\sqrt{2}e^{2ac} - e^{2bcx+4ac} - 3e^{2ac}}{2\sqrt{2}e^{2ac} + e^{2bcx+4ac} + 3e^{2ac}}\right) - 2 \arctan\left(\frac{2e^{bcx+ac}}{e^{2bcx+2ac} + 1}\right) e^{bcx} - e^{-ac} \log(e^{4bcx+4ac} + 1)\right)}{2bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(cosh(b*c*x+a*c)),x, algorithm="giac")
```

output

```
-1/2*(sqrt(2)*e^(-a*c)*log(-(2*sqrt(2)*e^(2*a*c) - e^(2*b*c*x + 4*a*c) - 3*e^(2*a*c))/(2*sqrt(2)*e^(2*a*c) + e^(2*b*c*x + 4*a*c) + 3*e^(2*a*c))) - 2*arctan(2*e^(b*c*x + a*c)/(e^(2*b*c*x + 2*a*c) + 1))*e^(b*c*x) - e^(-a*c)*log(e^(4*b*c*x + 4*a*c) + 6*e^(2*b*c*x + 2*a*c) + 1))*e^(a*c)/(b*c)
```

Mupad [B] (verification not implemented)

Time = 0.38 (sec) , antiderivative size = 133, normalized size of antiderivative = 1.29

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx = \frac{\ln(8e^{2c(a+bx)} - 2\sqrt{2} - 6\sqrt{2}e^{2c(a+bx)}) (\sqrt{2} + 1)}{2bc} - \frac{\ln(8e^{2c(a+bx)} + 2\sqrt{2} + 6\sqrt{2}e^{2c(a+bx)}) (\sqrt{2} - 1)}{2bc} + \frac{e^{ac+bcx} \operatorname{acot}\left(\frac{e^{bcx}e^{ac}}{2} + \frac{e^{-bcx}e^{-ac}}{2}\right)}{bc}$$

input

```
int(exp(c*(a + b*x))*acot(cosh(a*c + b*c*x)),x)
```

output

```
(log(8*exp(2*c*(a + b*x)) - 2*2^(1/2) - 6*2^(1/2)*exp(2*c*(a + b*x)))*(2^(1/2) + 1))/(2*b*c) - (log(8*exp(2*c*(a + b*x)) + 2*2^(1/2) + 6*2^(1/2)*exp(2*c*(a + b*x)))*(2^(1/2) - 1))/(2*b*c) + (exp(a*c + b*c*x)*acot((exp(b*c*x)*exp(a*c))/2 + (exp(-b*c*x)*exp(-a*c))/2))/(b*c)
```

Reduce [B] (verification not implemented)

Time = 0.41 (sec) , antiderivative size = 173, normalized size of antiderivative = 1.68

$$\int e^{c(a+bx)} \cot^{-1}(\cosh(ac + bcx)) dx$$

$$= \frac{2e^{bcx+ac} \operatorname{atan}\left(\frac{2e^{bcx+ac}}{e^{2bcx+2ac}+1}\right) - \sqrt{2} \log(e^{bcx+ac} - \sqrt{2}i + i) - \sqrt{2} \log(e^{bcx+ac} + \sqrt{2}i - i) + \sqrt{2} \log(e^{2bcx+2ac}}{2bc}$$

input

```
int(exp(c*(b*x+a))*acot(cosh(b*c*x+a*c)),x)
```

output

```
(2*e**(a*c + b*c*x)*atan((2*e**(a*c + b*c*x))/(e**(2*a*c + 2*b*c*x) + 1)) - sqrt(2)*log(e**(a*c + b*c*x) - sqrt(2)*i + i) - sqrt(2)*log(e**(a*c + b*c*x) + sqrt(2)*i - i) + sqrt(2)*log(e**(2*a*c + 2*b*c*x) + 2*sqrt(2) + 3) + log(e**(a*c + b*c*x) - sqrt(2)*i + i) + log(e**(a*c + b*c*x) + sqrt(2)*i - i) + log(e**(2*a*c + 2*b*c*x) + 2*sqrt(2) + 3))/(2*b*c)
```

3.83 $\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$

Optimal result	653
Mathematica [C] (verified)	653
Rubi [A] (verified)	654
Maple [C] (warning: unable to verify)	657
Fricas [A] (verification not implemented)	658
Sympy [F]	659
Maxima [A] (verification not implemented)	659
Giac [B] (verification not implemented)	660
Mupad [B] (verification not implemented)	660
Reduce [B] (verification not implemented)	661

Optimal result

Integrand size = 20, antiderivative size = 135

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\tanh(c(a + bx)))}{bc} - \frac{\arctan(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} + \frac{\arctan(1 + \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} - \frac{\operatorname{arctanh}\left(\frac{\sqrt{2}e^{ac+bcx}}{1+e^{2c(a+bx)}}\right)}{\sqrt{2}bc}$$

output `exp(b*c*x+a*c)*arccot(tanh(c*(b*x+a)))/b/c+1/2*arctan(-1+2^(1/2)*exp(b*c*x+a*c))*2^(1/2)/b/c+1/2*arctan(1+2^(1/2)*exp(b*c*x+a*c))*2^(1/2)/b/c-1/2*arctanh(2^(1/2)*exp(b*c*x+a*c)/(1+exp(2*c*(b*x+a))))*2^(1/2)/b/c`

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3 in optimal.

Time = 0.06 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.66

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx = \frac{2e^{c(a+bx)} \cot^{-1}\left(\frac{-1+e^{2c(a+bx)}}{1+e^{2c(a+bx)}}\right) + \operatorname{RootSum}\left[1 + \#1^4 \&, \frac{-ac-bcx+\log(e^{c(a+bx)}-\#1)}{\#1} \&\right]}{2bc}$$

input `Integrate[E^(c*(a + b*x))*ArcCot[Tanh[a*c + b*c*x]],x]`

output `(2*E^(c*(a + b*x))*ArcCot[(-1 + E^(2*c*(a + b*x)))/(1 + E^(2*c*(a + b*x))]) + RootSum[1 + #1^4 & , (-a*c) - b*c*x + Log[E^(c*(a + b*x)) - #1]/#1 &])/(2*b*c)`

Rubi [A] (verified)

Time = 0.51 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.30, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {7281, 5731, 27, 2679, 826, 1476, 1082, 217, 1479, 25, 27, 1103}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\tanh(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\tanh(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int \frac{2e^{3(ac+bcx)}}{1+e^{4(ac+bcx)}} d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\tanh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{2 \int \frac{e^{3(ac+bcx)}}{1+e^{4(ac+bcx)}} d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\tanh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{2679} \\
 & \frac{2 \int \frac{e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx} + e^{ac+bcx} \cot^{-1}(\tanh(ac+bcx))}{bc} \\
 & \quad \downarrow \text{826} \\
 & \frac{2 \left(\frac{1}{2} \int \frac{1+e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx} - \frac{1}{2} \int \frac{1-e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx} \right) + e^{ac+bcx} \cot^{-1}(\tanh(ac+bcx))}{bc}
 \end{aligned}$$

↓ 1476

$$\frac{2\left(\frac{1}{2}\int\frac{1}{1-\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}+\frac{1}{2}\int\frac{1}{1+\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}\right)-\frac{1}{2}\int\frac{1-e^{2ac+2bcx}}{1+e^{4ac+4bcx}}de^{ac+bcx}}{bc}+e^{ac+bcx}$$

↓ 1082

$$\frac{2\left(\frac{1}{2}\left(\frac{\int\frac{1}{-1-e^{2ac+2bcx}}d(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}-\frac{\int\frac{1}{-1-e^{2ac+2bcx}}d(1+\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)-\frac{1}{2}\int\frac{1-e^{2ac+2bcx}}{1+e^{4ac+4bcx}}de^{ac+bcx}\right)+e^{ac+bcx}\cot^{-1}(\tanh(ac+bcx))}{bc}$$

↓ 217

$$\frac{2\left(\frac{1}{2}\left(\frac{\arctan(\sqrt{2}e^{ac+bcx}+1)}{\sqrt{2}}-\frac{\arctan(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)-\frac{1}{2}\int\frac{1-e^{2ac+2bcx}}{1+e^{4ac+4bcx}}de^{ac+bcx}\right)+e^{ac+bcx}\cot^{-1}(\tanh(ac+bcx))}{bc}$$

↓ 1479

$$\frac{2\left(\frac{1}{2}\left(\frac{\int-\frac{\sqrt{2}-2e^{ac+bcx}}{1-\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}}{2\sqrt{2}}+\frac{\int-\frac{\sqrt{2}(1+\sqrt{2}e^{ac+bcx})}{1+\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}}{2\sqrt{2}}\right)+\frac{1}{2}\left(\frac{\arctan(\sqrt{2}e^{ac+bcx}+1)}{\sqrt{2}}-\frac{\arctan(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)\right)}{bc}$$

↓ 25

$$\frac{2\left(\frac{1}{2}\left(-\frac{\int\frac{\sqrt{2}-2e^{ac+bcx}}{1-\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}}{2\sqrt{2}}-\frac{\int\frac{\sqrt{2}(1+\sqrt{2}e^{ac+bcx})}{1+\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}}{2\sqrt{2}}\right)+\frac{1}{2}\left(\frac{\arctan(\sqrt{2}e^{ac+bcx}+1)}{\sqrt{2}}-\frac{\arctan(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)\right)}{bc}$$

↓ 27

$$\frac{2\left(\frac{1}{2}\left(-\frac{\int\frac{\sqrt{2}-2e^{ac+bcx}}{1-\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}}{2\sqrt{2}}-\frac{1}{2}\int\frac{1+\sqrt{2}e^{ac+bcx}}{1+\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}}de^{ac+bcx}\right)+\frac{1}{2}\left(\frac{\arctan(\sqrt{2}e^{ac+bcx}+1)}{\sqrt{2}}-\frac{\arctan(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)\right)}{bc}$$

↓ 1103

$$\frac{2\left(\frac{1}{2}\left(\frac{\arctan(\sqrt{2}e^{ac+bcx}+1)}{\sqrt{2}}-\frac{\arctan(1-\sqrt{2}e^{ac+bcx})}{\sqrt{2}}\right)+\frac{1}{2}\left(\frac{\log(-\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}+1)}{2\sqrt{2}}-\frac{\log(\sqrt{2}e^{ac+bcx}+e^{2ac+2bcx}+1)}{2\sqrt{2}}\right)\right)}{bc}$$

input `Int[E^(c*(a + b*x))*ArcCot[Tanh[a*c + b*c*x]],x]`

output `(E^(a*c + b*c*x)*ArcCot[Tanh[a*c + b*c*x]] + 2*((-(ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/Sqrt[2]) + ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/Sqrt[2])/2 + (Log[1 - Sqrt[2]*E^(a*c + b*c*x) + E^(2*a*c + 2*b*c*x)]/(2*Sqrt[2]) - Log[1 + Sqrt[2]*E^(a*c + b*c*x) + E^(2*a*c + 2*b*c*x)]/(2*Sqrt[2]))/2)/(b*c)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 826 `Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Simp[1/(2*s) Int[(r + s*x^2)/(a + b*x^4), x], x] - Simp[1/(2*s) Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))`

rule 1082 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[a*(c/b^2)]}, Simp[-2/b Subst[Int[1/(q - x^2), x], x, 1 + 2*c*(x/b)], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x]`

rule 1103 `Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*(Log[RemoveContent[a + b*x + c*x^2, x]]/b), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

rule 1476 `Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[2*(d/e), 2]}, Simp[e/(2*c) Int[1/Simp[d/e + q*x + x^2, x], x] + Simp[e/(2*c) Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]`

rule 1479 `Int[((d_) + (e_.)*(x_)^2)/((a_) + (c_.)*(x_)^4), x_Symbol] := With[{q = Rt[-2*(d/e), 2]}, Simp[e/(2*c*q) Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x], x] + Simp[e/(2*c*q) Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; FreeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]`

rule 2679 `Int[((a_) + (b_.)*(F_)^((e_.)*((c_.) + (d_.)*(x_))))^(p_.)*(G_)^((h_.)*((f_.) + (g_.)*(x_))), x_Symbol] := With[{m = FullSimplify[d*e*(Log[F]/(g*h*Log[G]))]}, Simp[Denominator[m]/(g*h*Log[G]) Subst[Int[x^(Denominator[m] - 1)*(a + b*F^(c*e - d*e*(f/g))*x^Numerator[m])^p, x], x, G^(h*((f + g*x)/Denominator[m]))], x] /; LtQ[m, -1] || GtQ[m, 1] /; FreeQ[{F, G, a, b, c, d, e, f, g, h, p}, x]`

rule 5731 `Int[((a_.) + ArcCot[u_]*(b_.))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_.) + (d_.)*x)^(m_.) /; FreeQ[{c, d, m}, x]] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]`

rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.63 (sec) , antiderivative size = 1323, normalized size of antiderivative = 9.80

method	result	size
risch	Expression too large to display	1323

input `int(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & \frac{1}{4}\pi/b/c*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}((1+I)*(exp(2*c*(b*x+a))+I)/(1+exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}((1-I)*(exp(2*c*(b*x+a))-I)/(1+exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}((1+I)*(exp(2*c*(b*x+a))+I)/(1+exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}(I*(exp(2*c*(b*x+a))-I)/(1+exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}((1-I)*(exp(2*c*(b*x+a))-I)/(1+exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I*(exp(2*c*(b*x+a))+I)/(1+exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))+1/2*I/b/c*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))-I)+1/4*I/b/c*\ln(\exp(c*(b*x+a)))+(1/2+1/2*I)*2^{(1/2)}*2^{(1/2)}+1/4*I/b/c*\ln(\exp(c*(b*x+a)))+(1/2+1/2*I)*2^{(1/2)}*2^{(1/2)}-1/4*I/b/c*\ln(\exp(c*(b*x+a)))+(1/2-1/2*I)*2^{(1/2)}*2^{(1/2)}-1/4*I/b/c*\ln(\exp(c*(b*x+a)))+(1/2+1/2*I)*2^{(1/2)}*2^{(1/2)}-1/2*I/b/c*\exp(c*(b*x+a))*\ln(\exp(2*c*(b*x+a))+I)+1/4/b/c*\text{Pi}*c\text{sgn}(I/(1+exp(2*c*(b*x+a))))*c\text{sgn}(I*(exp(2*c*(b*x+a))-I))*c\text{sgn}(I*(exp(2*c*(b*x+a))-I)/(1+exp(2*c*(b*x+a))))*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I/(1+exp(2*c*(b*x+a))))*c\text{sgn}(I*(exp(2*c*(b*x+a))+I))*c\text{sgn}(I*(exp(2*c*(b*x+a))+I)/(1+exp(2*c*(b*x+a))))*\exp(c*(b*x+a))+1/4/b/c*\ln(\exp(c*(b*x+a)))+(1/2+1/2*I)*2^{(1/2)}*2^{(1/2)}-1/4/b/c*\ln(\exp(c*(b*x+a)))+(1/2+1/2*I)*2^{(1/2)}*2^{(1/2)}-1/4/b/c*\ln(\exp(c*(b*x+a)))+(1/2-1/2*I)*2^{(1/2)}*2^{(1/2)}-1/4/b/c*\text{Pi}*c\text{sgn}(I/(1+exp(2*c*(b*x+a))))*c\text{sgn}(I*(exp(2*c*(b*x+a))-I)/(1+exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I*(exp(2*c*(b*x+a))-I))*c\text{sgn}(I\dots \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.56

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$$

$$= \frac{4 (\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan\left(\frac{\cosh(bcx+ac)}{\sinh(bcx+ac)}\right) + 2\sqrt{2} \arctan(\sqrt{2} \cosh(bcx + ac) + \sqrt{2} \sinh(bcx + ac))}{1}$$

input `integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x, algorithm="fricas")`

output

```
1/4*(4*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(cosh(b*c*x + a*c)/sinh(b*c*x + a*c)) + 2*sqrt(2)*arctan(sqrt(2)*cosh(b*c*x + a*c) + sqrt(2)*sinh(b*c*x + a*c) + 1) + 2*sqrt(2)*arctan(sqrt(2)*cosh(b*c*x + a*c) + sqrt(2)*sinh(b*c*x + a*c) - 1) - sqrt(2)*log((sqrt(2) + 2*cosh(b*c*x + a*c))/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c))) + sqrt(2)*log(-(sqrt(2) - 2*cosh(b*c*x + a*c))/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c))))/(b*c)
```

Sympy [F]

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx = e^{ac} \int e^{bcx} \operatorname{acot}(\tanh(ac + bcx)) dx$$

input

```
integrate(exp(c*(b*x+a))*acot(tanh(b*c*x+a*c)),x)
```

output

```
exp(a*c)*Integral(exp(b*c*x)*acot(tanh(a*c + b*c*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.24

$$\begin{aligned} \int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx = & \frac{\operatorname{arccot}(\tanh(bc x + ac)) e^{(bx+a)c}}{bc} \\ & + \frac{\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 e^{(bcx+ac)})\right)}{2 bc} \\ & + \frac{\sqrt{2} \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 e^{(bcx+ac)})\right)}{2 bc} \\ & - \frac{\sqrt{2} \log\left(\sqrt{2} e^{(bcx+ac)} + e^{(2bcx+2ac)} + 1\right)}{4 bc} \\ & + \frac{\sqrt{2} \log\left(-\sqrt{2} e^{(bcx+ac)} + e^{(2bcx+2ac)} + 1\right)}{4 bc} \end{aligned}$$

input

```
integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x, algorithm="maxima")
```

output

```
arccot(tanh(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) + 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*e^(b*c*x + a*c)))/(b*c) + 1/2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*e^(b*c*x + a*c)))/(b*c) - 1/4*sqrt(2)*log(sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c) + 1/4*sqrt(2)*log(-sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c)
```

Giac [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 239 vs. 2(118) = 236.

Time = 0.14 (sec) , antiderivative size = 239, normalized size of antiderivative = 1.77

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$$

$$= \frac{4\pi e^{(bcx+ac)} \left[\frac{3\pi + 4 \arctan(e^{(2bcx+2ac)})}{4\pi} \right] - \pi e^{(bcx+ac)} - (4 \arctan(e^{(2bcx+2ac)}) e^{(bcx)} - (2\sqrt{2} \arctan(\frac{1}{2}\sqrt{2}(\sqrt{2} + 2e^{(b*c*x + a*c)})) e^{(b*c*x)} - (2\sqrt{2} \arctan(\frac{1}{2}\sqrt{2}(\sqrt{2} - 2e^{(b*c*x + a*c)})) e^{(b*c*x)})) e^{(a*c)}) e^{(-3*a*c)} + 2\sqrt{2} \arctan(-1/2\sqrt{2}(\sqrt{2} e^{(-a*c)} - 2e^{(b*c*x)}) e^{(a*c)}) e^{(-3*a*c)} - \sqrt{2} e^{(-3*a*c)} \log(\sqrt{2} e^{(b*c*x - a*c)} + e^{(2*b*c*x + e^{(-2*a*c)})}) + \sqrt{2} e^{(-3*a*c)} \log(-\sqrt{2} e^{(b*c*x - a*c)} + e^{(2*b*c*x + e^{(-2*a*c)})}) e^{(2*a*c)}) e^{(a*c)})}{(b*c)}$$

input

```
integrate(exp(c*(b*x+a))*arccot(tanh(b*c*x+a*c)),x, algorithm="giac")
```

output

```
1/4*(4*pi*e^(b*c*x + a*c)*floor(1/4*(3*pi + 4*arctan(e^(2*b*c*x + 2*a*c))))/pi) - pi*e^(b*c*x + a*c) - (4*arctan(e^(2*b*c*x + 2*a*c))*e^(b*c*x) - (2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2)*e^(-a*c) + 2*e^(b*c*x))*e^(a*c))*e^(-3*a*c) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2)*e^(-a*c) - 2*e^(b*c*x))*e^(a*c))*e^(-3*a*c) - sqrt(2)*e^(-3*a*c)*log(sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x + e^(-2*a*c))) + sqrt(2)*e^(-3*a*c)*log(-sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x + e^(-2*a*c))))*e^(2*a*c))*e^(a*c))/(b*c)
```

Mupad [B] (verification not implemented)

Time = 2.96 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.21

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$$

$$= \frac{4e^{ac+bcx} \operatorname{acot}\left(\frac{e^{2bcx} e^{2ac} - 1}{e^{2bcx} e^{2ac} + 1}\right) + \sqrt{2} \ln(\sqrt{2}(-4 - 4i) - e^{bcx} e^{ac} 8i) (-1 - i) + \sqrt{2} \ln(\sqrt{2}(-4 + 4i) + e^{bcx} e^{ac} 8i) (-1 + i)}{4}$$

input `int(exp(c*(a + b*x))*acot(tanh(a*c + b*c*x)),x)`

output `(2^(1/2)*log(2^(1/2)*(4 - 4i) + exp(b*c*x)*exp(a*c)*8i)*(1 - 1i) - 2^(1/2)*log(exp(b*c*x)*exp(a*c)*8i - 2^(1/2)*(4 - 4i))*(1 - 1i) - 2^(1/2)*log(- 2^(1/2)*(4 + 4i) - exp(b*c*x)*exp(a*c)*8i)*(1 + 1i) + 2^(1/2)*log(2^(1/2)*(4 + 4i) - exp(b*c*x)*exp(a*c)*8i)*(1 + 1i) + 4*exp(a*c + b*c*x)*acot((exp(2*b*c*x)*exp(2*a*c) - 1)/(exp(2*b*c*x)*exp(2*a*c) + 1)))/(4*b*c)`

Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 169, normalized size of antiderivative = 1.25

$$\int e^{c(a+bx)} \cot^{-1}(\tanh(ac + bcx)) dx$$

$$= \frac{4e^{bcx+ac} \operatorname{atan}\left(\frac{e^{2bcx+2ac}+1}{e^{2bcx+2ac}-1}\right) + 2\sqrt{2} \operatorname{atan}\left(\frac{2e^{bcx+ac}-\sqrt{2}}{\sqrt{2}}\right) + 2\sqrt{2} \operatorname{atan}\left(\frac{2e^{bcx+ac}+\sqrt{2}}{\sqrt{2}}\right) + \sqrt{2} \log(e^{2bcx+2ac} - e^{bcx+ac})}{4bc}$$

input `int(exp(c*(b*x+a))*acot(tanh(b*c*x+a*c)),x)`

output `(4*e**(a*c + b*c*x)*atan((e**(2*a*c + 2*b*c*x) + 1)/(e**(2*a*c + 2*b*c*x) - 1)) + 2*sqrt(2)*atan((2*e**(a*c + b*c*x) - sqrt(2))/sqrt(2)) + 2*sqrt(2)*atan((2*e**(a*c + b*c*x) + sqrt(2))/sqrt(2)) + sqrt(2)*log(e**(2*a*c + 2*b*c*x) - e**(a*c + b*c*x)*sqrt(2) + 1) - sqrt(2)*log(e**(2*a*c + 2*b*c*x) + e**(a*c + b*c*x)*sqrt(2) + 1))/(4*b*c)`

3.84 $\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$

Optimal result	662
Mathematica [C] (verified)	662
Rubi [A] (verified)	663
Maple [C] (warning: unable to verify)	666
Fricas [A] (verification not implemented)	667
Sympy [F]	668
Maxima [A] (verification not implemented)	668
Giac [A] (verification not implemented)	669
Mupad [B] (verification not implemented)	669
Reduce [B] (verification not implemented)	670

Optimal result

Integrand size = 20, antiderivative size = 134

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\coth(c(a + bx)))}{bc} + \frac{\arctan(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} - \frac{\arctan(1 + \sqrt{2}e^{ac+bcx})}{\sqrt{2}bc} + \frac{\operatorname{arctanh}\left(\frac{\sqrt{2}e^{ac+bcx}}{1+e^{2c(a+bx)}}\right)}{\sqrt{2}bc}$$

output `exp(b*c*x+a*c)*arccot(coth(c*(b*x+a)))/b/c-1/2*arctan(-1+2^(1/2)*exp(b*c*x+a*c))*2^(1/2)/b/c-1/2*arctan(1+2^(1/2)*exp(b*c*x+a*c))*2^(1/2)/b/c+1/2*arctanh(2^(1/2)*exp(b*c*x+a*c)/(1+exp(2*c*(b*x+a))))*2^(1/2)/b/c`

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3 in optimal.

Time = 0.06 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.66

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = \frac{2e^{c(a+bx)} \cot^{-1}\left(\frac{1+e^{2c(a+bx)}}{-1+e^{2c(a+bx)}}\right) + \operatorname{RootSum}\left[1 + \#1^4 \&, \frac{ac+bcx - \log(e^{c(a+bx)} - \#1)}{\#1}\right] \&}{2bc}$$

input `Integrate[E^(c*(a + b*x))*ArcCot[Coth[a*c + b*c*x]],x]`

output `(2*E^(c*(a + b*x))*ArcCot[(1 + E^(2*c*(a + b*x)))/(-1 + E^(2*c*(a + b*x))]) + RootSum[1 + #1^4 & , (a*c + b*c*x - Log[E^(c*(a + b*x)) - #1]/#1 &])/(2*b*c)`

Rubi [A] (verified)

Time = 0.49 (sec) , antiderivative size = 175, normalized size of antiderivative = 1.31, number of steps used = 13, number of rules used = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {7281, 5731, 27, 2679, 826, 1476, 1082, 217, 1479, 25, 27, 1103}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\coth(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\coth(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int -\frac{2e^{3(ac+bcx)}}{1+e^{4(ac+bcx)}} d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\coth(ac+bcx))}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\coth(ac+bcx)) - 2 \int \frac{e^{3(ac+bcx)}}{1+e^{4(ac+bcx)}} d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{2679} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\coth(ac+bcx)) - 2 \int \frac{e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx}}{bc} \\
 & \quad \downarrow \text{826} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\coth(ac+bcx)) - 2 \left(\frac{1}{2} \int \frac{1+e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx} - \frac{1}{2} \int \frac{1-e^{2ac+2bcx}}{1+e^{4ac+4bcx}} de^{ac+bcx} \right)}{bc}
 \end{aligned}$$

↓ 1476

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \int \frac{1}{1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx} + \frac{1}{2} \int \frac{1}{1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx} \right) - \frac{1}{2}}{bc}$$

↓ 1082

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(\int \frac{1}{-1 - e^{2ac+2bcx}} \frac{d(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}} - \int \frac{1}{-1 - e^{2ac+2bcx}} \frac{d(1 + \sqrt{2}e^{ac+bcx})}{\sqrt{2}} \right) - \frac{1}{2} \int \frac{1 - e^{2ac+2bcx}}{1 + e^{4ac+4bcx}} \right)}{bc}$$

↓ 217

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(\frac{\arctan(\frac{\sqrt{2}e^{ac+bcx} + 1}{\sqrt{2}})}{\sqrt{2}} - \frac{\arctan(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}} \right) - \frac{1}{2} \int \frac{1 - e^{2ac+2bcx}}{1 + e^{4ac+4bcx}} de^{ac+bcx} \right)}{bc}$$

↓ 1479

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(\int \frac{-\frac{\sqrt{2} - 2e^{ac+bcx}}{1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx}}{2\sqrt{2}} + \int \frac{\frac{\sqrt{2}(1 + \sqrt{2}e^{ac+bcx})}{1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx}}{2\sqrt{2}} \right) + \frac{1}{2} \left(\arctan \left(\frac{\sqrt{2}e^{ac+bcx} + 1}{\sqrt{2}} \right) - \arctan(1 - \sqrt{2}e^{ac+bcx}) \right) \right)}{bc}$$

↓ 25

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(- \int \frac{\frac{\sqrt{2} - 2e^{ac+bcx}}{1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx}}{2\sqrt{2}} - \int \frac{\frac{\sqrt{2}(1 + \sqrt{2}e^{ac+bcx})}{1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx}}{2\sqrt{2}} \right) + \frac{1}{2} \left(\arctan \left(\frac{\sqrt{2}e^{ac+bcx} + 1}{\sqrt{2}} \right) - \arctan(1 - \sqrt{2}e^{ac+bcx}) \right) \right)}{bc}$$

↓ 27

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(- \int \frac{\frac{\sqrt{2} - 2e^{ac+bcx}}{1 - \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx}}{2\sqrt{2}} - \frac{1}{2} \int \frac{1 + \sqrt{2}e^{ac+bcx}}{1 + \sqrt{2}e^{ac+bcx} + e^{2ac+2bcx}} de^{ac+bcx} \right) + \frac{1}{2} \left(\arctan \left(\frac{\sqrt{2}e^{ac+bcx} + 1}{\sqrt{2}} \right) - \arctan(1 - \sqrt{2}e^{ac+bcx}) \right) \right)}{bc}$$

↓ 1103

$$\frac{e^{ac+bcx} \cot^{-1}(\coth(ac + bcx)) - 2 \left(\frac{1}{2} \left(\frac{\arctan(\frac{\sqrt{2}e^{ac+bcx} + 1}{\sqrt{2}})}{\sqrt{2}} - \frac{\arctan(1 - \sqrt{2}e^{ac+bcx})}{\sqrt{2}} \right) + \frac{1}{2} \left(\frac{\log(-\sqrt{2}e^{ac+bcx} + e^{2ac+2bcx} + 1)}{2\sqrt{2}} \right) \right)}{bc}$$

input `Int[E^(c*(a + b*x))*ArcCot[Coth[a*c + b*c*x]],x]`

output `(E^(a*c + b*c*x)*ArcCot[Coth[a*c + b*c*x]] - 2*((-(ArcTan[1 - Sqrt[2]*E^(a*c + b*c*x)]/Sqrt[2]) + ArcTan[1 + Sqrt[2]*E^(a*c + b*c*x)]/Sqrt[2])/2 + (Log[1 - Sqrt[2]*E^(a*c + b*c*x) + E^(2*a*c + 2*b*c*x)]/(2*Sqrt[2]) - Log[1 + Sqrt[2]*E^(a*c + b*c*x) + E^(2*a*c + 2*b*c*x)]/(2*Sqrt[2]))/2)/(b*c)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 217 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(-(Rt[-a, 2]*Rt[-b, 2])^(-1))*ArcTan[Rt[-b, 2]*(x/Rt[-a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])`

rule 826 `Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[a/b, 2]], s = Denominator[Rt[a/b, 2]]}, Simp[1/(2*s) Int[(r + s*x^2)/(a + b*x^4), x], x] - Simp[1/(2*s) Int[(r - s*x^2)/(a + b*x^4), x], x]] /; FreeQ[{a, b}, x] && (GtQ[a/b, 0] || (PosQ[a/b] && AtomQ[SplitProduct[SumBaseQ, a]] && AtomQ[SplitProduct[SumBaseQ, b]]))`

rule 1082 `Int[((a_) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := With[{q = 1 - 4*Simplify[a*(c/b^2)]}, Simp[-2/b Subst[Int[1/(q - x^2), x], x, 1 + 2*c*(x/b)], x] /; RationalQ[q] && (EqQ[q^2, 1] || !RationalQ[b^2 - 4*a*c])] /; FreeQ[{a, b, c}, x]`

rule 1103 `Int[((d_) + (e_.)*(x_))/((a_.) + (b_.)*(x_) + (c_.)*(x_)^2), x_Symbol] := Simp[d*(Log[RemoveContent[a + b*x + c*x^2, x]]/b), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[2*c*d - b*e, 0]`

rule 1476

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
2*(d/e), 2]}, Simp[e/(2*c) Int[1/Simp[d/e + q*x + x^2, x], x] + Simp[
e/(2*c) Int[1/Simp[d/e - q*x + x^2, x], x], x] /; FreeQ[{a, c, d, e}, x]
&& EqQ[c*d^2 - a*e^2, 0] && PosQ[d*e]
```

rule 1479

```
Int[((d_) + (e_)*(x_)^2)/((a_) + (c_)*(x_)^4), x_Symbol] := With[{q = Rt[
-2*(d/e), 2]}, Simp[e/(2*c*q) Int[(q - 2*x)/Simp[d/e + q*x - x^2, x], x],
x] + Simp[e/(2*c*q) Int[(q + 2*x)/Simp[d/e - q*x - x^2, x], x], x] /; F
reeQ[{a, c, d, e}, x] && EqQ[c*d^2 - a*e^2, 0] && NegQ[d*e]
```

rule 2679

```
Int[((a_) + (b_)*(F_)^((e_)*((c_) + (d_)*(x_))))^(p_)*(G_)^((h_)*((f_
.) + (g_)*(x_))), x_Symbol] := With[{m = FullSimplify[d*e*(Log[F]/(g*h*Log
[G]))]}, Simp[Denominator[m]/(g*h*Log[G]) Subst[Int[x^(Denominator[m] - 1
)*(a + b*F^(c*e - d*e*(f/g))*x^Numerator[m])^p, x], x, G^(h*((f + g*x)/Deno
minator[m]))], x] /; LtQ[m, -1] || GtQ[m, 1] /; FreeQ[{F, G, a, b, c, d, e
, f, g, h, p}, x]
```

rule 5731

```
Int[((a_) + ArcCot[u]*(b_))*(v_), x_Symbol] := With[{w = IntHide[v, x]},
Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(
1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] &&
InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_) + (d_)*x)^(m_) /; FreeQ
[{c, d, m}, x] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]
```

rule 7281

```
Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.47 (sec) , antiderivative size = 1323, normalized size of antiderivative = 9.87

method	result	size
risch	Expression too large to display	1323

input `int(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x,method=_RETURNVERBOSE)`

output

```
-1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))-I)/(-1+exp(2*c*(b*x+a))))^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))^3*exp(c*(b*x+a))-1/4/b/c*Pi*csgn((1-I)*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))^3*exp(c*(b*x+a))-1/4/b/c*Pi*csgn((1+I)*(exp(2*c*(b*x+a))-I)/(-1+exp(2*c*(b*x+a))))^3*exp(c*(b*x+a))+1/4/b/c*Pi*csgn((1-I)*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+a))+1/4/b/c*Pi*csgn((1+I)*(exp(2*c*(b*x+a))-I)/(-1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+a))-1/2*I/b/c*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))-I)-1/4*I/b/c*ln(exp(c*(b*x+a))+(-1/2+1/2*I)*2^(1/2))*2^(1/2)-1/4*I/b/c*ln(exp(c*(b*x+a))+(1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4*I/b/c*ln(exp(c*(b*x+a))+(1/2-1/2*I)*2^(1/2))*2^(1/2)+1/4*I/b/c*ln(exp(c*(b*x+a))-(1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4*Pi/b/c*exp(c*(b*x+a))-1/4/b/c*ln(exp(c*(b*x+a)))+(-1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4/b/c*ln(exp(c*(b*x+a))+(1/2+1/2*I)*2^(1/2))*2^(1/2)+1/4/b/c*ln(exp(c*(b*x+a))+(1/2-1/2*I)*2^(1/2))*2^(1/2)-1/4/b/c*ln(exp(c*(b*x+a))-(1/2+1/2*I)*2^(1/2))*2^(1/2)-1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))-I))*csgn(I/(-1+exp(2*c*(b*x+a))))*csgn(I*(exp(2*c*(b*x+a))-I)/(-1+exp(2*c*(b*x+a))))*exp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))+I))*csgn(I/(-1+exp(2*c*(b*x+a))))*csgn(I*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))*exp(c*(b*x+a))+1/2*I/b/c*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))+I)-1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))*csgn((1-I)*(exp(2*c*(b*x+a))+I)/(-1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*...
```

Fricas [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 210, normalized size of antiderivative = 1.57

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$$

$$= \frac{4 (\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan\left(\frac{\sinh(bcx+ac)}{\cosh(bcx+ac)}\right) - 2\sqrt{2} \arctan(\sqrt{2} \cosh(bcx + ac) + \sqrt{2} \sinh(bcx + ac))}{4 (\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan\left(\frac{\sinh(bcx+ac)}{\cosh(bcx+ac)}\right) - 2\sqrt{2} \arctan(\sqrt{2} \cosh(bcx + ac) + \sqrt{2} \sinh(bcx + ac))}$$

input `integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x, algorithm="fricas")`

output

```
1/4*(4*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(sinh(b*c*x + a*c)/cosh(b*c*x + a*c)) - 2*sqrt(2)*arctan(sqrt(2)*cosh(b*c*x + a*c) + sqrt(2)*sinh(b*c*x + a*c) + 1) - 2*sqrt(2)*arctan(sqrt(2)*cosh(b*c*x + a*c) + sqrt(2)*sinh(b*c*x + a*c) - 1) + sqrt(2)*log((sqrt(2) + 2*cosh(b*c*x + a*c))/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c))) - sqrt(2)*log(-(sqrt(2) - 2*cosh(b*c*x + a*c))/(cosh(b*c*x + a*c) - sinh(b*c*x + a*c))))/(b*c)
```

Sympy [F]

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = e^{ac} \int e^{bcx} \operatorname{acot}(\coth(ac + bcx)) dx$$

input

```
integrate(exp(c*(b*x+a))*acot(coth(b*c*x+a*c)),x)
```

output

```
exp(a*c)*Integral(exp(b*c*x)*acot(coth(a*c + b*c*x)), x)
```

Maxima [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 167, normalized size of antiderivative = 1.25

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = \frac{\operatorname{arccot}(\coth(bc x + ac)) e^{(bx+a)c}}{bc} - \frac{\sqrt{2} \arctan\left(\frac{1}{2} \sqrt{2}(\sqrt{2} + 2 e^{(bcx+ac)})\right)}{2 bc} - \frac{\sqrt{2} \arctan\left(-\frac{1}{2} \sqrt{2}(\sqrt{2} - 2 e^{(bcx+ac)})\right)}{2 bc} + \frac{\sqrt{2} \log\left(\sqrt{2} e^{(bcx+ac)} + e^{(2bcx+2ac)} + 1\right)}{4 bc} - \frac{\sqrt{2} \log\left(-\sqrt{2} e^{(bcx+ac)} + e^{(2bcx+2ac)} + 1\right)}{4 bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x, algorithm="maxima")
```

output

```
arccot(coth(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) - 1/2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2) + 2*e^(b*c*x + a*c)))/(b*c) - 1/2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2) - 2*e^(b*c*x + a*c)))/(b*c) + 1/4*sqrt(2)*log(sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c) - 1/4*sqrt(2)*log(-sqrt(2)*e^(b*c*x + a*c) + e^(2*b*c*x + 2*a*c) + 1)/(b*c)
```

Giac [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 236, normalized size of antiderivative = 1.76

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = \frac{4\pi e^{(bcx+ac)} \left[\frac{\pi+4 \arctan\left(\frac{e^{(2bcx+2ac)}}{4\pi}\right)}{4\pi} \right] + \pi e^{(bcx+ac)} - (4 \arctan(e^{(2bcx+2ac)})) e^{(bcx)} - (2\sqrt{2} \arctan\left(\frac{1}{2}\sqrt{2}\right) \sqrt{2}(\sqrt{2} + 2e^{(b*c*x + a*c)})) e^{(a*c)}}{4\pi}$$

input

```
integrate(exp(c*(b*x+a))*arccot(coth(b*c*x+a*c)),x, algorithm="giac")
```

output

```
-1/4*(4*pi*e^(b*c*x + a*c)*floor(1/4*(pi + 4*arctan(e^(2*b*c*x + 2*a*c))))/pi) + pi*e^(b*c*x + a*c) - (4*arctan(e^(2*b*c*x + 2*a*c))*e^(b*c*x) - (2*sqrt(2)*arctan(1/2*sqrt(2)*(sqrt(2)*e^(-a*c) + 2*e^(b*c*x)))*e^(a*c))*e^(-3*a*c) + 2*sqrt(2)*arctan(-1/2*sqrt(2)*(sqrt(2)*e^(-a*c) - 2*e^(b*c*x)))*e^(a*c))*e^(-3*a*c) - sqrt(2)*e^(-3*a*c)*log(sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x + e^(-2*a*c))) + sqrt(2)*e^(-3*a*c)*log(-sqrt(2)*e^(b*c*x - a*c) + e^(2*b*c*x + e^(-2*a*c)))*e^(2*a*c))*e^(a*c))/(b*c)
```

Mupad [B] (verification not implemented)

Time = 2.73 (sec) , antiderivative size = 164, normalized size of antiderivative = 1.22

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx = \frac{4e^{ac+bcx} \operatorname{acot}\left(\frac{e^{2bcx}e^{2ac}+1}{e^{2bcx}e^{2ac}-1}\right) + \sqrt{2} \ln(\sqrt{2}(-4-4i) + e^{bcx}e^{ac}8i) (-1-i) + \sqrt{2} \ln(\sqrt{2}(-4+4i) - e^{bcx}e^{ac}8i)}{4}$$

input

```
int(exp(c*(a + b*x))*acot(coth(a*c + b*c*x)),x)
```

output

```
(2^(1/2)*log(2^(1/2)*(4 - 4i) - exp(b*c*x)*exp(a*c)*8i)*(1 - 1i) - 2^(1/2)
*log(- 2^(1/2)*(4 - 4i) - exp(b*c*x)*exp(a*c)*8i)*(1 - 1i) - 2^(1/2)*log(e
xp(b*c*x)*exp(a*c)*8i - 2^(1/2)*(4 + 4i))*(1 + 1i) + 2^(1/2)*log(2^(1/2)*(
4 + 4i) + exp(b*c*x)*exp(a*c)*8i)*(1 + 1i) + 4*exp(a*c + b*c*x)*acot((exp(
2*b*c*x)*exp(2*a*c) + 1)/(exp(2*b*c*x)*exp(2*a*c) - 1)))/(4*b*c)
```

Reduce [B] (verification not implemented)

Time = 0.27 (sec) , antiderivative size = 169, normalized size of antiderivative = 1.26

$$\int e^{c(a+bx)} \cot^{-1}(\coth(ac + bcx)) dx$$

$$= \frac{4e^{bcx+ac} \operatorname{atan}\left(\frac{e^{2bcx+2ac}-1}{e^{2bcx+2ac}+1}\right) - 2\sqrt{2} \operatorname{atan}\left(\frac{2e^{bcx+ac}-\sqrt{2}}{\sqrt{2}}\right) - 2\sqrt{2} \operatorname{atan}\left(\frac{2e^{bcx+ac}+\sqrt{2}}{\sqrt{2}}\right) - \sqrt{2} \log(e^{2bcx+2ac} - e^{bcx+ac})}{4bc}$$

input

```
int(exp(c*(b*x+a))*acot(coth(b*c*x+a*c)),x)
```

output

```
(4*e**(a*c + b*c*x)*atan((e**(2*a*c + 2*b*c*x) - 1)/(e**(2*a*c + 2*b*c*x)
+ 1)) - 2*sqrt(2)*atan((2*e**(a*c + b*c*x) - sqrt(2))/sqrt(2)) - 2*sqrt(2)
*atan((2*e**(a*c + b*c*x) + sqrt(2))/sqrt(2)) - sqrt(2)*log(e**(2*a*c + 2*
b*c*x) - e**(a*c + b*c*x)*sqrt(2) + 1) + sqrt(2)*log(e**(2*a*c + 2*b*c*x)
+ e**(a*c + b*c*x)*sqrt(2) + 1))/(4*b*c)
```

3.85 $\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$

Optimal result	671
Mathematica [C] (verified)	671
Rubi [A] (verified)	672
Maple [C] (warning: unable to verify)	674
Fricas [B] (verification not implemented)	675
Sympy [F(-1)]	676
Maxima [A] (verification not implemented)	676
Giac [A] (verification not implemented)	677
Mupad [B] (verification not implemented)	677
Reduce [B] (verification not implemented)	678

Optimal result

Integrand size = 20, antiderivative size = 103

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\operatorname{sech}(c(a + bx)))}{bc} - \frac{(1 - \sqrt{2}) \log(3 - 2\sqrt{2} + e^{2c(a+bx)})}{2bc} - \frac{(1 + \sqrt{2}) \log(3 + 2\sqrt{2} + e^{2c(a+bx)})}{2bc}$$

output

```
exp(b*c*x+a*c)*arccot(sech(c*(b*x+a)))/b/c-1/2*(1-2^(1/2))*ln(3-2*2^(1/2)+exp(2*c*(b*x+a)))/b/c-1/2*(1+2^(1/2))*ln(3+2*2^(1/2)+exp(2*c*(b*x+a)))/b/c
```

Mathematica [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 3 in optimal.

Time = 0.07 (sec) , antiderivative size = 145, normalized size of antiderivative = 1.41

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx = \frac{-4c(a + bx) + 2e^{c(a+bx)} \cot^{-1}\left(\frac{2e^{c(a+bx)}}{1+e^{2c(a+bx)}}\right) + \operatorname{RootSum}\left[1 + 6\#1^2 + \#1^4 \&, \frac{ac+bcx - \log(e^{c(a+bx)} - \#1) + 7ac\#1}{1+}\right]}{2bc}$$

input `Integrate[E^(c*(a + b*x))*ArcCot[Sech[a*c + b*c*x]],x]`

output $(-4*c*(a + b*x) + 2*E^(c*(a + b*x))*ArcCot[(2*E^(c*(a + b*x)))/(1 + E^(2*c*(a + b*x))]) + RootSum[1 + 6*#1^2 + #1^4 \& , (a*c + b*c*x - Log[E^(c*(a + b*x)) - #1] + 7*a*c*#1^2 + 7*b*c*x*#1^2 - 7*Log[E^(c*(a + b*x)) - #1]*#1^2)/(1 + 3*#1^2) \&])/(2*b*c)$

Rubi [A] (verified)

Time = 0.48 (sec) , antiderivative size = 104, normalized size of antiderivative = 1.01, number of steps used = 9, number of rules used = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {7281, 5731, 25, 2720, 27, 1576, 1141, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int -\frac{e^{ac+bcx} \operatorname{sech}(ac+bcx) \tanh(ac+bcx)}{\operatorname{sech}^2(ac+bcx)+1} d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx))}{bc}}{bc} \\
 & \quad \downarrow \text{25} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx)) - \int \frac{e^{ac+bcx} \operatorname{sech}(ac+bcx) \tanh(ac+bcx)}{\operatorname{sech}^2(ac+bcx)+1} d(ac+bcx)}{bc}}{bc} \\
 & \quad \downarrow \text{2720} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx)) - \int -\frac{2e^{ac+bcx}(1-e^{2ac+2bcx})}{1+6e^{2ac+2bcx}+e^{4ac+4bcx}} de^{ac+bcx}}{bc}}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{2 \int \frac{e^{ac+bcx}(1-e^{2ac+2bcx})}{1+6e^{2ac+2bcx}+e^{4ac+4bcx}} de^{ac+bcx} + e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx))}{bc}}{bc}
 \end{aligned}$$

$$\begin{array}{c}
 \int \frac{-ac-bxc+1}{1+7e^{2ac+2bxc}} de^{2ac+2bxc} + e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx)) \\
 \downarrow 1576 \\
 \frac{\int \left(-\frac{2-\sqrt{2}}{2(4-3\sqrt{2}-\sqrt{2}e^{2ac+2bxc})} - \frac{1+\sqrt{2}}{2(3+2\sqrt{2}+e^{2ac+2bxc})} \right) de^{2ac+2bxc} + e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx))}{bc} \\
 \downarrow 1141 \\
 \frac{-\frac{1}{2}(1+\sqrt{2}) \log(e^{2ac+2bxc} + 3 + 2\sqrt{2}) - \frac{1}{2}(1-\sqrt{2}) \log(-\sqrt{2}e^{2ac+2bxc} + 4 - 3\sqrt{2}) + e^{ac+bcx} \cot^{-1}(\operatorname{sech}(ac+bcx))}{bc}
 \end{array}$$

input `Int[E^(c*(a + b*x))*ArcCot[Sech[a*c + b*c*x]], x]`

output `(E^(a*c + b*c*x)*ArcCot[Sech[a*c + b*c*x]] - ((1 + Sqrt[2])*Log[3 + 2*Sqrt[2] + E^(2*a*c + 2*b*c*x)])/2 - ((1 - Sqrt[2])*Log[4 - 3*Sqrt[2] - Sqrt[2]*E^(2*a*c + 2*b*c*x)])/2)/(b*c)`

Defintions of rubi rules used

rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 1141 `Int[((d_.) + (e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(p_), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Simp[1/c^p Int[ExpandIntegrand[(d + e*x)^m*(b/2 - q/2 + c*x)^p*(b/2 + q/2 + c*x)^p, x], x], x] /; EqQ[p, -1] || !FractionalPowerFactorQ[q] /; FreeQ[{a, b, c, d, e}, x] && ILtQ[p, 0] && IntegerQ[m] && NiceSqrtQ[b^2 - 4*a*c]`

rule 1576

```
Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(
p_), x_Symbol] :> Simp[1/2 Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x]
, x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]
```

rule 2009

```
Int[u_, x_Symbol] :> Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2720

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x]
Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Funct
ionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ
[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))
*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

rule 5731

```
Int[((a_) + ArcCot[u]*(b_))*(v_), x_Symbol] :> With[{w = IntHide[v, x]},
Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(
1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] &&
InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_) + (d_)*x)^(m_)] /; FreeQ
[{c, d, m}, x] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]
```

rule 7281

```
Int[u_, x_Symbol] :> With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]]
Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]
```

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 6.11 (sec) , antiderivative size = 855, normalized size of antiderivative = 8.30

method	result	size
risch	Expression too large to display	855

input

```
int(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x,method=_RETURNVERBOSE)
```

output

```

1/2*I/b/c*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a)))+1/4/b/c
*Pi*csgn(I*exp(2*c*(b*x+a))+I+2*exp(c*(b*x+a)))*csgn(I/(1+exp(2*c*(b*x+a)
))*csgn(I*(-exp(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))*e
xp(c*(b*x+a))+1/4/b/c*Pi*csgn(I*exp(2*c*(b*x+a))+I+2*exp(c*(b*x+a)))*csgn(
I*(-exp(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))^2*exp(c*(
b*x+a))+1/4/b/c*Pi*csgn(I/(1+exp(2*c*(b*x+a))))*csgn(I*(-exp(2*c*(b*x+a))-
1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+a))-1/4/b/c*Pi*cs
gn(-I*exp(2*c*(b*x+a))+2*exp(c*(b*x+a))-I)*csgn(I/(1+exp(2*c*(b*x+a))))*cs
gn(I*(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))*exp(c*(
b*x+a))-1/4/b/c*Pi*csgn(I/(1+exp(2*c*(b*x+a))))*csgn(I*(exp(2*c*(b*x+a))+1
+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+a))+1/4/b/c*Pi*cs
gn(I*(-exp(2*c*(b*x+a))-1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))^3*exp(c
*(b*x+a))+1/4/b/c*Pi*csgn(-I*exp(2*c*(b*x+a))+2*exp(c*(b*x+a))-I)*csgn(I*(
exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(b*x+a))))^2*exp(c*(b*x+
a))+1/4/b/c*Pi*csgn(I*(exp(2*c*(b*x+a))+1+2*I*exp(c*(b*x+a)))/(1+exp(2*c*(
b*x+a))))^3*exp(c*(b*x+a))-1/2*I/b/c*exp(c*(b*x+a))*ln(exp(2*c*(b*x+a))+1-
2*I*exp(c*(b*x+a)))+1/2*Pi/b/c*exp(c*(b*x+a))+1/2/b/c*ln(exp(2*c*(b*x+a))+
(2^(1/2)-1)^2)*2^(1/2)-1/2/b/c*ln(exp(2*c*(b*x+a))+(1+2^(1/2))^2)*2^(1/2)+
2*a/b-1/2/b/c*ln(exp(2*c*(b*x+a))+(2^(1/2)-1)^2)-1/2/b/c*ln(exp(2*c*(b*x+a
)))+(1+2^(1/2))^2)

```

Fricas [B] (verification not implemented)

Leaf count of result is larger than twice the leaf count of optimal. 221 vs. $2(86) = 172$.

Time = 0.12 (sec) , antiderivative size = 221, normalized size of antiderivative = 2.15

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$$

$$= \frac{2 (\cosh (bcx + ac) + \sinh (bcx + ac)) \arctan (\cosh (bcx + ac)) + \sqrt{2} \log \left(-\frac{3 (2\sqrt{2}-3) \cosh (bcx+ac)^2 - 4 (3\sqrt{2}-4)}{\cos} \right)}{}$$

input

```
integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x, algorithm="fricas")
```

output

```
1/2*(2*(cosh(b*c*x + a*c) + sinh(b*c*x + a*c))*arctan(cosh(b*c*x + a*c)) +
sqrt(2)*log(-(3*(2*sqrt(2) - 3)*cosh(b*c*x + a*c)^2 - 4*(3*sqrt(2) - 4)*c
osh(b*c*x + a*c)*sinh(b*c*x + a*c) + 3*(2*sqrt(2) - 3)*sinh(b*c*x + a*c)^2
+ 2*sqrt(2) - 3)/(cosh(b*c*x + a*c)^2 + sinh(b*c*x + a*c)^2 + 3)) - log(2
*(cosh(b*c*x + a*c)^2 + sinh(b*c*x + a*c)^2 + 3)/(cosh(b*c*x + a*c)^2 - 2*
cosh(b*c*x + a*c)*sinh(b*c*x + a*c) + sinh(b*c*x + a*c)^2)))/(b*c)
```

Sympy [F(-1)]

Timed out.

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx = \text{Timed out}$$

input

```
integrate(exp(c*(b*x+a))*acot(sech(b*c*x+a*c)),x)
```

output

Timed out

Maxima [A] (verification not implemented)

Time = 0.16 (sec) , antiderivative size = 169, normalized size of antiderivative = 1.64

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx = \frac{\operatorname{arccot}(\operatorname{sech}(bcx + ac)) e^{((bx+a)c)}}{bc} + \frac{3\sqrt{2} \log\left(-\frac{2\sqrt{2}-e^{(2bcx+2ac)}-3}{2\sqrt{2}+e^{(2bcx+2ac)}+3}\right)}{8bc} - \frac{\sqrt{2} \log\left(-\frac{2\sqrt{2}-e^{(-2bcx-2ac)}-3}{2\sqrt{2}+e^{(-2bcx-2ac)}+3}\right)}{8bc} - \frac{\log(e^{(4bcx+4ac)} + 6e^{(2bcx+2ac)} + 1)}{2bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x, algorithm="maxima")
```

output

```
arccot(sech(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) + 3/8*sqrt(2)*log(-(2*sqrt(2) - e^(2*b*c*x + 2*a*c) - 3)/(2*sqrt(2) + e^(2*b*c*x + 2*a*c) + 3))/(b*c) - 1/8*sqrt(2)*log(-(2*sqrt(2) - e^(-2*b*c*x - 2*a*c) - 3)/(2*sqrt(2) + e^(-2*b*c*x - 2*a*c) + 3))/(b*c) - 1/2*log(e^(4*b*c*x + 4*a*c) + 6*e^(2*b*c*x + 2*a*c) + 1)/(b*c)
```

Giac [A] (verification not implemented)

Time = 0.12 (sec) , antiderivative size = 155, normalized size of antiderivative = 1.50

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$$

$$= \frac{\left(\sqrt{2}e^{(-ac)} \log\left(-\frac{2\sqrt{2}e^{(2ac)} - e^{(2bcx+4ac)} - 3e^{(2ac)}}{2\sqrt{2}e^{(2ac)} + e^{(2bcx+4ac)} + 3e^{(2ac)}}\right) + 2 \arctan\left(\frac{1}{2}\left(e^{(2bcx+2ac)} + 1\right)e^{(-bcx-ac)}\right) e^{(bcx)} - e^{(-ac)} \log\left(\frac{e^{(4bcx+4ac)} + 6e^{(2bcx+2ac)} + 1}{2bc}\right)\right)}{2bc}$$

input

```
integrate(exp(c*(b*x+a))*arccot(sech(b*c*x+a*c)),x, algorithm="giac")
```

output

```
1/2*(sqrt(2)*e^(-a*c)*log(-(2*sqrt(2)*e^(2*a*c) - e^(2*b*c*x + 4*a*c) - 3*e^(2*a*c))/(2*sqrt(2)*e^(2*a*c) + e^(2*b*c*x + 4*a*c) + 3*e^(2*a*c))) + 2*arctan(1/2*(e^(2*b*c*x + 2*a*c) + 1)*e^(-b*c*x - a*c))*e^(b*c*x) - e^(-a*c)*log(e^(4*b*c*x + 4*a*c) + 6*e^(2*b*c*x + 2*a*c) + 1))*e^(a*c)/(b*c)
```

Mupad [B] (verification not implemented)

Time = 1.11 (sec) , antiderivative size = 135, normalized size of antiderivative = 1.31

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$$

$$= \frac{e^{ac+bcx} \operatorname{acot}\left(\frac{1}{\frac{e^{bcx}e^{ac}}{2} + \frac{e^{-bcx}e^{-ac}}{2}}\right)}{bc} + \frac{\ln(-8e^{2c(a+bx)} - 2\sqrt{2} - 6\sqrt{2}e^{2c(a+bx)}) (\sqrt{2} - 1)}{2bc} - \frac{\ln(2\sqrt{2} - 8e^{2c(a+bx)} + 6\sqrt{2}e^{2c(a+bx)}) (\sqrt{2} + 1)}{2bc}$$

input `int(acot(1/cosh(a*c + b*c*x))*exp(c*(a + b*x)),x)`

output `(exp(a*c + b*c*x)*acot(1/((exp(b*c*x)*exp(a*c))/2 + (exp(-b*c*x)*exp(-a*c))/2)))/(b*c) + (log(- 8*exp(2*c*(a + b*x)) - 2*2^(1/2) - 6*2^(1/2)*exp(2*c*(a + b*x)))*(2^(1/2) - 1))/(2*b*c) - (log(2*2^(1/2) - 8*exp(2*c*(a + b*x)) + 6*2^(1/2)*exp(2*c*(a + b*x)))*(2^(1/2) + 1))/(2*b*c)`

Reduce [B] (verification not implemented)

Time = 0.38 (sec) , antiderivative size = 178, normalized size of antiderivative = 1.73

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{sech}(ac + bcx)) dx$$

$$= \frac{2e^{bcx+ac} \operatorname{atan}\left(\frac{e^{2bcx+2ac}+1}{2e^{bcx+ac}}\right) + \sqrt{2} \log(e^{bcx+ac} - \sqrt{2}i + i) + \sqrt{2} \log(e^{bcx+ac} + \sqrt{2}i - i) - \sqrt{2} \log(e^{2bcx+2ac})}{2bc}$$

input `int(exp(c*(b*x+a))*acot(sech(b*c*x+a*c)),x)`

output `(2*e**(a*c + b*c*x)*atan((e**(2*a*c + 2*b*c*x) + 1)/(2*e**(a*c + b*c*x))) + sqrt(2)*log(e**(a*c + b*c*x) - sqrt(2)*i + i) + sqrt(2)*log(e**(a*c + b*c*x) + sqrt(2)*i - i) - sqrt(2)*log(e**(2*a*c + 2*b*c*x) + 2*sqrt(2) + 3) - log(e**(a*c + b*c*x) - sqrt(2)*i + i) - log(e**(a*c + b*c*x) + sqrt(2)*i - i) - log(e**(2*a*c + 2*b*c*x) + 2*sqrt(2) + 3))/(2*b*c)`

3.86 $\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx$

Optimal result	679
Mathematica [A] (verified)	679
Rubi [A] (verified)	680
Maple [C] (warning: unable to verify)	681
Fricas [A] (verification not implemented)	682
Sympy [F]	683
Maxima [A] (verification not implemented)	683
Giac [A] (verification not implemented)	683
Mupad [B] (verification not implemented)	684
Reduce [B] (verification not implemented)	684

Optimal result

Integrand size = 20, antiderivative size = 48

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(c(a + bx)))}{bc} - \frac{\log(1 + e^{2c(a+bx)})}{bc}$$

output

```
exp(b*c*x+a*c)*arccot(csch(c*(b*x+a)))/b/c-ln(1+exp(2*c*(b*x+a)))/b/c
```

Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 59, normalized size of antiderivative = 1.23

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{e^{c(a+bx)} \cot^{-1}\left(\frac{2e^{c(a+bx)}}{-1+e^{2c(a+bx)}}\right) - \log(1 + e^{2c(a+bx)})}{bc}$$

input

```
Integrate[E^(c*(a + b*x))*ArcCot[Csch[a*c + b*c*x]],x]
```

output

```
(E^(c*(a + b*x))*ArcCot[(2*E^(c*(a + b*x)))/(-1 + E^(2*c*(a + b*x))]) - Log[1 + E^(2*c*(a + b*x))]/(b*c)
```


Rubi [A] (verified)

Time = 0.32 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.96, number of steps used = 7, number of rules used = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {7281, 5731, 25, 2720, 27, 240}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac+bcx)) dx \\
 & \quad \downarrow \text{7281} \\
 & \frac{\int e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx)) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{5731} \\
 & \frac{\int -e^{ac+bcx} \operatorname{sech}(ac+bcx) d(ac+bcx) + e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx))}{bc} \\
 & \quad \downarrow \text{25} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx)) - \int e^{ac+bcx} \operatorname{sech}(ac+bcx) d(ac+bcx)}{bc} \\
 & \quad \downarrow \text{2720} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx)) - \int \frac{2e^{ac+bcx}}{1+e^{2ac+2bcx}} de^{ac+bcx}}{bc} \\
 & \quad \downarrow \text{27} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx)) - 2 \int \frac{e^{ac+bcx}}{1+e^{2ac+2bcx}} de^{ac+bcx}}{bc} \\
 & \quad \downarrow \text{240} \\
 & \frac{e^{ac+bcx} \cot^{-1}(\operatorname{csch}(ac+bcx)) - \log(e^{2ac+2bcx} + 1)}{bc}
 \end{aligned}$$

input

```
Int[E^(c*(a + b*x))*ArcCot[Csch[a*c + b*c*x]], x]
```

output

```
(E^(a*c + b*c*x)*ArcCot[Csch[a*c + b*c*x]] - Log[1 + E^(2*a*c + 2*b*c*x)]) / (b*c)
```

Definitions of rubi rules used

- rule 25 `Int[-(Fx_), x_Symbol] := Simp[Identity[-1] Int[Fx, x], x]`
- rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`
- rule 240 `Int[(x_)/((a_) + (b_)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x^2, x]]/(2*b), x] /; FreeQ[{a, b}, x]`
- rule 2720 `Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Simp[v/D[v, x] Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x)) *(F_)[v_]] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]`
- rule 5731 `Int[((a_) + ArcCot[u_]*(b_))*(v_), x_Symbol] := With[{w = IntHide[v, x]}, Simp[(a + b*ArcCot[u])*w, x] + Simp[b Int[SimplifyIntegrand[w*(D[u, x]/(1 + u^2)), x], x], x] /; InverseFunctionFreeQ[w, x] /; FreeQ[{a, b}, x] && InverseFunctionFreeQ[u, x] && !MatchQ[v, ((c_) + (d_)*x)^(m_)] /; FreeQ[{c, d, m}, x] && FalseQ[FunctionOfLinear[v*(a + b*ArcCot[u]), x]]]`
- rule 7281 `Int[u_, x_Symbol] := With[{lst = FunctionOfLinear[u, x]}, Simp[1/lst[[3]] Subst[Int[lst[[1]], x], x, lst[[2]] + lst[[3]]*x], x] /; !FalseQ[lst]]`

Maple [C] (warning: unable to verify)

Result contains higher order function than in optimal. Order 9 vs. order 3.

Time = 1.24 (sec) , antiderivative size = 903, normalized size of antiderivative = 18.81

method	result	size
risch	Expression too large to display	903

input `int(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x,method=_RETURNVERBOSE)`

output
$$\begin{aligned} & I/b/c*\exp(c*(b*x+a))*\ln(\exp(c*(b*x+a))+I)-1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a)) \\ & -I))^2*c\text{sgn}(I*(\exp(c*(b*x+a))-I)^2)*\exp(c*(b*x+a))+1/2/b/c*\text{Pi}*c\text{sgn}(I*(\exp \\ & (c*(b*x+a))-I))*c\text{sgn}(I*(\exp(c*(b*x+a))-I)^2)^2*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c \\ & \text{sgn}(I*(\exp(c*(b*x+a))-I)^2)^3*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x \\ & +a))-I)^2)*c\text{sgn}(I/(-1+\exp(2*c*(b*x+a))))*c\text{sgn}(I*(\exp(c*(b*x+a))-I)^2/(-1+e \\ & xp(2*c*(b*x+a))))*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a))-I)^2)*c \\ & \text{sgn}(I*(\exp(c*(b*x+a))-I)^2/(-1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))+1/4/b/c \\ & *\text{Pi}*c\text{sgn}(I/(-1+\exp(2*c*(b*x+a))))*c\text{sgn}(I*(\exp(c*(b*x+a))-I)^2/(-1+\exp(2*c* \\ & (b*x+a))))^2*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2)*c\text{sgn}(I \\ & /(-1+\exp(2*c*(b*x+a))))*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2/(-1+\exp(2*c*(b*x+a)))) \\ & *\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I/(-1+\exp(2*c*(b*x+a))))*c\text{sgn}(I*(\exp(c*(b* \\ & x+a))+I)^2/(-1+\exp(2*c*(b*x+a))))^2*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(\\ & c*(b*x+a))-I)^2/(-1+\exp(2*c*(b*x+a))))^3*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}(I* \\ & (\exp(c*(b*x+a))+I))^2*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2)*\exp(c*(b*x+a))-1/2/b/c* \\ & \text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a))+I))*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2)^2*\exp(c*(b*x+a) \\ &)+1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2)^3*\exp(c*(b*x+a))-1/4/b/c*\text{Pi}*c\text{sgn} \\ & (I*(\exp(c*(b*x+a))+I)^2)*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2/(-1+\exp(2*c*(b*x+a))) \\ &)^2*\exp(c*(b*x+a))+1/4/b/c*\text{Pi}*c\text{sgn}(I*(\exp(c*(b*x+a))+I)^2/(-1+\exp(2*c*(b*x \\ & +a))))^3*\exp(c*(b*x+a))-I/b/c*\exp(c*(b*x+a))*\ln(\exp(c*(b*x+a))-I)+1/2*\text{Pi}/b \\ & /c*\exp(c*(b*x+a))+2*a/b-\ln(1+\exp(2*c*(b*x+a)))/b/c \end{aligned}$$

Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.56

$$\begin{aligned} & \int e^{c(a+bx)} \cot^{-1}(\text{csch}(ac + bcx)) dx \\ & = \frac{(\cosh(bcx + ac) + \sinh(bcx + ac)) \arctan(\sinh(bcx + ac)) - \log\left(\frac{2 \cosh(bcx+ac)}{\cosh(bcx+ac) - \sinh(bcx+ac)}\right)}{bc} \end{aligned}$$

input `integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="fricas")`

output
$$\frac{((\cosh(b*c*x + a*c) + \sinh(b*c*x + a*c))*\arctan(\sinh(b*c*x + a*c)) - \log(2 * \cosh(b*c*x + a*c)/(\cosh(b*c*x + a*c) - \sinh(b*c*x + a*c))))}{(b*c)}$$

Sympy [F]

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = e^{ac} \int e^{bcx} \operatorname{acot}(\operatorname{csch}(ac + bcx)) dx$$

input `integrate(exp(c*(b*x+a))*acot(csch(b*c*x+a*c)),x)`

output `exp(a*c)*Integral(exp(b*c*x)*acot(csch(a*c + b*c*x)), x)`

Maxima [A] (verification not implemented)

Time = 0.14 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{\operatorname{arccot}(\operatorname{csch}(bcx + ac)) e^{((bx+a)c)}}{bc} - \frac{\log(e^{(2bcx+2ac)} + 1)}{bc}$$

input `integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="maxima")`

output `arccot(csch(b*c*x + a*c))*e^((b*x + a)*c)/(b*c) - log(e^(2*b*c*x + 2*a*c) + 1)/(b*c)`

Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.38

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{(\arctan(\frac{1}{2}(e^{(2bcx+2ac)} - 1))e^{(-bcx-ac)})e^{(bcx)} - e^{(-ac)} \log(e^{(2bcx+2ac)} + 1))e^{(ac)}}{bc}$$

input `integrate(exp(c*(b*x+a))*arccot(csch(b*c*x+a*c)),x, algorithm="giac")`

output

$$(\arctan(1/2*(e^{(2*b*c*x + 2*a*c)} - 1)*e^{(-b*c*x - a*c)})*e^{(b*c*x)} - e^{(-a*c)}* \log(e^{(2*b*c*x + 2*a*c)} + 1))*e^{(a*c)}/(b*c)$$
Mupad [B] (verification not implemented)

Time = 0.88 (sec) , antiderivative size = 68, normalized size of antiderivative = 1.42

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{e^{bcx} e^{ac} \operatorname{acot}\left(\frac{1}{\frac{e^{bcx} e^{ac}}{2} - \frac{e^{-bcx} e^{-ac}}{2}}\right)}{bc} - \frac{\ln(e^{2bcx} e^{2ac} + 1)}{bc}$$

input

$$\text{int}(\operatorname{acot}(1/\sinh(a*c + b*c*x))*\exp(c*(a + b*x)),x)$$

output

$$(\exp(b*c*x)*\exp(a*c)*\operatorname{acot}(1/((\exp(b*c*x)*\exp(a*c))/2 - (\exp(-b*c*x)*\exp(-a*c))/2)))/(b*c) - \log(\exp(2*b*c*x)*\exp(2*a*c) + 1)/(b*c)$$
Reduce [B] (verification not implemented)

Time = 0.32 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.35

$$\int e^{c(a+bx)} \cot^{-1}(\operatorname{csch}(ac + bcx)) dx = \frac{e^{bcx+ac} \operatorname{atan}\left(\frac{e^{2bcx+2ac}-1}{2e^{bcx+ac}}\right) - \log(e^{2bcx+2ac} + 1)}{bc}$$

input

$$\text{int}(\exp(c*(b*x+a))*\operatorname{acot}(\operatorname{csch}(b*c*x+a*c)),x)$$

output

$$(e^{(a*c + b*c*x)}*\operatorname{atan}((e^{(2*a*c + 2*b*c*x)} - 1)/(2*e^{(a*c + b*c*x)})) - \log(e^{(2*a*c + 2*b*c*x)} + 1))/(b*c)$$

CHAPTER 4

APPENDIX

4.1	Listing of Grading functions	685
4.2	Links to plain text integration problems used in this report for each CAS .	703

4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leafCountOptimal},
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
          ]
        ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
    If[leafCountResult<=2*leafCountOptimal,
      finalresult={"A",""}
      ,(*ELSE*)
      finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
    ]
  ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
  If[FreeQ[result,Integrate] && FreeQ[result,Int],
    finalresult={"C","Result contains higher order function than in optimal. Order "
  ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```



```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
        If [Head [expn] === RootSum,
            Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
            If [Head [expn] === Integrate || Head [expn] === Int,
                Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
                9]]]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [{AppellF1}, func]

```

Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022 add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result    := ExpnType(result);
      ExpnType_optimal   := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

#   antiderivative
#   "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co
        fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```

```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9
end proc

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc;
```

Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```



```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric'] #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```

```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file