

# Computer Algebra Independent Integration Tests

Summer 2024

5-Inverse-trig-functions/5.4-Inverse-cotangent/284-5.4.4

Nasser M. Abbasi

May 18, 2024

Compiled on May 18, 2024 at 1:18am

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23
<b>2</b>	<b>detailed summary tables of results</b>	<b>24</b>
2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	39
<b>3</b>	<b>Listing of integrals</b>	<b>41</b>
3.1	$\int (c + dx^2)^4 \cot^{-1}(ax) dx$ . . . . .	43
3.2	$\int (c + dx^2)^3 \cot^{-1}(ax) dx$ . . . . .	51
3.3	$\int (c + dx^2)^2 \cot^{-1}(ax) dx$ . . . . .	59
3.4	$\int (c + dx^2) \cot^{-1}(ax) dx$ . . . . .	66
3.5	$\int \frac{\cot^{-1}(ax)}{c+dx^2} dx$ . . . . .	73
3.6	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx$ . . . . .	82

3.7	$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx$ . . . . .	92
3.8	$\int \sqrt{a+ax^2} \cot^{-1}(x) dx$ . . . . .	97
3.9	$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx$ . . . . .	103
3.10	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx$ . . . . .	108
3.11	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx$ . . . . .	113
3.12	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx$ . . . . .	118
3.13	$\int \sqrt{c+dx^2} \cot^{-1}(ax) dx$ . . . . .	124
3.14	$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$ . . . . .	129
3.15	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx$ . . . . .	134
3.16	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx$ . . . . .	140
3.17	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$ . . . . .	147
3.18	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$ . . . . .	155
3.19	$\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx$ . . . . .	163
3.20	$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$ . . . . .	168
3.21	$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx$ . . . . .	174
3.22	$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx$ . . . . .	179
3.23	$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx$ . . . . .	185
3.24	$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx$ . . . . .	192
3.25	$\int \frac{x \cot^{-1}(x)}{1+x^2} dx$ . . . . .	197
3.26	$\int \frac{\cot^{-1}(x)}{1+x^2} dx$ . . . . .	202
3.27	$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx$ . . . . .	207
3.28	$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx$ . . . . .	212
3.29	$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx$ . . . . .	218
3.30	$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$ . . . . .	225
3.31	$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$ . . . . .	232
3.32	$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx$ . . . . .	241
3.33	$\int \frac{\cot^{-1}(cx)}{1+x^2} dx$ . . . . .	247
3.34	$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$ . . . . .	254
3.35	$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$ . . . . .	260
3.36	$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx$ . . . . .	270
3.37	$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$ . . . . .	275

**4 Appendix 281**

---

4.1	Listing of Grading functions . . . . .	281
4.2	Links to plain text integration problems used in this report for each CAS299	

# CHAPTER 1

## INTRODUCTION

1.1	Listing of CAS systems tested . . . . .	5
1.2	Results . . . . .	6
1.3	Time and leaf size Performance . . . . .	10
1.4	Performance based on number of rules Rubi used . . . . .	12
1.5	Performance based on number of steps Rubi used . . . . .	13
1.6	Solved integrals histogram based on leaf size of result . . . . .	14
1.7	Solved integrals histogram based on CPU time used . . . . .	15
1.8	Leaf size vs. CPU time used . . . . .	16
1.9	list of integrals with no known antiderivative . . . . .	17
1.10	List of integrals solved by CAS but has no known antiderivative . . . . .	17
1.11	list of integrals solved by CAS but failed verification . . . . .	17
1.12	Timing . . . . .	18
1.13	Verification . . . . .	18
1.14	Important notes about some of the results . . . . .	19
1.15	Current tree layout of integration tests . . . . .	22
1.16	Design of the test system . . . . .	23

This report gives the result of running the computer algebra independent integration test. The download section in on the main webpage contains links to download the problems in plain text format used for all CAS systems. The number of integrals in this report is [ 37 ]. This is test number [ 284 ].

## 1.1 Listing of CAS systems tested

The following are the CAS systems tested:

1. Mathematica 14 (January 9, 2024) on windows 10 pro.
2. Rubi 4.17.3 (Sept 25, 2023) on Mathematica 14 on windows 10m pro.
3. Maple 2024 (March 1, 2024) on windows 10 pro.
4. Maxima 5.47 (June 1, 2023) using Lisp SBCL 2.4.0 on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
5. FriCAS 1.3.10 built with sbcl 2.3.11 (January 10, 2024) on Linux Manjaro 23.1.2 KDE via sagemath 10.3.
6. Giac/Xcas 1.9.0-99 on Linux via sagemath 10.3.
7. Sympy 1.12 using Python 3.11.6 (Nov 14 2023, 09:36:21) [GCC 13.2.1 20230801] on Linux Manjaro 23.1.2 KDE.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 on windows 10.
9. Reduce CSL rev 6687 (January 9, 2024) on Linux Manjaro 23.1.2 KDE.

Maxima and Fricas and Giac are called using Sagemath. This was done using Sagemath `integrate` command by changing the name of the algorithm to use the different CAS systems.

Sympy was run directly in Python not via sagemath.

Reduce was called directly.

## 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed. If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	% solved	% Failed
Rubi	100.00 ( 37 )	0.00 ( 0 )
Mathematica	100.00 ( 37 )	0.00 ( 0 )
Maple	89.19 ( 33 )	10.81 ( 4 )
Fricas	64.86 ( 24 )	35.14 ( 13 )
Maxima	64.86 ( 24 )	35.14 ( 13 )
Giac	54.05 ( 20 )	45.95 ( 17 )
Reduce	54.05 ( 20 )	45.95 ( 17 )
Mupad	45.95 ( 17 )	54.05 ( 20 )
Sympy	40.54 ( 15 )	59.46 ( 22 )

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol>
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.

Table 1.2: Description of grading applied to integration result


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

System	% A grade	% B grade	% C grade	% F grade
Rubi	94.595	0.000	0.000	5.405
Mathematica	75.676	8.108	10.811	5.405
Maple	62.162	13.514	8.108	16.216
Maxima	59.459	2.703	0.000	37.838
Fricas	48.649	10.811	0.000	40.541
Giac	48.649	0.000	0.000	51.351
Sympy	32.432	2.703	0.000	64.865
Mupad	0.000	40.541	0.000	59.459
Reduce	0.000	48.649	0.000	51.351


Table 1.3: Antiderivative Grade distribution of each CAS



The following is a Bar chart illustration of the data in the above table.



The figure below compares the grades of the CAS systems.



The following table shows the distribution of the different types of failures for each CAS. There are 3 types failures. The first is when CAS returns the input within the time limit, which means it could not solve it. This is the typical failure and given as **F**.

The second failure is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned. This is assigned **F(-1)**.

The third is due to an exception generated, indicated as **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in the CAS itself. This type of error requires more investigation to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00	0.00	0.00
Mathematica	0	0.00	0.00	0.00
Maple	4	100.00	0.00	0.00
Maxima	13	61.54	0.00	38.46
Fricas	13	100.00	0.00	0.00
Giac	17	100.00	0.00	0.00
Reduce	17	100.00	0.00	0.00
Mupad	20	0.00	100.00	0.00
Sympy	22	95.45	0.00	4.55

Table 1.4: Failure statistics for each CAS

## 1.3 Time and leaf size Performance

The table below summarizes the performance of each CAS system in terms of time used and leaf size of results.

Mean size is the average leaf size produced by the CAS (before any normalization). The Normalized mean is relative to the mean size of the optimal anti-derivative given in the input files.

For example, if CAS has **Normalized mean** of 3, then the mean size of its leaf size is 3 times as large as the mean size of the optimal leaf size.

Median size is value of leaf size where half the values are larger than this and half are smaller (before any normalization). i.e. The Middle value.

Similarly the **Normalized median** is relative to the median leaf size of the optimal.

For example, if a CAS has Normalized median of 1.2, then its median is 1.2 as large as the median leaf size of the optimal.

System	Mean time (sec)
Fricas	0.13
Maxima	0.14
Giac	0.14
Reduce	0.24
Rubi	0.46
Mathematica	0.62
Mupad	0.62
Sympy	0.71
Maple	0.91

Table 1.5: Time performance for each CAS

System	Mean size	Normalized mean	Median size	Normalized median
Mupad	52.47	0.89	26.00	0.91
Reduce	71.90	1.12	39.50	1.00
Sympy	75.27	1.13	31.00	0.97
Giac	98.65	1.09	47.50	1.00
Maxima	116.83	0.96	54.00	0.94
Rubi	142.32	1.09	66.00	1.00
Maple	164.85	1.16	88.00	0.99
Mathematica	178.22	1.21	51.00	1.00
Fricas	223.04	1.70	39.50	0.98

Table 1.6: Leaf size performance for each CAS

# 1.4 Performance based on number of rules Rubi used

This section shows how each CAS performed based on the number of rules Rubi needed to solve the same integral. One diagram is given for each CAS.

On the  $y$  axis is the percentage solved which Rubi itself needed the number of rules given the  $x$  axis. These plots show that as more rules are needed then most CAS system percentage of solving decreases which indicates the integral is becoming more complicated to solve.




Figure 1.1: Solving statistics per number of Rubi rules used

## 1.5 Performance based on number of steps Rubi used

This section shows how each CAS performed based on the number of steps Rubi needed to solve the same integral. Note that the number of steps Rubi needed can be much higher than the number of rules, as the same rule could be used more than once.




Figure 1.2: Solving statistics per number of Rubi steps used

The above diagram shows that the percentage of solved integrals decreases for most CAS systems as the number of steps increases. As expected, for integrals that required less steps by Rubi, CAS systems had more success which indicates the integral was not as hard to solve. As Rubi needed more steps to solve the integral, the solved percentage decreased for most CAS systems which indicates the integral is becoming harder to solve.

## 1.6 Solved integrals histogram based on leaf size of result

The following shows the distribution of solved integrals for each CAS system based on leaf size of the antiderivatives produced by each CAS. It shows that most integrals solved produced leaf size less than about 100 to 150. The bin size used is 40.




Figure 1.3: Solved integrals based on leaf size distribution

## 1.7 Solved integrals histogram based on CPU time used

The following shows the distribution of solved integrals for each CAS system based on CPU time used in seconds. The bin size used is 0.1 second.




Figure 1.4: Solved integrals histogram based on CPU time used



## 1.8 Leaf size vs. CPU time used

The following shows the relation between the CPU time used to solve an integral and the leaf size of the antiderivative.

The result for Fricas, Maxima and Giac is shifted more to the right than the other CAS system due to the use of sagemath to call them, which causes an initial slight delay in the timing to start the integration due to overhead of starting a new process each time. This should also be taken into account when looking at the timing of these three CAS systems. Direct calls not using sagemath would result in faster timings, but current implementation uses sagemath as this makes testing much easier to do.




Figure 1.5: Leaf size vs. CPU time. Full range

## 1.9 list of integrals with no known antiderivative

{13, 14}

## 1.10 List of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Reduce {}

Mupad {}

## 1.11 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not necessarily mean that the anti-derivative is wrong as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it possible to do further investigation to determine why the result could not be verified.

Rubi {17}

Mathematica {5, 6, 31, 33, 35}

Maple {}

**Maxima** Verification phase not currently implemented.

**Fricas** Verification phase not currently implemented.

**Sympy** Verification phase not currently implemented.

**Giac** Verification phase not currently implemented.

**Reduce** Verification phase not currently implemented.

**Mupad** Verification phase not currently implemented.

## 1.12 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of_int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 CPU minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out was not counted in the final statistics.

## 1.13 Verification

A verification phase was applied on the result of integration for **Rubi** and **Mathematica**.

Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative was correct.

Verification phase also had 3 minutes time out. An integral whose result was not verified could still be correct, but further investigation is needed on those integrals. These integrals were marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.14 Important notes about some of the results

### Important note about Maxima results

Since tests were run in a batch mode, and using an automated script, then any integral where Maxima needed an interactive response from the user to answer a question during the evaluation of the integral will fail.

The exception raised is `ValueError`. Therefore Maxima results is lower than what would result if Maxima was run directly and each question was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the `Timofeev` test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate the cause of error.

Maxima `integrate` was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'  
'domain : complex'  
'keepfloat : true'  
'load(to_poly_solve)'  
'load(simplify_sum)'  
'load(abs_integrate)' 'load(diag)'
```

SageMath automatic loading of Maxima `abs_integrate` was found to cause some problems. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib  
maxima_lib.set('extra_definite_integration_methods', '[]')  
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## Important note about FriCAS result

There were few integrals which failed due to SageMath interface and not because FriCAS system could not do the integration.

These will fail With error `Exception raised: NotImplementedError`.

The number of such cases seems to be very small. About 1 or 2 percent of all integrals. These can be identified by looking at the exception message given in the result.

## Important note about finding leaf size of antiderivative

For Mathematica, Rubi, and Maple, the builtin system function `LeafSize` was used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy antiderivative was determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which was called directly from Python, the following code was used to obtain the leafsize of its result

```
try:  
    # 1.7 is a fudge factor since it is low side from actual leaf count  
    leafCount = round(1.7*count_ops(anti))  
  
except Exception as ee:  
    leafCount = 1
```

### Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative. Maple was used to determine the leaf size of Mupad output by post processing Mupad result.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.

The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')  
the_variable = evalin(symengine, 'x')  
anti = int(integrand,the_variable)
```

Which gives  $\sin(x)^2/2$

# 1.15 Current tree layout of integration tests





Figure 1.6: CAS integration tests tree

# 1.16 Design of the test system

The following diagram gives a high level view of the current test build system.



**High level overview of the CAS independent integration test build system**

One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "E"
13. String. Small string description of why the grade was given.
14. integer. 1 if result was verified or 0 if not verified. (For mma, rubi and maple only)

*The following fields are present only in Rubi Table file*

15. integer. Number of steps used.
16. integer. Number of rules used.
17. integer. Integrand leaf size.
18. real number. Ratio. Field 16 over field 17
19. String of form "{n,n,...}" which is list of the rules used by Rubi
20. String. The optimal antiderivative in Mathematica syntax

Nasser M. Abbasi  
January 13, 2024  
Design note



# CHAPTER 2

## DETAILED SUMMARY TABLES OF RESULTS

2.1	List of integrals sorted by grade for each CAS . . . . .	25
2.2	Detailed conclusion table per each integral for all CAS systems . . . . .	29
2.3	Detailed conclusion table specific for Rubi results . . . . .	39

## 2.1 List of integrals sorted by grade for each CAS

Rubi . . . . .	25
Mma . . . . .	25
Maple . . . . .	26
Fricas . . . . .	26
Maxima . . . . .	26
Giac . . . . .	27
Mupad . . . . .	27
Sympy . . . . .	27
Reduce . . . . .	28

### Rubi

**A grade** { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37 }

**B grade** { }

**C grade** { }

**F normal fail** { }

**F(-1) timedout fail** { }

**F(-2) exception fail** { }

### Mma

**A grade** { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 34, 36, 37 }

**B grade** { 31, 33, 35 }

**C grade** { 15, 16, 17, 18 }

**F normal fail** { }

**F(-1) timedout fail** { }

**F(-2) exception fail** { }

## Maple

**A grade** { 1, 2, 3, 4, 5, 7, 8, 9, 11, 12, 19, 20, 21, 22, 24, 26, 28, 30, 31, 33, 35, 36, 37 }

**B grade** { 6, 23, 25, 27, 29 }

**C grade** { 10, 32, 34 }

**F normal fail** { 15, 16, 17, 18 }

**F(-1) timedout fail** { }

**F(-2) exception fail** { }

## Fricas

**A grade** { 1, 2, 3, 4, 7, 10, 11, 12, 19, 20, 21, 22, 24, 26, 28, 30, 36, 37 }

**B grade** { 15, 16, 17, 18 }

**C grade** { }

**F normal fail** { 5, 6, 8, 9, 23, 25, 27, 29, 31, 32, 33, 34, 35 }

**F(-1) timedout fail** { }

**F(-2) exception fail** { }

## Maxima

**A grade** { 1, 2, 3, 4, 6, 7, 10, 11, 12, 19, 20, 21, 22, 24, 26, 28, 30, 31, 33, 35, 36, 37 }

**B grade** { 5 }

**C grade** { }

**F normal fail** { 8, 9, 23, 25, 27, 29, 32, 34 }

**F(-1) timedout fail** { }

**F(-2) exception fail** { 13, 15, 16, 17, 18 }

## Giac

**A grade** { 1, 2, 3, 4, 10, 11, 12, 15, 16, 17, 18, 19, 21, 26, 28, 30, 36, 37 }

**B grade** { }

**C grade** { }

**F normal fail** { 5, 6, 7, 8, 9, 20, 22, 23, 24, 25, 27, 29, 31, 32, 33, 34, 35 }

**F(-1) timedout fail** { }

**F(-2) exception fail** { }

## Mupad

**A grade** { }

**B grade** { 1, 2, 3, 4, 7, 19, 20, 21, 22, 24, 26, 28, 30, 36, 37 }

**C grade** { }

**F normal fail** { }

**F(-1) timedout fail** { 5, 6, 8, 9, 10, 11, 12, 15, 16, 17, 18, 23, 25, 27, 29, 31, 32, 33, 34, 35  
}

**F(-2) exception fail** { }

## Sympy

**A grade** { 1, 2, 3, 4, 19, 21, 22, 24, 26, 28, 30, 36 }

**B grade** { 37 }

**C grade** { }

**F normal fail** { 5, 6, 8, 9, 10, 11, 12, 15, 16, 17, 18, 20, 23, 25, 27, 29, 31, 32, 33, 34, 35 }

**F(-1) timedout fail** { }

**F(-2) exception fail** { 7 }

## Reduce

**A grade** { }

**B grade** { 1, 2, 3, 4, 7, 10, 11, 12, 19, 20, 21, 22, 24, 26, 28, 30, 36, 37 }

**C grade** { }

**F normal fail** { 5, 6, 8, 9, 15, 16, 17, 18, 23, 25, 27, 29, 31, 32, 33, 34, 35 }

**F(-1) timeout fail** { }

**F(-2) exception fail** { }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by the table below. The elapsed time is in seconds. For failed result it is given as **F(-1)** if the failure was due to timeout. It is given as **F(-2)** if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given as **F**.

In this table, the column **N.S.** means **normalized size** and is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$ . To make the table fit the page, the name **Mathematica** was abbreviated to **MMA**.

Problem 1	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	244	244	212	245	226	237	367	347	296	234
N.S.	1	1.00	0.87	1.00	0.93	0.97	1.50	1.42	1.21	0.96
time (sec)	N/A	0.667	0.053	0.535	0.024	0.097	0.616	0.149	0.244	0.906

Problem 2	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	149	167	159	167	243	252	206	190
N.S.	1	1.00	0.89	0.99	0.95	0.99	1.45	1.50	1.23	1.13
time (sec)	N/A	0.527	0.038	0.420	0.025	0.091	0.452	0.131	0.244	1.198

Problem 3	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	97	105	103	108	151	171	130	116
N.S.	1	1.00	0.89	0.96	0.94	0.99	1.39	1.57	1.19	1.06
time (sec)	N/A	0.362	0.029	0.375	0.024	0.110	0.339	0.133	0.297	0.350

Problem 4	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	67	57	53	57	73	99	67	62
N.S.	1	1.00	1.16	0.98	0.91	0.98	1.26	1.71	1.16	1.07
time (sec)	N/A	0.255	0.011	0.290	0.029	0.092	0.246	0.123	0.252	0.906

Problem 5	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	B	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	<b>No</b>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	403	629	716	392	528	0	0	0	88	0
N.S.	1	1.56	1.78	0.97	1.31	0.00	0.00	0.00	0.22	0.00
time (sec)	N/A	1.054	1.113	2.098	0.181	0.000	0.000	0.000	0.218	0.000

Problem 6	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	<b>No</b>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	801	797	806	2141	628	0	0	0	1460	0
N.S.	1	1.00	1.01	2.67	0.78	0.00	0.00	0.00	1.82	0.00
time (sec)	N/A	1.461	4.880	2.550	0.184	0.000	0.000	0.000	0.291	0.000

Problem 7	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<b>F(-2)</b>	<b>F</b>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	28	35	38	26	0	0	34	22
N.S.	1	1.00	0.82	1.03	1.12	0.76	0.00	0.00	1.00	0.65
time (sec)	N/A	0.189	0.013	0.824	0.108	0.079	0.000	0.000	0.278	0.100

Problem 8	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	195	154	136	117	0	0	0	0	14	0
N.S.	1	0.79	0.70	0.60	0.00	0.00	0.00	0.00	0.07	0.00
time (sec)	N/A	0.373	0.985	1.147	0.000	0.000	0.000	0.000	0.264	0.000

Problem 9	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	116	89	99	0	0	0	0	18	0
N.S.	1	0.75	0.57	0.64	0.00	0.00	0.00	0.00	0.12	0.00
time (sec)	N/A	0.272	0.125	1.080	0.000	0.000	0.000	0.000	0.234	0.000

Problem 10	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	A	A	<b>F</b>	A	B	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	21	55	31	29	0	33	71	0
N.S.	1	1.00	0.60	1.57	0.89	0.83	0.00	0.94	2.03	0.00
time (sec)	N/A	0.199	0.034	1.050	0.113	0.091	0.000	0.147	0.266	0.000

Problem 11	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<b>F</b>	A	B	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	82	37	78	63	52	0	55	130	0
N.S.	1	1.04	0.47	0.99	0.80	0.66	0.00	0.70	1.65	0.00
time (sec)	N/A	0.290	0.039	1.137	0.150	0.100	0.000	0.150	0.244	0.000



Problem 12	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<b>F</b>	A	B	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	129	47	88	93	70	0	83	184	0
N.S.	1	1.09	0.40	0.75	0.79	0.59	0.00	0.70	1.56	0.00
time (sec)	N/A	0.395	0.046	1.159	0.143	0.098	0.000	0.168	0.254	0.000

Problem 13	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	<b>F(-2)</b>	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	14	0	16	15	16	15	16
N.S.	1	1.00	1.12	0.88	0.00	1.00	0.94	1.00	0.94	1.00
time (sec)	N/A	0.189	4.040	1.362	0.000	0.115	4.941	0.124	0.318	0.725

Problem 14	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
verified	N/A	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	18	14	16	16	15	16	17	16
N.S.	1	1.00	1.12	0.88	1.00	1.00	0.94	1.00	1.06	1.00
time (sec)	N/A	0.199	2.670	1.172	0.885	0.098	1.626	0.140	0.283	0.769

Problem 15	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	<b>F</b>	<b>F(-2)</b>	B	<b>F</b>	A	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	169	0	0	349	0	59	33	0
N.S.	1	1.00	2.56	0.00	0.00	5.29	0.00	0.89	0.50	0.00
time (sec)	N/A	0.275	0.182	0.000	0.000	0.139	0.000	0.150	0.352	0.000

Problem 16	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F(-2)	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	134	136	262	0	0	712	0	126	52	0
N.S.	1	1.01	1.96	0.00	0.00	5.31	0.00	0.94	0.39	0.00
time (sec)	N/A	0.343	0.422	0.000	0.000	0.206	0.000	0.155	0.500	0.000

Problem 17	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F(-2)	B	F	A	F	F(-1)
verified	N/A	No	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	208	201	345	0	0	1278	0	208	71	0
N.S.	1	0.97	1.66	0.00	0.00	6.14	0.00	1.00	0.34	0.00
time (sec)	N/A	1.042	0.581	0.000	0.000	0.227	0.000	0.152	43.518	0.000

Problem 18	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	C	F	F(-2)	B	F	A	F	F(-1)
verified	N/A	Yes	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	293	291	450	0	0	1986	0	340	16	0
N.S.	1	0.99	1.54	0.00	0.00	6.78	0.00	1.16	0.05	0.00
time (sec)	N/A	1.257	0.834	0.000	0.000	0.485	0.000	0.159	200.022	0.000

Problem 19	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	5	5	5	6	5	5	5	8	5	5
N.S.	1	1.00	1.00	1.20	1.00	1.00	1.00	1.60	1.00	1.00
time (sec)	N/A	0.177	0.059	0.190	0.026	0.096	0.097	0.119	0.226	0.062

Problem 20	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	<b>F</b>	<b>F</b>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	61	46	65	75	40	0	0	54	51
N.S.	1	1.09	0.82	1.16	1.34	0.71	0.00	0.00	0.96	0.91
time (sec)	N/A	0.275	0.020	1.587	0.143	0.106	0.000	0.000	0.233	0.762

Problem 21	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	13	14	13	13	17	15	13	13
N.S.	1	1.00	1.00	1.08	1.00	1.00	1.31	1.15	1.00	1.00
time (sec)	N/A	0.184	0.007	0.744	0.030	0.100	0.801	0.129	0.216	0.760

Problem 22	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	<b>F</b>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	49	32	34	35	31	34	0	32	32
N.S.	1	1.22	0.80	0.85	0.88	0.78	0.85	0.00	0.80	0.80
time (sec)	N/A	0.505	0.018	0.440	0.118	0.094	0.142	0.000	0.217	0.789

Problem 23	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	66	51	126	0	0	0	0	15	0
N.S.	1	0.99	0.76	1.88	0.00	0.00	0.00	0.00	0.22	0.00
time (sec)	N/A	0.474	0.176	0.857	0.000	0.000	0.000	0.000	0.214	0.000

Problem 24	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	<b>F</b>	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	23	20	24	19	19	0	19	19
N.S.	1	1.00	1.00	0.87	1.04	0.83	0.83	0.00	0.83	0.83
time (sec)	N/A	0.296	0.013	0.368	0.117	0.095	0.107	0.000	0.231	0.758

Problem 25	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	39	98	0	0	0	0	13	0
N.S.	1	1.00	0.81	2.04	0.00	0.00	0.00	0.00	0.27	0.00
time (sec)	N/A	0.313	0.056	0.329	0.000	0.000	0.000	0.000	0.232	0.000

Problem 26	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	7	8	6	6
N.S.	1	1.00	1.00	0.88	0.75	0.75	0.88	1.00	0.75	0.75
time (sec)	N/A	0.164	0.004	0.661	0.040	0.091	0.343	0.130	0.214	0.042

Problem 27	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	55	43	117	0	0	0	0	12	0
N.S.	1	1.12	0.88	2.39	0.00	0.00	0.00	0.00	0.24	0.00
time (sec)	N/A	0.309	0.092	0.346	0.000	0.000	0.000	0.000	0.207	0.000

Problem 28	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	30	33	30	32	29	29	22	26	29	26
N.S.	1	1.10	1.00	1.07	0.97	0.97	0.73	0.87	0.97	0.87
time (sec)	N/A	0.306	0.011	0.358	0.118	0.092	0.154	0.130	0.212	0.764

Problem 29	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	B	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	74	55	178	0	0	0	0	14	0
N.S.	1	1.03	0.76	2.47	0.00	0.00	0.00	0.00	0.19	0.00
time (sec)	N/A	0.467	0.138	1.045	0.000	0.000	0.000	0.000	0.217	0.000

Problem 30	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	61	47	43	55	47	42	39	45	35
N.S.	1	1.30	1.00	0.91	1.17	1.00	0.89	0.83	0.96	0.74
time (sec)	N/A	0.539	0.017	0.384	0.124	0.096	0.254	0.110	0.209	0.768

Problem 31	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	<b>No</b>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	206	334	626	261	189	0	0	0	98	0
N.S.	1	1.62	3.04	1.27	0.92	0.00	0.00	0.00	0.48	0.00
time (sec)	N/A	0.904	1.083	1.453	0.143	0.000	0.000	0.000	0.203	0.000

Problem 32	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	309	134	0	0	0	0	15	0
N.S.	1	1.00	1.64	0.71	0.00	0.00	0.00	0.00	0.08	0.00
time (sec)	N/A	0.425	1.262	1.172	0.000	0.000	0.000	0.000	0.202	0.000

Problem 33	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	<b>No</b>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	311	592	183	187	0	0	0	71	0
N.S.	1	1.70	3.23	1.00	1.02	0.00	0.00	0.00	0.39	0.00
time (sec)	N/A	0.712	0.548	1.646	0.151	0.000	0.000	0.000	0.216	0.000

Problem 34	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	C	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	328	197	0	0	0	0	14	0
N.S.	1	1.00	1.47	0.88	0.00	0.00	0.00	0.00	0.06	0.00
time (sec)	N/A	0.492	1.827	1.275	0.000	0.000	0.000	0.000	0.220	0.000

Problem 35	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	B	A	A	<b>F</b>	<b>F</b>	<b>F</b>	<b>F</b>	<b>F(-1)</b>
verified	N/A	Yes	<b>No</b>	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	342	619	257	183	0	0	0	170	0
N.S.	1	1.61	2.92	1.21	0.86	0.00	0.00	0.00	0.80	0.00
time (sec)	N/A	0.870	1.313	1.338	0.150	0.000	0.000	0.000	0.212	0.000

Problem 36	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	A	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	37	25	24	26	21	31	32	29	22
N.S.	1	1.16	0.78	0.75	0.81	0.66	0.97	1.00	0.91	0.69
time (sec)	N/A	0.201	0.017	0.291	0.118	0.090	0.229	0.130	0.230	0.088

Problem 37	Optimal	Rubi	MMA	Maple	Maxima	Fricas	Sympy	Giac	Reduce	Mupad
grade	N/A	A	A	A	A	A	B	A	B	B
verified	N/A	Yes	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	54	36	37	39	39	88	40	56	27
N.S.	1	1.23	0.82	0.84	0.89	0.89	2.00	0.91	1.27	0.61
time (sec)	N/A	0.212	0.016	0.312	0.126	0.117	0.282	0.128	0.223	0.747

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi only. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is also given. The larger this ratio is, the harder the integral is to solve. In this test file, problem number [30] had the largest ratio of [.923077000000000036]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	5	1.00	14	0.357
2	A	6	5	1.00	14	0.357
3	A	6	5	1.00	14	0.357
4	A	6	5	1.00	12	0.417
5	A	6	6	1.56	14	0.429
6	A	4	4	1.00	14	0.286
7	A	2	2	1.00	10	0.200
8	A	3	3	0.79	14	0.214
9	A	2	2	0.75	14	0.143
10	A	1	1	1.00	14	0.071
11	A	2	2	1.04	14	0.143
12	A	3	3	1.09	14	0.214
13	N/A	1	0	1.00	16	0.000
14	N/A	1	0	1.00	16	0.000
15	A	6	5	1.00	16	0.312
16	A	7	6	1.01	16	0.375
17	A	8	7	0.97	16	0.438
18	A	6	5	0.99	16	0.312
19	A	1	1	1.00	12	0.083
20	A	4	4	1.09	12	0.333
21	A	1	1	1.00	12	0.083

Continued on next page



Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
22	A	10	9	1.22	13	0.692
23	A	9	8	0.99	13	0.615
24	A	4	4	1.00	13	0.308
25	A	5	4	1.00	11	0.364
26	A	1	1	1.00	10	0.100
27	A	3	3	1.12	13	0.231
28	A	8	7	1.10	13	0.538
29	A	7	7	1.03	13	0.538
30	A	13	12	1.30	13	0.923
31	A	9	9	1.62	15	0.600
32	A	2	2	1.00	13	0.154
33	A	6	6	1.70	12	0.500
34	A	2	2	1.00	15	0.133
35	A	13	12	1.61	15	0.800
36	A	3	3	1.16	11	0.273
37	A	4	4	1.23	11	0.364

# CHAPTER 3

## LISTING OF INTEGRALS

3.1	$\int (c + dx^2)^4 \cot^{-1}(ax) dx$ . . . . .	43
3.2	$\int (c + dx^2)^3 \cot^{-1}(ax) dx$ . . . . .	51
3.3	$\int (c + dx^2)^2 \cot^{-1}(ax) dx$ . . . . .	59
3.4	$\int (c + dx^2) \cot^{-1}(ax) dx$ . . . . .	66
3.5	$\int \frac{\cot^{-1}(ax)}{c+dx^2} dx$ . . . . .	73
3.6	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx$ . . . . .	82
3.7	$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx$ . . . . .	92
3.8	$\int \sqrt{a + ax^2} \cot^{-1}(x) dx$ . . . . .	97
3.9	$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx$ . . . . .	103
3.10	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx$ . . . . .	108
3.11	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx$ . . . . .	113
3.12	$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx$ . . . . .	118
3.13	$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx$ . . . . .	124
3.14	$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$ . . . . .	129
3.15	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx$ . . . . .	134
3.16	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx$ . . . . .	140
3.17	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$ . . . . .	147
3.18	$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$ . . . . .	155
3.19	$\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx$ . . . . .	163
3.20	$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$ . . . . .	168
3.21	$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx$ . . . . .	174
3.22	$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx$ . . . . .	179

---

3.23	$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx$	185
3.24	$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx$	192
3.25	$\int \frac{x \cot^{-1}(x)}{1+x^2} dx$	197
3.26	$\int \frac{\cot^{-1}(x)}{1+x^2} dx$	202
3.27	$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx$	207
3.28	$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx$	212
3.29	$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx$	218
3.30	$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$	225
3.31	$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$	232
3.32	$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx$	241
3.33	$\int \frac{\cot^{-1}(cx)}{1+x^2} dx$	247
3.34	$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$	254
3.35	$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$	260
3.36	$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx$	270
3.37	$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$	275

### 3.1 $\int (c + dx^2)^4 \cot^{-1}(ax) dx$

Optimal result	43
Mathematica [A] (verified)	44
Rubi [A] (verified)	44
Maple [A] (verified)	46
Fricas [A] (verification not implemented)	47
Sympy [A] (verification not implemented)	47
Maxima [A] (verification not implemented)	48
Giac [A] (verification not implemented)	49
Mupad [B] (verification not implemented)	49
Reduce [B] (verification not implemented)	50

#### Optimal result

Integrand size = 14, antiderivative size = 244

$$\begin{aligned}
 & \int (c + dx^2)^4 \cot^{-1}(ax) dx \\
 &= \frac{d(420a^6c^3 - 378a^4c^2d + 180a^2cd^2 - 35d^3)x^2}{630a^7} + \frac{d^2(378a^4c^2 - 180a^2cd + 35d^2)x^4}{1260a^5} \\
 &+ \frac{(36a^2c - 7d)d^3x^6}{378a^3} + \frac{d^4x^8}{72a} + c^4x \cot^{-1}(ax) + \frac{4}{3}c^3dx^3 \cot^{-1}(ax) \\
 &+ \frac{6}{5}c^2d^2x^5 \cot^{-1}(ax) + \frac{4}{7}cd^3x^7 \cot^{-1}(ax) + \frac{1}{9}d^4x^9 \cot^{-1}(ax) \\
 &+ \frac{(315a^8c^4 - 420a^6c^3d + 378a^4c^2d^2 - 180a^2cd^3 + 35d^4) \log(1 + a^2x^2)}{630a^9}
 \end{aligned}$$

output

```

1/630*d*(420*a^6*c^3-378*a^4*c^2*d+180*a^2*c*d^2-35*d^3)*x^2/a^7+1/1260*d^
2*(378*a^4*c^2-180*a^2*c*d+35*d^2)*x^4/a^5+1/378*(36*a^2*c-7*d)*d^3*x^6/a^
3+1/72*d^4*x^8/a+c^4*x*arccot(a*x)+4/3*c^3*d*x^3*arccot(a*x)+6/5*c^2*d^2*x
^5*arccot(a*x)+4/7*c*d^3*x^7*arccot(a*x)+1/9*d^4*x^9*arccot(a*x)+1/630*(31
5*a^8*c^4-420*a^6*c^3*d+378*a^4*c^2*d^2-180*a^2*c*d^3+35*d^4)*ln(a^2*x^2+1
)/a^9

```

**Mathematica [A] (verified)**

Time = 0.05 (sec) , antiderivative size = 212, normalized size of antiderivative = 0.87

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 (-420d^3 + 30a^2 d^2 (72c + 7dx^2) - 4a^4 d (1134c^2 + 270cdx^2 + 35d^2 x^4) + 3a^6 (1680c^3 + 756c^2 dx^2 + 240cd^2 x^4 + 35d^3 x^6)) + 24a^9 x (315c^4 + 420c^3 dx^2 + 378c^2 d^2 x^4 + 180cd^3 x^6 + 35d^4 x^8) \operatorname{ArcCot}[ax] + 12(315a^8 c^4 - 420a^6 c^3 d + 378a^4 c^2 d^2 - 180a^2 c d^3 + 35d^4) \operatorname{Log}[1 + a^2 x^2]}{(7560a^9)}$$

input `Integrate[(c + d*x^2)^4*ArcCot[a*x],x]`

output  $(a^2 d x^2 (-420 d^3 + 30 a^2 d^2 (72 c + 7 d x^2) - 4 a^4 d (1134 c^2 + 270 c d x^2 + 35 d^2 x^4) + 3 a^6 (1680 c^3 + 756 c^2 d x^2 + 240 c d^2 x^4 + 35 d^3 x^6)) + 24 a^9 x (315 c^4 + 420 c^3 d x^2 + 378 c^2 d^2 x^4 + 180 c d^3 x^6 + 35 d^4 x^8) \operatorname{ArcCot}[a x] + 12 (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4) \operatorname{Log}[1 + a^2 x^2]) / (7560 a^9)$

**Rubi [A] (verified)**

Time = 0.67 (sec) , antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {5448, 27, 2331, 2389, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(ax) (c + dx^2)^4 dx$$

$$\downarrow 5448$$

$$a \int \frac{x(35d^4 x^8 + 180cd^3 x^6 + 378c^2 d^2 x^4 + 420c^3 dx^2 + 315c^4)}{315(a^2 x^2 + 1)} dx + c^4 x \cot^{-1}(ax) + \frac{4}{3} c^3 dx^3 \cot^{-1}(ax) + \frac{6}{5} c^2 d^2 x^5 \cot^{-1}(ax) + \frac{4}{7} cd^3 x^7 \cot^{-1}(ax) + \frac{1}{9} d^4 x^9 \cot^{-1}(ax)$$

$$\downarrow 27$$

$$\frac{1}{315}a \int \frac{x(35d^4x^8 + 180cd^3x^6 + 378c^2d^2x^4 + 420c^3dx^2 + 315c^4)}{a^2x^2 + 1} dx + c^4x \cot^{-1}(ax) + \frac{4}{3}c^3dx^3 \cot^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \cot^{-1}(ax) + \frac{4}{7}cd^3x^7 \cot^{-1}(ax) + \frac{1}{9}d^4x^9 \cot^{-1}(ax)$$

↓ 2331

$$\frac{1}{630}a \int \frac{35d^4x^8 + 180cd^3x^6 + 378c^2d^2x^4 + 420c^3dx^2 + 315c^4}{a^2x^2 + 1} dx^2 + c^4x \cot^{-1}(ax) + \frac{4}{3}c^3dx^3 \cot^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \cot^{-1}(ax) + \frac{4}{7}cd^3x^7 \cot^{-1}(ax) + \frac{1}{9}d^4x^9 \cot^{-1}(ax)$$

↓ 2389

$$\frac{1}{630}a \int \left( \frac{35d^4x^6}{a^2} + \frac{5(36a^2c - 7d)d^3x^4}{a^4} + \frac{d^2(378c^2a^4 - 180cda^2 + 35d^2)x^2}{a^6} + \frac{d(420c^3a^6 - 378c^2da^4 + 180cd^2)}{a^8} \right) dx + c^4x \cot^{-1}(ax) + \frac{4}{3}c^3dx^3 \cot^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \cot^{-1}(ax) + \frac{4}{7}cd^3x^7 \cot^{-1}(ax) + \frac{1}{9}d^4x^9 \cot^{-1}(ax)$$

↓ 2009

$$\frac{1}{630}a \left( \frac{35d^4x^8}{4a^2} + \frac{5d^3x^6(36a^2c - 7d)}{3a^4} + \frac{d^2x^4(378a^4c^2 - 180a^2cd + 35d^2)}{2a^6} + \frac{dx^2(420a^6c^3 - 378a^4c^2d + 180a^2cd^2)}{a^8} \right) + c^4x \cot^{-1}(ax) + \frac{4}{3}c^3dx^3 \cot^{-1}(ax) + \frac{6}{5}c^2d^2x^5 \cot^{-1}(ax) + \frac{4}{7}cd^3x^7 \cot^{-1}(ax) + \frac{1}{9}d^4x^9 \cot^{-1}(ax)$$

input

```
Int[(c + d*x^2)^4*ArcCot[a*x], x]
```

output

```
c^4*x*ArcCot[a*x] + (4*c^3*d*x^3*ArcCot[a*x])/3 + (6*c^2*d^2*x^5*ArcCot[a*x])/5 + (4*c*d^3*x^7*ArcCot[a*x])/7 + (d^4*x^9*ArcCot[a*x])/9 + (a*((d*(420*a^6*c^3 - 378*a^4*c^2*d + 180*a^2*c*d^2 - 35*d^3)*x^2)/a^8 + (d^2*(378*a^4*c^2 - 180*a^2*c*d + 35*d^2)*x^4)/(2*a^6) + (5*(36*a^2*c - 7*d)*d^3*x^6)/(3*a^4) + (35*d^4*x^8)/(4*a^2) + ((315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*Log[1 + a^2*x^2])/a^10))/630
```

Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 2331 `Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]`

rule 2389 `Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p, 0] || EqQ[n, 1])`

rule 5448 `Int[((a_) + ArcCot[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u, x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

Maple [A] (verified)

Time = 0.54 (sec) , antiderivative size = 245, normalized size of antiderivative = 1.00

method	result
parts	$\frac{d^4 x^9 \operatorname{arccot}(ax)}{9} + \frac{4c d^3 x^7 \operatorname{arccot}(ax)}{7} + \frac{6c^2 d^2 x^5 \operatorname{arccot}(ax)}{5} + \frac{4c^3 d x^3 \operatorname{arccot}(ax)}{3} + c^4 x \operatorname{arccot}(ax) + \dots$
derivativeldivides	$\frac{\operatorname{arccot}(ax)c^4 ax + \frac{4a \operatorname{arccot}(ax)c^3 d x^3}{3} + \frac{6a \operatorname{arccot}(ax)c^2 d^2 x^5}{5} + \frac{4a \operatorname{arccot}(ax)c d^3 x^7}{7} + \frac{a \operatorname{arccot}(ax)d^4 x^9}{9} + \frac{210c^3 a^8 d x^2 + 189c^2 a^7 d^2 x}{90}}{\dots}$
default	$\frac{\operatorname{arccot}(ax)c^4 ax + \frac{4a \operatorname{arccot}(ax)c^3 d x^3}{3} + \frac{6a \operatorname{arccot}(ax)c^2 d^2 x^5}{5} + \frac{4a \operatorname{arccot}(ax)c d^3 x^7}{7} + \frac{a \operatorname{arccot}(ax)d^4 x^9}{9} + \frac{210c^3 a^8 d x^2 + 189c^2 a^7 d^2 x}{90}}{\dots}$
parallelrisch	$840x^9 \operatorname{arccot}(ax)a^9 d^4 + 4320x^7 \operatorname{arccot}(ax)a^9 c d^3 + 105d^4 a^8 x^8 + 9072x^5 \operatorname{arccot}(ax)a^9 c^2 d^2 + 720c a^8 d^3 x^6 + 10080x^3 \operatorname{arccot}(ax)a^9 c^3 d + \dots$
risch	$-\frac{2ic d^3 x^7 \ln(-iax+1)}{7} - \frac{3ic^2 d^2 x^5 \ln(-iax+1)}{5} - \frac{2ic^3 d x^3 \ln(-iax+1)}{3} + \frac{2c d^3 x^6}{21a} + \frac{3c^2 d^2 x^4}{10a} + \frac{2c^3 d x^2}{3a} - \dots$

input `int((d*x^2+c)^4*arccot(a*x),x,method=_RETURNVERBOSE)`

output 
$$\frac{1}{9}d^4x^9\arccot(ax) + \frac{4}{7}c^3d^3x^7\arccot(ax) + \frac{6}{5}c^2d^2x^5\arccot(ax) + \frac{4}{3}c^3d^3x^3\arccot(ax) + c^4x\arccot(ax) + \frac{1}{315}a\left(\frac{1}{2}d/a^8(35/4a^6d^3x^8 + 60a^6c^3d^2x^6 + 189a^6c^2d^2x^4 + 420a^6c^3x^2 - 35/3a^4d^3x^6 - 90a^4c^3d^2x^4 - 378a^4c^2d^2x^2 + 35/2a^2d^3x^4 + 180a^2c^3d^2x^2 - 35d^3x^2) + \frac{1}{2}(315a^8c^4 - 420a^6c^3d + 378a^4c^2d^2 - 180a^2c^3d^3 + 35d^4)/a^{10}\ln(a^2x^2 + 1)\right)$$

### Fricas [A] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 237, normalized size of antiderivative = 0.97

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \frac{105 a^8 d^4 x^8 + 20 (36 a^8 c d^3 - 7 a^6 d^4) x^6 + 6 (378 a^8 c^2 d^2 - 180 a^6 c d^3 + 35 a^4 d^4) x^4 + 12 (420 a^8 c^3 d - 378 a^6 c^2 d^2 + 180 a^4 c^3 d^3 - 35 a^2 d^4) x^2 + 24 (35 a^9 d^4 x^9 + 180 a^9 c^3 d^2 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \arccot(ax) + 12 (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c^3 d^3 + 35 d^4) \log(a^2 x^2 + 1)}{a^9}$$

input `integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="fricas")`

output 
$$\frac{1}{7560} (105 a^8 d^4 x^8 + 20 (36 a^8 c d^3 - 7 a^6 d^4) x^6 + 6 (378 a^8 c^2 d^2 - 180 a^6 c d^3 + 35 a^4 d^4) x^4 + 12 (420 a^8 c^3 d - 378 a^6 c^2 d^2 + 180 a^4 c^3 d^3 - 35 a^2 d^4) x^2 + 24 (35 a^9 d^4 x^9 + 180 a^9 c^3 d^2 x^7 + 378 a^9 c^2 d^2 x^5 + 420 a^9 c^3 d x^3 + 315 a^9 c^4 x) \arccot(ax) + 12 (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c^3 d^3 + 35 d^4) \log(a^2 x^2 + 1)) / a^9$$

### Sympy [A] (verification not implemented)

Time = 0.62 (sec) , antiderivative size = 367, normalized size of antiderivative = 1.50

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \begin{cases} c^4 x \operatorname{acot}(ax) + \frac{4c^3 dx^3 \operatorname{acot}(ax)}{3} + \frac{6c^2 d^2 x^5 \operatorname{acot}(ax)}{5} + \frac{4cd^3 x^7 \operatorname{acot}(ax)}{7} + \frac{d^4 x^9 \operatorname{acot}(ax)}{9} + \frac{c^4 \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{2c^3 dx^2}{3a} + 3 \\ \frac{\pi\left(c^4 x + \frac{4c^3 dx^3}{3} + \frac{6c^2 d^2 x^5}{5} + \frac{4cd^3 x^7}{7} + \frac{d^4 x^9}{9}\right)}{2} \end{cases}$$



input `integrate((d*x**2+c)**4*acot(a*x),x)`

output `Piecewise((c**4*x*acot(a*x) + 4*c**3*d*x**3*acot(a*x)/3 + 6*c**2*d**2*x**5*acot(a*x)/5 + 4*c*d**3*x**7*acot(a*x)/7 + d**4*x**9*acot(a*x)/9 + c**4*log(x**2 + a**(-2))/(2*a) + 2*c**3*d*x**2/(3*a) + 3*c**2*d**2*x**4/(10*a) + 2*c*d**3*x**6/(21*a) + d**4*x**8/(72*a) - 2*c**3*d*log(x**2 + a**(-2))/(3*a**3) - 3*c**2*d**2*x**2/(5*a**3) - c*d**3*x**4/(7*a**3) - d**4*x**6/(54*a**3) + 3*c**2*d**2*log(x**2 + a**(-2))/(5*a**5) + 2*c*d**3*x**2/(7*a**5) + d**4*x**4/(36*a**5) - 2*c*d**3*log(x**2 + a**(-2))/(7*a**7) - d**4*x**2/(18*a**7) + d**4*log(x**2 + a**(-2))/(18*a**9), Ne(a, 0)), (pi*(c**4*x + 4*c**3*d*x**3/3 + 6*c**2*d**2*x**5/5 + 4*c*d**3*x**7/7 + d**4*x**9/9)/2, True))`

### Maxima [A] (verification not implemented)

Time = 0.02 (sec) , antiderivative size = 226, normalized size of antiderivative = 0.93

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \frac{1}{7560} a \left( \frac{105 a^6 d^4 x^8 + 20 (36 a^6 c d^3 - 7 a^4 d^4) x^6 + 6 (378 a^6 c^2 d^2 - 180 a^4 c d^3 + 35 a^2 d^4) x^4 + 12 (420 a^6 c^3 d - 378 a^4 c^2 d^2 + 180 a^2 c d^3 - 35 d^4) x^2}{a^8} + \frac{1}{315} (35 d^4 x^9 + 180 c d^3 x^7 + 378 c^2 d^2 x^5 + 420 c^3 d x^3 + 315 c^4 x) \operatorname{arccot}(ax) \right)$$

input `integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="maxima")`

output `1/7560*a*((105*a^6*d^4*x^8 + 20*(36*a^6*c*d^3 - 7*a^4*d^4)*x^6 + 6*(378*a^6*c^2*d^2 - 180*a^4*c*d^3 + 35*a^2*d^4)*x^4 + 12*(420*a^6*c^3*d - 378*a^4*c^2*d^2 + 180*a^2*c*d^3 - 35*d^4)*x^2)/a^8 + 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*log(a^2*x^2 + 1)/a^10 + 1/315*(35*d^4*x^9 + 180*c*d^3*x^7 + 378*c^2*d^2*x^5 + 420*c^3*d*x^3 + 315*c^4*x)*arccot(a*x)`

**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 347, normalized size of antiderivative = 1.42

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \frac{1}{7560} \left( \frac{24 \left( 35 d^4 + \frac{180 cd^3}{x^2} + \frac{378 c^2 d^2}{x^4} + \frac{420 c^3 d}{x^6} + \frac{315 c^4}{x^8} \right) x^9 \arctan\left(\frac{1}{ax}\right)}{a} + \left( 105 d^4 + \frac{720 cd^3}{x^2} + \frac{2268 c^2 d^2}{x^4} - \frac{140 c^3 d}{x^6} + \frac{7875 c^4}{x^8} - \frac{4536 c^2 d^2}{a^2 x^6} + \frac{210 d^4}{a^4 x^4} - \frac{10500 c^3 d}{a^2 x^8} + \frac{2160 c d^3}{a^4 x^6} + \frac{9450 c^2 d^2}{a^4 x^8} - \frac{420 d^4}{a^6 x^6} - \frac{4500 c d^3}{a^6 x^8} + \frac{875 d^4}{a^8 x^8} \right) x^8 / a^2 + \frac{12(315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4) \log(1/(a^2 x^2) + 1)}{a^{10}} - \frac{12(315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4) \log(1/(a^2 x^2))}{a^{10}} \right) a$$

input `integrate((d*x^2+c)^4*arccot(a*x),x, algorithm="giac")`output `1/7560*(24*(35*d^4 + 180*c*d^3/x^2 + 378*c^2*d^2/x^4 + 420*c^3*d/x^6 + 315*c^4/x^8)*x^9*arctan(1/(a*x))/a + (105*d^4 + 720*c*d^3/x^2 + 2268*c^2*d^2/x^4 - 140*d^4/(a^2*x^2) + 5040*c^3*d/x^6 - 1080*c*d^3/(a^2*x^4) + 7875*c^4/x^8 - 4536*c^2*d^2/(a^2*x^6) + 210*d^4/(a^4*x^4) - 10500*c^3*d/(a^2*x^8) + 2160*c*d^3/(a^4*x^6) + 9450*c^2*d^2/(a^4*x^8) - 420*d^4/(a^6*x^6) - 4500*c*d^3/(a^6*x^8) + 875*d^4/(a^8*x^8))*x^8/a^2 + 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*log(1/(a^2*x^2) + 1)/a^10 - 12*(315*a^8*c^4 - 420*a^6*c^3*d + 378*a^4*c^2*d^2 - 180*a^2*c*d^3 + 35*d^4)*log(1/(a^2*x^2))/a^10)*a`**Mupad [B] (verification not implemented)**

Time = 0.91 (sec) , antiderivative size = 234, normalized size of antiderivative = 0.96

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \operatorname{acot}(ax) \left( c^4 x + \frac{4 c^3 d x^3}{3} + \frac{6 c^2 d^2 x^5}{5} + \frac{4 c d^3 x^7}{7} + \frac{d^4 x^9}{9} \right) - x^2 \left( \frac{\frac{d^4}{9 a^3} - \frac{4 c d^3}{7 a}}{a^2} + \frac{6 c^2 d^2}{5 a} - \frac{2 c^3 d}{3 a} \right) - x^6 \left( \frac{d^4}{54 a^3} - \frac{2 c d^3}{21 a} \right) + x^4 \left( \frac{\frac{d^4}{9 a^3} - \frac{4 c d^3}{7 a}}{4 a^2} + \frac{3 c^2 d^2}{10 a} \right) + \frac{\ln(a^2 x^2 + 1) (315 a^8 c^4 - 420 a^6 c^3 d + 378 a^4 c^2 d^2 - 180 a^2 c d^3 + 35 d^4)}{630 a^9} + \frac{d^4 x^8}{72 a}$$

input `int(acot(a*x)*(c + d*x^2)^4,x)`

output

```
acot(a*x)*(c^4*x + (d^4*x^9)/9 + (4*c^3*d*x^3)/3 + (4*c*d^3*x^7)/7 + (6*c^2*d^2*x^5)/5) - x^2*(((d^4/(9*a^3) - (4*c*d^3)/(7*a))/a^2 + (6*c^2*d^2)/(5*a))/(2*a^2) - (2*c^3*d)/(3*a)) - x^6*(d^4/(54*a^3) - (2*c*d^3)/(21*a)) + x^4*(((d^4/(9*a^3) - (4*c*d^3)/(7*a))/(4*a^2) + (3*c^2*d^2)/(10*a)) + (log(a^2*x^2 + 1)*(35*d^4 + 315*a^8*c^4 - 180*a^2*c*d^3 - 420*a^6*c^3*d + 378*a^4*c^2*d^2))/(630*a^9) + (d^4*x^8)/(72*a))
```

**Reduce [B] (verification not implemented)**

Time = 0.24 (sec) , antiderivative size = 296, normalized size of antiderivative = 1.21

$$\int (c + dx^2)^4 \cot^{-1}(ax) dx$$

$$= \frac{7560acot(ax) a^9 c^4 x + 10080acot(ax) a^9 c^3 d x^3 + 9072acot(ax) a^9 c^2 d^2 x^5 + 4320acot(ax) a^9 c d^3 x^7 + 840a$$

input

```
int((d*x^2+c)^4*acot(a*x),x)
```

output

```
(7560*acot(a*x)*a**9*c**4*x + 10080*acot(a*x)*a**9*c**3*d*x**3 + 9072*acot(a*x)*a**9*c**2*d**2*x**5 + 4320*acot(a*x)*a**9*c*d**3*x**7 + 840*acot(a*x)*a**9*d**4*x**9 + 3780*log(a**2*x**2 + 1)*a**8*c**4 - 5040*log(a**2*x**2 + 1)*a**6*c**3*d + 4536*log(a**2*x**2 + 1)*a**4*c**2*d**2 - 2160*log(a**2*x**2 + 1)*a**2*c*d**3 + 420*log(a**2*x**2 + 1)*d**4 + 5040*a**8*c**3*d*x**2 + 2268*a**8*c**2*d**2*x**4 + 720*a**8*c*d**3*x**6 + 105*a**8*d**4*x**8 - 4536*a**6*c**2*d**2*x**2 - 1080*a**6*c*d**3*x**4 - 140*a**6*d**4*x**6 + 2160*a**4*c*d**3*x**2 + 210*a**4*d**4*x**4 - 420*a**2*d**4*x**2)/(7560*a**9)
```

## 3.2 $\int (c + dx^2)^3 \cot^{-1}(ax) dx$

Optimal result	51
Mathematica [A] (verified)	52
Rubi [A] (verified)	52
Maple [A] (verified)	54
Fricas [A] (verification not implemented)	55
Sympy [A] (verification not implemented)	55
Maxima [A] (verification not implemented)	56
Giac [A] (verification not implemented)	56
Mupad [B] (verification not implemented)	57
Reduce [B] (verification not implemented)	57

### Optimal result

Integrand size = 14, antiderivative size = 168

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx = \frac{d(35a^4c^2 - 21a^2cd + 5d^2)x^2}{70a^5} + \frac{(21a^2c - 5d)d^2x^4}{140a^3} + \frac{d^3x^6}{42a} + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax) + \frac{(35a^6c^3 - 35a^4c^2d + 21a^2cd^2 - 5d^3) \log(1 + a^2x^2)}{70a^7}$$

output

```
1/70*d*(35*a^4*c^2-21*a^2*c*d+5*d^2)*x^2/a^5+1/140*(21*a^2*c-5*d)*d^2*x^4/
a^3+1/42*d^3*x^6/a+c^3*x*arccot(a*x)+c^2*d*x^3*arccot(a*x)+3/5*c*d^2*x^5*a
rccot(a*x)+1/7*d^3*x^7*arccot(a*x)+1/70*(35*a^6*c^3-35*a^4*c^2*d+21*a^2*c*
d^2-5*d^3)*ln(a^2*x^2+1)/a^7
```

**Mathematica [A] (verified)**

Time = 0.04 (sec) , antiderivative size = 149, normalized size of antiderivative = 0.89

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 (30d^2 - 3a^2 d(42c + 5dx^2) + a^4(210c^2 + 63cdx^2 + 10d^2x^4)) + 12a^7 x(35c^3 + 35c^2 dx^2 + 21cd^2 x^4 + 5d^3 x^6) \operatorname{ArcCot}[a x] + 6(35a^6 c^3 - 35a^4 c^2 d + 21a^2 c d^2 - 5d^3) \operatorname{Log}[1 + a^2 x^2]}{420a^7}$$

input `Integrate[(c + d*x^2)^3*ArcCot[a*x],x]`

output  $(a^2 d x^2 (30 d^2 - 3 a^2 d (42 c + 5 d x^2) + a^4 (210 c^2 + 63 c d x^2 + 10 d^2 x^4)) + 12 a^7 x (35 c^3 + 35 c^2 d x^2 + 21 c d^2 x^4 + 5 d^3 x^6) \operatorname{ArcCot}[a x] + 6 (35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \operatorname{Log}[1 + a^2 x^2]) / (420 a^7)$

**Rubi [A] (verified)**

Time = 0.53 (sec) , antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {5448, 27, 2331, 2389, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(ax) (c + dx^2)^3 dx$$

$$\downarrow 5448$$

$$a \int \frac{x(5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3)}{35(a^2x^2 + 1)} dx + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax)$$

$$\downarrow 27$$

$$\frac{1}{35}a \int \frac{x(5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3)}{a^2x^2 + 1} dx + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax)$$

$$\frac{1}{70}a \int \frac{5d^3x^6 + 21cd^2x^4 + 35c^2dx^2 + 35c^3}{a^2x^2 + 1} dx^2 + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax)$$

↓ 2389

$$\frac{1}{70}a \int \left( \frac{5d^3x^4}{a^2} + \frac{(21a^2c - 5d)d^2x^2}{a^4} + \frac{d(35c^2a^4 - 21cda^2 + 5d^2)}{a^6} + \frac{35c^3a^6 - 35c^2da^4 + 21cd^2a^2 - 5d^3}{a^6(a^2x^2 + 1)} \right) dx^2 + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax)$$

↓ 2009

$$\frac{1}{70}a \left( \frac{5d^3x^6}{3a^2} + \frac{d^2x^4(21a^2c - 5d)}{2a^4} + \frac{dx^2(35a^4c^2 - 21a^2cd + 5d^2)}{a^6} + \frac{(35a^6c^3 - 35a^4c^2d + 21a^2cd^2 - 5d^3) \log(a^2x^2 + 1)}{a^8} \right) + c^3x \cot^{-1}(ax) + c^2dx^3 \cot^{-1}(ax) + \frac{3}{5}cd^2x^5 \cot^{-1}(ax) + \frac{1}{7}d^3x^7 \cot^{-1}(ax)$$

input `Int[(c + d*x^2)^3*ArcCot[a*x], x]`

output `c^3*x*ArcCot[a*x] + c^2*d*x^3*ArcCot[a*x] + (3*c*d^2*x^5*ArcCot[a*x])/5 + (d^3*x^7*ArcCot[a*x])/7 + (a*((d*(35*a^4*c^2 - 21*a^2*c*d + 5*d^2)*x^2)/a^6 + ((21*a^2*c - 5*d)*d^2*x^4)/(2*a^4) + (5*d^3*x^6)/(3*a^2) + ((35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*Log[1 + a^2*x^2])/a^8))/70`

### Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

```
rule 2331 Int[(Pq_)*(x_)^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 S
ubst[Int[x^((m - 1)/2)*SubstFor[x^2, Pq, x]*(a + b*x)^p, x], x, x^2], x] /;
FreeQ[{a, b, p}, x] && PolyQ[Pq, x^2] && IntegerQ[(m - 1)/2]
```

```
rule 2389 Int[(Pq_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand
[Pq*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, n}, x] && PolyQ[Pq, x] && (IGtQ[p
, 0] || EqQ[n, 1])
```

```
rule 5448 Int[((a_) + ArcCot[(c_)*(x_)])*(b_)*((d_) + (e_)*(x_)^2)^(q_), x_Symb
ol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u,
x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x] /; FreeQ
[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])
```

### Maple [A] (verified)

Time = 0.42 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.99

method	result
parts	$\frac{d^3 x^7 \operatorname{arccot}(ax)}{7} + \frac{3c d^2 x^5 \operatorname{arccot}(ax)}{5} + c^2 d x^3 \operatorname{arccot}(ax) + c^3 x \operatorname{arccot}(ax) + \frac{a \left( \frac{5}{3} a^4 d^2 x^6 + \frac{21}{2} a^4 \right)}{a}$
derivativeldivides	$\frac{\operatorname{arccot}(ax) c^3 a x + a \operatorname{arccot}(ax) c^2 d x^3 + \frac{3a \operatorname{arccot}(ax) c d^2 x^5}{5} + \frac{a \operatorname{arccot}(ax) d^3 x^7}{7} + \frac{35c^2 a^6 d x^2}{2} + \frac{21c a^6 d^2 x^4}{4} - \frac{21c a^4 d^2 x^2}{2} + 5d}{a}$
default	$\frac{\operatorname{arccot}(ax) c^3 a x + a \operatorname{arccot}(ax) c^2 d x^3 + \frac{3a \operatorname{arccot}(ax) c d^2 x^5}{5} + \frac{a \operatorname{arccot}(ax) d^3 x^7}{7} + \frac{35c^2 a^6 d x^2}{2} + \frac{21c a^6 d^2 x^4}{4} - \frac{21c a^4 d^2 x^2}{2} + 5d}{a}$
parallelrisch	$60x^7 \operatorname{arccot}(ax) a^7 d^3 + 252x^5 \operatorname{arccot}(ax) a^7 c d^2 + 10d^3 a^6 x^6 + 420x^3 \operatorname{arccot}(ax) a^7 c^2 d + 63c a^6 d^2 x^4 + 420x \operatorname{arccot}(ax) a^7 c^3$
risch	$-\frac{id^3 x^7 \ln(-iax+1)}{14} + \frac{i(5d^3 x^7 + 21d^2 c x^5 + 35c^2 d x^3 + 35c^3 x) \ln(iax+1)}{70} + \frac{\pi d^3 x^7}{14} - \frac{ic^3 x \ln(-iax+1)}{2} + \frac{3\pi c d^2}{10}$

```
input int((d*x^2+c)^3*arccot(a*x),x,method=_RETURNVERBOSE)
```

```
output 1/7*d^3*x^7*arccot(a*x)+3/5*c*d^2*x^5*arccot(a*x)+c^2*d*x^3*arccot(a*x)+c^
3*x*arccot(a*x)+1/35*a*(1/2*d/a^6*(5/3*a^4*d^2*x^6+21/2*a^4*c*d*x^4+35*a^4
*c^2*x^2-5/2*a^2*d^2*x^4-21*a^2*c*d*x^2+5*d^2*x^2))+1/2*(35*a^6*c^3-35*a^4*
c^2*d+21*a^2*c*d^2-5*d^3)/a^8*ln(a^2*x^2+1))
```

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 167, normalized size of antiderivative = 0.99

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx$$

$$= \frac{10 a^6 d^3 x^6 + 3 (21 a^6 c d^2 - 5 a^4 d^3) x^4 + 6 (35 a^6 c^2 d - 21 a^4 c d^2 + 5 a^2 d^3) x^2 + 12 (5 a^7 d^3 x^7 + 21 a^7 c d^2 x^5 + 35 a^7 c^2 d x^3 + 35 a^7 c^3 x) \operatorname{arccot}(ax) + 6 (35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \log(a^2 x^2 + 1)}{420 a^7}$$

input `integrate((d*x^2+c)^3*arccot(a*x),x, algorithm="fricas")`output `1/420*(10*a^6*d^3*x^6 + 3*(21*a^6*c*d^2 - 5*a^4*d^3)*x^4 + 6*(35*a^6*c^2*d - 21*a^4*c*d^2 + 5*a^2*d^3)*x^2 + 12*(5*a^7*d^3*x^7 + 21*a^7*c*d^2*x^5 + 35*a^7*c^2*d*x^3 + 35*a^7*c^3*x)*arccot(a*x) + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(a^2*x^2 + 1))/a^7`**Sympy [A] (verification not implemented)**

Time = 0.45 (sec) , antiderivative size = 243, normalized size of antiderivative = 1.45

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx$$

$$= \begin{cases} c^3 x \operatorname{acot}(ax) + c^2 dx^3 \operatorname{acot}(ax) + \frac{3cd^2 x^5 \operatorname{acot}(ax)}{5} + \frac{d^3 x^7 \operatorname{acot}(ax)}{7} + \frac{c^3 \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{c^2 dx^2}{2a} + \frac{3cd^2 x^4}{20a} + \frac{d^3 x^6}{42a} - \frac{\pi\left(c^3 x + c^2 dx^3 + \frac{3cd^2 x^5}{5} + \frac{d^3 x^7}{7}\right)}{2} \end{cases}$$

input `integrate((d*x**2+c)**3*acot(a*x),x)`output `Piecewise((c**3*x*acot(a*x) + c**2*d*x**3*acot(a*x) + 3*c*d**2*x**5*acot(a*x)/5 + d**3*x**7*acot(a*x)/7 + c**3*log(x**2 + a**(-2))/(2*a) + c**2*d*x**2/(2*a) + 3*c*d**2*x**4/(20*a) + d**3*x**6/(42*a) - c**2*d*log(x**2 + a**(-2))/(2*a**3) - 3*c*d**2*x**2/(10*a**3) - d**3*x**4/(28*a**3) + 3*c*d**2*log(x**2 + a**(-2))/(10*a**5) + d**3*x**2/(14*a**5) - d**3*log(x**2 + a**(-2))/(14*a**7), Ne(a, 0)), (pi*(c**3*x + c**2*d*x**3 + 3*c*d**2*x**5/5 + d**3*x**7/7)/2, True))`



**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 159, normalized size of antiderivative = 0.95

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx$$

$$= \frac{1}{420} a \left( \frac{10 a^4 d^3 x^6 + 3(21 a^4 c d^2 - 5 a^2 d^3) x^4 + 6(35 a^4 c^2 d - 21 a^2 c d^2 + 5 d^3) x^2}{a^6} + \frac{6(35 a^6 c^3 - 35 a^4 c^2 d + 21 a^2 c d^2 - 5 d^3) \log(a^2 x^2 + 1)}{a^8} \right) + \frac{1}{35} (5 d^3 x^7 + 21 c d^2 x^5 + 35 c^2 d x^3 + 35 c^3 x) \operatorname{arccot}(ax)$$

input `integrate((d*x^2+c)^3*arccot(a*x),x, algorithm="maxima")`output `1/420*a*((10*a^4*d^3*x^6 + 3*(21*a^4*c*d^2 - 5*a^2*d^3)*x^4 + 6*(35*a^4*c^2*d - 21*a^2*c*d^2 + 5*d^3)*x^2)/a^6 + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(a^2*x^2 + 1)/a^8) + 1/35*(5*d^3*x^7 + 21*c*d^2*x^5 + 35*c^2*d*x^3 + 35*c^3*x)*arccot(a*x)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 252, normalized size of antiderivative = 1.50

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx$$

$$= \frac{1}{420} \left( \frac{12 \left( 5 d^3 + \frac{21 c d^2}{x^2} + \frac{35 c^2 d}{x^4} + \frac{35 c^3}{x^6} \right) x^7 \arctan\left(\frac{1}{ax}\right)}{a} + \frac{\left( 10 d^3 + \frac{63 c d^2}{x^2} + \frac{210 c^2 d}{x^4} - \frac{15 d^3}{a^2 x^2} + \frac{385 c^3}{x^6} - \frac{126 c d^2}{a^2 x^4} \right)}{a^2} \right)$$

input `integrate((d*x^2+c)^3*arccot(a*x),x, algorithm="giac")`output `1/420*(12*(5*d^3 + 21*c*d^2/x^2 + 35*c^2*d/x^4 + 35*c^3/x^6)*x^7*arctan(1/(a*x))/a + (10*d^3 + 63*c*d^2/x^2 + 210*c^2*d/x^4 - 15*d^3/(a^2*x^2) + 385*c^3/x^6 - 126*c*d^2/(a^2*x^4) - 385*c^2*d/(a^2*x^6) + 30*d^3/(a^4*x^4) + 231*c*d^2/(a^4*x^6) - 55*d^3/(a^6*x^6))*x^6/a^2 + 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(1/(a^2*x^2) + 1)/a^8 - 6*(35*a^6*c^3 - 35*a^4*c^2*d + 21*a^2*c*d^2 - 5*d^3)*log(1/(a^2*x^2))/a^8)*a`

**Mupad [B] (verification not implemented)**

Time = 1.20 (sec) , antiderivative size = 190, normalized size of antiderivative = 1.13

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx = c^3 x \operatorname{acot}(ax) + \frac{d^3 x^7 \operatorname{acot}(ax)}{7} + \frac{c^3 \ln(a^2 x^2 + 1)}{2a} - \frac{d^3 \ln(a^2 x^2 + 1)}{14a^7} + \frac{d^3 x^6}{42a} - \frac{d^3 x^4}{28a^3} + \frac{d^3 x^2}{14a^5} - \frac{c^2 d \ln(a^2 x^2 + 1)}{2a^3} + \frac{3cd^2 \ln(a^2 x^2 + 1)}{10a^5} + \frac{c^2 dx^2}{2a} + \frac{3cd^2 x^4}{20a} - \frac{3cd^2 x^2}{10a^3} + c^2 dx^3 \operatorname{acot}(ax) + \frac{3cd^2 x^5 \operatorname{acot}(ax)}{5}$$

input `int(acot(a*x)*(c + d*x^2)^3,x)`output `c^3*x*acot(a*x) + (d^3*x^7*acot(a*x))/7 + (c^3*log(a^2*x^2 + 1))/(2*a) - (d^3*log(a^2*x^2 + 1))/(14*a^7) + (d^3*x^6)/(42*a) - (d^3*x^4)/(28*a^3) + (d^3*x^2)/(14*a^5) - (c^2*d*log(a^2*x^2 + 1))/(2*a^3) + (3*c*d^2*log(a^2*x^2 + 1))/(10*a^5) + (c^2*d*x^2)/(2*a) + (3*c*d^2*x^4)/(20*a) - (3*c*d^2*x^2)/(10*a^3) + c^2*d*x^3*acot(a*x) + (3*c*d^2*x^5*acot(a*x))/5`**Reduce [B] (verification not implemented)**

Time = 0.24 (sec) , antiderivative size = 206, normalized size of antiderivative = 1.23

$$\int (c + dx^2)^3 \cot^{-1}(ax) dx = \frac{420acot(ax) a^7 c^3 x + 420acot(ax) a^7 c^2 d x^3 + 252acot(ax) a^7 c d^2 x^5 + 60acot(ax) a^7 d^3 x^7 + 210 \log(a^2 x^2 + 1)}{1}$$

input `int((d*x^2+c)^3*acot(a*x),x)`

output

```
(420*acot(a*x)*a**7*c**3*x + 420*acot(a*x)*a**7*c**2*d*x**3 + 252*acot(a*x)
)*a**7*c*d**2*x**5 + 60*acot(a*x)*a**7*d**3*x**7 + 210*log(a**2*x**2 + 1)*
a**6*c**3 - 210*log(a**2*x**2 + 1)*a**4*c**2*d + 126*log(a**2*x**2 + 1)*a*
*2*c*d**2 - 30*log(a**2*x**2 + 1)*d**3 + 210*a**6*c**2*d*x**2 + 63*a**6*c*
d**2*x**4 + 10*a**6*d**3*x**6 - 126*a**4*c*d**2*x**2 - 15*a**4*d**3*x**4 +
30*a**2*d**3*x**2)/(420*a**7)
```

### 3.3 $\int (c + dx^2)^2 \cot^{-1}(ax) dx$

Optimal result . . . . .	59
Mathematica [A] (verified) . . . . .	59
Rubi [A] (verified) . . . . .	60
Maple [A] (verified) . . . . .	62
Fricas [A] (verification not implemented) . . . . .	62
Sympy [A] (verification not implemented) . . . . .	63
Maxima [A] (verification not implemented) . . . . .	63
Giac [A] (verification not implemented) . . . . .	64
Mupad [B] (verification not implemented) . . . . .	64
Reduce [B] (verification not implemented) . . . . .	65

#### Optimal result

Integrand size = 14, antiderivative size = 109

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx = \frac{(10a^2c - 3d) dx^2}{30a^3} + \frac{d^2x^4}{20a} + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax) + \frac{(15a^4c^2 - 10a^2cd + 3d^2) \log(1 + a^2x^2)}{30a^5}$$

output

```
1/30*(10*a^2*c-3*d)*d*x^2/a^3+1/20*d^2*x^4/a+c^2*x*arccot(a*x)+2/3*c*d*x^3*arccot(a*x)+1/5*d^2*x^5*arccot(a*x)+1/30*(15*a^4*c^2-10*a^2*c*d+3*d^2)*ln(a^2*x^2+1)/a^5
```

#### Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 97, normalized size of antiderivative = 0.89

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx = \frac{a^2dx^2(-6d + a^2(20c + 3dx^2)) + 4a^5x(15c^2 + 10cdx^2 + 3d^2x^4) \cot^{-1}(ax) + (30a^4c^2 - 20a^2cd + 6d^2) \log(1 + a^2x^2)}{60a^5}$$

input

```
Integrate[(c + d*x^2)^2*ArcCot[a*x], x]
```

output

$$(a^2 d x^2 (-6 d + a^2 (20 c + 3 d x^2)) + 4 a^5 x (15 c^2 + 10 c d x^2 + 3 d^2 x^4) \operatorname{ArcCot}[a x] + (30 a^4 c^2 - 20 a^2 c d + 6 d^2) \operatorname{Log}[1 + a^2 x^2]) / (60 a^5)$$
**Rubi [A] (verified)**

Time = 0.36 (sec) , antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$ , Rules used = {5448, 27, 1576, 1140, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(ax) (c + dx^2)^2 dx$$

$$\downarrow 5448$$

$$a \int \frac{x(3d^2x^4 + 10cdx^2 + 15c^2)}{15(a^2x^2 + 1)} dx + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

$$\downarrow 27$$

$$\frac{1}{15}a \int \frac{x(3d^2x^4 + 10cdx^2 + 15c^2)}{a^2x^2 + 1} dx + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

$$\downarrow 1576$$

$$\frac{1}{30}a \int \frac{3d^2x^4 + 10cdx^2 + 15c^2}{a^2x^2 + 1} dx^2 + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

$$\downarrow 1140$$

$$\frac{1}{30}a \int \left( \frac{3d^2x^2}{a^2} + \frac{(10a^2c - 3d)d}{a^4} + \frac{15c^2a^4 - 10cda^2 + 3d^2}{a^4(a^2x^2 + 1)} \right) dx^2 + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

$$\downarrow 2009$$

$$\frac{1}{30}a \left( \frac{3d^2x^4}{2a^2} + \frac{dx^2(10a^2c - 3d)}{a^4} + \frac{(15a^4c^2 - 10a^2cd + 3d^2) \log(a^2x^2 + 1)}{a^6} \right) + c^2x \cot^{-1}(ax) + \frac{2}{3}cdx^3 \cot^{-1}(ax) + \frac{1}{5}d^2x^5 \cot^{-1}(ax)$$

input `Int[(c + d*x^2)^2*ArcCot[a*x],x]`

output `c^2*x*ArcCot[a*x] + (2*c*d*x^3*ArcCot[a*x])/3 + (d^2*x^5*ArcCot[a*x])/5 + (a*(((10*a^2*c - 3*d)*d*x^2)/a^4 + (3*d^2*x^4)/(2*a^2) + ((15*a^4*c^2 - 10*a^2*c*d + 3*d^2)*Log[1 + a^2*x^2])/a^6))/30`

### Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]`

rule 1140 `Int[((d_) + (e_)*(x_)^(m_))*((a_) + (b_)*(x_) + (c_)*(x_)^2)^(p_), x_Symbol] := Int[ExpandIntegrand[(d + e*x)^m*(a + b*x + c*x^2)^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 0]`

rule 1576 `Int[(x_)*((d_) + (e_)*(x_)^2)^(q_)*((a_) + (b_)*(x_)^2 + (c_)*(x_)^4)^(p_), x_Symbol] := Simp[1/2 Subst[Int[(d + e*x)^q*(a + b*x + c*x^2)^p, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, p, q}, x]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5448 `Int[((a_) + ArcCot[(c_)*(x_)])*(b_))*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u, x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

### Maple [A] (verified)

Time = 0.38 (sec) , antiderivative size = 105, normalized size of antiderivative = 0.96

method	result
parts	$\frac{d^2 x^5 \operatorname{arccot}(ax)}{5} + \frac{2cdx^3 \operatorname{arccot}(ax)}{3} + c^2 x \operatorname{arccot}(ax) + \frac{a \left( \frac{d \left( \frac{3}{2} a^2 d x^4 + 10 a^2 c x^2 - 3 d x^2 \right)}{2 a^4} + \frac{(15 a^4 c^2 - 10 a^2 c d + 3 d^2) \ln(a^2 x^2 + 1)}{2 a^4} \right)}{15}$
derivativedivides	$\frac{\operatorname{arccot}(ax) c^2 a x + \frac{2 a \operatorname{arccot}(ax) c d x^3}{3} + \frac{a \operatorname{arccot}(ax) d^2 x^5}{5} + \frac{5 c a^4 d x^2 + \frac{3 d^2 a^4 x^4}{4} - \frac{3 a^2 d^2 x^2}{2} + \frac{(15 a^4 c^2 - 10 a^2 c d + 3 d^2) \ln(a^2 x^2 + 1)}{2}}{15 a^4}}{a}$
default	$\frac{\operatorname{arccot}(ax) c^2 a x + \frac{2 a \operatorname{arccot}(ax) c d x^3}{3} + \frac{a \operatorname{arccot}(ax) d^2 x^5}{5} + \frac{5 c a^4 d x^2 + \frac{3 d^2 a^4 x^4}{4} - \frac{3 a^2 d^2 x^2}{2} + \frac{(15 a^4 c^2 - 10 a^2 c d + 3 d^2) \ln(a^2 x^2 + 1)}{2}}{15 a^4}}{a}$
parallelrisch	$\frac{12 x^5 \operatorname{arccot}(ax) a^5 d^2 + 40 x^3 \operatorname{arccot}(ax) a^5 c d + 3 d^2 a^4 x^4 + 60 c^2 \operatorname{arccot}(ax) x a^5 + 20 c a^4 d x^2 + 30 \ln(a^2 x^2 + 1) a^4 c^2 - 6 a^2 d^2 x^2}{60 a^5}$
risch	$\frac{i(3 d^2 x^5 + 10 c d x^3 + 15 c^2 x) \ln(i a x + 1)}{30} - \frac{i d^2 x^5 \ln(-i a x + 1)}{10} + \frac{\pi d^2 x^5}{10} - \frac{i c d x^3 \ln(-i a x + 1)}{3} + \frac{\pi c d x^3}{3} - \frac{i c^2 x \ln(a^2 x^2 + 1)}{2}$

input `int((d*x^2+c)^2*arccot(a*x),x,method=_RETURNVERBOSE)`

output `1/5*d^2*x^5*arccot(a*x)+2/3*c*d*x^3*arccot(a*x)+c^2*x*arccot(a*x)+1/15*a*(1/2*d/a^4*(3/2*a^2*d*x^4+10*a^2*c*x^2-3*d*x^2)+1/2*(15*a^4*c^2-10*a^2*c*d+3*d^2)/a^6*ln(a^2*x^2+1))`

### Fricas [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 108, normalized size of antiderivative = 0.99

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx = \frac{3 a^4 d^2 x^4 + 2 (10 a^4 c d - 3 a^2 d^2) x^2 + 4 (3 a^5 d^2 x^5 + 10 a^5 c d x^3 + 15 a^5 c^2 x) \operatorname{arccot}(ax) + 2 (15 a^4 c^2 - 10 a^2 c d + 3 d^2) \log(a^2 x^2 + 1)}{60 a^5}$$

input `integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="fricas")`

output `1/60*(3*a^4*d^2*x^4 + 2*(10*a^4*c*d - 3*a^2*d^2)*x^2 + 4*(3*a^5*d^2*x^5 + 10*a^5*c*d*x^3 + 15*a^5*c^2*x)*arccot(a*x) + 2*(15*a^4*c^2 - 10*a^2*c*d + 3*d^2)*log(a^2*x^2 + 1))/a^5`

**Sympy [A] (verification not implemented)**

Time = 0.34 (sec) , antiderivative size = 151, normalized size of antiderivative = 1.39

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx$$

$$= \begin{cases} c^2 x \operatorname{acot}(ax) + \frac{2cdx^3 \operatorname{acot}(ax)}{3} + \frac{d^2 x^5 \operatorname{acot}(ax)}{5} + \frac{c^2 \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{cdx^2}{3a} + \frac{d^2 x^4}{20a} - \frac{cd \log\left(x^2 + \frac{1}{a^2}\right)}{3a^3} - \frac{d^2 x^2}{10a^3} + \frac{d^2 \log\left(x^2 + \frac{1}{a^2}\right)}{10a^3} \\ \frac{\pi\left(c^2 x + \frac{2cdx^3}{3} + \frac{d^2 x^5}{5}\right)}{2} \end{cases}$$

input `integrate((d*x**2+c)**2*acot(a*x),x)`output `Piecewise((c**2*x*acot(a*x) + 2*c*d*x**3*acot(a*x)/3 + d**2*x**5*acot(a*x)/5 + c**2*log(x**2 + a**(-2))/(2*a) + c*d*x**2/(3*a) + d**2*x**4/(20*a) - c*d*log(x**2 + a**(-2))/(3*a**3) - d**2*x**2/(10*a**3) + d**2*log(x**2 + a**(-2))/(10*a**5), Ne(a, 0)), (pi*(c**2*x + 2*c*d*x**3/3 + d**2*x**5/5)/2, True))`**Maxima [A] (verification not implemented)**

Time = 0.02 (sec) , antiderivative size = 103, normalized size of antiderivative = 0.94

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx$$

$$= \frac{1}{60} a \left( \frac{3 a^2 d^2 x^4 + 2 (10 a^2 c d - 3 d^2) x^2}{a^4} + \frac{2 (15 a^4 c^2 - 10 a^2 c d + 3 d^2) \log(a^2 x^2 + 1)}{a^6} \right) + \frac{1}{15} (3 d^2 x^5 + 10 c d x^3 + 15 c^2 x) \operatorname{arccot}(ax)$$

input `integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="maxima")`output `1/60*a*((3*a^2*d^2*x^4 + 2*(10*a^2*c*d - 3*d^2)*x^2)/a^4 + 2*(15*a^4*c^2 - 10*a^2*c*d + 3*d^2)*log(a^2*x^2 + 1)/a^6) + 1/15*(3*d^2*x^5 + 10*c*d*x^3 + 15*c^2*x)*arccot(a*x)`



**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 171, normalized size of antiderivative = 1.57

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx$$

$$= \frac{1}{60} \left( \frac{4 \left( 3d^2 + \frac{10cd}{x^2} + \frac{15c^2}{x^4} \right) x^5 \arctan\left(\frac{1}{ax}\right)}{a} + \frac{\left( 3d^2 + \frac{20cd}{x^2} + \frac{45c^2}{x^4} - \frac{6d^2}{a^2x^2} - \frac{30cd}{a^2x^4} + \frac{9d^2}{a^4x^4} \right) x^4}{a^2} + \frac{2(15a^4c^2 - 10a^2cd + 3d^2) \log\left(\frac{1}{a^2x^2} + 1\right)}{a^6} \right)$$

input `integrate((d*x^2+c)^2*arccot(a*x),x, algorithm="giac")`output `1/60*(4*(3*d^2 + 10*c*d/x^2 + 15*c^2/x^4)*x^5*arctan(1/(a*x))/a + (3*d^2 + 20*c*d/x^2 + 45*c^2/x^4 - 6*d^2/(a^2*x^2) - 30*c*d/(a^2*x^4) + 9*d^2/(a^4*x^4))*x^4/a^2 + 2*(15*a^4*c^2 - 10*a^2*c*d + 3*d^2)*log(1/(a^2*x^2) + 1)/a^6 - 2*(15*a^4*c^2 - 10*a^2*c*d + 3*d^2)*log(1/(a^2*x^2))/a^6)*a`**Mupad [B] (verification not implemented)**

Time = 0.35 (sec) , antiderivative size = 116, normalized size of antiderivative = 1.06

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx$$

$$= \frac{a^4 \left( \frac{c^2 \ln(a^2x^2+1)}{2} + \frac{d^2x^4}{20} + \frac{cdx^2}{3} \right) - a^2 \left( \frac{d^2x^2}{10} + \frac{cd \ln(a^2x^2+1)}{3} \right) + \frac{d^2 \ln(a^2x^2+1)}{10}}{a^5} + c^2 x \operatorname{acot}(ax) + \frac{d^2 x^5 \operatorname{acot}(ax)}{5} + \frac{2cdx^3 \operatorname{acot}(ax)}{3}$$

input `int(acot(a*x)*(c + d*x^2)^2,x)`output `(a^4*((c^2*log(a^2*x^2 + 1))/2 + (d^2*x^4)/20 + (c*d*x^2)/3) - a^2*((d^2*x^2)/10 + (c*d*log(a^2*x^2 + 1))/3) + (d^2*log(a^2*x^2 + 1))/10)/a^5 + c^2*x*acot(a*x) + (d^2*x^5*acot(a*x))/5 + (2*c*d*x^3*acot(a*x))/3`

**Reduce [B] (verification not implemented)**

Time = 0.30 (sec) , antiderivative size = 130, normalized size of antiderivative = 1.19

$$\int (c + dx^2)^2 \cot^{-1}(ax) dx$$

$$= \frac{60acot(ax) a^5 c^2 x + 40acot(ax) a^5 cd x^3 + 12acot(ax) a^5 d^2 x^5 + 30 \log(a^2 x^2 + 1) a^4 c^2 - 20 \log(a^2 x^2 + 1) a^4 c d + 6 \log(a^2 x^2 + 1) d^2 + 20 a^4 c d x^3 + 3 a^4 d^2 x^5 - 6 a^2 d^2 x^3}{60a^5}$$

input `int((d*x^2+c)^2*acot(a*x),x)`output `(60*acot(a*x)*a**5*c**2*x + 40*acot(a*x)*a**5*c*d*x**3 + 12*acot(a*x)*a**5*d**2*x**5 + 30*log(a**2*x**2 + 1)*a**4*c**2 - 20*log(a**2*x**2 + 1)*a**2*c*d + 6*log(a**2*x**2 + 1)*d**2 + 20*a**4*c*d*x**3 + 3*a**4*d**2*x**5 - 6*a**2*d**2*x**3)/(60*a**5)`

### 3.4 $\int (c + dx^2) \cot^{-1}(ax) dx$

Optimal result . . . . .	66
Mathematica [A] (verified) . . . . .	66
Rubi [A] (verified) . . . . .	67
Maple [A] (verified) . . . . .	69
Fricas [A] (verification not implemented) . . . . .	69
Sympy [A] (verification not implemented) . . . . .	70
Maxima [A] (verification not implemented) . . . . .	70
Giac [A] (verification not implemented) . . . . .	71
Mupad [B] (verification not implemented) . . . . .	71
Reduce [B] (verification not implemented) . . . . .	72

#### Optimal result

Integrand size = 12, antiderivative size = 58

$$\int (c + dx^2) \cot^{-1}(ax) dx = \frac{dx^2}{6a} + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + \frac{(3a^2c - d) \log(1 + a^2x^2)}{6a^3}$$

output

```
1/6*d*x^2/a+c*x*arccot(a*x)+1/3*d*x^3*arccot(a*x)+1/6*(3*a^2*c-d)*ln(a^2*x^2+1)/a^3
```

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.16

$$\int (c + dx^2) \cot^{-1}(ax) dx = \frac{dx^2}{6a} + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax) + \frac{c \log(1 + a^2x^2)}{2a} - \frac{d \log(1 + a^2x^2)}{6a^3}$$

input

```
Integrate[(c + d*x^2)*ArcCot[a*x], x]
```

output

$$\frac{(d*x^2)/(6*a) + c*x*ArcCot[a*x] + (d*x^3*ArcCot[a*x])/3 + (c*Log[1 + a^2*x^2])/(2*a) - (d*Log[1 + a^2*x^2])/(6*a^3)}$$

**Rubi [A] (verified)**

Time = 0.25 (sec) , antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {5448, 27, 353, 49, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(ax) (c + dx^2) dx$$

$$\downarrow \text{5448}$$

$$a \int \frac{x(dx^2 + 3c)}{3(a^2x^2 + 1)} dx + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

$$\downarrow \text{27}$$

$$\frac{1}{3} a \int \frac{x(dx^2 + 3c)}{a^2x^2 + 1} dx + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

$$\downarrow \text{353}$$

$$\frac{1}{6} a \int \frac{dx^2 + 3c}{a^2x^2 + 1} dx^2 + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

$$\downarrow \text{49}$$

$$\frac{1}{6} a \int \left( \frac{3a^2c - d}{a^2(a^2x^2 + 1)} + \frac{d}{a^2} \right) dx^2 + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

$$\downarrow \text{2009}$$

$$\frac{1}{6} a \left( \frac{dx^2}{a^2} + \frac{(3a^2c - d) \log(a^2x^2 + 1)}{a^4} \right) + cx \cot^{-1}(ax) + \frac{1}{3} dx^3 \cot^{-1}(ax)$$

input

$$\text{Int}[(c + d*x^2)*ArcCot[a*x], x]$$

output

```
c*x*ArcCot[a*x] + (d*x^3*ArcCot[a*x])/3 + (a*((d*x^2)/a^2 + ((3*a^2*c - d)
*Log[1 + a^2*x^2])/a^4))/6
```

**Defintions of rubi rules used**

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_)] /; FreeQ[b, x]
```

rule 49

```
Int[((a_.) + (b_.)*(x_)^(m_.))*((c_.) + (d_.)*(x_)^(n_.), x_Symbol] := Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x]
&& IGtQ[m, 0] && IGtQ[m + n + 2, 0]
```

rule 353

```
Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol]
:= Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[
{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 5448

```
Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symb
ol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u,
x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x]] /; FreeQ
[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])
```

**Maple [A] (verified)**

Time = 0.29 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.98

method	result
parts	$\frac{dx^3 \operatorname{arccot}(ax)}{3} + cx \operatorname{arccot}(ax) + \frac{a \left( \frac{dx^2}{2a^2} + \frac{(3a^2c-d) \ln(a^2x^2+1)}{2a^4} \right)}{3}$
derivativdivides	$\frac{\operatorname{arccot}(ax)cax + \frac{a \operatorname{arccot}(ax)dx^3}{3} + \frac{a^2dx^2}{2} + \frac{(3a^2c-d) \ln(a^2x^2+1)}{2}}{a}$
default	$\frac{\operatorname{arccot}(ax)cax + \frac{a \operatorname{arccot}(ax)dx^3}{3} + \frac{a^2dx^2}{2} + \frac{(3a^2c-d) \ln(a^2x^2+1)}{2}}{a}$
parallelrisc	$\frac{2x^3 \operatorname{arccot}(ax)a^3d + 6x \operatorname{arccot}(ax)a^3c + a^2dx^2 + 3 \ln(a^2x^2+1)a^2c - \ln(a^2x^2+1)d}{6a^3}$
risc	$\frac{i(dx^3+3cx) \ln(iax+1)}{6} - \frac{idx^3 \ln(-iax+1)}{6} + \frac{\pi dx^3}{6} - \frac{icx \ln(-iax+1)}{2} + \frac{\pi cx}{2} + \frac{dx^2}{6a} + \frac{\ln(-a^2x^2-1)c}{2a} -$

input `int((d*x^2+c)*arccot(a*x),x,method=_RETURNVERBOSE)`output `1/3*d*x^3*arccot(a*x)+c*x*arccot(a*x)+1/3*a*(1/2*d/a^2*x^2+1/2*(3*a^2*c-d)/a^4*ln(a^2*x^2+1))`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 57, normalized size of antiderivative = 0.98

$$\int (c + dx^2) \cot^{-1}(ax) dx$$

$$= \frac{a^2 dx^2 + 2(a^3 dx^3 + 3a^3 cx) \operatorname{arccot}(ax) + (3a^2c - d) \log(a^2x^2 + 1)}{6a^3}$$

input `integrate((d*x^2+c)*arccot(a*x),x, algorithm="fricas")`output `1/6*(a^2*d*x^2 + 2*(a^3*d*x^3 + 3*a^3*c*x)*arccot(a*x) + (3*a^2*c - d)*log(a^2*x^2 + 1))/a^3`

**Sympy [A] (verification not implemented)**

Time = 0.25 (sec) , antiderivative size = 73, normalized size of antiderivative = 1.26

$$\int (c + dx^2) \cot^{-1}(ax) dx$$

$$= \begin{cases} cx \operatorname{acot}(ax) + \frac{dx^3 \operatorname{acot}(ax)}{3} + \frac{c \log\left(x^2 + \frac{1}{a^2}\right)}{2a} + \frac{dx^2}{6a} - \frac{d \log\left(x^2 + \frac{1}{a^2}\right)}{6a^3} & \text{for } a \neq 0 \\ \frac{\pi\left(cx + \frac{dx^3}{3}\right)}{2} & \text{otherwise} \end{cases}$$

input `integrate((d*x**2+c)*acot(a*x),x)`output `Piecewise((c*x*acot(a*x) + d*x**3*acot(a*x)/3 + c*log(x**2 + a**(-2))/(2*a) + d*x**2/(6*a) - d*log(x**2 + a**(-2))/(6*a**3), Ne(a, 0)), (pi*(c*x + d*x**3/3)/2, True))`**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 53, normalized size of antiderivative = 0.91

$$\int (c + dx^2) \cot^{-1}(ax) dx = \frac{1}{6} a \left( \frac{dx^2}{a^2} + \frac{(3a^2c - d) \log(a^2x^2 + 1)}{a^4} \right) + \frac{1}{3} (dx^3 + 3cx) \operatorname{arccot}(ax)$$

input `integrate((d*x^2+c)*arccot(a*x),x, algorithm="maxima")`output `1/6*a*(d*x^2/a^2 + (3*a^2*c - d)*log(a^2*x^2 + 1)/a^4) + 1/3*(d*x^3 + 3*c*x)*arccot(a*x)`

**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 99, normalized size of antiderivative = 1.71

$$\int (c + dx^2) \cot^{-1}(ax) dx$$

$$= \frac{1}{6} \left( \frac{2 \left( d + \frac{3c}{x^2} \right) x^3 \arctan\left(\frac{1}{ax}\right)}{a} + \frac{\left( d + \frac{3c}{x^2} - \frac{d}{a^2 x^2} \right) x^2}{a^2} + \frac{(3a^2c - d) \log\left(\frac{1}{a^2 x^2} + 1\right)}{a^4} - \frac{(3a^2c - d) \log\left(\frac{1}{a^2 x^2}\right)}{a^4} \right)$$

input `integrate((d*x^2+c)*arccot(a*x),x, algorithm="giac")`

output `1/6*(2*(d + 3*c/x^2)*x^3*arctan(1/(a*x))/a + (d + 3*c/x^2 - d/(a^2*x^2))*x^2/a^2 + (3*a^2*c - d)*log(1/(a^2*x^2) + 1)/a^4 - (3*a^2*c - d)*log(1/(a^2*x^2))/a^4)*a`

**Mupad [B] (verification not implemented)**

Time = 0.91 (sec) , antiderivative size = 62, normalized size of antiderivative = 1.07

$$\int (c + dx^2) \cot^{-1}(ax) dx = \frac{dx^3 \operatorname{acot}(ax)}{3} - \frac{\frac{d \ln(a^2 x^2 + 1)}{6} - a^2 \left( \frac{c \ln(a^2 x^2 + 1)}{2} + \frac{dx^2}{6} \right)}{a^3} + cx \operatorname{acot}(ax)$$

input `int(acot(a*x)*(c + d*x^2),x)`

output `(d*x^3*acot(a*x))/3 - ((d*log(a^2*x^2 + 1))/6 - a^2*((c*log(a^2*x^2 + 1))/2 + (d*x^2)/6))/a^3 + c*x*acot(a*x)`



**Reduce [B] (verification not implemented)**

Time = 0.25 (sec) , antiderivative size = 67, normalized size of antiderivative = 1.16

$$\int (c + dx^2) \cot^{-1}(ax) dx$$

$$= \frac{6acot(ax) a^3 cx + 2acot(ax) a^3 d x^3 + 3 \log(a^2 x^2 + 1) a^2 c - \log(a^2 x^2 + 1) d + a^2 d x^2}{6a^3}$$

input `int((d*x^2+c)*acot(a*x),x)`

output `(6*acot(a*x)*a**3*c*x + 2*acot(a*x)*a**3*d*x**3 + 3*log(a**2*x**2 + 1)*a**2*c - log(a**2*x**2 + 1)*d + a**2*d*x**2)/(6*a**3)`

### 3.5 $\int \frac{\cot^{-1}(ax)}{c+dx^2} dx$

Optimal result	73
Mathematica [A] (warning: unable to verify)	74
Rubi [A] (verified)	75
Maple [A] (verified)	78
Fricas [F]	79
Sympy [F]	79
Maxima [B] (verification not implemented)	79
Giac [F]	80
Mupad [F(-1)]	80
Reduce [F]	81

#### Optimal result

Integrand size = 14, antiderivative size = 403

$$\int \frac{\cot^{-1}(ax)}{c+dx^2} dx = \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(1 - \frac{i}{ax}\right)}{2\sqrt{c}\sqrt{d}} - \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(1 + \frac{i}{ax}\right)}{2\sqrt{c}\sqrt{d}}$$

$$- \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{2i\sqrt{c}\sqrt{d}(i-ax)}{(a\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{2\sqrt{c}\sqrt{d}}$$

$$+ \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(-\frac{2i\sqrt{c}\sqrt{d}(i+ax)}{(a\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{2\sqrt{c}\sqrt{d}}$$

$$- \frac{\text{PolyLog}\left(2, 1 - \frac{2i\sqrt{c}\sqrt{d}(i-ax)}{(a\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{4\sqrt{c}\sqrt{d}}$$

$$+ \frac{\text{PolyLog}\left(2, 1 + \frac{2i\sqrt{c}\sqrt{d}(i+ax)}{(a\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right)}{4\sqrt{c}\sqrt{d}}$$

output

```
1/2*I*arctan(d^(1/2)*x/c^(1/2))*ln(1-I/a/x)/c^(1/2)/d^(1/2)-1/2*I*arctan(d
^(1/2)*x/c^(1/2))*ln(1+I/a/x)/c^(1/2)/d^(1/2)-1/2*I*arctan(d^(1/2)*x/c^(1/
2))*ln(2*I*c^(1/2)*d^(1/2)*(I-a*x)/(a*c^(1/2)-d^(1/2)))/(c^(1/2)-I*d^(1/2)*
x))/c^(1/2)/d^(1/2)+1/2*I*arctan(d^(1/2)*x/c^(1/2))*ln(-2*I*c^(1/2)*d^(1/2
)*(I+a*x)/(a*c^(1/2)+d^(1/2)))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)-1/4*p
olylog(2,1-2*I*c^(1/2)*d^(1/2)*(I-a*x)/(a*c^(1/2)-d^(1/2)))/(c^(1/2)-I*d^(1
/2)*x))/c^(1/2)/d^(1/2)+1/4*polylog(2,1+2*I*c^(1/2)*d^(1/2)*(I+a*x)/(a*c^(
1/2)+d^(1/2)))/(c^(1/2)-I*d^(1/2)*x))/c^(1/2)/d^(1/2)
```

**Mathematica [A] (warning: unable to verify)**

Time = 1.11 (sec) , antiderivative size = 716, normalized size of antiderivative = 1.78

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx$$

$$= a \left( -2 \arccos \left( \frac{a^2c+d}{a^2c-d} \right) \operatorname{arctanh} \left( \frac{ac}{\sqrt{-a^2cdx}} \right) - 4 \cot^{-1}(ax) \operatorname{arctanh} \left( \frac{adx}{\sqrt{-a^2cd}} \right) - \left( \arccos \left( \frac{a^2c+d}{a^2c-d} \right) - 2i \operatorname{arctanh} \right) \right)$$

input

```
Integrate[ArcCot[a*x]/(c + d*x^2),x]
```

output

```
(a*(-2*ArcCos[(a^2*c + d)/(a^2*c - d)]*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)]
- 4*ArcCot[a*x]*ArcTanh[(a*d*x)/Sqrt[-(a^2*c*d)]] - (ArcCos[(a^2*c + d)/(
a^2*c - d)] - (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)])*Log[((2*I)*d*(I*a
^2*c + Sqrt[-(a^2*c*d)])*(I + a*x))/((a^2*c - d)*(Sqrt[-(a^2*c*d)] - a*d*x
))] - (ArcCos[(a^2*c + d)/(a^2*c - d)] + (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c
*d)]*x)])*Log[(2*d*(a^2*c + I*Sqrt[-(a^2*c*d)])*(-I + a*x))/((a^2*c - d)*(
-Sqrt[-(a^2*c*d)] + a*d*x))] + (ArcCos[(a^2*c + d)/(a^2*c - d)] + (2*I)*Ar
cTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)] + (2*I)*ArcTanh[(a*d*x)/Sqrt[-(a^2*c*d)
]]*Log[(Sqrt[2]*Sqrt[-(a^2*c*d)])/Sqrt[a^2*c - d]*E^(I*ArcCot[a*x])*Sqrt[
-(a^2*c) - d + (a^2*c - d)*Cos[2*ArcCot[a*x]])] + (ArcCos[(a^2*c + d)/(a^
2*c - d)] - (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)] - (2*I)*ArcTanh[(a*d
*x)/Sqrt[-(a^2*c*d)]]*Log[(Sqrt[2]*Sqrt[-(a^2*c*d)]*E^(I*ArcCot[a*x]))/(S
qrt[a^2*c - d]*Sqrt[-(a^2*c) - d + (a^2*c - d)*Cos[2*ArcCot[a*x]])] + I*(
-PolyLog[2, ((a^2*c + d - (2*I)*Sqrt[-(a^2*c*d)])*(Sqrt[-(a^2*c*d)] + a*d*
x))/((a^2*c - d)*(Sqrt[-(a^2*c*d)] - a*d*x))] + PolyLog[2, ((a^2*c + d + (
2*I)*Sqrt[-(a^2*c*d)])*(Sqrt[-(a^2*c*d)] + a*d*x))/((a^2*c - d)*(Sqrt[-(a^
2*c*d)] - a*d*x))]))/(4*Sqrt[-(a^2*c*d)])
```

**Rubi [A] (verified)**

Time = 1.05 (sec) , antiderivative size = 629, normalized size of antiderivative = 1.56, number of steps used = 6, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {5444, 2920, 27, 2005, 5411, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\cot^{-1}(ax)}{c+dx^2} dx \\
 & \quad \downarrow \text{5444} \\
 & \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{ax}\right)}{dx^2+c} dx - \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{ax}\right)}{dx^2+c} dx \\
 & \quad \downarrow \text{2920} \\
 & \frac{1}{2}i \left( \frac{\log\left(1 - \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} - \frac{i \int \frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}\left(a - \frac{i}{x}\right)x^2} dx}{a} \right) - \\
 & \frac{1}{2}i \left( \frac{i \int \frac{a \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}\left(a + \frac{i}{x}\right)x^2} dx}{a} + \frac{\log\left(1 + \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
 & \quad \downarrow \text{27} \\
 & \frac{1}{2}i \left( \frac{\log\left(1 - \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} - \frac{i \int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\left(a - \frac{i}{x}\right)x^2} dx}{\sqrt{c}\sqrt{d}} \right) - \\
 & \frac{1}{2}i \left( \frac{i \int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\left(a + \frac{i}{x}\right)x^2} dx}{\sqrt{c}\sqrt{d}} + \frac{\log\left(1 + \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
 & \quad \downarrow \text{2005}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2}i \left( \frac{\log\left(1 - \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} - \frac{i \int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x(ax-i)} dx}{\sqrt{c}\sqrt{d}} \right) - \\
& \frac{1}{2}i \left( \frac{i \int \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x(ax+i)} dx}{\sqrt{c}\sqrt{d}} + \frac{\log\left(1 + \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
& \quad \downarrow \text{5411} \\
& \frac{1}{2}i \left( \frac{\log\left(1 - \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} - \frac{i \int \left( \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x} - \frac{ia \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{ax-i} \right) dx}{\sqrt{c}\sqrt{d}} \right) - \\
& \frac{1}{2}i \left( \frac{i \int \left( \frac{ia \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{ax+i} - \frac{i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{x} \right) dx}{\sqrt{c}\sqrt{d}} + \frac{\log\left(1 + \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} \right) \\
& \quad \downarrow \text{2009} \\
& \frac{1}{2}i \left( \frac{\log\left(1 - \frac{i}{ax}\right) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{\sqrt{c}\sqrt{d}} - \frac{i \left( -i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(\frac{2i\sqrt{c}\sqrt{d}(-ax+i)}{(a\sqrt{c}-\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right) - \frac{1}{2} \text{PolyLog}\left(2, 1 - \frac{2i\sqrt{c}\sqrt{d}}{(a\sqrt{c}-\sqrt{d})}\right) \right)}{\sqrt{c}\sqrt{d}} \right) \\
& \frac{1}{2}i \left( \frac{i \left( i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \log\left(-\frac{2i\sqrt{c}\sqrt{d}(ax+i)}{(a\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})}\right) + \frac{1}{2} \text{PolyLog}\left(2, \frac{2i\sqrt{c}\sqrt{d}(ax+i)}{(\sqrt{c}+\sqrt{d})(\sqrt{c}-i\sqrt{dx})} + 1\right) - i \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \right)}{\sqrt{c}\sqrt{d}} \right)
\end{aligned}$$

input

Int[ArcCot[a\*x]/(c + d\*x^2), x]

output

```
(I/2)*((ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 - I/(a*x)]/(Sqrt[c]*Sqrt[d]) -
(I*(I*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[(2*Sqrt[c])/(Sqrt[c] - I*Sqrt[d]*x)]
- I*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((2*I)*Sqrt[c]*Sqrt[d]*(I - a*x))/((a
*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))] - PolyLog[2, ((-I)*Sqrt[d]*x
)/Sqrt[c]]/2 + PolyLog[2, (I*Sqrt[d]*x)/Sqrt[c]]/2 + PolyLog[2, 1 - (2*Sqr
t[c])/(Sqrt[c] - I*Sqrt[d]*x)]/2 - PolyLog[2, 1 - ((2*I)*Sqrt[c]*Sqrt[d]*(
I - a*x))/((a*Sqrt[c] - Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/2))/(Sqrt[c]*Sq
rt[d])) - (I/2)*((ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[1 + I/(a*x)]/(Sqrt[c]*S
qrt[d]) + (I*(-I)*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[(2*Sqrt[c])/(Sqrt[c] -
I*Sqrt[d]*x)] + I*ArcTan[(Sqrt[d]*x)/Sqrt[c]]*Log[((-2*I)*Sqrt[c]*Sqrt[d]*
(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))] + PolyLog[2, (
(-I)*Sqrt[d]*x)/Sqrt[c]]/2 - PolyLog[2, (I*Sqrt[d]*x)/Sqrt[c]]/2 - PolyLog
[2, 1 - (2*Sqrt[c])/(Sqrt[c] - I*Sqrt[d]*x)]/2 + PolyLog[2, 1 + ((2*I)*Sqr
t[c]*Sqrt[d]*(I + a*x))/((a*Sqrt[c] + Sqrt[d])*(Sqrt[c] - I*Sqrt[d]*x))]/2
))/(Sqrt[c]*Sqrt[d]))
```

**Defintions of rubi rules used**

rule 27

```
Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !Ma
tchQ[F_x, (b_)*(G_x_)] /; FreeQ[b, x]
```

rule 2005

```
Int[(F_x_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(m
+ n*p)*(b + a/x^n)^p*F_x, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2920

```
Int[((a_.) + Log[(c_.)*((d_) + (e_.)*(x_)^(n_))^(p_.)]*(b_.))/((f_) + (g_.)
*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*
Log[c*(d + e*x^n)^p], x] - Simp[b*e*n*p Int[u*(x^(n - 1)/(d + e*x^n)), x
], x] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && IntegerQ[n]
```

rule 5411

```
Int[((a_.) + ArcTan[(c_.)*(x_)])*(b_.)^(p_.)*((f_.)*(x_.))^(m_.)*((d_) + (e_.)*(x_.))^(q_.), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTan[c*x])^p, (f*x)^m*(d + e*x)^q, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0] && IntegerQ[q] && (GtQ[q, 0] || NeQ[a, 0] || IntegerQ[m])
```

rule 5444

```
Int[ArcCot[(c_.)*(x_)]/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[I/2 Int[Log[1 - I/(c*x)]/(d + e*x^2), x], x] - Simp[I/2 Int[Log[1 + I/(c*x)]/(d + e*x^2), x], x] /; FreeQ[{c, d, e}, x]
```

### Maple [A] (verified)

Time = 2.10 (sec) , antiderivative size = 392, normalized size of antiderivative = 0.97

method	result
risch	$\frac{i\pi \operatorname{arctanh}\left(\frac{2(-iax+1)d-2d}{2a\sqrt{cd}}\right)}{2\sqrt{cd}} - \frac{\ln(-iax+1) \ln\left(\frac{a\sqrt{cd}-(-iax+1)d+d}{a\sqrt{cd}+d}\right)}{4\sqrt{cd}} + \frac{\ln(-iax+1) \ln\left(\frac{a\sqrt{cd}+(-iax+1)d-d}{a\sqrt{cd}-d}\right)}{4\sqrt{cd}} - \dots$
derivativedivides	$-\frac{i\sqrt{a^2cd} \operatorname{arccot}(ax) \ln\left(1 - \frac{(a^2c-d)(ax+i)^2}{(a^2x^2+1)(a^2c+2\sqrt{a^2cd}+d)}\right)}{2cd} - \frac{\sqrt{a^2cd} \operatorname{arccot}(ax)^2}{2cd} - \frac{\sqrt{a^2cd} \operatorname{polylog}\left(2, \frac{(a^2c-d)(ax+i)^2}{(a^2x^2+1)(a^2c+2\sqrt{a^2cd}+d)}\right)}{4cd}$
default	$-\frac{i\sqrt{a^2cd} \operatorname{arccot}(ax) \ln\left(1 - \frac{(a^2c-d)(ax+i)^2}{(a^2x^2+1)(a^2c+2\sqrt{a^2cd}+d)}\right)}{2cd} - \frac{\sqrt{a^2cd} \operatorname{arccot}(ax)^2}{2cd} - \frac{\sqrt{a^2cd} \operatorname{polylog}\left(2, \frac{(a^2c-d)(ax+i)^2}{(a^2x^2+1)(a^2c+2\sqrt{a^2cd}+d)}\right)}{4cd}$

input

```
int(arccot(a*x)/(d*x^2+c), x, method=_RETURNVERBOSE)
```

output

```
1/2*I*Pi/(c*d)^(1/2)*arctanh(1/2*(2*(1-I*a*x)*d-2*d)/a/(c*d)^(1/2))-1/4*ln(1-I*a*x)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(1/2)+d))+1/4*ln(1-I*a*x)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(1/2)-d))-1/4/(c*d)^(1/2)*dilog((a*(c*d)^(1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(1/2)+d))+1/4/(c*d)^(1/2)*dilog((a*(c*d)^(1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(1/2)-d))-1/4*ln(1+I*a*x)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1+I*a*x)*d+d)/(a*(c*d)^(1/2)+d))+1/4*ln(1+I*a*x)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)+(1+I*a*x)*d-d)/(a*(c*d)^(1/2)-d))-1/4/(c*d)^(1/2)*dilog((a*(c*d)^(1/2)-(1+I*a*x)*d+d)/(a*(c*d)^(1/2)+d))+1/4/(c*d)^(1/2)*dilog((a*(c*d)^(1/2)+(1+I*a*x)*d-d)/(a*(c*d)^(1/2)-d))
```

**Fricas [F]**

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{arccot}(ax)}{dx^2 + c} dx$$

input `integrate(arccot(a*x)/(d*x^2+c),x, algorithm="fricas")`

output `integral(arccot(a*x)/(d*x^2 + c), x)`

**Sympy [F]**

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{acot}(ax)}{c + dx^2} dx$$

input `integrate(acot(a*x)/(d*x**2+c),x)`

output `Integral(acot(a*x)/(c + d*x**2), x)`

**Maxima [B] (verification not implemented)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 528 vs.  $2(263) = 526$ .

Time = 0.18 (sec) , antiderivative size = 528, normalized size of antiderivative = 1.31

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx =$$

$$a \left( \frac{8 \arctan(ax) \arctan\left(\frac{dx}{\sqrt{cd}}\right)}{a} - \frac{4 \arctan(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) + 4 \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \arctan\left(-\frac{a\sqrt{dx}}{a\sqrt{c}-\sqrt{d}}\right) + \log(dx^2+c) \log\left(\frac{a^2cd+}{a}\right)}{a} \right)$$

$$+ \frac{\operatorname{arccot}(ax) \arctan\left(\frac{dx}{\sqrt{cd}}\right)}{\sqrt{cd}} + \frac{\arctan(ax) \arctan\left(\frac{dx}{\sqrt{cd}}\right)}{\sqrt{cd}}$$



input `integrate(arccot(a*x)/(d*x^2+c),x, algorithm="maxima")`

output `-1/8*a*(8*arctan(a*x)*arctan(d*x/sqrt(c*d))/a - (4*arctan(a*x)*arctan(sqrt(d)*x/sqrt(c)) + 4*arctan(sqrt(d)*x/sqrt(c))*arctan2(-a*sqrt(d)*x/(a*sqrt(c) - sqrt(d)), -sqrt(d)/(a*sqrt(c) - sqrt(d))) + log(d*x^2 + c)*log((a^2*c*d + (a^4*c*d + a^2*d^2)*x^2 + 2*(a^3*d*x^2 + a*d)*sqrt(c)*sqrt(d) + d^2)/(a^4*c^2 + 6*a^2*c*d + 4*(a^3*c + a*d)*sqrt(c)*sqrt(d) + d^2)) - log(d*x^2 + c)*log((a^2*c*d + (a^4*c*d + a^2*d^2)*x^2 - 2*(a^3*d*x^2 + a*d)*sqrt(c)*sqrt(d) + d^2)/(a^4*c^2 + 6*a^2*c*d - 4*(a^3*c + a*d)*sqrt(c)*sqrt(d) + d^2)) + 2*dilog((a^2*c + I*a*d*x + (I*a^2*x + a)*sqrt(c)*sqrt(d))/(a^2*c + 2*a*sqrt(c)*sqrt(d) + d)) + 2*dilog((a^2*c - I*a*d*x - (I*a^2*x - a)*sqrt(c)*sqrt(d))/(a^2*c + 2*a*sqrt(c)*sqrt(d) + d)) - 2*dilog((a^2*c + I*a*d*x - (I*a^2*x + a)*sqrt(c)*sqrt(d))/(a^2*c - 2*a*sqrt(c)*sqrt(d) + d)) - 2*dilog((a^2*c - I*a*d*x + (I*a^2*x - a)*sqrt(c)*sqrt(d))/(a^2*c - 2*a*sqrt(c)*sqrt(d) + d)))/a/sqrt(c*d) + arccot(a*x)*arctan(d*x/sqrt(c*d))/sqrt(c*d) + arctan(a*x)*arctan(d*x/sqrt(c*d))/sqrt(c*d)`

## Giac [F]

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{arccot}(ax)}{dx^2 + c} dx$$

input `integrate(arccot(a*x)/(d*x^2+c),x, algorithm="giac")`

output `integrate(arccot(a*x)/(d*x^2 + c), x)`

## Mupad [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx = \int \frac{\operatorname{acot}(ax)}{dx^2 + c} dx$$

input `int(acot(a*x)/(c + d*x^2),x)`

output `int(acot(a*x)/(c + d*x^2), x)`

### Reduce [F]

$$\int \frac{\cot^{-1}(ax)}{c + dx^2} dx$$

$$= \frac{-\operatorname{acot}(ax)^2 a - 2 \left( \int \frac{\operatorname{acot}(ax)}{a^2 dx^4 + a^2 cx^2 + dx^2 + c} dx \right) a^2 c + 2 \left( \int \frac{\operatorname{acot}(ax)}{a^2 dx^4 + a^2 cx^2 + dx^2 + c} dx \right) d}{2d}$$

input `int(acot(a*x)/(d*x^2+c), x)`

output `( - acot(a*x)**2*a - 2*int(acot(a*x)/(a**2*c*x**2 + a**2*d*x**4 + c + d*x**2), x)*a**2*c + 2*int(acot(a*x)/(a**2*c*x**2 + a**2*d*x**4 + c + d*x**2), x)*d)/(2*d)`

### 3.6 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx$

Optimal result . . . . .	83
Mathematica [A] (warning: unable to verify) . . . . .	84
Rubi [A] (verified) . . . . .	85
Maple [B] (verified) . . . . .	87
Fricas [F] . . . . .	88
Sympy [F] . . . . .	89
Maxima [A] (verification not implemented) . . . . .	89
Giac [F] . . . . .	90
Mupad [F(-1)] . . . . .	90
Reduce [F] . . . . .	91

## Optimal result

Integrand size = 14, antiderivative size = 801

$$\begin{aligned}
\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx &= \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} + \frac{\cot^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} \\
&\quad - \frac{ia \log\left(\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&\quad + \frac{ia \log\left(-\frac{\sqrt{d}(1+\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1 - \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&\quad + \frac{ia \log\left(-\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&\quad - \frac{ia \log\left(\frac{\sqrt{d}(1+\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1 + \frac{i\sqrt{dx}}{\sqrt{c}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{a \log(1+a^2x^2)}{4c(a^2c-d)} \\
&\quad - \frac{a \log(c+dx^2)}{4c(a^2c-d)} - \frac{ia \operatorname{PolyLog}\left(2, \frac{\sqrt{-a^2}(\sqrt{c}-i\sqrt{dx})}{\sqrt{-a^2}\sqrt{c}-i\sqrt{d}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&\quad + \frac{ia \operatorname{PolyLog}\left(2, \frac{\sqrt{-a^2}(\sqrt{c}-i\sqrt{dx})}{\sqrt{-a^2}\sqrt{c}+i\sqrt{d}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} - \frac{ia \operatorname{PolyLog}\left(2, \frac{\sqrt{-a^2}(\sqrt{c}+i\sqrt{dx})}{\sqrt{-a^2}\sqrt{c}-i\sqrt{d}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}} \\
&\quad + \frac{ia \operatorname{PolyLog}\left(2, \frac{\sqrt{-a^2}(\sqrt{c}+i\sqrt{dx})}{\sqrt{-a^2}\sqrt{c}+i\sqrt{d}}\right)}{8\sqrt{-a^2}c^{3/2}\sqrt{d}}
\end{aligned}$$

output

```

1/2*x*arccot(a*x)/c/(d*x^2+c)+1/2*arccot(a*x)*arctan(d^(1/2)*x/c^(1/2))/c^
(3/2)/d^(1/2)-1/8*I*a*ln(d^(1/2)*(1-(-a^2)^(1/2)*x)/(I*(-a^2)^(1/2)*c^(1/2)
)+d^(1/2))*ln(1-I*d^(1/2)*x/c^(1/2))/(-a^2)^(1/2)/c^(3/2)/d^(1/2)+1/8*I*a
*ln(-d^(1/2)*(1+(-a^2)^(1/2)*x)/(I*(-a^2)^(1/2)*c^(1/2)-d^(1/2))*ln(1-I*d
^(1/2)*x/c^(1/2))/(-a^2)^(1/2)/c^(3/2)/d^(1/2)+1/8*I*a*ln(-d^(1/2)*(1-(-a^
2)^(1/2)*x)/(I*(-a^2)^(1/2)*c^(1/2)-d^(1/2))*ln(1+I*d^(1/2)*x/c^(1/2))/(-
a^2)^(1/2)/c^(3/2)/d^(1/2)-1/8*I*a*ln(d^(1/2)*(1+(-a^2)^(1/2)*x)/(I*(-a^2)
^(1/2)*c^(1/2)+d^(1/2))*ln(1+I*d^(1/2)*x/c^(1/2))/(-a^2)^(1/2)/c^(3/2)/d^
(1/2)+1/4*a*ln(a^2*x^2+1)/c/(a^2*c-d)-1/4*a*ln(d*x^2+c)/c/(a^2*c-d)-1/8*I*
a*polylog(2,(-a^2)^(1/2)*(c^(1/2)-I*d^(1/2)*x)/((-a^2)^(1/2)*c^(1/2)-I*d^(
1/2)))/(-a^2)^(1/2)/c^(3/2)/d^(1/2)+1/8*I*a*polylog(2,(-a^2)^(1/2)*(c^(1/2)
)-I*d^(1/2)*x)/((-a^2)^(1/2)*c^(1/2)+I*d^(1/2)))/(-a^2)^(1/2)/c^(3/2)/d^(1
/2)-1/8*I*a*polylog(2,(-a^2)^(1/2)*(c^(1/2)+I*d^(1/2)*x)/((-a^2)^(1/2)*c^(
1/2)-I*d^(1/2)))/(-a^2)^(1/2)/c^(3/2)/d^(1/2)+1/8*I*a*polylog(2,(-a^2)^(1/
2)*(c^(1/2)+I*d^(1/2)*x)/((-a^2)^(1/2)*c^(1/2)+I*d^(1/2)))/(-a^2)^(1/2)/c^
(3/2)/d^(1/2)

```

**Mathematica [A] (warning: unable to verify)**

Time = 4.88 (sec) , antiderivative size = 806, normalized size of antiderivative = 1.01

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^2} dx = \text{Too large to display}$$

input

```
Integrate[ArcCot[a*x]/(c + d*x^2)^2,x]
```

output

```

-1/8*(a*((2*Log[(a^2*c + d + (-a^2*c) + d)*Cos[2*ArcCot[a*x]])/(a^2*c + d
)))/(a^2*c - d) + (2*ArcCos[(a^2*c + d)/(a^2*c - d)]*ArcTanh[(a*c)/(Sqrt[-
(a^2*c*d)]*x)] + 4*ArcCot[a*x]*ArcTanh[(a*d*x)/Sqrt[-(a^2*c*d)]] + (ArcCos
[(a^2*c + d)/(a^2*c - d)] - (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)])*Log
[((2*I)*d*(I*a^2*c + Sqrt[-(a^2*c*d)]*(I + a*x))/((a^2*c - d)*(Sqrt[-(a^2
*c*d)] - a*d*x))] + (ArcCos[(a^2*c + d)/(a^2*c - d)] + (2*I)*ArcTanh[(a*c)
/(Sqrt[-(a^2*c*d)]*x)])*Log[(2*d*(a^2*c + I*Sqrt[-(a^2*c*d)]*(-I + a*x))/
((a^2*c - d)*(-Sqrt[-(a^2*c*d)] + a*d*x))] - (ArcCos[(a^2*c + d)/(a^2*c -
d)] + (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)] + (2*I)*ArcTanh[(a*d*x)/Sq
rt[-(a^2*c*d)]])*Log[(Sqrt[2]*Sqrt[-(a^2*c*d)])/(Sqrt[a^2*c - d]*E^(I*ArcC
ot[a*x])*Sqrt[-(a^2*c) - d + (a^2*c - d)*Cos[2*ArcCot[a*x]]])] - (ArcCos[(
a^2*c + d)/(a^2*c - d)] - (2*I)*ArcTanh[(a*c)/(Sqrt[-(a^2*c*d)]*x)] - (2*I
)*ArcTanh[(a*d*x)/Sqrt[-(a^2*c*d)]])*Log[(Sqrt[2]*Sqrt[-(a^2*c*d)]*E^(I*Ar
cCot[a*x]))/(Sqrt[a^2*c - d]*Sqrt[-(a^2*c) - d + (a^2*c - d)*Cos[2*ArcCot[
a*x]]])] + I*(PolyLog[2, ((a^2*c + d - (2*I)*Sqrt[-(a^2*c*d)]*(Sqrt[-(a^2
*c*d)] + a*d*x))/((a^2*c - d)*(Sqrt[-(a^2*c*d)] - a*d*x))] - PolyLog[2, ((
a^2*c + d + (2*I)*Sqrt[-(a^2*c*d)]*(Sqrt[-(a^2*c*d)] + a*d*x))/((a^2*c -
d)*(Sqrt[-(a^2*c*d)] - a*d*x))]))/Sqrt[-(a^2*c*d)] - (4*ArcCot[a*x]*Sin[2*
ArcCot[a*x]])/(a^2*c + d + (-a^2*c) + d)*Cos[2*ArcCot[a*x]]))/c

```

**Rubi [A] (verified)**

Time = 1.46 (sec) , antiderivative size = 797, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {5448, 27, 7276, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^2} dx$$

$$\downarrow 5448$$

$$a \int \frac{\frac{x}{c(dx^2+c)} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}}}{2(a^2x^2 + 1)} dx + \frac{\cot^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \cot^{-1}(ax)}{2c(c + dx^2)}$$

$$\downarrow 27$$

$$\begin{aligned}
& \frac{1}{2}a \int \frac{\frac{x}{c(dx^2+c)} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}}}{a^2x^2+1} dx + \frac{\cot^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} \\
& \quad \downarrow \text{7276} \\
& \frac{1}{2}a \int \left( \frac{x}{c(a^2x^2+1)(dx^2+c)} + \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{c^{3/2}\sqrt{d}(a^2x^2+1)} \right) dx + \frac{\cot^{-1}(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right)}{2c^{3/2}\sqrt{d}} + \\
& \quad \frac{x \cot^{-1}(ax)}{2c(c+dx^2)} \\
& \quad \downarrow \text{2009} \\
& \frac{1}{2}a \left( \frac{\arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) \cot^{-1}(ax)}{2c^{3/2}\sqrt{d}} + \frac{x \cot^{-1}(ax)}{2c(dx^2+c)} + \right. \\
& \quad \left. \frac{i \log\left(\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}+\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{4\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{i \log\left(-\frac{\sqrt{d}(\sqrt{-a^2}x+1)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right) \log\left(1-\frac{i\sqrt{dx}}{\sqrt{c}}\right)}{4\sqrt{-a^2}c^{3/2}\sqrt{d}} + \frac{i \log\left(-\frac{\sqrt{d}(1-\sqrt{-a^2}x)}{i\sqrt{-a^2}\sqrt{c}-\sqrt{d}}\right)}{4\sqrt{-a^2}c^{3/2}} \right)
\end{aligned}$$

input `Int[ArcCot[a*x]/(c + d*x^2)^2,x]`

output

```

(x*ArcCot[a*x])/(2*c*(c + d*x^2)) + (ArcCot[a*x]*ArcTan[(Sqrt[d]*x)/Sqrt[c]])/(2*c^(3/2)*Sqrt[d]) + (a*(((1/4*I)*Log[(Sqrt[d]*(1 - Sqrt[-a^2]*x)]/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d]))*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/4)*Log[-((Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 - (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/4)*Log[-((Sqrt[d]*(1 - Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] - Sqrt[d]))]*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/4)*Log[(Sqrt[d]*(1 + Sqrt[-a^2]*x))/(I*Sqrt[-a^2]*Sqrt[c] + Sqrt[d]))*Log[1 + (I*Sqrt[d]*x)/Sqrt[c]])/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + Log[1 + a^2*x^2]/(2*c*(a^2*c - d)) - Log[c + d*x^2]/(2*c*(a^2*c - d)) - ((I/4)*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])]/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/4)*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] - I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])]/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) - ((I/4)*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] - I*Sqrt[d])]/(Sqrt[-a^2]*c^(3/2)*Sqrt[d]) + ((I/4)*PolyLog[2, (Sqrt[-a^2]*(Sqrt[c] + I*Sqrt[d]*x))/(Sqrt[-a^2]*Sqrt[c] + I*Sqrt[d])]/(Sqrt[-a^2]*c^(3/2)*Sqrt[d])))/2

```

**Defintions of rubi rules used**

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5448 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u, x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

rule 7276 `Int[(u_)/((a_) + (b_.)*(x_)^(n_)), x_Symbol] := With[{v = RationalFunctionExpand[u/(a + b*x^n), x]}, Int[v, x] /; SumQ[v]] /; FreeQ[{a, b}, x] && IGtQ[n, 0]`

**Maple [B] (verified)**

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 2140 vs.  $2(593) = 1186$ .

Time = 2.55 (sec) , antiderivative size = 2141, normalized size of antiderivative = 2.67

method	result	size
risch	Expression too large to display	2141
derivativdivides	Expression too large to display	2275
default	Expression too large to display	2275

input `int(arccot(a*x)/(d*x^2+c)^2,x,method=_RETURNVERBOSE)`



output

```

1/8*a^4*ln(1-I*a*x)/(a^2*c-d)/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(
1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(1/2)+d))*d*x^2-1/8*a^4*ln(1-I*a*x)/(a^2*c-d)
/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(
1/2)-d))*d*x^2-1/4*I*a^2*ln(1-I*a*x)/c/(a^2*c-d)/(-a^2*d*x^2-a^2*c)*d*x-1
/4*a^3*ln(1-I*a*x)/(a^2*c-d)/(-a^2*d*x^2-a^2*c)-1/8*a/c/(a^2*c-d)*ln((1-I*
a*x)^2*d-a^2*c-2*(1-I*a*x)*d+d)-1/4*a^2/(a^2*c-d)/(c*d)^(1/2)*arctanh(1/2*
(2*(1-I*a*x)*d-2*d)/a/(c*d)^(1/2))-1/8*a^2*ln(1-I*a*x)/c/(a^2*c-d)/(-a^2*d
*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(1/2)+d)
)*d^2*x^2+1/8*a^2*ln(1-I*a*x)/c/(a^2*c-d)/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*l
n((a*(c*d)^(1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(1/2)-d))*d^2*x^2-1/8*a^2*ln(1+I*
a*x)/c/(a^2*c-d)/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1+I*a*x)
)*d+d)/(a*(c*d)^(1/2)+d))*d^2*x^2+1/8*a^2*ln(1+I*a*x)/c/(a^2*c-d)/(-a^2*d*
x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)+(1+I*a*x)*d-d)/(a*(c*d)^(1/2)-d))
*d^2*x^2-1/8*a^4*ln(1-I*a*x)*c/(a^2*c-d)/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln
((a*(c*d)^(1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(1/2)-d))-1/4*a^3*ln(1-I*a*x)/c/(a
^2*c-d)/(-a^2*d*x^2-a^2*c)*d*x^2+1/8*a^4*ln(1-I*a*x)*c/(a^2*c-d)/(-a^2*d*x
^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(1/2)+d))+
1/8*a^2*ln(1-I*a*x)/(a^2*c-d)/(-a^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(
1/2)+(1-I*a*x)*d-d)/(a*(c*d)^(1/2)-d))*d-1/8*a^2*ln(1-I*a*x)/(a^2*c-d)/(-a
^2*d*x^2-a^2*c)/(c*d)^(1/2)*ln((a*(c*d)^(1/2)-(1-I*a*x)*d+d)/(a*(c*d)^(...

```

**Fricas [F]**

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx = \int \frac{\operatorname{arccot}(ax)}{(dx^2+c)^2} dx$$

input

```
integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="fricas")
```

output

```
integral(arccot(a*x)/(d^2*x^4 + 2*c*d*x^2 + c^2), x)
```

**Sympy [F]**

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx = \int \frac{\operatorname{acot}(ax)}{(c+dx^2)^2} dx$$

input `integrate(acot(a*x)/(d*x**2+c)**2,x)`

output `Integral(acot(a*x)/(c + d*x**2)**2, x)`

**Maxima [A] (verification not implemented)**

Time = 0.18 (sec) , antiderivative size = 628, normalized size of antiderivative = 0.78

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^2} dx = \frac{1}{2} \left( \frac{x}{cdx^2 + c^2} + \frac{\arctan\left(\frac{dx}{\sqrt{cd}}\right)}{\sqrt{cdc}} \right) \operatorname{arccot}(ax) + \frac{(4acd \log(a^2x^2 + 1) - 4acd \log(dx^2 + c) + (4(a^2c - d) \arctan(ax) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right) + 4(a^2c - d) \arctan\left(\frac{\sqrt{dx}}{\sqrt{c}}\right))}{2}$$

input `integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="maxima")`

output

```

1/2*(x/(c*d*x^2 + c^2) + arctan(d*x/sqrt(c*d))/(sqrt(c*d)*c))*arccot(a*x)
+ 1/16*(4*a*c*d*log(a^2*x^2 + 1) - 4*a*c*d*log(d*x^2 + c) + (4*(a^2*c - d)
*arctan(a*x)*arctan(sqrt(d)*x/sqrt(c)) + 4*(a^2*c - d)*arctan(sqrt(d)*x/sq
rt(c))*arctan2(-a*sqrt(d)*x/(a*sqrt(c) - sqrt(d)), -sqrt(d)/(a*sqrt(c) - s
qrt(d))) + (a^2*c - d)*log(d*x^2 + c)*log((a^2*c*d + (a^4*c*d + a^2*d^2)*x
^2 + 2*(a^3*d*x^2 + a*d)*sqrt(c)*sqrt(d) + d^2)/(a^4*c^2 + 6*a^2*c*d + 4*(
a^3*c + a*d)*sqrt(c)*sqrt(d) + d^2)) - (a^2*c - d)*log(d*x^2 + c)*log((a^2
*c*d + (a^4*c*d + a^2*d^2)*x^2 - 2*(a^3*d*x^2 + a*d)*sqrt(c)*sqrt(d) + d^2
)/(a^4*c^2 + 6*a^2*c*d - 4*(a^3*c + a*d)*sqrt(c)*sqrt(d) + d^2)) + 2*(a^2*
c - d)*dilog((a^2*c + I*a*d*x + (I*a^2*x + a)*sqrt(c)*sqrt(d))/(a^2*c + 2*
a*sqrt(c)*sqrt(d) + d)) + 2*(a^2*c - d)*dilog((a^2*c - I*a*d*x - (I*a^2*x
- a)*sqrt(c)*sqrt(d))/(a^2*c + 2*a*sqrt(c)*sqrt(d) + d)) - 2*(a^2*c - d)*d
ilog((a^2*c + I*a*d*x - (I*a^2*x + a)*sqrt(c)*sqrt(d))/(a^2*c - 2*a*sqrt(c
)*sqrt(d) + d)) - 2*(a^2*c - d)*dilog((a^2*c - I*a*d*x + (I*a^2*x - a)*sq
rt(c)*sqrt(d))/(a^2*c - 2*a*sqrt(c)*sqrt(d) + d))*sqrt(c)*sqrt(d)*a/(a^3*
c^3*d - a*c^2*d^2)

```

**Giac [F]**

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^2} dx = \int \frac{\operatorname{arccot}(ax)}{(dx^2 + c)^2} dx$$

input

```
integrate(arccot(a*x)/(d*x^2+c)^2,x, algorithm="giac")
```

output

```
integrate(arccot(a*x)/(d*x^2 + c)^2, x)
```

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^2} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^2} dx$$

input

```
int(acot(a*x)/(c + d*x^2)^2,x)
```

output `int(acot(a*x)/(c + d*x^2)^2, x)`

## Reduce [F]

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^2} dx = \text{Too large to display}$$

input `int(acot(a*x)/(d*x^2+c)^2,x)`

output `( - acot(a*x)**2*a**5*c**2 - acot(a*x)**2*a**5*c*d*x**2 + acot(a*x)**2*a**3*c*d + acot(a*x)**2*a**3*d**2*x**2 + 2*acot(a*x)*a**4*c*d*x - 2*acot(a*x)*a**2*d**2*x - 6*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**8*c**5 - 6*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**8*c**4*d*x**2 + 20*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**6*c**4*d + 20*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**6*c**3*d**2*x**2 - 24*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**4*c**3*d**2 - 24*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2*d*x**4 + 3*a**4*c*d**2*x**6 + 3*a**2*c**3 + 5*a**2*c**2*d*x**2 + a**2*c*d**2*x**4 - a**2*d**3*x**6 - c**2*d - 2*c*d**2*x**2 - d**3*x**4),x)*a**4*c**2*d**3*x**2 + 12*int(atan(1/(a*x))/(3*a**4*c**3*x**2 + 6*a**4*c**2...`

### 3.7 $\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx$

Optimal result	92
Mathematica [A] (verified)	92
Rubi [A] (verified)	93
Maple [A] (verified)	94
Fricas [A] (verification not implemented)	94
Sympy [F(-2)]	94
Maxima [A] (verification not implemented)	95
Giac [F]	95
Mupad [B] (verification not implemented)	95
Reduce [B] (verification not implemented)	96

#### Optimal result

Integrand size = 10, antiderivative size = 34

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{1}{4(1+x^2)} + \frac{x \cot^{-1}(x)}{2(1+x^2)} - \frac{1}{4} \cot^{-1}(x)^2$$

output

```
-1/4/(x^2+1)+x*arccot(x)/(2*x^2+2)-1/4*arccot(x)^2
```

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 28, normalized size of antiderivative = 0.82

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{1 - 2x \cot^{-1}(x) + (1+x^2) \cot^{-1}(x)^2}{4(1+x^2)}$$

input

```
Integrate[ArcCot[x]/(1+x^2)^2,x]
```

output

```
-1/4*(1 - 2*x*ArcCot[x] + (1 + x^2)*ArcCot[x]^2)/(1 + x^2)
```

**Rubi [A] (verified)**

Time = 0.19 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {5428, 241}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{(x^2 + 1)^2} dx$$

↓ 5428

$$\frac{1}{2} \int \frac{x}{(x^2 + 1)^2} dx + \frac{x \cot^{-1}(x)}{2(x^2 + 1)} - \frac{1}{4} \cot^{-1}(x)^2$$

↓ 241

$$-\frac{1}{4(x^2 + 1)} + \frac{x \cot^{-1}(x)}{2(x^2 + 1)} - \frac{1}{4} \cot^{-1}(x)^2$$

input `Int[ArcCot[x]/(1 + x^2)^2,x]`

output `-1/4*1/(1 + x^2) + (x*ArcCot[x])/(2*(1 + x^2)) - ArcCot[x]^2/4`

**Defintions of rubi rules used**

rule 241 `Int[(x_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[(a + b*x^2)^(p + 1)/(2*b*(p + 1)), x] /; FreeQ[{a, b, p}, x] && NeQ[p, -1]`

rule 5428 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)^(p_.)/((d_) + (e_.)*(x_)^2)^2, x_Symbol] := Simp[x*((a + b*ArcCot[c*x])^p/(2*d*(d + e*x^2))), x] + (-Simp[(a + b*ArcCot[c*x])^(p + 1)/(2*b*c*d^2*(p + 1)), x] + Simp[b*c*(p/2) Int[x*((a + b*ArcCot[c*x])^(p - 1)/(d + e*x^2)^2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]`

**Maple [A] (verified)**

Time = 0.82 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.03

method	result
default	$\frac{x \operatorname{arccot}(x)}{2x^2+2} + \frac{\operatorname{arccot}(x) \arctan(x)}{2} - \frac{1}{4(x^2+1)} + \frac{\arctan(x)^2}{4}$
parts	$\frac{x \operatorname{arccot}(x)}{2x^2+2} + \frac{\operatorname{arccot}(x) \arctan(x)}{2} - \frac{1}{4(x^2+1)} + \frac{\arctan(x)^2}{4}$
risch	$\frac{\ln(ix+1)^2}{16} - \frac{(x^2 \ln(-ix+1) - 2ix + \ln(-ix+1)) \ln(ix+1)}{8(x^2+1)} + \frac{x^2 \ln(-ix+1)^2 + \ln(-ix+1)^2 + 2i\pi \ln(i+x)x^2 + 2i\pi \ln(i+x) - 2i\pi \ln(x-i)}{16(i+x)(x-i)}$

input `int(arccot(x)/(x^2+1)^2,x,method=_RETURNVERBOSE)`output  $\frac{1}{2}x \operatorname{arccot}(x)/(x^2+1) + \frac{1}{2} \operatorname{arccot}(x) \arctan(x) - \frac{1}{4(x^2+1)} + \frac{1}{4} \arctan(x)^2$ **Fricas [A] (verification not implemented)**

Time = 0.08 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.76

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{(x^2+1) \operatorname{arccot}(x)^2 - 2x \operatorname{arccot}(x) + 1}{4(x^2+1)}$$

input `integrate(arccot(x)/(x^2+1)^2,x, algorithm="fricas")`output  $-\frac{1}{4}((x^2+1) \operatorname{arccot}(x)^2 - 2x \operatorname{arccot}(x) + 1)/(x^2+1)$ **Sympy [F(-2)]**

Exception generated.

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = \text{Exception raised: RecursionError}$$

input `integrate(acot(x)/(x**2+1)**2,x)`

output Exception raised: RecursionError >> maximum recursion depth exceeded in comparison

### Maxima [A] (verification not implemented)

Time = 0.11 (sec) , antiderivative size = 38, normalized size of antiderivative = 1.12

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = \frac{1}{2} \left( \frac{x}{x^2+1} + \arctan(x) \right) \operatorname{arccot}(x) + \frac{(x^2+1)\arctan(x)^2 - 1}{4(x^2+1)}$$

input `integrate(arccot(x)/(x^2+1)^2,x, algorithm="maxima")`

output `1/2*(x/(x^2 + 1) + arctan(x))*arccot(x) + 1/4*((x^2 + 1)*arctan(x)^2 - 1)/(x^2 + 1)`

### Giac [F]

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)^2} dx$$

input `integrate(arccot(x)/(x^2+1)^2,x, algorithm="giac")`

output `integrate(arccot(x)/(x^2 + 1)^2, x)`

### Mupad [B] (verification not implemented)

Time = 0.10 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.65

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = \frac{\frac{x \operatorname{acot}(x)}{2} - \frac{1}{4}}{x^2+1} - \frac{\operatorname{acot}(x)^2}{4}$$

input `int(acot(x)/(x^2 + 1)^2,x)`



output  $((x \operatorname{acot}(x))/2 - 1/4)/(x^2 + 1) - \operatorname{acot}(x)^2/4$

### Reduce [B] (verification not implemented)

Time = 0.28 (sec) , antiderivative size = 34, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{(1+x^2)^2} dx = \frac{-\operatorname{acot}(x)^2 x^2 - \operatorname{acot}(x)^2 + 2\operatorname{acot}(x)x + x^2}{4x^2 + 4}$$

input `int(acot(x)/(x^2+1)^2,x)`

output  $(-\operatorname{acot}(x)**2*x**2 - \operatorname{acot}(x)**2 + 2*\operatorname{acot}(x)*x + x**2)/(4*(x**2 + 1))$

### 3.8 $\int \sqrt{a + ax^2} \cot^{-1}(x) dx$

Optimal result	97
Mathematica [A] (verified)	98
Rubi [A] (verified)	98
Maple [A] (verified)	100
Fricas [F]	100
Sympy [F]	100
Maxima [F]	101
Giac [F]	101
Mupad [F(-1)]	101
Reduce [F]	102

#### Optimal result

Integrand size = 14, antiderivative size = 195

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \frac{1}{2}\sqrt{a + ax^2} + \frac{1}{2}x\sqrt{a + ax^2} \cot^{-1}(x) - \frac{ia\sqrt{1 + x^2} \cot^{-1}(x) \arctan\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a + ax^2}} - \frac{ia\sqrt{1 + x^2} \text{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{a + ax^2}} + \frac{ia\sqrt{1 + x^2} \text{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{2\sqrt{a + ax^2}}$$

output

```
1/2*(a*x^2+a)^(1/2)+1/2*x*(a*x^2+a)^(1/2)*arccot(x)-I*a*(x^2+1)^(1/2)*arccot(x)*arctan((1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)-1/2*I*a*(x^2+1)^(1/2)*polylog(2,-I*(1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)+1/2*I*a*(x^2+1)^(1/2)*polylog(2,I*(1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)
```

**Mathematica [A] (verified)**

Time = 0.99 (sec) , antiderivative size = 136, normalized size of antiderivative = 0.70

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \frac{(a(1 + x^2))^{3/2} \left( -2 \cot \left( \frac{1}{2} \cot^{-1}(x) \right) - \cot^{-1}(x) \csc^2 \left( \frac{1}{2} \cot^{-1}(x) \right) + 4 \cot^{-1}(x) \log \left( 1 - e^{i \cot^{-1}(x)} \right) - 4 \right)}{a^2}$$

input `Integrate[Sqrt[a + a*x^2]*ArcCot[x], x]`

output `-1/8*((a*(1 + x^2))^(3/2)*(-2*Cot[ArcCot[x]/2] - ArcCot[x]*Csc[ArcCot[x]/2]^2 + 4*ArcCot[x]*Log[1 - E^(I*ArcCot[x])] - 4*ArcCot[x]*Log[1 + E^(I*ArcCot[x])]) + (4*I)*PolyLog[2, -E^(I*ArcCot[x])] - (4*I)*PolyLog[2, E^(I*ArcCot[x])]) + ArcCot[x]*Sec[ArcCot[x]/2]^2 - 2*Tan[ArcCot[x]/2]))/(a*(1 + x^2)^(3/2)*x^3)`

**Rubi [A] (verified)**

Time = 0.37 (sec) , antiderivative size = 154, normalized size of antiderivative = 0.79, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {5414, 5426, 5422}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \sqrt{ax^2 + a} \cot^{-1}(x) dx$$

$$\downarrow \text{5414}$$

$$\frac{1}{2}a \int \frac{\cot^{-1}(x)}{\sqrt{ax^2 + a}} dx + \frac{1}{2} \sqrt{ax^2 + a} + \frac{1}{2}x \sqrt{ax^2 + a} \cot^{-1}(x)$$

$$\downarrow \text{5426}$$

$$\frac{a\sqrt{x^2 + 1} \int \frac{\cot^{-1}(x)}{\sqrt{x^2 + 1}} dx}{2\sqrt{ax^2 + a}} + \frac{1}{2} \sqrt{ax^2 + a} + \frac{1}{2}x \sqrt{ax^2 + a} \cot^{-1}(x)$$

$$\frac{a\sqrt{x^2+1}\left(-2i\arctan\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)\cot^{-1}(x) - i\operatorname{PolyLog}\left(2, -\frac{i\sqrt{ix+1}}{\sqrt{1-ix}}\right) + i\operatorname{PolyLog}\left(2, \frac{i\sqrt{ix+1}}{\sqrt{1-ix}}\right)\right)}{\frac{1}{2}\sqrt{ax^2+a} + \frac{1}{2}x\sqrt{ax^2+a}\cot^{-1}(x)} +$$

input `Int[Sqrt[a + a*x^2]*ArcCot[x], x]`

output `Sqrt[a + a*x^2]/2 + (x*Sqrt[a + a*x^2]*ArcCot[x])/2 + (a*Sqrt[1 + x^2]*((-2*I)*ArcCot[x]*ArcTan[Sqrt[1 + I*x]/Sqrt[1 - I*x]] - I*PolyLog[2, ((-I)*Sqrt[1 + I*x])/Sqrt[1 - I*x]] + I*PolyLog[2, (I*Sqrt[1 + I*x])/Sqrt[1 - I*x]]))/(2*Sqrt[a + a*x^2])`

### Defintions of rubi rules used

rule 5414 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))*((d_) + (e_.)*(x_)^2)^(q_.), x_Symbol] :> Simp[b*((d + e*x^2)^q/(2*c*q*(2*q + 1))), x] + (Simp[x*(d + e*x^2)^q*((a + b*ArcCot[c*x])/(2*q + 1)), x] + Simp[2*d*(q/(2*q + 1)) Int[(d + e*x^2)^(q - 1)*(a + b*ArcCot[c*x]), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[q, 0]`

rule 5422 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[-2*I*(a + b*ArcCot[c*x])*(ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]]/(c*Sqrt[d])), x] + (-Simp[I*b*(PolyLog[2, (-I)*(Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]))/(c*Sqrt[d])), x] + Simp[I*b*(PolyLog[2, I*(Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]))/(c*Sqrt[d])), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[d, 0]`

rule 5426 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.))^(p_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol] :> Simp[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2] Int[(a + b*ArcCot[c*x])^p/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0] && !GtQ[d, 0]`

**Maple [A] (verified)**

Time = 1.15 (sec) , antiderivative size = 117, normalized size of antiderivative = 0.60

method	result
default	$\frac{\sqrt{a(i+x)(x-i)}(x \operatorname{arccot}(x)+1)}{2} - \frac{i\sqrt{a(i+x)(x-i)}\left(i \operatorname{arccot}(x) \ln\left(\frac{i+x}{\sqrt{x^2+1}}+1\right)-i \operatorname{arccot}(x) \ln\left(1-\frac{i+x}{\sqrt{x^2+1}}\right)+\operatorname{polylog}\left(2,-\frac{i+x}{\sqrt{x^2+1}}\right)\right)}{2\sqrt{x^2+1}}$

input `int((a*x^2+a)^(1/2)*arccot(x),x,method=_RETURNVERBOSE)`

output 
$$\frac{1/2*(a*(I+x)*(x-I))^{(1/2)}*(x*\operatorname{arccot}(x)+1)-1/2*I*(a*(I+x)*(x-I))^{(1/2)}*(I*\operatorname{arccot}(x)*\ln((I+x)/(x^2+1)^{(1/2)+1})-I*\operatorname{arccot}(x)*\ln(1-(I+x)/(x^2+1)^{(1/2)})+\operatorname{polylog}(2,-(I+x)/(x^2+1)^{(1/2)})-\operatorname{polylog}(2,(I+x)/(x^2+1)^{(1/2)})}{(x^2+1)^{(1/2)}}$$

**Fricas [F]**

$$\int \sqrt{a+ax^2} \cot^{-1}(x) dx = \int \sqrt{ax^2+a} \operatorname{arccot}(x) dx$$

input `integrate((a*x^2+a)^(1/2)*arccot(x),x, algorithm="fricas")`

output `integral(sqrt(a*x^2 + a)*arccot(x), x)`

**Sympy [F]**

$$\int \sqrt{a+ax^2} \cot^{-1}(x) dx = \int \sqrt{a(x^2+1)} \operatorname{acot}(x) dx$$

input `integrate((a*x**2+a)**(1/2)*acot(x),x)`

output `Integral(sqrt(a*(x**2 + 1))*acot(x), x)`

**Maxima [F]**

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \int \sqrt{ax^2 + a} \operatorname{arccot}(x) dx$$

input `integrate((a*x^2+a)^(1/2)*arccot(x),x, algorithm="maxima")`

output `integrate(sqrt(a*x^2 + a)*arccot(x), x)`

**Giac [F]**

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \int \sqrt{ax^2 + a} \operatorname{arccot}(x) dx$$

input `integrate((a*x^2+a)^(1/2)*arccot(x),x, algorithm="giac")`

output `integrate(sqrt(a*x^2 + a)*arccot(x), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \int \operatorname{acot}(x) \sqrt{ax^2 + a} dx$$

input `int(acot(x)*(a + a*x^2)^(1/2),x)`

output `int(acot(x)*(a + a*x^2)^(1/2), x)`

**Reduce [F]**

$$\int \sqrt{a + ax^2} \cot^{-1}(x) dx = \sqrt{a} \left( \int \sqrt{x^2 + 1} \operatorname{acot}(x) dx \right)$$

input `int((a*x^2+a)^(1/2)*acot(x),x)`

output `sqrt(a)*int(sqrt(x**2 + 1)*acot(x),x)`

### 3.9 $\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx$

Optimal result	103
Mathematica [A] (verified)	103
Rubi [A] (verified)	104
Maple [A] (verified)	105
Fricas [F]	106
Sympy [F]	106
Maxima [F]	106
Giac [F]	107
Mupad [F(-1)]	107
Reduce [F]	107

#### Optimal result

Integrand size = 14, antiderivative size = 155

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = -\frac{2i\sqrt{1+x^2} \cot^{-1}(x) \arctan\left(\frac{\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}} - \frac{i\sqrt{1+x^2} \operatorname{PolyLog}\left(2, -\frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}} + \frac{i\sqrt{1+x^2} \operatorname{PolyLog}\left(2, \frac{i\sqrt{1+ix}}{\sqrt{1-ix}}\right)}{\sqrt{a+ax^2}}$$

output

```
-2*I*(x^2+1)^(1/2)*arccot(x)*arctan((1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)-I*(x^2+1)^(1/2)*polylog(2,-I*(1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)+I*(x^2+1)^(1/2)*polylog(2,I*(1+I*x)^(1/2)/(1-I*x)^(1/2))/(a*x^2+a)^(1/2)
```

#### Mathematica [A] (verified)

Time = 0.13 (sec) , antiderivative size = 89, normalized size of antiderivative = 0.57

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \frac{\sqrt{a(1+x^2)} \left( \cot^{-1}(x) \left( \log\left(1 - e^{i \cot^{-1}(x)}\right) - \log\left(1 + e^{i \cot^{-1}(x)}\right) \right) + i \operatorname{PolyLog}\left(2, -e^{i \cot^{-1}(x)}\right) - i \operatorname{PolyLog}\left(2, e^{i \cot^{-1}(x)}\right) \right)}{a\sqrt{1 + \frac{1}{x^2}}x}$$



input `Integrate[ArcCot[x]/Sqrt[a + a*x^2],x]`

output `-((Sqrt[a*(1 + x^2)]*(ArcCot[x]*(Log[1 - E^(I*ArcCot[x])]) - Log[1 + E^(I*ArcCot[x])]) + I*PolyLog[2, -E^(I*ArcCot[x])] - I*PolyLog[2, E^(I*ArcCot[x])]))/(a*Sqrt[1 + x^(-2)]*x)`

### Rubi [A] (verified)

Time = 0.27 (sec) , antiderivative size = 116, normalized size of antiderivative = 0.75, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {5426, 5422}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{\sqrt{ax^2 + a}} dx$$

$$\downarrow 5426$$

$$\frac{\sqrt{x^2 + 1} \int \frac{\cot^{-1}(x)}{\sqrt{x^2 + 1}} dx}{\sqrt{ax^2 + a}}$$

$$\downarrow 5422$$

$$\frac{\sqrt{x^2 + 1} \left( -2i \arctan \left( \frac{\sqrt{1+ix}}{\sqrt{1-ix}} \right) \cot^{-1}(x) - i \text{PolyLog} \left( 2, -\frac{i\sqrt{ix+1}}{\sqrt{1-ix}} \right) + i \text{PolyLog} \left( 2, \frac{i\sqrt{ix+1}}{\sqrt{1-ix}} \right) \right)}{\sqrt{ax^2 + a}}$$

input `Int[ArcCot[x]/Sqrt[a + a*x^2],x]`

output `(Sqrt[1 + x^2]*((-2*I)*ArcCot[x]*ArcTan[Sqrt[1 + I*x]/Sqrt[1 - I*x]] - I*PolyLog[2, ((-I)*Sqrt[1 + I*x])/Sqrt[1 - I*x]] + I*PolyLog[2, (I*Sqrt[1 + I*x])/Sqrt[1 - I*x]]))/Sqrt[a + a*x^2]`

## Definitions of rubi rules used

rule 5422

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/Sqrt[(d_) + (e_.)*(x_)^2], x_Symbol]
:> Simp[-2*I*(a + b*ArcCot[c*x])*(ArcTan[Sqrt[1 + I*c*x]/Sqrt[1 - I*c*x]]/
(c*Sqrt[d])), x] + (-Simp[I*b*(PolyLog[2, (-I)*(Sqrt[1 + I*c*x]/Sqrt[1 - I*
c*x]))/(c*Sqrt[d])), x] + Simp[I*b*(PolyLog[2, I*(Sqrt[1 + I*c*x]/Sqrt[1 -
I*c*x]))/(c*Sqrt[d])), x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] &&
GtQ[d, 0]
```

rule 5426

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/Sqrt[(d_) + (e_.)*(x_)^2], x_S
ymbol] :> Simp[Sqrt[1 + c^2*x^2]/Sqrt[d + e*x^2] Int[(a + b*ArcCot[c*x])^
p/Sqrt[1 + c^2*x^2], x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] &
& IGtQ[p, 0] && !GtQ[d, 0]
```

## Maple [A] (verified)

Time = 1.08 (sec) , antiderivative size = 99, normalized size of antiderivative = 0.64

method	result	size
default	$\frac{i \left( i \operatorname{arccot}(x) \ln \left( \frac{i+x}{\sqrt{x^2+1}} + 1 \right) - i \operatorname{arccot}(x) \ln \left( 1 - \frac{i+x}{\sqrt{x^2+1}} \right) + \operatorname{polylog} \left( 2, -\frac{i+x}{\sqrt{x^2+1}} \right) - \operatorname{polylog} \left( 2, \frac{i+x}{\sqrt{x^2+1}} \right) \right) \sqrt{a(i+x)(x-i)}}{\sqrt{x^2+1} a}$	99

input

```
int(arccot(x)/(a*x^2+a)^(1/2),x,method=_RETURNVERBOSE)
```

output

```
-I*(I*arccot(x)*ln((I+x)/(x^2+1)^(1/2)+1)-I*arccot(x)*ln(1-(I+x)/(x^2+1)^(
1/2))+polylog(2,-(I+x)/(x^2+1)^(1/2))-polylog(2,(I+x)/(x^2+1)^(1/2)))*(a*(
I+x)*(x-I))^(1/2)/(x^2+1)^(1/2)/a
```

**Fricas [F]**

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \int \frac{\operatorname{arccot}(x)}{\sqrt{ax^2+a}} dx$$

input `integrate(arccot(x)/(a*x^2+a)^(1/2),x, algorithm="fricas")`

output `integral(arccot(x)/sqrt(a*x^2 + a), x)`

**Sympy [F]**

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \int \frac{\operatorname{acot}(x)}{\sqrt{a(x^2+1)}} dx$$

input `integrate(acot(x)/(a*x**2+a)**(1/2),x)`

output `Integral(acot(x)/sqrt(a*(x**2 + 1)), x)`

**Maxima [F]**

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \int \frac{\operatorname{arccot}(x)}{\sqrt{ax^2+a}} dx$$

input `integrate(arccot(x)/(a*x^2+a)^(1/2),x, algorithm="maxima")`

output `integrate(arccot(x)/sqrt(a*x^2 + a), x)`

**Giac [F]**

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \int \frac{\operatorname{arccot}(x)}{\sqrt{ax^2+a}} dx$$

input `integrate(arccot(x)/(a*x^2+a)^(1/2),x, algorithm="giac")`

output `integrate(arccot(x)/sqrt(a*x^2 + a), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \int \frac{\operatorname{acot}(x)}{\sqrt{ax^2+a}} dx$$

input `int(acot(x)/(a + a*x^2)^(1/2),x)`

output `int(acot(x)/(a + a*x^2)^(1/2), x)`

**Reduce [F]**

$$\int \frac{\cot^{-1}(x)}{\sqrt{a+ax^2}} dx = \frac{\int \frac{\operatorname{acot}(x)}{\sqrt{x^2+1}} dx}{\sqrt{a}}$$

input `int(acot(x)/(a*x^2+a)^(1/2),x)`

output `int(acot(x)/sqrt(x**2 + 1),x)/sqrt(a)`

### 3.10 $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx$

Optimal result	108
Mathematica [A] (verified)	108
Rubi [A] (verified)	109
Maple [C] (verified)	109
Fricas [A] (verification not implemented)	110
Sympy [F]	110
Maxima [A] (verification not implemented)	111
Giac [A] (verification not implemented)	111
Mupad [F(-1)]	111
Reduce [B] (verification not implemented)	112

#### Optimal result

Integrand size = 14, antiderivative size = 35

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx = -\frac{1}{a\sqrt{a+ax^2}} + \frac{x \cot^{-1}(x)}{a\sqrt{a+ax^2}}$$

output `-1/a/(a*x^2+a)^(1/2)+x*arccot(x)/a/(a*x^2+a)^(1/2)`

#### Mathematica [A] (verified)

Time = 0.03 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.60

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx = \frac{-1+x \cot^{-1}(x)}{a\sqrt{a(1+x^2)}}$$

input `Integrate[ArcCot[x]/(a+a*x^2)^(3/2),x]`

output `(-1+x*ArcCot[x])/(a*Sqrt[a*(1+x^2)])`

**Rubi [A] (verified)**

Time = 0.20 (sec) , antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {5430}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{(ax^2 + a)^{3/2}} dx$$

↓ 5430

$$\frac{x \cot^{-1}(x)}{a\sqrt{ax^2 + a}} - \frac{1}{a\sqrt{ax^2 + a}}$$

input `Int[ArcCot[x]/(a + a*x^2)^(3/2),x]`

output `-(1/(a*Sqrt[a + a*x^2])) + (x*ArcCot[x])/(a*Sqrt[a + a*x^2])`

**Defintions of rubi rules used**

rule 5430 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol] := Simp[-b/(c*d*Sqrt[d + e*x^2]), x] + Simp[x*((a + b*ArcCot[c*x])/(d*Sqrt[d + e*x^2])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]`

**Maple [C] (verified)**

Result contains complex when optimal does not.

Time = 1.05 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.57

method	result	size
risch	$\frac{ix \ln(ix+1)}{2a\sqrt{a(x^2+1)}} + \frac{-i \ln(-ix+1)x + \pi x - 2}{2a\sqrt{a(x^2+1)}}$	55
oring	$\frac{4(x^2+1)x \operatorname{arccot}(x)}{(ax^2+a)^{\frac{3}{2}}} + (x^2+1)^2 \left( -\frac{1}{(x^2+1)(ax^2+a)^{\frac{3}{2}}} - \frac{3 \operatorname{arccot}(x)ax}{(ax^2+a)^{\frac{5}{2}}} \right)$	63
default	$\frac{(\operatorname{arccot}(x)+i)(i+x)\sqrt{a(i+x)(x-i)}}{2(x^2+1)a^2} + \frac{\sqrt{a(i+x)(x-i)}(x-i)(\operatorname{arccot}(x)-i)}{2(x^2+1)a^2}$	68

input `int(arccot(x)/(a*x^2+a)^(3/2),x,method=_RETURNVERBOSE)`

output `1/2*I/a*x/(a*(x^2+1))^(1/2)*ln(1+I*x)+1/2/a*(-I*x*ln(1-I*x)+Pi*x-2)/(a*(x^2+1))^(1/2)`

### Fricas [A] (verification not implemented)

Time = 0.09 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.83

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx = \frac{\sqrt{ax^2+a}(x \operatorname{arccot}(x) - 1)}{a^2x^2 + a^2}$$

input `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="fricas")`

output `sqrt(a*x^2 + a)*(x*arccot(x) - 1)/(a^2*x^2 + a^2)`

### Sympy [F]

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{3/2}} dx = \int \frac{\operatorname{acot}(x)}{(a(x^2+1))^{\frac{3}{2}}} dx$$

input `integrate(acot(x)/(a*x**2+a)**(3/2),x)`

output `Integral(acot(x)/(a*(x**2 + 1))**(3/2), x)`

**Maxima [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.89

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{3/2}} dx = \frac{x \operatorname{arccot}(x)}{\sqrt{ax^2 + aa}} - \frac{1}{\sqrt{ax^2 + aa}}$$

input `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="maxima")`output `x*arccot(x)/(sqrt(a*x^2 + a)*a) - 1/(sqrt(a*x^2 + a)*a)`**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 33, normalized size of antiderivative = 0.94

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{3/2}} dx = \frac{x \arctan\left(\frac{1}{x}\right)}{\sqrt{ax^2 + aa}} - \frac{1}{\sqrt{ax^2 + aa}}$$

input `integrate(arccot(x)/(a*x^2+a)^(3/2),x, algorithm="giac")`output `x*arctan(1/x)/(sqrt(a*x^2 + a)*a) - 1/(sqrt(a*x^2 + a)*a)`**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{3/2}} dx = \int \frac{\operatorname{acot}(x)}{(ax^2 + a)^{3/2}} dx$$

input `int(acot(x)/(a + a*x^2)^(3/2),x)`output `int(acot(x)/(a + a*x^2)^(3/2), x)`



**Reduce [B] (verification not implemented)**

Time = 0.27 (sec) , antiderivative size = 71, normalized size of antiderivative = 2.03

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{3/2}} dx = \frac{\sqrt{a} (2\operatorname{atan}(\sqrt{x^2 + 1} + x) x^2 + 2\operatorname{atan}(\sqrt{x^2 + 1} + x) + \sqrt{x^2 + 1} \operatorname{atan}(\frac{1}{x}) x + \operatorname{atan}(\frac{1}{x}))}{a^2 (x^2 + 1)}$$

input `int(acot(x)/(a*x^2+a)^(3/2),x)`output `(sqrt(a)*(2*atan(sqrt(x**2 + 1) + x)*x**2 + 2*atan(sqrt(x**2 + 1) + x) + sqrt(x**2 + 1)*atan(1/x)*x + atan(1/x)*x**2 + atan(1/x) - sqrt(x**2 + 1)))/(a**2*(x**2 + 1))`

### 3.11 $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx$

Optimal result	113
Mathematica [A] (verified)	113
Rubi [A] (verified)	114
Maple [A] (verified)	115
Fricas [A] (verification not implemented)	115
Sympy [F]	116
Maxima [A] (verification not implemented)	116
Giac [A] (verification not implemented)	116
Mupad [F(-1)]	117
Reduce [B] (verification not implemented)	117

#### Optimal result

Integrand size = 14, antiderivative size = 79

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = -\frac{1}{9a(a+ax^2)^{3/2}} - \frac{2}{3a^2\sqrt{a+ax^2}} + \frac{x \cot^{-1}(x)}{3a(a+ax^2)^{3/2}} + \frac{2x \cot^{-1}(x)}{3a^2\sqrt{a+ax^2}}$$

output 
$$-1/9/a/(a*x^2+a)^{(3/2)}-2/3/a^2/(a*x^2+a)^{(1/2)}+1/3*x*\text{arccot}(x)/a/(a*x^2+a)^{(3/2)}+2/3*x*\text{arccot}(x)/a^2/(a*x^2+a)^{(1/2)}$$

#### Mathematica [A] (verified)

Time = 0.04 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.47

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = \frac{-7-6x^2+(9x+6x^3)\cot^{-1}(x)}{9a(a(1+x^2))^{3/2}}$$

input `Integrate[ArcCot[x]/(a + a*x^2)^(5/2), x]`

output 
$$(-7 - 6*x^2 + (9*x + 6*x^3)*\text{ArcCot}[x])/(9*a*(a*(1 + x^2))^{3/2})$$

**Rubi [A] (verified)**

Time = 0.29 (sec) , antiderivative size = 82, normalized size of antiderivative = 1.04, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {5432, 5430}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{(ax^2 + a)^{5/2}} dx$$

↓ 5432

$$\frac{2 \int \frac{\cot^{-1}(x)}{(ax^2+a)^{3/2}} dx}{3a} - \frac{1}{9a(ax^2 + a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2 + a)^{3/2}}$$

↓ 5430

$$-\frac{1}{9a(ax^2 + a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2 + a)^{3/2}} + \frac{2 \left( \frac{x \cot^{-1}(x)}{a\sqrt{ax^2+a}} - \frac{1}{a\sqrt{ax^2+a}} \right)}{3a}$$

input `Int[ArcCot[x]/(a + a*x^2)^(5/2), x]`

output `-1/9*1/(a*(a + a*x^2)^(3/2)) + (x*ArcCot[x])/(3*a*(a + a*x^2)^(3/2)) + (2*(-1/(a*Sqrt[a + a*x^2])) + (x*ArcCot[x])/(a*Sqrt[a + a*x^2]))/(3*a)`

**Defintions of rubi rules used**

rule 5430

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol]
  := Simp[-b/(c*d*Sqrt[d + e*x^2]), x] + Simp[x*((a + b*ArcCot[c*x])/(d*Sqrt[d + e*x^2])), x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]
```

rule 5432

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*((d_.) + (e_.)*(x_)^2)^(q_), x_Symbol
] :> Simp[(-b)*((d + e*x^2)^(q + 1)/(4*c*d*(q + 1)^2)), x] + (-Simp[x*(d +
e*x^2)^(q + 1)*((a + b*ArcCot[c*x])/(2*d*(q + 1))), x] + Simp[(2*q + 3)/(2*
d*(q + 1)) Int[(d + e*x^2)^(q + 1)*(a + b*ArcCot[c*x]), x], x] /; FreeQ[
{a, b, c, d, e}, x] && EqQ[e, c^2*d] && LtQ[q, -1] && NeQ[q, -3/2]
```

**Maple [A] (verified)**

Time = 1.14 (sec) , antiderivative size = 78, normalized size of antiderivative = 0.99

method	result
orering	$\frac{(4x^5 + \frac{80}{9}x^3 + \frac{44}{9}x) \operatorname{arccot}(x)}{(ax^2+a)^{\frac{5}{2}}} + \frac{(6x^2+7)(x^2+1)^2 \left( -\frac{1}{(x^2+1)(ax^2+a)^{\frac{5}{2}}} - \frac{5 \operatorname{arccot}(x)ax}{(ax^2+a)^{\frac{7}{2}}} \right)}{9}$
risch	$\frac{ix(2x^2+3) \ln(ix+1)}{6a^2(x^2+1)\sqrt{a(x^2+1)}} + \frac{-6ix^3 \ln(-ix+1) + 6\pi x^3 - 9i \ln(-ix+1)x + 9\pi x - 12x^2 - 14}{18a^2(x^2+1)\sqrt{a(x^2+1)}}$
default	$-\frac{(i+3 \operatorname{arccot}(x))(x^3+3ix^2-3x-i)\sqrt{a(i+x)(x-i)}}{72(x^2+1)^2 a^3} + \frac{3(\operatorname{arccot}(x)+i)(i+x)\sqrt{a(i+x)(x-i)}}{8a^3(x^2+1)} + \frac{3\sqrt{a(i+x)(x-i)}(x-i)(\operatorname{arccot}(x))}{8a^3(x^2+1)}$

input

```
int(arccot(x)/(a*x^2+a)^(5/2),x,method=_RETURNVERBOSE)
```

output

```
(4*x^5+80/9*x^3+44/9*x)*arccot(x)/(a*x^2+a)^(5/2)+1/9*(6*x^2+7)*(x^2+1)^2*
(-1/(x^2+1)/(a*x^2+a)^(5/2)-5*arccot(x)/(a*x^2+a)^(7/2)*a*x)
```

**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 52, normalized size of antiderivative = 0.66

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = -\frac{\sqrt{ax^2+a}(6x^2-3(2x^3+3x)\operatorname{arccot}(x)+7)}{9(a^3x^4+2a^3x^2+a^3)}$$

input

```
integrate(arccot(x)/(a*x^2+a)^(5/2),x, algorithm="fricas")
```

output

```
-1/9*sqrt(a*x^2 + a)*(6*x^2 - 3*(2*x^3 + 3*x)*arccot(x) + 7)/(a^3*x^4 + 2*
a^3*x^2 + a^3)
```

**Sympy [F]**

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = \int \frac{\operatorname{acot}(x)}{(a(x^2+1))^{5/2}} dx$$

input `integrate(acot(x)/(a*x**2+a)**(5/2),x)`

output `Integral(acot(x)/(a*(x**2 + 1))**(5/2), x)`

**Maxima [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 63, normalized size of antiderivative = 0.80

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = \frac{1}{3} \left( \frac{2x}{\sqrt{ax^2+aa^2}} + \frac{x}{(ax^2+a)^{\frac{3}{2}}a} \right) \operatorname{arccot}(x) - \frac{2}{3\sqrt{ax^2+aa^2}} - \frac{1}{9(ax^2+a)^{\frac{3}{2}}a}$$

input `integrate(arccot(x)/(a*x^2+a)^(5/2),x, algorithm="maxima")`

output `1/3*(2*x/(sqrt(a*x^2 + a)*a^2) + x/((a*x^2 + a)^(3/2)*a))*arccot(x) - 2/3/(sqrt(a*x^2 + a)*a^2) - 1/9/((a*x^2 + a)^(3/2)*a)`

**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.70

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{5/2}} dx = \frac{x \left( \frac{2x^2}{a} + \frac{3}{a} \right) \arctan\left(\frac{1}{x}\right)}{3(ax^2+a)^{\frac{3}{2}}} - \frac{6ax^2+7a}{9(ax^2+a)^{\frac{3}{2}}a^2}$$

input `integrate(arccot(x)/(a*x^2+a)^(5/2),x, algorithm="giac")`

output  $\frac{1}{3}x(2x^2/a + 3/a)\arctan(1/x)/(ax^2 + a)^{3/2} - 1/9(6ax^2 + 7a)/((ax^2 + a)^{3/2}a^2)$

### Mupad [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{5/2}} dx = \int \frac{\operatorname{acot}(x)}{(ax^2 + a)^{5/2}} dx$$

input `int(acot(x)/(a + a*x^2)^(5/2),x)`

output `int(acot(x)/(a + a*x^2)^(5/2), x)`

### Reduce [B] (verification not implemented)

Time = 0.24 (sec) , antiderivative size = 130, normalized size of antiderivative = 1.65

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{5/2}} dx = \frac{\sqrt{a} (12\operatorname{atan}(\sqrt{x^2 + 1} + x) x^4 + 24\operatorname{atan}(\sqrt{x^2 + 1} + x) x^2 + 12\operatorname{atan}(\sqrt{x^2 + 1} + x) + \dots)}{(a + ax^2)^{5/2}}$$

input `int(acot(x)/(a*x^2+a)^(5/2),x)`

output `(sqrt(a)*(12*atan(sqrt(x**2 + 1) + x)*x**4 + 24*atan(sqrt(x**2 + 1) + x)*x**2 + 12*atan(sqrt(x**2 + 1) + x) + 6*sqrt(x**2 + 1)*atan(1/x)*x**3 + 9*sqrt(x**2 + 1)*atan(1/x)*x + 6*atan(1/x)*x**4 + 12*atan(1/x)*x**2 + 6*atan(1/x) - 6*sqrt(x**2 + 1)*x**2 - 7*sqrt(x**2 + 1)))/(9*a**3*(x**4 + 2*x**2 + 1))`

### 3.12 $\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx$

Optimal result	118
Mathematica [A] (verified)	118
Rubi [A] (verified)	119
Maple [A] (verified)	120
Fricas [A] (verification not implemented)	121
Sympy [F]	121
Maxima [A] (verification not implemented)	121
Giac [A] (verification not implemented)	122
Mupad [F(-1)]	122
Reduce [B] (verification not implemented)	123

#### Optimal result

Integrand size = 14, antiderivative size = 118

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx = -\frac{1}{25a(a+ax^2)^{5/2}} - \frac{4}{45a^2(a+ax^2)^{3/2}} - \frac{8}{15a^3\sqrt{a+ax^2}} + \frac{x \cot^{-1}(x)}{5a(a+ax^2)^{5/2}} + \frac{4x \cot^{-1}(x)}{15a^2(a+ax^2)^{3/2}} + \frac{8x \cot^{-1}(x)}{15a^3\sqrt{a+ax^2}}$$

output

```
-1/25/a/(a*x^2+a)^(5/2)-4/45/a^2/(a*x^2+a)^(3/2)-8/15/a^3/(a*x^2+a)^(1/2)+
1/5*x*arccot(x)/a/(a*x^2+a)^(5/2)+4/15*x*arccot(x)/a^2/(a*x^2+a)^(3/2)+8/1
5*x*arccot(x)/a^3/(a*x^2+a)^(1/2)
```

#### Mathematica [A] (verified)

Time = 0.05 (sec) , antiderivative size = 47, normalized size of antiderivative = 0.40

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx = \frac{-149 - 260x^2 - 120x^4 + 15x(15 + 20x^2 + 8x^4) \cot^{-1}(x)}{225a(a(1+x^2))^{5/2}}$$

input

```
Integrate[ArcCot[x]/(a + a*x^2)^(7/2),x]
```

output

$$(-149 - 260*x^2 - 120*x^4 + 15*x*(15 + 20*x^2 + 8*x^4)*\text{ArcCot}[x])/(225*a*(a*(1 + x^2))^(5/2))$$
**Rubi [A] (verified)**

Time = 0.40 (sec) , antiderivative size = 129, normalized size of antiderivative = 1.09, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {5432, 5432, 5430}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{(ax^2 + a)^{7/2}} dx$$

$$\downarrow 5432$$

$$\frac{4 \int \frac{\cot^{-1}(x)}{(ax^2+a)^{5/2}} dx}{5a} - \frac{1}{25a(ax^2+a)^{5/2}} + \frac{x \cot^{-1}(x)}{5a(ax^2+a)^{5/2}}$$

$$\downarrow 5432$$

$$\frac{4 \left( \frac{2 \int \frac{\cot^{-1}(x)}{(ax^2+a)^{3/2}} dx}{3a} - \frac{1}{9a(ax^2+a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2+a)^{3/2}} \right)}{5a} - \frac{1}{25a(ax^2+a)^{5/2}} + \frac{x \cot^{-1}(x)}{5a(ax^2+a)^{5/2}}$$

$$\downarrow 5430$$

$$-\frac{1}{25a(ax^2+a)^{5/2}} + \frac{x \cot^{-1}(x)}{5a(ax^2+a)^{5/2}} + \frac{4 \left( -\frac{1}{9a(ax^2+a)^{3/2}} + \frac{x \cot^{-1}(x)}{3a(ax^2+a)^{3/2}} + \frac{2 \left( \frac{x \cot^{-1}(x)}{a\sqrt{ax^2+a}} - \frac{1}{a\sqrt{ax^2+a}} \right)}{3a} \right)}{5a}$$

input

$$\text{Int}[\text{ArcCot}[x]/(a + a*x^2)^(7/2), x]$$



output

$$-1/25*1/(a*(a + a*x^2)^{(5/2)}) + (x*ArcCot[x])/(5*a*(a + a*x^2)^{(5/2)}) + (4*(-1/9*1/(a*(a + a*x^2)^{(3/2)}) + (x*ArcCot[x])/(3*a*(a + a*x^2)^{(3/2)}) + (2*(-1/(a*sqrt[a + a*x^2])) + (x*ArcCot[x])/(a*sqrt[a + a*x^2])))/(3*a)))/(5*a)$$

### Defintions of rubi rules used

rule 5430

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))/((d_) + (e_.)*(x_)^2)^(3/2), x_Symbol]
  := Simp[-b/(c*d*Sqrt[d + e*x^2]), x] + Simp[x*((a + b*ArcCot[c*x])/(d*Sqrt[d + e*x^2])), x]
  /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d]
```

rule 5432

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)^(q_), x_Symbol]
  := Simp[(-b)*((d + e*x^2)^(q + 1)/(4*c*d*(q + 1)^2), x] + (-Simp[x*(d + e*x^2)^(q + 1)*((a + b*ArcCot[c*x])/(2*d*(q + 1))), x] + Simp[(2*q + 3)/(2*d*(q + 1)) Int[(d + e*x^2)^(q + 1)*(a + b*ArcCot[c*x]), x], x] /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && LtQ[q, -1] && NeQ[q, -3/2]
```

### Maple [A] (verified)

Time = 1.16 (sec) , antiderivative size = 88, normalized size of antiderivative = 0.75

method	result
orering	$\frac{\left(\frac{64}{15}x^7 + \frac{616}{45}x^5 + \frac{3388}{225}x^3 + \frac{1268}{225}x\right) \operatorname{arccot}(x)}{(ax^2+a)^{\frac{7}{2}}} + \frac{(120x^4+260x^2+149)(x^2+1)^2 \left( -\frac{1}{(x^2+1)(ax^2+a)^{\frac{7}{2}}} - \frac{7 \operatorname{arccot}(x)ax}{(ax^2+a)^{\frac{9}{2}}} \right)}{225}$
risch	$\frac{ix(8x^4+20x^2+15) \ln(ix+1)}{30a^3(x^2+1)^2 \sqrt{a(x^2+1)}} + \frac{-120ix^5 \ln(-ix+1) + 120x^5\pi - 300ix^3 \ln(-ix+1) + 300\pi x^3 - 240x^4 - 225i \ln(-ix+1)x + 225\pi x - 52}{450a^3(x^2+1)^2 \sqrt{a(x^2+1)}}$
default	$\frac{(i+5 \operatorname{arccot}(x))(x^5+5ix^4-10x^3-10ix^2+5x+i) \sqrt{a(i+x)(x-i)}}{800(x^2+1)^3 a^4} + \frac{5(\operatorname{arccot}(x)+i)(i+x) \sqrt{a(i+x)(x-i)}}{16(x^2+1)a^4} + \frac{5\sqrt{a(i+x)(x-i)}(x-i)}{16(x^2+1)}$

input

```
int(arccot(x)/(a*x^2+a)^(7/2), x, method=_RETURNVERBOSE)
```

output

$$\left(\frac{64}{15}x^7 + \frac{616}{45}x^5 + \frac{3388}{225}x^3 + \frac{1268}{225}x\right) \operatorname{arccot}(x) / (a*x^2+a)^{(7/2)} + 1/225*(120*x^4+260*x^2+149)*(x^2+1)^2*(-1/(x^2+1)/(a*x^2+a)^{(7/2)} - 7*\operatorname{arccot}(x)/(a*x^2+a)^{(9/2)}*a*x)$$

**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 70, normalized size of antiderivative = 0.59

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx = \frac{(120x^4 + 260x^2 - 15(8x^5 + 20x^3 + 15x)\operatorname{arccot}(x) + 149)\sqrt{ax^2 + a}}{225(a^4x^6 + 3a^4x^4 + 3a^4x^2 + a^4)}$$

input `integrate(arccot(x)/(a*x^2+a)^(7/2),x, algorithm="fricas")`output `-1/225*(120*x^4 + 260*x^2 - 15*(8*x^5 + 20*x^3 + 15*x)*arccot(x) + 149)*sqrt(a*x^2 + a)/(a^4*x^6 + 3*a^4*x^4 + 3*a^4*x^2 + a^4)`**Sympy [F]**

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx = \int \frac{\operatorname{acot}(x)}{(a(x^2+1))^{7/2}} dx$$

input `integrate(acot(x)/(a*x**2+a)**(7/2),x)`output `Integral(acot(x)/(a*(x**2 + 1))**(7/2), x)`**Maxima [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 93, normalized size of antiderivative = 0.79

$$\int \frac{\cot^{-1}(x)}{(a+ax^2)^{7/2}} dx = \frac{1}{15} \left( \frac{8x}{\sqrt{ax^2+aa^3}} + \frac{4x}{(ax^2+a)^{\frac{3}{2}}a^2} + \frac{3x}{(ax^2+a)^{\frac{5}{2}}a} \right) \operatorname{arccot}(x) - \frac{8}{15\sqrt{ax^2+aa^3}} - \frac{4}{45(ax^2+a)^{\frac{3}{2}}a^2} - \frac{1}{25(ax^2+a)^{\frac{5}{2}}a}$$

input `integrate(arccot(x)/(a*x^2+a)^(7/2),x, algorithm="maxima")`

output

$$\frac{1}{15} \cdot \frac{8x}{\sqrt{ax^2 + a}} \cdot a^3 + \frac{4x}{((ax^2 + a)^{3/2}) \cdot a^2} + \frac{3x}{((ax^2 + a)^{5/2}) \cdot a} \cdot \operatorname{arccot}(x) - \frac{8}{15} \cdot \frac{1}{\sqrt{ax^2 + a}} \cdot a^3 - \frac{4}{45} \cdot \frac{1}{((ax^2 + a)^{3/2}) \cdot a^2} - \frac{1}{25} \cdot \frac{1}{((ax^2 + a)^{5/2}) \cdot a}$$
**Giac [A] (verification not implemented)**

Time = 0.17 (sec) , antiderivative size = 83, normalized size of antiderivative = 0.70

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{7/2}} dx = \frac{\left(4x^2 \left(\frac{2x^2}{a} + \frac{5}{a}\right) + \frac{15}{a}\right) x \arctan\left(\frac{1}{x}\right)}{15(ax^2 + a)^{\frac{5}{2}}} - \frac{120(ax^2 + a)^2 + 20(ax^2 + a)a + 9a^2}{225(ax^2 + a)^{\frac{5}{2}}a^3}$$

input

```
integrate(arccot(x)/(a*x^2+a)^(7/2),x, algorithm="giac")
```

output

$$\frac{1}{15} \cdot \frac{4x^2 \cdot (2x^2/a + 5/a) + 15/a}{(ax^2 + a)^{5/2}} \cdot x \cdot \arctan(1/x) - \frac{1}{225} \cdot \frac{120 \cdot (ax^2 + a)^2 + 20 \cdot (ax^2 + a) \cdot a + 9a^2}{(ax^2 + a)^{5/2} \cdot a^3}$$
**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{7/2}} dx = \int \frac{\operatorname{acot}(x)}{(ax^2 + a)^{7/2}} dx$$

input

```
int(acot(x)/(a + a*x^2)^(7/2),x)
```

output

```
int(acot(x)/(a + a*x^2)^(7/2), x)
```

**Reduce [B] (verification not implemented)**

Time = 0.25 (sec) , antiderivative size = 184, normalized size of antiderivative = 1.56

$$\int \frac{\cot^{-1}(x)}{(a + ax^2)^{7/2}} dx = \frac{\sqrt{a} (240 \operatorname{atan}(\sqrt{x^2 + 1} + x) x^6 + 720 \operatorname{atan}(\sqrt{x^2 + 1} + x) x^4 + 720 \operatorname{atan}(\sqrt{x^2 + 1} + x) x^2 + 240 \operatorname{atan}(\sqrt{x^2 + 1} + x) + 120 \sqrt{x^2 + 1} \operatorname{atan}(1/x) x^5 + 300 \sqrt{x^2 + 1} \operatorname{atan}(1/x) x^3 + 225 \sqrt{x^2 + 1} \operatorname{atan}(1/x) x + 120 \operatorname{atan}(1/x) x^6 + 360 \operatorname{atan}(1/x) x^4 + 360 \operatorname{atan}(1/x) x^2 + 120 \operatorname{atan}(1/x) - 120 \sqrt{x^2 + 1} x^4 - 260 \sqrt{x^2 + 1} x^2 - 149 \sqrt{x^2 + 1})}{(225 a^4 (x^6 + 3 x^4 + 3 x^2 + 1))}$$

input `int(acot(x)/(a*x^2+a)^(7/2),x)`output `(sqrt(a)*(240*atan(sqrt(x**2 + 1) + x)*x**6 + 720*atan(sqrt(x**2 + 1) + x)*x**4 + 720*atan(sqrt(x**2 + 1) + x)*x**2 + 240*atan(sqrt(x**2 + 1) + x) + 120*sqrt(x**2 + 1)*atan(1/x)*x**5 + 300*sqrt(x**2 + 1)*atan(1/x)*x**3 + 225*sqrt(x**2 + 1)*atan(1/x)*x + 120*atan(1/x)*x**6 + 360*atan(1/x)*x**4 + 360*atan(1/x)*x**2 + 120*atan(1/x) - 120*sqrt(x**2 + 1)*x**4 - 260*sqrt(x**2 + 1)*x**2 - 149*sqrt(x**2 + 1)))/(225*a**4*(x**6 + 3*x**4 + 3*x**2 + 1))`

### 3.13 $\int \sqrt{c + dx^2} \cot^{-1}(ax) dx$

Optimal result	124
Mathematica [N/A]	124
Rubi [N/A]	125
Maple [N/A]	125
Fricas [N/A]	126
Sympy [N/A]	126
Maxima [F(-2)]	126
Giac [N/A]	127
Mupad [N/A]	127
Reduce [N/A]	128

#### Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \text{Int}\left(\sqrt{c + dx^2} \cot^{-1}(ax), x\right)$$

output `Defer(Int)((d*x^2+c)^(1/2)*arccot(a*x), x)`

#### Mathematica [N/A]

Not integrable

Time = 4.04 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{c + dx^2} \cot^{-1}(ax) dx$$

input `Integrate[Sqrt[c + d*x^2]*ArcCot[a*x], x]`

output `Integrate[Sqrt[c + d*x^2]*ArcCot[a*x], x]`

**Rubi [N/A]**

Not integrable

Time = 0.19 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \cot^{-1}(ax) \sqrt{c + dx^2} dx$$

$$\downarrow 5561$$

$$\int \cot^{-1}(ax) \sqrt{c + dx^2} dx$$

input `Int[Sqrt[c + d*x^2]*ArcCot[a*x],x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 1.36 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \sqrt{dx^2 + c} \operatorname{arccot}(ax) dx$$

input `int((d*x^2+c)^(1/2)*arccot(a*x),x)`

output `int((d*x^2+c)^(1/2)*arccot(a*x),x)`

**Fricas [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{arccot}(ax) dx$$

input `integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="fricas")`

output `integral(sqrt(d*x^2 + c)*arccot(a*x), x)`

**Sympy [N/A]**

Not integrable

Time = 4.94 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{c + dx^2} \operatorname{acot}(ax) dx$$

input `integrate((d*x**2+c)**(1/2)*acot(a*x),x)`

output `Integral(sqrt(c + d*x**2)*acot(a*x), x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \text{Exception raised: ValueError}$$

input `integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="maxima")`

output

```
Exception raised: ValueError >> Computation failed since Maxima requested
additional constraints; using the 'assume' command before evaluation *may*
help (example of legal syntax is 'assume(d-a^2*c>0)', see `assume?` for m
ore detail
```

**Giac [N/A]**

Not integrable

Time = 0.12 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{arccot}(ax) dx$$

input

```
integrate((d*x^2+c)^(1/2)*arccot(a*x),x, algorithm="giac")
```

output

```
integrate(sqrt(d*x^2 + c)*arccot(a*x), x)
```

**Mupad [N/A]**

Not integrable

Time = 0.72 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \operatorname{acot}(ax) \sqrt{dx^2 + c} dx$$

input

```
int(acot(a*x)*(c + d*x^2)^(1/2),x)
```

output

```
int(acot(a*x)*(c + d*x^2)^(1/2), x)
```



**Reduce [N/A]**

Not integrable

Time = 0.32 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \sqrt{c + dx^2} \cot^{-1}(ax) dx = \int \sqrt{dx^2 + c} \operatorname{acot}(ax) dx$$

input `int((d*x^2+c)^(1/2)*acot(a*x),x)`output `int(sqrt(c + d*x**2)*acot(a*x),x)`

### 3.14 $\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$

Optimal result	129
Mathematica [N/A]	129
Rubi [N/A]	130
Maple [N/A]	130
Fricas [N/A]	131
Sympy [N/A]	131
Maxima [N/A]	131
Giac [N/A]	132
Mupad [N/A]	132
Reduce [N/A]	133

#### Optimal result

Integrand size = 16, antiderivative size = 16

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \text{Int}\left(\frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}}, x\right)$$

output `Defer(Int)(arccot(a*x)/(d*x^2+c)^(1/2), x)`

#### Mathematica [N/A]

Not integrable

Time = 2.67 (sec) , antiderivative size = 18, normalized size of antiderivative = 1.12

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

input `Integrate[ArcCot[a*x]/Sqrt[c + d*x^2], x]`

output `Integrate[ArcCot[a*x]/Sqrt[c + d*x^2], x]`

**Rubi [N/A]**

Not integrable

Time = 0.20 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

↓ 5561

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx$$

input `Int[ArcCot[a*x]/Sqrt[c + d*x^2],x]`

output `$Aborted`

**Maple [N/A]**

Not integrable

Time = 1.17 (sec) , antiderivative size = 14, normalized size of antiderivative = 0.88

$$\int \frac{\operatorname{arccot}(ax)}{\sqrt{dx^2+c}} dx$$

input `int(arccot(a*x)/(d*x^2+c)^(1/2),x)`

output `int(arccot(a*x)/(d*x^2+c)^(1/2),x)`

**Fricas [N/A]**

Not integrable

Time = 0.10 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccot}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="fricas")`

output `integral(arccot(a*x)/sqrt(d*x^2 + c), x)`

**Sympy [N/A]**

Not integrable

Time = 1.63 (sec) , antiderivative size = 15, normalized size of antiderivative = 0.94

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{c+dx^2}} dx$$

input `integrate(acot(a*x)/(d*x**2+c)**(1/2),x)`

output `Integral(acot(a*x)/sqrt(c + d*x**2), x)`

**Maxima [N/A]**

Not integrable

Time = 0.88 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccot}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="maxima")`

output `integrate(arccot(a*x)/sqrt(d*x^2 + c), x)`

### Giac [N/A]

Not integrable

Time = 0.14 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{arccot}(ax)}{\sqrt{dx^2+c}} dx$$

input `integrate(arccot(a*x)/(d*x^2+c)^(1/2),x, algorithm="giac")`

output `integrate(arccot(a*x)/sqrt(d*x^2 + c), x)`

### Mupad [N/A]

Not integrable

Time = 0.77 (sec) , antiderivative size = 16, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{dx^2+c}} dx$$

input `int(acot(a*x)/(c + d*x^2)^(1/2),x)`

output `int(acot(a*x)/(c + d*x^2)^(1/2), x)`

**Reduce [N/A]**

Not integrable

Time = 0.28 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.06

$$\int \frac{\cot^{-1}(ax)}{\sqrt{c+dx^2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{dx^2+c}} dx$$

input `int(acot(a*x)/(d*x^2+c)^(1/2),x)`output `int(acot(a*x)/sqrt(c + d*x**2),x)`

### 3.15 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx$

Optimal result	134
Mathematica [C] (verified)	134
Rubi [A] (verified)	135
Maple [F]	137
Fricas [B] (verification not implemented)	137
Sympy [F]	138
Maxima [F(-2)]	138
Giac [A] (verification not implemented)	138
Mupad [F(-1)]	139
Reduce [F]	139

#### Optimal result

Integrand size = 16, antiderivative size = 66

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \frac{x \cot^{-1}(ax)}{c\sqrt{c+dx^2}} - \frac{\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c\sqrt{a^2c-d}}$$

output

```
x*arccot(a*x)/c/(d*x^2+c)^(1/2)-arctanh(a*(d*x^2+c)^(1/2)/(a^2*c-d)^(1/2))
/c/(a^2*c-d)^(1/2)
```

#### Mathematica [C] (verified)

Result contains complex when optimal does not.

Time = 0.18 (sec) , antiderivative size = 169, normalized size of antiderivative = 2.56

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \frac{2x \cot^{-1}(ax)}{\sqrt{c+dx^2}} + \frac{-\log\left(\frac{4ac(ac-idx+\sqrt{a^2c-d}\sqrt{c+dx^2})}{\sqrt{a^2c-d}(i+ax)}\right) - \log\left(\frac{4ac(ac+idx+\sqrt{a^2c-d}\sqrt{c+dx^2})}{\sqrt{a^2c-d}(-i+ax)}\right)}{2c}$$

input

```
Integrate[ArcCot[a*x]/(c + d*x^2)^(3/2), x]
```

output

```
((2*x*ArcCot[a*x])/Sqrt[c + d*x^2] + (-Log[(4*a*c*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/(Sqrt[a^2*c - d]*(I + a*x))] - Log[(4*a*c*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/(Sqrt[a^2*c - d]*(-I + a*x))])/Sqrt[a^2*c - d])/(2*c)
```

**Rubi [A] (verified)**

Time = 0.27 (sec) , antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {5448, 27, 353, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{3/2}} dx$$

$$\downarrow 5448$$

$$a \int \frac{x}{c(a^2x^2 + 1)\sqrt{dx^2 + c}} dx + \frac{x \cot^{-1}(ax)}{c\sqrt{c + dx^2}}$$

$$\downarrow 27$$

$$\frac{a \int \frac{x}{(a^2x^2 + 1)\sqrt{dx^2 + c}} dx}{c} + \frac{x \cot^{-1}(ax)}{c\sqrt{c + dx^2}}$$

$$\downarrow 353$$

$$\frac{a \int \frac{1}{(a^2x^2 + 1)\sqrt{dx^2 + c}} dx^2}{2c} + \frac{x \cot^{-1}(ax)}{c\sqrt{c + dx^2}}$$

$$\downarrow 73$$

$$\frac{a \int \frac{1}{\frac{a^2x^4}{d} - \frac{a^2c}{d} + 1} d\sqrt{dx^2 + c}}{cd} + \frac{x \cot^{-1}(ax)}{c\sqrt{c + dx^2}}$$

$$\downarrow 221$$

$$\frac{x \cot^{-1}(ax)}{c\sqrt{c + dx^2}} - \frac{\operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c\sqrt{a^2c-d}}$$



input `Int[ArcCot[a*x]/(c + d*x^2)^(3/2),x]`

output `(x*ArcCot[a*x])/(c*Sqrt[c + d*x^2]) - ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]]/(c*Sqrt[a^2*c - d])`

### Defintions of rubi rules used

rule 27 `Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !MatchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]`

rule 73 `Int[((a_.) + (b_.)*(x_)^(m_))*((c_.) + (d_.)*(x_)^(n_)), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 353 `Int[(x_)*((a_) + (b_.)*(x_)^2)^(p_.)*((c_) + (d_.)*(x_)^2)^(q_.), x_Symbol] := Simp[1/2 Subst[Int[(a + b*x)^p*(c + d*x)^q, x], x, x^2], x] /; FreeQ[{a, b, c, d, p, q}, x] && NeQ[b*c - a*d, 0]`

rule 5448 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u, x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

**Maple [F]**

$$\int \frac{\operatorname{arccot}(ax)}{(dx^2 + c)^{\frac{3}{2}}} dx$$

input `int(arccot(a*x)/(d*x^2+c)^(3/2),x)`

output `int(arccot(a*x)/(d*x^2+c)^(3/2),x)`

**Fricas [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 154 vs. 2(58) = 116.

Time = 0.14 (sec) , antiderivative size = 349, normalized size of antiderivative = 5.29

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \left[ \frac{4(a^2c - d)\sqrt{dx^2 + c}x \operatorname{arccot}(ax) + \sqrt{a^2c - d}(dx^2 + c) \log\left(\frac{a^4d^2x^4 + 8a^4c^2 - 8a^2cd + 2(4a^4c^2d - 3a^2d^2)x^2 - 4(a^3d^2x^2 + 2a^3c - a^2d)\sqrt{a^2c - d}\sqrt{dx^2 + c} + d^2}{(a^4x^4 + 2a^2x^2 + 1)}\right)}{4(a^2c^3 - c^2d + (a^2c^2d - cd^2)x^2)} \right]$$

input `integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="fricas")`

output `[1/4*(4*(a^2*c - d)*sqrt(d*x^2 + c)*x*arccot(a*x) + sqrt(a^2*c - d)*(d*x^2 + c)*log((a^4*d^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d*x^2 + 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*a^2*x^2 + 1)))/(a^2*c^3 - c^2*d + (a^2*c^2*d - c*d^2)*x^2), 1/2*(2*(a^2*c - d)*sqrt(d*x^2 + c)*x*arccot(a*x) - sqrt(-a^2*c + d)*(d*x^2 + c)*arctan(-1/2*(a^2*d*x^2 + 2*a^2*c - d)*sqrt(-a^2*c + d)*sqrt(d*x^2 + c)/(a^3*c^2 - a*c*d + (a^3*c*d - a*d^2)*x^2)))/(a^2*c^3 - c^2*d + (a^2*c^2*d - c*d^2)*x^2)]`

**Sympy [F]**

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \int \frac{\operatorname{acot}(ax)}{(c+dx^2)^{\frac{3}{2}}} dx$$

input `integrate(acot(a*x)/(d*x**2+c)**(3/2),x)`

output `Integral(acot(a*x)/(c + d*x**2)**(3/2), x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(d-a^2*c>0)', see `assume?` for more detail`

**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 59, normalized size of antiderivative = 0.89

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{3/2}} dx = \frac{x \arctan\left(\frac{1}{ax}\right)}{\sqrt{dx^2+cc}} + \frac{\arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{\sqrt{-a^2c+d}}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(3/2),x, algorithm="giac")`

output `x*arctan(1/(a*x))/(sqrt(d*x^2 + c)*c) + arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/(sqrt(-a^2*c + d)*c)`

### Mupad [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^{3/2}} dx$$

input `int(acot(a*x)/(c + d*x^2)^(3/2), x)`

output `int(acot(a*x)/(c + d*x^2)^(3/2), x)`

### Reduce [F]

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{3/2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{dx^2 + c}c + \sqrt{dx^2 + c}dx^2} dx$$

input `int(acot(a*x)/(d*x^2+c)^(3/2), x)`

output `int(acot(a*x)/(sqrt(c + d*x**2)*c + sqrt(c + d*x**2)*d*x**2), x)`

### 3.16 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx$

Optimal result	140
Mathematica [C] (verified)	140
Rubi [A] (verified)	141
Maple [F]	143
Fricas [B] (verification not implemented)	144
Sympy [F]	145
Maxima [F(-2)]	145
Giac [A] (verification not implemented)	145
Mupad [F(-1)]	146
Reduce [F]	146

#### Optimal result

Integrand size = 16, antiderivative size = 134

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{a}{3c(a^2c-d)\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} - \frac{(3a^2c-2d) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{3c^2(a^2c-d)^{3/2}}$$

output

```
1/3*a/c/(a^2*c-d)/(d*x^2+c)^(1/2)+1/3*x*arccot(a*x)/c/(d*x^2+c)^(3/2)+2/3*x*arccot(a*x)/c^2/(d*x^2+c)^(1/2)-1/3*(3*a^2*c-2*d)*arctanh(a*(d*x^2+c)^(1/2)/(a^2*c-d)^(1/2))/c^2/(a^2*c-d)^(3/2)
```

#### Mathematica [C] (verified)

Result contains complex when optimal does not.

Time = 0.42 (sec) , antiderivative size = 262, normalized size of antiderivative = 1.96

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{2ac}{(a^2c-d)\sqrt{c+dx^2}} - \frac{2x(3c+2dx^2)\cot^{-1}(ax)}{(c+dx^2)^{3/2}} + \frac{(3a^2c-2d) \log\left(\frac{12ac^2\sqrt{a^2c-d}(ac-idx+\sqrt{a^2c-d}\sqrt{c+dx^2})}{(3a^2c-2d)^{(i+ax)}}\right)}{(a^2c-d)^{3/2}} + \frac{(3a^2c-2d) \log\left(\frac{12ac^2\sqrt{a^2c-d}}{(a^2c-d)^{(i-ax)}}\right)}{(a^2c-d)^{3/2}}$$

$6c^2$

input `Integrate[ArcCot[a*x]/(c + d*x^2)^(5/2),x]`

output 
$$\begin{aligned} & -1/6*((-2*a*c)/((a^2*c - d)*\text{Sqrt}[c + d*x^2]) - (2*x*(3*c + 2*d*x^2)*\text{ArcCot} \\ & [a*x])/(c + d*x^2)^(3/2) + ((3*a^2*c - 2*d)*\text{Log}[(12*a*c^2*\text{Sqrt}[a^2*c - d]* \\ & (a*c - I*d*x + \text{Sqrt}[a^2*c - d]*\text{Sqrt}[c + d*x^2]))/((3*a^2*c - 2*d)*(I + a*x \\ & )))]/(a^2*c - d)^(3/2) + ((3*a^2*c - 2*d)*\text{Log}[(12*a*c^2*\text{Sqrt}[a^2*c - d]*(a \\ & *c + I*d*x + \text{Sqrt}[a^2*c - d]*\text{Sqrt}[c + d*x^2]))/((3*a^2*c - 2*d)*(-I + a*x \\ & )))]/(a^2*c - d)^(3/2))/c^2 \end{aligned}$$

### Rubi [A] (verified)

Time = 0.34 (sec) , antiderivative size = 136, normalized size of antiderivative = 1.01, number of steps used = 7, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$ , Rules used = {5448, 27, 435, 87, 73, 221}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx \\ & \quad \downarrow 5448 \\ & a \int \frac{x(2dx^2 + 3c)}{3c^2(a^2x^2 + 1)(dx^2 + c)^{3/2}} dx + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\ & \quad \downarrow 27 \\ & a \int \frac{x(2dx^2 + 3c)}{(a^2x^2 + 1)(dx^2 + c)^{3/2}} dx + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\ & \quad \downarrow 435 \\ & a \int \frac{2dx^2 + 3c}{(a^2x^2 + 1)(dx^2 + c)^{3/2}} dx^2 + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c + dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c + dx^2)^{3/2}} \\ & \quad \downarrow 87 \end{aligned}$$

$$\begin{aligned}
 & \frac{a \left( \frac{(3a^2c-2d) \int \frac{1}{(a^2x^2+1)\sqrt{dx^2+c}} dx^2}{a^2c-d} + \frac{2c}{(a^2c-d)\sqrt{c+dx^2}} \right)}{6c^2} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} \\
 & \quad \downarrow \text{73} \\
 & \frac{a \left( \frac{2(3a^2c-2d) \int \frac{\frac{1}{\frac{a^2x^4}{d} - \frac{a^2c}{d} + 1} d\sqrt{dx^2+c}}{d(a^2c-d)} + \frac{2c}{(a^2c-d)\sqrt{c+dx^2}} \right)}{6c^2} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}} \\
 & \quad \downarrow \text{221} \\
 & \frac{a \left( \frac{2c}{(a^2c-d)\sqrt{c+dx^2}} - \frac{2(3a^2c-2d) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{a(a^2c-d)^{3/2}} \right)}{6c^2} + \frac{2x \cot^{-1}(ax)}{3c^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{3c(c+dx^2)^{3/2}}
 \end{aligned}$$

input `Int[ArcCot[a*x]/(c + d*x^2)^(5/2),x]`

output `(x*ArcCot[a*x])/(3*c*(c + d*x^2)^(3/2)) + (2*x*ArcCot[a*x])/(3*c^2*Sqrt[c + d*x^2]) + (a*((2*c)/((a^2*c - d)*Sqrt[c + d*x^2]) - (2*(3*a^2*c - 2*d)*ArcTanh[(a*Sqrt[c + d*x^2])/Sqrt[a^2*c - d]])/(a*(a^2*c - d)^(3/2)))/(6*c^2)`

### Defintions of rubi rules used

rule 27 `Int[(a_)*(F_x_), x_Symbol] := Simp[a Int[F_x, x], x] /; FreeQ[a, x] && !MatchQ[F_x, (b_)*(G_x_) /; FreeQ[b, x]]`

rule 73 `Int[((a_.) + (b_.)*(x_))^(m_)*((c_.) + (d_.)*(x_))^(n_), x_Symbol] := With[{p = Denominator[m]}, Simp[p/b Subst[Int[x^(p*(m + 1) - 1)*(c - a*(d/b) + d*(x^p/b))^n, x], x, (a + b*x)^(1/p)], x] /; FreeQ[{a, b, c, d}, x] && LtQ[-1, m, 0] && LeQ[-1, n, 0] && LeQ[Denominator[n], Denominator[m]] && IntLinearQ[a, b, c, d, m, n, x]`

rule 87 `Int[((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_)^(n_.))*((e_.) + (f_.)*(x_)^(p_.), x_] := Simp[(-(b*e - a*f))*(c + d*x)^(n + 1)*((e + f*x)^(p + 1)/(f*(p + 1)*(c*f - d*e))), x] - Simp[(a*d*f*(n + p + 2) - b*(d*e*(n + 1) + c*f*(p + 1)))/(f*(p + 1)*(c*f - d*e)) Int[(c + d*x)^n*(e + f*x)^(p + 1), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && LtQ[p, -1] && (!LtQ[n, -1] || IntegerQ[p] || !(IntegerQ[n] || !(EqQ[e, 0] || !(EqQ[c, 0] || LtQ[p, n]))))`

rule 221 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-a/b, 2]/a)*ArcTanh[x/Rt[-a/b, 2]], x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

rule 435 `Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^2)^(p_.)*((c_.) + (d_.)*(x_)^2)^(q_.)*((e_.) + (f_.)*(x_)^2)^(r_.), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p*(c + d*x)^q*(e + f*x)^r, x], x, x^2], x] /; FreeQ[{a, b, c, d, e, f, p, q, r}, x] && IntegerQ[(m - 1)/2]`

rule 5448 `Int[((a_.) + ArcCot[(c_.)*(x_)])*(b_.)*((d_.) + (e_.)*(x_)^2)^(q_.), x_Symbol] := With[{u = IntHide[(d + e*x^2)^q, x]}, Simp[(a + b*ArcCot[c*x]) u, x] + Simp[b*c Int[SimplifyIntegrand[u/(1 + c^2*x^2), x], x], x]] /; FreeQ[{a, b, c, d, e}, x] && (IntegerQ[q] || ILtQ[q + 1/2, 0])`

## Maple [F]

$$\int \frac{\operatorname{arccot}(ax)}{(dx^2 + c)^{\frac{5}{2}}} dx$$

input `int(arccot(a*x)/(d*x^2+c)^(5/2),x)`

output `int(arccot(a*x)/(d*x^2+c)^(5/2),x)`



**Fricas [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 335 vs.  $2(114) = 228$ .

Time = 0.21 (sec) , antiderivative size = 712, normalized size of antiderivative = 5.31

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{5/2}} dx = \frac{\left[ (3a^2c^3 + (3a^2cd^2 - 2d^3)x^4 - 2c^2d + 2(3a^2c^2d - 2cd^2)x^2)\sqrt{a^2c-d} \log\left(\frac{a^4d^2x^4+8a^4d^2c^2-2c^2d}{(3a^2c^3 + (3a^2cd^2 - 2d^3)x^4 - 2c^2d + 2(3a^2c^2d - 2cd^2)x^2)\sqrt{-a^2c+d}}\right) \arctan\left(-\frac{(a^2dx^2+2a^2c-d)\sqrt{-a^2c+d}}{2(a^3c^2-acd+(a^3cd-ad^2)x}\right) \right]}{6(a^4c^6 - 2a^2c^5d + c^4d^2 + (a^4c^4d^2$$

input `integrate(arccot(a*x)/(d*x^2+c)^(5/2),x, algorithm="fricas")`

output

```
[1/12*((3*a^2*c^3 + (3*a^2*c*d^2 - 2*d^3)*x^4 - 2*c^2*d + 2*(3*a^2*c^2*d - 2*c*d^2)*x^2)*sqrt(a^2*c - d)*log((a^4*d^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d*x^2 + 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*a^2*x^2 + 1)) + 4*(a^3*c^3 - a*c^2*d + (a^3*c^2*d - a*c*d^2)*x^2 + (2*(a^4*c^2*d - 2*a^2*c*d^2 + d^3)*x^3 + 3*(a^4*c^3 - 2*a^2*c^2*d + c*d^2)*x)*arccot(a*x)*sqrt(d*x^2 + c))/(a^4*c^6 - 2*a^2*c^5*d + c^4*d^2 + (a^4*c^4*d^2 - 2*a^2*c^3*d^3 + c^2*d^4)*x^4 + 2*(a^4*c^5*d - 2*a^2*c^4*d^2 + c^3*d^3)*x^2), -1/6*((3*a^2*c^3 + (3*a^2*c*d^2 - 2*d^3)*x^4 - 2*c^2*d + 2*(3*a^2*c^2*d - 2*c*d^2)*x^2)*sqrt(-a^2*c + d)*arctan(-1/2*(a^2*d*x^2 + 2*a^2*c - d)*sqrt(-a^2*c + d)*sqrt(d*x^2 + c)/(a^3*c^2 - a*c*d + (a^3*c*d - a*d^2)*x^2)) - 2*(a^3*c^3 - a*c^2*d + (a^3*c^2*d - a*c*d^2)*x^2 + (2*(a^4*c^2*d - 2*a^2*c*d^2 + d^3)*x^3 + 3*(a^4*c^3 - 2*a^2*c^2*d + c*d^2)*x)*arccot(a*x)*sqrt(d*x^2 + c))/(a^4*c^6 - 2*a^2*c^5*d + c^4*d^2 + (a^4*c^4*d^2 - 2*a^2*c^3*d^3 + c^2*d^4)*x^4 + 2*(a^4*c^5*d - 2*a^2*c^4*d^2 + c^3*d^3)*x^2)]
```

**Sympy [F]**

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acot}(ax)}{(c + dx^2)^{5/2}} dx$$

input `integrate(acot(a*x)/(d*x**2+c)**(5/2),x)`

output `Integral(acot(a*x)/(c + d*x**2)**(5/2), x)`

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(5/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(d-a^2*c>0)', see `assume?` for more detail`

**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 126, normalized size of antiderivative = 0.94

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \frac{1}{3} a \left( \frac{(3a^2c - 2d) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^2c^3 - c^2d)\sqrt{-a^2c+da}} + \frac{1}{(a^2c^2 - cd)\sqrt{dx^2+c}} \right) + \frac{x \left( \frac{2dx^2}{c^2} + \frac{3}{c} \right) \arctan\left(\frac{1}{ax}\right)}{3(dx^2+c)^{3/2}}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(5/2),x, algorithm="giac")`

output `1/3*a*((3*a^2*c - 2*d)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/((a^2*c^3 - c^2*d)*sqrt(-a^2*c + d)*a) + 1/((a^2*c^2 - c*d)*sqrt(d*x^2 + c)) + 1/3*x*(2*d*x^2/c^2 + 3/c)*arctan(1/(a*x))/(d*x^2 + c)^(3/2)`

### Mupad [F(-1)]

Timed out.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^{5/2}} dx$$

input `int(acot(a*x)/(c + d*x^2)^(5/2),x)`

output `int(acot(a*x)/(c + d*x^2)^(5/2), x)`

### Reduce [F]

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{5/2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{dx^2 + c}c^2 + 2\sqrt{dx^2 + c}cdx^2 + \sqrt{dx^2 + c}d^2x^4} dx$$

input `int(acot(a*x)/(d*x^2+c)^(5/2),x)`

output `int(acot(a*x)/(sqrt(c + d*x**2)*c**2 + 2*sqrt(c + d*x**2)*c*d*x**2 + sqrt(c + d*x**2)*d**2*x**4),x)`

### 3.17 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$

Optimal result	147
Mathematica [C] (verified)	148
Rubi [A] (warning: unable to verify)	148
Maple [F]	151
Fricas [B] (verification not implemented)	151
Sympy [F]	152
Maxima [F(-2)]	153
Giac [A] (verification not implemented)	153
Mupad [F(-1)]	154
Reduce [F]	154

#### Optimal result

Integrand size = 16, antiderivative size = 208

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx = \frac{a}{15c(a^2c-d)(c+dx^2)^{3/2}} + \frac{a(7a^2c-4d)}{15c^2(a^2c-d)^2\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{5c(c+dx^2)^{5/2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c+dx^2)^{3/2}} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c+dx^2}} - \frac{(15a^4c^2 - 20a^2cd + 8d^2) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{15c^3(a^2c-d)^{5/2}}$$

output  $\frac{1}{15} \frac{a}{c} \frac{1}{(a^2c-d)} \frac{1}{(dx^2+c)^{3/2}} + \frac{1}{15} \frac{a(7a^2c-4d)}{c^2} \frac{1}{(a^2c-d)^2} \frac{1}{(dx^2+c)^{1/2}} + \frac{1}{5} \frac{x \operatorname{arccot}(ax)}{c} \frac{1}{(dx^2+c)^{5/2}} + \frac{4}{15} \frac{x \operatorname{arccot}(ax)}{c^2} \frac{1}{(dx^2+c)^{3/2}} + \frac{8}{15} \frac{x \operatorname{arccot}(ax)}{c^3} \frac{1}{(dx^2+c)^{1/2}} - \frac{1}{15} \frac{(15a^4c^2 - 20a^2cd + 8d^2) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{c^3} \frac{1}{(a^2c-d)^{5/2}}$

**Mathematica [C] (verified)**

Result contains complex when optimal does not.

Time = 0.58 (sec) , antiderivative size = 345, normalized size of antiderivative = 1.66

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx =$$

$$\frac{-\frac{2ac(-d(5c+4dx^2)+a^2c(8c+7dx^2))}{(-a^2c+d)^2(c+dx^2)^{3/2}} - \frac{2x(15c^2+20cdx^2+8d^2x^4)\cot^{-1}(ax)}{(c+dx^2)^{5/2}} + \frac{(15a^4c^2-20a^2cd+8d^2)\log\left(\frac{60ac^3(a^2c-d)^{3/2}(ac-idx+\sqrt{a^2c-d})}{(15a^4c^2-20a^2cd+8d^2)}\right)}{(a^2c-d)^{5/2}}}{30c^3}$$

input `Integrate[ArcCot[a*x]/(c + d*x^2)^(7/2),x]`

output `-1/30*((-2*a*c*(-(d*(5*c + 4*d*x^2)) + a^2*c*(8*c + 7*d*x^2)))/((-a^2*c + d)^2*(c + d*x^2)^(3/2)) - (2*x*(15*c^2 + 20*c*d*x^2 + 8*d^2*x^4)*ArcCot[a*x])/(c + d*x^2)^(5/2) + ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*Log[(60*a*c^3*(a^2*c - d)^(3/2)*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*(I + a*x)))/(a^2*c - d)^(5/2) + ((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*Log[(60*a*c^3*(a^2*c - d)^(3/2)*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*(-I + a*x)))/(a^2*c - d)^(5/2))/c^3`

**Rubi [A] (warning: unable to verify)**

Time = 1.04 (sec) , antiderivative size = 201, normalized size of antiderivative = 0.97, number of steps used = 8, number of rules used = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$ , Rules used = {5448, 27, 7266, 1192, 25, 1584, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{7/2}} dx$$

↓ 5448

$$\begin{aligned}
& a \int \frac{x(8d^2x^4 + 20cdx^2 + 15c^2)}{15c^3(a^2x^2 + 1)(dx^2 + c)^{5/2}} dx + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 27 \\
& \frac{a \int \frac{x(8d^2x^4 + 20cdx^2 + 15c^2)}{(a^2x^2 + 1)(dx^2 + c)^{5/2}} dx}{15c^3} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 7266 \\
& \frac{a \int \frac{8d^2x^4 + 20cdx^2 + 15c^2}{(a^2x^2 + 1)(dx^2 + c)^{5/2}} dx^2}{30c^3} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 1192 \\
& \frac{a \int -\frac{8d^2x^8 + 4cd^2x^4 + 3c^2d^2}{x^8(-a^2x^4 + a^2c - d)} d\sqrt{dx^2 + c}}{15c^3d^2} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 25 \\
& -\frac{a \int \frac{8d^2x^8 + 4cd^2x^4 + 3c^2d^2}{x^8(-a^2x^4 + a^2c - d)} d\sqrt{dx^2 + c}}{15c^3d^2} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 1584 \\
& -\frac{a \int \left( -\frac{(15c^2a^4 - 20cda^2 + 8d^2)d^2}{(d - a^2c)^2(a^2x^4 - a^2c + d)} + \frac{c(7a^2c - 4d)d^2}{(a^2c - d)^2x^4} + \frac{3c^2d^2}{(a^2c - d)x^8} \right) d\sqrt{dx^2 + c}}{15c^3d^2} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \\
& \quad \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}} \\
& \quad \downarrow 2009 \\
& \frac{a \left( \frac{c^2d^2}{x^6(a^2c - d)} + \frac{cd^2(7a^2c - 4d)}{x^2(a^2c - d)^2} - \frac{d^2(15a^4c^2 - 20a^2cd + 8d^2) \operatorname{arctanh}\left(\frac{a\sqrt{c + dx^2}}{\sqrt{a^2c - d}}\right)}{a(a^2c - d)^{5/2}} \right)}{15c^3d^2} + \frac{8x \cot^{-1}(ax)}{15c^3\sqrt{c + dx^2}} + \\
& \quad \frac{4x \cot^{-1}(ax)}{15c^2(c + dx^2)^{3/2}} + \frac{x \cot^{-1}(ax)}{5c(c + dx^2)^{5/2}}
\end{aligned}$$

input `Int[ArcCot[a*x]/(c + d*x^2)^(7/2), x]`

output

$$\frac{(x \operatorname{ArcCot}[a x]) / (5 c (c + d x^2)^{5/2}) + (4 x \operatorname{ArcCot}[a x]) / (15 c^2 (c + d x^2)^{3/2}) + (8 x \operatorname{ArcCot}[a x]) / (15 c^3 \sqrt{c + d x^2}) + (a ((c^2 d^2) / ((a^2 c - d) x^6) + (c (7 a^2 c - 4 d) d^2) / ((a^2 c - d)^2 x^2) - (d^2 (15 a^4 c^2 - 20 a^2 c d + 8 d^2) \operatorname{ArcTanh}[a \sqrt{c + d x^2}] / \sqrt{a^2 c - d}]) / (a (a^2 c - d)^{5/2}))}{(15 c^3 d^2)}$$

### Defintions of rubi rules used

rule 25

$$\operatorname{Int}[-(F x), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[\operatorname{Identity}[-1] \operatorname{Int}[F x, x], x]$$

rule 27

$$\operatorname{Int}[(a) (F x), x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F x, x], x] /; \operatorname{FreeQ}[a, x] \&\& !\operatorname{MatchQ}[F x, (b) (G x) /; \operatorname{FreeQ}[b, x]]$$

rule 1192

$$\operatorname{Int}[(d) + (e) (x)^{(m)} ((f) + (g) (x)^{(n)} ((a) + (b) (x) + (c) (x)^2)^{(p)}, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[2/e^{(n + 2p + 1)} \operatorname{Subst}[\operatorname{Int}[x^{(2m + 1)} (e f - d g + g x^2)^n (c d^2 - b d e + a e^2 - (2 c d - b e) x^2 + c x^4)^p, x], x, \sqrt{d + e x}], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \operatorname{IGtQ}[p, 0] \&\& \operatorname{ILtQ}[n, 0] \&\& \operatorname{IntegerQ}[m + 1/2]$$

rule 1584

$$\operatorname{Int}[(f) (x)^{(m)} ((d) + (e) (x)^2)^{(q)} ((a) + (b) (x)^2 + (c) (x)^4)^{(p)}, x_{\text{Symbol}}] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[(f x)^m (d + e x^2)^q (a + b x^2 + c x^4)^p, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, m, q\}, x] \&\& \operatorname{NeQ}[b^2 - 4 a c, 0] \&\& \operatorname{IGtQ}[p, 0] \&\& \operatorname{IGtQ}[q, -2]$$

rule 2009

$$\operatorname{Int}[u, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] /; \operatorname{SumQ}[u]$$

rule 5448

$$\operatorname{Int}[(a) + \operatorname{ArcCot}[(c) (x)] (b) ((d) + (e) (x)^2)^{(q)}, x_{\text{Symbol}}] \rightarrow \operatorname{With}\{u = \operatorname{IntHide}[(d + e x^2)^q, x]\}, \operatorname{Simp}[(a + b \operatorname{ArcCot}[c x]) u, x] + \operatorname{Simp}[b c \operatorname{Int}[\operatorname{SimplifyIntegrand}[u / (1 + c^2 x^2), x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e\}, x] \&\& (\operatorname{IntegerQ}[q] \mid \mid \operatorname{ILtQ}[q + 1/2, 0])$$

rule 7266

```
Int[(u_)*(x_)^(m_.), x_Symbol] := Simp[1/(m + 1) Subst[Int[SubstFor[x^(m
+ 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && Function
OfQ[x^(m + 1), u, x]
```

**Maple [F]**

$$\int \frac{\operatorname{arccot}(ax)}{(dx^2 + c)^{\frac{7}{2}}} dx$$

input

```
int(arccot(a*x)/(d*x^2+c)^(7/2),x)
```

output

```
int(arccot(a*x)/(d*x^2+c)^(7/2),x)
```

**Fricas [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 618 vs. 2(180) = 360.

Time = 0.23 (sec) , antiderivative size = 1278, normalized size of antiderivative = 6.14

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \text{Too large to display}$$

input

```
integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="fricas")
```



output

```
[1/60*((15*a^4*c^5 - 20*a^2*c^4*d + (15*a^4*c^2*d^3 - 20*a^2*c*d^4 + 8*d^5)
)*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 - 20*a^2*c^2*d^3 + 8*c*d^4)*x^4 + 3*
(15*a^4*c^4*d - 20*a^2*c^3*d^2 + 8*c^2*d^3)*x^2)*sqrt(a^2*c - d)*log((a^4*
d^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d
*x^2 + 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*
a^2*x^2 + 1)) + 4*(8*a^5*c^5 - 13*a^3*c^4*d + 5*a*c^3*d^2 + (7*a^5*c^3*d^2
- 11*a^3*c^2*d^3 + 4*a*c*d^4)*x^4 + 3*(5*a^5*c^4*d - 8*a^3*c^3*d^2 + 3*a*
c^2*d^3)*x^2 + (8*(a^6*c^3*d^2 - 3*a^4*c^2*d^3 + 3*a^2*c*d^4 - d^5)*x^5 +
20*(a^6*c^4*d - 3*a^4*c^3*d^2 + 3*a^2*c^2*d^3 - c*d^4)*x^3 + 15*(a^6*c^5 -
3*a^4*c^4*d + 3*a^2*c^3*d^2 - c^2*d^3)*x)*arccot(a*x))*sqrt(d*x^2 + c))/(
a^6*c^9 - 3*a^4*c^8*d + 3*a^2*c^7*d^2 - c^6*d^3 + (a^6*c^6*d^3 - 3*a^4*c^5
*d^4 + 3*a^2*c^4*d^5 - c^3*d^6)*x^6 + 3*(a^6*c^7*d^2 - 3*a^4*c^6*d^3 + 3*a
^2*c^5*d^4 - c^4*d^5)*x^4 + 3*(a^6*c^8*d - 3*a^4*c^7*d^2 + 3*a^2*c^6*d^3 -
c^5*d^4)*x^2), -1/30*((15*a^4*c^5 - 20*a^2*c^4*d + (15*a^4*c^2*d^3 - 20*a
^2*c*d^4 + 8*d^5)*x^6 + 8*c^3*d^2 + 3*(15*a^4*c^3*d^2 - 20*a^2*c^2*d^3 + 8
*c*d^4)*x^4 + 3*(15*a^4*c^4*d - 20*a^2*c^3*d^2 + 8*c^2*d^3)*x^2)*sqrt(-a^2
*c + d)*arctan(-1/2*(a^2*d*x^2 + 2*a^2*c - d)*sqrt(-a^2*c + d)*sqrt(d*x^2
+ c)/(a^3*c^2 - a*c*d + (a^3*c*d - a*d^2)*x^2)) - 2*(8*a^5*c^5 - 13*a^3*c^
4*d + 5*a*c^3*d^2 + (7*a^5*c^3*d^2 - 11*a^3*c^2*d^3 + 4*a*c*d^4)*x^4 + 3*(
5*a^5*c^4*d - 8*a^3*c^3*d^2 + 3*a*c^2*d^3)*x^2 + (8*(a^6*c^3*d^2 - 3*a^...
```

## Sympy [F]

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acot}(ax)}{(c + dx^2)^{7/2}} dx$$

input

```
integrate(acot(a*x)/(d*x**2+c)**(7/2), x)
```

output

```
Integral(acot(a*x)/(c + d*x**2)**(7/2), x)
```

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="maxima")`

output `Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(d-a^2*c>0)', see `assume?` for more detail`

**Giac [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 208, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \frac{1}{15} a \left( \frac{(15 a^4 c^2 - 20 a^2 c d + 8 d^2) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^4 c^5 - 2 a^2 c^4 d + c^3 d^2) \sqrt{-a^2c + da}} + \frac{7(dx^2 + c)a^2c + a^2c^2 - 4(dx^2 - c)d}{(a^4 c^4 - 2 a^2 c^3 d + c^2 d^2)(dx^2 + c)} \right) + \frac{\left(4 x^2 \left(\frac{2 d^2 x^2}{c^3} + \frac{5 d}{c^2}\right) + \frac{15}{c}\right) x \arctan\left(\frac{1}{ax}\right)}{15 (dx^2 + c)^{\frac{5}{2}}}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(7/2),x, algorithm="giac")`

output `1/15*a*((15*a^4*c^2 - 20*a^2*c*d + 8*d^2)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/((a^4*c^5 - 2*a^2*c^4*d + c^3*d^2)*sqrt(-a^2*c + d)*a) + (7*(d*x^2 + c)*a^2*c + a^2*c^2 - 4*(d*x^2 + c)*d - c*d)/((a^4*c^4 - 2*a^2*c^3*d + c^2*d^2)*(d*x^2 + c)^(3/2))) + 1/15*(4*x^2*(2*d^2*x^2/c^3 + 5*d/c^2) + 15/c)*x*arctan(1/(a*x))/(d*x^2 + c)^(5/2)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^{7/2}} dx$$

input `int(acot(a*x)/(c + d*x^2)^(7/2), x)`output `int(acot(a*x)/(c + d*x^2)^(7/2), x)`**Reduce [F]**

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{7/2}} dx = \int \frac{\operatorname{acot}(ax)}{\sqrt{dx^2 + c}c^3 + 3\sqrt{dx^2 + c}c^2dx^2 + 3\sqrt{dx^2 + c}cd^2x^4 + \sqrt{dx^2 + c}d^3x^6} dx$$

input `int(acot(a*x)/(d*x^2+c)^(7/2), x)`output `int(acot(a*x)/(sqrt(c + d*x**2)*c**3 + 3*sqrt(c + d*x**2)*c**2*d*x**2 + 3*sqrt(c + d*x**2)*c*d**2*x**4 + sqrt(c + d*x**2)*d**3*x**6), x)`

### 3.18 $\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$

Optimal result	155
Mathematica [C] (verified)	156
Rubi [A] (verified)	156
Maple [F]	159
Fricas [B] (verification not implemented)	159
Sympy [F]	160
Maxima [F(-2)]	161
Giac [A] (verification not implemented)	161
Mupad [F(-1)]	162
Reduce [F]	162

#### Optimal result

Integrand size = 16, antiderivative size = 293

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{a}{35c(a^2c-d)(c+dx^2)^{5/2}} + \frac{a(11a^2c-6d)}{105c^2(a^2c-d)^2(c+dx^2)^{3/2}} + \frac{a(19a^4c^2-22a^2cd+8d^2)}{35c^3(a^2c-d)^3\sqrt{c+dx^2}} + \frac{x \cot^{-1}(ax)}{7c(c+dx^2)^{7/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c+dx^2)^{5/2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c+dx^2)^{3/2}} + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c+dx^2}} - \frac{(35a^6c^3-70a^4c^2d+56a^2cd^2-16d^3) \operatorname{arctanh}\left(\frac{a\sqrt{c+dx^2}}{\sqrt{a^2c-d}}\right)}{35c^4(a^2c-d)^{7/2}}$$

output

```
1/35*a/c/(a^2*c-d)/(d*x^2+c)^(5/2)+1/105*a*(11*a^2*c-6*d)/c^2/(a^2*c-d)^2/
(d*x^2+c)^(3/2)+1/35*a*(19*a^4*c^2-22*a^2*c*d+8*d^2)/c^3/(a^2*c-d)^3/(d*x^
2+c)^(1/2)+1/7*x*arccot(a*x)/c/(d*x^2+c)^(7/2)+6/35*x*arccot(a*x)/c^2/(d*x
^2+c)^(5/2)+8/35*x*arccot(a*x)/c^3/(d*x^2+c)^(3/2)+16/35*x*arccot(a*x)/c^4
/(d*x^2+c)^(1/2)-1/35*(35*a^6*c^3-70*a^4*c^2*d+56*a^2*c*d^2-16*d^3)*arctan
h(a*(d*x^2+c)^(1/2)/(a^2*c-d)^(1/2))/c^4/(a^2*c-d)^(7/2)
```

**Mathematica [C] (verified)**

Result contains complex when optimal does not.

Time = 0.83 (sec) , antiderivative size = 450, normalized size of antiderivative = 1.54

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{2ac(3c^2(-a^2c+d)^2+c(11a^2c-6d)(a^2c-d)(c+dx^2)+3(19a^4c^2-22a^2cd+8d^2)(c+dx^2)^2)}{(a^2c-d)^3(c+dx^2)^{5/2}} + \frac{6x(35c^3+70c^2dx^2+56c^2d^2+56cdx^3+56d^3x^4)}{(c+dx^2)^{7/2}}$$

input

```
Integrate[ArcCot[a*x]/(c + d*x^2)^(9/2), x]
```

output

```
((2*a*c*(3*c^2*(-a^2*c) + d)^2 + c*(11*a^2*c - 6*d)*(a^2*c - d)*(c + d*x^2) + 3*(19*a^4*c^2 - 22*a^2*c*d + 8*d^2)*(c + d*x^2)^2))/((a^2*c - d)^3*(c + d*x^2)^(5/2)) + (6*x*(35*c^3 + 70*c^2*d*x^2 + 56*c*d^2*x^4 + 16*d^3*x^6)*ArcCot[a*x])/(c + d*x^2)^(7/2) - (3*(35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*Log[(140*a*c^4*(a^2*c - d)^(5/2)*(a*c - I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*(I + a*x)))]/(a^2*c - d)^(7/2) - (3*(35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*Log[(140*a*c^4*(a^2*c - d)^(5/2)*(a*c + I*d*x + Sqrt[a^2*c - d]*Sqrt[c + d*x^2])]/((35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*(-I + a*x)))]/(a^2*c - d)^(7/2))/(210*c^4)
```

**Rubi [A] (verified)**

Time = 1.26 (sec) , antiderivative size = 291, normalized size of antiderivative = 0.99, number of steps used = 6, number of rules used = 5,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$ , Rules used = {5448, 27, 7266, 2122, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx$$

↓ 5448

$$\begin{aligned}
& a \int \frac{x(16d^3x^6 + 56cd^2x^4 + 70c^2dx^2 + 35c^3)}{35c^4(a^2x^2 + 1)(dx^2 + c)^{7/2}} dx + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c + dx^2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c + dx^2)^{3/2}} + \\
& \quad \frac{6x \cot^{-1}(ax)}{35c^2(c + dx^2)^{5/2}} + \frac{x \cot^{-1}(ax)}{7c(c + dx^2)^{7/2}} \\
& \quad \downarrow 27 \\
& a \int \frac{x(16d^3x^6 + 56cd^2x^4 + 70c^2dx^2 + 35c^3)}{(a^2x^2 + 1)(dx^2 + c)^{7/2}} dx + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c + dx^2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c + dx^2)^{3/2}} + \\
& \quad \frac{6x \cot^{-1}(ax)}{35c^2(c + dx^2)^{5/2}} + \frac{x \cot^{-1}(ax)}{7c(c + dx^2)^{7/2}} \\
& \quad \downarrow 7266 \\
& a \int \frac{16d^3x^6 + 56cd^2x^4 + 70c^2dx^2 + 35c^3}{(a^2x^2 + 1)(dx^2 + c)^{7/2}} dx^2 + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c + dx^2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c + dx^2)^{3/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c + dx^2)^{5/2}} + \\
& \quad \frac{x \cot^{-1}(ax)}{7c(c + dx^2)^{7/2}} \\
& \quad \downarrow 2122 \\
& a \int \left( -\frac{5dc^3}{(a^2c - d)(dx^2 + c)^{7/2}} - \frac{(11a^2c - 6d)dc^2}{(d - a^2c)^2(dx^2 + c)^{5/2}} + \frac{d(19c^2a^4 - 22cda^2 + 8d^2)c}{(d - a^2c)^3(dx^2 + c)^{3/2}} + \frac{35c^3a^6 - 70c^2da^4 + 56cd^2a^2 - 16d^3}{(a^2c - d)^3(a^2x^2 + 1)\sqrt{dx^2 + c}} \right) dx^2 \\
& \quad + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c + dx^2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c + dx^2)^{3/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c + dx^2)^{5/2}} + \frac{x \cot^{-1}(ax)}{7c(c + dx^2)^{7/2}} \\
& \quad \downarrow 2009 \\
& a \left( \frac{2c^3}{(a^2c - d)(c + dx^2)^{5/2}} + \frac{2c^2(11a^2c - 6d)}{3(a^2c - d)^2(c + dx^2)^{3/2}} + \frac{2c(19a^4c^2 - 22a^2cd + 8d^2)}{(a^2c - d)^3\sqrt{c + dx^2}} - \frac{2(35a^6c^3 - 70a^4c^2d + 56a^2cd^2 - 16d^3)\operatorname{arctanh}\left(\frac{a\sqrt{c + dx^2}}{\sqrt{a^2c - d}}\right)}{a(a^2c - d)^{7/2}} \right) \\
& \quad + \frac{16x \cot^{-1}(ax)}{35c^4\sqrt{c + dx^2}} + \frac{8x \cot^{-1}(ax)}{35c^3(c + dx^2)^{3/2}} + \frac{6x \cot^{-1}(ax)}{35c^2(c + dx^2)^{5/2}} + \frac{x \cot^{-1}(ax)}{7c(c + dx^2)^{7/2}}
\end{aligned}$$

input `Int[ArcCot[a*x]/(c + d*x^2)^(9/2), x]`

output

$$\begin{aligned} & (x \operatorname{ArcCot}[a x]) / (7 c (c + d x^2)^{7/2}) + (6 x \operatorname{ArcCot}[a x]) / (35 c^2 (c + d \\ & x^2)^{5/2}) + (8 x \operatorname{ArcCot}[a x]) / (35 c^3 (c + d x^2)^{3/2}) + (16 x \operatorname{ArcCot} \\ & [a x]) / (35 c^4 \sqrt{c + d x^2}) + (a ((2 c^3) / ((a^2 c - d) (c + d x^2)^{5/2})) \\ & + (2 c^2 (11 a^2 c - 6 d)) / (3 (a^2 c - d)^2 (c + d x^2)^{3/2}) + (2 c * \\ & (19 a^4 c^2 - 22 a^2 c d + 8 d^2)) / ((a^2 c - d)^3 \sqrt{c + d x^2}) - (2 * (3 \\ & 5 a^6 c^3 - 70 a^4 c^2 d + 56 a^2 c d^2 - 16 d^3) \operatorname{ArcTanh}[a \sqrt{c + d x^2} \\ & 2]) / \sqrt{a^2 c - d}) / (a (a^2 c - d)^{7/2})) / (70 c^4) \end{aligned}$$
**Defintions of rubi rules used**

rule 27

$$\operatorname{Int}[(a_*) (F x_*) , x\_Symbol] \rightarrow \operatorname{Simp}[a \operatorname{Int}[F x, x], x] / ; \operatorname{FreeQ}[a, x] \&\& ! \operatorname{MatchQ}[F x, (b_*) (G x_*) / ; \operatorname{FreeQ}[b, x]]$$

rule 2009

$$\operatorname{Int}[u_*, x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{IntSum}[u, x], x] / ; \operatorname{SumQ}[u]$$

rule 2122

$$\operatorname{Int}[(P x_*) ((c_*) + (d_*) (x_*)^n) / ((a_*) + (b_*) (x_*)), x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandIntegrand}[1 / \sqrt{c + d x}, P x ((c + d x)^{n+1/2} / (a + b x)), x], x] / ; \operatorname{FreeQ}[\{a, b, c, d, n\}, x] \&\& \operatorname{PolyQ}[P x, x] \&\& \operatorname{ILtQ}[n + 1/2, 0]$$

rule 5448

$$\operatorname{Int}[(a_*) + \operatorname{ArcCot}[(c_*) (x_*)] (b_*) ((d_*) + (e_*) (x_*)^2)^{q_*}, x\_Symbol] \rightarrow \operatorname{With}[\{u = \operatorname{IntHide}[(d + e x^2)^q, x]\}, \operatorname{Simp}[(a + b \operatorname{ArcCot}[c x]) u, x] + \operatorname{Simp}[b c \operatorname{Int}[\operatorname{SimplifyIntegrand}[u / (1 + c^2 x^2), x], x], x]] / ; \operatorname{FreeQ}[\{a, b, c, d, e\}, x] \&\& (\operatorname{IntegerQ}[q] \parallel \operatorname{ILtQ}[q + 1/2, 0])$$

rule 7266

$$\operatorname{Int}[(u_*) (x_*)^{m_*}, x\_Symbol] \rightarrow \operatorname{Simp}[1 / (m + 1) \operatorname{Subst}[\operatorname{Int}[\operatorname{SubstFor}[x^{(m+1)}, u, x], x, x^{(m+1)}], x] / ; \operatorname{FreeQ}[m, x] \&\& \operatorname{NeQ}[m, -1] \&\& \operatorname{FunctionOfQ}[x^{(m+1)}, u, x]$$

**Maple [F]**

$$\int \frac{\operatorname{arccot}(ax)}{(dx^2 + c)^{\frac{9}{2}}} dx$$

input `int(arccot(a*x)/(d*x^2+c)^(9/2),x)`

output `int(arccot(a*x)/(d*x^2+c)^(9/2),x)`

**Fricas [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 972 vs.  $2(257) = 514$ .

Time = 0.48 (sec) , antiderivative size = 1986, normalized size of antiderivative = 6.78

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \text{Too large to display}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="fricas")`



output

```
[1/420*(3*(35*a^6*c^7 - 70*a^4*c^6*d + 56*a^2*c^5*d^2 + (35*a^6*c^3*d^4 -
70*a^4*c^2*d^5 + 56*a^2*c*d^6 - 16*d^7)*x^8 - 16*c^4*d^3 + 4*(35*a^6*c^4*d
^3 - 70*a^4*c^3*d^4 + 56*a^2*c^2*d^5 - 16*c*d^6)*x^6 + 6*(35*a^6*c^5*d^2 -
70*a^4*c^4*d^3 + 56*a^2*c^3*d^4 - 16*c^2*d^5)*x^4 + 4*(35*a^6*c^6*d - 70*
a^4*c^5*d^2 + 56*a^2*c^4*d^3 - 16*c^3*d^4)*x^2)*sqrt(a^2*c - d)*log((a^4*d
^2*x^4 + 8*a^4*c^2 - 8*a^2*c*d + 2*(4*a^4*c*d - 3*a^2*d^2)*x^2 - 4*(a^3*d*
x^2 + 2*a^3*c - a*d)*sqrt(a^2*c - d)*sqrt(d*x^2 + c) + d^2)/(a^4*x^4 + 2*a
^2*x^2 + 1)) + 4*(71*a^7*c^7 - 160*a^5*c^6*d + 122*a^3*c^5*d^2 - 33*a*c^4*
d^3 + 3*(19*a^7*c^4*d^3 - 41*a^5*c^3*d^4 + 30*a^3*c^2*d^5 - 8*a*c*d^6)*x^6
+ (182*a^7*c^5*d^2 - 397*a^5*c^4*d^3 + 293*a^3*c^3*d^4 - 78*a*c^2*d^5)*x^
4 + (196*a^7*c^6*d - 434*a^5*c^5*d^2 + 325*a^3*c^4*d^3 - 87*a*c^3*d^4)*x^2
+ 3*(16*(a^8*c^4*d^3 - 4*a^6*c^3*d^4 + 6*a^4*c^2*d^5 - 4*a^2*c*d^6 + d^7)
*x^7 + 56*(a^8*c^5*d^2 - 4*a^6*c^4*d^3 + 6*a^4*c^3*d^4 - 4*a^2*c^2*d^5 + c
*d^6)*x^5 + 70*(a^8*c^6*d - 4*a^6*c^5*d^2 + 6*a^4*c^4*d^3 - 4*a^2*c^3*d^4
+ c^2*d^5)*x^3 + 35*(a^8*c^7 - 4*a^6*c^6*d + 6*a^4*c^5*d^2 - 4*a^2*c^4*d^3
+ c^3*d^4)*x)*arccot(a*x))*sqrt(d*x^2 + c))/(a^8*c^12 - 4*a^6*c^11*d + 6*
a^4*c^10*d^2 - 4*a^2*c^9*d^3 + c^8*d^4 + (a^8*c^8*d^4 - 4*a^6*c^7*d^5 + 6*
a^4*c^6*d^6 - 4*a^2*c^5*d^7 + c^4*d^8)*x^8 + 4*(a^8*c^9*d^3 - 4*a^6*c^8*d^
4 + 6*a^4*c^7*d^5 - 4*a^2*c^6*d^6 + c^5*d^7)*x^6 + 6*(a^8*c^10*d^2 - 4*a^6
*c^9*d^3 + 6*a^4*c^8*d^4 - 4*a^2*c^7*d^5 + c^6*d^6)*x^4 + 4*(a^8*c^11*d...
```

## Sympy [F]

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \int \frac{\operatorname{acot}(ax)}{(c + dx^2)^{9/2}} dx$$

input

```
integrate(acot(a*x)/(d*x**2+c)**(9/2), x)
```

output

```
Integral(acot(a*x)/(c + d*x**2)**(9/2), x)
```

**Maxima [F(-2)]**

Exception generated.

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \text{Exception raised: ValueError}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="maxima")`

output Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(d-a^2\*c>0)', see `assume?` for more detail)

**Giac [A] (verification not implemented)**

Time = 0.16 (sec) , antiderivative size = 340, normalized size of antiderivative = 1.16

$$\int \frac{\cot^{-1}(ax)}{(c+dx^2)^{9/2}} dx = \frac{1}{105} a \left( \frac{3(35a^6c^3 - 70a^4c^2d + 56a^2cd^2 - 16d^3) \arctan\left(\frac{\sqrt{dx^2+ca}}{\sqrt{-a^2c+d}}\right)}{(a^6c^7 - 3a^4c^6d + 3a^2c^5d^2 - c^4d^3)\sqrt{-a^2c+d}} + \frac{57(dx^2+c)^2a^4}{(a^6c^7 - 3a^4c^6d + 3a^2c^5d^2 - c^4d^3)\sqrt{-a^2c+d}} \right) + \frac{\left(2\left(4x^2\left(\frac{2d^3x^2}{c^4} + \frac{7d^2}{c^3}\right) + \frac{35d}{c^2}\right)x^2 + \frac{35}{c}\right)x \arctan\left(\frac{1}{ax}\right)}{35(dx^2+c)^{7/2}}$$

input `integrate(arccot(a*x)/(d*x^2+c)^(9/2),x, algorithm="giac")`

output `1/105*a*(3*(35*a^6*c^3 - 70*a^4*c^2*d + 56*a^2*c*d^2 - 16*d^3)*arctan(sqrt(d*x^2 + c)*a/sqrt(-a^2*c + d))/((a^6*c^7 - 3*a^4*c^6*d + 3*a^2*c^5*d^2 - c^4*d^3)*sqrt(-a^2*c + d)*a) + (57*(d*x^2 + c)^2*a^4*c^2 + 11*(d*x^2 + c)*a^4*c^3 + 3*a^4*c^4 - 66*(d*x^2 + c)^2*a^2*c*d - 17*(d*x^2 + c)*a^2*c^2*d - 6*a^2*c^3*d + 24*(d*x^2 + c)^2*d^2 + 6*(d*x^2 + c)*c*d^2 + 3*c^2*d^2)/((a^6*c^6 - 3*a^4*c^5*d + 3*a^2*c^4*d^2 - c^3*d^3)*(d*x^2 + c)^(5/2))) + 1/35*(2*(4*x^2*(2*d^3*x^2/c^4 + 7*d^2/c^3) + 35*d/c^2)*x^2 + 35/c)*x*arctan(1/(a*x))/(d*x^2 + c)^(7/2)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^{9/2}} dx$$

input `int(acot(a*x)/(c + d*x^2)^(9/2),x)`output `int(acot(a*x)/(c + d*x^2)^(9/2), x)`**Reduce [F]**

$$\int \frac{\cot^{-1}(ax)}{(c + dx^2)^{9/2}} dx = \int \frac{\operatorname{acot}(ax)}{(dx^2 + c)^{\frac{9}{2}}} dx$$

input `int(acot(a*x)/(d*x^2+c)^(9/2),x)`output `int(acot(a*x)/(d*x^2+c)^(9/2),x)`

$$3.19 \quad \int \frac{1}{(1+x^2) \cot^{-1}(x)} dx$$

Optimal result . . . . .	163
Mathematica [A] (verified) . . . . .	163
Rubi [A] (verified) . . . . .	164
Maple [A] (verified) . . . . .	164
Fricas [A] (verification not implemented) . . . . .	165
Sympy [A] (verification not implemented) . . . . .	165
Maxima [A] (verification not implemented) . . . . .	166
Giac [A] (verification not implemented) . . . . .	166
Mupad [B] (verification not implemented) . . . . .	166
Reduce [B] (verification not implemented) . . . . .	167

### Optimal result

Integrand size = 12, antiderivative size = 5

$$\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx = -\log(\cot^{-1}(x))$$

output `-ln(arccot(x))`

### Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2) \cot^{-1}(x)} dx = -\log(\cot^{-1}(x))$$

input `Integrate[1/((1 + x^2)*ArcCot[x]),x]`

output `-Log[ArcCot[x]]`

**Rubi [A] (verified)**

Time = 0.18 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {5418}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{1}{(x^2 + 1) \cot^{-1}(x)} dx$$

↓ 5418

$$-\log(\cot^{-1}(x))$$

input `Int[1/((1 + x^2)*ArcCot[x]),x]`

output `-Log[ArcCot[x]]`

**Defintions of rubi rules used**

rule 5418 `Int[1/(((a_.) + ArcCot[(c_.)*(x_)]*(b_.))*((d_) + (e_.)*(x_)^2)), x_Symbol]  
:> Simp[-Log[RemoveContent[a + b*ArcCot[c*x], x]]/(b*c*d), x] /; FreeQ[{a,  
b, c, d, e}, x] && EqQ[e, c^2*d]`

**Maple [A] (verified)**

Time = 0.19 (sec) , antiderivative size = 6, normalized size of antiderivative = 1.20

method	result	size
derivativdivides	$-\ln(\operatorname{arccot}(x))$	6
default	$-\ln(\operatorname{arccot}(x))$	6
parallelrish	$-\ln(\operatorname{arccot}(x))$	6
risch	$-\ln(\ln(ix + 1) + i(i \ln(-ix + 1) - \pi))$	29

input `int(1/(x^2+1)/arccot(x),x,method=_RETURNVERBOSE)`

output `-ln(arccot(x))`

### **Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\log(\operatorname{arccot}(x))$$

input `integrate(1/(x^2+1)/arccot(x),x, algorithm="fricas")`

output `-log(arccot(x))`

### **Sympy [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\log(\operatorname{acot}(x))$$

input `integrate(1/(x**2+1)/acot(x),x)`

output `-log(acot(x))`

**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\log(\operatorname{arccot}(x))$$

input `integrate(1/(x^2+1)/arccot(x),x, algorithm="maxima")`output `-log(arccot(x))`**Giac [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.60

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\log\left(\left|\arctan\left(\frac{1}{x}\right)\right|\right)$$

input `integrate(1/(x^2+1)/arccot(x),x, algorithm="giac")`output `-log(abs(arctan(1/x)))`**Mupad [B] (verification not implemented)**

Time = 0.06 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\ln(\operatorname{acot}(x))$$

input `int(1/(acot(x)*(x^2 + 1)),x)`output `-log(acot(x))`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 5, normalized size of antiderivative = 1.00

$$\int \frac{1}{(1+x^2)\cot^{-1}(x)} dx = -\log(\operatorname{acot}(x))$$

input `int(1/(x^2+1)/acot(x),x)`

output `- log(acot(x))`



### 3.20 $\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$

Optimal result	168
Mathematica [A] (verified)	168
Rubi [A] (verified)	169
Maple [A] (verified)	170
Fricas [A] (verification not implemented)	171
Sympy [F]	171
Maxima [A] (verification not implemented)	171
Giac [F]	172
Mupad [B] (verification not implemented)	172
Reduce [B] (verification not implemented)	173

#### Optimal result

Integrand size = 12, antiderivative size = 56

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} + \frac{x \cot^{-1}(x)^2}{2(1+x^2)} - \frac{1}{6} \cot^{-1}(x)^3 - \frac{\arctan(x)}{4}$$

output

$-1/4*x/(x^2+1) - \operatorname{arccot}(x)/(2*x^2+2) + x*\operatorname{arccot}(x)^2/(2*x^2+2) - 1/6*\operatorname{arccot}(x)^3 - 1/4*\operatorname{arctan}(x)$

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 46, normalized size of antiderivative = 0.82

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = -\frac{6 \cot^{-1}(x) - 6x \cot^{-1}(x)^2 + 2(1+x^2) \cot^{-1}(x)^3 + 3(x + (1+x^2) \arctan(x))}{12(1+x^2)}$$

input

`Integrate[ArcCot[x]^2/(1+x^2)^2,x]`

output

$$\frac{-1/12*(6*\text{ArcCot}[x] - 6*x*\text{ArcCot}[x]^2 + 2*(1 + x^2)*\text{ArcCot}[x]^3 + 3*(x + (1 + x^2)*\text{ArcTan}[x]))}{(1 + x^2)}$$

**Rubi [A] (verified)**

Time = 0.28 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.09, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {5428, 5466, 215, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\cot^{-1}(x)^2}{(x^2 + 1)^2} dx \\ & \quad \downarrow \text{5428} \\ & \int \frac{x \cot^{-1}(x)}{(x^2 + 1)^2} dx + \frac{x \cot^{-1}(x)^2}{2(x^2 + 1)} - \frac{1}{6} \cot^{-1}(x)^3 \\ & \quad \downarrow \text{5466} \\ & -\frac{1}{2} \int \frac{1}{(x^2 + 1)^2} dx + \frac{x \cot^{-1}(x)^2}{2(x^2 + 1)} - \frac{\cot^{-1}(x)}{2(x^2 + 1)} - \frac{1}{6} \cot^{-1}(x)^3 \\ & \quad \downarrow \text{215} \\ & \frac{1}{2} \left( -\frac{1}{2} \int \frac{1}{x^2 + 1} dx - \frac{x}{2(x^2 + 1)} \right) + \frac{x \cot^{-1}(x)^2}{2(x^2 + 1)} - \frac{\cot^{-1}(x)}{2(x^2 + 1)} - \frac{1}{6} \cot^{-1}(x)^3 \\ & \quad \downarrow \text{216} \\ & \frac{1}{2} \left( -\frac{\arctan(x)}{2} - \frac{x}{2(x^2 + 1)} \right) + \frac{x \cot^{-1}(x)^2}{2(x^2 + 1)} - \frac{\cot^{-1}(x)}{2(x^2 + 1)} - \frac{1}{6} \cot^{-1}(x)^3 \end{aligned}$$

input

$$\text{Int}[\text{ArcCot}[x]^2/(1 + x^2)^2, x]$$

output

$$\frac{-1/2*\text{ArcCot}[x]/(1 + x^2) + (x*\text{ArcCot}[x]^2)/(2*(1 + x^2)) - \text{ArcCot}[x]^3/6 + (-1/2*x/(1 + x^2) - \text{ArcTan}[x]/2)/2}{1}$$

**Defintions of rubi rules used**

```
rule 215 Int[((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[(-x)*((a + b*x^2)^(p + 1) / (2*a*(p + 1))), x] + Simp[(2*p + 3)/(2*a*(p + 1)) Int[(a + b*x^2)^(p + 1), x], x] /; FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6*p])
```

```
rule 216 Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

```
rule 5428 Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[x*((a + b*ArcCot[c*x])^p/(2*d*(d + e*x^2))), x] + (-Simp[(a + b*ArcCot[c*x])^(p + 1)/(2*b*c*d^2*(p + 1)), x] + Simp[b*c*(p/2) Int[x*((a + b*ArcCot[c*x])^(p - 1)/(d + e*x^2)^2), x], x]) /; FreeQ[{a, b, c, d, e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]
```

```
rule 5466 Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)*(x_)*((d_) + (e_)*(x_)^2)^(q_), x_Symbol] := Simp[(d + e*x^2)^(q + 1)*((a + b*ArcCot[c*x])^p/(2*e*(q + 1))), x] + Simp[b*(p/(2*c*(q + 1))) Int[(d + e*x^2)^q*(a + b*ArcCot[c*x])^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && NeQ[q, -1]
```

**Maple [A] (verified)**

Time = 1.59 (sec) , antiderivative size = 65, normalized size of antiderivative = 1.16

method	result
default	$\frac{x \operatorname{arccot}(x)^2}{2x^2+2} + \frac{\operatorname{arccot}(x)^2 \arctan(x)}{2} - \frac{\pi \operatorname{arccot}(x)^2}{4} + \frac{\operatorname{arccot}(x)^3}{3} + \frac{x^2 \operatorname{arccot}(x)}{2x^2+2} - \frac{x}{4(x^2+1)} - \frac{\operatorname{arccot}(x)}{4}$
parts	$\frac{x \operatorname{arccot}(x)^2}{2x^2+2} + \frac{\operatorname{arccot}(x)^2 \arctan(x)}{2} - \frac{\pi \operatorname{arccot}(x)^2}{4} + \frac{\operatorname{arccot}(x)^3}{3} + \frac{x^2 \operatorname{arccot}(x)}{2x^2+2} - \frac{x}{4(x^2+1)} - \frac{\operatorname{arccot}(x)}{4}$
risch	$\frac{i \ln(ix+1)^3}{48} + \frac{(-ix^2 \ln(-ix+1) + \pi x^2 - i \ln(-ix+1) + \pi - 2x) \ln(ix+1)^2}{16x^2+16} - \frac{(-ix^2 \ln(-ix+1)^2 - i \ln(-ix+1)^2 - 4x \ln(-ix+1) + 2x)}{16(i+x)}$

```
input int(arccot(x)^2/(x^2+1)^2,x,method=_RETURNVERBOSE)
```

output

```
1/2*arccot(x)^2*x/(x^2+1)+1/2*arccot(x)^2*arctan(x)-1/4*Pi*arccot(x)^2+1/3
*arccot(x)^3+1/2*x^2*arccot(x)/(x^2+1)-1/4*x/(x^2+1)-1/4*arccot(x)
```

**Fricas [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.71

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = -\frac{2(x^2+1)\operatorname{arccot}(x)^3 - 6x\operatorname{arccot}(x)^2 - 3(x^2-1)\operatorname{arccot}(x) + 3x}{12(x^2+1)}$$

input

```
integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="fricas")
```

output

```
-1/12*(2*(x^2 + 1)*arccot(x)^3 - 6*x*arccot(x)^2 - 3*(x^2 - 1)*arccot(x) +
3*x)/(x^2 + 1)
```

**Sympy [F]**

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = \int \frac{\operatorname{acot}^2(x)}{(x^2+1)^2} dx$$

input

```
integrate(acot(x)**2/(x**2+1)**2,x)
```

output

```
Integral(acot(x)**2/(x**2 + 1)**2, x)
```

**Maxima [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 75, normalized size of antiderivative = 1.34

$$\begin{aligned} \int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx &= \frac{1}{2} \left( \frac{x}{x^2+1} + \arctan(x) \right) \operatorname{arccot}(x)^2 \\ &+ \frac{((x^2+1)\arctan(x)^2 - 1)\operatorname{arccot}(x)}{2(x^2+1)} \\ &+ \frac{2(x^2+1)\arctan(x)^3 - 3(x^2+1)\arctan(x) - 3x}{12(x^2+1)} \end{aligned}$$

input `integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="maxima")`

output `1/2*(x/(x^2 + 1) + arctan(x))*arccot(x)^2 + 1/2*((x^2 + 1)*arctan(x)^2 - 1)*arccot(x)/(x^2 + 1) + 1/12*(2*(x^2 + 1)*arctan(x)^3 - 3*(x^2 + 1)*arctan(x) - 3*x)/(x^2 + 1)`

### Giac [F]

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = \int \frac{\operatorname{arccot}(x)^2}{(x^2+1)^2} dx$$

input `integrate(arccot(x)^2/(x^2+1)^2,x, algorithm="giac")`

output `integrate(arccot(x)^2/(x^2 + 1)^2, x)`

### Mupad [B] (verification not implemented)

Time = 0.76 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.91

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx = \frac{x \operatorname{acot}(x)^2}{2(x^2+1)} - \frac{\operatorname{acot}(x)^3}{6} - \frac{x}{4(x^2+1)} - \frac{\operatorname{acot}(x)}{2(x^2+1)} - \frac{\operatorname{atan}(x)}{4}$$

input `int(acot(x)^2/(x^2 + 1)^2,x)`

output `(x*acot(x)^2)/(2*(x^2 + 1)) - acot(x)^3/6 - x/(4*(x^2 + 1)) - acot(x)/(2*(x^2 + 1)) - atan(x)/4`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 54, normalized size of antiderivative = 0.96

$$\int \frac{\cot^{-1}(x)^2}{(1+x^2)^2} dx$$

$$= \frac{-2\operatorname{acot}(x)^3 x^2 - 2\operatorname{acot}(x)^3 + 6\operatorname{acot}(x)^2 x + 6\operatorname{acot}(x) x^2 + 3\operatorname{atan}(x) x^2 + 3\operatorname{atan}(x) - 3x}{12x^2 + 12}$$

input `int(acot(x)^2/(x^2+1)^2,x)`output `( - 2*acot(x)**3*x**2 - 2*acot(x)**3 + 6*acot(x)**2*x + 6*acot(x)*x**2 + 3*atan(x)*x**2 + 3*atan(x) - 3*x)/(12*(x**2 + 1))`

### 3.21 $\int \frac{\cot^{-1}(x)^n}{1+x^2} dx$

Optimal result . . . . .	174
Mathematica [A] (verified) . . . . .	174
Rubi [A] (verified) . . . . .	175
Maple [A] (verified) . . . . .	175
Fricas [A] (verification not implemented) . . . . .	176
Sympy [A] (verification not implemented) . . . . .	176
Maxima [A] (verification not implemented) . . . . .	177
Giac [A] (verification not implemented) . . . . .	177
Mupad [B] (verification not implemented) . . . . .	177
Reduce [B] (verification not implemented) . . . . .	178

#### Optimal result

Integrand size = 12, antiderivative size = 13

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\cot^{-1}(x)^{1+n}}{1+n}$$

output `-arccot(x)^(1+n)/(1+n)`

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\cot^{-1}(x)^{1+n}}{1+n}$$

input `Integrate[ArcCot[x]^n/(1+x^2),x]`

output `-(ArcCot[x]^(1+n)/(1+n))`

**Rubi [A] (verified)**

Time = 0.18 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)^n}{x^2 + 1} dx$$

$$\downarrow \text{5420}$$

$$-\frac{\cot^{-1}(x)^{n+1}}{n+1}$$

input `Int[ArcCot[x]^n/(1 + x^2),x]`

output `-(ArcCot[x]^(1 + n)/(1 + n))`

**Defintions of rubi rules used**

rule 5420

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^ (p_.)/((d_) + (e_.)*(x_)^2), x_Symbol]
  := Simp[-(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
  c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

**Maple [A] (verified)**

Time = 0.74 (sec) , antiderivative size = 14, normalized size of antiderivative = 1.08

method	result	size
derivativedivides	$-\frac{\operatorname{arccot}(x)^{1+n}}{1+n}$	14
default	$-\frac{\operatorname{arccot}(x)^{1+n}}{1+n}$	14
risch	$-\frac{(\pi - i \ln(-i(i+x)) + i \ln(-i(i-x))) (\pi - i \ln(-i(i+x)) + i \ln(-i(i-x)))^n (\frac{1}{2})^n}{2(1+n)}$	65



input `int(arccot(x)^n/(x^2+1),x,method=_RETURNVERBOSE)`

output `-arccot(x)^(1+n)/(1+n)`

### **Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\operatorname{arccot}(x)^n \operatorname{arccot}(x)}{n+1}$$

input `integrate(arccot(x)^n/(x^2+1),x, algorithm="fricas")`

output `-arccot(x)^n*arccot(x)/(n + 1)`

### **Sympy [A] (verification not implemented)**

Time = 0.80 (sec) , antiderivative size = 17, normalized size of antiderivative = 1.31

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\begin{cases} \frac{\operatorname{acot}^{n+1}(x)}{n+1} & \text{for } n \neq -1 \\ \log(\operatorname{acot}(x)) & \text{otherwise} \end{cases}$$

input `integrate(acot(x)**n/(x**2+1),x)`

output `-Piecewise((acot(x)**(n + 1)/(n + 1), Ne(n, -1)), (log(acot(x)), True))`

**Maxima [A] (verification not implemented)**

Time = 0.03 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\operatorname{arccot}(x)^{n+1}}{n+1}$$

input `integrate(arccot(x)^n/(x^2+1),x, algorithm="maxima")`output `-arccot(x)^(n + 1)/(n + 1)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 15, normalized size of antiderivative = 1.15

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\arctan\left(\frac{1}{x}\right)^{n+1}}{n+1}$$

input `integrate(arccot(x)^n/(x^2+1),x, algorithm="giac")`output `-arctan(1/x)^(n + 1)/(n + 1)`**Mupad [B] (verification not implemented)**

Time = 0.76 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\operatorname{acot}(x)^{n+1}}{n+1}$$

input `int(acot(x)^n/(x^2 + 1),x)`output `-acot(x)^(n + 1)/(n + 1)`

**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 13, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)^n}{1+x^2} dx = -\frac{\operatorname{acot}(x)^n \operatorname{acot}(x)}{n+1}$$

input `int(acot(x)^n/(x^2+1),x)`

output `( - acot(x)**n*acot(x))/(n + 1)`

## 3.22 $\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx$

Optimal result	179
Mathematica [A] (verified)	179
Rubi [A] (verified)	180
Maple [A] (verified)	182
Fricas [A] (verification not implemented)	183
Sympy [A] (verification not implemented)	183
Maxima [A] (verification not implemented)	183
Giac [F]	184
Mupad [B] (verification not implemented)	184
Reduce [B] (verification not implemented)	184

### Optimal result

Integrand size = 13, antiderivative size = 40

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{x^2}{6} - x \cot^{-1}(x) + \frac{1}{3}x^3 \cot^{-1}(x) - \frac{1}{2} \cot^{-1}(x)^2 - \frac{2}{3} \log(1+x^2)$$

output

```
1/6*x^2-x*arccot(x)+1/3*x^3*arccot(x)-1/2*arccot(x)^2-2/3*ln(x^2+1)
```

### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.80

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{1}{6}(x^2 + 2x(-3 + x^2) \cot^{-1}(x) - 3 \cot^{-1}(x)^2 - 4 \log(1+x^2))$$

input

```
Integrate[(x^4*ArcCot[x])/(1 + x^2), x]
```

output

```
(x^2 + 2*x*(-3 + x^2)*ArcCot[x] - 3*ArcCot[x]^2 - 4*Log[1 + x^2])/6
```

**Rubi [A] (verified)**

Time = 0.51 (sec) , antiderivative size = 49, normalized size of antiderivative = 1.22, number of steps used = 10, number of rules used = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.692$ , Rules used = {5452, 5362, 243, 49, 2009, 5452, 5346, 240, 5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^4 \cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5452} \\
 & \int x^2 \cot^{-1}(x) dx - \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5362} \\
 & - \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{3} \int \frac{x^3}{x^2 + 1} dx + \frac{1}{3} x^3 \cot^{-1}(x) \\
 & \quad \downarrow \text{243} \\
 & \frac{1}{6} \int \frac{x^2}{x^2 + 1} dx - \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{3} x^3 \cot^{-1}(x) \\
 & \quad \downarrow \text{49} \\
 & \frac{1}{6} \int \left( 1 + \frac{1}{-x^2 - 1} \right) dx - \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{3} x^3 \cot^{-1}(x) \\
 & \quad \downarrow \text{2009} \\
 & - \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{3} x^3 \cot^{-1}(x) + \frac{1}{6} (x^2 - \log(x^2 + 1)) \\
 & \quad \downarrow \text{5452} \\
 & \int \frac{\cot^{-1}(x)}{x^2 + 1} dx - \int \cot^{-1}(x) dx + \frac{1}{3} x^3 \cot^{-1}(x) + \frac{1}{6} (x^2 - \log(x^2 + 1)) \\
 & \quad \downarrow \text{5346} \\
 & - \int \frac{x}{x^2 + 1} dx + \int \frac{\cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{3} x^3 \cot^{-1}(x) + \frac{1}{6} (x^2 - \log(x^2 + 1)) - x \cot^{-1}(x) \\
 & \quad \downarrow \text{240}
 \end{aligned}$$

$$\int \frac{\cot^{-1}(x)}{x^2+1} dx + \frac{1}{3}x^3 \cot^{-1}(x) + \frac{1}{6}(x^2 - \log(x^2+1)) - \frac{1}{2}\log(x^2+1) - x \cot^{-1}(x)$$

↓ 5420

$$\frac{1}{3}x^3 \cot^{-1}(x) + \frac{1}{6}(x^2 - \log(x^2+1)) - \frac{1}{2}\log(x^2+1) - x \cot^{-1}(x) - \frac{1}{2}\cot^{-1}(x)^2$$

input `Int[(x^4*ArcCot[x])/(1 + x^2),x]`

output `-(x*ArcCot[x]) + (x^3*ArcCot[x])/3 - ArcCot[x]^2/2 + (x^2 - Log[1 + x^2])/6 - Log[1 + x^2]/2`

### Defintions of rubi rules used

rule 49 `Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x] /; FreeQ[{a, b, c, d}, x] && IGtQ[m, 0] && IGtQ[m + n + 2, 0]`

rule 240 `Int[(x_)/((a_) + (b_.)*(x_)^2), x_Symbol] := Simp[Log[RemoveContent[a + b*x^2, x]]/(2*b), x] /; FreeQ[{a, b}, x]`

rule 243 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, m, p}, x] && IntegerQ[(m - 1)/2]`

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5346 `Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.), x_Symbol] := Simp[x*(a + b*ArcCot[c*x^n])^p, x] + Simp[b*c*n*p Int[x^n*((a + b*ArcCot[c*x^n])^(p - 1)/(1 + c^2*x^(2*n))), x], x] /; FreeQ[{a, b, c, n}, x] && IGtQ[p, 0] && (EqQ[n, 1] || EqQ[p, 1])`

rule 5362

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] :=
Simp[x^(m + 1)*((a + b*ArcCot[c*x^n])^p/(m + 1)), x] + Simp[b*c*n*(p/(m +
1)) Int[x^(m + n)*((a + b*ArcCot[c*x^n])^(p - 1)/(1 + c^2*x^(2*n))), x],
x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0] && (EqQ[p, 1] || (EqQ[n, 1] &
& IntegerQ[m])) && NeQ[m, -1]
```

rule 5420

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] :=
Simp[-(a + b*ArcCot[c*x^n])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b,
c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]
```

rule 5452

```
Int[(((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*((f_.)*(x_)^(m_.))/((d_.) + (e
_.)*(x_)^2), x_Symbol] := Simp[f^2/e Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x^n]
)^p, x], x] - Simp[d*(f^2/e Int[(f*x)^(m - 2)*((a + b*ArcCot[c*x^n])^p/(d
+ e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

## Maple [A] (verified)

Time = 0.44 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.85

method	result
parallelrisch	$\frac{x^3 \operatorname{arccot}(x)}{3} + \frac{x^2}{6} - x \operatorname{arccot}(x) - \frac{\operatorname{arccot}(x)^2}{2} - \frac{2 \ln(x^2+1)}{3} - \frac{1}{3}$
default	$\frac{x^3 \operatorname{arccot}(x)}{3} - x \operatorname{arccot}(x) + \operatorname{arccot}(x) \arctan(x) + \frac{x^2}{6} - \frac{2 \ln(x^2+1)}{3} + \frac{\arctan(x)^2}{2}$
parts	$\frac{x^3 \operatorname{arccot}(x)}{3} - x \operatorname{arccot}(x) + \operatorname{arccot}(x) \arctan(x) + \frac{x^2}{6} - \frac{2 \ln(x^2+1)}{3} + \frac{\arctan(x)^2}{2}$
risch	$\frac{\ln(ix+1)^2}{8} + \left( \frac{ix^3}{6} - \frac{ix}{2} - \frac{\ln(-ix+1)}{4} \right) \ln(ix+1) + \frac{\ln(-ix+1)^2}{8} - \frac{ix^3 \ln(-ix+1)}{6} + \frac{i \ln(-ix+1)x}{2} + \frac{\pi x^3}{6}$

input

```
int(x^4*arccot(x)/(x^2+1),x,method=_RETURNVERBOSE)
```

output

```
1/3*x^3*arccot(x)+1/6*x^2-x*arccot(x)-1/2*arccot(x)^2-2/3*ln(x^2+1)-1/3
```

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.78

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{1}{6} x^2 + \frac{1}{3} (x^3 - 3x) \operatorname{arccot}(x) - \frac{1}{2} \operatorname{arccot}(x)^2 - \frac{2}{3} \log(x^2 + 1)$$

input `integrate(x^4*arccot(x)/(x^2+1),x, algorithm="fricas")`

output `1/6*x^2 + 1/3*(x^3 - 3*x)*arccot(x) - 1/2*arccot(x)^2 - 2/3*log(x^2 + 1)`

**Sympy [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 34, normalized size of antiderivative = 0.85

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{x^3 \operatorname{acot}(x)}{3} + \frac{x^2}{6} - x \operatorname{acot}(x) - \frac{2 \log(x^2 + 1)}{3} - \frac{\operatorname{acot}^2(x)}{2}$$

input `integrate(x**4*acot(x)/(x**2+1),x)`

output `x**3*acot(x)/3 + x**2/6 - x*acot(x) - 2*log(x**2 + 1)/3 - acot(x)**2/2`

**Maxima [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.88

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{1}{6} x^2 + \frac{1}{3} (x^3 - 3x + 3 \arctan(x)) \operatorname{arccot}(x) + \frac{1}{2} \arctan(x)^2 - \frac{2}{3} \log(x^2 + 1)$$

input `integrate(x^4*arccot(x)/(x^2+1),x, algorithm="maxima")`

output `1/6*x^2 + 1/3*(x^3 - 3*x + 3*arctan(x))*arccot(x) + 1/2*arctan(x)^2 - 2/3*log(x^2 + 1)`



**Giac [F]**

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^4 \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x^4*arccot(x)/(x^2+1),x, algorithm="giac")`

output `integrate(x^4*arccot(x)/(x^2 + 1), x)`

**Mupad [B] (verification not implemented)**

Time = 0.79 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.80

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = \frac{x^3 \operatorname{acot}(x)}{3} - \frac{2 \ln(x^2+1)}{3} - \frac{\operatorname{acot}(x)^2}{2} - x \operatorname{acot}(x) + \frac{x^2}{6}$$

input `int((x^4*acot(x))/(x^2 + 1),x)`

output `(x^3*acot(x))/3 - (2*log(x^2 + 1))/3 - acot(x)^2/2 - x*acot(x) + x^2/6`

**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 32, normalized size of antiderivative = 0.80

$$\int \frac{x^4 \cot^{-1}(x)}{1+x^2} dx = -\frac{\operatorname{acot}(x)^2}{2} + \frac{\operatorname{acot}(x) x^3}{3} - \operatorname{acot}(x) x - \frac{2 \log(x^2+1)}{3} + \frac{x^2}{6}$$

input `int(x^4*acot(x)/(x^2+1),x)`

output `( - 3*acot(x)**2 + 2*acot(x)*x**3 - 6*acot(x)*x - 4*log(x**2 + 1) + x**2)/6`

### 3.23 $\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx$

Optimal result . . . . .	185
Mathematica [A] (verified) . . . . .	185
Rubi [A] (verified) . . . . .	186
Maple [B] (verified) . . . . .	188
Fricas [F] . . . . .	189
Sympy [F] . . . . .	189
Maxima [F] . . . . .	190
Giac [F] . . . . .	190
Mupad [F(-1)] . . . . .	190
Reduce [F] . . . . .	191

#### Optimal result

Integrand size = 13, antiderivative size = 67

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \frac{x}{2} + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 - \frac{\arctan(x)}{2} + \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) - \frac{1}{2}i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right)$$

output `1/2*x+1/2*x^2*arccot(x)-1/2*I*arccot(x)^2-1/2*arctan(x)+arccot(x)*ln(2/(1+I*x))-1/2*I*polylog(2,1-2/(1+I*x))`

#### Mathematica [A] (verified)

Time = 0.18 (sec) , antiderivative size = 51, normalized size of antiderivative = 0.76

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \frac{1}{2} \left( x - i \cot^{-1}(x)^2 + \cot^{-1}(x) \left( 1 + x^2 + 2 \log \left( 1 - e^{2i \cot^{-1}(x)} \right) \right) - i \operatorname{PolyLog} \left( 2, e^{2i \cot^{-1}(x)} \right) \right)$$

input `Integrate[(x^3*ArcCot[x])/(1 + x^2), x]`

output

```
(x - I*ArcCot[x]^2 + ArcCot[x]*(1 + x^2 + 2*Log[1 - E^((2*I)*ArcCot[x])])
- I*PolyLog[2, E^((2*I)*ArcCot[x])])/2
```

**Rubi [A] (verified)**

Time = 0.47 (sec) , antiderivative size = 66, normalized size of antiderivative = 0.99, number of steps used = 9, number of rules used = 8,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.615$ , Rules used = {5452, 5362, 262, 216, 5456, 5380, 2849, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^3 \cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5452} \\
 & \int x \cot^{-1}(x) dx - \int \frac{x \cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5362} \\
 & \frac{1}{2} \int \frac{x^2}{x^2 + 1} dx - \int \frac{x \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{2} x^2 \cot^{-1}(x) \\
 & \quad \downarrow \text{262} \\
 & \frac{1}{2} \left( x - \int \frac{1}{x^2 + 1} dx \right) - \int \frac{x \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{2} x^2 \cot^{-1}(x) \\
 & \quad \downarrow \text{216} \\
 & - \int \frac{x \cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{2} (x - \arctan(x)) + \frac{1}{2} x^2 \cot^{-1}(x) \\
 & \quad \downarrow \text{5456} \\
 & \int \frac{\cot^{-1}(x)}{i - x} dx + \frac{1}{2} (x - \arctan(x)) + \frac{1}{2} x^2 \cot^{-1}(x) - \frac{1}{2} i \cot^{-1}(x)^2 \\
 & \quad \downarrow \text{5380} \\
 & \int \frac{\log\left(\frac{2}{ix+1}\right)}{x^2 + 1} dx + \frac{1}{2} (x - \arctan(x)) + \frac{1}{2} x^2 \cot^{-1}(x) - \frac{1}{2} i \cot^{-1}(x)^2 + \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x) \\
 & \quad \downarrow \text{2849}
 \end{aligned}$$

$$\begin{aligned}
 & -i \int \frac{\log\left(\frac{2}{ix+1}\right)}{1 - \frac{2}{ix+1}} d\frac{1}{ix+1} + \frac{1}{2}(x - \arctan(x)) + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \\
 & \qquad \qquad \qquad \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x) \\
 & \qquad \qquad \qquad \downarrow \text{2752} \\
 & \frac{1}{2}(x - \arctan(x)) - \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{ix+1}\right) + \frac{1}{2}x^2 \cot^{-1}(x) - \frac{1}{2}i \cot^{-1}(x)^2 + \\
 & \qquad \qquad \qquad \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x)
 \end{aligned}$$

input `Int[(x^3*ArcCot[x])/(1 + x^2),x]`

output `(x^2*ArcCot[x])/2 - (I/2)*ArcCot[x]^2 + (x - ArcTan[x])/2 + ArcCot[x]*Log[2/(1 + I*x)] - (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]`

### Defintions of rubi rules used

rule 216 `Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

rule 262 `Int[((c_)*(x_))^(m_)*((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[c*(c*x)^(m-1)*((a + b*x^2)^(p+1)/(b*(m+2*p+1))), x] - Simp[a*c^2*((m-1)/(b*(m+2*p+1))) Int[(c*x)^(m-2)*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, p}, x] && GtQ[m, 2-1] && NeQ[m+2*p+1, 0] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 2752 `Int[Log[(c_)*(x_)]/((d_) + (e_)*(x_)), x_Symbol] := Simp[(-e^(-1))*PolyLog[2, 1 - c*x], x] /; FreeQ[{c, d, e}, x] && EqQ[e + c*d, 0]`

rule 2849 `Int[Log[(c_)/((d_) + (e_)*(x_))]/((f_) + (g_)*(x_)^2), x_Symbol] := Simp[-e/g Subst[Int[Log[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; FreeQ[{c, d, e, f, g}, x] && EqQ[c, 2*d] && EqQ[e^2*f + d^2*g, 0]`

rule 5362

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] :=
Simp[x^(m + 1)*((a + b*ArcCot[c*x^n])^p/(m + 1)), x] + Simp[b*c*n*(p/(m +
1)) Int[x^(m + n)*((a + b*ArcCot[c*x^n])^(p - 1)/(1 + c^2*x^(2*n))), x],
x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0] && (EqQ[p, 1] || (EqQ[n, 1] &
& IntegerQ[m])) && NeQ[m, -1]
```

rule 5380

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)), x_Symbol]
:= Simp[(-(a + b*ArcCot[c*x])^p)*(Log[2/(1 + e*(x/d))]/e), x] - Simp[b*c*(
p/e) Int[(a + b*ArcCot[c*x])^(p - 1)*(Log[2/(1 + e*(x/d))]/(1 + c^2*x^2))
, x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*d^2 + e^2, 0
]
```

rule 5452

```
Int((((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_)^(m_.))/((d_) + (e
_.)*(x_)^2), x_Symbol] := Simp[f^2/e Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x]
)^p, x], x] - Simp[d*(f^2/e) Int[(f*x)^(m - 2)*((a + b*ArcCot[c*x])^p/(d
+ e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

rule 5456

```
Int((((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*(x_))/((d_) + (e_.)*(x_)^2),
x_Symbol] := Simp[I*((a + b*ArcCot[c*x])^(p + 1)/(b*e*(p + 1))), x] - Simp[
1/(c*d) Int[(a + b*ArcCot[c*x])^p/(I - c*x), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && IGtQ[p, 0]
```

### Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 125 vs. 2(53) = 106.

Time = 0.86 (sec) , antiderivative size = 126, normalized size of antiderivative = 1.88

method	result
default	$\frac{x^2 \operatorname{arccot}(x)}{2} - \frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} + \frac{x}{2} - \frac{\arctan(x)}{2} + \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4}$
parts	$\frac{x^2 \operatorname{arccot}(x)}{2} - \frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} + \frac{x}{2} - \frac{\arctan(x)}{2} + \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4}$
risch	$\frac{\pi x^2}{4} + \frac{\pi}{4} - \frac{\pi \ln(x^2+1)}{4} + \frac{i \ln(-ix+1)^2}{8} - \frac{i \ln\left(\frac{1}{2} - \frac{ix}{2}\right) \ln(ix+1)}{4} - \frac{ix^2 \ln(-ix+1)}{4} + \frac{x}{2} + \frac{i \ln\left(\frac{1}{2} + \frac{ix}{2}\right) \ln(-ix+1)}{4} - \frac{i \ln(-ix+1)}{4}$

input `int(x^3*arccot(x)/(x^2+1),x,method=_RETURNVERBOSE)`

output `1/2*x^2*arccot(x)-1/2*arccot(x)*ln(x^2+1)+1/2*x-1/2*arctan(x)+1/4*I*(ln(x-I)*ln(x^2+1)-1/2*ln(x-I)^2-dilog(-1/2*I*(I+x))-ln(x-I)*ln(-1/2*I*(I+x)))-1/4*I*(ln(I+x)*ln(x^2+1)-1/2*ln(I+x)^2-dilog(1/2*I*(x-I))-ln(I+x)*ln(1/2*I*(x-I)))`

### Fricas [F]

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^3 \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="fricas")`

output `integral(x^3*arccot(x)/(x^2 + 1), x)`

### Sympy [F]

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^3 \operatorname{acot}(x)}{x^2+1} dx$$

input `integrate(x**3*acot(x)/(x**2+1),x)`

output `Integral(x**3*acot(x)/(x**2 + 1), x)`

**Maxima [F]**

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^3 \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="maxima")`

output `integrate(x^3*arccot(x)/(x^2 + 1), x)`

**Giac [F]**

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^3 \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x^3*arccot(x)/(x^2+1),x, algorithm="giac")`

output `integrate(x^3*arccot(x)/(x^2 + 1), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^3 \operatorname{acot}(x)}{x^2+1} dx$$

input `int((x^3*acot(x))/(x^2 + 1),x)`

output `int((x^3*acot(x))/(x^2 + 1), x)`

Reduce [F]

$$\int \frac{x^3 \cot^{-1}(x)}{1+x^2} dx = \int \frac{\operatorname{acot}(x) x^3}{x^2+1} dx$$

input `int(x^3*acot(x)/(x^2+1),x)`

output `int((acot(x)*x**3)/(x**2 + 1),x)`



### 3.24 $\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx$

Optimal result . . . . .	192
Mathematica [A] (verified) . . . . .	192
Rubi [A] (verified) . . . . .	193
Maple [A] (verified) . . . . .	194
Fricas [A] (verification not implemented) . . . . .	195
Sympy [A] (verification not implemented) . . . . .	195
Maxima [A] (verification not implemented) . . . . .	195
Giac [F] . . . . .	196
Mupad [B] (verification not implemented) . . . . .	196
Reduce [B] (verification not implemented) . . . . .	196

#### Optimal result

Integrand size = 13, antiderivative size = 23

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = x \cot^{-1}(x) + \frac{1}{2} \cot^{-1}(x)^2 + \frac{1}{2} \log(1+x^2)$$

output `x*arccot(x)+1/2*arccot(x)^2+1/2*ln(x^2+1)`

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.00

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = x \cot^{-1}(x) + \frac{1}{2} \cot^{-1}(x)^2 + \frac{1}{2} \log(1+x^2)$$

input `Integrate[(x^2*ArcCot[x])/(1 + x^2),x]`

output `x*ArcCot[x] + ArcCot[x]^2/2 + Log[1 + x^2]/2`

**Rubi [A] (verified)**

Time = 0.30 (sec) , antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$ , Rules used = {5452, 5346, 240, 5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^2 \cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5452} \\
 & \int \cot^{-1}(x) dx - \int \frac{\cot^{-1}(x)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5346} \\
 & \int \frac{x}{x^2 + 1} dx - \int \frac{\cot^{-1}(x)}{x^2 + 1} dx + x \cot^{-1}(x) \\
 & \quad \downarrow \text{240} \\
 & - \int \frac{\cot^{-1}(x)}{x^2 + 1} dx + \frac{1}{2} \log(x^2 + 1) + x \cot^{-1}(x) \\
 & \quad \downarrow \text{5420} \\
 & \frac{1}{2} \log(x^2 + 1) + \frac{1}{2} \cot^{-1}(x)^2 + x \cot^{-1}(x)
 \end{aligned}$$

input `Int[(x^2*ArcCot[x])/(1 + x^2),x]`

output `x*ArcCot[x] + ArcCot[x]^2/2 + Log[1 + x^2]/2`

## Definitions of rubi rules used

rule 240  $\text{Int}[(x_+)/((a_) + (b_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^2, x]]/(2*b), x] /; \text{FreeQ}[\{a, b\}, x]$

rule 5346  $\text{Int}[(a_) + \text{ArcCot}[(c_)*(x_)^(n_)]*(b_)]^(p_), x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcCot}[c*x^n])^p, x] + \text{Simp}[b*c*n*p \text{Int}[x^n*((a + b*\text{ArcCot}[c*x^n])^(p-1))/(1 + c^2*x^(2*n))), x], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[n, 1] || \text{EqQ}[p, 1])$

rule 5420  $\text{Int}[(a_) + \text{ArcCot}[(c_)*(x_)]*(b_)]^(p_)/((d_) + (e_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[-(a + b*\text{ArcCot}[c*x])^(p+1)/(b*c*d*(p+1)), x] /; \text{FreeQ}[\{a, b, c, d, e, p\}, x] \&\& \text{EqQ}[e, c^2*d] \&\& \text{NeQ}[p, -1]$

rule 5452  $\text{Int}[(a_) + \text{ArcCot}[(c_)*(x_)]*(b_)]^(p_)*((f_)*(x_)^(m_))/((d_) + (e_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[f^2/e \text{Int}[(f*x)^(m-2)*(a + b*\text{ArcCot}[c*x])^p, x], x] - \text{Simp}[d*(f^2/e) \text{Int}[(f*x)^(m-2)*((a + b*\text{ArcCot}[c*x])^p)/(d + e*x^2), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{GtQ}[p, 0] \&\& \text{GtQ}[m, 1]$

## Maple [A] (verified)

Time = 0.37 (sec) , antiderivative size = 20, normalized size of antiderivative = 0.87

method	result
parallelrisch	$x \operatorname{arccot}(x) + \frac{\operatorname{arccot}(x)^2}{2} + \frac{\ln(x^2+1)}{2}$
default	$-\operatorname{arccot}(x) \operatorname{arctan}(x) + x \operatorname{arccot}(x) + \frac{\ln(x^2+1)}{2} - \frac{\operatorname{arctan}(x)^2}{2}$
parts	$-\operatorname{arccot}(x) \operatorname{arctan}(x) + x \operatorname{arccot}(x) + \frac{\ln(x^2+1)}{2} - \frac{\operatorname{arctan}(x)^2}{2}$
risch	$-\frac{\ln(ix+1)^2}{8} + \left(\frac{ix}{2} + \frac{\ln(-ix+1)}{4}\right) \ln(ix+1) - \frac{\ln(-ix+1)^2}{8} - \frac{i \ln(-ix+1)x}{2} + \frac{\pi x}{2} - \frac{\pi \operatorname{arctan}(x)}{2} + \frac{\ln(x^2+1)}{2}$

input  $\text{int}(x^2*\operatorname{arccot}(x)/(x^2+1), x, \text{method}=\_RETURNVERBOSE)$

output  $x*\operatorname{arccot}(x)+1/2*\operatorname{arccot}(x)^2+1/2*\ln(x^2+1)$

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.83

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = x \operatorname{arccot}(x) + \frac{1}{2} \operatorname{arccot}(x)^2 + \frac{1}{2} \log(x^2 + 1)$$

input `integrate(x^2*arccot(x)/(x^2+1),x, algorithm="fricas")`output `x*arccot(x) + 1/2*arccot(x)^2 + 1/2*log(x^2 + 1)`**Sympy [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.83

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = x \operatorname{acot}(x) + \frac{\log(x^2 + 1)}{2} + \frac{\operatorname{acot}^2(x)}{2}$$

input `integrate(x**2*acot(x)/(x**2+1),x)`output `x*acot(x) + log(x**2 + 1)/2 + acot(x)**2/2`**Maxima [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 24, normalized size of antiderivative = 1.04

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = (x - \arctan(x)) \operatorname{arccot}(x) - \frac{1}{2} \arctan(x)^2 + \frac{1}{2} \log(x^2 + 1)$$

input `integrate(x^2*arccot(x)/(x^2+1),x, algorithm="maxima")`output `(x - arctan(x))*arccot(x) - 1/2*arctan(x)^2 + 1/2*log(x^2 + 1)`

**Giac [F]**

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = \int \frac{x^2 \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x^2*arccot(x)/(x^2+1),x, algorithm="giac")`

output `integrate(x^2*arccot(x)/(x^2 + 1), x)`

**Mupad [B] (verification not implemented)**

Time = 0.76 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.83

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = \frac{\operatorname{acot}(x)^2}{2} + x \operatorname{acot}(x) + \frac{\ln(x^2+1)}{2}$$

input `int((x^2*acot(x))/(x^2 + 1),x)`

output `log(x^2 + 1)/2 + acot(x)^2/2 + x*acot(x)`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 19, normalized size of antiderivative = 0.83

$$\int \frac{x^2 \cot^{-1}(x)}{1+x^2} dx = \frac{\operatorname{acot}(x)^2}{2} + \operatorname{acot}(x) x + \frac{\log(x^2+1)}{2}$$

input `int(x^2*acot(x)/(x^2+1),x)`

output `(acot(x)**2 + 2*acot(x)*x + log(x**2 + 1))/2`

### 3.25 $\int \frac{x \cot^{-1}(x)}{1+x^2} dx$

Optimal result	197
Mathematica [A] (verified)	197
Rubi [A] (verified)	198
Maple [B] (verified)	199
Fricas [F]	200
Sympy [F]	200
Maxima [F]	200
Giac [F]	201
Mupad [F(-1)]	201
Reduce [F]	201

#### Optimal result

Integrand size = 11, antiderivative size = 48

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \frac{1}{2}i \cot^{-1}(x)^2 - \cot^{-1}(x) \log\left(\frac{2}{1+ix}\right) + \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{1+ix}\right)$$

output

```
1/2*I*arccot(x)^2-arccot(x)*ln(2/(1+I*x))+1/2*I*polylog(2,1-2/(1+I*x))
```

#### Mathematica [A] (verified)

Time = 0.06 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.81

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = -\cot^{-1}(x) \log\left(1 - e^{2i \cot^{-1}(x)}\right) + \frac{1}{2}i\left(\cot^{-1}(x)^2 + \text{PolyLog}\left(2, e^{2i \cot^{-1}(x)}\right)\right)$$

input

```
Integrate[(x*ArcCot[x])/(1 + x^2),x]
```

output

```
-(ArcCot[x]*Log[1 - E^((2*I)*ArcCot[x])]) + (I/2)*(ArcCot[x]^2 + PolyLog[2, E^((2*I)*ArcCot[x])])
```

**Rubi [A] (verified)**

Time = 0.31 (sec) , antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {5456, 5380, 2849, 2752}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{x \cot^{-1}(x)}{x^2 + 1} dx \\ & \quad \downarrow \text{5456} \\ & \frac{1}{2}i \cot^{-1}(x)^2 - \int \frac{\cot^{-1}(x)}{i-x} dx \\ & \quad \downarrow \text{5380} \\ & - \int \frac{\log\left(\frac{2}{ix+1}\right)}{x^2 + 1} dx + \frac{1}{2}i \cot^{-1}(x)^2 - \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x) \\ & \quad \downarrow \text{2849} \\ & i \int \frac{\log\left(\frac{2}{ix+1}\right)}{1 - \frac{2}{ix+1}} d\frac{1}{ix+1} + \frac{1}{2}i \cot^{-1}(x)^2 - \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x) \\ & \quad \downarrow \text{2752} \\ & \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{ix+1}\right) + \frac{1}{2}i \cot^{-1}(x)^2 - \log\left(\frac{2}{1+ix}\right) \cot^{-1}(x) \end{aligned}$$

input `Int[(x*ArcCot[x])/(1 + x^2),x]`

output `(I/2)*ArcCot[x]^2 - ArcCot[x]*Log[2/(1 + I*x)] + (I/2)*PolyLog[2, 1 - 2/(1 + I*x)]`

## Definitions of rubi rules used

rule 2752  $\text{Int}[\text{Log}[(c\_)*(x\_)]/((d\_)+(e\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[(-e^{(-1)})*\text{PolyLog}[2, 1 - c*x], x] /; \text{FreeQ}\{c, d, e\}, x] \ \&\& \ \text{EqQ}[e + c*d, 0]$

rule 2849  $\text{Int}[\text{Log}[(c\_)/((d\_)+(e\_)*(x\_))]/((f\_)+(g\_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[-e/g \ \text{Subst}[\text{Int}[\text{Log}[2*d*x]/(1 - 2*d*x), x], x, 1/(d + e*x)], x] /; \text{FreeQ}\{c, d, e, f, g\}, x] \ \&\& \ \text{EqQ}[c, 2*d] \ \&\& \ \text{EqQ}[e^2*f + d^2*g, 0]$

rule 5380  $\text{Int}[(a\_)+\text{ArcCot}[(c\_)*(x\_)]*(b\_)]^{(p\_)} / ((d\_)+(e\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[(-a + b*\text{ArcCot}[c*x])^p*(\text{Log}[2/(1 + e*(x/d))]/e), x] - \text{Simp}[b*c*(p/e) \ \text{Int}[(a + b*\text{ArcCot}[c*x])^{(p - 1)}*(\text{Log}[2/(1 + e*(x/d))]/(1 + c^2*x^2)), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{EqQ}[c^2*d^2 + e^2, 0]$

rule 5456  $\text{Int}[(a\_)+\text{ArcCot}[(c\_)*(x\_)]*(b\_)]^{(p\_)}*(x\_)/((d\_)+(e\_)*(x_)^2), x\_Symbol] \rightarrow \text{Simp}[I*((a + b*\text{ArcCot}[c*x])^{(p + 1)})/(b*e*(p + 1)), x] - \text{Simp}[1/(c*d) \ \text{Int}[(a + b*\text{ArcCot}[c*x])^p/(1 - c*x), x], x] /; \text{FreeQ}\{a, b, c, d, e\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{IGtQ}[p, 0]$

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 97 vs.  $2(40) = 80$ .

Time = 0.33 (sec) , antiderivative size = 98, normalized size of antiderivative = 2.04

method	result
risch	$\frac{\pi \ln(-2+(-ix+1)^2+2ix)}{4} - \frac{i \ln(\frac{1}{2} + \frac{ix}{2}) \ln(-ix+1)}{4} + \frac{i \operatorname{dilog}(\frac{1}{2} - \frac{ix}{2})}{4} - \frac{i \ln(-ix+1)^2}{8} + \frac{i \ln(\frac{1}{2} - \frac{ix}{2}) \ln(ix+1)}{4} - \frac{i \operatorname{dilog}(\frac{1}{2} - \frac{ix}{2})}{4}$
default	$\frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} - \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4} + \frac{i \left( \ln(i+x) \ln(x^2+1) - \frac{\ln(i+x)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(i+x) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4}$
parts	$\frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} - \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4} + \frac{i \left( \ln(i+x) \ln(x^2+1) - \frac{\ln(i+x)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(i+x) \ln\left(-\frac{i(i+x)}{2}\right) \right)}{4}$

input  $\text{int}(x*\operatorname{arccot}(x)/(x^2+1), x, \text{method}=\_RETURNVERBOSE)$



output

```
1/4*Pi*ln(-2+(1-I*x)^2+2*I*x)-1/4*I*ln(1/2+1/2*I*x)*ln(1-I*x)+1/4*I*dilog(
1/2-1/2*I*x)-1/8*I*ln(1-I*x)^2+1/4*I*ln(1/2-1/2*I*x)*ln(1+I*x)-1/4*I*dilog
(1/2+1/2*I*x)+1/8*I*ln(1+I*x)^2
```

**Fricas [F]**

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(x)}{x^2+1} dx$$

input

```
integrate(x*arccot(x)/(x^2+1),x, algorithm="fricas")
```

output

```
integral(x*arccot(x)/(x^2 + 1), x)
```

**Sympy [F]**

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{x \operatorname{acot}(x)}{x^2+1} dx$$

input

```
integrate(x*acot(x)/(x**2+1),x)
```

output

```
Integral(x*acot(x)/(x**2 + 1), x)
```

**Maxima [F]**

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(x)}{x^2+1} dx$$

input

```
integrate(x*arccot(x)/(x^2+1),x, algorithm="maxima")
```

output

```
integrate(x*arccot(x)/(x^2 + 1), x)
```

**Giac [F]**

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(x)}{x^2+1} dx$$

input `integrate(x*arccot(x)/(x^2+1),x, algorithm="giac")`

output `integrate(x*arccot(x)/(x^2 + 1), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{x \operatorname{acot}(x)}{x^2+1} dx$$

input `int((x*acot(x))/(x^2 + 1),x)`

output `int((x*acot(x))/(x^2 + 1), x)`

**Reduce [F]**

$$\int \frac{x \cot^{-1}(x)}{1+x^2} dx = \int \frac{\operatorname{acot}(x) x}{x^2+1} dx$$

input `int(x*acot(x)/(x^2+1),x)`

output `int((acot(x)*x)/(x**2 + 1),x)`

### 3.26 $\int \frac{\cot^{-1}(x)}{1+x^2} dx$

Optimal result . . . . .	202
Mathematica [A] (verified) . . . . .	202
Rubi [A] (verified) . . . . .	203
Maple [A] (verified) . . . . .	204
Fricas [A] (verification not implemented) . . . . .	204
Sympy [A] (verification not implemented) . . . . .	204
Maxima [A] (verification not implemented) . . . . .	205
Giac [A] (verification not implemented) . . . . .	205
Mupad [B] (verification not implemented) . . . . .	205
Reduce [B] (verification not implemented) . . . . .	206

#### Optimal result

Integrand size = 10, antiderivative size = 8

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \cot^{-1}(x)^2$$

output

```
-1/2*arccot(x)^2
```

#### Mathematica [A] (verified)

Time = 0.00 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \cot^{-1}(x)^2$$

input

```
Integrate[ArcCot[x]/(1 + x^2), x]
```

output

```
-1/2*ArcCot[x]^2
```

**Rubi [A] (verified)**

Time = 0.16 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{\cot^{-1}(x)}{x^2 + 1} dx$$

↓ 5420

$$-\frac{1}{2} \cot^{-1}(x)^2$$

input `Int[ArcCot[x]/(1 + x^2),x]`

output `-1/2*ArcCot[x]^2`

**Defintions of rubi rules used**

rule 5420 `Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] :> Simp[-(a + b*ArcCot[c*x])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]`

**Maple [A] (verified)**

Time = 0.66 (sec) , antiderivative size = 7, normalized size of antiderivative = 0.88

method	result	size
derivativedivides	$-\frac{\operatorname{arccot}(x)^2}{2}$	7
default	$-\frac{\operatorname{arccot}(x)^2}{2}$	7
parts	$\operatorname{arccot}(x) \arctan(x) + \frac{\arctan(x)^2}{2}$	13
risch	$\frac{\ln(ix+1)^2}{8} - \frac{\ln(-ix+1)\ln(ix+1)}{4} + \frac{\ln(-ix+1)^2}{8} + \frac{\pi \arctan(x)}{2}$	45

input `int(arccot(x)/(x^2+1),x,method=_RETURNVERBOSE)`output `-1/2*arccot(x)^2`**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \operatorname{arccot}(x)^2$$

input `integrate(arccot(x)/(x^2+1),x, algorithm="fricas")`output `-1/2*arccot(x)^2`**Sympy [A] (verification not implemented)**

Time = 0.34 (sec) , antiderivative size = 7, normalized size of antiderivative = 0.88

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{\operatorname{acot}^2(x)}{2}$$

input `integrate(acot(x)/(x**2+1),x)`

output `-acot(x)**2/2`

### Maxima [A] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \operatorname{arccot}(x)^2$$

input `integrate(arccot(x)/(x^2+1),x, algorithm="maxima")`

output `-1/2*arccot(x)^2`

### Giac [A] (verification not implemented)

Time = 0.13 (sec) , antiderivative size = 8, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{1}{2} \arctan\left(\frac{1}{x}\right)^2$$

input `integrate(arccot(x)/(x^2+1),x, algorithm="giac")`

output `-1/2*arctan(1/x)^2`

### Mupad [B] (verification not implemented)

Time = 0.04 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{\operatorname{acot}(x)^2}{2}$$

input `int(acot(x)/(x^2 + 1),x)`

output `-acot(x)^2/2`

**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 6, normalized size of antiderivative = 0.75

$$\int \frac{\cot^{-1}(x)}{1+x^2} dx = -\frac{\operatorname{acot}(x)^2}{2}$$

input `int(acot(x)/(x^2+1),x)`

output `( - acot(x)**2)/2`

### 3.27 $\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx$

Optimal result	207
Mathematica [A] (verified)	207
Rubi [A] (verified)	208
Maple [B] (verified)	209
Fricas [F]	210
Sympy [F]	210
Maxima [F]	210
Giac [F]	211
Mupad [F(-1)]	211
Reduce [F]	211

#### Optimal result

Integrand size = 13, antiderivative size = 49

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \frac{1}{2}i \cot^{-1}(x)^2 + \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) + \frac{1}{2}i \text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right)$$

output

```
1/2*I*arccot(x)^2+arccot(x)*ln(2-2/(1-I*x))+1/2*I*polylog(2,-1+2/(1-I*x))
```

#### Mathematica [A] (verified)

Time = 0.09 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.88

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = -\frac{1}{2}i \cot^{-1}(x)^2 + \cot^{-1}(x) \log\left(1 + e^{2i \cot^{-1}(x)}\right) - \frac{1}{2}i \text{PolyLog}\left(2, -e^{2i \cot^{-1}(x)}\right)$$

input

```
Integrate[ArcCot[x]/(x*(1+x^2)),x]
```



output

$$(-1/2*I)*\text{ArcCot}[x]^2 + \text{ArcCot}[x]*\text{Log}[1 + E^{((2*I)*\text{ArcCot}[x])}] - (I/2)*\text{PolyLog}[2, -E^{((2*I)*\text{ArcCot}[x])}]$$
**Rubi [A] (verified)**

Time = 0.31 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.12, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {5460, 5404, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\cot^{-1}(x)}{x(x^2+1)} dx \\ & \quad \downarrow \text{5460} \\ & i \int \frac{\cot^{-1}(x)}{x(x+i)} dx + \frac{1}{2} i \cot^{-1}(x)^2 \\ & \quad \downarrow \text{5404} \\ & i \left( -i \int \frac{\log\left(2 - \frac{2}{1-ix}\right)}{x^2+1} dx - i \log\left(2 - \frac{2}{1-ix}\right) \cot^{-1}(x) \right) + \frac{1}{2} i \cot^{-1}(x)^2 \\ & \quad \downarrow \text{2897} \\ & i \left( \frac{1}{2} \text{PolyLog}\left(2, \frac{2}{1-ix} - 1\right) - i \log\left(2 - \frac{2}{1-ix}\right) \cot^{-1}(x) \right) + \frac{1}{2} i \cot^{-1}(x)^2 \end{aligned}$$

input

$$\text{Int}[\text{ArcCot}[x]/(x*(1 + x^2)), x]$$

output

$$(I/2)*\text{ArcCot}[x]^2 + I*((-I)*\text{ArcCot}[x]*\text{Log}[2 - 2/(1 - I*x)] + \text{PolyLog}[2, -1 + 2/(1 - I*x)]/2)$$

## Definitions of rubi rules used

rule 2897  $\text{Int}[\text{Log}[u_]*(Pq_)^{(m_.)}, x\_Symbol] \rightarrow \text{With}[\{C = \text{FullSimplify}[Pq^m*((1-u)/D[u, x])]\}, \text{Simp}[C*\text{PolyLog}[2, 1-u], x] /; \text{FreeQ}[C, x] /; \text{IntegerQ}[m] \&\& \text{PolyQ}[Pq, x] \&\& \text{RationalFunctionQ}[u, x] \&\& \text{LeQ}[\text{RationalFunctionExponents}[u, x][[2]], \text{Expon}[Pq, x]]$

rule 5404  $\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]^{(p_.)}/((x_)*((d_) + (e_.)*(x_))), x\_Symbol] \rightarrow \text{Simp}[(a + b*\text{ArcCot}[c*x])^p*(\text{Log}[2 - 2/(1 + e*(x/d))]/d), x] + \text{Simp}[b*c*(p/d) \text{Int}[(a + b*\text{ArcCot}[c*x])^{(p-1)}*(\text{Log}[2 - 2/(1 + e*(x/d))]/(1 + c^2*x^2)), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{EqQ}[c^2*d^2 + e^2, 0]$

rule 5460  $\text{Int}[(a_.) + \text{ArcCot}[(c_.)*(x_)]*(b_.)]^{(p_.)}/((x_)*((d_) + (e_.)*(x_)^2)), x\_Symbol] \rightarrow \text{Simp}[I*((a + b*\text{ArcCot}[c*x])^{(p+1)}/(b*d*(p+1))), x] + \text{Simp}[I/d \text{Int}[(a + b*\text{ArcCot}[c*x])^p/(x*(1 + c*x)), x], x] /; \text{FreeQ}[\{a, b, c, d, e\}, x] \&\& \text{EqQ}[e, c^2*d] \&\& \text{GtQ}[p, 0]$

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 116 vs.  $2(41) = 82$ .

Time = 0.35 (sec) , antiderivative size = 117, normalized size of antiderivative = 2.39

method	result
risch	$-\frac{\pi \ln(x^2+1)}{4} + \frac{\pi \ln(-ix)}{2} + \frac{i \ln(\frac{1}{2} + \frac{ix}{2}) \ln(-ix+1)}{4} - \frac{i \text{dilog}(\frac{1}{2} - \frac{ix}{2})}{4} + \frac{i \ln(-ix+1)^2}{8} + \frac{i \text{dilog}(-ix+1)}{2} - \frac{i \ln(\frac{1}{2} - \frac{ix}{2}) \ln(-ix+1)}{4}$
default	$-\frac{\text{arccot}(x) \ln(x^2+1)}{2} + \text{arccot}(x) \ln(x) - \frac{i \ln(x) \ln(ix+1)}{2} + \frac{i \ln(x) \ln(-ix+1)}{2} - \frac{i \text{dilog}(ix+1)}{2} + \frac{i \text{dilog}(-ix+1)}{2}$
parts	$-\frac{\text{arccot}(x) \ln(x^2+1)}{2} + \text{arccot}(x) \ln(x) - \frac{i \ln(x) \ln(ix+1)}{2} + \frac{i \ln(x) \ln(-ix+1)}{2} - \frac{i \text{dilog}(ix+1)}{2} + \frac{i \text{dilog}(-ix+1)}{2}$

input  $\text{int}(\text{arccot}(x)/x/(x^2+1), x, \text{method}=\_RETURNVERBOSE)$

output

```
-1/4*Pi*ln(x^2+1)+1/2*Pi*ln(-I*x)+1/4*I*ln(1/2+1/2*I*x)*ln(1-I*x)-1/4*I*dilog(1/2-1/2*I*x)+1/8*I*ln(1-I*x)^2+1/2*I*dilog(1-I*x)-1/4*I*ln(1/2-1/2*I*x)*ln(1+I*x)+1/4*I*dilog(1/2+1/2*I*x)-1/8*I*ln(1+I*x)^2-1/2*I*dilog(1+I*x)
```

**Fricas [F]**

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x} dx$$

input

```
integrate(arccot(x)/x/(x^2+1),x, algorithm="fricas")
```

output

```
integral(arccot(x)/(x^3 + x), x)
```

**Sympy [F]**

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x(x^2+1)} dx$$

input

```
integrate(acot(x)/x/(x**2+1),x)
```

output

```
Integral(acot(x)/(x*(x**2 + 1)), x)
```

**Maxima [F]**

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x} dx$$

input

```
integrate(arccot(x)/x/(x^2+1),x, algorithm="maxima")
```

output

```
integrate(arccot(x)/((x^2 + 1)*x), x)
```

**Giac [F]**

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x} dx$$

input `integrate(arccot(x)/x/(x^2+1),x, algorithm="giac")`

output `integrate(arccot(x)/((x^2 + 1)*x), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x(x^2+1)} dx$$

input `int(acot(x)/(x*(x^2 + 1)),x)`

output `int(acot(x)/(x*(x^2 + 1)), x)`

**Reduce [F]**

$$\int \frac{\cot^{-1}(x)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x^3+x} dx$$

input `int(acot(x)/x/(x^2+1),x)`

output `int(acot(x)/(x**3 + x),x)`

### 3.28 $\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx$

Optimal result	212
Mathematica [A] (verified)	212
Rubi [A] (verified)	213
Maple [A] (verified)	215
Fricas [A] (verification not implemented)	215
Sympy [A] (verification not implemented)	216
Maxima [A] (verification not implemented)	216
Giac [A] (verification not implemented)	216
Mupad [B] (verification not implemented)	217
Reduce [B] (verification not implemented)	217

#### Optimal result

Integrand size = 13, antiderivative size = 30

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \log(x) + \frac{1}{2} \log(1+x^2)$$

output `-arccot(x)/x+1/2*arccot(x)^2-ln(x)+1/2*ln(x^2+1)`

#### Mathematica [A] (verified)

Time = 0.01 (sec) , antiderivative size = 30, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = -\frac{\cot^{-1}(x)}{x} + \frac{1}{2} \cot^{-1}(x)^2 - \log(x) + \frac{1}{2} \log(1+x^2)$$

input `Integrate[ArcCot[x]/(x^2*(1+x^2)),x]`

output `-(ArcCot[x]/x) + ArcCot[x]^2/2 - Log[x] + Log[1+x^2]/2`

**Rubi [A] (verified)**

Time = 0.31 (sec) , antiderivative size = 33, normalized size of antiderivative = 1.10, number of steps used = 8, number of rules used = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.538$ , Rules used = {5454, 5362, 243, 47, 14, 16, 5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx \\
 & \quad \downarrow \text{5454} \\
 & \int \frac{\cot^{-1}(x)}{x^2} dx - \int \frac{\cot^{-1}(x)}{x^2+1} dx \\
 & \quad \downarrow \text{5362} \\
 & - \int \frac{1}{x(x^2+1)} dx - \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{243} \\
 & -\frac{1}{2} \int \frac{1}{x^2(x^2+1)} dx^2 - \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{47} \\
 & \frac{1}{2} \left( \int \frac{1}{x^2+1} dx^2 - \int \frac{1}{x^2} dx^2 \right) - \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{14} \\
 & \frac{1}{2} \left( \int \frac{1}{x^2+1} dx^2 - \log(x^2) \right) - \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{16} \\
 & - \int \frac{\cot^{-1}(x)}{x^2+1} dx + \frac{1}{2} (\log(x^2+1) - \log(x^2)) - \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{5420} \\
 & \frac{1}{2} (\log(x^2+1) - \log(x^2)) + \frac{1}{2} \cot^{-1}(x)^2 - \frac{\cot^{-1}(x)}{x}
 \end{aligned}$$

input `Int[ArcCot[x]/(x^2*(1 + x^2)),x]`

output `-(ArcCot[x]/x) + ArcCot[x]^2/2 + (-Log[x^2] + Log[1 + x^2])/2`

### Defintions of rubi rules used

rule 14 `Int[(a_.)/(x_), x_Symbol] := Simp[a*Log[x], x] /; FreeQ[a, x]`

rule 16 `Int[(c_.)/((a_.) + (b_.)*(x_)), x_Symbol] := Simp[c*(Log[RemoveContent[a + b*x, x]]/b), x] /; FreeQ[{a, b, c}, x]`

rule 47 `Int[1/(((a_.) + (b_.)*(x_))*((c_.) + (d_.)*(x_))), x_Symbol] := Simp[b/(b*c - a*d) Int[1/(a + b*x), x], x] - Simp[d/(b*c - a*d) Int[1/(c + d*x), x], x] /; FreeQ[{a, b, c, d}, x]`

rule 243 `Int[(x_)^(m_.)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[1/2 Subst[Int[x^((m - 1)/2)*(a + b*x)^p, x], x, x^2], x] /; FreeQ[{a, b, m, p}, x] && IntegerQ[(m - 1)/2]`

rule 5362 `Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)*((a + b*ArcCot[c*x^n])^p/(m + 1)), x] + Simp[b*c*n*(p/(m + 1)) Int[x^(m + n)*((a + b*ArcCot[c*x^n])^(p - 1)/(1 + c^2*x^(2*n))), x], x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0] && (EqQ[p, 1] || (EqQ[n, 1] && IntegerQ[m])) && NeQ[m, -1]`

rule 5420 `Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)/((d_) + (e_.)*(x_)^2), x_Symbol] := Simp[-(a + b*ArcCot[c*x^n])^(p + 1)/(b*c*d*(p + 1)), x] /; FreeQ[{a, b, c, d, e, p}, x] && EqQ[e, c^2*d] && NeQ[p, -1]`

rule 5454

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)/((d_.) + (e_.)*(x_.)^2), x_Symbol] := Simp[1/d Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Simp[e/(d*f^2) Int[(f*x)^(m + 2)*((a + b*ArcCot[c*x])^p/(d + e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.36 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.07

method	result
parallelrisch	$-\frac{\operatorname{arccot}(x)^2 x + 2 \ln(x) x - \ln(x^2 + 1) x + 2 \operatorname{arccot}(x)}{2x}$
default	$-\operatorname{arccot}(x) \arctan(x) - \frac{\operatorname{arccot}(x)}{x} - \ln(x) + \frac{\ln(x^2 + 1)}{2} - \frac{\arctan(x)^2}{2}$
parts	$-\operatorname{arccot}(x) \arctan(x) - \frac{\operatorname{arccot}(x)}{x} - \ln(x) + \frac{\ln(x^2 + 1)}{2} - \frac{\arctan(x)^2}{2}$
risch	$-\frac{\ln(ix+1)^2}{8} + \frac{(x \ln(-ix+1) - 2i) \ln(ix+1)}{4x} - \frac{-2i \ln((- \pi + 6i)x + i\pi + 6)\pi x + 2i \ln((- \pi - 6i)x - i\pi + 6)\pi x + \ln(-ix+1)^2 x - 4}{2x}$

input

```
int(arccot(x)/x^2/(x^2+1), x, method=_RETURNVERBOSE)
```

output

```
-1/2*(-arccot(x)^2*x+2*ln(x)*x-ln(x^2+1)*x+2*arccot(x))/x
```

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.97

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = \frac{x \operatorname{arccot}(x)^2 + x \log(x^2 + 1) - 2x \log(x) - 2 \operatorname{arccot}(x)}{2x}$$

input

```
integrate(arccot(x)/x^2/(x^2+1), x, algorithm="fricas")
```

output

```
1/2*(x*arccot(x)^2 + x*log(x^2 + 1) - 2*x*log(x) - 2*arccot(x))/x
```



**Sympy [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.73

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = -\log(x) + \frac{\log(x^2+1)}{2} + \frac{\operatorname{acot}^2(x)}{2} - \frac{\operatorname{acot}(x)}{x}$$

input `integrate(acot(x)/x**2/(x**2+1),x)`output `-log(x) + log(x**2 + 1)/2 + acot(x)**2/2 - acot(x)/x`**Maxima [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.97

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = -\left(\frac{1}{x} + \arctan(x)\right) \operatorname{arccot}(x) - \frac{1}{2} \arctan(x)^2 + \frac{1}{2} \log(x^2+1) - \log(x)$$

input `integrate(arccot(x)/x^2/(x^2+1),x, algorithm="maxima")`output `-(1/x + arctan(x))*arccot(x) - 1/2*arctan(x)^2 + 1/2*log(x^2 + 1) - log(x)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.87

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = \frac{1}{2} \arctan\left(\frac{1}{x}\right)^2 - \frac{\arctan\left(\frac{1}{x}\right)}{x} + \frac{1}{2} \log\left(\frac{1}{x^2} + 1\right)$$

input `integrate(arccot(x)/x^2/(x^2+1),x, algorithm="giac")`output `1/2*arctan(1/x)^2 - arctan(1/x)/x + 1/2*log(1/x^2 + 1)`

**Mupad [B] (verification not implemented)**

Time = 0.76 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.87

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = \frac{\ln(x^2+1)}{2} - \ln(x) - \frac{\operatorname{acot}(x)}{x} + \frac{\operatorname{acot}(x)^2}{2}$$

input `int(acot(x)/(x^2*(x^2 + 1)),x)`output `log(x^2 + 1)/2 - log(x) - acot(x)/x + acot(x)^2/2`**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.97

$$\int \frac{\cot^{-1}(x)}{x^2(1+x^2)} dx = \frac{\operatorname{acot}(x)^2 x - 2\operatorname{acot}(x) + \log(x^2+1)x - 2\log(x)x}{2x}$$

input `int(acot(x)/x^2/(x^2+1),x)`output `(acot(x)**2*x - 2*acot(x) + log(x**2 + 1)*x - 2*log(x)*x)/(2*x)`

### 3.29 $\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx$

Optimal result	218
Mathematica [A] (verified)	218
Rubi [A] (verified)	219
Maple [B] (verified)	221
Fricas [F]	222
Sympy [F]	222
Maxima [F]	223
Giac [F]	223
Mupad [F(-1)]	223
Reduce [F]	224

#### Optimal result

Integrand size = 13, antiderivative size = 72

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \frac{1}{2x} - \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2}i \cot^{-1}(x)^2 + \frac{\arctan(x)}{2} - \cot^{-1}(x) \log\left(2 - \frac{2}{1-ix}\right) - \frac{1}{2}i \text{PolyLog}\left(2, -1 + \frac{2}{1-ix}\right)$$

output `1/2/x-1/2*arccot(x)/x^2-1/2*I*arccot(x)^2+1/2*arctan(x)-arccot(x)*ln(2-2/(1-I*x))-1/2*I*polylog(2,-1+2/(1-I*x))`

#### Mathematica [A] (verified)

Time = 0.14 (sec) , antiderivative size = 55, normalized size of antiderivative = 0.76

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \frac{1}{2} \left( \frac{1}{x} + i \cot^{-1}(x)^2 + \cot^{-1}(x) \left( -1 - \frac{1}{x^2} - 2 \log\left(1 + e^{2i \cot^{-1}(x)}\right) \right) + i \text{PolyLog}\left(2, -e^{2i \cot^{-1}(x)}\right) \right)$$

input `Integrate[ArcCot[x]/(x^3*(1+x^2)),x]`

output

$$\frac{(x^{-1} + I \operatorname{ArcCot}[x]^2 + \operatorname{ArcCot}[x](-1 - x^{-2}) - 2 \operatorname{Log}[1 + E^{((2I) \operatorname{ArcCot}[x])}] + I \operatorname{PolyLog}[2, -E^{((2I) \operatorname{ArcCot}[x])}])]/2$$
**Rubi [A] (verified)**

Time = 0.47 (sec) , antiderivative size = 74, normalized size of antiderivative = 1.03, number of steps used = 7, number of rules used = 7,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.538$ , Rules used = {5454, 5362, 264, 216, 5460, 5404, 2897}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{\cot^{-1}(x)}{x^3(x^2+1)} dx \\ & \quad \downarrow \text{5454} \\ & \int \frac{\cot^{-1}(x)}{x^3} dx - \int \frac{\cot^{-1}(x)}{x(x^2+1)} dx \\ & \quad \downarrow \text{5362} \\ & -\frac{1}{2} \int \frac{1}{x^2(x^2+1)} dx - \int \frac{\cot^{-1}(x)}{x(x^2+1)} dx - \frac{\cot^{-1}(x)}{2x^2} \\ & \quad \downarrow \text{264} \\ & \frac{1}{2} \left( \int \frac{1}{x^2+1} dx + \frac{1}{x} \right) - \int \frac{\cot^{-1}(x)}{x(x^2+1)} dx - \frac{\cot^{-1}(x)}{2x^2} \\ & \quad \downarrow \text{216} \\ & - \int \frac{\cot^{-1}(x)}{x(x^2+1)} dx + \frac{1}{2} \left( \arctan(x) + \frac{1}{x} \right) - \frac{\cot^{-1}(x)}{2x^2} \\ & \quad \downarrow \text{5460} \\ & -i \int \frac{\cot^{-1}(x)}{x(x+i)} dx + \frac{1}{2} \left( \arctan(x) + \frac{1}{x} \right) - \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2} i \cot^{-1}(x)^2 \\ & \quad \downarrow \text{5404} \end{aligned}$$

$$\begin{aligned}
& -i \left( -i \int \frac{\log \left( 2 - \frac{2}{1-ix} \right)}{x^2 + 1} dx - i \log \left( 2 - \frac{2}{1-ix} \right) \cot^{-1}(x) \right) + \frac{1}{2} \left( \arctan(x) + \frac{1}{x} \right) - \\
& \quad \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2} i \cot^{-1}(x)^2 \\
& \quad \quad \quad \downarrow \text{2897} \\
& \frac{1}{2} \left( \arctan(x) + \frac{1}{x} \right) - i \left( \frac{1}{2} \text{PolyLog} \left( 2, \frac{2}{1-ix} - 1 \right) - i \log \left( 2 - \frac{2}{1-ix} \right) \cot^{-1}(x) \right) - \\
& \quad \frac{\cot^{-1}(x)}{2x^2} - \frac{1}{2} i \cot^{-1}(x)^2
\end{aligned}$$

input `Int[ArcCot[x]/(x^3*(1 + x^2)),x]`

output `-1/2*ArcCot[x]/x^2 - (I/2)*ArcCot[x]^2 + (x^(-1) + ArcTan[x])/2 - I*((-I)*ArcCot[x]*Log[2 - 2/(1 - I*x)] + PolyLog[2, -1 + 2/(1 - I*x)]/2)`

### Defintions of rubi rules used

rule 216 `Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])`

rule 264 `Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[(c*x)^(m + 1)*((a + b*x^2)^(p + 1)/(a*c*(m + 1))), x] - Simp[b*(m + 2*p + 3)/(a*c^2*(m + 1)) Int[(c*x)^(m + 2)*(a + b*x^2)^p, x], x] /; FreeQ[{a, b, c, p}, x] && LtQ[m, -1] && IntBinomialQ[a, b, c, 2, m, p, x]`

rule 2897 `Int[Log[u_]*(Pq_)^(m_.), x_Symbol] := With[{C = FullSimplify[Pq^m*((1 - u)/D[u, x])]}, Simp[C*PolyLog[2, 1 - u], x] /; FreeQ[C, x] /; IntegerQ[m] && PolyQ[Pq, x] && RationalFunctionQ[u, x] && LeQ[RationalFunctionExponents[u, x][[2]], Expon[Pq, x]]`

rule 5362

```
Int[((a_.) + ArcCot[(c_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] :=
Simp[x^(m + 1)*((a + b*ArcCot[c*x^n])^p/(m + 1)), x] + Simp[b*c*n*(p/(m +
1)) Int[x^(m + n)*((a + b*ArcCot[c*x^n])^(p - 1)/(1 + c^2*x^(2*n))), x],
x] /; FreeQ[{a, b, c, m, n}, x] && IGtQ[p, 0] && (EqQ[p, 1] || (EqQ[n, 1] &
& IntegerQ[m])) && NeQ[m, -1]
```

rule 5404

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_))), x_
Symbol] := Simp[(a + b*ArcCot[c*x])^p*(Log[2 - 2/(1 + e*(x/d))]/d), x] + Si
mp[b*c*(p/d) Int[(a + b*ArcCot[c*x])^(p - 1)*(Log[2 - 2/(1 + e*(x/d))]/(1
+ c^2*x^2)), x], x] /; FreeQ[{a, b, c, d, e}, x] && IGtQ[p, 0] && EqQ[c^2*
d^2 + e^2, 0]
```

rule 5454

```
Int[(((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)*((f_.)*(x_))^(m_.))/((d_) + (e
_.)*(x_)^2), x_Symbol] := Simp[1/d Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x],
x] - Simp[e/(d*f^2) Int[(f*x)^(m + 2)*((a + b*ArcCot[c*x])^p/(d + e*x^2)
), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

rule 5460

```
Int[((a_.) + ArcCot[(c_.)*(x_)]*(b_.))^(p_.)/((x_)*((d_) + (e_.)*(x_)^2)),
x_Symbol] := Simp[I*((a + b*ArcCot[c*x])^(p + 1)/(b*d*(p + 1))), x] + Simp[
I/d Int[(a + b*ArcCot[c*x])^p/(x*(I + c*x)), x], x] /; FreeQ[{a, b, c, d,
e}, x] && EqQ[e, c^2*d] && GtQ[p, 0]
```

## Maple [B] (verified)

Both result and optimal contain complex but leaf count of result is larger than twice the leaf count of optimal. 177 vs.  $2(58) = 116$ .

Time = 1.04 (sec) , antiderivative size = 178, normalized size of antiderivative = 2.47

method	result
default	$\frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} - \frac{\operatorname{arccot}(x)}{2x^2} - \operatorname{arccot}(x) \ln(x) - \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i}{2}\right) \right)}{4}$
parts	$\frac{\operatorname{arccot}(x) \ln(x^2+1)}{2} - \frac{\operatorname{arccot}(x)}{2x^2} - \operatorname{arccot}(x) \ln(x) - \frac{i \left( \ln(x-i) \ln(x^2+1) - \frac{\ln(x-i)^2}{2} - \operatorname{dilog}\left(-\frac{i(i+x)}{2}\right) - \ln(x-i) \ln\left(-\frac{i}{2}\right) \right)}{4}$
risch	$\frac{\pi \ln(x^2+1)}{4} - \frac{\pi}{4x^2} - \frac{\pi \ln(-ix)}{2} - \frac{i \ln(-ix+1)^2}{8} - \frac{i \operatorname{dilog}(-ix+1)}{2} - \frac{i \ln(-ix)}{4} + \frac{i \ln(ix)}{4} + \frac{i \ln\left(\frac{1}{2} - \frac{ix}{2}\right) \ln(ix+1)}{4} + \frac{1}{2x}$

input `int(arccot(x)/x^3/(x^2+1),x,method=_RETURNVERBOSE)`

output `1/2*arccot(x)*ln(x^2+1)-1/2*arccot(x)/x^2-arccot(x)*ln(x)-1/4*I*(ln(x-I)*ln(x^2+1)-1/2*ln(x-I)^2-dilog(-1/2*I*(I+x))-ln(x-I)*ln(-1/2*I*(I+x)))+1/4*I*(ln(I+x)*ln(x^2+1)-1/2*ln(I+x)^2-dilog(1/2*I*(x-I))-ln(I+x)*ln(1/2*I*(x-I)))+1/2/x+1/2*arctan(x)+1/2*I*ln(x)*ln(1+I*x)-1/2*I*ln(x)*ln(1-I*x)+1/2*I*dilog(1+I*x)-1/2*I*dilog(1-I*x)`

### Fricas [F]

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x^3} dx$$

input `integrate(arccot(x)/x^3/(x^2+1),x, algorithm="fricas")`

output `integral(arccot(x)/(x^5 + x^3), x)`

### Sympy [F]

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x^3(x^2+1)} dx$$

input `integrate(acot(x)/x**3/(x**2+1),x)`

output `Integral(acot(x)/(x**3*(x**2 + 1)), x)`

**Maxima [F]**

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x^3} dx$$

input `integrate(arccot(x)/x^3/(x^2+1),x, algorithm="maxima")`

output `integrate(arccot(x)/((x^2 + 1)*x^3), x)`

**Giac [F]**

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{arccot}(x)}{(x^2+1)x^3} dx$$

input `integrate(arccot(x)/x^3/(x^2+1),x, algorithm="giac")`

output `integrate(arccot(x)/((x^2 + 1)*x^3), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x^3(x^2+1)} dx$$

input `int(acot(x)/(x^3*(x^2 + 1)),x)`

output `int(acot(x)/(x^3*(x^2 + 1)), x)`



**Reduce [F]**

$$\int \frac{\cot^{-1}(x)}{x^3(1+x^2)} dx = \int \frac{\operatorname{acot}(x)}{x^5+x^3} dx$$

input `int(acot(x)/x^3/(x^2+1),x)`

output `int(acot(x)/(x**5 + x**3),x)`

### 3.30 $\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$

Optimal result	225
Mathematica [A] (verified)	225
Rubi [A] (verified)	226
Maple [A] (verified)	229
Fricas [A] (verification not implemented)	229
Sympy [A] (verification not implemented)	230
Maxima [A] (verification not implemented)	230
Giac [A] (verification not implemented)	230
Mupad [B] (verification not implemented)	231
Reduce [B] (verification not implemented)	231

#### Optimal result

Integrand size = 13, antiderivative size = 47

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{1}{6x^2} - \frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{4 \log(x)}{3} - \frac{2}{3} \log(1+x^2)$$

output  $1/6/x^2-1/3*\operatorname{arccot}(x)/x^3+\operatorname{arccot}(x)/x-1/2*\operatorname{arccot}(x)^2+4/3*\ln(x)-2/3*\ln(x^2+1)$

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{1}{6x^2} - \frac{\cot^{-1}(x)}{3x^3} + \frac{\cot^{-1}(x)}{x} - \frac{1}{2} \cot^{-1}(x)^2 + \frac{4 \log(x)}{3} - \frac{2}{3} \log(1+x^2)$$

input  $\operatorname{Integrate}[\operatorname{ArcCot}[x]/(x^4*(1+x^2)),x]$

output  $1/(6*x^2) - \operatorname{ArcCot}[x]/(3*x^3) + \operatorname{ArcCot}[x]/x - \operatorname{ArcCot}[x]^2/2 + (4*\operatorname{Log}[x])/3 - (2*\operatorname{Log}[1+x^2])/3$

**Rubi [A] (verified)**

Time = 0.54 (sec) , antiderivative size = 61, normalized size of antiderivative = 1.30, number of steps used = 13, number of rules used = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.923$ , Rules used = {5454, 5362, 243, 54, 2009, 5454, 5362, 243, 47, 14, 16, 5420}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\cot^{-1}(x)}{x^4(x^2+1)} dx \\
 & \quad \downarrow \text{5454} \\
 & \int \frac{\cot^{-1}(x)}{x^4} dx - \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx \\
 & \quad \downarrow \text{5362} \\
 & - \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx - \frac{1}{3} \int \frac{1}{x^3(x^2+1)} dx - \frac{\cot^{-1}(x)}{3x^3} \\
 & \quad \downarrow \text{243} \\
 & - \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx - \frac{1}{6} \int \frac{1}{x^4(x^2+1)} dx^2 - \frac{\cot^{-1}(x)}{3x^3} \\
 & \quad \downarrow \text{54} \\
 & - \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx - \frac{1}{6} \int \left( -\frac{1}{x^2} + \frac{1}{x^4} + \frac{1}{x^2+1} \right) dx^2 - \frac{\cot^{-1}(x)}{3x^3} \\
 & \quad \downarrow \text{2009} \\
 & - \int \frac{\cot^{-1}(x)}{x^2(x^2+1)} dx - \frac{\cot^{-1}(x)}{3x^3} + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) \\
 & \quad \downarrow \text{5454} \\
 & - \int \frac{\cot^{-1}(x)}{x^2} dx + \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) \\
 & \quad \downarrow \text{5362} \\
 & \int \frac{1}{x(x^2+1)} dx + \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) + \frac{\cot^{-1}(x)}{x} \\
 & \quad \downarrow \text{243}
 \end{aligned}$$

$$\begin{aligned}
& \frac{1}{2} \int \frac{1}{x^2(x^2+1)} dx^2 + \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) + \frac{\cot^{-1}(x)}{x} \\
& \quad \downarrow 47 \\
& \frac{1}{2} \left( \int \frac{1}{x^2} dx^2 - \int \frac{1}{x^2+1} dx^2 \right) + \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \\
& \quad \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) + \frac{\cot^{-1}(x)}{x} \\
& \quad \downarrow 14 \\
& \frac{1}{2} \left( \log(x^2) - \int \frac{1}{x^2+1} dx^2 \right) + \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \\
& \quad \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) + \frac{\cot^{-1}(x)}{x} \\
& \quad \downarrow 16 \\
& \int \frac{\cot^{-1}(x)}{x^2+1} dx - \frac{\cot^{-1}(x)}{3x^3} + \frac{1}{2} (\log(x^2) - \log(x^2+1)) + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) + \\
& \quad \frac{\cot^{-1}(x)}{x} \\
& \quad \downarrow 5420 \\
& -\frac{\cot^{-1}(x)}{3x^3} + \frac{1}{2} (\log(x^2) - \log(x^2+1)) + \frac{1}{6} \left( \frac{1}{x^2} + \log(x^2) - \log(x^2+1) \right) - \frac{1}{2} \cot^{-1}(x)^2 + \\
& \quad \frac{\cot^{-1}(x)}{x}
\end{aligned}$$

input `Int[ArcCot[x]/(x^4*(1+x^2)),x]`

output `-1/3*ArcCot[x]/x^3 + ArcCot[x]/x - ArcCot[x]^2/2 + (Log[x^2] - Log[1+x^2])/2 + (x^(-2) + Log[x^2] - Log[1+x^2])/6`

## Defintions of rubi rules used

- rule 14  $\text{Int}[(a\_)/(x\_), x\_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] \text{ ; FreeQ}[a, x]$
- rule 16  $\text{Int}[(c\_)/((a\_)+(b\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] \text{ ; FreeQ}[\{a, b, c\}, x]$
- rule 47  $\text{Int}[1/(((a\_)+(b\_)*(x\_))*((c\_)+(d\_)*(x\_))), x\_Symbol] \rightarrow \text{Simp}[b/(b*c - a*d) \text{ Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \text{ Int}[1/(c + d*x), x], x] \text{ ; FreeQ}[\{a, b, c, d\}, x]$
- rule 54  $\text{Int}(((a\_)+(b\_)*(x\_))^{(m\_)}*((c\_)+(d\_)*(x\_))^{(n\_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] \text{ ; FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{ILtQ}[m, 0] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ !(\text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m + n + 2, 0])$
- rule 243  $\text{Int}[(x\_)^{(m\_)}*((a\_)+(b\_)*(x\_)^2)^{(p\_)}, x\_Symbol] \rightarrow \text{Simp}[1/2 \text{ Subst}[\text{Int}[x^{(m-1)/2}*(a + b*x)^p, x], x, x^2], x] \text{ ; FreeQ}[\{a, b, m, p\}, x] \ \&\& \ \text{IntegerQ}[(m-1)/2]$
- rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ ; SumQ}[u]$
- rule 5362  $\text{Int}(((a\_)+\text{ArcCot}[(c\_)*(x\_)]*(b\_))^{(p\_)}*(x\_)^{(m\_)}), x\_Symbol] \rightarrow \text{Simp}[x^{(m+1)}*((a + b*\text{ArcCot}[c*x^n])^p/(m+1)), x] + \text{Simp}[b*c*n*(p/(m+1)) \text{ Int}[x^{(m+n)}*((a + b*\text{ArcCot}[c*x^n])^{(p-1)/(1+c^2*x^{2*n})}), x], x] \text{ ; FreeQ}[\{a, b, c, m, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ (\text{EqQ}[p, 1] \ || \ (\text{EqQ}[n, 1] \ \&\& \ \text{IntegerQ}[m])) \ \&\& \ \text{NeQ}[m, -1]$
- rule 5420  $\text{Int}(((a\_)+\text{ArcCot}[(c\_)*(x\_)]*(b\_))^{(p\_)}((d\_)+(e\_)*(x\_)^2), x\_Symbol] \rightarrow \text{Simp}[-(a + b*\text{ArcCot}[c*x])^{(p+1)}/(b*c*d*(p+1)), x] \text{ ; FreeQ}[\{a, b, c, d, e, p\}, x] \ \&\& \ \text{EqQ}[e, c^2*d] \ \&\& \ \text{NeQ}[p, -1]$

rule 5454

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[1/d Int[(f*x)^m*(a + b*ArcCot[c*x])^p, x], x] - Simp[e/(d*f^2) Int[(f*x)^(m + 2)*((a + b*ArcCot[c*x])^p/(d + e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && LtQ[m, -1]
```

**Maple [A] (verified)**

Time = 0.38 (sec) , antiderivative size = 43, normalized size of antiderivative = 0.91

method	result
default	$\operatorname{arccot}(x) \operatorname{arctan}(x) - \frac{\operatorname{arccot}(x)}{3x^3} + \frac{\operatorname{arccot}(x)}{x} + \frac{1}{6x^2} + \frac{4\ln(x)}{3} - \frac{2\ln(x^2+1)}{3} + \frac{\operatorname{arctan}(x)^2}{2}$
parts	$\operatorname{arccot}(x) \operatorname{arctan}(x) - \frac{\operatorname{arccot}(x)}{3x^3} + \frac{\operatorname{arccot}(x)}{x} + \frac{1}{6x^2} + \frac{4\ln(x)}{3} - \frac{2\ln(x^2+1)}{3} + \frac{\operatorname{arctan}(x)^2}{2}$
parallelrisc	$\frac{-3 \operatorname{arccot}(x)^2 x^3 + 8 \ln(x) x^3 - 4 \ln(x^2+1) x^3 + 6x^2 \operatorname{arccot}(x) + x - 2 \operatorname{arccot}(x)}{6x^3}$
risc	$\frac{\ln(ix+1)^2}{8} - \frac{(3 \ln(-ix+1) x^3 - 6ix^2 + 2i) \ln(ix+1)}{12x^3} + \frac{-6i \ln((- \pi + 8i)x + i\pi + 8) \pi x^3 + 6i \ln((- \pi - 8i)x - i\pi + 8) \pi x^3 + 3 \ln(-ix+1)}{12x^3}$

input

```
int(arccot(x)/x^4/(x^2+1),x,method=_RETURNVERBOSE)
```

output

```
arccot(x)*arctan(x)-1/3*arccot(x)/x^3+arccot(x)/x+1/6/x^2+4/3*ln(x)-2/3*ln(x^2+1)+1/2*arctan(x)^2
```

**Fricas [A] (verification not implemented)**

Time = 0.10 (sec) , antiderivative size = 47, normalized size of antiderivative = 1.00

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx$$

$$= -\frac{3x^3 \operatorname{arccot}(x)^2 + 4x^3 \log(x^2 + 1) - 8x^3 \log(x) - 2(3x^2 - 1) \operatorname{arccot}(x) - x}{6x^3}$$

input

```
integrate(arccot(x)/x^4/(x^2+1),x, algorithm="fricas")
```

output

```
-1/6*(3*x^3*arccot(x)^2 + 4*x^3*log(x^2 + 1) - 8*x^3*log(x) - 2*(3*x^2 - 1)*arccot(x) - x)/x^3
```

**Sympy [A] (verification not implemented)**

Time = 0.25 (sec) , antiderivative size = 42, normalized size of antiderivative = 0.89

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{4 \log(x)}{3} - \frac{2 \log(x^2+1)}{3} - \frac{\operatorname{acot}^2(x)}{2} + \frac{\operatorname{acot}(x)}{x} + \frac{1}{6x^2} - \frac{\operatorname{acot}(x)}{3x^3}$$

input `integrate(acot(x)/x**4/(x**2+1),x)`output `4*log(x)/3 - 2*log(x**2 + 1)/3 - acot(x)**2/2 + acot(x)/x + 1/(6*x**2) - a  
cot(x)/(3*x**3)`**Maxima [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 55, normalized size of antiderivative = 1.17

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{1}{3} \left( \frac{3x^2-1}{x^3} + 3 \arctan(x) \right) \operatorname{arccot}(x) + \frac{3x^2 \arctan(x)^2 - 4x^2 \log(x^2+1) + 8x^2 \log(x) + 1}{6x^2}$$

input `integrate(arccot(x)/x^4/(x^2+1),x, algorithm="maxima")`output `1/3*((3*x^2 - 1)/x^3 + 3*arctan(x))*arccot(x) + 1/6*(3*x^2*arctan(x)^2 - 4  
*x^2*log(x^2 + 1) + 8*x^2*log(x) + 1)/x^2`**Giac [A] (verification not implemented)**

Time = 0.11 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.83

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = -\frac{1}{2} \arctan\left(\frac{1}{x}\right) + \frac{\arctan\left(\frac{1}{x}\right)}{x} + \frac{1}{6x^2} - \frac{\arctan\left(\frac{1}{x}\right)}{3x^3} - \frac{2}{3} \log\left(\frac{1}{x^2}+1\right)$$

input `integrate(arccot(x)/x^4/(x^2+1),x, algorithm="giac")`

output

$$-1/2*\arctan(1/x)^2 + \arctan(1/x)/x + 1/6/x^2 - 1/3*\arctan(1/x)/x^3 - 2/3*\log(1/x^2 + 1)$$
**Mupad [B] (verification not implemented)**

Time = 0.77 (sec) , antiderivative size = 35, normalized size of antiderivative = 0.74

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{4 \ln(x)}{3} - \frac{2 \ln(x^2 + 1)}{3} - \frac{\operatorname{acot}(x)^2}{2} + \frac{1}{6x^2} + \frac{\operatorname{acot}(x)(x^2 - \frac{1}{3})}{x^3}$$

input

$$\text{int}(\operatorname{acot}(x)/(x^4*(x^2 + 1)),x)$$

output

$$(4*\log(x))/3 - (2*\log(x^2 + 1))/3 - \operatorname{acot}(x)^2/2 + 1/(6*x^2) + (\operatorname{acot}(x)*(x^2 - 1/3))/x^3$$
**Reduce [B] (verification not implemented)**

Time = 0.21 (sec) , antiderivative size = 45, normalized size of antiderivative = 0.96

$$\int \frac{\cot^{-1}(x)}{x^4(1+x^2)} dx = \frac{-3\operatorname{acot}(x)^2 x^3 + 6\operatorname{acot}(x) x^2 - 2\operatorname{acot}(x) - 4\log(x^2 + 1) x^3 + 8\log(x) x^3 + x}{6x^3}$$

input

$$\text{int}(\operatorname{acot}(x)/x^4/(x^2+1),x)$$

output

$$(-3*\operatorname{acot}(x)**2*x**3 + 6*\operatorname{acot}(x)*x**2 - 2*\operatorname{acot}(x) - 4*\log(x**2 + 1)*x**3 + 8*\log(x)*x**3 + x)/(6*x**3)$$



### 3.31 $\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$

Optimal result	232
Mathematica [B] (warning: unable to verify)	233
Rubi [A] (verified)	234
Maple [A] (verified)	237
Fricas [F]	238
Sympy [F]	238
Maxima [A] (verification not implemented)	238
Giac [F]	239
Mupad [F(-1)]	239
Reduce [F]	240

#### Optimal result

Integrand size = 15, antiderivative size = 206

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = x \cot^{-1}(cx) - \frac{1}{2}i \arctan(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \arctan(x) \log\left(1 + \frac{i}{cx}\right) + \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) - \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i+cx)}{(1+c)(1-ix)}\right) + \frac{\log(1+c^2x^2)}{2c} + \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i-cx)}{(1-c)(1-ix)}\right) - \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i+cx)}{(1+c)(1-ix)}\right)$$

output

```
x*arccot(c*x)-1/2*I*arctan(x)*ln(1-I/c/x)+1/2*I*arctan(x)*ln(1+I/c/x)+1/2*
I*arctan(x)*ln(-2*I*(I-c*x)/(1-c)/(1-I*x))-1/2*I*arctan(x)*ln(-2*I*(I+c*x)
/(1+c)/(1-I*x))+1/2*ln(c^2*x^2+1)/c+1/4*polylog(2,1+2*I*(I-c*x)/(1-c)/(1-I
*x))-1/4*polylog(2,1+2*I*(I+c*x)/(1+c)/(1-I*x))
```

**Mathematica [B] (warning: unable to verify)**

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 626 vs.  $2(206) = 412$ .

Time = 1.08 (sec) , antiderivative size = 626, normalized size of antiderivative = 3.04

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$$

$$= \frac{cx \cot^{-1}(cx) - \log\left(\frac{1}{c\sqrt{1+\frac{1}{c^2x^2}}}\right) + \frac{1}{4}\sqrt{-c^2}\left(2 \arccos\left(\frac{1+c^2}{-1+c^2}\right) \operatorname{arctanh}\left(\frac{\sqrt{-c^2}}{cx}\right) - 4 \cot^{-1}(cx) \operatorname{arctanh}\left(\frac{cx}{\sqrt{-c^2}}\right)\right)}{c}$$

input

```
Integrate[(x^2*ArcCot[c*x])/(1 + x^2), x]
```

output

```
(c*x*ArcCot[c*x] - Log[1/(c*Sqrt[1 + 1/(c^2*x^2)]*x)] + (Sqrt[-c^2]*(2*Arc
Cos[(1 + c^2)/(-1 + c^2)]*ArcTanh[Sqrt[-c^2]/(c*x)] - 4*ArcCot[c*x]*ArcTan
h[(c*x)/Sqrt[-c^2]] - (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-
c^2]/(c*x)])*Log[(-2*(c^2 + I*Sqrt[-c^2])*(-I + c*x))/((-1 + c^2)*(Sqrt[-c
^2] - c*x))] - (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c
*x)])*Log[((2*I)*(I*c^2 + Sqrt[-c^2])*(I + c*x))/((-1 + c^2)*(Sqrt[-c^2] -
c*x))] + (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)]
+ (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2])/(Sqrt[-1 + c^2
]*E^(I*ArcCot[c*x])*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])]) + (Ar
cCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] - (2*I)*ArcTa
nh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2]*E^(I*ArcCot[c*x]))/(Sqrt[-1
+ c^2]*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])]) + I*(-PolyLog[2, (
(1 + c^2 - (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] -
c*x))] + PolyLog[2, ((1 + c^2 + (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-
1 + c^2)*(Sqrt[-c^2] - c*x))])))/4)/c
```

**Rubi [A] (verified)**

Time = 0.90 (sec) , antiderivative size = 334, normalized size of antiderivative = 1.62, number of steps used = 9, number of rules used = 9,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$ , Rules used = {5452, 5346, 240, 5444, 2920, 27, 2005, 5411, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{x^2 \cot^{-1}(cx)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5452} \\
 & \int \cot^{-1}(cx) dx - \int \frac{\cot^{-1}(cx)}{x^2 + 1} dx \\
 & \quad \downarrow \text{5346} \\
 & c \int \frac{x}{c^2 x^2 + 1} dx - \int \frac{\cot^{-1}(cx)}{x^2 + 1} dx + x \cot^{-1}(cx) \\
 & \quad \downarrow \text{240} \\
 & - \int \frac{\cot^{-1}(cx)}{x^2 + 1} dx + \frac{\log(c^2 x^2 + 1)}{2c} + x \cot^{-1}(cx) \\
 & \quad \downarrow \text{5444} \\
 & -\frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{x^2 + 1} dx + \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{x^2 + 1} dx + \frac{\log(c^2 x^2 + 1)}{2c} + x \cot^{-1}(cx) \\
 & \quad \downarrow \text{2920} \\
 & -\frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - \frac{i \int \frac{c \arctan(x)}{(c - \frac{i}{x})x^2} dx}{c} \right) + \\
 & \frac{1}{2}i \left( \frac{i \int \frac{c \arctan(x)}{(c + \frac{i}{x})x^2} dx}{c} + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) + \frac{\log(c^2 x^2 + 1)}{2c} + x \cot^{-1}(cx) \\
 & \quad \downarrow \text{27} \\
 & -\frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - i \int \frac{\arctan(x)}{(c - \frac{i}{x})x^2} dx \right) + \\
 & \frac{1}{2}i \left( i \int \frac{\arctan(x)}{(c + \frac{i}{x})x^2} dx + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) + \frac{\log(c^2 x^2 + 1)}{2c} + x \cot^{-1}(cx)
 \end{aligned}$$

$$\begin{aligned}
& \downarrow \text{2005} \\
& -\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \int \frac{\arctan(x)}{x(cx-i)} dx \right) + \\
& \frac{1}{2}i \left( i \int \frac{\arctan(x)}{x(cx+i)} dx + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) + \frac{\log(c^2x^2+1)}{2c} + x \cot^{-1}(cx) \\
& \downarrow \text{5411} \\
& -\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \int \left( \frac{i \arctan(x)}{x} - \frac{ic \arctan(x)}{cx-i} \right) dx \right) + \\
& \frac{1}{2}i \left( i \int \left( \frac{ic \arctan(x)}{cx+i} - \frac{i \arctan(x)}{x} \right) dx + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) + \frac{\log(c^2x^2+1)}{2c} + \\
& \quad \quad \quad x \cot^{-1}(cx) \\
& \downarrow \text{2009} \\
& -\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \left( -i \arctan(x) \log \left( -\frac{2i(-cx+i)}{(1-c)(1-ix)} \right) + i \arctan(x) \log \left( \frac{2}{1-ix} \right) - \frac{1}{2} \text{PolyLog} \right. \right. \\
& \frac{1}{2}i \left( i \left( i \arctan(x) \log \left( -\frac{2i(cx+i)}{(c+1)(1-ix)} \right) - i \arctan(x) \log \left( \frac{2}{1-ix} \right) + \frac{1}{2} \text{PolyLog} \left( 2, \frac{2i(cx+i)}{(c+1)(1-ix)} + 1 \right) - \right. \right. \\
& \quad \quad \quad \left. \left. \frac{\log(c^2x^2+1)}{2c} + x \cot^{-1}(cx) \right) \right)
\end{aligned}$$

input `Int[(x^2*ArcCot[c*x])/(1 + x^2),x]`

output `x*ArcCot[c*x] + Log[1 + c^2*x^2]/(2*c) - (I/2)*(ArcTan[x]*Log[1 - I/(c*x)] - I*(I*ArcTan[x]*Log[2/(1 - I*x)] - I*ArcTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))]) + PolyLog[2, 1 - 2/(1 - I*x)]/2 - PolyLog[2, (-I)*x]/2 + PolyLog[2, I*x]/2 - PolyLog[2, 1 + ((2*I)*(I - c*x))/((1 - c)*(1 - I*x))] /2)) + (I/2)*(ArcTan[x]*Log[1 + I/(c*x)] + I*((-I)*ArcTan[x]*Log[2/(1 - I*x)] + I*ArcTan[x]*Log[((-2*I)*(I + c*x))/((1 + c)*(1 - I*x))]) - PolyLog[2, 1 - 2/(1 - I*x)]/2 + PolyLog[2, (-I)*x]/2 - PolyLog[2, I*x]/2 + PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/2))`

## Defintions of rubi rules used

- rule 27  $\text{Int}[(a_*)(Fx_), x\_Symbol] \rightarrow \text{Simp}[a \text{ Int}[Fx, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[Fx, (b_*)(Gx_)] /; \text{FreeQ}[b, x]$
- rule 240  $\text{Int}[(x_)/((a_) + (b_*)(x_)^2), x\_Symbol] \rightarrow \text{Simp}[\text{Log}[\text{RemoveContent}[a + b*x^2, x]]/(2*b), x] /; \text{FreeQ}[\{a, b\}, x]$
- rule 2005  $\text{Int}[(Fx_)*(x_)^{(m_)*((a_) + (b_*)(x_)^{(n_)})^{(p_)}}, x\_Symbol] \rightarrow \text{Int}[x^{(m + n*p)}*(b + a/x^n)^p*Fx, x] /; \text{FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{NegQ}[n]$
- rule 2009  $\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] /; \text{SumQ}[u]$
- rule 2920  $\text{Int}[(a_.) + \text{Log}[(c_)*((d_) + (e_*)(x_)^{(n_)})^{(p_)}]*(b_.)]/((f_) + (g_)*x^2), x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[1/(f + g*x^2), x]\}, \text{Simp}[u*(a + b*\text{Log}[c*(d + e*x^n)^p]), x] - \text{Simp}[b*e*n*p \text{ Int}[u*(x^{(n-1)})/(d + e*x^n)], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \ \&\& \ \text{IntegerQ}[n]$
- rule 5346  $\text{Int}[(a_.) + \text{ArcCot}[(c_*)(x_)^{(n_)}]*(b_.)^{(p_)}], x\_Symbol] \rightarrow \text{Simp}[x*(a + b*\text{ArcCot}[c*x^n])^p, x] + \text{Simp}[b*c*n*p \text{ Int}[x^n*((a + b*\text{ArcCot}[c*x^n])^{(p-1)})/(1 + c^2*x^{(2*n)})], x], x] /; \text{FreeQ}[\{a, b, c, n\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{EqQ}[p, 1])$
- rule 5411  $\text{Int}[(a_.) + \text{ArcTan}[(c_*)(x_)]*(b_.)^{(p_)*((f_*)(x_)^{(m_)*((d_) + (e_*)(x_)^{(q_)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*\text{ArcTan}[c*x])^p, (f*x)^m*(d + e*x)^q], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IntegerQ}[q] \ \&\& \ (\text{GtQ}[q, 0] \ || \ \text{NeQ}[a, 0] \ || \ \text{IntegerQ}[m])$
- rule 5444  $\text{Int}[\text{ArcCot}[(c_*)(x_)]/((d_.) + (e_*)(x_)^2), x\_Symbol] \rightarrow \text{Simp}[I/2 \text{ Int}[\text{Log}[1 - I/(c*x)]/(d + e*x^2), x], x] - \text{Simp}[I/2 \text{ Int}[\text{Log}[1 + I/(c*x)]/(d + e*x^2), x], x] /; \text{FreeQ}[\{c, d, e\}, x]$

rule 5452

```
Int[((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))^(p_.)*((f_.)*(x_.))^(m_.)/((d_.) + (e_.)*(x_)^2), x_Symbol] := Simp[f^2/e Int[(f*x)^(m - 2)*(a + b*ArcCot[c*x])^p, x], x] - Simp[d*(f^2/e Int[(f*x)^(m - 2)*((a + b*ArcCot[c*x])^p/(d + e*x^2)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && GtQ[p, 0] && GtQ[m, 1]
```

### Maple [A] (verified)

Time = 1.45 (sec) , antiderivative size = 261, normalized size of antiderivative = 1.27

method	result
risch	$-\frac{i \ln(-icx+1)x}{2} + \frac{\pi x}{2} + \frac{i\pi}{2c} - \frac{\pi \arctan(x)}{2} - \frac{i \arctan(cx)}{2c} + \frac{i \ln(icx+1)x}{2} + \frac{\ln(c^2x^2+1)}{4c} - \frac{1}{c} + \frac{\ln(-icx-1)}{2c}$
derivativedivides	$-\operatorname{arccot}(cx) \arctan(x)c^3 + \operatorname{arccot}(cx)c^3x + c^3 \left( \frac{\ln(c^2x^2+1)}{2c} + \frac{ic \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c-2} - \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right)}{2(c-1)} \right)$
default	$-\operatorname{arccot}(cx) \arctan(x)c^3 + \operatorname{arccot}(cx)c^3x + c^3 \left( \frac{\ln(c^2x^2+1)}{2c} + \frac{ic \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c-2} - \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right)}{2(c-1)} \right)$
parts	$-\operatorname{arccot}(cx) \arctan(x) + x \operatorname{arccot}(cx) + c \left( \frac{\ln(c^2x^2+1)}{2c^2} + \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c-2} - \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right)}{2(c-1)} \right)$

input

```
int(x^2*arccot(c*x)/(x^2+1),x,method=_RETURNVERBOSE)
```

output

```
-1/2*I*ln(1-I*c*x)*x+1/2*Pi*x+1/2*I/c*Pi-1/2*Pi*arctan(x)-1/2*I/c*arctan(c*x)+1/2*I*ln(1+I*c*x)*x+1/4*ln(c^2*x^2+1)/c-1/c+1/4*ln(1-I*c*x)*ln((-c-I*c*x)/(-c-1))+1/4*dilog((-c-I*c*x)/(-c-1))-1/4*ln(1-I*c*x)*ln((c-I*c*x)/(c-1))-1/4*dilog((c-I*c*x)/(c-1))+1/2/c*ln(1+I*c*x)+1/4*ln(1+I*c*x)*ln((-c+I*c*x)/(-c-1))+1/4*dilog((-c+I*c*x)/(-c-1))-1/4*ln(1+I*c*x)*ln((c+I*c*x)/(c-1))-1/4*dilog((c+I*c*x)/(c-1))
```

**Fricas [F]**

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x^2 \operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(x^2*arccot(c*x)/(x^2+1),x, algorithm="fricas")`

output `integral(x^2*arccot(c*x)/(x^2 + 1), x)`

**Sympy [F]**

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x^2 \operatorname{acot}(cx)}{x^2+1} dx$$

input `integrate(x**2*acot(c*x)/(x**2+1),x)`

output `Integral(x**2*acot(c*x)/(x**2 + 1), x)`

**Maxima [A] (verification not implemented)**

Time = 0.14 (sec) , antiderivative size = 189, normalized size of antiderivative = 0.92

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = (x - \arctan(x)) \operatorname{arccot}(cx) - \frac{4c \arctan(cx) \arctan(x) - 4c \arctan(x) \arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + c \log(x^2+1) \log\left(\frac{c^2x^2+1}{c^2+2c+1}\right) - c \log(x^2+1)}{c^2+2c+1}$$

input `integrate(x^2*arccot(c*x)/(x^2+1),x, algorithm="maxima")`

output

```
(x - arctan(x))*arccot(c*x) - 1/8*(4*c*arctan(c*x)*arctan(x) - 4*c*arctan(x)*arctan2(c*x/(c - 1), -1/(c - 1)) + c*log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 + 2*c + 1)) - c*log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 - 2*c + 1)) + 2*c*dilog((I*c*x + c)/(c + 1)) + 2*c*dilog(-(I*c*x - c)/(c + 1)) - 2*c*dilog((I*c*x + c)/(c - 1)) - 2*c*dilog(-(I*c*x - c)/(c - 1)) - 4*log(c^2*x^2 + 1))/c
```

**Giac [F]**

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x^2 \operatorname{arccot}(cx)}{x^2+1} dx$$

input

```
integrate(x^2*arccot(c*x)/(x^2+1),x, algorithm="giac")
```

output

```
integrate(x^2*arccot(c*x)/(x^2 + 1), x)
```

**Mupad [F(-1)]**

Timed out.

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x^2 \operatorname{acot}(cx)}{x^2+1} dx$$

input

```
int((x^2*acot(c*x))/(x^2 + 1),x)
```

output

```
int((x^2*acot(c*x))/(x^2 + 1), x)
```



**Reduce [F]**

$$\int \frac{x^2 \cot^{-1}(cx)}{1+x^2} dx$$

$$= \frac{\operatorname{acot}(cx)^2 c^2 + 2\operatorname{acot}(cx) cx + 2\left(\int \frac{\operatorname{acot}(cx)}{c^2x^4+c^2x^2+x^2+1} dx\right) c^3 - 2\left(\int \frac{\operatorname{acot}(cx)}{c^2x^4+c^2x^2+x^2+1} dx\right) c + \log(c^2x^2 + 1)}{2c}$$

input `int(x^2*acot(c*x)/(x^2+1),x)`

output `(acot(c*x)**2*c**2 + 2*acot(c*x)*c*x + 2*int(acot(c*x)/(c**2*x**4 + c**2*x**2 + x**2 + 1),x)*c**3 - 2*int(acot(c*x)/(c**2*x**4 + c**2*x**2 + x**2 + 1),x)*c + log(c**2*x**2 + 1))/(2*c)`

### 3.32 $\int \frac{x \cot^{-1}(cx)}{1+x^2} dx$

Optimal result . . . . .	241
Mathematica [A] (verified) . . . . .	242
Rubi [A] (verified) . . . . .	243
Maple [C] (verified) . . . . .	244
Fricas [F] . . . . .	245
Sympy [F] . . . . .	245
Maxima [F] . . . . .	245
Giac [F] . . . . .	246
Mupad [F(-1)] . . . . .	246
Reduce [F] . . . . .	246

#### Optimal result

Integrand size = 13, antiderivative size = 188

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = -\cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) + \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) \\ + \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) \\ - \frac{1}{2}i \text{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) \\ + \frac{1}{4}i \text{PolyLog}\left(2, 1 - \frac{2ic(i-x)}{(1-c)(1-icx)}\right) \\ + \frac{1}{4}i \text{PolyLog}\left(2, 1 + \frac{2ic(i+x)}{(1+c)(1-icx)}\right)$$

output

```
-arccot(c*x)*ln(2/(1-I*c*x))+1/2*arccot(c*x)*ln(2*I*c*(I-x)/(1-c)/(1-I*c*x))
)+1/2*arccot(c*x)*ln(-2*I*c*(I+x)/(1+c)/(1-I*c*x))-1/2*I*polylog(2,1-2/(1-I*c*x))
)+1/4*I*polylog(2,1-2*I*c*(I-x)/(1-c)/(1-I*c*x))+1/4*I*polylog(2,1+2*I*c*(I+x)/(1+c)/(1-I*c*x))
```

**Mathematica [A] (verified)**

Time = 1.26 (sec) , antiderivative size = 309, normalized size of antiderivative = 1.64

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \frac{1}{2} \left( -i \cot^{-1}(cx)^2 - 2i \arcsin \left( \sqrt{\frac{1}{1-c^2}} \right) \arctan \left( \frac{\sqrt{c^2}}{cx} \right) \right. \\ \left. - 2 \cot^{-1}(cx) \log \left( 1 - e^{2i \cot^{-1}(cx)} \right) + \left( \cot^{-1}(cx) \right. \right. \\ \left. \left. - \arcsin \left( \sqrt{\frac{1}{1-c^2}} \right) \right) \log \left( \frac{-1 + \left( -1 + 2\sqrt{c^2} \right) e^{2i \cot^{-1}(cx)} - c^2 \left( -1 + e^{2i \cot^{-1}(cx)} \right)}{-1 + c^2} \right) \right. \\ \left. + \left( \cot^{-1}(cx) \right. \right. \\ \left. \left. + \arcsin \left( \sqrt{\frac{1}{1-c^2}} \right) \right) \log \left( -\frac{1 + \left( 1 + 2\sqrt{c^2} \right) e^{2i \cot^{-1}(cx)} + c^2 \left( -1 + e^{2i \cot^{-1}(cx)} \right)}{-1 + c^2} \right) \right. \\ \left. + i \left( \cot^{-1}(cx)^2 + \text{PolyLog} \left( 2, e^{2i \cot^{-1}(cx)} \right) \right) \right. \\ \left. - \frac{1}{2} i \left( \text{PolyLog} \left( 2, \frac{\left( 1 + c^2 - 2\sqrt{c^2} \right) e^{2i \cot^{-1}(cx)}}{-1 + c^2} \right) \right. \right. \\ \left. \left. + \text{PolyLog} \left( 2, \frac{\left( 1 + c^2 + 2\sqrt{c^2} \right) e^{2i \cot^{-1}(cx)}}{-1 + c^2} \right) \right) \right)$$

input `Integrate[(x*ArcCot[c*x])/(1 + x^2), x]`

output

```
((-I)*ArcCot[c*x]^2 - (2*I)*ArcSin[Sqrt[(1 - c^2)^(-1)]]*ArcTan[Sqrt[c^2]/(c*x)] - 2*ArcCot[c*x]*Log[1 - E^((2*I)*ArcCot[c*x])] + (ArcCot[c*x] - ArcSin[Sqrt[(1 - c^2)^(-1)]])*Log[(-1 + (-1 + 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]) - c^2*(-1 + E^((2*I)*ArcCot[c*x])))/(-1 + c^2)] + (ArcCot[c*x] + ArcSin[Sqrt[(1 - c^2)^(-1)]])*Log[-((1 + (1 + 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]) + c^2*(-1 + E^((2*I)*ArcCot[c*x])))/(-1 + c^2))] + I*(ArcCot[c*x]^2 + PolyLog[2, E^((2*I)*ArcCot[c*x])]) - (I/2)*(PolyLog[2, ((1 + c^2 - 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]))/(-1 + c^2)] + PolyLog[2, ((1 + c^2 + 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]))/(-1 + c^2)])]/2
```

**Rubi [A] (verified)**

Time = 0.42 (sec) , antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {5464, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x \cot^{-1}(cx)}{x^2 + 1} dx$$

$$\downarrow \text{5464}$$

$$\int \left( \frac{\cot^{-1}(cx)}{2(x+i)} - \frac{\cot^{-1}(cx)}{2(-x+i)} \right) dx$$

$$\downarrow \text{2009}$$

$$-\frac{1}{2}i \operatorname{PolyLog} \left( 2, 1 - \frac{2}{1-icx} \right) + \frac{1}{4}i \operatorname{PolyLog} \left( 2, 1 - \frac{2ic(i-x)}{(1-c)(1-icx)} \right) +$$

$$\frac{1}{4}i \operatorname{PolyLog} \left( 2, \frac{2ic(x+i)}{(c+1)(1-icx)} + 1 \right) + \log \left( \frac{2}{1-icx} \right) (-\cot^{-1}(cx)) +$$

$$\frac{1}{2} \log \left( \frac{2ic(-x+i)}{(1-c)(1-icx)} \right) \cot^{-1}(cx) + \frac{1}{2} \log \left( -\frac{2ic(x+i)}{(c+1)(1-icx)} \right) \cot^{-1}(cx)$$

input `Int[(x*ArcCot[c*x])/(1 + x^2),x]`

output `-(ArcCot[c*x]*Log[2/(1 - I*c*x)]) + (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 + (ArcCot[c*x]*Log[((-2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] + (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] + (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]`

Defintions of rubi rules used

```
rule 2009 Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

```
rule 5464 Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*(x_)^(m_.))/((d_) + (e_.)*(x_)^2),
x_Symbol] := Int[ExpandIntegrand[a + b*ArcCot[c*x], x^m/(d + e*x^2), x], x]
/; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])
```

Maple [C] (verified)

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.17 (sec) , antiderivative size = 134, normalized size of antiderivative = 0.71

method	result
parts	$\frac{\ln(x^2+1) \operatorname{arccot}(cx)}{2} + \sum_{-\alpha=\operatorname{RootOf}(c^2-Z^2+1)} \frac{\ln(x-\alpha) \ln(x^2+1) - \ln(x-\alpha) \ln\left(\frac{-\alpha c+x}{-\alpha(1+c)}\right) - \ln(x-\alpha) \ln\left(\frac{\alpha c-x}{\alpha(c-1)}\right)}{-\alpha}$
risch	$\frac{\pi \ln(-c^2+(-icx+1)^2-1+2icx)}{4} - \frac{i \operatorname{dilog}\left(\frac{-icx-c}{-c-1}\right)}{4} - \frac{i \ln(-icx+1) \ln\left(\frac{-icx-c}{-c-1}\right)}{4} - \frac{i \operatorname{dilog}\left(\frac{-icx+c}{c-1}\right)}{4} - \frac{i \ln(-icx+1) \ln\left(\frac{-icx+c}{c-1}\right)}{4}$
derivativedivides	$\frac{c^2 \ln(c^2x^2+c^2) \operatorname{arccot}(cx)}{2} + \frac{c^2 \left( -\frac{i \left( \ln(cx-i) \ln(c^2x^2+c^2) - i \left( -i \operatorname{dilog}\left(\frac{i(cx-i)+c-1}{c-1}\right) - i \ln(cx-i) \ln\left(\frac{i(cx-i)+c-1}{c-1}\right) \right) - i \left( -i \operatorname{dilog}\left(\frac{i(cx-i)+c-1}{c-1}\right) - i \ln(cx-i) \ln\left(\frac{i(cx-i)+c-1}{c-1}\right) \right) \right)}{2} \right)}{2}$
default	$\frac{c^2 \ln(c^2x^2+c^2) \operatorname{arccot}(cx)}{2} + \frac{c^2 \left( -\frac{i \left( \ln(cx-i) \ln(c^2x^2+c^2) - i \left( -i \operatorname{dilog}\left(\frac{i(cx-i)+c-1}{c-1}\right) - i \ln(cx-i) \ln\left(\frac{i(cx-i)+c-1}{c-1}\right) \right) - i \left( -i \operatorname{dilog}\left(\frac{i(cx-i)+c-1}{c-1}\right) - i \ln(cx-i) \ln\left(\frac{i(cx-i)+c-1}{c-1}\right) \right) \right)}{2} \right)}{2}$

```
input int(x*arccot(c*x)/(x^2+1), x, method=_RETURNVERBOSE)
```

```
output 1/2*ln(x^2+1)*arccot(c*x)+1/4/c*sum(1/_alpha*(ln(x-_alpha)*ln(x^2+1)-ln(x-_alpha)*ln((_alpha*c+x)/_alpha/(1+c))-ln(x-_alpha)*ln((_alpha*c-x)/_alpha/(c-1))-dilog((_alpha*c+x)/_alpha/(1+c))-dilog((_alpha*c-x)/_alpha/(c-1))),
_alpha=RootOf(_Z^2*c^2+1))
```

**Fricas [F]**

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(x*arccot(c*x)/(x^2+1),x, algorithm="fricas")`

output `integral(x*arccot(c*x)/(x^2 + 1), x)`

**Sympy [F]**

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x \operatorname{acot}(cx)}{x^2+1} dx$$

input `integrate(x*acot(c*x)/(x**2+1),x)`

output `Integral(x*acot(c*x)/(x**2 + 1), x)`

**Maxima [F]**

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(x*arccot(c*x)/(x^2+1),x, algorithm="maxima")`

output `integrate(x*arccot(c*x)/(x^2 + 1), x)`

**Giac [F]**

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x \operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(x*arccot(c*x)/(x^2+1),x, algorithm="giac")`

output `integrate(x*arccot(c*x)/(x^2 + 1), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{x \operatorname{acot}(cx)}{x^2+1} dx$$

input `int((x*acot(c*x))/(x^2 + 1),x)`

output `int((x*acot(c*x))/(x^2 + 1), x)`

**Reduce [F]**

$$\int \frac{x \cot^{-1}(cx)}{1+x^2} dx = \int \frac{\operatorname{acot}(cx) x}{x^2+1} dx$$

input `int(x*acot(c*x)/(x^2+1),x)`

output `int((acot(c*x)*x)/(x**2 + 1),x)`

### 3.33 $\int \frac{\cot^{-1}(cx)}{1+x^2} dx$

Optimal result	247
Mathematica [B] (warning: unable to verify)	248
Rubi [A] (verified)	248
Maple [A] (verified)	251
Fricas [F]	251
Sympy [F]	252
Maxima [A] (verification not implemented)	252
Giac [F]	253
Mupad [F(-1)]	253
Reduce [F]	253

#### Optimal result

Integrand size = 12, antiderivative size = 183

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = \frac{1}{2}i \arctan(x) \log\left(1 - \frac{i}{cx}\right) - \frac{1}{2}i \arctan(x) \log\left(1 + \frac{i}{cx}\right) - \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) + \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i+cx)}{(1+c)(1-ix)}\right) - \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i-cx)}{(1-c)(1-ix)}\right) + \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i+cx)}{(1+c)(1-ix)}\right)$$

output

```
1/2*I*arctan(x)*ln(1-I/c/x)-1/2*I*arctan(x)*ln(1+I/c/x)-1/2*I*arctan(x)*ln
(-2*I*(I-c*x)/(1-c)/(1-I*x))+1/2*I*arctan(x)*ln(-2*I*(I+c*x)/(1+c)/(1-I*x)
)-1/4*polylog(2,1+2*I*(I-c*x)/(1-c)/(1-I*x))+1/4*polylog(2,1+2*I*(I+c*x)/(
1+c)/(1-I*x))
```



**Mathematica [B] (warning: unable to verify)**

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 592 vs.  $2(183) = 366$ .

Time = 0.55 (sec) , antiderivative size = 592, normalized size of antiderivative = 3.23

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx$$

$$= \frac{c \left( 2 \arccos \left( \frac{1+c^2}{-1+c^2} \right) \operatorname{arctanh} \left( \frac{\sqrt{-c^2}}{cx} \right) - 4 \cot^{-1}(cx) \operatorname{arctanh} \left( \frac{cx}{\sqrt{-c^2}} \right) - \left( \arccos \left( \frac{1+c^2}{-1+c^2} \right) - 2i \operatorname{arctanh} \left( \frac{\sqrt{-c^2}}{cx} \right) \right)}{1}$$

input `Integrate[ArcCot[c*x]/(1 + x^2), x]`

output

```
(c*(2*ArcCos[(1 + c^2)/(-1 + c^2)]*ArcTanh[Sqrt[-c^2]/(c*x)] - 4*ArcCot[c*x]*ArcTanh[(c*x)/Sqrt[-c^2]] - (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[(-2*(c^2 + I*Sqrt[-c^2])*(-I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] - (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[((2*I)*(I*c^2 + Sqrt[-c^2])*(I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] + (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2])/(Sqrt[-1 + c^2]*E^(I*ArcCot[c*x])*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])] + (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] - (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2]*E^(I*ArcCot[c*x]))/(Sqrt[-1 + c^2]*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])] + I*(-PolyLog[2, ((1 + c^2 - (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + PolyLog[2, ((1 + c^2 + (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))]))/(4*Sqrt[-c^2])
```

**Rubi [A] (verified)**

Time = 0.71 (sec) , antiderivative size = 311, normalized size of antiderivative = 1.70, number of steps used = 6, number of rules used = 6,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {5444, 2920, 27, 2005, 5411, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
& \int \frac{\cot^{-1}(cx)}{x^2 + 1} dx \\
& \quad \downarrow \text{5444} \\
& \frac{1}{2}i \int \frac{\log\left(1 - \frac{i}{cx}\right)}{x^2 + 1} dx - \frac{1}{2}i \int \frac{\log\left(1 + \frac{i}{cx}\right)}{x^2 + 1} dx \\
& \quad \downarrow \text{2920} \\
& \frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - \frac{i \int \frac{c \arctan(x)}{(c - \frac{i}{x})x^2} dx}{c} \right) - \\
& \frac{1}{2}i \left( \frac{i \int \frac{c \arctan(x)}{(c + \frac{i}{x})x^2} dx}{c} + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) \\
& \quad \downarrow \text{27} \\
& \frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - i \int \frac{\arctan(x)}{(c - \frac{i}{x})x^2} dx \right) - \\
& \frac{1}{2}i \left( i \int \frac{\arctan(x)}{(c + \frac{i}{x})x^2} dx + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) \\
& \quad \downarrow \text{2005} \\
& \frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - i \int \frac{\arctan(x)}{x(cx - i)} dx \right) - \\
& \frac{1}{2}i \left( i \int \frac{\arctan(x)}{x(cx + i)} dx + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) \\
& \quad \downarrow \text{5411} \\
& \frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - i \int \left( \frac{i \arctan(x)}{x} - \frac{ic \arctan(x)}{cx - i} \right) dx \right) - \\
& \frac{1}{2}i \left( i \int \left( \frac{ic \arctan(x)}{cx + i} - \frac{i \arctan(x)}{x} \right) dx + \arctan(x) \log\left(1 + \frac{i}{cx}\right) \right) \\
& \quad \downarrow \text{2009} \\
& \frac{1}{2}i \left( \arctan(x) \log\left(1 - \frac{i}{cx}\right) - i \left( -i \arctan(x) \log\left(-\frac{2i(-cx + i)}{(1 - c)(1 - ix)}\right) + i \arctan(x) \log\left(\frac{2}{1 - ix}\right) - \frac{1}{2} \text{PolyLog} \right. \right. \\
& \left. \left. \frac{1}{2}i \left( i \left( i \arctan(x) \log\left(-\frac{2i(cx + i)}{(c + 1)(1 - ix)}\right) - i \arctan(x) \log\left(\frac{2}{1 - ix}\right) + \frac{1}{2} \text{PolyLog} \left( 2, \frac{2i(cx + i)}{(c + 1)(1 - ix)} + 1 \right) - \right. \right. \right.
\end{aligned}$$

input

Int[ArcCot[c\*x]/(1 + x^2),x]

output

```
(I/2)*(ArcTan[x]*Log[1 - I/(c*x)] - I*(I*ArcTan[x]*Log[2/(1 - I*x)] - I*Ar
cTan[x]*Log[((-2*I)*(I - c*x))/((1 - c)*(1 - I*x))]) + PolyLog[2, 1 - 2/(1
- I*x)]/2 - PolyLog[2, (-I)*x]/2 + PolyLog[2, I*x]/2 - PolyLog[2, 1 + ((2*
I)*(I - c*x))/((1 - c)*(1 - I*x))]/2) - (I/2)*(ArcTan[x]*Log[1 + I/(c*x)]
+ I*((-I)*ArcTan[x]*Log[2/(1 - I*x)] + I*ArcTan[x]*Log[((-2*I)*(I + c*x))
/((1 + c)*(1 - I*x))]) - PolyLog[2, 1 - 2/(1 - I*x)]/2 + PolyLog[2, (-I)*x]
/2 - PolyLog[2, I*x]/2 + PolyLog[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*
x))]/2))
```

### Defintions of rubi rules used

rule 27

```
Int[(a_)*(Fx_), x_Symbol] := Simp[a Int[Fx, x], x] /; FreeQ[a, x] && !Ma
tchQ[Fx, (b_)*(Gx_) /; FreeQ[b, x]]
```

rule 2005

```
Int[(Fx_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := Int[x^(m
+ n*p)*(b + a/x^n)^p*Fx, x] /; FreeQ[{a, b, m, n}, x] && IntegerQ[p] && Neg
Q[n]
```

rule 2009

```
Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]
```

rule 2920

```
Int[((a_) + Log[(c_)*((d_) + (e_)*(x_)^(n_))^(p_)]*(b_))/((f_) + (g_)
*(x_)^2), x_Symbol] := With[{u = IntHide[1/(f + g*x^2), x]}, Simp[u*(a + b*
Log[c*(d + e*x^n)^p], x] - Simp[b*e*n*p Int[u*(x^(n - 1)/(d + e*x^n)), x
], x]] /; FreeQ[{a, b, c, d, e, f, g, n, p}, x] && IntegerQ[n]
```

rule 5411

```
Int[((a_) + ArcTan[(c_)*(x_)])*(b_))^(p_)*((f_)*(x_)^(m_)*((d_) + (e_
)*(x_)^(q_)), x_Symbol] := Int[ExpandIntegrand[(a + b*ArcTan[c*x])^p, (f*
x)^m*(d + e*x)^q, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[p, 0] &
& IntegerQ[q] && (GtQ[q, 0] || NeQ[a, 0] || IntegerQ[m])
```

rule 5444

```
Int[ArcCot[(c_)*(x_)])/((d_) + (e_)*(x_)^2), x_Symbol] := Simp[I/2 Int[
Log[1 - I/(c*x)]/(d + e*x^2), x], x] - Simp[I/2 Int[Log[1 + I/(c*x)]/(d +
e*x^2), x], x] /; FreeQ[{c, d, e}, x]
```

### Maple [A] (verified)

Time = 1.65 (sec) , antiderivative size = 183, normalized size of antiderivative = 1.00

method	result
risch	$\frac{\pi \arctan(x)}{2} - \frac{\ln(-icx+1) \ln\left(\frac{-icx-c}{-c-1}\right)}{4} - \frac{\operatorname{dilog}\left(\frac{-icx-c}{-c-1}\right)}{4} + \frac{\ln(-icx+1) \ln\left(\frac{-icx+c}{c-1}\right)}{4} + \frac{\operatorname{dilog}\left(\frac{-icx+c}{c-1}\right)}{4} - \ln$
parts	$\operatorname{arccot}(cx) \arctan(x) + c \left( \frac{\arctan(cx) \arctan(x)}{c} - \frac{ic \arctan(cx) \ln\left(1 - \frac{(1+c)(icx+1)^2}{(c^2x^2+1)(1-c)}\right)}{2} - \frac{c \arctan(cx)^2}{2} \right)$
derivativedivides	$c \arctan(x) \operatorname{arccot}(cx) + c^2 \left( \frac{\arctan(cx) \arctan(x)}{c} - \frac{ic \arctan(cx) \ln\left(1 - \frac{(1+c)(icx+1)^2}{(c^2x^2+1)(1-c)}\right)}{2} - \frac{c \arctan(cx)^2}{2} - \frac{c \operatorname{polylog}\left(2, \frac{1+c}{c^2x^2+1}\right)}{4} \right)$
default	$c \arctan(x) \operatorname{arccot}(cx) + c^2 \left( \frac{\arctan(cx) \arctan(x)}{c} - \frac{ic \arctan(cx) \ln\left(1 - \frac{(1+c)(icx+1)^2}{(c^2x^2+1)(1-c)}\right)}{2} - \frac{c \arctan(cx)^2}{2} - \frac{c \operatorname{polylog}\left(2, \frac{1+c}{c^2x^2+1}\right)}{4} \right)$

input `int(arccot(c*x)/(x^2+1),x,method=_RETURNVERBOSE)`

output `1/2*Pi*arctan(x)-1/4*ln(1-I*c*x)*ln((-c-I*c*x)/(-c-1))-1/4*dilog((-c-I*c*x)/(-c-1))+1/4*ln(1-I*c*x)*ln((c-I*c*x)/(c-1))+1/4*dilog((c-I*c*x)/(c-1))-1/4*ln(1+I*c*x)*ln((-c+I*c*x)/(-c-1))-1/4*dilog((-c+I*c*x)/(-c-1))+1/4*ln(1+I*c*x)*ln((c+I*c*x)/(c-1))+1/4*dilog((c+I*c*x)/(c-1))`

### Fricas [F]

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = \int \frac{\operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(arccot(c*x)/(x^2+1),x, algorithm="fricas")`

output `integral(arccot(c*x)/(x^2 + 1), x)`

**Sympy [F]**

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = \int \frac{\operatorname{acot}(cx)}{x^2+1} dx$$

input `integrate(acot(c*x)/(x**2+1),x)`

output `Integral(acot(c*x)/(x**2 + 1), x)`

**Maxima [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 187, normalized size of antiderivative = 1.02

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx =$$

$$-\frac{1}{8}c \left( \frac{8 \arctan(cx) \arctan(x)}{c} - \frac{4 \arctan(cx) \arctan(x) - 4 \arctan(x) \arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + \log(x^2 - 1)}{c} \right)$$

$$+ \operatorname{arccot}(cx) \arctan(x) + \arctan(cx) \arctan(x)$$

input `integrate(arccot(c*x)/(x^2+1),x, algorithm="maxima")`

output `-1/8*c*(8*arctan(c*x)*arctan(x)/c - (4*arctan(c*x)*arctan(x) - 4*arctan(x)*arctan2(c*x/(c - 1), -1/(c - 1)) + log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 + 2*c + 1)) - log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 - 2*c + 1)) + 2*dilog((I*c*x + c)/(c + 1)) + 2*dilog(-(I*c*x - c)/(c + 1)) - 2*dilog((I*c*x + c)/(c - 1)) - 2*dilog(-(I*c*x - c)/(c - 1)))/c) + arccot(c*x)*arctan(x) + arctan(c*x)*arctan(x)`

**Giac [F]**

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = \int \frac{\operatorname{arccot}(cx)}{x^2+1} dx$$

input `integrate(arccot(c*x)/(x^2+1),x, algorithm="giac")`

output `integrate(arccot(c*x)/(x^2 + 1), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = \int \frac{\operatorname{acot}(cx)}{x^2+1} dx$$

input `int(acot(c*x)/(x^2 + 1),x)`

output `int(acot(c*x)/(x^2 + 1), x)`

**Reduce [F]**

$$\int \frac{\cot^{-1}(cx)}{1+x^2} dx = -\frac{\operatorname{acot}(cx)^2 c}{2} - \left( \int \frac{\operatorname{acot}(cx)}{c^2 x^4 + c^2 x^2 + x^2 + 1} dx \right) c^2 + \int \frac{\operatorname{acot}(cx)}{c^2 x^4 + c^2 x^2 + x^2 + 1} dx$$

input `int(acot(c*x)/(x^2+1),x)`

output `( - acot(c*x)**2*c - 2*int(acot(c*x)/(c**2*x**4 + c**2*x**2 + x**2 + 1),x) *c**2 + 2*int(acot(c*x)/(c**2*x**4 + c**2*x**2 + x**2 + 1),x))/2`

### 3.34 $\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$

Optimal result	254
Mathematica [A] (verified)	255
Rubi [A] (verified)	255
Maple [C] (verified)	257
Fricas [F]	257
Sympy [F]	258
Maxima [F]	258
Giac [F]	258
Mupad [F(-1)]	259
Reduce [F]	259

#### Optimal result

Integrand size = 15, antiderivative size = 223

$$\begin{aligned} \int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx &= \cot^{-1}(cx) \log\left(\frac{2}{1-icx}\right) - \frac{1}{2} \cot^{-1}(cx) \log\left(\frac{2ic(i-x)}{(1-c)(1-icx)}\right) \\ &\quad - \frac{1}{2} \cot^{-1}(cx) \log\left(-\frac{2ic(i+x)}{(1+c)(1-icx)}\right) - \frac{1}{2} i \operatorname{PolyLog}\left(2, -\frac{i}{cx}\right) \\ &\quad + \frac{1}{2} i \operatorname{PolyLog}\left(2, \frac{i}{cx}\right) + \frac{1}{2} i \operatorname{PolyLog}\left(2, 1 - \frac{2}{1-icx}\right) \\ &\quad - \frac{1}{4} i \operatorname{PolyLog}\left(2, 1 - \frac{2ic(i-x)}{(1-c)(1-icx)}\right) \\ &\quad - \frac{1}{4} i \operatorname{PolyLog}\left(2, 1 + \frac{2ic(i+x)}{(1+c)(1-icx)}\right) \end{aligned}$$

output

```
arccot(c*x)*ln(2/(1-I*c*x))-1/2*arccot(c*x)*ln(2*I*c*(I-x)/(1-c)/(1-I*c*x)
)-1/2*arccot(c*x)*ln(-2*I*c*(I+x)/(1+c)/(1-I*c*x))-1/2*I*polylog(2,-I/c/x)
+1/2*I*polylog(2,I/c/x)+1/2*I*polylog(2,1-2/(1-I*c*x))-1/4*I*polylog(2,1-2
*I*c*(I-x)/(1-c)/(1-I*c*x))-1/4*I*polylog(2,1+2*I*c*(I+x)/(1+c)/(1-I*c*x))
```

**Mathematica [A] (verified)**

Time = 1.83 (sec) , antiderivative size = 328, normalized size of antiderivative = 1.47

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx$$

$$= \frac{1}{2} \left( -i \left( \cot^{-1}(cx) \left( \cot^{-1}(cx) + 2i \log \left( 1 + e^{2i \cot^{-1}(cx)} \right) \right) + \text{PolyLog} \left( 2, -e^{2i \cot^{-1}(cx)} \right) \right) \right.$$

$$\left. + \frac{(-1+c)(1+c) \left( i \cot^{-1}(cx)^2 + 2i \arcsin \left( \sqrt{\frac{1}{1-c^2}} \right) \arctan \left( \frac{\sqrt{c^2}}{cx} \right) - \left( \cot^{-1}(cx) - \arcsin \left( \sqrt{\frac{1}{1-c^2}} \right) \right) \log \left( \frac{1 + \sqrt{1-c^2} \cot^{-1}(cx)}{1 - \sqrt{1-c^2} \cot^{-1}(cx)} \right) \right)}{2} \right)$$

input `Integrate[ArcCot[c*x]/(x*(1 + x^2)),x]`

output

```
((-I)*(ArcCot[c*x]*(ArcCot[c*x] + (2*I)*Log[1 + E^((2*I)*ArcCot[c*x])]) +
PolyLog[2, -E^((2*I)*ArcCot[c*x])]) + ((-1 + c)*(1 + c)*(I*ArcCot[c*x]^2 +
(2*I)*ArcSin[Sqrt[(1 - c^2)^(-1)]]*ArcTan[Sqrt[c^2]/(c*x)] - (ArcCot[c*x]
- ArcSin[Sqrt[(1 - c^2)^(-1)]])*Log[(-1 + (-1 + 2*Sqrt[c^2])*E^((2*I)*Arc
Cot[c*x]) - c^2*(-1 + E^((2*I)*ArcCot[c*x]))]/(-1 + c^2)] - (ArcCot[c*x] +
ArcSin[Sqrt[(1 - c^2)^(-1)]])*Log[-((1 + (1 + 2*Sqrt[c^2])*E^((2*I)*ArcCo
t[c*x]) + c^2*(-1 + E^((2*I)*ArcCot[c*x]))]/(-1 + c^2))] + (I/2)*(PolyLog[
2, ((1 + c^2 - 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]))/(-1 + c^2)] + PolyLog[2
, ((1 + c^2 + 2*Sqrt[c^2])*E^((2*I)*ArcCot[c*x]))/(-1 + c^2)])))/(-1 + c^2
))/2
```

**Rubi [A] (verified)**

Time = 0.49 (sec) , antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {5464, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.



$$\begin{aligned}
& \int \frac{\cot^{-1}(cx)}{x(x^2+1)} dx \\
& \quad \downarrow \text{5464} \\
& \int \left( \frac{\cot^{-1}(cx)}{x} - \frac{x \cot^{-1}(cx)}{x^2+1} \right) dx \\
& \quad \downarrow \text{2009} \\
& -\frac{1}{2}i \operatorname{PolyLog} \left( 2, -\frac{i}{cx} \right) + \frac{1}{2}i \operatorname{PolyLog} \left( 2, \frac{i}{cx} \right) + \frac{1}{2}i \operatorname{PolyLog} \left( 2, 1 - \frac{2}{1-icx} \right) - \\
& \frac{1}{4}i \operatorname{PolyLog} \left( 2, 1 - \frac{2ic(i-x)}{(1-c)(1-icx)} \right) - \frac{1}{4}i \operatorname{PolyLog} \left( 2, \frac{2ic(x+i)}{(c+1)(1-icx)} + 1 \right) + \\
& \log \left( \frac{2}{1-icx} \right) \cot^{-1}(cx) - \frac{1}{2} \log \left( \frac{2ic(-x+i)}{(1-c)(1-icx)} \right) \cot^{-1}(cx) - \\
& \frac{1}{2} \log \left( -\frac{2ic(x+i)}{(c+1)(1-icx)} \right) \cot^{-1}(cx)
\end{aligned}$$

input `Int[ArcCot[c*x]/(x*(1 + x^2)),x]`

output `ArcCot[c*x]*Log[2/(1 - I*c*x)] - (ArcCot[c*x]*Log[((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))])/2 - (ArcCot[c*x]*Log[(-2*I)*c*(I + x)/((1 + c)*(1 - I*c*x))])/2 - (I/2)*PolyLog[2, (-I)/(c*x)] + (I/2)*PolyLog[2, I/(c*x)] + (I/2)*PolyLog[2, 1 - 2/(1 - I*c*x)] - (I/4)*PolyLog[2, 1 - ((2*I)*c*(I - x))/((1 - c)*(1 - I*c*x))] - (I/4)*PolyLog[2, 1 + ((2*I)*c*(I + x))/((1 + c)*(1 - I*c*x))]`

### Defintions of rubi rules used

rule 2009 `Int[u_, x_Symbol] := Simp[IntSum[u, x], x] /; SumQ[u]`

rule 5464 `Int[(((a_.) + ArcCot[(c_.)*(x_.)]*(b_.))*(x_)^(m_.))/((d_) + (e_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[a + b*ArcCot[c*x], x^m/(d + e*x^2), x], x] /; FreeQ[{a, b, c, d, e}, x] && IntegerQ[m] && !(EqQ[m, 1] && NeQ[a, 0])`

**Maple [C] (verified)**

Result contains higher order function than in optimal. Order 9 vs. order 4.

Time = 1.28 (sec) , antiderivative size = 197, normalized size of antiderivative = 0.88

method	result
parts	$-\frac{\ln(x^2+1) \operatorname{arccot}(cx)}{2} + \operatorname{arccot}(cx) \ln(x) + c \left( -\frac{i \ln(x)(-\ln(-icx+1)+\ln(icx+1))}{c} - \frac{i(\operatorname{dilog}(icx+1)-\operatorname{dilog}(-icx+1))}{c} \right)$
risch	$-\frac{\pi \ln(c^2x^2+c^2)}{4} + \frac{\pi \ln(-icx)}{2} + \frac{i \ln(-icx+1) \ln\left(\frac{-icx-c}{-c-1}\right)}{4} + \frac{i \operatorname{dilog}\left(\frac{-icx-c}{-c-1}\right)}{4} + \frac{i \operatorname{dilog}(-icx+1)}{2} + \frac{i \ln(-icx+1)}{2}$
derivativedivides	$-\frac{\operatorname{arccot}(cx) \ln(c^2x^2+c^2)}{2} + \operatorname{arccot}(cx) \ln(cx) + c^2 \left( -\frac{i \ln(cx) \ln(icx+1)}{c^2} + \frac{i \ln(cx) \ln(-icx+1)}{c^2} - \frac{i \operatorname{dilog}(icx+1)}{c^2} \right)$
default	$-\frac{\operatorname{arccot}(cx) \ln(c^2x^2+c^2)}{2} + \operatorname{arccot}(cx) \ln(cx) + c^2 \left( -\frac{i \ln(cx) \ln(icx+1)}{c^2} + \frac{i \ln(cx) \ln(-icx+1)}{c^2} - \frac{i \operatorname{dilog}(icx+1)}{c^2} \right)$

input `int(arccot(c*x)/x/(x^2+1),x,method=_RETURNVERBOSE)`

output `-1/2*ln(x^2+1)*arccot(c*x)+arccot(c*x)*ln(x)+1/2*c*(-I*ln(x)*(-ln(1-I*c*x)+ln(1+I*c*x)))/c-I*(dilog(1+I*c*x)-dilog(1-I*c*x))/c-1/2/c^2*sum(1/_alpha*(ln(x-_alpha)*ln(x^2+1)-ln(x-_alpha)*ln((_alpha*c+x)/_alpha/(1+c))-ln(x-_alpha)*ln((_alpha*c-x)/_alpha/(c-1))-dilog((_alpha*c+x)/_alpha/(1+c))-dilog((_alpha*c-x)/_alpha/(c-1))),_alpha=RootOf(_Z^2*c^2+1))`

**Fricas [F]**

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(cx)}{(x^2+1)x} dx$$

input `integrate(arccot(c*x)/x/(x^2+1),x, algorithm="fricas")`

output `integral(arccot(c*x)/(x^3 + x), x)`

**Sympy [F]**

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(cx)}{x(x^2+1)} dx$$

input `integrate(acot(c*x)/x/(x**2+1),x)`

output `Integral(acot(c*x)/(x*(x**2 + 1)), x)`

**Maxima [F]**

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(cx)}{(x^2+1)x} dx$$

input `integrate(arccot(c*x)/x/(x^2+1),x, algorithm="maxima")`

output `integrate(arccot(c*x)/((x^2 + 1)*x), x)`

**Giac [F]**

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{arccot}(cx)}{(x^2+1)x} dx$$

input `integrate(arccot(c*x)/x/(x^2+1),x, algorithm="giac")`

output `integrate(arccot(c*x)/((x^2 + 1)*x), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(cx)}{x(x^2+1)} dx$$

input `int(acot(c*x)/(x*(x^2 + 1)),x)`output `int(acot(c*x)/(x*(x^2 + 1)), x)`**Reduce [F]**

$$\int \frac{\cot^{-1}(cx)}{x(1+x^2)} dx = \int \frac{\operatorname{acot}(cx)}{x^3+x} dx$$

input `int(acot(c*x)/x/(x^2+1),x)`output `int(acot(c*x)/(x**3 + x),x)`

### 3.35 $\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$

Optimal result	260
Mathematica [B] (warning: unable to verify)	261
Rubi [A] (verified)	262
Maple [A] (verified)	266
Fricas [F]	266
Sympy [F]	267
Maxima [A] (verification not implemented)	267
Giac [F]	268
Mupad [F(-1)]	268
Reduce [F]	268

#### Optimal result

Integrand size = 15, antiderivative size = 212

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = -\frac{\cot^{-1}(cx)}{x} - \frac{1}{2}i \arctan(x) \log\left(1 - \frac{i}{cx}\right) + \frac{1}{2}i \arctan(x) \log\left(1 + \frac{i}{cx}\right) - c \log(x) + \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i-cx)}{(1-c)(1-ix)}\right) - \frac{1}{2}i \arctan(x) \log\left(-\frac{2i(i+cx)}{(1+c)(1-ix)}\right) + \frac{1}{2}c \log(1+c^2x^2) + \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i-cx)}{(1-c)(1-ix)}\right) - \frac{1}{4} \text{PolyLog}\left(2, 1 + \frac{2i(i+cx)}{(1+c)(1-ix)}\right)$$

output

```
-arccot(c*x)/x-1/2*I*arctan(x)*ln(1-I/c/x)+1/2*I*arctan(x)*ln(1+I/c/x)-c*ln(x)+1/2*I*arctan(x)*ln(-2*I*(I-c*x)/(1-c)/(1-I*x))-1/2*I*arctan(x)*ln(-2*I*(I+c*x)/(1+c)/(1-I*x))+1/2*c*ln(c^2*x^2+1)+1/4*polylog(2,1+2*I*(I-c*x)/(1-c)/(1-I*x))-1/4*polylog(2,1+2*I*(I+c*x)/(1+c)/(1-I*x))
```

**Mathematica [B] (warning: unable to verify)**

Both result and optimal contain complex but leaf count is larger than twice the leaf count of optimal. 619 vs.  $2(212) = 424$ .

Time = 1.31 (sec) , antiderivative size = 619, normalized size of antiderivative = 2.92

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = -\frac{\cot^{-1}(cx)}{x} - c \log \left( \frac{1}{\sqrt{1 + \frac{1}{c^2 x^2}}} \right)$$

$$c \left( 2 \arccos \left( \frac{1+c^2}{-1+c^2} \right) \operatorname{arctanh} \left( \frac{\sqrt{-c^2}}{cx} \right) - 4 \cot^{-1}(cx) \operatorname{arctanh} \left( \frac{cx}{\sqrt{-c^2}} \right) - \left( \arccos \left( \frac{1+c^2}{-1+c^2} \right) - 2i \operatorname{arctanh} \left( \frac{\sqrt{-c^2}}{c} \right) \right) \right)$$

input `Integrate[ArcCot[c*x]/(x^2*(1 + x^2)),x]`

output `-(ArcCot[c*x]/x) - c*Log[1/Sqrt[1 + 1/(c^2*x^2)]] - (c*(2*ArcCos[(1 + c^2)/(-1 + c^2)]*ArcTanh[Sqrt[-c^2]/(c*x)] - 4*ArcCot[c*x]*ArcTanh[(c*x)/Sqrt[-c^2]] - (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[(-2*(c^2 + I*Sqrt[-c^2])*(-I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))]) - (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)])*Log[((2*I)*(I*c^2 + Sqrt[-c^2])*(I + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + (ArcCos[(1 + c^2)/(-1 + c^2)] - (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] + (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2])/(Sqrt[-1 + c^2]*E^(I*ArcCot[c*x])*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])]) + (ArcCos[(1 + c^2)/(-1 + c^2)] + (2*I)*ArcTanh[Sqrt[-c^2]/(c*x)] - (2*I)*ArcTanh[(c*x)/Sqrt[-c^2]])*Log[(Sqrt[2]*Sqrt[-c^2]*E^(I*ArcCot[c*x]))/(Sqrt[-1 + c^2]*Sqrt[-1 - c^2 + (-1 + c^2)*Cos[2*ArcCot[c*x]])]) + I*(-PolyLog[2, ((1 + c^2 - (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))] + PolyLog[2, ((1 + c^2 + (2*I)*Sqrt[-c^2])*(Sqrt[-c^2] + c*x))/((-1 + c^2)*(Sqrt[-c^2] - c*x))])]/(4*Sqrt[-c^2])`

**Rubi [A] (verified)**

Time = 0.87 (sec) , antiderivative size = 342, normalized size of antiderivative = 1.61, number of steps used = 13, number of rules used = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.800$ , Rules used = {5454, 5362, 243, 47, 14, 16, 5444, 2920, 27, 2005, 5411, 2009}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned}
 & \int \frac{\cot^{-1}(cx)}{x^2(x^2+1)} dx \\
 & \quad \downarrow \text{5454} \\
 & \int \frac{\cot^{-1}(cx)}{x^2} dx - \int \frac{\cot^{-1}(cx)}{x^2+1} dx \\
 & \quad \downarrow \text{5362} \\
 & -c \int \frac{1}{x(c^2x^2+1)} dx - \int \frac{\cot^{-1}(cx)}{x^2+1} dx - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{243} \\
 & -\frac{1}{2}c \int \frac{1}{x^2(c^2x^2+1)} dx^2 - \int \frac{\cot^{-1}(cx)}{x^2+1} dx - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{47} \\
 & -\frac{1}{2}c \left( \int \frac{1}{x^2} dx^2 - c^2 \int \frac{1}{c^2x^2+1} dx^2 \right) - \int \frac{\cot^{-1}(cx)}{x^2+1} dx - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{14} \\
 & -\frac{1}{2}c \left( \log(x^2) - c^2 \int \frac{1}{c^2x^2+1} dx^2 \right) - \int \frac{\cot^{-1}(cx)}{x^2+1} dx - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{16} \\
 & - \int \frac{\cot^{-1}(cx)}{x^2+1} dx - \frac{1}{2}c(\log(x^2) - \log(c^2x^2+1)) - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{5444} \\
 & -\frac{1}{2}i \int \frac{\log(1-\frac{i}{cx})}{x^2+1} dx + \frac{1}{2}i \int \frac{\log(1+\frac{i}{cx})}{x^2+1} dx - \frac{1}{2}c(\log(x^2) - \log(c^2x^2+1)) - \frac{\cot^{-1}(cx)}{x} \\
 & \quad \downarrow \text{2920}
 \end{aligned}$$

$$-\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - \frac{i \int \frac{c \arctan(x)}{(c-\frac{i}{x})x^2} dx}{c} \right) +$$

$$\frac{1}{2}i \left( \frac{i \int \frac{c \arctan(x)}{(c+\frac{i}{x})x^2} dx}{c} + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) - \frac{1}{2}c(\log(x^2) - \log(c^2x^2 + 1)) - \frac{\cot^{-1}(cx)}{x}$$

↓ 27

$$-\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \int \frac{\arctan(x)}{(c-\frac{i}{x})x^2} dx \right) +$$

$$\frac{1}{2}i \left( i \int \frac{\arctan(x)}{(c+\frac{i}{x})x^2} dx + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) - \frac{1}{2}c(\log(x^2) - \log(c^2x^2 + 1)) - \frac{\cot^{-1}(cx)}{x}$$

↓ 2005

$$-\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \int \frac{\arctan(x)}{x(cx-i)} dx \right) +$$

$$\frac{1}{2}i \left( i \int \frac{\arctan(x)}{x(cx+i)} dx + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) - \frac{1}{2}c(\log(x^2) - \log(c^2x^2 + 1)) - \frac{\cot^{-1}(cx)}{x}$$

↓ 5411

$$-\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \int \left( \frac{i \arctan(x)}{x} - \frac{ic \arctan(x)}{cx-i} \right) dx \right) +$$

$$\frac{1}{2}i \left( i \int \left( \frac{ic \arctan(x)}{cx+i} - \frac{i \arctan(x)}{x} \right) dx + \arctan(x) \log \left( 1 + \frac{i}{cx} \right) \right) -$$

$$\frac{1}{2}c(\log(x^2) - \log(c^2x^2 + 1)) - \frac{\cot^{-1}(cx)}{x}$$

↓ 2009

$$-\frac{1}{2}i \left( \arctan(x) \log \left( 1 - \frac{i}{cx} \right) - i \left( -i \arctan(x) \log \left( -\frac{2i(-cx+i)}{(1-c)(1-ix)} \right) + i \arctan(x) \log \left( \frac{2}{1-ix} \right) - \frac{1}{2} \text{PolyLog} \right. \right.$$

$$\left. \frac{1}{2}i \left( i \left( i \arctan(x) \log \left( -\frac{2i(cx+i)}{(c+1)(1-ix)} \right) - i \arctan(x) \log \left( \frac{2}{1-ix} \right) + \frac{1}{2} \text{PolyLog} \left( 2, \frac{2i(cx+i)}{(c+1)(1-ix)} + 1 \right) \right) - \right.$$

$$\left. \frac{1}{2}c(\log(x^2) - \log(c^2x^2 + 1)) - \frac{\cot^{-1}(cx)}{x} \right)$$

input `Int[ArcCot[c*x]/(x^2*(1+x^2)),x]`



output

$$\begin{aligned}
& -(\text{ArcCot}[c*x]/x) - (c*(\text{Log}[x^2] - \text{Log}[1 + c^2*x^2]))/2 - (I/2)*(\text{ArcTan}[x]* \\
& \text{Log}[1 - I/(c*x)] - I*(I*\text{ArcTan}[x]*\text{Log}[2/(1 - I*x)] - I*\text{ArcTan}[x]*\text{Log}[((-2* \\
& I)*(I - c*x))/((1 - c)*(1 - I*x))] + \text{PolyLog}[2, 1 - 2/(1 - I*x)]/2 - \text{PolyL} \\
& \text{og}[2, (-I)*x]/2 + \text{PolyLog}[2, I*x]/2 - \text{PolyLog}[2, 1 + ((2*I)*(I - c*x))/((1 \\
& - c)*(1 - I*x))]/2)) + (I/2)*(\text{ArcTan}[x]*\text{Log}[1 + I/(c*x)] + I*((-I)*\text{ArcTan} \\
& [x]*\text{Log}[2/(1 - I*x)] + I*\text{ArcTan}[x]*\text{Log}[((-2*I)*(I + c*x))/((1 + c)*(1 - I* \\
& x))] - \text{PolyLog}[2, 1 - 2/(1 - I*x)]/2 + \text{PolyLog}[2, (-I)*x]/2 - \text{PolyLog}[2, I \\
& *x]/2 + \text{PolyLog}[2, 1 + ((2*I)*(I + c*x))/((1 + c)*(1 - I*x))]/2))
\end{aligned}$$

### Defintions of rubi rules used

rule 14

$$\text{Int}[(a\_)/(x\_), x\_Symbol] \rightarrow \text{Simp}[a*\text{Log}[x], x] \text{ ; FreeQ}[a, x]$$

rule 16

$$\text{Int}[(c\_)/((a\_)+(b\_)*(x\_)), x\_Symbol] \rightarrow \text{Simp}[c*(\text{Log}[\text{RemoveContent}[a + b*x, x]]/b), x] \text{ ; FreeQ}[\{a, b, c\}, x]$$

rule 27

$$\text{Int}[(a_)*(F_x_), x\_Symbol] \rightarrow \text{Simp}[a \quad \text{Int}[F_x, x], x] \text{ ; FreeQ}[a, x] \ \&\& \ !\text{Ma} \\ \text{tchQ}[F_x, (b_)*(G_x_)] \text{ ; FreeQ}[b, x]$$

rule 47

$$\text{Int}[1/(((a\_)+(b\_)*(x\_))*((c\_)+(d\_)*(x\_))), x\_Symbol] \rightarrow \text{Simp}[b/(b*c \\ - a*d) \quad \text{Int}[1/(a + b*x), x], x] - \text{Simp}[d/(b*c - a*d) \quad \text{Int}[1/(c + d*x), x \\ ], x] \text{ ; FreeQ}[\{a, b, c, d\}, x]$$

rule 243

$$\text{Int}[(x_)^{(m\_)}*((a_) + (b_)*(x_)^2)^{(p_)}, x\_Symbol] \rightarrow \text{Simp}[1/2 \quad \text{Subst}[\text{In} \\ \text{t}[x^{((m - 1)/2)*(a + b*x)^p}, x], x, x^2], x] \text{ ; FreeQ}[\{a, b, m, p\}, x] \ \&\& \ \text{I} \\ \text{ntegerQ}[(m - 1)/2]$$

rule 2005

$$\text{Int}[(F_x)*(x_)^{(m\_)}*((a_) + (b_)*(x_)^{(n_)})^{(p_)}, x\_Symbol] \rightarrow \text{Int}[x^{(m \\ + n*p)}*(b + a/x^n)^p * F_x, x] \text{ ; FreeQ}[\{a, b, m, n\}, x] \ \&\& \ \text{IntegerQ}[p] \ \&\& \ \text{Neg} \\ \text{Q}[n]$$

rule 2009

$$\text{Int}[u_, x\_Symbol] \rightarrow \text{Simp}[\text{IntSum}[u, x], x] \text{ ; SumQ}[u]$$

rule 2920  $\text{Int}[(a_.) + \text{Log}[(c_.) * ((d_.) + (e_.) * (x_)^{(n_)})^{(p_.)}] * (b_.)] / ((f_.) + (g_.) * (x_)^2), x\_Symbol] \rightarrow \text{With}[\{u = \text{IntHide}[1/(f + g*x^2), x]\}, \text{Simp}[u * (a + b * \text{Log}[c * (d + e*x^n)^p], x) - \text{Simp}[b * e * n * p \text{ Int}[u * (x^{(n-1)}) / (d + e*x^n)], x], x]] /; \text{FreeQ}[\{a, b, c, d, e, f, g, n, p\}, x] \&\& \text{IntegerQ}[n]$

rule 5362  $\text{Int}[(a_.) + \text{ArcCot}[(c_.) * (x_)^{(n_.)}] * (b_.)]^{(p_.)} * (x_)^{(m_.)}, x\_Symbol] \rightarrow \text{Simp}[x^{(m+1)} * ((a + b * \text{ArcCot}[c * x^n])^p / (m+1)), x] + \text{Simp}[b * c * n * (p / (m+1)) \text{ Int}[x^{(m+n)} * ((a + b * \text{ArcCot}[c * x^n])^{(p-1)} / (1 + c^2 * x^{(2*n)})), x], x] /; \text{FreeQ}[\{a, b, c, m, n\}, x] \&\& \text{IGtQ}[p, 0] \&\& (\text{EqQ}[p, 1] || (\text{EqQ}[n, 1] \& \& \text{IntegerQ}[m])) \&\& \text{NeQ}[m, -1]$

rule 5411  $\text{Int}[(a_.) + \text{ArcTan}[(c_.) * (x_)] * (b_.)]^{(p_.)} * ((f_.) * (x_))^{(m_.)} * ((d_.) + (e_.) * (x_))^{(q_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b * \text{ArcTan}[c * x])^p, (f * x)^m * (d + e * x)^q, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[q] \&\& (\text{GtQ}[q, 0] || \text{NeQ}[a, 0] || \text{IntegerQ}[m])$

rule 5444  $\text{Int}[\text{ArcCot}[(c_.) * (x_)] / ((d_.) + (e_.) * (x_)^2), x\_Symbol] \rightarrow \text{Simp}[I/2 \text{ Int}[\text{Log}[1 - I/(c * x)] / (d + e * x^2), x], x] - \text{Simp}[I/2 \text{ Int}[\text{Log}[1 + I/(c * x)] / (d + e * x^2), x], x] /; \text{FreeQ}[\{c, d, e\}, x]$

rule 5454  $\text{Int}[(a_.) + \text{ArcCot}[(c_.) * (x_)] * (b_.)]^{(p_.)} * ((f_.) * (x_))^{(m_.)} / ((d_.) + (e_.) * (x_)^2), x\_Symbol] \rightarrow \text{Simp}[1/d \text{ Int}[(f * x)^m * (a + b * \text{ArcCot}[c * x])^p, x], x] - \text{Simp}[e / (d * f^2) \text{ Int}[(f * x)^{(m+2)} * ((a + b * \text{ArcCot}[c * x])^p / (d + e * x^2)), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{GtQ}[p, 0] \&\& \text{LtQ}[m, -1]$

**Maple [A] (verified)**

Time = 1.34 (sec) , antiderivative size = 257, normalized size of antiderivative = 1.21

method	result
risch	$-\frac{\pi \arctan(x)}{2} - \frac{\pi}{2x} + \frac{\ln(-icx+1) \ln\left(\frac{-icx-c}{-c-1}\right)}{4} + \frac{\operatorname{dilog}\left(\frac{-icx-c}{-c-1}\right)}{4} - \frac{c \ln(-icx)}{2} + \frac{c \ln(-icx+1)}{2} + \frac{i \ln(-icx)}{2x}$
parts	$-\operatorname{arccot}(cx) \arctan(x) - \frac{\operatorname{arccot}(cx)}{x} + c \left( -\ln(x) + \frac{\ln(c^2x^2+1)}{2} + \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c-2} \right)$
derivativedivides	$c \left( -\frac{\operatorname{arccot}(cx)}{cx} - \frac{\operatorname{arccot}(cx) \arctan(x)}{c} \right) + c^3 \left( -\frac{\ln(x) - \frac{\ln(c^2x^2+1)}{2}}{c^3} + \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c^3(c-1)} \right)$
default	$c \left( -\frac{\operatorname{arccot}(cx)}{cx} - \frac{\operatorname{arccot}(cx) \arctan(x)}{c} \right) + c^3 \left( -\frac{\ln(x) - \frac{\ln(c^2x^2+1)}{2}}{c^3} + \frac{i \ln\left(1 - \frac{(1+c)(ix+1)^2}{(x^2+1)(c-1)}\right) \arctan(x)}{2c^3(c-1)} \right)$

input `int(arccot(c*x)/x^2/(x^2+1),x,method=_RETURNVERBOSE)`

output `-1/2*Pi*arctan(x)-1/2*Pi/x+1/4*ln(1-I*c*x)*ln((-c-I*c*x)/(-c-1))+1/4*dilog((-c-I*c*x)/(-c-1))-1/2*c*ln(-I*c*x)+1/2*c*ln(1-I*c*x)+1/2*I*ln(1-I*c*x)/x-1/4*ln(1-I*c*x)*ln((c-I*c*x)/(c-1))-1/4*dilog((c-I*c*x)/(c-1))+1/4*ln(1+I*c*x)*ln((-c+I*c*x)/(-c-1))+1/4*dilog((-c+I*c*x)/(-c-1))-1/2*c*ln(I*c*x)+1/2*c*ln(1+I*c*x)-1/2*I*ln(1+I*c*x)/x-1/4*ln(1+I*c*x)*ln((c+I*c*x)/(c-1))-1/4*dilog((c+I*c*x)/(c-1))`

**Fricas [F]**

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = \int \frac{\operatorname{arccot}(cx)}{(x^2+1)x^2} dx$$

input `integrate(arccot(c*x)/x^2/(x^2+1),x, algorithm="fricas")`

output `integral(arccot(c*x)/(x^4 + x^2), x)`

**Sympy [F]**

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = \int \frac{\operatorname{acot}(cx)}{x^2(x^2+1)} dx$$

input `integrate(acot(c*x)/x**2/(x**2+1),x)`

output `Integral(acot(c*x)/(x**2*(x**2 + 1)), x)`

**Maxima [A] (verification not implemented)**

Time = 0.15 (sec) , antiderivative size = 183, normalized size of antiderivative = 0.86

$$\begin{aligned} \int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = & -\left(\frac{1}{x} + \arctan(x)\right) \operatorname{arccot}(cx) - \frac{1}{2} \arctan(cx) \arctan(x) \\ & + \frac{1}{2} \arctan(x) \arctan\left(\frac{cx}{c-1}, -\frac{1}{c-1}\right) + \frac{1}{2} c \log(c^2x^2 + 1) \\ & - c \log(x) - \frac{1}{8} \log(x^2 + 1) \log\left(\frac{c^2x^2 + 1}{c^2 + 2c + 1}\right) \\ & + \frac{1}{8} \log(x^2 + 1) \log\left(\frac{c^2x^2 + 1}{c^2 - 2c + 1}\right) - \frac{1}{4} \operatorname{Li}_2\left(\frac{icx + c}{c + 1}\right) \\ & - \frac{1}{4} \operatorname{Li}_2\left(-\frac{icx - c}{c + 1}\right) + \frac{1}{4} \operatorname{Li}_2\left(\frac{icx + c}{c - 1}\right) + \frac{1}{4} \operatorname{Li}_2\left(-\frac{icx - c}{c - 1}\right) \end{aligned}$$

input `integrate(arccot(c*x)/x^2/(x^2+1),x, algorithm="maxima")`

output `-(1/x + arctan(x))*arccot(c*x) - 1/2*arctan(c*x)*arctan(x) + 1/2*arctan(x)  
*arctan2(c*x/(c - 1), -1/(c - 1)) + 1/2*c*log(c^2*x^2 + 1) - c*log(x) - 1/  
8*log(x^2 + 1)*log((c^2*x^2 + 1)/(c^2 + 2*c + 1)) + 1/8*log(x^2 + 1)*log(  
c^2*x^2 + 1)/(c^2 - 2*c + 1)) - 1/4*dilog((I*c*x + c)/(c + 1)) - 1/4*dilog  
(-(I*c*x - c)/(c + 1)) + 1/4*dilog((I*c*x + c)/(c - 1)) + 1/4*dilog(-(I*c*  
x - c)/(c - 1))`

**Giac [F]**

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = \int \frac{\operatorname{arccot}(cx)}{(x^2+1)x^2} dx$$

input `integrate(arccot(c*x)/x^2/(x^2+1),x, algorithm="giac")`

output `integrate(arccot(c*x)/((x^2 + 1)*x^2), x)`

**Mupad [F(-1)]**

Timed out.

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx = \int \frac{\operatorname{acot}(cx)}{x^2(x^2+1)} dx$$

input `int(acot(c*x)/(x^2*(x^2 + 1)),x)`

output `int(acot(c*x)/(x^2*(x^2 + 1)), x)`

**Reduce [F]**

$$\int \frac{\cot^{-1}(cx)}{x^2(1+x^2)} dx$$

$$= \frac{\operatorname{acot}(cx)^2 c^3 x - 2 \operatorname{acot}(cx) c^2 - \operatorname{atan}\left(\frac{1}{cx}\right)^2 c^3 x + \operatorname{atan}\left(\frac{1}{cx}\right)^2 cx + 2 \operatorname{atan}\left(\frac{1}{cx}\right) c^2 - 2 \operatorname{atan}\left(\frac{1}{cx}\right) + 2 \left( \int \frac{\operatorname{atan}}{c^2 x^4 + c^2} \right)}{2x}$$

input `int(acot(c*x)/x^2/(x^2+1),x)`

output

```
(acot(c*x)**2*c**3*x - 2*acot(c*x)*c**2 - atan(1/(c*x))**2*c**3*x + atan(1/(c*x))**2*c*x + 2*atan(1/(c*x))*c**2 - 2*atan(1/(c*x)) + 2*int(atan(1/(c*x))/(c**2*x**4 + c**2*x**2 + x**2 + 1),x)*c**2*x - 2*int(atan(1/(c*x))/(c**2*x**4 + c**2*x**2 + x**2 + 1),x)*x + log(c**2*x**2 + 1)*c*x - 2*log(x)*c*x)/(2*x)
```

### 3.36 $\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx$

Optimal result	270
Mathematica [A] (verified)	270
Rubi [A] (verified)	271
Maple [A] (verified)	272
Fricas [A] (verification not implemented)	273
Sympy [A] (verification not implemented)	273
Maxima [A] (verification not implemented)	273
Giac [A] (verification not implemented)	274
Mupad [B] (verification not implemented)	274
Reduce [B] (verification not implemented)	274

#### Optimal result

Integrand size = 11, antiderivative size = 32

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{x}{4(1+x^2)} - \frac{\cot^{-1}(x)}{2(1+x^2)} - \frac{\arctan(x)}{4}$$

output

```
-1/4*x/(x^2+1)-arccot(x)/(2*x^2+2)-1/4*arctan(x)
```

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 25, normalized size of antiderivative = 0.78

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{x + 2 \cot^{-1}(x) + \arctan(x) + x^2 \arctan(x)}{4 + 4x^2}$$

input

```
Integrate[(x*ArcCot[x])/(1 + x^2)^2,x]
```

output

```
-((x + 2*ArcCot[x] + ArcTan[x] + x^2*ArcTan[x])/(4 + 4*x^2))
```

**Rubi [A] (verified)**

Time = 0.20 (sec) , antiderivative size = 37, normalized size of antiderivative = 1.16, number of steps used = 3, number of rules used = 3,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {5466, 215, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\int \frac{x \cot^{-1}(x)}{(x^2 + 1)^2} dx$$

$$\downarrow \text{5466}$$

$$-\frac{1}{2} \int \frac{1}{(x^2 + 1)^2} dx - \frac{\cot^{-1}(x)}{2(x^2 + 1)}$$

$$\downarrow \text{215}$$

$$\frac{1}{2} \left( -\frac{1}{2} \int \frac{1}{x^2 + 1} dx - \frac{x}{2(x^2 + 1)} \right) - \frac{\cot^{-1}(x)}{2(x^2 + 1)}$$

$$\downarrow \text{216}$$

$$\frac{1}{2} \left( -\frac{\arctan(x)}{2} - \frac{x}{2(x^2 + 1)} \right) - \frac{\cot^{-1}(x)}{2(x^2 + 1)}$$

input `Int[(x*ArcCot[x])/(1 + x^2)^2,x]`

output `-1/2*ArcCot[x]/(1 + x^2) + (-1/2*x/(1 + x^2) - ArcTan[x]/2)/2`

**Defintions of rubi rules used**

rule 215 `Int[((a_) + (b_.)*(x_)^2)^(p_), x_Symbol] := Simp[(-x)*((a + b*x^2)^(p + 1)/(2*a*(p + 1))), x] + Simp[(2*p + 3)/(2*a*(p + 1)) Int[(a + b*x^2)^(p + 1), x], x] /; FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6*p])`



rule 216

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*ArcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a, 0] || GtQ[b, 0])
```

rule 5466

```
Int[((a_) + ArcCot[(c_)*(x_)])*(b_)^(p_)*(x_)*((d_) + (e_)*(x_)^2)^(q_.), x_Symbol] := Simp[(d + e*x^2)^(q + 1)*((a + b*ArcCot[c*x])^p/(2*e*(q + 1))), x] + Simp[b*(p/(2*c*(q + 1))) Int[(d + e*x^2)^q*(a + b*ArcCot[c*x])^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && EqQ[e, c^2*d] && GtQ[p, 0] && NeQ[q, -1]
```

### Maple [A] (verified)

Time = 0.29 (sec) , antiderivative size = 24, normalized size of antiderivative = 0.75

method	result	size
parallelsch	$\frac{x^2 \operatorname{arccot}(x) - x - \operatorname{arccot}(x)}{4x^2 + 4}$	24
default	$-\frac{\operatorname{arccot}(x)}{2(x^2 + 1)} - \frac{x}{4(x^2 + 1)} - \frac{\arctan(x)}{4}$	27
parts	$-\frac{\operatorname{arccot}(x)}{2(x^2 + 1)} - \frac{x}{4(x^2 + 1)} - \frac{\arctan(x)}{4}$	27
orering	$\frac{(2x^4 + x^2 - 1) \operatorname{arccot}(x)}{2(x^2 + 1)^2} + \frac{\left(\frac{\operatorname{arccot}(x)}{(x^2 + 1)^2} - \frac{x}{(x^2 + 1)^3} - \frac{4x^2 \operatorname{arccot}(x)}{(x^2 + 1)^3}\right) (x^2 + 1)^2}{4}$	67
risch	$-\frac{i \ln(ix + 1)}{4(x^2 + 1)} - \frac{-2i \ln(-ix + 1) + i \ln(i + x)x^2 + i \ln(i + x) - i \ln(x - i)x^2 - i \ln(x - i) + 2\pi + 2x}{8(i + x)(x - i)}$	88

input

```
int(x*arccot(x)/(x^2+1)^2,x,method=_RETURNVERBOSE)
```

output

```
1/4*(x^2*arccot(x)-x-arccot(x))/(x^2+1)
```

**Fricas [A] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 21, normalized size of antiderivative = 0.66

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = \frac{(x^2-1) \operatorname{arccot}(x) - x}{4(x^2+1)}$$

input `integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="fricas")`output `1/4*((x^2 - 1)*arccot(x) - x)/(x^2 + 1)`**Sympy [A] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 31, normalized size of antiderivative = 0.97

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = \frac{x^2 \operatorname{acot}(x)}{4x^2+4} - \frac{x}{4x^2+4} - \frac{\operatorname{acot}(x)}{4x^2+4}$$

input `integrate(x*acot(x)/(x**2+1)**2,x)`output `x**2*acot(x)/(4*x**2 + 4) - x/(4*x**2 + 4) - acot(x)/(4*x**2 + 4)`**Maxima [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 26, normalized size of antiderivative = 0.81

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{x}{4(x^2+1)} - \frac{\operatorname{arccot}(x)}{2(x^2+1)} - \frac{1}{4} \operatorname{arctan}(x)$$

input `integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="maxima")`output `-1/4*x/(x^2 + 1) - 1/2*arccot(x)/(x^2 + 1) - 1/4*arctan(x)`

**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 32, normalized size of antiderivative = 1.00

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = -\frac{\arctan\left(\frac{1}{x}\right)}{2(x^2+1)} - \frac{1}{4x\left(\frac{1}{x^2}+1\right)} + \frac{1}{4} \arctan\left(\frac{1}{x}\right)$$

input `integrate(x*arccot(x)/(x^2+1)^2,x, algorithm="giac")`

output `-1/2*arctan(1/x)/(x^2 + 1) - 1/4/(x*(1/x^2 + 1)) + 1/4*arctan(1/x)`

**Mupad [B] (verification not implemented)**

Time = 0.09 (sec) , antiderivative size = 22, normalized size of antiderivative = 0.69

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = \frac{\operatorname{acot}(x)}{4} - \frac{\frac{x}{4} + \frac{\operatorname{acot}(x)}{2}}{x^2+1}$$

input `int((x*acot(x))/(x^2 + 1)^2,x)`

output `acot(x)/4 - (x/4 + acot(x)/2)/(x^2 + 1)`

**Reduce [B] (verification not implemented)**

Time = 0.23 (sec) , antiderivative size = 29, normalized size of antiderivative = 0.91

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^2} dx = \frac{2\operatorname{acot}(x)x^2 + \operatorname{atan}(x)x^2 + \operatorname{atan}(x) - x}{4x^2+4}$$

input `int(x*acot(x)/(x^2+1)^2,x)`

output `(2*acot(x)*x**2 + atan(x)*x**2 + atan(x) - x)/(4*(x**2 + 1))`

### 3.37 $\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$

Optimal result	275
Mathematica [A] (verified)	275
Rubi [A] (verified)	276
Maple [A] (verified)	277
Fricas [A] (verification not implemented)	278
Sympy [B] (verification not implemented)	278
Maxima [A] (verification not implemented)	279
Giac [A] (verification not implemented)	279
Mupad [B] (verification not implemented)	279
Reduce [B] (verification not implemented)	280

#### Optimal result

Integrand size = 11, antiderivative size = 44

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{x}{16(1+x^2)^2} - \frac{3x}{32(1+x^2)} - \frac{\cot^{-1}(x)}{4(1+x^2)^2} - \frac{3 \arctan(x)}{32}$$

output

```
-1/16*x/(x^2+1)^2-3*x/(32*x^2+32)-1/4*arccot(x)/(x^2+1)^2-3/32*arctan(x)
```

#### Mathematica [A] (verified)

Time = 0.02 (sec) , antiderivative size = 36, normalized size of antiderivative = 0.82

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{x(5+3x^2) + 8 \cot^{-1}(x) + 3(1+x^2)^2 \arctan(x)}{32(1+x^2)^2}$$

input

```
Integrate[(x*ArcCot[x])/(1+x^2)^3,x]
```

output

```
-1/32*(x*(5+3*x^2)+8*ArcCot[x]+3*(1+x^2)^2*ArcTan[x])/(1+x^2)^2
```

**Rubi [A] (verified)**

Time = 0.21 (sec) , antiderivative size = 54, normalized size of antiderivative = 1.23, number of steps used = 4, number of rules used = 4,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$ , Rules used = {5466, 215, 215, 216}

Below are the steps used by Rubi to obtain the solution. The rule number used for the transformation is given above next to the arrow. The rules definitions used are listed below.

$$\begin{aligned} & \int \frac{x \cot^{-1}(x)}{(x^2 + 1)^3} dx \\ & \quad \downarrow \text{5466} \\ & -\frac{1}{4} \int \frac{1}{(x^2 + 1)^3} dx - \frac{\cot^{-1}(x)}{4(x^2 + 1)^2} \\ & \quad \downarrow \text{215} \\ & \frac{1}{4} \left( -\frac{3}{4} \int \frac{1}{(x^2 + 1)^2} dx - \frac{x}{4(x^2 + 1)^2} \right) - \frac{\cot^{-1}(x)}{4(x^2 + 1)^2} \\ & \quad \downarrow \text{215} \\ & \frac{1}{4} \left( -\frac{3}{4} \left( \frac{1}{2} \int \frac{1}{x^2 + 1} dx + \frac{x}{2(x^2 + 1)} \right) - \frac{x}{4(x^2 + 1)^2} \right) - \frac{\cot^{-1}(x)}{4(x^2 + 1)^2} \\ & \quad \downarrow \text{216} \\ & \frac{1}{4} \left( -\frac{3}{4} \left( \frac{\arctan(x)}{2} + \frac{x}{2(x^2 + 1)} \right) - \frac{x}{4(x^2 + 1)^2} \right) - \frac{\cot^{-1}(x)}{4(x^2 + 1)^2} \end{aligned}$$

input `Int[(x*ArcCot[x])/(1 + x^2)^3,x]`

output `-1/4*ArcCot[x]/(1 + x^2)^2 + (-1/4*x/(1 + x^2)^2 - (3*(x/(2*(1 + x^2))) + ArcTan[x]/2))/4)/4`

Defintions of rubi rules used

```
rule 215 Int[((a_) + (b_)*(x_)^2)^(p_), x_Symbol] := Simp[(-x)*((a + b*x^2)^(p + 1)
/(2*a*(p + 1))), x] + Simp[(2*p + 3)/(2*a*(p + 1)) Int[(a + b*x^2)^(p + 1)
), x], x] /; FreeQ[{a, b}, x] && LtQ[p, -1] && (IntegerQ[4*p] || IntegerQ[6
*p])
```

```
rule 216 Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1/(Rt[a, 2]*Rt[b, 2]))*A
rcTan[Rt[b, 2]*(x/Rt[a, 2])], x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (GtQ[a
, 0] || GtQ[b, 0])
```

```
rule 5466 Int[((a_) + ArcCot[(c_)*(x_)]*(b_))^(p_)*(x_)*((d_) + (e_)*(x_)^2)^(q_
.), x_Symbol] := Simp[(d + e*x^2)^(q + 1)*((a + b*ArcCot[c*x])^p/(2*e*(q +
1))), x] + Simp[b*(p/(2*c*(q + 1))) Int[(d + e*x^2)^q*(a + b*ArcCot[c*x])
^(p - 1), x], x] /; FreeQ[{a, b, c, d, e, q}, x] && EqQ[e, c^2*d] && GtQ[p,
0] && NeQ[q, -1]
```

Maple [A] (verified)

Time = 0.31 (sec) , antiderivative size = 37, normalized size of antiderivative = 0.84

method	result
default	$-\frac{\operatorname{arccot}(x)}{4(x^2+1)^2} - \frac{x}{16(x^2+1)^2} - \frac{3x}{32(x^2+1)} - \frac{3 \arctan(x)}{32}$
paralelrisch	$\frac{3 \operatorname{arccot}(x)x^4 - 3x^3 + 6x^2 \operatorname{arccot}(x) - 5x - 5 \operatorname{arccot}(x)}{32(x^2+1)^2}$
parts	$-\frac{\operatorname{arccot}(x)}{4(x^2+1)^2} - \frac{x}{16(x^2+1)^2} - \frac{3x}{32(x^2+1)} - \frac{3 \arctan(x)}{32}$
orering	$\frac{(9x^6 + 23x^4 + 9x^2 - 5) \operatorname{arccot}(x)}{16(x^2+1)^3} + \frac{(3x^2+5)(x^2+1)^2 \left( \frac{\operatorname{arccot}(x)}{(x^2+1)^3} - \frac{x}{(x^2+1)^4} - \frac{6x^2 \operatorname{arccot}(x)}{(x^2+1)^4} \right)}{32}$
risch	$-\frac{i \ln(ix+1)}{8(x^2+1)^2} - \frac{-8i \ln(-ix+1) + 3i \ln(i+x)x^4 + 6i \ln(i+x)x^2 + 3i \ln(i+x) - 3i \ln(x-i)x^4 - 6i \ln(x-i)x^2 - 3i \ln(x-i) + 6x^3 + 8\pi}{64(i+x)(x^2+1)(x-i)}$

```
input int(x*arccot(x)/(x^2+1)^3,x,method=_RETURNVERBOSE)
```

```
output -1/4*arccot(x)/(x^2+1)^2-1/16*x/(x^2+1)^2-3/32*x/(x^2+1)-3/32*arctan(x)
```

**Fricas [A] (verification not implemented)**

Time = 0.12 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.89

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{3x^3 - (3x^4 + 6x^2 - 5) \operatorname{arccot}(x) + 5x}{32(x^4 + 2x^2 + 1)}$$

input `integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="fricas")`

output `-1/32*(3*x^3 - (3*x^4 + 6*x^2 - 5)*arccot(x) + 5*x)/(x^4 + 2*x^2 + 1)`

**Sympy [B] (verification not implemented)**

Leaf count of result is larger than twice the leaf count of optimal. 88 vs. 2(39) = 78.

Time = 0.28 (sec) , antiderivative size = 88, normalized size of antiderivative = 2.00

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = \frac{3x^4 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32} - \frac{3x^3}{32x^4 + 64x^2 + 32} + \frac{6x^2 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32} - \frac{5x}{32x^4 + 64x^2 + 32} - \frac{5 \operatorname{acot}(x)}{32x^4 + 64x^2 + 32}$$

input `integrate(x*acot(x)/(x**2+1)**3,x)`

output `3*x**4*acot(x)/(32*x**4 + 64*x**2 + 32) - 3*x**3/(32*x**4 + 64*x**2 + 32) + 6*x**2*acot(x)/(32*x**4 + 64*x**2 + 32) - 5*x/(32*x**4 + 64*x**2 + 32) - 5*acot(x)/(32*x**4 + 64*x**2 + 32)`

**Maxima [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 39, normalized size of antiderivative = 0.89

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{3x^3 + 5x}{32(x^4 + 2x^2 + 1)} - \frac{\operatorname{arccot}(x)}{4(x^2 + 1)^2} - \frac{3}{32} \arctan(x)$$

input `integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="maxima")`output `-1/32*(3*x^3 + 5*x)/(x^4 + 2*x^2 + 1) - 1/4*arccot(x)/(x^2 + 1)^2 - 3/32*arctan(x)`**Giac [A] (verification not implemented)**

Time = 0.13 (sec) , antiderivative size = 40, normalized size of antiderivative = 0.91

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{\frac{3}{x} + \frac{5}{x^3}}{32\left(\frac{1}{x^2} + 1\right)^2} - \frac{\arctan\left(\frac{1}{x}\right)}{4(x^2 + 1)^2} + \frac{3}{32} \arctan\left(\frac{1}{x}\right)$$

input `integrate(x*arccot(x)/(x^2+1)^3,x, algorithm="giac")`output `-1/32*(3/x + 5/x^3)/(1/x^2 + 1)^2 - 1/4*arctan(1/x)/(x^2 + 1)^2 + 3/32*arctan(1/x)`**Mupad [B] (verification not implemented)**

Time = 0.75 (sec) , antiderivative size = 27, normalized size of antiderivative = 0.61

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx = -\frac{3 \operatorname{atan}(x)}{32} - \frac{\frac{5x}{32} + \frac{\operatorname{acot}(x)}{4} + \frac{3x^3}{32}}{(x^2 + 1)^2}$$

input `int((x*acot(x))/(x^2 + 1)^3,x)`output `-(3*atan(x))/32 - ((5*x)/32 + acot(x)/4 + (3*x^3)/32)/(x^2 + 1)^2`



**Reduce [B] (verification not implemented)**

Time = 0.22 (sec) , antiderivative size = 56, normalized size of antiderivative = 1.27

$$\int \frac{x \cot^{-1}(x)}{(1+x^2)^3} dx$$

$$= \frac{8 \operatorname{acot}(x) x^4 + 16 \operatorname{acot}(x) x^2 + 5 \operatorname{atan}(x) x^4 + 10 \operatorname{atan}(x) x^2 + 5 \operatorname{atan}(x) - 3x^3 - 5x}{32x^4 + 64x^2 + 32}$$

input `int(x*acot(x)/(x^2+1)^3,x)`output `(8*acot(x)*x**4 + 16*acot(x)*x**2 + 5*atan(x)*x**4 + 10*atan(x)*x**2 + 5*atan(x) - 3*x**3 - 5*x)/(32*(x**4 + 2*x**2 + 1))`

# CHAPTER 4

## APPENDIX

4.1	Listing of Grading functions . . . . .	281
4.2	Links to plain text integration problems used in this report for each CAS .	299

### 4.1 Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

#### Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* Nasser: April 7, 2022. add second output which gives reason for the grade *)
(*                               Small rewrite of logic in main function to make it*)
(*                               match Maple's logic. No change in functionality otherwise*)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)
```

```

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] := Module[{expnResult,expnOptimal,leafCountResult,leaf
  expnResult = ExpnType[result];
  expnOptimal = ExpnType[optimal];
  leafCountResult = LeafCount[result];
  leafCountOptimal = LeafCount[optimal];

  (*Print["expnResult=",expnResult," expnOptimal=",expnOptimal];*)
  If[expnResult<=expnOptimal,
    If[Not[FreeQ[result,Complex]], (*result contains complex*)
      If[Not[FreeQ[optimal,Complex]], (*optimal contains complex*)
        If[leafCountResult<=2*leafCountOptimal,
          finalresult={"A",""}
          ,(*ELSE*)
          finalresult={"B","Both result and optimal contain complex but leaf count
        ]
      ,(*ELSE*)
        finalresult={"C","Result contains complex when optimal does not."}
      ]
    ,(*ELSE*)(*result does not contains complex*)
      If[leafCountResult<=2*leafCountOptimal,
        finalresult={"A",""}
        ,(*ELSE*)
        finalresult={"B","Leaf count is larger than twice the leaf count of optimal.
      ]
    ]
  ,(*ELSE*)(*expnResult>expnOptimal*)
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      finalresult={"C","Result contains higher order function than in optimal. Order "
    ,

```

```

        finalresult={"F","Contains unresolved integral."}
    ]
];

finalresult
]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]==Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]==Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]==Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]==Plus || Head[expn]==Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],

```

```

    Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 5]],
    If [AppellFunctionQ [Head [expn]],
        Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 6]],
        If [Head [expn] === RootSum,
            Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 7]],
            If [Head [expn] === Integrate || Head [expn] === Int,
                Apply [Max, Append [Map [ExpnType, Apply [List, expn]], 8]],
                9]]]]]]]]]]]]

```

```

ElementaryFunctionQ [func_] :=
  MemberQ [ {
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

```

```

SpecialFunctionQ [func_] :=
  MemberQ [ {
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

```

```

HypergeometricFunctionQ [func_] :=
  MemberQ [ {Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```

AppellFunctionQ [func_] :=
  MemberQ [ {AppellF1}, func]

```

## Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
#                   if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
#                   see problem 156, file Apostol_Problems
#Nasser 4/07/2022  add second output which gives reason for the grade

GradeAntiderivative := proc(result,optimal)
local leaf_count_result,
      leaf_count_optimal,
      ExpnType_result,
      ExpnType_optimal,
      debug:=false;

      leaf_count_result:=leafcount(result);
      #do NOT call ExpnType() if leaf size is too large. Recursion problem
      if leaf_count_result > 500000 then
          return "B","result has leaf size over 500,000. Avoiding possible recursion issue";
      fi;

      leaf_count_optimal := leafcount(optimal);
      ExpnType_result   := ExpnType(result);
      ExpnType_optimal  := ExpnType(optimal);

      if debug then
          print("ExpnType_result",ExpnType_result," ExpnType_optimal=",ExpnType_optimal);
      fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
#     is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal

```

```

# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F","Result contains unresolved integral";
fi;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;
    if is_contains_complex(result) then
        if is_contains_complex(optimal) then
            if debug then
                print("both result and optimal complex");
            fi;
            if leaf_count_result<=2*leaf_count_optimal then
                return "A"," ";
            else
                return "B",cat("Both result and optimal contain complex but leaf count of
                                convert(leaf_count_result,string)," vs. $2 (" ,
                                convert(leaf_count_optimal,string)," ) = ",convert(2*leaf

            end if
        else #result contains complex but optimal is not
            if debug then
                print("result contains complex but optimal is not");
            fi;
            return "C","Result contains complex when optimal does not.";
        fi;
    else # result do not contain complex
        # this assumes optimal do not as well. No check is needed here.
        if debug then
            print("result do not contain complex, this assumes optimal do not as well
        fi;

```

```

        if leaf_count_result<=2*leaf_count_optimal then
            if debug then
                print("leaf_count_result<=2*leaf_count_optimal");
            fi;
            return "A"," ";
        else
            if debug then
                print("leaf_count_result>2*leaf_count_optimal");
            fi;
            return "B",cat("Leaf count of result is larger than twice the leaf count of
                            convert(leaf_count_result,string)," $ vs. $2(",
                            convert(leaf_count_optimal,string),")=",convert(2*leaf_co

        fi;
    fi;
else #ExpnType(result) > ExpnType(optimal)
    if debug then
        print("ExpnType(result) > ExpnType(optimal)");
    fi;
    return "C",cat("Result contains higher order function than in optimal. Order ",
                    convert(ExpnType_result,string)," vs. order ",
                    convert(ExpnType_optimal,string),".");
fi;

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
    return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function

```



```

# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+'') or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
  9

```

```

    end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func, [
    exp, log, ln,
    sin, cos, tan, cot, sec, csc,
    arcsin, arccos, arctan, arccot, arcsec, arccsc,
    sinh, cosh, tanh, coth, sech, csch,
    arcsinh, arccosh, arctanh, arccoth, arcsech, arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func, [
    erf, erfc, erfi,
    FresnelS, FresnelC,
    Ei, Ei, Li, Si, Ci, Shi, Chi,
    GAMMA, lnGAMMA, Psi, Zeta, polylog, dilog, LambertW,
    EllipticF, EllipticE, EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func, [Hypergeometric1F1, hypergeom, HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func, [AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u), op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.

```

```
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:
```

## Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#      Port of original Maple grading function by
#      Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#      added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]
```

```

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+') or type(expn,'*')

```

```

    m1 = expnType(expn.args[0])
    m2 = expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
    return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    #print("Enter grade_antiderivative for sagemath")
    #print("Enter grade_antiderivative, result=",result," optimal=",optimal)

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    #print("leaf_count_result=",leaf_count_result)
    #print("leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        grade = "F"
        grade_annotation = ""

```

```

else:
    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    grade = "A"
                    grade_annotation = ""
                else:
                    grade = "B"
                    grade_annotation = "Both result and optimal contain complex but leaf count of result is lar
            else: #result contains complex but optimal is not
                grade = "C"
                grade_annotation = "Result contains complex when optimal does not."
        else: # result do not contain complex, this assumes optimal do not as well
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = ""
            else:
                grade = "B"
                grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(
        else:
            grade = "C"
            grade_annotation = "Result contains higher order function than in optimal. Order "+str(ExpnType

#print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

## SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2', 'floor', 'abs', 'log_integral'
#June 4, 2022 Made default grade_annotation "none" instead of "" due
#       issue later when reading the file.
#July 14, 2022. Added ellipticF. This is until they fix sagemath, then remove it.

```

```

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    #print("Enter tree_size, expr is ",expr)

    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    #debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arcoth','arcsech','arcsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:

```

```

    if m:
        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    #debug=False
    if debug:
        print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','sinh_integral',
        'Chi','cosh_integral','gamma','log_gamma','psi','zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e','ellipticF',
        'elliptic_pi','exp_integral_e','log_integral',
        'weierstrassPInverse','weierstrass','weierstrassP','weierstrassZeta',
        'weierstrassPPrime','weierstrassSigma']

    if debug:
        print ("m=",m)
    if m:
        print ("func ", func , " is special_function")
    else:
        print ("func ", func , " is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']  #[appellf1] can't find this in sagemath

def is_atom(expn):

    #debug=False

```



```

if debug:
    print ("Enter is_atom, expn=",expn)

if not hasattr(expn, 'parent'):
    return False

#thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic
try:
    if expn.parent() is SR:
        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().gens()

    return False

except AttributeError as error:
    print("Exception,AttributeError in is_atom")
    print ("caught exception" , type(error).__name__ )
    return False

def expnType(expn):

    if debug:
        print (">>>>>Enter expnType, expn=", expn)
        print (">>>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)

```

```

    return expnType(expn.operands()[0]) #expnType(expn.args[0])
elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],Rational)
    if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],Rational)
        return 1
    else:
        return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.args[0]))
else:
    return max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1])) #max(3,expnType(expn
elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #isinstance(expn,Add) or isins
    m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
    m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
    #is checked before calling the grading function that is passed.
    #but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

if debug:
    print ("Enter grade_antiderivative for sagemath")
    print ("Enter grade_antiderivative, result=",result)
    print ("Enter grade_antiderivative, optimal=",optimal)
    print ("type(anti)=", type(result))
    print ("type(optimal)=", type(optimal))

```

```

leaf_count_result = tree_size(result) #leaf_count(result)
leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

#if debug: print ("leaf_count_result=", leaf_count_result, "leaf_count_optimal=",leaf_count_optimal)

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",expnType_optimal)

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex
            if leaf_count_result <= 2*leaf_count_optimal:
                grade = "A"
                grade_annotation = "none"
            else:
                grade = "B"
                grade_annotation = "Both result and optimal contain complex but leaf count of result is larger"
        else: #result contains complex but optimal is not
            grade = "C"
            grade_annotation = "Result contains complex when optimal does not."
    else: # result do not contain complex, this assumes optimal do not as well
        if leaf_count_result <= 2*leaf_count_optimal:
            grade = "A"
            grade_annotation = "none"
        else:
            grade = "B"
            grade_annotation = "Leaf count of result is larger than twice the leaf count of optimal. "+str(leaf_count_result - 2*leaf_count_optimal)
    else:
        grade = "C"
        grade_annotation = "Result contains higher order function than in optimal. Order "+str(expnType_result - expnType_optimal)

print("Before returning. grade=",grade, " grade_annotation=",grade_annotation)

return grade, grade_annotation

```

## 4.2 Links to plain text integration problems used in this report for each CAS

1. Mathematica integration problems as .m file
2. Maple integration problems as .txt file
3. Sagemath integration problems as .sage file
4. Reduce integration problems as .txt file
5. Mupad integration problems as .txt file
6. Sympy integration problems as .py file